B4465-1.1

LENGTH OF STAY

Length of Stay
by Diagnosis and Operation,
United States, 1989

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1990

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1989
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1989
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1989
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1989
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1989 through December 31, 1989. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1990 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi
- Source of the Data
- Data Quality
- Hospital Characteristics

Organization of the Tables viii
- Classification System
- Patient Data Assignment
- Definition of Multiple Diagnosis Patients
- Definition of Operated Patients

Explanation of the Statistics ix
- Total Number of Patients
- Average Length of Stay
- Variance
- Percentiles
- Subtotal and Grand Total

Using the Tables x

Length of Stay Tables 1
- Length of Stay Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-417 4
- Length of Stay Operation Groups 213
- Summary of All Patients in Operation Groups 214
- Operation Groups 501-783 215

Appendix A

1989 Hospital Characteristics 287

Appendix B

Description of Hospital Characteristics 289

Appendix C

State Inclusions By Region 291

Appendix D

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 293

Index

- Part I: Diagnosis Index 298
- Part II: Operation Index 321

ACKNOWLEDGEMENTS

1989 LENGTH OF STAY
BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Linda Vanek, Assistant Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Robert Travis, Librarian.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Stacey Cavanaugh, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1989 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1989 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

> **General** – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.
>
> **Nonfederal** – Controlled by state, county, city, city-county, hospital district or authority, church.
>
> **Short-term** – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1989.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborns, age is replaced by birth weight in grams. The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Single or Multiple Diagnosis
- Not Operated or Operated (for Diagnosis groups only)
- Patient's Age (on day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	462538	2.6	10	1	1	2	3	4	5	14
20-34	205690	3.0	17	1	1	2	3	5	8	22
35-49	74090	4.2	32	1	1	2	5	9	14	30
50-64	40307	4.4	28	1	2	3	5	9	13	28
65 +	34799	5.2	36	1	2	4	6	10	15	32
B. Operated										
0-19 YRS	137351	2.7	11	< 1	1	2	3	5	8	16
20-34	255584	2.7	5	1	1	2	3	5	6	10
35-49	108180	3.3	9	1	1	3	4	6	8	14
50-64	72006	3.9	13	1	1	3	5	8	10	16
65 +	58776	4.9	20	1	2	4	7	10	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	521330	4.5	42	1	2	3	4	8	13	37
20-34	248153	5.6	54	1	2	3	6	13	21	35
35-49	234047	6.0	49	1	2	4	7	13	20	35
50-64	305066	6.0	39	1	2	4	7	12	16	32
65 +	746568	7.4	51	2	3	5	9	14	19	39
B. Operated										
0-19 YRS	174498	6.6	110	1	1	3	7	16	28	85
20-34	394687	4.4	31	1	2	3	5	8	12	31
35-49	259992	6.1	54	1	3	4	7	12	18	42
50-64	284292	7.9	78	1	3	6	10	16	23	50
65 +	510765	10.2	105	2	4	8	13	21	29	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	817424	3.1	16	1	1	2	3	5	8	21
B. Operated	631897	3.1	10	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	2055164	6.1	49	1	2	4	7	12	18	36
B. Operated	1624234	7.4	80	1	2	5	9	16	23	53
1. SINGLE DX	1449321	3.1	13	1	1	2	3	6	8	18
2. MULTIPLE DX	3679398	6.6	63	1	2	4	8	14	21	44
A. Not Operated	2872588	5.2	41	1	2	3	6	11	16	33
B. Operated	2256131	6.2	64	1	2	4	7	13	20	45
TOTAL										
0-19 YRS	1295717	3.9	38	1	2	2	4	7	11	36
20-34	1104114	4.0	29	1	2	3	4	7	12	28
35-49	676309	5.4	44	1	2	4	6	11	17	35
50-64	701671	6.5	53	1	2	4	8	13	19	39
65 +	1350908	8.3	72	2	3	6	10	17	23	48
GRAND TOTAL	**5128719**	**5.6**	**51**	**1**	**2**	**3**	**6**	**12**	**18**	**39**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	180991	3.2	22	1	1	2	3	5	8	25
20-34	205690	3.0	17	1	1	2	3	5	8	22
35-49	74090	4.2	32	1	1	2	5	9	14	30
50-64	40307	4.4	26	1	2	3	5	9	13	28
65 +	34799	5.2	36	1	2	4	6	10	15	32
B. Operated										
0-19 YRS	137141	2.7	10	< 1	1	2	3	5	8	16
20-34	255584	2.7	5	1	1	2	3	5	6	10
35-49	108180	3.3	9	1	1	3	4	6	8	14
50-64	72006	3.9	13	1	1	3	5	8	10	16
65 +	58776	4.9	20	1	2	4	7	10	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	323339	4.9	53	1	2	3	5	9	16	42
20-34	248153	5.6	54	1	2	3	6	13	21	35
35-49	234047	6.0	49	1	2	4	7	13	20	35
50-64	305066	6.0	39	1	2	4	7	12	16	32
65 +	746568	7.4	51	2	3	5	9	14	19	39
B. Operated										
0-19 YRS	167262	6.0	82	1	1	3	7	14	23	68
20-34	394687	4.4	31	1	2	3	5	8	12	31
35-49	259992	6.1	54	1	3	4	7	12	18	42
50-64	284292	7.9	78	1	3	6	10	16	23	50
65 +	510765	10.2	105	2	4	8	13	21	29	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	535877	3.5	23	1	1	2	4	6	10	26
B. Operated	631687	3.1	9	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	1857173	6.3	51	1	2	4	7	13	19	37
B. Operated	1616998	7.3	77	1	2	4	9	16	23	51
1. SINGLE DX	1167564	3.3	16	1	1	2	4	6	9	20
2. MULTIPLE DX	3474171	6.8	63	1	2	4	8	14	21	44
A. Not Operated	2393050	5.7	46	1	2	4	7	12	17	35
B. Operated	2248685	6.1	61	1	2	4	7	13	20	44
TOTAL										
0-19 YRS	808733	4.4	46	1	1	3	4	9	14	40
20-34	1104114	4.0	29	1	2	3	4	7	12	28
35-49	676309	5.4	44	1	2	4	6	11	17	35
50-64	701671	6.5	53	1	2	4	8	13	19	39
65 +	1350908	8.3	72	2	3	6	10	17	23	48
GRAND TOTAL	**4641735**	**5.9**	**53**	**1**	**2**	**4**	**7**	**13**	**19**	**39**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2031	2.3	2	1	1	2	3	4	5	7
20-34	533	2.0	1	1	1	2	2	3	4	6
35-49	255	2.2	2	1	1	2	3	4	5	7
50-64	112	2.4	2	1	1	2	3	4	6	8
65 +	77	3.0	5	1	2	2	4	5	8	11
B. Operated										
0-19 YRS	31	3.5	2	2	3	3	4	6	6	7
20-34	25	3.2	3	1	2	3	4	6	7	7
35-49	14	4.6	3	3	4	4	5	6	9	10
50-64	1	6.0		6	6	6	6	6	6	6
65 +	6	6.3	17	2	2	6	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6210	2.9	5	1	2	2	3	5	6	11
20-34	1307	2.7	3	1	1	2	3	5	6	8
35-49	971	3.0	5	1	2	2	4	6	7	11
50-64	938	3.5	5	1	2	3	4	6	8	13
65 +	1933	4.5	17	2	2	4	5	8	10	19
B. Operated										
0-19 YRS	148	7.9	104	2	3	5	8	17	23	55
20-34	86	5.0	25	1	2	4	6	11	14	29
35-49	79	5.4	12	2	3	5	7	10	13	18
50-64	73	6.5	31	2	4	5	7	10	17	32
65 +	116	8.9	67	3	4	7	10	16	28	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3008	2.2	2	1	1	2	3	4	5	7
B. Operated	77	3.9	4	2	2	4	5	6	7	12
2. MULTIPLE DX										
A. Not Operated	11359	3.2	7	1	2	3	4	6	7	12
B. Operated	502	7.0	59	2	3	5	8	13	19	40
1. SINGLE DX	3085	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	11861	3.4	10	1	2	3	4	6	8	14
A. Not Operated	14367	3.0	6	1	2	2	4	5	7	12
B. Operated	579	6.6	52	2	3	5	7	12	18	35
TOTAL										
0-19 YRS	8420	2.8	6	1	2	2	3	5	6	12
20-34	1951	2.6	4	1	1	2	3	5	6	10
35-49	1319	3.0	5	1	2	2	4	6	7	12
50-64	1124	3.6	7	1	2	3	4	6	8	14
65 +	2132	4.7	21	2	2	4	6	8	11	22
GRAND TOTAL	**14946**	**3.1**	**8**	**1**	**2**	**2**	**4**	**6**	**7**	**13**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	962	3.7	9	1	2	3	4	7	10	15
20-34	425	3.4	5	1	2	3	4	6	7	12
35-49	250	3.5	5	1	2	3	5	7	8	12
50-64	122	3.7	5	1	2	3	5	7	8	11
65 +	66	4.1	4	2	2	4	5	7	7	9
B. Operated										
0-19 YRS	51	5.3	27	2	2	4	6	10	16	33
20-34	83	4.6	6	2	3	4	5	8	10	13
35-49	34	4.5	7	2	3	4	5	8	10	15
50-64	23	4.8	5	2	3	4	6	8	9	9
65 +	17	7.5	28	3	4	6	10	16	19	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2197	4.4	18	2	2	3	5	8	11	22
20-34	916	4.0	10	1	2	3	5	7	10	16
35-49	732	4.6	12	2	2	4	5	9	11	18
50-64	620	5.0	21	2	3	4	6	9	11	21
65 +	1379	7.6	43	3	4	6	9	14	18	35
B. Operated										
0-19 YRS	155	13.1	240	3	4	7	15	34	49	77
20-34	217	6.5	20	3	4	5	8	12	15	30
35-49	192	9.1	133	2	4	6	9	19	33	84
50-64	219	8.6	77	3	4	6	10	15	28	52
65 +	480	13.0	136	4	6	10	16	27	37	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1825	3.6	7	1	2	3	4	6	8	14
B. Operated	208	5.0	14	2	3	4	6	8	12	18
2. MULTIPLE DX										
A. Not Operated	5844	5.2	24	2	3	4	6	10	13	25
B. Operated	1263	10.5	125	3	4	7	12	23	33	70
1. SINGLE DX	2033	3.7	8	1	2	3	5	7	9	14
2. MULTIPLE DX	7107	6.1	46	2	3	4	7	12	17	37
A. Not Operated	7669	4.8	21	1	2	4	6	9	12	23
B. Operated	1471	9.7	113	3	4	6	11	21	31	66
TOTAL										
0-19 YRS	3365	4.6	30	1	2	3	5	8	11	30
20-34	1641	4.2	11	1	2	3	5	7	10	17
35-49	1208	5.1	33	2	2	4	6	9	12	29
50-64	984	5.6	34	2	3	4	6	10	14	32
65 +	1942	8.8	70	3	4	6	11	17	24	46
GRAND TOTAL	**9140**	**5.6**	**39**	**2**	**3**	**4**	**6**	**11**	**15**	**34**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	5.1	12	1	3	4	8	10	11	14
20-34	74	7.9	89	2	3	6	9	14	20	62
35-49	49	9.4	59	1	4	8	14	17	29	32
50-64	25	13.0	263	1	3	8	17	30	48	73
65 +	16	5.1	15	1	2	4	8	9	13	14
B. Operated										
0-19 YRS	9	6.0	16	1	2	7	10	10	10	10
20-34	25	8.7	17	4	5	9	10	14	17	18
35-49	24	8.2	20	3	5	7	11	15	16	18
50-64	12	8.9	16	4	7	9	11	14	17	17
65 +	11	8.0	17	3	5	7	10	14	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	8.2	88	2	4	6	10	14	45	99 +
20-34	193	11.6	145	2	6	8	14	24	37	99 +
35-49	213	13.7	196	3	5	10	17	33	44	99 +
50-64	152	12.7	115	3	6	9	16	29	44	99 +
65 +	188	13.5	97	5	7	11	17	28	35	57
B. Operated										
0-19 YRS	36	9.0	42	2	4	8	12	19	22	24
20-34	100	16.1	169	6	8	12	22	29	46	96
35-49	119	18.3	294	5	7	13	24	50	82	99 +
50-64	109	16.4	148	6	8	13	22	37	57	99 +
65 +	183	17.3	184	5	8	14	24	39	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	201	8.2	87	1	3	6	10	16	23	54
B. Operated	81	8.2	18	3	5	8	10	14	16	18
2. MULTIPLE DX										
A. Not Operated	789	12.6	139	3	6	9	15	28	41	99 +
B. Operated	547	16.6	192	5	8	13	22	39	58	99 +
1. SINGLE DX	282	8.2	67	1	3	7	10	15	18	40
2. MULTIPLE DX	1336	14.3	165	4	6	11	18	33	47	99 +
A. Not Operated	990	11.7	132	2	5	9	14	25	38	99 +
B. Operated	628	15.5	177	5	7	11	20	36	52	99 +
TOTAL										
0-19 YRS	125	7.4	49	2	3	6	10	14	19	62
20-34	392	11.8	140	2	5	9	14	25	33	96
35-49	405	14.2	207	3	6	10	17	36	56	99 +
50-64	298	13.9	138	4	7	11	18	33	45	99 +
65 +	398	14.8	140	4	7	11	20	34	42	99 +
GRAND TOTAL	**1618**	**13.2**	**153**	**3**	**6**	**10**	**17**	**29**	**42**	**99 +**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	10.6	119	1	1	7	20	25	25	25
20-34	6	6.2	9	3	4	5	8	11	11	11
35-49	4	5.3	4	3	4	5	7	8	8	8
50-64	7	7.4	20	4	4	5	10	15	16	16
65 +	1	18.0		18	18	18	18	18	18	18
B. Operated										
0-19 YRS	16	3.6	22	< 1	1	2	4	10	16	18
20-34	12	8.3	29	2	4	8	12	16	19	19
35-49	6	10.8	65	5	6	7	14	25	26	26
50-64	6	4.8	17	1	2	4	7	11	12	12
65 +	5	7.8	41	1	2	7	12	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	18.9	164	4	7	16	30	37	40	40
20-34	25	8.9	56	2	4	6	17	25	41	99 +
35-49	27	18.4	257	2	8	15	27	49	68	99 +
50-64	17	8.3	66	2	4	5	11	19	29	33
65 +	13	15.0	201	4	4	9	34	46	88	99 +
B. Operated										
0-19 YRS	21	17.0	573	1	2	15	45	99 +	99 +	99 +
20-34	54	17.9	192	6	9	16	25	41	93	99 +
35-49	65	20.5	326	5	7	14	28	43	60	81
50-64	30	25.2	348	8	11	22	39	58	73	99 +
65 +	45	26.2	530	4	10	17	39	66	87	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	7.9	38	2	4	5	10	18	21	25
B. Operated	45	6.4	35	1	2	5	9	15	18	26
2. MULTIPLE DX										
A. Not Operated	94	13.7	165	2	4	9	21	36	49	99 +
B. Operated	215	21.4	367	4	8	16	31	60	87	99 +
1. SINGLE DX	68	6.9	36	1	2	5	9	17	19	26
2. MULTIPLE DX	309	19.0	317	3	7	14	28	54	81	99 +
A. Not Operated	117	12.5	145	2	4	8	18	34	44	99 +
B. Operated	260	18.8	341	2	7	14	27	55	80	99 +
TOTAL										
0-19 YRS	54	12.9	307	1	1	7	22	53	99 +	99 +
20-34	97	13.7	146	3	6	10	19	36	62	99 +
35-49	102	18.8	289	4	7	13	26	44	60	91
50-64	60	16.3	274	3	5	11	23	47	58	97
65 +	64	22.4	450	4	7	15	34	58	87	99 +
GRAND TOTAL	**377**	**16.8**	**288**	**2**	**5**	**12**	**24**	**48**	**68**	**99 +**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	271	2.4	2	1	1	2	3	4	5	6
20-34	112	2.7	1	1	2	3	3	4	5	7
35-49	34	2.4	1	1	2	2	3	4	5	6
50-64	14	2.4	1	1	2	2	3	4	4	4
65+	5	3.0	3	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	81	1.1		<1	1	1	1	1	2	5
20-34	22	1.3	1	1	1	1	1	2	3	4
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1159	2.6	2	1	2	2	3	4	5	8
20-34	361	3.1	25	1	2	3	3	5	6	9
35-49	153	3.6	9	2	2	3	4	6	7	10
50-64	73	4.1	7	2	2	4	5	7	9	16
65+	39	5.8	45	2	3	4	7	9	9	44
B. Operated										
0-19 YRS	96	1.9	3	1	1	1	2	4	5	10
20-34	15	3.7	5	1	2	3	6	6	8	8
35-49	6	3.5	9	1	1	3	5	8	8	8
50-64	5	8.8	34	4	5	6	13	18	18	18
65+	3	8.3	4	6	7	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	436	2.5	1	1	2	2	3	4	5	6
B. Operated	105	1.3	2	<1	1	1	1	1	3	9
2. MULTIPLE DX										
A. Not Operated	1785	2.9	9	1	2	2	3	5	6	9
B. Operated	125	2.6	7	1	1	1	4	6	8	13
1. SINGLE DX	541	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX	1910	2.9	9	1	2	2	3	5	6	10
A. Not Operated	2221	2.8	7	1	2	2	3	5	6	9
B. Operated	230	2.0	5	1	1	1	2	5	6	13
TOTAL										
0-19 YRS	1607	2.4	2	1	1	2	3	4	5	7
20-34	510	3.0	18	1	2	3	3	5	5	8
35-49	195	3.5	8	1	2	3	4	6	7	13
50-64	92	4.1	9	2	2	4	5	7	10	18
65+	47	5.6	39	2	3	4	7	9	10	44
GRAND TOTAL	**2451**	**2.7**	**7**	**1**	**2**	**2**	**3**	**5**	**6**	**9**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1414	4.2	8	2	2	3	5	9	10	14
20-34	29	5.6	9	2	3	5	7	10	11	14
35-49	49	5.7	30	1	3	4	8	9	11	36
50-64	49	5.9	21	2	3	5	7	11	11	30
65+	107	8.1	42	2	4	7	11	14	19	40
B. Operated										
0-19 YRS	38	7.3	77	2	3	3	10	20	38	99+
20-34	3	20.0	633	4	5	7	38	49	49	49
35-49	5	12.4	59	2	7	14	16	23	23	23
50-64	3	10.3	4	8	9	11	12	12	12	12
65+	6	14.2	55	6	10	15	24	85	99+	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3901	5.6	24	2	3	4	7	11	14	24
20-34	753	7.9	32	3	4	7	10	14	18	29
35-49	1167	9.0	57	3	5	7	11	16	21	44
50-64	2302	9.6	45	4	6	8	12	17	21	36
65+	9759	10.6	60	4	6	9	13	18	24	46
B. Operated										
0-19 YRS	393	14.5	179	3	6	11	18	32	41	96
20-34	339	16.7	226	4	7	12	21	36	49	85
35-49	560	17.9	233	5	8	14	22	38	52	99+
50-64	936	17.4	179	6	9	14	21	38	49	99+
65+	3045	19.4	210	7	10	15	24	41	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1648	4.6	12	2	3	3	6	9	11	17
B. Operated	55	9.4	99	2	3	6	13	26	47	99+
2. MULTIPLE DX										
A. Not Operated	17882	9.2	53	3	5	8	11	17	22	40
B. Operated	5273	18.3	208	6	9	14	23	39	52	99+
1. SINGLE DX	1703	4.7	16	2	3	3	6	10	11	20
2. MULTIPLE DX	23155	11.2	103	3	5	9	14	22	31	65
A. Not Operated	19530	8.8	51	3	4	7	11	16	21	39
B. Operated	5328	18.2	207	6	9	14	23	39	52	99+
TOTAL										
0-19 YRS	5746	5.9	37	2	3	4	7	12	15	33
20-34	1124	10.5	108	3	5	7	12	21	30	53
35-49	1781	11.7	129	3	5	8	14	23	35	74
50-64	3290	11.7	96	4	6	9	14	22	31	59
65+	12917	12.6	109	5	7	10	15	24	34	71
GRAND TOTAL	**24858**	**10.8**	**100**	**3**	**5**	**8**	**13**	**21**	**30**	**63**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	772	5.3	15	2	3	4	7	10	12	17
20-34	68	5.9	27	2	3	4	7	12	14	28
35-49	52	4.4	10	2	2	3	6	9	10	15
50-64	37	4.7	8	1	3	4	6	8	10	14
65 +	32	4.6	12	1	3	4	5	7	11	19
B. Operated										
0-19 YRS	34	5.1	13	1	2	4	8	9	11	15
20-34	15	5.7	10	1	3	6	7	11	12	12
35-49	9	5.7	14	2	3	4	8	11	12	12
50-64	11	8.4	95	3	4	6	8	20	36	37
65 +	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	893	6.9	24	2	3	6	9	12	15	23
20-34	225	6.9	31	2	3	5	9	14	17	25
35-49	191	8.0	61	3	4	5	10	17	20	61
50-64	229	7.9	56	3	4	6	9	14	17	39
65 +	364	8.3	56	3	4	6	9	16	24	38
B. Operated										
0-19 YRS	120	17.7	303	5	8	13	23	53	93	99 +
20-34	104	13.8	166	4	7	10	17	24	45	93
35-49	107	16.4	188	5	8	12	20	37	48	99 +
50-64	88	13.1	96	4	6	11	18	27	45	99 +
65 +	135	17.0	216	5	8	13	22	31	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	961	5.3	15	2	3	4	7	10	12	19
B. Operated	71	5.7	25	1	2	6	8	10	12	32
2. MULTIPLE DX										
A. Not Operated	1902	7.4	39	2	4	6	9	14	18	32
B. Operated	554	15.8	203	5	7	12	20	36	53	99 +
1. SINGLE DX	1032	5.3	16	2	3	4	7	10	12	19
2. MULTIPLE DX	2456	9.3	88	3	4	7	11	18	27	68
A. Not Operated	2863	6.7	32	2	3	5	8	12	16	28
B. Operated	625	14.7	193	3	7	11	18	34	50	99 +
TOTAL										
0-19 YRS	1819	6.9	47	2	3	6	9	12	16	40
20-34	412	8.4	73	2	4	6	10	17	23	50
35-49	359	9.9	109	3	4	7	12	20	33	79
50-64	365	8.9	68	3	4	6	11	17	24	53
65 +	533	10.3	110	3	4	7	12	22	29	62
GRAND TOTAL	**3488**	**8.1**	**70**	**2**	**3**	**6**	**10**	**16**	**22**	**53**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2381	3.2	3	2	2	3	4	5	6	10
20-34	845	3.3	4	1	2	3	4	6	7	10
35-49	236	3.7	5	1	2	3	5	6	8	13
50-64	37	4.2	6	2	2	4	6	8	9	10
65 +	13	5.1	7	2	3	5	8	9	9	9
B. Operated										
0-19 YRS	19	3.5	3	2	2	3	5	6	7	7
20-34	9	6.8	49	1	2	3	10	18	23	23
35-49	5	2.2	2	1	1	2	3	4	4	4
50-64	1	28.0		28	28	28	28	28	28	28
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1777	3.9	7	2	2	3	4	7	9	14
20-34	650	4.4	10	2	2	4	5	8	9	16
35-49	261	5.4	14	2	3	4	7	10	12	20
50-64	90	6.1	20	2	3	5	7	13	15	23
65 +	78	7.9	32	3	4	7	11	13	18	31
B. Operated										
0-19 YRS	59	7.9	39	2	4	5	10	18	21	28
20-34	18	9.1	76	3	4	7	12	17	31	39
35-49	21	8.7	16	3	6	9	12	15	49	99 +
50-64	5	8.4	39	3	4	5	14	17	17	17
65 +	11	11.5	55	5	6	9	16	23	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3512	3.3	3	2	2	3	4	5	7	10
B. Operated	34	4.9	33	2	2	3	5	10	20	28
2. MULTIPLE DX										
A. Not Operated	2856	4.4	10	2	3	3	5	8	10	17
B. Operated	114	8.6	42	3	4	7	12	17	22	60
1. SINGLE DX	3546	3.3	4	2	2	3	4	5	7	10
2. MULTIPLE DX	2970	4.5	12	2	3	4	5	8	11	19
A. Not Operated	6368	3.8	7	2	2	3	4	7	9	13
B. Operated	148	7.7	42	2	3	5	10	17	23	40
TOTAL										
0-19 YRS	4236	3.6	6	2	2	3	4	6	8	13
20-34	1522	3.9	8	2	2	3	5	7	9	14
35-49	523	4.8	11	2	3	4	6	9	12	17
50-64	133	5.8	21	2	3	4	7	12	15	27
65 +	102	8.0	33	3	4	7	10	13	19	31
GRAND TOTAL	**6516**	**3.9**	**8**	**2**	**2**	**3**	**4**	**7**	**9**	**15**

981 Hospitals, United States, January-December 1989

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	528	3.3	6	1	2	3	4	6	8	13
20-34	158	4.0	4	2	2	4	5	7	8	10
35-49	54	5.1	17	2	2	4	6	10	12	23
50-64	54	4.4	9	1	2	3	6	8	10	15
65+	109	4.5	8	2	3	4	6	8	11	13
B. Operated										
0-19 YRS	12	6.9	51	1	2	4	9	19	22	23
20-34	6	4.3	6	1	3	4	6	8	8	8
35-49	6	6.3	25	1	3	5	8	14	15	15
50-64	13	4.4	16	1	2	3	6	9	14	15
65+	21	5.4	22	1	2	4	8	12	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2110	4.4	10	2	2	4	5	8	10	16
20-34	493	5.3	15	2	3	4	7	9	12	24
35-49	307	6.2	20	2	3	5	8	11	14	25
50-64	383	6.4	18	3	4	6	8	11	13	26
65+	1337	7.5	42	2	4	6	9	14	19	35
B. Operated										
0-19 YRS	85	14.0	250	3	5	8	19	43	74	99+
20-34	61	11.5	202	3	5	8	11	27	44	99
35-49	38	9.2	62	2	4	7	9	22	26	36
50-64	58	12.1	112	4	4	9	14	28	38	51
65+	180	14	151	3	6	10	19	28	36	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	903	3.8	7	1	2	3	5	7	9	13
B. Operated	58	5.5	25	1	2	4	7	13	17	23
2. MULTIPLE DX										
A. Not Operated	4630	5.7	23	2	3	5	7	10	13	25
B. Operated	422	13.0	166	3	5	9	18	28	39	96
1. SINGLE DX	961	3.9	8	1	2	3	5	7	9	15
2. MULTIPLE DX	5052	6.3	39	2	3	5	7	11	17	34
A. Not Operated	5533	5.4	21	2	3	4	7	10	13	24
B. Operated	480	12.1	155	2	4	8	16	27	37	93
TOTAL										
0-19 YRS	2735	4.5	20	1	2	4	5	8	11	21
20-34	718	5.5	32	2	3	4	7	10	12	29
35-49	405	6.4	24	2	3	5	8	11	15	26
50-64	508	6.8	32	2	4	6	8	12	16	33
65+	1647	8.0	57	2	4	6	9	15	22	38
GRAND TOTAL	**6013**	**5.9**	**35**	**2**	**3**	**4**	**7**	**11**	**15**	**31**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	119	3.3	4	1	2	3	4	6	7	11
20-34	256	4.4	8	1	2	4	6	8	9	15
35-49	117	5.7	15	2	3	5	8	11	13	21
50-64	36	6.1	25	2	3	4	8	11	14	27
65+	12	5.0	5	2	3	5	7	8	9	9
B. Operated										
0-19 YRS	6	2.7	5	<1	1	2	5	6	6	6
20-34	11	4.6	32	1	1	1	8	14	17	17
35-49	10	4.0	25	1	1	2	5	11	17	17
50-64	6	1.2		1	1	1	1	2	2	2
65+	4	6.8	52	1	1	5	12	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	185	4.5	16	1	2	4	5	8	11	22
20-34	515	5.2	12	2	3	4	7	10	12	17
35-49	335	6.6	38	2	3	5	8	12	15	34
50-64	167	6.9	27	2	3	5	9	14	18	27
65+	190	7.6	44	2	3	6	9	14	20	40
B. Operated										
0-19 YRS	27	13.6	334	2	3	7	16	46	86	99+
20-34	35	12.5	81	4	6	9	18	28	31	35
35-49	49	11.7	122	3	6	8	12	27	39	52
50-64	36	12.5	210	1	4	8	19	24	35	79
65+	57	11.0	87	3	6	9	14	21	26	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	540	4.6	11	1	2	4	6	8	11	15
B. Operated	37	3.8	23	1	1	1	5	11	16	17
2. MULTIPLE DX										
A. Not Operated	1392	6.0	26	2	3	5	7	11	14	26
B. Operated	204	12.0	146	2	5	9	15	24	36	82
1. SINGLE DX	577	4.5	11	1	2	4	6	9	11	17
2. MULTIPLE DX	1596	6.7	45	2	3	5	8	13	18	36
A. Not Operated	1932	5.6	22	2	3	4	7	11	13	24
B. Operated	241	10.8	136	1	4	8	14	23	31	79
TOTAL										
0-19 YRS	337	4.8	43	1	2	3	5	8	14	37
20-34	817	5.3	16	2	3	4	7	10	12	21
35-49	511	6.8	43	2	3	5	8	12	17	37
50-64	245	7.4	57	2	3	5	10	17	23	41
65+	263	8.2	53	2	4	6	10	15	22	45
GRAND TOTAL	**2173**	**6.1**	**37**	**2**	**3**	**5**	**7**	**12**	**16**	**31**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	423	3.2	4	1	2	3	4	6	7	11
20-34	102	3.9	6	1	2	3	5	8	9	12
35-49	18	4.0	6	1	2	3	6	8	9	9
50-64	11	4.1	6	2	2	3	6	8	9	9
65 +	2	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	4	4.5	26	1	1	2	7	12	12	12
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1409	3.5	5	2	2	3	4	6	8	11
20-34	365	4.2	7	2	2	4	5	8	9	14
35-49	65	4.8	10	2	2	4	7	11	11	12
50-64	26	4.7	6	2	3	4	6	7	9	14
65 +	10	7.8	25	3	4	6	11	15	19	19
B. Operated										
0-19 YRS	43	10.9	223	3	4	6	10	28	36	86
20-34	17	7.8	15	3	5	7	11	13	15	16
35-49	6	12.3	86	3	8	10	13	28	30	30
50-64	2	8.5	13	6	6	8	11	11	11	11
65 +	8	10.9	45	3	5	10	15	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	556	3.4	5	1	2	3	4	6	8	11
B. Operated	6	4.7	19	1	2	3	8	12	12	12
2. MULTIPLE DX										
A. Not Operated	1875	3.8	6	2	2	3	5	7	8	12
B. Operated	76	10.3	140	3	4	7	11	20	30	76
1. SINGLE DX	562	3.4	5	1	2	3	4	6	8	11
2. MULTIPLE DX	1951	4.0	13	2	2	3	5	7	9	14
A. Not Operated	2431	3.7	6	1	2	3	4	7	8	12
B. Operated	82	9.8	133	3	4	7	11	19	30	74
TOTAL										
0-19 YRS	1879	3.6	11	1	2	3	4	6	8	12
20-34	485	4.3	8	2	2	4	5	8	9	14
35-49	90	5.1	17	2	2	4	7	10	12	23
50-64	39	4.7	7	2	3	4	6	7	10	14
65 +	20	8.8	32	3	4	7	12	18	20	22
GRAND TOTAL	**2513**	**3.9**	**11**	**2**	**2**	**3**	**5**	**7**	**9**	**13**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.0	9	< 1	1	4	6	7	7	7
20-34	3	1.7	1	< 1	< 1	1	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	88	1.3	1	< 1	< 1	< 1	1	2	2	7
20-34	169	1.4	3	< 1	< 1	< 1	1	2	3	7
35-49	68	1.4	1	< 1	< 1	1	1	2	3	7
50-64	9	1.8	5	< 1	< 1	< 1	1	5	8	8
65 +	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.5	85	< 1	< 1	7	14	14	14	14
20-34	4	1.3		1	1	1	2	2	2	2
35-49	4	1.3		< 1	< 1	1	2	2	2	2
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	35	2.2	7	< 1	< 1	1	2	4	9	13
20-34	85	1.7	2	< 1	< 1	1	2	3	5	6
35-49	48	3.3	24	< 1	1	1	3	9	16	24
50-64	17	2.9	10	1	1	2	3	6	12	14
65 +	10	3.7	4	1	2	4	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.6	5	< 1	< 1	1	4	6	7	7
B. Operated	336	1.4	2	< 1	< 1	< 1	1	2	3	8
2. MULTIPLE DX										
A. Not Operated	12	2.6	14	< 1	1	1	2	8	13	14
B. Operated	195	2.4	9	< 1	1	1	2	5	7	17
1. SINGLE DX	343	1.4	2	< 1	< 1	< 1	1	2	3	8
2. MULTIPLE DX	207	2.4	9	< 1	1	1	2	5	7	17
A. Not Operated	19	2.6	10	< 1	1	1	3	6	11	14
B. Operated	531	1.7	5	< 1	< 1	1	2	3	5	13
TOTAL										
0-19 YRS	128	1.7	4	< 1	< 1	< 1	1	2	5	13
20-34	261	1.5	3	< 1	< 1	1	1	3	3	6
35-49	121	2.1	11	< 1	< 1	1	2	4	8	20
50-64	28	2.6	8	< 1	1	2	3	6	9	14
65 +	12	3.8	5	1	2	4	5	7	7	7
GRAND TOTAL	**550**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**14**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4991	2.7	2	1	2	3	3	4	5	8
20-34	449	3.1	4	1	2	3	4	6	7	12
35-49	226	3.5	11	1	2	3	4	6	9	22
50-64	84	3.4	7	1	2	3	4	6	9	14
65 +	65	3.4	5	1	2	3	4	5	7	12
B. Operated										
0-19 YRS	121	3.4	9	1	2	3	4	6	8	18
20-34	30	6.1	26	2	2	4	8	12	21	21
35-49	19	8.4	94	1	2	5	9	23	32	37
50-64	4	10.3	111	4	4	5	16	26	26	26
65 +	5	4.6	7	1	2	5	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7450	3.2	7	1	2	3	4	5	7	13
20-34	1798	5.4	48	1	2	3	6	12	18	36
35-49	1469	6.2	63	1	2	4	7	13	19	42
50-64	867	4.9	36	2	2	3	5	9	12	33
65 +	1410	5.3	27	2	3	4	6	10	13	27
B. Operated										
0-19 YRS	307	9.3	157	2	3	4	12	23	41	99 +
20-34	578	16.3	238	3	6	12	22	38	50	99
35-49	572	18.2	279	3	7	14	24	44	57	99 +
50-64	179	15.2	183	3	6	12	20	35	53	99 +
65 +	121	13.9	177	3	6	9	17	39	45	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5815	2.8	3	1	2	3	3	4	5	9
B. Operated	179	4.5	25	1	2	3	5	8	14	27
2. MULTIPLE DX										
A. Not Operated	12994	4.2	25	1	2	3	4	7	11	26
B. Operated	1757	15.4	236	3	5	11	21	37	52	99 +
1. SINGLE DX	5994	2.9	4	1	2	3	3	4	5	10
2. MULTIPLE DX	14751	5.5	63	1	2	3	5	11	19	47
A. Not Operated	18809	3.7	18	1	2	3	4	6	9	22
B. Operated	1936	14.4	227	2	4	10	20	35	50	99 +
TOTAL										
0-19 YRS	12869	3.2	10	1	2	3	4	5	6	14
20-34	2855	7.3	101	1	2	4	8	18	27	58
35-49	2286	9.0	141	1	2	5	10	22	34	75
50-64	1134	6.4	72	2	2	4	7	14	22	65
65 +	1601	5.8	42	2	3	4	6	11	15	39
GRAND TOTAL	**20745**	**4.7**	**47**	**1**	**2**	**3**	**4**	**9**	**15**	**40**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	140	3.6	8	1	2	3	4	7	10	14
20-34	117	3.9	15	1	1	3	5	8	14	18
35-49	86	3.6	11	1	1	3	4	6	11	17
50-64	30	3.3	5	1	1	3	4	6	7	10
65 +	17	7.5	35	1	2	6	13	15	18	19
B. Operated										
0-19 YRS	9	5.3	29	1	1	4	7	15	15	15
20-34	6	3.3	11	< 1	< 1	1	6	9	9	9
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	4	4.3		4	4	4	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	4.7	15	2	2	3	5	10	13	22
20-34	136	5.4	20	1	2	4	7	12	15	21
35-49	119	6.4	35	1	2	4	8	15	18	26
50-64	65	6.8	40	1	2	5	8	14	18	32
65 +	75	11.1	79	3	5	9	14	19	29	50
B. Operated										
0-19 YRS	7	10.1	176	2	2	3	17	33	36	36
20-34	10	9.1	52	2	4	6	15	20	24	24
35-49	18	14.9	117	5	7	11	23	28	38	44
50-64	13	11.4	114	2	2	7	18	29	32	33
65 +	18	17.0	335	3	5	8	25	51	60	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	390	3.8	12	1	2	3	5	8	13	16
B. Operated	23	4.1	15	1	1	4	5	10	14	15
2. MULTIPLE DX										
A. Not Operated	519	6.4	37	1	3	4	8	14	17	31
B. Operated	66	13.4	172	2	4	8	19	32	38	61
1. SINGLE DX	413	3.8	12	1	1	3	5	8	13	16
2. MULTIPLE DX	585	7.2	57	2	3	5	9	15	21	37
A. Not Operated	909	5.3	28	1	2	4	7	13	15	23
B. Operated	89	11.0	147	2	3	6	15	27	36	60
TOTAL										
0-19 YRS	280	4.3	16	1	2	3	5	8	13	21
20-34	269	4.8	20	1	2	3	6	12	15	21
35-49	227	5.9	40	1	2	4	7	15	18	30
50-64	112	6.3	43	1	2	4	7	14	19	32
65 +	110	11.5	118	3	5	8	14	20	36	59
GRAND TOTAL	**998**	**5.8**	**41**	**1**	**2**	**4**	**7**	**14**	**17**	**33**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	275	5.6	9	2	3	5	7	10	11	12
20-34	214	4.0	4	2	3	4	5	7	8	10
35-49	40	4.7	7	2	3	4	6	9	10	12
50-64	12	7.6	7	4	5	8	10	11	11	11
65+	6	11.2	41	3	8	10	13	21	22	22
B. Operated										
0-19 YRS	11	4.2	11	<1	<1	3	7	9	11	11
20-34	28	3.1	6	<1	1	3	5	7	8	8
35-49	11	3.5	20	<1	1	1	6	11	14	14
50-64	3	5.0	28	1	1	3	9	11	11	11
65+	3	4.3	33	1	1	1	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	331	6.2	18	2	3	5	8	11	13	19
20-34	404	5.9	17	3	3	5	7	11	14	23
35-49	127	7.1	25	2	4	6	10	13	15	29
50-64	53	9.9	59	2	4	10	13	16	21	47
65+	63	14.1	155	3	7	11	17	28	41	68
B. Operated										
0-19 YRS	36	9.1	41	3	5	7	12	19	29	99+
20-34	109	8.7	130	2	4	6	10	14	25	68
35-49	36	11.2	112	1	5	9	15	21	30	56
50-64	20	9.6	39	1	5	9	13	20	22	22
65+	22	13.5	139	2	6	11	19	40	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	547	5.0	8	2	3	4	6	10	10	12
B. Operated	56	3.6	11	<1	1	2	6	8	11	14
2. MULTIPLE DX										
A. Not Operated	978	6.9	34	2	4	5	9	13	16	29
B. Operated	223	9.7	106	2	4	8	12	20	28	98
1. SINGLE DX	603	4.9	8	2	3	4	6	10	10	13
2. MULTIPLE DX	1201	7.4	48	2	4	6	10	14	18	41
A. Not Operated	1525	6.2	25	2	3	5	8	11	14	27
B. Operated	279	8.5	93	1	3	6	11	17	26	85
TOTAL										
0-19 YRS	653	6.1	16	2	3	5	8	11	12	19
20-34	755	5.7	31	2	3	4	6	10	13	25
35-49	214	7.2	40	2	3	6	10	14	17	31
50-64	88	9.3	47	2	5	9	12	15	22	40
65+	94	13.5	141	3	6	11	16	28	43	86
GRAND TOTAL	**1804**	**6.6**	**36**	**2**	**3**	**5**	**8**	**12**	**15**	**30**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125	3.8	20	1	2	3	4	6	8	31
20-34	15	11.1	281	2	3	4	9	36	55	62
35-49	22	8.0	167	1	2	4	7	18	37	61
50-64	8	5.3	7	2	3	5	6	10	11	11
65+	11	16.3	563	3	4	6	19	49	81	84
B. Operated										
0-19 YRS	11	11.1	185	1	2	3	19	35	37	37
20-34	9	6.2	19	1	3	6	10	12	13	13
35-49	20	5.9	33	1	3	4	6	11	20	27
50-64	30	6.0	21	1	3	5	8	11	13	24
65+	13	5.3	18	1	2	5	6	11	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	554	4.6	23	2	2	3	5	8	11	26
20-34	211	9.6	142	2	3	5	11	25	33	71
35-49	258	9.1	170	1	1	5	10	19	36	71
50-64	139	9.7	96	3	4	7	11	18	29	46
65+	338	10.0	50	4	6	8	12	17	24	39
B. Operated										
0-19 YRS	81	18.0	248	4	7	14	26	46	59	99+
20-34	175	21.1	337	4	7	15	31	52	67	99+
35-49	196	17.5	278	4	7	11	24	46	64	99+
50-64	150	18.6	251	5	8	15	26	46	70	99+
65+	217	18.1	262	4	8	14	22	40	59	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	181	5.7	99	1	2	3	5	9	20	62
B. Operated	83	6.6	46	1	3	5	8	13	22	36
2. MULTIPLE DX										
A. Not Operated	1500	7.8	84	2	3	5	9	16	25	48
B. Operated	819	18.7	279	4	7	13	25	46	63	99+
1. SINGLE DX	264	6.0	82	1	2	4	6	11	21	58
2. MULTIPLE DX	2319	11.6	179	2	4	7	14	28	44	82
A. Not Operated	1681	7.5	86	2	3	5	9	15	25	49
B. Operated	902	17.5	269	4	7	12	24	45	61	99+
TOTAL										
0-19 YRS	771	6.0	66	2	2	3	6	11	22	51
20-34	410	14.5	259	2	4	8	20	41	54	93
35-49	496	12.2	224	1	3	7	14	30	48	85
50-64	327	13.3	182	3	5	9	16	34	46	99+
65+	579	13.1	154	4	6	9	15	26	38	69
GRAND TOTAL	**2583**	**11.0**	**172**	**2**	**3**	**6**	**13**	**27**	**42**	**79**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	4.3	12	1	2	3	6	11	12	13
20-34	20	3.7	6	1	2	3	5	7	9	10
35-49	14	3.3	5	1	2	3	5	7	8	8
50-64	3	9.3	4	7	8	10	11	11	11	11
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	14	2.7	1	2	2	3	4	4	4	4
20-34	10	4.9	19	< 1	2	3	6	12	14	14
35-49	3	15.7	180	6	7	10	26	31	31	31
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	3.9	9	1	2	3	5	8	9	17
20-34	54	5.6	61	1	2	4	6	11	15	52
35-49	23	6.0	30	1	2	4	10	14	18	20
50-64	18	7.7	38	2	3	5	13	19	19	19
65 +	10	11.3	156	2	3	5	20	31	40	40
B. Operated										
0-19 YRS	21	6.3	83	1	2	4	7	10	25	44
20-34	18	11.6	70	3	5	11	15	20	31	37
35-49	9	16.2	426	4	7	10	13	50	70	70
50-64	10	19.1	240	1	7	21	27	40	52	52
65 +	6	16.7	77	4	7	21	23	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	4.1	8	1	2	3	5	9	11	13
B. Operated	28	5.1	36	1	2	3	5	11	16	31
2. MULTIPLE DX										
A. Not Operated	159	5.7	44	1	2	4	7	13	18	38
B. Operated	64	12.2	163	2	4	8	16	24	39	67
1. SINGLE DX	82	4.5	18	1	2	3	5	10	11	26
2. MULTIPLE DX	223	7.6	86	1	2	5	9	19	23	52
A. Not Operated	213	5.3	36	1	2	4	6	11	17	29
B. Operated	92	10.0	134	2	3	6	12	23	31	62
TOTAL										
0-19 YRS	104	4.3	24	1	2	3	5	8	10	29
20-34	102	6.2	53	1	2	4	7	14	16	45
35-49	49	7.7	118	1	2	5	10	15	21	70
50-64	32	11.4	119	2	3	8	18	24	29	52
65 +	18	12.3	120	3	4	6	21	24	34	40
GRAND TOTAL	**305**	**6.7**	**70**	**1**	**2**	**4**	**8**	**15**	**21**	**48**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	9.0	27	3	5	12	12	12	12	12
20-34	13	6.4	22	< 1	1	8	10	11	13	13
35-49	6	11.3	121	2	6	7	15	30	32	32
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	18	13.6	38	7	10	12	15	21	28	32
35-49	4	18.3	25	13	15	17	21	25	25	25
50-64	4	11.8	78	4	5	9	18	24	24	24
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	10.0	57	3	5	7	13	23	30	99 +
20-34	370	12.3	90	3	6	10	16	24	28	41
35-49	336	13.1	85	4	7	11	17	23	29	51
50-64	43	13.1	76	4	7	11	17	27	35	99 +
65 +	35	10.8	65	4	5	9	13	20	28	40
B. Operated										
0-19 YRS	43	15.9	118	4	7	14	20	35	36	43
20-34	650	18.8	175	7	10	16	23	34	44	93
35-49	592	18.3	130	7	11	16	22	32	39	74
50-64	123	22.0	252	6	11	19	30	40	64	90
65 +	37	20.5	186	8	12	17	24	33	57	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	8.1	49	1	2	7	11	14	22	32
B. Operated	27	14.6	50	7	10	14	18	25	30	32
2. MULTIPLE DX										
A. Not Operated	833	12.4	85	3	6	10	16	23	29	51
B. Operated	1445	18.8	162	7	11	16	23	34	43	83
1. SINGLE DX	49	11.7	59	2	7	11	14	24	30	32
2. MULTIPLE DX	2278	16.5	143	5	8	14	21	31	38	76
A. Not Operated	855	12.3	84	3	6	10	16	23	29	50
B. Operated	1472	18.8	161	7	11	16	23	34	42	83
TOTAL										
0-19 YRS	96	12.8	93	3	6	10	18	30	35	73
20-34	1051	16.3	152	5	8	14	21	30	[illegible]	77
35-49	938	16.4	120	5	9	14	21	29	[illegible]	54
50-64	170	19.5	219	5	10	15	26	38	[illegible]	97
65 +	72	15.8	149	5	7	13	19	31	39	65
GRAND TOTAL	**2327**	**16.4**	**142**	**5**	**8**	**14**	**21**	**31**	**38**	**75**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.3	10	1	1	2	4	6	10	16
20-34	37	4.2	10	1	2	3	5	8	12	14
35-49	24	3.9	9	1	2	3	6	9	10	11
50-64	8	5.6	42	< 1	1	3	8	17	20	20
65 +	5	4.4	18	< 1	1	2	8	10	10	10
B. Operated										
0-19 YRS	5	4.0	6	1	2	3	6	7	7	7
20-34	105	3.6	15	1	1	2	5	9	12	19
35-49	106	3.1	11	1	1	2	4	7	11	15
50-64	29	4.1	17	< 1	1	3	5	9	11	20
65 +	9	3.3	4	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	4.1	12	1	2	3	6	7	9	21
20-34	169	9.9	139	2	3	6	11	23	33	67
35-49	221	10.0	109	2	4	7	11	22	31	58
50-64	116	9.7	102	2	4	7	10	23	29	54
65 +	80	8.1	105	3	5	6	8	12	13	74
B. Operated										
0-19 YRS	11	6.0	9	2	4	7	9	37	91	99 +
20-34	167	10.6	143	1	3	7	13	28	36	73
35-49	171	10.1	128	1	3	7	14	22	26	82
50-64	90	10.7	193	1	2	6	12	26	44	66
65 +	58	9.9	90	1	2	7	14	26	29	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	4.0	13	1	2	3	5	9	11	18
B. Operated	254	3.5	13	1	1	2	5	8	11	16
2. MULTIPLE DX										
A. Not Operated	656	9.1	107	2	3	6	10	20	29	60
B. Operated	497	10.3	137	1	3	7	13	24	34	80
1. SINGLE DX	354	3.6	13	1	1	2	5	8	11	16
2. MULTIPLE DX	1153	9.6	121	2	3	6	11	22	31	66
A. Not Operated	756	8.4	98	2	3	6	9	18	27	59
B. Operated	751	8.0	106	1	2	5	10	19	28	66
TOTAL										
0-19 YRS	112	4.1	11	1	2	3	6	8	10	51
20-34	478	8.3	112	1	2	5	10	21	30	61
35-49	522	8.4	99	1	2	5	10	19	26	58
50-64	243	9.2	127	1	3	6	10	20	32	63
65 +	152	8.4	93	2	4	6	10	15	26	87
GRAND TOTAL	**1507**	**8.2**	**102**	**1**	**2**	**5**	**10**	**18**	**28**	**61**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	23.0	50	18	18	23	28	28	28	28
50-64	1	20.0		20	20	20	20	20	20	20
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	0									
35-49	7	7.7	46	1	4	7	15	76	99 +	99 +
50-64	2	6.0	50	1	1	6	11	11	11	11
65 +	8	7.0	34	1	2	5	13	15	15	15
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	21.0	91	12	14	20	28	31	31	31
50-64	6	10.2	7	7	8	10	12	14	14	14
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.0	32	1	1	5	9	9	9	9
B. Operated	3	22.0	28	18	18	20	26	28	28	28
2. MULTIPLE DX										
A. Not Operated	18	7.7	38	1	2	7	13	19	64	99 +
B. Operated	11	12.0	61	4	7	10	14	24	30	31
1. SINGLE DX	5	15.2	109	1	7	18	22	28	28	28
2. MULTIPLE DX	29	9.3	49	1	4	9	14	20	31	99 +
A. Not Operated	20	7.4	36	1	1	7	12	18	56	99 +
B. Operated	14	14.1	69	4	8	12	20	28	30	31
TOTAL										
0-19 YRS	3	7.0	63	1	2	4	13	16	16	16
20-34	1	4.0		4	4	4	4	4	4	4
35-49	13	13.2	93	1	7	11	21	38	86	99 +
50-64	9	10.3	27	3	8	10	12	18	20	20
65 +	8	7.0	34	1	2	5	13	15	15	15
GRAND TOTAL	**34**	**10.2**	**59**	**1**	**4**	**10**	**15**	**21**	**30**	**99 +**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	6	3.7	3	1	2	4	5	5	5	5
35-49	6	5.2	7	< 1	5	5	6	9	9	9
50-64	26	5.8	68	1	2	4	6	7	20	44
65 +	11	4.4	4	2	3	4	6	7	7	7
B. Operated										
0-19 YRS	28	4.2	14	1	2	3	6	10	14	15
20-34	32	3.2	7	1	1	2	4	9	9	10
35-49	106	4.1	27	1	1	2	4	12	15	26
50-64	230	4.6	23	1	1	3	6	12	15	20
65 +	222	4.0	21	1	1	2	5	9	12	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	4.6	20	1	2	3	5	14	15	16
20-34	18	5.4	26	1	2	4	7	10	18	22
35-49	60	8.2	63	1	4	5	10	20	29	35
50-64	153	7.5	47	2	4	6	9	13	18	46
65 +	134	7.8	65	2	3	5	10	16	20	47
B. Operated										
0-19 YRS	33	12.8	22	2	4	7	15	26	45	97
20-34	32	9.5	76	2	3	7	11	25	28	36
35-49	287	10.9	120	2	3	8	15	23	32	58
50-64	911	11.5	131	2	3	8	15	27	36	58
65 +	1087	11.0	139	1	3	7	15	26	35	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	5.1	36	1	3	4	6	7	9	43
B. Operated	618	4.2	22	1	1	2	6	10	14	20
2. MULTIPLE DX										
A. Not Operated	387	7.5	53	2	3	5	9	15	21	46
B. Operated	2350	11.2	135	1	3	8	15	26	35	60
1. SINGLE DX	670	4.3	23	1	1	3	6	10	13	20
2. MULTIPLE DX	2737	10.7	125	1	3	7	14	24	34	58
A. Not Operated	439	7.2	52	1	3	5	8	14	20	46
B. Operated	2968	9.8	120	1	2	6	13	23	32	57
TOTAL										
0-19 YRS	86	7.6	148	1	2	4	7	16	21	79
20-34	88	6.0	43	1	2	4	7	11	22	33
35-49	459	8.9	97	1	2	6	12	20	28	55
50-64	1320	9.8	109	1	3	7	13	23	30	50
65 +	1454	9.6	120	1	2	6	13	23	32	58
GRAND TOTAL	**3407**	**9.4**	**112**	**1**	**2**	**6**	**13**	**22**	**30**	**54**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	18	8.0	124	1	2	4	6	21	36	46
65 +	7	5.6	14	2	3	4	7	12	13	13
B. Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	9	12.6	71	3	5	15	20	23	24	24
50-64	50	7.7	68	1	3	5	10	17	20	49
65 +	37	7.3	26	2	3	6	11	14	17	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	18	6.4	17	3	4	5	8	13	16	17
50-64	111	7.3	54	1	3	5	9	15	22	41
65 +	161	8.9	148	2	4	5	9	19	27	86
B. Operated										
0-19 YRS	2	18.5	113	11	11	18	26	26	26	26
20-34	10	11.7	53	2	7	11	17	21	25	25
35-49	92	16.7	125	6	10	14	21	31	40	57
50-64	443	17.4	239	4	7	13	22	41	51	94
65 +	616	15.6	172	3	7	13	21	32	44	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	6.4	81	1	2	4	6	16	22	46
B. Operated	97	8.0	53	1	3	6	11	17	21	37
2. MULTIPLE DX										
A. Not Operated	291	8.1	104	2	3	5	9	16	24	57
B. Operated	1163	16.3	193	4	7	13	21	34	47	94
1. SINGLE DX	127	7.6	59	1	3	5	11	17	21	47
2. MULTIPLE DX	1454	14.7	186	3	6	11	20	31	44	89
A. Not Operated	321	7.9	102	1	3	5	9	16	23	55
B. Operated	1260	15.7	187	3	7	12	21	33	46	91
TOTAL										
0-19 YRS	2	18.5	113	11	11	18	26	26	26	26
20-34	14	9.4	53	< 1	4	7	15	19	24	25
35-49	122	14.5	118	4	6	12	19	27	39	52
50-64	622	14.5	209	2	5	10	19	33	48	87
65 +	821	13.8	169	3	5	10	19	30	40	90
GRAND TOTAL	**1581**	**14.1**	**180**	**3**	**5**	**11**	**19**	**30**	**44**	**86**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	8.7	115	1	2	4	13	27	30	30
35-49	10	7.4	52	2	3	5	8	18	27	27
50-64	14	5.7	16	1	2	5	7	11	14	15
65 +	9	7.9	32	2	3	7	14	15	15	15
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	9.8	14	6	7	9	12	15	15	15
35-49	23	9.9	15	6	7	10	11	15	18	20
50-64	49	9.8	50	3	5	9	12	19	27	33
65 +	56	10.8	44	3	7	9	13	18	23	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	16.0		16	16	16	16	16	16	16
20-34	14	9.9	65	1	5	8	13	18	29	32
35-49	36	8.3	46	2	3	7	11	14	[illegible]	34
50-64	98	9.0	81	2	4	6	11	19	27	49
65 +	237	9.1	86	2	4	7	11	19	24	60
B. Operated										
0-19 YRS	2	17.0	18	14	14	17	20	20	20	20
20-34	41	13.6	85	4	7	13	16	22	27	54
35-49	204	13.0	83	4	7	11	16	24	35	52
50-64	655	14.7	118	6	8	12	17	28	37	61
65 +	1668	16.6	134	6	9	13	21	31	40	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	7.2	43	1	3	5	9	15	21	30
B. Operated	133	10.2	39	3	7	9	12	17	23	34
2. MULTIPLE DX										
A. Not Operated	387	9.0	79	2	4	7	11	19	23	55
B. Operated	2570	15.8	126	6	9	13	20	30	38	61
1. SINGLE DX	173	9.5	42	3	6	9	12	16	23	32
2. MULTIPLE DX	2957	14.9	125	4	8	12	19	28	37	61
A. Not Operated	427	8.9	76	2	4	7	11	18	23	54
B. Operated	2703	15.5	123	6	9	12	19	29	38	61
TOTAL										
0-19 YRS	5	14.8	19	8	12	16	17	20	20	20
20-34	66	12.1	80	3	5	11	16	22	30	50
35-49	273	11.9	75	3	7	10	14	22	32	50
50-64	816	13.6	113	4	7	11	17	26	36	60
65 +	1970	15.5	132	5	8	12	20	29	38	63
GRAND TOTAL	**3130**	**14.6**	**122**	**4**	**8**	**12**	**18**	**28**	**37**	**60**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	4	11.0	100	6	6	6	16	26	26	26
35-49	6	11.5	38	6	8	10	13	22	23	23
50-64	8	11.6	21	6	9	10	14	18	20	20
65 +	11	7.2	14	< 1	5	8	9	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	5.7	36	1	1	4	8	15	16	16
50-64	9	8.8	22	4	6	8	10	16	19	19
65 +	15	7.7	41	3	4	6	8	11	24	29
B. Operated										
0-19 YRS	0									
20-34	26	16.8	278	6	7	13	18	27	44	90
35-49	47	16.6	227	7	9	12	17	34	61	74
50-64	137	13.9	89	7	8	11	16	26	42	56
65 +	231	17.3	153	7	9	13	21	35	43	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	30	9.8	31	5	6	9	11	17	23	26
2. MULTIPLE DX										
A. Not Operated	30	7.6	33	2	4	7	9	14	19	29
B. Operated	441	16.1	149	7	9	12	18	32	43	74
1. SINGLE DX	33	9.1	33	2	6	8	11	16	23	26
2. MULTIPLE DX	471	15.6	146	6	8	12	17	31	42	72
A. Not Operated	33	7.1	33	1	3	6	9	13	19	29
B. Operated	471	15.7	144	7	9	12	18	31	42	72
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	30	16.0	254	6	7	12	18	26	33	90
35-49	61	14.5	197	3	8	11	16	26	50	73
50-64	155	13.4	84	6	8	11	15	24	37	50
65 +	257	16.3	149	6	9	12	20	33	42	67
GRAND TOTAL	**504**	**15.2**	**141**	**6**	**8**	**11**	**17**	**30**	**41**	**70**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	14	5.5	25	1	2	3	8	13	18	19
65 +	23	7.2	49	1	2	6	11	15	21	30
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	17	7.4	15	2	5	8	9	12	15	16
35-49	103	8.3	12	6	6	7	9	12	16	22
50-64	382	8.6	12	6	7	8	9	12	14	24
65 +	529	9.0	11	6	7	9	10	13	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	11	8.2	72	2	3	7	9	19	31	32
35-49	47	7.1	31	1	3	6	9	13	17	29
50-64	163	8.4	99	1	3	5	10	17	24	57
65 +	506	7.7	38	2	4	6	10	16	19	30
B. Operated										
0-19 YRS	10	12.3	100	4	7	9	15	27	38	38
20-34	109	11.5	102	5	7	8	12	19	33	57
35-49	625	11.6	60	6	7	10	13	19	24	50
50-64	2865	11.7	60	6	8	10	13	19	25	46
65 +	9416	13.9	88	7	9	11	16	24	31	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	6.6	40	1	2	4	9	15	18	30
B. Operated	1032	8.8	11	6	7	8	10	12	15	23
2. MULTIPLE DX										
A. Not Operated	729	7.8	52	2	3	6	10	16	21	35
B. Operated	13025	13.3	81	7	8	11	15	23	30	55
1. SINGLE DX	1069	8.7	12	6	7	8	10	12	15	23
2. MULTIPLE DX	13754	13.0	81	6	8	11	15	22	29	54
A. Not Operated	766	7.8	51	2	3	6	10	16	20	34
B. Operated	14057	13.0	78	7	8	10	15	22	29	54
TOTAL										
0-19 YRS	13	11.4	79	5	7	9	12	21	35	38
20-34	137	10.7	90	3	7	8	11	18	32	49
35-49	775	10.9	54	6	7	9	12	18	23	47
50-64	3424	11.2	57	6	7	9	12	19	24	45
65 +	10474	13.4	84	7	8	11	15	23	30	56
GRAND TOTAL	**14823**	**12.7**	**78**	**6**	**8**	**10**	**15**	**22**	**28**	**53**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	3.5	10	< 1	1	2	5	9	10	10
50-64	25	5.2	10	2	3	5	7	10	12	13
65 +	23	3.5	8	< 1	1	3	4	7	10	13
B. Operated										
0-19 YRS	3	6.3	46	1	2	4	11	14	14	14
20-34	6	16.8	186	3	9	12	30	36	37	37
35-49	90	7.5	17	1	5	8	10	12	14	20
50-64	295	8.4	13	3	7	9	10	12	14	19
65 +	339	7.9	20	2	4	8	10	13	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.2	7	3	4	7	8	9	9	9
20-34	6	4.8	8	1	2	5	7	8	8	8
35-49	49	5.7	12	1	3	5	8	11	12	14
50-64	153	7.4	80	2	3	5	9	13	21	51
65 +	276	9.3	98	2	4	6	11	20	30	51
B. Operated										
0-19 YRS	7	22.0	271	8	10	12	38	46	47	47
20-34	57	12.8	96	6	8	11	14	22	32	60
35-49	350	11.3	62	6	8	10	12	18	25	43
50-64	1441	12.4	69	6	8	10	15	20	26	50
65 +	3714	14.0	108	6	9	11	16	25	33	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	4.2	10	< 1	2	3	6	9	11	13
B. Operated	733	8.1	19	2	5	8	10	13	15	20
2. MULTIPLE DX										
A. Not Operated	489	8.3	83	2	3	6	10	16	23	48
B. Operated	5569	13.4	96	6	8	11	16	23	30	60
1. SINGLE DX	791	7.8	19	2	4	8	10	13	15	20
2. MULTIPLE DX	6058	13.0	97	5	8	11	15	23	30	58
A. Not Operated	547	7.9	77	1	3	5	10	15	22	44
B. Operated	6302	12.8	90	5	8	11	15	22	29	55
TOTAL										
0-19 YRS	16	12.8	188	1	4	8	13	40	45	47
20-34	70	12.3	100	3	8	10	14	24	34	57
35-49	497	9.9	53	3	7	9	11	17	22	40
50-64	1914	11.3	65	4	7	10	13	19	24	49
65 +	4352	13.2	104	4	8	11	16	24	31	63
GRAND TOTAL	**6849**	**12.4**	**90**	**4**	**8**	**10**	**15**	**22**	**28**	**55**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	3.1	4	1	1	3	4	6	7	8
20-34	3	2.7	8	1	1	1	5	6	6	6
35-49	7	5.4	9	2	4	4	8	10	10	10
50-64	10	3.9	5	1	2	4	5	7	8	8
65 +	15	5.7	16	1	2	6	8	11	13	14
B. Operated										
0-19 YRS	59	9.3	62	2	3	7	12	19	24	44
20-34	12	6.0	11	2	4	6	8	10	13	13
35-49	32	6.3	14	2	4	6	8	10	13	19
50-64	71	6.5	42	1	2	5	9	15	20	32
65 +	72	7.6	63	1	1	5	12	18	26	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	116	6.0	32	1	3	5	7	12	14	33
20-34	9	7.9	35	1	2	8	11	17	19	19
35-49	46	7.1	40	1	2	5	11	17	19	23
50-64	109	7.1	24	2	3	6	9	15	17	23
65 +	223	9.2	119	2	4	6	10	19	26	69
B. Operated										
0-19 YRS	123	18.4	291	5	7	14	21	40	63	90
20-34	49	13.1	90	4	7	11	17	24	29	52
35-49	156	11.8	126	3	5	9	15	23	34	53
50-64	459	12.8	115	2	6	10	16	27	35	47
65 +	1086	15.4	158	4	8	12	20	29	41	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	4.1	9	1	2	3	6	8	10	14
B. Operated	246	7.4	49	1	2	6	10	16	22	33
2. MULTIPLE DX										
A. Not Operated	503	7.8	71	2	3	5	10	16	21	46
B. Operated	1873	14.6	154	3	7	11	19	29	40	71
1. SINGLE DX	308	6.8	42	1	2	5	9	14	19	30
2. MULTIPLE DX	2376	13.2	145	2	6	10	17	26	37	68
A. Not Operated	565	7.4	66	1	3	5	9	15	20	42
B. Operated	2119	13.8	147	2	6	11	18	28	38	68
TOTAL										
0-19 YRS	325	11.0	168	2	4	7	14	23	39	76
20-34	73	10.8	77	2	6	9	14	21	26	49
35-49	241	10.0	97	2	4	7	13	20	25	46
50-64	649	11.0	98	2	4	8	14	24	31	44
65 +	1396	13.9	153	3	6	11	18	28	39	69
GRAND TOTAL	**2684**	**12.4**	**137**	**2**	**5**	**9**	**16**	**25**	**35**	**65**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	0									
35-49	4	5.5	27	2	2	4	9	13	13	13
50-64	11	4.0	18	1	1	3	4	11	15	15
65 +	23	5.1	32	2	2	4	5	9	18	28
B. Operated										
0-19 YRS	2	9.5	85	3	3	9	16	16	16	16
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	11	7.9	28	1	3	9	11	14	18	18
50-64	40	7.0	37	1	2	6	10	15	20	27
65 +	48	7.5	36	2	3	6	9	18	20	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	7.0	22	1	3	8	10	13	13	13
20-34	12	5.0	25	1	1	3	7	13	16	17
35-49	44	6.8	93	1	2	5	8	12	14	64
50-64	203	6.8	26	2	3	6	9	13	17	25
65 +	478	8.3	64	2	4	6	10	16	21	41
B. Operated										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	24	16.7	245	5	6	10	22	49	55	57
35-49	155	17.0	200	4	8	14	22	35	44	78
50-64	728	15.5	130	4	8	13	19	31	38	58
65 +	1586	16.4	134	5	9	14	21	31	39	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	4.8	25	1	2	3	5	11	14	28
B. Operated	103	7.3	35	1	3	6	10	16	20	27
2. MULTIPLE DX										
A. Not Operated	742	7.7	55	2	3	6	10	15	20	39
B. Operated	2494	16.2	138	5	9	13	20	31	39	63
1. SINGLE DX	143	6.6	33	1	2	5	9	14	19	27
2. MULTIPLE DX	3236	14.3	131	3	7	12	18	29	36	60
A. Not Operated	782	7.6	54	2	3	6	9	15	20	38
B. Operated	2597	15.8	137	4	8	13	20	31	38	62
TOTAL										
0-19 YRS	10	9.1	77	1	3	6	13	23	30	30
20-34	38	12.3	194	2	4	7	17	25	52	57
35-49	214	14.2	185	3	5	11	17	30	41	69
50-64	982	13.2	118	3	6	11	17	27	34	54
65 +	2135	14.3	128	3	7	12	18	28	36	61
GRAND TOTAL	**3379**	**13.9**	**130**	**3**	**6**	**11**	**18**	**28**	**35**	**60**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	7	2.4	3	1	1	2	3	5	6	6
35-49	34	4.7	110	<1	2	2	4	6	9	63
50-64	91	4.3	15	1	2	3	6	10	12	19
65+	74	4.8	20	1	2	3	7	10	14	23
B. Operated										
0-19 YRS	3	9.0	28	5	5	7	13	15	15	15
20-34	15	8.4	67	1	4	6	8	23	29	31
35-49	141	6.4	17	1	3	6	9	10	14	21
50-64	504	7.0	25	1	3	7	9	12	16	27
65+	468	6.7	23	1	2	7	9	12	14	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	27	5.9	29	1	2	5	7	15	20	21
35-49	339	6.7	36	2	3	5	8	14	20	30
50-64	1552	7.1	38	2	3	5	9	15	19	31
65+	2362	8.5	69	2	4	6	10	18	24	38
B. Operated										
0-19 YRS	20	9.5	17	4	5	10	13	15	15	16
20-34	54	10.6	75	4	6	8	13	22	30	47
35-49	814	11.1	88	3	6	9	14	22	28	56
50-64	4736	11.4	81	3	6	9	14	22	28	48
65+	6978	12.3	98	4	7	10	15	23	31	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	4.5	31	1	2	3	6	9	12	22
B. Operated	1131	6.8	24	1	3	7	9	12	15	26
2. MULTIPLE DX										
A. Not Operated	4281	7.8	55	2	3	6	10	16	21	35
B. Operated	12602	11.9	91	3	6	10	15	22	29	51
1. SINGLE DX	1339	6.5	26	1	2	6	9	12	15	25
2. MULTIPLE DX	16883	10.8	85	3	5	9	14	21	28	48
A. Not Operated	4489	7.7	55	2	3	6	9	16	21	35
B. Operated	13733	11.5	88	3	6	9	14	22	29	49
TOTAL										
0-19 YRS	26	8.8	19	3	5	8	13	15	15	16
20-34	103	8.5	62	1	4	6	9	19	24	41
35-49	1328	9.3	73	2	4	7	11	19	25	46
50-64	6883	10.0	71	2	5	8	12	19	26	44
65+	9882	11.1	91	3	5	9	14	22	28	49
GRAND TOTAL	**18222**	**10.5**	**82**	**2**	**5**	**8**	**13**	**21**	**27**	**48**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	7	4.0	3	<1	2	5	5	6	6	6
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	13	4.1	18	<1	1	2	5	12	14	14
65+	12	5.3	9	1	3	5	7	9	12	12
B. Operated										
0-19 YRS	20	4.2	10	1	1	3	6	9	10	11
20-34	21	7.3	20	1	4	6	11	14	15	15
35-49	63	7.6	47	1	2	6	11	16	20	32
50-64	185	7.2	40	1	1	7	11	14	17	27
65+	151	5.6	32	<1	1	3	9	14	18	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	3.7	5	1	2	3	5	7	7	11
20-34	6	14.7	710	2	3	4	5	63	69	69
35-49	31	7.1	75	1	2	4	9	15	33	37
50-64	82	7.1	41	1	3	6	9	15	19	32
65+	77	7.7	50	1	3	6	9	16	22	39
B. Operated										
0-19 YRS	51	12.0	115	3	5	9	16	28	32	99
20-34	37	10.1	47	2	5	9	14	19	23	32
35-49	167	12.7	120	2	6	10	16	27	33	49
50-64	639	13.7	157	2	7	11	17	27	36	80
65+	805	13.1	167	2	4	10	17	27	37	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	4.2	11	1	2	4	5	8	12	14
B. Operated	440	6.6	37	1	1	5	10	14	18	27
2. MULTIPLE DX										
A. Not Operated	228	7.0	61	1	3	5	8	15	21	38
B. Operated	1699	13.2	154	2	5	11	16	27	36	79
1. SINGLE DX	477	6.4	35	1	1	5	10	14	17	26
2. MULTIPLE DX	1927	12.5	147	2	5	10	16	26	34	77
A. Not Operated	265	6.6	55	1	2	5	8	14	18	37
B. Operated	2139	11.8	137	1	4	10	15	25	33	72
TOTAL										
0-19 YRS	105	7.8	76	1	3	5	10	17	28	78
20-34	71	9.0	87	2	4	6	11	17	20	61
35-49	264	10.7	103	1	3	9	14	23	32	44
50-64	919	11.6	130	1	4	10	15	24	31	72
65+	1045	11.5	145	1	3	9	15	24	34	72
GRAND TOTAL	**2404**	**11.2**	**131**	**1**	**3**	**9**	**14**	**24**	**32**	**70**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	166	3.3	4	2	2	3	4	5	6	14
20-34	14	5.6	30	1	1	4	9	13	18	20
35-49	4	3.3	2	1	2	4	4	4	4	4
50-64	7	6.6	54	1	3	3	8	20	22	22
65 +	5	4.8	55	1	1	1	7	18	18	18
B. Operated										
0-19 YRS	314	5.6	23	1	2	4	7	11	14	23
20-34	89	5.3	26	1	2	4	6	11	14	26
35-49	95	4.8	17	1	2	4	6	11	11	22
50-64	99	4.8	19	1	1	3	7	11	14	20
65 +	93	5.5	37	1	1	3	8	13	16	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	388	5.3	28	1	2	4	6	10	15	26
20-34	58	6.8	69	1	2	4	7	15	26	46
35-49	33	8.7	104	1	2	5	13	21	24	49
50-64	48	7.5	54	1	3	5	9	15	21	38
65 +	70	10.2	123	2	3	7	13	21	26	64
B. Operated										
0-19 YRS	351	11.4	131	2	4	8	14	24	33	66
20-34	115	10.0	145	2	3	7	11	22	30	66
35-49	114	10.6	125	2	4	8	12	24	32	84
50-64	210	10.7	114	2	4	8	13	23	31	54
65 +	380	11.1	119	2	4	8	15	24	33	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	3.6	9	1	2	3	4	5	9	19
B. Operated	690	5.3	24	1	2	4	7	11	14	25
2. MULTIPLE DX										
A. Not Operated	597	6.4	52	1	3	5	7	14	20	39
B. Operated	1170	11.0	125	2	4	8	14	24	32	66
1. SINGLE DX	886	4.9	21	1	2	4	6	10	13	23
2. MULTIPLE DX	1767	9.4	105	2	3	6	12	21	29	57
A. Not Operated	793	5.7	43	1	2	4	6	12	18	34
B. Operated	1860	8.9	95	1	3	6	11	20	27	53
TOTAL										
0-19 YRS	1219	6.9	62	1	3	5	8	15	22	41
20-34	276	7.6	89	1	2	5	9	15	24	58
35-49	246	8.0	85	1	3	5	10	20	25	58
50-64	364	8.6	85	1	3	6	10	19	25	53
65 +	548	10.0	110	2	3	7	13	22	31	56
GRAND TOTAL	**2653**	**7.9**	**81**	**1**	**3**	**5**	**9**	**18**	**25**	**49**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	11	3.2	7	< 1	1	2	4	7	9	9
20-34	72	3.1	4	1	2	3	4	6	8	8
35-49	162	3.0	5	1	1	2	4	7	8	9
50-64	140	2.9	6	1	1	2	4	6	8	13
65 +	117	3.8	11	1	1	2	6	8	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.5	44	1	1	3	10	15	15	15
20-34	7	5.6	31	2	2	2	7	15	17	17
35-49	21	5.3	46	1	2	3	4	13	22	31
50-64	28	5.9	19	2	3	5	7	12	16	20
65 +	20	7.7	64	2	3	5	9	17	27	35
B. Operated										
0-19 YRS	8	10.3	135	3	4	7	10	30	38	38
20-34	45	4.4	9	1	2	3	6	9	9	15
35-49	138	4.7	27	1	2	3	6	10	16	23
50-64	155	5.3	35	1	2	4	6	10	16	33
65 +	288	6.1	37	1	2	4	8	12	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	502	3.2	6	1	1	2	4	7	8	12
2. MULTIPLE DX										
A. Not Operated	80	6.2	39	2	2	4	7	14	18	34
B. Operated	634	5.5	34	1	2	4	7	11	16	30
1. SINGLE DX	505	3.2	6	1	1	2	4	7	8	12
2. MULTIPLE DX	714	5.6	34	1	2	4	7	11	16	32
A. Not Operated	83	6.0	38	2	2	4	7	14	18	34
B. Operated	1136	4.5	23	1	2	3	6	9	12	26
TOTAL										
0-19 YRS	23	6.0	62	1	1	4	8	11	23	38
20-34	124	3.7	7	1	2	3	5	7	8	16
35-49	322	3.9	18	1	2	3	5	8	10	20
50-64	325	4.3	22	1	1	3	5	9	13	24
65 +	425	5.5	32	1	2	4	7	11	14	29
GRAND TOTAL	**1219**	**4.6**	**24**	**1**	**2**	**3**	**6**	**9**	**13**	**27**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	8.7	176	1	1	1	18	24	24	24
20-34	2	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	14	2.6	4	1	1	2	5	6	6	6
20-34	33	3.0	6	<1	1	2	4	7	8	10
35-49	89	2.3	5	<1	1	1	3	6	8	9
50-64	185	2.1	4	<1	<1	1	2	5	6	12
65+	314	2.1	5	<1	<1	1	2	5	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.3	7	2	2	2	4	7	10	11
20-34	34	7.0	46	1	3	6	8	10	25	34
35-49	31	9.1	78	1	3	6	11	19	35	36
50-64	16	6.7	64	<1	1	4	7	22	27	29
65+	44	6.8	45	1	2	5	10	15	22	31
B. Operated										
0-19 YRS	11	6.9	36	<1	1	3	12	15	18	18
20-34	47	11.6	120	2	3	9	17	24	31	50
35-49	108	7.0	59	1	2	4	9	17	22	40
50-64	204	5.6	73	<1	1	3	7	15	18	45
65+	765	5.6	64	1	1	3	7	13	19	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.0	71	1	1	2	3	20	24	24
B. Operated	635	2.2	5	<1	<1	1	2	5	7	11
2. MULTIPLE DX										
A. Not Operated	137	7.1	53	1	2	5	8	15	24	36
B. Operated	1135	6.0	68	1	1	3	7	15	21	45
1. SINGLE DX	642	2.2	6	<1	<1	1	2	5	7	12
2. MULTIPLE DX	1272	6.1	67	1	1	3	8	15	21	45
A. Not Operated	144	7.0	53	1	2	5	8	15	24	36
B. Operated	1770	4.6	49	<1	1	2	5	11	17	36
TOTAL										
0-19 YRS	40	4.5	26	1	1	2	5	12	15	24
20-34	116	7.6	77	1	2	5	9	21	24	47
35-49	228	5.4	47	<1	1	3	8	12	19	37
50-64	406	4.0	44	<1	1	2	4	8	15	33
65+	1124	4.6	49	<1	1	2	6	11	16	35
GRAND TOTAL	**1914**	**4.8**	**50**	**<1**	**1**	**2**	**6**	**11**	**17**	**36**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	4.8	2	4	4	4	6	7	7	7
35-49	40	3.7	18	1	2	3	4	6	8	27
50-64	33	3.9	6	1	2	4	6	8	8	9
65+	25	4.6	10	1	2	4	5	10	11	13
B. Operated										
0-19 YRS	5	3.2	2	1	2	3	4	5	5	5
20-34	286	3.3	4	1	2	3	4	5	7	11
35-49	2062	3.1	3	1	2	3	4	5	6	8
50-64	2737	3.3	4	1	2	3	4	5	6	9
65+	2646	3.6	4	2	2	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	21	7.4	34	2	3	6	11	18	19	19
35-49	167	7.2	57	1	2	5	10	17	21	40
50-64	244	7.3	50	1	3	5	9	15	22	37
65+	281	7.8	87	1	3	5	9	16	24	59
B. Operated										
0-19 YRS	4	6.5	42	2	2	4	10	16	16	16
20-34	339	4.5	23	2	3	4	5	7	10	24
35-49	2576	4.3	20	2	2	3	5	7	9	23
50-64	4518	4.6	19	2	3	4	5	7	10	23
65+	8185	5.1	19	2	3	4	6	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	4.0	11	1	2	4	5	7	9	20
B. Operated	7736	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	716	7.5	65	1	3	5	9	16	22	43
B. Operated	15622	4.8	19	2	3	4	5	8	11	23
1. SINGLE DX	7838	3.4	4	1	2	3	4	5	7	9
2. MULTIPLE DX	16338	4.9	22	2	3	4	6	8	11	25
A. Not Operated	818	7.1	60	1	2	5	9	15	22	40
B. Operated	23358	4.3	15	2	2	4	5	7	9	19
TOTAL										
0-19 YRS	12	4.9	15	2	3	4	5	10	15	16
20-34	650	4.1	16	2	2	3	5	7	9	19
35-49	4845	3.9	14	1	2	3	4	6	8	20
50-64	7532	4.2	15	2	2	3	5	7	9	19
65+	11137	4.8	18	2	3	4	6	8	11	22
GRAND TOTAL	**24176**	**4.4**	**16**	**2**	**2**	**4**	**5**	**7**	**10**	**21**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	23	2.6	1	1	2	3	3	4	4	5
35-49	54	2.4	1	1	2	2	3	3	4	4
50-64	62	2.7	2	1	2	3	3	4	5	10
65+	45	3.4	16	2	2	3	4	4	6	28
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	101	4.6	7	1	3	4	7	8	9	12
35-49	213	4.2	7	2	2	3	6	8	9	12
50-64	119	3.7	7	1	2	3	5	7	7	14
65+	62	3.8	5	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	45	4.8	16	1	2	3	7	10	13	19
35-49	144	4.3	17	1	2	3	5	10	13	22
50-64	139	4.5	22	1	2	3	5	9	15	28
65+	127	5.7	50	1	2	4	6	10	23	39
B. Operated										
0-19 YRS	4	4.8	8	2	2	4	7	8	8	8
20-34	231	6.4	19	3	4	6	8	10	12	25
35-49	578	7.1	41	2	4	6	8	12	17	31
50-64	359	7.4	48	2	3	6	9	15	19	40
65+	364	7.6	65	2	3	5	9	14	24	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	2.7	5	1	2	3	3	4	4	10
B. Operated	496	4.2	7	2	2	3	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	456	4.8	28	1	2	3	5	10	14	30
B. Operated	1536	7.2	45	2	3	6	9	13	17	33
1. SINGLE DX	680	3.8	7	1	2	3	5	7	8	12
2. MULTIPLE DX	1992	6.6	42	2	3	5	8	12	17	32
A. Not Operated	640	4.2	22	1	2	3	4	8	12	28
B. Operated	2032	6.4	37	2	3	5	8	11	15	32
TOTAL										
0-19 YRS	6	4.7	7	2	2	4	7	8	8	8
20-34	400	5.6	16	2	3	5	7	9	11	19
35-49	989	5.8	30	2	3	4	8	10	14	27
50-64	679	5.7	35	2	2	4	7	12	16	29
65+	598	6.5	54	2	3	4	8	13	22	38
GRAND TOTAL	**2672**	**5.9**	**35**	**2**	**3**	**4**	**7**	**11**	**15**	**31**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	12	1.9		1	1	2	2	3	3	3
50-64	37	2.4	1	1	2	2	3	4	4	5
65+	58	2.1	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	14	4.5	1	4	4	4	5	6	7	7
35-49	93	5.0	9	3	4	5	6	7	9	20
50-64	335	4.5	3	2	4	4	5	7	8	9
65+	347	4.7	4	2	4	5	6	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.0	13	4	4	6	10	11	11	11
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	14	3.1	4	1	1	2	5	6	7	7
50-64	74	3.6	13	1	2	3	4	6	13	17
65+	210	6.5	74	1	2	4	7	16	24	35
B. Operated										
0-19 YRS	7	6.1	20	2	4	5	6	14	16	16
20-34	58	5.8	13	3	4	5	7	9	15	20
35-49	412	5.5	10	3	4	5	6	8	11	19
50-64	1416	6.5	29	3	4	5	7	11	14	26
65+	2250	7.5	42	4	5	6	8	13	17	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	2.2	1	1	2	2	3	4	4	5
B. Operated	789	4.7	4	2	4	4	6	7	8	11
2. MULTIPLE DX										
A. Not Operated	303	5.6	56	1	2	3	6	12	20	31
B. Operated	4143	6.9	34	3	4	6	8	12	15	31
1. SINGLE DX	898	4.4	4	2	3	4	5	7	8	10
2. MULTIPLE DX	4446	6.8	36	3	4	5	8	12	15	31
A. Not Operated	412	4.7	44	1	2	3	5	9	17	29
B. Operated	4932	6.6	30	3	4	5	7	11	14	28
TOTAL										
0-19 YRS	11	6.1	16	3	4	5	6	13	16	16
20-34	75	5.5	11	3	4	5	6	8	12	20
35-49	531	5.2	10	3	4	5	6	8	10	19
50-64	1862	5.9	24	3	4	5	7	9	13	24
65+	2865	7.0	40	3	4	6	8	12	16	35
GRAND TOTAL	**5344**	**6.4**	**31**	**3**	**4**	**5**	**7**	**11**	**14**	**29**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	14	2.3	14	1	1	1	2	4	12	15
50-64	11	2.5	5	<1	1	1	3	7	7	7
65 +	17	4.8	56	1	1	2	4	13	24	30
B. Operated										
0-19 YRS	24	5.9	18	2	3	5	7	12	17	18
20-34	48	5.4	17	3	4	4	6	8	10	30
35-49	78	5.4	5	3	4	5	7	8	9	14
50-64	78	5.8	6	3	4	6	7	9	10	13
65 +	69	6.8	16	4	5	6	8	10	12	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.1	2	1	2	4	4	5	5	5
20-34	11	3.5	8	1	2	2	5	8	10	10
35-49	53	5.8	74	1	1	3	5	16	27	41
50-64	136	5.5	26	1	2	4	7	11	18	24
65 +	207	8.1	78	1	3	5	10	17	23	50
B. Operated										
0-19 YRS	33	8.9	56	3	4	7	11	15	29	35
20-34	132	7.2	56	3	4	5	7	11	17	38
35-49	466	8.4	32	4	5	7	10	15	19	36
50-64	885	10.5	61	4	6	9	12	18	23	43
65 +	1080	13.3	99	5	7	10	16	25	33	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	3.2	26	1	1	2	2	7	14	30
B. Operated	297	5.9	11	3	4	5	7	9	11	17
2. MULTIPLE DX										
A. Not Operated	416	6.7	59	1	2	4	8	15	22	38
B. Operated	2596	11.1	76	4	6	9	13	21	27	46
1. SINGLE DX	343	5.5	14	2	4	5	7	9	11	19
2. MULTIPLE DX	3012	10.5	76	4	5	8	13	21	26	46
A. Not Operated	462	6.4	57	1	2	4	8	14	21	36
B. Operated	2893	10.6	71	4	6	8	12	20	26	45
TOTAL										
0-19 YRS	67	7.0	38	2	4	5	9	14	18	34
20-34	194	6.5	44	3	4	5	7	10	15	30
35-49	611	7.6	34	3	4	6	9	14	18	36
50-64	1110	9.5	57	3	5	8	11	18	22	39
65 +	1373	12.1	97	4	6	9	15	24	31	51
GRAND TOTAL	**3355**	**10.0**	**72**	**3**	**5**	**8**	**12**	**19**	**26**	**44**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.1	2	1	2	3	4	5	5	5
20-34	6	1.3		1	1	1	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	13	2.8	2	1	2	2	4	5	5	5
B. Operated										
0-19 YRS	11	5.5	13	1	3	5	8	11	13	13
20-34	10	4.2	13	1	1	4	5	9	13	13
35-49	23	4.3	7	1	2	4	6	8	9	10
50-64	19	4.4	7	1	2	5	7	8	9	9
65 +	53	4.5	18	<1	2	3	5	9	13	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.0	18	2	3	3	6	11	16	17
20-34	4	7.3	20	1	4	8	10	11	11	11
35-49	6	5.8	15	1	5	5	6	12	13	13
50-64	25	4.9	18	1	1	3	7	11	15	15
65 +	68	7.6	76	2	2	5	8	18	24	41
B. Operated										
0-19 YRS	13	9.9	79	2	3	6	16	24	29	30
20-34	23	5.5	20	1	1	4	9	11	14	17
35-49	64	8.8	64	3	4	7	10	17	21	47
50-64	139	12.0	120	3	5	9	16	25	33	89
65 +	360	10.5	84	3	5	8	13	21	26	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.4	2	1	1	2	3	5	5	5
B. Operated	116	4.5	13	1	2	4	6	9	10	20
2. MULTIPLE DX										
A. Not Operated	114	6.6	53	1	2	4	8	15	20	40
B. Operated	599	10.5	89	2	5	8	13	21	27	48
1. SINGLE DX	148	4.1	11	1	2	3	5	8	10	19
2. MULTIPLE DX	713	9.9	85	2	4	8	13	21	26	48
A. Not Operated	146	5.7	45	1	2	3	7	13	18	39
B. Operated	715	9.5	81	2	4	7	12	19	25	48
TOTAL										
0-19 YRS	43	6.3	37	2	3	4	7	15	19	30
20-34	43	4.8	17	1	1	4	8	11	12	17
35-49	96	7.3	50	1	4	5	9	15	20	43
50-64	185	10.2	103	2	4	8	13	22	28	73
65 +	494	9.3	78	2	4	7	12	19	24	46
GRAND TOTAL	**861**	**8.9**	**77**	**2**	**3**	**6**	**11**	**18**	**24**	**47**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	10	3.8	9	< 1	1	3	5	8	11	11
65 +	21	4.3	19	< 1	1	3	5	11	15	17
B. Operated										
0-19 YRS	7	3.3	8	1	1	1	6	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	27	5.9	10	1	3	7	8	8	12	14
50-64	588	5.7	10	2	4	5	7	9	11	15
65 +	1452	4.6	10	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	24	1	1	2	8	10	10	10
20-34	0									
35-49	3	11.7	52	7	7	8	17	20	20	20
50-64	128	7.0	40	1	3	5	10	17	22	49
65 +	733	7.5	82	2	3	5	9	15	21	48
B. Operated										
0-19 YRS	15	9.1	61	1	3	6	16	21	24	25
20-34	5	6.2	38	2	3	4	8	17	17	17
35-49	53	8.2	26	3	5	7	10	14	18	30
50-64	1978	6.9	34	2	3	6	9	12	16	31
65 +	10712	6.9	40	2	3	5	8	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.0	15	< 1	1	3	5	9	14	17
B. Operated	2075	4.9	10	1	3	4	7	9	10	15
2. MULTIPLE DX										
A. Not Operated	867	7.4	76	2	3	5	9	15	21	46
B. Operated	12763	6.9	39	2	3	5	8	13	18	33
1. SINGLE DX	2108	4.9	10	1	3	4	7	9	10	15
2. MULTIPLE DX	13630	6.9	41	2	3	5	8	13	18	34
A. Not Operated	900	7.3	74	1	3	5	9	15	20	44
B. Operated	14838	6.6	35	2	3	5	8	12	17	32
TOTAL										
0-19 YRS	27	6.5	46	1	1	4	9	18	22	25
20-34	6	5.3	35	1	2	3	5	16	17	17
35-49	83	7.6	23	2	5	7	9	14	17	27
50-64	2704	6.6	29	2	3	6	8	12	15	29
65 +	12918	6.6	40	2	3	5	8	13	17	32
GRAND TOTAL	**15738**	**6.6**	**38**	**2**	**3**	**5**	**8**	**13**	**17**	**32**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.5	3	1	1	2	4	4	4	4
20-34	26	2.6	3	1	1	2	4	5	6	7
35-49	4	3.3	11	1	1	2	5	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	22	4.3	27	1	1	3	5	8	15	25
20-34	268	2.6	7	1	1	2	3	6	8	10
35-49	133	2.5	6	1	1	1	3	6	8	12
50-64	33	2.7	7	1	1	2	3	6	10	12
65 +	15	4.3	14	1	2	3	6	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.9	7	1	1	4	6	7	10	11
20-34	69	4.0	18	1	1	3	5	7	9	28
35-49	19	5.8	34	1	1	4	10	13	18	21
50-64	10	5.4	13	1	3	5	6	10	14	14
65 +	5	6.2	26	< 1	2	5	9	14	14	14
B. Operated										
0-19 YRS	34	7.3	32	1	3	6	10	13	20	25
20-34	148	6.8	59	1	1	5	9	15	21	40
35-49	83	4.9	49	1	1	3	6	11	13	45
50-64	48	7.8	122	1	2	4	9	16	24	61
65 +	77	6.7	40	1	3	5	8	16	21	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.6	4	1	1	2	4	5	7	8
B. Operated	471	2.7	8	1	1	2	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	136	4.4	18	1	1	3	6	9	12	22
B. Operated	390	6.5	59	1	2	4	8	14	20	41
1. SINGLE DX	507	2.7	8	1	1	2	3	6	8	12
2. MULTIPLE DX	526	6.0	49	1	2	4	7	13	18	40
A. Not Operated	172	4.0	15	1	1	3	5	8	12	20
B. Operated	861	4.4	35	1	1	2	6	10	14	31
TOTAL										
0-19 YRS	95	5.1	23	1	1	4	7	10	12	25
20-34	511	4.0	27	1	1	2	5	8	11	31
35-49	239	3.6	25	1	1	2	4	9	12	20
50-64	91	5.7	73	1	1	3	6	14	16	55
65 +	97	6.3	35	1	2	4	8	15	19	29
GRAND TOTAL	**1033**	**4.4**	**31**	**1**	**1**	**2**	**6**	**9**	**14**	**28**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	8	4.6	17	1	2	3	7	11	12	12
65+	16	3.4	8	1	2	3	4	8	10	11
B. Operated										
0-19 YRS	10	3.5	9	<1	1	2	6	8	9	9
20-34	20	3.1	8	<1	1	2	4	8	9	10
35-49	159	2.2	4	1	1	2	2	4	8	11
50-64	618	2.9	13	1	1	2	3	6	10	20
65+	1200	2.9	16	1	1	2	3	5	8	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	20.5	254	7	7	17	33	40	40	40
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	7	4.3	13	1	2	4	4	10	12	12
50-64	90	5.6	42	1	2	4	6	14	18	33
65+	253	6.8	65	1	3	5	8	13	20	56
B. Operated										
0-19 YRS	20	12.0	101	1	4	9	16	26	34	39
20-34	31	7.0	49	1	1	5	10	16	17	33
35-49	233	6.3	79	1	1	3	8	17	23	48
50-64	1517	6.0	57	1	2	3	8	14	19	35
65+	6443	6.3	58	1	2	4	8	14	19	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.5	9	1	2	3	4	9	11	12
B. Operated	2007	2.9	14	1	1	2	3	5	9	19
2. MULTIPLE DX										
A. Not Operated	356	6.6	62	1	2	5	7	14	20	40
B. Operated	8244	6.3	59	1	2	4	8	14	19	40
1. SINGLE DX	2037	2.9	14	1	1	2	3	5	9	18
2. MULTIPLE DX	8600	6.3	59	1	2	4	8	14	19	40
A. Not Operated	386	6.3	58	1	2	4	7	13	18	38
B. Operated	10251	5.6	52	1	2	3	7	13	18	36
TOTAL										
0-19 YRS	36	10.1	108	1	3	7	14	26	36	40
20-34	55	5.2	35	<1	1	3	8	12	16	32
35-49	401	4.6	52	1	1	2	4	12	17	40
50-64	2233	5.1	46	1	1	3	6	12	16	30
65+	7912	5.8	54	1	2	3	7	13	18	37
GRAND TOTAL	**10637**	**5.6**	**52**	**1**	**2**	**3**	**7**	**13**	**18**	**36**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	5.1	13	2	3	4	5	12	14	15
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	6	3.2	7	<1	1	2	6	7	7	7
65+	6	2.2	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	103	8.1	24	4	5	7	10	13	14	30
20-34	23	6.5	7	3	5	7	8	9	10	12
35-49	92	6.8	6	4	6	7	8	10	11	16
50-64	194	7.1	13	4	5	7	9	11	13	18
65+	153	7.5	21	2	5	7	9	12	15	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	6.4	97	1	2	4	7	11	16	68
20-34	4	5.3	13	2	2	4	8	10	10	10
35-49	34	8.3	75	2	2	5	10	19	29	37
50-64	116	6.4	39	2	3	5	8	13	18	34
65+	222	8.2	62	2	4	6	10	16	21	45
B. Operated										
0-19 YRS	160	12.8	114	4	7	10	15	25	37	60
20-34	56	9.8	57	3	6	8	12	20	33	96
35-49	305	9.0	37	5	6	8	10	14	18	35
50-64	885	10.2	60	5	6	8	11	18	23	44
65+	1655	11.3	71	5	7	9	13	20	28	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	4.3	11	1	2	4	5	9	14	15
B. Operated	565	7.3	16	3	5	7	9	11	14	23
2. MULTIPLE DX										
A. Not Operated	448	7.4	62	2	3	5	9	15	21	37
B. Operated	3061	10.8	67	5	7	9	13	19	26	49
1. SINGLE DX	616	7.1	16	3	5	7	9	11	14	21
2. MULTIPLE DX	3509	10.4	68	4	6	8	12	18	25	47
A. Not Operated	499	7.1	58	1	3	5	9	15	20	36
B. Operated	3626	10.3	61	5	6	8	12	18	24	44
TOTAL										
0-19 YRS	370	9.5	85	3	4	7	11	16	25	49
20-34	85	8.6	43	2	5	7	10	15	24	78
35-49	433	8.5	34	4	6	7	10	13	18	35
50-64	1201	9.3	52	4	6	8	11	16	21	43
65+	2036	10.7	68	4	6	9	13	20	26	48
GRAND TOTAL	**4125**	**9.9**	**61**	**3**	**6**	**8**	**11**	**17**	**24**	**44**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.3	1	< 1	< 1	< 1	1	3	4	4
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	61	3.0	16	1	1	2	3	5	7	24
20-34	5	3.8	11	1	2	2	6	9	9	9
35-49	15	2.1	8	1	1	1	2	3	10	12
50-64	18	2.4	2	1	1	2	3	5	6	6
65 +	24	2.5	2	< 1	1	2	3	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	6.8	87	< 1	1	4	9	16	30	39
20-34	0									
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	4	2.0	2	1	1	2	3	4	4	4
65 +	4	8.8	91	3	3	4	14	23	23	23
B. Operated										
0-19 YRS	26	4.5	13	1	2	3	7	11	28	99 +
20-34	3	6.0	31	1	2	5	10	12	12	12
35-49	15	2.1	1	1	1	2	2	3	5	5
50-64	29	2.8	5	1	1	2	3	6	8	10
65 +	55	4.0	10	1	2	3	5	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.4	1	< 1	< 1	1	1	3	4	4
B. Operated	123	2.7	10	1	1	2	3	5	7	21
2. MULTIPLE DX										
A. Not Operated	28	6.1	70	< 1	1	4	6	16	25	39
B. Operated	128	3.7	9	1	2	3	5	9	11	34
1. SINGLE DX	141	2.6	9	< 1	1	2	3	5	7	20
2. MULTIPLE DX	156	4.1	21	1	2	3	5	9	12	38
A. Not Operated	46	4.3	48	< 1	< 1	2	4	9	18	39
B. Operated	251	3.2	10	1	1	2	4	7	10	20
TOTAL										
0-19 YRS	121	3.7	26	< 1	1	2	4	8	15	56
20-34	8	4.6	16	1	1	3	7	11	12	12
35-49	33	2.2	4	1	1	2	2	4	5	12
50-64	52	2.6	4	1	1	2	3	5	7	10
65 +	83	3.8	13	1	2	3	5	8	11	21
GRAND TOTAL	**297**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	2.8	13	1	1	2	3	5	8	22
20-34	18	2.6	3	1	1	2	3	5	7	8
35-49	28	4.3	9	1	2	4	7	9	10	10
50-64	39	6.3	58	1	2	3	8	15	24	36
65 +	40	10.3	228	3	4	8	11	16	22	98
B. Operated										
0-19 YRS	360	7.4	34	1	3	6	10	15	18	28
20-34	115	7.5	29	2	4	7	9	14	20	26
35-49	156	6.8	16	2	4	6	9	13	14	19
50-64	172	8.6	31	2	5	8	11	15	19	27
65 +	117	9.5	69	2	5	8	13	18	22	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	351	4.9	51	1	1	3	6	10	14	59
20-34	97	5.7	44	1	2	4	7	13	16	39
35-49	185	7.8	73	1	3	5	10	17	24	41
50-64	284	7.7	54	2	3	6	10	16	22	56
65 +	369	11.4	169	2	4	7	13	24	36	81
B. Operated										
0-19 YRS	675	13.9	210	3	6	10	16	32	46	97
20-34	211	11.7	124	4	6	9	13	19	27	67
35-49	323	11.7	95	4	6	9	14	24	29	59
50-64	410	15.3	209	4	7	11	18	36	56	99 +
65 +	494	17.1	189	5	9	14	21	34	45	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202	5.1	70	1	1	3	6	11	15	32
B. Operated	920	7.8	35	1	4	7	10	15	19	26
2. MULTIPLE DX										
A. Not Operated	1286	7.9	95	1	3	5	9	17	25	61
B. Operated	2113	14.4	182	4	7	10	17	30	43	92
1. SINGLE DX	1122	7.3	42	1	3	6	10	15	18	27
2. MULTIPLE DX	3399	11.9	159	2	4	8	14	25	38	83
A. Not Operated	1488	7.5	92	1	2	5	9	16	24	60
B. Operated	3033	12.4	146	3	6	9	15	25	38	79
TOTAL										
0-19 YRS	1463	9.6	135	1	3	7	11	20	32	81
20-34	441	9.0	85	2	4	7	11	17	23	56
35-49	692	9.2	74	2	4	7	12	18	26	42
50-64	905	11.3	134	2	4	8	13	24	38	75
65 +	1020	13.9	179	3	6	10	17	29	39	85
GRAND TOTAL	**4521**	**10.8**	**134**	**2**	**4**	**8**	**13**	**23**	**33**	**72**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.6	3	<1	1	2	3	5	6	6
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	5.0	9	2	3	5	7	8	8	8
65+	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	33	5.8	13	1	2	6	9	10	11	13
20-34	8	4.3	6	1	2	4	6	7	8	8
35-49	18	10.6	157	5	6	8	9	16	43	59
50-64	10	7.1	5	4	6	8	9	9	9	9
65+	6	19.3	607	6	7	8	17	64	69	69
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	5.7	36	<1	1	3	7	12	18	28
20-34	4	8.3	34	2	4	7	12	16	16	16
35-49	7	10.9	110	2	4	5	18	28	30	30
50-64	14	14.7	404	4	5	8	11	41	70	78
65+	23	7.7	23	2	3	8	11	15	17	17
B. Operated										
0-19 YRS	83	10.9	77	2	5	9	15	25	38	99+
20-34	13	17.2	264	6	8	12	17	41	59	63
35-49	40	12.1	81	3	7	9	15	31	33	99+
50-64	41	16.5	181	6	8	13	21	36	54	99+
65+	48	18.9	283	6	10	15	21	41	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.2	4	<1	2	3	4	6	7	8
B. Operated	75	8.0	100	1	5	7	9	10	16	66
2. MULTIPLE DX										
A. Not Operated	71	8.8	116	1	3	6	11	16	28	69
B. Operated	225	14.2	159	4	7	12	19	31	49	99+
1. SINGLE DX	91	7.2	86	1	2	6	8	10	13	65
2. MULTIPLE DX	296	12.9	154	2	5	10	17	28	39	99+
A. Not Operated	87	7.7	100	1	3	5	10	14	21	63
B. Operated	300	12.7	151	2	6	9	16	27	41	99+
TOTAL										
0-19 YRS	148	8.4	60	1	3	7	12	21	28	99+
20-34	27	10.9	168	2	4	7	13	26	39	63
35-49	66	11.4	102	3	6	8	13	29	33	93
50-64	68	14.3	202	4	7	9	18	33	42	96
65+	78	15.5	247	3	7	13	18	26	60	99
GRAND TOTAL	**387**	**11.6**	**144**	**2**	**5**	**8**	**14**	**25**	**37**	**99+**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	4.3	51	1	1	3	5	7	10	50
20-34	33	1.9	1	1	1	2	3	3	3	4
35-49	57	3.4	116	1	1	2	3	3	3	77
50-64	32	3.3	13	1	2	2	3	7	15	16
65+	19	2.1	2	1	1	2	3	3	5	7
B. Operated										
0-19 YRS	85	6.6	124	1	2	4	6	10	34	64
20-34	226	2.7	6	1	2	2	3	4	6	8
35-49	245	2.6	4	1	2	2	3	4	5	12
50-64	119	2.7	2	1	2	2	3	4	5	10
65+	65	3.3	4	2	2	3	4	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	162	4.7	24	1	1	3	6	11	14	26
20-34	52	2.5	2	1	2	2	3	4	5	7
35-49	42	2.7	6	1	1	2	3	5	8	13
50-64	66	3.2	4	1	2	3	4	6	7	12
65+	49	4.0	29	1	2	3	4	6	8	38
B. Operated										
0-19 YRS	269	11.6	187	2	4	7	13	28	50	71
20-34	232	4.2	33	1	2	3	4	7	11	23
35-49	333	4.2	20	1	2	3	5	8	12	26
50-64	291	5.2	28	2	2	3	6	12	18	31
65+	296	7.1	63	2	3	5	8	16	22	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	195	3.3	51	1	1	2	3	5	7	36
B. Operated	740	3.2	20	1	2	2	3	5	7	17
2. MULTIPLE DX										
A. Not Operated	371	3.8	17	1	2	2	5	8	12	19
B. Operated	1421	6.4	71	2	2	4	7	13	21	54
1. SINGLE DX	935	3.2	26	1	2	2	3	5	7	18
2. MULTIPLE DX	1792	5.9	61	1	2	3	6	12	19	51
A. Not Operated	566	3.6	28	1	2	2	4	7	10	19
B. Operated	2161	5.3	56	1	2	3	5	10	17	50
TOTAL										
0-19 YRS	570	8.2	129	1	2	5	9	17	33	59
20-34	543	3.3	17	1	2	2	3	6	7	17
35-49	677	3.5	22	1	2	2	4	6	9	24
50-64	508	4.2	19	2	2	3	4	8	13	25
65+	429	6.0	50	2	2	4	7	12	20	49
GRAND TOTAL	**2727**	**5.0**	**51**	**1**	**2**	**3**	**5**	**10**	**15**	**46**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	3.5	28	<1	1	2	5	7	23	99+
20-34	9	4.4	12	2	3	3	5	10	13	13
35-49	15	3.8	5	1	2	4	6	7	7	7
50-64	63	5.7	31	1	2	4	8	13	16	26
65+	71	6.2	25	1	3	5	10	14	17	20
B. Operated										
0-19 YRS	78	6.0	18	1	2	6	8	12	13	22
20-34	35	8.0	88	1	2	5	11	16	27	48
35-49	72	4.7	14	1	2	4	6	9	11	19
50-64	152	5.2	39	1	2	3	7	11	14	37
65+	162	6.3	39	1	2	5	8	15	19	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	247	5.1	35	1	2	4	6	10	15	31
20-34	289	5.8	29	1	2	4	7	12	16	27
35-49	1485	7.5	54	2	3	5	10	17	22	35
50-64	4030	8.3	59	2	3	6	10	18	23	40
65+	7517	9.3	72	2	4	7	12	19	25	46
B. Operated										
0-19 YRS	355	11.0	139	2	4	7	13	28	37	66
20-34	509	10.6	125	2	4	8	13	23	34	73
35-49	2248	10.7	119	2	4	7	13	23	32	59
50-64	5518	11.5	115	2	5	8	14	24	32	55
65+	9136	12.5	126	3	5	9	16	25	35	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	194	5.3	26	1	2	4	7	12	16	29
B. Operated	499	5.8	36	1	2	4	8	12	16	33
2. MULTIPLE DX										
A. Not Operated	13568	8.6	66	2	4	6	11	18	24	43
B. Operated	17766	11.8	122	2	5	9	15	25	34	59
1. SINGLE DX	693	5.7	33	1	2	4	7	12	16	31
2. MULTIPLE DX	31334	10.5	100	2	4	8	13	22	30	54
A. Not Operated	13762	8.6	65	2	4	6	11	18	24	42
B. Operated	18265	11.7	121	2	5	9	15	25	33	58
TOTAL										
0-19 YRS	716	8.0	93	1	2	5	9	18	29	57
20-34	842	8.8	95	2	3	6	11	19	28	48
35-49	3820	9.3	94	2	3	6	11	20	28	53
50-64	9763	10.0	93	2	4	7	13	21	28	49
65+	16886	11.0	104	2	4	8	14	23	30	55
GRAND TOTAL	**32027**	**10.4**	**99**	**2**	**4**	**8**	**13**	**22**	**29**	**53**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.5	3	1	1	2	4	5	6	7
20-34	25	3.3	14	1	1	1	4	9	13	14
35-49	9	4.9	7	1	3	5	7	8	8	8
50-64	5	2.0	3	1	1	1	3	5	5	5
65+	3	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	172	4.9	31	1	2	4	6	9	12	20
20-34	204	5.1	24	1	2	5	6	8	10	16
35-49	105	4.6	8	1	2	5	6	8	10	13
50-64	36	6.5	43	1	2	5	8	15	24	25
65+	11	8.7	73	<1	2	6	12	23	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	3.8	13	1	1	3	5	8	10	21
20-34	66	5.9	27	1	2	5	8	11	15	30
35-49	56	6.4	67	1	2	4	8	13	16	55
50-64	20	8.1	53	1	4	6	10	19	25	30
65+	27	12.7	95	4	6	8	20	28	31	38
B. Operated										
0-19 YRS	140	8.9	84	2	4	7	10	16	24	53
20-34	272	10.3	170	2	4	6	10	24	38	69
35-49	141	11.2	116	2	5	8	13	25	38	52
50-64	83	10.9	91	2	5	9	14	22	27	55
65+	107	14.3	129	3	6	12	20	33	37	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	3.0	8	1	1	2	4	6	8	14
B. Operated	528	5.1	26	1	2	5	6	9	12	22
2. MULTIPLE DX										
A. Not Operated	247	6.3	47	1	2	4	8	13	20	31
B. Operated	743	10.8	130	2	5	7	12	25	36	55
1. SINGLE DX	603	4.9	24	1	2	4	6	9	12	21
2. MULTIPLE DX	990	9.7	114	2	4	6	11	22	33	54
A. Not Operated	322	5.5	40	1	2	4	7	11	17	30
B. Operated	1271	8.5	95	1	3	6	9	18	28	51
TOTAL										
0-19 YRS	423	5.8	48	1	2	5	7	11	15	40
20-34	567	7.6	100	1	3	5	8	14	25	54
35-49	311	7.9	77	1	3	5	9	16	25	48
50-64	144	9.1	75	1	3	7	11	20	25	35
65+	148	13.3	120	3	6	10	19	31	37	50
GRAND TOTAL	**1593**	**7.9**	**85**	**1**	**3**	**6**	**9**	**16**	**27**	**48**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	257	4.0	21	< 1	1	2	5	9	11	24
20-34	5	18.2	486	5	6	8	25	57	57	57
35-49	6	4.5	1	3	4	4	5	6	6	6
50-64	3	9.3	104	2	3	5	17	21	21	21
65 +	1	21.0		21	21	21	21	21	21	21
B. Operated										
0-19 YRS	448	7.4	64	1	2	5	9	16	22	38
20-34	9	12.1	322	< 1	1	5	15	44	49	49
35-49	7	8.7	61	2	4	4	12	22	24	24
50-64	4	16.0	439	1	4	8	28	47	47	47
65 +	3	16.0	367	3	4	7	30	38	38	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	699	4.7	35	1	1	3	6	10	14	26
20-34	29	13.8	185	1	4	6	25	29	37	58
35-49	16	8.7	139	1	2	5	8	19	39	48
50-64	18	11.1	111	2	2	7	16	31	34	35
65 +	37	8.9	64	3	4	6	11	18	27	39
B. Operated										
0-19 YRS	705	16.3	223	3	6	11	23	38	52	84
20-34	79	27.0	367	3	9	25	39	55	62	84
35-49	45	25.8	412	5	8	25	37	43	66	95
50-64	36	24.9	203	3	15	26	35	43	54	99 +
65 +	53	22.7	411	5	8	17	34	51	81	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	272	4.4	33	< 1	1	3	5	9	12	31
B. Operated	471	7.6	73	1	2	5	10	16	23	44
2. MULTIPLE DX										
A. Not Operated	799	5.4	49	1	1	3	6	11	17	34
B. Operated	918	18.4	268	3	7	13	27	41	55	96
1. SINGLE DX	743	6.4	61	1	2	4	8	13	21	39
2. MULTIPLE DX	1717	12.4	208	1	3	7	16	33	43	74
A. Not Operated	1071	5.2	45	1	1	3	6	11	16	33
B. Operated	1389	14.7	228	2	5	9	21	36	47	82
TOTAL										
0-19 YRS	2109	9.1	130	1	2	5	11	23	34	64
20-34	122	22.4	357	2	6	21	33	49	57	76
35-49	74	18.7	361	3	5	9	31	42	50	91
50-64	61	19.5	220	2	6	17	31	42	49	95
65 +	94	17.1	308	3	6	10	24	38	54	99
GRAND TOTAL	**2460**	**10.6**	**171**	**1**	**2**	**6**	**12**	**29**	**39**	**67**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2	7	< 1	< 1	1	3	7	7	7
20-34	0									
35-49	5	5.0	15	< 1	2	3	8	10	10	10
50-64	11	4.6	17	1	2	3	7	12	13	13
65 +	6	3.0	5	< 1	2	2	4	7	7	7
B. Operated										
0-19 YRS	8	6.9	22	1	2	8	10	12	13	13
20-34	0									
35-49	4	3.0	2	1	2	3	4	4	4	4
50-64	12	5.6	15	1	2	6	7	10	14	15
65 +	11	10.6	33	5	6	10	13	18	24	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	5.0	15	1	1	5	7	10	13	14
20-34	1	4.0		4	4	4	4	4	4	4
35-49	16	5.4	18	1	2	4	9	12	13	13
50-64	85	6.7	33	1	3	5	8	14	17	28
65 +	220	8.4	83	2	3	6	10	17	25	65
B. Operated										
0-19 YRS	6	11.0	224	1	3	6	8	38	41	41
20-34	3	8.7	46	1	3	11	13	14	14	14
35-49	19	11.6	130	3	4	7	13	31	38	43
50-64	69	13.4	205	2	5	9	15	33	50	63
65 +	178	12.9	154	4	6	10	16	26	35	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.9	12	< 1	1	2	6	10	11	13
B. Operated	35	7.2	26	1	3	6	10	13	15	25
2. MULTIPLE DX										
A. Not Operated	335	7.7	65	1	3	6	9	15	21	41
B. Operated	275	12.9	163	3	5	9	15	30	38	63
1. SINGLE DX	62	5.7	22	1	2	4	8	12	13	24
2. MULTIPLE DX	610	10.0	116	2	4	7	12	21	31	60
A. Not Operated	362	7.4	62	1	3	5	9	15	21	38
B. Operated	310	12.2	151	3	5	9	14	26	37	62
TOTAL										
0-19 YRS	32	6.2	55	1	1	5	8	12	14	41
20-34	4	7.5	36	1	2	7	12	14	14	14
35-49	44	7.8	74	1	3	5	10	14	31	43
50-64	177	9.1	109	2	3	6	11	19	31	61
65 +	415	10.3	116	3	4	7	13	21	31	66
GRAND TOTAL	**672**	**9.6**	**109**	**2**	**4**	**7**	**12**	**20**	**31**	**59**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	4.6	38	< 1	< 1	4	6	8	12	42
20-34	14	2.7	3	1	1	3	3	4	6	7
35-49	13	3.8	14	1	2	3	4	8	14	15
50-64	8	3.6	5	1	2	4	5	6	7	7
65 +	12	5.3	48	< 1	1	3	6	13	24	26
B. Operated										
0-19 YRS	67	10.4	201	1	2	4	11	39	44	93
20-34	18	8.4	153	< 1	2	3	5	32	37	41
35-49	17	14.4	215	1	2	8	27	36	37	38
50-64	5	2.2	1	1	1	2	3	4	4	4
65 +	12	14.3	223	2	4	8	24	40	41	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	125	7.6	86	1	2	5	8	18	31	48
20-34	21	10.2	130	1	1	6	15	27	36	40
35-49	53	10.9	148	1	2	6	15	30	35	50
50-64	84	13.1	208	3	4	8	16	31	41	75
65 +	133	8.9	89	1	3	6	12	18	29	46
B. Operated										
0-19 YRS	226	28.7	450	5	10	27	44	61	71	99 +
20-34	108	33.5	363	4	24	34	43	58	63	84
35-49	147	35.[illegible]	370	7	26	35	47	69	80	99 +
50-64	194	32.6	389	6	21	32	44	58	71	86
65 +	298	26.2	409	4	8	24	38	55	68	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	4.2	28	< 1	1	3	5	8	11	34
B. Operated	119	10.7	192	1	2	4	12	37	41	73
2. MULTIPLE DX										
A. Not Operated	416	9.7	124	1	3	6	11	26	33	50
B. Operated	973	30.2	413	5	11	30	43	59	71	99 +
1. SINGLE DX	217	7.8	128	< 1	2	3	8	27	39	50
2. MULTIPLE DX	1389	24.1	415	3	6	22	37	54	65	89
A. Not Operated	514	8.6	110	1	2	5	10	23	32	48
B. Operated	1092	28.1	426	3	9	29	42	58	69	99 +
TOTAL										
0-19 YRS	469	17.8	383	1	3	9	31	51	62	97
20-34	161	25.0	428	1	4	27	39	52	61	83
35-49	230	26.2	429	2	6	28	39	58	74	99 +
50-64	291	25.6	419	3	7	26	37	54	61	84
65 +	455	20.3	368	2	5	13	33	47	61	88
GRAND TOTAL	**1606**	**21.9**	**407**	**2**	**5**	**14**	**35**	**52**	**62**	**88**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	5.1	27	< 1	1	4	7	12	17	22
20-34	10	3.2	9	< 1	1	3	3	7	11	11
35-49	10	4.8	8	< 1	2	5	8	8	8	8
50-64	12	4.3	23	< 1	< 1	2	7	13	14	14
65 +	26	3.1	8	< 1	< 1	2	5	6	8	14
B. Operated										
0-19 YRS	37	9.0	100	< 1	3	5	11	18	36	43
20-34	8	14.3	267	3	5	6	24	41	42	42
35-49	11	9.7	166	1	2	3	13	34	36	36
50-64	6	7.5	107	1	2	3	8	26	28	28
65 +	11	4.5	11	< 1	1	3	8	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	6.6	26	2	3	5	9	13	18	25
20-34	31	4.9	10	1	2	5	7	9	11	12
35-49	62	7.6	51	1	3	6	9	15	23	37
50-64	81	8.7	79	3	4	6	9	21	27	45
65 +	194	9.0	105	1	2	6	12	22	31	67
B. Operated										
0-19 YRS	107	23.4	448	3	9	15	38	60	74	99 +
20-34	49	27.5	379	3	7	33	43	51	56	67
35-49	125	27.8	306	5	9	31	42	48	53	67
50-64	99	18.9	329	3	5	12	29	48	57	71
65 +	221	14.8	224	3	5	10	21	35	47	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	4.2	17	< 1	< 1	3	6	9	14	20
B. Operated	73	8.9	114	1	2	5	10	29	38	43
2. MULTIPLE DX										
A. Not Operated	438	8.1	74	1	3	5	10	18	26	41
B. Operated	601	20.8	338	3	6	13	35	48	59	93
1. SINGLE DX	161	6.3	66	< 1	1	4	7	14	25	42
2. MULTIPLE DX	1039	15.4	266	2	4	9	22	41	50	79
A. Not Operated	526	7.4	67	1	2	5	9	16	23	39
B. Operated	674	19.5	327	2	6	12	33	46	56	87
TOTAL										
0-19 YRS	244	14.1	289	2	3	8	17	42	59	99 +
20-34	98	16.8	333	1	3	7	36	44	51	63
35-49	208	19.7	307	2	5	11	36	44	50	64
50-64	198	13.5	230	2	4	7	18	38	48	69
65 +	452	11.4	168	1	3	7	15	30	37	86
GRAND TOTAL	**1200**	**14.2**	**248**	**2**	**4**	**8**	**19**	**39**	**49**	**73**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	2.9	7	<1	1	2	3	7	10	12
20-34	13	2.8	5	<1	1	3	4	6	8	8
35-49	47	3.4	9	[illegible]	1	2	5	8	10	15
50-64	88	4.3	22	1	1	3	6	12	14	22
65 +	67	5.0	19	1	1	4	6	9	12	27
B. Operated										
0-19 YRS	133	6.0	59	1	2	4	8	11	15	72
20-34	77	5.6	31	1	2	4	8	12	17	30
35-49	168	5.8	35	1	2	4	8	11	17	29
50-64	225	5.4	25	<1	1	4	7	12	17	22
65 +	246	5.8	31	1	2	4	8	13	15	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	133	5.9	36	1	3	4	8	12	13	33
20-34	76	6.7	61	1	3	4	8	15	17	49
35-49	265	7.8	79	1	3	5	9	18	23	41
50-64	569	8.2	66	1	3	6	11	18	23	39
65 +	1190	9.5	69	2	4	7	12	19	[illegible]	49
B. Operated										
0-19 YRS	218	15.7	225	2	6	11	19	39	48	72
20-34	183	15.0	175	3	6	10	21	37	44	61
35-49	458	14.3	171	3	5	10	18	35	42	61
50-64	1123	12.6	142	3	5	9	16	27	36	63
65 +	2190	14.1	163	3	6	11	18	30	40	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	286	3.9	15	1	1	3	5	8	12	20
B. Operated	849	5.7	34	1	2	4	8	12	15	29
2. MULTIPLE DX										
A. Not Operated	2233	8.7	68	2	3	6	11	18	25	42
B. Operated	4172	13.9	162	3	6	10	18	31	41	67
1. SINGLE DX	1135	5.2	30	1	1	4	7	11	15	26
2. MULTIPLE DX	6405	12.1	136	2	5	9	15	26	36	61
A. Not Operated	2519	8.1	64	1	3	6	10	18	23	40
B. Operated	5021	12.5	150	2	5	9	16	28	38	64
TOTAL										
0-19 YRS	555	9.4	139	1	2	6	11	23	37	58
20-34	349	10.7	133	1	3	7	14	25	40	54
35-49	938	10.4	128	1	3	7	13	25	36	54
50-64	2005	10.2	110	2	4	7	13	22	29	56
65 +	3693	11.9	129	2	5	9	15	25	35	65
GRAND TOTAL	**7540**	**11.0**	**126**	**2**	**4**	**8**	**14**	**24**	**34**	**59**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0		2	2	2	2	2	2	2
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	78	2.6	7	<1	1	2	3	6	8	15
20-34	233	1.9	1	1	1	2	2	3	4	5
35-49	337	1.8	1	1	1	2	2	3	4	6
50-64	362	1.9	1	1	1	2	2	3	4	5
65 +	233	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	0									
65 +	9	2.8	5	<1	1	2	4	7	7	7
B. Operated										
0-19 YRS	28	5.9	56	1	2	3	8	13	18	38
20-34	63	2.6	9	1	1	2	3	4	7	20
35-49	144	2.7	9	1	1	2	3	5	6	10
50-64	249	2.5	5	1	1	2	3	4	6	12
65 +	347	2.9	6	1	2	2	3	5	7	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.5		1	1	1	2	2	2	2
B. Operated	1243	2.0	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	14	2.7	6	<1	<1	2	3	7	8	8
B. Operated	831	2.8	8	1	1	2	3	5	7	15
1. SINGLE DX	1249	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX	845	2.8	8	1	1	2	3	5	7	15
A. Not Operated	20	2.4	4	<1	1	2	2	6	7	8
B. Operated	2074	2.3	4	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	108	3.5	21	1	1	2	4	8	10	25
20-34	298	2.0	3	1	1	2	2	3	4	7
35-49	484	2.1	3	1	1	2	2	3	4	8
50-64	613	2.2	3	1	1	2	3	4	5	7
65 +	591	2.5	4	1	1	2	3	4	5	12
GRAND TOTAL	**2094**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.6	16	< 1	< 1	1	2	9	13	13
20-34	4	6.8	1	6	6	7	7	8	8	8
35-49	9	1.7	1	< 1	< 1	1	3	3	3	3
50-64	10	1.9	2	< 1	< 1	1	3	4	4	4
65 +	16	2.1	4	< 1	< 1	< 1	3	5	6	7
B. Operated										
0-19 YRS	84	3.9	14	< 1	1	2	6	10	11	15
20-34	54	6.4	20	< 1	3	6	8	13	15	20
35-49	89	4.9	13	< 1	1	5	7	10	11	13
50-64	217	4.4	13	< 1	< 1	3	7	[illegible]	10	14
65 +	262	3.8	11	< 1	< 1	2	7	[illegible]	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.6	3	< 1	1	2	3	5	7	8
20-34	14	3.4	6	1	1	3	4	8	9	9
35-49	20	4.1	19	< 1	1	2	5	9	14	19
50-64	39	4.3	18	1	2	3	5	8	12	25
65 +	102	4.9	20	1	2	4	7	9	15	22
B. Operated										
0-19 YRS	89	6.3	40	1	2	5	9	12	17	36
20-34	111	8.4	69	2	4	7	10	15	19	50
35-49	261	6.9	35	< 1	2	6	9	14	17	26
50-64	664	6.8	32	< 1	3	6	9	13	16	27
65 +	1706	8.2	58	1	3	7	10	15	21	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	2.4	6	< 1	< 1	1	3	6	7	13
B. Operated	706	4.3	13	< 1	< 1	3	7	9	11	14
2. MULTIPLE DX										
A. Not Operated	191	4.4	18	1	2	3	5	8	13	23
B. Operated	2831	7.7	50	1	3	7	10	15	18	40
1. SINGLE DX	754	4.2	13	< 1	< 1	2	7	9	11	13
2. MULTIPLE DX	3022	7.5	49	1	3	7	10	14	18	37
A. Not Operated	239	4.0	16	< 1	1	3	5	8	12	21
B. Operated	3537	7.0	45	< 1	2	6	9	13	17	33
TOTAL										
0-19 YRS	198	4.8	26	1	1	3	7	11	12	24
20-34	183	7.4	50	1	3	6	9	14	17	37
35-49	379	6.1	29	< 1	2	5	9	12	16	22
50-64	930	6.1	28	< 1	2	6	9	12	14	25
65 +	2086	7.4	53	< 1	2	6	10	14	19	40
GRAND TOTAL	**3776**	**6.8**	**43**	**< 1**	**2**	**6**	**9**	**13**	**17**	**32**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT ,	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	1.8	4	< 1	< 1	< 1	2	3	7	9
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	7.7	44	2	3	6	13	15	15	15
50-64	3	2.0	1	< 1	< 1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	374	1.6	5	< 1	1	1	1	3	5	9
20-34	41	3.6	9	1	1	3	5	7	9	15
35-49	55	4.0	7	1	1	4	6	8	9	10
50-64	73	4.0	8	1	1	3	6	8	8	11
65 +	49	4.0	8	1	1	4	6	8	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.0	6	< 1	< 1	2	5	7	8	8
20-34	0									
35-49	0									
50-64	1	31.0		31	31	31	31	31	31	31
65 +	9	7.2	25	2	4	6	10	15	17	17
B. Operated										
0-19 YRS	183	3.7	21	1	1	2	5	8	11	23
20-34	32	4.3	11	1	1	3	7	9	9	14
35-49	81	6.2	22	1	3	5	8	12	16	24
50-64	153	7.1	54	2	3	6	8	12	15	42
65 +	160	8.1	57	2	4	7	10	16	21	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	2.5	10	< 1	< 1	1	2	6	10	15
B. Operated	592	2.5	7	< 1	1	1	3	6	8	10
2. MULTIPLE DX										
A. Not Operated	23	5.9	47	< 1	1	4	7	13	22	31
B. Operated	609	6.1	41	1	2	5	8	12	16	38
1. SINGLE DX	620	2.5	7	< 1	1	1	3	6	8	10
2. MULTIPLE DX	632	6.1	42	1	2	5	8	12	16	38
A. Not Operated	51	4.0	29	< 1	< 1	2	5	9	15	31
B. Operated	1201	4.3	28	1	1	2	6	9	12	24
TOTAL										
0-19 YRS	591	2.3	10	< 1	1	1	2	5	8	15
20-34	74	3.9	10	1	1	3	6	8	9	15
35-49	139	5.3	18	1	2	5	7	10	14	21
50-64	230	6.2	43	1	2	5	8	11	14	33
65 +	218	7.2	47	1	3	6	9	14	18	45
GRAND TOTAL	**1252**	**4.3**	**28**	**1**	**1**	**2**	**6**	**9**	**12**	**24**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.7	5	1	2	2	3	7	9	9
20-34	5	2.4	4	< 1	< 1	2	3	6	6	6
35-49	6	1.5		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	905	2.1	4	1	1	1	2	4	6	10
20-34	387	2.3	5	< 1	1	1	3	4	6	10
35-49	381	2.3	7	< 1	1	1	2	5	7	13
50-64	312	2.2	5	< 1	< 1	1	2	5	7	12
65 +	159	2.1	4	< 1	< 1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	1.6	1	< 1	1	1	2	3	4	4
20-34	9	3.0	6	< 1	1	1	5	7	7	7
35-49	7	8.7	[illegible]	1	2	5	17	19	19	19
50-64	12	4.9	50	1	2	3	4	12	25	27
65 +	24	5.9	34	1	2	4	8	12	18	27
B. Operated										
0-19 YRS	237	4.3	48	1	1	2	5	9	13	36
20-34	194	4.0	15	1	2	3	5	9	11	20
35-49	274	3.6	11	1	1	2	5	8	10	14
50-64	360	3.9	21	1	1	2	5	10	12	22
65 +	335	4.7	25	1	1	3	7	10	14	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.3	4	1	1	2	2	6	7	9
B. Operated	2144	2.2	5	< 1	1	1	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	69	4.6	31	< 1	1	2	5	11	19	27
B. Operated	1400	4.1	24	1	1	2	5	9	12	22
1. SINGLE DX	2168	2.2	5	< 1	1	1	2	4	6	11
2. MULTIPLE DX	1469	4.1	24	1	1	2	5	9	12	23
A. Not Operated	93	4.0	25	1	1	2	5	9	14	27
B. Operated	3544	2.9	13	< 1	1	2	3	7	9	17
TOTAL										
0-19 YRS	1172	2.6	14	1	1	1	3	5	7	14
20-34	595	2.8	9	< 1	1	2	3	6	9	15
35-49	668	2.9	10	< 1	1	2	3	7	8	16
50-64	684	3.1	15	< 1	1	2	3	8	10	21
65 +	518	4.0	20	< 1	1	2	5	9	12	21
GRAND TOTAL	**3637**	**3.0**	**14**	**<1**	**1**	**2**	**3**	**7**	**9**	**18**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	2.4	5	< 1	1	2	3	6	7	11
20-34	8	3.0	7	1	1	2	3	7	9	9
35-49	3	7.3	34	3	3	5	12	14	14	14
50-64	5	3.0	5	< 1	< 1	3	4	6	6	6
65 +	0									
B. Operated										
0-19 YRS	1087	2.2	7	< 1	< 1	1	2	5	7	13
20-34	135	2.1	3	< 1	1	1	2	5	6	10
35-49	123	2.1	3	< 1	< 1	1	3	5	6	9
50-64	77	3.0	7	< 1	< 1	2	5	7	8	12
65 +	46	2.7	9	< 1	1	2	3	6	8	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	4.1	16	1	2	3	5	9	12	23
20-34	11	4.5	8	1	2	4	7	8	9	9
35-49	10	3.5	8	1	2	3	4	8	11	11
50-64	16	4.9	32	1	3	4	5	7	20	25
65 +	38	7.0	24	2	4	5	9	14	17	24
B. Operated										
0-19 YRS	420	4.8	46	< 1	1	2	6	12	17	32
20-34	101	4.6	29	< 1	1	2	7	11	17	64
35-49	122	6.0	106	< 1	1	3	6	13	22	62
50-64	127	5.9	74	< 1	1	3	6	14	20	50
65 +	158	8.8	140	1	2	5	10	23	33	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	2.6	6	< 1	1	2	3	6	8	13
B. Operated	1468	2.2	6	< 1	< 1	1	2	5	7	13
2. MULTIPLE DX										
A. Not Operated	167	4.9	19	1	2	4	6	10	13	25
B. Operated	928	5.8	74	< 1	1	3	7	13	22	50
1. SINGLE DX	1559	2.3	6	< 1	< 1	1	2	5	7	13
2. MULTIPLE DX	1095	5.6	65	< 1	1	3	7	12	20	48
A. Not Operated	258	4.1	16	1	1	3	5	9	11	24
B. Operated	2396	3.6	35	< 1	1	1	4	8	12	30
TOTAL										
0-19 YRS	1674	3.0	18	< 1	1	1	3	7	10	21
20-34	255	3.2	15	< 1	1	2	4	7	10	26
35-49	258	4.1	56	< 1	1	2	4	8	13	26
50-64	225	4.8	48	< 1	1	3	6	9	16	44
65 +	242	7.3	102	1	2	4	9	18	29	59
GRAND TOTAL	**2654**	**3.7**	**34**	**<1**	**1**	**2**	**4**	**8**	**12**	**29**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	40	1.2		< 1	< 1	< 1	1	2	3	3
20-34	80	1.2		< 1	< 1	< 1	1	2	3	5
35-49	98	1.4	1	< 1	< 1	< 1	1	2	3	8
50-64	45	1.4	1	< 1	< 1	< 1	1	2	4	5
65 +	44	1.5	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	6	1.5		< 1	< 1	1	2	2	2	2
20-34	24	1.5	1	< 1	< 1	1	2	3	4	4
35-49	95	1.8	1	< 1	1	1	2	3	4	6
50-64	86	1.7	1	< 1	< 1	1	2	3	4	6
65 +	85	2.9	9	< 1	1	2	3	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	307	1.3	1	< 1	< 1	< 1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	296	2.1	4	< 1	1	1	2	4	5	12
1. SINGLE DX	307	1.3	1	< 1	< 1	< 1	1	2	3	5
2. MULTIPLE DX	297	2.1	4	< 1	1	1	2	4	5	12
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	603	1.7	2	< 1	< 1	1	2	3	4	8
TOTAL										
0-19 YRS	46	1.3		< 1	< 1	< 1	1	2	3	3
20-34	104	1.3	1	< 1	< 1	< 1	1	2	3	5
35-49	193	1.6	1	< 1	< 1	1	2	3	4	7
50-64	132	1.6	1	< 1	< 1	1	2	3	4	5
65 +	129	2.4	7	< 1	< 1	1	3	5	7	15
GRAND TOTAL	**604**	**1.7**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**8**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	17	2.7	2	1	2	3	3	5	5	5
35-49	56	2.9	2	1	2	3	4	4	6	7
50-64	9	2.7	4	< 1	1	3	3	6	7	7
65 +	0									
B. Operated										
0-19 YRS	6	4.0		3	4	4	4	5	5	5
20-34	577	3.9	2	3	3	4	4	5	6	8
35-49	1783	4.1	2	3	3	4	5	5	6	8
50-64	272	4.4	2	3	4	4	5	6	7	10
65 +	23	4.3	2	3	4	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	85	2.6	3	1	1	2	4	5	6	8
35-49	239	2.8	6	< 1	1	2	4	6	7	12
50-64	41	2.8	10	< 1	1	2	4	6	9	17
65 +	15	5.4	13	1	2	5	8	12	12	12
B. Operated										
0-19 YRS	15	4.9	4	3	4	4	5	8	10	10
20-34	2887	4.4	3	3	3	4	5	6	7	11
35-49	18632	4.6	4	3	4	4	5	6	8	12
50-64	3315	4.8	6	3	4	4	5	7	8	13
65 +	425	6.1	12	3	4	5	7	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	2.8	2	1	2	3	4	5	6	7
B. Operated	2661	4.1	2	3	3	4	5	5	6	8
2. MULTIPLE DX										
A. Not Operated	381	2.9	6	< 1	1	2	4	6	7	12
B. Operated	25274	4.6	5	3	4	4	5	6	8	12
1. SINGLE DX	2743	4.0	2	3	3	4	5	5	6	8
2. MULTIPLE DX	25655	4.6	5	3	4	4	5	6	8	12
A. Not Operated	463	2.8	5	< 1	1	2	4	5	7	12
B. Operated	27935	4.6	4	3	4	4	5	6	8	12
TOTAL										
0-19 YRS	22	4.6	3	3	4	4	5	8	9	10
20-34	3566	4.3	3	3	3	4	5	6	7	10
35-49	20710	4.6	4	3	4	4	5	6	7	12
50-64	3637	4.7	6	3	4	4	5	7	8	12
65 +	463	5.9	12	3	4	5	7	9	13	20
GRAND TOTAL	**28398**	**4.6**	**4**	**3**	**4**	**4**	**5**	**6**	**8**	**12**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	4.1	4	1	3	4	4	6	9	10
35-49	33	3.5	2	1	3	4	4	5	5	6
50-64	7	3.9	1	3	3	4	4	6	6	6
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	59	4.2	4	2	3	4	5	7	8	11
35-49	255	4.4	4	3	3	4	5	6	8	11
50-64	45	4.6	8	3	4	4	5	6	9	18
65 +	19	6.2	20	2	4	5	7	14	17	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	57	3.7	2	1	3	4	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	6	2.2	1	< 1	1	2	3	4	4	4
B. Operated	378	4.5	5	3	3	4	5	6	8	16
1. SINGLE DX	57	3.7	2	1	3	4	4	5	6	10
2. MULTIPLE DX	384	4.5	5	3	3	4	5	6	8	16
A. Not Operated	6	2.2	1	< 1	1	2	3	4	4	4
B. Operated	435	4.4	5	3	3	4	5	6	8	15
TOTAL										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	74	4.2	4	2	3	4	5	7	8	11
35-49	291	4.3	4	3	3	4	5	6	7	11
50-64	53	4.5	7	2	4	4	5	6	7	18
65 +	21	6.0	20	1	3	5	7	13	17	18
GRAND TOTAL	441	4.4	5	3	3	4	5	6	8	15

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	2.2	1	1	1	2	3	4	4	4
35-49	5	3.6	6	1	2	3	5	7	7	7
50-64	3	6.7	5	4	5	8	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	229	3.8	1	2	3	4	4	5	6	8
20-34	837	3.5	1	2	3	3	4	5	5	6
35-49	411	3.9	2	3	3	4	4	5	6	8
50-64	186	4.4	2	3	4	4	5	6	7	11
65 +	109	5.2	4	3	4	5	6	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.5	11	1	1	3	6	8	8	8
20-34	7	4.0	8	2	2	3	5	9	10	10
35-49	5	4.0	16	< 1	1	3	5	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65 +	4	7.3	18	2	4	7	10	12	12	12
B. Operated										
0-19 YRS	232	4.5	5	3	3	4	5	6	7	11
20-34	1202	4.1	2	3	3	4	5	6	7	10
35-49	1396	4.7	4	3	4	4	5	7	8	12
50-64	816	5.6	10	3	4	5	6	8	11	17
65 +	839	7.1	21	4	5	6	8	11	16	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.2	5	1	2	2	4	7	8	8
B. Operated	1772	3.8	2	3	3	4	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	21	4.4	12	1	2	3	6	10	11	12
B. Operated	4485	5.1	9	3	4	4	6	8	10	18
1. SINGLE DX	1792	3.8	2	2	3	4	4	5	6	8
2. MULTIPLE DX	4506	5.1	9	3	4	4	6	8	10	18
A. Not Operated	41	3.8	9	1	2	3	5	9	10	12
B. Operated	6257	4.8	7	3	3	4	5	7	9	15
TOTAL										
0-19 YRS	467	4.1	3	3	3	4	5	6	7	9
20-34	2056	3.8	2	3	3	4	4	5	6	9
35-49	1817	4.5	3	3	3	4	5	7	8	12
50-64	1006	5.4	9	3	4	5	6	8	10	16
65 +	952	6.9	19	4	4	6	8	11	15	25
GRAND TOTAL	6298	4.8	7	3	3	4	5	7	9	15

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.6	1	< 1	< 1	1	2	3	3	3
20-34	22	2.7	2	1	1	3	4	4	5	5
35-49	16	2.6	3	< 1	< 1	2	4	5	5	5
50-64	7	2.7	3	< 1	1	3	4	5	5	5
65 +	6	2.5	6	< 1	< 1	1	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.0	3	< 1	1	4	4	4	4	4
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	3.2	4	< 1	1	4	5	5	5	5
20-34	40	3.6	2	2	3	4	4	6	7	7
35-49	55	5.7	34	3	4	4	5	8	13	34
50-64	20	4.5	1	3	4	4	5	6	6	7
65 +	12	4.8	5	1	3	5	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	56	2.6	2	< 1	1	2	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	4	2.5	3	< 1	< 1	2	4	4	4	4
B. Operated	132	4.7	16	2	3	4	5	7	3	32
1. SINGLE DX	56	2.6	2	< 1	1	2	4	5	5	6
2. MULTIPLE DX	136	4.6	16	2	3	4	5	7	8	32
A. Not Operated	4	2.5	3	< 1	< 1	2	4	4	4	4
B. Operated	188	4.1	13	1	3	4	5	6	7	25
TOTAL										
0-19 YRS	10	2.4	3	< 1	< 1	2	4	5	5	5
20-34	65	3.3	2	1	2	3	4	5	6	7
35-49	72	4.9	28	1	3	4	5	7	11	34
50-64	27	4.0	2	2	3	4	5	5	6	7
65 +	18	4.0	6	< 1	1	4	6	7	8	9
GRAND TOTAL	**192**	**4.0**	**13**	**1**	**3**	**4**	**5**	**6**	**7**	**24**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	1.7	1	< 1	1	1	2	4	4	4
20-34	16	1.6	1	< 1	< 1	1	2	3	4	4
35-49	13	1.5	1	< 1	1	1	2	3	5	5
50-64	4	1.0		1	1	1	1	1	1	1
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	6	1.3	1	< 1	1	1	1	3	3	3
35-49	10	1.8	2	1	1	1	2	4	6	6
50-64	7	3.6	7	2	2	2	4	8	9	9
65 +	9	2.4	3	1	1	2	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	44	1.5	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	34	2.2	3	1	1	2	3	5	6	9
1. SINGLE DX	44	1.5	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX	35	2.2	3	1	1	2	3	5	6	9
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	78	1.8	2	< 1	1	1	2	4	5	8
TOTAL										
0-19 YRS	11	1.6	1	< 1	1	1	2	3	4	4
20-34	23	1.6	1	< 1	1	1	2	3	4	4
35-49	23	1.6	2	1	1	1	2	3	5	6
50-64	11	2.6	6	1	1	2	3	6	9	9
65 +	11	2.3	2	1	1	2	3	5	5	5
GRAND TOTAL	**79**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**	**8**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	7	3.4	11	< 1	< 1	1	6	9	9	9
35-49	21	6.2	7	2	5	7	8	9	10	10
50-64	16	3.2	6	< 1	1	2	5	6	7	8
65 +	15	4.2	9	1	1	5	6	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	0									
35-49	2	6.0		6	6	6	6	6	6	6
50-64	3	2.7	1	2	2	2	4	4	4	4
65 +	5	6.6	3	5	5	7	8	[illegible]	9	9
B. Operated										
0-19 YRS	4	4.0	3	2	3	4	5	6	6	6
20-34	14	6.1	29	1	1	5	8	14	18	19
35-49	35	5.5	14	1	2	6	7	11	13	17
50-64	67	5.8	31	1	2	5	8	10	15	32
65 +	136	5.6	44	1	2	3	7	12	15	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	61	4.5	9	< 1	1	5	7	9	9	10
2. MULTIPLE DX										
A. Not Operated	11	6.4	17	2	4	6	7	12	17	17
B. Operated	256	5.7	35	1	2	4	7	11	15	34
1. SINGLE DX	64	4.4	9	1	1	5	7	8	9	10
2. MULTIPLE DX	267	5.7	34	1	2	4	7	11	15	33
A. Not Operated	14	5.3	18	1	2	5	7	10	15	17
B. Operated	317	5.4	30	1	2	4	7	10	14	31
TOTAL										
0-19 YRS	7	5.6	27	2	3	4	6	15	17	17
20-34	21	5.2	24	< 1	1	4	7	12	16	19
35-49	59	5.7	11	1	3	6	7	10	12	17
50-64	87	5.1	26	1	1	4	7	10	12	30
65 +	157	5.5	40	1	2	3	7	10	15	35
GRAND TOTAL	**331**	**5.4**	**29**	**1**	**2**	**4**	**7**	**10**	**14**	**30**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	1.7	3	< 1	< 1	< 1	1	4	6	8
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	2.0	5	1	1	1	3	6	6	6
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	0									
35-49	2	2.0		2	2	2	2	2	2	2
50-64	4	9.0	163	1	1	3	16	28	28	28
65 +	3	6.0	61	1	1	2	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	36	1.7	3	< 1	< 1	1	1	4	6	8
2. MULTIPLE DX										
A. Not Operated	4	2.5	4	1	1	2	4	5	5	5
B. Operated	13	4.8	63	1	1	2	3	18	26	28
1. SINGLE DX	38	1.7	3	< 1	< 1	1	1	4	6	8
2. MULTIPLE DX	17	4.3	49	1	1	2	3	13	23	28
A. Not Operated	6	2.2	3	1	1	2	3	5	5	5
B. Operated	49	2.6	20	< 1	< 1	1	2	5	8	28
TOTAL										
0-19 YRS	33	1.6	2	< 1	< 1	1	1	3	6	8
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	8	2.4	4	1	1	2	4	6	6	6
50-64	7	5.9	97	1	1	2	4	23	28	28
65 +	4	5.3	43	1	1	2	9	15	15	15
GRAND TOTAL	**55**	**2.5**	**18**	**< 1**	**< 1**	**1**	**2**	**5**	**8**	**27**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	9	3.2	4	1	1	3	5	6	7	7
50-64	9	2.9	2	1	2	2	4	5	5	5
65 +	7	3.3	3	1	2	3	4	6	6	6
B. Operated										
0-19 YRS	56	6.0	20	1	4	6	8	9	11	30
20-34	75	7.6	18	4	5	7	9	12	16	25
35-49	163	7.3	49	3	5	7	8	11	14	18
50-64	148	7.8	28	3	5	7	10	14	17	32
65 +	96	8.7	31	3	5	8	10	18	23	67
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	5.6	87	1	1	3	5	12	31	37
20-34	10	3.9	11	1	1	3	6	9	11	11
35-49	25	3.3	7	1	2	3	4	6	10	12
50-64	45	6.1	58	1	2	4	6	14	22	41
65 +	174	9.3	136	2	3	6	10	22	35	95
B. Operated										
0-19 YRS	101	11.1	104	4	6	8	14	23	30	90
20-34	90	11.7	134	4	6	9	14	20	26	71
35-49	272	12.4	116	5	7	9	14	24	37	61
50-64	397	12.2	99	5	7	9	14	24	34	99 +
65 +	559	15.6	201	5	7	11	19	33	48	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	3.2	3	1	2	3	5	5	6	7
B. Operated	538	7.6	33	3	5	7	9	13	16	29
2. MULTIPLE DX										
A. Not Operated	268	7.8	107	1	3	5	9	17	30	79
B. Operated	1419	13.5	148	5	7	9	16	28	39	93
1. SINGLE DX	567	7.4	32	2	5	7	9	12	16	29
2. MULTIPLE DX	1687	12.6	145	3	6	9	15	26	37	91
A. Not Operated	297	7.4	99	1	2	5	8	16	28	76
B. Operated	1957	11.9	123	4	6	8	14	23	34	83
TOTAL										
0-19 YRS	174	8.9	80	2	4	7	10	18	27	70
20-34	176	9.5	83	3	5	7	10	16	21	55
35-49	469	10.0	94	3	5	7	11	17	27	54
50-64	599	10.5	83	3	6	8	12	21	30	78
65 +	836	13.4	176	3	6	9	16	29	41	94
GRAND TOTAL	**2254**	**11.3**	**122**	**3**	**6**	**8**	**13**	**23**	**34**	**81**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.7		1	1	2	2	2	2	2
35-49	6	2.2	1	1	1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	62	1.7	1	1	1	2	2	3	3	4
20-34	374	2.0	1	1	1	2	2	3	4	5
35-49	593	2.0	1	1	1	2	2	3	4	5
50-64	307	2.1	1	1	1	2	3	3	4	5
65 +	146	2.3	1	1	2	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	10.0	109	3	3	5	18	22	22	22
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	4	2.8	2	2	2	2	4	5	5	5
B. Operated										
0-19 YRS	11	2.4	4	1	1	2	3	5	8	8
20-34	157	2.2	3	1	1	2	3	3	4	8
35-49	311	2.8	12	1	2	2	3	4	5	12
50-64	333	3.0	7	1	2	2	3	4	6	18
65 +	280	3.8	19	2	2	3	4	7	10	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.9	1	1	1	2	2	3	4	4
B. Operated	1482	2.0	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	12	4.2	34	1	1	2	4	10	20	22
B. Operated	1092	3.0	11	1	2	2	3	4	7	18
1. SINGLE DX	1493	2.0	1	1	1	2	2	3	4	5
2. MULTIPLE DX	1104	3.0	11	1	2	2	3	4	7	19
A. Not Operated	23	3.1	19	1	1	2	3	5	11	22
B. Operated	2574	2.4	5	1	2	2	3	4	4	10
TOTAL										
0-19 YRS	73	1.8	1	1	1	2	2	3	3	7
20-34	537	2.1	2	1	1	2	2	3	4	5
35-49	913	2.3	5	1	1	2	3	3	4	7
50-64	643	2.6	4	1	2	2	3	4	5	11
65 +	431	3.3	13	1	2	2	3	5	8	24
GRAND TOTAL	**2597**	**2.5**	**5**	**1**	**2**	**2**	**3**	**4**	**4**	**10**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7		< 1	< 1	2	2	2	2	2
20-34	5	4.2	3	2	3	5	5	6	6	6
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	4	6.8	24	1	3	6	10	13	13	13
B. Operated										
0-19 YRS	18	6.2	14	3	3	5	9	11	15	17
20-34	48	5.4	9	2	3	5	7	8	9	19
35-49	99	5.8	23	2	3	5	7	10	15	28
50-64	83	4.6	24	2	2	4	5	7	9	34
65 +	60	5.7	21	2	2	5	7	14	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.5	11	1	1	1	6	8	10	11
20-34	12	6.6	88	1	1	4	6	17	32	35
35-49	30	3.8	12	1	2	3	5	8	11	16
50-64	19	4.3	16	1	2	3	6	7	14	19
65 +	33	10.2	95	2	4	8	13	26	29	45
B. Operated										
0-19 YRS	42	11.7	165	3	5	8	13	24	31	78
20-34	138	6.1	12	2	4	5	7	10	13	30
35-49	251	6.7	45	2	3	5	8	13	19	39
50-64	362	6.4	37	2	3	5	8	12	17	37
65 +	370	7.1	60	2	3	5	8	16	24	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	4.0	9	1	2	3	6	7	11	13
B. Operated	308	5.4	20	2	2	5	6	9	15	21
2. MULTIPLE DX										
A. Not Operated	109	6.1	52	1	2	4	7	13	21	39
B. Operated	1163	6.9	48	2	3	5	8	13	19	45
1. SINGLE DX	326	5.3	20	2	2	5	6	9	14	21
2. MULTIPLE DX	1272	6.8	49	2	3	5	8	13	20	44
A. Not Operated	127	5.8	47	1	2	4	7	12	19	37
B. Operated	1471	6.5	43	2	3	5	8	12	18	40
TOTAL										
0-19 YRS	78	8.5	106	1	3	6	10	17	27	65
20-34	203	5.9	15	2	4	5	7	10	13	27
35-49	383	6.2	37	2	3	5	7	11	17	36
50-64	467	6.0	34	2	2	4	7	11	17	37
65 +	467	7.1	57	2	3	5	8	16	23	53
GRAND TOTAL	**1598**	**6.5**	**43**	**2**	**3**	**5**	**8**	**12**	**18**	**40**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.0		4	4	4	4	4	4	4
35-49	5	2.8	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	447	2.8	2	< 1	1	3	4	4	5	6
35-49	286	3.3	3	1	2	3	4	5	6	9
50-64	72	3.2	3	1	2	3	4	6	6	6
65 +	22	3.0	3	1	1	4	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	2.4	3	< 1	1	2	4	5	5	5
35-49	4	2.3	4	< 1	< 1	1	3	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	3.5	8	1	1	3	6	6	6	6
B. Operated										
0-19 YRS	3	3.0	3	1	2	4	4	4	4	4
20-34	700	3.6	3	1	3	4	4	5	6	9
35-49	792	4.2	4	2	3	4	5	6	7	12
50-64	222	4.8	9	2	4	4	5	7	10	18
65 +	130	4.9	7	2	3	5	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.1	1	2	2	3	4	4	4	4
B. Operated	829	3.0	2	< 1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	17	2.5	4	< 1	1	1	4	6	6	6
B. Operated	1847	4.1	5	2	3	4	5	6	7	12
1. SINGLE DX	836	3.0	2	< 1	2	3	4	5	5	7
2. MULTIPLE DX	1864	4.1	5	2	3	4	5	6	7	12
A. Not Operated	24	2.7	3	< 1	1	2	4	5	6	6
B. Operated	2676	3.8	4	1	3	4	4	6	7	11
TOTAL										
0-19 YRS	5	2.2	3	< 1	1	1	4	4	4	4
20-34	1157	3.3	2	1	2	3	4	5	6	8
35-49	1087	3.9	4	2	3	4	5	6	7	12
50-64	295	4.4	8	1	3	4	5	7	9	16
65 +	156	4.6	7	1	3	4	6	7	8	13
GRAND TOTAL	**2700**	**3.8**	**4**	**1**	**3**	**4**	**4**	**6**	**7**	**11**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	3	3.0	4	< 1	1	3	4	5	5	5
20-34	27	3.0	3	1	1	3	4	6	7	8
35-49	185	2.9	3	1	2	3	4	5	6	8
50-64	263	3.2	5	1	2	3	4	6	8	13
65 +	231	3.2	5	1	1	3	4	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	4.8	27	2	2	3	6	14	14	14
65 +	14	5.1	24	1	2	3	9	14	16	16
B. Operated										
0-19 YRS	5	4.0	17	< 1	< 1	< 1	8	9	9	9
20-34	43	4.5	10	1	2	4	6	8	11	15
35-49	251	4.2	11	2	2	4	5	7	9	13
50-64	490	4.9	16	1	2	4	6	10	11	21
65 +	836	6.7	50	1	2	5	9	14	18	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.8	8	2	2	3	5	8	8	8
B. Operated	709	3.1	5	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	24	4.5	20	2	2	3	4	14	15	16
B. Operated	1625	5.7	34	1	2	4	7	11	15	29
1. SINGLE DX	713	3.1	5	1	2	3	4	6	7	10
2. MULTIPLE DX	1649	5.7	34	1	2	4	7	11	15	28
A. Not Operated	28	4.4	18	2	2	3	4	12	14	16
B. Operated	2334	4.9	26	1	2	4	6	10	13	23
TOTAL										
0-19 YRS	12	3.6	10	< 1	< 1	2	6	8	9	9
20-34	71	3.9	8	1	2	3	5	7	10	15
35-49	439	3.6	8	1	2	3	4	6	8	13
50-64	759	4.3	13	1	2	3	5	9	11	19
65 +	1081	5.9	42	1	2	4	8	12	16	32
GRAND TOTAL	**2362**	**4.9**	**26**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	3.2	13	1	1	2	4	8	12	16
20-34	33	3.4	12	1	1	2	4	8	8	18
35-49	31	3.3	18	< 1	1	2	4	6	11	23
50-64	45	3.4	12	1	1	2	4	8	9	19
65 +	30	3.3	6	< 1	1	3	4	7	9	10
B. Operated										
0-19 YRS	352	3.5	11	1	1	2	5	8	9	14
20-34	240	4.0	15	1	2	3	5	8	10	16
35-49	281	3.9	12	1	1	3	6	9	10	18
50-64	262	4.1	10	1	1	3	7	8	9	15
65 +	237	3.9	11	1	1	2	7	9	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	165	3.3	16	1	1	2	4	7	10	25
20-34	87	4.2	18	< 1	2	3	5	9	12	24
35-49	108	4.1	23	1	1	3	5	8	10	30
50-64	194	4.7	22	1	2	4	6	9	11	21
65 +	555	7.3	64	1	3	5	9	16	21	40
B. Operated										
0-19 YRS	351	10.2	149	2	3	7	12	22	33	70
20-34	314	7.1	66	2	3	5	8	13	23	52
35-49	521	6.7	61	2	3	5	7	13	19	40
50-64	678	8.2	75	1	3	6	10	17	25	46
65 +	1368	9.3	84	2	4	7	11	18	27	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	209	3.3	12	< 1	1	2	4	8	10	18
B. Operated	1372	3.9	12	1	1	3	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	1109	5.7	45	1	2	4	7	12	17	30
B. Operated	3232	8.5	85	2	3	6	10	17	25	52
1. SINGLE DX	1581	3.8	12	1	1	3	5	8	10	15
2. MULTIPLE DX	4341	7.8	76	1	3	5	9	16	23	49
A. Not Operated	1318	5.3	40	1	2	3	7	11	16	28
B. Operated	4604	7.1	68	1	2	5	9	14	21	45
TOTAL										
0-19 YRS	938	5.9	75	1	1	3	7	13	20	50
20-34	674	5.5	41	1	2	4	6	10	14	37
35-49	941	5.5	42	1	2	4	6	10	15	37
50-64	1179	6.5	53	1	2	5	8	13	19	38
65 +	2190	8.1	73	1	3	6	10	16	23	48
GRAND TOTAL	**5922**	**6.7**	**62**	**1**	**2**	**5**	**8**	**14**	**20**	**42**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	1.8		1	1	2	2	2	2	2
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	59	1.7		1	1	2	2	3	3	3
20-34	323	2.1	1	1	2	2	3	3	4	5
35-49	568	2.1	1	1	2	2	3	3	4	5
50-64	362	2.4	1	1	2	2	3	4	5	6
65 +	189	2.7	3	1	2	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.8	2	< 1	< 1	1	3	4	4	4
35-49	14	2.4	4	< 1	< 1	< 1	4	5	7	7
50-64	12	2.6	4	< 1	1	2	3	5	8	8
65 +	26	5.7	18	1	2	4	9	12	14	15
B. Operated										
0-19 YRS	14	2.9	8	1	1	2	3	7	10	11
20-34	123	2.4	3	1	2	2	3	4	4	9
35-49	359	3.0	21	1	2	2	3	4	5	11
50-64	361	3.4	7	2	2	3	4	6	8	16
65 +	408	4.4	20	2	2	3	5	8	11	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.9		1	1	2	2	3	3	3
B. Operated	1501	2.2	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	56	3.9	13	< 1	1	3	6	10	12	15
B. Operated	1265	3.5	15	1	2	3	4	6	8	17
1. SINGLE DX	1509	2.2	1	1	2	2	3	4	4	6
2. MULTIPLE DX	1321	3.5	15	1	2	3	4	6	8	17
A. Not Operated	64	3.7	12	< 1	1	2	5	9	11	15
B. Operated	2766	2.8	8	1	2	2	3	4	6	12
TOTAL										
0-19 YRS	74	1.9	2	1	1	2	2	3	3	10
20-34	451	2.2	1	1	2	2	3	3	4	6
35-49	946	2.5	9	1	2	2	3	4	4	7
50-64	735	2.9	4	1	2	2	3	5	6	12
65 +	624	3.9	15	2	2	3	4	7	10	18
GRAND TOTAL	**2830**	**2.8**	**8**	**1**	**2**	**2**	**3**	**4**	**6**	**12**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	2.8	5	1	1	2	3	5	9	10
20-34	60	3.1	5	1	2	3	4	6	9	11
35-49	48	3.4	5	1	2	3	5	6	8	11
50-64	27	3.0	8	1	2	2	3	6	9	15
65 +	14	5.6	11	2	3	5	7	11	13	13
B. Operated										
0-19 YRS	55	2.8	3	1	2	3	3	5	6	11
20-34	176	2.9	4	1	2	2	3	5	7	13
35-49	222	2.3	2	1	1	2	3	4	5	7
50-64	139	2.4	2	1	2	2	3	4	5	7
65 +	62	2.8	8	1	2	2	3	4	5	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	5.2	31	1	2	3	7	12	13	35
20-34	166	4.5	17	1	2	3	6	9	11	24
35-49	228	5.6	41	1	3	4	7	9	13	33
50-64	248	6.1	27	2	3	4	8	13	16	26
65 +	520	9.0	61	3	4	7	11	17	23	44
B. Operated										
0-19 YRS	20	5.0	21	1	2	4	6	10	15	20
20-34	140	3.8	13	1	2	3	4	7	11	21
35-49	188	4.1	16	2	2	3	4	8	11	25
50-64	204	5.1	48	1	2	3	5	10	18	39
65 +	217	9.0	122	2	2	5	11	23	38	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	3.3	6	1	2	3	4	7	9	12
B. Operated	654	2.6	3	1	2	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	1226	7.0	46	2	3	5	9	14	20	34
B. Operated	769	5.7	58	2	2	3	6	12	20	50
1. SINGLE DX	839	2.7	4	1	2	2	3	5	6	11
2. MULTIPLE DX	1995	6.5	51	2	3	4	8	13	20	40
A. Not Operated	1411	6.5	42	2	3	5	8	13	18	31
B. Operated	1423	4.3	35	1	2	3	4	8	13	38
TOTAL										
0-19 YRS	175	3.9	17	1	2	3	5	8	11	18
20-34	542	3.6	11	1	2	3	4	7	10	19
35-49	686	4.0	21	1	2	3	5	8	10	22
50-64	618	4.8	30	1	2	3	5	10	15	26
65 +	813	8.4	75	2	3	6	11	18	24	55
GRAND TOTAL	**2834**	**5.4**	**40**	**1**	**2**	**3**	**6**	**11**	**16**	**32**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	550	4.9	6	2	3	5	6	7	8	10
20-34	62	3.7	5	1	2	3	5	6	7	14
35-49	77	3.5	7	1	2	3	5	6	8	16
50-64	60	3.9	6	1	2	4	5	8	9	13
65 +	32	4.9	16	1	3	4	6	9	12	21
B. Operated										
0-19 YRS	3	5.7	16	2	3	5	9	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.8	3	2	2	3	5	6	6	6
50-64	6	4.5	12	1	2	3	7	10	10	10
65 +	4	2.0	4	1	1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	454	5.4	17	2	3	5	7	8	10	19
20-34	152	4.1	8	2	2	3	5	7	9	17
35-49	238	4.8	15	1	3	4	6	8	10	15
50-64	255	5.3	20	2	3	4	7	9	11	29
65 +	210	6.3	53	2	3	5	7	12	24	99 +
B. Operated										
0-19 YRS	16	8.9	234	1	2	5	7	21	51	63
20-34	12	6.9	82	1	2	3	8	17	32	34
35-49	26	5.3	44	1	1	3	5	16	19	28
50-64	52	11.7	217	2	3	7	13	27	42	83
65 +	35	10.9	66	4	6	10	13	18	27	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	781	4.6	6	2	3	4	6	7	8	11
B. Operated	18	3.8	9	1	1	3	5	9	10	10
2. MULTIPLE DX										
A. Not Operated	1309	5.3	22	2	3	4	7	9	11	34
B. Operated	141	9.6	141	1	3	7	11	19	31	65
1. SINGLE DX	799	4.5	7	2	3	4	6	7	8	11
2. MULTIPLE DX	1450	5.7	35	2	3	4	7	10	13	42
A. Not Operated	2090	5.0	17	2	3	4	6	8	10	22
B. Operated	159	8.9	129	1	2	6	11	18	29	62
TOTAL										
0-19 YRS	1023	5.1	14	2	3	5	6	8	9	15
20-34	227	4.1	11	1	2	3	5	7	9	17
35-49	345	4.6	16	1	2	4	6	8	10	17
50-64	373	6.0	50	2	3	4	7	10	13	41
65 +	281	6.7	53	2	3	5	8	13	22	99 +
GRAND TOTAL	**2249**	**5.3**	**25**	**2**	**3**	**4**	**6**	**9**	**11**	**31**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1746	3.5	5	1	2	3	5	7	8	11
20-34	738	3.4	5	1	2	3	4	6	8	11
35-49	298	4.1	8	2	2	3	5	7	8	13
50-64	86	5.7	28	2	3	5	7	10	14	32
65 +	57	4.9	7	2	3	5	6	8	10	16
B. Operated										
0-19 YRS	23	3.7	3	2	2	3	5	6	7	7
20-34	10	3.1	4	1	2	3	3	6	7	7
35-49	7	4.4	4	2	3	4	6	8	8	8
50-64	2	16.5	25	13	13	16	20	20	20	20
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2780	4.0	8	1	2	3	5	7	9	15
20-34	2853	4.5	15	2	2	4	5	8	10	17
35-49	2040	5.6	21	2	3	5	7	10	12	24
50-64	1294	6.9	34	2	4	6	8	12	16	32
65 +	1629	8.7	48	3	5	7	11	15	20	36
B. Operated										
0-19 YRS	141	8.3	87	3	4	6	9	16	21	60
20-34	327	8.5	46	3	4	7	10	18	27	99 +
35-49	348	11.4	107	3	6	9	13	21	31	68
50-64	249	14.5	165	4	7	11	20	37	61	99 +
65 +	350	19.3	236	6	9	15	24	41	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2925	3.6	6	1	2	3	5	7	8	12
B. Operated	43	4.3	11	2	2	3	6	7	10	20
2. MULTIPLE DX										
A. Not Operated	10596	5.5	24	2	3	4	7	10	13	25
B. Operated	1415	12.9	150	4	6	9	17	29	42	99 +
1. SINGLE DX	2968	3.6	6	1	2	3	5	7	8	12
2. MULTIPLE DX	12011	6.4	45	2	3	5	8	12	17	38
A. Not Operated	13521	5.1	21	2	2	4	6	9	12	22
B. Operated	1458	12.7	148	3	5	9	16	28	41	99 +
TOTAL										
0-19 YRS	4690	3.9	10	1	2	3	5	7	9	15
20-34	3928	4.6	17	2	2	4	6	8	11	22
35-49	2693	6.1	35	2	3	5	7	11	15	31
50-64	1631	8.0	61	3	4	6	9	15	22	65
65 +	2037	10.4	95	3	5	8	12	20	29	61
GRAND TOTAL	**14979**	**5.8**	**38**	**2**	**3**	**4**	**7**	**11**	**15**	**34**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	2	7.5	61	2	2	7	13	13	13	13
50-64	6	6.3	37	1	3	4	7	17	18	18
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	0									
20-34	2	28.5	25	25	25	28	32	32	32	32
35-49	3	4.3	17	1	1	3	7	9	9	9
50-64	10	8.4	84	1	2	5	9	24	30	30
65 +	7	7.7	73	1	2	6	8	23	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	12	7.7	43	2	3	5	11	19	22	22
35-49	66	6.3	11	3	4	6	8	11	13	17
50-64	216	9.1	76	3	5	7	11	16	21	49
65 +	388	9.6	83	3	4	7	12	18	25	51
B. Operated										
0-19 YRS	3	21.7	9	19	19	21	24	25	25	25
20-34	77	14.8	205	3	6	11	17	41	52	91
35-49	478	15.2	192	4	7	11	18	31	45	72
50-64	1320	17.6	221	5	8	13	22	37	51	95
65 +	2471	16.9	189	5	8	13	22	35	48	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	6.5	28	1	3	5	8	15	18	18
B. Operated	22	9.5	100	1	2	6	9	27	31	32
2. MULTIPLE DX										
A. Not Operated	683	9.1	74	3	4	7	11	17	22	48
B. Operated	4349	16.9	199	5	8	13	22	35	49	87
1. SINGLE DX	32	8.5	78	1	2	5	9	25	30	32
2. MULTIPLE DX	5032	15.8	189	4	7	12	20	33	46	81
A. Not Operated	693	9.1	73	3	4	7	11	17	22	48
B. Operated	4371	16.8	199	5	8	13	22	35	49	86
TOTAL										
0-19 YRS	5	16.6	65	4	11	19	22	25	25	25
20-34	91	14.2	189	3	5	10	17	38	49	87
35-49	549	14.1	178	3	6	10	17	29	42	70
50-64	1552	16.3	208	4	7	12	20	35	49	92
65 +	2867	15.9	180	4	7	12	20	32	46	80
GRAND TOTAL	5064	15.8	189	4	7	12	20	33	46	81

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	842	4.4	11	2	3	4	5	7	8	11
20-34	448	4.0	8	1	2	3	5	7	9	15
35-49	553	4.1	6	1	2	4	5	7	9	13
50-64	561	4.4	7	2	3	4	6	7	9	13
65 +	415	5.3	19	2	3	5	6	9	11	21
B. Operated										
0-19 YRS	5	1.8	2	< 1	1	1	2	4	4	4
20-34	18	2.3	3	< 1	1	2	3	4	6	7
35-49	29	1.8	1	< 1	1	1	2	3	5	5
50-64	33	4.1	9	1	2	3	6	9	10	12
65 +	29	6.8	47	1	3	4	8	17	25	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1100	4.9	26	1	2	4	6	8	11	26
20-34	2238	4.8	15	2	2	4	6	9	11	19
35-49	4185	5.5	19	2	3	4	7	10	13	22
50-64	6418	6.1	23	2	3	5	7	11	14	24
65 +	9263	7.2	37	3	4	6	9	13	17	32
B. Operated										
0-19 YRS	37	7.4	94	1	2	5	8	16	20	57
20-34	670	8.4	114	1	2	5	10	18	30	48
35-49	1541	10.2	124	2	3	7	13	22	33	60
50-64	2561	11.0	123	2	4	8	14	23	33	58
65 +	2717	13.4	162	3	6	10	17	29	40	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2819	4.4	10	2	3	4	6	7	9	14
B. Operated	114	3.8	19	1	1	2	4	8	12	26
2. MULTIPLE DX										
A. Not Operated	23204	6.3	28	2	3	5	8	11	14	26
B. Operated	7526	11.4	139	2	4	8	15	25	35	67
1. SINGLE DX	2933	4.4	11	2	3	4	6	7	9	14
2. MULTIPLE DX	30730	7.5	60	2	3	5	9	14	20	44
A. Not Operated	26023	6.1	26	2	3	5	7	11	14	25
B. Operated	7640	11.3	138	2	4	8	14	25	35	67
TOTAL										
0-19 YRS	1984	4.7	21	2	3	4	6	8	9	20
20-34	3374	5.4	36	1	2	4	6	10	14	32
35-49	6308	6.5	48	2	3	5	8	12	17	39
50-64	9573	7.3	54	2	3	5	8	14	20	41
65 +	12424	8.5	70	3	4	6	10	16	23	51
GRAND TOTAL	33663	7.3	56	2	3	5	8	14	19	42

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.8	2	< 1	1	1	2	4	4	4
20-34	22	2.5	3	< 1	1	3	3	4	6	9
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	2.9	1	< 1	2	3	4	4	4	4
20-34	39	2.7	3	< 1	1	3	4	5	6	7
35-49	9	2.8	2	< 1	1	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.6		1	1	2	2	2	2	2
20-34	36	4.1	10	1	2	3	5	9	11	12
35-49	12	4.3	5	2	3	4	6	8	8	8
50-64	0									
65 +	2	7.5	25	4	4	7	11	11	11	11
B. Operated										
0-19 YRS	13	3.2	3	1	2	3	4	6	7	7
20-34	180	4.0	11	1	3	4	5	5	7	16
35-49	62	4.0	2	2	3	4	5	6	6	9
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	3.5	1	3	3	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.8	7	< 1	1	3	3	4	9	13
B. Operated	55	2.7	2	< 1	1	3	4	4	6	7
2. MULTIPLE DX										
A. Not Operated	55	4.1	9	1	2	3	5	9	11	12
B. Operated	258	3.9	8	2	3	4	5	6	6	13
1. SINGLE DX	84	2.8	4	< 1	1	3	4	4	6	12
2. MULTIPLE DX	313	4.0	8	1	3	4	5	6	8	12
A. Not Operated	84	3.6	8	1	2	3	4	9	11	13
B. Operated	313	3.7	7	1	3	4	4	5	6	11
TOTAL										
0-19 YRS	30	2.6	2	1	1	2	4	4	6	7
20-34	277	3.7	9	1	2	3	4	6	8	13
35-49	85	4.0	3	2	3	4	5	6	7	12
50-64	1	5.0		5	5	5	5	5	5	5
65 +	4	5.5	14	3	3	4	8	11	11	11
GRAND TOTAL	**397**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	434	2.1	11	1	1	1	2	3	7	16
20-34	70	2.6	3	1	1	2	3	5	6	10
35-49	58	2.8	8	1	1	2	3	6	10	16
50-64	45	3.5	8	1	1	3	5	6	10	12
65 +	69	3.1	13	1	1	2	3	5	13	19
B. Operated										
0-19 YRS	54	5.1	78	1	1	2	5	10	28	48
20-34	30	3.5	4	1	2	3	5	6	6	7
35-49	38	2.9	3	1	2	3	4	6	7	8
50-64	44	3.4	6	1	2	3	4	6	8	14
65 +	23	4.2	6	2	2	3	5	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	989	3.2	22	1	1	2	4	6	9	23
20-34	518	3.6	11	1	2	3	5	7	9	14
35-49	753	4.6	24	1	2	3	6	9	12	21
50-64	1314	5.1	21	1	2	4	6	10	13	24
65 +	4042	6.4	46	2	3	5	8	13	16	34
B. Operated										
0-19 YRS	105	8.3	96	1	3	5	11	19	35	99 +
20-34	94	7.5	44	2	3	5	10	19	24	68
35-49	241	8.3	92	2	3	5	11	18	23	61
50-64	331	9.3	100	2	3	6	11	21	28	48
65 +	623	12.0	157	2	4	9	15	26	39	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	676	2.4	10	1	1	1	3	5	7	16
B. Operated	189	3.9	26	1	2	3	4	7	9	34
2. MULTIPLE DX										
A. Not Operated	7616	5.4	35	1	2	4	7	11	14	29
B. Operated	1394	10.1	123	2	3	7	13	22	30	89
1. SINGLE DX	865	2.7	14	1	1	2	3	6	8	16
2. MULTIPLE DX	9010	6.1	52	1	2	4	7	13	18	39
A. Not Operated	8292	5.2	34	1	2	4	6	11	14	28
B. Operated	1583	9.4	115	2	3	6	12	21	29	86
TOTAL										
0-19 YRS	1582	3.3	28	1	1	2	3	7	11	33
20-34	712	4.0	16	1	2	3	5	8	12	22
35-49	1090	5.3	40	1	2	3	6	11	15	32
50-64	1734	5.8	38	1	2	4	7	12	17	31
65 +	4757	7.1	63	2	3	5	8	14	19	44
GRAND TOTAL	**9875**	**5.8**	**49**	**1**	**2**	**4**	**7**	**12**	**17**	**38**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	7.4	41	2	2	4	9	20	22	24
20-34	7	9.7	33	3	5	9	15	17	17	17
35-49	0									
50-64	1	9.0		9	9	9	9	9	9	9
65 +	5	3.8	17	< 1	< 1	1	7	10	10	10
B. Operated										
0-19 YRS	6	5.5	16	1	2	5	7	12	12	12
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	15	3.5	9	1	1	2	6	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	271	14.1	275	3	5	8	15	38	58	97
20-34	56	10.0	129	2	3	6	11	20	43	50
35-49	77	8.8	63	2	3	7	11	21	27	39
50-64	145	10.8	116	3	4	8	14	20	27	57
65 +	590	10.3	90	3	5	8	13	20	28	64
B. Operated										
0-19 YRS	105	14.4	217	2	5	10	21	37	54	99 +
20-34	43	12.6	115	2	6	9	18	23	37	49
35-49	71	14.1	159	3	6	11	20	24	41	62
50-64	138	15.6	218	3	6	12	19	35	49	80
65 +	633	11.5	137	2	4	8	15	28	40	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	7.4	37	1	2	6	9	16	21	24
B. Operated	27	4.1	12	1	1	2	7	10	12	12
2. MULTIPLE DX										
A. Not Operated	1139	11.1	140	3	5	8	13	22	38	81
B. Operated	990	12.6	159	2	4	9	17	30	43	99 +
1. SINGLE DX	65	6.0	29	1	2	4	9	14	18	24
2. MULTIPLE DX	2129	11.8	149	2	4	8	15	27	40	87
A. Not Operated	1177	11.0	137	3	4	8	13	22	37	79
B. Operated	1017	12.4	157	2	4	9	16	30	42	99 +
TOTAL										
0-19 YRS	407	13.7	245	3	4	8	15	37	53	99 +
20-34	108	10.9	116	2	5	7	14	23	36	50
35-49	150	11.2	115	2	4	8	15	23	28	60
50-64	286	13.0	170	3	5	9	16	29	44	77
65 +	1243	10.8	114	2	4	8	14	23	35	84
GRAND TOTAL	**2194**	**11.7**	**147**	**2**	**4**	**8**	**14**	**26**	**40**	**86**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	470	10.1	28	3	7	10	14	15	18	27
20-34	156	11.3	26	5	8	12	14	17	21	26
35-49	8	9.3	15	4	7	9	11	15	16	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	42	12.7	64	2	9	13	14	26	28	40
20-34	29	10.1	25	2	6	12	14	14	15	19
35-49	4	14.0	1	13	13	14	15	15	15	15
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1409	11.1	42	3	7	10	14	18	22	33
20-34	583	12.4	45	4	8	12	15	21	23	34
35-49	52	14.0	59	6	10	13	17	22	31	38
50-64	4	3.3	2	2	2	3	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	233	18.4	197	7	10	15	22	35	45	96
20-34	133	16.0	105	5	10	14	19	26	32	65
35-49	24	17.9	136	7	11	15	19	30	41	61
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	634	10.4	27	3	7	10	14	15	19	26
B. Operated	75	11.8	47	2	9	13	14	17	26	37
2. MULTIPLE DX										
A. Not Operated	2048	11.5	44	3	7	11	14	19	22	33
B. Operated	390	17.5	162	6	10	14	21	31	41	76
1. SINGLE DX	709	10.5	30	3	7	10	14	15	19	28
2. MULTIPLE DX	2438	12.5	68	4	8	11	15	21	26	43
A. Not Operated	2682	11.3	40	3	7	11	14	18	22	32
B. Operated	465	16.6	148	6	10	14	20	29	40	72
TOTAL										
0-19 YRS	2154	11.7	62	3	7	11	14	19	25	43
20-34	901	12.6	52	4	8	12	15	21	24	38
35-49	88	14.6	78	6	10	13	17	23	31	52
50-64	4	3.3	2	2	2	3	4	5	5	5
65 +	0									
GRAND TOTAL	**3147**	**12.1**	**60**	**4**	**7**	**11**	**14**	**20**	**25**	**40**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.6	19	< 1	1	2	4	11	14	14
20-34	11	2.6	2	< 1	< 1	3	3	5	6	6
35-49	7	2.3	2	< 1	< 1	2	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	4.1	2	2	4	4	5	6	6	6
20-34	111	4.9	4	3	4	5	6	7	7	13
35-49	91	4.7	3	3	3	5	6	7	8	9
50-64	16	3.9	3	2	3	4	5	7	7	7
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	12.1	212	2	3	6	15	38	48	57
20-34	22	9.3	224	1	3	4	6	27	44	67
35-49	34	3.1	7	1	1	3	4	6	8	13
50-64	19	6.4	51	1	2	4	7	16	25	30
65 +	4	5.5	11	1	3	6	8	8	8	8
B. Operated										
0-19 YRS	13	7.7	12	5	5	7	8	12	17	18
20-34	180	6.4	17	4	5	6	7	9	11	32
35-49	334	6.9	18	4	5	6	8	10	13	30
50-64	76	8.8	75	4	5	6	9	14	31	49
65 +	4	5.8	1	5	5	6	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.8	7	< 1	< 1	2	4	4	8	14
B. Operated	229	4.7	3	3	3	5	6	7	7	10
2. MULTIPLE DX										
A. Not Operated	113	7.6	128	1	2	4	7	17	30	61
B. Operated	607	7.0	25	4	5	6	8	10	14	35
1. SINGLE DX	255	4.5	4	3	3	4	6	7	7	10
2. MULTIPLE DX	720	7.1	41	3	4	6	8	11	15	40
A. Not Operated	139	6.7	109	1	2	3	6	15	28	58
B. Operated	836	6.4	20	3	4	6	7	9	12	32
TOTAL										
0-19 YRS	65	8.9	126	2	3	5	10	18	39	56
20-34	324	5.9	27	3	4	5	6	8	10	32
35-49	466	6.1	15	3	4	6	7	10	11	28
50-64	111	7.7	63	3	4	6	8	13	18	45
65 +	9	5.7	5	2	5	6	7	8	8	8
GRAND TOTAL	**975**	**6.4**	**33**	**3**	**4**	**5**	**7**	**10**	**14**	**37**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	360	2.8	9	< 1	1	2	3	6	9	15
20-34	91	3.3	8	< 1	1	2	5	8	10	12
35-49	46	3.3	7	1	2	3	4	6	9	13
50-64	35	4.4	23	< 1	1	2	6	13	15	16
65 +	32	4.0	5	1	2	4	6	8	8	8
B. Operated										
0-19 YRS	131	3.4	11	1	1	3	4	7	12	15
20-34	69	2.9	13	1	1	2	3	5	9	22
35-49	144	2.2	4	< 1	1	1	3	4	6	10
50-64	67	2.4	5	1	1	2	3	5	8	10
65 +	27	2.4	8	1	1	1	3	6	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	807	5.2	59	1	2	3	6	11	16	48
20-34	256	5.1	26	1	2	4	6	11	14	27
35-49	387	6.7	38	2	3	5	8	13	17	32
50-64	543	7.0	57	1	3	5	9	14	20	35
65 +	942	7.8	46	2	4	6	10	15	20	34
B. Operated										
0-19 YRS	275	12.7	224	1	2	7	17	37	47	74
20-34	114	6.7	87	1	3	4	6	14	18	55
35-49	304	6.0	56	1	2	4	7	13	18	58
50-64	288	8.6	91	1	3	5	11	20	28	56
65 +	385	11.9	130	3	5	9	15	26	33	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	564	3.1	9	< 1	1	2	4	7	10	15
B. Operated	438	2.7	8	1	1	2	3	6	8	15
2. MULTIPLE DX										
A. Not Operated	2935	6.5	50	1	2	5	8	13	18	34
B. Operated	1366	9.6	127	1	3	6	12	23	35	66
1. SINGLE DX	1002	2.9	9	< 1	1	2	3	6	9	15
2. MULTIPLE DX	4301	7.5	77	1	3	5	9	16	23	48
A. Not Operated	3499	6.0	45	1	2	4	7	12	17	33
B. Operated	1804	7.9	107	1	2	4	10	19	29	59
TOTAL										
0-19 YRS	1573	5.8	83	< 1	1	3	6	13	21	53
20-34	530	4.9	36	1	2	3	6	10	14	28
35-49	881	5.5	40	1	2	4	7	12	16	39
50-64	933	7.1	65	1	2	5	9	15	21	42
65 +	1386	8.7	73	2	4	6	11	17	25	41
GRAND TOTAL	**5303**	**6.7**	**67**	**1**	**2**	**4**	**8**	**14**	**21**	**44**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	2.7	2	1	1	3	4	4	4	4
35-49	37	2.9	4	1	2	2	3	5	6	11
50-64	29	2.9	5	1	2	3	3	5	7	13
65 +	43	3.2	4	1	2	2	4	6	8	9
B. Operated										
0-19 YRS	0									
20-34	4	4.3	16	1	1	4	7	9	9	9
35-49	10	4.0	11	1	2	2	7	9	10	10
50-64	6	3.5	9	< 1	1	3	6	8	8	8
65 +	18	4.3	13	1	2	3	5	10	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	24	3.2	5	1	2	3	4	6	8	11
35-49	128	4.4	10	1	2	4	5	9	11	15
50-64	203	5.3	14	2	3	4	6	9	13	21
65 +	554	5.8	21	2	3	5	7	11	15	26
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	5	3.4	11	1	1	2	5	9	9	9
35-49	25	6.5	26	< 1	3	5	9	15	17	19
50-64	46	6.8	41	2	3	5	8	12	21	34
65 +	118	10.4	76	2	5	8	14	19	25	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	3.0	4	1	2	2	4	5	6	12
B. Operated	38	4.1	11	1	1	3	6	9	11	15
2. MULTIPLE DX										
A. Not Operated	911	5.4	18	2	3	4	7	10	14	22
B. Operated	195	8.9	63	2	4	7	12	17	23	39
1. SINGLE DX	158	3.2	6	1	2	3	4	6	9	13
2. MULTIPLE DX	1106	6.0	27	2	3	5	7	12	16	29
A. Not Operated	1031	5.1	17	2	3	4	6	10	13	21
B. Operated	233	8.1	57	2	3	6	11	16	21	37
TOTAL										
0-19 YRS	3	7.0	31	2	3	6	11	13	13	13
20-34	44	3.2	5	1	1	3	4	6	9	11
35-49	200	4.4	12	1	2	3	5	9	12	16
50-64	284	5.3	18	2	3	4	6	9	13	24
65 +	733	6.3	32	2	3	5	8	13	17	34
GRAND TOTAL	**1264**	**5.7**	**25**	**2**	**3**	**4**	**7**	**11**	**15**	**26**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	505	2.5	4	1	1	2	3	4	5	10
20-34	82	2.7	9	1	1	2	3	5	7	20
35-49	63	2.9	11	1	1	2	3	6	8	22
50-64	72	4.0	13	1	1	[illegible]	5	8	11	21
65 +	201	5.1	29	1	2	[illegible]	[illegible]	10	14	30
B. Operated										
0-19 YRS	13	7.7	48	2	3	5	12	19	21	21
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	3	5.3		5	5	5	6	6	6	6
65 +	8	14.0	106	4	8	10	20	31	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11660	3.0	9	1	2	2	3	5	7	14
20-34	2682	3.3	11	1	2	2	4	6	9	15
35-49	3182	4.4	21	1	2	3	5	8	11	21
50-64	5363	5.6	29	2	3	4	7	11	15	28
65 +	22993	7.3	55	2	3	5	9	14	19	44
B. Operated										
0-19 YRS	355	12.5	273	2	3	6	15	30	50	92
20-34	328	8.1	125	1	2	5	10	17	23	84
35-49	520	9.3	93	2	3	6	12	21	30	55
50-64	890	10.9	115	2	4	8	14	22	32	67
65 +	3358	14.8	180	4	6	11	19	31	44	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	923	3.2	12	1	1	2	4	6	8	19
B. Operated	28	8.8	62	2	3	6	11	20	28	32
2. MULTIPLE DX										
A. Not Operated	45880	5.5	39	1	2	4	7	11	15	32
B. Operated	5451	13.1	169	3	5	9	17	28	40	89
1. SINGLE DX	951	3.4	14	1	1	2	4	7	9	21
2. MULTIPLE DX	51331	6.3	58	2	2	4	7	13	19	43
A. Not Operated	46803	5.5	39	1	2	4	7	11	15	31
B. Operated	5479	13.0	169	3	5	9	17	28	40	89
TOTAL										
0-19 YRS	12533	3.2	19	1	2	2	3	5	8	19
20-34	3094	3.8	26	1	2	3	4	7	11	23
35-49	3767	5.0	33	1	2	3	6	10	14	30
50-64	6328	6.3	44	2	3	4	8	13	18	35
65 +	26560	8.2	77	2	4	6	10	16	23	56
GRAND TOTAL	**52282**	**6.3**	**58**	**1**	**2**	**4**	**7**	**13**	**19**	**43**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	2.1	1	1	1	2	3	4	4	7
20-34	19	3.2	6	1	1	3	4	5	8	11
35-49	39	3.0	6	1	1	2	4	6	8	11
50-64	40	3.8	6	1	2	3	5	8	8	11
65 +	69	3.8	11	1	2	3	5	8	10	17
B. Operated										
0-19 YRS	21	2.6	7	1	1	2	3	4	8	13
20-34	5	4.4	6	1	3	4	6	8	8	8
35-49	12	4.4	7	2	2	4	6	8	10	10
50-64	13	4.8	9	2	3	4	6	10	11	11
65 +	16	4.6	6	3	3	4	5	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	197	3.6	17	1	2	3	4	6	7	25
20-34	192	3.8	15	1	2	3	5	7	9	24
35-49	390	3.8	8	1	2	3	5	7	8	11
50-64	496	4.7	12	1	2	4	6	9	13	17
65 +	2296	5.6	28	2	3	4	7	10	14	26
B. Operated										
0-19 YRS	38	6.1	25	2	3	5	8	12	19	23
20-34	62	6.2	23	2	3	5	7	12	17	25
35-49	176	6.8	38	2	4	6	8	12	14	39
50-64	263	7.0	36	3	4	6	8	13	16	38
65 +	1030	9.0	68	3	5	7	10	16	24	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	240	3.1	6	1	1	2	4	6	8	14
B. Operated	67	4.0	7	1	2	3	5	8	10	13
2. MULTIPLE DX										
A. Not Operated	3571	5.1	23	1	2	4	6	9	12	24
B. Operated	1569	8.2	58	3	4	6	9	14	20	46
1. SINGLE DX	307	3.3	7	1	2	3	4	6	8	13
2. MULTIPLE DX	5140	6.0	35	2	3	5	7	11	15	32
A. Not Operated	3811	4.9	22	1	2	4	6	9	12	23
B. Operated	1636	8.1	56	3	4	6	9	14	20	46
TOTAL										
0-19 YRS	329	3.5	15	1	1	3	4	6	8	23
20-34	278	4.3	17	1	2	3	5	7	11	25
35-49	617	4.6	18	1	2	4	6	8	11	16
50-64	812	5.4	21	2	3	4	7	10	13	20
65 +	3411	6.6	42	2	3	5	8	12	16	35
GRAND TOTAL	**5447**	**5.9**	**34**	**2**	**3**	**4**	**7**	**11**	**14**	**31**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2315	3.8	11	1	2	3	5	7	9	13
20-34	1585	5.4	16	2	3	4	7	10	12	20
35-49	359	5.6	13	2	3	5	7	10	11	19
50-64	33	5.4	6	2	3	6	7	8	9	12
65 +	2	5.0	32	1	1	5	9	9	9	9
B. Operated										
0-19 YRS	28	4.5	12	1	1	4	7	9	11	12
20-34	32	8.7	79	2	3	7	11	16	20	49
35-49	9	9.3	45	3	3	10	11	20	24	24
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2847	4.7	12	1	2	4	6	9	11	18
20-34	2283	7.6	38	2	4	6	9	14	19	32
35-49	757	7.6	35	2	4	6	10	14	18	25
50-64	111	6.0	20	2	4	5	7	11	14	25
65 +	13	7.7	33	3	4	7	10	14	22	24
B. Operated										
0-19 YRS	110	10.1	85	1	4	8	13	20	26	48
20-34	207	15.5	175	4	7	11	21	32	42	75
35-49	77	10.9	64	2	6	9	14	23	24	44
50-64	7	17.0	389	3	7	9	8	52	60	60
65 +	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4294	4.5	13	1	2	4	6	8	10	17
B. Operated	69	7.1	51	1	2	5	10	12	20	44
2. MULTIPLE DX										
A. Not Operated	6011	6.2	27	2	3	5	8	12	15	27
B. Operated	402	13.1	138	3	6	9	16	27	39	66
1. SINGLE DX	4363	4.6	14	1	2	4	6	9	10	18
2. MULTIPLE DX	6413	6.6	37	2	3	5	8	13	17	31
A. Not Operated	10305	5.5	22	1	3	4	7	10	13	23
B. Operated	471	12.2	130	2	5	9	15	25	35	61
TOTAL										
0-19 YRS	5300	4.4	14	1	2	4	6	8	10	18
20-34	4107	7.1	41	2	3	6	9	13	19	33
35-49	1202	7.2	32	2	4	6	9	13	18	25
50-64	151	6.4	37	2	3	5	8	11	14	33
65 +	16	7.1	30	2	3	6	9	11	20	24
GRAND TOTAL	**10776**	**5.8**	**29**	**1**	**3**	**4**	**7**	**11**	**15**	**27**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	805	2.4	7	<1	1	1	3	5	7	13
20-34	100	2.8	13	<1	1	1	3	6	11	20
35-49	67	2.4	3	1	1	2	3	6	7	8
50-64	68	3.4	55	<1	1	1	3	6	10	51
65 +	236	2.7	13	<1	1	1	3	6	8	23
B. Operated										
0-19 YRS	222	4.4	28	1	2	3	5	8	11	36
20-34	39	6.1	34	2	3	4	7	10	18	33
35-49	31	6.0	8	2	4	6	8	10	11	13
50-64	26	6.7	19	3	3	6	8	13	16	20
65 +	45	6.5	24	2	3	5	9	14	17	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1216	3.5	20	<1	1	2	4	7	11	22
20-34	472	3.8	19	<1	1	2	5	9	12	22
35-49	777	4.3	21	1	1	3	5	10	12	24
50-64	1358	4.8	24	1	1	3	6	10	14	23
65 +	4446	5.2	29	1	2	4	7	10	14	27
B. Operated										
0-19 YRS	372	10.0	173	2	3	5	12	26	37	78
20-34	172	7.9	64	2	3	6	10	16	20	42
35-49	345	8.4	69	2	4	6	10	16	20	43
50-64	523	9.4	75	2	4	7	12	19	24	48
65 +	1627	10.5	114	3	4	7	13	21	29	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1276	2.5	11	<1	1	1	3	5	8	14
B. Operated	363	5.2	26	1	2	4	6	10	13	31
2. MULTIPLE DX										
A. Not Operated	8269	4.7	26	1	2	3	6	10	13	24
B. Operated	3039	9.8	107	2	4	7	12	20	28	60
1. SINGLE DX	1639	3.1	16	<1	1	2	4	7	10	18
2. MULTIPLE DX	11308	6.1	53	1	2	4	7	13	18	39
A. Not Operated	9545	4.4	25	1	1	3	6	9	13	23
B. Operated	3402	9.3	101	2	4	6	11	19	27	55
TOTAL										
0-19 YRS	2615	4.1	45	<1	1	2	4	8	14	36
20-34	783	4.7	32	<1	1	3	6	11	14	32
35-49	1220	5.4	37	1	2	4	7	11	15	27
50-64	1975	6.0	43	1	2	4	8	13	17	34
65 +	6354	6.4	56	1	2	4	8	14	18	40
GRAND TOTAL	**12947**	**5.7**	**49**	**1**	**2**	**4**	**7**	**12**	**17**	**37**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	181	2.3	4	1	1	1	3	5	7	10
20-34	27	3.5	17	1	1	2	4	10	12	18
35-49	6	2.8	10	1	1	2	3	8	9	9
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	13	6.3	12	3	4	5	8	12	14	14
20-34	7	8.3	22	3	5	7	10	16	17	17
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	217	3.5	19	1	1	2	4	7	10	20
20-34	64	6.8	104	1	2	4	6	15	28	55
35-49	22	6.6	23	2	4	6	8	10	16	24
50-64	16	5.4	12	2	3	4	7	10	13	14
65 +	9	11.4	103	2	4	8	15	28	34	34
B. Operated										
0-19 YRS	26	10.5	144	1	3	7	15	25	39	53
20-34	15	9.1	29	2	5	9	13	15	20	21
35-49	4	8.0	65	3	3	4	12	20	20	20
50-64	7	20.7	668	1	3	8	36	64	69	69
65 +	5	15.0	164	5	5	8	26	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	2.4	6	1	1	1	3	5	8	11
B. Operated	23	6.7	15	2	4	6	9	12	15	17
2. MULTIPLE DX										
A. Not Operated	328	4.7	40	1	1	3	5	10	13	40
B. Operated	57	11.6	173	1	4	7	15	26	41	68
1. SINGLE DX	241	2.8	8	1	1	2	3	7	9	14
2. MULTIPLE DX	385	5.7	66	1	2	3	7	11	18	47
A. Not Operated	546	3.8	28	1	1	2	4	8	11	27
B. Operated	80	10.2	132	2	4	7	12	20	34	64
TOTAL										
0-19 YRS	437	3.5	23	1	1	2	4	7	11	26
20-34	113	6.4	71	1	2	4	8	15	18	50
35-49	34	6.1	25	1	3	5	8	10	18	24
50-64	28	8.6	208	1	2	4	8	14	46	69
65 +	14	12.7	117	3	5	8	19	33	34	34
GRAND TOTAL	**626**	**4.6**	**46**	**1**	**1**	**2**	**5**	**10**	**14**	**39**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	994	2.7	6	1	1	2	3	5	7	15
20-34	78	3.9	7	1	2	3	5	8	9	14
35-49	61	3.8	13	<1	2	3	5	7	9	23
50-64	67	3.5	8	1	1	3	5	8	9	12
65+	62	3.3	5	1	1	3	5	6	9	10
B. Operated										
0-19 YRS	397	3.9	9	1	2	3	5	7	9	15
20-34	150	5.8	24	3	4	5	6	9	11	35
35-49	77	5.3	13	2	3	4	6	9	13	21
50-64	59	6.2	47	2	3	5	7	9	13	50
65+	70	7.3	36	2	4	6	9	13	16	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2888	4.6	16	1	2	3	6	9	12	20
20-34	526	5.1	12	1	3	4	7	9	12	19
35-49	801	5.8	18	2	3	5	7	10	14	23
50-64	1197	6.0	23	2	3	5	8	11	14	28
65+	2199	6.8	31	2	3	6	8	13	16	30
B. Operated										
0-19 YRS	593	8.8	83	2	3	6	11	20	28	45
20-34	363	8.7	67	2	4	6	11	17	24	43
35-49	399	9.5	70	3	5	7	12	19	30	44
50-64	550	10.3	88	3	5	8	13	21	25	52
65+	1137	11.4	96	3	6	9	14	23	32	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1262	2.9	7	1	1	2	4	5	8	15
B. Operated	753	4.9	19	2	3	4	6	9	11	27
2. MULTIPLE DX										
A. Not Operated	7611	5.6	22	1	3	4	7	11	14	24
B. Operated	3042	10.1	86	3	4	7	13	21	29	51
1. SINGLE DX	2015	3.7	12	1	2	3	5	7	9	16
2. MULTIPLE DX	10653	6.9	45	2	3	5	8	13	19	35
A. Not Operated	8873	5.2	21	1	2	4	7	10	13	22
B. Operated	3795	9.1	78	2	4	7	11	19	27	46
TOTAL										
0-19 YRS	4872	4.6	24	1	2	3	6	9	13	26
20-34	1117	6.3	34	2	3	5	7	12	16	29
35-49	1338	6.8	36	2	3	5	8	13	17	37
50-64	1873	7.2	46	2	3	6	9	13	19	37
65+	3468	8.3	57	2	4	6	10	16	22	42
GRAND TOTAL	**12668**	**6.4**	**41**	**1**	**3**	**5**	**8**	**13**	**18**	**34**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	696	1.6	1	1	1	1	2	3	3	5
20-34	175	1.9	2	1	1	2	2	3	4	6
35-49	45	2.4	2	1	1	2	3	4	5	7
50-64	12	2.6	1	1	2	3	3	4	4	4
65+	8	2.5	2	1	1	3	3	5	5	5
B. Operated										
0-19 YRS	526	2.9	2	2	2	3	3	4	5	8
20-34	208	3.3	2	2	2	3	4	5	6	7
35-49	26	3.5	3	2	3	3	4	5	8	8
50-64	7	4.4	7	2	3	4	5	9	10	10
65+	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	455	1.9	1	1	1	2	2	3	4	6
20-34	134	2.3	1	1	1	2	3	4	4	6
35-49	36	2.7	2	1	2	3	4	5	5	5
50-64	9	4.7	10	2	2	4	6	10	12	12
65+	6	3.3	3	1	2	3	5	5	5	5
B. Operated										
0-19 YRS	292	3.6	3	2	3	3	4	5	7	9
20-34	200	4.2	5	2	3	4	5	6	7	13
35-49	37	5.0	9	2	3	4	6	9	13	15
50-64	12	7.3	20	3	4	5	10	14	17	17
65+	7	7.9	9	3	7	9	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	936	1.7	1	1	1	1	2	3	3	5
B. Operated	769	3.1	2	2	2	3	4	4	5	9
2. MULTIPLE DX										
A. Not Operated	640	2.1	2	1	1	2	3	4	5	6
B. Operated	548	4.0	5	2	3	4	5	6	8	13
1. SINGLE DX	1705	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1188	3.0	4	1	2	3	4	5	6	11
A. Not Operated	1576	1.9	1	1	1	2	2	3	4	6
B. Operated	1317	3.5	3	2	2	3	4	5	7	11
TOTAL										
0-19 YRS	1969	2.3	2	1	1	2	3	4	5	7
20-34	717	3.0	3	1	2	3	4	5	6	9
35-49	144	3.3	5	1	2	3	4	6	7	13
50-64	40	4.8	12	2	2	4	5	10	12	17
65+	23	4.7	10	1	2	4	7	10	11	11
GRAND TOTAL	**2893**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	330	4.1	5	2	3	4	5	7	9	10
20-34	22	3.0	3	1	2	3	4	5	6	8
35-49	10	3.6	8	1	2	3	4	8	9	9
50-64	3	6.0	9	3	4	6	8	9	9	9
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	142	3.4	9	< 1	1	2	6	8	9	12
20-34	38	2.8	9	< 1	1	1	4	7	10	14
35-49	34	1.6	1	< 1	1	1	2	3	4	4
50-64	13	2.5	10	< 1	1	1	2	9	10	10
65 +	5	1.6	2	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	325	4.5	5	2	3	4	6	7	9	11
20-34	22	4.0	9	1	2	3	7	8	9	9
35-49	24	5.0	11	1	3	4	6	9	13	14
50-64	12	5.3	16	2	3	3	7	11	14	15
65 +	12	6.1	9	3	4	5	8	11	12	12
B. Operated										
0-19 YRS	108	5.2	16	1	2	4	7	11	12	20
20-34	32	3.8	11	1	2	3	5	8	11	17
35-49	29	3.2	10	< 1	1	2	4	8	12	13
50-64	22	3.5	12	1	1	2	5	9	11	13
65 +	27	3.7	17	1	1	3	4	8	12	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	367	4.0	5	2	2	4	5	7	9	10
B. Operated	232	3.0	8	< 1	1	2	4	7	9	12
2. MULTIPLE DX										
A. Not Operated	395	4.5	6	2	3	4	6	8	9	13
B. Operated	218	4.4	15	1	1	3	6	9	12	18
1. SINGLE DX	599	3.6	6	1	1	3	5	7	9	11
2. MULTIPLE DX	613	4.5	9	1	2	4	6	8	10	14
A. Not Operated	762	4.3	6	2	3	4	5	8	9	12
B. Operated	450	3.7	12	1	1	2	5	8	11	15
TOTAL										
0-19 YRS	905	4.3	7	1	2	4	6	8	9	12
20-34	114	3.4	9	1	1	2	4	7	9	15
35-49	97	3.1	8	1	1	2	4	7	9	14
50-64	50	3.8	13	1	1	2	6	9	10	15
65 +	46	4.0	14	1	1	3	4	9	11	20
GRAND TOTAL	**1212**	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**9**	**13**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	10.1	172	1	1	2	19	32	36	44
20-34	53	10.5	94	2	2	8	15	24	27	48
35-49	43	10.7	110	1	2	8	17	21	28	54
50-64	32	7.0	72	1	2	3	9	18	30	34
65 +	87	9.2	76	1	2	6	14	22	28	38
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	14.2	201	1	4	10	22	43	90	99 +
20-34	341	12.9	152	2	4	9	20	30	39	70
35-49	333	11.1	92	2	4	8	16	23	31	51
50-64	443	11.0	125	2	3	7	15	27	34	53
65 +	1656	9.9	106	2	4	7	12	22	29	51
B. Operated										
0-19 YRS	5	8.0	38	3	3	7	11	18	18	18
20-34	11	19.8	274	2	9	15	23	47	56	57
35-49	25	12.6	126	4	5	8	20	29	39	45
50-64	38	11.4	192	3	5	8	12	24	65	99 +
65 +	179	14.2	194	2	6	11	18	34	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	243	9.6	96	1	2	6	14	23	30	44
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	2845	10.7	116	2	4	7	14	24	33	63
B. Operated	258	13.8	189	2	5	10	18	32	45	99 +
1. SINGLE DX	245	9.5	96	1	2	6	14	23	30	44
2. MULTIPLE DX	3103	11.0	123	2	4	7	15	25	34	66
A. Not Operated	3088	10.6	114	2	4	7	14	24	33	56
B. Operated	260	13.7	188	2	5	10	18	32	45	99 +
TOTAL										
0-19 YRS	105	12.8	188	1	2	8	22	41	47	99 +
20-34	405	12.8	149	2	4	9	19	29	38	67
35-49	401	11.1	96	2	4	8	16	23	32	52
50-64	513	10.8	127	2	3	7	14	27	34	60
65 +	1924	10.3	114	2	4	7	13	23	31	56
GRAND TOTAL	**3348**	**10.9**	**121**	**2**	**4**	**7**	**15**	**25**	**34**	**64**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	1	13.0		13	13	13	13	13	13	13
50-64	13	13.2	107	2	3	11	22	28	30	30
65+	58	11.4	159	2	4	7	16	29	38	98
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	13.0		13	13	13	13	13	13	13
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	2.5	4	1	1	2	4	5	5	5
35-49	11	9.1	47	2	4	8	16	45	92	99+
50-64	117	12.8	169	3	6	9	15	31	43	99+
65+	1199	12.4	193	3	4	8	15	29	40	96
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	12.5	1	12	12	12	13	13	13	13
50-64	14	24.3	541	3	11	15	36	62	79	84
65+	105	17.2	236	3	8	14	27	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	11.6	144	2	4	7	17	28	34	94
B. Operated	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	1332	12.4	190	3	4	8	15	29	41	99+
B. Operated	121	18.0	269	3	8	14	27	65	99+	99+
1. SINGLE DX	75	11.6	142	2	4	7	17	28	34	93
2. MULTIPLE DX	1453	12.9	198	3	4	8	15	30	46	99+
A. Not Operated	1406	12.4	187	3	4	8	15	29	40	99+
B. Operated	122	17.9	267	3	8	14	27	64	99+	99+
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	2.8	5	1	1	2	5	6	6	6
35-49	15	10.1	37	3	4	12	14	21	76	99+
50-64	144	14.0	207	3	6	10	16	33	45	99+
65+	1362	12.8	197	3	4	8	16	30	45	99+
GRAND TOTAL	**1528**	**12.8**	**196**	**3**	**4**	**8**	**16**	**30**	**45**	**99+**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	15.5	30	10	11	15	20	22	22	22
65+	22	12.6	230	1	3	7	18	31	50	63
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	3	12.3	108	4	5	9	20	24	24	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	14.4	84	4	7	13	19	28	30	30
50-64	73	15.2	261	3	5	11	19	39	63	95
65+	924	13.0	151	3	5	9	16	29	41	97
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	36.5	1625	8	8	36	65	65	65	65
50-64	12	23.8	371	4	11	20	36	72	95	99+
65+	96	18.8	265	6	8	15	24	51	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	12.7	193	1	3	7	18	25	45	63
B. Operated	3	12.3	108	4	5	9	20	24	24	24
2. MULTIPLE DX										
A. Not Operated	1005	13.2	159	3	5	10	16	29	41	97
B. Operated	110	19.7	291	6	8	15	27	58	96	99+
1. SINGLE DX	30	12.7	181	2	4	8	18	25	42	63
2. MULTIPLE DX	1115	13.8	175	3	5	10	17	32	48	99+
A. Not Operated	1032	13.2	159	3	5	9	16	29	41	96
B. Operated	113	19.5	286	6	8	15	26	58	94	99+
TOTAL										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	10	17.8	344	3	6	12	20	47	65	65
50-64	89	16.3	270	3	6	12	20	48	64	99+
65+	1045	13.5	165	3	5	10	17	31	44	99+
GRAND TOTAL	**1145**	**13.8**	**175**	**3**	**5**	**10**	**17**	**32**	**48**	**99+**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	158	2.5	29	1	1	1	2	4	6	43
20-34	107	4.8	46	1	1	2	5	13	20	36
35-49	54	4.8	36	1	1	3	6	11	21	30
50-64	45	9.0	82	1	3	6	14	19	25	48
65 +	275	12.4	144	2	4	9	18	29	36	92
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	3	3.7	9	1	1	3	6	7	7	7
50-64	0									
65 +	3	4.3	5	3	3	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	285	8.5	174	1	1	2	10	28	41	73
20-34	350	8.3	108	1	2	5	10	20	26	52
35-49	367	9.2	90	2	3	6	12	20	32	53
50-64	369	12.1	172	2	3	8	15	28	39	90
65 +	3332	12.7	151	3	5	9	17	28	40	99 +
B. Operated										
0-19 YRS	24	4.3	54	1	1	2	3	15	26	28
20-34	34	15.2	538	1	2	4	19	70	84	99 +
35-49	34	9.8	85	3	4	6	14	23	34	37
50-64	34	15.6	391	2	4	9	18	39	59	97
65 +	334	16.6	231	4	6	13	22	38	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	639	7.8	104	1	1	4	10	21	29	55
B. Operated	7	3.7	6	1	2	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	4703	11.8	149	2	4	8	15	27	38	91
B. Operated	460	15.3	253	2	5	11	21	36	64	99 +
1. SINGLE DX	646	7.8	103	1	1	4	10	21	29	54
2. MULTIPLE DX	5163	12.1	159	2	4	8	16	28	40	99 +
A. Not Operated	5342	11.3	145	2	4	8	15	26	37	88
B. Operated	467	15.1	251	2	5	10	21	36	63	99 +
TOTAL										
0-19 YRS	468	6.2	126	1	1	2	4	21	34	59
20-34	491	8.0	129	1	2	4	9	20	27	73
35-49	458	8.7	85	1	3	5	11	20	32	52
50-64	448	12.1	180	2	3	8	15	28	39	94
65 +	3944	13.0	158	3	5	9	17	29	41	99 +
GRAND TOTAL	**5809**	**11.6**	**154**	**2**	**4**	**8**	**15**	**27**	**38**	**94**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.7	1	< 1	1	1	2	3	3	3
20-34	108	2.7	4	< 1	1	2	3	5	7	10
35-49	182	3.1	10	1	2	2	4	5	8	21
50-64	57	4.1	18	1	2	3	5	8	10	28
65 +	22	5.4	38	1	1	4	7	12	21	27
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	13.0		13	13	13	13	13	13	13
50-64	2	9.5	41	5	5	9	14	14	14	14
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	5.6	37	1	2	3	5	16	21	26
20-34	2249	5.1	24	2	2	4	6	9	14	28
35-49	4353	5.3	25	2	3	4	6	9	14	28
50-64	2272	6.3	40	2	3	5	7	12	19	32
65 +	951	8.9	108	2	3	6	10	19	27	71
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	38	7.3	38	2	4	6	9	15	24	27
35-49	121	10.1	102	2	4	6	12	23	33	51
50-64	103	13.0	187	3	5	9	15	28	43	93
65 +	57	17.9	251	6	9	13	21	30	38	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	381	3.2	11	1	1	2	4	6	9	21
B. Operated	4	9.3	24	5	5	9	13	14	14	14
2. MULTIPLE DX										
A. Not Operated	9873	5.8	37	2	3	5	6	11	17	30
B. Operated	320	12.1	157	3	5	9	14	26	36	86
1. SINGLE DX	385	3.3	12	1	1	2	4	7	9	21
2. MULTIPLE DX	10193	6.0	42	2	3	5	6	12	18	31
A. Not Operated	10254	5.7	37	2	3	4	6	11	17	30
B. Operated	324	12.0	156	3	5	9	14	26	36	85
TOTAL										
0-19 YRS	61	4.9	32	1	2	3	5	14	20	26
20-34	2396	5.0	24	1	2	4	5	9	14	28
35-49	4657	5.3	27	2	3	4	6	9	14	29
50-64	2434	6.5	47	2	3	5	7	13	20	35
65 +	1030	9.3	119	2	4	6	11	21	28	76
GRAND TOTAL	**10578**	**5.9**	**41**	**2**	**3**	**4**	**6**	**12**	**18**	**31**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	2.2	3	<1	1	1	3	4	7	7
20-34	84	6.0	54	1	2	3	8	14	19	41
35-49	39	5.3	27	1	1	3	8	13	17	22
50-64	13	3.7	10	1	1	3	5	21	82	99+
65+	20	4.8	8	1	3	4	7	8	10	11
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	140	8.6	148	1	2	5	9	22	29	78
20-34	1233	6.8	54	2	3	5	8	14	22	29
35-49	738	7.0	47	2	3	5	9	14	21	32
50-64	303	7.8	69	2	3	6	10	15	22	58
65+	789	7.4	56	2	3	5	9	15	22	49
B. Operated										
0-19 YRS	5	10.2	176	<1	1	2	20	31	31	31
20-34	17	9.8	71	2	3	9	12	24	28	30
35-49	22	9.4	100	2	3	5	14	22	33	42
50-64	18	10.8	54	3	7	10	12	16	28	35
65+	65	13.5	103	3	7	11	16	31	40	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	183	5.0	34	1	1	3	7	12	17	41
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	3203	7.2	59	2	3	5	9	15	22	35
B. Operated	127	11.8	94	2	5	10	15	28	37	59
1. SINGLE DX	184	5.0	34	1	1	3	7	12	17	41
2. MULTIPLE DX	3330	7.4	61	2	3	5	9	15	22	40
A. Not Operated	3386	7.1	57	2	3	5	8	15	22	35
B. Operated	128	11.7	94	2	5	10	14	28	37	58
TOTAL										
0-19 YRS	172	7.6	130	1	2	4	8	18	29	74
20-34	1334	6.8	55	2	3	5	8	14	21	29
35-49	799	7.0	48	2	3	5	9	14	21	32
50-64	335	7.8	66	2	3	6	10	15	22	64
65+	874	7.8	61	2	3	6	9	15	22	52
GRAND TOTAL	**3514**	**7.2**	**59**	**2**	**3**	**5**	**9**	**15**	**22**	**40**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	17.0	130	3	8	16	22	38	41	99+
20-34	1640	15.2	196	3	6	11	20	33	46	79
35-49	1196	14.5	142	3	6	11	20	30	40	55
50-64	338	15.6	158	3	6	13	21	31	40	61
65+	109	16.6	145	3	8	15	24	34	41	51
B. Operated										
0-19 YRS	0									
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	21.8	94	13	14	20	29	34	34	34
50-64	0									
65+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	20.2	346	3	8	15	30	63	97	99+
20-34	1765	15.0	161	3	6	12	20	32	41	72
35-49	1553	15.0	166	3	7	12	19	31	42	69
50-64	679	16.4	148	4	8	14	22	32	42	77
65+	328	17.9	185	5	9	14	23	37	48	88
B. Operated										
0-19 YRS	4	15.3	168	5	5	12	25	32	32	32
20-34	48	21.6	257	6	12	17	26	41	61	76
35-49	37	27.6	395	9	14	23	35	78	95	99+
50-64	33	22.0	159	9	11	20	29	48	51	99+
65+	17	36.2	354	14	21	29	54	57	68	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3364	15.1	170	3	6	12	20	32	42	68
B. Operated	6	18.2	127	1	13	18	25	33	34	34
2. MULTIPLE DX										
A. Not Operated	4425	15.6	168	3	7	12	20	32	43	76
B. Operated	139	24.9	299	7	13	21	34	54	69	99+
1. SINGLE DX	3370	15.1	170	3	6	12	20	32	42	68
2. MULTIPLE DX	4564	15.8	174	4	7	13	21	33	45	78
A. Not Operated	7789	15.3	169	3	7	12	20	32	43	73
B. Operated	145	24.6	292	7	13	20	33	53	68	99+
TOTAL										
0-19 YRS	185	18.7	249	3	8	16	27	42	75	99+
20-34	3454	15.2	180	3	6	12	20	32	44	73
35-49	2790	15.0	161	3	7	12	20	31	41	69
50-64	1050	16.3	153	4	7	14	22	32	42	74
65+	455	18.3	193	5	9	15	25	38	49	78
GRAND TOTAL	**7934**	**15.5**	**173**	**3**	**7**	**12**	**20**	**32**	**43**	**75**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	21.8	260	7	11	19	32	62	94	99+
20-34	73	14.5	112	3	6	12	21	28	36	47
35-49	38	8.8	36	3	4	6	13	18	20	24
50-64	14	11.4	67	3	6	9	19	23	26	27
65+	3	4.3	2	3	3	4	5	6	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	18.7	150	4	8	16	28	35	41	45
20-34	83	17.7	288	4	6	13	23	33	52	91
35-49	50	14.7	233	2	4	9	16	33	50	70
50-64	13	18.2	154	7	8	17	23	40	45	46
65+	9	18.1	146	8	10	14	21	38	46	46
B. Operated										
0-19 YRS	0									
20-34	2	61.0	1458	34	34	61	88	88	88	88
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	22.5	145	14	14	22	31	31	31	31
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	14.1	136	3	6	11	20	29	41	96
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	193	17.2	230	3	7	13	23	35	46	74
B. Operated	5	35.2	986	9	13	31	47	88	88	88
1. SINGLE DX	159	14.1	136	3	6	11	20	29	41	96
2. MULTIPLE DX	198	17.6	252	3	7	13	24	35	46	82
A. Not Operated	352	15.8	189	3	6	12	22	32	44	75
B. Operated	5	35.2	986	9	13	31	47	88	88	88
TOTAL										
0-19 YRS	69	20.1	198	6	10	17	31	41	62	99+
20-34	158	16.8	239	3	6	13	22	30	44	87
35-49	89	12.1	154	3	4	9	14	24	36	68
50-64	29	15.2	117	4	7	12	22	29	38	46
65+	12	14.7	145	4	6	11	19	32	44	46
GRAND TOTAL	**357**	**16.1**	**203**	**3**	**6**	**12**	**22**	**33**	**45**	**87**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	261	19.5	326	3	7	14	26	49	60	84
20-34	2461	16.0	174	3	6	13	22	34	43	70
35-49	1693	15.6	166	3	6	12	21	32	43	67
50-64	519	15.6	145	3	7	13	21	31	39	57
65+	153	17.8	166	4	9	15	24	33	46	62
B. Operated										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	3	24.0	217	8	13	27	34	37	37	37
35-49	3	53.3	264	39	42	50	66	71	71	71
50-64	0									
65+	2	18.5	145	10	10	18	27	27	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	381	23.4	390	5	9	19	35	60	85	99+
20-34	3624	16.1	183	4	7	13	22	34	44	84
35-49	2975	16.1	173	4	7	13	21	33	42	71
50-64	1360	18.0	179	5	8	15	24	36	44	71
65+	615	18.4	178	5	9	15	25	36	45	70
B. Operated										
0-19 YRS	7	33.9	545	9	16	27	51	69	72	72
20-34	98	23.5	219	7	13	22	30	43	50	79
35-49	88	22.5	270	7	11	19	32	49	63	99+
50-64	79	21.9	206	9	12	18	29	37	51	78
65+	34	27.3	279	6	13	29	39	54	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5087	16.0	177	3	7	13	21	34	44	69
B. Operated	9	33.2	377	9	23	30	42	63	71	71
2. MULTIPLE DX										
A. Not Operated	8955	16.8	190	4	7	13	22	35	45	82
B. Operated	306	23.5	245	7	12	20	31	45	58	97
1. SINGLE DX	5096	16.1	177	3	7	13	21	34	44	69
2. MULTIPLE DX	9261	17.1	193	4	7	14	23	35	46	83
A. Not Operated	14042	16.5	185	4	7	13	22	34	45	76
B. Operated	315	23.7	251	7	12	20	31	46	58	96
TOTAL										
0-19 YRS	650	22.0	369	4	8	16	31	57	76	99+
20-34	6186	16.2	181	3	7	13	22	34	44	76
35-49	4759	16.0	174	4	7	13	21	33	43	71
50-64	1958	17.5	173	5	8	14	23	35	43	70
65+	804	18.7	182	5	9	15	26	36	47	68
GRAND TOTAL	**14357**	**16.7**	**188**	**4**	**7**	**13**	**22**	**35**	**45**	**77**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	25.4	501	2	9	21	41	63	94	99 +
20-34	4	16.3	154	< 1	7	16	25	31	31	31
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	12.0		12	12	12	12	12	12	12
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	22.2	414	3	7	20	36	77	99 +	99 +
20-34	11	14.7	163	4	7	12	22	64	95	99 +
35-49	1	20.0		20	20	60	99 +	99 +	99 +	99 +
50-64	2	23.0	512	7	7	23	39	39	39	39
65 +	0									
B. Operated										
0-19 YRS	4	32.5	399	4	27	41	62	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	24.2	468	2	9	18	36	60	91	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	110	21.5	386	3	7	19	36	77	99 +	99 +
B. Operated	4	32.5	399	4	27	41	62	99 +	99 +	99 +
1. SINGLE DX	57	24.2	468	2	9	18	36	60	91	99 +
2. MULTIPLE DX	114	21.9	387	3	7	20	39	78	99 +	99 +
A. Not Operated	167	22.4	413	2	8	19	36	75	99 +	99 +
B. Operated	4	32.5	399	4	27	41	62	99 +	99 +	99 +
TOTAL										
0-19 YRS	151	23.6	442	2	8	20	41	77	99 +	99 +
20-34	15	15.1	150	3	7	14	22	46	84	99 +
35-49	2	14.5	61	9	12	20	80	99 +	99 +	99 +
50-64	3	19.3	296	7	8	12	32	39	39	39
65 +	0									
GRAND TOTAL	**171**	**22.6**	**413**	**3**	**8**	**19**	**38**	**77**	**99 +**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1093	19.4	236	3	8	16	28	41	53	99 +
20-34	1986	11.9	101	2	5	9	16	24	31	50
35-49	2047	12.6	105	2	5	10	17	26	32	49
50-64	917	14.6	110	4	7	13	20	29	34	50
65 +	971	18.6	168	4	9	16	25	35	44	65
B. Operated										
0-19 YRS	0									
20-34	3	13.0	28	7	9	15	16	17	17	17
35-49	1	26.0		26	26	26	26	26	26	26
50-64	4	17.3	87	5	10	18	24	27	27	27
65 +	12	34.2	525	11	17	26	48	66	81	84
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2849	22.9	319	4	9	19	32	49	61	99 +
20-34	6524	14.1	143	3	6	11	19	29	37	65
35-49	6909	14.5	131	3	6	12	20	29	37	56
50-64	3654	16.7	149	4	8	14	22	32	39	64
65 +	5186	19.5	164	5	10	17	26	37	46	69
B. Operated										
0-19 YRS	59	28.2	386	4	13	28	42	65	93	99 +
20-34	256	20.6	280	5	9	16	26	45	59	99 +
35-49	280	21.8	214	7	12	20	29	40	52	99 +
50-64	224	22.7	201	8	13	20	29	43	51	75
65 +	381	27.2	261	10	16	24	35	51	66	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7016	14.5	142	3	6	12	20	30	38	60
B. Operated	20	27.2	404	6	16	23	36	54	71	84
2. MULTIPLE DX										
A. Not Operated	25122	16.7	178	4	7	14	23	34	43	70
B. Operated	1200	23.7	256	7	13	21	31	46	60	99 +
1. SINGLE DX	7036	14.6	144	3	6	12	20	30	38	60
2. MULTIPLE DX	26322	17.0	184	4	7	14	23	35	44	72
A. Not Operated	32138	16.2	171	3	7	13	22	33	42	68
B. Operated	1220	23.8	259	7	13	21	31	46	60	99 +
TOTAL										
0-19 YRS	4001	22.0	301	4	9	18	31	47	60	99 +
20-34	8771	13.8	140	3	6	11	19	28	36	63
35-49	9237	14.3	130	3	6	11	19	29	36	56
50-64	4799	16.6	147	4	8	14	22	32	39	62
65 +	6550	19.9	190	5	10	17	27	38	47	72
GRAND TOTAL	**33358**	**16.5**	**176**	**3**	**7**	**13**	**22**	**34**	**43**	**70**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	359	19.5	244	4	9	16	26	40	53	99+
20-34	1682	13.9	142	3	6	11	18	28	38	60
35-49	1608	13.4	110	3	6	11	18	27	34	52
50-64	693	15.8	137	4	7	14	21	31	36	54
65+	284	18.1	197	4	8	15	24	35	49	65
B. Operated										
0-19 YRS	2	24.5	221	14	14	24	35	35	35	35
20-34	3	28.7	226	19	19	21	40	46	46	46
35-49	2	30.0	338	17	17	30	43	43	43	43
50-64	2	11.0	50	6	6	11	16	16	16	16
65+	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	786	22.0	297	5	9	17	31	48	62	99+
20-34	2862	15.3	159	3	7	12	20	31	41	68
35-49	3055	15.1	147	4	7	12	20	30	40	63
50-64	2009	17.3	170	5	8	14	22	34	43	69
65+	1547	19.7	201	6	10	17	26	38	49	78
B. Operated										
0-19 YRS	16	26.8	479	10	19	26	99+	99+	99+	99+
20-34	88	21.2	261	4	10	19	28	44	58	95
35-49	123	20.5	129	9	13	17	26	39	44	66
50-64	103	25.1	267	8	14	22	32	49	66	99+
65+	110	28.2	247	[illegible]	17	25	40	47	57	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4626	14.7	145	3	6	12	19	30	38	62
B. Operated	10	23.9	171	10	16	20	35	44	46	46
2. MULTIPLE DX										
A. Not Operated	10259	16.8	179	4	7	14	22	34	44	70
B. Operated	440	23.9	237	8	14	21	31	46	64	99+
1. SINGLE DX	4636	14.7	145	3	6	12	19	30	38	62
2. MULTIPLE DX	10699	17.1	184	4	8	14	23	35	45	73
A. Not Operated	14885	16.1	169	4	7	13	21	33	43	68
B. Operated	450	23.9	235	8	14	21	31	46	63	99+
TOTAL										
0-19 YRS	1163	21.3	284	5	9	17	30	47	62	99+
20-34	4635	14.9	156	3	6	12	20	30	40	64
35-49	4788	14.7	136	4	7	12	19	29	39	58
50-64	2807	17.2	168	5	8	14	23	34	42	69
65+	1942	20.0	207	5	10	17	26	39	50	78
GRAND TOTAL	**15335**	**16.4**	**173**	**4**	**7**	**13**	**22**	**33**	**43**	**70**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	186	13.6	202	2	4	10	17	34	42	79
20-34	633	9.2	75	2	3	7	13	19	24	47
35-49	445	9.8	108	2	4	8	12	22	28	58
50-64	201	9.7	100	1	3	7	13	21	27	50
65+	193	10.2	96	1	3	7	16	22	29	50
B. Operated										
0-19 YRS	0									
20-34	2	20.5	1	20	20	20	21	21	21	21
35-49	1	12.0		12	12	12	12	12	12	12
50-64	0									
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	330	17.9	299	3	5	13	25	41	55	77
20-34	1091	11.5	125	2	4	8	15	25	34	62
35-49	913	10.9	95	2	4	8	15	23	30	56
50-64	704	11.1	103	2	4	8	15	24	31	53
65+	1794	10.8	112	2	4	7	14	23	32	65
B. Operated										
0-19 YRS	5	20.4	578	2	9	15	62	96	99+	99+
20-34	26	22.7	389	2	9	15	28	53	64	83
35-49	42	12.6	40	4	9	14	17	21	24	99+
50-64	50	17.2	129	7	9	13	23	34	42	54
65+	141	14.6	129	3	6	12	20	33	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1658	10.0	105	2	3	7	13	21	28	55
B. Operated	5	12.2	70	2	5	12	20	21	21	21
2. MULTIPLE DX										
A. Not Operated	4832	11.5	126	2	4	8	15	25	34	63
B. Operated	264	15.7	153	4	8	13	20	33	49	99+
1. SINGLE DX	1663	10.0	105	2	3	7	13	21	28	55
2. MULTIPLE DX	5096	11.7	128	2	4	8	15	26	35	66
A. Not Operated	6490	11.1	121	2	4	8	15	24	32	61
B. Operated	269	15.6	151	4	8	13	20	33	48	99+
TOTAL										
0-19 YRS	521	16.4	270	2	5	11	22	38	53	79
20-34	1752	10.9	114	2	4	8	14	23	32	61
35-49	1401	10.6	97	2	4	8	14	22	29	58
50-64	955	11.2	106	2	4	8	15	24	31	53
65+	2130	11.0	113	2	4	8	15	24	33	64
GRAND TOTAL	**6759**	**11.3**	**123**	**2**	**4**	**8**	**15**	**24**	**33**	**64**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	4.8	44	1	1	2	5	12	21	31
20-34	166	4.7	41	1	1	2	6	12	16	33
35-49	161	4.9	33	1	1	2	6	13	16	25
50-64	61	6.1	66	1	2	3	8	15	22	41
65 +	39	5.5	49	1	1	3	7	13	16	40
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	9.9	173	1	2	3	15	29	42	81
20-34	512	6.7	52	1	2	4	9	17	22	32
35-49	686	6.8	59	1	2	4	9	17	21	39
50-64	425	6.5	47	1	2	4	9	15	21	33
65 +	605	7.0	65	1	2	4	9	17	22	44
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	21	12.6	294	2	4	8	14	31	52	77
35-49	29	8.2	94	1	3	5	10	19	25	48
50-64	22	10.9	85	3	6	7	14	21	33	41
65 +	21	10.5	124	2	3	5	14	23	35	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	463	5.0	42	1	1	2	6	12	17	37
B. Operated	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	2329	6.9	62	1	2	4	9	17	22	39
B. Operated	94	10.3	140	2	4	6	13	25	32	64
1. SINGLE DX	465	5.0	42	1	1	2	6	12	17	37
2. MULTIPLE DX	2423	7.0	66	1	2	4	9	17	22	41
A. Not Operated	2792	6.6	60	1	2	3	8	16	22	39
B. Operated	96	10.2	138	2	4	6	13	24	32	64
TOTAL										
0-19 YRS	139	8.5	142	1	2	3	10	26	34	67
20-34	699	6.4	58	1	2	4	8	17	22	35
35-49	877	6.5	56	1	2	3	8	16	21	39
50-64	508	6.6	52	1	2	4	9	15	21	36
65 +	665	7.0	67	1	2	4	8	17	22	42
GRAND TOTAL	**2888**	**6.7**	**62**	**1**	**2**	**4**	**9**	**17**	**22**	**40**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	488	18.2	252	3	7	14	27	40	49	96
20-34	349	6.5	37	1	2	5	9	14	20	27
35-49	287	7.8	46	1	3	6	12	17	22	30
50-64	76	8.6	57	1	3	7	11	18	22	40
65 +	47	10.2	70	2	4	9	12	25	30	37
B. Operated										
0-19 YRS	0									
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1814	21.6	316	4	8	17	31	47	64	99 +
20-34	1641	10.0	83	2	4	7	14	21	27	42
35-49	1189	10.2	102	2	3	7	14	22	28	48
50-64	502	9.7	73	2	4	7	13	21	28	43
65 +	499	10.0	88	2	4	8	13	20	26	53
B. Operated										
0-19 YRS	33	15.0	157	3	7	12	21	35	54	99 +
20-34	45	12.9	135	3	4	11	16	23	32	65
35-49	34	13.7	147	2	5	11	20	26	41	52
50-64	18	18.8	322	4	8	16	24	29	61	82
65 +	30	16.2	172	5	8	12	19	33	44	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1247	11.6	153	1	3	8	15	28	36	66
B. Operated	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	5645	13.7	191	2	4	9	19	31	43	83
B. Operated	160	14.8	169	3	6	11	19	29	44	80
1. SINGLE DX	1249	11.6	153	1	3	8	15	28	36	66
2. MULTIPLE DX	5805	13.8	190	2	4	9	19	31	43	83
A. Not Operated	6892	13.4	185	2	4	9	18	30	42	81
B. Operated	162	14.6	168	3	6	11	19	28	44	80
TOTAL										
0-19 YRS	2335	20.8	302	3	8	16	30	45	61	99 +
20-34	2037	9.4	78	1	3	7	13	21	26	41
35-49	1510	9.8	94	2	3	7	13	21	28	44
50-64	596	9.8	80	2	4	7	14	21	28	44
65 +	576	10.3	93	2	4	8	13	20	28	55
GRAND TOTAL	**7054**	**13.4**	**184**	**2**	**4**	**9**	**18**	**30**	**42**	**81**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	381	10.0	185	1	2	4	13	28	42	72
20-34	498	7.7	94	1	2	4	11	19	24	45
35-49	264	7.6	68	1	2	5	10	18	24	45
50-64	81	7.3	89	1	2	3	8	19	27	49
65 +	40	8.1	94	1	2	4	9	20	34	40
B. Operated										
0-19 YRS	5	21.0	1449	1	3	5	27	89	89	89
20-34	50	6.5	20	2	3	5	9	13	14	20
35-49	44	6.7	39	2	2	5	9	14	20	33
50-64	26	4.0	15	1	2	3	4	9	11	18
65 +	10	1.8	1	< 1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	903	12.0	241	1	2	6	15	32	49	91
20-34	1921	9.1	109	1	2	5	12	22	30	60
35-49	1223	9.8	148	1	3	5	12	23	31	63
50-64	400	9.2	119	2	3	6	12	21	29	80
65 +	514	9.0	90	2	3	6	11	21	29	57
B. Operated										
0-19 YRS	29	17.6	555	1	3	10	25	74	89	99 +
20-34	99	15.0	251	2	5	10	21	34	50	96
35-49	87	12.2	89	2	4	10	18	28	31	36
50-64	56	6.3	50	1	2	3	8	16	25	29
65 +	70	12.6	162	2	4	9	16	27	37	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1264	8.4	116	1	2	4	11	21	28	57
B. Operated	135	6.3	76	1	2	4	9	11	17	41
2. MULTIPLE DX										
A. Not Operated	4961	9.8	143	1	3	6	13	23	33	71
B. Operated	341	12.6	192	2	3	9	17	28	36	89
1. SINGLE DX	1399	8.2	113	1	2	4	10	20	28	57
2. MULTIPLE DX	5302	10.0	146	1	3	6	13	24	33	73
A. Not Operated	6225	9.5	138	1	2	5	12	23	32	68
B. Operated	476	10.8	167	2	3	7	14	26	33	88
TOTAL										
0-19 YRS	1318	11.5	237	1	2	6	14	30	48	90
20-34	2568	9.0	112	1	2	5	12	21	30	60
35-49	1618	9.5	130	1	3	5	12	22	29	60
50-64	563	8.4	105	1	2	5	11	20	27	56
65 +	634	9.3	99	2	3	6	11	22	30	57
GRAND TOTAL	**6701**	**9.6**	**140**	**1**	**2**	**5**	**12**	**23**	**32**	**70**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	189	12.8	187	1	1	5	25	30	39	54
20-34	1238	8.3	95	1	2	4	12	26	28	36
35-49	1320	7.4	77	1	2	4	8	23	28	36
50-64	527	7.1	77	1	2	3	7	22	29	35
65 +	111	6.4	55	1	2	4	7	17	26	35
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	9.3	36	3	5	10	14	15	15	15
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2028	23.1	204	3	11	26	32	42	45	69
20-34	10761	14.2	113	2	4	12	24	28	30	36
35-49	9814	12.1	102	2	4	7	21	28	29	34
50-64	4379	11.5	99	2	4	7	21	28	29	35
65 +	1841	11.9	92	2	4	8	18	28	29	38
B. Operated										
0-19 YRS	26	22.3	254	1	4	24	35	45	47	49
20-34	194	15.3	123	1	4	15	25	29	31	40
35-49	220	14.7	120	2	5	12	22	29	34	41
50-64	188	16.0	127	3	7	14	24	31	34	52
65 +	113	15.5	125	4	6	14	22	30	35	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3385	7.9	90	1	2	4	9	25	28	37
B. Operated	6	6.3	27	< 1	3	4	10	14	15	15
2. MULTIPLE DX										
A. Not Operated	28823	13.5	120	2	4	9	23	28	30	42
B. Operated	741	15.6	129	2	5	14	24	30	35	45
1. SINGLE DX	3391	7.9	90	1	2	4	9	25	28	37
2. MULTIPLE DX	29564	13.6	121	2	4	10	23	28	30	42
A. Not Operated	32208	13.0	120	2	4	8	22	28	30	42
B. Operated	747	15.5	129	2	5	14	24	29	35	45
TOTAL										
0-19 YRS	2244	22.3	211	2	9	24	31	42	44	64
20-34	12194	13.6	114	2	4	10	23	28	29	36
35-49	11357	11.6	102	2	3	7	21	28	29	35
50-64	5095	11.2	100	2	3	6	20	28	29	35
65 +	2065	11.8	94	2	4	8	18	28	29	39
GRAND TOTAL	**32955**	**13.0**	**120**	**2**	**4**	**8**	**22**	**28**	**30**	**42**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	12.8	166	5	5	7	20	32	32	32
20-34	115	7.0	54	1	2	4	8	19	24	30
35-49	70	5.5	19	2	3	4	8	11	13	23
50-64	3	2.3	5	1	1	1	4	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	14.0		14	14	14	14	14	14	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	21.3	318	4	6	17	31	45	63	77
20-34	1081	12.1	91	3	4	8	21	28	29	34
35-49	894	11.9	87	3	4	8	19	28	29	36
50-64	86	14.4	100	4	7	10	21	30	33	43
65 +	42	13.0	74	4	6	11	18	26	32	34
B. Operated										
0-19 YRS	0									
20-34	23	18.9	78	7	11	21	25	30	33	36
35-49	24	17.0	430	5	6	9	14	48	63	94
50-64	5	13.0	40	4	9	12	18	20	20	20
65 +	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	6.5	44	1	2	4	8	15	22	30
B. Operated	2	8.0	72	2	2	8	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	2161	12.4	98	3	5	8	21	28	29	37
B. Operated	53	17.6	231	6	8	13	23	32	46	93
1. SINGLE DX	195	6.5	44	1	2	4	8	15	22	30
2. MULTIPLE DX	2214	12.5	102	3	5	8	21	28	29	37
A. Not Operated	2354	11.9	96	3	4	8	19	28	29	37
B. Operated	55	17.3	227	5	7	13	23	31	45	92
TOTAL										
0-19 YRS	62	20.8	310	4	6	16	31	44	62	76
20-34	1220	11.8	91	2	4	8	20	28	29	34
35-49	989	11.6	94	3	4	8	18	27	29	37
50-64	94	14.0	98	4	7	10	21	29	33	43
65 +	44	13.1	79	3	6	11	18	27	32	34
GRAND TOTAL	**2409**	**12.0**	**100**	**3**	**4**	**8**	**19**	**28**	**29**	**37**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	159	20.7	354	2	4	16	35	41	57	90
20-34	749	8.9	80	2	3	5	13	23	28	36
35-49	188	10.3	98	1	3	5	19	27	28	36
50-64	7	10.3	62	2	5	9	14	23	25	25
65 +	3	12.0	57	4	6	13	17	19	19	19
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1864	27.1	258	6	15	28	36	45	57	80
20-34	6424	14.5	102	3	5	13	23	28	30	38
35-49	2230	14.6	101	3	6	13	23	28	30	36
50-64	209	13.9	93	4	6	11	21	28	31	37
65 +	133	14.9	93	5	7	14	20	29	34	42
B. Operated										
0-19 YRS	15	37.1	611	10	22	31	47	75	85	88
20-34	121	19.7	111	6	10	21	28	32	39	65
35-49	60	22.5	234	7	13	21	28	42	77	99 +
50-64	7	25.0	164	6	14	28	35	38	39	39
65 +	4	25.8	495	4	10	21	41	56	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1106	10.8	138	2	3	5	17	28	35	45
B. Operated	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	10860	16.7	151	3	6	14	27	31	37	55
B. Operated	207	22.0	206	7	11	21	28	39	50	99 +
1. SINGLE DX	1108	10.8	138	2	3	5	17	28	35	45
2. MULTIPLE DX	11067	16.8	152	3	6	14	27	31	37	56
A. Not Operated	11966	16.2	153	3	5	14	26	30	37	55
B. Operated	209	21.9	207	6	11	21	28	39	50	99 +
TOTAL										
0-19 YRS	2038	26.7	272	5	14	28	36	45	57	81
20-34	7295	14.0	103	3	5	12	22	28	30	39
35-49	2479	14.5	107	3	5	13	23	28	30	38
50-64	223	14.1	97	4	6	11	22	28	33	39
65 +	140	15.2	103	4	7	14	20	29	35	44
GRAND TOTAL	**12175**	**16.2**	**154**	**3**	**6**	**14**	**26**	**30**	**37**	**56**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	313	2.4	22	< 1	< 1	1	1	3	13	27
20-34	251	2.0	12	< 1	< 1	1	2	3	6	27
35-49	127	2.6	22	< 1	1	1	2	4	10	27
50-64	38	3.7	47	1	1	2	2	6	23	33
65 +	15	1.9	2	1	1	2	2	3	5	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	581	9.6	181	< 1	1	2	15	30	40	53
20-34	736	4.9	49	< 1	1	2	5	14	23	29
35-49	612	5.3	49	< 1	1	3	6	13	24	30
50-64	285	4.8	38	1	1	3	5	11	19	33
65 +	147	4.7	19	1	2	3	6	9	13	28
B. Operated										
0-19 YRS	22	4.6	95	< 1	< 1	1	4	10	28	45
20-34	29	4.0	50	< 1	1	2	3	9	22	34
35-49	27	5.8	52	< 1	1	4	7	15	20	33
50-64	19	12.2	175	2	5	7	15	30	44	55
65 +	15	14.7	371	2	4	9	17	22	65	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	744	2.4	20	< 1	< 1	1	2	3	7	28
B. Operated	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	2361	6.1	82	< 1	1	2	6	21	28	44
B. Operated	112	7.4	134	< 1	1	3	8	18	31	64
1. SINGLE DX	747	2.3	20	< 1	< 1	1	2	3	7	28
2. MULTIPLE DX	2473	6.2	84	< 1	1	2	6	20	28	44
A. Not Operated	3105	5.2	70	< 1	1	2	5	15	27	41
B. Operated	115	7.2	132	< 1	1	3	8	18	30	64
TOTAL										
0-19 YRS	916	7.0	136	< 1	1	1	5	27	34	47
20-34	1016	4.2	42	< 1	1	2	4	12	21	29
35-49	766	4.8	45	< 1	1	2	5	13	22	30
50-64	345	5.1	49	1	1	3	5	13	22	35
65 +	177	5.3	55	1	2	3	6	11	15	29
GRAND TOTAL	**3220**	**5.3**	**72**	**< 1**	**1**	**2**	**5**	**15**	**27**	**42**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	104	12.9	208	< 1	1	6	26	34	38	57
20-34	202	6.1	67	< 1	1	3	6	20	25	32
35-49	50	4.7	23	1	1	3	6	12	15	22
50-64	5	10.2	113	2	2	4	20	25	25	25
65 +	3	5.3	26	1	2	4	9	11	11	11
B. Operated										
0-19 YRS	0									
20-34	4	2.8	3	1	1	2	4	5	5	5
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	722	19.9	210	2	6	20	30	37	43	63
20-34	990	10.5	109	1	2	6	18	28	29	38
35-49	349	11.2	121	1	2	6	20	28	30	42
50-64	39	9.6	97	2	3	6	13	29	37	99 +
65 +	32	10.9	90	2	4	7	14	30	34	99 +
B. Operated										
0-19 YRS	6	23.3	970	1	3	15	20	78	85	85
20-34	26	9.2	132	1	2	3	10	27	38	42
35-49	11	9.3	37	3	5	7	13	19	22	22
50-64	4	17.8	157	7	7	15	28	33	33	33
65 +	3	7.3	12	4	5	7	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	364	7.9	111	1	1	3	10	25	28	48
B. Operated	5	3.6	6	1	2	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	2132	13.8	163	1	3	9	24	30	37	49
B. Operated	50	11.5	210	2	3	7	16	25	37	85
1. SINGLE DX	369	7.8	110	1	1	3	9	25	28	47
2. MULTIPLE DX	2182	13.7	165	1	3	9	24	30	37	50
A. Not Operated	2496	12.9	160	1	2	7	22	30	36	49
B. Operated	55	10.8	196	2	3	7	15	23	36	83
TOTAL										
0-19 YRS	832	19.1	219	1	5	18	30	37	42	63
20-34	1222	9.7	105	1	2	5	17	27	28	38
35-49	411	10.3	111	1	2	5	18	27	29	41
50-64	48	10.3	103	2	3	7	14	30	35	99 +
65 +	38	10.2	81	2	4	7	13	29	33	99 +
GRAND TOTAL	**2551**	**12.9**	**161**	**1**	**2**	**7**	**22**	**30**	**36**	**49**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	4.8	89	1	1	2	3	11	24	48
20-34	17	1.9	2	1	1	1	2	5	5	5
35-49	24	2.0	2	<1	1	2	3	3	5	6
50-64	12	2.0	1	1	1	2	3	3	3	3
65+	4	1.5		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	3	6.0	28	2	2	4	10	12	12	12
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	131	11.2	233	1	2	4	16	33	40	70
20-34	137	5.3	60	1	2	3	6	12	19	41
35-49	189	5.9	67	1	2	3	6	16	23	41
50-64	138	6.2	49	1	2	3	7	20	24	28
65+	234	5.9	68	1	2	3	6	13	24	42
B. Operated										
0-19 YRS	9	9.6	122	2	4	5	10	29	33	33
20-34	10	11.7	72	3	5	9	18	25	28	28
35-49	12	5.8	61	2	2	4	5	13	28	30
50-64	16	9.8	75	2	3	8	13	20	29	33
65+	22	11.4	131	3	5	8	11	25	43	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	3.0	33	1	1	2	3	4	6	39
B. Operated	6	5.3	17	1	2	4	8	12	12	12
2. MULTIPLE DX										
A. Not Operated	829	6.7	93	1	2	3	6	19	26	46
B. Operated	69	9.9	95	2	4	6	12	23	33	46
1. SINGLE DX	94	3.1	32	1	1	2	3	5	8	37
2. MULTIPLE DX	898	6.9	93	1	2	3	7	20	27	46
A. Not Operated	917	6.3	88	1	2	3	6	17	26	46
B. Operated	75	9.5	90	2	3	6	11	22	32	45
TOTAL										
0-19 YRS	174	9.9	203	1	2	3	9	32	39	69
20-34	166	5.4	57	1	1	3	6	13	19	36
35-49	225	5.5	61	1	2	3	6	15	23	38
50-64	167	6.2	50	1	2	3	8	20	23	29
65+	260	6.3	74	1	2	4	7	14	25	45
GRAND TOTAL	**992**	**6.6**	**89**	**1**	**2**	**3**	**6**	**18**	**26**	**46**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	782	10.1	138	1	2	6	13	27	35	62
20-34	1051	5.3	34	1	2	4	7	12	16	24
35-49	574	6.0	32	1	2	4	8	14	18	27
50-64	146	7.2	63	<1	2	4	10	15	21	36
65+	93	11.5	117	1	4	8	17	27	36	46
B. Operated										
0-19 YRS	3	6.0	27	3	3	3	10	12	12	12
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	2	9.0	18	6	6	9	12	12	12	12
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1965	12.5	196	1	3	7	17	32	42	83
20-34	3191	7.0	55	1	2	5	9	15	21	36
35-49	1999	7.6	52	1	3	5	10	16	21	35
50-64	606	8.3	69	1	3	6	12	19	23	37
65+	779	10.8	110	2	4	7	14	23	31	52
B. Operated										
0-19 YRS	44	18.1	418	1	2	9	30	55	68	99+
20-34	106	8.5	73	1	2	5	12	21	29	38
35-49	45	12.3	133	2	5	11	14	22	48	52
50-64	24	17.8	281	4	7	12	27	33	56	76
65+	53	16.8	171	4	7	14	22	38	47	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2646	7.2	74	1	2	4	9	17	24	44
B. Operated	6	6.5	20	3	3	5	12	12	12	12
2. MULTIPLE DX										
A. Not Operated	8540	8.9	98	1	3	6	11	21	29	51
B. Operated	272	13.1	190	2	3	9	17	30	44	73
1. SINGLE DX	2652	7.2	73	1	2	4	9	17	24	44
2. MULTIPLE DX	8812	9.0	101	1	3	6	11	21	29	52
A. Not Operated	11186	8.5	93	1	3	5	11	20	28	49
B. Operated	278	13.0	187	2	3	9	17	30	43	72
TOTAL										
0-19 YRS	2794	11.9	185	1	3	7	16	31	42	82
20-34	4349	6.7	51	1	2	4	9	15	20	35
35-49	2618	7.3	50	1	2	5	10	16	21	35
50-64	778	8.4	77	1	3	6	11	19	23	41
65+	925	11.2	116	2	4	7	15	25	32	51
GRAND TOTAL	**11464**	**8.6**	**95**	**1**	**3**	**5**	**11**	**20**	**28**	**50**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	836	11.9	152	1	3	7	16	31	40	55
20-34	545	5.8	58	1	2	3	7	13	17	45
35-49	328	6.8	53	1	2	4	9	16	22	35
50-64	73	6.0	25	1	2	5	9	14	15	22
65 +	44	7.7	77	1	2	4	10	18	28	39
B. Operated										
0-19 YRS	3	5.0	37	< 1	< 1	2	9	12	12	12
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	3	8.7	56	1	3	9	14	16	16	16
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1821	13.2	205	2	3	8	18	34	46	99 +
20-34	1961	7.2	62	1	2	5	9	16	22	39
35-49	1282	7.9	69	1	3	5	10	17	24	42
50-64	358	7.1	48	1	2	5	9	15	20	38
65 +	297	9.6	70	2	3	7	14	22	27	36
B. Operated										
0-19 YRS	36	17.9	355	1	3	15	35	87	99 +	99 +
20-34	50	13.8	180	2	[illegible]	9	20	29	50	58
35-49	24	14.8	187	1	4	11	21	35	44	52
50-64	16	12.8	124	1	3	9	20	31	33	33
65 +	15	15.8	193	3	6	14	22	27	49	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1826	8.8	107	1	2	5	11	21	33	49
B. Operated	9	6.3	35	< 1	1	3	12	14	16	16
2. MULTIPLE DX										
A. Not Operated	5719	9.4	116	1	3	6	12	22	31	62
B. Operated	141	15.1	218	1	4	11	24	39	56	99 +
1. SINGLE DX	1835	8.8	107	1	2	5	11	21	33	49
2. MULTIPLE DX	5860	9.5	119	1	3	6	12	23	32	64
A. Not Operated	7545	9.2	114	1	3	6	12	22	32	58
B. Operated	150	14.6	211	1	3	11	22	36	55	99 +
TOTAL										
0-19 YRS	2696	12.8	191	1	3	8	18	33	44	98
20-34	2558	7.0	65	1	2	4	9	16	22	42
35-49	1637	7.8	69	1	2	5	10	17	24	41
50-64	448	7.1	48	1	2	5	9	15	21	34
65 +	356	9.7	77	2	3	7	14	22	27	39
GRAND TOTAL	**7695**	**9.3**	**116**	**1**	**3**	**6**	**12**	**22**	**32**	**59**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1335	18.8	331	2	4	13	28	46	61	99 +
20-34	189	12.2	221	1	2	5	21	32	41	68
35-49	67	7.1	130	1	1	3	5	27	40	44
50-64	24	4.5	41	1	1	2	5	10	20	30
65 +	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	11	5.8	21	2	2	3	8	14	15	15
20-34	6	10.2	139	< 1	1	4	23	27	27	27
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3457	22.1	342	3	8	19	33	49	69	99 +
20-34	946	17.3	292	2	4	11	27	42	54	92
35-49	387	12.1	163	2	3	6	18	30	39	88
50-64	148	9.6	162	2	2	5	10	27	38	56
65 +	161	6.3	75	1	2	4	7	12	19	50
B. Operated										
0-19 YRS	76	25.2	599	4	6	25	49	99 +	99 +	99 +
20-34	42	18.9	327	2	5	11	39	54	73	99 +
35-49	42	15.5	197	3	5	10	24	40	44	52
50-64	14	14.3	281	2	2	5	17	44	44	44
65 +	17	11.6	203	4	5	8	12	15	47	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1618	17.3	316	1	3	11	27	43	58	95
B. Operated	19	6.7	58	1	2	3	8	20	25	27
2. MULTIPLE DX										
A. Not Operated	5099	19.6	323	2	5	15	30	45	62	99 +
B. Operated	191	19.7	410	3	5	12	38	59	99 +	99 +
1. SINGLE DX	1637	17.2	315	1	3	11	27	43	57	95
2. MULTIPLE DX	5290	19.6	326	2	5	15	30	45	63	99 +
A. Not Operated	6717	19.0	323	2	5	14	29	44	60	99 +
B. Operated	210	18.5	392	2	5	11	35	56	99 +	99 +
TOTAL										
0-19 YRS	4879	21.2	345	2	7	17	32	49	67	99 +
20-34	1183	16.5	285	2	3	11	27	41	53	92
35-49	497	11.7	165	1	3	6	16	31	41	70
50-64	187	9.2	158	1	2	4	9	27	42	55
65 +	181	6.7	87	1	2	4	7	13	19	61
GRAND TOTAL	**6927**	**19.0**	**325**	**2**	**5**	**14**	**29**	**45**	**61**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
SINGLE DX										
A. Not Operated										
0-19 YRS	6	20.0	548	1	6	10	28	60	64	64
20-34	5	11.2	92	1	2	15	22	92	99 +	93 +
35-49	5	15.6	104	4	8	14	22	31	31	31
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	7.9	81	2	3	5	9	23	27	99 +
20-34	51	9.8	95	1	3	7	14	27	34	99
35-49	30	9.4	69	1	3	7	13	22	30	31
50-64	13	10.3	64	2	4	8	18	22	24	25
65 +	3	5.7	1	5	5	5	7	7	7	7
B. Operated										
0-19 YRS	11	8.7	272	1	2	3	6	29	56	58
20-34	2	21.5	841	1	1	21	42	42	42	42
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64	3	6.3	30	1	2	6	10	12	12	12
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	13.8	232	1	3	11	21	47	82	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	146	9.0	80	2	3	6	12	24	30	99 +
B. Operated	19	8.9	225	1	2	3	6	30	51	58
1. SINGLE DX	19	13.8	232	1	3	11	21	47	82	99 +
2. MULTIPLE DX	165	9.0	95	2	3	5	11	24	30	93
A. Not Operated	165	[illegible].6	98	2	3	6	13	26	31	99 +
B. Operated	19	8.9	225	1	2	3	6	30	51	58
TOTAL										
0-19 YRS	66	9.1	156	2	3	5	10	24	50	94
20-34	58	10.3	109	1	3	7	15	29	43	99 +
35-49	38	9.7	73	2	3	7	14	22	30	31
50-64	18	8.8	56	1	2	7	12	21	23	25
65 +	4	5.0	3	3	4	5	6	7	7	7
GRAND TOTAL	**184**	**9.5**	**110**	**1**	**3**	**6**	**12**	**26**	**32**	**99 +**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	877	8.6	18	3	6	10	11	13	15	20
20-34	102	5.9	16	2	3	5	9	11	14	58
35-49	39	5.4	11	1	3	5	8	9	12	14
50-64	24	7.5	27	2	3	7	11	14	16	20
65 +	5	10.4	47	2	4	13	15	19	19	19
B. Operated										
0-19 YRS	41	13.3	70	2	9	13	16	28	29	35
20-34	19	10.2	113	1	2	5	15	21	35	44
35-49	20	7.8	98	1	1	2	12	21	31	37
50-64	26	6.1	49	1	1	4	10	11	19	34
65 +	7	14.9	157	1	3	13	24	33	35	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1676	10.6	33	4	8	10	12	16	20	30
20-34	180	9.3	56	2	5	8	11	16	22	44
35-49	202	10.6	66	2	4	10	14	21	29	99 +
50-64	159	12.3	98	3	6	10	15	23	33	57
65 +	183	13.8	98	4	7	12	17	28	37	85
B. Operated										
0-19 YRS	340	20.3	228	9	11	15	26	42	57	99 +
20-34	89	20.8	296	6	9	15	29	51	82	99 +
35-49	140	20.1	313	4	8	16	27	52	81	99 +
50-64	132	20.9	335	3	8	15	30	47	68	99 +
65 +	157	24.0	298	4	10	21	37	51	64	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1047	8.2	19	2	4	9	11	13	15	20
B. Operated	113	10.2	89	1	2	9	15	24	29	40
2. MULTIPLE DX										
A. Not Operated	2400	10.8	48	3	7	10	13	17	23	43
B. Operated	858	21.1	279	5	10	16	28	48	64	99 +
1. SINGLE DX	1160	8.4	26	2	4	9	11	14	15	28
2. MULTIPLE DX	3258	13.5	129	4	8	11	15	27	40	78
A. Not Operated	3447	10.0	40	3	6	10	12	16	21	38
B. Operated	971	19.8	269	4	10	15	27	46	61	99 +
TOTAL										
0-19 YRS	2934	11.2	64	3	8	10	12	17	23	49
20-34	390	11.1	132	2	4	8	13	24	40	93
35-49	401	13.3	175	2	4	10	18	31	48	99 +
50-64	341	14.8	207	2	6	11	17	34	46	82
65 +	352	18.3	213	4	8	14	25	41	53	99 +
GRAND TOTAL	**4418**	**12.2**	**107**	**3**	**7**	**10**	**14**	**22**	**34**	**68**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	6	3.5	11	1	2	2	4	9	10	10
50-64	38	7.0	201	2	3	4	5	11	14	90
65 +	73	7.0	56	1	3	5	8	15	23	88
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	4	6.0	9	3	3	6	8	9	9	9
65 +	4	3.3	3	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	17.0	2	16	16	17	18	18	18	18
35-49	24	8.4	80	2	3	6	10	19	31	39
50-64	138	9.6	131	2	4	6	11	19	29	67
65 +	1043	10.4	109	3	5	7	12	22	33	80
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	21.0	50	16	16	21	26	26	26	26
50-64	14	16.4	443	3	5	9	12	61	67	69
65 +	168	16.0	232	3	6	12	23	31	66	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	6.9	99	1	3	4	8	13	18	93
B. Operated	9	5.2	9	2	3	4	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	1208	10.3	111	3	4	7	12	21	33	80
B. Operated	184	16.1	244	3	6	11	22	31	67	99 +
1. SINGLE DX	127	6.7	93	1	3	4	8	13	17	92
2. MULTIPLE DX	1392	11.1	132	3	5	8	13	24	35	95
A. Not Operated	1326	10.0	111	3	4	7	12	21	32	81
B. Operated	193	15.6	238	3	6	11	22	31	65	99 +
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	14.0	28	8	10	16	17	18	18	18
35-49	33	8.3	75	2	2	6	11	20	28	39
50-64	194	9.5	166	2	4	6	10	18	30	81
65 +	1288	11.0	126	3	5	8	13	24	35	99 +
GRAND TOTAL	**1519**	**10.7**	**130**	**3**	**4**	**7**	**13**	**23**	**34**	**92**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	4.9	9	1	2	5	7	9	10	10
20-34	257	6.0	11	2	4	5	8	10	12	18
35-49	408	6.3	16	2	4	5	8	11	13	21
50-64	109	6.7	56	1	4	5	8	12	14	44
65 +	11	5.9	14	2	3	5	7	12	14	14
B. Operated										
0-19 YRS	0									
20-34	13	7.7	39	1	3	6	13	17	19	20
35-49	20	7.2	29	1	2	7	10	13	18	22
50-64	4	7.3	30	2	4	6	11	15	15	15
65 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	6.1	19	2	3	5	9	11	16	18
20-34	389	8.4	47	3	4	7	10	15	21	33
35-49	831	8.3	55	3	4	7	10	15	20	48
50-64	341	8.3	35	3	5	7	11	14	18	33
65 +	88	8.1	53	3	4	6	10	14	18	47
B. Operated										
0-19 YRS	0									
20-34	47	12.4	282	2	4	8	12	26	54	95
35-49	141	12.8	234	3	6	9	14	24	72	99 +
50-64	66	16.2	221	3	8	12	21	44	66	99 +
65 +	31	15.7	166	3	5	12	23	36	39	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	792	6.2	20	2	4	5	8	11	13	20
B. Operated	38	7.5	31	1	2	7	11	15	18	22
2. MULTIPLE DX										
A. Not Operated	1665	8.3	49	3	4	7	10	15	20	39
B. Operated	285	13.9	232	3	5	9	17	29	58	99 +
1. SINGLE DX	830	6.3	20	2	4	5	8	11	13	21
2. MULTIPLE DX	1950	9.1	79	3	5	7	11	17	23	59
A. Not Operated	2457	7.6	40	3	4	6	9	14	18	33
B. Operated	323	13.1	212	3	5	9	16	27	53	99 +
TOTAL										
0-19 YRS	23	5.7	16	2	3	5	8	10	13	18
20-34	706	7.8	52	2	4	6	9	14	18	33
35-49	1400	8.2	64	3	4	6	10	15	20	52
50-64	520	8.9	70	3	5	7	11	17	22	67
65 +	131	9.8	86	3	4	7	12	21	27	52
GRAND TOTAL	**2780**	**8.3**	**63**	**3**	**4**	**6**	**10**	**15**	**20**	**52**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1972	3.0	9	1	1	2	3	6	8	14
20-34	685	2.9	6	1	1	2	3	6	8	13
35-49	388	3.1	7	1	1	2	4	6	8	14
50-64	221	3.4	10	1	2	2	4	6	9	16
65 +	127	3.4	8	1	2	3	4	7	9	16
B. Operated										
0-19 YRS	82	11.2	109	2	5	8	13	23	34	54
20-34	51	9.6	60	2	3	8	11	22	26	34
35-49	33	7.7	37	1	2	8	11	17	18	27
50-64	6	4.2	9	1	2	3	6	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3998	4.1	22	1	2	3	5	8	11	22
20-34	1746	4.5	26	1	2	3	5	9	13	25
35-49	1718	5.0	38	1	2	3	6	10	14	30
50-64	1685	5.6	32	1	2	4	7	11	15	31
65 +	2917	7.0	58	2	3	5	8	14	19	48
B. Operated										
0-19 YRS	360	13.7	228	2	4	9	18	33	51	99 +
20-34	187	9.5	112	2	3	7	11	20	30	53
35-49	198	10.2	154	2	3	6	12	23	31	84
50-64	198	13.9	258	3	5	9	16	33	48	99
65 +	323	17.3	258	4	7	12	23	41	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3393	3.0	8	1	1	2	4	6	8	14
B. Operated	172	9.8	79	2	4	8	12	21	27	48
2. MULTIPLE DX										
A. Not Operated	12064	5.2	36	1	2	3	6	10	15	31
B. Operated	1266	13.5	219	2	4	9	17	31	47	99 +
1. SINGLE DX	3565	3.4	14	1	1	2	4	7	10	18
2. MULTIPLE DX	13330	6.0	59	1	2	4	7	12	18	44
A. Not Operated	15457	4.7	31	1	2	3	6	9	13	28
B. Operated	1438	13.0	204	2	4	9	17	30	45	99
TOTAL										
0-19 YRS	6412	4.4	37	1	2	3	5	9	13	31
20-34	2669	4.5	30	1	2	3	5	9	13	29
35-49	2337	5.2	45	1	2	3	6	11	15	32
50-64	2110	6.1	57	1	2	4	7	12	18	41
65 +	3367	7.8	85	2	3	5	9	16	24	64
GRAND TOTAL	**16895**	**5.4**	**51**	**1**	**2**	**3**	**6**	**11**	**16**	**39**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	526	3.6	18	1	1	2	4	7	10	21
20-34	288	3.7	20	1	2	3	4	7	10	19
35-49	256	3.5	11	1	2	3	4	7	9	14
50-64	147	4.9	33	1	1	3	6	11	15	25
65 +	164	7.0	100	1	2	4	8	15	23	41
B. Operated										
0-19 YRS	817	4.8	29	< 1	1	3	6	10	15	28
20-34	257	4.3	16	1	1	3	6	9	12	21
35-49	261	4.3	13	1	1	3	6	9	11	17
50-64	151	4.7	15	1	1	4	6	9	12	18
65 +	149	5.9	18	1	3	5	8	12	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1319	5.7	71	1	2	3	6	13	19	51
20-34	777	6.4	87	1	2	4	7	14	27	99 +
35-49	898	6.2	68	1	2	4	7	13	19	59
50-64	992	8.4	95	2	3	6	10	18	27	95
65 +	3065	9.5	102	2	4	7	11	20	31	99
B. Operated										
0-19 YRS	1874	9.1	130	1	3	6	10	23	34	99 +
20-34	586	9.5	127	2	3	7	11	21	39	99 +
35-49	738	10.8	184	1	3	7	13	24	42	91
50-64	731	11.5	179	1	4	7	14	26	46	99 +
65 +	1401	14.4	201	3	6	10	18	33	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1381	4.2	30	1	1	3	5	8	12	24
B. Operated	1635	4.7	22	1	1	3	6	10	13	25
2. MULTIPLE DX										
A. Not Operated	7051	7.9	92	2	3	5	9	17	27	86
B. Operated	5330	11.1	167	2	3	7	14	27	42	99 +
1. SINGLE DX	3016	4.5	26	1	1	3	5	9	13	24
2. MULTIPLE DX	12381	9.3	127	2	3	6	11	21	34	99 +
A. Not Operated	8432	7.3	84	1	2	5	9	16	24	75
B. Operated	6965	9.6	140	1	3	6	12	23	36	98
TOTAL										
0-19 YRS	4536	6.7	86	1	2	4	7	15	25	74
20-34	1908	6.7	84	1	2	4	8	14	23	89
35-49	2153	7.2	102	1	2	4	8	15	24	74
50-64	2021	9.0	120	1	3	6	11	20	33	99 +
65 +	4779	10.7	134	2	4	7	13	24	36	99 +
GRAND TOTAL	**15397**	**8.3**	**111**	**1**	**3**	**5**	**10**	**19**	**30**	**87**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	315	2.2	4	1	1	2	3	4	5	9
20-34	658	2.9	5	1	1	2	4	6	7	11
35-49	597	2.8	5	1	1	2	4	5	7	11
50-64	131	2.6	3	1	1	2	3	5	6	9
65 +	22	2.4	2	< 1	1	2	3	4	5	6
B. Operated										
0-19 YRS	10	3.1	7	1	1	2	4	7	10	10
20-34	39	3.0	4	1	1	3	4	6	7	8
35-49	32	3.1	8	1	1	2	4	6	11	12
50-64	14	4.4	14	1	2	3	6	12	12	12
65 +	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	366	3.0	7	1	1	2	4	6	7	14
20-34	1092	4.4	16	1	2	3	5	9	12	20
35-49	1278	4.6	15	1	2	3	6	9	11	19
50-64	547	4.5	13	1	2	3	6	9	12	17
65 +	270	4.3	10	1	2	3	6	9	10	17
B. Operated										
0-19 YRS	13	5.0	11	2	3	4	6	9	13	14
20-34	62	5.0	22	1	2	3	7	10	14	25
35-49	131	5.7	38	1	3	4	7	10	15	25
50-64	33	5.7	37	2	2	4	7	9	18	33
65 +	19	9.1	101	2	3	4	10	19	34	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1723	2.7	4	1	1	2	3	5	7	11
B. Operated	98	3.2	7	1	1	2	4	7	9	12
2. MULTIPLE DX										
A. Not Operated	3553	4.3	14	1	2	3	6	9	11	18
B. Operated	258	5.8	37	1	2	4	7	11	15	32
1. SINGLE DX	1821	2.7	4	1	1	2	3	5	7	11
2. MULTIPLE DX	3811	4.4	16	1	2	3	6	9	11	19
A. Not Operated	5276	3.8	11	1	2	3	5	8	10	17
B. Operated	356	5.1	30	1	2	3	6	10	14	26
TOTAL										
0-19 YRS	704	2.7	6	1	1	2	3	5	7	12
20-34	1851	3.9	12	1	2	3	5	8	10	18
35-49	2038	4.1	14	1	2	3	5	8	10	17
50-64	725	4.2	13	1	2	3	5	9	12	17
65 +	314	4.5	17	1	2	3	6	9	11	19
GRAND TOTAL	**5632**	**3.9**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	6	2.2	1	< 1	1	2	3	3	3	3
50-64	6	1.5		< 1	1	1	2	2	2	2
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	10	1.4		< 1	1	1	2	3	3	3
20-34	125	1.1		< 1	< 1	< 1	1	1	2	4
35-49	261	1.2	1	< 1	< 1	< 1	1	1	2	6
50-64	166	1.1		< 1	< 1	< 1	< 1	1	2	4
65 +	130	1.0		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	4.1	38	1	1	2	3	15	18	18
35-49	10	4.6	41	< 1	1	2	4	15	21	21
50-64	20	3.7	8	1	2	3	5	7	10	12
65 +	24	4.0	7	1	2	3	5	8	10	11
B. Operated										
0-19 YRS	15	2.1	6	1	1	1	2	3	9	11
20-34	75	2.4	9	< 1	1	1	3	4	7	19
35-49	202	2.4	26	< 1	1	1	2	4	9	15
50-64	177	2.1	4	< 1	1	1	2	5	6	11
65 +	187	2.3	16	< 1	< 1	1	2	4	7	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.5	5	< 1	1	2	3	4	9	10
B. Operated	692	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	62	3.9	15	1	1	3	5	8	11	21
B. Operated	656	2.3	15	< 1	1	1	2	4	7	14
1. SINGLE DX	706	1.2	1	< 1	< 1	< 1	1	1	2	5
2. MULTIPLE DX	718	2.5	15	< 1	1	1	2	5	8	15
A. Not Operated	76	3.7	13	1	1	3	4	8	11	20
B. Operated	1348	1.7	8	< 1	< 1	1	1	3	4	11
TOTAL										
0-19 YRS	27	2.1	6	< 1	1	1	2	3	10	11
20-34	207	1.7	5	< 1	< 1	1	1	3	4	14
35-49	479	1.8	13	< 1	< 1	1	1	3	4	14
50-64	369	1.8	3	< 1	< 1	1	2	3	5	10
65 +	342	2.0	10	< 1	< 1	1	2	4	6	11
GRAND TOTAL	**1424**	**1.8**	**8**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**12**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	155	5.0	17	1	2	4	6	11	13	18
20-34	159	5.4	39	1	2	3	6	13	19	33
35-49	200	4.6	26	1	2	3	5	10	14	23
50-64	126	4.0	20	1	1	2	5	10	12	25
65 +	84	4.1	18	1	2	3	5	7	12	24
B. Operated										
0-19 YRS	172	4.3	32	< 1	1	2	5	11	17	29
20-34	574	2.9	12	1	1	2	3	5	7	17
35-49	697	2.7	7	< 1	1	2	4	5	7	15
50-64	390	2.9	9	< 1	1	2	4	6	8	17
65 +	181	2.8	9	1	1	2	3	6	8	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	200	8.6	120	1	2	5	10	20	33	69
20-34	258	6.0	40	1	2	4	7	11	18	34
35-49	501	6.0	43	1	2	4	8	13	19	37
50-64	620	6.6	73	1	2	4	8	14	19	43
65 +	1054	7.0	57	2	3	5	8	14	19	39
B. Operated										
0-19 YRS	174	7.5	128	1	2	4	7	23	37	93
20-34	504	5.3	68	1	2	3	5	12	20	63
35-49	781	5.5	58	1	2	3	6	14	21	40
50-64	665	6.7	109	1	1	3	7	17	26	67
65 +	787	8.9	125	1	2	5	11	22	37	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	724	4.7	25	1	2	3	6	11	14	26
B. Operated	2014	2.9	11	1	1	2	4	6	8	18
2. MULTIPLE DX										
A. Not Operated	2633	6.7	62	1	2	4	8	14	20	41
B. Operated	2911	6.8	96	1	2	3	7	18	27	83
1. SINGLE DX	2738	3.4	15	1	1	2	4	7	11	21
2. MULTIPLE DX	5544	6.7	79	1	2	4	8	16	23	63
A. Not Operated	3357	6.3	54	1	2	4	8	13	18	39
B. Operated	4925	5.2	65	1	1	3	5	12	20	53
TOTAL										
0-19 YRS	701	6.5	81	1	2	3	7	15	25	54
20-34	1495	4.5	40	1	1	3	5	9	14	34
35-49	2179	4.6	37	1	1	3	5	10	16	33
50-64	1801	5.6	71	1	1	3	6	12	20	49
65 +	2106	7.2	80	1	2	5	9	17	24	76
GRAND TOTAL	**8282**	**5.6**	**61**	**1**	**2**	**3**	**6**	**13**	**19**	**48**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5	1	< 1	< 1	< 1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	6	1.8	3	1	1	1	2	5	5	5
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	164	2.0	1	1	1	2	2	3	4	7
20-34	301	2.1	2	1	1	2	3	4	5	7
35-49	395	2.1	1	1	1	2	3	3	4	7
50-64	735	2.1	1	1	1	2	3	3	4	6
65 +	623	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	1.1		< 1	< 1	1	1	2	2	2
20-34	10	1.5	2	< 1	< 1	1	1	3	5	5
35-49	11	1.5		< 1	1	1	2	3	3	3
50-64	17	1.4	1	< 1	< 1	1	1	3	4	4
65 +	23	1.7	1	< 1	1	1	2	3	4	4
B. Operated										
0-19 YRS	222	2.3	2	1	1	2	3	4	5	8
20-34	407	2.4	2	1	1	2	3	4	5	9
35-49	578	2.6	4	1	1	2	3	5	6	10
50-64	1306	2.6	4	1	2	2	3	4	6	9
65 +	1958	2.8	4	1	2	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.8	2	< 1	< 1	1	3	3	5	5
B. Operated	2218	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	75	1.5	1	< 1	< 1	1	2	3	4	5
B. Operated	4471	2.6	4	1	2	2	3	4	6	9
1. SINGLE DX	2232	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX	4546	2.6	4	1	2	2	3	4	6	9
A. Not Operated	89	1.5	1	< 1	< 1	1	2	3	4	5
B. Operated	6689	2.5	3	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	404	2.1	2	1	1	2	3	4	4	8
20-34	719	2.3	2	1	1	2	3	4	5	8
35-49	985	2.4	3	1	1	2	3	4	5	8
50-64	2064	2.4	3	1	1	2	3	4	5	8
65 +	2606	2.6	4	1	2	2	3	4	5	9
GRAND TOTAL	**6778**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64	11	1.5		1	1	1	2	3	3	3
65 +	20	1.8	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	16	1.5	1	< 1	1	1	2	3	3	3
20-34	25	1.8	1	1	1	1	2	3	4	6
35-49	47	2.2	2	1	1	2	3	4	5	6
50-64	76	2.6	4	1	1	2	3	7	7	9
65 +	158	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	8	< 1	< 1	< 1	5	6	6	6
20-34	4	2.5	4	1	1	2	4	5	5	5
35-49	7	1.6	1	< 1	1	1	2	4	4	4
50-64	23	3.0	4	1	2	2	4	6	7	7
65 +	66	3.6	56	1	1	2	4	6	8	53
B. Operated										
0-19 YRS	21	2.3	5	1	1	2	2	4	8	11
20-34	21	3.5	21	1	1	2	3	7	14	22
35-49	56	3.1	8	1	1	2	4	6	8	16
50-64	179	3.3	9	1	2	2	4	7	10	15
65 +	600	3.4	11	1	2	2	4	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	1.7	1	1	1	1	2	3	3	3
B. Operated	322	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	103	3.2	37	1	1	2	4	6	7	34
B. Operated	877	3.4	11	1	2	2	4	7	10	17
1. SINGLE DX	360	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	980	3.3	13	1	1	2	4	7	9	17
A. Not Operated	141	2.8	28	1	1	2	3	5	6	15
B. Operated	1199	3.0	9	1	1	2	3	6	8	15
TOTAL										
0-19 YRS	41	2.0	4	< 1	1	1	2	3	6	11
20-34	52	2.5	10	1	1	2	3	5	6	22
35-49	114	2.6	5	1	1	2	3	5	6	14
50-64	289	3.0	7	1	1	2	3	7	8	13
65 +	844	3.1	13	1	1	2	4	6	9	16
GRAND TOTAL	**1340**	**3.0**	**11**	**1**	**1**	**2**	**3**	**6**	**8**	**15**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	3	1.7		< 1	< 1	2	2	2	2	2
35-49	3	2.7	4	< 1	< 1	2	4	5	5	5
50-64	5	2.2	1	1	1	2	3	4	4	4
65 +	12	1.8	3	< 1	1	1	2	4	7	7
B. Operated										
0-19 YRS	24	1.9	2	< 1	< 1	1	2	4	5	5
20-34	23	2.8	7	1	1	2	4	7	9	9
35-49	22	3.5	15	1	1	2	5	7	13	17
50-64	59	2.5	6	1	1	1	3	6	8	13
65 +	129	2.1	4	< 1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.6	1	< 1	< 1	1	2	3	3	3
20-34	6	2.0	1	< 1	1	2	3	3	3	3
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64	9	2.8	4	1	2	2	3	6	8	8
65 +	41	2.4	3	1	1	2	3	5	6	8
B. Operated										
0-19 YRS	25	3.0	21	< 1	1	1	3	5	12	23
20-34	34	3.4	8	1	2	3	4	7	10	13
35-49	65	3.0	6	1	1	2	4	6	8	13
50-64	141	3.9	26	1	1	2	4	9	12	22
65 +	360	3.2	10	1	1	2	4	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	1.7	2	< 1	< 1	1	2	3	5	7
B. Operated	257	2.4	5	< 1	1	1	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	69	2.3	2	1	1	2	3	4	5	8
B. Operated	625	3.3	14	1	1	2	4	7	10	16
1. SINGLE DX	289	2.3	5	< 1	1	1	3	5	6	12
2. MULTIPLE DX	694	3.2	13	1	1	2	4	7	10	16
A. Not Operated	101	2.1	2	< 1	1	2	2	4	5	8
B. Operated	882	3.0	11	1	1	2	4	6	9	16
TOTAL										
0-19 YRS	66	2.2	9	< 1	< 1	1	2	4	5	21
20-34	66	3.0	6	1	1	2	4	7	9	13
35-49	95	3.1	8	1	1	2	4	6	8	15
50-64	214	3.4	19	1	1	2	4	8	11	17
65 +	542	2.8	8	1	1	2	3	6	8	15
GRAND TOTAL	**983**	**2.9**	**11**	**1**	**1**	**2**	**3**	**6**	**9**	**15**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	65	1.3	1	< 1	< 1	1	1	2	3	6
20-34	16	1.6	1	< 1	1	1	2	3	4	4
35-49	51	1.1		< 1	< 1	< 1	< 1	1	2	2
50-64	277	1.1		< 1	< 1	< 1	< 1	1	1	2
65 +	1609	1.1		< 1	< 1	< 1	< 1	1	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	5	1.0		< 1	< 1	< 1	1	1	1	1
50-64	19	2.4	7	< 1	1	1	3	8	9	9
65 +	65	3.0	18	< 1	< 1	1	3	8	10	25
B. Operated										
0-19 YRS	71	2.0	3	< 1	1	1	2	5	7	9
20-34	63	2.0	4	1	1	1	2	3	4	14
35-49	98	2.2	6	1	1	2	2	3	5	16
50-64	454	1.9	9	< 1	1	1	2	3	4	10
65 +	2577	1.8	9	< 1	1	1	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	13	1	1	3	6	6	6	6
B. Operated	2018	1.1		< 1	< 1	< 1	< 1	1	2	3
2. MULTIPLE DX										
A. Not Operated	96	2.7	14	< 1	< 1	1	2	8	9	21
B. Operated	3263	1.9	9	< 1	1	1	2	3	4	9
1. SINGLE DX	2020	1.1		< 1	< 1	< 1	< 1	1	2	3
2. MULTIPLE DX	3359	1.9	9	< 1	1	1	2	3	4	9
A. Not Operated	98	2.7	14	< 1	< 1	1	2	8	9	21
B. Operated	5281	1.6	6	< 1	< 1	1	2	2	3	8
TOTAL										
0-19 YRS	142	1.7	2	< 1	1	1	2	3	6	7
20-34	82	1.9	3	1	1	1	2	3	4	12
35-49	154	1.8	4	< 1	< 1	1	2	3	3	15
50-64	750	1.6	6	< 1	< 1	1	2	2	4	9
65 +	4251	1.6	6	< 1	< 1	1	2	2	3	8
GRAND TOTAL	**5379**	**1.6**	**6**	**< 1**	**< 1**	**1**	**2**	**2**	**3**	**8**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.9	2	< 1	1	1	2	4	5	5
20-34	12	3.3	5	1	2	3	4	7	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	6	2.7	3	< 1	1	2	4	5	5	5
65 +	4	2.8	3	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	950	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	43	1.2	1	< 1	< 1	1	1	1	2	6
35-49	39	1.5	1	< 1	< 1	1	1	3	5	6
50-64	17	1.6	1	< 1	1	1	2	4	4	4
65 +	11	1.9	3	< 1	1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	2.5	5	< 1	1	2	3	5	6	12
20-34	14	4.3	21	1	1	3	4	12	15	16
35-49	34	4.6	40	1	2	3	5	8	10	38
50-64	60	4.7	7	2	3	4	6	9	10	13
65 +	88	4.2	9	2	2	3	5	8	12	15
B. Operated										
0-19 YRS	353	1.2	1	< 1	< 1	< 1	1	1	2	5
20-34	28	1.5	1	< 1	< 1	1	2	3	4	5
35-49	32	4.5	146	< 1	1	1	3	7	18	68
50-64	23	4.5	22	< 1	1	2	7	11	15	18
65 +	47	5.9	50	1	1	2	8	17	19	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	2.6	3	1	1	2	4	5	6	8
B. Operated	1060	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated	239	4.1	13	1	2	3	5	8	10	15
B. Operated	483	2.1	19	< 1	< 1	1	1	3	7	18
1. SINGLE DX	1098	1.1		< 1	< 1	< 1	< 1	1	2	4
2. MULTIPLE DX	722	2.7	18	< 1	< 1	1	3	6	9	18
A. Not Operated	277	3.9	12	1	2	3	5	8	10	15
B. Operated	1543	1.4	6	< 1	< 1	< 1	1	1	2	10
TOTAL										
0-19 YRS	1361	1.1		< 1	< 1	< 1	< 1	1	2	4
20-34	97	2.0	5	< 1	< 1	1	2	4	6	14
35-49	106	3.4	58	< 1	1	1	3	6	8	51
50-64	106	4.0	10	1	2	3	5	9	10	15
65 +	150	4.5	23	1	2	3	5	9	15	22
GRAND TOTAL	**1820**	**1.8**	**8**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**	**13**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	265	2.4	4	<1	<1	2	3	5	6	8
20-34	60	4.0	6	2	2	3	5	8	9	10
35-49	29	4.3	6	2	3	4	6	8	9	11
50-64	29	4.4	9	1	2	4	5	10	11	13
65+	29	5.7	19	1	3	5	7	9	18	20
B. Operated										
0-19 YRS	203	1.7	6	<1	<1	<1	1	3	6	16
20-34	123	1.6	1	<1	1	1	2	3	4	5
35-49	140	1.8	3	<1	1	1	2	3	4	10
50-64	151	1.6	3	<1	1	1	2	3	3	13
65+	305	1.8	2	<1	1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	460	3.7	11	1	2	3	5	6	8	14
20-34	85	5.4	23	2	2	4	7	10	13	28
35-49	66	5.8	16	2	3	5	8	12	13	20
50-64	67	5.6	14	1	3	5	8	10	13	20
65+	178	6.8	51	1	3	5	8	13	17	41
B. Operated										
0-19 YRS	174	3.2	24	<1	1	1	3	7	11	30
20-34	157	3.6	40	1	1	2	3	7	12	40
35-49	235	3.5	38	1	1	2	3	7	13	35
50-64	365	2.7	15	1	1	2	3	5	9	17
65+	1424	2.7	9	1	1	2	3	5	6	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	412	3.2	7	<1	1	2	4	6	8	13
B. Operated	922	1.7	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	856	4.8	23	1	2	4	6	9	12	21
B. Operated	2355	2.9	16	1	1	2	3	5	8	21
1. SINGLE DX	1334	2.2	5	<1	1	1	3	4	6	11
2. MULTIPLE DX	3211	3.4	19	1	1	2	4	7	10	21
A. Not Operated	1268	4.3	18	1	2	3	5	8	11	19
B. Operated	3277	2.5	13	<1	1	2	3	4	7	19
TOTAL										
0-19 YRS	1102	3.0	11	<1	1	2	4	6	8	17
20-34	425	3.4	22	1	1	2	4	8	10	23
35-49	470	3.3	24	1	1	2	4	8	11	21
50-64	612	2.9	13	1	1	2	3	7	9	16
65+	1936	3.0	14	1	1	2	3	6	8	19
GRAND TOTAL	**4545**	**3.0**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**19**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1125	3.2	3	1	2	3	4	5	7	10
20-34	105	3.5	6	1	2	3	4	6	7	15
35-49	67	3.5	4	1	2	3	5	6	7	9
50-64	47	3.4	5	<1	2	3	5	7	8	9
65+	38	4.1	12	1	2	3	5	9	12	15
B. Operated										
0-19 YRS	223	2.0	4	1	1	1	2	3	5	11
20-34	72	2.6	5	1	1	2	3	5	7	13
35-49	65	2.8	6	1	1	2	3	7	9	11
50-64	127	1.8	3	1	1	1	2	3	5	11
65+	244	2.0	3	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1714	3.6	6	2	2	3	5	7	8	12
20-34	204	4.5	15	1	2	4	6	8	12	16
35-49	184	4.7	12	1	2	4	6	8	12	18
50-64	193	4.7	14	1	2	4	6	9	12	20
65+	325	5.3	17	1	3	4	7	10	12	23
B. Operated										
0-19 YRS	345	5.6	40	1	2	3	8	12	16	32
20-34	368	3.5	14	1	1	2	4	8	14	18
35-49	385	4.2	31	1	1	2	4	10	15	27
50-64	630	3.4	16	1	1	2	4	7	11	21
65+	1290	3.5	25	1	1	2	4	7	11	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1382	3.3	4	1	2	3	4	6	7	10
B. Operated	731	2.1	4	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	2620	4.2	9	2	2	3	5	8	10	15
B. Operated	3018	3.8	25	1	1	2	4	8	12	24
1. SINGLE DX	2113	2.9	4	1	1	2	3	5	7	11
2. MULTIPLE DX	5638	4.0	18	1	2	3	5	8	11	21
A. Not Operated	4002	3.9	8	2	2	3	5	7	9	14
B. Operated	3749	3.5	21	1	1	2	4	8	11	22
TOTAL										
0-19 YRS	3407	3.7	9	1	2	3	4	7	9	14
20-34	749	3.7	13	1	2	3	4	8	11	17
35-49	701	4.1	21	1	2	3	5	8	14	23
50-64	997	3.4	14	1	1	2	4	7	10	19
65+	1897	3.6	22	1	1	2	4	8	11	21
GRAND TOTAL	**7751**	**3.7**	**14**	**1**	**2**	**3**	**4**	**7**	**10**	**18**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.5	11	1	1	2	2	4	11	15
20-34	14	2.2	3	1	1	2	2	5	7	7
35-49	11	2.9	5	1	1	2	4	7	7	7
50-64	11	1.5	1	< 1	1	1	2	3	3	3
65 +	6	1.5	2	< 1	1	1	1	4	4	4
B. Operated										
0-19 YRS	21	1.2		< 1	< 1	1	1	2	3	3
20-34	11	1.6	1	1	1	1	2	3	5	5
35-49	11	2.2	3	1	1	2	2	5	6	6
50-64	10	2.2	2	1	1	2	3	4	5	5
65 +	4	1.3		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.3	2	< 1	1	2	3	4	6	7
20-34	36	2.8	3	1	1	3	4	5	7	8
35-49	51	4.4	13	1	2	3	6	9	12	15
50-64	65	3.9	14	1	2	3	4	8	11	20
65 +	91	3.9	6	2	2	3	5	7	8	13
B. Operated										
0-19 YRS	25	2.0	6	< 1	1	1	2	3	6	13
20-34	35	2.4	12	1	1	1	3	3	7	21
35-49	33	1.9	3	1	1	1	2	4	5	9
50-64	37	3.6	6	1	2	3	6	8	8	9
65 +	62	2.9	11	1	1	2	3	7	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	2.2	5	1	1	2	2	4	7	14
B. Operated	57	1.7	1	< 1	1	1	2	3	5	6
2. MULTIPLE DX										
A. Not Operated	295	3.6	8	1	2	3	4	7	8	16
B. Operated	192	2.7	8	1	1	2	3	6	8	16
1. SINGLE DX	116	2.0	3	< 1	1	1	2	4	5	10
2. MULTIPLE DX	487	3.2	8	1	1	2	4	7	8	16
A. Not Operated	354	3.3	8	1	1	3	4	7	8	15
B. Operated	249	2.4	7	1	1	2	3	5	7	14
TOTAL										
0-19 YRS	115	2.1	4	< 1	1	1	3	4	5	14
20-34	96	2.4	6	1	1	2	3	4	7	15
35-49	106	3.2	9	1	1	2	4	8	9	15
50-64	123	3.5	10	1	2	3	4	7	8	19
65 +	163	3.4	8	1	1	2	4	7	8	14
GRAND TOTAL	**603**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1010	2.7	3	1	2	2	3	4	6	10
20-34	13	2.5	2	1	1	2	3	5	5	5
35-49	8	3.4	9	1	1	2	6	8	8	8
50-64	5	4.2	9	2	2	3	6	9	9	9
65 +	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	3699	1.1	1	< 1	< 1	< 1	< 1	1	1	4
20-34	109	1.2	1	< 1	1	1	1	2	3	6
35-49	109	1.2	1	< 1	1	1	1	2	2	6
50-64	93	1.2		1	1	1	1	2	2	5
65 +	53	1.2		< 1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3437	3.0	6	1	2	3	4	5	7	12
20-34	77	4.8	27	1	2	3	5	10	15	31
35-49	57	4.9	44	1	2	4	6	8	10	47
50-64	38	4.4	11	1	2	4	5	8	12	16
65 +	40	6.6	58	2	3	4	7	14	22	42
B. Operated										
0-19 YRS	2910	1.8	6	< 1	< 1	1	1	3	6	12
20-34	281	1.4	1	1	1	1	1	2	3	6
35-49	260	1.6	4	1	1	1	1	2	4	10
50-64	221	1.6	2	1	1	1	2	2	4	10
65 +	163	1.8	6	1	1	1	2	3	5	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1038	2.7	3	1	2	2	3	4	6	10
B. Operated	4063	1.1	1	< 1	< 1	< 1	< 1	1	1	4
2. MULTIPLE DX										
A. Not Operated	3649	3.2	8	1	2	3	4	5	7	13
B. Operated	3835	1.7	5	< 1	1	1	1	3	5	11
1. SINGLE DX	5101	1.4	2	< 1	< 1	< 1	1	3	4	7
2. MULTIPLE DX	7484	2.4	7	< 1	1	2	3	5	6	12
A. Not Operated	4687	3.1	7	1	2	3	4	5	7	12
B. Operated	7898	1.4	3	< 1	< 1	< 1	1	2	3	9
TOTAL										
0-19 YRS	11056	2.0	5	< 1	< 1	1	2	4	5	10
20-34	480	1.9	7	1	1	1	2	4	5	12
35-49	434	2.0	10	1	1	1	2	4	6	11
50-64	357	1.8	4	1	1	1	2	3	5	11
65 +	258	2.4	16	1	1	1	2	5	9	19
GRAND TOTAL	**12585**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**11**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	336	3.2	4	1	2	3	4	5	7	14
20-34	79	3.6	5	2	2	3	4	6	8	13
35-49	66	3.5	3	2	2	3	4	6	6	10
50-64	17	3.5	2	2	3	3	4	6	7	7
65 +	10	4.0	4	2	2	3	5	7	8	8
B. Operated										
0-19 YRS	280	2.3	7	< 1	< 1	1	3	5	8	14
20-34	56	2.4	7	1	1	1	3	5	8	15
35-49	41	2.0	7	1	1	1	1	4	10	12
50-64	32	3.4	13	1	1	2	4	9	13	14
65 +	26	1.8	3	< 1	1	1	2	4	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	907	3.6	6	1	2	3	4	6	8	14
20-34	164	4.4	8	2	3	4	5	7	9	15
35-49	170	4.7	10	2	3	4	6	8	11	17
50-64	112	6.1	68	2	3	4	6	9	13	52
65 +	142	7.7	35	3	4	6	10	13	20	36
B. Operated										
0-19 YRS	549	4.3	28	1	1	2	6	11	14	21
20-34	127	4.0	26	1	1	2	4	11	15	27
35-49	145	4.0	44	1	1	2	4	9	14	40
50-64	113	4.6	38	1	1	2	5	11	19	30
65 +	124	7.9	121	1	1	3	9	21	39	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	508	3.3	4	1	2	3	4	5	7	13
B. Operated	435	2.4	7	< 1	< 1	1	3	5	9	14
2. MULTIPLE DX										
A. Not Operated	1495	4.4	16	2	2	3	5	8	10	20
B. Operated	1058	4.7	43	1	1	2	6	11	16	39
1. SINGLE DX	943	2.9	6	< 1	1	2	4	5	7	13
2. MULTIPLE DX	2553	4.5	27	1	2	3	5	9	13	27
A. Not Operated	2003	4.1	13	1	2	3	5	7	10	17
B. Operated	1493	4.0	34	< 1	1	2	5	10	14	31
TOTAL										
0-19 YRS	2072	3.6	12	1	1	3	4	7	10	17
20-34	426	3.8	13	1	2	3	5	7	11	19
35-49	422	4.0	21	1	1	3	5	8	11	21
50-64	274	5.0	46	1	2	3	6	9	15	35
65 +	302	7.1	69	1	2	5	9	15	23	43
GRAND TOTAL	**3496**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.3	2	1	1	2	3	4	5	5
20-34	106	2.5	3	1	1	2	3	4	5	9
35-49	205	2.3	3	1	1	2	3	5	6	8
50-64	258	2.4	2	1	1	2	3	5	5	7
65 +	265	2.9	4	1	2	2	4	5	7	12
B. Operated										
0-19 YRS	40	1.4	2	< 1	1	1	1	3	5	6
20-34	41	2.5	6	1	1	1	3	6	7	11
35-49	115	1.9	3	1	1	1	2	5	6	7
50-64	87	2.1	4	1	1	1	3	5	6	10
65 +	59	2.1	2	1	1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.8	3	1	2	2	3	5	7	9
20-34	193	3.1	5	1	2	2	4	6	7	12
35-49	552	3.4	7	1	2	3	4	6	8	13
50-64	1207	3.4	5	1	2	3	4	6	8	13
65 +	2931	4.0	13	1	2	3	5	7	9	17
B. Operated										
0-19 YRS	44	2.0	5	1	1	1	2	4	7	11
20-34	46	3.1	5	1	1	2	4	7	8	9
35-49	106	3.9	15	1	2	3	5	8	10	22
50-64	119	4.2	16	1	1	3	6	8	11	23
65 +	182	6.5	40	1	2	5	9	13	18	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	856	2.5	3	1	1	2	3	5	6	9
B. Operated	342	2.0	3	1	1	1	2	5	6	7
2. MULTIPLE DX										
A. Not Operated	4925	3.7	10	1	2	3	5	7	9	14
B. Operated	497	4.7	25	1	2	3	6	9	13	24
1. SINGLE DX	1198	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX	5422	3.8	12	1	2	3	5	7	9	16
A. Not Operated	5781	3.6	9	1	2	3	4	7	8	14
B. Operated	839	3.6	18	1	1	2	5	8	11	20
TOTAL										
0-19 YRS	148	2.1	3	1	1	1	3	4	6	9
20-34	386	2.9	5	1	1	2	4	6	7	11
35-49	978	3.0	7	1	1	2	4	6	7	12
50-64	1671	3.2	6	1	2	3	4	6	7	12
65 +	3437	4.0	14	1	2	3	5	7	9	18
GRAND TOTAL	**6620**	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**8**	**14**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	10	1.2		< 1	1	1	1	2	2	2
20-34	145	1.3		1	1	1	1	2	2	4
35-49	232	1.2		1	1	1	1	2	2	3
50-64	154	1.3	1	1	1	1	1	2	2	5
65 +	81	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	2	10.0		10	10	10	10	10	10	10
65 +	0									
B. Operated										
0-19 YRS	9	1.3	1	1	1	1	2	3	3	3
20-34	72	1.2		1	1	1	1	2	2	3
35-49	134	1.3		1	1	1	1	2	2	4
50-64	114	1.4	1	1	1	1	1	2	3	8
65 +	70	1.3		1	1	1	2	2	2	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.2		1	1	1	1	2	3	3
B. Operated	622	1.3		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	4	5.5	27	< 1	< 1	5	10	10	10	10
B. Operated	399	1.3	1	1	1	1	1	2	2	3
1. SINGLE DX	632	1.3		1	1	1	1	2	2	3
2. MULTIPLE DX	403	1.3	1	1	1	1	1	2	2	7
A. Not Operated	14	2.4	11	< 1	1	1	1	10	10	10
B. Operated	1021	1.3		1	1	1	1	2	2	3
TOTAL										
0-19 YRS	20	1.3		1	1	1	1	2	3	3
20-34	218	1.2		1	1	1	1	2	2	4
35-49	373	1.2		1	1	1	1	2	2	3
50-64	271	1.4	1	1	1	1	1	2	2	9
65 +	153	1.3		1	1	1	2	2	2	3
GRAND TOTAL	**1035**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**2**	**4**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	2.8	9	< 1	< 1	1	4	7	11	13
20-34	17	3.1	7	1	1	2	4	8	9	9
35-49	18	5.2	16	2	2	4	7	8	14	18
50-64	17	2.5	3	1	1	2	4	5	6	6
65 +	3	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	973	1.2	1	< 1	1	1	1	1	2	4
20-34	249	1.3	1	< 1	1	1	1	2	3	6
35-49	229	1.3	1	< 1	1	1	1	2	2	6
50-64	153	1.2	1	< 1	1	1	1	2	2	6
65 +	71	1.2		< 1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	3.4	9	< 1	1	2	5	8	10	13
20-34	26	3.3	6	< 1	1	3	6	7	7	8
35-49	30	4.1	6	1	2	3	6	8	8	9
50-64	56	4.0	6	1	2	4	6	8	9	10
65 +	74	4.2	7	1	2	3	5	8	9	14
B. Operated										
0-19 YRS	1064	1.5	3	1	1	1	1	2	4	10
20-34	323	1.6	4	1	1	1	1	2	4	12
35-49	353	1.6	3	1	1	1	1	2	4	11
50-64	293	1.6	4	1	1	1	1	3	5	10
65 +	221	2.4	27	1	1	1	2	5	7	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	3.3	9	< 1	1	2	4	7	9	16
B. Operated	1675	1.2	1	< 1	1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	264	3.8	7	1	2	3	5	8	9	12
B. Operated	2254	1.6	6	1	1	1	1	2	5	11
1. SINGLE DX	1768	1.3	2	< 1	1	1	1	2	3	7
2. MULTIPLE DX	2518	1.8	6	1	1	1	2	4	6	11
A. Not Operated	357	3.7	8	< 1	1	3	5	8	9	13
B. Operated	3929	1.4	4	< 1	1	1	1	2	3	9
TOTAL										
0-19 YRS	2153	1.4	3	< 1	1	1	1	2	4	9
20-34	615	1.6	3	1	1	1	1	2	5	9
35-49	630	1.7	4	1	1	1	2	3	5	10
50-64	519	1.8	4	1	1	1	2	4	6	9
65 +	369	2.6	19	1	1	1	3	5	7	16
GRAND TOTAL	**4286**	**1.6**	**4**	**< 1**	**1**	**1**	**1**	**3**	**5**	**10**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	87	5.2	13	2	3	4	7	10	14	17
20-34	15	5.1	9	2	3	4	8	9	11	11
35-49	7	4.0	8	1	2	2	7	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	20.0	361	1	6	20	34	39	39	39
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	7.1	28	2	3	6	9	14	19	25
20-34	32	4.8	7	2	3	5	6	9	10	11
35-49	21	6.5	16	2	3	5	9	12	14	15
50-64	20	6.5	38	2	3	5	8	12	21	29
65 +	27	8.5	19	3	5	7	12	15	16	17
B. Operated										
0-19 YRS	6	9.3	25	1	7	10	13	15	15	15
20-34	12	10.3	113	4	5	8	10	21	40	43
35-49	12	18.8	474	3	5	11	21	54	74	77
50-64	17	16.6	264	2	7	13	18	43	57	63
65 +	10	12.5	51	4	7	12	15	23	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	5.0	12	2	3	4	7	9	14	17
B. Operated	5	14.2	244	1	4	6	25	39	39	39
2. MULTIPLE DX										
A. Not Operated	202	6.8	24	2	3	6	9	13	16	25
B. Operated	57	14.3	214	3	7	11	15	30	45	76
1. SINGLE DX	116	5.4	23	2	3	4	7	10	14	26
2. MULTIPLE DX	259	8.4	75	2	4	6	10	15	21	46
A. Not Operated	313	6.2	20	2	3	5	8	12	15	23
B. Operated	62	14.3	212	3	6	10	15	33	45	75
TOTAL										
0-19 YRS	196	6.3	22	2	3	5	8	13	16	23
20-34	62	6.7	52	2	3	5	8	10	15	43
35-49	40	9.7	180	2	3	6	11	14	36	77
50-64	39	10.7	159	2	3	6	13	25	39	63
65 +	38	9.4	31	3	5	9	13	15	18	28
GRAND TOTAL	**375**	**7.5**	**61**	**2**	**3**	**6**	**9**	**14**	**18**	**44**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
20-34	7	7.0	62	1	3	4	8	21	24	24
35-49	9	3.4	9	< 1	1	2	5	8	10	10
50-64	6	5.5	14	1	3	4	9	11	11	11
65 +	9	3.9	9	1	1	3	6	8	10	10
B. Operated										
0-19 YRS	23	3.5	8	< 1	2	2	6	7	9	10
20-34	28	6.4	29	1	1	7	10	12	14	24
35-49	70	5.3	22	1	1	3	8	10	14	21
50-64	64	6.0	39	1	1	4	9	12	15	36
65 +	38	4.2	34	1	1	2	7	11	13	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	5.3	28	1	2	3	7	13	18	21
20-34	40	8.0	209	1	2	4	6	16	35	83
35-49	87	5.8	29	1	3	4	7	12	17	29
50-64	185	6.4	36	2	3	5	8	12	16	28
65 +	426	7.6	54	2	4	6	9	13	18	58
B. Operated										
0-19 YRS	43	10.3	300	1	1	3	12	21	40	97
20-34	108	9.9	61	1	5	8	12	19	32	34
35-49	407	10.1	124	1	3	9	12	18	25	68
50-64	798	10.5	95	1	3	9	14	20	25	57
65 +	1035	12.4	135	1	4	10	17	25	33	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.7	21	< 1	1	4	5	10	11	24
B. Operated	223	5.3	29	1	1	2	9	11	13	26
2. MULTIPLE DX										
A. Not Operated	757	7.0	54	2	3	5	9	13	18	49
B. Operated	2391	11.3	120	1	3	9	15	22	30	64
1. SINGLE DX	256	5.2	28	1	1	3	8	11	13	24
2. MULTIPLE DX	3148	10.2	107	1	3	8	13	20	28	59
A. Not Operated	790	6.9	53	2	3	5	8	13	17	45
B. Operated	2614	10.7	115	1	3	9	14	22	29	60
TOTAL										
0-19 YRS	87	7.3	164	1	2	2	8	17	22	83
20-34	183	8.8	89	1	3	7	10	19	31	37
35-49	573	8.8	100	1	2	8	11	16	22	58
50-64	1053	9.5	84	1	3	8	13	18	24	51
65 +	1508	10.8	115	1	3	9	14	22	29	63
GRAND TOTAL	**3404**	**9.9**	**103**	**1**	**3**	**8**	**13**	**20**	**27**	**58**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	3.3	8	1	2	3	4	6	12	12
20-34	58	2.6	3	1	1	2	3	5	7	8
35-49	306	2.9	5	1	1	2	4	5	7	10
50-64	342	3.0	5	1	2	2	4	6	7	12
65 +	183	3.0	5	1	2	2	4	6	7	11
B. Operated										
0-19 YRS	29	2.7	5	1	1	2	3	5	6	11
20-34	15	1.7	2	< 1	1	1	2	2	5	6
35-49	41	3.0	8	< 1	1	2	3	6	8	16
50-64	48	4.0	42	1	1	2	4	8	13	41
65 +	27	3.7	15	1	1	3	4	9	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	147	3.7	8	1	2	3	5	7	9	15
20-34	392	3.8	7	1	2	3	5	7	9	13
35-49	1611	3.9	9	1	2	3	5	7	9	14
50-64	2338	4.1	13	1	2	3	5	8	10	18
65 +	2887	4.8	19	2	2	4	6	9	12	21
B. Operated										
0-19 YRS	51	6.5	49	1	2	4	8	16	26	29
20-34	93	7.0	35	1	3	5	9	14	18	32
35-49	272	6.4	50	1	3	5	8	12	18	25
50-64	371	6.5	53	1	2	5	8	13	18	37
65 +	477	7.8	67	1	3	5	10	16	24	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	941	3.0	5	1	2	2	4	6	7	12
B. Operated	160	3.2	18	1	1	2	4	7	9	19
2. MULTIPLE DX										
A. Not Operated	7375	4.3	14	1	2	3	5	8	10	18
B. Operated	1264	7.0	56	1	3	5	9	14	19	38
1. SINGLE DX	1101	3.0	7	1	1	2	4	6	7	12
2. MULTIPLE DX	8639	4.7	21	1	2	4	6	9	12	23
A. Not Operated	8316	4.2	13	1	2	3	5	8	10	17
B. Operated	1424	6.6	53	1	2	5	8	14	19	38
TOTAL										
0-19 YRS	279	4.1	17	1	2	3	5	8	12	26
20-34	558	4.1	13	1	2	3	5	8	11	18
35-49	2230	4.0	14	1	2	3	5	8	10	18
50-64	3099	4.3	18	1	2	3	5	8	11	21
65 +	3574	5.1	26	1	2	4	6	10	13	26
GRAND TOTAL	**9740**	**4.5**	**20**	**1**	**2**	**3**	**6**	**9**	**11**	**22**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	3.2	5	1	2	3	4	7	7	7
35-49	48	4.0	4	2	3	4	5	6	7	14
50-64	56	4.3	5	1	3	4	6	8	10	94
65 +	145	4.7	10	2	2	4	6	9	10	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	9	2.2	3	< 1	1	1	4	5	5	5
50-64	20	2.9	5	1	1	2	5	6	7	7
65 +	13	3.8	24	< 1	1	1	5	10	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	6.8	13	3	4	6	8	13	15	15
20-34	55	4.4	9	2	2	4	5	8	9	18
35-49	448	5.4	14	2	3	5	7	10	14	19
50-64	1395	6.1	23	2	3	5	8	11	14	25
65 +	5111	7.6	43	3	4	6	9	13	18	34
B. Operated										
0-19 YRS	4	12.0	161	1	3	8	20	30	30	30
20-34	21	7.8	42	2	3	6	9	15	22	30
35-49	112	9.8	114	2	3	7	11	21	24	61
50-64	352	7.7	68	1	2	6	10	16	21	47
65 +	744	12.4	123	2	6	10	16	26	34	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	256	4.4	8	2	3	4	6	8	10	14
B. Operated	42	3.0	10	< 1	1	2	4	6	8	18
2. MULTIPLE DX										
A. Not Operated	7020	7.1	38	3	4	6	9	13	17	31
B. Operated	1233	10.7	109	2	4	8	14	23	30	61
1. SINGLE DX	298	4.2	9	1	2	4	6	8	10	16
2. MULTIPLE DX	8253	7.7	50	2	4	6	9	14	19	37
A. Not Operated	7276	7.0	37	2	4	6	8	13	16	31
B. Operated	1275	10.5	108	1	4	8	14	22	30	61
TOTAL										
0-19 YRS	16	7.8	49	1	4	6	9	15	25	30
20-34	82	5.2	19	2	2	4	6	9	13	26
35-49	617	6.0	35	2	3	5	7	11	16	26
50-64	1823	6.4	31	2	3	5	8	12	15	28
65 +	6013	8.1	55	3	4	6	10	15	21	41
GRAND TOTAL	**8551**	**7.5**	**49**	**2**	**4**	**6**	**9**	**14**	**19**	**37**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	4.8	11	2	3	4	5	9	13	14
20-34	11	2.6	2	1	1	3	4	5	5	5
35-49	17	3.1	2	2	2	3	3	5	7	8
50-64	19	4.6	18	<1	1	3	7	11	14	15
65 +	5	11.8	131	4	5	8	15	32	32	32
B. Operated										
0-19 YRS	12	3.2	17	<1	<1	1	4	9	14	15
20-34	36	5.9	34	1	2	3	9	15	17	23
35-49	62	4.4	13	1	2	3	6	10	12	15
50-64	52	4.1	14	1	1	2	6	10	11	19
65 +	31	4.4	17	1	2	3	5	10	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	4.6	22	1	2	3	5	9	11	31
20-34	79	4.1	15	1	2	3	6	8	11	21
35-49	174	5.5	31	1	3	5	7	10	12	24
50-64	164	6.0	27	1	2	4	8	13	16	25
65 +	377	9.1	93	3	4	7	10	17	25	53
B. Operated										
0-19 YRS	86	12.1	164	2	4	9	16	24	40	97
20-34	257	9.3	65	2	3	7	12	20	25	37
35-49	471	8.8	71	2	4	7	11	17	22	42
50-64	538	10.2	98	1	3	7	13	22	29	51
65 +	606	11.3	142	2	3	8	14	24	37	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	4.4	22	1	2	3	5	8	13	29
B. Operated	193	4.5	18	1	1	3	6	11	14	19
2. MULTIPLE DX										
A. Not Operated	900	6.9	58	2	3	5	8	13	17	45
B. Operated	1958	10.2	105	2	3	8	13	21	28	52
1. SINGLE DX	258	4.5	19	1	2	3	6	10	14	19
2. MULTIPLE DX	2858	9.1	92	2	3	7	11	19	26	51
A. Not Operated	965	6.7	56	2	3	5	8	13	17	42
B. Operated	2151	9.6	100	2	3	7	13	21	27	51
TOTAL										
0-19 YRS	217	7.5	91	1	2	4	9	17	24	62
20-34	383	7.7	55	1	3	6	10	17	22	37
35-49	724	7.5	58	1	3	6	10	15	20	34
50-64	773	8.7	80	1	3	6	12	20	25	48
65 +	1019	10.3	122	2	4	7	13	22	32	54
GRAND TOTAL	**3116**	**8.7**	**88**	**2**	**3**	**6**	**11**	**19**	**25**	**50**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	6.6	39	1	1	6	13	15	15	15
20-34	5	2.8	3	<1	1	3	4	5	5	5
35-49	5	2.2		2	2	2	3	3	3	3
50-64	10	4.8	17	1	2	4	6	11	15	15
65 +	13	6.2	10	2	4	6	8	11	12	12
B. Operated										
0-19 YRS	6	3.0	4	1	2	2	3	7	7	7
20-34	6	2.7	10	<1	1	1	2	8	9	9
35-49	14	4.3	51	1	1	2	3	13	24	27
50-64	30	3.9	14	1	1	3	5	10	13	14
65 +	15	4.1	17	1	2	3	4	11	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	3.9	11	1	2	3	5	8	11	15
20-34	16	4.1	8	<1	2	4	6	9	10	10
35-49	76	5.5	12	2	3	5	7	11	13	15
50-64	147	7.0	20	2	4	6	9	13	17	21
65 +	370	8.8	49	3	4	7	11	16	23	34
B. Operated										
0-19 YRS	23	7.0	37	1	2	5	8	17	19	22
20-34	36	7.3	70	1	2	4	10	18	25	39
35-49	90	7.1	36	1	3	5	10	17	19	25
50-64	219	9.6	103	1	3	7	12	20	29	57
65 +	307	13.0	151	2	4	10	17	26	35	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	5.0	16	1	2	4	7	11	15	15
B. Operated	71	3.9	20	1	1	2	4	10	13	25
2. MULTIPLE DX										
A. Not Operated	637	7.7	38	2	4	6	9	15	20	32
B. Operated	675	10.6	117	1	3	8	15	22	30	50
1. SINGLE DX	111	4.3	18	1	2	3	5	10	14	20
2. MULTIPLE DX	1312	9.2	81	2	3	7	12	19	25	45
A. Not Operated	677	7.5	37	2	4	6	9	15	19	32
B. Operated	746	10.0	112	1	3	7	14	22	29	50
TOTAL										
0-19 YRS	64	5.2	24	1	2	3	7	15	16	21
20-34	63	5.7	46	1	1	4	7	12	18	38
35-49	185	6.1	27	1	2	4	8	14	17	25
50-64	406	8.1	67	1	3	6	10	16	21	45
65 +	705	10.5	97	2	4	8	14	22	29	46
GRAND TOTAL	**1423**	**8.8**	**77**	**2**	**3**	**6**	**11**	**18**	**25**	**44**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	38	4.8	8	<1	3	5	6	9	10	11
35-49	490	6.4	10	2	5	7	8	10	11	14
50-64	1028	6.4	8	2	5	7	8	10	11	13
65 +	975	7.3	11	4	5	7	9	11	13	19
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	37	6.8	11	2	5	7	8	11	12	17
35-49	421	6.3	8	3	4	6	8	10	11	13
50-64	554	7.0	11	4	5	7	9	11	12	17
65 +	326	7.0	11	3	5	7	9	11	13	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	5.6	6	3	4	5	7	9	9	9
20-34	147	7.1	35	2	4	6	9	11	13	38
35-49	2346	7.1	14	3	5	7	9	11	12	18
50-64	8012	7.9	17	4	6	7	10	12	14	22
65 +	23458	9.4	31	5	6	8	11	15	18	32
B. Operated										
0-19 YRS	3	4.3	5	3	3	3	6	7	7	7
20-34	236	8.2	27	4	6	7	9	13	16	23
35-49	3400	8.3	27	4	6	7	10	14	17	28
50-64	7854	9.8	49	4	6	8	12	16	21	39
65 +	9076	12.7	86	5	7	10	15	23	29	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2531	6.7	10	3	5	7	8	10	11	16
B. Operated	1339	6.8	10	3	5	7	8	10	12	17
2. MULTIPLE DX										
A. Not Operated	33968	8.9	28	4	6	8	10	14	17	29
B. Operated	20569	10.8	64	4	7	9	13	19	25	47
1. SINGLE DX	3870	6.7	10	3	5	7	8	10	12	16
2. MULTIPLE DX	54537	9.6	42	4	6	8	11	16	20	37
A. Not Operated	36499	8.7	27	4	6	8	10	14	17	28
B. Operated	21908	10.6	62	4	6	9	12	18	24	46
TOTAL										
0-19 YRS	9	5.0	5	3	3	4	7	8	9	9
20-34	458	7.4	27	3	5	7	9	12	15	27
35-49	6657	7.6	21	3	5	7	9	12	14	24
50-64	17448	8.7	32	4	6	8	10	14	17	30
65 +	33835	10.2	48	5	7	9	12	17	22	39
GRAND TOTAL	**58407**	**9.4**	**41**	**4**	**6**	**8**	**11**	**15**	**20**	**35**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	69	2.1	2	<1	1	2	3	4	5	7
35-49	528	2.3	2	1	1	2	3	4	5	7
50-64	784	2.4	2	1	1	2	3	4	5	8
65 +	761	2.7	6	1	2	2	3	5	6	9
B. Operated										
0-19 YRS	0									
20-34	9	3.7	13	<1	1	3	4	10	12	12
35-49	157	2.6	4	1	1	2	3	6	7	8
50-64	317	2.3	5	1	1	1	3	4	7	10
65 +	204	2.4	6	1	1	2	3	5	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.5	4	1	2	3	5	6	6	6
20-34	281	2.8	3	1	2	2	3	5	6	8
35-49	2817	3.0	4	1	2	3	4	5	7	10
50-64	6770	3.3	5	1	2	3	4	6	7	12
65 +	14581	4.0	12	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	2	15.5	265	4	4	15	27	27	27	27
20-34	88	4.1	11	1	2	3	6	10	11	14
35-49	1513	3.6	9	1	1	2	5	8	9	14
50-64	4496	4.0	17	1	1	2	6	9	11	19
65 +	4492	5.3	34	1	2	3	8	12	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2143	2.5	4	1	1	2	3	4	5	9
B. Operated	687	2.4	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	24459	3.7	9	1	2	3	4	6	8	14
B. Operated	10591	4.5	24	1	1	3	6	10	13	23
1. SINGLE DX	2830	2.5	4	1	1	2	3	4	6	9
2. MULTIPLE DX	35050	3.9	14	1	2	3	5	8	10	18
A. Not Operated	26602	3.6	9	1	2	3	4	6	8	14
B. Operated	11278	4.4	23	1	1	3	6	10	13	22
TOTAL										
0-19 YRS	13	5.2	46	1	2	4	5	10	24	27
20-34	447	3.0	5	1	2	2	4	6	7	12
35-49	5015	3.1	6	1	2	2	4	6	8	12
50-64	12367	3.5	10	1	2	3	4	7	9	15
65 +	20038	4.2	17	1	2	3	5	8	11	19
GRAND TOTAL	**37880**	**3.8**	**13**	**1**	**2**	**3**	**5**	**7**	**10**	**17**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	56	2.9	3	1	2	2	3	5	7	8
35-49	650	2.8	3	1	2	[illegible]	3	5	6	9
50-64	1313	3.0	4	1	2	3	4	5	7	9
65 +	1558	3.5	5	1	2	3	4	6	8	11
B. Operated										
0-19 YRS	0									
20-34	9	3.2	4	1	2	3	4	7	8	8
35-49	182	3.3	10	1	2	2	4	6	8	16
50-64	512	4.0	9	1	2	3	5	8	10	15
65 +	482	4.8	17	1	2	4	6	9	12	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.5	1	2	3	4	4	4	4	4
20-34	234	3.4	7	2	2	3	4	6	6	14
35-49	4014	3.6	6	1	2	3	4	6	8	12
50-64	12821	4.0	7	2	2	3	5	7	9	13
65 +	31962	4.9	14	2	3	4	6	9	11	19
B. Operated										
0-19 YRS	0									
20-34	91	5.3	16	2	2	4	7	11	14	19
35-49	3139	5.9	21	2	3	5	8	11	14	21
50-64	10522	6.9	37	2	3	6	9	13	17	29
65 +	13418	8.8	62	2	4	7	11	17	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3577	3.2	4	1	2	3	4	6	7	10
B. Operated	1185	4.2	13	1	2	3	6	8	10	18
2. MULTIPLE DX										
A. Not Operated	49035	4.5	12	2	3	4	6	8	10	17
B. Operated	27170	7.7	49	2	3	6	10	15	19	35
1. SINGLE DX	4762	3.4	6	1	2	3	4	6	8	12
2. MULTIPLE DX	76205	5.7	27	2	3	4	7	11	15	25
A. Not Operated	52612	4.4	11	2	2	4	5	8	10	17
B. Operated	28355	7.6	48	2	3	6	10	15	19	34
TOTAL										
0-19 YRS	4	3.5	1	2	3	4	4	4	4	4
20-34	390	3.8	9	1	2	3	5	7	9	16
35-49	7985	4.4	13	1	2	3	6	9	11	18
50-64	25168	5.2	22	2	2	4	7	10	13	22
65 +	47420	5.9	31	2	3	4	7	12	15	27
GRAND TOTAL	**80967**	**5.5**	**26**	**2**	**3**	**4**	**7**	**11**	**14**	**25**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	7	3.3	2	2	2	3	5	5	5	5
35-49	59	2.4	3	1	1	2	3	5	6	9
50-64	97	2.9	6	1	1	2	4	5	8	13
65 +	85	4.1	25	1	2	3	4	8	10	31
B. Operated										
0-19 YRS	7	2.0	7	1	1	1	1	7	8	8
20-34	24	2.5	5	1	1	2	3	4	7	11
35-49	862	2.9	8	1	1	2	3	7	9	13
50-64	2475	2.9	9	1	1	2	3	8	9	13
65 +	1497	3.4	16	1	1	2	3	9	11	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	6.0	77	1	1	3	5	19	30	30
20-34	36	3.9	7	1	2	3	5	7	10	11
35-49	465	3.4	9	1	2	3	4	6	8	15
50-64	1351	3.9	10	1	2	3	5	8	10	15
65 +	2175	5.1	24	2	2	4	6	10	13	23
B. Operated										
0-19 YRS	19	6.3	215	< 1	< 1	1	5	12	42	65
20-34	219	4.6	17	1	1	3	7	10	12	18
35-49	5310	5.4	31	1	2	4	8	11	14	25
50-64	18255	6.3	40	1	2	5	9	13	16	28
65 +	17946	8.0	64	1	2	7	11	16	22	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	250	3.2	12	1	1	2	4	5	9	21
B. Operated	4865	3.1	11	1	1	2	3	8	10	14
2. MULTIPLE DX										
A. Not Operated	4037	4.5	18	1	2	3	5	9	11	20
B. Operated	41749	6.9	50	1	2	5	10	14	18	35
1. SINGLE DX	5115	3.1	11	1	1	2	3	8	10	15
2. MULTIPLE DX	45786	6.7	48	1	2	5	9	14	18	34
A. Not Operated	4287	4.4	18	1	2	3	5	8	11	20
B. Operated	46614	6.5	47	1	2	4	9	14	18	33
TOTAL										
0-19 YRS	38	5.2	128	< 1	1	1	4	9	24	65
20-34	286	4.3	14	1	1	3	6	10	11	17
35-49	6696	4.9	27	1	1	3	7	10	13	23
50-64	22178	5.8	36	1	2	4	8	12	15	27
65 +	21703	7.3	59	1	2	5	10	15	20	38
GRAND TOTAL	**50901**	**6.3**	**45**	**1**	**2**	**4**	**9**	**13**	**17**	**32**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	8.4	3	6	8	8	9	11	12	12
20-34	94	6.9	6	4	5	7	8	10	11	14
35-49	135	7.5	7	5	6	7	9	10	12	30
50-64	111	7.9	7	5	6	8	10	11	12	15
65 +	126	8.2	10	5	6	8	10	12	14	18
B. Operated										
0-19 YRS	0									
20-34	18	6.1	8	2	4	7	8	10	11	11
35-49	27	7.1	16	1	5	7	9	11	14	16
50-64	27	9.3	33	5	7	8	10	14	27	28
65 +	16	7.9	13	4	5	7	10	14	15	1[illegible]
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	8.0	16	4	5	7	10	13	14	24
20-34	296	8.6	18	4	6	8	10	13	16	25
35-49	581	8.9	18	5	7	8	10	13	15	25
50-64	1128	9.4	21	5	7	9	11	14	16	26
65 +	2978	10.3	30	6	7	9	12	16	19	29
B. Operated										
0-19 YRS	29	12.0	196	3	5	7	13	28	52	62
20-34	132	12.2	70	5	7	10	15	20	29	44
35-49	254	12.3	58	6	8	10	14	20	29	39
50-64	465	12.4	59	6	8	10	14	20	25	48
65 +	904	14.6	110	7	9	12	17	26	35	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	473	7.6	8	5	6	8	9	11	13	16
B. Operated	88	7.8	20	3	5	7	9	11	15	28
2. MULTIPLE DX										
A. Not Operated	5037	9.8	26	6	7	9	11	15	18	28
B. Operated	1784	13.5	89	6	8	11	16	24	31	55
1. SINGLE DX	561	7.7	10	4	6	8	9	11	13	17
2. MULTIPLE DX	6821	10.8	45	6	7	9	12	17	22	39
A. Not Operated	5510	9.6	25	5	7	9	11	15	17	27
B. Operated	1872	13.2	87	6	8	11	15	23	31	52
TOTAL										
0-19 YRS	90	9.3	75	3	5	7	11	14	24	58
20-34	540	9.1	32	4	6	8	10	15	19	32
35-49	997	9.5	29	5	7	9	11	15	18	37
50-64	1731	10.1	32	5	7	9	12	15	19	34
65 +	4024	11.2	51	6	7	10	13	18	23	41
GRAND TOTAL	**7382**	**10.5**	**43**	**6**	**7**	**9**	**12**	**16**	**21**	**39**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	3	8.3	9	5	6	9	10	11	11	11
35-49	10	19.4	160	5	8	16	27	38	44	44
50-64	2	23.0	50	18	18	23	28	28	28	28
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	2	23.5	1013	< 1	< 1	23	46	46	46	46
35-49	3	8.7	46	1	3	11	13	14	14	14
50-64	2	6.0	32	2	2	6	10	10	10	10
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	18.9	158	4	8	16	29	40	43	44
20-34	187	17.8	146	4	8	15	28	34	42	47
35-49	202	18.4	174	5	7	15	29	33	43	57
50-64	125	18.1	153	4	8	15	28	32	41	54
65 +	311	22.6	193	7	13	19	30	43	48	61
B. Operated										
0-19 YRS	32	27.0	327	9	14	23	37	44	52	95
20-34	147	28.1	267	9	16	28	42	51	72	99 +
35-49	155	29.2	265	9	16	29	41	50	59	99
50-64	149	29.5	321	10	16	24	43	52	60	93
65 +	251	25.5	213	9	13	25	35	47	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	14.5	143	3	4	11	23	31	39	44
B. Operated	8	11.0	226	< 1	1	6	12	36	46	46
2. MULTIPLE DX										
A. Not Operated	896	19.7	174	5	9	16	29	38	44	59
B. Operated	734	27.7	263	9	15	27	40	50	60	99 +
1. SINGLE DX	27	13.5	162	1	4	10	18	32	44	46
2. MULTIPLE DX	1630	23.3	230	6	12	21	31	44	51	94
A. Not Operated	915	19.6	174	5	9	16	29	38	44	59
B. Operated	742	27.5	265	9	14	27	40	49	60	99 +
TOTAL										
0-19 YRS	106	20.9	226	4	9	17	30	42	43	71
20-34	339	22.2	226	5	10	21	31	43	49	99 +
35-49	370	22.9	239	6	10	21	31	44	51	87
50-64	278	24.2	275	7	13	20	32	46	53	81
65 +	564	23.9	204	8	13	21	32	44	53	96
GRAND TOTAL	**1657**	**23.2**	**230**	**6**	**11**	**20**	**31**	**44**	**51**	**94**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	3.2	14	1	1	2	3	7	9	21
20-34	47	2.0	2	1	1	2	2	4	4	9
35-49	99	1.9	2	1	1	2	2	3	4	8
50-64	121	2.3	3	1	1	2	3	5	6	10
65+	107	2.7	13	1	1	2	3	5	7	20
B. Operated										
0-19 YRS	8	2.0	1	<1	1	2	2	4	4	4
20-34	13	4.9	17	1	1	4	8	10	13	14
35-49	6	1.8	1	1	1	2	3	3	3	3
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	3	6.7	9	4	4	6	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	3.9	22	1	1	2	4	7	12	27
20-34	122	2.5	5	1	1	2	3	4	7	12
35-49	344	2.6	6	1	1	2	3	5	7	15
50-64	690	3.3	9	1	[illegible]	2	4	6	9	12
65+	1843	4.8	34	1	2	3	6	9	12	24
B. Operated										
0-19 YRS	14	7.8	89	1	2	6	8	15	33	38
20-34	27	4.4	12	1	2	3	7	10	12	14
35-49	52	5.7	40	1	2	4	6	12	26	29
50-64	75	5.7	28	2	3	5	7	9	12	33
65+	178	10.1	117	2	4	7	13	23	31	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	435	2.4	7	1	1	2	3	4	6	10
B. Operated	32	3.6	11	1	1	2	5	9	10	14
2. MULTIPLE DX										
A. Not Operated	3102	4.1	25	1	2	3	5	8	11	20
B. Operated	346	7.9	81	2	3	5	9	19	27	54
1. SINGLE DX	467	2.5	7	1	1	2	3	5	7	13
2. MULTIPLE DX	3448	4.5	32	1	2	3	5	9	12	27
A. Not Operated	3537	3.9	23	1	2	3	5	8	10	20
B. Operated	378	7.6	77	1	3	5	9	17	25	50
TOTAL										
0-19 YRS	186	3.9	24	1	1	2	4	8	11	32
20-34	209	2.8	7	1	1	2	3	6	9	13
35-49	501	2.8	10	1	1	2	3	5	8	17
50-64	888	3.3	11	1	1	2	4	6	9	13
65+	2131	5.2	42	1	2	4	6	10	14	31
GRAND TOTAL	**3915**	**4.3**	**29**	**1**	**2**	**3**	**5**	**8**	**12**	**25**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	2.2	2	1	1	2	2	5	6	7
20-34	239	1.7	1	<1	1	1	2	3	4	6
35-49	440	1.8	1	<1	1	1	2	3	4	7
50-64	705	2.2	3	<1	1	2	3	4	5	9
65+	845	2.6	5	1	1	2	3	5	6	12
B. Operated										
0-19 YRS	5	4.2	10	<1	1	3	7	8	8	8
20-34	5	3.4	8	<1	1	2	5	8	8	8
35-49	7	11.3	230	2	2	4	17	38	42	42
50-64	26	3.2	5	<1	1	3	5	7	8	9
65+	24	2.6	4	1	1	2	3	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	131	3.9	14	1	1	3	5	8	10	21
20-34	436	2.7	5	1	1	2	3	5	7	12
35-49	1328	3.2	9	1	1	2	4	7	8	13
50-64	4898	4.0	12	1	2	3	5	8	10	17
65+	16202	5.1	22	1	2	4	6	10	13	23
B. Operated										
0-19 YRS	46	7.2	89	1	3	4	7	18	26	51
20-34	28	5.5	22	1	2	4	7	12	15	20
35-49	109	7.0	43	2	3	5	8	17	21	65
50-64	523	7.8	65	2	3	6	9	16	22	41
65+	1786	10.5	100	2	4	8	13	21	28	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2276	2.2	3	1	1	2	3	4	5	9
B. Operated	67	3.9	32	1	1	2	4	7	8	38
2. MULTIPLE DX										
A. Not Operated	22995	4.7	19	1	2	4	6	9	12	21
B. Operated	2492	9.7	91	2	4	7	12	20	26	50
1. SINGLE DX	2343	2.3	4	1	1	2	3	4	6	9
2. MULTIPLE DX	25487	5.2	28	1	2	4	6	10	14	26
A. Not Operated	25271	4.5	18	1	2	3	6	9	12	21
B. Operated	2559	9.5	90	2	4	7	12	20	26	49
TOTAL										
0-19 YRS	229	4.2	29	1	2	3	5	8	12	28
20-34	708	2.4	5	1	1	2	3	5	6	12
35-49	1884	3.1	11	1	1	2	4	6	8	18
50-64	6152	4.1	17	1	2	3	5	8	11	20
65+	18857	5.5	32	1	2	4	7	11	15	27
GRAND TOTAL	**27830**	**4.9**	**27**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	281	2.9	7	1	1	2	3	6	8	14
20-34	221	2.3	3	1	1	2	3	4	7	10
35-49	378	2.7	25	1	1	2	3	4	6	12
50-64	524	2.5	3	1	1	2	3	5	6	10
65 +	518	3.4	10	1	2	3	4	6	8	15
B. Operated										
0-19 YRS	155	4.1	18	1	1	2	6	9	11	19
20-34	110	3.9	10	1	2	3	6	8	8	15
35-49	103	3.8	11	1	1	3	5	9	10	15
50-64	225	4.1	11	1	2	3	5	9	11	16
65 +	531	3.7	10	1	2	3	5	7	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	632	4.2	41	1	1	3	5	8	13	22
20-34	805	3.0	9	1	1	2	4	6	7	12
35-49	2059	3.3	7	1	2	3	4	6	8	13
50-64	4844	4.2	13	1	2	3	5	8	10	18
65 +	15526	5.3	22	2	3	4	7	10	13	23
B. Operated										
0-19 YRS	391	6.9	95	1	2	4	8	13	21	56
20-34	299	6.5	34	2	2	5	9	14	18	33
35-49	667	6.8	47	1	2	5	9	15	21	38
50-64	2278	8.6	85	2	3	6	11	18	26	48
65 +	9876	8.4	64	2	4	6	10	16	22	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1922	2.8	10	1	1	2	3	5	7	12
B. Operated	1124	3.8	11	1	2	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	23866	4.8	19	1	2	4	6	9	12	21
B. Operated	13511	8.3	67	2	3	6	10	16	23	43
1. SINGLE DX	3046	3.2	11	1	1	2	4	6	8	15
2. MULTIPLE DX	37377	6.0	39	2	3	4	7	12	16	32
A. Not Operated	25788	4.6	19	1	2	4	6	9	11	20
B. Operated	14635	7.9	64	2	3	6	10	16	22	43
TOTAL										
0-19 YRS	1459	4.6	49	1	2	3	5	10	14	29
20-34	1435	3.7	15	1	1	2	4	8	10	20
35-49	3207	4.0	20	1	2	3	5	8	11	24
50-64	7871	5.3	37	1	2	4	6	11	15	31
65 +	26451	6.4	40	2	3	5	8	12	17	32
GRAND TOTAL	**40423**	**5.8**	**38**	**1**	**2**	**4**	**7**	**11**	**16**	**31**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	5.0	17	1	2	3	7	11	13	16
20-34	8	4.0	5	< 1	2	4	6	7	7	7
35-49	67	4.0	11	1	2	3	5	7	10	20
50-64	236	5.5	22	2	2	4	7	11	14	24
65 +	1057	5.7	28	2	3	4	7	10	14	27
B. Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	7	7.7	17	2	5	9	11	13	13	13
50-64	8	6.9	46	1	2	5	8	18	22	22
65 +	28	10.8	89	1	3	8	15	26	31	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	587	5.8	28	2	3	4	7	11	16	28
20-34	466	5.9	21	2	3	5	7	11	15	23
35-49	2623	6.1	21	2	3	5	8	11	15	24
50-64	13239	6.7	27	2	3	5	8	12	16	27
65 +	65985	7.6	41	3	4	6	9	14	18	33
B. Operated										
0-19 YRS	142	14.4	205	2	5	11	21	41	94	99 +
20-34	182	8.8	100	2	3	6	11	20	26	94
35-49	654	9.5	66	2	4	8	12	18	24	46
50-64	2538	12.1	124	3	5	9	15	25	34	67
65 +	7967	14.1	139	4	7	11	18	28	38	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1389	5.5	26	2	3	4	7	10	14	24
B. Operated	44	9.5	69	1	3	8	12	22	29	36
2. MULTIPLE DX										
A. Not Operated	82900	7.4	38	3	4	6	9	14	18	32
B. Operated	11483	13.3	134	3	6	10	17	27	37	73
1. SINGLE DX	1433	5.6	28	2	3	4	7	11	14	27
2. MULTIPLE DX	94383	8.1	53	3	4	6	10	15	21	39
A. Not Operated	84289	7.4	38	3	4	6	9	14	18	32
B. Operated	11527	13.3	134	3	6	10	17	27	37	73
TOTAL										
0-19 YRS	750	7.4	72	2	3	5	9	17	25	93
20-34	657	6.7	45	2	3	5	8	13	19	40
35-49	3351	6.8	32	2	3	5	8	13	17	29
50-64	16021	7.5	47	2	4	6	9	14	19	36
65 +	75037	8.3	55	3	4	6	10	16	21	41
GRAND TOTAL	**95816**	**8.1**	**53**	**3**	**4**	**6**	**10**	**15**	**21**	**39**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.9	5	1	1	3	3	5	7	12
20-34	15	3.2	9	1	1	2	4	7	11	12
35-49	29	4.1	7	1	2	3	5	8	9	11
50-64	36	3.4	6	<1	1	3	5	7	7	12
65+	25	7.9	75	1	2	5	10	21	29	36
B. Operated										
0-19 YRS	38	3.2	9	1	1	2	4	7	9	16
20-34	20	4.6	25	<1	1	2	7	11	15	19
35-49	62	3.1	31	1	1	1	3	8	10	37
50-64	68	2.4	8	1	1	1	3	5	7	16
65+	24	2.5	18	1	1	2	2	3	10	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	144	5.7	37	1	2	4	7	11	17	31
20-34	168	5.6	23	1	3	4	7	11	14	26
35-49	516	6.1	32	2	3	5	8	11	14	27
50-64	967	7.1	39	2	4	6	9	13	19	34
65+	1979	7.7	37	3	4	6	10	15	19	33
B. Operated										
0-19 YRS	138	13.8	237	1	3	8	20	38	60	99+
20-34	112	9.1	67	2	4	8	12	21	28	99+
35-49	412	8.6	135	1	2	5	10	20	32	71
50-64	778	8.3	105	1	2	5	11	18	28	59
65+	705	9.2	114	1	2	6	12	22	31	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	4.3	22	1	2	3	5	8	12	29
B. Operated	212	3.0	18	1	1	2	3	7	10	20
2. MULTIPLE DX										
A. Not Operated	3774	7.2	37	2	4	6	9	14	18	33
B. Operated	2145	9.1	122	1	2	6	12	21	31	70
1. SINGLE DX	345	3.5	20	1	1	2	4	8	12	22
2. MULTIPLE DX	5919	7.9	68	2	3	6	10	16	23	50
A. Not Operated	3907	7.1	37	2	3	6	9	14	18	32
B. Operated	2357	8.5	115	1	2	5	11	20	30	68
TOTAL										
0-19 YRS	348	8.4	130	1	2	4	9	21	35	69
20-34	315	6.7	41	1	2	5	9	14	20	72
35-49	1019	6.9	75	1	2	4	8	13	20	49
50-64	1849	7.4	67	1	3	5	9	16	23	42
65+	2733	8.1	58	2	4	6	10	16	22	44
GRAND TOTAL	**6264**	**7.6**	**67**	**1**	**3**	**5**	**9**	**16**	**22**	**48**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	3.5	11	1	2	2	4	7	10	18
20-34	234	2.8	10	1	1	2	3	5	6	16
35-49	323	2.7	12	1	1	2	3	4	6	13
50-64	179	2.9	4	1	2	2	3	6	7	10
65+	91	3.4	9	1	2	3	4	7	8	19
B. Operated										
0-19 YRS	142	3.2	13	<1	1	2	5	9	10	17
20-34	68	5.1	32	1	1	2	8	10	15	31
35-49	143	4.0	15	1	1	2	7	9	10	18
50-64	229	4.1	25	1	1	2	7	10	12	24
65+	189	4.4	24	1	1	2	8	11	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	287	4.4	12	1	2	3	6	9	12	18
20-34	515	4.0	16	1	2	3	5	7	11	21
35-49	1037	4.1	13	1	2	3	5	8	10	18
50-64	1434	5.2	21	2	2	4	7	10	13	23
65+	2579	6.4	29	2	3	5	8	12	15	26
B. Operated										
0-19 YRS	468	7.8	109	1	2	5	10	18	24	45
20-34	296	10.1	115	1	3	7	12	24	30	53
35-49	778	8.7	84	1	3	7	11	18	25	48
50-64	1935	9.7	85	1	3	8	13	19	24	45
65+	3566	11.7	113	1	4	10	15	23	30	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	928	2.9	10	1	1	2	3	5	7	13
B. Operated	771	4.1	21	1	1	2	7	9	12	22
2. MULTIPLE DX										
A. Not Operated	5852	5.4	23	2	2	4	7	10	14	24
B. Operated	7043	10.5	104	1	3	9	14	21	28	55
1. SINGLE DX	1699	3.4	15	1	1	2	4	8	10	20
2. MULTIPLE DX	12895	8.2	74	1	3	6	11	17	23	45
A. Not Operated	6780	5.0	22	1	2	4	6	10	13	23
B. Operated	7814	9.8	99	1	2	8	13	20	27	53
TOTAL										
0-19 YRS	998	5.7	62	1	2	3	7	13	19	34
20-34	1113	5.4	50	1	2	3	6	11	17	39
35-49	2281	5.5	43	1	2	3	7	11	16	36
50-64	3777	7.3	60	1	2	5	10	15	20	36
65+	6425	9.2	83	2	3	7	12	19	25	51
GRAND TOTAL	**14594**	**7.6**	**69**	**1**	**2**	**5**	**10**	**16**	**22**	**41**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	10	7.2	50	2	3	4	7	20	23	23
35-49	11	3.7	10	<1	1	3	6	9	10	10
50-64	13	3.6	13	<1	1	1	6	10	11	11
65+	7	14.4	191	1	2	12	28	33	33	33
B. Operated										
0-19 YRS	11	11.8	19	6	10	12	14	17	18	18
20-34	64	10.0	45	2	4	10	14	17	22	35
35-49	94	11.9	43	4	8	11	16	22	27	68
50-64	45	10.2	46	2	7	9	13	18	19	40
65+	13	11.5	43	2	8	11	16	21	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	10.4	124	1	3	7	14	28	38	39
20-34	14	7.6	95	1	2	4	11	17	33	38
35-49	26	11.8	125	1	4	8	15	32	36	42
50-64	48	9.9	128	1	3	6	13	26	34	99+
65+	112	14.8	168	3	5	11	22	31	41	87
B. Operated										
0-19 YRS	20	23.8	290	9	14	20	34	78	99+	99+
20-34	96	17.3	134	6	10	14	23	35	53	99+
35-49	225	19.7	230	5	10	16	23	44	60	99+
50-64	286	23.0	305	8	12	18	33	61	93	99+
65+	209	26.7	362	8	13	22	35	56	75	84
SUBTOTALS:										
1. SINGLE DX										
A. Not.Operated	43	6.2	60	1	1	3	7	18	26	33
B. Operated	227	11.0	43	2	7	10	15	19	23	38
2. MULTIPLE DX										
A. Not Operated	211	12.6	150	2	4	9	18	29	39	87
B. Operated	836	22.4	288	7	11	18	30	52	76	99+
1. SINGLE DX	270	10.2	49	1	5	10	14	19	23	36
2. MULTIPLE DX	1047	20.4	275	5	10	16	27	47	69	99+
A. Not Operated	254	11.5	141	1	3	7	17	28	38	78
B. Operated	1063	20.0	257	6	10	16	26	45	67	99+
TOTAL										
0-19 YRS	44	16.5	210	2	9	14	21	39	75	99+
20-34	184	13.5	111	3	6	11	17	30	37	99+
35-49	356	16.6	184	3	9	14	21	36	49	99+
50-64	392	19.3	282	4	9	15	26	52	80	99+
65+	341	22.0	317	5	9	18	28	44	66	83
GRAND TOTAL	**1317**	**18.3**	**246**	**4**	**9**	**15**	**24**	**41**	**62**	**99+**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	4	19.3	324	3	8	14	30	45	45	45
50-64	4	28.8	1782	5	6	9	51	92	92	92
65+	17	16.6	75	8	9	13	23	31	33	33
B. Operated										
0-19 YRS	2	24.0	162	15	15	24	33	33	33	33
20-34	13	32.3	599	5	9	31	49	63	82	87
35-49	36	30.1	279	13	21	29	41	76	99+	99+
50-64	49	41.5	576	12	22	40	66	72	80	99+
65+	23	30.0	299	14	18	25	43	57	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	26	18.3	330	5	8	13	23	33	54	92
B. Operated	123	34.7	452	12	19	32	50	72	88	99+
1. SINGLE DX	0									
2. MULTIPLE DX	149	31.9	468	8	15	28	48	70	86	99+
A. Not Operated	26	18.3	330	5	8	13	23	33	54	92
B. Operated	123	34.7	452	12	19	32	50	72	88	99+
TOTAL										
0-19 YRS	3	17.0	228	3	6	15	28	33	33	33
20-34	13	32.3	599	5	9	31	49	63	82	87
35-49	40	29.0	286	10	18	29	41	74	99+	99+
50-64	53	40.5	646	10	18	39	66	75	90	99+
65+	40	24.3	244	9	13	19	32	50	66	99+
GRAND TOTAL	**149**	**31.9**	**468**	**8**	**15**	**28**	**48**	**70**	**86**	**99+**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	6.9	63	2	2	4	8	14	28	32
20-34	9	7.9	74	2	3	6	8	23	29	29
35-49	19	4.0	9	<1	1	3	6	8	11	12
50-64	23	6.1	32	1	2	4	10	14	17	22
65 +	110	7.7	35	3	4	6	9	15	17	32
B. Operated										
0-19 YRS	34	7.4	45	2	3	5	9	15	20	34
20-34	31	7.7	34	2	3	5	11	16	18	22
35-49	59	9.2	191	3	4	5	10	14	26	93
50-64	58	6.9	26	2	4	6	8	14	18	25
65 +	112	9.1	66	3	5	7	10	16	22	56
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	9.4	114	1	2	7	12	25	32	54
20-34	39	8.1	38	1	3	7	13	18	20	99 +
35-49	119	9.6	99	2	4	7	11	19	31	52
50-64	395	10.9	124	3	4	7	13	24	36	[illegible]
65 +	1649	12.5	127	3	6	9	16	25	36	[illegible]
B. Operated										
0-19 YRS	105	15.5	292	3	5	9	18	37	58	78
20-34	66	15.2	122	6	8	12	20	32	54	99 +
35-49	181	18.3	265	5	8	14	22	51	67	99 +
50-64	347	18.6	284	5	7	13	24	51	69	99 +
65 +	949	19.9	307	6	9	15	25	50	76	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	7.0	36	2	3	5	9	14	17	31
B. Operated	294	8.3	78	3	4	6	10	15	20	50
2. MULTIPLE DX										
A. Not Operated	2249	11.9	124	3	5	9	15	24	36	77
B. Operated	1648	19.0	290	5	8	14	24	49	71	99 +
1. SINGLE DX	469	7.8	62	2	4	6	9	15	18	36
2. MULTIPLE DX	3897	14.9	207	4	6	11	19	35	52	99 +
A. Not Operated	2424	11.6	120	3	5	9	15	24	34	75
B. Operated	1942	17.4	273	4	7	12	22	46	65	99 +
TOTAL										
0-19 YRS	200	12.1	204	2	4	7	14	30	41	74
20-34	145	11.2	90	3	5	9	16	24	33	99 +
35-49	378	13.4	211	3	5	9	17	32	54	99 +
50-64	823	13.7	200	3	5	9	17	37	52	99 +
65 +	2820	14.7	197	4	6	10	18	32	50	99 +
GRAND TOTAL	**4366**	**14.2**	**196**	**3**	**6**	**10**	**18**	**32**	**50**	**99 +**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.9	4	<1	2	4	6	6	6	6
20-34	8	13.4	159	1	3	10	22	33	34	34
35-49	47	14.5	213	4	7	11	15	21	47	77
50-64	178	15.3	205	4	7	11	20	35	48	72
65 +	609	14.7	131	5	7	11	18	29	40	74
B. Operated										
0-19 YRS	11	18.9	149	7	10	19	41	99 +	99 +	99 +
20-34	16	26.9	191	16	18	24	32	43	59	66
35-49	57	27.6	475	8	12	23	34	74	95	99 +
50-64	100	25.3	274	9	14	24	41	83	99 +	99 +
65 +	260	22.6	277	8	12	18	31	55	88	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	849	14.8	151	4	7	11	18	30	42	73
B. Operated	444	23.9	297	8	12	19	33	60	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	1293	17.9	219	5	8	14	23	42	58	99 +
A. Not Operated	849	14.8	151	4	7	11	18	30	42	73
B. Operated	444	23.9	297	8	12	19	33	60	99 +	99 +
TOTAL										
0-19 YRS	18	13.1	146	2	5	10	28	99 +	99 +	99 +
20-34	24	22.4	215	5	14	20	31	36	51	66
35-49	104	21.7	396	6	9	15	27	49	77	99 +
50-64	278	19.2	249	5	8	14	27	48	71	99 +
65 +	869	17.1	188	5	8	13	21	37	52	99 +
GRAND TOTAL	**1293**	**17.9**	**219**	**5**	**8**	**14**	**23**	**42**	**58**	**99 +**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	9	3.4	11	<1	1	2	5	9	11	11
50-64	41	4.1	12	1	1	3	5	8	12	16
65+	72	4.7	16	1	2	4	6	9	13	22
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	71	4.0	7	1	2	3	5	7	8	14
50-64	600	3.5	5	1	2	3	4	6	7	12
65+	1094	3.8	6	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	32	5.4	23	1	2	4	7	11	19	21
50-64	243	4.9	15	1	2	4	7	10	13	18
65+	1086	6.3	37	2	3	5	8	11	15	36
B. Operated										
0-19 YRS	2	30.0	1682	1	1	30	59	59	59	59
20-34	15	12.4	192	2	4	7	16	29	48	54
35-49	243	5.6	17	2	3	4	7	10	15	26
50-64	2568	5.5	28	2	3	4	6	10	14	24
65+	7106	6.3	33	2	3	5	7	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	4.4	14	1	2	3	5	9	12	19
B. Operated	1766	3.7	6	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. Not Operated	1363	6.0	33	2	3	5	7	11	15	30
B. Operated	9934	6.1	32	2	3	5	7	11	15	28
1. SINGLE DX	1888	3.7	6	1	2	3	5	6	8	13
2. MULTIPLE DX	11297	6.1	32	2	3	5	7	11	15	28
A. Not Operated	1485	5.9	32	1	3	5	7	11	15	29
B. Operated	11700	5.7	29	2	3	4	7	11	15	27
TOTAL										
0-19 YRS	2	30.0	1682	1	1	30	59	59	59	59
20-34	18	11.2	169	2	4	6	13	27	44	54
35-49	355	5.2	16	2	3	4	7	9	14	22
50-64	3452	5.1	24	1	3	4	6	9	13	22
65+	9358	6.0	31	2	3	4	7	11	15	28
GRAND TOTAL	**13185**	**5.8**	**29**	**2**	**3**	**4**	**7**	**11**	**15**	**27**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	4.0	5	1	2	4	6	7	7	7
50-64	46	9.2	94	1	4	6	10	18	27	50
65+	129	10.8	164	3	4	7	11	24	31	83
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	13.0		13	13	13	13	13	13	13
35-49	20	7.4	71	2	3	5	7	16	28	39
50-64	130	8.5	94	2	3	5	10	17	32	46
65+	326	10.1	84	3	4	7	14	22	28	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	181	10.1	142	3	4	7	10	21	31	73
B. Operated	479	9.6	86	2	4	6	13	21	28	46
1. SINGLE DX	0									
2. MULTIPLE DX	660	9.7	101	2	4	6	12	21	30	53
A. Not Operated	181	10.1	142	3	4	7	10	21	31	73
B. Operated	479	9.6	86	2	4	6	13	21	28	46
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	13.0		13	13	13	13	13	13	13
35-49	26	6.6	57	2	3	5	6	15	21	39
50-64	176	8.7	93	2	3	5	10	18	30	48
65+	455	10.3	106	3	4	7	13	22	30	80
GRAND TOTAL	**660**	**9.7**	**101**	**2**	**4**	**6**	**12**	**21**	**30**	**53**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	8.0	77	2	3	4	13	21	21	21
20-34	18	4.4	10	1	2	3	7	9	11	12
35-49	77	5.7	19	2	3	5	7	12	17	19
50-64	214	5.5	23	2	3	4	7	9	12	21
65 +	635	7.5	56	2	3	6	9	14	20	34
B. Operated										
0-19 YRS	4	8.8	29	3	5	8	12	16	16	16
20-34	13	6.0	18	1	1	8	10	11	12	12
35-49	31	5.6	14	1	2	5	8	12	12	14
50-64	39	8.0	84	1	2	5	9	20	29	44
65 +	59	10.4	126	2	3	6	13	28	39	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	8.9	63	3	4	7	11	19	29	31
20-34	105	8.7	118	2	3	6	11	16	22	66
35-49	654	8.0	49	3	4	6	9	15	20	34
50-64	3497	8.4	74	3	4	6	10	16	22	52
65 +	16713	9.9	87	3	5	7	12	19	27	64
B. Operated										
0-19 YRS	6	9.8	139	2	3	6	10	31	33	33
20-34	60	14.7	290	3	5	9	16	39	44	95
35-49	210	13.6	249	3	5	9	15	27	56	88
50-64	709	14.3	202	4	6	10	18	31	56	99 +
65 +	2575	19.2	287	5	8	14	26	47	74	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	948	6.9	45	2	3	5	8	13	18	29
B. Operated	146	8.3	81	1	3	6	10	16	32	44
2. MULTIPLE DX										
A. Not Operated	20981	9.6	84	3	5	7	11	18	26	61
B. Operated	3560	17.8	273	5	7	13	23	44	68	99 +
1. SINGLE DX	1094	7.1	50	2	3	5	8	13	18	38
2. MULTIPLE DX	24541	10.8	120	3	5	8	13	22	33	88
A. Not Operated	21929	9.5	83	3	4	7	11	18	26	60
B. Operated	3706	17.4	269	4	7	12	23	44	66	99 +
TOTAL										
0-19 YRS	26	9.0	68	2	3	7	11	20	31	33
20-34	196	10.0	164	2	3	7	11	19	31	83
35-49	972	9.0	95	2	4	7	10	17	24	60
50-64	4459	9.2	97	3	4	7	10	18	27	75
65 +	19982	11.0	122	3	5	8	13	23	34	89
GRAND TOTAL	**25635**	**10.6**	**118**	**3**	**5**	**8**	**12**	**21**	**32**	**85**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	8.6	15	2	6	11	11	11	11	11
20-34	52	9.4	53	3	5	7	12	24	26	30
35-49	290	11.4	105	3	5	8	14	25	31	60
50-64	1672	11.6	111	4	6	8	14	24	35	78
6[illegible]	7574	12.0	107	4	6	9	14	23	32	69
B. Operated										
0-19 YRS	10	8.8	77	4	4	6	9	21	33	33
20-34	36	17.7	389	4	6	12	23	43	88	99 +
35-49	114	18.2	306	5	7	12	24	46	72	99 +
50-64	331	21.2	372	6	9	14	30	54	76	99 +
65 +	1131	21.8	274	7	11	17	28	48	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	9593	11.9	108	4	6	9	14	24	33	69
B. Operated	1622	21.2	299	6	10	16	28	48	68	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	11215	13.3	146	4	6	10	16	27	39	86
A. Not Operated	9593	11.9	108	4	6	9	14	24	33	69
B. Operated	1622	21.2	299	6	10	16	28	48	68	99 +
TOTAL										
0-19 YRS	15	8.7	54	4	4	8	10	11	28	33
20-34	88	12.8	205	3	5	8	14	28	34	96
35-49	404	13.3	170	4	6	9	17	28	40	94
50-64	2003	13.2	167	4	6	9	15	30	43	99 +
65 +	8705	13.3	140	4	6	10	16	27	38	84
GRAND TOTAL	**11215**	**13.3**	**146**	**4**	**6**	**10**	**16**	**27**	**39**	**86**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	30	2.4	2	1	1	2	3	5	5	6
35-49	134	2.6	3	1	1	2	3	5	5	10
50-64	402	2.9	4	1	1	2	4	5	6	10
65 +	861	3.3	6	1	2	3	4	6	8	12
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	2.9	8	1	1	2	3	8	9	9
35-49	31	3.2	7	< 1	1	3	4	7	9	10
50-64	85	3.6	7	1	2	3	5	6	7	16
65 +	130	4.1	9	1	2	3	6	9	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	4.4	8	1	2	4	6	8	11	12
20-34	123	3.6	7	1	2	3	4	6	9	14
35-49	731	3.7	7	1	2	3	5	7	8	13
50-64	3147	4.2	9	1	2	3	5	8	9	15
65 +	15811	5.4	31	2	3	4	6	10	13	28
B. Operated										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	16	6.3	48	1	2	4	7	20	23	24
35-49	148	5.4	13	2	3	5	7	10	12	21
50-64	666	6.6	36	2	3	5	8	12	17	29
65 +	1990	9.6	99	2	4	7	11	20	30	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1431	3.1	5	1	2	2	4	6	7	12
B. Operated	254	3.8	8	1	2	3	5	8	10	12
2. MULTIPLE DX										
A. Not Operated	19830	5.1	27	2	3	4	6	9	12	25
B. Operated	2823	8.7	81	2	4	6	10	17	25	58
1. SINGLE DX	1685	3.2	6	1	2	3	4	6	8	12
2. MULTIPLE DX	22653	5.6	35	2	3	4	7	10	14	32
A. Not Operated	21261	5.0	26	2	2	4	6	9	12	25
B. Operated	3077	8.2	77	2	3	6	10	17	24	56
TOTAL										
0-19 YRS	26	4.0	8	1	2	3	6	8	10	12
20-34	176	3.6	10	1	2	3	4	6	9	20
35-49	1044	3.8	8	1	2	3	5	7	9	13
50-64	4300	4.4	14	1	2	4	5	8	10	18
65 +	18792	5.8	39	2	3	4	7	11	14	35
GRAND TOTAL	**24338**	**5.4**	**33**	**2**	**2**	**4**	**6**	**10**	**13**	**31**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	3.1	4	< 1	1	3	4	6	7	7
35-49	36	4.8	12	2	2	4	6	11	13	14
50-64	111	5.6	27	2	3	4	6	9	15	32
65 +	395	6.0	35	2	3	5	7	11	14	26
B. Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	13	4.5	12	1	2	4	6	9	13	14
50-64	18	4.8	15	1	2	4	7	10	13	15
65 +	17	9.2	42	2	4	9	15	23	70	99 +
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.7	9	2	2	4	7	8	8	8
20-34	30	6.1	43	2	3	4	6	15	25	28
35-49	226	6.4	31	2	3	5	7	12	16	34
50-64	1232	6.7	38	2	3	5	8	12	17	29
65 +	6567	8.5	65	3	4	7	10	16	22	50
B. Operated										
0-19 YRS	0									
20-34	14	8.4	35	4	5	7	9	16	24	26
35-49	45	9.1	29	3	5	8	13	17	20	99 +
50-64	192	12.9	188	3	5	8	16	32	47	99 +
65 +	739	15.5	177	5	7	12	19	33	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	554	5.8	31	2	3	5	7	11	14	28
B. Operated	49	6.3	27	1	3	5	9	15	17	99 +
2. MULTIPLE DX										
A. Not Operated	8058	8.1	60	2	4	6	10	15	21	45
B. Operated	990	14.6	173	4	6	11	18	32	49	99 +
1. SINGLE DX	603	5.8	31	2	3	5	7	11	15	28
2. MULTIPLE DX	9048	8.9	76	3	4	7	10	17	24	59
A. Not Operated	8612	8.0	58	2	4	6	10	15	21	44
B. Operated	1039	14.2	169	4	6	11	18	32	49	99 +
TOTAL										
0-19 YRS	3	4.7	9	2	3	6	54	99 +	99 +	99 +
20-34	57	6.0	34	1	3	4	7	10	23	28
35-49	320	6.5	29	2	3	5	8	13	17	34
50-64	1553	7.4	60	2	3	6	8	14	21	44
65 +	7718	9.0	78	3	4	7	11	17	25	59
GRAND TOTAL	**9651**	**8.7**	**74**	**2**	**4**	**6**	**10**	**17**	**24**	**58**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.8	7	1	3	5	6	7	7	7
20-34	23	10.3	75	2	4	7	14	25	27	27
35-49	87	7.6	40	2	4	6	10	14	23	77
50-64	446	8.7	69	3	4	6	10	18	24	41
65 +	2336	9.3	61	3	5	7	11	17	22	43
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	11.0	50	6	6	11	16	16	16	16
35-49	26	9.8	41	2	5	7	14	18	21	24
50-64	59	15.7	262	4	6	11	18	43	49	99
65 +	256	17.1	207	5	8	13	21	34	49	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2896	9.1	62	3	5	7	11	17	23	43
B. Operated	344	16.2	206	5	7	12	19	34	46	99
1. SINGLE DX	0									
2. MULTIPLE DX	3240	9.9	82	3	5	7	12	19	27	54
A. Not Operated	2896	9.1	62	3	5	7	11	17	23	43
B. Operated	344	16.2	206	5	7	12	19	34	46	99
TOTAL										
0-19 YRS	5	5.4	7	1	4	6	7	8	8	8
20-34	25	10.4	71	2	4	7	15	25	27	27
35-49	113	8.1	40	2	4	6	11	17	22	61
50-64	505	9.5	96	3	4	7	11	19	29	52
65 +	2592	10.0	81	3	5	8	12	19	26	56
GRAND TOTAL	**3240**	**9.9**	**82**	**3**	**5**	**7**	**12**	**19**	**27**	**54**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.6	2	1	2	2	3	5	5	5
20-34	26	3.2	3	1	2	3	4	6	7	8
35-49	52	3.1	7	1	1	2	4	6	8	14
50-64	76	3.3	7	1	1	2	5	7	9	14
65 +	101	4.7	27	1	2	3	5	9	10	35
B. Operated										
0-19 YRS	20	4.4	15	1	1	3	6	10	12	14
20-34	30	5.0	11	1	1	5	7	10	11	12
35-49	55	5.1	20	1	1	4	8	12	14	19
50-64	69	5.5	37	1	1	4	9	13	15	34
65 +	32	2.7	10	< 1	1	1	3	6	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	6.4	57	1	2	4	7	16	25	36
20-34	96	4.6	21	1	2	3	5	10	14	67
35-49	417	4.9	27	2	2	4	6	10	13	24
50-64	731	5.5	30	2	3	4	7	11	15	31
65 +	2346	7.2	70	2	3	5	8	14	20	52
B. Operated										
0-19 YRS	51	6.4	52	1	2	5	8	16	29	99
20-34	74	10.3	62	2	5	8	14	18	27	42
35-49	194	10.5	91	2	4	8	14	21	28	50
50-64	303	10.7	135	1	4	8	13	22	31	65
65 +	467	11.6	179	2	4	8	14	26	36	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	262	3.8	15	1	2	3	5	7	9	18
B. Operated	206	4.7	23	1	1	3	7	10	14	20
2. MULTIPLE DX										
A. Not Operated	3641	6.5	56	2	3	4	7	13	18	46
B. Operated	1089	10.8	138	2	4	8	13	23	33	79
1. SINGLE DX	468	4.2	19	1	1	3	5	9	11	19
2. MULTIPLE DX	4730	7.5	78	2	3	5	9	15	22	58
A. Not Operated	3903	6.3	54	2	3	4	7	12	17	44
B. Operated	1295	9.8	125	1	3	7	12	21	30	75
TOTAL										
0-19 YRS	129	5.9	46	1	2	4	7	14	20	51
20-34	226	6.3	38	1	2	4	8	14	18	35
35-49	718	6.3	49	1	2	4	8	14	19	36
50-64	1179	6.7	62	1	2	4	8	14	19	40
65 +	2946	7.8	88	2	3	5	9	15	23	66
GRAND TOTAL	**5198**	**7.2**	**74**	**2**	**3**	**5**	**8**	**15**	**22**	**54**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	6.3	1	5	5	7	7	7	7	7
35-49	12	6.8	73	1	3	5	6	15	30	33
50-64	22	4.0	15	<1	1	2	6	9	12	15
65+	38	4.0	10	<1	1	3	5	9	11	12
B. Operated										
0-19 YRS	4	3.5	4	2	2	3	5	6	6	6
20-34	30	6.2	26	1	3	5	8	13	14	26
35-49	151	4.3	10	1	1	4	6	8	10	15
50-64	517	4.2	14	1	1	3	6	9	11	17
65+	630	4.7	22	1	1	3	7	10	13	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.7	21	4	4	4	10	12	12	12
20-34	20	9.3	45	4	6	7	10	17	25	32
35-49	54	5.6	11	1	3	6	8	10	11	15
50-64	171	5.8	31	1	1	4	8	13	19	24
65+	603	7.3	64	1	3	6	9	13	17	42
B. Operated										
0-19 YRS	14	10.1	86	2	5	7	14	22	34	37
20-34	66	11.3	81	3	5	8	16	24	34	90
35-49	705	10.0	121	2	4	7	11	22	32	65
50-64	3551	9.5	107	1	4	7	11	20	28	66
65+	9885	11.5	120	2	5	9	15	24	33	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	4.5	21	<1	1	4	6	9	11	28
B. Operated	1332	4.5	18	1	1	3	6	9	12	18
2. MULTIPLE DX										
A. Not Operated	851	7.0	54	1	3	6	9	13	17	37
B. Operated	14221	11.0	117	2	5	8	14	23	32	67
1. SINGLE DX	1408	4.5	18	1	1	3	6	9	12	18
2. MULTIPLE DX	15072	10.7	114	2	4	8	13	22	31	66
A. Not Operated	927	6.8	52	1	3	5	9	12	16	36
B. Operated	15553	10.4	112	1	4	8	13	22	30	64
TOTAL										
0-19 YRS	22	8.3	63	2	4	6	10	16	27	37
20-34	119	9.6	63	3	5	7	13	22	30	58
35-49	922	8.8	101	1	3	6	10	17	28	59
50-64	4261	8.7	96	1	3	6	10	18	26	59
65+	11156	10.9	114	2	4	8	14	23	31	64
GRAND TOTAL	**16480**	**10.2**	**109**	**1**	**4**	**8**	**13**	**21**	**30**	**63**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65+	2	5.5	41	1	1	5	10	10	10	10
B. Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	28	4.7	23	1	1	2	7	13	16	17
50-64	52	3.3	14	1	1	1	5	9	13	14
65+	30	3.9	25	1	1	1	4	10	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	7.3	86	<1	1	3	14	18	18	18
35-49	11	5.0	27	<1	1	2	9	13	17	17
50-64	36	3.9	17	1	1	2	5	11	14	17
65+	78	5.6	34	1	2	4	8	15	31	99+
B. Operated										
0-19 YRS	6	6.0	43	1	2	3	9	17	18	18
20-34	18	5.1	35	1	1	3	8	9	19	26
35-49	105	6.3	27	1	2	6	10	13	14	22
50-64	448	7.1	55	1	2	6	10	15	20	39
65+	614	8.4	75	1	2	7	11	18	24	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.7	22	1	1	3	8	10	10	10
B. Operated	112	3.8	19	1	1	2	5	10	14	19
2. MULTIPLE DX										
A. Not Operated	130	5.1	29	1	2	3	6	14	18	99+
B. Operated	1191	7.7	63	1	2	6	10	16	23	40
1. SINGLE DX	115	3.8	19	1	1	2	5	10	14	19
2. MULTIPLE DX	1321	7.4	61	1	2	6	10	16	22	41
A. Not Operated	133	5.1	29	1	2	3	6	14	18	99+
B. Operated	1303	7.3	61	1	2	5	10	15	21	39
TOTAL										
0-19 YRS	8	5.1	33	1	2	3	6	15	18	18
20-34	23	5.1	37	1	1	3	7	11	21	26
35-49	145	5.9	26	1	1	4	10	13	15	21
50-64	536	6.5	50	1	1	5	9	14	18	37
65+	724	7.9	70	1	2	6	10	18	24	52
GRAND TOTAL	**1436**	**7.1**	**58**	**1**	**2**	**5**	**10**	**15**	**21**	**40**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	4.3	24	1	1	2	8	10	10	10
50-64	8	2.5	3	<1	1	2	4	5	6	6
65+	19	3.5	10	<1	1	2	6	9	11	11
B. Operated										
0-19 YRS	0									
20-34	4	8.0	7	4	6	9	10	10	10	10
35-49	8	7.3	31	1	2	7	12	15	15	15
50-64	138	7.5	13	2	6	8	9	11	12	20
65+	223	8.3	21	2	7	8	10	12	14	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	8.3	44	1	3	10	13	14	14	14
35-49	14	7.5	36	1	2	6	12	17	18	18
50-64	89	5.1	34	<1	1	3	7	11	14	34
65+	490	6.4	47	1	2	4	8	14	17	32
B. Operated										
0-19 YRS	8	15.6	407	3	8	10	11	49	65	65
20-34	38	12.1	53	6	9	11	13	20	26	42
35-49	95	10.7	70	2	7	9	13	21	25	49
50-64	1413	11.7	84	6	8	9	13	20	27	59
65+	4616	13.7	115	6	8	11	15	25	36	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.2	9	<1	1	2	5	8	10	11
B. Operated	373	8.0	18	2	7	8	9	12	13	23
2. MULTIPLE DX										
A. Not Operated	596	6.2	45	1	2	4	8	13	17	33
B. Operated	6170	13.1	108	6	8	10	15	24	34	69
1. SINGLE DX	404	7.6	19	1	6	8	9	12	13	22
2. MULTIPLE DX	6766	12.5	106	4	8	10	14	23	32	66
A. Not Operated	627	6.1	43	1	2	4	8	13	17	32
B. Operated	6543	12.9	104	6	8	10	14	23	33	66
TOTAL										
0-19 YRS	8	15.6	407	3	8	10	11	49	65	65
20-34	46	11.3	50	2	9	10	13	19	24	42
35-49	120	10.0	64	2	5	9	13	19	23	43
50-64	1648	10.9	79	4	7	9	12	18	25	57
65+	5348	12.7	110	4	8	10	14	23	34	69
GRAND TOTAL	**7170**	**12.3**	**102**	**4**	**8**	**10**	**14**	**22**	**31**	**65**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	4	6.3	41	<1	<1	5	11	14	14	14
65+	4	5.5	34	1	2	3	9	14	14	14
B. Operated										
0-19 YRS	5	7.2	40	1	2	4	14	14	14	14
20-34	25	6.4	36	1	2	5	9	17	20	21
35-49	29	5.5	24	1	1	5	8	11	13	22
50-64	68	6.1	21	1	3	5	8	13	15	22
65+	67	5.4	20	1	3	4	7	9	13	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	6	3.5	18	1	1	2	3	11	12	12
50-64	8	9.3	87	<1	3	6	13	25	29	29
65+	32	4.1	8	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	7	12.7	14	8	9	13	15	18	18	18
20-34	35	8.8	35	1	4	8	11	18	20	24
35-49	114	9.9	143	2	4	7	11	22	30	69
50-64	345	9.0	87	2	4	7	10	17	24	70
65+	792	10.3	85	3	5	8	12	21	30	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.9	26	<1	1	3	8	14	14	14
B. Operated	194	5.8	23	1	2	5	8	12	15	22
2. MULTIPLE DX										
A. Not Operated	48	4.8	25	1	2	3	6	10	15	29
B. Operated	1293	9.9	89	3	5	7	12	20	28	63
1. SINGLE DX	205	5.8	23	1	2	5	8	13	15	22
2. MULTIPLE DX	1341	9.7	88	2	5	7	12	19	27	63
A. Not Operated	59	4.8	25	1	1	3	6	11	15	28
B. Operated	1487	9.3	82	2	4	7	11	18	26	60
TOTAL										
0-19 YRS	12	10.4	30	2	6	12	14	17	18	18
20-34	62	7.6	36	1	2	7	11	18	20	24
35-49	152	8.7	117	1	3	6	10	18	26	63
50-64	425	8.5	77	2	4	6	10	17	23	66
65+	895	9.7	80	3	5	7	12	20	29	52
GRAND TOTAL	**1546**	**9.2**	**81**	**2**	**4**	**7**	**11**	**18**	**26**	**58**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	6.2	16	1	2	8	9	10	10	10
35-49	1	9.0		9	9	9	9	9	9	9
50-64	7	2.7	3	1	1	2	4	6	6	6
65 +	4	6.3	41	1	1	4	11	15	15	15
B. Operated										
0-19 YRS	7	3.0	4	1	1	2	5	6	6	6
20-34	19	5.1	13	1	2	4	8	10	12	14
35-49	112	5.1	15	1	2	5	8	10	12	18
50-64	193	5.0	17	1	1	4	8	10	12	20
65 +	95	5.2	17	1	2	4	8	10	13	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	3	< 1	< 1	1	3	4	4	4
20-34	15	7.9	12	5	5	7	11	12	14	15
35-49	23	5.1	18	< 1	1	5	7	8	13	20
50-64	69	5.4	14	1	2	6	8	10	12	16
65 +	158	6.7	21	2	3	6	9	12	15	24
B. Operated										
0-19 YRS	9	8.1	43	3	4	5	9	19	23	23
20-34	32	8.4	53	1	3	7	10	20	27	28
35-49	300	7.9	36	1	4	7	10	14	17	35
50-64	1063	9.3	77	2	5	8	11	18	24	49
65 +	1432	10.5	93	2	5	8	13	20	29	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	4.9	17	1	2	3	8	10	13	15
B. Operated	426	5.1	16	1	2	4	8	10	12	19
2. MULTIPLE DX										
A. Not Operated	268	6.2	19	1	3	6	8	11	14	21
B. Operated	2836	9.7	81	2	5	8	12	19	26	53
1. SINGLE DX	443	5.0	16	1	2	4	8	10	12	19
2. MULTIPLE DX	3104	9.4	77	2	5	8	11	18	25	51
A. Not Operated	285	6.2	19	1	3	6	8	11	14	21
B. Operated	3262	9.1	75	2	4	7	11	18	24	50
TOTAL										
0-19 YRS	19	5.3	28	1	2	4	6	12	19	23
20-34	71	7.2	32	1	3	6	10	13	19	28
35-49	436	7.1	31	1	3	7	9	12	16	31
50-64	1332	8.4	68	1	3	7	10	16	22	41
65 +	1689	9.8	84	2	4	8	12	19	27	56
GRAND TOTAL	**3547**	**8.9**	**71**	**1**	**4**	**7**	**11**	**17**	**23**	**49**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	444	4.4	10	2	3	4	5	7	9	21
20-34	33	3.1	3	1	2	3	4	6	7	7
35-49	46	3.7	8	1	2	3	4	7	10	13
50-64	43	3.5	17	< 1	1	2	4	7	10	23
65 +	33	4.4	19	1	1	3	5	12	15	17
B. Operated										
0-19 YRS	39	4.6	21	1	1	3	6	13	15	19
20-34	41	4.8	21	1	2	3	6	13	14	20
35-49	160	3.5	18	1	1	2	5	8	10	16
50-64	339	3.4	20	1	1	2	5	8	11	18
65 +	330	3.3	12	1	1	2	4	8	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	449	5.6	19	2	3	5	7	10	13	20
20-34	100	5.3	24	2	3	4	6	10	12	31
35-49	152	5.0	21	1	2	4	6	10	15	25
50-64	279	5.6	45	1	2	4	7	12	15	25
65 +	749	7.4	65	1	3	5	9	15	21	52
B. Operated										
0-19 YRS	111	9.8	123	1	3	7	13	25	45	99 +
20-34	176	7.5	53	1	2	5	10	17	22	29
35-49	491	7.6	74	1	2	5	9	16	25	46
50-64	1616	7.9	92	1	2	5	10	18	27	51
65 +	3089	9.7	117	1	3	7	12	21	30	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	599	4.2	11	1	3	4	5	7	9	19
B. Operated	909	3.5	17	1	1	2	5	8	11	18
2. MULTIPLE DX										
A. Not Operated	1729	6.3	44	1	3	5	8	13	17	33
B. Operated	5483	8.9	105	1	2	6	11	20	28	59
1. SINGLE DX	1508	3.8	14	1	1	3	5	8	10	18
2. MULTIPLE DX	7212	8.3	91	1	3	6	10	18	26	55
A. Not Operated	2328	5.8	37	1	3	4	7	11	15	29
B. Operated	6392	8.1	96	1	2	5	10	18	26	56
TOTAL										
0-19 YRS	1043	5.5	29	2	3	4	6	10	14	34
20-34	350	6.1	38	1	2	4	8	13	18	29
35-49	849	6.1	53	1	2	4	8	13	20	37
50-64	2277	6.9	77	1	2	4	8	15	24	48
65 +	4201	8.7	102	1	2	6	11	19	27	60
GRAND TOTAL	**8720**	**7.5**	**81**	**1**	**2**	**5**	**9**	**16**	**24**	**52**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	5.5	12	2	2	5	7	10	12	16
20-34	260	5.8	9	2	4	6	8	9	11	15
35-49	401	5.9	11	2	4	6	8	10	11	15
50-64	384	6.2	8	3	4	6	8	10	11	14
65 +	339	6.6	9	3	5	6	8	10	12	16
B. Operated										
0-19 YRS	9	8.0	48	1	2	7	11	19	23	23
20-34	120	6.5	17	1	3	6	9	12	14	19
35-49	185	6.1	12	2	4	6	8	10	12	18
50-64	152	6.0	13	2	4	5	8	11	12	18
65 +	157	6.4	14	2	4	6	8	10	11	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	6.3	11	2	4	6	9	10	13	14
20-34	377	6.9	19	2	4	6	9	12	14	23
35-49	951	7.2	16	3	4	7	9	12	14	19
50-64	1437	7.4	17	3	5	7	9	12	14	21
65 +	2908	8.1	20	4	6	7	10	13	15	23
B. Operated										
0-19 YRS	24	9.1	51	2	4	7	11	20	23	28
20-34	200	8.3	44	2	5	7	10	16	18	36
35-49	478	8.3	41	2	5	7	10	15	18	31
50-64	750	8.6	44	3	5	8	10	14	19	32
65 +	1530	10.2	71	4	6	8	12	17	24	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1407	6.1	10	2	4	6	8	10	11	15
B. Operated	623	6.2	14	2	4	6	8	11	12	19
2. MULTIPLE DX										
A. Not Operated	5707	7.7	19	3	5	7	9	12	14	21
B. Operated	2982	9.3	58	3	6	8	11	16	21	47
1. SINGLE DX	2030	6.2	11	2	4	6	8	10	12	16
2. MULTIPLE DX	8689	8.3	33	3	5	7	10	13	17	29
A. Not Operated	7114	7.4	17	3	5	7	9	12	14	21
B. Operated	3605	8.8	52	3	5	8	10	15	20	41
TOTAL										
0-19 YRS	90	7.0	27	2	3	6	9	13	20	26
20-34	957	6.8	22	2	4	6	9	12	15	22
35-49	2015	7.1	21	2	4	7	9	12	14	22
50-64	2723	7.4	24	3	5	7	9	12	14	22
65 +	4934	8.6	36	4	6	8	10	14	17	33
GRAND TOTAL	**10719**	**7.9**	**29**	**3**	**5**	**7**	**9**	**13**	**16**	**27**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	4.0	12	1	1	3	6	10	10	10
35-49	28	3.9	9	1	2	3	6	8	9	14
50-64	29	5.9	35	1	2	5	8	15	21	23
65 +	54	8.4	38	2	4	7	13	16	19	32
B. Operated										
0-19 YRS	21	1.8	3	< 1	1	1	2	3	6	8
20-34	645	1.8	3	1	1	1	2	3	3	7
35-49	1068	1.9	3	1	1	1	2	3	4	10
50-64	637	2.5	11	1	1	2	3	4	7	20
65 +	238	5.0	55	1	1	2	5	14	22	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.3	11	< 1	2	5	7	9	9	9
20-34	31	9.3	143	1	3	5	11	24	39	54
35-49	111	8.2	49	2	3	6	11	18	23	36
50-64	219	8.9	37	3	5	8	11	17	23	28
65 +	796	10.4	93	3	5	8	12	21	28	73
B. Operated										
0-19 YRS	4	5.0	36	2	2	2	8	14	14	14
20-34	200	3.9	24	1	1	2	4	10	16	25
35-49	526	4.8	61	1	1	2	4	12	20	40
50-64	624	6.3	68	1	1	3	8	17	23	45
65 +	798	13.7	184	2	3	10	20	31	42	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	6.4	32	1	2	5	8	15	17	26
B. Operated	2609	2.3	11	1	1	1	2	4	5	19
2. MULTIPLE DX										
A. Not Operated	1161	9.9	80	3	5	8	12	20	27	53
B. Operated	2152	8.5	122	1	2	3	12	22	31	56
1. SINGLE DX	2729	2.5	12	1	1	2	2	4	7	20
2. MULTIPLE DX	3313	9.0	107	1	2	6	12	21	29	55
A. Not Operated	1281	9.6	76	3	5	7	11	20	26	48
B. Operated	4761	5.1	70	1	1	2	4	14	22	42
TOTAL										
0-19 YRS	29	2.7	9	< 1	1	2	3	7	9	14
20-34	885	2.5	15	1	1	2	2	4	7	22
35-49	1733	3.2	27	1	1	2	3	7	11	26
50-64	1509	5.1	44	1	1	2	6	14	20	32
65 +	1886	11.1	133	2	3	7	15	25	35	67
GRAND TOTAL	**6042**	**6.0**	**75**	**1**	**1**	**3**	**7**	**16**	**23**	**43**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.1	2	< 1	1	2	3	4	5	5
20-34	54	2.3	2	< 1	1	2	3	4	5	6
35-49	60	1.9	1	< 1	1	1	2	4	5	5
50-64	43	2.1	3	< 1	< 1	2	2	4	7	9
65 +	26	2.2	2	< 1	1	2	3	4	5	7
B. Operated										
0-19 YRS	12	1.6	1	< 1	1	1	2	3	4	4
20-34	294	2.4	2	1	1	2	3	4	5	7
35-49	505	2.4	2	1	1	2	3	4	5	7
50-64	305	2.3	3	1	1	2	3	4	5	8
65 +	106	2.3	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.2	2	< 1	1	2	3	4	4	4
20-34	96	2.8	4	< 1	1	2	4	5	7	11
35-49	199	3.1	5	1	1	3	4	6	7	11
50-64	206	4.1	13	1	2	3	5	9	10	21
65 +	404	4.6	14	1	2	4	6	8	11	24
B. Operated										
0-19 YRS	40	2.4	2	1	1	2	3	5	6	6
20-34	1306	2.7	4	1	1	2	3	5	6	10
35-49	2709	2.7	4	1	2	2	3	5	6	10
50-64	2123	2.9	5	1	2	2	3	5	7	12
65 +	1458	4.0	17	1	2	3	5	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	2.1	2	< 1	1	2	3	4	5	8
B. Operated	1222	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	910	3.9	11	1	2	3	5	8	10	18
B. Operated	7636	3.0	7	1	2	2	4	5	7	14
1. SINGLE DX	1414	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	8546	3.1	8	1	2	2	4	6	7	14
A. Not Operated	1102	3.6	10	1	2	3	5	7	9	17
B. Operated	8858	2.9	6	1	2	2	3	5	7	13
TOTAL										
0-19 YRS	66	2.2	2	1	1	2	3	4	5	6
20-34	1750	2.7	4	1	1	2	3	5	6	10
35-49	3473	2.7	4	1	1	2	3	5	6	9
50-64	2677	2.9	6	1	2	2	3	5	7	12
65 +	1994	4.0	16	1	2	3	5	8	11	20
GRAND TOTAL	**9960**	**3.0**	**7**	**1**	**2**	**2**	**4**	**5**	**7**	**13**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	4.8	14	1	2	4	7	9	11	20
20-34	298	6.1	12	2	4	6	8	9	11	16
35-49	441	6.1	10	2	4	6	8	10	11	18
50-64	440	6.1	9	2	4	6	8	10	11	14
65 +	420	6.5	12	2	4	7	8	10	12	16
B. Operated										
0-19 YRS	153	2.4	9	< 1	1	1	2	7	9	18
20-34	304	4.6	17	1	1	4	7	9	12	21
35-49	302	5.5	15	1	2	5	8	10	12	19
50-64	223	6.5	20	1	4	6	8	11	15	25
65 +	199	6.6	19	1	4	6	8	11	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	225	5.0	28	1	1	3	7	11	15	23
20-34	742	6.2	17	2	3	6	8	11	14	19
35-49	1609	6.5	22	2	3	6	9	11	14	21
50-64	2768	6.5	23	2	3	6	8	11	14	23
65 +	7610	6.9	26	2	4	6	9	12	15	26
B. Operated										
0-19 YRS	222	7.9	126	1	2	4	9	19	29	89
20-34	588	7.7	50	1	3	6	10	16	23	35
35-49	1040	8.5	45	2	5	7	10	15	21	35
50-64	1672	9.4	64	2	5	8	11	18	24	44
65 +	3290	10.4	70	3	6	8	12	19	25	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1683	6.1	11	2	4	6	8	10	11	16
B. Operated	1181	5.3	18	1	1	5	8	10	12	21
2. MULTIPLE DX										
A. Not Operated	12954	6.7	25	2	3	6	9	12	14	24
B. Operated	6812	9.6	66	2	5	8	11	18	24	44
1. SINGLE DX	2864	5.8	14	1	3	6	8	10	11	18
2. MULTIPLE DX	19766	7.7	41	2	4	7	9	14	18	34
A. Not Operated	14637	6.7	23	2	4	6	8	11	14	23
B. Operated	7993	8.9	61	2	4	7	11	17	23	41
TOTAL										
0-19 YRS	684	5.3	58	1	1	3	7	12	18	38
20-34	1932	6.4	27	1	3	6	8	12	15	27
35-49	3392	7.0	28	2	4	6	9	12	16	26
50-64	5103	7.4	37	2	4	7	9	13	17	32
65 +	11519	7.9	41	2	4	7	10	14	18	34
GRAND TOTAL	**22630**	**7.5**	**38**	**2**	**4**	**7**	**9**	**13**	**17**	**32**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7952	2.0	2	1	1	2	3	3	4	7
20-34	527	2.8	2	1	2	2	3	4	6	8
35-49	237	2.8	3	1	2	2	3	5	6	9
50-64	75	3.2	3	1	2	3	4	6	7	9
65 +	46	3.8	9	1	2	3	5	7	10	16
B. Operated										
0-19 YRS	389	1.9	4	< 1	1	1	2	4	6	11
20-34	111	2.4	6	1	1	1	3	6	7	13
35-49	20	3.3	9	1	1	2	5	8	10	10
50-64	8	2.9	4	1	1	2	5	6	6	6
65 +	5	2.6	5	1	1	1	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11919	2.8	4	1	2	2	3	5	6	10
20-34	1502	3.2	4	1	2	3	4	5	7	11
35-49	879	3.6	6	1	2	3	4	6	8	13
50-64	764	4.4	8	2	2	4	5	8	10	14
65 +	1166	5.7	25	2	3	5	7	10	13	24
B. Operated										
0-19 YRS	734	4.9	46	1	1	2	6	12	16	33
20-34	220	4.2	14	1	1	3	6	9	12	18
35-49	173	5.6	26	1	2	4	8	12	15	33
50-64	141	6.1	26	1	2	5	9	12	17	25
65 +	167	9.4	84	1	4	7	13	19	25	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8837	2.1	2	1	1	2	3	4	5	7
B. Operated	533	2.0	5	< 1	1	1	2	5	7	11
2. MULTIPLE DX										
A. Not Operated	16230	3.2	7	1	2	3	4	6	7	13
B. Operated	1435	5.5	43	1	1	4	7	12	17	33
1. SINGLE DX	9370	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	17665	3.4	10	1	2	3	4	6	8	15
A. Not Operated	25067	2.8	5	1	1	2	3	5	7	11
B. Operated	1968	4.6	35	1	1	2	6	11	15	27
TOTAL										
0-19 YRS	20994	2.6	5	1	1	2	3	5	6	11
20-34	2360	3.2	5	1	2	3	4	6	7	12
35-49	1309	3.7	9	1	2	3	4	7	9	15
50-64	988	4.5	11	2	2	4	6	9	11	17
65 +	1384	6.1	33	2	3	5	7	11	15	26
GRAND TOTAL	**27035**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6535	2.8	3	1	2	2	4	5	6	8
20-34	234	3.2	3	1	2	3	4	5	5	10
35-49	249	3.6	7	2	2	3	4	6	7	13
50-64	191	4.3	8	2	3	4	5	6	[illegible]	12
65 +	214	4.9	12	2	3	4	6	8	[illegible]	21
B. Operated										
0-19 YRS	34	3.5	8	1	1	2	5	7	9	12
20-34	0									
35-49	9	3.2	3	1	2	3	4	6	6	6
50-64	8	4.0	17	< 1	< 1	1	7	11	12	12
65 +	8	7.5	23	3	5	7	8	15	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16535	3.7	8	1	2	3	4	6	8	14
20-34	1498	4.7	17	2	2	4	5	9	13	18
35-49	2409	4.8	9	2	3	4	6	9	10	17
50-64	6832	6.1	22	2	4	5	7	11	13	22
65 +	18381	6.9	27	3	4	6	8	12	15	26
B. Operated										
0-19 YRS	224	10.9	148	2	4	8	13	23	41	99 +
20-34	105	9.7	129	2	4	6	13	19	30	99 +
35-49	178	8.7	76	2	4	7	10	17	24	99 +
50-64	469	10.2	71	3	5	8	13	19	30	53
65 +	1290	12.8	132	4	6	10	15	26	36	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7423	2.9	4	1	2	3	4	5	6	9
B. Operated	59	4.1	12	1	1	3	6	8	11	17
2. MULTIPLE DX										
A. Not Operated	45655	5.5	20	2	3	4	7	10	13	21
B. Operated	2266	11.6	118	3	5	9	14	23	34	96
1. SINGLE DX	7482	3.0	4	1	2	3	4	5	6	10
2. MULTIPLE DX	47921	5.8	26	2	3	5	7	11	14	25
A. Not Operated	53078	5.1	19	2	3	4	6	9	12	20
B. Operated	2325	11.4	117	3	5	9	14	23	33	93
TOTAL										
0-19 YRS	23328	3.5	9	1	2	3	4	6	8	14
20-34	1837	4.8	24	2	2	4	5	9	14	21
35-49	2845	5.0	14	2	3	4	6	9	11	19
50-64	7500	6.3	25	2	4	5	8	11	14	25
65 +	19893	7.3	36	3	4	6	9	13	17	31
GRAND TOTAL	**55403**	**5.4**	**24**	**2**	**3**	**4**	**7**	**10**	**13**	**24**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	3	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	216	1.1		< 1	1	1	1	2	2	3
20-34	431	1.2		< 1	1	1	1	2	2	3
35-49	272	1.1		1	1	1	1	2	2	3
50-64	106	1.2		< 1	1	1	1	2	2	3
65 +	30	1.1		< 1	1	1	1	1	1	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	9	1.2		< 1	< 1	1	1	2	2	2
35-49	13	1.0		< 1	< 1	< 1	1	1	1	1
50-64	7	2.1	4	< 1	< 1	1	4	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	619	1.2		1	1	1	1	2	2	3
20-34	1800	1.3		1	1	1	1	2	2	4
35-49	1487	1.3	1	1	1	1	1	2	3	4
50-64	730	1.4	1	1	1	1	2	2	3	6
65 +	223	1.5	2	1	1	1	2	2	3	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		1	1	1	1	1	1	1
B. Operated	1055	1.2		< 1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	34	1.3	1	< 1	< 1	1	1	2	4	5
B. Operated	4859	1.3	1	1	1	1	1	2	2	4
1. SINGLE DX	1059	1.2		< 1	1	1	1	2	2	3
2. MULTIPLE DX	4893	1.3	1	1	1	1	1	2	3	4
A. Not Operated	38	1.3	1	< 1	< 1	1	1	2	4	5
B. Operated	5914	1.3	1	1	1	1	1	2	2	4
TOTAL										
0-19 YRS	839	1.2		1	1	1	1	2	2	3
20-34	2241	1.2		1	1	1	1	2	2	4
35-49	1772	1.3	1	1	1	1	1	2	2	4
50-64	846	1.4	1	1	1	1	2	2	3	5
65 +	254	1.5	2	1	1	1	2	2	3	9
GRAND TOTAL	**5952**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**2**	**4**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	26	1.3	1	< 1	1	1	1	2	4	4
20-34	34	1.3	1	< 1	1	1	1	2	3	4
35-49	44	1.2		< 1	1	1	1	2	3	4
50-64	37	1.5	1	< 1	1	1	2	3	3	4
65 +	23	1.3		< 1	< 1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	6	< 1	< 1	1	4	6	6	6
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	4.2	51	1	1	1	5	17	17	17
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	114	2.0	4	1	1	1	2	4	6	11
20-34	162	1.8	3	1	1	1	2	3	4	10
35-49	259	1.6	2	1	1	1	2	3	3	8
50-64	264	1.7	2	1	1	1	2	3	4	7
65 +	166	1.7	2	1	1	1	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.8	7	1	1	4	6	6	6	6
B. Operated	164	1.3	1	< 1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	13	3.2	20	< 1	1	1	4	8	15	17
B. Operated	965	1.7	3	1	1	1	2	3	4	9
1. SINGLE DX	168	1.4	1	< 1	1	1	1	2	3	6
2. MULTIPLE DX	978	1.8	3	1	1	1	2	3	4	9
A. Not Operated	17	3.4	16	< 1	1	1	5	6	13	17
B. Operated	1129	1.7	2	1	1	1	2	3	4	9
TOTAL										
0-19 YRS	144	1.9	4	1	1	1	2	4	6	10
20-34	198	1.7	2	1	1	1	2	3	4	10
35-49	305	1.6	2	1	1	1	2	3	3	8
50-64	308	1.8	3	1	1	1	2	3	4	8
65 +	191	1.7	2	1	1	1	2	3	4	9
GRAND TOTAL	**1146**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**9**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	128	1.4	1	1	1	1	1	2	3	8
20-34	62	1.5	2	1	1	1	1	3	4	9
35-49	8	1.9	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11483	1.0		1	1	1	1	1	1	2
20-34	2006	1.1		1	1	1	1	1	2	3
35-49	240	1.2		1	1	1	1	2	3	4
50-64	30	1.3	2	1	1	1	1	1	2	8
65 +	8	1.1		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	247	2.2	4	< 1	< 1	1	3	4	6	9
20-34	32	2.3	3	< 1	1	2	3	5	6	7
35-49	5	2.4	5	< 1	< 1	1	4	6	6	6
50-64	5	4.2	27	< 1	< 1	1	7	13	13	13
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	10827	1.3	2	1	1	1	1	1	2	6
20-34	788	1.4	1	1	1	1	1	2	3	6
35-49	190	1.6	3	1	1	1	1	3	3	10
50-64	52	2.0	9	1	1	1	2	3	6	20
65 +	20	1.8	2	< 1	1	1	2	4	6	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	198	1.5	2	1	1	1	1	2	3	8
B. Operated	13767	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	290	2.2	4	< 1	< 1	1	3	4	6	10
B. Operated	11877	1.3	2	1	1	1	1	2	2	6
1. SINGLE DX	13965	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX	12167	1.3	2	1	1	1	1	2	2	7
A. Not Operated	488	1.9	3	< 1	1	1	2	4	5	10
B. Operated	25644	1.2	1	1	1	1	1	1	2	4
TOTAL										
0-19 YRS	22685	1.2	1	1	1	1	1	1	2	4
20-34	2888	1.2	1	1	1	1	1	2	2	4
35-49	443	1.4	1	1	1	1	1	2	3	8
50-64	87	1.9	8	1	1	1	1	3	6	17
65 +	29	1.6	2	1	1	1	2	3	5	7
GRAND TOTAL	**26132**	**1.2**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**4**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1071	2.6	3	1	1	2	3	5	6	9
20-34	420	2.8	3	1	2	2	3	5	6	9
35-49	173	2.8	3	1	2	2	3	5	7	10
50-64	75	3.3	5	1	2	3	4	6	8	11
65 +	34	3.0	6	< 1	1	2	4	6	9	10
B. Operated										
0-19 YRS	1361	2.4	8	< 1	1	1	3	5	7	14
20-34	768	2.1	4	1	1	1	3	4	5	8
35-49	593	1.9	10	1	1	1	2	3	5	8
50-64	329	1.7	2	1	1	1	2	3	4	9
65 +	164	1.5	1	< 1	1	1	2	2	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1627	3.2	7	1	2	3	4	6	7	12
20-34	519	3.4	7	1	2	3	4	6	8	13
35-49	398	3.6	8	1	2	3	4	6	8	11
50-64	255	4.4	10	1	2	4	5	8	11	15
65 +	296	4.9	17	1	2	4	6	10	13	23
B. Operated										
0-19 YRS	2119	4.2	48	< 1	1	2	5	10	15	41
20-34	1446	2.3	7	1	1	1	2	5	6	14
35-49	1674	2.3	9	1	1	1	2	5	7	14
50-64	1280	2.8	18	1	1	1	3	6	9	18
65 +	932	4.0	46	1	1	2	4	10	14	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1773	2.7	3	1	1	2	3	5	6	10
B. Operated	3215	2.1	7	< 1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	3095	3.6	8	1	2	3	4	6	8	14
B. Operated	7451	3.2	27	1	1	1	3	7	11	26
1. SINGLE DX	4988	2.3	5	1	1	2	3	4	6	10
2. MULTIPLE DX	10546	3.3	21	1	1	2	4	7	10	23
A. Not Operated	4868	3.2	7	1	2	3	4	6	8	13
B. Operated	10666	2.8	21	1	1	1	3	6	9	22
TOTAL										
0-19 YRS	6178	3.3	21	1	1	2	4	6	9	23
20-34	3153	2.5	6	1	1	2	3	5	6	12
35-49	2838	2.4	9	1	1	2	3	5	7	13
50-64	1939	2.8	15	1	1	2	3	6	9	16
65 +	1426	3.9	35	1	1	2	4	9	13	28
GRAND TOTAL	**15534**	**3.0**	**16**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	872	3.6	5	2	2	3	4	6	7	11
20-34	497	4.4	6	2	3	4	5	7	9	12
35-49	350	4.9	6	2	3	4	6	8	10	12
50-64	250	5.2	7	3	3	5	7	9	10	13
65 +	386	6.0	23	2	4	5	7	10	13	20
B. Operated										
0-19 YRS	16	6.4	41	1	2	4	9	18	19	20
20-34	9	7.7	19	3	6	7	9	14	17	17
35-49	21	9.0	50	3	5	7	12	15	25	34
50-64	20	13.5	304	4	6	10	12	22	57	83
65 +	20	10.5	124	1	4	7	13	22	36	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2905	6.8	44	2	3	5	9	14	17	31
20-34	1907	7.0	28	3	4	5	9	14	17	27
35-49	2183	7.4	34	3	4	6	9	13	16	29
50-64	3955	8.1	35	3	5	7	10	14	18	30
65 +	16094	9.5	49	4	5	8	11	17	22	39
B. Operated										
0-19 YRS	331	17.1	189	6	10	14	20	32	46	87
20-34	349	16.0	196	5	7	12	18	32	48	93
35-49	522	17.4	219	6	8	13	21	37	56	99 +
50-64	949	17.9	219	6	9	14	22	37	50	99
65 +	2862	19.0	199	7	10	15	24	38	52	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2355	4.5	9	2	3	4	6	8	10	14
B. Operated	86	9.8	123	1	5	7	12	18	25	71
2. MULTIPLE DX										
A. Not Operated	27044	8.7	45	3	5	7	11	15	20	36
B. Operated	5013	18.3	205	6	9	14	23	38	52	99 +
1. SINGLE DX	2441	4.7	14	2	3	4	6	8	10	16
2. MULTIPLE DX	32057	10.2	82	3	5	8	12	19	26	54
A. Not Operated	29399	8.3	43	3	4	7	10	15	19	34
B. Operated	5099	18.2	205	6	9	14	22	37	52	99 +
TOTAL										
0-19 YRS	4124	6.9	58	2	3	4	9	14	18	38
20-34	2762	7.7	56	3	4	5	9	15	19	40
35-49	3076	8.8	78	3	4	6	10	16	24	55
50-64	5174	9.8	83	3	5	7	11	18	26	58
65 +	19362	10.8	83	4	6	8	13	20	27	55
GRAND TOTAL	**34498**	**9.8**	**79**	**3**	**5**	**7**	**12**	**19**	**26**	**53**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10092	3.4	5	2	2	3	4	6	7	10
20-34	1723	4.2	5	2	3	4	5	7	8	11
35-49	1388	4.6	6	2	3	4	6	8	9	13
50-64	907	5.2	9	2	3	5	6	8	10	14
65 +	1322	6.1	15	3	4	5	7	10	13	21
B. Operated										
0-19 YRS	87	4.2	14	1	2	4	6	8	10	21
20-34	42	8.5	97	3	4	6	10	14	18	65
35-49	57	7.7	24	2	4	8	10	14	16	28
50-64	66	8.2	21	3	5	8	11	14	15	24
65 +	52	12.2	48	5	7	10	16	24	25	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26542	4.2	12	2	2	3	5	7	10	16
20-34	4379	5.5	15	2	3	5	7	10	12	20
35-49	5604	6.1	18	2	4	5	7	10	13	20
50-64	9479	6.9	21	3	4	6	8	12	15	24
65 +	37595	8.5	41	3	5	7	10	15	19	34
B. Operated										
0-19 YRS	896	13.1	173	3	5	9	16	29	48	99 +
20-34	505	12.1	96	4	6	10	15	22	31	52
35-49	904	12.8	113	4	7	10	15	24	35	62
50-64	1486	13.5	110	5	7	11	16	25	34	57
65 +	4689	15.7	144	6	8	12	19	30	40	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15432	3.9	7	2	2	3	5	7	8	12
B. Operated	304	7.7	41	2	4	6	10	15	19	29
2. MULTIPLE DX										
A. Not Operated	83599	6.6	30	2	3	5	8	12	15	27
B. Operated	8480	14.5	137	5	7	11	18	28	39	83
1. SINGLE DX	15736	4.0	8	2	2	3	5	7	8	13
2. MULTIPLE DX	92079	7.4	45	2	4	6	9	14	18	36
A. Not Operated	99031	6.2	27	2	3	5	8	11	15	26
B. Operated	8784	14.3	135	5	7	11	17	27	38	82
TOTAL										
0-19 YRS	37617	4.2	16	2	2	3	5	7	10	19
20-34	6649	5.6	23	2	3	4	7	10	13	25
35-49	7953	6.6	32	2	4	5	8	12	15	30
50-64	11938	7.6	36	3	4	6	9	13	17	32
65 +	43658	9.2	56	4	5	7	11	16	22	43
GRAND TOTAL	**107815**	**6.9**	**41**	**2**	**3**	**5**	**8**	**13**	**17**	**34**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	285	2.7	4	1	2	2	3	4	6	12
20-34	144	2.7	2	1	2	2	3	5	6	7
35-49	97	3.4	4	1	2	3	4	6	7	10
50-64	58	3.6	6	1	2	3	5	7	8	14
65 +	66	3.7	4	2	2	3	5	6	8	11
B. Operated										
0-19 YRS	6	7.8	79	2	3	4	10	23	25	25
20-34	3	2.7	2	< 1	1	3	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1020	3.5	11	1	2	3	4	6	8	16
20-34	555	3.3	6	1	2	3	4	6	7	12
35-49	516	3.7	5	1	2	3	5	7	8	11
50-64	529	4.5	10	2	3	4	5	8	10	17
65 +	1510	5.8	19	2	3	5	7	10	14	22
B. Operated										
0-19 YRS	28	15.1	290	2	3	8	20	38	60	67
20-34	24	5.6	16	1	2	4	9	12	12	13
35-49	20	16.5	406	4	6	9	15	48	72	77
50-64	16	10.1	107	3	5	7	13	39	80	99 +
65 +	70	11.8	126	3	5	8	15	22	40	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	650	3.0	4	1	2	3	4	5	7	10
B. Operated	9	6.1	57	1	2	3	6	19	25	25
2. MULTIPLE DX										
A. Not Operated	4130	4.4	14	2	2	3	5	8	10	18
B. Operated	158	11.9	178	2	4	7	14	25	44	76
1. SINGLE DX	659	3.0	5	1	2	3	4	5	7	11
2. MULTIPLE DX	4288	4.7	22	2	2	4	5	9	12	22
A. Not Operated	4780	4.2	13	2	2	3	5	8	10	18
B. Operated	167	11.5	173	2	4	7	13	25	44	75
TOTAL										
0-19 YRS	1339	3.6	19	1	2	3	4	6	8	21
20-34	726	3.2	6	1	2	3	4	6	7	12
35-49	633	4.0	22	1	2	3	5	7	8	16
50-64	603	4.5	13	2	3	4	5	8	10	20
65 +	1646	5.9	25	2	3	5	7	11	14	25
GRAND TOTAL	**4947**	**4.5**	**20**	**2**	**2**	**3**	**5**	**8**	**11**	**21**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	544	2.5	2	1	1	2	3	4	6	8
20-34	68	2.7	3	1	1	2	4	5	6	8
35-49	70	3.6	4	1	2	3	5	6	7	11
50-64	157	4.7	11	2	3	4	5	8	10	16
65 +	197	4.9	9	2	3	4	7	9	11	16
B. Operated										
0-19 YRS	26	2.2	5	1	1	1	3	5	7	10
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	12	2.9	8	< 1	< 1	2	4	7	10	10
50-64	19	3.1	10	< 1	< 1	1	5	9	9	9
65 +	12	3.3	36	< 1	< 1	< 1	2	9	20	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1166	3.6	12	1	2	3	4	6	10	14
20-34	312	4.1	8	1	2	3	5	8	10	15
35-49	499	4.6	10	2	3	4	6	8	10	17
50-64	1232	6.3	33	2	3	5	8	11	15	28
65 +	2828	6.9	36	2	4	5	8	12	16	31
B. Operated										
0-19 YRS	57	6.8	56	1	2	5	8	14	25	37
20-34	47	6.6	40	1	2	4	10	15	20	29
35-49	59	6.5	38	1	3	6	8	11	15	37
50-64	182	9.7	105	2	4	7	11	21	30	90
65 +	327	11.9	115	3	5	9	16	22	33	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1036	3.4	6	1	2	3	4	6	8	12
B. Operated	72	2.8	11	< 1	< 1	1	3	7	9	19
2. MULTIPLE DX										
A. Not Operated	6037	5.8	29	2	3	4	7	11	14	26
B. Operated	672	10.0	99	2	4	7	13	20	29	61
1. SINGLE DX	1108	3.3	7	1	2	3	4	6	8	12
2. MULTIPLE DX	6709	6.2	38	2	3	5	8	12	16	32
A. Not Operated	7073	5.4	27	2	3	4	7	10	13	24
B. Operated	744	9.3	95	1	3	7	12	19	27	59
TOTAL										
0-19 YRS	1793	3.3	11	1	2	3	4	6	9	14
20-34	430	4.1	12	1	2	3	5	8	11	17
35-49	640	4.6	12	2	2	4	6	8	10	18
50-64	1590	6.5	41	2	3	5	8	12	16	36
65 +	3364	7.2	45	2	4	6	9	13	18	39
GRAND TOTAL	**7817**	**5.8**	**34**	**2**	**3**	**4**	**7**	**11**	**15**	**29**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	5.5	26	2	2	3	8	13	13	13
35-49	10	5.4	15	2	3	3	8	11	13	13
50-64	96	5.2	9	2	3	5	7	10	11	13
65 +	149	6.2	21	2	3	5	8	10	12	28
B. Operated										
0-19 YRS	3	5.7	16	1	3	8	8	8	8	8
20-34	8	6.9	14	3	4	6	8	13	15	15
35-49	5	11.6	35	7	7	8	17	19	19	19
50-64	8	7.6	11	3	5	8	9	13	14	14
65 +	8	7.9	28	3	4	6	11	16	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.2	10	1	2	4	6	9	9	9
20-34	15	4.5	10	2	3	4	4	10	11	12
35-49	98	6.1	17	2	4	5	7	11	14	24
50-64	840	7.1	43	2	4	5	9	13	17	36
65 +	2074	8.0	45	3	4	6	10	14	19	35
B. Operated										
0-19 YRS	17	11.3	145	3	5	8	13	20	43	54
20-34	39	10.3	33	4	6	10	12	18	23	28
35-49	42	11.4	66	4	5	8	16	26	28	36
50-64	119	15.1	189	4	8	12	19	32	54	99 +
65 +	210	17.0	259	5	7	12	21	40	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	259	5.8	17	2	3	5	7	10	12	26
B. Operated	32	7.9	21	3	5	7	9	16	17	19
2. MULTIPLE DX										
A. Not Operated	3032	7.6	44	3	4	6	9	14	18	35
B. Operated	427	15.1	200	4	7	11	19	31	53	99 +
1. SINGLE DX	291	6.0	17	2	3	5	8	10	12	24
2. MULTIPLE DX	3459	8.5	69	3	4	6	10	16	22	51
A. Not Operated	3291	7.5	42	3	4	6	9	14	18	34
B. Operated	459	14.6	191	4	7	11	18	30	50	99 +
TOTAL										
0-19 YRS	25	9.2	110	2	4	7	10	13	30	54
20-34	66	8.2	31	3	4	7	12	15	19	27
35-49	155	7.7	37	3	4	6	9	16	19	30
50-64	1063	7.8	63	2	4	6	9	15	21	50
65 +	2441	8.6	69	3	4	7	10	16	21	50
GRAND TOTAL	**3750**	**8.3**	**65**	**3**	**4**	**6**	**10**	**16**	**21**	**49**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20770	2.6	2	1	2	2	3	4	5	7
20-34	3328	3.2	3	1	2	3	4	6	7	10
35-49	3060	3.7	4	1	2	3	5	6	8	10
50-64	1897	4.1	6	2	2	4	5	7	9	12
65 +	1123	4.7	9	2	3	4	6	8	10	15
B. Operated										
0-19 YRS	65	3.4	5	< 1	1	3	5	7	7	10
20-34	19	3.9	14	1	2	3	5	10	13	15
35-49	14	4.8	7	1	3	5	6	8	10	11
50-64	12	5.6	19	1	2	5	7	13	15	15
65 +	10	8.8	45	4	4	5	14	20	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21769	3.1	5	1	2	3	4	5	7	11
20-34	4944	4.1	9	2	2	3	5	7	9	15
35-49	6565	4.9	12	2	3	4	6	9	11	18
50-64	8285	5.8	17	2	3	5	7	10	13	20
65 +	11220	6.7	22	3	4	6	8	12	15	24
B. Operated										
0-19 YRS	362	8.9	123	2	4	6	10	17	24	75
20-34	158	8.6	53	3	4	7	10	16	22	52
35-49	293	9.9	103	3	5	7	12	20	27	60
50-64	405	11.7	158	4	5	9	13	21	31	88
65 +	605	14.2	146	5	7	10	17	30	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30178	2.9	3	1	2	3	4	5	6	9
B. Operated	120	4.3	13	1	2	4	6	8	12	19
2. MULTIPLE DX										
A. Not Operated	52783	4.6	14	2	2	4	6	9	11	18
B. Operated	1823	11.4	134	3	5	8	13	23	34	89
1. SINGLE DX	30298	2.9	3	1	2	3	4	5	6	9
2. MULTIPLE DX	54606	4.8	19	2	2	4	6	9	12	21
A. Not Operated	82961	4.0	11	1	2	3	5	7	10	16
B. Operated	1943	11.0	129	3	5	8	13	22	33	88
TOTAL										
0-19 YRS	42966	2.9	5	1	2	2	4	5	6	10
20-34	8449	3.8	8	1	2	3	5	7	8	14
35-49	9932	4.7	13	2	3	4	6	8	10	18
50-64	10599	5.7	22	2	3	5	7	10	13	21
65 +	12958	6.8	30	2	4	6	8	12	16	29
GRAND TOTAL	**84904**	**4.2**	**14**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.5	8	1	1	2	5	8	10	10
20-34	24	3.1	3	1	2	3	4	5	6	8
35-49	85	4.5	9	2	2	4	6	9	10	15
50-64	432	4.9	15	2	3	4	6	9	11	18
65 +	664	5.0	13	2	3	4	6	9	11	19
B. Operated										
0-19 YRS	3	3.3	10	< 1	< 1	2	6	7	7	7
20-34	4	5.8	16	< 1	2	6	9	10	10	10
35-49	9	4.8	17	2	2	4	5	11	15	15
50-64	14	5.9	25	1	2	5	8	13	17	18
65 +	11	6.4	6	3	5	7	7	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	8.7	25	3	4	9	12	14	14	27
20-34	63	8.4	52	2	4	7	11	15	23	37
35-49	439	5.5	15	2	3	5	7	10	13	20
50-64	3227	6.4	25	2	3	5	8	11	15	25
65 +	7430	7.0	39	2	4	6	8	13	17	34
B. Operated										
0-19 YRS	42	12.7	151	3	7	9	14	26	41	61
20-34	25	13.4	101	3	6	10	18	28	32	43
35-49	70	9.5	55	3	5	8	12	16	25	40
50-64	341	12.3	154	3	5	9	15	23	41	69
65 +	665	13.4	163	3	6	10	16	28	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1217	4.9	13	2	3	4	6	9	11	17
B. Operated	41	5.6	15	1	2	5	7	11	13	18
2. MULTIPLE DX										
A. Not Operated	11234	6.8	34	2	4	5	8	12	16	30
B. Operated	1143	12.8	152	3	6	9	16	27	42	99
1. SINGLE DX	1258	4.9	13	2	3	4	6	9	11	18
2. MULTIPLE DX	12377	7.4	48	2	4	6	9	14	18	41
A. Not Operated	12451	6.6	33	2	3	5	8	12	16	30
B. Operated	1184	12.5	149	3	6	9	15	26	40	98
TOTAL										
0-19 YRS	132	9.4	70	2	4	8	11	15	20	54
20-34	116	8.3	62	2	3	6	10	18	27	40
35-49	603	5.8	21	2	3	5	7	11	14	23
50-64	4014	6.7	38	2	3	5	8	12	16	32
65 +	8770	7.4	50	2	4	6	9	14	18	45
GRAND TOTAL	**13635**	**7.1**	**45**	**2**	**4**	**5**	**8**	**13**	**18**	**38**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	90	2.7	5	1	1	2	3	5	6	12
20-34	224	2.7	4	1	1	2	3	5	7	10
35-49	54	3.5	6	1	2	3	4	6	9	11
50-64	24	3.0	4	1	1	3	4	6	8	8
65 +	11	2.3	3	1	1	2	3	5	7	7
B. Operated										
0-19 YRS	312	5.5	14	2	3	4	7	10	14	18
20-34	983	5.4	15	2	3	4	7	10	12	20
35-49	362	5.5	14	2	3	4	7	10	13	17
50-64	93	5.6	14	2	3	5	7	11	13	19
65 +	50	6.0	12	2	4	5	8	11	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	3.8	14	1	1	2	6	8	9	21
20-34	139	3.7	8	1	2	3	5	8	10	13
35-49	73	4.5	22	1	2	3	5	9	12	30
50-64	97	5.4	18	1	3	4	7	10	13	23
65 +	166	6.3	25	2	3	5	8	12	16	27
B. Operated										
0-19 YRS	186	10.0	83	3	4	7	13	19	22	53
20-34	649	8.9	53	3	4	7	11	17	22	48
35-49	402	9.4	57	3	4	7	12	18	24	42
50-64	537	10.7	90	3	5	8	14	22	30	49
65 +	869	11.1	101	3	5	8	14	24	32	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	403	2.8	5	1	1	2	4	6	7	11
B. Operated	1800	5.5	14	2	3	4	7	10	13	19
2. MULTIPLE DX										
A. Not Operated	525	4.9	19	1	2	4	7	10	12	22
B. Operated	2643	10.1	80	3	5	7	13	21	28	51
1. SINGLE DX	2203	5.0	14	2	3	4	6	9	12	18
2. MULTIPLE DX	3168	9.3	74	2	4	7	12	19	26	47
A. Not Operated	928	4.0	14	1	2	3	5	8	11	18
B. Operated	4443	8.3	59	3	4	6	10	17	22	41
TOTAL										
0-19 YRS	638	6.3	39	2	3	4	8	13	17	25
20-34	1995	6.1	30	2	3	5	8	12	16	31
35-49	891	7.1	38	2	3	5	9	14	18	35
50-64	751	9.1	75	2	4	6	11	19	27	42
65 +	1096	10.0	89	3	4	7	12	21	29	55
GRAND TOTAL	**5371**	**7.5**	**53**	**2**	**3**	**5**	**9**	**15**	**21**	**38**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	4.0	19	1	1	3	5	16	67	99 +
20-34	8	16.0	931	1	2	6	10	67	91	91
35-49	8	5.8	18	1	2	5	9	12	13	13
50-64	24	5.4	16	2	3	4	6	12	14	18
65 +	50	8.7	39	2	5	8	11	15	17	38
B. Operated										
0-19 YRS	3	9.3	8	6	8	11	56	99 +	99 +	99 +
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	17.0	631	2	2	3	35	46	46	46
65 +	3	13.0	7	10	11	14	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	627	7.0	64	1	2	4	9	16	23	49
20-34	302	6.0	39	2	3	4	7	12	18	30
35-49	731	7.8	52	2	4	6	9	15	20	51
50-64	3521	8.6	47	3	4	7	11	16	21	37
65 +	8635	9.6	61	3	5	8	12	18	23	41
B. Operated										
0-19 YRS	164	22.9	373	5	9	21	52	99 +	99 +	99 +
20-34	80	26.6	482	6	10	25	43	83	99 +	99 +
35-49	223	20.0	296	4	9	15	26	55	70	99 +
50-64	778	20.4	344	5	9	15	27	56	91	99 +
65 +	1744	21.8	333	6	10	16	29	56	83	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	7.0	86	1	2	5	9	14	18	99 +
B. Operated	10	12.3	160	3	5	11	15	68	97	99 +
2. MULTIPLE DX										
A. Not Operated	13816	9.0	57	3	5	7	11	17	22	40
B. Operated	2989	21.5	340	6	9	16	30	60	93	99 +
1. SINGLE DX	136	7.4	92	1	3	6	10	15	21	99 +
2. MULTIPLE DX	16805	11.3	130	3	5	8	13	23	35	97
A. Not Operated	13942	9.0	57	3	5	7	11	17	22	41
B. Operated	2999	21.5	339	6	9	16	30	60	93	99 +
TOTAL										
0-19 YRS	830	10.0	163	1	3	6	14	31	64	99 +
20-34	390	10.4	215	2	3	5	11	29	53	99 +
35-49	963	10.6	135	2	4	7	13	24	39	99 +
50-64	4326	10.7	121	3	5	8	13	21	32	94
65 +	10432	11.6	127	3	5	8	14	23	34	84
GRAND TOTAL	**16941**	**11.2**	**130**	**3**	**5**	**8**	**13**	**23**	**35**	**97**

196: Other lung and pleural diseases (500-511.9; 513-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1237	2.7	4	1	2	2	3	5	6	10
20-34	234	3.6	9	1	2	3	4	8	10	15
35-49	234	3.3	31	1	1	2	4	6	9	13
50-64	177	3.7	9	1	2	3	4	7	11	14
65 +	202	6.0	33	1	2	4	8	12	16	33
B. Operated										
0-19 YRS	270	3.8	45	< 1	1	1	4	8	13	43
20-34	90	6.1	19	1	3	5	8	13	15	20
35-49	200	6.2	23	1	3	5	7	13	17	20
50-64	215	5.5	22	1	2	5	8	11	13	23
65 +	176	6.7	77	1	2	5	8	14	17	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3603	5.1	35	1	2	3	6	11	15	28
20-34	1040	5.6	28	1	2	4	7	12	16	24
35-49	1506	5.7	27	1	2	4	7	11	15	30
50-64	2851	6.5	36	2	3	5	8	13	16	30
65 +	9829	8.3	51	3	4	7	10	16	20	38
B. Operated										
0-19 YRS	1484	10.2	175	1	1	5	14	29	41	99 +
20-34	724	11.6	119	2	4	8	16	26	34	61
35-49	1217	11.5	124	2	5	8	15	24	33	68
50-64	2106	12.0	128	2	5	9	15	26	35	71
65 +	4453	14.6	158	4	7	11	19	31	42	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2084	3.3	12	1	2	2	4	6	9	15
B. Operated	951	5.4	40	1	1	4	7	12	16	30
2. MULTIPLE DX										
A. Not Operated	18829	7.1	44	2	3	5	9	14	18	33
B. Operated	9984	12.8	150	2	5	9	17	28	39	78
1. SINGLE DX	3035	4.0	21	1	1	3	5	8	12	21
2. MULTIPLE DX	28813	9.1	88	2	3	6	11	19	27	55
A. Not Operated	20913	6.7	42	2	3	5	8	14	18	32
B. Operated	10935	12.2	145	2	4	9	16	27	37	75
TOTAL										
0-19 YRS	6594	5.7	67	1	2	3	6	13	21	48
20-34	2088	7.5	66	1	3	5	9	17	23	41
35-49	3157	7.8	73	1	3	5	10	17	24	44
50-64	5349	8.5	79	2	3	6	10	18	25	52
65 +	14660	10.2	92	3	4	7	13	20	28	57
GRAND TOTAL	**31848**	**8.6**	**84**	**2**	**3**	**6**	**11**	**18**	**26**	**53**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	2.5	2	1	1	2	3	5	6	6
20-34	83	3.0	5	1	1	2	4	7	7	70
35-49	29	2.5	3	1	1	2	3	6	7	7
50-64	14	4.2	15	<1	1	3	7	11	11	11
65 +	6	2.5	2	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	1620	1.8	1	<1	<1	1	2	3	4	6
20-34	1607	2.0	1	1	1	2	2	3	4	6
35-49	908	2.0	1	1	1	2	2	3	4	6
50-64	257	2.1	3	1	1	2	2	4	6	8
65 +	65	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	241	3.0	4	1	2	3	4	6	7	10
20-34	145	3.4	10	1	1	3	4	6	9	19
35-49	115	3.6	11	1	1	3	4	7	11	18
50-64	72	4.0	14	1	2	3	5	9	12	21
65 +	84	5.4	29	1	2	4	6	12	15	32
B. Operated										
0-19 YRS	2245	2.3	8	<1	1	2	3	4	5	11
20-34	1548	2.7	8	1	1	2	3	4	6	13
35-49	980	2.7	7	1	1	2	3	5	6	14
50-64	510	3.4	23	1	1	2	3	7	11	23
65 +	420	3.6	23	1	1	2	4	8	11	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	2.8	5	1	1	2	4	6	7	11
B. Operated	4457	1.9	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	657	3.6	11	1	2	3	4	7	10	18
B. Operated	5703	2.6	10	1	1	2	3	5	7	15
1. SINGLE DX	4641	2.0	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	6360	2.8	11	1	1	2	3	5	7	16
A. Not Operated	841	3.4	10	1	1	3	4	7	9	18
B. Operated	10160	2.3	7	<1	1	2	3	4	5	12
TOTAL										
0-19 YRS	4158	2.1	5	<1	1	2	3	4	5	9
20-34	3383	2.4	5	1	1	2	3	4	5	10
35-49	2032	2.5	5	1	1	2	3	4	5	12
50-64	853	3.1	16	1	1	2	3	6	9	21
65 +	575	3.6	22	1	1	2	4	8	11	27
GRAND TOTAL	**11001**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**4**	**6**	**13**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	207	3.3	4	1	2	3	4	6	7	10
20-34	79	3.7	5	1	2	3	5	6	9	11
35-49	65	3.6	5	1	2	3	5	7	7	12
50-64	37	3.0	2	1	2	3	4	5	6	7
65 +	37	4.1	7	1	2	3	6	8	9	10
B. Operated										
0-19 YRS	323	2.3	3	<1	1	2	3	4	5	9
20-34	203	2.5	5	1	1	2	3	6	7	10
35-49	200	2.3	5	1	1	1	2	5	7	12
50-64	163	2.1	4	1	1	1	2	3	5	12
65 +	126	2.0	4	1	1	1	2	3	4	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	497	3.8	8	1	2	3	5	7	8	12
20-34	116	4.3	8	2	3	4	5	7	8	18
35-49	146	5.0	15	2	2	4	6	10	12	21
50-64	187	5.4	16	2	3	5	7	10	12	18
65 +	345	6.9	25	3	4	6	9	12	15	22
B. Operated										
0-19 YRS	399	3.1	13	1	1	2	4	6	9	26
20-34	251	4.8	27	1	2	3	6	10	13	28
35-49	336	4.1	21	1	1	3	5	9	11	27
50-64	364	3.9	31	1	1	2	4	8	12	37
65 +	420	5.6	59	1	2	3	7	13	20	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	425	3.4	4	1	2	3	4	6	8	10
B. Operated	1015	2.3	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	1291	5.0	16	2	3	4	6	9	11	20
B. Operated	1770	4.3	32	1	1	2	5	9	13	35
1. SINGLE DX	1440	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX	3061	4.6	25	1	2	3	6	9	12	28
A. Not Operated	1716	4.6	13	2	2	4	6	9	11	18
B. Operated	2785	3.5	23	1	1	2	4	7	11	28
TOTAL										
0-19 YRS	1426	3.2	8	1	2	3	4	6	8	14
20-34	649	3.8	15	1	2	3	5	7	10	19
35-49	747	3.7	15	1	1	2	5	8	10	19
50-64	751	3.8	21	1	1	2	4	8	10	29
65 +	928	5.5	39	1	2	4	7	11	16	30
GRAND TOTAL	**4501**	**4.0**	**19**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1334	2.5	4	1	1	2	3	5	6	11
20-34	177	2.3	2	1	1	2	3	4	5	8
35-49	275	2.2	2	1	1	2	3	4	5	8
50-64	246	2.2	2	1	1	2	3	4	5	8
65 +	126	2.4	2	< 1	1	2	3	4	6	8
B. Operated										
0-19 YRS	529	4.4	20	1	1	3	6	8	12	24
20-34	107	4.2	9	1	2	4	6	7	8	17
35-49	159	4.1	9	1	2	4	6	7	8	11
50-64	133	3.9	12	1	1	3	5	8	10	19
65 +	148	2.9	5	< 1	1	2	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2592	4.0	18	1	2	3	5	8	10	22
20-34	911	3.4	8	1	2	3	4	6	8	15
35-49	1758	3.4	9	1	2	3	4	6	8	14
50-64	2296	3.7	13	1	2	3	4	7	9	17
65 +	3817	4.8	20	2	2	4	6	9	12	21
B. Operated										
0-19 YRS	1818	9.4	102	1	3	7	11	21	29	57
20-34	546	6.7	46	1	3	5	8	14	20	35
35-49	959	6.4	49	1	3	5	7	12	17	34
50-64	1481	7.0	66	2	3	5	8	13	20	45
65 +	3063	8.1	72	2	4	6	10	16	23	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2158	2.4	4	1	1	2	3	5	6	9
B. Operated	1076	4.1	14	< 1	1	3	6	8	10	22
2. MULTIPLE DX										
A. Not Operated	11374	4.1	16	1	2	3	5	8	10	19
B. Operated	7867	7.9	74	2	3	6	9	16	23	51
1. SINGLE DX	3234	2.9	8	1	1	2	4	6	8	13
2. MULTIPLE DX	19241	5.6	43	1	2	4	7	11	16	36
A. Not Operated	13532	3.8	14	1	2	3	5	7	10	18
B. Operated	8943	7.4	69	1	3	5	9	15	22	48
TOTAL										
0-19 YRS	6273	5.3	47	1	2	3	6	11	17	37
20-34	1741	4.3	22	1	2	3	5	8	12	27
35-49	3151	4.3	23	1	2	3	5	8	11	23
50-64	4156	4.8	34	1	2	3	6	9	12	28
65 +	7154	6.1	45	2	3	4	7	12	17	37
GRAND TOTAL	**22475**	**5.3**	**39**	**1**	**2**	**4**	**6**	**10**	**15**	**34**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.8	3	1	2	2	3	5	7	8
20-34	51	2.9	3	< 1	2	3	4	5	6	9
35-49	80	3.4	5	1	2	3	4	6	8	11
50-64	43	2.8	3	1	1	3	4	5	6	9
65 +	42	3.2	3	1	2	3	4	5	6	10
B. Operated										
0-19 YRS	7	4.3	15	< 1	1	3	5	11	12	12
20-34	25	4.9	15	< 1	1	4	7	11	13	15
35-49	75	4.9	14	< 1	2	4	7	9	11	20
50-64	66	4.5	10	< 1	1	4	7	8	9	15
65 +	43	4.1	13	< 1	< 1	3	7	9	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	3.9	12	1	2	3	5	7	11	18
20-34	180	3.9	5	1	2	3	5	7	9	11
35-49	357	4.3	8	2	3	4	5	7	10	18
50-64	428	4.4	9	2	3	4	5	8	10	16
65 +	776	5.8	20	2	3	5	7	10	13	23
B. Operated										
0-19 YRS	30	5.8	21	1	3	4	8	15	16	16
20-34	108	6.0	24	1	3	4	8	12	15	25
35-49	345	7.1	32	2	4	6	8	13	16	34
50-64	487	6.7	23	2	3	6	9	13	16	28
65 +	854	8.1	49	3	4	6	10	15	21	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	229	3.1	4	1	2	3	4	5	7	10
B. Operated	216	4.6	12	< 1	1	4	7	9	11	17
2. MULTIPLE DX										
A. Not Operated	1773	4.9	14	2	3	4	6	9	11	20
B. Operated	1824	7.4	37	2	4	6	9	14	18	34
1. SINGLE DX	445	3.8	8	< 1	2	3	5	8	9	13
2. MULTIPLE DX	3597	6.2	27	2	3	5	7	11	15	28
A. Not Operated	2002	4.7	13	2	3	4	6	8	11	19
B. Operated	2040	7.1	35	2	3	6	9	13	18	32
TOTAL										
0-19 YRS	82	4.5	15	1	2	3	6	9	15	17
20-34	364	4.4	12	1	2	4	6	9	11	19
35-49	857	5.4	20	2	3	4	7	10	13	24
50-64	1024	5.4	17	2	3	4	7	10	13	21
65 +	1715	6.8	36	2	3	5	8	13	17	31
GRAND TOTAL	**4042**	**5.9**	**26**	**2**	**3**	**5**	**7**	**11**	**14**	**26**

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.01; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.1	1	1	2	3	4	5	5	5
20-34	50	3.3	5	1	2	3	4	5	6	14
35-49	100	3.3	3	2	2	3	4	5	6	9
50-64	123	3.6	3	2	2	3	5	6	7	9
65 +	106	4.2	5	2	3	4	5	7	8	10
B. Operated										
0-19 YRS	12	5.6	15	2	3	5	7	10	15	16
20-34	52	6.3	6	3	5	6	8	10	12	13
35-49	120	6.5	39	2	3	6	8	11	12	42
50-64	115	5.2	12	2	3	4	7	11	12	17
65 +	96	5.8	16	2	3	5	7	12	14	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	4.0	10	1	2	3	5	7	11	16
20-34	236	3.9	5	2	3	3	5	6	8	15
35-49	638	4.3	9	2	3	4	5	7	9	14
50-64	1139	5.1	21	2	3	4	6	8	11	23
65 +	3121	6.0	25	2	3	5	7	10	14	26
B. Operated										
0-19 YRS	37	9.7	118	2	3	7	11	22	36	51
20-34	168	7.3	31	3	4	6	9	14	19	37
35-49	573	8.1	67	3	4	6	9	15	23	47
50-64	1229	8.9	85	3	4	7	10	17	23	48
65 +	3772	9.9	88	3	5	7	12	20	27	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	399	3.6	4	2	2	3	5	6	7	10
B. Operated	395	5.9	20	2	3	5	7	11	13	19
2. MULTIPLE DX										
A. Not Operated	5172	5.5	22	2	3	4	6	9	13	23
B. Operated	5779	9.4	84	3	4	7	11	18	26	51
1. SINGLE DX	794	4.8	13	2	3	4	6	8	11	16
2. MULTIPLE DX	10951	7.6	59	3	4	5	9	14	21	44
A. Not Operated	5571	5.3	21	2	3	4	6	9	12	23
B. Operated	6174	9.2	81	3	4	7	11	18	25	50
TOTAL										
0-19 YRS	107	6.0	53	1	2	4	6	13	17	43
20-34	506	5.2	16	2	3	4	6	9	13	25
35-49	1431	5.9	38	2	3	4	7	10	15	37
50-64	2606	6.8	54	2	3	5	8	12	18	35
65 +	7095	8.0	62	3	4	6	9	16	22	45
GRAND TOTAL	**11745**	**7.4**	**56**	**2**	**3**	**5**	**8**	**14**	**20**	**43**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	2.4	2	1	1	2	3	4	5	8
20-34	241	2.9	5	1	2	2	4	5	7	11
35-49	302	2.9	3	1	2	3	4	5	6	9
50-64	144	3.0	3	1	2	3	4	6	7	9
65 +	84	3.4	4	1	2	3	5	6	7	10
B. Operated										
0-19 YRS	13	2.2	2	<1	1	2	3	4	6	6
20-34	36	6.0	9	2	4	6	8	9	11	16
35-49	71	6.8	11	3	5	7	9	10	12	19
50-64	41	5.2	12	1	2	5	6	9	11	19
65 +	8	6.4	17	1	3	5	9	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	126	3.7	7	1	2	3	5	7	8	15
20-34	521	3.7	12	1	2	3	4	6	8	13
35-49	866	3.9	7	1	2	3	5	7	9	14
50-64	912	4.2	8	2	2	4	5	7	10	14
65 +	1355	5.3	16	2	3	4	6	9	13	21
B. Operated										
0-19 YRS	45	4.2	15	1	2	3	6	9	12	20
20-34	123	7.5	34	3	4	6	9	15	18	30
35-49	304	7.7	42	3	4	6	9	14	19	36
50-64	278	8.1	59	2	4	6	9	16	24	46
65 +	454	9.1	72	3	4	7	10	17	23	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	820	3.0	4	1	2	2	4	5	7	10
B. Operated	169	5.9	12	1	4	6	8	9	11	18
2. MULTIPLE DX										
A. Not Operated	3780	4.4	12	2	2	4	5	8	10	18
B. Operated	1204	8.2	56	2	4	6	9	15	22	44
1. SINGLE DX	989	3.5	6	1	2	3	4	7	8	12
2. MULTIPLE DX	4984	5.3	25	2	3	4	6	10	14	25
A. Not Operated	4600	4.2	10	1	2	3	5	8	10	17
B. Operated	1373	7.9	51	2	4	6	9	15	20	42
TOTAL										
0-19 YRS	233	3.4	8	1	2	3	4	7	8	15
20-34	921	4.1	15	1	2	3	5	8	10	17
35-49	1543	4.6	16	1	2	4	6	8	11	21
50-64	1375	4.9	21	2	2	4	6	9	11	24
65 +	1901	6.1	31	2	3	5	7	11	15	28
GRAND TOTAL	**5973**	**5.0**	**22**	**2**	**2**	**4**	**6**	**9**	**12**	**24**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	3.2	2	1	2	3	4	5	6	7
20-34	203	3.3	3	1	2	3	4	6	7	10
35-49	263	3.5	3	2	2	3	4	6	7	9
50-64	220	3.6	4	2	2	3	4	6	7	10
65 +	170	3.9	8	2	2	3	4	6	8	14
B. Operated										
0-19 YRS	7	5.1	10	< 1	2	5	8	9	9	9
20-34	130	6.9	22	3	5	6	7	9	12	30
35-49	174	6.3	8	3	5	6	8	9	11	16
50-64	126	6.5	12	2	4	6	8	10	13	18
65 +	77	7.0	13	3	4	7	9	12	13	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	3.7	5	1	2	3	5	7	8	12
20-34	552	3.9	5	2	2	4	5	6	8	12
35-49	1025	4.3	9	2	3	4	5	7	9	14
50-64	1609	4.7	11	2	3	4	6	8	9	16
65 +	3601	6.2	22	3	3	5	7	11	14	24
B. Operated										
0-19 YRS	48	8.5	68	3	4	6	10	15	33	99 +
20-34	303	8.4	54	3	4	7	10	15	21	39
35-49	625	8.5	66	3	4	7	9	14	20	51
50-64	1007	10.0	79	3	5	8	11	19	29	63
65 +	2602	12.8	132	4	6	10	16	25	35	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	884	3.5	4	2	2	3	4	6	7	10
B. Operated	514	6.6	13	3	4	6	8	10	12	19
2. MULTIPLE DX										
A. Not Operated	6873	5.3	17	2	3	4	6	9	12	21
B. Operated	4585	11.2	109	3	5	8	13	22	32	64
1. SINGLE DX	1398	4.7	10	2	3	4	6	8	10	15
2. MULTIPLE DX	11458	7.7	62	2	4	5	9	15	21	44
A. Not Operated	7757	5.1	16	2	3	4	6	9	11	20
B. Operated	5099	10.8	101	3	5	8	13	21	30	62
TOTAL										
0-19 YRS	169	5.0	27	2	2	4	6	10	13	47
20-34	1188	5.3	23	2	3	4	6	9	12	24
35-49	2087	5.6	29	2	3	4	7	10	12	28
50-64	2962	6.5	40	2	3	5	8	12	16	37
65 +	6450	8.8	77	3	4	6	10	17	24	49
GRAND TOTAL	**12856**	**7.4**	**57**	**2**	**3**	**5**	**8**	**14**	**20**	**41**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	3.6	4	1	2	3	4	7	8	8
35-49	20	5.0	13	2	3	4	6	10	13	16
50-64	21	4.1	5	2	3	4	5	8	9	10
65 +	14	4.9	14	1	3	4	6	10	14	15
B. Operated										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	20	11.0	48	3	6	9	14	20	26	30
35-49	35	8.8	17	4	6	9	10	16	18	20
50-64	25	10.2	33	4	5	8	15	18	22	22
65 +	21	7.9	15	3	6	7	10	14	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.5	4	2	2	3	4	7	7	7
20-34	30	4.1	8	2	2	3	5	9	11	12
35-49	63	5.0	10	2	3	4	6	9	13	15
50-64	91	5.5	17	2	3	4	7	10	13	24
65 +	272	6.9	27	3	4	6	9	12	15	22
B. Operated										
0-19 YRS	8	12.6	127	3	4	9	18	31	35	35
20-34	48	12.7	110	5	6	9	15	27	36	52
35-49	193	13.4	136	4	6	10	15	26	38	66
50-64	270	13.9	97	5	8	11	18	26	32	64
65 +	509	16.0	177	5	8	12	20	31	45	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	4.4	9	2	2	4	5	9	10	16
B. Operated	103	9.4	27	4	6	8	12	17	19	26
2. MULTIPLE DX										
A. Not Operated	462	6.2	22	2	3	5	8	11	14	21
B. Operated	1028	14.8	146	5	7	11	18	29	39	70
1. SINGLE DX	173	7.4	25	2	4	6	10	15	18	22
2. MULTIPLE DX	1490	12.1	123	3	5	9	15	25	33	58
A. Not Operated	532	5.9	21	2	3	5	7	11	14	20
B. Operated	1131	14.3	137	5	7	11	17	28	38	69
TOTAL										
0-19 YRS	17	8.3	77	2	3	5	10	21	31	35
20-34	112	8.9	74	2	3	6	11	18	28	48
35-49	311	10.6	103	3	5	8	12	20	28	57
50-64	407	11.3	85	3	5	9	15	23	29	46
65 +	816	12.6	139	3	6	9	15	26	36	59
GRAND TOTAL	**1663**	**11.6**	**115**	**3**	**5**	**9**	**14**	**24**	**31**	**57**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	420	2.0	1	1	1	2	3	3	4	7
20-34	612	2.4	2	1	1	2	3	4	5	7
35-49	526	2.7	4	1	1	2	3	5	6	10
50-64	251	2.6	4	1	1	2	3	5	6	10
65 +	146	3.1	7	1	1	2	4	6	7	15
B. Operated										
0-19 YRS	79	3.0	5	1	2	2	4	6	7	13
20-34	63	3.3	5	< 1	1	3	4	6	8	11
35-49	89	4.3	14	< 1	2	3	5	9	11	21
50-64	41	4.0	12	< 1	1	3	5	9	12	14
65 +	35	4.5	14	< 1	< 1	4	6	8	10	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1390	2.6	5	1	1	2	3	5	6	10
20-34	2368	3.2	8	1	2	3	4	6	7	12
35-49	3211	3.8	8	1	2	3	5	7	9	15
50-64	3073	4.2	10	1	2	3	5	8	10	16
65 +	5073	5.3	19	2	3	4	6	9	12	22
B. Operated										
0-19 YRS	244	4.7	35	1	2	3	6	8	12	28
20-34	425	5.2	19	2	3	4	6	10	13	24
35-49	815	6.0	24	2	3	5	7	11	14	27
50-64	967	6.7	39	2	3	5	8	13	19	34
65 +	1949	8.0	46	3	4	6	10	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1955	2.5	3	1	1	2	3	4	5	9
B. Operated	307	3.8	10	< 1	2	3	5	7	10	17
2. MULTIPLE DX										
A. Not Operated	15115	4.2	13	1	2	3	5	8	10	17
B. Operated	4400	6.9	39	2	3	5	8	13	18	33
1. SINGLE DX	2262	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX	19515	4.8	20	1	2	4	6	9	12	23
A. Not Operated	17070	4.0	12	1	2	3	5	7	10	17
B. Operated	4707	6.7	37	2	3	5	8	13	17	32
TOTAL										
0-19 YRS	2133	2.8	8	1	1	2	3	5	6	12
20-34	3468	3.3	9	1	2	3	4	6	8	14
35-49	4641	4.1	11	1	2	3	5	7	10	17
50-64	4332	4.7	18	1	2	4	6	9	11	23
65 +	7203	5.9	28	2	3	5	7	11	15	28
GRAND TOTAL	**21777**	**4.6**	**19**	**1**	**2**	**3**	**6**	**9**	**11**	**22**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	165	2.8	8	1	1	2	4	5	6	27
20-34	88	2.7	3	1	1	2	3	6	7	8
35-49	108	3.0	8	1	1	2	4	6	7	18
50-64	70	3.1	5	< 1	1	3	4	6	7	11
65 +	51	2.9	5	1	1	2	4	6	7	10
B. Operated										
0-19 YRS	222	3.3	4	2	2	3	4	6	7	12
20-34	13	7.0	40	< 1	4	6	9	14	23	25
35-49	38	8.0	54	1	5	6	9	14	24	40
50-64	26	9.6	68	1	5	8	10	22	27	38
65 +	24	12.0	343	2	4	9	12	16	42	96
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	442	3.8	32	1	2	3	4	6	8	29
20-34	399	4.2	16	1	2	3	5	8	11	22
35-49	536	4.3	14	1	2	3	5	9	11	18
50-64	599	4.6	15	1	2	4	6	9	12	19
65 +	1102	5.6	24	2	3	4	7	11	15	25
B. Operated										
0-19 YRS	213	7.2	72	2	3	4	9	16	29	38
20-34	161	8.9	85	2	4	7	11	17	22	58
35-49	319	11.7	126	3	5	8	14	25	38	60
50-64	425	12.7	138	3	5	10	16	25	35	67
65 +	876	13.7	163	4	6	9	17	29	42	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	482	2.9	7	1	1	2	4	6	7	13
B. Operated	323	5.2	49	2	2	3	6	10	13	31
2. MULTIPLE DX										
A. Not Operated	3078	4.8	21	1	2	3	6	9	13	24
B. Operated	1994	12.1	140	3	5	8	15	26	37	61
1. SINGLE DX	805	3.8	25	1	2	3	4	7	10	24
2. MULTIPLE DX	5072	7.6	80	2	3	5	9	16	25	48
A. Not Operated	3560	4.5	19	1	2	3	5	9	12	24
B. Operated	2317	11.1	133	2	4	7	14	25	35	61
TOTAL										
0-19 YRS	1042	4.3	33	1	2	3	4	7	12	33
20-34	661	5.2	36	1	2	3	6	11	15	29
35-49	1001	6.6	63	1	2	4	8	14	22	42
50-64	1120	7.7	78	2	3	5	9	17	23	43
65 +	2053	9.1	102	2	3	6	11	20	28	58
GRAND TOTAL	**5877**	**7.1**	**74**	**1**	**2**	**4**	**8**	**15**	**23**	**46**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	2.7	5	1	1	2	3	5	6	14
20-34	74	2.7	2	1	2	3	3	4	5	8
35-49	19	4.1	9	1	2	3	5	7	11	14
50-64	7	3.4	3	1	2	3	5	6	6	6
65 +	4	3.0	3	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	9629	2.9	1	2	2	3	3	4	5	7
20-34	7164	3.0	2	2	2	3	4	4	5	7
35-49	2558	3.3	2	2	2	3	4	5	6	8
50-64	711	3.7	3	2	3	3	5	6	7	9
65 +	170	4.5	7	2	3	4	5	7	9	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	2.1	2	1	1	2	3	4	5	8
20-34	21	3.6	9	1	1	3	4	9	10	10
35-49	16	3.9	3	2	3	4	5	6	7	8
50-64	16	4.7	11	<1	2	4	6	10	12	13
65 +	17	5.6	10	3	3	5	6	12	13	13
B. Operated										
0-19 YRS	2034	3.9	7	2	3	3	4	7	8	15
20-34	2035	4.1	5	2	3	4	5	7	8	12
35-49	1045	4.7	9	2	3	4	6	8	10	15
50-64	578	5.5	13	3	3	5	7	9	12	18
65 +	420	6.6	23	3	4	5	8	12	15	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	213	2.9	4	1	2	3	3	5	6	12
B. Operated	20232	3.0	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	107	3.6	8	1	2	3	5	8	10	13
B. Operated	6112	4.5	9	2	3	4	5	8	9	16
1. SINGLE DX	20445	3.0	2	2	2	3	4	5	5	7
2. MULTIPLE DX	6219	4.4	9	2	3	4	5	8	9	16
A. Not Operated	320	3.1	5	1	2	3	4	6	8	13
B. Operated	26344	3.4	4	2	2	3	4	5	6	10
TOTAL										
0-19 YRS	11809	3.0	3	2	2	3	3	5	6	9
20-34	9294	3.3	3	2	2	3	4	5	6	9
35-49	3638	3.7	4	2	3	3	4	6	7	11
50-64	1312	4.5	8	2	3	4	5	8	9	15
65 +	611	6.0	19	3	3	5	7	11	14	20
GRAND TOTAL	**26664**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	5.8	8	3	4	5	8	9	10	14
20-34	31	6.3	14	2	4	6	7	13	15	15
35-49	26	6.6	6	4	4	6	8	9	11	14
50-64	8	8.9	39	3	4	6	13	19	20	20
65 +	5	12.6	147	5	6	8	16	34	34	34
B. Operated										
0-19 YRS	2517	6.0	8	3	4	6	7	9	11	15
20-34	1451	5.5	6	3	4	5	7	8	10	12
35-49	846	5.9	7	3	4	6	7	9	10	15
50-64	446	6.9	10	4	5	6	8	10	12	17
65 +	173	7.5	9	4	6	7	9	12	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	9.2	22	4	6	9	11	16	19	23
20-34	15	8.5	12	5	6	7	10	15	16	17
35-49	23	7.4	10	4	5	8	9	11	13	15
50-64	18	8.8	9	5	6	8	12	13	14	14
65 +	21	7.5	15	3	5	7	10	12	16	18
B. Operated										
0-19 YRS	1977	8.9	28	4	6	8	10	15	19	29
20-34	1235	8.0	24	4	5	7	9	13	16	26
35-49	1093	8.7	31	4	6	7	10	14	17	29
50-64	1024	9.9	35	5	6	9	12	17	20	31
65 +	1064	11.5	60	5	7	10	14	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	6.6	18	3	4	6	8	10	14	25
B. Operated	5433	6.0	8	3	4	6	7	9	11	15
2. MULTIPLE DX										
A. Not Operated	111	8.4	15	4	6	8	10	13	16	21
B. Operated	6393	9.3	35	4	6	8	11	16	20	32
1. SINGLE DX	5549	6.0	8	3	4	6	7	9	11	15
2. MULTIPLE DX	6504	9.3	35	4	6	8	11	16	20	31
A. Not Operated	227	7.5	17	4	5	7	9	12	15	21
B. Operated	11826	7.8	25	3	5	7	9	13	17	26
TOTAL										
0-19 YRS	4574	7.2	19	3	5	7	9	12	15	24
20-34	2732	6.7	15	3	4	6	8	10	13	21
35-49	1988	7.5	22	4	5	7	9	12	15	23
50-64	1496	9.0	29	4	6	8	11	15	19	28
65 +	1263	10.9	55	5	7	9	13	18	22	38
GRAND TOTAL	**12053**	**7.8**	**25**	**3**	**5**	**7**	**9**	**13**	**16**	**26**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	98	1.7	2	1	1	1	2	3	4	9
20-34	61	2.0	2	1	1	1	3	4	5	9
35-49	19	3.1	9	1	1	2	5	8	10	11
50-64	5	1.8	1	< 1	1	2	2	3	3	3
65 +	4	5.5	14	1	3	5	8	10	10	10
B. Operated										
0-19 YRS	646	2.8	2	2	2	3	3	4	5	7
20-34	448	3.2	2	2	2	3	4	5	6	9
35-49	156	3.5	4	2	2	3	4	6	7	13
50-64	43	3.7	3	2	3	3	4	6	7	10
65 +	18	4.5	5	2	3	4	6	7	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	2.2	5	1	1	1	2	4	8	11
20-34	36	3.1	6	1	1	2	4	8	9	10
35-49	20	3.0	4	1	2	2	4	6	7	7
50-64	7	5.0	12	1	2	5	8	10	10	10
65 +	8	6.3	6	3	4	6	7	10	11	11
B. Operated										
0-19 YRS	380	3.7	6	2	2	3	4	6	7	14
20-34	368	4.5	8	2	3	4	5	8	10	14
35-49	149	4.9	7	2	3	4	6	9	11	14
50-64	50	7.2	41	3	4	6	8	12	17	42
65 +	58	7.9	31	3	4	7	9	14	16	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	2.0	3	1	1	1	2	4	6	10
B. Operated	1311	3.1	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	133	3.0	7	1	1	2	4	7	9	11
B. Operated	1005	4.6	11	2	3	4	5	8	10	16
1. SINGLE DX	1498	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX	1138	4.4	11	2	3	4	5	8	10	15
A. Not Operated	320	2.4	5	1	1	2	3	6	8	11
B. Operated	2316	3.7	7	2	2	3	4	6	8	13
TOTAL										
0-19 YRS	1186	3.0	3	1	2	3	4	5	6	10
20-34	913	3.7	5	2	2	3	4	6	8	12
35-49	344	4.0	6	2	2	3	5	7	10	13
50-64	105	5.3	24	2	3	4	6	9	12	31
65 +	88	7.0	24	3	4	6	8	12	14	31
GRAND TOTAL	**2636**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	1.3	1	< 1	< 1	1	1	3	3	4
20-34	16	1.5		< 1	1	1	2	2	3	3
35-49	11	1.7	2	< 1	1	1	2	4	5	5
50-64	17	2.2	4	1	1	1	2	6	8	8
65 +	15	1.9	2	1	1	1	2	4	5	6
B. Operated										
0-19 YRS	2954	1.1		< 1	< 1	1	1	2	2	3
20-34	1657	1.4	1	1	1	1	2	2	3	4
35-49	2074	1.5	1	1	1	1	2	3	3	5
50-64	2608	1.6	2	1	1	1	2	3	3	6
65 +	1989	1.7	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	127	1.7	4	< 1	< 1	1	1	3	4	14
20-34	27	1.5	1	< 1	< 1	1	2	3	3	4
35-49	39	1.9	2	< 1	1	1	2	4	5	9
50-64	57	2.0	5	< 1	< 1	1	2	4	6	14
65 +	101	3.5	36	< 1	1	2	4	6	8	40
B. Operated										
0-19 YRS	2770	1.4	2	< 1	1	1	1	2	3	8
20-34	830	2.0	4	1	1	1	2	4	5	11
35-49	1605	2.0	2	1	1	2	2	4	5	8
50-64	3177	2.3	4	1	1	2	3	4	6	11
65 +	5789	3.0	12	1	1	2	3	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	1.6	2	< 1	1	1	2	3	4	7
B. Operated	11282	1.5	1	< 1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	351	2.3	13	< 1	< 1	1	2	4	6	15
B. Operated	14171	2.3	7	1	1	2	3	4	6	12
1. SINGLE DX	11393	1.5	1	< 1	1	1	2	2	3	5
2. MULTIPLE DX	14522	2.3	7	1	1	2	3	4	6	12
A. Not Operated	462	2.1	11	< 1	< 1	1	2	4	6	14
B. Operated	25453	2.0	5	< 1	1	1	2	4	5	10
TOTAL										
0-19 YRS	5903	1.3	1	< 1	< 1	1	1	2	2	6
20-34	2530	1.6	2	1	1	1	2	3	3	6
35-49	3729	1.7	2	1	1	1	2	3	4	7
50-64	5859	2.0	3	1	1	1	2	3	5	10
65 +	7894	2.7	10	1	1	2	3	5	7	13
GRAND TOTAL	**25915**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**	**10**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.5	5	< 1	< 1	1	1	2	3	14
20-34	4	1.5		< 1	< 1	1	2	2	2	2
35-49	6	1.3		< 1	1	1	2	2	2	2
50-64	6	5.5	63	< 1	1	2	7	20	21	21
65 +	13	3.8	18	1	1	3	4	7	15	17
B. Operated										
0-19 YRS	714	1.6	1	< 1	1	1	2	3	3	6
20-34	215	2.0	1	1	1	2	3	4	4	6
35-49	191	2.2	2	1	1	2	3	4	5	7
50-64	255	2.3	3	1	1	2	3	4	5	8
65 +	339	3.0	6	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	1.5	1	< 1	1	1	2	3	3	4
20-34	3	1.3		1	1	1	2	2	2	2
35-49	8	2.6	7	< 1	1	2	4	7	8	8
50-64	15	3.3	3	1	2	3	4	5	7	8
65 +	63	5.2	38	< 1	1	3	7	10	16	37
B. Operated										
0-19 YRS	711	2.3	7	1	1	2	3	4	6	14
20-34	121	2.7	4	1	1	2	4	5	7	9
35-49	197	3.4	10	1	1	2	4	7	9	17
50-64	424	4.5	26	1	2	3	5	8	11	30
65 +	1887	6.6	56	1	3	4	8	14	18	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.3	12	< 1	< 1	1	2	4	8	20
B. Operated	1714	2.1	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	132	3.5	22	< 1	1	2	4	7	9	27
B. Operated	3340	5.1	41	1	2	3	6	11	15	33
1. SINGLE DX	1782	2.1	3	1	1	2	3	4	5	9
2. MULTIPLE DX	3472	5.0	40	1	2	3	6	10	15	33
A. Not Operated	200	3.1	19	< 1	1	2	3	7	9	22
B. Operated	5054	4.1	30	1	1	2	5	8	12	27
TOTAL										
0-19 YRS	1507	1.9	4	1	1	1	2	3	5	10
20-34	343	2.2	2	1	1	2	3	4	5	8
35-49	402	2.7	6	1	1	2	3	6	7	14
50-64	700	3.7	19	1	1	3	4	7	9	21
65 +	2302	6.0	50	1	2	4	7	12	17	37
GRAND TOTAL	**5254**	**4.0**	**29**	**1**	**1**	**2**	**5**	**8**	**12**	**26**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.2		< 1	< 1	1	1	2	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	298	1.4	3	< 1	< 1	< 1	1	2	3	10
20-34	129	1.6	1	< 1	1	1	2	3	4	5
35-49	192	1.8	2	1	1	1	2	3	4	6
50-64	169	1.6	1	< 1	1	1	2	3	3	5
65 +	59	1.9	2	< 1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.1	4	< 1	< 1	1	3	4	7	8
20-34	6	2.7	5	< 1	< 1	2	3	7	7	7
35-49	15	1.6	2	< 1	< 1	1	1	4	5	5
50-64	16	3.1	12	< 1	< 1	1	4	6	12	14
65 +	13	3.1	6	< 1	1	2	4	7	8	8
B. Operated										
0-19 YRS	141	3.1	52	< 1	< 1	1	2	8	20	99 +
20-34	94	2.7	4	1	1	2	4	6	7	10
35-49	261	2.7	5	1	1	2	3	5	7	13
50-64	314	2.9	5	1	1	2	4	6	7	12
65 +	239	3.8	12	1	2	3	5	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.7	2	< 1	1	1	2	4	5	5
B. Operated	847	1.6	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	66	2.5	6	< 1	< 1	1	3	6	7	13
B. Operated	1049	3.1	13	1	1	2	4	6	8	19
1. SINGLE DX	860	1.6	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	1115	3.0	12	1	1	2	4	6	8	18
A. Not Operated	79	2.3	5	< 1	< 1	1	3	5	7	12
B. Operated	1896	2.4	9	< 1	1	2	3	5	7	15
TOTAL										
0-19 YRS	464	2.0	18	< 1	< 1	1	1	3	7	64
20-34	230	2.1	3	1	1	2	3	4	6	8
35-49	469	2.3	4	1	1	2	3	4	6	12
50-64	500	2.5	4	1	1	2	3	5	6	11
65 +	312	3.4	10	1	1	2	4	7	9	18
GRAND TOTAL	**1975**	**2.4**	**8**	**< 1**	**1**	**1**	**3**	**5**	**7**	**15**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	3.2	10	< 1	< 1	2	4	8	9	9
35-49	15	2.7	3	< 1	1	3	4	5	5	5
50-64	12	1.9	2	< 1	1	2	3	4	5	5
65 +	13	3.7	14	1	1	2	5	9	12	13
B. Operated										
0-19 YRS	122	2.2	5	< 1	< 1	1	3	5	6	13
20-34	331	2.6	3	1	1	2	4	5	6	8
35-49	838	2.9	3	1	2	3	4	5	6	9
50-64	883	3.0	3	1	2	3	4	5	6	8
65 +	637	3.2	6	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	17	1.9	2	< 1	1	1	2	4	5	6
35-49	41	2.5	4	< 1	1	2	4	5	6	8
50-64	66	3.1	8	< 1	< 1	2	5	8	9	10
65 +	100	4.3	15	1	2	3	6	9	11	20
B. Operated										
0-19 YRS	79	3.5	9	1	1	3	5	7	9	16
20-34	409	4.0	17	1	2	3	5	7	9	16
35-49	1200	4.2	8	1	2	4	5	7	9	16
50-64	1885	4.6	15	1	2	4	6	8	10	18
65 +	2408	5.3	21	2	3	4	7	10	12	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.8	7	< 1	1	2	4	5	8	13
B. Operated	2811	2.9	4	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	226	3.4	10	< 1	1	2	5	8	9	11
B. Operated	5981	4.7	16	1	2	4	6	8	11	19
1. SINGLE DX	2857	2.9	4	1	2	3	4	5	6	9
2. MULTIPLE DX	6207	4.7	16	1	2	4	6	8	11	18
A. Not Operated	272	3.3	10	< 1	1	2	5	8	9	12
B. Operated	8792	4.2	13	1	2	3	5	8	10	17
TOTAL										
0-19 YRS	203	2.7	7	< 1	1	2	4	6	7	14
20-34	763	3.4	11	1	2	3	4	6	8	13
35-49	2094	3.6	6	1	2	3	5	6	8	13
50-64	2846	4.0	11	1	2	3	5	7	9	16
65 +	3158	4.9	18	1	2	4	6	9	11	20
GRAND TOTAL	**9064**	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	4.1	5	1	2	4	6	7	7	7
20-34	18	2.5	1	1	2	2	3	4	5	6
35-49	53	2.8	2	1	2	2	4	5	6	8
50-64	41	2.4	3	< 1	1	2	3	5	6	7
65 +	27	3.3	13	1	1	3	4	5	10	19
B. Operated										
0-19 YRS	21	4.8	6	1	3	5	7	8	9	9
20-34	8	4.1	4	2	3	4	5	7	7	7
35-49	16	5.3	9	1	3	4	7	10	11	11
50-64	37	5.6	5	1	4	6	7	8	9	9
65 +	23	7.1	16	2	5	6	9	14	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	4.5	28	1	1	3	5	11	17	24
20-34	93	3.2	4	1	2	3	4	6	8	11
35-49	328	3.3	4	1	2	3	4	6	7	11
50-64	614	3.4	6	1	2	3	4	6	7	11
65 +	1096	4.6	17	2	2	4	5	8	10	20
B. Operated										
0-19 YRS	71	10.4	94	4	5	7	11	21	37	47
20-34	90	7.1	15	3	4	6	9	12	16	20
35-49	269	6.6	15	3	4	6	8	10	15	22
50-64	349	6.9	20	3	4	6	8	12	15	22
65 +	465	9.4	79	3	5	8	11	16	22	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	2.8	4	1	2	2	4	5	6	9
B. Operated	105	5.6	9	1	4	6	7	9	10	15
2. MULTIPLE DX										
A. Not Operated	2153	4.0	12	1	2	3	5	7	9	14
B. Operated	1244	8.0	47	3	5	7	9	14	19	37
1. SINGLE DX	251	4.0	8	1	2	3	6	8	9	14
2. MULTIPLE DX	3397	5.5	28	2	3	4	7	10	13	26
A. Not Operated	2299	3.9	11	1	2	3	5	7	9	14
B. Operated	1349	7.8	44	3	5	6	9	13	18	36
TOTAL										
0-19 YRS	121	8.0	70	2	4	5	8	18	25	46
20-34	209	4.9	13	1	2	4	7	9	11	19
35-49	666	4.6	11	2	2	4	6	8	10	20
50-64	1041	4.6	13	1	2	4	6	8	11	19
65 +	1611	6.0	39	2	3	4	7	11	14	30
GRAND TOTAL	**3648**	**5.3**	**27**	**2**	**3**	**4**	**7**	**10**	**13**	**24**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	11.0	200	1	1	11	21	21	21	21
35-49	5	3.6	9	<1	1	3	6	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	16	2.3	4	<1	<1	1	3	6	6	6
20-34	34	1.8	1	1	1	1	2	3	5	5
35-49	71	1.7	3	1	1	1	2	3	4	11
50-64	62	2.1	4	<1	1	1	3	4	5	12
65+	70	2.1	2	1	1	2	2	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	5	4.6	41	<1	1	2	6	16	16	16
50-64	8	3.3	5	1	1	3	5	6	7	7
65+	8	5.0	7	2	3	5	7	9	9	9
B. Operated										
0-19 YRS	4	4.0	9	1	1	4	6	7	7	7
20-34	35	3.5	15	1	1	2	5	8	13	17
35-49	65	3.4	8	1	1	2	4	7	9	14
50-64	101	4.2	17	1	1	3	5	10	13	20
65+	180	4.9	26	1	2	3	6	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.2	41	<1	1	3	6	16	21	21
B. Operated	253	2.0	3	1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	26	3.7	12	1	1	3	5	8	10	16
B. Operated	385	4.3	20	1	2	3	5	9	14	23
1. SINGLE DX	262	2.1	4	1	1	1	2	4	5	12
2. MULTIPLE DX	411	4.3	19	1	2	3	5	9	14	22
A. Not Operated	35	4.1	19	1	1	3	5	8	14	21
B. Operated	638	3.4	14	1	1	2	4	7	11	21
TOTAL										
0-19 YRS	24	2.6	5	<1	1	2	5	6	7	7
20-34	73	2.9	13	1	1	2	3	6	9	20
35-49	146	2.6	7	1	1	2	3	6	8	15
50-64	172	3.4	13	1	1	2	4	7	11	20
65+	258	4.1	20	1	2	3	5	9	14	24
GRAND TOTAL	**673**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**11**	**21**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	7	2.9	10	<1	1	2	3	9	10	10
35-49	11	2.5	2	1	1	2	3	4	5	5
50-64	11	1.9	1	<1	1	2	3	4	4	4
65+	26	3.6	6	1	2	3	5	7	9	11
B. Operated										
0-19 YRS	73	2.2	3	1	1	2	3	4	6	9
20-34	199	2.3	4	1	1	2	3	4	6	10
35-49	452	3.0	7	1	1	2	4	6	8	10
50-64	392	3.5	8	1	1	3	5	7	8	14
65+	364	4.2	11	1	2	3	5	9	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	3.1	12	1	1	2	4	9	11	11
35-49	32	2.9	3	<1	1	3	4	5	6	8
50-64	75	4.0	15	1	2	3	5	7	8	26
65+	283	6.1	52	2	3	4	7	12	14	38
B. Operated										
0-19 YRS	60	7.7	132	1	2	5	9	19	33	97
20-34	190	5.4	39	1	2	4	6	11	16	29
35-49	582	5.9	32	1	3	5	7	11	14	29
50-64	1105	7.2	69	2	3	5	8	13	18	47
65+	2577	9.5	75	2	4	7	12	18	24	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	2.8	5	1	1	2	3	6	8	11
B. Operated	1480	3.3	8	1	1	2	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	400	5.4	42	1	2	4	6	10	13	35
B. Operated	4514	8.3	69	2	3	6	10	16	22	47
1. SINGLE DX	1539	3.3	8	1	1	2	4	7	9	13
2. MULTIPLE DX	4914	8.0	67	2	3	6	10	16	21	46
A. Not Operated	459	5.0	38	1	2	4	6	9	13	35
B. Operated	5994	7.0	59	1	3	5	9	14	20	40
TOTAL										
0-19 YRS	139	4.5	66	1	1	2	5	10	16	77
20-34	404	3.8	23	1	1	2	4	8	11	23
35-49	1077	4.6	22	1	2	3	6	9	11	24
50-64	1583	6.1	54	1	2	4	7	11	15	38
65+	3250	8.5	68	2	3	7	11	17	22	45
GRAND TOTAL	**6453**	**6.9**	**57**	**1**	**3**	**5**	**9**	**14**	**19**	**39**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	658	2.3	6	1	1	2	3	5	6	9
20-34	473	3.6	6	1	2	3	4	6	8	13
35-49	768	3.7	6	1	2	3	5	7	9	12
50-64	782	3.7	6	1	2	3	5	6	8	12
65 +	857	4.2	6	2	2	4	5	7	9	12
B. Operated										
0-19 YRS	500	5.3	24	2	3	5	7	10	14	28
20-34	266	8.0	15	4	6	7	9	13	15	22
35-49	387	8.5	25	4	6	7	10	13	16	28
50-64	316	9.2	21	5	6	8	11	14	17	28
65 +	258	10.2	25	5	7	9	12	16	21	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	629	3.8	14	1	2	3	5	8	10	18
20-34	764	4.5	13	1	2	4	6	8	11	16
35-49	1725	4.8	12	2	3	4	6	9	11	18
50-64	2750	5.2	14	2	3	4	6	9	12	19
65 +	8613	6.5	28	2	3	5	8	12	15	26
B. Operated										
0-19 YRS	859	9.8	79	4	5	7	11	19	27	60
20-34	753	11.8	94	5	7	9	14	20	30	54
35-49	1372	12.3	87	5	7	10	14	22	29	57
50-64	2058	14.3	109	6	8	11	17	27	36	61
65 +	5240	16.0	129	7	9	13	19	29	39	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3538	3.5	6	1	2	3	5	7	8	12
B. Operated	1727	8.0	25	3	5	7	10	13	17	27
2. MULTIPLE DX										
A. Not Operated	14481	5.8	23	2	3	5	7	11	14	23
B. Operated	10282	14.3	117	6	8	11	17	26	36	69
1. SINGLE DX	5265	5.0	17	1	2	4	7	10	12	20
2. MULTIPLE DX	24763	9.3	80	2	4	7	11	19	25	49
A. Not Operated	18019	5.4	21	2	3	4	7	10	13	22
B. Operated	12009	13.4	109	5	7	11	16	25	34	63
TOTAL										
0-19 YRS	2646	5.7	44	1	2	4	7	12	17	37
20-34	2256	7.2	51	2	3	5	9	14	19	39
35-49	4252	7.4	49	2	3	6	9	14	19	38
50-64	5906	8.3	66	2	3	6	10	17	23	43
65 +	14968	9.7	84	3	4	7	12	19	26	50
GRAND TOTAL	**30028**	**8.6**	**71**	**2**	**4**	**6**	**11**	**17**	**24**	**46**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4152	2.2	3	1	1	2	3	4	4	7
20-34	1945	2.1	2	1	1	2	3	4	5	7
35-49	997	2.3	3	1	1	2	3	4	5	8
50-64	421	2.5	3	1	1	2	3	5	6	8
65 +	342	2.9	6	1	1	2	4	5	7	12
B. Operated										
0-19 YRS	211	3.9	14	1	2	3	5	7	9	20
20-34	212	3.5	3	2	2	3	4	6	8	10
35-49	116	3.9	8	< 1	2	3	5	7	9	15
50-64	65	4.5	23	< 1	2	3	5	10	12	26
65 +	37	4.5	11	< 1	2	4	6	8	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12348	2.8	5	1	2	2	3	5	6	10
20-34	3826	2.8	6	1	1	2	3	5	6	12
35-49	3095	3.4	8	1	2	3	4	6	8	14
50-64	3063	3.9	10	1	2	3	5	7	9	17
65 +	6814	5.0	23	2	3	4	6	9	13	23
B. Operated										
0-19 YRS	454	9.1	111	2	3	5	12	23	33	85
20-34	516	6.2	40	2	3	5	7	12	16	27
35-49	504	7.2	49	2	4	5	8	13	19	42
50-64	571	8.0	59	2	4	6	9	16	22	37
65 +	1246	10.7	90	3	5	8	14	21	28	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7857	2.2	3	1	1	2	3	4	5	8
B. Operated	641	3.9	10	1	2	3	5	7	9	17
2. MULTIPLE DX										
A. Not Operated	29146	3.5	11	1	2	3	4	6	8	16
B. Operated	3291	8.8	76	2	4	6	11	18	25	46
1. SINGLE DX	8498	2.3	4	1	1	2	3	4	5	9
2. MULTIPLE DX	32437	4.0	20	1	2	3	5	8	11	22
A. Not Operated	37003	3.2	9	1	2	2	4	6	8	14
B. Operated	3932	8.0	69	2	3	5	10	16	23	45
TOTAL										
0-19 YRS	17165	2.8	8	1	2	2	3	5	6	13
20-34	6499	2.9	8	1	1	2	3	5	7	14
35-49	4712	3.6	13	1	2	3	4	7	9	16
50-64	4120	4.3	18	1	2	3	5	8	11	22
65 +	8439	5.8	36	2	3	4	7	11	15	30
GRAND TOTAL	**40935**	**3.7**	**17**	**1**	**2**	**3**	**4**	**7**	**10**	**21**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	164	4.3	6	2	2	4	6	8	9	12
35-49	833	4.6	5	2	3	4	6	7	8	11
50-64	1082	4.5	5	2	3	4	6	7	9	12
65 +	803	4.6	9	2	3	4	6	8	9	13
B. Operated										
0-19 YRS	13	5.7	4	4	4	5	6	9	11	11
20-34	70	7.3	8	4	5	7	9	10	13	19
35-49	224	8.1	15	5	6	8	9	11	15	23
50-64	284	8.8	13	6	7	8	10	13	15	23
65 +	174	8.9	11	6	7	9	10	12	16	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.1	16	< 1	2	6	6	11	14	14
20-34	99	5.3	10	2	3	4	6	9	11	19
35-49	1080	5.4	11	2	3	5	7	9	11	16
50-64	2983	5.3	8	2	3	5	7	9	11	15
65 +	9190	6.3	20	2	4	5	8	11	14	23
B. Operated										
0-19 YRS	15	11.7	66	5	6	7	16	24	28	30
20-34	194	10.9	72	5	7	9	12	17	23	49
35-49	976	10.4	29	5	7	9	12	17	20	29
50-64	1983	11.4	57	5	7	9	14	19	25	47
65 +	4861	13.2	102	5	7	11	16	24	33	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2884	4.5	6	2	3	4	6	7	9	12
B. Operated	765	8.4	13	5	6	8	10	12	15	21
2. MULTIPLE DX										
A. Not Operated	13363	6.0	17	2	4	5	7	10	13	21
B. Operated	8029	12.3	82	5	7	10	15	22	29	56
1. SINGLE DX	3649	5.3	10	2	3	5	7	9	11	16
2. MULTIPLE DX	21392	8.4	51	3	4	7	10	15	20	38
A. Not Operated	16247	5.8	15	2	3	5	7	10	12	20
B. Operated	8794	12.0	77	5	7	10	14	21	28	54
TOTAL										
0-19 YRS	41	7.6	39	2	4	6	8	16	23	30
20-34	527	7.3	40	2	4	6	9	13	16	35
35-49	3113	6.9	21	3	4	6	9	12	16	23
50-64	6332	7.3	32	3	4	6	9	13	17	29
65 +	15028	8.5	57	3	4	7	10	16	21	42
GRAND TOTAL	**25041**	**8.6**	**46**	**3**	**4**	**6**	**10**	**15**	**19**	**37**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	2.3	1	1	1	2	3	4	5	5
20-34	47	2.8	4	1	1	2	4	6	7	7
35-49	38	2.6	6	< 1	1	2	3	4	5	15
50-64	18	2.9	4	1	1	2	5	6	7	7
65 +	7	6.4	11	4	4	5	8	12	13	13
B. Operated										
0-19 YRS	246	2.1	4	< 1	1	2	3	4	5	11
20-34	950	2.1	2	1	1	2	3	4	5	9
35-49	1046	2.2	4	1	1	2	3	4	6	9
50-64	510	2.3	4	1	1	2	3	4	6	11
65 +	141	2.6	5	1	1	2	3	5	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	4.2	23	1	2	3	5	9	17	24
20-34	86	3.8	12	1	2	3	4	7	11	19
35-49	111	4.6	18	1	2	3	6	9	12	24
50-64	78	5.1	11	2	3	5	6	9	13	16
65 +	96	7.8	73	2	3	5	9	15	25	50
B. Operated										
0-19 YRS	212	4.7	26	1	1	3	6	10	15	28
20-34	1029	3.3	13	1	1	2	4	7	9	16
35-49	1516	3.2	12	1	1	2	4	6	9	19
50-64	1103	4.1	29	1	1	2	5	8	13	27
65 +	810	5.7	49	1	2	3	7	12	18	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	2.8	5	1	1	2	3	5	7	13
B. Operated	2893	2.2	4	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	464	5.1	30	1	2	3	6	10	14	30
B. Operated	4670	3.9	24	1	1	2	4	8	12	26
1. SINGLE DX	3043	2.2	4	1	1	2	3	4	6	10
2. MULTIPLE DX	5134	4.0	25	1	1	3	5	8	12	26
A. Not Operated	614	4.5	25	1	2	3	5	9	13	25
B. Operated	7563	3.3	17	1	1	2	4	7	9	20
TOTAL										
0-19 YRS	591	3.4	16	1	1	2	4	7	10	23
20-34	2112	2.8	8	1	1	2	3	5	7	13
35-49	2711	2.9	10	1	1	2	3	6	8	16
50-64	1709	3.6	21	1	1	2	4	7	11	24
65 +	1054	5.4	47	1	2	3	7	12	17	36
GRAND TOTAL	**8177**	**3.4**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	2.8	4	1	2	2	3	5	7	10
20-34	164	3.2	3	1	2	3	4	6	7	9
35-49	130	3.3	6	1	2	3	4	6	8	12
50-64	50	3.7	5	1	2	3	5	7	8	9
65 +	44	4.0	7	1	2	4	6	7	8	14
B. Operated										
0-19 YRS	21	5.0	12	1	3	5	6	10	14	14
20-34	41	5.5	12	2	3	5	6	10	14	16
35-49	30	5.5	8	3	4	5	6	9	10	15
50-64	9	4.8	18	< 1	1	3	7	11	13	13
65 +	10	6.8	23	1	3	6	10	13	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	154	3.5	5	1	2	3	4	7	8	11
20-34	357	4.2	8	1	2	4	6	8	10	16
35-49	443	4.3	7	1	3	4	6	8	9	12
50-64	354	5.0	12	2	3	4	6	9	11	20
65 +	701	7.0	25	2	4	6	9	13	16	28
B. Operated										
0-19 YRS	38	5.8	8	2	4	5	8	9	10	11
20-34	131	6.7	19	2	4	6	9	11	14	25
35-49	117	7.3	34	2	4	6	9	13	18	32
50-64	127	8.4	61	3	4	6	10	16	26	41
65 +	324	12.5	130	4	6	9	15	25	31	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	484	3.3	5	1	2	3	4	6	7	10
B. Operated	111	5.5	12	2	3	5	7	10	14	16
2. MULTIPLE DX										
A. Not Operated	2009	5.3	16	2	3	4	7	10	12	20
B. Operated	737	9.6	83	3	4	7	11	19	27	48
1. SINGLE DX	595	3.7	7	1	2	3	5	7	8	14
2. MULTIPLE DX	2746	6.5	37	2	3	5	8	12	16	30
A. Not Operated	2493	4.9	14	1	2	4	6	9	12	19
B. Operated	848	9.1	76	3	4	6	10	18	25	46
TOTAL										
0-19 YRS	309	3.7	6	1	2	3	5	7	9	11
20-34	693	4.5	11	1	2	4	6	8	10	17
35-49	720	4.7	13	1	2	4	6	9	11	18
50-64	540	5.7	25	2	3	4	7	10	13	30
65 +	1079	8.5	62	2	4	6	10	16	23	38
GRAND TOTAL	**3341**	**6.0**	**33**	**2**	**3**	**4**	**7**	**11**	**15**	**29**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	200	5.0	13	2	2	4	6	9	12	19
20-34	462	4.8	13	2	3	4	6	9	11	16
35-49	246	4.9	11	2	3	4	6	9	11	14
50-64	79	5.4	12	2	3	4	7	10	13	18
65 +	55	5.6	8	3	4	5	7	9	11	14
B. Operated										
0-19 YRS	242	8.8	64	2	4	7	10	17	25	38
20-34	363	8.4	29	3	5	7	10	17	19	27
35-49	251	7.7	24	3	5	7	9	14	17	22
50-64	84	8.1	21	3	5	8	10	13	18	24
65 +	38	9.2	27	3	5	9	12	17	20	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	363	6.8	36	2	3	5	8	13	19	31
20-34	930	6.4	32	2	3	5	8	12	17	29
35-49	730	6.4	28	2	3	5	8	11	15	28
50-64	390	6.7	23	2	4	6	8	12	16	27
65 +	427	7.8	29	3	4	6	9	14	18	28
B. Operated										
0-19 YRS	516	12.6	97	4	6	9	16	28	34	51
20-34	1185	12.1	91	4	6	9	15	24	31	50
35-49	1026	12.4	102	4	7	10	15	24	32	58
50-64	660	12.3	95	4	7	9	15	25	35	51
65 +	862	14.2	146	4	7	11	17	29	42	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1042	5.0	12	2	3	4	6	9	11	18
B. Operated	978	8.3	36	3	5	7	10	16	19	31
2. MULTIPLE DX										
A. Not Operated	2840	6.7	30	2	3	5	8	13	16	28
B. Operated	4249	12.7	107	4	6	10	15	26	34	58
1. SINGLE DX	2020	6.6	26	2	3	5	8	12	16	26
2. MULTIPLE DX	7089	10.3	85	3	5	8	12	21	29	50
A. Not Operated	3882	6.2	26	2	3	5	8	11	15	27
B. Operated	5227	11.9	96	4	6	9	14	23	32	55
TOTAL										
0-19 YRS	1321	9.2	70	2	4	7	11	19	27	42
20-34	2940	8.7	61	3	4	7	10	18	24	42
35-49	2253	9.1	69	3	4	7	11	17	24	45
50-64	1213	9.7	69	3	5	8	11	19	27	46
65 +	1382	11.8	111	4	6	9	14	22	32	60
GRAND TOTAL	**9109**	**9.5**	**74**	**3**	**4**	**7**	**11**	**19**	**26**	**48**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.7	8	1	2	4	7	9	10	10
20-34	16	5.1	7	2	3	4	6	10	11	11
35-49	17	4.4	12	1	2	3	5	10	13	14
50-64	16	4.7	9	2	2	4	7	10	10	10
65 +	7	6.1	14	1	3	7	8	11	12	12
B. Operated										
0-19 YRS	26	9.5	110	2	3	7	10	15	42	43
20-34	30	6.7	17	3	4	5	9	10	12	24
35-49	29	7.5	38	3	4	6	8	11	27	29
50-64	24	6.8	18	2	4	7	8	10	16	20
65 +	6	7.3	27	2	4	5	11	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	178	6.0	25	2	3	5	8	11	14	29
20-34	138	5.6	18	2	3	5	7	11	14	24
35-49	226	7.2	34	2	3	6	9	14	19	28
50-64	271	7.7	36	2	4	6	10	14	17	31
65 +	257	9.7	55	2	4	8	13	20	26	34
B. Operated										
0-19 YRS	122	13.9	191	4	6	9	16	31	49	81
20-34	170	12.0	103	3	6	9	14	25	37	62
35-49	211	15.0	174	4	7	11	18	30	44	79
50-64	259	16.9	151	6	9	13	21	35	46	57
65 +	354	18.2	160	6	10	15	22	35	44	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	4.9	9	2	3	4	7	10	11	14
B. Operated	115	7.6	44	3	4	6	9	12	19	42
2. MULTIPLE DX										
A. Not Operated	1070	7.5	38	2	3	6	10	14	19	33
B. Operated	1116	15.9	160	5	8	12	20	33	43	70
1. SINGLE DX	183	6.6	33	2	3	5	8	11	15	38
2. MULTIPLE DX	2186	11.8	118	3	5	9	15	25	34	57
A. Not Operated	1138	7.4	37	2	3	6	10	14	19	32
B. Operated	1231	15.1	155	4	7	11	19	31	41	69
TOTAL										
0-19 YRS	338	9.1	104	2	3	6	10	17	30	69
20-34	354	8.7	68	2	4	7	11	16	25	47
35-49	483	10.5	110	3	4	7	13	21	30	62
50-64	570	11.8	109	3	5	9	14	25	35	54
65 +	624	14.5	132	4	7	12	19	29	37	62
GRAND TOTAL	**2369**	**11.4**	**113**	**3**	**5**	**8**	**14**	**24**	**33**	**56**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	562	2.4	6	< 1	1	2	3	5	6	16
20-34	178	2.5	3	1	1	2	3	5	6	7
35-49	187	3.2	12	1	1	2	4	7	10	17
50-64	131	3.1	6	1	2	2	4	6	7	14
65 +	241	3.6	23	1	1	2	4	7	10	16
B. Operated										
0-19 YRS	284	4.0	24	1	1	3	5	8	10	22
20-34	268	4.4	21	1	2	4	6	8	10	15
35-49	257	4.9	15	1	2	4	7	9	11	17
50-64	195	5.5	21	1	2	5	7	11	14	25
65 +	222	5.5	29	1	2	4	7	11	14	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1045	3.3	18	1	1	2	4	7	9	21
20-34	543	4.2	19	1	2	3	5	9	11	22
35-49	810	4.4	25	1	2	3	6	9	11	19
50-64	1130	4.9	20	1	2	4	6	10	12	23
65 +	5078	6.0	31	2	3	5	7	11	15	28
B. Operated										
0-19 YRS	609	8.0	103	1	3	5	9	18	34	99 +
20-34	998	7.9	81	2	3	5	9	16	25	47
35-49	1359	8.8	74	2	4	7	11	19	26	58
50-64	1747	11.4	151	2	4	8	13	25	37	84
65 +	4697	12.4	137	3	5	9	16	26	36	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1299	2.8	10	1	1	2	3	5	7	14
B. Operated	1226	4.8	22	1	2	4	6	9	12	21
2. MULTIPLE DX										
A. Not Operated	8606	5.3	28	1	2	4	7	10	14	26
B. Operated	9410	11.0	126	2	4	8	14	23	34	78
1. SINGLE DX	2525	3.8	17	1	1	3	5	8	10	17
2. MULTIPLE DX	18016	8.2	87	2	3	5	10	18	25	57
A. Not Operated	9905	4.9	26	1	2	4	6	10	13	25
B. Operated	10636	10.2	118	2	4	7	13	22	32	71
TOTAL										
0-19 YRS	2500	4.3	41	1	1	2	5	9	14	41
20-34	1987	5.9	53	1	2	4	7	12	18	39
35-49	2613	6.7	53	1	2	5	8	14	20	42
50-64	3203	8.4	102	2	3	6	10	17	27	67
65 +	10238	8.9	91	2	3	6	11	19	27	58
GRAND TOTAL	**20541**	**7.7**	**81**	**1**	**3**	**5**	**9**	**16**	**24**	**54**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	2.3	2	1	1	2	3	4	5	5
35-49	38	4.4	21	1	2	3	5	11	14	23
50-64	21	4.9	31	< 1	2	3	6	10	19	25
65 +	5	9.6	33	4	5	9	12	19	19	19
B. Operated										
0-19 YRS	0									
20-34	6	7.0	24	1	4	6	10	14	15	15
35-49	19	5.5	25	1	1	4	7	14	17	18
50-64	22	3.9	19	1	1	3	5	8	15	20
65 +	3	16.3	136	6	8	14	25	29	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.4	3	1	2	3	5	5	5	5
20-34	399	7.2	45	2	3	5	9	15	22	34
35-49	1520	8.0	54	2	3	6	10	17	22	37
50-64	1287	8.6	55	2	4	7	10	16	22	37
65 +	624	8.9	40	3	5	8	11	16	19	40
B. Operated										
0-19 YRS	0									
20-34	122	12.5	139	3	5	8	17	25	34	62
35-49	564	11.4	128	3	4	8	14	25	34	59
50-64	593	11.5	120	3	5	8	15	23	32	65
65 +	320	13.2	107	4	6	10	18	26	36	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	4.6	24	1	2	3	5	11	15	24
B. Operated	50	5.6	34	1	1	4	7	14	18	29
2. MULTIPLE DX										
A. Not Operated	3835	8.2	52	2	4	6	10	16	22	37
B. Operated	1599	11.9	122	3	5	8	15	25	34	62
1. SINGLE DX	125	5.0	28	1	2	3	6	11	16	26
2. MULTIPLE DX	5434	9.3	75	2	4	7	12	19	25	47
A. Not Operated	3910	8.2	51	2	4	6	10	16	21	37
B. Operated	1649	11.7	120	3	5	8	15	25	33	62
TOTAL										
0-19 YRS	5	3.4	3	1	2	3	5	5	5	5
20-34	538	8.3	71	2	3	5	10	19	24	49
35-49	2141	8.8	76	2	4	6	11	19	25	46
50-64	1923	9.4	77	2	4	7	12	19	25	45
65 +	952	10.4	67	3	5	8	13	20	26	49
GRAND TOTAL	**5559**	**9.2**	**74**	**2**	**4**	**7**	**11**	**19**	**25**	**47**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.2	3	1	1	2	3	4	6	7
20-34	10	4.9	19	1	1	3	9	11	12	12
35-49	17	2.8	10	1	1	1	3	7	11	13
50-64	28	4.7	13	1	2	3	7	10	11	14
65 +	12	3.8	7	< 1	1	3	5	8	9	9
B. Operated										
0-19 YRS	54	2.0	5	1	1	1	2	3	9	10
20-34	56	1.7	4	< 1	1	1	1	4	7	9
35-49	122	1.9	5	1	1	1	1	4	6	13
50-64	82	1.7	3	1	1	1	1	4	6	9
65 +	47	2.3	4	1	1	1	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	5.7	84	1	1	2	6	13	17	56
20-34	68	5.8	19	1	3	4	8	13	16	17
35-49	226	6.7	34	1	3	5	8	13	18	29
50-64	423	7.9	38	2	4	6	10	16	20	27
65 +	652	9.6	78	3	5	8	11	18	24	50
B. Operated										
0-19 YRS	133	6.4	152	1	1	2	5	17	29	66
20-34	110	5.3	34	1	1	3	8	12	17	30
35-49	330	8.1	114	1	1	5	10	19	33	51
50-64	466	8.3	69	1	2	6	12	18	23	50
65 +	592	10.8	113	1	4	8	13	23	33	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	3.7	11	1	1	2	6	9	10	14
B. Operated	361	1.9	4	1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	1419	8.3	58	2	4	7	10	16	20	45
B. Operated	1631	8.8	101	1	2	6	11	20	29	52
1. SINGLE DX	445	2.2	6	1	1	1	2	6	8	12
2. MULTIPLE DX	3050	8.6	81	1	3	6	11	18	24	49
A. Not Operated	1503	8.1	56	2	4	6	10	16	20	43
B. Operated	1992	7.5	91	1	1	5	10	18	26	50
TOTAL										
0-19 YRS	254	5.0	100	1	1	2	4	11	20	56
20-34	244	4.6	25	1	1	3	7	11	14	23
35-49	695	6.4	71	1	1	4	8	14	20	44
50-64	999	7.5	52	1	2	6	10	16	21	41
65 +	1303	9.8	93	2	4	8	12	20	28	52
GRAND TOTAL	**3495**	**7.8**	**76**	**1**	**2**	**6**	**10**	**17**	**23**	**47**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	3.4	30	1	2	2	4	5	7	35
20-34	132	4.3	11	1	2	4	6	8	10	18
35-49	84	4.6	16	1	2	4	6	8	11	25
50-64	52	4.5	13	1	2	3	5	9	11	20
65 +	24	6.2	27	1	3	5	7	14	17	24
B. Operated										
0-19 YRS	56	3.1	16	1	1	1	3	8	10	23
20-34	33	6.3	26	1	1	6	10	13	16	18
35-49	45	5.2	34	1	1	4	8	12	16	29
50-64	42	4.0	14	< 1	1	2	6	9	10	17
65 +	26	5.3	21	1	1	4	9	11	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	4.8	24	1	2	3	6	10	15	27
20-34	383	5.5	20	2	3	4	7	10	13	25
35-49	683	6.9	42	2	3	5	8	14	21	33
50-64	1072	7.5	38	2	4	6	9	15	21	32
65 +	1279	8.3	45	3	4	6	10	16	22	33
B. Operated										
0-19 YRS	215	11.4	263	1	2	4	16	36	63	99 +
20-34	129	13.4	202	1	4	10	18	32	49	99 +
35-49	302	14.2	194	2	5	10	19	32	46	93
50-64	436	13.0	161	2	5	10	17	29	40	75
65 +	467	15.1	180	4	7	12	19	29	40	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	381	4.3	18	1	2	3	5	8	10	23
B. Operated	202	4.5	23	1	1	2	7	11	14	21
2. MULTIPLE DX										
A. Not Operated	3613	7.3	40	2	3	5	9	14	20	32
B. Operated	1549	13.7	192	2	5	10	18	30	44	96
1. SINGLE DX	583	4.4	20	1	1	3	6	9	12	22
2. MULTIPLE DX	5162	9.2	94	2	4	6	11	20	27	57
A. Not Operated	3994	7.0	38	2	3	5	9	14	20	32
B. Operated	1751	12.6	181	1	4	9	17	28	41	94
TOTAL										
0-19 YRS	556	7.0	129	1	2	3	7	18	30	75
20-34	677	6.8	64	1	3	5	8	14	20	48
35-49	1114	8.7	92	2	3	5	10	20	28	56
50-64	1602	8.8	77	2	4	6	11	19	25	53
65 +	1796	10.0	89	3	4	7	12	20	27	47
GRAND TOTAL	**5745**	**8.7**	**88**	**2**	**3**	**6**	**11**	**19**	**26**	**53**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	2.6	2	1	1	3	3	4	6	6
20-34	486	2.3	3	1	1	2	3	4	5	9
35-49	559	2.3	2	1	1	2	3	4	5	8
50-64	417	2.4	3	1	1	2	3	5	6	9
65 +	229	3.1	6	1	2	2	4	5	7	13
B. Operated										
0-19 YRS	616	4.2	3	2	3	4	5	7	8	10
20-34	7031	4.2	3	3	3	4	5	6	7	10
35-49	6641	4.2	3	3	3	4	5	6	7	10
50-64	4693	4.5	4	3	3	4	5	7	8	12
65 +	2000	5.2	6	3	4	5	6	8	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	95	3.1	5	1	1	2	4	6	7	13
20-34	612	3.3	8	1	1	3	4	6	8	13
35-49	843	3.3	6	1	1	3	4	7	8	12
50-64	1424	3.9	9	1	2	3	5	8	10	15
65 +	3129	5.8	26	2	3	5	7	11	14	24
B. Operated										
0-19 YRS	635	5.6	9	3	4	5	7	9	11	18
20-34	7617	5.4	11	3	4	5	6	9	11	16
35-49	10363	5.6	13	3	4	5	7	9	11	18
50-64	12025	6.4	19	3	4	5	8	11	13	22
65 +	15151	8.9	43	4	5	7	11	16	20	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1755	2.4	3	1	1	2	3	5	6	9
B. Operated	20981	4.4	4	3	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	6103	4.7	18	1	2	4	6	9	12	20
B. Operated	45791	6.9	26	3	4	6	8	12	15	26
1. SINGLE DX	22736	4.2	4	2	3	4	5	6	8	11
2. MULTIPLE DX	51894	6.6	26	3	4	5	8	12	15	26
A. Not Operated	7858	4.2	16	1	2	3	5	8	11	18
B. Operated	66772	6.1	21	3	4	5	7	10	13	23
TOTAL										
0-19 YRS	1410	4.7	7	2	3	4	6	8	9	14
20-34	15746	4.7	8	3	3	4	5	7	9	14
35-49	18406	4.9	9	3	3	4	6	8	10	16
50-64	18559	5.7	15	3	4	5	7	10	12	19
65 +	20509	8.0	39	3	4	6	10	14	18	32
GRAND TOTAL	**74630**	**5.9**	**20**	**3**	**4**	**5**	**7**	**10**	**13**	**23**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.8	5	1	1	2	4	5	6	12
20-34	219	2.6	3	1	1	2	3	5	6	8
35-49	232	2.8	4	1	1	2	4	5	7	9
50-64	142	2.9	4	1	1	2	4	6	7	9
65+	64	3.9	10	1	2	3	5	9	11	13
B. Operated										
0-19 YRS	56	4.3	7	2	3	4	5	9	11	11
20-34	578	4.8	6	3	3	4	6	8	9	13
35-49	580	4.6	6	3	3	4	5	8	10	13
50-64	288	5.5	9	3	4	5	7	9	12	18
65+	105	6.6	10	3	4	6	9	11	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	4.2	7	1	2	4	6	8	9	12
20-34	293	3.5	6	1	2	3	5	6	8	14
35-49	358	4.0	6	1	2	3	5	7	8	14
50-64	396	4.5	10	1	2	4	6	9	10	15
65+	792	6.4	23	2	3	5	8	11	14	23
B. Operated										
0-19 YRS	69	8.0	138	3	4	5	8	13	18	82
20-34	790	6.1	18	3	4	5	7	11	14	21
35-49	1212	6.2	25	3	4	5	7	10	14	24
50-64	1037	7.6	43	3	4	6	9	13	17	29
65+	1358	10.7	59	4	6	9	13	20	25	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	690	2.8	4	1	1	2	4	6	7	10
B. Operated	1607	5.0	7	3	3	4	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	1883	5.0	15	1	3	4	6	9	12	18
B. Operated	4466	7.9	44	3	4	6	9	14	19	36
1. SINGLE DX	2297	4.3	7	2	3	4	5	8	10	13
2. MULTIPLE DX	6349	7.0	37	3	4	5	9	13	17	32
A. Not Operated	2573	4.4	13	1	2	4	6	8	11	17
B. Operated	6073	7.1	36	3	4	5	9	13	17	32
TOTAL										
0-19 YRS	202	5.3	55	1	3	4	6	9	11	33
20-34	1880	4.9	13	2	3	4	6	9	11	16
35-49	2382	5.1	17	2	3	4	6	9	11	19
50-64	1863	6.3	30	2	3	5	8	11	14	25
65+	2319	8.8	48	3	5	7	11	16	22	38
GRAND TOTAL	[illegible]	[illegible]	[illegible]	2	3	5	8	12	15	[illegible]

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.5	4	1	2	3	6	6	6	6
20-34	34	3.1	8	1	1	2	3	7	9	15
35-49	42	2.3	3	<1	1	2	3	5	7	8
50-64	38	3.0	8	1	1	2	3	5	9	15
65+	34	3.4	6	1	2	3	5	6	7	12
B. Operated										
0-19 YRS	20	6.7	12	3	5	6	8	12	14	15
20-34	234	5.9	11	2	4	5	7	10	13	18
35-49	199	5.3	11	1	3	5	7	10	12	16
50-64	172	6.0	15	2	4	5	8	10	12	23
65+	222	6.2	30	1	2	5	8	12	15	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.2	1	2	3	3	4	4	4	4
20-34	56	4.5	14	1	2	4	6	9	13	16
35-49	74	4.0	11	1	2	3	5	8	11	18
50-64	87	5.0	15	1	2	4	7	10	14	18
65+	409	6.2	20	2	3	5	8	12	15	22
B. Operated										
0-19 YRS	48	8.0	15	3	5	8	10	12	14	22
20-34	384	7.4	16	3	5	7	9	12	15	21
35-49	430	8.5	31	3	5	7	10	15	20	28
50-64	634	9.1	52	3	5	7	11	16	20	40
65+	2206	11.6	74	4	7	10	14	21	26	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	2.9	[illegible]	1	1	2	3	6	7	15
B. Operated	847	5.9	17	1	3	5	8	10	13	19
2. MULTIPLE DX										
A. Not Operated	631	5.6	18	2	3	4	7	11	15	19
B. Operated	3702	10.3	61	4	6	9	13	18	24	41
1. SINGLE DX	1001	5.4	16	1	3	5	7	10	12	[illegible]
2. MULTIPLE DX	4333	9.6	58	3	5	8	12	18	23	39
A. Not Operated	785	5.1	17	1	2	4	7	10	14	19
B. Operated	4549	9.5	56	3	5	8	12	17	22	39
TOTAL										
0-19 YRS	79	7.0	15	3	4	7	9	12	14	20
20-34	708	6.4	15	2	4	6	8	11	14	20
35-49	745	6.8	26	2	4	6	9	13	16	25
50-64	931	7.9	43	2	4	7	10	15	18	37
65+	2871	10.3	68	3	5	9	13	19	24	44
GRAND TOTAL	[illegible]	[illegible]	[illegible]	2	4	7	11	17	21	36

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	7.4	36	2	2	5	13	17	18	20
20-34	40	3.3	7	1	2	3	4	6	9	13
35-49	50	4.5	27	1	2	3	6	9	10	34
50-64	39	3.5	5	<1	2	3	5	7	8	10
65 +	41	4.4	17	1	2	4	5	7	11	25
B. Operated										
0-19 YRS	24	6.5	22	1	1	7	10	12	15	17
20-34	30	6.7	45	1	2	5	9	13	26	29
35-49	66	5.3	26	1	1	4	7	12	15	26
50-64	62	3.5	8	1	1	3	5	8	9	11
65 +	59	4.4	16	1	1	2	7	11	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120	8.5	28	3	4	8	12	15	17	26
20-34	77	4.7	15	1	2	4	7	9	14	18
35-49	115	4.4	9	1	2	4	6	9	10	15
50-64	196	6.0	21	2	3	5	8	11	14	25
65 +	564	7.0	33	2	4	6	8	13	19	31
B. Operated										
0-19 YRS	82	17.8	298	4	8	13	19	35	59	93
20-34	130	10.4	102	3	5	7	13	19	28	61
35-49	271	9.4	79	1	3	7	11	21	30	46
50-64	394	9.3	80	1	3	7	12	18	24	58
65 +	883	11.6	92	2	5	9	15	23	29	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	4.4	19	1	2	3	5	8	14	23
B. Operated	241	4.9	22	1	1	3	7	11	13	26
2. MULTIPLE DX										
A. Not Operated	1072	6.5	28	2	3	5	8	13	16	28
B. Operated	1760	10.9	101	2	5	9	14	22	29	59
1. SINGLE DX	434	4.7	20	1	2	3	6	10	14	25
2. MULTIPLE DX	2832	9.3	78	2	4	7	12	19	25	50
A. Not Operated	1265	6.2	27	2	3	5	8	12	16	27
B. Operated	2001	10.2	95	2	4	8	13	21	28	56
TOTAL										
0-19 YRS	249	11.3	137	2	5	9	14	19	30	63
20-34	277	7.4	66	1	3	5	9	16	19	47
35-49	502	7.2	56	1	2	5	9	15	23	40
50-64	691	7.5	57	1	3	6	10	15	20	36
65 +	1547	9.5	72	2	4	7	12	19	25	46
GRAND TOTAL	**3266**	**8.7**	**72**	**2**	**3**	**7**	**11**	**18**	**24**	**46**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	4.1	5	2	2	4	6	7	8	11
20-34	645	4.5	10	2	3	4	6	8	10	14
35-49	727	4.8	10	2	3	4	6	9	10	17
50-64	411	4.9	9	2	3	4	6	8	10	16
65 +	241	4.7	7	2	3	4	6	8	10	13
B. Operated										
0-19 YRS	12	5.9	11	1	3	6	8	10	12	12
20-34	99	8.4	52	2	4	7	11	16	23	74
35-49	124	9.1	56	2	4	7	12	19	24	37
50-64	92	8.1	63	1	3	6	10	15	22	46
65 +	50	8.4	40	1	4	7	13	17	22	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	175	5.5	22	2	3	4	6	10	14	29
20-34	2467	6.0	24	2	3	5	7	11	14	25
35-49	4192	6.4	23	2	4	5	8	12	14	25
50-64	2633	6.6	27	2	4	5	8	12	15	27
65 +	3176	7.2	31	3	4	6	9	13	16	30
B. Operated										
0-19 YRS	68	18.8	348	4	7	11	23	54	62	77
20-34	661	15.7	181	5	7	11	20	34	47	73
35-49	1331	15.0	171	4	7	11	19	32	45	82
50-64	1205	14.9	174	4	7	11	19	31	46	86
65 +	1528	14.5	156	4	7	11	17	27	40	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2120	4.7	9	2	3	4	6	8	10	15
B. Operated	377	8.5	53	2	4	7	11	17	22	40
2. MULTIPLE DX										
A. Not Operated	12643	6.6	26	2	4	5	8	12	15	27
B. Operated	4793	15.0	171	4	7	11	19	31	45	82
1. SINGLE DX	2497	5.3	18	2	3	4	6	9	12	22
2. MULTIPLE DX	17436	8.9	80	3	4	6	10	17	25	53
A. Not Operated	14763	6.3	24	2	3	5	8	11	14	26
B. Operated	5170	14.5	165	4	7	11	18	30	44	81
TOTAL										
0-19 YRS	351	7.7	109	2	3	5	8	14	28	62
20-34	3872	7.5	63	2	3	5	8	14	22	47
35-49	6374	8.1	66	2	4	6	9	16	23	48
50-64	4341	8.8	82	3	4	6	10	18	26	54
65 +	4995	9.3	80	3	4	7	11	18	25	53
GRAND TOTAL	**19933**	**8.4**	**74**	**2**	**4**	**6**	**10**	**16**	**24**	**51**

981 Hospitals, United States, January-December 1989

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX	-									
A. Not Operated										
0-19 YRS	145	2.5	5	1	1	2	3	4	6	14
20-34	163	2.4	2	1	1	2	3	5	5	7
35-49	161	2.9	5	1	2	2	4	5	7	10
50-64	183	3.1	4	1	2	3	4	6	7	11
65 +	259	3.7	11	1	2	3	5	7	8	18
B. Operated										
0-19 YRS	31	4.7	17	1	2	3	6	8	12	22
20-34	13	5.7	26	2	3	4	6	11	19	21
35-49	23	4.0	4	2	3	4	5	7	8	8
50-64	25	5.3	15	2	2	4	7	11	14	15
65 +	38	6.6	37	2	3	4	10	14	19	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	558	3.6	14	1	2	3	4	7	9	20
20-34	977	3.6	11	1	2	3	4	6	8	15
35-49	1762	4.4	13	2	2	3	5	8	10	19
50-64	2689	4.8	15	2	3	4	6	9	11	20
65 +	9696	6.1	26	2	3	5	7	11	15	26
B. Operated										
0-19 YRS	133	8.7	142	2	3	5	10	16	36	91
20-34	209	6.0	55	2	3	4	6	10	18	58
35-49	524	7.2	53	2	3	5	9	15	20	35
50-64	1145	7.7	72	2	4	6	9	14	20	42
65 +	3718	9.7	91	3	4	7	12	19	26	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	911	3.0	6	1	2	2	4	6	7	12
B. Operated	130	5.3	21	1	3	4	6	11	14	23
2. MULTIPLE DX										
A. Not Operated	15682	5.4	22	2	3	4	7	10	13	24
B. Operated	5729	8.9	85	3	4	6	10	18	24	52
1. SINGLE DX	1041	3.3	9	1	2	3	4	6	8	17
2. MULTIPLE DX	21411	6.4	41	2	3	5	7	12	17	33
A. Not Operated	16593	5.3	22	2	3	4	6	10	13	23
B. Operated	5859	8.8	84	3	4	6	10	18	24	51
TOTAL										
0-19 YRS	867	4.3	36	1	2	3	5	8	12	37
20-34	1362	3.8	18	1	2	3	5	7	9	21
35-49	2470	4.9	23	2	2	4	6	9	12	28
50-64	4042	5.6	32	2	3	4	7	10	14	27
65 +	13711	7.0	47	2	3	5	8	13	18	35
GRAND TOTAL	**22452**	**6.2**	**40**	**2**	**3**	**5**	**7**	**12**	**16**	**32**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	107	3.4	6	1	2	3	5	6	8	14
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	7	4.6	18	1	2	3	8	11	12	12
50-64	1	7.0		7	7	7	7	7	7	7
65 +	4	10.0	77	4	5	6	15	23	23	23
B. Operated										
0-19 YRS	39	5.4	64	1	1	3	6	10	17	47
20-34	3	4.0	3	3	3	3	5	6	6	6
35-49	7	4.4	7	1	3	4	7	8	8	8
50-64	3	17.3	389	4	5	8	32	40	40	40
65 +	3	7.0	76	1	1	3	13	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	306	6.6	79	1	2	4	7	13	24	98
20-34	25	6.0	35	1	3	5	7	10	20	29
35-49	48	7.1	35	1	3	5	10	15	18	26
50-64	47	7.8	38	2	3	6	11	18	20	27
65 +	92	8.9	55	3	3	6	11	17	24	36
B. Operated										
0-19 YRS	150	17.1	378	3	5	10	27	76	99 +	99 +
20-34	81	9.3	85	3	4	5	9	25	30	44
35-49	117	8.9	127	4	4	6	9	16	32	89
50-64	93	12.2	93	4	5	9	16	27	35	78
65 +	99	15.9	263	4	7	11	21	29	53	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	121	3.7	10	1	2	3	5	7	9	18
B. Operated	55	5.9	71	1	2	3	7	10	19	47
2. MULTIPLE DX										
A. Not Operated	518	7.1	65	2	3	5	9	16	24	49
B. Operated	540	13.1	220	3	5	8	17	34	60	99 +
1. SINGLE DX	176	4.4	30	1	2	3	5	8	12	36
2. MULTIPLE DX	1058	10.2	153	2	4	6	12	25	37	99 +
A. Not Operated	639	6.5	56	1	2	4	8	14	21	45
B. Operated	595	12.4	210	3	4	7	16	33	54	99 +
TOTAL										
0-19 YRS	602	8.6	164	1	2	4	9	24	46	99 +
20-34	111	8.3	72	3	4	5	8	22	29	41
35-49	179	8.1	95	3	4	5	9	15	25	77
50-64	144	10.9	83	3	4	8	15	24	31	53
65 +	198	12.4	170	3	5	9	16	24	34	91
GRAND TOTAL	**1234**	**9.4**	**139**	**2**	**3**	**5**	**11**	**23**	**35**	**99 +**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	328	3.5	7	1	2	3	4	6	9	15
20-34	19	3.6	6	1	1	3	5	7	8	9
35-49	10	3.7	16	1	1	2	3	10	14	14
50-64	5	2.2	5	< 1	< 1	1	3	6	6	6
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	238	2.2	5	1	1	2	2	4	7	10
20-34	75	2.0	3	1	1	1	2	4	6	10
35-49	65	1.5	1	1	1	1	2	3	4	4
50-64	44	1.5	1	1	1	1	2	3	4	7
65 +	23	1.5	1	1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	461	4.8	19	1	2	4	6	9	13	20
20-34	93	4.8	14	1	2	4	6	9	13	19
35-49	92	5.6	20	2	3	4	7	11	15	23
50-64	112	7.5	39	2	4	6	9	14	15	35
65 +	174	8.0	36	2	4	7	11	15	20	26
B. Operated										
0-19 YRS	261	7.1	104	1	2	3	8	17	28	70
20-34	204	5.8	54	1	1	3	7	14	20	36
35-49	217	6.1	44	1	1	3	9	15	21	29
50-64	211	7.7	101	1	1	4	10	18	27	66
65 +	225	9.4	136	1	2	6	12	20	34	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	363	3.5	7	1	2	3	4	6	9	15
B. Operated	445	2.0	4	1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	932	5.8	26	1	2	4	8	12	15	25
B. Operated	1118	7.3	90	1	2	4	9	17	26	50
1. SINGLE DX	808	2.7	6	1	1	2	3	5	8	11
2. MULTIPLE DX	2050	6.6	61	1	2	4	8	15	20	43
A. Not Operated	1295	5.2	22	1	2	4	7	11	14	23
B. Operated	1563	5.8	71	1	1	2	7	15	20	45
TOTAL										
0-19 YRS	1288	4.5	33	1	2	3	5	9	13	29
20-34	391	4.7	34	1	1	3	6	10	15	31
35-49	384	5.2	33	1	1	3	7	13	18	27
50-64	372	6.8	73	1	1	4	9	15	23	45
65 +	423	8.4	90	1	2	6	11	18	25	50
GRAND TOTAL	**2858**	**5.5**	**49**	**1**	**2**	**3**	**7**	**13**	**17**	**34**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	4.2	6	2	3	4	5	8	9	12
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	2.1	1	1	1	2	3	4	4	4
20-34	8	3.0	4	1	1	3	5	6	6	6
35-49	5	2.4	2	1	1	2	4	4	4	4
50-64	3	1.3		1	1	1	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	184	5.1	11	2	3	4	7	9	11	17
20-34	25	5.5	13	2	3	5	6	11	14	16
35-49	26	6.3	29	3	3	4	7	16	20	22
50-64	39	6.3	12	3	4	6	8	11	14	18
65 +	72	8.5	46	3	4	7	11	15	21	43
B. Operated										
0-19 YRS	36	8.9	54	2	3	7	12	18	25	35
20-34	31	7.4	43	1	2	6	10	20	22	25
35-49	25	8.9	73	2	4	8	10	14	28	42
50-64	40	11.6	91	3	5	10	16	22	24	53
65 +	55	13.0	91	2	6	13	17	23	28	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	4.2	6	2	3	4	5	8	9	12
B. Operated	25	2.3	2	1	1	2	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	346	6.1	21	2	3	5	8	11	14	22
B. Operated	187	10.4	77	2	4	8	14	21	25	46
1. SINGLE DX	112	3.8	6	1	2	3	5	7	8	12
2. MULTIPLE DX	533	7.6	45	2	3	6	9	16	20	36
A. Not Operated	433	5.7	19	2	3	5	7	10	13	21
B. Operated	212	9.5	75	2	3	7	13	20	24	45
TOTAL										
0-19 YRS	311	5.2	16	2	3	4	7	10	12	18
20-34	67	6.0	27	1	2	5	7	13	20	24
35-49	57	7.1	48	2	3	5	8	14	21	41
50-64	82	8.7	59	2	4	6	11	18	22	44
65 +	128	10.4	70	3	4	8	14	20	24	47
GRAND TOTAL	**645**	**6.9**	**40**	**2**	**3**	**5**	**9**	**14**	**18**	**29**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	4.8	68	<1	1	2	4	8	33	34
20-34	18	1.7	1	<1	<1	1	2	4	5	5
35-49	19	1.7	1	<1	<1	1	2	4	5	5
50-64	16	3.5	23	<1	<1	1	4	13	15	15
65+	14	7.9	53	<1	4	5	10	22	24	24
B. Operated										
0-19 YRS	329	1.8	10	<1	<1	<1	<1	2	7	15
20-34	89	4.2	21	<1	<1	2	6	11	14	20
35-49	81	4.5	34	<1	1	2	7	11	15	30
50-64	97	3.1	14	<1	1	2	3	8	11	20
65+	87	2.8	9	1	1	2	3	7	9	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	158	5.0	36	<1	1	3	6	12	17	29
20-34	108	3.7	13	<1	1	3	5	7	12	19
35-49	153	4.6	19	<1	1	3	6	10	13	24
50-64	255	5.7	34	1	2	4	7	12	16	28
65+	668	8.3	48	2	4	6	10	17	21	37
B. Operated										
0-19 YRS	530	10.7	175	<1	<1	7	15	26	38	86
20-34	567	9.7	93	1	3	7	14	21	26	48
35-49	854	9.4	95	1	3	7	13	21	28	45
50-64	1074	9.3	97	1	3	6	12	20	29	50
65+	1279	11.2	121	2	4	8	15	26	35	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	3.8	36	<1	<1	1	4	9	15	34
B. Operated	683	2.7	15	<1	<1	1	2	8	11	18
2. MULTIPLE DX										
A. Not Operated	1342	6.6	40	1	2	5	8	14	18	32
B. Operated	4304	10.1	114	1	3	7	14	23	32	59
1. SINGLE DX	779	2.9	18	<1	<1	1	2	8	11	22
2. MULTIPLE DX	5646	9.3	98	1	3	6	12	21	29	52
A. Not Operated	1438	6.4	41	1	2	5	8	14	18	33
B. Operated	4987	9.1	107	<1	2	6	12	21	29	56
TOTAL										
0-19 YRS	1046	6.9	115	<1	<1	2	9	19	29	56
20-34	782	8.0	79	1	2	5	11	19	24	37
35-49	1107	8.2	83	1	2	5	11	19	25	42
50-64	1442	8.2	83	1	2	5	11	18	26	47
65+	2048	9.9	96	2	3	7	13	22	30	58
GRAND TOTAL	**6425**	**8.5**	**93**	**<1**	**2**	**6**	**11**	**20**	**27**	**50**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.7	2	2	3	3	4	6	6	6
20-34	11	5.5	6	3	4	5	8	9	9	9
35-49	6	5.5	2	3	5	6	7	7	7	7
50-64	11	7.2	83	<1	<1	3	12	23	28	28
65+	15	5.7	37	<1	2	4	7	11	21	25
B. Operated										
0-19 YRS	10	8.7	74	<1	1	6	11	23	27	27
20-34	10	2.4	2	<1	1	2	3	4	5	5
35-49	9	5.6	35	<1	1	3	8	16	18	18
50-64	12	4.2	13	1	1	3	7	9	11	11
65+	15	10.1	153	1	1	2	18	34	36	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	8.1	72	2	4	5	10	19	24	49
20-34	116	6.5	30	2	3	5	8	13	18	27
35-49	198	6.7	30	2	3	5	9	13	16	33
50-64	406	8.0	39	3	4	6	10	15	20	33
65+	1976	9.2	59	3	5	7	11	16	21	45
B. Operated										
0-19 YRS	94	15.9	218	3	5	12	22	30	53	89
20-34	205	11.7	136	1	4	8	16	28	34	69
35-49	255	12.5	122	2	6	10	16	26	32	65
50-64	520	14.3	147	3	6	11	20	32	38	74
65+	1309	16.9	168	5	8	14	22	33	42	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	5.7	31	<1	3	4	7	10	19	28
B. Operated	56	6.5	68	1	1	3	8	19	25	37
2. MULTIPLE DX										
A. Not Operated	2772	8.7	54	3	5	7	11	16	21	39
B. Operated	2383	15.4	161	4	7	12	20	31	40	81
1. SINGLE DX	105	6.1	50	1	1	4	7	15	22	35
2. MULTIPLE DX	5155	11.8	114	3	5	9	15	24	32	62
A. Not Operated	2821	8.7	53	3	4	7	11	16	21	39
B. Operated	2439	15.2	160	3	7	12	20	31	40	80
TOTAL										
0-19 YRS	186	12.0	159	2	4	8	16	26	33	75
20-34	342	9.5	99	1	3	7	12	20	31	58
35-49	468	9.8	89	2	4	7	12	20	28	53
50-64	949	11.4	108	3	5	8	15	25	34	59
65+	3315	12.3	116	4	6	9	15	25	32	62
GRAND TOTAL	**5260**	**11.7**	**113**	**3**	**5**	**9**	**15**	**24**	**32**	**61**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	614	3.5	3	2	2	3	4	5	6	9
20-34	849	3.5	3	2	2	3	4	6	7	9
35-49	272	3.9	9	2	2	4	5	6	7	12
50-64	91	3.9	3	2	3	4	5	6	8	10
65 +	68	4.1	4	2	3	4	5	7	8	11
B. Operated										
0-19 YRS	27	4.9	2	3	4	5	6	7	7	8
20-34	29	5.8	5	3	4	5	7	9	10	10
35-49	11	6.5	5	4	5	7	7	9	12	12
50-64	6	5.3	6	2	3	5	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1807	4.3	5	2	3	4	5	7	8	12
20-34	2629	4.2	4	2	3	4	5	7	8	11
35-49	1436	5.0	8	2	3	4	6	8	10	16
50-64	1258	5.6	11	3	4	5	7	9	11	17
65 +	2391	6.5	22	3	4	6	8	11	13	22
B. Operated										
0-19 YRS	173	7.7	30	3	4	6	10	14	18	43
20-34	208	7.1	26	3	4	6	8	13	17	30
35-49	188	9.5	76	4	5	7	12	16	22	44
50-64	217	11.0	68	4	6	9	13	20	29	53
65 +	427	13.1	130	5	7	10	15	25	31	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1894	3.6	4	2	2	3	4	6	7	10
B. Operated	73	5.5	4	3	4	5	7	8	9	12
2. MULTIPLE DX										
A. Not Operated	9521	5.1	11	2	3	4	6	9	10	16
B. Operated	1213	10.4	84	4	5	8	12	19	27	56
1. SINGLE DX	1967	3.7	4	2	2	3	5	6	7	10
2. MULTIPLE DX	10734	5.7	22	2	3	5	7	10	13	24
A. Not Operated	11415	4.9	10	2	3	4	6	8	10	15
B. Operated	1286	10.1	81	4	5	7	12	18	26	56
TOTAL										
0-19 YRS	2621	4.3	7	2	3	4	5	7	9	14
20-34	3715	4.2	6	2	3	4	5	7	8	13
35-49	1907	5.3	17	2	3	4	6	9	11	18
50-64	1572	6.2	22	3	4	5	7	11	14	29
65 +	2886	7.4	43	3	4	6	9	13	17	36
GRAND TOTAL	**12701**	**5.4**	**20**	**2**	**3**	**4**	**6**	**9**	**12**	**22**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	527	3.5	4	2	2	3	4	6	7	10
20-34	560	3.4	3	2	2	3	4	5	7	8
35-49	164	3.9	9	2	2	3	5	6	8	21
50-64	71	4.0	3	2	3	4	5	7	7	10
65 +	45	4.6	5	2	3	4	6	8	9	11
B. Operated										
0-19 YRS	38	4.6	11	1	3	4	6	7	12	17
20-34	39	5.5	13	3	3	4	6	12	13	17
35-49	15	3.9	5	1	2	4	5	7	8	9
50-64	17	8.3	16	4	6	7	9	15	16	17
65 +	8	5.5	14	1	3	4	8	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1434	4.2	6	2	3	4	5	7	9	13
20-34	1517	4.3	7	2	3	4	5	7	9	14
35-49	784	4.9	8	2	3	4	6	8	10	15
50-64	619	5.6	11	2	3	5	7	9	12	18
65 +	1096	6.8	31	3	4	6	8	12	15	24
B. Operated										
0-19 YRS	228	8.0	64	3	4	6	9	13	17	42
20-34	240	9.1	66	3	4	7	11	16	23	49
35-49	192	9.5	86	3	5	7	11	18	25	55
50-64	202	10.9	56	4	6	9	13	20	25	45
65 +	342	12.6	78	5	7	10	16	24	29	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1367	3.6	4	2	2	3	4	6	7	10
B. Operated	117	5.4	13	2	3	5	7	11	14	17
2. MULTIPLE DX										
A. Not Operated	5450	5.0	13	2	3	4	6	8	11	17
B. Operated	1204	10.2	73	3	5	8	12	20	25	46
1. SINGLE DX	1484	3.7	5	2	2	3	4	6	7	12
2. MULTIPLE DX	6654	6.0	28	2	3	5	7	11	15	26
A. Not Operated	6817	4.7	11	2	3	4	6	8	10	17
B. Operated	1321	9.8	70	3	5	7	12	19	25	44
TOTAL										
0-19 YRS	2227	4.5	13	2	3	4	5	7	10	17
20-34	2356	4.6	14	2	3	4	5	8	10	19
35-49	1155	5.5	24	2	3	4	6	9	12	25
50-64	909	6.7	26	3	4	5	8	12	16	25
65 +	1491	8.0	47	3	4	6	9	15	21	35
GRAND TOTAL	**8138**	**5.6**	**24**	**2**	**3**	**4**	**6**	**10**	**13**	**25**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	129	1.7	1	1	1	1	2	3	4	5
20-34	617	1.9	7	< 1	1	1	2	3	4	8
35-49	959	1.6	2	< 1	1	1	2	3	4	7
50-64	567	1.6	2	< 1	1	1	2	3	3	6
65 +	243	1.8	3	< 1	1	1	2	3	5	11
B. Operated										
0-19 YRS	39	4.4	23	1	1	3	6	12	15	21
20-34	264	2.9	10	1	1	2	4	6	7	8
35-49	425	2.9	6	1	1	2	4	6	8	11
50-64	336	2.7	7	1	1	2	4	6	8	13
65 +	189	2.8	9	< 1	1	1	3	8	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	141	2.8	6	1	1	2	3	6	7	15
20-34	687	2.3	4	1	1	2	3	4	6	10
35-49	1018	2.4	4	1	1	2	3	5	6	10
50-64	868	2.6	5	1	1	2	3	5	7	11
65 +	714	3.1	7	1	1	2	4	6	8	13
B. Operated										
0-19 YRS	73	6.6	35	1	2	4	9	16	20	29
20-34	412	5.7	31	1	3	4	7	11	16	30
35-49	705	5.5	36	1	2	4	7	11	15	33
50-64	770	5.3	29	1	2	4	7	11	14	24
65 +	872	7.4	74	1	2	5	9	14	20	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2515	1.7	3	< 1	1	1	2	3	4	7
B. Operated	1253	2.9	8	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	3428	2.6	5	1	1	2	3	5	7	12
B. Operated	2832	6.1	46	1	2	4	8	12	17	35
1. SINGLE DX	3768	2.1	5	< 1	1	1	2	4	6	11
2. MULTIPLE DX	6260	4.2	26	1	1	3	5	9	12	25
A. Not Operated	5943	2.2	4	1	1	2	3	4	6	10
B. Operated	4085	5.1	36	1	1	3	7	11	14	29
TOTAL										
0-19 YRS	382	3.3	15	1	1	2	4	7	11	21
20-34	1980	3.0	13	1	1	2	4	6	8	18
35-49	3107	2.9	13	1	1	2	3	6	9	16
50-64	2541	3.2	14	1	1	2	4	7	10	16
65 +	2018	4.7	41	1	1	3	6	10	14	33
GRAND TOTAL	**10028**	**3.4**	**19**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	293	1.6	1	1	1	1	2	3	3	4
20-34	2377	1.6	1	1	1	1	2	3	3	5
35-49	3254	1.6	1	1	1	1	2	3	3	5
50-64	1584	1.7	1	1	1	1	2	3	4	6
65 +	415	1.9	1	1	1	2	2	3	4	7
B. Operated										
0-19 YRS	184	3.0	4	1	2	2	4	6	7	10
20-34	1627	2.9	5	1	1	2	4	5	7	10
35-49	2459	2.7	4	1	1	2	4	5	6	9
50-64	1495	2.9	6	1	1	2	4	6	7	11
65 +	491	3.1	5	1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	2.3	8	1	1	2	3	4	5	8
20-34	1490	2.0	2	1	1	2	2	4	4	7
35-49	2586	2.0	2	1	1	2	2	4	5	7
50-64	1907	2.2	3	1	1	2	3	4	5	9
65 +	1158	2.7	5	1	1	2	3	5	6	10
B. Operated										
0-19 YRS	173	4.2	14	1	2	3	5	7	10	22
20-34	1356	4.1	10	1	2	3	5	7	9	15
35-49	2269	4.2	13	1	2	3	5	8	10	17
50-64	2344	4.4	14	1	2	3	6	9	11	18
65 +	2090	5.8	28	1	2	4	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7923	1.6	1	1	1	1	2	3	3	5
B. Operated	6256	2.8	4	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	7311	2.2	3	1	1	2	3	4	5	8
B. Operated	8232	4.6	17	1	2	4	6	9	12	20
1. SINGLE DX	14179	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	15543	3.5	12	1	1	2	4	7	9	17
A. Not Operated	15234	1.9	2	1	1	2	2	3	4	7
B. Operated	14488	3.9	12	1	2	3	5	7	10	17
TOTAL										
0-19 YRS	820	2.6	7	1	1	2	3	5	6	13
20-34	6850	2.5	5	1	1	2	3	5	6	10
35-49	10568	2.5	5	1	1	2	3	5	6	11
50-64	7330	3.0	8	1	1	2	4	6	8	13
65 +	4154	4.2	19	1	2	3	5	9	12	20
GRAND TOTAL	**29722**	**2.9**	**8**	**1**	**1**	**2**	**3**	**6**	**8**	**14**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	3.0	11	1	1	2	4	6	8	20
20-34	53	2.2	2	1	1	2	3	4	5	9
35-49	66	2.2	3	1	1	2	3	5	7	8
50-64	38	2.1	3	1	1	1	2	5	6	9
65 +	19	6.4	68	1	1	3	7	21	28	29
B. Operated										
0-19 YRS	1167	4.7	6	2	3	4	6	8	9	12
20-34	218	4.3	7	1	2	4	6	8	9	12
35-49	195	4.0	6	1	2	4	6	7	8	11
50-64	187	3.9	9	1	1	3	6	8	9	14
65 +	96	4.3	13	1	2	3	6	9	10	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	279	4.3	23	1	2	3	5	9	11	29
20-34	192	3.2	6	1	1	3	4	6	7	13
35-49	198	3.6	13	1	2	3	4	7	9	20
50-64	235	4.9	16	1	2	4	6	9	13	20
65 +	513	6.4	33	2	3	5	8	13	16	23
B. Operated										
0-19 YRS	1651	6.2	20	2	4	5	7	10	15	23
20-34	539	6.7	37	2	3	[illegible]	8	13	16	31
35-49	749	6.7	36	1	3	5	8	12	18	37
50-64	971	7.8	59	1	3	6	10	15	20	44
65 +	1409	9.0	81	1	3	7	11	18	25	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	257	2.8	11	1	1	2	3	6	8	20
B. Operated	1863	4.5	7	1	3	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	1417	4.9	23	1	2	4	6	10	13	21
B. Operated	5319	7.3	49	2	3	6	9	14	19	40
1. SINGLE DX	2120	4.3	8	1	2	4	6	8	9	13
2. MULTIPLE DX	6736	6.8	44	1	3	5	8	13	18	36
A. Not Operated	1674	4.6	22	1	2	3	6	9	13	21
B. Operated	7182	6.6	39	1	3	5	8	12	17	34
TOTAL										
0-19 YRS	3178	5.4	15	2	3	5	7	9	12	20
20-34	1002	5.3	25	1	2	4	7	10	13	24
35-49	1208	5.5	28	1	2	4	7	11	15	32
50-64	1431	6.7	47	1	2	5	8	13	17	38
65 +	2037	8.1	67	1	3	6	10	17	22	44
GRAND TOTAL	**8856**	**6.2**	**37**	**1**	**3**	**5**	**8**	**12**	**16**	**32**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.1	1	1	2	2	3	3	4	4
20-34	77	1.7	2	<1	1	1	2	3	4	7
35-49	127	1.5	1	1	1	1	2	3	3	5
50-64	46	1.8	1	<1	1	2	2	3	4	5
65 +	14	1.9	4	<1	1	1	2	3	7	8
B. Operated										
0-19 YRS	11	2.[illegible]	8	<1	1	1	2	6	10	10
20-34	31	2.[illegible]	2	1	1	2	3	4	5	5
35-49	52	2.7	3	<1	1	2	4	5	6	7
50-64	74	2.4	5	<1	1	1	3	5	6	12
65 +	43	2.1	3	<1	1	1	[illegible]	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.6	9	<1	1	2	2	5	10	14
20-34	90	2.5	3	1	1	2	3	4	6	9
35-49	98	2.5	3	1	1	2	3	5	6	9
50-64	77	2.8	6	1	1	2	4	5	7	15
65 +	60	3.7	12	1	2	3	4	7	11	19
B. Operated										
0-19 YRS	39	4.4	15	1	2	3	5	10	14	17
20-34	72	4.2	9	1	2	4	5	8	10	15
35-49	108	4.7	33	1	2	3	5	8	12	36
50-64	247	4.2	18	1	1	3	5	8	11	17
65 +	671	5.6	42	1	2	4	7	11	16	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	285	1.7	1	<1	1	1	2	3	4	[illegible]
B. Operated	211	2.4	4	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	344	2.8	6	1	1	2	3	5	7	13
B. Operated	1137	5.1	33	1	2	4	6	10	14	28
1. SINGLE DX	496	2.0	2	<1	1	1	2	4	5	7
2. MULTIPLE DX	1481	4.5	28	1	2	3	5	9	13	26
A. Not Operated	629	2.3	4	1	1	2	3	4	6	10
B. Operated	1348	4.6	30	1	2	3	6	9	13	27
TOTAL										
0-19 YRS	90	3.2	10	1	1	2	4	6	11	17
20-34	270	2.7	5	1	1	2	4	5	7	11
35-49	385	2.8	12	1	1	2	3	5	7	17
50-64	444	3.4	13	1	1	2	4	7	9	15
65 +	788	5.2	38	1	2	3	6	10	15	28
GRAND TOTAL	**1977**	**3.9**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	2.6	2	1	1	2	4	4	5	7
20-34	39	[illegible]	2	< 1	1	2	3	4	5	6
35-49	23	2.3	2	1	1	2	3	4	[illegible]	6
50-64	18	3.0	2	1	2	3	4	5	6	[illegible]
65 +	14	4.1	6	2	2	3	6	7	9	10
B. Operated										
0-19 YRS	13	3.1	4	< 1	1	2	5	6	7	7
20-34	57	2.4	7	< 1	1	1	3	5	7	16
35-49	51	2.2	3	< 1	1	2	3	4	5	11
50-64	60	3.2	74	< 1	1	1	3	4	6	62
65 +	64	2.6	6	< 1	1	2	3	6	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	143	3.2	4	1	2	3	4	5	7	11
20-34	146	3.2	3	1	2	3	4	6	7	8
35-49	127	4.2	15	1	2	3	5	7	9	20
50-64	139	4.6	12	2	2	4	6	8	10	19
65 +	556	6.3	31	2	3	5	8	12	15	30
B. Operated										
0-19 YRS	57	5.2	16	< 1	2	4	7	9	14	21
20-34	124	5.4	30	1	2	4	7	10	12	35
35-49	210	6.4	82	1	2	4	8	13	18	74
50-64	374	5.2	25	1	2	4	7	10	14	31
65 +	1241	6.9	52	1	3	5	9	14	19	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	2.6	3	1	1	2	3	5	6	7
B. Operated	245	2.6	22	< 1	1	2	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	1111	5.0	21	2	2	4	6	10	12	26
B. Operated	2006	6.4	48	1	2	5	8	13	18	38
1. SINGLE DX	388	2.6	15	< 1	1	2	3	5	6	12
2. MULTIPLE DX	3117	5.9	39	1	2	4	7	12	16	33
A. Not Operated	1254	4.8	20	1	2	4	6	9	12	25
B. Operated	2251	6.0	47	1	2	4	8	12	17	37
TOTAL										
0-19 YRS	262	3.5	7	1	2	3	4	6	8	16
20-34	366	3.7	14	1	1	3	5	7	9	22
35-49	411	5.0	50	1	2	3	6	10	14	37
50-64	591	4.8	26	1	2	4	6	10	12	28
65 +	1875	6.6	44	1	3	5	8	13	17	37
GRAND TOTAL	**3505**	**5.6**	**37**	**1**	**2**	**4**	**7**	**11**	**15**	**31**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	1	1	2	2	3	4	4	4
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	4	1.8	2	< 1	< 1	< 1	2	4	4	4
50-64	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	148	1.8	5	< 1	< 1	1	2	3	5	10
20-34	135	2.1	3	< 1	1	1	3	4	6	8
35-49	143	1.7	2	< 1	1	1	2	3	4	7
50-64	106	2.0	3	< 1	1	1	2	4	6	10
65 +	137	2.1	3	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.6	7	1	2	3	4	8	8	8
20-34	8	3.3	6	1	1	3	4	7	8	8
35-49	15	2.7	5	< 1	1	2	4	7	8	8
50-64	12	2.5	2	1	2	2	3	4	5	5
65 +	55	4.5	12	1	2	3	6	10	12	14
B. Operated										
0-19 YRS	163	2.5	8	< 1	1	1	3	6	8	16
20-34	187	3.8	21	1	1	2	5	8	12	22
35-49	215	3.3	9	1	1	2	4	8	9	13
50-64	316	3.5	14	1	1	2	4	8	10	21
65 +	1024	4.3	22	1	2	3	5	9	11	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.5	4	< 1	< 1	1	4	5	7	8
B. Operated	669	1.9	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	95	3.8	10	1	2	3	5	8	10	14
B. Operated	1905	3.8	18	1	1	2	5	8	11	22
1. SINGLE DX	685	1.9	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX	2000	3.8	18	1	1	3	5	8	11	22
A. Not Operated	111	3.6	9	< 1	1	3	4	8	10	14
B. Operated	2574	3.3	15	1	1	2	4	7	10	21
TOTAL										
0-19 YRS	321	2.2	7	< 1	< 1	1	2	5	6	15
20-34	332	3.1	14	1	1	2	3	7	9	21
35-49	377	2.6	7	1	1	2	3	6	8	12
50-64	437	3.1	11	1	1	2	4	7	10	18
65 +	1218	4.1	20	1	1	3	5	8	11	23
GRAND TOTAL	**2685**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	752	3.2	4	1	2	3	4	5	7	11
20-34	212	2.9	3	1	2	3	4	5	6	9
35-49	108	3.2	5	1	2	3	4	6	7	14
50-64	105	3.9	9	2	2	3	5	6	8	18
65 +	220	5.3	20	2	3	4	7	10	12	25
B. Operated										
0-19 YRS	81	3.1	6	< 1	< 1	2	4	6	8	12
20-34	13	4.4	6	2	3	4	6	8	9	9
35-49	8	3.6	6	< 1	< 1	4	5	7	7	7
50-64	9	4.3	17	< 1	1	4	6	11	13	13
65 +	24	6.8	35	< 1	3	6	8	13	20	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3483	4.4	10	2	3	4	5	8	10	16
20-34	1491	4.7	19	2	2	4	5	8	11	20
35-49	1517	5.6	21	2	3	5	7	10	14	25
50-64	2539	6.3	26	2	3	5	8	11	14	28
65 +	15254	8.0	48	3	4	6	9	14	19	38
B. Operated										
0-19 YRS	502	7.0	40	2	3	5	9	13	16	33
20-34	211	9.9	139	2	4	6	11	21	40	99 +
35-49	261	11.4	162	3	5	8	12	24	35	94
50-64	550	11.6	94	4	6	9	14	22	34	65
65 +	2689	14.5	132	5	7	11	18	29	40	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1397	3.5	7	1	2	3	4	6	8	13
B. Operated	135	4.0	13	< 1	1	3	5	8	9	18
2. MULTIPLE DX										
A. Not Operated	24284	6.9	39	2	4	5	8	12	17	31
B. Operated	4213	12.8	125	4	6	10	16	26	37	83
1. SINGLE DX	1532	3.6	8	1	2	3	4	7	8	13
2. MULTIPLE DX	28497	7.8	56	2	4	6	9	15	20	44
A. Not Operated	25681	6.8	38	2	3	5	8	12	16	31
B. Operated	4348	12.5	124	3	6	10	15	26	37	80
TOTAL										
0-19 YRS	4818	4.4	13	2	2	4	5	8	11	17
20-34	1927	5.1	34	1	2	4	6	9	13	35
35-49	1894	6.2	44	2	3	5	7	11	16	34
50-64	3203	7.1	41	2	4	5	8	13	18	37
65 +	18187	8.9	66	3	5	7	10	16	22	51
GRAND TOTAL	**30029**	**7.6**	**54**	**2**	**4**	**6**	**9**	**14**	**20**	**43**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	2.0	1	1	1	2	3	3	4	7
20-34	58	1.9	1	< 1	1	1	2	4	4	6
35-49	33	2.5	4	< 1	1	2	3	5	6	9
50-64	34	3.0	5	1	1	2	4	6	7	11
65 +	72	2.6	3	< 1	1	2	4	5	6	9
B. Operated										
0-19 YRS	225	1.8	3	< 1	1	1	2	3	5	8
20-34	145	2.9	12	< 1	1	2	3	6	9	21
35-49	172	2.3	4	< 1	1	2	3	5	6	10
50-64	256	2.5	5	< 1	1	2	3	5	7	10
65 +	369	2.8	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	239	3.0	6	1	1	2	4	7	8	11
20-34	187	2.9	6	1	1	2	4	6	8	14
35-49	206	3.5	7	1	2	3	5	6	8	14
50-64	296	3.8	10	1	2	3	5	7	9	18
65 +	1156	5.3	25	1	2	4	6	10	14	24
B. Operated										
0-19 YRS	312	4.8	34	1	1	3	6	10	16	33
20-34	321	5.8	47	1	2	4	7	13	16	34
35-49	535	5.5	43	1	2	3	7	12	18	46
50-64	1166	5.1	31	1	2	3	6	11	15	32
65 +	3792	6.1	49	1	2	4	7	13	18	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	296	2.3	3	< 1	1	2	3	4	6	9
B. Operated	1167	2.5	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	2084	4.4	18	1	2	3	5	9	12	21
B. Operated	6126	5.8	44	1	2	4	7	12	17	37
1. SINGLE DX	1463	2.4	5	< 1	1	2	3	5	7	10
2. MULTIPLE DX	8210	5.4	38	1	2	4	6	11	16	34
A. Not Operated	2380	4.1	16	1	2	3	5	8	11	20
B. Operated	7293	5.2	40	1	2	3	6	11	16	35
TOTAL										
0-19 YRS	875	3.2	16	1	1	2	4	7	9	21
20-34	711	4.1	28	1	1	3	5	9	14	22
35-49	946	4.4	28	1	1	3	5	9	13	25
50-64	1752	4.5	24	1	2	3	5	9	13	25
65 +	5389	5.6	41	1	2	4	7	12	16	36
GRAND TOTAL	**9673**	**5.0**	**34**	**1**	**2**	**3**	**6**	**10**	**15**	**32**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	1.8	2	<1	<1	<1	2	4	4	4
50-64	30	2.9	10	<1	<1	1	3	7	12	12
65 +	60	2.2	3	<1	<1	1	3	5	6	7
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	5	4.6	1	3	4	5	5	5	5	5
35-49	69	2.7	2	1	2	3	3	4	5	8
50-64	1785	3.4	3	2	3	3	4	5	6	9
65 +	3484	3.8	4	2	3	4	4	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1		1	1	1
35-49	10	2.8	3	1	1	3		5	5	5
50-64	144	3.6	12	<1	1	3	4	6	11	17
65 +	554	4.7	39	1	2	3	6	9	12	36
B. Operated										
0-19 YRS	3	6.0	49	1	1	3	11	14	14	14
20-34	5	4.0	6	2	3	3	5	8	8	8
35-49	235	3.9	7	1	2	3	5	6	10	15
50-64	7076	4.4	10	2	3	4	5	7	10	16
65 +	24934	5.3	19	2	3	4	6	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	2.4	5	<1	<1	<1	3	6	7	12
B. Operated	5345	3.7	4	2	3	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	709	4.4	33	1	2	3	5	9	12	33
B. Operated	32253	5.1	17	2	3	4	6	9	12	21
1. SINGLE DX	5439	3.6	4	2	3	3	4	6	7	10
2. MULTIPLE DX	32962	5.1	17	2	3	4	6	9	12	21
A. Not Operated	803	4.2	30	<1	1	3	5	8	12	30
B. Operated	37598	4.9	15	2	3	4	6	8	11	20
TOTAL										
0-19 YRS	5	4.6	28	1	2	3	6	14	14	14
20-34	11	4.0	4	2	3	4	5	6	8	8
35-49	318	3.6	6	1	2	3	4	6	8	14
50-64	9035	4.2	9	2	3	4	5	7	9	15
65 +	29032	5.1	17	2	3	4	6	9	12	21
GRAND TOTAL	**38401**	**4.9**	**16**	**2**	**3**	**4**	**6**	**8**	**11**	**20**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	60	3.0	2	1	2	3	4	5	6	7
35-49	79	4.0	6	2	2	3	5	8	9	13
50-64	77	3.4	2	2	3	3	4	6	7	8
65 +	33	3.8	5	2	2	3	5	6	9	10
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	11	3.1	4	<1	1	3	5	6	6	6
35-49	20	2.9	5	<1	1	2	4	6	8	9
50-64	28	3.6	5	<1	2	3	5	8	8	9
65 +	30	3.3	3	<1	2	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.3	16	<1	1	2	3	10	13	13
20-34	120	3.7	3	2	2	3	5	6	7	8
35-49	233	4.0	4	2	3	4	5	6	8	10
50-64	338	4.5	5	2	3	4	6	7	8	12
65 +	390	4.8	7	2	3	4	6	8	10	14
B. Operated										
0-19 YRS	7	6.0	44	1	2	3	7	17	20	20
20-34	41	6.6	33	2	3	5	8	12	16	33
35-49	92	4.5	10	1	2	4	6	8	10	17
50-64	207	5.1	13	1	3	4	7	10	12	18
65 +	373	5.7	24	2	3	4	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	252	3.5	4	2	2	3	4	6	7	10
B. Operated	91	3.3	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	1089	4.4	5	2	3	4	6	7	9	12
B. Operated	720	5.4	20	1	3	4	7	11	13	21
1. SINGLE DX	343	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX	1809	4.8	11	2	3	4	6	8	11	18
A. Not Operated	1341	4.2	5	2	3	4	5	7	8	12
B. Operated	811	5.2	19	1	3	4	7	10	13	20
TOTAL										
0-19 YRS	20	4.0	22	<1	1	2	3	10	16	20
20-34	232	4.0	10	1	2	3	5	7	8	15
35-49	424	4.1	6	2	2	4	5	7	8	11
50-64	650	4.5	7	2	3	4	6	8	9	14
65 +	826	5.1	15	2	3	4	6	9	12	19
GRAND TOTAL	**2152**	**4.6**	**10**	**2**	**3**	**4**	**6**	**8**	**10**	**15**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.2		<1	<1	1	1	2	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+	3	1.0		<1	<1	1	1	1	1	1
B. Operated										
0-19 YRS	136	1.3		<1	<1	1	1	2	3	4
20-34	59	1.5	1	<1	1	1	2	2	4	6
35-49	112	1.5	1	1	1	1	2	3	3	5
50-64	144	1.4	1	1	1	1	2	2	4	5
65+	74	1.6	1	1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	1.6	2	<1	1	1	2	2	5	6
20-34	2	1.0		1	1	1	1	1	1	1
35-49	6	2.7	10	<1	<1	1	2	8	9	9
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	7	3.3	4	1	2	3	5	6	6	6
B. Operated										
0-19 YRS	209	1.4	1	<1	1	1	1	2	3	6
20-34	57	3.6	47	1	1	2	4	6	11	48
35-49	100	2.1	3	1	1	1	2	5	6	9
50-64	165	2.2	3	1	1	2	2	4	5	10
65+	264	2.9	13	1	1	2	3	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.3	1	<1	<1	1	1	3	4	4
B. Operated	525	1.4	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	34	2.1	4	<1	1	1	2	5	6	9
B. Operated	795	2.3	9	1	1	1	2	4	6	11
1. SINGLE DX	543	1.4	1	<1	1	1	2	3	3	5
2. MULTIPLE DX	829	2.3	9	1	1	1	2	4	6	11
A. Not Operated	52	1.9	3	<1	<1	1	2	4	6	9
B. Operated	1320	1.9	6	<1	1	1	2	4	5	10
TOTAL										
0-19 YRS	372	1.3	1	<1	1	1	1	2	3	4
20-34	119	2.5	24	<1	1	1	2	5	6	25
35-49	220	1.8	2	1	1	1	2	4	5	8
50-64	313	1.8	2	1	1	1	2	4	5	8
65+	348	2.6	10	1	1	2	3	5	7	11
GRAND TOTAL	**1372**	**1.9**	**6**	**<1**	**1**	**1**	**2**	**4**	**5**	**10**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	159	3.6	5	1	2	3	5	7	8	11
20-34	250	3.4	3	1	2	3	4	6	7	8
35-49	187	3.9	4	2	2	4	5	7	8	10
50-64	81	4.2	4	2	3	4	5	7	8	11
65+	50	4.7	6	2	3	4	5	9	11	12
B. Operated										
0-19 YRS	93	2.1	3	<1	1	1	3	4	6	10
20-34	55	2.7	7	1	1	2	3	5	7	17
35-49	57	3.4	8	1	1	2	5	8	9	11
50-64	38	4.0	14	1	1	3	5	10	13	15
65+	20	3.7	9	1	1	3	6	7	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	3.8	4	2	2	4	5	6	8	10
20-34	193	4.5	6	2	3	4	6	7	9	14
35-49	196	4.8	13	2	3	4	6	8	10	19
50-64	258	5.3	7	2	3	5	7	9	10	16
65+	354	5.8	9	3	4	5	7	10	11	16
B. Operated										
0-19 YRS	52	3.3	7	1	1	2	5	7	8	11
20-34	67	5.2	16	1	2	4	7	11	12	17
35-49	101	6.2	89	1	2	4	8	11	14	55
50-64	91	5.6	23	1	2	5	8	12	15	24
65+	177	7.8	37	1	4	7	10	15	20	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	727	3.7	4	1	2	3	5	6	8	11
B. Operated	263	2.9	7	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. Not Operated	1089	5.1	9	2	3	5	6	9	10	16
B. Operated	488	6.2	41	1	2	5	9	12	15	26
1. SINGLE DX	990	3.5	5	1	2	3	5	6	8	11
2. MULTIPLE DX	1577	5.5	19	2	3	5	7	10	12	20
A. Not Operated	1316	4.6	8	2	3	4	6	8	9	14
B. Operated	751	5.1	32	1	1	4	7	11	14	22
TOTAL										
0-19 YRS	392	3.2	5	1	1	3	4	6	8	11
20-34	565	3.9	7	1	2	3	5	7	9	13
35-49	541	4.6	24	1	2	4	6	8	10	18
50-64	468	5.1	10	2	3	4	7	9	11	16
65+	601	6.2	19	2	4	5	8	11	14	23
GRAND TOTAL	**2567**	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**17**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.5	1	<1	<1	1	1	4	4	4
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	3	1.7		<1	<1	2	2	2	2	2
B. Operated										
0-19 YRS	341	1.0		<1	<1	<1	<1	1	1	2
20-34	23	1.0		<1	<1	1	1	1	1	1
35-49	25	1.2		<1	<1	1	1	2	2	3
50-64	21	1.1		<1	<1	<1	1	2	2	2
65 +	14	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	2.1	3	<1	1	1	3	5	6	6
20-34	4	2.3	4	1	1	2	3	5	5	5
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	7	4.7	21	1	2	2	6	13	14	14
65 +	8	5.4	16	1	2	5	6	12	14	14
B. Operated										
0-19 YRS	135	1.2		<1	<1	1	1	2	2	4
20-34	7	1.1		1	1	1	1	2	2	2
35-49	34	1.5	2	<1	1	1	1	3	4	8
50-64	49	2.4	10	<1	1	1	3	5	9	15
65 +	75	3.2	26	1	1	2	3	7	9	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	1.5	1	<1	<1	1	1	3	4	4
B. Operated	424	1.0		<1	<1	<1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	43	3.2	9	1	1	2	5	6	10	14
B. Operated	300	1.9	9	<1	<1	1	2	3	6	13
1. SINGLE DX	450	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX	343	2.1	9	<1	<1	1	2	4	6	14
A. Not Operated	69	2.5	7	<1	1	1	3	5	7	14
B. Operated	724	1.4	4	<1	<1	<1	1	2	3	8
TOTAL										
0-19 YRS	514	1.1		<1	<1	<1	1	1	2	4
20-34	37	1.2	1	<1	<1	1	1	2	3	5
35-49	63	1.4	1	<1	<1	1	1	2	3	8
50-64	79	2.2	8	<1	<1	1	2	5	8	15
65 +	100	3.0	22	<1	1	2	3	6	8	28
GRAND TOTAL	**793**	**1.5**	**4**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**9**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	1.9	2	1	1	2	2	4	5	8
20-34	44	2.5	4	<1	1	2	3	6	7	8
35-49	40	2.6	12	<1	1	2	3	5	7	21
50-64	25	2.5	5	<1	<1	1	3	6	7	9
65 +	19	2.4	11	<1	<1	1	2	7	11	14
B. Operated										
0-19 YRS	1111	1.3	1	<1	1	1	1	2	3	5
20-34	405	1.8	5	<1	1	1	2	3	5	8
35-49	302	2.2	6	<1	1	1	3	4	6	9
50-64	407	2.2	3	1	1	2	3	4	5	9
65 +	253	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	123	3.3	9	1	1	2	4	7	10	15
20-34	64	3.6	8	<1	1	3	5	7	10	13
35-49	59	5.8	16	1	3	5	8	11	12	21
50-64	70	4.4	30	1	1	3	5	8	11	35
65 +	93	6.3	25	1	3	5	9	13	18	23
B. Operated										
0-19 YRS	481	2.0	5	<1	1	1	2	4	6	13
20-34	289	3.2	9	1	1	2	4	6	9	15
35-49	547	4.4	46	1	1	3	5	8	12	32
50-64	1032	3.8	26	1	1	2	4	7	11	30
65 +	772	3.8	34	1	1	2	4	8	11	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	2.3	5	<1	1	1	3	5	7	11
B. Operated	2478	1.7	3	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	409	4.6	18	1	2	3	6	10	12	21
B. Operated	3121	3.6	27	1	1	2	4	7	10	28
1. SINGLE DX	2698	1.8	3	<1	1	1	2	3	5	7
2. MULTIPLE DX	3530	3.7	26	1	1	2	4	7	11	26
A. Not Operated	629	3.8	15	1	1	2	5	8	11	21
B. Operated	5599	2.8	17	1	1	2	3	5	8	20
TOTAL										
0-19 YRS	1807	1.7	3	<1	1	1	2	3	4	10
20-34	802	2.5	7	1	1	1	3	5	7	13
35-49	948	3.7	32	1	1	2	4	7	10	30
50-64	1534	3.4	20	1	1	2	4	6	9	27
65 +	1137	3.6	27	1	1	2	4	8	11	22
GRAND TOTAL	**6228**	**2.9**	**17**	**1**	**1**	**2**	**3**	**6**	**8**	**20**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	7	1.1		<1	<1	<1	<1	2	2	2
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
B. Operated										
0-19 YRS	15	1.5	1	<1	<1	1	2	3	3	3
20-34	112	1.7	1	<1	<1	1	2	3	4	7
35-49	393	1.6	1	<1	<1	1	2	3	4	6
50-64	308	1.3	1	<1	<1	<1	1	2	3	5
65 +	127	1.2		<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	6	1.5		<1	1	1	2	2	2	2
50-64	5	2.2	3	<1	<1	1	3	5	5	5
65 +	4	3.3	7	1	1	2	5	7	7	7
B. Operated										
0-19 YRS	8	1.6	1	<1	1	1	2	3	3	3
20-34	109	2.9	4	<1	1	2	4	6	7	11
35-49	469	2.5	3	<1	1	2	3	5	6	11
50-64	329	2.5	11	<1	1	2	3	4	6	16
65 +	271	2.2	4	<1	1	1	3	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.3		<1	<1	<1	1	2	3	3
B. Operated	955	1.5	1	<1	<1	<1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	19	2.2	3	<1	1	2	3	4	6	7
B. Operated	1186	2.5	6	<1	1	2	3	4	6	11
1. SINGLE DX	968	1.5	1	<1	<1	<1	2	3	4	5
2. MULTIPLE DX	1205	2.5	6	<1	1	2	3	4	6	11
A. Not Operated	32	1.8	2	<1	<1	1	2	3	5	7
B. Operated	2141	2.0	4	<1	<1	1	3	4	5	9
TOTAL										
0-19 YRS	24	1.5	1	<1	<1	1	2	3	3	3
20-34	229	2.3	3	<1	<1	2	3	4	6	9
35-49	875	2.1	3	<1	<1	1	3	4	5	8
50-64	643	1.9	6	<1	<1	1	2	4	4	8
65 +	402	1.9	3	<1	<1	1	2	4	5	9
GRAND TOTAL	**2173**	**2.0**	**4**	**<1**	**<1**	**1**	**3**	**4**	**5**	**9**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	3.6	4	2	2	3	5	7	8	9
20-34	66	2.7	2	1	2	2	3	5	6	7
35-49	47	3.6	3	1	2	3	5	6	7	7
50-64	16	3.2	6	<1	1	3	4	6	9	10
65 +	8	4.6	20	<1	1	3	8	12	12	12
B. Operated										
0-19 YRS	592	1.8	1	1	1	2	2	3	3	5
20-34	1021	2.0	2	1	1	2	2	3	4	6
35-49	687	2.2	3	1	1	2	2	4	5	11
50-64	358	2.0	2	1	1	2	3	3	4	6
65 +	114	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	4.7	24	1	2	4	5	8	9	32
20-34	67	3.7	4	1	2	3	5	6	8	11
35-49	63	3.9	8	<1	2	3	5	7	10	14
50-64	44	3.6	8	<1	1	3	5	7	11	11
65 +	62	5.3	16	1	2	5	6	10	13	21
B. Operated										
0-19 YRS	195	2.2	4	1	1	2	3	3	5	10
20-34	623	2.5	4	1	1	2	3	4	5	15
35-49	828	2.8	8	1	1	2	3	5	7	13
50-64	534	3.0	8	1	1	2	4	6	8	14
65 +	263	3.5	25	1	1	2	4	6	10	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	3.3	4	1	2	3	4	6	7	11
B. Operated	2772	2.0	2	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	278	4.2	11	1	2	4	5	8	10	14
B. Operated	2443	2.8	9	1	1	2	3	5	7	15
1. SINGLE DX	2963	2.1	2	1	1	2	2	3	4	7
2. MULTIPLE DX	2721	3.0	9	1	1	2	3	5	7	15
A. Not Operated	469	3.9	9	1	2	3	5	7	9	14
B. Operated	5215	2.4	5	1	1	2	3	4	5	11
TOTAL										
0-19 YRS	883	2.1	3	1	1	2	2	3	5	9
20-34	1777	2.3	3	1	1	2	3	4	5	9
35-49	1625	2.6	6	1	1	2	3	5	6	12
50-64	952	2.7	6	1	1	2	3	5	7	11
65 +	447	3.4	18	<1	1	2	4	6	9	22
GRAND TOTAL	**5684**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

981 Hospitals, United States, January-December 1989

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	614	1.8	1	1	1	1	2	3	4	5
20-34	915	1.9	1	1	1	2	2	3	4	7
35-49	276	2.0	2	1	1	2	2	4	4	7
50-64	7	2.0	2	<1	1	2	2	4	5	5
65 +	3	14.3	36	8	10	15	19	20	20	20
B. Operated										
0-19 YRS	657	3.1	3	1	2	3	4	5	6	9
20-34	1674	3.1	3	1	2	3	4	5	6	8
35-49	572	3.6	3	1	3	4	4	5	6	9
50-64	105	4.0	2	2	3	4	5	6	7	9
65 +	47	4.8	3	3	4	4	5	7	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	379	2.2	2	1	1	2	3	4	5	7
20-34	777	2.4	3	1	1	2	3	5	6	8
35-49	261	2.9	4	1	1	2	4	5	7	10
50-64	11	2.8	3	<1	1	3	4	5	6	6
65 +	14	4.9	3	3	4	5	6	8	8	8
B. Operated										
0-19 YRS	696	3.7	6	1	2	3	4	6	7	11
20-34	4284	4.0	5	2	3	4	5	6	8	11
35-49	3135	4.6	7	3	3	4	5	7	8	14
50-64	519	5.1	13	3	4	4	6	8	10	16
65 +	370	6.7	26	4	4	5	7	10	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1815	1.9	2	1	1	2	2	3	4	6
B. Operated	3055	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	1442	2.5	3	1	1	2	3	5	6	8
B. Operated	9004	4.3	8	2	3	4	5	7	8	14
1. SINGLE DX	4870	2.8	3	1	1	3	4	5	5	8
2. MULTIPLE DX	10446	4.1	8	1	3	4	5	7	8	13
A. Not Operated	3257	2.2	2	1	1	2	3	4	5	8
B. Operated	12059	4.1	7	2	3	4	5	6	8	12
TOTAL										
0-19 YRS	2346	2.8	4	1	1	2	4	5	6	8
20-34	7650	3.4	5	1	2	3	4	6	7	10
35-49	4244	4.2	7	2	3	4	5	6	8	13
50-64	642	4.9	11	3	4	4	5	7	9	16
65 +	434	6.5	23	4	4	5	7	10	14	27
GRAND TOTAL	**15316**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1470	3.5	4	2	2	3	4	6	7	11
20-34	2912	3.6	3	2	2	3	4	6	7	10
35-49	516	4.2	5	2	3	4	5	7	9	11
50-64	17	5.4	6	3	4	5	6	9	11	12
65 +	4	3.8	4	2	2	4	5	6	6	6
B. Operated										
0-19 YRS	202	4.0	5	1	3	4	5	7	8	11
20-34	942	3.9	5	1	3	4	5	6	8	13
35-49	403	4.6	9	2	3	4	5	9	10	17
50-64	38	5.6	35	2	3	[illegible]	6	9	12	38
65 +	8	4.4	14	<1	1	4	6	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1547	4.4	7	2	3	4	5	7	9	15
20-34	3178	4.2	5	2	3	4	5	7	8	12
35-49	744	4.9	7	2	3	4	6	8	10	14
50-64	54	5.9	9	3	3	6	7	9	13	16
65 +	23	9.8	83	4	4	7	13	18	28	45
B. Operated										
0-19 YRS	443	5.4	13	2	3	4	7	9	13	17
20-34	4695	4.6	11	2	3	4	5	8	10	17
35-49	2803	5.3	13	3	3	4	6	9	12	20
50-64	326	6.7	25	3	4	5	7	12	16	31
65 +	130	11.6	110	4	5	7	15	27	35	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4919	3.6	4	2	2	3	4	6	7	10
B. Operated	1593	4.1	7	1	3	4	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	5546	4.4	6	2	3	4	5	7	9	14
B. Operated	8397	5.1	14	2	3	4	6	9	12	20
1. SINGLE DX	6512	3.8	5	2	2	3	5	6	7	11
2. MULTIPLE DX	13943	4.8	11	2	3	4	5	8	10	18
A. Not Operated	10465	4.0	5	2	3	4	5	7	8	12
B. Operated	9990	4.9	13	2	3	4	5	9	11	19
TOTAL										
0-19 YRS	3662	4.2	7	2	3	4	5	7	8	15
20-34	11727	4.2	7	2	3	4	5	7	9	13
35-49	4466	5.0	11	2	3	4	6	9	11	18
50-64	435	6.4	23	3	4	5	7	12	15	31
65 +	165	10.8	102	4	5	7	14	25	33	66
GRAND TOTAL	**20455**	**4.5**	**9**	**2**	**3**	**4**	**5**	**7**	**9**	**16**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.9	2	2	2	2	4	5	6	6
20-34	80	3.1	2	1	2	3	4	5	6	8
35-49	23	3.4	4	1	2	4	5	6	7	7
50-64	3	3.0	3	1	2	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	55	2.7	3	< 1	1	3	4	5	5	8
20-34	773	3.1	2	< 1	2	3	4	5	5	7
35-49	669	3.7	2	2	3	4	4	5	6	8
50-64	35	3.8	1	3	3	4	4	5	6	6
65 +	3	6.3	5	5	5	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.1	1	1	1	2	2	4	4	4
20-34	116	2.8	3	1	1	2	4	5	5	9
35-49	70	3.1	4	1	1	3	4	6	7	8
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	119	3.2	4	< 1	1	3	4	5	7	12
20-34	5303	3.9	3	2	3	4	5	5	6	9
35-49	8230	4.3	3	3	4	4	5	6	7	11
50-64	838	4.6	3	3	4	4	5	6	7	12
65 +	89	5.1	4	3	4	5	6	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	3.2	3	1	2	3	4	5	6	8
B. Operated	1535	3.4	2	1	3	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	202	2.9	3	1	1	2	4	5	6	8
B. Operated	14579	4.2	3	3	3	4	5	6	7	11
1. SINGLE DX	1655	3.3	2	1	3	3	4	5	6	8
2. MULTIPLE DX	14781	4.2	3	3	3	4	5	6	7	11
A. Not Operated	322	3.0	3	1	2	3	4	5	6	8
B. Operated	16114	4.1	3	3	3	4	5	6	7	10
TOTAL										
0-19 YRS	201	3.0	4	< 1	1	3	4	5	6	11
20-34	6272	3.8	3	1	3	4	4	5	6	9
35-49	8992	4.3	3	3	3	4	5	6	7	11
50-64	878	4.5	3	3	4	4	5	6	7	12
65 +	93	5.2	4	3	4	5	6	7	9	13
GRAND TOTAL	**16436**	**4.1**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	12	2.7	2	1	1	2	4	5	5	5
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	23	2.6	3	< 1	1	2	4	5	6	7
35-49	23	2.7	2	< 1	< 1	3	4	5	5	6
50-64	4	3.8	4	1	2	4	5	6	6	6
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.8	2	1	1	2	4	4	6	6
20-34	23	3.6	6	1	2	3	4	7	9	11
35-49	9	3.7	1	2	3	4	4	5	5	5
50-64	0									
65 +	2	6.5	25	3	3	6	10	10	10	10
B. Operated										
0-19 YRS	8	2.1	3	< 1	< 1	1	3	5	6	6
20-34	245	3.7	2	1	3	4	4	5	6	9
35-49	367	4.0	2	2	3	4	5	6	6	8
50-64	67	4.4	9	1	3	4	5	6	8	20
65 +	28	7.3	143	2	3	5	6	9	17	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.4	2	1	1	2	3	5	5	5
B. Operated	52	2.7	3	< 1	1	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	50	3.5	5	1	2	3	4	6	7	11
B. Operated	715	4.0	9	2	3	4	5	6	6	9
1. SINGLE DX	69	2.7	3	< 1	1	2	4	5	5	7
2. MULTIPLE DX	765	4.0	8	1	3	4	5	6	6	10
A. Not Operated	67	3.2	4	1	2	3	4	6	7	11
B. Operated	767	3.9	8	1	3	4	5	6	6	9
TOTAL										
0-19 YRS	27	2.4	2	1	1	2	4	4	6	6
20-34	303	3.6	3	1	3	4	4	5	6	9
35-49	402	3.9	2	1	3	4	5	6	6	8
50-64	71	4.3	8	1	3	4	5	6	8	20
65 +	31	7.1	130	2	3	5	6	10	12	67
GRAND TOTAL	**834**	**3.9**	**8**	**1**	**3**	**4**	**5**	**6**	**6**	**10**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	3.1	3	1	2	3	4	5	5	10
20-34	129	3.4	3	2	2	3	4	5	7	10
35-49	31	3.0	1	2	2	3	4	5	5	6
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	58	2.2	3	<1	1	2	2	5	6	8
20-34	244	1.7	2	<1	1	1	2	3	4	8
35-49	118	1.9	3	<1	1	1	2	4	5	10
50-64	21	2.4	7	<1	<1	1	2	7	8	9
65+	7	3.9	22	<1	<1	2	4	12	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	3.8	6	1	2	3	4	7	10	14
20-34	225	3.6	4	2	2	3	4	6	7	11
35-49	87	4.3	8	2	2	4	5	8	11	13
50-64	53	5.6	12	3	3	5	7	9	11	21
65+	45	9.8	120	3	4	6	10	19	39	55
B. Operated										
0-19 YRS	58	3.8	12	1	2	3	4	7	9	23
20-34	261	3.7	5	1	2	3	5	7	8	10
35-49	203	4.5	49	1	2	4	5	8	11	23
50-64	84	7.7	56	1	2	5	9	17	23	35
65+	89	8.8	91	1	3	6	11	21	38	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	3.3	3	2	2	3	4	5	6	10
B. Operated	448	1.9	3	<1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	534	4.5	18	2	2	3	5	8	10	19
B. Operated	695	5.1	39	1	2	4	6	9	14	35
1. SINGLE DX	656	2.4	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	1229	4.8	30	1	2	4	5	9	12	31
A. Not Operated	742	4.1	14	2	2	3	5	7	10	16
B. Operated	1143	3.8	27	<1	1	2	4	8	10	26
TOTAL										
0-19 YRS	284	3.3	7	1	2	3	4	6	8	13
20-34	859	3.1	4	1	1	3	4	5	7	10
35-49	439	3.6	26	1	1	3	4	6	10	14
50-64	161	6.2	37	1	2	5	8	13	19	34
65+	142	8.9	97	1	3	6	10	20	38	58
GRAND TOTAL	**1885**	**3.9**	**22**	**1**	**2**	**3**	**5**	**7**	**10**	**23**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	3.9	1	2	4	4	4	5	5	5
50-64	15	3.7	2	1	3	4	5	5	6	6
65+	11	4.5	7	1	3	4	6	8	9	9
B. Operated										
0-19 YRS	6	3.0	3	1	2	3	5	5	5	5
20-34	269	3.5	1	2	3	3	4	5	6	7
35-49	774	3.8	3	2	3	4	4	5	6	10
50-64	1412	3.9	3	2	3	4	5	6	6	9
65+	1445	4.2	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	2.1	4	<1	<1	1	3	5	6	6
35-49	34	2.5	3	<1	<1	2	4	5	6	8
50-64	36	2.5	6	<1	<1	1	4	5	7	13
65+	97	3.8	14	<1	1	3	5	7	13	63
B. Operated										
0-19 YRS	14	8.4	72	1	4	5	11	21	30	32
20-34	1586	4.0	2	3	3	4	5	5	6	9
35-49	4525	4.3	3	3	3	4	5	6	7	9
50-64	4796	4.7	4	3	4	4	5	7	8	12
65+	6337	5.3	10	3	4	5	6	8	9	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.0	3	1	3	4	5	6	8	9
B. Operated	3906	4.0	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	177	3.2	10	<1	1	2	4	7	9	21
B. Operated	17258	4.7	6	3	3	4	5	7	8	13
1. SINGLE DX	3939	4.0	3	2	3	4	5	6	7	9
2. MULTIPLE DX	17435	4.7	6	3	3	4	5	7	8	13
A. Not Operated	210	3.3	9	<1	1	3	4	7	8	19
B. Operated	21164	4.6	5	3	3	4	5	7	8	12
TOTAL										
0-19 YRS	20	6.8	56	1	2	4	7	16	26	32
20-34	1865	3.9	2	2	3	4	4	5	6	9
35-49	5340	4.2	3	3	3	4	5	6	7	9
50-64	6259	4.5	4	3	3	4	5	7	8	11
65+	7890	5.1	9	3	4	5	6	8	9	16
GRAND TOTAL	**21374**	**4.6**	**5**	**3**	**3**	**4**	**5**	**7**	**8**	**12**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	2.0	4	<1	1	1	2	3	5	12
20-34	42	1.7	1	<1	1	1	2	3	4	5
35-49	16	2.6	11	1	1	2	2	5	11	14
50-64	0									
65+	0									
B. Operated										
0-19 YRS	18	1.3		<1	1	1	1	3	3	3
20-34	252	2.1	2	<1	<1	1	3	4	5	6
35-49	304	2.2	2	<1	<1	1	3	4	5	7
50-64	34	1.8	2	<1	<1	1	3	4	4	5
65+	6	1.3	1	<1	<1	<1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	2.5	2	1	2	2	3	5	5	7
20-34	111	2.2	3	1	1	2	3	4	5	11
35-49	88	2.6	11	<1	1	2	3	5	7	21
50-64	14	2.6	3	1	2	2	3	6	7	7
65+	9	5.9	27	1	2	5	8	15	16	16
B. Operated										
0-19 YRS	54	2.9	6	1	1	2	4	6	7	12
20-34	949	3.6	5	1	3	4	4	5	7	10
35-49	2008	3.6	3	1	3	4	4	5	6	9
50-64	263	3.8	5	1	3	4	5	6	7	10
65+	30	4.2	4	1	3	4	5	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	2.0	4	<1	1	1	2	4	5	13
B. Operated	614	2.1	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	319	2.5	6	1	1	2	3	5	6	14
B. Operated	3304	3.6	4	1	3	4	4	5	6	10
1. SINGLE DX	709	2.1	2	<1	<1	1	3	4	5	7
2. MULTIPLE DX	3623	3.6	4	1	2	4	4	5	6	10
A. Not Operated	414	2.4	5	1	1	2	3	5	6	13
B. Operated	3918	3.4	4	<1	2	4	4	5	6	9
TOTAL										
0-19 YRS	206	2.4	3	1	1	2	3	5	5	11
20-34	1354	3.2	5	<1	1	3	4	5	6	9
35-49	2416	3.4	4	<1	2	4	4	5	6	9
50-64	311	3.5	5	<1	2	4	5	6	7	10
65+	45	4.2	10	<1	2	4	5	7	11	16
GRAND TOTAL	4332	3.3	4	<1	2	3	4	5	6	9

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.5	1	<1	1	1	2	3	3	3
20-34	63	1.4	1	<1	1	1	1	2	4	4
35-49	25	1.9	2	<1	1	1	2	3	5	7
50-64	5	2.2	3	1	1	1	3	5	5	5
65+	0									
B. Operated										
0-19 YRS	24	2.0	4	<1	<1	1	2	5	7	9
20-34	295	2.3	2	<1	<1	2	4	4	5	6
35-49	547	2.4	3	<1	<1	2	4	4	5	6
50-64	51	1.9	3	<1	<1	1	3	4	5	11
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	2.7	6	<1	1	2	3	6	7	14
20-34	127	2.0	2	<1	1	1	3	4	5	7
35-49	194	2.2	3	<1	1	1	3	4	6	10
50-64	20	1.6	1	<1	1	1	2	3	4	4
65+	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	48	2.3	2	1	1	2	3	4	5	8
20-34	1827	3.6	3	1	3	4	4	5	6	10
35-49	5038	3.9	3	2	3	4	5	6	6	10
50-64	484	4.0	7	1	3	4	5	6	7	13
65+	10	5.3	8	2	4	5	6	9	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	1.5	1	<1	1	1	2	3	4	6
B. Operated	918	2.3	3	<1	<1	2	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	392	2.2	3	<1	1	1	3	4	6	10
B. Operated	7407	3.8	3	1	3	4	5	6	6	10
1. SINGLE DX	1021	2.2	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX	7799	3.7	3	1	3	4	4	6	6	10
A. Not Operated	495	2.0	3	<1	1	1	2	4	6	9
B. Operated	8325	3.6	3	1	3	4	4	5	6	10
TOTAL										
0-19 YRS	131	2.4	4	<1	1	2	3	5	6	11
20-34	2312	3.3	3	1	2	3	4	5	6	9
35-49	5804	3.7	3	1	3	4	4	5	6	9
50-64	560	3.7	7	1	2	4	5	6	7	12
65+	13	4.7	8	2	3	5	6	8	11	12
GRAND TOTAL	8820	3.6	3	1	2	4	4	5	6	9

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	16	1.3		<1	1	1	2	2	3	3
65+	8	1.9	2	<1	1	1	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	8	2.4	2	<1	1	2	4	4	4	4
35-49	39	1.6	2	<1	<1	<1	1	4	5	5
50-64	147	1.4	1	<1	<1	<1	1	3	4	5
65+	65	1.8	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	18	2.7	4	1	1	2	4	5	7	9
50-64	43	2.2	3	<1	1	1	3	5	6	8
65+	50	4.1	14	<1	2	3	5	8	11	23
B. Operated										
0-19 YRS	0									
20-34	80	3.8	2	2	3	4	5	6	6	7
35-49	283	3.3	3	1	2	4	4	5	6	9
50-64	536	3.4	7	<1	1	3	5	6	7	12
65+	423	3.9	17	1	1	3	5	7	10	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	1.5	1	<1	1	1	2	3	4	4
B. Operated	259	1.6	1	<1	<1	<1	1	4	5	5
2. MULTIPLE DX										
A. Not Operated	114	3.1	9	<1	1	2	4	6	8	16
B. Operated	1322	3.5	9	<1	1	3	5	6	7	14
1. SINGLE DX	287	1.6	1	<1	<1	1	1	4	4	5
2. MULTIPLE DX	1436	3.5	9	<1	1	3	5	6	7	14
A. Not Operated	142	2.8	8	<1	1	2	4	6	7	13
B. Operated	1581	3.2	8	<1	1	3	4	6	7	13
TOTAL										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	92	3.5	2	1	3	4	4	5	6	7
35-49	342	3.1	3	<1	1	3	4	5	6	9
50-64	742	2.9	6	<1	1	2	4	5	6	12
65+	546	3.6	15	<1	1	2	5	7	9	25
GRAND TOTAL	**1723**	**3.2**	**8**	**<1**	**1**	**3**	**4**	**6**	**7**	**13**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	1.7	1	<1	1	1	2	3	4	6
20-34	81	2.0	2	1	1	2	3	4	5	7
35-49	41	2.7	3	1	1	2	4	5	6	9
50-64	3	1.7		1	1	2	2	2	2	2
65+	6	2.8	3	1	2	2	4	6	6	6
B. Operated										
0-19 YRS	143	2.9	5	<1	1	2	4	5	7	11
20-34	891	2.4	3	<1	<1	2	3	4	5	8
35-49	611	2.9	4	<1	1	3	4	5	6	9
50-64	259	3.0	4	<1	1	3	4	5	6	10
65+	92	3.3	5	<1	1	3	5	6	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	2.0	2	<1	1	2	3	4	5	8
20-34	145	2.3	3	<1	1	2	3	5	6	9
35-49	107	2.9	6	<1	1	2	4	5	7	13
50-64	41	4.0	16	<1	1	2	7	10	12	17
65+	88	5.5	23	1	2	5	7	13	18	71
B. Operated										
0-19 YRS	231	3.8	8	1	2	3	5	6	8	12
20-34	2179	3.7	5	1	3	4	4	6	7	11
35-49	3236	4.1	8	1	3	4	5	6	8	13
50-64	1638	4.9	21	1	3	4	5	8	11	30
65+	957	6.9	43	2	4	5	8	13	18	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	183	2.1	2	1	1	2	3	4	5	7
B. Operated	1996	2.7	4	<1	<1	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	427	3.3	11	<1	1	2	4	7	10	18
B. Operated	8241	4.5	15	1	3	4	5	7	10	20
1. SINGLE DX	2179	2.6	3	<1	1	2	4	5	6	9
2. MULTIPLE DX	8668	4.4	15	1	3	4	5	7	10	20
A. Not Operated	610	2.9	8	<1	1	2	4	6	8	17
B. Operated	10237	4.1	13	1	3	4	5	7	9	17
TOTAL										
0-19 YRS	472	3.1	6	<1	1	3	4	6	7	11
20-34	3296	3.2	5	<1	2	3	4	5	6	10
35-49	3995	3.9	8	1	3	4	5	6	7	13
50-64	1941	4.7	19	1	3	4	5	7	10	25
65+	1143	6.5	40	1	3	5	8	13	17	36
GRAND TOTAL	**10847**	**4.1**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	205	1.6	1	1	1	1	2	3	3	5
20-34	279	2.0	2	1	1	2	3	4	4	6
35-49	69	2.0	1	<1	1	1	3	4	4	5
50-64	15	3.0	4	<1	1	3	5	6	7	7
65 +	6	7.0	128	<1	<1	3	4	27	30	30
B. Operated										
0-19 YRS	71	2.3	3	<1	<1	2	3	5	6	8
20-34	702	2.7	3	<1	1	3	4	5	6	7
35-49	1162	3.7	3	2	3	4	4	6	7	8
50-64	880	3.9	2	2	3	4	5	6	7	8
65 +	476	4.1	3	2	3	4	5	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	164	2.0	2	<1	1	2	2	4	5	6
20-34	383	2.2	2	<1	1	2	3	4	5	8
35-49	146	2.6	6	<1	1	2	3	5	7	11
50-64	55	3.0	6	<1	1	2	4	7	8	11
65 +	45	3.8	6	1	2	3	5	7	9	11
B. Operated										
0-19 YRS	147	3.0	4	<1	1	3	4	6	7	10
20-34	3379	3.7	3	1	3	4	4	5	6	9
35-49	3832	4.1	3	2	3	4	5	6	7	10
50-64	1725	4.7	5	3	3	4	5	7	8	13
65 +	1388	5.2	11	3	3	5	6	8	10	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	574	1.9	3	<1	1	2	2	3	4	6
B. Operated	3291	3.6	3	1	2	4	4	6	7	8
2. MULTIPLE DX										
A. Not Operated	793	2.4	4	<1	1	2	3	5	6	9
B. Operated	10471	4.2	5	2	3	4	5	6	7	12
1. SINGLE DX	3865	3.3	3	1	2	3	4	6	6	8
2. MULTIPLE DX	11264	4.1	5	2	3	4	5	6	7	12
A. Not Operated	1367	2.2	3	<1	1	2	3	4	5	9
B. Operated	13762	4.1	4	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	587	2.2	2	<1	1	2	3	4	5	8
20-34	4743	3.3	3	1	2	3	4	5	6	8
35-49	5209	4.0	3	2	3	4	5	6	7	9
50-64	2675	4.4	4	2	3	4	5	7	8	12
65 +	1915	4.9	9	2	3	4	6	8	9	17
GRAND TOTAL	**15129**	**3.9**	**4**	**1**	**3**	**4**	**5**	**6**	**7**	**10**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	1.7	1	<1	1	1	2	3	4	5
20-34	96	2.0	2	<1	1	2	3	4	4	7
35-49	17	1.9	2	<1	<1	1	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	314	3.0	1	1	2	3	4	4	5	6
20-34	4091	3.2	2	1	2	3	4	5	5	7
35-49	685	3.2	2	1	2	3	4	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.1	1	1	1	2	3	3	4	4
20-34	73	2.2	2	1	1	2	3	4	5	78
35-49	5	3.6	6	1	2	3	5	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	357	3.7	2	2	3	4	4	5	6	8
20-34	5259	3.8	3	2	3	4	4	5	6	9
35-49	1101	4.0	3	2	3	4	5	6	7	10
50-64	2	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	1.9	2	<1	1	1	3	4	4	6
B. Operated	5090	3.2	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	92	2.3	2	1	1	2	3	4	5	60
B. Operated	6719	3.8	3	2	3	4	4	5	6	9
1. SINGLE DX	5227	3.2	2	1	2	3	4	5	5	7
2. MULTIPLE DX	6811	3.8	3	2	3	4	4	5	6	9
A. Not Operated	229	2.1	2	<1	1	2	3	4	5	7
B. Operated	11809	3.5	3	2	3	3	4	5	6	8
TOTAL										
0-19 YRS	709	3.3	2	1	3	3	4	5	6	7
20-34	9519	3.5	3	2	3	3	4	5	6	8
35-49	1808	3.7	3	2	3	4	4	5	6	9
50-64	2	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**12038**	**3.5**	**3**	**2**	**3**	**3**	**4**	**5**	**6**	**8**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	1.6	1	<1	1	1	2	3	4	5
20-34	77	1.7	1	1	1	1	2	3	4	5
35-49	20	1.4		<1	1	1	2	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	331	1.3	1	<1	<1	1	1	2	3	5
20-34	459	1.3		<1	<1	1	1	2	3	4
35-49	78	1.3		<1	<1	1	2	2	3	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	2.0	2	<1	1	2	3	4	5	6
20-34	184	1.9	4	1	1	1	2	3	5	13
35-49	37	1.6	1	1	1	1	2	3	4	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	133	2.0	3	<1	1	1	2	4	6	9
20-34	630	2.7	8	1	1	2	3	5	8	15
35-49	204	2.2	3	<1	1	2	3	4	6	10
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	1.6	1	1	1	1	2	3	4	5
B. Operated	868	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	252	1.9	3	1	1	1	2	3	5	8
B. Operated	967	2.5	7	<1	1	2	3	5	7	14
1. SINGLE DX	1003	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	1219	2.4	6	<1	1	2	3	5	6	14
A. Not Operated	387	1.8	2	1	1	1	2	3	4	7
B. Operated	1835	1.9	4	<1	1	1	2	4	5	10
TOTAL										
0-19 YRS	533	1.5	1	<1	<1	1	2	3	4	6
20-34	1350	2.0	5	<1	1	1	2	4	6	14
35-49	339	1.9	2	<1	1	1	2	4	5	8
50-64	0									
65+	0									
GRAND TOTAL	2222	1.9	4	<1	1	1	2	4	5	10

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	4	3.3	2	2	2	3	4	5	5	5
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	3.0	4	1	2	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	4	3.3	2	2	2	3	4	5	5	5
1. SINGLE DX	5	3.0	4	1	2	3	4	6	6	6
2. MULTIPLE DX	5	3.0	2	2	2	2	4	5	5	5
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	9	3.1	3	1	2	3	4	6	6	6
TOTAL										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	6	2.8	2	1	2	3	4	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
GRAND TOTAL	10	3.0	2	1	2	3	4	5	6	6

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	276	1.4	1	<1	1	1	2	2	3	4
20-34	947	1.4	1	<1	1	1	1	2	3	5
35-49	127	1.4	1	<1	1	1	2	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1543	1.3	1	<1	<1	1	1	2	3	4
20-34	7517	1.2	1	<1	<1	1	1	2	2	4
35-49	1574	1.1		<1	<1	1	1	1	2	3
50-64	3	1.0		<1	<1	<1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	129	1.8	1	1	1	1	2	3	4	6
20-34	406	2.2	8	1	1	1	3	4	5	9
35-49	64	2.0	3	1	1	1	3	4	6	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	410	2.0	3	<1	1	1	2	4	5	9
20-34	2250	2.0	6	<1	1	1	2	4	5	10
35-49	556	1.8	3	<1	1	1	2	4	5	10
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1350	1.4	1	<1	1	1	2	2	3	5
B. Operated	10637	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	600	2.1	6	1	1	1	3	4	5	8
B. Operated	3217	2.0	5	<1	1	1	2	4	5	9
1. SINGLE DX	11987	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	3817	2.0	5	<1	1	1	2	4	5	9
A. Not Operated	1950	1.6	3	<1	1	1	2	3	4	6
B. Operated	13854	1.4	2	<1	<1	1	1	2	3	6
TOTAL										
0-19 YRS	2358	1.4	1	<1	1	1	1	2	3	5
20-34	11120	1.4	2	<1	<1	1	1	2	3	6
35-49	2321	1.3	1	<1	<1	1	1	2	3	6
50-64	5	1.4	1	<1	<1	1	2	3	3	3
65 +	0									
GRAND TOTAL	**15804**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	129	2.3	2	1	1	2	3	4	5	7
20-34	540	1.8	2	<1	1	1	2	3	5	7
35-49	101	1.7	2	<1	1	1	2	4	5	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	287	1.5	1	<1	1	1	2	3	4	6
20-34	2035	1.3	1	<1	<1	1	1	2	3	4
35-49	428	1.2	1	<1	<1	1	1	2	2	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	3.0	3	1	2	3	4	5	7	9
20-34	371	2.6	4	1	1	2	3	5	6	10
35-49	65	2.8	8	1	1	2	4	6	8	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	164	2.6	7	<1	1	2	3	4	8	16
20-34	1009	2.4	5	<1	1	2	3	5	6	10
35-49	270	2.6	10	<1	1	1	3	5	9	19
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	770	1.9	2	<1	1	1	2	4	5	7
B. Operated	2751	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	533	2.7	4	1	1	2	4	5	6	10
B. Operated	1443	2.4	6	<1	1	2	3	5	7	12
1. SINGLE DX	3521	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	1976	2.5	6	1	1	2	3	5	7	12
A. Not Operated	1303	2.2	3	1	1	2	3	4	6	9
B. Operated	4194	1.7	3	<1	<1	1	2	3	4	9
TOTAL										
0-19 YRS	677	2.2	3	<1	1	2	3	4	5	9
20-34	3955	1.8	3	<1	1	1	2	3	5	8
35-49	864	1.8	5	<1	<1	1	2	4	5	12
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**5497**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**	**9**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	195	1.6	1	< 1	1	1	2	3	4	6
20-34	1115	1.6	1	< 1	1	1	2	3	3	6
35-49	97	1.6	1	1	1	1	2	3	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	1.3		< 1	< 1	1	2	2	2	2
20-34	65	2.0	6	< 1	1	1	2	4	6	17
35-49	10	1.3		< 1	< 1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	2.5	2	1	1	2	4	4	5	8
20-34	446	2.4	5	1	1	2	3	4	6	8
35-49	55	2.5	6	1	1	2	3	4	6	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	2.3	4	1	1	1	3	5	8	8
20-34	68	3.1	6	< 1	1	2	5	6	8	13
35-49	11	3.5	14	< 1	1	2	4	9	14	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1407	1.6	1	< 1	1	1	2	3	3	6
B. Operated	89	1.8	5	< 1	< 1	1	2	3	5	14
2. MULTIPLE DX										
A. Not Operated	590	2.4	5	1	1	2	3	4	6	9
B. Operated	90	3.0	7	< 1	1	2	4	6	8	14
1. SINGLE DX	1496	1.6	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	680	2.5	5	1	1	2	3	5	6	10
A. Not Operated	1997	1.9	2	< 1	1	1	2	3	4	7
B. Operated	179	2.4	6	< 1	1	1	3	5	7	14
TOTAL										
0-19 YRS	309	1.9	2	< 1	1	1	2	4	4	7
20-34	1694	1.9	3	< 1	1	1	2	3	5	8
35-49	173	2.0	4	< 1	1	1	2	4	5	14
50-64	0									
65 +	0									
GRAND TOTAL	**2176**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**3**	**5**	**8**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	1.4	1	< 1	< 1	1	1	3	4	6
20-34	183	2.0	3	< 1	1	1	2	4	5	10
35-49	20	2.0	4	< 1	1	1	2	4	6	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
20-34	16	1.2		< 1	< 1	1	1	2	2	2
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.5	31	< 1	1	1	4	7	16	26
20-34	87	3.1	28	< 1	1	2	3	6	7	36
35-49	14	2.4	3	1	1	2	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	13	3.9	25	< 1	1	2	4	10	17	19
35-49	5	2.8	4	1	2	2	4	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	239	1.9	3	< 1	1	1	2	4	5	9
B. Operated	20	1.3		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	122	3.1	25	< 1	1	2	3	5	7	32
B. Operated	20	3.4	17	< 1	1	2	4	7	13	19
1. SINGLE DX	259	1.8	2	< 1	1	1	2	3	5	9
2. MULTIPLE DX	142	3.1	24	< 1	1	2	3	6	8	29
A. Not Operated	361	2.3	10	< 1	1	1	2	4	6	10
B. Operated	40	2.3	10	< 1	< 1	1	2	4	7	19
TOTAL										
0-19 YRS	62	2.1	12	< 1	< 1	1	2	4	6	24
20-34	299	2.3	11	< 1	1	1	3	4	6	15
35-49	40	2.2	3	< 1	1	2	3	5	6	9
50-64	0									
65 +	0									
GRAND TOTAL	**401**	**2.3**	**10**	**<1**	**1**	**1**	**2**	**4**	**6**	**15**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	399	2.5	3	1	1	2	3	4	6	9
20-34	2208	2.6	4	1	1	2	3	5	6	10
35-49	256	2.8	5	1	2	2	3	5	7	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	50	3.1	7	< 1	1	2	4	7	10	12
20-34	362	2.4	5	< 1	1	2	3	4	6	11
35-49	50	3.3	21	< 1	1	2	4	7	8	28
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	186	2.9	6	1	2	2	3	5	6	11
20-34	943	3.2	9	1	2	2	4	6	8	15
35-49	196	3.4	7	1	2	3	4	6	8	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	50	3.0	12	< 1	1	2	4	8	10	99
20-34	386	2.6	8	< 1	1	2	3	5	7	14
35-49	62	4.3	28	< 1	1	2	5	9	17	26
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2863	2.6	4	1	1	2	3	5	6	9
B. Operated	462	2.6	7	< 1	1	2	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	1325	3.2	8	1	2	2	4	6	8	15
B. Operated	498	2.8	11	< 1	1	2	3	6	8	21
1. SINGLE DX	3325	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1823	3.1	9	1	1	2	4	6	8	16
A. Not Operated	4188	2.8	5	1	2	2	3	5	6	12
B. Operated	960	2.7	9	< 1	1	2	3	6	8	18
TOTAL										
0-19 YRS	685	2.7	5	1	1	2	3	5	6	11
20-34	3899	2.7	6	1	1	2	3	5	6	12
35-49	564	3.2	10	1	2	2	4	6	8	19
50-64	0									
65 +	0									
GRAND TOTAL	**5148**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	698	2.8	3	1	2	2	4	5	6	9
20-34	3818	3.3	5	1	2	3	4	6	7	12
35-49	243	3.9	11	1	2	3	5	6	8	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	5.0	22	< 1	1	3	9	11	11	11
20-34	55	7.3	68	1	2	3	11	21	25	39
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	613	3.2	5	1	2	3	4	6	7	11
20-34	3072	3.6	9	1	2	3	4	6	8	15
35-49	148	3.9	5	1	2	3	5	7	8	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	37	6.0	74	1	2	3	6	15	20	47
20-34	181	5.7	32	1	2	4	8	13	17	29
35-49	13	7.2	25	2	3	7	11	15	15	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4759	3.2	5	1	2	3	4	6	7	12
B. Operated	61	7.1	63	1	2	3	10	19	24	39
2. MULTIPLE DX										
A. Not Operated	3833	3.5	8	1	2	3	4	6	8	14
B. Operated	231	5.8	38	1	2	3	8	14	17	32
1. SINGLE DX	4820	3.3	6	1	2	3	4	6	7	13
2. MULTIPLE DX	4064	3.7	10	1	2	3	4	7	9	17
A. Not Operated	8592	3.4	6	1	2	3	4	6	8	13
B. Operated	292	6.1	44	1	2	3	9	14	18	35
TOTAL										
0-19 YRS	1353	3.1	6	1	2	3	4	5	7	11
20-34	7126	3.5	8	1	2	3	4	6	8	14
35-49	405	4.0	10	1	2	3	5	7	9	17
50-64	0									
65 +	0									
GRAND TOTAL	**8884**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

981 Hospitals, United States, January-December 1989

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1151	1.1	1	<1	<1	<1	1	1	2	3
20-34	4483	1.1	1	<1	<1	<1	1	1	2	4
35-49	346	1.1		<1	<1	<1	1	1	1	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	446	1.1		<1	<1	<1	1	1	1	3
20-34	2039	1.1	1	<1	<1	<1	1	1	1	3
35-49	162	1.0		<1	<1	<1	1	1	1	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	193	1.5	2	<1	<1	1	1	3	4	9
20-34	795	1.4	2	<1	<1	1	1	2	3	9
35-49	62	1.4	2	<1	<1	1	1	2	4	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	81	1.5	1	<1	<1	1	1	3	4	6
20-34	304	1.8	19	<1	<1	1	1	2	4	15
35-49	43	2.6	34	<1	<1	1	1	4	11	37
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5980	1.1	1	<1	<1	<1	1	1	2	3
B. Operated	2647	1.1	1	<1	<1	<1	1	1	1	3
2. MULTIPLE DX										
A. Not Operated	1050	1.5	2	<1	<1	1	1	2	4	9
B. Operated	428	1.8	17	<1	<1	1	1	2	4	14
1. SINGLE DX	8627	1.1	1	<1	<1	<1	1	1	2	3
2. MULTIPLE DX	1478	1.6	6	<1	<1	1	1	2	4	10
A. Not Operated	7030	1.2	1	<1	<1	<1	1	1	2	4
B. Operated	3075	1.2	3	<1	<1	<1	1	1	2	5
TOTAL										
0-19 YRS	1871	1.2	1	<1	<1	<1	1	1	2	5
20-34	7621	1.2	2	<1	<1	<1	1	1	2	4
35-49	613	1.2	3	<1	<1	<1	1	1	2	5
50-64	0									
65 +	0									
GRAND TOTAL	**10105**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	2.4	4	<1	1	2	3	5	5	10
20-34	722	3.0	14	1	1	2	3	5	10	17
35-49	102	2.9	9	<1	1	2	3	7	8	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	140	3.0	9	1	1	2	4	6	9	15
35-49	36	3.0	8	1	1	2	4	5	10	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.9	15	1	2	2	4	9	14	16
20-34	438	4.5	31	1	2	3	5	9	13	31
35-49	67	5.3	55	1	2	3	5	12	21	43
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	6.3	56	2	2	2	12	15	15	15
20-34	134	5.1	37	1	2	3	6	9	17	37
35-49	30	6.3	67	1	2	4	6	14	18	43
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	877	2.9	13	1	1	2	3	5	9	17
B. Operated	180	3.0	9	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. Not Operated	536	4.5	33	1	2	3	5	9	14	34
B. Operated	167	5.3	42	1	2	3	6	11	17	40
1. SINGLE DX	1057	2.9	12	1	1	2	3	5	9	17
2. MULTIPLE DX	703	4.7	35	1	2	3	5	9	14	35
A. Not Operated	1413	3.5	21	1	1	2	4	7	11	25
B. Operated	347	4.1	26	1	1	3	5	8	13	25
TOTAL										
0-19 YRS	91	3.0	10	1	1	2	4	6	10	16
20-34	1434	3.6	21	1	1	2	4	7	11	24
35-49	235	4.0	31	1	1	2	4	8	13	35
50-64	0									
65 +	0									
GRAND TOTAL	**1760**	**3.7**	**22**	**1**	**1**	**2**	**4**	**7**	**12**	**24**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	167	2.1	7	<1	1	1	2	4	6	17
20-34	957	2.0	4	<1	1	1	2	4	5	8
35-49	82	1.6	1	<1	1	1	2	3	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	39	2.1	3	<1	<1	1	3	5	6	9
20-34	215	1.8	3	<1	<1	1	2	3	5	11
35-49	37	1.5	1	<1	1	1	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	136	2.7	8	<1	1	2	3	5	8	18
20-34	578	2.9	11	<1	1	2	3	6	9	17
35-49	74	3.0	19	1	1	2	3	6	8	30
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	28	2.8	13	<1	1	2	3	4	6	20
20-34	152	3.9	72	1	1	2	4	7	12	26
35-49	22	4.9	62	<1	1	2	4	13	24	35
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1206	2.0	5	<1	1	1	2	4	5	8
B. Operated	291	1.8	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	788	2.9	11	<1	1	2	3	6	8	18
B. Operated	202	3.9	63	<1	1	2	4	7	13	30
1. SINGLE DX	1497	1.9	4	<1	1	1	2	4	5	9
2. MULTIPLE DX	990	3.1	22	<1	1	2	4	6	9	20
A. Not Operated	1994	2.3	7	<1	1	1	3	5	7	14
B. Operated	493	2.7	28	<1	1	1	3	5	8	19
TOTAL										
0-19 YRS	370	2.4	8	<1	1	1	3	5	6	18
20-34	1902	2.4	12	<1	1	1	3	5	7	14
35-49	215	2.4	14	<1	1	1	3	4	7	23
50-64	0									
65 +	0									
GRAND TOTAL	**2487**	**2.4**	**12**	**<1**	**1**	**1**	**3**	**5**	**7**	**16**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	388	2.7	2	1	2	3	4	4	5	7
20-34	946	2.8	2	1	2	3	4	5	5	7
35-49	38	3.1	3	1	2	3	4	5	6	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	30	2.2	3	<1	1	1	3	4	7	8
20-34	88	2.5	3	<1	1	2	4	5	6	7
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1482	3.2	3	1	2	3	4	5	6	9
20-34	3238	3.2	4	1	2	3	4	5	6	9
35-49	147	3.3	5	1	2	3	4	6	7	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	154	3.4	7	1	1	3	5	6	8	12
20-34	426	3.4	9	<1	1	3	4	6	8	13
35-49	38	4.7	37	<1	2	3	5	11	13	36
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1372	2.8	2	1	2	3	4	5	5	7
B. Operated	121	2.4	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	4867	3.2	4	1	2	3	4	5	6	9
B. Operated	618	3.5	10	<1	1	3	4	7	8	13
1. SINGLE DX	1493	2.8	2	1	2	3	4	5	5	7
2. MULTIPLE DX	5485	3.2	4	1	2	3	4	5	7	10
A. Not Operated	6239	3.1	3	1	2	3	4	5	6	9
B. Operated	739	3.3	9	<1	1	3	4	6	8	13
TOTAL										
0-19 YRS	2054	3.1	3	1	2	3	4	5	6	9
20-34	4698	3.1	4	1	2	3	4	5	6	9
35-49	226	3.5	10	1	2	3	4	6	7	14
50-64	0									
65 +	0									
GRAND TOTAL	**6978**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	167	2.7	3	1	1	2	4	5	6	8
20-34	1352	3.1	5	1	2	2	4	6	7	11
35-49	304	3.3	4	1	2	3	4	6	7	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	2.2	4	< 1	< 1	1	3	4	7	8
20-34	129	2.7	7	< 1	< 1	2	3	6	7	14
35-49	24	3.0	5	< 1	1	2	4	6	8	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1193	3.1	11	1	1	2	4	6	8	18
20-34	6183	3.4	13	1	1	2	4	6	8	20
35-49	751	3.6	9	1	2	3	5	7	9	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	223	3.6	33	< 1	1	2	4	7	9	23
20-34	1275	4.1	25	< 1	1	3	5	8	12	23
35-49	135	4.8	37	< 1	2	3	6	10	14	29
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1823	3.1	4	1	2	3	4	6	7	10
B. Operated	169	2.7	7	< 1	< 1	2	3	6	7	12
2. MULTIPLE DX										
A. Not Operated	8127	3.4	12	1	1	2	4	6	8	18
B. Operated	1633	4.1	27	< 1	1	3	5	8	12	23
1. SINGLE DX	1992	3.0	5	1	2	3	4	6	7	10
2. MULTIPLE DX	9760	3.5	15	1	1	2	4	7	9	20
A. Not Operated	9950	3.3	11	1	1	2	4	6	8	17
B. Operated	1802	4.0	26	< 1	1	3	5	8	11	23
TOTAL										
0-19 YRS	1599	3.2	13	< 1	1	2	4	6	8	18
20-34	8939	3.4	14	1	1	2	4	6	9	19
35-49	1214	3.7	11	1	2	3	5	7	9	15
50-64	0									
65 +	0									
GRAND TOTAL	**11752**	**3.4**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2350	2.0	4	< 1	1	1	2	4	5	11
20-34	9492	2.1	7	< 1	1	1	2	4	6	13
35-49	741	2.5	12	< 1	1	1	3	5	8	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	851	2.1	9	< 1	< 1	1	2	4	5	16
20-34	5095	2.0	7	< 1	< 1	1	2	4	6	13
35-49	533	1.8	4	< 1	< 1	1	2	3	5	10
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1677	3.0	17	1	1	2	3	5	8	21
20-34	6647	3.0	16	< 1	1	2	3	6	9	19
35-49	675	3.7	24	1	1	2	4	8	12	23
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	857	3.2	21	< 1	1	2	4	6	10	21
20-34	4309	3.4	28	< 1	1	2	4	7	11	26
35-49	531	3.3	26	< 1	1	2	3	7	10	28
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12583	2.1	7	< 1	1	1	2	4	6	12
B. Operated	6481	2.0	7	< 1	< 1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	9000	3.0	17	< 1	1	2	3	6	9	19
B. Operated	5698	3.4	27	< 1	1	2	4	7	10	26
1. SINGLE DX	19064	2.1	7	< 1	< 1	1	2	4	6	13
2. MULTIPLE DX	14698	3.2	21	< 1	1	2	3	6	9	22
A. Not Operated	21583	2.5	11	< 1	1	1	3	5	7	15
B. Operated	12179	2.6	17	< 1	< 1	1	3	5	8	20
TOTAL										
0-19 YRS	5735	2.5	12	< 1	1	1	3	5	7	16
20-34	25543	2.5	13	< 1	1	1	3	5	7	17
35-49	2480	2.8	17	< 1	1	2	3	6	9	18
50-64	4	2.8	5	1	1	2	4	6	6	6
65 +	0									
GRAND TOTAL	**33762**	**2.5**	**13**	**< 1**	**1**	**1**	**3**	**5**	**7**	**17**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	353	2.3	1	1	2	2	3	3	4	4
20-34	2034	2.2	1	1	2	2	3	3	3	5
35-49	254	2.2	1	1	2	2	3	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	261	2.5	1	1	2	2	3	4	4	6
20-34	1568	2.6	2	2	2	2	3	4	4	6
35-49	202	2.4	1	1	2	2	3	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	798	2.4	4	1	2	2	3	3	4	8
20-34	3921	2.3	4	1	2	2	3	3	4	6
35-49	402	2.5	3	1	2	2	3	3	4	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1157	3.2	15	1	2	3	4	5	6	18
20-34	8796	3.3	11	2	2	3	4	5	6	14
35-49	1370	3.5	12	2	2	3	4	5	7	17
50-64	1	18.0		18	18	18	18	18	18	18
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2641	2.2	1	1	2	2	3	3	3	5
B. Operated	2031	2.5	2	2	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	5121	2.3	4	1	2	2	3	3	4	7
B. Operated	11324	3.3	11	2	2	3	4	5	6	15
1. SINGLE DX	4672	2.4	1	1	2	2	3	3	4	5
2. MULTIPLE DX	16445	3.0	9	1	2	2	3	5	6	13
A. Not Operated	7762	2.3	3	1	2	2	3	3	4	6
B. Operated	13355	3.2	10	2	2	3	4	5	6	14
TOTAL										
0-19 YRS	2569	2.7	8	1	2	2	3	4	5	10
20-34	16319	2.9	7	1	2	2	3	4	5	11
35-49	2228	3.1	9	2	2	3	4	5	6	13
50-64	1	18.0		18	18	18	18	18	18	18
65 +	0									
GRAND TOTAL	**21117**	**2.9**	**8**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11645	2.0	1	1	1	2	2	3	3	4
20-34	65434	2.0	1	1	1	2	2	3	3	4
35-49	5259	2.0	1	1	1	2	2	3	3	4
50-64	7	1.7	1	1	1	2	2	3	3	3
65 +	0									
B. Operated										
0-19 YRS	5462	2.0		1	2	2	2	3	3	4
20-34	31582	2.0	1	1	2	2	2	3	3	4
35-49	2592	2.0	1	1	2	2	2	3	3	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	682	2.0	1	1	1	2	2	3	3	5
20-34	2864	2.0	1	1	2	2	2	3	3	4
35-49	241	2.2	2	1	2	2	3	3	3	6
50-64	1	21.0		21	21	21	21	21	21	21
65 +	0									
B. Operated										
0-19 YRS	476	2.0	1	1	2	2	2	3	3	4
20-34	10034	2.3	1	2	2	2	3	3	4	4
35-49	1383	2.5	1	2	2	2	3	3	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82345	2.0	1	1	1	2	2	3	3	4
B. Operated	39639	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	3788	2.1	1	1	2	2	2	3	3	5
B. Operated	11894	2.3	1	1	2	2	3	3	4	5
1. SINGLE DX	121984	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX	15682	2.3	1	1	2	2	3	3	4	5
A. Not Operated	86133	2.0	1	1	1	2	2	3	3	4
B. Operated	51533	2.1	1	1	2	2	2	3	3	4
TOTAL										
0-19 YRS	18265	2.0	1	1	1	2	2	3	3	4
20-34	109914	2.0	1	1	2	2	2	3	3	4
35-49	9475	2.1	1	1	2	2	3	3	3	4
50-64	12	3.4	31	1	1	2	3	9	19	21
65 +	0									
GRAND TOTAL	**137666**	**2.0**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	38	2.1	1	1	2	2	2	3	4	5
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	4.2	7	2	3	3	5	8	11	12
20-34	289	5.2	42	2	3	4	5	7	14	41
35-49	62	6.3	77	3	4	4	5	8	18	52
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	4.2	10	2	2	4	5	10	12	12
20-34	66	3.5	23	1	2	2	3	5	8	34
35-49	8	2.6		2	2	3	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	62	6.6	61	2	3	4	6	12	22	45
20-34	1168	9.0	142	3	4	5	8	21	35	65
35-49	325	9.6	135	3	4	5	9	24	37	67
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	2.1	1	1	2	2	2	3	4	5
B. Operated	363	5.4	47	2	3	4	5	7	15	47
2. MULTIPLE DX										
A. Not Operated	84	3.5	19	1	2	3	4	6	8	29
B. Operated	1555	9.0	138	3	4	5	8	21	35	65
1. SINGLE DX	407	5.0	43	2	3	4	5	7	13	46
2. MULTIPLE DX	1639	8.8	133	3	4	5	7	21	34	64
A. Not Operated	128	3.0	13	1	2	2	3	5	7	18
B. Operated	1918	8.3	123	3	4	4	7	19	32	62
TOTAL										
0-19 YRS	84	5.9	48	2	3	4	6	12	15	43
20-34	1561	7.9	119	2	3	4	7	18	31	62
35-49	400	8.8	124	3	4	5	7	21	35	61
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
GRAND TOTAL	**2046**	**8.0**	**117**	**2**	**3**	**4**	**7**	**18**	**31**	**61**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	1.9	1	1	1	2	2	3	4	7
20-34	224	2.2	3	1	2	2	3	3	3	6
35-49	20	3.1	9	1	2	2	3	8	11	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	61	3.1	2	1	2	3	4	5	5	7
20-34	373	3.3	4	2	2	3	4	5	5	9
35-49	33	3.3	7	2	2	3	4	4	5	17
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	2.4	3	1	1	2	3	4	6	11
20-34	406	2.5	8	1	2	2	3	4	5	14
35-49	47	3.5	16	1	2	2	4	6	13	20
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	279	4.3	20	2	2	4	5	7	9	22
20-34	2060	4.3	15	2	2	4	5	6	10	23
35-49	258	5.1	40	2	3	4	5	7	11	38
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	280	2.2	3	1	1	2	2	3	4	9
B. Operated	467	3.3	4	2	2	3	4	5	5	9
2. MULTIPLE DX										
A. Not Operated	530	2.6	8	1	2	2	3	4	5	15
B. Operated	2597	4.4	18	2	2	4	5	7	10	24
1. SINGLE DX	747	2.9	4	1	2	2	4	5	5	9
2. MULTIPLE DX	3127	4.1	17	2	2	3	5	6	9	23
A. Not Operated	810	2.5	6	1	1	2	3	4	5	14
B. Operated	3064	4.2	16	2	2	4	5	6	9	23
TOTAL										
0-19 YRS	453	3.6	14	1	2	3	4	6	8	16
20-34	3063	3.8	12	1	2	3	4	6	8	20
35-49	358	4.6	32	2	2	4	5	7	11	29
50-64	0									
65 +	0									
GRAND TOTAL	**3874**	**3.8**	**14**	**1**	**2**	**3**	**4**	**6**	**8**	**20**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.3	1	1	2	2	2	3	5	6
20-34	84	2.0	1	1	1	2	2	3	3	4
35-49	12	1.8	1	<1	1	2	2	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	135	1.9		1	1	2	2	3	3	4
20-34	1115	2.0	1	1	1	2	2	3	3	5
35-49	106	2.3	1	1	2	2	3	3	4	7
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.8	1	2	2	3	3	4	4	4
20-34	71	2.6	7	1	2	2	3	4	5	19
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	141	2.5	2	1	2	2	3	4	4	10
20-34	1149	2.4	2	1	2	2	3	4	4	7
35-49	166	3.1	6	1	2	3	3	5	6	18
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	2.0	1	1	1	2	2	3	3	5
B. Operated	1356	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	84	2.6	6	1	2	2	3	4	5	17
B. Operated	1456	2.5	2	1	2	2	3	4	5	8
1. SINGLE DX	1468	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX	1540	2.5	2	1	2	2	3	4	5	6
A. Not Operated	196	2.2	3	1	2	2	3	3	4	7
B. Operated	2812	2.3	2	1	2	2	3	3	4	7
TOTAL										
0-19 YRS	300	2.2	2	1	2	2	3	3	4	6
20-34	2419	2.2	1	1	2	2	3	3	4	6
35-49	289	2.7	4	1	2	2	3	4	6	11
50-64	0									
65+	0									
GRAND TOTAL	**3008**	**2.3**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**7**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	2.2	1	1	2	2	3	3	4	5
20-34	444	2.0	1	1	1	2	2	3	3	4
35-49	30	2.2	1	1	2	2	3	3	3	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	48	1.9	1	1	1	2	2	3	3	5
20-34	329	2.1	1	1	2	2	3	3	3	4
35-49	18	3.2	4	2	2	3	3	7	8	8
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	2.3	1	1	2	2	3	3	4	6
20-34	369	2.6	30	1	2	2	3	3	4	7
35-49	36	2.3	1	1	2	2	3	3	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	118	2.5	2	1	2	2	3	4	4	9
20-34	662	2.7	10	1	2	2	3	4	5	9
35-49	71	3.8	66	1	2	2	3	5	7	58
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	544	2.0	1	1	1	2	2	3	3	4
B. Operated	395	2.1	1	1	2	2	3	3	3	5
2. MULTIPLE DX										
A. Not Operated	488	2.6	23	1	2	2	3	3	4	7
B. Operated	851	2.8	13	1	2	2	3	4	5	10
1. SINGLE DX	939	2.0	1	1	2	2	2	3	3	5
2. MULTIPLE DX	1339	2.7	17	1	2	2	3	4	5	8
A. Not Operated	1032	2.3	11	1	2	2	3	3	4	5
B. Operated	1246	2.6	9	1	2	2	3	4	4	8
TOTAL										
0-19 YRS	319	2.3	1	1	2	2	3	3	4	6
20-34	1804	2.4	10	1	2	2	3	3	4	6
35-49	155	3.1	31	1	2	2	3	4	6	15
50-64	0									
65+	0									
GRAND TOTAL	**2278**	**2.4**	**10**	**1**	**2**	**2**	**3**	**3**	**4**	**7**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.9	1	1	1	2	3	3	3	3
20-34	165	2.6	1	2	2	2	3	3	4	8
35-49	20	2.4	1	1	1	2	3	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	18	3.0	2	2	2	3	4	5	6	6
20-34	237	3.3	2	2	2	3	4	5	5	9
35-49	31	4.0	7	2	2	4	5	6	7	16
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.7	2	1	2	2	3	4	6	8
20-34	279	3.2	10	2	2	2	3	5	6	22
35-49	50	2.5	1	1	2	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	177	5.8	30	2	3	4	6	11	15	29
20-34	2289	5.0	33	2	3	4	5	7	11	34
35-49	347	5.1	53	2	3	4	5	7	9	38
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	2.6	1	2	2	2	3	3	4	8
B. Operated	287	3.4	3	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	364	3.0	8	1	2	2	3	5	6	15
B. Operated	2813	5.0	35	2	3	4	5	7	12	34
1. SINGLE DX	480	3.0	2	2	2	3	4	5	5	9
2. MULTIPLE DX	3177	4.8	32	2	3	4	5	7	11	33
A. Not Operated	557	2.9	6	2	2	2	3	4	6	11
B. Operated	3100	4.9	32	2	3	4	5	7	11	33
TOTAL										
0-19 YRS	238	5.0	24	2	3	4	5	9	13	25
20-34	2970	4.5	27	2	3	4	5	6	10	31
35-49	448	4.6	42	2	3	4	5	7	8	30
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**3657**	**4.6**	**29**	**2**	**3**	**4**	**5**	**6**	**10**	**30**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.3	3	1	2	2	2	4	6	9
20-34	235	2.2	1	1	1	2	3	4	4	5
35-49	21	1.8	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	573	3.6	1	3	3	4	4	5	5	6
20-34	4078	3.7	1	3	3	4	4	5	5	6
35-49	365	3.7	1	3	3	4	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	3.0	4	1	2	2	4	6	8	9
20-34	165	2.4	2	1	2	2	3	4	5	7
35-49	25	1.9		1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	807	4.5	7	3	3	4	5	6	9	15
20-34	6716	4.2	7	3	3	4	5	5	6	13
35-49	1056	4.4	7	3	3	4	5	6	7	13
50-64	4	7.5	59	3	3	4	12	19	19	19
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277	2.2	1	1	1	2	3	4	4	5
B. Operated	5016	3.7	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	217	2.5	2	1	2	2	3	4	5	8
B. Operated	8583	4.3	7	3	3	4	5	6	7	13
1. SINGLE DX	5293	3.6	1	2	3	4	4	5	5	6
2. MULTIPLE DX	8800	4.2	7	3	3	4	5	6	7	13
A. Not Operated	494	2.3	2	1	1	2	3	4	4	7
B. Operated	13599	4.1	5	3	3	4	4	5	6	10
TOTAL										
0-19 YRS	1428	4.1	5	2	3	4	4	6	7	12
20-34	11194	4.0	5	3	3	4	4	5	6	10
35-49	1467	4.2	6	3	3	4	5	5	6	11
50-64	4	7.5	59	3	3	4	12	19	19	19
65 +	0									
GRAND TOTAL	**14093**	**4.0**	**5**	**3**	**3**	**4**	**4**	**5**	**6**	**10**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	139	2.1	1	1	2	2	3	3	3	5
20-34	1077	2.0	1	1	1	2	2	3	3	4
35-49	98	2.0	1	1	2	2	2	3	3	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	279	2.7	1	1	2	2	3	4	5	6
20-34	2029	2.8	2	1	2	2	4	4	5	6
35-49	221	2.8	2	1	2	3	4	5	5	6
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	122	2.1	1	1	2	2	2	3	3	5
20-34	1000	2.2	1	1	2	2	3	3	3	5
35-49	96	2.2	1	1	2	2	3	3	4	5
50-64	1	5.0		5	5	5	5	5	5	5
65+	0									
B. Operated										
0-19 YRS	1323	3.7	4	2	2	3	4	5	7	11
20-34	10403	3.6	4	2	2	3	4	5	6	9
35-49	1393	3.8	6	2	3	4	5	6	6	10
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1314	2.0	1	1	2	2	2	3	3	4
B. Operated	2529	2.8	2	1	2	2	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	1219	2.2	1	1	2	2	3	3	3	5
B. Operated	13121	3.6	4	2	2	3	4	5	6	9
1. SINGLE DX	3843	2.5	1	1	2	2	3	4	5	6
2. MULTIPLE DX	14340	3.5	4	2	2	3	4	5	6	9
A. Not Operated	2533	2.1	1	1	2	2	2	3	3	4
B. Operated	15650	3.5	4	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	1863	3.3	4	2	2	3	4	5	6	10
20-34	14509	3.2	3	2	2	3	4	5	6	8
35-49	1808	3.5	5	2	2	3	4	5	6	9
50-64	3	3.7	5	1	2	5	5	5	5	5
65+	0									
GRAND TOTAL	**18183**	**3.3**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.7	1	2	2	3	3	4	4	4
20-34	72	2.6	2	1	2	2	3	5	5	7
35-49	8	2.4	1	1	2	2	3	4	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	436	4.0	2	3	3	4	5	5	6	8
20-34	2363	4.1	1	3	4	4	5	5	6	7
35-49	186	4.1	1	3	4	4	5	5	6	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.1	6	1	2	3	6	8	8	8
20-34	83	3.2	3	1	2	3	4	5	6	9
35-49	8	3.4	2	2	2	3	4	5	5	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2054	4.8	4	3	4	4	5	7	9	12
20-34	13592	4.4	3	3	4	4	5	6	6	9
35-49	1449	4.6	2	3	4	4	5	6	7	10
50-64	1	3.0		3	3	3	3	3	3	3
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	2.6	1	1	2	2	3	4	5	6
B. Operated	2986	4.1	1	3	4	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	102	3.3	3	1	2	3	4	5	6	9
B. Operated	17096	4.5	3	3	4	4	5	6	7	10
1. SINGLE DX	3073	4.0	1	3	3	4	5	5	6	7
2. MULTIPLE DX	17198	4.5	3	3	4	4	5	6	7	10
A. Not Operated	189	3.0	2	1	2	3	4	5	5	8
B. Operated	20082	4.4	2	3	4	4	5	6	6	10
TOTAL										
0-19 YRS	2508	4.7	4	3	4	4	5	7	8	12
20-34	16110	4.3	2	3	4	4	5	6	6	9
35-49	1651	4.5	2	3	4	4	5	6	7	10
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	0									
GRAND TOTAL	**20271**	**4.4**	**3**	**3**	**4**	**4**	**5**	**6**	**6**	**10**

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	299	2.2	1	1	2	2	3	3	3	4
20-34	1605	2.2	1	1	2	2	3	3	3	4
35-49	125	2.3	1	1	2	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	705	3.2	2	2	2	3	4	5	5	7
20-34	4187	3.2	2	2	2	3	4	5	5	6
35-49	390	3.3	2	2	2	3	4	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	293	2.5	1	1	2	2	3	4	4	6
20-34	1519	2.3	1	1	2	2	3	3	4	5
35-49	141	2.4	1	1	2	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2082	4.0	5	2	3	4	5	6	8	12
20-34	14237	3.7	4	2	2	4	5	5	6	9
35-49	1724	3.8	3	2	3	4	5	6	6	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2029	2.2	1	1	2	2	3	3	3	4
B. Operated	5282	3.2	2	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	1953	2.4	1	1	2	2	3	3	4	5
B. Operated	18043	3.7	4	2	3	4	5	6	6	9
1. SINGLE DX	7311	2.9	2	2	2	3	4	5	5	6
2. MULTIPLE DX	19996	3.6	4	2	2	3	5	5	6	9
A. Not Operated	3982	2.3	1	1	2	2	3	3	4	5
B. Operated	23325	3.6	3	2	2	3	5	5	6	9
TOTAL										
0-19 YRS	3379	3.5	4	2	2	3	4	6	7	10
20-34	21548	3.4	3	2	2	3	4	5	6	8
35-49	2380	3.6	3	2	2	3	5	5	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**27307**	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.0	1	1	1	2	2	3	4	5
20-34	254	2.3	1	1	2	2	3	3	4	5
35-49	43	2.3	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	132	3.1	2	2	2	3	4	5	5	7
20-34	852	3.1	2	2	2	3	4	5	5	6
35-49	95	3.2	2	2	2	3	4	5	5	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	3.0	6	1	2	3	3	4	5	17
20-34	310	2.9	12	1	2	2	3	4	5	14
35-49	38	2.7	1	2	2	2	3	5	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	335	3.7	4	2	2	3	5	6	7	11
20-34	2864	3.8	7	2	3	4	4	5	6	11
35-49	561	4.3	22	2	3	4	5	6	7	22
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	319	2.3	1	1	2	2	3	3	4	5
B. Operated	1080	3.1	2	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	389	2.9	11	1	2	2	3	4	5	15
B. Operated	3761	3.9	9	2	3	4	5	6	6	12
1. SINGLE DX	1399	2.9	2	1	2	3	4	5	5	6
2. MULTIPLE DX	4150	3.8	9	2	2	3	4	5	6	13
A. Not Operated	708	2.6	6	1	2	2	3	4	5	8
B. Operated	4841	3.7	8	2	2	3	4	5	6	11
TOTAL										
0-19 YRS	530	3.4	3	1	2	3	4	5	6	10
20-34	4280	3.5	6	2	2	3	4	5	6	10
35-49	737	4.0	17	2	2	3	5	6	7	19
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
GRAND TOTAL	**5549**	**3.6**	**7**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	2.0	1	1	1	2	2	3	3	5
20-34	1378	2.2	1	1	2	2	3	3	4	5
35-49	157	2.2	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	620	3.6	1	2	3	4	4	5	5	7
20-34	12901	3.6	1	3	3	4	4	5	5	6
35-49	1463	3.7	1	3	3	4	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	3.2	79	1	1	2	2	3	4	64
20-34	882	2.4	1	1	2	2	3	4	4	6
35-49	95	2.4	1	1	2	2	3	3	5	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	839	3.8	3	2	3	4	4	5	6	9
20-34	25927	3.9	2	2	3	4	4	5	6	8
35-49	4339	4.1	3	3	3	4	5	5	6	9
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1602	2.2	1	1	2	2	3	3	4	5
B. Operated	14984	3.6	1	2	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	1026	2.4	5	1	2	2	3	4	4	6
B. Operated	31106	3.9	2	2	3	4	4	5	6	8
1. SINGLE DX	16586	3.5	1	2	3	4	4	5	5	6
2. MULTIPLE DX	32132	3.8	3	2	3	4	4	5	6	8
A. Not Operated	2628	2.3	2	1	2	2	3	3	4	5
B. Operated	46090	3.8	2	2	3	4	4	5	6	8
TOTAL										
0-19 YRS	1575	3.6	4	2	3	4	4	5	6	8
20-34	41088	3.7	2	2	3	4	4	5	6	7
35-49	6054	3.9	3	2	3	4	4	5	6	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**48718**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	**8**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	412	2.4	1	1	2	2	3	3	4	5
20-34	2622	2.4	1	1	2	2	3	3	4	5
35-49	230	2.4	1	1	2	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	433	2.6	4	2	2	2	3	4	4	8
20-34	2962	2.4	2	1	2	2	3	3	4	6
35-49	291	2.5	1	1	2	2	3	4	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	498	3.1	6	1	2	3	3	5	7	14
20-34	2711	3.1	9	1	2	2	3	5	6	15
35-49	321	3.1	8	2	2	2	3	5	6	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1637	3.5	11	2	2	3	4	5	7	15
20-34	11826	3.7	12	2	2	3	4	6	7	18
35-49	1604	4.1	27	2	2	3	4	6	8	28
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3264	2.4	1	1	2	2	3	3	4	5
B. Operated	3686	2.5	2	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	3530	3.1	8	1	2	2	3	5	6	15
B. Operated	15068	3.7	14	2	2	3	4	6	7	18
1. SINGLE DX	6950	2.4	2	1	2	2	3	3	4	6
2. MULTIPLE DX	18598	3.6	13	2	2	3	4	5	7	17
A. Not Operated	6794	2.7	5	1	2	2	3	4	5	11
B. Operated	18754	3.4	12	2	2	3	4	5	7	16
TOTAL										
0-19 YRS	2980	3.2	8	2	2	3	4	5	6	14
20-34	20121	3.2	9	2	2	3	4	5	6	14
35-49	2446	3.6	20	2	2	3	4	5	7	22
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**25548**	**3.3**	**10**	**2**	**2**	**3**	**4**	**5**	**6**	**14**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1600	1.9		1	1	2	2	3	3	4
20-34	11753	2.0	2	1	2	2	2	3	3	4
35-49	1027	2.0	1	1	2	2	2	3	3	4
50-64	3	2.3	2	1	1	2	3	4	4	4
65 +	0									
B. Operated										
0-19 YRS	1326	2.0	1	1	2	2	2	3	3	4
20-34	9376	2.1	1	1	2	2	2	3	3	4
35-49	804	2.1	1	1	2	2	3	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	717	2.1	1	1	2	2	2	3	4	5
20-34	4408	2.1	1	1	2	2	2	3	3	5
35-49	433	2.1	1	1	2	2	2	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1438	2.3	2	1	2	2	3	3	4	6
20-34	[illegible]	2.4	2	1	2	2	3	3	4	6
35-49	[illegible]	2.5	2	1	2	2	3	4	4	7
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14383	2.0	1	1	2	2	2	3	3	4
B. Operated	11506	2.1	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	5558	2.1	1	1	2	2	2	3	3	5
B. Operated	14992	2.4	2	1	2	2	3	4	4	6
1. SINGLE DX	25889	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX	20550	2.3	1	1	2	2	3	3	4	6
A. Not Operated	19941	2.0	1	1	2	2	2	3	3	4
B. Operated	26498	2.2	1	1	2	2	3	3	4	5
TOTAL										
0-19 YRS	5081	2.1	1	1	2	2	2	3	3	5
20-34	37675	2.1	1	1	2	2	3	3	3	5
35-49	3678	2.2	1	1	2	2	3	3	4	5
50-64	5	2.2	1	1	1	2	3	4	4	4
65 +	0									
GRAND TOTAL	**46439**	**2.1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	559	1.9	7	1	1	2	2	3	3	4
20-34	2933	1.8	1	1	1	2	2	3	3	4
35-49	300	1.8		1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3988	1.9	1	1	1	2	2	3	3	4
20-34	26928	1.9	1	1	1	2	2	3	3	4
35-49	2949	1.9	1	1	1	2	2	3	3	4
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	368	2.2	1	1	2	2	3	3	3	6
20-34	1654	2.1	1	1	2	2	2	3	3	5
35-49	142	2.0	1	1	1	2	2	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3137	2.2	2	1	2	2	3	3	4	6
20-34	23281	2.1	1	1	2	2	3	3	3	5
35-49	3080	2.2	2	1	2	2	3	3	4	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3792	1.8	1	1	1	2	2	3	3	4
B. Operated	33868	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	2164	2.1	1	1	2	2	2	3	3	5
B. Operated	29498	2.2	1	1	2	2	3	3	4	5
1. SINGLE DX	37660	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	31662	2.2	1	1	2	2	3	3	3	5
A. Not Operated	5956	1.9	1	1	1	2	2	3	3	4
B. Operated	63366	2.0	1	1	1	2	2	3	3	4
TOTAL										
0-19 YRS	8052	2.0	2	1	1	2	2	3	3	5
20-34	54796	2.0	1	1	1	2	2	3	3	4
35-49	6471	2.1	1	1	1	2	2	3	3	4
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	0									
GRAND TOTAL	**69322**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	198	2.0	1	1	1	2	2	3	3	4
20-34	604	2.0		1	2	2	2	3	3	4
35-49	40	1.8		1	1	2	2	3	3	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2080	2.1	1	1	2	2	2	3	3	4
20-34	8551	2.1	1	1	2	2	3	3	3	4
35-49	523	2.1	1	1	2	2	3	3	3	4
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	130	2.4	1	1	2	2	3	3	4	7
20-34	422	2.3	1	1	2	2	3	3	4	6
35-49	31	2.6	3	1	2	2	3	4	6	9
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2006	2.4	1	1	2	2	3	3	4	6
20-34	9436	2.4	2	1	2	2	3	3	4	6
35-49	754	2.5	1	1	2	2	3	4	4	6
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	842	2.0	1	1	2	2	2	3	3	4
B. Operated	11157	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	583	2.3	1	1	2	2	3	3	4	6
B. Operated	12199	2.4	2	1	2	2	3	3	4	6
1. SINGLE DX	11999	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX	12782	2.4	2	1	2	2	3	3	4	6
A. Not Operated	1425	2.1	1	1	2	2	2	3	3	5
B. Operated	23356	2.3	1	1	2	2	3	3	4	5
TOTAL										
0-19 YRS	4414	2.3	1	1	2	2	3	3	4	5
20-34	19013	2.3	1	1	2	2	3	3	4	5
35-49	1348	2.3	1	1	2	2	3	3	4	5
50-64	6	1.8	1	<1	1	1	2	4	4	4
65+	0									
GRAND TOTAL	**24781**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**5**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	218	2.0	3	1	1	2	2	3	3	4
20-34	881	1.9		1	1	2	2	3	3	4
35-49	37	2.1	1	1	2	2	3	3	3	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	966	2.0		1	2	2	2	3	3	4
20-34	4268	2.0	1	1	2	2	2	3	3	4
35-49	245	2.0	1	1	1	2	2	3	3	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	157	2.2	1	1	2	2	3	3	3	6
20-34	607	2.1	1	1	2	2	2	3	3	7
35-49	40	2.2	1	1	2	2	3	3	4	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1028	2.2	1	1	2	2	3	3	4	6
20-34	5209	2.3	1	1	2	2	3	3	4	6
35-49	463	2.6	2	1	2	2	3	4	5	8
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1136	1.9	1	1	1	2	2	3	3	4
B. Operated	5479	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	804	2.1	1	1	2	2	2	3	3	6
B. Operated	6700	2.3	1	1	2	2	3	3	4	6
1. SINGLE DX	6615	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX	7504	2.3	1	1	2	2	3	3	4	6
A. Not Operated	1940	2.0	1	1	2	2	2	3	3	5
B. Operated	12179	2.2	1	1	2	2	3	3	4	5
TOTAL										
0-19 YRS	2369	2.1	1	1	2	2	2	3	3	5
20-34	10965	2.1	1	1	2	2	2	3	4	5
35-49	785	2.3	2	1	2	2	3	3	4	6
50-64	0									
65+	0									
GRAND TOTAL	**14119**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**4**	**5**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2589	2.3	3	1	2	2	3	3	4	6
20-34	11809	2.1	1	1	2	2	2	3	4	5
35-49	1180	2.1	4	1	1	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4393	2.5	2	1	2	2	3	4	5	7
20-34	24541	2.5	2	1	2	2	3	4	5	6
35-49	2230	2.6	2	1	2	2	3	4	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3002	2.6	4	1	2	2	3	4	5	10
20-34	12473	2.5	6	1	2	2	3	4	5	9
35-49	1355	2.7	10	1	2	2	3	4	6	14
50-64	3	2.7	4	1	1	2	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	11150	3.6	8	2	2	3	4	6	8	14
20-34	64971	3.5	10	2	2	3	4	5	7	15
35-49	8341	4.0	18	2	2	3	4	6	8	21
50-64	9	3.2	3	1	2	3	4	6	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15578	2.1	2	1	2	2	3	3	4	6
B. Operated	31164	2.5	2	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	16833	2.5	6	1	2	2	3	4	5	10
B. Operated	84471	3.5	10	2	2	3	4	6	7	16
1. SINGLE DX	46742	2.4	2	1	2	2	3	4	4	6
2. MULTIPLE DX	101304	3.4	10	1	2	3	4	5	7	15
A. Not Operated	32411	2.4	4	1	2	2	3	3	4	8
B. Operated	115635	3.3	8	1	2	3	4	5	7	14
TOTAL										
0-19 YRS	21134	3.1	6	1	2	2	4	5	7	12
20-34	113794	3.0	7	1	2	2	3	5	6	12
35-49	13106	3.4	14	1	2	3	4	5	7	18
50-64	12	3.1	3	1	2	3	4	6	7	7
65 +	0									
GRAND TOTAL	**148046**	**3.1**	**8**	**1**	**2**	**2**	**4**	**5**	**6**	**13**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	3.1	2	2	2	3	4	5	6	7
20-34	365	3.1	2	2	2	3	4	4	6	8
35-49	42	3.1	2	2	2	3	4	5	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	4.4	19	< 1	2	3	5	12	12	12
20-34	22	6.0	14	1	3	6	8	12	12	12
35-49	5	6.8	6	4	5	7	8	10	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	150	3.8	5	2	2	3	4	6	7	15
20-34	572	3.6	5	2	2	3	4	6	7	12
35-49	62	3.7	2	2	3	3	4	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	25	6.5	27	2	3	5	8	12	15	25
20-34	110	6.0	27	2	3	4	8	12	14	30
35-49	14	11.2	142	4	4	6	14	28	42	46
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	503	3.1	2	2	2	3	4	5	6	8
B. Operated	32	5.8	13	1	3	5	8	12	12	12
2. MULTIPLE DX										
A. Not Operated	784	3.7	4	2	2	3	4	6	7	12
B. Operated	149	6.5	39	2	3	5	8	12	17	37
1. SINGLE DX	535	3.3	3	2	2	3	4	5	7	11
2. MULTIPLE DX	933	4.1	11	2	2	3	5	7	9	17
A. Not Operated	1287	3.4	4	2	2	3	4	6	7	11
B. Operated	181	6.4	34	2	3	5	8	12	15	34
TOTAL										
0-19 YRS	276	3.8	7	2	2	3	4	6	8	15
20-34	1069	3.7	7	2	2	3	4	6	8	13
35-49	123	4.5	23	2	3	3	5	7	9	31
50-64	0									
65 +	0									
GRAND TOTAL	**1468**	**3.8**	**8**	**2**	**2**	**3**	**4**	**6**	**8**	**14**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.4		<1	<1	1	2	2	3	3
20-34	81	1.6	1	<1	1	1	2	3	3	4
35-49	14	1.6	1	1	1	2	2	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	39	1.4		<1	1	1	2	2	3	3
20-34	248	1.4		<1	1	1	2	2	3	3
35-49	37	1.2		<1	1	1	1	2	3	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.0	1	1	1	2	2	4	4	4
20-34	93	2.0	1	1	1	2	2	3	4	6
35-49	3	6.0	61	1	1	2	12	15	15	15
50-64	0									
65+	0									
B. Operated										
0-19 YRS	45	2.0	2	1	1	2	2	4	5	7
20-34	294	2.5	4	1	1	2	3	5	6	11
35-49	36	2.4	3	1	1	2	3	6	6	7
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	1.5	1	<1	1	1	2	3	3	4
B. Operated	324	1.4		<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	112	2.1	3	1	1	2	2	3	4	10
B. Operated	375	2.4	4	1	1	2	3	5	6	10
1. SINGLE DX	433	1.4		<1	1	1	2	2	3	4
2. MULTIPLE DX	487	2.3	3	1	1	2	3	4	6	10
A. Not Operated	221	1.8	2	1	1	2	2	3	4	6
B. Operated	699	1.9	2	<1	1	1	2	4	5	8
TOTAL										
0-19 YRS	114	1.7	1	<1	1	1	2	3	4	7
20-34	716	1.9	2	<1	1	1	2	4	5	8
35-49	90	1.9	4	<1	1	1	2	4	6	12
50-64	0									
65+	0									
GRAND TOTAL	**920**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**4**	**5**	**8**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	3.1	5	1	2	2	4	7	8	11
20-34	282	3.3	7	1	2	3	4	7	9	15
35-49	33	4.1	6	2	2	4	6	8	9	10
50-64	0									
65+	0									
B. Operated										
0-19 YRS	69	1.9	1	1	1	2	2	3	3	7
20-34	381	2.5	3	1	1	2	3	4	6	10
35-49	37	2.7	4	1	2	2	3	6	8	11
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	4.4	10	1	2	3	6	9	11	13
20-34	333	4.4	13	1	2	3	6	9	11	16
35-49	48	3.7	5	1	2	4	5	7	8	11
50-64	0									
65+	0									
B. Operated										
0-19 YRS	86	3.6	9	1	2	2	4	8	11	15
20-34	441	3.7	15	1	1	2	5	8	11	21
35-49	55	3.5	10	1	2	3	4	7	9	20
50-64	1	34.0		34	34	34	34	34	34	34
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	371	3.4	7	1	2	3	4	7	9	14
B. Operated	487	2.4	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	447	4.3	12	1	2	3	5	9	11	15
B. Operated	583	3.7	15	1	2	2	5	8	11	21
1. SINGLE DX	858	2.8	5	1	2	2	3	5	8	11
2. MULTIPLE DX	1030	4.0	14	1	2	3	5	9	11	19
A. Not Operated	818	3.9	10	1	2	3	5	8	10	14
B. Operated	1070	3.1	10	1	1	2	3	7	9	18
TOTAL										
0-19 YRS	277	3.2	7	1	2	2	4	7	9	13
20-34	1437	3.5	10	1	2	2	4	7	10	17
35-49	173	3.5	7	1	2	3	4	7	9	11
50-64	1	34.0		34	34	34	34	34	34	34
65+	0									
GRAND TOTAL	**1888**	**3.5**	**10**	**1**	**2**	**2**	**4**	**7**	**10**	**15**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1914	3.4	4	2	2	3	4	6	7	11
20-34	1286	3.8	6	2	2	3	5	6	8	13
35-49	1077	4.1	6	2	3	4	5	7	9	12
50-64	617	4.6	8	2	3	4	5	8	10	13
65 +	470	5.3	11	2	3	4	6	9	12	18
B. Operated										
0-19 YRS	743	4.0	10	1	2	3	5	8	10	15
20-34	748	5.0	17	2	2	4	6	9	11	24
35-49	471	4.9	12	1	3	4	6	9	10	20
50-64	211	5.5	18	1	3	4	8	11	12	23
65 +	136	6.7	26	2	3	6	8	12	16	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2745	4.1	8	2	2	3	5	7	9	14
20-34	2772	5.0	13	2	3	4	6	9	11	18
35-49	3708	6.0	22	2	3	5	7	11	14	24
50-64	4283	6.5	22	3	4	5	8	11	15	24
65 +	8273	8.0	42	3	4	6	10	14	18	35
B. Operated										
0-19 YRS	1064	6.2	34	2	3	5	8	11	14	28
20-34	1913	7.4	49	2	3	5	9	14	20	36
35-49	2376	9.4	82	3	4	7	11	19	26	54
50-64	2105	11.3	109	3	5	8	14	23	31	64
65 +	3006	13.5	145	4	6	10	17	28	40	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5364	3.9	6	2	2	3	5	7	9	13
B. Operated	2309	4.8	15	1	2	4	6	9	11	20
2. MULTIPLE DX										
A. Not Operated	21781	6.5	29	2	3	5	8	12	15	27
B. Operated	10464	10.3	101	3	4	7	13	21	30	60
1. SINGLE DX	7673	4.2	9	2	2	3	5	8	10	15
2. MULTIPLE DX	32245	7.7	55	2	4	6	9	15	20	42
A. Not Operated	27145	6.0	25	2	3	5	7	11	14	25
B. Operated	12773	9.3	90	2	4	7	11	19	28	55
TOTAL										
0-19 YRS	6466	4.2	12	2	2	3	5	8	10	16
20-34	6719	5.4	24	2	3	4	6	10	13	26
35-49	7632	6.7	41	2	3	5	8	13	17	35
50-64	7216	7.7	52	3	4	6	9	15	20	42
65 +	11885	9.3	73	3	5	7	11	17	24	50
GRAND TOTAL	**39918**	**7.0**	**48**	**2**	**3**	**5**	**8**	**13**	**19**	**38**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	608	3.6	5	2	2	3	4	6	8	11
20-34	204	3.2	3	1	2	3	4	5	7	10
35-49	144	3.3	4	1	2	3	4	6	7	11
50-64	62	4.6	33	2	2	3	5	7	9	41
65 +	37	5.9	57	1	2	4	6	9	22	42
B. Operated										
0-19 YRS	311	3.7	9	1	1	3	5	7	9	15
20-34	182	4.4	11	1	2	3	6	9	11	13
35-49	132	3.8	8	1	1	3	5	8	9	12
50-64	56	4.9	66	< 1	2	4	5	7	10	58
65 +	41	3.8	9	< 1	1	3	5	8	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	947	4.3	12	2	2	4	5	7	9	16
20-34	337	4.6	13	2	2	4	5	8	11	20
35-49	371	5.3	12	2	3	4	7	10	12	18
50-64	438	6.0	17	2	3	5	7	11	13	18
65 +	654	6.9	19	3	4	6	8	12	15	23
B. Operated										
0-19 YRS	450	5.4	18	1	3	4	7	10	13	22
20-34	351	6.7	46	2	3	5	8	13	19	45
35-49	376	7.7	62	2	3	5	9	15	23	46
50-64	407	8.7	72	2	4	7	11	17	23	46
65 +	513	10.1	78	3	5	8	13	20	25	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1055	3.6	8	1	2	3	4	6	8	12
B. Operated	722	4.0	14	1	2	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	2747	5.3	16	2	3	4	7	10	12	19
B. Operated	2097	7.8	58	2	3	6	9	15	21	43
1. SINGLE DX	1777	3.8	10	1	2	3	5	7	9	14
2. MULTIPLE DX	4844	6.4	36	2	3	5	8	12	16	31
A. Not Operated	3802	4.9	14	2	3	4	6	9	11	18
B. Operated	2819	6.8	50	1	3	5	8	14	19	39
TOTAL										
0-19 YRS	2316	4.2	11	1	2	3	5	8	10	16
20-34	1074	5.0	23	2	2	4	[illegible]	9	13	23
35-49	1023	5.7	31	2	3	4	[illegible]	11	14	30
50-64	963	7.0	46	2	3	5	[illegible]	13	17	39
65 +	1245	8.1	47	3	4	6	10	15	20	36
GRAND TOTAL	**6621**	**5.7**	**30**	**2**	**3**	**4**	**7**	**11**	**14**	**29**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.3	4	1	2	3	4	7	7	7
20-34	9	2.7	2	1	2	3	3	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
B. Operated										
0-19 YRS	568	1.9	2	1	1	1	2	4	5	7
20-34	1016	2.0	3	1	1	1	2	3	4	9
35-49	214	2.0	2	1	1	2	3	4	4	6
50-64	41	2.1	4	1	1	1	2	4	7	10
65+	7	1.9	2	<1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.3	1	<1	1	2	3	4	4	4
20-34	11	2.2	1	<1	<1	2	3	4	4	4
35-49	10	2.4	1	<1	1	2	3	4	4	4
50-64	3	6.7	2	5	5	7	8	8	8	8
65+	2	6.5	5	5	5	6	8	8	8	8
B. Operated										
0-19 YRS	99	3.0	24	1	1	2	3	6	7	29
20-34	210	2.7	5	1	1	2	3	6	7	12
35-49	95	3.1	8	1	1	2	4	6	9	15
50-64	31	4.3	71	1	1	2	3	7	11	48
65+	19	5.6	59	1	2	4	6	8	24	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.8	3	1	1	2	4	5	7	7
B. Operated	1846	2.0	3	1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	36	2.9	4	<1	1	3	4	5	8	8
B. Operated	454	3.1	17	1	1	2	4	6	7	15
1. SINGLE DX	1870	2.0	3	1	1	1	2	4	5	7
2. MULTIPLE DX	490	3.0	16	1	1	2	4	6	7	15
A. Not Operated	60	2.9	3	<1	1	3	4	5	7	8
B. Operated	2300	2.2	6	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	689	2.1	5	1	1	1	2	4	5	9
20-34	1246	2.1	3	1	1	2	3	4	5	10
35-49	321	2.3	4	1	1	2	3	4	6	11
50-64	76	3.1	32	1	1	2	3	7	8	38
65+	28	4.8	43	1	2	3	5	8	12	36
GRAND TOTAL	**2360**	**2.2**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.8	2	<1	<1	<1	2	4	4	4
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	133	1.4	3	<1	<1	<1	1	2	4	11
20-34	66	1.4	1	<1	<1	<1	1	3	4	5
35-49	71	1.4	2	<1	<1	<1	1	2	3	9
50-64	71	1.4	2	<1	<1	<1	1	2	4	9
65+	35	1.3	1	<1	<1	<1	<1	2	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.5	1	<1	2	2	3	4	4	4
20-34	6	2.7	2	1	1	3	4	4	4	4
35-49	6	5.0	18	<1	2	4	6	12	13	13
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	7	4.1	6	2	2	3	5	8	9	9
B. Operated										
0-19 YRS	18	1.6	2	<1	<1	1	2	3	5	7
20-34	37	2.6	8	<1	<1	2	3	5	9	15
35-49	53	2.6	5	<1	1	2	3	5	9	11
50-64	36	3.5	11	<1	1	2	5	7	9	17
65+	58	3.5	15	<1	1	2	4	8	9	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.3	4	<1	<1	2	3	6	7	7
B. Operated	376	1.4	2	<1	<1	<1	1	2	4	9
2. MULTIPLE DX										
A. Not Operated	28	3.6	7	1	2	3	4	6	9	13
B. Operated	202	2.9	10	<1	1	2	4	6	9	16
1. SINGLE DX	385	1.4	2	<1	<1	<1	1	2	4	9
2. MULTIPLE DX	230	3.0	9	<1	1	2	4	6	9	15
A. Not Operated	37	3.3	6	<1	2	3	4	6	8	13
B. Operated	578	1.9	5	<1	<1	<1	2	4	6	10
TOTAL										
0-19 YRS	162	1.5	3	<1	<1	<1	1	2	4	10
20-34	112	1.9	4	<1	<1	1	2	4	5	11
35-49	131	2.1	5	<1	<1	1	2	4	7	11
50-64	110	2.1	6	<1	<1	<1	2	5	7	13
65+	100	2.8	11	<1	<1	1	4	6	9	18
GRAND TOTAL	**615**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**6**	**11**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	6.1	32	1	2	5	7	17	19	19
20-34	22	6.4	33	2	2	5	7	13	21	25
35-49	17	4.9	12	<1	2	4	7	11	12	12
50-64	12	6.8	23	2	3	5	9	15	16	16
65+	51	9.3	82	2	3	7	10	19	30	48
B. Operated										
0-19 YRS	48	11.0	220	1	2	5	14	28	41	78
20-34	68	10.1	110	2	4	7	12	21	32	55
35-49	65	8.2	66	1	3	7	9	20	27	40
50-64	55	7.7	52	1	2	6	10	18	23	34
65+	127	11.6	195	1	4	8	15	23	33	92
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	130	9.2	144	2	3	5	9	22	37	60
20-34	231	9.6	105	2	4	7	11	21	27	63
35-49	373	9.8	115	3	4	7	11	19	31	74
50-64	490	10.0	69	3	5	8	13	20	27	59
65+	1958	11.7	118	4	6	9	14	23	35	88
B. Operated										
0-19 YRS	192	16.8	245	3	7	13	24	43	61	99+
20-34	587	21.8	359	4	8	17	32	61	99	99+
35-49	756	18.8	283	3	7	14	27	48	71	99+
50-64	997	18.3	281	3	7	14	25	44	64	99+
65+	3005	18.1	264	4	7	13	23	43	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	7.5	52	2	3	6	9	15	20	38
B. Operated	363	10.0	139	1	3	7	13	22	31	59
2. MULTIPLE DX										
A. Not Operated	3182	10.9	111	3	5	8	13	22	31	78
B. Operated	5537	18.6	280	4	7	14	25	46	67	99+
1. SINGLE DX	478	9.4	119	1	3	7	12	21	28	55
2. MULTIPLE DX	8719	15.8	232	3	6	11	21	39	57	99+
A. Not Operated	3297	10.8	109	3	5	8	13	21	30	76
B. Operated	5900	18.1	275	3	7	13	24	45	65	99+
TOTAL										
0-19 YRS	383	13.1	213	2	3	8	17	35	49	99+
20-34	908	17.4	302	3	6	12	25	49	77	99+
35-49	1211	15.3	237	3	6	10	21	40	59	99+
50-64	1554	15.2	221	3	6	10	20	36	54	99+
65+	5141	15.4	215	4	6	11	20	36	54	99+
GRAND TOTAL	**9197**	**15.5**	**228**	**3**	**6**	**11**	**20**	**38**	**56**	**99+**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	533	3.5	15	1	1	2	4	7	11	21
20-34	211	4.0	21	1	2	2	4	8	16	24
35-49	195	5.3	39	1	2	3	6	14	20	32
50-64	102	4.7	32	1	1	3	5	13	19	27
65+	43	6.4	29	1	3	4	9	15	17	21
B. Operated										
0-19 YRS	492	2.5	12	<1	<1	1	2	6	8	20
20-34	327	3.2	19	<1	1	2	3	6	9	28
35-49	373	2.7	9	<1	1	1	3	6	9	14
50-64	246	2.0	6	<1	1	1	2	4	6	16
65+	145	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1044	4.2	23	1	2	3	5	8	13	26
20-34	559	6.2	40	1	2	4	7	15	20	28
35-49	657	7.1	46	1	2	5	9	18	21	29
50-64	691	7.8	49	2	3	5	11	19	21	27
65+	1064	8.6	52	2	4	6	11	19	24	36
B. Operated										
0-19 YRS	538	4.2	43	<1	1	2	4	9	15	25
20-34	426	5.9	58	1	2	3	7	14	21	43
35-49	589	5.3	58	1	1	3	6	13	18	32
50-64	600	5.9	50	1	1	2	8	17	21	30
65+	548	8.7	100	1	2	6	12	21	27	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1084	4.2	23	1	2	3	5	9	15	23
B. Operated	1583	2.5	11	<1	1	1	3	6	8	17
2. MULTIPLE DX										
A. Not Operated	4015	6.7	44	1	2	4	8	16	21	30
B. Operated	2701	6.0	64	1	1	3	7	15	21	42
1. SINGLE DX	2667	3.2	17	<1	1	2	3	7	11	21
2. MULTIPLE DX	6716	6.4	52	1	2	4	8	16	21	33
A. Not Operated	5099	6.2	41	1	2	4	7	15	20	29
B. Operated	4284	4.7	47	<1	1	2	5	12	19	33
TOTAL										
0-19 YRS	2607	3.8	24	<1	1	2	4	8	12	23
20-34	1523	5.1	39	1	2	3	6	12	18	31
35-49	1814	5.4	44	1	1	3	6	14	19	28
50-64	1639	6.0	46	1	1	3	8	16	21	27
65+	1800	8.0	66	1	3	5	11	19	23	42
GRAND TOTAL	**9383**	**5.5**	**44**	**1**	**1**	**3**	**7**	**14**	**20**	**30**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	236	2.6	12	1	1	2	2	5	8	19
20-34	80	3.8	37	1	1	2	4	7	10	41
35-49	97	2.9	14	1	1	1	4	6	8	21
50-64	14	7.1	47	1	2	7	10	24	81	99+
65+	6	5.3	3	3	3	6	7	7	7	7
B. Operated										
0-19 YRS	68	3.6	8	1	1	2	5	7	10	12
20-34	47	2.3	10	1	1	1	2	4	8	20
35-49	33	3.5	14	1	1	1	5	9	12	15
50-64	9	5.8	41	1	2	5	6	16	22	22
65+	5	10.4	71	1	5	7	17	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	323	5.2	44	1	1	3	6	11	16	39
20-34	533	5.4	28	2	2	4	7	11	16	25
35-49	462	6.4	42	2	3	5	8	12	16	39
50-64	250	6.8	35	2	3	5	8	13	17	33
65+	271	9.7	74	3	4	7	12	18	28	43
B. Operated										
0-19 YRS	127	13.5	247	2	3	10	17	36	46	99+
20-34	273	10.7	135	2	3	8	13	25	39	94
35-49	239	11.9	146	2	4	8	15	27	42	76
50-64	184	12.1	153	2	5	9	15	26	33	83
65+	178	16.0	165	4	8	12	22	33	40	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	433	3.1	19	1	1	2	3	7	9	24
B. Operated	162	3.5	15	1	1	2	5	8	11	22
2. MULTIPLE DX										
A. Not Operated	1839	6.4	44	1	2	5	8	13	18	36
B. Operated	1001	12.5	163	2	4	9	16	29	40	92
1. SINGLE DX	595	3.2	18	1	1	2	4	7	10	23
2. MULTIPLE DX	2840	8.6	94	2	3	6	11	19	28	57
A. Not Operated	2272	5.8	41	1	2	4	7	12	17	34
B. Operated	1163	11.3	152	1	3	8	14	27	37	84
TOTAL										
0-19 YRS	754	5.6	78	1	1	2	6	13	22	54
20-34	933	6.7	66	1	2	4	8	15	22	48
35-49	831	7.4	77	1	2	5	9	16	25	48
50-64	457	8.9	89	2	3	6	11	20	27	62
65+	460	12.1	118	3	5	9	14	26	34	63
GRAND TOTAL	**3435**	**7.7**	**85**	**1**	**2**	**5**	**9**	**17**	**25**	**53**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	146	4.6	18	1	2	3	5	12	15	19
20-34	25	3.6	3	2	2	3	4	7	7	7
35-49	50	5.0	19	2	2	4	6	8	9	29
50-64	72	5.0	16	1	2	4	6	10	14	21
65+	67	5.4	14	2	3	4	8	10	11	22
B. Operated										
0-19 YRS	48	5.8	41	1	1	3	8	16	24	24
20-34	85	4.9	16	1	2	3	8	11	13	15
35-49	211	4.7	13	1	2	3	7	9	11	16
50-64	422	5.7	18	1	2	5	8	11	13	20
65+	359	6.2	32	1	2	5	10	12	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	231	6.4	55	2	2	4	8	14	16	31
20-34	84	5.6	18	2	3	5	7	10	13	27
35-49	161	6.0	22	2	3	5	7	11	16	25
50-64	324	6.7	66	2	3	5	8	11	16	43
65+	638	7.0	34	2	4	6	8	13	18	35
B. Operated										
0-19 YRS	77	7.9	50	1	3	7	11	16	19	41
20-34	128	7.5	55	1	2	6	10	14	26	36
35-49	356	6.2	30	1	2	5	9	13	15	24
50-64	900	7.1	45	2	3	6	9	13	16	32
65+	1198	8.9	61	2	4	8	11	16	20	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	360	4.8	16	2	2	4	6	10	13	21
B. Operated	1125	5.6	23	1	2	4	8	11	13	20
2. MULTIPLE DX										
A. Not Operated	1438	6.6	42	2	3	5	8	12	17	33
B. Operated	2659	7.8	52	2	3	7	10	15	18	36
1. SINGLE DX	1485	5.4	21	1	2	4	8	11	13	20
2. MULTIPLE DX	4097	7.4	49	2	3	6	10	14	18	35
A. Not Operated	1798	6.3	38	2	3	5	8	12	16	30
B. Operated	3784	7.2	44	1	2	6	10	14	17	32
TOTAL										
0-19 YRS	502	6.0	43	1	2	4	8	13	17	25
20-34	322	6.0	32	1	2	5	8	12	15	33
35-49	778	5.7	23	1	2	4	8	11	14	24
50-64	1718	6.6	42	1	3	5	9	12	16	26
65+	2262	7.8	49	2	3	7	10	15	19	36
GRAND TOTAL	**5582**	**6.9**	**42**	**2**	**3**	**6**	**9**	**13**	**17**	**31**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	11	4.5	9	2	3	4	5	10	12	12
50-64	42	7.2	20	1	3	8	11	13	14	17
65 +	121	7.8	61	1	3	8	10	14	15	38
B. Operated										
0-19 YRS	13	5.2	15	1	1	5	9	10	12	12
20-34	92	5.4	12	2	3	4	7	11	13	15
35-49	498	6.0	10	2	4	6	8	10	11	16
50-64	2562	7.9	9	4	6	8	10	11	13	16
65 +	4663	9.1	10	6	7	9	11	13	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.0	23	1	2	3	8	12	12	12
20-34	9	5.4	46	1	2	3	5	16	23	23
35-49	38	4.3	31	< 1	1	2	4	9	20	25
50-64	225	5.4	30	1	1	4	8	11	15	26
65 +	1064	6.8	49	1	2	5	9	13	17	37
B. Operated										
0-19 YRS	19	8.8	22	2	5	9	13	15	17	17
20-34	172	6.6	22	2	3	6	9	12	14	26
35-49	817	7.4	27	2	4	7	9	13	15	26
50-64	5320	9.3	20	5	7	9	11	14	16	24
65 +	16610	10.8	29	7	8	10	12	16	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	176	7.4	48	1	3	7	10	13	14	21
B. Operated	7828	8.4	11	5	7	8	10	12	14	17
2. MULTIPLE DX										
A. Not Operated	1340	6.5	46	1	2	5	9	13	16	31
B. Operated	22938	10.3	28	6	8	9	12	15	18	29
1. SINGLE DX	8004	8.4	12	5	7	8	10	12	14	18
2. MULTIPLE DX	24278	10.1	29	5	7	9	12	15	18	29
A. Not Operated	1516	6.6	46	1	2	5	9	13	16	31
B. Operated	30766	9.8	24	6	7	9	11	15	17	27
TOTAL										
0-19 YRS	37	7.0	22	1	3	7	10	13	15	17
20-34	274	6.2	19	2	3	5	8	12	13	23
35-49	1364	6.8	21	2	3	6	9	11	14	25
50-64	8149	8.7	18	4	7	8	10	13	15	22
65 +	22458	10.2	27	6	8	9	12	15	18	29
GRAND TOTAL	**32282**	**9.7**	**25**	**5**	**7**	**9**	**11**	**15**	**17**	**27**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	10	3.3	11	< 1	1	2	4	8	12	12
50-64	6	2.0	2	< 1	1	1	2	5	5	5
65 +	22	7.9	221	2	2	4	7	11	38	73
B. Operated										
0-19 YRS	12	1.4		< 1	1	1	2	3	3	3
20-34	149	2.3	4	1	1	2	3	5	6	11
35-49	282	2.3	3	1	1	2	3	4	5	10
50-64	429	2.9	8	1	1	2	3	6	9	16
65 +	295	4.2	17	1	1	3	6	9	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	9.9	91	1	3	6	15	26	29	29
20-34	10	3.5	3	1	2	3	5	6	6	6
35-49	33	3.7	8	1	2	3	4	8	10	14
50-64	68	4.9	16	1	2	4	7	9	14	19
65 +	385	7.7	84	2	3	5	9	15	30	99 +
B. Operated										
0-19 YRS	7	3.7	7	1	2	3	4	8	9	9
20-34	129	2.5	3	1	1	2	3	4	6	8
35-49	301	2.6	5	1	1	2	3	5	6	11
50-64	558	4.1	25	1	2	3	5	8	12	19
65 +	858	7.0	42	1	3	5	9	14	17	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	5.5	123	1	2	3	5	9	13	73
B. Operated	1167	3.0	9	1	1	2	4	6	9	13
2. MULTIPLE DX										
A. Not Operated	504	7.0	70	2	3	5	8	14	25	99 +
B. Operated	1853	5.1	32	1	2	3	7	11	14	26
1. SINGLE DX	1209	3.1	13	1	1	2	4	7	9	14
2. MULTIPLE DX	2357	5.5	40	1	2	4	7	11	15	38
A. Not Operated	546	6.9	74	2	3	5	8	13	24	99 +
B. Operated	3020	4.3	24	1	1	3	5	10	12	23
TOTAL										
0-19 YRS	29	4.4	37	< 1	1	2	4	11	19	29
20-34	290	2.4	3	1	1	2	3	5	6	9
35-49	626	2.6	5	1	1	2	3	5	6	11
50-64	1061	3.7	18	1	1	2	4	8	11	17
65 +	1560	6.6	51	1	2	5	8	13	17	45
GRAND TOTAL	**3566**	**4.7**	**32**	**1**	**2**	**3**	**6**	**10**	**13**	**31**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	262	6.1	27	2	2	5	8	12	16	24
20-34	105	5.2	20	2	2	4	7	9	12	26
35-49	65	4.9	8	2	3	5	6	8	10	14
50-64	45	4.3	9	1	2	4	5	8	9	18
65 +	48	4.8	15	2	2	3	6	10	12	20
B. Operated										
0-19 YRS	290	9.4	58	3	5	8	11	18	22	31
20-34	293	4.1	14	1	2	3	5	8	10	22
35-49	361	4.5	34	1	2	3	5	9	12	21
50-64	356	5.1	27	1	2	4	7	10	13	27
65 +	175	6.7	17	1	3	7	9	11	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	341	8.0	41	2	3	6	11	16	21	32
20-34	205	6.6	29	2	3	5	8	14	17	28
35-49	230	7.0	59	2	3	5	8	13	20	44
50-64	238	7.4	57	2	3	5	9	14	19	52
65 +	543	8.5	80	2	4	6	10	16	25	46
B. Operated										
0-19 YRS	448	12.3	79	4	7	10	15	22	30	49
20-34	453	7.3	59	1	3	5	9	15	23	45
35-49	631	8.1	93	1	2	5	10	17	27	49
50-64	670	9.3	119	1	3	6	11	21	29	60
65 +	954	13.2	125	3	7	10	16	28	37	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	525	5.5	21	2	2	4	7	11	14	22
B. Operated	1475	5.8	35	1	2	4	8	11	15	26
2. MULTIPLE DX										
A. Not Operated	1557	7.8	59	2	3	6	9	15	21	42
B. Operated	3156	10.4	107	2	4	8	13	22	30	54
1. SINGLE DX	2000	5.7	31	1	2	4	8	11	15	25
2. MULTIPLE DX	4713	9.5	92	2	3	7	12	20	28	51
A. Not Operated	2082	7.2	50	2	3	5	9	14	20	37
B. Operated	4631	8.9	88	1	3	6	11	19	27	50
TOTAL										
0-19 YRS	1341	9.4	60	2	4	7	12	19	23	38
20-34	1056	6.1	39	1	2	4	7	13	18	30
35-49	1287	6.7	68	1	2	4	8	14	22	43
50-64	1309	7.6	83	1	3	5	9	16	23	54
65 +	1720	10.8	104	2	4	8	13	22	31	54
GRAND TOTAL	**6713**	**8.4**	**77**	**2**	**3**	**6**	**10**	**17**	**24**	**47**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.6	1	< 1	1	1	2	3	4	4
20-34	12	3.0	3	< 1	1	3	5	6	6	6
35-49	7	2.1	2	< 1	< 1	1	3	5	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	3	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated										
0-19 YRS	578	2.3	2	< 1	1	2	3	4	4	7
20-34	1141	2.6	2	< 1	2	2	3	4	5	7
35-49	508	2.2	2	< 1	1	2	3	4	5	6
50-64	132	1.8	2	< 1	< 1	1	2	4	5	8
65 +	32	1.5	1	< 1	< 1	1	2	2	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.4	2	< 1	< 1	3	3	4	5	5
20-34	14	2.1	2	< 1	< 1	1	3	5	5	5
35-49	14	2.4	5	< 1	< 1	1	3	5	8	9
50-64	14	1.7	2	< 1	< 1	1	2	5	5	5
65 +	14	5.6	17	1	3	5	6	12	14	15
B. Operated										
0-19 YRS	669	2.6	2	1	2	3	3	4	5	8
20-34	1796	2.7	3	1	2	2	3	4	5	7
35-49	914	2.6	5	< 1	1	2	3	5	6	12
50-64	455	2.3	5	< 1	1	1	3	5	6	11
65 +	241	2.7	16	< 1	1	1	3	5	8	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.3	2	< 1	1	2	3	5	5	6
B. Operated	2391	2.4	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	67	2.9	8	< 1	< 1	2	4	6	9	14
B. Operated	4075	2.6	4	< 1	1	2	3	4	5	10
1. SINGLE DX	2423	2.4	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	4142	2.6	4	< 1	1	2	3	4	5	10
A. Not Operated	99	2.7	6	< 1	< 1	2	4	5	6	14
B. Operated	6466	2.5	3	< 1	1	2	3	4	5	9
TOTAL										
0-19 YRS	1266	2.5	2	1	1	2	3	4	5	7
20-34	2963	2.6	3	1	2	2	3	4	5	7
35-49	1443	2.5	4	< 1	1	2	3	4	5	10
50-64	603	2.2	4	< 1	< 1	1	3	4	6	10
65 +	290	2.7	15	< 1	1	1	3	5	8	20
GRAND TOTAL	**6565**	**2.5**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**	**9**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	206	2.6	3	1	1	2	3	5	6	9
20-34	84	2.9	7	1	1	2	3	6	9	13
35-49	75	3.5	11	1	2	2	4	6	11	18
50-64	50	3.4	10	1	1	3	4	7	8	20
65 +	64	3.4	6	1	2	3	5	7	9	10
B. Operated										
0-19 YRS	1636	2.2	2	1	1	2	3	4	4	7
20-34	2585	2.2	2	1	1	2	3	4	4	7
35-49	898	2.4	3	1	1	2	3	4	6	9
50-64	286	2.9	7	1	1	2	3	5	8	13
65 +	110	3.4	7	1	1	3	5	7	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	376	3.7	18	1	2	3	4	7	10	22
20-34	150	3.7	16	< 1	1	3	4	8	11	24
35-49	228	4.8	28	1	2	3	6	10	16	26
50-64	256	5.8	74	1	2	3	6	11	22	69
65 +	692	6.9	77	1	2	5	8	13	20	56
B. Operated										
0-19 YRS	1701	3.5	21	1	2	3	4	6	9	23
20-34	1617	2.9	8	1	1	2	3	5	7	15
35-49	972	3.6	26	1	1	2	4	6	11	24
50-64	561	4.4	28	1	2	3	5	9	14	31
65 +	586	7.4	65	1	2	5	10	16	22	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	479	3.0	6	1	1	2	4	6	8	13
B. Operated	5515	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	1702	5.5	54	1	2	3	6	10	16	39
B. Operated	5437	3.9	25	1	2	3	4	7	11	25
1. SINGLE DX	5994	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	7139	4.2	32	1	2	3	5	8	12	29
A. Not Operated	2181	4.9	44	1	2	3	6	9	15	37
B. Operated	10952	3.1	14	1	1	2	3	5	8	19
TOTAL										
0-19 YRS	3919	2.9	12	1	1	2	3	5	7	17
20-34	4436	2.5	5	1	1	2	3	4	5	11
35-49	2173	3.2	17	1	1	2	4	6	9	19
50-64	1153	4.3	33	1	2	3	5	9	13	32
65 +	1452	6.7	65	1	2	4	8	13	20	51
GRAND TOTAL	**13133**	**3.4**	**20**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	2.8	6	1	1	2	4	7	7	7
35-49	5	4.6	4	3	3	4	6	8	8	8
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	2	15.0	162	6	6	15	24	24	24	24
35-49	5	5.4	33	1	1	5	8	15	15	15
50-64	3	7.7	6	5	6	8	9	10	10	10
65 +	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	9.3	35	5	6	7	13	18	18	18
35-49	13	7.0	26	4	5	6	7	11	21	23
50-64	12	4.6	12	1	2	3	7	10	11	11
65 +	20	10.5	176	2	4	5	11	28	43	57
B. Operated										
0-19 YRS	0									
20-34	13	8.3	23	3	5	8	11	15	18	19
35-49	11	9.2	39	2	4	8	13	19	19	19
50-64	20	9.3	40	4	5	7	12	17	23	28
65 +	19	15.2	156	4	6	12	19	31	43	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.7	4	1	2	3	5	7	8	8
B. Operated	12	8.1	41	1	5	6	10	18	23	24
2. MULTIPLE DX										
A. Not Operated	50	7.9	85	2	4	5	8	15	28	57
B. Operated	63	10.8	77	3	5	8	15	19	29	50
1. SINGLE DX	27	5.7	25	1	3	5	7	11	16	24
2. MULTIPLE DX	113	9.6	82	2	4	7	12	19	28	54
A. Not Operated	65	7.0	69	2	3	5	7	12	24	53
B. Operated	75	10.4	71	3	5	8	14	19	27	47
TOTAL										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	24	7.9	35	2	4	7	10	18	20	24
35-49	34	7.1	28	2	4	6	8	15	19	23
50-64	37	7.3	31	2	4	7	10	15	17	28
65 +	43	12.2	156	3	4	7	16	29	39	57
GRAND TOTAL	**140**	**8.8**	**73**	**2**	**4**	**6**	**11**	**19**	**26**	**53**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.6	5	1	1	4	5	7	7	7
20-34	36	3.3	5	1	1	3	5	7	8	9
35-49	125	2.9	7	1	1	2	4	6	8	15
50-64	140	3.3	8	1	1	3	5	7	9	12
65 +	139	3.8	11	< 1	1	3	5	8	11	15
B. Operated										
0-19 YRS	4	8.5	2	7	7	8	9	10	10	10
20-34	109	3.7	9	1	1	3	5	7	9	15
35-49	661	3.6	7	1	2	3	5	7	8	12
50-64	780	3.8	8	1	2	3	5	7	9	14
65 +	335	4.6	12	1	2	4	7	9	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	6.2	18	1	3	5	8	12	16	16
20-34	46	4.6	19	1	1	3	6	11	15	18
35-49	249	5.1	32	1	2	4	6	9	16	28
50-64	585	5.7	30	1	3	4	7	11	15	24
65 +	1702	6.7	37	2	3	5	8	13	16	28
B. Operated										
0-19 YRS	7	5.7	8	2	4	7	8	9	9	9
20-34	169	5.2	13	1	2	5	7	9	11	19
35-49	988	5.0	22	1	2	4	6	9	13	26
50-64	1488	5.8	25	1	3	5	7	11	15	28
65 +	1799	8.8	67	2	4	7	11	17	24	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	447	3.3	8	1	1	3	5	7	9	14
B. Operated	1889	3.9	9	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	2593	6.3	35	2	3	5	8	12	16	27
B. Operated	4451	6.8	44	1	3	5	8	14	18	37
1. SINGLE DX	2336	3.8	9	1	1	3	5	7	9	14
2. MULTIPLE DX	7044	6.6	41	1	3	5	8	13	17	32
A. Not Operated	3040	5.9	32	1	3	5	8	11	15	25
B. Operated	6340	5.9	35	1	2	4	7	12	16	31
TOTAL										
0-19 YRS	29	5.8	12	1	3	5	8	9	10	16
20-34	360	4.5	12	1	2	4	6	9	11	18
35-49	2023	4.4	18	1	2	3	5	8	11	23
50-64	2993	5.1	22	1	2	4	7	10	13	23
65 +	3975	7.4	50	2	3	6	9	14	19	38
GRAND TOTAL	**9380**	**5.9**	**34**	**1**	**2**	**4**	**7**	**12**	**16**	**29**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	4.0	5	1	2	4	5	7	8	8
20-34	1003	4.4	11	1	2	4	6	8	11	16
35-49	1582	4.7	15	1	2	4	6	9	11	17
50-64	698	4.8	14	1	2	4	7	9	12	18
65 +	247	5.0	14	< 1	2	5	7	10	11	18
B. Operated										
0-19 YRS	321	3.7	7	1	2	3	4	6	7	17
20-34	7287	4.0	8	1	2	3	5	7	9	14
35-49	10886	4.1	9	1	2	4	5	7	9	16
50-64	4119	4.4	10	1	2	4	6	8	10	16
65 +	986	5.2	14	1	3	4	7	9	12	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	7.4	37	3	3	5	9	16	24	25
20-34	705	5.5	20	1	3	5	7	10	13	20
35-49	1487	6.2	24	1	3	5	8	12	16	25
50-64	1388	6.4	19	2	3	5	8	11	14	22
65 +	1558	7.7	32	3	4	7	10	14	17	27
B. Operated										
0-19 YRS	77	5.1	76	2	3	3	6	8	9	60
20-34	2859	5.7	18	2	3	5	7	10	13	24
35-49	6275	5.9	21	2	3	5	7	11	14	24
50-64	4493	6.7	32	2	3	5	8	13	16	27
65 +	3281	8.6	49	3	4	7	10	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3560	4.7	14	1	2	4	6	9	11	17
B. Operated	23599	4.2	9	1	2	4	5	8	9	15
2. MULTIPLE DX										
A. Not Operated	5166	6.6	25	2	3	5	9	12	15	24
B. Operated	16985	6.6	30	2	3	5	8	12	16	28
1. SINGLE DX	27159	4.2	10	1	2	4	5	8	10	16
2. MULTIPLE DX	22151	6.6	29	2	3	5	8	12	16	27
A. Not Operated	8726	5.8	21	1	3	5	8	11	14	22
B. Operated	40584	5.2	19	1	3	4	6	10	13	22
TOTAL										
0-19 YRS	456	4.2	21	1	2	3	5	7	8	21
20-34	11854	4.5	12	1	2	4	6	8	11	17
35-49	20230	4.9	15	1	3	4	6	9	12	20
50-64	10698	5.6	22	1	3	5	7	11	14	22
65 +	6072	7.7	39	2	4	6	9	14	19	31
GRAND TOTAL	**49310**	**5.3**	**20**	**1**	**3**	**4**	**7**	**10**	**13**	**22**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	8.8	39	3	6	7	9	20	21	21
20-34	78	4.2	11	1	2	3	6	8	9	17
35-49	209	4.7	13	1	2	4	6	9	11	14
50-64	109	4.4	20	1	1	3	6	8	12	26
65+	33	4.1	9	1	2	3	5	8	11	14
B. Operated										
0-19 YRS	6	2.8	3	1	1	3	4	5	5	5
20-34	886	3.6	7	1	2	3	5	6	8	12
35-49	2593	3.6	6	1	2	3	5	6	8	13
50-64	963	3.8	8	1	2	3	5	7	8	14
65+	130	4.3	8	1	3	4	5	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.4	11	1	2	4	6	9	10	10
20-34	90	4.9	14	1	2	4	7	9	10	20
35-49	267	5.5	19	1	2	4	7	11	15	22
50-64	231	5.6	18	1	2	4	8	11	14	21
65+	240	7.0	43	2	3	5	9	13	18	34
B. Operated										
0-19 YRS	7	7.9	91	1	1	2	13	24	26	26
20-34	408	4.8	15	1	3	4	6	9	12	19
35-49	1857	4.5	14	1	2	4	6	8	11	18
50-64	1195	5.2	22	1	3	4	6	9	13	24
65+	375	8.6	86	2	3	6	10	17	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	435	4.5	14	1	2	4	6	9	11	18
B. Operated	4578	3.7	7	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. Not Operated	835	5.9	25	1	3	5	8	11	15	22
B. Operated	3842	5.2	25	1	2	4	6	10	14	26
1. SINGLE DX	5013	3.8	8	1	2	3	5	7	8	14
2. MULTIPLE DX	4677	5.3	25	1	3	4	6	10	14	25
A. Not Operated	1270	5.4	22	1	2	4	7	11	14	21
B. Operated	8420	4.4	16	1	2	3	5	8	10	19
TOTAL										
0-19 YRS	26	6.0	39	1	1	4	7	14	22	26
20-34	1462	4.1	10	1	2	3	5	7	9	17
35-49	4926	4.1	11	1	2	3	5	8	10	16
50-64	2498	4.7	17	1	2	4	6	9	11	21
65+	778	7.2	59	2	3	5	9	14	19	44
GRAND TOTAL	**9690**	**4.5**	**17**	**1**	**2**	**4**	**5**	**8**	**11**	**20**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	5.2	11	1	3	5	7	11	11	11
20-34	28	5.3	11	1	2	6	7	9	12	15
35-49	33	4.3	5	1	2	4	6	7	8	9
50-64	17	4.3	9	1	2	3	6	10	11	11
65+	10	4.1	16	1	2	3	4	10	15	15
B. Operated										
0-19 YRS	6	8.3	25	3	4	7	13	15	15	15
20-34	29	6.9	21	1	3	7	9	11	17	20
35-49	68	4.7	11	1	1	4	7	9	10	14
50-64	13	3.6	10	1	1	2	7	8	9	9
65+	5	8.4	5	6	7	8	9	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	6.1	24	1	3	4	9	14	15	15
20-34	56	4.9	8	1	3	4	7	9	10	13
35-49	94	6.0	14	2	4	5	8	11	13	20
50-64	63	6.3	16	2	4	5	9	12	13	22
65+	73	8.1	67	2	3	6	10	16	30	42
B. Operated										
0-19 YRS	7	9.6	19	3	9	10	12	15	15	15
20-34	72	7.4	40	1	3	7	9	15	20	35
35-49	111	7.1	28	2	4	7	9	11	12	39
50-64	62	7.3	33	1	5	7	9	13	14	38
65+	25	9.6	37	2	6	9	12	17	21	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	4.7	9	1	2	4	6	8	11	15
B. Operated	121	5.4	15	1	1	5	8	10	12	18
2. MULTIPLE DX										
A. Not Operated	296	6.4	27	2	3	5	8	12	15	33
B. Operated	277	7.5	33	2	4	7	9	12	16	37
1. SINGLE DX	223	5.1	13	1	2	5	7	10	11	16
2. MULTIPLE DX	573	6.9	30	2	4	6	9	12	15	35
A. Not Operated	398	5.9	23	2	3	5	7	11	14	28
B. Operated	398	6.9	29	1	3	7	9	12	15	35
TOTAL										
0-19 YRS	37	6.8	20	1	3	5	10	14	15	15
20-34	185	6.2	24	1	3	6	8	10	15	29
35-49	306	5.9	19	1	3	5	8	10	12	19
50-64	155	6.3	23	1	3	6	8	12	13	23
65+	113	8.1	54	2	3	6	10	16	19	38
GRAND TOTAL	**796**	**6.4**	**26**	**1**	**3**	**6**	**8**	**11**	**14**	**33**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.0	3	2	3	4	5	6	6	6
20-34	68	4.6	13	1	2	4	6	8	10	21
35-49	110	4.4	11	1	2	4	6	9	10	17
50-64	67	4.0	10	1	2	3	6	8	11	15
65+	34	4.4	6	2	3	4	6	7	10	11
B. Operated										
0-19 YRS	0									
20-34	56	3.2	15	1	1	2	4	6	10	22
35-49	79	2.7	10	1	1	1	3	6	9	18
50-64	58	2.5	4	1	1	2	3	6	7	9
65+	18	2.6	4	1	1	2	4	5	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.3	7	3	3	4	7	9	9	9
20-34	67	5.3	20	2	2	4	7	10	12	25
35-49	178	6.1	22	2	3	5	8	11	13	29
50-64	178	6.4	20	2	4	5	8	13	15	23
65+	379	7.8	36	3	4	6	10	15	19	49
B. Operated										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	25	5.4	31	1	2	3	8	13	17	23
35-49	83	6.8	56	1	2	4	8	16	24	36
50-64	53	6.3	33	1	2	5	8	13	21	23
65+	49	8.7	61	1	2	7	14	17	26	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	284	4.3	10	1	2	4	6	8	10	16
B. Operated	211	2.8	9	1	1	2	4	6	8	19
2. MULTIPLE DX										
A. Not Operated	806	6.9	28	2	4	5	9	13	17	31
B. Operated	212	7.0	48	1	2	5	9	16	22	32
1. SINGLE DX	495	3.7	10	1	1	3	5	7	9	17
2. MULTIPLE DX	1018	6.9	33	2	3	5	9	14	18	32
A. Not Operated	1090	6.2	25	2	3	5	8	12	15	27
B. Operated	423	4.9	33	1	1	3	6	11	17	31
TOTAL										
0-19 YRS	11	5.0	8	2	3	4	6	10	11	11
20-34	216	4.5	18	1	2	3	6	10	12	23
35-49	450	5.2	25	1	2	4	7	10	13	31
50-64	356	5.3	20	1	2	4	7	11	14	22
65+	480	7.4	37	2	4	6	10	15	18	40
GRAND TOTAL	**1513**	**5.8**	**28**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	149	2.5	5	<1	1	2	3	5	6	10
20-34	823	3.7	10	1	1	3	5	8	9	15
35-49	1251	3.8	9	1	1	3	5	8	10	14
50-64	629	3.9	11	1	1	3	5	8	11	14
65+	318	3.4	12	<1	<1	2	5	8	11	17
B. Operated										
0-19 YRS	48	2.6	5	<1	1	2	4	6	7	11
20-34	788	2.9	13	1	1	2	4	6	9	15
35-49	1623	2.8	6	1	1	2	4	6	8	11
50-64	1337	3.6	9	1	1	3	5	7	9	14
65+	996	5.0	15	1	2	4	7	9	11	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	184	3.2	7	1	1	2	4	8	9	12
20-34	1132	5.2	23	1	2	4	7	10	14	25
35-49	1982	5.4	23	1	2	4	7	11	14	25
50-64	1700	5.6	20	1	2	4	8	11	14	23
65+	2724	6.7	35	2	3	5	8	13	17	29
B. Operated										
0-19 YRS	73	5.0	50	1	1	3	6	9	16	45
20-34	770	4.6	27	1	1	3	6	10	13	26
35-49	1973	5.2	32	1	1	4	7	10	15	28
50-64	2578	6.4	40	1	3	5	8	12	16	35
65+	4296	8.8	56	2	5	7	10	16	22	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3170	3.7	10	1	1	3	5	8	10	15
B. Operated	4792	3.5	11	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	7722	5.8	27	1	2	5	7	11	15	25
B. Operated	9690	7.0	47	1	3	6	9	14	19	36
1. SINGLE DX	7962	3.6	10	1	1	3	5	7	9	15
2. MULTIPLE DX	17412	6.5	38	1	3	5	8	12	17	31
A. Not Operated	10892	5.2	23	1	2	4	7	10	14	24
B. Operated	14482	5.9	38	1	2	5	8	11	16	31
TOTAL										
0-19 YRS	454	3.2	14	1	1	2	4	6	9	15
20-34	3513	4.2	19	1	1	3	6	9	11	23
35-49	6829	4.4	20	1	1	3	6	9	12	24
50-64	6244	5.3	26	1	2	4	7	10	13	25
65+	8334	7.4	45	1	4	6	9	14	19	33
GRAND TOTAL	**25374**	**5.6**	**31**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	385	2.8	3	1	1	2	3	5	6	9
20-34	115	3.7	6	1	2	3	5	7	9	12
35-49	168	3.4	7	1	2	3	4	6	9	12
50-64	97	4.0	10	1	2	3	6	9	10	13
65 +	51	4.0	8	1	2	3	6	7	8	14
B. Operated										
0-19 YRS	263	2.1	4	< 1	1	1	2	4	6	11
20-34	870	2.2	3	< 1	1	2	2	4	6	10
35-49	1389	2.0	3	1	1	2	2	4	5	10
50-64	899	2.0	2	1	1	2	2	4	5	8
65 +	290	2.2	3	< 1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	225	3.4	9	1	2	3	4	6	8	16
20-34	202	4.0	5	2	2	4	5	7	8	10
35-49	268	4.6	14	1	2	4	6	8	9	23
50-64	305	4.2	11	1	2	3	5	8	10	15
65 +	461	5.4	17	2	3	4	7	10	15	20
B. Operated										
0-19 YRS	172	3.8	16	1	1	3	5	8	11	18
20-34	741	3.2	14	1	1	2	4	7	9	17
35-49	1573	2.7	10	1	1	2	3	5	8	15
50-64	1661	2.9	9	1	1	2	3	5	9	15
65 +	848	4.6	33	1	2	3	5	10	14	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	816	3.2	6	1	2	3	4	6	8	12
B. Operated	3711	2.1	3	< 1	1	2	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	1461	4.5	13	1	2	4	6	8	10	19
B. Operated	4995	3.2	15	1	1	2	4	7	10	18
1. SINGLE DX	4527	2.3	3	< 1	1	2	3	4	6	10
2. MULTIPLE DX	6456	3.5	15	1	1	2	4	7	10	18
A. Not Operated	2277	4.0	11	1	2	3	5	8	10	17
B. Operated	8706	2.7	10	1	1	2	3	5	8	15
TOTAL										
0-19 YRS	1045	2.9	7	1	1	2	4	6	7	13
20-34	1928	2.8	8	1	1	2	3	6	8	14
35-49	3398	2.6	8	1	1	2	3	5	7	13
50-64	2962	2.8	8	1	1	2	3	5	8	14
65 +	1650	4.4	23	1	2	3	5	9	13	25
GRAND TOTAL	**10983**	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**9**	**16**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.7		1	1	2	2	2	2	2
50-64	6	4.7	57	1	1	2	2	18	20	20
65 +	0									
B. Operated										
0-19 YRS	182	1.8	1	1	1	1	2	3	4	5
20-34	345	1.8	1	< 1	1	2	2	3	4	5
35-49	438	1.9	1	< 1	1	2	2	3	4	5
50-64	420	1.9	1	1	1	2	2	3	4	5
65 +	175	2.0	1	< 1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.7	1	< 1	1	1	2	3	3	3
20-34	11	1.2		< 1	< 1	< 1	1	2	2	2
35-49	13	1.2		< 1	< 1	< 1	1	2	2	2
50-64	10	2.2	5	< 1	< 1	1	3	6	8	8
65 +	14	2.5	8	< 1	< 1	1	2	7	9	10
B. Operated										
0-19 YRS	271	1.9	4	1	1	2	2	3	4	6
20-34	602	2.0	2	< 1	1	2	3	3	4	7
35-49	1163	2.1	2	< 1	1	2	3	4	4	6
50-64	1614	2.2	2	1	1	2	3	4	5	7
65 +	1396	2.5	3	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.5	29	1	1	2	2	10	19	20
B. Operated	1560	1.9	1	< 1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	54	1.8	3	< 1	< 1	1	2	3	6	10
B. Operated	5046	2.2	2	1	1	2	3	4	5	7
1. SINGLE DX	1572	1.9	1	< 1	1	2	2	3	4	5
2. MULTIPLE DX	5100	2.2	2	1	1	2	3	4	5	8
A. Not Operated	66	2.1	8	< 1	< 1	1	2	3	7	18
B. Operated	6606	2.1	2	1	1	2	3	4	5	7
TOTAL										
0-19 YRS	461	1.9	3	1	1	2	2	3	4	6
20-34	959	1.9	1	< 1	1	2	2	3	4	6
35-49	1617	2.0	2	< 1	1	2	3	3	4	6
50-64	2050	2.1	2	1	1	2	3	4	5	7
65 +	1585	2.5	3	1	1	2	3	4	5	8
GRAND TOTAL	**6672**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7		< 1	< 1	2	2	2	2	2
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	10	2.4	3	< 1	1	2	2	5	7	7
50-64	6	2.3	2	< 1	1	2	3	5	5	5
65 +	10	3.3	7	1	1	3	4	7	10	10
B. Operated										
0-19 YRS	127	1.1		< 1	< 1	< 1	1	1	2	3
20-34	140	1.2		< 1	< 1	< 1	1	2	3	4
35-49	152	1.5	2	< 1	< 1	< 1	1	2	4	9
50-64	122	1.5	1	< 1	< 1	1	2	3	4	7
65 +	62	2.0	5	< 1	< 1	1	2	4	6	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	6	3.7	8	1	1	3	5	8	8	8
35-49	10	2.8	2	1	2	3	4	5	5	5
50-64	22	3.1	4	1	2	2	5	6	7	7
65 +	37	5.3	18	1	3	4	6	12	14	20
B. Operated										
0-19 YRS	21	1.9	3	< 1	< 1	1	2	5	6	7
20-34	45	2.0	7	< 1	< 1	1	2	4	7	16
35-49	89	2.4	6	< 1	1	2	3	5	6	15
50-64	136	2.8	6	< 1	1	2	3	6	9	13
65 +	128	4.1	19	1	2	3	5	8	13	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.6	4	< 1	1	2	3	5	7	10
B. Operated	603	1.4	1	< 1	< 1	< 1	1	2	3	7
2. MULTIPLE DX										
A. Not Operated	77	4.1	12	1	2	3	5	8	12	19
B. Operated	419	3.0	11	< 1	1	2	3	6	9	16
1. SINGLE DX	634	1.5	2	< 1	< 1	< 1	1	3	3	7
2. MULTIPLE DX	496	3.2	11	< 1	1	2	4	7	9	16
A. Not Operated	108	3.7	10	1	2	3	5	7	10	17
B. Operated	1022	2.1	6	< 1	< 1	1	2	4	6	14
TOTAL										
0-19 YRS	153	1.2	1	< 1	< 1	< 1	1	2	2	5
20-34	193	1.5	2	< 1	< 1	< 1	1	2	4	9
35-49	261	1.9	4	< 1	< 1	1	2	4	5	12
50-64	286	2.3	4	< 1	1	1	3	5	7	11
65 +	237	3.7	16	< 1	1	2	4	8	12	21
GRAND TOTAL	**1130**	**2.2**	**6**	**< 1**	**< 1**	**1**	**2**	**5**	**7**	**14**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	237	8.7	42	2	4	7	11	18	21	28
20-34	51	8.2	43	2	4	6	11	19	19	31
35-49	52	9.5	73	3	4	7	11	19	28	47
50-64	44	9.5	96	1	4	6	11	20	31	47
65 +	20	8.3	38	1	3	7	13	17	20	21
B. Operated										
0-19 YRS	255	9.9	67	2	4	8	12	21	28	37
20-34	123	7.6	59	2	3	5	10	15	22	43
35-49	156	7.7	42	1	3	5	11	16	19	29
50-64	100	6.5	37	2	3	5	8	13	16	36
65 +	67	7.2	48	1	3	5	10	14	16	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	324	11.7	70	3	6	9	15	23	30	38
20-34	136	11.5	113	2	4	8	14	29	37	44
35-49	240	11.9	127	2	5	8	15	28	37	50
50-64	316	13.3	121	3	6	11	17	27	34	50
65 +	529	13.5	111	4	7	11	17	28	38	55
B. Operated										
0-19 YRS	566	15.2	150	4	7	12	19	32	43	90
20-34	504	15.7	186	4	6	12	21	38	47	99 +
35-49	869	15.4	198	3	6	11	20	36	47	73
50-64	1088	16.0	215	4	7	11	20	35	45	84
65 +	1335	17.3	219	4	7	13	23	38	50	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	404	8.8	51	2	4	7	[illegible]	19	21	38
B. Operated	701	8.2	55	2	3	6	11	16	[illegible]	38
2. MULTIPLE DX										
A. Not Operated	1545	12.7	108	3	6	10	16	27	35	49
B. Operated	4362	16.1	201	4	7	12	21	36	47	85
1. SINGLE DX	1105	8.4	54	2	3	6	11	17	22	38
2. MULTIPLE DX	5907	15.2	179	4	7	11	20	33	44	78
A. Not Operated	1949	11.9	98	3	5	9	15	24	32	47
B. Operated	5063	15.0	189	3	6	11	19	33	44	81
TOTAL										
0-19 YRS	1382	12.3	104	3	6	10	15	25	33	49
20-34	814	13.3	156	3	5	10	17	32	43	68
35-49	1317	13.6	169	3	5	10	17	31	43	66
50-64	1548	14.7	187	3	6	10	18	32	43	80
65 +	1951	15.8	188	4	7	12	20	34	45	81
GRAND TOTAL	**7012**	**14.2**	**166**	**3**	**6**	**10**	**18**	**31**	**42**	**74**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	267	5.1	24	1	2	4	7	11	15	23
20-34	101	2.2	2	< 1	1	2	3	4	5	8
35-49	189	2.4	5	1	1	2	3	5	6	13
50-64	129	3.1	9	1	1	2	3	7	9	15
65 +	207	5.4	17	2	3	5	6	11	14	21
B. Operated										
0-19 YRS	2071	3.3	9	1	1	2	4	7	9	16
20-34	1222	3.1	9	1	1	2	4	6	8	11
35-49	850	3.9	10	1	2	3	5	8	9	15
50-64	469	4.5	16	1	2	4	6	9	11	16
65 +	318	6.9	48	1	3	6	9	13	16	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	233	5.2	39	1	1	3	6	13	21	35
20-34	296	3.0	7	1	1	2	4	6	8	13
35-49	772	3.8	28	1	2	3	4	7	12	30
50-64	1176	5.5	42	1	2	4	7	11	16	32
65 +	5745	8.3	56	2	4	6	10	16	21	41
B. Operated										
0-19 YRS	1015	4.6	38	1	1	3	5	9	14	31
20-34	1529	4.9	39	1	2	3	6	9	13	31
35-49	1598	6.3	49	1	2	4	8	12	17	33
50-64	1689	8.5	68	2	3	7	11	17	23	38
65 +	3202	12.4	109	3	7	10	15	24	32	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	893	4.0	16	1	1	3	5	8	12	21
B. Operated	4930	3.7	13	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	8222	7.2	52	2	3	5	9	14	19	38
B. Operated	9033	8.5	81	1	3	6	11	17	24	50
1. SINGLE DX	5823	3.7	14	1	1	3	5	8	10	17
2. MULTIPLE DX	17255	7.9	68	2	3	6	10	16	22	44
A. Not Operated	9115	6.9	49	1	3	5	9	14	19	37
B. Operated	13963	6.8	62	1	2	4	9	14	20	40
TOTAL										
0-19 YRS	3586	3.9	21	1	1	3	5	8	11	23
20-34	3148	3.9	24	1	1	3	5	8	10	22
35-49	3409	5.0	34	1	2	3	6	10	13	27
50-64	3463	6.7	53	1	2	5	9	14	19	34
65 +	9472	9.6	77	3	4	7	12	18	25	50
GRAND TOTAL	**23078**	**6.8**	**57**	**1**	**2**	**5**	**9**	**14**	**20**	**38**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.9	1	1	1	2	3	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	500	2.7	8	1	1	2	3	4	6	13
20-34	94	3.8	38	1	1	3	4	8	9	37
35-49	78	3.1	4	1	1	3	4	6	7	10
50-64	53	4.1	21	1	1	3	5	9	10	29
65 +	24	5.9	16	2	3	5	8	11	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	2.2	5	< 1	< 1	1	3	4	9	11
20-34	10	3.4	7	< 1	1	2	6	8	9	9
35-49	5	13.8	159	2	3	10	25	30	30	30
50-64	9	8.2	160	1	2	4	7	29	41	41
65 +	19	20.2	599	2	3	12	31	64	77	82
B. Operated										
0-19 YRS	1283	3.4	14	1	2	3	4	6	8	17
20-34	301	4.1	25	1	2	3	5	7	10	28
35-49	243	3.9	12	1	2	3	5	7	9	21
50-64	221	4.1	10	1	2	3	5	8	11	17
65 +	160	6.4	89	1	2	4	8	13	19	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.9	1	1	1	2	3	3	4	4
B. Operated	749	3.1	13	1	1	2	4	6	8	16
2. MULTIPLE DX										
A. Not Operated	75	8.4	232	< 1	1	3	8	24	40	79
B. Operated	2208	3.8	21	1	2	3	4	7	9	22
1. SINGLE DX	763	3.0	13	1	1	2	4	6	8	16
2. MULTIPLE DX	2283	4.0	28	1	2	3	4	7	10	26
A. Not Operated	89	7.4	201	< 1	1	3	6	17	38	78
B. Operated	2957	3.6	19	1	2	3	4	7	9	21
TOTAL										
0-19 YRS	1825	3.2	12	1	1	2	4	6	8	16
20-34	407	4.0	28	1	1	3	5	7	9	27
35-49	327	3.8	13	1	2	3	5	7	9	22
50-64	284	4.3	17	1	2	3	5	8	11	19
65 +	203	7.6	141	1	2	4	8	15	28	90
GRAND TOTAL	**3046**	**3.7**	**25**	**1**	**2**	**3**	**4**	**7**	**9**	**24**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	254	2.0	4	<1	<1	1	2	4	6	11
20-34	191	3.0	6	1	1	2	4	6	8	12
35-49	255	3.2	11	1	1	2	4	6	9	19
50-64	163	3.1	6	1	1	2	4	7	8	12
65 +	100	3.7	23	1	1	3	4	6	9	32
B. Operated										
0-19 YRS	1175	5.3	13	1	2	6	8	9	10	16
20-34	596	3.4	14	1	1	2	5	8	10	19
35-49	673	3.3	12	1	1	2	4	7	10	18
50-64	572	2.7	17	1	1	2	3	5	8	19
65 +	345	2.9	14	1	1	2	3	5	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	388	3.2	12	<1	1	2	4	6	10	18
20-34	499	4.0	15	1	2	3	5	8	10	21
35-49	827	4.3	15	1	2	3	5	9	12	20
50-64	767	4.2	14	1	2	3	5	8	11	18
65 +	1317	5.7	32	1	2	4	7	11	15	26
B. Operated										
0-19 YRS	2159	6.2	52	1	2	4	9	12	18	38
20-34	1058	5.2	55	1	1	3	7	12	19	37
35-49	1384	5.7	58	1	1	3	7	12	19	40
50-64	1351	5.7	53	1	2	3	7	12	18	39
65 +	1346	6.9	62	1	2	4	9	15	21	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	963	2.9	9	<1	1	2	4	6	8	14
B. Operated	3361	3.9	15	1	1	2	6	8	10	17
2. MULTIPLE DX										
A. Not Operated	3798	4.6	21	1	2	3	6	9	13	23
B. Operated	7298	6.0	56	1	2	4	8	13	19	40
1. SINGLE DX	4324	3.7	14	1	1	2	5	8	10	17
2. MULTIPLE DX	11096	5.5	44	1	2	3	7	12	17	34
A. Not Operated	4761	4.3	19	1	2	3	5	9	12	21
B. Operated	10659	5.3	44	1	1	3	7	11	16	33
TOTAL										
0-19 YRS	3976	5.4	35	1	1	4	8	11	14	29
20-34	2344	4.3	33	1	1	3	5	9	13	25
35-49	3139	4.6	34	1	1	3	6	10	14	29
50-64	2853	4.5	34	1	1	3	5	10	13	29
65 +	3108	5.8	44	1	2	4	7	12	17	35
GRAND TOTAL	**15420**	**5.0**	**36**	**1**	**1**	**3**	**7**	**10**	**15**	**30**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.3	4	1	1	2	3	5	5	5
35-49	3	3.3		3	3	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	4.5	5	2	3	4	6	8	8	8
35-49	19	4.8	8	2	2	5	6	8	11	12
50-64	7	2.6	1	1	2	3	3	4	4	4
65 +	10	5.4	10	3	3	4	6	10	13	13
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	5.3	16	3	3	3	8	10	10	10
50-64	1	5.0		5	5	5	5	5	5	5
65 +	4	7.3	19	1	4	8	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.5	2	1	1	2	4	5	5	5
B. Operated	4	1.8	2	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	49	4.4	7	2	3	4	6	8	9	13
B. Operated	9	6.1	12	2	3	5	9	11	11	11
1. SINGLE DX	12	2.3	2	1	1	2	3	4	5	5
2. MULTIPLE DX	58	4.7	8	2	3	4	6	9	11	13
A. Not Operated	57	4.2	7	1	2	3	6	8	9	13
B. Operated	13	4.8	13	1	1	4	8	10	11	11
TOTAL										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	18	3.8	6	1	2	4	5	8	8	8
35-49	26	4.5	8	2	3	4	6	9	10	12
50-64	9	3.0	2	1	2	3	4	5	5	5
65 +	14	5.9	12	2	3	5	8	11	13	13
GRAND TOTAL	**70**	**4.3**	**8**	**1**	**2**	**3**	**6**	**8**	**10**	**13**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	3.0	18	< 1	1	2	3	6	8	25
20-34	14	3.2	11	1	1	2	4	10	11	11
35-49	3	5.7	10	2	3	7	8	8	8	8
50-64	2	6.0		6	6	6	6	6	6	6
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	394	5.1	20	1	2	4	6	10	12	22
20-34	24	5.8	20	1	3	5	7	12	17	18
35-49	32	5.5	10	1	4	5	7	9	12	15
50-64	11	5.8	19	1	2	6	7	13	15	15
65 +	6	4.7	9	1	2	4	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	300	4.8	41	1	1	3	5	10	18	38
20-34	20	6.6	26	1	2	5	10	14	16	17
35-49	14	8.9	248	1	1	3	6	36	51	55
50-64	17	11.4	179	1	3	5	14	25	44	54
65 +	15	4.7	12	1	2	4	7	8	13	14
B. Operated										
0-19 YRS	982	9.6	126	2	4	6	10	23	35	99 +
20-34	58	8.9	76	1	5	7	11	17	23	55
35-49	60	9.4	113	2	5	8	10	15	23	74
50-64	31	9.4	32	4	5	7	13	17	20	27
65 +	20	7.6	21	3	5	7	9	13	18	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	3.2	16	1	1	2	4	7	9	25
B. Operated	467	5.2	19	1	3	4	6	10	12	21
2. MULTIPLE DX										
A. Not Operated	366	5.4	55	1	2	3	6	12	20	40
B. Operated	1151	9.5	119	2	4	7	10	21	32	99 +
1. SINGLE DX	555	4.9	19	1	2	4	6	9	12	22
2. MULTIPLE DX	1517	8.5	106	1	3	6	9	18	29	96
A. Not Operated	454	5.0	48	1	1	3	5	11	18	40
B. Operated	1618	8.3	94	2	3	6	9	17	26	83
TOTAL										
0-19 YRS	1744	7.5	89	1	3	5	8	16	26	80
20-34	116	7.2	51	1	2	6	9	15	18	38
35-49	109	8.1	98	1	4	6	9	14	20	65
50-64	61	9.2	70	1	5	7	12	17	24	51
65 +	42	6.1	17	1	3	6	8	10	15	21
GRAND TOTAL	**2072**	**7.6**	**85**	**1**	**3**	**5**	**9**	**16**	**25**	**63**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	153	1.2	1	< 1	< 1	< 1	< 1	1	3	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	861	1.5	1	< 1	< 1	1	1	3	4	7
20-34	124	1.7	2	1	1	1	2	3	4	9
35-49	48	1.5	1	1	1	1	2	2	2	5
50-64	18	1.7	1	< 1	1	1	2	3	3	3
65 +	10	2.0	2	< 1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	1.8	2	< 1	< 1	1	2	4	4	8
20-34	6	2.7	3	1	1	2	3	6	6	6
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	4	4.5		4	4	4	5	5	5	5
B. Operated										
0-19 YRS	490	2.2	7	1	1	1	2	4	6	13
20-34	53	2.2	3	1	1	2	3	5	6	7
35-49	35	2.0	1	< 1	1	2	3	3	4	7
50-64	24	1.8	1	1	1	1	2	3	4	5
65 +	26	2.5	14	1	1	1	2	3	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	1.2	1	< 1	< 1	< 1	< 1	1	3	5
B. Operated	1061	1.5	1	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	78	2.0	2	< 1	1	1	3	4	5	8
B. Operated	628	2.1	6	1	1	1	2	4	6	13
1. SINGLE DX	1216	1.5	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	706	2.1	6	1	1	1	2	4	6	12
A. Not Operated	233	1.5	1	< 1	< 1	< 1	1	3	4	6
B. Operated	1689	1.8	3	< 1	1	1	2	3	5	8
TOTAL										
0-19 YRS	1571	1.7	3	< 1	< 1	1	2	3	4	8
20-34	184	1.9	2	1	1	1	2	3	5	8
35-49	83	1.7	1	1	1	1	2	3	3	6
50-64	44	1.8	1	1	1	1	2	3	4	5
65 +	40	2.6	10	1	1	2	3	5	7	19
GRAND TOTAL	**1922**	**1.7**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**	**8**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	176	4.3	28	1	1	3	6	9	13	46
20-34	9	2.1	4	<1	1	1	2	5	7	7
35-49	10	2.6	9	1	1	2	3	7	11	11
50-64	3	1.3		<1	<1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2698	4.3	17	1	1	4	6	8	10	16
20-34	139	4.5	16	1	1	3	7	9	11	18
35-49	99	3.5	12	1	1	2	5	8	10	17
50-64	31	4.0	12	1	1	2	8	9	9	11
65 +	14	5.6	34	1	1	3	9	15	19	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1244	4.6	46	<1	1	2	5	11	15	36
20-34	80	4.5	33	1	1	3	5	10	14	33
35-49	58	3.2	5	1	1	3	4	6	8	12
50-64	42	5.6	24	1	2	4	7	12	17	22
65 +	55	5.6	74	1	2	4	6	9	12	61
B. Operated										
0-19 YRS	8850	8.4	98	1	2	6	10	19	29	78
20-34	333	6.3	38	1	2	6	8	14	18	40
35-49	278	6.9	33	1	2	7	9	13	17	37
50-64	189	8.4	126	1	2	7	9	13	19	71
65 +	142	10.1	123	2	4	8	12	19	23	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	199	4.0	26	1	1	2	5	9	13	41
B. Operated	2981	4.3	17	1	1	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	1479	4.6	44	1	1	2	5	10	15	35
B. Operated	9792	8.3	96	1	2	6	10	18	28	75
1. SINGLE DX	3180	4.3	18	1	1	4	6	8	10	17
2. MULTIPLE DX	11271	7.8	90	1	2	6	9	17	26	70
A. Not Operated	1678	4.5	42	1	1	2	5	10	14	35
B. Operated	12773	7.4	80	1	2	6	9	16	24	63
TOTAL										
0-19 YRS	12968	7.1	79	1	2	5	9	15	24	62
20-34	561	5.5	32	1	1	4	8	12	15	36
35-49	445	5.5	27	1	2	4	8	12	14	36
50-64	265	7.4	98	1	2	6	9	13	18	68
65 +	212	8.6	108	1	3	6	10	17	20	66
GRAND TOTAL	**14451**	**7.0**	**77**	**1**	**2**	**5**	**8**	**15**	**23**	**60**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.7	3	1	2	2	3	5	7	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1836	2.1	1	1	1	2	3	4	4	6
20-34	13	3.2	3	1	2	3	4	6	7	7
35-49	6	2.7	2	1	2	2	3	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	2.9	24	<1	1	1	3	5	7	34
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2205	2.4	4	1	1	2	3	5	5	11
20-34	25	2.2	9	<1	1	1	3	3	7	16
35-49	13	1.9	1	1	1	1	3	3	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.7	3	1	2	2	3	5	7	8
B. Operated	1857	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	89	2.9	24	<1	1	1	3	5	7	34
B. Operated	2244	2.4	4	1	1	2	3	4	5	11
1. SINGLE DX	1882	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX	2333	2.4	5	1	1	2	3	4	6	11
A. Not Operated	114	2.8	20	<1	1	2	3	5	7	32
B. Operated	4101	2.3	3	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	4155	2.3	4	1	1	2	3	4	5	8
20-34	38	2.6	7	1	1	2	3	5	6	16
35-49	19	2.2	1	1	1	2	3	4	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**4215**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.2	2	1	1	2	3	3	5	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1854	2.9	2	2	2	3	3	4	5	7
20-34	0									
35-49	0									
50-64	0									
65 +	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.6	7	< 1	1	2	3	5	6	16
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	794	3.9	5	2	3	3	4	6	7	13
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.2	2	1	1	2	3	3	5	7
B. Operated	1857	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	35	2.6	7	< 1	1	2	3	5	6	16
B. Operated	795	3.9	5	2	3	3	4	6	7	13
1. SINGLE DX	1889	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX	830	3.8	5	2	3	3	4	6	7	13
A. Not Operated	67	2.4	5	1	1	2	3	4	5	14
B. Operated	2652	3.2	3	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	2715	3.2	3	2	2	3	4	5	6	9
20-34	0									
35-49	0									
50-64	0									
65 +	4	3.5	3	2	2	3	5	6	6	6
GRAND TOTAL	**2719**	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	202	2.7	8	< 1	1	2	4	5	7	14
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	4	7.3	27	4	4	5	10	15	15	15
50-64	3	2.7	4	< 1	< 1	2	4	5	5	5
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	1332	5.3	34	1	2	4	7	10	15	36
20-34	69	4.0	7	1	2	3	6	8	9	10
35-49	35	5.1	21	1	1	4	7	10	15	21
50-64	14	6.1	17	1	3	6	7	12	14	15
65 +	17	4.8	8	1	3	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	498	5.0	58	1	1	3	6	10	16	53
20-34	10	4.9	14	1	2	4	8	10	12	12
35-49	12	6.3	18	2	3	5	9	12	15	16
50-64	22	5.4	12	1	2	5	8	10	12	14
65 +	38	4.6	7	1	3	4	7	8	10	12
B. Operated										
0-19 YRS	2260	10.3	180	1	3	6	12	29	55	99 +
20-34	137	6.3	23	1	3	6	8	11	14	24
35-49	96	6.9	22	1	3	6	9	13	15	23
50-64	71	7.7	35	1	3	6	10	16	21	26
65 +	106	10.8	69	2	4	8	15	21	28	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	214	2.8	9	< 1	1	2	4	5	7	15
B. Operated	1467	5.2	32	1	2	4	7	10	14	34
2. MULTIPLE DX										
A. Not Operated	580	5.1	52	1	2	3	6	10	15	50
B. Operated	2670	9.9	159	1	3	6	12	26	47	99 +
1. SINGLE DX	1681	4.9	30	1	1	4	7	10	13	30
2. MULTIPLE DX	3250	9.0	144	1	2	6	10	23	42	99 +
A. Not Operated	794	4.4	41	1	1	3	5	9	13	40
B. Operated	4137	8.2	119	1	2	5	9	19	34	99 +
TOTAL										
0-19 YRS	4292	7.8	120	1	2	5	9	18	34	99 +
20-34	220	5.4	19	1	2	5	8	10	12	21
35-49	147	6.4	21	1	3	5	9	13	15	22
50-64	110	6.9	28	1	3	6	9	14	17	25
65 +	162	8.6	56	2	4	7	11	19	25	35
GRAND TOTAL	**4931**	**7.6**	**109**	**1**	**2**	**5**	**9**	**17**	**30**	**99 +**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	607	1.3		<1	<1	1	1	2	3	4
20-34	30	1.8	3	<1	1	1	2	3	5	9
35-49	12	2.3	2	<1	1	2	3	4	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	[illegible]	1.5	1	<1	1	1	2	3	3	6
20-34	39	2.0	2	1	1	2	3	3	5	7
35-49	25	1.8	1	1	1	2	2	3	4	5
50-64	14	1.4	2	<1	1	1	1	2	5	6
65 +	4	2.5	4	1	1	2	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.7	2	1	1	1	2	4	5	5
B. Operated	650	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	14	1.0		<1	<1	1	1	1	1	1
B. Operated	693	1.5	1	<1	1	1	2	3	3	7
1. SINGLE DX	657	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	707	1.5	1	<1	1	1	2	3	3	6
A. Not Operated	21	1.2	1	<1	<1	1	1	2	3	5
B. Operated	1343	1.4	1	<1	1	1	1	2	3	6
TOTAL										
0-19 YRS	1236	1.4	1	<1	<1	1	1	2	3	5
20-34	70	1.9	2	<1	1	1	2	3	5	9
35-49	39	2.0	1	1	1	2	3	4	5	5
50-64	15	1.4	2	1	1	1	1	2	5	6
65 +	4	2.5	4	1	1	2	4	5	5	5
GRAND TOTAL	**1364**	**1.4**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**	**6**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	1.5	2	1	1	1	2	2	3	8
20-34	10	2.3	2	<1	1	2	4	5	5	5
35-49	3	3.7	9	1	1	3	6	7	7	7
50-64	3	2.7	1	2	2	2	4	4	4	4
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2076	2.7	7	<1	1	2	3	6	8	12
20-34	156	3.4	5	1	2	3	4	7	8	9
35-49	69	3.4	4	1	1	4	5	6	7	10
50-64	21	4.3	5	2	3	4	6	8	9	9
65 +	12	3.3	5	<1	1	3	5	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	171	3.6	20	<1	1	2	4	8	12	[illegible]
20-34	65	3.3	4	1	2	3	5	6	7	[illegible]
35-49	82	3.9	15	<1	1	3	4	7	10	[illegible]
50-64	40	5.1	13	2	2	4	6	10	14	17
65 +	21	4.0	6	2	2	3	5	8	9	10
B. Operated										
0-19 YRS	1736	5.7	40	1	2	4	7	12	16	35
20-34	298	4.8	18	1	3	4	6	9	13	22
35-49	223	5.9	25	2	3	5	7	10	14	25
50-64	123	6.6	38	2	3	5	8	12	17	34
65 +	89	8.6	89	1	3	6	10	19	23	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	1.7	2	1	1	1	2	3	5	8
B. Operated	2334	2.8	7	<1	1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	379	3.8	15	<1	1	3	5	8	11	19
B. Operated	2469	5.7	38	1	2	4	7	12	16	33
1. SINGLE DX	2417	2.8	7	<1	1	2	4	6	8	12
2. MULTIPLE DX	2848	5.5	35	1	2	4	7	11	15	32
A. Not Operated	462	3.4	13	<1	1	2	4	7	10	18
B. Operated	4803	4.3	25	1	1	3	6	9	12	26
TOTAL										
0-19 YRS	4048	4.0	24	1	1	2	5	9	12	26
20-34	529	4.2	13	1	2	3	5	7	9	20
35-49	377	5.0	20	1	3	4	6	9	12	22
50-64	187	5.9	29	2	3	4	8	11	15	29
65 +	124	7.2	70	1	2	5	9	14	21	43
GRAND TOTAL	**5265**	**4.2**	**24**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	2.2	3	< 1	< 1	1	3	5	6	8
20-34	2	4.0		2	2	4	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1425	2.2	2	1	1	2	3	4	4	7
20-34	14	2.6	1	1	2	3	3	4	4	4
35-49	9	2.3	1	1	2	3	3	3	3	3
50-64	6	3.2	1	2	3	3	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	1.8	4	< 1	< 1	1	2	4	5	11
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	785	2.7	5	1	1	2	3	4	6	13
20-34	62	2.7	10	1	2	2	3	4	5	23
35-49	74	2.7	3	1	1	2	4	5	6	7
50-64	78	2.3	4	1	1	2	3	4	4	13
65 +	39	3.4	16	1	1	2	4	6	8	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.3	3	< 1	< 1	2	3	6	6	8
B. Operated	1454	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	49	1.8	3	< 1	< 1	1	2	4	5	11
B. Operated	1038	2.7	6	1	1	2	3	4	6	14
1. SINGLE DX	1490	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1087	2.6	6	1	1	2	3	4	6	13
A. Not Operated	85	2.0	3	< 1	< 1	1	2	4	6	10
B. Operated	2492	2.4	3	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	2289	2.4	3	1	1	2	3	4	5	8
20-34	79	2.7	8	1	2	2	3	4	5	20
35-49	85	2.6	2	1	1	2	3	5	6	7
50-64	85	2.4	4	1	1	2	3	4	4	12
65 +	39	3.4	16	1	1	2	4	6	8	25
GRAND TOTAL	**2577**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	327	2.7	16	< 1	1	1	3	6	10	19
20-34	23	3.9	9	1	1	3	6	9	10	10
35-49	20	3.7	6	1	2	3	5	7	8	10
50-64	14	3.5	7	< 1	2	3	6	8	8	8
65 +	7	2.7	3	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	3533	3.4	14	1	1	2	4	7	9	19
20-34	418	3.1	9	1	1	2	4	7	9	14
35-49	255	3.5	10	1	1	2	5	8	10	14
50-64	131	3.7	14	1	1	2	5	8	10	22
65 +	34	3.4	7	1	1	2	5	8	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	649	4.5	32	1	1	2	6	11	15	43
20-34	57	5.5	38	1	2	4	7	13	23	95
35-49	43	6.3	35	1	3	5	8	10	16	33
50-64	52	4.8	10	1	3	4	6	9	12	14
65 +	81	6.0	20	2	3	5	8	11	14	25
B. Operated										
0-19 YRS	2731	6.7	100	1	2	4	7	15	26	92
20-34	366	5.6	33	1	2	5	8	10	13	35
35-49	377	6.1	17	1	2	6	8	11	13	20
50-64	234	6.7	41	1	2	6	9	12	16	44
65 +	159	9.3	90	2	3	8	11	18	23	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	391	2.9	15	< 1	1	1	3	7	10	18
B. Operated	4371	3.4	13	1	1	2	4	7	9	19
2. MULTIPLE DX										
A. Not Operated	882	4.8	30	1	1	3	6	11	15	35
B. Operated	3867	6.7	82	1	2	4	8	14	22	78
1. SINGLE DX	4762	3.3	13	1	1	2	4	7	9	19
2. MULTIPLE DX	4749	6.3	73	1	2	4	8	13	21	73
A. Not Operated	1273	4.2	26	< 1	1	2	5	10	13	31
B. Operated	8238	4.9	48	1	1	3	6	10	15	45
TOTAL										
0-19 YRS	7240	4.7	51	1	1	3	5	9	15	48
20-34	864	4.3	22	1	1	3	6	9	12	26
35-49	695	5.1	17	1	2	4	8	10	12	20
50-64	431	5.5	30	1	2	4	8	10	13	31
65 +	281	7.4	63	1	3	6	9	15	18	41
GRAND TOTAL	**9511**	**4.8**	**45**	**1**	**1**	**3**	**6**	**10**	**15**	**43**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	264	12.2	100	3	6	10	17	24	32	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	8	30.1	953	4	13	65	99+	99+	99+	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1343	18.0	212	4	7	14	25	40	55	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	285	34.6	654	10	22	59	99+	99+	99+	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	264	12.2	100	3	6	10	17	24	32	99+
B. Operated	8	30.1	953	4	13	65	99+	99+	99+	99+
2. MULTIPLE DX										
A. Not Operated	1343	18.0	212	4	7	14	25	40	55	99+
B. Operated	285	34.6	654	10	22	59	99+	99+	99+	99+
1. SINGLE DX	272	12.7	131	3	6	10	18	26	45	99+
2. MULTIPLE DX	1628	20.9	329	5	9	18	37	99+	99+	99+
A. Not Operated	1607	17.1	199	4	7	14	24	38	51	99+
B. Operated	293	34.4	659	9	21	59	99+	99+	99+	99+
TOTAL										
0-19 YRS	1900	19.8	309	4	8	16	33	99+	99+	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
GRAND TOTAL	**1900**	**19.8**	**309**	**4**	**8**	**16**	**33**	**99+**	**99+**	**99+**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5057	2.1	1	1	2	2	2	3	4	5
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	68	3.4	4	1	2	3	4	7	7	11
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1663	3.0	14	1	2	2	3	5	7	17
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	97	7.6	125	2	3	5	8	14	26	69
20-34	0									
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5057	2.1	1	1	2	2	2	3	4	5
B. Operated	68	3.4	4	1	2	3	4	7	7	11
2. MULTIPLE DX										
A. Not Operated	1663	3.0	14	1	2	2	3	5	7	17
B. Operated	97	7.6	125	2	3	5	8	14	26	69
1. SINGLE DX	5125	2.1	1	1	2	2	2	3	4	6
2. MULTIPLE DX	1760	3.3	21	1	2	2	3	5	8	20
A. Not Operated	6720	2.3	4	1	2	2	3	3	4	8
B. Operated	165	5.9	79	2	2	3	6	12	14	38
TOTAL										
0-19 YRS	6885	2.4	6	1	2	2	3	3	4	10
20-34	0									
35-49	0									
50-64	0									
65+	0									
GRAND TOTAL	**6885**	**2.4**	**6**	**1**	**2**	**2**	**3**	**3**	**4**	**10**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2219	3.3	14	1	2	3	4	6	8	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	142	4.8	100	1	1	3	5	9	13	98
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5266	7.1	92	2	3	4	8	14	25	85
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1215	19.9	451	3	7	14	46	99+	99+	99+
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2220	3.3	14	1	2	3	4	6	8	14
B. Operated	143	4.8	100	1	1	3	5	8	13	98
2. MULTIPLE DX										
A. Not Operated	5266	7.1	92	2	3	4	8	14	25	85
B. Operated	1218	19.8	450	3	7	14	46	99+	99+	99+
1. SINGLE DX	2363	3.4	20	1	2	3	4	6	8	16
2. MULTIPLE DX	6484	9.5	184	2	3	5	11	30	72	99+
A. Not Operated	7486	5.9	72	1	2	3	6	12	20	68
B. Operated	1361	18.2	435	2	5	12	41	99+	99+	99+
TOTAL										
0-19 YRS	8842	7.8	147	1	2	4	8	22	49	99+
20-34	4	2.8	8	1	1	2	4	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65+	0									
GRAND TOTAL	**8847**	**7.8**	**147**	**1**	**2**	**4**	**8**	**22**	**49**	**99+**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3305	2.3	3	1	1	2	3	4	5	9
20-34	790	2.4	3	1	1	2	3	4	5	10
35-49	490	2.7	5	1	1	2	3	5	7	11
50-64	254	3.0	7	1	1	2	3	6	8	15
65+	195	3.5	8	1	2	3	4	6	9	16
B. Operated										
0-19 YRS	38	5.1	27	1	2	3	9	11	15	25
20-34	7	3.6	8	1	1	2	6	8	8	8
35-49	11	5.1	24	<1	2	4	6	13	18	18
50-64	7	4.0	4	2	2	4	6	7	7	7
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7389	2.9	7	1	1	2	3	5	7	12
20-34	1714	3.5	10	1	2	3	4	7	9	17
35-49	2034	4.1	16	1	2	3	5	8	10	19
50-64	2027	5.0	24	1	2	4	6	10	13	24
65+	4007	6.1	37	2	3	5	7	12	16	30
B. Operated										
0-19 YRS	197	6.3	39	1	3	4	7	15	20	36
20-34	143	6.8	49	1	2	4	9	17	22	35
35-49	174	8.6	114	2	3	5	9	20	34	54
50-64	178	9.2	66	2	4	7	11	20	29	39
65+	380	14.0	184	3	6	10	18	33	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5034	2.4	4	1	1	2	3	4	6	10
B. Operated	63	4.8	21	1	2	3	6	10	14	24
2. MULTIPLE DX										
A. Not Operated	17171	4.1	19	1	2	3	5	8	11	21
B. Operated	1072	10.0	118	2	3	7	12	23	34	78
1. SINGLE DX	5097	2.5	4	1	1	2	3	4	6	11
2. MULTIPLE DX	18243	4.4	27	1	2	3	5	9	12	26
A. Not Operated	22205	3.7	16	1	2	3	4	7	10	19
B. Operated	1135	9.7	114	2	3	6	12	22	33	75
TOTAL										
0-19 YRS	10929	2.8	7	1	1	2	3	5	7	12
20-34	2654	3.4	11	1	2	2	4	6	9	19
35-49	2709	4.1	22	1	2	3	5	8	10	23
50-64	2466	5.1	27	1	2	4	6	10	14	29
65+	4582	6.7	53	2	3	5	8	13	18	44
GRAND TOTAL	**23340**	**4.0**	**22**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1553	2.7	2	1	2	3	3	4	5	8
20-34	105	3.8	5	1	2	3	5	7	8	11
35-49	57	3.9	14	1	2	3	4	8	10	22
50-64	69	3.6	3	2	3	3	4	6	6	10
65 +	70	5.3	21	2	3	4	7	10	12	29
B. Operated										
0-19 YRS	41	4.1	9	1	3	3	5	8	10	15
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	12	7.1	72	2	3	5	7	16	30	33
50-64	7	5.0	10	2	4	4	5	11	12	12
65 +	4	5.3	15	1	2	8	32	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4331	3.4	6	1	2	3	4	6	8	14
20-34	733	4.3	13	2	2	3	5	8	10	15
35-49	722	4.9	13	2	3	4	6	9	11	18
50-64	981	5.8	17	2	3	5	7	10	13	21
65 +	2325	6.5	31	2	3	5	8	12	15	27
B. Operated										
0-19 YRS	243	9.7	86	2	3	7	14	22	30	43
20-34	141	9.5	52	3	4	8	12	19	25	34
35-49	165	10.2	66	3	5	7	13	22	26	42
50-64	221	10.5	53	3	5	9	15	20	25	58
65 +	431	13.4	119	4	7	10	16	27	38	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1854	2.9	4	1	2	3	3	5	6	10
B. Operated	66	4.8	20	2	3	4	6	9	13	89
2. MULTIPLE DX										
A. Not Operated	9092	4.7	16	2	2	4	6	9	11	20
B. Operated	1201	11.2	87	3	5	9	14	23	31	48
1. SINGLE DX	1920	3.0	4	1	2	3	3	5	6	10
2. MULTIPLE DX	10293	5.4	29	2	3	4	6	11	15	28
A. Not Operated	10946	4.4	15	2	2	3	5	8	11	18
B. Operated	1267	10.9	86	3	5	8	14	23	31	48
TOTAL										
0-19 YRS	6168	3.5	10	1	2	3	4	6	8	17
20-34	981	5.0	21	2	2	4	6	9	13	25
35-49	956	5.8	27	2	3	4	7	11	15	28
50-64	1278	6.5	26	2	3	5	8	12	16	29
65 +	2830	7.6	50	2	4	6	9	14	20	40
GRAND TOTAL	**12213**	**5.1**	**26**	**2**	**2**	**3**	**6**	**10**	**14**	**27**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	155	2.0	2	1	1	2	2	4	5	7
20-34	301	2.5	4	1	1	2	3	5	6	10
35-49	219	2.5	3	1	1	2	3	5	6	10
50-64	68	2.8	4	1	1	2	4	6	7	8
65 +	23	2.6	3	1	1	2	3	5	6	7
B. Operated										
0-19 YRS	8	2.0	2	1	1	2	3	4	5	5
20-34	46	2.5	5	1	1	1	3	6	8	10
35-49	51	1.9	1	1	1	1	3	4	4	6
50-64	26	2.3	3	1	1	2	2	6	6	7
65 +	9	1.8	3	< 1	< 1	1	2	4	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	410	2.7	7	1	1	2	3	5	7	12
20-34	686	3.3	7	1	2	3	4	6	8	15
35-49	625	3.8	13	1	2	3	5	7	9	18
50-64	368	3.7	11	1	2	3	5	7	8	15
65 +	401	4.3	16	1	2	3	5	8	10	21
B. Operated										
0-19 YRS	41	3.7	14	1	1	3	5	8	11	20
20-34	72	4.9	39	1	2	4	7	9	12	42
35-49	113	4.5	11	1	2	4	6	9	11	15
50-64	64	4.4	9	1	2	4	6	8	11	15
65 +	66	7.0	31	2	3	5	8	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	766	2.4	3	1	1	2	3	5	6	9
B. Operated	140	2.1	3	1	1	1	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	2490	3.6	11	1	2	3	4	7	9	15
B. Operated	356	4.9	21	1	2	4	6	10	13	20
1. SINGLE DX	906	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX	2846	3.7	12	1	2	3	5	7	9	16
A. Not Operated	3256	3.3	9	1	2	3	4	6	8	14
B. Operated	496	4.2	18	1	1	3	6	8	12	19
TOTAL										
0-19 YRS	614	2.6	6	1	1	2	3	5	7	12
20-34	1105	3.2	8	1	1	2	4	6	8	14
35-49	1008	3.5	10	1	2	3	4	6	9	15
50-64	526	3.6	10	1	2	3	4	7	8	14
65 +	499	4.6	18	1	2	4	6	9	12	21
GRAND TOTAL	**3752**	**3.4**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.3	3	1	1	2	3	5	5	6
20-34	48	2.5	2	1	1	2	4	4	5	6
35-49	81	2.9	3	1	2	3	4	5	6	8
50-64	101	2.9	4	1	1	3	4	6	6	10
65 +	109	2.8	3	1	1	3	4	5	6	10
B. Operated										
0-19 YRS	41	2.2	4	< 1	< 1	< 1	3	5	6	11
20-34	73	3.2	4	1	2	3	4	6	6	10
35-49	117	3.6	5	1	2	3	5	7	8	10
50-64	174	3.6	4	1	2	3	5	6	7	10
65 +	149	3.5	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	2.8	5	< 1	1	2	4	5	6	12
20-34	73	3.3	7	1	1	3	4	6	8	13
35-49	164	4.0	33	1	2	3	5	7	8	32
50-64	348	3.4	5	1	2	3	5	6	7	11
65 +	701	3.6	7	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	31	4.5	25	< 1	1	3	5	10	12	26
20-34	87	4.9	11	1	3	5	6	8	11	20
35-49	233	4.8	9	2	3	4	6	8	10	16
50-64	417	4.7	13	2	3	4	6	8	10	17
65 +	839	4.8	15	2	3	4	6	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	365	2.8	3	1	1	3	4	5	6	8
B. Operated	554	3.4	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	1364	3.6	10	1	2	3	5	6	8	14
B. Operated	1607	4.8	14	2	3	4	6	8	11	18
1. SINGLE DX	919	3.2	4	1	2	3	4	6	7	10
2. MULTIPLE DX	2971	4.2	12	1	2	3	5	7	10	16
A. Not Operated	1729	3.4	8	1	2	3	4	6	7	13
B. Operated	2161	4.4	12	1	2	4	6	8	10	17
TOTAL										
0-19 YRS	176	2.9	8	< 1	1	2	4	5	8	13
20-34	281	3.7	7	1	2	3	5	6	8	14
35-49	595	4.1	14	1	2	3	5	7	9	15
50-64	1040	3.9	8	1	2	3	5	7	8	14
65 +	1798	4.1	11	1	2	3	5	7	10	16
GRAND TOTAL	3890	4.0	10	1	2	3	5	7	9	16

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	3.2	5	1	1	3	4	6	7	11
20-34	38	2.6	7	1	1	2	3	6	7	14
35-49	36	2.5	9	1	1	2	3	4	9	16
50-64	23	2.1	2	< 1	1	1	3	5	5	5
65 +	23	2.7	2	1	1	2	4	5	6	6
B. Operated										
0-19 YRS	127	1.6	3	< 1	< 1	1	2	2	4	9
20-34	104	1.8	2	< 1	< 1	1	2	4	5	7
35-49	73	2.3	6	< 1	1	1	3	5	8	13
50-64	44	1.5	1	< 1	1	1	2	3	4	7
65 +	32	3.5	42	< 1	< 1	1	3	6	10	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	5.1	28	1	2	3	7	11	15	24
20-34	126	3.2	8	1	1	2	4	6	10	16
35-49	199	3.2	15	1	1	2	4	7	9	22
50-64	285	4.4	33	1	2	3	5	9	13	36
65 +	545	5.9	34	1	2	4	8	13	17	29
B. Operated										
0-19 YRS	101	10.3	203	< 1	1	5	12	30	39	68
20-34	94	6.0	91	1	1	4	7	11	19	57
35-49	113	5.2	30	1	1	3	6	12	15	27
50-64	166	9.0	148	1	2	5	11	21	33	84
65 +	219	11.3	148	1	2	7	16	31	44	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	2.7	6	1	1	2	4	5	7	13
B. Operated	380	1.9	7	< 1	< 1	1	2	4	5	12
2. MULTIPLE DX										
A. Not Operated	1293	4.8	29	1	2	3	6	11	15	29
B. Operated	693	8.9	134	1	2	5	11	23	34	68
1. SINGLE DX	573	2.2	6	< 1	1	1	3	4	6	12
2. MULTIPLE DX	1986	6.2	69	1	2	3	7	14	22	46
A. Not Operated	1486	4.5	26	1	2	3	5	10	14	28
B. Operated	1073	6.4	100	< 1	1	2	7	17	27	61
TOTAL										
0-19 YRS	439	4.9	67	< 1	1	2	5	11	19	43
20-34	362	3.4	30	< 1	1	2	4	7	10	23
35-49	421	3.5	18	1	1	2	4	8	12	24
50-64	518	5.5	72	1	1	3	6	12	21	56
65 +	819	7.1	70	1	2	4	9	17	24	48
GRAND TOTAL	2559	5.3	58	1	1	3	6	13	19	42

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.9	14	1	2	3	4	10	12	12
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	5	6.0	34	2	2	4	8	16	16	16
50-64	5	4.4	14	1	1	4	7	10	10	10
65 +	4	3.8	6	< 1	1	3	5	7	7	7
B. Operated										
0-19 YRS	13	6.0	39	1	2	6	7	14	22	24
20-34	15	5.7	20	2	2	4	7	13	16	17
35-49	21	5.9	12	2	4	5	7	10	14	16
50-64	28	5.1	18	1	2	4	7	10	16	17
65 +	63	9.0	72	1	3	8	11	19	28	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	12.7	185	2	3	8	23	28	28	28
20-34	8	8.4	99	1	2	4	12	26	29	29
35-49	16	11.7	67	2	6	12	15	18	30	35
50-64	32	8.6	64	2	3	5	12	19	30	32
65 +	171	8.6	72	2	4	6	11	17	23	58
B. Operated										
0-19 YRS	34	8.5	50	1	3	7	12	16	24	31
20-34	54	14.1	227	2	4	8	21	35	49	99
35-49	163	14.6	141	3	7	11	18	32	42	53
50-64	463	16.3	210	4	7	12	21	36	48	87
65 +	1435	15.3	158	4	7	12	19	31	43	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	4.2	15	1	1	3	5	10	13	16
B. Operated	140	7.1	46	1	3	6	9	14	19	38
2. MULTIPLE DX										
A. Not Operated	230	8.9	72	2	4	6	12	18	24	56
B. Operated	2149	15.3	169	4	7	12	19	32	44	72
1. SINGLE DX	163	6.7	43	1	3	5	9	13	18	36
2. MULTIPLE DX	2379	14.7	163	3	6	11	18	31	43	71
A. Not Operated	253	8.4	69	2	3	6	11	17	24	55
B. Operated	2289	14.8	165	3	7	11	19	31	43	71
TOTAL										
0-19 YRS	57	7.6	50	1	3	6	11	15	25	31
20-34	79	11.6	181	1	4	7	16	28	45	94
35-49	205	13.2	127	3	5	10	17	30	36	53
50-64	528	15.1	199	3	6	11	20	34	46	82
65 +	1673	14.3	151	4	6	11	18	30	40	67
GRAND TOTAL	**2542**	**14.2**	**159**	**3**	**6**	**11**	**18**	**30**	**42**	**69**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	98	2.0	1	1	1	2	3	4	5	6
20-34	1154	1.9	1	1	1	2	2	3	4	6
35-49	4557	2.0	2	1	1	2	2	3	4	6
50-64	3320	2.1	2	1	1	2	3	4	4	7
65 +	1319	2.4	5	1	1	2	3	4	5	8
B. Operated										
0-19 YRS	12	2.3	4	< 1	< 1	1	3	5	8	8
20-34	109	1.9	2	1	1	1	2	4	4	6
35-49	827	2.1	4	1	1	1	3	4	5	9
50-64	997	2.0	4	1	1	1	2	4	5	8
65 +	353	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	265	2.7	31	1	1	2	3	5	6	10
20-34	2651	2.4	3	1	1	2	3	4	5	9
35-49	12308	2.5	3	1	1	2	3	4	6	8
50-64	15797	2.8	4	1	2	2	3	5	6	10
65 +	15437	3.3	9	1	2	3	4	6	7	12
B. Operated										
0-19 YRS	9	3.0	6	1	1	2	4	7	8	8
20-34	255	3.5	11	1	1	3	4	7	9	17
35-49	2477	3.2	8	1	1	2	4	6	8	13
50-64	4089	3.3	9	1	1	2	4	7	9	15
65 +	2731	4.2	20	1	2	3	5	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10448	2.0	2	1	1	2	2	4	4	7
B. Operated	2298	2.0	3	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	46458	2.9	6	1	2	2	4	5	6	10
B. Operated	9561	3.5	12	1	1	2	4	7	9	17
1. SINGLE DX	12746	2.0	2	1	1	2	2	4	4	7
2. MULTIPLE DX	56019	3.0	7	1	2	2	4	5	7	12
A. Not Operated	56906	2.7	5	1	1	2	3	5	6	10
B. Operated	11859	3.2	11	1	1	2	4	7	9	15
TOTAL										
0-19 YRS	384	2.5	22	1	1	2	3	4	6	9
20-34	4169	2.3	3	1	1	2	3	4	5	9
35-49	20169	2.5	4	1	1	2	3	4	6	9
50-64	24203	2.7	4	1	1	2	3	5	7	10
65 +	19840	3.3	10	1	2	3	4	6	8	13
GRAND TOTAL	**68765**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1338	2.4	5	1	1	2	3	4	6	11
20-34	23	2.2	2	1	1	2	3	4	5	5
35-49	54	2.1	2	1	1	2	3	4	5	9
50-64	50	2.1	4	<1	1	1	3	5	7	10
65+	29	2.8	4	1	2	2	3	5	6	11
B. Operated										
0-19 YRS	119	3.1	49	<1	1	1	3	6	9	37
20-34	42	2.7	6	1	1	2	3	5	9	12
35-49	59	3.0	12	1	1	2	4	6	9	19
50-64	81	2.6	5	1	1	2	3	6	7	10
65+	45	2.2	3	<1	<1	1	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2744	4.1	17	1	2	3	5	9	12	21
20-34	177	3.3	12	1	1	2	4	7	8	20
35-49	350	3.5	20	1	1	2	4	[illegible]	[illegible]	19
50-64	597	3.9	13	1	2	3	5	[illegible]	10	18
65+	1091	4.7	22	1	2	3	6	9	13	24
B. Operated										
0-19 YRS	342	9.4	143	1	1	5	12	29	49	99+
20-34	88	6.1	59	1	2	4	7	14	21	42
35-49	204	4.9	29	1	2	3	6	10	14	23
50-64	359	5.6	29	1	2	4	7	12	16	25
65+	541	6.6	68	1	2	4	8	13	18	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1494	2.4	5	1	1	2	3	4	6	11
B. Operated	346	2.8	21	<1	1	1	3	6	8	18
2. MULTIPLE DX										
A. Not Operated	4959	4.1	18	1	2	3	5	8	12	21
B. Operated	1534	6.7	72	1	2	4	8	15	22	53
1. SINGLE DX	1840	2.5	8	1	1	2	3	5	6	11
2. MULTIPLE DX	6493	4.7	32	1	2	3	5	10	14	30
A. Not Operated	6453	3.7	15	1	1	3	4	8	11	20
B. Operated	1880	6.0	65	1	2	4	7	13	20	51
TOTAL										
0-19 YRS	4543	4.0	26	1	1	2	4	8	13	28
20-34	330	3.9	25	1	1	2	4	7	12	27
35-49	667	3.7	21	1	1	2	4	8	11	21
50-64	1087	4.3	18	1	2	3	5	9	12	22
65+	1706	5.2	37	1	2	4	6	11	14	31
GRAND TOTAL	**8333**	**4.2**	**27**	**1**	**2**	**3**	**5**	**9**	**13**	**27**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	1.9	3	1	1	2	2	3	3	12
20-34	346	1.7	1	1	1	1	2	3	3	6
35-49	476	1.8	1	1	1	1	2	3	4	6
50-64	245	1.7	1	<1	1	1	2	3	3	5
65+	92	2.3	5	<1	1	2	3	4	6	14
B. Operated										
0-19 YRS	41	2.4	5	<1	<1	1	3	6	7	11
20-34	51	3.8	8	1	2	3	5	7	9	16
35-49	90	3.5	4	1	2	3	4	7	8	9
50-64	53	3.5	4	1	2	3	5	7	7	9
65+	49	3.7	6	1	2	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	134	2.8	9	1	1	2	3	5	8	18
20-34	371	2.4	3	1	1	2	3	4	6	10
35-49	537	2.6	5	1	1	2	3	5	7	12
50-64	541	3.0	7	1	1	2	4	6	7	12
65+	924	5.0	36	1	2	4	6	9	12	37
B. Operated										
0-19 YRS	129	6.6	55	1	2	4	8	14	22	37
20-34	135	4.4	21	1	2	3	5	9	10	26
35-49	223	4.4	36	1	2	3	5	7	10	20
50-64	270	5.2	20	1	2	4	7	11	14	19
65+	982	6.5	44	2	3	5	8	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1232	1.8	1	<1	1	1	2	3	4	6
B. Operated	284	3.4	5	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	2507	3.5	18	1	1	2	4	7	9	21
B. Operated	1739	5.9	39	1	2	4	7	12	15	29
1. SINGLE DX	1516	2.1	3	<1	1	2	2	4	5	8
2. MULTIPLE DX	4246	4.5	28	1	2	3	6	9	12	26
A. Not Operated	3739	3.0	13	1	1	2	3	6	8	17
B. Operated	2023	5.5	35	1	2	4	7	11	14	28
TOTAL										
0-19 YRS	377	3.9	27	1	1	2	4	9	13	24
20-34	903	2.5	6	1	1	2	3	5	7	11
35-49	1326	2.6	10	1	1	2	3	5	7	12
50-64	1109	3.2	10	1	1	2	4	6	9	16
65+	2047	5.6	39	1	2	4	7	11	15	31
GRAND TOTAL	**5762**	**3.9**	**23**	**1**	**1**	**2**	**5**	**8**	**11**	**24**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3253	1.7	1	1	1	1	2	3	4	6
20-34	2988	2.1	2	1	1	2	3	4	5	8
35-49	1671	2.5	3	1	1	2	3	5	6	10
50-64	766	2.4	3	1	1	2	3	5	6	9
65 +	388	2.8	5	1	1	2	3	5	7	13
B. Operated										
0-19 YRS	486	2.9	2	1	2	3	3	4	5	8
20-34	545	3.5	8	1	2	3	4	6	7	13
35-49	239	3.7	12	1	2	3	4	7	10	17
50-64	76	3.4	5	<1	1	3	5	7	7	9
65 +	28	4.1	18	<1	1	3	5	10	14	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2575	2.3	3	1	1	2	3	4	6	9
20-34	3515	2.9	6	1	1	2	4	6	7	11
35-49	2987	3.5	8	1	2	3	4	7	9	15
50-64	2512	3.9	11	1	2	3	5	7	9	15
65 +	4167	4.7	22	1	2	4	6	9	11	21
B. Operated										
0-19 YRS	450	4.2	20	1	2	3	5	8	11	28
20-34	888	5.0	18	1	2	4	6	9	13	23
35-49	738	5.8	30	1	3	4	7	11	15	25
50-64	542	6.1	28	2	3	5	8	12	14	22
65 +	757	7.6	46	2	3	6	10	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9066	2.1	2	1	1	2	3	4	5	8
B. Operated	1374	3.3	7	1	2	3	4	6	7	13
2. MULTIPLE DX										
A. Not Operated	15756	3.5	12	1	2	3	4	7	9	15
B. Operated	3375	5.8	30	1	3	4	7	11	15	27
1. SINGLE DX	10440	2.2	3	1	1	2	3	4	5	9
2. MULTIPLE DX	19131	3.9	16	1	2	3	5	8	10	19
A. Not Operated	24822	3.0	9	1	1	2	4	6	8	13
B. Operated	4749	5.1	24	1	2	4	6	10	14	24
TOTAL										
0-19 YRS	6764	2.2	4	1	1	2	3	4	5	9
20-34	7936	2.8	7	1	1	2	4	6	7	12
35-49	5635	3.5	11	1	2	3	4	7	9	16
50-64	3896	3.9	13	1	2	3	5	7	10	15
65 +	5340	4.9	25	1	2	4	6	9	13	24
GRAND TOTAL	**29571**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	345	2.5	7	1	1	2	3	5	6	12
20-34	91	2.5	3	1	1	2	3	5	7	9
35-49	90	2.7	6	<1	1	2	4	6	7	14
50-64	65	2.9	7	1	1	2	3	6	7	15
65 +	64	3.0	8	<1	1	2	4	5	9	16
B. Operated										
0-19 YRS	81	3.4	9	1	1	2	5	8	10	14
20-34	49	3.2	4	1	1	3	4	6	7	9
35-49	47	3.4	5	1	1	3	5	6	8	9
50-64	28	3.4	6	<1	1	3	6	8	8	8
65 +	32	3.3	7	<1	1	2	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1413	3.1	13	1	1	2	4	6	8	22
20-34	608	3.6	16	1	1	3	4	7	8	19
35-49	776	4.0	14	1	2	3	5	8	10	16
50-64	1070	4.9	23	1	2	4	6	9	13	24
65 +	2299	5.4	23	2	2	4	7	10	14	23
B. Operated										
0-19 YRS	326	4.4	39	1	1	2	5	10	16	35
20-34	286	3.6	20	1	1	2	4	8	10	22
35-49	351	5.0	32	1	1	4	6	11	14	29
50-64	383	6.4	54	1	1	4	8	15	23	36
65 +	861	7.9	84	1	2	5	10	18	25	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	655	2.6	6	1	1	2	3	5	7	14
B. Operated	237	3.3	6	<1	1	3	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	6166	4.4	20	1	2	3	5	9	12	22
B. Operated	2207	6.1	58	1	1	4	7	15	21	37
1. SINGLE DX	892	2.8	6	1	1	2	4	6	8	12
2. MULTIPLE DX	8373	4.9	30	1	2	3	6	10	15	29
A. Not Operated	6821	4.3	19	1	2	3	5	8	12	22
B. Operated	2444	5.8	54	1	1	4	7	13	20	36
TOTAL										
0-19 YRS	2165	3.2	16	1	1	2	4	6	9	25
20-34	1034	3.4	15	1	1	2	4	7	9	20
35-49	1264	4.2	18	1	1	3	5	8	11	19
50-64	1546	5.2	30	1	2	4	6	11	15	29
65 +	3256	6.0	40	1	2	4	7	13	17	32
GRAND TOTAL	**9265**	**4.7**	**28**	**1**	**2**	**3**	**6**	**10**	**14**	**28**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2356	3.0	11	1	1	2	4	6	8	15
20-34	561	2.5	5	1	1	2	3	5	6	12
35-49	663	2.5	5	1	1	2	3	5	6	10
50-64	725	2.4	3	1	1	2	3	5	5	9
65 +	1015	3.1	6	1	1	2	4	6	8	13
B. Operated										
0-19 YRS	263	3.1	45	<1	1	1	3	5	8	43
20-34	162	2.9	59	1	1	2	3	5	7	13
35-49	260	1.8	2	<1	1	1	2	4	6	8
50-64	215	1.9	6	<1	1	1	2	4	5	10
65 +	96	2.7	5	<1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5179	4.9	37	1	2	3	6	10	14	27
20-34	1875	3.2	11	1	1	2	4	6	8	16
35-49	3081	3.3	10	1	2	2	4	6	8	16
50-64	5795	3.7	12	1	2	3	4	7	9	16
65 +	18637	5.0	26	1	2	4	6	9	13	26
B. Operated										
0-19 YRS	937	9.4	157	1	2	5	11	26	44	99 +
20-34	356	3.8	35	1	1	2	4	9	12	43
35-49	676	4.6	47	1	1	2	5	10	15	34
50-64	1063	5.5	57	1	1	3	7	12	18	57
65 +	2577	8.4	91	1	3	6	10	18	26	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5320	2.8	8	1	1	2	3	5	7	13
B. Operated	996	2.4	24	<1	1	1	2	5	7	16
2. MULTIPLE DX										
A. Not Operated	34567	4.5	23	1	2	3	5	9	12	23
B. Operated	5609	7.3	90	1	2	4	9	17	25	65
1. SINGLE DX	6316	2.8	10	1	1	2	3	5	7	13
2. MULTIPLE DX	40176	4.9	34	1	2	3	6	9	13	30
A. Not Operated	39887	4.3	22	1	2	3	5	8	11	22
B. Operated	6605	6.5	83	1	1	4	8	15	23	63
TOTAL										
0-19 YRS	8735	4.8	46	1	2	3	5	10	15	39
20-34	2954	3.1	15	1	1	2	4	6	8	19
35-49	4680	3.3	15	1	1	2	4	6	9	17
50-64	7798	3.7	18	1	2	3	4	7	10	19
65 +	22325	5.3	34	1	2	4	6	10	14	30
GRAND TOTAL	**46492**	**4.6**	**31**	**1**	**2**	**3**	**5**	**9**	**13**	**29**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	18.0		18	18	18	18	18	18	18
65 +	0									
B. Operated										
0-19 YRS	3	12.3	102	6	6	7	20	24	24	24
20-34	2	14.5	61	9	9	14	20	20	20	20
35-49	1	18.0		18	18	18	18	18	18	18
50-64	0									
65 +	2	17.5	1	17	17	17	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	24.2	453	6	10	19	28	55	74	97
20-34	18	12.1	159	<1	2	8	25	38	73	99 +
35-49	7	12.1	83	<1	3	14	16	25	27	27
50-64	2	12.0	242	1	1	12	23	23	23	23
65 +	4	23.8	287	3	26	34	99 +	99 +	99 +	99 +
B. Operated										
0-19 YRS	89	32.1	474	12	17	33	53	99 +	99 +	99 +
20-34	89	31.8	523	1	15	31	52	91	99 +	99 +
35-49	38	31.9	677	2	17	32	78	99 +	99 +	99 +
50-64	28	35.2	692	4	11	37	60	72	99	99 +
65 +	15	28.3	938	1	3	15	52	76	90	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	7.7	80	2	2	3	14	18	18	18
B. Operated	8	14.9	44	6	8	17	19	23	24	24
2. MULTIPLE DX										
A. Not Operated	72	19.6	351	<1	7	15	28	53	94	99 +
B. Operated	259	32.1	563	3	16	32	54	99 +	99 +	99 +
1. SINGLE DX	11	12.9	58	3	6	17	18	22	24	24
2. MULTIPLE DX	331	29.4	542	2	14	28	51	99	99 +	99 +
A. Not Operated	75	19.2	344	<1	7	15	27	50	93	99 +
B. Operated	267	31.6	555	4	16	31	53	99 +	99 +	99 +
TOTAL										
0-19 YRS	134	29.0	476	7	16	26	46	99	99 +	99 +
20-34	110	28.0	511	1	9	28	48	87	99 +	99 +
35-49	46	28.6	622	2	14	28	66	99 +	99 +	99 +
50-64	31	33.1	672	2	11	30	55	71	96	99 +
65 +	21	26.4	712	1	4	23	52	96	99 +	99 +
GRAND TOTAL	**342**	**28.8**	**534**	**2**	**13**	**26**	**50**	**97**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1052	1.8	3	1	1	1	2	3	4	9
20-34	46	4.0	10	1	1	3	6	10	10	12
35-49	14	4.2	13	< 1	1	3	8	10	11	11
50-64	13	4.5	16	1	1	3	9	10	11	11
65 +	6	5.7	76	1	1	2	6	21	23	23
B. Operated										
0-19 YRS	237	4.1	7	1	2	4	5	8	9	13
20-34	48	5.2	11	2	2	4	7	9	12	14
35-49	26	5.0	12	1	2	4	6	11	12	13
50-64	8	4.4	12	1	1	4	7	9	9	9
65 +	4	3.8	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1022	3.5	20	1	1	2	4	8	11	21
20-34	151	5.1	21	1	2	4	7	12	16	23
35-49	79	6.5	95	1	2	3	7	16	19	61
50-64	50	6.1	27	1	3	4	10	15	17	19
65 +	55	6.6	30	1	2	5	9	12	16	31
B. Operated										
0-19 YRS	493	10.2	143	2	3	6	13	25	36	70
20-34	325	12.2	222	2	4	7	14	34	56	99 +
35-49	151	12.8	181	2	5	8	16	31	46	99 +
50-64	74	15.9	327	2	5	11	22	64	99 +	99 +
65 +	52	18.8	293	3	6	12	28	46	60	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1131	1.9	5	1	1	1	2	4	5	11
B. Operated	323	4.3	8	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	1357	4.1	26	1	1	2	5	10	13	24
B. Operated	1095	12.0	195	2	4	7	15	31	48	99 +
1. SINGLE DX	1454	2.5	6	1	1	1	3	5	8	12
2. MULTIPLE DX	2452	7.6	117	1	2	4	9	18	30	73
A. Not Operated	2488	3.1	18	1	1	2	3	7	11	20
B. Operated	1418	10.2	163	2	3	6	12	25	43	99 +
TOTAL										
0-19 YRS	2804	4.1	43	1	1	2	4	9	15	35
20-34	570	9.1	146	1	3	5	10	20	44	99 +
35-49	270	9.8	142	1	3	6	12	22	39	92
50-64	145	10.9	204	1	3	6	14	30	68	99 +
65 +	117	11.9	185	2	3	7	13	31	41	61
GRAND TOTAL	**3906**	**5.7**	**82**	**1**	**1**	**3**	**6**	**13**	**22**	**59**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	477	2.1	3	1	1	1	3	4	6	8
20-34	72	3.8	14	1	2	3	5	7	11	23
35-49	43	3.3	9	1	1	2	4	5	11	14
50-64	20	3.1	8	1	1	2	3	7	10	12
65 +	5	3.2	3	1	2	4	4	5	5	5
B. Operated										
0-19 YRS	75	4.1	10	1	2	4	5	8	9	17
20-34	45	4.3	8	1	2	4	6	7	8	15
35-49	20	7.0	130	1	2	5	7	9	32	54
50-64	7	10.1	207	1	2	4	9	35	42	42
65 +	4	3.5	19	1	1	2	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	798	3.9	22	1	1	2	4	8	12	20
20-34	347	6.1	65	1	2	4	7	13	19	36
35-49	204	6.4	40	1	2	4	8	15	20	30
50-64	101	6.3	28	2	3	5	8	13	16	29
65 +	132	9.2	72	2	3	7	13	19	26	44
B. Operated										
0-19 YRS	360	9.9	121	2	3	6	12	26	33	85
20-34	405	10.2	149	2	3	7	13	23	39	95
35-49	205	12.7	207	2	4	7	19	30	53	99 +
50-64	95	13.0	169	2	4	9	19	31	41	89
65 +	91	17.3	285	2	5	11	24	39	49	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	617	2.4	5	1	1	2	3	5	6	11
B. Operated	151	4.8	35	1	2	4	6	8	10	42
2. MULTIPLE DX										
A. Not Operated	1582	5.3	41	1	2	3	6	12	16	31
B. Operated	1156	11.4	167	2	4	7	14	28	40	99
1. SINGLE DX	768	2.9	11	1	1	2	4	6	7	13
2. MULTIPLE DX	2738	7.9	103	1	2	4	9	19	27	63
A. Not Operated	2199	4.5	32	1	1	3	5	10	15	27
B. Operated	1307	10.6	156	2	3	6	13	26	39	93
TOTAL										
0-19 YRS	1710	4.7	45	1	1	3	5	10	16	36
20-34	869	7.8	103	1	2	5	9	16	25	70
35-49	472	8.9	125	1	3	5	10	22	30	87
50-64	223	9.0	104	1	3	6	11	22	31	57
65 +	232	12.2	170	2	3	8	16	29	38	56
GRAND TOTAL	**3506**	**6.8**	**87**	**1**	**2**	**4**	**8**	**16**	**25**	**54**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	1.8	1	1	1	1	2	4	4	6
20-34	82	2.0	1	<1	1	2	2	4	5	6
35-49	28	2.0	1	1	1	2	3	4	4	5
50-64	7	2.0	1	<1	1	2	3	3	3	3
65+	9	1.9	1	<1	1	2	3	3	3	3
B. Operated										
0-19 YRS	747	1.9	2	<1	1	1	2	4	5	7
20-34	1280	2.5	4	1	1	2	3	5	6	9
35-49	439	2.6	4	1	1	2	3	5	7	10
50-64	82	2.4	6	1	1	2	3	5	7	13
65+	26	1.9	2	1	1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	220	2.1	3	1	1	2	3	4	5	8
20-34	355	2.7	5	1	1	2	3	5	7	12
35-49	160	3.5	10	1	1	3	5	8	10	13
50-64	80	3.6	7	1	1	3	5	7	9	14
65+	173	5.3	41	1	2	4	6	10	15	45
B. Operated										
0-19 YRS	1280	3.8	18	1	1	2	5	8	11	21
20-34	2568	4.3	18	1	2	3	5	9	12	23
35-49	1106	4.7	20	1	2	3	6	10	13	23
50-64	355	5.8	54	1	2	4	7	12	18	48
65+	330	6.9	76	1	2	4	8	16	24	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	195	1.9	1	<1	1	2	2	4	4	6
B. Operated	2574	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	988	3.2	13	1	1	2	4	6	9	15
B. Operated	5639	4.5	25	1	2	3	6	9	13	25
1. SINGLE DX	2769	2.3	3	1	1	2	3	5	6	9
2. MULTIPLE DX	6627	4.3	23	1	2	3	5	9	12	24
A. Not Operated	1183	3.0	11	1	1	2	4	6	8	15
B. Operated	8213	3.9	19	1	1	3	5	8	11	22
TOTAL										
0-19 YRS	2316	3.0	12	1	1	2	4	6	9	17
20-34	4285	3.6	13	1	1	3	4	7	10	18
35-49	1733	4.0	16	1	1	3	5	8	11	20
50-64	524	4.9	41	1	1	3	6	10	15	37
65+	538	6.1	62	1	2	4	7	12	19	40
GRAND TOTAL	**9396**	**3.7**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	307	3.1	5	1	1	3	4	6	7	11
20-34	622	3.6	9	1	2	3	5	7	9	14
35-49	426	4.3	19	1	2	3	5	8	9	22
50-64	272	4.4	10	1	2	4	5	8	9	19
65+	338	5.2	14	2	3	5	7	10	12	18
B. Operated										
0-19 YRS	71	6.6	17	2	4	6	9	12	14	19
20-34	167	7.7	32	2	4	6	10	15	19	30
35-49	65	9.6	77	2	4	7	12	18	25	49
50-64	26	9.3	30	2	5	9	14	18	19	20
65+	18	6.5	11	2	4	6	9	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	414	4.4	24	1	2	3	5	9	12	21
20-34	973	4.6	17	1	2	4	6	8	11	18
35-49	770	5.4	17	2	3	5	7	10	13	19
50-64	853	6.8	34	2	3	5	8	13	16	29
65+	4037	8.8	65	3	4	7	10	16	21	46
B. Operated										
0-19 YRS	234	10.4	109	2	4	7	13	23	31	58
20-34	655	10.4	86	3	5	8	14	19	27	61
35-49	389	10.0	61	3	5	8	13	20	25	45
50-64	245	12.7	108	3	5	10	17	28	35	73
65+	537	15.8	167	5	7	12	21	33	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1965	4.0	12	1	2	3	5	7	9	15
B. Operated	347	7.9	37	2	4	7	10	15	19	32
2. MULTIPLE DX										
A. Not Operated	7047	7.3	50	2	3	6	9	14	18	37
B. Operated	2060	12.0	113	3	5	9	15	25	33	85
1. SINGLE DX	2312	4.6	18	1	2	4	6	9	12	20
2. MULTIPLE DX	9107	8.4	68	2	4	6	10	16	23	47
A. Not Operated	9012	6.6	43	2	3	5	8	13	17	34
B. Operated	2407	11.4	104	3	5	9	14	23	32	68
TOTAL										
0-19 YRS	1026	5.5	45	1	2	4	6	12	15	36
20-34	2417	6.1	42	1	2	4	7	13	17	36
35-49	1650	6.4	35	2	3	5	8	13	18	27
50-64	1396	7.4	49	2	3	5	9	15	21	38
65+	4930	9.3	78	3	4	7	11	17	25	58
GRAND TOTAL	**11419**	**7.6**	**60**	**2**	**3**	**6**	**9**	**15**	**21**	**44**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	6.8	45	1	2	3	10	14	23	26
20-34	20	7.1	95	1	2	3	9	17	30	42
35-49	8	4.3	14	2	2	3	5	11	13	13
50-64	4	11.5	34	6	7	10	16	19	19	19
65 +	0									
B. Operated										
0-19 YRS	10	17.1	103	3	11	16	26	31	34	34
20-34	29	14.0	254	3	6	10	16	27	49	81
35-49	18	13.2	109	2	4	12	20	27	34	38
50-64	5	11.2	55	2	5	13	16	21	21	21
65 +	2	9.5	61	4	4	9	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	12.2	428	2	3	5	13	56	96	99 +
20-34	47	13.1	232	3	5	8	22	92	99 +	99 +
35-49	28	14.6	218	1	3	12	30	49	99 +	99 +
50-64	22	16.2	440	3	7	9	13	53	73	80
65 +	64	11.0	59	3	5	9	15	20	27	40
B. Operated										
0-19 YRS	86	27.0	455	8	12	24	58	99 +	99 +	99 +
20-34	227	24.0	342	9	12	20	37	99 +	99 +	99 +
35-49	117	23.3	246	8	13	20	33	67	99 +	99 +
50-64	57	24.5	367	7	10	21	35	64	93	99 +
65 +	54	25.6	344	10	12	21	37	72	97	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	6.9	60	1	2	4	10	16	20	42
B. Operated	64	13.9	164	2	5	12	17	28	35	76
2. MULTIPLE DX										
A. Not Operated	181	12.9	212	2	5	8	16	37	89	99 +
B. Operated	541	24.5	341	8	12	21	38	91	99 +	99 +
1. SINGLE DX	111	10.9	131	2	3	7	15	23	31	60
2. MULTIPLE DX	722	21.8	334	5	10	18	34	81	99 +	99 +
A. Not Operated	228	11.6	186	2	4	8	15	31	66	99 +
B. Operated	605	23.4	333	7	12	20	36	83	99 +	99 +
TOTAL										
0-19 YRS	131	21.7	432	3	8	17	39	99 +	99 +	99 +
20-34	323	20.5	332	4	9	17	32	88	99 +	99 +
35-49	171	19.9	243	4	10	17	30	56	99 +	99 +
50-64	88	21.1	370	5	8	15	28	60	80	99 +
65 +	120	17.6	238	4	8	13	24	40	59	99 +
GRAND TOTAL	**833**	**20.2**	**320**	**4**	**9**	**16**	**31**	**71**	**99 +**	**99 +**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	2.5	21	1	1	2	2	4	5	32
20-34	142	2.0	2	1	1	2	3	3	4	7
35-49	181	2.1	2	1	1	2	3	4	5	6
50-64	129	2.7	3	1	1	2	3	5	7	9
65 +	124	3.4	9	1	2	2	4	7	9	15
B. Operated										
0-19 YRS	6	7.5	44	1	3	7	7	19	20	20
20-34	7	5.0	24	1	2	3	6	13	15	15
35-49	14	4.5	36	1	1	2	4	15	20	22
50-64	9	3.9	18	1	2	2	4	11	14	14
65 +	2	10.5	1	10	10	10	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	187	3.4	12	1	1	2	4	8	11	16
20-34	663	3.4	7	1	2	3	4	6	9	14
35-49	958	3.8	12	1	2	3	5	7	9	15
50-64	1056	4.5	15	1	2	4	6	9	11	18
65 +	2363	6.8	46	2	3	5	8	13	18	39
B. Operated										
0-19 YRS	75	5.7	18	2	3	5	7	10	13	23
20-34	334	6.5	64	2	3	4	8	13	18	35
35-49	408	8.1	66	2	3	6	10	17	27	46
50-64	333	9.9	120	2	4	6	12	19	28	65
65 +	518	13.6	202	3	5	9	16	30	46	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	622	2.5	5	1	1	2	3	5	6	10
B. Operated	38	5.2	29	1	2	3	7	14	18	22
2. MULTIPLE DX										
A. Not Operated	5227	5.2	30	1	2	4	6	10	14	28
B. Operated	1668	9.7	124	2	4	6	12	20	30	68
1. SINGLE DX	660	2.6	7	1	1	2	3	5	7	14
2. MULTIPLE DX	6895	6.3	56	1	2	4	7	13	18	42
A. Not Operated	5849	4.9	28	1	2	4	6	10	13	26
B. Operated	1706	9.6	123	2	4	6	12	20	30	67
TOTAL										
0-19 YRS	314	3.9	16	1	2	2	5	8	12	22
20-34	1146	4.1	26	1	2	3	5	8	11	20
35-49	1561	4.7	29	1	2	3	6	9	13	32
50-64	1527	5.5	43	1	2	4	6	11	15	32
65 +	3007	7.8	79	2	3	5	9	16	22	55
GRAND TOTAL	**7555**	**6.0**	**53**	**1**	**2**	**4**	**7**	**12**	**17**	**40**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	172	4.3	29	1	2	3	5	7	11	35
20-34	171	6.0	50	1	2	4	7	12	18	41
35-49	107	6.4	73	2	3	5	6	10	16	54
50-64	117	6.0	29	2	3	5	6	13	16	54
65 +	390	7.1	44	2	3	6	9	13	16	45
B. Operated										
0-19 YRS	23	7.6	43	2	2	6	10	16	24	24
20-34	21	12.0	119	3	5	10	13	23	38	52
35-49	29	12.6	130	4	6	9	14	21	48	51
50-64	11	15.7	183	4	6	10	21	38	46	47
65 +	10	11.1	28	4	7	10	15	18	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	402	6.4	51	2	3	4	7	12	21	38
20-34	526	9.0	98	2	3	6	10	18	31	58
35-49	358	9.4	97	2	4	7	11	19	29	54
50-64	429	9.4	75	3	4	7	11	17	26	48
65 +	3531	10.2	74	3	5	8	12	19	25	51
B. Operated										
0-19 YRS	252	14.8	207	3	6	10	18	35	47	89
20-34	472	15.7	174	4	7	12	20	36	48	80
35-49	311	17.4	178	4	8	14	24	36	47	99 +
50-64	180	18.7	168	6	9	16	25	37	49	58
65 +	422	20.1	296	5	8	15	26	48	61	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	957	6.2	44	2	3	5	7	12	16	45
B. Operated	94	11.4	104	2	5	9	14	21	31	52
2. MULTIPLE DX										
A. Not Operated	5246	9.6	77	3	4	7	12	19	26	51
B. Operated	1637	17.3	214	4	8	13	23	39	51	88
1. SINGLE DX	1051	6.7	52	2	3	5	8	13	18	47
2. MULTIPLE DX	6883	11.5	120	3	5	8	14	24	34	63
A. Not Operated	6203	9.1	74	2	4	7	11	18	24	49
B. Operated	1731	17.0	210	4	7	13	22	38	51	87
TOTAL										
0-19 YRS	849	8.5	109	2	3	5	10	19	30	57
20-34	1190	11.2	135	2	4	7	14	26	41	59
35-49	805	12.2	144	3	5	8	15	29	42	65
50-64	737	11.2	112	3	5	8	14	24	34	53
65 +	4353	10.8	103	3	5	8	13	21	30	63
GRAND TOTAL	**7934**	**10.8**	**114**	**3**	**4**	**8**	**13**	**23**	**33**	**60**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	314	2.0	7	< 1	1	1	2	3	6	15
20-34	60	2.8	15	< 1	1	2	3	4	6	28
35-49	55	2.1	1	1	1	2	3	3	4	6
50-64	47	2.5	4	< 1	1	2	3	6	7	9
65 +	148	3.5	16	1	1	2	4	7	8	29
B. Operated										
0-19 YRS	2945	2.2	8	1	1	1	2	4	5	19
20-34	261	3.1	9	1	1	2	4	5	8	17
35-49	242	2.9	8	1	2	2	4	5	6	10
50-64	251	3.3	6	1	2	3	4	6	8	13
65 +	364	4.1	11	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	192	3.8	25	1	1	2	4	7	10	27
20-34	90	3.6	11	1	1	3	5	7	11	18
35-49	116	4.8	40	1	1	3	5	12	15	38
50-64	198	4.6	24	1	2	3	5	10	14	28
65 +	1196	7.4	76	2	3	5	9	16	23	47
B. Operated										
0-19 YRS	854	4.5	31	1	2	3	5	10	16	29
20-34	459	7.6	80	2	3	5	8	17	26	45
35-49	372	7.7	85	2	2	5	9	18	26	54
50-64	530	6.9	72	2	3	5	8	13	21	52
65 +	1624	8.4	81	2	3	6	10	17	25	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	624	2.4	9	< 1	1	1	3	5	7	15
B. Operated	4063	2.5	9	1	1	2	3	5	7	18
2. MULTIPLE DX										
A. Not Operated	1792	6.4	62	1	2	4	8	14	21	40
B. Operated	3839	7.2	71	1	2	5	8	15	23	44
1. SINGLE DX	4687	2.5	9	1	1	2	3	5	7	17
2. MULTIPLE DX	5631	6.9	68	1	2	4	8	15	22	42
A. Not Operated	2416	5.3	51	1	2	3	6	12	18	35
B. Operated	7902	4.8	44	1	1	3	5	11	16	33
TOTAL										
0-19 YRS	4305	2.7	14	1	1	2	3	5	8	22
20-34	870	5.5	52	1	2	3	6	12	19	36
35-49	785	5.4	54	1	2	3	6	12	18	43
50-64	1026	5.4	46	1	2	4	6	10	15	35
65 +	3332	7.4	71	2	3	5	9	15	22	43
GRAND TOTAL	**10318**	**4.9**	**46**	**1**	**1**	**3**	**6**	**11**	**17**	**34**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	185	1.4	1	< 1	1	1	2	3	3	4
20-34	65	2.2	2	1	1	2	3	4	5	6
35-49	38	2.3	2	< 1	1	2	3	4	5	6
50-64	27	2.3	2	1	1	2	4	4	5	6
65 +	28	4.4	45	< 1	1	2	5	8	13	36
B. Operated										
0-19 YRS	3123	1.6	1	1	1	1	2	3	4	6
20-34	1153	2.6	5	1	1	2	3	5	6	12
35-49	937	2.4	6	1	1	2	3	4	6	11
50-64	672	2.2	3	1	1	2	3	4	5	11
65 +	590	2.3	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	135	2.3	9	1	1	1	2	5	6	18
20-34	148	2.5	4	1	1	2	3	5	7	10
35-49	69	3.3	7	1	2	2	4	7	9	12
50-64	80	3.6	8	1	1	3	5	8	9	14
65 +	226	6.1	49	1	2	4	7	13	19	38
B. Operated										
0-19 YRS	965	3.3	18	1	1	2	4	7	11	24
20-34	1126	5.0	39	1	2	3	6	10	14	26
35-49	867	4.9	30	1	2	3	6	10	14	30
50-64	808	4.6	48	1	2	3	5	9	12	38
65 +	1547	5.8	47	1	2	4	7	12	17	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	343	2.0	5	< 1	1	1	2	4	5	8
B. Operated	6475	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	658	3.9	24	1	1	2	5	8	12	25
B. Operated	5313	4.9	38	1	2	3	6	10	14	32
1. SINGLE DX	6818	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX	5971	4.8	37	1	2	3	5	10	14	31
A. Not Operated	1001	3.3	18	1	1	2	4	7	10	22
B. Operated	11788	3.3	21	1	1	2	4	7	10	21
TOTAL										
0-19 YRS	4408	2.0	6	1	1	1	2	4	5	12
20-34	2492	3.7	22	1	1	3	4	7	11	19
35-49	1911	3.6	18	1	1	2	4	7	10	21
50-64	1587	3.5	27	1	1	2	4	6	10	27
65 +	2391	5.0	39	1	2	3	6	10	15	33
GRAND TOTAL	**12789**	**3.3**	**21**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

368: Miscellaneous fractures of upper extremity (814-816)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	2.3	4	1	1	2	3	4	6	11
20-34	96	2.2	2	< 1	1	2	3	4	5	8
35-49	37	1.8	1	< 1	1	2	2	3	3	4
50-64	10	1.9	1	< 1	1	2	2	3	3	3
65 +	9	2.9	7	1	1	2	3	7	9	9
B. Operated										
0-19 YRS	509	1.8	3	< 1	1	1	2	4	5	8
20-34	727	1.9	3	< 1	1	1	2	4	5	9
35-49	368	2.0	3	< 1	1	1	2	4	6	8
50-64	162	1.9	2	< 1	1	1	2	4	5	8
65 +	47	2.2	6	1	1	1	2	4	6	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	3.2	11	1	1	2	4	6	11	19
20-34	112	3.3	17	1	1	2	4	7	9	22
35-49	58	3.0	4	1	2	2	4	6	7	11
50-64	37	3.2	7	< 1	1	2	4	7	9	12
65 +	46	4.6	14	1	2	3	6	11	14	15
B. Operated										
0-19 YRS	410	3.2	14	1	1	2	4	6	9	20
20-34	926	3.3	15	1	1	2	4	6	9	20
35-49	523	3.2	12	1	1	2	4	6	8	18
50-64	302	3.0	8	1	1	2	4	6	9	15
65 +	215	4.4	48	1	1	2	4	9	17	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	219	2.2	3	< 1	1	2	3	4	5	9
B. Operated	1813	1.9	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	321	3.4	12	1	1	2	4	7	10	15
B. Operated	2376	3.3	17	1	1	2	4	7	9	21
1. SINGLE DX	2032	1.9	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX	2697	3.3	16	1	1	2	4	7	9	20
A. Not Operated	540	2.9	8	1	1	2	3	6	8	14
B. Operated	4189	2.7	11	1	1	2	3	5	7	16
TOTAL										
0-19 YRS	1054	2.4	8	< 1	1	1	3	5	6	14
20-34	1861	2.7	10	1	1	2	3	5	7	13
35-49	986	2.7	8	1	1	2	3	6	7	13
50-64	511	2.7	6	1	1	2	3	5	8	13
65 +	317	4.1	36	1	1	2	4	9	14	29
GRAND TOTAL	**4729**	**2.7**	**11**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

981 Hospitals, United States, January-December 1989

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	104	10.2	126	1	2	4	18	27	32	43
20-34	11	4.9	13	1	2	4	8	10	11	11
35-49	14	4.7	13	1	2	4	7	11	12	12
50-64	39	6.2	45	1	3	4	7	12	20	37
65 +	231	8.1	60	2	3	6	10	15	28	42
B. Operated										
0-19 YRS	296	6.3	36	2	3	5	7	13	20	32
20-34	151	8.6	85	3	5	6	9	14	19	38
35-49	247	7.0	33	3	4	6	8	11	13	23
50-64	611	8.2	22	4	6	7	10	13	15	23
65 +	2811	10.3	23	6	7	9	12	16	19	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	12.3	128	1	3	8	21	25	36	48
20-34	29	8.8	170	1	3	5	8	13	49	59
35-49	64	10.5	174	2	3	6	12	18	49	60
50-64	162	11.5	170	2	4	9	13	20	35	80
65 +	1813	11.8	134	3	5	8	15	23	35	79
B. Operated										
0-19 YRS	275	11.5	117	3	5	8	14	24	32	66
20-34	374	12.9	119	5	7	10	15	24	33	65
35-49	607	12.6	121	5	7	10	14	22	32	81
50-64	2090	12.5	79	6	8	10	14	21	29	59
65 +	26434	14.0	96	7	8	11	16	24	33	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	399	8.2	74	1	2	5	10	20	29	40
B. Operated	4116	9.4	28	4	6	9	12	15	18	28
2. MULTIPLE DX										
A. Not Operated	2139	[illegible]	138	3	5	8	14	23	35	78
B. Operated	29780	[illegible]	96	6	8	11	16	24	33	69
1. SINGLE DX	4515	9.3	33	4	6	8	11	15	19	31
2. MULTIPLE DX	31919	13.7	99	6	8	11	16	24	33	70
A. Not Operated	2538	11.1	130	2	4	8	14	23	34	73
B. Operated	33896	13.3	90	6	8	11	15	23	31	65
TOTAL										
0-19 YRS	746	9.3	93	2	3	6	12	22	28	44
20-34	565	11.4	115	4	6	9	13	20	30	63
35-49	932	10.8	106	4	6	8	12	19	27	65
50-64	2902	11.5	75	5	7	9	13	19	26	57
65 +	31289	13.5	93	6	8	11	15	23	32	67
GRAND TOTAL	**36434**	**13.1**	**93**	**6**	**8**	**11**	**15**	**23**	**31**	**65**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1037	12.3	112	1	2	11	20	26	31	42
20-34	29	8.8	124	1	2	4	9	29	33	44
35-49	22	16.5	540	1	3	5	26	54	68	82
50-64	20	6.6	95	1	2	4	6	11	29	46
65 +	98	10.5	156	1	3	7	12	22	35	67
B. Operated										
0-19 YRS	1253	9.1	92	1	2	5	13	23	28	40
20-34	326	9.7	78	4	5	7	10	17	25	54
35-49	122	9.4	88	2	5	7	11	18	24	58
50-64	93	11.9	131	3	6	9	14	22	31	72
65 +	151	11.1	73	4	6	10	13	18	28	57
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	609	14.7	144	2	4	14	22	29	36	50
20-34	65	11.4	217	1	3	7	14	28	46	74
35-49	63	13.1	299	2	4	6	14	36	43	88
50-64	114	11.7	174	2	4	7	15	31	42	66
65 +	611	14.2	253	3	5	8	16	39	54	81
B. Operated										
0-19 YRS	1483	14.2	141	3	6	11	20	29	37	61
20-34	1045	14.5	155	5	7	11	17	28	42	79
35-49	477	16.4	192	5	8	12	20	36	49	87
50-64	416	16.8	214	6	9	12	19	35	49	97
65 +	1579	17.0	204	6	9	13	20	36	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1206	12.1	124	1	2	9	20	26	32	46
B. Operated	1945	9.5	90	1	3	6	12	22	27	44
2. MULTIPLE DX										
A. Not Operated	1462	14.0	202	2	4	9	20	32	44	74
B. Operated	5000	15.5	176	5	8	12	19	32	45	86
1. SINGLE DX	3151	10.5	105	1	3	7	16	24	29	45
2. MULTIPLE DX	6462	15.2	182	4	7	11	19	32	45	83
A. Not Operated	2668	13.1	168	1	3	9	20	29	38	66
B. Operated	6945	13.8	159	3	6	10	18	28	40	77
TOTAL										
0-19 YRS	4382	12.3	125	1	3	9	19	26	33	48
20-34	1465	13.2	144	4	6	10	15	26	40	71
35-49	684	14.8	200	4	6	10	18	33	48	83
50-64	643	14.8	198	4	7	11	17	32	45	85
65 +	2439	15.7	210	4	7	11	18	35	51	98
GRAND TOTAL	**9613**	**13.7**	**162**	**2**	**5**	**10**	**18**	**29**	**40**	**73**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	516	2.0	3	1	1	1	2	3	4	9
20-34	259	3.1	15	1	1	2	4	5	8	17
35-49	182	3.1	12	1	1	2	4	6	8	19
50-64	91	4.0	24	1	2	3	5	7	8	32
65 +	125	5.4	19	1	3	4	7	10	14	23
B. Operated										
0-19 YRS	1582	3.2	10	1	1	2	4	6	8	17
20-34	1343	4.6	17	1	2	4	5	9	11	19
35-49	949	5.1	22	2	3	4	6	9	13	25
50-64	486	5.8	22	2	3	5	7	11	13	21
65 +	218	6.8	31	2	3	6	8	13	15	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	269	4.0	29	1	1	3	4	8	12	37
20-34	198	4.5	38	1	2	3	5	9	12	40
35-49	197	6.1	38	1	2	4	7	12	18	36
50-64	229	7.3	73	2	3	5	8	14	21	55
65 +	746	8.6	92	2	4	6	10	17	23	68
B. Operated										
0-19 YRS	1020	7.5	72	1	3	5	9	16	25	46
20-34	1484	9.6	96	2	4	7	11	20	29	56
35-49	1217	9.9	112	2	4	7	12	21	29	71
50-64	838	10.3	109	3	5	7	12	21	29	68
65 +	1039	11.7	110	3	6	9	14	24	33	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1173	2.9	12	1	1	2	3	5	8	17
B. Operated	4578	4.5	18	1	2	3	5	9	11	20
2. MULTIPLE DX										
A. Not Operated	1639	6.9	70	1	3	5	8	14	20	46
B. Operated	5598	9.8	101	2	4	7	12	20	29	61
1. SINGLE DX	5751	4.1	17	1	2	3	5	8	11	19
2. MULTIPLE DX	7237	9.1	96	2	3	6	11	19	28	57
A. Not Operated	2812	5.2	49	1	2	3	6	11	16	39
B. Operated	10176	7.4	71	1	3	5	9	15	23	48
TOTAL										
0-19 YRS	3387	4.4	34	1	1	3	5	9	13	32
20-34	3284	6.7	61	1	3	4	8	14	20	41
35-49	2545	7.4	72	2	3	5	9	15	23	46
50-64	1644	8.2	79	2	3	6	10	16	23	53
65 +	2128	9.7	95	3	4	7	12	19	28	68
GRAND TOTAL	**12988**	**6.9**	**67**	**1**	**2**	**4**	**6**	**14**	**21**	**46**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	276	2.0	2	< 1	1	2	3	4	4	6
20-34	295	2.5	3	1	1	2	3	5	6	8
35-49	250	3.2	20	1	1	2	4	6	8	17
50-64	131	2.9	12	1	1	2	3	5	6	18
65 +	99	4.0	8	1	2	3	5	8	10	13
B. Operated										
0-19 YRS	2117	2.6	5	1	1	2	3	5	6	12
20-34	3557	3.3	7	1	2	3	4	6	7	13
35-49	3069	3.5	7	1	2	3	4	6	7	13
50-64	2111	3.8	6	2	2	3	5	6	8	12
65 +	1097	4.7	9	2	3	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	207	2.7	5	1	1	2	3	5	7	13
20-34	344	3.7	15	1	1	3	4	7	9	22
35-49	286	4.0	14	1	2	3	5	8	10	17
50-64	271	5.6	63	1	2	4	6	11	15	36
65 +	648	7.2	63	2	3	5	8	13	20	46
B. Operated										
0-19 YRS	1096	4.9	31	1	2	3	6	10	14	31
20-34	2547	5.7	41	2	3	4	6	11	16	37
35-49	2395	5.8	40	2	3	4	6	11	16	35
50-64	2247	6.2	36	2	3	5	7	11	15	29
65 +	2830	7.9	60	3	4	6	9	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1051	2.7	8	1	1	2	3	5	6	12
B. Operated	11951	3.5	7	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	1756	5.2	42	1	2	4	6	10	14	32
B. Operated	11115	6.3	44	2	3	5	7	12	17	36
1. SINGLE DX	13002	3.4	7	1	2	3	4	6	8	13
2. MULTIPLE DX	12871	6.2	44	2	3	4	7	12	16	35
A. Not Operated	2807	4.3	31	1	2	3	5	8	11	26
B. Operated	23066	4.8	27	1	2	4	6	9	13	26
TOTAL										
0-19 YRS	3696	3.3	14	1	1	2	4	6	8	19
20-34	6743	4.2	22	1	2	3	5	8	11	24
35-49	6000	4.4	22	1	2	3	5	8	11	26
50-64	4760	5.0	25	2	3	4	6	9	12	24
65 +	4674	7.0	49	2	3	5	8	13	17	35
GRAND TOTAL	**25873**	**4.8**	**28**	**1**	**2**	**4**	**6**	**9**	**12**	**26**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	1.5	1	< 1	1	1	2	3	3	3
20-34	32	2.2	4	1	1	1	3	5	7	10
35-49	19	2.1	2	1	1	2	3	4	6	6
50-64	12	1.6		< 1	1	1	2	3	3	3
65 +	9	4.8	10	1	3	4	6	10	12	12
B. Operated										
0-19 YRS	44	1.6	1	< 1	1	1	2	3	3	4
20-34	94	2.2	4	1	1	2	3	3	5	13
35-49	41	3.0	15	1	1	2	3	5	11	20
50-64	9	1.6	1	1	1	1	2	3	3	3
65 +	6	1.7	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	195	2.4	4	1	1	2	3	5	6	11
20-34	261	2.9	6	1	1	2	4	6	7	14
35-49	172	3.3	8	1	1	2	4	7	8	11
50-64	136	4.9	23	1	2	3	6	11	14	27
65 +	199	6.7	64	1	2	4	8	13	18	49
B. Operated										
0-19 YRS	69	3.2	15	1	1	2	4	6	6	26
20-34	183	3.9	16	1	2	3	4	7	12	22
35-49	104	4.9	22	1	2	4	6	11	16	24
50-64	52	4.9	17	1	2	4	6	11	15	17
65 +	69	9.6	70	2	4	8	12	24	42	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	2.1	3	1	1	1	2	4	6	11
B. Operated	194	2.2	5	1	1	2	2	4	5	16
2. MULTIPLE DX										
A. Not Operated	963	3.9	23	1	1	3	5	8	11	20
B. Operated	477	5.0	29	1	2	3	6	11	17	36
1. SINGLE DX	298	2.2	5	1	1	2	2	4	5	13
2. MULTIPLE DX	1440	4.3	25	1	2	3	5	9	13	26
A. Not Operated	1067	3.8	21	1	1	2	4	8	11	20
B. Operated	671	4.2	23	1	2	3	5	10	14	28
TOTAL										
0-19 YRS	340	2.4	6	1	1	2	3	5	6	14
20-34	570	3.1	9	1	1	2	4	6	8	17
35-49	336	3.7	13	1	2	3	5	7	10	20
50-64	209	4.6	20	1	2	3	6	11	14	22
65 +	283	7.2	65	1	3	5	9	14	22	89
GRAND TOTAL	**1738**	**3.9**	**22**	**1**	**1**	**2**	**5**	**8**	**12**	**24**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	1.8	3	1	1	1	2	3	4	9
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	2	21.0	392	7	7	21	35	35	35	35
50-64	3	6.0	49	1	1	3	11	14	14	14
65 +	0									
B. Operated										
0-19 YRS	13	4.4	10	1	2	3	7	9	10	10
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	7	5.3	19	1	2	3	9	11	12	12
50-64	2	11.0		11	11	11	11	11	11	11
65 +	2	10.0	128	2	2	10	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.9	12	1	2	2	4	8	12	16
20-34	20	10.9	158	2	3	7	14	20	39	57
35-49	9	5.6	11	1	3	6	8	10	10	10
50-64	7	7.0	26	4	4	5	7	16	18	18
65 +	10	10.0	141	1	3	5	11	29	40	40
B. Operated										
0-19 YRS	39	16.7	320	3	5	12	24	52	89	99 +
20-34	41	16.1	314	3	6	11	21	63	91	99 +
35-49	20	14.3	92	4	8	11	17	29	36	40
50-64	8	7.1	30	3	4	5	9	16	18	18
65 +	14	18.8	517	4	5	11	20	48	80	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.3	36	1	1	1	3	7	12	35
B. Operated	26	5.6	20	1	2	3	9	11	13	18
2. MULTIPLE DX										
A. Not Operated	75	7.1	75	2	2	4	8	17	19	53
B. Operated	122	15.7	283	3	5	11	20	45	81	99 +
1. SINGLE DX	63	4.3	30	1	1	2	6	10	13	33
2. MULTIPLE DX	197	12.4	221	2	4	8	16	30	55	99 +
A. Not Operated	112	5.8	65	1	2	3	7	13	19	46
B. Operated	148	13.9	251	2	4	10	17	41	66	99 +
TOTAL										
0-19 YRS	111	7.9	159	1	1	3	9	21	45	99 +
20-34	65	13.8	254	2	5	10	18	31	69	99 +
35-49	38	10.9	88	2	4	9	15	24	34	40
50-64	20	7.3	26	2	4	5	11	16	18	18
65 +	26	14.7	345	2	4	9	18	38	52	89
GRAND TOTAL	**260**	**10.4**	**186**	**1**	**3**	**6**	**13**	**25**	**45**	**99 +**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.1	1	<1	1	2	3	4	4	4
20-34	8	1.6	1	<1	1	1	2	3	3	3
35-49	8	1.1		<1	1	1	1	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	146	1.6	1	1	1	1	2	2	3	4
20-34	480	1.8	1	1	1	2	2	3	4	5
35-49	214	1.6	1	1	1	1	2	3	3	5
50-64	78	1.6	1	1	1	1	2	3	4	7
65+	44	1.8	2	<1	1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.5	6	<1	<1	1	3	7	8	8
20-34	44	2.2	4	<1	1	1	3	5	7	9
35-49	25	2.4	3	1	1	2	3	5	6	8
50-64	18	3.8	5	1	2	4	5	7	8	9
65+	23	6.1	68	1	2	3	8	23	57	99+
B. Operated										
0-19 YRS	37	2.2	2	1	1	2	3	5	6	6
20-34	167	2.4	6	1	1	2	3	5	6	12
35-49	94	2.7	5	1	1	2	3	5	7	12
50-64	85	3.9	21	1	1	2	4	8	13	27
65+	143	5.3	41	1	2	3	7	12	18	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	1.6	1	<1	1	1	2	3	3	4
B. Operated	962	1.7	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	118	3.3	18	1	1	2	4	7	9	57
B. Operated	526	3.5	19	1	1	2	4	7	12	26
1. SINGLE DX	987	1.7	1	1	1	1	2	3	3	5
2. MULTIPLE DX	644	3.4	19	1	1	2	4	7	11	30
A. Not Operated	143	3.0	16	1	1	2	4	6	8	42
B. Operated	1488	2.3	8	1	1	2	3	4	6	14
TOTAL										
0-19 YRS	199	1.8	1	1	1	1	2	3	4	6
20-34	699	2.0	2	1	1	2	2	3	4	8
35-49	341	2.0	2	1	1	1	2	4	5	7
50-64	182	2.9	12	1	1	2	3	6	8	15
65+	210	4.6	37	1	1	3	5	11	17	65
GRAND TOTAL	**1631**	**2.4**	**9**	**1**	**1**	**2**	**3**	**4**	**6**	**14**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.7	1	1	1	1	3	3	3	3
20-34	10	2.0	1	<1	1	2	3	4	4	4
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	2.3		2	2	2	3	3	3	3
B. Operated										
0-19 YRS	357	2.1	2	<1	1	2	3	4	5	7
20-34	502	2.1	2	<1	<1	1	3	4	5	7
35-49	281	2.0	3	<1	<1	1	3	4	5	8
50-64	97	1.9	3	<1	<1	1	2	4	6	10
65+	56	2.3	3	<1	<1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.0	3	<1	<1	1	3	5	6	6
20-34	20	3.4	11	<1	1	2	5	8	10	12
35-49	12	2.0	4	<1	1	1	2	6	6	6
50-64	14	5.4	15	<1	2	5	8	11	12	12
65+	21	6.5	35	2	3	4	7	17	21	22
B. Operated										
0-19 YRS	525	2.6	4	<1	1	2	3	5	6	10
20-34	995	2.9	9	<1	1	2	4	5	7	15
35-49	520	2.6	6	<1	1	2	3	5	7	12
50-64	330	3.0	22	<1	1	2	3	6	10	18
65+	240	4.0	29	<1	1	2	5	9	12	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.4	3	1	1	2	3	4	6	9
B. Operated	1293	2.0	2	<1	<1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	76	4.2	19	<1	1	3	6	9	12	22
B. Operated	2610	2.9	11	<1	1	2	3	5	7	16
1. SINGLE DX	1314	2.1	2	<1	<1	1	3	4	5	8
2. MULTIPLE DX	2686	2.9	11	<1	1	2	4	5	8	16
A. Not Operated	97	3.8	16	<1	1	2	5	9	11	22
B. Operated	3903	2.6	8	<1	1	2	3	5	7	14
TOTAL										
0-19 YRS	897	2.4	3	<1	1	2	3	4	5	9
20-34	1527	2.6	7	<1	1	2	3	5	6	14
35-49	814	2.4	5	<1	1	2	3	4	6	11
50-64	442	2.8	18	<1	<1	1	3	6	8	15
65+	320	3.9	26	<1	1	2	5	8	11	24
GRAND TOTAL	**4000**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	2.7	5	1	1	2	3	6	7	12
20-34	66	3.5	9	1	1	3	5	8	9	16
35-49	42	4.9	17	1	2	4	6	9	13	22
50-64	15	3.4	3	1	2	3	5	6	6	6
65 +	6	3.3	3	1	2	3	5	5	5	5
B. Operated										
0-19 YRS	314	2.6	10	1	1	1	3	6	8	18
20-34	326	2.6	6	1	1	2	3	6	7	12
35-49	227	3.4	18	1	1	2	4	7	9	17
50-64	88	3.2	9	1	1	2	4	7	9	15
65 +	58	4.2	31	1	1	3	5	9	14	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	4.0	34	1	1	3	5	8	13	38
20-34	73	4.7	16	1	2	3	7	11	12	19
35-49	54	7.2	64	1	3	5	8	15	23	45
50-64	60	6.4	23	1	3	6	8	13	17	22
65 +	66	7.3	64	1	3	5	9	16	20	50
B. Operated										
0-19 YRS	313	6.4	42	1	3	4	7	14	19	35
20-34	439	6.3	51	1	2	4	8	14	19	29
35-49	282	5.8	39	1	2	4	7	13	22	34
50-64	180	6.9	56	1	2	4	9	15	22	83
65 +	209	8.2	140	1	2	5	9	17	22	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	3.5	9	1	1	3	5	7	8	16
B. Operated	1013	3.0	12	1	1	2	3	6	9	17
2. MULTIPLE DX										
A. Not Operated	316	5.9	40	1	2	4	8	12	17	33
B. Operated	1423	6.6	61	1	2	4	8	15	20	39
1. SINGLE DX	1202	3.0	11	1	1	2	4	7	9	17
2. MULTIPLE DX	1739	6.4	57	1	2	4	8	14	20	39
A. Not Operated	505	5.0	30	1	2	4	6	10	14	24
B. Operated	2436	5.1	43	1	1	3	6	12	16	33
TOTAL										
0-19 YRS	750	4.3	28	1	1	3	5	10	15	28
20-34	904	4.6	31	1	1	3	6	10	14	25
35-49	605	5.0	34	1	2	3	6	10	15	33
50-64	343	5.7	38	1	2	4	7	12	18	40
65 +	339	7.3	106	1	2	4	8	16	20	58
GRAND TOTAL	**2941**	**5.1**	**41**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	1.7	2	<1	1	1	2	3	5	7
20-34	31	2.5	2	<1	1	2	4	5	5	5
35-49	26	2.3	2	<1	1	2	3	5	6	7
50-64	19	2.3	2	1	1	2	3	5	5	5
65 +	11	4.8	23	<1	2	3	5	13	17	17
B. Operated										
0-19 YRS	669	2.8	2	1	2	3	3	4	5	6
20-34	1092	3.0	2	1	2	3	4	5	5	8
35-49	365	3.0	2	1	2	3	4	5	5	8
50-64	81	3.0	3	1	2	3	4	4	6	10
65 +	32	4.4	9	2	2	4	6	7	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	2.5	3	<1	1	2	3	5	6	9
20-34	65	2.5	3	<1	1	2	3	5	6	9
35-49	59	3.0	8	1	1	2	4	5	7	18
50-64	58	4.5	11	1	2	4	6	9	12	15
65 +	161	5.8	19	2	3	5	7	11	17	19
B. Operated										
0-19 YRS	926	3.1	3	1	2	3	4	5	6	8
20-34	1759	3.3	5	1	2	3	4	5	7	11
35-49	678	3.5	6	1	2	3	4	6	7	14
50-64	168	4.1	7	2	2	4	5	8	9	13
65 +	114	7.4	72	2	3	5	9	15	20	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	2.5	5	1	1	2	3	5	5	13
B. Operated	2239	2.9	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	380	4.3	14	1	2	3	5	9	12	18
B. Operated	3645	3.5	7	1	2	3	4	6	7	14
1. SINGLE DX	2353	2.9	2	1	2	3	4	5	5	8
2. MULTIPLE DX	4025	3.5	8	1	2	3	4	6	8	14
A. Not Operated	494	3.8	12	1	1	3	5	8	11	18
B. Operated	5884	3.3	6	1	2	3	4	5	6	11
TOTAL										
0-19 YRS	1659	2.9	3	1	2	3	4	5	5	8
20-34	2947	3.2	4	1	2	3	4	5	6	10
35-49	1128	3.3	5	1	2	3	4	5	7	13
50-64	326	3.8	7	1	2	3	4	7	9	13
65 +	318	6.2	38	2	3	5	8	13	17	25
GRAND TOTAL	**6378**	**3.3**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	**13**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	2.7	4	1	1	2	4	5	6	10
20-34	478	4.1	6	1	2	4	5	8	9	13
35-49	502	4.1	8	1	2	3	5	8	9	14
50-64	219	4.1	6	1	2	4	5	8	9	12
65 +	57	4.0	7	1	2	3	5	8	9	12
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	59	4.0	14	1	1	2	7	9	13	15
35-49	55	3.5	9	1	1	2	6	8	10	12
50-64	19	2.9	8	1	1	2	5	7	9	11
65 +	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	3.7	7	1	2	3	6	8	8	11
20-34	639	4.8	8	2	3	4	7	9	10	15
35-49	970	5.3	11	2	3	5	7	9	11	16
50-64	650	5.7	20	2	3	5	7	10	12	18
65 +	724	5.8	32	2	3	5	7	10	13	20
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	74	5.6	20	1	2	5	8	11	13	24
35-49	87	6.1	22	1	2	5	9	12	14	21
50-64	41	7.2	31	1	3	5	12	15	17	22
65 +	49	11.6	145	2	5	8	11	29	41	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1299	4.1	7	1	2	4	5	8	9	13
B. Operated	137	3.7	12	1	1	2	6	8	11	15
2. MULTIPLE DX										
A. Not Operated	3034	5.4	17	2	3	5	7	9	11	17
B. Operated	253	7.2	51	1	3	5	10	13	17	41
1. SINGLE DX	1436	4.0	7	1	2	3	5	8	9	13
2. MULTIPLE DX	3287	5.5	20	2	3	5	7	10	12	18
A. Not Operated	4333	5.0	15	2	3	4	6	9	11	16
B. Operated	390	6.0	40	1	1	4	8	12	15	33
TOTAL										
0-19 YRS	97	3.4	7	1	1	3	4	7	8	14
20-34	1250	4.5	9	1	2	4	6	8	10	14
35-49	1614	4.9	11	2	3	4	6	9	11	16
50-64	929	5.3	17	2	3	4	7	10	12	17
65 +	833	6.0	38	2	3	5	7	10	14	30
GRAND TOTAL	**4723**	**5.1**	**17**	**2**	**3**	**4**	**6**	**9**	**11**	**17**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	169	1.7	2	< 1	1	1	2	3	4	8
20-34	506	3.4	5	1	2	3	5	6	8	10
35-49	496	3.8	8	1	2	3	5	7	9	15
50-64	158	3.9	8	1	2	3	5	7	9	16
65 +	66	3.5	6	1	2	3	4	7	8	13
B. Operated										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	70	2.9	8	1	1	2	4	7	9	14
35-49	75	2.9	9	1	1	1	4	8	9	15
50-64	17	3.6	13	1	1	2	4	11	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	236	2.5	5	1	1	2	3	5	6	14
20-34	926	3.9	9	1	2	3	5	8	10	15
35-49	1045	4.6	10	1	2	4	6	8	10	16
50-64	597	5.1	20	1	3	4	6	9	12	18
65 +	686	5.3	19	2	3	4	7	10	12	21
B. Operated										
0-19 YRS	18	2.9	7	< 1	1	2	3	7	9	10
20-34	129	3.8	14	1	1	3	5	8	10	20
35-49	158	4.8	18	1	1	4	7	11	14	18
50-64	71	5.4	22	1	2	4	7	12	14	22
65 +	43	11.0	110	3	5	9	14	20	22	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1395	3.4	7	1	1	3	4	7	8	13
B. Operated	166	3.0	9	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. Not Operated	3490	4.5	13	1	2	4	6	8	11	17
B. Operated	419	5.1	30	1	1	4	7	12	15	21
1. SINGLE DX	1561	3.3	7	1	1	3	4	7	8	13
2. MULTIPLE DX	3909	4.6	15	1	2	4	6	9	11	18
A. Not Operated	4885	4.2	12	1	2	3	5	8	10	16
B. Operated	585	4.5	25	1	1	3	6	10	14	20
TOTAL										
0-19 YRS	427	2.2	4	< 1	1	1	3	4	6	10
20-34	1631	3.7	8	1	2	3	5	8	9	14
35-49	1774	4.3	10	1	2	4	6	8	10	16
50-64	843	4.8	18	1	2	4	6	9	12	19
65 +	795	5.5	25	2	3	4	7	10	13	22
GRAND TOTAL	**5470**	**4.2**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	1.8	1	< 1	1	1	2	3	4	6
20-34	90	2.1	4	< 1	1	2	2	4	6	12
35-49	65	2.3	1	1	1	2	3	4	4	5
50-64	51	2.5	3	1	1	2	3	5	5	8
65 +	35	3.5	6	1	1	3	5	7	8	9
B. Operated										
0-19 YRS	130	1.8	1	1	1	1	2	3	4	5
20-34	710	2.0	1	1	1	2	2	3	4	6
35-49	1321	2.0	1	1	1	2	2	3	4	6
50-64	1460	2.4	1	1	2	2	3	4	4	6
65 +	575	2.8	3	1	2	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	1.9	1	1	1	1	3	3	4	6
20-34	166	2.4	3	< 1	1	2	3	5	6	10
35-49	160	3.0	8	1	1	2	4	6	8	16
50-64	150	3.5	11	1	2	3	4	7	9	18
65 +	395	5.1	26	1	2	4	6	10	15	29
B. Operated										
0-19 YRS	71	2.4	5	1	1	2	3	5	6	12
20-34	313	2.6	5	1	1	2	3	5	7	11
35-49	846	2.6	3	1	1	2	3	4	6	9
50-64	1636	3.0	7	1	2	3	3	5	7	14
65 +	1345	3.9	10	2	2	3	4	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	312	2.3	3	1	1	2	3	4	6	8
B. Operated	4196	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	946	3.8	16	1	1	3	4	8	10	21
B. Operated	4211	3.2	7	1	2	3	4	5	7	14
1. SINGLE DX	4508	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX	5157	3.3	9	1	2	3	4	6	8	16
A. Not Operated	1258	3.4	13	1	1	2	4	7	9	18
B. Operated	8407	2.7	5	1	2	2	3	4	6	11
TOTAL										
0-19 YRS	347	1.9	2	1	1	1	2	3	4	7
20-34	1279	2.2	3	1	1	2	3	4	5	9
35-49	2392	2.3	3	1	1	2	3	4	5	8
50-64	3297	2.8	5	1	2	2	3	4	6	11
65 +	2350	3.8	11	1	2	3	4	7	9	18
GRAND TOTAL	**9665**	**2.8**	**6**	**1**	**2**	**2**	**3**	**5**	**6**	**13**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2573	1.3	1	< 1	1	1	1	2	2	4
20-34	501	1.6	1	1	1	1	2	3	4	7
35-49	201	1.7	1	1	1	1	2	3	4	7
50-64	84	1.9	2	1	1	1	2	4	5	8
65 +	56	2.0	2	1	1	2	3	4	5	6
B. Operated										
0-19 YRS	12	1.7	5	< 1	1	1	1	4	8	9
20-34	5	1.2		1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3343	1.7	4	1	1	1	2	3	4	8
20-34	2042	2.3	5	1	1	2	3	5	6	11
35-49	1043	2.8	7	1	1	2	3	5	7	13
50-64	569	3.1	8	1	1	2	4	6	8	14
65 +	1042	4.8	34	1	2	3	6	10	14	29
B. Operated										
0-19 YRS	933	2.8	18	1	1	1	3	6	8	24
20-34	1084	3.2	23	1	1	2	4	6	9	20
35-49	461	4.1	47	1	1	2	4	8	11	37
50-64	255	5.1	55	1	1	3	5	11	19	39
65 +	360	6.3	110	1	2	3	7	13	20	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3415	1.4	1	< 1	1	1	1	2	3	5
B. Operated	19	2.7	28	< 1	1	1	1	6	17	23
2. MULTIPLE DX										
A. Not Operated	8039	2.5	10	1	1	2	3	5	7	15
B. Operated	3093	3.7	39	1	1	2	4	7	11	33
1. SINGLE DX	3434	1.4	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	11132	2.9	18	1	1	2	3	6	8	19
A. Not Operated	11454	2.2	7	1	1	1	2	4	6	13
B. Operated	3112	3.7	39	1	1	2	4	7	11	33
TOTAL										
0-19 YRS	6861	1.7	5	1	1	1	2	3	4	9
20-34	3632	2.5	10	1	1	2	3	5	7	13
35-49	1706	3.0	18	1	1	2	3	6	8	16
50-64	908	3.5	22	1	1	2	4	7	10	29
65 +	1459	5.1	53	1	2	3	6	11	15	40
GRAND TOTAL	**14566**	**2.5**	**15**	**1**	**1**	**1**	**3**	**5**	**7**	**16**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.5	61	< 1	< 1	6	12	12	12	12
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	4	32.8	1258	4	5	23	60	80	80	80
20-34	3	39.3	424	20	24	37	55	61	61	61
35-49	0									
50-64	1	49.0		49	49	49	49	49	49	49
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	21.1	237	6	11	21	37	99 +	99 +	99 +
20-34	29	19.2	286	1	9	17	41	99 +	99 +	99 +
35-49	13	15.1	186	< 1	6	11	24	37	42	43
50-64	4	11.3	51	< 1	6	13	16	17	17	17
65 +	11	18.2	173	8	9	13	30	64	95	99 +
B. Operated										
0-19 YRS	137	32.9	406	13	20	34	62	99 +	99 +	99 +
20-34	134	36.9	500	13	21	36	61	99 +	99 +	99 +
35-49	63	38.1	603	10	22	42	73	99 +	99 +	99 +
50-64	38	43.1	287	26	35	47	73	99 +	99 +	99 +
65 +	35	26.8	230	8	14	29	42	85	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.0	21	< 1	1	5	7	12	12	12
B. Operated	8	37.3	694	5	13	38	55	74	80	80
2. MULTIPLE DX										
A. Not Operated	108	19.2	231	4	9	17	34	93	99 +	99 +
B. Operated	407	35.5	453	13	21	36	64	99 +	99 +	99 +
1. SINGLE DX	13	24.8	678	1	5	12	42	65	77	80
2. MULTIPLE DX	515	32.1	450	9	18	33	58	99 +	99 +	99 +
A. Not Operated	113	18.6	230	2	8	16	33	86	99 +	99 +
B. Operated	415	35.5	456	13	21	36	63	99 +	99 +	99 +
TOTAL										
0-19 YRS	194	29.5	400	8	17	30	56	99 +	99 +	99 +
20-34	167	33.7	505	10	18	34	59	99 +	99 +	99 +
35-49	77	33.8	611	6	17	35	67	99 +	99 +	99 +
50-64	43	40.3	345	17	33	45	69	99 +	99 +	99 +
65 +	47	24.3	230	8	13	24	40	74	99 +	99 +
GRAND TOTAL	**528**	**31.9**	**456**	**8**	**17**	**33**	**57**	**99 +**	**99 +**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1751	1.7	9	< 1	1	1	2	3	4	9
20-34	369	3.1	17	1	1	2	4	6	9	21
35-49	155	2.6	10	1	1	2	3	4	6	20
50-64	64	3.5	17	1	1	2	4	9	12	22
65 +	60	4.5	17	1	2	3	6	11	14	18
B. Operated										
0-19 YRS	130	6.0	49	1	3	4	6	12	18	40
20-34	72	6.1	40	1	3	5	7	12	15	40
35-49	53	8.7	116	2	3	5	9	23	25	65
50-64	41	6.4	17	1	3	6	9	13	14	17
65 +	76	8.6	31	4	5	7	10	15	21	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3055	3.1	32	1	1	1	3	6	10	28
20-34	1572	4.1	54	1	1	2	4	8	13	35
35-49	780	4.5	37	1	1	3	5	10	15	34
50-64	492	5.9	69	1	2	3	7	13	18	52
65 +	1092	7.8	67	1	3	5	10	17	23	49
B. Operated										
0-19 YRS	1102	9.5	190	1	2	4	12	27	43	99 +
20-34	1085	9.4	163	1	2	5	12	25	39	99 +
35-49	564	11.0	215	1	2	6	14	33	53	99 +
50-64	352	12.5	190	1	3	8	17	32	48	99 +
65 +	926	15.5	240	2	5	11	21	37	52	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2399	2.1	11	1	1	1	2	4	6	14
B. Operated	372	7.0	50	1	3	5	8	14	19	36
2. MULTIPLE DX										
A. Not Operated	6991	4.4	49	1	1	2	5	10	16	37
B. Operated	4029	11.3	204	1	2	6	15	30	47	99 +
1. SINGLE DX	2771	2.7	19	1	1	1	3	6	9	22
2. MULTIPLE DX	11020	6.9	117	1	1	3	8	18	28	74
A. Not Operated	9390	3.8	40	1	1	2	4	9	13	32
B. Operated	4401	11.0	192	1	2	6	14	28	45	99 +
TOTAL										
0-19 YRS	6038	3.9	62	1	1	1	3	8	16	49
20-34	3098	5.9	95	1	1	3	6	15	24	68
35-49	1552	6.8	112	1	2	3	7	17	29	75
50-64	949	8.2	119	1	2	4	10	19	29	71
65 +	2154	11.1	154	2	3	7	14	25	37	83
GRAND TOTAL	**13791**	**6.1**	**100**	**1**	**1**	**2**	**6**	**16**	**25**	**66**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	91	2.1	1	1	1	2	3	4	4	6
20-34	143	2.6	4	1	1	2	4	5	7	9
35-49	61	2.3	3	1	1	2	3	5	6	10
50-64	17	2.0	1	1	1	2	3	3	4	4
65+	13	1.8	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	115	3.9	5	1	2	3	5	7	7	12
20-34	303	4.7	9	2	3	4	6	8	11	16
35-49	67	5.1	14	2	3	4	7	9	13	22
50-64	37	4.6	8	2	3	3	6	9	12	13
65+	10	3.3	2	1	2	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	293	3.5	9	1	2	3	4	6	9	16
20-34	476	3.5	12	1	2	3	4	6	9	17
35-49	375	4.3	24	1	2	3	5	8	11	20
50-64	291	4.7	13	1	2	4	6	9	11	19
65+	413	6.6	54	2	3	5	8	12	16	46
B. Operated										
0-19 YRS	540	8.6	72	2	4	6	10	16	22	50
20-34	1305	8.1	67	3	4	6	9	15	21	49
35-49	702	8.9	114	2	4	6	10	17	27	66
50-64	405	10.6	110	3	5	7	13	23	36	73
65+	509	12.2	152	4	5	9	14	26	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	325	2.4	3	1	1	2	3	4	5	9
B. Operated	532	4.5	9	2	3	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	1848	4.5	25	1	2	3	5	9	12	23
B. Operated	3461	9.3	97	3	4	7	11	18	27	66
1. SINGLE DX	857	3.7	7	1	2	3	5	7	9	14
2. MULTIPLE DX	5309	7.6	77	2	3	5	9	15	22	55
A. Not Operated	2173	4.2	22	1	2	3	5	8	11	20
B. Operated	3993	8.6	88	2	4	6	10	17	25	62
TOTAL										
0-19 YRS	1039	6.1	48	1	2	4	7	12	17	33
20-34	2227	6.3	48	2	3	4	8	12	17	37
35-49	1205	6.9	80	2	3	5	8	13	19	51
50-64	750	7.8	74	2	3	5	9	16	24	58
65+	945	9.5	114	3	4	7	11	19	28	87
GRAND TOTAL	**6166**	**7.1**	**69**	**2**	**3**	**5**	**8**	**14**	**20**	**50**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	479	4.0	11	1	1	3	6	8	10	14
20-34	181	3.0	7	1	1	2	4	6	9	14
35-49	62	3.5	9	1	2	3	4	7	10	16
50-64	13	3.8	7	1	2	3	6	8	9	9
65+	13	2.2	2	1	1	2	3	5	5	5
B. Operated										
0-19 YRS	229	6.0	11	2	4	6	7	9	11	21
20-34	293	6.0	11	3	4	6	7	9	10	20
35-49	110	6.4	16	2	4	6	8	10	13	22
50-64	23	6.1	5	3	5	6	7	10	10	10
65+	5	4.6	7	1	2	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	877	4.6	15	1	2	4	6	9	11	20
20-34	624	3.9	11	1	2	3	5	8	10	15
35-49	282	4.4	18	1	2	3	6	9	11	18
50-64	147	4.6	16	1	2	3	6	9	11	22
65+	214	6.4	30	2	3	5	9	13	16	35
B. Operated										
0-19 YRS	1153	10.9	97	4	6	8	13	21	29	65
20-34	2104	11.4	110	4	6	8	12	23	33	67
35-49	850	12.1	129	5	6	9	14	24	36	72
50-64	337	14.7	186	4	7	10	20	30	48	99+
65+	304	13.9	167	3	6	10	18	29	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	748	3.7	10	1	1	3	5	8	10	14
B. Operated	660	6.0	12	2	4	6	7	9	11	20
2. MULTIPLE DX										
A. Not Operated	2144	4.5	16	1	2	3	6	9	11	20
B. Operated	4748	11.8	121	4	6	8	13	24	34	73
1. SINGLE DX	1408	4.8	12	1	2	4	7	9	10	16
2. MULTIPLE DX	6892	9.5	99	2	4	7	11	20	29	64
A. Not Operated	2892	4.3	15	1	2	3	6	9	11	19
B. Operated	5408	11.1	111	4	6	8	12	23	32	69
TOTAL										
0-19 YRS	2738	7.3	59	1	3	6	9	14	20	45
20-34	3202	9.0	88	2	4	7	10	18	28	55
35-49	1304	9.6	103	2	4	7	11	20	29	64
50-64	520	11.2	149	2	4	8	14	25	37	93
65+	536	10.5	122	2	4	8	13	23	34	90
GRAND TOTAL	**8300**	**8.7**	**88**	**2**	**4**	**6**	**10**	**18**	**26**	**58**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	2.0	1	<1	1	2	3	3	5	6
20-34	8	2.4	2	1	1	2	3	4	5	5
35-49	8	2.6	3	1	1	2	4	5	6	6
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	0									
B. Operated										
0-19 YRS	469	2.4	3	1	1	2	3	5	6	9
20-34	226	2.9	3	1	1	3	4	5	6	9
35-49	103	2.9	3	1	1	3	4	5	6	8
50-64	32	2.7	1	1	2	3	4	4	5	5
65+	26	3.0	4	1	1	2	4	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	3.4	14	<1	1	2	4	7	13	19
20-34	25	3.1	4	1	2	3	4	7	7	8
35-49	21	3.1	5	<1	1	3	4	7	8	8
50-64	8	2.0	2	<1	<1	1	3	4	5	5
65+	4	3.5	1	2	3	4	4	4	4	4
B. Operated										
0-19 YRS	537	3.4	7	1	1	3	5	6	8	12
20-34	505	3.7	9	1	2	3	5	7	9	16
35-49	277	4.0	15	1	2	3	5	7	10	23
50-64	114	4.6	15	1	2	4	6	8	10	23
65+	161	5.7	76	1	2	4	6	10	15	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.2	2	<1	1	2	3	4	5	6
B. Operated	856	2.6	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	110	3.2	9	<1	1	2	4	7	8	17
B. Operated	1594	3.9	17	1	2	3	5	7	9	18
1. SINGLE DX	911	2.6	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1704	3.8	16	1	2	3	5	7	9	18
A. Not Operated	165	2.9	7	<1	1	2	4	5	7	16
B. Operated	2450	3.4	12	1	1	3	4	6	8	14
TOTAL										
0-19 YRS	1094	2.9	6	1	1	2	4	6	7	12
20-34	764	3.4	7	1	1	3	4	6	8	14
35-49	409	3.6	12	1	2	3	5	6	8	17
50-64	157	4.0	12	1	2	3	5	8	9	18
65+	191	5.3	66	1	2	3	6	9	13	44
GRAND TOTAL	**2615**	**3.4**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	269	1.9	5	1	1	1	2	3	4	7
20-34	111	2.0	3	<1	1	2	2	3	4	11
35-49	52	3.3	61	<1	1	1	2	4	12	53
50-64	10	1.5	1	<1	1	1	2	3	3	3
65+	4	2.3	4	1	1	2	3	5	5	5
B. Operated										
0-19 YRS	572	1.8	8	<1	1	1	2	3	4	10
20-34	312	2.5	15	1	1	1	3	5	7	18
35-49	122	1.8	2	<1	1	1	2	4	4	9
50-64	38	1.8	1	1	1	2	2	3	4	5
65+	20	3.1	8	1	1	2	4	7	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	445	2.1	2	<1	1	2	3	4	5	7
20-34	393	2.3	4	<1	1	2	3	5	6	11
35-49	203	2.6	7	<1	1	2	3	5	8	15
50-64	90	2.9	6	1	1	2	3	7	8	11
65+	138	4.8	31	1	2	3	6	11	14	33
B. Operated										
0-19 YRS	1298	2.8	20	1	1	2	3	5	8	24
20-34	1529	3.3	26	1	1	2	4	6	9	23
35-49	675	3.4	14	1	1	2	4	7	10	22
50-64	304	3.9	21	1	2	2	5	8	11	23
65+	466	5.2	42	1	2	3	6	11	17	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	446	2.1	11	<1	1	1	2	3	4	13
B. Operated	1064	2.0	9	<1	1	1	2	4	5	12
2. MULTIPLE DX										
A. Not Operated	1269	2.6	8	<1	1	2	3	5	7	12
B. Operated	4272	3.4	24	1	1	2	4	7	10	25
1. SINGLE DX	1510	2.1	10	<1	1	1	2	4	5	13
2. MULTIPLE DX	5541	3.2	21	1	1	2	4	6	9	22
A. Not Operated	1715	2.5	8	<1	1	2	3	5	7	12
B. Operated	5336	3.1	22	1	1	2	3	6	9	23
TOTAL										
0-19 YRS	2584	2.4	13	1	1	1	3	5	6	14
20-34	2345	3.0	20	1	1	2	3	6	8	19
35-49	1052	3.1	14	1	1	2	3	6	9	21
50-64	442	3.5	16	1	1	2	4	7	9	21
65+	628	5.0	38	1	2	3	6	11	15	34
GRAND TOTAL	**7051**	**3.0**	**19**	**1**	**1**	**2**	**3**	**6**	**9**	**21**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	312	1.5	1	<1	1	1	2	3	3	6
20-34	562	1.5	1	<1	1	1	2	3	3	5
35-49	156	1.6	2	<1	1	1	2	2	4	9
50-64	27	1.4	1	<1	1	1	2	2	3	5
65 +	9	2.1	2	1	1	2	3	4	5	5
B. Operated										
0-19 YRS	401	2.2	4	<1	1	1	3	5	6	10
20-34	374	3.1	7	1	1	2	4	6	8	13
35-49	104	2.5	3	1	1	2	4	5	6	9
50-64	24	2.7	5	1	1	2	4	6	7	10
65 +	9	3.7	25	<1	<1	1	4	13	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	222	2.8	25	1	1	2	3	4	7	32
20-34	500	2.3	8	1	1	2	3	4	6	12
35-49	187	2.2	3	1	1	2	3	4	5	10
50-64	45	3.4	10	1	1	2	5	7	12	14
65 +	27	8.7	224	1	1	4	11	14	28	79
B. Operated										
0-19 YRS	494	5.2	47	1	1	3	6	11	16	27
20-34	942	5.4	48	1	2	4	7	11	15	50
35-49	322	5.2	36	1	2	4	6	9	11	32
50-64	81	6.4	84	1	2	4	7	12	18	60
65 +	47	7.7	92	1	2	4	9	18	37	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1066	1.6	1	<1	1	1	2	3	3	6
B. Operated	912	2.7	5	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. Not Operated	981	2.6	18	1	1	2	3	5	7	14
B. Operated	1886	5.4	49	1	2	4	6	11	16	41
1. SINGLE DX	1978	2.1	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	2867	4.5	40	1	1	3	5	9	13	36
A. Not Operated	2047	2.1	9	<1	1	1	2	3	5	11
B. Operated	2798	4.5	36	1	1	3	5	9	13	35
TOTAL										
0-19 YRS	1429	3.2	24	1	1	2	4	6	10	22
20-34	2378	3.5	25	1	1	2	4	7	10	27
35-49	769	3.4	19	1	1	2	4	7	9	23
50-64	177	4.4	46	1	1	2	5	9	13	33
65 +	92	7.1	117	1	2	3	9	14	21	64
GRAND TOTAL	**4845**	**3.5**	**26**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	424	2.5	3	1	1	2	3	4	6	9
20-34	576	2.8	4	1	1	2	4	5	7	10
35-49	241	3.1	5	1	2	2	4	6	8	12
50-64	69	3.3	7	1	1	3	4	6	8	15
65 +	33	3.1	3	1	2	3	4	6	7	7
B. Operated										
0-19 YRS	994	2.2	5	<1	1	1	2	5	6	12
20-34	1622	2.7	7	1	1	2	3	6	8	14
35-49	699	2.7	9	<1	1	2	3	6	8	16
50-64	293	2.4	5	<1	1	2	3	5	7	13
65 +	102	2.5	8	1	1	1	3	6	7	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	372	3.1	15	1	1	2	4	5	7	13
20-34	652	3.2	7	1	2	3	4	6	8	14
35-49	298	3.6	8	1	2	3	5	6	8	14
50-64	147	4.1	15	1	2	3	5	7	9	22
65 +	158	4.9	16	1	2	4	6	9	11	25
B. Operated										
0-19 YRS	1306	3.2	17	1	1	2	4	7	10	20
20-34	2423	3.7	17	1	1	2	4	8	11	23
35-49	1102	4.2	25	1	1	2	5	9	13	28
50-64	576	4.6	47	1	1	2	5	11	16	33
65 +	376	5.0	39	1	1	3	6	13	17	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1343	2.8	4	1	2	2	3	5	7	10
B. Operated	3710	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	1627	3.5	11	1	2	3	4	6	8	17
B. Operated	5783	3.9	23	1	1	2	4	8	12	25
1. SINGLE DX	5053	2.6	6	1	1	2	3	5	7	12
2. MULTIPLE DX	7410	3.8	21	1	1	2	4	8	11	24
A. Not Operated	2970	3.2	8	1	2	3	4	6	7	13
B. Operated	9493	3.3	17	1	1	2	4	7	10	21
TOTAL										
0-19 YRS	3096	2.8	11	1	1	2	3	6	8	16
20-34	5273	3.2	12	1	1	2	4	7	9	18
35-49	2340	3.5	16	1	1	2	4	7	10	21
50-64	1085	3.9	30	1	1	2	4	7	11	28
65 +	669	4.5	28	1	1	3	5	10	14	27
GRAND TOTAL	**12463**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**9**	**20**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	511	2.5	3	1	1	2	3	5	6	9
20-34	402	2.7	4	1	1	2	3	5	6	10
35-49	135	2.8	3	1	2	2	3	5	7	9
50-64	42	3.6	5	1	2	3	5	7	8	11
65+	23	5.2	12	2	3	4	6	9	14	16
B. Operated										
0-19 YRS	1014	3.1	11	1	1	2	4	6	9	17
20-34	896	3.3	13	1	1	2	4	6	9	21
35-49	340	4.1	33	1	2	2	4	8	14	27
50-64	106	3.7	15	1	2	3	4	8	11	22
65+	62	4.2	10	1	2	3	6	9	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	332	3.6	14	1	2	3	4	7	10	17
20-34	311	3.6	13	1	1	3	4	6	8	23
35-49	181	4.7	11	1	2	4	7	9	11	14
50-64	123	5.9	26	2	3	5	7	9	13	27
65+	211	7.3	39	2	3	5	9	14	19	32
B. Operated										
0-19 YRS	756	6.1	51	1	2	4	7	13	21	36
20-34	909	6.1	58	1	2	4	7	13	19	38
35-49	411	7.8	108	1	2	4	9	19	28	53
50-64	251	9.2	134	2	3	5	11	20	27	62
65+	269	11.4	120	2	4	8	15	24	33	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1113	2.7	4	1	1	2	3	5	7	10
B. Operated	2418	3.4	15	1	1	2	4	7	10	21
2. MULTIPLE DX										
A. Not Operated	1158	4.7	21	1	2	3	6	9	12	25
B. Operated	2596	7.2	80	1	2	4	8	17	24	52
1. SINGLE DX	3531	3.2	12	1	1	2	4	6	8	18
2. MULTIPLE DX	3754	6.5	64	1	2	4	7	14	21	40
A. Not Operated	2271	3.7	14	1	2	3	4	7	10	18
B. Operated	5014	5.4	53	1	2	3	6	12	18	36
TOTAL										
0-19 YRS	2613	3.9	23	1	1	3	4	8	11	25
20-34	2518	4.3	30	1	2	3	5	8	13	29
35-49	1067	5.5	58	1	2	3	6	11	18	41
50-64	522	6.9	79	1	2	4	8	14	21	53
65+	565	8.8	80	2	3	6	11	18	26	48
GRAND TOTAL	**7285**	**4.9**	**41**	**1**	**2**	**3**	**5**	**10**	**16**	**32**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.0	4	1	1	1	3	5	6	6
20-34	5	5.4	13	1	2	7	8	9	9	9
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-19 YRS	37	3.3	8	1	1	2	4	8	10	12
20-34	66	3.4	9	1	1	3	4	7	8	16
35-49	28	3.1	7	<1	1	2	4	7	8	11
50-64	7	2.7	8	1	1	2	3	8	9	9
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	6.9	143	<1	1	2	6	19	35	53
20-34	11	7.3	70	1	2	5	9	19	29	30
35-49	12	4.3	9	1	2	4	6	8	10	10
50-64	9	4.7	11	<1	2	4	8	9	10	10
65+	6	7.0	17	1	3	8	10	11	11	11
B. Operated										
0-19 YRS	176	9.1	121	1	3	5	12	23	33	99+
20-34	487	8.6	133	1	2	5	9	19	32	62
35-49	165	10.0	160	1	3	6	11	27	37	70
50-64	72	9.5	135	1	2	5	11	26	41	48
65+	59	13.0	216	2	3	7	17	39	52	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.9	14	1	1	3	6	9	12	14
B. Operated	140	3.3	8	1	1	2	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	59	6.1	68	1	1	4	8	11	20	51
B. Operated	959	9.2	141	1	2	5	10	23	35	67
1. SINGLE DX	157	3.3	9	1	1	2	4	7	9	14
2. MULTIPLE DX	1018	9.1	138	1	2	5	10	22	34	66
A. Not Operated	76	5.6	56	1	1	3	7	10	17	47
B. Operated	1099	8.5	128	1	2	5	9	20	33	64
TOTAL										
0-19 YRS	241	7.8	107	1	2	4	10	21	31	99+
20-34	569	7.9	119	1	2	4	9	17	30	61
35-49	208	8.6	136	1	2	5	9	24	34	61
50-64	89	8.4	110	1	2	4	9	25	35	47
65+	68	12.1	195	2	3	7	15	31	50	58
GRAND TOTAL	**1175**	**8.3**	**124**	**1**	**2**	**5**	**9**	**20**	**32**	**62**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	< 1	< 1	2	3	3	3	3
20-34	7	3.6	3	2	2	3	5	7	7	7
35-49	6	3.7	4	2	2	3	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	64	3.5	11	1	1	2	4	8	12	13
20-34	71	3.3	13	< 1	1	2	4	8	9	21
35-49	31	3.2	6	1	1	2	4	7	9	11
50-64	16	3.2	16	< 1	1	2	3	10	13	15
65 +	8	5.9	30	< 1	1	4	9	14	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	9.3	108	1	2	7	14	34	78	99 +
20-34	27	14.4	522	1	2	4	11	60	81	99 +
35-49	20	6.7	56	2	3	5	9	54	99 +	99 +
50-64	21	5.3	15	2	3	4	8	13	49	99 +
65 +	34	11.1	74	3	4	9	18	24	29	32
B. Operated										
0-19 YRS	52	3.6	24	1	1	2	5	7	12	32
20-34	85	4.5	20	1	2	3	6	8	14	24
35-49	61	6.4	67	1	2	4	7	16	22	44
50-64	38	5.2	39	1	2	3	6	11	18	33
65 +	31	11.1	95	3	4	8	12	27	36	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.3	3	2	2	3	4	6	7	7
B. Operated	190	3.5	12	1	1	2	4	8	11	16
2. MULTIPLE DX										
A. Not Operated	118	9.8	173	1	3	6	11	33	68	99 +
B. Operated	267	5.6	47	1	2	3	7	12	21	37
1. SINGLE DX	206	3.5	11	1	1	2	4	8	11	16
2. MULTIPLE DX	385	6.9	89	1	2	4	8	17	30	99 +
A. Not Operated	134	9.0	157	1	3	5	10	29	60	99 +
B. Operated	457	4.7	34	1	1	3	6	11	15	33
TOTAL										
0-19 YRS	135	4.2	30	1	1	2	5	9	13	45
20-34	190	5.4	99	1	1	3	5	9	17	72
35-49	118	5.5	47	1	2	3	6	13	22	99 +
50-64	75	4.8	28	1	2	3	6	11	15	83
65 +	73	10.5	79	2	4	8	14	24	30	37
GRAND TOTAL	**591**	**5.7**	**65**	**1**	**2**	**3**	**7**	**13**	**23**	**71**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	293	3.9	4	1	3	4	5	6	7	12
20-34	91	3.8	5	1	2	4	5	6	6	14
35-49	30	2.5	2	1	1	2	3	5	5	6
50-64	15	3.4	4	1	2	3	5	6	7	8
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	9	4.4	11	1	2	4	6	10	10	10
20-34	3	4.3	4	2	3	5	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	266	3.8	5	1	2	4	5	6	7	10
20-34	158	3.3	4	1	2	3	4	6	6	9
35-49	68	3.4	5	1	2	3	5	5	6	13
50-64	29	3.8	5	1	2	3	5	6	7	12
65 +	46	5.9	51	2	3	4	5	13	19	37
B. Operated										
0-19 YRS	57	4.4	9	1	2	4	5	7	12	15
20-34	50	4.3	11	1	2	4	6	9	10	16
35-49	36	4.8	21	1	2	4	5	7	18	22
50-64	15	3.9	9	1	2	3	6	8	10	11
65 +	16	4.3	6	2	2	4	6	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	431	3.7	4	1	2	4	5	6	6	11
B. Operated	17	4.0	8	1	2	3	5	9	10	10
2. MULTIPLE DX										
A. Not Operated	567	3.8	9	1	2	4	5	6	7	14
B. Operated	174	4.4	12	1	2	4	5	8	11	20
1. SINGLE DX	448	3.8	4	1	2	4	5	6	7	11
2. MULTIPLE DX	741	3.9	9	1	2	4	5	6	8	15
A. Not Operated	998	3.8	7	1	2	4	5	6	7	13
B. Operated	191	4.4	11	1	2	4	5	8	11	19
TOTAL										
0-19 YRS	625	3.9	5	1	2	4	5	6	7	12
20-34	302	3.6	5	1	2	3	5	6	7	13
35-49	135	3.6	9	1	2	3	5	5	7	21
50-64	61	3.7	6	1	2	3	5	7	8	12
65 +	66	5.4	38	2	2	4	6	10	14	37
GRAND TOTAL	**1189**	**3.9**	**7**	**1**	**2**	**4**	**5**	**6**	**7**	**14**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1016	1.6	1	<1	1	1	2	3	4	6
20-34	707	1.9	2	1	1	1	2	3	5	9
35-49	345	2.1	2	1	1	2	3	4	6	8
50-64	182	2.1	1	1	1	2	3	4	5	6
65 +	192	3.2	9	1	1	2	4	7	8	17
B. Operated										
0-19 YRS	144	2.6	10	<1	<1	1	3	5	9	17
20-34	110	2.4	3	<1	1	2	3	5	7	8
35-49	72	3.0	7	1	1	2	4	6	9	16
50-64	44	4.8	51	1	1	2	5	10	19	40
65 +	26	4.0	12	<1	1	3	5	9	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1795	2.0	3	1	1	1	2	4	6	10
20-34	1904	2.4	5	1	1	2	3	5	6	10
35-49	1227	2.9	6	1	1	2	4	6	7	13
50-64	940	3.4	11	1	1	2	4	7	9	14
65 +	2818	5.9	50	1	2	4	7	11	16	43
B. Operated										
0-19 YRS	239	3.6	22	1	1	2	4	8	11	28
20-34	375	3.7	31	1	1	2	4	8	12	39
35-49	245	4.0	15	1	2	3	5	8	11	15
50-64	177	5.4	38	1	2	4	7	10	15	40
65 +	431	9.1	127	2	3	6	11	18	26	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2442	1.9	3	1	1	1	2	4	5	8
B. Operated	396	3.0	13	<1	1	2	4	6	9	17
2. MULTIPLE DX										
A. Not Operated	8684	3.6	22	1	1	2	4	7	10	21
B. Operated	1467	5.5	62	1	2	3	6	12	17	47
1. SINGLE DX	2838	2.1	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	10151	3.9	29	1	1	2	5	8	11	24
A. Not Operated	11126	3.2	19	1	1	2	4	7	9	19
B. Operated	1863	5.0	52	1	1	3	6	11	16	44
TOTAL										
0-19 YRS	3194	2.0	5	1	1	1	2	4	5	11
20-34	3096	2.4	8	1	1	2	3	5	7	12
35-49	1889	2.9	7	1	1	2	4	6	7	13
50-64	1343	3.5	15	1	1	2	4	7	9	18
65 +	3467	6.1	59	1	2	4	7	12	17	49
GRAND TOTAL	**12989**	**3.5**	**24**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	1.8	2	1	1	1	2	3	5	9
20-34	76	2.2	4	1	1	1	3	4	5	13
35-49	28	2.3	4	1	1	2	3	4	5	12
50-64	15	2.7	5	1	1	2	3	7	8	9
65 +	0									
B. Operated										
0-19 YRS	49	5.2	37	1	1	2	8	15	17	28
20-34	67	3.1	15	1	1	2	3	8	10	24
35-49	46	4.0	15	1	1	3	6	11	13	17
50-64	18	3.4	14	1	1	2	4	9	13	15
65 +	4	4.3	22	1	1	3	7	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	2.7	5	1	1	2	3	5	6	14
20-34	85	3.1	8	1	1	2	4	6	7	18
35-49	51	3.1	8	1	1	2	4	7	10	14
50-64	29	4.4	16	1	2	3	6	9	16	16
65 +	19	4.7	10	1	3	4	7	10	12	12
B. Operated										
0-19 YRS	97	6.9	87	1	2	4	7	17	22	52
20-34	214	7.0	74	1	2	4	8	16	23	42
35-49	123	6.3	85	1	2	4	7	15	21	46
50-64	61	9.1	138	1	2	4	10	24	44	49
65 +	26	8.2	87	1	2	4	12	22	32	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202	2.1	4	1	1	2	2	4	5	11
B. Operated	184	3.9	21	1	1	2	4	11	14	24
2. MULTIPLE DX										
A. Not Operated	249	3.3	9	1	1	2	4	7	8	16
B. Operated	521	7.1	87	1	2	4	8	18	25	46
1. SINGLE DX	386	3.0	13	1	1	2	3	6	11	17
2. MULTIPLE DX	770	5.9	65	1	2	3	6	14	20	42
A. Not Operated	451	2.7	7	1	1	2	3	6	7	15
B. Operated	705	6.3	72	1	2	3	7	15	22	43
TOTAL										
0-19 YRS	294	4.3	41	1	1	2	4	10	16	29
20-34	442	4.8	45	1	1	3	5	11	18	39
35-49	248	4.8	49	1	1	2	5	11	16	28
50-64	123	6.4	82	1	2	3	6	15	24	47
65 +	49	6.6	53	1	2	4	8	14	23	34
GRAND TOTAL	**1156**	**4.9**	**49**	**1**	**1**	**3**	**5**	**11**	**17**	**35**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1540	1.2		< 1	< 1	1	1	2	2	4
20-34	143	1.4	1	< 1	1	1	2	3	3	4
35-49	126	1.3	1	< 1	< 1	1	1	2	3	31
50-64	118	1.3	1	< 1	1	1	1	2	3	7
65 +	95	1.3	1	< 1	1	1	1	2	2	5
B. Operated										
0-19 YRS	652	1.5	1	< 1	1	1	2	2	3	8
20-34	32	3.2	6	< 1	1	2	4	7	8	10
35-49	40	2.9	7	< 1	1	1	5	7	8	9
50-64	29	2.4	8	1	1	1	2	6	9	13
65 +	25	3.3	47	< 1	< 1	1	3	6	15	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	596	2.1	4	1	1	1	3	4	5	10
20-34	114	2.6	6	1	1	2	3	7	8	11
35-49	136	2.5	6	< 1	1	2	3	6	7	12
50-64	172	2.8	10	< 1	1	2	3	6	9	18
65 +	462	4.1	25	1	1	3	5	8	14	22
B. Operated										
0-19 YRS	387	4.1	55	1	1	2	4	8	14	50
20-34	95	5.4	38	1	2	4	7	10	15	37
35-49	99	6.5	72	1	2	4	7	14	20	48
50-64	127	6.8	82	1	1	5	9	13	18	54
65 +	321	6.9	94	1	2	4	8	17	21	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2022	1.2	1	< 1	< 1	1	1	2	2	4
B. Operated	778	1.7	4	< 1	1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated	1480	2.9	12	1	1	2	3	6	8	18
B. Operated	1029	5.7	72	1	1	3	7	13	19	51
1. SINGLE DX	2800	1.4	1	< 1	1	1	1	2	3	7
2. MULTIPLE DX	2509	4.0	39	1	1	2	4	9	14	31
A. Not Operated	3502	1.9	6	< 1	1	1	2	4	6	13
B. Operated	1807	4.0	46	< 1	1	2	4	9	14	39
TOTAL										
0-19 YRS	3175	1.8	9	< 1	1	1	2	3	4	11
20-34	384	2.9	14	< 1	1	1	3	7	9	16
35-49	401	3.2	24	< 1	1	1	3	7	11	24
50-64	446	3.5	32	< 1	1	1	4	9	12	26
65 +	903	4.8	51	1	1	2	5	11	17	38
GRAND TOTAL	**5309**	**2.6**	**21**	**< 1**	**1**	**1**	**2**	**5**	**9**	**20**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	4.3	18	1	2	3	6	8	16	19
20-34	20	3.6	6	1	1	3	5	7	8	8
35-49	14	3.2	6	1	1	2	5	7	9	9
50-64	5	6.0	29	2	2	5	8	15	15	15
65 +	3	6.7	10	3	4	8	9	9	9	9
B. Operated										
0-19 YRS	127	6.5	60	1	1	5	8	17	24	40
20-34	66	8.2	91	1	2	5	11	18	20	56
35-49	58	7.1	56	1	2	5	8	15	27	37
50-64	24	7.4	31	2	3	7	9	13	22	23
65 +	15	7.9	100	1	2	5	8	21	34	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	231	6.0	45	1	2	4	7	14	19	37
20-34	112	6.6	50	1	2	4	9	16	19	39
35-49	76	8.1	64	1	3	6	11	17	21	46
50-64	65	8.2	37	1	4	7	12	17	20	26
65 +	67	9.5	80	2	4	7	13	16	22	57
B. Operated										
0-19 YRS	474	16.8	239	2	6	14	22	41	57	99 +
20-34	337	16.9	278	2	6	12	23	41	63	99 +
35-49	249	16.9	249	3	6	13	22	36	56	99
50-64	171	19.6	257	4	8	16	28	42	57	99 +
65 +	217	20.8	246	4	9	17	30	46	54	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	4.1	13	1	2	3	6	8	11	19
B. Operated	290	7.2	65	1	2	5	8	17	23	41
2. MULTIPLE DX										
A. Not Operated	551	7.1	53	1	2	5	10	15	20	39
B. Operated	1448	17.8	255	3	7	14	24	41	57	99 +
1. SINGLE DX	371	6.5	56	1	2	5	8	15	21	38
2. MULTIPLE DX	1999	14.8	222	2	4	11	20	36	51	99 +
A. Not Operated	632	6.7	49	1	2	5	9	15	19	36
B. Operated	1738	16.0	239	2	5	12	22	38	53	99 +
TOTAL										
0-19 YRS	871	11.8	180	1	3	7	17	29	43	99 +
20-34	535	13.2	221	1	3	9	18	33	48	99 +
35-49	397	13.3	199	2	4	9	18	31	42	87
50-64	265	15.4	209	2	5	12	22	35	50	99 +
65 +	302	17.5	227	3	6	14	25	41	53	99 +
GRAND TOTAL	**2370**	**13.5**	**205**	**1**	**4**	**9**	**18**	**33**	**47**	**99 +**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	531	3.4	12	1	1	2	5	8	10	16
20-34	201	3.7	9	1	1	3	5	8	10	12
35-49	91	5.2	22	1	2	4	7	13	14	20
50-64	48	4.3	16	1	2	3	6	9	10	24
65+	14	4.5	36	1	1	3	4	15	20	22
B. Operated										
0-19 YRS	118	5.3	28	1	1	3	8	13	16	23
20-34	39	6.4	42	1	1	5	10	17	19	27
35-49	15	6.3	22	1	2	5	10	12	15	16
50-64	10	8.3	91	1	2	5	8	25	29	29
65+	4	2.8	2	1	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1935	4.8	22	1	2	3	7	11	14	21
20-34	762	4.7	25	1	1	3	6	10	13	28
35-49	453	5.0	24	1	2	4	7	11	15	22
50-64	264	6.1	34	1	2	4	8	13	17	38
65+	197	8.4	62	2	3	6	11	19	24	40
B. Operated										
0-19 YRS	342	11.7	133	1	3	9	17	25	33	67
20-34	190	11.0	137	1	3	8	14	22	37	96
35-49	121	13.8	180	2	5	10	17	29	44	66
50-64	84	15.4	250	3	5	10	19	39	54	96
65+	76	15.6	168	4	7	10	23	33	47	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	885	3.7	13	1	1	2	5	8	10	18
B. Operated	186	5.7	33	1	1	4	8	13	18	26
2. MULTIPLE DX										
A. Not Operated	3611	5.1	27	1	2	4	7	11	15	25
B. Operated	813	12.6	158	1	4	9	17	28	38	79
1. SINGLE DX	1071	4.1	17	1	1	3	6	9	12	21
2. MULTIPLE DX	4424	6.5	59	1	2	4	8	15	21	40
A. Not Operated	4496	4.8	24	1	1	3	6	11	14	24
B. Operated	999	11.3	142	1	3	8	16	25	35	69
TOTAL										
0-19 YRS	2926	5.4	39	1	1	3	7	12	17	29
20-34	1192	5.6	47	1	1	3	7	12	18	37
35-49	680	6.6	62	1	2	4	8	15	20	40
50-64	406	7.8	93	1	2	5	9	17	26	62
65+	291	10.0	99	2	3	7	13	24	30	55
GRAND TOTAL	**5495**	**6.0**	**52**	**1**	**2**	**4**	**8**	**13**	**19**	**37**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	2.2	3	1	1	2	3	4	[illegible]	8
20-34	66	3.4	10	1	1	2	4	8	10	16
35-49	39	4.9	25	1	1	3	7	14	16	18
50-64	8	2.6	6	< 1	1	2	3	7	8	8
65+	6	10.2	295	1	1	4	5	41	45	45
B. Operated										
0-19 YRS	61	1.8	3	< 1	1	1	2	4	6	9
20-34	129	1.9	2	< 1	1	1	2	4	4	8
35-49	70	3.3	14	< 1	1	1	4	8	9	19
50-64	20	2.1	3	< 1	1	1	2	5	6	7
65+	10	1.3		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	6.9	183	1	1	3	6	14	27	91
20-34	132	6.7	105	1	2	4	7	12	22	66
35-49	106	5.9	27	1	2	5	8	13	18	58
50-64	65	7.5	44	2	2	6	11	16	20	32
65+	76	9.6	78	3	4	8	11	18	22	55
B. Operated										
0-19 YRS	209	5.9	136	1	1	2	6	17	33	99+
20-34	422	4.4	54	1	1	2	4	11	19	53
35-49	187	5.3	58	1	1	2	6	15	25	99+
50-64	91	7.3	140	1	1	3	10	19	26	99+
65+	51	13.9	217	1	3	9	24	43	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	3.4	20	1	1	2	4	8	12	17
B. Operated	290	2.2	5	< 1	1	1	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	479	7.1	92	1	2	4	9	14	21	73
B. Operated	960	5.7	93	1	1	2	6	16	27	99+
1. SINGLE DX	479	2.7	11	< 1	1	2	3	6	8	16
2. MULTIPLE DX	1439	6.2	93	1	1	3	7	15	25	99+
A. Not Operated	668	6.1	74	1	2	3	8	13	17	64
B. Operated	1250	4.9	75	1	1	2	5	13	24	99+
TOTAL										
0-19 YRS	440	5.0	110	1	1	2	4	12	22	99+
20-34	749	4.3	52	1	1	2	4	10	16	51
35-49	402	5.0	39	1	1	3	7	14	20	72
50-64	184	6.6	88	1	2	3	9	16	21	99+
65+	143	10.6	139	1	3	7	13	33	43	99+
GRAND TOTAL	**1918**	**5.3**	**75**	**1**	**1**	**2**	**6**	**13**	**21**	**92**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	544	1.8	2	1	1	1	2	3	5	9
20-34	479	2.1	4	1	1	1	2	4	5	12
35-49	194	2.1	3	1	1	2	2	4	5	11
50-64	78	2.2	3	1	1	2	3	5	5	11
65 +	48	3.8	14	1	1	2	5	8	12	17
B. Operated										
0-19 YRS	105	4.0	23	< 1	1	2	5	9	11	28
20-34	150	4.3	19	1	1	3	5	9	11	26
35-49	70	5.0	44	1	1	3	5	12	15	40
50-64	34	5.1	25	1	1	4	6	14	17	20
65 +	12	3.8	14	1	2	3	4	9	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	733	2.6	9	1	1	2	3	5	6	19
20-34	818	2.7	9	1	1	2	3	5	7	13
35-49	496	3.6	13	1	1	2	4	7	10	16
50-64	283	4.2	16	1	2	3	5	8	12	20
65 +	530	6.3	47	1	3	5	8	12	15	33
B. Operated										
0-19 YRS	270	5.3	33	1	1	3	7	12	19	27
20-34	464	7.2	72	1	2	4	9	18	22	43
35-49	245	7.8	88	1	2	5	10	17	27	54
50-64	158	10.2	129	2	3	6	13	22	29	64
65 +	180	10.6	149	2	4	7	13	24	38	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1343	2.0	4	1	1	1	2	4	5	11
B. Operated	371	4.4	25	1	1	3	5	10	14	26
2. MULTIPLE DX										
A. Not Operated	2860	3.6	19	1	1	2	4	8	11	20
B. Operated	1317	7.7	87	1	2	5	10	18	25	48
1. SINGLE DX	1714	2.6	9	1	1	2	3	5	8	16
2. MULTIPLE DX	4177	4.9	44	1	1	3	6	11	16	35
A. Not Operated	4203	3.1	15	1	1	2	4	6	9	18
B. Operated	1688	7.0	75	1	2	4	8	17	23	44
TOTAL										
0-19 YRS	1652	2.9	13	1	1	2	3	6	9	20
20-34	1911	3.8	28	1	1	2	4	8	13	28
35-49	1005	4.4	35	1	1	2	5	10	14	30
50-64	553	5.7	56	1	2	3	6	13	20	38
65 +	770	7.1	72	1	3	5	8	14	19	48
GRAND TOTAL	**5891**	**4.2**	**35**	**1**	**1**	**2**	**5**	**9**	**14**	**30**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3327	1.5	2	< 1	1	1	2	3	3	6
20-34	1077	1.7	3	< 1	1	1	2	3	4	7
35-49	415	1.8	2	< 1	1	1	2	4	4	8
50-64	105	2.0	5	< 1	1	1	2	4	5	14
65 +	57	2.7	9	1	1	2	3	6	7	19
B. Operated										
0-19 YRS	14	4.5	19	1	1	4	5	11	15	16
20-34	6	6.2	96	< 1	1	2	4	24	26	26
35-49	5	3.8	5	1	2	5	5	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6170	2.8	24	1	1	2	3	5	8	26
20-34	7190	2.8	17	1	1	2	3	5	8	21
35-49	4562	3.3	21	1	1	2	3	6	10	24
50-64	1812	4.1	20	1	2	3	5	9	12	25
65 +	2536	5.5	30	1	2	4	7	11	15	29
B. Operated										
0-19 YRS	102	8.0	175	1	2	4	8	17	27	85
20-34	205	8.8	159	1	2	4	8	23	34	69
35-49	207	10.9	186	2	3	6	12	26	45	93
50-64	147	11.4	162	2	3	8	15	24	31	68
65 +	240	13.2	163	3	5	9	16	28	40	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4981	1.6	2	< 1	1	1	2	3	4	7
B. Operated	27	4.8	29	1	1	4	5	10	17	26
2. MULTIPLE DX										
A. Not Operated	22270	3.3	22	1	1	2	4	7	10	24
B. Operated	901	10.8	171	2	3	6	13	26	36	85
1. SINGLE DX	5008	1.6	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	23171	3.6	30	1	1	2	4	7	12	28
A. Not Operated	27251	3.0	19	1	1	2	3	6	9	22
B. Operated	928	10.6	168	2	3	6	13	25	35	85
TOTAL										
0-19 YRS	9613	2.5	19	< 1	1	1	2	4	6	22
20-34	8478	2.8	19	< 1	1	2	3	[illegible]	8	23
35-49	5189	3.5	28	1	1	2	4	[illegible]	11	28
50-64	2065	4.5	33	1	2	3	5	[illegible]	14	28
65 +	2834	6.1	46	1	2	4	7	[illegible]	18	39
GRAND TOTAL	**28179**	**3.3**	**26**	**1**	**1**	**2**	**3**	**7**	**11**	**26**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1622	2.3	5	1	1	1	3	6	6	9
20-34	424	1.5	1	<1	1	1	2	3	4	6
35-49	233	1.6	2	1	1	1	2	3	4	7
50-64	128	1.7	2	<1	1	1	2	3	4	7
65+	48	3.0	28	1	1	2	3	4	8	31
B. Operated										
0-19 YRS	28	3.4	10	1	1	2	5	9	10	10
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	7	4.1	4	2	3	3	5	7	8	8
50-64	3	6.0	1	5	5	6	7	7	7	7
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1366	3.0	15	1	1	2	4	6	7	16
20-34	836	2.5	9	1	1	2	3	5	7	17
35-49	716	3.1	19	1	1	2	3	6	9	24
50-64	368	3.1	14	1	1	2	4	6	9	22
65+	386	4.4	44	1	2	3	5	9	12	48
B. Operated										
0-19 YRS	62	8.4	194	1	2	4	10	20	71	99+
20-34	58	9.6	167	1	2	6	13	22	30	77
35-49	56	8.8	117	1	2	5	9	21	34	53
50-64	36	11.1	138	2	5	7	12	26	42	48
65+	32	15.4	450	1	3	8	20	40	72	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2455	2.1	4	1	1	1	2	5	6	8
B. Operated	42	3.6	8	1	1	3	5	8	9	10
2. MULTIPLE DX										
A. Not Operated	3672	3.0	18	1	1	2	4	6	8	21
B. Operated	244	10.1	197	1	2	5	11	24	42	92
1. SINGLE DX	2497	2.1	4	1	1	1	2	5	6	8
2. MULTIPLE DX	3916	3.5	32	1	1	2	4	7	10	30
A. Not Operated	6127	2.7	12	1	1	1	3	6	7	17
B. Operated	286	9.2	174	1	2	5	10	23	39	87
TOTAL										
0-19 YRS	3078	2.7	14	1	1	1	4	6	7	14
20-34	1322	2.5	16	1	1	1	2	4	7	18
35-49	1012	3.1	22	1	1	2	3	6	9	26
50-64	535	3.3	24	1	1	2	4	7	9	27
65+	466	5.0	78	1	1	3	5	10	15	70
GRAND TOTAL	**6413**	**2.9**	**21**	**1**	**1**	**2**	**3**	**6**	**8**	**22**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	692	1.7	2	1	1	1	2	3	4	7
20-34	304	1.7	3	1	1	1	2	3	4	10
35-49	248	1.9	2	1	1	1	2	3	5	8
50-64	171	2.3	7	1	1	1	2	4	6	13
65+	102	3.0	8	1	1	2	3	7	9	14
B. Operated										
0-19 YRS	10	2.5	3	<1	2	2	2	5	7	7
20-34	8	5.4	44	1	2	3	6	17	21	21
35-49	6	7.5	87	1	1	3	13	23	24	24
50-64	4	8.5	108	1	1	5	16	23	23	23
65+	7	7.3	31	2	3	5	12	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1168	3.3	23	1	1	2	3	6	9	25
20-34	733	3.0	12	1	1	2	3	6	9	17
35-49	853	3.2	9	1	1	2	4	6	8	16
50-64	1005	4.3	30	1	2	3	5	8	12	26
65+	2147	5.8	41	1	2	4	7	11	16	38
B. Operated										
0-19 YRS	124	14.0	433	1	1	5	13	50	65	95
20-34	105	7.7	142	1	1	3	8	24	34	78
35-49	114	6.7	86	1	1	3	9	22	34	99+
50-64	145	8.8	85	1	2	6	13	21	27	60
65+	286	11.6	126	1	4	9	15	26	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1517	1.9	3	1	1	1	2	3	5	10
B. Operated	35	5.7	43	1	1	2	7	16	22	24
2. MULTIPLE DX										
A. Not Operated	5906	4.3	29	1	1	3	5	9	12	26
B. Operated	774	10.2	169	1	2	6	13	26	42	99+
1. SINGLE DX	1552	1.9	4	1	1	1	2	4	5	11
2. MULTIPLE DX	6680	5.0	49	1	1	3	6	11	16	41
A. Not Operated	7423	3.8	24	1	1	2	4	8	11	24
B. Operated	809	10.0	164	1	2	6	13	25	41	99+
TOTAL										
0-19 YRS	1994	3.4	49	1	1	2	3	6	9	43
20-34	1150	3.1	24	1	1	2	3	6	10	28
35-49	1221	3.2	16	1	1	2	4	7	10	24
50-64	1325	4.5	36	1	1	3	5	10	14	28
65+	2542	6.3	53	1	2	4	8	13	19	45
GRAND TOTAL	**8232**	**4.4**	**42**	**1**	**1**	**2**	**5**	**9**	**14**	**37**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	256	4.1	26	1	1	2	5	8	15	28
20-34	83	5.5	73	1	2	3	5	12	23	47
35-49	93	4.3	15	1	2	3	5	9	13	19
50-64	106	3.9	12	1	1	3	5	7	10	19
65 +	127	5.1	75	1	1	2	6	11	17	44
B. Operated										
0-19 YRS	1481	4.0	21	1	2	3	4	8	11	22
20-34	717	4.4	31	1	1	3	6	9	13	28
35-49	829	4.6	24	1	1	3	6	10	13	24
50-64	1092	5.6	33	1	2	4	8	11	14	30
65 +	1787	5.6	29	1	2	4	8	12	14	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1343	6.3	39	1	2	4	8	14	17	34
20-34	535	6.1	29	1	3	5	8	13	15	28
35-49	712	6.2	41	1	3	4	8	12	16	41
50-64	862	6.0	33	1	2	5	8	12	15	25
65 +	1909	6.8	48	1	3	5	8	14	17	41
B. Operated										
0-19 YRS	4814	7.6	92	1	2	4	8	18	26	53
20-34	2648	7.3	84	1	2	4	9	16	24	53
35-49	4276	7.7	80	1	2	5	9	17	24	46
50-64	7057	8.4	89	1	3	6	10	17	25	54
65 +	13116	9.3	105	1	3	7	12	19	28	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	665	4.5	38	1	1	3	5	9	14	32
B. Operated	5906	4.9	28	1	2	3	7	10	13	26
2. MULTIPLE DX										
A. Not Operated	5361	6.4	41	1	3	5	8	13	16	36
B. Operated	31911	8.5	95	1	2	6	11	18	26	54
1. SINGLE DX	6571	4.9	29	1	2	3	7	10	13	27
2. MULTIPLE DX	37272	8.2	87	1	2	5	10	17	25	52
A. Not Operated	6026	6.2	41	1	2	4	8	13	16	35
B. Operated	37817	7.9	86	1	2	5	10	17	24	52
TOTAL										
0-19 YRS	7894	6.6	70	1	2	4	7	15	22	46
20-34	3983	6.6	68	1	2	4	8	14	21	48
35-49	5910	7.0	68	1	2	5	9	15	22	44
50-64	9117	7.8	77	1	2	5	10	16	23	48
65 +	16939	8.6	92	1	3	6	11	18	26	54
GRAND TOTAL	**43843**	**7.7**	**80**	**1**	**2**	**5**	**10**	**16**	**23**	**49**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	315	1.5	2	<1	1	1	2	2	3	6
20-34	253	2.0	2	<1	1	2	3	3	5	7
35-49	166	2.6	3	1	1	2	3	5	6	10
50-64	161	2.6	3	1	1	2	3	5	6	11
65 +	210	2.7	3	1	1	2	3	5	5	10
B. Operated										
0-19 YRS	447	1.5	1	<1	1	1	2	3	3	6
20-34	340	2.1	3	<1	1	1	3	4	6	8
35-49	183	2.7	4	1	1	2	4	6	7	9
50-64	128	2.8	5	1	1	2	3	6	8	11
65 +	137	3.6	6	1	2	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	182	2.1	4	1	1	2	2	4	5	11
20-34	225	3.0	6	1	1	2	4	6	8	14
35-49	236	3.2	6	1	1	3	4	6	8	13
50-64	436	3.4	7	1	2	3	5	6	7	16
65 +	1009	3.8	14	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	313	1.9	4	1	1	1	2	4	6	11
20-34	454	3.4	12	1	1	2	4	8	10	18
35-49	450	3.5	20	1	1	2	4	8	10	21
50-64	604	4.4	41	1	1	3	5	9	14	29
65 +	1304	4.8	36	1	1	3	6	10	14	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1105	2.1	3	1	1	2	3	4	5	8
B. Operated	1235	2.2	3	1	1	1	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	2088	3.4	10	1	2	3	4	6	8	15
B. Operated	3125	4.0	29	1	1	2	5	9	12	28
1. SINGLE DX	2340	2.2	3	1	1	2	3	4	6	9
2. MULTIPLE DX	5213	3.8	21	1	1	3	5	8	10	22
A. Not Operated	3193	3.0	8	1	1	2	4	6	7	13
B. Operated	4360	3.5	22	1	1	2	4	8	10	23
TOTAL										
0-19 YRS	1257	1.7	3	<1	1	1	2	3	4	8
20-34	1272	2.7	7	1	1	2	3	6	8	14
35-49	1035	3.1	11	1	1	2	4	6	9	14
50-64	1329	3.7	22	1	1	3	4	7	10	20
65 +	2660	4.2	24	1	2	3	5	8	11	27
GRAND TOTAL	**7553**	**3.3**	**16**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

981 Hospitals, United States, January-December 1989

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	253	4.2	10	1	2	3	6	8	10	13
20-34	344	4.2	7	2	2	3	5	7	10	15
35-49	297	4.6	11	2	2	4	6	9	12	17
50-64	166	5.5	23	2	3	4	7	9	13	22
65+	122	6.4	36	2	3	5	8	12	14	40
B. Operated										
0-19 YRS	169	5.4	15	2	3	4	7	11	13	20
20-34	210	6.2	35	2	3	5	7	12	15	25
35-49	210	7.2	41	2	3	6	9	14	17	34
50-64	134	7.2	42	2	3	6	9	14	22	33
65+	102	7.5	41	2	3	5	11	15	19	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	409	5.6	30	2	3	4	7	11	14	27
20-34	535	5.2	17	2	3	4	6	9	12	21
35-49	680	6.1	25	2	3	5	7	10	14	27
50-64	752	6.9	22	3	4	6	9	13	16	25
65+	1144	8.0	44	3	4	6	10	14	19	29
B. Operated										
0-19 YRS	414	11.1	116	2	4	8	14	24	31	63
20-34	582	10.1	107	3	4	7	12	20	28	61
35-49	813	11.2	115	2	4	8	14	24	34	57
50-64	944	12.9	139	3	5	9	16	27	36	60
65+	1412	14.0	161	3	6	10	18	30	42	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1182	4.7	14	2	2	4	6	9	11	17
B. Operated	825	6.6	35	2	3	5	9	13	17	29
2. MULTIPLE DX										
A. Not Operated	3520	6.7	31	2	3	5	8	12	16	27
B. Operated	4165	12.4	137	3	5	9	15	26	37	64
1. SINGLE DX	2007	5.5	24	2	3	4	7	11	14	23
2. MULTIPLE DX	7685	9.8	97	2	4	7	12	20	29	55
A. Not Operated	4702	6.2	28	2	3	5	8	12	15	26
B. Operated	4990	11.4	125	2	4	8	14	24	34	61
TOTAL										
0-19 YRS	1245	7.1	61	2	3	5	9	15	22	40
20-34	1671	6.8	55	2	3	5	8	13	19	37
35-49	2000	8.1	68	2	3	6	9	16	24	45
50-64	1996	9.7	89	3	4	7	12	20	28	50
65+	2780	11.0	113	3	5	8	13	22	33	60
GRAND TOTAL	**9692**	**8.9**	**85**	**2**	**4**	**6**	**11**	**18**	**26**	**51**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	113	3.5	28	1	1	2	3	6	12	36
20-34	188	3.3	7	1	1	2	4	7	9	13
35-49	187	3.8	17	1	2	3	5	7	9	14
50-64	142	4.4	11	1	2	3	6	8	11	15
65+	116	3.7	7	1	2	3	5	7	8	14
B. Operated										
0-19 YRS	180	3.4	11	1	1	2	5	7	11	16
20-34	218	4.7	15	1	2	3	7	11	14	16
35-49	262	4.9	14	1	2	4	7	9	12	17
50-64	196	4.4	17	1	2	3	6	9	12	18
65+	200	4.5	24	1	1	3	6	9	12	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	727	3.6	27	1	1	2	4	7	11	22
20-34	819	3.8	13	1	2	3	5	8	10	17
35-49	1080	4.5	16	1	2	3	6	9	11	20
50-64	1189	5.1	17	1	2	4	7	10	13	20
65+	2146	6.0	28	1	3	5	8	11	15	25
B. Operated										
0-19 YRS	1517	4.3	60	1	1	1	4	11	17	40
20-34	1818	4.0	39	1	1	2	4	9	14	30
35-49	2370	5.8	75	1	1	2	7	14	22	50
50-64	2907	7.3	95	1	1	4	9	17	26	55
65+	4621	7.6	96	1	2	4	9	18	25	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	746	3.7	14	1	2	3	5	7	9	15
B. Operated	1056	4.4	16	1	1	3	6	9	13	17
2. MULTIPLE DX										
A. Not Operated	5961	5.0	22	1	2	4	7	10	13	22
B. Operated	13233	6.3	82	1	1	3	8	15	22	50
1. SINGLE DX	1802	4.1	15	1	1	3	6	8	12	17
2. MULTIPLE DX	19194	5.9	64	1	1	3	7	13	20	43
A. Not Operated	6707	4.8	21	1	2	4	6	10	13	22
B. Operated	14289	6.2	77	1	1	3	8	15	22	49
TOTAL										
0-19 YRS	2537	4.0	46	1	1	2	4	9	15	35
20-34	3043	3.9	29	1	1	2	5	9	12	26
35-49	3899	5.3	52	1	1	3	7	11	16	39
50-64	4434	6.5	69	1	2	4	8	15	21	47
65+	7083	6.9	73	1	2	4	9	15	21	47
GRAND TOTAL	**20996**	**5.7**	**60**	**1**	**1**	**3**	**7**	**13**	**19**	**41**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	93	2.2	3	1	1	2	3	4	5	10
20-34	23	4.2	7	2	2	4	5	9	10	11
35-49	17	4.0	9	1	2	3	5	7	11	13
50-64	11	3.1	3	1	2	2	4	5	6	6
65 +	12	5.2	24	< 1	1	3	8	13	16	16
B. Operated										
0-19 YRS	3	8.0	12	6	6	6	11	12	12	12
20-34	5	1.6	1	< 1	1	1	2	3	3	3
35-49	3	4.0	3	2	3	5	5	5	5	5
50-64	3	6.0	7	4	4	5	8	9	9	9
65 +	2	10.5	1	10	10	10	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	208	3.0	9	1	1	2	3	6	8	14
20-34	87	4.0	13	< 1	2	3	5	8	14	17
35-49	88	3.8	9	1	2	3	5	8	9	16
50-64	118	4.8	14	1	2	4	7	9	13	19
65 +	197	4.7	25	1	2	3	6	10	13	22
B. Operated										
0-19 YRS	24	9.7	56	1	3	9	15	20	23	24
20-34	36	8.3	188	1	2	5	8	15	30	79
35-49	39	8.6	188	1	2	5	8	21	33	78
50-64	44	8.7	44	2	4	8	12	16	22	31
65 +	73	10.1	84	2	3	7	13	24	33	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	156	3.0	7	1	1	2	4	5	9	13
B. Operated	16	5.2	13	1	2	5	8	11	12	12
2. MULTIPLE DX										
A. Not Operated	698	4.0	16	1	2	3	5	8	11	18
B. Operated	216	9.2	107	2	3	6	12	19	30	51
1. SINGLE DX	172	3.2	8	1	1	2	4	6	10	13
2. MULTIPLE DX	914	5.2	42	1	2	3	6	11	15	33
A. Not Operated	854	3.8	14	1	1	3	5	8	11	17
B. Operated	232	8.9	102	2	3	6	11	19	28	44
TOTAL										
0-19 YRS	328	3.3	14	1	1	2	4	7	11	20
20-34	151	4.9	56	1	2	3	5	9	14	36
35-49	147	5.1	60	1	2	3	6	9	12	36
50-64	176	5.7	23	1	2	4	8	12	14	26
65 +	284	6.2	45	1	2	4	8	13	19	35
GRAND TOTAL	**1086**	**4.9**	**37**	**1**	**2**	**3**	**6**	**10**	**14**	**31**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	834	1.3	1	< 1	< 1	< 1	1	2	3	4
35-49	465	1.2		< 1	< 1	< 1	1	2	3	4
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	15	1.1		< 1	< 1	< 1	1	2	2	2
35-49	6	1.0		< 1	< 1	< 1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	7	3.0	1	1	2	3	4	4	4	4
20-34	544	2.0	2	< 1	1	1	3	4	4	7
35-49	372	1.9	2	< 1	1	1	3	4	4	7
50-64	4	1.3		1	1	1	2	2	2	2
65 +	2	4.5	5	3	3	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	1304	1.2	1	< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	23	1.3	1	< 1	< 1	< 1	1	2	3	5
B. Operated	929	2.0	2	< 1	1	1	3	4	4	7
1. SINGLE DX	1306	1.2	1	< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX	952	1.9	2	< 1	1	1	3	4	4	7
A. Not Operated	25	1.2	1	< 1	< 1	< 1	1	2	3	5
B. Operated	2233	1.5	1	< 1	< 1	1	2	3	4	5
TOTAL										
0-19 YRS	10	2.4	2	< 1	1	2	4	4	4	4
20-34	1393	1.5	1	< 1	< 1	1	2	3	4	6
35-49	845	1.5	1	< 1	< 1	1	1	3	4	5
50-64	7	1.7	2	< 1	< 1	1	2	4	5	5
65 +	3	3.3	6	1	1	3	5	6	6	6
GRAND TOTAL	**2258**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**5**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	5	73.4	358	48	65	81	94	99	99+	99+
1000-1499	22	47.5	435	20	31	51	61	70	78	85
1500-1749	23	23.7	119	12	16	24	30	42	44	47
1750-2499	4120	2.8	8	1	2	2	3	4	6	16
2500+	273274	2.3	1	1	2	2	3	4	4	5
B. Operated										
1-999 G	3	94.3	10	92	95	99+	99+	99+	99+	99+
1000-1499	5	71.2	89	62	64	72	85	98	99+	99+
1500-1749	2	37.5	5	36	36	37	39	39	39	39
1750-2499	11	15.0	185	2	2	11	21	36	43	44
2500+	179	3.0	4	1	2	2	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
1-999 G	127	66.6	340	45	55	72	92	99+	99+	99+
1000-1499	776	39.1	259	21	28	37	49	62	74	99+
1500-1749	984	23.5	114	12	16	22	29	37	42	61
1750-2499	14485	6.4	39	2	2	4	8	14	19	30
2500+	174680	3.0	4	1	2	3	4	5	6	10
B. Operated										
1-999 G	354	75.5	235	59	70	87	99+	99+	99+	99+
1000-1499	743	51.1	312	31	39	51	65	86	99+	99+
1500-1749	403	32.2	179	18	24	29	40	50	63	99+
1750-2499	1316	17.8	193	5	9	15	23	34	48	99+
2500+	3630	8.3	95	2	3	6	10	16	26	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277444	2.3	2	1	2	2	3	4	4	5
B. Operated	200	7.1	260	1	2	3	4	18	78	99+
2. MULTIPLE DX										
A. Not Operated	191052	3.6	20	1	2	3	4	5	8	22
B. Operated	6446	20.4	520	3	5	11	32	68	91	99+
1. SINGLE DX	277644	2.3	2	1	2	2	3	4	4	6
2. MULTIPLE DX	197498	4.1	45	1	2	3	4	6	10	40
A. Not Operated	468496	2.8	9	1	2	2	3	4	5	13
B. Operated	6646	20.0	518	2	5	10	31	67	91	99+
TOTAL										
1-999 G	489	73.3	279	55	67	84	99+	99+	99+	99+
1000-1499	1546	45.1	323	24	32	43	58	76	90	99+
1500-1749	1412	26.0	148	13	18	24	32	42	49	93
1750-2499	19932	6.4	54	2	2	4	8	15	20	36
2500+	451763	2.6	4	1	2	2	3	4	5	8
GRAND TOTAL	**475142**	**3.0**	**21**	**1**	**2**	**2**	**3**	**5**	**6**	**20**

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	2	76.0	882	55	65	97	99	99+	99+	99+
1000-1499	10	36.7	491	8	19	44	58	81	98	99+
1500-1749	10	21.7	162	8	8	19	34	40	43	43
1750-2499	659	4.0	11	2	2	3	4	6	9	20
2500+	2626	3.4	2	2	2	3	4	5	6	8
B. Operated										
1-999 G	2	90.0	18	87	91	99+	99+	99+	99+	99+
1000-1499	1	62.0		62	62	81	99+	99+	99+	99+
1500-1749	1	48.0		48	48	48	48	48	48	48
1750-2499	2	12.0		12	12	12	12	12	12	12
2500+	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
1-999 G	32	67.8	220	49	58	70	83	93	99+	99+
1000-1499	209	38.6	247	21	28	37	46	60	68	88
1500-1749	287	23.2	115	12	17	21	28	35	42	74
1750-2499	2870	8.0	45	3	4	5	11	17	20	31
2500+	2741	4.4	8	2	3	4	5	7	9	15
B. Operated										
1-999 G	75	73.8	164	58	71	82	99+	99+	99+	99+
1000-1499	205	50.6	224	34	41	49	61	78	92	99+
1500-1749	130	30.5	115	18	23	30	38	46	51	99+
1750-2499	262	18.8	133	5	10	17	27	34	39	61
2500+	75	10.4	110	3	4	7	12	20	39	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3307	3.7	14	2	2	3	4	5	6	14
B. Operated	9	36.2	1362	4	10	62	99+	99+	99+	99+
2. MULTIPLE DX										
A. Not Operated	6139	8.5	106	2	3	5	9	19	28	56
B. Operated	747	34.2	529	7	16	33	54	79	99+	99+
1. SINGLE DX	3316	3.8	20	2	2	3	4	5	6	19
2. MULTIPLE DX	6886	11.3	216	3	4	5	13	30	48	89
A. Not Operated	9446	6.8	79	2	3	4	6	15	22	48
B. Operated	756	34.3	537	7	16	33	54	83	99+	99+
TOTAL										
1-999 G	111	72.4	194	57	68	79	99+	99+	99+	99+
1000-1499	425	44.4	277	25	34	44	55	69	82	99+
1500-1749	428	25.4	128	14	18	24	31	41	46	82
1750-2499	3793	8.1	56	2	3	5	11	18	22	37
2500+	5445	4.0	8	2	3	4	5	6	7	14
GRAND TOTAL	**10202**	**8.8**	**165**	**2**	**3**	**4**	**8**	**22**	**39**	**81**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	2	24.0	98	17	17	24	31	31	31	31
1750-2499	41	2.2	1	1	2	2	3	4	5	5
2500 +	753	1.9	1	1	1	2	2	3	3	5
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
1-999 G	1	62.0		62	81	99 +	99 +	99 +	99 +	99 +
1000-1499	13	43.3	602	18	27	37	72	90	98	99 +
1500-1749	25	32.6	394	16	20	26	37	75	78	80
1750-2499	195	7.8	61	2	2	5	11	17	25	79
2500 +	566	4.3	45	1	2	2	4	8	13	32
B. Operated										
1-999 G	1	52.0		52	88	99 +	99 +	99 +	99 +	99 +
1000-1499	4	26.5	30	20	25	30	99 +	99 +	99 +	99 +
1500-1749	5	38.6	453	25	26	31	45	76	76	76
1750-2499	14	22.1	493	5	7	17	21	70	72	73
2500 +	19	13.9	260	3	6	8	14	54	81	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	796	2.0	2	1	1	2	2	3	3	6
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	800	6.7	119	1	2	3	7	17	27	87
B. Operated	43	21.5	395	4	8	18	45	99 +	99 +	99 +
1. SINGLE DX	797	2.0	2	1	1	2	2	3	3	6
2. MULTIPLE DX	843	7.5	143	1	2	3	8	20	35	99 +
A. Not Operated	1596	4.4	66	1	2	2	3	9	17	61
B. Operated	44	21.1	394	4	7	18	43	99 +	99 +	99 +
TOTAL										
1-999 G	2	57.0	50	56	90	99 +	99 +	99 +	99 +	99 +
1000-1499	17	39.4	511	19	26	36	87	99 +	99 +	99 +
1500-1749	32	33.0	377	17	20	26	35	75	77	80
1750-2499	250	7.7	90	2	2	5	10	17	25	73
2500 +	1339	3.1	26	1	1	2	3	5	8	25
GRAND TOTAL	**1640**	**4.8**	**82**	**1**	**2**	**2**	**4**	**11**	**22**	**87**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.7	7	< 1	< 1	1	1	2	9	11
20-34	13	2.0	3	< 1	1	1	2	5	7	7
35-49	4	1.3		1	1	1	2	2	2	2
50-64	5	1.0		< 1	< 1	1	1	1	1	1
65 +	5	3.0	9	< 1	1	2	4	8	8	8
B. Operated										
0-19 YRS	875	1.5	1	< 1	1	1	2	3	4	5
20-34	838	1.7	1	< 1	1	1	2	3	4	6
35-49	426	1.9	2	< 1	1	1	2	4	5	8
50-64	252	1.7	2	< 1	1	1	2	3	4	7
65 +	158	2.0	3	< 1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	1.1		< 1	< 1	1	1	1	2	3
20-34	8	1.6	3	< 1	< 1	1	1	5	6	6
35-49	4	5.0	30	< 1	1	3	8	13	13	13
50-64	5	1.4		< 1	< 1	1	2	2	2	2
65 +	9	4.7	21	< 1	1	3	7	12	15	15
B. Operated										
0-19 YRS	719	1.9	3	< 1	1	1	2	3	4	8
20-34	335	3.1	14	1	1	2	4	6	7	15
35-49	233	3.2	19	1	1	3	4	6	8	12
50-64	145	4.2	90	1	1	2	4	7	9	55
65 +	167	4.9	57	1	1	3	5	10	12	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	1.8	4	< 1	1	1	2	3	7	11
B. Operated	2549	1.7	2	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	46	2.3	9	< 1	< 1	1	2	6	8	15
B. Operated	1599	2.8	22	1	1	2	3	5	7	14
1. SINGLE DX	2591	1.7	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	1645	2.8	22	1	1	2	3	5	7	14
A. Not Operated	88	2.1	7	< 1	< 1	1	2	5	7	14
B. Operated	4148	2.1	10	< 1	1	1	2	4	5	11
TOTAL										
0-19 YRS	1629	1.7	2	< 1	1	1	2	3	4	7
20-34	1194	2.1	5	< 1	1	1	2	4	5	9
35-49	667	2.4	9	< 1	1	2	3	4	6	11
50-64	407	2.6	34	1	1	1	3	4	6	17
65 +	339	3.5	32	1	1	2	4	7	10	39
GRAND TOTAL	**4236**	**2.1**	**10**	**< 1**	**1**	**1**	**2**	**4**	**5**	**11**

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.5	2	1	2	2	3	5	5	5
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	10	2.3	1	1	2	2	3	4	4	4
50-64	88	1.6	9	1	1	1	1	2	4	20
65+	10	2.7	1	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	37	5.6	50	<1	<1	2	6	17	19	29
20-34	61	3.4	9	<1	1	2	5	8	10	14
35-49	165	2.9	9	<1	<1	2	4	7	8	15
50-64	158	4.6	43	<1	1	3	5	9	14	51
65+	180	4.3	15	1	2	3	6	9	12	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	4	1.3		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	122	1.8	7	1	1	1	2	3	4	12
B. Operated	601	4.0	23	<1	1	2	5	9	11	26
1. SINGLE DX	6	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX	723	3.6	21	<1	1	2	4	8	10	26
A. Not Operated	124	1.8	7	1	1	1	2	3	4	12
B. Operated	605	4.0	23	<1	1	2	5	9	11	26
TOTAL										
0-19 YRS	49	4.8	40	<1	<1	2	5	16	18	29
20-34	67	3.3	9	<1	1	2	4	7	10	14
35-49	175	2.9	8	<1	<1	2	4	6	8	15
50-64	248	3.5	33	1	1	2	4	8	10	45
65+	190	4.2	15	1	2	3	6	9	12	16
GRAND TOTAL	**729**	**3.6**	**21**	**<1**	**1**	**2**	**4**	**8**	**10**	**26**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	194	3.5	8	1	2	3	5	5	7	12
20-34	54	2.6	3	1	1	2	4	5	5	6
35-49	124	2.3	4	1	1	2	3	5	5	9
50-64	287	2.3	3	1	1	1	3	5	5	7
65+	237	2.2	3	1	1	1	3	5	6	8
B. Operated										
0-19 YRS	12	4.8	14	2	2	4	6	10	14	15
20-34	6	3.2	1	2	2	3	4	5	5	5
35-49	9	2.8	3	1	1	2	4	6	6	6
50-64	20	5.1	38	1	2	4	5	6	18	30
65+	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11231	3.0	5	1	2	2	4	5	6	9
20-34	3226	3.3	7	1	1	3	4	5	6	12
35-49	7461	3.0	6	1	1	2	4	5	6	11
50-64	18364	2.9	6	1	1	2	4	5	6	11
65+	19601	3.1	6	1	1	2	4	5	6	11
B. Operated										
0-19 YRS	844	6.0	74	1	2	4	6	10	22	52
20-34	356	6.0	67	1	2	4	6	12	19	47
35-49	840	5.8	62	1	2	4	6	10	18	44
50-64	1724	6.0	55	1	2	4	6	11	19	41
65+	1844	6.1	53	2	2	4	6	11	18	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	896	2.6	4	1	1	2	4	5	6	8
B. Operated	50	4.3	19	1	2	4	5	6	8	30
2. MULTIPLE DX										
A. Not Operated	59883	3.0	6	1	1	2	4	5	6	11
B. Operated	5608	6.0	59	1	2	4	6	11	19	41
1. SINGLE DX	946	2.7	5	1	1	2	4	5	6	8
2. MULTIPLE DX	65491	3.3	11	1	1	3	4	6	7	16
A. Not Operated	60779	3.0	6	1	1	2	4	5	6	10
B. Operated	5658	6.0	59	1	2	4	6	11	19	41
TOTAL										
0-19 YRS	12281	3.2	10	1	2	3	4	5	6	13
20-34	3642	3.5	13	1	1	3	5	6	7	18
35-49	8434	3.2	12	1	1	2	4	6	7	15
50-64	20395	3.2	11	1	1	2	4	6	7	15
65+	21685	3.3	11	1	2	3	4	6	7	16
GRAND TOTAL	**66437**	**3.2**	**11**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V53.9; V54.8-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2098	2.1	7	<1	1	1	2	4	6	13
20-34	2114	2.1	12	<1	1	1	2	3	5	13
35-49	701	2.3	32	<1	1	1	2	3	5	21
50-64	389	2.3	34	<1	1	1	2	4	7	39
65+	355	3.7	47	<1	1	1	3	10	19	47
B. Operated										
0-19 YRS	1001	3.4	19	<1	1	2	5	8	9	14
20-34	1193	3.4	18	<1	1	2	5	7	9	15
35-49	851	3.5	9	<1	1	2	6	8	9	11
50-64	524	4.1	12	<1	1	3	7	9	10	14
65+	326	4.7	15	<1	1	4	8	10	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4296	5.2	108	<1	1	2	4	15	29	99+
20-34	2467	10.5	264	1	1	3	16	35	63	99+
35-49	2636	11.4	247	1	2	4	18	32	51	99+
50-64	3634	13.2	226	1	2	7	20	35	47	86
65+	12106	16.5	180	2	6	14	23	35	43	71
B. Operated										
0-19 YRS	2584	4.8	91	1	1	2	6	10	22	99+
20-34	2192	5.0	95	1	1	2	5	12	40	99+
35-49	3161	5.1	68	1	1	2	6	11	18	99+
50-64	3532	6.5	109	1	1	3	8	14	28	98
65+	4834	10.4	160	1	2	7	13	28	39	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5657	2.2	17	<1	1	1	2	4	6	21
B. Operated	3895	3.6	15	<1	1	2	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	25139	13.0	207	1	2	8	20	33	44	99+
B. Operated	16303	6.9	117	1	1	3	8	18	34	99+
1. SINGLE DX	9552	2.8	17	<1	1	1	3	7	9	16
2. MULTIPLE DX	41442	10.6	180	1	2	5	15	29	41	99+
A. Not Operated	30796	11.0	189	1	1	5	17	30	41	92
B. Operated	20198	6.3	99	1	1	3	8	14	29	99+
TOTAL										
0-19 YRS	9979	4.3	75	<1	1	2	4	9	19	99+
20-34	7966	5.7	125	<1	1	2	5	17	34	99+
35-49	7349	6.9	134	1	1	3	7	20	32	99+
50-64	8079	9.1	166	1	1	4	11	27	39	86
65+	17621	14.4	180	1	4	11	21	33	42	72
GRAND TOTAL	**50994**	**9.1**	**159**	**1**	**1**	**4**	**12**	**27**	**38**	**98**

Length of Stay Tables
Operation Groups

981 Hospitals, United States, January-December 1989, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	190177	2.8	13	1	1	2	3	5	7	18
20-34	368022	2.6	5	1	1	2	3	4	5	10
35-49	133535	3.3	10	1	1	3	4	6	8	15
50-64	84098	3.9	13	1	1	3	5	8	10	17
65 +	69309	4.9	21	1	2	4	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	259414	6.2	95	1	2	3	6	14	25	72
20-34	479245	4.4	31	1	2	3	5	8	12	30
35-49	335101	6.0	50	1	2	4	7	12	18	40
50-64	395252	7.5	67	1	3	5	9	15	22	46
65 +	812218	9.4	88	2	4	7	12	19	27	55
TOTAL SINGLE DX	845141	3.1	10	1	1	2	4	6	8	15
TOTAL MULTIPLE DX	2281230	7.2	72	1	3	5	9	15	22	49
TOTAL										
0-19 YRS	449591	4.8	63	1	1	2	5	10	17	52
20-34	847267	3.6	21	1	2	3	4	6	9	24
35-49	468636	5.3	40	1	2	4	6	10	15	34
50-64	479350	6.9	60	1	3	5	8	14	20	42
65 +	881527	9.1	85	2	4	7	11	18	26	53
GRAND TOTAL	**3126371**	**6.1**	**58**	**1**	**2**	**4**	**7**	**13**	**19**	**42**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	596	7.7	35	2	4	6	10	15	20	31
20-34	276	8.2	51	2	4	7	10	15	20	39
35-49	346	7.7	65	2	4	7	9	13	16	34
50-64	333	8.4	31	3	5	7	11	15	17	32
65 +	354	9.5	70	3	5	8	11	17	23	61
2. MULTIPLE DX										
0-19 YRS	1532	13.3	199	2	5	9	17	32	48	99 +
20-34	634	15.8	251	4	7	10	19	43	62	99 +
35-49	1022	14.6	175	4	7	10	18	35	49	99 +
50-64	1421	16.0	205	5	7	11	20	37	53	99 +
65 +	2287	18.0	212	6	8	14	23	39	52	99 +
TOTAL SINGLE DX	1905	8.2	50	2	4	7	10	15	19	35
TOTAL MULTIPLE DX	6896	15.8	209	4	7	11	20	37	52	99 +
TOTAL										
0-19 YRS	2128	11.7	160	2	4	8	14	28	40	95
20-34	910	13.5	203	3	6	9	15	33	55	99 +
35-49	1368	12.9	157	4	6	9	16	29	45	99 +
50-64	1754	14.5	181	4	7	10	17	34	48	99 +
65 +	2641	16.9	201	5	8	13	21	36	50	94
GRAND TOTAL	8801	14.2	184	3	6	10	17	33	47	99 +

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	306	6.0	32	2	3	4	7	10	17	32
20-34	86	7.7	39	2	4	6	9	16	20	37
35-49	82	9.2	43	3	5	7	12	18	25	34
50-64	59	9.7	64	4	5	7	10	17	32	40
65 +	35	7.9	17	3	5	7	10	13	15	22
2. MULTIPLE DX										
0-19 YRS	480	14.7	239	4	5	9	19	37	64	99 +
20-34	264	17.8	297	5	7	12	24	51	83	99 +
35-49	244	18.1	342	4	7	12	24	48	78	99 +
50-64	239	17.2	218	5	8	13	25	41	70	99 +
65 +	398	20.1	274	5	9	15	27	46	69	99 +
TOTAL SINGLE DX	568	7.2	39	2	4	5	8	13	19	37
TOTAL MULTIPLE DX	1625	17.4	273	4	7	12	23	45	70	99 +
TOTAL										
0-19 YRS	786	11.3	177	3	4	7	13	28	48	99 +
20-34	350	15.3	253	4	6	10	19	43	65	99 +
35-49	326	15.9	282	4	6	10	19	43	63	99 +
50-64	298	15.7	197	5	7	11	20	39	55	99 +
65 +	433	19.1	265	5	8	14	26	44	66	99 +
GRAND TOTAL	2193	14.7	233	4	5	9	19	38	58	99 +

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	851	3.9	4	2	3	3	5	6	8	12
20-34	82	4.3	7	2	2	4	6	8	9	13
35-49	64	4.7	16	2	2	3	5	10	11	24
50-64	26	6.6	37	1	3	5	9	12	17	31
65 +	17	4.5	6	2	3	4	5	9	11	11
2. MULTIPLE DX										
0-19 YRS	742	7.9	99	2	3	5	8	16	32	83
20-34	286	11.0	206	2	4	7	12	30	52	99 +
35-49	141	12.4	207	3	4	8	15	28	48	99 +
50-64	82	13.7	293	2	4	9	17	42	82	99 +
65 +	56	15.7	310	3	5	9	17	39	53	92
TOTAL SINGLE DX	1040	4.0	7	2	3	3	5	7	8	13
TOTAL MULTIPLE DX	1307	9.8	161	2	4	6	10	24	40	99 +
TOTAL										
0-19 YRS	1593	5.8	53	2	3	4	6	9	15	47
20-34	368	9.5	170	2	3	6	10	22	45	99 +
35-49	205	10.0	160	2	3	6	12	22	33	99
50-64	108	12.0	240	2	3	7	14	30	74	99 +
65 +	73	13.1	261	2	4	7	15	37	51	85
GRAND TOTAL	2347	7.2	100	2	3	4	7	14	27	84

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	611	4.3	17	1	2	3	5	8	11	27
20-34	51	6.7	47	2	3	5	8	11	21	45
35-49	40	7.0	104	2	3	4	7	12	15	66
50-64	44	5.8	25	2	3	4	7	11	15	29
65 +	74	7.0	17	3	4	6	8	13	15	22
2. MULTIPLE DX										
0-19 YRS	1352	12.7	292	2	3	6	16	44	92	99 +
20-34	182	17.6	355	3	5	11	26	63	99 +	99 +
35-49	208	14.9	234	3	6	10	18	40	54	99 +
50-64	252	19.0	326	4	7	13	29	64	99 +	99 +
65 +	529	18.1	248	5	7	13	25	42	56	99 +
TOTAL SINGLE DX	820	4.9	25	2	2	4	6	9	13	28
TOTAL MULTIPLE DX	2523	15.0	293	3	4	9	21	46	80	99 +
TOTAL										
0-19 YRS	1963	10.1	222	2	3	5	11	32	68	99 +
20-34	233	15.2	308	3	5	9	21	49	88	99 +
35-49	248	13.6	221	3	4	9	16	36	54	99 +
50-64	296	17.0	303	3	5	11	24	57	82	99 +
65 +	603	16.7	233	4	6	12	23	39	54	99 +
GRAND TOTAL	3343	12.5	246	2	3	7	16	38	66	99 +

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1000	4.0	17	1	2	3	4	7	11	21
20-34	136	7.6	95	2	3	5	8	17	22	61
35-49	61	6.4	29	2	3	5	7	13	18	28
50-64	27	7.6	28	3	4	6	10	11	15	30
65 +	26	5.7	11	2	2	6	8	11	13	13
2. MULTIPLE DX										
0-19 YRS	2842	7.5	97	2	2	4	8	19	28	55
20-34	424	11.3	204	2	4	7	13	26	51	99 +
35-49	260	12.0	162	3	5	8	14	27	39	76
50-64	174	11.7	138	3	4	8	15	28	35	72
65 +	220	13.3	156	4	6	10	16	27	41	93
TOTAL SINGLE DX	1250	4.6	28	1	2	3	5	9	13	26
TOTAL MULTIPLE DX	3920	8.7	122	2	3	5	10	20	31	69
TOTAL										
0-19 YRS	3842	6.6	79	2	2	4	7	15	24	52
20-34	560	10.4	180	2	3	6	12	24	43	99
35-49	321	11.0	142	3	4	7	12	25	32	73
50-64	201	11.2	126	3	4	8	14	26	34	67
65 +	246	12.5	147	3	6	9	15	25	39	90
GRAND TOTAL	5170	7.7	103	2	2	4	8	18	27	60

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	66	7.1	17	3	4	6	10	12	16	19
20-34	348	5.7	19	2	3	5	7	10	13	24
35-49	950	4.8	9	2	3	4	6	8	10	16
50-64	944	5.0	8	2	3	4	6	8	10	16
65 +	747	6.2	12	3	4	5	7	10	12	19
2. MULTIPLE DX										
0-19 YRS	232	12.4	177	4	6	8	13	24	45	92
20-34	494	9.6	77	3	5	7	11	19	29	48
35-49	1411	7.9	51	3	4	6	9	14	19	46
50-64	2295	8.3	58	3	4	6	9	15	22	43
65 +	3818	10.2	70	4	6	8	11	18	26	47
TOTAL SINGLE DX	3055	5.4	11	2	3	5	7	9	11	19
TOTAL MULTIPLE DX	8250	9.3	69	3	5	7	10	17	25	47
TOTAL										
0-19 YRS	298	11.2	147	4	5	8	12	22	37	85
20-34	842	8.0	57	2	4	6	9	16	22	43
35-49	2361	6.6	37	2	3	5	8	11	16	36
50-64	3239	7.3	46	3	4	6	8	12	18	38
65 +	4565	9.5	64	4	5	7	11	17	24	45
GRAND TOTAL	11305	8.2	56	3	4	6	9	15	21	42

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	319	8.7	46	3	5	7	10	16	25	38
20-34	188	4.7	25	1	2	3	6	9	13	18
35-49	236	5.4	30	1	2	4	7	10	13	25
50-64	134	4.9	12	1	2	4	7	10	11	16
65 +	75	6.9	31	1	3	5	8	15	20	28
2. MULTIPLE DX										
0-19 YRS	921	11.4	122	3	5	8	14	26	35	91
20-34	420	10.9	122	2	4	8	14	24	40	99 +
35-49	577	9.2	87	2	3	7	12	20	26	51
50-64	473	12.0	158	2	4	8	16	26	35	64
65 +	476	14.9	184	3	7	12	19	31	44	72
TOTAL SINGLE DX	952	6.4	35	1	3	5	8	12	17	29
TOTAL MULTIPLE DX	2867	11.6	135	2	5	8	14	25	35	74
TOTAL										
0-19 YRS	1240	10.7	104	3	5	7	12	24	32	66
20-34	608	9.0	101	1	3	6	12	20	30	99 +
35-49	813	8.1	74	1	3	6	10	17	24	46
50-64	607	10.4	135	2	3	7	13	23	32	57
65 +	551	13.8	172	3	6	10	17	29	40	70
GRAND TOTAL	3819	10.3	115	2	4	7	12	23	32	63

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	3.6	34	<1	1	2	4	6	6	31
20-34	98	3.0	7	<1	1	2	4	6	8	15
35-49	174	3.5	8	<1	1	2	6	8	9	12
50-64	133	3.0	8	<1	1	1	4	7	9	14
65 +	91	2.7	6	<1	1	2	3	7	8	12
2. MULTIPLE DX										
0-19 YRS	90	7.0	166	1	2	3	6	14	29	79
20-34	153	3.8	14	1	1	3	5	7	9	19
35-49	205	5.9	65	1	1	4	7	14	17	58
50-64	249	6.7	59	1	1	5	8	15	23	36
65 +	271	7.7	98	1	2	5	10	17	24	43
TOTAL SINGLE DX	546	3.1	10	<1	1	2	4	7	8	14
TOTAL MULTIPLE DX	968	6.4	76	1	2	4	8	14	21	47
TOTAL										
0-19 YRS	140	5.8	121	1	1	3	5	10	26	59
20-34	251	3.5	12	1	1	2	5	7	9	17
35-49	379	4.8	41	<1	1	3	7	9	14	46
50-64	382	5.4	45	<1	1	3	7	11	17	35
65 +	362	6.5	80	1	1	3	8	14	21	35
GRAND TOTAL	1514	5.2	55	1	1	3	7	10	16	35

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	205	1.9	5	<1	<1	1	2	4	6	12
20-34	485	1.7	1	<1	<1	1	2	3	5	7
35-49	626	1.7	2	<1	<1	1	2	4	5	8
50-64	355	1.7	2	<1	<1	1	2	4	5	9
65+	213	1.5	1	<1	<1	<1	1	2	5	8
2. MULTIPLE DX										
0-19 YRS	325	3.1	13	1	1	2	4	7	9	22
20-34	697	3.1	20	1	1	2	3	6	11	33
35-49	718	3.1	26	1	1	2	3	6	10	26
50-64	564	3.4	24	1	1	2	3	7	11	28
65+	514	4.2	43	<1	1	2	5	10	15	40
TOTAL SINGLE DX	1884	1.7	3	<1	<1	1	2	3	5	9
TOTAL MULTIPLE DX	2818	3.4	26	1	1	2	4	7	12	28
TOTAL										
0-19 YRS	530	2.7	11	<1	1	1	3	6	8	20
20-34	1182	2.5	13	<1	1	1	3	5	7	24
35-49	1344	2.5	16	<1	1	1	2	5	8	18
50-64	919	2.7	17	<1	1	1	3	6	9	22
65+	727	3.4	33	<1	1	1	3	8	13	25
GRAND TOTAL	4702	2.7	18	<1	1	1	3	6	9	22

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	6.2	45	1	3	4	7	18	22	22
20-34	50	3.7	2	2	3	3	5	6	7	8
35-49	61	4.4	3	2	3	4	5	7	8	10
50-64	23	4.5	5	2	3	4	5	7	9	12
65+	8	6.8	25	2	3	5	11	14	15	15
2. MULTIPLE DX										
0-19 YRS	6	4.5	1	3	4	4	5	6	6	6
20-34	63	5.1	32	1	3	4	6	8	14	38
35-49	100	6.0	27	2	3	5	7	12	18	29
50-64	76	7.8	38	3	3	6	10	15	20	31
65+	117	11.0	63	3	5	8	14	24	30	59
TOTAL SINGLE DX	151	4.4	7	2	3	4	5	7	8	15
TOTAL MULTIPLE DX	362	7.8	47	2	4	6	9	18	23	33
TOTAL										
0-19 YRS	15	5.5	27	1	3	4	5	12	19	22
20-34	113	4.5	20	2	3	4	5	7	8	29
35-49	161	5.4	19	2	3	4	6	9	14	28
50-64	99	7.0	32	3	3	5	8	14	19	30
65+	125	10.7	62	3	5	8	14	23	30	54
GRAND TOTAL	513	6.8	38	2	3	5	8	15	22	32

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	2.6	5	<1	<1	1	4	6	7	8
20-34	40	4.7	34	<1	1	2	6	11	17	29
35-49	51	3.2	14	<1	<1	1	4	8	8	23
50-64	47	4.3	12	1	1	3	6	9	11	16
65+	12	3.3	7	1	2	2	4	8	10	10
2. MULTIPLE DX										
0-19 YRS	10	3.5	23	<1	1	1	3	12	13	13
20-34	61	8.8	56	1	4	6	13	21	28	92
35-49	103	8.6	164	1	3	5	10	15	27	85
50-64	86	7.7	34	2	4	7	9	15	21	30
65+	125	10.2	106	2	4	7	13	23	28	58
TOTAL SINGLE DX	166	3.8	18	<1	1	2	5	8	11	23
TOTAL MULTIPLE DX	385	8.8	97	1	3	6	11	20	26	63
TOTAL										
0-19 YRS	26	3.0	12	<1	<1	1	4	8	12	13
20-34	101	7.1	51	<1	1	5	11	17	25	65
35-49	154	6.8	121	<1	1	4	8	15	22	80
50-64	133	6.5	29	1	3	6	8	12	17	27
65+	137	9.6	101	2	3	6	12	23	28	57
GRAND TOTAL	551	7.3	78	1	2	5	9	16	23	37

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	203	2.1	1	1	1	2	2	3	4	6
20-34	1096	2.3	1	1	2	2	3	3	4	7
35-49	1587	2.2	1	1	1	2	3	3	4	5
50-64	906	2.3	1	1	2	2	3	4	4	6
65+	453	2.7	2	1	2	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	84	4.6	22	1	2	3	5	10	12	27
20-34	624	3.0	7	1	2	2	3	5	7	16
35-49	1087	3.0	9	1	2	2	3	5	6	12
50-64	1037	3.6	12	2	2	3	4	6	9	22
65+	1012	4.8	31	2	2	3	5	9	15	33
TOTAL SINGLE DX	4245	2.3	2	1	2	2	3	4	4	6
TOTAL MULTIPLE DX	3844	3.7	17	1	2	3	4	6	9	23
TOTAL										
0-19 YRS	287	2.8	9	1	1	2	3	5	7	17
20-34	1720	2.6	4	1	2	2	3	4	5	11
35-49	2674	2.5	5	1	2	2	3	4	5	8
50-64	1943	3.0	8	1	2	2	3	5	6	18
65+	1465	4.1	24	2	2	3	4	7	11	28
GRAND TOTAL	8089	2.9	9	1	2	2	3	5	6	17

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	426	1.6	3	1	1	1	2	3	3	9
20-34	167	1.9	2	1	1	1	2	3	5	9
35-49	173	2.3	2	1	1	2	3	4	5	10
50-64	150	2.5	3	1	2	2	3	4	5	11
65+	68	3.1	5	1	2	2	4	6	8	14
2. MULTIPLE DX										
0-19 YRS	122	4.3	90	1	1	1	3	8	13	58
20-34	175	6.6	60	1	2	4	8	16	22	45
35-49	338	5.4	48	1	2	3	6	12	18	56
50-64	519	5.7	79	2	2	3	6	11	18	49
65+	576	6.4	70	2	2	4	6	14	21	47
TOTAL SINGLE DX	984	2.0	4	1	1	1	2	4	5	10
TOTAL MULTIPLE DX	1730	5.9	70	1	2	3	6	13	20	48
TOTAL										
0-19 YRS	548	2.2	24	1	1	1	2	3	6	20
20-34	342	4.3	37	1	1	2	4	9	16	32
35-49	511	4.3	35	1	2	3	4	9	14	43
50-64	669	5.0	65	1	2	3	5	9	17	44
65+	644	6.1	64	2	2	3	6	13	20	44
GRAND TOTAL	2714	4.5	49	1	1	3	4	9	15	42

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	6.3	12	2	4	6	8	11	13	17
20-34	76	6.5	14	3	4	6	8	10	14	21
35-49	97	7.2	19	4	5	6	8	11	15	28
50-64	61	6.7	23	4	5	6	7	9	11	37
65+	48	7.2	17	3	5	6	8	14	16	21
2. MULTIPLE DX										
0-19 YRS	158	12.0	147	4	6	8	14	22	32	70
20-34	169	7.5	17	4	5	6	9	14	17	84
35-49	240	9.9	85	4	5	7	11	18	28	61
50-64	265	9.8	47	5	6	8	11	18	24	42
65+	214	12.4	113	5	6	8	15	25	37	85
TOTAL SINGLE DX	345	6.8	17	4	5	6	8	10	15	21
TOTAL MULTIPLE DX	1046	10.3	82	4	6	8	12	19	28	70
TOTAL										
0-19 YRS	221	10.4	115	4	5	7	12	18	28	70
20-34	245	7.2	17	4	5	6	8	13	17	29
35-49	337	9.1	68	4	5	7	10	16	24	56
50-64	326	9.2	44	4	5	7	10	15	23	41
65+	262	11.4	100	4	6	8	14	23	33	75
GRAND TOTAL	1391	9.4	68	4	5	7	10	17	25	56

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	114	1.1		<1	<1	<1	<1	1	2	4
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	15	2.0	4	<1	<1	1	2	5	7	8
50-64	21	1.0		<1	<1	<1	1	1	2	2
65 +	41	1.5	1	<1	<1	1	1	3	4	5
2. MULTIPLE DX										
0-19 YRS	46	3.0	25	<1	<1	1	2	7	13	27
20-34	14	5.0	21	1	2	3	6	11	16	17
35-49	27	5.8	53	<1	1	3	8	22	36	99 +
50-64	18	5.3	48	<1	<1	3	6	13	23	29
65 +	98	6.5	137	1	1	3	8	15	23	67
TOTAL SINGLE DX	196	1.3	1	<1	<1	<1	1	2	3	5
TOTAL MULTIPLE DX	203	5.4	86	<1	1	2	6	13	23	65
TOTAL										
0-19 YRS	160	1.7	8	<1	<1	<1	1	2	4	21
20-34	19	4.0	19	<1	1	2	6	10	14	17
35-49	42	4.5	39	<1	<1	2	6	13	27	99 +
50-64	39	3.0	26	<1	<1	1	3	7	12	29
65 +	139	5.1	103	<1	1	2	5	9	20	50
GRAND TOTAL	399	3.4	48	<1	<1	1	3	8	13	42

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	275	1.2		<1	<1	1	1	2	2	4
20-34	49	1.6	2	<1	1	1	2	3	5	8
35-49	53	1.2		<1	1	1	1	2	2	5
50-64	69	1.5	1	<1	1	1	1	3	4	6
65 +	78	1.5	1	<1	<1	<1	1	2	4	9
2. MULTIPLE DX										
0-19 YRS	568	3.1	21	1	1	2	3	6	9	33
20-34	586	3.5	22	1	1	2	4	7	10	34
35-49	400	3.6	23	1	1	2	4	7	11	28
50-64	319	3.9	55	1	1	2	4	8	11	53
65 +	546	7.1	109	1	1	4	8	17	27	99 +
TOTAL SINGLE DX	524	1.3	1	<1	<1	1	1	2	3	6
TOTAL MULTIPLE DX	2419	4.3	49	1	1	2	5	9	15	46
TOTAL										
0-19 YRS	843	2.4	16	<1	1	1	3	5	7	21
20-34	635	3.4	22	1	1	2	4	7	9	32
35-49	453	3.3	22	1	1	2	4	7	10	23
50-64	388	3.5	46	1	1	1	4	7	10	45
65 +	624	6.4	100	<1	1	3	8	16	25	99
GRAND TOTAL	2943	3.7	42	<1	1	2	4	8	13	42

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	84	1.2		<1	<1	1	1	2	2	3
20-34	29	1.1		<1	1	1	1	2	2	2
35-49	28	1.7	1	<1	1	1	2	4	5	6
50-64	27	1.4	1	<1	1	1	1	2	4	8
65 +	4	1.1		<1	1	1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	72	2.0	5	<1	1	1	2	4	6	14
20-34	54	2.3	9	1	1	1	2	6	9	16
35-49	38	2.0	6	1	1	1	2	4	6	15
50-64	49	1.8	3	1	1	1	2	4	5	12
65 +	178	2.3	22	<1	1	1	2	3	6	39
TOTAL SINGLE DX	213	1.2	1	<1	1	1	1	2	2	5
TOTAL MULTIPLE DX	391	2.1	13	<1	1	1	2	4	6	24
TOTAL										
0-19 YRS	156	1.6	3	<1	1	1	1	2	4	8
20-34	83	1.9	6	<1	1	1	1	3	7	15
35-49	66	1.9	4	1	1	1	2	4	5	14
50-64	76	1.7	3	1	1	1	2	3	5	11
65 +	223	2.0	18	<1	1	1	2	3	5	37
GRAND TOTAL	604	1.8	9	<1	1	1	2	3	5	16

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	1.3		<1	<1	<1	1	2	4	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	8.0	67	1	2	6	14	17	17	17
50-64	2	1.0		1	1	1	1	1	1	1
65 +	8	3.0	8	1	1	2	4	8	9	9
2. MULTIPLE DX										
0-19 YRS	34	4.0	35	<1	1	2	5	7	12	34
20-34	9	3.6	5	1	1	4	5	7	7	7
35-49	13	4.3	7	1	2	4	7	8	8	8
50-64	16	3.8	8	1	1	3	5	9	10	10
65 +	22	6.1	21	1	2	5	9	13	16	18
TOTAL SINGLE DX	35	2.3	10	<1	<1	1	2	6	8	17
TOTAL MULTIPLE DX	94	4.5	21	1	1	3	6	9	12	27
TOTAL										
0-19 YRS	55	3.0	24	<1	<1	1	4	5	9	33
20-34	10	3.4	5	1	1	3	5	6	7	7
35-49	16	5.0	17	1	2	4	7	8	14	17
50-64	18	3.5	8	1	1	3	5	8	10	10
65 +	30	5.3	20	1	2	4	8	11	14	18
GRAND TOTAL	129	3.9	19	<1	1	2	5	9	11	21

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	43	2.3	4	1	1	1	3	5	7	12
20-34	90	1.9	1	1	1	2	2	3	4	7
35-49	68	1.7		1	1	1	2	3	3	4
50-64	62	2.0	3	1	1	2	2	3	3	14
65 +	204	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	55	4.2	130	1	1	2	2	5	7	62
20-34	76	2.4	6	1	1	2	3	4	6	16
35-49	114	2.9	10	1	1	2	3	6	9	21
50-64	219	2.6	9	1	1	2	3	4	6	22
65 +	1275	2.6	9	1	2	2	3	4	5	11
TOTAL SINGLE DX	467	2.0	2	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	1739	2.7	13	1	2	2	3	4	5	14
TOTAL										
0-19 YRS	98	3.3	76	1	1	1	3	5	7	62
20-34	166	2.1	4	1	1	2	2	3	5	12
35-49	182	2.4	7	1	1	2	3	4	7	17
50-64	281	2.5	8	1	1	2	3	4	5	15
65 +	1479	2.5	8	1	2	2	3	4	5	11
GRAND TOTAL	2206	2.5	11	1	1	2	3	4	5	13

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	201	3.2	6	1	2	3	4	5	6	15
20-34	97	2.7	2	1	1	3	4	5	6	7
35-49	47	2.9	6	1	1	2	4	6	7	15
50-64	24	2.3	6	<1	<1	1	3	4	7	13
65 +	29	2.2	4	<1	<1	1	3	5	8	9
2. MULTIPLE DX										
0-19 YRS	206	4.1	6	1	2	4	5	7	8	12
20-34	147	4.4	10	1	2	4	5	8	10	16
35-49	112	5.9	72	1	2	4	5	11	21	48
50-64	63	5.5	34	1	2	4	7	11	16	36
65 +	159	5.1	30	1	2	4	6	10	15	30
TOTAL SINGLE DX	398	2.9	5	<1	1	3	4	5	6	12
TOTAL MULTIPLE DX	687	4.8	26	1	2	4	5	8	12	33
TOTAL										
0-19 YRS	407	3.6	7	1	2	3	5	6	7	12
20-34	244	3.7	8	1	2	3	5	6	9	14
35-49	159	5.0	54	1	2	3	5	8	15	41
50-64	87	4.6	28	<1	1	3	6	10	15	31
65 +	188	4.7	28	1	1	4	6	9	14	28
GRAND TOTAL	1085	4.1	20	1	2	3	5	7	10	24

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	117	1.4		<1	<1	1	1	3	4	5
20-34	45	2.1	2	1	1	1	3	4	6	8
35-49	64	2.3	2	1	1	2	3	4	5	9
50-64	112	2.3	4	1	1	2	3	6	7	11
65 +	266	2.2	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	94	2.3	8	1	1	1	2	5	7	18
20-34	59	3.1	7	1	1	2	4	7	9	13
35-49	109	3.3	14	1	1	2	4	6	8	23
50-64	311	3.7	18	1	2	2	4	8	12	20
65 +	901	3.5	12	1	1	2	4	7	10	17
TOTAL SINGLE DX	604	2.1	4	<1	1	1	3	4	6	9
TOTAL MULTIPLE DX	1474	3.4	14	1	1	2	4	7	10	17
TOTAL										
0-19 YRS	211	1.8	4	<1	1	1	2	3	5	11
20-34	104	2.7	6	1	1	2	3	6	8	12
35-49	173	2.9	10	1	1	2	3	5	8	16
50-64	423	3.4	15	1	1	2	4	7	10	19
65 +	1167	3.2	11	1	1	2	4	6	9	17
GRAND TOTAL	2078	3.0	11	1	1	2	3	6	9	17

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	2.7	4	1	1	2	4	5	8	10
20-34	40	3.2	3	1	2	3	4	6	7	9
35-49	29	2.4	2	<1	1	2	3	5	6	6
50-64	40	3.0	10	1	1	2	3	6	10	17
65 +	40	2.0	1	<1	1	2	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	106	4.8	23	1	2	3	6	10	14	27
20-34	101	4.6	24	1	2	3	5	8	13	30
35-49	74	3.5	9	1	1	3	4	7	10	16
50-64	100	5.2	24	1	2	4	7	12	14	25
65 +	277	4.3	18	1	1	3	6	10	13	78
TOTAL SINGLE DX	212	2.7	5	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	658	4.5	20	1	1	3	6	10	13	27
TOTAL										
0-19 YRS	169	4.0	18	1	1	3	5	9	12	20
20-34	141	4.2	19	1	2	3	5	8	11	21
35-49	103	3.2	8	1	1	2	4	6	8	15
50-64	140	4.6	21	1	1	3	5	11	13	23
65 +	317	4.0	17	1	1	2	5	10	12	49
GRAND TOTAL	870	4.0	17	1	1	3	5	9	12	23

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	1.2		<1	1	1	1	2	2	5
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64	7	1.0		<1	<1	<1	1	1	1	1
65+	37	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	46	2.7	13	<1	1	1	3	6	8	23
20-34	15	1.9	1	1	1	1	3	4	5	5
35-49	17	4.1	29	1	2	2	3	11	19	22
50-64	49	2.9	6	<1	1	2	4	7	8	11
65+	186	2.6	15	<1	1	2	2	5	11	99+
TOTAL SINGLE DX	112	1.2		<1	<1	1	1	2	2	6
TOTAL MULTIPLE DX	313	2.7	14	<1	1	2	3	6	9	57
TOTAL										
0-19 YRS	107	1.8	6	<1	1	1	2	4	6	15
20-34	17	2.1	2	1	1	1	3	5	6	6
35-49	22	3.5	24	<1	1	2	3	7	17	22
50-64	56	2.6	6	<1	1	2	3	7	7	11
65+	223	2.3	13	<1	<1	1	2	4	8	99+
GRAND TOTAL	425	2.3	11	<1	1	1	2	5	7	29

526: Other lens extraction (13.2-[illegible]3.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	120	1.3		<1	1	1	1	2	3	5
20-34	14	1.9	2	<1	<1	1	3	4	6	6
35-49	50	1.1		<1	<1	<1	<1	1	2	2
50-64	274	1.1		<1	<1	<1	<1	1	2	3
65+	1566	1.1		<1	<1	<1	<1	1	2	2
2. MULTIPLE DX										
0-19 YRS	99	2.4	9	1	1	1	3	5	7	18
20-34	53	2.2	7	<1	1	1	2	3	4	20
35-49	110	3.0	21	1	1	2	3	6	11	29
50-64	486	2.6	20	<1	1	1	2	4	9	24
65+	2906	2.5	24	<1	1	1	2	4	8	32
TOTAL SINGLE DX	2024	1.1		<1	<1	<1	<1	1	2	3
TOTAL MULTIPLE DX	3654	2.6	23	<1	1	1	2	4	8	29
TOTAL										
0-19 YRS	219	1.8	5	<1	1	1	2	3	5	12
20-34	67	2.1	6	<1	1	1	2	3	5	18
35-49	160	2.4	16	<1	<1	1	2	4	10	26
50-64	760	2.1	14	<1	<1	1	2	3	6	21
65+	4472	2.0	17	<1	<1	1	2	3	6	24
GRAND TOTAL	5678	2.0	16	<1	<1	1	2	3	6	23

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64	13	1.0		<1	<1	<1	1	1	1	1
65+	62	1.2		<1	<1	<1	<1	2	2	7
2. MULTIPLE DX										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	9	3.2	7	1	2	2	4	8	10	10
35-49	7	2.6	4	<1	1	2	3	6	7	7
50-64	34	1.9	1	<1	<1	1	2	4	5	5
65+	142	2.5	40	<1	1	2	2	4	5	20
TOTAL SINGLE DX	86	1.2	1	<1	<1	<1	1	2	2	6
TOTAL MULTIPLE DX	195	2[illegible]	30	<1	1	2	2	4	5	13
TOTAL										
0-19 YRS	6	2.2	2	<1	1	2	2	5	5	5
20-34	11	2.9	7	1	1	2	4	7	10	10
35-49	13	1.9	3	<1	1	1	2	4	6	7
50-64	47	1.6	1	<1	<1	1	2	3	5	5
65+	204	2.1	29	<1	<1	1	2	3	5	13
GRAND TOTAL	281	2.1	21	<1	<1	1	2	3	5	11

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	200	2.0	1	1	1	2	2	3	4	7
20-34	283	2.1	1	1	1	2	3	4	4	7
35-49	382	2.1	1	1	1	2	3	3	4	7
50-64	723	2.1	1	1	1	2	3	3	4	6
65+	593	2.2	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	237	3.8	60	1	1	2	4	7	37	99+
20-34	398	2.8	4	1	1	2	3	5	7	13
35-49	551	2.7	4	1	1	2	3	5	6	10
50-64	1218	2.7	6	1	2	2	3	4	6	11
65+	1894	2.8	7	1	2	2	3	5	6	11
TOTAL SINGLE DX	2181	2.1	2	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	4298	2.8	9	1	2	2	3	5	6	13
TOTAL										
0-19 YRS	437	2.9	34	1	1	2	3	5	8	99+
20-34	681	2.5	3	1	1	2	3	4	6	10
35-49	933	2.4	3	1	1	2	3	4	6	9
50-64	1941	2.5	5	1	1	2	3	4	5	9
65+	2487	2.7	6	1	2	2	3	4	6	10
GRAND TOTAL	6479	2.6	7	1	1	2	3	4	6	11

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	127	1.6	1	1	1	1	2	2	3	6
20-34	87	2.0	2	1	1	2	2	4	5	8
35-49	73	2.4	4	1	1	2	3	5	7	11
50-64	116	1.9	2	1	1	1	2	3	5	8
65+	207	2.1	3	[illegible]	1	2	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	205	5.0	174	1	1	2	4	78	99+	99+
20-34	504	2.5	4	1	1	2	3	4	6	11
35-49	523	2.9	7	1	1	2	3	5	7	15
50-64	861	2.9	15	1	1	2	3	5	7	18
65+	1406	3.0	18	1	1	2	3	6	8	16
TOTAL SINGLE DX	610	2.0	3	1	1	1	2	3	5	11
TOTAL MULTIPLE DX	3499	3.0	24	1	1	2	3	6	8	47
TOTAL										
0-19 YRS	332	3.7	111	1	1	2	3	9	99+	99+
20-34	591	2.4	4	1	1	2	3	4	6	11
35-49	596	2.8	8	1	1	2	3	5	7	14
50-64	977	2.8	14	1	1	2	3	5	7	17
65+	1613	2.9	17	1	1	2	3	[illegible]	8	15
GRAND TOTAL	4109	2.9	21	1	1	2	3	5	8	30

530: Operations on ocular muscle (15.01; 15.11-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	965	1.0		<1	<1	<1	<1	1	1	2
20-34	38	1.0		<1	<1	<1	1	1	1	1
35-49	30	1.2		<1	<1	<1	1	2	3	5
50-64	10	1.1		<1	<1	1	1	2	2	2
65+	7	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	402	1.6	23	<1	<1	<1	1	2	3	[illegible]
20-34	40	1.8	5	<1	<1	1	1	3	8	12
35-49	26	1.3		<1	1	1	1	2	4	4
50-64	15	1.5	1	<1	1	1	2	2	5	6
65+	24	4.0	93	1	1	1	2	6	23	48
TOTAL SINGLE DX	1050	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	507	1.7	24	<1	<1	1	1	2	4	63
TOTAL										
0-19 YRS	1367	1.2	7	<1	<1	<1	<1	1	1	5
20-34	78	1.4	3	<1	<1	1	1	2	3	12
35-49	56	1.3	1	<1	<1	1	1	2	4	5
50-64	25	1.4	1	<1	1	1	1	2	3	6
65+	31	3.4	73	<1	1	1	2	4	12	48
GRAND TOTAL	1557	1.2	8	<1	<1	<1	1	1	2	6

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	256	3.1	8	1	1	2	4	6	8	13
20-34	119	3.2	6	1	1	2	4	6	9	14
35-49	94	2.7	4	1	1	2	4	5	7	11
50-64	55	2.7	5	1	1	2	4	5	8	11
65+	70	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	291	5.5	75	1	2	4	7	10	14	43
20-34	266	4.4	35	1	2	3	5	8	12	26
35-49	220	4.2	23	1	1	3	5	9	11	26
50-64	201	4.7	36	1	2	2	6	10	13	36
65+	398	5.7	78	1	2	3	7	12	18	45
TOTAL SINGLE DX	594	2.9	7	1	1	2	4	6	8	13
TOTAL MULTIPLE DX	1376	5.0	55	1	2	3	6	10	15	34
TOTAL										
0-19 YRS	547	4.4	46	1	1	3	5	9	12	25
20-34	385	4.1	27	1	1	3	5	8	10	23
35-49	314	3.7	19	1	1	2	5	7	11	24
50-64	256	4.3	30	1	1	2	5	9	13	31
65+	468	5.2	69	1	2	3	6	11	16	37
GRAND TOTAL	1970	4.4	41	1	1	3	5	9	12	28

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	491	1.7	3	<1	<1	1	2	3	4	10
20-34	69	2.2	2	<1	1	1	3	5	5	8
35-49	50	2.2	4	<1	1	1	3	5	7	9
50-64	34	2.4	8	<1	<1	1	2	6	10	13
65+	43	2.3	7	<1	<1	1	3	7	9	12
2. MULTIPLE DX										
0-19 YRS	583	2.7	7	1	1	2	3	5	8	15
20-34	233	4.5	53	1	1	2	5	10	16	36
35-49	131	4.3	58	1	1	2	4	9	14	48
50-64	129	6.0	61	1	1	3	6	15	21	43
65+	248	7.7	112	1	2	5	10	15	34	99+
TOTAL SINGLE DX	687	1.9	4	<1	1	1	2	4	5	10
TOTAL MULTIPLE DX	1324	4.4	49	1	1	2	5	10	15	49
TOTAL										
0-19 YRS	1074	2.3	6	<1	1	1	3	4	7	13
20-34	302	3.9	43	1	1	2	4	7	14	31
35-49	181	3.8	45	1	1	2	4	7	10	44
50-64	163	5.2	53	1	1	2	6	13	20	42
65+	291	6.9	101	1	1	4	9	14	25	99+
GRAND TOTAL	2011	3.6	35	<1	1	2	4	8	12	36

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	1.1		1	1	1	1	2	2	3
20-34	162	1.3		1	1	1	1	2	2	4
35-49	251	1.2		1	1	1	1	2	2	3
50-64	172	1.3		1	1	1	1	2	2	5
65+	87	1.3		1	1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	54	1.2		1	1	1	1	2	2	3
20-34	113	1.2		1	1	1	1	2	2	4
35-49	191	1.3		1	1	1	1	2	2	5
50-64	156	1.4	1	1	1	1	1	2	3	9
65+	103	1.7	2	1	1	1	2	3	4	10
TOTAL SINGLE DX	711	1.2		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	617	1.4	1	1	1	1	1	2	3	7
TOTAL										
0-19 YRS	93	1.2		1	1	1	1	2	2	3
20-34	275	1.2		1	1	1	1	2	2	4
35-49	442	1.2		1	1	1	1	2	2	3
50-64	328	1.4	1	1	1	1	1	2	3	8
65+	190	1.5	2	1	1	1	2	2	3	9
GRAND TOTAL	1328	1.3	1	1	1	1	1	2	2	4

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	680	1.1		<1	1	1	1	1	1	2
20-34	145	1.2		1	1	1	1	1	2	5
35-49	128	1.1		<1	1	1	1	2	2	3
50-64	100	1.2		<1	1	1	1	2	2	4
65+	44	1.3		1	1	1	1	2	3	5
2. MULTIPLE DX										
0-19 YRS	768	1.2	1	<1	1	1	1	1	2	5
20-34	258	1.4	2	1	1	1	1	2	2	9
35-49	251	1.2		1	1	1	1	2	2	5
50-64	229	1.4	7	1	1	1	1	2	2	7
65+	152	1.4		1	1	1	2	2	3	6
TOTAL SINGLE DX	1097	1.1		<1	1	1	1	1	2	3
TOTAL MULTIPLE DX	1658	1.3	2	1	1	1	1	2	2	6
TOTAL										
0-19 YRS	1448	1.1	1	<1	1	1	1	1	2	3
20-34	403	1.3	2	1	1	1	1	2	2	8
35-49	379	1.2		1	1	1	1	2	2	4
50-64	329	1.4	5	1	1	1	1	2	2	5
65+	196	1.4	1	1	1	1	2	2	3	6
GRAND TOTAL	2755	1.2	1	<1	1	1	1	2	2	4

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3503	1.1		<1	<1	<1	<1	<1	1	5
20-34	30	1.5	1	<1	<1	1	1	3	4	5
35-49	41	1.2		<1	<1	1	1	1	3	4
50-64	24	1.1		<1	<1	1	1	1	2	4
65+	19	2.5	35	<1	<1	1	1	3	17	27
2. MULTIPLE DX										
0-19 YRS	3094	2.5	21	<1	<1	1	2	6	9	22
20-34	93	3.8	31	<1	1	1	5	8	12	31
35-49	82	4.3	28	1	1	2	6	11	17	23
50-64	55	4.1	31	<1	1	1	5	13	16	28
65+	74	9.5	140	1	2	6	12	27	43	89
TOTAL SINGLE DX	3617	1.1	1	<1	<1	<1	<1	<1	1	5
TOTAL MULTIPLE DX	3398	2.8	26	<1	1	1	2	7	10	26
TOTAL										
0-19 YRS	6597	1.8	11	<1	<1	<1	1	3	6	14
20-34	123	3.2	25	<1	1	1	4	7	12	31
35-49	123	3.3	21	<1	1	1	3	9	12	23
50-64	79	3.2	24	<1	1	1	3	9	14	26
65+	93	8.1	127	<1	1	4	11	22	41	81
GRAND TOTAL	7015	1.9	14	<1	<1	<1	1	4	7	17

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	349	1.5	2	1	1	1	1	2	4	10
20-34	167	1.6	3	1	1	1	1	3	5	11
35-49	131	1.4	1	1	1	1	1	2	3	8
50-64	96	1.5	2	1	1	1	1	2	3	10
65 +	63	1.5	1	1	1	1	1	3	4	9
2. MULTIPLE DX										
0-19 YRS	724	2.6	21	1	1	1	2	6	10	21
20-34	294	2.2	14	1	1	1	2	3	7	26
35-49	328	2.5	38	1	1	1	2	3	7	46
50-64	268	2.3	11	1	1	1	2	4	8	18
65 +	233	3.2	32	1	1	1	2	6	12	36
TOTAL SINGLE DX	806	1.5	2	1	1	1	1	2	4	10
TOTAL MULTIPLE DX	1847	2.6	23	1	1	1	2	5	10	24
TOTAL										
0-19 YRS	1073	2.2	15	1	1	1	2	5	9	20
20-34	461	2.0	10	1	1	1	2	3	6	22
35-49	459	2.2	28	1	1	1	2	3	5	37
50-64	364	2.1	9	1	1	1	2	4	7	18
65 +	296	2.8	26	1	1	1	2	5	11	29
GRAND TOTAL	2653	2.2	17	1	1	1	2	4	9	20

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	385	1.4	1	<1	<1	1	1	2	4	7
20-34	97	1.6	1	<1	1	1	2	3	4	8
35-49	168	1.6	2	1	1	1	2	3	4	10
50-64	112	1.8	5	1	1	1	2	3	4	15
65 +	68	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	439	2.6	11	<1	1	1	2	7	10	16
20-34	146	2.4	24	1	1	1	2	4	6	30
35-49	202	2.9	17	1	1	2	3	6	9	22
50-64	176	2.9	19	1	1	2	3	6	9	24
65 +	142	3.9	32	1	1	2	4	8	12	41
TOTAL SINGLE DX	830	1.5	2	<1	1	1	1	3	4	8
TOTAL MULTIPLE DX	1105	2.8	18	1	1	1	3	7	9	19
TOTAL										
0-19 YRS	824	2.0	7	<1	1	1	1	5	7	15
20-34	243	2.0	15	1	1	1	2	3	5	14
35-49	370	2.3	11	1	1	1	2	4	8	13
50-64	288	2.5	14	1	1	1	2	5	7	20
65 +	210	3.2	23	1	1	2	3	7	9	28
GRAND TOTAL	1935	2.3	12	<1	1	1	2	5	7	15

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	1.5	1	1	1	1	2	2	3	9
20-34	164	1.3		1	1	1	1	2	3	3
35-49	88	1.3		1	1	1	1	2	2	3
50-64	34	1.4		1	1	1	2	2	3	3
65 +	11	1.6		<1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	316	1.2		1	1	1	1	2	2	4
20-34	933	1.3		1	1	1	1	2	3	4
35-49	728	1.5	2	1	1	1	2	2	3	8
50-64	372	1.7	3	1	1	1	2	3	4	10
65 +	128	1.9	4	1	1	1	2	4	5	14
TOTAL SINGLE DX	369	1.3	1	1	1	1	1	2	3	3
TOTAL MULTIPLE DX	2477	1.4	2	1	1	1	1	2	3	7
TOTAL										
0-19 YRS	388	1.3	1	1	1	1	1	2	2	6
20-34	1097	1.3	1	1	1	1	1	2	3	4
35-49	816	1.5	3	1	1	1	2	2	3	7
50-64	406	1.7	3	1	1	1	2	3	4	10
65 +	139	1.9	4	1	1	1	2	4	5	14
GRAND TOTAL	2846	1.4	2	1	1	1	1	2	3	6

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	396	1.4		1	1	1	1	2	3	6
20-34	464	1.2		<1	1	1	1	2	2	3
35-49	313	1.2		1	1	1	1	2	2	4
50-64	125	1.3		<1	1	1	1	2	3	5
65+	51	1.9	15	<1	1	1	1	3	5	29
2. MULTIPLE DX										
0-19 YRS	898	1.8	9	1	1	1	2	3	4	11
20-34	1482	1.7	13	1	1	1	1	2	4	11
35-49	1243	1.7	4	1	1	1	2	3	4	10
50-64	655	2.0	11	1	1	1	2	4	6	14
65+	413	3.2	21	1	1	2	3	7	10	32
TOTAL SINGLE DX	1349	1.3	1	<1	1	1	1	2	3	5
TOTAL MULTIPLE DX	4691	1.9	11	1	1	1	2	3	5	14
TOTAL										
0-19 YRS	1294	1.7	7	1	1	1	2	3	4	8
20-34	1946	1.6	11	1	1	1	1	2	3	8
35-49	1556	1.6	3	1	1	1	2	2	3	9
50-64	780	1.9	10	1	1	1	2	3	6	14
65+	464	3.0	21	1	1	1	3	7	9	31
GRAND TOTAL	6040	1.7	9	1	1	1	2	3	4	12

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	97	1.7	2	<1	<1	1	2	4	6	7
20-34	76	2.1	8	<1	1	1	2	4	5	18
35-49	69	1.5	1	<1	1	1	2	3	4	6
50-64	78	1.3		<1	<1	1	1	2	3	6
65+	87	1.6	5	<1	<1	1	1	3	4	15
2. MULTIPLE DX										
0-19 YRS	249	3.4	56	1	1	1	3	7	10	38
20-34	291	2.2	17	1	1	1	2	3	6	20
35-49	373	1.9	4	1	1	1	2	3	5	11
50-64	324	2.4	10	1	1	1	2	5	9	21
65+	351	5.0	48	1	1	2	7	13	18	40
TOTAL SINGLE DX	407	1.6	4	<1	<1	1	1	3	4	8
TOTAL MULTIPLE DX	1588	2.9	27	1	1	1	2	7	11	26
TOTAL										
0-19 YRS	346	2.9	42	<1	1	1	2	6	8	29
20-34	367	2.1	15	1	1	1	2	4	6	20
35-49	442	1.8	4	1	1	1	2	3	5	10
50-64	402	2.1	9	<1	1	1	2	4	8	21
65+	438	4.3	42	<1	1	2	5	12	16	39
GRAND TOTAL	1995	2.7	23	<1	1	1	2	6	10	22

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	264	1.4	1	<1	<1	1	1	3	3	5
20-34	233	2.1	2	<1	1	1	3	4	5	9
35-49	157	3.1	4	<1	1	3	5	6	8	10
50-64	177	3.5	4	1	2	3	5	6	7	10
65+	153	3.3	5	1	2	3	4	6	7	12
2. MULTIPLE DX										
0-19 YRS	298	4.0	81	<1	1	2	4	8	11	71
20-34	458	3.7	18	1	1	2	5	8	11	25
35-49	391	4.3	15	1	2	3	5	8	10	20
50-64	485	5.0	28	1	2	4	6	9	11	27
65+	1032	5.5	25	2	3	4	7	10	13	26
TOTAL SINGLE DX	984	2.5	4	<1	1	2	3	5	7	10
TOTAL MULTIPLE DX	2664	4.8	30	1	2	4	6	9	12	26
TOTAL										
0-19 YRS	562	2.8	45	<1	1	1	3	5	8	26
20-34	691	3.2	14	1	1	2	4	7	9	21
35-49	548	3.9	13	1	2	3	5	8	9	17
50-64	662	4.6	22	1	2	4	6	8	10	20
65+	1185	5.2	24	1	2	4	6	10	13	24
GRAND TOTAL	3648	4.1	24	1	1	3	5	8	11	22

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	1.7	2	1	1	1	2	2	4	11
20-34	97	1.9	3	1	1	1	2	5	6	9
35-49	112	1.6	1	1	1	1	2	3	3	7
50-64	89	1.6	2	1	1	1	2	3	3	11
65+	56	1.7	1	1	1	1	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	112	4.3	61	1	1	2	4	10	13	51
20-34	263	2.9	27	1	1	1	2	5	10	26
35-49	325	2.7	25	1	1	1	2	5	9	26
50-64	283	3.2	27	1	1	2	3	7	11	36
65+	197	3.5	34	1	1	2	3	8	13	36
TOTAL SINGLE DX	407	1.7	2	1	1	1	2	3	5	9
TOTAL MULTIPLE DX	1180	3.2	32	1	1	2	3	6	11	33
TOTAL										
0-19 YRS	165	3.4	44	1	1	1	3	7	11	44
20-34	360	2.6	21	1	1	1	2	5	8	24
35-49	437	2.4	20	1	1	1	2	4	7	21
50-64	372	2.8	22	1	1	2	3	5	10	20
65+	253	3.1	28	1	1	1	3	7	11	34
GRAND TOTAL	1587	2.8	24	1	1	1	2	5	9	26

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	320	2.1	7	<1	1	1	2	5	8	14
20-34	212	2.3	6	1	1	1	2	5	7	14
35-49	245	1.7	1	1	1	1	2	3	5	7
50-64	156	2.2	5	1	1	1	3	4	8	14
65 +	66	2.1	4	1	1	1	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	779	4.8	56	<1	1	2	6	12	16	38
20-34	827	3.1	21	1	1	1	3	8	13	22
35-49	1076	3.0	25	1	1	1	3	7	11	27
50-64	850	3.5	38	1	1	1	3	8	12	37
65 +	612	4.2	31	1	1	2	5	10	15	27
TOTAL SINGLE DX	999	2.1	5	1	1	1	2	4	7	12
TOTAL MULTIPLE DX	4144	3.6	34	1	1	1	4	9	14	28
TOTAL										
0-19 YRS	1099	4.0	44	<1	1	1	5	10	14	28
20-34	1039	3.0	18	1	1	1	3	7	12	21
35-49	1321	2.8	21	1	1	1	2	6	10	24
50-64	1006	3.3	34	1	1	1	3	8	11	32
65 +	678	4.0	29	1	1	2	4	10	14	25
GRAND TOTAL	5143	3.3	29	1	1	1	3	8	12	25

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	246	1.3		<1	<1	<1	1	1	3	7
20-34	115	1.9	4	<1	<1	<1	2	4	7	11
35-49	29	2.4	9	<1	<1	1	2	7	9	14
50-64	25	2.0	2	<1	<1	1	3	4	6	6
65 +	13	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	733	3.6	46	<1	1	1	3	7	16	59
20-34	463	6.8	112	1	1	3	8	18	28	75
35-49	312	7.2	92	1	2	4	9	17	31	78
50-64	319	6.9	111	1	1	3	8	18	34	99 +
65 +	450	8.6	144	1	2	4	11	23	38	99 +
TOTAL SINGLE DX	428	1.5	3	<1	<1	<1	1	3	4	9
TOTAL MULTIPLE DX	2277	6.2	98	1	1	2	7	16	28	97
TOTAL										
0-19 YRS	979	3.0	36	<1	<1	1	2	6	11	47
20-34	578	5.8	95	<1	1	2	6	14	24	51
35-49	341	6.8	87	1	1	3	8	16	26	69
50-64	344	6.6	105	1	1	3	7	17	32	99 +
65 +	463	8.4	142	1	2	4	11	22	37	99 +
GRAND TOTAL	2705	5.5	86	<1	1	2	6	14	25	80

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	341	1.1		<1	<1	<1	<1	<1	1	2
20-34	5	1.6		<1	1	2	2	2	2	2
35-49	8	1.9	1	1	1	2	3	3	3	3
50-64	6	1.7	1	<1	1	1	2	4	4	4
65 +	5	2.8	1	1	2	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	373	2.3	34	<1	<1	1	1	2	6	47
20-34	37	5.3	208	<1	1	1	4	22	94	99 +
35-49	24	6.5	102	1	1	2	8	21	28	44
50-64	8	1.0		<1	<1	1	1	1	1	1
65 +	5	3.8	17	1	1	3	11	91	99 +	99 +
TOTAL SINGLE DX	365	1.1	1	<1	<1	<1	<1	1	2	4
TOTAL MULTIPLE DX	447	2.7	53	<1	<1	1	2	4	10	86
TOTAL										
0-19 YRS	714	1.7	19	<1	<1	<1	1	2	3	34
20-34	42	4.9	185	<1	1	2	3	21	90	99 +
35-49	32	5.3	81	1	1	2	4	17	21	44
50-64	14	1.3	1	<1	<1	1	1	2	4	4
65 +	10	3.3	8	1	2	3	4	47	95	99 +
GRAND TOTAL	812	2.0	30	<1	<1	<1	1	2	4	46

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	171	1.7	1	<1	<1	1	2	3	4	8
20-34	28	1.9	1	1	1	2	2	4	4	6
35-49	34	1.7	1	1	1	1	2	4	4	6
50-64	45	2.1	1	<1	1	2	3	3	5	7
65 +	25	1.8	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	405	2.2	11	<1	1	1	2	4	6	16
20-34	123	3.4	19	1	1	2	3	7	13	24
35-49	114	4.4	25	1	1	3	6	9	13	30
50-64	116	4.6	38	1	1	2	5	13	18	32
65 +	145	4.8	49	1	1	2	5	11	20	39
TOTAL SINGLE DX	303	1.8	2	<1	1	1	2	3	4	7
TOTAL MULTIPLE DX	903	3.4	25	1	1	2	3	8	12	29
TOTAL										
0-19 YRS	576	2.1	9	<1	1	1	2	3	5	14
20-34	151	3.1	17	1	1	2	3	6	11	22
35-49	148	3.8	21	1	1	2	5	8	12	29
50-64	161	3.9	30	1	1	2	3	10	15	30
65 +	170	4.4	43	1	1	2	5	9	15	36
GRAND TOTAL	1206	3.0	20	<1	1	2	3	6	9	25

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	195	2.1	2	1	1	2	2	4	6	10
20-34	414	1.9	1	1	1	2	2	3	4	7
35-49	571	1.8	1	1	1	2	2	3	4	6
50-64	568	1.9	1	1	1	2	2	3	4	6
65+	388	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	149	3.5	29	1	1	2	3	8	14	42
20-34	211	3.3	10	1	1	2	4	7	10	17
35-49	382	2.9	11	1	1	2	3	6	9	16
50-64	580	2.8	14	1	1	2	3	5	7	11
65+	823	4.1	26	1	2	2	4	9	12	31
TOTAL SINGLE DX	2136	1.9	2	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	2145	3.4	20	1	1	2	4	7	10	21
TOTAL										
0-19 YRS	344	2.7	15	1	1	2	3	5	8	18
20-34	625	2.4	5	1	1	2	3	4	6	12
35-49	953	2.3	6	1	1	2	2	4	6	12
50-64	1148	2.3	8	1	1	2	3	4	5	9
65+	1211	3.5	19	1	1	2	4	7	11	21
GRAND TOTAL	4281	2.7	11	1	1	2	3	5	7	15

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1059	2.2	1	1	1	2	3	4	5	6
20-34	16	2.7	2	1	1	2	4	5	6	7
35-49	17	1.4	1	1	1	1	2	2	4	5
50-64	16	1.3		1	1	1	2	2	3	3
65+	5	2.8	1	2	2	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	1592	2.5	4	1	1	2	3	4	5	10
20-34	38	3.5	31	1	1	2	3	6	9	35
35-49	91	2.4	3	1	1	2	3	4	6	12
50-64	42	2.3	2	1	1	2	3	4	6	8
65+	15	5.0	54	1	1	2	4	16	25	28
TOTAL SINGLE DX	1113	2.2	1	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	1778	2.6	5	1	1	2	3	4	5	11
TOTAL										
0-19 YRS	2651	2.4	3	1	1	2	3	4	5	8
20-34	54	3.3	23	1	1	2	3	5	8	34
35-49	108	2.2	3	1	1	2	3	4	5	11
50-64	58	2.0	2	1	1	2	3	4	5	8
65+	20	4.5	41	1	2	2	4	11	22	28
GRAND TOTAL	2891	2.4	4	1	1	2	3	4	5	9

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1288	2.0	2	<1	1	1	2	4	5	8
20-34	245	3.6	7	1	2	3	5	7	9	16
35-49	168	3.5	17	1	1	2	4	8	12	17
50-64	206	3.8	16	<1	1	2	5	9	13	17
65+	182	2.9	10	<1	1	2	3	7	9	18
2. MULTIPLE DX										
0-19 YRS	1580	3.2	25	1	1	2	4	6	9	26
20-34	765	4.6	31	1	2	3	5	9	12	26
35-49	582	5.5	43	1	2	3	6	12	17	36
50-64	667	7.8	96	1	2	5	9	18	29	59
65+	880	7.9	87	1	2	5	10	19	27	61
TOTAL SINGLE DX	2089	2.6	7	1	1	2	3	5	7	13
TOTAL MULTIPLE DX	4474	5.3	55	1	1	3	6	12	19	44
TOTAL										
0-19 YRS	2868	2.7	15	1	1	2	3	5	7	19
20-34	1010	4.3	26	1	2	3	5	8	11	22
35-49	750	5.0	38	1	1	3	6	11	16	34
50-64	873	6.8	80	1	2	4	8	16	24	54
65+	1062	7.1	78	1	2	4	9	17	25	57
GRAND TOTAL	6563	4.5	41	1	1	2	5	10	15	36

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3809	1.1		1	1	1	1	1	2	3
20-34	1985	1.2		1	1	1	1	2	2	4
35-49	266	1.3		1	1	1	1	2	3	5
50-64	38	1.7	3	1	1	1	1	3	6	10
65+	10	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1870	1.5	5	1	1	1	1	2	4	9
20-34	883	1.6	5	1	1	1	2	3	4	9
35-49	240	1.8	3	1	1	1	2	3	5	11
50-64	79	2.9	16	1	1	1	2	7	13	19
65+	43	6.5	89	1	1	2	9	16	28	49
TOTAL SINGLE DX	6108	1.1		1	1	1	1	1	2	4
TOTAL MULTIPLE DX	3115	1.7	7	1	1	1	1	3	4	12
TOTAL										
0-19 YRS	5679	1.2	2	1	1	1	1	2	2	5
20-34	2868	1.3	2	1	1	1	1	2	3	5
35-49	506	1.6	2	1	1	1	2	3	3	9
50-64	117	2.5	12	1	1	1	2	5	12	18
65+	53	5.6	76	1	1	2	7	15	25	48
GRAND TOTAL	9223	1.3	3	1	1	1	1	2	3	7

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8129	1.1		1	1	1	1	1	1	2
20-34	187	1.1		1	1	1	1	1	2	3
35-49	16	1.2		1	1	1	1	2	2	2
50-64	0									
65 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	9803	1.4	6	1	1	1	1	2	2	9
20-34	145	1.5	1	1	1	1	1	2	4	7
35-49	19	4.1	48	1	1	1	3	14	23	28
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65 +	6	2.3	5	<1	<1	1	2	7	7	7
TOTAL SINGLE DX	8335	1.1		1	1	1	1	1	1	2
TOTAL MULTIPLE DX	9976	1.4	6	1	1	1	1	2	3	9
TOTAL										
0-19 YRS	17932	1.2	4	1	1	1	1	1	2	5
20-34	332	1.3	1	1	1	1	1	2	2	6
35-49	35	2.7	28	1	1	1	2	3	14	28
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65 +	9	1.9	4	<1	1	1	2	5	[illegible]	[illegible]
GRAND TOTAL	18311	1.2	4	1	1	1	1	1	[illegible]	5

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	267	1.2	1	<1	<1	1	1	1	1	6
20-34	7	1.3		<1	<1	1	1	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	888	1.7	9	<1	<1	1	1	2	5	15
20-34	11	1.8	5	<1	1	1	1	5	9	9
35-49	4	1.5		1	1	1	2	2	2	2
50-64	3	3.3	6	1	1	3	5	6	6	6
65 +	0									
TOTAL SINGLE DX	277	1.2	1	<1	<1	1	1	1	1	6
TOTAL MULTIPLE DX	906	1.7	9	<1	<1	1	1	2	5	15
TOTAL										
0-19 YRS	1155	1.6	7	<1	<1	1	1	2	4	14
20-34	18	1.6	4	<1	1	1	1	3	7	9
35-49	6	1.3		1	1	1	2	2	2	2
50-64	3	3.3	6	1	1	3	5	6	6	6
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	1183	1.6	7	<1	<1	1	1	2	4	14

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1060	2.1	4	1	1	1	2	4	5	12
20-34	499	2.1	1	1	1	2	3	4	5	7
35-49	215	2.2	2	1	1	2	3	4	6	8
50-64	97	2.8	13	1	1	2	3	5	8	22
65 +	62	2.7	4	<1	1	2	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	712	3.9	34	1	1	2	4	8	11	34
20-34	386	3.2	12	1	1	2	4	6	9	16
35-49	432	4.0	38	1	1	2	4	8	13	38
50-64	401	5.7	66	1	1	3	6	13	19	45
65 +	318	7.6	102	1	2	5	9	17	25	53
TOTAL SINGLE DX	1933	2.2	4	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	2249	4.6	49	1	1	3	5	10	15	42
TOTAL										
0-19 YRS	1772	2.8	17	1	1	2	3	5	8	19
20-34	885	2.6	7	1	1	2	3	5	6	13
35-49	647	3.4	27	1	1	2	3	7	10	32
50-64	498	5.1	58	1	1	3	5	12	17	44
65 +	380	6.8	90	1	2	4	8	15	24	49
GRAND TOTAL	4182	3.5	30	1	1	2	4	7	11	31

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	211	1.5	2	<1	<1	<1	1	2	5	8
20-34	41	2.5	3	<1	1	2	3	5	6	10
35-49	54	2.6	2	1	1	2	4	5	5	8
50-64	60	2.9	5	1	1	2	4	6	7	14
65 +	62	3.0	6	<1	1	3	4	5	6	16
2. MULTIPLE DX										
0-19 YRS	321	3.3	18	<1	1	2	4	6	12	22
20-34	108	4.7	41	1	2	3	5	8	13	39
35-49	135	4.7	50	1	2	3	5	9	11	27
50-64	205	5.4	51	1	2	4	6	11	15	60
65 +	480	5.4	48	1	2	4	6	11	16	29
TOTAL SINGLE DX	428	2.1	4	<1	<1	1	3	5	5	10
TOTAL MULTIPLE DX	1249	4.7	41	1	2	3	5	10	14	33
TOTAL										
0-19 YRS	532	2.6	13	<1	<1	1	3	5	8	20
20-34	149	4.1	32	1	1	3	5	7	10	35
35-49	189	4.1	38	1	2	3	5	8	10	17
50-64	265	4.8	42	1	2	3	5	9	14	43
65 +	542	5.1	44	1	2	3	6	10	15	26
GRAND TOTAL	1677	4.1	33	<1	1	3	5	8	12	25

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	366	1.6	3	<1	1	1	2	3	4	12
20-34	33	1.8	3	<1	<1	1	2	5	5	9
35-49	88	2.5	26	<1	<1	1	1	4	10	32
50-64	124	2.0	17	<1	1	1	1	3	7	22
65+	88	1.5	1	<1	<1	1	1	3	4	8
2. MULTIPLE DX										
0-19 YRS	296	4.4	42	1	1	2	5	14	21	99+
20-34	46	3.3	22	<1	1	1	3	9	15	23
35-49	138	4.1	54	1	1	2	5	9	13	29
50-64	317	4.3	29	1	1	2	6	11	14	25
65+	407	5.9	72	1	1	2	7	16	25	49
TOTAL SINGLE DX	699	1.8	9	<1	1	1	1	3	5	15
TOTAL MULTIPLE DX	1204	4.8	50	1	1	2	6	12	20	49
TOTAL										
0-19 YRS	662	2.9	23	<1	1	1	2	7	13	39
20-34	79	2.7	15	<1	<1	1	3	6	12	21
35-49	226	3.4	44	<1	1	1	3	8	12	31
50-64	441	3.6	27	1	1	1	4	10	13	24
65+	495	5.1	63	1	1	2	6	14	23	48
GRAND TOTAL	1903	3.7	37	<1	1	1	3	9	15	37

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47	2.3	6	<1	1	1	3	5	6	15
20-34	5	1.6	1	<1	1	1	2	3	3	3
35-49	9	5.8	20	2	3	4	7	14	16	16
50-64	36	6.9	24	1	2	7	11	12	14	22
65+	24	7.6	29	<1	2	7	11	15	18	19
2. MULTIPLE DX										
0-19 YRS	199	5.8	110	1	1	2	5	13	28	95
20-34	16	9.3	552	1	2	3	6	8	70	97
35-49	33	11.3	51	2	6	11	16	22	29	99+
50-64	121	13.8	218	2	5	10	16	27	44	81
65+	145	12.3	159	2	4	9	15	27	43	79
TOTAL SINGLE DX	121	5.0	23	<1	1	3	8	12	14	20
TOTAL MULTIPLE DX	514	9.9	170	1	2	6	13	22	37	93
TOTAL										
0-19 YRS	246	5.1	92	1	1	2	5	12	22	91
20-34	21	7.4	426	1	1	2	5	7	48	97
35-49	42	10.1	49	2	4	10	14	20	29	99+
50-64	157	12.2	182	1	4	9	14	22	40	79
65+	169	11.6	144	1	4	9	15	24	37	77
GRAND TOTAL	635	9.0	146	1	2	5	12	20	32	86

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	21	12.7	36	7	8	11	14	20	26	32
50-64	55	11.9	23	8	9	10	13	17	24	27
65+	36	12.3	26	6	8	11	16	20	22	23
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	8	16.8	58	8	9	17	24	25	26	26
35-49	68	18.3	89	10	12	15	21	33	36	49
50-64	345	18.2	180	9	10	14	22	34	45	96
65+	330	19.6	224	9	11	14	23	37	60	92
TOTAL SINGLE DX	112	12.2	27	7	9	11	14	20	23	29
TOTAL MULTIPLE DX	752	18.8	190	9	11	14	22	35	49	90
TOTAL										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	8	16.8	58	8	9	17	24	25	26	26
35-49	89	16.9	82	9	10	14	20	32	35	48
50-64	400	17.3	163	9	10	13	21	30	42	89
65+	366	18.9	210	8	11	14	22	36	56	90
GRAND TOTAL	864	17.9	174	8	10	14	21	33	44	87

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	18.0	384	1	5	15	33	94	99+	99+
20-34	15	6.1	17	2	4	5	7	13	15	15
35-49	20	6.5	30	1	2	4	10	15	18	20
50-64	25	13.0	305	2	5	8	13	22	57	83
65+	12	4.8	7	2	3	5	6	9	11	11
2. MULTIPLE DX										
0-19 YRS	383	30.1	505	8	15	31	73	99+	99+	99+
20-34	227	31.1	548	6	12	31	54	99+	99+	99+
35-49	329	29.8	506	6	11	29	56	99+	99+	99+
50-64	704	33.1	634	5	12	33	58	96	99+	99+
65+	1015	38.3	607	9	20	41	67	99+	99+	99+
TOTAL SINGLE DX	114	12.0	242	2	4	7	15	40	79	99+
TOTAL MULTIPLE DX	2658	34.1	594	7	15	35	64	99+	99+	99+
TOTAL										
0-19 YRS	425	28.9	506	7	14	30	69	99+	99+	99+
20-34	242	29.6	552	5	9	29	53	99	99+	99+
35-49	349	28.5	508	5	10	27	55	99	99+	99+
50-64	729	32.4	636	5	11	32	57	95	99+	99+
65+	1027	37.9	614	8	19	41	67	99+	99+	99+
GRAND TOTAL	2772	33.1	598	6	14	34	63	99+	99+	99+

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	156	5.1	40	1	1	3	7	11	16	35
20-34	15	7.1	98	1	1	4	8	16	32	38
35-49	19	3.1	13	1	1	1	3	9	13	14
50-64	29	2.6	8	1	1	2	3	5	11	14
65 +	13	1.3		<1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	515	10.4	170	1	2	7	15	32	88	99 +
20-34	76	6.7	58	1	2	4	9	17	33	99 +
35-49	69	7.6	127	1	1	3	7	22	44	91
50-64	143	6.6	61	1	1	3	10	18	26	99 +
65 +	149	10.1	216	1	2	4	14	34	67	99 +
TOTAL SINGLE DX	232	4.6	37	1	1	2	6	11	14	36
TOTAL MULTIPLE DX	952	9.3	152	1	2	5	13	28	52	99 +
TOTAL										
0-19 YRS	671	9.1	145	1	1	6	13	28	52	99 +
20-34	91	6.8	64	1	2	4	9	16	36	99 +
35-49	88	6.6	106	1	1	3	6	20	32	83
50-64	172	5.9	55	1	1	3	9	16	22	86
65 +	162	9.4	205	1	1	4	13	31	63	99 +
GRAND TOTAL	1184	8.3	133	1	1	4	11	24	42	99 +

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	48	2.8	4	1	1	2	4	5	7	10
20-34	77	7.7	74	1	4	5	9	14	20	56
35-49	100	6.5	38	<1	2	5	8	14	17	35
50-64	189	5.7	33	<1	1	4	9	12	13	25
65 +	145	5.2	31	<1	<1	3	7	14	17	23
2. MULTIPLE DX										
0-19 YRS	212	9.5	122	1	3	6	13	17	29	58
20-34	599	13.7	149	3	6	11	17	25	34	73
35-49	1042	12.6	102	3	6	10	16	25	30	54
50-64	2096	11.3	92	3	5	9	14	21	30	51
65 +	4340	12.7	103	3	6	10	16	24	31	58
TOTAL SINGLE DX	559	5.7	38	<1	1	4	8	13	15	29
TOTAL MULTIPLE DX	8289	12.4	105	3	6	10	16	24	31	57
TOTAL										
0-19 YRS	260	8.2	108	1	2	5	11	16	24	57
20-34	676	13.0	144	3	6	10	17	24	32	71
35-49	1142	12.1	100	3	6	10	16	23	29	54
50-64	2285	10.9	90	2	5	9	14	20	30	50
65 +	4485	12.5	103	3	6	10	16	24	31	57
GRAND TOTAL	8848	11.9	103	3	5	10	15	23	30	56

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	6	6.0	68	<1	1	2	8	21	22	22
20-34	3	15.7	126	6	8	13	24	28	28	28
35-49	3	4.7	16	1	2	4	8	9	9	9
50-64	11	17.5	468	3	5	7	27	49	73	75
65 +	7	20.7	325	6	8	11	28	51	56	56
TOTAL SINGLE DX	4	4.3	8	<1	1	4	6	7	7	7
TOTAL MULTIPLE DX	30	14.5	288	1	4	8	22	30	56	75
TOTAL										
0-19 YRS	8	5.4	52	<1	1	2	7	18	22	22
20-34	4	13.5	103	6	6	10	20	28	28	28
35-49	4	4.3	12	1	2	3	6	9	9	9
50-64	11	17.5	468	3	5	7	27	49	73	75
65 +	7	20.7	325	6	8	11	28	51	56	56
GRAND TOTAL	34	13.3	265	1	4	7	18	30	51	75

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	6.9	60	2	3	5	8	13	15	53
20-34	142	7.7	25	2	4	7	9	15	19	24
35-49	248	6.7	25	2	4	6	8	13	17	26
50-64	364	6.3	16	1	4	6	8	11	13	22
65 +	321	6.6	29	1	2	6	8	13	16	26
2. MULTIPLE DX										
0-19 YRS	361	14.3	169	4	6	10	18	38	50	99 +
20-34	874	13.2	114	4	6	10	17	26	36	72
35-49	1347	12.5	126	3	6	9	16	25	35	65
50-64	3395	11.7	97	3	6	9	14	24	31	55
65 +	5553	12.7	111	3	6	10	16	24	33	60
TOTAL SINGLE DX	1146	6.7	26	1	4	6	8	13	16	25
TOTAL MULTIPLE DX	11530	12.5	111	4	6	9	16	25	34	60
TOTAL										
0-19 YRS	432	13.1	159	4	5	8	16	34	47	99 +
20-34	1016	12.4	106	4	6	9	15	24	33	61
35-49	1595	11.6	115	3	5	8	14	24	32	62
50-64	3759	11.2	92	3	5	8	14	22	29	53
65 +	5874	12.3	109	3	6	10	15	24	33	59
GRAND TOTAL	12676	11.9	106	3	6	9	15	24	32	58

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	6.3	7	3	4	6	8	11	11	11
20-34	17	8.2	12	5	5	7	11	14	15	15
35-49	81	8.2	12	5	6	8	9	12	15	22
50-64	201	9.2	23	5	7	8	10	15	21	28
65 +	175	9.0	13	6	7	8	10	13	15	26
2. MULTIPLE DX										
0-19 YRS	66	13.6	125	6	7	9	20	35	99 +	99 +
20-34	64	15.4	242	5	7	9	17	37	53	69
35-49	285	11.8	81	6	7	9	13	20	28	59
50-64	1445	12.2	68	6	7	10	14	21	28	46
65 +	1911	13.4	73	7	8	11	15	24	30	47
TOTAL SINGLE DX	490	8.8	17	5	6	8	10	13	17	27
TOTAL MULTIPLE DX	3771	12.8	77	6	8	10	15	23	29	50
TOTAL										
0-19 YRS	82	12.1	111	5	6	9	17	33	79	99 +
20-34	81	13.9	202	5	7	8	14	32	50	69
35-49	366	11.0	68	6	7	9	12	18	25	42
50-64	1646	11.8	64	6	7	9	14	21	27	42
65 +	2086	13.0	70	7	8	10	15	23	29	46
GRAND TOTAL	4261	12.4	72	6	8	10	14	22	28	49

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	835	2.3	7	<1	1	1	2	5	7	14
20-34	79	5.5	32	<1	1	3	8	12	16	29
35-49	92	4.6	14	1	1	4	7	10	12	17
50-64	97	6.1	45	<1	2	4	8	13	17	39
65 +	79	5.5	51	<1	1	4	8	13	18	86
2. MULTIPLE DX										
0-19 YRS	1783	7.8	127	1	2	4	9	19	30	95
20-34	642	12.7	104	3	6	10	17	26	34	57
35-49	880	12.3	104	3	6	10	16	24	31	62
50-64	1261	11.7	112	3	5	9	15	24	31	56
65 +	2423	12.7	109	3	6	10	16	25	32	59
TOTAL SINGLE DX	1182	3.2	18	<1	1	2	4	7	11	22
TOTAL MULTIPLE DX	6989	11.3	117	2	4	9	15	24	31	68
TOTAL										
0-19 YRS	2618	6.1	96	1	1	3	7	15	24	77
20-34	721	11.9	102	2	5	9	16	25	32	53
35-49	972	11.6	101	2	5	9	15	23	31	59
50-64	1358	11.3	110	2	5	9	14	23	30	56
65 +	2502	12.5	109	3	6	10	16	25	31	59
GRAND TOTAL	8171	10.1	111	1	3	7	13	22	30	64

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	5.4	21	1	2	4	7	14	16	17
20-34	76	5.1	9	2	3	4	7	9	11	16
35-49	28	6.3	16	2	4	5	8	13	14	18
50-64	12	7.3	19	2	4	7	9	14	16	16
65 +	6	6.3	24	1	1	6	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	65	9.7	53	2	4	8	13	19	25	90
20-34	112	10.2	74	3	4	8	14	22	27	69
35-49	89	12.8	213	3	4	7	14	32	36	81
50-64	110	12.7	156	3	5	9	17	25	36	99 +
65 +	174	15.9	248	4	6	11	20	36	55	90
TOTAL SINGLE DX	154	5.6	14	2	3	5	7	11	14	17
TOTAL MULTIPLE DX	550	12.9	171	3	5	9	17	28	39	93
TOTAL										
0-19 YRS	97	8.3	47	2	3	6	12	18	23	71
20-34	188	8.1	54	2	4	6	10	18	24	48
35-49	117	11.3	174	2	4	7	13	29	34	81
50-64	122	12.2	145	3	5	9	17	24	36	99 +
65 +	180	15.6	244	4	6	11	19	34	55	89
GRAND TOTAL	704	11.3	145	3	4	8	14	25	34	81

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	414	4.7	10	2	3	4	6	9	11	18
20-34	1143	5.0	10	2	3	4	6	9	12	18
35-49	417	5.3	13	2	3	4	6	10	13	19
50-64	186	5.8	13	2	3	5	7	11	13	19
65 +	93	6.7	18	2	4	6	9	14	16	20
2. MULTIPLE DX										
0-19 YRS	993	10.9	147	3	4	7	13	22	33	88
20-34	1659	8.2	63	3	4	6	10	16	23	48
35-49	1401	9.7	97	3	4	7	12	20	28	54
50-64	1838	10.7	82	3	5	8	13	21	29	47
65 +	3099	11.8	104	3	5	9	15	24	32	57
TOTAL SINGLE DX	2253	5.1	12	2	3	4	6	9	12	18
TOTAL MULTIPLE DX	8990	10.5	98	3	5	8	13	21	29	54
TOTAL										
0-19 YRS	1407	9.1	115	2	4	6	11	18	27	75
20-34	2802	6.9	44	2	3	5	8	13	18	35
35-49	1818	8.7	82	3	4	6	10	17	24	49
50-64	2024	10.2	78	3	5	8	13	21	28	47
65 +	3192	11.6	103	3	5	9	15	23	32	56
GRAND TOTAL	11243	9.4	85	3	4	7	11	19	27	50

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	489	4.9	12	2	3	4	6	7	9	16
20-34	221	5.3	31	1	1	4	7	12	15	24
35-49	175	4.2	21	1	1	2	6	10	13	24
50-64	180	3.9	15	1	1	2	5	8	12	18
65 +	105	4.6	28	1	1	2	6	11	16	26
2. MULTIPLE DX										
0-19 YRS	511	9.5	91	3	4	6	12	20	27	59
20-34	493	11.1	114	2	5	8	14	25	33	50
35-49	592	10.7	99	1	4	8	14	23	31	49
50-64	1082	10.8	104	1	4	8	14	24	31	52
65 +	1590	11.8	121	1	4	9	16	26	32	55
TOTAL SINGLE DX	1170	4.7	19	1	2	4	6	9	12	21
TOTAL MULTIPLE DX	4268	11.0	110	2	4	8	15	24	31	53
TOTAL										
0-19 YRS	1000	7.3	58	3	4	5	7	14	21	45
20-34	714	9.3	96	1	3	6	12	20	28	48
35-49	767	9.2	89	1	2	7	12	21	28	44
50-64	1262	9.8	98	1	3	7	13	22	29	51
65 +	1695	11.3	118	1	3	9	16	25	31	54
GRAND TOTAL	5438	9.7	97	1	3	7	13	22	29	50

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	933	6.3	13	2	5	6	7	9	11	19
20-34	74	9.6	35	6	7	8	11	13	21	38
35-49	106	8.0	23	2	7	8	9	12	14	29
50-64	104	9.2	19	5	7	9	10	14	17	26
65 +	73	10.9	24	8	8	9	12	16	21	31
2. MULTIPLE DX										
0-19 YRS	3877	12.4	122	5	7	9	14	25	35	88
20-34	361	14.3	159	6	8	10	16	31	46	99
35-49	868	14.4	144	7	8	11	15	27	41	76
50-64	2053	15.6	137	8	9	12	18	27	39	83
65 +	3333	17.2	151	8	10	14	20	31	42	88
TOTAL SINGLE DX	1290	7.1	18	3	5	6	8	11	14	23
TOTAL MULTIPLE DX	10492	14.8	142	6	8	11	17	28	39	87
TOTAL										
0-19 YRS	4810	11.2	107	5	6	8	13	22	32	75
20-34	435	13.5	142	6	7	9	15	29	44	97
35-49	974	13.7	135	6	8	10	15	25	39	74
50-64	2157	15.3	134	7	9	12	17	27	38	81
65 +	3406	17.1	149	8	10	13	20	30	42	87
GRAND TOTAL	11782	13.9	134	6	8	10	16	27	37	82

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	21	3.8	3	2	2	3	5	7	8	8
35-49	545	3.4	5	1	2	3	4	7	8	12
50-64	1232	3.2	5	1	2	2	4	6	8	11
65 +	841	3.5	8	1	2	3	4	7	9	14
2. MULTIPLE DX										
0-19 YRS	12	2.9	3	1	1	2	4	6	7	7
20-34	154	5.0	15	2	2	4	6	9	13	20
35-49	4019	4.7	14	1	2	4	6	9	11	17
50-64	10491	4.8	14	2	2	4	6	9	12	18
65 +	9306	5.8	26	2	2	4	8	12	15	26
TOTAL SINGLE DX	2644	3.3	6	1	2	2	4	7	8	12
TOTAL MULTIPLE DX	23982	5.2	20	2	2	4	7	10	13	21
TOTAL										
0-19 YRS	17	2.4	3	1	1	2	3	5	6	7
20-34	175	4.9	14	2	2	4	6	9	12	20
35-49	4564	4.6	13	1	2	3	6	9	11	16
50-64	11723	4.6	14	1	2	3	6	9	11	18
65 +	10147	5.6	26	2	2	4	7	11	14	26
GRAND TOTAL	26626	5.0	19	2	2	4	7	10	13	20

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	118	8.3	5	6	7	8	9	11	13	17
50-64	435	8.8	9	6	7	8	10	12	14	21
65 +	331	10.2	18	7	8	9	11	14	18	28
2. MULTIPLE DX										
0-19 YRS	8	16.9	192	5	7	10	25	39	45	45
20-34	86	10.4	32	6	7	9	11	16	20	39
35-49	2831	10.6	33	7	8	9	12	16	19	35
50-64	11364	11.7	42	7	8	10	13	18	22	39
65 +	13068	14.1	77	8	9	12	16	23	30	60
TOTAL SINGLE DX	885	9.3	13	7	7	8	10	12	15	24
TOTAL MULTIPLE DX	27357	12.8	60	7	8	11	15	20	26	50
TOTAL										
0-19 YRS	8	16.9	192	5	7	10	25	39	45	45
20-34	87	10.3	33	6	7	9	11	16	20	39
35-49	2949	10.6	32	7	8	9	12	16	19	34
50-64	11799	11.6	42	7	8	10	13	18	22	38
65 +	13399	14.0	76	8	9	12	16	23	30	60
GRAND TOTAL	28242	12.7	59	7	8	10	14	20	26	49

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1135	1.7	4	<1	1	1	2	2	4	10
20-34	283	2.7	12	1	1	1	3	7	9	15
35-49	2018	2.6	6	1	1	2	3	6	8	11
50-64	3534	2.4	6	1	1	1	3	6	8	11
65+	1798	2.4	6	1	1	1	2	6	8	11
2. MULTIPLE DX										
0-19 YRS	3729	3.1	32	<1	1	2	2	6	12	30
20-34	1119	4.9	26	1	2	3	7	10	14	30
35-49	10197	4.3	18	1	1	3	6	9	11	19
50-64	25818	4.6	22	1	1	3	6	10	13	22
65+	25683	5.5	30	1	2	4	8	12	15	26
TOTAL SINGLE DX	8768	2.4	7	1	1	1	2	6	8	11
TOTAL MULTIPLE DX	66546	4.8	26	1	1	3	7	10	13	24
TOTAL										
0-19 YRS	4864	2.8	27	<1	1	2	2	5	10	28
20-34	1402	4.5	24	1	1	3	6	10	13	27
35-49	12215	4.0	17	1	1	3	6	9	11	18
50-64	29352	4.3	21	1	1	3	6	9	12	21
65+	27481	5.3	30	1	2	4	7	11	15	25
GRAND TOTAL	75314	4.5	25	1	1	3	6	10	13	23

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	3.6	9	1	2	3	4	6	10	16
20-34	50	3.5	12	1	2	2	5	7	8	23
35-49	59	4.1	33	1	1	2	5	9	11	39
50-64	211	3.6	16	1	1	2	4	8	10	17
65+	921	3.0	9	1	1	2	4	6	8	16
2. MULTIPLE DX										
0-19 YRS	313	6.5	46	2	3	4	7	14	19	41
20-34	147	6.0	42	2	3	4	7	10	15	47
35-49	375	7.5	43	1	3	6	10	16	22	31
50-64	1916	8.7	70	2	3	6	11	18	25	39
65+	12507	8.7	68	2	4	7	11	17	23	43
TOTAL SINGLE DX	1328	3.2	12	1	1	2	4	6	9	17
TOTAL MULTIPLE DX	15258	8.6	68	2	3	6	11	17	23	43
TOTAL										
0-19 YRS	400	5.9	40	2	2	4	6	13	18	35
20-34	197	5.4	36	1	2	4	6	10	14	37
35-49	434	7.0	44	1	3	5	9	15	21	33
50-64	2127	8.2	68	2	3	6	11	17	24	39
65+	13428	8.4	67	2	3	6	11	17	23	42
GRAND TOTAL	16586	8.2	66	2	3	6	11	17	23	42

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	135	5.1	26	<1	1	5	7	9	13	28
20-34	54	6.1	6	2	5	6	8	9	9	15
35-49	37	6.1	25	1	3	6	7	13	16	25
50-64	54	5.5	20	1	2	5	7	10	13	23
65+	16	5.9	18	1	3	5	8	9	16	19
2. MULTIPLE DX										
0-19 YRS	439	8.6	85	1	3	7	10	18	29	58
20-34	312	9.5	99	1	4	7	11	18	26	63
35-49	538	10.2	134	2	4	7	12	20	29	75
50-64	899	10.4	93	1	3	8	14	23	30	47
65+	666	13.5	99	3	7	11	17	25	33	54
TOTAL SINGLE DX	296	5.5	21	<1	2	5	7	9	13	24
TOTAL MULTIPLE DX	2854	10.7	105	2	4	8	14	22	30	54
TOTAL										
0-19 YRS	574	7.8	74	1	2	6	9	16	24	53
20-34	366	9.0	87	2	4	7	11	17	25	44
35-49	575	10.0	129	2	3	7	12	20	28	72
50-64	953	10.1	91	1	3	8	14	22	29	47
65+	682	13.3	99	3	7	11	17	24	32	54
GRAND TOTAL	3150	10.2	99	2	4	8	13	22	28	53

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1830	2.4	3	1	1	2	3	4	6	10
20-34	261	3.4	8	<1	1	2	4	7	10	14
35-49	202	3.8	28	<1	1	2	4	9	11	16
50-64	201	3.9	19	<1	1	2	5	10	12	22
65+	216	5.0	37	<1	1	3	6	11	20	33
2. MULTIPLE DX										
0-19 YRS	2890	5.7	62	1	2	3	6	12	18	50
20-34	861	8.7	80	2	3	6	11	17	27	48
35-49	1528	9.0	86	2	3	7	11	19	26	46
50-64	3047	9.2	74	2	4	7	12	19	26	48
65+	8360	11.2	94	3	5	9	14	22	29	51
TOTAL SINGLE DX	2710	2.9	10	1	1	2	3	6	8	15
TOTAL MULTIPLE DX	16686	9.6	88	2	3	7	12	20	27	50
TOTAL										
0-19 YRS	4720	4.4	42	1	2	2	5	9	14	38
20-34	1122	7.4	69	1	2	5	10	16	21	43
35-49	1730	8.4	82	1	3	6	11	18	24	45
50-64	3248	8.9	73	1	3	7	11	18	25	45
65+	8576	11.1	94	2	5	9	14	22	29	50
GRAND TOTAL	19396	8.6	83	1	3	6	11	19	26	46

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.6		1	1	1	2	3	4	4
20-34	639	1.7	2	1	1	1	2	3	3	5
35-49	1048	1.7	1	1	1	1	2	3	4	5
50-64	602	2.2	6	1	1	2	2	4	5	12
65 +	184	2.5	10	1	1	2	3	4	7	15
2. MULTIPLE DX										
0-19 YRS	7	5.4	83	1	1	2	4	22	26	26
20-34	199	2.2	3	1	1	2	3	4	5	11
35-49	485	2.8	28	1	1	2	3	4	7	22
50-64	517	3.2	17	1	1	2	3	7	10	21
65 +	329	5.4	53	1	2	3	5	14	21	37
TOTAL SINGLE DX	2492	1.9	3	1	1	1	2	3	4	8
TOTAL MULTIPLE DX	1537	3.5	28	1	1	2	3	7	11	24
TOTAL										
0-19 YRS	26	2.7	24	1	1	2	2	4	9	26
20-34	838	1.8	2	1	1	1	2	3	4	7
35-49	1533	2.1	10	1	1	2	2	3	4	11
50-64	1119	2.7	12	1	1	2	3	5	7	19
65 +	513	4.4	40	1	1	2	4	10	16	34
GRAND TOTAL	4029	2.5	13	1	1	2	3	4	6	19

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	82	7.9	18	4	5	7	9	13	18	24
20-34	23	6.5	11	3	4	6	8	11	14	15
35-49	139	6.6	9	3	4	6	8	10	12	17
50-64	373	7.1	13	3	5	6	9	11	14	22
65 +	349	7.9	29	3	5	7	9	13	17	32
2. MULTIPLE DX										
0-19 YRS	728	13.3	136	5	7	9	15	29	42	99 +
20-34	106	12.6	89	4	6	9	16	27	33	77
35-49	829	11.9	121	4	6	9	13	24	32	63
50-64	3845	11.9	104	5	6	9	13	22	31	65
65 +	7823	14.2	131	5	7	10	17	28	38	73
TOTAL SINGLE DX	966	7.4	20	3	5	6	9	12	15	23
TOTAL MULTIPLE DX	13331	13.3	124	5	7	10	16	26	37	72
TOTAL										
0-19 YRS	810	12.7	127	5	7	9	15	28	40	99 +
20-34	129	11.5	81	4	6	9	15	25	31	68
35-49	968	11.2	109	4	6	8	12	23	31	61
50-64	4218	11.4	98	4	6	9	13	22	30	64
65 +	8172	13.9	129	5	7	10	17	27	37	72
GRAND TOTAL	14297	12.9	119	5	7	10	15	26	36	69

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	292	1.2	1	< 1	< 1	< 1	< 1	< 1	< 1	8
20-34	43	1.7	2	< 1	< 1	< 1	2	3	5	9
35-49	32	2.1	3	< 1	< 1	< 1	3	5	5	9
50-64	34	2.4	6	< 1	< 1	1	3	6	8	11
65 +	15	8.3	106	1	1	5	9	21	33	37
2. MULTIPLE DX										
0-19 YRS	359	3.7	33	< 1	< 1	1	4	9	12	32
20-34	1008	5.5	42	1	2	4	7	11	16	28
35-49	1743	5.7	40	1	2	4	7	11	16	34
50-64	2609	6.3	45	2	3	4	8	12	17	39
65 +	3610	7.6	64	2	3	5	9	16	22	46
TOTAL SINGLE DX	416	1.7	8	< 1	< 1	< 1	< 1	3	5	14
TOTAL MULTIPLE DX	9329	6.5	52	1	2	4	8	13	19	39
TOTAL										
0-19 YRS	651	2.5	21	< 1	< 1	< 1	2	5	9	26
20-34	1051	5.4	41	1	2	4	7	11	16	27
35-49	1775	5.6	40	1	2	4	7	11	15	34
50-64	2643	6.3	45	1	3	4	8	12	17	39
65 +	3625	7.6	65	2	3	5	9	16	22	46
GRAND TOTAL	9745	6.3	51	1	2	4	8	13	19	38

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	4.0	18	1	1	3	4	9	13	20
20-34	52	5.0	35	1	2	2	5	14	16	32
35-49	62	4.2	28	1	1	2	4	11	17	28
50-64	94	3.2	11	1	1	2	3	9	10	17
65 +	97	2.9	9	1	1	2	3	7	8	17
2. MULTIPLE DX										
0-19 YRS	177	8.9	129	1	2	5	11	22	30	73
20-34	819	10.5	146	1	3	7	13	24	37	80
35-49	1382	9.5	120	1	2	6	12	21	30	64
50-64	2255	10.6	131	1	3	7	14	24	33	57
65 +	2995	13.1	170	2	3	9	18	31	40	68
TOTAL SINGLE DX	332	3.7	18	1	1	2	4	9	12	19
TOTAL MULTIPLE DX	7628	11.3	148	1	3	8	15	26	36	64
TOTAL										
0-19 YRS	204	8.3	117	1	2	4	10	20	29	71
20-34	871	10.2	141	1	3	6	13	23	36	76
35-49	1444	9.2	118	1	2	6	12	21	29	63
50-64	2349	10.3	129	1	3	7	14	24	32	57
65 +	3092	12.7	168	1	3	9	18	30	39	67
GRAND TOTAL	7960	11.0	145	1	3	7	15	26	36	63

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	54	4.4	7	2	3	4	5	8	9	14
50-64	437	4.0	3	2	3	4	5	6	8	12
65 +	849	4.4	5	2	3	4	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	0									
20-34	3	9.7	26	4	6	11	13	14	14	14
35-49	177	6.2	30	2	4	5	7	10	15	49
50-64	2289	6.6	45	3	3	5	7	12	16	38
65 +	6575	7.3	41	3	4	5	8	14	19	35
TOTAL SINGLE DX	1341	4.2	5	2	3	4	5	7	8	13
TOTAL MULTIPLE DX	9044	7.1	43	3	4	5	8	14	18	36
TOTAL										
0-19 YRS	0									
20-34	4	8.0	29	3	3	7	12	14	14	14
35-49	231	5.8	26	2	3	4	7	10	14	35
50-64	2726	6.2	39	2	3	4	7	11	15	36
65 +	7424	7.0	39	3	4	5	8	13	18	34
GRAND TOTAL	10385	6.7	39	3	4	5	8	13	17	34

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.22; 38.30-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1035	6.1	97	1	3	4	6	10	15	93
20-34	331	5.3	26	1	2	4	8	11	14	26
35-49	505	5.1	25	1	1	3	8	12	15	24
50-64	966	4.6	20	1	1	3	7	10	13	20
65 +	962	5.1	20	1	1	4	8	10	13	21
2. MULTIPLE DX										
0-19 YRS	6122	16.2	354	2	5	9	22	54	85	99 +
20-34	1909	8.9	118	1	2	5	11	20	31	61
35-49	2980	9.3	116	1	3	6	12	22	31	73
50-64	7563	9.8	117	1	3	7	12	21	30	66
65 +	15711	11.5	121	2	5	9	14	24	34	66
TOTAL SINGLE DX	3799	5.3	43	1	2	4	7	11	14	32
TOTAL MULTIPLE DX	34285	11.6	167	2	4	8	14	26	41	99
TOTAL										
0-19 YRS	7157	14.8	330	2	4	8	19	49	80	99 +
20-34	2240	8.4	106	1	2	5	10	19	28	57
35-49	3485	8.7	105	1	2	6	11	20	29	61
50-64	8529	9.2	109	1	3	7	11	19	28	63
65 +	16673	11.1	118	2	4	9	14	23	32	64
GRAND TOTAL	38084	11.0	158	1	4	8	13	25	39	95

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	616	3.1	10	< 1	1	2	4	7	9	16
20-34	241	3.2	14	< 1	1	2	4	7	10	19
35-49	286	3.0	8	1	1	2	4	7	9	14
50-64	262	3.0	9	< 1	1	2	4	7	9	18
65 +	228	4.2	22	1	1	3	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	495	7.5	80	1	2	5	9	15	22	46
20-34	455	9.0	92	1	3	6	11	21	29	46
35-49	590	8.4	86	1	2	6	11	18	25	54
50-64	1037	7.9	60	1	3	6	10	17	23	38
65 +	1596	9.7	105	2	3	7	12	21	29	56
TOTAL SINGLE DX	1633	3.2	12	< 1	1	2	4	7	10	16
TOTAL MULTIPLE DX	4173	8.7	88	1	3	6	11	19	26	49
TOTAL										
0-19 YRS	1111	5.1	47	< 1	1	3	6	11	15	34
20-34	696	7.0	73	1	2	4	9	17	24	44
35-49	876	6.6	67	1	1	4	9	15	22	41
50-64	1299	6.9	54	1	2	5	9	15	22	37
65 +	1824	9.0	98	1	3	6	11	19	28	51
GRAND TOTAL	5806	7.2	73	1	2	5	9	16	23	43

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	3.7	20	< 1	1	2	4	7	13	22
20-34	70	4.4	6	1	2	4	6	8	8	12
35-49	137	3.4	7	1	2	3	4	7	8	14
50-64	198	3.6	9	1	2	3	4	7	10	16
65 +	183	3.8	9	1	2	3	5	6	8	20
2. MULTIPLE DX										
0-19 YRS	31	9.2	99	2	3	5	10	26	35	36
20-34	140	6.7	20	2	4	6	9	11	15	38
35-49	317	6.3	48	1	3	4	7	13	18	33
50-64	711	7.5	64	2	3	5	9	15	24	46
65 +	1051	7.9	74	2	3	5	9	16	22	48
TOTAL SINGLE DX	612	3.7	9	1	2	3	5	7	9	16
TOTAL MULTIPLE DX	2250	7.5	65	2	3	5	9	15	22	45
TOTAL										
0-19 YRS	55	6.8	72	1	2	4	7	22	27	36
20-34	210	6.0	17	2	3	5	8	10	12	25
35-49	454	5.4	38	1	2	4	7	11	15	25
50-64	909	6.6	55	2	3	4	8	13	21	41
65 +	1234	7.3	67	2	3	5	8	15	22	44
GRAND TOTAL	2862	6.7	56	2	3	5	8	14	20	40

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	43.5	396	16	34	41	62	68	76	81
20-34	4	36.3	597	2	21	41	51	60	60	60
35-49	3	13.3	292	2	3	5	26	33	33	33
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	167	45.0	196	30	35	43	58	66	73	99 +
20-34	45	35.1	356	2	31	38	46	52	56	94
35-49	58	40.9	207	30	34	39	45	59	74	99 +
50-64	14	38.2	417	2	31	44	53	59	64	65
65 +	0									
TOTAL SINGLE DX	25	38.7	478	2	32	39	52	67	71	81
TOTAL MULTIPLE DX	284	42.2	246	29	34	41	52	64	72	99 +
TOTAL										
0-19 YRS	185	44.8	215	30	35	43	58	67	73	99 +
20-34	49	35.2	364	2	31	38	46	53	59	94
35-49	61	39.5	243	27	34	38	44	59	71	99
50-64	14	38.2	417	2	31	44	53	59	64	65
65 +	0									
GRAND TOTAL	**309**	**42.0**	**264**	**28**	**34**	**41**	**52**	**64**	**72**	**99 +**

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1134	4.5	17	1	2	3	6	9	12	22
20-34	431	5.4	17	2	3	5	6	8	10	29
35-49	277	5.2	20	1	2	4	7	9	13	25
50-64	188	6.9	47	2	3	6	8	11	21	43
65 +	189	7.1	40	2	3	5	9	13	16	37
2. MULTIPLE DX										
0-19 YRS	1993	9.6	103	2	4	6	11	22	30	55
20-34	1598	10.6	114	3	5	7	12	22	33	54
35-49	1720	11.6	124	3	5	8	13	24	35	60
50-64	2379	12.0	121	[illegible]	5	9	15	24	34	58
65 +	6575	12.1	108	4	6	9	15	24	33	62
TOTAL SINGLE DX	2219	5.2	23	1	2	4	6	9	13	26
TOTAL MULTIPLE DX	14265	11.5	113	3	5	8	14	24	33	58
TOTAL										
0-19 YRS	3127	7.8	78	1	3	5	9	17	25	47
20-34	2029	9.5	98	3	4	7	10	19	29	53
35-49	1997	10.7	115	3	5	8	12	23	34	57
50-64	2567	11.7	117	3	5	8	14	24	34	57
65 +	6764	12.0	107	4	6	9	15	24	33	61
GRAND TOTAL	**16484**	**10.7**	**106**	**3**	**5**	**8**	**13**	**22**	**31**	**55**

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	676	6.3	52	1	2	4	8	15	23	42
20-34	168	9.3	86	1	3	7	12	20	25	49
35-49	186	7.7	62	1	2	5	11	17	24	36
50-64	129	6.3	50	1	2	4	8	15	23	32
65 +	104	8.6	79	< 1	2	5	13	20	29	40
2. MULTIPLE DX										
0-19 YRS	2520	14.8	258	2	4	10	20	39	58	99 +
20-34	1676	13.0	155	3	5	9	17	29	37	66
35-49	2609	12.6	145	2	5	9	16	28	38	58
50-64	3282	12.3	147	2	4	8	16	28	37	66
65 +	4960	14.2	167	3	6	11	18	30	41	78
TOTAL SINGLE DX	1263	7.1	62	1	2	5	9	17	24	40
TOTAL MULTIPLE DX	15047	13.5	174	2	5	9	18	30	42	80
TOTAL										
0-19 YRS	3196	13.0	227	1	3	8	17	34	52	99 +
20-34	1844	12.7	150	2	5	9	17	28	36	61
35-49	2795	12.3	142	2	4	9	16	28	38	57
50-64	3411	12.1	146	2	4	8	16	28	36	65
65 +	5064	14.1	166	3	6	11	18	30	41	77
GRAND TOTAL	**16310**	**13.0**	**168**	**2**	**5**	**9**	**17**	**30**	**41**	**79**

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	84	4.0	12	1	2	3	5	10	12	14
20-34	18	9.9	29	1	6	12	14	15	17	19
35-49	8	8.4	25	2	3	8	13	14	14	14
50-64	9	3.3	10	1	1	1	6	9	9	9
65 +	5	5.8	24	1	2	4	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	291	6.5	54	2	2	4	7	14	19	34
20-34	60	13.3	116	3	7	13	17	22	25	73
35-49	75	9.1	62	2	3	7	12	19	28	39
50-64	110	7.7	59	2	3	6	10	14	20	49
65 +	154	8.8	61	2	4	7	11	17	25	44
TOTAL SINGLE DX	124	5.2	20	1	2	3	9	13	14	16
TOTAL MULTIPLE DX	690	8.0	66	2	3	5	10	17	22	43
TOTAL										
0-19 YRS	375	5.9	46	1	2	4	7	13	17	32
20-34	78	12.5	98	2	6	12	15	20	24	64
35-49	83	9.0	59	2	3	7	12	18	28	38
50-64	119	7.4	57	1	3	5	10	14	20	49
65 +	159	8.7	60	2	4	7	11	17	24	43
GRAND TOTAL	**814**	**7.6**	**60**	**2**	**3**	**5**	**10**	**16**	**20**	**38**

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	269	3.5	32	<1	1	1	4	9	12	40
20-34	38	3.2	6	1	1	2	5	8	9	9
35-49	79	4.7	24	1	1	3	6	9	15	25
50-64	115	4.3	18	1	1	3	5	10	16	20
65 +	111	3.9	11	<1	1	3	5	8	11	17
2. MULTIPLE DX										
0-19 YRS	681	7.6	143	1	1	3	9	18	29	70
20-34	266	8.4	72	1	3	6	11	18	25	50
35-49	748	8.7	68	2	4	6	11	18	26	44
50-64	1263	10.1	116	2	4	7	12	21	31	57
65 +	2250	10.6	113	2	4	8	13	22	32	62
TOTAL SINGLE DX	612	3.9	24	<1	1	2	5	9	12	23
TOTAL MULTIPLE DX	5208	9.7	111	1	3	7	12	21	30	58
TOTAL										
0-19 YRS	950	6.4	115	1	1	2	7	15	26	56
20-34	304	7.8	67	1	3	5	10	17	23	49
35-49	827	8.3	65	2	3	6	10	18	24	43
50-64	1378	9.6	111	2	4	6	12	20	30	56
65 +	2361	10.3	110	2	4	7	13	22	31	61
GRAND TOTAL	5820	9.1	105	1	3	6	11	20	29	56

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2027	2.9	1	2	2	3	3	4	5	7
20-34	6	6.8	6	4	4	7	9	10	10	10
35-49	5	5.8	8	1	5	6	7	9	9	9
50-64	2	9.0	2	8	8	9	10	10	10	10
65 +	7	6.7	18	2	3	6	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	911	4.2	13	2	3	3	5	7	9	28
20-34	30	9.4	48	3	5	7	11	19	22	33
35-49	29	11.4	49	5	6	9	15	19	29	33
50-64	33	20.0	294	7	9	15	25	41	45	92
65 +	72	16.5	182	6	8	12	19	30	43	79
TOTAL SINGLE DX	2047	3.0	2	2	2	3	3	4	5	7
TOTAL MULTIPLE DX	1075	5.9	52	2	3	4	6	12	18	49
TOTAL										
0-19 YRS	2938	3.3	6	2	2	3	4	5	6	13
20-34	36	9.0	42	4	5	7	10	19	21	33
35-49	34	10.6	47	5	6	8	14	18	27	33
50-64	35	19.4	284	7	9	15	25	41	44	92
65 +	79	15.6	176	5	8	12	19	29	43	77
GRAND TOTAL	3122	4.0	21	2	2	3	4	6	9	26

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	5.5	36	1	2	4	7	10	15	35
20-34	10	6.1	23	<1	2	6	9	13	16	16
35-49	5	4.8	3	3	4	4	6	8	8	8
50-64	16	7.6	65	1	2	5	10	15	28	33
65 +	50	12.3	237	1	2	8	14	37	50	99 +
2. MULTIPLE DX										
0-19 YRS	605	15.0	304	3	4	9	21	44	78	99 +
20-34	122	17.5	338	2	5	12	28	65	99 +	99 +
35-49	256	19.6	380	3	8	14	25	59	92	99 +
50-64	634	17.5	262	3	7	13	26	47	79	99 +
65 +	4764	18.8	260	4	8	15	25	44	62	99 +
TOTAL SINGLE DX	123	8.6	128	1	2	5	10	20	36	85
TOTAL MULTIPLE DX	6381	18.3	272	3	7	14	25	45	67	99 +
TOTAL										
0-19 YRS	647	14.4	292	2	4	8	19	43	78	99 +
20-34	132	16.6	323	2	5	11	27	61	94	99 +
35-49	261	19.3	377	3	7	14	25	58	92	99 +
50-64	650	17.3	[illegible]	3	7	12	26	47	77	99 +
65 +	4814	18.8	260	4	8	15	25	44	62	99 +
GRAND TOTAL	6504	18.2	271	3	7	14	25	44	67	99 +

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	3.9	6	1	2	4	6	7	8	12
20-34	34	4.9	8	2	3	4	6	9	12	13
35-49	61	4.7	5	1	3	4	6	8	9	11
50-64	65	4.3	8	<1	3	4	5	8	9	18
65 +	48	7.3	185	2	3	4	7	12	17	96
2. MULTIPLE DX										
0-19 YRS	85	6.3	59	1	2	4	8	15	17	48
20-34	155	6.2	22	2	3	5	7	12	18	24
35-49	397	6.8	38	2	3	5	8	13	18	37
50-64	805	7.8	55	2	4	6	9	14	21	37
65 +	2403	9.6	79	3	5	7	11	19	26	48
TOTAL SINGLE DX	240	5.0	43	1	3	4	6	8	10	18
TOTAL MULTIPLE DX	3845	8.7	69	3	4	6	10	17	24	45
TOTAL										
0-19 YRS	117	5.7	46	1	2	4	7	12	16	46
20-34	189	5.9	20	2	3	5	7	11	16	23
35-49	458	6.5	34	2	3	5	8	12	16	33
50-64	870	7.5	53	2	4	6	9	14	21	35
65 +	2451	9.5	82	3	4	7	11	18	26	49
GRAND TOTAL	4085	8.5	68	3	4	6	10	16	23	44

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	4.3	1	3	3	4	5	5	5	5
20-34	31	8.9	18	3	6	9	12	15	17	19
35-49	82	9.8	24	6	7	8	11	16	20	32
50-64	77	10.0	19	6	7	9	12	16	20	26
65 +	75	10.8	23	7	8	10	13	16	18	35
2. MULTIPLE DX										
0-19 YRS	20	17.6	62	8	12	17	26	29	61	99 +
20-34	128	14.9	108	6	8	12	17	26	39	60
35-49	420	14.9	131	6	8	11	16	30	40	64
50-64	796	16.3	144	7	9	13	19	29	40	89
65 +	1608	19.6	183	8	11	15	24	37	51	84
TOTAL SINGLE DX	269	9.9	22	6	7	9	12	16	19	27
TOTAL MULTIPLE DX	2972	17.8	166	8	10	14	22	34	46	82
TOTAL										
0-19 YRS	24	15.3	78	4	9	15	24	29	47	99 +
20-34	159	13.7	96	6	8	11	16	24	30	58
35-49	502	14.0	118	6	8	10	15	27	39	62
50-64	873	15.8	137	7	9	12	18	28	39	86
65 +	1683	19.2	180	8	10	15	23	36	49	84
GRAND TOTAL	3241	17.2	159	7	9	13	21	32	45	80

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	8	10.1	10	7	8	10	11	15	17	17
50-64	17	12.9	21	9	10	11	13	22	23	24
65 +	11	12.9	8	9	10	[illegible]	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	3	14.3	76	7	8	12	21	24	24	24
20-34	12	19.8	350	9	11	15	19	41	72	77
35-49	83	17.3	125	9	11	14	19	34	38	68
50-64	225	19.6	179	10	12	15	22	40	48	85
65 +	361	22.4	199	10	13	18	28	42	56	99 +
TOTAL SINGLE DX	36	12.3	16	9	10	11	14	17	21	24
TOTAL MULTIPLE DX	684	20.8	189	10	12	16	25	40	50	95
TOTAL										
0-19 YRS	3	14.3	76	7	8	12	21	24	24	24
20-34	12	19.8	350	9	11	15	19	41	72	77
35-49	91	16.6	119	9	10	13	18	33	38	66
50-64	242	19.1	171	10	11	14	21	38	46	84
65 +	372	22.1	197	10	13	18	28	42	55	99 +
GRAND TOTAL	720	20.4	183	10	12	16	24	39	48	93

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	5.4	13	2	3	5	7	13	14	16
20-34	64	9.1	46	5	6	7	9	15	23	43
35-49	121	8.0	10	5	6	7	9	11	16	20
50-64	60	8.9	15	5	6	8	11	15	18	19
65 +	22	7.8	8	4	6	8	9	12	13	13
2. MULTIPLE DX										
0-19 YRS	58	16.2	354	4	6	9	17	36	63	96
20-34	115	10.8	75	5	7	8	12	18	26	55
35-49	350	11.5	56	5	7	9	13	21	28	39
50-64	429	13.0	85	6	8	10	15	25	34	47
65 +	637	17.0	158	7	9	13	20	34	44	68
TOTAL SINGLE DX	302	8.1	20	4	6	7	9	13	17	24
TOTAL MULTIPLE DX	1589	14.2	123	6	8	11	17	28	37	61
TOTAL										
0-19 YRS	93	12.1	253	3	4	7	13	27	50	86
20-34	179	10.2	66	5	6	8	11	17	25	51
35-49	471	10.6	47	5	6	9	12	19	24	38
50-64	489	12.5	78	6	7	10	14	23	32	47
65 +	659	16.7	156	7	9	13	20	33	44	67
GRAND TOTAL	1891	13.3	112	5	7	10	15	26	36	59

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	271	6.7	34	2	4	5	8	11	15	36
20-34	250	5.7	5	3	4	5	7	8	9	13
35-49	278	6.2	8	3	5	6	7	9	10	17
50-64	108	7.8	28	4	5	7	8	11	14	36
65+	60	8.7	17	5	6	8	9	16	18	21
2. MULTIPLE DX										
0-19 YRS	1541	15.2	224	4	6	10	21	45	85	99+
20-34	748	9.2	88	4	5	7	9	17	24	75
35-49	1236	9.4	90	4	5	7	9	18	27	67
50-64	1130	13.0	148	5	6	9	15	26	37	82
65+	2052	16.7	163	6	8	13	21	34	45	91
TOTAL SINGLE DX	967	6.5	18	3	4	6	7	10	12	29
TOTAL MULTIPLE DX	6707	13.6	162	5	6	9	17	30	45	99+
TOTAL										
0-19 YRS	1812	14.0	206	4	6	9	19	38	76	99+
20-34	998	8.3	70	4	5	6	8	13	21	52
35-49	1514	8.8	77	4	5	7	9	16	24	61
50-64	1238	12.5	140	5	6	8	14	25	36	78
65+	2112	16.5	161	6	8	13	21	34	45	90
GRAND TOTAL	7674	12.7	149	4	6	8	15	28	42	99+

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	639	3.9	19	1	1	3	5	7	10	18
20-34	594	4.8	13	1	3	4	6	9	12	19
35-49	621	4.5	15	<1	2	4	6	8	10	17
50-64	546	4.1	13	<1	1	3	6	8	11	18
65+	514	4.6	36	<1	<1	3	6	10	12	23
2. MULTIPLE DX										
0-19 YRS	1822	7.2	82	1	2	5	8	16	23	50
20-34	2911	7.0	46	2	3	5	8	14	20	36
35-49	4499	7.0	49	2	3	5	8	13	19	38
50-64	7281	7.5	50	2	4	6	9	14	19	36
65+	20787	9.3	71	3	4	7	11	18	25	47
TOTAL SINGLE DX	2914	4.4	19	<1	2	3	6	8	11	19
TOTAL MULTIPLE DX	37300	8.4	64	2	4	6	10	16	23	43
TOTAL										
0-19 YRS	2461	6.4	68	1	2	4	7	13	20	47
20-34	3505	6.6	41	2	3	5	8	13	18	35
35-49	5120	6.7	46	2	3	5	8	13	18	37
50-64	7827	7.3	49	2	3	6	9	14	19	35
65+	21301	9.2	71	3	4	7	11	18	24	47
GRAND TOTAL	40214	8.1	62	2	4	6	10	16	22	42

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	85	7.7	10	4	6	7	9	12	16	70
20-34	85	9.5	21	5	6	8	11	14	18	29
35-49	62	8.9	22	5	6	7	10	15	17	29
50-64	53	9.6	18	6	7	8	11	16	20	22
65+	72	10.5	22	6	8	9	12	16	21	30
2. MULTIPLE DX										
0-19 YRS	433	18.1	352	6	7	12	40	99+	99+	99+
20-34	493	13.4	103	6	8	10	15	26	36	64
35-49	644	14.5	134	7	8	11	17	29	41	81
50-64	1006	17.0	185	7	9	12	20	34	46	84
65+	2205	18.3	178	8	10	14	22	35	49	96
TOTAL SINGLE DX	357	9.2	20	5	6	8	11	15	18	29
TOTAL MULTIPLE DX	4781	17.0	185	7	9	13	21	36	56	99+
TOTAL										
0-19 YRS	518	16.4	311	5	7	11	29	99+	99+	99+
20-34	578	12.8	93	6	7	10	14	24	32	60
35-49	706	14.0	127	6	8	10	16	28	38	80
50-64	1059	16.7	180	7	8	12	19	34	45	83
65+	2277	18.0	175	8	10	14	21	35	48	95
GRAND TOTAL	5138	16.4	177	7	9	12	20	35	53	99+

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	182	8.8	43	4	5	7	10	14	19	39
20-34	228	9.3	20	6	7	8	10	15	19	27
35-49	455	8.8	19	6	7	8	9	13	16	23
50-64	849	8.7	11	6	7	8	9	12	14	23
65+	856	9.2	11	6	7	9	10	13	15	21
2. MULTIPLE DX										
0-19 YRS	453	18.1	286	6	8	12	27	63	99+	99+
20-34	1029	13.7	107	6	8	10	16	26	35	59
35-49	2290	12.2	66	6	8	10	14	21	26	52
50-64	5565	12.7	74	7	8	10	14	21	29	56
65+	15247	14.9	103	7	9	12	17	26	35	64
TOTAL SINGLE DX	2570	8.9	16	6	7	8	10	13	16	24
TOTAL MULTIPLE DX	24584	14.2	98	7	8	11	16	25	34	66
TOTAL										
0-19 YRS	635	15.5	234	5	7	10	20	44	99	99+
20-34	1257	12.9	95	6	7	10	15	24	31	54
35-49	2745	11.6	60	6	7	9	13	19	25	50
50-64	6414	12.2	68	7	8	10	13	20	28	53
65+	16103	14.6	100	7	9	11	17	25	34	63
GRAND TOTAL	27154	13.7	93	7	8	11	16	24	32	64

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	7.9	57	3	5	6	8	12	20	46
20-34	15	9.1	31	3	6	8	11	14	23	26
35-49	12	6.8	7	3	5	7	9	10	11	11
50-64	27	9.3	21	4	7	8	12	17	18	20
65 +	30	10.0	39	5	7	8	10	18	21	36
2. MULTIPLE DX										
0-19 YRS	133	16.0	307	4	6	10	20	50	85	99 +
20-34	81	12.6	161	4	6	9	13	33	48	90
35-49	99	14.2	122	6	8	10	17	27	40	81
50-64	269	17.1	191	7	9	13	20	30	51	80
65 +	686	18.5	186	7	10	14	22	36	49	89
TOTAL SINGLE DX	134	8.7	39	3	5	7	9	15	19	38
TOTAL MULTIPLE DX	1268	17.2	196	6	9	13	21	35	51	99 +
TOTAL										
0-19 YRS	183	13.8	252	4	6	8	15	40	69	99 +
20-34	96	12.1	143	4	6	8	13	29	45	85
35-49	111	13.4	115	6	7	9	16	26	38	77
50-64	296	16.4	181	6	8	12	19	29	48	78
65 +	716	18.1	183	7	10	14	22	36	48	89
GRAND TOTAL	1402	16.4	187	6	8	12	20	34	50	99

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	650	5.8	23	2	3	5	7	9	11	21
20-34	291	7.2	22	4	5	7	8	11	12	21
35-49	260	7.0	7	4	5	7	8	10	11	17
50-64	256	7.7	13	4	6	7	9	11	14	26
65 +	220	7.3	12	3	5	7	9	11	12	18
2. MULTIPLE DX										
0-19 YRS	1283	10.8	135	4	5	7	12	23	40	99 +
20-34	798	10.7	70	5	6	8	12	20	27	60
35-49	971	11.0	79	5	7	9	12	19	26	54
50-64	1377	12.3	117	5	7	9	13	23	34	84
65 +	2746	13.0	100	6	8	10	15	24	34	66
TOTAL SINGLE DX	1677	6.7	18	3	4	6	8	10	12	20
TOTAL MULTIPLE DX	7175	11.9	105	5	7	9	13	23	33	84
TOTAL										
0-19 YRS	1933	9.1	103	3	5	7	9	18	31	99 +
20-34	1089	9.7	60	4	6	8	11	18	25	52
35-49	1231	10.2	67	5	6	8	11	17	23	51
50-64	1633	11.6	104	5	7	9	12	22	32	79
65 +	2966	12.6	96	5	7	10	14	23	33	63
GRAND TOTAL	8852	11.0	93	4	6	8	12	20	30	75

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	92	7.8	17	4	5	7	9	14	17	22
20-34	17	10.5	62	5	6	8	13	17	30	37
35-49	26	8.8	23	4	5	8	10	15	22	22
50-64	38	9.0	15	4	7	9	12	14	16	18
65 +	35	12.3	58	7	9	11	13	17	27	47
2. MULTIPLE DX										
0-19 YRS	238	18.1	300	5	7	12	26	52	93	99 +
20-34	112	17.4	249	6	8	12	20	47	70	99 +
35-49	212	16.8	211	6	8	11	21	34	48	99
50-64	490	17.8	147	8	10	14	23	35	44	90
65 +	1448	19.7	183	8	11	16	25	39	51	99 +
TOTAL SINGLE DX	208	9.1	30	4	6	8	11	15	18	33
TOTAL MULTIPLE DX	2500	18.8	194	7	10	15	24	40	52	99 +
TOTAL										
0-19 YRS	330	15.2	242	4	6	9	20	44	70	99 +
20-34	129	16.5	230	6	8	11	19	41	68	99 +
35-49	238	15.9	197	5	7	11	20	31	47	98
50-64	528	17.2	143	7	10	13	22	34	44	82
65 +	1483	19.5	182	8	11	16	24	39	51	99 +
GRAND TOTAL	2708	18.1	188	7	9	14	23	38	51	99 +

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13772	3.4	4	2	2	3	4	6	8	11
20-34	9751	3.4	2	2	2	3	4	6	7	9
35-49	3713	3.9	4	2	3	3	5	7	8	11
50-64	1228	4.8	6	2	3	4	6	8	10	13
65 +	363	5.8	10	2	4	5	7	10	12	17
2. MULTIPLE DX										
0-19 YRS	5063	5.8	20	2	3	4	7	11	14	23
20-34	4401	5.2	13	2	3	4	6	9	11	19
35-49	2471	6.4	20	3	4	5	8	11	14	23
50-64	1651	7.9	29	3	4	7	10	14	17	28
65 +	1515	9.7	51	4	5	8	12	17	21	35
TOTAL SINGLE DX	28827	3.6	4	2	2	3	4	6	8	11
TOTAL MULTIPLE DX	15101	6.3	24	2	3	5	8	11	15	24
TOTAL										
0-19 YRS	18835	4.1	10	2	2	3	5	7	9	17
20-34	14152	4.0	7	2	2	3	5	7	8	13
35-49	6184	4.9	12	2	3	4	6	9	11	18
50-64	2879	6.6	22	3	4	5	8	12	15	23
65 +	1878	8.9	46	3	5	7	11	16	20	33
GRAND TOTAL	43928	4.5	13	2	3	3	5	8	11	18

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	6.5	14	2	4	6	9	10	11	21
20-34	21	6.9	5	4	5	8	8	9	10	10
35-49	15	6.6	6	3	4	7	9	10	11	11
50-64	4	10.8	28	5	6	10	15	17	17	17
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	44	9.7	44	3	6	8	11	15	25	37
20-34	20	12.1	24	7	8	12	15	16	22	27
35-49	30	8.5	13	4	6	7	12	15	17	99 +
50-64	19	10.4	33	4	6	9	14	19	21	22
65 +	18	13.1	46	7	9	11	15	22	29	34
TOTAL SINGLE DX	72	6.9	11	3	4	7	9	10	11	20
TOTAL MULTIPLE DX	131	10.4	34	4	7	9	13	17	22	48
TOTAL										
0-19 YRS	75	8.4	34	3	5	7	10	15	20	35
20-34	41	9.4	21	5	7	8	12	15	16	27
35-49	45	7.9	12	4	5	7	10	14	15	99 +
50-64	23	10.4	31	4	6	9	14	19	21	22
65 +	19	12.7	46	7	9	10	14	22	29	34
GRAND TOTAL	203	9.1	29	4	6	8	11	15	20	35

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	179	3.6	10	< 1	1	2	5	8	10	14
20-34	45	3.7	16	1	1	2	4	9	13	18
35-49	58	3.4	19	< 1	1	2	3	7	10	26
50-64	78	2.3	3	< 1	1	2	3	5	6	9
65 +	196	2.4	3	1	1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	268	7.9	116	1	2	4	8	17	30	72
20-34	89	5.9	48	1	2	4	8	12	23	38
35-49	161	5.8	63	1	2	3	6	12	17	37
50-64	366	5.7	24	1	2	4	7	11	15	26
65 +	1303	8.1	85	1	3	6	10	17	23	53
TOTAL SINGLE DX	556	3.0	9	1	1	2	4	6	9	14
TOTAL MULTIPLE DX	2187	7.4	77	1	2	5	9	15	22	47
TOTAL										
0-19 YRS	447	6.2	78	1	2	4	7	14	20	47
20-34	134	5.2	39	1	2	3	6	11	16	34
35-49	219	5.1	53	1	2	3	6	11	15	36
50-64	444	5.1	22	1	2	4	7	10	14	23
65 +	1499	7.4	78	1	2	5	10	16	22	49
GRAND TOTAL	2743	6.5	66	1	2	4	8	14	20	44

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	108	2.5	5	1	1	2	3	5	7	13
20-34	347	2.4	2	1	1	2	3	4	6	8
35-49	355	2.7	6	1	1	2	3	5	7	12
50-64	160	2.7	4	1	1	2	3	5	7	11
65 +	42	3.9	9	1	1	3	5	9	10	12
2. MULTIPLE DX										
0-19 YRS	107	6.4	53	1	2	5	8	15	20	75
20-34	329	4.5	25	1	2	3	6	9	13	24
35-49	441	4.5	28	1	2	3	5	9	13	28
50-64	323	5.4	33	1	2	3	7	12	16	28
65 +	262	8.1	85	2	3	5	10	16	24	72
TOTAL SINGLE DX	1012	2.6	5	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	1462	5.5	43	1	2	4	7	11	16	34
TOTAL										
0-19 YRS	215	4.5	33	1	1	3	5	10	15	38
20-34	676	3.5	15	1	1	2	4	7	10	20
35-49	796	3.7	20	1	1	2	4	7	10	22
50-64	483	4.5	25	1	2	3	5	10	13	26
65 +	304	7.6	77	2	3	5	9	15	22	72
GRAND TOTAL	2474	4.3	29	1	2	3	5	9	13	28

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	162	8.0	16	5	6	7	9	11	14	31
20-34	17	10.2	30	6	7	8	14	20	20	20
35-49	58	8.8	15	4	7	9	11	13	16	23
50-64	200	9.1	8	6	7	9	11	13	14	17
65 +	206	9.7	13	6	8	9	12	14	16	22
2. MULTIPLE DX										
0-19 YRS	280	9.9	71	5	6	8	10	16	20	52
20-34	96	11.9	59	6	8	10	14	20	25	45
35-49	291	12.0	92	7	8	10	12	17	24	72
50-64	958	12.8	51	7	9	11	15	20	25	52
65 +	2217	15.1	104	8	9	12	17	25	34	71
TOTAL SINGLE DX	643	9.0	14	5	7	9	10	13	15	21
TOTAL MULTIPLE DX	3842	13.8	89	7	9	11	16	23	30	60
TOTAL										
0-19 YRS	442	9.2	52	5	6	8	10	14	18	42
20-34	113	11.7	52	6	8	9	14	20	22	42
35-49	349	11.5	81	6	8	10	12	17	23	60
50-64	1158	12.2	46	7	9	10	14	19	23	49
65 +	2423	14.7	99	8	9	12	16	25	33	68
GRAND TOTAL	4485	13.1	81	7	8	11	15	22	29	56

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	536	2.9	7	< 1	1	2	4	6	8	15
20-34	1045	3.7	10	1	2	3	5	7	9	16
35-49	1130	3.7	9	< 1	2	3	5	7	9	14
50-64	917	3.6	6	< 1	2	3	5	7	9	12
65 +	794	4.2	14	< 1	1	3	6	8	11	18
2. MULTIPLE DX										
0-19 YRS	1340	5.7	57	1	2	4	6	12	18	41
20-34	4929	5.4	31	2	3	4	6	10	14	30
35-49	8586	6.0	33	2	3	4	7	11	16	32
50-64	11860	6.7	44	2	3	5	8	12	18	35
65 +	29326	8.3	60	3	4	6	10	16	22	43
TOTAL SINGLE DX	4422	3.7	10	< 1	2	3	5	7	9	15
TOTAL MULTIPLE DX	56041	7.3	52	2	3	5	9	14	20	39
TOTAL										
0-19 YRS	1876	4.9	45	1	2	3	5	9	15	36
20-34	5974	5.1	29	2	2	4	6	10	14	28
35-49	9716	5.7	31	2	3	4	7	11	15	31
50-64	12777	6.5	43	2	3	5	8	12	17	35
65 +	30120	8.2	60	3	4	6	10	16	22	43
GRAND TOTAL	60463	7.0	50	2	3	5	8	14	19	38

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	52	1.3		< 1	< 1	1	1	2	3	4
20-34	256	1.7	1	1	1	1	2	3	4	5
35-49	322	1.8	1	1	1	1	2	3	4	6
50-64	162	1.6		1	1	1	2	2	4	6
65 +	51	1.7	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	48	4.4	50	< 1	1	1	4	11	25	31
20-34	289	2.7	8	1	1	2	3	4	7	14
35-49	435	2.6	6	1	1	2	3	5	7	16
50-64	306	2.7	12	1	1	2	3	5	8	24
65 +	211	4.0	32	1	1	2	4	8	13	43
TOTAL SINGLE DX	843	1.7	1	1	1	1	2	3	4	5
TOTAL MULTIPLE DX	1289	3.0	15	1	1	2	3	6	8	24
TOTAL										
0-19 YRS	100	2.8	26	< 1	< 1	1	2	6	10	30
20-34	545	2.2	6	1	1	2	2	4	5	12
35-49	757	2.3	5	1	1	2	3	4	6	14
50-64	468	2.3	9	1	1	1	2	4	6	15
65 +	262	3.6	27	1	1	2	4	7	11	40
GRAND TOTAL	2132	2.4	10	1	1	2	3	4	7	15

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	1.8	3	< 1	< 1	1	2	3	6	9
20-34	132	1.6	1	< 1	1	1	2	3	4	8
35-49	107	1.5		< 1	1	1	2	3	3	4
50-64	65	1.7	2	< 1	1	1	2	3	4	10
65 +	32	2.1	2	1	1	2	2	4	6	9
2. MULTIPLE DX										
0-19 YRS	30	3.6	22	< 1	1	2	4	10	13	22
20-34	198	2.5	7	1	1	2	3	5	7	13
35-49	318	2.6	10	1	1	2	3	4	6	19
50-64	211	3.2	43	1	1	2	3	5	7	23
65 +	250	4.4	54	1	1	3	4	9	12	26
TOTAL SINGLE DX	359	1.6	2	< 1	1	1	2	3	4	9
TOTAL MULTIPLE DX	1007	3.2	28	1	1	2	3	6	9	22
TOTAL										
0-19 YRS	53	2.8	15	< 1	1	1	3	6	12	22
20-34	330	2.2	5	< 1	1	2	2	4	6	11
35-49	425	2.3	8	1	1	2	3	4	5	16
50-64	276	2.8	34	1	1	2	3	4	7	22
65 +	282	4.1	49	1	1	2	4	9	12	24
GRAND TOTAL	1366	2.8	22	1	1	2	3	5	7	21

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.6	1	< 1	1	1	2	3	4	4
20-34	293	2.4	1	1	1	2	3	4	5	7
35-49	486	2.4	1	1	1	2	3	4	5	7
50-64	291	2.3	2	1	1	2	3	4	5	8
65 +	102	2.3	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	34	2.3	1	1	1	2	3	5	5	6
20-34	1377	2.7	3	1	1	2	3	5	6	10
35-49	2779	2.8	8	1	2	2	3	5	6	12
50-64	2168	3.0	7	1	2	2	3	5	7	15
65 +	1485	4.1	19	1	2	3	5	8	12	23
TOTAL SINGLE DX	1182	2.4	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	7843	3.1	10	1	2	2	4	5	7	15
TOTAL										
0-19 YRS	44	2.2	2	1	1	2	3	4	5	6
20-34	1670	2.6	3	1	1	2	3	5	6	10
35-49	3265	2.8	7	1	1	2	3	5	6	12
50-64	2459	2.9	7	1	2	2	3	5	7	15
65 +	1587	4.0	18	1	2	3	4	8	11	23
GRAND TOTAL	9025	3.0	9	1	2	2	3	5	7	15

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	236	3.0	4	1	1	2	4	6	8	10
20-34	304	2.3	3	1	1	2	3	4	6	11
35-49	303	2.3	2	1	1	2	3	4	6	8
50-64	172	2.7	6	1	1	2	3	6	7	15
65 +	91	3.3	10	1	1	2	4	6	8	20
2. MULTIPLE DX										
0-19 YRS	291	5.3	27	1	2	4	6	11	15	32
20-34	389	3.6	11	1	1	3	4	8	9	16
35-49	531	4.0	42	1	1	2	4	8	11	45
50-64	418	4.7	26	1	2	3	5	10	15	29
65 +	475	6.8	71	1	2	4	8	14	22	50
TOTAL SINGLE DX	1106	2.6	5	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	2104	4.9	39	1	2	3	6	10	14	33
TOTAL										
0-19 YRS	527	4.3	18	1	2	3	5	8	11	25
20-34	693	3.0	8	1	1	2	4	6	8	14
35-49	834	3.4	29	1	1	2	4	6	9	27
50-64	590	4.1	21	1	1	3	5	9	13	27
65 +	566	6.2	63	1	2	4	8	13	20	43
GRAND TOTAL	3210	4.1	28	1	1	3	5	8	12	28

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	10.6	52	2	5	9	16	21	23	23
20-34	16	8.5	23	4	5	6	12	16	17	18
35-49	9	13.4	111	3	6	9	21	30	31	31
50-64	10	8.1	33	3	5	7	8	17	23	23
65 +	7	5.9	10	2	3	5	8	11	11	11
2. MULTIPLE DX										
0-19 YRS	35	16.2	174	4	7	14	22	33	46	63
20-34	48	15.7	240	5	7	12	22	35	41	99 +
35-49	67	14.9	128	4	8	12	19	29	38	62
50-64	101	15.4	129	2	8	14	20	29	32	64
65 +	153	17.7	230	4	7	14	24	36	43	91
TOTAL SINGLE DX	50	9.3	46	3	4	7	12	18	23	31
TOTAL MULTIPLE DX	404	16.3	184	4	7	13	22	32	41	79
TOTAL										
0-19 YRS	43	15.2	155	4	7	13	20	28	42	63
20-34	64	13.9	195	4	6	11	17	28	36	99 +
35-49	76	14.7	125	4	7	12	19	29	37	60
50-64	111	14.7	125	3	7	14	20	29	32	63
65 +	160	17.2	226	3	7	13	23	36	42	89
GRAND TOTAL	454	15.5	174	4	7	12	20	31	39	68

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	317	5.1	61	1	1	2	7	12	15	41
20-34	169	2.8	8	1	1	1	4	7	9	13
35-49	260	2.5	12	1	1	1	2	7	9	18
50-64	190	2.8	17	1	1	1	3	6	9	22
65 +	108	2.9	13	1	1	1	3	9	11	15
2. MULTIPLE DX										
0-19 YRS	854	14.3	310	1	2	9	20	42	67	99 +
20-34	644	11.5	147	1	4	8	14	25	38	67
35-49	943	10.6	149	1	2	7	13	26	39	72
50-64	1358	9.6	98	1	2	8	13	22	28	58
65 +	1761	11.3	87	1	5	9	15	23	28	48
TOTAL SINGLE DX	1044	3.4	29	1	1	1	4	9	11	21
TOTAL MULTIPLE DX	5560	11.3	144	1	3	8	15	25	36	85
TOTAL										
0-19 YRS	1171	11.8	260	1	2	6	15	36	58	99 +
20-34	813	9.7	131	1	2	7	12	23	33	67
35-49	1203	8.8	131	1	1	5	11	22	33	64
50-64	1548	8.8	94	1	1	7	12	20	27	56
65 +	1869	10.8	87	1	4	9	15	22	28	47
GRAND TOTAL	6604	10.0	134	1	2	7	13	23	33	75

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	683	4.3	4	2	3	4	5	7	9	11
20-34	7764	4.3	3	3	3	4	5	6	8	11
35-49	7330	4.3	3	3	3	4	5	6	8	11
50-64	5047	4.6	4	3	3	4	5	7	8	12
65 +	2160	5.4	7	3	4	5	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	798	6.5	27	3	4	5	8	11	14	29
20-34	8877	5.7	15	3	4	5	7	9	12	19
35-49	12071	6.0	18	3	4	5	7	10	12	23
50-64	13698	6.9	26	3	4	5	8	11	15	27
65 +	17978	9.8	59	4	5	8	12	17	23	44
TOTAL SINGLE DX	22984	4.5	4	3	3	4	5	7	8	12
TOTAL MULTIPLE DX	53422	7.5	37	3	4	6	9	13	17	32
TOTAL										
0-19 YRS	1481	5.5	18	3	3	4	6	9	11	22
20-34	16641	5.0	10	3	3	4	6	8	10	16
35-49	19401	5.3	13	3	3	4	6	9	11	19
50-64	18745	6.3	22	3	4	5	7	10	13	24
65 +	20138	9.4	56	4	5	7	11	17	22	41
GRAND TOTAL	76406	6.6	29	3	4	5	8	11	15	28

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	3.9	13	<1	1	2	6	10	10	10
20-34	8	2.9	5	1	1	2	4	7	8	8
35-49	20	3.9	12	1	2	3	5	7	12	16
50-64	14	6.0	172	1	1	2	4	12	42	51
65 +	30	3.3	10	1	1	2	4	7	12	14
2. MULTIPLE DX										
0-19 YRS	5	10.4	106	2	3	9	14	28	28	28
20-34	22	11.6	180	2	4	6	19	25	41	59
35-49	37	8.1	61	1	3	5	13	17	24	34
50-64	105	8.6	71	1	3	6	11	16	26	44
65 +	248	10.5	88	2	4	8	14	23	29	46
TOTAL SINGLE DX	80	3.9	38	1	1	2	4	8	11	40
TOTAL MULTIPLE DX	417	9.8	87	2	3	7	13	22	29	47
TOTAL										
0-19 YRS	13	6.4	54	1	2	4	9	14	25	28
20-34	30	9.3	147	1	2	4	11	22	29	59
35-49	57	6.6	48	1	2	4	8	17	18	34
50-64	119	8.3	83	1	3	5	11	16	26	50
65 +	278	9.7	85	2	3	7	13	22	29	46
GRAND TOTAL	497	8.9	84	1	3	6	12	20	28	48

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	4.3	11	1	1	4	6	9	11	12
20-34	126	4.7	37	1	2	3	5	9	12	38
35-49	175	3.9	15	1	1	3	5	9	13	17
50-64	145	3.7	10	1	1	3	5	9	11	13
65 +	169	3.7	12	1	1	2	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	43	8.0	67	1	2	6	9	20	29	33
20-34	328	8.6	76	2	3	6	10	19	25	45
35-49	620	7.9	54	1	3	6	10	16	21	39
50-64	892	7.5	58	1	3	6	9	16	21	35
65 +	2214	9.2	71	2	4	7	12	18	23	42
TOTAL SINGLE DX	635	4.0	18	1	1	3	5	9	12	18
TOTAL MULTIPLE DX	4097	8.6	67	2	3	7	11	17	23	42
TOTAL										
0-19 YRS	63	6.8	52	1	2	5	8	14	26	33
20-34	454	7.6	69	1	2	5	9	16	24	43
35-49	795	7.0	49	1	2	5	9	14	19	36
50-64	1037	7.0	54	1	2	5	9	15	19	34
65 +	2383	8.8	69	2	4	7	11	17	23	42
GRAND TOTAL	4732	7.9	63	1	3	6	10	16	22	40

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	10.9	61	5	6	9	13	18	28	42
20-34	43	8.7	104	2	4	6	9	15	27	63
35-49	81	6.6	40	1	3	6	8	12	18	37
50-64	95	6.6	36	1	2	6	9	12	17	32
65 +	88	8.2	30	1	4	8	10	17	20	25
2. MULTIPLE DX										
0-19 YRS	133	16.8	163	6	9	14	21	36	51	99 +
20-34	182	11.1	80	4	6	9	12	24	30	48
35-49	345	12.8	128	4	6	9	16	26	36	59
50-64	714	14.1	120	4	8	11	17	27	35	64
65 +	2019	15.7	121	6	9	13	19	28	36	66
TOTAL SINGLE DX	370	7.9	50	1	4	7	10	15	20	38
TOTAL MULTIPLE DX	3393	14.8	123	5	8	12	18	27	36	65
TOTAL										
0-19 YRS	196	14.9	138	5	8	12	18	30	44	99 +
20-34	225	10.6	86	3	5	8	12	20	29	54
35-49	426	11.6	117	2	5	8	15	24	34	57
50-64	809	13.2	117	3	7	11	16	25	33	63
65 +	2107	15.4	120	6	9	13	19	27	35	66
GRAND TOTAL	3763	14.2	120	4	8	11	18	27	35	64

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.83; 52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	50	99 +	99 +	99 +	99 +
20-34	26	12.3	110	4	6	9	14	28	36	49
35-49	42	10.0	36	4	7	9	11	17	22	34
50-64	50	9.9	66	2	4	9	12	21	27	38
65 +	33	9.6	70	1	3	8	14	20	23	39
2. MULTIPLE DX										
0-19 YRS	45	20.4	262	7	9	14	31	58	68	99 +
20-34	169	22.6	237	8	11	19	30	49	57	95
35-49	341	20.4	275	6	9	15	27	48	63	99 +
50-64	527	20.0	253	5	9	16	26	45	56	99 +
65 +	703	20.7	268	5	10	16	27	43	56	90
TOTAL SINGLE DX	152	10.2	66	2	5	9	13	21	29	49
TOTAL MULTIPLE DX	1785	20.6	262	6	10	16	27	45	58	99 +
TOTAL										
0-19 YRS	46	20.0	265	7	9	14	33	60	99 +	99 +
20-34	195	21.2	232	7	9	17	28	46	56	89
35-49	383	19.3	259	6	9	14	24	44	60	99 +
50-64	577	19.1	245	4	9	15	25	44	54	99 +
65 +	736	20.2	265	5	9	15	26	42	55	87
GRAND TOTAL	1937	19.8	255	5	9	15	26	44	57	99 +

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	316	2.7	7	<1	1	2	3	6	7	15
20-34	384	3.6	7	1	2	3	4	7	10	13
35-49	364	3.9	8	1	2	3	5	7	9	14
50-64	270	3.9	8	<1	2	3	5	8	9	14
65+	272	5.4	36	1	2	4	6	9	14	30
2. MULTIPLE DX										
0-19 YRS	756	5.8	55	1	2	3	7	13	18	38
20-34	1091	6.1	42	1	2	4	7	13	19	35
35-49	1520	6.8	50	2	3	5	8	14	20	37
50-64	2365	7.1	43	2	3	5	8	14	19	34
65+	7925	8.6	60	3	4	7	10	16	22	46
TOTAL SINGLE DX	1606	3.8	14	1	1	3	5	7	10	18
TOTAL MULTIPLE DX	13657	7.8	56	2	3	6	9	15	21	43
TOTAL										
0-19 YRS	1072	4.9	44	1	1	3	6	10	15	35
20-34	1475	5.5	35	1	2	4	6	12	16	31
35-49	1884	6.2	44	2	3	4	7	12	18	35
50-64	2635	6.8	41	2	3	5	8	13	18	34
65+	8197	8.5	60	3	4	6	10	16	22	45
GRAND TOTAL	**15263**	**7.4**	**53**	**2**	**3**	**5**	**9**	**15**	**20**	**39**

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1975	1.3		<1	<1	1	1	2	3	4
20-34	1635	1.5		1	1	1	2	3	3	5
35-49	1866	1.6		1	1	1	2	3	4	5
50-64	2353	1.6	1	1	1	1	2	3	3	6
65+	2012	1.9	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	1752	2.6	52	<1	1	1	2	4	8	94
20-34	1000	2.1	6	1	1	1	2	4	5	13
35-49	1640	2.3	15	1	1	1	2	4	6	15
50-64	3263	2.6	9	1	1	2	3	5	7	13
65+	7323	3.9	30	1	1	2	4	8	12	27
TOTAL SINGLE DX	9841	1.6	1	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	14978	3.2	26	1	1	2	3	6	9	25
TOTAL										
0-19 YRS	3727	1.9	26	<1	<1	1	1	3	4	32
20-34	2635	1.7	3	1	1	1	2	3	4	8
35-49	3506	1.9	8	1	1	1	2	3	4	8
50-64	5616	2.2	6	1	1	1	2	4	6	11
65+	9335	3.5	25	1	1	2	4	7	10	25
GRAND TOTAL	**24819**	**2.5**	**17**	**1**	**1**	**1**	**3**	**5**	**7**	**17**

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1711	1.3	4	<1	<1	1	1	2	2	4
20-34	240	1.5		1	1	1	2	3	3	4
35-49	396	1.6		1	1	1	2	3	3	5
50-64	506	1.9	3	1	1	1	2	3	4	7
65+	311	2.0	2	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	2120	3.5	113	<1	1	1	2	5	16	99+
20-34	148	1.9	2	1	1	1	2	3	4	7
35-49	410	2.2	2	1	1	2	3	4	5	8
50-64	691	2.5	4	1	1	2	3	5	7	12
65+	1113	3.7	20	1	2	3	4	7	10	17
TOTAL SINGLE DX	3164	1.5	3	<1	1	1	2	2	3	5
TOTAL MULTIPLE DX	4482	3.2	60	1	1	1	3	5	9	86
TOTAL										
0-19 YRS	3831	2.5	66	<1	1	1	1	3	6	90
20-34	388	1.7	1	1	1	1	2	3	3	6
35-49	806	1.9	2	1	1	2	2	4	4	6
50-64	1197	2.2	4	1	1	2	3	4	5	11
65+	1424	3.3	17	1	1	2	4	6	9	16
GRAND TOTAL	**7646**	**2.5**	**38**	**<1**	**1**	**1**	**2**	**4**	**6**	**47**

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	2.1	2	<1	<1	1	2	5	6	6
20-34	57	1.6		1	1	1	2	3	4	5
35-49	126	1.8	3	1	1	1	2	3	4	10
50-64	126	2.3	3	1	1	2	3	4	6	10
65+	176	2.8	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	5	3.4	18	1	1	2	4	11	11	11
20-34	30	2.0	1	1	1	2	2	4	5	5
35-49	93	3.2	29	1	1	2	3	5	10	78
50-64	168	3.8	14	1	2	3	5	7	10	21
65+	790	6.9	49	2	3	5	9	14	20	37
TOTAL SINGLE DX	504	2.3	4	1	1	2	3	4	6	10
TOTAL MULTIPLE DX	1086	6.0	43	1	2	4	8	13	18	35
TOTAL										
0-19 YRS	24	2.3	6	<1	1	1	2	6	8	11
20-34	87	1.7	1	1	1	1	2	3	4	5
35-49	219	2.4	15	1	1	2	2	4	6	27
50-64	294	3.1	10	1	1	2	4	6	8	20
65+	966	6.2	44	1	2	4	8	13	18	34
GRAND TOTAL	**1590**	**4.8**	**34**	**1**	**2**	**3**	**6**	**11**	**15**	**27**

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	342	1.4	2	<1	<1	<1	1	2	3	8
20-34	220	1.7	1	<1	1	1	2	3	4	6
35-49	377	2.1	2	1	1	2	3	4	5	8
50-64	280	2.1	2	<1	1	1	3	4	5	9
65+	144	2.6	4	1	1	2	4	5	7	10
2. MULTIPLE DX										
0-19 YRS	210	5.9	150	<1	1	2	7	31	99+	99+
20-34	181	3.1	9	1	1	2	4	6	8	13
35-49	464	3.3	11	1	1	2	4	6	8	13
50-64	630	4.0	20	1	1	3	5	8	11	28
65+	689	6.2	51	1	2	4	8	12	20	46
TOTAL SINGLE DX	1363	1.9	3	<1	1	1	2	4	5	9
TOTAL MULTIPLE DX	2174	4.7	41	1	1	3	6	10	15	74
TOTAL										
0-19 YRS	552	3.2	64	<1	<1	1	2	7	20	99+
20-34	401	2.3	5	1	1	2	3	4	6	11
35-49	841	2.7	8	1	1	2	3	5	7	13
50-64	910	3.4	16	1	1	2	4	7	10	20
65+	833	5.6	45	1	2	4	7	12	17	40
GRAND TOTAL	**3537**	**3.6**	**28**	**1**	**1**	**2**	**4**	**8**	**11**	**36**

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	133	2.2	4	<1	1	1	3	5	6	12
20-34	405	2.5	2	1	1	2	3	5	6	8
35-49	1013	2.9	3	1	2	3	4	5	6	9
50-64	1063	3.2	3	1	2	3	4	6	6	9
65+	766	3.4	6	1	2	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	98	4.2	18	1	1	3	5	10	12	23
20-34	486	4.2	18	1	2	3	5	8	10	22
35-49	1537	4.6	18	1	2	4	6	8	11	20
50-64	2440	5.0	23	1	3	4	6	9	12	24
65+	3396	6.2	31	2	3	5	8	12	16	28
TOTAL SINGLE DX	3380	3.0	4	1	2	3	4	5	6	9
TOTAL MULTIPLE DX	7957	5.4	26	1	3	4	7	10	13	26
TOTAL										
0-19 YRS	231	3.0	12	<1	1	2	4	6	10	18
20-34	891	3.4	12	1	2	3	4	6	8	14
35-49	2550	3.9	13	1	2	3	5	7	9	16
50-64	3503	4.5	18	1	2	4	5	8	10	20
65+	4162	5.7	28	2	3	4	7	11	15	27
GRAND TOTAL	**11337**	**4.7**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	51	6.0	16	2	4	5	7	9	12	27
20-34	17	6.3	13	3	5	6	7	8	15	19
35-49	36	5.1	11	2	3	4	7	10	11	15
50-64	44	5.5	7	2	3	6	7	8	10	13
65+	38	6.9	15	2	4	7	9	13	14	16
2. MULTIPLE DX										
0-19 YRS	185	15.7	259	4	6	10	24	47	99+	99+
20-34	71	9.2	51	4	6	7	11	16	20	46
35-49	149	8.6	27	4	5	7	9	16	20	26
50-64	214	9.2	33	4	6	8	11	17	19	33
65+	409	12.8	97	6	7	10	15	23	29	63
TOTAL SINGLE DX	186	5.9	13	2	4	6	7	9	13	18
TOTAL MULTIPLE DX	1028	11.7	106	5	6	9	14	23	33	99+
TOTAL										
0-19 YRS	236	13.6	223	3	5	8	19	42	83	99+
20-34	88	8.7	45	3	5	7	10	15	20	42
35-49	185	7.9	26	3	5	6	9	15	19	26
50-64	258	8.6	31	4	5	7	11	15	19	31
65+	447	12.3	93	5	7	9	14	22	29	63
GRAND TOTAL	**1214**	**10.8**	**96**	**4**	**6**	**8**	**12**	**21**	**30**	**94**

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	363	3.8	11	<1	1	3	5	8	10	15
20-34	336	3.8	9	1	2	3	5	8	10	14
35-49	307	4.5	13	1	2	4	6	9	10	16
50-64	224	4.8	13	1	2	4	7	10	12	19
65+	151	5.3	21	1	2	4	7	10	14	26
2. MULTIPLE DX										
0-19 YRS	570	9.2	114	1	3	6	11	19	28	65
20-34	967	7.6	70	1	3	5	9	15	24	46
35-49	1882	9.3	83	2	4	7	11	19	26	51
50-64	2586	9.7	65	2	4	8	12	19	26	43
65+	3418	11.8	113	3	5	9	15	23	32	64
TOTAL SINGLE DX	1381	4.3	13	1	2	3	6	9	11	17
TOTAL MULTIPLE DX	9423	10.1	92	2	4	8	13	21	28	54
TOTAL										
0-19 YRS	933	7.1	81	1	2	5	8	15	21	51
20-34	1303	6.6	57	1	2	4	8	13	22	44
35-49	2189	8.6	76	2	3	6	11	18	25	48
50-64	2810	9.3	63	2	4	7	12	19	25	42
65+	3569	11.6	111	3	5	9	14	23	32	63
GRAND TOTAL	**10804**	**9.4**	**86**	**2**	**4**	**7**	**12**	**20**	**26**	**51**

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	463	4.9	25	2	3	4	6	8	10	29
20-34	737	4.6	7	2	3	4	6	8	10	14
35-49	309	6.1	16	3	4	5	7	10	14	27
50-64	140	6.8	22	2	4	6	9	12	15	25
65 +	102	7.4	21	4	5	6	8	13	16	27
2. MULTIPLE DX										
0-19 YRS	883	9.9	137	3	4	6	11	21	34	96
20-34	1696	7.7	68	3	4	5	9	14	22	53
35-49	1154	10.4	99	3	5	7	12	22	33	55
50-64	1059	13.3	139	4	6	9	16	29	39	70
65 +	1644	15.3	139	5	8	12	20	31	40	67
TOTAL SINGLE DX	1751	5.3	17	2	3	4	6	9	12	20
TOTAL MULTIPLE DX	6436	11.3	122	3	5	8	14	24	34	66
TOTAL										
0-19 YRS	1346	8.2	104	2	3	5	9	16	27	75
20-34	2433	6.7	52	2	3	5	8	12	17	44
35-49	1463	9.5	85	3	4	7	10	20	28	52
50-64	1199	12.5	131	4	6	9	15	26	37	69
65 +	1746	14.9	136	5	7	11	19	30	39	67
GRAND TOTAL	8187	10.0	106	3	4	7	12	22	32	62

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	446	2.7	4	<1	1	2	4	5	6	10
20-34	1400	2.5	3	<1	1	2	3	5	6	9
35-49	257	2.4	3	<1	1	1	3	5	6	9
50-64	28	2.2	3	<1	<1	1	3	6	7	7
65 +	5	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	526	3.4	7	1	1	3	5	7	8	14
20-34	2498	3.4	9	<1	1	3	4	7	9	15
35-49	718	3.5	16	<1	1	2	4	7	10	24
50-64	96	6.0	36	1	1	4	9	12	17	30
65 +	101	8.4	74	1	1	5	14	20	27	34
TOTAL SINGLE DX	2136	2.5	4	<1	1	2	4	5	6	9
TOTAL MULTIPLE DX	3939	3.6	14	<1	1	3	4	7	10	19
TOTAL										
0-19 YRS	972	3.1	6	1	1	3	4	6	8	13
20-34	3898	3.1	8	<1	1	2	4	6	8	13
35-49	975	3.2	13	<1	1	2	4	7	9	21
50-64	124	5.1	31	<1	1	3	7	11	15	28
65 +	106	8.1	73	1	1	5	12	20	27	34
GRAND TOTAL	6075	3.2	10	<1	1	2	4	6	8	16

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	318	7.4	35	2	4	6	9	14	19	44
20-34	517	5.3	11	2	3	4	7	9	11	18
35-49	508	6.8	21	2	4	6	9	12	14	21
50-64	329	7.5	21	2	5	7	9	12	15	25
65 +	236	8.7	26	3	5	8	11	14	18	26
2. MULTIPLE DX										
0-19 YRS	963	13.5	210	3	5	8	16	35	55	99 +
20-34	2154	6.9	60	2	3	4	8	13	20	42
35-49	2319	8.7	73	2	4	6	10	18	25	47
50-64	2263	11.5	103	3	5	9	14	23	31	58
65 +	3843	14.5	126	5	8	12	18	27	36	75
TOTAL SINGLE DX	1908	6.8	23	2	4	6	9	12	15	25
TOTAL MULTIPLE DX	11542	11.2	115	3	5	8	14	23	32	65
TOTAL										
0-19 YRS	1281	12.0	174	3	5	7	14	30	47	99 +
20-34	2671	6.6	51	2	3	4	8	12	18	40
35-49	2827	8.4	65	2	4	6	10	16	22	45
50-64	2592	11.0	95	3	5	8	13	21	29	56
65 +	4079	14.1	123	5	8	11	17	26	35	72
GRAND TOTAL	13450	10.6	104	3	4	8	13	22	30	61

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	168	5.6	12	2	3	5	8	10	13	17
20-34	112	6.8	18	4	5	6	7	9	9	29
35-49	157	6.8	4	5	6	7	8	9	11	12
50-64	209	7.5	9	5	6	7	8	11	13	18
65+	120	8.1	12	5	6	7	9	11	15	23
2. MULTIPLE DX										
0-19 YRS	481	8.8	80	3	4	6	11	17	24	62
20-34	326	10.4	84	4	5	7	12	22	30	61
35-49	601	10.3	72	5	6	8	11	18	27	47
50-64	992	11.2	82	5	7	8	12	19	26	63
65+	1630	12.8	91	6	7	10	15	22	31	58
TOTAL SINGLE DX	766	6.9	12	4	5	7	8	10	12	18
TOTAL MULTIPLE DX	4030	11.3	86	5	6	9	13	21	29	58
TOTAL										
0-19 YRS	649	8.0	65	2	4	6	10	15	21	58
20-34	438	9.5	70	4	5	7	9	18	27	55
35-49	758	9.6	61	5	6	7	10	16	24	44
50-64	1201	10.5	71	5	6	8	11	18	24	56
65+	1750	12.4	87	6	7	9	14	22	30	57
GRAND TOTAL	4796	10.6	77	5	6	8	12	19	26	55

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	3.2	11	1	1	2	4	7	10	17
20-34	79	4.0	24	1	2	3	5	7	9	34
35-49	97	4.3	9	2	2	3	6	8	10	17
50-64	59	4.6	24	1	2	4	5	8	10	35
65+	43	4.0	9	1	2	3	6	9	11	12
2. MULTIPLE DX										
0-19 YRS	96	8.2	142	1	2	4	9	19	27	74
20-34	158	8.5	60	2	4	6	10	18	24	44
35-49	255	9.1	127	2	3	6	10	18	28	61
50-64	309	9.3	74	2	4	7	12	17	26	44
65+	624	12.9	133	3	5	10	18	26	37	70
TOTAL SINGLE DX	315	4.1	16	1	2	3	5	8	10	17
TOTAL MULTIPLE DX	1442	10.7	116	2	4	8	13	23	31	60
TOTAL										
0-19 YRS	133	6.8	110	1	2	3	8	16	21	72
20-34	237	7.0	53	2	3	5	8	16	21	43
35-49	352	7.8	99	2	3	5	9	15	22	57
50-64	368	8.6	69	2	4	6	11	17	26	40
65+	667	12.3	130	2	5	9	17	26	35	67
GRAND TOTAL	1757	9.5	104	2	3	6	12	21	29	56

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	12.0	27	7	8	11	14	18	24	27
20-34	22	11.7	22	7	8	11	14	19	22	23
35-49	22	10.4	7	7	9	10	12	14	16	17
50-64	11	11.2	22	7	8	10	12	20	22	22
65+	0									
2. MULTIPLE DX										
0-19 YRS	202	18.8	125	8	12	16	22	35	43	99+
20-34	260	14.8	87	7	8	12	19	26	32	52
35-49	362	14.4	70	7	9	13	17	24	30	44
50-64	200	15.3	102	7	9	13	19	26	41	54
65+	20	13.5	38	6	10	12	16	22	27	29
TOTAL SINGLE DX	72	11.3	18	7	8	10	13	17	21	26
TOTAL MULTIPLE DX	1044	15.5	93	7	9	13	19	27	35	57
TOTAL										
0-19 YRS	219	18.3	121	8	11	16	21	34	42	99+
20-34	282	14.6	83	7	8	12	18	25	31	52
35-49	384	14.2	68	7	9	12	17	24	29	43
50-64	211	15.1	99	7	9	13	18	25	39	54
65+	20	13.5	38	6	10	12	16	22	27	29
GRAND TOTAL	1116	15.2	89	7	9	13	18	26	34	56

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	930	3.7	7	1	2	3	5	7	9	14
20-34	302	3.8	8	1	1	3	5	7	9	14
35-49	245	3.4	7	1	1	2	5	7	9	12
50-64	195	3.9	9	1	1	3	6	8	10	13
65+	85	4.8	18	1	1	4	8	10	12	22
2. MULTIPLE DX										
0-19 YRS	1212	7.1	57	1	3	5	9	15	22	39
20-34	844	7.3	56	1	2	6	10	15	21	38
35-49	963	7.7	52	1	2	6	10	16	21	43
50-64	954	8.7	70	1	3	7	12	18	24	44
65+	1219	11.6	135	2	4	8	15	25	34	65
TOTAL SINGLE DX	1757	3.8	9	1	1	3	5	8	9	14
TOTAL MULTIPLE DX	5192	8.6	82	1	3	6	11	18	26	46
TOTAL										
0-19 YRS	2142	5.6	39	1	2	4	7	12	16	36
20-34	1146	6.4	46	1	2	5	8	14	19	37
35-49	1208	6.8	54	1	2	5	9	15	19	39
50-64	1149	7.9	63	1	2	6	10	17	22	41
65+	1304	11.2	131	2	4	8	14	24	33	61
GRAND TOTAL	6949	7.4	68	1	2	5	9	16	22	42

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	5.2	17	1	3	5	7	8	15	19
20-34	70	4.6	10	1	2	4	6	9	10	15
35-49	111	4.8	10	1	2	4	7	8	12	16
50-64	95	5.2	15	1	2	4	7	9	13	19
65 +	41	7.1	20	2	4	7	8	12	18	23
2. MULTIPLE DX										
0-19 YRS	27	5.8	30	1	2	4	8	13	17	23
20-34	89	7.1	27	2	4	6	9	13	15	31
35-49	137	6.8	26	2	3	6	8	12	15	29
50-64	202	7.9	46	2	4	7	10	14	18	32
65 +	274	10.3	61	3	5	8	13	20	27	47
TOTAL SINGLE DX	335	5.2	14	1	2	4	7	9	12	19
TOTAL MULTIPLE DX	729	8.4	48	2	4	7	11	16	21	37
TOTAL										
0-19 YRS	45	5.6	25	1	2	4	7	13	17	23
20-34	159	6.0	21	1	3	5	8	11	14	25
35-49	248	5.9	20	1	3	5	7	11	13	21
50-64	297	7.0	38	1	3	6	9	13	16	27
65 +	315	9.9	57	3	5	8	12	20	24	47
GRAND TOTAL	1064	7.4	39	2	4	6	9	14	19	34

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	776	5.2	5	3	4	5	6	8	9	13
20-34	33	7.7	13	4	5	7	8	13	14	21
35-49	19	9.2	51	4	6	7	10	20	28	31
50-64	17	9.7	37	1	7	9	14	15	22	26
65 +	10	6.8	26	2	3	5	10	15	17	17
2. MULTIPLE DX										
0-19 YRS	1078	7.5	34	3	4	6	9	13	18	30
20-34	143	11.5	97	4	7	9	14	20	30	99 +
35-49	103	12.6	94	5	7	9	14	27	37	77
50-64	101	14.9	108	6	9	12	20	32	46	99 +
65 +	244	16.5	129	7	10	14	20	32	40	60
TOTAL SINGLE DX	855	5.5	8	3	4	5	7	8	10	15
TOTAL MULTIPLE DX	1669	9.9	74	4	5	8	12	19	27	54
TOTAL										
0-19 YRS	1854	6.6	23	3	4	5	8	11	14	26
20-34	176	10.8	83	4	6	8	13	18	26	92
35-49	122	12.0	89	5	7	9	13	27	35	69
50-64	118	14.1	101	5	8	12	18	30	43	99 +
65 +	254	16.2	129	6	9	13	20	31	39	59
GRAND TOTAL	2524	8.4	56	3	4	6	10	16	23	44

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	2.6	1	1	2	2	3	4	5	6
20-34	815	2.7	3	1	1	2	3	5	6	8
35-49	1282	2.6	3	1	1	2	3	5	6	8
50-64	700	2.7	4	1	1	2	4	5	6	10
65 +	235	3.0	4	1	1	2	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	77	4.7	88	1	2	3	5	7	8	64
20-34	657	3.8	7	1	2	3	5	7	8	14
35-49	1067	3.9	8	1	2	3	5	7	9	15
50-64	1132	4.1	11	1	2	3	5	8	10	17
65 +	967	5.7	36	1	2	4	7	11	15	28
TOTAL SINGLE DX	3113	2.7	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	3900	4.4	18	1	2	3	5	8	11	19
TOTAL										
0-19 YRS	158	3.6	45	1	2	3	4	6	7	9
20-34	1472	3.2	6	1	2	3	4	6	7	12
35-49	2349	3.2	6	1	2	3	4	6	8	12
50-64	1832	3.5	9	1	2	3	5	7	8	15
65 +	1202	5.2	31	1	2	[illegible]	6	10	14	27
GRAND TOTAL	7013	3.6	12	1	2	3	5	7	9	16

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64	4.9	8	1	3	4	7	9	11	12
20-34	61	3.5	6	1	2	3	5	7	9	11
35-49	80	3.4	5	1	1	3	5	7	7	12
50-64	62	3.0	6	1	1	2	4	6	8	14
65 +	48	3.9	9	1	1	3	6	8	9	11
2. MULTIPLE DX										
0-19 YRS	225	7.9	49	2	4	6	9	15	19	40
20-34	93	5.1	29	1	2	4	7	9	12	36
35-49	131	5.5	25	1	2	5	7	10	14	29
50-64	177	6.3	37	1	3	5	8	13	16	47
65 +	274	7.5	58	1	2	6	10	15	20	40
TOTAL SINGLE DX	315	3.7	7	1	1	3	5	7	9	12
TOTAL MULTIPLE DX	900	6.8	45	1	3	5	9	13	18	37
TOTAL										
0-19 YRS	289	7.2	42	2	4	6	9	14	19	38
20-34	154	4.5	21	1	2	3	6	8	11	25
35-49	211	4.7	19	1	2	4	6	9	12	26
50-64	239	5.4	31	1	2	4	7	12	15	36
65 +	322	7.0	53	1	2	6	9	14	19	35
GRAND TOTAL	1215	6.0	37	1	2	5	8	12	16	33

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	360	2.4	5	<1	<1	1	3	6	8	12
20-34	704	3.0	7	1	1	2	4	6	7	12
35-49	982	2.7	3	1	1	2	4	5	6	9
50-64	756	2.9	7	<1	1	2	4	6	7	12
65+	474	3.0	11	<1	1	2	4	6	8	19
2. MULTIPLE DX										
0-19 YRS	652	5.3	61	<1	1	3	7	11	15	50
20-34	1309	6.4	70	1	2	4	7	12	19	74
35-49	2107	6.3	50	1	2	4	7	13	18	40
50-64	2898	6.7	49	1	3	5	8	14	18	39
65+	7897	10.0	101	2	4	7	12	21	29	58
TOTAL SINGLE DX	3276	2.8	7	<1	1	2	4	6	7	12
TOTAL MULTIPLE DX	14863	8.3	83	1	3	6	10	17	25	52
TOTAL										
0-19 YRS	1012	4.3	44	<1	1	2	6	9	13	41
20-34	2013	5.2	51	1	2	3	6	10	15	55
35-49	3089	5.1	38	1	2	3	6	11	15	34
50-64	3654	5.9	43	1	2	4	7	12	17	36
65+	8371	9.6	99	2	3	7	12	20	28	57
GRAND TOTAL	18139	7.3	73	1	2	5	9	16	22	49

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	2.0	3	<1	1	1	2	4	6	9
20-34	49	2.0	5	<1	1	1	2	4	5	16
35-49	203	2.0	1	1	1	2	2	4	4	7
50-64	696	2.1	3	1	1	2	3	4	5	8
65+	1368	2.3	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	53	5.2	30	1	1	3	7	12	21	97
20-34	143	5.8	70	1	1	3	8	13	18	53
35-49	497	4.9	59	1	1	2	5	11	16	43
50-64	1980	4.3	33	1	1	3	5	9	13	29
65+	8526	5.6	52	1	2	3	6	12	18	36
TOTAL SINGLE DX	2336	2.2	4	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	11199	5.3	50	1	2	3	6	11	17	36
TOTAL										
0-19 YRS	73	4.3	25	1	1	2	6	9	20	82
20-34	192	4.8	56	1	1	2	6	10	17	42
35-49	700	4.1	45	1	1	2	4	9	14	39
50-64	2676	3.7	26	1	1	2	4	7	11	26
65+	9894	5.1	47	1	2	3	6	11	17	34
GRAND TOTAL	13535	4.8	43	1	1	3	5	10	16	33

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	24	2.9	2	1	2	3	4	5	6	7
35-49	31	2.2	1	1	1	2	3	4	5	5
50-64	50	1.9	2	<1	1	1	2	4	6	8
65+	50	2.0	2	<1	1	1	3	4	4	8
2. MULTIPLE DX										
0-19 YRS	16	4.6	14	<1	2	3	8	13	69	99+
20-34	54	6.1	120	1	2	4	7	12	63	99+
35-49	88	6.5	72	1	2	4	6	16	27	41
50-64	206	3.9	16	1	1	3	5	8	12	23
65+	627	6.6	73	1	2	4	8	15	22	46
TOTAL SINGLE DX	159	2.2	3	<1	1	2	3	4	6	8
TOTAL MULTIPLE DX	991	6.0	64	1	2	4	7	13	21	48
TOTAL										
0-19 YRS	20	4.3	14	<1	2	3	7	12	52	99+
20-34	78	5.1	86	1	2	3	6	9	27	99+
35-49	119	5.4	57	1	1	3	5	13	24	39
50-64	256	3.5	15	1	1	2	4	8	11	22
65+	677	6.3	69	1	2	4	7	14	21	44
GRAND TOTAL	1150	5.5	57	1	2	3	6	12	19	44

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	165	4.4	16	1	1	3	6	10	12	19
20-34	88	5.2	19	1	2	4	6	10	14	22
35-49	181	4.2	8	2	2	3	5	8	10	17
50-64	219	5.1	38	1	2	4	6	10	13	28
65+	252	5.9	50	1	2	4	7	12	16	44
2. MULTIPLE DX										
0-19 YRS	721	9.7	106	2	3	7	12	21	31	67
20-34	316	10.6	141	2	4	7	13	25	38	99+
35-49	454	8.9	85	2	3	6	10	18	28	58
50-64	934	9.4	81	2	3	8	12	19	25	52
65+	2724	10.9	114	2	4	8	14	22	32	63
TOTAL SINGLE DX	905	5.0	30	1	2	4	6	10	14	22
TOTAL MULTIPLE DX	5149	10.3	107	2	4	8	13	21	30	63
TOTAL										
0-19 YRS	886	8.7	94	1	3	6	11	19	28	57
20-34	404	9.4	120	2	3	6	11	22	33	99+
35-49	635	7.5	68	2	3	5	9	16	21	51
50-64	1153	8.6	76	2	3	6	11	18	23	51
65+	2976	10.5	111	2	4	8	14	22	30	63
GRAND TOTAL	6054	9.5	99	2	3	7	12	20	28	61

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	1.3		<1	<1	<1	<1	1	4	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	3	3.0	12	<1	<1	1	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	31	3.1	16	<1	<1	<1	4	7	8	21
20-34	6	7.5	114	1	1	4	5	27	29	29
35-49	13	8.6	97	1	3	5	10	22	33	36
50-64	11	4.2	27	<1	1	2	5	13	18	18
65+	39	7.1	74	1	2	3	8	20	26	41
TOTAL SINGLE DX	35	1.4	2	<1	<1	<1	1	2	5	7
TOTAL MULTIPLE DX	100	5.8	58	<1	1	3	6	17	22	38
TOTAL										
0-19 YRS	58	2.2	10	<1	<1	<1	1	6	7	20
20-34	7	6.6	101	1	1	4	5	24	29	29
35-49	15	7.6	90	<1	1	4	8	19	32	36
50-64	13	3.8	24	<1	1	2	4	11	17	18
65+	42	6.8	71	1	2	3	7	19	26	41
GRAND TOTAL	135	4.6	47	<1	<1	2	5	12	20	37

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1483	2.2	5	<1	1	1	3	5	7	11
20-34	116	2.8	5	1	1	2	3	6	8	11
35-49	119	2.8	4	1	1	3	4	5	7	11
50-64	92	3.0	3	1	2	3	4	5	7	10
65+	75	2.9	5	1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	823	4.2	24	1	1	2	6	10	13	22
20-34	121	4.9	34	1	1	3	6	11	19	54
35-49	169	5.3	63	1	2	3	5	10	21	51
50-64	189	4.8	28	1	2	3	5	9	15	26
65+	327	5.9	53	1	2	4	7	13	18	40
TOTAL SINGLE DX	1885	2.4	5	<1	1	1	3	5	7	10
TOTAL MULTIPLE DX	1629	4.8	36	1	1	3	6	10	15	33
TOTAL										
0-19 YRS	2306	2.9	13	1	1	1	3	7	9	17
20-34	237	3.9	21	1	1	3	4	8	12	34
35-49	288	4.3	40	1	2	3	4	8	11	33
50-64	281	4.2	21	1	2	3	5	8	11	22
65+	402	5.3	46	1	2	3	6	11	16	39
GRAND TOTAL	3514	3.5	21	1	1	2	4	8	10	22

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	1.9	1	<1	<1	1	2	4	5	6
20-34	19	2.8	4	<1	1	2	4	6	7	7
35-49	41	2.4	4	1	1	2	3	5	6	13
50-64	36	1.8	1	1	1	1	2	3	5	7
65+	38	3.0	10	<1	1	2	3	8	11	14
2. MULTIPLE DX										
0-19 YRS	64	4.1	56	<1	1	2	5	7	10	51
20-34	107	5.0	18	1	2	4	6	11	13	25
35-49	177	6.7	62	1	2	5	8	14	21	62
50-64	257	6.7	57	1	2	5	8	15	20	40
65+	956	10.0	95	2	4	7	13	21	27	62
TOTAL SINGLE DX	161	2.3	5	<1	1	2	3	5	7	13
TOTAL MULTIPLE DX	1561	8.5	82	1	3	6	11	19	25	49
TOTAL										
0-19 YRS	91	3.5	41	<1	<1	2	4	6	8	43
20-34	126	4.7	17	1	2	4	6	10	13	23
35-49	218	5.9	55	1	2	4	7	13	17	55
50-64	293	6.1	54	1	2	4	8	14	18	37
65+	994	9.8	94	2	4	7	12	21	27	60
GRAND TOTAL	1722	7.9	78	1	3	5	10	18	24	44

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	54	1.6	1	<1	1	1	2	3	5	8
20-34	98	2.0	2	<1	1	1	2	4	6	9
35-49	104	2.0	3	1	1	1	2	4	6	10
50-64	86	2.3	4	1	1	1	3	5	7	9
65+	129	2.6	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	137	5.2	41	1	1	3	7	12	14	38
20-34	172	4.2	30	1	1	2	5	9	13	36
35-49	208	4.5	40	1	1	2	5	10	16	45
50-64	343	4.4	23	1	1	3	5	10	14	24
65+	1329	5.7	54	1	2	4	7	12	18	38
TOTAL SINGLE DX	471	2.2	3	1	1	1	3	5	6	9
TOTAL MULTIPLE DX	2189	5.2	46	1	2	3	6	12	16	36
TOTAL										
0-19 YRS	191	4.2	33	1	1	2	5	9	13	35
20-34	270	3.4	21	1	1	2	4	7	11	32
35-49	312	3.7	29	1	1	2	4	8	13	31
50-64	429	4.0	20	1	1	2	5	9	12	22
65+	1458	5.4	51	1	2	3	6	12	17	37
GRAND TOTAL	2660	4.7	40	1	1	3	5	10	15	32

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	5.7	12	2	3	6	8	9	9	9
20-34	67	4.3	2	3	3	4	5	6	7	9
35-49	399	4.3	2	3	3	4	5	6	7	9
50-64	327	4.5	2	3	4	4	5	6	7	9
65 +	160	4.8	3	3	4	4	6	8	8	11
2. MULTIPLE DX										
0-19 YRS	9	17.7	162	5	6	18	26	36	36	36
20-34	120	4.6	2	3	4	4	5	7	8	10
35-49	628	4.9	4	3	4	5	6	7	8	11
50-64	642	5.2	4	3	4	5	6	8	9	13
65 +	560	6.3	17	3	4	5	7	9	13	28
TOTAL SINGLE DX	956	4.5	3	3	3	4	5	7	7	9
TOTAL MULTIPLE DX	1959	5.4	10	3	4	5	6	8	9	20
TOTAL										
0-19 YRS	12	14.7	150	4	6	8	23	36	36	36
20-34	187	4.5	3	3	3	4	5	7	7	9
35-49	1027	4.7	4	3	4	4	5	7	8	10
50-64	969	5.0	4	3	4	5	6	7	8	12
65 +	720	6.0	15	3	4	5	7	9	11	24
GRAND TOTAL	2915	5.1	8	3	4	5	6	7	9	16

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	3.1	6	1	1	2	4	7	8	8
20-34	63	3.5	2	2	2	3	4	5	6	10
35-49	422	3.6	2	2	3	3	4	5	7	9
50-64	458	3.5	1	2	3	3	4	5	6	7
65 +	264	3.9	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
0-19 YRS	15	3.5	3	1	3	3	4	6	7	8
20-34	93	3.7	1	2	3	4	4	5	6	8
35-49	690	4.1	6	2	3	4	5	6	7	10
50-64	813	4.2	4	2	3	4	5	7	8	12
65 +	896	4.8	11	2	3	4	6	8	9	18
TOTAL SINGLE DX	1214	3.6	2	2	3	3	4	5	7	9
TOTAL MULTIPLE DX	2507	4.4	7	2	3	4	5	7	8	13
TOTAL										
0-19 YRS	22	3.4	4	1	2	3	4	7	8	8
20-34	156	3.6	2	2	3	3	4	5	6	8
35-49	1112	3.9	5	2	3	4	5	6	7	10
50-64	1271	4.0	3	2	3	4	5	6	7	11
65 +	1160	4.6	10	2	3	4	5	7	9	15
GRAND TOTAL	3721	4.1	6	2	3	4	5	6	8	12

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	2.9	3	1	1	2	4	6	6	8
20-34	249	3.0	5	1	1	2	4	5	8	13
35-49	348	2.4	2	1	1	2	3	5	6	7
50-64	221	2.7	3	1	1	2	4	5	7	9
65 +	107	2.7	4	1	1	2	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	91	4.3	21	1	2	3	5	10	12	27
20-34	411	4.3	20	1	2	3	5	8	11	22
35-49	594	4.6	20	1	2	3	6	9	13	22
50-64	736	6.2	49	1	2	4	8	13	18	39
65 +	929	7.9	56	1	3	6	10	16	23	41
TOTAL SINGLE DX	978	2.7	4	1	1	2	4	5	6	10
TOTAL MULTIPLE DX	2761	6.1	42	1	2	4	8	13	18	34
TOTAL										
0-19 YRS	144	3.8	15	1	1	3	5	7	11	16
20-34	660	3.8	15	1	2	3	4	7	10	20
35-49	942	3.8	15	1	1	3	5	8	10	21
50-64	957	5.4	41	1	2	3	6	11	16	31
65 +	1036	7.4	54	1	2	5	10	16	22	38
GRAND TOTAL	3739	5.2	35	1	2	3	6	11	16	29

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95-59.96; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	2.1	6	1	1	1	2	4	9	13
20-34	263	1.7	1	<1	1	1	2	4	4	7
35-49	451	1.5	1	<1	1	1	1	3	4	7
50-64	417	1.5	1	<1	1	1	1	3	4	7
65 +	219	1.5	1	<1	1	1	1	3	4	8
2. MULTIPLE DX										
0-19 YRS	30	2.7	8	1	1	1	3	8	8	12
20-34	171	2.8	10	1	1	2	3	5	8	19
35-49	318	3.0	37	1	1	1	3	6	8	24
50-64	405	3.1	22	1	1	1	4	7	10	19
65 +	464	3.6	28	1	1	2	4	9	13	28
TOTAL SINGLE DX	1385	1.5	2	<1	1	1	1	3	4	8
TOTAL MULTIPLE DX	1388	3.2	26	1	1	1	3	7	10	24
TOTAL										
0-19 YRS	65	2.4	7	1	1	1	2	6	9	13
20-34	434	2.1	5	<1	1	1	3	4	6	9
35-49	769	2.1	17	<1	1	1	2	4	6	12
50-64	822	2.3	13	<1	1	1	2	5	8	14
65 +	683	2.9	21	1	1	1	3	7	12	24
GRAND TOTAL	2773	2.4	15	<1	1	1	2	5	8	16

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	3.1	7	<1	1	1	5	7	9	9
20-34	14	5.5	11	2	2	6	8	9	12	13
35-49	11	4.2	13	<1	1	4	6	10	12	12
50-64	6	6.2	10	1	5	6	8	10	10	10
65 +	8	4.8	8	2	2	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	10	7.6	24	2	4	7	9	16	17	17
20-34	36	8.8	60	2	4	7	10	17	26	40
35-49	52	8.8	53	2	4	6	13	19	21	36
50-64	78	10.0	45	4	5	9	13	18	22	38
65 +	98	11.5	106	3	6	8	14	23	29	58
TOTAL SINGLE DX	50	4.6	11	1	2	4	7	9	10	13
TOTAL MULTIPLE DX	274	10.1	71	3	5	8	13	20	25	43
TOTAL										
0-19 YRS	21	5.2	20	1	1	4	7	12	16	17
20-34	50	7.9	48	2	4	7	9	14	21	40
35-49	63	8.0	49	1	4	6	11	19	21	35
50-64	84	9.7	44	4	5	8	13	18	22	37
65 +	106	11.0	102	3	6	8	14	22	28	56
GRAND TOTAL	**324**	**9.2**	**65**	**2**	**4**	**7**	**12**	**18**	**23**	**42**

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	9	3.2	3	1	2	3	5	5	5	5
35-49	65	2.8	1	2	2	3	3	4	5	7
50-64	1817	3.5	2	2	3	3	4	5	6	9
65 +	3915	3.8	3	2	3	4	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	10	7.0	45	1	3	4	10	18	22	22
20-34	11	7.6	79	2	3	4	8	20	32	33
35-49	244	4.4	10	2	3	3	5	8	11	16
50-64	7846	4.7	17	2	3	4	5	8	11	20
65 +	32923	6.2	38	2	3	4	7	12	16	33
TOTAL SINGLE DX	5810	3.7	3	2	3	3	4	6	6	10
TOTAL MULTIPLE DX	41034	5.9	35	2	3	4	6	11	15	32
TOTAL										
0-19 YRS	14	5.5	38	1	1	3	8	15	20	22
20-34	20	5.7	48	1	2	4	5	10	22	33
35-49	309	4.1	9	2	2	3	5	7	10	16
50-64	9663	4.5	15	2	3	4	5	7	10	19
65 +	36838	5.9	35	2	3	4	6	11	16	32
GRAND TOTAL	**46844**	**5.6**	**31**	**2**	**3**	**4**	**6**	**10**	**14**	**30**

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	3.3	4	1	2	2	5	7	7	7
20-34	0									
35-49	20	6.9	4	4	6	7	8	9	10	12
50-64	362	7.2	6	4	6	7	8	10	12	17
65 +	480	7.6	6	5	6	7	9	11	12	16
2. MULTIPLE DX										
0-19 YRS	4	8.0	79	1	2	5	13	21	21	21
20-34	3	6.7	80	1	1	2	13	17	17	17
35-49	31	9.3	31	5	6	8	10	18	20	30
50-64	1032	9.2	20	5	7	8	11	14	17	26
65 +	2907	10.1	39	5	7	9	11	16	21	37
TOTAL SINGLE DX	869	7.3	7	5	6	7	8	11	12	16
TOTAL MULTIPLE DX	3977	9.9	35	5	7	8	11	16	20	35
TOTAL										
0-19 YRS	11	5.0	32	1	2	4	6	13	20	2[illegible]
20-34	3	6.7	80	1	1	2	13	17	17	17
35-49	51	8.3	22	5	6	7	9	12	18	30
50-64	1394	8.7	18	5	6	8	10	13	16	25
65 +	3387	9.7	36	5	7	8	11	15	20	36
GRAND TOTAL	**4846**	**9.4**	**31**	**5**	**6**	**8**	**11**	**15**	**18**	**31**

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.3	3	1	1	2	3	5	5	5
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	16	2.1	1	1	1	2	3	3	5	6
50-64	84	1.9	1	1	1	1	3	4	5	7
65 +	144	2.2	6	<1	1	1	2	4	7	12
2. MULTIPLE DX										
0-19 YRS	9	9.6	76	1	3	5	17	22	25	25
20-34	9	7.1	44	1	2	4	12	18	19	19
35-49	38	4.7	29	1	1	3	5	13	19	22
50-64	336	4.8	34	1	1	3	6	11	14	34
65 +	1190	7.6	76	1	2	5	10	16	23	50
TOTAL SINGLE DX	250	2.1	4	<1	1	1	3	4	5	11
TOTAL MULTIPLE DX	1582	6.9	68	1	2	4	9	15	21	48
TOTAL										
0-19 YRS	13	7.3	64	1	2	3	13	19	24	25
20-34	11	6.0	41	<1	1	3	10	17	19	19
35-49	54	3.9	23	1	1	2	4	10	16	22
50-64	420	4.3	30	1	1	2	5	10	13	32
65 +	1334	7.0	72	1	2	4	9	15	21	48
GRAND TOTAL	**1832**	**6.3**	**62**	**1**	**1**	**3**	**8**	**14**	**20**	**45**

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	196	1.5	1	<1	1	1	1	3	4	8
20-34	113	2.4	3	1	1	2	3	5	6	9
35-49	114	3.0	14	1	1	2	4	6	8	22
50-64	79	2.4	5	<1	1	1	3	5	7	13
65 +	44	1.7	1	<1	1	1	2	3	5	6
2. MULTIPLE DX										
0-19 YRS	147	2.9	29	<1	1	1	3	5	9	29
20-34	102	4.6	13	1	2	4	6	9	11	19
35-49	169	6.1	94	1	1	4	7	12	24	79
50-64	163	6.7	81	1	2	3	8	16	23	47
65 +	267	6.0	57	1	1	4	8	12	19	46
TOTAL SINGLE DX	546	2.1	5	<1	1	1	3	4	6	9
TOTAL MULTIPLE DX	848	5.5	61	1	1	3	7	11	19	48
TOTAL										
0-19 YRS	343	2.1	14	<1	1	1	2	4	6	15
20-34	215	3.5	9	1	1	3	5	7	10	12
35-49	283	4.9	64	1	1	3	5	10	16	54
50-64	242	5.3	61	1	1	3	6	12	19	44
65 +	311	5.4	52	1	1	3	7	11	16	39
GRAND TOTAL	**1394**	**4.2**	**42**	**1**	**1**	**2**	**5**	**9**	**13**	**32**

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	251	1.8	2	<1	1	1	2	3	4	8
20-34	333	1.8	1	1	1	1	2	4	5	8
35-49	175	1.8	2	1	1	1	2	3	4	10
50-64	85	2.7	9	1	1	1	3	6	11	15
65 +	265	1.7	2	<1	1	1	2	3	5	10
2. MULTIPLE DX										
0-19 YRS	272	2.5	10	1	1	1	2	5	10	18
20-34	206	4.7	41	1	1	2	6	12	17	35
35-49	172	4.2	30	1	1	2	4	10	13	34
50-64	331	6.6	80	1	1	3	8	16	26	54
65 +	1912	7.1	84	1	1	3	10	18	24	52
TOTAL SINGLE DX	1109	1.9	3	1	1	1	2	4	5	10
TOTAL MULTIPLE DX	2893	6.2	73	1	1	3	8	16	22	44
TOTAL										
0-19 YRS	523	2.1	7	<1	1	1	2	4	7	14
20-34	539	2.9	19	1	1	1	3	6	10	23
35-49	347	3.0	18	1	1	2	3	6	10	23
50-64	416	5.8	68	1	1	3	7	14	23	47
65 +	2177	6.4	77	1	1	3	9	17	22	49
GRAND TOTAL	**4002**	**5.0**	**57**	**1**	**1**	**2**	**6**	**13**	**19**	**39**

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1089	1.3		<1	1	1	1	2	3	4
20-34	184	1.4		<1	1	1	1	2	3	5
35-49	25	1.5		1	1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	731	1.9	23	<1	1	1	2	3	4	8
20-34	58	2.5	17	1	1	2	3	4	5	30
35-49	14	3.0	3	1	1	3	4	6	6	6
50-64	5	7.6	186	<1	1	2	10	32	32	32
65 +	0									
TOTAL SINGLE DX	1299	1.3		<1	1	1	1	2	3	4
TOTAL MULTIPLE DX	808	2.0	24	<1	1	1	2	3	4	11
TOTAL										
0-19 YRS	1820	1.5	10	<1	1	1	1	2	3	5
20-34	242	1.6	5	1	1	1	2	3	4	6
35-49	39	2.1	2	1	1	1	3	4	5	6
50-64	6	6.5	156	<1	1	1	2	29	32	32
65 +	0									
GRAND TOTAL	**2107**	**1.5**	**10**	**<1**	**1**	**1**	**1**	**2**	**3**	**6**

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	285	1.4	2	<1	1	1	1	2	3	6
20-34	78	2.0	5	<1	1	1	2	3	5	16
35-49	41	2.0	2	<1	1	1	3	5	6	6
50-64	8	1.4	1	<1	1	1	1	3	4	4
65+	4	2.0	4	1	1	1	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	119	1.9	3	<1	1	1	2	4	5	10
20-34	51	2.5	3	1	1	2	4	5	6	8
35-49	30	3.5	22	1	1	2	4	7	19	20
50-64	23	4.2	17	1	1	2	5	11	14	15
65+	18	4.5	11	1	1	4	9	10	10	10
TOTAL SINGLE DX	416	1.6	3	<1	1	1	1	3	4	7
TOTAL MULTIPLE DX	241	2.7	8	1	1	2	3	5	9	16
TOTAL										
0-19 YRS	404	1.5	3	<1	1	1	1	3	4	7
20-34	129	2.2	5	<1	1	1	3	5	6	14
35-49	71	2.7	11	<1	1	1	3	5	7	20
50-64	31	3.5	14	1	1	2	4	10	13	15
65+	22	4.0	11	1	1	4	5	9	10	10
GRAND TOTAL	657	2.0	5	<1	1	1	2	4	6	13

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	14	1.1		<1	<1	<1	<1	2	2	2
35-49	17	1.4	1	<1	<1	<1	1	3	4	5
50-64	4	3.0	16	<1	<1	1	5	9	9	9
65+	0									
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	2.2	4	<1	1	1	3	6	7	7
35-49	13	2.0	5	1	1	1	2	5	8	9
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	2	7.5	25	4	4	7	11	11	11	11
TOTAL SINGLE DX	35	1.5	2	<1	<1	<1	1	2	4	9
TOTAL MULTIPLE DX	28	2.5	7	<1	1	1	3	6	9	11
TOTAL										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	23	1.6	2	<1	<1	<1	1	3	5	7
35-49	30	1.6	3	<1	<1	1	1	3	5	9
50-64	7	2.9	9	<1	1	1	4	8	9	9
65+	2	7.5	25	4	4	7	11	11	11	11
GRAND TOTAL	63	1.9	5	<1	<1	1	2	4	8	11

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	90	1.3		<1	1	1	1	2	3	6
20-34	93	1.5	1	<1	1	1	2	3	4	5
35-49	147	1.5	1	<1	1	1	2	3	4	6
50-64	71	1.6	2	1	1	1	1	3	5	9
65+	28	1.6	2	<1	1	1	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	32	2.4	8	<1	1	1	2	6	8	15
20-34	58	3.1	17	1	1	1	3	8	11	24
35-49	111	2.0	2	1	1	1	2	5	6	8
50-64	94	2.4	6	1	1	1	3	5	9	13
65+	98	2.7	9	1	1	2	3	6	7	19
TOTAL SINGLE DX	429	1.5	1	<1	1	1	1	3	4	7
TOTAL MULTIPLE DX	393	2.5	8	1	1	1	3	6	7	13
TOTAL										
0-19 YRS	122	1.6	3	<1	1	1	1	3	5	10
20-34	151	2.1	8	1	1	1	2	4	6	13
35-49	258	1.7	2	<1	1	1	2	3	5	7
50-64	165	2.0	5	1	1	1	2	4	6	12
65+	126	2.4	8	1	1	2	3	5	7	15
GRAND TOTAL	822	2.0	5	1	1	1	2	4	6	11

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	432	1.2	1	<1	<1	<1	<1	1	1	9
20-34	31	1.8	13	<1	<1	1	1	2	4	21
35-49	30	1.1		<1	<1	1	1	2	2	3
50-64	29	1.1		<1	<1	1	1	1	2	4
65+	19	1.2		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	234	5.6	78	<1	<1	1	7	18	24	46
20-34	17	2.6	6	1	1	1	3	7	8	8
35-49	56	3.3	31	<1	1	1	4	8	10	37
50-64	106	5.9	62	<1	1	3	7	17	24	65
65+	165	6.1	50	1	1	3	9	15	21	32
TOTAL SINGLE DX	541	1.2	2	<1	<1	<1	1	1	1	9
TOTAL MULTIPLE DX	578	5.5	62	<1	1	2	7	16	22	42
TOTAL										
0-19 YRS	666	2.7	33	<1	<1	<1	1	6	14	29
20-34	48	2.1	11	<1	<1	1	1	5	7	21
35-49	86	2.5	21	<1	<1	1	2	6	9	29
50-64	135	4.9	53	<1	1	2	5	15	21	47
65+	184	5.6	47	1	1	3	8	14	21	31
GRAND TOTAL	1119	3.4	37	<1	<1	1	2	9	17	34

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	10	1.9	2	1	1	1	2	4	6	6
35-49	105	2.4	2	1	1	2	4	4	5	7
50-64	349	2.3	2	1	1	2	3	4	5	9
65+	245	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	84	3.7	13	1	2	3	4	7	9	24
35-49	380	3.3	12	1	2	3	4	6	7	15
50-64	1034	2.8	6	1	1	2	3	5	7	10
65+	688	2.7	4	1	1	2	3	5	6	10
TOTAL SINGLE DX	709	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	2188	2.9	7	1	1	2	4	5	7	11
TOTAL										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	94	3.5	13	1	2	3	4	6	9	22
35-49	485	3.1	10	1	2	2	4	5	7	[illegible]
50-64	1383	2.7	6	1	1	2	3	5	7	9
65+	933	2.6	4	1	1	2	3	5	6	9
GRAND TOTAL	2897	2.7	6	1	1	2	3	5	6	10

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	141	1.8	2	<1	1	1	2	4	5	7
20-34	113	3.1	15	<1	1	2	4	6	8	21
35-49	72	3.3	10	<1	1	2	4	7	11	15
50-64	70	3.2	18	1	1	2	3	6	11	27
65+	38	4.4	20	1	2	3	5	10	13	24
2. MULTIPLE DX										
0-19 YRS	182	3.9	43	1	1	2	4	9	14	24
20-34	126	7.6	78	1	2	4	10	20	26	43
35-49	157	8.4	162	1	2	4	9	20	30	93
50-64	161	6.4	69	1	2	3	8	14	22	46
65+	163	7.0	94	1	2	4	7	15	22	51
TOTAL SINGLE DX	434	2.8	12	<1	1	2	3	5	8	15
TOTAL MULTIPLE DX	789	6.5	91	1	2	3	7	15	23	52
TOTAL										
0-19 YRS	323	3.0	26	<1	1	2	3	5	10	21
20-34	239	5.5	54	<1	1	3	6	12	22	37
35-49	229	6.8	120	1	2	4	7	15	23	81
50-64	231	5.4	56	1	1	3	7	13	18	40
65+	201	6.5	81	1	2	4	7	14	20	49
GRAND TOTAL	1223	5.2	66	1	1	3	5	12	18	46

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	425	3.5	2	2	3	3	4	5	6	8
20-34	1298	3.5	1	2	3	3	4	5	6	8
35-49	273	3.6	2	2	3	4	4	5	6	8
50-64	22	4.6	2	2	3	5	6	7	8	8
65+	10	5.4	8	2	4	4	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	496	4.2	7	2	3	4	5	6	8	13
20-34	3083	4.0	4	2	3	4	5	6	7	11
35-49	919	4.5	19	2	3	4	5	7	8	14
50-64	120	7.8	37	3	4	6	10	16	20	35
65+	123	12.0	130	4	6	9	13	22	40	65
TOTAL SINGLE DX	2028	3.5	2	2	3	3	4	5	6	8
TOTAL MULTIPLE DX	4741	4.4	13	2	3	4	5	7	9	17
TOTAL										
0-19 YRS	921	3.9	6	2	3	4	4	6	7	12
20-34	4381	3.8	4	2	3	4	4	6	7	11
35-49	1192	4.3	16	2	3	4	5	6	8	13
50-64	142	7.3	33	3	4	5	9	15	19	34
65+	133	11.5	124	4	6	8	12	21	39	65
GRAND TOTAL	6769	4.1	10	2	3	4	5	6	8	14

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	255	4.1	3	2	3	4	5	6	7	11
20-34	1036	3.7	2	2	3	4	4	5	6	9
35-49	655	3.9	2	3	3	4	4	5	6	10
50-64	95	4.0	2	2	3	4	5	6	7	10
65 +	53	5.4	4	3	4	5	6	9	10	12
2. MULTIPLE DX										
0-19 YRS	398	4.9	7	3	3	4	5	8	10	16
20-34	3334	4.5	7	3	3	4	5	7	8	14
35-49	2472	4.8	10	3	3	4	5	7	9	16
50-64	336	6.9	36	3	4	5	7	12	17	38
65 +	366	10.4	87	4	5	7	13	21	27	55
TOTAL SINGLE DX	2094	3.9	2	2	3	4	4	5	6	10
TOTAL MULTIPLE DX	6906	5.0	16	3	3	4	5	8	11	20
TOTAL										
0-19 YRS	653	4.6	6	3	3	4	5	7	9	15
20-34	4370	4.3	6	3	3	4	5	6	8	13
35-49	3127	4.6	9	3	3	4	5	7	9	14
50-64	431	6.2	30	3	4	5	7	11	15	35
65 +	419	9.8	80	4	5	7	12	20	26	52
GRAND TOTAL	9000	4.8	13	3	3	4	5	7	10	18

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.8	4	2	2	3	5	7	7	7
20-34	82	3.7	2	2	3	4	4	5	6	9
35-49	221	4.2	2	3	3	4	5	6	8	10
50-64	146	4.4	2	3	3	4	5	6	7	10
65 +	78	5.3	2	4	4	5	6	7	9	11
2. MULTIPLE DX										
0-19 YRS	10	4.3	2	2	4	4	4	7	7	7
20-34	740	4.5	6	3	3	4	5	7	9	15
35-49	1989	5.0	8	3	3	4	5	8	10	17
50-64	813	6.7	22	3	4	5	8	11	16	26
65 +	718	9.5	57	4	5	7	10	19	25	44
TOTAL SINGLE DX	532	4.3	3	3	3	4	5	6	7	10
TOTAL MULTIPLE DX	4270	6.0	22	3	4	4	7	10	14	26
TOTAL										
0-19 YRS	15	4.1	3	2	3	4	5	7	7	7
20-34	822	4.4	6	3	3	4	5	6	9	15
35-49	2210	4.9	8	3	3	4	5	8	10	16
50-64	959	6.3	20	3	4	5	7	11	14	25
65 +	796	9.0	54	4	5	7	10	18	24	43
GRAND TOTAL	4802	5.8	20	3	4	4	6	10	13	25

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	99	2.6	4	1	1	2	3	4	5	13
20-34	287	2.5	2	< 1	1	2	3	4	5	6
35-49	74	3.1	9	< 1	1	2	4	5	11	17
50-64	7	4.4	17	< 1	1	3	5	12	13	13
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	146	3.8	7	1	2	3	5	6	8	16
20-34	1186	3.4	4	1	2	3	4	5	7	11
35-49	394	3.7	6	1	2	3	5	6	8	15
50-64	22	4.9	5	2	3	5	7	8	9	11
65 +	13	10.0	90	2	5	6	12	27	27	27
TOTAL SINGLE DX	468	2.6	4	< 1	1	2	4	5	5	12
TOTAL MULTIPLE DX	1761	3.6	6	1	2	3	4	6	7	13
TOTAL										
0-19 YRS	245	3.3	6	1	1	3	4	6	7	16
20-34	1473	3.2	4	1	2	3	4	5	7	10
35-49	468	3.6	7	< 1	2	3	4	6	8	15
50-64	29	4.8	8	1	3	4	6	8	11	13
65 +	14	9.6	86	2	5	6	7	27	27	27
GRAND TOTAL	2229	3.4	6	1	2	3	4	6	7	13

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	410	1.1		< 1	< 1	< 1	< 1	1	2	4
35-49	227	1.0		< 1	< 1	< 1	< 1	< 1	1	3
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	2.6	2	1	2	2	3	5	6	6
20-34	427	2.1	5	< 1	1	2	2	3	4	11
35-49	190	1.7	2	< 1	< 1	1	2	3	4	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
TOTAL SINGLE DX	641	1.1		< 1	< 1	< 1	< 1	1	2	4
TOTAL MULTIPLE DX	626	2.0	5	< 1	1	1	2	3	4	8
TOTAL										
0-19 YRS	10	2.5	2	< 1	2	2	3	5	6	6
20-34	837	1.6	3	< 1	< 1	1	2	3	3	5
35-49	417	1.4	1	< 1	< 1	< 1	1	3	3	5
50-64	3	1.0		< 1	< 1	< 1	1	1	1	1
65 +	0									
GRAND TOTAL	1267	1.5	3	<1	<1	<1	2	3	3	5

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	2.8	2	1	2	3	4	5	5	5
20-34	866	2.0	2	< 1	1	2	3	3	4	7
35-49	320	1.9	1	< 1	1	1	3	4	4	6
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	0									
2. MULTIPLE DX										
0-19 YRS	30	3.0	6	1	2	2	3	5	11	11
20-34	6619	2.6	2	2	2	2	3	4	4	6
35-49	1457	2.7	2	1	2	2	3	4	5	9
50-64	9	4.1	5	1	2	4	6	7	7	7
65 +	0									
TOTAL SINGLE DX	1196	2.0	3	< 1	1	2	3	3	4	6
TOTAL MULTIPLE DX	8115	2.6	2	2	2	2	3	4	4	7
TOTAL										
0-19 YRS	38	2.9	5	1	2	2	3	5	9	11
20-34	7485	2.5	2	1	2	2	3	4	4	6
35-49	1777	2.5	3	1	2	2	3	4	5	9
50-64	11	4.3	4	1	2	4	6	7	7	7
65 +	0									
GRAND TOTAL	9311	2.5	2	1	2	2	3	4	4	7

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	259	3.2	1	2	3	3	4	5	5	7
20-34	3496	3.2	1	2	2	3	4	5	5	7
35-49	744	3.2	1	2	2	3	4	5	5	7
50-64	5	3.0	1	< 1	2	3	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	348	3.9	3	2	3	4	4	6	7	9
20-34	5382	3.7	3	2	3	4	4	5	6	9
35-49	1342	3.9	3	2	3	4	5	6	7	11
50-64	21	6.8	39	2	4	5	8	11	21	31
65 +	21	13.3	236	4	6	9	14	28	53	71
TOTAL SINGLE DX	4505	3.2	2	2	2	3	4	5	5	7
TOTAL MULTIPLE DX	7114	3.8	5	2	3	4	4	5	6	9
TOTAL										
0-19 YRS	607	3.6	3	2	3	3	4	5	6	9
20-34	8878	3.5	3	2	3	3	4	5	6	8
35-49	2086	3.6	3	2	3	3	4	5	6	9
50-64	26	6.0	34	2	3	4	7	10	17	31
65 +	22	12.9	230	4	5	8	14	28	52	71
GRAND TOTAL	11619	3.6	4	2	3	3	4	5	6	9

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.5		< 1	< 1	1	2	3	3	3
20-34	208	1.2		< 1	< 1	< 1	1	2	3	4
35-49	102	1.3		< 1	< 1	1	1	2	3	4
50-64	27	1.5	2	< 1	< 1	1	1	2	7	7
65 +	11	1.1		< 1	1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	6	1.8	1	< 1	< 1	1	3	4	4	4
20-34	215	1.6	4	< 1	< 1	1	1	3	4	8
35-49	158	1.6	2	< 1	< 1	1	2	3	5	9
50-64	82	2.4	6	< 1	1	1	3	7	9	12
65 +	57	3.7	57	< 1	1	1	3	6	14	44
TOTAL SINGLE DX	358	1.3	1	< 1	< 1	< 1	1	2	3	4
TOTAL MULTIPLE DX	518	2.0	10	< 1	1	1	2	4	6	12
TOTAL										
0-19 YRS	16	1.6	1	< 1	< 1	1	2	3	4	4
20-34	423	1.4	2	< 1	< 1	1	1	2	3	6
35-49	260	1.5	1	< 1	< 1	1	1	3	4	7
50-64	109	2.2	6	< 1	1	1	2	7	8	12
65 +	68	3.3	49	< 1	1	1	2	5	12	43
GRAND TOTAL	876	1.7	6	<1	<1	1	1	3	4	10

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.1		< 1	< 1	< 1	1	1	2	2
20-34	251	1.1		< 1	< 1	< 1	< 1	1	2	4
35-49	108	1.4	1	< 1	< 1	< 1	1	3	3	8
50-64	38	1.7	2	< 1	< 1	1	2	3	5	9
65 +	45	3.1	4	< 1	1	3	4	6	8	9
2. MULTIPLE DX										
0-19 YRS	22	2.7	20	< 1	< 1	1	2	6	13	22
20-34	227	2.6	13	< 1	< 1	1	3	5	9	21
35-49	268	3.4	26	< 1	1	2	4	7	10	30
50-64	162	5.3	50	< 1	1	3	7	11	21	37
65 +	239	7.5	84	1	3	5	9	15	24	55
TOTAL SINGLE DX	466	1.4	1	< 1	< 1	< 1	1	3	4	8
TOTAL MULTIPLE DX	918	4.6	46	< 1	1	2	5	10	17	34
TOTAL										
0-19 YRS	46	1.8	10	< 1	< 1	< 1	1	2	5	22
20-34	478	1.8	7	< 1	< 1	< 1	1	3	5	17
35-49	376	2.8	20	< 1	< 1	1	3	6	9	25
50-64	200	4.6	43	< 1	1	2	5	10	18	35
65 +	284	6.8	74	1	2	4	8	13	22	51
GRAND TOTAL	1384	3.5	33	<1	<1	1	4	8	12	30

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47	2.0	1	1	1	2	2	3	5	6
20-34	1053	1.8	3	1	1	1	2	3	4	8
35-49	202	1.6	1	1	1	1	2	3	3	7
50-64	3	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	32	3.3	5	1	1	3	5	6	8	10
20-34	499	3.4	33	1	1	2	4	6	10	31
35-49	123	3.7	50	1	1	2	3	7	11	43
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
TOTAL SINGLE DX	1305	1.7	3	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	656	3.5	35	1	1	2	4	6	10	34
TOTAL										
0-19 YRS	79	2.5	4	1	1	2	3	5	6	9
20-34	1552	2.3	14	1	1	1	2	4	6	14
35-49	325	2.4	21	1	1	1	2	4	6	17
50-64	4	2.8	12	1	1	1	5	8	8	8
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
GRAND TOTAL	1961	2.3	15	1	1	1	2	4	6	14

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.7	2	1	1	3	4	5	5	5
20-34	416	3.7	2	2	3	4	4	5	6	8
35-49	288	3.6	2	1	3	4	4	5	6	7
50-64	8	2.3	2	< 1	1	2	3	4	4	4
65 +	10	2.5	3	< 1	1	2	2	6	7	7
2. MULTIPLE DX										
0-19 YRS	36	3.4	5	1	1	3	5	7	8	9
20-34	1459	4.2	11	2	3	4	5	6	7	12
35-49	1163	4.4	9	1	3	4	5	7	8	18
50-64	93	5.6	38	1	2	4	7	13	21	29
65 +	144	9.9	127	1	3	7	12	24	32	93
TOTAL SINGLE DX	732	3.6	2	1	3	4	4	5	6	8
TOTAL MULTIPLE DX	2895	4.6	19	1	3	4	5	7	9	23
TOTAL										
0-19 YRS	46	3.3	5	1	1	3	5	6	8	9
20-34	1875	4.1	10	2	3	4	5	6	7	10
35-49	1451	4.3	8	1	3	4	5	6	8	15
50-64	101	5.3	36	1	2	4	6	12	20	29
65 +	154	9.4	123	1	2	7	12	20	32	91
GRAND TOTAL	3627	4.4	16	1	3	4	5	6	8	19

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	5.4	5	3	4	5	7	9	10	10
20-34	1088	4.1	1	3	3	4	4	5	6	8
35-49	2764	4.3	1	3	4	4	5	6	6	9
50-64	946	4.7	1	3	4	4	5	6	7	9
65 +	477	5.3	3	4	4	5	6	7	9	13
2. MULTIPLE DX										
0-19 YRS	72	5.1	8	3	4	4	5	8	13	17
20-34	10364	4.6	4	3	4	4	5	6	8	12
35-49	34325	4.8	4	3	4	4	5	6	8	13
50-64	8712	5.5	12	3	4	5	6	8	11	19
65 +	4628	7.6	36	4	5	6	8	13	18	33
TOTAL SINGLE DX	5285	4.4	2	3	4	4	5	6	7	9
TOTAL MULTIPLE DX	58101	5.1	9	3	4	4	5	7	9	17
TOTAL										
0-19 YRS	82	5.1	8	3	4	4	5	8	12	17
20-34	11452	4.5	4	3	4	4	5	6	7	12
35-49	37089	4.7	4	3	4	4	5	6	8	13
50-64	9658	5.4	11	3	4	5	6	8	10	18
65 +	5105	7.4	34	4	5	6	8	12	17	33
GRAND TOTAL	63386	5.0	8	3	4	4	5	7	9	16

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.6	2	2	2	4	5	5	5	5
20-34	702	3.3	1	2	3	3	4	4	5	6
35-49	979	3.5	2	2	3	3	4	5	6	8
50-64	547	4.4	1	3	3	4	5	6	7	9
65 +	556	4.7	2	3	4	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	8	3.3		2	3	3	4	4	4	4
20-34	3542	3.6	2	2	3	3	4	5	6	8
35-49	8507	3.8	2	2	3	4	4	5	6	9
50-64	3047	4.7	3	3	4	4	5	7	8	11
65 +	3126	5.6	10	3	4	5	6	8	9	18
TOTAL SINGLE DX	2789	3.8	2	2	3	4	4	6	6	8
TOTAL MULTIPLE DX	18230	4.2	4	3	3	4	5	6	7	11
TOTAL										
0-19 YRS	13	3.4	1	2	3	3	4	5	5	5
20-34	4244	3.6	2	2	3	3	4	5	5	8
35-49	9486	3.8	2	2	3	4	4	5	6	9
50-64	3594	4.6	4	3	4	4	5	7	8	11
65 +	3682	5.5	9	3	4	5	6	8	9	17
GRAND TOTAL	21019	4.2	4	3	3	4	5	6	7	11

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	32	6.9	3	5	6	7	8	9	10	12
35-49	58	7.2	6	5	6	7	8	11	12	17
50-64	17	8.1	14	6	6	7	8	10	18	22
65 +	12	7.7	5	6	6	7	8	12	13	13
2. MULTIPLE DX										
0-19 YRS	3	7.3	10	5	5	6	10	11	11	11
20-34	105	7.8	7	5	6	7	9	11	12	21
35-49	263	9.5	35	6	7	8	10	15	17	29
50-64	174	12.4	93	6	7	9	14	22	33	62
65 +	110	15.5	140	7	9	12	18	28	32	79
TOTAL SINGLE DX	120	7.3	7	5	6	7	8	10	12	18
TOTAL MULTIPLE DX	655	11.0	70	6	7	9	12	18	26	53
TOTAL										
0-19 YRS	4	7.3	7	5	5	6	9	11	11	11
20-34	137	7.6	7	5	6	7	9	10	12	20
35-49	321	9.1	31	6	7	8	10	14	17	26
50-64	191	12.0	88	6	7	9	13	22	32	61
65 +	122	14.8	132	7	8	11	17	28	31	79
GRAND TOTAL	**775**	**10.4**	**62**	**6**	**7**	**8**	**11**	**17**	**23**	**50**

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	1.3		< 1	< 1	< 1	1	2	3	5
20-34	204	1.3		< 1	< 1	1	1	2	3	5
35-49	43	1.2		< 1	< 1	1	1	2	2	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	54	4.4	35	< 1	1	3	5	9	17	36
20-34	213	4.6	69	1	1	2	5	9	15	50
35-49	69	2.9	15	< 1	1	2	3	6	8	26
50-64	0									
65 +	0									
TOTAL SINGLE DX	318	1.3	1	< 1	< 1	1	1	2	3	4
TOTAL MULTIPLE DX	336	4.2	53	1	1	2	5	8	14	38
TOTAL										
0-19 YRS	125	2.6	18	< 1	< 1	1	3	5	8	24
20-34	417	3.0	38	< 1	1	1	3	6	9	27
35-49	112	2.2	10	< 1	< 1	1	2	5	7	18
50-64	0									
65 +	0									
GRAND TOTAL	**654**	**2.8**	**30**	**<1**	**<1**	**1**	**3**	**5**	**8**	**23**

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1492	1.3		< 1	< 1	1	1	2	3	6
20-34	8008	1.3		< 1	< 1	1	1	2	3	5
35-49	2061	1.3	1	< 1	< 1	1	1	2	3	5
50-64	273	1.2		< 1	< 1	< 1	1	2	3	5
65 +	109	1.6	1	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	790	2.5	8	1	1	2	3	5	6	13
20-34	4752	2.5	8	< 1	1	2	3	5	6	13
35-49	2876	2.4	12	< 1	1	1	3	5	7	16
50-64	901	3.8	38	< 1	1	1	4	9	15	35
65 +	790	5.9	54	1	1	3	8	14	21	46
TOTAL SINGLE DX	11943	1.3	1	< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	10109	2.9	17	< 1	1	2	3	6	9	21
TOTAL										
0-19 YRS	2282	1.8	4	< 1	1	1	2	3	5	9
20-34	12760	1.8	4	< 1	< 1	1	2	3	5	9
35-49	4937	1.9	8	< 1	< 1	1	2	4	6	13
50-64	1174	3.2	31	< 1	< 1	1	3	7	13	31
65 +	899	5.3	50	< 1	1	2	7	13	20	40
GRAND TOTAL	**22052**	**2.0**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	103	1.5	12	< 1	< 1	< 1	< 1	1	2	21
20-34	231	1.2		< 1	< 1	< 1	1	2	2	5
35-49	54	1.1		< 1	< 1	< 1	1	1	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	48	3.7	46	< 1	< 1	1	4	6	11	44
20-34	238	3.8	26	< 1	1	2	4	9	13	29
35-49	81	2.7	8	< 1	1	1	3	6	10	15
50-64	0									
65 +	0									
TOTAL SINGLE DX	388	1.2	4	< 1	< 1	< 1	1	1	2	5
TOTAL MULTIPLE DX	367	3.6	25	< 1	1	2	4	7	11	27
TOTAL										
0-19 YRS	151	2.2	24	< 1	< 1	< 1	1	4	6	37
20-34	469	2.5	15	< 1	< 1	1	2	5	9	19
35-49	135	2.0	6	< 1	< 1	1	2	4	7	12
50-64	0									
65 +	0									
GRAND TOTAL	**755**	**2.4**	**15**	**<1**	**<1**	**1**	**2**	**5**	**7**	**20**

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	414	1.3	1	<1	<1	1	1	2	3	4
20-34	2294	1.2		<1	<1	1	1	2	2	4
35-49	532	1.1		<1	<1	1	1	1	2	4
50-64	4	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	163	3.3	53	1	1	2	4	6	10	78
20-34	982	2.3	6	<1	1	1	3	4	6	12
35-49	255	2.3	7	<1	1	1	3	4	6	18
50-64	8	3.9	9	1	1	4	5	9	10	10
65+	16	8.0	38	1	3	6	12	15	21	24
TOTAL SINGLE DX	3245	1.2	1	<1	<1	1	1	2	2	4
TOTAL MULTIPLE DX	1424	2.5	13	<1	1	1	3	5	7	16
TOTAL										
0-19 YRS	577	1.9	17	<1	1	1	2	3	4	15
20-34	3276	1.5	3	<1	<1	1	1	3	4	8
35-49	787	1.5	3	<1	<1	1	1	3	4	9
50-64	12	2.9	8	<1	1	1	4	7	10	10
65+	17	7.6	39	1	3	6	11	15	21	24
GRAND TOTAL	4669	1.6	5	<1	<1	1	1	3	4	10

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.8		3	3	4	4	5	5	5
20-34	32	2.7	2	1	1	3	4	5	5	6
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	4	5.0	4	2	3	5	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	6	4.3	4	2	3	4	5	8	8	8
20-34	111	3.4	3	1	2	3	4	5	6	11
35-49	26	4.3	17	1	2	3	4	10	14	20
50-64	11	6.8	7	4	5	6	8	11	13	13
65+	10	5.8	16	1	3	5	8	12	14	14
TOTAL SINGLE DX	47	3.1	3	1	2	3	4	5	6	7
TOTAL MULTIPLE DX	164	4.0	7	1	3	4	4	6	10	14
TOTAL										
0-19 YRS	11	4.1	3	2	3	4	5	6	8	8
20-34	143	3.3	3	1	2	3	4	5	6	11
35-49	30	4.1	16	1	2	3	4	8	13	20
50-64	13	6.5	7	4	5	6	7	11	13	13
65+	14	5.6	13	1	3	5	7	10	13	14
GRAND TOTAL	211	3.8	6	1	2	4	4	6	8	14

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	1.9	2	<1	1	1	3	4	6	6
20-34	237	1.9	4	<1	<1	1	3	3	4	6
35-49	112	2.3	2	<1	1	2	3	5	5	7
50-64	28	2.5	1	<1	2	2	3	4	5	6
65+	14	3.8	2	2	2	4	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	83	3.1	3	<1	1	3	4	6	7	8
20-34	551	3.3	30	<1	1	2	4	5	8	24
35-49	227	2.9	8	<1	1	2	4	5	7	15
50-64	77	3.6	6	1	2	3	4	7	9	13
65+	84	4.7	63	1	2	3	4	9	23	87
TOTAL SINGLE DX	427	2.1	3	<1	1	1	3	4	5	7
TOTAL MULTIPLE DX	1022	3.3	24	<1	1	3	4	6	8	23
TOTAL										
0-19 YRS	119	2.7	4	<1	1	2	4	5	7	8
20-34	788	2.9	23	<1	1	2	3	5	6	21
35-49	339	2.7	6	<1	1	2	3	5	6	12
50-64	105	3.3	5	1	2	3	4	6	8	12
65+	98	4.6	55	1	2	3	4	8	21	82
GRAND TOTAL	1449	3.0	18	<1	1	2	4	5	7	20

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	69	2.9	1	1	2	3	3	5	5	8
35-49	313	3.4	1	2	2	3	4	5	6	8
50-64	765	3.5	2	2	3	3	4	5	6	8
65+	700	3.8	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	4	3.5	3	1	2	4	5	5	5	5
20-34	184	3.7	2	2	3	4	5	6	7	8
35-49	904	4.3	6	2	3	4	5	7	8	14
50-64	1719	4.4	4	2	3	4	5	7	8	12
65+	2198	4.8	8	2	3	4	6	7	9	14
TOTAL SINGLE DX	1848	3.6	2	2	3	3	4	5	6	8
TOTAL MULTIPLE DX	5009	4.5	6	2	3	4	5	7	8	13
TOTAL										
0-19 YRS	5	3.0	4	<1	1	3	5	5	5	5
20-34	253	3.5	3	2	2	3	4	5	6	8
35-49	1217	4.0	5	2	3	4	5	6	7	13
50-64	2484	4.1	4	2	3	4	5	6	7	12
65+	2898	4.6	7	2	3	4	5	7	8	13
GRAND TOTAL	6857	4.3	5	2	3	4	5	7	8	12

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	97	2.5	5	<1	1	1	3	5	8	11
20-34	188	2.9	4	1	1	2	4	6	7	9
35-49	84	2.2	2	1	1	2	3	5	6	6
50-64	68	3.8	8	1	2	4	5	5	6	21
65+	60	3.8	3	1	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	117	4.6	[illegible]	1	1	3	6	10	13	27
20-34	206	3.8	21	1	2	3	5	7	10	23
35-49	149	5.1	33	1	2	4	6	9	13	30
50-64	190	5.0	14	2	3	4	6	9	11	21
65+	271	6.4	30	3	4	5	7	12	17	28
TOTAL SINGLE DX	497	2.9	5	1	1	2	4	5	7	10
TOTAL MULTIPLE DX	933	5.1	26	1	2	4	6	10	13	27
TOTAL										
0-19 YRS	214	3.6	18	1	1	2	5	8	11	19
20-34	394	3.3	14	1	1	2	4	6	9	16
35-49	233	4.1	24	1	2	3	5	8	10	28
50-64	258	4.6	13	2	3	4	5	8	11	22
65+	331	5.9	27	2	3	4	6	11	15	26
GRAND TOTAL	1430	4.3	20	1	2	3	5	8	11	23

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	98	2.9	12	<1	<1	2	3	6	10	20
20-34	249	2.8	6	<1	1	2	4	5	7	14
35-49	107	4.2	12	<1	1	4	5	8	12	18
50-64	65	3.0	5	1	1	3	3	6	8	12
65+	107	3.5	5	1	2	3	4	5	8	13
2. MULTIPLE DX										
0-19 YRS	183	4.5	26	1	1	3	5	10	15	30
20-34	555	3.9	15	1	1	3	5	8	11	19
35-49	323	5.2	31	1	2	4	7	10	14	29
50-64	305	5.2	35	1	3	4	6	9	16	27
65+	653	6.0	37	2	3	4	7	11	15	30
TOTAL SINGLE DX	626	3.2	8	<1	1	3	4	6	8	14
TOTAL MULTIPLE DX	2019	5.0	30	1	2	4	6	10	14	28
TOTAL										
0-19 YRS	281	3.9	22	<1	1	2	4	8	13	28
20-34	804	3.5	13	1	1	3	4	7	10	18
35-49	430	4.9	27	1	2	4	6	10	13	26
50-64	370	4.8	31	1	2	3	5	9	14	26
65+	760	5.7	34	2	3	4	6	11	14	29
GRAND TOTAL	2645	4.6	25	1	2	3	5	9	13	26

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	128	2.3	5	<1	1	2	2	4	8	15
20-34	326	1.8	2	<1	1	1	2	3	5	9
35-49	167	1.6	1	<1	<1	1	2	3	4	6
50-64	45	2.1	5	<1	<1	1	2	4	8	11
65+	36	2.6	6	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
0-19 YRS	143	4.2	50	1	2	3	4	7	10	60
20-34	394	3.2	16	1	1	2	4	6	8	20
35-49	184	5.4	66	1	2	3	7	11	16	70
50-64	152	7.4	99	1	2	5	9	18	28	99
65+	190	8.6	141	1	2	5	9	20	40	99+
TOTAL SINGLE DX	702	1.9	3	<1	<1	1	2	3	5	10
TOTAL MULTIPLE DX	1063	5.3	68	1	2	3	6	11	19	74
TOTAL										
0-19 YRS	271	3.3	30	<1	1	2	3	6	9	43
20-34	720	2.6	11	<1	1	2	3	5	7	14
35-49	351	3.6	39	<1	1	2	4	8	11	29
50-64	197	6.2	82	<1	1	3	8	16	23	94
65+	226	7.7	125	1	2	4	8	18	33	99+
GRAND TOTAL	1765	3.9	45	<1	1	2	4	8	14	41

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	3.3	8	<1	1	2	6	8	8	8
35-49	32	3.2	4	1	1	2	5	6	6	8
50-64	25	4.1	4	1	2	4	6	7	8	9
65+	38	5.4	21	2	3	4	8	10	17	21
2. MULTIPLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	29	5.1	26	1	1	3	7	12	17	21
35-49	56	7.6	48	2	3	6	9	18	22	36
50-64	69	9.2	45	2	4	8	12	18	23	32
65+	216	10.7	67	3	5	9	13	21	25	46
TOTAL SINGLE DX	109	4.2	12	1	2	3	6	8	9	20
TOTAL MULTIPLE DX	374	9.4	60	2	4	8	12	19	24	41
TOTAL										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	42	4.5	21	1	1	3	7	11	14	21
35-49	88	6.0	37	1	2	5	7	11	21	33
50-64	94	7.8	39	2	3	6	11	16	19	30
65+	254	9.9	64	2	4	8	13	21	24	45
GRAND TOTAL	483	8.2	54	1	3	6	11	18	22	35

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	91	1.5	1	<1	1	1	2	2	3	7
20-34	81	2.0	1	1	1	2	2	3	4	7
35-49	31	2.0	1	1	1	2	2	4	4	6
50-64	5	2.4	2	<1	1	3	3	4	4	4
65 +	3	5.0	3	4	4	4	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	62	2.9	7	1	1	2	4	8	9	13
20-34	135	2.7	6	1	1	2	3	5	6	12
35-49	41	3.7	27	1	1	3	4	7	13	31
50-64	16	8.3	356	1	2	3	4	12	58	78
65 +	12	9.7	70	1	3	7	14	22	28	29
TOTAL SINGLE DX	211	1.8	2	<1	1	1	2	3	4	7
TOTAL MULTIPLE DX	266	3.6	36	1	1	2	4	6	10	28
TOTAL										
0-19 YRS	153	2.1	4	<1	1	1	2	4	7	10
20-34	216	2.5	5	1	1	2	3	4	6	9
35-49	72	3.0	17	1	1	2	3	5	8	28
50-64	21	6.9	274	1	1	3	4	11	42	78
65 +	15	8.7	59	2	4	5	12	19	26	29
GRAND TOTAL	477	2.8	21	1	1	2	3	5	8	18

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	1.5		<1	<1	1	2	3	4	4
20-34	7	1.4	1	<1	<1	<1	1	3	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	30	5.0	37	<1	<1	2	7	16	26	99 +
20-34	20	8.7	134	1	2	4	10	28	37	42
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	7	12.1	56	3	9	10	15	24	26	26
65 +	20	10.9	141	1	3	7	15	27	41	46
TOTAL SINGLE DX	31	1.4	1	<1	<1	1	1	3	4	4
TOTAL MULTIPLE DX	80	7.9	93	<1	1	4	12	20	35	83
TOTAL										
0-19 YRS	51	3.5	25	<1	<1	1	4	11	18	98
20-34	27	6.8	109	<1	1	3	5	22	34	42
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	8	10.8	64	1	5	10	14	23	26	26
65 +	20	10.9	141	1	3	7	15	27	41	46
GRAND TOTAL	111	6.1	76	<1	1	2	8	16	26	66

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1556	2.3		1	2	2	3	3	3	4
20-34	8042	2.3		2	2	2	3	3	3	4
35-49	625	2.5	2	2	2	2	3	3	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2597	2.7	3	2	2	2	3	4	4	9
20-34	14254	2.6	3	2	2	2	3	4	4	7
35-49	1497	2.8	7	2	2	3	3	4	5	8
50-64	1	18.0		18	18	18	18	18	18	18
65 +	0									
TOTAL SINGLE DX	10223	2.3	1	2	2	2	3	3	3	4
TOTAL MULTIPLE DX	18349	2.6	4	2	2	2	3	4	4	8
TOTAL										
0-19 YRS	4153	2.5	2	1	2	2	3	4	4	7
20-34	22296	2.5	2	2	2	2	3	3	4	6
35-49	2122	2.7	6	2	2	2	3	4	4	7
50-64	1	18.0		18	18	18	18	18	18	18
65 +	0									
GRAND TOTAL	28572	2.5	3	2	2	2	3	3	4	6

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	2.3		1	2	2	3	3	4	5
20-34	198	2.1		1	2	2	3	3	3	4
35-49	22	1.9		1	1	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	105	2.9	23	1	1	2	3	5	6	30
20-34	624	2.6	11	1	2	2	3	4	5	12
35-49	105	3.6	29	1	2	2	3	6	14	32
50-64	0									
65 +	0									
TOTAL SINGLE DX	238	2.1	1	1	2	2	3	3	3	4
TOTAL MULTIPLE DX	834	2.3	15	1	2	2	3	4	6	18
TOTAL										
0-19 YRS	123	2.8	20	1	1	2	3	4	6	25
20-34	822	2.5	9	1	2	2	3	3	4	11
35-49	127	3.3	24	1	2	2	3	4	11	27
50-64	0									
65 +	0									
GRAND TOTAL	1072	2.6	12	1	2	2	3	4	5	17

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1382	2.1		1	2	2	2	3	3	4
20-34	8229	2.1		1	2	2	3	3	3	4
35-49	706	2.1		1	2	2	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2253	2.4	1	1	2	2	3	3	4	7
20-34	14612	2.5	3	1	2	2	3	3	4	7
35-49	1698	2.7	7	1	2	2	3	4	4	12
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
TOTAL SINGLE DX	10317	2.1	1	1	2	2	3	3	3	4
TOTAL MULTIPLE DX	18565	2.5	4	1	2	2	3	3	4	7
TOTAL										
0-19 YRS	3635	2.3	1	1	2	2	3	3	4	6
20-34	22841	2.4	2	1	2	2	3	3	4	6
35-49	2404	2.5	6	1	2	2	3	4	4	9
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
GRAND TOTAL	28882	2.4	3	1	2	2	3	3	4	6

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25890	2.0	1	1	2	2	2	3	3	4
20-34	148211	2.0		1	2	2	2	3	3	4
35-49	12673	2.1		1	2	2	3	3	3	4
50-64	12	2.2	1	1	1	2	3	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	14828	2.6	3	1	2	2	3	4	5	10
20-34	87360	2.5	4	1	2	2	3	3	4	8
35-49	9695	2.6	5	1	2	2	3	4	5	9
50-64	10	2.2	1	1	1	2	3	4	5	5
65 +	0									
TOTAL SINGLE DX	186786	2.0	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	111893	2.5	4	1	2	2	3	4	4	9
TOTAL										
0-19 YRS	40718	2.2	2	1	2	2	3	3	4	7
20-34	235571	2.2	2	1	2	2	3	3	4	6
35-49	22368	2.3	3	1	2	2	3	3	4	6
50-64	22	2.2	1	1	1	2	3	4	5	5
65 +	0									
GRAND TOTAL	298679	2.2	2	1	2	2	3	3	4	6

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2585	4.0	1	3	3	4	4	5	6	8
20-34	24588	3.9	1	3	3	4	4	5	5	7
35-49	2562	4.1	2	3	3	4	4	5	6	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	9775	5.1	8	3	4	4	5	7	9	16
20-34	87163	4.7	9	3	4	4	5	6	7	15
35-49	13170	4.9	15	3	4	4	5	6	8	21
50-64	10	5.3	25	2	3	4	4	13	19	19
65 +	0									
TOTAL SINGLE DX	29736	3.9	2	3	3	4	4	5	5	7
TOTAL MULTIPLE DX	110118	4.7	10	3	4	4	5	6	8	16
TOTAL										
0-19 YRS	12360	4.8	7	3	4	4	5	7	9	14
20-34	111751	4.5	8	3	4	4	5	6	7	14
35-49	15732	4.8	13	3	4	4	5	6	8	18
50-64	11	5.2	23	2	3	4	4	12	18	19
65 +	0									
GRAND TOTAL	139854	4.6	8	3	4	4	5	6	7	14

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	92	3.9	1	3	3	4	4	5	6	7
20-34	468	3.9	5	3	3	4	4	5	5	8
35-49	40	4.1	1	3	3	4	5	6	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	302	5.6	16	3	4	5	6	8	11	25
20-34	2091	6.3	42	3	4	5	6	10	17	37
35-49	409	7.3	65	3	4	5	7	13	20	45
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	0									
TOTAL SINGLE DX	600	3.9	5	3	3	4	4	5	6	8
TOTAL MULTIPLE DX	2804	6.4	43	3	4	5	6	10	16	37
TOTAL										
0-19 YRS	394	5.2	13	3	4	4	5	7	10	22
20-34	2559	5.9	37	3	4	4	6	9	15	35
35-49	449	7.0	60	3	4	5	7	12	19	43
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	0									
GRAND TOTAL	3404	5.9	37	3	4	4	6	9	15	35

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	2.5	1	1	1	3	3	4	4	5
20-34	405	2.8	1	1	2	3	4	4	5	7
35-49	54	2.8	2	1	1	3	4	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	38	4.0	4	2	3	4	4	6	9	12
20-34	489	3.4	3	1	2	3	4	5	6	10
35-49	82	3.7	5	1	3	3	4	6	7	15
50-64	0									
65 +	0									
TOTAL SINGLE DX	490	2.8	2	1	2	3	4	4	5	7
TOTAL MULTIPLE DX	609	3.4	4	1	2	3	4	5	6	11
TOTAL										
0-19 YRS	69	3.3	3	1	2	3	4	5	6	11
20-34	894	3.1	3	1	2	3	4	5	5	9
35-49	136	3.3	5	1	2	3	4	5	7	11
50-64	0									
65 +	0									
GRAND TOTAL	1099	3.2	3	1	2	3	4	5	6	9

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	164	1.5	2	1	1	1	2	2	2	4
20-34	194	1.4		1	1	1	2	2	2	4
35-49	27	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	36	1.9	2	1	1	2	2	4	5	9
20-34	166	2.1	4	1	1	2	2	4	6	10
35-49	39	1.7	1	1	1	2	2	3	4	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	385	1.4	1	1	1	1	2	2	2	4
TOTAL MULTIPLE DX	241	2.0	4	1	1	2	2	4	5	9
TOTAL										
0-19 YRS	200	1.6	3	1	1	1	2	2	3	7
20-34	360	1.7	2	1	1	1	2	3	4	7
35-49	66	1.6	1	1	1	1	2	2	3	6
50-64	0									
65 +	0									
GRAND TOTAL	626	1.7	2	1	1	1	2	2	4	7

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	121	3.7	27	1	1	2	4	7	9	30
20-34	565	4.1	21	1	1	2	5	9	12	25
35-49	47	4.5	32	1	1	2	5	10	19	28
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	222	5.1	32	1	2	3	6	10	15	32
20-34	925	6.0	56	1	2	4	7	12	18	44
35-49	117	6.5	45	2	3	5	8	13	15	39
50-64	0									
65 +	0									
TOTAL SINGLE DX	733	4.0	23	1	1	2	5	9	12	25
TOTAL MULTIPLE DX	1264	5.9	51	1	2	4	7	12	17	42
TOTAL										
0-19 YRS	343	4.6	32	1	2	3	6	9	13	31
20-34	1490	5.2	44	1	2	3	6	11	16	35
35-49	164	6.0	42	1	2	4	7	13	18	37
50-64	0									
65 +	0									
GRAND TOTAL	1997	5.2	42	1	2	3	6	11	15	35

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2732	1.7	1	<1	1	1	2	3	3	5
20-34	16293	1.9	1	<1	1	2	2	3	3	6
35-49	1548	1.9	1	<1	1	2	2	3	3	5
50-64	5	2.4	1	1	2	2	3	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1654	2.4	7	<1	1	2	3	4	5	14
20-34	9717	2.5	8	<1	1	2	3	4	5	13
35-49	1123	2.8	10	1	2	2	3	5	6	14
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
TOTAL SINGLE DX	20578	1.8	2	<1	1	2	2	3	3	5
TOTAL MULTIPLE DX	12496	2.5	8	<1	1	2	3	4	5	13
TOTAL										
0-19 YRS	4386	2.0	4	<1	1	2	2	3	4	8
20-34	26010	2.1	4	<1	1	2	2	3	4	9
35-49	2671	2.3	5	<1	1	2	3	3	5	10
50-64	7	2.1	1	1	1	2	3	4	4	4
65 +	0									
GRAND TOTAL	33074	2.1	4	<1	1	2	2	3	4	9

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4571	1.9	1	1	1	2	2	3	3	4
20-34	28064	1.9		1	1	2	2	3	3	4
35-49	2775	1.9		1	1	2	2	3	3	4
50-64	4	2.3	2	1	1	2	3	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5682	2.3	1	1	2	2	3	3	4	7
20-34	37125	2.3	2	1	2	2	3	3	4	6
35-49	4547	2.4	7	1	2	2	3	3	4	6
50-64	3	4.3	17	<1	1	3	7	9	9	9
65 +	0									
TOTAL SINGLE DX	35414	1.9	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	47357	2.3	3	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	10253	2.1	2	1	2	2	2	3	4	6
20-34	65189	2.1	2	1	2	2	2	3	3	5
35-49	7322	2.2	5	1	2	2	3	3	4	6
50-64	7	3.1	8	<1	1	3	4	8	9	9
65 +	0									
GRAND TOTAL	82771	2.1	2	1	2	2	3	3	3	5

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	2.6	7	1	1	1	4	6	7	16
20-34	51	3.0	7	1	1	2	3	8	9	13
35-49	45	3.4	13	1	1	3	4	7	9	20
50-64	27	4.4	12	1	1	3	6	10	11	13
65 +	22	4.0	14	<1	1	2	7	9	12	15
2. MULTIPLE DX										
0-19 YRS	74	6.2	126	1	1	3	5	15	25	71
20-34	88	4.5	38	1	2	3	5	9	17	36
35-49	95	6.7	96	1	1	3	8	16	23	59
50-64	134	8.4	93	1	2	6	11	18	27	50
65 +	143	9.8	81	1	3	7	14	24	30	37
TOTAL SINGLE DX	216	3.2	10	1	1	2	4	7	9	17
TOTAL MULTIPLE DX	534	7.5	89	1	2	4	10	18	26	45
TOTAL										
0-19 YRS	145	4.5	71	1	1	2	4	9	17	33
20-34	139	3.9	27	1	1	2	4	9	12	28
35-49	140	5.7	72	1	1	3	6	15	18	46
50-64	161	7.7	82	1	2	5	11	16	24	49
65 +	165	9.0	77	1	2	6	13	22	28	36
GRAND TOTAL	750	6.3	70	1	1	3	8	15	23	42

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	869	2.3	1	1	1	2	3	4	5	7
20-34	1421	2.0	1	1	1	2	2	3	4	5
35-49	820	2.1	1	1	1	2	2	3	4	6
50-64	173	2.0	2	1	1	2	2	3	5	7
65 +	21	2.0	3	1	1	1	2	3	7	10
2. MULTIPLE DX										
0-19 YRS	1012	3.0	10	1	2	2	3	5	7	15
20-34	1144	2.7	9	1	2	2	3	4	5	9
35-49	722	2.5	2	1	2	2	3	4	5	8
50-64	169	3.2	20	1	1	2	3	5	9	28
65 +	70	5.3	70	1	2	3	5	13	24	91
TOTAL SINGLE DX	3304	2.1	2	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	3117	2.8	10	1	2	2	3	4	6	14
TOTAL										
0-19 YRS	1881	2.7	7	1	2	2	3	4	6	11
20-34	2565	2.3	5	1	1	2	3	4	4	7
35-49	1542	2.3	2	1	1	2	3	4	5	7
50-64	342	2.6	12	1	1	2	3	4	6	21
65 +	91	4.5	57	1	1	2	4	10	22	83
GRAND TOTAL	6421	2.5	6	1	2	2	3	4	5	9

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	217	2.0	2	1	1	2	2	4	5	8
20-34	308	2.4	2	1	1	2	3	4	5	8
35-49	87	2.7	5	1	1	2	3	5	6	13
50-64	7	2.6	5	1	1	2	4	6	7	7
65 +	4	2.5	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	373	3.7	21	1	2	2	4	7	11	21
20-34	593	4.2	16	1	2	3	5	8	11	25
35-49	200	6.1	83	1	2	4	6	11	17	60
50-64	52	5.2	14	1	2	4	7	9	12	21
65 +	40	8.1	150	2	3	5	8	16	27	74
TOTAL SINGLE DX	623	2.3	3	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1258	4.5	34	1	2	3	5	8	12	27
TOTAL										
0-19 YRS	590	3.1	15	1	1	2	3	6	8	15
20-34	901	3.6	12	1	2	3	4	7	9	19
35-49	287	5.1	62	1	2	3	5	8	16	38
50-64	59	4.9	14	1	2	4	7	9	11	20
65 +	44	7.6	139	2	3	4	8	13	26	74
GRAND TOTAL	1881	3.8	24	1	2	3	4	7	10	23

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	270	2.4	3	1	1	2	3	5	6	9
20-34	735	2.8	4	1	1	2	4	5	7	10
35-49	291	2.8	6	1	1	2	3	6	7	12
50-64	63	2.4	6	1	1	1	3	5	7	14
65 +	16	2.2	3	<1	1	1	3	6	6	6
2. MULTIPLE DX										
0-19 YRS	617	5.3	31	1	2	4	6	12	16	33
20-34	1563	5.5	36	1	2	4	7	11	15	32
35-49	710	5.7	42	1	2	4	7	11	15	32
50-64	214	6.6	51	1	2	5	9	15	19	45
65 +	171	8.5	112	1	2	6	10	18	25	79
TOTAL SINGLE DX	1375	2.7	5	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	3275	5.7	42	1	2	4	7	12	16	35
TOTAL										
0-19 YRS	887	4.4	25	1	2	3	5	10	14	26
20-34	2298	4.6	28	1	2	3	6	9	13	27
35-49	1001	4.9	34	1	2	3	6	10	13	28
50-64	277	5.7	44	1	2	3	7	13	17	35
65 +	187	7.9	106	1	2	5	9	18	24	77
GRAND TOTAL	4650	4.8	33	1	2	3	6	10	14	28

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	82	2.2	1	1	1	2	3	4	5	6
20-34	58	2.9	5	1	1	2	3	5	8	14
35-49	50	2.6	6	<1	1	2	3	5	7	14
50-64	53	2.2	5	1	1	1	3	4	5	16
65 +	13	1.5	1	<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	114	3.7	24	1	2	3	4	7	11	30
20-34	106	4.0	28	1	1	2	4	9	11	33
35-49	77	3.5	10	1	1	2	4	7	12	14
50-64	78	3.0	12	1	1	2	3	7	11	19
65 +	53	5.7	38	1	2	3	8	17	22	23
TOTAL SINGLE DX	256	2.4	4	1	1	2	3	5	6	14
TOTAL MULTIPLE DX	428	3.9	23	1	1	2	4	9	13	25
TOTAL										
0-19 YRS	196	3.1	15	1	1	2	3	5	7	28
20-34	164	3.6	21	1	1	2	4	7	10	24
35-49	127	3.1	9	1	1	2	4	7	11	14
50-64	131	2.7	10	1	1	1	3	6	8	17
65 +	66	4.9	34	1	1	2	5	14	20	23
GRAND TOTAL	684	3.3	16	1	1	2	4	7	10	22

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	318	4.4	12	2	2	4	5	8	11	20
20-34	47	6.3	26	2	3	5	7	15	17	28
35-49	23	5.6	13	1	2	6	8	10	12	13
50-64	10	5.2	10	1	3	5	6	10	12	12
65 +	5	7.2	13	3	5	7	9	13	13	13
2. MULTIPLE DX										
0-19 YRS	681	5.7	45	2	3	4	6	9	12	34
20-34	76	8.0	53	3	5	6	9	12	15	51
35-49	52	7.8	46	3	4	6	8	13	27	33
50-64	36	9.9	88	3	4	7	10	27	32	44
65 +	31	13.6	93	5	8	11	16	32	42	99 +
TOTAL SINGLE DX	403	4.8	14	2	2	4	6	9	12	20
TOTAL MULTIPLE DX	876	6.5	53	2	3	5	7	11	16	42
TOTAL										
0-19 YRS	999	5.3	35	2	3	4	6	9	12	26
20-34	123	7.3	44	3	4	6	8	12	17	38
35-49	75	7.1	37	2	4	6	8	12	20	33
50-64	46	8.9	74	3	4	6	10	19	29	44
65 +	36	12.7	87	4	7	10	15	28	42	99 +
GRAND TOTAL	1279	6.0	41	2	3	4	7	10	15	34

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	688	3.5	11	1	2	2	4	7	10	15
20-34	262	3.5	9	1	1	3	4	7	10	14
35-49	309	3.7	7	1	2	3	4	6	8	15
50-64	292	3.7	3	1	2	3	5	6	7	11
65 +	70	3.4	8	1	2	3	4	7	8	17
2. MULTIPLE DX										
0-19 YRS	762	4.9	42	1	2	3	5	10	15	31
20-34	349	5.2	46	1	2	3	6	10	19	41
35-49	460	5.1	33	1	2	3	6	9	15	39
50-64	559	5.1	31	1	3	4	6	9	14	27
65 +	255	7.6	99	2	3	4	8	16	26	58
TOTAL SINGLE DX	1621	3.6	9	1	2	3	4	7	9	14
TOTAL MULTIPLE DX	2385	5.3	46	1	2	4	6	11	16	39
TOTAL										
0-19 YRS	1450	4.2	29	1	2	3	4	9	13	25
20-34	611	4.5	31	1	2	3	5	9	12	28
35-49	769	4.5	24	1	2	3	5	8	12	32
50-64	851	4.7	23	1	2	4	5	8	11	25
65 +	325	6.7	83	1	2	4	7	14	21	57
GRAND TOTAL	4006	4.6	32	1	2	3	5	9	13	30

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	171	1.8		1	1	2	2	3	4	4
20-34	309	1.9	1	<1	1	2	2	3	4	5
35-49	380	1.9		<1	1	2	2	3	4	5
50-64	313	1.9	1	1	1	2	3	3	4	6
65+	125	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	279	1.8	1	1	1	2	2	3	4	5
20-34	584	2.0	2	<1	1	2	2	3	4	7
35-49	1123	2.1	2	<1	1	2	3	4	5	7
50-64	1476	2.2	2	1	1	2	3	4	5	7
65+	1155	2.7	10	1	1	2	3	5	6	12
TOTAL SINGLE DX	1298	1.9	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	4617	2.3	5	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	450	1.8	1	1	1	2	2	3	4	5
20-34	893	1.9	2	<1	1	2	2	3	4	6
35-49	1503	2.1	2	<1	1	2	3	3	4	6
50-64	1789	2.1	2	1	1	2	3	4	5	7
65+	1280	2.6	9	1	1	2	3	4	5	11
GRAND TOTAL	5915	2.2	4	1	1	2	3	4	5	7

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	431	3.7	29	1	1	2	4	7	11	26
20-34	135	4.4	34	1	1	3	5	9	12	29
35-49	91	4.0	18	1	2	3	4	9	17	22
50-64	52	3.2	6	1	2	2	4	6	10	12
65+	27	3.9	14	1	2	3	4	11	14	14
2. MULTIPLE DX										
0-19 YRS	251	10.9	179	1	3	7	13	26	36	65
20-34	195	12.6	226	2	3	7	18	37	66	99+
35-49	151	13.7	327	1	3	5	19	40	62	93
50-64	120	11.4	194	1	3	7	13	35	49	75
65+	248	15.9	245	3	6	12	20	41	51	99+
TOTAL SINGLE DX	736	3.8	27	1	1	2	4	8	11	24
TOTAL MULTIPLE DX	965	13.1	234	1	3	8	17	35	50	99+
TOTAL										
0-19 YRS	682	6.3	97	1	1	3	7	16	24	56
20-34	330	9.2	164	1	2	4	11	27	46	99+
35-49	242	10.1	233	1	2	4	10	28	48	80
50-64	172	8.9	152	1	2	4	10	25	40	64
65+	275	14.8	236	2	4	10	18	38	50	98
GRAND TOTAL	1701	9.1	165	1	2	4	11	24	39	89

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1657	2.9	13	1	1	2	3	6	8	22
20-34	1510	3.1	12	1	1	2	3	6	9	19
35-49	1221	2.9	8	1	1	2	3	5	8	15
50-64	685	3.0	12	1	1	2	4	6	8	13
65+	341	3.9	10	1	2	3	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	1159	7.2	86	1	2	4	8	17	27	46
20-34	1815	6.7	83	1	2	3	8	17	26	50
35-49	1980	6.7	103	1	2	3	7	16	26	61
50-64	1909	7.9	113	1	2	4	9	21	30	59
65+	2108	10.3	129	1	3	6	14	24	35	61
TOTAL SINGLE DX	5414	3.0	12	1	1	2	3	6	9	18
TOTAL MULTIPLE DX	8971	7.9	107	1	2	4	10	20	29	54
TOTAL										
0-19 YRS	2816	4.6	48	1	1	2	5	10	18	40
20-34	3325	5.1	55	1	1	3	5	11	20	45
35-49	3201	5.2	71	1	1	3	5	12	19	50
50-64	2594	6.6	92	1	2	3	7	17	25	52
65+	2449	9.4	117	1	2	6	12	23	31	60
GRAND TOTAL	14385	6.0	77	1	1	3	7	15	23	48

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	997	4.6	32	1	2	3	5	8	16	30
20-34	108	6.4	25	2	4	5	8	12	13	31
35-49	73	5.4	42	2	3	4	6	9	11	45
50-64	72	6.6	23	3	4	6	7	11	13	33
65+	194	8.6	34	3	5	8	11	14	16	30
2. MULTIPLE DX										
0-19 YRS	564	7.8	80	1	2	4	9	21	29	53
20-34	208	11.1	125	3	5	8	14	20	30	62
35-49	155	12.2	129	3	5	9	15	27	38	58
50-64	268	12.0	108	4	6	9	14	24	31	64
65+	1555	13.2	101	5	8	11	15	23	33	67
TOTAL SINGLE DX	1444	5.4	34	1	2	4	6	10	16	31
TOTAL MULTIPLE DX	2750	11.7	106	3	6	9	14	23	32	64
TOTAL										
0-19 YRS	1561	5.7	52	1	2	3	6	12	22	39
20-34	316	9.5	96	3	4	7	11	18	26	50
35-49	228	10.0	112	2	4	7	12	21	35	56
50-64	340	10.8	95	4	5	8	12	21	28	60
65+	1749	12.7	97	5	7	10	15	22	32	66
GRAND TOTAL	4194	9.6	90	2	4	7	12	19	27	53

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	475	3.2	14	1	1	2	3	6	8	23
20-34	489	3.4	20	1	1	2	4	6	8	16
35-49	243	3.9	18	1	2	3	4	7	12	19
50-64	141	3.7	8	1	2	3	5	7	10	15
65+	60	5.1	27	1	2	4	6	9	11	31
2. MULTIPLE DX										
0-19 YRS	474	4.3	41	1	1	2	4	9	16	34
20-34	501	5.5	49	1	2	3	7	12	18	43
35-49	409	5.7	47	1	2	4	6	13	19	38
50-64	313	6.9	63	2	3	4	8	15	21	49
65+	295	9.9	105	2	3	7	13	19	30	58
TOTAL SINGLE DX	1408	3.5	17	1	1	2	4	7	9	21
TOTAL MULTIPLE DX	1992	6.1	61	1	2	4	7	14	20	45
TOTAL										
0-19 YRS	949	3.7	28	1	1	2	4	7	12	27
20-34	990	4.5	36	1	2	3	5	9	13	35
35-49	652	5.1	38	1	2	3	5	10	16	32
50-64	454	5.9	48	1	2	4	7	12	18	48
65+	355	9.1	95	2	3	6	12	18	30	54
GRAND TOTAL	3400	5.1	44	1	2	3	6	11	17	35

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1077	2.2	14	<1	1	1	2	3	5	23
20-34	1172	2.2	6	<1	1	1	3	4	6	11
35-49	664	2.4	6	<1	1	2	3	5	6	13
50-64	397	2.5	10	1	1	1	3	5	8	17
65+	333	3.0	13	<1	1	2	4	6	10	18
2. MULTIPLE DX										
0-19 YRS	1071	3.5	47	<1	1	2	3	7	11	36
20-34	874	4.9	67	1	1	3	5	11	17	68
35-49	671	5.5	51	1	2	3	6	12	20	44
50-64	546	6.3	105	1	2	3	7	12	23	59
65+	936	8.8	124	1	2	5	11	19	30	65
TOTAL SINGLE DX	3643	2.3	10	<1	1	1	2	4	6	15
TOTAL MULTIPLE DX	4098	5.7	82	1	1	3	6	13	21	56
TOTAL										
0-19 YRS	2148	2.8	31	<1	1	1	2	5	9	31
20-34	2046	3.3	34	1	1	2	3	7	11	29
35-49	1335	3.9	32	1	1	2	4	8	14	31
50-64	943	4.7	69	1	1	2	5	10	16	55
65+	1269	7.3	102	1	2	4	9	16	24	56
GRAND TOTAL	7741	4.1	51	1	1	2	4	9	15	42

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	274	10.2	96	2	3	6	15	24	31	43
20-34	99	7.5	20	4	5	6	9	12	16	27
35-49	68	6.6	27	3	4	5	8	10	12	37
50-64	114	7.3	74	4	5	6	7	10	11	61
65+	247	9.2	35	4	6	8	11	14	16	36
2. MULTIPLE DX										
0-19 YRS	318	13.7	108	4	6	11	18	26	37	49
20-34	270	11.7	63	5	7	10	14	19	25	42
35-49	152	13.5	146	5	7	10	16	26	38	82
50-64	285	11.1	67	5	7	10	13	20	25	63
65+	2164	13.5	120	6	8	10	15	24	35	85
TOTAL SINGLE DX	802	8.6	61	3	4	7	10	17	23	39
TOTAL MULTIPLE DX	3189	13.1	111	6	7	10	15	23	33	77
TOTAL										
0-19 YRS	592	12.1	106	3	5	9	[illegible]	25	34	46
20-34	369	10.6	55	4	6	9	13	17	24	38
35-49	220	11.4	119	4	6	8	12	23	33	79
50-64	399	10.0	73	4	6	8	11	16	23	60
65+	2411	13.0	113	6	8	10	14	23	33	82
GRAND TOTAL	3991	12.3	104	5	7	10	14	22	32	71

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	391	6.0	21	2	3	5	8	11	13	26
20-34	273	8.6	41	4	5	7	10	14	18	38
35-49	259	7.8	44	4	4	6	9	12	17	27
50-64	407	8.7	33	4	6	8	10	13	17	29
65+	1369	10.5	31	6	7	9	13	16	19	31
2. MULTIPLE DX										
0-19 YRS	611	11.9	96	4	6	9	14	22	32	52
20-34	859	13.6	104	5	7	11	17	25	35	67
35-49	774	13.7	130	5	7	10	16	26	38	67
50-64	1670	13.5	110	6	8	11	15	24	34	73
65+	14966	14.3	105	6	8	12	16	26	36	72
TOTAL SINGLE DX	2699	9.1	35	4	6	8	11	15	18	31
TOTAL MULTIPLE DX	18880	14.1	107	6	8	11	16	25	35	71
TOTAL										
0-19 YRS	1002	9.8	75	3	5	7	11	18	26	47
20-34	1132	12.4	94	5	7	10	15	23	31	58
35-49	1033	12.2	115	4	6	9	14	23	32	63
50-64	2077	12.5	99	5	7	10	14	22	31	67
65+	16335	14.0	101	6	8	11	16	25	34	70
GRAND TOTAL	21579	13.5	101	6	8	11	16	24	33	68

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	794	7.3	71	1	2	3	10	21	24	38
20-34	24	10.0	95	3	4	6	9	27	34	36
35-49	17	10.1	316	1	2	5	8	23	58	75
50-64	14	12.[illegible]	87	1	6	10	16	25	32	34
65 +	41	6.9	45	2	3	5	8	15	27	29
2. MULTIPLE DX										
0-19 YRS	562	12.3	155	2	3	7	19	29	37	59
20-34	100	15.6	247	4	6	11	18	33	51	81
35-49	58	12.6	135	3	5	9	16	27	34	66
50-64	62	19.1	350	4	7	12	26	49	62	99 +
65 +	353	14.1	235	3	5	9	16	34	50	75
TOTAL SINGLE DX	890	7.5	76	1	2	4	10	21	24	38
TOTAL MULTIPLE DX	1135	13.5	200	2	4	9	18	30	43	75
TOTAL										
0-19 YRS	1356	9.4	112	1	2	5	14	24	29	44
20-34	124	14.5	222	4	5	10	17	31	45	78
35-49	75	12.0	174	2	4	8	15	26	34	73
50-64	76	17.8	308	3	7	12	24	46	56	99 +
65 +	394	13.4	221	3	5	8	15	32	48	75
GRAND TOTAL	2025	10.9	155	1	3	6	15	26	35	69

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1173	2.0	6	1	1	1	2	3	5	15
20-34	380	3.1	11	1	1	2	4	6	8	17
35-49	307	3.2	12	1	1	2	4	6	9	16
50-64	207	2.7	4	1	1	2	3	6	7	10
65 +	156	2.8	10	1	1	2	3	6	8	15
2. MULTIPLE DX										
0-19 YRS	331	4.6	38	1	1	2	5	11	17	43
20-34	333	6.4	43	1	2	4	7	14	21	35
35-49	284	6.4	64	1	2	4	7	13	21	34
50-64	246	6.7	72	1	2	4	8	14	24	53
65 +	478	7.7	95	1	2	5	10	17	23	56
TOTAL SINGLE DX	2223	2.5	8	1	1	2	3	5	7	15
TOTAL MULTIPLE DX	1672	6.5	66	1	2	4	8	14	21	48
TOTAL										
0-19 YRS	1504	2.6	14	1	1	1	2	5	8	19
20-34	713	4.7	29	1	2	3	6	9	15	31
35-49	591	4.8	40	1	2	3	5	10	15	29
50-64	453	4.9	46	1	2	3	6	10	15	49
65 +	634	6.5	79	1	2	4	8	14	20	52
GRAND TOTAL	3895	4.2	37	1	1	2	5	9	14	31

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4145	2.4	4	1	1	2	3	4	6	11
20-34	5165	3.2	6	1	2	3	4	6	7	12
35-49	4147	3.5	8	1	2	3	4	6	8	15
50-64	2662	3.9	8	1	2	3	5	7	9	14
65 +	1491	4.5	11	2	2	4	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	2016	5.0	37	1	2	3	6	11	15	35
20-34	4441	6.2	53	1	2	4	7	13	18	41
35-49	3843	6.4	55	2	3	4	8	13	19	41
50-64	3389	6.8	59	2	3	5	8	13	19	44
65 +	4468	8.3	67	2	4	6	10	16	22	46
TOTAL SINGLE DX	17610	3.3	8	1	2	3	4	6	8	13
TOTAL MULTIPLE DX	18157	6.8	58	2	3	5	8	14	19	42
TOTAL										
0-19 YRS	6161	3.3	17	1	1	2	4	6	9	21
20-34	9606	4.6	31	1	2	3	5	9	13	29
35-49	7990	4.9	33	1	2	3	6	9	14	30
50-64	6051	5.6	39	2	3	4	6	10	14	31
65 +	5959	7.4	56	2	3	5	9	14	20	41
GRAND TOTAL	35767	5.1	36	1	2	3	6	10	14	31

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4594	1.9	5	1	1	1	2	3	5	13
20-34	1102	2.9	9	1	1	2	3	5	7	15
35-49	863	2.9	9	1	1	2	4	5	7	13
50-64	570	2.9	5	1	1	2	4	6	8	13
65 +	516	3.4	14	1	1	2	4	7	10	18
2. MULTIPLE DX										
0-19 YRS	1666	4.8	61	1	1	2	5	10	18	44
20-34	1123	5.8	51	1	2	4	7	12	18	43
35-49	948	6.3	73	1	2	4	7	14	19	49
50-64	969	6.3	59	1	2	4	8	13	21	35
65 +	2225	8.2	105	2	3	5	10	17	26	69
TOTAL SINGLE DX	7645	2.3	8	1	1	1	3	4	6	14
TOTAL MULTIPLE DX	6931	6.5	77	1	2	4	7	14	21	51
TOTAL										
0-19 YRS	6260	2.7	22	1	1	1	2	5	8	23
20-34	2225	4.4	33	1	1	3	5	9	13	33
35-49	1811	4.7	46	1	2	3	5	9	15	39
50-64	1539	5.1	42	1	2	3	6	11	16	33
65 +	2741	7.3	92	1	2	4	9	15	23	64
GRAND TOTAL	14576	4.3	45	1	1	2	5	9	14	35

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	393	4.8	25	1	2	3	6	13	17	23
20-34	53	4.8	35	1	2	3	5	10	19	32
35-49	31	5.0	19	1	2	4	7	11	16	18
50-64	80	3.3	20	1	1	2	4	7	10	29
65 +	279	3.9	12	1	1	3	5	9	12	17
2. MULTIPLE DX										
0-19 YRS	331	6.0	26	2	3	4	7	14	17	24
20-34	136	8.8	91	2	3	6	11	16	29	50
35-49	65	9.6	81	2	3	8	13	20	30	42
50-64	121	8.7	121	1	2	4	11	22	34	51
65 +	519	8.5	118	1	3	5	10	19	25	73
TOTAL SINGLE DX	836	4.4	21	1	1	3	5	10	15	22
TOTAL MULTIPLE DX	1172	7.9	89	2	3	5	10	17	23	43
TOTAL										
0-19 YRS	724	5.4	26	1	2	4	6	14	17	23
20-34	189	7.7	79	1	2	5	9	16	22	46
35-49	96	8.1	66	1	3	6	10	16	26	40
50-64	201	6.5	88	1	1	3	6	18	29	42
65 +	798	6.9	86	1	2	4	8	15	20	43
GRAND TOTAL	2008	6.4	64	1	2	4	8	15	19	36

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	321	1.8	4	<1	1	1	2	3	4	10
20-34	435	2.0	2	1	1	2	3	3	4	8
35-49	250	2.1	3	<1	1	1	2	4	5	9
50-64	121	2.0	2	1	1	1	2	4	5	9
65 +	83	2.4	5	1	1	2	3	5	6	13
2. MULTIPLE DX										
0-19 YRS	151	4.1	22	1	1	2	5	9	14	24
20-34	327	3.9	17	1	1	3	4	8	12	23
35-49	228	4.3	27	1	1	3	5	9	13	31
50-64	195	5.0	52	1	1	3	6	10	14	31
65 +	315	7.3	85	1	2	4	9	16	26	69
TOTAL SINGLE DX	1210	2.0	3	1	1	1	2	4	5	9
TOTAL MULTIPLE DX	1216	5.0	45	1	1	3	6	11	17	32
TOTAL										
0-19 YRS	472	2.5	11	1	1	1	3	5	8	20
20-34	762	2.8	10	1	1	2	3	6	8	20
35-49	478	3.1	16	1	1	2	4	6	9	24
50-64	316	3.8	35	1	1	2	4	8	11	23
65 +	398	6.3	72	1	2	3	8	14	22	63
GRAND TOTAL	2426	3.5	26	1	1	2	4	7	11	26

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	865	3.9	21	1	1	2	5	9	14	23
20-34	555	3.1	10	<1	1	2	4	6	8	16
35-49	372	3.2	13	<1	1	2	4	6	11	19
50-64	195	4.0	17	1	1	2	5	10	12	22
65 +	129	6.0	52	1	2	4	7	12	16	41
2. MULTIPLE DX										
0-19 YRS	982	6.6	61	1	2	3	8	16	22	42
20-34	759	4.7	37	1	1	3	5	11	15	25
35-49	661	6.1	85	1	1	3	6	14	25	53
50-64	568	9.9	159	1	2	5	13	25	34	73
65 +	852	15.1	244	2	5	10	20	37	52	84
TOTAL SINGLE DX	2116	3.7	19	1	1	2	4	8	12	22
TOTAL MULTIPLE DX	3822	8.5	131	1	2	4	10	21	31	62
TOTAL										
0-19 YRS	1847	5.3	44	1	1	3	7	14	19	33
20-34	1314	4.0	27	1	1	2	4	9	13	22
35-49	1033	5.1	62	1	1	2	5	12	19	46
50-64	763	8.4	129	1	2	4	10	22	31	66
65 +	981	13.9	229	2	4	9	18	33	50	78
GRAND TOTAL	5938	5.8	96	1	2	3	8	16	25	56

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	38	2.5	5	1	1	2	3	4	7	13
35-49	37	3.0	7	1	1	2	4	6	9	15
50-64	9	1.9		1	1	2	3	3	3	3
65 +	3	5.0	48	1	1	1	10	13	13	13
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	3.0	3	1	2	2	4	6	6	6
35-49	15	3.1	4	1	2	3	5	7	72	99 +
50-64	6	8.5	87	1	4	6	7	25	27	27
65 +	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	90	2.7	7	1	1	2	3	5	8	14
TOTAL MULTIPLE DX	30	4.1	23	1	2	3	5	7	26	99 +
TOTAL										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	45	2.6	5	1	1	2	3	5	7	13
35-49	52	3.0	7	1	1	2	4	6	10	97
50-64	15	4.5	43	1	1	3	5	7	22	27
65 +	4	4.3	34	1	1	2	7	13	13	13
GRAND TOTAL	120	3.0	11	1	1	2	4	6	9	48

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	300	4.1	9	2	3	3	5	7	8	17
20-34	6817	4.3	7	2	3	4	5	7	9	14
35-49	11256	4.3	7	2	3	4	5	7	9	15
50-64	4406	4.6	8	2	3	4	6	8	10	16
65 +	1120	5.6	12	3	3	5	7	9	12	21
2. MULTIPLE DX										
0-19 YRS	120	9.8	109	2	3	7	11	24	34	99 +
20-34	2695	6.0	23	2	3	5	7	10	14	27
35-49	6849	5.9	22	2	3	5	7	10	14	26
50-64	5188	6.7	30	3	4	5	8	12	16	28
65 +	3882	9.2	59	3	5	7	11	17	23	44
TOTAL SINGLE DX	23899	4.4	8	2	3	4	5	7	9	15
TOTAL MULTIPLE DX	18734	6.9	35	3	4	5	8	13	17	32
TOTAL										
0-19 YRS	420	5.7	44	2	3	4	6	11	19	40
20-34	9512	4.8	13	2	3	4	6	8	11	18
35-49	18105	4.9	14	2	3	4	[illegible]	9	11	19
50-64	9594	5.8	21	2	3	5	7	10	14	23
65 +	5002	8.4	51	3	4	7	10	15	21	40
GRAND TOTAL	42633	5.5	21	2	3	4	7	10	13	24

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	190	1.6	1	<1	<1	1	2	3	4	7
20-34	360	1.7	1	<1	<1	1	2	3	4	6
35-49	294	1.6	1	<1	<1	1	2	3	4	6
50-64	133	1.8	2	<1	<1	1	2	4	5	9
65 +	51	1.9	5	<1	<1	1	2	4	6	15
2. MULTIPLE DX										
0-19 YRS	453	2.4	3	<1	1	2	3	4	5	6
20-34	1109	2.6	11	<1	1	2	3	4	5	11
35-49	707	2.2	3	<1	1	2	3	4	5	10
50-64	640	2.4	8	<1	1	1	3	5	7	15
65 +	453	3.0	21	<1	1	1	3	5	11	28
TOTAL SINGLE DX	1028	1.7	2	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	3362	2.5	9	<1	1	2	3	4	6	14
TOTAL										
0-19 YRS	643	2.2	3	<1	1	2	3	4	4	6
20-34	1469	2.4	9	<1	1	2	3	4	5	9
35-49	1001	2.0	3	<1	<1	1	3	4	5	9
50-64	773	2.3	7	<1	1	1	3	5	6	15
65 +	504	2.9	20	<1	1	1	3	5	10	27
GRAND TOTAL	4390	2.3	8	<1	1	2	3	4	5	12

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	354	2.2	5	<1	<1	1	3	4	6	14
20-34	491	1.9	3	<1	<1	1	2	3	5	10
35-49	247	1.9	3	<1	<1	1	2	4	5	9
50-64	142	2.5	8	<1	<1	1	3	4	8	14
65 +	52	2.0	4	<1	<1	1	2	4	4	15
2. MULTIPLE DX										
0-19 YRS	328	3.7	43	<1	1	2	3	6	11	36
20-34	550	2.9	13	<1	1	2	3	6	8	23
35-49	409	3.1	18	<1	1	2	3	6	12	21
50-64	281	3.8	38	<1	1	2	3	8	16	34
65 +	212	8.4	106	1	1	4	13	25	34	46
TOTAL SINGLE DX	1286	2.0	5	<1	<1	1	2	4	5	12
TOTAL MULTIPLE DX	1780	3.9	38	<1	1	2	4	8	15	37
TOTAL										
0-19 YRS	682	2.9	24	<1	1	2	3	5	8	25
20-34	1041	2.4	9	<1	1	1	3	4	7	15
35-49	656	2.6	13	<1	1	1	3	5	9	18
50-64	423	3.3	29	<1	1	2	3	7	12	27
65 +	264	7.1	93	<1	1	3	9	21	31	42
GRAND TOTAL	3066	3.1	25	<1	1	2	3	6	11	28

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	320	3.2	37	<1	1	1	3	7	10	22
20-34	438	2.1	4	<1	1	1	2	4	6	12
35-49	413	2.2	6	<1	1	1	2	4	6	14
50-64	220	2.9	17	<1	1	2	3	6	8	20
65 +	100	2.9	11	<1	1	2	3	5	11	19
2. MULTIPLE DX										
0-19 YRS	356	5.5	61	<1	1	3	7	16	20	49
20-34	655	4.1	44	<1	1	2	4	9	15	37
35-49	802	4.9	65	<1	1	2	4	13	19	43
50-64	718	6.3	94	1	1	3	7	17	24	49
65 +	733	9.4	142	1	2	4	12	24	38	65
TOTAL SINGLE DX	1491	2.6	15	<1	1	1	3	5	8	16
TOTAL MULTIPLE DX	3264	6.1	88	<1	1	2	7	16	24	51
TOTAL										
0-19 YRS	676	4.5	51	<1	1	2	5	11	17	39
20-34	1093	3.3	30	<1	1	2	3	7	12	28
35-49	1215	4.0	47	<1	1	2	4	9	16	36
50-64	938	5.5	78	1	1	2	6	14	22	47
65 +	833	8.6	132	1	2	4	11	22	35	60
GRAND TOTAL	4755	5.0	68	<1	1	2	5	13	20	46

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	830	7.6	9	5	6	7	9	10	13	19
20-34	462	6.3	11	3	4	6	8	10	13	17
35-49	820	5.7	12	2	3	5	7	9	12	19
50-64	356	5.7	11	2	3	5	7	10	12	18
65+	67	7.5	49	3	4	6	8	12	15	49
2. MULTIPLE DX										
0-19 YRS	1229	11.3	68	6	7	9	12	20	27	78
20-34	819	10.9	106	4	6	8	13	21	36	99+
35-49	1419	8.3	43	3	4	7	10	15	21	38
50-64	997	10.1	108	3	5	7	11	19	28	93
65+	646	12.6	112	4	7	9	15	25	31	71
TOTAL SINGLE DX	2535	6.5	13	3	4	6	8	10	13	19
TOTAL MULTIPLE DX	5110	10.3	83	4	6	8	12	20	27	81
TOTAL										
0-19 YRS	2059	9.9	48	5	7	8	10	16	23	51
20-34	1281	9.3	77	3	5	7	10	17	25	99+
35-49	2239	7.3	33	3	4	6	9	13	18	31
50-64	1353	8.9	87	3	4	7	10	16	24	75
65+	713	12.1	108	4	6	9	15	24	31	69
GRAND TOTAL	7645	9.1	63	3	5	7	10	16	23	60

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	163	2.8	2	1	1	3	4	5	6	9
20-34	383	2.8	3	1	1	2	4	5	6	9
35-49	411	3.1	3	1	2	3	4	5	6	9
50-64	416	3.0	3	1	1	3	4	5	6	9
65+	159	3.2	5	1	1	2	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	287	3.6	10	1	2	3	4	6	9	20
20-34	470	4.2	37	1	2	3	4	7	10	31
35-49	583	3.9	14	1	2	3	5	7	9	19
50-64	607	4.1	23	1	2	3	5	7	9	21
65+	506	5.5	46	1	2	4	6	10	15	35
TOTAL SINGLE DX	1532	3.0	4	1	2	3	4	5	6	9
TOTAL MULTIPLE DX	2453	4.3	28	1	2	3	5	7	11	27
TOTAL										
0-19 YRS	450	3.3	8	1	2	3	4	5	8	18
20-34	853	3.5	23	1	2	3	4	6	8	16
35-49	994	3.6	10	1	2	3	4	6	8	15
50-64	1023	3.6	16	1	2	3	4	6	8	16
65+	665	4.9	37	1	2	4	6	9	13	32
GRAND TOTAL	3985	3.8	19	1	2	3	4	7	9	20

735: Total hip replacement (81.51; 81.59*) *(pre-October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	9.9	28	6	7	8	10	19	23	24
20-34	125	7.8	6	5	6	7	9	11	13	15
35-49	393	8.1	14	5	6	8	9	11	13	19
50-64	1363	8.6	8	5	7	8	10	12	14	18
65+	2417	9.5	12	6	7	9	11	13	15	22
2. MULTIPLE DX										
0-19 YRS	35	10.1	15	5	8	9	12	14	20	21
20-34	315	9.5	38	6	7	8	11	14	18	47
35-49	905	10.3	52	6	7	9	11	15	21	44
50-64	3421	10.4	32	6	7	9	12	15	19	35
65+	10952	12.1	52	7	8	10	14	18	25	47
TOTAL SINGLE DX	4311	9.0	12	6	7	8	10	13	15	20
TOTAL MULTIPLE DX	15628	11.6	49	7	8	10	13	18	23	45
TOTAL										
0-19 YRS	48	10.0	18	6	8	9	12	17	20	24
20-34	440	9.0	30	5	6	8	10	13	16	43
35-49	1298	9.7	42	6	7	8	11	14	18	39
50-64	4784	9.9	27	6	7	9	11	14	17	33
65+	13369	11.6	47	7	8	10	13	17	23	44
GRAND TOTAL	19939	11.0	42	6	8	10	12	16	21	40

736: Other arthroplasty of hip (81.40; 81.52-81.53; 81.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	3.7	4	2	2	3	5	6	8	11
20-34	28	7.8	20	3	5	7	9	11	14	26
35-49	76	8.1	6	5	6	8	9	12	13	15
50-64	246	9.4	37	5	7	8	11	14	16	25
65+	1141	10.6	18	6	8	10	12	16	18	26
2. MULTIPLE DX										
0-19 YRS	79	7.1	26	3	4	6	9	14	17	27
20-34	76	10.1	58	5	6	8	11	18	27	87
35-49	187	11.3	53	6	7	10	13	18	25	42
50-64	792	12.9	76	6	8	11	15	22	29	56
65+	8917	14.1	90	7	9	12	16	24	32	70
TOTAL SINGLE DX	1528	10.1	22	6	7	9	12	15	18	26
TOTAL MULTIPLE DX	10051	13.9	89	7	9	11	16	24	31	67
TOTAL										
0-19 YRS	116	6.0	22	2	3	5	7	13	15	25
20-34	104	9.5	49	5	6	8	10	17	24	74
35-49	263	10.4	42	5	7	9	12	16	21	40
50-64	1038	12.1	69	6	8	10	14	20	26	52
65+	10058	13.7	84	7	9	11	15	23	30	65
GRAND TOTAL	11579	13.4	82	7	8	11	15	22	30	62

737: Total knee replacement (81.41; 81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	10.8	10	7	9	10	13	16	16	16
20-34	31	7.3	13	3	4	7	9	12	14	16
35-49	171	8.3	8	5	6	8	10	12	14	17
50-64	1418	8.5	8	5	7	8	10	12	14	18
65 +	2960	9.2	11	6	7	9	11	13	15	19
2. MULTIPLE DX										
0-19 YRS	12	8.9	23	1	6	9	12	15	17	17
20-34	62	9.0	18	5	6	8	11	14	17	27
35-49	299	10.6	36	6	7	9	12	16	20	36
50-64	3093	10.0	17	6	7	9	11	15	17	24
65 +	10750	11.0	30	7	8	10	13	16	19	31
TOTAL SINGLE DX	4586	9.0	11	6	7	8	10	13	15	19
TOTAL MULTIPLE DX	14216	10.8	28	7	8	10	12	16	19	30
TOTAL										
0-19 YRS	18	9.6	19	3	7	10	12	15	17	17
20-34	93	8.4	17	4	6	8	11	14	17	24
35-49	470	9.7	28	6	7	9	11	15	17	34
50-64	4511	9.5	15	6	7	9	11	14	16	23
65 +	13710	10.6	27	6	8	10	12	15	18	29
GRAND TOTAL	18802	10.3	24	6	8	9	12	15	18	28

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1381	2.8	1	1	2	3	3	4	5	7
20-34	2115	3.0	1	1	2	3	4	5	5	7
35-49	655	3.1	2	1	2	3	4	5	6	8
50-64	186	5.2	10	2	3	4	7	9	11	15
65 +	164	7.2	13	3	5	7	9	12	14	17
2. MULTIPLE DX										
0-19 YRS	1542	3.1	3	1	2	3	4	5	6	10
20-34	3219	3.3	5	1	2	3	4	5	6	13
35-49	1205	3.6	8	1	2	3	4	6	8	14
50-64	415	6.0	28	1	3	5	8	11	14	30
65 +	644	8.9	43	3	5	8	11	15	19	37
TOTAL SINGLE DX	4501	3.2	4	1	2	3	4	5	6	11
TOTAL MULTIPLE DX	7025	4.0	13	2	2	3	4	7	10	18
TOTAL										
0-19 YRS	2923	2.9	2	1	2	3	4	4	5	9
20-34	5334	3.2	4	1	2	3	4	5	6	11
35-49	1860	3.4	6	1	2	3	4	6	7	13
50-64	601	5.7	23	2	3	5	8	10	13	24
65 +	808	8.6	38	3	5	8	10	14	17	36
GRAND TOTAL	11526	3.7	10	1	2	3	4	6	9	15

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.56-81.59*; 81.71; 81.73-81.74; 81.80-81.81; 81.84; 81.86) *(post October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	2.1	1	1	1	2	3	4	5	5
20-34	74	2.6	4	1	1	2	3	5	9	11
35-49	155	3.0	5	1	2	2	4	6	8	13
50-64	332	3.4	9	1	1	2	4	7	10	17
65 +	337	4.5	11	1	2	3	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	7	3.6	11	1	1	2	7	9	9	9
20-34	75	4.3	45	1	2	2	5	8	14	45
35-49	252	4.7	26	1	2	3	6	9	12	30
50-64	550	5.0	20	1	2	4	7	10	14	22
65 +	966	6.9	46	2	3	5	9	13	17	34
TOTAL SINGLE DX	917	3.6	10	1	2	3	5	8	10	15
TOTAL MULTIPLE DX	1850	5.9	37	1	2	4	8	12	15	31
TOTAL										
0-19 YRS	26	2.5	4	1	1	2	3	5	8	9
20-34	149	3.4	26	1	1	2	3	6	10	24
35-49	407	4.1	19	1	2	3	5	8	11	22
50-64	882	4.4	17	1	2	3	6	10	13	22
65 +	1303	6.3	39	2	3	5	8	12	16	32
GRAND TOTAL	2767	5.2	29	1	2	4	7	11	14	25

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1009	1.9		1	1	2	2	3	4	5
20-34	2302	2.0	1	1	1	2	2	3	4	5
35-49	1365	2.0	2	1	1	2	2	3	4	5
50-64	957	2.1	1	1	1	2	3	3	4	6
65 +	358	2.7	2	1	2	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	358	2.5	7	1	1	2	3	4	5	16
20-34	1029	2.4	5	1	1	2	3	4	5	11
35-49	1350	2.3	4	1	1	2	3	4	5	8
50-64	1570	2.6	5	1	1	2	3	4	5	11
65 +	999	3.6	16	1	2	3	4	6	9	18
TOTAL SINGLE DX	5991	2.0	2	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	5306	2.7	8	1	1	2	3	4	6	13
TOTAL										
0-19 YRS	1367	2.0	3	1	1	2	2	3	4	8
20-34	3331	2.1	3	1	1	2	3	3	4	7
35-49	2715	2.1	3	1	1	2	3	4	4	7
50-64	2527	2.4	4	1	1	2	3	4	5	9
65 +	1357	3.4	13	1	2	3	4	6	8	16
GRAND TOTAL	11297	2.3	5	1	1	2	3	4	5	9

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	665	3.2	11	<1	1	2	4	7	11	17
20-34	432	3.3	11	<1	1	2	4	7	9	18
35-49	263	3.0	7	<1	1	2	4	7	9	12
50-64	200	2.7	8	<1	<1	2	3	5	7	13
65 +	87	3.0	8	<1	<1	2	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	1343	4.8	38	1	2	3	5	9	14	44
20-34	650	6.8	65	1	2	4	8	15	22	57
35-49	581	7.2	73	1	2	5	8	16	27	68
50-64	535	7.2	65	1	2	5	9	16	23	45
65 +	542	8.8	97	1	3	6	10	21	29	51
TOTAL SINGLE DX	1647	3.1	10	<1	1	2	4	7	9	17
TOTAL MULTIPLE DX	3651	6.4	64	1	2	4	7	14	22	51
TOTAL										
0-19 YRS	2008	4.1	30	1	1	3	4	8	13	31
20-34	1082	5.4	47	1	2	3	6	12	18	40
35-49	844	5.8	57	1	2	4	7	12	22	52
50-64	735	6.0	54	1	2	3	7	14	20	41
65 +	629	8.0	89	1	2	5	9	19	29	51
GRAND TOTAL	5298	5.4	50	1	2	3	6	12	18	43

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	520	2.1	4	<1	<1	1	2	4	6	11
20-34	294	2.0	7	<1	<1	1	2	4	7	14
35-49	307	2.2	8	<1	<1	1	2	5	7	16
50-64	253	2.4	7	<1	1	1	3	6	8	16
65 +	139	3.1	16	<1	1	2	3	7	12	21
2. MULTIPLE DX										
0-19 YRS	345	7.9	140	1	1	4	10	18	30	83
20-34	239	7.1	79	1	2	4	9	18	26	51
35-49	394	7.6	106	1	2	4	10	17	26	58
50-64	466	8.0	109	1	2	4	10	19	30	59
65 +	727	11.3	166	1	3	7	14	26	37	73
TOTAL SINGLE DX	1513	2.2	7	<1	<1	1	2	5	7	15
TOTAL MULTIPLE DX	2171	8.9	139	1	2	5	11	21	31	71
TOTAL										
0-19 YRS	865	4.4	67	<1	1	2	4	10	17	49
20-34	533	4.3	46	<1	<1	2	4	11	18	35
35-49	701	5.2	70	<1	1	2	6	13	19	50
50-64	719	6.0	81	<1	1	2	7	16	24	47
65 +	866	10.0	168	1	2	5	13	23	36	72
GRAND TOTAL	3684	6.2	96	<1	1	2	7	16	24	57

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.8	1	<1	<1	1	2	4	5	5
20-34	34	3.0	8	<1	1	2	4	6	8	15
35-49	50	1.6	2	<1	1	1	2	3	4	8
50-64	153	1.2		<1	1	1	1	2	2	5
65 +	112	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX										
0-19 YRS	37	4.5	107	1	1	2	4	8	14	63
20-34	72	4.1	21	1	1	3	6	9	11	29
35-49	68	4.8	42	1	1	3	6	9	13	44
50-64	128	2.1	4	1	1	1	2	5	7	10
65 +	188	2.3	16	1	1	1	2	4	6	19
TOTAL SINGLE DX	373	1.5	2	<1	1	1	1	3	4	8
TOTAL MULTIPLE DX	493	3.0	25	1	1	1	3	7	9	21
TOTAL										
0-19 YRS	61	3.4	67	<1	1	1	3	5	9	58
20-34	106	3.8	18	1	1	3	5	8	10	23
35-49	118	3.4	28	1	1	2	4	8	10	29
50-64	281	1.6	2	<1	1	1	1	3	5	10
65 +	300	1.9	11	1	1	1	2	3	5	14
GRAND TOTAL	866	2.4	16	<1	1	1	2	5	8	15

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	365	1.5	1	<1	1	1	2	2	3	7
20-34	417	1.8	1	<1	1	1	2	4	4	8
35-49	197	1.7	2	<1	1	1	2	3	4	9
50-64	95	1.6		<1	1	1	2	3	4	5
65 +	33	1.5	1	<1	1	1	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	488	2.0	5	<1	1	1	2	3	5	14
20-34	752	2.7	13	1	1	2	3	5	8	26
35-49	374	2.7	24	1	1	2	3	5	7	21
50-64	182	2.6	5	1	1	2	3	6	7	11
65 +	104	2.9	7	1	1	2	3	6	9	16
TOTAL SINGLE DX	1107	1.6	2	<1	1	1	2	3	4	7
TOTAL MULTIPLE DX	1900	2.5	12	1	1	2	3	5	7	17
TOTAL										
0-19 YRS	853	1.8	4	<1	1	1	2	3	5	10
20-34	1169	2.4	9	<1	1	1	3	5	7	14
35-49	571	2.4	17	<1	1	1	2	4	6	18
50-64	277	2.2	4	<1	1	1	3	5	6	10
65 +	137	2.5	7	1	1	2	3	5	7	15
GRAND TOTAL	3007	2.2	9	<1	1	1	2	4	6	13

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	290	2.2	4	1	1	2	3	4	6	10
20-34	682	2.2	2	1	1	2	3	4	5	9
35-49	1058	2.2	1	1	1	2	3	4	5	8
50-64	1182	2.5	1	1	2	2	3	4	5	7
65 +	545	2.8	2	1	2	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	260	2.9	12	1	1	2	3	6	8	24
20-34	643	3.7	20	1	1	2	4	7	11	23
35-49	953	3.5	26	1	2	2	4	6	9	22
50-64	1505	3.5	14	1	2	3	4	6	9	20
65 +	1249	4.6	34	1	2	3	5	8	13	36
TOTAL SINGLE DX	3757	2.4	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	4610	3.8	23	1	2	3	4	7	10	23
TOTAL										
0-19 YRS	550	2.5	8	1	1	2	3	5	7	14
20-34	1325	2.9	12	1	1	2	3	6	7	16
35-49	2011	2.8	14	1	1	2	3	5	7	15
50-64	2687	3.0	9	1	2	2	3	5	7	15
65 +	1794	4.0	26	1	2	3	4	7	10	24
GRAND TOTAL	8367	3.1	14	1	2	2	3	5	8	18

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1420	2.2	1	1	1	2	3	4	5	8
20-34	556	2.3	1	1	1	2	3	4	5	7
35-49	593	2.2	2	1	1	2	3	4	5	8
50-64	277	2.6	3	1	1	2	3	4	5	9
65 +	111	3.9	7	1	2	4	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	1815	2.8	19	1	1	2	3	4	6	22
20-34	537	5.0	62	1	2	3	5	10	20	61
35-49	405	4.8	54	1	2	3	5	9	17	50
50-64	358	6.1	87	1	2	3	6	15	24	63
65 +	390	8.0	101	1	3	5	9	17	29	79
TOTAL SINGLE DX	2957	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	3505	4.3	49	1	1	2	4	8	15	44
TOTAL										
0-19 YRS	3235	2.5	12	1	1	2	3	4	5	10
20-34	1093	3.7	33	1	1	2	4	6	9	39
35-49	998	3.3	25	1	1	2	3	5	8	28
50-64	635	4.6	54	1	2	3	4	8	18	44
65 +	501	7.1	83	1	3	4	6	15	25	68
GRAND TOTAL	6462	3.4	29	1	1	2	3	6	9	31

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	2.2	19	<1	1	1	2	3	6	30
20-34	154	2.3	5	1	1	2	3	4	7	10
35-49	133	2.3	4	1	1	2	2	4	6	13
50-64	58	2.0	6	<1	1	1	2	3	4	18
65 +	28	1.8	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	77	6.3	123	1	1	2	6	15	35	59
20-34	197	4.9	50	1	1	3	5	10	17	39
35-49	203	6.0	64	1	1	3	7	18	26	40
50-64	166	7.3	109	1	1	3	9	17	30	57
65 +	169	6.9	77	1	1	3	9	18	25	48
TOTAL SINGLE DX	456	2.2	8	1	1	1	2	4	6	12
TOTAL MULTIPLE DX	812	6.2	79	1	1	3	7	16	25	44
TOTAL										
0-19 YRS	160	4.2	73	1	1	1	3	8	16	41
20-34	351	3.8	33	1	1	2	4	8	11	32
35-49	336	4.5	44	1	1	2	4	10	20	37
50-64	224	6.0	88	1	1	2	6	15	26	48
65 +	197	6.2	70	1	1	3	8	17	25	44
[illegible] TOTAL	1268	4.8	57	1	1	2	5	11	19	39

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	6.8	50	1	2	4	8	18	24	25
20-34	12	3.8	6	1	2	3	6	7	8	8
35-49	10	5.7	34	<1	2	3	8	16	18	18
50-64	4	8.0	102	1	2	4	14	23	23	23
65 +	0									
2. MULTIPLE DX										
0-19 YRS	13	23.5	417	4	6	20	33	59	67	69
20-34	34	14.0	225	1	5	8	19	37	46	64
35-49	19	17.5	227	3	4	10	32	41	42	43
50-64	28	11.8	213	2	4	7	12	43	63	99 +
65 +	44	13.3	148	3	4	10	19	27	49	99 +
TOTAL SINGLE DX	38	5.7	36	1	2	4	7	15	21	25
TOTAL MULTIPLE DX	138	14.7	220	2	4	8	21	39	52	99 +
TOTAL										
0-19 YRS	25	15.4	305	1	4	7	21	37	59	69
20-34	46	11.3	187	1	3	6	13	36	41	64
35-49	29	13.4	190	2	3	7	20	39	41	43
50-64	32	11.3	197	2	4	6	12	38	59	99 +
65 +	44	13.3	148	3	4	10	19	27	49	99 +
GRAND TOTAL	176	12.7	194	2	3	7	18	37	47	91

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	2.7	12	< 1	1	1	3	6	7	24
20-34	29	3.8	17	1	1	3	4	8	10	22
35-49	39	5.6	44	1	2	3	6	15	21	31
50-64	37	4.2	9	1	2	3	6	9	11	13
65 +	53	5.3	25	1	2	4	8	12	16	23
2. MULTIPLE DX										
0-19 YRS	55	9.9	207	1	2	3	11	34	45	63
20-34	152	9.5	91	1	3	6	13	22	34	45
35-49	557	12.8	133	3	6	10	15	26	37	64
50-64	1162	14.2	142	3	6	11	18	28	36	63
65 +	1841	13.7	158	3	6	10	17	28	39	72
TOTAL SINGLE DX	211	4.3	23	1	1	2	5	9	13	24
TOTAL MULTIPLE DX	3767	13.5	149	3	6	10	17	28	38	66
TOTAL										
0-19 YRS	108	6.3	124	< 1	1	2	6	13	35	55
20-34	181	8.6	84	1	3	6	11	20	29	45
35-49	596	12.3	131	2	5	9	15	26	36	61
50-64	1199	13.9	141	3	6	11	18	28	36	62
65 +	1894	13.5	156	3	6	10	17	28	39	72
GRAND TOTAL	3978	13.0	146	2	5	10	17	28	37	65

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	5.6	14	2	3	4	8	12	14	14
20-34	11	6.8	14	4	4	5	9	13	15	15
35-49	14	7.0	10	4	4	6	8	11	14	15
50-64	16	10.0	25	4	6	9	13	18	19	20
65 +	20	13.4	75	5	8	11	17	23	33	41
2. MULTIPLE DX										
0-19 YRS	20	21.9	366	5	10	15	49	99 +	99 +	99 +
20-34	93	18.5	292	4	8	13	20	46	66	92
35-49	280	18.6	189	6	9	15	24	34	53	74
50-64	780	20.8	256	7	10	16	26	43	54	92
65 +	1977	19.6	224	7	10	15	25	40	54	99 +
TOTAL SINGLE DX	70	9.3	41	4	5	8	12	18	20	38
TOTAL MULTIPLE DX	3150	19.8	232	7	10	15	25	41	55	99 +
TOTAL										
0-19 YRS	29	16.8	312	3	5	13	38	99 +	99 +	99 +
20-34	104	17.3	276	4	6	12	19	41	64	90
35-49	294	18.0	187	5	9	14	22	34	53	74
50-64	796	20.6	254	7	10	16	26	42	54	91
65 +	1997	19.6	223	7	10	15	25	40	54	99 +
GRAND TOTAL	3220	19.6	230	6	9	15	25	41	54	99 +

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	6.8	16	2	4	5	9	13	13	13
20-34	4	10.3	17	5	7	11	13	14	14	14
35-49	5	6.0	2	4	5	6	7	8	8	8
50-64	8	10.5	82	4	5	7	13	26	30	30
65 +	46	11.5	89	4	6	8	16	24	38	99 +
2. MULTIPLE DX										
0-19 YRS	36	13.6	202	3	6	9	19	42	89	99 +
20-34	37	15.6	160	4	7	12	20	42	50	99 +
35-49	100	20.1	265	7	9	15	28	40	51	90
50-64	379	20.9	317	6	9	15	27	49	81	99 +
65 +	2180	16.0	181	6	8	12	20	34	50	99 +
TOTAL SINGLE DX	81	10.0	66	4	5	8	13	20	33	82
TOTAL MULTIPLE DX	2732	16.8	206	6	8	13	21	36	55	99 +
TOTAL										
0-19 YRS	54	11.3	149	2	5	8	13	31	65	99 +
20-34	41	15.0	148	4	7	12	19	39	50	99 +
35-49	105	19.4	262	6	8	14	27	38	50	89
50-64	387	20.7	315	6	9	15	27	48	81	99 +
65 +	2226	15.9	180	5	8	12	20	33	50	99 +
GRAND TOTAL	2813	16.6	203	5	8	13	21	36	55	99 +

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	3.5	12	1	1	3	4	6	11	17
20-34	7	9.6	59	2	3	7	16	20	21	21
35-49	10	7.3	27	2	5	5	9	16	17	17
50-64	10	9.7	27	4	5	9	15	16	17	17
65 +	8	19.0	212	4	7	13	32	39	42	42
2. MULTIPLE DX										
0-19 YRS	37	12.2	176	2	3	6	20	42	79	99 +
20-34	57	20.9	334	4	9	15	28	56	64	98
35-49	181	19.9	274	5	9	15	26	46	66	99 +
50-64	388	18.9	241	5	8	15	23	41	57	88
65 +	618	20.7	244	7	9	16	28	43	57	99 +
TOTAL SINGLE DX	59	8.0	71	1	3	5	12	17	27	41
TOTAL MULTIPLE DX	1281	19.8	251	5	9	15	26	43	60	99 +
TOTAL										
0-19 YRS	61	8.8	129	1	2	4	14	32	46	99 +
20-34	64	19.7	316	4	7	15	25	50	63	97
35-49	191	19.2	270	5	8	14	25	44	66	99 +
50-64	398	18.7	238	5	8	15	23	41	55	87
65 +	626	20.6	243	7	9	16	28	43	56	99 +
GRAND TOTAL	1340	19.3	249	5	8	15	26	42	58	99 +

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	56	3.6	13	1	1	2	5	8	10	20
20-34	50	5.8	22	1	3	5	8	10	14	29
35-49	30	5.7	17	1	3	5	7	11	12	21
50-64	7	5.9	18	2	3	4	8	13	14	14
65 +	4	3.3	5	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	42	5.9	40	1	2	5	8	9	11	41
20-34	47	8.3	53	3	5	6	10	15	18	47
35-49	35	7.3	25	3	4	6	8	13	21	24
50-64	25	7.9	31	2	4	7	9	13	23	24
65 +	14	10.6	111	3	4	6	13	31	34	35
TOTAL SINGLE DX	147	4.9	18	1	2	4	7	10	12	21
TOTAL MULTIPLE DX	163	7.6	46	2	4	6	8	13	23	40
TOTAL										
0-19 YRS	98	4.6	26	1	1	3	7	9	10	31
20-34	97	7.0	39	2	4	6	8	13	16	39
35-49	65	6.6	22	2	4	6	8	12	15	24
50-64	32	7.5	29	2	4	6	9	13	22	24
65 +	18	9.0	96	2	4	5	8	28	33	35
GRAND TOTAL	310	6.3	35	1	3	5	8	12	15	33

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	1.9	1	<1	1	1	3	3	4	6
20-34	43	4.0	17	1	1	3	5	8	13	23
35-49	27	2.9	5	<1	1	2	4	6	7	10
50-64	18	3.8	11	1	2	3	4	8	12	14
65 +	28	4.9	16	1	2	4	7	11	13	15
2. MULTIPLE DX										
0-19 YRS	38	3.6	20	1	1	2	4	10	19	99 +
20-34	69	8.2	184	1	2	4	8	22	28	97
35-49	87	12.1	190	1	3	7	14	29	43	68
50-64	203	10.6	125	2	4	8	13	23	30	75
65 +	341	12.0	158	2	4	8	15	28	43	99 +
TOTAL SINGLE DX	160	3.4	11	1	1	2	4	7	10	15
TOTAL MULTIPLE DX	738	10.8	152	2	3	7	14	27	39	99 +
TOTAL										
0-19 YRS	82	2.7	11	1	1	2	3	6	9	76
20-34	112	6.6	124	1	2	3	7	14	27	91
35-49	114	9.9	162	1	2	5	11	25	38	66
50-64	221	10.0	120	2	3	7	12	23	30	69
65 +	369	11.5	152	2	4	8	15	27	42	99 +
GRAND TOTAL	898	9.5	135	1	2	6	12	24	32	88

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	5	1.8		1	1	2	2	3	3	3
35-49	3	3.7		3	3	4	4	4	4	4
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	6	10.7	202	<1	1	2	29	29	29	29
20-34	1	14.0		14	14	14	14	14	14	14
35-49	6	10.5	126	3	6	7	27	87	99 +	99 +
50-64	9	14.4	190	2	5	7	25	37	41	41
65 +	14	11.0	64	6	6	9	12	16	32	37
TOTAL SINGLE DX	12	2.8	2	1	2	3	4	5	5	5
TOTAL MULTIPLE DX	36	11.8	117	2	6	8	14	32	40	99 +
TOTAL										
0-19 YRS	6	10.7	202	<1	1	2	29	29	29	29
20-34	6	3.8	25	1	1	2	3	13	14	14
35-49	9	8.2	90	2	4	6	8	66	99 +	99 +
50-64	11	12.5	173	2	3	7	20	34	40	41
65 +	16	10.1	63	5	6	8	12	14	30	37
GRAND TOTAL	48	9.6	103	1	3	6	12	30	37	99 +

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	74	1.5	2	<1	<1	1	1	3	4	10
20-34	264	1.7	2	<1	<1	<1	2	3	4	8
35-49	975	1.9	3	<1	<1	1	2	3	4	8
50-64	934	1.9	2	<1	<1	1	2	4	5	7
65+	621	2.2	6	<1	<1	1	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	33	6.8	200	1	1	2	4	15	43	69
20-34	206	5.4	52	<1	1	3	6	15	20	36
35-49	1004	3.9	32	<1	1	2	4	9	14	29
50-64	1335	4.5	47	<1	1	2	5	10	15	39
65+	1996	6.0	60	1	2	3	8	14	21	45
TOTAL SINGLE DX	2868	1.9	3	<1	<1	1	2	4	5	7
TOTAL MULTIPLE DX	4574	5.1	52	<1	1	3	6	12	18	39
TOTAL										
0-19 YRS	107	3.2	68	<1	<1	1	2	5	11	56
20-34	470	3.3	28	<1	<1	1	3	7	14	27
35-49	1979	2.9	19	<1	1	2	3	5	9	23
50-64	2269	3.4	30	<1	1	2	4	7	11	29
65+	2617	5.1	50	<1	1	3	6	12	18	40
GRAND TOTAL	7442	3.9	35	<1	1	2	4	8	14	32

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	1.4		1	1	1	2	3	3	3
20-34	39	3.0	5	1	2	2	4	5	8	15
35-49	225	3.2	2	2	2	3	4	5	6	9
50-64	204	3.2	4	1	2	3	4	5	6	12
65+	212	3.4	2	2	2	3	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	8	2.5	1	1	1	2	3	4	4	4
20-34	69	3.7	6	1	2	3	4	6	9	16
35-49	364	3.8	17	2	2	3	4	6	7	28
50-64	428	4.2	18	2	2	3	5	7	9	21
65+	809	5.7	50	2	3	4	6	10	17	46
TOTAL SINGLE DX	705	3.2	3	1	2	3	4	5	6	9
TOTAL MULTIPLE DX	1678	4.8	34	2	2	3	5	8	12	34
TOTAL										
0-19 YRS	33	1.7	1	1	1	1	2	3	4	4
20-34	108	3.4	6	1	2	3	4	6	9	16
35-49	589	3.6	12	2	2	3	4	6	7	14
50-64	632	3.9	14	1	2	3	4	6	8	18
65+	1021	5.2	42	2	3	4	5	9	15	39
GRAND TOTAL	2383	4.3	26	2	2	3	5	7	10	30

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.2	2	1	2	3	4	5	5	5
20-34	191	3.8	3	2	3	3	4	6	7	11
35-49	1313	3.5	2	2	2	3	4	5	6	8
50-64	1974	3.7	3	2	2	3	4	6	7	10
65+	2039	3.9	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	243	4.0	3	2	3	4	5	6	7	12
35-49	1947	4.1	6	2	3	4	5	6	8	13
50-64	3591	4.5	10	2	3	4	5	7	9	16
65+	6591	5.3	18	2	3	4	6	9	12	23
TOTAL SINGLE DX	5522	3.7	3	2	3	3	5	6	7	9
TOTAL MULTIPLE DX	12373	4.9	14	2	3	4	6	8	10	19
TOTAL										
0-19 YRS	6	2.8	3	1	1	3	4	5	5	5
20-34	434	3.9	3	2	3	4	5	6	7	11
35-49	3260	3.8	5	2	3	3	5	6	7	11
50-64	5565	4.2	8	2	3	4	5	7	8	13
65+	8630	5.0	15	2	3	4	6	8	10	20
GRAND TOTAL	17895	4.5	11	2	3	4	5	7	9	17

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	588	1.8	1	1	1	2	2	3	3	5
20-34	1132	2.0	2	1	1	2	2	3	4	6
35-49	902	2.1	2	1	1	2	3	4	5	7
50-64	410	2.2	2	1	1	2	3	4	5	8
65+	101	2.1	1	1	1	2	3	4	4	8
2. MULTIPLE DX										
0-19 YRS	243	2.3	3	1	1	2	3	4	5	9
20-34	842	2.7	8	1	1	2	3	4	6	16
35-49	1675	2.7	5	1	1	2	3	5	7	12
50-64	990	2.9	7	1	1	2	3	6	8	13
65+	334	4.1	34	1	2	3	4	8	11	38
TOTAL SINGLE DX	3133	2.0	2	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	4084	2.8	9	1	1	2	3	5	7	15
TOTAL										
0-19 YRS	831	1.9	2	1	1	2	2	3	4	7
20-34	1974	2.3	5	1	1	2	3	4	5	11
35-49	2577	2.5	4	1	1	2	3	5	6	11
50-64	1400	2.7	6	1	1	2	3	5	7	12
65+	435	3.6	27	1	2	2	4	7	10	23
GRAND TOTAL	7217	2.5	6	1	1	2	3	4	6	11

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	538	1.9	1	1	1	1	2	4	4	7
20-34	982	2.0	2	1	1	1	2	3	4	8
35-49	204	2.0	2	1	1	2	3	4	4	7
50-64	39	2.1	3	1	1	1	2	4	6	10
65+	7	1.9	2	<1	1	1	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	115	4.4	73	1	1	2	4	7	12	46
20-34	230	3.2	19	1	1	2	3	7	11	33
35-49	103	3.5	10	1	1	2	4	8	11	16
50-64	39	5.2	78	1	1	2	5	11	19	52
65+	20	6.2	59	1	2	4	7	11	24	36
TOTAL SINGLE DX	1770	1.9	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	507	3.8	36	1	1	2	4	7	11	42
TOTAL										
0-19 YRS	653	2.3	15	1	1	1	2	4	5	12
20-34	1212	2.2	6	1	1	2	2	4	5	12
35-49	307	2.5	6	1	1	2	3	4	7	14
50-64	78	3.6	43	1	1	2	3	7	11	43
65+	27	5.0	47	<1	2	3	6	9	16	36
GRAND TOTAL	2277	2.3	10	1	1	2	3	4	6	14

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1140	2.0	9	<1	<1	1	2	4	6	19
20-34	509	2.3	21	<1	<1	1	2	4	6	12
35-49	524	2.3	7	<1	<1	1	2	5	8	15
50-64	423	2.2	12	<1	<1	1	2	5	7	20
65+	325	2.3	11	<1	<1	1	2	6	8	16
2. MULTIPLE DX										
0-19 YRS	853	6.9	98	1	1	3	7	18	28	49
20-34	759	8.9	145	1	2	5	10	24	36	99
35-49	1001	7.9	76	1	2	5	10	19	27	47
50-64	1131	8.7	101	1	2	6	11	20	28	76
65+	2049	10.7	132	1	4	7	14	23	35	83
TOTAL SINGLE DX	2921	2.2	12	<1	<1	1	2	4	7	16
TOTAL MULTIPLE DX	5793	9.0	115	1	2	6	12	21	31	73
TOTAL										
0-19 YRS	1993	4.1	53	<1	<1	1	4	10	18	41
20-34	1268	6.3	106	<1	1	2	7	16	29	70
35-49	1525	6.0	60	<1	1	3	8	15	23	38
50-64	1554	6.9	86	<1	1	4	9	17	24	59
65+	2374	9.5	124	<1	2	6	13	21	32	77
GRAND TOTAL	8714	6.7	91	<1	1	3	8	17	25	61

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	794	4.4	32	1	1	3	5	10	14	28
20-34	1004	4.9	37	1	2	3	6	10	14	28
35-49	564	6.2	48	1	2	4	8	14	19	39
50-64	296	6.6	60	1	2	4	8	15	22	44
65+	228	8.9	69	1	3	6	12	20	25	39
2. MULTIPLE DX										
0-19 YRS	1935	9.8	149	1	2	6	13	23	34	76
20-34	2888	11.2	187	2	3	7	14	28	41	93
35-49	2645	13.7	194	2	4	9	18	33	46	99
50-64	3103	15.8	230	3	6	11	20	37	51	99+
65+	5903	18.7	275	5	8	14	25	45	65	99+
TOTAL SINGLE DX	2886	5.5	45	1	2	3	7	12	18	32
TOTAL MULTIPLE DX	16474	15.0	235	2	5	10	20	37	53	99+
TOTAL										
0-19 YRS	2729	8.2	121	1	2	4	10	21	29	70
20-34	3892	9.6	157	1	2	5	12	24	36	87
35-49	3209	12.4	177	2	4	8	16	31	43	85
50-64	3399	15.0	223	3	5	10	20	36	49	99+
65+	6131	18.4	271	4	8	14	24	44	62	99+
GRAND TOTAL	19360	13.6	218	2	4	9	18	33	49	99+

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1914	3.2	12	1	1	2	4	7	9	15
20-34	1638	3.7	10	1	1	3	5	7	9	15
35-49	1043	3.7	17	1	1	3	5	7	9	16
50-64	560	4.1	19	1	1	3	5	8	11	27
65+	454	4.4	22	1	1	3	6	9	13	28
2. MULTIPLE DX										
0-19 YRS	4431	4.7	41	1	1	3	5	10	16	34
20-34	6157	5.0	48	1	1	3	6	11	17	41
35-49	4427	6.7	64	1	2	4	8	14	22	45
50-64	3557	8.0	82	1	3	5	10	17	24	54
65+	5869	9.2	109	2	3	6	11	20	30	70
TOTAL SINGLE DX	5609	3.6	14	1	1	3	5	7	10	16
TOTAL MULTIPLE DX	24441	6.7	73	1	2	4	8	15	22	49
TOTAL										
0-19 YRS	6345	4.2	34	1	1	3	5	9	14	30
20-34	7795	4.7	41	1	1	3	5	10	15	35
35-49	5470	6.1	57	1	2	4	7	13	20	43
50-64	4117	7.5	76	1	2	5	9	16	23	51
65+	6323	8.9	104	1	3	6	11	19	29	67
GRAND TOTAL	30050	6.1	64	1	2	4	7	13	20	45

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	395	4.8	33	1	1	2	6	12	16	26
20-34	248	6.4	60	1	1	4	8	15	20	40
35-49	209	5.7	37	1	1	3	7	12	19	31
50-64	120	5.3	33	1	2	3	6	14	17	29
65 +	140	8.4	108	1	2	6	10	18	23	53
2. MULTIPLE DX										
0-19 YRS	708	13.0	196	1	3	9	18	29	45	91
20-34	638	14.0	207	2	5	10	19	31	46	99 +
35-49	609	15.6	230	2	5	11	21	35	51	91
50-64	632	15.3	197	2	5	11	22	35	49	99 +
65 +	1118	17.2	240	3	7	13	23	38	56	99 +
TOTAL SINGLE DX	1112	5.8	51	1	1	3	8	14	19	32
TOTAL MULTIPLE DX	3705	15.3	220	2	5	11	21	35	51	99 +
TOTAL										
0-19 YRS	1103	10.1	153	1	2	6	13	24	38	79
20-34	886	11.9	178	1	3	8	16	27	42	87
35-49	818	13.0	200	1	3	8	18	32	44	87
50-64	752	13.7	184	2	4	9	20	32	44	99 +
65 +	1258	16.2	233	3	6	12	22	38	53	99 +
GRAND TOTAL	4817	13.1	196	1	3	9	18	31	44	90

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	135	3.3	20	<1	1	1	4	7	11	26
20-34	90	3.1	10	<1	1	2	4	7	9	17
35-49	56	4.4	37	<1	1	2	5	15	16	27
50-64	43	3.8	46	<1	1	1	3	7	22	33
65 +	21	7.1	399	<1	1	3	4	7	47	94
2. MULTIPLE DX										
0-19 YRS	187	7.8	124	1	1	3	10	24	43	99 +
20-34	229	13.0	218	1	2	7	19	39	51	99 +
35-49	206	12.6	261	1	2	6	17	40	51	74
50-64	179	13.4	218	1	3	9	19	34	47	95
65 +	270	16.3	269	2	4	11	23	44	58	99 +
TOTAL SINGLE DX	345	3.7	46	<1	1	2	4	8	13	29
TOTAL MULTIPLE DX	1071	12.9	230	1	2	7	18	38	51	99 +
TOTAL										
0-19 YRS	322	5.9	85	<1	1	2	6	17	27	99 +
20-34	319	10.2	179	1	2	4	15	30	46	99 +
35-49	262	10.9	224	1	1	4	14	32	49	70
50-64	222	11.6	199	1	2	7	17	30	45	88
65 +	291	15.7	283	1	4	10	22	42	58	99 +
GRAND TOTAL	1416	10.7	201	1	2	5	15	31	47	99 +

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	848	2.6	12	<1	1	1	3	6	8	18
20-34	554	4.3	18	1	1	3	6	9	13	20
35-49	442	3.3	16	1	1	2	3	7	10	22
50-64	252	3.6	52	1	1	2	3	7	12	47
65 +	165	5.1	59	1	1	3	6	13	16	45
2. MULTIPLE DX										
0-19 YRS	1283	4.8	39	1	1	3	6	11	16	33
20-34	1172	7.2	82	1	2	4	8	16	26	50
35-49	1333	7.4	85	1	2	5	9	16	24	52
50-64	1464	8.9	110	1	2	6	11	20	29	65
65 +	2454	13.4	168	3	6	10	16	29	44	99 +
TOTAL SINGLE DX	2261	3.4	23	<1	1	2	4	8	11	21
TOTAL MULTIPLE DX	7706	9.1	119	1	3	6	11	21	31	71
TOTAL										
0-19 YRS	2131	4.0	30	<1	1	2	5	9	14	28
20-34	1726	6.2	64	1	2	4	7	13	20	42
35-49	1775	6.4	72	1	2	4	8	14	21	47
50-64	1716	8.2	105	1	2	5	10	19	27	65
65 +	2619	12.9	166	2	5	9	16	28	43	99 +
GRAND TOTAL	9967	7.8	103	1	2	5	10	18	28	62

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20 34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	3.3	32	<1	1	1	3	6	15	30
20-34	16	10.3	187	1	2	4	15	35	43	46
35-49	25	4.3	49	1	1	2	4	8	21	34
50-64	15	2.5	5	1	1	2	3	8	8	8
65+	12	6.5	55	1	2	3	8	17	26	27
2. MULTIPLE DX										
0-19 YRS	145	5.9	84	1	2	3	7	14	19	99+
20-34	58	10.1	171	1	2	5	11	25	37	62
35-49	58	8.9	109	2	3	5	10	27	36	45
50-64	78	9.3	161	1	3	5	12	21	28	80
65+	183	9.1	60	3	4	7	12	19	25	37
TOTAL SINGLE DX	99	4.9	65	1	1	2	4	13	24	42
TOTAL MULTIPLE DX	522	8.3	101	2	3	5	10	20	26	58
TOTAL										
0-19 YRS	176	5.5	76	1	2	3	6	14	18	96
20-34	74	10.1	172	1	2	4	12	26	42	61
35-49	83	7.5	95	1	2	4	8	19	32	44
50-64	93	8.2	142	1	2	4	10	19	26	73
65+	195	9.0	60	2	4	6	12	19	25	37
GRAND TOTAL	621	7.8	97	1	2	4	9	19	26	51

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	177	2.1	10	1	1	1	2	4	6	23
20-34	1975	2.2	8	1	1	1	2	5	7	14
35-49	3268	2.0	5	1	1	1	2	4	7	12
50-64	1734	2.0	6	1	1	1	2	4	7	13
65+	599	2.2	9	1	1	1	2	5	7	18
2. MULTIPLE DX										
0-19 YRS	229	3.3	21	1	1	2	4	9	13	99+
20-34	1357	3.8	21	1	1	2	5	9	11	23
35-49	2835	3.7	24	1	1	2	5	9	13	26
50-64	2485	4.3	39	1	1	2	5	11	15	28
65+	2336	6.1	58	1	1	3	9	15	20	40
TOTAL SINGLE DX	7753	2.0	7	1	1	1	2	5	7	13
TOTAL MULTIPLE DX	9242	4.5	38	1	1	2	6	11	15	29
TOTAL										
0-19 YRS	406	2.8	17	1	1	1	3	7	10	32
20-34	3332	2.8	14	1	1	1	3	7	9	17
35-49	6103	2.8	15	1	1	1	3	7	10	19
50-64	4219	3.3	27	1	1	1	3	9	12	22
65+	2935	5.3	51	1	1	2	7	13	19	33
GRAND TOTAL	16995	3.4	25	1	1	1	4	9	12	23

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	175	2.2	5	1	1	1	2	5	8	12
20-34	293	3.0	16	1	1	2	3	7	10	17
35-49	358	3.1	14	1	1	1	3	7	11	20
50-64	418	2.7	10	1	1	1	3	6	8	16
65+	460	2.6	8	1	1	1	3	6	9	15
2. MULTIPLE DX										
0-19 YRS	239	5.3	43	1	1	3	8	13	19	38
20-34	400	6.3	54	1	2	4	8	14	19	39
35-49	853	6.8	74	1	2	4	9	14	19	53
50-64	1857	6.5	51	1	2	5	8	14	19	37
65+	3370	6.5	41	1	2	5	9	14	18	32
TOTAL SINGLE DX	1704	2.8	11	1	1	1	3	6	9	17
TOTAL MULTIPLE DX	6719	6.5	49	1	2	5	9	14	18	36
TOTAL										
0-19 YRS	414	4.0	30	1	1	2	5	10	14	33
20-34	693	4.9	41	1	1	3	6	12	17	33
35-49	1211	5.7	59	1	1	3	7	13	17	45
50-64	2275	5.8	46	1	1	4	8	13	18	35
65+	3830	6.1	39	1	2	4	8	13	17	31
GRAND TOTAL	8423	5.8	44	1	1	4	8	13	17	33

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	1.3	[illegible]	1	1	1	2	2	2	2
20-34	6	2.3	4	<1	1	1	4	6	6	6
35-49	69	2.8	6	<1	1	2	4	7	8	12
50-64	127	2.9	11	<1	1	2	3	7	8	21
65+	146	3.2	9	<1	1	2	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	74	2.7	15	1	1	1	2	7	13	20
20-34	23	3.5	7	<1	1	2	6	7	8	8
35-49	275	3.7	13	<1	1	2	5	8	10	14
50-64	717	3.8	18	<1	1	2	5	8	10	19
65+	774	5.1	24	<1	2	4	7	11	14	23
TOTAL SINGLE DX	363	2.9	9	<1	1	2	4	7	9	16
TOTAL MULTIPLE DX	1863	4.3	20	<1	1	3	6	9	12	21
TOTAL										
0-19 YRS	89	2.5	13	1	1	1	2	4	11	20
20-34	29	3.2	7	<1	1	1	6	7	8	8
35-49	344	3.5	12	<1	1	2	5	8	10	13
50-64	844	3.6	17	<1	1	2	5	8	9	19
65+	920	4.8	23	<1	1	3	7	10	14	22
GRAND TOTAL	2226	4.1	19	<1	1	2	6	9	12	20

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	427	2.6	8	1	1	2	3	6	8	14
20-34	902	4.1	23	1	1	2	6	9	11	18
35-49	866	4.4	13	1	1	3	7	9	11	16
50-64	901	3.9	13	1	1	2	6	9	10	17
65 +	814	4.3	16	1	1	3	7	9	11	18
2. MULTIPLE DX										
0-19 YRS	475	4.8	32	1	1	3	6	11	15	25
20-34	1442	6.1	42	1	2	5	8	13	17	29
35-49	2495	6.7	37	1	3	6	9	13	16	35
50-64	4679	6.5	43	1	2	5	9	13	16	32
65 +	9100	7.6	52	1	3	6	10	15	19	36
TOTAL SINGLE DX	3910	4.0	16	1	1	2	6	9	11	17
TOTAL MULTIPLE DX	18191	7.0	47	1	2	6	9	14	18	35
TOTAL										
0-19 YRS	902	3.8	23	1	1	2	5	9	13	22
20-34	2344	5.4	36	1	2	4	7	11	15	27
35-49	3361	6.1	32	1	2	5	8	11	15	30
50-64	5580	6.1	39	1	2	5	8	12	15	29
65 +	9914	7.3	50	1	2	6	10	14	19	35
GRAND TOTAL	22101	6.5	43	1	2	5	9	13	17	32

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4470	3.2	25	1	1	2	3	6	10	28
20-34	3036	4.4	33	1	2	3	5	8	13	35
35-49	2631	4.7	28	1	2	3	6	9	13	29
50-64	1730	5.1	27	1	2	4	6	10	14	30
65 +	1720	5.8	38	1	2	4	7	12	17	31
2. MULTIPLE DX										
0-19 YRS	10077	5.2	61	1	2	3	6	11	18	47
20-34	9210	6.2	64	1	2	4	7	14	21	45
35-49	11446	6.9	59	2	3	5	8	14	21	41
50-64	17779	7.5	61	2	3	5	9	15	21	44
65 +	54883	9.2	84	3	4	7	11	18	26	59
TOTAL SINGLE DX	13587	4.3	31	1	1	3	5	9	13	30
TOTAL MULTIPLE DX	103395	8.0	76	2	3	6	10	16	23	51
TOTAL										
0-19 YRS	14547	4.6	51	1	1	2	5	10	15	41
20-34	12246	5.8	57	1	2	4	6	12	19	43
35-49	14077	6.5	55	1	2	4	8	13	20	40
50-64	19509	7.3	59	2	3	5	9	14	21	43
65 +	56603	9.1	84	3	4	7	11	18	26	58
GRAND TOTAL	116982	7.6	72	2	3	5	9	16	23	49

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9500	3.3	13	1	1	2	4	6	8	17
20-34	12333	3.2	10	1	1	2	4	6	8	15
35-49	7739	3.5	14	1	1	2	4	7	9	18
50-64	4615	3.7	12	1	2	3	5	7	9	17
65 +	3317	4.9	23	1	2	4	6	9	12	24
2. MULTIPLE DX										
0-19 YRS	22404	5.7	51	1	2	4	6	11	18	41
20-34	24411	5.0	32	1	2	4	6	10	14	30
35-49	27186	5.7	34	1	2	4	7	11	15	30
50-64	37740	6.3	31	2	3	5	8	12	16	29
65 +	93241	7.8	46	3	4	6	9	14	19	37
TOTAL SINGLE DX	37504	3.5	14	1	1	3	4	7	9	18
TOTAL MULTIPLE DX	204982	6.7	42	2	3	5	8	13	17	35
TOTAL										
0-19 YRS	31904	5.0	41	1	2	3	5	10	15	36
20-34	36744	4.4	26	1	2	3	5	8	12	28
35-49	34925	5.2	31	1	2	4	6	10	14	29
50-64	42355	6.0	30	2	3	5	7	11	15	28
65 +	96558	7.7	46	2	4	6	9	14	19	37
GRAND TOTAL	242486	6.2	39	2	3	5	8	12	16	33

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	240	5.5	102	1	2	3	5	11	23	99+
20-34	40	4.0	15	1	2	3	4	8	10	24
35-49	46	5.6	31	2	3	4	6	10	15	35
50-64	25	7.2	75	2	3	5	8	12	21	46
65+	39	11.6	116	2	4	8	14	28	34	47
2. MULTIPLE DX										
0-19 YRS	2933	17.1	380	2	4	10	24	52	77	99+
20-34	556	9.4	143	2	3	5	11	22	35	83
35-49	683	10.8	123	2	4	7	14	25	36	99+
50-64	1496	13.1	126	4	6	10	16	26	35	82
65+	3916	14.7	136	5	7	11	18	29	39	74
TOTAL SINGLE DX	390	6.1	88	1	2	3	6	12	24	94
TOTAL MULTIPLE DX	9584	14.6	214	3	6	10	18	33	51	99+
TOTAL										
0-19 YRS	3173	16.2	369	2	4	9	22	50	74	99+
20-34	596	9.0	136	2	3	5	10	21	33	77
35-49	729	10.5	119	2	4	7	14	24	35	99+
50-64	1521	13.0	126	4	6	10	16	26	35	81
65+	3955	14.7	137	5	7	11	18	29	39	73
GRAND TOTAL	**9974**	**14.3**	**212**	**3**	**5**	**10**	**18**	**33**	**50**	**99+**

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10653	4.1	31	1	2	2	4	8	16	30
20-34	2578	6.0	53	1	2	4	7	13	20	38
35-49	2423	6.0	47	1	2	4	7	13	19	36
50-64	1471	5.4	35	1	2	4	7	11	16	31
65+	1269	6.9	68	1	3	5	8	13	21	47
2. MULTIPLE DX										
0-19 YRS	18598	5.6	60	1	2	3	5	11	21	42
20-34	6502	9.[illegible]	100	2	3	5	11	25	28	53
35-49	7526	8.5	89	2	3	5	10	20	28	48
50-64	10781	8.3	84	2	3	6	10	17	25	53
65+	30674	9.9	96	3	4	7	12	20	29	57
TOTAL SINGLE DX	18394	4.9	41	1	2	3	5	11	18	33
TOTAL MULTIPLE DX	74081	8.4	89	2	3	5	10	19	28	52
TOTAL										
0-19 YRS	29251	5.1	51	1	2	3	5	10	19	38
20-34	9080	8.2	89	1	3	5	9	21	28	49
35-49	9949	7.9	80	2	3	5	9	18	27	46
50-64	12252	8.0	80	2	3	5	9	16	25	50
65+	31943	9.8	96	3	4	7	12	20	29	57
GRAND TOTAL	**92475**	**7.7**	**81**	**2**	**3**	**5**	**9**	**17**	**26**	**48**

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2540	2.7	3	1	1	2	3	5	6	9
20-34	779	3.5	7	1	2	3	4	7	9	16
35-49	761	3.8	6	1	2	3	5	7	9	12
50-64	635	4.4	12	1	2	4	6	8	10	15
65+	651	5.1	16	2	3	4	6	10	13	20
2. MULTIPLE DX										
0-19 YRS	4670	5.8	63	1	2	4	6	11	18	45
20-34	2669	5.4	38	1	2	4	6	11	15	30
35-49	3969	6.1	38	2	3	5	7	11	16	32
50-64	7878	7.0	41	2	3	5	9	13	18	32
65+	24597	8.4	55	3	4	7	10	16	21	40
TOTAL SINGLE DX	5366	3.5	8	1	2	3	4	6	8	14
TOTAL MULTIPLE DX	43783	7.5	52	2	3	6	9	14	19	38
TOTAL										
0-19 YRS	7210	4.7	45	1	2	3	5	8	13	37
20-34	3448	5.0	33	1	2	4	6	10	14	28
35-49	4730	5.7	34	1	3	4	7	11	15	30
50-64	8513	6.8	40	2	3	5	8	13	17	31
65+	25248	8.3	54	3	4	6	10	15	20	40
GRAND TOTAL	49149	7.0	49	2	3	5	9	14	18	37

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9143	3.5	40	1	1	2	3	6	9	40
20-34	3577	3.9	43	1	1	2	4	8	13	33
35-49	3632	3.4	16	1	1	2	4	7	10	21
50-64	3136	3.5	13	1	1	2	4	7	9	18
65+	2812	4.4	21	1	2	3	5	8	11	26
2. MULTIPLE DX										
0-19 YRS	23967	7.9	165	1	2	3	7	20	37	88
20-34	10514	5.7	73	1	2	3	6	13	22	56
35-49	16308	5.3	47	1	2	3	6	11	17	37
50-64	27655	5.8	43	1	2	4	7	11	16	35
65+	69934	7.4	58	2	3	5	9	14	20	43
TOTAL SINGLE DX	22300	3.6	31	1	1	2	4	7	10	29
TOTAL MULTIPLE DX	148378	6.8	74	1	2	4	8	14	21	52
TOTAL										
0-19 YRS	33110	6.7	135	1	2	3	6	15	31	80
20-34	14091	5.3	66	1	1	3	5	12	20	49
35-49	19940	4.9	42	1	2	3	6	10	15	35
50-64	30791	5.6	41	1	2	4	7	11	16	34
65+	72746	7.3	58	2	3	5	9	14	20	42
GRAND TOTAL	170678	6.4	69	1	2	4	7	13	20	49

APPENDIX A

1989 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL[3]
Hospital Category			
Bedsize			
6-24	378	55	14.6
25-49	1,126	189	16.8
50-99	1,202	221	18.4
100-199	1,143	213	18.6
200-299	714	122	17.1
300-399	392	87	22.2
400-499	202	40	19.8
500+	268	54	20.1
Unknown	1	0	
Total	**5,426**	**981**	**18.1**
Region and Census Division			
Northeast	773	213	27.6
New England	232	78	33.6
Middle Atlantic	541	135	25.0
North Central	1,579	304	19.3
East North Central	825	270	32.7
West North Central	754	34	4.5
South	2,052	156	7.6
South Atlantic	801	88	11.0
East South Central	474	37	7.8
West South Central	777	31	4.0
West	1,022	308	30.1
Mountain	363	160	44.1
Pacific	659	148	22.5
Location			
Urban	2,851	553	19.4
Rural	2,575	428	16.6
Teaching Intensity			
Low	4,443	731	16.5
Medium	687	173	25.2
High	296	61	20.6
Unknown	0	16	

---

[1] Hospitals with average stay less than 30 days

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1989 sample is compared to the universe of hospitals in 1988.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1988 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P.J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1989 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine

Group No.	Title
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy, except ischemic
150	ischemic
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit

Group No.	Title
	Cellulitis (continued)
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic **(continued)**
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired

DIAGNOSIS INDEX (continued)

Group No.	Title
134	Degeneration, globe of eye
86	Dehydration
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic
112	amphetamine
112	barbiturate
112	cocaine

Group No.	Title
	Dependence (continued)
111	heroin
112	LSD
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal

DIAGNOSIS INDEX (continued)

Group No. **Title**

- **Dialysis (continued)**
  - 415 renal
- 214 Diaphragmatic hernia
- 218 Diarrhea, except infectious and functional
  - 224 functional
  - 2 infectious
- 7 Diphtheria
- Disease
  - 209 appendix, except acute appendicitis
  - 150 arteriosclerotic cardiovascular
  - 176 artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 14 arthropod-borne
  - 84 autoimmune, except AIDS
    - 13 AIDS
  - 7 bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 231 biliary ducts
  - 248 bladder, except calculus and cystitis
  - 329 bone, except osteomyelitis and osteoarthritis
  - 256 breast, except fibrocystic
    - 255 fibrocystic
  - 234 celiac
  - central nervous system
    - 8 enteroviral
    - 120 inflammatory, except enteroviral
    - 124 noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - cerebrovascular-*see Cerebrovascular accident*
  - 142 chronic rheumatic heart
  - 311 connective tissue, diffuse
  - 150 coronary artery
  - 222 Crohn's
  - 80 Cushing's
  - 13 cytomegalic inclusion
  - 197 dental
  - 219 diverticular

Group No. **Title**

- Disease **(continued)**
  - 206 duodenum, except ulcer and inflammatory
  - 140 ear, except inflammatory and otosclerosis
  - 152 endocarditis, bacterial
  - 80 endocrine, except ovary, thyroid, and diabetes mellitus
  - 199 esophagus
  - 135 eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
    - 134 inflammatory, except lacrimal tract
  - 266 fallopian tube, except endometriosis
  - 331 fascia
  - 266 female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
  - 229 gallbladder
  - 266 gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
  - heart
    - 144 hypertensive
      - 146 with renal disease or failure
    - 150 ischemic, except infarction and angina pectoris
    - 142 rheumatic, chronic
    - 158 other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
  - 91 hematopoietic, except anemia, hemophilia, and leukemia
  - 344 hemolytic, newborn
  - 13 HIV infection (AIDS)
  - 48 Hodgkin's
  - 143 hypertensive, except heart and renal
    - 144 heart
      - 146 with renal disease or failure
    - 145 renal
      - 146 with heart disease or failure
  - 19 infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
  - 224 intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
    - 2 infectious

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
14	Lyme
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy

Group No.	Title
	Disease (continued)
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar

DIAGNOSIS INDEX (continued)

Group No.	Title
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions

Group No.	Title
	Effect, adverse **(continued)**
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial
218	noninfectious
222	regional
1	viral

DIAGNOSIS INDEX (continued)

Group No.	Title
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension
	Examination
417	follow-up
417	medical
	Failure
156	heart, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
238	renal, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow
	Fibrillation or flutter
154	atrial
155	ventricular

Group No.	Title
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible
372	medial malleolus
368	metacarpal
372	metatarsal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	Title
	Heart
147	attack
156	failure, execpt hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No.	Title
357	Hyperbilirubinemia, unspecified
84	constitutional
344	neonatal
84	Hypercalcemia
276	Hyperemesis gravidarum
80	Hyperinsulinism
84	Hyperlipoproteinemia
80	Hyperparathyroidism
249	Hyperplasia of prostate
86	Hyperpotassemia
143	Hypertension, except renal and of pregnancy
275	of pregnancy
301	with delivery
145	renal
146	renovascular
134	Hypertensive retinopathy
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial

Group No.	Title
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion

DIAGNOSIS INDEX (continued)

Group No.	Title
	Injury (continued)
386	internal, except chest
385	chest
401	knee
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
14	Lyme
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria
32	Malignant melanoma, skin
105	Manic-depressive psychosis
342	Marfan syndrome
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis

Group No.	Title
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign (continued)
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
27	bile duct
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye

Group No.	Title
	Neoplasm, malignant (continued)
38	fallopian tube
27	gallbladder
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, not further specified
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
27	liver
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple
411	single term
412	twin
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus

Group No.	Title
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis
	Ovarian
257	cyst
266	disease, except endometriosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian (continued)
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst

Group No.	Title
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome

DIAGNOSIS INDEX (continued)

Group No.	Title
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
342	Prader-Willi syndrome
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural

Group No.	Title
	Proteinuria **(continued)**
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	·chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment
357	Rash

DIAGNOSIS INDEX (continued)

Group No.	Title
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis
409	Serum sickness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective

Group No.	Title
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No.	Title
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis

Group No.	Title
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Ureteral
  - 243 disease, except calculus
    - 242 calculus
- Urethral
  - 248 disease, except calculus and stricture
    - 244 calculus
  - 246 stenosis, except congenital
    - 340 congenital
  - 246 stricture, except congenital
    - 340 congenital
- 248 Urethritis
  - 280 in pregnancy
- 181 URI (upper respiratory infection)
- 247 Urinary tract infection
  - 280 in pregnancy
- Uterine
  - 60 fibroid
  - 262 prolapse
- 134 Uveitis

- 261 Vaginitis, except atrophic and senile
  - 265 atrophic or senile
- 330 Valgus deformity, limb
- Valvular disease
  - 158 nonrheumatic
  - 142 rheumatic
- 180 Varices, esophagus
- 178 Varicose veins of lower extremities
- 330 Varus deformity, limb
- Venereal
  - 15 disease
  - 12 wart

Group No. **Title**

- 324 Vertebrogenic pain syndrome
- 357 Vertigo
- Viral
  - 13 encephalitis
    - 20 late effect
  - 1 gastroenteritis
  - 10 hepatitis
  - 8 meningitis
    - 20 late effect
  - 12 wart
- Vitreous
  - 134 abscess
  - 134 prolapse
- 269 Voluntary abortion
- 217 Volvulus
- 356 Vomiting
  - 276 of pregnancy
- 261 Vulvar infection
- 261 Vulvitis

- 12 Warts, viral
- 7 Whooping cough
- Withdrawal
  - 98 alcohol
  - 99 drug
- Wound
  - 408 dehiscence
  - infection
    - 407 postoperative
    - 401 posttraumatic
  - open-*see Laceration*

- 13 Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain

Group No.	Title
	Biopsy (continued)
757	breast
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
657	prostate
606	rectum
549	salivary gland or duct
658	scrotum
762	skin
598	small intestine
507	spinal meninges
593	stomach
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary

Group No.	Title
	Bypass, graft or shunt (continued)
597	gastric
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization **(continued)**
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder
	Control of hemorrhage **(continued)**
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Debridement (continued)
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
602	large intestine
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)

Group No.	Title
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
609	EGD (esophagogastroduodenoscopy), except with biopsy
598	with biopsy
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy (continued)
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy

Group No.	Title
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision–*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No.	Title
	Excision (**continued**)
	hydrocele (continued)
663	spermatic cord
658	tunica vaginalis
729	intervertebral disc or cartilage, except chemonucleolysis
728	chemonucleolysis
732	joint, except intervertebral disc and cartilage of knee
729	intervertebral disc, except chemonucleolysis
728	chemonucleolysis
730	knee cartilage
633	kidney, except partial
636	partial
730	knee cartilage (semilunar)
583	lymph nodes, except radical
584	radical
508	neuroma, peripheral nerve
	ovary
670	bilateral
669	unilateral
549	parotid gland
761	pilonidal cyst or sinus
515	pituitary gland
656	prostate, except transurethral approach
655	transurethral approach
522	pterygium
762	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
730	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
767	toenail
551	tongue
552	tonsil, except with adenoids
553	with adenoids
555	tonsil tag
	Excision (**continued**)
	tubes and ovaries
670	bilateral
669	unilateral
678	uterine fibroid
577	varicocele, except of spermatic cord
663	spermatic cord
	Excision of lesion (and destruction of tissue)
628	abdominal wall
611	anus
619	bile duct, except by ERCP
618	by ERCP
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
501	brain
757	breast
562	bronchus
501	cerebral meninges
676	cervix, except by conization
675	conization
598	colon
520	conjunctiva
522	cornea
598	duodenum
533	ear, external
589	esophagus
531	eye
517	eyelid
674	fallopian tube
548	gingiva, gums
598	intestine
524	iris
636	kidney

OPERATION INDEX (continued)

Group No. Title

- Excision of lesion (continued)
  - 598 large intestine
  - 557 larynx
  - 551 lip
  - 564 lung
  - meninges
    - 501 cerebral
    - 507 spinal
  - 742 muscle
  - nerve
    - 508 peripheral
    - 511 sympathetic
  - 542 nose, except submucous resection
    - 540 submucous resection
  - 668 ovary
  - 620 pancreatic duct, except by ERCP
    - 618 by ERCP
  - 549 parotid gland
  - 666 penis
  - perineum
    - 691 female
    - 762 male
  - 508 peripheral nerve
  - 607 perirectal tissue
  - 628 peritoneum
  - 606 rectum
  - 549 salivary gland
  - 524 sclera
  - 658 scrotum
  - 762 skin, except debridement, radical and of pilonidal cyst
    - 763 debridement
    - 761 pilonidal cyst or sinus
    - 764 radical
  - 507 skull
  - 598 small intestine
  - 507 spinal meninges
  - 593 stomach

Group No. Title

- Excision of lesion (continued)
  - 742 tendon
  - 661 testis
  - 551 tongue
  - 558 trachea
  - 640 ureter
  - 646 urethra
  - 687 uterine ligament
  - 678 uterus
  - 690 vagina
  - 558 vocal cord
  - 691 vulva
- Exenteration
  - 531 eyeball, orbit
  - 681 pelvic
- Exploration
  - 629 abdominal cavity
  - 619 bile duct, except by ERCP
    - 618 by ERCP
  - 636 kidney
- 629 Exploratory laparotomy
- 601 Exteriorization, intestine
- Extracorporeal
  - 582 circulation
  - 582 membrane oxygenation (ECMO)
  - shock wave lithotripsy (ESWL)
    - 619 biliary tract
    - 652 urinary tract
- Extraction
  - 696 breech, for delivery
  - 546 dental
  - 694 menstrual
  - 546 teeth
  - 697 vacuum, for delivery

- 767 Face lift

OPERATION INDEX (continued)

Group No.	Title
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
	Fistulization
523	sclera (for glaucoma)
561	transesophageal (larynx)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction
	Fracture-reduction **(continued)**
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy

OPERATION INDEX (continued)

Group No. Title

- Graft
  - 717 bone, except facial, femur and skull
    - 710 facial
    - 716 femur
    - 503 skull
  - 765 free, of skin
  - 551 lip
  - 746 muscle, except of hand
    - 744 hand
  - 766 pedicle, of skin
  - skin
    - 765 free
    - 766 pedicle
  - 746 tendon, except of hand
    - 744 hand

- 573 Heart catheterization
- 582 Heart-lung bypass
- 600 Hemicolectomy
- 579 Hemodialysis
- 612 Hemorrhoidectomy
- 615 Hepatectomy
- Herniorrhaphy
  - 627 diaphragmatic
  - 626 epigastric
  - 624 femoral
  - 626 incisional
  - inguinal
    - 623 bilateral
    - 622 unilateral
  - 625 umbilical
  - 626 ventral
- 736 Hip replacement, except total
  - 735 total
- 576 His bundle study
- 781 Hyperalimentation

Group No. Title

- 778 Hyperthermia, except localized
  - 781 localized, for treatment of malignancy and other lesions
- 515 Hypophysectomy
- 679 Hysterectomy, except radical and vaginal
  - 681 radical
  - 680 vaginal
- 686 Hysteropexy
- 687 Hysteroscopy
- 678 Hysterotomy, except for termination of pregnancy
  - 701 termination of pregnancy

- 603 Ileostomy, except loop
  - 601 loop
- 638 Ileoureterostomy
- Implant, implantation
  - 648 artificial urinary sphincter
  - 760 breast
  - 574 cardiac pacemaker (electrodes) (pulse generator)
  - 575 cardioverter/defibrillator
  - 538 cochlear prosthetic device
  - 538 electromagnetic hearing device (bone) (cochlea)
  - 755 limb prosthesis
- Incision (and drainage)
  - 628 abdominal wall
  - 610 anal fistula
  - 605 appendix
  - 691 Bartholin's gland or abscess
  - 712 bone, except facial and femur
    - 710 facial
    - 711 femur
  - 501 brain
  - 760 breast
  - 501 cerebral meninges
  - 568 chest (wall)
  - 522 cornea
  - 502 cranial sinus

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) **(continued)**
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess
658	scrotum
	sinus (nasal)-*see Sinusotomy*
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges

Group No.	Title
	Incision (and drainage) **(continued)**
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis
767	tissue expander, except breast
760	breast
651	ureteral stent, except by incision
637	by incision
674	Insufflation, fallopian tubes
582	Interruption, vena cava
702	Intra-amniotic injection for termination of pregnancy
775	Intravenous pyelogram (IVP)

OPERATION INDEX (continued)

Group No.	Title
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter

Group No.	Title
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
757	subtotal
537	Mastoidectomy, except revision
538	revision

OPERATION INDEX (continued)

Group No.	Title
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial

Group No.	Title
	Ostectomy, except facial bone and femur (continued)
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
592	PEG (percutaneous endoscopic gastrostomy)
603	PEJ (percutaneous endoscopic jejunostomy)
681	Pelvic exenteration
	Percutaneous
	endoscopic
592	gastrostomy (PEG)
603	jejunostomy (PEJ)
582	transluminal angioplasty, except coronary
571	coronary
575	Pericardiocentesis
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear

OPERATION INDEX (continued)

Group No.	Title
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
	Polypectomy
589	esophagus
598	large intestine
593	stomach
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
6[illegible]5	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy

Group No.	Title
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)

OPERATION INDEX (continued)

Group No.	Title
	Reduction (continued)
	fracture
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	site, other than above
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
621	hemorrhoids
	hernia-*see also Herniorrhaphy*
783	manual
602	intestinal torsion
602	intussusception, intestine
760	mammoplasty
602	volvulus, intestine
	Rehabilitation
779	alcohol
779	drug
	Release
	adhesions-*see Lysis, adhesions*
743	Dupuytren's contracture
767	scar contracture, skin
648	urethral stricture
	Removal
718	bone growth stimulator

Group No.	Title
	Removal (continued)
	calculus
619	biliary tract, except by ERCP or percutaneous
618	by ERCP
617	percutaneous
644	bladder, except transurethral approach
643	transurethral approach
636	kidney, except transurethral approach
639	transurethral approach
519	lacrimal tract (by incision)
532	without incision
620	pancreatic duct, except by endoscopic approach
618	endoscopic approach
637	ureter, except transurethral approach
639	transurethral approach
783	catheter, nonoperatively
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively

OPERATION INDEX (continued)

Group No.	Title
	Removal (continued)
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
713	claw toe
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus
	Repair (continued)
713	hammer toe
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	laceration-*see also Repair, by site*
705	obstetric
561	larynx
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear

OPERATION INDEX (continued)

Group No. Title

- Repair (continued)
  - 745 rotator-cuff (shoulder)
  - 503 skull
  - 507 spina bifida
  - 507 spinal meningocele
  - 597 stomach, except pylorus
    - 596 pylorus
  - 650 stress incontinence, except urethral suspension
    - 649 urethral suspension
  - 746 tendon, except of hand
    - 744 hand
  - 661 testis
  - 713 toe(s)
  - 561 trachea
  - 640 ureter
  - 646 urethra
  - 687 uterus, except obstetric laceration and supporting structures
    - 705 obstetric laceration
    - 686 supporting structures
  - 689 vagina, except for cystocele and rectocele, and obstetric laceration
    - 688 cystocele and rectocele
    - 705 obstetric laceration
  - 551 vestibular arch (mouth)
  - 693 vulva, except obstetric laceration
    - 705 obstetric laceration
- Replacement
  - 574 cardiac pacemaker
  - 570 heart valve
  - 739 joint, except hip and knee
    - 736 hip, except total replacement
      - 735 total replacement
    - 738 knee
  - 665 penile prosthesis
  - 654 urinary catheter
- Resection
  - 644 bladder

Group No. Title

- Resection (continued)
  - 582 blood vessel
  - 563 bronchus
  - 600 large intestine
  - 745 muscle, except of hand
    - 743 hand
  - 540 nasal septum, submucous
  - 530 ocular muscle
  - 668 ovary
  - 608 rectum (abdominoperineal) (pull-through)
  - 548 root of tooth
  - 599 small intestine
  - 745 tendon, except of hand
    - 743 hand
- 547 Restoration, tooth
- 775 Retrograde pyelogram
- Revision
  - 754 amputation stump
  - 580 arteriovenous shunt for dialysis
  - 597 gastric anastomosis
  - 602 intestinal anastomosis
  - 538 mastoidectomy
  - 561 tracheostomy
  - 538 tympanoplasty
  - 505 ventricular shunt
- 541 Rhinoplasty
- 767 Rhytidectomy, facial
- 548 Root canal therapy
- 548 Root resection (tooth)
- 698 Rupture of membranes for delivery

- Salpingectomy
  - 673 bilateral
  - 674 unilateral

OPERATION INDEX (continued)

Group No. **Title**

- Salpingo-oophorectomy
  - 670 bilateral
  - 669 unilateral
- 745 Scalenectomy
- 741 Scalenotomy
- Scan
  - 774 C.A.T. (computerized axial tomography)
  - 775 radioisotope
- 528 Sclera buckling, for retinal detachment
- 717 Shortening, bone, except femur
  - 716 femur
- Shunt-*see also Bypass*
  - 504 cerebral ventricles, except revision
    - 505 revision
  - 578 peripheral vessels, except for renal dialysis
    - 580 for renal dialysis
  - 632 peritoneovenous
  - 578 systemic vessels
- 549 Sialoadenectomy
- 621 Sigmoidoscopy
- 600 Sigmoidectomy
- 545 Sinusectomy, nasal
- 545 Sinusotomy, except radical maxillary
  - 544 radical maxillary
- 767 Size-reduction, skin tissue except breast
  - 760 breast
- 783 Sleep disorder function tests
- Sphincterotomy
  - 619 ampullary (of Vater) (pancreas), except by ERCP
    - 618 by ERCP
  - 613 anus
  - 644 bladder neck
- Spinal
  - 733 fusion
  - 512 tap or puncture
- 586 Splenectomy

Group No. **Title**

- 734 Stabilization of joint, except foot and knee
  - 740 foot
  - 738 knee
- 534 Stapedectomy
- 534 Stapes mobilization
- 650 Stress incontinence repair, except by urethral suspension
  - 649 urethral suspension
- Stress test
  - 783 cardiac
  - 704 fetal
  - 783 uterine
- 540 Submucous nasal resection
- 698 Surgical induction of labor for delivery
- Suspension
  - 649 urethra, except with bladder neck
    - 650 with bladder neck
  - 650 urethrovesical
- Suture-*see also Repair, by site*
  - 745 muscle, except of hand
    - 744 hand
  - 764 skin
  - 745 tendon, except of hand
    - 744 hand
- 510 Sympathectomy
- 732 Synovectomy

- 553 T and A
- Takedown-*see Closure*
- 745 Tenosynovectomy, except of hand
  - 743 hand
- 741 Tenotomy, except of hand
  - 743 hand
- Termination of pregnancy
  - 684 aspiration curettage
  - 682 dilation and curettage
  - 700 hysterotomy

OPERATION INDEX (continued)

Group No.	Title
	Termination of pregnancy **(continued)**
702	intra-amniotic injection
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma

Group No.	Title
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
635	kidney
615	liver
567	lung
746	muscle, except of hand
744	hand
620	pancreas
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy
641	Urethroscopy
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy

OPERATION INDEX (continued)

Group No.	Title
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
644	Vesicostomy
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

B4465-1.2

LENGTH OF STAY

Length of Stay
by Diagnosis and Operation, North Central Region, 1989

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1990

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1989
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1989
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1989
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1989
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1989 through December 31, 1989. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1990 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii

Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of the Statistics ix

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables x

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-417 4
Length of Stay Operation Groups 213
Summary of All Patients in Operation Groups 214
Operation Groups 501-783 215

Appendix A

1989 Hospital Characteristics 287

Appendix B

Description of Hospital Characteristics 289

Appendix C

State Inclusions By Region 291

Appendix D

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 293

Index

Part I: Diagnosis Index 298
Part II: Operation Index 321

ACKNOWLEDGEMENTS

1989 LENGTH OF STAY
BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Linda Vanek, Assistant Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Robert Travis, Librarian.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Stacey Cavanaugh, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1989 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1989 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

> **General** – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.
>
> **Nonfederal** – Controlled by state, county, city, city-county, hospital district or authority, church.
>
> **Short-term** – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1989.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborns, age is replaced by birth weight in grams. The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Single or Multiple Diagnosis
- Not Operated or Operated (for Diagnosis groups only)
- Patient's Age (on day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay Tables
Diagnosis Groups

304 Hospitals, North Central Region, January-December 1989

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	154562	2.7	10	1	2	2	3	4	5	14
20-34	65613	3.3	23	1	2	2	3	5	10	27
35-49	23969	4.7	40	1	2	3	5	10	17	33
50-64	13112	4.6	32	1	2	3	5	9	14	31
65 +	11697	5.6	39	1	2	4	7	11	16	32
B. Operated										
0-19 YRS	41555	2.8	10	1	1	2	3	5	7	16
20-34	80964	2.7	4	1	2	2	3	4	6	10
35-49	33248	3.4	8	1	2	3	4	6	8	14
50-64	24387	4.0	12	1	2	3	5	8	10	16
65 +	20112	5.1	21	1	2	4	7	11	13	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	192174	4.6	47	1	2	3	4	8	14	39
20-34	89241	6.3	62	1	2	3	7	16	24	36
35-49	83272	6.4	52	1	2	4	7	14	22	34
50-64	108310	6.0	35	2	3	4	7	12	17	30
65 +	255022	7.2	37	2	3	6	9	14	18	32
B. Operated										
0-19 YRS	57365	6.8	113	1	2	3	7	16	28	88
20-34	125104	4.4	29	2	2	3	5	8	12	29
35-49	83337	6.2	50	1	3	4	7	12	18	40
50-64	98370	8.0	73	1	3	6	10	16	23	46
65 +	175159	10.1	87	2	4	8	13	20	27	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	268953	3.2	19	1	2	2	3	5	8	24
B. Operated	200266	3.2	9	1	2	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	728019	6.1	45	2	2	4	7	13	19	34
B. Operated	539335	7.4	73	2	3	5	9	16	23	47
1. SINGLE DX	469219	3.2	15	1	2	2	4	6	8	20
2. MULTIPLE DX	1267354	6.7	57	2	2	4	8	14	21	40
A. Not Operated	996972	5.4	40	1	2	3	6	11	17	32
B. Operated	739601	6.3	59	1	2	4	8	14	20	42
TOTAL										
0-19 YRS	445656	4.1	41	1	2	2	4	7	12	38
20-34	360922	4.3	32	1	2	3	4	8	14	29
35-49	223826	5.7	45	1	2	4	6	12	18	34
50-64	244179	6.5	50	1	3	5	8	13	19	36
65 +	461990	8.2	58	2	4	6	10	16	22	40
GRAND TOTAL	**1736573**	**5.8**	**48**	**1**	**2**	**4**	**7**	**12**	**18**	**36**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61819	3.3	24	1	1	2	3	5	8	28
20-34	65613	3.3	23	1	2	2	3	5	10	27
35-49	23969	4.7	40	1	2	3	5	10	17	33
50-64	13112	4.6	32	1	2	3	5	9	14	31
65 +	11697	5.6	39	1	2	4	7	11	16	32
B. Operated										
0-19 YRS	41491	2.8	10	1	1	2	3	5	7	16
20-34	80964	2.7	4	1	2	2	3	4	6	10
35-49	33248	3.4	8	1	2	3	4	6	8	14
50-64	24387	4.0	12	1	2	3	5	8	10	16
65 +	20112	5.1	21	1	2	4	7	11	13	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	122796	5.1	60	1	2	3	5	10	18	43
20-34	89241	6.3	62	1	2	3	7	16	24	36
35-49	83272	6.4	52	1	2	4	7	14	22	34
50-64	108310	6.0	35	2	3	4	7	12	17	30
65 +	255022	7.2	37	2	3	6	9	14	18	32
B. Operated										
0-19 YRS	54516	5.9	77	1	2	3	7	14	22	70
20-34	125104	4.4	29	2	2	3	5	8	12	29
35-49	83337	6.2	50	1	3	4	7	12	18	40
50-64	98370	8.0	73	1	3	6	10	16	23	46
65 +	175159	10.1	87	2	4	8	13	20	27	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	176210	3.7	28	1	2	2	4	7	11	29
B. Operated	200202	3.2	9	1	2	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	658641	6.4	47	2	2	4	8	13	20	35
B. Operated	536486	7.4	69	2	3	5	9	16	22	45
1. SINGLE DX	375412	3.5	18	1	2	2	4	7	9	22
2. MULTIPLE DX	1195127	6.8	57	2	3	4	8	14	21	40
A. Not Operated	834851	5.8	44	1	2	4	7	12	18	34
B. Operated	736688	6.2	56	1	2	4	8	13	19	40
TOTAL										
0-19 YRS	280622	4.5	49	1	2	3	4	9	15	41
20-34	360922	4.3	32	1	2	3	4	8	14	29
35-49	223826	5.7	45	1	2	4	6	12	18	34
50-64	244179	6.5	50	1	3	5	8	13	19	36
65 +	461990	8.2	58	2	4	6	10	16	22	40
GRAND TOTAL	**1571539**	**6.0**	**50**	**1**	**2**	**4**	**7**	**13**	**19**	**36**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	652	2.2	1	1	1	2	3	4	4	7
20-34	155	1.9	1	1	1	2	2	3	4	6
35-49	60	2.0	1	1	1	2	2	3	4	6
50-64	36	2.7	2	1	2	2	3	4	7	7
65 +	17	3.1	2	1	2	3	4	5	6	6
B. Operated										
0-19 YRS	4	2.8		2	2	3	3	3	3	3
20-34	8	3.0	3	1	2	3	4	6	7	7
35-49	7	4.1	1	2	4	4	5	5	5	5
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2382	2.9	4	1	2	3	4	5	6	10
20-34	393	2.7	2	1	2	2	4	5	6	8
35-49	286	3.0	5	1	2	3	4	5	6	11
50-64	269	3.5	5	1	2	3	4	6	7	12
65 +	561	4.6	10	2	3	4	6	8	10	19
B. Operated										
0-19 YRS	48	10.1	221	2	3	5	9	22	37	86
20-34	29	5.5	20	2	3	4	6	13	15	19
35-49	25	6.8	11	3	4	6	9	10	14	15
50-64	28	7.3	61	2	3	5	7	19	30	32
65 +	39	8.2	33	3	5	7	9	12	19	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	920	2.2	1	1	1	2	3	4	5	7
B. Operated	20	3.7	4	2	2	3	5	6	8	10
2. MULTIPLE DX										
A. Not Operated	3891	3.2	5	1	2	3	4	6	7	12
B. Operated	169	7.9	87	2	3	5	9	15	23	50
1. SINGLE DX	940	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	4060	3.4	9	1	2	3	4	6	8	14
A. Not Operated	4811	3.0	4	1	2	2	4	5	7	11
B. Operated	189	7.5	80	2	3	5	8	14	22	47
TOTAL										
0-19 YRS	3086	2.9	7	1	2	2	3	5	6	11
20-34	585	2.7	4	1	1	2	3	5	6	10
35-49	378	3.1	6	1	2	2	4	6	7	13
50-64	333	3.7	10	1	2	3	4	6	7	18
65 +	618	4.8	12	2	3	4	6	9	11	19
GRAND TOTAL	**5000**	**3.2**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	360	3.3	8	1	2	3	4	6	10	17
20-34	111	3.5	5	1	2	3	4	6	7	11
35-49	54	3.4	4	1	2	3	4	6	7	11
50-64	33	4.1	6	2	3	4	5	7	10	11
65 +	13	4.5	5	2	3	5	6	8	9	9
B. Operated										
0-19 YRS	17	4.2	13	2	2	3	5	6	13	17
20-34	22	4.0	6	2	2	4	5	7	10	12
35-49	12	5.1	5	3	3	5	6	9	10	10
50-64	3	3.7		3	3	4	4	4	4	4
65 +	10	8.0	25	4	5	6	9	16	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	749	3.9	10	1	2	3	5	7	10	16
20-34	272	3.5	7	1	2	3	4	6	7	15
35-49	207	4.3	11	2	2	4	5	8	10	18
50-64	201	4.7	17	1	3	4	6	8	10	25
65 +	421	7.2	24	3	4	6	9	13	18	25
B. Operated										
0-19 YRS	52	12.1	194	2	4	7	15	29	39	76
20-34	65	5.4	8	2	3	5	7	9	11	14
35-49	77	7.9	52	2	4	6	9	14	24	41
50-64	59	7.5	34	3	4	6	8	15	23	30
65 +	135	12.4	119	3	6	10	15	26	35	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	571	3.4	7	1	2	3	4	6	8	14
B. Operated	64	4.9	12	2	3	4	6	9	12	20
2. MULTIPLE DX										
A. Not Operated	1850	4.7	16	2	2	4	6	9	13	20
B. Operated	388	9.6	91	3	4	6	11	20	28	54
1. SINGLE DX	635	3.6	7	1	2	3	4	6	9	15
2. MULTIPLE DX	2238	5.6	32	2	3	4	6	11	15	28
A. Not Operated	2421	4.4	14	1	2	3	5	8	12	20
B. Operated	452	8.9	83	3	4	6	10	18	27	53
TOTAL										
0-19 YRS	1178	4.1	20	1	2	3	5	8	11	22
20-34	470	3.8	7	1	2	3	5	6	9	14
35-49	350	5.0	21	2	3	4	6	9	12	26
50-64	296	5.2	21	2	3	4	6	9	12	26
65 +	579	8.4	51	3	4	6	11	17	21	38
GRAND TOTAL	**2873**	**5.1**	**27**	**2**	**2**	**4**	**6**	**10**	**14**	**28**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.8	12	2	2	2	5	10	10	10
20-34	10	8.6	13	4	7	8	12	13	14	14
35-49	10	12.5	69	5	6	11	16	24	32	32
50-64	8	13.0	145	3	6	10	15	34	40	40
65 +	2	8.0	2	7	7	8	9	9	9	9
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	8.0	27	5	5	5	12	14	14	14
35-49	4	8.5	18	4	5	8	11	14	14	14
50-64	6	7.7	15	1	6	8	11	11	11	11
65 +	2	10.0	72	4	4	10	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	5.9	15	1	3	5	9	11	13	14
20-34	33	11.5	96	3	6	8	16	23	29	49
35-49	42	13.7	237	3	4	11	15	25	30	97
50-64	33	9.6	29	3	6	9	13	16	19	24
65 +	47	14.5	126	5	8	11	17	25	36	63
B. Operated										
0-19 YRS	6	10.0	34	3	4	11	12	18	19	19
20-34	13	14.2	135	5	8	10	16	32	43	46
35-49	25	20.4	424	4	8	13	24	60	68	82
50-64	28	14.2	54	7	9	12	19	27	29	29
65 +	56	18.7	159	7	10	14	23	37	47	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	10.0	64	2	5	8	13	17	29	40
B. Operated	16	7.8	21	1	4	7	11	14	15	16
2. MULTIPLE DX										
A. Not Operated	169	12.0	124	3	6	9	15	23	26	60
B. Operated	128	17.2	183	5	9	13	21	35	46	67
1. SINGLE DX	51	9.3	51	2	5	8	12	16	19	40
2. MULTIPLE DX	297	14.3	156	3	7	11	17	26	38	63
A. Not Operated	204	11.7	114	3	5	9	15	22	27	55
B. Operated	144	16.2	173	5	8	12	20	34	43	64
TOTAL										
0-19 YRS	26	6.2	22	1	3	5	10	12	15	19
20-34	59	11.4	87	3	6	8	14	22	29	49
35-49	81	15.3	270	3	6	12	17	26	50	92
50-64	75	11.5	53	3	7	10	15	21	27	37
65 +	107	16.5	144	5	9	13	21	34	43	59
GRAND TOTAL	**348**	**13.5**	**143**	**3**	**6**	**11**	**16**	**25**	**36**	**63**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	10.0	162	1	1	10	19	19	19	19
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	7.0		7	7	7	7	7	7	7
65 +	1	18.0		18	18	18	18	18	18	18
B. Operated										
0-19 YRS	4	5.8	68	1	1	2	10	18	18	18
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	10.0	32	6	6	10	14	14	14	14
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	5	17.0	119	4	11	17	21	34	34	34
50-64	2	13.0	128	5	5	13	21	21	21	21
65 +	2	6.5	13	4	4	6	9	9	9	9
B. Operated										
0-19 YRS	3	4.7	10	1	2	6	7	7	7	7
20-34	7	13.3	113	3	7	12	15	31	35	35
35-49	22	20.0	203	7	10	16	29	42	50	60
50-64	10	22.6	535	6	8	13	27	64	74	74
65 +	6	26.8	452	10	10	16	53	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	8.8	60	1	3	6	18	19	19	19
B. Operated	9	6.8	41	1	1	5	12	17	18	18
2. MULTIPLE DX										
A. Not Operated	13	11.7	81	4	5	9	17	24	32	34
B. Operated	48	19.4	285	6	8	13	25	50	55	74
1. SINGLE DX	15	7.6	46	1	2	5	14	18	19	19
2. MULTIPLE DX	61	17.8	250	5	8	13	19	42	54	72
A. Not Operated	19	10.8	73	3	4	7	17	20	28	34
B. Operated	57	17.4	267	3	7	12	18	43	55	73
TOTAL										
0-19 YRS	11	7.0	48	1	1	6	12	18	19	19
20-34	11	10.8	89	2	4	8	14	24	34	35
35-49	29	18.4	183	6	8	16	25	39	44	60
50-64	15	17.7	413	5	6	9	19	54	69	74
65 +	10	20.3	333	6	10	13	18	54	55	55
GRAND TOTAL	**76**	**15.8**	**225**	**3**	**6**	**11**	**18**	**35**	**54**	**70**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	2.1	1	1	1	2	3	4	4	6
20-34	38	2.5	1	1	2	3	3	4	4	5
35-49	8	2.3	1	<1	2	2	3	3	3	3
50-64	6	2.8	1	2	2	3	3	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	22	1.2		1	1	1	1	2	3	4
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	470	2.6	2	1	2	2	3	4	5	9
20-34	113	2.8	1	2	2	3	3	4	5	7
35-49	53	3.5	3	2	2	3	4	6	6	10
50-64	18	4.3	5	2	2	4	5	7	9	10
65 +	9	5.6	6	2	4	5	8	9	9	9
B. Operated										
0-19 YRS	34	2.6	6	1	1	2	3	5	7	12
20-34	5	4.0	5	1	2	4	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	2.2	1	1	1	2	3	3	4	5
B. Operated	29	1.7	7	1	1	1	1	3	5	15
2. MULTIPLE DX										
A. Not Operated	663	2.8	2	1	2	2	3	5	6	9
B. Operated	42	2.9	6	1	1	2	4	6	8	12
1. SINGLE DX	182	2.1	2	1	1	2	3	3	4	6
2. MULTIPLE DX	705	2.8	3	1	2	2	3	5	6	9
A. Not Operated	816	2.7	2	1	2	2	3	4	5	8
B. Operated	71	2.4	7	1	1	1	3	5	7	14
TOTAL										
0-19 YRS	626	2.5	2	1	2	2	3	4	5	8
20-34	161	2.7	1	1	2	3	3	4	5	6
35-49	64	3.5	5	2	2	3	4	6	7	14
50-64	25	4.0	4	2	2	4	5	7	8	10
65 +	11	5.5	7	2	3	5	8	9	9	9
GRAND TOTAL	**887**	**2.7**	**2**	**1**	**2**	**2**	**3**	**4**	**5**	**9**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	377	4.3	9	2	2	3	5	10	10	14
20-34	12	6.4	10	3	4	6	7	12	14	14
35-49	19	6.8	63	3	3	4	7	14	28	36
50-64	25	7.1	30	3	4	6	8	11	16	30
65 +	49	10.1	47	3	6	8	14	19	21	40
B. Operated										
0-19 YRS	9	8.6	106	1	2	3	12	26	33	33
20-34	0									
35-49	4	12.0	78	2	5	11	18	23	23	23
50-64	1	11.0		11	11	11	11	11	11	11
65 +	6	14.2	55	6	10	15	24	85	99 +	99 +
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1243	5.6	24	2	3	4	7	11	14	26
20-34	261	8.1	38	3	4	7	10	14	18	39
35-49	417	9.2	63	3	5	7	11	15	20	39
50-64	885	9.7	44	4	6	8	12	17	20	34
65 +	3542	10.5	43	4	6	9	13	18	22	36
B. Operated										
0-19 YRS	132	16.2	188	4	7	13	20	35	42	80
20-34	116	17.8	241	5	7	13	21	42	50	74
35-49	218	17.2	254	5	8	14	20	37	52	97
50-64	378	17.5	204	5	8	14	21	38	49	73
65 +	1180	19.0	176	3	11	16	23	37	48	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	482	5.2	19	2	3	4	7	10	13	21
B. Operated	20	11.1	77	2	3	11	15	29	63	99 +
2. MULTIPLE DX										
A. Not Operated	6348	9.2	44	3	5	8	12	17	21	35
B. Operated	2024	18.3	194	6	9	15	22	37	49	85
1. SINGLE DX	502	5.4	22	2	3	4	7	11	14	28
2. MULTIPLE DX	8372	11.4	95	3	6	9	14	21	29	55
A. Not Operated	6830	9.0	43	3	5	7	11	16	20	34
B. Operated	2044	18.2	194	6	9	15	22	37	49	86
TOTAL										
0-19 YRS	1761	6.1	42	2	3	4	7	12	16	36
20-34	389	10.9	117	3	5	7	13	21	36	51
35-49	658	11.8	141	4	5	9	14	21	32	74
50-64	1289	12.0	103	4	6	9	14	22	30	58
65 +	4777	12.6	90	5	7	10	15	23	30	55
GRAND TOTAL	**8874**	**11.1**	**93**	**3**	**5**	**9**	**14**	**21**	**29**	**53**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	256	5.0	13	2	2	4	7	10	11	17
20-34	22	5.9	34	2	2	4	7	12	19	28
35-49	16	4.1	4	2	3	4	5	7	9	10
50-64	13	4.7	13	1	2	3	7	9	13	14
65 +	14	4.1	8	< 1	2	3	5	8	10	11
B. Operated										
0-19 YRS	9	4.9	9	1	2	5	7	9	9	9
20-34	0									
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	3	5.3	10	3	3	4	8	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	304	6.8	24	2	3	6	9	12	15	23
20-34	56	6.5	25	2	3	5	8	14	20	21
35-49	47	6.1	14	3	3	5	8	12	16	99 +
50-64	78	7.7	38	3	4	6	9	14	16	39
65 +	111	7.6	46	3	4	6	8	12	18	42
B. Operated										
0-19 YRS	37	18.8	269	5	8	15	24	61	86	99 +
20-34	21	14.5	242	4	6	8	18	33	55	67
35-49	22	21.0	399	7	10	12	23	52	71	80
50-64	23	14.0	152	4	4	11	18	31	41	54
65 +	35	17.7	147	6	8	15	27	48	82	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	321	5.0	13	2	2	4	7	10	11	18
B. Operated	14	4.8	7	2	3	4	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	596	7.0	29	2	4	6	9	12	15	29
B. Operated	138	17.4	234	5	7	13	23	46	66	99 +
1. SINGLE DX	335	5.0	13	2	2	4	7	10	11	18
2. MULTIPLE DX	734	8.9	84	3	4	7	10	17	24	67
A. Not Operated	917	6.3	25	2	3	5	8	11	14	24
B. Operated	152	16.2	226	4	7	11	22	45	66	99 +
TOTAL										
0-19 YRS	606	6.7	44	2	3	5	8	12	17	41
20-34	99	8.1	82	2	3	5	9	19	23	56
35-49	87	9.4	153	3	4	5	11	17	42	92
50-64	117	8.5	64	3	4	6	10	16	22	48
65 +	160	9.5	84	3	5	7	10	21	29	95
GRAND TOTAL	**1069**	**7.7**	**65**	**2**	**3**	**6**	**9**	**15**	**22**	**59**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	771	3.1	2	2	2	3	4	5	6	10
20-34	245	3.3	4	1	2	3	4	6	7	10
35-49	55	3.8	6	2	2	3	5	6	8	15
50-64	10	4.6	7	2	3	4	8	9	9	9
65 +	5	4.4	5	2	3	4	6	8	8	8
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	626	3.8	6	2	2	3	4	6	9	13
20-34	209	4.3	9	2	2	3	5	8	9	15
35-49	88	5.9	16	2	3	5	8	11	14	22
50-64	27	5.7	17	2	3	5	7	13	15	17
65 +	11	8.3	26	2	3	9	12	15	17	17
B. Operated										
0-19 YRS	17	8.8	36	4	5	7	12	18	22	23
20-34	8	13.1	134	4	6	10	16	33	39	39
35-49	6	9.3	13	5	7	9	14	83	99 +	99 +
50-64	1	13.0		13	13	13	13	13	13	13
65 +	2	5.5	5	4	4	5	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1086	3.2	3	2	2	3	4	5	6	10
B. Operated	4	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	961	4.2	8	2	2	3	5	8	10	15
B. Operated	34	9.9	52	4	5	7	14	19	35	99 +
1. SINGLE DX	1090	3.2	3	2	2	3	4	5	6	10
2. MULTIPLE DX	995	4.4	11	2	3	3	5	8	11	18
A. Not Operated	2047	3.7	6	2	2	3	4	6	8	13
B. Operated	38	9.2	51	3	5	7	13	19	32	99 +
TOTAL										
0-19 YRS	1415	3.5	5	2	2	3	4	5	7	13
20-34	464	3.9	10	2	2	3	5	7	9	15
35-49	150	5.2	13	2	3	4	7	10	14	23
50-64	38	5.6	15	2	3	4	8	12	14	17
65 +	18	6.9	20	2	3	5	11	13	15	17
GRAND TOTAL	**2085**	**3.8**	**7**	**2**	**2**	**3**	**4**	**6**	**9**	**15**

304 Hospitals, North Central Region, January-December 1989

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	193	3.1	4	1	2	3	4	6	7	11
20-34	41	3.9	4	2	2	4	5	7	8	9
35-49	16	3.6	4	1	2	3	5	7	7	7
50-64	14	4.0	8	< 1	2	3	6	9	9	9
65 +	35	3.9	5	1	2	3	6	6	8	11
B. Operated										
0-19 YRS	2	10.0	128	2	2	10	18	18	18	18
20-34	0									
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	3	4.7	10	1	2	6	7	7	7	7
65 +	9	7.2	31	1	3	7	9	16	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	811	4.3	11	2	2	4	5	7	10	17
20-34	131	5.5	17	2	3	4	7	10	13	24
35-49	78	6.4	26	2	3	6	7	13	16	27
50-64	137	6.3	12	3	4	6	8	11	13	18
65 +	431	7.2	27	2	4	6	8	13	18	28
B. Operated										
0-19 YRS	29	16.9	405	5	7	9	19	59	90	99 +
20-34	12	8.8	24	4	5	8	11	15	20	21
35-49	12	5.7	23	1	2	5	8	13	16	17
50-64	18	12.2	124	3	4	9	14	33	39	39
65 +	62	12.3	83	2	5	10	18	25	30	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	299	3.4	4	1	2	3	4	6	7	10
B. Operated	16	6.7	31	1	2	6	8	17	18	18
2. MULTIPLE DX										
A. Not Operated	1588	5.5	18	2	3	4	7	10	13	23
B. Operated	133	12.4	154	3	5	8	16	25	37	92
1. SINGLE DX	315	3.5	6	1	2	3	5	7	8	14
2. MULTIPLE DX	1721	6.0	32	2	3	5	7	11	16	27
A. Not Operated	1887	5.1	16	2	3	4	6	9	12	22
B. Operated	149	11.8	143	2	5	8	15	24	34	90
TOTAL										
0-19 YRS	1035	4.5	25	1	2	3	5	7	10	23
20-34	184	5.4	15	2	3	4	7	10	12	23
35-49	108	5.9	23	1	2	5	7	11	15	25
50-64	172	6.7	27	2	4	6	8	11	16	34
65 +	537	7.5	35	2	4	6	9	15	20	32
GRAND TOTAL	**2036**	**5.6**	**29**	**2**	**3**	**4**	**7**	**10**	**15**	**26**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	3.8	5	1	2	3	5	7	8	11
20-34	66	5.0	9	2	3	4	6	9	11	15
35-49	25	7.1	20	3	4	6	8	11	16	23
50-64	8	5.6	15	2	3	4	8	12	13	13
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	0									
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	5.1	31	2	2	4	5	8	15	34
20-34	140	5.6	11	2	3	5	7	10	12	18
35-49	67	6.1	13	2	4	5	8	11	14	17
50-64	44	6.7	23	3	4	5	7	12	18	24
65 +	61	7.6	49	3	4	6	8	13	19	44
B. Operated										
0-19 YRS	5	5.6	23	2	3	4	7	14	14	14
20-34	10	11.5	43	4	8	10	12	23	24	24
35-49	12	14.3	221	4	6	8	18	37	50	52
50-64	15	15.9	376	2	5	9	22	26	66	79
65 +	16	10.3	55	1	6	8	13	23	26	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	5.1	11	2	3	4	6	9	11	16
B. Operated	5	2.8	6	< 1	1	1	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	368	6.1	23	2	3	5	7	11	14	25
B. Operated	58	12.4	167	2	5	8	14	25	29	77
1. SINGLE DX	143	5.0	11	2	3	4	6	9	11	16
2. MULTIPLE DX	426	6.9	47	2	3	5	8	12	18	32
A. Not Operated	506	5.8	20	2	3	5	7	10	13	24
B. Operated	63	11.6	161	2	5	8	13	25	29	75
TOTAL										
0-19 YRS	101	4.5	21	1	2	4	5	7	10	30
20-34	216	5.7	14	2	3	5	7	10	12	21
35-49	106	7.3	43	3	4	6	8	13	16	40
50-64	67	8.6	112	3	4	5	9	19	24	70
65 +	79	8.0	50	3	4	6	9	14	25	41
GRAND TOTAL	**569**	**6.4**	**38**	**2**	**3**	**5**	**8**	**12**	**16**	**29**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	150	3.4	5	1	2	3	4	6	8	15
20-34	45	3.7	3	2	2	4	5	6	7	9
35-49	9	4.2	7	1	2	3	6	8	8	8
50-64	3	5.7	12	2	3	6	8	9	9	9
65 +	0									
B. Operated										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	640	3.7	6	2	2	3	4	6	8	10
20-34	149	4.1	5	2	3	4	5	7	8	10
35-49	23	5.3	10	2	2	4	8	10	11	12
50-64	8	3.9	3	2	3	4	5	6	7	7
65 +	4	8.3	15	4	5	8	11	12	12	12
B. Operated										
0-19 YRS	10	4.5	5	1	3	4	7	8	8	8
20-34	7	10.3	16	5	6	12	13	15	16	16
35-49	2	21.5	145	13	13	21	30	30	30	30
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	207	3.5	5	1	2	3	5	6	8	13
B. Operated	3	5.0	37	1	1	2	9	12	12	12
2. MULTIPLE DX										
A. Not Operated	824	3.8	6	2	2	3	5	7	8	11
B. Operated	21	8.5	41	2	4	7	12	14	22	30
1. SINGLE DX	210	3.6	6	1	2	3	5	6	8	13
2. MULTIPLE DX	845	3.9	8	2	2	3	5	7	8	12
A. Not Operated	1031	3.8	6	2	2	3	5	7	8	11
B. Operated	24	8.0	41	2	4	6	12	14	20	30
TOTAL										
0-19 YRS	802	3.6	6	2	2	3	4	6	8	11
20-34	201	4.3	7	2	3	4	5	8	9	14
35-49	35	5.9	28	2	2	4	8	11	13	30
50-64	12	4.5	5	2	3	4	6	8	9	9
65 +	5	9.0	14	4	5	11	12	12	12	12
GRAND TOTAL	**1055**	**3.9**	**7**	**2**	**2**	**3**	**5**	**7**	**8**	**12**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	2.1	5	<1	<1	1	2	4	8	9
20-34	38	1.1		<1	<1	<1	1	2	2	2
35-49	27	1.4	1	<1	<1	1	2	3	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.5	85	<1	<1	7	14	14	14	14
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	9	2.1	2	1	1	1	3	5	5	5
20-34	25	1.7	2	<1	1	1	2	3	5	6
35-49	12	5.3	60	1	1	1	7	18	23	24
50-64	4	1.8		1	1	2	2	2	2	2
65 +	3	3.7	2	2	2	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	3	<1	<1	<1	3	4	4	4
B. Operated	78	1.4	1	<1	<1	<1	1	2	3	8
2. MULTIPLE DX										
A. Not Operated	8	3.3	21	<1	1	1	3	11	14	14
B. Operated	53	2.7	16	1	1	1	2	5	11	24
1. SINGLE DX	81	1.4	1	<1	<1	<1	1	2	3	8
2. MULTIPLE DX	61	2.8	16	1	1	1	2	5	13	23
A. Not Operated	11	2.9	16	<1	<1	1	3	9	14	14
B. Operated	131	1.9	8	<1	<1	1	2	3	5	18
TOTAL										
0-19 YRS	25	2.6	9	<1	<1	1	3	5	10	14
20-34	66	1.3	1	<1	<1	1	1	2	3	6
35-49	42	2.5	20	<1	<1	1	2	3	14	24
50-64	6	2.2	2	1	1	2	2	5	5	5
65 +	3	3.7	2	2	2	4	5	5	5	5
GRAND TOTAL	**142**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**3**	**5**	**17**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1424	2.7	1	1	2	3	3	4	4	7
20-34	115	3.1	3	1	2	3	4	6	7	9
35-49	59	4.4	23	1	2	3	5	8	18	24
50-64	14	3.6	7	1	2	3	4	6	10	11
65 +	16	4.1	6	2	3	4	5	6	10	12
B. Operated										
0-19 YRS	22	3.4	3	1	2	3	4	6	7	7
20-34	5	4.8	7	1	2	6	7	7	7	7
35-49	2	16.0	242	5	5	16	27	27	27	27
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2449	3.1	6	1	2	3	4	5	6	12
20-34	427	4.9	41	1	2	3	5	8	17	34
35-49	322	5.0	31	1	2	3	6	9	14	30
50-64	223	4.5	10	2	2	4	5	8	10	18
65 +	353	5.3	17	2	3	4	6	11	13	26
B. Operated										
0-19 YRS	101	10.5	152	2	3	5	14	25	41	82
20-34	100	13.5	186	3	5	9	17	28	46	67
35-49	73	16.6	285	3	7	10	21	33	55	90
50-64	36	14.1	185	3	6	10	18	27	47	64
65 +	36	13.3	131	3	6	10	16	28	43	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1628	2.8	3	1	2	3	3	4	5	8
B. Operated	30	4.6	22	1	2	4	6	7	8	27
2. MULTIPLE DX										
A. Not Operated	3774	3.8	14	1	2	3	4	7	9	18
B. Operated	346	13.3	194	2	4	9	17	28	45	71
1. SINGLE DX	1658	2.8	3	1	2	3	3	4	5	8
2. MULTIPLE DX	4120	4.6	36	1	2	3	5	8	13	32
A. Not Operated	5402	3.5	11	1	2	3	4	6	8	16
B. Operated	376	12.6	185	2	4	8	16	27	43	69
TOTAL										
0-19 YRS	3996	3.1	9	1	2	3	3	5	6	15
20-34	647	5.9	67	1	2	3	6	13	20	50
35-49	456	6.8	89	1	2	4	7	15	23	55
50-64	273	5.7	43	2	3	4	6	11	16	36
65 +	406	6.0	32	2	3	4	7	12	15	29
GRAND TOTAL	5778	4.1	27	1	2	3	4	7	11	27

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	3.3	7	1	2	3	4	6	8	14
20-34	22	3.8	14	1	1	3	4	10	14	14
35-49	18	3.8	7	1	2	3	5	8	10	10
50-64	4	4.3	2	3	3	4	5	6	6	6
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	3	7.7	30	4	4	5	12	14	14	14
20-34	3	4.0	19	1	1	2	7	9	9	9
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	4.6	15	2	2	4	5	8	13	21
20-34	19	4.6	8	2	3	4	6	9	11	12
35-49	14	7.7	22	3	4	6	12	15	15	15
50-64	10	5.5	11	2	3	5	8	10	12	12
65 +	13	10.2	21	3	5	13	14	14	14	14
B. Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	11.7	21	9	9	9	15	17	17	17
50-64	4	10.0	97	1	1	10	18	19	19	19
65 +	2	8.5	41	4	4	8	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	3.6	9	1	2	3	4	7	10	14
B. Operated	9	4.7	19	1	2	4	6	12	14	14
2. MULTIPLE DX										
A. Not Operated	90	6.0	18	2	3	5	8	13	14	19
B. Operated	11	8.9	47	1	3	9	16	18	19	19
1. SINGLE DX	84	3.7	10	1	2	3	4	8	11	14
2. MULTIPLE DX	101	6.3	22	2	3	5	9	14	15	20
A. Not Operated	165	4.9	15	1	2	4	6	12	14	15
B. Operated	20	7.0	37	1	2	4	11	17	18	19
TOTAL										
0-19 YRS	66	4.2	13	1	2	3	5	8	13	20
20-34	46	4.1	11	1	2	3	5	9	12	14
35-49	37	5.8	20	1	2	4	8	14	15	17
50-64	19	6.1	26	2	3	4	8	16	19	19
65 +	17	9.2	23	3	4	11	13	14	14	14
GRAND TOTAL	185	5.1	18	1	2	4	6	13	14	19

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	5.1	8	2	3	4	6	10	11	11
20-34	73	4.1	3	2	3	4	5	6	7	10
35-49	12	5.0	6	3	3	4	6	9	11	11
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	10.0	8	8	8	10	12	12	12	12
B. Operated										
0-19 YRS	3	4.7	4	3	3	4	6	7	7	7
20-34	6	2.8	8	< 1	< 1	1	4	8	8	8
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	5.0	8	2	3	4	6	10	10	11
20-34	130	5.6	14	3	4	5	6	9	13	24
35-49	30	6.3	33	2	3	5	7	11	17	31
50-64	10	8.4	22	3	4	8	12	15	16	16
65 +	17	9.5	18	3	6	10	11	14	18	20
B. Operated										
0-19 YRS	13	7.8	24	2	5	7	9	17	19	19
20-34	29	6.5	19	1	3	7	9	12	14	17
35-49	9	10.0	21	4	7	10	14	16	17	17
50-64	5	10.8	32	5	6	9	15	19	19	19
65 +	6	9.8	30	2	5	10	15	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	156	4.7	6	2	3	4	6	8	10	11
B. Operated	13	3.5	10	< 1	1	2	5	9	11	11
2. MULTIPLE DX										
A. Not Operated	271	5.8	16	3	3	5	7	10	12	22
B. Operated	62	8.0	24	2	4	7	11	15	17	19
1. SINGLE DX	169	4.6	6	2	3	4	5	8	10	11
2. MULTIPLE DX	333	6.2	18	2	3	5	8	11	15	21
A. Not Operated	427	5.4	12	2	3	4	6	10	11	20
B. Operated	75	7.2	24	1	3	7	10	15	17	19
TOTAL										
0-19 YRS	168	5.2	9	2	3	4	7	10	11	15
20-34	238	5.2	12	2	3	4	6	9	12	20
35-49	53	6.4	26	2	3	5	8	12	16	31
50-64	16	8.8	26	3	4	8	13	16	18	19
65 +	27	9.3	20	3	6	10	12	15	17	20
GRAND TOTAL	**502**	**5.7**	**15**	**2**	**3**	**5**	**7**	**10**	**12**	**19**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	3.3	3	2	2	3	4	6	6	10
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	5	5.8	41	2	2	3	8	17	17	17
50-64	1	4.0		4	4	4	4	4	4	4
65 +	3	43.7	1226	21	22	26	69	84	84	84
B. Operated										
0-19 YRS	2	29.0	128	21	21	29	37	37	37	37
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	4	6.5	10	3	4	6	9	10	10	10
50-64	11	5.6	12	2	3	5	8	11	13	13
65 +	5	3.8	8	< 1	1	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	217	4.8	31	2	2	3	5	9	13	31
20-34	36	9.8	127	2	3	5	12	25	41	46
35-49	45	10.3	181	3	4	6	11	24	36	71
50-64	44	9.8	63	3	5	7	12	22	27	41
65 +	134	10.2	48	4	6	8	12	19	24	38
B. Operated										
0-19 YRS	28	16.3	248	2	6	11	22	49	59	99 +
20-34	50	19.3	261	3	7	14	31	46	55	57
35-49	50	17.0	236	5	8	11	21	43	47	73
50-64	56	20.3	217	6	10	16	27	45	68	99 +
65 +	82	16.5	172	6	8	14	18	31	41	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	5.7	131	2	2	3	5	7	20	80
B. Operated	24	7.3	59	1	3	5	8	14	26	37
2. MULTIPLE DX										
A. Not Operated	476	7.7	66	2	3	5	9	15	22	44
B. Operated	266	17.9	217	5	8	14	23	42	52	95
1. SINGLE DX	81	6.2	109	2	2	3	6	10	21	69
2. MULTIPLE DX	742	11.3	144	2	4	7	14	27	40	67
A. Not Operated	533	7.5	73	2	3	5	9	15	22	45
B. Operated	290	17.0	212	4	7	13	22	40	52	90
TOTAL										
0-19 YRS	293	5.9	63	2	2	3	6	11	21	53
20-34	90	14.8	220	2	4	8	20	39	50	56
35-49	104	13.2	206	3	5	9	14	28	47	72
50-64	112	14.6	167	4	6	10	19	36	45	99 +
65 +	224	12.8	126	5	6	10	15	25	32	70
GRAND TOTAL	**823**	**10.8**	**143**	**2**	**4**	**7**	**13**	**25**	**39**	**68**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.6	1	1	2	3	3	4	4	4
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.8	10	1	1	2	6	9	10	10
20-34	6	6.8	13	1	6	7	10	11	11	11
35-49	2	14.0	18	11	11	14	17	17	17	17
50-64	3	6.3	34	2	2	4	11	13	13	13
65 +	2	23.0	578	6	6	23	40	40	40	40
B. Operated										
0-19 YRS	4	14.3	405	1	2	6	26	44	44	44
20-34	3	14.7	374	3	3	4	29	37	37	37
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	1	8.0		8	8	8	8	8	8	8
65 +	3	15.3	96	4	8	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.8	2	1	2	3	4	4	4	4
B. Operated	6	3.2	3	1	2	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	22	7.6	72	1	2	6	10	14	26	40
B. Operated	13	13.0	193	2	3	8	21	38	43	44
1. SINGLE DX	10	3.0	2	1	2	3	4	5	6	6
2. MULTIPLE DX	35	9.6	119	1	3	6	11	21	39	44
A. Not Operated	26	6.9	64	1	2	5	10	13	22	40
B. Operated	19	9.9	152	2	3	4	10	31	41	44
TOTAL										
0-19 YRS	21	5.3	85	1	1	3	5	9	25	44
20-34	11	8.5	98	2	3	6	9	21	36	37
35-49	4	10.5	33	3	7	11	14	17	17	17
50-64	4	6.8	24	2	3	6	10	13	13	13
65 +	5	18.4	210	4	5	21	26	40	40	40
GRAND TOTAL	**45**	**8.2**	**100**	**1**	**3**	**4**	**10**	**21**	**38**	**44**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	16.0	98	9	9	16	23	23	23	23
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.2	5	2	3	3	7	7	7	7
20-34	45	11.5	79	2	5	10	17	23	27	41
35-49	37	13.3	79	2	8	12	17	25	27	45
50-64	10	12.9	83	4	6	10	16	28	32	32
65 +	16	10.4	88	4	5	7	12	20	34	40
B. Operated										
0-19 YRS	7	12.3	100	2	4	10	17	28	31	31
20-34	100	17.4	106	6	9	16	23	32	40	74
35-49	73	17.5	149	6	8	14	23	34	39	62
50-64	16	22.0	162	10	12	17	33	40	46	49
65 +	11	22.4	143	6	16	19	31	37	44	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	2	16.0	98	9	9	16	23	23	23	23
2. MULTIPLE DX										
A. Not Operated	114	11.7	79	3	5	10	16	23	28	42
B. Operated	207	17.9	128	6	9	16	24	34	40	59
1. SINGLE DX	3	11.3	114	2	4	9	19	23	23	23
2. MULTIPLE DX	321	15.7	119	4	7	14	22	31	38	52
A. Not Operated	115	11.6	79	3	5	10	16	23	27	42
B. Operated	209	17.8	128	6	9	16	23	34	40	59
TOTAL										
0-19 YRS	13	8.5	70	2	3	7	11	21	29	31
20-34	147	15.6	104	4	7	14	[illegible]	29	38	51
35-49	111	15.9	129	5	8	13	[illegible]	28	36	59
50-64	26	18.5	148	6	10	15	27	36	42	49
65 +	27	15.3	141	4	5	11	20	32	41	45
GRAND TOTAL	**324**	**15.6**	**119**	**4**	**7**	**14**	**22**	**31**	**38**	**51**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	4.6	22	1	2	3	6	12	16	16
20-34	13	4.0	9	1	2	3	5	8	11	12
35-49	10	4.6	15	1	1	3	9	10	11	11
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	25	4.2	22	1	1	3	5	9	15	22
35-49	36	3.1	9	1	1	2	4	7	8	15
50-64	6	5.8	9	2	5	5	7	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.0	2	1	2	3	4	5	6	6
20-34	53	6.7	46	2	3	5	8	15	22	37
35-49	45	8.6	118	3	4	5	9	17	30	64
50-64	42	7.5	19	4	5	6	9	14	16	25
65+	31	6.3	7	3	4	6	8	10	13	13
B. Operated										
0-19 YRS	1	7.0		7	7	53	99+	99+	99+	99+
20-34	47	7.6	59	1	2	6	12	16	23	37
35-49	60	10.0	82	2	4	7	15	21	25	51
50-64	31	10.3	199	1	1	7	12	22	49	63
65+	19	7.9	52	1	2	6	13	17	23	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	4.2	13	1	2	3	5	10	12	16
B. Operated	70	3.7	14	1	1	2	5	7	11	21
2. MULTIPLE DX										
A. Not Operated	192	6.9	48	2	3	5	8	12	17	36
B. Operated	158	9.1	93	1	2	6	12	21	26	62
1. SINGLE DX	105	3.9	13	1	1	3	5	9	11	19
2. MULTIPLE DX	350	7.9	69	1	3	6	9	16	23	54
A. Not Operated	227	6.5	43	2	3	5	8	11	16	35
B. Operated	228	7.4	75	1	2	5	10	17	23	56
TOTAL										
0-19 YRS	34	3.7	8	1	2	3	5	7	14	99+
20-34	138	6.3	44	1	2	4	8	14	22	37
35-49	151	7.6	78	1	3	5	9	18	23	54
50-64	80	8.4	89	1	4	6	10	15	21	59
65+	52	6.7	25	1	3	6	9	13	15	26
GRAND TOTAL	**455**	**7.0**	**59**	**1**	**2**	**5**	**8**	**15**	**22**	**49**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	20.0		20	20	20	20	20	20	20
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	7.0		7	7	53	99+	99+	99+	99+
50-64	0									
65+	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	20.0		20	20	20	20	20	20	20
50-64	3	11.0	13	7	8	12	13	14	14	14
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. Not Operated	2	6.5	1	6	6	7	77	99+	99+	99+
B. Operated	5	11.4	39	4	6	12	15	20	20	20
1. SINGLE DX	2	10.5	181	1	1	10	20	20	20	20
2. MULTIPLE DX	7	10.0	32	5	6	10	17	76	99+	99+
A. Not Operated	3	4.7	10	1	3	6	53	99+	99+	99+
B. Operated	6	12.8	43	4	7	13	20	20	20	20
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	13.5	85	7	10	20	80	99+	99+	99+
50-64	4	13.3	29	7	9	13	17	20	20	20
65+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**9**	**10.1**	**46**	**2**	**6**	**10**	**20**	**60**	**99+**	**99+**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	3	5.3		5	5	5	6	6	6	6
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
0-19 YRS	6	3.8	6	1	2	4	6	6	6	6
20-34	9	4.0	13	1	1	2	7	10	10	10
35-49	33	2.5	6	1	1	1	3	5	7	12
50-64	67	4.1	17	1	1	2	6	12	13	16
65 +	71	4.1	16	1	1	3	5	9	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.2	2	2	2	3	4	5	5	5
20-34	4	6.3	17	1	3	6	9	11	11	11
35-49	13	10.5	108	1	3	5	16	28	30	31
50-64	41	6.5	26	2	4	6	8	11	12	32
65 +	41	7.9	64	2	3	6	11	17	20	46
B. Operated										
0-19 YRS	9	6.7	71	1	2	3	7	21	28	28
20-34	9	7.8	29	2	4	7	10	16	19	19
35-49	93	11.0	102	2	3	8	15	24	29	52
50-64	315	12.2	126	2	4	9	16	28	34	48
65 +	353	11.1	138	1	3	7	15	26	35	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.6	3	2	4	5	5	7	7	7
B. Operated	186	3.8	14	1	1	2	5	9	12	18
2. MULTIPLE DX										
A. Not Operated	105	7.3	50	2	3	6	8	13	21	38
B. Operated	779	11.4	127	1	3	8	15	27	33	51
1. SINGLE DX	195	3.8	14	1	1	2	5	9	12	18
2. MULTIPLE DX	884	11.0	120	1	3	7	15	26	32	49
A. Not Operated	114	7.1	47	2	3	5	8	13	20	37
B. Operated	965	10.0	115	1	2	7	14	24	30	49
TOTAL										
0-19 YRS	21	4.9	33	1	2	3	6	8	18	28
20-34	24	5.8	20	1	2	5	8	11	14	19
35-49	142	8.9	90	1	2	5	13	22	28	49
50-64	425	10.3	109	1	3	7	13	25	31	47
65 +	467	9.7	119	1	2	6	13	22	30	51
GRAND TOTAL	**1079**	**9.7**	**108**	**1**	**2**	**6**	**13**	**23**	**30**	**49**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	8	6.6	46	1	2	5	8	18	22	22
65 +	2	10.5	13	8	8	10	13	13	13	13
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	14	6.1	21	1	3	4	9	12	16	17
65 +	18	6.3	27	2	2	5	7	13	18	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	5.4	4	3	4	5	7	9	9	9
50-64	29	9.9	58	3	5	8	12	23	25	32
65 +	67	8.8	75	2	3	5	12	21	30	38
B. Operated										
0-19 YRS	0									
20-34	2	16.0	162	7	7	16	25	25	25	25
35-49	29	16.7	62	7	11	14	21	26	30	40
50-64	147	19.7	295	5	9	15	23	45	57	86
65 +	202	15.9	176	3	7	13	21	30	39	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	7.1	37	2	3	5	9	17	22	22
B. Operated	32	6.2	24	2	2	5	9	13	17	21
2. MULTIPLE DX										
A. Not Operated	103	8.9	66	2	4	6	11	21	26	37
B. Operated	380	17.4	215	4	8	14	22	34	49	86
1. SINGLE DX	43	6.4	27	2	3	5	9	13	18	22
2. MULTIPLE DX	483	15.6	195	3	6	12	21	30	44	84
A. Not Operated	114	8.7	63	2	4	6	11	21	25	37
B. Operated	412	16.6	209	3	7	13	21	32	48	85
TOTAL										
0-19 YRS	0									
20-34	2	16.0	162	7	7	16	25	25	25	25
35-49	37	14.2	72	4	7	12	20	25	29	40
50-64	198	16.8	255	3	7	12	21	36	52	84
65 +	289	13.6	154	2	5	11	19	29	36	83
GRAND TOTAL	**526**	**14.9**	**188**	**3**	**6**	**11**	**20**	**30**	**42**	**82**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	8.5	85	2	2	8	15	15	15	15
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	5	8.6	14	5	6	7	12	14	14	14
50-64	8	7.9	29	1	4	7	10	16	18	18
65 +	14	11.3	26	7	8	10	13	17	23	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	15	9.8	71	1	3	9	11	20	30	34
50-64	25	8.5	79	2	4	6	10	17	28	43
65 +	70	10.2	151	2	5	7	11	19	26	80
B. Operated										
0-19 YRS	2	17.0	18	14	14	17	20	20	20	20
20-34	6	15.8	38	5	15	17	20	21	21	21
35-49	65	13.7	73	7	9	12	16	24	30	50
50-64	197	13.9	92	5	8	11	17	26	36	80
65 +	530	16.9	141	6	9	13	22	31	40	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	6.5	35	2	2	4	10	15	15	15
B. Operated	27	9.8	26	5	7	9	12	16	19	25
2. MULTIPLE DX										
A. Not Operated	110	9.7	122	2	4	7	11	19	26	68
B. Operated	800	15.9	124	6	9	13	20	29	38	62
1. SINGLE DX	31	9.4	27	3	6	9	12	16	18	25
2. MULTIPLE DX	910	15.1	128	5	8	12	19	29	37	62
A. Not Operated	114	9.6	119	2	4	7	11	19	26	67
B. Operated	827	15.7	122	6	9	13	19	29	38	61
TOTAL										
0-19 YRS	2	17.0	18	14	14	17	20	20	20	20
20-34	6	15.8	38	5	15	17	20	21	21	21
35-49	86	12.6	72	3	8	11	16	23	30	47
50-64	231	13.1	92	4	7	11	16	25	36	67
65 +	616	16.0	145	5	9	13	20	30	39	65
GRAND TOTAL	**941**	**15.0**	**126**	**5**	**8**	**12**	**18**	**28**	**37**	**60**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	7.0	8	5	5	7	9	9	9	9
65 +	5	6.4	12	< 1	4	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	8.0	14	3	5	8	10	12	12	12
65 +	2	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	7	11.9	61	6	6	7	15	25	27	27
35-49	15	21.6	547	7	9	11	18	64	71	74
50-64	46	13.3	65	7	7	11	17	24	35	37
65 +	49	18.8	180	7	9	14	24	39	46	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	8	6.8	8	1	5	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	6	7.3	9	3	6	7	9	12	12	12
B. Operated	117	16.6	180	7	8	12	20	35	45	67
1. SINGLE DX	9	6.2	10	1	4	8	9	9	9	9
2. MULTIPLE DX	123	16.2	176	6	8	11	20	34	44	67
A. Not Operated	7	6.6	12	2	4	6	9	11	12	12
B. Operated	125	16.0	175	6	8	11	19	34	43	66
TOTAL										
0-19 YRS	0									
20-34	7	11.9	61	6	6	7	15	25	27	27
35-49	17	19.6	510	5	8	11	14	63	70	74
50-64	52	12.7	62	6	7	10	15	23	33	37
65 +	56	17.3	176	6	8	12	22	36	45	62
GRAND TOTAL	**132**	**15.5**	**170**	**6**	**8**	**11**	**19**	**33**	**42**	**66**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	4.0	7	2	2	3	6	7	7	7
65 +	9	9.1	85	< 1	2	6	12	24	30	30
B. Operated										
0-19 YRS	0									
20-34	2	9.0	2	8	8	9	10	10	10	10
35-49	35	8.0	6	6	6	7	9	12	12	15
50-64	124	8.4	11	6	7	8	9	11	13	25
65 +	152	9.9	16	7	7	9	11	15	17	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	6.0	21	1	2	7	9	10	10	10
35-49	11	10.5	83	1	2	8	15	25	29	29
50-64	51	8.4	76	1	3	6	11	15	26	51
65 +	144	7.9	37	2	4	6	11	16	20	26
B. Operated										
0-19 YRS	2	24.0	392	10	10	24	38	38	38	38
20-34	32	10.9	55	5	7	9	12	22	24	41
35-49	194	10.5	40	6	7	9	12	16	22	32
50-64	952	11.3	39	7	8	10	13	19	24	41
65 +	3062	13.6	70	7	9	11	16	22	29	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	7.8	68	1	2	6	9	20	29	30
B. Operated	313	9.1	13	6	7	8	10	13	16	25
2. MULTIPLE DX										
A. Not Operated	209	8.1	48	1	3	6	11	16	23	30
B. Operated	4242	12.9	63	7	8	11	15	22	28	45
1. SINGLE DX	325	9.0	15	6	7	8	10	13	16	26
2. MULTIPLE DX	4451	12.7	63	7	8	10	15	21	27	45
A. Not Operated	221	8.1	49	1	3	6	11	16	23	30
B. Operated	4555	12.6	61	7	8	10	15	21	27	44
TOTAL										
0-19 YRS	2	24.0	392	10	10	24	38	38	38	38
20-34	37	10.4	51	5	7	8	11	20	23	41
35-49	240	10.1	38	6	7	9	12	16	21	30
50-64	1130	10.9	39	6	7	9	12	18	23	39
65 +	3367	13.1	68	7	8	11	15	22	28	46
GRAND TOTAL	**4776**	**12.4**	**61**	**7**	**8**	**10**	**14**	**21**	**27**	**44**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	6	6.2	18	3	3	4	10	13	13	13
65 +	7	3.9	20	< 1	< 1	1	5	12	13	13
B. Operated										
0-19 YRS	0									
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	23	6.7	12	2	3	7	9	11	12	12
50-64	85	9.1	9	6	8	9	11	13	14	19
65 +	106	9.1	19	3	7	9	11	15	17	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	8	8.3	14	4	5	7	11	13	14	14
50-64	51	9.6	159	1	3	5	11	21	40	70
65 +	85	7.7	26	2	4	7	11	15	18	22
B. Operated										
0-19 YRS	0									
20-34	13	14.8	231	6	8	11	13	33	57	62
35-49	115	10.9	31	7	8	9	12	18	23	31
50-64	452	11.7	47	6	8	10	14	19	23	47
65 +	1213	13.9	86	6	9	12	17	24	29	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.9	18	< 1	1	4	6	13	13	13
B. Operated	216	8.8	15	3	7	9	11	13	15	21
2. MULTIPLE DX										
A. Not Operated	145	8.3	72	2	3	6	11	15	20	43
B. Operated	1793	13.2	74	6	8	11	16	23	28	48
1. SINGLE DX	230	8.6	16	3	7	9	11	13	15	20
2. MULTIPLE DX	1938	12.8	76	5	8	11	15	22	27	47
A. Not Operated	159	8.0	68	1	3	6	11	15	19	42
B. Operated	2009	12.7	70	6	8	11	15	22	27	46
TOTAL										
0-19 YRS	0									
20-34	16	12.8	206	2	7	10	12	25	51	62
35-49	147	10.0	29	5	7	9	12	17	22	29
50-64	594	11.1	52	5	8	10	13	18	23	45
65 +	1411	13.1	81	5	8	11	16	23	28	47
GRAND TOTAL	**2168**	**12.3**	**71**	**5**	**8**	**10**	**15**	**22**	**27**	**46**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.4	6	<1	1	4	6	6	6	6
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	4.0		4	4	4	4	4	4	4
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	5	7.4	27	1	3	7	12	14	14	14
B. Operated										
0-19 YRS	11	9.9	46	2	5	7	13	20	24	24
20-34	5	5.4	6	2	3	6	7	8	8	8
35-49	7	7.3	6	4	6	8	8	10	11	11
50-64	13	7.4	73	1	2	6	10	15	30	33
65+	19	7.5	84	1	1	4	8	26	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	7.4	34	2	4	6	8	13	21	28
20-34	3	7.0	31	2	3	6	11	13	13	13
35-49	19	6.4	38	1	2	5	7	17	21	23
50-64	25	6.5	17	2	4	5	8	14	16	17
65+	59	9.1	75	3	4	7	10	20	24	52
B. Operated										
0-19 YRS	36	18.3	280	5	7	14	23	42	72	99+
20-34	12	12.8	86	6	7	9	15	26	36	38
35-49	53	10.3	45	3	6	9	14	21	25	29
50-64	144	11.7	97	3	6	9	15	24	29	48
65+	356	15.8	154	5	8	12	20	29	41	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	4.7	12	1	1	4	6	10	13	14
B. Operated	55	7.7	55	1	2	6	10	18	27	33
2. MULTIPLE DX										
A. Not Operated	126	7.8	51	2	4	6	9	16	21	36
B. Operated	601	14.5	141	4	7	11	18	27	39	71
1. SINGLE DX	73	7.0	46	1	2	5	8	14	26	32
2. MULTIPLE DX	727	13.3	132	4	6	10	17	26	35	69
A. Not Operated	144	7.5	47	2	3	6	9	15	21	32
B. Operated	656	13.9	137	4	7	11	18	26	38	71
TOTAL										
0-19 YRS	74	12.7	183	3	5	7	16	28	42	93
20-34	21	9.9	64	3	6	7	11	20	29	38
35-49	82	8.9	41	2	4	8	11	19	23	28
50-64	184	10.6	88	2	5	8	13	22	27	45
65+	439	14.5	146	4	7	11	18	28	39	67
GRAND TOTAL	**800**	**12.7**	**127**	**3**	**6**	**10**	**16**	**25**	**33**	**67**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	9	4.6	12	1	3	4	5	10	13	13
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	10.0	7	7	8	11	12	12	12	12
50-64	12	8.2	44	2	3	7	12	18	22	23
65+	12	6.7	53	1	3	4	7	18	26	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	8.0	32	4	4	8	12	12	12	12
35-49	13	4.2	10	1	1	3	6	9	11	11
50-64	67	6.0	17	2	3	5	8	12	15	20
65+	125	8.5	69	2	4	7	10	16	17	50
B. Operated										
0-19 YRS	0									
20-34	3	40.0	723	9	20	54	56	57	57	57
35-49	47	15.7	131	5	8	14	20	28	40	60
50-64	230	15.8	130	6	9	13	19	32	38	53
65+	487	17.2	124	7	10	14	21	31	40	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.0	11	1	2	4	5	8	13	13
B. Operated	27	7.7	43	1	3	6	11	16	24	27
2. MULTIPLE DX										
A. Not Operated	207	7.4	50	2	3	6	9	14	16	42
B. Operated	767	16.8	130	6	10	14	21	32	40	59
1. SINGLE DX	38	6.6	36	1	3	5	8	14	20	27
2. MULTIPLE DX	974	14.8	127	4	7	12	18	29	37	57
A. Not Operated	218	7.2	48	2	3	6	9	14	16	41
B. Operated	794	16.5	129	6	9	14	20	31	39	59
TOTAL										
0-19 YRS	0									
20-34	5	27.2	677	4	8	12	55	57	57	57
35-49	63	13.0	122	2	5	11	16	27	34	58
50-64	311	13.3	120	3	7	11	16	28	35	53
65+	633	15.1	125	4	8	13	19	28	37	60
GRAND TOTAL	**1012**	**14.5**	**126**	**4**	**7**	**12**	**18**	**28**	**37**	**56**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	3.4	3	< 1	2	4	5	5	5	5
50-64	21	4.7	15	1	2	3	7	11	12	13
65 +	30	5.8	14	2	3	5	7	10	14	17
B. Operated										
0-19 YRS	0									
20-34	3	5.7	4	4	4	5	7	8	8	8
35-49	40	7.2	12	2	5	7	9	11	13	17
50-64	160	7.4	23	2	5	7	9	12	16	26
65 +	124	8.0	26	1	4	8	11	14	16	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	10	7.2	45	1	2	6	7	19	21	21
35-49	105	7.1	29	2	3	5	9	15	20	25
50-64	512	7.1	33	2	3	5	9	15	19	29
65 +	749	8.2	43	2	4	6	11	17	21	33
B. Operated										
0-19 YRS	4	10.5	17	6	8	10	13	16	16	16
20-34	18	11.6	106	3	7	8	13	19	36	48
35-49	233	10.7	97	3	6	9	13	18	22	54
50-64	1650	11.4	71	4	7	9	14	21	26	45
65 +	2336	12.2	72	4	7	10	15	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	5.1	13	1	2	4	7	10	13	17
B. Operated	327	7.6	22	1	5	7	9	13	16	26
2. MULTIPLE DX										
A. Not Operated	1377	7.7	38	2	4	6	10	16	21	31
B. Operated	4241	11.8	73	4	7	10	14	22	27	44
1. SINGLE DX	385	7.2	22	1	4	7	9	13	15	25
2. MULTIPLE DX	5618	10.8	68	3	6	9	14	20	26	42
A. Not Operated	1435	7.6	38	2	3	6	10	15	20	31
B. Operated	4568	11.5	71	4	7	10	14	21	27	44
TOTAL										
0-19 YRS	5	9.8	15	6	7	10	12	16	16	16
20-34	31	9.6	79	2	4	7	11	19	21	48
35-49	385	9.2	72	3	5	8	11	17	21	41
50-64	2343	10.2	63	3	5	8	13	19	25	41
65 +	3239	11.1	67	3	6	9	14	21	27	42
GRAND TOTAL	**6003**	**10.6**	**66**	**3**	**6**	**9**	**13**	**20**	**25**	**42**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	5.3	56	< 1	< 1	1	11	14	14	14
65 +	5	6.2	16	2	3	7	8	12	12	12
B. Operated										
0-19 YRS	10	4.1	11	1	1	3	6	9	11	11
20-34	7	8.1	30	2	4	7	13	15	15	15
35-49	20	9.4	60	1	3	8	14	19	25	31
50-64	75	8.3	39	1	3	8	11	13	17	37
65 +	44	6.8	31	< 1	1	6	11	14	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.3	5	< 1	1	3	5	7	7	7
20-34	0									
35-49	4	7.5	50	< 1	1	7	13	15	15	15
50-64	24	8.4	73	1	4	5	9	22	30	33
65 +	20	6.9	39	2	3	5	8	15	22	28
B. Operated										
0-19 YRS	12	11.5	91	3	4	8	16	29	29	29
20-34	7	14.9	34	8	11	14	19	23	24	24
35-49	65	13.0	86	2	7	11	17	27	30	48
50-64	211	13.7	135	2	6	11	18	28	32	59
65 +	267	12.9	127	2	5	11	17	26	35	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.4	24	< 1	2	3	8	13	14	14
B. Operated	156	7.7	38	1	2	8	11	14	17	31
2. MULTIPLE DX										
A. Not Operated	55	7.1	51	1	3	5	8	16	26	33
B. Operated	562	13.2	123	2	6	11	17	27	33	60
1. SINGLE DX	165	7.6	37	1	2	7	11	14	17	30
2. MULTIPLE DX	617	12.6	119	2	5	10	17	27	33	58
A. Not Operated	64	6.9	47	1	2	5	8	15	23	32
B. Operated	718	12.0	109	1	5	10	15	25	31	56
TOTAL										
0-19 YRS	29	7.0	55	1	2	5	8	16	29	29
20-34	14	11.5	42	3	7	12	15	20	23	24
35-49	90	11.8	80	2	6	11	15	23	29	44
50-64	313	11.9	112	1	5	10	15	26	31	56
65 +	336	11.6	113	2	4	9	15	24	33	60
GRAND TOTAL	**782**	**11.6**	**106**	**1**	**4**	**9**	**15**	**24**	**31**	**56**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.6	3	1	2	4	5	6	7	7
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	2	4.0		4	4	4	4	4	4	4
50-64	2	5.5	41	1	1	5	10	10	10	10
65+	3	6.7	96	1	1	1	14	18	18	18
B. Operated										
0-19 YRS	79	5.6	18	1	3	5	7	12	13	23
20-34	27	4.4	5	1	3	4	6	7	9	10
35-49	22	4.0	12	1	1	3	6	10	11	11
50-64	29	4.3	20	1	1	3	6	11	16	17
65+	31	6.6	53	1	2	4	9	14	25	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	5.7	29	2	3	5	6	10	13	33
20-34	10	9.3	84	2	4	7	10	24	33	33
35-49	7	8.4	102	1	2	3	17	24	25	25
50-64	17	8.9	83	1	3	7	11	19	32	38
65+	22	8.0	36	2	3	7	11	19	21	22
B. Operated										
0-19 YRS	122	12.9	176	3	5	9	15	29	35	77
20-34	46	7.7	36	2	2	7	11	16	19	26
35-49	33	10.7	113	2	3	8	13	25	36	45
50-64	76	10.8	135	2	4	8	11	21	35	66
65+	136	11.8	114	3	6	8	14	24	32	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.1	13	1	2	4	5	7	12	18
B. Operated	188	5.2	22	1	2	4	7	11	13	25
2. MULTIPLE DX										
A. Not Operated	150	6.8	43	2	3	5	8	13	21	38
B. Operated	413	11.4	129	2	4	8	14	25	32	68
1. SINGLE DX	213	5.1	21	1	2	4	6	11	13	25
2. MULTIPLE DX	563	10.2	110	2	4	7	12	22	31	53
A. Not Operated	175	6.4	40	2	3	5	8	12	20	37
B. Operated	601	9.4	103	2	3	7	11	20	29	52
TOTAL										
0-19 YRS	311	8.4	95	2	3	5	9	18	26	51
20-34	85	6.7	34	2	2	5	9	14	17	31
35-49	64	8.0	81	1	2	4	10	21	26	44
50-64	124	8.9	105	1	3	6	10	19	31	58
65+	192	10.4	98	2	4	8	13	21	30	50
GRAND TOTAL	**776**	**8.8**	**91**	**2**	**3**	**6**	**10**	**19**	**26**	**46**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	4	3.3	5	1	1	3	5	6	6	6
20-34	28	3.4	5	1	2	3	5	7	8	8
35-49	57	3.3	5	1	1	2	5	7	8	8
50-64	44	3.0	6	<1	1	2	4	6	7	13
65+	35	4.0	11	1	2	3	7	8	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	10.0	197	2	2	3	17	31	31	31
50-64	8	8.9	46	2	3	7	14	19	20	20
65+	3	11.3	81	2	4	12	18	20	20	20
B. Operated										
0-19 YRS	7	10.3	157	3	3	5	10	32	38	38
20-34	15	3.6	4	2	2	3	5	5	8	9
35-49	48	6.1	52	1	2	4	8	14	19	42
50-64	52	5.1	27	1	2	3	6	12	16	28
65+	88	5.6	19	1	2	4	8	12	14	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	168	3.4	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	19	8.4	69	1	2	4	13	20	26	31
B. Operated	210	5.6	32	1	2	4	7	12	16	32
1. SINGLE DX	168	3.4	6	1	1	3	5	7	8	13
2. MULTIPLE DX	229	5.8	35	1	2	4	7	13	18	32
A. Not Operated	19	8.4	69	1	2	4	13	20	26	31
B. Operated	378	4.6	22	1	2	3	6	10	13	20
TOTAL										
0-19 YRS	14	6.6	90	1	2	4	6	13	32	38
20-34	44	3.5	5	1	2	3	5	7	8	9
35-49	109	4.8	33	1	2	3	6	8	15	35
50-64	104	4.5	22	1	1	3	5	10	15	24
65+	126	5.3	19	1	2	4	7	12	14	19
GRAND TOTAL	**397**	**4.8**	**25**	**1**	**2**	**3**	**6**	**10**	**14**	**25**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	10	2.6	7	<1	<1	1	3	7	8	8
35-49	18	3.2	7	<1	1	2	6	8	8	8
50-64	43	2.3	5	<1	<1	1	3	5	6	13
65 +	68	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.9	11	2	2	2	4	10	11	11
20-34	5	7.2	2	5	6	7	8	9	9	9
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	12	9.3	63	2	6	7	11	20	29	31
B. Operated										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	4	21.3	432	5	6	15	36	50	50	50
35-49	16	8.4	162	<1	1	3	8	35	41	42
50-64	46	4.9	35	<1	1	3	7	10	13	36
65 +	167	5.0	45	1	1	3	6	12	15	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	142	2.1	4	<1	<1	1	2	5	7	9
2. MULTIPLE DX										
A. Not Operated	27	7.0	35	2	3	6	8	12	18	31
B. Operated	236	5.5	60	1	1	3	7	12	17	44
1. SINGLE DX	142	2.1	4	<1	<1	1	2	5	7	9
2. MULTIPLE DX	263	5.6	57	1	1	3	7	12	16	44
A. Not Operated	27	7.0	35	2	3	6	8	12	18	31
B. Operated	378	4.2	41	<1	1	2	5	9	14	41
TOTAL										
0-19 YRS	13	3.0	8	1	1	2	4	6	10	11
20-34	19	7.7	131	<1	1	5	8	17	38	50
35-49	35	5.6	82	<1	1	2	7	9	31	42
50-64	91	3.7	22	<1	1	2	5	8	10	28
65 +	247	4.3	37	<1	1	2	5	10	15	34
GRAND TOTAL	**405**	**4.4**	**41**	**<1**	**1**	**2**	**5**	**9**	**14**	**40**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	10	4.9	61	1	2	3	3	15	27	27
50-64	8	2.8	2	1	1	3	4	4	4	4
65 +	6	4.3	1	3	3	4	5	6	6	6
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	82	3.3	2	2	3	3	4	5	6	10
35-49	634	3.1	2	2	2	3	4	5	6	7
50-64	842	3.3	3	2	2	3	4	5	6	9
65 +	817	3.7	4	2	2	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	10.5	49	3	4	10	17	19	19	19
35-49	48	9.6	118	2	3	5	12	24	29	54
50-64	55	7.0	42	1	2	5	8	19	21	30
65 +	95	7.5	42	1	3	6	11	17	23	70
B. Operated										
0-19 YRS	0									
20-34	123	3.9	6	2	3	4	4	6	8	14
35-49	835	4.4	18	2	3	4	5	7	9	20
50-64	1549	4.4	13	2	3	4	5	7	8	22
65 +	2610	5.0	13	2	3	4	6	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.2	25	1	2	3	4	6	12	27
B. Operated	2377	3.4	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	204	8.0	60	2	3	5	11	19	24	48
B. Operated	5117	4.7	14	2	3	4	5	7	10	20
1. SINGLE DX	2402	3.4	3	2	2	3	4	5	6	9
2. MULTIPLE DX	5321	4.8	16	2	3	4	5	8	11	22
A. Not Operated	229	7.6	58	1	3	5	11	19	24	45
B. Operated	7494	4.3	11	2	3	4	5	7	9	17
TOTAL										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	212	3.9	7	2	3	3	4	6	7	18
35-49	1527	4.0	16	2	2	3	4	6	8	21
50-64	2454	4.1	11	2	3	3	5	6	8	19
65 +	3528	4.7	12	2	3	4	5	8	10	19
GRAND TOTAL	**7723**	**4.4**	**12**	**2**	**3**	**4**	**5**	**7**	**9**	**19**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	2.3	1	1	2	2	3	3	3	3
35-49	23	2.4	1	1	2	2	3	4	4	4
50-64	32	2.5	1	1	2	2	3	4	4	6
65 +	23	3.6	29	1	2	2	3	4	13	28
B. Operated										
0-19 YRS	0									
20-34	32	4.8	4	3	3	4	6	8	8	10
35-49	89	3.8	4	2	2	3	5	7	8	10
50-64	42	3.4	4	1	2	3	5	7	7	8
65 +	24	4.1	7	1	2	4	5	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	5.8	16	1	3	5	9	11	13	13
35-49	46	4.5	17	1	2	3	6	10	12	22
50-64	53	5.0	24	2	2	3	5	11	16	28
65 +	45	4.9	26	1	2	3	6	10	18	23
B. Operated										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	82	6.9	28	3	4	6	9	11	13	37
35-49	193	6.9	25	2	3	6	9	12	17	26
50-64	129	7.3	43	2	3	6	9	13	15	34
65 +	118	7.0	32	2	3	6	9	14	16	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	2.7	9	1	2	2	3	4	4	20
B. Operated	187	3.9	5	2	2	3	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	154	4.9	22	1	2	3	6	10	14	23
B. Operated	525	7.0	31	2	3	6	9	13	16	29
1. SINGLE DX	273	3.5	6	1	2	3	4	6	8	11
2. MULTIPLE DX	679	6.5	30	2	3	5	8	12	16	28
A. Not Operated	240	4.1	18	1	2	3	4	8	12	24
B. Operated	712	6.2	26	2	3	5	8	11	15	28
TOTAL										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	132	6.0	21	3	3	5	8	10	12	27
35-49	351	5.5	19	2	3	4	7	10	15	22
50-64	256	5.6	31	2	2	4	7	11	15	28
65 +	210	5.8	29	1	2	4	8	12	16	28
GRAND TOTAL	**952**	**5.7**	**25**	**2**	**3**	**4**	**7**	**11**	**14**	**28**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	9	1.9		1	1	2	2	3	3	3
50-64	18	2.6	1	2	2	2	3	4	5	5
65 +	28	2.0	1	1	1	2	3	3	3	4
B. Operated										
0-19 YRS	0									
20-34	3	4.7	1	4	4	4	6	6	6	6
35-49	30	4.7	3	2	4	5	5	7	7	10
50-64	123	4.6	3	3	4	4	5	7	8	9
65 +	122	4.8	6	2	4	5	6	7	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	9	2.8	4	1	1	2	5	6	6	6
50-64	33	3.0	9	1	2	2	3	4	9	17
65 +	90	6.0	45	2	2	4	7	11	24	37
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	25	4.6	2	3	4	4	6	7	7	8
35-49	161	5.4	13	3	4	4	6	8	11	20
50-64	503	6.2	22	3	4	5	7	10	14	25
65 +	741	7.7	43	4	5	6	8	13	17	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.2	1	1	2	2	3	3	4	5
B. Operated	278	4.7	4	2	4	4	6	7	8	12
2. MULTIPLE DX										
A. Not Operated	132	5.0	35	1	2	3	6	9	16	34
B. Operated	1432	6.9	32	3	4	5	8	12	15	28
1. SINGLE DX	333	4.3	4	2	3	4	5	7	8	11
2. MULTIPLE DX	1564	6.7	33	3	4	5	8	11	15	28
A. Not Operated	187	4.2	27	1	2	3	4	8	11	31
B. Operated	1710	6.5	28	3	4	5	7	11	14	26
TOTAL										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	28	4.6	2	3	4	4	6	7	7	8
35-49	209	5.0	11	2	4	4	6	8	10	16
50-64	677	5.7	18	2	4	5	7	9	12	21
65 +	981	7.0	39	3	4	6	8	12	16	32
GRAND TOTAL	**1897**	**6.3**	**29**	**2**	**4**	**5**	**7**	**10**	**14**	**27**

37: Malignant neoplasm [illegible] ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.0		2	2	2	2	2	2	2
65 +	8	7.4	103	1	1	3	10	25	30	30
B. Operated										
0-19 YRS	7	6.0	12	2	4	6	8	11	12	12
20-34	15	5.8	46	3	4	4	5	7	24	30
35-49	30	5.4	4	3	4	5	7	8	9	10
50-64	26	5.7	5	4	4	5	6	10	10	11
65 +	23	6.6	9	4	5	6	9	10	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	18	4.7	48	1	2	2	3	15	24	27
50-64	48	6.0	29	2	3	4	7	14	20	24
65 +	62	8.1	87	1	3	6	9	16	22	62
B. Operated										
0-19 YRS	9	8.6	11	4	5	9	11	13	13	13
20-34	32	8.5	31	4	5	6	9	18	22	23
35-49	160	8.0	21	4	5	6	10	15	19	25
50-64	321	10.2	44	4	6	9	12	18	22	37
65 +	376	14.2	114	5	7	11	17	26	34	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.9	78	1	1	2	5	20	29	30
B. Operated	101	5.9	12	3	4	5	7	9	10	23
2. MULTIPLE DX										
A. Not Operated	132	6.7	60	1	2	4	8	15	21	34
B. Operated	898	11.4	74	4	6	9	14	22	27	46
1. SINGLE DX	112	5.9	18	2	4	5	7	9	11	30
2. MULTIPLE DX	1030	10.8	75	4	5	8	13	21	26	46
A. Not Operated	143	6.6	60	1	2	4	8	15	22	33
B. Operated	999	10.9	71	4	6	8	13	21	26	45
TOTAL										
0-19 YRS	18	6.9	14	2	4	6	10	12	13	13
20-34	49	7.5	36	3	4	5	7	17	22	30
35-49	209	7.3	22	3	4	6	9	13	19	26
50-64	397	9.4	42	4	5	8	12	16	21	36
65 +	469	12.9	112	4	7	10	16	25	32	64
GRAND TOTAL	**1142**	**10.3**	**72**	**4**	**5**	**8**	**13**	**20**	**26**	**45**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	3	2.3		2	2	2	3	3	3	3
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	3	5.7	41	1	1	3	10	13	13	13
35-49	7	5.1	10	1	2	5	7	10	10	10
50-64	4	4.3	2	3	3	4	5	6	6	6
65 +	18	5.7	24	< 1	2	4	9	13	17	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	10.5	1	10	10	10	11	11	11	11
35-49	4	5.3		5	5	5	6	6	6	6
50-64	8	7.0	17	2	5	7	8	13	15	15
65 +	31	6.1	28	2	2	4	8	15	18	22
B. Operated										
0-19 YRS	2	26.0	32	22	22	26	30	30	30	30
20-34	8	4.9	11	1	2	4	7	9	10	10
35-49	23	8.1	40	3	4	5	11	19	21	22
50-64	47	14.0	208	3	5	9	17	27	36	88
65 +	134	10.2	49	3	6	9	13	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.6	2	1	2	2	3	5	5	5
B. Operated	33	5.2	19	< 1	2	4	7	11	14	19
2. MULTIPLE DX										
A. Not Operated	45	6.4	23	2	3	5	8	13	17	22
B. Operated	214	10.7	87	3	5	9	14	21	26	44
1. SINGLE DX	40	4.8	16	< 1	2	3	6	10	13	19
2. MULTIPLE DX	259	10.0	79	2	4	8	13	20	25	43
A. Not Operated	52	5.9	21	2	2	5	8	12	17	22
B. Operated	247	10.0	81	2	4	8	13	20	25	43
TOTAL										
0-19 YRS	4	14.5	190	< 1	2	13	26	30	30	30
20-34	13	5.9	17	1	2	5	10	11	13	13
35-49	36	6.8	30	1	4	5	8	16	20	22
50-64	60	12.2	176	3	5	8	15	25	31	84
65 +	186	9.0	46	2	4	8	12	17	21	35
GRAND TOTAL	**299**	**9.3**	**73**	**2**	**4**	**7**	**12**	**19**	**23**	**41**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	3.0	8	< 1	< 1	2	5	5	5	5
65 +	9	6.0	23	1	3	5	8	13	17	17
B. Operated										
0-19 YRS	3	3.0	12	1	1	1	6	7	7	7
20-34	0									
35-49	5	6.2	4	3	5	7	7	8	8	8
50-64	202	5.8	9	1	4	6	8	10	11	14
65 +	513	4.6	9	1	3	4	7	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	48	6.7	30	1	3	5	9	16	20	99 +
65 +	234	7.5	48	2	3	5	10	16	21	32
B. Operated										
0-19 YRS	4	8.8	49	2	3	8	14	17	17	17
20-34	1	4.0		4	4	4	4	4	4	4
35-49	16	7.5	21	3	4	7	10	14	17	18
50-64	631	6.7	23	3	4	6	8	12	15	25
65 +	3426	6.9	34	2	4	5	9	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.5	20	1	2	5	7	12	17	17
B. Operated	723	5.0	9	1	3	4	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	283	7.4	45	2	3	5	10	16	21	33
B. Operated	4078	6.9	32	2	4	5	9	13	17	29
1. SINGLE DX	734	5.0	9	1	3	4	7	9	10	14
2. MULTIPLE DX	4361	6.9	33	2	3	5	9	13	17	30
A. Not Operated	294	7.3	44	2	3	5	9	16	21	33
B. Operated	4801	6.6	29	2	3	5	8	12	16	28
TOTAL										
0-19 YRS	8	5.8	35	1	1	3	9	15	17	17
20-34	1	4.0		4	4	4	4	4	4	4
35-49	21	7.2	16	3	4	7	9	13	16	18
50-64	883	6.5	20	2	3	6	8	11	14	25
65 +	4182	6.7	32	2	3	5	8	13	17	29
GRAND TOTAL	**5095**	**6.6**	**30**	**2**	**3**	**5**	**8**	**12**	**16**	**28**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	3.8	3	1	3	4	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	7.4	68	1	2	5	8	22	25	25
20-34	69	2.6	6	1	1	1	3	7	8	10
35-49	39	2.3	4	1	1	1	3	6	7	8
50-64	10	2.7	4	1	1	2	4	6	7	7
65 +	5	4.6	14	1	2	4	6	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.6	10	1	1	2	5	8	11	11
20-34	8	3.8	8	< 1	1	3	6	7	8	8
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	15	8.9	40	1	6	6	11	19	23	25
20-34	37	5.3	20	1	2	5	7	9	15	21
35-49	22	3.7	12	1	1	2	5	8	13	13
50-64	19	9.6	270	1	2	4	7	37	55	61
65 +	31	7.6	45	1	3	5	9	16	21	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.0	4	1	1	4	5	5	5	5
B. Operated	130	2.8	10	1	1	1	4	7	8	14
2. MULTIPLE DX										
A. Not Operated	22	3.8	9	1	1	3	6	8	10	11
B. Operated	124	6.7	67	1	2	5	8	14	21	51
1. SINGLE DX	137	2.8	9	1	1	1	4	7	8	13
2. MULTIPLE DX	146	6.2	60	1	2	5	8	13	19	48
A. Not Operated	29	3.6	8	1	1	3	5	7	9	11
B. Operated	254	4.7	41	1	1	2	6	9	15	31
TOTAL										
0-19 YRS	36	6.4	38	1	1	5	9	12	23	25
20-34	119	3.5	12	1	1	2	6	8	9	18
35-49	62	2.9	8	1	1	2	4	7	9	13
50-64	30	7.0	181	1	1	3	5	14	47	61
65 +	36	7.2	42	1	3	5	9	16	20	31
GRAND TOTAL	**283**	**4.6**	**38**	**1**	**1**	**2**	**6**	**9**	**14**	**29**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65+	7	3.6	8	<1	1	2	6	8	8	8
B. Operated										
0-19 YRS	4	3.8	13	1	1	2	6	9	9	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	34	2.4	4	1	1	2	2	5	8	8
50-64	162	2.8	9	1	1	2	3	6	8	19
65+	351	3.2	17	1	1	2	3	6	10	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	5.3	22	1	2	4	8	12	12	12
50-64	23	5.0	47	1	1	3	5	15	22	30
65+	84	7.0	49	2	3	5	8	16	23	34
B. Operated										
0-19 YRS	5	8.8	34	1	5	8	12	17	17	17
20-34	8	7.3	118	<1	1	3	8	26	33	33
35-49	65	5.8	70	1	2	3	5	15	18	46
50-64	447	6.8	74	1	2	4	9	15	22	42
65+	1869	6.5	49	1	2	4	8	14	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.2	5	<1	1	2	5	7	8	8
B. Operated	552	3.0	14	1	1	2	3	6	9	20
2. MULTIPLE DX										
A. Not Operated	112	6.5	48	1	2	4	7	16	22	33
B. Operated	2394	6.6	54	1	2	4	8	15	20	36
1. SINGLE DX	563	3.0	13	1	1	2	3	6	9	19
2. MULTIPLE DX	2506	6.6	54	1	2	4	8	15	20	35
A. Not Operated	123	6.2	45	1	2	4	6	15	22	32
B. Operated	2946	5.9	48	1	2	4	7	13	18	33
TOTAL										
0-19 YRS	11	6.0	25	1	2	4	9	13	17	17
20-34	10	6.2	97	<1	1	2	5	21	33	33
35-49	105	4.6	48	1	1	2	4	12	17	43
50-64	632	5.7	59	1	2	3	7	13	19	32
65+	2311	6.0	45	1	2	4	7	14	19	33
GRAND TOTAL	**3069**	**5.9**	**48**	**1**	**2**	**4**	**7**	**13**	**19**	**33**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.8	11	1	2	5	6	10	10	10
20-34	0									
35-49	0									
50-64	3	3.3	6	1	1	3	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	39	7.5	11	4	5	7	9	13	14	14
20-34	8	5.5	7	2	3	6	7	8	8	8
35-49	33	6.2	5	3	5	6	7	8	10	11
50-64	70	7.0	12	2	5	7	9	10	12	18
65+	55	8.3	24	3	6	7	10	14	15	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	5.1	9	2	3	4	6	10	12	13
20-34	0									
35-49	6	10.2	181	<1	4	5	10	34	37	37
50-64	42	6.7	39	2	3	5	8	13	19	34
65+	79	7.8	32	2	4	7	10	16	20	27
B. Operated										
0-19 YRS	43	13.7	114	5	7	10	16	33	42	45
20-34	14	8.4	65	1	2	6	10	23	27	28
35-49	97	9.1	33	5	6	8	10	12	18	40
50-64	346	10.2	55	5	6	8	11	18	24	43
65+	539	11.0	45	5	7	9	14	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.0	8	1	2	3	5	8	10	10
B. Operated	205	7.3	14	3	5	7	9	11	14	22
2. MULTIPLE DX										
A. Not Operated	145	7.3	37	2	3	6	9	15	20	34
B. Operated	1039	10.6	51	5	7	9	12	18	24	43
1. SINGLE DX	214	7.1	14	3	5	7	9	11	14	21
2. MULTIPLE DX	1184	10.2	50	4	6	8	12	18	23	42
A. Not Operated	154	7.1	36	2	3	6	9	14	20	34
B. Operated	1244	10.1	46	5	6	8	12	18	23	42
TOTAL										
0-19 YRS	105	9.5	65	3	5	7	11	16	23	43
20-34	22	7.3	44	1	3	6	8	15	25	28
35-49	136	8.4	33	5	6	7	10	12	17	38
50-64	461	9.3	49	4	6	8	10	17	22	43
65+	674	10.4	43	4	7	9	13	18	23	36
GRAND TOTAL	**1398**	**9.7**	**46**	**4**	**6**	**8**	**11**	[illegible]**7**	**23**	**38**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	30	3.7	27	1	2	3	3	4	20	25
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	1.3		1	1	1	2	2	2	2
50-64	10	2.5	2	1	2	2	3	4	5	5
65 +	3	[illegible].7	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	6.1	38	1	1	4	10	16	17	17
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	1	23.0		23	23	23	23	23	23	23
B. Operated										
0-19 YRS	14	4.8	15	1	2	3	7	15	79	99 +
20-[illegible]	1	12.0		12	12	12	12	12	12	12
35-49	8	1.8	1	1	1	2	2	3	3	3
50-64	11	2.6	4	1	1	2	3	6	8	8
65 +	17	3.1	3	2	2	3	3	6	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	49	3.1	18	1	1	2	3	4	6	25
2. MULTIPLE DX										
A. Not Operated	11	7.5	57	1	1	5	13	19	23	23
B. Operated	51	3.4	8	1	2	3	4	8	12	98
1. SINGLE DX	51	3.0	17	1	1	2	3	4	5	25
2. MULTIPLE DX	62	4.2	19	1	2	3	5	10	16	90
A. Not Operated	13	6.8	52	1	1	4	10	18	22	23
B. Operated	100	3.3	13	1	2	2	3	7	10	62
TOTAL										
0-19 YRS	55	4.3	25	1	2	3	4	14	19	95
20-34	3	5.0	37	1	1	2	9	12	12	12
35-49	13	1.8	1	1	1	2	2	3	5	5
50-64	21	2.6	3	1	1	2	3	5	6	8
65 +	21	3.9	22	1	2	3	3	7	15	23
GRAND TOTAL	**113**	**3.7**	**18**	**1**	**1**	**2**	**4**	**8**	**15**	**52**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.9	5	1	1	2	4	6	8	10
20-34	6	2.8	2	1	2	3	4	5	5	5
35-49	7	6.3	9	2	5	7	8	10	10	10
50-64	5	7.2	49	2	3	4	11	19	19	19
65 +	12	7.1	39	2	3	5	9	16	23	24
B. Operated										
0-19 YRS	103	7.0	22	1	4	6	9	14	17	21
20-34	43	7.1	30	1	3	6	9	15	20	22
35-49	44	6.3	16	2	3	6	8	11	14	19
50-64	44	9.5	40	2	5	10	12	15	16	38
65 +	32	9.3	36	2	5	8	12	17	23	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120	5.1	54	1	2	3	5	10	12	45
20-34	28	5.3	63	1	2	3	5	10	19	42
35-49	52	6.5	28	1	2	5	10	13	16	25
50-64	79	7.5	28	2	3	6	10	15	18	26
65 +	106	9.0	36	3	5	8	11	16	22	31
B. Operated										
0-19 YRS	209	14.5	260	3	6	10	15	34	49	99
20-34	69	11.5	120	4	6	8	13	19	37	64
35-49	112	13.1	131	4	7	10	17	27	31	96
50-64	114	15.4	187	5	7	11	18	38	48	64
65 +	157	17.4	159	7	9	14	21	32	40	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	4.6	18	1	2	3	5	9	12	24
B. Operated	266	7.6	28	1	4	7	10	15	18	24
2. MULTIPLE DX										
A. Not Operated	385	6.9	43	1	3	5	9	14	18	32
B. Operated	661	14.8	190	4	7	11	18	31	43	93
1. SINGLE DX	324	7.0	28	1	3	6	10	14	17	24
2. MULTIPLE DX	1046	11.9	150	2	5	9	14	25	37	74
A. Not Operated	443	6.6	40	1	3	5	9	13	18	32
B. Operated	927	12.7	154	3	6	9	15	26	38	89
TOTAL										
0-19 YRS	460	9.7	158	1	3	6	11	19	34	92
20-34	146	8.6	85	2	3	6	11	17	22	44
35-49	215	9.9	90	2	5	8	12	20	27	61
50-64	242	11.6	118	2	5	9	14	20	38	56
65 +	307	13.2	117	4	7	10	17	25	32	69
GRAND TOTAL	**1370**	**10.7**	**125**	**2**	**4**	**8**	**13**	**21**	**31**	**71**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	11	5.9	13	1	2	6	9	10	11	11
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	3	7.7		7	7	8	8	8	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	5.1	16	1	2	3	8	11	12	12
20-34	0									
35-49	3	6.7	14	4	4	5	9	11	11	11
50-64	6	11.8	161	4	4	7	11	34	37	37
65 +	11	7.1	29	2	3	6	12	15	17	17
B. Operated										
0-19 YRS	22	11.6	61	4	6	12	17	41	99 +	99 +
20-34	3	27.7	945	7	8	13	50	63	63	63
35-49	14	14.2	114	6	8	10	14	33	34	35
50-64	11	17.2	139	6	7	14	23	37	40	40
65 +	15	19.3	91	7	14	21	25	41	83	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.0	4	2	2	4	5	6	6	6
B. Operated	19	6.5	8	2	5	7	8	10	11	11
2. MULTIPLE DX										
A. Not Operated	27	7.6	53	2	3	5	11	14	20	37
B. Operated	65	15.6	130	5	8	13	22	35	67	99 +
1. SINGLE DX	22	6.1	8	2	4	7	8	9	10	11
2. MULTIPLE DX	92	13.3	120	3	6	11	18	34	42	99 +
A. Not Operated	30	7.2	49	2	3	5	10	13	17	37
B. Operated	84	13.6	117	4	7	11	20	34	46	99 +
TOTAL										
0-19 YRS	42	8.7	46	2	4	8	12	21	54	99 +
20-34	5	19.2	608	5	6	8	25	63	63	63
35-49	20	12.1	90	4	7	9	12	32	34	35
50-64	19	14.1	142	4	6	9	20	36	39	40
65 +	28	13.7	95	3	6	13	21	26	46	99 +
GRAND TOTAL	**114**	**11.9**	**106**	**2**	**6**	**9**	**15**	**31**	**39**	**99 +**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.0	8	2	2	3	6	8	8	8
20-34	11	2.0	1	1	1	2	3	3	3	3
35-49	12	2.1	1	1	1	2	3	4	4	4
50-64	9	2.2	1	1	2	2	3	4	4	4
65 +	4	1.5		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	25	7.6	227	1	2	2	6	14	48	68
20-34	66	2.4	1	1	2	2	3	4	5	7
35-49	74	2.6	6	1	2	2	3	3	4	18
50-64	31	3.1	4	2	2	3	3	5	5	13
65 +	30	3.4	4	2	2	3	4	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	3.5	11	1	1	2	5	8	10	15
20-34	12	2.3	2	1	1	2	3	4	6	6
35-49	14	3.4	9	1	2	3	4	7	12	13
50-64	13	3.8	7	1	2	3	5	8	10	10
65 +	20	4.5	63	1	2	3	4	5	22	38
B. Operated										
0-19 YRS	79	11.5	179	2	4	7	13	28	48	58
20-34	71	3.9	14	1	2	3	4	7	13	21
35-49	99	3.4	10	1	2	3	4	6	7	20
50-64	79	5.5	31	2	2	3	6	13	19	28
65 +	104	7.6	87	2	3	4	8	16	27	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.2	2	1	1	2	3	4	4	8
B. Operated	226	3.3	30	1	2	2	3	4	7	27
2. MULTIPLE DX										
A. Not Operated	87	3.6	21	1	2	2	4	6	10	29
B. Operated	432	6.4	72	2	2	4	7	13	21	51
1. SINGLE DX	266	3.1	26	1	2	2	3	4	6	21
2. MULTIPLE DX	519	5.9	64	1	2	3	6	12	19	47
A. Not Operated	127	3.1	15	1	1	2	3	5	8	20
B. Operated	658	5.3	60	2	2	3	5	10	17	46
TOTAL										
0-19 YRS	136	8.9	157	1	2	5	9	18	42	60
20-34	160	3.0	8	1	2	2	3	5	7	19
35-49	199	3.0	8	1	2	2	3	5	7	18
50-64	132	4.5	22	2	2	3	5	9	15	27
65 +	158	6.2	69	2	2	3	7	10	20	46
GRAND TOTAL	**785**	**4.9**	**53**	**1**	**2**	**3**	**5**	**9**	**14**	**45**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.4	7	1	1	3	5	7	9	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	4.0	7	1	2	4	6	7	7	7
50-64	23	5.3	35	1	2	3	7	12	18	26
65 +	33	7.9	29	2	3	6	12	16	17	20
B. Operated										
0-19 YRS	27	5.8	15	1	3	5	8	12	13	15
20-34	9	10.6	219	1	2	3	12	34	48	48
35-49	17	4.3	11	1	1	3	7	8	10	11
50-64	56	6.1	77	< 1	1	3	8	12	31	42
65 +	64	6.7	63	< 1	2	4	7	17	24	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	6.4	66	1	2	4	6	15	21	47
20-34	73	6.4	48	1	2	4	8	13	23	38
35-49	455	8.4	56	2	3	6	11	19	25	33
50-64	1407	8.4	47	2	4	7	11	17	22	32
65 +	2379	8.9	50	3	4	7	11	17	22	33
B. Operated										
0-19 YRS	126	11.5	161	2	4	8	14	27	43	63
20-34	145	10.6	102	3	4	8	13	21	35	47
35-49	778	10.4	86	2	5	8	13	22	30	50
50-64	1911	11.7	110	3	5	9	15	24	33	54
65 +	3016	12.6	106	3	6	10	17	25	33	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	6.2	29	1	2	4	10	14	17	25
B. Operated	173	6.3	63	1	2	4	8	12	20	46
2. MULTIPLE DX										
A. Not Operated	4408	8.6	50	2	4	7	11	17	23	33
B. Operated	5976	12.0	106	3	5	9	15	24	32	53
1. SINGLE DX	244	6.3	53	1	2	4	8	13	18	42
2. MULTIPLE DX	10384	10.5	85	2	4	8	14	22	28	46
A. Not Operated	4479	8.5	50	2	4	7	11	17	23	33
B. Operated	6149	11.8	106	3	5	9	15	24	32	53
TOTAL										
0-19 YRS	257	8.7	112	1	3	5	9	21	30	54
20-34	228	9.2	91	2	3	6	11	19	28	46
35-49	1254	9.6	75	2	4	7	12	21	28	46
50-64	3397	10.2	86	2	4	8	13	21	28	45
65 +	5492	10.9	84	3	5	8	14	22	28	48
GRAND TOTAL	**10628**	**10.4**	**85**	**2**	**4**	**8**	**13**	**22**	**28**	**46**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.9	2	< 1	< 1	1	3	4	5	5
20-34	4	4.8	32	1	1	3	8	13	13	13
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	0									
65 +	3	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	60	5.6	68	1	2	4	7	9	12	58
20-34	70	5.0	11	1	3	5	6	9	14	15
35-49	33	4.5	5	< 1	3	5	6	7	8	8
50-64	10	4.1	18	1	1	3	6	11	15	15
65 +	5	11.2	145	1	1	6	22	27	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	4.0	23	1	1	2	5	9	13	24
20-34	21	6.5	45	1	2	5	9	12	21	31
35-49	19	5.2	20	1	2	4	7	14	15	15
50-64	6	7.7	17	1	5	8	11	12	12	12
65 +	11	11.5	85	5	6	7	14	29	30	30
B. Operated										
0-19 YRS	45	10.7	139	3	6	7	10	18	38	67
20-34	84	11.4	125	3	5	7	14	28	37	55
35-49	45	14.0	177	2	5	9	20	39	44	51
50-64	22	16.1	205	4	6	11	22	30	46	66
65 +	30	15.3	147	2	6	13	19	37	39	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.7	9	< 1	1	1	4	6	10	13
B. Operated	178	5.2	33	1	2	5	6	8	13	25
2. MULTIPLE DX										
A. Not Operated	84	6.2	40	1	2	5	8	13	18	31
B. Operated	226	12.7	150	3	5	8	16	32	41	58
1. SINGLE DX	199	5.0	31	1	2	4	6	8	13	24
2. MULTIPLE DX	310	11.0	128	2	4	7	13	28	37	54
A. Not Operated	105	5.5	35	1	1	4	7	12	15	30
B. Operated	404	9.4	112	1	4	6	9	21	34	54
TOTAL										
0-19 YRS	144	6.6	84	1	2	5	7	11	19	62
20-34	179	8.2	78	1	4	6	9	16	29	51
35-49	99	9.0	107	1	3	6	9	22	37	49
50-64	38	11.6	153	1	4	8	15	26	31	66
65 +	49	13.2	130	2	5	9	18	32	37	43
GRAND TOTAL	**509**	**8.6**	**99**	**1**	**3**	**6**	**9**	**19**	**30**	**52**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	3.3	6	1	2	3	4	7	8	11
20-34	0									
35-49	3	5.0	1	4	4	5	6	6	6	6
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	129	7.5	51	1	3	5	10	19	24	30
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	6.3	34	2	2	4	11	13	13	13
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	271	3.3	17	1	1	2	4	7	10	22
20-34	9	12.1	123	1	3	6	22	28	30	30
35-49	6	13.3	323	2	3	4	18	45	48	48
50-64	7	12.4	52	5	6	10	17	23	25	25
65 +	17	8.9	58	2	4	6	12	18	27	31
B. Operated										
0-19 YRS	208	16.3	203	4	7	12	20	36	52	64
20-34	23	21.7	263	1	9	22	30	40	53	65
35-49	10	22.2	199	4	10	24	32	41	43	43
50-64	12	28.3	248	8	15	27	39	52	55	55
65 +	17	17.5	238	3	7	10	24	37	51	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	3.4	5	1	2	3	5	7	8	11
B. Operated	135	7.4	49	1	3	5	10	18	24	29
2. MULTIPLE DX										
A. Not Operated	310	4.3	34	1	1	2	5	10	16	30
B. Operated	270	17.6	217	4	7	13	26	38	52	64
1. SINGLE DX	197	6.1	39	1	2	4	8	13	21	26
2. MULTIPLE DX	580	10.5	164	1	2	6	14	29	38	60
A. Not Operated	372	4.1	30	1	1	2	5	9	14	29
B. Operated	405	14.2	184	2	5	9	19	34	43	62
TOTAL										
0-19 YRS	665	8.2	113	1	1	4	10	20	30	55
20-34	33	18.4	239	1	4	16	28	36	46	65
35-49	22	15.3	216	2	4	8	25	40	45	48
50-64	22	20.1	235	5	8	16	29	45	53	55
65 +	35	12.9	160	3	4	8	16	34	37	58
GRAND TOTAL	**777**	**9.4**	**136**	**1**	**2**	**5**	**11**	**25**	**35**	**57**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	4.0	13	< 1	1	3	7	8	8	8
50-64	3	4.3	10	2	2	3	7	8	8	8
65 +	2	4.5	13	2	2	4	7	7	7	7
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	2	4.5	25	1	1	4	8	8	8	8
65 +	4	7.8	7	4	6	8	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.3	11	1	1	5	7	9	9	9
20-34	0									
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	39	5.5	12	2	3	5	7	10	14	16
65 +	85	8.3	42	3	4	6	10	16	21	33
B. Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	0									
35-49	6	13.5	199	1	3	8	30	32	32	32
50-64	33	11.7	124	3	5	8	15	27	38	49
65 +	68	11.0	52	4	6	9	15	22	25	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.3	9	1	2	3	7	8	8	8
B. Operated	7	5.9	14	1	2	8	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	133	7.3	33	2	4	6	9	15	18	32
B. Operated	109	11.2	80	3	5	8	15	24	31	43
1. SINGLE DX	15	5.0	11	1	2	4	8	9	10	10
2. MULTIPLE DX	242	9.0	58	3	4	6	12	19	25	34
A. Not Operated	141	7.1	32	2	4	6	9	15	17	31
B. Operated	116	10.9	77	3	5	8	15	23	31	42
TOTAL										
0-19 YRS	10	3.9	9	1	1	4	6	8	9	9
20-34	0									
35-49	11	9.9	123	1	3	5	12	31	32	32
50-64	77	8.1	69	2	4	5	9	17	24	46
65 +	159	9.4	47	3	5	7	13	19	24	32
GRAND TOTAL	**257**	**8.8**	**56**	**2**	**4**	**6**	**11**	**19**	**25**	**34**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.0	6	1	2	4	6	7	9	9
20-34	8	3.4	2	2	3	3	3	6	7	7
35-49	9	2.6	1	1	2	3	3	4	4	4
50-64	4	3.0	3	1	1	3	4	5	5	5
65 +	5	5.0	8	1	3	5	7	8	8	8
B. Operated										
0-19 YRS	26	12.7	320	1	1	3	21	45	68	99 +
20-34	9	7.4	88	3	3	4	6	23	32	32
35-49	5	14.4	205	2	3	8	27	34	34	34
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	7	10.0	139	2	3	5	12	31	35	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	6.8	77	1	2	5	7	11	34	40
20-34	3	5.0	28	1	1	3	9	11	11	11
35-49	26	11.5	209	1	2	5	15	33	46	50
50-64	34	11.1	88	3	3	8	16	26	30	36
65 +	56	9.3	85	2	4	7	11	18	34	43
B. Operated										
0-19 YRS	51	26.6	536	4	8	19	44	71	88	99 +
20-34	24	[illegible].3	411	4	26	33	43	68	74	86
35-49	30	[illegible]3.5	287	9	27	34	41	58	76	99 +
50-64	67	33.1	368	8	23	31	44	56	76	95
65 +	114	29.0	413	5	9	31	41	59	66	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	3.6	4	1	2	3	5	7	8	9
B. Operated	49	11.1	224	1	2	4	11	40	45	99 +
2. MULTIPLE DX										
A. Not Operated	165	9.3	103	1	3	6	11	26	34	45
B. Operated	286	30.4	413	5	11	31	43	59	73	99
1. SINGLE DX	87	7.8	141	1	2	4	7	30	41	86
2. MULTIPLE DX	451	22.7	404	3	6	15	36	51	62	88
A. Not Operated	203	8.2	90	1	3	5	9	19	32	44
B. Operated	335	27.6	431	3	8	28	41	58	72	99 +
TOTAL										
0-19 YRS	135	15.2	372	1	3	7	24	49	67	99 +
20-34	44	21.2	451	3	3	10	34	44	68	86
35-49	70	20.0	356	1	3	15	34	50	58	95
50-64	107	24.4	388	3	7	25	34	47	58	91
65 +	182	21.5	382	3	6	12	36	51	60	75
GRAND TOTAL	**538**	**20.3**	**391**	**2**	**4**	**11**	**34**	**48**	**60**	**89**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.8	6	2	3	4	7	8	9	9
20-34	4	4.8	19	1	2	3	7	11	11	11
35-49	3	4.7	12	1	2	5	7	8	8	8
50-64	4	5.5	34	1	2	3	9	14	14	14
65 +	8	4.0	3	1	3	4	5	6	6	6
B. Operated										
0-19 YRS	7	7.3	24	2	3	7	10	15	16	16
20-34	3	4.3	4	2	3	5	6	6	6	6
35-49	5	17.8	260	2	3	15	34	36	36	36
50-64	2	15.0	338	2	2	15	28	28	28	28
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	6.4	19	2	3	5	10	13	14	19
20-34	7	6.1	11	2	4	5	8	11	12	12
35-49	12	7.3	49	2	3	6	8	15	26	28
50-64	20	9.4	107	1	3	6	11	21	35	45
65 +	66	9.8	90	1	2	7	15	23	33	38
B. Operated										
0-19 YRS	34	22.1	542	2	6	13	32	68	83	99 +
20-34	14	22.4	272	2	7	25	36	43	48	50
35-49	31	24.8	275	4	9	27	39	46	50	54
50-64	36	19.5	244	4	7	17	29	42	45	68
65 +	70	16.4	245	3	6	11	21	36	47	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	4.6	9	1	3	4	6	9	11	14
B. Operated	18	10.6	119	2	3	6	15	31	35	36
2. MULTIPLE DX										
A. Not Operated	143	8.5	67	1	3	6	11	18	26	39
B. Operated	185	19.9	310	3	7	14	30	44	57	87
1. SINGLE DX	46	7.0	59	2	3	5	7	15	29	36
2. MULTIPLE DX	328	14.9	236	2	4	9	20	37	46	74
A. Not Operated	171	7.8	60	1	3	5	10	16	25	38
B. Operated	203	19.1	299	3	6	13	29	43	55	87
TOTAL										
0-19 YRS	88	12.4	276	2	3	7	13	30	64	95
20-34	28	13.9	211	2	4	7	25	37	43	50
35-49	51	18.8	263	2	5	10	32	44	48	54
50-64	62	15.2	209	2	4	9	21	38	44	65
65 +	145	12.6	173	2	4	8	15	32	36	72
GRAND TOTAL	**374**	**13.9**	**221**	**2**	**4**	**8**	**18**	**36**	**45**	**70**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	3.0	9	<1	1	2	3	9	10	10
20-34	5	3.0	2	1	2	3	4	4	4	4
35-49	14	2.7	2	1	2	2	4	5	6	6
50-64	21	5.2	21	1	2	3	7	13	14	16
65+	25	6.2	37	[illegible]	3	5	8	13	18	30
B. Operated										
0-19 YRS	40	5.3	16	1	2	4	8	12	13	15
20-34	19	4.8	13	1	2	4	7	11	13	13
35-49	57	4.9	16	1	2	4	7	10	12	22
50-64	78	6.1	28	1	2	5	8	13	17	27
65+	74	5.9	46	1	2	4	8	14	15	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	6.9	50	1	3	5	9	12	17	44
20-34	16	4.8	8	2	3	4	7	10	10	10
35-49	75	8.1	65	2	3	5	9	19	24	43
50-64	175	7.9	41	2	3	6	10	17	22	26
65+	383	9.6	63	2	4	7	12	[illegible]	25	41
B. Operated										
0-19 YRS	75	15.6	198	3	6	11	19	40	47	55
20-34	41	14.4	138	4	7	12	16	31	42	56
35-49	131	13.8	149	3	5	10	18	34	41	54
50-64	379	11.4	96	3	5	8	15	24	32	45
65+	730	14.3	146	4	7	11	18	30	38	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	4.5	20	1	2	3	5	10	13	25
B. Operated	268	5.6	28	1	2	4	8	12	14	23
2. MULTIPLE DX										
A. Not Operated	710	8.7	57	2	4	7	11	18	24	39
B. Operated	1356	13.5	137	3	6	10	17	29	37	[illegible]
1. SINGLE DX	354	5.3	26	1	2	4	7	12	14	[illegible]
2. MULTIPLE DX	2066	11.9	114	3	5	9	15	25	34	54
A. Not Operated	796	8.2	55	2	3	6	10	17	23	38
B. Operated	1624	12.2	127	2	5	9	15	26	35	56
TOTAL										
0-19 YRS	197	9.5	118	1	3	6	12	21	38	51
20-34	81	9.5	98	2	3	7	12	18	31	54
35-49	277	9.9	107	2	3	7	11	23	34	50
50-64	653	9.6	76	2	4	7	13	20	26	42
65+	1212	12.2	120	2	5	9	15	25	34	57
GRAND TOTAL	**2420**	**10.9**	**107**	**2**	**4**	**8**	**14**	**23**	**32**	**53**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	21	2.3	5	1	1	2	2	4	8	11
20-34	73	1.7	1	1	1	2	2	3	3	3
35-49	116	1.7		1	1	2	2	2	3	3
50-64	138	1.9	1	1	1	2	2	3	4	5
65+	79	1.6	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	0									
50-64	0									
65+	5	2.4	4	<1	1	2	3	6	6	6
B. Operated										
0-19 YRS	4	4.8	20	1	1	4	8	10	10	10
20-34	12	2.7	3	1	1	2	3	6	7	7
35-49	49	3.3	22	1	1	2	3	7	8	32
50-64	88	2.3	3	1	1	2	3	4	5	10
65+	129	2.7	4	1	2	2	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	427	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	7	2.1	3	<1	<1	2	2	5	6	6
B. Operated	282	2.7	7	1	1	2	3	5	7	12
1. SINGLE DX	429	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	289	2.7	7	1	1	2	3	5	7	11
A. Not Operated	9	2.0	3	<1	1	2	2	5	6	6
B. Operated	709	2.1	3	1	1	2	2	4	5	9
TOTAL										
0-19 YRS	26	2.7	7	1	1	2	3	7	10	11
20-34	86	1.8	1	1	1	2	2	3	3	6
35-49	166	2.1	7	1	1	2	2	3	5	9
50-64	227	2.1	2	1	1	2	2	3	4	6
65+	213	2.3	3	1	1	2	3	4	6	10
GRAND TOTAL	**718**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**	**9**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	4	3.3	8	<1	<1	2	5	7	7	7
B. Operated										
0-19 YRS	32	4.3	18	1	1	2	8	10	11	16
20-34	16	5.9	14	1	3	6	8	12	13	13
35-49	20	5.6	10	1	3	5	8	10	11	12
50-64	49	5.0	13	<1	1	6	7	9	10	17
65+	53	4.6	11	<1	1	5	[illegible]	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	3.3		3	3	3	4	4	4	4
35-49	3	7.0	108	<1	<1	1	14	19	19	19
50-64	17	4.9	31	2	2	3	4	9	19	25
65+	34	4.7	13	1	2	3	7	8	12	18
B. Operated										
0-19 YRS	25	6.0	14	1	2	6	9	11	12	12
20-34	37	7.8	37	3	3	6	10	15	17	33
35-49	68	7.2	20	2	4	7	10	13	15	21
50-64	201	7.0	20	1	4	7	9	12	14	23
65+	504	8.7	57	2	4	7	10	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.8	4	<1	1	2	4	6	7	7
B. Operated	170	4.9	13	<1	1	5	8	9	10	15
2. MULTIPLE DX										
A. Not Operated	58	4.7	21	1	2	3	5	9	16	25
B. Operated	835	8.0	44	2	4	7	10	14	18	34
1. SINGLE DX	182	4.8	13	<1	1	5	7	9	10	15
2. MULTIPLE DX	893	7.8	43	2	4	7	10	14	18	33
A. Not Operated	70	4.4	19	1	2	3	5	8	13	24
B. Operated	1005	7.5	40	1	4	7	9	13	17	32
TOTAL										
0-19 YRS	58	5.0	17	1	1	4	9	11	12	16
20-34	57	7.0	29	2	3	6	9	13	16	32
35-49	94	6.7	20	1	3	6	9	12	15	20
50-64	271	6.4	20	1	3	6	9	11	14	24
65+	595	8.0	52	2	4	7	10	15	18	39
GRAND TOTAL	**1075**	**7.3**	**39**	**1**	**3**	**7**	**9**	**13**	**17**	**32**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.3	15	1	1	2	5	9	9	9
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	90	2.0	13	1	1	1	1	4	6	23
20-34	14	3.4	5	1	1	3	5	7	8	8
35-49	15	3.5	6	1	1	4	6	6	8	8
50-64	21	5.0	6	2	3	5	6	8	9	10
65+	17	4.4	13	<1	1	4	6	8	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.0	13	1	2	6	7	8	8	8
20-34	0									
35-49	0									
50-64	0									
65+	3	11.3	36	5	7	12	16	17	17	17
B. Operated										
0-19 YRS	50	3.4	14	1	1	2	4	8	10	18
20-34	12	4.7	15	1	2	4	7	9	13	14
35-49	29	7.0	30	1	4	6	8	13	20	26
50-64	49	6.3	19	2	4	6	7	12	16	24
65+	53	8.9	55	1	5	7	12	19	24	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.1	10	<1	1	2	5	8	9	9
B. Operated	157	2.9	12	1	1	1	4	7	8	14
2. MULTIPLE DX										
A. Not Operated	6	8.2	32	1	5	7	12	16	17	17
B. Operated	193	6.3	33	1	2	5	8	14	18	28
1. SINGLE DX	164	2.9	12	1	1	1	4	7	8	13
2. MULTIPLE DX	199	6.3	33	1	2	5	8	14	18	28
A. Not Operated	13	5.5	25	1	1	5	8	13	16	17
B. Operated	350	4.8	26	1	1	4	6	10	14	26
TOTAL										
0-19 YRS	147	2.6	14	1	1	1	2	6	8	18
20-34	26	4.0	10	1	1	3	6	7	9	14
35-49	45	5.8	24	1	3	6	7	10	15	26
50-64	72	5.8	16	2	3	5	7	10	15	22
65+	73	7.9	48	1	4	6	10	15	23	36
GRAND TOTAL	**363**	**4.8**	**26**	**1**	**1**	**4**	**6**	**10**	**14**	**26**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	250	2.1	3	1	1	1	3	4	6	10
20-34	114	2.3	4	< 1	1	2	3	4	5	12
35-49	119	2.3	7	< 1	< 1	1	2	6	7	15
50-64	88	1.9	5	< 1	< 1	1	2	5	7	12
65 +	51	1.9	2	< 1	< 1	1	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.7	1	< 1	1	1	2	3	4	4
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	4	9.3	63	1	3	8	15	19	19	19
50-64	1	4.0		4	4	4	4	4	4	4
65 +	5	4.6	4	2	3	5	6	7	7	7
B. Operated										
0-19 YRS	71	4.9	105	1	1	2	5	10	17	69
20-34	74	4.2	18	1	2	3	5	10	11	25
35-49	89	3.9	18	1	1	3	5	8	11	24
50-64	95	3.4	16	1	1	2	4	8	10	22
65 +	102	5.1	23	1	2	3	8	10	15	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.5	11	1	1	2	6	9	9	9
B. Operated	622	2.1	4	< 1	1	1	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	22	4.0	19	< 1	1	3	5	8	15	19
B. Operated	431	4.3	33	1	1	2	5	9	13	24
1. SINGLE DX	628	2.2	4	< 1	1	1	3	5	6	12
2. MULTIPLE DX	453	4.3	32	1	1	2	5	9	13	23
A. Not Operated	28	3.9	17	1	1	2	5	8	13	19
B. Operated	1053	3.0	17	< 1	1	2	4	7	10	20
TOTAL										
0-19 YRS	333	2.7	26	1	1	1	3	5	7	22
20-34	191	3.0	11	< 1	1	2	4	6	10	15
35-49	215	3.1	13	< 1	1	2	3	7	10	18
50-64	184	2.7	11	< 1	1	1	3	7	9	19
65 +	158	4.1	17	< 1	1	2	6	9	13	22
GRAND TOTAL	**1081**	**3.0**	**17**	**< 1**	**1**	**2**	**4**	**7**	**10**	**20**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.1	2	1	1	2	3	3	5	6
20-34	6	2.0	1	1	1	2	3	3	3	3
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	3	2.0	3	< 1	< 1	< 1	3	4	4	4
65 +	0									
B. Operated										
0-19 YRS	302	2.4	10	1	1	1	2	5	8	15
20-34	45	2.3	6	< 1	< 1	1	2	5	7	14
35-49	27	2.0	2	< 1	< 1	1	3	4	5	6
50-64	31	3.2	8	< 1	< 1	1	5	8	8	10
65 +	18	2.6	6	< 1	< 1	2	3	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	4.4	25	1	1	3	4	8	16	26
20-34	3	3.3	5	2	2	2	5	6	6	6
35-49	3	4.7	30	1	1	2	9	11	11	11
50-64	4	3.0	2	1	2	3	4	4	4	4
65 +	11	5.5	11	2	3	5	8	10	11	11
B. Operated										
0-19 YRS	148	4.9	40	1	1	3	6	12	16	29
20-34	38	5.2	45	< 1	1	3	7	10	23	31
35-49	33	5.2	31	1	1	4	6	12	18	25
50-64	29	4.8	26	< 1	1	3	6	12	16	22
65 +	45	10.1	163	1	2	6	11	31	42	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.2	2	1	1	2	3	4	5	6
B. Operated	423	2.4	9	< 1	1	1	3	5	8	14
2. MULTIPLE DX										
A. Not Operated	58	4.5	19	1	2	4	5	10	12	25
B. Operated	293	5.8	60	1	1	3	7	12	21	43
1. SINGLE DX	454	2.4	8	< 1	1	1	3	5	8	13
2. MULTIPLE DX	351	5.6	53	1	1	3	7	12	19	41
A. Not Operated	89	3.7	14	1	1	3	4	8	11	23
B. Operated	716	3.8	32	1	1	2	4	9	13	31
TOTAL										
0-19 YRS	507	3.3	21	1	1	2	4	8	12	22
20-34	92	3.5	23	< 1	1	2	4	7	10	29
35-49	65	3.8	20	< 1	1	2	4	9	13	24
50-64	67	3.8	16	< 1	1	2	5	8	11	21
65 +	74	7.6	112	1	1	4	10	13	33	54
GRAND TOTAL	**805**	**3.8**	**30**	**1**	**1**	**2**	**4**	**9**	**12**	**30**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	1.3	1	< 1	1	1	2	3	3	3
20-34	25	1.4	1	< 1	< 1	< 1	1	2	4	5
35-49	18	1.6	1	< 1	< 1	< 1	2	3	4	5
50-64	8	1.6	2	< 1	< 1	< 1	1	4	5	5
65 +	12	1.3	1	< 1	< 1	< 1	1	2	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	3	1.7		< 1	< 1	2	2	2	2	2
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	18	2.2	1	< 1	1	2	3	4	5	5
50-64	18	1.8	2	< 1	< 1	1	3	5	5	5
65 +	6	2.3	1	< 1	< 1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	72	1.4	1	< 1	< 1	< 1	1	3	4	5
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	49	2.0	2	< 1	< 1	1	3	4	5	5
1. SINGLE DX	72	1.4	1	< 1	< 1	< 1	1	3	4	5
2. MULTIPLE DX	50	2.0	2	< 1	< 1	1	3	4	5	5
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	121	1.7	1	< 1	< 1	< 1	2	4	4	5
TOTAL										
0-19 YRS	12	1.4		< 1	< 1	1	2	3	3	3
20-34	29	1.5	1	< 1	< 1	< 1	1	3	4	5
35-49	36	1.9	1	< 1	< 1	1	3	3	5	5
50-64	27	1.7	2	< 1	< 1	1	2	5	5	5
65 +	18	1.6	1	< 1	< 1	< 1	2	4	4	4
GRAND TOTAL	**122**	**1.7**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**5**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	1.8	1	1	1	2	2	3	3	3
35-49	18	3.0	2	< 1	2	3	4	4	6	7
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	173	3.7	1	2	3	4	4	5	6	7
35-49	510	4.0	1	3	3	4	4	5	5	7
50-64	78	4.3	2	3	4	4	5	5	7	10
65 +	8	4.4	1	4	4	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	27	2.7	3	1	1	2	3	5	7	7
35-49	81	3.0	6	< 1	1	3	4	6	7	14
50-64	14	2.7	4	< 1	1	2	5	5	7	7
65 +	6	5.8	17	1	2	5	9	12	12	12
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	907	4.4	3	3	4	4	5	6	7	11
35-49	6080	4.6	4	3	4	4	5	6	7	12
50-64	1050	4.6	3	3	4	4	5	6	7	10
65 +	152	6.5	14	4	4	5	7	11	17	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.7	2	< 1	1	3	4	4	5	7
B. Operated	770	4.0	1	3	3	4	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	129	3.0	6	< 1	1	2	4	6	7	13
B. Operated	8191	4.6	4	3	4	4	5	6	7	12
1. SINGLE DX	795	3.9	1	3	3	4	4	5	6	8
2. MULTIPLE DX	8320	4.6	4	3	4	4	5	6	7	12
A. Not Operated	154	3.0	5	< 1	1	2	4	6	7	12
B. Operated	8961	4.5	4	3	4	4	5	6	7	12
TOTAL										
0-19 YRS	4	3.5		3	3	3	4	4	4	4
20-34	1112	4.2	3	3	3	4	5	6	7	11
35-49	6689	4.5	3	3	4	4	5	6	7	12
50-64	1144	4.5	3	3	4	4	5	6	7	10
65 +	166	6.3	14	4	4	5	7	11	17	19
GRAND TOTAL	**9115**	**4.5**	**4**	**3**	**4**	**4**	**5**	**6**	**7**	**12**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	93TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	3.4	2	1	2	4	4	5	5	5
35-49	6	4.3		4	4	4	5	5	5	5
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	12	3.8	1	2	3	4	4	5	5	5
35-49	54	4.8	3	3	4	4	5	7	8	11
50-64	11	3.8	2	2	3	4	4	5	6	6
65 +	5	4.6	6	1	3	4	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	15	4.0	2	3	3	4	5	5	7	7
2. MULTIPLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	82	4.5	3	3	4	4	5	7	8	11
1. SINGLE DX	15	4.0	2	3	3	4	5	5	7	7
2. MULTIPLE DX	84	4.5	3	3	4	4	5	7	8	11
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	97	4.4	3	3	4	4	5	7	8	11
TOTAL										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	17	3.6	1	2	3	4	4	5	5	5
35-49	61	4.7	3	3	4	4	5	7	8	11
50-64	13	3.8	1	2	3	4	4	5	6	6
65 +	6	5.0	6	1	4	5	7	7	7	7
GRAND TOTAL	**99**	**4.4**	**3**	**3**	**4**	**4**	**5**	**7**	**8**	**11**

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	2	8.0		8	8	8	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	89	3.7	1	3	3	4	4	5	6	8
20-34	266	3.4	1	2	3	3	4	4	5	6
35-49	125	3.8	1	3	3	4	4	5	6	7
50-64	61	4.5	2	3	4	4	5	6	7	12
65 +	36	5.3	4	3	4	5	6	7	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	2.0		2	2	2	2	2	2	2
35-49	3	5.3	24	2	2	3	9	11	11	11
50-64	0									
65 +	3	9.0	9	6	7	9	11	12	12	12
B. Operated										
0-19 YRS	71	4.3	2	3	3	4	5	6	7	9
20-34	410	4.0	2	3	3	4	4	6	7	10
35-49	514	4.6	4	3	4	4	5	7	8	13
50-64	283	5.7	14	3	4	5	6	9	12	19
65 +	276	6.9	14	4	4	6	8	11	15	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.3	7	2	2	3	6	8	8	8
B. Operated	577	3.7	2	3	3	4	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	10	5.3	16	2	2	3	9	11	12	12
B. Operated	1554	5.1	8	3	4	4	6	8	10	16
1. SINGLE DX	585	3.7	2	3	3	4	4	5	6	8
2. MULTIPLE DX	1564	5.1	8	3	4	4	6	8	10	16
A. Not Operated	18	4.8	11	2	2	3	8	10	12	12
B. Operated	2131	4.7	7	3	3	4	5	7	9	15
TOTAL										
0-19 YRS	161	4.0	2	3	3	4	4	6	7	9
20-34	682	3.8	2	3	3	4	4	5	6	9
35-49	645	4.5	3	3	4	4	5	7	8	12
50-64	346	5.5	12	3	4	5	6	8	12	18
65 +	315	6.7	13	4	4	6	8	10	14	20
GRAND TOTAL	**2149**	**4.7**	**7**	**3**	**3**	**4**	**5**	**7**	**9**	**15**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	5	2.6	1	< 1	2	3	3	3	3	3
35-49	6	3.0	3	< 1	1	3	4	5	5	5
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	9	3.9		3	3	4	4	5	5	5
35-49	13	4.5	11	2	3	4	5	9	13	14
50-64	6	4.5	1	3	4	4	5	6	6	6
65 +	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	15	3.1	2	< 1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	29	4.3	5	2	3	4	5	6	8	14
1. SINGLE DX	15	3.1	2	< 1	2	3	4	5	5	5
2. MULTIPLE DX	30	4.3	5	2	4	4	4	6	8	14
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	44	3.9	4	1	3	4	4	5	7	14
TOTAL										
0-19 YRS	0									
20-34	15	3.5	1	3	3	4	4	4	5	5
35-49	19	4.1	9	1	2	4	4	7	11	14
50-64	8	4.5	1	3	4	4	5	6	6	6
65 +	3	3.3	4	1	2	4	5	5	5	5
GRAND TOTAL	**45**	**3.9**	**4**	**1**	**3**	**4**	**4**	**5**	**6**	**14**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	1.8	1	< 1	1	2	2	3	3	3
35-49	4	1.5		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.0		1	1	1	1	1	1	1
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	5	3.0	4	1	1	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	13	1.5		< 1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	12	2.2	3	1	1	1	3	5	5	5
1. SINGLE DX	13	1.5		< 1	1	1	2	2	3	3
2. MULTIPLE DX	12	2.2	3	1	1	1	3	5	5	5
A. Not Operated	0									
B. Operated	25	1.8	2	1	1	1	2	4	5	5
TOTAL										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	7	1.6	1	< 1	1	1	2	3	3	3
35-49	7	1.3		1	1	1	2	2	2	2
50-64	3	2.3	2	1	1	2	3	4	4	4
65 +	6	2.7	4	1	1	2	5	5	5	5
GRAND TOTAL	**25**	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**5**	**5**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	7	6.0	5	3	5	6	8	9	9	9
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	4	5.8	8	2	3	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65+	2	6.0	2	5	5	6	7	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	12	6.3	23	1	3	6	8	14	17	17
50-64	19	8.1	61	1	3	7	10	16	27	34
65+	46	5.9	41	1	1	3	8	14	16	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	15	5.6	6	2	4	6	8	8	9	9
2. MULTIPLE DX										
A. Not Operated	3	6.0	1	5	5	6	7	7	7	7
B. Operated	77	6.5	43	1	2	5	9	14	17	35
1. SINGLE DX	16	5.3	7	1	3	6	8	8	9	9
2. MULTIPLE DX	80	6.5	41	1	2	5	8	14	17	35
A. Not Operated	4	4.8	7	1	3	5	6	7	7	7
B. Operated	92	6.3	37	1	2	5	8	13	17	35
TOTAL										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	20	6.2	15	2	3	6	7	11	15	17
50-64	21	8.0	55	1	3	7	9	16	25	34
65+	53	5.8	37	1	2	4	8	13	15	34
GRAND TOTAL	**96**	**6.3**	**38**	**1**	**2**	**5**	**8**	**13**	**16**	**35**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	8.0	98	1	1	8	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	5	3.2	7	1	1	2	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	3	7.0	52	1	2	5	12	15	15	15
1. SINGLE DX	6	2.8	6	1	1	2	6	6	6	6
2. MULTIPLE DX	3	7.0	52	1	2	5	12	15	15	15
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	8	4.6	23	1	1	3	6	12	15	15
TOTAL										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	8.0	98	1	1	8	15	15	15	15
GRAND TOTAL	**9**	**4.2**	**21**	**1**	**1**	**2**	**6**	**11**	**15**	**15**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	17	5.5	8	2	4	5	8	9	10	11
20-34	27	6.6	13	2	4	6	8	11	14	16
35-49	57	7.1	8	4	6	7	8	11	13	16
50-64	43	7.8	28	3	5	7	9	14	16	32
65 +	24	7.5	12	4	5	7	8	11	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.8	9	1	2	5	7	9	9	9
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	6	4.0	7	2	2	3	4	9	9	9
50-64	20	6.3	88	1	2	3	6	16	31	41
65 +	65	7.3	35	2	4	6	8	15	21	29
B. Operated										
0-19 YRS	34	10.4	77	4	6	7	12	21	35	40
20-34	22	13.0	143	4	6	9	15	24	45	53
35-49	96	12.3	105	6	7	9	14	23	35	58
50-64	141	12.2	124	6	7	8	12	24	34	94
65 +	176	15.7	183	6	8	12	19	30	42	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.8	6	< 1	1	1	5	6	6	6
B. Operated	168	7.1	15	3	5	7	8	11	14	18
2. MULTIPLE DX										
A. Not Operated	99	6.6	42	2	3	5	7	14	21	36
B. Operated	469	13.4	142	5	7	9	15	26	38	85
1. SINGLE DX	173	7.0	15	3	5	7	8	11	14	18
2. MULTIPLE DX	568	12.2	131	4	6	8	15	24	35	70
A. Not Operated	104	6.4	41	2	3	5	7	14	20	35
B. Operated	637	11.7	116	5	6	8	14	22	33	65
TOTAL										
0-19 YRS	56	8.4	56	3	5	7	9	15	26	40
20-34	52	9.0	78	2	4	7	10	16	18	53
35-49	162	10.0	73	4	6	7	11	15	31	49
50-64	205	10.6	105	3	6	8	11	21	32	68
65 +	266	12.8	146	4	6	9	16	25	35	86
GRAND TOTAL	**741**	**11.0**	**109**	**4**	**6**	**8**	**13**	**21**	**32**	**57**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	20	1.6		1	1	2	2	2	2	2
20-34	134	1.9	1	1	1	2	2	3	3	4
35-49	191	1.9	1	1	1	2	2	3	3	4
50-64	105	2.1	1	1	2	2	3	3	4	4
65 +	54	2.2	1	1	2	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	48	2.2	1	1	2	2	3	4	4	8
35-49	91	2.4	3	1	1	2	3	4	5	11
50-64	126	2.8	7	1	2	2	3	4	6	19
65 +	95	3.2	8	2	2	2	3	5	9	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	504	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	360	2.7	6	1	2	2	3	4	6	13
1. SINGLE DX	505	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	361	2.7	6	1	2	2	3	4	6	13
A. Not Operated	2	3.5	5	2	2	3	5	5	5	5
B. Operated	864	2.3	3	1	2	2	3	3	4	9
TOTAL										
0-19 YRS	20	1.6		1	1	2	2	2	2	2
20-34	182	2.0	1	1	1	2	2	3	3	4
35-49	282	2.1	1	1	1	2	2	3	3	8
50-64	232	2.5	4	1	2	2	3	3	4	11
65 +	150	2.9	6	1	2	2	3	4	8	10
GRAND TOTAL	**866**	**2.3**	**3**	**1**	**2**	**2**	**3**	**3**	**4**	**9**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	13.0		13	13	13	13	13	13	13
B. Operated										
0-19 YRS	5	5.6	5	3	4	5	7	9	9	9
20-34	12	4.3	5	1	3	5	6	7	8	8
35-49	20	4.1	5	1	2	4	6	7	7	8
50-64	27	3.3	4	2	2	2	5	7	7	8
65 +	9	7.9	36	2	4	7	9	18	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	10	5.6	20	1	2	4	7	13	16	16
50-64	7	4.9	41	1	2	2	5	16	19	19
65 +	9	10.8	105	3	5	7	14	29	29	29
B. Operated										
0-19 YRS	9	10.1	83	2	5	6	14	26	30	30
20-34	45	6.5	12	3	5	5	7	12	14	18
35-49	84	6.9	28	2	3	5	8	14	17	31
50-64	129	5.4	18	2	2	4	7	10	13	24
65 +	115	6.6	43	2	3	5	7	12	18	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.7	16	< 1	2	4	5	11	13	13
B. Operated	73	4.4	10	2	2	4	6	8	8	19
2. MULTIPLE DX										
A. Not Operated	29	6.6	55	1	2	4	7	18	28	29
B. Operated	382	6.3	29	2	3	5	7	12	17	29
1. SINGLE DX	80	4.4	10	2	2	4	6	8	9	19
2. MULTIPLE DX	411	6.3	31	2	3	5	7	12	17	29
A. Not Operated	36	6.2	47	1	2	4	7	16	25	29
B. Operated	455	6.0	26	2	3	5	7	12	16	26
TOTAL										
0-19 YRS	18	6.9	54	1	2	5	8	17	26	30
20-34	61	5.9	11	2	4	5	7	11	13	18
35-49	114	6.3	24	2	3	5	7	13	16	27
50-64	164	5.0	17	2	2	4	6	9	12	24
65 +	134	7.0	46	2	3	5	8	14	21	39
GRAND TOTAL	**491**	**6.0**	**28**	**2**	**3**	**5**	**7**	**12**	**17**	**29**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	139	3.1	1	1	3	3	4	4	5	6
35-49	85	3.4	2	1	3	4	4	4	5	8
50-64	17	3.8	2	2	3	4	5	6	6	6
65 +	5	3.8		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	2.3	5	< 1	< 1	< 1	4	5	5	5
50-64	0									
[illegible]	0									
B. Operated										
0-19 YRS	0									
20-34	224	3.9	2	3	3	4	4	5	7	9
35-49	262	4.4	2	3	4	4	5	6	7	11
50-64	83	5.5	16	3	4	4	6	9	12	26
65 +	35	5.5	7	2	4	5	7	9	10	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.0	1	2	2	3	4	4	4	4
B. Operated	246	3.3	2	1	3	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	3	2.3	5	< 1	< 1	< 1	4	5	5	5
B. Operated	604	4.4	5	3	3	4	5	7	8	12
1. SINGLE DX	249	3.3	2	1	3	3	4	4	5	7
2. MULTIPLE DX	607	4.4	5	3	3	4	5	7	8	12
A. Not Operated	6	2.7	3	< 1	< 1	2	4	5	5	5
B. Operated	850	4.1	4	2	3	4	4	6	7	11
TOTAL										
0-19 YRS	0									
20-34	364	3.6	2	2	3	4	4	5	6	8
35-49	352	4.1	2	3	3	4	4	6	7	10
50-64	100	5.2	14	3	4	4	6	8	11	25
65 +	40	5.3	7	2	4	5	7	9	10	13
GRAND TOTAL	**856**	**4.1**	**4**	**2**	**3**	**4**	**4**	**6**	**7**	**11**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	7	2.4	2	1	1	3	4	4	4	4
35-49	64	2.6	1	1	2	3	3	4	5	6
50-64	87	3.2	4	1	2	3	4	5	7	11
65 +	62	3.6	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	7	3.7	6	2	2	3	4	8	9	9
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	12	3.3	2	1	2	3	4	5	6	6
35-49	89	4.2	7	2	3	4	5	7	9	17
50-64	152	5.4	21	2	3	4	6	10	13	28
65 +	274	6.8	36	1	3	5	9	13	16	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	220	3.1	4	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. Not Operated	7	3.7	6	2	2	3	4	8	9	9
B. Operated	528	5.9	27	2	3	4	7	12	15	29
1. SINGLE DX	221	3.1	4	1	2	3	4	5	7	11
2. MULTIPLE DX	535	5.8	27	2	3	4	7	12	15	29
A. Not Operated	8	3.6	5	2	2	3	4	8	9	9
B. Operated	748	5.0	22	1	2	4	6	10	13	27
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	19	2.9	2	1	1	3	4	5	6	6
35-49	154	3.5	5	1	2	3	4	6	8	12
50-64	239	4.6	16	1	2	4	5	9	11	22
65 +	343	6.1	31	1	2	4	8	12	15	32
GRAND TOTAL	**756**	**5.0**	**22**	**1**	**2**	**4**	**6**	**10**	**13**	**27**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.2	2	1	1	2	3	4	5	5
20-34	10	3.1	7	<1	1	2	6	7	8	8
35-49	9	1.7	1	<1	<1	1	2	4	4	4
50-64	12	3.4	8	1	1	3	4	7	10	11
65 +	13	4.2	6	2	2	4	5	8	10	10
B. Operated										
0-19 YRS	127	3.0	7	1	1	2	4	6	8	13
20-34	81	3.5	8	1	1	3	5	8	9	14
35-49	84	3.9	8	1	1	3	5	8	9	13
50-64	87	4.2	10	1	1	4	7	8	9	14
65 +	75	4.0	11	1	1	3	6	8	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	4.1	25	1	1	2	4	8	16	26
20-34	31	2.9	6	<1	2	2	3	5	9	12
35-49	31	4.0	20	<1	1	3	5	7	8	25
50-64	60	5.1	43	1	2	4	6	8	10	45
65 +	179	6.9	34	1	3	5	9	15	21	27
B. Operated										
0-19 YRS	118	9.4	125	1	3	6	11	22	34	79
20-34	91	5.6	19	2	3	4	7	11	13	24
35-49	168	6.9	85	2	3	4	7	13	20	63
50-64	219	8.5	85	1	3	6	10	18	25	56
65 +	441	9.0	64	2	4	7	11	18	26	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	2.9	5	1	1	2	4	6	7	11
B. Operated	454	3.6	9	1	1	3	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	354	5.6	32	1	2	4	7	11	18	26
B. Operated	1037	8.3	76	2	3	6	10	17	25	49
1. SINGLE DX	519	3.5	8	1	1	3	5	8	9	13
2. MULTIPLE DX	1391	7.6	66	1	3	5	9	16	23	41
A. Not Operated	419	5.1	29	1	2	4	7	11	16	26
B. Operated	1491	6.9	60	1	2	5	8	14	20	40
TOTAL										
0-19 YRS	319	5.5	62	1	1	3	6	12	20	50
20-34	213	4.3	14	1	2	3	6	9	11	19
35-49	292	5.5	56	1	2	4	6	9	15	39
50-64	378	6.8	62	1	2	5	8	12	19	43
65 +	708	7.9	53	1	3	6	10	16	23	38
GRAND TOTAL	**1910**	**6.5**	**54**	**1**	**2**	**5**	**8**	**13**	**20**	**38**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	19	1.6		1	1	2	2	2	3	3
20-34	91	2.3	2	1	2	2	3	3	4	9
35-49	162	2.0	1	1	2	2	2	3	3	4
50-64	107	2.3	1	1	2	2	3	3	4	6
65 +	49	2.6	5	1	1	2	3	4	6	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	2.0	3	< 1	< 1	< 1	3	5	5	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	7	1.6	1	< 1	1	1	2	3	3	3
B. Operated										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	43	2.5	4	1	2	2	3	3	4	15
35-49	118	2.6	2	1	2	2	3	4	4	8
50-64	122	3.6	7	2	2	3	4	6	9	15
65 +	163	4.0	7	2	2	3	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	428	2.2	1	1	2	2	3	3	4	7
2. MULTIPLE DX										
A. Not Operated	15	1.8	1	< 1	< 1	1	2	3	5	5
B. Operated	450	3.3	6	2	2	3	4	6	8	14
1. SINGLE DX	430	2.2	1	1	2	2	3	3	4	7
2. MULTIPLE DX	465	3.3	6	2	2	3	4	6	8	14
A. Not Operated	17	1.9	1	< 1	1	2	2	3	4	5
B. Operated	878	2.8	4	1	2	2	3	4	6	12
TOTAL										
0-19 YRS	24	1.7		1	1	2	2	3	3	3
20-34	134	2.3	3	1	2	2	3	3	4	10
35-49	285	2.3	1	1	2	2	3	3	4	6
50-64	232	3.0	4	1	2	2	3	5	6	13
65 +	220	3.6	7	1	2	3	4	7	8	14
GRAND TOTAL	895	2.8	4	1	2	2	3	4	6	12

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.7	5	1	1	2	3	5	8	9
20-34	16	3.4	5	1	2	3	4	5	9	11
35-49	15	4.7	8	1	2	5	6	8	10	11
50-64	8	2.1	1	< 1	1	2	3	3	3	3
65 +	6	6.2	9	2	5	6	7	11	11	11
B. Operated										
0-19 YRS	18	2.6	1	1	2	3	3	4	4	4
20-34	52	2.9	5	1	2	2	3	5	7	13
35-49	89	2.3	1	1	2	2	3	4	4	6
50-64	49	2.4	3	1	1	2	3	5	5	9
65 +	20	2.3	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	6.1	73	1	3	4	6	10	28	39
20-34	61	4.0	13	1	2	3	5	7	9	24
35-49	69	5.3	16	2	3	4	7	9	14	22
50-64	76	5.6	17	2	3	4	7	10	14	21
65 +	182	8.4	39	3	5	7	10	16	22	39
B. Operated										
0-19 YRS	8	7.0	37	2	3	5	9	17	20	20
20-34	54	3.4	9	2	2	3	3	5	9	20
35-49	57	4.2	22	2	2	3	4	11	13	29
50-64	66	5.0	42	2	2	3	5	10	17	38
65 +	86	8.8	115	2	2	5	11	20	30	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	3.6	7	1	2	3	5	7	10	11
B. Operated	228	2.5	3	1	2	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	406	6.6	31	2	3	5	8	13	17	35
B. Operated	271	5.8	58	2	2	3	6	12	20	46
1. SINGLE DX	289	2.7	4	1	2	2	3	5	6	11
2. MULTIPLE DX	677	6.3	42	2	3	4	7	13	19	39
A. Not Operated	467	6.2	29	2	3	5	7	12	17	33
B. Operated	499	4.3	35	1	2	3	4	8	13	35
TOTAL										
0-19 YRS	60	4.2	30	1	2	3	4	7	11	37
20-34	183	3.5	9	1	2	3	4	6	9	18
35-49	230	3.8	13	1	2	3	4	7	11	19
50-64	199	4.5	23	1	2	3	6	9	13	27
65 +	294	8.1	60	2	3	6	10	17	23	50
GRAND TOTAL	966	5.2	33	1	2	3	6	11	15	33

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	195	5.1	4	3	4	5	6	8	8	10
20-34	18	3.9	2	2	3	4	5	6	7	7
35-49	24	3.3	6	1	1	3	5	7	8	9
50-64	21	4.1	4	2	3	4	5	7	8	9
65 +	13	3.9	7	< 1	1	4	6	7	7	7
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	0									
65 +	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	161	5.4	19	3	4	5	6	8	10	18
20-34	53	4.8	9	2	3	4	6	9	12	15
35-49	85	4.6	7	1	3	4	6	8	10	13
50-64	93	5.9	29	2	3	5	7	9	12	37
65 +	71	6.5	46	2	3	5	7	11	16	46
B. Operated										
0-19 YRS	4	2.8	8	< 1	< 1	1	4	7	7	7
20-34	5	5.4	14	2	3	3	9	10	10	10
35-49	3	8.7	56	1	3	9	14	16	16	16
50-64	18	12.0	343	3	3	8	12	16	57	84
65 +	20	10.8	83	3	5	9	13	16	31	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	271	4.7	4	2	3	5	6	7	8	10
B. Operated	6	3.3	4	1	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	463	5.5	22	2	3	5	7	9	11	23
B. Operated	50	9.9	164	2	3	8	11	15	18	84
1. SINGLE DX	277	4.7	4	2	3	5	6	7	8	10
2. MULTIPLE DX	513	5.9	37	2	3	5	7	10	12	37
A. Not Operated	734	5.2	16	2	3	5	6	8	10	17
B. Operated	56	9.2	150	2	3	7	11	15	17	82
TOTAL										
0-19 YRS	361	5.2	11	2	4	5	6	8	9	12
20-34	76	4.6	8	2	3	4	6	9	11	14
35-49	115	4.4	9	1	2	4	6	8	10	15
50-64	132	6.5	71	2	3	5	7	10	13	46
65 +	106	6.9	51	1	3	6	8	13	16	48
GRAND TOTAL	**790**	**5.5**	**26**	**2**	**3**	**5**	**7**	**9**	**10**	**19**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	646	3.5	5	1	2	3	4	7	8	10
20-34	243	3.7	6	1	2	3	5	6	8	10
35-49	86	3.8	4	2	2	4	5	7	7	10
50-64	32	6.3	22	2	3	5	8	11	17	23
65 +	13	5.3	3	3	4	5	6	7	9	9
B. Operated										
0-19 YRS	14	3.4	2	2	2	3	4	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	4.8	6	3	3	4	6	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1089	4.0	7	2	2	3	5	7	8	14
20-34	1035	4.6	11	2	3	4	6	8	10	17
35-49	700	5.8	20	2	3	5	7	10	13	23
50-64	439	6.9	24	3	4	6	8	12	15	28
65 +	535	8.8	33	4	5	8	11	15	18	35
B. Operated										
0-19 YRS	58	7.7	33	3	4	6	9	14	20	28
20-34	107	8.3	33	3	5	7	11	17	19	63
35-49	120	11.8	110	4	6	9	13	21	31	59
50-64	94	13.6	102	4	7	10	17	29	39	48
65 +	143	18.8	175	6	10	15	23	36	46	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1020	3.6	6	1	2	3	5	7	8	11
B. Operated	19	3.8	3	2	3	3	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	3798	5.5	19	2	3	4	7	10	13	21
B. Operated	522	12.9	119	4	6	9	17	27	35	61
1. SINGLE DX	1039	3.7	6	1	2	3	5	7	8	10
2. MULTIPLE DX	4320	6.4	36	2	3	5	8	12	17	33
A. Not Operated	4818	5.1	16	2	3	4	6	9	12	20
B. Operated	541	12.6	117	4	6	9	16	26	35	60
TOTAL										
0-19 YRS	1807	3.9	7	1	2	3	5	7	9	14
20-34	1386	4.7	13	2	3	4	6	8	11	19
35-49	910	6.4	35	2	3	5	8	11	15	31
50-64	565	8.0	43	3	4	6	9	15	21	40
65 +	691	10.8	78	4	6	8	13	20	29	49
GRAND TOTAL	**5359**	**5.9**	**32**	**2**	**3**	**4**	**7**	**11**	**15**	**31**

304 Hospitals, North Central Region, January-December 1989

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	13.0		13	13	13	13	13	13	13
50-64	5	7.0	43	1	3	5	10	18	18	18
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	28.5	25	25	25	28	32	32	32	32
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	4	4.0	9	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	7.0	21	3	4	6	10	12	12	12
35-49	16	6.8	12	3	4	6	8	13	13	13
50-64	60	10.0	126	4	6	7	11	16	23	80
65 +	102	8.3	32	3	5	7	10	16	21	28
B. Operated										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	15	12.1	36	4	6	14	16	19	22	23
35-49	142	15.7	221	3	6	12	18	31	48	75
50-64	361	16.2	152	4	8	13	21	32	43	55
65 +	711	16.4	148	6	8	13	21	31	40	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	8.0	40	1	4	6	13	17	18	18
B. Operated	9	8.9	131	1	2	4	11	29	32	32
2. MULTIPLE DX										
A. Not Operated	181	8.7	61	3	5	7	10	16	20	31
B. Operated	1230	16.2	156	5	8	13	21	31	41	63
1. SINGLE DX	15	8.5	89	1	2	5	12	25	30	32
2. MULTIPLE DX	1411	15.3	150	4	7	12	19	30	39	62
A. Not Operated	187	8.7	61	3	5	7	10	16	19	31
B. Operated	1239	16.2	156	5	8	13	21	31	41	63
TOTAL										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	20	13.0	62	4	6	13	16	24	28	32
35-49	160	14.7	205	3	6	11	17	30	44	73
50-64	428	15.2	152	4	7	11	19	31	39	56
65 +	817	15.3	141	5	7	12	20	30	38	62
GRAND TOTAL	**1426**	**15.2**	**150**	**4**	**7**	**12**	**19**	**30**	**38**	**62**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	288	4.3	4	2	3	4	5	7	8	12
20-34	174	4.3	10	2	3	4	5	7	11	17
35-49	211	4.5	7	2	3	4	5	8	9	13
50-64	219	4.5	6	2	3	4	6	7	9	14
65 +	168	5.7	31	2	3	5	7	10	13	21
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	8	1.8	2	< 1	1	1	2	4	5	5
50-64	7	5.9	15	1	3	5	9	11	12	12
65 +	9	12.1	89	2	5	9	20	26	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	452	5.0	29	1	2	4	6	8	11	21
20-34	875	4.9	15	2	3	4	6	9	11	19
35-49	1627	5.5	15	2	3	5	7	10	12	19
50-64	2428	6.0	18	3	4	5	7	10	13	23
65 +	3332	6.8	20	3	4	6	8	12	15	21
B. Operated										
0-19 YRS	21	9.0	148	1	3	6	8	19	37	57
20-34	203	9.0	141	1	2	5	12	19	30	90
35-49	466	9.9	95	2	3	7	12	22	31	56
50-64	809	10.4	112	2	4	8	13	21	29	53
65 +	948	13.3	149	3	6	10	16	27	33	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1060	4.6	10	2	3	4	6	7	9	15
B. Operated	31	5.7	47	1	1	3	8	15	25	27
2. MULTIPLE DX										
A. Not Operated	8714	6.1	19	2	3	5	7	11	13	21
B. Operated	2447	11.3	128	2	4	8	14	23	32	59
1. SINGLE DX	1091	4.6	12	2	3	4	6	7	10	15
2. MULTIPLE DX	11161	7.2	48	2	4	5	8	13	18	36
A. Not Operated	9774	5.9	18	2	3	5	7	10	13	21
B. Operated	2478	11.2	128	2	4	8	14	23	32	59
TOTAL										
0-19 YRS	764	4.8	23	2	3	4	6	8	10	20
20-34	1256	5.5	37	2	3	4	6	10	14	31
35-49	2312	6.3	34	2	3	5	7	11	15	33
50-64	3463	6.9	43	2	3	5	8	12	17	36
65 +	4457	8.2	55	3	4	6	10	15	20	38
GRAND TOTAL	**12252**	**7.0**	**45**	**2**	**3**	**5**	**8**	**13**	**17**	**34**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.0	2	1	1	1	3	4	4	4
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	10	3.6	3	2	2	3	4	6	7	7
35-49	2	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	9	3.3	4	1	2	3	4	6	7	7
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	4	4.3	4	2	3	4	6	7	7	7
20-34	39	4.0	2	2	3	4	5	6	6	9
35-49	10	4.6	2	2	4	5	5	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.5	17	1	1	2	4	10	13	13
B. Operated	14	3.6	2	2	3	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	14	3.7	7	2	2	3	4	7	10	11
B. Operated	54	4.1	2	2	3	4	5	6	6	9
1. SINGLE DX	22	3.5	7	1	2	3	4	6	9	13
2. MULTIPLE DX	68	4.0	3	2	3	4	5	6	7	11
A. Not Operated	22	3.6	10	1	2	3	4	8	12	13
B. Operated	68	4.0	2	2	3	4	5	6	6	9
TOTAL										
0-19 YRS	9	3.1	3	1	2	3	4	6	7	7
20-34	63	3.7	3	2	3	4	5	6	7	9
35-49	16	4.9	6	3	4	4	5	6	11	13
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**90**	**3.9**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	133	2.3	7	1	1	1	2	4	7	14
20-34	27	2.9	2	1	2	2	4	5	5	6
35-49	13	4.0	16	1	2	3	4	8	14	16
50-64	11	4.1	13	< 1	1	4	5	10	12	12
65 +	28	3.6	17	1	1	2	3	11	15	16
B. Operated										
0-19 YRS	13	5.8	72	1	1	3	7	14	29	32
20-34	9	4.2	4	1	3	4	6	7	7	7
35-49	14	3.0	4	1	1	2	4	6	8	8
50-64	14	3.4	3	1	2	3	5	6	7	7
65 +	4	4.0	11	2	2	3	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	335	3.1	23	1	1	2	3	6	8	22
20-34	227	3.8	9	1	2	3	5	7	10	15
35-49	290	4.5	10	2	2	3	6	9	12	15
50-64	476	5.2	21	2	2	4	6	10	13	26
65 +	1432	6.1	21	2	3	5	8	12	14	23
B. Operated										
0-19 YRS	33	5.7	21	1	3	4	7	13	16	20
20-34	34	5.6	19	2	3	4	8	13	16	17
35-49	101	9.4	89	2	3	6	12	18	26	53
50-64	112	8.6	66	2	3	6	12	20	25	39
65 +	200	11.8	101	3	5	10	16	25	29	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	212	2.7	9	1	1	2	3	5	7	16
B. Operated	54	4.0	21	1	2	3	5	7	9	31
2. MULTIPLE DX										
A. Not Operated	2760	5.2	20	1	2	4	7	10	13	22
B. Operated	480	9.7	83	2	4	7	13	20	27	46
1. SINGLE DX	266	3.0	12	1	1	2	3	6	9	16
2. MULTIPLE DX	3240	5.9	32	1	2	4	7	12	16	28
A. Not Operated	2972	5.0	20	1	2	4	6	10	13	22
B. Operated	534	9.1	80	2	3	6	12	20	26	44
TOTAL										
0-19 YRS	514	3.1	20	1	1	2	3	6	9	22
20-34	297	3.9	10	1	2	3	5	8	10	17
35-49	418	5.6	34	2	2	4	6	12	15	29
50-64	613	5.7	30	2	2	4	7	12	16	32
65 +	1664	6.7	34	2	3	5	9	13	17	29
GRAND TOTAL	**3506**	**5.6**	**31**	**1**	**2**	**4**	**7**	**12**	**16**	**28**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	9.8	36	4	7	8	12	20	20	20
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	6	6.3	8	2	4	7	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	109	11.9	222	3	5	8	12	23	39	88
20-34	27	13.4	205	3	5	7	16	44	50	50
35-49	31	10.8	102	3	4	7	14	27	35	41
50-64	57	8.6	41	2	4	6	12	18	21	29
65 +	219	10.1	80	3	5	8	12	20	29	75
B. Operated										
0-19 YRS	32	15.7	182	4	5	13	29	45	90	99 +
20-34	12	15.3	234	1	6	10	18	44	48	49
35-49	25	17.1	303	3	6	12	21	58	60	62
50-64	67	14.9	202	3	5	12	17	35	47	72
65 +	296	10.6	74	2	4	8	15	24	31	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	8.3	29	3	5	8	9	17	20	20
B. Operated	9	4.8	11	1	2	4	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	443	10.6	119	3	5	7	12	21	32	71
B. Operated	432	12.2	123	3	4	9	16	29	38	99 +
1. SINGLE DX	17	6.4	21	[illegible]	[illegible]	7	8	10	16	20
2. MULTIPLE DX	875	11.4	122	3	5	8	14	24	35	84
A. Not Operated	451	10.5	118	3	5	8	12	20	32	70
B. Operated	441	12.0	122	2	4	9	16	29	37	99 +
TOTAL										
0-19 YRS	147	12.6	207	3	5	8	14	32	44	99 +
20-34	41	13.4	206	2	5	7	15	44	49	50
35-49	57	13.4	197	3	4	8	16	27	52	62
50-64	125	12.0	136	3	4	9	15	26	36	57
65 +	522	10.3	76	3	4	8	14	22	30	73
GRAND TOTAL	**892**	**11.3**	**120**	**3**	**4**	**8**	**14**	**24**	**35**	**83**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	120	10.7	25	3	8	11	14	15	16	27
20-34	42	11.9	24	6	9	13	14	16	21	26
35-49	2	12.5	25	9	9	12	16	16	16	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	15.4	151	3	7	12	21	36	40	40
20-34	4	9.5	28	2	6	11	13	14	14	14
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	386	10.9	30	4	7	10	14	17	21	28
20-34	167	12.6	47	4	8	12	15	21	23	40
35-49	13	14.7	101	5	8	12	17	32	37	38
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	59	15.5	112	4	9	13	19	31	44	95
20-34	22	13.3	174	3	4	10	19	24	41	62
35-49	4	17.0	105	6	8	17	25	28	28	28
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	11.0	24	3	8	12	14	15	17	26
B. Operated	12	13.4	112	2	7	12	15	30	39	40
2. MULTIPLE DX										
A. Not Operated	566	11.4	37	4	7	11	14	19	22	33
B. Operated	85	15.0	126	3	8	13	19	27	41	86
1. SINGLE DX	176	11.2	30	3	8	12	14	15	17	31
2. MULTIPLE DX	651	11.9	50	4	8	11	15	20	23	39
A. Not Operated	730	11.4	34	4	8	11	14	18	21	31
B. Operated	97	14.8	123	3	8	13	19	27	40	82
TOTAL										
0-19 YRS	573	11.4	41	4	8	11	14	18	22	38
20-34	235	12.5	54	4	8	12	15	20	23	41
35-49	19	14.9	88	6	8	12	21	30	35	38
50-64	0									
65 +	0									
GRAND TOTAL	**827**	**11.8**	**46**	**4**	**8**	**11**	**14**	**19**	**22**	**39**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	42	4.3	2	3	3	4	5	6	7	7
35-49	39	4.2	2	3	3	4	6	7	7	7
50-64	7	3.6		3	3	4	4	4	4	4
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	13.6	237	2	3	7	19	36	51	57
20-34	5	6.8	42	1	2	5	11	17	17	17
35-49	8	2.6	4	< 1	1	2	4	5	6	6
50-64	3	11.0	57	3	5	12	16	18	18	18
65 +	0									
B. Operated										
0-19 YRS	8	8.1	18	5	6	7	8	15	18	18
20-34	43	6.2	6	3	4	6	8	9	11	14
35-49	99	6.4	7	3	4	6	8	9	11	17
50-64	17	6.1	4	4	4	7	8	9	9	9
65 +	2	5.5	1	5	5	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	90	4.2	2	3	3	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	32	9.5	147	1	2	5	11	23	36	57
B. Operated	169	6.4	7	3	4	6	8	9	11	17
1. SINGLE DX	90	4.2	2	3	3	4	5	6	7	7
2. MULTIPLE DX	201	6.9	30	3	4	6	8	10	14	32
A. Not Operated	32	9.5	147	1	2	5	11	23	36	57
B. Operated	259	5.6	6	3	4	5	7	9	10	14
TOTAL										
0-19 YRS	25	11.4	162	3	4	7	12	27	42	57
20-34	90	5.3	7	3	3	5	7	8	10	16
35-49	146	5.6	7	3	4	5	7	9	10	14
50-64	27	6.0	11	3	4	4	8	9	13	18
65 +	3	5.7		5	5	6	6	6	6	6
GRAND TOTAL	**291**	**6.1**	**23**	**3**	**4**	**5**	**7**	**9**	**11**	**25**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	3.1	7	1	1	2	4	7	10	12
20-34	35	3.7	10	1	1	3	5	9	11	12
35-49	15	4.3	14	1	2	3	4	12	13	13
50-64	14	6.2	34	1	2	3	13	14	16	16
65 +	9	3.7	6	< 1	2	3	6	7	7	7
B. Operated										
0-19 YRS	50	2.9	5	1	1	2	4	6	7	8
20-34	12	2.3	3	< 1	1	2	3	5	6	6
35-49	41	2.9	9	1	1	2	3	5	7	19
50-64	20	3.2	7	1	1	2	4	8	9	10
65 +	6	4.2	29	< 1	1	1	7	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	247	4.7	38	1	2	3	6	9	13	24
20-34	83	4.9	25	1	1	3	6	12	14	26
35-49	172	6.8	29	2	3	5	9	14	17	28
50-64	204	7.8	44	2	4	6	9	16	21	36
65 +	343	6.9	27	2	3	6	9	14	17	26
B. Operated										
0-19 YRS	86	13.2	197	1	2	8	18	37	47	51
20-34	43	6.7	49	2	3	5	7	14	18	43
35-49	115	5.7	66	1	2	3	6	12	17	56
50-64	88	9.2	78	2	3	7	12	18	22	53
65 +	144	11.3	121	3	5	8	13	26	31	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	3.6	11	1	1	2	5	9	12	14
B. Operated	129	2.9	7	1	1	2	4	6	7	15
2. MULTIPLE DX										
A. Not Operated	1049	6.4	34	2	2	5	8	13	17	27
B. Operated	476	9.5	114	2	3	6	12	22	31	51
1. SINGLE DX	313	3.3	9	1	1	2	4	7	10	14
2. MULTIPLE DX	1525	7.3	61	2	3	5	9	15	22	40
A. Not Operated	1233	6.0	32	1	2	4	8	12	16	27
B. Operated	605	8.1	98	1	2	5	10	18	28	48
TOTAL										
0-19 YRS	494	5.6	68	1	2	3	6	12	20	47
20-34	173	4.9	28	1	2	3	6	11	13	27
35-49	343	5.9	40	1	2	4	7	12	17	29
50-64	326	7.8	52	2	3	6	10	16	20	36
65 +	502	8.1	58	2	3	6	10	16	23	34
GRAND TOTAL	**1838**	**6.7**	**55**	**1**	**2**	**4**	**8**	**14**	**19**	**38**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.8		2	2	3	3	3	3	3
35-49	9	2.8	3	1	2	2	4	6	6	6
50-64	9	2.6	1	1	2	3	3	4	4	4
65 +	12	2.9	2	1	2	3	4	5	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	5	2.4	2	1	1	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	3.0	4	1	1	3	4	6	6	6
35-49	47	4.2	8	2	2	4	5	7	10	15
50-64	74	5.7	16	2	3	5	6	9	14	23
65 +	165	5.5	15	2	3	4	7	11	14	21
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	9	5.0	12	1	2	4	7	10	11	11
50-64	14	6.1	15	2	2	6	8	10	14	15
65 +	41	9.5	58	2	4	8	12	17	26	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.8	2	1	2	3	3	5	6	6
B. Operated	7	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	292	5.3	14	2	3	4	6	10	14	21
B. Operated	66	8.1	44	2	3	7	11	16	18	36
1. SINGLE DX	41	2.7	2	1	2	3	3	4	5	6
2. MULTIPLE DX	358	5.8	21	2	3	5	7	11	15	23
A. Not Operated	326	5.0	14	2	3	4	6	9	13	20
B. Operated	73	7.5	43	2	3	7	10	15	17	36
TOTAL										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	11	2.8	2	1	2	3	3	5	6	6
35-49	67	4.0	8	1	2	3	5	7	9	15
50-64	97	5.4	15	2	3	5	7	9	13	22
65 +	223	6.0	25	2	3	4	7	12	15	26
GRAND TOTAL	**399**	**5.5**	**20**	**2**	**3**	**4**	**7**	**11**	**15**	**22**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	2.2	2	1	1	2	3	4	5	7
20-34	33	2.5	2	1	2	2	3	4	5	8
35-49	20	3.9	25	1	2	3	4	6	15	24
50-64	25	3.6	6	1	2	3	5	8	9	11
65 +	89	5.4	17	2	3	4	7	11	13	21
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	5.3		5	5	5	6	6	6	6
65 +	3	7.3	14	3	4	9	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4863	2.8	7	1	2	2	3	5	6	13
20-34	1007	3.4	17	1	2	2	4	6	9	15
35-49	1124	4.5	16	1	2	3	5	9	12	21
50-64	2114	5.5	21	2	3	4	7	11	14	25
65 +	8328	6.8	27	2	4	5	8	13	16	27
B. Operated										
0-19 YRS	114	11.0	283	1	3	5	12	26	37	92
20-34	118	7.3	58	1	2	5	11	16	21	41
35-49	206	9.7	87	2	4	7	12	21	30	50
50-64	353	11.5	107	2	5	9	15	22	30	53
65 +	1409	13.8	114	4	7	11	18	26	34	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	298	3.4	10	1	2	3	4	7	9	19
B. Operated	9	5.4	7	2	3	5	7	10	10	10
2. MULTIPLE DX										
A. Not Operated	17436	5.2	22	2	2	4	6	10	14	23
B. Operated	2200	12.5	119	3	6	10	16	25	33	56
1. SINGLE DX	307	3.5	10	1	2	3	4	7	9	19
2. MULTIPLE DX	19636	6.0	38	2	2	4	7	12	17	30
A. Not Operated	17734	5.2	22	1	2	4	6	10	14	23
B. Operated	2209	12.5	119	3	5	10	16	25	33	56
TOTAL										
0-19 YRS	5110	3.0	14	1	2	2	3	5	6	15
20-34	1158	3.8	22	1	2	3	4	7	11	19
35-49	1351	5.3	30	1	2	4	6	11	15	30
50-64	2495	6.4	38	2	3	5	8	13	17	31
65 +	9829	7.8	45	2	4	6	10	15	20	35
GRAND TOTAL	**19943**	**6.0**	**38**	**2**	**2**	**4**	**7**	**12**	**17**	**30**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.3	2	1	1	2	3	4	5	7
20-34	8	2.8	2	1	2	3	4	5	5	5
35-49	14	2.9	3	1	2	2	4	6	6	6
50-64	12	3.0	2	2	2	3	4	5	6	6
65 +	28	3.6	7	1	2	3	5	8	8	10
B. Operated										
0-19 YRS	9	2.3	1	1	2	2	3	4	4	4
20-34	3	5.7	4	4	4	5	7	8	8	8
35-49	5	6.2	8	3	4	7	8	10	10	10
50-64	4	4.3	7	2	2	3	6	8	8	8
65 +	10	3.8	1	3	3	4	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	3.5	9	1	2	3	4	6	7	20
20-34	73	4.0	16	1	2	3	5	7	12	25
35-49	120	4.2	12	1	2	4	5	7	8	17
50-64	178	4.9	13	2	2	4	7	9	12	19
65 +	783	5.5	14	2	3	5	7	10	12	18
B. Operated										
0-19 YRS	17	5.8	20	1	3	5	7	11	17	19
20-34	28	5.3	10	2	3	5	7	11	12	12
35-49	72	6.2	13	2	3	6	8	12	14	16
50-64	107	7.0	40	2	4	5	8	12	15	43
65 +	400	8.7	53	3	5	7	10	15	23	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	3.0	4	1	2	2	4	6	7	9
B. Operated	31	4.0	5	2	3	3	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	1248	5.1	14	2	3	4	6	9	12	19
B. Operated	624	7.9	44	3	4	6	9	14	19	40
1. SINGLE DX	116	3.2	4	1	2	3	4	6	8	10
2. MULTIPLE DX	1872	6.0	26	2	3	5	7	11	14	27
A. Not Operated	1333	4.9	13	2	3	4	6	9	11	18
B. Operated	655	7.7	43	3	4	6	9	14	19	39
TOTAL										
0-19 YRS	143	3.5	10	1	2	3	4	6	7	19
20-34	112	4.3	13	1	2	3	5	8	12	19
35-49	211	4.9	13	2	3	4	6	8	11	15
50-64	301	5.6	23	2	3	4	7	11	13	20
65 +	1221	6.5	29	2	3	5	8	11	15	29
GRAND TOTAL	**1988**	**5.9**	**25**	**2**	**3**	**5**	**7**	**11**	**14**	**27**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	855	4.0	7	1	2	3	5	7	9	14
20-34	617	5.9	17	2	3	5	8	10	13	19
35-49	178	5.3	9	3	3	5	6	9	10	16
50-64	15	6.3	5	4	5	6	8	8	11	12
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	10	4.4	16	1	1	3	8	10	12	12
20-34	11	10.8	172	1	5	9	10	26	47	49
35-49	3	7.0	16	3	4	7	10	11	11	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1005	4.9	11	2	3	4	6	9	11	18
20-34	928	8.1	43	3	4	6	10	15	21	37
35-49	293	7.5	38	3	4	6	9	14	18	24
50-64	28	5.5	10	3	4	5	7	9	12	16
65 +	6	5.2	9	2	3	4	7	10	10	10
B. Operated										
0-19 YRS	39	12.4	138	2	5	10	16	26	39	57
20-34	84	16.1	150	6	8	12	20	32	40	68
35-49	29	12.5	66	5	7	9	15	24	29	37
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1666	4.9	12	2	3	4	6	9	11	17
B. Operated	24	7.7	92	1	1	7	9	11	23	49
2. MULTIPLE DX										
A. Not Operated	2260	6.5	30	2	3	5	8	12	16	29
B. Operated	153	14.4	132	5	7	11	17	30	38	57
1. SINGLE DX	1690	4.9	13	2	3	4	6	9	11	17
2. MULTIPLE DX	2413	7.0	40	2	3	5	8	13	18	35
A. Not Operated	3926	5.8	23	2	3	5	7	11	14	26
B. Operated	177	13.5	132	3	7	10	16	30	38	55
TOTAL										
0-19 YRS	1909	4.7	13	2	2	4	6	8	11	18
20-34	1640	7.7	44	3	4	6	9	14	20	38
35-49	503	7.0	32	3	4	6	8	13	18	26
50-64	44	5.9	8	3	4	5	7	9	12	16
65 +	7	5.7	9	2	3	5	8	10	10	10
GRAND TOTAL	**4103**	**6.2**	**30**	**2**	**3**	**5**	**8**	**11**	**15**	**30**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	189	3.2	14	<1	1	2	4	7	10	14
20-34	26	2.0	2	1	1	1	3	4	5	6
35-49	16	2.6	5	<1	1	2	3	6	7	8
50-64	18	2.4	3	<1	1	2	3	5	6	6
65 +	106	2.8	18	<1	1	2	3	5	7	27
B. Operated										
0-19 YRS	74	3.9	23	1	2	3	4	6	9	33
20-34	16	5.1	10	2	2	4	8	9	10	11
35-49	7	6.9	2	5	6	7	7	9	10	10
50-64	8	6.6	16	3	4	6	8	13	15	15
65 +	15	8.8	45	2	3	5	16	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	330	3.6	13	1	1	2	5	8	11	19
20-34	133	3.9	17	1	1	3	5	8	11	23
35-49	218	4.8	26	1	2	3	6	10	13	25
50-64	474	5.0	20	1	2	4	7	11	14	20
65 +	1469	5.2	19	1	2	4	7	10	13	21
B. Operated										
0-19 YRS	113	9.9	191	2	3	5	10	27	43	87
20-34	56	5.6	10	2	3	6	7	11	12	14
35-49	118	8.7	38	2	4	8	11	17	20	31
50-64	200	9.8	84	2	5	7	12	20	25	51
65 +	566	9.7	71	2	4	7	13	19	25	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	355	2.9	13	<1	1	2	3	6	9	23
B. Operated	120	5.1	25	1	2	3	6	10	15	25
2. MULTIPLE DX										
A. Not Operated	2624	4.8	19	1	2	4	6	10	13	21
B. Operated	1053	9.4	80	2	4	7	12	19	25	48
1. SINGLE DX	475	3.5	17	<1	1	2	4	7	10	22
2. MULTIPLE DX	3677	6.2	41	1	2	4	8	13	17	31
A. Not Operated	2979	4.6	19	1	2	3	6	10	12	21
B. Operated	1173	9.0	76	2	4	6	11	18	25	48
TOTAL										
0-19 YRS	706	4.6	48	1	1	3	5	9	13	40
20-34	231	4.2	14	1	1	3	6	9	11	22
35-49	359	6.0	32	1	2	4	8	13	17	25
50-64	700	6.4	43	1	2	5	8	13	17	32
65 +	2156	6.3	37	1	2	5	8	13	17	29
GRAND TOTAL	**4152**	**5.8**	**39**	**1**	**2**	**4**	**7**	**12**	**16**	**30**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	2.6	5	1	1	2	3	6	8	10
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	6.5	6	4	5	6	7	11	11	11
20-34	4	10.0	28	5	6	9	14	17	17	17
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	3.4	11	1	1	2	4	8	10	17
20-34	11	10.6	234	3	4	6	10	29	54	56
35-49	9	5.3	8	1	3	6	7	9	10	10
50-64	7	6.1	16	2	3	5	8	13	14	14
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	11	8.8	62	2	3	7	15	21	26	26
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	0									
50-64	3	19.7	444	7	7	8	35	44	44	44
65 +	1	33.0		33	33	33	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.8	7	1	1	2	3	7	10	11
B. Operated	12	7.4	17	3	5	7	10	13	16	17
2. MULTIPLE DX										
A. Not Operated	86	4.8	43	1	2	3	7	10	11	42
B. Operated	17	11.8	145	2	4	7	17	32	40	44
1. SINGLE DX	44	4.1	14	1	1	3	6	10	11	17
2. MULTIPLE DX	103	6.0	65	1	2	4	7	10	17	50
A. Not Operated	118	4.3	34	1	1	3	6	9	11	29
B. Operated	29	10.0	94	2	5	7	11	23	34	44
TOTAL										
0-19 YRS	105	3.9	17	1	1	2	5	9	11	21
20-34	19	9.6	140	3	4	7	10	15	38	56
35-49	10	5.7	9	1	4	6	8	9	10	10
50-64	11	9.4	145	2	3	7	8	26	42	44
65 +	2	20.0	338	7	7	20	33	33	33	33
GRAND TOTAL	**147**	**5.4**	**50**	**1**	**2**	**3**	**7**	**10**	**17**	**44**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	293	2.4	2	1	1	2	3	4	5	8
20-34	25	2.9	4	1	2	3	3	6	7	9
35-49	19	4.8	29	< 1	2	3	5	10	18	24
50-64	19	3.9	11	1	1	3	6	9	12	12
65 +	20	3.9	5	1	2	4	5	7	8	9
B. Operated										
0-19 YRS	150	4.0	12	1	2	3	5	7	10	13
20-34	44	5.8	26	3	4	4	6	10	11	35
35-49	20	5.2	8	2	3	5	6	9	11	13
50-64	16	7.7	158	1	3	4	6	15	42	53
65 +	24	7.2	26	3	4	6	9	11	17	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	800	4.7	16	1	2	3	6	9	13	21
20-34	165	5.4	13	1	3	5	7	10	12	19
35-49	271	5.9	17	2	3	5	7	10	15	27
50-64	459	6.4	24	2	3	5	8	12	15	27
65 +	799	6.8	22	2	4	6	8	12	15	26
B. Operated										
0-19 YRS	183	8.9	88	2	4	5	10	19	27	56
20-34	116	7.5	58	2	3	5	9	14	17	49
35-49	118	8.9	63	2	4	6	11	18	25	42
50-64	174	10.2	97	2	5	8	13	19	23	50
65 +	428	11.4	87	4	6	9	14	23	30	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	376	2.7	5	1	1	2	3	5	6	10
B. Operated	254	4.9	25	2	3	4	6	9	11	32
2. MULTIPLE DX										
A. Not Operated	2494	5.9	20	2	3	5	7	11	14	23
B. Operated	1019	10.0	84	3	4	7	13	20	27	48
1. SINGLE DX	630	3.6	14	1	2	3	4	7	9	14
2. MULTIPLE DX	3513	7.1	42	2	3	5	9	14	18	33
A. Not Operated	2870	5.4	19	1	3	4	7	11	13	22
B. Operated	1273	9.0	77	2	4	6	11	18	25	45
TOTAL										
0-19 YRS	1426	4.7	26	1	2	3	5	9	14	26
20-34	350	6.0	30	2	3	5	7	11	14	29
35-49	428	6.6	31	2	3	5	8	12	17	36
50-64	668	7.3	49	2	3	6	9	13	18	35
65 +	1271	8.3	48	3	4	7	10	15	21	38
GRAND TOTAL	**4143**	**6.5**	**40**	**2**	**3**	**5**	**8**	**13**	**17**	**32**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	329	1.6	1	1	1	1	2	3	3	5
20-34	66	1.9	1	1	1	2	2	3	4	5
35-49	17	2.1	1	1	1	2	3	3	4	4
50-64	5	2.6	1	1	2	3	3	4	4	4
65 +	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	172	2.9	1	2	2	3	3	4	5	7
20-34	72	3.4	2	2	3	3	4	5	6	10
35-49	9	3.2	4	2	2	3	3	6	8	8
50-64	3	3.3	2	2	2	3	4	5	5	5
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	227	2.0	1	1	1	2	2	3	4	7
20-34	54	2.2	1	1	1	2	3	4	5	5
35-49	15	2.6	1	1	2	3	3	4	5	5
50-64	6	5.0	14	2	2	4	6	11	12	12
65 +	2	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	100	3.4	2	2	3	3	4	5	6	9
20-34	71	4.1	4	2	3	4	5	7	8	12
35-49	16	5.2	10	3	3	4	6	11	13	13
50-64	5	4.6	5	2	3	5	6	8	8	8
65 +	3	6.7	16	2	4	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	419	1.7	1	1	1	1	2	3	3	5
B. Operated	257	3.0	2	2	2	3	4	4	5	8
2. MULTIPLE DX										
A. Not Operated	304	2.1	2	1	1	2	3	4	5	7
B. Operated	195	3.9	4	2	3	3	4	7	8	12
1. SINGLE DX	676	2.2	2	1	1	2	3	4	4	6
2. MULTIPLE DX	499	2.8	3	1	2	2	4	5	6	10
A. Not Operated	723	1.9	1	1	1	2	2	3	4	6
B. Operated	452	3.4	3	2	2	3	4	5	7	10
TOTAL										
0-19 YRS	828	2.2	2	1	1	2	3	4	4	7
20-34	263	3.0	3	1	2	3	4	5	6	8
35-49	57	3.3	5	1	2	3	4	6	8	13
50-64	19	4.0	7	2	2	3	5	7	10	12
65 +	8	5.3	7	2	3	5	7	9	9	9
GRAND TOTAL	**1175**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	116	3.7	3	2	2	3	5	6	7	9
20-34	6	2.3	1	1	1	2	3	4	4	4
35-49	4	3.8	9	1	2	3	6	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	34	3.6	8	1	1	3	6	8	10	10
20-34	8	3.6	5	1	2	3	5	7	7	7
35-49	8	1.3	1	< 1	1	1	1	3	3	3
50-64	3	3.7	21	1	1	1	7	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	4.3	5	2	3	4	6	7	8	10
20-34	5	2.8	4	< 1	1	2	4	6	6	6
35-49	7	5.6	16	2	4	4	8	12	13	13
50-64	4	6.3	36	2	2	4	10	15	15	15
65 +	4	6.3	11	3	3	6	9	10	10	10
B. Operated										
0-19 YRS	39	4.6	13	1	2	4	6	10	13	15
20-34	9	3.7	11	1	1	3	5	9	11	11
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64	5	4.4	12	1	1	5	7	9	9	9
65 +	11	4.7	29	1	2	3	4	13	19	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	3.6	3	1	2	3	5	6	7	9
B. Operated	53	3.3	7	1	1	2	5	7	9	10
2. MULTIPLE DX										
A. Not Operated	144	4.4	6	2	3	4	6	8	9	13
B. Operated	67	4.4	14	1	1	3	6	9	12	19
1. SINGLE DX	180	3.5	5	1	2	3	5	6	8	10
2. MULTIPLE DX	211	4.4	9	1	2	4	6	8	10	15
A. Not Operated	271	4.0	5	1	2	4	5	7	8	11
B. Operated	120	3.9	11	1	1	3	6	8	10	16
TOTAL										
0-19 YRS	313	4.0	6	1	2	4	5	7	9	11
20-34	28	3.2	6	1	1	3	4	7	8	11
35-49	22	3.3	11	1	1	2	4	8	11	13
50-64	13	4.7	18	1	1	3	7	10	14	15
65 +	15	5.1	24	1	2	4	7	10	17	20
GRAND TOTAL	**391**	**4.0**	**7**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.5	23	< 1	1	1	3	13	14	14
20-34	20	12.5	141	1	3	10	16	27	38	49
35-49	13	14.4	88	2	7	18	20	24	31	33
50-64	12	8.7	104	1	2	3	14	24	33	34
65 +	41	10.4	86	1	2	8	15	26	30	31
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	14.5	194	2	4	10	30	43	99 +	99 +
20-34	163	15.3	170	2	5	12	22	32	44	95
35-49	148	12.8	92	3	5	11	17	27	35	42
50-64	205	12.8	141	2	4	9	19	30	34	55
65 +	680	10.9	93	2	4	8	15	24	29	46
B. Operated										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	5	17.8	230	2	6	15	27	41	41	41
35-49	14	14.9	193	3	5	8	23	38	43	45
50-64	13	8.3	22	4	5	8	11	28	84	99 +
65 +	76	13.1	105	2	6	11	16	29	36	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	10.3	98	1	2	7	15	24	30	42
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	1224	12.1	115	2	4	9	17	27	34	51
B. Operated	110	12.9	111	2	6	10	16	30	41	66
1. SINGLE DX	99	10.2	98	1	2	7	15	24	30	42
2. MULTIPLE DX	1334	12.2	115	2	4	9	17	27	34	50
A. Not Operated	1322	12.0	114	2	4	9	17	27	34	50
B. Operated	111	12.7	112	2	5	10	16	30	41	66
TOTAL										
0-19 YRS	42	11.0	161	1	2	7	15	42	60	99 +
20-34	188	15.0	167	2	5	12	22	32	42	87
35-49	175	13.1	99	3	5	11	18	28	35	42
50-64	230	12.3	134	2	4	8	18	30	34	65
65 +	798	11.1	94	2	4	8	15	24	30	45
GRAND TOTAL	**1433**	**12.1**	**114**	**2**	**4**	**9**	**17**	**27**	**34**	**50**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	6	12.0	47	2	7	12	17	21	21	21
65 +	13	9.0	46	2	5	7	13	19	24	25
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	8.0	28	4	4	6	12	14	14	14
50-64	41	12.7	98	4	6	10	17	25	28	54
65 +	380	11.3	99	3	4	7	15	25	29	53
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	12.0		12	12	12	12	12	12	12
50-64	5	30.0	962	9	12	16	42	84	84	84
65 +	29	14.9	191	3	5	13	20	26	30	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	9.8	44	2	5	7	14	19	23	25
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	425	11.4	98	3	4	8	15	25	29	53
B. Operated	35	17.0	299	3	6	13	20	28	62	84
1. SINGLE DX	20	9.8	44	2	5	7	14	19	23	25
2. MULTIPLE DX	460	11.8	115	3	5	8	16	25	29	54
A. Not Operated	445	11.3	96	3	5	8	15	25	29	53
B. Operated	35	17.0	299	3	6	13	20	28	62	84
TOTAL										
0-19 YRS	0									
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	4	9.0	23	4	5	9	13	14	14	14
50-64	52	14.3	184	4	7	10	18	26	31	83
65 +	422	11.5	104	3	4	7	15	25	29	53
GRAND TOTAL	**480**	**11.7**	**112**	**3**	**5**	**8**	**15**	**25**	**29**	**54**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	14.0	32	10	10	14	18	18	18	18
65 +	6	10.0	39	5	6	7	18	18	18	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	11.8	44	3	6	12	18	20	20	20
50-64	20	10.6	56	3	5	8	15	22	25	28
65 +	316	11.4	90	3	5	9	14	23	33	54
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	4	30.0	647	4	14	25	45	65	65	65
65 +	37	16.8	152	6	9	14	19	40	43	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	11.0	36	5	6	8	18	18	18	18
B. Operated	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	342	11.4	87	3	5	9	14	22	31	54
B. Operated	42	17.8	198	5	8	14	21	40	47	65
1. SINGLE DX	9	10.8	32	5	6	9	18	18	18	18
2. MULTIPLE DX	384	12.1	102	3	6	9	15	25	35	54
A. Not Operated	350	11.4	85	3	5	9	14	22	31	54
B. Operated	43	17.6	195	6	8	14	20	40	47	65
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	7	11.3	39	4	6	11	17	20	20	20
50-64	26	13.8	172	4	5	9	19	26	35	65
65 +	360	11.9	97	3	6	9	15	24	35	53
GRAND TOTAL	**393**	**12.0**	**101**	**3**	**6**	**9**	**15**	**24**	**35**	**54**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	3.7	55	1	1	1	3	6	17	46
20-34	35	5.4	77	1	1	2	6	13	21	48
35-49	17	5.1	37	1	2	3	5	16	21	23
50-64	12	11.5	58	3	5	10	15	22	27	28
65 +	93	12.8	106	2	4	10	20	29	32	39
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	8.0	158	1	1	2	9	28	51	99 +
20-34	122	8.9	68	1	3	6	14	20	24	35
35-49	125	9.6	67	2	4	7	14	19	22	41
50-64	132	12.8	88	3	6	11	17	26	33	41
65 +	1302	12.8	106	3	5	10	18	26	32	49
B. Operated										
0-19 YRS	9	5.9	69	1	1	2	7	21	25	25
20-34	12	14.9	505	2	3	5	14	58	68	70
35-49	11	10.7	47	4	6	7	15	21	25	25
50-64	9	13.8	137	3	7	10	17	34	39	39
65 +	125	16.2	130	4	8	14	22	32	36	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202	8.8	97	1	2	4	13	24	30	44
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	1778	12.1	105	2	5	9	17	25	32	50
B. Operated	166	15.1	151	3	6	12	21	31	37	60
1. SINGLE DX	203	8.7	96	1	2	4	13	24	30	44
2. MULTIPLE DX	1944	12.3	109	2	5	9	17	26	32	51
A. Not Operated	1980	11.7	105	2	4	9	17	25	31	49
B. Operated	167	15.0	151	3	6	12	21	31	37	60
TOTAL										
0-19 YRS	151	6.6	125	1	1	2	5	25	39	98
20-34	169	8.6	102	1	2	5	12	20	25	52
35-49	154	9.1	64	2	3	6	14	19	23	40
50-64	153	12.8	87	3	6	10	17	26	33	40
65 +	1520	13.1	109	3	5	10	18	27	33	49
GRAND TOTAL	**2147**	**12.0**	**109**	**2**	**4**	**9**	**17**	**26**	**32**	**50**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	16	3.6	7	1	2	3	5	9	9	9
35-49	32	2.9	2	1	2	3	4	5	5	8
50-64	10	2.2	1	< 1	2	2	2	4	5	5
65 +	3	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	14.0		14	14	14	14	14	14	14
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	4.3	30	1	2	3	4	8	18	26
20-34	728	4.5	30	2	2	3	4	7	17	28
35-49	1263	5.1	36	2	3	3	5	10	19	30
50-64	629	6.2	45	2	3	4	7	12	22	30
65 +	280	8.2	72	2	3	5	9	18	26	40
B. Operated										
0-19 YRS	0									
20-34	11	8.8	60	3	4	5	9	23	26	26
35-49	34	8.6	42	3	4	6	12	16	20	31
50-64	26	11.5	78	4	5	9	14	22	32	41
65 +	16	15.7	82	6	8	15	21	27	33	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.9	3	1	2	2	4	5	7	9
B. Operated	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	2924	5.5	41	2	3	3	5	11	21	30
B. Operated	87	10.8	67	3	5	9	14	22	27	39
1. SINGLE DX	65	3.0	5	1	2	2	4	5	8	13
2. MULTIPLE DX	3011	5.6	42	2	3	3	6	12	21	30
A. Not Operated	2988	5.4	40	2	3	3	5	11	21	30
B. Operated	88	10.8	66	3	5	9	14	22	27	39
TOTAL										
0-19 YRS	27	3.9	27	1	1	3	3	7	17	26
20-34	755	4.5	30	2	2	3	4	7	18	28
35-49	1329	5.2	35	2	3	3	5	11	18	30
50-64	666	6.3	47	2	3	4	7	14	22	30
65 +	299	8.6	75	2	3	5	10	19	26	40
GRAND TOTAL	**3076**	**5.6**	**42**	**2**	**3**	**3**	**6**	**12**	**21**	**30**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.6	2	< 1	< 1	1	2	4	4	4
20-34	29	6.4	37	1	2	3	10	16	20	21
35-49	11	6.9	58	1	1	3	11	20	22	22
50-64	2	1.0		1	1	1	1	1	1	1
65 +	6	6.3	13	1	4	6	9	11	11	11
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	7.0	73	1	2	4	8	19	24	39
20-34	393	6.2	65	2	3	3	5	17	26	31
35-49	226	5.5	41	2	3	3	5	13	23	31
50-64	80	7.6	55	2	3	5	9	17	19	44
65 +	223	6.7	28	2	3	6	8	13	16	32
B. Operated										
0-19 YRS	3	16.0	225	1	5	16	27	31	31	31
20-34	5	11.8	115	2	2	9	22	25	25	25
35-49	10	8.2	44	2	4	5	14	18	20	20
50-64	5	9.6	43	2	3	10	15	17	17	17
65 +	17	16.9	150	8	10	12	19	40	41	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	5.8	35	1	1	3	9	15	20	22
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	950	6.3	50	2	3	3	7	15	22	32
B. Operated	40	13.1	114	2	4	11	16	30	39	41
1. SINGLE DX	53	5.8	35	1	1	3	9	15	20	22
2. MULTIPLE DX	990	6.6	55	2	3	3	8	15	23	34
A. Not Operated	1003	6.3	49	2	3	3	7	15	22	32
B. Operated	40	13.1	114	2	4	11	16	30	39	41
TOTAL										
0-19 YRS	36	7.0	81	1	1	3	8	20	28	39
20-34	427	6.3	64	2	3	3	5	17	26	30
35-49	247	5.7	42	2	3	3	5	13	22	30
50-64	87	7.5	54	2	3	5	10	17	19	41
65 +	246	7.4	42	2	3	6	9	14	19	38
GRAND TOTAL	**1043**	**6.5**	**54**	**2**	**3**	**3**	**8**	**15**	**22**	**33**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	19.9	145	4	14	19	29	42	46	99 +
20-34	608	18.0	216	4	8	14	23	39	48	71
35-49	448	16.3	150	4	8	13	21	33	43	56
50-64	119	17.6	157	4	8	15	24	34	45	56
65 +	42	17.8	184	3	8	15	25	39	46	53
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	29.5	41	25	25	29	34	34	34	34
50-64	0									
65 +	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	24.1	494	4	10	19	39	93	99 +	99 +
20-34	749	17.0	172	5	8	14	22	33	43	78
35-49	674	16.3	153	5	8	13	20	31	41	60
50-64	295	16.6	111	5	9	15	21	31	39	59
65 +	169	17.1	136	5	9	14	22	31	43	53
B. Operated										
0-19 YRS	4	15.3	168	5	5	12	25	32	32	32
20-34	22	23.6	212	10	14	21	28	44	55	67
35-49	23	23.0	184	9	13	19	29	41	51	65
50-64	14	27.1	190	11	15	28	33	48	51	52
65 +	4	28.0	239	15	17	23	38	50	50	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1246	17.4	184	4	8	14	23	37	47	67
B. Operated	4	20.3	194	< 1	10	23	29	34	34	34
2. MULTIPLE DX										
A. Not Operated	1930	16.9	161	5	9	14	22	33	43	72
B. Operated	67	23.9	193	9	14	20	31	43	50	67
1. SINGLE DX	1250	17.4	184	4	8	14	23	36	47	67
2. MULTIPLE DX	1997	17.1	164	5	9	14	22	33	43	71
A. Not Operated	3176	17.1	170	5	8	14	22	34	44	70
B. Operated	71	23.7	191	8	14	21	31	43	50	67
TOTAL										
0-19 YRS	76	22.1	344	4	11	19	31	69	99 +	99 +
20-34	1380	17.6	193	5	8	14	23	36	46	73
35-49	1147	16.5	153	5	8	13	21	32	43	60
50-64	428	17.2	129	5	9	15	22	32	41	58
65 +	216	17.4	147	5	9	15	22	33	44	53
GRAND TOTAL	**3247**	**17.2**	**171**	**5**	**8**	**14**	**22**	**34**	**45**	**70**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	28.6	416	8	10	25	39	61	62	62
20-34	18	15.6	82	4	10	14	21	27	33	37
35-49	14	10.4	48	3	4	10	15	19	23	24
50-64	3	13.0	43	6	8	14	18	19	19	19
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	19.1	88	8	10	21	26	30	34	35
20-34	35	21.3	325	6	11	17	27	37	54	99
35-49	19	18.6	293	2	7	14	24	46	58	65
50-64	8	16.5	183	6	7	11	21	40	46	46
65 +	3	18.3	64	10	12	19	24	26	26	26
B. Operated										
0-19 YRS	0									
20-34	2	61.0	1458	34	34	61	88	88	88	88
35-49	0									
50-64	2	22.5	145	14	14	22	31	31	31	31
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	16.4	170	4	7	14	21	32	44	62
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	78	19.6	247	6	9	15	26	36	48	89
B. Operated	4	41.8	1028	14	22	32	61	88	88	88
1. SINGLE DX	44	16.4	170	4	7	14	21	32	44	62
2. MULTIPLE DX	82	20.7	295	6	10	16	26	38	54	95
A. Not Operated	122	18.5	220	5	9	14	25	35	48	74
B. Operated	4	41.8	1028	14	22	32	61	88	88	88
TOTAL										
0-19 YRS	22	23.0	232	8	10	23	28	42	60	62
20-34	55	20.9	326	6	10	17	26	37	54	98
35-49	33	15.1	201	3	5	13	20	32	48	65
50-64	13	16.6	135	6	8	14	20	34	44	46
65 +	3	18.3	64	10	12	19	24	26	26	26
GRAND TOTAL	**126**	**19.2**	**254**	**5**	**9**	**15**	**25**	**35**	**52**	**91**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	112	20.5	320	5	8	15	28	48	61	96
20-34	1015	17.5	158	5	8	14	24	34	43	58
35-49	702	16.8	169	4	8	13	22	34	46	66
50-64	217	16.9	143	4	8	14	23	34	40	49
65 +	66	18.7	141	7	11	15	25	32	47	60
B. Operated										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	2	32.0	50	27	27	32	37	37	37	37
35-49	2	55.0	512	39	39	55	71	71	71	71
50-64	0									
65 +	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	154	28.3	456	7	14	22	48	80	99 +	99 +
20-34	1741	17.6	175	5	8	14	23	35	45	78
35-49	1413	17.0	153	5	8	14	22	34	41	64
50-64	684	19.0	169	6	9	16	26	36	43	66
65 +	286	19.6	129	6	11	18	28	35	40	51
B. Operated										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	50	28.0	140	13	19	26	37	44	50	58
35-49	41	23.4	320	7	14	18	30	51	76	99 +
50-64	47	22.8	244	9	12	18	28	41	58	83
65 +	13	27.8	278	9	16	24	36	55	58	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2112	17.4	169	5	8	14	23	34	44	66
B. Operated	6	38.5	279	27	27	33	39	68	71	71
2. MULTIPLE DX										
A. Not Operated	4278	18.1	178	5	9	15	24	36	45	80
B. Operated	152	25.1	233	10	14	22	33	45	57	95
1. SINGLE DX	2118	17.5	170	5	8	14	23	35	44	67
2. MULTIPLE DX	4430	18.4	182	5	9	15	24	36	45	80
A. Not Operated	6390	17.9	175	5	9	15	24	35	45	76
B. Operated	158	25.6	239	10	14	23	33	47	58	94
TOTAL										
0-19 YRS	268	25.0	409	6	11	20	36	66	95	99 +
20-34	2808	17.8	170	5	8	14	24	35	44	74
35-49	2158	17.1	164	5	8	14	22	34	43	67
50-64	948	18.7	168	6	9	15	25	35	43	67
65 +	366	19.8	137	7	11	18	28	35	41	54
GRAND TOTAL	**6548**	**18.1**	**178**	**5**	**9**	**15**	**24**	**36**	**45**	**77**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	28.2	831	4	12	21	49	96	99 +	99 +
20-34	2	16.5	13	14	14	16	19	19	19	19
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	25.0	597	3	7	18	47	77	77	99 +
20-34	5	18.4	316	3	6	14	27	48	48	48
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	26.4	713	5	14	18	28	95	99	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	35	24.1	552	3	7	18	48	77	92	99 +
B. Operated	0									
1. SINGLE DX	13	26.4	713	5	14	18	28	95	99	99 +
2. MULTIPLE DX	35	24.1	552	3	7	19	49	77	99 +	99 +
A. Not Operated	48	24.7	582	3	7	18	46	77	99 +	99 +
B. Operated	0									
TOTAL										
0-19 YRS	41	25.9	643	3	8	19	52	79	99 +	99 +
20-34	7	17.9	214	4	9	14	20	42	48	48
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**48**	**24.7**	**582**	**3**	**8**	**19**	**48**	**83**	**99 +**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	597	20.6	252	4	8	17	30	42	55	94
20-34	969	12.0	97	2	5	10	16	23	31	52
35-49	946	12.8	89	3	6	11	17	25	32	45
50-64	369	14.3	95	3	7	12	20	27	33	43
65 +	327	18.4	168	4	9	16	24	36	43	68
B. Operated										
0-19 YRS	0									
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	26.0		26	26	26	26	26	26	26
50-64	1	27.0		27	27	27	27	27	27	27
65 +	5	27.4	178	17	18	26	32	50	50	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1314	25.0	369	5	10	21	36	54	69	99 +
20-34	3125	14.2	120	3	6	12	19	28	35	54
35-49	3167	14.5	111	4	7	12	19	28	35	51
50-64	1648	16.6	124	5	9	14	22	30	37	58
65 +	2188	19.5	157	6	11	17	26	36	43	63
B. Operated										
0-19 YRS	34	30.4	395	12	14	28	43	65	83	99 +
20-34	137	19.8	257	5	10	16	25	42	57	97
35-49	145	19.9	168	7	11	17	25	35	44	68
50-64	114	22.0	195	8	11	19	29	42	50	67
65 +	183	25.0	196	10	16	22	33	41	51	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3208	14.8	142	3	6	12	20	31	38	60
B. Operated	8	25.6	120	16	17	26	27	43	50	50
2. MULTIPLE DX										
A. Not Operated	11442	16.9	166	4	8	14	22	33	42	68
B. Operated	613	22.4	221	7	12	19	29	42	52	86
1. SINGLE DX	3216	14.8	142	3	6	12	20	31	38	60
2. MULTIPLE DX	12055	17.2	171	4	8	14	22	34	42	69
A. Not Operated	14650	16.4	162	4	7	14	22	33	42	66
B. Operated	621	22.4	220	7	12	19	29	42	52	86
TOTAL										
0-19 YRS	1945	23.8	338	5	10	20	34	52	65	99 +
20-34	4232	13.9	121	3	6	11	19	28	35	56
35-49	4259	14.3	110	4	7	12	19	28	35	50
50-64	2132	16.5	125	5	9	14	22	30	37	57
65 +	2703	19.8	163	6	11	17	26	36	43	64
GRAND TOTAL	**15271**	**16.7**	**165**	**4**	**8**	**14**	**22**	**33**	**42**	**67**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	183	20.5	224	5	10	18	27	40	52	95
20-34	629	15.2	152	4	7	12	20	32	41	58
35-49	634	14.3	106	4	7	12	19	29	36	48
50-64	264	17.2	125	5	8	16	23	33	37	48
65 +	94	18.7	174	4	11	17	23	34	45	91
B. Operated										
0-19 YRS	0									
20-34	3	28.7	226	19	19	21	40	46	46	46
35-49	1	17.0		17	17	17	17	17	17	17
50-64	0									
65 +	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	403	20.5	248	6	10	16	28	43	60	99 +
20-34	1217	15.3	132	4	7	12	21	29	37	61
35-49	1232	15.9	126	5	8	13	21	29	38	54
50-64	794	17.8	153	5	9	15	23	34	42	60
65 +	628	19.9	166	7	11	17	27	37	45	61
B. Operated										
0-19 YRS	9	23.4	572	4	12	22	23	92	99 +	99 +
20-34	50	19.3	162	6	9	16	26	40	44	57
35-49	66	20.3	132	9	14	17	24	42	44	53
50-64	48	26.6	269	9	[illegible]	23	34	50	56	80
65 +	49	28.6	216	14	18	24	40	46	56	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1804	15.9	144	4	7	13	21	32	40	61
B. Operated	5	25.0	142	17	18	21	28	46	46	46
2. MULTIPLE DX										
A. Not Operated	4274	17.1	154	5	9	14	22	33	42	64
B. Operated	222	23.4	214	9	13	21	29	44	51	81
1. SINGLE DX	1809	15.9	144	4	7	13	21	32	40	61
2. MULTIPLE DX	4496	17.4	158	5	9	14	23	34	43	64
A. Not Operated	6078	16.8	151	4	8	14	22	33	41	63
B. Operated	227	23.4	212	9	14	21	29	44	51	81
TOTAL										
0-19 YRS	595	20.6	244	6	10	17	27	43	59	99 +
20-34	1899	15.4	140	4	7	12	21	30	40	60
35-49	1933	15.5	120	4	8	13	21	29	38	53
50-64	1106	18.1	154	5	9	15	24	35	42	62
65 +	772	20.3	174	7	11	17	27	38	46	63
GRAND TOTAL	**6305**	**17.0**	**155**	**5**	**8**	**14**	**22**	**33**	**43**	**64**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	11.8	100	2	4	10	16	29	40	93
20-34	150	9.5	59	2	4	7	13	20	25	99
35-49	130	11.9	135	2	5	9	14	25	29	72
50-64	53	10.3	154	1	3	8	13	24	29	78
65 +	59	12.4	129	2	5	8	17	28	37	51
B. Operated										
0-19 YRS	0									
20-34	2	20.5	1	20	20	20	21	21	21	21
35-49	0									
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	139	17.5	285	3	5	12	22	35	58	76
20-34	403	13.3	141	3	6	10	16	28	38	62
35-49	337	11.7	87	3	5	10	[illegible]	23	29	47
50-64	254	11.8	95	2	5	9	17	23	28	55
65 +	625	10.8	87	3	5	8	14	23	29	45
B. Operated										
0-19 YRS	5	20.4	578	1	7	12	29	62	62	62
20-34	9	17.2	58	9	11	14	25	27	27	27
35-49	18	14.3	28	7	11	15	19	21	22	23
50-64	20	16.7	141	5	9	13	23	27	41	54
65 +	53	13.8	123	3	7	11	18	25	41	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	453	11.0	107	2	4	8	14	24	31	73
B. Operated	3	15.7	70	6	9	20	21	21	21	21
2. MULTIPLE DX										
A. Not Operated	1758	12.2	119	3	5	9	16	25	32	57
B. Operated	105	15.0	122	3	9	12	19	27	35	58
1. SINGLE DX	456	11.0	106	2	4	9	14	24	31	73
2. MULTIPLE DX	1863	12.4	120	3	5	9	16	25	32	57
A. Not Operated	2211	12.0	117	2	5	9	16	25	32	58
B. Operated	108	15.0	120	4	9	12	19	26	34	57
TOTAL										
0-19 YRS	205	15.9	241	2	5	12	21	33	54	77
20-34	564	12.4	120	2	5	10	16	25	34	63
35-49	485	11.9	97	3	5	10	15	24	29	48
50-64	327	11.8	108	2	5	9	16	25	28	55
65 +	738	11.2	93	3	5	8	15	23	31	49
GRAND TOTAL	**2319**	**12.1**	**117**	**2**	**5**	**9**	**16**	**25**	**32**	**58**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	6.1	33	1	2	3	9	15	20	20
20-34	83	4.2	28	1	1	2	6	10	18	25
35-49	69	5.1	29	1	1	2	8	13	16	24
50-64	25	4.6	23	1	2	2	7	10	17	19
65+	11	7.3	138	1	2	2	5	26	39	40
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	6.6	96	1	1	3	7	23	36	99+
20-34	209	6.5	49	1	2	4	8	17	22	30
35-49	235	6.4	57	1	2	3	8	15	21	36
50-64	154	6.9	49	1	2	4	10	16	22	33
65+	187	7.0	66	1	2	4	8	18	23	42
B. Operated										
0-19 YRS	0									
20-34	5	12.4	152	1	3	9	20	32	32	32
35-49	13	6.9	38	1	3	5	10	17	20	21
50-64	10	16.3	117	6	7	13	19	34	41	41
65+	9	14.7	191	3	5	6	25	36	41	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	199	4.8	34	1	1	2	6	12	17	26
B. Operated	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	825	6.7	57	1	2	4	9	17	22	35
B. Operated	37	12.1	117	2	4	7	17	29	38	41
1. SINGLE DX	201	4.8	33	1	1	2	6	12	17	26
2. MULTIPLE DX	862	6.9	60	1	2	4	9	18	23	36
A. Not Operated	1024	6.3	53	1	2	3	8	16	22	34
B. Operated	39	11.7	114	2	4	7	16	28	37	41
TOTAL										
0-19 YRS	52	6.5	80	1	2	3	7	21	26	98
20-34	297	6.0	46	1	1	3	7	16	22	30
35-49	318	6.2	50	1	2	3	8	15	21	32
50-64	189	7.1	54	1	2	4	10	18	22	35
65+	207	7.4	76	1	2	4	9	19	24	44
GRAND TOTAL	**1063**	**6.5**	**56**	**1**	**2**	**3**	**8**	**17**	**22**	**36**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	200	18.6	201	3	7	16	28	39	44	99+
20-34	164	7.0	32	1	2	6	10	14	20	26
35-49	116	8.8	46	1	4	7	13	17	22	33
50-64	24	9.7	92	1	3	8	14	21	29	44
65+	18	8.3	40	2	4	7	12	14	22	27
B. Operated										
0-19 YRS	0									
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	754	21.5	274	4	9	17	30	45	59	99+
20-34	668	10.2	87	2	4	8	14	21	27	52
35-49	461	10.5	82	2	4	8	14	21	29	46
50-64	167	9.7	61	2	4	8	13	21	28	33
65+	182	9.9	46	3	5	8	14	19	22	31
B. Operated										
0-19 YRS	6	14.0	173	<1	3	10	26	33	34	34
20-34	24	10.5	49	3	4	10	14	20	24	28
35-49	17	12.7	149	2	6	8	17	24	42	52
50-64	10	14.7	88	3	7	15	23	27	29	29
65+	11	16.6	86	7	10	14	23	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	522	12.0	130	1	4	8	16	29	36	62
B. Operated	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	2232	14.0	172	2	5	10	18	31	42	79
B. Operated	68	13.0	95	2	6	11	18	26	32	49
1. SINGLE DX	524	12.0	130	1	4	8	16	29	36	62
2. MULTIPLE DX	2300	14.0	170	2	5	10	18	31	41	78
A. Not Operated	2754	13.6	165	2	5	10	18	31	41	78
B. Operated	70	12.7	95	2	6	11	18	26	32	48
TOTAL										
0-19 YRS	960	20.9	260	4	9	17	30	43	57	99+
20-34	858	9.6	77	2	4	7	13	21	26	46
35-49	594	10.2	77	2	4	8	14	20	28	44
50-64	201	10.0	67	2	4	8	14	22	28	39
65+	211	10.1	49	3	5	8	14	19	23	32
GRAND TOTAL	**2824**	**13.6**	**163**	**2**	**5**	**10**	**18**	**31**	**40**	**77**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	135	11.1	216	1	2	5	14	30	50	78
20-34	154	8.5	98	1	2	5	13	19	23	37
35-49	92	7.7	51	1	2	5	11	19	22	30
50-64	23	6.0	34	1	2	4	8	15	18	23
65 +	17	5.4	23	1	2	4	8	13	16	17
B. Operated										
0-19 YRS	4	26.0	1765	4	4	5	47	89	89	89
20-34	27	6.8	27	1	3	5	10	14	18	20
35-49	18	8.4	77	1	3	5	14	20	28	33
50-64	10	4.6	27	1	2	3	4	13	18	18
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	363	12.9	290	1	3	6	15	37	61	99 +
20-34	584	10.2	120	1	3	6	14	26	36	64
35-49	330	10.1	143	2	3	6	14	22	29	66
50-64	115	8.9	81	2	3	6	13	20	27	47
65 +	159	8.1	47	2	3	6	11	19	23	35
B. Operated										
0-19 YRS	7	21.4	957	2	3	9	23	76	89	89
20-34	41	15.6	267	2	5	11	20	32	41	92
35-49	31	16.1	85	4	9	15	25	29	31	31
50-64	13	5.8	42	1	1	3	10	15	20	21
65 +	19	9.7	65	2	4	7	14	24	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	421	8.9	121	1	2	5	12	21	28	63
B. Operated	61	8.0	151	1	2	4	9	18	20	83
2. MULTIPLE DX										
A. Not Operated	1551	10.5	156	1	3	6	14	25	36	78
B. Operated	111	13.9	205	2	4	10	20	28	31	90
1. SINGLE DX	482	8.8	125	1	2	5	11	21	28	65
2. MULTIPLE DX	1662	10.7	160	1	3	6	14	26	36	80
A. Not Operated	1972	10.1	149	1	3	6	13	24	35	75
B. Operated	172	11.8	193	2	3	8	16	27	31	89
TOTAL										
0-19 YRS	509	12.6	288	1	2	6	15	36	61	99 +
20-34	806	10.0	122	1	3	6	14	24	33	62
35-49	471	9.9	122	2	3	6	14	22	29	54
50-64	161	8.0	69	1	2	5	12	18	23	42
65 +	197	7.9	47	2	3	6	11	19	24	35
GRAND TOTAL	**2144**	**10.3**	**153**	**1**	**3**	**6**	**14**	**25**	**34**	**77**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125	15.5	210	1	1	12	28	33	41	58
20-34	633	9.0	96	1	2	3	17	25	28	31
35-49	612	8.5	87	1	2	3	13	25	28	34
50-64	242	7.6	81	1	2	3	8	24	28	32
65 +	49	6.7	58	1	1	4	8	19	28	29
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	15.0		15	15	15	15	15	15	15
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1197	25.1	179	5	16	27	33	42	45	62
20-34	4717	16.0	106	2	5	18	25	28	29	34
35-49	3951	13.9	104	2	4	13	22	28	29	33
50-64	1557	13.7	106	2	4	12	23	28	30	35
65 +	629	13.1	92	2	4	13	21	28	29	34
B. Operated										
0-19 YRS	16	20.6	288	1	3	21	32	46	48	49
20-34	88	16.7	114	1	6	21	25	29	30	40
35-49	87	16.6	85	4	8	17	23	28	32	36
50-64	71	17.5	133	3	6	17	26	31	32	53
65 +	42	16.1	103	3	7	15	22	30	34	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1661	9.0	101	1	2	3	15	26	28	36
B. Operated	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated	12051	15.8	122	2	5	15	25	29	31	42
B. Operated	304	17.0	117	2	7	18	25	30	33	46
1. SINGLE DX	1662	9.0	101	1	2	3	15	26	28	36
2. MULTIPLE DX	12355	15.8	122	2	5	15	25	29	31	42
A. Not Operated	13712	15.0	125	2	4	14	25	29	30	42
B. Operated	305	17.0	116	2	7	17	25	30	33	46
TOTAL										
0-19 YRS	1338	24.1	191	3	14	26	32	42	44	60
20-34	5438	15.2	110	2	4	16	24	28	29	34
35-49	4651	13.3	105	2	3	11	22	28	29	33
50-64	1870	13.1	109	2	3	10	22	28	30	34
65 +	720	12.9	93	2	4	12	21	28	29	34
GRAND TOTAL	**14017**	**15.0**	**125**	**2**	**4**	**14**	**25**	**29**	**30**	**42**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	44	8.0	66	1	2	4	13	22	25	28
35-49	28	4.6	10	2	3	3	6	9	12	13
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	28.4	476	6	11	27	31	65	75	78
20-34	367	14.3	99	3	5	13	22	28	29	35
35-49	377	13.3	89	3	5	10	21	28	28	35
50-64	34	14.0	64	5	8	11	21	28	28	30
65 +	13	12.2	64	4	5	11	16	25	27	27
B. Operated										
0-19 YRS	0									
20-34	10	21.5	76	7	21	22	26	32	36	36
35-49	12	18.4	642	4	6	9	17	52	88	94
50-64	2	19.0	2	18	18	19	20	20	20	20
65 +	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	6.6	44	1	3	4	7	18	22	28
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	805	14.1	102	3	5	12	21	28	29	36
B. Operated	25	20.0	327	6	8	20	24	34	50	94
1. SINGLE DX	76	6.6	44	1	3	4	7	18	22	28
2. MULTIPLE DX	830	14.2	109	3	5	12	21	28	29	36
A. Not Operated	881	13.4	101	3	5	10	21	28	29	35
B. Operated	25	20.0	327	6	8	20	24	34	50	94
TOTAL										
0-19 YRS	16	25.5	473	5	7	24	31	62	74	78
20-34	421	13.9	100	3	4	12	22	28	29	35
35-49	417	12.9	103	3	5	10	21	27	28	35
50-64	37	14.0	62	5	8	11	20	28	28	30
65 +	15	12.5	79	2	5	11	19	27	27	27
GRAND TOTAL	**906**	**13.6**	**108**	**3**	**5**	**11**	**21**	**28**	**29**	**36**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	23.6	309	2	7	22	35	42	61	73
20-34	455	9.3	82	1	3	4	16	23	28	32
35-49	121	10.5	101	1	3	5	21	26	28	33
50-64	2	5.0	32	1	1	5	9	9	9	9
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1144	29.2	271	7	18	29	38	49	61	85
20-34	3415	15.2	94	3	6	14	23	28	29	34
35-49	1274	15.9	101	3	7	14	25	28	30	36
50-64	79	16.2	86	4	8	16	24	28	30	34
65 +	48	14.9	62	5	10	14	20	27	29	32
B. Operated										
0-19 YRS	10	44.4	677	16	22	40	71	81	88	88
20-34	68	20.8	84	8	13	21	27	30	35	48
35-49	34	21.3	257	7	10	21	26	32	35	98
50-64	4	31.3	51	23	25	31	37	39	39	39
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	689	11.8	149	1	3	5	21	28	35	50
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	5960	18.1	159	3	7	17	28	31	39	61
B. Operated	116	23.4	223	9	13	21	28	35	47	91
1. SINGLE DX	689	11.8	149	1	3	5	21	28	35	50
2. MULTIPLE DX	6076	18.2	160	3	7	17	28	31	39	62
A. Not Operated	6649	17.4	161	3	6	16	27	31	38	61
B. Operated	116	23.4	223	9	13	21	28	35	47	91
TOTAL										
0-19 YRS	1265	28.8	281	7	17	28	38	49	61	84
20-34	3938	14.6	96	3	5	14	23	28	29	35
35-49	1429	15.6	108	3	6	14	25	28	30	36
50-64	85	16.6	96	4	8	16	26	28	31	38
65 +	48	14.9	62	5	10	14	20	27	29	32
GRAND TOTAL	**6765**	**17.5**	**163**	**3**	**6**	**16**	**27**	**31**	**38**	**61**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	118	4.0	52	< 1	< 1	1	2	18	23	33
20-34	127	2.4	21	< 1	< 1	1	2	4	7	28
35-49	54	3.8	47	< 1	1	1	2	10	24	33
50-64	18	5.7	92	1	2	2	3	24	31	33
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	243	12.1	180	< 1	1	4	22	30	35	54
20-34	271	6.1	68	< 1	1	2	6	21	28	29
35-49	212	5.6	60	< 1	1	2	5	16	28	31
50-64	89	4.6	41	1	2	3	4	9	22	33
65 +	40	4.6	14	1	2	4	6	11	13	15
B. Operated										
0-19 YRS	8	9.3	241	< 1	< 1	1	12	37	45	45
20-34	16	2.9	24	< 1	< 1	1	3	4	16	21
35-49	10	6.3	95	< 1	1	3	6	21	33	33
50-64	3	12.3	184	4	4	5	22	28	28	28
65 +	6	11.8	54	2	8	12	16	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	319	3.4	41	< 1	1	1	2	7	22	32
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	855	7.4	101	< 1	1	3	9	25	29	39
B. Operated	43	6.8	97	< 1	1	2	8	21	30	45
1. SINGLE DX	320	3.4	41	< 1	1	1	2	7	22	32
2. MULTIPLE DX	898	7.4	101	< 1	1	3	9	25	29	40
A. Not Operated	1174	6.3	88	< 1	1	2	6	22	28	37
B. Operated	44	6.7	95	< 1	1	2	7	21	29	45
TOTAL										
0-19 YRS	369	9.5	154	< 1	1	2	18	28	32	51
20-34	414	4.8	55	< 1	1	1	4	19	25	29
35-49	276	5.2	59	< 1	1	2	5	15	27	32
50-64	111	4.9	52	1	2	2	4	12	28	34
65 +	48	5.3	24	1	2	4	7	14	15	22
GRAND TOTAL	**1218**	**6.4**	**88**	**< 1**	**1**	**2**	**6**	**22**	**28**	**37**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	15.9	218	1	1	15	27	34	38	59
20-34	72	8.0	86	1	1	3	15	24	27	28
35-49	15	4.5	27	1	2	3	5	7	18	22
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	214	22.4	271	2	8	21	33	41	49	72
20-34	323	11.6	116	1	2	7	21	28	29	38
35-49	93	13.8	125	1	3	12	23	28	31	41
50-64	16	8.3	66	2	3	5	11	19	28	31
65 +	9	11.4	57	3	5	11	14	23	28	28
B. Operated										
0-19 YRS	2	52.5	2113	20	20	52	85	85	85	85
20-34	10	8.3	164	1	2	2	6	32	37	37
35-49	3	9.0	21	5	6	8	12	14	14	14
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	124	9.8	129	1	1	3	20	27	30	44
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	655	15.3	190	1	3	12	25	32	38	63
B. Operated	16	13.9	469	1	2	5	17	36	71	85
1. SINGLE DX	125	9.7	129	1	1	3	20	27	30	44
2. MULTIPLE DX	671	15.3	196	1	3	12	25	32	38	64
A. Not Operated	779	14.4	184	1	3	11	24	31	38	60
B. Operated	17	13.1	450	1	2	5	15	35	68	85
TOTAL										
0-19 YRS	251	21.7	282	2	7	21	32	40	49	80
20-34	406	10.8	113	1	2	5	20	27	29	37
35-49	111	12.4	119	1	3	9	22	28	30	39
50-64	17	7.9	64	2	2	5	11	19	27	31
65 +	11	11.0	48	4	6	11	14	20	27	28
GRAND TOTAL	**796**	**14.4**	**190**	**1**	**3**	**11**	**24**	**31**	**38**	**62**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.4	4	1	1	2	3	5	7	7
20-34	7	1.9	2	< 1	1	1	3	5	5	5
35-49	11	2.5	2	1	2	2	3	4	6	6
50-64	5	2.4		2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	10.9	262	1	2	3	11	35	48	67
20-34	41	4.4	35	1	2	3	5	7	13	37
35-49	46	3.5	16	1	2	3	4	6	9	23
50-64	39	4.4	21	1	2	3	5	10	14	24
65 +	63	4.2	12	1	2	3	5	7	13	18
B. Operated										
0-19 YRS	2	14.0	200	4	4	14	24	24	24	24
20-34	0									
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	6	11.0	139	1	3	7	14	31	33	33
65 +	8	9.0	19	4	6	8	11	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.3	2	1	1	2	3	4	6	7
B. Operated	2	8.5	25	5	5	8	12	12	12	12
2. MULTIPLE DX										
A. Not Operated	229	5.3	68	1	2	3	5	11	22	44
B. Operated	18	9.5	70	2	4	7	11	22	29	33
1. SINGLE DX	34	2.7	5	1	1	2	3	5	7	12
2. MULTIPLE DX	247	5.6	69	1	2	3	5	12	23	40
A. Not Operated	261	4.9	61	1	2	3	5	9	18	40
B. Operated	20	9.4	64	2	4	7	12	21	28	33
TOTAL										
0-19 YRS	52	9.6	216	1	2	3	9	29	40	67
20-34	48	4.1	31	1	1	3	5	7	12	37
35-49	59	3.3	13	1	2	2	3	6	6	23
50-64	51	5.0	35	1	2	3	5	11	15	33
65 +	71	4.7	15	1	2	4	6	10	14	18
GRAND TOTAL	**281**	**5.3**	**62**	**1**	**2**	**3**	**5**	**11**	**20**	**40**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	260	9.1	109	1	3	5	11	23	31	50
20-34	374	5.6	35	1	2	4	7	12	15	33
35-49	228	6.0	31	1	2	4	8	14	18	25
50-64	48	7.2	94	1	2	4	9	12	22	59
65 +	35	13.2	165	2	4	8	20	33	43	47
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	2	9.0	18	6	6	9	12	12	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	672	14.0	226	2	4	8	20	34	43	83
20-34	1077	8.0	68	1	3	5	10	18	23	40
35-49	635	8.3	65	2	3	6	11	17	22	38
50-64	205	9.1	59	2	3	7	13	21	23	33
65 +	276	12.5	123	2	5	9	17	25	34	57
B. Operated										
0-19 YRS	16	11.5	178	1	2	6	16	38	41	42
20-34	32	10.0	54	2	4	8	14	20	25	29
35-49	13	13.1	173	3	6	10	14	30	48	52
50-64	8	15.8	237	4	6	10	22	42	48	48
65 +	14	16.9	205	6	7	12	22	33	51	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	945	7.0	65	1	2	4	8	15	22	46
B. Operated	4	6.0	18	3	3	5	9	12	12	12
2. MULTIPLE DX										
A. Not Operated	2865	10.0	115	2	3	7	13	22	31	55
B. Operated	83	12.5	138	2	4	9	16	29	41	55
1. SINGLE DX	949	7.0	65	1	2	4	8	15	22	46
2. MULTIPLE DX	2948	10.1	116	2	3	7	13	23	31	55
A. Not Operated	3810	9.3	105	1	3	6	12	21	30	51
B. Operated	87	12.2	134	2	4	8	15	28	40	55
TOTAL										
0-19 YRS	949	12.6	197	1	3	7	17	32	42	81
20-34	1484	7.5	60	1	3	5	10	17	21	39
35-49	876	7.8	59	1	3	6	10	17	22	36
50-64	263	9.0	72	2	3	6	12	21	24	41
65 +	325	12.7	131	2	5	9	18	27	36	57
GRAND TOTAL	**3897**	**9.3**	**105**	**1**	**3**	**6**	**12**	**21**	**30**	**51**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	311	11.5	157	1	3	7	15	29	38	55
20-34	214	6.3	68	1	2	4	7	14	20	53
35-49	142	6.4	33	1	2	4	9	15	18	28
50-64	29	5.8	19	1	2	6	8	13	14	15
65 +	16	8.0	48	2	3	7	11	17	23	26
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	646	12.4	182	2	4	8	16	29	41	99 +
20-34	727	7.9	62	1	3	6	10	17	23	39
35-49	467	7.9	61	2	3	6	10	18	24	42
50-64	152	7.6	43	1	3	6	10	17	21	30
65 +	123	11.2	79	2	4	9	17	24	27	38
B. Operated										
0-19 YRS	10	11.7	165	1	1	9	15	31	44	44
20-34	24	17.7	206	4	7	13	26	31	52	58
35-49	7	17.6	232	1	4	12	30	39	41	41
50-64	4	6.3	13	3	3	5	9	11	11	11
65 +	11	16.2	256	2	5	8	23	39	55	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	712	8.6	104	1	2	5	10	20	30	52
B. Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	2115	9.4	102	2	3	6	12	22	29	57
B. Operated	56	15.5	197	1	5	11	24	32	48	58
1. SINGLE DX	714	8.6	104	1	2	5	10	20	30	52
2. MULTIPLE DX	2171	9.6	105	2	3	6	13	23	30	57
A. Not Operated	2827	9.2	102	1	3	6	12	22	30	53
B. Operated	58	15.0	197	1	5	10	24	31	48	58
TOTAL										
0-19 YRS	969	12.1	173	2	4	7	16	29	41	89
20-34	965	7.8	69	1	2	5	10	17	25	45
35-49	616	7.7	57	1	3	5	10	17	23	41
50-64	185	7.3	39	1	3	6	9	15	20	30
65 +	150	11.2	89	2	4	8	17	24	27	52
GRAND TOTAL	**2885**	**9.3**	**105**	**1**	**3**	**6**	**12**	**22**	**30**	**55**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	420	17.5	324	2	5	11	25	43	57	90
20-34	44	14.8	173	1	3	10	25	32	35	50
35-49	16	10.6	224	1	1	3	15	41	43	44
50-64	7	7.7	105	1	2	4	8	26	30	30
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	4	5.3	27	2	2	3	8	13	13	13
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1256	21.8	320	3	8	18	32	47	66	99 +
20-34	278	16.6	278	2	4	11	25	37	50	84
35-49	93	12.8	172	2	3	7	23	31	40	99 +
50-64	47	7.3	87	2	2	4	8	15	31	47
65 +	54	6.3	35	1	3	5	8	11	15	35
B. Operated										
0-19 YRS	23	26.1	813	4	6	24	80	99 +	99 +	99 +
20-34	16	16.1	298	1	4	9	24	39	54	61
35-49	14	10.6	71	1	5	10	12	25	29	30
50-64	6	18.8	393	3	4	9	44	44	44	44
65 +	4	9.0	17	6	6	7	11	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	488	16.8	306	2	4	10	25	42	53	89
B. Operated	4	5.3	27	2	2	3	8	13	13	13
2. MULTIPLE DX										
A. Not Operated	1728	19.6	307	3	6	15	29	44	62	99 +
B. Operated	63	18.3	451	3	5	11	32	83	99 +	99 +
1. SINGLE DX	492	16.7	304	2	4	10	25	42	53	89
2. MULTIPLE DX	1791	19.6	312	3	6	15	29	45	63	99 +
A. Not Operated	2216	19.0	308	2	5	14	29	44	59	99 +
B. Operated	67	17.6	434	3	5	11	29	77	99 +	99 +
TOTAL										
0-19 YRS	1703	20.8	331	3	7	16	31	47	65	99 +
20-34	338	16.4	264	2	4	11	25	36	48	75
35-49	123	12.3	165	1	3	6	21	30	41	99 +
50-64	60	8.5	124	2	3	4	9	25	41	47
65 +	59	6.4	33	1	3	5	8	12	16	35
GRAND TOTAL	**2283**	**19.0**	**311**	**2**	**5**	**14**	**29**	**44**	**60**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	17.0	50	12	12	17	22	22	22	22
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	13.1	276	2	3	6	18	42	49	49
20-34	6	14.2	238	2	3	10	15	41	44	44
35-49	8	11.0	24	6	7	9	13	19	21	21
50-64	2	13.5	265	2	2	13	25	25	25	25
65+	2	6.0	2	5	5	6	7	7	7	7
B. Operated										
0-19 YRS	5	4.2	10	1	2	4	6	9	9	9
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	12.0		12	12	12	12	12	12	12
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	12.7	81	4	6	12	19	22	22	22
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	26	12.2	147	2	5	8	14	27	45	49
B. Operated	7	5.4	15	1	2	5	8	11	12	12
1. SINGLE DX	3	12.7	81	4	6	12	19	22	22	22
2. MULTIPLE DX	33	10.8	126	2	4	7	12	25	41	49
A. Not Operated	29	12.2	137	2	5	9	14	26	44	49
B. Operated	7	5.4	15	1	2	5	8	11	12	12
TOTAL										
0-19 YRS	13	9.7	185	1	3	5	9	31	46	49
20-34	8	14.9	179	2	6	11	18	37	44	44
35-49	10	9.7	26	4	6	8	13	17	21	21
50-64	3	13.0	133	2	4	12	22	25	25	25
65+	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**36**	**10.9**	**120**	**2**	**4**	**8**	**13**	**25**	**39**	**49**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	283	8.6	21	2	5	10	11	13	15	22
20-34	28	6.0	16	2	3	4	9	11	14	15
35-49	12	5.3	9	2	3	4	7	9	12	12
50-64	4	7.5	35	2	2	7	12	14	14	14
65+	3	11.3	74	2	5	13	17	19	19	19
B. Operated										
0-19 YRS	18	13.2	70	2	8	14	15	27	29	29
20-34	8	6.1	37	1	1	3	11	15	16	16
35-49	7	10.3	188	1	1	1	17	33	37	37
50-64	9	6.8	113	1	1	3	7	24	34	34
65+	5	18.8	163	1	10	20	27	35	35	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	574	10.4	33	3	8	10	12	15	20	29
20-34	61	8.3	39	2	4	6	12	15	18	33
35-49	60	10.5	36	4	5	10	15	21	25	99+
50-64	51	10.7	81	2	5	10	15	17	23	58
65+	52	13.3	73	4	5	12	19	24	30	38
B. Operated										
0-19 YRS	105	17.7	141	8	11	14	22	35	57	99+
20-34	24	17.6	185	5	9	15	22	47	69	99+
35-49	43	19.9	301	4	10	18	27	65	99+	99+
50-64	40	18.8	255	2	8	15	27	48	63	99+
65+	50	24.1	283	3	11	22	37	48	59	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	330	8.2	21	2	4	10	11	13	14	21
B. Operated	47	10.9	106	1	1	9	15	27	34	37
2. MULTIPLE DX										
A. Not Operated	798	10.4	40	3	7	10	13	17	22	31
B. Operated	262	19.4	218	5	10	15	27	47	64	99+
1. SINGLE DX	377	8.6	32	2	4	10	11	14	17	33
2. MULTIPLE DX	1060	12.7	99	3	7	11	15	24	32	80
A. Not Operated	1128	9.8	35	3	6	10	12	15	20	29
B. Operated	309	18.1	210	3	10	15	26	42	59	99+
TOTAL										
0-19 YRS	980	10.7	48	3	7	10	12	16	22	44
20-34	121	9.5	78	2	4	7	13	17	27	70
35-49	122	13.3	159	2	5	11	18	28	68	99+
50-64	104	13.3	165	2	5	11	16	30	48	88
65+	110	18.4	197	3	8	15	25	38	47	65
GRAND TOTAL	**1437**	**11.6**	**84**	**3**	**7**	**10**	**14**	**22**	**29**	**66**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65 +	20	6.7	21	2	3	6	8	13	16	18
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	8.5	1	8	8	8	9	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	18.0		18	18	18	18	18	18	18
35-49	7	5.7	16	1	2	6	8	11	12	12
50-64	43	8.9	113	2	4	6	9	19	26	64
65 +	353	8.2	42	3	5	7	10	15	20	33
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	5	8.8	10	5	6	10	11	12	12	12
65 +	58	12.4	67	2	5	11	21	24	27	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	5.8	21	1	2	5	8	13	15	18
B. Operated	2	8.5	1	8	8	3	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	405	8.3	49	3	4	7	10	15	20	34
B. Operated	63	12.1	63	3	5	11	18	23	27	29
1. SINGLE DX	26	6.0	20	1	3	5	8	13	15	18
2. MULTIPLE DX	468	8.8	53	3	5	7	10	18	23	33
A. Not Operated	429	8.1	48	3	4	7	10	15	20	33
B. Operated	65	12.0	61	3	5	10	17	23	27	29
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	18.0		18	18	18	18	18	18	18
35-49	8	5.3	15	1	2	4	8	11	12	12
50-64	53	8.4	95	2	4	6	9	17	23	63
65 +	431	8.7	46	3	5	7	10	17	22	31
GRAND TOTAL	**494**	**8.6**	**51**	**3**	**4**	**7**	**10**	**17**	**22**	**32**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.5	15	1	2	5	8	10	10	10
20-34	98	6.2	10	3	4	6	8	10	12	16
35-49	156	6.4	10	3	4	6	8	11	13	15
50-64	38	9.1	126	3	5	7	9	14	17	72
65 +	3	9.7	26	4	6	11	13	14	14	14
B. Operated										
0-19 YRS	0									
20-34	5	9.0	58	1	3	7	15	20	20	20
35-49	10	7.1	38	1	2	6	9	16	22	22
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	8.8	34	3	4	8	12	18	18	18
20-34	176	7.9	33	3	5	7	10	13	16	33
35-49	411	8.6	45	3	5	7	10	16	21	36
50-64	162	8.0	18	4	5	7	10	13	16	19
65 +	24	8.3	26	2	4	8	12	15	18	20
B. Operated										
0-19 YRS	0									
20-34	19	8.5	46	2	3	7	12	16	24	29
35-49	71	11.1	125	4	6	8	13	18	30	94
50-64	27	15.6	134	2	8	14	21	27	43	50
65 +	13	13.9	111	5	5	12	16	34	36	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	299	6.7	25	3	4	6	9	11	13	16
B. Operated	16	7.6	39	1	3	6	9	19	21	22
2. MULTIPLE DX										
A. Not Operated	778	8.4	36	3	5	7	10	14	19	33
B. Operated	130	11.9	117	3	6	9	15	24	33	77
1. SINGLE DX	315	6.8	26	3	4	6	9	11	14	19
2. MULTIPLE DX	908	8.9	49	3	5	7	10	16	21	39
A. Not Operated	1077	7.9	33	3	5	7	10	13	17	32
B. Operated	146	11.5	110	3	6	9	14	22	30	73
TOTAL										
0-19 YRS	9	7.3	26	2	4	7	10	15	18	18
20-34	298	7.4	27	3	4	6	9	13	15	32
35-49	648	8.4	47	3	5	7	10	15	20	39
50-64	228	9.1	54	4	5	8	11	16	19	44
65 +	40	10.2	58	3	5	9	14	17	26	37
GRAND TOTAL	**1223**	**8.3**	**44**	**3**	**5**	**7**	**10**	**14**	**19**	**35**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	607	3.1	7	1	1	2	4	7	9	13
20-34	199	2.9	5	1	1	2	4	6	7	12
35-49	109	3.1	8	1	1	2	3	6	7	17
50-64	63	3.7	9	1	2	3	4	7	9	19
65+	43	3.7	8	1	2	3	4	8	9	15
B. Operated										
0-19 YRS	18	8.6	26	2	4	8	13	14	16	18
20-34	6	3.0	3	1	2	3	3	6	6	6
35-49	7	3.3	8	1	1	2	5	7	8	8
50-64	3	6.3	6	4	4	6	8	9	9	9
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1361	4.2	21	1	2	3	5	8	12	21
20-34	525	4.5	20	1	2	3	5	9	11	28
35-49	519	5.1	25	1	2	4	6	10	13	22
50-64	511	5.4	25	2	3	4	7	9	15	24
65+	843	6.6	27	2	3	5	8	13	16	29
B. Operated										
0-19 YRS	126	14.5	245	2	4	10	19	37	65	99+
20-34	56	9.9	182	2	3	6	11	21	30	85
35-49	62	8.7	100	2	3	6	9	19	26	63
50-64	75	12.5	237	2	5	9	14	22	36	94
65+	108	15.2	164	4	7	12	20	30	35	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1021	3.1	7	1	1	2	4	6	8	13
B. Operated	34	6.3	22	1	2	5	9	13	14	18
2. MULTIPLE DX										
A. Not Operated	3759	5.1	24	1	2	4	6	10	14	25
B. Operated	427	12.9	198	2	4	9	17	28	40	90
1. SINGLE DX	1055	3.2	8	1	1	2	4	7	9	14
2. MULTIPLE DX	4186	5.9	48	1	2	4	7	12	17	35
A. Not Operated	4780	4.6	21	1	2	3	6	9	13	22
B. Operated	461	12.4	188	2	4	8	16	27	37	87
TOTAL										
0-19 YRS	2112	4.5	37	1	2	3	5	9	14	31
20-34	786	4.5	30	1	2	3	5	9	11	29
35-49	697	5.1	30	1	2	3	6	10	14	26
50-64	652	6.0	53	2	3	4	7	12	17	35
65+	994	7.4	49	2	3	6	9	15	20	35
GRAND TOTAL	**5241**	**5.3**	**41**	**1**	**2**	**4**	**6**	**11**	**15**	**31**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	188	3.2	7	1	1	2	4	6	8	17
20-34	102	3.3	7	1	2	3	4	7	8	14
35-49	87	3.8	20	1	1	3	4	9	12	27
50-64	61	4.4	15	1	1	3	6	11	12	16
65+	60	6.3	53	1	2	4	8	16	21	39
B. Operated										
0-19 YRS	219	4.9	19	1	2	4	7	10	15	23
20-34	98	3.7	11	1	1	3	4	8	11	17
35-49	97	3.9	11	1	1	3	5	8	11	16
50-64	54	4.2	9	1	1	4	6	9	10	12
65+	51	6.0	24	1	2	5	8	12	16	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	435	5.3	64	1	2	3	6	11	17	42
20-34	268	6.3	78	1	2	4	6	11	16	56
35-49	316	5.6	33	1	2	3	7	12	19	30
50-64	364	8.3	84	2	3	6	10	18	24	55
65+	981	8.7	53	3	4	7	11	17	23	39
B. Operated										
0-19 YRS	545	7.8	88	1	3	5	9	18	28	83
20-34	195	9.6	144	2	3	6	10	18	32	64
35-49	246	10.5	163	2	3	7	13	25	38	99+
50-64	249	11.0	169	1	3	7	14	25	38	79
65+	486	14.5	174	3	5	11	19	30	40	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	498	3.8	17	1	1	3	4	8	11	20
B. Operated	519	4.5	16	1	2	3	6	9	12	19
2. MULTIPLE DX										
A. Not Operated	2364	7.3	62	2	3	5	9	15	21	42
B. Operated	1721	10.8	147	2	3	7	14	25	36	75
1. SINGLE DX	1017	4.2	16	1	2	3	5	9	12	19
2. MULTIPLE DX	4085	8.8	101	2	3	6	11	19	28	62
A. Not Operated	2862	6.7	56	1	2	4	8	14	20	40
B. Operated	2240	9.3	124	1	3	6	11	21	32	67
TOTAL										
0-19 YRS	1387	5.9	61	1	2	4	7	12	18	51
20-34	663	6.4	82	1	2	4	7	13	18	55
35-49	746	6.8	79	1	2	4	8	15	23	56
50-64	728	8.6	106	1	3	6	10	18	27	67
65+	1578	10.3	98	2	4	7	13	22	29	55
GRAND TOTAL	**5102**	**7.9**	**87**	**1**	**3**	**5**	**9**	**17**	**24**	**56**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	119	2.4	5	1	1	2	3	4	6	12
20-34	238	2.9	4	1	1	2	4	6	7	11
35-49	186	3.2	4	1	2	3	4	6	7	11
50-64	52	3.0	4	1	2	3	4	6	7	9
65 +	8	2.0	1	< 1	1	2	3	3	3	3
B. Operated										
0-19 YRS	7	4.0	8	2	2	3	4	9	10	10
20-34	21	3.1	4	1	2	3	4	6	7	8
35-49	10	2.8	3	1	1	2	4	5	6	6
50-64	8	3.4	5	1	1	3	5	7	7	7
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	147	3.4	6	1	2	3	4	6	7	15
20-34	464	5.2	18	1	2	4	7	10	14	21
35-49	599	5.6	19	2	2	5	7	10	13	22
50-64	281	5.6	16	2	3	5	7	11	14	19
65 +	114	5.2	12	2	2	4	7	10	11	18
B. Operated										
0-19 YRS	5	5.0	5	2	3	5	6	8	8	8
20-34	26	5.2	14	1	3	4	7	11	14	14
35-49	58	5.7	15	2	3	5	7	11	16	16
50-64	12	7.8	85	2	3	5	7	23	32	33
65 +	9	6.7	46	1	2	3	10	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	603	2.9	4	1	1	2	4	6	7	10
B. Operated	47	3.2	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	1605	5.2	17	2	2	4	7	10	13	20
B. Operated	110	5.8	24	2	3	4	7	11	16	26
1. SINGLE DX	650	2.9	4	1	1	2	4	6	7	10
2. MULTIPLE DX	1715	5.3	17	2	2	4	7	10	13	20
A. Not Operated	2208	4.6	14	1	2	3	6	9	12	19
B. Operated	157	5.1	19	1	2	4	6	10	14	21
TOTAL										
0-19 YRS	278	3.0	6	1	1	2	4	6	7	14
20-34	749	4.4	14	1	2	3	6	9	12	19
35-49	853	5.0	16	1	2	4	7	9	12	20
50-64	353	5.2	17	2	2	4	7	10	13	19
65 +	132	5.1	14	1	2	4	7	10	12	19
GRAND TOTAL	**2365**	**4.6**	**15**	**1**	**2**	**3**	**6**	**9**	**12**	**19**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	1.7		< 1	< 1	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	26	1.1		< 1	< 1	< 1	1	1	2	3
35-49	58	1.4	2	< 1	< 1	< 1	1	2	6	7
50-64	64	1.2	1	< 1	< 1	< 1	< 1	1	2	8
65 +	49	1.1		< 1	< 1	< 1	< 1	< 1	1	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	4.2	12	1	2	3	5	10	10	10
50-64	10	4.2	5	1	3	4	5	7	8	8
65 +	8	2.8	5	< 1	1	2	4	6	7	7
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	1	1	1	1	1
20-34	15	1.7	1	1	1	1	3	3	4	4
35-49	54	2.2	5	1	1	1	2	5	9	10
50-64	40	2.6	5	1	1	2	3	6	7	8
65 +	36	2.4	8	< 1	1	1	3	4	10	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.0	1	< 1	1	2	2	3	3	3
B. Operated	199	1.2	1	< 1	< 1	< 1	< 1	1	2	7
2. MULTIPLE DX										
A. Not Operated	25	3.6	6	1	2	3	5	7	8	10
B. Operated	149	2.3	5	1	1	1	3	5	8	11
1. SINGLE DX	204	1.2	1	< 1	< 1	< 1	< 1	1	2	7
2. MULTIPLE DX	174	2.5	5	1	1	1	3	5	8	11
A. Not Operated	30	3.3	5	1	2	3	5	7	8	10
B. Operated	348	1.7	3	< 1	< 1	1	1	3	5	10
TOTAL										
0-19 YRS	7	1.0		< 1	1	1	1	1	1	1
20-34	42	1.4	1	< 1	< 1	1	1	3	3	4
35-49	119	1.9	4	< 1	< 1	1	2	4	7	10
50-64	117	1.9	3	< 1	< 1	1	2	5	7	8
65 +	93	1.7	4	< 1	< 1	< 1	1	3	5	12
GRAND TOTAL	**378**	**1.8**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**6**	**10**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	5.3	15	1	3	4	7	9	15	18
20-34	44	4.5	36	1	1	3	5	9	11	39
35-49	74	4.1	13	1	2	3	5	9	11	18
50-64	42	4.4	21	1	1	3	5	11	13	23
65 +	23	3.9	15	1	1	2	5	8	13	17
B. Operated										
0-19 YRS	45	4.6	42	1	1	3	4	15	21	31
20-34	182	2.8	18	1	1	2	3	5	7	20
35-49	219	2.6	6	1	1	2	3	5	7	11
50-64	140	2.7	7	1	1	2	3	6	8	13
65 +	68	2.7	4	1	1	2	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	9.1	195	1	2	4	10	21	38	79
20-34	92	6.3	58	1	2	4	7	12	21	46
35-49	156	5.0	19	1	2	4	7	12	14	24
50-64	223	6.0	52	1	2	4	7	11	18	39
65 +	376	6.6	28	2	3	5	8	13	16	32
B. Operated										
0-19 YRS	43	8.5	175	1	2	4	8	25	49	99 +
20-34	139	4.7	28	1	2	3	5	12	15	39
35-49	227	5.0	36	1	1	3	6	12	20	34
50-64	232	6.8	63	1	2	4	8	19	26	42
65 +	273	7.8	76	1	2	5	10	18	26	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	4.4	19	1	2	3	5	9	13	20
B. Operated	654	2.8	12	1	1	2	3	6	7	20
2. MULTIPLE DX										
A. Not Operated	914	6.4	48	2	3	4	8	12	18	37
B. Operated	914	6.4	62	1	2	4	8	17	24	53
1. SINGLE DX	877	3.2	14	1	1	2	4	7	9	20
2. MULTIPLE DX	1828	6.4	55	1	2	4	8	14	21	42
A. Not Operated	1137	6.0	43	1	2	4	7	12	16	36
B. Operated	1568	4.9	44	1	1	3	6	12	20	40
TOTAL										
0-19 YRS	195	7.2	121	1	2	4	8	17	30	79
20-34	457	4.3	32	1	1	3	5	9	13	36
35-49	676	4.1	21	1	1	3	5	10	14	24
50-64	637	5.5	46	1	2	3	7	12	20	35
65 +	740	6.6	45	1	2	5	8	15	19	38
GRAND TOTAL	**2705**	**5.4**	**44**	**1**	**2**	**3**	**6**	**12**	**18**	**37**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	50	1.8	1	1	1	2	2	3	3	7
20-34	85	1.9	1	1	1	2	2	3	4	6
35-49	123	1.9	1	1	1	2	2	3	4	6
50-64	245	1.8	1	1	1	2	2	3	3	4
65 +	223	2.0	1	1	1	2	2	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
20-34	7	1.7	2	< 1	< 1	1	2	4	5	5
35-49	3	1.0		1	1	1	1	1	1	1
50-64	9	1.3	1	< 1	< 1	1	1	3	4	4
65 +	6	1.8	2	< 1	1	1	3	4	4	4
B. Operated										
0-19 YRS	87	2.2	2	1	1	2	3	4	5	8
20-34	141	2.2	2	1	1	2	3	4	5	8
35-49	175	2.3	4	1	1	2	3	4	5	8
50-64	336	2.4	5	1	1	2	3	4	5	9
65 +	488	2.5	4	1	2	2	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	2	3	3	4	5	5	5	5
B. Operated	726	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	31	1.5	1	< 1	< 1	1	1	3	4	5
B. Operated	1227	2.4	4	1	1	2	3	4	5	9
1. SINGLE DX	728	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX	1258	2.4	4	1	1	2	3	4	5	9
A. Not Operated	33	1.6	1	< 1	1	1	2	4	5	5
B. Operated	1953	2.2	3	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	143	2.0	2	1	1	2	3	4	4	7
20-34	233	2.1	2	1	1	2	3	4	5	7
35-49	301	2.1	3	1	1	2	2	4	5	7
50-64	591	2.1	3	1	1	2	2	4	5	7
65 +	718	2.4	3	1	1	2	3	4	5	10
GRAND TOTAL	**1986**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	6	1.7	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	8	2.0	1	1	1	2	3	3	3	3
20-34	7	1.9	1	1	1	2	3	3	3	3
35-49	21	2.3	1	1	2	2	3	3	4	4
50-64	27	3.0	6	1	2	2	3	7	9	9
65 +	45	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	9	2.9	5	< 1	1	2	4	7	7	7
65 +	33	2.5	4	1	1	2	3	5	6	10
B. Operated										
0-19 YRS	8	2.5	2	1	2	2	3	5	6	6
20-34	14	3.9	29	1	2	2	3	8	19	22
35-49	32	2.4	3	1	1	2	3	5	5	8
50-64	101	3.4	10	1	2	3	4	6	10	19
65 +	294	3.0	4	1	2	2	3	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.6	1	1	1	1	2	3	3	3
B. Operated	108	2.4	2	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	46	2.5	4	1	1	2	3	6	6	10
B. Operated	449	3.0	6	1	2	2	3	6	8	12
1. SINGLE DX	121	2.3	2	1	1	2	3	4	6	9
2. MULTIPLE DX	495	3.0	6	1	2	2	3	6	7	12
A. Not Operated	59	2.3	3	1	1	2	2	5	6	10
B. Operated	557	2.9	6	1	2	2	3	5	7	11
TOTAL										
0-19 YRS	16	2.3	2	1	1	2	3	3	5	6
20-34	23	3.1	19	1	1	2	3	5	12	22
35-49	58	2.3	2	1	1	2	3	4	5	8
50-64	141	3.3	9	1	2	2	3	6	9	16
65 +	378	2.8	4	1	2	2	3	5	7	11
GRAND TOTAL	**616**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**7**	**11**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	4	1.3		< 1	< 1	1	1	2	2	2
B. Operated										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	6	2.5	2	1	1	2	4	4	4	4
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	18	2.3	3	< 1	1	2	2	5	6	7
65 +	52	2.3	4	< 1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	1.7		1	1	2	2	2	2	2
50-64	3	2.0		2	2	2	2	2	2	2
65 +	19	2.5	2	1	2	2	3	5	6	7
B. Operated										
0-19 YRS	7	2.9	7	1	1	2	4	7	8	8
20-34	6	3.0	2	1	2	3	4	5	5	5
35-49	17	3.1	3	1	2	3	4	5	6	6
50-64	40	4.9	58	1	2	3	4	11	14	47
65 +	123	3.3	7	1	2	2	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.5		< 1	< 1	1	2	2	2	2
B. Operated	83	2.3	3	< 1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	29	2.3	2	1	2	2	3	4	5	7
B. Operated	193	3.6	17	1	2	3	4	6	10	16
1. SINGLE DX	89	2.3	3	< 1	1	2	3	5	5	10
2. MULTIPLE DX	222	3.4	15	1	2	2	4	6	8	16
A. Not Operated	35	2.1	2	1	1	2	2	4	5	7
B. Operated	276	3.2	13	1	1	2	4	6	8	15
TOTAL										
0-19 YRS	13	2.5	5	1	1	2	3	6	8	8
20-34	14	2.6	2	1	1	2	4	4	5	5
35-49	24	2.9	2	1	2	2	4	5	6	6
50-64	62	4.0	39	1	2	2	4	7	12	43
65 +	198	2.9	6	1	1	2	4	6	7	13
GRAND TOTAL	**311**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	1.2		< 1	1	1	1	2	3	3
20-34	4	1.0		< 1	< 1	1	1	1	1	1
35-49	17	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	104	1.0		< 1	< 1	< 1	< 1	< 1	< 1	1
65 +	643	1.0		< 1	< 1	< 1	< 1	< 1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	0									
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	14	3.9	49	< 1	< 1	1	3	11	23	27
B. Operated										
0-19 YRS	22	1.8	2	1	1	1	2	4	5	6
20-34	18	2.6	11	1	1	2	3	4	11	15
35-49	22	2.0	10	< 1	1	1	2	3	8	16
50-64	86	1.8	2	< 1	1	1	2	4	5	8
65 +	484	1.7	3	< 1	1	1	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	13	1	1	3	6	6	6	6
B. Operated	781	1.0		< 1	< 1	< 1	< 1	< 1	1	2
2. MULTIPLE DX										
A. Not Operated	19	3.3	37	< 1	< 1	1	3	7	19	27
B. Operated	632	1.8	3	< 1	1	1	2	3	4	9
1. SINGLE DX	783	1.0		< 1	< 1	< 1	< 1	< 1	1	2
2. MULTIPLE DX	651	1.8	4	< 1	1	1	2	3	4	13
A. Not Operated	21	3.3	34	< 1	< 1	1	3	7	17	27
B. Operated	1413	1.4	2	< 1	< 1	< 1	1	2	3	7
TOTAL										
0-19 YRS	38	1.7	2	1	1	1	2	4	5	6
20-34	24	2.3	8	1	1	1	3	4	7	15
35-49	39	1.6	6	< 1	< 1	1	1	2	3	16
50-64	192	1.4	1	< 1	< 1	< 1	1	2	3	7
65 +	1141	1.3	2	< 1	< 1	< 1	1	2	3	7
GRAND TOTAL	**1434**	**1.4**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**	**7**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	52	1.1		< 1	< 1	1	1	1	2	2
20-34	10	1.6	2	< 1	1	1	1	4	6	6
35-49	12	1.1		< 1	< 1	1	1	2	2	2
50-64	6	2.0	2	< 1	1	2	3	4	4	4
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.9	3	1	1	1	2	5	6	6
20-34	3	3.0	3	1	2	4	4	4	4	4
35-49	14	3.1	3	1	2	3	4	5	7	8
50-64	20	5.1	7	2	3	5	6	9	10	11
65 +	29	3.4	8	1	2	3	4	6	9	15
B. Operated										
0-19 YRS	42	1.3	1	< 1	1	1	1	2	3	5
20-34	5	1.8	2	1	1	1	2	4	4	4
35-49	7	3.3	6	< 1	1	3	5	7	7	7
50-64	7	7.6	34	2	3	5	11	17	18	18
65 +	15	4.7	15	1	2	5	6	9	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.8	3	1	1	3	4	5	5	5
B. Operated	82	1.2	1	< 1	< 1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	75	3.6	7	1	2	3	4	7	9	14
B. Operated	76	2.8	10	1	1	1	3	6	9	17
1. SINGLE DX	87	1.3	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX	151	3.2	9	1	1	2	4	7	9	15
A. Not Operated	80	3.6	7	1	2	3	4	7	9	14
B. Operated	158	2.0	6	< 1	1	1	2	5	6	15
TOTAL										
0-19 YRS	104	1.2	1	< 1	1	1	1	2	2	5
20-34	20	1.9	2	< 1	1	1	3	4	5	6
35-49	33	2.4	4	< 1	1	2	3	5	7	8
50-64	34	5.0	14	1	3	4	6	10	13	18
65 +	47	3.8	10	1	2	3	5	8	10	15
GRAND TOTAL	**238**	**2.5**	**7**	**< 1**	**1**	**1**	**3**	**5**	**8**	**15**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	87	2.8	2	1	2	2	3	5	6	7
20-34	13	3.8	5	2	3	3	4	8	9	9
35-49	12	4.1	8	2	2	3	5	9	11	11
50-64	8	4.8	10	1	2	4	6	10	11	11
65+	11	6.8	41	1	3	5	8	19	20	20
B. Operated										
0-19 YRS	32	1.9	3	<1	1	1	2	5	7	7
20-34	28	1.4		1	1	1	2	3	3	3
35-49	37	1.8	6	1	1	1	2	3	5	15
50-64	42	1.6	2	<1	1	1	2	3	4	8
65+	134	2.1	2	<1	1	2	3	3	4	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	200	3.5	6	1	2	3	4	6	8	14
20-34	26	4.8	16	2	2	3	6	10	14	18
35-49	21	5.9	20	1	3	4	8	13	15	17
50-64	18	5.9	18	2	4	5	7	9	16	21
65+	64	6.5	15	2	4	6	9	12	14	19
B. Operated										
0-19 YRS	54	3.4	13	1	1	2	5	8	10	20
20-34	49	2.4	6	1	1	1	3	6	9	10
35-49	61	2.6	9	1	1	1	3	6	10	15
50-64	114	2.2	4	1	1	2	3	4	5	14
65+	589	2.8	9	1	2	2	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	3.5	8	1	2	3	4	5	8	18
B. Operated	273	1.9	3	<1	1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	329	4.5	12	1	2	3	6	9	11	17
B. Operated	867	2.7	8	1	1	2	3	5	7	15
1. SINGLE DX	404	2.4	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	1196	3.2	10	1	1	2	4	6	9	16
A. Not Operated	460	4.2	11	1	2	3	5	8	11	18
B. Operated	1140	2.5	7	1	1	2	3	5	7	14
TOTAL										
0-19 YRS	373	3.2	6	1	1	3	4	6	8	13
20-34	116	2.9	8	1	1	2	3	6	10	15
35-49	131	3.1	11	1	1	2	4	7	11	16
50-64	182	2.5	7	1	1	2	3	5	7	15
65+	798	3.0	10	1	1	2	3	6	8	16
GRAND TOTAL	**1600**	**3.0**	**9**	**1**	**1**	**2**	**3**	**6**	**8**	**15**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	385	3.0	3	1	2	3	4	5	6	9
20-34	38	3.2	3	1	2	3	4	6	7	8
35-49	29	3.2	3	1	2	3	4	6	6	8
50-64	17	2.8	2	1	2	3	4	4	5	5
65+	10	3.9	7	1	2	3	5	8	9	9
B. Operated										
0-19 YRS	129	1.9	3	1	1	1	2	2	4	11
20-34	23	2.0	1	1	1	2	2	3	4	5
35-49	19	3.1	7	1	1	2	5	8	9	9
50-64	55	1.6	2	1	1	1	2	3	4	9
65+	74	1.9	2	<1	1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	617	3.8	4	2	2	3	5	7	8	11
20-34	79	4.3	8	1	3	4	5	8	11	15
35-49	72	4.3	8	1	2	3	6	8	9	14
50-64	77	4.1	7	1	2	3	5	8	9	13
65+	124	5.3	17	1	3	4	7	10	13	22
B. Operated										
0-19 YRS	120	5.2	52	1	2	3	7	11	14	76
20-34	125	3.0	10	1	1	2	3	6	9	16
35-49	125	3.5	22	1	1	2	4	7	9	26
50-64	206	3.2	14	1	1	2	3	7	9	20
65+	424	3.5	18	1	2	2	4	8	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	479	3.1	3	1	2	3	4	5	6	9
B. Operated	300	1.9	3	1	1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	969	4.1	7	2	2	3	5	7	9	14
B. Operated	1000	3.6	21	1	1	2	4	8	11	20
1. SINGLE DX	779	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	1969	3.8	14	1	2	3	5	8	10	17
A. Not Operated	1448	3.7	6	2	2	3	5	7	8	13
B. Operated	1300	3.2	17	1	1	2	3	7	10	18
TOTAL										
0-19 YRS	1251	3.5	9	1	2	3	4	6	9	12
20-34	265	3.3	8	1	2	2	4	6	9	16
35-49	245	3.7	15	1	2	3	5	7	9	21
50-64	355	3.1	11	1	1	2	4	7	9	18
65+	632	3.7	16	1	1	2	5	8	11	18
GRAND TOTAL	**2748**	**3.5**	**11**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.6		1	1	2	2	2	2	2
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64	4	1.3		< 1	< 1	1	2	2	2	2
65 +	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated										
0-19 YRS	6	1.3	1	< 1	1	1	1	3	3	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	2.3	4	1	1	2	3	5	5	5
50-64	5	2.0	3	1	1	1	3	5	5	5
65 +	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	2.3	3	1	1	2	3	5	6	7
20-34	16	3.2	4	1	2	3	4	7	8	8
35-49	16	4.1	15	1	2	3	5	11	14	15
50-64	29	4.1	12	1	2	3	4	8	10	18
65 +	36	4.2	6	2	2	3	6	8	8	13
B. Operated										
0-19 YRS	8	3.9	14	1	2	3	4	10	13	13
20-34	11	2.0	1	1	1	2	3	3	3	3
35-49	12	2.1	2	1	1	2	3	4	5	5
50-64	17	3.7	6	1	2	3	6	8	8	8
65 +	19	3.4	14	< 1	1	2	4	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	1.8	1	< 1	1	2	2	3	4	5
B. Operated	19	1.7	2	< 1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	121	3.6	8	1	2	3	4	7	8	16
B. Operated	67	3.1	8	1	1	2	4	7	9	14
1. SINGLE DX	39	1.7	1	< 1	1	1	2	4	5	5
2. MULTIPLE DX	188	3.4	8	1	2	3	4	7	8	15
A. Not Operated	141	3.4	7	1	2	3	4	7	8	15
B. Operated	86	2.8	7	1	1	2	3	6	8	14
TOTAL										
0-19 YRS	46	2.3	4	1	1	2	3	4	6	13
20-34	32	2.7	3	1	2	3	3	5	7	8
35-49	34	3.0	9	1	1	2	4	5	10	15
50-64	55	3.6	9	1	1	3	5	7	8	18
65 +	60	3.7	9	1	2	3	5	7	10	14
GRAND TOTAL	**227**	**3.1**	**7**	**1**	**1**	**2**	**4**	**7**	**8**	**14**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	332	2.6	3	1	2	2	3	4	5	9
20-34	5	3.0	2	2	2	3	4	5	5	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	4.7	14	2	2	3	7	9	9	9
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	210	1.5	2	< 1	1	1	1	3	4	7
20-34	55	1.1		< 1	1	1	1	1	2	4
35-49	52	1.1		< 1	1	1	1	2	2	3
50-64	32	1.2		< 1	1	1	1	2	3	4
65 +	24	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1327	3.0	5	1	2	3	4	5	7	11
20-34	30	4.2	10	1	2	3	5	8	10	16
35-49	16	3.6	2	2	2	3	5	6	6	6
50-64	14	4.3	8	1	2	4	5	8	10	10
65 +	12	8.1	119	3	3	4	8	19	39	42
B. Operated										
0-19 YRS	641	2.1	9	1	1	1	2	5	7	13
20-34	112	1.2		1	1	1	1	2	3	5
35-49	124	1.7	4	1	1	1	1	3	6	12
50-64	92	1.6	3	1	1	1	1	2	3	12
65 +	61	2.2	11	1	1	1	2	4	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	343	2.7	3	1	2	2	3	4	6	9
B. Operated	373	1.3	1	< 1	1	1	1	2	4	7
2. MULTIPLE DX										
A. Not Operated	1399	3.1	7	1	2	3	4	5	7	12
B. Operated	1030	1.9	7	1	1	1	1	4	7	13
1. SINGLE DX	716	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	2429	2.6	7	1	1	2	3	5	7	13
A. Not Operated	1742	3.0	6	1	2	3	3	5	7	11
B. Operated	1403	1.8	6	1	1	1	1	3	6	12
TOTAL										
0-19 YRS	2510	2.6	6	1	1	2	3	5	7	12
20-34	202	1.7	3	1	1	1	2	3	5	9
35-49	194	1.7	3	1	1	1	2	3	5	10
50-64	141	1.8	4	1	1	1	2	3	6	11
65 +	98	2.6	25	1	1	1	2	5	9	31
GRAND TOTAL	**3145**	**2.4**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	3.0	4	1	2	3	4	5	6	12
20-34	21	3.3	5	1	2	3	4	5	9	12
35-49	17	3.7	3	2	2	4	5	6	7	7
50-64	5	4.0	4	2	3	4	5	7	7	7
65+	3	3.7		3	3	4	4	4	4	4
B. Operated										
0-19 YRS	52	3.2	11	1	1	2	4	7	8	20
20-34	16	1.7	2	1	1	1	2	4	5	5
35-49	13	2.6	11	1	1	1	2	9	11	11
50-64	8	1.8	1	1	1	2	2	3	3	3
65+	8	2.3	5	<1	1	1	3	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	275	3.5	6	1	2	3	4	6	8	14
20-34	55	4.1	4	2	3	4	5	7	7	11
35-49	62	5.1	13	2	3	4	6	10	12	20
50-64	46	5.4	28	2	3	4	6	9	11	36
65+	59	7.8	24	3	4	6	10	13	19	27
B. Operated										
0-19 YRS	151	4.4	21	1	1	3	6	11	15	21
20-34	34	4.8	27	1	1	2	7	14	16	19
35-49	43	4.1	63	1	1	2	4	9	11	54
50-64	39	5.4	56	1	1	2	6	15	26	32
65+	42	9.1	190	1	1	3	8	35	44	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	149	3.2	4	1	2	3	4	5	7	12
B. Operated	97	2.7	8	1	1	2	3	5	8	17
2. MULTIPLE DX										
A. Not Operated	497	4.5	12	2	2	3	5	8	11	19
B. Operated	314	5.1	57	1	1	2	6	12	19	48
1. SINGLE DX	246	3.0	6	1	1	2	4	5	7	13
2. MULTIPLE DX	811	4.7	30	1	2	3	6	10	13	32
A. Not Operated	646	4.2	11	2	2	3	5	7	10	16
B. Operated	411	4.6	46	1	1	2	5	11	16	44
TOTAL										
0-19 YRS	581	3.3	10	1	2	3	4	7	10	18
20-34	126	3.9	11	1	2	3	5	7	11	17
35-49	140	4.4	29	1	2	3	5	9	11	24
50-64	98	5.0	36	1	1	3	6	10	15	34
65+	112	7.8	87	1	3	5	9	16	28	49
GRAND TOTAL	**1057**	**4.3**	**25**	**1**	**2**	**3**	**5**	**8**	**12**	**27**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.6	2	1	2	2	3	5	5	5
20-34	30	2.7	2	1	2	2	4	5	5	7
35-49	73	2.1	2	1	1	2	2	4	5	7
50-64	78	2.6	2	1	1	2	4	5	5	7
65+	82	3.0	5	1	2	2	4	6	7	12
B. Operated										
0-19 YRS	6	1.0		1	1	1	1	1	1	1
20-34	14	2.4	5	1	1	1	3	6	8	8
35-49	43	1.7	2	1	1	1	1	3	6	7
50-64	49	2.0	3	1	1	1	2	5	6	7
65+	30	2.0	3	1	1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	3.0	4	1	2	3	3	5	8	9
20-34	78	3.0	4	1	2	2	4	6	7	11
35-49	201	3.4	6	1	2	3	4	7	9	12
50-64	412	3.3	4	1	2	3	4	6	7	9
65+	1000	3.8	7	2	2	3	5	7	8	12
B. Operated										
0-19 YRS	11	3.4	11	1	1	2	5	9	11	11
20-34	22	3.5	5	1	1	3	5	7	8	9
35-49	50	4.3	21	1	2	3	6	7	12	30
50-64	54	3.6	8	1	1	3	6	7	10	12
65+	71	5.8	24	1	3	4	8	13	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	268	2.6	3	1	1	2	3	5	6	8
B. Operated	142	1.9	3	1	1	1	2	5	6	7
2. MULTIPLE DX										
A. Not Operated	1713	3.6	6	1	2	3	5	7	8	12
B. Operated	208	4.5	17	1	2	3	6	9	12	23
1. SINGLE DX	410	2.4	3	1	1	2	3	5	6	8
2. MULTIPLE DX	1921	3.7	7	1	2	3	5	7	8	13
A. Not Operated	1981	3.5	6	1	2	3	4	6	8	12
B. Operated	350	3.4	13	1	1	2	5	7	9	20
TOTAL										
0-19 YRS	44	2.8	5	1	1	2	3	6	8	11
20-34	144	3.0	4	1	2	2	4	5	7	9
35-49	367	3.1	7	1	1	2	4	6	8	12
50-64	593	3.1	4	1	2	3	4	6	7	10
65+	1183	3.8	8	1	2	3	5	7	8	13
GRAND TOTAL	**2331**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	49	1.3		1	1	1	1	2	3	4
35-49	97	1.1		1	1	1	1	2	2	2
50-64	57	1.2		1	1	1	1	2	2	2
65 +	18	1.4		1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	36	1.1		1	1	1	1	2	2	3
35-49	[illegible]	1.3	1	1	1	1	1	2	3	6
50-64	35	1.1		1	1	1	1	1	2	2
65 +	22	1.2		1	1	1	1	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	224	1.2		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	154	1.2		1	1	1	1	2	2	3
1. SINGLE DX	224	1.2		1	1	1	1	2	2	3
2. MULTIPLE DX	155	1.2		1	1	1	1	2	2	3
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	378	1.2		1	1	1	1	2	2	3
TOTAL										
0-19 YRS	7	1.4	1	1	1	1	2	3	3	3
20-34	85	1.2		1	1	1	1	2	3	4
35-49	155	1.2		1	1	1	1	2	2	3
50-64	92	1.1		1	1	1	1	2	2	2
65 +	40	1.3		1	1	1	1	2	3	3
GRAND TOTAL	**379**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**3**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.4	17	< 1	1	4	6	11	13	13
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	7	5.6	33	2	2	3	6	16	18	18
50-64	5	2.6	1	1	2	3	3	4	4	4
65 +	0									
B. Operated										
0-19 YRS	309	1.2	1	1	1	1	1	1	2	6
20-34	86	1.2		1	1	1	1	2	2	5
35-49	85	1.3	1	< 1	1	1	1	2	2	7
50-64	50	1.1		< 1	1	1	1	2	2	4
65 +	27	1.3		< 1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	3.7	10	1	1	2	5	8	9	14
20-34	6	1.7	1	< 1	1	1	2	3	3	3
35-49	13	4.8	8	1	3	4	7	8	9	9
50-64	14	3.9	6	2	2	3	6	7	9	10
65 +	30	4.1	4	2	3	4	5	7	8	9
B. Operated										
0-19 YRS	404	1.4	3	1	1	1	1	2	3	10
20-34	108	1.5	6	1	1	1	1	2	3	14
35-49	114	1.6	4	1	1	1	1	2	4	12
50-64	115	1.6	2	1	1	1	2	3	4	9
65 +	80	2.2	16	1	1	1	2	5	7	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	4.2	17	1	2	3	4	10	15	18
B. Operated	557	1.2	1	1	1	1	1	2	2	6
2. MULTIPLE DX										
A. Not Operated	93	3.9	7	1	2	3	6	8	9	12
B. Operated	821	1.6	5	1	1	1	1	2	4	10
1. SINGLE DX	580	1.4	2	1	1	1	1	2	3	8
2. MULTIPLE DX	914	1.8	5	1	1	1	1	3	6	10
A. Not Operated	116	4.0	9	1	2	3	5	8	9	15
B. Operated	1378	1.4	3	1	1	1	1	2	3	9
TOTAL										
0-19 YRS	752	1.5	3	1	1	1	1	2	4	10
20-34	202	1.4	3	1	1	1	1	2	3	6
35-49	219	1.8	5	1	1	1	2	3	7	11
50-64	184	1.7	2	1	1	1	2	3	5	9
65 +	137	2.5	11	1	1	1	3	5	7	12
GRAND TOTAL	**1494**	**1.6**	**4**	**1**	**1**	**1**	**1**	**3**	**5**	**10**

304 Hospitals, North Central Region, January-December 1989

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	4.8	10	2	3	4	6	9	10	16
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	8.4	44	2	3	7	12	21	23	23
20-34	12	4.1	7	1	2	4	5	7	10	10
35-49	8	4.4	5	2	3	4	5	8	9	9
50-64	7	4.7	6	2	3	5	6	8	9	9
65 +	8	9.0	12	4	6	10	11	13	14	14
B. Operated										
0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	3	7.7		7	7	8	8	8	8	8
35-49	4	10.0	5	7	8	10	11	12	12	12
50-64	5	20.4	586	3	7	13	26	63	63	63
65 +	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	4.5	9	2	3	4	6	8	10	16
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	68	6.9	29	2	3	5	9	14	20	23
B. Operated	15	13.5	197	7	8	11	13	14	51	63
1. SINGLE DX	36	4.5	9	2	3	4	6	8	10	16
2. MULTIPLE DX	83	8.1	64	2	3	6	10	14	21	50
A. Not Operated	104	6.1	23	2	3	4	7	12	16	23
B. Operated	15	13.5	197	7	8	11	13	14	51	63
TOTAL										
0-19 YRS	67	6.8	30	2	3	5	9	14	20	23
20-34	18	4.5	7	1	2	4	6	8	9	10
35-49	13	5.9	13	2	3	5	9	11	12	12
50-64	12	11.3	281	2	3	6	11	29	58	63
65 +	9	9.4	13	4	7	10	12	14	14	14
GRAND TOTAL	**119**	**7.0**	**49**	**2**	**3**	**5**	**9**	**13**	**16**	**36**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	3	8.0	13	4	5	9	10	11	11	11
65 +	2	5.5	41	1	1	5	10	10	10	10
B. Operated										
0-19 YRS	6	4.0	10	1	1	3	7	8	8	8
20-34	7	5.6	15	1	2	7	9	11	11	11
35-49	21	4.7	14	1	2	3	8	10	11	13
50-64	19	5.1	25	< 1	1	3	8	12	16	18
65 +	16	2.8	10	< 1	1	1	3	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.3	13	< 1	1	3	7	10	10	10
20-34	8	3.1	2	1	2	3	4	5	5	5
35-49	34	6.0	26	2	3	4	7	16	18	21
50-64	45	5.3	9	2	3	5	8	10	11	12
65 +	107	6.5	23	2	4	5	7	12	17	24
B. Operated										
0-19 YRS	17	10.3	533	< 1	1	2	8	19	70	97
20-34	24	10.3	44	5	7	9	11	19	23	33
35-49	123	9.3	90	1	4	9	12	15	17	64
50-64	228	11.6	142	1	4	9	14	19	28	73
65 +	298	13.6	175	2	5	11	17	27	40	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.8	20	< 1	< 1	3	9	11	11	11
B. Operated	69	4.4	16	1	1	2	8	9	11	17
2. MULTIPLE DX										
A. Not Operated	201	5.9	20	2	3	5	7	11	16	21
B. Operated	690	12.0	155	1	5	10	15	23	33	77
1. SINGLE DX	77	4.4	16	< 1	1	2	8	10	11	17
2. MULTIPLE DX	891	10.6	131	1	4	8	13	20	27	70
A. Not Operated	209	5.9	20	2	3	5	7	11	16	21
B. Operated	759	11.3	147	1	3	9	14	22	31	75
TOTAL										
0-19 YRS	31	7.4	299	< 1	1	2	7	14	19	97
20-34	39	8.0	39	2	4	7	10	16	19	33
35-49	180	8.0	71	1	2	8	11	15	17	47
50-64	295	10.2	120	1	4	8	13	18	25	68
65 +	423	11.4	142	2	4	9	15	23	34	69
GRAND TOTAL	**968**	**10.1**	**124**	**1**	**3**	**8**	**13**	**19**	**26**	**65**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.7	6	1	1	2	3	4	9	12
20-34	16	2.6	3	<1	2	2	3	4	7	8
35-49	93	3.1	4	1	2	3	4	6	7	9
50-64	100	3.0	5	1	2	2	4	5	7	13
65+	60	3.1	5	1	2	3	4	6	7	12
B. Operated										
0-19 YRS	10	3.4	9	1	1	3	4	8	11	11
20-34	8	1.9	3	<1	1	1	2	5	6	6
35-49	13	4.2	13	1	2	3	5	10	15	16
50-64	11	2.6	10	1	1	2	3	7	12	12
65+	14	3.1	6	1	1	3	4	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	3.9	9	1	2	3	5	8	11	15
20-34	122	3.9	4	2	2	4	5	7	8	11
35-49	607	3.9	7	1	2	3	5	7	9	13
50-64	829	4.2	9	2	2	4	5	7	9	15
65+	1023	4.7	9	2	3	4	6	9	11	16
B. Operated										
0-19 YRS	23	6.7	71	1	2	3	8	26	27	29
20-34	40	6.3	37	1	3	5	7	12	19	33
35-49	113	5.7	15	1	3	5	8	9	13	20
50-64	149	6.4	25	2	3	5	8	13	17	23
65+	199	8.0	47	2	3	6	11	16	24	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	288	3.0	4	1	2	3	4	6	7	11
B. Operated	56	3.1	9	1	1	2	4	7	10	16
2. MULTIPLE DX										
A. Not Operated	2631	4.3	8	2	2	4	5	8	10	15
B. Operated	524	6.9	35	2	3	5	9	14	18	31
1. SINGLE DX	344	3.1	5	1	2	2	4	6	7	12
2. MULTIPLE DX	3155	4.7	14	2	2	4	6	9	11	20
A. Not Operated	2919	4.2	8	2	2	4	5	8	10	15
B. Operated	580	6.5	34	1	3	5	8	13	18	30
TOTAL										
0-19 YRS	102	4.2	24	1	2	3	4	9	12	28
20-34	186	4.2	12	1	2	4	5	8	9	19
35-49	826	4.1	8	1	2	3	5	7	9	16
50-64	1089	4.4	11	1	2	4	5	8	10	19
65+	1296	5.1	17	2	3	4	6	10	13	23
GRAND TOTAL	**3499**	**4.6**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	14	4.4	9	2	3	3	5	7	12	14
50-64	20	5.1	7	3	3	5	7	11	52	99+
65+	55	5.9	14	2	4	5	7	10	12	22
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	7	2.4	4	<1	1	2	4	6	6	6
65+	2	11.0	98	4	4	11	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	7.0	20	3	3	6	8	14	15	15
20-34	20	4.7	6	1	3	4	6	8	9	10
35-49	156	5.7	14	2	3	5	7	11	14	18
50-64	492	6.0	17	2	3	5	7	11	13	18
65+	1703	7.1	22	3	4	6	9	12	16	26
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	4	10.3	18	6	7	9	13	16	16	16
35-49	39	9.9	77	2	4	7	14	21	24	47
50-64	141	8.4	69	1	2	7	11	17	25	44
65+	275	12.4	114	2	6	10	15	26	33	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	5.5	12	2	3	5	7	10	12	69
B. Operated	14	3.2	20	<1	1	2	4	7	16	18
2. MULTIPLE DX										
A. Not Operated	2377	6.7	20	3	4	6	8	12	15	24
B. Operated	461	10.9	99	2	5	8	13	23	30	47
1. SINGLE DX	103	5.2	13	2	3	4	7	10	13	58
2. MULTIPLE DX	2838	7.4	36	3	4	6	9	13	18	32
A. Not Operated	2466	6.7	20	3	4	6	8	12	15	24
B. Operated	475	10.7	98	2	4	8	13	23	30	47
TOTAL										
0-19 YRS	8	6.1	18	2	3	6	7	13	15	15
20-34	24	5.6	12	2	3	5	7	10	12	16
35-49	214	6.2	28	2	3	5	8	13	17	24
50-64	660	6.4	29	2	3	5	8	12	14	28
65+	2035	7.8	37	3	4	6	9	14	18	33
GRAND TOTAL	**2941**	**7.3**	**35**	**2**	**4**	**6**	**9**	**13**	**18**	**32**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	4	2.8	4	1	1	3	4	5	5	5
35-49	4	2.3		2	2	2	3	3	3	3
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	3	14.0	244	4	4	6	25	32	32	32
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	9	4.2	28	1	2	3	4	12	18	18
35-49	25	4.9	11	1	3	4	6	11	11	12
50-64	11	3.3	8	1	1	3	3	8	10	10
65 +	9	6.0	41	1	2	3	8	17	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	6.0	48	1	3	4	7	10	23	35
20-34	34	4.3	17	1	2	3	6	7	16	19
35-49	64	5.5	13	1	2	5	8	11	13	14
50-64	61	6.2	34	1	3	5	7	12	16	37
65 +	140	8.2	51	3	4	6	9	15	22	39
B. Operated										
0-19 YRS	19	7.9	34	2	3	7	11	17	20	22
20-34	67	9.2	42	2	5	8	12	19	21	34
35-49	149	8.3	56	1	3	7	11	16	22	34
50-64	155	10.1	78	1	3	8	15	22	25	44
65 +	192	11.3	139	2	4	9	14	23	28	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	4.4	49	1	2	3	4	6	22	32
B. Operated	56	4.6	17	1	2	3	6	11	13	19
2. MULTIPLE DX										
A. Not Operated	334	6.7	38	1	3	5	8	13	17	35
B. Operated	582	9.9	88	2	3	8	13	20	24	50
1. SINGLE DX	74	4.5	24	1	2	3	5	10	14	29
2. MULTIPLE DX	916	8.7	72	2	3	7	11	18	24	44
A. Not Operated	352	6.6	39	1	3	5	8	13	17	35
B. Operated	638	9.4	84	1	3	7	13	20	24	50
TOTAL										
0-19 YRS	60	6.3	40	1	2	4	8	12	19	34
20-34	114	7.1	38	1	3	5	9	17	20	27
35-49	242	7.1	41	1	3	6	10	14	19	28
50-64	230	8.6	67	1	3	7	12	20	24	40
65 +	344	9.9	103	2	4	7	12	20	27	51
GRAND TOTAL	**990**	**8.4**	**70**	**1**	**3**	**6**	**11**	**17**	**23**	**43**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	0									
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	4.0	4	2	2	4	5	6	6	6
65 +	5	9.4	4	7	8	10	11	12	12	12
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	13	3.6	14	1	2	2	4	10	13	14
65 +	3	5.7	22	2	2	4	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.2	10	1	2	3	6	9	11	11
20-34	4	6.5	4	4	5	6	8	9	9	9
35-49	42	6.1	11	2	4	6	8	11	12	13
50-64	55	6.8	20	2	3	6	10	12	16	21
65 +	128	9.6	47	3	5	8	12	21	23	32
B. Operated										
0-19 YRS	9	7.8	20	3	5	6	10	15	15	15
20-34	9	12.2	162	2	4	8	15	35	39	39
35-49	33	8.4	39	2	4	7	13	17	21	24
50-64	89	9.9	88	2	3	7	14	21	29	51
65 +	115	13.8	121	2	5	13	18	26	34	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	6.0	13	2	3	6	9	11	12	12
B. Operated	22	3.4	12	1	1	2	3	10	12	14
2. MULTIPLE DX										
A. Not Operated	241	8.0	35	2	4	7	10	16	21	30
B. Operated	255	11.5	101	2	4	9	15	23	31	50
1. SINGLE DX	34	4.3	14	1	2	3	7	10	12	14
2. MULTIPLE DX	496	9.8	72	2	4	8	13	20	26	42
A. Not Operated	253	7.9	34	2	4	7	10	15	21	30
B. Operated	277	10.8	98	2	3	9	15	23	30	49
TOTAL										
0-19 YRS	24	5.4	17	1	2	5	7	11	15	15
20-34	15	9.3	110	2	3	7	10	28	36	39
35-49	80	6.8	24	2	3	6	9	14	16	23
50-64	160	8.2	61	1	3	6	11	16	22	38
65 +	251	11.5	84	3	5	9	15	22	29	47
GRAND TOTAL	**530**	**9.4**	**70**	**2**	**4**	**7**	**13**	**20**	**25**	**41**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	13	4.6	3	2	4	5	6	7	7	7
35-49	163	5.8	7	2	4	6	7	9	10	12
50-64	341	5.9	7	2	4	6	7	9	10	11
65 +	337	7.9	16	4	6	7	9	12	15	22
B. Operated										
0-19 YRS	0									
20-34	10	6.5	3	4	5	7	8	9	9	9
35-49	173	6.1	7	3	4	6	8	10	11	13
50-64	266	7.0	14	4	5	7	8	11	13	18
65 +	125	7.3	13	3	6	7	9	12	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	52	6.8	29	2	4	6	8	11	12	37
35-49	747	6.7	9	3	5	7	8	10	11	15
50-64	2340	7.7	14	4	6	7	9	12	14	20
65 +	7011	9.1	24	5	6	8	11	14	17	27
B. Operated										
0-19 YRS	0									
20-34	89	8.7	43	4	[illegible]	7	9	15	19	43
35-49	1140	8.3	27	4	6	7	10	13	16	30
50-64	2812	9.9	50	4	6	9	12	16	20	38
65 +	3139	12.8	81	6	8	10	15	23	29	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	854	6.7	12	2	5	7	8	10	12	18
B. Operated	574	6.8	12	3	5	7	8	11	12	19
2. MULTIPLE DX										
A. Not Operated	10151	8.6	21	4	6	8	10	13	16	26
B. Operated	7180	10.9	63	5	7	9	13	19	24	47
1. SINGLE DX	1428	6.7	12	3	5	7	8	10	12	18
2. MULTIPLE DX	17331	9.5	40	4	6	8	11	15	20	34
A. Not Operated	11005	8.4	21	4	6	8	10	13	16	25
B. Operated	7754	10.6	60	5	7	9	12	18	23	44
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	164	7.6	34	3	5	7	9	12	16	36
35-49	2223	7.4	19	3	5	7	9	11	14	22
50-64	5759	8.6	33	4	6	8	10	14	17	30
65 +	10612	10.1	44	5	7	9	12	17	21	35
GRAND TOTAL	**18759**	**9.3**	**38**	**4**	**6**	**8**	**11**	**15**	**20**	**33**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	29	2.3	2	1	1	[illegible]	3	4	5	7
35-49	217	2.2	2	1	1	2	3	4	5	8
50-64	281	2.4	2	1	2	2	3	4	5	9
65 +	237	3.2	13	1	2	2	4	5	8	11
B. Operated										
0-19 YRS	0									
20-34	2	7.5	41	3	3	7	12	12	12	12
35-49	59	3.3	5	1	2	3	5	7	7	12
50-64	114	2.8	8	1	1	2	3	6	8	15
65 +	66	2.9	8	1	1	2	3	6	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	131	2.9	2	1	2	3	3	5	6	8
35-49	1114	3.1	4	1	2	3	4	5	7	10
50-64	2380	3.4	5	1	2	3	4	6	7	12
65 +	4842	4.1	9	2	2	3	5	7	9	15
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	36	4.7	12	1	2	4	7	9	12	14
35-49	503	3.8	10	1	1	3	5	8	9	14
50-64	1500	4.3	19	1	1	3	6	9	11	19
65 +	1462	5.5	32	1	2	4	8	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	764	2.6	6	1	1	2	3	4	[illegible]	9
B. Operated	241	3.0	7	1	1	2	4	7	8	14
2. MULTIPLE DX										
A. Not Operated	8471	3.7	7	1	2	3	5	7	8	14
B. Operated	3502	4.7	23	1	1	3	7	10	13	22
1. SINGLE DX	1005	2.7	6	1	1	2	3	5	7	10
2. MULTIPLE DX	11973	4.0	12	1	2	3	5	8	10	17
A. Not Operated	9235	3.6	7	1	2	3	4	6	8	13
B. Operated	3743	4.6	23	1	1	3	6	10	13	21
TOTAL										
0-19 YRS	5	3.8	2	2	3	4	5	6	6	6
20-34	198	3.2	5	1	2	3	4	6	7	13
35-49	1893	3.2	6	1	2	3	4	6	8	12
50-64	4275	3.6	10	1	2	3	4	7	9	15
65 +	6607	4.3	15	1	2	3	5	8	11	18
GRAND TOTAL	**12978**	**3.9**	**12**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	30	2.7	2	1	2	2	3	4	5	8
35-49	295	2.8	3	1	2	2	3	5	6	9
50-64	495	2.9	4	1	2	2	4	5	7	9
65 +	624	3.6	7	1	2	3	4	7	8	13
B. Operated										
0-19 YRS	0									
20-34	4	4.5	7	2	2	4	6	8	8	8
35-49	77	3.7	17	1	2	3	4	6	8	28
50-64	179	4.6	9	2	3	4	6	8	10	18
65 +	155	5.1	15	1	2	4	7	10	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	126	3.3	3	2	2	3	4	6	6	11
35-49	1783	3.5	6	1	2	3	4	6	7	12
50-64	5023	3.9	6	2	2	3	5	7	8	12
65 +	11565	4.8	11	2	3	4	6	8	11	17
B. Operated										
0-19 YRS	0									
20-34	39	5.4	19	2	2	4	7	11	15	21
35-49	1214	6.0	21	2	3	5	8	11	15	22
50-64	3943	7.1	37	2	3	6	9	14	17	30
65 +	4972	8.8	55	2	4	7	11	17	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1444	3.2	5	1	2	3	4	6	7	11
B. Operated	415	4.6	13	1	2	4	6	9	11	18
2. MULTIPLE DX										
A. Not Operated	18497	4.4	9	2	3	4	5	8	10	16
B. Operated	10168	7.8	45	2	3	6	10	15	19	34
1. SINGLE DX	1859	3.5	7	1	2	3	4	7	8	14
2. MULTIPLE DX	28665	5.6	25	2	3	4	7	11	14	24
A. Not Operated	19941	4.3	9	2	2	4	5	8	10	15
B. Operated	10583	7.7	44	2	3	6	10	15	19	33
TOTAL										
0-19 YRS	0									
20-34	199	3.7	7	2	2	3	4	7	8	15
35-49	3369	4.4	13	1	2	3	5	8	11	18
50-64	9640	5.2	21	2	3	4	6	10	13	22
65 +	17316	5.9	27	2	3	4	7	11	15	25
GRAND TOTAL	**30524**	**5.5**	**24**	**2**	**3**	**4**	**7**	**11**	**14**	**24**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	17	1.9	2	1	1	1	2	4	5	5
50-64	32	3.3	9	1	2	3	4	6	12	14
65 +	40	5.0	49	1	1	3	5	11	23	34
B. Operated										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	12	2.3	2	< 1	1	2	3	5	6	6
35-49	393	2.8	7	1	1	2	3	7	9	11
50-64	1083	2.9	8	1	1	2	3	8	9	12
65 +	651	3.5	16	1	1	2	4	9	12	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	9	4.4	8	1	3	4	5	9	11	11
35-49	154	3.5	6	1	2	3	4	6	8	14
50-64	411	3.9	11	1	2	3	5	7	10	17
65 +	640	4.7	13	1	2	4	6	9	12	17
B. Operated										
0-19 YRS	6	4.8	27	< 1	1	3	5	14	15	15
20-34	65	4.3	12	1	1	3	7	10	11	13
35-49	1853	5.3	28	1	2	4	8	11	13	23
50-64	6589	6.2	37	1	2	5	9	13	16	27
65 +	6827	8.1	68	1	2	7	11	16	22	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	3.8	26	1	1	2	4	9	12	30
B. Operated	2141	3.1	11	1	1	2	3	8	9	15
2. MULTIPLE DX										
A. Not Operated	1216	4.3	11	1	2	3	5	8	11	17
B. Operated	15340	6.9	51	1	2	6	10	14	18	33
1. SINGLE DX	2232	3.1	11	1	1	2	3	8	10	15
2. MULTIPLE DX	16556	6.7	48	1	2	5	9	14	18	32
A. Not Operated	1307	4.3	12	1	2	3	5	8	11	18
B. Operated	17481	6.5	47	1	2	4	9	14	17	32
TOTAL										
0-19 YRS	10	4.4	19	< 1	1	3	5	11	15	15
20-34	88	4.0	11	1	1	3	6	9	11	13
35-49	2417	4.7	24	1	1	3	7	10	12	20
50-64	8115	5.6	33	1	2	4	8	12	15	26
65 +	8158	7.5	61	1	2	6	10	15	21	38
GRAND TOTAL	**18788**	**6.3**	**45**	**1**	**2**	**4**	**9**	**13**	**17**	**31**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	9.3	4	8	8	9	10	12	12	12
20-34	28	7.0	9	3	5	7	9	11	12	14
35-49	34	7.0	10	4	5	6	8	10	13	19
50-64	30	7.3	8	3	5	7	9	11	11	13
65 +	31	8.5	12	4	6	8	10	12	13	20
B. Operated										
0-19 YRS	0									
20-34	4	6.3	2	5	5	6	7	8	8	8
35-49	12	7.7	19	1	4	8	10	13	16	16
50-64	7	11.1	53	6	7	9	11	24	27	27
65 +	4	8.0	25	4	4	6	11	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	8.7	11	5	6	8	11	13	14	14
20-34	93	8.9	11	6	7	9	10	13	14	20
35-49	183	8.9	11	5	7	9	11	12	15	19
50-64	371	9.5	17	6	7	9	11	14	16	24
65 +	996	10.6	21	6	8	10	12	16	19	25
B. Operated										
0-19 YRS	9	12.7	80	5	6	8	17	28	30	30
20-34	47	10.3	23	4	7	9	13	19	20	20
35-49	97	11.2	45	6	8	10	12	16	23	42
50-64	186	12.3	62	6	8	10	14	22	26	48
65 +	310	14.4	81	7	9	12	17	24	29	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	7.5	10	4	5	7	9	11	13	19
B. Operated	27	8.4	26	3	5	8	10	14	18	27
2. MULTIPLE DX										
A. Not Operated	1663	10.0	19	6	7	9	12	15	18	24
B. Operated	649	13.0	68	7	8	11	15	23	27	48
1. SINGLE DX	154	7.6	13	4	5	7	9	11	13	20
2. MULTIPLE DX	2312	10.9	34	6	8	10	12	17	21	32
A. Not Operated	1790	9.9	19	6	7	9	12	15	18	24
B. Operated	676	12.8	67	6	8	11	15	22	27	47
TOTAL										
0-19 YRS	33	9.8	30	5	6	8	12	14	23	30
20-34	172	8.9	15	5	7	8	11	14	17	20
35-49	326	9.4	23	5	7	9	11	13	16	32
50-64	594	10.3	33	6	7	9	12	16	20	35
65 +	1341	11.4	38	6	8	10	13	18	22	32
GRAND TOTAL	**2466**	**10.7**	**34**	**6**	**7**	**9**	**12**	**16**	**21**	**31**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	13.7	26	8	10	15	17	18	18	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	25.2	246	3	8	29	41	43	44	44
20-34	44	17.7	147	4	7	15	27	32	44	45
35-49	43	15.4	117	5	7	12	22	29	35	46
50-64	27	16.4	112	2	8	14	26	31	33	40
65 +	85	20.0	158	7	12	18	27	40	47	59
B. Operated										
0-19 YRS	8	21.3	61	11	16	19	26	33	35	35
20-34	42	26.6	218	9	14	25	41	49	55	99 +
35-49	37	31.4	221	10	22	30	45	51	58	99 +
50-64	44	28.4	331	8	15	23	38	54	64	80
65 +	75	27.1	176	11	18	27	37	51	62	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	13.7	26	8	10	15	17	18	18	18
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	218	18.6	154	5	9	16	28	39	44	53
B. Operated	206	27.8	222	10	16	27	40	51	60	99 +
1. SINGLE DX	3	13.7	26	8	10	15	17	18	18	18
2. MULTIPLE DX	424	23.1	208	7	12	20	31	45	51	99 +
A. Not Operated	221	18.6	152	5	9	16	28	39	43	52
B. Operated	206	27.8	222	10	16	27	40	51	60	99 +
TOTAL										
0-19 YRS	27	24.0	190	4	13	26	37	43	43	44
20-34	86	22.1	199	5	10	21	30	44	49	85
35-49	83	22.5	223	6	9	20	31	46	51	86
50-64	71	23.8	279	6	14	20	31	49	60	78
65 +	160	23.3	178	8	14	20	31	44	54	99 +
GRAND TOTAL	**427**	**23.0**	**207**	**7**	**12**	**20**	**31**	**44**	**51**	**99 +**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	5.2	50	1	1	2	6	18	21	22
20-34	19	1.8	1	<1	1	2	2	4	4	4
35-49	29	1.7	1	<1	1	1	2	3	4	5
50-64	45	2.2	2	1	1	2	3	5	5	6
65+	24	2.3	2	1	1	2	3	3	5	7
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	3.0	5	1	1	2	4	7	7	8
20-34	45	2.0	1	1	1	2	2	3	4	6
35-49	134	3.0	9	1	1	2	3	5	8	17
50-64	237	3.4	7	1	2	3	4	7	8	12
65+	556	4.4	11	2	2	4	6	8	11	17
B. Operated										
0-19 YRS	7	8.4	178	<1	1	2	8	32	38	38
20-34	13	3.4	6	1	2	2	5	7	8	8
35-49	24	5.3	50	1	2	3	5	9	27	28
50-64	32	6.6	51	2	3	5	7	11	27	34
65+	67	7.9	45	1	3	6	11	20	23	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	2.3	7	1	1	2	2	4	5	18
B. Operated	9	1.7	1	<1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	1010	3.8	10	1	2	3	5	7	9	17
B. Operated	143	6.7	50	1	2	4	8	16	24	34
1. SINGLE DX	138	2.3	6	1	1	2	2	4	5	18
2. MULTIPLE DX	1153	4.2	15	1	2	3	5	8	11	22
A. Not Operated	1139	3.6	9	1	2	3	5	7	9	17
B. Operated	152	6.4	49	1	2	4	8	15	24	34
TOTAL										
0-19 YRS	59	4.0	35	1	1	2	5	8	13	37
20-34	79	2.1	2	1	1	2	3	4	5	8
35-49	190	3.0	13	1	1	2	3	5	8	23
50-64	315	3.5	11	1	2	3	4	7	8	16
65+	648	4.7	15	1	2	4	6	9	12	22
GRAND TOTAL	**1291**	**4.0**	**15**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.4	2	1	1	2	3	5	5	5
20-34	89	1.7	1	1	1	1	2	3	4	6
35-49	146	1.9	2	1	1	2	2	4	4	8
50-64	223	2.2	2	<1	1	2	3	4	5	8
65+	255	2.8	6	1	1	2	3	6	6	15
B. Operated										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	3.8	9	1	1	3	6	8	9	9
65+	12	2.3	3	<1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	3.1	7	1	1	3	4	6	8	13
20-34	144	2.6	3	1	1	2	3	4	6	10
35-49	449	3.3	6	1	1	3	4	7	8	11
50-64	1589	4.0	10	1	2	3	5	8	10	15
65+	5248	5.2	16	2	3	4	7	10	12	20
B. Operated										
0-19 YRS	9	10.8	256	1	3	5	10	38	51	51
20-34	8	4.6	22	1	1	3	7	12	14	14
35-49	39	6.9	30	3	3	5	8	16	21	25
50-64	196	7.8	77	2	3	6	9	14	19	43
65+	631	10.4	79	3	5	8	13	20	26	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	727	2.3	4	1	1	2	3	4	6	10
B. Operated	27	3.0	5	1	1	2	4	7	8	9
2. MULTIPLE DX										
A. Not Operated	7469	4.7	14	1	2	4	6	9	12	18
B. Operated	883	9.6	79	2	4	7	12	19	24	45
1. SINGLE DX	754	2.3	4	1	1	2	3	4	6	10
2. MULTIPLE DX	8352	5.3	23	1	2	4	7	10	13	23
A. Not Operated	8196	4.5	14	1	2	4	6	9	11	18
B. Operated	910	9.4	78	2	4	7	11	19	24	44
TOTAL										
0-19 YRS	65	4.1	44	1	1	3	5	7	10	46
20-34	244	2.3	3	1	1	2	3	4	6	10
35-49	635	3.2	8	1	1	2	4	6	8	12
50-64	2016	4.1	18	1	2	3	5	8	11	18
65+	6146	5.6	25	2	3	4	7	11	14	24
GRAND TOTAL	**9106**	**5.0**	**22**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	2.4	4	1	1	2	3	5	6	10
20-34	85	2.3	4	1	1	2	3	4	7	10
35-49	154	3.1	57	1	1	2	3	4	6	20
50-64	205	2.5	2	1	1	2	3	5	5	8
65 +	191	3.8	16	1	2	3	4	7	10	23
B. Operated										
0-19 YRS	61	3.5	7	1	2	2	5	8	9	12
20-34	49	3.8	5	1	2	3	6	7	7	9
35-49	46	3.4	7	1	1	3	5	8	9	10
50-64	78	3.9	13	1	2	3	5	8	11	19
65 +	182	4.0	13	1	2	3	5	9	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	230	4.4	49	1	2	3	5	8	13	24
20-34	324	3.0	11	1	1	2	4	5	7	9
35-49	803	3.2	5	1	2	3	4	6	7	12
50-64	1864	4.1	11	1	2	3	5	8	10	16
65 +	5740	5.3	17	2	3	4	7	9	12	20
B. Operated										
0-19 YRS	160	6.2	54	1	2	4	8	13	19	52
20-34	111	7.0	36	2	3	6	9	13	23	59
35-49	240	6.7	41	1	2	5	9	14	19	30
50-64	825	8.0	65	1	3	5	10	17	24	43
65 +	3350	8.2	45	2	4	6	10	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	720	2.9	18	1	1	2	3	5	7	13
B. Operated	416	3.8	10	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	8961	4.7	16	2	2	4	6	9	11	19
B. Operated	4686	7.9	49	2	4	6	10	16	21	35
1. SINGLE DX	1136	3.3	15	1	1	2	4	6	8	16
2. MULTIPLE DX	13647	5.8	30	2	3	4	7	11	15	28
A. Not Operated	9681	4.6	16	1	2	4	6	8	11	19
B. Operated	5102	7.6	47	2	3	6	10	15	20	34
TOTAL										
0-19 YRS	536	4.5	40	1	2	3	5	9	13	33
20-34	569	3.7	17	1	2	3	5	7	9	24
35-49	1243	3.9	20	1	2	3	5	7	10	21
50-64	2972	5.1	29	1	2	3	6	10	14	29
65 +	9463	6.2	29	2	3	5	8	12	16	28
GRAND TOTAL	**14783**	**5.6**	**29**	**2**	**2**	**4**	**7**	**11**	**15**	**28**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	4	4.8	7	< 1	2	5	6	7	7	7
35-49	20	4.5	10	2	2	4	5	9	12	14
50-64	95	6.3	28	2	3	5	8	11	15	33
65 +	479	6.8	38	2	3	5	8	13	17	36
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	4	8.5	99	1	1	6	16	22	22	22
65 +	19	11.8	90	1	4	11	16	26	32	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	189	5.3	19	2	3	4	6	10	14	26
20-34	154	5.6	16	2	3	5	7	10	14	21
35-49	909	6.1	17	2	3	5	7	10	14	22
50-64	4941	6.6	21	3	4	6	8	12	15	24
65 +	23873	7.5	28	3	4	6	9	13	17	27
B. Operated										
0-19 YRS	51	16.2	233	4	6	12	26	48	95	99 +
20-34	56	9.0	67	3	4	6	11	20	29	96
35-49	233	10.0	65	3	6	8	12	17	24	47
50-64	994	12.2	113	3	6	9	15	23	33	68
65 +	3067	14.1	120	5	7	11	18	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	602	6.6	35	2	3	5	8	12	16	34
B. Operated	25	10.8	84	1	3	8	15	23	30	36
2. MULTIPLE DX										
A. Not Operated	30066	7.3	26	3	4	6	9	13	17	26
B. Operated	4401	13.4	117	4	7	10	17	26	35	62
1. SINGLE DX	627	6.7	38	2	3	5	8	13	18	36
2. MULTIPLE DX	34467	8.0	42	3	4	6	10	15	20	34
A. Not Operated	30668	7.2	27	3	4	6	9	13	17	27
B. Operated	4426	13.4	117	4	7	10	17	26	35	62
TOTAL										
0-19 YRS	244	7.5	83	2	3	5	8	16	29	99 +
20-34	214	6.5	31	2	3	5	7	13	19	35
35-49	1164	6.8	29	2	4	6	8	12	16	26
50-64	6034	7.6	41	3	4	6	9	14	18	34
65 +	27438	8.2	43	3	4	7	10	15	20	34
GRAND TOTAL	**35094**	**8.0**	**42**	**3**	**4**	**6**	**10**	**15**	**20**	**34**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.7	2	1	2	2	4	5	5	5
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	5	2.8	1	2	2	3	3	4	4	4
50-64	15	3.2	8	< 1	1	2	4	6	10	12
65 +	10	10.9	66	2	4	10	13	24	27	27
B. Operated										
0-19 YRS	13	2.1	2	< 1	1	1	3	4	6	6
20-34	4	1.3		< 1	< 1	1	2	2	2	2
35-49	27	2.0	4	1	1	1	2	4	8	9
50-64	25	2.4	11	1	1	1	2	4	9	17
65 +	8	4.3	53	1	1	1	3	17	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	4.5	12	1	2	3	6	10	12	14
20-34	51	4.7	15	1	2	4	6	9	12	23
35-49	199	5.9	18	2	3	5	7	11	13	18
50-64	333	7.4	35	2	4	6	9	14	19	33
65 +	781	8.0	42	3	4	6	10	15	18	32
B. Operated										
0-19 YRS	39	10.8	188	1	1	7	13	30	44	57
20-34	38	10.2	103	2	4	9	12	21	25	59
35-49	147	8.5	162	1	2	5	10	18	31	96
50-64	277	8.1	90	1	2	5	10	19	28	73
65 +	249	9.2	95	1	3	7	12	20	29	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	5.0	31	1	2	3	5	12	17	27
B. Operated	77	2.3	11	1	1	1	2	4	8	21
2. MULTIPLE DX										
A. Not Operated	1410	7.3	36	2	4	6	9	14	17	32
B. Operated	750	8.8	112	1	2	6	11	20	30	68
1. SINGLE DX	117	3.2	19	1	1	2	4	7	12	24
2. MULTIPLE DX	2160	7.9	63	2	3	6	10	16	21	41
A. Not Operated	1450	7.3	36	2	4	6	9	14	17	32
B. Operated	827	8.2	106	1	2	5	10	19	28	61
TOTAL										
0-19 YRS	105	6.4	86	1	2	3	7	14	27	54
20-34	96	6.7	57	1	2	5	9	13	21	45
35-49	378	6.6	76	1	2	5	8	12	18	62
50-64	650	7.4	59	1	3	5	9	17	22	40
65 +	1048	8.3	55	2	4	6	10	16	21	38
GRAND TOTAL	**2277**	**7.6**	**61**	**1**	**3**	**6**	**9**	**15**	**21**	**40**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	4.6	23	2	2	3	5	12	15	23
20-34	86	2.5	2	1	2	2	3	4	5	7
35-49	99	2.3	2	1	1	2	3	4	5	7
50-64	50	2.8	4	1	2	2	3	6	7	10
65 +	29	4.0	16	2	2	3	4	6	11	23
B. Operated										
0-19 YRS	57	3.1	10	1	1	1	6	9	10	13
20-34	19	4.9	20	1	1	3	9	11	13	15
35-49	33	4.5	14	1	1	2	7	9	10	15
50-64	71	3.9	19	1	1	1	7	10	11	21
65 +	58	4.9	30	1	1	2	8	11	14	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	107	4.2	10	1	2	3	6	9	10	15
20-34	176	3.9	10	1	2	3	5	7	11	17
35-49	333	4.1	8	1	2	3	5	8	10	15
50-64	459	4.9	16	2	2	4	6	9	11	19
65 +	801	6.1	16	2	3	5	8	11	14	20
B. Operated										
0-19 YRS	167	6.8	49	1	2	5	10	17	20	33
20-34	89	9.4	96	2	2	7	11	21	29	50
35-49	229	9.3	74	1	3	8	12	20	30	47
50-64	643	10.0	105	1	4	9	12	17	24	62
65 +	1059	12.6	132	1	6	10	16	24	34	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	289	2.8	6	1	2	2	3	5	6	12
B. Operated	238	4.1	19	1	1	2	7	10	11	16
2. MULTIPLE DX										
A. Not Operated	1876	5.2	14	2	3	4	7	10	12	19
B. Operated	2187	10.9	113	1	4	9	14	22	29	65
1. SINGLE DX	527	3.4	12	1	1	2	4	8	10	15
2. MULTIPLE DX	4063	8.3	76	1	3	6	10	17	22	46
A. Not Operated	2165	4.8	14	2	2	4	6	9	12	19
B. Operated	2425	10.2	108	1	3	9	13	21	28	62
TOTAL										
0-19 YRS	356	5.3	31	1	1	3	7	13	17	27
20-34	370	4.9	36	1	2	3	6	10	15	32
35-49	694	5.6	37	1	2	4	7	11	17	35
50-64	1223	7.4	70	1	2	6	10	14	19	37
65 +	1947	9.6	90	2	4	7	12	20	25	57
GRAND TOTAL	**4590**	**7.7**	**71**	**1**	**2**	**5**	**10**	**16**	**22**	**43**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	7	2.4	6	< 1	1	1	4	7	7	7
65 +	4	11.8	188	1	2	7	21	31	31	31
B. Operated										
0-19 YRS	2	13.5	41	9	9	13	18	18	18	18
20-34	26	10.0	34	3	4	10	15	17	18	22
35-49	30	11.5	60	2	6	9	16	24	28	28
50-64	14	10.9	27	5	8	9	15	18	20	20
65 +	2	19.0	2	18	18	19	20	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.7	16	2	3	5	9	10	10	10
20-34	3	5.3	33	2	2	2	10	12	12	12
35-49	7	15.1	274	< 1	2	10	29	41	42	42
50-64	17	10.8	108	1	2	6	20	27	28	29
65 +	39	12.9	106	3	5	9	19	27	34	42
B. Operated										
0-19 YRS	7	19.3	59	11	14	21	27	80	99 +	99 +
20-34	40	14.8	120	5	9	11	18	30	47	99 +
35-49	69	20.1	248	5	11	16	26	40	51	87
50-64	103	23.2	293	8	13	18	32	59	76	99 +
65 +	56	22.4	242	6	12	21	27	46	59	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.9	58	1	1	2	5	11	25	31
B. Operated	74	11.1	43	3	8	9	16	20	24	28
2. MULTIPLE DX										
A. Not Operated	69	12.0	116	1	4	9	18	27	35	42
B. Operated	275	20.9	245	7	11	17	27	47	63	99 +
1. SINGLE DX	90	10.0	51	1	4	9	15	19	24	30
2. MULTIPLE DX	344	19.1	232	4	9	16	26	42	60	99 +
A. Not Operated	85	10.6	112	1	2	6	17	27	32	42
B. Operated	349	18.8	218	5	9	16	24	40	60	99 +
TOTAL										
0-19 YRS	12	14.9	74	4	10	16	21	46	90	99 +
20-34	71	12.4	89	3	7	11	16	23	30	92
35-49	109	16.9	208	3	8	13	22	36	47	73
50-64	141	19.4	269	2	9	16	26	50	68	99 +
65 +	101	18.2	201	3	7	17	25	38	49	90
GRAND TOTAL	**434**	**17.2**	**208**	**3**	**8**	**14**	**23**	**37**	**54**	**99 +**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	7.5	13	5	5	7	10	10	10	10
65 +	5	15.8	96	9	9	11	21	32	32	32
B. Operated										
0-19 YRS	0									
20-34	10	28.8	384	4	9	29	48	54	57	57
35-49	10	40.0	216	27	29	36	49	61	73	73
50-64	12	43.3	389	13	32	52	64	75	95	99 +
65 +	7	24.0	341	9	13	16	50	86	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	8	13.6	71	6	9	10	16	28	32	32
B. Operated	39	35.3	369	11	18	35	52	67	85	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	47	31.6	383	9	14	31	50	65	74	99 +
A. Not Operated	8	13.6	71	6	9	10	16	28	32	32
B. Operated	39	35.3	369	11	18	35	52	67	85	99 +
TOTAL										
0-19 YRS	0									
20-34	10	28.8	384	4	9	29	48	54	57	57
35-49	11	37.7	251	22	28	31	48	59	72	73
50-64	14	38.1	499	10	16	42	62	69	92	99 +
65 +	12	20.6	239	9	11	15	36	63	93	99 +
GRAND TOTAL	**47**	**31.6**	**383**	**9**	**14**	**31**	**50**	**65**	**74**	**99 +**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	3	2	2	3	5	6	6	6
20-34	2	9.5	25	6	6	9	13	13	13	13
35-49	4	3.3	4	2	2	3	4	6	6	6
50-64	6	4.8	23	1	2	3	6	13	14	14
65 +	33	8.3	43	3	5	6	9	17	25	29
B. Operated										
0-19 YRS	10	6.1	26	1	2	4	10	14	15	15
20-34	10	9.3	38	1	4	9	15	17	18	18
35-49	13	9.4	74	2	4	7	12	19	31	34
50-64	15	5.7	15	1	3	5	7	9	15	17
65 +	37	8.9	71	3	5	7	10	15	18	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	7.4	24	<1	3	8	11	15	15	15
20-34	9	5.0	27	1	2	3	5	14	18	18
35-49	33	12.3	116	2	6	8	17	26	37	48
50-64	124	11.9	126	3	5	8	15	25	39	54
65 +	515	11.5	56	4	7	10	15	21	25	37
B. Operated										
0-19 YRS	29	18.5	351	3	6	10	25	46	56	78
20-34	21	17.4	165	5	8	13	25	35	44	53
35-49	62	18.2	313	4	7	13	22	54	69	99 +
50-64	133	18.2	220	5	7	14	22	46	55	99 +
65 +	319	18.2	213	6	9	14	22	40	51	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	7.1	36	2	3	5	8	16	18	29
B. Operated	85	8.1	53	2	4	7	10	15	17	46
2. MULTIPLE DX										
A. Not Operated	697	11.4	71	3	6	9	15	21	27	47
B. Operated	564	18.2	229	6	8	14	22	44	54	99 +
1. SINGLE DX	134	7.7	46	2	4	6	10	15	18	37
2. MULTIPLE DX	1261	14.4	153	4	7	11	18	28	45	75
A. Not Operated	746	11.1	70	3	6	9	15	21	26	46
B. Operated	649	16.9	217	5	7	12	21	40	53	99
TOTAL										
0-19 YRS	59	12.4	218	2	3	8	15	33	46	76
20-34	42	12.4	122	3	4	9	15	27	35	53
35-49	112	14.9	230	3	6	10	18	38	58	99 +
50-64	278	14.4	178	3	6	9	19	38	48	67
65 +	904	13.6	123	4	7	11	17	25	36	62
GRAND TOTAL	**1395**	**13.8**	**147**	**4**	**6**	**10**	**17**	**27**	**41**	**71**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	4	13.5	216	1	3	9	24	34	34	34
35-49	15	18.8	484	7	8	12	15	67	74	77
50-64	52	14.5	146	3	7	10	18	29	48	53
65 +	201	13.6	101	4	7	11	16	23	30	55
B. Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	3	27.3	66	18	21	31	32	33	33	33
35-49	26	24.3	350	9	12	19	32	77	99 +	99 +
50-64	42	24.8	264	10	14	23	32	47	65	99 +
65 +	83	20.4	146	9	12	17	27	44	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	274	14.0	131	4	7	11	17	25	35	66
B. Operated	155	22.4	211	9	12	18	31	47	76	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	429	17.0	176	5	9	14	21	35	49	99 +
A. Not Operated	274	14.0	131	4	7	11	17	25	35	66
B. Operated	155	22.4	211	9	12	18	31	47	76	99 +
TOTAL										
0-19 YRS	3	8.0	76	2	2	4	14	18	18	18
20-34	7	19.4	185	2	7	18	32	34	34	34
35-49	41	22.3	395	8	10	16	30	76	85	99 +
50-64	94	19.1	223	6	9	15	25	43	50	96
65 +	284	15.6	123	5	9	13	19	30	44	92
GRAND TOTAL	**429**	**17.0**	**176**	**5**	**9**	**14**	**21**	**35**	**49**	**99 +**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	4.0	18	<1	1	2	6	11	11	11
50-64	16	3.6	7	1	1	3	5	8	8	8
65 +	32	4.3	23	1	2	3	5	8	16	24
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	28	4.2	5	1	2	4	5	8	8	9
50-64	257	3.4	5	1	2	3	4	6	7	12
65 +	418	3.8	7	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	11	3.8	7	1	2	3	5	8	10	10
50-64	103	4.3	10	1	2	4	6	8	11	15
65 +	456	5.5	14	2	3	5	7	10	12	19
B. Operated										
0-19 YRS	1	59.0		59	59	59	59	59	59	59
20-34	2	14.0	98	7	7	14	21	21	21	21
35-49	108	5.8	19	2	3	5	8	10	13	27
50-64	1144	5.4	24	2	3	4	6	10	13	23
65 +	3074	6.5	31	2	4	5	8	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	4.1	17	1	1	3	5	8	11	24
B. Operated	704	3.7	6	1	2	3	5	6	8	12
2. MULTIPLE DX										
A. Not Operated	571	5.2	14	1	3	4	7	10	12	19
B. Operated	4329	6.2	30	2	3	5	7	11	15	28
1. SINGLE DX	757	3.7	7	1	2	3	5	6	8	13
2. MULTIPLE DX	4900	6.1	28	2	3	5	7	11	15	27
A. Not Operated	624	5.1	14	1	3	4	7	10	12	19
B. Operated	5033	5.9	27	2	3	4	7	11	15	26
TOTAL										
0-19 YRS	1	59.0		59	59	59	59	59	59	59
20-34	4	8.3	77	2	2	5	14	21	21	21
35-49	152	5.3	16	2	3	4	7	9	11	26
50-64	1520	5.0	20	1	3	4	6	9	12	19
65 +	3980	6.1	28	2	3	5	7	11	15	27
GRAND TOTAL	**5657**	**5.8**	**26**	**2**	**3**	**4**	**7**	**11**	**14**	**26**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	19	6.4	21	1	3	6	9	13	16	18
65 +	59	10.5	131	3	5	7	13	19	25	78
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	9	9.6	138	3	4	5	8	30	39	39
50-64	67	8.7	118	1	4	5	10	18	39	59
65 +	155	10.3	54	3	5	8	15	21	26	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	78	9.5	107	3	4	7	11	18	21	69
B. Operated	232	9.8	75	3	4	6	14	20	27	40
1. SINGLE DX	0									
2. MULTIPLE DX	310	9.7	83	3	4	7	13	19	27	40
A. Not Operated	78	9.5	107	3	4	7	11	18	21	69
B. Operated	232	9.8	75	3	4	6	14	20	27	40
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	9	9.6	138	3	4	5	8	30	39	39
50-64	86	8.2	97	1	3	5	9	16	25	55
65 +	214	10.4	75	3	5	8	14	20	27	36
GRAND TOTAL	**310**	**9.7**	**83**	**3**	**4**	**7**	**13**	**19**	**27**	**40**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	6.3	12	2	3	7	8	11	12	12
35-49	27	6.2	15	2	3	5	8	12	14	16
50-64	82	5.7	38	2	3	5	7	9	12	42
65 +	240	8.1	41	3	4	6	10	16	22	33
B. Operated										
0-19 YRS	2	12.0	32	8	8	12	16	16	16	16
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	13	5.7	21	1	2	5	9	13	14	14
50-64	19	8.8	83	1	2	5	11	24	29	34
65 +	32	12.5	121	3	4	9	15	32	39	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	33	6.2	22	2	3	6	7	11	12	27
35-49	197	7.6	31	2	4	6	9	16	19	26
50-64	1129	7.8	41	3	4	6	9	14	18	34
65 +	5461	8.8	37	3	5	7	11	16	20	32
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	15	18.0	609	2	5	8	20	39	83	98
35-49	73	13.1	203	3	5	8	13	29	44	76
50-64	268	14.3	203	4	6	10	18	30	50	98
65 +	984	16.6	164	6	8	13	21	31	41	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	357	7.4	38	2	4	6	9	14	20	33
B. Operated	68	9.9	91	2	3	8	13	23	34	42
2. MULTIPLE DX										
A. Not Operated	6822	8.6	38	3	5	7	11	16	20	32
B. Operated	1341	15.9	179	5	7	12	20	31	44	84
1. SINGLE DX	425	7.8	48	2	4	6	9	15	22	38
2. MULTIPLE DX	8163	9.8	69	3	5	8	12	19	25	44
A. Not Operated	7179	8.6	38	3	5	7	11	15	20	32
B. Operated	1409	15.6	177	5	7	12	20	31	44	82
TOTAL										
0-19 YRS	5	9.0	22	3	7	8	11	16	16	16
20-34	58	9.2	191	2	3	6	8	18	29	93
35-49	310	8.7	76	2	4	7	10	17	23	49
50-64	1498	8.8	77	3	4	7	10	16	25	53
65 +	6717	10.0	64	3	5	8	12	19	24	41
GRAND TOTAL	**8588**	**9.7**	**68**	**3**	**5**	**8**	**12**	**18**	**24**	**44**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	16	9.6	62	4	5	7	11	25	29	30
35-49	103	10.9	111	3	5	8	13	23	32	63
50-64	576	11.8	118	4	6	9	13	23	35	57
65 +	280[illegible]	[illegible]0.9	60	4	6	9	13	19	25	41
B. Operated										
0-19 YRS	3	6.0	4	4	4	6	7	8	8	8
20-34	14	18.0	501	3	8	11	17	39	79	90
35-49	47	18.0	297	5	7	15	23	34	51	95
50-64	144	20.5	259	7	9	14	27	47	61	99 +
65 +	469	19.7	183	7	11	16	25	38	51	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3497	11.1	71	4	6	9	13	20	26	49
B. Operated	677	19.7	213	7	10	15	26	41	54	93
1. SINGLE DX	0									
2. MULTIPLE DX	4174	12.5	104	4	6	10	15	24	32	59
A. Not Operated	3497	11.1	71	4	6	9	13	20	26	49
B. Operated	677	19.7	213	7	10	15	26	41	54	93
TOTAL										
0-19 YRS	4	7.3	9	4	5	7	9	11	11	11
20-34	30	13.5	276	3	6	9	14	28	33	90
35-49	150	13.1	179	4	5	9	15	27	35	65
50-64	720	13.6	158	4	6	9	15	30	42	67
65 +	3270	12.2	87	5	7	10	15	23	30	55
GRAND TOTAL	**4174**	**12.5**	**104**	**4**	**6**	**10**	**15**	**24**	**32**	**59**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	2.6	3	1	1	2	3	5	6	6
35-49	50	2.3	1	1	1	2	3	4	5	5
50-64	142	3.1	5	1	2	3	4	6	7	14
65 +	310	3.5	5	1	2	3	5	6	8	11
B. Operated										
0-19 YRS	0									
20-34	5	3.6	10	1	2	3	5	9	9	9
35-49	16	3.2	8	< 1	1	2	5	8	9	9
50-64	39	3.4	4	1	2	4	5	6	6	7
65 +	57	4.3	11	1	2	3	7	10	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.6	13	1	2	3	6	10	12	12
20-34	48	4.1	9	2	2	3	6	8	9	18
35-49	263	3.6	4	2	2	3	5	6	7	12
50-64	1148	4.2	8	2	2	4	5	7	9	14
65 +	5665	4.9	11	2	3	4	6	9	11	16
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	9	7.2	48	1	3	6	8	18	24	24
35-49	55	5.8	14	1	3	5	8	11	13	15
50-64	286	6.4	24	2	3	5	8	11	16	23
65 +	804	8.4	50	2	4	7	10	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	513	3.3	5	1	2	3	4	6	7	11
B. Operated	117	3.8	8	1	1	3	5	9	10	11
2. MULTIPLE DX										
A. Not Operated	7132	4.7	10	2	3	4	6	8	11	16
B. Operated	1155	7.8	43	2	4	6	10	15	20	37
1. SINGLE DX	630	3.4	6	1	2	3	4	6	8	11
2. MULTIPLE DX	8287	5.1	16	2	3	4	6	9	12	20
A. Not Operated	7645	4.6	10	2	3	4	6	8	10	15
B. Operated	1272	7.4	41	2	3	6	9	14	19	36
TOTAL										
0-19 YRS	10	4.6	13	1	2	3	7	10	12	12
20-34	72	4.3	14	1	2	3	6	8	9	23
35-49	384	3.7	6	1	2	3	5	7	9	13
50-64	1615	4.5	12	2	2	4	6	8	10	16
65 +	6836	5.2	17	2	3	4	6	9	12	21
GRAND TOTAL	**8917**	**5.0**	**15**	**2**	**3**	**4**	**6**	**9**	**12**	**20**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	9	6.2	13	3	4	5	9	12	13	13
50-64	38	6.0	37	2	3	4	7	11	15	36
65 +	153	6.0	20	2	3	5	8	10	14	28
B. Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	3.8	7	1	2	3	6	7	7	7
50-64	6	2.3	1	1	1	2	3	4	4	4
65 +	5	7.0	14	2	4	7	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	11	4.3	3	2	3	4	5	7	8	8
35-49	56	7.2	41	2	3	6	9	12	16	37
50-64	383	7.1	33	3	4	6	9	13	16	28
65 +	2223	7.9	37	3	4	7	10	14	18	31
B. Operated										
0-19 YRS	0									
20-34	3	6.3	14	2	3	8	9	9	9	9
35-49	10	9.7	15	6	7	7	15	50	96	99 +
50-64	83	13.4	192	3	6	9	17	28	42	96
65 +	285	14.9	124	5	8	13	18	29	35	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	203	6.0	23	2	3	5	8	11	14	29
B. Operated	17	4.4	10	1	2	3	7	9	11	11
2. MULTIPLE DX										
A. Not Operated	2675	7.8	36	3	4	6	10	14	18	32
B. Operated	381	14.4	136	4	7	12	18	28	37	73
1. SINGLE DX	220	5.9	22	2	3	5	7	11	13	29
2. MULTIPLE DX	3056	8.6	53	3	4	7	10	16	21	39
A. Not Operated	2878	7.7	35	3	4	6	9	14	18	31
B. Operated	398	13.9	134	4	7	11	18	27	37	72
TOTAL										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	18	4.4	6	2	3	4	7	8	9	9
35-49	80	7.2	34	2	4	6	9	14	16	80
50-64	510	8.0	64	2	4	6	9	15	20	46
65 +	2666	8.6	50	3	4	7	10	16	20	37
GRAND TOTAL	**3276**	**8.4**	**52**	**3**	**4**	**7**	**10**	**16**	**20**	**38**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	13.0	85	2	7	10	23	26	27	27
35-49	29	7.0	18	2	4	5	10	13	14	17
50-64	165	8.6	53	2	4	7	10	16	20	38
65 +	893	9.1	38	4	5	8	11	16	19	33
B. Operated										
0-19 YRS	1	[illegible]		8	8	8	8	8	8	8
20-34	0									
35-49	10	13.0	47	3	7	13	18	22	24	24
50-64	24	19.6	241	6	7	13	32	45	49	51
65 +	104	16.3	94	7	10	13	21	30	34	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1097	9.0	41	4	5	8	11	16	20	35
B. Operated	139	16.6	116	6	10	13	21	30	39	52
1. SINGLE DX	0									
2. MULTIPLE DX	1236	9.9	55	4	5	8	12	18	23	39
A. Not Operated	1097	9.0	41	4	5	8	11	16	20	35
B. Operated	139	16.6	116	6	10	13	21	30	39	52
TOTAL										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	10	13.0	85	2	7	10	23	26	27	27
35-49	39	8.5	31	2	5	7	13	16	19	24
50-64	189	10.0	90	3	5	7	11	18	34	50
65 +	997	9.9	49	4	6	8	12	18	22	37
GRAND TOTAL	**1236**	**9.9**	**55**	**4**	**5**	**8**	**12**	**18**	**23**	**39**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	2.5	1	< 1	2	2	3	4	4	4
35-49	21	2.6	8	1	1	2	3	4	9	14
50-64	21	3.1	6	< 1	1	2	4	6	8	10
65 +	40	5.2	32	1	2	4	6	9	11	36
B. Operated										
0-19 YRS	8	3.8	10	1	1	3	6	8	9	9
20-34	6	5.7	16	1	2	6	7	12	12	12
35-49	19	4.5	17	1	1	3	8	11	13	14
50-64	23	2.7	5	1	1	2	4	6	7	8
65 +	17	2.0	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	5.0	39	1	2	3	5	12	22	25
20-34	46	4.1	6	2	2	3	5	8	11	99 +
35-49	173	4.7	15	2	2	4	6	10	13	22
50-64	259	5.2	17	2	3	4	6	10	13	22
65 +	906	6.3	36	2	3	5	8	12	15	26
B. Operated										
0-19 YRS	14	7.9	59	1	2	7	9	18	27	30
20-34	29	10.5	53	2	5	9	16	18	22	32
35-49	78	9.1	61	2	4	7	11	18	25	44
50-64	118	9.7	84	1	4	8	12	22	31	45
65 +	169	10.3	111	2	4	8	13	20	27	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	3.8	19	1	2	3	5	8	10	27
B. Operated	73	3.4	10	1	1	2	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	1399	5.8	30	2	3	4	7	11	14	25
B. Operated	408	9.8	88	2	4	8	13	19	27	44
1. SINGLE DX	164	3.6	15	1	1	2	5	8	10	14
2. MULTIPLE DX	1807	6.7	45	2	3	5	8	13	17	34
A. Not Operated	1490	5.7	29	2	3	4	7	11	14	25
B. Operated	481	8.8	81	1	3	7	11	18	25	40
TOTAL										
0-19 YRS	38	5.8	40	1	2	4	8	11	22	30
20-34	89	6.1	31	2	2	4	8	16	17	73
35-49	291	5.7	31	1	2	4	7	12	15	26
50-64	421	6.2	40	1	2	4	8	13	18	34
65 +	1132	6.8	49	2	3	5	8	13	17	35
GRAND TOTAL	**1971**	**6.5**	**44**	**2**	**3**	**5**	**8**	**13**	**17**	**34**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	7	8.1	126	1	2	5	7	28	33	33
50-64	13	2.5	7	< 1	< 1	1	3	8	8	8
65 +	20	3.2	7	< 1	1	2	5	7	9	11
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	11	4.2	7	1	2	3	6	8	9	9
35-49	64	3.9	11	1	1	3	6	8	10	15
50-64	230	4.2	13	1	1	3	6	9	11	17
65 +	284	5.3	29	1	1	4	7	11	15	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	12.9	106	3	5	9	18	29	32	32
35-49	17	4.1	9	1	1	4	6	8	9	10
50-64	74	5.1	27	1	1	2	8	12	18	20
65 +	216	6.3	61	1	2	5	8	12	15	40
B. Operated										
0-19 YRS	3	5.0	13	1	2	6	7	8	8	8
20-34	26	16.3	129	3	6	15	23	33	38	40
35-49	295	9.9	110	2	4	7	11	23	29	59
50-64	1437	8.8	92	1	3	7	11	19	26	54
65 +	3824	10.8	91	2	5	8	14	22	29	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	3.9	29	< 1	1	2	5	8	10	33
B. Operated	591	4.7	20	1	1	4	7	10	12	21
2. MULTIPLE DX										
A. Not Operated	315	6.1	52	1	2	5	8	12	16	34
B. Operated	5585	10.2	93	2	4	8	13	21	28	50
1. SINGLE DX	632	4.6	21	1	1	3	7	10	12	21
2. MULTIPLE DX	5900	10.0	92	1	4	8	13	21	28	50
A. Not Operated	356	5.8	50	1	1	4	8	11	16	33
B. Operated	6176	9.7	89	1	4	7	12	20	27	49
TOTAL										
0-19 YRS	6	4.5	7	1	2	5	6	8	8	8
20-34	45	12.6	116	2	5	7	19	32	34	40
35-49	383	8.6	95	1	3	6	10	18	28	56
50-64	1754	8.0	81	1	2	6	10	16	24	51
65 +	4344	10.1	88	1	4	8	13	21	28	46
GRAND TOTAL	**6532**	**9.5**	**87**	**1**	**3**	**7**	**12**	**20**	**27**	**48**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	5.5	41	1	1	5	10	10	10	10
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	13	4.4	22	1	1	2	6	11	16	17
50-64	29	3.3	12	1	1	1	5	8	13	13
65 +	15	3.9	19	1	1	2	5	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	7.3	86	< 1	1	3	14	18	18	18
35-49	2	2.0		2	2	2	2	2	2	2
50-64	13	5.2	29	1	1	3	7	15	17	17
65 +	32	4.9	14	1	3	4	6	13	15	99 +
B. Operated										
0-19 YRS	4	3.5	14	1	1	2	6	9	9	9
20-34	6	4.3	10	1	1	4	8	8	8	8
35-49	49	5.6	27	1	1	3	10	13	14	21
50-64	177	6.7	62	1	1	5	9	14	19	35
65 +	227	8.7	77	1	2	7	12	19	28	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.5	41	1	1	5	10	10	10	10
B. Operated	58	3.7	15	1	1	2	6	10	13	17
2. MULTIPLE DX										
A. Not Operated	52	4.9	20	1	2	3	6	14	17	97
B. Operated	463	7.5	66	1	2	5	10	16	22	48
1. SINGLE DX	60	3.8	16	1	1	2	6	10	13	17
2. MULTIPLE DX	515	7.2	62	1	2	5	10	16	21	52
A. Not Operated	54	4.9	20	1	2	3	6	14	16	96
B. Operated	521	7.1	62	1	1	5	10	15	21	42
TOTAL										
0-19 YRS	6	3.2	9	1	2	2	3	8	9	9
20-34	10	5.0	28	< 1	1	3	8	13	18	18
35-49	64	5.2	25	1	1	2	9	13	14	20
50-64	219	6.2	55	1	1	4	9	13	17	30
65 +	276	7.9	68	1	2	6	11	18	27	88
GRAND TOTAL	**575**	**6.9**	**58**	**1**	**2**	**5**	**10**	**15**	**20**	**46**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	2.0	3	1	1	1	3	4	4	4
65 +	6	4.2	15	<1	1	3	6	10	11	11
B. Operated										
0-19 YRS	0									
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	45	7.3	14	1	6	8	9	11	12	19
65 +	65	9.3	26	5	7	9	10	13	18	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	3.2	7	1	1	2	6	6	6	6
50-64	31	3.5	11	<1	2	2	4	7	11	16
65 +	162	6.3	37	1	2	5	7	13	19	36
B. Operated										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	9	15.1	41	9	11	13	18	26	28	28
35-49	26	9.5	45	1	7	8	10	22	24	25
50-64	507	11.2	74	5	8	9	12	18	25	57
65 +	1607	13.9	118	7	9	11	15	25	37	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.9	9	<1	1	2	4	7	10	11
B. Operated	113	8.4	22	2	7	8	9	12	17	29
2. MULTIPLE DX										
A. Not Operated	199	5.8	34	1	2	4	7	12	17	32
B. Operated	2151	13.2	108	7	8	10	14	24	34	71
1. SINGLE DX	125	7.9	23	1	6	8	9	12	16	27
2. MULTIPLE DX	2350	12.6	106	4	8	10	14	23	33	66
A. Not Operated	211	5.6	33	1	2	4	7	12	17	31
B. Operated	2264	12.9	104	6	8	10	14	23	34	68
TOTAL										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	13	11.7	60	1	7	12	14	24	27	28
35-49	34	7.9	44	1	2	7	10	20	23	25
50-64	586	10.5	70	2	7	9	11	17	24	55
65 +	1840	13.0	113	5	8	10	15	24	35	75
GRAND TOTAL	2475	12.3	103	4	8	10	14	22	32	64

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	7.0	37	3	3	4	11	14	14	14
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	5.6	12	1	2	6	9	9	9	9
35-49	9	4.6	21	1	1	2	8	12	13	13
50-64	27	5.3	18	1	3	5	7	10	15	20
65 +	20	4.6	7	1	3	4	7	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	5.7	30	2	2	3	10	12	12	12
50-64	3	7.3	60	1	2	5	13	16	16	16
65 +	9	4.8	3	2	3	5	6	7	7	7
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	12	7.1	32	1	2	7	11	14	19	20
35-49	44	12.1	236	2	5	7	11	25	43	80
50-64	144	9.2	78	3	5	7	10	17	22	71
65 +	272	9.6	64	3	5	8	12	20	26	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.7	23	1	1	3	5	13	14	14
B. Operated	64	4.9	13	1	2	4	7	9	11	19
2. MULTIPLE DX										
A. Not Operated	15	5.5	16	2	3	5	6	12	15	16
B. Operated	473	9.7	83	3	5	7	11	19	26	68
1. SINGLE DX	70	4.9	14	1	2	4	7	9	13	19
2. MULTIPLE DX	488	9.5	82	3	5	7	11	19	25	67
A. Not Operated	21	5.2	17	1	3	5	6	13	15	16
B. Operated	537	9.1	77	2	4	7	11	18	24	64
TOTAL										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	19	6.5	24	1	2	6	9	11	16	20
35-49	58	10.3	192	1	3	7	10	23	34	79
50-64	175	8.5	70	2	4	7	10	16	21	66
65 +	304	9.1	60	3	4	7	11	18	25	50
GRAND TOTAL	558	9.0	76	2	4	7	10	18	24	62

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	3	7.7	49	1	2	7	13	15	15	15
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	11	3.4	4	<1	1	4	5	6	7	7
35-49	44	4.7	13	1	1	4	7	9	11	15
50-64	81	4.9	18	1	1	4	8	9	11	22
65+	44	5.1	18	1	2	4	8	10	14	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	13.0	8	11	11	13	15	15	15	15
35-49	5	5.4	4	2	4	6	7	7	7	7
50-64	26	5.1	16	<1	1	5	8	9	12	17
65+	43	6.3	28	1	3	6	8	11	16	29
B. Operated										
0-19 YRS	4	5.3	2	4	4	5	6	7	7	7
20-34	8	6.9	33	1	2	5	10	16	18	18
35-49	117	8.7	50	1	4	8	11	16	23	37
50-64	402	8.8	54	2	5	7	11	16	23	39
65+	548	10.3	66	2	5	9	13	20	27	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	7.7	49	1	2	7	13	15	15	15
B. Operated	182	4.8	16	1	1	4	8	9	11	18
2. MULTIPLE DX										
A. Not Operated	76	6.0	23	1	2	6	8	11	15	26
B. Operated	1079	9.5	60	2	5	8	12	18	26	40
1. SINGLE DX	185	4.8	16	1	1	4	8	9	11	18
2. MULTIPLE DX	1155	9.3	58	2	5	8	11	18	25	40
A. Not Operated	79	6.1	23	1	2	6	8	11	15	26
B. Operated	1261	8.8	56	1	4	7	11	16	24	39
TOTAL										
0-19 YRS	6	4.7	4	1	4	5	6	7	7	7
20-34	21	5.6	23	1	2	4	8	13	16	18
35-49	166	7.6	42	1	3	7	10	14	19	34
50-64	509	8.0	49	1	3	7	10	15	22	39
65+	638	9.6	63	2	5	8	12	19	27	41
GRAND TOTAL	**1340**	**8.7**	**55**	**1**	**4**	**7**	**11**	**16**	**23**	**39**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	129	4.6	5	2	3	4	6	8	8	12
20-34	6	3.7	3	<1	3	4	5	5	5	5
35-49	10	3.1	5	1	2	3	3	6	9	9
50-64	15	4.5	39	<1	<1	2	4	15	21	23
65+	15	5.1	21	1	2	4	5	15	15	15
B. Operated										
0-19 YRS	7	3.1	6	1	1	2	6	6	6	6
20-34	7	8.7	53	1	2	10	13	19	20	20
35-49	60	3.4	10	1	1	2	5	8	9	15
50-64	141	2.9	11	1	1	2	3	7	10	17
65+	145	3.1	10	1	1	2	4	7	8	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	5.8	23	2	3	5	7	10	13	20
20-34	40	4.8	15	2	3	4	5	9	11	22
35-49	60	4.8	24	1	2	3	5	12	16	25
50-64	116	5.4	23	1	2	4	6	12	17	22
65+	265	6.4	27	2	3	5	8	12	15	26
B. Operated										
0-19 YRS	40	11.4	166	2	3	8	14	34	53	99+
20-34	59	7.8	49	1	2	5	10	18	22	29
35-49	170	6.1	34	1	2	4	9	13	18	31
50-64	582	7.3	78	1	2	5	9	16	24	46
65+	1149	8.8	80	1	2	7	12	19	25	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	4.5	9	2	3	4	5	8	10	15
B. Operated	360	3.2	12	1	1	2	4	7	10	16
2. MULTIPLE DX										
A. Not Operated	636	5.8	24	1	3	5	7	12	15	23
B. Operated	2000	8.1	77	1	2	6	10	18	25	46
1. SINGLE DX	535	3.6	11	1	1	3	5	8	10	16
2. MULTIPLE DX	2636	7.6	66	1	2	5	10	16	22	44
A. Not Operated	811	5.6	21	1	3	4	7	11	14	22
B. Operated	2360	7.4	71	1	2	5	10	16	23	44
TOTAL										
0-19 YRS	331	6.0	37	2	3	5	7	10	15	46
20-34	112	6.5	36	1	3	4	9	16	20	28
35-49	300	5.2	28	1	1	4	7	12	16	25
50-64	854	6.2	61	1	2	4	8	13	21	41
65+	1574	7.8	68	1	2	6	10	17	23	40
GRAND TOTAL	**3171**	**6.9**	**59**	**1**	**2**	**5**	**9**	**15**	**21**	**38**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	5.8	11	2	2	6	8	10	10	10
20-34	86	6.0	10	2	4	6	8	10	11	15
35-49	141	5.6	13	2	3	6	7	9	11	16
50-64	125	6.2	9	3	4	6	8	10	12	16
65 +	123	6.4	9	3	4	6	8	10	12	15
B. Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	52	6.4	19	2	3	6	8	12	14	20
35-49	66	5.9	11	2	3	5	9	10	11	16
50-64	47	5.5	10	2	3	5	7	10	11	14
65 +	54	6.4	10	2	4	6	9	11	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	5.6	7	2	4	6	8	9	9	9
20-34	129	7.2	23	2	4	6	8	12	15	31
35-49	326	6.9	12	2	4	7	9	11	13	18
50-64	512	7.2	13	3	5	7	9	12	13	17
65 +	967	7.8	13	4	5	7	9	12	14	20
B. Operated										
0-19 YRS	8	9.4	90	2	3	5	14	26	28	28
20-34	78	8.5	60	2	4	7	10	15	20	50
35-49	195	7.3	19	2	4	7	9	12	15	22
50-64	270	9.0	62	3	5	8	11	15	21	43
65 +	532	8.9	35	3	6	8	10	15	18	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	481	6.0	10	2	4	6	8	10	11	15
B. Operated	221	6.0	12	2	3	6	8	11	12	17
2. MULTIPLE DX										
A. Not Operated	1948	7.5	13	3	5	7	9	12	14	19
B. Operated	1083	8.6	41	2	5	8	10	14	18	34
1. SINGLE DX	702	6.0	11	2	4	6	8	10	12	16
2. MULTIPLE DX	3031	7.9	24	3	5	7	10	13	15	24
A. Not Operated	2429	7.2	13	3	5	7	9	11	13	18
B. Operated	1304	8.2	37	2	5	7	10	14	17	33
TOTAL										
0-19 YRS	30	6.6	30	2	2	6	8	10	20	28
20-34	345	7.0	28	2	4	6	9	12	15	25
35-49	728	6.7	14	2	4	6	9	11	13	19
50-64	954	7.5	27	3	5	7	9	12	14	24
65 +	1676	8.0	20	4	5	7	10	13	15	23
GRAND TOTAL	**3733**	**7.5**	**22**	**3**	**5**	**7**	**9**	**12**	**15**	**23**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	5	4.2	6	1	2	4	6	7	7	7
50-64	12	7.5	48	1	1	6	12	17	22	23
65 +	11	6.7	14	3	4	5	9	12	14	14
B. Operated										
0-19 YRS	5	1.4		< 1	1	1	2	2	2	2
20-34	200	1.6	2	1	1	1	2	3	3	6
35-49	303	1.7	3	1	1	1	2	3	4	9
50-64	196	2.1	6	1	1	1	2	3	5	15
65 +	77	4.6	46	1	1	2	4	13	23	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	7	9.3	41	3	5	7	11	20	22	22
35-49	42	8.4	46	2	3	6	11	21	22	28
50-64	67	7.5	20	2	4	7	9	13	16	24
65 +	256	9.1	74	3	5	7	11	15	20	50
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	53	4.8	40	1	1	2	4	14	21	26
35-49	178	4.2	36	1	1	2	4	10	17	27
50-64	190	5.4	44	1	1	2	6	16	20	31
65 +	227	12.1	113	2	3	10	18	26	32	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	6.7	26	1	3	5	9	14	15	23
B. Operated	781	2.1	8	1	1	1	2	3	5	19
2. MULTIPLE DX										
A. Not Operated	374	8.7	60	3	5	7	10	15	21	41
B. Operated	649	7.3	77	1	2	3	11	20	26	42
1. SINGLE DX	810	2.2	10	1	1	1	2	3	6	19
2. MULTIPLE DX	1023	7.9	71	1	2	5	11	19	25	42
A. Not Operated	403	8.6	58	3	5	7	10	15	20	38
B. Operated	1430	4.5	47	1	1	2	3	14	20	33
TOTAL										
0-19 YRS	8	3.0	9	< 1	1	2	4	8	9	9
20-34	261	2.5	13	1	1	1	2	4	10	22
35-49	528	3.1	21	1	1	2	3	7	13	22
50-64	465	4.3	28	1	1	2	5	11	17	28
65 +	571	9.6	90	2	3	7	13	21	28	49
GRAND TOTAL	**1833**	**5.4**	**52**	**1**	**1**	**2**	**7**	**14**	**20**	**33**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.5	2	1	2	2	3	5	5	5
20-34	12	2.4	1	1	2	2	3	4	4	4
35-49	10	1.3		<1	1	1	1	2	3	3
50-64	7	1.6		<1	<1	2	2	2	2	2
65+	3	1.0		<1	<1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	95	2.7	2	1	2	2	3	4	6	7
35-49	143	2.5	2	1	2	2	3	4	5	7
50-64	95	2.3	3	1	1	2	3	4	6	10
65+	33	2.6	4	1	1	2	3	4	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	25	2.8	4	<1	1	2	4	5	6	8
35-49	61	3.2	6	<1	1	3	4	6	8	13
50-64	51	4.2	9	1	2	3	7	8	9	15
65+	121	4.4	18	1	2	3	5	7	8	28
B. Operated										
0-19 YRS	12	1.5	1	1	1	1	2	3	3	3
20-34	438	2.8	3	1	2	2	3	5	6	10
35-49	830	2.8	4	1	2	2	3	5	6	9
50-64	708	3.1	8	1	2	2	3	5	8	15
65+	469	4.2	15	1	2	3	5	8	12	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	1.9	1	<1	1	2	2	3	4	5
B. Operated	366	2.5	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	261	3.9	12	1	2	3	5	7	8	21
B. Operated	2457	3.2	7	1	2	3	3	5	7	15
1. SINGLE DX	404	2.5	2	1	2	2	3	4	5	8
2. MULTIPLE DX	2718	3.2	8	1	2	3	4	6	8	15
A. Not Operated	299	3.7	11	1	2	3	5	7	8	19
B. Operated	2823	3.1	7	1	2	2	3	5	7	14
TOTAL										
0-19 YRS	21	1.9	1	1	1	2	2	3	4	5
20-34	570	2.8	3	1	2	2	3	5	6	9
35-49	1044	2.8	4	1	2	2	3	5	6	9
50-64	861	3.1	7	1	2	2	3	5	8	15
65+	626	4.2	15	1	2	3	5	8	11	21
GRAND TOTAL	**3122**	**3.1**	**7**	**1**	**2**	**2**	**3**	**5**	**7**	**15**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	5.2	14	1	2	5	8	10	12	16
20-34	99	6.1	8	2	4	6	8	9	10	15
35-49	137	6.1	9	2	4	6	8	10	10	14
50-64	160	6.6	9	3	4	6	8	11	11	15
65+	142	6.7	12	2	5	7	9	11	13	16
B. Operated										
0-19 YRS	32	2.4	6	1	1	1	3	7	8	9
20-34	94	5.8	21	1	1	6	8	10	14	23
35-49	112	6.0	12	1	3	6	8	10	11	17
50-64	87	6.5	17	1	4	6	9	11	16	20
65+	85	6.7	16	2	4	7	8	11	14	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	4.7	20	1	2	3	7	11	15	21
20-34	261	6.4	19	1	3	6	8	11	14	22
35-49	623	6.9	27	2	4	6	9	11	14	29
50-64	1006	6.6	20	2	4	6	9	11	14	21
65+	2737	6.8	20	2	4	6	9	12	15	22
B. Operated										
0-19 YRS	58	8.2	95	1	2	5	10	21	38	95
20-34	203	7.6	40	1	4	7	10	13	20	31
35-49	389	8.3	37	2	5	7	10	15	20	32
50-64	657	9.2	45	3	5	8	11	17	22	34
65+	1356	10.3	58	4	6	9	12	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	562	6.3	10	2	4	6	8	10	11	16
B. Operated	410	5.9	16	1	3	6	8	10	12	21
2. MULTIPLE DX										
A. Not Operated	4703	6.7	21	2	4	6	9	11	14	22
B. Operated	2663	9.5	52	3	5	8	11	17	23	38
1. SINGLE DX	972	6.2	13	1	4	6	8	10	12	18
2. MULTIPLE DX	7366	7.7	34	2	4	7	10	14	17	30
A. Not Operated	5265	6.7	20	2	4	6	9	11	14	22
B. Operated	3073	9.0	49	2	5	8	11	17	22	37
TOTAL										
0-19 YRS	190	5.4	43	1	1	3	7	12	18	42
20-34	657	6.6	25	1	3	6	8	12	15	26
35-49	1261	7.2	28	2	4	7	9	12	15	29
50-64	1910	7.5	29	2	4	7	9	13	17	28
65+	4320	7.9	34	3	4	7	10	14	17	30
GRAND TOTAL	**8338**	**7.5**	**32**	**2**	**4**	**7**	**9**	**13**	**17**	**29**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2744	2.1	2	1	1	2	3	4	5	7
20-34	136	2.9	2	1	2	3	4	4	6	7
35-49	68	2.7	2	1	2	3	3	4	5	7
50-64	22	3.3	2	1	2	3	4	5	6	6
65 +	12	4.8	17	1	2	4	6	10	15	16
B. Operated										
0-19 YRS	107	2.4	6	1	1	1	3	6	7	13
20-34	26	1.6	2	< 1	1	1	1	4	5	5
35-49	3	4.3	4	2	3	5	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4501	2.7	4	1	2	2	3	5	6	10
20-34	563	3.1	4	1	2	3	4	5	7	10
35-49	293	3.6	6	2	2	3	4	6	7	14
50-64	238	4.4	8	2	3	4	5	8	10	14
65 +	313	5.3	11	2	3	5	6	9	13	18
B. Operated										
0-19 YRS	228	4.9	31	1	1	3	6	12	15	28
20-34	66	5.0	21	1	2	4	6	10	16	23
35-49	47	5.9	20	1	2	5	9	13	14	19
50-64	39	7.4	24	2	5	6	9	12	19	23
65 +	57	9.2	43	3	5	8	13	16	20	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2982	2.1	2	1	1	2	3	4	5	7
B. Operated	138	2.3	6	1	1	1	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	5908	3.0	5	1	2	2	4	5	7	12
B. Operated	437	5.8	31	1	2	4	8	13	16	28
1. SINGLE DX	3120	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	6345	3.2	7	1	2	3	4	6	8	14
A. Not Operated	8890	2.7	4	1	1	2	3	5	6	10
B. Operated	575	5.0	27	1	1	4	7	11	15	27
TOTAL										
0-19 YRS	7580	2.5	4	1	1	2	3	5	6	10
20-34	791	3.2	5	1	2	3	4	6	7	11
35-49	411	3.7	8	1	2	3	4	6	9	15
50-64	300	4.7	11	2	3	4	6	9	11	18
65 +	383	5.9	18	2	3	5	7	11	15	20
GRAND TOTAL	**9465**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2645	2.7	3	1	2	2	3	5	6	8
20-34	83	3.4	5	1	2	3	4	5	7	13
35-49	94	3.7	4	2	3	3	5	6	7	11
50-64	59	4.2	4	2	3	4	[illegible]	7	9	10
65 +	78	4.9	8	2	3	[illegible]	[illegible]	9	11	13
B. Operated										
0-19 YRS	10	3.1	6	1	1	2	4	7	9	9
20-34	0									
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65 +	4	9.3	37	4	5	7	13	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7047	3.7	7	1	2	3	4	6	8	14
20-34	613	5.0	18	2	3	4	5	10	14	20
35-49	979	4.9	10	2	3	4	6	8	10	17
50-64	2431	6.1	14	3	4	5	8	11	13	20
65 +	5895	6.8	18	3	4	6	8	11	14	22
B. Operated										
0-19 YRS	98	10.6	88	2	5	9	13	24	27	99 +
20-34	45	8.9	40	2	4	7	14	18	19	29
35-49	76	9.0	62	3	5	7	10	17	22	47
50-64	176	10.3	60	4	5	8	13	19	24	50
65 +	457	12.5	100	4	6	10	15	26	32	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2959	2.9	3	1	2	2	4	5	6	9
B. Operated	18	4.8	17	1	2	4	7	9	14	18
2. MULTIPLE DX										
A. Not Operated	16965	5.2	14	2	3	4	7	10	12	19
B. Operated	852	11.3	85	4	6	9	14	22	30	57
1. SINGLE DX	2977	2.9	3	1	2	2	4	5	6	9
2. MULTIPLE DX	17817	5.5	19	2	3	4	7	10	13	22
A. Not Operated	19924	4.9	13	2	3	4	6	9	12	18
B. Operated	870	11.2	85	3	5	9	14	22	30	56
TOTAL										
0-19 YRS	9800	3.5	7	1	2	3	4	6	8	14
20-34	741	5.0	19	2	3	4	6	11	14	20
35-49	1152	5.1	14	2	3	4	6	9	11	19
50-64	2667	6.4	18	3	4	5	8	11	14	22
65 +	6434	7.1	26	3	4	6	9	12	16	27
GRAND TOTAL	**20794**	**5.1**	**18**	**2**	**3**	**4**	**6**	**10**	**12**	**21**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	3	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	52	1.0		<1	1	1	1	1	1	1
20-34	149	1.1		<1	1	1	1	2	2	2
35-49	85	1.2		1	1	1	1	2	2	3
50-64	37	1.2		<1	1	1	1	2	2	2
65 +	8	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.7		1	1	2	2	2	2	2
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	214	1.1		1	1	1	1	2	2	3
20-34	544	1.2		1	1	1	1	2	2	4
35-49	464	1.3	1	1	1	1	1	2	2	5
50-64	250	1.4	1	1	1	1	1	2	3	6
65 +	76	1.6	2	1	1	1	2	3	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		1	1	1	1	1	1	1
B. Operated	331	1.1		<1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	10	1.6	2	<1	1	1	2	4	5	5
B. Operated	1548	1.3	1	1	1	1	1	2	2	5
1. SINGLE DX	335	1.1		<1	1	1	1	2	2	2
2. MULTIPLE DX	1558	1.3	1	1	1	1	1	2	2	5
A. Not Operated	14	1.4	1	<1	1	1	1	3	4	5
B. Operated	1879	1.2		1	1	1	1	2	2	5
TOTAL										
0-19 YRS	267	1.1		1	1	1	1	1	2	2
20-34	697	1.2		1	1	1	1	2	2	3
35-49	554	1.3		1	1	1	1	2	2	5
50-64	291	1.4	1	1	1	1	1	2	3	6
65 +	84	1.6	2	1	1	1	2	2	4	9
GRAND TOTAL	**1893**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**5**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.2		<1	1	1	1	2	2	2
20-34	7	1.3	1	<1	<1	1	1	3	3	3
35-49	11	1.1		<1	<1	1	1	2	2	2
50-64	10	1.0		<1	<1	1	1	1	1	1
65 +	8	1.4	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	41	2.5	7	1	1	1	3	6	9	13
20-34	44	1.7	3	1	1	1	2	2	3	13
35-49	106	1.6	1	1	1	1	2	3	3	8
50-64	83	1.6	1	1	1	1	2	3	4	5
65 +	51	1.6	2	1	1	1	1	3	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	42	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	2	5.5	1	5	5	5	6	6	6	6
B. Operated	325	1.7	2	1	1	1	2	3	4	9
1. SINGLE DX	42	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX	327	1.8	3	1	1	1	2	3	4	9
A. Not Operated	2	5.5	1	5	5	5	6	6	6	6
B. Operated	367	1.7	2	1	1	1	2	3	4	9
TOTAL										
0-19 YRS	48	2.4	7	1	1	1	3	6	8	13
20-34	51	1.6	3	1	1	1	2	3	3	13
35-49	118	1.6	1	1	1	1	2	3	3	8
50-64	93	1.5	1	1	1	1	2	3	3	5
65 +	59	1.6	2	<1	1	1	1	3	4	9
GRAND TOTAL	**369**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**9**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	1.4	1	1	1	1	2	3	3	3
20-34	5	2.0	3	1	1	1	3	5	5	5
35-49	2	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3926	1.0		1	1	1	1	1	1	2
20-34	581	1.1		1	1	1	1	1	2	3
35-49	69	1.2		1	1	1	1	2	3	5
50-64	8	1.9	6	< 1	1	1	1	6	8	8
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	98	2.1	2	< 1	1	1	3	4	5	8
20-34	12	2.9	3	1	2	3	4	5	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	7.0	72	1	1	7	13	13	13	13
65 +	0									
B. Operated										
0-19 YRS	3222	1.2	1	1	1	1	1	2	2	6
20-34	210	1.5	2	1	1	1	1	3	4	7
35-49	55	1.6	1	1	1	1	2	3	3	8
50-64	13	1.3		1	1	1	2	2	3	3
65 +	5	1.8	3	1	1	1	2	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	1.6	1	1	1	1	2	3	3	5
B. Operated	4587	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	113	2.3	3	< 1	1	1	3	5	6	10
B. Operated	3505	1.3	1	1	1	1	1	2	2	6
1. SINGLE DX	4617	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX	3618	1.3	2	1	1	1	1	2	3	6
A. Not Operated	143	2.1	3	< 1	1	1	3	4	5	8
B. Operated	8092	1.1	1	1	1	1	1	1	2	4
TOTAL										
0-19 YRS	7269	1.1	1	1	1	1	1	1	2	4
20-34	808	1.2	1	1	1	1	1	2	2	5
35-49	127	1.5	1	1	1	1	2	3	3	6
50-64	23	2.0	8	1	1	1	1	4	10	13
65 +	8	1.6	2	1	1	1	2	4	5	5
GRAND TOTAL	**8235**	**1.2**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**4**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	318	2.6	3	1	1	2	3	5	6	8
20-34	136	2.8	3	1	2	2	4	5	6	10
35-49	53	2.7	3	1	2	2	3	5	7	10
50-64	26	3.3	5	1	2	3	4	7	8	10
65 +	10	3.1	7	< 1	1	2	4	7	10	10
B. Operated										
0-19 YRS	434	2.6	10	1	1	2	3	5	8	16
20-34	234	2.1	3	1	1	2	3	4	5	9
35-49	181	2.0	6	1	1	1	2	4	6	8
50-64	85	1.5	1	< 1	1	1	2	2	3	5
65 +	48	1.4		< 1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	594	3.3	6	1	2	3	4	6	7	12
20-34	163	3.5	8	1	2	3	4	6	9	17
35-49	137	3.8	6	1	2	3	5	7	8	12
50-64	90	4.3	7	1	3	4	5	8	9	13
65 +	99	5.5	21	2	3	4	7	10	15	26
B. Operated										
0-19 YRS	720	4.5	44	1	1	2	5	10	16	33
20-34	427	2.3	7	1	1	1	2	5	7	14
35-49	506	2.4	11	1	1	1	3	5	7	12
50-64	363	3.2	29	1	1	2	3	7	11	29
65 +	264	4.1	40	1	1	2	4	9	15	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	543	2.7	3	1	2	2	3	5	6	9
B. Operated	982	2.2	6	1	1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated	1083	3.7	8	1	2	3	4	6	9	14
B. Operated	2280	3.4	28	1	1	2	4	8	11	26
1. SINGLE DX	1525	2.4	5	1	1	2	3	4	6	10
2. MULTIPLE DX	3363	3.5	21	1	1	2	4	7	10	23
A. Not Operated	1626	3.3	7	1	2	3	4	6	8	13
B. Operated	3262	3.0	22	1	1	2	3	7	10	23
TOTAL										
0-19 YRS	2066	3.5	20	1	1	2	4	7	10	23
20-34	960	2.5	6	1	1	2	3	5	7	14
35-49	877	2.6	9	1	1	2	3	5	7	11
50-64	564	3.1	21	1	1	2	4	7	9	17
65 +	421	4.1	31	1	1	2	5	9	13	30
GRAND TOTAL	**4888**	**3.1**	**17**	**1**	**1**	**2**	**4**	**6**	**9**	**21**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	313	3.5	4	2	2	3	4	5	7	12
20-34	151	4.5	5	2	3	4	5	8	9	12
35-49	91	4.9	6	2	3	5	6	8	9	15
50-64	71	5.1	7	2	3	5	6	8	11	14
65 +	116	7.1	55	3	4	5	8	13	17	46
B. Operated										
0-19 YRS	5	5.4	67	1	1	2	7	20	20	20
20-34	1	17.0		17	17	17	17	17	17	17
35-49	8	9.1	11	5	6	9	12	13	13	13
50-64	10	9.7	10	4	9	10	12	13	13	13
65 +	10	12.6	217	< 1	3	8	14	36	50	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1278	7.2	52	2	3	5	10	14	17	35
20-34	631	8.1	43	3	4	6	10	15	20	31
35-49	653	7.4	28	3	4	6	9	13	16	27
50-64	1251	8.2	31	3	5	7	10	14	18	30
65 +	4845	9.7	40	4	6	8	12	17	21	32
B. Operated										
0-19 YRS	116	16.6	170	5	9	14	20	32	42	90
20-34	110	15.6	166	5	8	13	18	25	49	85
35-49	165	18.0	212	6	9	14	23	42	58	99 +
50-64	336	17.8	166	7	10	14	21	35	49	77
65 +	1046	19.4	178	8	11	16	24	38	49	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	742	4.6	14	2	3	4	5	8	10	17
B. Operated	34	10.0	79	1	5	9	13	17	22	50
2. MULTIPLE DX										
A. Not Operated	8658	8.9	41	3	5	7	11	16	20	32
B. Operated	1773	18.6	178	7	10	15	23	37	49	95
1. SINGLE DX	776	4.8	18	2	3	4	6	8	12	18
2. MULTIPLE DX	10431	10.5	78	4	5	8	13	19	26	51
A. Not Operated	9400	8.5	40	3	5	7	11	15	19	31
B. Operated	1807	18.4	178	7	10	15	22	37	49	94
TOTAL										
0-19 YRS	1712	7.2	60	2	3	4	9	15	19	41
20-34	893	8.4	61	3	4	6	10	16	21	40
35-49	917	9.1	77	3	4	7	10	17	25	58
50-64	1668	10.0	73	4	5	8	12	19	26	56
65 +	6017	11.4	78	4	6	9	14	21	27	50
GRAND TOTAL	**11207**	**10.1**	**76**	**3**	**5**	**8**	**12**	**19**	**25**	**50**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3604	3.3	3	2	2	3	4	5	7	9
20-34	612	4.1	5	2	3	4	5	7	8	10
35-49	489	4.6	6	2	3	4	6	8	9	12
50-64	323	5.3	8	3	4	5	6	9	11	16
65 +	442	6.8	21	3	4	6	8	11	15	27
B. Operated										
0-19 YRS	25	3.5	6	1	1	3	5	6	9	10
20-34	16	10.6	224	4	5	5	11	15	50	65
35-49	21	8.8	35	3	5	8	10	15	21	29
50-64	26	8.3	20	3	5	8	11	14	16	22
65 +	29	13.9	62	5	8	13	19	25	29	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10236	4.1	10	2	2	3	5	7	9	15
20-34	1559	5.3	11	2	3	4	6	9	11	19
35-49	2030	5.9	14	3	4	5	7	10	12	19
50-64	3276	6.8	17	3	4	6	8	12	14	23
65 +	12759	8.3	27	4	5	7	10	14	18	28
B. Operated										
0-19 YRS	315	13.1	185	3	6	9	15	31	59	99 +
20-34	182	11.5	65	4	6	10	15	22	26	42
35-49	306	13.1	117	5	7	10	15	25	36	81
50-64	590	13.2	79	5	7	11	17	23	30	51
65 +	1776	15.0	98	6	9	12	18	26	36	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5470	3.9	6	2	2	3	5	7	8	13
B. Operated	117	9.1	68	2	4	7	11	17	25	42
2. MULTIPLE DX										
A. Not Operated	29860	6.4	22	2	3	5	8	12	15	23
B. Operated	3169	14.1	104	5	8	11	17	26	35	62
1. SINGLE DX	5587	4.0	8	2	2	3	5	7	9	14
2. MULTIPLE DX	33029	7.1	35	2	4	6	9	13	17	30
A. Not Operated	35330	6.0	20	2	3	5	7	11	14	22
B. Operated	3286	13.9	104	5	8	11	17	26	35	62
TOTAL										
0-19 YRS	14180	4.1	14	2	2	3	5	7	9	17
20-34	2369	5.5	19	2	3	4	6	10	12	23
35-49	2846	6.5	29	3	4	5	8	11	14	29
50-64	4215	7.6	30	3	4	6	9	14	17	29
65 +	15006	9.1	40	4	5	7	11	16	21	34
GRAND TOTAL	**38616**	**6.7**	**32**	**2**	**3**	**5**	**8**	**13**	**16**	**29**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	2.7	4	1	2	2	3	5	6	11
20-34	42	2.8	2	1	2	3	3	5	6	7
35-49	20	2.4	1	1	1	2	3	4	5	5
50-64	15	3.9	12	1	2	3	5	8	12	14
65 +	12	3.3	2	1	2	3	4	5	6	6
B. Operated										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	449	3.5	10	1	2	3	4	6	8	14
20-34	178	3.6	11	1	2	3	4	6	9	18
35-49	166	3.6	5	1	2	3	4	7	8	10
50-64	148	4.3	9	2	2	4	5	7	10	20
65 +	471	5.5	15	2	3	5	7	10	14	19
B. Operated										
0-19 YRS	11	18.6	341	1	2	19	25	48	58	59
20-34	3	4.7	5	2	3	6	6	6	6	6
35-49	4	10.5	60	5	6	7	15	22	22	22
50-64	2	25.5	685	7	16	44	86	99 +	99 +	99 +
65 +	27	13.6	167	3	5	9	18	37	45	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	188	2.8	4	1	2	2	3	5	6	12
B. Operated	4	5.3	10	3	3	4	7	10	10	10
2. MULTIPLE DX										
A. Not Operated	1412	4.3	12	2	2	3	5	8	10	17
B. Operated	47	14.4	205	2	5	8	21	43	52	99 +
1. SINGLE DX	192	2.9	4	1	2	3	3	5	6	12
2. MULTIPLE DX	1459	4.6	21	2	2	3	5	8	12	23
A. Not Operated	1600	4.1	11	1	2	3	5	8	10	17
B. Operated	51	13.7	196	2	4	8	20	41	50	99
TOTAL										
0-19 YRS	561	3.7	19	1	2	3	4	6	9	24
20-34	225	3.4	9	1	2	3	4	6	8	17
35-49	190	3.6	7	1	2	3	4	7	8	14
50-64	165	4.5	19	2	2	4	5	8	10	40
65 +	510	5.9	26	2	3	5	7	11	14	24
GRAND TOTAL	**1651**	**4.4**	**19**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	242	2.4	2	1	1	2	3	4	6	9
20-34	22	3.2	4	1	2	3	4	6	7	8
35-49	18	3.6	2	2	3	3	5	6	6	6
50-64	33	5.0	6	2	4	4	6	8	10	10
65 +	45	4.9	10	2	2	4	7	9	11	15
B. Operated										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	5	4.4	15	< 1	1	3	8	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	490	3.5	8	1	2	3	4	6	10	15
20-34	121	4.4	10	2	2	3	6	9	12	16
35-49	192	5.0	11	2	3	4	6	8	11	19
50-64	402	6.0	19	2	3	5	8	11	13	24
65 +	854	6.5	19	3	4	6	8	11	15	23
B. Operated										
0-19 YRS	21	8.3	47	2	4	6	11	17	24	30
20-34	17	8.4	58	1	2	6	13	15	24	29
35-49	18	4.6	7	1	3	4	7	9	9	9
50-64	60	7.8	41	2	4	6	10	17	23	93
65 +	117	12.0	128	3	5	9	15	20	37	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	360	3.1	5	1	2	2	4	6	8	10
B. Operated	9	3.6	10	< 1	1	3	6	9	9	9
2. MULTIPLE DX										
A. Not Operated	2059	5.4	17	2	3	4	7	10	13	21
B. Operated	233	9.8	89	2	4	7	12	19	28	59
1. SINGLE DX	369	3.1	5	1	2	2	4	6	8	10
2. MULTIPLE DX	2292	5.9	26	2	3	5	7	11	15	25
A. Not Operated	2419	5.1	15	2	2	4	6	9	13	19
B. Operated	242	9.5	88	2	4	7	12	19	26	59
TOTAL										
0-19 YRS	756	3.3	8	1	2	3	4	6	9	15
20-34	161	4.7	16	1	2	3	6	10	13	16
35-49	228	4.8	10	2	3	4	6	8	9	18
50-64	500	6.2	21	2	3	5	8	12	15	28
65 +	1016	7.1	34	3	4	6	8	13	17	33
GRAND TOTAL	**2661**	**5.5**	**24**	**2**	**3**	**4**	**7**	**10**	**14**	**24**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	4.7	8	3	3	3	7	8	8	8
50-64	39	5.4	9	2	3	5	7	11	12	13
65 +	51	5.0	7	2	3	5	7	9	10	12
B. Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	9.8	24	7	7	8	12	17	17	17
50-64	2	8.0	2	7	7	8	9	9	9	9
65 +	3	12.3	41	5	7	15	16	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	6	4.7	14	< 1	3	4	4	11	12	12
35-49	44	6.0	14	2	4	5	8	12	14	18
50-64	288	6.6	21	3	4	5	8	12	16	25
65 +	784	7.3	25	3	4	6	9	13	17	25
B. Operated										
0-19 YRS	4	10.8	75	3	4	9	17	22	22	22
20-34	8	9.6	6	6	8	10	11	12	12	12
35-49	9	12.3	67	5	7	9	17	26	30	30
50-64	46	15.7	206	6	8	12	20	24	52	80
65 +	66	15.5	144	5	8	12	21	28	43	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	5.2	8	2	3	5	7	9	11	13
B. Operated	10	9.9	21	6	7	8	15	17	17	17
2. MULTIPLE DX										
A. Not Operated	1124	7.1	23	3	4	6	9	13	16	25
B. Operated	133	14.9	150	5	8	12	20	24	40	83
1. SINGLE DX	103	5.6	11	2	3	5	7	10	12	17
2. MULTIPLE DX	1257	7.9	42	3	4	6	10	15	20	31
A. Not Operated	1217	6.9	22	3	4	6	9	12	16	24
B. Operated	143	14.5	143	5	7	11	19	24	40	81
TOTAL										
0-19 YRS	6	8.3	60	2	3	5	13	21	22	22
20-34	15	7.5	14	3	4	7	11	12	12	12
35-49	60	7.2	27	3	4	6	8	14	17	29
50-64	375	7.6	51	3	4	6	9	13	20	31
65 +	904	7.8	37	3	4	6	9	14	19	33
GRAND TOTAL	**1360**	**7.7**	**40**	**3**	**4**	**6**	**9**	**14**	**19**	**30**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7896	2.6	2	1	2	2	3	4	5	7
20-34	1125	3.3	3	1	2	3	4	6	7	9
35-49	966	3.7	4	2	2	3	5	6	7	9
50-64	541	4.4	7	2	3	4	5	7	9	13
65 +	372	4.6	7	2	3	4	6	8	10	13
B. Operated										
0-19 YRS	22	4.0	5	1	2	4	6	7	8	8
20-34	8	5.1	9	2	3	4	7	10	11	11
35-49	6	6.0	10	2	4	6	7	11	11	11
50-64	3	4.3	6	2	2	4	6	7	7	7
65 +	5	11.0	71	4	4	7	19	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9056	3.2	4	1	2	3	4	5	7	11
20-34	1755	4.0	6	2	2	4	5	7	8	12
35-49	2270	4.9	10	2	3	4	6	9	10	16
50-64	2840	5.7	13	2	3	5	7	10	12	19
65 +	3802	6.4	16	3	4	5	8	11	14	21
B. Operated										
0-19 YRS	150	8.6	93	2	4	6	10	16	21	63
20-34	70	7.6	35	2	4	6	9	14	18	32
35-49	123	9.8	140	3	5	7	11	16	24	73
50-64	152	11.2	141	4	6	8	12	19	26	87
65 +	211	13.5	118	4	7	10	17	27	35	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10900	2.9	3	1	2	3	4	5	6	9
B. Operated	44	5.3	17	2	3	4	7	8	13	22
2. MULTIPLE DX										
A. Not Operated	19723	4.4	10	2	2	4	5	8	10	17
B. Operated	706	10.7	117	3	5	8	13	20	28	63
1. SINGLE DX	10944	2.9	3	1	2	3	4	5	6	9
2. MULTIPLE DX	20429	4.7	15	2	2	4	6	8	11	19
A. Not Operated	30623	3.9	8	1	2	3	5	7	9	15
B. Operated	750	10.4	113	3	5	8	12	19	28	63
TOTAL										
0-19 YRS	17124	3.0	4	1	2	3	4	5	6	10
20-34	2958	3.8	6	2	2	3	5	6	8	13
35-49	3365	4.7	14	2	3	4	6	8	10	16
50-64	3536	5.7	19	2	3	5	7	10	12	20
65 +	4390	6.6	23	3	4	5	8	12	15	25
GRAND TOTAL	**31373**	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**10**	**17**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	9	2.4	1	1	2	2	3	4	4	4
35-49	23	4.4	7	1	3	4	6	8	9	10
50-64	133	5.2	13	2	3	4	7	9	11	21
65 +	190	4.9	9	2	3	4	6	9	11	15
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	4.8	19	1	2	4	7	12	12	12
65 +	3	6.7		6	6	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	6.9	16	2	3	9	10	12	13	13
20-34	23	9.4	52	4	4	7	13	17	26	34
35-49	169	6.3	17	2	4	5	8	12	15	20
50-64	1086	6.3	18	3	4	5	8	11	14	22
65 +	2254	6.9	24	3	4	6	8	12	16	23
B. Operated										
0-19 YRS	7	16.1	279	4	6	12	18	45	52	52
20-34	7	15.6	219	3	7	9	24	40	43	43
35-49	23	9.1	13	5	6	8	12	13	15	17
50-64	123	10.9	84	2	5	8	15	21	26	55
65 +	195	14.3	173	4	6	10	18	29	42	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	358	4.9	10	2	3	4	6	9	11	15
B. Operated	11	5.2	10	1	3	5	7	9	12	12
2. MULTIPLE DX										
A. Not Operated	3550	6.7	22	3	4	6	8	12	15	23
B. Operated	355	12.8	137	3	6	9	16	26	32	72
1. SINGLE DX	369	4.9	10	2	3	4	6	9	11	15
2. MULTIPLE DX	3905	7.3	35	3	4	6	9	13	17	29
A. Not Operated	3908	6.5	21	3	4	5	8	11	15	23
B. Operated	366	12.6	134	3	6	9	16	26	31	72
TOTAL										
0-19 YRS	29	8.7	90	2	3	7	10	14	21	52
20-34	40	8.8	82	2	3	6	11	18	31	43
35-49	216	6.4	17	2	3	5	8	12	15	19
50-64	1347	6.6	25	2	4	5	8	12	16	26
65 +	2642	7.3	38	3	4	6	9	13	17	29
GRAND TOTAL	**4274**	**7.1**	**34**	**3**	**4**	**6**	**9**	**13**	**17**	**29**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.3	2	1	1	2	3	4	6	6
20-34	99	2.2	2	1	1	2	3	4	5	7
35-49	16	3.3	7	1	1	3	4	6	9	11
50-64	7	2.3	1	< 1	1	2	3	4	4	4
65 +	4	3.0	8	1	1	2	5	7	7	7
B. Operated										
0-19 YRS	99	5.1	9	2	3	4	7	9	12	14
20-34	331	5.0	10	2	3	4	6	9	11	17
35-49	107	5.3	14	2	3	4	7	10	13	21
50-64	24	5.5	13	2	3	5	7	10	14	17
65 +	9	4.7	3	3	4	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	3.1	17	1	1	2	3	5	12	21
20-34	57	3.6	7	1	2	3	5	8	9	13
35-49	29	3.4	10	1	1	2	4	7	9	15
50-64	29	5.7	30	1	3	4	7	13	15	27
65 +	59	5.9	20	2	3	5	7	11	12	26
B. Operated										
0-19 YRS	75	10.4	156	3	4	6	12	19	30	77
20-34	208	9.0	67	3	4	7	11	16	23	57
35-49	137	8.9	46	3	4	6	12	18	22	35
50-64	193	10.4	75	3	5	7	14	20	29	38
65 +	288	10.4	67	3	5	8	13	21	28	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	2.3	3	1	1	2	3	4	6	7
B. Operated	570	5.1	10	2	3	4	6	9	11	17
2. MULTIPLE DX										
A. Not Operated	196	4.5	17	1	2	3	6	9	12	24
B. Operated	901	9.8	73	3	4	7	12	19	27	47
1. SINGLE DX	725	4.5	10	1	2	4	6	8	11	16
2. MULTIPLE DX	1097	8.9	67	2	4	6	11	18	25	40
A. Not Operated	351	3.5	12	1	1	2	4	7	9	21
B. Operated	1471	8.0	54	3	4	6	10	16	21	35
TOTAL										
0-19 YRS	225	6.3	67	2	3	4	7	12	18	42
20-34	695	5.7	31	1	3	4	7	11	14	32
35-49	289	6.7	33	2	3	5	8	13	18	27
50-64	253	9.2	67	2	4	6	12	18	27	36
65 +	360	9.4	61	3	4	7	12	20	27	38
GRAND TOTAL	**1822**	**7.1**	**49**	**2**	**3**	**5**	**9**	**14**	**20**	**34**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.3	1	1	1	2	3	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	11.5	5	10	10	11	13	13	13	13
50-64	15	5.3	19	2	3	4	6	12	16	18
65+	28	10.2	54	3	6	9	12	17	25	38
B. Operated										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	13.0	7	10	11	14	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	227	6.4	43	1	2	4	8	14	19	34
20-34	142	5.1	15	2	3	4	6	10	12	21
35-49	333	7.7	40	3	4	6	9	15	17	33
50-64	1550	8.0	31	3	4	7	10	15	18	28
65+	3427	9.1	43	3	5	8	11	16	21	35
B. Operated										
0-19 YRS	56	21.6	399	5	8	20	58	99+	99+	99+
20-34	24	31.5	639	6	8	26	53	68	76	84
35-49	82	20.9	380	6	9	14	25	65	81	99+
50-64	328	18.4	284	5	8	14	23	45	74	99+
65+	743	20.5	279	6	10	16	26	48	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	7.1	42	1	3	5	10	14	18	37
B. Operated	6	9.7	24	2	6	10	14	15	15	15
2. MULTIPLE DX										
A. Not Operated	5679	8.5	40	3	5	7	11	16	20	33
B. Operated	1233	20.3	302	6	9	15	26	52	76	99+
1. SINGLE DX	65	7.3	40	2	3	6	10	15	17	36
2. MULTIPLE DX	6912	10.6	106	3	5	8	12	21	30	74
A. Not Operated	5738	8.5	40	3	5	7	11	16	20	33
B. Operated	1239	20.2	301	6	9	15	26	52	75	99+
TOTAL										
0-19 YRS	297	9.1	144	1	2	6	12	28	68	99+
20-34	168	8.8	187	2	3	5	8	19	37	71
35-49	417	10.3	133	3	4	7	12	20	32	82
50-64	1894	9.8	90	3	5	7	12	19	26	73
65+	4201	11.2	103	4	5	8	13	22	30	68
GRAND TOTAL	**6977**	**10.6**	**106**	**3**	**5**	**8**	**12**	**21**	**30**	**74**

196: Other lung and pleural diseases (500-511.9; 513-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	413	2.5	2	1	1	2	3	4	5	7
20-34	77	3.2	4	1	2	3	4	6	8	10
35-49	70	2.8	4	1	1	2	4	5	6	9
50-64	58	4.3	14	1	2	3	6	10	12	17
65+	78	7.7	52	1	4	5	10	14	22	37
B. Operated										
0-19 YRS	108	3.4	18	1	1	2	5	7	9	26
20-34	28	7.3	22	1	3	6	11	14	15	16
35-49	61	5.4	10	2	3	5	7	8	11	17
50-64	64	6.8	31	1	4	6	8	13	18	31
65+	58	9.1	174	1	3	5	9	16	34	78
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1572	4.5	23	1	2	3	5	10	14	27
20-34	392	5.3	22	1	2	4	7	12	15	23
35-49	502	5.7	28	1	3	4	7	11	14	30
50-64	1044	6.3	30	2	3	5	8	12	16	28
65+	3249	8.0	38	3	4	6	10	15	19	30
B. Operated										
0-19 YRS	568	8.3	114	1	2	4	11	21	31	83
20-34	216	11.6	117	2	4	8	15	28	35	51
35-49	425	11.2	124	2	5	8	14	25	35	74
50-64	727	12.1	121	3	5	9	15	26	35	56
65+	1569	14.4	131	4	7	11	18	28	38	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	696	3.3	12	1	1	3	4	6	9	16
B. Operated	319	5.8	52	1	2	5	7	11	16	34
2. MULTIPLE DX										
A. Not Operated	6759	6.6	34	2	3	5	8	13	17	29
B. Operated	3505	12.4	129	2	5	9	16	27	35	62
1. SINGLE DX	1015	4.1	26	1	2	3	5	8	11	24
2. MULTIPLE DX	10264	8.6	74	2	3	6	11	18	25	46
A. Not Operated	7455	6.3	33	2	3	5	8	13	16	28
B. Operated	3824	11.8	126	2	5	9	15	26	35	61
TOTAL										
0-19 YRS	2661	5.0	43	1	2	3	5	11	16	34
20-34	713	7.1	59	1	3	4	9	16	23	38
35-49	1058	7.7	73	1	3	5	9	16	24	45
50-64	1893	8.5	73	2	4	6	10	17	25	44
65+	4954	10.0	78	3	5	8	13	20	27	50
GRAND TOTAL	**11279**	**8.2**	**71**	**2**	**3**	**6**	**10**	**17**	**24**	**44**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.3	2	1	1	2	3	5	6	6
20-34	26	2.7	4	1	1	2	4	6	6	7
35-49	7	2.1	1	1	1	2	3	3	3	3
50-64	2	5.0	32	1	1	5	9	9	9	9
65 +	3	2.0	3	1	1	1	3	4	4	4
B. Operated										
0-19 YRS	465	2.1	1	1	1	2	3	4	4	6
20-34	577	2.0	1	1	1	2	2	3	4	5
35-49	347	2.1	1	1	1	2	2	3	4	6
50-64	117	2.1	3	1	1	1	2	5	7	8
65 +	33	1.4	1	< 1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	3.4	5	1	2	3	4	6	8	12
20-34	55	3.6	12	1	1	3	4	6	10	19
35-49	44	4.2	12	1	2	3	6	9	11	18
50-64	25	5.1	25	1	2	4	6	12	15	23
65 +	32	4.2	12	1	2	3	5	7	12	17
B. Operated										
0-19 YRS	650	2.4	13	1	2	2	3	4	5	8
20-34	451	2.6	3	1	2	2	3	4	5	12
35-49	280	3.2	12	1	2	2	3	6	8	18
50-64	182	2.8	22	1	1	2	2	5	10	21
65 +	102	3.0	7	1	1	2	4	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.6	3	1	1	2	3	6	6	9
B. Operated	1539	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	250	3.8	11	1	2	3	4	7	10	18
B. Operated	1665	2.7	11	1	2	2	3	4	6	13
1. SINGLE DX	1595	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX	1915	2.8	11	1	2	2	3	5	7	14
A. Not Operated	306	3.6	10	1	2	3	4	7	10	17
B. Operated	3204	2.4	6	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	1227	2.4	8	1	1	2	3	4	5	8
20-34	1109	2.4	3	1	2	2	3	4	5	9
35-49	678	2.7	7	1	2	2	3	5	6	16
50-64	326	2.7	16	1	1	2	3	6	8	20
65 +	170	2.9	7	1	1	2	4	7	8	13
GRAND TOTAL	**3510**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	3.1	4	1	2	3	4	5	7	10
20-34	30	3.6	5	1	2	3	5	6	6	11
35-49	14	2.9	2	2	2	2	4	5	6	6
50-64	10	3.4	3	1	3	3	5	6	6	6
65 +	17	4.3	7	1	3	3	6	9	10	10
B. Operated										
0-19 YRS	117	2.2	2	1	1	2	3	4	5	6
20-34	55	1.9	2	1	1	1	2	4	5	8
35-49	66	1.8	2	1	1	1	2	4	4	7
50-64	53	1.8	2	1	1	1	2	3	4	8
65 +	44	2.2	8	< 1	1	2	2	3	5	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	201	3.6	5	1	2	3	5	7	8	11
20-34	35	4.7	15	2	3	4	6	7	15	19
35-49	47	5.1	16	2	3	4	6	9	13	23
50-64	69	5.8	15	2	3	5	8	11	15	18
65 +	126	6.7	18	2	4	6	8	11	14	23
B. Operated										
0-19 YRS	143	3.2	16	1	1	2	4	5	10	43
20-34	94	4.7	15	1	2	3	6	10	13	19
35-49	108	3.7	7	1	2	3	6	8	10	11
50-64	126	4.2	32	1	2	3	4	8	15	36
65 +	134	5.4	50	1	1	2	6	16	25	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	144	3.3	4	1	2	3	4	6	7	10
B. Operated	335	2.0	3	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	478	5.0	13	2	3	4	6	9	12	19
B. Operated	605	4.2	26	1	2	3	5	9	14	29
1. SINGLE DX	479	2.4	4	1	1	2	3	5	6	9
2. MULTIPLE DX	1083	4.6	20	1	2	3	6	9	13	25
A. Not Operated	622	4.6	12	1	2	4	6	8	11	18
B. Operated	940	3.4	19	1	1	2	4	7	11	25
TOTAL										
0-19 YRS	534	3.1	7	1	2	3	4	6	7	14
20-34	214	3.8	12	1	2	3	5	7	11	19
35-49	235	3.4	9	1	1	2	5	7	9	13
50-64	258	4.1	22	1	2	3	5	9	12	21
65 +	321	5.4	31	1	2	4	7	11	18	27
GRAND TOTAL	**1562**	**3.9**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	440	2.2	2	1	1	2	3	4	6	8
20-34	52	2.5	3	1	1	2	3	4	5	9
35-49	83	2.3	2	1	1	2	3	4	5	8
50-64	63	2.2	2	1	1	2	3	4	5	7
65 +	26	2.3	3	1	1	2	3	5	6	9
B. Operated										
0-19 YRS	140	4.2	11	1	1	4	6	8	11	15
20-34	32	4.2	7	1	2	4	6	7	9	13
35-49	53	4.9	13	2	3	5	6	8	9	25
50-64	37	3.9	5	1	2	4	5	8	8	9
65 +	31	3.3	9	< 1	2	3	4	6	7	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	898	3.8	14	1	2	3	5	7	9	23
20-34	316	3.5	8	1	2	3	4	6	9	17
35-49	557	3.6	7	1	2	3	4	7	9	14
50-64	722	3.8	11	1	2	3	5	7	9	18
65 +	1130	4.8	15	2	2	4	6	9	11	19
B. Operated										
0-19 YRS	610	9.8	92	1	4	7	12	21	28	47
20-34	192	6.3	32	2	3	5	8	10	15	41
35-49	293	6.6	26	2	3	5	8	13	17	26
50-64	478	7.0	50	2	3	5	8	14	18	46
65 +	997	8.0	54	2	4	6	10	16	21	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	664	2.3	2	1	1	2	3	4	5	8
B. Operated	293	4.2	10	1	2	4	6	7	10	16
2. MULTIPLE DX										
A. Not Operated	3623	4.1	12	1	2	3	5	7	10	18
B. Operated	2570	8.0	59	2	4	6	9	16	22	42
1. SINGLE DX	957	2.8	5	1	1	2	4	6	7	11
2. MULTIPLE DX	6193	5.7	35	1	2	4	7	11	16	31
A. Not Operated	4287	3.8	11	1	2	3	5	7	9	16
B. Operated	2863	7.6	55	2	3	6	9	15	21	39
TOTAL										
0-19 YRS	2088	5.2	43	1	2	3	6	11	17	33
20-34	592	4.4	17	1	2	3	5	8	10	24
35-49	986	4.4	15	1	2	3	5	8	11	23
50-64	1300	4.9	28	1	2	4	6	9	13	24
65 +	2184	6.2	35	2	3	5	7	12	16	33
GRAND TOTAL	**7150**	**5.3**	**32**	**1**	**2**	**4**	**6**	**10**	**15**	**29**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.5	1	1	2	2	3	4	4	4
20-34	14	3.1	2	1	2	3	4	5	6	7
35-49	15	3.3	6	1	2	3	4	6	9	10
50-64	16	2.8	1	1	2	3	3	5	5	5
65 +	15	3.8	5	1	2	4	5	6	9	10
B. Operated										
0-19 YRS	0									
20-34	9	5.9	17	2	2	6	7	12	15	15
35-49	21	4.6	6	2	2	4	6	8	9	10
50-64	22	5.4	6	2	3	6	7	8	9	10
65 +	10	7.7	13	3	5	7	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.7	10	1	2	2	5	9	11	11
20-34	70	4.1	7	2	2	3	5	8	10	12
35-49	141	4.5	10	2	3	4	5	7	10	20
50-64	162	4.5	8	2	3	4	5	8	10	17
65 +	277	5.4	16	2	3	5	6	9	12	23
B. Operated										
0-19 YRS	6	11.0	15	8	8	9	16	16	16	16
20-34	48	6.1	19	2	3	5	8	13	15	19
35-49	153	6.9	29	3	4	5	8	12	15	33
50-64	207	6.6	17	2	4	6	8	13	14	22
65 +	334	8.0	51	3	4	6	9	15	20	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	3.2	3	1	2	3	4	5	6	10
B. Operated	62	5.6	9	2	3	6	7	9	12	15
2. MULTIPLE DX										
A. Not Operated	661	4.8	12	2	3	4	6	8	11	18
B. Operated	748	7.3	35	3	4	6	9	14	17	33
1. SINGLE DX	128	4.3	8	2	2	4	6	7	10	14
2. MULTIPLE DX	1409	6.1	26	2	3	5	7	11	15	26
A. Not Operated	727	4.7	11	2	3	4	6	8	11	17
B. Operated	810	7.2	33	3	4	6	9	13	16	31
TOTAL										
0-19 YRS	23	5.3	21	1	2	3	8	12	16	16
20-34	141	4.8	12	2	2	4	6	10	12	18
35-49	330	5.6	20	2	3	4	7	10	13	26
50-64	407	5.6	14	2	3	5	7	10	13	19
65 +	636	6.8	36	3	4	5	8	12	16	35
GRAND TOTAL	**1537**	**6.0**	**24**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

304 Hospitals, North Central Region, January-December 1989

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.01; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.7	1	2	3	4	5	5	5	5
20-34	15	3.6	10	1	2	3	4	6	12	14
35-49	30	3.6	4	2	2	3	4	6	8	10
50-64	30	4.0	4	2	3	4	5	6	8	12
65 +	37	4.1	6	2	2	4	5	8	9	11
B. Operated										
0-19 YRS	6	6.0	27	1	3	5	6	15	16	16
20-34	16	5.4	3	3	4	5	7	8	8	8
35-49	37	6.6	74	2	4	5	7	8	9	56
50-64	40	4.3	6	2	3	4	5	8	10	11
65 +	38	6.1	15	2	3	5	7	12	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.9	14	1	2	4	6	9	14	16
20-34	74	3.9	6	2	2	3	4	7	9	14
35-49	173	4.1	6	2	3	4	5	7	9	12
50-64	384	5.1	14	2	3	4	6	8	11	23
65 +	1038	6.0	16	3	4	5	7	10	13	22
B. Operated										
0-19 YRS	8	11.1	128	2	3	7	16	30	34	34
20-34	64	6.6	21	2	4	6	9	13	16	89
35-49	198	8.1	67	3	4	6	9	16	21	63
50-64	433	9.0	11[illegible]	3	4	6	10	17	23	69
65 +	1286	9.8	[illegible]	3	5	7	11	19	26	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	3.9	5	2	2	3	5	6	8	13
B. Operated	137	5.6	27	2	3	5	7	8	11	22
2. MULTIPLE DX										
A. Not Operated	1685	5.5	14	2	3	5	6	9	12	21
B. Operated	1989	9.4	83	3	4	7	11	18	25	46
1. SINGLE DX	255	4.8	18	2	3	4	6	8	10	16
2. MULTIPLE DX	3674	7.6	55	3	4	5	9	14	20	39
A. Not Operated	1803	5.4	14	2	3	4	6	9	12	21
B. Operated	2126	9.1	80	3	4	7	10	18	25	46
TOTAL										
0-19 YRS	36	6.3	43	1	3	4	6	15	20	34
20-34	169	5.0	13	2	3	4	6	9	13	26
35-49	438	6.1	42	2	3	4	7	10	16	42
50-64	887	6.9	68	2	3	5	8	12	18	39
65 +	2399	8.0	52	3	4	6	9	15	21	39
GRAND TOTAL	**3929**	**7.4**	**53**	**3**	**4**	**5**	**8**	**14**	**20**	**38**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.6	1	1	2	2	3	4	5	5
20-34	78	3.3	4	1	2	3	4	5	7	11
35-49	95	3.2	4	1	2	3	4	5	6	13
50-64	30	2.6	2	1	2	2	3	4	5	9
65 +	22	3.3	5	1	2	3	4	6	8	10
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	8	5.3	4	3	4	5	7	8	8	8
35-49	17	6.8	8	4	5	6	8	10	13	15
50-64	8	4.9	6	1	3	5	6	8	8	8
65 +	3	8.0	28	4	4	6	12	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	3.3	4	1	2	3	4	5	7	12
20-34	179	4.1	25	1	2	3	5	7	8	15
35-49	301	4.0	7	1	2	3	5	7	9	14
50-64	325	4.4	9	2	3	4	5	8	9	15
65 +	430	5.1	10	2	3	4	6	9	11	17
B. Operated										
0-19 YRS	10	8.0	33	2	4	6	11	17	20	20
20-34	50	8.1	48	3	4	6	10	15	17	45
35-49	134	7.0	19	2	4	6	9	11	16	24
50-64	92	7.5	25	3	4	6	8	13	17	26
65 +	175	8.7	59	3	4	7	10	15	22	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	248	3.1	4	1	2	3	4	5	7	11
B. Operated	38	6.0	8	2	4	6	7	9	12	15
2. MULTIPLE DX										
A. Not Operated	1285	4.4	11	2	3	4	5	8	10	16
B. Operated	461	7.9	39	3	4	7	9	14	19	37
1. SINGLE DX	286	3.5	5	1	2	3	4	6	8	13
2. MULTIPLE DX	1746	5.4	21	2	3	4	7	10	12	22
A. Not Operated	1533	4.2	10	2	2	4	5	8	9	15
B. Operated	499	7.8	37	3	4	6	9	14	18	34
TOTAL										
0-19 YRS	85	3.6	9	1	2	3	4	6	10	18
20-34	315	4.6	25	2	2	3	5	8	11	19
35-49	547	4.7	12	2	2	4	6	9	11	18
50-64	455	4.9	13	2	3	4	6	9	11	23
65 +	630	6.0	26	2	3	5	7	11	14	24
GRAND TOTAL	**2032**	**5.1**	**19**	**2**	**3**	**4**	**6**	**9**	**12**	**22**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.0	2	1	2	3	4	5	5	5
20-34	51	3.4	4	2	2	3	4	6	8	10
35-49	74	3.6	3	2	2	3	4	6	7	8
50-64	59	4.1	7	2	3	4	5	6	8	18
65 +	47	4.1	6	2	3	4	5	7	9	14
B. Operated										
0-19 YRS	3	5.7	1	5	5	5	7	7	7	7
20-34	38	6.6	5	4	6	7	7	9	11	15
35-49	59	5.9	6	3	4	6	7	9	10	14
50-64	49	6.7	12	2	4	7	8	10	14	19
65 +	24	7.3	18	3	4	7	9	12	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	3.6	3	1	2	3	5	6	7	8
20-34	157	3.9	4	2	2	4	5	7	7	11
35-49	266	4.1	4	2	3	4	5	7	8	12
50-64	474	4.6	13	2	3	4	6	7	9	16
65 +	1131	6.2	17	3	4	5	7	10	13	21
B. Operated										
0-19 YRS	13	8.1	19	3	5	8	12	24	83	99 +
20-34	105	8.2	52	3	4	6	9	15	21	42
35-49	219	8.6	62	3	5	7	9	13	22	41
50-64	331	10.4	71	4	5	8	12	19	25	46
65 +	870	12.5	126	4	6	9	16	24	34	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	238	3.8	5	2	2	3	5	6	7	13
B. Operated	173	6.5	9	3	5	6	8	9	12	18
2. MULTIPLE DX										
A. Not Operated	2054	5.4	14	2	3	5	6	9	11	20
B. Operated	1538	11.2	102	3	5	8	13	22	31	58
1. SINGLE DX	411	4.9	8	2	3	4	6	8	10	15
2. MULTIPLE DX	3592	7.8	60	3	4	6	9	15	21	42
A. Not Operated	2292	5.2	13	2	3	4	6	9	11	18
B. Operated	1711	10.7	94	3	5	8	12	21	30	56
TOTAL										
0-19 YRS	49	4.8	11	1	3	4	6	10	15	99 +
20-34	351	5.4	22	2	3	4	7	9	12	30
35-49	618	5.8	29	2	3	5	7	9	12	34
50-64	913	6.8	41	2	3	5	8	12	18	36
65 +	2072	8.8	72	3	4	6	10	17	24	46
GRAND TOTAL	**4003**	**7.5**	**55**	**3**	**4**	**5**	**9**	**15**	**20**	**40**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.3	2	2	2	3	4	5	5	5
35-49	5	4.2	11	2	2	3	5	10	10	10
50-64	3	3.0	3	2	2	2	4	5	5	5
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	5	9.2	6	7	7	9	11	13	13	13
35-49	13	9.2	20	4	7	9	10	17	18	18
50-64	8	7.3	16	3	4	7	8	14	16	16
65 +	7	8.0	9	4	7	8	10	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	4.0	3	2	3	4	5	6	7	7
35-49	12	5.8	8	3	4	5	7	10	13	13
50-64	23	4.8	4	2	3	5	7	8	8	8
65 +	69	7.2	16	3	4	6	10	12	14	20
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	12	12.8	120	4	7	11	14	25	42	45
35-49	73	12.2	107	4	6	10	14	26	30	57
50-64	93	13.3	97	5	7	10	17	25	31	86
65 +	159	18.4	293	5	8	14	22	38	57	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.4	5	2	2	3	4	5	9	10
B. Operated	33	8.5	14	4	7	8	10	14	17	18
2. MULTIPLE DX										
A. Not Operated	114	6.3	13	3	4	5	8	11	13	19
B. Operated	338	15.5	199	5	7	11	18	28	47	86
1. SINGLE DX	48	6.9	17	2	3	7	9	12	16	18
2. MULTIPLE DX	452	13.1	168	4	6	9	15	25	39	80
A. Not Operated	129	5.9	13	2	3	5	8	11	13	19
B. Operated	371	14.8	186	5	7	10	17	27	45	84
TOTAL										
0-19 YRS	3	6.7	41	2	2	4	11	14	14	14
20-34	30	8.3	65	2	4	7	10	14	17	45
35-49	103	10.7	86	3	6	9	11	20	26	54
50-64	127	11.1	86	3	5	8	14	23	27	76
65 +	237	14.7	229	4	6	10	17	27	48	86
GRAND TOTAL	**500**	**12.5**	**156**	**3**	**6**	**9**	**14**	**25**	**36**	**75**

304 Hospitals, North Central Region, January-December 1989

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	173	2.0	1	1	1	2	2	3	4	7
20-34	225	2.4	2	1	1	2	3	4	5	6
35-49	189	2.8	4	1	2	2	4	5	6	11
50-64	83	3.2	4	1	2	3	4	6	8	11
65 +	48	3.6	7	1	2	3	5	7	8	15
B. Operated										
0-19 YRS	8	4.5	18	1	2	3	5	12	14	14
20-34	17	3.9	6	1	2	3	4	9	9	9
35-49	27	4.6	17	2	2	4	5	8	10	23
50-64	10	5.9	19	< 1	2	5	8	12	14	14
65 +	9	6.7	27	2	4	5	8	15	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	645	2.6	4	1	2	2	3	5	6	10
20-34	910	3.3	5	1	2	3	4	6	7	11
35-49	1133	3.9	8	1	2	3	5	7	9	14
50-64	1081	4.2	8	2	2	3	5	8	10	14
65 +	1675	5.1	15	2	3	4	6	9	11	22
B. Operated										
0-19 YRS	50	5.9	72	2	3	4	6	9	12	60
20-34	153	5.4	15	2	3	4	7	10	13	20
35-49	300	6.3	24	2	3	5	8	11	15	29
50-64	368	7.1	28	3	4	6	8	13	19	28
65 +	671	8.0	38	3	4	6	10	15	20	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	718	2.6	3	1	1	2	3	5	6	9
B. Operated	71	4.9	16	1	2	4	6	9	14	22
2. MULTIPLE DX										
A. Not Operated	5444	4.1	10	1	2	3	5	7	9	15
B. Operated	1542	7.1	32	3	4	6	8	13	18	28
1. SINGLE DX	789	2.8	5	1	1	2	3	5	7	11
2. MULTIPLE DX	6986	4.7	16	2	2	4	6	9	12	22
A. Not Operated	6162	3.9	9	1	2	3	5	7	9	15
B. Operated	1613	7.0	32	2	4	5	8	13	18	28 -
TOTAL										
0-19 YRS	876	2.7	8	1	1	2	3	5	6	12
20-34	1305	3.4	6	1	2	3	4	6	7	13
35-49	1649	4.2	11	1	2	3	5	8	10	17
50-64	1542	4.9	14	2	3	4	6	9	11	21
65 +	2403	5.9	23	2	3	5	7	11	14	26
GRAND TOTAL	**7775**	**4.5**	**16**	**1**	**2**	**4**	**6**	**8**	**11**	**21**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	2.7	9	1	1	2	4	5	6	19
20-34	33	2.6	2	1	2	2	3	5	6	7
35-49	33	2.4	2	1	1	2	3	5	5	7
50-64	21	3.5	4	1	3	3	4	5	8	11
65 +	15	3.3	7	1	1	3	5	7	9	10
B. Operated										
0-19 YRS	55	3.9	7	2	2	3	5	7	9	14
20-34	1	11.0		11	11	11	11	11	11	11
35-49	12	6.9	4	5	5	6	8	10	12	12
50-64	10	14.7	110	5	8	10	23	31	38	38
65 +	8	10.9	12	7	8	10	14	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	195	3.6	19	1	2	3	4	6	8	30
20-34	140	4.8	26	2	2	3	5	8	12	30
35-49	162	4.3	14	1	2	3	6	8	11	20
50-64	183	5.0	17	2	2	4	6	10	13	23
65 +	361	5.7	21	2	3	4	7	11	15	24
B. Operated										
0-19 YRS	64	8.1	73	2	3	5	10	18	30	39
20-34	46	8.2	84	2	4	5	10	16	19	60
35-49	122	11.8	130	3	4	8	15	26	36	60
50-64	136	13.7	143	3	6	11	18	24	35	65
65 +	281	13.6	156	4	6	9	17	28	40	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	2.8	5	1	1	2	4	5	6	11
B. Operated	86	6.3	32	2	3	5	8	13	15	33
2. MULTIPLE DX										
A. Not Operated	1041	4.8	20	1	2	4	6	9	13	24
B. Operated	649	12.4	138	3	5	8	16	27	37	60
1. SINGLE DX	234	4.1	18	1	2	3	5	8	11	23
2. MULTIPLE DX	1690	7.7	79	2	3	5	9	17	25	46
A. Not Operated	1189	4.6	19	1	2	3	5	9	12	24
B. Operated	735	11.6	130	3	4	8	15	26	35	60
TOTAL										
0-19 YRS	360	4.3	29	1	2	3	5	8	14	33
20-34	220	5.2	37	2	2	3	6	11	14	32
35-49	329	7.0	69	1	2	4	8	15	23	42
50-64	350	8.6	87	2	3	5	11	20	24	49
65 +	665	9.1	93	2	4	6	11	20	27	57
GRAND TOTAL	**1924**	**7.3**	**73**	**2**	**3**	**4**	**8**	**16**	**24**	**43**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.3	2	1	1	2	3	4	5	7
20-34	21	2.5	2	1	2	2	3	4	5	6
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	5	3.0	4	1	2	3	4	6	6	6
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	2983	2.8	1	2	2	3	3	4	5	6
20-34	2095	2.9	1	2	2	3	3	4	5	7
35-49	753	3.2	2	2	2	3	4	5	5	7
50-64	225	3.7	2	2	3	3	4	6	6	8
65 +	49	4.4	6	2	3	4	5	7	8	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.2	1	1	1	2	3	4	5	5
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	4	5.5	4	3	4	5	7	8	8	8
50-64	6	3.3	3	< 1	2	3	5	5	5	5
65 +	2	5.5	13	3	3	5	8	8	8	8
B. Operated										
0-19 YRS	694	3.8	5	2	3	3	4	6	8	14
20-34	627	4.1	5	2	3	4	5	7	8	11
35-49	312	4.5	5	2	3	4	6	7	9	14
50-64	195	5.4	10	2	3	5	7	9	12	16
65 +	135	6.5	13	3	4	5	9	11	13	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.5	2	1	1	2	3	4	6	7
B. Operated	6105	2.9	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	29	3.1	4	1	2	3	4	6	8	8
B. Operated	1963	4.3	7	2	3	4	5	7	9	15
1. SINGLE DX	6161	2.9	1	2	2	3	3	4	5	7
2. MULTIPLE DX	1992	4.3	7	2	3	4	5	7	9	15
A. Not Operated	85	2.7	3	1	2	2	3	5	6	8
B. Operated	8068	3.3	3	2	2	3	4	5	6	10
TOTAL										
0-19 YRS	3718	3.0	2	2	2	3	3	4	5	8
20-34	2745	3.2	2	2	2	3	4	5	6	9
35-49	1072	3.6	3	2	2	3	4	6	7	10
50-64	431	4.4	7	2	3	4	5	7	9	16
65 +	187	5.9	12	3	4	5	7	11	12	19
GRAND TOTAL	**8153**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	6.6	4	4	5	7	8	9	9	9
20-34	7	5.0	9	1	3	4	8	9	9	9
35-49	7	6.1	4	3	4	7	7	9	9	9
50-64	0									
65 +	2	21.0	338	8	8	21	34	34	34	34
B. Operated										
0-19 YRS	667	5.9	7	3	4	6	7	9	10	14
20-34	351	5.4	6	3	3	5	7	8	10	12
35-49	203	5.5	6	3	4	5	7	9	10	13
50-64	134	7.0	11	3	5	7	8	11	12	19
65 +	45	7.3	9	4	5	7	9	12	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	9.1	35	3	5	8	11	18	22	23
20-34	4	8.8	2	7	8	9	10	10	10	10
35-49	5	6.0	7	3	4	6	8	9	9	9
50-64	7	9.7	12	5	6	11	13	13	13	13
65 +	4	6.0	2	5	5	6	7	8	8	8
B. Operated										
0-19 YRS	591	8.9	25	4	6	8	10	15	19	28
20-34	349	7.8	18	4	5	7	9	13	17	25
35-49	319	3.6	25	4	5	8	10	14	18	27
50-64	324	9.5	28	5	6	8	11	15	19	27
65 +	359	11.6	44	6	7	10	13	20	25	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	7.1	31	3	4	7	8	9	9	34
B. Operated	1400	5.9	7	3	4	6	7	9	11	14
2. MULTIPLE DX										
A. Not Operated	32	8.3	18	4	5	8	10	13	16	23
B. Operated	1942	9.3	29	4	6	8	11	16	20	30
1. SINGLE DX	1430	5.9	8	3	4	6	7	9	10	14
2. MULTIPLE DX	1974	9.2	29	4	6	8	11	16	20	30
A. Not Operated	62	7.7	24	3	5	7	9	12	14	33
B. Operated	3342	7.8	23	3	5	7	9	13	17	26
TOTAL										
0-19 YRS	1284	7.3	18	3	5	7	9	12	15	23
20-34	711	6.6	13	3	4	6	8	11	13	21
35-49	534	7.4	19	3	5	6	9	12	15	22
50-64	465	8.8	24	4	6	8	10	14	18	26
65 +	410	11.1	43	5	7	9	13	19	24	38
GRAND TOTAL	**3404**	**7.8**	**23**	**3**	**5**	**7**	**9**	**13**	**17**	**26**

304 Hospitals, North Central Region, January-December 1989

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	1.8	3	1	1	1	2	3	4	10
20-34	20	1.9	2	1	1	1	3	4	5	6
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	3	1.7	1	< 1	< 1	1	2	3	3	3
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	206	2.9	2	2	2	3	3	5	5	7
20-34	135	3.2	3	2	2	3	4	5	6	9
35-49	39	3.3	4	2	2	3	4	5	7	13
50-64	14	3.3	2	2	2	3	4	5	7	7
65 +	4	4.3	4	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	2.2	4	1	1	2	2	4	5	11
20-34	13	2.9	5	1	2	2	3	7	9	9
35-49	11	2.0	1	1	1	2	2	3	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65 +	3	5.3	2	4	4	5	6	7	7	7
B. Operated										
0-19 YRS	140	3.8	8	2	2	3	4	5	7	18
20-34	131	5.0	12	2	3	4	6	8	12	23
35-49	47	5.1	8	2	3	4	7	10	11	12
50-64	20	6.2	14	2	4	5	8	12	14	15
65 +	28	9.3	49	3	5	8	11	14	28	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	1.9	3	1	1	1	2	3	5	10
B. Operated	398	3.1	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	57	2.6	4	1	1	2	3	5	7	11
B. Operated	366	4.9	15	2	3	4	6	9	12	24
1. SINGLE DX	463	2.9	3	1	2	3	3	5	6	9
2. MULTIPLE DX	423	4.6	14	2	3	4	5	8	11	23
A. Not Operated	122	2.2	4	1	1	2	3	4	6	10
B. Operated	764	4.0	9	2	2	3	5	7	9	14
TOTAL										
0-19 YRS	412	3.0	4	1	2	3	4	5	6	9
20-34	299	3.9	8	2	2	3	5	7	9	14
35-49	101	3.9	7	2	2	3	4	8	10	12
50-64	38	4.8	11	2	3	4	7	9	13	15
65 +	36	8.4	41	3	5	7	10	14	23	34
GRAND TOTAL	**886**	**3.7**	**9**	**1**	**2**	**3**	**4**	**6**	**9**	**14**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	1.1		< 1	< 1	1	1	1	2	3
20-34	7	1.1		< 1	< 1	1	1	2	2	2
35-49	4	1.0		< 1	< 1	1	1	1	1	1
50-64	4	1.5		1	1	1	2	2	2	2
65 +	3	2.7	1	2	2	2	4	4	4	4
B. Operated										
0-19 YRS	591	1.2		< 1	1	1	1	2	2	4
20-34	383	1.4	1	1	1	1	1	2	3	4
35-49	563	1.4	1	1	1	1	2	2	3	4
50-64	721	1.5	2	1	1	1	2	2	3	5
65 +	582	1.7	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	1.4	1	< 1	< 1	1	1	2	3	6
20-34	10	1.5	1	< 1	1	1	2	3	3	3
35-49	7	1.3		1	1	1	2	2	2	2
50-64	18	2.0	3	< 1	1	1	3	5	6	7
65 +	29	3.4	21	< 1	1	3	4	5	7	26
B. Operated										
0-19 YRS	670	1.4	2	1	1	1	1	2	3	8
20-34	214	2.0	7	1	1	1	2	3	5	16
35-49	405	2.1	3	1	1	2	2	4	5	9
50-64	818	2.1	4	1	1	2	2	4	5	12
65 +	1550	2.8	7	1	1	2	3	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	1.3		< 1	< 1	1	1	2	3	4
B. Operated	2840	1.4	1	1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	95	2.1	8	< 1	1	1	3	4	5	17
B. Operated	3657	2.3	5	1	1	1	3	4	6	13
1. SINGLE DX	2876	1.4	1	1	1	1	2	2	3	5
2. MULTIPLE DX	3752	2.3	5	1	1	1	3	4	6	13
A. Not Operated	131	1.9	6	< 1	1	1	2	4	4	11
B. Operated	6497	1.9	4	1	1	1	2	3	5	10
TOTAL										
0-19 YRS	1310	1.3	1	1	1	1	1	2	3	[illegible]
20-34	614	1.6	3	1	1	1	2	3	3	[illegible]
35-49	979	1.7	2	1	1	1	2	3	4	6
50-64	1561	1.8	3	1	1	1	2	3	4	10
65 +	2164	2.5	6	1	1	2	3	5	7	13
GRAND TOTAL	**6628**	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**5**	**10**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.0		< 1	< 1	1	1	1	1	1
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	6	5.8	32	< 1	4	4	5	16	17	17
B. Operated										
0-19 YRS	180	1.6	1	1	1	1	2	3	4	4
20-34	70	2.0	2	1	1	2	2	4	5	7
35-49	55	2.2	2	1	1	2	2	4	6	7
50-64	75	2.0	2	1	1	2	2	4	5	7
65 +	88	3.4	12	1	1	2	4	6	10	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.8	1	1	1	1	3	3	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	2.3	5	< 1	< 1	1	4	5	5	5
50-64	3	3.0	3	2	2	2	4	5	5	5
65 +	14	4.1	9	1	2	3	6	8	11	12
B. Operated										
0-19 YRS	178	2.4	6	1	1	2	3	4	6	14
20-34	37	2.6	3	1	1	2	3	4	7	8
35-49	61	2.4	3	1	1	2	3	6	7	8
50-64	113	3.8	12	1	2	3	5	7	9	19
65 +	583	6.4	54	1	2	4	8	14	17	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.2	11	< 1	< 1	1	2	4	8	17
B. Operated	468	2.1	4	1	1	2	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	37	2.8	5	1	1	2	3	6	7	12
B. Operated	972	5.0	39	1	2	3	6	11	15	31
1. SINGLE DX	493	2.1	4	1	1	2	2	4	5	11
2. MULTIPLE DX	1009	4.9	37	1	2	3	6	10	14	31
A. Not Operated	62	2.6	8	< 1	1	1	3	5	7	16
B. Operated	1440	4.1	29	1	1	2	5	8	13	26
TOTAL										
0-19 YRS	390	2.0	3	1	1	1	2	4	4	10
20-34	109	2.2	2	1	1	2	3	4	6	8
35-49	120	2.3	3	1	1	2	3	5	6	8
50-64	192	3.1	8	1	1	2	4	6	7	12
65 +	691	6.0	49	1	2	4	7	13	16	34
GRAND TOTAL	**1502**	**4.0**	**28**	**1**	**1**	**2**	**5**	**8**	**12**	**26**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	35	1.3	2	< 1	< 1	1	1	1	5	7
20-34	25	1.6	1	1	1	1	2	4	4	5
35-49	38	1.7	1	1	1	1	2	3	4	5
50-64	51	1.4		< 1	1	1	2	2	3	4
65 +	16	2.0	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.6	9	< 1	1	1	3	8	8	8
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	2.7	2	< 1	1	3	4	4	4	4
50-64	6	2.5	4	< 1	1	2	4	6	6	6
65 +	4	4.8	11	1	2	5	7	8	8	8
B. Operated										
0-19 YRS	31	3.0	19	1	1	1	2	8	16	20
20-34	20	2.5	3	1	1	2	4	5	6	7
35-49	71	2.8	4	1	1	2	4	6	7	10
50-64	91	2.9	4	1	1	2	4	6	6	12
65 +	52	3.5	14	1	1	2	4	8	10	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		< 1	< 1	1	1	1	1	1
B. Operated	165	1.5	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	19	2.9	6	< 1	1	2	4	7	8	8
B. Operated	265	3.0	8	1	1	2	4	6	8	15
1. SINGLE DX	169	1.5	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	284	3.0	8	1	1	2	4	6	8	15
A. Not Operated	23	2.6	6	< 1	1	1	4	7	8	8
B. Operated	430	2.4	6	1	1	2	3	5	6	11
TOTAL										
0-19 YRS	74	2.1	10	< 1	< 1	1	2	4	8	19
20-34	46	2.0	2	1	1	1	3	4	5	7
35-49	113	2.4	3	1	1	2	3	5	6	9
50-64	148	2.3	4	< 1	1	2	3	5	6	11
65 +	72	3.2	11	1	1	2	4	7	9	21
GRAND TOTAL	**453**	**2.4**	**6**	**< 1**	**1**	**2**	**3**	**5**	**7**	**11**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	3	5.3	44	1	1	2	10	13	13	13
B. Operated										
0-19 YRS	29	2.6	4	1	1	2	4	6	6	7
20-34	103	2.5	2	1	1	2	3	5	5	7
35-49	267	2.7	3	1	1	2	4	5	6	8
50-64	279	2.9	3	1	2	3	4	5	6	9
65 +	179	3.1	4	1	2	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	19	2.3	3	< 1	1	1	4	5	6	6
50-64	22	3.3	9	< 1	1	2	5	8	9	9
65 +	27	4.0	9	< 1	1	3	6	8	10	11
B. Operated										
0-19 YRS	29	4.0	7	1	2	4	6	7	9	10
20-34	139	4.0	11	2	2	3	5	8	10	16
35-49	405	4.2	8	1	2	4	5	8	9	14
50-64	589	4.5	17	1	2	4	5	8	10	19
65 +	767	5.1	15	2	3	4	6	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.7	14	< 1	1	1	2	8	13	13
B. Operated	857	2.8	3	1	2	2	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	74	3.2	7	< 1	1	2	5	7	9	11
B. Operated	1929	4.6	14	1	2	4	6	8	11	18
1. SINGLE DX	867	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX	2003	4.6	14	1	2	4	6	8	10	18
A. Not Operated	84	3.1	8	< 1	1	2	5	7	9	12
B. Operated	2786	4.1	11	1	2	3	5	7	9	16
TOTAL										
0-19 YRS	60	3.2	6	1	1	2	5	7	7	10
20-34	248	3.3	7	1	2	3	4	6	8	13
35-49	694	3.5	6	1	2	3	5	6	8	13
50-64	892	4.0	13	1	2	3	5	7	9	17
65 +	976	4.7	13	1	2	4	6	9	11	18
GRAND TOTAL	**2870**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	3.2	3	2	2	3	4	6	6	6
35-49	15	3.1	3	2	2	2	4	6	7	8
50-64	14	2.8	3	1	1	2	4	5	7	7
65 +	8	2.3	2	1	1	2	3	4	5	5
B. Operated										
0-19 YRS	5	4.0	6	1	2	3	6	7	7	7
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	11	6.4	1	5	6	6	7	8	8	8
65 +	5	8.0	22	5	5	6	10	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.0	2	1	2	3	4	5	5	5
20-34	39	3.4	6	1	2	3	3	7	9	11
35-49	102	3.5	5	1	2	3	4	6	8	11
50-64	175	3.3	3	1	2	3	4	5	7	10
65 +	359	4.2	7	2	2	4	5	8	9	14
B. Operated										
0-19 YRS	25	10.4	73	4	5	7	13	20	30	37
20-34	23	7.4	17	3	6	6	9	14	17	18
35-49	77	6.9	21	3	5	6	8	11	19	25
50-64	95	6.2	9	3	4	6	7	10	11	18
65 +	144	9.5	120	3	5	7	10	15	23	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.9	3	1	2	2	4	5	7	8
B. Operated	25	6.0	9	3	5	6	7	8	11	16
2. MULTIPLE DX										
A. Not Operated	680	3.8	6	2	2	3	5	7	9	12
B. Operated	364	8.0	62	3	5	6	9	13	20	59
1. SINGLE DX	67	4.0	7	1	2	3	6	7	8	15
2. MULTIPLE DX	1044	5.3	29	2	3	4	6	9	12	23
A. Not Operated	722	3.8	6	1	2	3	5	7	8	12
B. Operated	389	7.9	59	3	5	6	8	13	20	58
TOTAL										
0-19 YRS	35	8.5	63	3	3	6	9	20	26	37
20-34	69	4.7	13	1	2	3	6	9	12	18
35-49	196	4.9	14	2	2	4	6	8	11	22
50-64	295	4.3	7	2	2	4	6	7	9	12
65 +	516	5.7	44	2	3	4	7	10	13	37
GRAND TOTAL	**1111**	**5.2**	**28**	**2**	**3**	**4**	**6**	**9**	**12**	**22**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	6	2.2	3	1	1	2	3	5	5	5
35-49	14	2.6	9	1	1	2	3	6	11	12
50-64	22	1.7	1	< 1	1	1	2	3	4	5
65 +	24	1.9	1	< 1	1	2	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	3.7	9	1	1	3	6	7	7	7
65 +	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	14	3.4	8	1	1	2	5	8	9	9
35-49	21	4.0	13	1	2	2	5	9	13	15
50-64	38	5.4	28	1	2	3	8	14	18	21
65 +	62	5.3	37	1	2	3	6	13	23	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	2	3	3	4	5	5	5	5
B. Operated	71	1.9	3	< 1	1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated	9	2.7	4	1	1	2	3	6	7	7
B. Operated	138	4.9	27	1	2	3	6	11	16	25
1. SINGLE DX	73	2.0	3	< 1	1	1	2	4	5	10
2. MULTIPLE DX	147	4.7	26	1	2	3	6	11	15	25
A. Not Operated	11	2.9	4	1	1	3	4	6	7	7
B. Operated	209	3.9	21	1	1	2	4	9	14	24
TOTAL										
0-19 YRS	10	1.8	4	1	1	1	2	5	7	7
20-34	20	3.1	6	1	1	2	4	7	8	9
35-49	38	3.4	10	1	2	2	4	7	12	15
50-64	63	4.0	21	1	1	2	5	11	14	21
65 +	89	4.3	28	1	2	2	5	9	16	26
GRAND TOTAL	**220**	**3.8**	**20**	**1**	**1**	**2**	**4**	**8**	**13**	**24**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	10	2.8	4	1	1	2	5	6	6	6
B. Operated										
0-19 YRS	25	2.1	3	1	1	2	2	4	5	9
20-34	49	2.1	2	1	1	2	2	4	6	6
35-49	114	2.7	5	1	1	2	3	5	6	12
50-64	111	3.5	10	1	2	3	5	6	9	18
65 +	98	3.9	12	1	2	3	5	8	11	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.8	2	1	2	3	4	4	4	4
35-49	9	2.4	2	< 1	1	2	4	4	4	4
50-64	29	5.1	31	1	2	4	6	8	16	30
65 +	86	6.0	37	2	3	5	7	11	13	39
B. Operated										
0-19 YRS	26	10.6	255	1	2	5	11	25	49	75
20-34	58	5.6	78	1	2	3	5	11	23	56
35-49	183	5.4	18	2	3	5	7	9	12	24
50-64	348	7.5	64	2	3	6	9	13	20	49
65 +	825	9.4	72	2	4	8	12	19	24	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.2	3	1	1	1	3	5	6	6
B. Operated	397	3.1	8	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	128	5.4	33	1	2	4	6	10	13	37
B. Operated	1440	8.3	69	2	3	6	10	16	23	46
1. SINGLE DX	414	3.1	8	1	1	2	4	6	8	13
2. MULTIPLE DX	1568	8.1	66	2	3	6	10	16	22	44
A. Not Operated	145	5.1	30	1	2	4	6	9	12	36
B. Operated	1837	7.2	60	1	3	5	9	14	20	39
TOTAL										
0-19 YRS	53	6.2	143	1	1	2	6	12	25	74
20-34	112	3.9	44	1	1	2	4	6	11	39
35-49	308	4.3	15	1	2	3	6	9	10	20
50-64	490	6.4	52	1	2	5	8	12	17	36
65 +	1019	8.5	66	2	3	7	11	17	23	43
GRAND TOTAL	**1982**	**7.0**	**58**	**1**	**3**	**5**	**9**	**14**	**20**	**38**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	209	1.9	2	1	1	1	2	4	5	7
20-34	141	3.4	4	1	2	3	4	6	7	10
35-49	246	3.6	5	1	2	3	4	7	8	12
50-64	219	3.5	3	1	2	3	5	6	7	9
65 +	225	4.2	6	2	3	4	5	7	9	14
B. Operated										
0-19 YRS	178	6.0	16	2	3	5	7	11	14	21
20-34	60	7.5	11	3	5	7	9	11	13	19
35-49	117	7.8	13	4	6	7	9	13	16	18
50-64	105	9.7	29	5	6	9	11	14	18	34
65 +	69	11.1	27	6	8	9	13	18	23	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	231	3.6	9	1	2	3	4	7	10	16
20-34	260	4.6	12	1	2	4	6	8	11	19
35-49	605	4.9	14	2	3	4	6	8	11	19
50-64	968	5.4	16	2	3	4	7	10	12	21
65 +	2979	6.6	26	2	4	5	8	12	15	25
B. Operated										
0-19 YRS	291	9.4	66	3	5	7	10	19	25	43
20-34	259	11.6	61	5	7	10	15	20	25	43
35-49	470	12.1	77	5	7	10	15	22	27	48
50-64	695	14.3	95	6	8	11	17	27	35	48
65 +	1773	15.8	116	7	9	13	19	28	36	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1040	3.3	5	1	2	3	4	6	7	11
B. Operated	529	8.0	22	3	5	7	10	13	17	25
2 MULTIPLE DX										
A. Not Operated	5043	5.9	22	2	3	5	7	11	14	23
B. Operated	3488	14.1	102	6	8	11	17	26	34	56
1. SINGLE DX	1569	4.9	15	1	2	4	7	10	12	19
2. MULTIPLE DX	8531	9.3	71	3	4	7	11	19	25	44
A. Not Operated	6083	5.5	20	2	3	4	7	10	13	22
B. Operated	4017	13.3	96	5	7	11	16	25	32	54
TOTAL										
0-19 YRS	909	5.5	36	1	2	4	7	11	16	30
20-34	720	7.1	41	2	3	5	9	15	19	34
35-49	1438	7.3	45	2	3	6	9	14	19	32
50-64	1987	8.5	62	2	4	6	11	17	25	42
65 +	5046	9.8	77	3	4	7	12	19	26	45
GRAND TOTAL	**10100**	**8.6**	**65**	**2**	**4**	**6**	**11**	**17**	**23**	**42**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1414	2.1	2	1	1	2	3	4	4	7
20-34	588	2.1	2	1	1	2	2	4	4	6
35-49	301	2.4	2	1	1	2	3	4	5	8
50-64	131	2.6	3	1	1	2	3	5	6	9
65 +	99	3.6	10	1	2	2	5	7	9	18
B. Operated										
0-19 YRS	59	3.5	7	1	2	3	4	6	9	15
20-34	58	4.0	5	2	3	4	5	7	10	92
35-49	40	4.6	7	2	3	4	6	8	9	15
50-64	19	7.3	53	2	2	4	9	21	25	26
65 +	8	6.9	21	3	4	6	8	15	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5291	2.7	4	1	2	2	3	5	6	9
20-34	1451	2.8	4	1	2	2	3	5	6	9
35-49	1129	3.4	6	1	2	3	4	6	8	12
50-64	1124	4.0	8	2	2	3	5	7	9	16
65 +	2321	5.0	16	2	3	4	6	9	12	21
B. Operated										
0-19 YRS	167	10.9	164	2	3	6	13	29	40	82
20-34	169	5.9	18	2	3	4	7	13	15	19
35-49	190	7.0	35	3	4	5	8	13	18	37
50-64	213	7.3	30	3	4	6	9	13	18	32
65 +	452	10.5	84	3	5	8	14	20	27	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2533	2.2	2	1	1	2	3	4	5	8
B. Operated	184	4.4	12	2	2	4	5	8	10	25
2. MULTIPLE DX										
A. Not Operated	11316	3.4	8	1	2	3	4	6	8	14
B. Operated	1191	8.8	72	3	4	6	11	17	24	43
1. SINGLE DX	2717	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	12507	3.9	16	1	2	3	4	7	10	20
A. Not Operated	13849	3.2	7	1	2	3	4	6	8	13
B. Operated	1375	8.2	66	2	4	6	10	17	23	42
TOTAL										
0-19 YRS	6931	2.8	9	1	2	2	3	5	6	12
20-34	2266	2.9	5	1	1	2	3	5	7	14
35-49	1660	3.7	11	1	2	3	4	7	9	16
50-64	1487	4.4	13	1	2	3	5	8	11	20
65 +	2880	5.8	30	2	3	4	7	11	15	28
GRAND TOTAL	**15224**	**3.6**	**14**	**1**	**2**	**3**	**4**	**7**	**9**	**19**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	50	4.2	7	2	2	3	5	8	10	12
35-49	258	4.3	4	2	3	4	5	7	8	11
50-64	327	4.6	5	2	3	4	6	7	8	12
65 +	232	4.7	6	2	3	4	6	7	9	12
B. Operated										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	25	6.8	6	4	5	7	9	9	10	12
35-49	63	7.9	8	5	6	8	9	11	14	17
50-64	82	8.7	16	6	7	8	9	11	12	33
65 +	55	9.6	15	5	7	9	11	13	19	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	33	5.0	11	2	3	4	6	8	11	19
35-49	374	5.3	8	2	3	5	6	9	10	16
50-64	997	5.2	7	2	3	5	6	8	10	14
65 +	2977	6.3	17	3	4	5	8	11	13	22
B. Operated										
0-19 YRS	4	13.8	69	7	7	12	20	24	24	24
20-34	48	9.3	53	3	6	8	10	14	19	42
35-49	317	10.2	31	5	7	9	12	17	20	30
50-64	672	10.6	42	5	7	9	12	18	22	32
65 +	1606	12.7	75	5	7	10	15	23	29	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	868	4.5	5	2	3	4	6	7	8	12
B. Operated	228	8.4	13	5	6	8	10	12	13	23
2. MULTIPLE DX										
A. Not Operated	4384	5.9	14	3	4	5	7	10	12	19
B. Operated	2647	11.8	62	5	7	10	14	21	27	42
1. SINGLE DX	1096	5.3	9	2	3	5	7	9	10	15
2. MULTIPLE DX	7031	8.1	40	3	4	7	10	15	20	33
A. Not Operated	5252	5.7	13	2	4	5	7	9	12	18
B. Operated	2875	11.6	59	5	7	10	14	20	27	42
TOTAL										
0-19 YRS	11	7.2	50	1	3	5	7	20	24	24
20-34	156	6.4	26	2	3	5	8	11	13	37
35-49	1012	6.7	20	3	4	6	8	11	15	24
50-64	2078	7.0	25	3	4	6	8	12	16	27
65 +	4870	8.4	45	3	4	7	10	15	21	36
GRAND TOTAL	**8127**	**7.8**	**37**	**3**	**4**	**6**	**9**	**14**	**19**	**32**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.0	2	< 1	1	1	3	4	5	5
20-34	15	3.1	4	1	2	3	4	7	7	7
35-49	9	1.9	1	< 1	1	2	2	3	3	3
50-64	6	3.8	7	1	1	4	6	7	7	7
65 +	1	13.0		13	13	13	13	13	13	13
B. Operated										
0-19 YRS	63	2.0	2	1	1	2	2	3	4	10
20-34	220	2.2	3	1	1	2	3	4	5	11
35-49	260	2.4	4	1	1	2	3	5	6	11
50-64	133	2.3	3	1	1	2	3	5	6	10
65 +	35	2.3	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	2.3	1	1	1	2	3	4	5	5
20-34	33	3.2	8	1	2	2	3	5	9	16
35-49	35	3.8	9	1	2	3	4	8	11	13
50-64	31	5.4	12	2	3	5	7	9	13	17
65 +	30	7.7	60	2	3	5	8	18	32	32
B. Operated										
0-19 YRS	61	4.8	27	1	1	3	6	11	15	28
20-34	279	3.3	19	1	1	2	4	7	9	16
35-49	439	3.5	12	1	2	2	4	7	9	19
50-64	349	4.1	20	1	2	3	5	9	13	22
65 +	236	5.7	37	1	2	4	7	12	15	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.9	6	< 1	1	2	3	6	7	13
B. Operated	711	2.3	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	162	4.4	20	1	2	3	5	8	12	30
B. Operated	1364	4.1	21	1	2	3	5	8	12	24
1. SINGLE DX	753	2.3	4	1	1	2	3	4	6	11
2. MULTIPLE DX	1526	4.1	21	1	2	3	5	8	12	24
A. Not Operated	204	4.1	18	1	2	3	5	8	11	26
B. Operated	2075	3.4	16	1	1	2	4	7	10	19
TOTAL										
0-19 YRS	168	3.1	13	1	1	2	3	6	9	20
20-34	547	2.9	12	1	1	2	3	5	7	14
35-49	743	3.1	9	1	1	2	4	6	8	18
50-64	519	3.7	16	1	1	2	5	8	11	18
65 +	302	5.5	37	1	2	4	7	11	15	34
GRAND TOTAL	**2279**	**3.5**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	2.7	4	1	2	2	3	5	8	10
20-34	59	3.0	3	1	2	2	4	6	6	9
35-49	41	3.1	5	1	2	2	4	6	9	11
50-64	14	4.5	4	3	3	4	5	8	8	8
65 +	16	3.1	3	1	2	2	4	6	7	7
B. Operated										
0-19 YRS	4	3.5	6	1	2	3	5	7	7	7
20-34	10	4.4	6	2	3	4	5	8	10	10
35-49	10	5.7	4	3	5	5	6	8	10	10
50-64	2	7.5	5	6	6	7	9	9	9	9
65 +	4	5.8	15	2	2	5	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	3.5	5	1	2	3	4	7	8	11
20-34	152	4.1	8	1	2	3	5	8	10	16
35-49	175	4.2	6	2	2	4	5	8	9	12
50-64	139	4.9	10	2	3	4	6	8	10	17
65 +	242	6.5	19	2	4	5	8	13	16	21
B. Operated										
0-19 YRS	15	6.1	7	2	4	6	8	9	11	11
20-34	53	6.9	18	3	4	6	9	12	14	24
35-49	46	7.4	35	2	3	6	10	13	24	29
50-64	48	8.2	47	3	4	6	10	15	20	37
65 +	114	11.5	91	4	6	9	14	22	27	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	180	3.1	4	1	2	2	4	6	7	10
B. Operated	30	5.1	7	2	3	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	785	5.0	12	2	3	4	6	9	12	18
B. Operated	276	9.1	59	3	4	7	11	18	23	32
1. SINGLE DX	210	3.4	5	1	2	3	4	6	8	10
2. MULTIPLE DX	1061	6.0	28	2	3	5	7	11	15	27
A. Not Operated	965	4.6	11	2	2	4	6	8	11	17
B. Operated	306	8.7	56	3	4	7	10	17	23	32
TOTAL										
0-19 YRS	146	3.5	5	1	2	3	5	8	8	11
20-34	274	4.4	11	1	2	4	6	8	11	16
35-49	272	4.6	12	2	2	4	6	9	11	22
50-64	203	5.7	20	2	3	4	7	10	13	28
65 +	376	7.9	46	2	4	6	10	16	21	28
GRAND TOTAL	**1271**	**5.6**	**25**	**2**	**3**	**4**	**7**	**11**	**14**	**24**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	4.9	8	2	3	4	6	8	10	18
20-34	148	4.4	7	2	3	4	5	8	11	15
35-49	88	4.5	9	2	2	4	6	9	11	15
50-64	21	5.1	8	2	3	4	7	9	11	13
65 +	11	6.3	16	2	3	5	10	12	14	14
B. Operated										
0-19 YRS	99	7.9	31	2	5	7	9	16	19	32
20-34	146	7.8	23	3	5	7	9	14	19	25
35-49	90	7.9	24	4	5	7	9	15	17	29
50-64	22	7.2	11	4	4	7	9	11	14	16
65 +	17	10.1	33	4	6	10	12	19	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	142	6.7	29	2	3	5	9	13	17	27
20-34	348	6.1	20	2	3	5	7	11	14	23
35-49	246	5.9	12	2	3	5	8	10	12	19
50-64	142	6.1	14	2	4	5	8	11	13	19
65 +	137	7.2	25	3	4	6	9	14	17	27
B. Operated										
0-19 YRS	215	11.2	50	5	6	9	14	22	26	36
20-34	428	11.0	64	4	6	9	14	21	26	45
35-49	370	12.0	83	5	7	10	14	22	29	54
50-64	231	12.4	81	6	7	10	15	24	34	50
65 +	275	14.2	167	4	7	11	16	26	41	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	320	4.6	8	2	3	4	6	8	11	15
B. Operated	374	7.9	25	3	5	7	9	15	18	27
2. MULTIPLE DX										
A. Not Operated	1015	6.3	19	2	3	5	8	11	15	23
B. Operated	1519	12.1	89	5	6	9	14	22	29	53
1. SINGLE DX	694	6.4	20	2	3	5	8	11	16	22
2. MULTIPLE DX	2534	9.7	69	3	5	8	12	19	25	46
A. Not Operated	1335	5.9	17	2	3	5	7	11	14	22
B. Operated	1893	11.2	79	4	6	9	14	21	28	49
TOTAL										
0-19 YRS	508	8.7	41	2	5	7	10	17	22	32
20-34	1070	8.0	43	3	4	6	10	15	21	35
35-49	794	8.8	56	3	4	7	11	16	22	43
50-64	416	9.6	61	3	5	8	11	18	25	46
65 +	440	11.6	125	3	5	8	14	22	29	60
GRAND TOTAL	**3228**	**9.0**	**60**	**3**	**4**	**7**	**11**	**17**	**23**	**42**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.7	17	2	3	8	9	10	10	10
20-34	3	7.0	13	4	4	6	10	11	11	11
35-49	4	5.5	14	3	3	4	8	11	11	11
50-64	7	3.4	4	1	2	3	4	6	7	7
65+	2	7.5	1	7	7	7	8	8	8	8
B. Operated										
0-19 YRS	11	8.7	17	4	5	9	11	15	15	15
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	9	5.7	6	3	4	5	7	9	11	11
50-64	9	8.4	24	3	6	8	9	16	20	20
65+	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	5.7	26	2	3	5	7	10	13	32
20-34	33	4.5	9	1	2	4	6	8	10	14
35-49	77	7.8	50	2	3	6	9	15	20	42
50-64	69	7.8	36	2	3	7	11	13	15	37
65+	76	8.9	54	2	4	7	12	17	22	41
B. Operated										
0-19 YRS	41	15.8	221	5	8	10	17	37	63	99+
20-34	56	12.6	132	4	6	9	14	25	39	64
35-49	74	16.2	193	5	8	11	19	39	50	66
50-64	83	17.7	157	6	9	12	24	40	46	54
65+	117	18.5	126	7	10	16	23	34	37	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	5.4	10	2	3	4	8	10	11	11
B. Operated	35	7.3	16	3	5	6	10	11	15	20
2. MULTIPLE DX										
A. Not Operated	339	7.2	40	2	3	6	9	14	17	40
B. Operated	371	16.7	160	6	8	12	21	35	46	65
1. SINGLE DX	54	6.6	14	3	4	6	9	11	14	20
2. MULTIPLE DX	710	12.2	125	3	5	9	15	26	36	55
A. Not Operated	358	7.1	38	2	3	6	9	13	17	39
B. Operated	406	15.9	154	5	8	12	20	34	44	64
TOTAL										
0-19 YRS	139	9.0	101	2	3	7	10	15	33	77
20-34	96	9.3	95	2	4	7	11	17	28	57
35-49	164	11.4	130	3	5	8	14	21	39	56
50-64	168	12.6	120	3	6	10	14	26	40	53
65+	197	14.6	117	4	7	12	20	30	36	53
GRAND TOTAL	**764**	**11.8**	**119**	**3**	**5**	**9**	**14**	**25**	**36**	**55**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	174	2.5	6	1	1	2	3	4	6	16
20-34	49	2.7	3	1	1	2	3	5	7	7
35-49	47	5.0	29	1	1	3	6	10	15	31
50-64	26	3.5	10	1	2	3	5	5	9	17
65+	65	4.4	14	1	2	3	6	9	11	21
B. Operated										
0-19 YRS	76	3.7	9	1	1	3	5	7	10	14
20-34	69	4.3	6	2	3	4	5	7	9	13
35-49	81	4.8	8	1	3	4	6	9	10	14
50-64	54	4.6	10	1	2	4	6	9	10	17
65+	75	5.6	19	1	2	4	7	11	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	391	3.0	9	1	1	2	3	6	8	19
20-34	175	4.3	16	1	2	3	5	9	12	18
35-49	287	4.4	12	1	2	4	6	9	10	15
50-64	385	4.8	17	1	2	4	6	10	13	22
65+	1637	5.8	20	2	3	5	7	11	14	23
B. Operated										
0-19 YRS	188	8.4	123	2	3	5	9	20	44	99+
20-34	290	8.1	65	2	3	6	9	16	25	45
35-49	466	9.1	68	2	4	7	11	18	25	45
50-64	570	12.4	199	3	5	8	14	28	40	99+
65+	1568	12.9	140	3	6	10	16	26	35	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	361	3.2	11	1	1	2	4	6	9	18
B. Operated	355	4.6	11	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. Not Operated	2875	5.0	18	1	2	4	7	10	13	22
B. Operated	3082	11.5	135	3	5	8	14	24	34	74
1. SINGLE DX	716	3.9	11	1	2	3	5	8	10	17
2. MULTIPLE DX	5957	8.4	89	2	3	6	10	17	25	55
A. Not Operated	3236	4.8	18	1	2	4	6	10	13	21
B. Operated	3437	10.8	127	2	4	8	13	23	33	71
TOTAL										
0-19 YRS	829	4.2	40	1	1	2	5	8	13	62
20-34	583	6.1	42	1	2	4	7	12	17	37
35-49	881	6.9	47	2	3	5	9	13	19	38
50-64	1035	9.0	131	2	3	6	10	18	31	83
65+	3345	9.1	89	2	4	6	11	19	26	52
GRAND TOTAL	**6673**	**7.9**	**83**	**2**	**3**	**5**	**10**	**17**	**24**	**53**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	4.4	6	2	3	3	7	7	7	7
50-64	6	3.8	10	<1	1	4	7	7	7	7
65+	4	9.5	44	4	5	7	14	19	19	19
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	2	21.5	113	14	14	21	29	29	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	107	7.9	63	2	4	6	9	15	22	48
35-49	414	8.1	37	2	4	6	10	16	21	31
50-64	361	8.8	39	3	5	7	11	16	22	32
65+	186	9.0	34	3	5	8	11	16	19	33
B. Operated										
0-19 YRS	0									
20-34	33	11.7	68	4	5	9	18	25	25	33
35-49	189	10.7	117	2	4	7	13	25	30	59
50-64	172	12.2	132	3	5	9	15	25	34	57
65+	96	13.2	94	4	6	11	17	25	32	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	5.1	20	1	2	4	7	9	15	19
B. Operated	8	8.4	85	1	3	5	10	24	29	29
2. MULTIPLE DX										
A. Not Operated	1070	8.5	40	3	4	7	11	16	21	32
B. Operated	490	11.8	115	3	5	8	15	25	31	56
1. SINGLE DX	25	6.2	40	1	2	5	7	14	21	29
2. MULTIPLE DX	1560	9.5	66	3	4	7	12	19	25	43
A. Not Operated	1087	8.4	40	3	4	7	11	16	21	32
B. Operated	498	11.7	114	3	5	8	15	25	31	56
TOTAL										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	143	8.7	66	2	4	6	10	20	25	48
35-49	610	8.8	63	2	4	6	11	18	24	43
50-64	542	9.8	71	3	5	8	12	19	26	43
65+	288	10.5	58	4	5	9	13	19	24	41
GRAND TOTAL	**1585**	**9.5**	**66**	**3**	**4**	**7**	**12**	**19**	**25**	**43**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	4	4.5	27	1	1	3	8	12	12	12
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	7	4.7	17	1	1	2	9	10	10	10
65+	5	6.2	5	4	4	6	8	9	9	9
B. Operated										
0-19 YRS	20	2.0	4	1	1	1	2	4	7	10
20-34	9	2.7	4	1	1	1	4	6	6	6
35-49	25	3.4	15	1	1	1	4	11	13	13
50-64	15	1.5	1	1	1	1	2	3	4	4
65+	11	2.7	5	1	1	2	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	5.8	52	1	2	4	6	14	23	32
20-34	20	4.9	18	1	3	4	6	11	15	17
35-49	72	7.1	25	2	4	6	9	13	19	25
50-64	125	7.6	33	2	4	6	9	14	18	28
65+	193	9.2	49	3	4	8	11	18	23	37
B. Operated										
0-19 YRS	34	6.3	115	1	1	2	5	15	29	53
20-34	29	4.6	24	1	1	2	8	12	15	18
35-49	86	8.2	78	1	2	6	10	17	28	45
50-64	120	9.0	62	1	3	7	12	21	24	62
65+	188	10.5	87	1	4	9	13	20	30	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	4.0	12	1	1	3	6	10	11	12
B. Operated	80	2.5	7	1	1	1	3	6	9	13
2. MULTIPLE DX										
A. Not Operated	430	8.0	40	2	4	7	10	16	19	31
B. Operated	457	9.0	79	1	2	7	12	20	28	49
1. SINGLE DX	104	2.9	9	1	1	1	4	7	10	13
2. MULTIPLE DX	887	8.5	60	1	3	7	11	18	23	42
A. Not Operated	454	7.8	40	2	4	6	10	15	19	31
B. Operated	537	8.0	74	1	1	6	11	18	25	49
TOTAL										
0-19 YRS	78	4.8	67	1	1	2	4	12	23	47
20-34	62	4.4	19	1	1	3	6	11	14	18
35-49	187	7.0	50	1	2	5	9	13	20	35
50-64	267	7.8	47	1	3	6	10	17	22	40
65+	397	9.6	67	2	4	8	12	18	26	46
GRAND TOTAL	**991**	**7.9**	**58**	**1**	**3**	**6**	**10**	**17**	**22**	**41**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	2.8	2	1	2	3	3	5	6	7
20-34	45	5.3	20	1	3	4	6	10	15	25
35-49	27	4.0	8	2	2	3	5	7	9	14
50-64	14	5.2	25	1	2	3	8	10	18	20
65 +	9	7.1	61	1	2	3	12	20	24	24
B. Operated										
0-19 YRS	14	2.0	4	1	1	1	2	6	7	7
20-34	9	6.9	22	1	3	7	11	13	13	13
35-49	16	6.5	49	1	1	6	8	12	24	29
50-64	12	4.5	9	1	1	5	6	9	9	9
65 +	7	5.4	43	1	1	2	12	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	4.6	19	2	2	3	6	8	15	22
20-34	112	6.0	24	2	3	5	8	11	14	26
35-49	228	7.7	56	2	3	5	9	18	23	38
50-64	344	8.0	34	3	4	6	10	15	20	26
65 +	389	7.8	29	3	4	6	10	14	19	28
B. Operated										
0-19 YRS	67	10.1	216	1	1	3	15	26	40	71
20-34	36	16.7	340	3	6	12	21	47	82	99 +
35-49	99	15.9	225	3	5	11	22	41	65	99 +
50-64	133	15.8	247	2	6	10	21	39	57	89
65 +	144	16.0	154	5	8	13	22	30	38	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	4.5	17	1	2	3	6	8	14	24
B. Operated	58	4.9	27	1	1	3	7	12	14	28
2. MULTIPLE DX										
A. Not Operated	1136	7.5	35	2	4	6	9	15	20	29
B. Operated	479	15.2	219	2	5	11	21	33	49	99
1. SINGLE DX	183	4.7	20	1	2	3	6	9	14	25
2. MULTIPLE DX	1615	9.7	102	2	4	7	12	21	28	60
A. Not Operated	1261	7.2	34	2	3	5	9	14	19	29
B. Operated	537	14.1	208	1	5	10	19	31	47	99
TOTAL										
0-19 YRS	174	6.2	100	1	2	3	6	17	23	59
20-34	202	7.8	95	2	3	5	9	16	22	74
35-49	370	9.6	112	2	4	6	12	23	31	84
50-64	503	9.9	102	3	4	7	12	21	27	60
65 +	549	9.9	75	3	4	7	12	21	25	39
GRAND TOTAL	**1798**	**9.2**	**96**	**2**	**4**	**6**	**11**	**21**	**27**	**57**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.6	3	1	1	3	3	5	6	6
20-34	145	2.1	2	< 1	1	2	3	4	5	7
35-49	176	2.4	2	1	1	2	3	4	5	7
50-64	120	2.5	2	< 1	1	2	3	5	5	8
65 +	82	3.3	7	1	2	3	4	6	7	16
B. Operated										
0-19 YRS	230	4.0	3	2	3	4	5	6	8	10
20-34	2436	4.0	3	3	3	4	5	6	7	9
35-49	2255	4.1	3	3	3	4	5	6	7	9
50-64	1620	4.3	3	3	3	4	5	6	8	11
65 +	685	4.9	5	3	4	4	6	7	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	2.6	2	1	1	2	4	5	5	6
20-34	210	3.4	8	1	2	3	4	7	8	13
35-49	313	3.0	5	1	1	2	4	6	8	11
50-64	492	3.8	7	1	2	3	5	7	9	14
65 +	1041	5.6	18	2	3	5	7	11	13	21
B. Operated										
0-19 YRS	209	5.6	10	3	4	5	7	9	10	19
20-34	2565	5.2	10	3	3	4	6	8	10	14
35-49	3549	5.4	10	3	4	4	6	9	11	17
50-64	4164	6.1	16	3	4	5	7	10	13	21
65 +	5011	8.6	33	4	5	7	11	15	19	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	540	2.5	3	1	1	2	3	5	6	8
B. Operated	7226	4.2	3	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	2092	4.5	14	1	2	4	6	9	11	18
B. Operated	15498	6.6	21	3	4	5	8	11	15	24
1. SINGLE DX	7766	4.1	3	2	3	4	5	6	7	10
2. MULTIPLE DX	17590	6.4	21	3	4	5	8	11	14	24
A. Not Operated	2632	4.1	12	1	2	3	5	8	11	17
B. Operated	22724	5.8	17	3	4	5	7	10	13	22
TOTAL										
0-19 YRS	492	4.5	7	2	3	4	5	7	9	12
20-34	5356	4.5	7	2	3	4	5	7	9	12
35-49	6293	4.7	8	3	3	4	5	8	9	14
50-64	6396	5.4	13	3	3	4	6	9	11	19
65 +	6819	7.7	30	3	4	6	10	14	18	28
GRAND TOTAL	**25356**	**5.7**	**17**	**3**	**3**	**4**	**7**	**10**	**13**	**21**

304 Hospitals, North Central Region, January-December 1989

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.1	3	1	1	2	2	5	6	6
20-34	85	2.5	2	1	1	2	3	5	5	8
35-49	74	2.7	3	1	1	2	4	5	6	8
50-64	44	2.6	2	1	1	2	4	5	5	6
65 +	16	5.0	15	1	2	4	6	12	13	13
B. Operated										
0-19 YRS	19	3.8	4	2	2	4	4	6	9	10
20-34	187	4.5	4	3	3	4	5	7	8	11
35-49	193	4.2	3	3	3	4	5	6	7	10
50-64	99	5.2	7	3	4	5	6	8	10	16
65 +	42	6.3	9	3	4	5	8	11	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.9	6	1	2	3	5	7	9	10
20-34	116	3.4	5	1	2	3	5	6	8	11
35-49	153	4.0	6	2	2	3	5	7	8	14
50-64	168	4.4	10	1	2	4	6	8	9	15
65 +	268	5.9	19	2	3	5	7	10	12	26
B. Operated										
0-19 YRS	30	7.4	64	3	4	6	8	10	15	47
20-34	307	6.4	23	3	3	4	8	13	15	24
35-49	475	6.1	20	3	4	5	7	11	14	23
50-64	404	7.1	33	3	4	5	9	12	16	30
65 +	470	10.1	42	4	6	8	12	18	24	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	230	2.7	4	1	1	2	4	5	6	10
B. Operated	540	4.6	5	3	3	4	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	726	4.7	12	1	3	4	6	8	10	17
B. Operated	1686	7.5	33	3	4	6	9	14	18	32
1. SINGLE DX	770	4.1	5	2	3	4	5	7	8	12
2. MULTIPLE DX	2412	6.7	29	3	3	5	8	12	16	29
A. Not Operated	956	4.2	11	1	2	3	5	8	10	15
B. Operated	2226	6.8	28	3	4	5	8	13	16	29
TOTAL										
0-19 YRS	81	4.9	30	1	2	4	6	9	10	37
20-34	695	4.9	14	2	3	4	6	9	13	19
35-49	895	5.0	14	2	3	4	6	9	11	19
50-64	715	5.9	24	2	3	5	7	11	14	24
65 +	796	8.4	36	3	4	7	10	15	22	33
GRAND TOTAL	**3182**	**6.0**	**24**	**2**	**3**	**5**	**7**	**11**	**15**	**27**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	5	3.0	4	1	2	3	4	6	6	6
35-49	11	2.3	2	< 1	1	2	3	4	6	6
50-64	11	4.3	15	1	2	3	5	10	15	15
65 +	12	4.2	10	1	2	3	6	8	11	12
B. Operated										
0-19 YRS	8	6.6	15	3	5	5	8	13	15	15
20-34	69	5.6	6	3	4	5	7	9	9	14
35-49	50	5.8	8	3	4	5	7	9	12	16
50-64	58	6.1	14	2	4	6	7	9	10	24
65 +	63	6.9	18	1	4	6	9	12	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	3.8	7	1	2	3	5	8	9	9
35-49	18	4.1	4	2	3	4	5	7	9	9
50-64	40	4.2	11	1	2	3	6	8	10	16
65 +	113	6.1	12	2	3	5	8	12	13	16
B. Operated										
0-19 YRS	11	7.6	3	6	7	7	9	10	10	10
20-34	122	7.6	13	4	5	7	9	12	14	19
35-49	131	8.1	38	3	5	6	10	15	20	35
50-64	212	9.2	58	4	6	8	10	15	20	57
65 +	703	12.1	54	5	7	11	15	22	26	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	3.5	8	1	2	3	4	6	9	15
B. Operated	248	6.1	12	3	4	6	8	10	12	19
2. MULTIPLE DX										
A. Not Operated	185	5.3	12	2	3	4	7	10	12	16
B. Operated	1179	10.6	52	4	6	9	13	19	24	36
1. SINGLE DX	289	5.7	12	2	3	5	7	9	12	18
2. MULTIPLE DX	1364	9.9	50	3	6	6	12	18	23	34
A. Not Operated	226	5.0	12	1	3	4	7	10	12	16
B. Operated	1427	9.9	48	4	6	8	12	17	23	34
TOTAL										
0-19 YRS	22	6.6	9	3	5	7	8	10	12	15
20-34	209	6.6	12	3	4	6	8	11	13	18
35-49	210	6.9	29	3	4	6	9	12	16	29
50-64	321	7.9	46	3	4	7	9	14	17	32
65 +	891	10.9	52	3	6	10	14	20	25	34
GRAND TOTAL	**1653**	**9.2**	**46**	**3**	**5**	**8**	**12**	**16**	**22**	**33**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.9	8	1	2	3	5	9	11	11
20-34	17	2.6	3	1	2	2	3	4	7	8
35-49	11	3.7	8	1	2	3	5	8	10	10
50-64	7	3.9	10	<1	1	3	5	9	10	10
65+	11	6.0	43	1	3	5	6	14	24	25
B. Operated										
0-19 YRS	8	8.3	19	2	5	9	11	13	14	14
20-34	15	5.7	16	1	2	6	9	10	13	14
35-49	18	4.9	28	1	1	4	7	14	17	19
50-64	13	4.[illegible]	9	1	2	4	5	9	11	11
65+	12	3.6	8	<1	1	3	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	8.7	18	3	5	9	12	14	15	18
20-34	28	4.8	17	1	2	4	6	8	16	18
35-49	48	3.9	6	1	2	3	5	7	9	11
50-64	54	5.7	19	1	3	5	8	13	14	23
65+	157	6.7	19	2	4	6	9	13	17	20
B. Operated										
0-19 YRS	21	14.9	57	6	9	15	18	25	31	35
20-34	42	10.7	97	4	5	8	12	19	29	59
35-49	78	11.1	98	3	5	8	13	26	37	86
50-64	112	10.1	72	2	5	9	13	19	24	45
65+	254	13.5	96	5	8	11	18	24	31	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	3.9	14	1	2	3	5	7	10	24
B. Operated	66	5.2	18	1	2	4	8	11	14	18
2. MULTIPLE DX										
A. Not Operated	327	6.2	19	2	3	5	8	13	16	19
B. Operated	507	12.2	91	4	6	10	15	23	30	57
1. SINGLE DX	123	4.6	16	1	2	3	7	10	12	21
2. MULTIPLE DX	834	9.8	71	2	4	8	13	19	24	47
A. Not Operated	384	5.9	18	2	3	5	8	12	15	20
B. Operated	573	11.4	88	2	6	9	15	22	28	55
TOTAL										
0-19 YRS	80	9.6	39	2	5	9	13	17	20	33
20-34	102	7.0	57	1	2	5	9	14	18	44
35-49	155	7.6	67	1	3	5	9	17	26	51
50-64	186	8.2	55	1	3	7	11	15	20	31
65+	434	10.6	77	3	5	8	14	20	25	47
GRAND TOTAL	**957**	**9.2**	**67**	**2**	**4**	**7**	**12**	**19**	**24**	**45**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	4.2	6	2	3	3	6	7	8	12
20-34	235	4.9	16	2	3	4	6	9	11	16
35-49	223	4.7	10	2	3	4	6	8	10	16
50-64	129	5.1	13	2	3	4	6	9	11	19
65+	66	4.4	9	2	3	4	5	8	10	17
B. Operated										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	26	9.2	34	4	5	8	12	15	22	29
35-49	37	8.5	27	2	5	7	12	15	18	23
50-64	27	8.4	41	1	4	7	11	19	23	27
65+	21	9.4	32	3	5	8	13	18	20	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	5.0	12	2	3	4	6	8	14	17
20-34	915	5.9	18	2	3	5	7	10	13	23
35-49	1499	6.3	18	3	4	5	8	11	14	24
50-64	880	6.4	22	3	4	5	8	11	14	23
65+	1145	7.3	29	3	4	6	9	13	16	29
B. Operated										
0-19 YRS	14	14.6	103	6	7	13	19	33	37	38
20-34	225	14.3	113	5	7	10	19	30	41	51
35-49	485	13.9	133	4	6	10	17	29	39	64
50-64	423	14.5	127	5	7	11	19	29	38	68
65+	510	14.7	135	5	8	11	18	29	39	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	682	4.8	12	2	3	4	6	8	10	16
B. Operated	114	[illegible].7	32	3	5	7	12	16	20	28
2. MULTIPLE DX										
A. Not Operated	4486	6.5	22	3	4	5	8	12	14	25
B. Operated	1657	14.4	129	5	7	11	18	29	39	64
1. SINGLE DX	796	5.4	17	2	3	4	6	10	13	21
2. MULTIPLE DX	6143	8.6	63	3	4	6	10	16	24	45
A. Not Operated	5168	6.3	21	2	4	5	8	11	14	24
B. Operated	1771	14.0	125	5	7	11	17	28	38	63
TOTAL										
0-19 YRS	93	6.2	35	2	3	4	7	14	17	36
20-34	1401	7.1	43	2	3	5	8	13	19	40
35-49	2244	7.8	53	3	4	6	9	15	21	42
50-64	1459	8.7	66	3	4	6	10	17	24	48
65+	1742	9.4	71	3	5	7	11	18	25	48
GRAND TOTAL	**6939**	**8.2**	**59**	**3**	**4**	**6**	**10**	**16**	**23**	**44**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	2.3	4	1	1	2	3	4	4	14
20-34	39	2.3	1	1	1	2	3	4	5	5
35-49	44	3.2	10	1	2	3	4	5	6	21
50-64	41	3.3	4	1	2	3	4	6	7	11
65 +	107	4.4	19	1	2	3	5	8	12	28
B. Operated										
0-19 YRS	9	3.7	3	2	3	3	4	7	7	7
20-34	4	5.3	2	4	4	5	6	7	7	7
35-49	8	3.4	5	1	2	3	4	7	8	8
50-64	8	4.3	5	2	3	4	5	8	9	9
65 +	12	9.5	71	2	3	7	14	22	28	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	189	3.7	17	1	2	3	4	7	9	36
20-34	291	3.7	7	1	2	3	5	7	8	14
35-49	555	4.6	12	2	3	4	5	8	11	16
50-64	897	4.9	12	2	3	4	6	9	11	18
65 +	3279	6.1	19	2	3	5	7	11	14	24
B. Operated										
0-19 YRS	40	8.0	131	1	2	5	9	16	24	68
20-34	82	7.0	73	2	3	5	7	12	23	52
35-49	192	7.1	75	2	3	5	8	14	20	36
50-64	403	7.4	51	3	4	6	9	12	18	37
65 +	1442	9.7	74	3	5	7	12	19	25	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	282	3.4	11	1	2	3	4	6	8	20
B. Operated	41	5.6	29	2	3	4	6	10	18	29
2. MULTIPLE DX										
A. Not Operated	5211	5.5	17	2	3	5	7	10	13	23
B. Operated	2159	8.9	72	3	4	6	11	18	24	43
1. SINGLE DX	323	3.6	14	1	2	3	4	6	9	22
2. MULTIPLE DX	7370	6.5	36	2	3	5	8	12	17	31
A. Not Operated	5493	5.4	17	2	3	4	7	10	13	23
B. Operated	2200	8.9	72	3	4	6	10	18	24	42
TOTAL										
0-19 YRS	289	4.1	33	1	2	3	4	7	12	39
20-34	416	4.3	21	1	2	3	5	8	10	23
35-49	799	5.1	28	2	3	4	6	9	12	29
50-64	1349	5.6	25	2	3	4	7	10	12	24
65 +	4840	7.2	39	3	4	5	8	13	18	31
GRAND TOTAL	**7693**	**6.4**	**35**	**2**	**3**	**5**	**8**	**12**	**17**	**31**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	3.3	3	1	2	3	5	6	6	7
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	21	7.0	97	1	2	4	9	11	28	47
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	5.0	22	2	2	4	6	9	12	27
20-34	10	5.1	7	1	3	5	7	9	10	10
35-49	14	6.7	26	1	3	6	10	13	16	17
50-64	13	7.7	50	2	3	4	10	20	23	24
65 +	26	7.8	29	3	3	6	12	15	18	23
B. Operated										
0-19 YRS	64	14.0	306	3	4	7	16	44	64	97
20-34	52	7.3	76	3	4	5	6	11	31	46
35-49	84	7.6	100	4	4	5	7	12	20	67
50-64	41	10.6	68	4	4	6	15	24	29	32
65 +	39	13.3	107	5	7	10	16	24	26	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	3.2	3	1	2	3	4	6	6	7
B. Operated	27	6.3	76	1	3	4	6	10	18	47
2. MULTIPLE DX										
A. Not Operated	184	5.7	25	2	3	4	7	12	16	24
B. Operated	280	10.3	145	3	4	5	10	24	35	76
1. SINGLE DX	67	4.4	34	1	2	3	5	7	10	41
2. MULTIPLE DX	464	8.5	103	2	4	5	9	18	27	64
A. Not Operated	224	5.3	22	2	2	4	6	11	14	24
B. Operated	307	9.9	140	3	4	5	10	22	34	75
TOTAL										
0-19 YRS	241	7.3	117	2	3	4	7	14	30	74
20-34	66	6.8	62	3	4	5	6	10	29	45
35-49	103	7.3	86	3	4	5	7	12	18	57
50-64	55	9.8	63	3	4	6	15	24	26	32
65 +	66	11.0	82	3	6	9	14	21	24	58
GRAND TOTAL	**531**	**8.0**	**96**	**2**	**3**	**5**	**9**	**16**	**25**	**62**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	106	3.6	7	1	2	3	4	5	10	16
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+	0									
B. Operated										
0-19 YRS	84	1.9	3	1	1	1	2	3	6	10
20-34	17	2.4	3	1	1	1	3	5	6	7
35-49	15	1.1		1	1	1	1	1	2	2
50-64	11	1.1		1	1	1	1	2	2	2
65+	5	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	153	5.1	16	1	2	4	7	10	12	21
20-34	31	5.5	11	2	3	5	7	10	14	14
35-49	25	6.9	33	1	3	6	9	14	18	27
50-64	41	7.5	34	3	4	6	9	13	20	30
65+	55	9.2	33	3	5	9	12	16	23	26
B. Operated										
0-19 YRS	88	6.4	78	1	1	3	7	15	28	46
20-34	53	5.5	62	1	1	2	6	14	23	38
35-49	54	6.6	37	1	2	4	10	14	20	26
50-64	64	8.2	69	1	2	5	12	19	28	32
65+	67	11.1	198	1	2	7	13	22	38	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	3.6	7	1	2	3	5	6	10	15
B. Operated	132	1.8	3	1	1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	305	6.3	25	2	3	5	9	12	15	26
B. Operated	326	7.6	94	1	1	4	10	18	27	46
1. SINGLE DX	243	2.6	6	1	1	2	3	5	6	11
2. MULTIPLE DX	631	7.0	61	1	2	5	9	15	20	37
A. Not Operated	416	5.6	22	1	2	4	7	11	15	25
B. Operated	458	5.9	75	1	1	2	7	15	21	44
TOTAL										
0-19 YRS	431	4.4	26	1	1	3	5	9	13	28
20-34	103	4.9	37	1	1	3	6	10	15	36
35-49	96	5.8	33	1	1	4	8	14	18	27
50-64	117	7.3	53	1	2	5	9	16	25	32
65+	127	9.9	122	1	3	7	13	20	27	61
GRAND TOTAL	**874**	**5.8**	**49**	**1**	**2**	**4**	**7**	**13**	**18**	**32**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	4.8	7	1	3	4	6	8	10	11
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	2.5	3	1	1	2	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	4.6	12	1	2	4	5	9	13	17
20-34	8	6.5	18	3	4	6	7	13	16	16
35-49	14	7.9	45	3	3	5	9	20	22	22
50-64	17	6.8	13	3	4	6	8	13	14	14
65+	25	7.7	20	4	4	6	11	13	16	21
B. Operated										
0-19 YRS	10	6.0	20	1	2	4	11	12	13	13
20-34	10	6.0	33	1	2	5	7	15	20	20
35-49	6	6.8	13	1	4	8	9	11	11	11
50-64	9	13.0	69	4	6	11	22	24	24	24
65+	16	17.7	154	4	11	16	18	42	46	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.8	7	1	3	4	6	8	10	11
B. Operated	8	2.0	2	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	109	6.2	20	2	3	5	8	13	16	21
B. Operated	51	11.0	95	2	4	8	16	22	27	47
1. SINGLE DX	24	3.8	7	1	1	4	5	7	9	11
2. MULTIPLE DX	160	7.7	49	2	3	5	10	16	20	42
A. Not Operated	125	6.0	18	2	3	5	7	12	15	21
B. Operated	59	9.8	92	1	3	7	15	21	26	47
TOTAL										
0-19 YRS	72	4.8	12	1	2	4	6	10	12	17
20-34	22	5.5	23	1	2	5	7	12	18	20
35-49	21	7.3	35	2	3	5	9	18	21	22
50-64	28	8.4	41	2	4	7	11	19	24	24
65+	41	11.6	94	4	5	9	16	19	35	47
GRAND TOTAL	**184**	**7.2**	**45**	**2**	**3**	**5**	**9**	**16**	**20**	**38**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.1	10	<1	<1	2	4	9	10	10
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	2	8.0	98	1	1	8	15	15	15	15
65+	4	14.3	116	1	5	16	23	24	24	24
B. Operated										
0-19 YRS	19	5.2	19	1	1	4	7	12	15	16
20-34	11	2.9	15	<1	1	1	3	9	14	14
35-49	13	4.6	60	<1	1	2	4	13	26	29
50-64	17	3.0	11	1	1	2	3	9	12	12
65+	25	3.7	17	1	1	2	5	8	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	4.8	15	1	2	4	5	11	14	16
20-34	30	3.5	12	<1	1	3	4	8	11	16
35-49	32	3.5	7	<1	1	3	5	7	10	11
50-64	64	5.9	25	1	3	5	7	9	15	28
65+	179	8.1	30	2	4	7	10	15	19	26
B. Operated										
0-19 YRS	134	12.9	182	2	4	9	17	24	44	95
20-34	153	10.1	114	2	3	7	14	20	28	55
35-49	244	8.9	76	2	3	7	11	18	24	41
50-64	292	9.5	107	1	3	7	12	19	31	46
65+	401	11.1	108	2	4	8	15	24	34	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	5.5	54	<1	1	1	8	19	23	24
B. Operated	85	3.9	22	1	1	2	5	11	13	25
2. MULTIPLE DX										
A. Not Operated	354	6.5	26	1	3	5	9	14	16	27
B. Operated	1224	10.3	111	2	3	8	14	22	31	55
1. SINGLE DX	104	4.2	28	1	1	2	5	11	15	26
2. MULTIPLE DX	1578	9.5	95	2	3	7	12	20	27	49
A. Not Operated	373	6.4	28	1	3	5	9	14	16	26
B. Operated	1309	9.9	108	1	3	7	13	21	29	53
TOTAL										
0-19 YRS	209	9.9	137	1	3	6	14	22	27	83
20-34	196	8.6	99	1	2	6	12	19	24	52
35-49	293	8.0	70	1	3	6	10	17	23	40
50-64	375	8.6	91	1	3	6	11	18	27	46
65+	609	9.9	84	2	4	7	13	21	29	49
GRAND TOTAL	**1682**	**9.1**	**92**	**1**	**3**	**7**	**12**	**19**	**26**	**49**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	6.7		6	6	7	7	7	7	7
50-64	3	11.0	84	1	4	13	17	19	19	19
65+	7	5.6	11	1	3	5	8	10	11	11
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	2	11.5	85	5	5	11	18	18	18	18
50-64	3	5.7	2	4	4	6	7	7	7	7
65+	8	15.1	196	1	3	11	26	36	37	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	5.9	19	2	3	6	7	10	15	21
20-34	26	7.6	35	2	3	6	11	17	19	23
35-49	77	7.0	28	2	3	6	9	13	15	32
50-64	149	7.9	28	3	4	6	10	15	19	28
65+	761	9.1	37	4	5	8	11	16	20	32
B. Operated										
0-19 YRS	20	11.3	35	2	8	12	15	19	21	22
20-34	49	12.1	101	2	5	9	17	26	33	43
35-49	91	12.0	152	2	6	9	15	22	32	93
50-64	207	13.5	120	3	7	10	18	30	37	85
65+	498	15.6	106	5	8	14	19	30	35	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	6.7	22	1	3	6	8	13	17	19
B. Operated	17	10.4	119	1	4	6	16	31	36	37
2. MULTIPLE DX										
A. Not Operated	1034	8.7	35	3	5	7	11	15	19	31
B. Operated	865	14.4	114	4	7	12	19	29	35	65
1. SINGLE DX	33	8.6	73	1	4	6	9	19	32	37
2. MULTIPLE DX	1899	11.3	79	3	6	9	14	21	29	48
A. Not Operated	1050	8.6	35	3	5	7	11	15	19	31
B. Operated	882	14.3	114	4	7	12	18	29	35	64
TOTAL										
0-19 YRS	44	8.2	32	2	4	7	12	16	21	22
20-34	79	10.3	80	2	4	8	14	20	31	43
35-49	173	9.7	99	2	4	8	11	19	26	80
50-64	362	11.1	88	3	5	8	14	23	32	69
65+	1274	11.6	75	4	6	9	15	22	29	47
GRAND TOTAL	**1932**	**11.2**	**79**	**3**	**6**	**9**	**14**	**21**	**29**	**47**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	223	3.7	3	2	3	4	4	5	6	10
20-34	322	3.6	3	2	2	3	4	6	7	10
35-49	89	3.9	3	2	3	4	5	6	7	10
50-64	32	4.0	3	2	3	4	5	6	8	10
65 +	15	4.6	3	3	3	4	6	7	8	8
B. Operated										
0-19 YRS	10	4.8	2	2	4	5	6	7	7	7
20-34	10	5.8	6	3	4	5	8	9	10	10
35-49	5	7.4	7	5	6	7	8	12	12	12
50-64	3	5.0	9	2	3	5	7	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	716	4.2	4	2	3	4	5	7	8	11
20-34	912	4.3	4	2	3	4	5	7	8	11
35-49	466	5.0	6	3	3	5	6	8	10	14
50-64	403	5.6	8	3	4	5	7	9	11	16
65 +	771	6.9	25	3	4	6	8	11	14	18
B. Operated										
0-19 YRS	59	7.8	48	4	4	6	9	12	16	45
20-34	74	6.9	21	3	5	6	8	11	17	26
35-49	71	10.5	142	4	6	7	11	16	30	79
50-64	83	11.0	74	4	6	9	12	18	34	47
65 +	152	11.8	68	4	6	9	14	22	28	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	681	3.7	3	2	3	3	4	6	7	10
B. Operated	28	5.6	5	3	4	5	7	8	10	12
2. MULTIPLE DX										
A. Not Operated	3268	5.2	11	2	3	5	6	8	10	15
B. Operated	439	10.1	74	4	6	8	12	18	26	46
1. SINGLE DX	709	3.8	3	2	3	4	5	6	7	10
2. MULTIPLE DX	3707	5.7	21	3	3	5	7	10	13	22
A. Not Operated	3949	4.9	10	2	3	4	6	8	10	15
B. Operated	467	9.8	71	4	5	7	12	17	25	46
TOTAL										
0-19 YRS	1008	4.3	7	2	3	4	5	7	8	12
20-34	1318	4.3	5	2	3	4	5	7	8	12
35-49	631	5.5	24	3	3	5	6	9	11	17
50-64	521	6.4	23	3	4	5	8	11	13	27
65 +	938	7.6	35	3	4	6	9	13	16	28
GRAND TOTAL	**4416**	**5.4**	**19**	**2**	**3**	**4**	**6**	**9**	**12**	**19**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	178	3.7	3	2	3	3	4	6	7	9
20-34	150	3.2	2	2	2	3	4	5	5	6
35-49	39	3.7	2	2	3	3	5	5	6	10
50-64	21	4.4	4	3	3	4	5	6	8	11
65 +	10	4.7	3	3	3	4	6	7	8	8
B. Operated										
0-19 YRS	15	4.7	13	1	3	4	6	7	14	16
20-34	14	6.0	14	3	4	5	7	12	13	13
35-49	4	5.0	11	< 1	2	5	7	9	9	9
50-64	6	7.0	9	2	6	7	8	11	11	11
65 +	4	8.0	14	3	5	8	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	550	4.1	5	2	3	4	5	7	8	11
20-34	455	4.2	5	2	3	4	5	6	8	11
35-49	220	4.9	7	2	3	4	6	8	10	14
50-64	196	5.8	11	2	4	5	7	9	10	21
65 +	341	6.7	18	3	4	6	8	12	15	21
B. Operated										
0-19 YRS	90	8.3	107	3	4	6	9	15	20	70
20-34	86	8.9	54	3	4	7	11	16	22	46
35-49	62	10.0	100	3	5	6	14	21	27	60
50-64	81	11.1	56	5	7	9	14	20	25	46
65 +	126	12.5	76	5	6	9	16	24	31	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	398	3.6	2	2	3	3	4	5	6	9
B. Operated	43	5.8	13	2	3	5	8	12	13	16
2. MULTIPLE DX										
A. Not Operated	1762	4.9	10	2	3	4	6	8	10	18
B. Operated	445	10.4	80	4	5	8	13	20	25	54
1. SINGLE DX	441	3.8	4	2	3	3	4	6	7	12
2. MULTIPLE DX	2207	6.0	28	2	3	5	7	10	15	26
A. Not Operated	2160	4.7	8	2	3	4	6	8	10	17
B. Operated	488	10.0	76	3	5	7	12	20	24	49
TOTAL										
0-19 YRS	833	4.5	17	2	3	4	5	7	9	17
20-34	705	4.6	13	2	3	4	5	7	10	19
35-49	325	5.7	28	2	3	4	6	10	15	26
50-64	304	7.1	28	3	4	6	8	13	17	27
65 +	481	8.2	40	3	4	6	9	16	21	33
GRAND TOTAL	**2648**	**5.6**	**25**	**2**	**3**	**4**	**6**	**10**	**14**	**25**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	2.0	1	1	1	2	2	3	4	5
20-34	205	2.1	16	1	1	1	2	3	4	18
35-49	350	1.6	1	1	1	1	2	3	4	6
50-64	239	1.4	1	1	1	1	2	2	3	5
65 +	87	1.4	1	1	1	1	2	2	3	5
B. Operated										
0-19 YRS	19	4.1	15	1	1	3	6	11	13	13
20-34	101	3.0	21	1	1	2	3	5	7	29
35-49	181	2.4	3	1	1	2	3	5	6	10
50-64	147	2.1	3	1	1	1	3	4	6	8
65 +	85	2.0	6	1	1	1	2	3	6	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	2.4	2	1	1	2	3	5	6	7
20-34	229	2.4	5	1	1	2	3	4	6	11
35-49	331	2.2	3	1	1	2	3	4	6	9
50-64	289	2.4	5	1	1	2	3	4	6	12
65 +	249	2.7	4	1	1	2	4	5	7	10
B. Operated										
0-19 YRS	32	5.2	22	1	2	4	8	11	17	20
20-34	158	5.9	38	1	2	4	7	10	17	31
35-49	284	5.1	27	1	2	3	6	11	15	26
50-64	288	5.0	34	1	2	4	6	10	13	24
65 +	326	6.0	28	1	2	4	8	13	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	922	1.6	4	1	1	1	2	3	4	6
B. Operated	533	2.4	8	1	1	1	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	1138	2.4	4	1	1	2	3	5	6	10
B. Operated	1088	5.4	31	1	2	4	7	12	15	26
1. SINGLE DX	1455	1.9	6	1	1	1	2	4	5	9
2. MULTIPLE DX	2226	3.9	19	1	1	2	5	8	12	21
A. Not Operated	2060	2.1	4	1	1	1	2	4	5	10
B. Operated	1621	4.4	25	1	1	3	6	10	13	24
TOTAL										
0-19 YRS	132	3.2	10	1	1	2	4	7	10	18
20-34	693	3.2	20	1	1	2	4	7	8	23
35-49	1146	2.8	10	1	1	2	3	6	8	16
50-64	963	2.9	14	1	1	2	3	6	8	16
65 +	747	3.9	18	1	1	2	5	10	13	19
GRAND TOTAL	**3681**	**3.1**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	1.8	1	1	1	2	2	3	3	5
20-34	837	1.6	1	1	1	1	2	3	3	5
35-49	1092	1.6	1	1	1	1	2	3	3	5
50-64	530	1.7	1	1	1	1	2	3	4	5
65 +	111	1.8	1	1	1	1	2	3	4	6
B. Operated										
0-19 YRS	55	3.2	4	1	2	3	4	6	7	9
20-34	571	3.0	6	1	2	2	4	5	6	12
35-49	851	2.8	3	1	1	2	4	5	6	9
50-64	496	3.0	6	1	1	2	4	6	7	10
65 +	172	3.3	5	1	1	3	4	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	2.1	2	1	1	2	3	4	5	8
20-34	479	2.0	2	1	1	2	2	4	5	6
35-49	875	2.0	2	1	1	2	2	4	4	7
50-64	674	2.1	2	1	1	2	3	4	5	7
65 +	359	2.7	4	1	1	2	3	5	6	11
B. Operated										
0-19 YRS	69	3.8	12	1	2	3	4	7	9	21
20-34	509	4.1	8	1	2	3	5	7	9	15
35-49	844	4.2	16	1	2	3	5	8	9	17
50-64	865	4.1	10	1	2	3	5	8	10	17
65 +	730	5.3	19	1	2	4	7	11	14	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2681	1.6	1	1	1	1	2	3	3	5
B. Operated	2145	2.9	5	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	2446	2.1	2	1	1	2	3	4	5	8
B. Operated	3017	4.4	14	1	2	4	6	8	11	19
1. SINGLE DX	4826	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	5463	3.4	10	1	1	2	4	7	9	15
A. Not Operated	5127	1.9	2	1	1	2	2	3	4	7
B. Operated	5162	3.8	11	1	2	3	5	7	9	16
TOTAL										
0-19 YRS	294	2.6	5	1	1	2	3	5	7	10
20-34	2396	2.5	5	1	1	2	3	5	6	11
35-49	3662	2.6	6	1	1	2	3	5	6	10
50-64	2565	2.9	6	1	1	2	4	6	7	12
65 +	1372	4.1	14	1	2	3	5	8	11	18
GRAND TOTAL	**10289**	**2.8**	**7**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.6	1	<1	1	1	2	3	4	6
20-34	18	2.7	5	1	1	2	3	6	8	9
35-49	23	1.8	2	<1	1	1	2	3	5	7
50-64	13	1.7	1	<1	1	1	2	3	4	4
65+	7	9.4	162	1	1	2	21	29	29	29
B. Operated										
0-19 YRS	413	4.8	7	2	3	4	6	8	9	13
20-34	66	4.4	5	1	3	4	6	8	8	9
35-49	63	4.0	6	1	2	4	5	7	8	11
50-64	64	3.9	10	1	1	3	6	8	10	15
65+	34	5.4	22	1	2	4	7	10	16	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	104	4.0	24	1	1	3	5	9	11	29
20-34	51	3.2	5	1	2	3	4	6	7	14
35-49	66	4.4	25	1	2	3	5	9	15	29
50-64	57	5.2	18	1	2	4	7	9	15	20
65+	170	6.2	21	2	3	5	8	12	17	22
B. Operated										
0-19 YRS	617	5.9	14	2	4	5	7	10	12	20
20-34	177	6.3	21	2	4	5	8	13	14	25
35-49	235	5.9	22	1	3	5	8	11	14	23
50-64	330	7.2	45	1	3	6	9	14	19	31
65+	471	9.3	77	2	4	7	12	18	24	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	2.5	18	1	1	1	2	4	7	28
B. Operated	640	4.6	8	1	3	4	6	8	9	14
2. MULTIPLE DX										
A. Not Operated	448	5.0	21	1	2	4	6	10	14	21
B. Operated	1830	7.0	39	2	3	6	9	13	18	32
1. SINGLE DX	726	4.4	9	1	2	4	6	8	9	14
2. MULTIPLE DX	2278	6.6	36	1	3	5	8	13	17	31
A. Not Operated	534	4.6	21	1	2	3	6	9	13	22
B. Operated	2470	6.4	32	2	3	5	8	12	16	30
TOTAL										
0-19 YRS	1159	5.2	13	2	3	4	7	9	11	19
20-34	312	5.2	16	1	3	4	7	9	13	21
35-49	387	5.1	20	1	2	4	7	9	12	22
50-64	464	6.3	37	1	2	5	8	13	17	29
65+	682	8.4	63	2	3	7	10	17	22	40
GRAND TOTAL	**3004**	**6.1**	**31**	**1**	**3**	**5**	**8**	**11**	**16**	**29**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.3	1	1	2	2	3	3	3	3
20-34	28	1.8	2	1	1	1	2	3	4	7
35-49	44	1.6	1	1	1	1	2	3	3	4
50-64	16	1.3		<1	1	1	2	2	2	2
65+	3	3.7	14	<1	<1	2	6	8	8	8
B. Operated										
0-19 YRS	5	3.4	15	1	1	1	5	10	10	10
20-34	10	2.5	2	<1	2	2	4	5	5	5
35-49	13	3.2	3	1	2	3	4	6	6	6
50-64	16	2.2	3	<1	1	2	3	5	6	7
65+	9	1.8	2	<1	1	1	2	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.5	4	1	1	2	5	5	5	5
20-34	39	2.2	2	1	1	2	3	4	5	6
35-49	29	2.8	4	1	1	2	3	6	8	9
50-64	23	2.6	4	1	1	2	4	5	6	9
65+	20	4.1	21	1	2	3	3	10	16	20
B. Operated										
0-19 YRS	18	4.4	6	1	3	4	5	8	10	11
20-34	33	4.0	7	1	2	4	5	8	9	11
35-49	40	3.8	7	1	2	3	5	7	9	12
50-64	71	5.4	39	1	2	4	7	9	12	39
65+	191	5.8	28	1	2	4	8	12	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	1.7	1	<1	1	1	2	3	4	7
B. Operated	53	2.5	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	117	2.8	6	1	1	2	3	5	7	15
B. Operated	353	5.3	25	1	2	4	7	10	13	31
1. SINGLE DX	153	2.0	2	<1	1	2	2	4	5	8
2. MULTIPLE DX	470	4.6	22	1	2	3	6	9	13	22
A. Not Operated	217	2.3	4	1	1	2	3	4	5	10
B. Operated	406	4.9	23	1	2	4	6	10	13	26
TOTAL										
0-19 YRS	38	3.5	6	1	2	3	5	7	9	11
20-34	110	2.6	4	1	1	2	3	5	7	10
35-49	126	2.7	4	1	1	2	4	5	7	11
50-64	126	4.0	26	1	1	2	5	8	9	35
65+	223	5.5	27	1	2	4	7	12	15	24
GRAND TOTAL	**623**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.6	1	1	2	3	3	4	4	4
20-34	20	2.3	2	1	1	2	3	4	5	6
35-49	6	2.3	1	1	2	2	3	4	4	4
50-64	5	3.0	4	1	2	3	4	6	6	6
65 +	8	4.3	4	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	8	2.8	3	< 1	1	2	4	5	5	5
20-34	9	2.0	1	< 1	1	2	3	3	3	3
35-49	15	2.8	7	< 1	1	2	3	5	9	11
50-64	25	4.5	172	< 1	< 1	1	2	5	21	67
65 +	22	2.5	4	< 1	< 1	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	3.1	4	1	2	3	4	6	7	11
20-34	63	3.0	3	1	2	3	4	5	6	8
35-49	47	4.3	7	1	2	4	6	8	9	13
50-64	58	5.0	11	2	3	4	7	10	11	18
65 +	240	6.4	19	2	3	5	8	12	15	25
B. Operated										
0-19 YRS	21	5.5	13	2	3	6	7	9	13	17
20-34	48	5.0	14	2	3	4	7	9	11	23
35-49	78	5.5	16	1	2	4	8	10	15	18
50-64	132	5.5	15	1	3	5	7	10	13	19
65 +	424	7.0	31	2	3	6	9	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	2.7	2	1	2	2	3	5	6	7
B. Operated	79	3.2	56	< 1	< 1	2	3	5	7	51
2. MULTIPLE DX										
A. Not Operated	468	5.1	15	2	3	4	7	10	13	19
B. Operated	703	6.4	25	2	3	5	8	12	16	23
1. SINGLE DX	131	3.0	35	< 1	1	2	3	5	6	22
2. MULTIPLE DX	1171	5.9	21	2	3	5	8	11	15	22
A. Not Operated	520	4.9	14	1	2	4	6	10	12	18
B. Operated	782	6.0	29	1	3	5	8	12	15	24
TOTAL										
0-19 YRS	102	3.5	6	1	2	3	4	7	8	14
20-34	140	3.5	8	1	2	3	4	7	8	12
35-49	146	4.7	13	1	2	4	6	9	11	18
50-64	220	5.2	31	1	2	4	7	10	12	20
65 +	694	6.6	26	2	3	5	8	13	15	25
GRAND TOTAL	**1302**	**5.6**	**23**	**1**	**3**	**4**	**7**	**11**	**14**	**22**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	39	1.9	2	1	1	1	3	4	5	6
20-34	34	1.7	1	1	1	1	2	3	4	5
35-49	32	1.4	1	< 1	1	1	2	3	4	4
50-64	34	2.4	5	< 1	1	2	3	5	6	12
65 +	28	1.8	1	< 1	1	1	2	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.8	9	1	2	3	6	8	8	8
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	2.6	9	1	1	1	3	8	8	8
50-64	3	3.7		3	3	4	4	4	4	4
65 +	19	5.3	20	1	2	3	9	13	14	14
B. Operated										
0-19 YRS	37	2.0	2	1	1	2	2	4	5	5
20-34	54	3.6	12	1	1	2	4	8	13	16
35-49	77	3.4	8	1	1	2	5	8	10	11
50-64	106	3.7	16	1	1	2	5	7	10	23
65 +	310	4.1	16	1	1	3	5	8	12	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.3	1	< 1	< 1	< 1	1	2	3	3
B. Operated	167	1.8	2	< 1	1	1	2	4	4	6
2. MULTIPLE DX										
A. Not Operated	33	4.4	15	1	1	3	7	10	13	14
B. Operated	584	3.8	14	1	1	3	5	8	10	22
1. SINGLE DX	175	1.8	2	< 1	1	1	2	4	4	6
2. MULTIPLE DX	617	3.8	14	1	1	3	5	8	10	22
A. Not Operated	41	3.8	13	< 1	1	2	5	9	12	14
B. Operated	751	3.3	12	1	1	2	4	7	9	21
TOTAL										
0-19 YRS	82	2.0	2	1	1	1	3	4	5	7
20-34	91	2.8	8	1	1	2	3	6	9	15
35-49	117	2.8	6	1	1	2	4	7	9	11
50-64	145	3.3	13	1	1	2	4	7	10	23
65 +	357	4.0	15	1	1	3	5	8	12	23
GRAND TOTAL	**792**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	230	2.6	2	1	2	2	3	4	5	9
20-34	68	2.6	2	1	1	2	4	4	5	9
35-49	34	2.6	2	1	2	3	3	4	5	8
50-64	32	3.9	6	1	2	4	5	6	8	13
65 +	103	6.5	26	3	3	5	8	12	13	34
B. Operated										
0-19 YRS	18	3.3	4	1	2	3	4	6	7	8
20-34	4	5.8	5	3	4	6	7	8	8	8
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	5	4.2	27	< 1	< 1	1	7	13	13	13
65 +	15	7.9	50	< 1	3	6	11	17	24	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1154	4.0	7	2	2	3	5	7	9	15
20-34	535	4.9	20	2	3	4	6	9	13	20
35-49	495	5.8	21	2	3	5	7	11	14	25
50-64	897	6.5	20	3	4	5	8	12	14	27
65 +	5721	7.8	27	3	4	7	10	14	17	27
B. Operated										
0-19 YRS	167	6.7	50	2	3	5	8	12	15	35
20-34	75	10.8	152	2	4	8	13	23	36	97
35-49	108	12.7	185	4	6	9	16	27	38	99 +
50-64	209	13.0	127	4	6	10	16	30	42	79
65 +	1090	14.2	113	5	8	11	18	26	35	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	467	3.6	10	1	2	3	4	7	9	13
B. Operated	44	5.3	25	< 1	2	4	7	12	14	27
2. MULTIPLE DX										
A. Not Operated	8802	6.9	25	2	4	6	9	12	16	25
B. Operated	1649	13.1	120	4	6	10	16	25	35	67
1. SINGLE DX	511	3.7	12	1	2	3	4	7	9	14
2. MULTIPLE DX	10451	7.8	45	3	4	6	10	15	19	35
A. Not Operated	9269	6.7	25	2	4	5	8	12	16	25
B. Operated	1693	12.9	119	4	6	10	16	25	35	66
TOTAL										
0-19 YRS	1569	4.1	12	2	2	3	5	7	9	16
20-34	682	5.3	36	2	2	4	6	10	14	30
35-49	639	6.8	55	2	3	5	8	13	18	38
50-64	1143	7.6	46	3	4	6	9	14	19	40
65 +	6929	8.8	46	3	5	7	11	16	21	37
GRAND TOTAL	**10962**	**7.6**	**44**	**2**	**4**	**6**	**9**	**14**	**19**	**34**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.0	1	1	1	2	3	3	4	4
20-34	9	1.9	2	< 1	< 1	1	3	4	4	4
35-49	10	2.6	3	< 1	1	2	4	5	6	6
50-64	16	2.1	1	< 1	1	2	3	3	4	4
65 +	32	2.3	3	< 1	< 1	2	4	5	6	6
B. Operated										
0-19 YRS	64	2.3	7	1	1	1	2	5	7	18
20-34	47	2.9	6	< 1	1	2	4	6	8	10
35-49	53	2.6	5	1	1	2	3	5	9	10
50-64	88	2.8	6	< 1	1	2	4	5	7	15
65 +	131	3.1	5	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	3.3	7	1	1	2	5	7	8	12
20-34	52	3.3	11	1	1	2	3	8	13	15
35-49	80	3.6	7	1	2	3	5	7	7	14
50-64	113	3.8	7	1	2	3	5	7	9	15
65 +	438	5.1	19	1	2	4	6	10	14	24
B. Operated										
0-19 YRS	96	4.9	19	1	1	3	8	11	13	19
20-34	107	4.9	22	1	2	3	6	14	16	18
35-49	167	6.1	66	1	2	4	7	11	14	49
50-64	393	5.0	22	1	2	4	7	10	13	29
65 +	1274	6.2	45	1	3	4	7	13	18	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	2.2	2	< 1	1	2	3	4	5	6
B. Operated	383	2.8	6	< 1	1	2	4	5	8	12
2. MULTIPLE DX										
A. Not Operated	777	4.4	15	1	2	3	5	9	12	21
B. Operated	2037	5.8	40	1	2	4	7	12	17	35
1. SINGLE DX	482	2.7	5	< 1	1	2	3	5	7	10
2. MULTIPLE DX	2814	5.5	33	1	2	4	7	11	15	30
A. Not Operated	876	4.2	14	1	2	3	5	8	11	20
B. Operated	2420	5.4	36	1	2	4	6	12	15	33
TOTAL										
0-19 YRS	286	3.4	12	1	1	2	4	8	11	18
20-34	215	4.0	16	1	1	3	5	10	15	17
35-49	310	4.7	41	1	2	3	6	9	12	46
50-64	610	4.4	17	1	2	3	5	9	12	22
65 +	1875	5.7	36	1	2	4	7	12	17	31
GRAND TOTAL	**3296**	**5.1**	**30**	**1**	**2**	**3**	**6**	**10**	**14**	**28**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	16	1.1		< 1	< 1	< 1	< 1	< 1	2	2
65 +	39	1.7	2	< 1	< 1	< 1	2	4	5	6
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	24	2.7	1	1	2	3	3	4	5	6
50-64	641	3.4	2	2	3	3	4	5	6	9
65 +	1150	3.8	3	2	3	4	4	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.0		4	4	4	4	4	4	4
50-64	47	3.6	7	< 1	1	3	5	7	9	13
65 +	184	4.5	19	1	2	4	6	8	10	26
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	68	3.5	4	1	3	3	4	5	6	12
50-64	2319	4.5	7	3	3	4	5	7	9	16
65 +	7974	5.2	13	3	3	4	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	1.5	1	< 1	< 1	< 1	< 1	3	4	6
B. Operated	1816	3.7	3	2	3	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	234	4.3	16	1	2	3	6	8	10	21
B. Operated	10362	5.0	12	3	3	4	6	8	11	19
1. SINGLE DX	1874	3.6	3	2	3	3	4	5	6	10
2. MULTIPLE DX	10596	5.0	12	3	3	4	6	8	11	19
A. Not Operated	292	3.7	15	< 1	1	3	5	8	9	19
B. Operated	12178	4.8	11	3	3	4	5	8	11	18
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	97	3.2	3	1	2	3	4	5	6	12
50-64	3023	4.2	6	2	3	4	5	7	9	15
65 +	9347	5.0	12	3	3	4	6	8	11	20
GRAND TOTAL	**12470**	**4.8**	**11**	**3**	**3**	**4**	**5**	**8**	**11**	**18**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	20	3.3	2	2	2	3	4	6	7	7
35-49	21	3.8	4	2	2	4	4	6	8	10
50-64	28	3.2	2	1	2	3	4	6	6	7
65 +	8	2.8	2	< 1	1	3	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	3	3.3	4	1	2	4	5	5	5	5
35-49	9	2.3	3	< 1	< 1	1	3	5	6	6
50-64	12	2.6	3	< 1	< 1	2	4	5	5	5
65 +	4	3.5	4	< 1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	42	3.4	2	2	2	3	5	6	6	7
35-49	74	4.4	4	2	3	4	5	8	9	10
50-64	101	4.5	4	2	3	4	5	7	9	11
65 +	99	4.8	5	2	3	4	6	8	9	12
B. Operated										
0-19 YRS	4	7.5	76	1	1	4	13	20	20	20
20-34	13	5.1	11	1	2	5	8	9	11	11
35-49	28	4.4	15	< 1	2	3	5	8	11	20
50-64	60	4.9	9	2	3	4	6	9	12	14
65 +	114	6.2	39	2	3	4	8	11	14	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	3.3	3	2	2	3	4	6	7	9
B. Operated	28	2.7	3	< 1	< 1	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	317	4.4	5	2	3	4	6	7	9	11
B. Operated	219	5.6	27	2	3	4	7	11	13	30
1. SINGLE DX	106	3.2	3	< 1	2	3	4	5	6	9
2. MULTIPLE DX	536	4.9	14	2	3	4	6	8	11	19
A. Not Operated	395	4.2	4	2	3	4	5	7	8	10
B. Operated	247	5.3	25	1	3	4	7	11	13	27
TOTAL										
0-19 YRS	6	5.7	54	1	2	2	7	19	20	20
20-34	78	3.7	4	2	2	3	5	7	8	10
35-49	132	4.2	7	1	2	4	5	8	9	12
50-64	201	4.4	6	2	3	4	5	7	9	13
65 +	225	5.4	23	2	3	4	7	10	12	29
GRAND TOTAL	**642**	**4.6**	**13**	**2**	**3**	**4**	**6**	**8**	**10**	**15**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.3	1	<1	<1	<1	1	3	3	3
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	23	1.1		<1	1	1	1	2	2	2
20-34	13	1.5	1	<1	1	1	2	3	5	5
35-49	28	1.3		<1	1	1	1	2	3	3
50-64	30	1.2		<1	1	1	1	2	2	4
65+	18	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.4		<1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	49	1.5	2	<1	1	1	2	2	3	10
20-34	17	2.9	5	1	1	2	4	5	8	10
35-49	23	2.3	4	1	1	1	3	6	7	7
50-64	45	2.0	2	1	1	2	2	4	5	8
65+	67	2.9	19	1	1	1	3	6	7	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.6	1	<1	<1	<1	2	4	4	4
B. Operated	112	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	11	1.7	1	<1	1	1	2	3	4	4
B. Operated	201	2.3	8	1	1	1	2	5	7	10
1. SINGLE DX	121	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX	212	2.3	8	1	1	1	2	5	7	10
A. Not Operated	20	1.7	1	<1	<1	1	2	3	4	4
B. Operated	313	1.9	6	1	1	1	2	4	5	9
TOTAL										
0-19 YRS	84	1.4	1	<1	1	1	1	2	3	8
20-34	31	2.2	4	<1	1	1	3	5	5	10
35-49	55	1.8	2	1	1	1	2	4	6	7
50-64	76	1.7	2	1	1	1	2	3	5	7
65+	87	2.6	15	1	1	1	3	5	7	25
GRAND TOTAL	**333**	**1.9**	**6**	**1**	**1**	**1**	**2**	**4**	**5**	**9**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	3.2	4	1	2	3	5	6	7	8
20-34	90	3.1	4	1	2	3	4	5	7	10
35-49	72	3.7	3	2	2	4	4	6	7	10
50-64	27	4.9	5	3	3	4	6	9	10	11
65+	18	4.9	9	1	3	4	6	10	12	12
B. Operated										
0-19 YRS	35	2.2	3	1	1	1	3	4	6	9
20-34	23	3.0	12	1	1	2	4	5	9	17
35-49	15	2.5	5	1	1	2	3	7	8	8
50-64	10	2.7	4	1	1	2	4	6	7	7
65+	9	4.9	10	1	3	5	6	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	4.0	4	1	3	4	5	7	8	9
20-34	70	4.2	4	2	3	4	5	7	8	10
35-49	86	5.0	20	2	3	4	6	8	10	31
50-64	91	5.0	5	2	4	5	6	8	9	11
65+	141	6.0	10	3	4	5	7	10	11	17
B. Operated										
0-19 YRS	18	3.1	5	<1	1	2	4	7	8	8
20-34	35	6.3	18	1	2	6	10	11	13	18
35-49	36	5.9	18	1	3	6	8	10	14	21
50-64	28	6.0	23	1	2	5	8	12	16	20
65+	58	8.1	35	2	4	7	10	14	18	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	3.6	4	1	2	3	5	6	7	11
B. Operated	92	2.8	7	1	1	2	4	6	7	15
2. MULTIPLE DX										
A. Not Operated	419	5.1	10	2	3	4	6	8	10	15
B. Operated	175	6.4	25	1	3	6	9	12	15	21
1. SINGLE DX	357	3.4	5	1	2	3	4	6	7	12
2. MULTIPLE DX	594	5.5	15	2	3	5	7	10	11	19
A. Not Operated	684	4.5	8	2	3	4	6	8	9	13
B. Operated	267	5.2	22	1	1	4	7	11	13	21
TOTAL										
0-19 YRS	142	3.1	4	1	1	3	4	6	7	9
20-34	218	4.0	8	1	2	3	5	7	10	14
35-49	209	4.5	14	2	3	4	5	8	10	19
50-64	156	5.0	8	2	3	5	6	9	10	16
65+	226	6.4	17	3	4	6	8	11	13	22
GRAND TOTAL	**951**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**17**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	32	1.1		<1	<1	1	1	1	2	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	1.4	1	<1	<1	<1	1	3	3	3
50-64	6	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	3	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.1	4	1	1	3	5	6	6	6
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	4.7	6	2	3	5	6	7	7	7
65 +	3	3.0	4	1	1	3	4	5	5	5
B. Operated										
0-19 YRS	25	1.4		<1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	10	2.0	5	<1	<1	1	2	5	8	8
50-64	9	2.2	3	<1	1	2	3	5	6	6
65 +	18	2.7	4	1	1	2	4	5	7	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.0		<1	<1	1	1	1	1	1
B. Operated	47	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	14	3.4	4	1	2	3	5	6	7	7
B. Operated	64	2.0	3	<1	1	1	2	4	5	9
1. SINGLE DX	52	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX	78	2.2	3	<1	1	2	3	5	6	9
A. Not Operated	19	2.8	4	<1	1	2	4	6	7	7
B. Operated	111	1.6	2	<1	<1	1	2	3	4	8
TOTAL										
0-19 YRS	66	1.4	1	<1	1	1	2	2	3	6
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49	16	1.9	3	<1	<1	1	2	3	7	8
50-64	19	2.2	3	<1	<1	1	3	6	7	7
65 +	25	2.5	4	<1	1	2	4	5	6	9
GRAND TOTAL	**130**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	2.3	4	1	1	2	3	5	6	10
20-34	16	2.9	6	<1	1	2	4	7	8	8
35-49	16	1.9	2	<1	<1	1	2	5	6	6
50-64	12	2.3	5	<1	<1	<1	3	6	7	7
65 +	6	3.3	27	<1	<1	<1	2	13	14	14
B. Operated										
0-19 YRS	292	1.3	1	<1	1	1	1	2	3	5
20-34	103	1.7	2	<1	1	1	2	3	5	8
35-49	85	2.9	16	1	1	2	4	6	7	26
50-64	139	2.3	2	1	1	2	3	4	5	6
65 +	79	2.1	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	3.0	6	1	1	2	3	7	9	11
20-34	25	4.1	6	1	2	4	5	7	8	12
35-49	28	6.1	14	1	3	6	9	12	12	13
50-64	31	4.5	18	1	1	3	6	10	12	21
65 +	34	6.2	24	1	2	4	9	12	14	21
B. Operated										
0-19 YRS	139	2.0	5	1	1	1	2	4	5	13
20-34	94	3.2	10	1	1	2	4	6	11	16
35-49	184	4.8	54	1	2	3	5	8	16	33
50-64	389	3.5	17	1	2	3	4	6	8	20
65 +	293	4.6	50	1	2	3	5	9	12	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	2.4	6	<1	<1	1	3	6	7	13
B. Operated	698	1.9	3	1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	171	4.6	15	1	2	3	6	10	12	19
B. Operated	1099	3.8	31	1	1	3	4	7	10	23
1. SINGLE DX	775	1.9	4	1	1	1	2	4	5	8
2. MULTIPLE DX	1270	3.9	29	1	1	3	4	7	11	21
A. Not Operated	248	3.9	13	<1	1	3	5	9	12	14
B. Operated	1797	3.0	21	1	1	2	3	6	8	20
TOTAL										
0-19 YRS	511	1.8	3	1	1	1	2	3	5	10
20-34	238	2.6	6	1	1	2	3	6	7	14
35-49	313	4.3	39	1	1	3	5	8	11	33
50-64	571	3.3	14	1	1	2	4	6	7	20
65 +	412	4.2	39	1	2	3	4	9	12	29
GRAND TOTAL	**2045**	**3.2**	**20**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	0									
B. Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	22	1.9	2	<1	<1	1	2	4	5	6
35-49	96	1.8	1	<1	<1	1	2	3	5	6
50-64	58	1.6	1	<1	<1	<1	2	3	4	4
65+	34	1.2		<1	<1	<1	<1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	2.5	2	1	1	2	4	4	5	7
35-49	133	2.6	2	1	2	2	3	5	5	8
50-64	83	2.9	26	<1	<1	2	3	4	6	36
65+	61	2.4	5	<1	<1	1	3	5	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.3		<1	<1	1	1	2	2	2
B. Operated	213	1.6	1	<1	<1	<1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	5	1.8	1	<1	1	2	2	3	3	3
B. Operated	300	2.7	9	<1	1	2	3	5	6	10
1. SINGLE DX	217	1.6	1	<1	<1	<1	2	3	4	6
2. MULTIPLE DX	305	2.6	9	<1	1	2	3	4	6	10
A. Not Operated	9	1.6	1	<1	<1	1	2	3	3	3
B. Operated	513	2.2	6	<1	<1	2	3	4	5	8
TOTAL										
0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	47	2.2	2	<1	1	2	3	4	5	7
35-49	232	2.3	2	<1	1	2	3	4	5	7
50-64	143	2.3	16	<1	<1	1	3	4	5	30
65+	95	2.0	4	<1	<1	<1	3	4	6	10
GRAND TOTAL	**522**	**2.2**	**6**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	3.2	3	1	2	3	4	6	7	8
20-34	17	3.0	2	1	2	3	4	5	6	6
35-49	9	3.7	2	2	3	4	4	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. Operated										
0-19 YRS	186	1.8	1	1	1	2	2	3	3	4
20-34	322	1.9	1	1	1	2	2	3	3	5
35-49	218	2.3	6	1	1	2	3	3	5	15
50-64	107	2.0	1	1	1	2	2	3	4	6
65+	27	1.7	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.8	78	<1	1	4	5	16	31	32
20-34	29	3.3	4	1	2	3	4	5	6	11
35-49	20	4.1	7	<1	2	4	6	8	9	10
50-64	11	4.0	1	2	3	4	5	5	5	5
65+	13	5.1	5	1	4	5	6	8	9	9
B. Operated										
0-19 YRS	63	1.9	2	1	1	2	2	3	5	9
20-34	193	2.4	4	1	1	2	3	4	5	14
35-49	271	2.9	7	1	1	2	3	5	8	16
50-64	174	3.0	5	1	1	2	4	6	7	9
65+	81	4.1	35	1	2	2	4	7	11	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	3.2	2	1	2	3	4	6	6	8
B. Operated	860	2.0	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	84	4.2	14	1	2	4	5	6	9	25
B. Operated	782	2.9	8	1	1	2	3	5	7	16
1. SINGLE DX	912	2.0	2	1	1	2	2	3	4	8
2. MULTIPLE DX	866	3.0	9	1	1	2	4	5	7	16
A. Not Operated	136	3.8	10	1	2	3	5	6	8	14
B. Operated	1642	2.4	5	1	1	2	3	4	5	11
TOTAL										
0-19 YRS	283	2.1	5	1	1	2	2	3	4	7
20-34	561	2.2	2	1	1	2	3	4	4	8
35-49	518	2.8	7	1	1	2	3	5	7	15
50-64	293	2.6	3	1	1	2	3	5	6	9
65+	123	3.6	25	<1	1	2	4	6	9	34
GRAND TOTAL	**1778**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG.–STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	212	1.7	1	1	1	1	2	3	4	5
20-34	275	1.8	1	1	1	2	2	3	4	7
35-49	106	2.0	1	1	1	2	2	4	4	6
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	224	3.0	3	1	2	3	4	5	6	10
20-34	516	3.2	2	1	2	3	4	5	6	8
35-49	179	3.7	4	2	3	4	4	6	7	11
50-64	46	4.0	2	2	3	4	5	5	6	8
65 +	17	4.5	1	4	4	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	2.2	1	1	1	2	3	4	4	6
20-34	264	2.4	2	1	1	2	3	4	5	7
35-49	111	3.0	4	1	2	3	4	6	8	10
50-64	3	2.3	2	1	1	2	3	4	4	4
65 +	4	4.8	5	3	3	4	6	8	8	8
B. Operated										
0-19 YRS	254	3.8	4	2	3	3	5	6	7	11
20-34	1368	4.0	4	2	3	4	5	6	8	11
35-49	1082	4.6	9	3	3	4	5	7	9	15
50-64	180	5.2	26	3	4	4	5	7	10	19
65 +	131	6.8	38	4	4	5	8	10	14	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	594	1.8	1	1	1	2	2	3	4	6
B. Operated	982	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	552	2.5	2	1	1	2	3	4	5	8
B. Operated	3015	4.4	9	2	3	4	5	7	8	14
1. SINGLE DX	1576	2.7	3	1	1	3	4	5	5	8
2. MULTIPLE DX	3567	4.1	8	2	3	4	5	7	8	13
A. Not Operated	1146	2.1	2	1	1	2	3	4	5	7
B. Operated	3997	4.1	8	2	3	4	5	6	8	12
TOTAL										
0-19 YRS	860	2.8	3	1	1	3	4	5	6	9
20-34	2423	3.4	4	1	2	3	4	6	7	10
35-49	1478	4.2	8	2	3	4	5	6	8	14
50-64	230	4.9	21	3	4	4	5	7	8	18
65 +	152	6.5	34	4	4	5	7	10	12	28
GRAND TOTAL	**5143**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	494	3.4	2	2	2	3	4	5	6	8
20-34	935	3.5	3	2	2	3	4	6	6	9
35-49	141	3.9	4	2	3	4	5	6	7	11
50-64	4	7.0	14	3	4	6	9	12	12	12
65 +	0									
B. Operated										
0-19 YRS	60	3.9	3	2	3	4	5	6	7	9
20-34	305	4.1	4	2	3	4	5	7	8	10
35-49	106	5.6	13	3	4	4	7	11	14	18
50-64	13	4.8	6	3	3	4	6	7	11	12
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	577	4.1	4	2	3	4	5	6	7	10
20-34	1207	4.2	4	2	3	4	5	7	8	11
35-49	268	4.7	5	2	3	4	6	8	10	13
50-64	17	6.1	14	2	3	6	7	12	15	16
65 +	8	12.1	188	4	5	7	12	36	45	45
B. Operated										
0-19 YRS	151	6.0	17	2	3	5	7	11	14	19
20-34	1565	4.8	9	2	3	4	5	8	10	17
35-49	881	5.2	11	3	4	4	6	9	12	18
50-64	110	6.9	28	4	4	5	8	12	16	35
65 +	47	11.4	111	4	5	7	14	29	36	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1574	3.5	3	2	2	3	4	6	6	9
B. Operated	485	4.4	6	2	3	4	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	2077	4.2	5	2	3	4	5	7	8	11
B. Operated	2754	5.2	13	3	3	4	6	9	12	20
1. SINGLE DX	2059	3.7	4	2	2	3	5	6	7	11
2. MULTIPLE DX	4831	4.8	10	2	3	4	5	8	10	17
A. Not Operated	3651	3.9	4	2	3	4	5	6	7	10
B. Operated	3239	5.1	12	3	3	4	6	9	11	19
TOTAL										
0-19 YRS	1282	4.0	5	2	3	4	5	7	8	13
20-34	4012	4.2	6	2	3	4	5	7	8	13
35-49	1396	5.0	10	3	3	4	6	9	11	17
50-64	144	6.7	24	3	4	5	7	12	15	35
65 +	56	11.4	117	4	5	7	14	29	38	45
GRAND TOTAL	**6890**	**4.5**	**8**	**2**	**3**	**4**	**5**	**7**	**9**	**15**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	39	2.8	2	1	2	3	4	5	5	6
35-49	11	4.2	4	1	3	4	6	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	0									
B. Operated										
0-19 YRS	13	3.6	1	3	3	3	4	5	7	7
20-34	239	3.4	2	1	3	4	4	5	5	7
35-49	230	3.7	2	2	3	4	4	5	6	8
50-64	12	4.1	1	3	3	4	5	5	6	6
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34	45	3.0	4	1	1	3	4	5	6	10
35-49	25	2.8	3	1	1	3	4	5	6	6
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	0									
B. Operated										
0-19 YRS	36	3.5	4	1	2	4	4	5	7	10
20-34	1833	4.1	2	3	3	4	5	5	6	10
35-49	2897	4.4	3	3	4	4	5	6	7	11
50-64	299	4.5	2	3	4	4	5	6	7	10
65+	30	5.2	5	4	4	5	6	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	3.1	2	1	2	3	4	5	6	7
B. Operated	494	3.6	2	2	3	4	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	77	2.9	3	1	1	2	4	5	6	9
B. Operated	5095	4.3	3	3	4	4	5	6	7	11
1. SINGLE DX	548	3.5	2	2	3	4	4	5	5	8
2. MULTIPLE DX	5172	4.3	3	3	4	4	5	6	7	11
A. Not Operated	131	3.0	3	1	2	3	4	5	6	8
B. Operated	5589	4.2	3	3	4	4	5	6	7	11
TOTAL										
0-19 YRS	57	3.3	3	1	2	3	4	5	6	10
20-34	2156	4.0	2	3	3	4	4	5	6	10
35-49	3163	4.3	3	3	4	4	5	6	7	11
50-64	314	4.5	2	3	4	4	5	6	7	10
65+	30	5.2	5	4	4	5	6	7	8	14
GRAND TOTAL	**5720**	**4.2**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

260. Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	3	2.7		2	2	3	3	3	3	3
35-49	5	2.6	1	<1	1	3	3	4	4	4
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	9	3.0	3	1	2	2	4	6	7	7
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64	0									
65+	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	67	3.9	2	2	3	4	5	5	6	8
35-49	109	4.1	2	3	3	4	5	6	6	9
50-64	20	4.2	2	<1	4	4	5	6	6	7
65+	7	13.4	561	2	3	6	6	55	67	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	5	1	1	1	4	5	5	5
B. Operated	10	3.1	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	16	3.7	5	2	2	3	4	7	9	10
B. Operated	206	4.3	21	3	3	4	5	6	6	9
1. SINGLE DX	13	2.9	2	1	2	3	4	5	6	6
2. MULTIPLE DX	222	4.3	20	2	3	4	5	6	6	9
A. Not Operated	19	3.5	5	1	2	3	4	6	9	10
B. Operated	216	4.3	20	2	3	4	5	6	6	9
TOTAL										
0-19 YRS	5	3.6	3	1	2	4	5	6	6	6
20-34	82	3.7	2	2	3	4	5	5	6	8
35-49	118	4.0	2	3	3	4	4	6	6	8
50-64	22	4.2	2	<1	4	4	5	6	7	7
65+	8	13.0	482	2	3	6	8	50	67	67
GRAND TOTAL	**235**	**4.2**	**19**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.9	2	1	2	3	4	5	5	5
20-34	50	3.7	4	1	2	4	5	5	8	11
35-49	10	2.9	1	2	2	2	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	2.8	4	1	2	2	4	6	7	8
20-34	49	2.1	4	< 1	1	1	2	5	8	9
35-49	27	1.9	1	1	1	2	2	4	4	4
50-64	8	2.9	7	< 1	< 1	2	4	7	8	8
65 +	4	5.8	33	< 1	1	4	9	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	3.7	7	1	2	3	5	7	7	14
20-34	82	3.6	4	2	2	3	4	5	7	13
35-49	28	4.5	9	2	3	4	5	9	12	14
50-64	20	5.6	7	2	3	5	7	9	10	10
65 +	14	8.4	39	3	4	7	10	15	24	26
B. Operated										
0-19 YRS	17	3.8	5	1	2	4	5	7	8	9
20-34	84	4.1	6	1	2	4	6	8	9	13
35-49	56	4.4	13	1	2	4	5	10	12	16
50-64	27	8.3	52	2	4	7	9	17	24	35
65 +	28	10.4	171	1	3	5	10	36	40	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	3.5	4	1	2	4	5	5	6	11
B. Operated	103	2.4	5	1	1	2	3	5	8	11
2. MULTIPLE DX										
A. Not Operated	179	4.3	10	2	2	4	5	8	10	14
B. Operated	212	5.6	40	1	2	4	6	10	14	38
1. SINGLE DX	175	2.8	5	1	1	2	4	5	7	11
2. MULTIPLE DX	391	5.0	27	1	2	4	6	9	13	33
A. Not Operated	251	4.1	8	2	2	4	5	7	10	14
B. Operated	315	4.5	31	1	1	3	5	9	12	36
TOTAL										
0-19 YRS	79	3.4	5	1	2	3	4	6	7	13
20-34	265	3.5	5	1	2	3	5	6	8	11
35-49	121	3.7	9	1	2	3	4	9	11	15
50-64	55	6.5	32	1	3	6	8	10	17	34
65 +	46	9.4	118	1	4	6	10	25	38	51
GRAND TOTAL	**566**	**4.3**	**21**	**1**	**2**	**3**	**5**	**8**	**10**	**25**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	4	4.0	5	< 1	2	4	5	6	6	6
65 +	4	4.0	9	< 1	1	3	6	8	8	8
B. Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	78	3.4	1	2	3	3	4	5	6	6
35-49	277	4.0	5	2	3	4	5	5	7	11
50-64	509	3.9	2	2	3	4	5	5	6	8
65 +	520	4.3	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	8	< 1	< 1	2	5	5	5	5
35-49	10	2.4	2	< 1	< 1	2	4	5	5	5
50-64	10	1.7	2	< 1	< 1	1	2	4	4	4
65 +	26	3.0	4	< 1	1	3	4	7	7	7
B. Operated										
0-19 YRS	3	6.0	31	< 1	1	5	10	12	12	12
20-34	476	4.0	2	3	3	4	5	6	6	8
35-49	1393	4.3	3	3	3	4	5	6	7	10
50-64	1742	4.7	4	3	4	4	5	7	8	12
65 +	2158	5.3	8	3	4	5	6	8	9	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.9	5	< 1	2	4	5	7	8	8
B. Operated	1386	4.0	3	2	3	4	5	6	6	9
2. MULTIPLE DX										
A. Not Operated	48	2.6	3	< 1	< 1	2	4	5	7	7
B. Operated	5772	4.8	5	3	4	4	5	7	8	13
1. SINGLE DX	1397	4.0	3	2	3	4	5	6	6	9
2. MULTIPLE DX	5820	4.7	5	3	4	4	5	7	8	13
A. Not Operated	59	2.8	4	< 1	< 1	3	4	5	7	8
B. Operated	7158	4.6	5	3	3	4	5	7	8	13
TOTAL										
0-19 YRS	5	5.6	16	< 1	3	5	7	12	12	12
20-34	556	4.0	2	3	3	4	5	5	6	8
35-49	1683	4.2	3	3	3	4	5	6	7	10
50-64	2265	4.5	3	3	4	4	5	6	7	11
65 +	2708	5.1	7	3	4	5	6	7	9	16
GRAND TOTAL	**7217**	**4.6**	**5**	**3**	**3**	**4**	**5**	**7**	**8**	**12**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.3		< 1	< 1	1	2	2	2	2
20-34	17	1.8	1	1	1	1	3	3	4	4
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.3	1	< 1	1	1	1	3	3	3
20-34	62	2.6	2	< 1	1	3	4	5	5	6
35-49	68	2.6	2	< 1	1	3	4	4	5	7
50-64	8	2.9	2	< 1	2	3	4	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	2.2	1	1	1	2	3	4	5	5
20-34	38	2.0	1	1	1	2	3	4	5	5
35-49	42	3.1	5	1	1	2	5	6	8	10
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	3	3.0	4	1	1	3	4	5	5	5
B. Operated										
0-19 YRS	20	2.5	2	< 1	1	2	3	4	5	5
20-34	406	3.9	5	2	3	4	4	5	7	10
35-49	781	4.0	3	2	3	4	5	5	7	9
50-64	116	4.3	6	2	3	4	5	6	7	15
65 +	12	4.3	2	3	3	4	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	1.6	1	< 1	1	1	2	3	3	4
B. Operated	146	2.6	2	< 1	1	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	124	2.5	3	1	1	2	3	5	6	9
B. Operated	1335	4.0	3	2	3	4	5	5	7	10
1. SINGLE DX	178	2.4	2	< 1	1	2	4	4	5	6
2. MULTIPLE DX	1459	3.9	4	2	3	4	4	5	7	10
A. Not Operated	156	2.3	3	1	1	2	3	5	5	9
B. Operated	1481	3.8	4	1	3	4	4	5	6	10
TOTAL										
0-19 YRS	77	2.1	1	< 1	1	2	3	4	5	5
20-34	523	3.5	4	1	3	4	4	5	6	9
35-49	894	3.9	3	2	3	4	5	5	7	9
50-64	128	4.1	5	2	3	4	5	6	7	13
65 +	15	4.1	2	2	3	4	5	6	7	7
GRAND TOTAL	**1637**	**3.7**	**4**	**1**	**3**	**4**	**4**	**5**	**6**	**9**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	16	1.2		< 1	< 1	1	1	2	2	2
35-49	9	1.9	4	< 1	< 1	1	2	5	7	7
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	4	2.0	1	< 1	< 1	2	3	3	3	3
20-34	73	2.9	2	< 1	1	3	4	4	5	7
35-49	136	2.9	2	< 1	1	3	4	4	5	6
50-64	12	2.1	2	< 1	< 1	1	3	4	5	5
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.8	8	1	2	2	3	3	10	14
20-34	42	2.4	3	< 1	1	2	3	5	7	7
35-49	59	2.3	5	< 1	1	1	3	5	8	10
50-64	8	1.9	2	1	1	1	3	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	17	2.8	3	1	2	2	4	5	7	8
20-34	613	3.9	3	2	3	4	4	5	6	12
35-49	1796	4.1	2	3	3	4	5	6	7	10
50-64	173	4.5	5	3	4	4	5	6	7	14
65 +	3	3.3	4	1	2	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	1.5	1	< 1	< 1	1	2	2	3	7
B. Operated	226	2.8	2	< 1	1	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	128	2.4	4	< 1	1	2	3	5	7	11
B. Operated	2602	4.1	3	2	3	4	5	6	7	11
1. SINGLE DX	258	2.7	2	< 1	1	3	4	4	5	6
2. MULTIPLE DX	2730	4.0	3	2	3	4	5	6	7	10
A. Not Operated	160	2.2	4	< 1	1	1	3	4	6	10
B. Operated	2828	4.0	3	2	3	4	5	5	7	10
TOTAL										
0-19 YRS	43	2.6	5	1	1	2	3	4	6	14
20-34	744	3.7	3	1	3	4	4	5	6	11
35-49	2000	4.0	3	2	3	4	5	6	7	10
50-64	196	4.2	5	1	3	4	5	6	7	14
65 +	5	2.8	3	1	2	2	4	5	5	5
GRAND TOTAL	**2988**	**3.9**	**3**	**2**	**3**	**4**	**5**	**5**	**7**	**10**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	4	2.5	3	< 1	< 1	2	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	4	2.5	3	1	1	2	4	4	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	31	1.6	2	< 1	< 1	< 1	1	4	5	5
65 +	10	2.0	2	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	8	3.1	2	1	2	3	4	5	5	5
50-64	14	2.4	3	< 1	1	2	4	5	6	6
65 +	19	3.8	5	1	2	4	6	7	8	8
B. Operated										
0-19 YRS	0									
20-34	20	4.4	2	3	4	4	5	6	7	7
35-49	81	3.9	3	2	3	4	4	6	7	10
50-64	154	4.3	11	1	3	4	5	7	9	23
65 +	110	4.4	22	1	1	4	6	8	11	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.1	2	< 1	1	1	4	4	4	4
B. Operated	47	1.7	2	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	41	3.2	4	1	1	3	4	6	7	8
B. Operated	365	4.3	12	1	2	4	5	7	9	24
1. SINGLE DX	56	1.8	2	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX	406	4.1	11	1	2	4	5	7	8	23
A. Not Operated	50	3.0	4	1	1	3	4	6	7	8
B. Operated	412	4.0	11	1	2	4	5	6	8	23
TOTAL										
0-19 YRS	0									
20-34	26	3.8	3	1	3	4	5	6	6	7
35-49	93	3.7	3	1	3	4	4	5	7	10
50-64	200	3.7	10	< 1	1	4	5	6	7	22
65 +	143	4.1	18	1	1	3	5	8	10	27
GRAND TOTAL	**462**	**3.9**	**11**	**1**	**2**	**4**	**5**	**6**	**8**	**23**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.7	1	1	1	1	2	3	4	4
20-34	24	2.3	3	1	1	2	3	4	6	7
35-49	9	2.8	2	1	2	2	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	34	3.1	5	1	1	3	4	6	7	11
20-34	192	3.1	3	1	2	3	4	5	6	10
35-49	177	3.2	3	< 1	2	3	4	5	6	9
50-64	85	3.3	3	< 1	2	4	4	5	6	7
65 +	20	3.6	4	< 1	2	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.0	2	< 1	1	2	3	4	4	4
20-34	57	2.3	2	< 1	1	2	3	5	5	7
35-49	46	3.1	8	< 1	1	2	4	5	9	16
50-64	15	2.5	4	< 1	1	2	4	6	7	7
65 +	38	5.3	21	1	2	5	6	13	17	18
B. Operated										
0-19 YRS	73	3.9	6	1	2	4	5	6	10	12
20-34	688	3.9	4	2	3	4	4	6	7	11
35-49	1063	4.3	5	2	3	4	5	6	8	14
50-64	593	5.2	22	2	4	4	5	8	11	34
65 +	294	7.5	56	2	4	5	9	15	19	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	2.2	2	1	1	2	3	4	5	7
B. Operated	508	3.2	3	< 1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	166	3.2	10	< 1	1	2	4	6	9	17
B. Operated	2711	4.8	15	2	3	4	5	7	10	21
1. SINGLE DX	555	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX	2877	4.7	15	2	3	4	5	7	10	20
A. Not Operated	213	3.0	8	< 1	1	2	4	6	7	17
B. Operated	3219	4.5	14	2	3	4	5	7	9	18
TOTAL										
0-19 YRS	128	3.4	6	1	2	3	4	6	8	12
20-34	961	3.6	4	1	3	3	4	6	7	10
35-49	1295	4.1	5	2	3	4	5	6	7	14
50-64	694	4.9	20	2	3	4	5	7	10	27
65 +	354	7.0	51	1	4	5	8	14	18	31
GRAND TOTAL	**3432**	**4.4**	**13**	**1**	**3**	**4**	**5**	**7**	**9**	**18**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	1.6	1	<1	1	1	2	2	4	5
20-34	87	2.0	2	<1	1	2	2	4	5	9
35-49	21	1.6	1	<1	1	1	2	3	3	3
50-64	5	2.6	4	<1	1	2	4	6	6	6
65+	4	9.0	198	<1	<1	2	17	30	30	30
B. Operated										
0-19 YRS	17	2.1	1	<1	1	2	3	3	3	3
20-34	187	3.1	2	<1	2	3	4	5	6	8
35-49	412	3.8	2	2	3	4	4	5	6	7
50-64	342	4.1	2	2	3	4	5	6	7	8
65+	149	4.5	3	3	3	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	2.2	2	<1	1	2	3	4	5	6
20-34	127	2.4	3	<1	1	2	3	5	6	10
35-49	47	2.7	5	<1	1	2	4	6	8	10
50-64	22	3.1	5	<1	1	3	5	7	8	8
65+	16	3.3	6	1	1	3	5	7	8	9
B. Operated										
0-19 YRS	47	3.4	5	1	2	3	4	6	8	11
20-34	1000	3.8	3	2	3	4	4	5	6	9
35-49	1191	4.3	3	3	3	4	5	6	7	10
50-64	590	4.8	4	3	4	4	6	7	8	13
65+	492	5.3	11	3	4	5	6	8	9	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	190	2.0	6	<1	1	1	2	3	5	9
B. Operated	1107	3.8	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	272	2.5	4	<1	1	2	3	5	7	9
B. Operated	3320	4.4	4	3	3	4	5	7	8	12
1. SINGLE DX	1297	3.6	3	1	2	4	5	6	6	8
2. MULTIPLE DX	3592	4.2	5	2	3	4	5	6	8	12
A. Not Operated	462	2.3	5	<1	1	2	3	5	6	9
B. Operated	4427	4.2	4	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	197	2.2	2	1	1	2	3	4	5	8
20-34	1401	3.5	3	1	3	3	4	5	6	9
35-49	1671	4.1	3	2	3	4	5	6	7	9
50-64	959	4.5	4	3	3	4	5	7	8	12
65+	661	5.1	10	3	3	5	6	8	9	21
GRAND TOTAL	4889	4.0	4	2	3	4	5	6	7	11

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.1	2	1	1	2	3	5	5	5
20-34	39	2.1	1	<1	1	2	3	4	4	6
35-49	8	2.3	2	<1	1	2	3	5	5	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	81	3.0	1	2	3	3	4	4	4	5
20-34	1193	3.2	2	1	3	3	4	5	5	7
35-49	161	3.2	1	1	3	3	4	4	5	7
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.2	1	1	2	2	3	3	3	3
20-34	34	2.4	2	1	1	2	4	4	6	99+
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	116	3.7	2	2	3	4	4	5	7	8
20-34	1672	3.8	2	2	3	4	4	5	6	9
35-49	320	4.0	3	2	3	4	5	6	7	9
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.1	2	<1	1	2	3	4	5	6
B. Operated	1435	3.2	2	1	3	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	46	2.4	2	1	1	2	3	4	6	99+
B. Operated	2108	3.8	2	2	3	4	4	5	6	9
1. SINGLE DX	1490	3.2	2	1	3	3	4	4	5	7
2. MULTIPLE DX	2154	3.8	2	2	3	4	4	5	6	9
A. Not Operated	101	2.2	2	1	1	2	3	4	5	52
B. Operated	3543	3.6	2	2	3	4	4	5	6	8
TOTAL										
0-19 YRS	214	3.3	2	2	3	3	4	5	5	8
20-34	2938	3.5	2	2	3	3	4	5	6	8
35-49	492	3.7	2	2	3	4	4	5	6	9
50-64	0									
65+	0									
GRAND TOTAL	3644	3.5	2	2	3	4	4	5	6	8

304 Hospitals, North Central Region, January-December 1989

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.4	1	<1	1	1	1	3	4	4
20-34	28	1.4	1	1	1	1	2	2	3	5
35-49	8	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	43	1.2		1	1	1	1	2	3	4
20-34	58	1.3		1	1	1	1	2	3	4
35-49	17	1.5	1	1	1	1	2	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.3	3	1	1	2	3	5	6	6
20-34	81	1.8	2	1	1	1	2	3	4	8
35-49	11	1.5	1	<1	1	1	1	3	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	28	2.9	5	1	1	2	4	6	9	9
20-34	154	3.0	11	1	1	2	4	5	10	15
35-49	44	2.3	3	1	1	2	3	4	6	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	1.4	1	1	1	1	2	2	3	5
B. Operated	118	1.3		1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	106	1.8	2	1	1	1	2	3	5	7
B. Operated	226	2.8	9	1	1	2	3	5	9	14
1. SINGLE DX	173	1.3	1	1	1	1	1	2	3	4
2. MULTIPLE DX	332	2.5	7	1	1	2	3	5	7	12
A. Not Operated	161	1.7	1	1	1	1	2	3	4	7
B. Operated	344	2.3	6	1	1	1	3	5	6	11
TOTAL										
0-19 YRS	104	1.8	3	1	1	1	2	4	5	9
20-34	321	2.2	6	1	1	1	2	5	6	12
35-49	80	1.9	2	1	1	1	2	4	5	9
50-64	0									
65 +	0									
GRAND TOTAL	505	2.1	5	1	1	1	2	4	5	11

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	3.0	2	2	2	3	4	4	4	4
1. SINGLE DX	0									
2. MULTIPLE DX	2	3.0	2	2	2	3	4	4	4	4
A. Not Operated	0									
B. Operated	2	3.0	2	2	2	3	4	4	4	4
TOTAL										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	2	3.0	2	2	2	3	4	4	4	4

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	1.3		<1	1	1	2	2	2	4
20-34	340	1.3		<1	1	1	1	2	3	4
35-49	38	1.3		<1	<1	1	1	2	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	456	1.3	1	<1	<1	1	1	2	3	5
20-34	1629	1.2	1	<1	<1	1	1	2	3	4
35-49	270	1.2		<1	<1	1	1	2	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	1.8	1	1	1	1	2	3	5	6
20-34	154	2.5	17	<1	1	2	3	4	6	12
35-49	23	2.0	2	1	1	1	3	4	5	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	153	1.9	3	<1	1	1	2	4	5	11
20-34	708	2.3	14	<1	1	1	3	4	5	11
35-49	138	2.0	3	<1	1	1	2	4	6	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	474	1.3		<1	1	1	1	2	3	4
B. Operated	2355	1.2	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	234	2.3	12	<1	1	2	3	4	5	10
B. Operated	999	2.2	11	<1	1	1	2	4	5	11
1. SINGLE DX	2829	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	1233	2.2	11	<1	1	1	2	4	5	11
A. Not Operated	708	1.6	4	<1	1	1	2	3	4	7
B. Operated	3354	1.5	4	<1	<1	1	1	3	4	7
TOTAL										
0-19 YRS	761	1.5	1	<1	1	1	2	2	3	6
20-34	2831	1.6	5	<1	1	1	2	3	4	7
35-49	469	1.5	1	<1	<1	1	1	3	3	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**4062**	**1.5**	**4**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	2.1	2	<1	1	2	2	5	5	6
20-34	153	1.7	1	<1	1	1	2	3	4	6
35-49	28	1.6	1	<1	1	1	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	72	1.5	1	<1	1	1	2	2	3	5
20-34	417	1.3	1	<1	1	1	1	2	3	4
35-49	66	1.4	1	<1	1	1	1	2	3	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.0	2	1	2	3	4	4	5	7
20-34	126	2.3	2	1	1	2	3	5	5	7
35-49	19	2.8	5	<1	1	2	5	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	54	2.6	4	<1	1	2	3	5	8	9
20-34	272	2.5	5	1	1	2	3	5	7	10
35-49	61	3.0	14	1	1	1	3	8	11	19
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	217	1.7	1	<1	1	1	2	3	4	6
B. Operated	555	1.3	1	<1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	178	2.5	3	1	1	2	3	5	6	7
B. Operated	387	2.6	6	1	1	2	3	5	7	14
1. SINGLE DX	772	1.5	1	<1	1	1	2	2	3	6
2. MULTIPLE DX	565	2.6	5	1	1	2	3	5	7	10
A. Not Operated	395	2.1	2	<1	1	2	3	4	5	7
B. Operated	942	1.9	3	<1	1	1	2	4	5	10
TOTAL										
0-19 YRS	195	2.1	2	<1	1	2	3	4	5	8
20-34	968	1.8	2	<1	1	1	2	4	5	8
35-49	174	2.1	6	<1	1	1	2	4	7	14
50-64	0									
65 +	0									
GRAND TOTAL	**1337**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**	**9**

304 Hospitals, North Central Region, January-December 1989

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	1.6	1	<1	1	1	2	3	3	7
20-34	443	1.5	1	<1	1	1	2	2	3	4
35-49	40	1.5	1	<1	1	1	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	20	2.3	4	<1	1	1	3	6	7	7
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	2.5	3	1	1	2	3	4	5	10
20-34	203	2.4	3	1	1	2	3	5	6	8
35-49	17	2.2	7	1	1	2	2	3	9	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.5	10	1	1	2	5	8	8	8
20-34	25	3.8	9	1	1	3	5	8	10	13
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	579	1.5	1	<1	1	1	2	3	3	5
B. Operated	26	2.0	4	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated	258	2.4	3	1	1	2	3	4	6	8
B. Operated	33	3.6	8	1	1	3	5	8	9	13
1. SINGLE DX	605	1.5	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	291	2.5	4	1	1	2	3	5	6	10
A. Not Operated	837	1.8	2	<1	1	1	2	3	4	7
B. Operated	59	2.9	7	<1	1	2	4	7	8	13
TOTAL										
0-19 YRS	140	1.9	2	<1	1	1	2	3	4	8
20-34	691	1.9	2	<1	1	1	2	3	5	8
35-49	65	1.7	2	<1	1	1	2	3	3	11
50-64	0									
65 +	0									
GRAND TOTAL	**896**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**3**	**5**	**8**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.2		<1	<1	1	1	2	3	3
20-34	70	1.9	3	<1	1	1	2	3	4	10
35-49	6	1.8	1	<1	<1	1	2	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	7	1.3		<1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.5	50	<1	1	2	4	13	24	26
20-34	38	3.0	21	<1	1	2	3	6	9	28
35-49	6	3.3	4	1	1	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	5.2	60	<1	1	2	7	19	19	19
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	1.8	3	<1	1	1	2	3	4	10
B. Operated	7	1.3		<1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	56	3.4	25	<1	1	2	4	6	9	28
B. Operated	7	4.7	43	<1	1	2	5	16	19	19
1. SINGLE DX	95	1.7	3	<1	1	1	2	3	4	10
2. MULTIPLE DX	63	3.5	27	<1	1	2	4	7	13	28
A. Not Operated	144	2.4	12	<1	1	1	2	4	8	26
B. Operated	14	3.0	23	<1	1	1	2	7	16	19
TOTAL										
0-19 YRS	25	2.8	26	<1	<1	1	2	5	12	26
20-34	120	2.3	11	<1	1	1	2	4	8	22
35-49	13	2.8	4	<1	1	2	5	5	6	6
50-64	0									
65 +	0									
GRAND TOTAL	**158**	**2.4**	**13**	**<1**	**1**	**1**	**2**	**5**	**8**	**25**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	138	2.5	3	1	1	2	3	4	5	9
20-34	734	2.6	4	1	1	2	3	4	6	11
35-49	72	2.5	2	1	1	2	3	4	5	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	27	3.3	8	< 1	1	2	5	7	10	12
20-34	163	2.4	5	< 1	1	2	3	5	7	11
35-49	14	2.9	5	< 1	1	2	3	7	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	2.9	4	1	2	3	3	5	8	11
20-34	325	3.1	5	1	2	2	4	6	7	12
35-49	62	3.8	13	1	2	3	5	6	8	22
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	2.1	2	< 1	1	2	3	4	5	6
20-34	158	2.3	12	< 1	1	2	3	6	7	14
35-49	26	4.2	21	1	2	3	5	7	11	24
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	944	2.5	3	1	1	2	3	4	6	11
B. Operated	204	2.6	5	< 1	1	2	3	6	7	11
2. MULTIPLE DX										
A. Not Operated	468	3.2	6	1	2	3	4	6	7	12
B. Operated	199	2.9	12	< 1	1	2	4	6	7	19
1. SINGLE DX	1148	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX	667	3.1	8	1	2	2	4	6	7	14
A. Not Operated	1412	2.7	4	1	2	2	3	5	6	12
B. Operated	403	2.8	9	< 1	1	2	3	6	7	13
TOTAL										
0-19 YRS	261	2.7	4	1	1	2	3	5	6	12
20-34	1380	2.7	5	1	1	2	3	5	6	12
35-49	174	3.3	9	1	2	3	4	6	7	21
50-64	0									
65 +	0									
GRAND TOTAL	**1815**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	251	2.9	3	1	2	3	4	5	6	9
20-34	1322	3.3	5	1	2	3	4	6	7	12
35-49	90	4.4	17	2	2	3	5	7	9	27
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	18	7.3	55	1	2	4	11	20	25	26
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	271	3.5	7	1	2	3	4	7	8	16
20-34	1287	3.7	8	1	2	3	5	7	8	14
35-49	65	4.3	5	2	3	4	5	7	8	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	4.8	38	1	1	2	7	14	19	21
20-34	73	5.5	25	1	2	4	8	13	17	20
35-49	4	8.8	31	2	4	9	13	15	15	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1663	3.3	6	1	2	3	4	6	7	12
B. Operated	21	6.9	50	1	2	3	11	18	24	26
2. MULTIPLE DX										
A. Not Operated	1623	3.7	7	1	2	3	4	7	8	14
B. Operated	93	5.5	28	1	1	3	8	14	17	21
1. SINGLE DX	1684	3.3	6	1	2	3	4	6	7	13
2. MULTIPLE DX	1716	3.8	9	1	2	3	5	7	9	15
A. Not Operated	3286	3.5	7	1	2	3	4	6	8	13
B. Operated	114	5.7	32	1	2	3	9	14	18	24
TOTAL										
0-19 YRS	540	3.3	6	1	2	3	4	6	8	14
20-34	2700	3.6	7	1	2	3	4	6	8	14
35-49	160	4.4	13	2	3	4	5	7	9	20
50-64	0									
65 +	0									
GRAND TOTAL	**3400**	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	467	1.1		<1	<1	<1	1	1	2	2
20-34	1781	1.1	1	<1	<1	<1	1	1	1	3
35-49	112	1.0		<1	<1	<1	1	1	1	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	167	1.1		<1	<1	<1	1	1	2	2
20-34	665	1.1	1	<1	<1	<1	1	1	1	3
35-49	46	1.1		<1	<1	<1	1	1	2	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	1.6	3	<1	<1	1	1	2	4	11
20-34	280	1.4	2	<1	<1	1	1	2	4	9
35-49	21	1.9	5	<1	<1	<1	1	4	8	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	30	1.6	1	<1	<1	1	1	3	4	6
20-34	127	1.8	15	<1	<1	1	1	2	4	20
35-49	9	5.1	143	<1	<1	<1	1	23	37	37
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2360	1.1	1	<1	<1	<1	1	1	1	3
B. Operated	878	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX										
A. Not Operated	369	1.5	2	<1	<1	1	1	2	4	10
B. Operated	166	1.9	19	<1	<1	1	1	2	4	33
1. SINGLE DX	3238	1.1	1	<1	<1	<1	1	1	1	3
2. MULTIPLE DX	535	1.6	8	<1	<1	1	1	2	4	11
A. Not Operated	2729	1.1	1	<1	<1	<1	1	1	2	4
B. Operated	1044	1.2	4	<1	<1	<1	1	1	2	4
TOTAL										
0-19 YRS	732	1.1		<1	<1	<1	1	1	2	4
20-34	2853	1.2	2	<1	<1	<1	1	1	2	4
35-49	188	1.3	8	<1	<1	<1	1	1	2	9
50-64	0									
65 +	0									
GRAND TOTAL	**3773**	**1.2**	**2**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.4	5	1	2	3	5	5	8	9
20-34	248	2.9	13	1	1	2	3	5	11	17
35-49	28	3.0	12	1	1	2	3	6	10	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	46	2.9	9	<1	1	2	3	8	9	14
35-49	10	2.4	2	1	1	2	3	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.7	4	<1	1	2	4	6	7	7
20-34	159	4.1	13	1	2	3	5	9	10	19
35-49	20	6.1	53	1	2	4	6	11	23	34
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	43	4.4	10	1	2	4	6	9	10	14
35-49	6	4.2	16	1	2	3	4	11	12	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	292	2.9	12	1	1	2	3	5	9	18
B. Operated	57	2.9	8	1	1	2	3	7	8	14
2. MULTIPLE DX										
A. Not Operated	192	4.2	17	1	2	3	5	9	10	25
B. Operated	49	4.3	10	1	2	3	6	9	12	14
1. SINGLE DX	349	2.9	12	1	1	2	3	5	9	17
2. MULTIPLE DX	241	4.2	15	1	2	3	5	9	11	21
A. Not Operated	484	3.4	15	1	1	2	4	7	10	19
B. Operated	106	3.6	9	1	1	3	4	8	10	14
TOTAL										
0-19 YRS	30	3.2	5	1	1	3	5	6	7	9
20-34	496	3.4	13	1	1	2	4	7	10	16
35-49	64	4.0	25	1	1	3	4	9	12	32
50-64	0									
65 +	0									
GRAND TOTAL	**590**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	2.2	7	< 1	1	1	2	5	6	16
20-34	329	2.0	8	< 1	1	1	2	4	5	9
35-49	25	1.7	2	< 1	1	1	2	3	5	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	2.3	3	< 1	< 1	1	4	5	5	5
20-34	80	1.5	1	< 1	< 1	1	2	3	4	6
35-49	16	1.3	1	< 1	< 1	1	1	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	3.5	12	1	1	2	5	8	10	18
20-34	196	2.9	7	1	1	2	4	6	7	14
35-49	23	1.7	2	< 1	1	1	2	3	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	2.0	2	< 1	< 1	1	3	4	4	4
20-34	61	2.8	9	< 1	1	2	4	6	7	17
35-49	4	9.5	289	1	1	1	18	35	35	35
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	432	2.0	7	< 1	1	1	2	4	5	10
B. Operated	116	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	274	2.9	8	1	1	2	4	6	8	15
B. Operated	75	3.0	21	< 1	1	2	4	6	7	31
1. SINGLE DX	548	1.9	6	< 1	1	1	2	4	5	9
2. MULTIPLE DX	349	2.9	10	1	1	2	4	6	8	16
A. Not Operated	706	2.4	7	< 1	1	1	3	5	6	13
B. Operated	191	2.1	10	< 1	1	1	2	4	5	16
TOTAL										
0-19 YRS	163	2.6	8	< 1	1	1	4	5	8	17
20-34	666	2.3	7	< 1	1	1	3	5	6	13
35-49	68	2.1	18	< 1	1	1	2	3	5	30
50-64	0									
65 +	0									
GRAND TOTAL	**897**	**2.3**	**8**	**<1**	**1**	**1**	**3**	**5**	**6**	**14**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	2.4	2	1	1	2	3	4	4	7
20-34	208	2.3	1	1	1	2	3	4	4	6
35-49	7	3.1	4	< 1	2	2	5	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	2.3	4	< 1	1	2	3	4	7	8
20-34	32	1.8	2	< 1	< 1	1	2	4	5	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	624	3.3	4	1	2	3	4	5	7	9
20-34	1157	3.2	3	1	2	3	4	5	6	9
35-49	36	2.9	3	1	1	3	4	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	73	3.3	6	< 1	1	3	4	7	8	12
20-34	170	3.6	15	< 1	1	3	4	7	11	14
35-49	17	3.4	5	< 1	1	4	5	6	7	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	291	2.4	2	1	1	2	3	4	4	7
B. Operated	50	2.0	3	< 1	1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	1817	3.2	3	1	2	3	4	5	6	9
B. Operated	260	3.5	12	< 1	1	3	4	7	9	14
1. SINGLE DX	341	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2077	3.3	5	1	2	3	4	6	7	10
A. Not Operated	2108	3.1	3	1	2	3	4	5	6	9
B. Operated	310	3.2	11	< 1	1	2	4	6	8	13
TOTAL										
0-19 YRS	789	3.2	4	1	2	3	4	5	7	9
20-34	1567	3.1	5	1	2	3	4	5	6	10
35-49	62	3.1	4	1	1	3	4	6	7	8
50-64	0									
65 +	0									
GRAND TOTAL	**2418**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**	**10**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	2.5	2	1	1	2	3	4	5	6
20-34	420	2.9	4	1	1	2	4	5	6	9
35-49	74	3.1	3	1	2	3	4	6	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.8	9	<1	1	1	4	8	8	8
20-34	46	2.5	9	<1	1	2	3	4	6	20
35-49	6	3.2	5	1	2	3	4	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	525	3.3	11	1	1	2	4	6	8	19
20-34	2446	3.6	17	1	2	3	4	6	9	21
35-49	268	3.6	8	1	2	3	4	7	9	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	105	3.1	6	<1	1	2	4	6	7	13
20-34	530	4.1	22	<1	1	3	5	8	12	23
35-49	52	5.0	63	<1	1	3	6	8	12	54
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	552	2.9	3	1	2	2	4	5	6	9
B. Operated	57	2.6	8	<1	1	2	3	5	7	19
2. MULTIPLE DX										
A. Not Operated	3239	3.5	15	1	2	3	4	7	9	20
B. Operated	687	4.0	23	<1	1	3	5	8	11	23
1. SINGLE DX	609	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX	3926	3.6	16	1	2	3	4	7	9	21
A. Not Operated	3791	3.4	13	1	2	3	4	6	8	18
B. Operated	744	3.9	22	<1	1	3	5	7	11	22
TOTAL										
0-19 YRS	693	3.2	10	1	1	2	4	6	8	16
20-34	3442	3.5	16	1	2	3	4	7	9	20
35-49	400	3.7	14	1	2	3	5	7	9	15
50-64	0									
65 +	0									
GRAND TOTAL	**4535**	**3.5**	**15**	**1**	**2**	**3**	**4**	**6**	**9**	**20**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	779	1.9	4	<1	1	1	2	3	4	9
20-34	3054	2.1	8	<1	1	1	2	4	6	13
35-49	189	2.4	7	<1	1	1	3	4	7	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	264	2.2	8	<1	<1	1	2	4	6	18
20-34	1767	2.1	9	<1	<1	1	2	4	6	13
35-49	156	1.7	5	<1	<1	1	2	3	4	18
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	600	3.0	16	1	1	2	3	6	8	15
20-34	2260	2.8	10	<1	1	2	3	6	8	17
35-49	207	3.9	25	1	1	2	5	9	12	27
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	351	3.1	20	<1	<1	2	4	6	10	20
20-34	1753	3.3	24	<1	<1	2	4	7	10	25
35-49	193	3.1	14	<1	<1	1	3	8	11	18
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4022	2.1	7	<1	1	1	2	4	5	12
B. Operated	2187	2.1	9	<1	<1	1	2	4	6	14
2. MULTIPLE DX										
A. Not Operated	3067	2.9	12	<1	1	2	3	6	8	17
B. Operated	2297	3.2	23	<1	<1	2	4	7	10	24
1. SINGLE DX	6209	2.1	7	<1	1	1	2	4	5	13
2. MULTIPLE DX	5364	3.1	17	<1	1	2	3	6	9	20
A. Not Operated	7089	2.4	9	<1	1	2	3	5	7	15
B. Operated	4484	2.7	16	<1	<1	1	3	5	8	21
TOTAL										
0-19 YRS	1994	2.5	11	<1	1	2	3	5	6	15
20-34	8834	2.5	12	<1	1	1	3	5	7	17
35-49	745	2.9	14	<1	1	1	3	7	9	19
50-64	0									
65 +	0									
GRAND TOTAL	**11573**	**2.5**	**12**	**<1**	**1**	**1**	**3**	**5**	**7**	**17**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	2.3	1	1	2	2	3	3	4	6
20-34	454	2.2		2	2	2	2	3	3	4
35-49	55	2.2		2	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	80	2.3	1	2	2	2	3	3	4	5
20-34	540	2.5	2	2	2	2	3	4	4	7
35-49	51	2.3		2	2	2	2	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	364	2.6	7	2	2	2	3	3	4	12
20-34	1537	2.4	6	2	2	2	2	3	4	7
35-49	129	2.4	2	2	2	2	2	3	4	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	415	3.4	15	2	2	3	4	5	7	23
20-34	2819	3.4	12	2	2	3	4	5	6	16
35-49	379	3.8	22	2	2	3	4	5	8	28
50-64	1	18.0		18	18	18	18	18	18	18
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	593	2.2		2	2	2	3	3	3	5
B. Operated	671	2.5	2	2	2	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	2030	2.4	6	2	2	2	3	3	4	7
B. Operated	3614	3.4	14	2	2	3	4	5	7	17
1. SINGLE DX	1264	2.3	1	2	2	2	3	3	4	5
2. MULTIPLE DX	5644	3.1	11	2	2	2	3	4	6	14
A. Not Operated	2623	2.4	5	2	2	2	3	3	4	6
B. Operated	4285	3.3	12	2	2	3	4	5	6	16
TOTAL										
0-19 YRS	943	2.9	9	2	2	2	3	4	6	17
20-34	5350	2.9	9	2	2	2	3	4	5	13
35-49	614	3.2	15	2	2	2	4	5	6	14
50-64	1	18.0		18	18	18	18	18	18	18
65 +	0									
GRAND TOTAL	**6908**	**2.9**	**9**	**2**	**2**	**2**	**3**	**4**	**5**	**13**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3557	2.1		1	2	2	2	3	3	4
20-34	19737	2.1	1	1	2	2	2	3	3	3
35-49	1316	2.1		1	2	2	2	3	3	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1961	2.1		2	2	2	2	3	3	3
20-34	11477	2.1		2	2	2	2	3	3	3
35-49	783	2.1		2	2	2	2	3	3	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	225	2.1	1	1	2	2	2	3	3	5
20-34	862	2.1		1	2	2	2	3	3	4
35-49	72	2.2	1	1	2	2	3	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	159	2.1		1	2	2	2	3	3	3
20-34	3298	2.3	1	2	2	2	3	3	3	4
35-49	416	2.4		2	2	2	3	3	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24613	2.1	1	1	2	2	2	3	3	3
B. Operated	14223	2.1		2	2	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	1159	2.1		1	2	2	2	3	3	4
B. Operated	3874	2.3	1	2	2	2	3	3	3	4
1. SINGLE DX	38836	2.1	1	1	2	2	2	3	3	3
2. MULTIPLE DX	5033	2.3	1	2	2	2	3	3	3	4
A. Not Operated	25772	2.1	1	1	2	2	2	3	3	4
B. Operated	18097	2.2		2	2	2	2	3	3	4
TOTAL										
0-19 YRS	5902	2.1		1	2	2	2	3	3	4
20-34	35374	2.1	1	1	2	2	2	3	3	4
35-49	2587	2.1		1	2	2	2	3	3	4
50-64	6	2.2	1	1	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	**43869**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	1.9		1	2	2	2	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	87	4.8	36	2	3	4	5	6	11	41
35-49	20	5.3	18	2	4	4	5	10	17	20
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	14	3.8	6	1	2	3	5	7	9	9
35-49	3	2.3		2	2	2	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	25	6.3	37	2	3	4	7	12	19	30
20-34	337	9.2	143	3	4	5	8	22	32	66
35-49	80	10.3	188	3	4	5	8	30	48	66
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.9		1	2	2	2	2	3	3
B. Operated	110	4.9	32	2	3	4	5	6	14	37
2. MULTIPLE DX										
A. Not Operated	20	3.6	5	1	2	3	5	7	8	9
B. Operated	442	9.2	146	3	4	5	8	22	33	65
1. SINGLE DX	125	4.5	29	2	2	4	4	6	11	34
2. MULTIPLE DX	462	9.0	141	3	4	5	7	21	32	63
A. Not Operated	35	2.9	4	1	2	2	3	6	7	9
B. Operated	552	8.4	126	3	4	4	7	19	30	56
TOTAL										
0-19 YRS	31	5.7	32	2	3	4	6	11	16	30
20-34	451	8.0	119	2	3	4	7	18	28	56
35-49	104	9.0	153	3	4	4	7	21	40	62
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
GRAND TOTAL	**587**	**8.0**	**120**	**2**	**4**	**4**	**7**	**18**	**30**	**56**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.5		1	1	1	2	3	3	3
20-34	88	2.5	6	1	2	2	3	3	4	17
35-49	9	2.2	2	1	1	2	3	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	3.3	1	2	2	3	4	5	5	5
20-34	135	3.1	2	2	2	3	4	5	5	6
35-49	10	3.1	2	1	2	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	2.7	6	1	2	2	3	5	10	11
20-34	158	2.6	7	1	2	2	3	4	5	16
35-49	17	4.6	33	1	2	2	4	16	20	20
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	107	4.8	31	2	2	4	5	8	12	32
20-34	729	4.2	15	2	3	4	5	6	9	17
35-49	73	5.4	74	2	3	4	5	7	11	62
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	2.3	5	1	2	2	2	3	4	13
B. Operated	168	3.1	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	213	2.8	9	1	2	2	3	4	6	19
B. Operated	909	4.4	22	2	3	4	5	6	10	20
1. SINGLE DX	278	2.8	3	1	2	2	4	4	5	7
2. MULTIPLE DX	1122	4.1	20	2	2	3	4	6	9	19
A. Not Operated	323	2.7	8	1	2	2	3	4	5	19
B. Operated	1077	4.2	19	2	2	4	4	6	9	17
TOTAL										
0-19 YRS	181	3.9	21	1	2	3	4	6	10	17
20-34	1110	3.7	12	2	2	3	4	5	8	16
35-49	109	4.8	56	2	2	4	5	7	11	43
50-64	0									
65 +	0									
GRAND TOTAL	**1400**	**3.8**	**17**	**2**	**2**	**3**	**4**	**6**	**8**	**18**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2		2	2	2	3	3	3	3
20-34	31	2.0		1	2	2	2	3	3	3
35-49	4	1.8		<1	1	2	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	44	2.0		1	2	2	2	3	3	3
20-34	404	2.1	1	1	2	2	2	3	3	4
35-49	24	2.9	3	2	2	2	3	6	7	8
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	26	2.5	2	1	2	2	3	5	6	8
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	48	2.6	4	2	2	2	3	4	4	15
20-34	370	2.6	1	2	2	2	3	4	4	7
35-49	41	2.8	1	2	2	3	3	4	5	6
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.0		1	2	2	2	3	3	3
B. Operated	472	2.2	1	1	2	2	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	30	2.5	2	1	2	2	3	4	5	8
B. Operated	459	2.6	2	2	2	2	3	4	4	7
1. SINGLE DX	512	2.1	1	1	2	2	2	3	3	5
2. MULTIPLE DX	489	2.6	2	2	2	2	3	4	4	7
A. Not Operated	70	2.2	1	1	2	2	2	3	4	7
B. Operated	931	2.4	1	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	99	2.3	2	1	2	2	3	3	4	10
20-34	831	2.3	1	1	2	2	3	3	4	6
35-49	71	2.7	2	2	2	2	3	4	6	8
50-64	0									
65+	0									
GRAND TOTAL	**1001**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.4		2	2	2	3	3	4	4
20-34	139	2.1		1	2	2	2	3	3	3
35-49	12	2.2	1	1	1	2	3	4	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	14	2.2	1	1	2	2	2	3	5	5
20-34	115	2.2		2	2	2	2	3	3	5
35-49	5	2.2		2	2	2	3	3	3	3
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	2.5	1	2	2	2	3	3	4	7
20-34	118	2.3	1	2	2	2	3	3	4	5
35-49	10	2.6	1	1	2	3	3	4	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	41	2.6	2	2	2	2	3	3	4	10
20-34	240	2.7	2	2	2	2	3	4	5	8
35-49	21	3.2	9	1	2	2	3	6	11	15
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	2.1		1	2	2	2	3	3	4
B. Operated	134	2.2		2	2	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	164	2.4	1	2	2	2	3	3	4	6
B. Operated	302	2.7	2	2	2	2	3	4	5	9
1. SINGLE DX	309	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX	466	2.6	2	2	2	2	3	4	4	8
A. Not Operated	339	2.2	1	1	2	2	3	3	3	5
B. Operated	436	2.5	2	2	2	2	3	3	5	8
TOTAL										
0-19 YRS	115	2.5	1	2	2	2	3	3	4	8
20-34	612	2.4	1	2	2	2	3	3	4	6
35-49	48	2.7	5	1	2	2	3	4	5	15
50-64	0									
65+	0									
GRAND TOTAL	**775**	**2.4**	**1**	**2**	**2**	**2**	**3**	**3**	**4**	**6**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	61	2.7	2	2	2	2	3	3	5	10
35-49	7	2.3	2	1	1	2	3	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	3.5	2	2	2	3	4	6	6	6
20-34	88	3.2	2	2	2	3	4	5	5	10
35-49	8	2.5	1	2	2	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.2	2	2	2	3	4	5	7	8
20-34	95	3.1	4	2	2	3	3	5	7	13
35-49	20	2.3	1	1	2	2	2	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	70	6.3	29	2	3	4	7	12	17	30
20-34	746	5.4	53	2	3	4	5	7	14	40
35-49	92	5.8	102	2	3	4	5	7	13	69
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	2.7	2	2	2	2	3	3	5	10
B. Operated	104	3.2	2	2	2	3	4	5	5	9
2. MULTIPLE DX										
A. Not Operated	129	3.0	3	2	2	2	3	4	7	12
B. Operated	908	5.5	56	2	3	4	5	8	15	40
1. SINGLE DX	173	3.0	2	2	2	3	3	4	5	10
2. MULTIPLE DX	1037	5.2	50	2	3	4	5	7	13	39
A. Not Operated	198	2.9	3	2	2	2	3	4	6	11
B. Operated	1012	5.2	51	2	3	4	5	7	13	39
TOTAL										
0-19 YRS	93	5.5	24	2	3	4	6	11	17	28
20-34	990	4.8	42	2	2	4	5	6	11	37
35-49	127	4.8	76	2	2	4	4	6	8	69
50-64	0									
65 +	0									
GRAND TOTAL	**1210**	**4.9**	**44**	**2**	**2**	**4**	**5**	**7**	**12**	**37**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34	72	2.2	1	1	2	2	3	3	4	4
35-49	7	2.1		2	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	174	3.7	1	3	3	4	4	5	5	6
20-34	1309	3.7	1	3	3	4	4	4	5	5
35-49	99	3.8	1	3	4	4	4	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.7	1	1	2	3	4	4	4	4
20-34	56	2.6	4	1	2	2	3	4	5	14
35-49	6	2.2		2	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	284	4.5	5	3	3	4	5	6	9	15
20-34	2133	4.3	7	3	3	4	4	5	7	14
35-49	291	4.3	5	3	4	4	5	6	7	11
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	2.2	1	1	2	2	3	3	4	4
B. Operated	1582	3.7	1	3	3	4	4	4	5	5
2. MULTIPLE DX										
A. Not Operated	69	2.6	3	1	2	2	3	4	4	13
B. Operated	2709	4.3	7	3	3	4	5	6	7	14
1. SINGLE DX	1666	3.6	1	2	3	4	4	4	5	5
2. MULTIPLE DX	2778	4.3	7	3	3	4	4	6	7	14
A. Not Operated	153	2.4	2	1	2	2	3	4	4	6
B. Operated	4291	4.1	5	3	3	4	4	5	6	11
TOTAL										
0-19 YRS	470	4.1	4	2	3	4	4	6	7	13
20-34	3570	4.0	5	3	3	4	4	5	6	10
35-49	403	4.1	4	3	4	4	4	5	6	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**4444**	**4.0**	**5**	**3**	**3**	**4**	**4**	**5**	**6**	**11**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	2.4	1	2	2	2	3	3	3	7
20-34	325	2.1		2	2	2	2	3	3	4
35-49	30	2.2	1	1	2	2	2	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	81	2.8	1	2	2	2	4	4	5	6
20-34	648	2.8	2	2	2	2	4	4	5	6
35-49	72	2.8	1	2	2	2	4	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	2.3	1	2	2	2	3	3	3	5
20-34	324	2.2		2	2	2	3	3	3	4
35-49	28	2.2	1	1	2	2	2	4	4	6
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	439	3.8	5	2	3	4	4	6	7	12
20-34	3440	3.7	6	2	3	4	4	5	6	10
35-49	388	3.9	7	2	3	4	5	5	6	12
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	396	2.2		2	2	2	2	3	3	4
B. Operated	801	2.8	2	2	2	2	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	393	2.2	1	2	2	2	3	3	3	5
B. Operated	4268	3.8	6	2	3	4	4	5	6	11
1. SINGLE DX	1197	2.6	1	2	2	2	3	4	5	5
2. MULTIPLE DX	4661	3.6	5	2	2	4	4	5	6	10
A. Not Operated	789	2.2		2	2	2	2	3	3	4
B. Operated	5069	3.6	5	2	2	4	4	5	6	10
TOTAL										
0-19 YRS	601	3.5	4	2	2	3	4	5	6	11
20-34	4737	3.4	5	2	2	3	4	5	6	9
35-49	518	3.6	6	2	2	4	4	5	6	9
50-64	2	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	**5858**	**3.4**	**5**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	28	2.3	1	1	2	2	3	4	4	4
35-49	3	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	104	4.1	1	3	4	4	5	5	6	7
20-34	601	4.1	1	3	4	4	5	5	5	6
35-49	44	4.1	1	2	4	4	5	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.4	7	< 1	1	3	4	8	8	8
20-34	23	3.5	4	2	2	3	4	5	7	10
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	664	5.0	5	3	4	4	5	7	9	12
20-34	3856	4.4	2	3	4	4	5	5	6	9
35-49	358	4.4	1	3	4	4	5	5	6	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	2.3	1	2	2	2	3	4	4	4
B. Operated	749	4.1	1	3	4	4	5	5	5	6
2. MULTIPLE DX										
A. Not Operated	31	3.5	4	1	2	3	4	6	8	10
B. Operated	4878	4.5	2	3	4	4	5	6	7	10
1. SINGLE DX	784	4.0	1	3	4	4	5	5	5	6
2. MULTIPLE DX	4909	4.5	2	3	4	4	5	6	7	10
A. Not Operated	66	2.9	2	2	2	2	4	4	5	10
B. Operated	5627	4.4	2	3	4	4	5	6	6	10
TOTAL										
0-19 YRS	777	4.9	4	3	4	4	5	7	9	12
20-34	4508	4.3	2	3	4	4	5	5	6	9
35-49	408	4.4	1	3	4	4	5	5	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**5693**	**4.4**	**2**	**3**	**4**	**4**	**5**	**6**	**6**	**10**

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	90	2.3		2	2	2	3	3	3	4
20-34	521	2.3	1	2	2	2	3	3	3	4
35-49	31	2.3		1	2	2	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	185	3.2	2	2	2	3	4	5	6	8
20-34	1242	3.1	2	2	2	3	4	5	5	6
35-49	86	3.3	1	2	2	3	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	2.6	1	2	2	2	3	4	4	6
20-34	451	2.4		2	2	2	3	3	3	5
35-49	34	2.4		2	2	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	676	3.9	4	2	3	4	5	6	7	11
20-34	4188	3.7	5	2	2	4	5	5	6	9
35-49	414	3.9	4	2	3	4	5	5	6	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	642	2.3	1	2	2	2	3	3	3	4
B. Operated	1513	3.1	2	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	579	2.4	1	2	2	2	3	3	4	5
B. Operated	5278	3.8	5	2	3	4	5	5	6	10
1. SINGLE DX	2155	2.9	1	2	2	3	4	4	5	6
2. MULTIPLE DX	5857	3.6	4	2	2	3	4	5	6	9
A. Not Operated	1221	2.4	1	2	2	2	3	3	3	4
B. Operated	6791	3.6	4	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	1045	3.5	3	2	2	3	4	5	6	10
20-34	6402	3.4	4	2	2	3	4	5	6	8
35-49	565	3.7	4	2	2	4	5	5	6	11
50-64	0									
65 +	0									
GRAND TOTAL	**8012**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	88	2.2		1	2	2	3	3	3	4
35-49	10	2.2		1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	37	3.4	2	2	2	4	4	5	6	7
20-34	300	3.1	1	2	2	3	4	5	5	6
35-49	32	3.2	1	2	2	3	4	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.7	15	1	2	3	4	5	14	17
20-34	103	2.9	12	2	2	2	3	4	6	23
35-49	11	2.7	2	2	2	2	3	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	106	3.7	3	2	2	4	5	6	6	10
20-34	937	3.9	6	2	3	4	4	5	6	11
35-49	118	3.8	3	2	3	4	5	6	7	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	2.2	1	1	2	2	3	3	3	5
B. Operated	370	3.1	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	129	3.0	12	2	2	2	3	4	6	21
B. Operated	1161	3.8	6	2	3	4	4	6	6	11
1. SINGLE DX	471	2.9	1	2	2	3	4	4	5	6
2. MULTIPLE DX	1290	3.8	6	2	2	4	4	5	6	11
A. Not Operated	230	2.6	7	2	2	2	3	4	4	15
B. Operated	1531	3.7	5	2	2	4	4	5	6	9
TOTAL										
0-19 YRS	161	3.6	4	2	2	4	4	5	6	12
20-34	1428	3.5	6	2	2	3	4	5	6	10
35-49	171	3.5	3	2	2	3	4	5	6	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**1761**	**3.5**	**5**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.2	1	1	2	2	3	3	4	4
20-34	337	2.2	1	2	2	2	3	3	4	4
35-49	30	2.1		2	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	226	3.5	1	2	3	3	4	5	5	6
20-34	4627	3.6	1	3	3	4	4	4	5	5
35-49	437	3.8	1	3	3	4	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	5.9	241	1	2	2	2	4	46	64
20-34	263	2.4	1	2	2	2	3	4	4	6
35-49	33	2.7	2	1	2	2	3	5	5	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	314	3.9	3	2	3	4	4	5	7	12
20-34	8629	3.9	2	3	3	4	4	5	5	8
35-49	1247	4.0	3	3	4	4	4	5	5	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	383	2.2	1	2	2	2	2	3	4	4
B. Operated	5290	3.6	1	3	3	4	4	4	5	5
2. MULTIPLE DX										
A. Not Operated	312	2.6	13	2	2	2	3	4	4	7
B. Operated	10190	3.9	3	3	3	4	4	5	5	8
1. SINGLE DX	5673	3.5	1	2	3	4	4	4	5	5
2. MULTIPLE DX	10502	3.9	3	3	3	4	4	5	5	8
A. Not Operated	695	2.4	6	2	2	2	3	3	4	5
B. Operated	15480	3.8	2	3	3	4	4	5	5	7
TOTAL										
0-19 YRS	572	3.7	8	2	3	4	4	5	6	10
20-34	13856	3.7	2	2	3	4	4	5	5	7
35-49	1747	3.9	3	3	3	4	4	5	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**16175**	**3.8**	**2**	**2**	**3**	**4**	**4**	**5**	**5**	**7**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	122	2.5	1	2	2	2	3	3	4	5
20-34	770	2.3	1	2	2	2	3	3	3	5
35-49	71	2.3		2	2	2	3	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	161	2.7	1	2	2	2	3	3	4	8
20-34	1027	2.4	1	2	2	2	3	3	4	5
35-49	87	2.4	1	2	2	2	3	3	4	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	157	2.9	3	2	2	3	3	4	6	9
20-34	798	3.1	7	2	2	2	3	5	7	14
35-49	78	3.4	20	2	2	2	3	5	7	30
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	603	3.6	8	2	2	3	4	5	7	15
20-34	3586	3.5	11	2	2	3	4	5	7	18
35-49	414	4.4	27	2	2	3	4	6	11	32
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	963	2.4	1	2	2	2	3	3	3	5
B. Operated	1275	2.4	1	2	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	1033	3.1	7	2	2	2	3	5	7	14
B. Operated	4603	3.6	12	2	2	3	4	5	7	19
1. SINGLE DX	2238	2.4	1	2	2	2	3	3	4	5
2. MULTIPLE DX	5636	3.5	11	2	2	3	4	5	7	17
A. Not Operated	1996	2.7	4	2	2	2	3	4	5	11
B. Operated	5878	3.4	10	2	2	3	4	5	6	15
TOTAL										
0-19 YRS	1043	3.2	6	2	2	3	3	5	6	13
20-34	6181	3.1	8	2	2	3	3	5	6	13
35-49	650	3.8	21	2	2	3	4	5	7	30
50-64	0									
65 +	0									
GRAND TOTAL	**7874**	**3.2**	**8**	**2**	**2**	**3**	**3**	**5**	**6**	**14**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	544	2.1		1	2	2	2	3	3	3
20-34	4052	2.1	4	1	2	2	2	3	3	3
35-49	319	2.1		2	2	2	2	3	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	526	2.2		2	2	2	2	3	3	4
20-34	3464	2.1	1	2	2	2	2	3	3	4
35-49	268	2.2		2	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	239	2.3	1	2	2	2	3	3	3	5
20-34	1448	2.2	1	1	2	2	2	3	3	4
35-49	106	2.2		2	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	504	2.4	1	2	2	2	3	3	4	6
20-34	4243	2.5	1	2	2	2	3	4	4	6
35-49	419	2.6	2	2	2	2	3	4	5	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4916	2.1	3	1	2	2	2	3	3	3
B. Operated	4258	2.1	1	2	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	1793	2.2	1	2	2	2	2	3	3	4
B. Operated	5166	2.5	1	2	2	2	3	4	4	6
1. SINGLE DX	9174	2.1	2	2	2	2	2	3	3	4
2. MULTIPLE DX	6959	2.4	1	2	2	2	3	3	4	6
A. Not Operated	6709	2.1	2	1	2	2	2	3	3	4
B. Operated	9424	2.3	1	2	2	2	3	3	4	5
TOTAL										
0-19 YRS	1813	2.2	1	2	2	2	2	3	3	5
20-34	13207	2.2	2	2	2	2	2	3	3	5
35-49	1112	2.3	1	2	2	2	3	3	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**16133**	**2.2**	**2**	**2**	**2**	**2**	**2**	**3**	**3**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	158	2.1		1	2	2	2	3	3	4
20-34	704	2.0	1	1	2	2	2	3	3	4
35-49	65	2.0	1	1	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1147	2.1	1	1	2	2	2	3	3	4
20-34	7378	2.1		1	2	2	2	3	3	3
35-49	692	2.1		1	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	132	2.3	1	2	2	2	3	3	3	6
20-34	427	2.1	1	1	2	2	2	3	3	5
35-49	37	2.2		2	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1096	2.3	1	2	2	2	3	3	4	6
20-34	7040	2.3	1	2	2	2	3	3	3	5
35-49	796	2.3	2	2	2	2	3	3	3	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	927	2.0		1	2	2	2	3	3	4
B. Operated	9217	2.1	1	1	2	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	596	2.2	1	2	2	2	2	3	3	5
B. Operated	8932	2.3	1	2	2	2	3	3	3	5
1. SINGLE DX	10144	2.1	1	1	2	2	2	3	3	3
2. MULTIPLE DX	9528	2.3	1	2	2	2	3	3	3	5
A. Not Operated	1523	2.1	1	1	2	2	2	3	3	4
B. Operated	18149	2.2	1	1	2	2	2	3	3	4
TOTAL										
0-19 YRS	2533	2.2	1	2	2	2	2	3	3	5
20-34	15549	2.1	1	1	2	2	2	3	3	4
35-49	1590	2.2	1	1	2	2	2	3	3	4
50-64	0									
65 +	0									
GRAND TOTAL	**19672**	**2.2**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**4**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	2.2		1	2	2	3	3	3	4
20-34	183	2.1		1	2	2	2	3	3	4
35-49	10	1.8		1	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	766	2.2		2	2	2	3	3	3	4
20-34	3194	2.2	2	2	2	2	3	3	3	4
35-49	157	2.2		2	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	2.6	1	2	2	3	3	3	4	7
20-34	145	2.5	1	2	2	2	3	4	4	6
35-49	9	2.1	1	1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	861	2.5	1	2	2	2	3	4	4	7
20-34	3619	2.5	1	2	2	2	3	3	4	6
35-49	218	2.5	1	2	2	2	3	4	4	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	262	2.1		1	2	2	2	3	3	4
B. Operated	4117	2.2	1	2	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	223	2.5	1	2	2	2	3	4	4	6
B. Operated	4699	2.5	1	2	2	2	3	3	4	6
1. SINGLE DX	4379	2.2	1	2	2	2	3	3	3	4
2. MULTIPLE DX	4922	2.5	1	2	2	2	3	3	4	6
A. Not Operated	485	2.3	1	2	2	2	3	3	4	6
B. Operated	8816	2.4	1	2	2	2	3	3	3	5
TOTAL										
0-19 YRS	1765	2.4	1	2	2	2	3	3	4	5
20-34	7141	2.4	1	2	2	2	3	3	3	5
35-49	394	2.4	1	2	2	2	3	3	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**9301**	**2.4**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**5**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	2.3	8	1	2	2	2	3	3	21
20-34	330	2.0		1	2	2	2	3	3	3
35-49	12	2.4	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	387	2.2		2	2	2	2	3	3	4
20-34	1666	2.1		2	2	2	2	3	3	4
35-49	73	2.2		1	2	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	2.0		1	2	2	2	3	3	3
20-34	244	2.2	2	1	2	2	2	3	3	8
35-49	15	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	472	2.4	1	2	2	2	3	3	5	7
20-34	2082	2.4	1	2	2	2	3	3	4	6
35-49	162	2.6	2	2	2	2	3	4	5	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	412	2.0	2	1	2	2	2	3	3	4
B. Operated	2126	2.2		2	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	317	2.2	1	1	2	2	2	3	3	6
B. Operated	2716	2.4	1	2	2	2	3	3	4	6
1. SINGLE DX	2538	2.1	1	2	2	2	2	3	3	4
2. MULTIPLE DX	3033	2.4	1	2	2	2	3	3	4	6
A. Not Operated	729	2.1	2	1	2	2	2	3	3	5
B. Operated	4842	2.3	1	2	2	2	3	3	4	5
TOTAL										
0-19 YRS	987	2.3	1	2	2	2	3	3	3	6
20-34	4322	2.3	1	2	2	2	3	3	3	5
35-49	262	2.5	1	2	2	2	3	3	4	6
50-64	0									
65 +	0									
GRAND TOTAL	**5571**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

304 Hospitals, North Central Region, January-December 1989

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	808	2.4	4	1	2	2	3	3	4	6
20-34	3732	2.2	1	1	2	2	2	3	3	5
35-49	302	2.1	1	1	2	2	2	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1321	2.6	2	2	2	2	3	4	5	7
20-34	7749	2.5	1	2	2	2	3	4	4	6
35-49	629	2.6	1	2	2	2	3	4	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1122	2.7	4	1	2	2	3	4	5	11
20-34	4111	2.6	6	1	2	2	3	4	5	10
35-49	377	2.7	6	1	2	2	3	4	6	16
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	3697	3.8	10	2	2	3	4	6	9	15
20-34	19838	3.5	9	2	2	3	4	5	7	16
35-49	2138	3.9	13	2	2	3	4	6	8	20
50-64	3	4.7	4	3	3	4	6	7	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4842	2.2	1	1	2	2	2	3	3	5
B. Operated	9699	2.5	1	2	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	5612	2.6	6	1	2	2	3	4	5	10
B. Operated	25676	3.6	10	2	2	3	4	6	7	16
1. SINGLE DX	14541	2.4	2	2	2	2	3	4	4	6
2. MULTIPLE DX	31288	3.4	9	2	2	3	4	5	7	15
A. Not Operated	10454	2.4	4	1	2	2	3	3	4	8
B. Operated	35375	3.3	8	2	2	3	4	5	7	14
TOTAL										
0-19 YRS	6948	3.2	7	2	2	3	4	5	7	13
20-34	35430	3.1	7	2	2	2	3	5	6	12
35-49	3446	3.4	10	2	2	3	4	5	7	16
50-64	5	4.2	4	2	3	4	5	7	7	7
65 +	0									
GRAND TOTAL	**45829**	**3.1**	**7**	**2**	**2**	**2**	**4**	**5**	**6**	**13**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	3.5	3	2	2	3	4	6	7	7
20-34	102	3.2	3	2	2	3	4	5	6	10
35-49	10	3.0	2	1	2	3	3	5	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	6.8	16	1	5	7	9	12	12	12
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	4.1	8	2	2	4	5	7	7	16
20-34	179	3.5	3	2	2	3	4	5	7	9
35-49	23	4.3	2	2	3	4	6	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	7.5	47	2	3	6	8	18	25	25
20-34	33	5.9	9	3	3	5	8	10	12	12
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	3.3	3	2	2	3	4	5	7	9
B. Operated	6	6.2	15	1	3	6	8	12	12	12
2. MULTIPLE DX										
A. Not Operated	253	3.7	4	2	3	3	4	6	7	13
B. Operated	45	6.3	17	3	3	6	8	10	12	25
1. SINGLE DX	141	3.4	3	2	2	3	4	6	7	12
2. MULTIPLE DX	298	4.1	6	2	3	3	5	7	8	14
A. Not Operated	388	3.5	3	2	2	3	4	6	7	11
B. Operated	51	6.3	16	2	3	6	8	11	12	25
TOTAL										
0-19 YRS	85	4.3	12	2	3	4	5	7	9	22
20-34	319	3.7	4	2	2	3	4	6	8	12
35-49	35	4.1	3	2	3	4	6	7	7	9
50-64	0									
65 +	0									
GRAND TOTAL	**439**	**3.9**	**6**	**2**	**2**	**3**	**5**	**7**	**8**	**12**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.5		< 1	< 1	1	2	3	3	3
20-34	27	1.4		< 1	1	1	2	2	3	3
35-49	4	1.3		< 1	< 1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	87	1.5		< 1	1	1	2	2	3	4
35-49	7	1.3		< 1	< 1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34	41	2.2	2	1	1	2	3	4	5	7
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	2.0	1	1	2	2	2	3	4	4
20-34	86	2.6	5	1	1	2	3	5	6	12
35-49	8	2.0	1	< 1	1	2	3	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	1.4		< 1	1	1	2	2	3	3
B. Operated	100	1.5		< 1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	46	2.1	2	1	1	2	3	4	4	7
B. Operated	104	2.5	4	1	1	2	3	5	6	11
1. SINGLE DX	142	1.4		< 1	1	1	2	2	3	3
2. MULTIPLE DX	150	2.4	3	1	1	2	3	4	6	10
A. Not Operated	88	1.8	1	< 1	1	2	2	3	4	6
B. Operated	204	2.0	3	< 1	1	2	2	4	5	9
TOTAL										
0-19 YRS	32	1.7		< 1	1	2	2	2	3	4
20-34	241	2.0	2	< 1	1	2	2	4	5	9
35-49	19	1.6		< 1	< 1	1	2	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**292**	**1.9**	**2**	**< 1**	**1**	**2**	**2**	**3**	**4**	**8**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.7	3	1	2	2	3	4	7	8
20-34	104	3.3	7	1	2	2	4	6	8	15
35-49	10	3.7	3	1	2	4	4	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	2.0		1	2	2	2	3	3	4
20-34	115	2.4	3	1	2	2	3	4	7	10
35-49	6	2.0		1	2	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	4.4	13	1	2	2	7	10	12	13
20-34	129	4.4	16	1	2	3	5	9	11	18
35-49	17	3.1	4	1	1	3	4	6	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	31	3.7	11	1	2	2	4	10	12	13
20-34	143	3.9	16	1	2	2	5	9	11	22
35-49	13	2.3	2	1	1	2	3	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	3.2	6	1	2	2	4	6	8	14
B. Operated	144	2.3	2	1	2	2	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	167	4.3	14	1	2	3	5	9	11	14
B. Operated	187	3.8	15	1	2	2	4	9	11	21
1. SINGLE DX	283	2.8	4	1	2	2	3	5	7	10
2. MULTIPLE DX	354	4.0	14	1	2	3	5	9	11	19
A. Not Operated	306	3.8	11	1	2	3	5	8	10	14
B. Operated	331	3.2	10	1	2	2	3	7	10	18
TOTAL										
0-19 YRS	100	3.2	7	1	2	2	3	7	10	13
20-34	491	3.6	12	1	2	2	4	8	10	18
35-49	46	2.8	3	1	1	3	4	5	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**637**	**3.5**	**10**	**1**	**2**	**2**	**4**	**8**	**10**	**15**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	620	3.2	3	2	2	3	4	5	6	9
20-34	331	3.5	3	2	2	3	4	6	7	10
35-49	291	3.9	5	2	3	3	5	7	8	11
50-64	186	4.6	10	2	3	4	5	7	9	18
65 +	141	5.7	17	2	3	5	7	10	14	24
B. Operated										
0-19 YRS	227	3.9	11	1	2	3	5	8	10	17
20-34	182	4.9	20	2	2	4	6	9	12	26
35-49	113	4.6	11	1	2	4	6	8	10	18
50-64	56	5.0	12	1	3	4	7	10	12	16
65 +	46	5.8	16	2	3	5	8	12	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1006	4.1	9	2	3	3	5	7	9	14
20-34	840	5.1	10	2	3	4	6	9	11	17
35-49	1165	6.0	22	2	3	5	7	11	14	24
50-64	1493	6.7	21	3	4	6	8	12	15	23
65 +	2799	7.5	24	3	4	6	9	13	16	25
B. Operated										
0-19 YRS	356	6.6	36	2	3	5	8	11	18	33
20-34	584	7.6	54	2	4	6	9	14	20	39
35-49	768	9.4	87	3	4	7	11	18	25	59
50-64	700	11.4	103	3	5	8	15	21	29	56
65 +	1108	12.4	97	4	6	10	15	25	32	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1569	3.8	6	2	2	3	4	6	8	13
B. Operated	624	4.6	14	1	2	4	6	9	11	20
2. MULTIPLE DX										
A. Not Operated	7303	6.4	21	2	3	5	8	11	14	23
B. Operated	3516	10.2	87	3	5	7	13	20	28	47
1. SINGLE DX	2193	4.0	8	2	2	3	5	7	9	16
2. MULTIPLE DX	10819	7.6	45	3	4	6	9	14	19	35
A. Not Operated	8872	5.9	19	2	3	5	7	11	14	22
B. Operated	4140	9.3	80	2	4	7	11	19	26	45
TOTAL										
0-19 YRS	2209	4.2	13	2	2	3	5	8	10	21
20-34	1937	5.5	25	2	3	4	7	10	13	27
35-49	2337	6.8	44	2	3	5	8	13	17	36
50-64	2435	7.8	49	3	4	6	9	15	20	35
65 +	4094	8.8	48	3	5	7	11	16	22	36
GRAND TOTAL	**13012**	**7.0**	**41**	**2**	**3**	**5**	**8**	**13**	**18**	**33**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	191	3.4	5	1	2	3	4	6	8	12
20-34	55	3.0	2	1	2	3	4	5	6	6
35-49	33	3.2	5	1	2	3	3	4	7	14
50-64	15	5.9	119	2	2	3	4	6	35	45
65 +	10	11.3	165	3	4	5	17	33	42	42
B. Operated										
0-19 YRS	83	3.5	6	1	2	3	5	7	9	12
20-34	41	4.3	7	1	3	4	6	9	10	10
35-49	35	3.1	4	1	1	3	5	6	7	8
50-64	16	3.4	6	< 1	1	3	5	7	8	9
65 +	12	3.6	7	< 1	2	3	5	7	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	336	4.2	6	2	2	4	5	7	9	12
20-34	107	4.3	10	2	2	3	5	8	10	17
35-49	105	5.5	11	2	3	4	7	10	14	17
50-64	122	5.4	10	2	3	5	7	10	12	14
65 +	212	7.0	24	3	4	6	8	12	16	26
B. Operated										
0-19 YRS	162	5.6	12	2	3	5	7	10	12	16
20-34	87	7.8	93	2	3	5	9	15	21	57
35-49	110	8.5	86	2	4	6	10	16	28	54
50-64	130	9.6	82	2	4	7	12	18	29	50
65 +	149	11.1	62	3	6	9	16	22	24	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	304	3.7	16	1	2	3	4	6	8	20
B. Operated	187	3.6	6	1	2	3	5	7	9	11
2. MULTIPLE DX										
A. Not Operated	882	5.2	13	2	3	4	7	9	11	18
B. Operated	638	8.5	65	2	4	6	10	17	23	45
1. SINGLE DX	491	3.6	13	1	2	3	4	6	8	15
2. MULTIPLE DX	1520	6.6	38	2	3	5	8	12	17	31
A. Not Operated	1186	4.8	14	2	3	4	6	9	11	18
B. Operated	825	7.4	56	2	3	5	9	15	21	42
TOTAL										
0-19 YRS	772	4.2	8	2	2	3	5	8	10	14
20-34	290	5.1	36	2	2	4	5	9	13	36
35-49	283	6.1	43	2	3	4	7	11	15	40
50-64	283	7.2	53	2	3	5	9	14	18	43
65 +	383	8.6	46	3	4	7	10	17	22	39
GRAND TOTAL	**2011**	**5.9**	**33**	**2**	**3**	**4**	**7**	**11**	**15**	**30**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.5	1	1	1	2	3	4	4	4
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	144	1.9	2	1	1	2	2	3	4	8
20-34	213	2.1	7	1	1	1	2	4	5	14
35-49	49	2.0	2	1	1	1	3	4	5	7
50-64	8	1.5	1	< 1	< 1	1	2	3	4	4
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	1	< 1	1	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	38	3.4	55	1	1	1	3	6	9	46
20-34	52	2.7	4	1	1	2	4	6	7	8
35-49	25	3.2	6	1	1	3	4	6	8	12
50-64	8	1.9	1	< 1	1	2	3	3	3	3
65 +	5	2.8	1	2	2	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.3	1	1	1	2	3	4	4	4
B. Operated	415	2.0	4	1	1	1	2	4	4	9
2. MULTIPLE DX										
A. Not Operated	6	3.5	6	< 1	3	3	3	8	8	8
B. Operated	128	3.0	19	1	1	2	4	6	7	19
1. SINGLE DX	427	2.0	4	1	1	1	2	4	4	9
2. MULTIPLE DX	134	3.0	18	1	1	2	4	6	7	17
A. Not Operated	18	2.7	3	1	1	3	3	4	6	8
B. Operated	543	2.3	8	1	1	2	3	4	6	11
TOTAL										
0-19 YRS	194	2.3	13	1	1	2	2	4	5	13
20-34	268	2.2	6	1	1	2	3	4	6	10
35-49	76	2.4	4	1	1	2	3	4	6	11
50-64	16	1.7	1	< 1	1	1	2	3	4	4
65 +	7	3.3	6	1	2	2	4	7	8	8
GRAND TOTAL	**561**	**2.3**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	1.6	2	< 1	< 1	1	1	4	6	7
20-34	27	1.4	1	< 1	< 1	< 1	< 1	3	4	5
35-49	25	1.4	2	< 1	< 1	< 1	1	2	4	7
50-64	37	1.0		< 1	< 1	< 1	< 1	1	1	2
65 +	21	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	13.0		13	13	13	13	13	13	13
50-64	1	2.0		2	2	2	2	2	2	2
65 +	5	5.0	7	3	3	4	7	9	9	9
B. Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	14	3.2	16	< 1	1	2	3	10	14	15
35-49	15	2.1	5	< 1	< 1	1	3	4	8	9
50-64	9	5.3	29	< 1	1	3	8	14	17	17
65 +	21	3.2	5	< 1	1	3	4	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	130	1.3	1	< 1	< 1	< 1	< 1	2	3	7
2. MULTIPLE DX										
A. Not Operated	10	4.6	14	1	2	3	6	11	13	13
B. Operated	64	3.1	11	< 1	1	2	3	7	10	17
1. SINGLE DX	132	1.3	1	< 1	< 1	< 1	1	2	3	7
2. MULTIPLE DX	74	3.3	11	< 1	1	2	4	9	10	17
A. Not Operated	12	4.2	13	1	2	3	5	10	13	13
B. Operated	194	1.9	5	< 1	< 1	< 1	2	4	6	13
TOTAL										
0-19 YRS	27	1.6	2	< 1	< 1	1	1	3	5	7
20-34	43	2.0	6	< 1	< 1	< 1	2	4	6	15
35-49	42	2.0	6	< 1	< 1	< 1	2	4	8	13
50-64	47	1.9	8	< 1	< 1	< 1	1	3	7	17
65 +	47	2.4	5	< 1	< 1	< 1	3	5	7	10
GRAND TOTAL	**206**	**2.0**	**6**	**<1**	**<1**	**<1**	**2**	**4**	**7**	**14**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	6.7	40	2	2	5	7	18	19	19
20-34	5	6.6	6	4	4	7	9	9	9	9
35-49	3	5.7	17	< 1	2	7	8	9	9	9
50-64	2	12.5	13	10	10	12	15	15	15	15
65 +	24	9.8	43	3	5	9	13	18	24	30
B. Operated										
0-19 YRS	13	11.1	129	2	3	4	17	30	35	36
20-34	21	9.2	60	2	4	7	12	20	29	32
35-49	24	9.0	71	2	3	6	9	24	29	30
50-64	15	7.1	44	1	2	6	8	16	22	24
65 +	52	10.3	91	1	4	7	13	24	32	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	7.9	94	2	4	5	8	16	23	55
20-34	79	8.8	48	3	4	7	12	17	26	33
35-49	128	11.1	174	3	4	7	13	21	33	78
50-64	181	9.5	52	3	5	8	12	20	26	39
65 +	711	10.7	81	4	6	9	13	20	24	47
B. Operated										
0-19 YRS	81	17.1	255	3	7	12	23	41	49	72
20-34	211	22.4	341	5	9	18	31	51	71	99 +
35-49	308	18.9	282	3	7	15	25	44	63	99 +
50-64	337	17.9	260	3	7	13	24	44	59	99 +
65 +	1058	16.4	185	4	7	13	21	34	45	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	8.8	36	2	4	8	10	17	20	30
B. Operated	125	9.5	79	1	3	7	12	24	30	37
2. MULTIPLE DX										
A. Not Operated	1147	10.3	85	3	5	8	12	20	25	50
B. Operated	1995	17.7	235	4	7	13	23	40	55	95
1. SINGLE DX	165	9.4	69	1	4	7	12	22	29	36
2. MULTIPLE DX	3142	15.0	193	4	6	11	19	33	46	83
A. Not Operated	1187	10.3	84	3	5	8	12	20	25	48
B. Operated	2120	17.2	229	4	7	13	22	39	54	93
TOTAL										
0-19 YRS	148	13.2	201	2	4	7	16	33	42	71
20-34	316	17.9	285	3	6	13	24	42	57	99 +
35-49	463	16.1	254	3	6	11	21	37	56	91
50-64	535	14.8	200	3	6	10	19	35	51	99 +
65 +	1845	13.9	148	4	6	10	17	28	40	68
GRAND TOTAL	**3307**	**14.7**	**188**	**3**	**6**	**11**	**19**	**32**	**45**	**82**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	229	4.0	21	1	1	3	4	10	15	22
20-34	91	4.6	26	1	2	3	5	14	17	24
35-49	83	7.5	68	1	3	4	9	20	22	42
50-64	45	6.6	57	1	2	3	8	20	22	32
65 +	14	7.8	50	1	2	4	15	17	20	21
B. Operated										
0-19 YRS	127	3.3	16	1	1	2	5	7	9	21
20-34	101	3.2	23	< 1	1	2	3	6	8	33
35-49	108	2.6	9	< 1	1	2	3	6	10	14
50-64	74	2.1	6	< 1	1	1	2	5	6	14
65 +	37	1.6	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	437	4.3	26	1	2	3	5	8	14	27
20-34	188	7.1	40	1	2	5	10	16	21	26
35-49	267	8.9	63	2	3	6	15	21	22	29
50-64	300	9.1	56	2	3	6	14	20	22	28
65 +	453	9.7	65	3	4	7	14	21	26	39
B. Operated										
0-19 YRS	218	3.9	25	1	1	2	4	9	13	23
20-34	160	5.5	30	1	2	3	7	14	18	25
35-49	209	5.3	34	1	2	3	7	14	17	24
50-64	203	8.0	73	1	1	5	13	21	24	38
65 +	178	9.5	76	1	3	7	13	22	26	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	462	5.1	37	1	2	3	5	14	19	25
B. Operated	447	2.8	13	< 1	1	2	3	6	8	20
2. MULTIPLE DX										
A. Not Operated	1645	7.7	54	2	3	5	11	20	22	33
B. Operated	968	6.3	51	1	2	3	8	17	21	29
1. SINGLE DX	909	4.0	26	1	1	2	4	9	16	23
2. MULTIPLE DX	2613	7.2	54	1	2	4	10	19	22	32
A. Not Operated	2107	7.2	52	1	2	4	10	19	21	32
B. Operated	1415	5.2	42	1	1	3	6	14	20	28
TOTAL										
0-19 YRS	1011	4.0	23	1	1	3	4	8	14	23
20-34	540	5.5	33	1	2	3	7	14	19	25
35-49	667	6.6	51	1	2	4	9	18	21	29
50-64	622	7.8	60	1	2	4	12	20	22	31
65 +	682	9.2	67	2	3	6	13	21	25	37
GRAND TOTAL	**3522**	**6.4**	**49**	**1**	**2**	**4**	**8**	**17**	**21**	**29**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	2.3	6	1	1	1	2	6	7	15
20-34	21	4.6	105	< 1	1	2	3	5	25	49
35-49	17	4.8	28	1	2	4	6	7	18	24
50-64	3	9.3	65	2	3	8	15	18	18	18
65 +	4	5.0	5	3	3	5	7	7	7	7
B. Operated										
0-19 YRS	19	3.2	5	1	1	2	5	7	7	7
20-34	9	2.2	4	1	1	1	3	6	7	7
35-49	7	3.7	20	1	1	1	6	11	12	12
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	2	19.0	18	16	16	19	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120	5.4	54	1	1	3	6	11	18	40
20-34	195	4.9	22	2	2	3	6	11	15	22
35-49	191	5.7	32	2	2	4	7	11	14	25
50-64	83	5.3	14	2	3	4	7	10	13	19
65 +	91	7.9	34	3	4	6	10	15	22	29
B. Operated										
0-19 YRS	39	13.4	208	3	5	10	19	41	86	99 +
20-34	59	10.5	201	1	2	7	12	22	45	77
35-49	80	12.1	143	1	4	8	16	29	46	87
50-64	57	12.7	217	3	6	9	13	22	33	89
65 +	69	16.4	186	6	9	12	20	31	36	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	3.3	29	1	1	2	3	7	8	31
B. Operated	39	3.9	20	1	1	2	5	8	14	22
2. MULTIPLE DX										
A. Not Operated	680	5.6	32	1	2	4	7	12	16	28
B. Operated	304	13.1	188	2	5	9	16	29	44	94
1. SINGLE DX	162	3.4	26	1	1	2	4	7	9	24
2. MULTIPLE DX	984	7.9	92	2	2	5	10	17	25	58
A. Not Operated	803	5.3	32	1	2	3	7	11	15	28
B. Operated	343	12.0	177	1	4	8	15	27	41	90
TOTAL										
0-19 YRS	256	5.5	72	1	1	2	6	13	23	72
20-34	284	5.9	69	1	2	3	7	12	19	48
35-49	295	7.3	70	2	2	5	9	15	25	53
50-64	145	8.3	106	2	3	6	10	15	20	71
65 +	166	11.5	115	3	5	8	14	23	29	70
GRAND TOTAL	**1146**	**7.3**	**85**	**1**	**2**	**5**	**9**	**16**	**23**	**55**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	4.6	24	1	2	3	4	12	17	22
20-34	6	4.0	4	2	2	4	5	7	7	7
35-49	20	4.8	10	2	2	4	8	8	11	14
50-64	32	5.8	12	2	4	5	8	9	14	16
65 +	22	5.5	13	2	3	5	8	9	12	16
B. Operated										
0-19 YRS	17	2.5	5	1	1	1	4	6	7	8
20-34	25	5.6	18	1	2	4	8	11	14	16
35-49	61	4.6	9	1	2	4	7	9	10	14
50-64	143	6.1	17	2	3	5	9	11	14	19
65 +	108	6.5	23	1	2	7	10	12	13	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	5.9	24	2	3	4	7	12	16	26
20-34	23	6.4	43	2	3	5	7	13	21	32
35-49	59	5.7	15	2	3	5	7	12	15	19
50-64	99	5.8	15	2	3	5	7	10	14	22
65 +	211	6.7	29	2	4	6	8	12	15	40
B. Operated										
0-19 YRS	24	8.8	32	2	4	8	12	16	18	22
20-34	32	7.4	67	1	2	6	9	15	31	35
35-49	110	6.4	18	1	3	6	9	12	14	19
50-64	319	7.5	43	2	3	7	10	14	16	34
65 +	392	8.6	55	2	4	8	11	15	20	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	5.1	16	2	2	4	7	10	14	20
B. Operated	354	5.8	18	1	2	5	8	11	13	19
2. MULTIPLE DX										
A. Not Operated	473	6.3	24	2	3	5	8	12	15	32
B. Operated	877	7.9	47	2	3	7	10	14	18	31
1. SINGLE DX	485	5.6	17	1	2	4	8	11	13	19
2. MULTIPLE DX	1350	7.3	39	2	3	6	10	14	16	32
A. Not Operated	604	6.0	22	2	3	5	8	11	15	27
B. Operated	1231	7.3	39	2	3	7	10	13	16	26
TOTAL										
0-19 YRS	173	5.6	25	1	2	4	7	13	16	22
20-34	86	6.4	42	1	2	5	8	13	17	34
35-49	250	5.7	15	2	3	5	8	11	13	17
50-64	593	6.8	31	2	3	6	9	13	16	25
65 +	733	7.7	43	2	3	7	10	13	17	30
GRAND TOTAL	**1835**	**6.9**	**34**	**2**	**3**	**6**	**9**	**13**	**16**	**26**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	3.2	1	2	3	3	4	4	4	4
50-64	7	8.6	21	2	6	8	12	14	14	14
65 +	25	7.7	217	1	2	4	8	9	26	77
B. Operated										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	39	5.8	13	2	3	5	8	12	14	15
35-49	195	6.1	9	3	4	6	8	10	11	15
50-64	1044	7.9	8	4	6	8	10	11	12	16
65 +	1884	9.5	10	6	8	9	11	13	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	18	4.4	17	1	2	4	6	9	15	18
50-64	72	4.3	17	< 1	1	3	6	10	12	19
65 +	345	6.0	34	1	2	5	8	12	15	26
B. Operated										
0-19 YRS	7	9.4	22	1	7	10	12	15	16	16
20-34	57	6.3	21	2	3	6	9	12	13	28
35-49	274	7.0	17	2	4	7	9	11	14	23
50-64	2190	9.3	18	5	7	9	11	14	16	23
65 +	6525	10.8	21	7	8	10	12	15	18	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	7.2	151	1	3	4	8	11	14	77
B. Operated	3164	8.7	10	5	7	8	10	12	14	17
2. MULTIPLE DX										
A. Not Operated	438	5.6	31	1	2	4	8	12	15	23
B. Operated	9053	10.3	21	6	8	10	12	15	17	27
1. SINGLE DX	3201	8.7	12	5	7	8	10	12	14	17
2. MULTIPLE DX	9491	10.1	22	6	8	9	12	15	17	27
A. Not Operated	475	5.7	40	1	2	4	8	12	14	25
B. Operated	12217	9.9	18	6	8	9	11	14	16	25
TOTAL										
0-19 YRS	10	8.5	19	1	7	9	10	14	16	16
20-34	98	6.1	18	2	3	5	8	12	13	22
35-49	492	6.5	14	2	4	6	9	11	13	19
50-64	3313	8.7	16	5	7	8	10	13	15	22
65 +	8779	10.3	20	7	8	10	12	15	17	26
GRAND TOTAL	**12692**	**9.7**	**20**	**6**	**7**	**9**	**11**	**14**	**16**	**25**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	6	16.8	778	2	2	5	14	67	73	73
B. Operated										
0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	54	2.3	3	1	1	2	2	5	7	8
35-49	105	2.4	2	1	1	2	3	5	6	7
50-64	146	2.9	6	1	1	2	4	6	8	18
65 +	98	4.6	12	1	2	4	6	10	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	1	3.0		3	3	3	3	3	3	3
35-49	11	2.9	3	1	2	2	4	6	7	7
50-64	17	5.1	23	< 1	1	4	7	13	16	17
65 +	127	6.5	36	2	3	5	8	11	15	57
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	41	2.8	3	1	2	2	4	5	6	8
35-49	95	2.3	3	1	1	2	3	4	5	9
50-64	169	4.2	10	1	2	3	6	8	11	15
65 +	317	6.6	32	2	3	5	8	12	15	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	10.4	445	< 1	2	3	6	38	70	73
B. Operated	409	3.1	7	1	1	2	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	157	6.1	33	2	3	5	8	11	16	44
B. Operated	625	5.0	23	1	2	4	7	10	13	27
1. SINGLE DX	420	3.3	19	1	1	2	4	7	9	15
2. MULTIPLE DX	782	5.2	25	1	2	4	7	10	13	31
A. Not Operated	168	6.4	59	1	3	4	8	11	17	68
B. Operated	1034	4.3	17	1	2	3	6	9	11	19
TOTAL										
0-19 YRS	11	3.2	25	< 1	1	1	3	10	17	18
20-34	96	2.5	3	1	1	2	3	5	6	8
35-49	214	2.4	3	1	1	2	3	5	6	7
50-64	333	3.7	9	1	2	3	5	8	10	16
65 +	548	6.3	38	2	3	5	8	11	14	33
GRAND TOTAL	**1202**	**4.6**	**24**	**1**	**2**	**3**	**6**	**9**	**12**	**28**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	5.0	17	1	2	4	7	11	14	20
20-34	33	5.0	13	2	3	4	6	7	11	21
35-49	25	4.7	9	2	2	4	6	8	10	14
50-64	16	3.5	4	2	2	3	4	6	8	9
65 +	10	4.1	5	1	2	4	6	7	8	8
B. Operated										
0-19 YRS	82	9.8	40	3	5	8	15	20	22	26
20-34	86	4.0	8	1	2	4	5	8	8	17
35-49	136	4.9	67	1	2	3	5	9	14	41
50-64	112	5.0	20	1	2	3	7	10	13	23
65 +	54	6.7	10	2	4	7	9	10	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	105	7.0	36	2	3	5	9	15	16	31
20-34	58	5.8	17	2	3	4	7	10	14	24
35-49	69	6.5	62	2	3	4	7	13	17	49
50-64	83	5.6	22	2	3	4	7	10	14	29
65 +	188	8.2	54	2	4	6	10	16	26	37
B. Operated										
0-19 YRS	146	12.9	76	4	8	11	16	23	30	48
20-34	138	8.1	68	2	3	6	9	17	22	44
35-49	200	8.7	95	1	3	6	10	18	31	47
50-64	206	8.8	93	2	3	6	11	18	23	47
65 +	357	13.7	107	4	8	11	17	28	37	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	4.8	13	2	2	4	6	9	12	20
B. Operated	470	5.8	37	1	2	4	8	12	15	24
2. MULTIPLE DX										
A. Not Operated	503	7.0	43	2	3	5	9	14	18	35
B. Operated	1047	10.9	98	2	4	8	14	23	31	50
1. SINGLE DX	634	5.6	31	1	2	4	7	11	15	23
2. MULTIPLE DX	1550	9.7	83	2	4	7	12	20	28	46
A. Not Operated	667	6.5	36	2	3	5	8	13	16	34
B. Operated	1517	9.4	85	2	3	7	12	20	27	47
TOTAL										
0-19 YRS	413	9.3	56	2	4	8	13	19	23	34
20-34	315	6.2	39	2	3	4	7	13	18	31
35-49	430	6.9	79	1	2	4	8	14	21	47
50-64	417	6.9	59	2	3	5	9	15	19	36
65 +	609	11.2	89	3	5	9	13	23	32	49
GRAND TOTAL	**2184**	**8.5**	**72**	**2**	**3**	**6**	**11**	**17**	**24**	**42**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	2	2.0	2	< 1	< 1	1	3	3	3	3
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	201	2.4	2	< 1	1	2	3	4	4	7
20-34	354	2.6	3	< 1	1	2	3	4	5	7
35-49	147	2.1	2	< 1	< 1	2	3	4	5	6
50-64	51	1.6	1	< 1	< 1	< 1	2	3	4	5
65 +	16	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	3	2.3	2	< 1	< 1	2	3	4	4	4
35-49	3	3.7		3	3	4	4	4	4	4
50-64	3	1.0		1	1	1	1	1	1	1
65 +	6	6.5	14	3	3	5	10	12	12	12
B. Operated										
0-19 YRS	214	2.4	1	1	2	2	3	4	5	6
20-34	509	2.6	3	1	2	2	3	4	5	9
35-49	253	2.5	4	< 1	1	2	3	4	6	10
50-64	121	2.3	5	< 1	1	2	2	5	7	11
65 +	65	2.8	23	< 1	< 1	1	2	5	12	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.7	1	< 1	1	2	2	3	3	3
B. Operated	769	2.3	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	17	3.8	10	< 1	1	3	4	9	11	12
B. Operated	1162	2.5	[illegible]	< 1	1	2	3	4	5	10
1. SINGLE DX	780	2.3	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	1179	2.5	4	< 1	1	2	3	4	6	10
A. Not Operated	28	3.0	7	< 1	1	2	4	6	10	12
B. Operated	1931	2.5	3	< 1	1	2	3	4	5	8
TOTAL										
0-19 YRS	421	2.4	1	< 1	1	2	3	4	4	6
20-34	868	2.6	3	< 1	2	2	3	4	5	8
35-49	405	2.4	3	< 1	1	2	3	4	5	9
50-64	177	2.1	4	< 1	< 1	1	2	5	6	9
65 +	88	2.8	19	< 1	< 1	1	2	6	12	26
GRAND TOTAL	**1959**	**2.5**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**	**9**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	2.4	2	1	1	2	3	4	5	8
20-34	24	2.3	6	< 1	1	2	3	3	7	13
35-49	17	3.3	11	1	1	2	3	10	12	12
50-64	14	2.7	3	1	1	2	3	6	6	6
65 +	30	3.2	5	1	1	3	4	6	8	10
B. Operated										
0-19 YRS	555	2.2	2	1	1	2	3	3	4	7
20-34	792	2.1	1	1	1	2	3	3	4	6
35-49	244	2.3	3	1	1	2	3	4	5	10
50-64	80	2.6	5	1	1	2	3	5	7	11
65 +	37	4.3	8	1	2	3	6	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	126	3.8	17	1	2	3	4	7	10	23
20-34	41	4.2	21	1	2	3	5	7	15	24
35-49	68	4.9	29	1	2	3	6	11	18	25
50-64	80	4.1	13	1	2	3	5	7	9	22
65 +	223	5.4	16	2	3	4	7	10	13	19
B. Operated										
0-19 YRS	607	3.6	26	1	2	3	4	6	9	25
20-34	484	2.8	5	1	2	2	3	5	7	12
35-49	263	3.2	11	1	1	2	4	6	10	17
50-64	172	4.7	31	1	2	3	6	10	13	42
65 +	190	7.4	45	1	3	6	10	15	22	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	151	2.7	4	1	1	2	3	5	6	12
B. Operated	1708	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	538	4.7	18	1	2	3	6	9	12	24
B. Operated	1716	3.9	22	1	2	3	4	8	11	25
1. SINGLE DX	1859	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	2254	4.1	21	1	2	3	5	8	11	25
A. Not Operated	689	4.3	16	1	2	3	5	9	11	22
B. Operated	3424	3.0	13	1	1	2	3	5	8	17
TOTAL										
0-19 YRS	1354	3.0	15	1	1	2	3	5	7	20
20-34	1341	2.4	3	1	1	2	3	4	5	9
35-49	592	3.1	10	1	1	2	3	5	8	17
50-64	346	4.0	20	1	2	3	5	8	10	31
65 +	480	6.0	28	1	3	4	8	12	16	28
GRAND TOTAL	**4113**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	7	3.0	4	1	2	2	4	6	7	7
65 +	7	6.6	16	2	4	6	10	12	12	12
B. Operated										
0-19 YRS	0									
20-34	4	9.3	50	2	5	8	14	19	19	19
35-49	4	5.5	23	1	2	4	9	12	12	12
50-64	8	9.6	65	4	5	7	11	24	28	28
65 +	5	10.0	62	1	3	12	14	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.6	2	2	3	3	5	5	5	5
B. Operated	3	6.0	25	1	2	6	10	11	11	11
2. MULTIPLE DX										
A. Not Operated	18	4.7	10	2	2	4	6	10	12	12
B. Operated	21	8.9	49	2	4	7	12	20	24	28
1. SINGLE DX	8	4.5	10	1	2	4	6	9	11	11
2. MULTIPLE DX	39	6.9	34	2	3	5	8	13	20	28
A. Not Operated	23	4.5	8	2	2	4	6	8	12	12
B. Operated	24	8.5	45	1	4	7	12	19	23	28
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	8.0	34	2	5	7	8	18	19	19
35-49	10	4.4	10	1	3	4	6	9	12	12
50-64	17	6.2	41	2	3	5	7	13	23	28
65 +	13	8.2	32	2	4	6	12	14	20	21
GRAND TOTAL	**47**	**6.5**	**31**	**2**	**3**	**5**	**8**	**12**	**19**	**28**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	9	4.3	7	1	2	3	6	8	8	8
35-49	53	2.9	7	1	1	2	4	6	8	14
50-64	55	2.9	9	1	1	2	4	7	8	19
65 +	55	3.9	10	< 1	1	3	5	8	11	14
B. Operated										
0-19 YRS	3	8.3	2	7	7	8	9	10	10	10
20-34	39	3.7	7	1	1	4	5	7	8	12
35-49	231	3.4	6	1	1	3	5	7	8	11
50-64	269	3.9	8	1	2	3	5	7	9	15
65 +	113	4.9	14	1	2	4	7	9	11	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.8	10	2	2	5	7	8	8	8
20-34	20	5.6	24	1	1	4	9	13	16	17
35-49	101	4.5	15	1	1	4	6	9	12	20
50-64	246	5.4	20	1	2	4	7	11	14	25
65 +	645	6.2	18	2	3	5	8	12	14	20
B. Operated										
0-19 YRS	0									
20-34	51	4.9	13	1	2	4	7	9	11	17
35-49	311	5.1	19	1	2	4	7	9	12	24
50-64	488	5.7	27	1	3	5	7	11	13	29
65 +	653	8.7	53	2	4	7	11	17	22	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	173	3.3	9	1	1	3	4	7	8	14
B. Operated	655	3.9	9	1	2	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	1016	5.8	18	1	3	5	8	11	14	21
B. Operated	1503	6.8	39	1	3	5	9	14	18	34
1. SINGLE DX	828	3.8	9	1	1	3	5	7	9	14
2. MULTIPLE DX	2519	6.4	31	1	3	5	8	12	16	29
A. Not Operated	1189	5.5	18	1	2	4	7	11	14	20
B. Operated	2158	6.0	32	1	2	5	8	12	16	30
TOTAL										
0-19 YRS	8	6.4	8	2	4	7	8	9	10	10
20-34	119	4.6	13	1	1	4	6	9	11	17
35-49	696	4.3	14	1	1	4	5	8	11	20
50-64	1058	5.0	20	1	2	4	7	10	13	22
65 +	1466	7.1	35	2	3	6	9	14	18	31
GRAND TOTAL	**3347**	**5.8**	**27**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.7	4	1	2	4	5	6	7	7
20-34	367	4.3	9	1	2	4	6	8	10	14
35-49	544	4.4	9	1	2	4	6	8	10	14
50-64	257	4.5	11	1	2	4	6	9	11	16
65 +	78	4.6	11	1	2	4	6	8	10	19
B. Operated										
0-19 YRS	115	3.5	5	1	2	3	4	6	7	14
20-34	2642	4.0	8	1	2	3	5	7	9	15
35-49	3845	4.1	8	1	2	3	5	7	9	15
50-64	1507	4.5	11	1	2	4	6	8	10	16
65 +	335	5.3	17	1	3	5	7	9	12	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	8.9	77	1	3	6	11	24	25	25
20-34	278	5.3	17	1	3	5	7	10	12	16
35-49	610	6.2	21	2	3	5	8	11	14	23
50-64	536	5.8	15	1	3	5	8	11	12	18
65 +	531	7.1	17	3	4	6	9	12	15	20
B. Operated										
0-19 YRS	34	4.5	6	2	3	4	7	8	9	10
20-34	879	5.9	19	2	3	5	7	11	14	23
35-49	2086	6.1	20	2	3	5	8	11	14	23
50-64	1746	7.0	39	2	3	6	9	13	16	30
65 +	1190	8.6	42	3	4	7	11	16	20	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1257	4.4	9	1	2	4	6	8	10	14
B. Operated	8444	4.1	9	1	2	4	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	1965	6.2	18	2	3	5	8	11	14	21
B. Operated	5935	6.8	31	2	3	5	9	13	16	27
1. SINGLE DX	9701	4.2	9	1	2	4	5	8	10	15
2. MULTIPLE DX	7900	6.7	28	2	3	5	8	12	16	26
A. Not Operated	3222	5.5	16	1	3	5	7	10	12	18
B. Operated	14379	5.2	20	1	3	4	7	10	13	22
TOTAL										
0-19 YRS	170	4.1	11	1	2	3	5	7	8	23
20-34	4166	4.5	11	1	2	4	6	8	11	16
35-49	7085	4.9	14	1	3	4	6	9	12	19
50-64	4046	5.7	25	1	3	5	7	11	14	23
65 +	2134	7.6	32	2	4	6	9	14	18	29
GRAND TOTAL	**17601**	**5.3**	**19**	**1**	**3**	**4**	**7**	**10**	**13**	**21**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	26	3.2	3	1	2	3	4	6	7	7
35-49	63	4.8	20	1	2	4	6	11	13	25
50-64	46	3.5	8	1	1	3	6	7	8	11
65 +	8	5.6	19	1	2	5	8	13	14	14
B. Operated										
0-19 YRS	0									
20-34	257	3.6	6	1	2	3	5	6	8	16
35-49	797	3.6	6	1	2	3	4	6	8	12
50-64	326	3.7	7	1	2	3	5	7	8	13
65 +	47	4.4	8	1	3	4	5	9	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	28	4.8	16	1	2	4	7	9	14	17
35-49	73	5.2	16	1	3	5	7	10	13	21
50-64	85	5.6	17	2	3	4	7	11	13	21
65 +	69	6.0	16	2	3	5	8	11	14	21
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	114	5.9	24	2	3	5	7	11	16	25
35-49	611	4.8	14	1	3	4	6	9	12	20
50-64	442	5.1	21	1	3	4	6	9	13	18
65 +	122	8.2	43	2	4	7	10	17	21	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	4.2	13	1	1	3	6	8	11	16
B. Operated	1427	3.6	6	1	2	3	5	6	8	12
2. MULTIPLE DX										
A. Not Operated	257	5.5	16	1	3	5	7	11	14	21
B. Operated	1291	5.3	21	1	3	4	7	10	14	23
1. SINGLE DX	1572	3.7	7	1	2	3	5	7	8	13
2. MULTIPLE DX	1548	5.3	20	1	3	4	7	10	14	22
A. Not Operated	402	5.0	16	1	2	4	7	10	13	21
B. Operated	2718	4.4	14	1	2	4	5	8	11	18
TOTAL										
0-19 YRS	6	5.3	15	1	2	5	9	10	10	10
20-34	425	4.2	12	1	2	4	5	8	10	17
35-49	1544	4.2	11	1	2	3	5	8	10	16
50-64	899	4.6	15	1	2	4	6	8	11	17
65 +	246	6.8	30	2	3	5	8	14	18	28
GRAND TOTAL	**3120**	**4.5**	**14**	**1**	**2**	**4**	**5**	**8**	**11**	**18**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	4.2	5	< 1	2	4	6	7	7	7
20-34	10	4.9	6	1	3	5	7	8	8	8
35-49	10	3.2	4	1	1	3	5	6	6	6
50-64	4	5.8	14	3	3	5	8	11	11	11
65 +	5	3.4	1	2	3	3	4	5	5	5
B. Operated										
0-19 YRS	3	8.0	37	4	4	5	12	15	15	15
20-34	9	6.8	23	1	3	8	8	14	17	17
35-49	14	2.2	2	1	1	2	3	4	6	6
50-64	5	2.8	9	1	1	1	4	8	8	8
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.5	19	2	4	5	9	13	14	14
20-34	28	4.6	9	1	3	4	6	9	11	13
35-49	43	6.4	13	3	4	5	9	12	14	15
50-64	26	5.6	7	3	4	5	7	10	12	12
65 +	26	7.0	47	2	3	5	8	14	20	35
B. Operated										
0-19 YRS	3	8.7	50	1	3	10	14	15	15	15
20-34	17	6.4	23	1	3	7	7	10	17	21
35-49	26	7.9	54	3	5	7	9	11	18	41
50-64	13	7.6	110	< 1	1	6	9	16	36	40
65 +	14	9.8	30	2	6	9	13	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	4.2	6	1	2	4	6	7	8	11
B. Operated	32	4.4	18	1	1	3	7	9	15	17
2. MULTIPLE DX										
A. Not Operated	129	6.0	18	2	4	5	8	11	13	20
B. Operated	73	7.9	50	1	4	7	10	13	19	41
1. SINGLE DX	67	4.3	11	1	1	3	6	8	11	17
2. MULTIPLE DX	202	6.7	30	2	4	5	8	12	15	37
A. Not Operated	164	5.6	16	2	3	5	7	10	13	16
B. Operated	105	6.8	43	1	2	6	9	12	17	40
TOTAL										
0-19 YRS	18	6.3	20	1	4	5	9	15	15	15
20-34	64	5.4	15	1	3	5	7	9	12	20
35-49	93	5.8	25	1	3	5	8	11	13	30
50-64	48	5.9	35	1	3	5	8	10	12	40
65 +	46	7.5	39	2	3	6	11	16	18	35
GRAND TOTAL	**269**	**6.1**	**27**	**1**	**3**	**5**	**8**	**11**	**14**	**32**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	26	5.0	13	1	3	4	7	10	12	15
35-49	26	4.8	11	2	3	4	6	9	11	17
50-64	20	4.7	7	1	2	4	7	8	9	9
65 +	8	4.5	8	2	2	4	6	9	10	10
B. Operated										
0-19 YRS	0									
20-34	24	3.9	27	1	1	2	3	11	18	22
35-49	30	3.4	8	1	1	3	5	7	10	12
50-64	30	3.3	5	1	1	3	4	7	7	9
65 +	9	3.2	6	1	1	2	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	27	5.8	17	2	3	5	8	10	12	21
35-49	55	5.9	17	2	3	5	8	10	12	25
50-64	67	5.5	10	2	4	5	7	9	13	15
65 +	104	5.9	14	2	3	5	7	10	13	21
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	5.0	45	1	1	2	9	15	15	15
35-49	25	5.6	25	1	3	5	6	10	16	26
50-64	17	8.4	33	2	5	8	11	17	21	23
65 +	17	8.3	24	2	4	8	12	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	4.8	10	1	3	4	7	9	10	16
B. Operated	93	3.5	11	1	1	3	4	7	10	20
2. MULTIPLE DX										
A. Not Operated	254	5.8	14	2	3	5	7	10	13	21
B. Operated	64	7.0	28	2	3	5	10	14	17	26
1. SINGLE DX	174	4.1	11	1	2	3	6	8	10	17
2. MULTIPLE DX	318	6.0	17	2	3	5	8	11	14	23
A. Not Operated	335	5.5	13	2	3	5	7	10	11	19
B. Operated	157	4.9	21	1	2	3	6	11	15	23
TOTAL										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	81	5.0	19	1	2	3	7	10	15	22
35-49	136	5.1	16	1	2	4	7	9	12	25
50-64	134	5.3	13	1	3	4	7	9	12	19
65 +	138	5.9	16	2	3	5	8	11	14	20
GRAND TOTAL	**492**	**5.3**	**16**	**1**	**3**	**4**	**7**	**10**	**13**	**22**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	2.3	6	< 1	1	2	3	4	6	14
20-34	331	3.4	7	1	1	3	5	7	9	12
35-49	479	3.7	10	1	1	3	5	8	10	15
50-64	243	3.7	9	1	1	3	5	8	10	13
65 +	103	3.8	14	< 1	1	2	5	10	13	16
B. Operated										
0-19 YRS	24	2.9	7	1	1	2	4	7	10	11
20-34	304	3.0	10	1	1	2	4	6	9	15
35-49	633	2.8	6	1	1	2	4	6	8	12
50-64	553	3.4	10	1	1	3	4	7	9	17
65 +	380	5.3	19	1	2	4	7	10	13	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	3.7	11	< 1	1	2	6	9	11	13
20-34	453	5.5	27	1	2	4	7	11	16	25
35-49	776	5.3	21	1	2	4	7	10	13	25
50-64	707	5.6	20	1	2	4	7	11	14	25
65 +	907	6.5	25	2	3	5	8	12	15	24
B. Operated										
0-19 YRS	25	6.7	92	1	2	3	6	16	25	48
20-34	271	4.1	16	1	1	3	6	9	11	20
35-49	725	5.0	27	1	1	4	7	10	14	25
50-64	960	6.1	42	1	2	5	8	11	15	34
65 +	1597	8.6	49	2	5	7	11	16	22	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1210	3.6	9	1	1	3	5	8	10	14
B. Operated	1894	3.5	11	1	1	3	5	8	9	17
2. MULTIPLE DX										
A. Not Operated	2906	5.7	23	1	3	5	7	11	15	25
B. Operated	3578	6.9	43	1	3	6	9	13	18	31
1. SINGLE DX	3104	3.5	10	1	1	3	5	8	10	15
2. MULTIPLE DX	6484	6.3	35	1	3	5	8	12	16	28
A. Not Operated	4116	5.1	20	1	2	4	7	10	13	25
B. Operated	5472	5.7	35	1	2	4	8	12	16	28
TOTAL										
0-19 YRS	166	3.6	22	1	1	2	4	8	10	17
20-34	1359	4.1	17	1	1	3	6	9	11	25
35-49	2613	4.3	18	1	1	3	6	9	11	24
50-64	2463	5.1	27	1	2	4	7	10	13	25
65 +	2987	7.4	39	1	3	6	9	14	18	31
GRAND TOTAL	**9588**	**5.4**	**28**	**1**	**2**	**4**	**7**	**11**	**15**	**25**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	148	2.8	3	1	2	2	3	5	6	8
20-34	35	3.4	4	1	2	3	4	5	8	9
35-49	67	2.9	5	1	1	2	4	6	9	10
50-64	37	3.4	8	1	1	3	4	8	10	13
65 +	21	3.7	10	< 1	2	3	4	8	11	14
B. Operated										
0-19 YRS	79	1.9	2	< 1	1	1	2	4	5	8
20-34	278	2.0	3	1	1	2	2	4	5	8
35-49	443	2.0	2	1	1	2	3	3	4	8
50-64	315	2.2	2	1	1	2	3	4	5	8
65 +	84	2.4	4	< 1	< 1	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	3.1	5	1	2	3	4	6	7	12
20-34	62	4.1	5	2	3	4	5	7	8	13
35-49	94	4.9	22	1	2	3	7	8	11	27
50-64	109	4.6	15	1	2	4	6	9	10	21
65 +	155	5.4	16	2	3	5	7	10	14	20
B. Operated										
0-19 YRS	52	3.8	11	1	1	3	5	8	9	18
20-34	201	3.0	13	1	1	2	4	6	8	12
35-49	483	2.7	9	1	1	2	3	5	8	12
50-64	529	2.9	8	1	1	2	3	5	9	15
65 +	263	4.9	28	1	2	3	6	11	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	308	3.0	4	1	2	3	4	5	8	10
B. Operated	1199	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	501	4.6	14	1	2	4	6	9	11	20
B. Operated	1528	3.2	13	1	1	2	4	7	10	18
1. SINGLE DX	1507	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	2029	3.5	13	1	1	2	4	7	10	18
A. Not Operated	809	4.0	11	1	2	3	5	8	10	16
B. Operated	2727	2.7	8	1	1	2	3	5	8	14
TOTAL										
0-19 YRS	360	2.8	4	1	1	2	4	5	7	11
20-34	576	2.7	7	1	1	2	3	5	7	11
35-49	1087	2.6	7	1	1	2	3	5	8	12
50-64	990	2.9	7	1	1	2	3	5	8	14
65 +	523	4.6	21	1	2	3	6	10	14	25
GRAND TOTAL	3536	3.0	9	1	1	2	3	6	8	15

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	7.7	114	1	1	2	15	20	20	20
65 +	0									
B. Operated										
0-19 YRS	88	1.6	1	1	1	1	2	3	4	4
20-34	154	2.0	1	1	1	2	3	3	4	5
35-49	156	1.9	1	1	1	2	2	3	4	5
50-64	179	1.8	1	1	1	2	2	3	4	5
65 +	81	2.0	1	< 1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	1.3		< 1	< 1	< 1	1	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	111	2.0	9	1	1	2	2	3	4	15
20-34	225	2.0	1	1	1	2	3	3	4	7
35-49	389	2.0	2	1	1	2	3	3	4	6
50-64	594	2.0	1	1	1	2	2	3	4	7
65 +	495	2.4	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.2	63	1	2	2	9	20	20	20
B. Operated	658	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	12	1.4		< 1	< 1	1	2	3	3	3
B. Operated	1814	2.1	2	1	1	2	3	4	4	7
1. SINGLE DX	663	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	1826	2.1	2	1	1	2	3	4	4	7
A. Not Operated	17	2.8	21	< 1	1	1	2	5	15	20
B. Operated	2472	2.1	2	1	1	2	3	3	4	6
TOTAL										
0-19 YRS	202	1.9	5	1	1	1	2	3	4	5
20-34	383	2.0	1	1	1	2	3	3	4	6
35-49	547	2.0	1	1	1	2	2	3	4	5
50-64	778	2.0	2	1	1	2	2	3	4	6
65 +	579	2.4	2	1	1	2	3	4	5	8
GRAND TOTAL	2489	2.1	2	1	1	2	3	3	4	6

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	25	1.2		< 1	< 1	1	1	1	3	3
20-34	31	1.2		< 1	< 1	1	1	2	3	4
35-49	36	1.5	4	< 1	< 1	1	1	2	3	12
50-64	37	1.8	2	< 1	< 1	1	2	3	6	8
65 +	25	2.0	3	< 1	< 1	1	2	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	10	3.2	4	1	2	3	4	6	7	7
65 +	12	7.3	28	2	3	5	11	15	19	20
B. Operated										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	10	1.3		< 1	1	1	2	2	2	2
35-49	21	3.4	12	1	2	2	4	7	12	16
50-64	55	2.7	7	1	1	2	3	6	9	13
65 +	41	3.2	5	1	2	2	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.0	1	1	1	2	3	3	3	3
B. Operated	154	1.5	2	< 1	< 1	1	1	3	4	8
2. MULTIPLE DX										
A. Not Operated	26	5.2	19	2	2	4	6	12	14	20
B. Operated	132	2.8	7	1	1	2	3	6	8	14
1. SINGLE DX	158	1.5	2	< 1	< 1	1	1	3	4	8
2. MULTIPLE DX	158	3.2	9	1	1	2	4	7	10	16
A. Not Operated	30	4.7	17	1	2	3	6	11	12	20
B. Operated	286	2.1	5	< 1	< 1	1	2	4	6	12
TOTAL										
0-19 YRS	32	1.2		< 1	< 1	1	1	2	3	3
20-34	43	1.4	1	< 1	< 1	1	1	2	3	8
35-49	59	2.2	7	< 1	< 1	1	2	4	7	16
50-64	102	2.4	5	< 1	1	2	3	6	7	12
65 +	80	3.4	10	< 1	1	2	4	7	11	18
GRAND TOTAL	**316**	**2.4**	**6**	**< 1**	**1**	**1**	**3**	**5**	**7**	**13**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	9.3	40	2	4	8	13	20	21	27
20-34	20	5.3	13	1	2	5	7	10	12	14
35-49	16	6.7	42	2	3	5	8	11	23	28
50-64	17	7.9	22	3	4	8	10	14	18	20
65 +	6	11.5	33	7	7	9	16	20	21	21
B. Operated										
0-19 YRS	82	8.8	42	2	4	8	12	18	23	30
20-34	22	5.8	16	2	3	5	8	12	14	15
35-49	38	6.6	21	1	3	5	10	13	16	18
50-64	31	6.6	18	2	4	5	8	14	15	17
65 +	19	8.7	24	2	4	8	14	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	11.2	67	2	6	9	15	23	28	39
20-34	46	11.2	120	2	4	8	13	22	42	44
35-49	81	11.1	80	3	5	8	16	23	30	43
50-64	118	12.7	109	4	6	10	14	27	41	49
65 +	203	13.2	73	5	7	12	16	24	32	42
B. Operated										
0-19 YRS	187	15.0	123	5	7	12	19	31	41	49
20-34	162	15.5	153	4	6	12	21	34	45	64
35-49	322	15.6	186	4	7	11	20	35	45	69
50-64	401	17.0	229	4	7	12	21	39	45	79
65 +	493	17.8	194	5	8	14	23	36	49	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	117	8.2	35	2	4	7	11	17	21	27
B. Operated	192	7.7	30	2	4	6	10	15	17	25
2. MULTIPLE DX										
A. Not Operated	531	12.3	86	3	6	10	15	24	32	44
B. Operated	1565	16.5	189	4	7	12	22	36	45	76
1. SINGLE DX	309	7.8	32	2	4	7	10	15	20	26
2. MULTIPLE DX	2096	15.5	166	4	7	12	20	32	43	69
A. Not Operated	648	11.5	79	3	6	9	15	22	30	44
B. Operated	1757	15.6	180	4	7	12	20	33	44	75
TOTAL										
0-19 YRS	410	12.2	90	3	6	10	15	24	32	45
20-34	250	13.0	137	3	5	9	17	32	42	50
35-49	457	13.7	158	3	6	10	17	30	43	60
50-64	567	15.2	195	4	7	11	18	35	43	75
65 +	721	16.2	160	5	8	14	21	31	43	76
GRAND TOTAL	**2405**	**14.5**	**156**	**3**	**6**	**11**	**18**	**31**	**42**	**66**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	110	5.3	23	1	2	4	8	12	14	22
20-34	27	2.2	1	1	1	2	3	4	5	5
35-49	60	2.1	2	1	1	2	3	4	5	7
50-64	41	3.1	6	1	2	2	3	8	9	10
65 +	68	4.9	9	2	3	5	6	9	12	14
B. Operated										
0-19 YRS	706	3.4	14	1	1	2	4	7	10	20
20-34	433	2.9	5	1	1	2	4	6	7	10
35-49	259	3.8	8	1	2	3	5	8	9	14
50-64	148	4.4	10	1	2	4	6	9	10	15
65 +	118	7.8	85	1	3	6	10	14	17	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	5.4	37	1	2	3	7	14	22	75
20-34	102	2.9	5	1	1	2	4	5	7	11
35-49	277	3.7	20	1	2	3	4	6	9	23
50-64	382	5.5	37	1	2	4	6	11	16	24
65 +	1691	7.3	25	3	4	6	9	14	17	26
B. Operated										
0-19 YRS	352	4.3	23	1	1	3	5	9	12	25
20-34	440	5.4	65	1	2	4	6	10	14	37
35-49	486	6.4	37	2	3	5	8	12	16	32
50-64	548	8.8	56	2	4	7	11	18	22	35
65 +	1008	11.7	76	3	6	10	14	21	29	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	306	4.0	13	1	2	3	5	9	12	19
B. Operated	1664	3.7	17	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. Not Operated	2536	6.4	28	2	3	5	8	13	16	26
B. Operated	2834	8.3	65	1	3	6	11	17	22	37
1. SINGLE DX	1970	3.8	16	1	1	3	5	8	11	18
2. MULTIPLE DX	5370	7.4	49	2	3	6	10	15	20	33
A. Not Operated	2842	6.1	27	2	3	5	8	12	16	25
B. Operated	4498	6.6	52	1	2	4	9	14	19	34
TOTAL										
0-19 YRS	1252	4.0	19	1	1	3	5	8	12	23
20-34	1002	4.0	33	1	2	3	5	8	10	21
35-49	1082	4.8	26	1	2	3	6	10	13	26
50-64	1119	6.9	46	1	3	5	9	14	19	31
65 +	2885	8.8	50	3	4	7	11	16	21	35
GRAND TOTAL	**7340**	**6.4**	**42**	**1**	**2**	**5**	**8**	**13**	**18**	**31**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	190	2.6	5	1	1	2	3	4	6	11
20-34	35	5.6	90	1	2	3	6	9	11	58
35-49	34	3.3	5	1	2	3	4	6	8	10
50-64	11	5.5	18	2	3	4	6	12	17	17
65 +	8	6.8	23	2	3	5	9	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.9	9	< 1	< 1	1	4	8	9	9
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	3	12.0	124	2	4	10	20	24	24	24
50-64	2	23.5	613	6	6	23	41	41	41	41
65 +	7	25.4	1262	1	3	5	57	80	82	82
B. Operated										
0-19 YRS	341	3.1	15	1	1	2	3	6	7	16
20-34	92	4.4	19	1	2	3	5	8	12	28
35-49	75	3.4	5	1	2	3	4	7	7	13
50-64	76	4.5	14	1	2	4	5	9	14	19
65 +	50	6.0	140	1	2	3	6	16	75	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3		2	2	2	3	3	3	3
B. Operated	278	3.3	18	1	1	2	4	6	9	17
2. MULTIPLE DX										
A. Not Operated	21	14.1	527	< 1	2	5	10	53	76	82
B. Operated	634	3.7	25	1	2	3	4	7	9	25
1. SINGLE DX	281	3.3	17	1	1	2	4	6	9	17
2. MULTIPLE DX	655	4.0	43	1	2	3	4	7	10	40
A. Not Operated	24	12.6	474	< 1	2	4	10	44	75	82
B. Operated	912	3.6	23	1	2	3	4	7	9	22
TOTAL										
0-19 YRS	540	2.9	11	1	1	2	3	5	7	14
20-34	129	4.8	38	1	2	3	5	9	11	36
35-49	112	3.6	9	1	2	3	4	7	8	18
50-64	90	5.0	29	2	2	4	5	10	16	32
65 +	65	8.2	264	1	2	4	7	18	81	99 +
GRAND TOTAL	**936**	**3.8**	**36**	**1**	**2**	**3**	**4**	**7**	**10**	**26**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	2.0	3	1	1	1	3	4	5	12
20-34	59	3.1	5	1	1	2	4	5	8	13
35-49	85	2.8	4	1	1	2	4	6	6	11
50-64	54	2.8	5	1	1	2	4	6	7	12
65 +	33	5.2	60	1	2	3	5	9	21	42
B. Operated										
0-19 YRS	407	5.2	15	1	2	5	7	9	10	18
20-34	196	3.2	11	1	1	2	4	7	9	16
35-49	243	3.6	16	1	1	2	4	8	11	19
50-64	219	2.9	12	1	1	2	3	6	8	20
65 +	117	3.0	7	1	1	2	4	5	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	148	2.9	10	< 1	1	2	4	6	10	19
20-34	185	4.4	17	1	2	3	5	8	11	24
35-49	301	4.1	14	1	2	3	5	8	11	19
50-64	290	4.3	14	1	2	3	5	8	12	23
65 +	478	5.5	23	2	3	4	7	11	14	21
B. Operated										
0-19 YRS	686	6.1	51	1	1	4	9	12	17	37
20-34	313	4.5	25	1	1	3	6	10	15	25
35-49	482	5.6	53	1	1	3	7	11	19	40
50-64	506	5.7	62	1	2	3	7	12	21	38
65 +	480	7.2	57	1	2	5	9	17	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	317	2.9	11	1	1	2	4	5	7	14
B. Operated	1182	3.9	14	1	1	2	6	8	10	18
2. MULTIPLE DX										
A. Not Operated	1402	4.5	18	1	2	3	6	9	12	22
B. Operated	2467	5.9	52	1	2	3	8	13	20	38
1. SINGLE DX	1499	3.7	14	1	1	2	5	8	10	18
2. MULTIPLE DX	3869	5.4	40	1	2	3	7	11	16	32
A. Not Operated	1719	4.2	17	1	2	3	5	8	12	21
B. Operated	3649	5.3	41	1	1	3	7	11	16	32
TOTAL										
0-19 YRS	1327	5.2	34	1	1	3	7	10	14	31
20-34	753	4.0	18	1	1	3	5	9	11	25
35-49	1111	4.5	32	1	1	3	5	10	13	28
50-64	1069	4.6	37	1	2	3	5	10	13	30
65 +	1108	6.0	39	1	2	4	8	13	17	31
GRAND TOTAL	**5368**	**4.9**	**33**	**1**	**2**	**3**	**6**	**10**	**14**	**30**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	4.8	6	2	3	4	7	8	8	8
35-49	18	4.7	8	2	2	4	6	8	11	12
50-64	7	2.6	1	1	2	3	3	4	4	4
65 +	10	5.4	10	3	3	4	6	10	13	13
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	5.3	16	3	3	3	8	10	10	10
50-64	0									
65 +	2	8.5	1	8	8	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.6	3	1	1	3	4	5	5	5
B. Operated	4	1.8	2	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	46	4.5	7	2	3	4	6	8	10	13
B. Operated	5	6.6	11	3	3	8	9	10	10	10
1. SINGLE DX	9	2.2	2	1	1	1	3	5	5	5
2. MULTIPLE DX	51	4.7	8	2	3	4	6	9	10	13
A. Not Operated	51	4.3	7	1	3	3	6	8	9	13
B. Operated	9	4.4	13	1	1	3	8	10	10	10
TOTAL										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	13	4.2	6	1	2	4	6	8	8	8
35-49	24	4.5	8	2	2	3	6	9	11	12
50-64	8	2.8	1	1	2	3	4	4	4	4
65 +	12	5.9	10	3	3	5	8	10	13	13
GRAND TOTAL	**60**	**4.3**	**8**	**1**	**2**	**3**	**6**	**8**	**10**	**13**

304 Hospitals, North Central Region, January-December 1989

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.4	5	1	1	2	2	6	7	9
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	102	4.5	11	1	2	4	5	9	11	17
20-34	11	4.5	4	2	3	4	6	8	8	8
35-49	9	4.3	3	2	4	5	5	6	6	6
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	4.3	34	1	1	2	5	9	18	79
20-34	3	9.3	36	3	5	10	14	15	15	15
35-49	4	24.0	634	3	3	19	44	55	55	55
50-64	10	6.1	33	1	1	4	12	15	16	16
65+	4	5.0	10	1	2	5	7	8	8	8
B. Operated										
0-19 YRS	281	10.1	195	2	3	6	10	25	45	99+
20-34	13	11.3	43	4	7	9	15	22	24	25
35-49	21	12.0	271	2	5	8	11	22	50	79
50-64	5	6.4	12	3	4	5	8	12	12	12
65+	9	6.6	22	1	4	6	8	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	2.8	6	1	1	2	4	7	7	9
B. Operated	125	4.5	9	1	2	4	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	102	5.4	65	1	1	3	6	12	28	76
B. Operated	329	10.1	186	2	4	6	10	24	41	99+
1. SINGLE DX	155	4.2	9	1	2	4	5	8	10	15
2. MULTIPLE DX	431	9.0	161	1	3	5	9	22	37	99+
A. Not Operated	132	4.8	53	1	1	3	6	10	16	63
B. Operated	454	8.5	143	2	3	5	9	18	31	99
TOTAL										
0-19 YRS	490	7.5	128	1	2	4	8	17	31	99+
20-34	28	8.2	34	3	4	7	10	17	21	25
35-49	35	11.3	249	3	4	6	10	27	50	79
50-64	18	6.2	20	1	3	5	7	13	15	16
65+	15	5.7	17	1	2	6	7	11	15	16
GRAND TOTAL	**586**	**7.7**	**125**	**1**	**3**	**5**	**8**	**17**	**28**	**98**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.1	5	< 1	< 1	1	2	6	7	7
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	210	1.6	1	1	1	1	2	3	4	6
20-34	39	1.4	1	1	1	1	2	2	4	5
35-49	15	1.5		1	1	2	2	2	2	2
50-64	7	1.3		< 1	1	1	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.8	1	1	1	1	3	4	4	4
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	0									
50-64	0									
65+	2	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	150	2.5	13	1	1	1	3	5	7	18
20-34	23	1.6	1	< 1	1	1	2	3	4	5
35-49	13	2.4	3	< 1	1	2	3	4	6	7
50-64	12	1.6		1	1	2	2	3	3	3
65+	9	2.7	6	1	1	2	3	7	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.1	5	< 1	< 1	1	2	6	7	7
B. Operated	272	1.6	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	19	2.2	2	1	1	1	3	5	5	5
B. Operated	207	2.3	10	1	1	1	2	5	7	15
1. SINGLE DX	279	1.6	1	1	1	1	2	3	4	6
2. MULTIPLE DX	226	2.3	9	1	1	1	3	5	7	13
A. Not Operated	26	2.2	3	< 1	1	1	3	5	6	7
B. Operated	479	1.9	5	1	1	1	2	4	5	9
TOTAL										
0-19 YRS	382	2.0	6	1	1	1	2	4	5	10
20-34	64	1.5	1	1	1	1	2	2	4	5
35-49	28	1.9	2	1	1	2	2	3	4	7
50-64	19	1.5		1	1	1	2	2	3	3
65+	12	3.2	5	1	1	3	4	6	9	9
GRAND TOTAL	**505**	**1.9**	**5**	**1**	**1**	**1**	**2**	**4**	**5**	**9**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	1.9	1	<1	1	2	3	3	4	5
20-34	5	1.6	1	<1	1	1	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	881	4.3	9	1	1	4	6	7	9	15
20-34	37	4.4	25	1	1	3	6	8	10	28
35-49	16	3.4	12	1	1	2	6	7	11	13
50-64	12	4.3	16	1	1	2	8	10	11	11
65+	4	5.8	13	1	3	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	340	4.2	38	1	1	2	4	10	14	27
20-34	23	4.3	9	1	2	4	6	9	10	12
35-49	22	3.4	6	1	2	3	4	6	9	12
50-64	15	6.3	24	1	3	5	8	16	17	17
65+	16	3.6	3	1	2	4	5	6	7	7
B. Operated										
0-19 YRS	2764	8.0	89	1	2	6	10	18	26	65
20-34	97	6.6	56	1	1	6	8	13	21	41
35-49	63	6.8	18	1	3	7	10	12	14	18
50-64	66	8.9	146	1	3	7	10	13	20	85
65+	40	10.1	54	1	6	9	13	19	25	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	1.8	1	<1	1	1	2	3	3	5
B. Operated	950	4.3	10	1	1	4	6	8	9	15
2. MULTIPLE DX										
A. Not Operated	416	4.2	33	1	1	2	5	9	13	24
B. Operated	3030	8.0	87	1	2	6	10	18	26	63
1. SINGLE DX	979	4.2	10	1	1	4	6	7	9	15
2. MULTIPLE DX	3446	7.5	82	1	2	6	9	17	24	62
A. Not Operated	445	4.0	31	1	1	2	4	9	13	23
B. Operated	3980	7.1	71	1	2	5	8	15	22	57
TOTAL										
0-19 YRS	4006	6.8	69	1	2	5	8	15	22	57
20-34	162	5.6	42	1	1	4	7	9	17	39
35-49	102	5.5	17	1	2	4	8	11	13	18
50-64	94	7.8	111	1	2	7	9	13	18	66
65+	61	8.0	46	1	3	7	11	17	19	33
GRAND TOTAL	**4425**	**6.8**	**68**	**1**	**2**	**5**	**8**	**14**	**21**	**53**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	[illegible]	2.3		2	2	2	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	623	2.0	2	1	1	2	2	4	4	6
20-34	4	3.8	2	2	3	4	5	5	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	4.9	73	<1	1	2	4	7	31	37
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	770	2.4	6	1	1	2	3	5	6	11
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	5	2.0	1	1	1	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3		2	2	2	3	3	3	3
B. Operated	629	2.0	2	1	1	2	2	4	4	6
2. MULTIPLE DX										
A. Not Operated	26	4.9	73	<1	1	2	4	7	31	37
B. Operated	780	2.4	6	1	1	2	3	5	6	11
1. SINGLE DX	632	2.0	2	1	1	2	2	4	4	6
2. MULTIPLE DX	806	2.5	8	1	1	2	3	5	6	12
A. Not Operated	29	4.6	66	<1	1	2	4	7	29	37
B. Operated	1409	2.2	4	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	1422	2.2	5	1	1	2	3	4	5	8
20-34	8	2.8	2	1	1	3	4	5	5	5
35-49	7	2.1	1	1	1	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
GRAND TOTAL	**1438**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	585	2.8	1	1	2	3	3	4	5	6
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.7	13	1	1	2	2	4	12	16
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	265	3.8	7	2	3	3	4	6	8	19
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8	1	1	1	2	2	3	3	3
B. Operated	586	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	16	2.7	13	1	1	2	2	4	12	16
B. Operated	265	3.8	7	2	3	3	4	6	8	19
1. SINGLE DX	590	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX	281	3.8	7	2	2	3	4	6	8	19
A. Not Operated	20	2.5	11	1	1	2	2	4	10	16
B. Operated	851	3.2	3	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	870	3.1	3	2	2	3	4	5	6	9
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**871**	**3.1**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	2.7	4	1	1	2	4	5	6	9
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	395	5.5	35	1	2	4	7	11	16	28
20-34	17	3.7	6	1	2	3	5	7	9	10
35-49	12	4.8	10	1	2	4	7	10	10	10
50-64	3	7.0	21	3	4	6	10	12	12	12
65 +	5	4.0	8	1	2	4	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	192	3.7	15	1	1	2	5	8	9	23
20-34	5	6.4	16	3	3	5	10	12	12	12
35-49	4	5.3	10	3	3	4	7	10	10	10
50-64	3	7.0	1	6	6	7	8	8	8	8
65 +	13	4.8	7	1	3	4	7	8	10	10
B. Operated										
0-19 YRS	778	9.5	138	1	3	6	12	25	50	99 +
20-34	43	6.3	30	2	3	6	7	11	13	35
35-49	37	6.2	16	1	3	6	8	13	14	15
50-64	20	7.1	31	2	4	6	8	13	21	26
65 +	41	10.2	57	2	4	8	15	19	28	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.7	4	< 1	1	2	4	5	6	9
B. Operated	432	5.4	33	1	2	4	7	11	15	27
2. MULTIPLE DX										
A. Not Operated	217	3.9	15	1	2	3	5	8	10	21
B. Operated	919	9.2	123	1	3	6	11	23	43	99 +
1. SINGLE DX	500	5.1	30	1	2	4	7	10	15	24
2. MULTIPLE DX	1136	8.2	107	1	2	5	10	20	37	99 +
A. Not Operated	285	3.6	12	1	1	3	5	8	9	17
B. Operated	1351	8.0	97	1	3	5	9	18	31	99 +
TOTAL										
0-19 YRS	1431	7.3	93	1	2	5	8	17	30	99 +
20-34	65	5.6	24	1	3	5	7	10	12	32
35-49	53	5.8	14	1	3	5	8	11	13	15
50-64	27	6.9	26	2	4	6	8	12	17	26
65 +	60	8.4	48	1	4	6	12	18	24	29
GRAND TOTAL	**1636**	**7.2**	**85**	**1**	**2**	**5**	**8**	**16**	**27**	**99 +**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	97	1.3		1	1	1	2	2	3	4
20-34	4	1.5		< 1	< 1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	137	1.5	1	1	1	1	2	3	4	7
20-34	9	1.6	1	< 1	1	1	2	3	3	3
35-49	8	2.0	1	1	1	2	3	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2
65 +	3	3.0	4	1	1	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	102	1.3		1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	160	1.6	1	1	1	1	2	3	4	6
1. SINGLE DX	102	1.3		1	1	1	2	2	3	4
2. MULTIPLE DX	162	1.6	1	1	1	1	2	3	4	6
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	262	1.5	1	1	1	1	2	3	3	6
TOTAL										
0-19 YRS	236	1.5	1	1	1	1	2	2	3	6
20-34	13	1.5	1	< 1	1	1	2	3	3	3
35-49	9	1.9	1	1	1	2	2	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2
65 +	3	3.0	4	1	1	3	4	5	5	5
GRAND TOTAL	**264**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**6**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.7	3	1	1	1	2	3	6	7
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	641	2.5	6	1	1	1	3	6	8	12
20-34	53	3.0	4	1	1	3	4	5	8	9
35-49	9	2.0	2	< 1	1	1	3	4	4	4
50-64	7	3.9	5	1	2	4	5	7	8	8
65 +	4	[illegible]	4	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	3.0	8	< 1	1	2	4	7	10	[illegible]
20-34	12	2.8	2	1	2	2	4	5	6	[illegible]
35-49	15	4.6	24	1	2	4	4	8	18	21
50-64	6	4.0	6	1	2	3	7	7	7	7
65 +	8	4.0	4	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	566	5.1	30	1	2	3	7	11	15	31
20-34	96	4.7	12	1	3	4	6	8	11	22
35-49	59	7.5	64	2	3	5	8	15	23	48
50-64	31	8.3	45	3	4	6	9	19	25	30
65 +	29	9.5	38	3	5	8	12	19	23	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.7	2	1	1	1	2	4	6	7
B. Operated	714	2.6	6	1	1	2	3	6	8	11
2. MULTIPLE DX										
A. Not Operated	92	3.4	10	< 1	1	2	4	7	8	18
B. Operated	781	5.5	33	1	2	4	7	12	16	30
1. SINGLE DX	732	2.6	6	1	1	1	3	6	8	11
2. MULTIPLE DX	873	5.3	31	1	2	4	7	11	16	30
A. Not Operated	110	3.1	9	< 1	1	2	4	6	8	17
B. Operated	1495	4.1	22	1	1	3	5	9	12	27
TOTAL										
0-19 YRS	1273	3.7	19	1	1	2	5	8	11	25
20-34	163	4.0	9	1	2	4	5	7	9	20
35-49	83	6.4	53	1	3	4	6	14	21	43
50-64	44	7.0	37	2	4	5	8	13	21	30
65 +	42	7.6	36	1	3	6	10	16	21	26
GRAND TOTAL	**1605**	**4.0**	**21**	**1**	**1**	**3**	**5**	**8**	**12**	**26**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.1	6	1	1	2	4	7	8	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	532	2.1	1	1	1	2	3	4	4	6
20-34	7	2.7	1	1	2	3	3	4	4	4
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	2	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.4	11	< 1	< 1	1	1	8	11	11
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	293	2.6	5	1	1	2	3	4	6	13
20-34	28	2.1	1	1	1	2	2	4	4	6
35-49	18	2.8	3	1	1	3	3	6	6	6
50-64	34	1.9	1	1	1	2	2	3	4	4
65 +	17	3.1	4	1	1	3	4	5	7	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.1	6	1	1	2	4	7	8	8
B. Operated	544	2.1	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	10	2.4	11	< 1	< 1	1	1	8	11	11
B. Operated	390	2.6	4	1	1	2	3	4	6	11
1. SINGLE DX	552	2.1	1	1	1	2	3	4	4	6
2. MULTIPLE DX	400	2.6	5	1	1	2	3	4	6	11
A. Not Operated	18	2.7	8	< 1	< 1	1	4	7	10	11
B. Operated	934	2.3	3	1	1	2	3	4	5	7
TOTAL										
0-19 YRS	843	2.3	3	1	1	2	3	4	5	8
20-34	35	2.2	1	1	1	2	3	4	4	6
35-49	21	2.7	2	1	1	3	3	5	6	6
50-64	36	1.9	1	1	1	2	3	3	4	4
65 +	17	3.1	4	1	1	3	4	5	7	8
GRAND TOTAL	**952**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	2.6	10	1	1	1	2	6	10	17
20-34	5	2.6	3	1	1	2	4	5	5	5
35-49	7	3.1	3	< 1	2	3	5	6	6	6
50-64	7	5.1	8	1	3	6	8	8	8	8
65 +	3	3.3	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	1128	3.7	23	1	1	3	4	7	11	23
20-34	143	3.6	10	1	1	2	6	8	10	13
35-49	82	4.0	11	1	1	3	6	8	10	16
50-64	52	4.7	22	1	1	4	7	9	10	24
65 +	12	4.6	8	1	2	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	213	4.6	31	1	1	2	6	10	15	34
20-34	29	5.4	29	1	2	4	7	10	14	28
35-49	16	7.9	51	3	4	7	8	11	26	33
50-64	21	4.9	12	1	3	4	6	11	13	14
65 +	31	6.0	15	2	3	5	8	11	15	16
B. Operated										
0-19 YRS	884	6.7	96	1	2	4	7	14	27	95
20-34	104	5.6	23	1	2	5	8	9	13	28
35-49	148	6.2	16	1	3	6	8	10	13	20
50-64	83	6.6	43	1	2	6	8	11	15	42
65 +	65	9.7	71	2	3	8	14	20	25	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	2.8	9	1	1	2	3	7	8	16
B. Operated	1417	3.7	21	1	1	3	5	7	10	22
2. MULTIPLE DX										
A. Not Operated	310	5.0	29	1	2	3	7	10	14	31
B. Operated	1284	6.7	77	1	2	5	8	13	22	73
1. SINGLE DX	1516	3.7	20	1	1	3	5	7	10	22
2. MULTIPLE DX	1594	6.3	68	1	2	4	8	12	21	61
A. Not Operated	409	4.5	25	1	1	3	6	10	13	28
B. Operated	2701	5.1	49	1	1	3	6	10	16	47
TOTAL										
0-19 YRS	2302	4.9	53	1	1	3	5	9	16	49
20-34	281	4.5	18	1	1	3	6	9	11	20
35-49	253	5.5	17	1	2	5	8	10	12	20
50-64	163	5.7	31	1	2	5	8	10	14	24
65 +	111	8.0	51	2	3	7	10	17	21	37
GRAND TOTAL	**3110**	**5.0**	**46**	**1**	**1**	**3**	**6**	**10**	**15**	**45**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	11.4	57	3	6	10	17	22	27	90
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	475	18.8	253	4	8	15	28	42	73	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	109	33.8	681	10	22	77	99 +	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	11.4	57	3	6	10	17	22	27	90
B. Operated	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	475	18.8	253	4	8	15	28	42	73	99 +
B. Operated	109	33.8	681	10	22	77	99 +	99 +	99 +	99 +
1. SINGLE DX	65	11.4	57	3	6	10	17	22	26	90
2. MULTIPLE DX	584	21.6	366	5	9	19	42	99 +	99 +	99 +
A. Not Operated	539	18.0	236	4	7	14	25	42	66	99 +
B. Operated	110	33.6	678	10	22	76	99 +	99 +	99 +	99 +
TOTAL										
0-19 YRS	649	20.6	344	4	9	18	39	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**649**	**20.6**	**344**	**4**	**9**	**18**	**39**	**99 +**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1493	2.1	1	1	2	2	2	3	4	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	3.4	6	1	2	3	4	7	9	12
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	593	3.0	11	1	2	2	3	5	7	18
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	28	5.8	53	1	2	4	7	10	14	40
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1493	2.1	1	1	2	2	2	3	4	5
B. Operated	23	3.4	6	1	2	3	4	7	9	12
2. MULTIPLE DX										
A. Not Operated	593	3.0	11	1	2	2	3	5	7	18
B. Operated	28	5.8	53	1	2	4	7	10	14	40
1. SINGLE DX	1516	2.1	1	1	2	2	2	3	4	6
2. MULTIPLE DX	621	3.2	13	1	2	2	3	5	8	19
A. Not Operated	2086	2.4	4	1	2	2	3	3	4	9
B. Operated	51	4.7	33	1	2	3	6	9	11	40
TOTAL										
0-19 YRS	2137	2.4	5	1	2	2	3	3	5	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**2137**	**2.4**	**5**	**1**	**2**	**2**	**3**	**3**	**5**	**10**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	758	3.2	7	1	2	3	4	6	8	13
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	29	4.3	22	1	2	3	5	9	18	20
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2072	[illegible]	105	2	3	4	8	15	28	95
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	400	22.6	510	5	8	16	61	99 +	99 +	99 +
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	758	3.2	7	1	2	3	4	6	8	13
B. Operated	29	4.3	22	1	2	3	5	9	18	20
2. MULTIPLE DX										
A. Not Operated	2072	7.3	105	2	3	4	8	15	28	95
B. Operated	401	22.5	510	5	8	16	60	99 +	99 +	99 +
1. SINGLE DX	787	3.2	7	1	2	3	4	6	8	14
2. MULTIPLE DX	2473	9.7	203	2	3	5	11	32	74	99 +
A. Not Operated	2830	6.2	82	1	2	3	6	12	22	75
B. Operated	430	21.3	498	3	7	16	57	99 +	99 +	99 +
TOTAL										
0-19 YRS	3259	8.2	163	2	2	4	9	24	56	99 +
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	3260	8.2	163	2	2	4	9	24	56	99 +

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1300	2.3	3	1	1	2	3	4	5	9
20-34	285	2.4	3	1	1	2	3	4	5	8
35-49	211	2.9	3	1	2	2	4	5	6	9
50-64	81	3.2	5	1	2	3	4	7	9	11
65 +	71	3.0	6	1	2	2	4	6	8	15
B. Operated										
0-19 YRS	20	5.5	22	1	2	4	9	11	14	17
20-34	2	1.0		1	1	1	1	1	1	1
35-49	6	3.8	3	<1	3	4	5	6	6	6
50-64	4	3.8	4	2	2	4	5	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3022	2.9	8	1	2	2	3	5	7	13
20-34	697	3.6	9	1	2	3	4	7	9	16
35-49	824	4.2	17	1	2	3	5	8	10	17
50-64	826	5.2	21	2	3	4	6	10	13	23
65 +	1525	6.0	22	2	3	5	7	11	14	25
B. Operated										
0-19 YRS	92	6.9	52	1	3	4	8	16	20	36
20-34	49	7.7	68	2	3	5	9	19	31	36
35-49	74	8.7	124	2	3	6	9	14	24	70
50-64	73	10.4	77	2	5	8	12	24	30	41
65 +	153	13.8	161	3	7	10	18	28	34	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1948	2.5	4	1	1	2	3	4	5	9
B. Operated	32	4.7	16	1	2	4	6	10	12	17
2. MULTIPLE DX										
A. Not Operated	6894	4.1	15	1	2	3	5	8	11	19
B. Operated	441	10.3	115	2	4	7	13	22	30	56
1. SINGLE DX	1980	2.5	4	1	1	2	3	4	6	10
2. MULTIPLE DX	7335	4.5	24	1	2	3	5	9	12	25
A. Not Operated	8842	3.8	13	1	2	3	4	7	10	18
B. Operated	473	9.9	110	2	3	7	12	21	30	52
TOTAL										
0-19 YRS	4434	2.9	8	1	1	2	3	5	7	14
20-34	1033	3.5	11	1	2	3	4	6	9	19
35-49	1115	4.3	23	1	2	3	5	8	10	21
50-64	984	5.4	26	2	2	4	7	11	14	29
65 +	1749	6.6	39	2	3	5	8	13	17	29
GRAND TOTAL	9315	4.1	20	1	2	3	5	8	11	22

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	683	2.6	1	1	2	3	3	4	5	6
20-34	32	3.4	4	1	2	3	4	6	7	10
35-49	17	5.3	28	<1	2	4	6	10	18	23
50-64	22	3.5	2	2	3	3	4	5	6	6
65+	17	5.4	13	1	2	5	8	11	12	13
B. Operated										
0-19 YRS	10	3.3	2	1	3	3	4	5	5	5
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	5.8	8	2	3	6	8	8	8	8
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1886	3.3	5	2	2	3	4	5	7	13
20-34	199	4.2	15	2	2	3	5	8	9	14
35-49	196	5.0	11	2	3	4	7	9	10	19
50-64	275	6.0	15	2	3	5	8	10	13	23
65+	637	6.8	27	2	4	5	8	13	16	29
B. Operated										
0-19 YRS	89	8.7	70	2	3	6	12	19	22	44
20-34	35	9.9	57	2	4	8	15	20	27	30
35-49	50	9.7	56	3	5	7	12	21	24	40
50-64	70	10.6	51	4	5	9	13	21	25	37
65+	138	12.5	90	4	7	10	14	24	31	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	771	2.8	3	1	2	3	3	4	5	9
B. Operated	19	5.0	8	2	3	4	7	9	11	12
2. MULTIPLE DX										
A. Not Operated	3193	4.4	13	2	2	3	5	8	11	20
B. Operated	382	10.7	73	3	5	8	14	21	26	46
1. SINGLE DX	790	2.9	3	1	2	3	3	4	6	9
2. MULTIPLE DX	3575	5.1	24	2	2	3	6	10	14	26
A. Not Operated	3964	4.1	12	2	2	3	5	8	10	18
B. Operated	401	10.4	71	3	5	8	13	21	26	45
TOTAL										
0-19 YRS	2668	3.3	8	1	2	3	4	5	7	15
20-34	267	4.9	23	2	2	3	6	9	14	28
35-49	267	5.9	23	2	3	5	7	11	15	24
50-64	369	6.7	25	3	3	5	8	13	16	25
65+	794	7.8	42	2	4	6	10	14	20	32
GRAND TOTAL	**4365**	**4.7**	**20**	**2**	**2**	**3**	**5**	**9**	**13**	**24**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	2.3	3	1	1	2	3	4	6	8
20-34	102	2.5	3	1	1	2	3	5	6	9
35-49	69	2.2	2	1	1	2	3	5	5	6
50-64	21	2.1	1	1	1	2	3	4	4	4
65+	7	2.0	1	<1	1	2	3	4	4	4
B. Operated										
0-19 YRS	6	2.3	2	1	1	2	3	5	5	5
20-34	23	2.9	7	1	1	2	4	7	9	10
35-49	23	1.9	1	1	1	1	3	3	4	5
50-64	12	2.7	4	1	1	2	3	6	7	7
65+	4	2.3	6	<1	<1	1	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	190	3.0	10	1	1	2	3	7	8	17
20-34	248	3.4	7	1	2	3	4	6	8	14
35-49	214	4.1	15	1	2	3	5	7	10	20
50-64	138	3.9	13	1	2	3	5	7	9	20
65+	135	3.9	6	1	2	3	5	8	9	10
B. Operated										
0-19 YRS	26	3.2	7	1	1	3	4	6	9	13
20-34	28	4.3	13	1	1	3	7	9	12	14
35-49	42	5.0	12	1	3	5	6	10	12	16
50-64	26	4.2	5	1	3	4	6	7	8	11
65+	27	6.0	18	2	3	5	7	12	15	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	2.3	3	1	1	2	3	4	6	8
B. Operated	68	2.4	4	1	1	2	3	6	6	10
2. MULTIPLE DX										
A. Not Operated	925	3.6	10	1	2	3	4	7	9	14
B. Operated	149	4.6	12	1	2	4	6	8	12	16
1. SINGLE DX	326	2.3	3	1	1	2	3	5	6	9
2. MULTIPLE DX	1074	3.8	11	1	2	3	5	7	9	15
A. Not Operated	1183	3.3	9	1	2	3	4	7	8	13
B. Operated	217	3.9	10	1	1	3	5	8	10	15
TOTAL										
0-19 YRS	281	2.9	8	1	1	2	3	6	8	13
20-34	401	3.2	7	1	1	2	4	6	8	13
35-49	348	3.7	12	1	2	3	5	7	9	15
50-64	197	3.7	11	1	2	3	4	7	8	16
65+	173	4.1	8	1	2	3	6	8	9	14
GRAND TOTAL	**1400**	**3.4**	**9**	**1**	**2**	**3**	**4**	**7**	**9**	**14**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.8	2	<1	1	1	2	4	5	5
20-34	19	2.4	2	<1	1	2	4	4	4	4
35-49	27	2.6	2	1	1	3	4	4	5	6
50-64	36	2.4	2	1	1	2	3	5	6	6
65+	30	3.4	6	1	2	3	4	6	9	11
B. Operated										
0-19 YRS	10	2.2	2	<1	<1	2	3	4	5	5
20-34	24	3.2	3	1	2	3	4	5	7	9
35-49	40	3.3	3	1	2	3	5	6	7	7
50-64	43	3.5	4	1	2	4	5	6	7	8
65+	50	3.1	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	2.9	5	1	1	2	4	5	5	13
20-34	19	2.8	7	1	1	2	3	7	9	10
35-49	57	4.9	85	1	2	3	5	7	8	62
50-64	145	3.5	5	1	2	3	5	6	8	11
65+	253	3.7	7	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	8	3.3	2	1	2	3	4	5	5	5
20-34	30	4.5	6	1	3	4	5	7	8	13
35-49	87	4.8	9	2	3	4	6	9	10	17
50-64	151	4.5	14	2	2	4	6	7	10	20
65+	289	4.8	23	1	3	4	6	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	2.7	3	1	1	2	4	5	6	10
B. Operated	167	3.2	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	512	3.7	15	1	2	3	5	7	8	14
B. Operated	565	4.7	17	2	3	4	6	8	10	18
1. SINGLE DX	287	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX	1077	4.2	16	1	2	3	5	7	9	16
A. Not Operated	632	3.5	13	1	2	3	4	6	8	13
B. Operated	732	4.3	15	1	2	4	5	7	9	16
TOTAL										
0-19 YRS	64	2.7	4	<1	1	2	4	5	5	12
20-34	92	3.4	5	1	2	3	5	6	8	12
35-49	211	4.3	28	1	2	3	5	7	9	25
50-64	375	3.8	8	1	2	3	5	7	8	13
65+	622	4.2	15	1	2	3	5	7	10	16
GRAND TOTAL	**1364**	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.9	3	1	1	2	5	6	6	6
20-34	7	1.4		1	1	1	2	2	2	2
35-49	8	1.6	1	<1	1	1	2	3	3	3
50-64	5	3.0	4	<1	1	3	5	5	5	5
65+	9	3.6	3	1	2	4	5	6	6	6
B. Operated										
0-19 YRS	34	2.2	8	<1	1	1	2	5	7	15
20-34	30	1.5	1	<1	<1	1	1	3	4	5
35-49	22	2.7	8	<1	1	1	3	7	10	12
50-64	16	1.5	1	<1	1	1	2	3	4	4
65+	9	5.7	140	<1	<1	<1	3	24	37	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	4.0	9	1	2	3	5	8	11	16
20-34	36	3.5	14	1	1	2	4	9	11	18
35-49	58	2.9	6	1	1	2	4	6	8	15
50-64	89	4.4	28	1	2	3	5	9	12	34
65+	201	6.2	30	1	2	4	8	14	17	26
B. Operated										
0-19 YRS	44	12.1	169	1	3	7	17	28	38	64
20-34	30	5.3	39	1	1	3	6	12	24	26
35-49	38	6.3	43	1	1	4	11	14	19	30
50-64	52	9.4	94	2	3	7	12	21	33	99
65+	83	11.8	145	1	3	8	17	28	36	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	2.6	3	1	1	2	4	5	6	6
B. Operated	111	2.3	16	<1	<1	1	2	4	7	24
2. MULTIPLE DX										
A. Not Operated	438	4.9	24	1	2	3	6	10	15	25
B. Operated	247	9.7	115	1	2	6	13	24	33	57
1. SINGLE DX	158	2.4	12	<1	1	1	3	5	6	15
2. MULTIPLE DX	685	6.6	62	1	2	4	8	16	22	40
A. Not Operated	485	4.7	23	1	2	3	6	10	14	24
B. Operated	358	7.4	96	<1	1	3	10	20	28	55
TOTAL										
0-19 YRS	150	5.8	71	1	1	3	6	14	23	42
20-34	103	3.3	19	<1	1	2	4	9	11	25
35-49	126	3.8	20	1	1	2	4	9	14	23
50-64	162	5.7	53	1	2	3	7	12	20	54
65+	302	7.6	70	1	2	5	10	17	25	41
GRAND TOTAL	**843**	**5.8**	**56**	**1**	**1**	**3**	**7**	**14**	**21**	**37**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.7	32	1	2	4	10	12	12	12
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	8.7	41	4	4	6	13	16	16	16
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	3	5.0	28	1	1	3	9	11	11	11
20-34	4	4.5	6	2	2	4	6	7	7	7
35-49	6	5.5	11	3	4	4	6	11	12	12
50-64	8	6.0	25	< 1	2	5	8	14	16	16
65 +	25	11.5	103	2	6	9	13	25	36	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	9.5	177	1	1	4	18	29	29	29
35-49	6	14.7	141	1	5	14	18	33	35	35
50-64	14	6.6	62	1	3	4	6	17	28	31
65 +	71	7.9	64	2	3	6	10	15	20	52
B. Operated										
0-19 YRS	10	10.4	94	2	3	8	9	28	31	31
20-34	15	14.3	213	1	4	7	24	35	46	50
35-49	69	14.1	138	3	5	10	18	30	36	57
50-64	189	15.7	199	4	7	11	20	34	45	71
65 +	609	14.4	122	4	7	12	18	29	36	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	6.0	28	< 1	2	4	9	15	16	16
B. Operated	46	8.7	71	1	3	7	11	16	27	45
2. MULTIPLE DX										
A. Not Operated	96	8.2	72	2	3	6	10	16	24	48
B. Operated	892	14.6	141	4	7	11	18	30	38	58
1. SINGLE DX	54	8.3	65	1	3	6	11	16	24	45
2. MULTIPLE DX	988	14.0	138	4	6	11	18	29	36	58
A. Not Operated	104	8.0	69	2	3	5	10	16	23	46
B. Operated	938	14.3	139	4	7	11	18	30	37	58
TOTAL										
0-19 YRS	17	8.5	67	1	3	7	10	22	29	31
20-34	24	11.3	173	1	2	6	17	30	39	50
35-49	84	13.3	129	3	5	10	17	29	35	53
50-64	211	14.7	191	3	6	10	19	33	44	68
65 +	706	13.6	119	4	6	11	16	27	36	53
GRAND TOTAL	**1042**	**13.7**	**135**	**3**	**6**	**10**	**17**	**28**	**36**	**58**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	2.0	1	1	1	2	3	3	4	6
20-34	428	2.0	2	1	1	2	2	3	4	6
35-49	1547	1.9	2	1	1	2	2	3	4	6
50-64	1064	2.0	2	1	1	2	3	4	4	6
65 +	416	2.5	9	1	1	2	3	4	5	18
B. Operated										
0-19 YRS	5	1.6	1	< 1	1	1	2	3	3	3
20-34	47	1.9	2	1	1	1	2	4	4	6
35-49	277	2.1	3	1	1	1	3	4	5	9
50-64	356	1.9	2	1	1	1	2	4	5	8
65 +	126	2.0	3	1	1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	113	2.4	3	1	1	2	3	5	6	9
20-34	1091	2.5	3	1	1	2	3	4	5	8
35-49	4358	2.6	3	1	1	2	3	4	6	8
50-64	5020	2.9	4	1	2	2	4	5	6	10
65 +	4644	3.3	5	1	2	3	4	6	7	11
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	105	3.8	15	1	1	3	4	8	10	22
35-49	820	3.5	10	1	1	3	4	7	9	15
50-64	1370	3.5	10	1	1	3	5	7	9	17
65 +	861	4.2	15	1	2	3	5	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3498	2.0	3	1	1	2	2	3	4	7
B. Operated	811	2.0	3	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	15226	2.9	4	1	2	2	4	5	6	10
B. Operated	3158	3.7	12	1	1	3	5	7	10	17
1. SINGLE DX	4309	2.0	3	1	1	2	2	4	4	7
2. MULTIPLE DX	18384	3.0	5	1	2	2	4	5	7	11
A. Not Operated	18724	2.7	4	1	2	2	3	5	6	9
B. Operated	3969	3.4	10	1	1	2	4	7	9	16
TOTAL										
0-19 YRS	163	2.3	3	1	1	2	3	4	6	8
20-34	1671	2.4	3	1	1	2	3	4	5	9
35-49	7002	2.5	4	1	1	2	3	4	6	9
50-64	7810	2.8	5	1	1	2	4	5	7	11
65 +	6047	3.4	7	1	2	3	4	6	8	13
GRAND TOTAL	**22693**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	524	2.5	5	1	1	2	3	4	6	10
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	17	2.6	4	<1	1	2	3	5	8	9
50-64	6	2.0	4	<1	<1	1	2	6	6	6
65+	5	2.0	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	48	2.5	4	<1	1	2	3	6	7	10
20-34	17	2.1	5	1	1	1	3	4	8	10
35-49	18	2.0	2	1	1	2	3	4	5	5
50-64	33	3.0	7	1	1	2	4	7	8	11
65+	15	2.9	5	<1	1	2	4	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1167	4.2	15	1	2	3	5	9	12	20
20-34	62	3.0	16	1	1	2	3	6	8	25
35-49	124	3.4	10	1	1	3	4	7	[illegible]	18
50-64	196	4.0	13	1	2	3	5	8	[illegible]	[illegible]
65+	323	4.9	16	1	2	4	6	10	[illegible]	22
B. Operated										
0-19 YRS	143	10.3	128	1	2	7	15	30	39	99+
20-34	24	7.8	147	1	2	4	5	31	41	44
35-49	64	5.0	23	1	2	4	6	10	15	24
50-64	121	5.8	34	1	2	4	7	12	16	32
65+	165	6.8	35	1	3	5	9	14	18	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	554	2.5	5	1	1	2	3	4	6	10
B. Operated	131	2.5	5	1	1	2	3	6	7	10
2. MULTIPLE DX										
A. Not Operated	1872	4.2	15	1	2	3	5	9	12	20
B. Operated	517	7.3	67	1	2	5	9	17	24	51
1. SINGLE DX	685	2.5	5	1	1	2	3	5	8	10
2. MULTIPLE DX	2389	4.9	28	1	2	3	6	10	15	28
A. Not Operated	2426	3.8	13	1	2	3	5	8	11	19
B. Operated	648	6.4	58	1	2	4	8	15	22	44
TOTAL										
0-19 YRS	1882	4.1	24	1	2	3	5	9	13	28
20-34	105	3.9	47	1	1	2	4	7	13	42
35-49	223	3.7	13	1	1	3	4	7	10	21
50-64	356	4.5	20	1	2	3	6	9	12	23
65+	508	5.4	24	1	2	4	7	11	15	23
GRAND TOTAL	**3074**	**4.3**	**24**	**1**	**2**	**3**	**5**	**9**	**13**	**25**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	1.6	1	1	1	1	2	3	4	5
20-34	71	1.7	1	<1	1	1	2	3	4	4
35-49	116	1.6	1	<1	1	1	2	3	4	6
50-64	73	1.6	1	<1	1	1	2	3	3	5
65+	37	2.7	11	<1	<1	1	3	7	12	15
B. Operated										
0-19 YRS	14	2.8	6	<1	1	2	3	7	8	8
20-34	16	3.8	4	2	2	3	5	7	8	9
35-49	31	3.3	4	1	2	3	5	6	7	8
50-64	13	3.7	5	1	2	4	6	7	7	7
65+	18	3.2	6	1	2	3	4	5	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	3.0	14	1	1	2	3	7	10	21
20-34	124	2.7	5	1	1	2	4	5	7	12
35-49	164	2.4	3	1	1	2	3	5	6	9
50-64	166	3.1	9	1	1	2	4	6	8	12
65+	311	4.4	17	1	2	3	6	8	10	24
B. Operated										
0-19 YRS	58	5.9	24	1	2	5	8	11	17	23
20-34	59	3.8	9	1	2	3	5	8	10	16
35-49	84	4.4	10	1	2	4	5	8	11	18
50-64	98	4.9	10	1	2	4	7	9	12	14
65+	336	6.5	28	2	3	5	9	13	18	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	319	1.8	2	<1	1	1	2	3	4	9
B. Operated	92	3.3	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	805	3.4	11	1	1	2	4	7	9	16
B. Operated	635	5.7	22	1	3	4	7	11	14	24
1. SINGLE DX	411	2.1	3	<1	1	1	3	4	6	9
2. MULTIPLE DX	1440	4.4	17	1	2	3	6	9	12	22
A. Not Operated	1124	2.9	9	1	1	2	4	6	8	13
B. Operated	727	5.4	20	1	2	4	7	11	14	23
TOTAL										
0-19 YRS	134	4.0	18	1	1	2	6	9	11	21
20-34	270	2.7	5	1	1	2	3	5	8	12
35-49	395	2.6	5	1	1	2	4	5	7	12
50-64	350	3.3	9	1	1	2	4	7	9	14
65+	702	5.3	23	1	2	4	7	11	14	26
GRAND TOTAL	**1851**	**3.9**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1196	1.7	1	<1	1	1	2	3	4	6
20-34	909	2.0	2	1	1	2	2	4	5	8
35-49	510	2.5	3	1	1	2	3	5	6	10
50-64	222	2.4	3	1	1	2	3	4	6	10
65+	108	3.2	8	1	1	2	4	6	9	16
B. Operated										
0-19 YRS	157	2.8	2	1	2	2	4	4	5	8
20-34	156	3.7	15	1	2	3	4	6	9	20
35-49	47	4.0	7	1	2	4	5	7	9	13
50-64	28	3.7	5	1	2	3	5	7	8	9
65+	12	4.0	11	1	1	3	5	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	979	2.3	4	1	1	2	3	4	6	10
20-34	1126	2.8	5	1	1	2	4	5	7	11
35-49	991	3.6	8	1	2	3	4	7	9	15
50-64	789	4.0	9	1	2	3	5	7	9	16
65+	1282	4.7	12	2	2	4	6	8	10	19
B. Operated										
0-19 YRS	152	4.8	34	2	2	3	5	9	13	33
20-34	281	5.1	21	1	3	4	6	9	13	25
35-49	219	5.5	14	1	3	5	7	11	13	18
50-64	202	6.2	29	2	3	5	8	12	14	22
65+	231	8.5	41	2	4	7	11	17	21	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2945	2.0	2	1	1	2	2	4	5	8
B. Operated	400	3.4	8	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	5167	3.5	8	1	2	3	4	7	9	14
B. Operated	1085	6.1	29	2	3	5	8	12	16	27
1. SINGLE DX	3345	2.2	3	1	1	2	3	4	5	9
2. MULTIPLE DX	6252	3.9	13	1	2	3	5	8	10	18
A. Not Operated	8112	3.0	7	1	1	2	4	6	8	13
B. Operated	1485	5.3	25	1	2	4	6	11	14	25
TOTAL										
0-19 YRS	2484	2.2	5	1	1	2	3	4	5	10
20-34	2472	2.8	7	1	1	2	3	5	7	12
35-49	1767	3.5	8	1	2	3	4	7	9	14
50-64	1241	4.0	12	1	2	3	5	8	10	16
65+	1633	5.1	18	2	2	4	7	9	12	21
GRAND TOTAL	**9597**	**3.3**	**10**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	121	2.2	3	1	1	2	3	4	6	10
20-34	20	2.4	3	<1	1	2	3	5	6	7
35-49	26	3.2	12	<1	1	2	4	7	10	16
50-64	18	2.4	4	1	1	2	3	5	7	8
65+	24	3.6	16	1	1	2	4	9	14	16
B. Operated										
0-19 YRS	39	3.7	6	1	2	3	5	7	9	10
20-34	12	3.2	1	1	2	4	4	4	4	4
35-49	19	3.9	6	<1	2	4	5	8	9	9
50-64	10	3.4	9	<1	<1	1	6	7	8	8
65+	5	4.2	10	<1	<1	5	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	573	3.3	19	1	1	2	4	6	8	29
20-34	178	4.0	32	1	2	3	4	7	11	26
35-49	220	4.0	13	1	2	3	5	8	10	17
50-64	342	5.5	26	1	3	4	7	10	16	21
65+	665	5.3	16	2	3	4	7	10	13	21
B. Operated										
0-19 YRS	116	4.5	36	1	1	3	5	9	12	34
20-34	59	4.6	19	1	2	4	6	9	12	24
35-49	107	6.3	38	1	3	4	8	12	14	40
50-64	113	7.1	60	1	2	4	9	17	25	35
65+	268	7.5	74	1	3	5	9	16	21	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	209	2.5	6	1	1	2	3	5	8	14
B. Operated	85	3.7	5	<1	2	3	5	8	8	10
2. MULTIPLE DX										
A. Not Operated	1978	4.5	21	1	2	3	6	9	13	23
B. Operated	663	6.4	56	1	2	4	8	14	21	30
1. SINGLE DX	294	2.9	6	1	1	2	4	6	8	12
2. MULTIPLE DX	2641	5.0	30	1	2	3	6	10	15	28
A. Not Operated	2187	4.3	20	1	2	3	5	9	12	22
B. Operated	748	6.1	51	1	2	4	7	13	20	30
TOTAL										
0-19 YRS	849	3.3	19	1	1	2	4	6	8	28
20-34	269	4.0	26	1	2	3	4	7	11	23
35-49	372	4.6	21	1	2	4	6	9	12	18
50-64	483	5.7	34	1	2	4	7	13	17	28
65+	962	5.9	33	1	3	4	7	12	16	27
GRAND TOTAL	**2935**	**4.8**	**28**	**1**	**2**	**3**	**6**	**10**	**14**	**27**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	901	3.0	8	1	1	2	4	6	8	14
20-34	169	2.4	5	1	1	2	3	4	5	8
35-49	210	2.6	7	1	1	2	3	5	6	11
50-64	233	2.6	4	1	1	2	3	4	5	10
65 +	345	3.3	7	1	1	3	4	6	8	12
B. Operated										
0-19 YRS	95	2.3	8	1	1	1	3	4	6	17
20-34	48	4.5	190	1	1	2	3	7	9	97
35-49	88	2.0	2	1	1	1	3	4	5	9
50-64	78	2.5	13	1	1	1	3	5	7	24
65 +	36	2.5	5	< 1	1	1	4	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2255	4.8	38	1	2	3	5	10	14	28
20-34	691	3.2	12	1	2	2	4	6	8	15
35-49	1059	3.4	7	1	2	3	4	6	8	12
50-64	1957	3.7	8	1	2	3	5	7	9	15
65 +	5871	4.7	12	2	2	4	6	9	11	17
B. Operated										
0-19 YRS	339	10.3	166	1	2	6	14	28	47	99 +
20-34	107	4.2	28	1	1	2	5	9	12	33
35-49	229	5.3	67	1	1	3	6	12	16	34
50-64	393	5.8	59	1	2	4	7	12	19	41
65 +	869	7.9	65	1	3	6	10	16	23	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1858	2.9	7	1	1	2	4	5	7	13
B. Operated	345	2.6	33	1	1	1	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	11833	4.3	16	1	2	3	5	8	11	19
B. Operated	1937	7.4	83	1	2	5	9	17	25	64
1. SINGLE DX	2203	2.9	11	1	1	2	3	5	7	13
2. MULTIPLE DX	13770	4.8	27	1	2	3	6	9	12	26
A. Not Operated	13691	4.1	15	1	2	3	5	8	10	18
B. Operated	2282	6.7	78	1	2	4	8	15	23	62
TOTAL										
0-19 YRS	3590	4.8	46	1	2	3	5	10	15	39
20-34	1015	3.2	21	1	1	2	4	6	8	18
35-49	1586	3.5	16	1	2	3	4	7	9	16
50-64	2661	3.8	16	1	2	3	5	7	10	19
65 +	7121	5.0	19	2	2	4	6	9	12	22
GRAND TOTAL	**15973**	**4.5**	**25**	**1**	**2**	**3**	**5**	**9**	**12**	**25**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	15.0	162	6	6	15	24	24	24	24
20-34	0									
35-49	0									
50-64	0									
65 +	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	15.6	65	7	8	13	24	27	29	29
20-34	6	14.0	101	6	8	14	28	87	99 +	99 +
35-49	2	20.5	85	14	14	20	27	27	27	27
50-64	0									
65 +	1	26.0		26	26	26	26	26	26	26
B. Operated										
0-19 YRS	22	30.4	538	8	14	29	53	99 +	99 +	99 +
20-34	25	37.9	297	14	28	41	52	66	99 +	99 +
35-49	13	35.7	612	15	19	32	41	95	99	99 +
50-64	9	32.2	332	11	17	35	45	83	99 +	99 +
65 +	2	51.0	1250	26	26	51	76	76	76	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	15.7	82	6	9	17	22	24	24	24
2. MULTIPLE DX										
A. Not Operated	22	16.1	73	7	8	14	26	30	56	99 +
B. Operated	71	34.8	442	11	18	33	52	98	99 +	99 +
1. SINGLE DX	3	15.7	82	6	9	17	22	24	24	24
2. MULTIPLE DX	93	30.4	417	9	15	28	47	90	99 +	99 +
A. Not Operated	22	16.1	73	7	8	14	26	30	56	99 +
B. Operated	74	34.0	441	11	17	33	52	96	99 +	99 +
TOTAL										
0-19 YRS	37	24.4	394	7	11	21	42	93	99 +	99 +
20-34	31	33.3	347	9	16	34	52	70	99 +	99 +
35-49	15	33.7	559	14	18	31	40	93	98	99 +
50-64	9	32.2	332	11	17	35	45	83	99 +	99 +
65 +	4	36.3	720	17	21	26	51	76	76	76
GRAND TOTAL	**96**	**29.9**	**412**	**8**	**15**	**28**	**46**	**88**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	358	1.7	2	1	1	1	2	3	4	9
20-34	11	4.1	9	< 1	2	3	6	8	11	11
35-49	5	5.2	13	2	2	4	8	10	10	10
50-64	5	7.0	22	< 1	2	10	10	11	11	11
65 +	3	10.3	124	2	3	6	19	23	23	23
B. Operated										
0-19 YRS	79	4.1	10	1	2	3	5	8	10	17
20-34	18	5.4	13	1	2	5	8	11	13	14
35-49	5	5.2	23	< 1	1	4	8	13	13	13
50-64	3	5.0	16	1	2	5	8	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	353	3.0	10	1	1	2	3	6	9	17
20-34	38	5.6	19	2	2	4	9	14	16	99 +
35-49	21	5.3	52	1	2	3	6	12	24	32
50-64	14	3.5	22	1	1	3	4	6	16	19
65 +	20	6.5	19	2	3	6	8	11	15	19
B. Operated										
0-19 YRS	147	10.6	111	2	4	7	14	25	36	63
20-34	107	10.6	140	3	4	7	11	24	43	81
35-49	46	15.0	229	1	4	9	24	45	53	99 +
50-64	25	15.6	271	2	5	10	23	65	99 +	99 +
65 +	18	22.8	396	2	7	18	30	59	61	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	382	1.9	4	1	1	1	2	3	5	11
B. Operated	105	4.4	11	1	2	3	6	8	12	16
2. MULTIPLE DX										
A. Not Operated	446	3.5	15	1	1	2	4	8	11	20
B. Operated	343	12.2	170	2	4	8	16	31	48	99 +
1. SINGLE DX	487	2.5	7	1	1	1	3	5	8	13
2. MULTIPLE DX	789	7.3	101	1	2	4	8	19	30	65
A. Not Operated	828	2.8	11	1	1	2	3	6	9	18
B. Operated	448	10.4	143	2	3	6	12	25	42	99
TOTAL										
0-19 YRS	937	3.8	32	1	1	2	4	8	14	33
20-34	174	8.6	98	2	3	6	10	17	31	91
35-49	77	11.1	174	1	2	6	14	32	47	87
50-64	47	10.4	183	1	3	5	14	31	70	99 +
65 +	41	13.9	247	2	4	7	19	33	58	61
GRAND TOTAL	1276	5.4	70	1	1	3	6	13	22	56

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	160	2.0	2	1	1	1	3	4	5	8
20-34	19	4.6	29	1	2	3	5	8	17	25
35-49	11	2.8	7	< 1	1	2	4	7	10	10
50-64	4	6.5	15	3	4	5	9	12	12	12
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	24	2.9	3	1	1	3	4	5	7	7
20-34	11	3.6	10	1	1	2	6	8	11	11
35-49	6	5.5	5	2	4	6	7	8	8	8
50-64	2	6.5	13	4	4	6	9	9	9	9
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	230	3.3	10	1	1	2	4	7	10	16
20-34	76	5.3	14	2	3	4	6	10	13	19
35-49	54	5.7	34	1	2	4	7	12	21	30
50-64	29	5.9	13	1	3	6	8	11	13	15
65 +	34	7.6	38	2	3	6	12	17	20	25
B. Operated										
0-19 YRS	96	10.4	153	2	3	6	13	26	33	67
20-34	107	10.2	171	1	3	7	12	24	47	99 +
35-49	54	13.0	218	2	4	8	17	34	60	98
50-64	30	13.8	211	1	3	8	21	37	50	50
65 +	32	16.1	179	2	5	14	22	39	42	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	195	2.4	6	1	1	2	3	5	6	11
B. Operated	46	3.5	6	1	1	3	4	7	8	11
2. MULTIPLE DX										
A. Not Operated	423	4.5	18	1	2	3	6	9	14	21
B. Operated	319	11.6	180	2	3	7	15	30	44	93
1. SINGLE DX	241	2.6	6	1	1	2	3	6	7	11
2. MULTIPLE DX	742	7.6	100	1	2	4	9	17	28	53
A. Not Operated	618	3.8	15	1	1	3	5	8	12	20
B. Operated	365	10.6	165	1	3	6	13	28	42	90
TOTAL										
0-19 YRS	510	4.2	43	1	1	2	4	8	15	32
20-34	213	7.6	100	1	2	5	9	15	26	94
35-49	125	8.6	124	2	2	5	9	23	31	75
50-64	65	9.6	118	1	3	6	12	22	35	50
65 +	70	11.2	121	2	3	7	16	24	38	44
GRAND TOTAL	983	6.4	81	1	2	3	7	15	23	51

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	1.8	1	1	1	2	2	3	4	6
20-34	18	1.9	2	<1	1	1	3	4	5	5
35-49	6	2.0	1	<1	1	2	2	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	2.3	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	215	2.1	3	1	1	2	3	4	5	10
20-34	321	2.2	3	1	1	2	3	4	5	8
35-49	105	2.3	4	1	1	2	3	4	6	11
50-64	22	2.5	6	<1	1	2	3	6	8	10
65 +	7	1.6	2	<1	1	1	1	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	2.1	2	1	1	2	3	4	5	8
20-34	118	2.6	4	1	1	2	3	5	6	10
35-49	45	4.0	16	1	2	3	5	8	10	24
50-64	35	3.3	7	1	2	3	4	6	7	15
65 +	66	4.2	10	1	2	3	5	9	11	17
B. Operated										
0-19 YRS	379	3.7	13	1	1	3	4	8	10	21
20-34	760	4.3	16	1	2	3	6	9	12	19
35-49	353	4.1	10	1	2	3	5	9	11	14
50-64	119	6.5	99	1	2	3	7	12	19	60
65 +	89	6.3	39	1	2	4	7	14	20	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	1.9	1	<1	1	2	2	3	4	6
B. Operated	670	2.2	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	335	3.1	7	1	1	2	4	6	8	15
B. Operated	1700	4.4	22	1	2	3	5	9	12	23
1. SINGLE DX	723	2.2	3	1	1	2	3	4	5	9
2. MULTIPLE DX	2035	4.2	20	1	2	3	5	8	12	22
A. Not Operated	388	2.9	7	1	1	2	4	5	7	14
B. Operated	2370	3.8	17	1	1	3	5	8	11	20
TOTAL										
0-19 YRS	689	3.0	9	1	1	2	4	6	8	15
20-34	1217	3.6	12	1	1	3	4	7	10	17
35-49	509	3.7	10	1	1	3	5	8	10	15
50-64	177	5.4	71	1	2	3	5	11	15	55
65 +	166	5.2	27	1	2	4	6	11	16	28
GRAND TOTAL	**2758**	**3.7**	**16**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	104	3.1	5	1	2	3	4	6	7	11
20-34	168	3.3	5	1	2	3	4	6	8	13
35-49	133	3.9	5	1	2	4	5	7	8	10
50-64	80	4.0	6	1	2	4	5	8	9	12
65 +	125	5.0	17	2	3	4	6	8	10	20
B. Operated										
0-19 YRS	28	6.3	12	2	3	6	9	12	13	13
20-34	64	7.3	28	3	4	6	9	17	20	23
35-49	22	11.7	95	4	5	8	16	25	33	43
50-64	4	5.3	12	2	3	4	7	10	10	10
65 +	8	6.5	8	2	4	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	4.4	40	1	2	3	5	8	10	26
20-34	273	4.2	7	1	2	4	6	8	9	13
35-49	213	5.4	13	2	3	5	7	10	12	18
50-64	298	6.8	42	2	4	6	8	11	16	25
65 +	1358	7.5	20	3	4	7	9	13	16	22
B. Operated										
0-19 YRS	68	10.1	77	3	5	7	13	19	29	46
20-34	216	10.7	114	3	5	8	14	18	26	62
35-49	107	10.3	81	3	4	8	12	24	27	46
50-64	93	13.6	119	3	6	11	19	32	38	78
65 +	175	15.9	200	5	7	12	20	31	50	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	610	3.8	8	1	2	3	5	7	9	13
B. Operated	126	7.7	37	3	4	6	10	16	20	30
2. MULTIPLE DX										
A. Not Operated	2280	6.6	24	2	4	6	9	12	15	22
B. Operated	659	12.3	133	3	5	9	15	25	33	61
1. SINGLE DX	736	4.5	15	1	2	4	5	8	11	19
2. MULTIPLE DX	2939	7.9	54	2	4	6	10	15	20	39
A. Not Operated	2890	6.0	22	2	3	5	8	11	14	21
B. Operated	785	11.6	121	3	5	9	14	23	31	60
TOTAL										
0-19 YRS	338	5.3	41	1	2	3	6	11	14	30
20-34	721	6.2	50	2	2	4	7	13	17	30
35-49	475	6.4	36	2	3	5	8	12	18	28
50-64	475	7.7	60	2	3	6	9	15	23	39
65 +	1666	8.2	46	3	4	7	10	15	19	35
GRAND TOTAL	**3675**	**7.2**	**48**	**2**	**3**	**6**	**9**	**14**	**18**	**34**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	8.5	22	3	5	8	12	14	14	14
20-34	4	1.8	2	1	1	1	3	4	4	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	19.0	57	11	13	20	24	26	26	26
20-34	7	14.6	72	7	9	13	18	29	31	31
35-49	4	12.5	54	3	7	13	18	20	20	20
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	7.7	76	1	2	4	21	85	99 +	99 +
20-34	7	11.3	156	4	6	9	99 +	99 +	99 +	99 +
35-49	5	17.0	199	5	6	17	40	94	99 +	99 +
50-64	2	26.5	761	7	7	26	46	46	46	46
65 +	17	11.8	49	3	6	13	16	22	25	26
B. Operated										
0-19 YRS	29	30.3	586	7	12	27	62	99 +	99 +	99 +
20-34	56	19.9	210	6	12	20	34	99 +	99 +	99 +
35-49	28	21.1	169	8	13	18	26	40	66	99 +
50-64	18	23.7	511	4	8	19	44	93	99 +	99 +
65 +	15	23.4	115	11	16	21	33	39	41	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.5	20	1	1	3	7	12	14	14
B. Operated	15	14.1	67	3	9	13	20	26	30	31
2. MULTIPLE DX										
A. Not Operated	37	12.5	120	3	5	11	23	99 +	99 +	99 +
B. Operated	146	23.0	310	7	12	20	38	99 +	99 +	99 +
1. SINGLE DX	25	10.2	69	1	3	10	14	20	27	31
2. MULTIPLE DX	183	20.9	289	5	10	19	34	99 +	99 +	99 +
A. Not Operated	47	10.8	108	2	4	8	17	62	99 +	99 +
B. Operated	161	22.2	294	6	12	20	34	96	99 +	99 +
TOTAL										
0-19 YRS	42	24.2	506	4	9	21	55	99 +	99 +	99 +
20-34	74	17.6	199	4	9	18	33	99 +	99 +	99 +
35-49	39	18.7	169	5	10	16	25	40	80	99 +
50-64	21	22.9	496	4	7	18	43	90	99 +	99 +
65 +	32	17.2	112	5	9	16	22	35	39	42
GRAND TOTAL	208	19.6	274	4	9	18	31	94	99 +	99 +

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	4.2	61	<1	1	2	4	5	25	32
20-34	33	2.3	2	1	1	2	3	4	6	6
35-49	47	1.8	1	1	1	1	2	3	4	5
50-64	43	2.6	3	1	1	2	3	5	6	7
65 +	48	2.9	4	1	2	2	4	6	7	10
B. Operated										
0-19 YRS	3	11.3	56	7	7	7	17	20	20	20
20-34	2	8.0	98	1	1	8	15	15	15	15
35-49	5	2.8	1	2	2	3	3	4	4	4
50-64	5	4.4	29	1	2	2	6	14	14	14
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	3.8	14	1	1	2	4	9	13	16
20-34	224	3.1	7	1	1	2	4	6	8	15
35-49	322	3.8	8	1	2	3	5	7	8	13
50-64	372	4.4	11	1	2	4	6	9	12	15
65 +	834	6.1	26	2	3	5	7	12	15	23
B. Operated										
0-19 YRS	30	5.0	15	2	3	4	6	10	12	20
20-34	111	6.5	81	1	2	4	7	13	16	47
35-49	118	7.9	70	2	3	6	9	17	21	46
50-64	98	8.5	124	2	3	5	10	17	24	65
65 +	169	13.6	196	3	5	9	16	27	42	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	186	2.5	7	1	1	2	3	5	6	9
B. Operated	16	6.1	34	1	2	3	9	15	18	20
2. MULTIPLE DX										
A. Not Operated	1804	4.9	19	1	2	4	6	10	13	20
B. Operated	526	9.4	128	2	3	6	12	19	26	64
1. SINGLE DX	202	2.8	10	1	1	2	3	5	7	17
2. MULTIPLE DX	2330	5.9	47	1	2	4	7	12	16	33
A. Not Operated	1990	4.7	18	1	2	4	6	9	12	20
B. Operated	542	9.3	126	2	3	6	11	19	26	63
TOTAL										
0-19 YRS	100	4.4	23	1	2	3	5	10	14	26
20-34	370	4.1	32	1	2	3	5	8	12	20
35-49	492	4.5	26	1	2	3	5	8	12	27
50-64	518	5.0	34	1	2	4	6	10	13	25
65 +	1052	7.2	61	2	3	5	9	14	19	42
GRAND TOTAL	2532	5.7	45	1	2	4	7	12	15	32

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	4.8	30	1	2	4	5	9	14	36
20-34	31	4.5	11	1	2	4	5	8	9	18
35-49	30	6.4	65	2	3	4	6	10	11	47
50-64	36	5.6	27	2	3	5	6	10	12	31
65 +	122	6.2	19	2	3	5	8	11	14	25
B. Operated										
0-19 YRS	6	6.7	18	2	2	7	10	12	12	12
20-34	7	18.6	280	5	6	12	25	47	52	52
35-49	8	11.9	38	6	7	9	17	21	22	22
50-64	3	18.7	602	4	4	5	36	47	47	47
65 +	5	10.0	21	5	6	10	12	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	6.4	51	1	3	4	7	13	22	41
20-34	143	8.4	75	2	3	6	10	17	29	47
35-49	104	10.2	93	3	5	8	11	21	27	58
50-64	132	8.7	65	3	4	7	10	15	24	47
65 +	1196	8.8	44	3	5	7	11	15	19	34
B. Operated										
0-19 YRS	78	15.7	185	4	7	12	18	39	50	91
20-34	145	16.0	189	4	7	13	20	39	50	99 +
35-49	85	16.0	152	4	8	13	20	35	48	88
50-64	46	18.1	235	5	7	14	26	47	56	60
65 +	138	16.1	184	5	7	12	21	31	49	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	280	5.7	26	2	3	4	7	11	13	30
B. Operated	29	12.8	140	4	5	9	15	24	47	52
2. MULTIPLE DX										
A. Not Operated	1713	8.7	52	3	4	7	10	15	21	40
B. Operated	492	16.2	184	5	7	12	20	36	50	78
1. SINGLE DX	309	6.3	41	2	3	5	8	11	16	42
2. MULTIPLE DX	2205	10.3	91	3	5	8	12	20	30	54
A. Not Operated	1993	8.2	49	3	4	7	10	15	20	38
B. Operated	521	16.0	182	5	7	12	20	36	50	74
TOTAL										
0-19 YRS	283	8.6	101	2	3	5	10	18	32	55
20-34	326	11.6	142	3	4	7	14	27	42	61
35-49	227	11.9	120	3	5	9	14	25	36	63
50-64	217	10.3	118	2	4	7	11	22	34	56
65 +	1461	9.3	60	3	5	7	11	17	22	45
GRAND TOTAL	**2514**	**9.8**	**87**	**3**	**4**	**7**	**12**	**19**	**28**	**52**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	1.8	5	< 1	1	1	1	3	6	14
20-34	13	1.7	1	< 1	1	2	2	3	3	3
35-49	19	2.3	2	1	1	2	3	4	5	6
50-64	22	2.1	2	< 1	1	2	3	4	5	6
65 +	50	3.3	17	1	1	2	4	6	7	29
B. Operated										
0-19 YRS	911	2.1	7	1	1	2	2	3	5	18
20-34	90	3.4	15	1	2	3	4	5	9	26
35-49	56	2.9	3	< 1	1	3	4	6	6	6
50-64	79	3.0	2	1	2	3	4	5	6	7
65 +	142	4.1	10	1	2	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	3.6	15	1	1	2	5	9	10	23
20-34	30	3.5	15	< 1	1	2	5	7	9	20
35-49	42	4.5	21	1	1	3	5	11	13	22
50-64	72	3.9	11	1	1	3	5	9	12	15
65 +	403	6.1	33	2	3	5	8	13	16	23
B. Operated										
0-19 YRS	275	4.8	37	1	2	3	5	11	18	31
20-34	158	7.3	63	2	3	5	8	17	25	38
35-49	111	8.3	85	2	3	5	10	16	25	53
50-64	188	7.1	63	2	3	5	8	14	23	47
65 +	570	7.7	42	2	4	6	9	15	21	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	213	2.2	7	< 1	1	1	2	4	6	14
B. Operated	1278	2.5	8	1	1	2	3	5	7	17
2. MULTIPLE DX										
A. Not Operated	623	5.3	28	1	2	4	7	11	14	22
B. Operated	1302	7.0	51	2	3	5	8	15	22	36
1. SINGLE DX	1491	2.5	8	1	1	2	3	4	7	16
2. MULTIPLE DX	1925	6.5	44	1	3	4	8	13	19	34
A. Not Operated	836	4.5	24	1	2	3	6	10	14	21
B. Operated	2580	4.8	35	1	2	3	6	10	16	29
TOTAL										
0-19 YRS	1371	2.7	14	1	1	2	3	5	9	22
20-34	291	5.5	44	1	2	3	6	11	20	35
35-49	228	5.7	52	1	2	4	7	12	17	47
50-64	361	5.3	39	1	2	4	6	10	14	34
65 +	1165	6.5	36	2	3	5	8	13	18	28
GRAND TOTAL	**3416**	**4.7**	**32**	**1**	**2**	**3**	**6**	**10**	**15**	**29**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	1.3		<1	1	1	2	2	3	4
20-34	12	1.8	1	<1	1	1	3	3	3	3
35-49	7	1.4	1	<1	<1	1	2	3	3	3
50-64	7	2.0	2	1	1	1	3	4	4	4
65+	10	6.4	111	<1	1	4	5	21	36	36
B. Operated										
0-19 YRS	1019	1.6	1	1	1	1	2	3	4	6
20-34	323	2.4	3	1	1	2	3	4	5	8
35-49	291	2.2	2	1	1	2	3	4	4	7
50-64	199	2.1	3	1	1	2	3	4	4	9
65+	182	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	1.8	2	1	1	1	2	3	5	10
20-34	35	2.7	3	1	1	2	4	5	7	8
35-49	25	2.9	6	1	2	2	3	5	10	11
50-64	16	3.4	11	1	1	2	4	8	12	14
65+	70	5.3	25	1	2	4	7	11	12	32
B. Operated										
0-19 YRS	283	3.4	23	1	1	2	4	6	10	33
20-34	304	4.8	56	1	2	3	5	9	13	24
35-49	277	5.0	29	1	2	4	6	10	13	29
50-64	232	4.8	31	1	2	3	5	10	13	33
65+	515	5.3	27	1	2	4	7	11	14	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	1.8	10	<1	1	1	2	3	4	11
B. Operated	2014	1.9	2	1	1	1	2	4	4	7
2. MULTIPLE DX										
A. Not Operated	203	3.4	14	1	1	2	4	8	10	14
B. Operated	1611	4.8	33	1	2	3	5	10	13	29
1. SINGLE DX	2145	1.9	2	1	1	1	2	3	4	7
2. MULTIPLE DX	1814	4.6	31	1	2	3	5	9	13	28
A. Not Operated	334	2.8	13	1	1	2	3	6	9	14
B. Operated	3625	3.2	18	1	1	2	4	6	9	19
TOTAL										
0-19 YRS	1454	1.9	6	1	1	1	2	3	5	10
20-34	674	3.5	28	1	2	2	4	6	9	19
35-49	600	3.5	16	1	2	2	4	7	10	22
50-64	454	3.5	19	1	1	2	4	7	10	27
65+	777	4.6	24	1	2	3	6	10	13	23
GRAND TOTAL	**3959**	**3.1**	**17**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.6	3	1	1	2	3	5	7	7
20-34	19	2.3	4	<1	1	1	3	6	7	8
35-49	7	1.4	1	<1	<1	1	2	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65+	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	117	1.8	2	<1	1	1	2	4	5	8
20-34	175	1.8	2	<1	1	1	2	3	5	9
35-49	72	1.9	2	<1	1	1	2	4	5	7
50-64	40	1.7	1	<1	1	1	2	3	4	6
65+	14	2.5	14	<1	1	1	2	5	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	2.6	2	1	2	2	4	4	5	6
20-34	32	3.0	7	<1	1	2	4	7	9	10
35-49	22	3.1	2	1	2	3	4	5	6	6
50-64	13	3.9	9	1	2	3	6	7	11	12
65+	16	4.3	4	2	3	4	6	7	8	8
B. Operated										
0-19 YRS	122	3.4	19	1	1	2	4	7	10	26
20-34	260	3.6	24	1	1	2	4	7	11	27
35-49	148	3.1	7	1	1	2	4	7	9	11
50-64	97	2.9	6	1	1	2	4	6	8	12
65+	87	3.7	16	1	1	2	4	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	2.2	3	<1	1	2	3	5	6	8
B. Operated	418	1.9	3	<1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	106	3.2	5	1	2	3	4	6	7	11
B. Operated	714	3.4	16	1	1	2	4	7	10	19
1. SINGLE DX	463	1.9	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	820	3.3	15	1	1	2	4	7	9	18
A. Not Operated	151	2.9	4	1	1	2	4	6	7	10
B. Operated	1132	2.8	12	1	1	2	3	6	8	16
TOTAL										
0-19 YRS	276	2.6	10	1	1	2	3	5	7	13
20-34	486	2.9	15	1	1	2	3	6	8	18
35-49	249	2.7	5	1	1	2	3	6	8	11
50-64	153	2.7	5	1	1	2	3	5	7	12
65+	119	3.6	14	1	1	2	4	8	12	19
GRAND TOTAL	**1283**	**2.8**	**11**	**1**	**1**	**2**	**3**	**6**	**8**	**16**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	11.8	144	1	2	6	20	29	34	48
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	5	2.4	7	1	1	1	3	7	7	7
50-64	12	6.0	40	2	3	4	5	17	22	23
65 +	69	6.5	46	1	2	5	8	12	15	37
B. Operated										
0-19 YRS	105	5.7	31	2	3	4	7	10	14	34
20-34	34	6.7	29	3	4	5	8	11	12	33
35-49	53	7.1	12	4	5	6	9	11	13	24
50-64	174	8.5	21	4	6	8	10	13	18	25
65 +	928	10.2	16	6	8	10	12	15	17	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	13.2	121	2	3	9	22	27	32	39
20-34	9	6.6	17	3	3	5	9	13	14	14
35-49	16	8.8	153	1	3	4	8	23	42	50
50-64	57	10.2	113	2	5	9	13	17	21	71
65 +	541	10.3	111	3	5	8	13	19	25	78
B. Operated										
0-19 YRS	85	11.6	97	3	5	9	13	27	31	48
20-34	110	11.6	90	5	7	9	14	19	25	63
35-49	163	12.3	80	6	7	10	14	20	33	54
50-64	667	11.9	45	6	8	10	14	19	24	36
65 +	8551	12.5	45	7	9	11	14	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	7.9	81	1	2	5	9	21	29	39
B. Operated	1294	9.4	20	5	7	9	12	14	17	25
2. MULTIPLE DX										
A. Not Operated	649	10.3	111	3	5	8	13	20	25	73
B. Operated	9576	12.4	46	7	9	11	14	19	24	39
1. SINGLE DX	1425	9.3	26	4	6	9	12	15	18	28
2. MULTIPLE DX	10225	12.3	51	6	8	11	14	19	24	41
A. Not Operated	780	9.9	107	2	4	7	12	20	27	67
B. Operated	10870	12.1	44	6	8	11	14	19	23	38
TOTAL										
0-19 YRS	258	9.4	89	2	3	6	11	23	30	43
20-34	156	10.1	76	4	5	8	12	17	25	57
35-49	237	10.7	74	4	6	9	13	18	26	51
50-64	910	11.0	46	5	7	9	13	18	22	37
65 +	10089	12.1	46	6	8	11	14	19	23	39
GRAND TOTAL	**11650**	**11.9**	**49**	**6**	**8**	**11**	**14**	**19**	**24**	**39**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	340	12.2	97	1	2	12	20	25	28	38
20-34	8	4.6	17	< 1	2	3	6	11	13	13
35-49	5	16.4	545	4	4	8	21	58	58	58
50-64	5	3.0	1	2	2	3	4	4	4	4
65 +	30	8.0	33	1	3	7	11	16	21	23
B. Operated										
0-19 YRS	370	9.8	106	1	2	5	16	24	30	43
20-34	102	8.8	68	4	5	7	9	14	19	58
35-49	31	8.8	53	2	5	7	11	16	19	40
50-64	28	12.7	245	3	5	8	14	22	29	85
65 +	49	13.2	157	3	6	10	14	28	45	60
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	207	15.4	158	2	4	15	24	30	35	47
20-34	16	10.8	268	2	3	6	12	18	54	69
35-49	10	9.5	96	1	2	7	9	27	29	29
50-64	49	8.3	61	2	4	6	9	19	30	37
65 +	182	12.6	205	3	4	7	15	36	47	97
B. Operated										
0-19 YRS	399	14.5	141	3	6	11	21	29	38	62
20-34	300	14.4	150	5	7	11	18	28	40	84
35-49	142	15.6	154	5	8	12	20	30	40	61
50-64	133	14.4	109	6	8	11	17	27	38	78
65 +	532	15.0	123	6	9	12	17	28	42	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	388	11.6	97	1	2	10	20	24	27	39
B. Operated	580	10.0	108	1	3	6	13	22	29	57
2. MULTIPLE DX										
A. Not Operated	464	13.2	172	2	4	8	19	30	39	68
B. Operated	1506	14.8	135	5	8	12	18	28	40	67
1. SINGLE DX	968	10.7	104	1	3	7	17	23	28	44
2. MULTIPLE DX	1970	14.4	144	4	7	11	18	29	40	67
A. Not Operated	852	12.5	138	1	3	9	20	27	34	55
B. Operated	2086	13.5	132	3	6	11	17	26	37	63
TOTAL										
0-19 YRS	1316	12.7	127	1	3	10	20	27	31	48
20-34	426	12.8	139	4	6	9	15	25	35	71
35-49	188	14.2	148	4	7	10	18	28	40	59
50-64	215	12.5	120	4	6	10	15	25	34	78
65 +	793	14.1	143	4	7	11	16	30	44	69
GRAND TOTAL	**2938**	**13.2**	**134**	**2**	**5**	**10**	**18**	**27**	**36**	**62**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	208	1.8	1	1	1	1	2	3	4	5
20-34	68	2.7	8	1	1	2	3	5	6	20
35-49	43	2.6	4	1	1	2	3	5	7	10
50-64	30	4.5	56	1	2	3	4	6	8	43
65 +	40	4.3	6	1	2	4	6	8	9	10
B. Operated										
0-19 YRS	514	3.0	5	1	1	2	4	6	7	11
20-34	374	4.4	9	2	2	4	5	8	10	16
35-49	271	4.9	13	2	3	4	6	9	13	21
50-64	155	5.5	12	2	3	5	7	10	13	20
65 +	76	6.7	22	2	4	6	9	12	13	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	3.4	27	1	1	2	4	6	6	36
20-34	54	4.0	44	1	2	3	4	7	9	48
35-49	64	6.0	27	2	3	5	7	10	12	34
50-64	70	6.4	33	2	4	6	8	10	15	39
65 +	242	6.7	28	2	3	5	9	12	17	26
B. Operated										
0-19 YRS	301	6.6	47	1	3	4	8	13	20	45
20-34	429	9.4	84	2	4	7	11	20	29	42
35-49	364	9.2	90	2	4	6	10	19	28	46
50-64	245	9.5	92	2	5	7	11	17	24	79
65 +	333	10.5	63	4	6	9	13	20	28	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	389	2.5	8	1	1	2	3	5	6	10
B. Operated	1390	4.2	11	1	2	3	5	8	11	17
2. MULTIPLE DX										
A. Not Operated	514	5.8	31	1	3	4	7	11	15	36
B. Operated	1672	9.1	77	2	4	7	11	19	27	49
1. SINGLE DX	1779	3.8	11	1	2	3	5	7	10	16
2. MULTIPLE DX	2186	8.3	68	2	3	6	10	16	24	46
A. Not Operated	903	4.4	24	1	2	3	5	9	11	23
B. Operated	3062	6.9	53	2	3	5	8	14	20	40
TOTAL										
0-19 YRS	1107	3.8	20	1	1	3	4	8	11	25
20-34	925	6.6	53	2	3	4	7	13	20	37
35-49	742	7.0	57	2	3	5	8	13	21	40
50-64	500	7.5	61	2	3	6	9	14	18	54
65 +	691	8.4	47	2	4	7	11	15	21	37
GRAND TOTAL	**3965**	**6.3**	**47**	**1**	**2**	**4**	**8**	**13**	**18**	**38**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	105	1.9	1	< 1	1	1	2	3	4	6
20-34	98	2.4	2	1	1	2	3	4	5	7
35-49	78	3.1	7	1	1	2	4	5	6	16
50-64	43	2.3	3	1	1	2	3	5	6	9
65 +	23	3.7	11	1	2	3	4	8	11	14
B. Operated										
0-19 YRS	688	2.4	3	1	1	2	3	4	5	8
20-34	1164	3.1	4	1	2	3	4	5	6	10
35-49	943	3.4	4	1	2	3	4	6	7	10
50-64	641	3.6	4	2	2	3	5	6	7	11
65 +	368	4.7	8	2	3	4	6	8	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	2.4	2	1	1	2	3	4	6	7
20-34	115	3.4	16	1	1	3	4	6	7	26
35-49	90	3.3	5	1	2	3	4	6	8	11
50-64	96	4.7	13	1	2	4	6	10	13	18
65 +	209	6.1	18	2	3	5	8	11	14	25
B. Operated										
0-19 YRS	356	4.8	25	1	2	3	6	10	14	22
20-34	857	5.6	31	2	3	4	6	11	15	32
35-49	802	5.6	38	2	3	4	6	10	16	34
50-64	822	5.9	22	2	3	5	7	11	13	25
65 +	950	7.3	35	3	4	6	9	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	347	2.5	4	1	1	2	3	5	6	11
B. Operated	3804	3.3	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	587	4.4	15	1	2	3	6	8	11	18
B. Operated	3787	6.0	31	2	3	5	7	11	15	30
1. SINGLE DX	4151	3.2	5	1	2	3	4	6	7	11
2. MULTIPLE DX	4374	5.8	30	2	3	4	7	11	15	29
A. Not Operated	934	3.7	11	1	1	3	5	7	10	16
B. Operated	7591	4.7	20	1	2	4	6	8	12	24
TOTAL										
0-19 YRS	1226	3.1	10	1	1	2	4	6	8	16
20-34	2234	4.0	17	1	2	3	5	7	10	23
35-49	1913	4.3	20	1	2	3	5	7	10	25
50-64	1602	4.8	15	2	3	4	6	9	11	20
65 +	1550	6.5	27	[illegible]	4	5	8	12	15	27
GRAND TOTAL	**8525**	**4.6**	**19**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.4		< 1	1	1	2	3	3	3
20-34	5	2.6	6	1	1	2	3	7	7	7
35-49	7	1.7	2	1	1	1	2	4	5	5
50-64	6	1.3		< 1	< 1	1	2	2	2	2
65 +	3	6.0	28	2	2	4	10	12	12	12
B. Operated										
0-19 YRS	11	1.4		1	1	1	2	2	2	2
20-34	28	1.8	1	1	1	2	3	3	3	3
35-49	10	1.7	1	1	1	1	2	3	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	2.5	5	1	1	2	3	6	7	13
20-34	59	3.3	6	1	1	3	4	6	8	13
35-49	40	3.1	5	1	1	2	4	6	8	10
50-64	35	4.3	9	1	2	4	5	9	11	12
65 +	74	6.6	44	2	3	4	9	13	16	42
B. Operated										
0-19 YRS	17	3.1	3	1	2	3	4	5	6	6
20-34	59	3.1	7	1	2	2	4	6	7	17
35-49	26	6.4	29	1	3	4	7	16	19	20
50-64	22	5.2	17	1	2	4	6	12	14	15
65 +	27	9.4	64	1	5	8	12	16	22	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.1	5	< 1	1	1	2	4	7	12
B. Operated	53	1.7	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	273	4.1	19	1	2	3	5	9	12	17
B. Operated	151	5.1	27	1	2	3	6	11	15	20
1. SINGLE DX	85	1.8	2	1	1	1	2	3	4	10
2. MULTIPLE DX	424	4.5	22	1	2	3	6	10	13	19
A. Not Operated	305	3.9	18	1	1	3	5	9	12	16
B. Operated	204	4.2	22	1	1	3	5	10	14	20
TOTAL										
0-19 YRS	104	2.4	4	1	1	2	3	5	6	11
20-34	151	2.9	6	1	1	2	4	6	7	13
35-49	83	3.8	15	1	1	2	5	8	12	20
50-64	65	4.3	12	1	2	3	5	10	11	15
65 +	106	7.2	49	2	3	5	10	14	16	45
GRAND TOTAL	**509**	**4.0**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**19**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.5	7	< 1	1	2	3	7	9	9
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	6	6.3	13	1	3	7	9	10	10	10
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.0	8	2	2	3	7	8	8	8
20-34	5	10.6	51	2	6	8	17	19	19	19
35-49	4	5.5	14	2	2	5	8	10	10	10
50-64	3	5.0	1	4	4	5	6	6	6	6
65 +	2	7.0	32	3	3	7	11	11	11	11
B. Operated										
0-19 YRS	13	20.5	475	3	5	15	29	51	75	80
20-34	12	12.5	113	2	4	10	26	45	90	99 +
35-49	6	14.3	181	2	6	11	16	38	40	40
50-64	1	2.0		2	2	2	2	2	2	2
65 +	6	8.5	40	3	4	7	10	19	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.7	6	< 1	1	2	3	6	9	9
B. Operated	10	6.8	25	1	3	7	9	14	18	18
2. MULTIPLE DX										
A. Not Operated	20	6.4	24	2	3	5	8	14	18	19
B. Operated	38	14.6	241	2	4	10	21	36	64	99 +
1. SINGLE DX	20	4.8	19	1	2	3	8	10	14	18
2. MULTIPLE DX	58	11.8	180	2	3	8	16	29	42	98
A. Not Operated	30	5.2	21	1	2	3	7	10	17	19
B. Operated	48	13.0	205	2	4	9	17	30	46	99 +
TOTAL										
0-19 YRS	33	10.6	251	1	2	5	11	29	42	80
20-34	19	11.3	85	2	4	9	18	30	65	99 +
35-49	12	9.4	114	2	3	6	11	23	38	40
50-64	5	4.0	3	2	3	4	5	6	6	6
65 +	9	9.2	40	3	4	9	13	19	20	20
GRAND TOTAL	**78**	**10.0**	**148**	**2**	**3**	**7**	**12**	**27**	**36**	**94**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
B. Operated										
0-19 YRS	45	1.7	1	1	1	2	2	3	3	5
20-34	148	1.8	1	1	1	2	2	3	3	4
35-49	67	1.6	1	1	1	1	2	3	3	4
50-64	27	1.7	2	<1	1	1	2	3	5	7
65+	16	1.8	1	<1	1	1	3	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	2.6	3	1	1	2	3	6	6	6
35-49	10	1.7	1	<1	1	1	2	3	4	4
50-64	4	3.8	5	1	2	4	5	6	6	6
65+	10	6.2	38	1	3	3	8	16	21	21
B. Operated										
0-19 YRS	11	2.4	2	1	1	2	3	4	5	5
20-34	53	2.2	3	1	1	2	3	4	6	8
35-49	30	2.2	2	1	1	2	3	4	4	7
50-64	25	3.3	6	1	1	2	5	8	8	9
65+	52	5.4	36	1	2	4	7	11	17	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.3		<1	1	1	2	2	2	2
B. Operated	303	1.7	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	37	3.4	14	1	1	2	4	7	10	21
B. Operated	171	3.4	15	1	1	2	4	7	9	19
1. SINGLE DX	309	1.7	1	1	1	2	2	3	3	5
2. MULTIPLE DX	208	3.4	15	1	1	2	4	7	9	20
A. Not Operated	43	3.1	13	1	1	2	3	7	9	21
B. Operated	474	2.3	6	1	1	2	2	4	6	12
TOTAL										
0-19 YRS	58	1.9	1	1	1	2	2	3	4	5
20-34	216	1.9	1	1	1	2	2	3	4	7
35-49	109	1.8	1	1	1	2	2	3	4	5
50-64	56	2.6	5	1	1	2	3	6	8	9
65+	78	4.8	31	1	1	3	6	10	16	32
GRAND TOTAL	**517**	**2.4**	**7**	**1**	**1**	**2**	**3**	**4**	**7**	**13**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	0									
50-64	0									
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	124	2.2	2	<1	1	2	3	4	5	6
20-34	136	2.4	2	<1	1	2	3	4	5	8
35-49	61	2.2	2	<1	1	2	3	4	5	5
50-64	25	2.1	4	<1	<1	1	2	5	8	8
65+	22	2.8	5	<1	<1	1	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	6	3.5	6	1	1	3	5	7	7	7
35-49	6	1.3		<1	1	1	2	2	2	2
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	6	4.7	4	2	3	5	6	7	7	7
B. Operated										
0-19 YRS	166	2.6	2	1	1	2	3	4	5	8
20-34	241	3.1	12	1	1	2	3	5	7	14
35-49	121	2.7	6	1	1	2	3	5	8	14
50-64	79	3.0	6	1	1	2	4	6	8	13
65+	61	4.9	18	1	2	4	7	10	14	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.3	1	<1	1	3	3	3	3	3
B. Operated	368	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	24	3.0	5	<1	1	2	5	7	7	7
B. Operated	668	3.0	9	1	1	2	4	6	8	14
1. SINGLE DX	375	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	692	3.0	8	1	1	2	4	6	8	14
A. Not Operated	31	2.8	4	<1	1	2	4	6	7	7
B. Operated	1036	2.8	6	<1	1	2	3	5	7	12
TOTAL										
0-19 YRS	297	2.4	2	<1	1	2	3	4	5	7
20-34	386	2.8	8	<1	1	2	3	5	6	13
35-49	188	2.5	4	<1	1	2	3	4	5	12
50-64	106	2.8	6	<1	1	2	4	6	8	13
65+	90	4.3	15	<1	1	3	6	8	11	20
GRAND TOTAL	**1067**	**2.8**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.5	4	1	1	2	3	6	7	8
20-34	16	3.5	7	<1	1	3	6	8	8	8
35-49	9	4.7	11	1	2	4	6	10	11	11
50-64	3	4.0	7	1	2	5	6	6	6	6
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	92	2.7	10	<1	1	1	3	6	10	18
20-34	97	2.9	5	1	1	2	3	6	7	11
35-49	64	3.0	7	<1	1	2	4	7	8	15
50-64	26	2.8	5	1	1	2	4	6	7	9
65 +	17	5.9	82	1	1	2	6	15	30	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.5	9	1	1	3	5	8	9	10
20-34	14	5.1	16	2	2	4	7	9	14	16
35-49	13	6.5	28	2	3	5	8	12	20	22
50-64	23	5.4	14	1	3	5	7	12	13	14
65 +	23	6.4	43	1	2	5	8	17	23	26
B. Operated										
0-19 YRS	118	6.1	37	1	2	4	7	14	19	31
20-34	126	7.5	54	1	3	5	10	19	22	32
35-49	91	5.3	33	1	2	3	6	10	16	32
50-64	61	6.6	28	1	3	5	10	14	19	21
65 +	67	8.8	62	2	4	7	12	17	20	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	3.3	6	1	1	3	5	7	8	11
B. Operated	296	3.0	12	1	1	2	4	6	8	17
2. MULTIPLE DX										
A. Not Operated	90	5.4	23	1	2	4	7	10	16	24
B. Operated	463	6.8	44	1	2	5	9	15	20	32
1. SINGLE DX	349	3.0	11	1	1	2	4	7	8	17
2. MULTIPLE DX	553	6.5	41	1	2	5	8	15	20	29
A. Not Operated	143	4.6	18	1	2	3	7	8	12	23
B. Operated	759	5.3	35	1	2	3	7	12	17	28
TOTAL										
0-19 YRS	250	4.3	25	1	1	3	5	9	14	28
20-34	253	5.3	34	1	2	3	7	12	19	27
35-49	177	4.5	23	1	1	3	6	9	12	24
50-64	113	5.4	21	1	2	4	7	12	15	21
65 +	109	7.8	61	1	2	6	9	17	22	42
GRAND TOTAL	**902**	**5.2**	**32**	**1**	**2**	**3**	**7**	**11**	**17**	**27**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.8	1	1	1	1	2	4	4	4
20-34	10	2.1	2	<1	1	2	3	4	5	5
35-49	5	1.8	2	<1	<1	1	2	4	4	4
50-64	6	1.7	3	1	1	1	1	5	5	5
65 +	2	2.0	2	<1	<1	1	3	3	3	3
B. Operated										
0-19 YRS	224	2.9	1	2	2	3	3	4	5	7
20-34	274	3.1	2	2	2	3	4	5	6	8
35-49	94	3.1	2	1	2	3	4	5	6	8
50-64	27	2.5	1	<1	1	3	3	4	4	5
65 +	14	4.8	16	2	2	3	6	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.5	6	<1	2	3	5	7	9	9
20-34	20	2.3	3	<1	1	2	3	5	6	6
35-49	19	3.2	15	<1	1	2	3	5	13	18
50-64	25	4.2	11	1	2	3	6	10	11	13
65 +	48	5.3	14	2	3	4	6	10	12	19
B. Operated										
0-19 YRS	306	3.0	2	2	2	3	4	5	5	8
20-34	394	3.3	5	1	2	3	4	6	7	12
35-49	118	3.4	4	1	2	3	4	6	7	11
50-64	48	3.8	4	2	2	4	5	6	8	10
65 +	35	7.0	89	2	3	5	10	14	23	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	1.9	2	<1	1	1	2	4	5	5
B. Operated	633	3.0	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	122	4.1	12	1	2	3	5	9	11	18
B. Operated	901	3.4	5	1	2	3	4	6	7	13
1. SINGLE DX	668	3.0	2	1	2	3	4	5	5	8
2. MULTIPLE DX	1023	3.5	6	1	2	3	4	6	8	14
A. Not Operated	157	3.6	11	1	1	3	5	8	10	18
B. Operated	1534	3.2	4	1	2	3	4	5	6	11
TOTAL										
0-19 YRS	552	2.9	2	2	2	3	3	4	5	8
20-34	698	3.2	4	1	2	3	4	5	6	10
35-49	236	3.2	4	1	2	3	4	6	7	10
50-64	106	3.4	5	1	2	3	4	6	8	12
65 +	99	5.7	24	2	2	5	7	13	16	25
GRAND TOTAL	**1691**	**3.3**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.5	7	< 1	1	4	5	6	9	10
20-34	166	3.8	5	1	2	4	5	6	8	11
35-49	149	4.5	10	2	2	4	5	8	10	18
50-64	58	3.5	5	1	2	3	5	7	8	9
65 +	21	4.3	10	1	2	3	7	9	11	12
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	24	5.2	15	1	1	5	8	10	13	14
35-49	24	3.9	11	1	1	3	6	9	11	12
50-64	11	3.3	9	1	1	2	5	8	11	11
65 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.8	4	1	2	2	3	6	7	7
20-34	260	4.7	9	2	3	4	6	9	10	16
35-49	396	5.1	8	2	3	5	7	9	10	15
50-64	231	5.6	13	3	3	5	7	10	12	17
65 +	236	5.7	10	2	3	5	8	9	11	15
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	35	5.7	15	1	3	5	8	11	13	15
35-49	40	6.4	23	1	2	6	10	12	16	20
50-64	18	7.0	30	1	4	5	12	13	18	22
65 +	22	11.5	92	3	5	8	15	29	32	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	407	4.0	7	1	2	4	5	7	9	14
B. Operated	62	4.5	14	1	1	3	7	10	12	16
2. MULTIPLE DX										
A. Not Operated	1136	5.2	10	2	3	5	7	9	10	16
B. Operated	116	7.3	38	1	3	5	10	14	19	32
1. SINGLE DX	469	4.1	8	1	2	4	5	8	9	14
2. MULTIPLE DX	1252	5.4	13	2	3	5	7	10	12	18
A. Not Operated	1543	4.9	9	2	3	4	6	9	10	16
B. Operated	178	6.3	31	1	2	5	9	12	16	29
TOTAL										
0-19 YRS	28	3.6	11	1	1	3	5	7	11	16
20-34	485	4.5	9	1	2	4	6	8	10	15
35-49	609	5.0	10	2	3	4	6	9	11	17
50-64	318	5.2	13	2	3	4	6	10	12	17
65 +	281	6.0	19	2	3	5	8	10	13	27
GRAND TOTAL	**1721**	**5.1**	**12**	**2**	**3**	**4**	**6**	**9**	**11**	**17**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	1.5	1	1	1	1	2	3	4	8
20-34	158	3.6	5	1	2	3	5	6	8	10
35-49	165	4.0	7	1	2	3	5	8	9	13
50-64	52	3.7	6	1	2	3	5	6	7	13
65 +	21	2.5	3	1	1	2	3	5	6	7
B. Operated										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	36	3.3	12	1	1	2	4	9	12	14
35-49	29	3.0	8	1	1	1	5	8	8	10
50-64	8	5.5	21	1	1	5	9	12	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	2.3	3	< 1	1	2	3	5	6	10
20-34	322	4.0	7	1	2	3	5	8	9	13
35-49	390	4.5	8	1	3	4	6	8	10	14
50-64	200	5.0	11	1	3	4	7	9	11	17
65 +	216	5.1	12	2	3	4	6	9	12	18
B. Operated										
0-19 YRS	5	1.6	1	< 1	1	1	2	3	3	3
20-34	52	4.3	16	1	1	3	6	9	12	20
35-49	59	4.6	14	1	1	4	7	10	12	14
50-64	31	6.1	31	1	1	5	9	14	18	23
65 +	13	8.6	24	3	5	8	12	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	457	3.4	6	1	1	3	5	7	8	11
B. Operated	76	3.4	11	1	1	2	5	8	11	14
2. MULTIPLE DX										
A. Not Operated	1196	4.5	9	1	2	4	6	8	10	15
B. Operated	160	5.1	20	1	1	4	7	11	14	20
1. SINGLE DX	533	3.4	7	1	1	3	5	7	8	13
2. MULTIPLE DX	1356	4.5	11	1	2	4	6	9	11	16
A. Not Operated	1653	4.2	9	1	2	4	5	8	10	13
B. Operated	236	4.5	18	1	1	3	7	11	13	18
TOTAL										
0-19 YRS	137	2.0	2	1	1	1	2	4	5	8
20-34	568	3.9	8	1	2	3	5	7	9	14
35-49	643	4.3	9	1	2	4	6	8	10	13
50-64	291	4.9	13	1	3	4	6	9	12	18
65 +	250	5.1	13	1	3	4	6	10	12	18
GRAND TOTAL	**1889**	**4.2**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	1.9	2	< 1	1	1	2	4	5	6
20-34	30	2.2	3	< 1	1	2	2	5	6	6
35-49	17	2.3	1	1	1	2	3	4	5	5
50-64	19	2.4	1	1	2	2	3	4	5	5
65 +	7	4.0	8	1	2	4	6	8	9	9
B. Operated										
0-19 YRS	52	1.9	1	1	1	2	3	3	3	6
20-34	217	1.9	1	1	1	2	3	3	4	5
35-49	426	2.1	1	1	1	2	3	3	4	7
50-64	483	2.6	1	1	2	2	3	4	4	6
65 +	185	3.0	3	1	2	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	2.0	1	1	1	2	3	4	4	5
20-34	49	2.2	3	1	1	2	3	4	5	9
35-49	52	3.6	7	1	2	3	5	8	9	10
50-64	52	3.8	14	1	2	3	4	7	9	25
65 +	135	4.6	12	1	2	4	6	9	12	18
B. Operated										
0-19 YRS	23	2.7	6	1	1	2	4	5	8	12
20-34	93	2.7	6	1	1	2	3	6	6	15
35-49	291	2.6	2	1	2	2	3	4	5	9
50-64	568	3.0	4	1	2	3	3	5	6	11
65 +	408	4.0	11	2	2	3	4	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	2.3	3	1	1	2	3	4	6	8
B. Operated	1363	2.3	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	311	3.7	10	1	2	3	5	8	9	17
B. Operated	1383	3.2	6	1	2	3	4	5	7	14
1. SINGLE DX	1459	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1694	3.3	7	1	2	3	4	6	8	14
A. Not Operated	407	3.4	9	1	1	3	4	7	9	16
B. Operated	2746	2.8	4	1	2	2	3	4	6	10
TOTAL										
0-19 YRS	121	2.1	2	1	1	2	3	4	5	8
20-34	389	2.2	3	1	1	2	3	4	5	8
35-49	786	2.4	2	1	1	2	3	4	5	8
50-64	1122	2.8	3	1	2	3	3	4	6	10
65 +	735	3.9	10	1	2	3	4	7	9	16
GRAND TOTAL	**3153**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**6**	**11**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	693	1.3		< 1	1	1	1	2	3	4
20-34	144	1.7	1	1	1	1	2	3	4	8
35-49	57	1.6	1	< 1	1	1	2	3	3	8
50-64	23	1.7	2	1	1	1	2	3	5	7
65 +	16	1.8	1	1	1	2	2	3	4	5
B. Operated										
0-19 YRS	5	1.0		< 1	< 1	1	1	1	1	1
20-34	3	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	955	1.8	3	1	1	1	2	3	4	8
20-34	642	2.3	4	1	1	2	3	4	6	10
35-49	345	3.1	9	1	1	2	4	6	8	15
50-64	191	3.3	9	1	2	2	4	7	9	13
65 +	352	4.2	11	1	2	3	5	9	11	15
B. Operated										
0-19 YRS	236	3.2	32	1	1	2	3	6	8	34
20-34	306	2.8	7	1	1	2	3	6	7	14
35-49	144	4.3	52	1	1	2	4	8	13	34
50-64	68	4.6	31	1	2	3	5	8	15	32
65 +	106	4.9	41	1	2	3	6	12	13	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	933	1.4	1	< 1	1	1	1	2	3	5
B. Operated	9	3.4	54	< 1	< 1	1	1	14	23	23
2. MULTIPLE DX										
A. Not Operated	2485	2.6	6	1	1	2	3	5	7	13
B. Operated	860	3.5	28	1	1	2	4	7	10	30
1. SINGLE DX	942	1.4	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	3345	2.8	12	1	1	2	3	6	8	15
A. Not Operated	3418	2.2	5	1	1	1	3	4	6	12
B. Operated	869	3.5	28	1	1	2	4	7	10	29
TOTAL										
0-19 YRS	1889	1.8	6	1	1	1	2	3	4	9
20-34	1095	2.4	5	1	1	2	3	5	6	11
35-49	546	3.3	20	1	1	2	4	6	9	20
50-64	282	3.5	14	1	1	2	4	7	9	24
65 +	475	4.3	19	1	2	3	5	9	12	17
GRAND TOTAL	**4287**	**2.5**	**10**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	0									
50-64	1	49.0		49	49	49	49	49	49	49
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	19.7	197	5	10	16	36	59	94	99 +
20-34	9	24.3	203	11	13	20	44	72	99 +	99 +
35-49	1	29.0		29	29	29	29	29	29	29
50-64	1	12.0		12	12	12	12	12	12	12
65 +	4	21.0	329	9	11	13	31	48	48	48
B. Operated										
0-19 YRS	38	37.6	384	15	24	37	62	99 +	99 +	99 +
20-34	48	38.7	440	17	23	35	61	85	99 +	99 +
35-49	14	33.2	279	17	23	36	76	99 +	99 +	99 +
50-64	13	49.5	216	32	36	53	67	73	94	99 +
65 +	12	25.5	275	7	13	28	37	70	94	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	9.0	18	6	6	9	12	12	12	12
B. Operated	2	26.5	1013	4	4	26	49	49	49	49
2. MULTIPLE DX										
A. Not Operated	26	21.6	193	9	11	16	38	47	99 +	99 +
B. Operated	125	37.6	387	15	24	36	61	99 +	99 +	99 +
1. SINGLE DX	4	17.8	446	4	5	9	30	49	49	49
2. MULTIPLE DX	151	34.8	389	13	20	35	59	99 +	99 +	99 +
A. Not Operated	28	20.7	190	8	11	14	37	46	99 +	99 +
B. Operated	127	37.4	391	15	23	36	61	99 +	99 +	99 +
TOTAL										
0-19 YRS	51	32.5	403	11	15	34	60	99 +	99 +	99 +
20-34	58	35.9	434	14	19	34	59	85	99 +	99 +
35-49	15	32.9	261	18	23	35	70	99 +	99 +	99 +
50-64	15	46.9	279	27	35	51	62	70	91	99 +
65 +	16	24.4	271	8	12	22	37	60	87	99 +
GRAND TOTAL	**155**	**34.4**	**395**	**12**	**19**	**35**	**58**	**99 +**	**99 +**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	637	1.5	3	1	1	1	2	2	4	7
20-34	105	3.2	13	1	1	2	4	7	10	20
35-49	48	2.1	3	1	1	2	2	4	4	12
50-64	19	3.6	15	1	1	3	3	9	13	16
65 +	17	4.4	24	1	1	3	4	13	17	18
B. Operated										
0-19 YRS	36	3.6	5	1	2	4	5	7	7	9
20-34	20	5.6	9	1	4	5	7	8	12	15
35-49	12	7.5	47	2	3	5	9	19	24	25
50-64	13	6.7	17	1	3	8	9	11	14	15
65 +	27	8.5	38	5	5	7	9	16	21	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1171	2.6	11	1	1	1	3	5	9	19
20-34	545	3.9	39	1	1	2	4	8	12	23
35-49	250	3.3	9	1	1	2	4	7	10	17
50-64	187	4.9	32	1	2	3	5	12	15	25
65 +	413	6.7	35	1	3	5	9	14	18	28
B. Operated										
0-19 YRS	371	8.7	149	1	2	4	12	25	42	99 +
20-34	363	8.5	139	1	2	4	11	22	29	91
35-49	195	10.3	167	1	2	5	12	29	39	73
50-64	129	11.1	155	1	3	8	15	23	37	84
65 +	327	14.4	193	2	5	10	20	31	43	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	826	1.9	5	1	1	1	2	3	5	12
B. Operated	108	6.0	23	1	3	5	7	10	15	28
2. MULTIPLE DX										
A. Not Operated	2566	3.7	24	1	1	2	4	9	13	22
B. Operated	1385	10.4	165	1	2	6	14	26	40	91
1. SINGLE DX	934	2.4	9	1	1	1	2	5	7	16
2. MULTIPLE DX	3951	6.1	84	1	1	3	7	15	23	55
A. Not Operated	3392	3.3	20	1	1	2	4	7	11	21
B. Operated	1493	10.1	156	1	2	6	14	25	38	87
TOTAL										
0-19 YRS	2215	3.3	38	1	1	1	3	7	13	39
20-34	1033	5.4	76	1	1	3	6	12	20	55
35-49	505	6.0	83	1	1	3	6	14	24	53
50-64	348	7.2	84	1	2	4	10	16	22	55
65 +	784	9.9	115	2	3	6	13	22	29	64
GRAND TOTAL	**4885**	**5.4**	**72**	**1**	**1**	**2**	**6**	**14**	**21**	**49**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.2	1	1	1	2	3	4	4	4
20-34	40	2.7	5	1	1	2	4	5	8	11
35-49	14	1.9	3	1	1	1	2	5	6	6
50-64	4	2.3	1	1	1	2	3	3	3	3
65 +	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	26	4.1	2	2	3	4	5	7	7	7
20-34	54	4.9	8	2	3	4	7	9	11	12
35-49	14	5.9	11	2	4	5	8	10	13	14
50-64	9	4.6	14	1	2	3	5	11	13	13
65 +	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	3.4	5	2	2	3	4	6	8	12
20-34	142	3.6	16	1	2	3	4	7	10	17
35-49	125	4.7	44	1	2	3	5	7	11	49
50-64	108	4.4	10	1	2	3	6	9	9	17
65 +	158	5.9	18	2	3	5	8	11	15	22
B. Operated										
0-19 YRS	146	8.1	40	3	4	7	10	14	17	31
20-34	345	7.6	37	3	4	6	9	15	19	31
35-49	214	9.4	116	3	4	6	11	17	28	77
50-64	118	10.0	79	3	5	7	13	21	36	99 +
65 +	138	13.3	206	4	5	9	14	31	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	2.3	3	1	1	2	3	4	5	10
B. Operated	105	4.8	7	2	3	4	6	8	11	13
2. MULTIPLE DX										
A. Not Operated	619	4.5	20	1	2	3	5	9	11	20
B. Operated	961	9.2	88	3	4	7	11	17	27	69
1. SINGLE DX	195	3.7	7	1	2	3	5	7	9	13
2. MULTIPLE DX	1580	7.4	66	2	3	5	9	14	20	52
A. Not Operated	709	4.3	19	1	2	3	5	8	11	19
B. Operated	1066	8.7	81	3	4	6	10	17	25	68
TOTAL										
0-19 YRS	287	5.7	28	2	3	4	8	11	14	25
20-34	581	6.0	30	1	3	5	7	12	16	30
35-49	367	7.4	89	2	3	5	8	14	21	63
50-64	239	7.1	52	2	3	5	9	16	21	53
65 +	301	9.2	117	3	4	6	10	19	29	99
GRAND TOTAL	**1775**	**7.0**	**61**	**2**	**3**	**5**	**8**	**13**	**19**	**49**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	164	3.8	8	1	2	3	6	8	9	12
20-34	54	2.6	5	1	1	2	4	5	7	12
35-49	17	3.8	8	1	2	3	5	9	10	10
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	5	2.6	2	1	2	2	3	5	5	5
B. Operated										
0-19 YRS	61	6.1	18	2	4	5	7	10	12	27
20-34	66	5.7	8	3	4	6	7	8	9	19
35-49	13	5.4	3	3	4	5	7	7	8	8
50-64	5	6.2	1	5	6	6	7	7	7	7
65 +	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	312	4.6	13	1	2	4	7	9	11	16
20-34	198	4.0	10	1	2	3	5	9	11	15
35-49	80	5.2	30	1	2	4	6	10	11	36
50-64	39	4.0	10	1	2	3	5	9	11	13
65 +	52	6.0	18	2	3	4	9	12	14	19
B. Operated										
0-19 YRS	344	9.7	54	3	5	8	11	19	26	42
20-34	574	11.7	125	4	6	8	12	24	33	66
35-49	216	11.1	97	4	6	8	12	22	37	76
50-64	95	14.2	199	4	7	8	18	30	49	72
65 +	91	14.6	176	4	7	10	17	33	44	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	242	3.5	7	1	1	3	5	7	9	12
B. Operated	147	5.9	11	2	4	6	7	8	10	21
2. MULTIPLE DX										
A. Not Operated	681	4.6	15	1	2	3	6	9	11	16
B. Operated	1320	11.5	112	4	6	8	13	23	33	65
1. SINGLE DX	389	4.4	10	1	2	4	6	8	9	13
2. MULTIPLE DX	2001	9.1	90	2	4	7	10	18	27	53
A. Not Operated	923	4.3	13	1	2	3	6	9	11	15
B. Operated	1467	10.9	105	4	6	8	12	22	32	64
TOTAL										
0-19 YRS	881	6.5	35	1	2	5	8	12	18	32
20-34	892	9.0	97	2	4	7	10	18	28	53
35-49	326	9.1	80	2	5	7	10	18	30	63
50-64	141	11.0	158	2	4	7	13	24	40	70
65 +	150	11.1	132	2	4	8	13	21	38	66
GRAND TOTAL	**2390**	**8.4**	**80**	**2**	**3**	**6**	**9**	**17**	**25**	**51**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.2	3	2	2	3	4	6	6	6
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	160	2.3	2	1	1	2	3	5	5	6
20-34	62	2.9	3	1	1	3	4	6	7	9
35-49	28	2.9	3	< 1	1	3	4	5	6	6
50-64	8	2.5	1	2	2	2	3	4	4	4
65 +	7	2.6	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	3.1	11	< 1	1	2	4	6	10	16
20-34	7	3.3	5	1	1	3	5	7	7	7
35-49	4	3.0	8	1	1	2	5	7	7	7
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	155	3.4	7	1	1	3	5	6	7	10
20-34	149	4.1	11	1	2	3	5	8	10	19
35-49	88	3.6	6	1	2	3	5	6	7	13
50-64	34	4.5	7	1	2	4	6	8	10	12
65 +	47	6.7	163	2	3	4	7	11	14	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.3	2	1	2	3	4	5	6	6
B. Operated	265	2.5	3	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	35	3.0	9	< 1	1	2	4	6	7	16
B. Operated	473	4.0	24	1	2	3	5	7	9	18
1. SINGLE DX	275	2.5	3	1	1	2	4	5	6	7
2. MULTIPLE DX	508	4.0	23	1	2	3	5	7	9	17
A. Not Operated	45	3.1	7	1	1	2	4	6	7	16
B. Operated	738	3.5	17	1	1	3	4	6	8	14
TOTAL										
0-19 YRS	342	2.9	5	1	1	2	4	6	6	10
20-34	220	3.7	9	1	2	3	5	7	9	18
35-49	122	3.4	5	1	1	3	5	6	7	12
50-64	45	4.0	7	1	2	3	5	8	9	12
65 +	54	6.1	144	1	2	4	6	9	14	86
GRAND TOTAL	**783**	**3.5**	**16**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	104	2.1	10	1	1	1	2	3	4	18
20-34	20	1.7	1	< 1	< 1	1	2	3	4	5
35-49	10	1.4		< 1	< 1	1	2	3	3	3
50-64	3	1.3		< 1	< 1	< 1	2	2	2	2
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	180	1.7	2	< 1	1	1	2	3	4	9
20-34	70	2.6	11	< 1	1	1	3	5	7	22
35-49	26	1.8	1	< 1	1	1	2	3	4	5
50-64	13	2.0	1	1	1	2	2	3	4	4
65 +	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	146	2.2	3	1	1	2	3	5	5	7
20-34	102	2.5	3	1	1	2	3	5	6	9
35-49	40	2.9	5	1	1	2	4	6	8	11
50-64	28	3.1	5	1	1	2	4	7	8	9
65 +	41	4.0	8	1	2	3	5	9	10	11
B. Operated										
0-19 YRS	383	2.9	11	1	1	2	3	6	8	15
20-34	435	3.2	15	1	1	2	4	6	9	18
35-49	182	3.6	16	1	1	2	4	7	9	26
50-64	90	3.7	15	1	1	2	4	9	12	22
65 +	137	4.9	23	1	2	3	6	10	13	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	1.9	8	< 1	1	1	2	3	4	9
B. Operated	292	2.0	5	< 1	1	1	2	4	5	12
2. MULTIPLE DX										
A. Not Operated	357	2.6	4	1	1	2	3	5	7	10
B. Operated	1227	3.4	15	1	1	2	4	7	9	21
1. SINGLE DX	432	2.0	5	< 1	1	1	2	3	5	11
2. MULTIPLE DX	1584	3.2	13	1	1	2	4	6	9	19
A. Not Operated	497	2.4	5	1	1	2	3	5	6	10
B. Operated	1519	3.1	13	1	1	2	4	6	9	20
TOTAL										
0-19 YRS	813	2.4	8	1	1	2	3	5	6	13
20-34	627	2.9	12	1	1	2	4	5	8	18
35-49	258	3.2	13	1	1	2	4	6	8	21
50-64	134	3.3	12	1	1	2	4	8	10	21
65 +	184	4.6	19	1	2	3	6	9	12	25
GRAND TOTAL	**2016**	**2.9**	**11**	**1**	**1**	**2**	**3**	**6**	**8**	**18**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	1.6	2	< 1	1	1	2	3	3	9
20-34	101	1.8	1	< 1	1	1	2	3	4	7
35-49	15	1.4	1	1	1	1	2	2	4	4
50-64	6	1.3		< 1	< 1	1	2	2	2	2
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	102	1.8	1	< 1	1	1	2	4	5	6
20-34	74	2.9	4	1	1	2	4	6	7	8
35-49	18	3.2	5	1	1	3	4	6	8	9
50-64	8	2.8	4	< 1	1	2	4	6	6	6
65 +	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	2.3	3	< 1	1	2	3	4	5	11
20-34	122	2.6	5	1	1	2	3	5	8	13
35-49	48	2.5	2	1	1	2	3	5	5	6
50-64	7	3.1	3	< 1	1	3	5	5	5	5
65 +	8	5.0	19	< 1	1	3	9	11	11	11
B. Operated										
0-19 YRS	123	4.7	16	1	2	4	6	11	14	18
20-34	215	5.0	32	1	2	4	6	10	14	27
35-49	74	5.0	14	1	2	4	7	9	11	22
50-64	20	4.9	14	1	2	4	6	11	13	14
65 +	15	10.8	148	2	3	4	14	37	38	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	201	1.7	1	< 1	1	1	2	3	3	7
B. Operated	204	2.4	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	247	2.6	5	1	1	2	3	5	6	12
B. Operated	447	5.1	29	1	2	4	6	11	14	24
1. SINGLE DX	405	2.0	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX	694	4.2	22	1	1	3	5	9	12	22
A. Not Operated	448	2.2	3	1	1	2	3	4	5	11
B. Operated	651	4.3	22	1	1	3	6	8	12	22
TOTAL										
0-19 YRS	364	2.8	9	1	1	2	4	6	9	16
20-34	512	3.5	18	1	1	2	4	7	10	20
35-49	155	3.7	10	1	1	3	5	7	9	15
50-64	41	3.6	10	< 1	1	3	5	7	11	14
65 +	27	7.9	98	1	2	4	10	20	37	38
GRAND TOTAL	**1099**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	150	2.6	3	1	1	2	3	5	6	9
20-34	118	2.5	3	1	1	2	3	4	5	9
35-49	55	2.4	2	1	1	2	3	4	5	6
50-64	15	2.5	4	1	1	2	3	6	7	8
65 +	6	3.2	4	2	2	2	4	7	7	7
B. Operated										
0-19 YRS	330	2.0	3	< 1	1	1	2	4	6	10
20-34	474	2.5	6	< 1	1	2	3	5	7	12
35-49	189	2.6	6	< 1	1	2	3	6	8	12
50-64	96	2.2	3	1	1	2	3	4	7	10
65 +	31	3.2	18	1	1	2	3	7	14	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	114	2.8	3	1	2	2	3	5	6	9
20-34	178	2.7	2	1	2	2	3	5	6	8
35-49	80	4.0	6	1	2	4	5	7	8	14
50-64	46	3.8	5	1	2	3	5	7	7	13
65 +	45	4.1	12	1	2	3	5	8	10	20
B. Operated										
0-19 YRS	437	3.1	12	1	1	2	4	7	10	17
20-34	688	3.6	20	1	1	2	4	7	11	25
35-49	263	3.4	14	1	1	2	4	7	10	20
50-64	167	4.2	25	1	1	2	6	11	16	26
65 +	118	5.1	31	1	2	3	6	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	344	2.5	3	1	1	2	3	4	6	8
B. Operated	1120	2.4	6	< 1	1	1	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	463	3.2	5	1	2	3	4	6	7	10
B. Operated	1673	3.6	19	1	1	2	4	8	12	22
1. SINGLE DX	1464	2.4	5	1	1	2	3	5	7	11
2. MULTIPLE DX	2136	3.5	16	1	1	2	4	7	10	20
A. Not Operated	807	2.9	4	1	2	2	4	5	7	9
B. Operated	2793	3.1	14	1	1	2	4	7	9	19
TOTAL										
0-19 YRS	1031	2.6	7	1	1	2	3	6	8	13
20-34	1458	3.0	12	1	1	2	4	6	8	17
35-49	587	3.1	9	1	1	2	4	7	8	15
50-64	324	3.5	16	1	1	2	4	7	11	20
65 +	200	4.5	24	1	1	3	5	11	15	24
GRAND TOTAL	**3600**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	179	2.3	2	1	1	2	3	4	5	7
20-34	100	2.6	5	1	1	2	3	5	6	13
35-49	44	3.1	3	1	2	3	4	6	7	9
50-64	13	3.4	2	1	2	3	5	5	6	6
65 +	7	5.9	17	< 1	2	5	8	12	13	13
B. Operated										
0-19 YRS	329	3.3	13	1	1	2	4	6	9	21
20-34	268	3.4	13	1	1	2	4	6	8	21
35-49	94	3.5	28	1	1	2	3	7	8	33
50-64	31	3.5	12	1	2	3	4	6	12	18
65 +	15	3.6	7	1	1	3	5	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	128	3.4	8	1	2	3	4	5	9	17
20-34	78	4.4	26	1	2	3	4	7	11	31
35-49	50	3.8	7	1	2	3	5	7	11	11
50-64	35	5.0	7	2	3	5	7	9	10	11
65 +	53	7.7	53	3	4	5	9	15	22	43
B. Operated										
0-19 YRS	234	5.7	35	1	2	4	6	12	21	26
20-34	229	5.8	49	1	2	4	6	12	18	34
35-49	117	7.7	71	1	2	5	9	19	25	42
50-64	86	7.2	37	2	3	5	9	16	21	28
65 +	58	13.1	109	3	6	10	18	25	31	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	343	2.6	4	1	1	2	3	5	6	8
B. Operated	737	3.4	15	1	1	2	4	7	9	21
2. MULTIPLE DX										
A. Not Operated	344	4.5	21	1	2	3	5	9	12	24
B. Operated	724	6.8	55	1	2	4	8	16	23	34
1. SINGLE DX	1080	3.1	11	1	1	2	4	6	8	19
2. MULTIPLE DX	1068	6.1	45	1	2	4	7	13	21	33
A. Not Operated	687	3.6	13	1	2	3	4	7	9	19
B. Operated	1461	5.1	38	1	2	3	6	11	18	31
TOTAL										
0-19 YRS	870	3.8	17	1	1	3	4	7	11	23
20-34	675	4.2	27	1	2	3	5	8	12	30
35-49	305	5.1	41	1	2	3	6	11	16	35
50-64	165	5.8	26	2	3	4	7	12	18	27
65 +	133	9.5	81	2	4	7	12	23	25	46
GRAND TOTAL	**2148**	**4.6**	**30**	**1**	**2**	**3**	**5**	**9**	**15**	**27**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-19 YRS	6	2.3	8	< 1	1	1	2	7	8	8
20-34	11	2.5	5	< 1	1	2	4	6	7	7
35-49	9	3.2	7	1	1	2	5	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.7	5	< 1	1	2	5	6	6	6
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	3	8.7	1	8	8	8	10	10	10	10
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	51	7.7	61	1	2	5	12	21	28	99
20-34	139	7.8	110	1	2	4	9	19	27	59
35-49	47	9.7	167	1	2	6	11	24	33	73
50-64	21	9.0	115	1	3	5	10	23	35	45
65 +	15	13.9	202	3	4	10	18	23	50	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.5	21	1	2	4	8	12	14	14
B. Operated	30	2.6	5	< 1	1	2	3	7	8	8
2. MULTIPLE DX										
A. Not Operated	15	4.5	11	1	1	5	8	9	10	10
B. Operated	273	8.5	117	1	2	5	10	21	29	64
1. SINGLE DX	38	3.2	9	1	1	2	4	8	9	14
2. MULTIPLE DX	288	8.3	112	1	2	5	9	20	28	63
A. Not Operated	23	4.9	14	1	1	5	8	9	11	14
B. Operated	303	7.9	109	1	2	4	9	19	28	62
TOTAL										
0-19 YRS	65	6.6	54	1	1	4	10	18	28	89
20-34	154	7.4	102	1	2	4	8	19	25	58
35-49	61	8.2	137	1	2	5	8	21	28	70
50-64	27	8.1	94	1	2	5	8	20	29	45
65 +	19	12.3	173	2	3	7	17	22	43	59
GRAND TOTAL	**326**	**7.7**	**102**	**1**	**2**	**4**	**9**	**19**	**26**	**60**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	3.8	9	1	1	3	6	8	10	12
20-34	22	3.4	15	< 1	1	2	3	9	12	15
35-49	15	3.0	10	1	1	2	4	9	10	11
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	8.0	79	1	2	7	18	78	99 +	99 +
20-34	16	21.7	759	1	3	7	55	76	93	99 +
35-49	12	5.3	16	2	3	5	12	99 +	99 +	99 +
50-64	7	6.3	25	1	3	6	12	74	99 +	99 +
65 +	7	4.7	6	2	4	4	6	8	9	9
B. Operated										
0-19 YRS	16	3.3	11	1	1	2	5	8	11	12
20-34	38	4.7	24	1	2	3	6	8	14	27
35-49	21	8.5	131	1	3	4	7	25	41	45
50-64	20	6.2	53	1	2	3	8	12	22	33
65 +	10	13.0	16[illegible]	3	5	9	12	36	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.1	1	2	2	3	4	5	5	5
B. Operated	68	3.4	10	1	1	2	4	9	10	14
2. MULTIPLE DX										
A. Not Operated	49	11.1	311	1	3	6	12	81	99 +	99 +
B. Operated	105	6.3	67	1	2	4	7	12	28	41
1. SINGLE DX	75	3.4	9	1	1	2	4	9	9	14
2. MULTIPLE DX	154	7.9	148	1	2	4	8	27	56	99 +
A. Not Operated	56	10.1	279	1	3	5	9	69	99 +	99 +
B. Operated	173	5.2	47	1	1	3	7	11	14	37
TOTAL										
0-19 YRS	50	4.2	20	1	1	3	6	9	12	99
20-34	79	7.8	212	1	2	3	7	14	55	94
35-49	51	5.8	65	1	2	4	7	15	44	99 +
50-64	29	5.9	43	1	2	4	9	13	33	99 +
65 +	20	8.6	102	1	4	5	10	24	36	37
GRAND TOTAL	**229**	**6.4**	**107**	**1**	**2**	**4**	**7**	**12**	**37**	**99 +**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	106	3.9	5	1	2	4	5	6	7	13
20-34	32	4.0	4	2	3	4	5	6	6	11
35-49	7	1.7	2	< 1	< 1	1	2	4	5	5
50-64	7	3.3	6	1	1	3	5	7	8	8
65 +	0									
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	4.1	4	1	2	5	5	6	7	9
20-34	46	3.3	3	1	2	3	5	6	6	7
35-49	20	3.4	8	1	2	3	4	5	10	14
50-64	12	3.9	2	2	3	4	5	6	6	6
65 +	13	4.3	12	2	3	3	5	8	14	15
B. Operated										
0-19 YRS	20	4.2	10	1	2	4	5	6	11	15
20-34	15	4.3	10	2	2	4	5	6	12	14
35-49	9	5.1	38	1	2	4	5	15	21	21
50-64	3	4.3	10	2	2	3	7	8	8	8
65 +	4	6.8	6	4	5	6	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	3.8	5	1	2	4	5	6	7	13
B. Operated	7	3.3	6	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	175	3.8	5	1	2	4	5	6	7	13
B. Operated	51	4.6	14	1	2	4	6	7	14	21
1. SINGLE DX	159	3.8	5	1	2	4	5	6	7	13
2. MULTIPLE DX	226	4.0	7	1	2	4	5	6	7	15
A. Not Operated	327	3.8	5	1	2	4	5	6	7	13
B. Operated	58	4.4	13	1	2	4	6	7	12	21
TOTAL										
0-19 YRS	212	4.0	5	1	2	4	5	6	7	13
20-34	94	3.7	5	1	2	4	5	6	6	13
35-49	37	3.4	15	1	1	2	4	5	11	21
50-64	23	3.7	4	1	2	3	5	6	8	8
65 +	19	4.9	11	2	3	4	6	9	13	15
GRAND TOTAL	**385**	**3.9**	**6**	**1**	**2**	**4**	**5**	**6**	**7**	**14**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	296	1.7	1	< 1	1	1	2	3	4	6
20-34	178	1.6	1	< 1	1	1	2	3	4	7
35-49	99	2.0	2	1	1	2	3	4	5	8
50-64	47	2.3	2	1	1	2	3	4	5	6
65 +	49	3.7	21	1	1	2	4	8	12	24
B. Operated										
0-19 YRS	34	2.4	5	< 1	1	2	2	5	9	10
20-34	38	2.3	2	< 1	1	2	3	4	6	7
35-49	30	3.0	5	1	1	2	4	6	7	9
50-64	11	6.0	58	1	1	3	6	20	25	25
65 +	9	3.7	7	< 1	1	4	5	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	630	2.1	3	1	1	2	3	4	5	9
20-34	558	2.4	4	1	1	2	3	4	7	10
35-49	398	2.9	5	1	1	2	4	6	7	13
50-64	329	3.3	8	1	1	2	4	7	9	14
65 +	913	4.7	12	1	2	4	6	9	11	17
B. Operated										
0-19 YRS	68	2.7	9	1	1	2	3	5	10	16
20-34	125	3.5	26	1	1	2	4	7	11	29
35-49	85	3.8	10	1	2	3	5	9	10	14
50-64	60	6.3	26	2	3	5	9	12	18	24
65 +	143	7.4	51	2	3	5	9	16	19	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	669	1.9	3	1	1	1	2	3	4	8
B. Operated	122	2.9	10	< 1	1	2	3	6	8	19
2. MULTIPLE DX										
A. Not Operated	2828	3.3	8	1	1	2	4	7	9	14
B. Operated	481	4.9	31	1	2	3	6	11	15	25
1. SINGLE DX	791	2.1	4	1	1	1	2	4	5	9
2. MULTIPLE DX	3309	3.5	12	1	1	2	4	7	10	16
A. Not Operated	3497	3.0	7	1	1	2	4	6	8	14
B. Operated	603	4.5	28	1	1	3	6	10	14	24
TOTAL										
0-19 YRS	1028	2.0	3	1	1	1	2	4	5	9
20-34	899	2.4	7	1	1	2	3	4	7	11
35-49	612	2.9	5	1	1	2	4	6	7	13
50-64	447	3.6	12	1	1	3	4	8	10	20
65 +	1114	5.0	18	1	2	4	6	10	12	20
GRAND TOTAL	**4100**	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	1.9	4	1	1	1	2	3	6	11
20-34	28	2.1	2	1	1	1	3	4	5	6
35-49	11	3.1	10	1	2	2	3	7	12	12
50-64	7	3.7	10	1	1	3	6	9	9	9
65 +	0									
B. Operated										
0-19 YRS	20	7.2	40	1	2	5	12	17	18	19
20-34	17	3.5	14	1	2	2	3	10	13	14
35-49	15	3.4	16	1	1	2	4	12	13	13
50-64	9	4.8	24	1	2	3	6	13	15	15
65 +	2	7.5	25	4	4	7	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	2.4	3	1	1	2	4	5	6	6
20-34	32	3.3	13	1	1	2	4	6	7	20
35-49	17	2.8	4	1	2	2	3	6	7	8
50-64	10	4.6	24	1	1	3	6	13	16	16
65 +	5	4.6	7	1	2	5	7	7	7	7
B. Operated										
0-19 YRS	35	5.4	36	1	2	3	6	10	19	31
20-34	83	7.1	74	1	2	3	8	16	30	41
35-49	34	4.2	20	1	2	2	5	11	15	20
50-64	20	4.7	20	1	2	3	5	9	15	21
65 +	14	8.8	118	1	2	4	10	32	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	2.3	5	1	1	2	3	4	7	12
B. Operated	63	5.0	26	1	1	2	7	13	16	19
2. MULTIPLE DX										
A. Not Operated	86	3.2	9	1	1	2	4	6	7	19
B. Operated	186	6.1	56	1	2	3	7	14	21	38
1. SINGLE DX	141	3.5	16	1	1	2	4	11	13	17
2. MULTIPLE DX	272	5.2	43	1	2	3	6	11	19	35
A. Not Operated	164	2.7	7	1	1	2	3	6	7	15
B. Operated	249	5.8	48	1	2	3	7	14	19	35
TOTAL										
0-19 YRS	109	4.1	24	1	1	2	4	10	16	25
20-34	160	5.1	47	1	1	3	6	12	18	39
35-49	77	3.6	14	1	1	2	4	8	13	19
50-64	46	4.5	19	1	2	3	6	10	15	21
65 +	21	7.7	83	1	2	4	8	21	33	34
GRAND TOTAL	**413**	**4.6**	**34**	**1**	**1**	**2**	**5**	**11**	**16**	**33**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	401	1.2		< 1	1	1	1	2	2	3
20-34	23	1.6	1	< 1	1	1	2	3	4	4
35-49	11	1.2		< 1	1	1	1	2	2	2
50-64	19	1.4	1	< 1	< 1	1	2	2	3	4
65 +	21	1.4		< 1	1	1	2	3	3	3
B. Operated										
0-19 YRS	183	1.4	1	< 1	1	1	1	2	3	6
20-34	7	4.1	12	< 1	1	4	6	9	10	10
35-49	13	3.4	8	< 1	1	2	7	7	8	8
50-64	7	1.4	1	1	1	1	2	3	3	3
65 +	12	4.5	94	< 1	< 1	1	2	15	32	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	183	2.1	4	< 1	1	1	2	4	5	9
20-34	32	2.5	5	< 1	1	2	3	5	8	10
35-49	38	2.1	3	< 1	1	1	3	5	6	7
50-64	47	2.9	10	< 1	1	2	3	6	8	20
65 +	135	3.8	14	1	1	3	5	8	11	21
B. Operated										
0-19 YRS	135	3.4	20	1	1	2	4	7	12	28
20-34	41	5.4	41	1	2	4	6	9	14	40
35-49	36	5.0	22	1	2	4	7	12	16	20
50-64	39	7.1	52	1	1	5	11	16	20	36
65 +	91	7.1	88	1	2	4	9	17	22	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	475	1.2		< 1	1	1	1	2	2	3
B. Operated	222	1.8	7	< 1	1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated	435	2.7	8	1	1	2	3	5	7	19
B. Operated	342	5.2	47	1	1	3	6	12	18	36
1. SINGLE DX	697	1.4	3	< 1	1	1	1	2	3	7
2. MULTIPLE DX	777	3.8	27	1	1	2	4	8	12	24
A. Not Operated	910	1.9	5	< 1	1	1	2	4	5	11
B. Operated	564	3.9	34	1	1	2	5	9	13	32
TOTAL										
0-19 YRS	902	1.7	5	< 1	1	1	2	3	4	10
20-34	103	3.6	21	< 1	1	2	5	7	10	27
35-49	98	3.2	12	1	1	2	4	7	9	19
50-64	112	4.0	28	1	1	2	5	10	15	27
65 +	259	4.8	45	1	1	3	5	10	17	34
GRAND TOTAL	**1474**	**2.7**	**17**	**< 1**	**1**	**1**	**3**	**6**	**9**	**21**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	5.1	34	1	1	2	6	18	19	19
20-34	6	3.5	4	1	2	3	5	6	6	6
35-49	7	2.6	2	< 1	1	2	4	5	5	5
50-64	2	10.5	41	6	6	10	15	15	15	15
65 +	0									
B. Operated										
0-19 YRS	38	8.6	64	1	3	6	12	20	23	38
20-34	29	8.7	72	1	3	6	11	17	23	43
35-49	20	7.6	90	1	1	5	7	22	32	37
50-64	12	9.2	27	4	6	9	11	15	22	23
65 +	5	6.8	27	1	4	5	10	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	5.8	28	1	3	4	7	13	17	29
20-34	41	5.6	27	1	2	4	7	15	18	19
35-49	22	7.6	114	1	3	5	7	13	32	52
50-64	23	7.0	22	1	4	6	11	13	15	16
65 +	14	12.3	228	3	5	8	11	24	54	62
B. Operated										
0-19 YRS	183	16.8	185	4	6	15	22	37	48	99 +
20-34	129	16.5	296	2	6	12	21	42	70	99 +
35-49	92	16.7	208	5	7	12	22	33	39	79
50-64	67	17.3	106	5	9	16	24	32	34	48
65 +	75	22.3	301	6	11	18	29	50	67	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	4.5	23	1	2	3	6	11	18	19
B. Operated	104	8.4	64	1	3	6	10	18	23	40
2. MULTIPLE DX										
A. Not Operated	170	6.7	56	1	3	5	8	14	18	48
B. Operated	546	17.5	224	4	7	14	23	36	52	99 +
1. SINGLE DX	134	7.5	57	1	3	5	9	17	22	39
2. MULTIPLE DX	716	15.0	205	2	5	11	20	33	45	93
A. Not Operated	200	6.4	51	1	2	4	8	14	18	42
B. Operated	650	16.1	209	3	6	12	21	34	47	99
TOTAL										
0-19 YRS	306	12.7	152	2	4	8	18	30	39	86
20-34	205	12.9	225	1	4	9	16	32	47	99 +
35-49	141	13.3	188	2	5	9	18	31	36	71
50-64	104	14.0	97	4	7	11	20	28	33	44
65 +	94	20.0	295	4	8	15	27	43	65	94
GRAND TOTAL	**850**	**13.8**	**189**	**2**	**5**	**10**	**19**	**32**	**42**	**88**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	203	3.0	10	1	1	2	4	7	10	14
20-34	74	3.6	9	1	1	2	6	8	10	11
35-49	34	3.9	11	1	1	3	5	9	11	14
50-64	17	2.8	5	1	1	2	3	7	8	8
65 +	6	4.3	24	1	1	3	4	13	14	14
B. Operated										
0-19 YRS	37	5.8	27	1	1	4	8	15	16	18
20-34	12	2.3	3	< 1	1	1	4	5	5	5
35-49	4	7.8	35	3	3	6	12	16	16	16
50-64	3	10.0	117	1	2	7	18	22	22	22
65 +	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	738	4.7	19	1	1	3	6	11	14	21
20-34	257	4.1	20	1	1	2	6	9	11	18
35-49	143	4.2	17	1	1	3	6	9	12	19
50-64	99	5.4	27	1	2	4	7	11	14	30
65 +	58	8.6	90	2	3	5	11	21	31	46
B. Operated										
0-19 YRS	147	11.1	109	1	3	9	16	25	29	[illegible]
20-34	71	11.4	110	2	4	9	18	22	40	90
35-49	47	12.3	196	2	4	9	16	23	31	81
50-64	31	20.1	444	3	6	15	23	50	70	88
65 +	16	16.8	80	6	8	20	24	32	76	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	334	3.2	10	1	1	2	4	8	10	14
B. Operated	58	5.3	27	1	1	3	7	14	16	22
2. MULTIPLE DX										
A. Not Operated	1295	4.7	23	1	2	3	6	10	14	23
B. Operated	312	12.6	159	2	4	10	18	26	38	92
1. SINGLE DX	392	3.5	13	1	1	2	5	8	11	16
2. MULTIPLE DX	1607	6.2	59	1	2	4	8	14	20	40
A. Not Operated	1629	4.4	21	1	1	3	6	10	13	21
B. Operated	370	11.4	145	1	3	8	16	24	34	86
TOTAL										
0-19 YRS	1125	5.2	35	1	1	3	7	12	16	27
20-34	414	5.2	41	1	1	3	7	11	18	41
35-49	228	5.9	64	1	2	3	7	13	18	36
50-64	150	8.2	147	1	2	4	8	17	33	71
65 +	82	9.8	93	2	3	6	14	25	34	82
GRAND TOTAL	**1999**	**5.7**	**51**	**1**	**1**	**3**	**7**	**13**	**18**	**38**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.9	1	< 1	1	2	2	4	4	4
20-34	21	3.4	12	< 1	1	2	4	9	12	14
35-49	9	4.2	31	1	1	2	5	14	18	18
50-64	3	1.0		1	1	1	1	1	1	1
65 +	3	2.3	5	1	1	1	4	5	5	5
B. Operated										
0-19 YRS	12	2.0	5	< 1	1	1	2	4	8	9
20-34	29	1.6	1	< 1	1	1	2	3	3	4
35-49	17	5.1	25	1	1	3	7	12	17	19
50-64	6	1.7	1	< 1	1	1	2	4	4	4
65 +	4	1.3		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.8	15	1	1	3	4	11	13	14
20-34	38	5.6	26	1	2	4	8	12	17	22
35-49	25	4.3	9	1	2	3	7	10	28	99 +
50-64	14	8.7	60	2	3	7	13	20	25	27
65 +	28	7.8	21	3	4	8	10	12	17	22
B. Operated										
0-19 YRS	53	4.4	45	1	1	2	4	12	15	33
20-34	107	4.2	54	1	1	2	4	10	18	72
35-49	54	5.8	74	1	1	3	8	23	44	99 +
50-64	33	7.6	56	1	1	6	12	19	31	99 +
65 +	18	13.2	318	2	3	7	16	56	84	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	3.0	12	1	1	2	4	6	10	18
B. Operated	68	2.5	9	< 1	1	1	3	6	9	18
2. MULTIPLE DX										
A. Not Operated	130	5.8	25	1	2	4	9	12	17	41
B. Operated	265	5.6	78	1	1	2	7	15	32	99 +
1. SINGLE DX	117	2.7	10	< 1	1	2	3	6	9	18
2. MULTIPLE DX	395	5.7	61	1	1	3	8	14	24	99 +
A. Not Operated	179	5.0	23	1	1	3	8	11	16	26
B. Operated	333	5.0	66	1	1	2	6	13	25	99 +
TOTAL										
0-19 YRS	103	3.7	28	1	1	2	3	9	14	32
20-34	195	4.0	37	1	1	2	4	10	15	45
35-49	105	5.2	46	1	1	3	7	12	25	99 +
50-64	56	6.9	53	1	1	4	10	18	25	95
65 +	53	8.8	129	1	3	6	10	18	43	99
GRAND TOTAL	**512**	**5.0**	**51**	**1**	**1**	**2**	**7**	**12**	**19**	**99 +**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	196	1.8	2	1	1	1	2	3	5	8
20-34	109	2.3	5	1	1	2	3	4	5	12
35-49	35	2.2	1	1	2	2	3	4	4	5
50-64	20	2.4	2	< 1	1	2	3	4	5	5
65 +	12	5.0	8	2	3	4	8	9	10	10
B. Operated										
0-19 YRS	35	4.7	24	1	1	3	6	11	13	24
20-34	45	4.3	13	1	1	4	6	9	10	19
35-49	12	6.8	146	< 1	1	2	6	20	41	44
50-64	13	5.9	39	1	1	2	9	17	19	20
65 +	6	5.7	23	2	3	4	6	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	262	2.4	5	< 1	1	2	3	4	6	11
20-34	252	3.0	7	1	1	2	4	6	7	13
35-49	166	3.7	8	1	2	3	5	7	11	14
50-64	92	4.5	19	1	2	3	5	9	12	26
65 +	166	5.0	13	1	2	4	7	10	12	18
B. Operated										
0-19 YRS	86	6.3	46	1	2	4	8	14	20	37
20-34	135	6.8	73	1	2	4	8	16	20	50
35-49	71	7.8	84	1	2	5	10	19	28	50
50-64	53	9.4	88	2	3	6	12	19	34	43
65 +	64	10.8	173	3	4	7	11	19	43	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	372	2.1	3	1	1	2	2	4	5	8
B. Operated	111	5.0	33	1	1	3	6	10	15	32
2. MULTIPLE DX										
A. Not Operated	938	3.4	10	1	1	2	4	7	10	15
B. Operated	409	7.8	88	1	2	5	10	17	22	47
1. SINGLE DX	483	2.7	11	1	1	2	3	6	8	18
2. MULTIPLE DX	1347	4.8	38	1	2	3	5	10	15	30
A. Not Operated	1310	3.0	8	1	1	2	4	6	9	14
B. Operated	520	7.2	78	1	2	5	9	16	21	45
TOTAL										
0-19 YRS	579	2.9	14	1	1	2	3	6	9	21
20-34	541	3.9	27	1	1	2	4	8	12	21
35-49	284	4.6	35	1	2	3	5	10	12	33
50-64	178	5.8	45	1	2	3	8	13	18	37
65 +	248	6.5	60	1	3	5	8	11	17	44
GRAND TOTAL	**1830**	**4.2**	**32**	**1**	**1**	**2**	**5**	**9**	**13**	**26**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1132	1.5	1	< 1	1	1	2	3	3	5
20-34	315	1.7	6	< 1	1	1	2	3	4	8
35-49	119	1.6	2	< 1	1	1	2	3	4	10
50-64	26	3.0	14	< 1	1	2	3	6	13	17
65 +	19	3.9	19	1	1	3	4	7	14	20
B. Operated										
0-19 YRS	4	8.0	46	1	2	7	13	16	16	16
20-34	2	2.5	5	< 1	< 1	2	4	4	4	4
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2398	2.9	24	1	1	2	3	5	8	25
20-34	2485	2.8	14	1	1	2	3	5	8	20
35-49	1544	3.5	25	1	1	2	4	7	11	29
50-64	610	4.4	26	1	2	3	5	9	13	29
65 +	850	5.4	19	2	3	4	7	10	13	21
B. Operated										
0-19 YRS	28	6.0	28	1	2	5	8	12	14	25
20-34	70	8.3	149	1	2	4	8	21	31	71
35-49	79	12.6	259	2	4	7	13	31	42	88
50-64	45	11.6	168	2	3	8	14	29	38	67
65 +	86	13.7	120	4	6	10	19	31	39	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1611	1.6	3	< 1	1	1	2	3	3	7
B. Operated	8	5.5	29	< 1	1	4	8	14	16	16
2. MULTIPLE DX										
A. Not Operated	7887	3.4	21	1	1	2	4	7	10	24
B. Operated	308	11.2	166	2	3	7	13	28	36	81
1. SINGLE DX	1619	1.6	3	< 1	1	1	2	3	4	8
2. MULTIPLE DX	8195	3.6	29	1	1	2	4	7	12	29
A. Not Operated	9498	3.1	19	1	1	2	3	6	9	22
B. Operated	316	11.0	163	2	3	7	13	28	36	80
TOTAL										
0-19 YRS	3562	2.5	17	1	1	1	2	4	6	21
20-34	2872	2.8	18	1	1	2	3	5	8	22
35-49	1744	3.8	37	1	1	2	4	7	13	[illegible]
50-64	681	4.8	38	1	2	3	6	10	15	[illegible]
65 +	955	6.1	33	2	3	4	8	12	17	33
GRAND TOTAL	**9814**	**3.3**	**25**	**1**	**1**	**2**	**3**	**7**	**11**	**26**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	648	2.7	5	1	1	1	5	6	6	9
20-34	118	1.3		<1	1	1	1	2	3	4
35-49	79	1.7	5	1	1	1	2	3	4	15
50-64	43	1.8	2	1	1	1	2	3	5	8
65 +	17	3.2	30	1	1	1	3	4	17	24
B. Operated										
0-19 YRS	7	2.4	3	1	1	2	4	5	5	5
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	582	3.3	12	1	1	2	5	6	7	13
20-34	276	2.4	8	1	1	2	3	4	7	16
35-49	221	3.1	17	1	1	2	4	6	10	23
50-64	145	2.9	11	1	1	2	3	5	8	19
65 +	123	4.5	18	1	2	3	6	10	12	22
B. Operated										
0-19 YRS	25	7.4	246	1	2	3	7	19	83	99 +
20-34	17	11.6	358	<1	1	7	14	22	60	80
35-49	16	6.3	28	1	2	5	9	15	18	19
50-64	10	9.0	68	1	4	7	10	23	24	24
65 +	6	6.3	40	1	3	4	9	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	905	2.4	5	1	1	1	3	6	6	9
B. Operated	8	2.5	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	1347	3.2	13	1	1	2	4	6	8	19
B. Operated	74	8.3	180	1	2	4	10	19	24	95
1. SINGLE DX	913	2.4	5	1	1	1	3	6	6	9
2. MULTIPLE DX	1421	3.4	22	1	1	2	4	7	9	21
A. Not Operated	2252	2.8	10	1	1	2	4	6	7	15
B. Operated	82	7.7	166	1	1	4	9	18	24	93
TOTAL										
0-19 YRS	1262	3.1	13	1	1	2	5	6	7	12
20-34	411	2.5	23	1	1	1	2	4	7	17
35-49	317	2.9	15	1	1	2	3	6	10	21
50-64	198	2.9	14	1	1	2	3	6	9	24
65 +	146	4.4	20	1	2	3	6	10	13	24
GRAND TOTAL	**2334**	**3.0**	**16**	**1**	**1**	**2**	**4**	**6**	**8**	**19**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	203	1.8	2	1	1	1	2	3	4	10
20-34	122	1.7	2	1	1	1	2	3	4	9
35-49	87	2.1	3	1	1	2	3	4	5	10
50-64	65	2.4	6	1	1	2	3	4	7	12
65 +	43	3.4	11	1	1	2	5	7	10	18
B. Operated										
0-19 YRS	5	3.4	5	2	2	2	5	7	7	7
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	16.0	98	9	9	16	23	23	23	23
65 +	3	6.7	65	2	2	2	13	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	411	3.4	24	1	1	2	4	6	10	24
20-34	296	3.2	16	1	1	2	3	6	10	23
35-49	342	3.2	8	1	1	2	4	7	8	12
50-64	420	4.2	14	1	2	3	5	9	11	19
65 +	896	5.7	21	2	3	4	7	11	14	21
B. Operated										
0-19 YRS	40	9.1	198	1	2	5	8	30	58	99 +
20-34	32	8.7	216	1	2	3	7	24	55	60
35-49	51	7.9	114	1	1	4	10	21	33	56
50-64	64	8.5	69	1	2	6	14	20	22	42
65 +	116	9.9	66	1	4	7	14	21	27	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	520	2.0	4	1	1	1	2	4	5	11
B. Operated	12	6.2	47	1	2	3	8	18	22	23
2. MULTIPLE DX										
A. Not Operated	2365	4.4	19	1	2	3	6	9	12	20
B. Operated	303	9.0	107	1	2	6	12	21	30	66
1. SINGLE DX	532	2.1	5	1	1	1	2	4	5	12
2. MULTIPLE DX	2668	4.9	31	1	2	3	6	10	14	27
A. Not Operated	2885	3.9	17	1	1	3	5	8	11	20
B. Operated	315	8.9	105	1	2	6	12	21	30	64
TOTAL										
0-19 YRS	659	3.3	30	1	1	2	3	6	9	31
20-34	451	3.2	29	1	1	2	3	6	10	30
35-49	481	3.5	20	1	1	2	4	7	10	23
50-64	551	4.5	22	1	2	3	6	10	14	23
65 +	1058	6.1	27	1	3	5	8	12	16	24
GRAND TOTAL	**3200**	**4.4**	**28**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	2.8	4	< 1	1	2	3	7	7	8
20-34	25	6.2	88	2	2	3	5	12	27	46
35-49	21	4.3	18	1	2	3	6	10	15	18
50-64	48	3.3	7	< 1	1	2	5	7	8	13
65 +	47	4.4	29	1	1	3	6	8	17	29
B. Operated										
0-19 YRS	459	3.5	14	1	2	2	4	7	10	22
20-34	196	4.2	20	1	1	3	6	9	11	25
35-49	260	4.1	12	1	1	3	6	9	11	16
50-64	373	6.2	31	1	2	5	9	11	15	38
65 +	629	6.2	32	1	2	5	9	13	15	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	379	6.1	28	1	2	4	8	14	16	24
20-34	184	6.0	25	2	3	5	8	12	14	29
35-49	235	6.7	33	1	3	5	8	12	15	31
50-64	303	6.1	28	1	3	5	8	13	15	27
65 +	676	6.9	41	2	3	5	9	14	17	41
B. Operated										
0-19 YRS	1526	7.6	98	1	2	4	8	18	27	52
20-34	723	7.4	81	1	2	4	9	16	24	57
35-49	1225	7.9	80	1	2	5	10	18	25	50
50-64	2232	8.8	88	1	3	7	11	18	25	53
65 +	4376	9.4	89	2	3	7	12	19	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	3.8	22	1	1	2	5	7	9	24
B. Operated	1917	5.1	25	1	2	3	7	11	14	25
2. MULTIPLE DX										
A. Not Operated	1777	6.5	33	1	3	5	8	13	16	32
B. Operated	10082	8.6	89	1	3	6	11	18	26	51
1. SINGLE DX	2127	5.0	25	1	2	3	7	10	13	25
2. MULTIPLE DX	11859	8.3	81	1	3	6	11	17	25	49
A. Not Operated	1987	6.2	33	1	3	5	8	13	16	31
B. Operated	11999	8.1	80	1	2	5	10	17	24	48
TOTAL										
0-19 YRS	2433	6.4	72	1	2	4	7	15	21	48
20-34	1128	6.6	63	1	2	4	8	14	20	47
35-49	1741	7.1	65	1	2	5	9	15	21	44
50-64	2956	8.1	75	1	3	6	10	16	23	48
65 +	5728	8.7	78	1	3	7	11	18	25	46
GRAND TOTAL	**13986**	**7.8**	**74**	**1**	**2**	**5**	**10**	**16**	**23**	**46**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	143	1.3		< 1	1	1	2	2	3	4
20-34	91	1.9	1	< 1	1	2	2	3	4	5
35-49	57	2.4	3	1	1	2	3	5	6	10
50-64	61	2.5	2	1	1	2	3	4	5	10
65 +	77	2.9	3	1	1	3	4	5	6	9
B. Operated										
0-19 YRS	173	1.4	1	< 1	1	1	2	2	3	5
20-34	86	2.3	4	1	1	1	3	5	6	10
35-49	59	2.9	4	1	1	2	4	6	8	9
50-64	45	2.9	4	1	1	2	4	6	7	8
65 +	50	4.5	8	1	2	4	6	9	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	2.2	4	1	1	2	2	5	6	11
20-34	83	2.8	4	1	1	2	3	5	8	10
35-49	77	3.1	6	1	2	3	4	5	8	14
50-64	148	3.4	7	1	2	3	4	6	7	18
65 +	342	3.8	8	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	138	1.8	3	1	1	1	2	4	5	21
20-34	182	3.6	17	1	1	2	4	8	12	23
35-49	153	3.5	12	1	1	2	5	7	10	14
50-64	226	5.2	70	1	2	3	6	10	15	46
65 +	459	4.8	31	1	2	3	6	10	14	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	429	2.0	2	1	1	2	3	4	5	7
B. Operated	413	2.3	4	1	1	1	3	5	7	9
2. MULTIPLE DX										
A. Not Operated	728	3.4	7	1	2	3	4	6	8	14
B. Operated	1158	4.2	32	1	1	2	5	9	12	29
1. SINGLE DX	842	2.2	3	1	1	2	3	5	6	9
2. MULTIPLE DX	1886	3.9	22	1	1	3	5	8	11	21
A. Not Operated	1157	2.9	6	1	1	2	4	5	7	12
B. Operated	1571	3.7	25	1	1	2	4	8	11	22
TOTAL										
0-19 YRS	532	1.6	2	< 1	1	1	2	3	4	7
20-34	442	2.9	9	1	1	2	3	6	8	15
35-49	346	3.1	8	1	1	2	4	6	8	14
50-64	480	4.1	37	1	2	3	5	8	11	21
65 +	928	4.3	19	1	2	3	5	8	11	21
GRAND TOTAL	**2728**	**3.3**	**17**	**1**	**1**	**2**	**4**	**7**	**9**	**18**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	4.0	5	1	2	3	6	7	8	9
20-34	100	4.7	9	2	3	4	6	9	11	15
35-49	94	4.9	11	2	3	4	6	9	11	19
50-64	61	6.5	43	2	4	5	7	9	16	45
65 +	39	6.5	50	2	4	5	7	11	13	46
B. Operated										
0-19 YRS	52	5.5	11	2	3	5	7	10	13	16
20-34	53	6.6	71	2	3	5	7	10	12	61
35-49	77	7.7	54	2	3	7	9	14	20	47
50-64	45	6.5	35	1	3	5	8	13	20	29
65 +	44	8.8	60	2	3	7	11	17	21	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	161	5.5	37	2	3	4	7	10	12	28
20-34	168	4.7	7	2	3	4	6	8	9	15
35-49	228	6.6	34	2	3	5	8	12	16	32
50-64	301	7.0	19	3	4	6	9	12	16	23
65 +	414	8.0	36	3	4	6	10	14	19	29
B. Operated										
0-19 YRS	117	9.5	56	2	4	8	12	22	24	60
20-34	186	9.6	104	3	4	7	11	19	26	50
35-49	238	11.7	114	2	5	8	15	28	36	62
50-64	312	12.9	126	4	5	9	15	27	34	55
65 +	450	14.5	197	4	6	10	17	33	49	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	378	5.1	19	2	3	4	6	9	11	20
B. Operated	271	7.0	47	2	3	6	8	13	17	39
2. MULTIPLE DX										
A. Not Operated	1272	6.7	29	2	3	5	8	12	17	28
B. Operated	1303	12.4	142	3	5	9	15	27	38	68
1. SINGLE DX	649	5.9	32	2	3	5	7	10	14	29
2. MULTIPLE DX	2575	9.6	94	3	4	7	11	20	26	54
A. Not Operated	1650	6.3	27	2	3	5	8	11	15	28
B. Operated	1574	11.5	130	3	5	8	14	25	36	65
TOTAL										
0-19 YRS	414	6.3	37	2	3	4	8	12	19	32
20-34	507	6.7	55	2	3	5	8	12	16	41
35-49	637	8.4	70	2	3	6	9	18	28	46
50-64	719	9.5	77	3	4	7	11	20	27	45
65 +	947	11.0	125	3	5	8	13	22	36	65
GRAND TOTAL	**3224**	**8.9**	**84**	**2**	**4**	**6**	**10**	**18**	**27**	**51**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	2.7	7	< 1	1	2	3	6	7	14
20-34	63	2.9	3	1	1	2	4	6	6	7
35-49	46	3.9	50	1	2	3	3	6	8	49
50-64	36	5.1	12	2	3	4	7	11	12	14
65 +	36	3.9	5	1	2	3	6	7	8	9
B. Operated										
0-19 YRS	50	3.1	10	1	1	2	4	6	12	15
20-34	72	4.4	14	1	2	3	7	10	13	15
35-49	90	4.9	16	1	2	4	7	9	10	23
50-64	59	5.5	30	1	2	4	7	12	15	33
65 +	79	4.9	33	1	2	4	6	9	12	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	304	3.4	14	1	1	2	4	7	9	19
20-34	277	3.7	12	1	1	3	4	8	10	19
35-49	371	4.4	12	1	2	3	6	9	10	17
50-64	375	5.3	17	1	2	4	7	10	15	19
65 +	633	6.0	32	1	3	5	8	11	15	25
B. Operated										
0-19 YRS	609	4.3	68	1	1	1	4	10	18	57
20-34	633	4.0	25	1	1	2	5	9	13	27
35-49	788	5.7	60	1	1	3	7	14	21	39
50-64	1031	7.0	87	1	1	4	9	17	24	48
65 +	1631	7.2	79	1	2	4	9	17	23	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	219	3.6	16	1	2	3	5	7	8	14
B. Operated	350	4.6	21	1	2	3	6	9	12	21
2. MULTIPLE DX										
A. Not Operated	1960	4.8	21	1	2	4	6	10	13	21
B. Operated	4692	6.1	71	1	1	3	8	15	21	44
1. SINGLE DX	569	4.2	19	1	2	3	5	8	11	19
2. MULTIPLE DX	6652	5.7	56	1	1	3	7	13	19	38
A. Not Operated	2179	4.7	20	1	2	3	6	9	13	21
B. Operated	5042	6.0	67	1	1	3	7	14	21	43
TOTAL										
0-19 YRS	1001	3.9	46	1	1	2	4	8	14	41
20-34	1045	3.9	20	1	1	2	5	9	12	23
35-49	1295	5.2	44	1	2	3	6	11	17	34
50-64	1501	6.5	66	1	2	4	8	14	20	40
65 +	2379	6.8	65	1	2	4	8	15	21	43
GRAND TOTAL	**7221**	**5.6**	**54**	**1**	**1**	**3**	**7**	**13**	**18**	**38**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	2.2	3	1	1	2	2	4	5	10
20-34	7	2.9	1	1	2	3	4	4	4	4
35-49	6	3.2	3	1	1	3	5	5	5	5
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	7	5.7	32	< 1	1	4	9	15	16	16
B. Operated										
0-19 YRS	0									
20-34	3	1.3		1	1	1	2	2	2	2
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	3.1	14	1	1	2	3	5	8	26
20-34	20	4.1	5	2	2	4	5	7	9	10
35-49	29	3.4	5	1	2	3	5	6	8	9
50-64	37	3.6	5	1	1	3	5	7	8	8
65 +	60	4.7	20	1	2	3	6	10	14	23
B. Operated										
0-19 YRS	11	10.3	56	2	4	11	15	20	24	24
20-34	10	4.9	7	2	3	4	6	9	10	10
35-49	4	24.0	1302	3	4	7	43	78	78	78
50-64	12	8.6	28	3	4	8	11	17	19	19
65 +	29	10.6	98	2	3	7	15	26	33	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	2.8	7	1	1	2	4	5	8	16
B. Operated	5	3.8	18	1	1	2	6	11	11	11
2. MULTIPLE DX										
A. Not Operated	213	3.8	12	1	2	3	5	8	9	20
B. Operated	66	10.1	133	2	4	6	12	21	29	71
1. SINGLE DX	63	2.9	8	1	1	2	4	5	10	15
2. MULTIPLE DX	279	5.3	48	1	2	3	6	11	16	32
A. Not Operated	271	3.6	11	1	2	3	4	7	9	18
B. Operated	71	9.7	127	2	3	6	12	20	28	69
TOTAL										
0-19 YRS	114	3.5	19	1	1	2	4	7	15	25
20-34	40	3.9	5	1	2	3	5	7	9	10
35-49	39	5.5	147	1	2	3	5	7	9	78
50-64	52	4.7	14	1	2	4	6	9	12	19
65 +	97	6.6	50	1	2	4	9	16	23	35
GRAND TOTAL	**342**	**4.8**	**41**	**1**	**2**	**3**	**5**	**10**	**15**	**29**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	64	1.3		< 1	< 1	1	1	2	3	3
35-49	33	1.2		< 1	< 1	< 1	1	2	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.3		< 1	< 1	1	2	2	2	2
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	100	2.2	2	1	1	2	3	4	5	7
35-49	54	2.4	7	< 1	1	2	3	4	6	18
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	97	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	5	2.0	3	< 1	1	1	3	5	5	5
B. Operated	155	2.3	4	1	1	2	3	4	6	8
1. SINGLE DX	98	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	160	2.3	4	1	1	2	3	4	6	8
A. Not Operated	6	1.8	3	< 1	1	1	2	5	5	5
B. Operated	252	1.9	3	< 1	1	1	2	4	4	7
TOTAL										
0-19 YRS	0									
20-34	167	1.8	2	< 1	1	1	2	4	4	7
35-49	88	1.9	5	< 1	< 1	1	2	4	4	14
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	2.0	2	1	1	2	3	3	3	3
GRAND TOTAL	**258**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**4**	**4**	**7**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	1	8.0		8	8	8	8	8	8	8
1500-1749	2	11.5	5	10	10	11	13	13	13	13
1750-2499	1336	2.5	2	1	2	2	3	4	5	8
2500 +	90064	2.3	1	1	2	2	2	4	4	5
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	62	2.5	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
1-999 G	45	61.8	286	39	49	68	80	99 +	99 +	99 +
1000-1499	327	38.0	225	22	27	35	47	60	66	87
1500-1749	423	22.3	81	12	16	21	27	35	39	52
1750-2499	5529	6.4	38	2	2	4	8	14	18	27
2500 +	60517	3.0	3	2	2	2	4	5	6	10
B. Operated										
1-999 G	151	74.2	255	56	68	87	99 +	99 +	99 +	99 +
1000-1499	329	49.9	307	31	38	49	63	80	98	99 +
1500-1749	173	31.9	214	18	24	29	39	46	60	95
1750-2499	497	17.5	162	5	9	15	23	32	45	99
2500 +	1357	8.5	96	2	4	6	10	17	25	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91403	2.3	1	1	2	2	2	4	4	5
B. Operated	62	2.5	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	66841	3.6	19	2	2	2	4	5	8	23
B. Operated	2507	21.3	529	3	5	12	34	67	92	99 +
1. SINGLE DX	91465	2.3	1	1	2	2	2	4	4	5
2. MULTIPLE DX	69348	4.2	49	2	2	2	4	6	11	42
A. Not Operated	158244	2.8	9	2	2	2	3	4	5	14
B. Operated	2569	20.9	525	2	5	11	33	66	91	99 +
TOTAL										
1-999 G	196	71.4	288	50	65	82	99 +	99 +	99 +	99 +
1000-1499	657	43.9	303	24	32	41	55	70	84	99 +
1500-1749	598	25.1	138	13	17	23	30	40	43	81
1750-2499	7362	6.5	51	2	2	4	8	15	20	34
2500 +	152000	2.6	3	2	2	2	3	4	5	8
GRAND TOTAL	**160813**	**3.1**	**22**	**2**	**2**	**2**	**3**	**4**	**6**	**22**

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	229	3.5	3	2	2	3	4	5	7	9
2500 +	861	3.3	2	2	2	3	4	5	5	8
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
1-999 G	11	67.8	188	47	58	71	77	84	86	86
1000-1499	91	38.8	232	21	28	36	46	60	68	86
1500-1749	135	22.9	62	14	18	23	29	34	36	42
1750-2499	1038	8.3	47	2	4	6	12	17	20	33
2500 +	984	4.4	8	2	3	4	5	7	9	16
B. Operated										
1-999 G	26	71.0	195	57	67	79	99 +	99 +	99 +	99 +
1000-1499	99	49.6	206	33	41	48	59	70	77	96
1500-1749	64	30.0	104	19	24	30	35	42	52	94
1750-2499	108	20.4	129	6	12	19	28	35	39	75
2500 +	29	11.6	140	3	4	9	13	24	45	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1090	3.3	2	2	2	3	4	5	5	8
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	2259	9.0	112	2	4	5	11	20	30	55
B. Operated	326	34.4	445	9	19	32	50	74	98	99 +
1. SINGLE DX	1091	3.3	2	2	2	3	4	5	5	8
2. MULTIPLE DX	2585	12.2	225	2	4	5	15	33	48	82
A. Not Operated	3349	7.2	83	2	3	4	6	17	25	48
B. Operated	327	34.3	446	9	19	32	50	74	98	99 +
TOTAL										
1-999 G	37	70.1	190	54	66	76	99 +	99 +	99 +	99 +
1000-1499	190	44.4	246	26	33	44	54	67	73	91
1500-1749	199	25.2	86	14	19	25	31	37	42	56
1750-2499	1375	8.5	61	2	3	5	12	19	24	37
2500 +	1875	4.0	8	2	3	4	4	6	8	15
GRAND TOTAL	**3676**	**9.6**	**175**	**2**	**3**	**4**	**9**	**26**	**41**	**75**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	13	2.2		2	2	2	2	3	3	3
2500 +	237	2.0	1	1	1	2	2	3	4	5
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	3	31.0	129	18	22	36	38	39	39	39
1500-1749	11	25.1	52	19	20	22	29	37	39	39
1750-2499	73	7.2	38	2	2	5	11	16	21	25
2500 +	191	3.9	18	1	2	2	4	8	12	23
B. Operated										
1-999 G	0									
1000-1499	3	27.0	43	20	22	28	32	33	33	33
1500-1749	2	55.5	841	35	35	55	76	76	76	76
1750-2499	7	21.4	556	3	6	17	28	62	70	70
2500 +	4	20.5	826	2	3	13	72	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	250	2.0	1	1	2	2	2	3	3	5
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	278	5.9	50	2	2	3	6	16	22	38
B. Operated	16	26.5	583	3	6	24	63	93	99 +	99 +
1. SINGLE DX	251	2.0	1	1	2	2	2	3	3	5
2. MULTIPLE DX	294	7.1	99	2	2	3	8	20	29	89
A. Not Operated	528	4.1	30	1	2	2	4	9	17	34
B. Operated	17	25.1	582	2	6	20	56	90	99 +	99 +
TOTAL										
1-999 G	0									
1000-1499	6	29.0	74	18	20	30	36	39	39	39
1500-1749	13	29.8	244	19	20	25	35	46	70	76
1750-2499	93	7.6	85	2	2	5	11	17	22	53
2500 +	433	3.0	18	1	2	2	3	5	9	22
GRAND TOTAL	**545**	**4.7**	**60**	**1**	**2**	**2**	**4**	**12**	**20**	**63**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.1		< 1	1	1	1	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	2	4.5	25	< 1	< 1	4	8	8	8	8
B. Operated										
0-19 YRS	284	1.5	1	< 1	1	1	2	3	4	5
20-34	277	1.7	1	< 1	1	1	2	3	4	6
35-49	135	1.9	2	< 1	1	1	2	4	5	6
50-64	66	1.6	1	1	1	1	2	3	4	6
65 +	48	1.8	2	< 1	1	1	2	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	3	2.7	8	< 1	< 1	1	5	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	3	3.0	12	< 1	< 1	< 1	5	7	7	7
B. Operated										
0-19 YRS	199	2.2	7	1	1	1	2	4	6	16
20-34	93	2.9	18	1	1	2	3	5	7	28
35-49	59	3.0	5	1	1	2	4	7	8	11
50-64	43	5.3	213	1	1	2	4	7	15	95
65 +	55	4.7	55	1	1	3	5	11	12	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.7	4	< 1	1	1	1	4	8	8
B. Operated	810	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	12	2.2	5	< 1	< 1	1	3	6	7	7
B. Operated	449	3.0	35	1	1	2	3	5	8	26
1. SINGLE DX	821	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	461	3.0	34	1	1	2	3	5	8	25
A. Not Operated	23	2.0	5	< 1	< 1	1	1	6	7	8
B. Operated	1259	2.2	14	1	1	1	2	4	5	11
TOTAL										
0-19 YRS	495	1.8	3	1	1	1	2	3	4	7
20-34	374	2.0	6	1	1	1	2	4	5	7
35-49	195	2.3	3	1	1	2	3	5	6	8
50-64	110	3.0	86	1	1	1	2	5	6	54
65 +	108	3.4	31	< 1	1	2	4	7	11	30
GRAND TOTAL	**1282**	**2.2**	**14**	**1**	**1**	**1**	**2**	**4**	**5**	**11**

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	82	1.5	10	1	1	1	1	1	3	21
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	9	3.6	21	1	1	1	5	11	15	15
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	16	2.3	3	1	1	2	3	5	6	7
50-64	18	3.6	6	1	2	3	4	8	9	9
65 +	26	3.1	7	1	1	2	4	6	10	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	90	1.6	9	1	1	1	1	2	4	19
B. Operated	72	3.1	7	1	1	2	4	6	9	14
1. SINGLE DX	0									
2. MULTIPLE DX	162	2.3	9	1	1	1	3	4	6	15
A. Not Operated	90	1.6	9	1	1	1	1	2	4	19
B. Operated	72	3.1	7	1	1	2	4	6	9	14
TOTAL										
0-19 YRS	12	3.5	16	1	1	2	5	8	14	15
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	18	2.3	3	1	1	2	3	5	6	7
50-64	100	1.9	10	1	1	1	1	4	5	19
65 +	28	3.1	7	1	1	3	4	6	10	12
GRAND TOTAL	**162**	**2.3**	**9**	**1**	**1**	**1**	**3**	**4**	**6**	**15**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.1	2	1	1	2	3	4	5	5
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	20	2.8	3	1	2	2	4	6	6	6
50-64	49	3.3	3	1	2	3	5	6	7	7
65 +	50	3.3	6	1	2	3	4	6	6	16
B. Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	0									
35-49	0									
50-64	7	8.1	95	2	4	5	6	25	30	30
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3104	3.1	5	1	2	2	4	5	6	9
20-34	1181	3.2	7	1	1	3	4	5	6	11
35-49	3023	2.9	5	1	1	2	4	5	6	10
50-64	8095	3.0	5	1	2	2	4	5	6	11
65 +	8207	3.2	6	1	2	3	4	6	6	11
B. Operated										
0-19 YRS	288	6.0	74	1	2	4	6	10	23	49
20-34	119	7.6	95	2	2	5	8	17	21	59
35-49	316	5.8	41	2	3	5	6	10	16	36
50-64	748	6.6	52	1	3	5	7	12	21	41
65 +	768	6.9	72	2	3	5	7	14	21	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	130	3.2	4	1	2	3	4	6	6	9
B. Operated	11	6.1	65	2	2	4	6	16	29	30
2. MULTIPLE DX										
A. Not Operated	23610	3.1	6	1	2	3	4	5	6	11
B. Operated	2239	6.6	63	2	3	5	7	13	21	45
1. SINGLE DX	141	3.4	9	1	2	3	5	6	6	17
2. MULTIPLE DX	25849	3.4	11	1	2	3	4	6	7	16
A. Not Operated	23740	3.1	6	1	2	3	4	5	6	11
B. Operated	2250	6.6	63	2	3	5	7	13	21	45
TOTAL										
0-19 YRS	3404	3.3	12	1	2	3	4	6	6	16
20-34	1302	3.6	16	1	2	3	5	6	7	20
35-49	3359	3.2	9	1	1	2	4	6	7	14
50-64	8899	3.3	10	1	2	3	4	6	7	16
65 +	9026	3.5	13	1	2	3	5	6	7	17
GRAND TOTAL	**25990**	**3.4**	**11**	**1**	**2**	**3**	**4**	**6**	**7**	**16**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V53.9; V54.8-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	455	2.1	7	<1	1	1	2	4	6	9
20-34	376	1.8	3	<1	1	1	2	3	4	8
35-49	123	3.2	90	<1	1	1	2	4	8	51
50-64	51	2.1	21	<1	1	1	2	3	4	33
65 +	95	3.5	19	<1	<1	2	3	10	13	21
B. Operated										
0-19 YRS	259	3.4	20	<1	1	2	5	8	9	18
20-34	362	2.6	6	<1	1	2	3	6	7	12
35-49	217	3.1	7	<1	1	2	5	7	8	10
50-64	153	4.1	11	<1	1	3	7	9	10	13
65 +	105	4.5	14	<1	1	3	8	10	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	986	6.8	135	1	1	3	6	23	39	99 +
20-34	726	13.8	341	1	1	5	25	49	74	99 +
35-49	855	12.0	250	1	2	6	17	33	55	99 +
50-64	1140	13.4	208	1	2	8	20	35	46	72
65 +	3985	18.0	168	3	9	16	25	35	43	75
B. Operated										
0-19 YRS	1073	4.2	70	1	1	2	5	9	13	72
20-34	627	5.6	114	1	1	2	6	13	35	99 +
35-49	840	5.3	76	1	1	2	6	11	22	99 +
50-64	923	7.4	154	1	1	3	8	17	35	86
65 +	1532	12.1	184	1	2	8	16	33	42	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1100	2.3	17	<1	1	1	2	4	6	14
B. Operated	1096	3.3	11	<1	1	2	5	8	9	13
2. MULTIPLE DX										
A. Not Operated	7692	14.8	210	1	3	11	23	35	46	99 +
B. Operated	4995	7.6	137	1	1	3	9	21	36	89
1. SINGLE DX	2196	2.8	14	<1	1	1	3	7	9	13
2. MULTIPLE DX	12687	12.0	194	1	2	7	18	31	43	99 +
A. Not Operated	8792	13.3	203	1	2	9	21	33	44	99 +
B. Operated	6091	6.8	117	1	1	3	8	17	32	79
TOTAL										
0-19 YRS	2773	4.7	81	1	1	2	4	10	22	79
20-34	2091	7.3	179	1	1	2	6	26	43	99 +
35-49	2035	7.8	156	1	1	3	8	25	36	99 +
50-64	2267	10.1	181	1	2	5	13	28	40	78
65 +	5717	15.9	179	2	6	13	23	35	43	70
GRAND TOTAL	**14883**	**10.6**	**178**	**1**	**2**	**5**	**15**	**29**	**40**	**88**

Length of Stay Tables
Operation Groups

304 Hospitals, North Central Region, January-December 1989, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	57591	2.9	12	1	1	2	3	5	7	18
20-34	116558	2.7	5	1	2	2	3	4	5	11
35-49	40931	3.4	11	1	2	3	4	6	8	16
50-64	28042	4.0	14	1	2	3	5	8	10	17
65 +	23239	5.2	24	1	2	4	7	11	13	23
2. MULTIPLE DX										
0-19 YRS	86398	6.4	97	1	2	3	6	14	25	74
20-34	154889	4.5	30	2	2	3	5	8	12	30
35-49	109087	6.1	47	1	3	4	7	12	18	38
50-64	135077	7.6	63	2	3	5	9	15	21	43
65 +	273273	9.3	71	2	4	7	12	18	25	45
TOTAL SINGLE DX	266361	3.2	11	1	2	2	4	6	8	16
TOTAL MULTIPLE DX	758724	7.2	64	2	3	5	9	15	21	44
TOTAL										
0-19 YRS	143989	5.0	66	1	2	3	5	10	18	55
20-34	271447	3.7	21	1	2	3	4	6	9	24
35-49	150018	5.4	39	1	2	4	6	10	15	33
50-64	163119	6.9	56	1	3	5	9	14	20	40
65 +	296512	9.0	69	2	4	7	11	18	24	43
GRAND TOTAL	**1025085**	**6.2**	**53**	**1**	**2**	**4**	**7**	**13**	**19**	**39**

304 Hospitals, North Central Region, January-December 1989, by Operation

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	162	6.9	21	2	4	6	9	13	18	22
20-34	92	7.2	24	2	4	6	10	15	17	22
35-49	102	6.5	13	2	4	6	8	12	13	17
50-64	88	9.4	39	4	6	8	12	15	17	36
65 +	110	9.0	51	3	5	7	10	16	19	42
2. MULTIPLE DX										
0-19 YRS	447	12.1	180	2	4	8	14	29	46	99 +
20-34	188	15.5	226	5	7	10	19	47	66	99 +
35-49	333	15.5	192	5	7	11	18	36	49	99 +
50-64	478	16.2	208	5	8	11	19	36	48	74
65 +	752	18.3	194	6	9	14	22	37	47	76
TOTAL SINGLE DX	554	7.7	30	2	4	7	10	14	17	32
TOTAL MULTIPLE DX	2198	15.9	202	4	7	11	20	36	49	98
TOTAL										
0-19 YRS	609	10.7	143	2	4	7	13	24	36	99 +
20-34	280	12.8	175	3	6	9	15	33	58	99 +
35-49	435	13.4	165	4	6	9	16	29	44	99 +
50-64	566	15.1	189	5	7	11	17	33	45	67
65 +	862	17.1	186	6	8	13	21	36	46	75
GRAND TOTAL	2752	14.3	178	4	6	10	17	32	46	88

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	92	5.8	20	2	3	4	7	10	13	26
20-34	24	5.9	10	2	4	6	7	9	12	16
35-49	18	12.9	103	4	4	10	17	28	33	37
50-64	14	7.7	4	5	6	8	9	11	11	11
65 +	9	6.4	9	3	4	6	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	140	13.5	227	4	5	8	16	40	61	99 +
20-34	75	18.2	257	6	8	13	23	45	71	99 +
35-49	77	20.6	373	5	8	14	28	48	77	95
50-64	78	17.7	250	5	7	12	22	42	54	96
65 +	124	20.8	255	6	10	16	26	46	62	99 +
TOTAL SINGLE DX	157	6.8	31	2	4	5	8	12	17	28
TOTAL MULTIPLE DX	494	17.8	272	4	7	12	23	46	61	99 +
TOTAL										
0-19 YRS	232	10.4	160	2	4	7	12	24	48	99 +
20-34	99	15.2	225	4	6	11	18	39	55	99 +
35-49	95	19.2	330	4	7	12	27	47	72	91
50-64	92	16.1	225	5	7	10	19	39	53	94
65 +	133	19.9	252	5	9	15	25	46	60	99 +
GRAND TOTAL	651	15.2	236	4	6	10	19	39	53	99 +

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	274	3.7	4	2	2	3	4	6	7	13
20-34	21	4.9	12	1	3	4	7	10	13	14
35-49	15	3.3	3	2	2	3	4	6	7	8
50-64	10	4.4	9	< 1	2	4	7	9	9	9
65 +	4	3.5	3	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	238	8.4	122	3	4	5	8	16	34	99 +
20-34	92	11.5	238	2	4	6	10	33	50	78
35-49	45	11.2	120	2	3	9	15	25	47	99 +
50-64	26	15.1	396	2	3	9	21	63	84	99 +
65 +	14	12.4	159	3	5	6	15	37	39	39
TOTAL SINGLE DX	324	3.8	5	2	2	3	5	7	8	13
TOTAL MULTIPLE DX	415	9.9	168	2	4	6	10	26	43	99 +
TOTAL										
0-19 YRS	512	5.9	65	2	3	4	6	9	15	69
20-34	113	10.2	203	2	3	6	9	29	45	72
35-49	60	9.2	103	2	3	6	13	22	38	95
50-64	36	12.1	309	2	3	6	14	38	76	99 +
65 +	18	10.4	137	2	4	5	14	34	38	39
GRAND TOTAL	739	7.2	106	2	3	4	7	14	29	82

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	253	3.5	11	1	2	3	4	6	9	21
20-34	15	4.5	3	2	3	5	5	8	8	8
35-49	18	4.9	10	1	3	4	5	11	12	12
50-64	14	5.9	49	2	3	4	6	12	25	29
65 +	25	8.0	27	4	5	6	10	16	20	23
2. MULTIPLE DX										
0-19 YRS	488	12.8	316	2	3	6	16	49	97	99 +
20-34	63	19.3	396	3	5	11	32	49	81	99 +
35-49	61	14.5	163	3	7	9	21	35	51	94
50-64	77	20.1	321	4	7	14	30	59	87	99 +
65 +	195	20.2	286	5	7	15	27	49	61	99 +
TOTAL SINGLE DX	325	4.1	15	1	2	3	5	8	11	24
TOTAL MULTIPLE DX	884	15.6	316	2	4	9	23	50	80	99 +
TOTAL										
0-19 YRS	741	9.6	231	1	2	4	10	32	72	99 +
20-34	78	16.5	354	3	5	7	25	45	73	99 +
35-49	79	12.3	144	2	5	8	15	31	44	86
50-64	91	17.9	305	3	5	13	26	56	74	99 +
65 +	220	18.8	272	5	7	15	25	47	60	99 +
GRAND TOTAL	1209	12.5	261	2	3	6	16	39	66	99 +

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	248	3.8	12	1	2	3	4	7	11	22
20-34	43	6.3	21	2	3	5	7	13	16	22
35-49	17	5.2	7	2	3	5	6	9	11	12
50-64	11	6.4	10	3	4	5	9	11	12	12
65 +	9	5.1	6	2	3	5	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	911	7.5	106	1	2	4	8	19	28	64
20-34	144	9.4	91	2	4	6	11	23	31	99 +
35-49	78	12.7	158	4	5	8	16	29	39	92
50-64	66	10.7	104	2	4	8	14	25	30	55
65 +	76	13.1	90	5	7	11	16	25	31	52
TOTAL SINGLE DX	328	4.3	14	1	2	3	5	9	12	22
TOTAL MULTIPLE DX	1275	8.5	110	2	3	5	10	20	30	67
TOTAL										
0-19 YRS	1159	6.7	89	1	2	3	7	16	25	54
20-34	187	8.6	77	2	3	6	10	20	29	85
35-49	95	11.3	139	4	5	7	13	27	35	87
50-64	77	10.1	93	2	4	8	12	24	29	52
65 +	85	12.3	87	4	6	10	15	24	29	51
GRAND TOTAL	1603	7.7	93	2	2	4	9	18	27	60

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	7.0	17	2	4	6	11	12	15	18
20-34	92	6.1	21	2	3	5	8	10	13	27
35-49	266	4.6	7	2	3	4	6	8	9	14
50-64	332	5.0	10	2	3	4	6	8	10	19
65 +	217	6.8	18	3	4	6	8	12	16	26
2. MULTIPLE DX										
0-19 YRS	79	11.2	129	4	5	7	13	23	34	69
20-34	123	8.7	43	3	4	7	11	17	23	34
35-49	348	7.7	41	3	4	6	9	12	21	31
50-64	684	8.5	68	3	4	6	9	15	24	46
65 +	1170	10.6	72	4	6	8	12	20	26	44
TOTAL SINGLE DX	929	5.5	13	2	3	5	7	9	12	20
TOTAL MULTIPLE DX	2404	9.5	68	3	5	7	11	17	25	45
TOTAL										
0-19 YRS	101	10.3	108	3	5	7	11	19	30	63
20-34	215	7.6	35	2	4	6	9	15	20	32
35-49	614	6.4	29	2	3	5	8	11	14	28
50-64	1016	7.3	52	3	4	6	8	13	19	45
65 +	1387	10.0	66	4	5	8	11	18	25	42
GRAND TOTAL	3333	8.4	56	3	4	7	9	15	22	39

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	109	7.6	23	3	4	7	9	15	18	25
20-34	78	3.9	10	1	2	3	5	8	9	18
35-49	78	5.1	21	1	2	4	7	10	14	24
50-64	37	4.3	8	1	2	4	6	9	11	11
65 +	27	7.2	29	3	4	6	9	15	21	24
2. MULTIPLE DX										
0-19 YRS	285	10.9	145	2	4	7	13	26	38	98
20-34	142	9.2	83	2	3	7	12	18	27	62
35-49	201	9.4	79	2	4	7	12	21	30	51
50-64	154	11.1	124	2	4	8	15	22	28	55
65 +	167	15.4	173	4	7	12	21	31	47	63
TOTAL SINGLE DX	329	5.7	21	1	3	5	7	11	15	24
TOTAL MULTIPLE DX	949	11.1	128	2	4	8	14	24	34	66
TOTAL										
0-19 YRS	394	10.0	114	2	4	7	11	23	33	88
20-34	220	7.3	64	1	2	5	10	16	19	55
35-49	279	8.2	67	1	3	5	10	19	25	45
50-64	191	9.7	109	2	4	7	13	21	25	49
65 +	194	14.2	161	3	6	10	19	28	36	61
GRAND TOTAL	1278	9.8	106	2	4	7	12	21	29	59

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	5.4	82	1	1	3	4	18	31	31
20-34	24	3.9	7	1	1	3	6	8	9	10
35-49	46	4.3	10	<1	1	4	7	8	10	12
50-64	43	3.2	8	<1	1	1	6	7	9	13
65 +	34	2.7	6	<1	1	1	3	7	8	9
2. MULTIPLE DX										
0-19 YRS	16	10.4	274	1	2	4	8	45	53	55
20-34	41	4.3	17	1	2	3	5	9	15	19
35-49	62	5.1	23	1	2	3	7	11	14	27
50-64	86	8.2	86	1	2	7	8	16	26	55
65 +	70	7.7	132	1	1	5	10	16	21	75
TOTAL SINGLE DX	157	3.6	13	<1	1	2	6	8	9	13
TOTAL MULTIPLE DX	275	6.9	86	1	2	5	8	15	21	53
TOTAL										
0-19 YRS	26	8.5	201	1	2	3	6	29	49	55
20-34	65	4.1	14	1	2	3	5	8	12	19
35-49	108	4.7	18	1	1	3	7	10	12	21
50-64	129	6.5	66	1	1	6	8	12	23	46
65 +	104	6.0	96	1	1	3	8	14	18	62
GRAND TOTAL	432	5.7	62	1	1	3	7	11	16	46

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	2.1	4	1	1	1	2	4	7	10
20-34	124	1.5	1	<1	1	1	2	3	4	6
35-49	179	1.7	1	<1	<1	1	2	3	5	7
50-64	129	1.6	2	<1	<1	1	1	3	5	9
65 +	75	1.6	1	<1	<1	<1	2	2	5	7
2. MULTIPLE DX										
0-19 YRS	75	2.7	10	<1	1	1	3	6	9	17
20-34	187	3.5	34	1	1	2	3	7	12	48
35-49	228	3.5	30	1	1	2	3	8	10	33
50-64	179	3.3	11	1	1	2	4	8	10	18
65 +	151	4.9	34	1	1	3	7	13	17	23
TOTAL SINGLE DX	537	1.7	2	<1	<1	1	2	3	5	7
TOTAL MULTIPLE DX	820	3.6	27	1	1	2	4	8	13	26
TOTAL										
0-19 YRS	105	2.6	9	1	1	1	3	6	9	16
20-34	311	2.7	22	<1	1	1	3	5	9	28
35-49	407	2.7	18	<1	1	1	3	6	8	22
50-64	308	2.6	9	<1	1	1	3	6	9	15
65 +	226	3.8	26	<1	1	2	4	10	14	23
GRAND TOTAL	1357	2.9	18	<1	1	1	3	6	10	22

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	19	3.8	4	1	2	4	4	7	8	8
35-49	19	3.8	2	2	3	4	5	5	7	8
50-64	10	3.5	2	1	2	4	4	5	6	6
65 +	2	8.0	32	4	4	8	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	0									
20-34	19	5.2	12	2	4	4	6	9	13	17
35-49	18	4.7	8	1	3	4	6	8	11	13
50-64	29	7.1	24	3	4	7	8	12	15	27
65 +	34	9.4	45	3	5	8	12	19	24	32
TOTAL SINGLE DX	52	3.9	4	2	3	4	5	6	8	12
TOTAL MULTIPLE DX	100	7.1	29	3	4	6	8	13	18	29
TOTAL										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	38	4.5	9	1	3	4	6	8	9	17
35-49	37	4.3	5	1	3	4	5	7	8	13
50-64	39	6.2	21	2	3	5	7	11	14	27
65 +	36	9.3	44	3	5	8	12	19	23	32
GRAND TOTAL	152	6.0	23	2	3	4	7	12	15	27

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	17	2.4	6	<1	<1	1	2	7	9	9
35-49	12	3.7	7	<1	1	3	6	8	8	8
50-64	26	3.6	6	1	1	3	6	7	9	9
65 +	8	2.8	4	<1	1	2	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	27	10.6	64	1	4	8	15	23	27	30
35-49	48	8.5	177	1	3	5	9	15	25	88
50-64	32	6.2	33	1	2	4	8	14	20	26
65 +	54	9.9	71	2	4	7	12	22	29	37
TOTAL SINGLE DX	64	3.2	7	<1	1	2	5	7	8	9
TOTAL MULTIPLE DX	164	8.7	95	1	3	6	11	19	26	37
TOTAL										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	44	7.4	58	<1	1	5	11	19	25	30
35-49	60	7.5	147	1	2	5	9	13	20	83
50-64	58	5.0	23	1	2	4	7	9	15	26
65 +	62	9.0	68	2	3	6	11	21	28	37
GRAND TOTAL	228	7.1	76	1	2	5	9	16	24	35

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	2.0		1	1	2	2	3	4	4
20-34	345	2.2	1	1	2	2	3	3	4	9
35-49	501	2.1	1	1	1	2	2	3	3	5
50-64	284	2.2		1	2	2	3	3	4	5
65 +	148	2.6	2	1	2	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	25	5.3	34	1	2	4	5	11	16	30
20-34	212	3.1	9	1	2	2	3	5	8	17
35-49	350	2.7	2	1	2	2	3	4	5	8
50-64	340	3.6	13	2	2	3	4	6	9	20
65 +	383	4.8	35	2	2	3	5	8	13	33
TOTAL SINGLE DX	1345	2.2	2	1	2	2	3	3	4	7
TOTAL MULTIPLE DX	1310	3.7	17	1	2	3	4	6	9	23
TOTAL										
0-19 YRS	92	2.9	12	1	1	2	3	5	7	22
20-34	557	2.6	5	1	2	2	3	4	5	13
35-49	851	2.3	2	1	2	2	3	4	4	7
50-64	624	3.0	8	1	2	2	3	5	6	17
65 +	531	4.2	28	2	2	3	4	8	10	28
GRAND TOTAL	2655	2.9	10	1	2	2	3	4	7	16

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	138	1.8	8	1	1	1	2	3	4	12
20-34	50	1.8	2	1	1	1	2	3	5	9
35-49	53	2.3	2	1	1	2	3	4	6	9
50-64	52	2.4	2	1	2	2	3	4	5	9
65 +	15	2.9	4	1	2	2	3	7	8	8
2. MULTIPLE DX										
0-19 YRS	39	3.2	18	1	1	1	3	10	13	20
20-34	45	5.8	60	1	2	3	6	13	17	49
35-49	96	5.7	54	2	2	3	6	13	19	45
50-64	175	5.0	43	2	2	3	5	10	19	39
65 +	176	6.2	96	2	2	4	6	11	21	66
TOTAL SINGLE DX	308	2.1	5	1	1	1	2	4	5	9
TOTAL MULTIPLE DX	531	5.5	63	1	2	3	5	12	19	43
TOTAL										
0-19 YRS	177	2.1	11	1	1	1	2	3	7	18
20-34	95	3.7	33	1	1	2	4	7	12	35
35-49	149	4.5	39	1	2	3	4	10	14	40
50-64	227	4.4	35	1	2	3	4	9	14	33
65 +	191	6.0	90	2	2	3	5	11	21	61
GRAND TOTAL	839	4.2	44	1	1	2	4	8	13	36

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	5.2	4	3	4	5	6	8	9	9
20-34	23	5.8	7	3	4	6	7	8	11	15
35-49	23	5.5	6	3	4	5	6	8	11	15
50-64	14	6.1	3	4	5	6	7	8	10	11
65 +	10	8.7	27	3	6	8	9	17	21	21
2. MULTIPLE DX										
0-19 YRS	44	10.6	117	4	5	8	12	16	27	70
20-34	60	7.4	15	4	5	6	9	14	17	20
35-49	86	9.9	67	5	6	7	11	17	27	50
50-64	92	9.8	55	5	6	7	10	19	26	42
65 +	64	12.2	106	5	6	8	17	25	38	94
TOTAL SINGLE DX	84	6.0	9	3	5	6	7	8	12	19
TOTAL MULTIPLE DX	346	10.0	70	5	5	7	11	19	26	59
TOTAL										
0-19 YRS	58	9.3	95	4	5	7	10	15	23	67
20-34	83	7.0	14	4	5	6	8	13	15	19
35-49	109	9.0	58	4	5	7	9	16	25	45
50-64	106	9.3	50	4	6	7	10	19	24	41
65 +	74	11.7	97	5	6	8	16	25	35	91
GRAND TOTAL	430	9.2	61	4	5	7	10	17	25	46

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	2.8	12	<1	<1	1	4	8	8	8
50-64	3	1.0		1	1	1	1	1	1	1
65 +	4	2.5	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	11	2.5	8	<1	1	1	2	7	11	11
20-34	5	7.6	37	2	3	6	12	17	17	17
35-49	9	9.9	108	<1	3	7	13	28	29	29
50-64	5	9.6	153	<1	<1	2	18	29	29	29
65 +	26	5.5	26	1	1	4	8	14	16	21
TOTAL SINGLE DX	22	1.7	3	<1	1	1	1	4	6	8
TOTAL MULTIPLE DX	56	6.1	50	1	1	4	8	15	24	29
TOTAL										
0-19 YRS	21	1.8	5	<1	1	1	2	3	7	11
20-34	6	6.7	35	2	2	4	10	16	17	17
35-49	13	7.7	87	<1	1	4	8	27	29	29
50-64	8	6.4	107	<1	<1	1	8	25	29	29
65 +	30	5.1	24	1	1	4	8	12	15	21
GRAND TOTAL	78	4.9	40	<1	1	2	7	13	19	29

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	59	1.1		<1	1	1	1	1	2	2
20-34	10	2.2	3	<1	1	1	3	5	6	6
35-49	16	1.2		1	1	1	1	2	2	2
50-64	11	1.6		<1	<1	1	2	3	4	4
65 +	30	1.4	1	<1	<1	<1	1	2	3	7
2. MULTIPLE DX										
0-19 YRS	141	3.1	10	1	1	2	4	6	9	17
20-34	158	3.7	27	1	1	2	4	7	9	31
35-49	121	3.5	23	1	1	2	4	7	10	27
50-64	104	4.8	74	1	1	3	5	9	12	56
65 +	154	8.2	123	1	2	5	9	20	26	56
TOTAL SINGLE DX	126	1.3	1	<1	1	1	1	2	3	6
TOTAL MULTIPLE DX	678	4.7	56	1	1	3	5	9	14	41
TOTAL										
0-19 YRS	200	2.5	9	1	1	1	3	5	8	15
20-34	168	3.6	26	1	1	2	4	7	8	31
35-49	137	3.3	21	1	1	2	4	6	10	23
50-64	115	4.5	68	1	1	2	5	8	11	54
65 +	184	7.1	110	<1	1	4	8	18	24	52
GRAND TOTAL	804	4.2	49	1	1	2	5	8	13	39

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	1.1		<1	<1	1	1	1	2	2
20-34	8	1.3		<1	<1	1	2	2	2	2
35-49	6	2.2	4	<1	<1	1	3	6	6	6
50-64	9	2.0	5	<1	1	1	2	6	8	8
65 +	10	1.0		<1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	24	2.0	3	<1	1	1	2	4	7	8
20-34	15	2.9	15	1	1	1	3	6	13	16
35-49	10	2.1	3	1	1	1	2	5	6	6
50-64	16	1.3		1	1	1	2	2	2	2
65 +	41	2.5	39	1	1	1	2	3	5	41
TOTAL SINGLE DX	58	1.3	1	<1	<1	1	1	2	3	8
TOTAL MULTIPLE DX	106	2.2	18	1	1	1	2	4	6	27
TOTAL										
0-19 YRS	49	1.6	2	<1	1	1	1	3	4	8
20-34	23	2.3	11	<1	1	1	2	5	9	16
35-49	16	2.1	3	<1	1	1	3	6	6	6
50-64	25	1.5	2	1	1	1	2	2	4	8
65 +	51	2.2	32	1	1	1	2	3	3	41
GRAND TOTAL	164	1.9	12	<1	1	1	2	3	6	15

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.8	3	<1	<1	1	2	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	5	3.4	8	<1	1	2	6	7	7	7
20-34	3	3.7	5	1	2	5	5	5	5	5
35-49	3	5.3	14	1	2	7	8	8	8	8
50-64	4	5.0	14	1	2	4	7	10	10	10
65 +	10	7.9	15	2	5	8	11	13	14	14
TOTAL SINGLE DX	7	1.7	2	<1	<1	1	2	4	5	5
TOTAL MULTIPLE DX	25	5.7	14	1	2	5	8	11	12	14
TOTAL										
0-19 YRS	10	2.6	6	<1	<1	1	5	6	7	7
20-34	3	3.7	5	1	2	5	5	5	5	5
35-49	3	5.3	14	1	2	7	8	8	8	8
50-64	4	5.0	14	1	2	4	7	10	10	10
65 +	12	6.8	19	1	3	7	10	13	14	14
GRAND TOTAL	32	4.8	14	<1	1	5	7	10	12	14

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	1.9	2	1	1	1	2	5	6	6
20-34	26	1.4		1	1	1	2	3	3	3
35-49	23	1.3		1	1	1	1	2	3	3
50-64	23	1.5		<1	1	1	2	2	3	3
65+	106	2.3	1	1	2	2	3	3	4	8
2. MULTIPLE DX										
0-19 YRS	21	1.7		1	1	2	2	3	3	3
20-34	27	1.5		1	1	1	2	3	3	3
35-49	47	1.9	3	1	1	1	2	3	6	11
50-64	88	1.9	1	1	1	2	2	4	4	5
65+	640	2.5	2	1	2	2	3	4	5	9
TOTAL SINGLE DX	193	1.9	2	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	823	2.3	3	1	2	2	3	4	5	9
TOTAL										
0-19 YRS	36	1.8	1	1	1	1	2	3	5	6
20-34	53	1.4	1	1	1	1	2	3	3	3
35-49	70	1.7	3	1	1	1	2	3	5	10
50-64	111	1.8	1	1	1	2	2	3	4	5
65+	746	2.4	3	1	2	2	3	4	5	9
GRAND TOTAL	**1016**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	74	3.2	2	1	2	3	4	6	6	7
20-34	29	3.3	2	2	2	3	4	5	6	7
35-49	13	3.7	14	1	1	3	4	8	14	15
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	6	3.3	9	<1	1	2	4	8	9	9
2. MULTIPLE DX										
0-19 YRS	70	4.1	8	1	2	4	5	7	8	18
20-34	47	4.9	9	2	3	4	6	10	11	14
35-49	36	4.1	7	1	3	3	5	6	10	15
50-64	14	4.2	12	1	2	4	5	7	13	15
65+	46	5.0	18	1	2	4	6	9	14	24
TOTAL SINGLE DX	126	3.2	4	1	2	3	4	6	6	10
TOTAL MULTIPLE DX	213	4.5	11	1	2	4	5	8	11	17
TOTAL										
0-19 YRS	144	3.6	6	1	2	3	5	6	7	12
20-34	76	4.3	7	2	3	3	5	9	10	13
35-49	49	4.0	9	1	2	3	5	6	12	15
50-64	18	3.6	11	1	1	3	5	6	11	15
65+	52	4.8	18	1	2	4	6	9	14	24
GRAND TOTAL	**339**	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**10**	**15**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	1.4		<1	1	1	2	3	3	3
20-34	14	2.1	1	1	1	2	3	3	4	4
35-49	24	2.4		2	2	2	3	3	4	5
50-64	39	2.5	3	<1	1	2	3	6	7	9
65+	95	2.5	8	<1	1	2	3	5	6	18
2. MULTIPLE DX										
0-19 YRS	41	2.4	5	1	1	2	3	5	7	12
20-34	25	3.0	5	1	2	2	3	5	8	12
35-49	48	2.6	2	1	1	2	4	5	6	8
50-64	140	3.9	24	1	2	3	4	7	11	26
65+	421	3.1	6	1	2	2	4	6	8	14
TOTAL SINGLE DX	201	2.3	5	1	1	2	3	4	5	10
TOTAL MULTIPLE DX	675	3.2	10	1	2	2	4	6	8	15
TOTAL										
0-19 YRS	70	2.0	3	1	1	1	2	4	5	11
20-34	39	2.6	4	1	1	2	3	5	6	12
35-49	72	2.5	2	1	2	2	3	4	5	8
50-64	179	3.6	20	1	2	2	4	7	10	22
65+	516	3.0	7	1	1	2	4	6	8	14
GRAND TOTAL	**876**	**3.0**	**9**	**1**	**1**	**2**	**3**	**5**	**8**	**15**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	2.8	4	1	1	3	4	5	8	10
20-34	11	2.9	3	1	1	3	4	5	7	7
35-49	8	3.0	1	1	2	3	4	4	4	4
50-64	11	4.5	24	<1	1	2	6	12	17	17
65+	8	2.5	1	1	2	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	32	4.7	13	1	2	4	6	10	14	15
20-34	30	4.8	18	1	2	4	5	11	15	19
35-49	19	3.1	7	1	1	2	4	5	10	13
50-64	37	4.8	19	1	2	3	6	11	13	22
65+	80	4.7	14	1	2	4	6	10	13	17
TOTAL SINGLE DX	57	3.2	7	1	1	3	4	5	8	17
TOTAL MULTIPLE DX	198	4.6	15	1	2	4	6	10	14	19
TOTAL										
0-19 YRS	51	4.0	11	1	1	3	5	9	10	15
20-34	41	4.3	15	1	2	4	5	7	14	19
35-49	27	3.0	6	1	1	3	4	5	6	13
50-64	48	4.8	20	1	2	3	6	11	14	22
65+	88	4.5	13	1	2	4	6	10	12	17
GRAND TOTAL	**255**	**4.3**	**14**	**1**	**2**	**3**	**5**	**9**	**13**	**18**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	1.7	2	1	1	1	2	5	5	5
20-34	0									
35-49	0									
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	5	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	17	2.1	2	1	1	1	3	4	5	6
20-34	5	1.6	2	1	1	1	2	4	4	4
35-49	3	6.0	37	2	2	3	10	13	13	13
50-64	8	3.5	9	1	1	2	5	9	10	10
65+	41	2.3	6	1	1	1	2	4	6	16
TOTAL SINGLE DX	20	1.8	2	1	1	1	2	4	5	5
TOTAL MULTIPLE DX	74	2.5	7	1	[illegible]	2	3	5	8	15
TOTAL										
0-19 YRS	30	1.9	2	1	1	1	2	4	5	6
20-34	5	1.6	2	1	1	1	2	4	4	4
35-49	3	6.0	37	2	2	3	10	13	13	13
50-64	10	3.0	8	<1	1	2	5	8	10	10
65+	46	2.2	6	1	1	1	2	4	6	16
GRAND TOTAL	94	2.3	6	1	1	1	2	5	6	15

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	1.5		1	1	1	2	2	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	19	1.0		<1	<1	<1	<1	1	1	1
50-64	104	1.0		<1	<1	<1	<1	<1	1	3
65+	634	1.0		<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX										
0-19 YRS	29	2.1	3	1	1	1	3	5	6	7
20-34	11	1.7		<1	1	2	2	3	3	3
35-49	22	2.5	12	<1	1	1	2	7	12	16
50-64	100	2.6	11	<1	1	1	3	6	8	20
65+	608	3.0	31	<1	1	1	2	8	11	30
TOTAL SINGLE DX	804	1.1		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	770	[illegible]	27	<1	1	1	2	6	9	27
TOTAL										
0-19 YRS	74	1.7	2	1	1	1	2	3	5	7
20-34	13	1.6	1	<1	1	1	2	3	3	3
35-49	41	1.8	7	<1	<1	1	1	3	7	16
50-64	204	1.8	6	<1	<1	<1	1	3	6	14
65+	1242	2.0	17	<1	<1	<1	1	3	6	23
GRAND TOTAL	1574	2.0	14	<1	<1	<1	1	3	6	21

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	7	1.0		<1	<1	<1	1	1	1	1
65+	22	1.2		<1	<1	<1	<1	2	3	3
2. MULTIPLE DX										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	[illegible]	5	2	2	3	5	5	5	5
65+	34	2.6	5	1	1	2	3	5	8	11
TOTAL SINGLE DX	32	1.2		<1	<1	<1	1	2	2	3
TOTAL MULTIPLE DX	42	2.5	5	1	1	2	3	5	7	11
TOTAL										
0-19 YRS	3	3.0	3	[illegible]	2	2	4	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	9	1.6	2	<1	<1	1	1	4	5	5
65+	56	2.0	4	<1	<1	1	2	4	6	11
GRAND TOTAL	74	1.9	3	<1	<1	1	2	4	5	11

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	78	1.7		1	1	2	2	2	3	6
20-34	74	2.0	1	1	1	2	2	3	4	6
35-49	120	1.9	1	1	1	2	2	3	4	6
50-64	237	1.8		1	1	2	2	3	3	5
65+	209	2.0	1	1	1	2	[illegible]	4	4	6
2. MULTIPLE DX										
0-19 YRS	76	3.1	15	1	1	2	4	8	99+	99+
20-34	108	2.5	5	1	1	2	3	5	6	14
35-49	152	2.2	3	1	1	2	3	4	5	6
50-64	294	2.4	5	1	1	2	3	4	5	10
65+	439	2.6	4	1	2	2	3	5	6	12
TOTAL SINGLE DX	718	1.9	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	1069	2.5	6	1	1	2	3	4	6	15
TOTAL										
0-19 YRS	154	2.4	8	1	1	2	3	4	8	99+
20-34	182	2.3	4	1	1	2	3	4	6	13
35-49	272	2.0	3	1	1	2	2	3	5	6
50-64	531	2.2	4	1	1	2	2	3	5	9
65+	648	2.4	4	1	1	2	3	4	5	10
GRAND TOTAL	1787	2.3	4	1	1	2	3	4	5	11

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	1.6	1	1	1	1	2	2	3	10
20-34	28	1.8		1	1	2	2	3	3	4
35-49	15	1.7	1	1	1	1	2	2	4	5
50-64	42	1.8	2	1	1	1	2	3	5	9
65+	63	2.0	2	1	1	2	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	84	4.0	107	1	1	2	4	99+	99+	99+
20-34	191	2.3	2	1	1	2	3	4	6	10
35-49	155	2.8	5	1	1	2	3	5	8	13
50-64	263	2.6	17	1	1	2	3	4	6	20
65+	467	2.8	17	1	1	2	2	5	8	14
TOTAL SINGLE DX	208	1.8	2	1	1	1	2	3	4	9
TOTAL MULTIPLE DX	1160	2.8	20	1	1	2	3	5	8	65
TOTAL										
0-19 YRS	144	3.0	65	1	1	1	3	8	99+	99+
20-34	219	2.2	3	1	1	2	2	4	5	10
35-49	170	2.7	5	1	1	2	3	5	7	13
50-64	305	2.5	15	1	1	2	2	4	6	17
65+	530	2.7	15	1	1	2	2	5	8	13
GRAND TOTAL	1368	2.6	17	1	1	2	3	5	7	48

530: Operations on ocular muscle (15.01; 15.11-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	55	1.1		<1	<1	1	1	1	2	2
20-34	7	1.0		<1	<1	1	1	1	1	1
35-49	8	1.0		<1	<1	<1	1	1	1	1
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	58	1.6	2	1	1	1	1	3	5	11
20-34	7	3.0	16	1	1	1	3	10	12	12
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	30.0	648	12	12	30	48	48	48	48
TOTAL SINGLE DX	74	1.1		<1	<1	1	1	1	2	2
TOTAL MULTIPLE DX	72	2.5	35	1	1	1	2	4	10	40
TOTAL										
0-19 YRS	113	1.3	1	<1	1	1	1	2	3	8
20-34	14	2.0	9	<1	1	1	1	4	10	12
35-49	11	1.3	1	<1	<1	<1	1	2	4	4
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	4	15.5	496	<1	<1	6	30	48	48	48
GRAND TOTAL	146	1.8	18	<1	1	1	1	2	4	14

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	3.0	11	1	1	2	3	6	9	21
20-34	31	2.4	3	1	1	2	3	5	6	9
35-49	30	2.7	3	1	1	2	4	6	6	8
50-64	21	2.1	1	1	1	2	3	4	5	5
65+	19	2.2	2	1	1	1	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	102	5.0	67	1	1	3	6	9	12	46
20-34	83	5.1	78	1	2	3	5	8	14	60
35-49	71	4.5	34	1	2	3	5	8	13	38
50-64	76	4.9	51	1	1	2	5	11	16	42
65+	145	5.8	78	1	2	3	7	12	18	36
TOTAL SINGLE DX	184	2.7	7	1	1	2	3	5	6	12
TOTAL MULTIPLE DX	477	5.2	65	1	2	3	6	10	15	41
TOTAL										
0-19 YRS	185	4.1	43	1	1	3	5	8	11	22
20-34	114	4.4	59	1	1	3	4	8	10	50
35-49	101	4.0	26	1	2	2	5	7	10	33
50-64	97	4.3	42	1	1	2	5	9	14	42
65+	164	5.3	71	1	2	3	6	11	17	32
GRAND TOTAL	661	4.5	50	1	1	3	5	9	13	37

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	127	2.1	6	1	1	1	2	4	6	15
20-34	18	1.9	2	<1	1	1	2	4	6	6
35-49	14	2.4	7	<1	1	1	2	8	9	9
50-64	4	1.0		<1	<1	1	1	1	1	1
65+	12	2.6	4	<1	1	2	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	189	2.8	7	1	1	2	3	5	8	13
20-34	81	5.3	80	1	1	2	5	12	20	56
35-49	43	5.3	110	1	1	2	5	10	25	54
50-64	33	8.3	103	1	2	3	11	22	32	43
65+	65	8.5	88	1	3	6	11	25	44	99+
TOTAL SINGLE DX	175	2.1	6	<1	1	1	2	4	7	13
TOTAL MULTIPLE DX	411	4.9	57	1	1	2	5	11	[illegible]	50
TOTAL										
0-19 YRS	316	2.6	7	1	1	2	3	5	8	13
20-34	99	4.7	67	1	1	2	5	9	18	49
35-49	57	4.6	86	1	1	2	4	9	14	53
50-64	37	7.5	98	1	2	3	9	20	31	43
65+	77	7.5	79	1	3	5	9	17	39	99+
GRAND TOTAL	586	4.1	43	1	1	2	4	9	14	45

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.1		1	1	1	1	2	2	2
20-34	56	1.2		1	1	1	1	2	2	3
35-49	102	1.1		1	1	1	1	2	2	2
50-64	60	1.2		1	1	1	1	2	2	2
65+	19	1.3		<1	1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	17	1.3		1	1	1	1	3	3	3
20-34	54	1.2		1	1	1	1	2	2	3
35-49	75	1.3		1	1	1	1	2	3	7
50-64	54	1.2		1	1	1	1	2	2	4
65+	30	1.5	2	1	1	1	1	3	4	8
TOTAL SINGLE DX	255	1.2		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	230	1.3	1	1	1	1	1	2	3	6
TOTAL										
0-19 YRS	35	1.2		1	1	1	1	2	3	3
20-34	110	1.2		1	1	1	1	2	2	3
35-49	177	1.2		1	1	1	1	2	2	5
50-64	114	1.2		1	1	1	1	2	2	3
65+	49	1.4	1	1	1	1	1	2	3	8
GRAND TOTAL	485	1.2		1	1	1	1	2	2	4

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	199	1.1		1	1	1	1	1	1	3
20-34	50	1.1		1	1	1	1	1	1	3
35-49	47	1.1		<1	1	1	1	2	2	2
50-64	35	1.3		<1	1	1	1	2	3	4
65+	15	1.3		<1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	306	1.1		1	1	1	1	1	2	3
20-34	94	1.2		1	1	1	1	2	2	7
35-49	98	1.2		1	1	1	1	2	2	5
50-64	84	1.6	19	1	1	1	1	2	3	28
65+	54	1.4	1	1	1	1	1	2	3	7
TOTAL SINGLE DX	346	1.1		1	1	1	1	1	2	3
TOTAL MULTIPLE DX	636	1.2	3	1	1	1	1	2	2	5
TOTAL										
0-19 YRS	505	1.1		1	1	1	1	1	2	3
20-34	144	1.2	1	1	1	1	1	1	2	5
35-49	145	1.2		1	1	1	1	2	2	4
50-64	119	1.5	14	1	1	1	1	2	3	16
65+	69	1.4	1	1	1	1	1	2	3	7
GRAND TOTAL	982	1.2	2	1	1	1	1	1	2	4

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	123	2.1	4	<1	<1	1	3	5	7	10
20-34	11	1.6	1	<1	<1	<1	2	4	4	4
35-49	21	1.1		<1	<1	1	1	1	3	4
50-64	10	1.0		<1	<1	1	1	1	1	1
65+	13	1.2		<1	<1	1	1	2	4	4
2. MULTIPLE DX										
0-19 YRS	782	3.4	31	1	1	1	4	8	12	31
20-34	24	3.2	14	1	1	1	4	7	13	16
35-49	29	2.9	10	<1	1	1	3	9	11	11
50-64	26	4.8	43	<1	1	2	6	15	18	28
65+	29	11.0	129	1	3	8	13	29	42	44
TOTAL SINGLE DX	178	1.9	3	<1	<1	1	2	4	6	9
TOTAL MULTIPLE DX	890	3.6	35	1	1	1	4	9	13	33
TOTAL										
0-19 YRS	905	3.2	28	1	1	1	4	8	11	28
20-34	35	2.7	11	<1	1	1	4	6	11	16
35-49	50	2.2	7	<1	1	1	2	6	9	11
50-64	36	3.8	34	<1	1	1	3	13	16	28
65+	42	8.0	109	<1	1	4	11	17	38	44
GRAND TOTAL	1068	3.3	30	1	1	1	4	8	12	31

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	132	1.3	1	1	1	1	1	2	4	7
20-34	70	1.3		1	1	1	1	2	4	5
35-49	63	1.5	2	<1	1	1	1	2	4	10
50-64	31	1.3		1	1	1	1	2	2	4
65 +	23	1.3		<1	1	1	1	3	4	4
2. MULTIPLE DX										
0-19 YRS	276	2.5	15	1	1	1	2	6	10	21
20-34	93	1.4	2	1	1	1	1	2	3	12
35-49	120	2.9	68	1	1	1	2	3	7	61
50-64	109	2.2	10	1	1	1	2	4	8	20
65 +	86	2.4	30	1	1	1	2	5	6	36
TOTAL SINGLE DX	319	1.4	1	1	1	1	1	2	4	7
TOTAL MULTIPLE DX	684	2.4	24	1	1	1	2	4	8	22
TOTAL										
0-19 YRS	408	2.1	11	1	1	1	1	4	8	20
20-34	163	1.4	2	1	1	1	1	2	3	8
35-49	183	2.4	46	1	1	1	2	3	4	47
50-64	140	2.0	9	1	1	1	2	3	6	19
65 +	109	2.2	25	1	1	1	2	4	5	26
GRAND TOTAL	1003	2.0	17	1	1	1	1	3	6	20

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	111	1.3	2	<1	1	1	1	2	3	10
20-34	36	1.3		1	1	1	1	2	3	5
35-49	59	1.5	1	1	1	1	2	3	3	8
50-64	56	1.4		1	1	1	2	2	3	4
65 +	29	1.4	1	1	1	1	1	3	3	6
2. MULTIPLE DX										
0-19 YRS	152	2.5	12	1	1	1	2	7	11	16
20-34	56	3.2	57	1	1	1	3	4	6	50
35-49	85	3.2	17	1	1	2	3	8	10	24
50-64	81	2.6	10	1	1	2	3	5	6	22
65 +	61	3.7	14	1	1	3	4	8	12	20
TOTAL SINGLE DX	291	1.4	1	1	1	1	1	2	3	7
TOTAL MULTIPLE DX	435	2.9	19	1	1	1	3	6	10	24
TOTAL										
0-19 YRS	263	2.0	8	1	1	1	1	5	7	15
20-34	92	2.4	36	1	1	1	2	4	5	42
35-49	144	2.5	11	1	1	1	3	6	9	15
50-64	137	2.1	7	1	1	1	2	4	6	12
65 +	90	3.0	11	1	1	2	3	7	8	18
GRAND TOTAL	726	2.3	12	1	1	1	2	5	7	16

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.0		<1	1	1	1	1	1	1
20-34	29	1.0		<1	1	1	1	1	2	2
35-49	7	1.1		1	1	1	1	2	2	2
50-64	9	1.3		1	1	1	2	3	3	3
65 +	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	72	1.1		1	1	1	1	1	2	3
20-34	199	1.3	1	1	1	1	1	2	2	4
35-49	160	1.5	3	1	1	1	1	2	3	8
50-64	110	1.8	5	1	1	1	2	3	4	16
65 +	36	2.4	7	1	1	1	3	5	7	15
TOTAL SINGLE DX	56	1.1		<1	1	1	1	2	2	3
TOTAL MULTIPLE DX	577	1.5	3	1	1	1	1	2	3	8
TOTAL										
0-19 YRS	79	1.1		1	1	1	1	1	2	3
20-34	228	1.3	1	1	1	1	1	2	2	4
35-49	167	1.5	3	1	1	1	1	2	3	8
50-64	119	1.8	5	1	1	1	2	3	4	15
65 +	40	2.3	7	1	1	1	3	5	7	15
GRAND TOTAL	633	1.5	3	1	1	1	1	2	3	8

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	125	1.3		1	1	1	1	2	3	7
20-34	173	1.2		<1	1	1	1	2	2	3
35-49	117	1.3		1	1	1	1	2	2	7
50-64	43	1.3	1	<1	1	1	1	2	3	7
65+	15	3.1	51	1	1	1	1	4	23	29
2. MULTIPLE DX										
0-19 YRS	308	1.4		1	1	1	1	2	3	6
20-34	527	1.6	4	1	1	1	1	2	4	11
35-49	468	1.8	7	1	1	1	2	3	5	17
50-64	236	1.9	4	1	1	1	2	4	6	11
65+	137	3.3	23	1	1	2	3	7	9	33
TOTAL SINGLE DX	473	1.3	2	<1	1	1	1	2	2	7
TOTAL MULTIPLE DX	1676	1.8	6	1	1	1	2	3	5	12
TOTAL										
0-19 YRS	433	1.4	1	1	1	1	1	2	3	6
20-34	700	1.5	3	1	1	1	1	2	3	9
35-49	585	1.7	6	1	1	1	2	2	5	13
50-64	279	1.8	4	1	1	1	2	3	6	11
65+	152	3.3	26	1	1	2	3	7	9	32
GRAND TOTAL	2149	1.7	5	1	1	1	2	3	5	11

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	2.1	3	1	1	1	3	6	6	6
20-34	23	1.8	4	<1	<1	1	2	4	6	10
35-40	15	1.5	1	<1	1	1	1	3	5	6
50-64	17	1.5	2	<1	1	1	1	2	5	7
65+	11	1.7	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	101	3.2	17	1	1	1	4	7	11	23
20-34	94	1.8	5	1	1	1	2	3	6	16
35-49	147	2.2	8	1	1	1	2	5	9	12
50-64	111	2.4	10	1	1	1	2	5	10	51
65+	110	4.7	35	1	1	2	6	13	15	29
TOTAL SINGLE DX	93	1.8	3	<1	1	1	2	4	6	9
TOTAL MULTIPLE DX	563	2.8	16	1	1	1	3	7	11	21
TOTAL										
0-19 YRS	128	2.9	14	1	1	1	3	7	10	20
20-34	117	1.8	6	1	1	1	2	3	6	14
35-49	162	2.1	8	1	1	1	2	5	8	11
50-64	128	2.3	9	1	1	1	2	5	8	38
65+	121	4.4	33	1	1	2	6	13	15	27
GRAND TOTAL	656	2.7	14	1	1	1	2	6	10	21

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	54	1.6	1	<1	<1	1	2	3	4	5
20-34	57	1.9	2	<1	<1	1	2	4	5	9
35-49	53	3.1	4	<1	1	2	5	6	7	8
50-64	47	3.4	3	1	2	3	5	6	7	8
65+	54	3.0	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	87	5.0	199	1	1	2	5	7	9	96
20-34	161	3.7	19	1	1	2	5	8	12	25
35-49	130	4.0	8	1	2	3	5	7	9	15
50-64	174	4.7	14	2	2	4	6	8	11	20
65+	347	5.5	33	2	3	4	6	10	13	28
TOTAL SINGLE DX	265	2.6	4	<1	1	2	4	5	7	8
TOTAL MULTIPLE DX	899	4.8	40	1	2	4	6	9	12	25
TOTAL										
0-19 YRS	141	3.7	126	<1	1	1	3	6	8	91
20-34	218	3.2	16	<1	1	2	4	7	9	24
35-49	183	3.7	7	1	2	3	5	7	8	14
50-64	221	4.4	12	1	2	4	6	7	10	20
65+	401	5.2	30	1	2	4	6	10	12	26
GRAND TOTAL	1164	4.3	32	1	1	3	5	8	10	23

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.6	1	1	1	1	2	2	4	6
20-34	28	1.7	2	1	1	1	2	4	6	7
35-49	26	1.6	1	1	1	1	2	2	5	7
50-64	23	1.4		1	1	1	2	2	3	3
65+	18	1.4		1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	36	4.2	37	1	1	1	4	12	20	27
20-34	69	2.7	17	1	1	1	2	7	9	26
35-49	85	2.4	10	1	1	1	2	7	10	18
50-64	91	4.0	65	1	1	1	3	9	15	53
65+	63	3.5	40	1	1	1	3	7	14	37
TOTAL SINGLE DX	114	1.6	1	1	1	1	2	2	4	7
TOTAL MULTIPLE DX	344	3.3	35	1	1	1	3	8	13	31
TOTAL										
0-19 YRS	55	3.3	27	1	1	1	2	7	15	27
20-34	97	2.4	13	1	1	1	2	6	8	22
35-49	111	2.2	9	1	1	1	2	5	9	16
50-64	114	3.5	54	1	1	1	3	6	14	50
65+	81	3.1	32	1	1	1	2	6	12	36
GRAND TOTAL	458	2.9	27	1	1	1	2	6	11	28

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	119	2.3	8	1	1	1	2	6	9	14
20-34	60	2.3	9	1	1	1	2	5	9	17
35-49	77	1.8	2	1	1	1	2	3	5	8
50-64	38	2.1	6	1	1	1	2	3	6	16
65+	24	2.0	2	1	1	1	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	293	5.3	53	1	1	2	7	12	17	37
20-34	243	3.3	21	1	1	1	3	10	15	21
35-49	320	3.2	22	1	1	1	3	9	13	25
50-64	205	4.4	74	1	1	2	4	9	14	52
65+	172	4.5	29	1	1	2	5	13	16	22
TOTAL SINGLE DX	318	2.1	7	1	1	1	2	4	7	15
TOTAL MULTIPLE DX	1233	4.1	40	1	1	2	4	11	15	28
TOTAL										
0-19 YRS	412	4.4	42	1	1	1	6	11	15	31
20-34	303	3.1	20	1	1	1	3	9	15	20
35-49	397	3.0	19	1	1	1	3	7	12	24
50-64	243	4.0	64	1	1	1	3	9	14	45
65+	196	4.2	27	1	1	2	5	10	16	22
GRAND TOTAL	1551	3.7	34	1	1	1	4	9	14	27

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	1.3		<1	<1	<1	1	1	3	6
20-34	23	1.5	1	<1	<1	<1	2	3	4	5
35-49	10	2.5	16	<1	<1	<1	2	8	14	14
50-64	11	1.5	1	<1	<1	<1	1	3	4	4
65+	6	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	191	4.5	64	1	1	2	4	10	24	54
20-34	129	8.4	151	1	2	4	10	23	37	94
35-49	95	6.8	46	1	2	5	9	18	23	69
50-64	101	6.7	92	1	1	2	9	21	39	99+
65+	129	7.5	74	1	2	5	10	16	26	44
TOTAL SINGLE DX	85	1.5	3	<1	<1	<1	1	2	4	11
TOTAL MULTIPLE DX	645	6.6	87	1	2	3	7	18	26	58
TOTAL										
0-19 YRS	226	4.0	56	<1	1	2	3	8	19	50
20-34	152	7.3	134	1	1	3	7	21	31	91
35-49	105	6.4	47	1	2	4	8	17	22	62
50-64	112	6.2	86	1	1	2	7	20	35	99+
65+	135	7.2	73	1	2	5	10	16	26	43
GRAND TOTAL	730	6.0	80	1	1	2	7	15	26	56

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.8	3	1	1	1	2	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	53	3.9	64	1	1	2	3	7	7	50
20-34	14	8.1	505	1	1	1	4	14	70	86
35-49	9	9.2	212	1	1	2	11	35	44	44
50-64	4	1.0		1	1	1	1	1	1	1
65+	3	2.3	1	1	1	3	3	3	3	3
TOTAL SINGLE DX	13	1.5	1	1	1	1	2	3	5	5
TOTAL MULTIPLE DX	83	5.0	148	1	1	2	3	7	26	74
TOTAL										
0-19 YRS	58	3.7	60	1	1	2	2	7	7	49
20-34	15	7.7	472	1	1	1	4	6	66	86
35-49	12	7.3	167	1	1	2	6	28	42	44
50-64	7	1.0		1	1	1	1	1	1	1
65+	4	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	96	4.5	129	1	1	2	3	7	17	69

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	55	1.9	2	1	1	1	2	4	6	9
20-34	3	1.7		1	1	2	2	2	2	2
35-49	18	1.8	1	1	1	1	2	4	4	4
50-64	20	2.3	2	1	1	2	2	4	6	7
65+	6	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	143	2.0	3	1	1	2	2	3	4	14
20-34	42	3.7	20	1	1	2	4	9	14	22
35-49	52	5.1	29	1	2	3	6	12	16	29
50-64	31	5.2	38	1	2	2	7	12	15	31
65+	41	6.3	60	1	2	3	7	22	26	30
TOTAL SINGLE DX	102	1.9	2	1	1	1	2	4	5	8
TOTAL MULTIPLE DX	309	3.6	24	1	1	2	3	8	14	29
TOTAL										
0-19 YRS	198	1.9	4	1	1	1	2	3	4	12
20-34	45	3.6	19	1	1	2	3	8	14	22
35-49	70	4.2	24	1	1	2	5	9	15	27
50-64	51	4.0	26	1	2	2	5	10	13	31
65+	47	5.7	56	1	1	2	6	20	24	30
GRAND TOTAL	411	3.2	19	1	1	2	3	7	12	25

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	1.8	1	1	1	1	2	4	5	6
20-34	126	1.6		1	1	1	2	3	3	4
35-49	193	1.7		1	1	1	2	3	3	6
50-64	212	1.9		1	1	2	2	3	4	5
65 +	134	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	65	3.2	12	1	1	2	3	8	11	17
20-34	70	4.1	14	1	2	3	5	10	12	18
35-49	105	2.7	5	1	1	2	3	7	9	11
50-64	189	2.3	2	1	1	2	3	4	5	9
65 +	290	3.7	15	1	2	2	4	8	11	20
TOTAL SINGLE DX	728	1.8	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	719	3.2	11	1	1	2	3	7	10	17
TOTAL										
0-19 YRS	128	2.5	7	1	1	2	3	6	8	15
20-34	196	2.5	7	1	1	2	3	5	7	16
35-49	298	2.1	3	1	1	2	2	3	6	9
50-64	401	2.1	2	1	1	2	2	4	4	8
65 +	424	3.1	12	1	1	2	3	6	10	20
GRAND TOTAL	1447	2.5	6	1	1	2	3	4	7	14

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	372	2.1	1	1	1	2	3	4	5	5
20-34	4	2.5	1	2	2	2	3	4	4	4
35-49	6	1.3		1	1	1	2	2	2	2
50-64	6	1.3		1	1	1	1	3	3	3
65 +	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	535	2.5	5	1	1	2	3	5	5	10
20-34	18	2.7	5	1	1	2	3	6	8	9
35-49	35	2.7	2	1	2	2	3	5	7	7
50-64	20	2.0		1	1	2	3	3	4	4
65 +	5	7.8	129	1	2	3	11	28	28	28
TOTAL SINGLE DX	391	2.1	1	1	1	2	3	4	5	5
TOTAL MULTIPLE DX	613	2.6	6	1	1	2	3	5	5	10
TOTAL										
0-19 YRS	907	2.4	4	1	1	2	3	4	5	8
20-34	22	2.6	4	1	1	2	3	6	8	9
35-49	41	2.5	2	1	2	2	3	5	6	7
50-64	26	1.8	1	1	1	2	3	3	4	4
65 +	8	6.1	80	1	2	3	5	21	28	28
GRAND TOTAL	1004	2.4	4	1	1	2	3	4	5	8

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	404	2.0	2	1	1	1	2	4	5	8
20-34	104	2.9	2	1	2	2	4	5	6	9
35-49	60	2.1	2	1	1	2	3	4	5	7
50-64	62	3.4	14	< 1	1	2	4	8	13	16
65 +	55	3.1	13	< 1	1	2	3	7	13	19
2. MULTIPLE DX										
0-19 YRS	547	3.0	17	1	1	2	3	6	9	26
20-34	287	4.6	43	1	2	3	5	8	10	37
35-49	214	5.6	45	1	2	4	6	12	16	39
50-64	240	7.5	85	1	2	4	9	16	25	59
65 +	247	7.4	79	1	2	4	9	18	27	52
TOTAL SINGLE DX	685	2.4	5	1	1	2	3	5	6	12
TOTAL MULTIPLE DX	1535	5.1	50	1	1	3	6	11	17	43
TOTAL										
0-19 YRS	951	2.6	11	1	1	2	3	5	7	18
20-34	391	4.2	33	1	2	3	5	7	10	23
35-49	274	4.9	38	1	1	3	6	11	15	34
50-64	302	6.7	74	1	2	4	8	15	21	51
65 +	302	6.6	70	1	1	4	8	16	26	47
GRAND TOTAL	2220	4.3	38	1	1	2	5	9	14	34

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1217	1.2	1	1	1	1	1	1	2	4
20-34	579	1.2		1	1	1	1	2	2	4
35-49	83	1.4		1	1	1	2	2	3	5
50-64	11	2.0	4	1	1	1	2	5	8	8
65 +	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	481	1.8	7	1	1	1	1	3	5	12
20-34	251	1.7	2	1	1	1	2	3	4	9
35-49	68	2.2	5	1	1	1	2	4	8	13
50-64	20	1.6	1	1	1	1	2	4	5	5
65 +	13	10.8	194	1	1	5	15	31	46	49
TOTAL SINGLE DX	1893	1.2	1	1	1	1	1	2	2	4
TOTAL MULTIPLE DX	833	1.9	9	1	1	1	2	3	5	14
TOTAL										
0-19 YRS	1698	1.3	3	1	1	1	1	2	3	7
20-34	830	1.3	1	1	1	1	1	2	3	5
35-49	151	1.8	3	1	1	1	2	3	4	9
50-64	31	1.7	2	1	1	1	2	4	5	8
65 +	16	9.1	169	1	1	4	13	26	42	49
GRAND TOTAL	2726	1.4	4	1	1	1	1	2	3	8

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2906	1.0		1	1	1	1	1	1	2
20-34	59	1.0		<1	1	1	1	1	1	2
35-49	6	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	3146	1.4	4	1	1	1	1	2	3	9
20-34	44	1.6	2	1	1	1	2	3	5	10
35-49	6	6.5	111	1	2	2	3	25	28	28
50-64	0									
65 +	0									
TOTAL SINGLE DX	2973	1.0		1	1	1	1	1	1	2
TOTAL MULTIPLE DX	3196	1.4	5	1	1	1	1	2	3	9
TOTAL										
0-19 YRS	6052	1.2	3	1	1	1	1	1	2	6
20-34	103	1.3	1	1	1	1	1	2	3	8
35-49	12	3.9	58	1	1	2	3	11	25	28
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	6169	1.2	3	1	1	1	1	1	2	6

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	1.5	2	<1	<1	1	1	2	5	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	155	1.9	6	<1	1	1	1	4	8	14
20-34	5	2.6	13	1	1	1	3	9	9	9
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
TOTAL SINGLE DX	31	1.5	2	<1	<1	1	1	2	5	8
TOTAL MULTIPLE DX	161	2.0	6	<1	1	1	1	4	8	14
TOTAL										
0-19 YRS	186	1.9	5	<1	1	1	1	4	8	13
20-34	5	2.6	13	1	1	1	3	9	9	9
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	192	1.9	6	<1	1	1	1	4	8	13

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	362	2.0	3	1	1	1	2	4	5	9
20-34	145	2.3	2	1	1	2	3	4	5	8
35-49	78	2.4	3	1	1	2	3	5	7	10
50-64	39	2.8	7	1	1	2	3	6	10	12
65 +	20	2.7	3	<1	1	2	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	258	3.6	10	1	1	3	5	7	10	14
20-34	139	3.2	11	1	2	2	4	5	7	15
35-49	173	3.6	29	1	1	2	4	7	11	31
50-64	142	5.6	50	1	2	3	5	14	19	39
65 +	104	8.6	105	1	2	5	9	22	31	52
TOTAL SINGLE DX	644	2.2	3	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	816	4.5	37	1	2	3	5	9	14	34
TOTAL										
0-19 YRS	620	2.7	7	1	1	2	3	5	7	12
20-34	284	2.7	7	1	1	2	3	5	6	12
35-49	251	3.2	22	1	1	2	4	6	9	27
50-64	181	5.0	43	1	2	3	5	12	17	38
65 +	124	7.6	94	1	2	5	8	19	29	47
GRAND TOTAL	1460	3.5	23	1	1	2	4	7	10	27

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	2.5	4	<1	1	1	4	6	7	7
20-34	15	2.3	2	<1	1	2	3	4	6	7
35-49	23	2.3	1	1	1	2	4	4	4	4
50-64	20	2.8	10	<1	1	2	3	6	11	15
65 +	18	3.2	12	<1	1	3	4	5	12	16
2. MULTIPLE DX										
0-19 YRS	115	3.7	11	1	2	2	5	8	12	50
20-34	36	5.1	79	1	2	3	3	8	29	44
35-49	48	4.0	10	1	2	3	5	8	11	16
50-64	75	4.9	34	1	2	4	6	9	15	86
65 +	178	5.3	30	1	2	4	6	11	17	23
TOTAL SINGLE DX	99	2.6	6	<1	1	2	3	5	7	16
TOTAL MULTIPLE DX	452	4.7	28	1	2	3	5	9	14	44
TOTAL										
0-19 YRS	138	3.5	11	1	1	2	4	7	11	33
20-34	51	4.3	58	<1	1	2	3	7	15	44
35-49	71	3.4	8	1	1	3	4	7	8	15
50-64	95	4.5	30	1	2	3	5	9	15	75
65 +	196	5.1	29	1	2	4	6	10	17	23
GRAND TOTAL	551	4.3	25	1	2	3	5	8	14	35

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	88	1.6	3	1	1	1	1	2	4	13
20-34	7	2.1	2	<1	1	1	3	5	5	5
35-49	22	2.8	38	<1	<1	1	1	4	16	30
50-64	25	4.0	73	<1	1	1	2	8	22	42
65+	17	1.8	3	<1	<1	<1	2	4	7	8
2. MULTIPLE DX										
0-19 YRS	135	4.0	24	1	1	2	5	9	20	99+
20-34	13	4.2	26	<1	1	1	6	14	16	16
35-49	36	5.7	38	1	1	3	7	14	21	23
50-64	98	5.1	47	1	1	2	7	12	15	40
65+	122	6.5	68	1	1	3	8	19	25	62
TOTAL SINGLE DX	159	2.2	20	<1	1	1	2	4	7	29
TOTAL MULTIPLE DX	404	5.2	45	1	1	2	7	13	21	49
TOTAL										
0-19 YRS	223	3.0	18	1	1	1	3	8	13	44
20-34	20	3.5	19	<1	1	1	4	10	15	16
35-49	58	4.6	40	<1	1	1	5	13	21	29
50-64	123	4.9	52	1	1	2	7	12	15	44
65+	139	5.9	63	1	1	3	7	17	24	53
GRAND TOTAL	563	4.3	40	1	1	2	5	12	19	41

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	2.7	3	1	1	2	3	5	7	8
20-34	0									
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	21	5.9	16	<1	1	7	10	11	12	12
65+	9	6.6	29	<1	1	5	12	14	14	14
2. MULTIPLE DX										
0-19 YRS	96	4.7	92	1	1	2	5	12	14	99+
20-34	6	2.7	7	1	1	2	2	7	8	8
35-49	18	12.2	60	2	8	11	14	26	29	29
50-64	51	12.5	146	1	6	10	15	25	41	58
65+	43	13.0	132	1	4	11	18	27	40	49
TOTAL SINGLE DX	46	4.9	16	1	1	4	8	11	13	14
TOTAL MULTIPLE DX	214	8.8	123	1	2	6	12	20	29	94
TOTAL										
0-19 YRS	110	4.5	82	1	1	2	5	11	13	99+
20-34	6	2.7	7	1	1	2	2	7	8	8
35-49	20	11.2	63	1	6	10	14	24	29	29
50-64	72	10.6	117	1	4	8	12	20	31	57
65+	52	11.8	120	1	4	10	16	26	36	49
GRAND TOTAL	260	8.1	106	1	2	5	11	18	27	87

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	8	12.8	14	8	10	13	14	18	20	20
50-64	27	11.1	11	8	9	10	12	15	18	23
65+	13	13.4	22	8	9	13	17	20	21	21
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	20.5	25	17	17	20	24	24	24	24
35-49	27	18.7	97	10	12	15	22	33	38	50
50-64	104	18.5	136	9	11	14	22	33	43	63
65+	105	19.8	189	10	12	15	23	34	57	93
TOTAL SINGLE DX	48	12.0	15	8	9	11	14	18	20	23
TOTAL MULTIPLE DX	239	19.1	153	9	12	15	23	33	46	73
TOTAL										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	20.5	25	17	17	20	24	24	24	24
35-49	35	17.4	84	10	12	14	21	32	35	50
50-64	131	17.0	119	9	10	13	20	30	43	62
65+	118	19.1	175	9	11	14	23	33	55	92
GRAND TOTAL	287	17.9	137	9	11	14	21	31	43	69

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	13.0	115	2	4	9	20	32	33	33
20-34	4	4.0	2	2	3	4	5	5	5	5
35-49	4	8.0	40	2	3	7	13	16	16	16
50-64	6	12.5	338	2	2	5	13	45	49	49
65+	6	5.8	8	2	5	5	6	11	11	11
2. MULTIPLE DX										
0-19 YRS	137	28.5	500	8	15	28	80	99+	99+	99+
20-34	61	32.0	561	7	15	29	47	75	94	99+
35-49	103	31.5	583	5	12	34	62	99+	99+	99+
50-64	278	32.8	620	5	11	32	55	85	99+	99+
65+	417	38.8	543	11	21	40	61	97	99+	99+
TOTAL SINGLE DX	41	10.5	118	2	3	6	15	26	33	49
TOTAL MULTIPLE DX	996	34.5	577	7	15	36	60	99+	99+	99+
TOTAL										
0-19 YRS	158	26.5	476	7	13	24	71	99+	99+	99+
20-34	65	30.3	573	5	10	25	44	71	93	99+
35-49	107	30.6	583	5	11	31	60	99+	99+	99+
50-64	284	32.3	622	5	11	32	55	84	99+	99+
65+	423	38.3	551	10	21	39	60	95	99+	99+
GRAND TOTAL	1037	33.6	580	6	14	34	57	99+	99+	99+

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	73	5.6	52	1	1	2	7	12	26	34
20-34	1	15.0		15	15	15	15	15	15	15
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	6	2.2	2	1	1	2	3	5	5	5
65 +	8	1.5		< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	226	8.9	133	1	2	6	13	27	86	99 +
20-34	19	8.1	99	1	3	4	12	17	32	43
35-49	27	5.0	48	1	1	3	5	20	37	99 +
50-64	51	7.0	55	1	2	4	11	19	27	99
65 +	53	12.8	370	1	2	5	13	41	76	99 +
TOTAL SINGLE DX	91	5.0	46	1	1	2	7	12	23	33
TOTAL MULTIPLE DX	376	8.9	151	1	2	5	12	24	52	99 +
TOTAL										
0-19 YRS	299	8.1	116	1	1	5	11	23	42	99 +
20-34	20	8.4	96	1	3	4	14	17	30	43
35-49	30	4.8	44	1	1	3	5	19	29	99 +
50-64	57	6.5	52	1	1	4	11	18	26	95
65 +	61	11.3	336	1	2	4	13	37	72	99
GRAND TOTAL	467	8.1	132	1	1	4	11	23	41	99 +

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	2.8	3	1	1	2	4	5	6	6
20-34	20	8.4	187	1	4	5	8	12	39	65
35-49	20	6.5	17	1	4	6	8	13	14	14
50-64	55	7.4	23	1	3	8	11	12	14	23
65 +	32	8.2	45	2	4	6	11	18	23	29
2. MULTIPLE DX										
0-19 YRS	47	8.2	149	1	2	6	11	14	19	79
20-34	149	11.7	104	3	5	9	15	24	28	62
35-49	262	10.8	72	3	6	9	14	21	25	38
50-64	740	11.7	83	3	6	10	15	22	29	45
65 +	1485	12.8	83	4	7	11	16	23	29	50
TOTAL SINGLE DX	143	7.0	49	1	3	5	10	13	16	31
TOTAL MULTIPLE DX	2683	12.1	85	3	6	10	15	23	29	49
TOTAL										
0-19 YRS	63	6.8	117	1	1	4	8	12	15	73
20-34	169	11.3	114	3	5	9	15	23	28	64
35-49	282	10.5	69	3	5	8	14	21	25	37
50-64	795	11.4	81	3	6	9	14	21	28	44
65 +	1517	12.7	83	4	7	11	16	23	29	49
GRAND TOTAL	2826	11.9	84	3	6	10	15	23	28	48

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	2	9.5	25	6	6	9	13	13	13	13
35-49	1	9.0		9	9	9	9	9	9	9
50-64	6	16.8	130	6	7	13	30	31	31	31
65 +	1	8.0		8	8	8	8	8	8	8
TOTAL SINGLE DX	1	6.0		6	6	6	6	6	6	6
TOTAL MULTIPLE DX	12	12.3	88	5	7	8	15	30	31	31
TOTAL										
0-19 YRS	3	5.3	9	2	3	6	7	8	8	8
20-34	2	9.5	25	6	6	9	13	13	13	13
35-49	1	9.0		9	9	9	9	9	9	9
50-64	6	16.8	130	6	7	13	30	31	31	31
65 +	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	13	11.8	84	5	6	8	14	30	31	31

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	[illegible]	9	3	4	5	7	10	13	13
20-34	51	8.5	24	3	5	8	9	17	19	22
35-49	78	6.8	16	3	4	6	8	11	16	24
50-64	130	6.8	17	2	5	6	8	11	14	24
65 +	98	8.4	44	2	5	7	9	15	21	37
2. MULTIPLE DX										
0-19 YRS	113	14.4	206	4	5	9	18	43	54	99 +
20-34	242	11.3	65	4	6	9	15	22	28	53
35-49	448	11.5	94	4	6	9	14	23	31	57
50-64	1292	11.4	73	4	6	9	14	21	26	49
65 +	2049	12.5	80	4	7	10	16	24	29	47
TOTAL SINGLE DX	381	7.4	25	3	5	6	8	13	17	27
TOTAL MULTIPLE DX	4144	12.1	83	4	6	10	15	23	29	50
TOTAL										
0-19 YRS	137	12.9	183	4	5	8	16	39	51	99 +
20-34	293	10.9	60	4	6	9	14	21	25	47
35-49	526	10.8	86	3	5	8	13	22	29	56
50-64	1422	11.0	70	4	6	9	14	20	26	47
65 +	2147	12.3	79	4	7	10	16	23	29	47
GRAND TOTAL	4525	11.7	80	4	6	9	15	22	28	49

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	8.7	4	7	7	8	10	11	11	11
20-34	3	8.3	12	5	6	8	11	12	12	12
35-49	32	8.0	6	5	6	8	9	10	12	17
50-64	71	9.2	22	6	6	8	10	15	18	29
65+	51	9.8	13	6	7	9	11	14	15	27
2. MULTIPLE DX										
0-19 YRS	16	11.3	51	5	7	8	18	28	75	99+
20-34	17	10.9	61	7	7	8	10	26	32	33
35-49	91	10.7	46	6	7	8	12	17	24	41
50-64	477	12.2	76	6	7	10	14	20	28	48
65+	611	13.1	68	7	8	11	15	22	28	43
TOTAL SINGLE DX	160	9.1	16	6	7	8	10	14	16	27
TOTAL MULTIPLE DX	1212	12.5	70	6	8	10	14	21	28	46
TOTAL										
0-19 YRS	19	10.8	44	5	7	8	17	25	64	99+
20-34	20	10.5	54	6	7	8	10	21	31	33
35-49	123	10.0	37	6	7	8	11	15	21	41
50-64	548	11.8	71	6	7	9	13	20	27	46
65+	662	12.9	65	7	8	10	15	21	28	42
GRAND TOTAL	1372	12.1	65	6	8	10	14	20	28	44

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	318	2.6	7	1	1	1	3	6	7	14
20-34	14	5.8	39	1	2	3	7	14	21	23
35-49	22	6.0	15	1	3	6	8	12	14	15
50-64	20	6.1	18	1	3	5	9	12	15	17
65+	26	7.1	131	<1	1	3	9	21	29	54
2. MULTIPLE DX										
0-19 YRS	856	7.0	106	1	2	4	8	16	25	98
20-34	133	11.8	90	3	5	9	15	24	30	50
35-49	215	11.0	114	3	5	8	13	21	28	60
50-64	433	11.6	83	3	5	10	15	22	28	56
65+	782	12.9	88	4	7	11	17	24	31	46
TOTAL SINGLE DX	400	3.3	20	1	1	2	4	7	11	22
TOTAL MULTIPLE DX	2419	10.3	103	1	4	8	14	22	29	68
TOTAL										
0-19 YRS	1174	5.8	84	1	1	3	7	14	22	76
20-34	147	11.2	88	2	4	9	14	23	28	49
35-49	237	10.6	107	3	5	8	13	20	25	57
50-64	453	11.3	82	3	5	9	15	21	28	56
65+	808	12.7	91	4	7	10	16	24	31	47
GRAND TOTAL	2819	9.3	97	1	3	7	13	21	27	64

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	4.6	15	1	2	3	5	11	14	14
20-34	21	4.5	13	1	2	3	5	9	13	17
35-49	7	8.3	8	5	7	8	10	12	13	13
50-64	3	6.0	13	2	3	7	8	9	9	9
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	28	7.9	66	1	3	6	10	15	26	40
20-34	42	11.9	130	3	4	7	15	26	37	51
35-49	23	17.2	523	2	4	8	22	48	81	82
50-64	39	13.2	196	3	5	9	17	26	35	81
65+	60	15.2	244	4	6	10	17	32	46	90
TOTAL SINGLE DX	41	5.4	14	2	3	4	8	10	13	17
TOTAL MULTIPLE DX	192	13.2	220	3	5	9	16	28	39	82
TOTAL										
0-19 YRS	37	7.1	55	1	3	5	9	14	21	40
20-34	63	9.4	103	2	3	6	10	24	29	50
35-49	30	15.1	413	2	4	8	11	37	80	82
50-64	42	12.7	186	3	5	9	17	25	35	81
65+	61	15.1	241	4	6	10	17	32	45	90
GRAND TOTAL	233	11.9	192	2	4	8	14	26	36	81

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	114	4.5	5	2	3	4	5	8	9	12
20-34	338	4.9	8	2	3	4	6	8	11	15
35-49	115	4.9	9	2	3	4	6	10	11	14
50-64	46	6.0	14	2	3	5	8	10	15	18
65+	22	6.3	14	3	4	5	8	12	15	16
2. MULTIPLE DX										
0-19 YRS	322	11.4	134	4	5	8	13	24	35	77
20-34	431	7.9	52	3	4	6	9	14	19	43
35-49	431	9.2	70	3	4	6	11	19	28	44
50-64	592	10.8	77	3	5	8	14	22	31	44
65+	957	11.5	93	3	5	9	14	23	30	49
TOTAL SINGLE DX	635	4.9	9	2	3	4	6	9	11	15
TOTAL MULTIPLE DX	2733	10.4	86	3	5	8	13	21	30	47
TOTAL										
0-19 YRS	436	9.6	110	3	4	6	11	20	33	68
20-34	769	6.5	36	2	3	5	8	12	16	35
35-49	546	8.3	61	3	4	6	10	17	23	43
50-64	638	10.4	75	3	5	8	13	22	30	43
65+	979	11.3	92	3	5	9	14	22	30	49
GRAND TOTAL	3368	9.4	76	3	4	7	11	19	27	45

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	171	4.4	4	2	3	4	5	6	7	14
20-34	56	4.4	15	1	1	3	7	11	13	15
35-49	47	3.6	22	1	1	2	5	7	8	31
50-64	52	4.4	17	1	1	3	7	11	13	18
65 +	35	4.4	23	1	1	2	6	10	15	21
2. MULTIPLE DX										
0-19 YRS	183	9.0	96	3	4	6	11	19	26	76
20-34	154	10.2	117	1	4	7	13	23	29	49
35-49	189	10.8	110	1	4	8	15	23	31	52
50-64	336	12.2	115	2	5	10	16	26	33	53
65 +	578	12.5	122	2	5	10	17	26	31	56
TOTAL SINGLE DX	361	4.3	12	1	2	4	5	8	11	16
TOTAL MULTIPLE DX	1440	11.5	117	2	5	9	15	24	30	54
TOTAL										
0-19 YRS	354	6.7	57	3	4	5	7	13	19	51
20-34	210	8.7	97	1	3	6	12	19	28	47
35-49	236	9.4	101	1	3	6	12	21	28	52
50-64	388	11.2	109	1	4	8	15	24	32	53
65 +	613	12.0	120	1	4	10	16	25	30	55
GRAND TOTAL	1801	10.1	104	1	4	7	13	22	28	53

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	326	6.1	8	3	5	6	7	8	10	17
20-34	19	7.4	7	3	6	7	9	11	11	11
35-49	31	7.3	16	2	4	8	9	13	15	17
50-64	32	8.5	13	3	7	8	10	13	17	18
65 +	25	11.2	28	8	8	10	12	15	24	31
2. MULTIPLE DX										
0-19 YRS	1255	11.8	101	5	6	8	14	24	32	74
20-34	112	14.2	155	6	7	9	18	33	48	75
35-49	272	15.1	169	7	8	11	16	30	46	93
50-64	701	15.7	166	7	9	12	18	28	39	91
65 +	1085	17.4	172	8	10	14	21	32	46	96
TOTAL SINGLE DX	433	6.7	12	3	5	6	8	10	12	22
TOTAL MULTIPLE DX	3425	14.7	150	6	8	11	17	28	40	93
TOTAL										
0-19 YRS	1581	10.6	88	5	6	8	12	21	30	63
20-34	131	13.2	139	6	7	9	14	30	44	67
35-49	303	14.3	160	6	8	11	15	30	45	88
50-64	733	15.4	162	7	9	12	17	27	38	90
65 +	1110	17.3	170	8	10	13	20	32	46	96
GRAND TOTAL	3858	13.8	141	5	7	10	16	27	38	87

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	4.0	3	2	3	3	6	7	7	7
35-49	298	3.3	5	1	2	2	4	7	8	11
50-64	654	3.1	4	1	2	2	4	6	8	11
65 +	382	3.3	7	1	2	2	4	7	8	14
2. MULTIPLE DX										
0-19 YRS	6	3.0	2	1	2	3	5	5	5	5
20-34	65	5.5	23	1	2	3	8	12	17	21
35-49	1462	4.3	13	1	2	3	6	8	10	15
50-64	4052	4.5	14	1	2	3	6	9	11	18
65 +	3627	5.7	29	1	2	4	7	12	15	27
TOTAL SINGLE DX	1344	3.2	6	1	2	2	4	7	8	12
TOTAL MULTIPLE DX	9212	4.9	21	1	2	3	6	10	13	21
TOTAL										
0-19 YRS	7	2.7	3	1	1	2	4	5	5	5
20-34	74	5.3	21	2	2	3	7	11	16	21
35-49	1760	4.1	12	1	2	3	6	8	10	15
50-64	4706	4.3	14	1	2	3	6	9	11	18
65 +	4009	5.5	27	1	2	4	7	11	14	26
GRAND TOTAL	10556	4.7	19	1	2	3	6	10	12	20

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	55	8.2	5	6	7	8	9	11	11	18
50-64	201	8.7	12	6	7	8	9	12	14	22
65 +	142	10.7	18	7	8	10	12	16	20	27
2. MULTIPLE DX										
0-19 YRS	3	13.3	89	6	7	10	20	24	24	24
20-34	30	9.6	14	6	7	9	11	15	19	21
35-49	1051	10.5	33	7	7	9	12	16	19	35
50-64	4321	11.6	42	7	8	10	13	18	22	38
65 +	5051	14.2	80	8	9	12	16	23	30	61
TOTAL SINGLE DX	398	9.4	14	6	7	8	10	13	16	24
TOTAL MULTIPLE DX	10456	12.8	62	7	8	10	15	21	26	52
TOTAL										
0-19 YRS	3	13.3	89	6	7	10	20	24	24	24
20-34	30	9.6	15	6	7	9	11	15	19	21
35-49	1106	10.4	32	7	7	9	11	16	19	34
50-64	4522	11.5	42	7	8	10	13	18	22	38
65 +	5193	14.1	79	8	9	12	16	23	30	60
GRAND TOTAL	10854	12.6	61	7	8	10	14	20	26	51

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	356	1.6	4	<1	1	1	2	2	3	10
20-34	95	2.5	5	1	1	1	3	7	8	11
35-49	703	2.7	6	1	1	2	3	6	8	11
50-64	1263	2.5	6	1	1	1	3	6	8	12
65+	652	2.3	5	1	1	1	3	6	7	10
2. MULTIPLE DX										
0-19 YRS	1252	2.7	27	<1	1	1	2	4	9	27
20-34	350	5.1	26	1	1	4	7	11	14	31
35-49	3356	4.6	18	1	1	4	6	9	11	20
50-64	8742	4.8	20	1	1	4	7	10	12	20
65+	8888	5.9	30	1	2	5	8	12	15	26
TOTAL SINGLE DX	3069	2.4	6	1	1	1	3	6	8	11
TOTAL MULTIPLE DX	22588	5.1	25	1	1	4	7	11	14	23
TOTAL										
0-19 YRS	1608	2.4	23	<1	1	1	2	3	6	24
20-34	445	4.5	23	1	1	3	7	10	13	26
35-49	4059	4.3	17	1	1	3	6	9	11	18
50-64	10005	4.5	19	1	1	3	7	10	12	19
65+	9540	5.6	30	1	2	4	8	12	15	25
GRAND TOTAL	**25657**	**4.7**	**24**	**1**	**1**	**3**	**7**	**10**	**13**	**22**

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	2.6	2	1	1	2	4	5	5	6
20-34	20	3.7	4	1	2	3	5	7	8	9
35-49	16	2.8	7	<1	1	1	5	6	9	10
50-64	65	3.2	9	1	1	2	4	7	9	17
65+	306	3.4	13	1	1	2	4	7	11	18
2. MULTIPLE DX										
0-19 YRS	109	5.6	44	2	3	4	6	9	15	47
20-34	50	5.6	16	2	3	5	7	10	13	24
35-49	123	8.1	45	2	3	7	10	17	22	32
50-64	658	8.8	61	2	3	7	11	18	24	38
65+	4076	8.6	50	2	4	7	11	17	22	34
TOTAL SINGLE DX	438	3.3	11	1	1	2	4	7	10	17
TOTAL MULTIPLE DX	5016	8.5	51	2	4	7	11	17	22	35
TOTAL										
0-19 YRS	140	4.9	37	1	2	4	6	8	11	46
20-34	70	5.0	14	2	2	4	6	9	10	22
35-49	139	7.4	43	1	3	6	10	16	22	30
50-64	723	8.3	59	2	3	6	11	17	23	36
65+	4382	8.2	49	2	3	6	11	16	21	33
GRAND TOTAL	**5454**	**8.1**	**50**	**2**	**3**	**6**	**11**	**16**	**21**	**33**

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	6.1	8	2	5	6	7	10	13	14
20-34	14	6.0	10	2	4	6	7	10	14	15
35-49	17	4.6	9	1	1	4	7	9	10	10
50-64	8	6.4	56	1	1	4	8	19	23	23
65+	6	4.7	8	1	3	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	132	10.2	116	1	5	7	11	22	34	76
20-34	107	9.8	52	3	6	8	12	21	26	36
35-49	158	9.7	83	2	4	8	12	19	27	71
50-64	265	11.3	98	1	4	8	15	26	32	43
65+	223	14.0	112	4	8	12	19	25	33	54
TOTAL SINGLE DX	84	5.7	13	1	4	6	7	9	12	20
TOTAL MULTIPLE DX	885	11.3	99	2	5	9	14	24	31	52
TOTAL										
0-19 YRS	171	9.2	94	2	5	7	10	15	32	68
20-34	121	9.4	49	3	6	7	11	17	25	34
35-49	175	9.2	78	2	4	7	11	18	26	66
50-64	273	11.2	98	1	4	8	15	26	32	43
65+	229	13.7	112	3	7	11	19	25	32	53
GRAND TOTAL	**969**	**10.8**	**94**	**2**	**5**	**8**	**14**	**23**	**30**	**48**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	714	2.4	2	1	2	2	2	4	5	9
20-34	74	3.1	6	<1	1	2	4	5	7	13
35-49	63	3.2	8	<1	1	2	4	7	9	16
50-64	69	3.8	23	<1	1	2	4	9	12	28
65+	84	7.1	69	<1	1	4	8	21	25	37
2. MULTIPLE DX										
0-19 YRS	1186	5.2	50	2	2	3	5	11	15	47
20-34	265	7.6	54	2	2	6	10	15	20	39
35-49	475	8.4	68	2	3	6	11	18	23	42
50-64	1035	8.5	60	1	3	7	11	17	23	34
65+	2807	10.8	77	3	5	9	14	21	27	45
TOTAL SINGLE DX	1004	3.0	12	1	2	2	3	5	8	21
TOTAL MULTIPLE DX	5768	8.9	72	2	3	7	12	19	24	43
TOTAL										
0-19 YRS	1900	4.1	34	1	2	2	4	8	12	34
20-34	339	6.6	47	1	2	4	8	14	18	39
35-49	538	7.8	64	1	3	6	10	17	23	41
50-64	1104	8.2	60	1	3	6	11	16	22	34
65+	2891	10.7	77	2	5	8	14	21	27	45
GRAND TOTAL	**6772**	**8.0**	**67**	**2**	**2**	**5**	**11**	**17**	**23**	**41**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.6		<1	1	1	2	3	3	3
20-34	201	1.5		1	1	1	2	3	3	5
35-49	298	1.5		1	1	1	2	3	3	4
50-64	192	1.9	3	1	1	1	2	3	4	8
65+	61	2.6	19	1	1	2	3	3	6	32
2. MULTIPLE DX										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	47	1.9	1	1	1	2	2	3	4	5
35-49	163	2.8	57	1	1	2	3	4	6	17
50-64	163	2.8	11	1	1	2	3	6	8	30
65+	103	5.3	60	1	2	3	5	12	22	45
TOTAL SINGLE DX	759	1.7	3	1	1	1	2	3	3	7
TOTAL MULTIPLE DX	479	3.2	37	1	1	2	3	6	10	29
TOTAL										
0-19 YRS	10	1.8	1	<1	1	2	2	3	4	4
20-34	248	1.6	1	1	1	1	2	3	3	5
35-49	461	2.0	21	1	1	1	2	3	4	11
50-64	355	2.3	7	1	1	2	2	4	6	18
65+	164	4.3	47	1	1	2	3	10	16	35
GRAND TOTAL	1238	2.3	17	1	1	2	2	3	5	17

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	6.6	9	4	5	6	7	9	14	19
20-34	7	5.3	3	3	4	5	6	8	9	9
35-49	54	6.2	6	3	4	6	8	9	11	15
50-64	155	7.3	15	4	5	6	9	12	14	25
65+	157	8.6	32	4	5	7	10	16	18	27
2. MULTIPLE DX										
0-19 YRS	224	12.0	115	5	6	8	13	25	41	99+
20-34	32	9.9	58	4	5	7	15	19	29	33
35-49	305	12.1	148	4	6	9	13	24	32	71
50-64	1437	11.2	89	5	6	8	12	21	29	57
65+	2833	14.0	112	5	8	11	17	27	36	63
TOTAL SINGLE DX	410	7.5	21	4	5	6	9	13	17	24
TOTAL MULTIPLE DX	4831	12.9	109	5	7	10	15	25	34	63
TOTAL										
0-19 YRS	261	11.2	104	5	6	8	12	23	39	97
20-34	39	9.1	52	4	5	6	10	17	28	33
35-49	359	11.2	132	4	6	8	11	21	30	70
50-64	1592	10.8	83	4	6	8	12	20	27	54
65+	2990	13.7	109	5	7	10	16	27	35	62
GRAND TOTAL	5241	12.5	104	5	7	9	15	24	33	60

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	5	14.4	216	1	4	8	25	37	37	37
2. MULTIPLE DX										
0-19 YRS	66	4.5	11	1	2	4	6	9	12	15
20-34	271	6.3	51	1	2	4	8	13	19	28
35-49	507	6.0	35	2	2	4	7	12	17	34
50-64	802	6.4	39	2	3	5	8	12	16	38
65+	1127	7.3	49	2	3	5	9	14	21	38
TOTAL SINGLE DX	14	7.6	100	1	2	4	8	23	34	37
TOTAL MULTIPLE DX	2773	6.6	44	2	3	5	8	13	19	36
TOTAL										
0-19 YRS	67	4.6	12	1	2	4	6	9	12	15
20-34	274	6.2	51	1	2	4	8	13	19	28
35-49	510	6.0	35	2	2	4	7	12	17	33
50-64	804	6.4	39	2	3	5	8	12	16	38
65+	1132	7.3	51	2	3	5	9	15	21	38
GRAND TOTAL	2787	6.6	44	2	3	5	8	13	19	36

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	5.3	49	1	1	2	8	18	20	20
20-34	12	1.9	1	1	1	2	3	4	4	4
35-49	14	4.6	52	1	1	2	5	9	24	29
50-64	24	3.3	10	1	1	2	3	10	11	12
65+	36	4.1	19	1	1	2	6	12	14	18
2. MULTIPLE DX										
0-19 YRS	59	9.3	201	1	2	4	10	23	31	74
20-34	189	10.8	159	2	3	7	13	22	37	70
35-49	382	9.1	117	1	2	6	12	19	26	62
50-64	634	10.6	113	1	3	7	14	24	32	50
65+	948	13.0	168	2	3	9	18	30	39	64
TOTAL SINGLE DX	94	3.8	22	1	1	2	4	10	13	25
TOTAL MULTIPLE DX	2212	11.4	146	1	3	8	15	26	35	61
TOTAL										
0-19 YRS	67	8.8	184	1	2	3	10	23	29	73
20-34	201	10.3	155	1	3	7	12	21	35	67
35-49	396	8.9	116	1	2	6	11	19	26	61
50-64	658	10.3	112	1	3	7	14	23	31	50
65+	984	12.7	165	1	3	9	17	30	39	63
GRAND TOTAL	2306	11.0	143	1	3	7	15	25	34	61

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	22	4.5	4	2	3	4	5	8	9	9
50-64	176	4.3	4	2	3	4	5	7	9	12
65 +	322	4.5	5	3	3	4	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	11.0		11	11	11	11	11	11	11
35-49	80	6.8	46	3	4	5	8	10	14	48
50-64	1022	6.6	49	3	4	5	7	12	16	40
65 +	2810	7.7	43	3	4	5	9	15	20	35
TOTAL SINGLE DX	521	4.4	5	2	3	4	5	7	9	13
TOTAL MULTIPLE DX	3913	7.4	45	3	4	5	8	14	19	37
TOTAL										
0-19 YRS	0									
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	102	6.3	38	3	4	5	8	10	12	42
50-64	1198	6.3	44	3	3	4	7	11	15	39
65 +	3132	7.3	40	3	4	5	8	14	19	34
GRAND TOTAL	4434	7.0	41	3	4	5	8	13	18	34

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.22; 38.30-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	343	4.9	14	1	3	4	6	7	12	21
20-34	96	5.5	25	1	2	4	8	10	15	28
35-49	168	4.8	26	1	1	3	7	10	15	24
50-64	392	4.1	17	1	1	2	6	9	12	19
65 +	393	4.8	21	1	1	3	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	2090	17.8	388	3	5	10	26	61	96	99 +
20-34	599	9.5	116	1	3	6	12	22	31	57
35-49	1048	9.4	113	1	3	7	12	22	31	73
50-64	2841	9.5	102	1	3	7	12	20	27	61
65 +	5916	11.2	100	2	5	9	14	22	30	55
TOTAL SINGLE DX	1392	4.7	20	1	1	4	6	9	13	22
TOTAL MULTIPLE DX	12494	11.7	159	2	4	8	14	26	39	99 +
TOTAL										
0-19 YRS	2433	16.0	355	3	5	8	22	56	89	99 +
20-34	695	8.9	105	1	2	6	11	20	29	55
35-49	1216	8.7	104	1	2	6	11	21	29	56
50-64	3233	8.9	95	1	3	7	11	19	26	58
65 +	6309	10.8	98	2	4	9	14	22	30	54
GRAND TOTAL	13886	11.0	149	1	4	8	13	25	37	94

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	172	3.3	8	1	1	2	5	8	10	12
20-34	60	2.9	6	<1	1	2	4	7	9	11
35-49	84	3.1	7	1	1	2	4	6	8	15
50-64	101	3.2	9	1	1	2	4	8	9	15
65 +	89	5.1	39	1	2	3	6	11	15	39
2. MULTIPLE DX										
0-19 YRS	169	8.0	80	1	3	6	9	16	23	46
20-34	132	9.6	118	1	3	6	12	21	31	63
35-49	168	7.4	61	1	2	5	10	16	23	38
50-64	335	8.0	45	1	3	7	10	16	22	33
65 +	525	10.4	92	2	4	8	13	22	31	52
TOTAL SINGLE DX	506	3.5	14	1	1	2	5	8	10	16
TOTAL MULTIPLE DX	1329	9.1	79	1	3	7	12	20	27	46
TOTAL										
0-19 YRS	341	5.6	49	1	1	4	7	12	16	42
20-34	192	7.5	93	1	2	4	9	18	28	53
35-49	252	6.0	48	1	1	4	8	14	20	36
50-64	436	6.9	41	1	2	5	9	15	20	32
65 +	614	9.7	88	2	4	7	12	20	29	50
GRAND TOTAL	1835	7.5	67	1	2	5	10	16	23	43

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.6	4	<1	1	2	3	6	7	7
20-34	17	6.1	9	2	4	7	8	10	12	13
35-49	41	3.9	7	1	2	3	5	8	9	12
50-64	44	3.8	12	1	1	3	4	10	12	13
65 +	45	4.8	14	2	2	4	6	9	11	22
2. MULTIPLE DX										
0-19 YRS	13	10.4	160	1	3	4	12	36	36	36
20-34	41	6.6	18	2	4	6	8	11	17	21
35-49	100	6.4	48	2	3	4	7	13	18	41
50-64	255	8.6	90	2	4	6	9	19	27	46
65 +	325	8.4	56	2	4	6	10	16	23	41
TOTAL SINGLE DX	154	4.3	11	1	2	3	6	8	11	15
TOTAL MULTIPLE DX	734	8.1	67	2	4	6	9	17	24	41
TOTAL										
0-19 YRS	20	7.7	117	1	2	4	6	29	36	36
20-34	58	6.5	16	2	4	6	8	11	14	21
35-49	141	5.6	38	1	2	4	7	11	16	28
50-64	299	7.9	82	1	3	5	9	18	27	41
65 +	370	7.9	53	2	4	6	10	16	22	41
GRAND TOTAL	888	7.5	60	2	3	5	9	16	23	40

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	59.3	98	45	53	62	65	68	68	68
20-34	0									
35-49	1	33.0		33	33	33	33	33	33	33
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	41	47.5	157	35	38	46	58	67	72	99 +
20-34	15	34.1	129	30	31	33	38	47	52	54
35-49	22	35.8	90	29	32	37	41	44	47	51
50-64	4	41.8	164	31	31	39	52	58	58	58
65 +	0									
TOTAL SINGLE DX	5	54.0	212	33	42	62	64	68	68	68
TOTAL MULTIPLE DX	82	41.6	167	31	34	39	49	62	67	91
TOTAL										
0-19 YRS	45	48.6	162	35	38	46	61	68	72	99 +
20-34	15	34.1	129	30	31	33	38	47	52	54
35-49	23	35.7	87	30	32	37	41	44	47	51
50-64	4	41.8	164	31	31	39	52	58	58	58
65 +	0									
GRAND TOTAL	87	42.3	176	31	34	39	50	63	68	90

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	390	4.4	22	1	2	3	5	9	11	24
20-34	144	4.9	13	1	3	5	6	9	10	16
35-49	88	5.0	20	1	2	4	7	9	13	24
50-64	57	6.4	25	2	3	5	8	12	17	28
65 +	68	7.3	40	2	3	5	9	16	18	34
2. MULTIPLE DX										
0-19 YRS	651	9.4	94	2	4	6	11	20	28	55
20-34	450	10.3	106	3	5	7	12	20	32	54
35-49	498	10.7	95	[illegible]	5	8	12	21	31	55
50-64	829	12.0	112	[illegible]	6	9	15	25	33	53
65 +	2408	11.5	79	4	6	9	14	22	29	46
TOTAL SINGLE DX	747	5.0	23	1	2	4	6	9	13	25
TOTAL MULTIPLE DX	4836	11.1	92	3	5	8	13	22	30	50
TOTAL										
0-19 YRS	1041	7.5	73	1	3	5	9	16	24	45
20-34	594	9.0	90	2	4	6	10	17	27	51
35-49	586	9.8	88	2	5	7	11	19	30	51
50-64	886	11.6	108	3	5	8	14	24	33	53
65 +	2476	11.4	79	4	6	9	14	22	29	46
GRAND TOTAL	5583	10.3	87	3	5	8	13	21	29	49

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	204	6.7	46	1	2	4	8	15	24	43
20-34	50	9.7	103	1	4	8	11	17	32	50
35-49	66	9.2	65	2	4	7	11	18	33	36
50-64	34	7.2	44	2	3	5	8	20	22	30
65 +	45	12.3	87	3	5	11	16	25	31	40
2. MULTIPLE DX										
0-19 YRS	891	16.1	286	2	5	11	21	41	64	99 +
20-34	547	12.6	128	3	5	9	16	26	36	68
35-49	953	12.7	123	3	5	9	16	27	38	55
50-64	1187	12.9	151	2	5	9	16	29	39	67
65 +	1878	15.2	167	4	6	12	19	31	41	74
TOTAL SINGLE DX	399	8.1	64	1	3	6	11	18	25	44
TOTAL MULTIPLE DX	5456	14.1	174	3	5	10	18	31	42	78
TOTAL										
0-19 YRS	1095	14.3	255	2	4	9	19	36	58	99 +
20-34	597	12.4	127	3	5	9	16	26	36	63
35-49	1019	12.5	121	3	5	9	16	27	37	54
50-64	1221	12.7	150	2	5	9	16	28	38	66
65 +	1923	15.1	166	3	6	12	19	31	40	73
GRAND TOTAL	5855	13.7	169	3	5	10	18	30	41	77

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	3.1	5	1	2	2	4	6	8	11
20-34	3	1.0		1	1	1	1	1	1	1
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64	3	5.0	16	1	2	5	8	9	9	9
65 +	3	5.7	32	1	2	4	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	135	5.6	41	2	2	4	6	13	18	37
20-34	5	8.8	23	4	6	8	10	17	17	17
35-49	34	7.8	47	2	3	7	9	15	27	30
50-64	30	7.2	87	1	2	5	9	12	13	53
65 +	39	9.1	71	3	5	7	11	15	17	54
TOTAL SINGLE DX	52	3.3	7	1	2	2	4	7	10	12
TOTAL MULTIPLE DX	243	6.8	53	2	2	5	8	14	18	46
TOTAL										
0-19 YRS	175	5.0	34	2	2	3	5	10	16	34
20-34	8	5.9	30	1	1	5	8	14	17	17
35-49	37	7.5	44	2	3	7	9	14	25	30
50-64	33	7.0	80	1	2	5	9	11	13	53
65 +	42	8.9	68	3	5	7	11	15	16	54
GRAND TOTAL	295	6.1	47	2	2	4	7	12	17	41

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	69	3.4	19	1	1	1	4	8	15	19
20-34	13	2.9	6	1	1	2	4	7	9	9
35-49	20	6.4	39	1	2	5	7	14	20	26
50-64	34	4.7	16	1	1	4	6	10	16	17
65 +	29	4.6	21	< 1	1	3	5	12	14	21
2. MULTIPLE DX										
0-19 YRS	230	7.9	129	1	1	3	9	20	35	50
20-34	84	9.0	76	2	4	6	11	20	31	83
35-49	255	8.4	62	2	4	6	10	17	25	39
50-64	406	11.2	153	2	4	7	14	23	33	72
65 +	777	10.8	93	3	5	8	13	23	31	49
TOTAL SINGLE DX	165	4.2	21	1	1	3	5	11	15	21
TOTAL MULTIPLE DX	1752	10.1	108	2	4	7	12	22	31	55
TOTAL										
0-19 YRS	299	6.9	108	1	1	2	8	18	29	48
20-34	97	8.2	71	1	3	6	9	20	30	76
35-49	275	8.3	61	2	4	6	10	17	25	38
50-64	440	10.7	146	2	4	7	13	21	32	70
65 +	806	10.6	92	2	4	8	13	22	30	49
GRAND TOTAL	**1917**	**9.6**	**103**	**1**	**3**	**7**	**12**	**21**	**30**	**51**

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	618	2.9	1	1	2	3	3	4	5	7
20-34	3	8.7	2	7	7	9	10	10	10	10
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	3	6.7	25	2	3	6	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	283	4.0	7	2	3	3	5	7	9	21
20-34	15	6.7	26	2	4	5	8	18	19	19
35-49	9	12.4	31	5	7	12	18	19	20	20
50-64	13	19.5	211	5	7	17	29	42	44	45
65 +	19	19.9	329	7	11	16	20	37	67	86
TOTAL SINGLE DX	625	2.9	2	1	2	3	3	4	5	7
TOTAL MULTIPLE DX	339	5.9	56	2	3	4	6	11	18	43
TOTAL										
0-19 YRS	901	3.2	4	2	2	3	4	5	6	9
20-34	18	7.1	23	2	4	6	9	16	19	19
35-49	10	11.9	31	5	7	12	18	19	20	20
50-64	13	19.5	211	5	7	17	29	42	44	45
65 +	22	18.1	307	6	9	14	18	32	60	86
GRAND TOTAL	**964**	**4.0**	**23**	**2**	**2**	**3**	**4**	**6**	**9**	**25**

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	4.4	6	1	2	4	6	8	9	9
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	3	6.7	24	1	3	9	10	10	10	10
65 +	21	17.3	393	1	4	10	23	46	63	80
2. MULTIPLE DX										
0-19 YRS	190	13.6	200	3	4	8	19	35	43	97
20-34	48	17.6	273	3	7	12	25	37	51	88
35-49	109	16.9	249	3	7	13	21	39	60	99 +
50-64	272	17.1	210	3	7	13	24	39	48	97
65 +	2037	17.1	165	4	8	14	22	33	42	68
TOTAL SINGLE DX	40	11.2	248	1	3	6	11	30	46	80
TOTAL MULTIPLE DX	2656	16.9	179	4	8	14	22	34	44	80
TOTAL										
0-19 YRS	202	13.1	194	3	4	8	18	35	43	96
20-34	50	16.9	272	2	6	11	22	36	51	88
35-49	111	16.7	248	3	7	13	20	38	60	99 +
50-64	275	17.0	209	3	7	13	23	39	47	97
65 +	2058	17.1	168	4	8	14	22	33	43	71
GRAND TOTAL	**2696**	**16.8**	**180**	**4**	**8**	**14**	**22**	**34**	**44**	**80**

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.0	4	1	1	3	4	6	6	6
20-34	9	5.1	5	3	3	4	7	9	9	9
35-49	22	5.0	7	2	3	5	7	8	10	11
50-64	17	4.6	6	2	3	4	6	9	10	10
65 +	16	8.2	22	4	5	7	10	17	18	18
2. MULTIPLE DX										
0-19 YRS	30	6.6	23	1	3	5	8	16	16	17
20-34	72	6.7	29	2	3	5	8	15	20	26
35-49	161	7.6	49	2	4	5	8	15	24	39
50-64	310	7.9	47	3	4	6	9	15	21	35
65 +	815	9.5	59	3	5	7	12	19	25	42
TOTAL SINGLE DX	69	5.5	12	2	3	5	7	9	12	18
TOTAL MULTIPLE DX	1388	8.7	54	3	4	6	11	17	23	40
TOTAL										
0-19 YRS	35	6.1	22	1	2	5	8	16	16	17
20-34	81	6.5	27	2	3	5	8	15	19	25
35-49	183	7.2	45	2	4	5	8	15	23	38
50-64	327	7.7	46	3	4	6	9	15	21	34
65 +	831	9.5	58	3	5	7	12	18	25	42
GRAND TOTAL	1457	8.6	52	3	4	6	10	17	23	39

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	8	6.5	11	2	4	7	8	11	12	12
35-49	27	8.6	14	5	7	8	10	11	18	23
50-64	24	8.4	7	6	7	8	9	14	15	16
65 +	25	11.0	18	7	8	9	13	16	18	25
2. MULTIPLE DX										
0-19 YRS	9	15.7	44	7	12	17	22	62	99 +	99 +
20-34	30	15.7	139	6	10	13	17	24	45	63
35-49	150	14.0	126	6	8	10	15	26	39	60
50-64	252	16.4	161	7	9	13	19	27	37	98
65 +	507	20.2	206	9	11	15	25	38	53	83
TOTAL SINGLE DX	86	8.9	15	5	7	8	10	14	16	24
TOTAL MULTIPLE DX	948	18.0	184	8	10	14	22	34	47	84
TOTAL										
0-19 YRS	11	13.5	59	4	7	14	21	47	92	99 +
20-34	38	13.8	126	5	8	12	15	21	38	63
35-49	177	13.1	113	6	8	10	14	24	36	58
50-64	276	15.7	153	7	8	12	18	27	36	95
65 +	532	19.8	201	8	11	15	24	37	50	83
GRAND TOTAL	1034	17.3	176	7	9	13	21	32	45	83

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	10.0	1	9	9	10	11	11	11	11
65 +	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	[illegible]	[illegible]	7	7	7
20-34	4	28.5	1059	7	11	15	46	77	77	77
35-49	25	17.2	76	9	11	15	19	36	38	40
50-64	63	20.5	247	10	11	14	22	43	60	99
65 +	117	24.2	299	10	13	19	30	49	70	99 +
TOTAL SINGLE DX	4	11.5	10	9	9	10	13	16	16	16
TOTAL MULTIPLE DX	210	22.3	272	10	12	16	26	45	66	99 +
TOTAL										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	28.5	1060	7	11	15	46	77	77	77
35-49	25	17.2	77	9	11	15	19	36	38	40
50-64	66	20.1	241	10	11	14	22	42	59	98
65 +	118	24.2	298	10	13	19	30	48	70	99 +
GRAND TOTAL	214	22.1	269	10	12	16	26	45	65	99 +

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	6.2	27	2	2	3	10	15	16	16
20-34	18	7.6	11	4	6	7	8	14	15	15
35-49	35	7.8	9	5	6	7	9	11	15	18
50-64	23	8.8	14	6	6	8	10	15	17	19
65 +	7	8.9	9	6	6	8	12	13	13	13
2. MULTIPLE DX										
0-19 YRS	26	12.2	150	5	6	8	14	22	35	65
20-34	36	13.3	153	7	7	9	14	22	49	60
35-49	112	12.3	62	6	7	10	14	23	28	42
50-64	151	13.1	75	6	7	10	16	25	35	41
65 +	244	16.9	167	7	10	13	19	31	39	73
TOTAL SINGLE DX	95	7.9	13	4	6	7	9	14	15	19
TOTAL MULTIPLE DX	569	14.5	124	6	8	11	17	26	36	60
TOTAL										
0-19 YRS	38	10.3	118	3	5	7	14	19	25	65
20-34	54	11.4	112	6	7	8	11	17	36	60
35-49	147	11.2	53	5	7	9	12	21	25	36
50-64	174	12.6	69	6	7	10	14	24	34	41
65 +	251	16.6	165	7	9	13	19	31	39	72
GRAND TOTAL	664	13.6	114	6	7	10	16	24	35	59

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	84	5.7	9	2	4	5	7	10	12	15
20-34	90	5.3	4	3	4	5	7	8	8	13
35-49	108	5.3	3	3	4	5	7	8	8	9
50-64	41	8.1	52	3	4	7	8	11	28	38
65 +	22	9.2	16	6	7	8	10	16	19	21
2. MULTIPLE DX										
0-19 YRS	559	14.5	173	4	7	10	21	37	84	99 +
20-34	275	7.9	40	4	5	6	8	13	20	45
35-49	502	8.8	91	4	5	7	8	14	24	61
50-64	362	12.4	128	5	6	8	15	23	35	64
65 +	607	16.3	149	6	8	12	21	34	42	74
TOTAL SINGLE DX	345	6.0	13	3	4	6	7	9	11	21
TOTAL MULTIPLE DX	2305	12.6	137	4	6	8	16	28	41	99 +
TOTAL										
0-19 YRS	643	13.4	161	4	6	9	19	33	74	99 +
20-34	365	7.3	33	3	5	6	8	11	17	40
35-49	610	8.2	77	3	5	6	8	12	21	56
50-64	403	12.0	122	4	6	8	14	23	34	59
65 +	629	16.1	147	6	8	12	21	34	41	73
GRAND TOTAL	2650	11.8	125	4	5	8	14	25	37	99 +

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	192	3.6	8	1	1	3	5	7	9	14
20-34	202	5.2	12	2	3	4	7	10	12	22
35-49	196	4.9	8	2	3	4	6	8	10	16
50-64	122	4.9	15	2	3	4	6	9	11	23
65 +	145	6.5	31	1	3	5	8	13	18	29
2. MULTIPLE DX										
0-19 YRS	601	6.9	58	2	3	5	8	14	21	51
20-34	1072	6.9	50	2	3	5	8	13	18	41
35-49	1689	7.0	41	2	4	5	8	13	17	31
50-64	2710	7.8	46	3	4	6	9	14	19	35
65 +	7575	9.2	54	3	5	7	11	17	23	39
TOTAL SINGLE DX	857	5.0	15	1	3	4	6	9	12	22
TOTAL MULTIPLE DX	13647	8.4	52	3	4	6	10	16	22	39
TOTAL										
0-19 YRS	793	6.1	48	1	2	4	7	12	18	45
20-34	1274	6.7	45	2	3	5	8	12	18	40
35-49	1885	6.8	39	2	3	5	8	12	17	30
50-64	2832	7.6	45	3	4	6	9	14	19	35
65 +	7720	9.1	54	3	5	7	11	17	23	39
GRAND TOTAL	14504	8.2	50	3	4	6	10	15	21	38

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	7.8	12	4	6	7	10	12	16	17
20-34	27	8.7	7	5	6	9	11	13	13	14
35-49	19	8.7	15	4	6	8	10	16	17	18
50-64	13	8.3	10	5	6	8	9	13	15	16
65 +	18	10.3	14	7	8	9	11	16	20	21
2. MULTIPLE DX										
0-19 YRS	143	18.5	354	6	7	12	30	83	99 +	99 +
20-34	164	13.0	91	6	7	10	14	24	31	58
35-49	193	15.5	162	7	8	11	18	30	44	91
50-64	365	17.9	227	7	9	13	21	38	54	99
65 +	707	18.7	185	8	10	15	22	35	46	91
TOTAL SINGLE DX	110	8.6	12	5	6	8	10	13	16	19
TOTAL MULTIPLE DX	1572	17.5	201	7	9	13	21	36	54	99 +
TOTAL										
0-19 YRS	176	16.5	307	5	7	10	20	67	99 +	99 +
20-34	191	12.4	82	6	7	10	13	22	30	57
35-49	212	14.9	153	7	8	11	17	30	43	88
50-64	378	17.6	223	7	9	12	20	37	52	99
65 +	725	18.5	183	8	10	14	21	34	46	91
GRAND TOTAL	1682	16.9	193	7	9	12	20	35	53	99 +

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	8.4	24	5	5	7	9	16	16	31
20-34	78	9.2	19	6	7	8	10	14	20	26
35-49	145	8.6	22	6	7	8	9	12	15	19
50-64	270	8.7	16	6	7	8	9	11	14	34
65 +	265	9.7	13	7	7	9	11	14	17	24
2. MULTIPLE DX										
0-19 YRS	171	17.6	245	6	8	12	24	42	69	99 +
20-34	324	13.0	85	6	8	10	15	24	33	44
35-49	736	11.8	58	7	8	10	13	19	24	46
50-64	1864	12.4	61	7	8	10	14	21	29	48
65 +	4980	14.6	86	7	9	12	17	25	32	54
TOTAL SINGLE DX	828	9.0	18	6	7	8	10	13	16	26
TOTAL MULTIPLE DX	8075	13.9	83	7	8	11	16	24	31	54
TOTAL										
0-19 YRS	241	15.0	198	5	7	10	17	36	57	99 +
20-34	402	12.3	74	6	7	9	14	22	30	43
35-49	881	11.3	54	6	7	9	12	18	23	45
50-64	2134	11.9	57	7	8	9	13	20	27	47
65 +	5245	14.4	84	7	9	11	17	25	32	52
GRAND TOTAL	8903	13.4	79	7	8	11	15	23	30	52

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	5.9	4	3	4	6	7	9	10	10
20-34	2	7.0		7	7	7	7	7	7	7
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	7	9.4	21	5	7	7	13	17	17	17
65 +	8	11.6	100	6	7	8	10	28	36	36
2. MULTIPLE DX										
0-19 YRS	42	19.2	449	5	7	10	23	69	92	99 +
20-34	27	11.9	126	5	7	9	12	18	47	51
35-49	35	15.6	137	7	8	10	20	30	56	99 +
50-64	78	17.3	197	6	8	12	23	30	50	71
65 +	240	18.1	151	7	10	14	23	35	41	80
TOTAL SINGLE DX	28	8.5	39	4	6	7	9	14	19	36
TOTAL MULTIPLE DX	422	17.5	188	7	9	13	23	35	46	92
TOTAL										
0-19 YRS	51	16.9	396	5	6	9	20	66	87	99 +
20-34	29	11.6	119	5	7	8	11	18	46	51
35-49	37	15.1	135	7	8	10	20	30	53	99 +
50-64	85	16.7	187	6	8	12	22	29	45	71
65 +	248	17.9	151	7	10	14	23	35	41	79
GRAND TOTAL	450	16.9	183	6	8	13	21	35	46	89

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	191	5.7	12	2	3	5	7	9	11	21
20-34	65	6.4	9	3	5	6	7	10	11	21
35-49	75	6.2	8	3	4	6	8	9	10	18
50-64	82	7.7	19	4	5	7	9	11	14	28
65 +	70	7.2	15	2	4	7	10	12	13	21
2. MULTIPLE DX										
0-19 YRS	442	9.9	102	4	5	7	10	20	35	99 +
20-34	237	10.1	53	5	6	8	11	19	26	38
35-49	292	10.9	77	5	7	8	12	19	25	46
50-64	432	12.1	114	5	7	9	13	22	34	64
65 +	906	12.5	82	5	8	10	14	23	32	53
TOTAL SINGLE DX	483	6.4	14	2	4	6	8	10	12	22
TOTAL MULTIPLE DX	2309	11.5	90	5	7	9	13	21	31	56
TOTAL										
0-19 YRS	633	8.6	79	3	5	7	9	15	28	92
20-34	302	9.3	46	4	6	8	10	18	23	35
35-49	367	9.9	67	4	6	8	11	18	22	44
50-64	514	11.4	102	5	7	9	12	20	32	60
65 +	976	12.2	79	5	7	10	14	22	31	52
GRAND TOTAL	2792	10.6	80	4	6	8	12	20	28	53

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	8.7	23	4	5	8	11	15	19	22
20-34	3	9.3	56	5	5	5	15	18	18	18
35-49	10	9.4	27	4	6	9	10	17	22	22
50-64	14	8.1	18	1	6	8	12	13	15	16
65 +	17	15.5	95	9	10	13	17	28	41	47
2. MULTIPLE DX										
0-19 YRS	90	19.0	347	5	7	11	27	60	71	99 +
20-34	34	17.4	258	6	8	12	21	54	93	99 +
35-49	74	15.6	149	6	8	11	19	27	45	67
50-64	155	17.3	129	8	10	13	22	35	40	73
65 +	571	19.6	159	8	11	17	25	37	47	88
TOTAL SINGLE DX	64	10.5	50	5	6	9	13	17	22	45
TOTAL MULTIPLE DX	924	18.8	177	7	10	15	24	38	50	99 +
TOTAL										
0-19 YRS	110	17.1	304	5	6	10	22	51	69	99 +
20-34	37	16.8	245	5	8	12	19	52	89	99 +
35-49	84	14.9	138	6	8	11	17	27	39	66
50-64	169	16.5	127	8	9	13	20	34	40	71
65 +	588	19.5	158	8	11	17	25	37	47	86
GRAND TOTAL	988	18.2	172	7	10	14	23	37	48	99 +

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4161	3.3	3	2	2	3	4	6	7	10
20-34	2798	3.3	2	2	2	3	4	5	6	9
35-49	1028	3.7	3	2	2	3	4	6	7	10
50-64	383	4.8	7	2	3	4	6	8	9	16
65 +	103	5.8	13	2	4	5	7	10	12	22
2. MULTIPLE DX										
0-19 YRS	1631	5.6	18	2	3	4	7	10	14	22
20-34	1369	5.1	11	2	3	4	6	9	11	19
35-49	751	6.2	17	3	3	5	8	11	14	22
50-64	537	7.4	22	3	4	7	9	13	16	24
65 +	511	9.8	35	4	6	8	12	17	21	32
TOTAL SINGLE DX	8473	3.4	4	2	2	3	4	6	7	10
TOTAL MULTIPLE DX	4799	6.2	20	2	3	5	8	11	15	23
TOTAL										
0-19 YRS	5792	3.9	9	2	2	3	5	7	9	16
20-34	4167	3.9	6	2	2	3	5	7	8	13
35-49	1779	4.7	11	2	3	4	6	8	11	18
50-64	920	6.3	18	3	3	5	8	11	14	22
65 +	614	9.1	34	4	5	8	11	17	20	30
GRAND TOTAL	13272	4.4	11	2	2	3	5	8	10	18

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	9.8	35	4	6	8	11	20	21	21
20-34	4	6.5	1	5	5	6	7	8	8	8
35-49	3	7.3	14	3	4	9	10	10	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	15	10.9	51	3	7	9	14	24	27	28
20-34	3	11.7	17	7	8	13	14	15	15	15
35-49	7	7.1	14	3	4	7	9	13	14	14
50-64	4	11.0	46	3	5	11	16	18	18	18
65 +	8	12.8	33	7	9	11	17	22	22	22
TOTAL SINGLE DX	13	8.2	20	4	6	8	9	13	19	21
TOTAL MULTIPLE DX	37	10.7	37	3	7	9	14	20	23	28
TOTAL										
0-19 YRS	21	10.6	45	4	7	9	13	22	26	28
20-34	7	8.7	14	5	6	7	12	15	15	15
35-49	10	7.2	13	3	4	7	10	12	14	14
50-64	4	11.0	46	3	5	11	16	18	18	18
65 +	8	12.8	34	7	9	11	17	22	22	22
GRAND TOTAL	50	10.0	34	4	6	9	13	19	22	28

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	3.6	8	1	1	3	5	8	10	13
20-34	12	3.9	11	1	2	3	5	10	12	12
35-49	14	4.0	44	<1	1	2	3	6	22	27
50-64	22	2.9	5	<1	1	2	4	6	8	9
65 +	47	2.9	6	1	1	2	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	122	8.1	145	2	3	4	8	15	34	90
20-34	36	5.3	24	2	3	4	6	10	11	29
35-49	51	6.0	38	1	2	4	8	13	16	37
50-64	130	6.1	29	2	3	5	7	12	15	33
65 +	436	7.5	45	2	3	6	10	16	21	33
TOTAL SINGLE DX	156	3.4	10	1	1	2	4	7	9	13
TOTAL MULTIPLE DX	775	7.2	58	2	3	5	9	14	21	39
TOTAL										
0-19 YRS	183	6.6	104	1	2	4	7	13	30	82
20-34	48	4.9	21	2	2	4	6	10	11	29
35-49	65	5.6	40	1	2	3	7	13	16	35
50-64	152	5.6	28	1	2	5	7	11	15	30
65 +	483	7.1	44	1	3	5	10	15	21	31
GRAND TOTAL	931	6.5	52	1	2	5	8	13	19	38

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	3.1	11	1	1	2	3	9	12	15
20-34	77	2.5	2	1	1	2	3	5	6	9
35-49	85	2.7	5	1	1	2	4	5	6	15
50-64	38	2.7	4	1	1	2	4	5	7	10
65 +	10	3.9	6	<1	1	4	6	7	8	8
2. MULTIPLE DX										
0-19 YRS	33	6.2	94	1	2	4	7	14	48	99 +
20-34	81	4.7	32	1	2	3	5	10	17	31
35-49	129	4.2	13	1	2	3	5	9	12	19
50-64	110	5.9	25	1	2	4	8	13	16	26
65 +	76	8.4	46	2	3	7	11	18	23	34
TOTAL SINGLE DX	238	2.7	5	1	1	2	4	5	7	12
TOTAL MULTIPLE DX	429	5.6	34	1	2	4	7	12	17	30
TOTAL										
0-19 YRS	61	4.8	58	1	1	3	5	11	15	95
20-34	158	3.6	19	1	1	2	4	7	10	27
35-49	214	3.6	11	1	2	3	4	7	10	19
50-64	148	5.1	22	1	2	3	7	11	14	25
65 +	86	7.9	44	2	3	6	10	16	22	33
GRAND TOTAL	667	4.6	26	1	2	3	6	10	14	27

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	59	8.1	15	4	6	7	9	12	14	29
20-34	3	7.3	2	6	6	7	8	9	9	9
35-49	15	8.5	4	6	7	9	10	11	12	12
50-64	62	8.9	5	6	8	9	10	12	13	15
65 +	73	10.2	14	6	8	10	12	15	18	22
2. MULTIPLE DX										
0-19 YRS	105	9.2	33	5	6	8	10	14	17	40
20-34	30	12.6	97	6	8	10	14	24	31	54
35-49	104	10.8	31	7	8	9	12	17	20	40
50-64	306	12.0	37	7	9	10	14	18	22	38
65 +	702	14.9	79	8	9	12	17	25	29	50
TOTAL SINGLE DX	212	9.1	12	6	7	9	10	13	15	21
TOTAL MULTIPLE DX	1247	13.3	65	7	9	11	15	22	28	46
TOTAL										
0-19 YRS	164	8.8	27	5	6	8	10	13	16	38
20-34	33	12.1	91	6	7	9	13	22	30	54
35-49	119	10.5	28	7	8	9	11	15	20	38
50-64	368	11.5	33	7	8	10	13	17	21	37
65 +	775	14.4	75	8	9	12	17	24	29	48
GRAND TOTAL	1459	12.7	60	7	8	10	14	21	27	45

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	130	3.1	6	1	1	2	4	7	8	13
20-34	316	3.8	8	1	2	3	5	7	10	15
35-49	330	4.1	11	1	2	3	5	7	10	16
50-64	248	4.1	9	1	2	4	5	7	9	19
65 +	241	4.7	13	1	2	4	6	9	11	18
2. MULTIPLE DX										
0-19 YRS	460	6.8	95	1	2	4	7	13	23	53
20-34	1818	5.8	35	2	3	4	7	11	16	31
35-49	3044	6.3	31	2	3	5	7	12	16	32
50-64	4131	7.1	43	2	3	5	8	13	19	35
65 +	10283	8.3	45	3	4	6	10	16	21	35
TOTAL SINGLE DX	1265	4.1	10	1	2	3	5	7	10	16
TOTAL MULTIPLE DX	19736	7.5	44	2	4	6	9	14	20	34
TOTAL										
0-19 YRS	590	6.0	79	1	2	4	6	11	20	50
20-34	2134	5.5	32	2	3	4	6	10	14	29
35-49	3374	6.1	30	2	3	5	7	12	16	31
50-64	4379	6.9	42	2	3	5	8	13	18	34
65 +	10524	8.2	45	3	4	6	10	16	21	35
GRAND TOTAL	21001	7.3	43	2	3	5	9	14	20	34

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.5		1	1	1	2	3	3	3
20-34	55	1.7	2	1	1	1	2	2	3	11
35-49	78	1.7		1	[illegible]	1	2	3	3	5
50-64	45	1.5		1	1	1	2	2	3	6
65 +	15	1.7	1	1	1	1	2	3	5	5
2. MULTIPLE DX										
0-19 YRS	20	5.9	100	1	1	1	3	27	30	31
20-34	70	2.3	2	1	1	2	3	4	6	10
35-49	120	2.9	10	1	1	2	3	6	8	19
50-64	91	2.7	12	1	1	2	3	5	7	24
65 +	57	5.0	66	1	1	2	6	9	14	47
TOTAL SINGLE DX	199	1.6	1	1	1	1	2	3	3	6
TOTAL MULTIPLE DX	358	3.2	24	1	1	2	3	6	9	31
TOTAL										
0-19 YRS	26	4.8	80	1	1	1	3	23	30	31
20-34	125	2.0	3	1	1	2	2	3	4	11
35-49	198	2.4	7	1	1	2	3	4	6	17
50-64	136	2.3	9	1	1	2	2	4	6	16
65 +	72	4.3	54	1	1	2	5	8	13	46
GRAND TOTAL	557	2.7	16	1	1	2	3	5	7	25

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.3		<1	1	1	2	2	[illegible]	2
20-34	23	1.4		<1	1	1	2	2	2	2
35-49	22	1.4		<1	1	1	2	2	3	3
50-64	17	2.2	5	<1	1	2	2	4	9	11
65 +	9	1.4		<1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	11	4.1	13	1	1	4	6	9	13	13
20-34	41	2.6	5	1	1	2	3	5	7	12
35-49	88	3.1	18	1	1	2	3	5	8	29
50-64	63	3.0	19	1	1	2	3	5	13	22
65 +	75	5.6	139	1	2	3	6	10	15	81
TOTAL SINGLE DX	78	1.6	2	<1	1	1	2	2	3	9
TOTAL MULTIPLE DX	278	3.7	50	1	1	2	4	7	11	25
TOTAL										
0-19 YRS	18	3.0	10	1	1	2	4	7	11	13
20-34	64	2.2	4	1	1	2	2	4	5	12
35-49	110	2.7	16	1	1	2	3	5	7	27
50-64	80	2.9	17	1	1	2	2	5	9	22
65 +	84	5.1	126	1	1	2	5	9	13	74
GRAND TOTAL	356	3.2	40	1	1	2	3	6	10	22

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	97	2.7	1	1	2	2	3	4	6	7
35-49	138	2.5	1	1	2	2	3	4	5	7
50-64	91	2.3	1	1	1	2	3	4	5	8
65 +	33	2.7	3	1	2	2	3	4	8	10
2. MULTIPLE DX										
0-19 YRS	9	1.6		1	1	1	2	3	3	3
20-34	470	2.9	4	1	2	2	3	5	6	11
35-49	871	3.0	9	1	2	2	3	5	6	16
50-64	731	3.2	10	1	2	2	3	5	8	16
65 +	497	4.4	18	1	2	3	5	9	13	23
TOTAL SINGLE DX	359	2.5	2	1	2	2	3	4	5	8
TOTAL MULTIPLE DX	2578	3.3	11	1	2	3	4	6	8	19
TOTAL										
0-19 YRS	9	1.6	1	1	1	1	2	3	3	3
20-34	567	2.8	4	1	2	2	3	5	6	10
35-49	1009	2.9	9	1	2	2	3	5	6	14
50-64	822	3.1	10	1	2	2	3	5	8	15
65 +	530	4.3	18	1	2	3	5	9	12	23
GRAND TOTAL	2937	3.2	10	1	2	2	3	5	8	18

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	2.8	2	1	1	2	4	5	6	9
20-34	85	2.7	4	1	1	2	3	4	6	13
35-49	78	2.9	4	1	1	2	4	6	7	12
50-64	46	2.9	4	1	1	2	4	6	7	7
65 +	23	3.4	18	1	1	2	3	5	12	22
2. MULTIPLE DX										
0-19 YRS	95	5.8	30	1	3	4	7	12	21	70
20-34	113	3.7	7	1	2	3	5	7	10	14
35-49	154	4.3	21	1	2	3	5	8	12	20
50-64	129	5.0	26	1	2	3	6	11	14	29
65 +	138	7.3	41	2	3	5	9	14	23	32
TOTAL SINGLE DX	292	2.8	5	1	1	2	4	6	6	13
TOTAL MULTIPLE DX	629	5.2	27	1	2	4	6	11	14	29
TOTAL										
0-19 YRS	155	4.6	22	1	2	3	6	10	12	34
20-34	198	3.2	7	1	2	3	4	6	9	14
35-49	232	3.8	16	1	2	3	5	7	9	18
50-64	175	4.5	22	1	2	3	5	9	13	27
65 +	161	6.7	40	1	3	5	8	13	22	31
GRAND TOTAL	**921**	**4.5**	**22**	**1**	**2**	**3**	**5**	**9**	**13**	**26**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	9.5	25	6	6	9	13	13	13	13
35-49	4	13.0	114	7	7	8	19	29	29	29
50-64	5	5.6	2	4	5	5	7	7	7	7
65 +	0									
2. MULTIPLE DX										
0-19 YRS	12	17.3	191	4	7	14	22	41	48	49
20-34	9	24.8	842	7	7	15	26	71	99	99 +
35-49	18	16.4	247	3	8	12	20	39	57	65
50-64	33	15.8	142	4	7	15	21	30	35	60
65 +	54	18.8	277	4	6	15	25	37	48	91
TOTAL SINGLE DX	11	9.0	50	4	5	7	9	19	28	29
TOTAL MULTIPLE DX	126	18.0	264	4	7	14	22	35	49	94
TOTAL										
0-19 YRS	12	17.3	192	4	7	14	22	41	48	49
20-34	11	22.0	714	6	7	13	25	56	95	99
35-49	22	15.8	218	4	8	11	20	34	53	65
50-64	38	14.4	136	4	7	11	18	29	34	60
65 +	54	18.8	278	4	6	15	25	37	48	91
GRAND TOTAL	**137**	**17.2**	**252**	**4**	**7**	**14**	**22**	**34**	**48**	**93**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	111	5.0	70	1	1	2	6	11	16	51
20-34	35	3.5	9	1	1	2	6	9	10	11
35-49	56	3.4	11	1	1	1	6	8	11	12
50-64	42	3.4	35	1	1	1	4	7	10	37
65 +	29	2.7	14	1	1	1	3	5	14	17
2. MULTIPLE DX										
0-19 YRS	234	14.9	305	1	3	9	22	47	72	99 +
20-34	160	11.4	134	1	4	9	14	25	37	68
35-49	297	11.7	133	1	4	9	15	26	42	86
50-64	448	11.1	122	1	4	8	14	24	33	86
65 +	576	12.0	87	2	6	10	16	23	29	44
TOTAL SINGLE DX	273	4.0	39	1	1	2	5	9	12	35
TOTAL MULTIPLE DX	1715	12.1	140	1	5	9	16	26	39	86
TOTAL										
0-19 YRS	345	11.7	251	1	2	6	15	40	61	99 +
20-34	195	10.0	121	1	3	7	13	24	33	66
35-49	353	10.4	123	1	3	8	13	24	34	72
50-64	490	10.4	119	1	3	8	14	23	32	77
65 +	605	11.6	88	1	5	10	16	23	28	44
GRAND TOTAL	**1988**	**11.0**	**134**	**1**	**3**	**8**	**14**	**24**	**37**	**73**

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	253	4.2	4	2	3	4	5	6	8	12
20-34	2657	4.1	2	3	3	4	5	6	7	9
35-49	2477	4.1	3	3	3	4	5	6	7	10
50-64	1745	4.4	3	3	3	4	5	7	8	12
65 +	749	5.1	5	3	4	5	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	274	6.4	20	3	4	5	7	10	14	28
20-34	3032	5.6	14	3	3	5	7	9	11	18
35-49	4202	5.7	14	3	4	5	7	9	12	23
50-64	4801	6.5	22	3	4	5	8	11	14	24
65 +	6022	9.5	46	4	5	8	12	17	22	36
TOTAL SINGLE DX	7881	4.3	4	3	3	4	5	6	8	11
TOTAL MULTIPLE DX	18331	7.2	30	3	4	6	8	13	17	28
TOTAL										
0-19 YRS	527	5.3	14	3	3	4	6	9	11	20
20-34	5689	4.9	10	3	3	4	6	8	10	15
35-49	6679	5.1	11	3	3	4	6	8	10	18
50-64	6546	6.0	18	3	4	5	7	10	13	22
65 +	6771	9.0	44	4	5	7	11	16	21	35
GRAND TOTAL	**26212**	**6.3**	**24**	**3**	**4**	**5**	**7**	**11**	**15**	**25**

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	3	3.3	4	1	2	4	5	5	5	5
65 +	7	4.3	18	1	1	3	7	11	12	12
2. MULTIPLE DX										
0-19 YRS	2	15.0	338	2	2	15	28	28	28	28
20-34	6	20.2	451	4	6	12	29	56	59	59
35-49	8	5.0	13	1	2	4	8	10	10	10
50-64	32	7.2	29	1	3	5	10	15	16	22
65 +	70	11.2	79	2	5	10	16	19	24	54
TOTAL SINGLE DX	17	3.6	12	1	1	3	4	10	11	12
TOTAL MULTIPLE DX	118	10.2	86	1	4	8	14	19	24	60
TOTAL										
0-19 YRS	4	10.5	150	2	2	6	19	28	28	28
20-34	8	15.6	394	2	3	6	23	50	59	59
35-49	11	4.1	12	1	1	3	7	9	10	10
50-64	35	6.8	28	1	3	5	10	15	16	22
65 +	77	10.6	77	1	4	9	15	19	23	52
GRAND TOTAL	135	9.4	83	1	3	8	14	18	23	59

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	3.8	5	1	1	4	6	6	6	6
20-34	29	4.1	9	1	2	4	5	9	10	14
35-49	33	4.1	7	1	1	4	5	8	10	11
50-64	33	4.2	10	1	1	4	6	9	11	13
65 +	36	4.8	14	1	2	5	6	9	12	19
2. MULTIPLE DX										
0-19 YRS	8	10.1	89	4	5	7	9	26	33	33
20-34	86	8.9	72	2	4	6	10	20	25	46
35-49	190	8.3	36	2	4	7	10	16	21	32
50-64	221	7.9	51	2	3	6	9	17	22	33
65 +	521	9.1	40	2	5	8	12	17	22	32
TOTAL SINGLE DX	137	4.3	10	1	2	4	6	9	10	15
TOTAL MULTIPLE DX	1026	8.7	45	2	4	7	11	17	22	33
TOTAL										
0-19 YRS	14	7.4	61	1	4	6	8	12	28	33
20-34	115	7.7	61	2	3	5	9	16	24	44
35-49	223	7.7	35	2	4	6	10	15	20	31
50-64	254	7.4	47	1	3	6	9	15	21	32
65 +	557	8.8	40	2	5	7	11	17	22	32
GRAND TOTAL	1163	8.2	43	2	4	7	10	16	21	32

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	10.3	16	5	7	10	12	16	19	21
20-34	20	7.1	6	5	5	6	9	10	12	14
35-49	29	7.0	35	1	3	6	9	14	19	28
50-64	31	7.0	21	1	3	7	10	12	16	19
65 +	26	9.8	39	1	6	9	13	18	23	27
2. MULTIPLE DX										
0-19 YRS	52	15.2	81	5	9	15	19	25	39	98
20-34	58	10.0	36	5	6	8	12	17	27	30
35-49	111	13.6	100	5	7	11	16	27	33	55
50-64	241	14.6	136	5	8	11	17	31	37	65
65 +	686	15.5	81	7	10	13	19	27	32	50
TOTAL SINGLE DX	125	8.1	27	1	5	7	11	14	18	27
TOTAL MULTIPLE DX	1148	14.9	94	6	9	13	18	27	33	53
TOTAL										
0-19 YRS	71	13.9	68	5	8	12	18	22	34	89
20-34	78	9.3	31	5	6	8	11	16	23	29
35-49	140	12.2	94	4	6	9	15	26	30	52
50-64	272	13.8	129	5	7	11	16	29	35	64
65 +	712	15.3	81	7	9	13	19	27	32	49
GRAND TOTAL	1273	14.2	91	5	8	12	18	26	32	51

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.83; 52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	10	12.2	53	5	8	10	13	24	29	29
35-49	14	10.3	23	6	7	9	13	16	21	23
50-64	16	10.9	83	3	5	7	13	27	31	33
65 +	9	5.8	17	1	3	4	9	12	14	14
2. MULTIPLE DX										
0-19 YRS	9	14.6	75	5	8	16	18	27	33	33
20-34	54	22.4	170	8	11	20	27	44	49	54
35-49	98	19.8	248	5	9	14	27	45	59	88
50-64	175	19.5	188	6	10	15	26	40	50	67
65 +	231	21.7	239	7	11	17	27	45	55	82
TOTAL SINGLE DX	49	10.0	50	3	6	8	13	22	27	33
TOTAL MULTIPLE DX	567	20.6	217	6	10	16	27	43	53	74
TOTAL										
0-19 YRS	9	14.6	75	5	8	16	18	27	33	33
20-34	64	20.8	165	8	10	19	26	43	47	54
35-49	112	18.6	230	5	8	13	23	43	57	84
50-64	191	18.8	185	6	9	15	25	39	48	66
65 +	240	21.1	241	6	10	17	27	45	55	81
GRAND TOTAL	616	19.8	212	6	9	16	26	42	53	71

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	104	2.2	5	1	1	1	3	5	7	13
20-34	106	4.0	7	1	2	3	5	8	10	15
35-49	93	4.2	13	1	2	4	5	7	10	23
50-64	67	4.3	8	<1	2	4	6	8	9	16
65+	91	5.6	39	1	2	4	6	10	22	35
2. MULTIPLE DX										
0-19 YRS	220	5.0	60	1	1	3	6	11	14	37
20-34	318	6.3	33	2	3	4	8	13	18	28
35-49	487	7.4	50	2	3	5	9	16	23	47
50-64	749	7.3	39	2	3	6	9	15	20	30
65+	2599	8.6	46	3	4	7	10	17	22	34
TOTAL SINGLE DX	461	4.0	16	1	1	3	5	8	10	22
TOTAL MULTIPLE DX	4373	7.9	47	2	4	6	10	16	21	34
TOTAL										
0-19 YRS	324	4.1	45	1	1	2	5	9	13	28
20-34	424	5.7	28	2	2	4	7	12	16	27
35-49	580	6.9	46	2	3	5	8	15	20	43
50-64	816	7.1	38	2	3	5	8	14	20	29
65+	2690	8.5	47	3	4	7	10	17	22	34
GRAND TOTAL	**4834**	**7.5**	**45**	**2**	**3**	**6**	**9**	**15**	**20**	**33**

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	399	1.3		<1	1	1	1	2	3	5
20-34	384	1.5		1	1	1	2	3	3	6
35-49	492	1.5		1	1	1	2	2	3	5
50-64	618	1.5		<1	1	1	2	2	3	5
65+	558	1.8	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	422	3.4	88	1	1	1	2	6	26	99+
20-34	256	2.3	11	1	1	1	2	3	6	25
35-49	430	2.4	26	1	1	1	2	4	6	17
50-64	849	2.5	9	1	1	2	3	5	7	14
65+	1992	3.9	25	1	1	2	4	8	12	25
TOTAL SINGLE DX	2451	1.5	1	1	1	1	2	3	3	6
TOTAL MULTIPLE DX	3949	3.3	29	1	1	2	3	7	10	28
TOTAL										
0-19 YRS	821	2.4	47	1	1	1	2	4	7	99+
20-34	640	1.8	5	1	1	1	2	3	4	12
35-49	922	1.9	13	1	1	1	2	3	5	9
50-64	1467	2.1	6	1	1	1	2	4	6	11
65+	2550	3.4	22	1	1	2	4	7	11	22
GRAND TOTAL	**6400**	**2.6**	**19**	**1**	**1**	**1**	**3**	**5**	**8**	**22**

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	376	1.2		1	1	1	1	2	2	4
20-34	72	1.4		1	1	1	2	3	3	3
35-49	126	1.5		1	1	1	2	2	3	3
50-64	177	1.8	6	1	1	1	2	3	3	10
65+	109	2.1	2	1	1	2	2	4	5	10
2. MULTIPLE DX										
0-19 YRS	613	3.9	122	1	1	1	2	7	37	99+
20-34	53	1.9	4	1	1	1	2	3	3	16
35-49	120	2.2	1	1	1	2	3	4	5	7
50-64	195	2.5	7	1	1	2	2	4	6	18
65+	374	3.7	14	1	1	2	4	8	12	18
TOTAL SINGLE DX	860	1.5	2	1	1	1	2	2	3	5
TOTAL MULTIPLE DX	1355	3.4	61	1	1	1	3	6	12	93
TOTAL										
0-19 YRS	989	2.9	78	1	1	1	1	3	10	99+
20-34	125	1.7	2	1	1	1	2	3	3	8
35-49	246	1.8	1	1	1	2	2	3	4	5
50-64	372	2.2	7	1	1	2	2	3	5	16
65+	483	3.3	12	1	1	2	4	7	10	18
GRAND TOTAL	**2215**	**2.7**	**39**	**1**	**1**	**1**	**2**	**4**	**8**	**60**

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.7	1	1	1	1	2	4	4	4
20-34	9	1.6		1	1	1	2	3	3	3
35-49	25	2.2	11	1	1	1	2	3	7	18
50-64	44	1.9	1	<1	1	1	2	4	5	6
65+	58	2.6	6	1	1	2	3	5	6	17
2. MULTIPLE DX										
0-19 YRS	3	4.3	33	1	1	1	9	11	11	11
20-34	12	2.0	1	1	1	2	2	4	5	5
35-49	27	4.7	85	1	2	2	4	6	20	49
50-64	46	4.7	27	1	2	3	5	11	20	24
65+	224	6.5	29	2	3	5	9	13	17	26
TOTAL SINGLE DX	142	2.2	5	1	1	2	2	4	5	18
TOTAL MULTIPLE DX	312	5.9	33	1	2	4	8	13	16	26
TOTAL										
0-19 YRS	9	2.6	11	1	1	1	2	8	11	11
20-34	21	1.8	1	1	1	1	2	4	4	5
35-49	52	3.5	51	1	1	2	3	5	14	48
50-64	90	3.3	17	1	1	2	3	6	11	23
65+	282	5.7	27	1	2	4	8	12	16	25
GRAND TOTAL	**454**	**4.7**	**28**	**1**	**2**	**3**	**6**	**11**	**15**	**25**

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	51	1.4		<1	<1	1	1	2	3	7
20-34	51	1.8	1	1	1	1	2	4	5	6
35-49	92	2.1	2	1	1	1	3	4	5	8
50-64	72	1.7	1	<1	1	1	2	3	5	6
65+	41	2.4	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	57	8.5	190	1	1	2	11	40	99+	99+
20-34	45	3.2	19	1	1	2	4	7	8	29
35-49	131	3.4	8	1	1	2	5	7	8	15
50-64	193	4.0	19	1	2	3	5	8	11	24
65+	202	6.9	91	1	2	4	8	13	23	61
TOTAL SINGLE DX	307	1.9	2	<1	1	1	2	4	5	7
TOTAL MULTIPLE DX	628	5.2	59	1	2	3	6	10	19	73
TOTAL										
0-19 YRS	108	5.1	113	<1	1	1	3	22	42	99+
20-34	96	2.5	10	1	1	2	3	4	7	20
35-49	223	2.9	6	1	1	2	4	6	7	12
50-64	265	3.4	15	1	1	2	4	7	10	15
65+	243	6.1	79	1	2	3	7	12	21	52
GRAND TOTAL	935	4.1	42	1	1	2	4	8	13	40

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	2.6	3	1	1	2	3	6	6	7
20-34	120	2.5	2	1	1	2	3	5	6	7
35-49	312	2.7	2	1	1	2	4	5	6	8
50-64	335	3.1	4	1	2	3	4	6	7	11
65+	208	3.3	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	44	4.5	11	1	1	4	6	10	11	14
20-34	166	4.2	14	1	2	3	5	9	12	24
35-49	517	4.6	21	1	2	4	6	8	11	21
50-64	777	5.0	20	1	2	4	6	9	12	25
65+	1124	6.2	28	2	3	5	8	12	16	28
TOTAL SINGLE DX	1005	2.9	4	1	2	2	4	5	6	10
TOTAL MULTIPLE DX	2628	5.4	24	2	3	4	7	10	13	26
TOTAL										
0-19 YRS	74	3.7	9	1	1	3	6	7	10	14
20-34	286	3.5	10	1	2	3	4	6	9	15
35-49	829	3.9	15	1	2	3	5	7	8	16
50-64	1112	4.4	16	1	2	4	5	8	10	21
65+	1332	5.7	25	2	3	4	7	11	15	27
GRAND TOTAL	3633	4.7	19	1	2	4	6	9	12	24

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	6.7	46	1	3	5	6	16	25	27
20-34	4	5.5	1	4	4	5	6	7	7	7
35-49	8	5.0	16	1	2	4	7	11	12	12
50-64	13	4.6	6	1	2	6	7	7	7	7
65+	9	6.6	25	1	3	5	9	15	16	16
2. MULTIPLE DX										
0-19 YRS	50	13.9	122	4	6	10	21	40	92	99+
20-34	19	7.8	33	2	5	6	10	14	21	26
35-49	46	9.1	34	3	6	7	11	19	23	26
50-64	69	9.6	42	4	6	8	11	17	20	44
65+	126	13.1	131	5	7	9	15	25	36	65
TOTAL SINGLE DX	47	5.7	21	1	3	5	7	12	14	27
TOTAL MULTIPLE DX	310	11.5	93	4	6	8	13	23	35	87
TOTAL										
0-19 YRS	63	12.4	115	3	6	9	20	37	57	99+
20-34	23	7.4	28	2	5	6	9	14	18	26
35-49	54	8.5	34	3	5	7	10	17	22	26
50-64	82	8.8	40	3	6	8	11	15	20	40
65+	135	12.7	127	5	7	9	14	24	35	63
GRAND TOTAL	357	10.8	88	3	6	8	12	21	30	78

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	106	4.1	14	1	2	3	5	9	11	19
20-34	94	3.8	8	1	1	3	5	7	10	14
35-49	88	4.7	8	1	2	4	7	9	10	13
50-64	63	5.0	12	1	3	4	6	10	11	19
65+	56	6.0	23	1	2	5	8	11	15	26
2. MULTIPLE DX										
0-19 YRS	166	9.9	155	2	3	7	13	19	26	77
20-34	261	7.9	62	2	3	5	9	18	24	43
35-49	549	9.8	93	2	4	7	12	20	26	63
50-64	791	10.2	66	3	5	8	13	20	26	43
65+	1096	12.3	107	3	6	10	15	23	32	59
TOTAL SINGLE DX	407	4.6	13	1	2	4	6	9	11	17
TOTAL MULTIPLE DX	2863	10.7	94	3	5	8	14	21	27	54
TOTAL										
0-19 YRS	272	7.7	108	1	2	5	9	16	20	64
20-34	355	6.8	52	1	3	5	8	14	22	37
35-49	637	9.1	85	2	4	7	11	18	25	57
50-64	854	9.8	64	2	4	8	13	20	25	42
65+	1152	12.0	105	3	6	9	15	23	31	58
GRAND TOTAL	3270	9.9	88	2	4	7	13	20	26	51

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	132	4.5	15	2	3	4	5	7	10	19
20-34	181	4.3	4	2	3	4	5	7	8	12
35-49	86	5.5	8	3	3	5	7	9	10	16
50-64	45	7.3	22	2	4	6	10	13	16	24
65+	27	7.6	36	3	4	6	8	14	25	26
2. MULTIPLE DX										
0-19 YRS	282	9.1	111	3	4	6	10	17	29	96
20-34	466	7.9	79	3	4	5	9	15	23	63
35-49	332	10.1	69	4	5	8	12	21	28	45
50-64	340	12.6	136	4	6	9	15	28	43	68
65+	506	15.8	160	5	8	12	20	31	40	75
TOTAL SINGLE DX	471	5.1	13	2	3	4	6	9	11	18
TOTAL MULTIPLE DX	1926	11.4	123	3	5	8	13	24	35	66
TOTAL										
0-19 YRS	414	7.6	85	2	3	5	9	14	25	71
20-34	647	6.9	81	2	3	5	7	12	18	59
35-49	418	9.2	60	3	4	7	10	18	24	41
50-64	385	12.0	126	4	5	9	14	24	40	66
65+	533	15.4	158	5	8	12	20	30	40	71
GRAND TOTAL	2397	10.1	106	3	4	7	12	22	30	63

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	128	2.8	4	1	1	2	4	5	6	12
20-34	390	2.9	3	1	1	3	4	5	6	9
35-49	51	2.8	4	<1	1	2	4	6	8	9
50-64	10	2.8	6	<1	<1	<1	5	7	7	7
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	176	3.6	8	1	1	3	5	7	8	16
20-34	781	3.9	12	1	2	3	5	7	10	17
35-49	186	4.4	17	1	2	4	5	8	11	27
50-64	34	6.8	15	2	4	5	10	11	14	17
65+	33	8.5	66	1	2	5	17	20	21	24
TOTAL SINGLE DX	580	2.9	4	1	1	2	4	5	7	9
TOTAL MULTIPLE DX	1210	4.2	15	1	2	3	5	8	11	20
TOTAL										
0-19 YRS	304	3.3	7	1	1	3	4	6	8	16
20-34	1171	3.6	10	1	1	3	4	7	9	14
35-49	237	4.1	15	1	1	3	5	8	10	25
50-64	44	5.9	16	<1	3	5	10	11	12	17
65+	34	8.3	66	1	2	4	17	20	21	24
GRAND TOTAL	1790	3.7	12	1	1	3	5	7	10	18

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	102	7.8	54	2	4	6	8	14	21	44
20-34	139	5.0	8	2	3	4	6	9	10	16
35-49	149	6.5	11	3	4	6	9	11	13	16
50-64	117	7.7	26	3	5	7	10	12	15	31
65+	66	8.3	19	3	5	8	10	14	15	25
2. MULTIPLE DX										
0-19 YRS	313	13.0	182	4	5	8	16	36	63	99+
20-34	716	7.1	57	2	3	5	8	15	19	41
35-49	806	8.6	72	3	4	6	10	17	23	46
50-64	723	11.8	110	3	6	9	15	22	31	53
65+	1266	14.2	108	5	8	11	17	26	32	57
TOTAL SINGLE DX	573	6.8	24	2	4	6	9	12	14	25
TOTAL MULTIPLE DX	3824	11.1	105	3	5	8	14	22	30	61
TOTAL										
0-19 YRS	415	11.7	156	3	5	7	14	33	56	99+
20-34	855	6.8	50	2	3	4	8	13	18	37
35-49	955	8.3	63	3	4	6	10	16	22	44
50-64	840	11.3	101	3	5	9	14	21	28	50
65+	1332	13.9	106	4	8	11	17	26	32	57
GRAND TOTAL	4397	10.6	97	3	4	8	13	21	29	58

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	5.8	9	2	3	6	8	10	12	14
20-34	36	7.4	50	5	5	6	7	8	9	48
35-49	48	6.7	1	5	6	7	7	8	9	11
50-64	75	7.6	7	5	6	7	9	10	12	18
65 +	44	8.2	10	5	6	8	9	12	14	22
2. MULTIPLE DX										
0-19 YRS	145	8.4	66	3	4	6	9	16	22	57
20-34	109	9.4	45	4	5	7	11	21	25	32
35-49	180	10.7	82	5	6	8	11	18	24	57
50-64	366	10.9	54	6	7	8	12	19	25	43
65 +	544	12.5	84	6	7	9	15	22	28	48
TOTAL SINGLE DX	263	7.1	14	4	5	7	8	10	12	18
TOTAL MULTIPLE DX	1344	11.1	72	5	7	8	13	20	26	48
TOTAL										
0-19 YRS	205	7.6	51	3	4	6	9	13	17	47
20-34	145	8.9	47	4	5	7	8	19	24	34
35-49	228	9.8	68	5	6	7	10	16	23	52
50-64	441	10.3	48	5	7	8	11	18	23	43
65 +	588	12.1	80	6	7	9	14	21	27	48
GRAND TOTAL	1607	10.5	65	5	6	8	12	18	24	47

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	1.8	2	<1	1	1	2	4	6	6
20-34	19	4.9	87	1	2	2	4	6	26	43
35-49	21	4.0	12	2	2	3	4	7	12	18
50-64	21	6.2	55	2	3	4	6	9	23	37
65 +	10	2.4	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	38	7.9	161	1	1	4	9	19	30	71
20-34	47	9.2	84	3	4	6	9	22	31	49
35-49	70	9.5	138	2	4	6	12	18	23	77
50-64	94	10.0	93	2	4	8	13	19	28	56
65 +	192	12.4	108	3	5	10	17	25	34	53
TOTAL SINGLE DX	83	4.3	39	1	2	3	4	6	9	41
TOTAL MULTIPLE DX	441	10.7	114	2	4	8	14	22	31	57
TOTAL										
0-19 YRS	50	6.4	129	1	1	3	6	14	20	71
20-34	66	7.9	88	2	3	5	8	20	31	48
35-49	91	8.2	115	2	3	5	9	17	23	66
50-64	115	9.3	88	2	4	6	12	17	27	49
65 +	202	11.9	108	2	4	9	16	25	33	52
GRAND TOTAL	524	9.7	107	2	3	6	12	21	30	51

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	10.0	11	7	7	9	12	15	16	16
20-34	2	16.0	8	14	14	16	18	18	18	18
35-49	6	10.2	1	9	9	10	11	12	12	12
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	69	16.3	78	8	10	15	20	24	28	56
20-34	71	14.8	56	7	9	13	19	25	32	38
35-49	98	14.4	75	8	9	12	16	23	28	55
50-64	54	17.3	96	8	11	16	20	25	39	58
65 +	6	14.0	8	10	12	14	16	18	18	18
TOTAL SINGLE DX	16	10.8	10	7	8	11	12	16	17	18
TOTAL MULTIPLE DX	298	15.5	75	8	10	14	19	24	31	55
TOTAL										
0-19 YRS	77	15.6	75	8	10	14	19	24	28	56
20-34	73	14.8	55	7	9	13	19	25	32	38
35-49	104	14.2	72	8	9	12	16	23	28	53
50-64	54	17.3	96	8	11	16	20	25	39	58
65 +	6	14.0	8	10	12	14	16	18	18	18
GRAND TOTAL	314	15.2	72	8	10	13	18	24	31	54

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	316	3.7	7	1	1	3	5	7	9	14
20-34	83	4.2	11	1	2	4	6	7	9	19
35-49	62	3.0	5	1	1	2	5	6	7	11
50-64	49	3.6	7	1	1	3	6	7	9	11
65 +	24	6.4	32	1	2	5	9	12	16	26
2. MULTIPLE DX										
0-19 YRS	418	7.1	60	1	2	5	8	15	24	46
20-34	234	7.6	42	1	3	6	11	16	20	30
35-49	259	8.1	51	1	3	6	11	16	20	38
50-64	287	9.3	73	1	4	8	12	18	21	50
65 +	398	12.4	133	2	5	10	15	24	35	59
TOTAL SINGLE DX	534	3.8	10	1	1	3	5	7	9	14
TOTAL MULTIPLE DX	1596	9.0	81	1	3	7	12	18	25	48
TOTAL										
0-19 YRS	734	5.6	41	1	2	4	7	12	16	39
20-34	317	6.7	36	1	2	5	8	14	20	29
35-49	321	7.1	46	1	2	5	9	15	19	36
50-64	336	8.5	68	1	3	7	11	17	20	44
65 +	422	12.1	130	2	5	9	15	23	35	57
GRAND TOTAL	2130	7.7	68	1	2	5	10	16	22	43

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	4.8	11	1	2	5	7	8	8	8
20-34	25	4.1	10	1	2	3	5	10	11	12
35-49	31	3.9	5	1	2	4	5	7	8	10
50-64	22	3.4	3	1	2	3	4	6	8	9
65 +	11	9.1	28	4	6	7	12	18	19	19
2. MULTIPLE DX										
0-19 YRS	6	6.8	68	1	2	4	7	21	23	23
20-34	24	6.6	10	3	4	6	8	11	13	14
35-49	51	6.2	18	2	3	6	8	12	14	21
50-64	61	9.0	100	2	4	7	10	14	23	66
65 +	76	10.7	72	4	5	9	12	21	31	44
TOTAL SINGLE DX	93	4.5	12	1	2	4	6	8	11	19
TOTAL MULTIPLE DX	218	8.6	63	2	4	7	10	16	22	41
TOTAL										
0-19 YRS	10	6.0	43	1	2	4	7	15	23	23
20-34	49	5.3	12	1	3	5	7	11	12	14
35-49	82	5.3	15	1	3	4	7	10	13	20
50-64	83	7.5	80	1	3	6	9	12	20	59
65 +	87	10.5	67	4	5	8	13	20	28	43
GRAND TOTAL	311	7.4	51	1	3	6	9	13	19	37

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	279	5.1	5	3	4	5	6	8	9	12
20-34	10	6.7	9	2	5	7	8	11	13	13
35-49	7	8.4	59	2	4	7	8	22	25	25
50-64	6	13.7	51	6	7	14	15	25	26	26
65 +	2	10.5	13	8	8	10	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	378	7.0	25	3	4	6	8	11	16	28
20-34	52	10.5	57	4	6	8	14	18	22	48
35-49	35	9.7	53	5	6	8	11	14	20	46
50-64	39	13.9	126	5	8	11	18	31	51	99 +
65 +	80	15.9	160	7	10	13	17	29	38	76
TOTAL SINGLE DX	304	5.4	9	3	4	5	7	8	10	18
TOTAL MULTIPLE DX	584	9.1	66	3	5	7	11	17	23	49
TOTAL										
0-19 YRS	657	6.2	18	3	4	5	7	10	12	23
20-34	62	9.9	52	3	6	8	13	17	21	46
35-49	42	9.5	53	4	6	8	11	14	23	46
50-64	45	13.9	115	5	8	11	18	28	46	99 +
65 +	82	15.8	157	7	10	13	17	28	38	76
GRAND TOTAL	888	7.9	49	3	4	6	9	14	19	43

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	2.7	1	1	2	3	3	5	5	5
20-34	283	2.7	3	1	1	2	3	5	6	9
35-49	445	2.8	3	1	1	2	4	5	6	9
50-64	224	2.8	3	1	1	2	4	5	6	9
65 +	80	3.3	4	1	2	3	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	35	5.9	189	1	2	3	5	8	9	84
20-34	266	3.8	7	1	2	3	5	6	9	14
35-49	377	4.0	6	1	2	3	5	8	9	13
50-64	445	4.0	11	1	2	3	5	7	9	15
65 +	347	5.0	17	1	2	4	6	10	13	23
TOTAL SINGLE DX	1059	2.8	3	1	1	2	4	5	6	9
TOTAL MULTIPLE DX	1470	4.2	15	1	2	3	5	8	10	16
TOTAL										
0-19 YRS	62	4.5	109	1	2	3	4	6	8	75
20-34	549	3.2	6	1	2	3	4	6	7	13
35-49	822	3.3	5	1	2	3	4	6	8	11
50-64	669	3.6	9	1	2	3	5	7	8	14
65 +	427	4.7	15	1	2	4	6	9	12	22
GRAND TOTAL	2529	3.6	11	1	2	3	5	7	8	14

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	6.0	8	2	4	5	9	10	11	12
20-34	36	3.6	6	1	2	3	5	6	10	11
35-49	39	3.6	6	1	1	3	5	7	7	12
50-64	25	2.8	5	1	1	2	4	5	8	11
65 +	22	4.0	8	1	1	3	6	8	9	11
2. MULTIPLE DX										
0-19 YRS	83	6.8	40	2	3	5	8	13	19	34
20-34	38	4.8	9	1	3	4	6	9	12	13
35-49	59	4.3	8	1	2	4	6	9	9	13
50-64	73	5.4	23	1	2	5	6	12	15	84
65 +	93	7.6	49	1	3	6	10	15	20	39
TOTAL SINGLE DX	141	3.8	8	1	2	3	5	8	10	12
TOTAL MULTIPLE DX	346	6.1	32	1	2	5	8	12	15	34
TOTAL										
0-19 YRS	102	6.6	35	2	3	5	8	12	18	33
20-34	74	4.2	8	1	2	4	6	8	11	13
35-49	98	4.0	8	1	2	4	6	8	9	13
50-64	98	4.8	20	1	2	4	6	9	14	68
65 +	115	6.9	44	1	2	5	9	14	19	36
GRAND TOTAL	487	5.4	26	1	2	4	7	11	13	32

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	73	3.5	9	1	1	3	4	7	10	16
20-34	230	3.2	9	1	1	3	4	6	8	17
35-49	324	3.0	3	1	1	3	4	5	7	9
50-64	275	2.9	5	<1	1	2	4	6	7	11
65+	171	3.5	15	<1	1	2	4	7	9	22
2. MULTIPLE DX										
0-19 YRS	204	5.8	40	1	2	4	7	12	18	67
20-34	513	6.3	54	1	3	4	7	13	18	42
35-49	858	6.6	48	1	2	4	8	14	20	34
50-64	1085	6.9	49	1	3	5	9	14	19	37
65+	3045	9.6	68	2	4	7	12	19	25	43
TOTAL SINGLE DX	1073	3.1	8	<1	1	2	4	6	8	17
TOTAL MULTIPLE DX	5705	8.2	62	2	3	6	10	17	23	41
TOTAL										
0-19 YRS	277	5.1	33	1	2	4	6	11	16	42
20-34	743	5.3	43	1	2	4	6	10	16	37
35-49	1182	5.6	39	1	2	4	7	12	17	31
50-64	1360	6.1	43	1	2	4	8	13	17	35
65+	3216	9.3	67	2	4	7	12	19	25	42
GRAND TOTAL	**6778**	**7.4**	**57**	**1**	**3**	**5**	**9**	**16**	**22**	**40**

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.0	11	1	1	2	4	9	9	9
20-34	11	1.6		1	1	1	2	3	3	3
35-49	40	2.0	1	1	1	2	3	3	4	7
50-64	188	2.3	4	1	1	2	3	4	5	9
65+	399	2.7	8	1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	16	6.1	38	1	2	6	8	11	21	26
20-34	54	6.2	101	1	1	3	7	11	22	66
35-49	154	5.4	55	1	2	3	6	11	17	45
50-64	578	5.0	47	1	2	3	6	10	16	32
65+	2533	6.0	42	1	2	4	7	14	19	32
TOTAL SINGLE DX	643	2.5	7	1	1	2	3	4	6	12
TOTAL MULTIPLE DX	3335	5.8	45	1	2	4	7	13	18	32
TOTAL										
0-19 YRS	21	5.4	33	1	1	3	7	10	18	26
20-34	65	5.4	87	1	1	3	6	10	18	62
35-49	194	4.7	46	1	1	3	5	9	16	40
50-64	766	4.4	38	1	1	3	5	9	13	30
65+	2932	5.5	39	1	2	3	7	13	18	31
GRAND TOTAL	**3978**	**5.3**	**40**	**1**	**2**	**3**	**6**	**12**	**17**	**31**

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	4	3.5	3	1	2	4	5	5	5	5
35-49	13	2.6	2	1	2	2	4	5	5	5
50-64	9	2.6	6	<1	1	1	3	7	8	8
65+	15	2.6	4	<1	1	1	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	5	4.6	13	2	3	4	11	91	99+	99+
20-34	17	3.7	6	1	2	3	6	8	8	8
35-49	32	5.7	67	1	2	3	5	11	32	37
50-64	59	4.0	10	1	1	3	5	7	11	16
65+	201	7.7	78	1	3	5	10	16	22	51
TOTAL SINGLE DX	45	2.7	4	<1	1	2	4	6	7	8
TOTAL MULTIPLE DX	314	6.6	62	1	2	4	8	14	19	49
TOTAL										
0-19 YRS	9	3.8	11	1	2	3	7	55	99+	99+
20-34	21	3.7	6	1	2	3	6	7	8	8
35-49	45	4.8	50	1	2	3	5	7	18	37
50-64	68	3.8	10	1	1	3	5	7	9	16
65+	216	7.4	75	1	3	5	9	15	21	49
GRAND TOTAL	**359**	**6.1**	**57**	**1**	**2**	**4**	**7**	**13**	**17**	**43**

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	51	4.8	15	1	2	4	6	10	12	19
20-34	24	5.0	12	2	3	4	7	10	12	16
35-49	63	4.3	5	2	3	4	6	8	9	11
50-64	72	5.4	65	1	2	4	6	9	11	57
65+	94	5.3	30	1	2	4	7	11	13	33
2. MULTIPLE DX										
0-19 YRS	221	10.4	152	2	4	7	11	20	34	95
20-34	90	11.2	97	2	4	9	16	25	33	82
35-49	133	9.5	96	3	4	6	11	21	38	59
50-64	340	9.8	85	2	4	8	12	20	26	52
65+	982	10.3	80	2	4	8	13	21	27	46
TOTAL SINGLE DX	304	5.0	30	1	2	4	6	9	11	20
TOTAL MULTIPLE DX	1766	10.2	92	2	4	8	13	21	28	53
TOTAL										
0-19 YRS	272	9.4	132	2	3	7	11	18	31	90
20-34	114	9.9	86	2	4	8	13	23	32	71
35-49	196	7.8	73	2	3	5	9	15	24	49
50-64	412	9.0	84	2	3	7	11	19	25	55
65+	1076	9.9	78	2	4	8	13	20	27	46
GRAND TOTAL	**2070**	**9.4**	**87**	**2**	**3**	**7**	**12**	**20**	**27**	**51**

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	7	7.3	42	1	3	6	8	18	21	21
20-34	3	3.3	4	1	2	4	5	5	5	5
35-49	3	5.3	1	4	4	6	6	6	6	6
50-64	9	4.8	32	1	1	2	7	14	18	18
65 +	16	7.9	123	1	2	3	8	26	37	41
TOTAL SINGLE DX	2	4.0	18	1	1	4	7	7	7	7
TOTAL MULTIPLE DX	38	6.5	67	1	1	4	7	16	25	41
TOTAL										
0-19 YRS	8	6.5	41	<1	2	5	7	17	21	21
20-34	3	3.3	4	1	2	4	5	5	5	5
35-49	3	5.3	1	4	4	6	6	6	6	6
50-64	9	4.8	32	1	1	2	7	14	18	18
65 +	17	7.8	116	1	2	3	8	25	36	41
GRAND TOTAL	**40**	**6.4**	**64**	**1**	**1**	**4**	**7**	**15**	**24**	**41**

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	477	1.9	4	1	1	1	2	4	6	9
20-34	29	2.5	3	<1	1	2	3	5	8	8
35-49	35	2.7	3	1	1	2	3	4	6	10
50-64	30	3.0	2	1	2	3	4	4	5	7
65 +	18	3.7	10	1	1	3	5	7	11	14
2. MULTIPLE DX										
0-19 YRS	291	3.0	10	1	1	2	3	7	9	17
20-34	39	4.2	34	1	1	3	5	8	25	99 +
35-49	60	6.9	137	1	2	3	5	16	31	62
50-64	59	4.1	13	1	2	3	5	8	11	21
65 +	103	6.9	58	1	2	5	8	14	24	39
TOTAL SINGLE DX	589	2.1	5	1	1	1	2	4	6	9
TOTAL MULTIPLE DX	552	4.4	38	1	1	2	5	9	13	36
TOTAL										
0-19 YRS	768	2.3	7	1	1	1	2	5	8	13
20-34	68	3.4	22	1	1	3	4	7	9	88
35-49	95	5.3	92	1	2	3	4	9	24	59
50-64	89	3.7	10	1	2	3	4	7	9	19
65 +	121	6.4	52	1	2	4	7	13	22	39
GRAND TOTAL	**1141**	**3.2**	**22**	**1**	**1**	**2**	**4**	**7**	**9**	**25**

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.5	2	1	1	2	3	5	5	6
20-34	8	2.1	2	<1	1	2	3	4	5	5
35-49	23	2.7	7	1	1	2	3	6	9	13
50-64	19	1.6	2	<1	1	1	2	3	5	7
65 +	18	2.7	11	<1	1	1	3	7	12	14
2. MULTIPLE DX										
0-19 YRS	22	5.5	30	1	2	4	6	10	19	26
20-34	56	5.6	24	2	3	4	7	11	14	28
35-49	87	8.0	100	2	3	5	9	15	28	61
50-64	114	7.3	58	1	3	5	8	16	22	42
65 +	366	9.5	57	2	4	7	12	20	24	38
TOTAL SINGLE DX	78	2.4	6	<1	1	2	3	5	7	14
TOTAL MULTIPLE DX	645	8.5	62	2	3	6	10	19	24	39
TOTAL										
0-19 YRS	32	4.5	24	1	2	3	6	7	14	26
20-34	64	5.2	23	1	2	4	6	11	13	27
35-49	110	6.9	85	1	2	4	7	14	25	57
50-64	133	6.5	55	1	2	4	8	15	22	41
65 +	384	9.2	58	2	4	7	12	20	24	37
GRAND TOTAL	**723**	**7.8**	**59**	**1**	**3**	**5**	**10**	**18**	**23**	**38**

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	1.8	1	1	1	1	3	4	4	5
20-34	24	2.3	5	1	1	1	2	7	8	10
35-49	27	2.1	4	<1	1	1	2	4	7	10
50-64	21	2.2	2	<1	1	2	3	4	5	5
65 +	29	3.0	3	1	2	3	4	5	7	7
2. MULTIPLE DX										
0-19 YRS	56	5.0	23	1	2	4	7	9	12	30
20-34	64	4.0	15	1	1	3	5	9	13	19
35-49	67	5.1	37	1	1	3	6	12	16	34
50-64	120	4.8	26	1	2	3	6	10	15	26
65 +	474	5.8	47	1	2	4	7	13	19	30
TOTAL SINGLE DX	122	2.3	3	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	781	5.4	39	1	2	4	6	12	17	30
TOTAL										
0-19 YRS	77	4.1	19	1	1	3	5	8	11	27
20-34	88	3.6	14	1	1	2	5	8	12	18
35-49	94	4.2	29	1	1	2	5	8	15	31
50-64	141	4.4	24	1	1	3	5	9	14	25
65 +	503	5.6	45	1	2	4	7	12	18	29
GRAND TOTAL	**903**	**5.0**	**35**	**1**	**2**	**3**	**6**	**11**	**16**	**28**

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	28	4.3	2	3	3	4	6	6	7	8
35-49	133	4.2	1	3	4	4	5	6	6	8
50-64	120	4.9	2	3	4	5	5	7	8	10
65+	48	5.2	3	3	4	5	6	8	8	11
2. MULTIPLE DX										
0-19 YRS	5	8.2	30	5	5	6	9	18	18	18
20-34	48	4.3	1	3	3	4	5	7	7	7
35-49	204	5.1	8	3	4	4	6	7	8	17
50-64	210	5.2	3	3	4	5	6	7	8	12
65+	193	6.3	15	3	4	6	7	9	11	26
TOTAL SINGLE DX	329	4.6	2	3	4	4	5	7	8	9
TOTAL MULTIPLE DX	660	5.4	9	3	4	5	6	8	9	18
TOTAL										
0-19 YRS	5	8.2	30	5	5	6	9	18	18	18
20-34	76	4.3	2	3	3	4	5	6	7	8
35-49	337	4.8	6	3	4	4	5	7	8	12
50-64	330	5.1	3	3	4	5	6	7	8	11
65+	241	6.1	13	3	4	5	7	9	10	23
GRAND TOTAL	**989**	**5.2**	**7**	**3**	**4**	**5**	**6**	**7**	**8**	**16**

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.0	8	1	1	2	4	8	8	8
20-34	24	3.4	1	2	2	3	4	5	6	7
35-49	176	3.7	1	2	3	4	5	5	6	8
50-64	181	3.7	1	2	3	4	4	5	6	7
65+	84	4.3	2	2	3	4	5	6	8	8
2. MULTIPLE DX										
0-19 YRS	7	3.9	4	1	3	4	4	7	8	8
20-34	31	3.7	2	2	3	4	5	6	7	8
35-49	243	4.1	6	2	3	4	5	6	7	12
50-64	286	4.5	4	3	3	4	5	7	8	14
65+	328	4.9	10	2	3	4	6	7	9	21
TOTAL SINGLE DX	470	3.8	2	2	3	4	5	6	7	8
TOTAL MULTIPLE DX	895	4.5	7	2	3	4	5	7	8	15
TOTAL										
0-19 YRS	12	3.5	6	1	2	3	4	8	8	8
20-34	55	3.6	2	2	3	3	4	5	7	8
35-49	419	4.0	4	2	3	4	5	6	7	10
50-64	467	4.2	4	2	3	4	5	7	7	12
65+	412	4.8	9	2	3	4	6	7	8	20
GRAND TOTAL	**1365**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**8**	**12**

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	2.9	3	1	1	3	4	6	7	7
20-34	65	3.2	3	1	2	3	4	5	6	12
35-49	103	2.5	2	1	1	2	3	5	5	6
50-64	73	2.8	3	1	1	2	4	6	7	10
65+	29	2.9	4	1	2	2	3	6	7	10
2. MULTIPLE DX										
0-19 YRS	31	4.5	13	1	1	4	7	10	13	13
20-34	116	4.0	8	1	2	3	5	8	10	14
35-49	200	5.0	31	1	2	3	6	10	13	29
50-64	262	6.3	52	1	2	4	8	13	19	42
65+	273	8.4	58	2	3	7	11	16	21	43
TOTAL SINGLE DX	287	2.8	3	1	1	2	4	5	6	9
TOTAL MULTIPLE DX	882	6.3	45	1	2	4	8	14	17	36
TOTAL										
0-19 YRS	48	3.9	10	1	1	3	5	8	12	13
20-34	181	3.8	7	1	2	3	4	7	9	13
35-49	303	4.1	23	1	2	3	5	8	11	25
50-64	335	5.5	44	1	2	3	6	11	17	39
65+	302	7.9	56	1	3	6	11	16	20	41
GRAND TOTAL	**1169**	**5.4**	**37**	**1**	**2**	**3**	**6**	**12**	**16**	**30**

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95-59.96; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.4	8	1	1	1	3	7	10	10
20-34	130	1.6	1	1	1	1	2	4	4	6
35-49	245	1.5	1	1	1	1	1	3	4	6
50-64	216	1.4		1	1	1	1	2	3	6
65+	132	1.3		1	1	1	1	2	3	5
2. MULTIPLE DX										
0-19 YRS	19	3.1	10	1	1	2	4	8	10	12
20-34	95	3.1	16	1	1	2	3	6	9	25
35-49	166	2.6	10	1	1	1	3	6	7	22
50-64	217	3.1	32	1	1	1	3	7	9	27
65+	266	3.3	23	1	1	1	3	8	13	28
TOTAL SINGLE DX	733	1.4	1	1	1	1	1	3	4	6
TOTAL MULTIPLE DX	763	3.1	22	1	1	1	3	7	10	26
TOTAL										
0-19 YRS	29	2.9	9	1	1	1	[illegible]	[illegible]	10	12
20-34	225	2.2	8	1	1	1	2	[illegible]	6	15
35-49	411	1.9	5	1	1	1	2	[illegible]	6	11
50-64	433	2.2	17	1	1	1	2	5	7	15
65+	398	2.7	17	1	1	1	2	6	10	25
GRAND TOTAL	**1496**	**2.3**	**12**	**1**	**1**	**1**	**2**	**5**	**7**	**17**

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.4	4	1	1	1	4	5	5	5
20-34	6	5.8	19	1	2	5	8	12	13	13
35-49	4	2.8	8	< 1	< 1	1	4	7	7	7
50-64	5	5.8	11	1	4	5	8	10	10	10
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	10	5.5	5	2	4	6	8	8	8	8
35-49	20	9.0	39	3	4	6	14	19	20	21
50-64	22	12.8	83	3	7	11	18	24	32	42
65 +	37	10.8	73	3	7	9	11	24	29	43
TOTAL SINGLE DX	20	4.4	13	< 1	1	4	7	9	11	13
TOTAL MULTIPLE DX	91	10.2	63	3	5	8	13	21	26	43
TOTAL										
0-19 YRS	7	3.3	9	1	1	2	5	8	9	9
20-34	16	5.6	10	2	3	6	8	8	12	13
35-49	24	8.0	39	2	3	6	13	19	20	21
50-64	27	11.5	77	2	6	10	13	22	28	42
65 +	37	10.8	73	3	7	9	11	24	29	43
GRAND TOTAL	111	9.1	59	2	4	7	11	19	24	42

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	20	2.8	1	1	2	3	3	4	5	6
50-64	659	3.6	2	2	3	3	4	5	6	10
65 +	1373	3.8	2	2	3	4	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	3	5.0	21	1	2	4	8	10	10	10
20-34	1	4.0		4	4	4	4	4	4	4
35-49	72	4.3	9	2	3	3	5	6	11	19
50-64	2633	4.8	15	3	3	4	5	8	11	18
65 +	10845	6.1	27	3	3	4	7	12	16	28
TOTAL SINGLE DX	2053	3.7	2	2	3	3	4	5	6	10
TOTAL MULTIPLE DX	13554	5.9	25	3	3	4	6	11	15	26
TOTAL										
0-19 YRS	4	4.3	16	1	1	3	7	10	10	10
20-34	1	4.0		4	4	4	4	4	4	4
35-49	92	3.9	8	2	3	3	4	6	11	17
50-64	3292	4.6	13	3	3	4	5	7	10	17
65 +	12218	5.9	25	3	3	4	6	11	15	27
GRAND TOTAL	15607	5.6	23	3	3	4	6	10	14	25

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	3.8	7	1	1	3	6	7	7	7
20-34	0									
35-49	3	6.7		6	6	7	7	7	7	7
50-64	114	7.5	4	5	6	7	8	11	12	14
65 +	149	7.9	4	6	7	8	9	11	12	16
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	10.5	17	6	8	9	12	17	18	18
50-64	271	9.5	15	6	7	8	11	14	17	26
65 +	665	10.5	34	6	7	9	12	16	20	31
TOTAL SINGLE DX	270	7.7	5	5	6	7	9	11	12	15
TOTAL MULTIPLE DX	945	10.2	29	6	7	9	12	16	20	29
TOTAL										
0-19 YRS	6	3.3	6	1	1	3	5	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	9	9.2	15	6	7	8	10	16	18	18
50-64	385	8.9	13	6	7	8	10	13	15	25
65 +	814	10.1	30	6	7	9	11	16	20	30
GRAND TOTAL	1215	9.7	25	6	7	8	11	15	18	28

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	8	2.5	2	<1	1	2	3	5	6	6
50-64	25	2.7	3	<1	1	3	4	5	6	8
65+	28	2.3	5	<1	<1	1	3	6	7	11
2. MULTIPLE DX										
0-19 YRS	5	7.0	50	1	2	3	13	17	17	17
20-34	1	11.0		11	11	11	11	11	11	11
35-49	12	6.3	29	2	3	4	9	14	19	20
50-64	98	5.1	15	1	2	4	7	12	14	17
65+	395	7.5	50	1	3	5	11	16	21	32
TOTAL SINGLE DX	63	2.5	4	<1	1	2	3	5	7	11
TOTAL MULTIPLE DX	511	7.0	44	1	2	5	10	15	19	31
TOTAL										
0-19 YRS	7	5.4	41	1	1	2	10	16	17	17
20-34	1	11.0		11	11	11	11	11	11	11
35-49	20	4.8	22	1	2	3	5	11	16	20
50-64	123	4.6	14	1	2	3	6	11	13	16
65+	423	7.2	49	1	2	5	10	15	20	32
GRAND TOTAL	**574**	**6.5**	**42**	**1**	**2**	**4**	**9**	**14**	**19**	**31**

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	1.5	1	<1	1	1	1	3	4	8
20-34	35	2.5	3	1	1	2	4	5	5	8
35-49	39	3.6	31	1	1	2	4	7	8	35
50-64	19	2.1	3	<1	1	1	3	5	6	7
65+	12	1.9	2	<1	1	1	2	5	5	5
2. MULTIPLE DX										
0-19 YRS	53	4.0	68	<1	1	1	3	9	14	52
20-34	34	4.0	6	1	2	3	5	8	10	11
35-49	53	5.3	36	1	2	4	6	10	15	32
50-64	51	7.8	146	1	2	3	9	19	22	69
65+	89	7.0	85	1	1	4	9	15	24	52
TOTAL SINGLE DX	172	2.3	9	1	1	1	3	5	6	9
TOTAL MULTIPLE DX	280	5.9	76	1	1	3	7	13	20	52
TOTAL										
0-19 YRS	120	2.6	32	<1	1	1	2	5	9	35
20-34	69	3.2	5	1	1	3	4	6	8	11
35-49	92	4.6	35	1	1	3	5	9	12	34
50-64	70	6.3	114	1	1	3	6	17	20	65
65+	101	6.4	78	1	1	3	9	14	23	52
GRAND TOTAL	**452**	**4.5**	**54**	**1**	**1**	**2**	**5**	**10**	**16**	**48**

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	2.0	5	1	1	1	2	3	6	16
20-34	82	1.6	1	1	1	1	2	3	4	7
35-49	50	1.9	2	1	1	1	2	4	5	9
50-64	25	2.7	7	1	1	1	4	7	8	12
65+	76	1.8	3	<1	1	1	2	3	5	12
2. MULTIPLE DX										
0-19 YRS	83	2.9	15	1	1	1	3	8	11	22
20-34	66	4.8	31	1	1	2	6	14	16	29
35-49	51	4.4	32	1	1	3	4	10	16	34
50-64	108	5.8	62	1	1	3	7	11	21	44
65+	609	7.3	77	1	1	4	10	18	23	38
TOTAL SINGLE DX	296	1.9	4	1	1	1	2	4	5	12
TOTAL MULTIPLE DX	917	6.4	66	1	1	3	9	16	21	36
TOTAL										
0-19 YRS	146	2.5	11	1	1	1	2	5	10	18
20-34	148	3.0	17	1	1	1	3	8	12	18
35-49	101	3.2	19	1	1	2	4	7	10	26
50-64	133	5.2	53	1	1	2	7	10	21	40
65+	685	6.7	73	1	1	3	10	17	22	36
GRAND TOTAL	**1213**	**5.3**	**55**	**1**	**1**	**2**	**7**	**14**	**19**	**35**

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	236	1.3		<1	1	1	1	2	3	4
20-34	46	1.4		1	1	1	2	2	3	5
35-49	5	1.2		1	1	1	2	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	184	2.0	27	1	1	1	2	3	4	8
20-34	25	2.0	1	1	1	2	3	4	4	5
35-49	4	2.8	3	1	1	2	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
TOTAL SINGLE DX	287	1.3	1	1	1	1	1	2	3	5
TOTAL MULTIPLE DX	214	2.0	24	1	1	1	2	3	5	8
TOTAL										
0-19 YRS	420	1.6	12	1	1	1	2	2	4	6
20-34	71	1.6	1	1	1	1	2	3	4	5
35-49	9	1.9	2	1	1	1	2	4	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
GRAND TOTAL	**501**	**1.6**	**11**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	1.5	8	<1	1	1	1	2	3	20
20-34	25	2.8	14	<1	1	1	3	5	14	17
35-49	11	1.5		<1	1	1	2	3	4	4
50-64	4	1.8	2	<1	<1	1	3	4	4	4
65+	0									
2. MULTIPLE DX										
0-19 YRS	40	2.3	6	1	1	1	3	5	6	15
20-34	14	3.1	6	1	1	2	5	7	8	8
35-49	10	3.1	7	1	1	2	5	7	8	8
50-64	6	5.0	17	2	2	4	5	12	13	13
65+	5	4.0	9	1	2	4	5	9	9	9
TOTAL SINGLE DX	112	1.8	9	<1	1	1	1	3	4	20
TOTAL MULTIPLE DX	75	2.9	8	1	1	2	4	6	8	14
TOTAL										
0-19 YRS	112	1.8	8	<1	1	1	2	3	4	19
20-34	39	2.9	12	<1	1	2	3	7	11	17
35-49	21	2.2	4	<1	1	1	3	6	7	8
50-64	10	3.7	13	<1	1	3	5	9	13	13
65+	5	4.0	10	1	2	4	5	9	9	9
GRAND TOTAL	187	2.3	9	<1	1	1	2	5	7	16

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	93TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	0									
65+	2	7.5	25	4	4	7	11	11	11	11
TOTAL SINGLE DX	3	1.0		<1	<1	<1	1	1	1	1
TOTAL MULTIPLE DX	5	5.2	21	1	1	4	9	11	11	11
TOTAL										
0-19 YRS	0									
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	3	3.7	21	1	1	1	7	9	9	9
50-64	0									
65+	2	7.5	25	4	4	7	11	11	11	11
GRAND TOTAL	8	3.6	17	<1	<1	1	6	10	11	11

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	1.6	1	1	1	1	2	3	5	7
20-34	29	1.8	2	1	1	1	3	4	5	5
35-49	20	1.4	1	<1	<1	1	1	2	4	6
50-64	19	1.3		<1	1	1	1	2	3	3
65+	11	1.9	5	<1	1	1	1	5	9	9
2. MULTIPLE DX										
0-19 YRS	10	1.8	4	<1	1	1	1	5	8	8
20-34	25	3.4	16	1	1	1	6	11	12	13
35-49	26	2.2	3	1	1	1	3	6	7	7
50-64	18	1.9	3	<1	1	1	2	4	7	8
65+	27	3.8	27	1	1	2	5	8	13	26
TOTAL SINGLE DX	99	1.6	2	<1	1	1	1	3	5	8
TOTAL MULTIPLE DX	106	2.8	13	1	1	1	3	8	10	19
TOTAL										
0-19 YRS	30	1.7	3	1	1	1	2	3	7	8
20-34	54	2.6	9	1	1	1	3	7	11	13
35-49	46	1.9	3	<1	1	1	2	5	6	7
50-64	37	1.6	2	<1	1	1	2	3	4	8
65+	38	3.2	22	1	1	1	3	8	10	26
GRAND TOTAL	205	2.2	8	1	1	1	2	6	8	12

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	1.6	5	<1	<1	1	1	2	5	14
20-34	5	5.6	76	<1	1	1	8	21	21	21
35-49	6	1.3		<1	<1	1	1	3	3	3
50-64	8	1.4	1	<1	<1	<1	1	3	4	4
65+	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	47	5.5	67	1	1	2	7	16	19	43
20-34	6	4.2	12	1	1	4	7	8	8	8
35-49	16	2.9	6	<1	1	2	4	8	9	9
50-64	26	6.1	72	1	2	3	6	19	24	38
65+	50	6.8	36	1	2	5	11	14	18	26
TOTAL SINGLE DX	56	1.8	11	<1	<1	1	1	3	5	21
TOTAL MULTIPLE DX	145	5.7	49	1	1	2	8	15	18	38
TOTAL										
0-19 YRS	80	3.9	45	<1	1	1	2	13	17	38
20-34	11	4.8	37	<1	1	1	7	13	20	21
35-49	22	2.5	6	<1	<1	1	3	7	8	9
50-64	34	5.0	60	<1	1	2	4	16	20	38
65+	54	6.3	36	1	1	4	11	14	18	26
GRAND TOTAL	201	4.6	41	<1	1	2	6	13	18	32

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	5	1.8		1	1	2	2	3	3	3
35-49	39	2.6	2	1	1	2	4	4	6	7
50-64	124	2.3	1	1	1	2	3	4	5	6
65 +	79	2.2	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	30	2.9	2	1	2	3	4	5	6	9
35-49	159	3.0	2	1	2	3	4	5	6	9
50-64	400	2.8	3	1	2	2	3	5	6	9
65 +	263	3.1	4	1	2	3	4	5	7	11
TOTAL SINGLE DX	247	2.3	2	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	853	2.9	4	1	2	3	4	5	6	10
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	35	2.8	3	1	2	3	4	4	6	9
35-49	198	2.9	3	1	2	3	4	5	6	8
50-64	524	2.7	3	1	2	2	3	5	6	8
65 +	342	2.9	4	1	2	2	4	5	6	10
GRAND TOTAL	1100	2.8	3	1	2	2	4	5	6	9

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	1.4		1	1	1	2	2	4	5
20-34	52	3.0	8	<1	<1	1	4	7	10	12
35-49	35	3.4	14	<1	<1	2	4	10	13	15
50-64	31	3.7	33	1	1	2	3	8	18	29
65 +	10	6.9	53	1	3	4	11	19	24	24
2. MULTIPLE DX										
0-19 YRS	61	3.1	10	1	1	2	4	6	11	19
20-34	57	11.0	126	1	3	6	16	27	35	50
35-49	65	12.0	283	2	4	6	14	21	50	92
50-64	59	6.8	116	1	1	3	8	13	29	60
65 +	55	8.5	92	2	3	5	9	16	28	52
TOTAL SINGLE DX	165	3.1	17	<1	1	1	3	7	11	23
TOTAL MULTIPLE DX	297	8.3	137	1	2	4	9	19	29	60
TOTAL										
0-19 YRS	98	2.5	8	1	1	2	3	5	6	16
20-34	109	7.2	86	<1	1	3	9	19	27	45
35-49	100	9.0	205	<1	2	5	10	19	29	86
50-64	90	5.7	89	1	1	2	6	12	18	55
65 +	65	8.3	86	2	3	5	10	16	26	51
GRAND TOTAL	462	6.4	100	1	1	3	7	15	22	52

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	146	3.2	1	2	3	3	4	5	6	7
20-34	382	3.4	1	2	3	3	4	5	5	8
35-49	83	3.6	1	2	3	3	4	5	6	8
50-64	10	4.7	1	3	4	5	6	6	6	6
65 +	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	169	4.3	4	2	3	4	5	7	8	12
20-34	958	4.0	3	2	3	4	4	6	7	11
35-49	291	5.0	47	2	3	4	5	7	9	23
50-64	42	7.2	27	3	4	5	8	16	20	23
65 +	52	10.8	65	4	6	8	13	19	23	47
TOTAL SINGLE DX	623	3.4	2	2	3	3	4	5	6	8
TOTAL MULTIPLE DX	1512	4.6	17	2	3	4	5	7	9	18
TOTAL										
0-19 YRS	315	3.8	4	2	3	3	4	6	7	12
20-34	1340	3.8	3	2	3	4	4	5	7	10
35-49	374	4.7	38	2	3	4	5	6	8	19
50-64	52	6.7	24	3	4	5	7	15	19	23
65 +	54	10.7	64	4	6	8	13	18	23	47
GRAND TOTAL	2135	4.2	13	2	3	4	4	6	8	17

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	90	4.2	3	3	3	4	5	6	8	12
20-34	361	3.5	1	2	3	3	4	5	6	8
35-49	205	3.8	3	2	3	4	4	5	6	13
50-64	35	3.8	2	2	2	4	5	6	7	8
65 +	14	4.9	3	3	4	5	5	7	9	10
2. MULTIPLE DX										
0-19 YRS	128	5.0	5	3	4	4	6	8	11	31
20-34	1170	4.4	6	3	3	4	5	7	9	14
35-49	841	4.6	7	3	3	4	5	7	9	14
50-64	129	6.8	44	3	4	5	7	12	18	44
65 +	123	9.9	106	4	4	7	12	20	25	68
TOTAL SINGLE DX	705	3.7	2	2	3	4	4	5	6	10
TOTAL MULTIPLE DX	2391	4.9	15	3	3	4	5	8	11	20
TOTAL										
0-19 YRS	218	4.7	5	3	3	4	5	8	10	12
20-34	1531	4.2	5	3	3	4	5	6	8	13
35-49	1046	4.5	7	3	3	4	5	7	9	14
50-64	164	6.1	37	3	3	4	7	11	14	42
65 +	137	9.4	98	4	4	6	11	18	24	66
GRAND TOTAL	3095	4.7	13	3	3	4	5	7	10	18

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	24	3.7	1	2	3	4	4	5	6	8
35-49	69	4.2	2	3	3	4	5	6	7	11
50-64	58	4.4	1	3	4	4	5	6	7	8
65 +	24	5.3	3	4	4	5	6	7	10	11
2. MULTIPLE DX										
0-19 YRS	4	3.3	1	2	2	3	4	4	4	4
20-34	248	4.8	8	3	3	4	5	8	10	19
35-49	625	4.9	6	3	4	4	5	8	9	16
50-64	268	6.9	22	3	4	5	8	12	15	27
65 +	238	10.6	71	4	5	8	12	21	27	44
TOTAL SINGLE DX	175	4.3	2	3	3	4	5	6	7	10
TOTAL MULTIPLE DX	1383	6.3	26	3	4	5	7	11	15	28
TOTAL										
0-19 YRS	4	3.3	1	2	2	3	4	4	4	4
20-34	272	4.7	8	3	3	4	5	7	10	18
35-49	694	4.9	6	3	4	4	5	7	9	16
50-64	326	6.4	19	3	4	5	7	11	14	25
65 +	262	10.1	68	4	5	7	11	20	27	43
GRAND TOTAL	1558	6.0	23	3	4	4	6	10	15	27

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	2.4	1	1	1	3	3	4	4	5
20-34	90	2.5	2	1	1	3	4	4	5	7
35-49	19	4.1	20	<1	1	3	5	11	16	18
50-64	3	3.7	6	1	2	4	5	6	6	6
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	55	4.2	5	2	3	4	6	7	9	12
20-34	354	3.4	3	1	2	3	4	6	7	10
35-49	106	4.2	9	1	3	4	4	7	10	17
50-64	7	5.0	7	2	3	4	8	8	8	8
65 +	5	10.2	88	5	6	6	12	27	27	27
TOTAL SINGLE DX	145	2.7	5	1	1	3	4	5	5	14
TOTAL MULTIPLE DX	527	3.7	6	1	2	3	4	6	8	15
TOTAL										
0-19 YRS	87	3.6	5	1	2	3	4	6	8	11
20-34	444	3.2	4	1	2	3	4	5	7	10
35-49	125	4.2	11	1	2	4	5	7	14	18
50-64	10	4.6	6	1	2	4	7	8	8	8
65 +	6	9.2	77	4	5	6	7	25	27	27
GRAND TOTAL	672	3.5	6	1	2	3	4	6	7	15

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	36	1.4		<1	<1	<1	1	3	4	4
35-49	17	1.1		<1	<1	<1	<1	1	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	126	2.2	2	1	1	2	3	3	4	9
35-49	46	2.2	5	<1	1	1	3	4	5	15
50-64	0									
65 +	0									
TOTAL SINGLE DX	53	1.3	1	<1	<1	<1	<1	2	3	4
TOTAL MULTIPLE DX	173	2.2	3	1	1	2	3	3	4	13
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	162	2.0	2	<1	1	2	2	3	4	8
35-49	63	1.9	[illegible]	<1	<1	1	2	3	5	14
50-64	0									
65 +	0									
GRAND TOTAL	226	2.0	3	<1	1	2	2	3	4	9

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	163	2.6	3	1	2	2	3	4	4	8
35-49	43	2.8	2	1	1	3	4	5	6	7
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	2314	2.6	2	2	2	2	3	3	4	6
35-49	427	2.7	1	2	2	2	3	4	4	8
50-64	5	4.8	3	2	3	5	6	7	7	7
65 +	0									
TOTAL SINGLE DX	211	2.7	3	1	2	2	3	4	5	8
TOTAL MULTIPLE DX	2749	2.6	2	2	2	2	3	4	4	7
TOTAL										
0-19 YRS	6	2.7	2	1	2	2	4	5	5	5
20-34	2477	2.6	2	2	2	2	3	3	4	7
35-49	470	2.7	2	2	2	2	3	4	5	8
50-64	7	4.9	3	2	4	5	6	7	7	7
65 +	0									
GRAND TOTAL	2960	2.6	2	2	2	2	3	4	4	7

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	3.2	1	2	3	3	4	4	5	7
20-34	1007	3.2	1	2	3	3	4	4	5	7
35-49	188	3.3	1	2	3	3	4	4	5	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	127	4.0	3	2	3	4	4	6	7	11
20-34	1732	3.8	2	2	3	4	4	5	6	9
35-49	393	3.8	2	2	3	4	4	6	6	9
50-64	4	5.3	5	2	3	6	7	7	7	7
65 +	5	13.2	211	4	5	8	16	39	39	39
TOTAL SINGLE DX	1263	3.2	2	2	3	3	4	4	5	7
TOTAL MULTIPLE DX	2261	3.8	3	2	3	4	4	5	6	9
TOTAL										
0-19 YRS	194	3.8	3	2	3	4	4	5	7	9
20-34	2739	3.6	3	2	3	3	4	5	6	9
35-49	581	3.6	2	2	3	4	4	5	6	9
50-64	5	5.0	5	2	3	5	7	7	7	7
65 +	5	13.2	212	4	5	8	16	39	39	39
GRAND TOTAL	3524	3.6	3	2	3	3	4	5	6	9

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	26	1.3		< 1	< 1	< 1	1	3	3	3
35-49	14	1.4		< 1	< 1	1	1	3	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	32	1.4	1	< 1	1	1	2	3	3	6
35-49	17	3.0	9	1	1	1	4	8	10	11
50-64	16	3.3	11	1	1	2	5	7	11	13
65 +	13	8.7	216	< 1	1	1	8	38	43	44
TOTAL SINGLE DX	47	1.4	1	< 1	< 1	1	1	3	3	4
TOTAL MULTIPLE DX	79	3.4	44	1	1	1	3	7	12	42
TOTAL										
0-19 YRS	5	2.2	1	1	1	3	3	3	3	3
20-34	58	1.4	1	< 1	< 1	1	1	3	3	6
35-49	31	2.3	6	< 1	1	1	3	5	9	11
50-64	18	3.1	10	1	1	2	3	7	11	13
65 +	14	8.1	204	1	1	1	6	38	43	44
GRAND TOTAL	126	2.6	29	<1	1	1	2	5	8	39

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	32	1.6	1	< 1	< 1	1	2	3	5	6
35-49	14	1.9	7	< 1	< 1	1	1	5	10	11
50-64	8	2.5	2	< 1	1	2	3	5	6	6
65 +	10	2.8	2	< 1	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34	54	4.0	23	1	1	2	4	10	17	21
35-49	58	5.0	20	1	2	4	6	10	18	93
50-64	48	5.9	40	1	2	3	8	13	22	30
65 +	76	8.3	80	2	3	5	10	17	24	51
TOTAL SINGLE DX	67	1.9	3	< 1	< 1	1	2	4	5	10
TOTAL MULTIPLE DX	241	5.9	46	1	2	4	8	13	20	50
TOTAL										
0-19 YRS	8	1.6		1	1	2	2	2	2	2
20-34	86	3.1	17	< 1	1	2	3	6	13	21
35-49	72	4.4	20	1	1	3	6	10	17	82
50-64	56	5.4	36	1	2	3	7	11	20	30
65 +	86	7.7	74	1	3	5	10	14	23	51
GRAND TOTAL	308	5.1	40	1	1	3	6	12	18	38

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	1.8	1	1	1	2	2	3	4	6
20-34	402	1.5	1	1	1	1	2	3	4	7
35-49	64	1.4		1	1	1	2	2	3	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	15	3.7	8	1	1	3	6	8	9	10
20-34	188	3.2	43	1	1	2	4	7	10	58
35-49	41	2.3	6	1	1	1	2	5	7	14
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
TOTAL SINGLE DX	487	1.5	1	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	245	3.1	35	1	1	2	4	7	10	17
TOTAL										
0-19 YRS	35	2.6	5	1	1	2	3	6	8	10
20-34	590	2.1	15	1	1	1	2	4	6	11
35-49	105	1.8	3	1	1	1	2	3	5	11
50-64	2	4.5	25	1	1	4	8	8	8	8
65 +	0									
GRAND TOTAL	732	2.1	13	1	1	1	2	4	6	11

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	123	3.4	1	2	3	4	4	5	5	8
35-49	76	3.2	1	1	3	3	4	4	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	13	3.5	5	1	2	3	5	7	9	9
20-34	420	3.9	3	2	3	4	4	5	6	10
35-49	302	4.3	7	2	3	4	5	7	8	16
50-64	27	8.7	68	1	3	5	12	22	28	30
65 +	48	9.4	67	1	4	7	12	19	26	39
TOTAL SINGLE DX	205	3.3	2	1	3	3	4	5	5	7
TOTAL MULTIPLE DX	810	4.5	13	2	3	4	5	7	9	22
TOTAL										
0-19 YRS	16	3.2	5	1	1	3	4	6	8	9
20-34	543	3.8	3	2	3	4	4	5	6	9
35-49	378	4.0	6	1	3	4	5	6	8	15
50-64	28	8.5	67	1	3	5	12	22	28	30
65 +	50	9.2	66	1	4	7	12	19	25	39
GRAND TOTAL	1015	4.3	11	2	3	4	5	6	8	20

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	6.5	9	3	4	6	9	10	10	10
20-34	378	4.0		3	3	4	4	5	5	8
35-49	894	4.2	1	3	4	4	5	5	6	10
50-64	312	4.6	1	4	4	4	5	6	7	10
65 +	173	5.4	4	4	4	5	6	8	9	15
2. MULTIPLE DX										
0-19 YRS	21	5.7	15	3	4	4	6	13	15	17
20-34	3749	4.5	3	3	4	4	5	6	8	12
35-49	12277	4.7	3	3	4	4	5	6	7	12
50-64	3134	5.4	12	4	4	5	5	8	10	19
65 +	1537	7.8	42	4	5	6	8	13	19	33
TOTAL SINGLE DX	1761	4.4	2	3	4	4	5	6	7	10
TOTAL MULTIPLE DX	20718	5.0	8	3	4	4	5	7	9	17
TOTAL										
0-19 YRS	25	5.8	14	3	4	4	8	13	14	17
20-34	4127	4.5	3	3	4	4	5	6	7	12
35-49	13171	4.6	3	3	4	4	5	6	7	12
50-64	3446	5.3	11	4	4	4	5	8	10	18
65 +	1710	7.6	39	4	5	6	8	13	18	33
GRAND TOTAL	22479	4.9	8	3	4	4	5	7	9	16

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	198	3.5	4	3	3	3	4	4	5	11
35-49	304	3.7	4	2	3	3	4	5	6	8
50-64	215	4.3	1	3	4	4	5	6	6	9
65 +	206	4.8	1	3	4	5	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	991	3.9	4	3	3	4	4	5	6	11
35-49	2520	4.0	2	3	3	4	4	6	7	9
50-64	1079	4.7	2	3	4	4	5	6	7	11
65 +	1094	5.6	8	4	4	5	6	8	9	18
TOTAL SINGLE DX	926	4.1	3	3	3	4	5	6	6	9
TOTAL MULTIPLE DX	5686	4.4	4	3	3	4	5	6	7	11
TOTAL										
0-19 YRS	5	3.8	2	2	3	4	5	5	5	5
20-34	1189	3.8	4	3	3	4	4	5	6	11
35-49	2824	3.9	3	3	3	4	4	5	6	9
50-64	1294	4.6	3	3	4	4	5	6	7	11
65 +	1300	5.5	8	4	4	5	6	7	9	17
GRAND TOTAL	6612	4.4	4	3	3	4	5	6	7	11

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	11	6.2	4	4	5	6	7	9	10	10
35-49	21	6.4	1	5	5	6	7	8	9	9
50-64	6	7.3		6	7	7	8	8	8	8
65 +	5	7.6	7	5	6	7	9	12	12	12
2. MULTIPLE DX										
0-19 YRS	0									
20-34	42	7.3	5	5	6	7	9	10	12	13
35-49	82	9.7	21	6	7	9	11	16	17	32
50-64	58	12.1	90	6	7	9	13	22	31	53
65 +	36	15.8	164	7	9	14	17	28	30	80
TOTAL SINGLE DX	43	6.6	3	5	5	7	8	8	10	12
TOTAL MULTIPLE DX	218	10.9	67	5	7	9	12	17	25	49
TOTAL										
0-19 YRS	0									
20-34	53	7.1	5	5	5	7	9	10	11	13
35-49	103	9.1	19	5	7	8	10	15	17	29
50-64	64	11.7	84	6	7	9	13	21	30	52
65 +	41	14.8	152	7	8	13	16	27	29	80
GRAND TOTAL	**261**	**10.2**	**59**	**5**	**6**	**8**	**11**	**16**	**22**	**46**

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	1.5		<1	1	1	2	3	3	3
20-34	25	1.4		<1	<1	1	2	3	3	3
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	7	12.0	154	3	4	6	17	34	37	37
20-34	57	5.1	90	1	1	2	5	11	16	61
35-49	12	2.7	7	1	1	2	3	7	10	10
50-64	0									
65 +	0									
TOTAL SINGLE DX	40	1.4	1	<1	<1	1	2	3	3	3
TOTAL MULTIPLE DX	76	5.4	87	1	1	3	5	11	19	56
TOTAL										
0-19 YRS	18	5.6	82	<1	1	2	5	17	30	37
20-34	82	4.0	66	<1	1	2	3	6	14	54
35-49	16	2.4	6	1	1	2	2	6	9	10
50-64	0									
65 +	0									
GRAND TOTAL	**116**	**4.0**	**60**	**<1**	**1**	**2**	**3**	**7**	**15**	**46**

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	413	1.3		<1	1	1	1	2	3	4
20-34	1849	1.4		<1	<1	1	1	2	3	5
35-49	392	1.4	2	<1	<1	1	1	2	3	6
50-64	65	1.4	1	<1	<1	<1	1	3	4	8
65 +	22	2.3	6	<1	<1	<1	2	5	8	12
2. MULTIPLE DX										
0-19 YRS	273	2.8	15	1	1	2	3	5	8	14
20-34	1451	2.7	7	1	1	2	3	5	6	15
35-49	726	3.1	20	1	1	2	4	6	9	15
50-64	236	5.6	59	<1	1	2	7	15	21	39
65 +	236	6.5	51	1	2	4	9	14	22	37
TOTAL SINGLE DX	2741	1.4	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	2922	3.4	21	1	1	2	4	7	10	23
TOTAL										
0-19 YRS	686	1.9	7	<1	1	1	2	3	5	11
20-34	3300	2.0	4	<1	1	1	2	4	5	10
35-49	1118	2.5	15	<1	1	1	3	5	8	14
50-64	301	4.7	50	<1	1	2	5	12	17	37
65 +	258	6.1	49	1	1	3	8	14	21	36
GRAND TOTAL	**5663**	**2.4**	**12**	**<1**	**1**	**1**	**2**	**5**	**7**	**16**

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	17	1.9	2	<1	1	1	2	4	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	11	2.6	3	<1	1	2	4	6	6	6
20-34	42	5.7	58	1	2	3	5	12	22	43
35-49	10	3.6	8	1	1	3	5	8	10	10
50-64	0									
65 +	0									
TOTAL SINGLE DX	24	1.7	2	<1	1	1	2	3	5	6
TOTAL MULTIPLE DX	63	4.9	42	1	2	3	5	9	17	41
TOTAL										
0-19 YRS	17	2.1	3	<1	1	1	2	5	6	6
20-34	59	4.6	45	1	1	3	5	9	18	41
35-49	11	3.5	7	1	1	3	5	8	10	10
50-64	0									
65 +	0									
GRAND TOTAL	**87**	**4.0**	**33**	**1**	**1**	**2**	**5**	**7**	**12**	**36**

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	120	1.4		<1	1	1	2	3	3	6
20-34	430	1.3		<1	<1	1	1	2	3	5
35-49	55	1.3		<1	<1	1	1	2	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	51	3.2	14	1	1	2	4	5	13	20
20-34	274	2.7	10	<1	1	2	3	5	9	21
35-49	46	2.7	7	<1	1	2	3	6	8	15
50-64	4	3.0	5	1	1	3	5	5	5	5
65 +	8	8.3	20	2	3	10	12	13	13	13
TOTAL SINGLE DX	605	1.3	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	383	2.9	12	<1	1	2	3	6	10	19
TOTAL										
0-19 YRS	171	2.0	6	<1	1	1	2	4	5	15
20-34	704	1.8	5	<1	1	1	2	3	5	11
35-49	101	2.0	4	<1	1	1	2	4	6	12
50-64	4	3.0	5	1	1	3	5	5	5	5
65 +	8	8.3	20	2	3	10	12	13	13	13
GRAND TOTAL	988	1.9	5	<1	1	1	2	4	5	13

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	3.1	1	1	3	3	4	4	6	6
35-49	0									
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	42	3.2	3	1	2	3	4	5	6	12
35-49	10	5.6	31	<1	3	4	5	15	20	20
50-64	1	13.0		13	13	13	13	13	13	13
65 +	3	9.3	25	4	5	10	13	14	14	14
TOTAL SINGLE DX	17	3.4	2	1	3	3	4	6	7	7
TOTAL MULTIPLE DX	57	4.1	13	1	2	4	4	9	13	20
TOTAL										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	57	3.2	3	1	2	3	4	5	6	12
35-49	10	5.6	32	<1	3	4	5	15	20	20
50-64	1	13.0		13	13	13	13	13	13	13
65 +	4	8.8	18	4	5	8	12	14	14	14
GRAND TOTAL	74	3.9	10	1	2	4	4	6	12	19

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.7	1	<1	1	1	2	4	4	4
20-34	90	1.6		1	1	1	2	3	4	5
35-49	42	1.7	1	<1	1	1	2	3	4	5
50-64	10	2.1	1	<1	1	2	3	4	5	5
65 +	5	2.8	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	23	3.6	4	1	2	3	4	8	8	8
20-34	161	3.5	10	1	2	3	4	6	8	20
35-49	47	2.6	4	1	2	2	3	4	5	14
50-64	31	3.5	4	1	2	3	4	7	8	9
65 +	41	4.7	26	1	2	3	5	9	16	27
TOTAL SINGLE DX	156	1.7	1	<1	1	1	2	3	4	5
TOTAL MULTIPLE DX	303	3.5	11	1	2	3	4	6	9	21
TOTAL										
0-19 YRS	32	3.1	5	1	1	3	4	7	8	8
20-34	251	2.8	8	1	1	2	4	5	6	19
35-49	89	2.2	3	1	1	2	3	4	5	11
50-64	41	3.2	4	1	2	3	4	7	8	9
65 +	46	4.5	24	2	2	3	5	9	13	27
GRAND TOTAL	459	2.9	8	1	1	2	4	5	7	19

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	22	2.9	1	2	2	3	3	5	5	6
35-49	106	3.3	1	2	2	3	4	5	5	9
50-64	268	3.5	1	2	3	3	4	5	6	7
65 +	243	3.9	2	2	3	4	5	5	6	9
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	61	3.6	2	2	3	3	4	6	7	8
35-49	285	4.2	4	2	3	4	5	7	8	12
50-64	588	4.4	4	2	3	4	5	7	8	13
65 +	693	4.9	6	3	3	4	6	8	9	14
TOTAL SINGLE DX	639	3.6	2	2	3	4	4	5	6	8
TOTAL MULTIPLE DX	1628	4.5	5	2	3	4	5	7	8	13
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	83	3.4	2	2	2	3	4	5	6	8
35-49	391	3.9	4	2	3	4	5	6	7	11
50-64	856	4.1	4	2	3	4	5	6	7	12
65 +	936	4.6	5	2	3	4	5	7	9	13
GRAND TOTAL	2267	4.3	4	2	3	4	5	7	8	12

639: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	3.1	7	<1	1	2	4	7	10	11
20-34	49	3.4	4	1	2	3	4	7	9	9
35-49	28	2.4	3	1	1	2	3	5	6	6
50-64	27	3.2	2	1	2	3	4	5	6	6
65+	17	4.1	4	1	3	4	5	7	9	10
2. MULTIPLE DX										
0-19 YRS	40	5.8	23	1	2	4	7	13	16	20
20-34	73	3.9	17	1	2	3	5	6	12	24
35-49	56	5.1	34	1	2	3	5	13	16	30
50-64	73	5.1	12	2	3	5	6	9	11	23
65+	90	7.1	36	3	4	5	8	14	17	36
TOTAL SINGLE DX	150	3.2	5	1	1	3	4	6	7	10
TOTAL MULTIPLE DX	332	5.4	26	1	3	4	6	11	15	27
TOTAL										
0-19 YRS	69	4.5	18	1	1	3	6	11	14	20
20-34	122	3.7	12	1	2	3	5	7	9	22
35-49	84	4.2	25	1	1	3	5	8	14	29
50-64	100	4.6	10	1	3	4	5	8	10	19
65+	107	6.6	33	2	4	5	7	14	17	33
GRAND TOTAL	**482**	**4.7**	**20**	**1**	**2**	**4**	**5**	**9**	**14**	**26**

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	2.9	5	1	1	2	3	6	9	11
20-34	66	2.8	2	1	1	3	4	5	6	9
35-49	32	5.4	16	1	2	4	8	12	14	16
50-64	22	3.3	5	1	2	3	3	5	8	12
65+	36	3.6	6	2	2	3	5	5	8	14
2. MULTIPLE DX										
0-19 YRS	63	5.2	34	1	2	3	6	14	19	29
20-34	145	4.6	20	1	2	3	5	10	14	27
35-49	87	5.4	26	1	2	4	7	10	14	27
50-64	101	4.6	11	2	3	4	5	7	10	21
65+	234	6.4	49	2	3	5	7	12	16	37
TOTAL SINGLE DX	182	3.5	7	1	2	3	4	6	9	14
TOTAL MULTIPLE DX	630	5.4	33	2	3	4	6	10	14	28
TOTAL										
0-19 YRS	89	4.6	27	1	2	3	5	9	16	27
20-34	211	4.0	16	1	2	3	5	8	11	22
35-49	119	5.4	24	1	2	4	7	10	14	25
50-64	123	4.4	11	2	3	4	5	7	10	19
65+	270	6.0	45	2	3	4	6	11	14	34
GRAND TOTAL	**812**	**5.0**	**28**	**1**	**2**	**4**	**6**	**10**	**14**	**27**

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	3.1	7	1	2	2	3	8	9	12
20-34	66	2.2	4	1	1	2	2	6	8	9
35-49	42	1.6		<1	1	1	2	3	4	4
50-64	8	2.1	5	<1	<1	1	2	6	8	8
65+	8	3.5	19	<1	<1	2	4	11	14	14
2. MULTIPLE DX										
0-19 YRS	51	4.0	36	1	2	3	5	6	8	99
20-34	152	3.6	24	1	2	2	4	7	10	20
35-49	59	5.3	18	1	2	4	8	11	15	18
50-64	49	9.3	191	1	2	6	9	19	28	88
65+	60	8.5	77	1	2	6	11	17	29	43
TOTAL SINGLE DX	151	2.3	5	<1	1	2	2	4	8	12
TOTAL MULTIPLE DX	371	5.5	60	1	2	3	6	12	17	44
TOTAL										
0-19 YRS	78	3.7	26	1	2	2	4	7	9	84
20-34	218	3.2	19	1	1	2	3	6	8	19
35-49	101	3.8	14	1	1	2	5	9	12	17
50-64	57	8.3	171	1	2	4	8	17	25	85
65+	68	7.9	73	1	2	5	11	17	27	42
GRAND TOTAL	**522**	**4.5**	**46**	**1**	**1**	**2**	**5**	**9**	**14**	**42**

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX	-									
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	14	3.1	5	1	1	2	5	6	8	8
50-64	7	3.9	2	2	3	3	5	6	6	6
65+	17	6.4	23	2	3	5	9	13	17	19
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	10	4.3	16	1	1	3	7	11	12	12
35-49	25	6.3	28	2	3	5	7	16	19	21
50-64	24	10.8	62	2	5	9	14	20	28	34
65+	81	10.3	46	4	6	9	13	18	23	39
TOTAL SINGLE DX	41	4.5	14	1	2	3	6	9	12	19
TOTAL MULTIPLE DX	142	9.2	47	2	4	8	12	18	21	35
TOTAL										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	12	3.8	15	1	1	2	5	11	12	12
35-49	39	5.1	22	1	2	4	7	11	17	21
50-64	31	9.2	57	2	3	8	12	19	25	34
65+	98	9.7	44	3	5	9	12	17	21	36
GRAND TOTAL	**183**	**8.1**	**44**	**2**	**3**	**7**	**11**	**17**	**21**	**32**

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.8	3	<1	<1	1	2	5	7	8
20-34	29	2.1	1	1	1	2	2	3	4	8
35-49	6	2.3	2	1	1	2	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	20	2.6	2	<1	1	2	4	5	5	5
20-34	42	2.6	2	1	2	2	3	4	6	10
35-49	13	3.5	5	1	2	3	4	6	9	10
50-64	3	27.3	1926	1	1	3	59	78	78	78
65 +	0									
TOTAL SINGLE DX	59	2.0	2	<1	1	2	2	4	5	8
TOTAL MULTIPLE DX	78	3.7	76	1	1	2	4	5	6	59
TOTAL										
0-19 YRS	42	2.2	3	<1	1	1	3	5	6	8
20-34	71	2.4	2	1	1	2	3	4	6	10
35-49	19	3.1	4	1	2	3	4	5	8	10
50-64	4	20.8	1458	1	1	2	40	78	78	78
65 +	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	137	3.0	45	1	1	2	3	4	6	19

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	10	4.0	8	<1	1	5	6	46	95	99 +
20-34	6	12.3	134	2	4	9	16	31	33	33
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	18.0	128	10	10	18	26	26	26	26
65 +	7	10.1	35	1	5	12	15	16	16	16
TOTAL SINGLE DX	7	1.6	1	<1	<1	1	2	4	4	4
TOTAL MULTIPLE DX	27	8.3	64	1	2	5	14	23	40	99 +
TOTAL										
0-19 YRS	14	3.4	7	1	1	4	5	10	77	99 +
20-34	8	9.5	124	<1	1	4	15	28	33	33
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	12.3	160	1	3	10	22	26	26	26
65 +	7	10.1	35	1	5	12	15	16	16	16
GRAND TOTAL	34	6.9	59	<1	1	4	12	16	31	99 +

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	452	2.3		2	2	2	3	3	3	5
20-34	2286	2.3		2	2	2	3	3	3	4
35-49	165	2.3		2	2	2	3	3	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	835	2.7	4	2	2	2	3	4	5	10
20-34	4279	2.6	2	2	2	2	3	3	4	7
35-49	356	2.7	1	2	2	2	3	4	4	8
50-64	1	18.0		18	18	18	18	18	18	18
65 +	0									
TOTAL SINGLE DX	2903	2.3	1	2	2	2	3	3	3	4
TOTAL MULTIPLE DX	5471	2.7	3	2	2	2	3	4	4	8
TOTAL										
0-19 YRS	1287	2.6	3	2	2	2	3	3	4	9
20-34	6565	2.5	2	2	2	2	3	3	4	6
35-49	521	2.6	1	2	2	2	3	3	4	7
50-64	1	18.0		18	18	18	18	18	18	18
65 +	0									
GRAND TOTAL	8374	2.5	2	2	2	2	3	3	4	6

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.0		2	2	2	2	2	2	2
20-34	61	2.1		1	2	2	2	3	3	5
35-49	6	1.7		<1	1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	37	2.8	8	1	1	2	3	4	7	18
20-34	209	2.8	19	1	2	2	3	4	5	21
35-49	23	2.7	4	1	2	2	3	4	7	11
50-64	0									
65 +	0									
TOTAL SINGLE DX	72	2.1	1	1	2	2	2	3	3	5
TOTAL MULTIPLE DX	269	2.8	16	1	2	2	3	4	5	18
TOTAL										
0-19 YRS	42	2.7	8	1	2	2	3	4	6	18
20-34	270	2.7	15	1	2	2	3	4	4	16
35-49	29	2.4	4	<1	1	2	3	4	5	11
50-64	0									
65 +	0									
GRAND TOTAL	341	2.6	13	1	2	2	3	4	5	17

304 Hospitals, North Central Region, January-December 1989, by Operation

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	343	2.2		2	2	2	3	3	3	4
20-34	2217	2.3		2	2	2	3	3	3	4
35-49	149	2.2		2	2	2	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	627	2.6	1	2	2	2	3	4	4	7
20-34	3725	2.6	6	2	2	2	3	3	4	7
35-49	334	2.6	1	2	2	2	3	4	4	9
50-64	0									
65 +	0									
TOTAL SINGLE DX	2709	2.3	1	2	2	2	3	3	3	4
TOTAL MULTIPLE DX	4686	2.6	5	2	2	2	3	3	4	7
TOTAL										
0-19 YRS	970	2.4	1	2	2	2	3	3	4	6
20-34	5942	2.5	4	2	2	2	3	3	4	6
35-49	483	2.5	1	2	2	2	3	3	4	8
50-64	0									
65 +	0									
GRAND TOTAL	7395	2.5	4	2	2	2	3	3	4	6

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8533	2.2		1	2	2	2	3	3	4
20-34	48872	2.1		1	2	2	2	3	3	4
35-49	3525	2.1		1	2	2	2	3	3	4
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5710	2.7	4	2	2	2	3	4	5	11
20-34	29929	2.5	4	2	2	2	3	3	4	8
35-49	2776	2.7	6	2	2	2	3	4	5	12
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	0									
TOTAL SINGLE DX	60934	2.1	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	38417	2.5	4	2	2	2	3	3	4	9
TOTAL										
0-19 YRS	14243	2.4	2	2	2	2	3	3	4	7
20-34	78801	2.3	2	2	2	2	2	3	3	6
35-49	6301	2.4	3	1	2	2	3	3	4	7
50-64	6	2.2	3	1	1	2	3	5	5	5
65 +	0									
GRAND TOTAL	99351	2.3	2	2	2	2	2	3	3	6

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	770	4.0	1	3	3	4	4	5	6	8
20-34	8078	3.9	1	3	3	4	4	5	5	6
35-49	715	4.0	1	3	4	4	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3334	5.1	8	3	4	4	5	7	9	16
20-34	27239	4.6	8	3	4	4	5	6	7	16
35-49	3510	4.9	17	3	4	4	5	6	7	20
50-64	4	4.3	3	3	3	4	5	7	7	7
65 +	0									
TOTAL SINGLE DX	9563	3.9	1	3	3	4	4	5	5	6
TOTAL MULTIPLE DX	34087	4.7	9	3	4	4	5	6	8	16
TOTAL										
0-19 YRS	4104	4.9	7	3	4	4	5	7	9	14
20-34	35317	4.5	7	3	4	4	5	6	7	14
35-49	4225	4.7	15	3	4	4	5	6	7	18
50-64	4	4.3	4	3	3	4	5	7	7	7
65 +	0									
GRAND TOTAL	43650	4.5	8	3	4	4	5	6	7	14

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	4.1		3	3	4	5	5	5	6
20-34	162	4.3	13	3	3	4	4	5	6	17
35-49	14	4.1	1	3	3	4	4	5	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	130	6.1	27	4	4	5	6	9	12	31
20-34	837	6.8	48	3	4	5	6	11	19	40
35-49	147	7.2	51	3	4	5	6	13	21	43
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
TOTAL SINGLE DX	206	4.2	11	3	3	4	4	5	6	14
TOTAL MULTIPLE DX	1115	6.7	46	3	4	5	6	11	19	41
TOTAL										
0-19 YRS	160	5.8	23	3	4	5	6	8	11	27
20-34	999	6.4	44	3	4	4	6	9	17	39
35-49	161	6.9	48	3	4	5	6	13	20	42
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	1321	6.3	42	3	4	5	[illegible]	9	17	38

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	2.7	1	1	1	3	4	4	4	4
20-34	134	2.9	1	1	2	3	4	4	5	6
35-49	14	2.6	3	1	1	2	4	5	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	12	4.3	4	2	3	4	5	8	9	9
20-34	173	3.5	2	1	3	3	4	5	6	10
35-49	17	3.8	2	1	3	4	5	6	7	7
50-64	0									
65 +	0									
TOTAL SINGLE DX	157	2.8	2	1	2	3	4	4	5	7
TOTAL MULTIPLE DX	202	3.5	3	1	3	4	4	5	6	10
TOTAL										
0-19 YRS	21	3.6	4	1	3	4	4	6	8	9
20-34	307	3.2	2	1	2	3	4	5	5	9
35-49	31	3.3	3	1	1	3	5	6	7	7
50-64	0									
65 +	0									
GRAND TOTAL	359	3.2	3	1	2	3	4	5	6	9

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.2		1	1	1	1	2	2	2
20-34	37	1.5		1	1	1	2	3	4	5
35-49	12	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	12	2.5	5	1	1	2	3	6	9	9
20-34	68	2.0	1	1	1	2	2	3	5	7
35-49	13	1.6		1	1	2	2	3	3	3
50-64	0									
65 +	0									
TOTAL SINGLE DX	73	1.4	1	1	1	1	2	2	3	5
TOTAL MULTIPLE DX	93	2.0	2	1	1	2	2	3	5	8
TOTAL										
0-19 YRS	36	1.6	2	1	1	1	2	2	4	9
20-34	105	1.8	2	1	1	1	2	3	4	7
35-49	25	1.4		1	1	1	2	2	3	3
50-64	0									
65 +	0									
GRAND TOTAL	166	1.7	1	1	1	1	2	3	4	7

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	4.3	17	<1	1	3	6	8	11	21
20-34	163	4.3	21	1	1	2	5	10	13	25
35-49	14	5.4	42	1	1	2	8	19	20	20
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	69	5.1	33	1	2	3	6	11	17	30
20-34	309	6.7	69	1	2	4	7	14	21	46
35-49	40	6.0	32	1	3	5	7	11	13	35
50-64	0									
65 +	0									
TOTAL SINGLE DX	212	4.3	22	1	1	2	6	10	13	23
TOTAL MULTIPLE DX	418	6.4	60	1	2	4	7	13	20	42
TOTAL										
0-19 YRS	104	4.8	28	1	2	3	6	10	16	29
20-34	472	5.9	55	1	2	4	7	13	19	41
35-49	54	5.8	34	1	2	4	7	11	18	34
50-64	0									
65 +	0									
GRAND TOTAL	630	5.7	49	1	2	4	7	12	18	36

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1069	1.9	1	<1	1	2	2	3	3	5
20-34	6803	2.0	1	<1	1	2	2	3	3	6
35-49	569	2.0		<1	2	2	2	3	3	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	636	2.5	8	<1	1	2	3	4	6	11
20-34	4081	2.6	6	1	2	2	3	4	5	13
35-49	436	2.7	9	1	2	2	3	4	6	11
50-64	0									
65 +	0									
TOTAL SINGLE DX	8443	2.0	2	<1	1	2	2	3	3	5
TOTAL MULTIPLE DX	5153	2.6	7	1	2	2	3	4	5	12
TOTAL										
0-19 YRS	1705	2.1	4	<1	1	2	2	3	4	7
20-34	10884	2.2	4	<1	1	2	2	3	4	9
35-49	1005	2.3	4	1	2	2	2	3	4	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	13596	2.2	4	<1	1	2	2	3	4	8

304 Hospitals, North Central Region, January-December 1989, by Operation

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1297	2.2	1	2	2	2	2	3	3	4
20-34	7767	2.1		1	2	2	2	3	3	4
35-49	634	2.1		1	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1834	2.4	1	2	2	2	3	3	4	7
20-34	10975	2.4	2	2	2	2	3	3	4	7
35-49	1136	2.4	2	2	2	2	3	3	4	6
50-64	2	6.0	18	3	3	6	9	9	9	9
65 +	0									
TOTAL SINGLE DX	9698	2.1	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	13947	2.4	2	2	2	2	3	3	4	7
TOTAL										
0-19 YRS	3131	2.3	2	2	2	2	3	3	4	6
20-34	18742	2.2	2	1	2	2	2	3	3	5
35-49	1770	2.3	2	2	2	2	3	3	3	6
50-64	2	6.0	18	3	3	6	9	9	9	9
65 +	0									
GRAND TOTAL	23645	2.3	2	1	2	2	2	3	3	5

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	2.4	3	<1	1	1	4	5	6	7
20-34	20	2.2	3	1	1	2	3	4	7	9
35-49	10	3.8	22	<1	1	2	4	11	16	16
50-64	14	4.6	15	1	1	3	6	11	13	13
65 +	7	1.7	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	24	8.8	303	1	1	3	8	18	46	84
20-34	28	5.4	75	1	1	3	5	9	28	42
35-49	20	5.7	35	1	2	4	8	12	19	25
50-64	46	8.5	120	1	2	5	10	20	38	49
65 +	49	9.7	102	1	2	7	12	25	31	45
TOTAL SINGLE DX	74	2.9	8	1	1	2	4	6	9	15
TOTAL MULTIPLE DX	167	8.0	124	1	2	4	9	20	31	48
TOTAL										
0-19 YRS	47	5.7	164	1	1	2	5	11	19	84
20-34	48	4.1	47	1	1	2	4	8	12	42
35-49	30	5.1	31	1	1	3	7	12	16	25
50-64	60	7.6	98	1	2	4	9	16	31	49
65 +	56	8.7	97	1	2	5	11	20	31	44
GRAND TOTAL	241	6.5	94	1	1	3	7	15	26	46

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	372	2.3	1	1	2	2	3	4	4	7
20-34	542	2.1		1	1	2	2	3	4	5
35-49	318	2.1	1	1	1	2	3	4	4	6
50-64	69	2.1	5	1	1	1	2	5	6	14
65 +	15	1.5		1	1	1	2	2	4	4
2. MULTIPLE DX										
0-19 YRS	376	2.7	3	1	2	2	3	4	5	9
20-34	340	2.6	2	1	2	2	3	4	5	8
35-49	183	2.4	1	1	2	2	3	4	5	6
50-64	60	3.6	37	1	1	2	3	8	18	33
65 +	27	7.3	151	1	1	2	8	21	31	59
TOTAL SINGLE DX	1316	2.1	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	986	2.8	9	1	2	2	3	4	5	15
TOTAL										
0-19 YRS	748	2.5	2	1	2	2	3	4	5	8
20-34	882	2.3	1	1	2	2	3	4	4	7
35-49	501	2.2	1	1	2	2	3	4	4	6
50-64	129	2.8	21	1	1	1	2	5	9	30
65 +	42	5.2	104	1	1	2	4	13	24	59
GRAND TOTAL	2302	2.4	5	1	2	2	3	4	5	8

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	59	1.9	1	1	1	2	2	3	4	7
20-34	86	2.2	2	1	1	2	3	4	5	8
35-49	12	2.6	3	1	1	2	4	6	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	101	3.1	4	1	2	2	4	6	8	11
20-34	144	3.8	10	1	2	3	5	7	10	14
35-49	58	4.4	16	1	2	3	5	9	16	19
50-64	17	4.4	9	1	2	4	7	8	11	12
65 +	14	6.4	35	2	3	4	9	13	22	24
TOTAL SINGLE DX	158	2.1	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	334	3.8	11	1	2	3	4	7	10	18
TOTAL										
0-19 YRS	160	2.7	4	1	1	2	3	5	7	11
20-34	230	3.2	8	1	2	2	4	6	8	12
35-49	70	4.1	14	1	2	3	5	8	15	19
50-64	18	4.2	9	1	2	3	7	8	10	12
65 +	14	6.4	35	2	3	4	9	13	22	24
GRAND TOTAL	492	3.3	9	1	1	2	4	7	8	16

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	105	2.6	3	1	1	2	3	5	5	11
20-34	183	2.6	5	1	1	2	3	5	6	9
35-49	81	2.1	1	1	1	2	3	4	5	7
50-64	16	2.3	4	1	1	2	3	3	8	10
65 +	4	2.0	4	<1	<1	1	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	198	5.1	25	1	2	4	6	10	17	25
20-34	477	5.6	45	1	2	4	7	11	16	30
35-49	220	5.8	75	1	2	4	6	11	13	49
50-64	58	7.1	91	1	2	5	9	16	24	97
65 +	41	8.0	62	2	3	7	9	17	24	43
TOTAL SINGLE DX	389	2.4	4	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	994	5.7	51	1	2	4	7	11	16	33
TOTAL										
0-19 YRS	303	4.2	19	1	2	3	5	8	14	23
20-34	660	4.8	36	1	2	3	6	9	14	27
35-49	301	4.8	58	1	2	3	5	9	12	38
50-64	74	6.0	76	1	2	3	7	15	22	91
65 +	45	7.4	60	1	3	6	9	15	24	43
GRAND TOTAL	1383	4.8	40	1	2	3	6	10	14	28

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	2.2	1	1	1	2	3	3	5	6
20-34	14	3.3	4	1	2	3	4	6	8	9
35-49	14	2.8	3	1	2	2	3	6	7	7
50-64	29	2.1	2	1	1	1	3	4	5	5
65 +	7	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	36	2.9	7	1	2	3	3	4	6	17
20-34	33	4.4	11	1	2	4	5	10	13	15
35-49	31	4.1	9	1	2	4	5	8	12	13
50-64	37	2.1	4	1	1	1	2	5	7	10
65 +	21	5.6	36	1	1	3	9	15	19	23
TOTAL SINGLE DX	92	2.4	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	158	3.6	13	1	1	3	4	8	12	17
TOTAL										
0-19 YRS	64	2.6	5	1	2	2	3	4	5	15
20-34	47	4.1	10	1	2	3	5	9	11	15
35-49	45	3.7	8	1	2	3	5	7	10	13
50-64	66	2.1	3	1	1	1	3	5	5	10
65 +	28	4.5	31	<1	1	2	6	13	17	23
GRAND TOTAL	250	3.2	9	1	1	2	4	6	9	16

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	101	4.9	17	2	2	4	5	11	15	20
20-34	21	4.7	3	2	3	4	6	8	8	9
35-49	7	7.3	21	1	3	8	11	13	13	13
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	180	5.5	57	2	3	4	5	8	12	39
20-34	32	7.2	29	3	5	6	8	12	16	30
35-49	13	10.2	87	4	5	7	10	29	32	33
50-64	11	13.0	177	4	5	8	14	37	43	44
65 +	11	16.8	106	9	10	13	25	59	94	99 +
TOTAL SINGLE DX	133	5.0	15	2	3	4	6	10	14	19
TOTAL MULTIPLE DX	247	6.8	69	2	3	5	7	12	24	45
TOTAL										
0-19 YRS	281	5.3	43	2	3	4	5	9	14	31
20-34	53	6.2	20	3	4	5	7	11	13	30
35-49	20	9.2	64	2	5	7	10	20	30	33
50-64	13	11.8	159	3	5	8	11	35	42	44
65 +	13	15.0	109	7	10	12	24	48	88	99 +
GRAND TOTAL	380	6.2	51	2	3	4	7	12	17	42

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	248	3.3	9	1	1	2	4	7	10	14
20-34	94	3.7	9	1	2	3	5	8	11	14
35-49	129	3.4	3	1	2	3	4	6	7	9
50-64	103	3.5	2	2	3	3	4	5	6	8
65 +	19	2.8	4	<1	1	3	3	6	8	8
2. MULTIPLE DX										
0-19 YRS	241	4.8	55	1	2	3	5	10	15	27
20-34	107	5.0	22	1	2	3	6	10	19	22
35-49	164	4.7	26	1	2	3	5	8	11	30
50-64	208	4.6	19	1	2	4	6	8	11	22
65 +	85	6.0	28	2	3	4	7	14	17	28
TOTAL SINGLE DX	593	3.4	7	1	2	3	4	6	8	13
TOTAL MULTIPLE DX	805	4.9	33	1	2	3	6	9	14	25
TOTAL										
0-19 YRS	489	4.0	33	1	2	2	4	8	13	23
20-34	201	4.4	17	1	2	3	6	9	11	21
35-49	293	4.1	17	1	2	3	5	7	9	21
50-64	311	4.3	14	1	2	4	5	7	9	17
65 +	104	5.4	25	1	2	4	7	11	16	27
GRAND TOTAL	1398	4.2	22	1	2	3	5	8	11	22

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	1.7		1	1	1	2	3	4	4
20-34	133	2.0		1	1	2	3	3	4	5
35-49	130	1.9		1	1	2	2	3	4	5
50-64	131	2.0	1	1	1	2	3	3	4	5
65 +	62	2.2	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	104	1.8		1	1	2	2	3	3	4
20-34	221	2.1	2	1	1	2	3	3	4	7
35-49	361	2.2	5	1	1	2	3	4	4	6
50-64	539	2.1	2	1	1	2	2	3	4	7
65 +	400	2.6	9	1	1	2	3	4	5	11
TOTAL SINGLE DX	537	2.0	1	1	1	2	3	3	4	5
TOTAL MULTIPLE DX	1625	2.2	5	1	1	2	3	4	4	7
TOTAL										
0-19 YRS	185	1.7	1	1	1	2	2	3	4	4
20-34	354	2.0	2	1	1	2	3	3	4	6
35-49	491	2.1	4	1	1	2	3	3	4	6
50-64	670	2.0	2	1	1	2	2	3	4	6
65 +	462	2.6	8	1	1	2	3	4	5	11
GRAND TOTAL	2162	2.1	4	1	1	2	3	4	4	7

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	130	3.4	41	1	1	2	3	6	11	33
20-34	39	3.3	15	<1	1	2	4	6	8	24
35-49	21	4.3	20	1	1	2	5	10	15	19
50-64	16	2.6	4	<1	1	2	3	5	7	8
65 +	11	4.8	21	2	2	3	4	14	14	14
2. MULTIPLE DX										
0-19 YRS	70	10.5	149	1	2	5	13	27	38	56
20-34	55	11.9	255	2	3	5	15	36	51	99
35-49	40	12.2	232	1	2	5	18	29	49	66
50-64	33	12.5	207	2	4	8	14	31	54	62
65 +	94	15.7	161	3	6	14	20	40	45	51
TOTAL SINGLE DX	217	3.5	31	1	1	2	4	6	11	24
TOTAL MULTIPLE DX	292	12.9	193	2	3	8	17	31	45	64
TOTAL										
0-19 YRS	200	5.9	90	1	1	2	5	16	25	51
20-34	94	8.3	173	1	2	4	8	24	45	94
35-49	61	9.5	172	1	2	4	11	24	35	65
50-64	49	9.3	162	1	2	5	11	19	37	62
65 +	105	14.6	158	2	4	12	19	38	44	50
GRAND TOTAL	509	8.9	145	1	2	4	11	23	38	61

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	481	2.7	11	1	1	2	3	6	9	21
20-34	454	2.8	9	1	1	2	3	5	7	15
35-49	379	2.5	4	1	1	2	3	5	7	11
50-64	210	2.5	4	1	1	2	3	4	5	13
65 +	97	4.2	9	1	2	3	5	8	11	15
2. MULTIPLE DX										
0-19 YRS	327	6.9	77	1	2	4	8	15	25	46
20-34	478	6.3	74	1	2	3	7	16	25	48
35-49	626	6.7	105	1	2	3	7	16	24	51
50-64	628	7.8	107	1	2	4	9	19	29	49
65 +	693	10.3	122	2	3	7	14	24	31	66
TOTAL SINGLE DX	1621	2.8	8	1	1	2	3	5	7	15
TOTAL MULTIPLE DX	2752	7.8	104	1	2	4	9	20	28	53
TOTAL										
0-19 YRS	808	4.4	42	1	1	2	4	10	16	41
20-34	932	4.6	46	1	1	2	5	10	17	40
35-49	1005	5.1	71	1	1	2	5	12	19	43
50-64	838	6.4	86	1	2	3	7	16	24	48
65 +	790	9.6	113	1	3	6	13	23	31	61
GRAND TOTAL	4373	5.9	74	1	1	3	6	14	23	47

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	342	4.4	37	1	2	3	5	8	12	26
20-34	36	5.6	12	2	3	5	8	12	13	14
35-49	20	4.6	14	2	2	3	5	9	14	18
50-64	23	6.0	3	4	5	6	7	8	9	9
65 +	74	9.4	49	4	6	8	11	16	16	49
2. MULTIPLE DX										
0-19 YRS	195	7.3	72	1	2	4	8	20	24	46
20-34	65	11.2	106	3	5	8	15	20	32	57
35-49	49	14.0	140	3	5	11	16	35	38	56
50-64	94	11.3	59	4	6	9	13	22	27	39
65 +	541	12.1	51	6	8	10	14	19	25	38
TOTAL SINGLE DX	495	5.3	38	1	2	4	7	10	15	26
TOTAL MULTIPLE DX	944	11.1	69	3	6	9	14	20	27	40
TOTAL										
0-19 YRS	537	5.4	52	1	2	3	6	11	20	33
20-34	101	9.2	80	3	4	6	11	18	26	50
35-49	69	11.2	121	2	4	8	14	30	35	53
50-64	117	10.2	53	4	6	9	12	18	26	38
65 +	615	11.8	52	6	8	10	14	19	25	39
GRAND TOTAL	1439	9.1	66	2	4	7	12	17	24	40

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	174	2.9	7	1	1	2	3	5	8	12
20-34	172	3.3	6	1	1	3	4	7	9	13
35-49	93	3.1	4	1	1	3	4	6	7	11
50-64	53	3.8	9	1	2	3	5	7	10	15
65+	17	4.5	8	2	2	3	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	158	4.9	57	1	1	2	4	12	20	40
20-34	129	5.9	60	1	2	4	7	12	17	49
35-49	109	6.2	53	1	2	4	6	15	21	40
50-64	104	8.2	106	1	3	5	9	19	30	51
65+	94	9.9	102	2	3	7	12	19	30	57
TOTAL SINGLE DX	509	3.2	7	1	1	3	4	7	8	13
TOTAL MULTIPLE DX	594	6.7	75	1	2	4	7	16	22	48
TOTAL										
0-19 YRS	332	3.9	32	1	1	2	4	7	13	32
20-34	301	4.4	32	1	2	3	5	9	12	21
35-49	202	4.8	33	1	2	3	5	8	15	31
50-64	157	6.7	77	1	2	4	7	16	21	49
65+	111	9.0	91	2	3	7	12	18	30	53
GRAND TOTAL	1103	5.1	47	1	2	3	6	11	17	38

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	349	2.3	14	1	1	1	2	4	6	25
20-34	379	2.2	7	<1	1	1	2	4	6	12
35-49	209	2.2	2	1	1	2	3	4	5	9
50-64	108	2.7	16	1	1	1	3	6	8	22
65+	112	2.7	5	<1	1	2	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	306	3.9	57	1	1	2	3	8	17	36
20-34	253	4.8	58	1	1	3	5	10	16	67
35-49	191	5.9	62	1	2	4	7	12	23	58
50-64	172	6.7	117	1	2	3	7	14	26	86
65+	319	8.6	95	1	3	5	12	18	29	49
TOTAL SINGLE DX	1157	2.3	10	1	1	1	3	4	6	14
TOTAL MULTIPLE DX	1241	6.0	80	1	1	3	7	14	23	53
TOTAL										
0-19 YRS	655	3.1	36	1	1	1	3	5	10	28
20-34	632	3.2	30	1	1	2	3	6	10	39
35-49	400	4.0	35	1	1	2	4	8	11	31
50-64	280	5.2	82	1	1	2	5	11	18	53
65+	431	7.1	79	1	2	4	9	16	25	48
GRAND TOTAL	2398	4.2	49	1	1	2	4	9	16	39

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	79	10.8	110	2	3	6	18	26	36	41
20-34	27	8.6	24	4	5	7	12	17	18	19
35-49	11	11.3	115	4	5	7	10	29	39	40
50-64	33	10.8	233	4	6	7	9	14	42	85
65+	63	9.5	51	5	6	9	11	13	14	54
2. MULTIPLE DX										
0-19 YRS	87	14.4	118	4	6	12	19	27	40	54
20-34	66	11.4	43	5	7	10	13	21	26	32
35-49	40	13.2	93	5	7	10	16	23	32	54
50-64	76	11.2	35	6	8	10	13	19	24	84
65+	694	11.7	50	6	8	10	13	18	23	45
TOTAL SINGLE DX	213	10.2	100	3	5	7	11	20	28	52
TOTAL MULTIPLE DX	963	12.0	57	6	8	10	14	20	25	46
TOTAL										
0-19 YRS	166	[illegible]	117	2	4	10	18	26	37	46
20-34	93	[illegible]	39	5	6	9	12	19	25	32
35-49	51	[illegible]	97	5	6	9	16	23	37	54
50-64	109	11.1	94	5	7	9	12	17	25	91
65+	757	11.5	51	6	8	10	13	18	23	[illegible]
GRAND TOTAL	1176	11.6	65	5	7	10	13	20	26	[illegible]

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	136	5.6	22	2	3	5	7	10	12	34
20-34	84	7.2	44	3	4	6	9	11	13	46
35-49	68	7.7	16	4	5	6	9	13	15	23
50-64	121	8.3	19	4	6	7	10	13	19	23
65+	443	10.5	31	6	8	10	13	15	18	26
2. MULTIPLE DX										
0-19 YRS	175	11.9	84	4	6	9	14	25	31	47
20-34	264	12.5	59	5	7	10	15	23	29	44
35-49	197	12.9	68	6	8	10	16	22	29	47
50-64	560	12.5	65	6	8	10	14	21	27	45
65+	4809	13.0	52	7	9	11	15	20	26	43
TOTAL SINGLE DX	852	8.9	32	4	6	8	11	14	17	26
TOTAL MULTIPLE DX	6005	12.9	55	7	9	11	15	20	26	44
TOTAL										
0-19 YRS	311	9.2	67	3	4	7	11	18	26	45
20-34	348	11.2	61	4	6	9	14	21	26	45
35-49	265	11.6	60	5	7	9	13	21	26	44
50-64	681	11.8	60	6	7	10	14	20	26	42
65+	5252	12.8	51	7	9	11	15	19	25	42
GRAND TOTAL	6857	12.4	54	6	8	11	14	20	25	44

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	246	8.0	80	1	2	4	11	22	28	38
20-34	7	11.1	95	5	6	8	10	28	33	33
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	8.6	70	<1	1	8	14	21	21	21
[illegible] +	16	5.9	[illegible]	2	3	5	8	11	14	15
2. MULTIPLE DX										
0-19 YRS	161	12.6	163	2	4	8	19	29	35	63
20-34	41	15.7	339	4	5	10	15	40	63	88
35-49	21	11.0	73	2	4	8	17	21	27	34
50-64	20	15.4	166	6	7	11	18	33	46	55
65 +	124	11.5	191	2	4	8	13	22	45	89
TOTAL SINGLE DX	275	7.9	76	1	2	4	11	22	27	37
TOTAL MULTIPLE DX	367	12.6	188	2	4	8	16	28	38	78
TOTAL										
0-19 YRS	407	9.8	118	1	2	5	16	24	29	43
20-34	48	15.1	303	4	6	10	14	36	59	88
35-49	22	10.8	71	2	5	8	17	21	27	34
50-64	25	14.0	151	3	7	10	17	29	42	55
65 +	140	10.9	175	2	4	7	12	20	37	86
GRAND TOTAL	642	10.6	145	1	3	6	14	[illegible]	32	69

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	342	2.1	6	1	1	1	2	3	5	18
20-34	95	3.3	15	1	1	2	4	7	8	26
35-49	88	3.1	8	1	1	2	4	6	8	17
50-64	68	3.0	3	1	2	2	4	6	7	8
65 +	46	2.8	5	1	1	2	4	5	6	13
2. MULTIPLE DX										
0-19 YRS	101	5.8	67	1	2	3	8	14	17	84
20-34	86	7.1	53	2	2	4	9	16	25	[illegible]
35-49	86	5.2	21	1	2	4	6	11	16	[illegible]
50-64	75	5.5	19	1	2	5	8	11	14	81
65 +	163	7.6	69	2	3	4	10	17	21	43
TOTAL SINGLE DX	639	2.6	8	1	1	2	3	5	7	18
TOTAL MULTIPLE DX	511	6.5	52	1	2	4	8	14	19	42
TOTAL										
0-19 YRS	443	2.9	23	1	1	2	3	6	12	21
20-34	181	5.1	37	1	2	3	6	11	17	30
35-49	174	4.1	16	1	2	3	5	9	12	21
50-64	143	4.3	14	1	2	3	6	9	11	32
65 +	209	6.6	59	1	2	4	9	14	19	42
GRAND TOTAL	1150	4.3	31	1	1	2	5	10	14	28

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1282	2.4	3	1	1	2	3	4	6	10
20-34	1665	3.1	5	1	2	3	4	5	7	10
35-49	1228	3.5	5	1	2	3	4	6	7	14
50-64	821	3.7	5	1	2	3	5	6	8	12
65 +	509	4.6	11	2	3	4	6	8	10	17
2. MULTIPLE DX										
0-19 YRS	625	5.0	41	1	2	3	6	10	15	33
20-34	1391	5.8	38	1	2	4	7	12	18	33
35-49	1255	5.9	33	2	3	4	7	12	16	30
50-64	1160	6.5	44	2	3	5	7	12	16	43
65 +	1542	8.0	48	3	4	6	10	15	20	35
TOTAL SINGLE DX	5505	3.2	6	1	2	3	4	6	7	12
TOTAL MULTIPLE DX	5973	6.4	43	2	3	5	8	13	18	34
TOTAL										
0-19 YRS	1907	3.3	17	1	1	2	4	6	9	18
20-34	3056	4.3	22	1	2	3	5	8	12	26
35-49	2483	4.7	21	1	2	3	5	9	13	25
50-64	1981	5.4	30	2	3	4	6	10	13	31
65 +	2051	7.1	41	2	3	5	9	14	18	31
GRAND TOTAL	11478	4.9	28	1	2	4	6	9	13	27

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1543	1.8	3	1	1	1	2	3	4	9
20-34	308	2.8	6	1	1	2	3	6	7	13
35-49	248	2.9	6	1	1	2	4	5	6	12
50-64	165	2.8	5	1	1	2	3	6	7	15
65 +	182	3.0	7	1	1	2	4	6	9	14
2. MULTIPLE DX										
0-19 YRS	560	4.3	39	1	1	2	4	10	15	36
20-34	339	5.7	43	1	2	4	7	11	17	47
35-49	307	6.1	56	1	2	4	7	12	16	47
50-64	308	6.1	52	1	2	4	7	12	18	34
65 +	750	6.4	35	2	3	5	8	13	17	29
TOTAL SINGLE DX	2446	2.2	5	1	1	1	3	4	6	11
TOTAL MULTIPLE DX	2264	5.7	44	1	2	4	7	12	16	36
TOTAL										
0-19 YRS	2103	2.5	14	1	1	1	2	4	7	20
20-34	647	4.3	28	1	2	3	5	9	12	31
35-49	555	4.7	36	1	2	3	5	9	13	38
50-64	473	5.0	39	1	2	3	6	11	15	33
65 +	932	5.8	32	1	2	4	7	12	16	28
GRAND TOTAL	4710	3.9	26	1	1	2	4	8	12	26

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	109	5.7	32	1	2	3	7	15	19	24
20-34	15	5.1	40	2	2	3	4	12	22	26
35-49	9	3.2	3	<1	2	3	4	6	7	7
50-64	30	3.4	12	<1	1	2	4	8	11	17
65+	101	4.0	12	1	2	3	5	9	12	16
2. MULTIPLE DX										
0-19 YRS	119	5.5	19	2	3	4	7	11	14	22
20-34	47	9.5	63	2	4	8	12	19	23	40
35-49	22	8.7	73	2	2	8	10	18	29	37
50-64	30	9.1	71	2	4	6	12	20	31	34
65+	182	8.0	71	1	3	6	10	16	24	36
TOTAL SINGLE DX	264	4.7	23	1	2	3	6	11	15	23
TOTAL MULTIPLE DX	400	7.5	57	2	3	5	10	15	21	36
TOTAL										
0-19 YRS	228	5.6	26	1	2	4	7	13	17	23
20-34	62	8.4	60	2	3	6	12	17	23	40
35-49	31	7.1	59	1	2	4	10	16	23	37
50-64	60	6.3	50	1	2	4	7	17	20	34
65+	283	6.5	54	1	2	5	9	14	19	32
GRAND TOTAL	664	6.4	45	1	2	4	8	14	19	33

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	96	1.7	3	1	1	1	2	3	4	11
20-34	120	2.1	3	1	1	2	2	3	5	12
35-49	73	1.9	2	<1	1	1	2	4	6	8
50-64	36	1.9	1	<1	1	2	2	3	5	5
65+	25	2.4	5	1	1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	42	4.6	25	1	1	3	5	11	16	24
20-34	102	3.7	20	1	1	3	4	7	12	26
35-49	73	4.8	37	1	2	3	4	11	19	31
50-64	60	4.8	22	1	2	4	7	9	10	28
65+	106	6.6	40	1	3	5	8	14	18	37
TOTAL SINGLE DX	350	1.9	3	1	1	1	2	3	5	12
TOTAL MULTIPLE DX	383	5.0	31	1	2	3	6	10	16	29
TOTAL										
0-19 YRS	138	2.6	12	1	1	1	3	5	9	20
20-34	222	2.8	12	1	1	2	3	5	7	25
35-49	146	3.3	22	1	1	2	3	6	11	29
50-64	96	3.7	16	1	1	2	5	8	9	25
65+	131	5.8	36	1	2	4	7	12	17	34
GRAND TOTAL	733	3.5	20	1	1	2	4	8	11	25

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	239	3.8	19	1	1	2	4	9	15	22
20-34	156	3.0	6	<1	1	2	4	6	8	13
35-49	101	3.4	20	1	1	2	3	6	12	27
50-64	56	4.7	31	<1	1	2	5	12	20	23
65+	55	6.6	25	2	3	5	9	14	17	26
2. MULTIPLE DX										
0-19 YRS	308	8.0	81	1	2	4	11	19	28	54
20-34	198	4.9	36	<1	2	3	6	11	16	36
35-49	208	5.7	63	1	2	3	6	13	21	43
50-64	171	10.0	152	1	2	5	13	24	38	60
65+	303	14.6	204	2	5	11	18	32	46	65
TOTAL SINGLE DX	607	3.9	19	1	1	2	4	9	14	22
TOTAL MULTIPLE DX	1188	9.0	125	1	2	5	12	22	32	58
TOTAL										
0-19 YRS	547	6.2	59	1	2	3	8	15	22	48
20-34	354	4.1	24	<1	1	3	4	9	13	21
35-49	309	4.9	51	1	1	2	5	12	19	36
50-64	227	8.7	128	1	2	4	11	22	29	59
65+	358	13.4	185	2	4	10	17	30	43	63
GRAND TOTAL	1795	7.3	95	1	2	3	9	18	27	54

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	24	2.8	7	1	1	2	3	5	9	13
35-49	24	2.9	8	1	1	2	4	5	8	15
50-64	6	2.2	1	1	1	2	3	3	3	3
65+	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	0									
20-34	4	2.0		1	1	2	3	3	3	3
35-49	11	3.2	3	1	2	3	5	35	91	99+
50-64	6	8.5	87	1	4	6	7	25	27	27
65+	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	59	2.8	8	1	1	2	3	5	11	15
TOTAL MULTIPLE DX	22	4.4	29	1	2	3	5	11	52	99+
TOTAL										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	28	2.7	6	1	1	2	3	4	8	13
35-49	35	3.0	7	1	2	2	4	5	13	99+
50-64	12	5.3	51	1	2	3	6	13	25	27
65+	3	5.3	44	1	1	2	10	13	13	13
GRAND TOTAL	81	3.2	14	1	1	2	4	7	13	77

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	109	4.4	14	2	3	4	4	7	11	24
20-34	2403	4.2	7	2	3	4	5	7	9	15
35-49	3836	4.3	7	2	3	4	5	7	9	15
50-64	1582	4.7	9	2	3	4	6	8	10	16
65+	433	5.9	15	3	3	5	7	10	12	23
2. MULTIPLE DX										
0-19 YRS	38	8.1	75	2	3	6	10	21	39	99+
20-34	802	6.2	21	3	3	5	8	11	14	23
35-49	2217	6.2	21	3	3	5	8	11	15	25
50-64	1962	7.0	31	3	4	5	8	13	16	27
65+	1430	9.4	43	4	5	8	11	17	22	38
TOTAL SINGLE DX	8363	4.4	8	2	3	4	5	8	10	15
TOTAL MULTIPLE DX	6449	7.2	31	3	4	6	9	13	17	30
TOTAL										
0-19 YRS	147	5.3	33	2	3	4	6	11	16	40
20-34	3205	4.7	11	2	3	4	6	8	11	17
35-49	6053	5.0	13	2	3	4	6	9	12	19
50-64	3544	6.0	23	2	3	5	7	11	14	22
65+	1863	8.5	39	3	5	7	10	15	20	36
GRAND TOTAL	14812	5.6	20	2	3	4	7	10	13	23

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	54	2.0	1	<1	<1	2	3	3	4	8
20-34	95	2.1	2	<1	<1	1	3	4	5	8
35-49	78	1.9	1	<1	<1	1	2	4	5	7
50-64	43	2.0	4	<1	<1	<1	2	4	6	10
65+	16	1.5	2	<1	<1	<1	1	2	6	7
2. MULTIPLE DX										
0-19 YRS	161	2.5	6	1	2	2	3	4	4	6
20-34	268	2.4	2	1	1	2	3	4	4	9
35-49	179	2.3	3	<1	1	2	3	4	5	10
50-64	161	2.5	5	<1	1	2	3	5	7	14
65+	101	3.2	26	<1	1	2	3	6	13	31
TOTAL SINGLE DX	286	2.0	2	<1	<1	1	2	4	5	8
TOTAL MULTIPLE DX	870	2.5	7	<1	1	2	3	4	6	13
TOTAL										
0-19 YRS	215	2.4	5	<1	1	2	3	4	4	7
20-34	363	2.3	2	<1	1	2	3	4	5	8
35-49	257	2.2	3	<1	1	2	3	4	5	9
50-64	204	2.4	5	<1	1	2	3	5	7	13
65+	117	3.0	23	<1	1	1	3	5	12	29
GRAND TOTAL	1156	2.4	6	<1	1	2	3	4	5	12

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	96	2.1	3	<1	<1	1	3	4	5	10
20-34	130	1.9	2	<1	<1	1	2	3	4	10
35-49	64	2.1	7	<1	<1	1	2	4	6	18
50-64	48	2.2	4	<1	<1	1	3	4	5	13
65+	23	1.7		<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	89	4.2	68	1	1	2	4	8	14	53
20-34	150	3.1	16	<1	1	2	3	6	10	13
35-49	96	3.7	31	<1	1	2	4	9	14	33
50-64	90	3.7	26	<1	1	2	3	9	16	25
65+	59	10.2	96	1	3	6	15	27	32	39
TOTAL SINGLE DX	361	2.0	4	<1	<1	1	2	4	5	11
TOTAL MULTIPLE DX	484	4.4	45	<1	1	2	4	11	16	34
TOTAL										
0-19 YRS	185	3.1	36	<1	1	2	3	5	9	32
20-34	280	2.5	10	<1	1	2	3	5	8	13
35-49	160	3.1	22	<1	1	2	3	6	10	20
50-64	138	3.2	19	<1	1	2	3	7	13	24
65+	82	7.8	84	<1	1	4	11	22	30	38
GRAND TOTAL	845	3.4	29	<1	1	2	3	7	12	30

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	106	3.4	18	<1	1	2	3	8	13	22
20-34	114	2.1	5	<1	1	1	3	4	5	14
35-49	105	2.3	8	<1	1	1	2	4	6	19
50-64	60	3.6	42	<1	1	2	4	6	9	42
65+	31	3.0	11	<1	1	1	3	9	11	14
2. MULTIPLE DX										
0-19 YRS	129	5.7	74	1	1	3	6	15	18	41
20-34	173	4.5	48	<1	1	2	4	11	18	29
35-49	226	4.1	33	1	1	2	4	11	16	41
50-64	206	7.1	124	1	2	3	8	19	27	57
65+	229	10.1	145	1	2	5	13	24	37	56
TOTAL SINGLE DX	416	2.8	16	<1	1	1	3	5	9	22
TOTAL MULTIPLE DX	963	6.4	93	1	1	3	7	17	24	50
TOTAL										
0-19 YRS	235	4.6	51	<1	1	2	5	12	17	31
20-34	287	3.5	33	<1	1	2	3	7	14	27
35-49	331	3.5	26	<1	1	2	4	8	14	30
50-64	266	6.3	108	1	1	3	6	14	25	52
65+	260	9.3	135	1	2	5	12	23	36	54
GRAND TOTAL	1379	5.3	72	<1	1	2	5	14	21	45

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	302	7.5	9	5	6	7	8	10	13	18
20-34	168	5.9	10	3	4	5	7	10	13	18
35-49	318	6.0	14	3	4	5	7	10	14	20
50-64	138	5.7	9	3	4	5	7	9	11	16
65 +	23	7.2	18	3	4	6	9	13	16	21
2. MULTIPLE DX										
0-19 YRS	378	11.4	68	6	7	9	12	22	28	58
20-34	240	10.9	84	4	6	8	14	20	26	72
35-49	439	9.1	43	3	5	7	11	16	23	38
50-64	348	11.0	103	3	5	8	13	21	30	61
65 +	258	13.1	82	5	7	10	16	26	31	46
TOTAL SINGLE DX	949	6.4	12	3	4	6	8	10	13	19
TOTAL MULTIPLE DX	1663	10.9	75	4	6	9	13	21	28	49
TOTAL										
0-19 YRS	680	9.6	46	5	6	8	10	16	23	39
20-34	408	8.9	60	3	5	7	10	17	20	65
35-49	757	7.8	34	3	4	6	9	14	19	32
50-64	486	9.5	82	3	5	7	11	17	25	49
65 +	281	12.7	80	5	6	10	16	25	31	45
GRAND TOTAL	2612	9.3	57	3	5	7	11	17	24	43

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	73	2.7	2	1	2	3	3	4	5	8
20-34	127	2.8	3	1	1	2	4	5	6	9
35-49	136	3.1	2	1	2	3	4	5	6	8
50-64	136	3.1	3	1	2	3	4	5	6	9
65 +	47	3.6	7	1	2	3	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	87	3.4	10	1	2	3	4	6	8	20
20-34	128	4.7	86	1	2	3	4	7	11	46
35-49	158	3.6	5	1	2	3	4	6	8	13
50-64	198	4.4	14	1	2	3	5	8	12	20
65 +	180	5.0	23	1	2	4	5	10	14	27
TOTAL SINGLE DX	519	3.0	3	1	2	3	4	5	6	9
TOTAL MULTIPLE DX	751	4.3	27	1	2	3	5	8	11	25
TOTAL										
0-19 YRS	160	3.1	7	1	2	3	3	5	6	18
20-34	255	3.7	46	1	2	3	4	6	8	28
35-49	294	3.4	4	1	2	3	4	6	7	12
50-64	334	3.8	10	1	2	3	5	7	9	16
65 +	227	4.7	20	1	2	3	5	10	13	26
GRAND TOTAL	1270	3.8	18	1	2	3	4	6	9	18

735: Total hip replacement (81.51; 81.59*) *(pre-October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	50	7.7	6	5	6	7	9	12	13	15
35-49	145	7.7	6	5	6	7	9	11	12	16
50-64	507	8.6	9	6	7	8	10	12	13	18
65 +	904	9.9	14	7	8	9	11	14	15	25
2. MULTIPLE DX										
0-19 YRS	15	9.5	14	5	8	8	11	12	19	21
20-34	96	9.5	56	5	6	8	10	13	16	53
35-49	301	9.7	27	6	7	9	11	13	16	32
50-64	1268	10.3	29	6	8	9	11	15	18	33
65 +	3858	11.8	32	7	9	10	13	17	22	37
TOTAL SINGLE DX	1608	9.2	13	6	7	9	11	13	15	20
TOTAL MULTIPLE DX	5538	11.3	33	7	8	10	13	17	21	35
TOTAL										
0-19 YRS	17	9.2	13	6	7	8	11	12	18	21
20-34	146	8.9	40	5	6	7	9	13	15	46
35-49	446	9.1	22	6	7	8	10	12	14	27
50-64	1775	9.8	25	6	7	9	11	14	17	28
65 +	4762	11.4	30	7	8	10	13	17	21	35
GRAND TOTAL	7146	10.8	29	7	8	10	12	16	19	33

736: Other arthroplasty of hip (81.40; 81.52-81.53; 81.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	3.3	3	2	2	3	4	6	7	8
20-34	12	6.7	8	2	5	7	9	10	11	11
35-49	25	7.1	3	5	6	7	9	9	10	10
50-64	82	9.3	12	5	7	9	11	14	16	22
65 +	390	10.8	15	7	8	10	13	16	18	25
2. MULTIPLE DX										
0-19 YRS	29	7.6	26	2	4	6	10	14	16	23
20-34	29	9.1	26	4	6	8	10	15	18	29
35-49	52	11.2	67	6	7	9	13	18	24	55
50-64	256	12.0	37	7	8	10	14	19	24	37
65 +	2912	12.8	44	7	9	11	15	20	25	40
TOTAL SINGLE DX	524	10.1	17	6	8	9	12	15	17	25
TOTAL MULTIPLE DX	3278	12.6	44	7	9	11	14	20	24	39
TOTAL										
0-19 YRS	44	6.1	22	2	3	4	8	13	15	23
20-34	41	8.4	22	4	6	8	9	14	16	29
35-49	77	9.9	50	5	6	8	11	16	20	49
50-64	338	11.3	33	6	8	10	13	18	23	33
65 +	3302	12.6	41	7	9	11	14	19	24	38
GRAND TOTAL	3802	12.3	41	7	9	11	14	19	24	37

304 Hospitals, North Central Region, January-December 1989, by Operation

737: Total knee replacement (81.41; 81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX-										
0-19 YRS	0									
20-34	17	6.9	16	2	4	7	9	13	15	16
35-49	68	8.1	8	5	6	8	9	12	14	16
50-64	618	8.5	6	5	7	8	10	12	13	17
65 +	1265	9.5	10	6	8	9	11	13	15	18
2. MULTIPLE DX										
0-19 YRS	4	8.3	25	1	5	10	11	12	12	12
20-34	23	7.1	7	4	5	7	9	12	12	12
35-49	99	9.3	18	6	7	8	10	14	17	30
50-64	1348	9.8	12	6	8	9	11	14	16	22
65 +	4383	10.9	23	7	8	10	12	15	18	27
TOTAL SINGLE DX	1968	9.1	9	6	7	9	10	13	15	18
TOTAL MULTIPLE DX	5857	10.6	21	7	8	10	12	15	18	25
TOTAL										
0-19 YRS	4	8.3	25	1	5	10	11	12	12	12
20-34	40	7.0	11	3	5	7	9	12	13	16
35-49	167	8.8	14	5	7	8	10	13	16	24
50-64	1966	9.4	11	6	7	9	11	14	16	21
65 +	5648	10.6	20	7	8	10	12	15	17	25
GRAND TOTAL	7825	10.2	18	7	8	9	12	15	17	24

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	505	2.7	1	2	2	3	3	4	5	6
20-34	635	2.9	1	2	2	3	4	4	5	6
35-49	161	3.2	2	1	2	3	4	5	6	7
50-64	65	5.9	9	2	3	6	8	10	11	14
65 +	69	7.9	11	4	5	8	10	13	14	17
2. MULTIPLE DX										
0-19 YRS	527	2.9	2	1	2	3	4	4	5	9
20-34	859	3.2	6	1	2	3	4	5	7	13
35-49	276	3.6	7	1	2	3	4	6	9	14
50-64	153	6.4	28	2	3	5	8	10	13	31
65 +	290	9.2	42	4	6	8	11	14	19	38
TOTAL SINGLE DX	1435	3.2	4	2	2	3	4	5	7	11
TOTAL MULTIPLE DX	2105	4.2	17	1	2	3	5	9	11	20
TOTAL										
0-19 YRS	1032	2.8	2	1	2	3	3	4	5	7
20-34	1494	3.1	5	1	2	3	4	5	6	11
35-49	437	3.4	6	1	2	3	4	6	7	12
50-64	218	6.3	23	2	3	6	8	10	12	30
65 +	359	9.0	37	4	6	8	10	14	17	37
GRAND TOTAL	3540	3.8	12	1	2	3	4	7	10	16

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.56-81.59*; 81.71; 81.73-81.74; 81.80-81.81; 81.84; 81.86) *(post October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	2.2	2	1	1	2	3	5	5	5
20-34	22	1.7		1	1	2	2	3	4	4
35-49	51	2.7	3	1	1	2	4	5	6	8
50-64	137	3.1	7	1	1	2	4	7	9	27
65 +	106	5.0	13	1	2	4	7	9	11	20
2. MULTIPLE DX										
0-19 YRS	4	3.3	10	1	1	2	5	8	8	8
20-34	26	2.9	6	1	1	2	3	6	8	13
35-49	100	4.3	27	1	2	3	5	9	10	31
50-64	209	5.0	18	1	2	4	7	10	12	26
65 +	341	6.5	41	2	3	5	8	13	17	26
TOTAL SINGLE DX	322	3.6	9	1	2	2	5	7	10	16
TOTAL MULTIPLE DX	680	5.6	32	1	2	4	7	11	14	25
TOTAL										
0-19 YRS	10	2.8	5	1	1	2	3	6	8	8
20-34	48	2.4	4	1	1	2	3	5	6	13
35-49	151	3.7	20	1	2	3	4	8	9	15
50-64	346	4.3	15	1	2	3	5	9	10	23
65 +	447	6.2	35	2	3	5	8	12	16	25
GRAND TOTAL	1002	4.9	25	1	2	4	7	10	13	25

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	318	1.9	1	1	1	2	2	3	3	5
20-34	673	2.0		1	1	2	2	3	4	5
35-49	402	2.0		1	1	2	3	3	4	5
50-64	294	2.2	1	1	1	2	3	3	4	6
65 +	127	2.9	3	1	2	3	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	126	2.7	9	1	1	2	3	4	8	20
20-34	316	2.8	7	1	1	2	3	4	6	13
35-49	424	2.4	7	1	1	2	3	4	5	16
50-64	525	2.7	5	1	2	2	3	4	5	9
65 +	337	3.5	9	1	2	3	4	6	9	15
TOTAL SINGLE DX	1814	2.1	1	1	1	2	3	3	4	6
TOTAL MULTIPLE DX	1728	2.8	8	1	1	2	3	5	6	14
TOTAL										
0-19 YRS	444	2.1	4	1	1	2	2	3	4	12
20-34	989	2.2	3	1	1	2	3	3	4	8
35-49	826	2.2	4	1	1	2	3	4	4	8
50-64	819	2.5	4	1	1	2	3	4	5	9
65 +	464	3.4	8	1	2	3	4	6	8	13
GRAND TOTAL	3542	2.4	4	1	1	2	3	4	5	10

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	260	3.3	13	1	1	2	3	7	11	20
20-34	147	3.0	6	<1	1	2	4	6	8	12
35-49	67	2.8	6	1	1	2	3	5	9	14
50-64	58	2.7	4	<1	1	2	4	6	7	9
65+	32	3.3	8	<1	<1	2	4	7	9	14
2. MULTIPLE DX										
0-19 YRS	480	4.2	23	1	2	3	4	8	13	31
20-34	169	6.3	69	1	2	3	6	15	22	43
35-49	170	7.0	57	1	3	5	8	13	23	39
50-64	177	6.9	55	1	2	5	9	15	23	39
65+	172	7.9	62	1	2	6	10	16	27	41
TOTAL SINGLE DX	564	3.1	9	<1	1	2	4	6	9	18
TOTAL MULTIPLE DX	1168	5.9	48	1	2	3	7	13	20	37
TOTAL										
0-19 YRS	740	3.9	20	1	2	3	4	8	12	28
20-34	316	4.8	43	1	2	3	5	9	16	36
35-49	237	5.8	47	1	2	4	7	11	19	35
50-64	235	5.9	46	1	2	4	7	12	18	37
65+	204	7.2	57	1	2	5	9	15	23	38
GRAND TOTAL	1732	5.0	37	1	2	3	6	10	16	33

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	137	2.3	4	<1	1	1	3	5	6	12
20-34	74	2.3	6	<1	<1	1	3	6	8	13
35-49	84	2.5	10	<1	<1	1	2	7	9	18
50-64	82	2.7	9	<1	1	2	3	6	9	17
65+	48	2.6	10	<1	1	2	3	5	7	22
2. MULTIPLE DX										
0-19 YRS	106	9.2	147	1	2	6	11	21	30	65
20-34	72	8.1	88	1	2	4	11	20	25	48
35-49	113	9.6	125	1	2	6	12	22	28	57
50-64	146	7.9	108	1	2	3	9	20	32	49
65+	241	12.1	217	1	3	7	14	29	48	73
TOTAL SINGLE DX	425	2.5	8	<1	1	1	3	5	8	16
TOTAL MULTIPLE DX	678	9.9	157	1	2	6	12	23	36	63
TOTAL										
0-19 YRS	243	5.3	78	1	1	2	6	11	19	50
20-34	146	5.2	55	<1	1	2	6	14	20	42
35-49	197	6.6	88	<1	1	3	8	16	25	56
50-64	228	6.1	79	<1	1	2	7	16	28	44
65+	289	10.6	196	1	2	5	13	25	44	73
GRAND TOTAL	1103	7.0	112	1	1	3	8	17	27	55

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.0	1	1	1	2	3	4	4	4
20-34	7	3.0	1	1	2	3	4	5	5	5
35-49	13	2.6	5	<1	1	1	3	7	8	8
50-64	36	1.3		<1	<1	1	1	3	3	5
65+	28	1.1		<1	1	1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	9	8.6	417	1	1	2	3	39	63	63
20-34	15	5.5	9	2	3	5	8	9	11	11
35-49	19	5.5	21	1	2	5	8	10	16	20
50-64	32	2.0	4	<1	1	1	2	4	8	10
65+	42	3.0	10	1	1	2	3	8	11	15
TOTAL SINGLE DX	89	1.6	2	<1	1	1	2	3	4	8
TOTAL MULTIPLE DX	117	3.9	42	1	1	2	5	8	10	34
TOTAL										
0-19 YRS	14	6.2	268	1	1	2	2	10	51	63
20-34	22	4.7	8	2	3	4	7	9	10	11
35-49	32	4.3	17	1	1	3	6	9	11	20
50-64	68	1.6	3	<1	1	1	1	3	5	10
65+	70	2.3	7	1	1	1	2	5	8	15
GRAND TOTAL	206	2.9	26	1	1	1	3	7	9	17

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	112	1.5	1	<1	1	1	2	2	3	8
20-34	104	1.7	1	<1	1	1	2	3	4	8
35-49	48	1.6	1	<1	<1	1	2	3	4	5
50-64	25	1.7		<1	1	1	2	3	4	4
65+	7	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	153	1.8	3	<1	1	1	2	3	5	13
20-34	213	2.9	26	1	1	2	3	6	7	38
35-49	96	2.4	6	1	1	2	2	4	7	16
50-64	59	3.1	10	1	1	2	4	7	10	17
65+	41	3.0	8	1	1	2	3	6	11	14
TOTAL SINGLE DX	296	1.6	1	<1	1	1	2	3	4	7
TOTAL MULTIPLE DX	562	2.6	14	1	1	2	3	5	7	17
TOTAL										
0-19 YRS	265	1.7	3	<1	1	1	2	3	3	10
20-34	317	2.5	19	1	1	1	2	5	7	23
35-49	144	2.1	5	<1	1	1	2	4	5	11
50-64	84	2.7	8	1	1	2	3	6	9	16
65+	48	2.8	8	1	1	2	3	5	9	14
GRAND TOTAL	858	2.2	10	<1	1	1	2	4	6	13

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	113	1.9	1	1	1	1	2	3	5	7
20-34	233	2.1	2	1	1	2	3	4	5	8
35-49	339	2.3	1	1	1	2	3	4	5	8
50-64	403	2.6	2	1	2	2	3	4	5	7
65+	153	2.9	3	1	2	2	4	5	7	10
2. MULTIPLE DX										
0-19 YRS	101	2.9	10	1	1	2	3	6	8	19
20-34	188	3.2	6	1	1	2	4	6	8	12
35-49	306	3.2	13	1	2	2	3	5	8	20
50-64	487	3.3	8	1	2	3	4	5	8	19
65+	358	5.0	43	2	2	3	5	9	15	48
TOTAL SINGLE DX	1241	2.4	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1440	3.7	19	1	2	3	4	6	10	21
TOTAL										
0-19 YRS	214	2.4	6	1	1	2	3	4	6	13
20-34	421	2.6	4	1	1	2	3	5	6	11
35-49	645	2.7	7	1	2	2	3	4	6	12
50-64	890	3.0	6	1	2	3	3	5	6	14
65+	511	4.4	33	1	2	3	4	8	12	39
GRAND TOTAL	2681	3.1	12	1	2	2	3	5	7	17

746: Miscellaneous operations on muscle, tendon, fascia, and bu[illegible] except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	552	2.1	1	1	1	2	3	4	4	7
20-34	181	2.2	1	1	1	2	3	4	4	7
35-49	178	2.0	1	1	1	2	2	4	5	7
50-64	84	2.5	2	1	1	2	3	4	5	10
65+	41	4.0	7	1	2	4	5	7	10	13
2. MULTIPLE DX										
0-19 YRS	620	3.1	37	1	1	2	3	4	6	30
20-34	159	5.1	52	1	2	3	5	10	20	42
35-49	115	4.1	34	1	2	3	4	7	9	43
50-64	120	4.8	40	1	2	3	4	11	21	59
65+	124	7.4	68	1	3	5	8	16	25	62
TOTAL SINGLE DX	1036	2.2	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1138	4.1	44	1	1	2	4	7	15	42
TOTAL										
0-19 YRS	1172	2.6	21	1	1	2	3	4	5	22
20-34	340	3.6	27	1	1	2	4	6	10	37
35-49	293	2.8	16	1	1	2	3	5	7	16
50-64	204	3.8	26	1	2	3	4	6	13	36
65+	165	6.5	55	1	2	5	8	14	24	50
GRAND TOTAL	2174	3.2	25	1	1	2	3	5	8	30

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	1.8	2	<1	1	1	2	4	6	6
20-34	57	2.2	3	1	1	1	3	5	6	10
35-49	37	2.5	4	1	1	2	3	6	7	10
50-64	14	1.8		1	1	2	2	3	3	3
65+	7	2.0	5	1	1	1	2	6	7	7
2. MULTIPLE DX										
0-19 YRS	30	8.0	201	1	1	2	6	28	37	66
20-34	78	4.3	42	1	1	2	4	9	19	33
35-49	49	6.3	74	1	1	3	7	18	33	36
50-64	52	8.1	117	1	2	4	11	17	30	60
65+	51	6.9	90	1	1	3	9	17	26	50
TOTAL SINGLE DX	145	2.1	3	1	1	1	3	5	6	10
TOTAL MULTIPLE DX	260	6.4	92	1	1	3	7	16	30	49
TOTAL										
0-19 YRS	60	4.9	110	1	1	2	4	7	28	63
20-34	135	3.4	27	1	1	2	4	6	10	32
35-49	86	4.7	47	1	1	2	4	10	22	35
50-64	66	6.8	99	1	1	3	9	16	30	56
65+	58	6.3	83	1	1	3	9	16	24	49
GRAND TOTAL	405	4.9	64	1	1	2	5	11	20	38

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.3	4	1	2	4	5	5	5	5
20-34	5	4.8	6	2	3	4	7	8	8	8
35-49	5	3.6	6	2	2	3	4	8	8	8
50-64	1	23.0		23	23	23	23	23	23	23
65+	0									
2. MULTIPLE DX										
0-19 YRS	8	19.4	316	3	5	15	27	49	56	56
20-34	16	8.4	94	1	2	5	10	24	33	37
35-49	6	18.8	220	4	5	17	28	40	41	41
50-64	10	6.5	14	2	3	6	8	12	14	14
65+	17	16.2	245	3	5	10	23	42	53	57
TOTAL SINGLE DX	14	5.4	31	2	2	4	7	10	20	23
TOTAL MULTIPLE DX	57	13.0	183	2	4	7	17	31	44	57
TOTAL										
0-19 YRS	11	15.0	279	2	4	7	21	42	55	56
20-34	21	7.6	75	1	3	5	7	18	30	37
35-49	11	11.9	176	2	3	5	21	33	40	41
50-64	11	8.0	38	2	3	6	10	18	23	23
65+	17	16.2	245	3	5	10	23	42	53	57
GRAND TOTAL	71	11.5	162	2	3	6	14	27	41	57

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	3.3	7	<1	1	3	5	7	8	8
20-34	5	2.0	2	<1	1	1	3	4	4	4
35-49	16	2.8	6	1	1	2	3	6	9	11
50-64	13	4.7	12	1	2	4	8	10	11	11
65+	15	5.9	19	1	2	4	9	10	14	16
2. MULTIPLE DX										
0-19 YRS	19	10.5	184	2	3	4	11	37	45	46
20-34	44	10.1	86	1	3	7	13	24	30	38
35-49	165	12.1	120	2	5	9	15	26	34	44
50-64	359	13.4	119	3	6	11	18	27	33	59
65+	556	13.1	101	3	6	10	17	26	32	52
TOTAL SINGLE DX	61	4.0	12	1	1	3	6	9	10	15
TOTAL MULTIPLE DX	1143	12.9	111	3	6	10	17	26	33	52
TOTAL										
0-19 YRS	31	7.7	126	1	2	4	8	19	42	46
20-34	49	9.2	83	1	2	6	13	23	29	38
35-49	181	11.3	118	2	4	8	15	25	34	43
50-64	372	13.1	118	3	6	10	17	26	33	59
65+	571	12.9	101	3	6	10	17	26	32	51
GRAND TOTAL	1204	12.4	110	3	5	10	17	26	32	52

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	5	7.0	20	4	5	5	8	15	15	15
35-49	6	5.5	2	4	4	5	6	8	8	8
50-64	5	7.4	12	4	5	7	9	13	13	13
65+	10	11.5	35	4	7	11	18	19	20	20
2. MULTIPLE DX										
0-19 YRS	9	24.4	611	4	8	13	50	86	99+	99+
20-34	22	22.6	373	9	11	17	24	54	72	82
35-49	106	17.3	133	6	9	15	22	31	51	76
50-64	262	20.2	215	7	10	16	26	40	52	90
65+	734	18.7	181	7	10	15	22	35	46	76
TOTAL SINGLE DX	28	8.3	24	4	5	7	11	17	19	20
TOTAL MULTIPLE DX	1133	19.0	192	7	10	15	23	36	49	82
TOTAL										
0-19 YRS	11	21.1	546	4	6	11	17	80	97	99+
20-34	27	19.7	343	5	9	16	19	46	68	82
35-49	112	16.7	134	6	8	14	21	31	50	73
50-64	267	20.0	215	7	10	16	25	40	51	90
65+	744	18.6	180	7	10	15	22	35	45	76
GRAND TOTAL	1161	18.7	191	7	10	15	23	36	49	82

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	7.5	21	3	4	5	13	13	13	13
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	3	11.0	39	6	7	9	16	18	18	18
65+	25	13.1	106	5	6	9	19	36	56	99+
2. MULTIPLE DX										
0-19 YRS	11	19.4	513	3	4	12	39	81	97	99+
20-34	13	15.4	177	4	7	11	18	38	48	50
35-49	37	18.6	148	7	9	14	25	37	44	53
50-64	116	17.2	147	6	8	14	23	31	47	61
65+	765	15.5	138	6	8	13	19	28	40	68
TOTAL SINGLE DX	39	11.3	80	4	6	8	15	23	41	99+
TOTAL MULTIPLE DX	942	15.8	144	6	8	13	20	29	42	69
TOTAL										
0-19 YRS	19	14.4	330	2	4	7	18	59	86	99+
20-34	14	14.9	166	4	7	10	17	36	47	50
35-49	39	17.9	149	7	8	14	25	37	43	53
50-64	119	17.1	146	6	8	14	23	30	46	61
65+	790	15.4	137	5	8	12	19	28	41	70
GRAND TOTAL	981	15.7	143	6	8	13	19	29	42	70

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.8	12	1	1	2	7	9	9	9
20-34	2	8.0	72	2	2	8	14	14	14	14
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	4	12.5	13	8	9	13	15	16	16	16
65+	5	26.8	162	13	14	32	35	42	42	42
2. MULTIPLE DX										
0-19 YRS	17	14.5	249	1	3	6	22	41	49	53
20-34	17	15.9	263	3	5	11	19	45	56	60
35-49	54	20.2	355	5	10	15	20	50	66	91
50-64	109	19.0	235	5	8	15	23	43	48	72
65+	206	18.7	166	7	10	15	24	33	44	66
TOTAL SINGLE DX	18	13.0	136	1	6	10	15	33	38	42
TOTAL MULTIPLE DX	403	18.7	217	5	9	15	23	38	50	72
TOTAL										
0-19 YRS	22	12.0	214	1	2	5	16	37	47	53
20-34	19	15.1	244	3	5	11	17	41	55	60
35-49	56	19.8	348	5	9	14	20	50	65	91
50-64	113	18.8	229	5	8	15	22	42	48	72
65+	211	18.9	167	7	10	15	24	34	44	66
GRAND TOTAL	421	18.4	214	5	9	15	23	38	50	72

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	3.1	8	1	1	2	5	8	9	10
20-34	17	5.1	11	1	3	4	8	10	11	12
35-49	11	6.0	11	2	4	6	9	11	12	12
50-64	4	5.0	10	2	2	4	7	9	9	9
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	10	5.5	8	1	4	6	8	9	9	9
20-34	10	9.5	182	1	4	5	10	29	47	47
35-49	8	5.9	10	2	4	6	7	11	12	12
50-64	8	5.8	13	1	3	6	8	11	12	12
65 +	5	13.8	148	5	7	8	18	35	35	35
TOTAL SINGLE DX	57	4.4	11	1	1	4	7	9	10	12
TOTAL MULTIPLE DX	41	7.6	70	2	4	6	8	12	23	47
TOTAL										
0-19 YRS	34	3.8	9	1	1	3	6	8	9	10
20-34	27	6.7	75	1	3	4	8	10	17	47
35-49	19	5.9	10	2	4	6	7	11	12	12
50-64	12	5.5	11	2	3	5	8	10	12	12
65 +	6	11.7	146	1	5	8	13	33	35	35
GRAND TOTAL	98	5.7	38	1	2	5	8	10	12	41

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.7		1	1	2	2	3	3	3
20-34	19	3.6	25	1	1	3	3	7	16	23
35-49	10	2.6	2	1	1	2	4	5	5	5
50-64	3	3.7		3	3	4	4	4	4	4
65 +	13	4.5	15	1	2	3	5	12	13	13
2. MULTIPLE DX										
0-19 YRS	18	2.7	3	1	1	2	4	6	7	7
20-34	23	9.0	211	1	1	4	8	28	41	65
35-49	28	9.7	65	1	3	8	14	22	29	29
50-64	70	12.2	190	2	4	9	12	26	35	84
65 +	131	11.8	118	2	4	8	16	27	42	68
TOTAL SINGLE DX	59	3.2	13	1	1	3	3	6	10	22
TOTAL MULTIPLE DX	270	10.9	136	2	3	8	14	25	32	64
TOTAL										
0-19 YRS	32	2.3	2	1	1	2	3	5	6	7
20-34	42	6.5	132	1	1	3	6	19	28	65
35-49	38	7.8	58	1	2	5	12	19	26	29
50-64	73	11.8	185	3	4	8	12	25	35	83
65 +	144	11.2	114	2	4	8	15	25	40	63
GRAND TOTAL	329	9.5	122	1	3	6	12	22	29	62

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	3	7.3		7	7	7	8	8	8	8
50-64	4	13.5	123	7	7	9	20	30	30	30
65 +	7	9.4	11	5	6	9	12	14	14	14
TOTAL SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
TOTAL MULTIPLE DX	15	9.7	40	5	7	8	11	14	26	30
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	7.3		7	7	7	8	8	8	8
50-64	4	13.5	123	7	7	9	20	30	30	30
65 +	8	8.5	17	3	5	8	12	13	14	14
GRAND TOTAL	17	8.8	41	3	6	7	10	14	24	30

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	1.4		< 1	1	1	2	3	3	3
20-34	66	2.0	4	< 1	< 1	1	3	4	5	13
35-49	243	2.2	7	< 1	< 1	2	3	4	5	8
50-64	232	2.2	3	< 1	< 1	2	3	4	5	11
65 +	183	2.3	3	< 1	< 1	2	3	5	5	7
2. MULTIPLE DX										
0-19 YRS	10	3.8	46	< 1	1	2	2	13	23	23
20-34	48	6.1	38	1	2	4	8	15	21	25
35-49	294	4.9	51	1	2	3	5	11	18	38
50-64	381	5.2	65	< 1	2	3	5	10	19	40
65 +	550	6.6	52	1	2	4	8	15	20	38
TOTAL SINGLE DX	736	2.2	5	< 1	< 1	2	3	4	5	9
TOTAL MULTIPLE DX	1283	5.8	56	1	2	3	7	13	19	39
TOTAL										
0-19 YRS	22	2.5	22	< 1	1	1	2	3	12	23
20-34	114	3.7	22	< 1	< 1	2	4	9	14	23
35-49	537	3.7	34	< 1	1	2	4	7	12	29
50-64	613	4.1	44	< 1	1	2	4	7	13	38
65 +	733	5.5	43	< 1	2	3	7	13	17	34
GRAND TOTAL	2019	4.5	40	<1	1	3	5	10	16	35

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	11	2.6	1	1	2	3	3	4	5	5
35-49	73	3.0	1	2	2	3	4	5	5	7
50-64	45	3.0	1	1	2	3	4	5	5	6
65 +	65	3.6	2	2	2	4	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	21	3.6	5	1	2	3	4	7	9	9
35-49	115	4.4	25	2	2	3	5	6	11	33
50-64	160	4.2	28	2	2	3	4	6	9	39
65 +	258	5.2	27	2	3	4	5	10	13	31
TOTAL SINGLE DX	199	3.1	2	1	2	3	4	5	6	7
TOTAL MULTIPLE DX	556	4.7	27	2	2	3	5	8	12	32
TOTAL										
0-19 YRS	7	1.9	1	1	1	1	3	4	4	4
20-34	32	3.3	4	1	2	3	4	5	8	9
35-49	188	3.9	17	2	2	3	4	6	7	31
50-64	205	3.9	23	2	2	3	4	5	8	29
65 +	323	4.9	23	2	2	4	5	8	12	31
GRAND TOTAL	755	4.3	21	2	2	3	5	7	10	31

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	59	3.6	2	2	3	3	4	5	6	11
35-49	421	3.4	1	2	3	3	4	5	6	7
50-64	640	3.6	2	2	3	3	4	5	6	9
65 +	628	4.0	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	94	3.7	1	2	3	4	4	5	6	7
35-49	630	4.2	4	2	3	4	5	6	8	15
50-64	1252	4.4	9	2	3	4	5	7	8	15
65 +	2138	5.1	11	3	3	4	6	8	11	21
TOTAL SINGLE DX	1750	3.7	3	2	3	3	4	6	6	9
TOTAL MULTIPLE DX	4114	4.7	10	2	3	4	5	7	9	17
TOTAL										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	153	3.7	2	2	3	4	4	5	6	7
35-49	1051	3.9	4	2	3	4	5	6	7	11
50-64	1892	4.1	7	2	3	4	5	6	8	14
65 +	2766	4.9	10	2	3	4	6	8	10	18
GRAND TOTAL	5864	4.4	8	2	3	4	5	7	8	15

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	196	1.9	1	1	1	2	2	3	3	5
20-34	336	1.9	1	1	1	2	2	3	4	6
35-49	274	2.2	3	1	1	2	3	3	4	11
50-64	121	2.1	1	1	1	2	3	4	4	6
65 +	20	2.7	3	1	2	2	3	4	7	10
2. MULTIPLE DX										
0-19 YRS	79	2.1	2	1	1	2	2	4	6	9
20-34	256	2.5	7	1	1	2	3	4	6	16
35-49	483	2.9	7	1	1	2	3	5	8	16
50-64	266	3.1	7	1	1	2	4	6	8	15
65 +	97	4.0	22	1	2	3	4	8	11	30
TOTAL SINGLE DX	947	2.0	2	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	1181	2.9	8	1	1	2	3	5	8	16
TOTAL										
0-19 YRS	275	1.9	2	1	1	2	2	3	4	8
20-34	592	2.2	4	1	1	2	2	3	4	11
35-49	757	2.6	6	1	1	2	3	5	6	13
50-64	387	2.8	6	1	1	2	3	5	6	11
65 +	117	3.8	20	1	2	2	4	8	10	26
GRAND TOTAL	2128	2.5	6	1	1	2	3	4	6	12

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	136	1.8	1	1	1	1	2	3	4	6
20-34	201	2.0	3	1	1	1	2	4	4	9
35-49	46	2.0	2	1	1	1	3	4	5	7
50-64	8	1.5	1	<1	<1	1	2	3	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	44	6.0	140	1	1	2	4	13	42	47
20-34	60	3.6	23	1	1	2	4	9	13	92
35-49	26	3.5	7	1	1	3	4	7	9	12
50-64	13	4.3	29	1	2	2	5	10	19	21
65+	6	2.5	1	<1	2	2	4	4	4	4
TOTAL SINGLE DX	392	1.9	3	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	149	4.3	55	1	1	2	4	8	14	47
TOTAL										
0-19 YRS	180	2.8	38	1	1	2	2	4	6	44
20-34	261	2.4	9	1	1	1	3	4	7	20
35-49	72	2.6	4	1	1	2	3	6	7	11
50-64	21	3.2	20	<1	1	2	3	7	13	21
65+	7	2.3	2	<1	1	2	3	4	4	4
GRAND TOTAL	541	2.6	18	1	1	2	3	4	7	32

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	279	2.3	9	<1	1	1	2	5	6	20
20-34	138	1.9	3	<1	<1	1	2	4	5	10
35-49	143	2.5	8	<1	<1	1	2	6	10	14
50-64	145	1.9	20	<1	<1	<1	1	3	5	12
65+	129	2.0	7	<1	<1	<1	1	4	6	16
2. MULTIPLE DX										
0-19 YRS	324	7.6	100	1	2	4	9	20	28	48
20-34	245	9.7	151	1	2	6	12	26	32	70
35-49	332	9.3	76	1	3	7	13	22	28	47
50-64	403	9.8	119	1	3	7	13	21	29	58
65+	708	10.2	84	2	4	8	14	21	29	48
TOTAL SINGLE DX	834	2.1	10	<1	<1	1	2	4	7	16
TOTAL MULTIPLE DX	2012	9.5	101	1	3	6	13	21	29	54
TOTAL										
0-19 YRS	603	5.1	65	1	1	2	5	14	21	43
20-34	383	6.9	113	<1	1	3	8	19	28	67
35-49	475	7.3	66	<1	1	4	11	18	24	38
50-64	548	7.7	105	<1	1	4	10	18	25	54
65+	837	8.9	81	<1	2	6	12	20	25	45
GRAND TOTAL	2846	7.3	86	<1	1	4	10	18	24	48

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	281	4.1	17	1	1	3	5	9	13	22
20-34	330	5.3	64	1	2	3	6	10	19	33
35-49	194	6.1	51	1	2	4	8	13	19	43
50-64	108	5.9	36	1	2	4	8	14	17	65
65+	95	9.2	55	2	4	7	11	18	25	36
2. MULTIPLE DX										
0-19 YRS	669	9.7	116	1	3	6	13	22	32	69
20-34	1046	11.7	189	2	3	7	14	30	42	93
35-49	962	14.6	218	2	5	10	19	35	48	75
50-64	1113	15.4	199	3	6	11	20	34	46	82
65+	2193	17.8	208	5	8	14	23	38	49	84
TOTAL SINGLE DX	1008	5.5	47	1	2	3	7	12	17	32
TOTAL MULTIPLE DX	5983	14.9	203	2	5	11	20	34	46	84
TOTAL										
0-19 YRS	950	8.0	94	1	2	4	10	20	28	60
20-34	1376	10.2	167	1	3	6	13	25	37	89
35-49	1156	13.1	201	2	4	8	17	32	45	73
50-64	1221	14.6	192	3	6	10	19	33	44	82
65+	2288	17.5	205	5	8	14	23	38	48	83
GRAND TOTAL	6991	13.5	191	2	4	9	18	31	43	82

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	578	3.3	20	1	1	2	4	7	9	15
20-34	430	3.5	8	1	1	3	5	7	9	13
35-49	280	3.9	32	1	1	3	5	8	9	15
50-64	176	4.0	15	1	1	3	5	9	10	23
65+	136	5.2	34	1	1	3	7	11	16	31
2. MULTIPLE DX										
0-19 YRS	1352	5.1	53	1	1	3	6	10	16	34
20-34	1862	5.4	54	1	2	3	6	11	17	43
35-49	1306	6.8	60	1	2	5	8	14	21	42
50-64	1243	8.4	89	2	3	6	10	18	25	52
65+	1945	8.8	74	2	3	6	11	18	25	48
TOTAL SINGLE DX	1600	3.7	20	1	1	3	5	8	10	17
TOTAL MULTIPLE DX	7708	6.9	68	1	2	4	8	15	22	44
TOTAL										
0-19 YRS	1930	4.5	44	1	1	3	5	9	14	30
20-34	2292	5.0	46	1	2	3	6	10	15	39
35-49	1586	6.3	57	1	2	4	8	13	19	41
50-64	1419	7.9	82	1	3	5	9	16	24	51
65+	2081	8.6	73	2	3	6	11	18	25	46
GRAND TOTAL	9308	6.4	62	1	2	4	8	14	20	42

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	107	5.3	31	1	1	3	7	13	18	25
20-34	67	5.5	39	1	1	3	7	12	17	37
35-49	50	4.4	27	1	1	2	5	11	19	22
50-64	41	5.0	35	1	2	3	5	12	19	29
65 +	41	7.8	51	1	2	6	11	18	25	28
2. MULTIPLE DX										
0-19 YRS	228	12.9	145	2	4	9	19	29	36	56
20-34	211	14.8	281	2	5	10	19	36	56	94
35-49	222	15.7	183	3	6	12	22	33	44	72
50-64	203	15.6	174	2	6	12	22	34	40	74
65 +	351	16.4	209	3	7	13	21	32	46	87
TOTAL SINGLE DX	306	5.5	36	1	1	3	7	13	19	27
TOTAL MULTIPLE DX	1215	15.2	200	2	6	11	21	33	44	81
TOTAL										
0-19 YRS	335	10.5	121	1	3	7	15	25	31	51
20-34	278	12.5	239	1	3	7	16	31	45	89
35-49	272	13.7	174	1	4	9	20	32	41	67
50-64	244	13.8	167	2	4	10	20	32	38	71
65 +	392	15.5	200	3	6	12	21	31	45	84
GRAND TOTAL	1521	13.3	182	1	4	9	19	29	40	78

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	52	3.4	30	<1	1	2	4	8	11	36
20-34	31	3.0	6	<1	1	2	5	7	9	9
35-49	14	3.4	21	<1	1	1	3	11	15	16
50-64	14	5.9	83	1	1	2	5	20	30	33
65 +	7	2.4	1	<1	1	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	61	7.5	104	1	2	3	9	21	27	49
20-34	79	12.3	193	1	2	6	21	33	43	55
35-49	80	13.9	292	1	2	7	20	37	55	75
50-64	67	12.9	216	2	3	8	18	35	51	96
65 +	93	16.1	236	2	6	12	19	41	53	66
TOTAL SINGLE DX	118	3.6	27	<1	1	2	4	8	11	34
TOTAL MULTIPLE DX	380	12.9	220	1	2	7	18	35	46	68
TOTAL										
0-19 YRS	113	5.6	74	1	1	2	5	15	23	46
20-34	110	9.7	158	1	1	4	14	29	35	53
35-49	94	12.3	285	1	2	6	17	32	48	73
50-64	81	11.7	199	1	2	7	18	33	48	93
65 +	100	15.2	232	2	4	11	18	41	50	65
GRAND TOTAL	498	10.7	190	1	2	5	14	30	43	64

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	245	3.0	18	1	1	2	3	6	9	22
20-34	133	3.6	17	1	1	3	5	7	8	16
35-49	126	3.1	10	1	1	2	3	6	8	18
50-64	75	4.0	43	1	1	2	4	10	16	40
65 +	53	7.1	93	1	2	4	9	15	18	64
2. MULTIPLE DX										
0-19 YRS	504	5.0	30	1	1	3	6	11	15	29
20-34	391	7.5	80	1	2	4	9	18	28	51
35-49	419	7.6	83	1	2	4	9	18	27	40
50-64	496	9.0	88	1	3	6	12	20	27	60
65 +	808	13.3	146	3	6	10	16	26	37	66
TOTAL SINGLE DX	632	3.6	27	1	1	2	4	7	11	23
TOTAL MULTIPLE DX	2618	9.1	103	1	3	6	12	21	28	54
TOTAL										
0-19 YRS	749	4.3	28	1	1	2	6	10	14	28
20-34	524	6.5	68	1	2	3	8	16	26	44
35-49	545	6.6	70	1	2	4	7	16	22	47
50-64	571	8.3	85	1	2	5	11	19	26	49
65 +	861	12.9	145	3	6	10	16	25	36	65
GRAND TOTAL	3250	8.0	93	1	2	5	10	18	27	50

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

304 Hospitals, North Central Region, January-December 1989, by Operation

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	4.9	62	<1	1	1	4	15	26	30
20-34	10	14.5	257	1	2	8	20	41	46	46
35-49	10	7.8	107	1	2	4	8	25	34	34
50-64	6	3.7	11	1	1	2	8	8	8	8
65+	4	10.0	139	2	2	6	18	27	27	27
2. MULTIPLE DX										
0-19 YRS	100	6.8	111	1	2	4	9	14	23	99+
20-34	34	10.1	180	1	2	4	11	25	40	62
35-49	33	11.2	155	2	3	6	13	33	42	45
50-64	44	9.9	91	2	3	6	14	25	29	46
65+	79	9.4	49	3	4	8	13	20	22	33
TOTAL SINGLE DX	45	8.0	121	1	1	3	9	27	35	46
TOTAL MULTIPLE DX	290	8.9	105	2	3	5	12	21	28	77
TOTAL										
0-19 YRS	115	6.5	105	1	2	3	8	15	23	99+
20-34	44	11.1	196	1	2	4	16	28	44	62
35-49	43	10.4	143	2	3	6	13	32	41	45
50-64	50	9.1	85	1	3	6	13	23	29	46
65+	83	9.5	52	2	4	8	13	20	23	33
GRAND TOTAL	335	8.7	107	1	2	5	11	21	29	65

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64	2.1	5	1	1	1	2	4	6	13
20-34	750	2.3	7	1	1	1	2	6	9	13
35-49	1239	1.9	4	1	1	1	2	5	7	11
50-64	686	2.0	7	1	1	1	2	4	7	14
65+	234	2.0	5	1	1	1	2	5	7	15
2. MULTIPLE DX										
0-19 YRS	68	3.4	16	1	1	2	4	8	10	24
20-34	505	3.8	18	1	1	2	5	9	11	19
35-49	1166	3.9	23	1	1	2	5	9	12	22
50-64	1089	4.4	44	1	1	2	6	11	14	26
65+	1123	6.2	48	1	1	4	9	15	19	30
TOTAL SINGLE DX	2973	2.1	6	1	1	1	2	5	7	12
TOTAL MULTIPLE DX	3951	4.7	36	1	1	2	6	11	15	26
TOTAL										
0-19 YRS	132	2.8	12	1	1	1	3	7	9	17
20-34	1255	2.9	13	1	1	1	4	7	10	15
35-49	2405	2.9	15	1	1	1	3	7	10	17
50-64	1775	3.5	31	1	1	1	4	9	12	22
65+	1357	5.5	43	1	1	3	8	14	18	28
GRAND TOTAL	6924	3.5	25	1	1	1	4	9	12	22

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	3.0	10	1	1	2	3	8	10	16
20-34	91	3.4	13	1	1	2	4	8	13	17
35-49	119	2.8	10	1	1	1	3	7	8	18
50-64	208	2.6	12	1	1	1	3	6	8	20
65+	187	2.8	10	1	1	1	3	7	9	18
2. MULTIPLE DX										
0-19 YRS	65	4.5	21	1	1	3	7	12	14	88
20-34	130	6.2	33	1	2	4	8	14	17	28
35-49	328	7.4	77	1	2	5	10	15	20	60
50-64	792	6.6	53	1	2	5	8	14	19	37
65+	1514	6.5	32	1	2	5	9	13	17	29
TOTAL SINGLE DX	667	2.9	12	1	1	1	3	7	9	17
TOTAL MULTIPLE DX	2829	6.6	44	1	2	5	9	14	18	33
TOTAL										
0-19 YRS	127	3.8	17	1	1	2	5	10	13	42
20-34	221	5.1	27	1	1	3	7	12	16	26
35-49	447	6.2	64	1	1	4	8	14	18	53
50-64	1000	5.8	48	1	1	4	8	13	18	35
65+	1701	6.1	31	1	2	5	9	13	17	27
GRAND TOTAL	3496	5.9	40	1	2	4	8	13	17	31

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	22	4.0	10	1	1	4	6	9	11	12
50-64	42	3.9	24	<1	1	2	5	9	16	23
65+	32	3.7	24	<1	1	1	4	12	16	19
2. MULTIPLE DX										
0-19 YRS	0									
20-34	5	4.6	9	1	2	6	7	8	8	8
35-49	57	5.1	36	<1	1	3	7	11	14	37
50-64	146	5.2	51	<1	1	4	7	10	14	25
65+	130	7.3	53	1	2	6	10	15	21	38
TOTAL SINGLE DX	99	3.8	20	<1	1	2	5	10	12	22
TOTAL MULTIPLE DX	338	6.0	50	1	1	4	8	13	17	35
TOTAL										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	4.0	8	1	1	4	6	8	8	8
35-49	79	4.8	29	1	1	3	7	11	13	32
50-64	188	4.9	46	<1	1	3	6	10	14	23
65+	162	6.6	50	1	1	4	9	15	18	34
GRAND TOTAL	437	5.5	44	<1	1	4	7	12	16	30

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	96	3.3	19	1	1	2	3	8	9	26
20-34	283	4.8	18	1	1	4	7	10	12	23
35-49	319	4.7	17	1	1	4	7	9	11	16
50-64	323	3.8	13	1	1	2	6	9	10	17
65 +	308	4.6	18	1	1	3	7	9	11	21
2. MULTIPLE DX										
0-19 YRS	154	4.6	23	1	1	3	6	10	13	20
20-34	508	6.8	59	1	2	5	9	13	18	32
35-49	982	6.6	30	1	3	6	9	12	16	28
50-64	1839	6.7	39	1	2	6	9	13	16	31
65 +	3543	7.5	43	1	3	7	10	14	18	32
TOTAL SINGLE DX	1329	4.4	17	1	1	3	7	9	11	20
TOTAL MULTIPLE DX	7026	7.0	42	1	3	6	9	14	18	31
TOTAL										
0-19 YRS	250	4.1	22	1	1	2	6	9	13	20
20-34	791	6.1	46	1	2	5	8	12	15	28
35-49	1301	6.1	28	1	2	5	8	11	15	24
50-64	2162	6.2	36	1	2	5	8	12	16	29
65 +	3851	7.2	42	1	3	6	9	14	18	31
GRAND TOTAL	8355	6.6	39	1	2	6	9	13	17	30

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1358	2.8	14	1	1	2	3	6	8	21
20-34	975	4.8	41	1	2	3	5	9	16	40
35-49	933	4.8	28	1	2	3	5	9	14	31
50-64	575	5.4	35	1	2	4	6	10	14	35
65 +	526	6.0	42	1	2	4	7	13	17	31
2. MULTIPLE DX										
0-19 YRS	3268	4.9	42	1	2	3	6	11	16	38
20-34	3132	6.5	61	1	2	4	7	14	22	42
35-49	3969	6.9	50	2	3	5	8	14	21	38
50-64	6273	7.3	47	2	3	5	9	14	20	37
65 +	18558	8.3	41	3	4	7	10	16	20	34
TOTAL SINGLE DX	4367	4.4	31	1	2	3	5	9	14	31
TOTAL MULTIPLE DX	35200	7.5	46	2	3	6	9	15	20	36
TOTAL										
0-19 YRS	4626	4.3	36	1	1	2	5	9	14	32
20-34	4107	6.1	57	1	2	4	7	13	21	42
35-49	4902	6.5	47	2	3	4	8	13	20	37
50-64	6848	7.2	46	2	3	5	9	14	19	37
65 +	19084	8.2	42	3	4	7	10	15	20	34
GRAND TOTAL	39567	7.1	46	2	3	5	9	14	20	36

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2788	3.2	11	1	1	2	4	5	7	18
20-34	3868	3.2	13	1	1	2	4	6	8	18
35-49	2415	3.6	20	1	1	2	4	7	9	22
50-64	1469	3.7	14	1	2	3	5	7	9	18
65 +	1069	5.0	29	1	2	4	6	9	13	30
2. MULTIPLE DX										
0-19 YRS	7592	5.6	48	1	2	4	6	11	18	41
20-34	8418	5.1	33	1	2	4	6	10	14	32
35-49	9267	5.6	32	2	2	4	7	11	15	29
50-64	12893	6.0	25	2	3	5	7	11	15	27
65 +	31876	7.4	31	3	4	6	9	13	17	29
TOTAL SINGLE DX	11609	3.5	16	1	2	3	4	7	9	21
TOTAL MULTIPLE DX	70046	6.4	33	2	3	5	8	12	16	30
TOTAL										
0-19 YRS	10380	5.0	40	1	2	3	5	10	15	36
20-34	12286	4.5	28	1	2	3	5	8	12	28
35-49	11682	5.2	31	1	2	4	6	10	14	29
50-64	14362	5.8	25	2	3	5	7	11	14	27
65 +	32945	7.3	31	3	4	6	9	13	17	29
GRAND TOTAL	81555	6.0	32	2	3	5	7	12	16	29

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	126	3.1	2	1	2	3	4	5	7	8
20-34	18	3.4	2	1	3	3	4	5	6	7
35-49	11	4.9	10	2	3	4	6	10	13	13
50-64	11	5.2	6	2	3	5	8	9	9	9
65 +	17	16.2	166	3	6	12	24	35	43	47
2. MULTIPLE DX										
0-19 YRS	1121	15.9	370	2	4	8	21	47	71	99 +
20-34	240	8.5	98	2	3	5	10	18	26	62
35-49	293	10.6	122	3	4	8	13	22	31	99 +
50-64	593	12.8	109	4	6	10	16	24	34	68
65 +	1570	14.5	111	5	7	11	18	28	35	52
TOTAL SINGLE DX	183	4.5	32	1	2	3	5	8	12	34
TOTAL MULTIPLE DX	3817	13.9	191	3	5	10	17	30	45	90
TOTAL										
0-19 YRS	1247	14.6	348	2	3	7	19	44	65	99 +
20-34	258	8.1	93	2	3	5	9	18	25	61
35-49	304	10.4	119	3	4	7	13	22	31	99 +
50-64	604	12.7	108	4	6	10	16	24	34	67
65 +	1587	14.5	112	5	7	11	18	28	35	52
GRAND TOTAL	4000	13.5	188	3	5	9	17	30	44	90

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2913	4.9	46	1	2	3	4	12	21	34
20-34	1004	7.4	83	1	2	4	9	18	26	51
35-49	910	7.1	64	1	2	4	8	16	25	44
50-64	508	6.1	54	1	2	4	7	14	21	37
65 +	379	7.4	84	1	3	5	8	16	24	50
2. MULTIPLE DX										
0-19 YRS	6073	6.3	76	1	2	3	6	14	26	45
20-34	2481	8.8	100	2	3	5	10	21	29	51
35-49	3019	8.3	81	2	3	5	10	19	27	46
50-64	3727	8.2	76	2	3	6	9	17	24	48
65 +	10390	9.6	71	3	5	7	12	20	26	45
TOTAL SINGLE DX	5714	6.0	60	1	2	3	6	15	23	39
TOTAL MULTIPLE DX	25690	8.4	79	2	3	6	10	18	26	46
TOTAL										
0-19 YRS	8986	5.9	67	1	2	3	5	14	24	42
20-34	3485	8.4	96	2	3	5	10	20	28	51
35-49	3929	8.0	78	2	3	5	9	18	26	45
50-64	4235	7.9	74	2	3	5	9	16	24	45
65 +	10769	9.6	72	3	4	7	12	20	26	45
GRAND TOTAL	31404	8.0	77	2	3	5	9	18	25	45

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	386	2.8	2	1	2	2	4	4	5	8
20-34	109	3.9	9	1	2	3	5	7	11	16
35-49	113	3.8	5	1	2	3	5	7	8	13
50-64	95	4.8	24	2	3	4	5	7	11	33
65 +	73	6.8	40	2	3	5	7	14	20	39
2. MULTIPLE DX										
0-19 YRS	644	7.5	131	2	2	4	7	16	31	71
20-34	423	6.6	43	2	3	5	8	13	18	39
35-49	686	6.7	39	2	3	5	9	12	16	33
50-64	1396	7.9	47	2	4	6	10	16	21	30
65 +	3947	9.4	54	3	5	7	11	18	23	38
TOTAL SINGLE DX	776	3.7	12	1	2	3	4	6	9	18
TOTAL MULTIPLE DX	7096	8.5	59	2	4	6	10	16	22	39
TOTAL										
0-19 YRS	1030	5.7	88	1	2	3	5	11	22	62
20-34	532	6.1	38	1	3	5	7	12	17	38
35-49	799	6.3	35	2	3	5	8	11	15	32
50-64	1491	7.7	47	2	4	6	9	15	20	30
65 +	4020	9.3	55	3	5	7	11	18	23	38
GRAND TOTAL	**7872**	**8.0**	**57**	**2**	**4**	**6**	**10**	**16**	**22**	**38**

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3177	3.5	35	1	2	2	4	5	8	34
20-34	1322	4.5	57	1	1	2	4	9	17	37
35-49	1170	3.8	19	1	1	2	4	8	13	22
50-64	914	3.9	22	1	1	2	5	8	11	28
65 +	789	4.8	32	1	2	3	6	9	14	33
2. MULTIPLE DX										
0-19 YRS	8973	7.9	165	1	2	4	7	21	38	95
20-34	4300	6.1	81	1	2	3	6	14	25	61
35-49	5727	5.5	41	1	2	4	6	11	18	35
50-64	9111	6.0	38	2	3	4	7	12	16	33
65 +	22964	7.3	41	2	3	6	9	14	19	34
TOTAL SINGLE DX	7372	3.9	35	1	1	2	4	7	11	31
TOTAL MULTIPLE DX	51075	6.9	67	2	3	5	8	14	21	48
TOTAL										
0-19 YRS	12150	6.8	136	1	2	3	6	16	32	86
20-34	5622	5.7	76	1	2	3	6	13	23	55
35-49	6897	5.2	38	1	2	3	6	11	17	33
50-64	10025	5.8	37	2	2	4	7	11	16	32
65 +	23753	7.2	42	2	3	5	9	14	19	34
GRAND TOTAL	**58447**	**6.5**	**64**	**1**	**2**	**4**	**7**	**13**	**20**	**46**

APPENDIX A

1989 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL [3]
Hospital Category			
Bedsize			
6-24	378	55	14.6
25-49	1,126	189	16.8
50-99	1,202	221	18.4
100-199	1,143	213	18.6
200-299	714	122	17.1
300-399	392	87	22.2
400-499	202	40	19.8
500+	268	54	20.1
Unknown	1	0	
Total	**5,426**	**981**	**18.1**
Region and Census Division			
Northeast	773	213	27.6
New England	232	78	33.6
Middle Atlantic	541	135	25.0
North Central	1,579	304	19.3
East North Central	825	270	32.7
West North Central	754	34	4.5
South	2,052	156	7.6
South Atlantic	801	88	11.0
East South Central	474	37	7.8
West South Central	777	31	4.0
West	1,022	308	30.1
Mountain	363	160	44.1
Pacific	659	148	22.5
Location			
Urban	2,851	553	19.4
Rural	2,575	428	16.6
Teaching Intensity			
Low	4,443	731	16.5
Medium	687	173	25.2
High	296	61	20.6
Unknown	0	16	

---

[1] Hospitals with average stay less than 30 days

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1989 sample is compared to the universe of hospitals in 1988.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1988 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P.,J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texas
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1989 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No. **Titie**
182 Bronchiolitis, acute
190 Bronchitis
182   acute
190   chronic
188 Bronchopneumonia
7 Brucellosis
395 Bruise, except eye and orbit
394   eye and orbit
326 Bunion
399 Burn, any site, except third degree
398   third degree
325 Bursitis

Calculus
230   bile duct, except cystic
244   bladder
228   cystic bile duct
228   gallbladder
241   renal
198   salivary gland
242   ureter
244   urethra
Cancer-*see Neoplasm, malignant*
Carcinoma-*see Neoplasm, malignant*
71 Carcinoma in situ, except cervix
70   cervix
155 Cardiac arrest
408   postoperative
157 Cardiomyopathy, except ischemic
150   ischemic
199 Cardiospasm
126 Carpal tunnel syndrome
131 Cataract, except diabetic
78   diabetic
234 Celiac disease
Cellulitis
306   digit

Group No. **Title**
Cellulitis **(continued)**
305   skin and subcutaneous tissue, except digit
124 Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
Cerebral hemorrhage, except subarachnoid
161   without paralysis
162   with paralysis
Cerebrovascular accident
168   without paralysis
169   with paralysis
282 Cervical incompetence
294   with delivery
260 Cervical infection
260 Cervicitis
Chemical
357   diabetes mellitus
403   poisoning
416 Chemotherapy session or treatment
9 Chickenpox
103 Childhood psychoses
231 Cholangitis
Cholecystitis
229   without cholelithiasis
228   with cholelithiasis
230 Choledocholithiasis
228 Cholelithiasis
134 Chorioretinitis
226 Cirrhosis
225   alcoholic
226   biliary
225   Laennec's
336 Cleft palate and lip
129 Closed-angle glaucoma
341 Clubfoot
181 Cold, head
Colic
228   biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic **(continued)**
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox

Group No.	Title
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired

DIAGNOSIS INDEX (continued)

Group No.	Title
134	Degeneration, globe of eye
86	Dehydration
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic
112	amphetamine
112	barbiturate
112	cocaine

Group No.	Title
	Dependence (continued)
111	heroin
112	LSD
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal

Group No. **Title**

- Dialysis **(continued)**
  - 415 renal
- 214 Diaphragmatic hernia
- 218 Diarrhea, except infectious and functional
  - 224 functional
  - 2 infectious
- 7 Diphtheria
- Disease
  - 209 appendix, except acute appendicitis
  - 150 arteriosclerotic cardiovascular
  - 176 artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 14 arthropod-borne
  - 84 autoimmune, except AIDS
    - 13 AIDS
  - 7 bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 231 biliary ducts
  - 248 bladder, except calculus and cystitis
  - 329 bone, except osteomyelitis and osteoarthritis
  - 256 breast, except fibrocystic
    - 255 fibrocystic
  - 234 celiac
  - central nervous system
    - 8 enteroviral
    - 120 inflammatory, except enteroviral
    - 124 noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - cerebrovascular-*see Cerebrovascular accident*
  - 142 chronic rheumatic heart
  - 311 connective tissue, diffuse
  - 150 coronary artery
  - 222 Crohn's
  - 80 Cushing's
  - 13 cytomegalic inclusion
  - 197 dental
  - 219 diverticular

Group No. **Title**

- Disease **(continued)**
  - 206 duodenum, except ulcer and inflammatory
  - 140 ear, except inflammatory and otosclerosis
  - 152 endocarditis, bacterial
  - 80 endocrine, except ovary, thyroid, and diabetes mellitus
  - 199 esophagus
  - 135 eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
    - 134 inflammatory, except lacrimal tract
  - 266 fallopian tube, except endometriosis
  - 331 fascia
  - 266 female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
  - 229 gallbladder
  - 266 gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
  - heart
    - 144 hypertensive
      - 146 with renal disease or failure
    - 150 ischemic, except infarction and angina pectoris
    - 142 rheumatic, chronic
    - 158 other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
  - 91 hematopoietic, except anemia, hemophilia, and leukemia
  - 344 hemolytic, newborn
  - 13 HIV infection (AIDS)
  - 48 Hodgkin's
  - 143 hypertensive, except heart and renal
    - 144 heart
      - 146 with renal disease or failure
    - 145 renal
      - 146 with heart disease or failure
  - 19 infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
  - 224 intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
    - 2 infectious

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
14	Lyme
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy

Group No.	Title
	Disease (continued)
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar

DIAGNOSIS INDEX (continued)

Group No.	Title
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions

Group No.	Title
	Effect, adverse **(continued)**
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial
218	noninfectious
222	regional
1	viral

DIAGNOSIS INDEX (continued)

Group No.	Title
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension
	Examination
417	follow-up
417	medical
	Failure
156	heart, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
238	renal, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow
	Fibrillation or flutter
154	atrial
155	ventricular

Group No.	Title
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible
372	medial malleolus
368	metacarpal
372	metatarsal

DIAGNOSIS INDEX (continued)

Group No. **Title**

- **Fracture (continued)**
  - 374 multiple bones
  - 361 nose
  - 372 patella
  - 365 pelvis
  - 367 radius
  - 364 rib
  - 373 scapula
  - skull
    - 360 base, except with prolonged loss of consciousness
      - 358 prolonged loss of consciousness
    - 359 vault, except with prolonged loss of consciousness
      - 358 prolonged loss of consciousness
  - spine
    - 362 without cord injury
    - 363 with cord injury
  - 364 sternum
  - 372 tarsal
  - 364 thorax
  - 371 tibia
  - 372 toe
  - 372 trimalleolar
  - 367 ulna
  - vertebra
    - 362 without cord injury
    - 363 with cord injury
- 347 FUO (fever of undetermined origin)

- 229 Gallbladder disease, except calculus
  - 228 with calculus
- 327 Ganglion, tendon sheath
- 351 Gangrene, except gas gangrene
  - 7 gas
- Gastric ulcer-*see Ulcer, gastric*
- 205 Gastritis

Group No. **Title**

- 218 Gastroenteritis, except infectious
  - 2 infectious, except viral
  - 218 noninfectious
  - 1 viral
- 233 Gastrointestinal hemorrhage
- 172 Generalized arteriosclerosis
- 4 Generalized tuberculosis
- 330 Genu valgum or varum, except congenital
  - 342 congenital
- 233 GI hemorrhage
- 130 Glaucoma, except acute
  - 129 acute
  - 129 closed-angle
  - 129 open-angle
- 235 Glomerulonephritis, except acute
  - 236 acute
- 73 Goiter
- 15 Gonorrhea
- 85 Gout
- 405 Graft-versus-Host disease, except of bone marrow
  - 409 bone marrow
- 123 Grand mal epilepsy
- 282 Grand multiparity
  - 410 without pregnancy

- 282 Habitual aborter
  - 266 without pregnancy
- 326 Hallux valgus or varus, except congenital
  - 342 congenital
- 326 Hammer toe
- 348 Headache, except migraine and tension
  - 125 migraine
  - 118 tension
- 417 Healed fracture aftercare, except removal of fixation device
  - 414 removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	Title
	Heart
147	attack
156	failure, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No.	Title
357	Hyperbilirubinemia, unspecified
84	constitutional
344	neonatal
84	Hypercalcemia
276	Hyperemesis gravidarum
80	Hyperinsulinism
84	Hyperlipoproteinemia
80	Hyperparathyroidism
249	Hyperplasia of prostate
86	Hyperpotassemia
143	Hypertension, except renal and of pregnancy
275	of pregnancy
301	with delivery
145	renal
146	renovascular
134	Hypertensive retinopathy
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial

Group No.	Title
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion

DIAGNOSIS INDEX (continued)

Group No.	Title
	Injury (continued)
386	internal, except chest
385	chest
401	knee
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
14	Lyme
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria
32	Malignant melanoma, skin
105	Manic-depressive psychosis
342	Marfan syndrome
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis

Group No.	Title
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
27	bile duct
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye

Group No.	Title
	Neoplasm, malignant **(continued)**
38	fallopian tube
27	gallbladder
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, not further specified
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
27	liver
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple
411	single term
412	twin
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus

Group No.	Title
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis
	Ovarian
257	cyst
266	disease, except endometriosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian (continued)
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome

DIAGNOSIS INDEX (continued)

Group No.	Title
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
342	Prader-Willi syndrome
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
	Proteinuria **(continued)**
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment
357	Rash

DIAGNOSIS INDEX (continued)

Group No.	Title
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis
409	Serum sickness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective

Group No.	Title
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No.	Title
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis

Group No.	Title
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper respiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart

Group No.	Title
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
[illegible]	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No. Title

- Aspiration
  - 768 breast, except for biopsy
    - 757 biopsy
  - 756 bursa
  - 690 cul-de-sac
  - 685 curettage, uterus, except for termination of pregnancy
    - 682 termination of pregnancy
  - 658 hydrocele, except of spermatic cord
    - 663 spermatic cord
  - 636 kidney
  - 614 liver, percutaneous, except for biopsy
    - 615 biopsy
  - 536 middle ear
  - 545 nasal sinus
  - 671 ovary
  - 768 skin
  - 663 spermatocele
  - 529 vitreous
- Augmentation
  - 760 breast
  - 707 chin

- Balloon
  - 582 angioplasty, except coronary
    - 571 coronary
  - 570 valvuloplasty, heart
- Biopsy
  - 515 adrenal gland
  - 611 anus
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 714 femur
  - 586 bone marrow
  - 501 brain

Group No. Title

- Biopsy **(continued)**
  - 757 breast
  - 562 bronchus
  - 501 cerebral meninges
  - 676 cervix
  - 598 colon
  - 598 duodenum
  - 676 endocervical
  - 589 esophagus
  - 531 eyeball
  - 517 eyelid
  - 674 fallopian tubes
  - 598 intestine (large) (small)
  - 732 joint structure
  - 636 kidney
  - 598 large intestine
  - 557 larynx
  - 551 lip
  - 615 liver
  - 564 lung
  - 583 lymph nodes
  - 569 mediastinum
  - meninges
    - 501 cerebral
    - 507 spinal
  - 742 muscle
  - 545 nasal sinus
  - 542 nose
  - 531 orbit
  - 668 ovary, except by aspiration
    - 671 aspiration
  - 620 pancreas
  - 666 penis
  - 508 peripheral nerve
  - 628 peritoneum
  - 555 pharynx
  - 569 pleura

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
657	prostate
606	rectum
549	salivary gland or duct
658	scrotum
762	skin
598	small intestine
507	spinal meninges
593	stomach
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary

Group No.	Title
	Bypass, graft or shunt (continued)
597	gastric
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization **(continued)**
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder
	Control of hemorrhage **(continued)**
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Debridement (continued)
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
602	large intestine
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)

Group No.	Title
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
609	EGD (esophagogastroduodenoscopy), except with biopsy
598	with biopsy
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy (continued)
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy

Group No.	Title
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No. **Title**

- Excision **(continued)**
  - hydrocele (continued)
    - 663 spermatic cord
    - 658 tunica vaginalis
  - 729 intervertebral disc or cartilage, except chemonucleolysis
    - 728 chemonucleolysis
  - 732 joint, except intervertebral disc and cartilage of knee
    - 729 intervertebral disc, except chemonucleolysis
      - 728 chemonucleolysis
    - 730 knee cartilage
  - 633 kidney, except partial
    - 636 partial
  - 730 knee cartilage (semilunar)
  - 583 lymph nodes, except radical
    - 584 radical
  - 508 neuroma, peripheral nerve
  - ovary
    - 670 bilateral
    - 669 unilateral
  - 549 parotid gland
  - 761 pilonidal cyst or sinus
  - 515 pituitary gland
  - 656 prostate, except transurethral approach
    - 655 transurethral approach
  - 522 pterygium
  - 762 sebaceous cyst, except of eyelid
    - 517 eyelid, eyebrow
  - 730 semilunar cartilage, knee
  - 586 spleen
  - 514 thyroglossal duct or tract
  - 513 thyroid
  - 767 toenail
  - 551 tongue
  - 552 tonsil, except with adenoids
    - 553 with adenoids
  - 555 tonsil tag

Group No. **Title**

- Excision **(continued)**
  - tubes and ovaries
    - 670 bilateral
    - 669 unilateral
  - 678 uterine fibroid
  - 577 varicocele, except of spermatic cord
    - 663 spermatic cord
- Excision of lesion (and destruction of tissue)
  - 628 abdominal wall
  - 611 anus
  - 619 bile duct, except by ERCP
    - 618 by ERCP
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 718 femur
  - 501 brain
  - 757 breast
  - 562 bronchus
  - 501 cerebral meninges
  - 676 cervix, except by conization
    - 675 conization
  - 598 colon
  - 520 conjunctiva
  - 522 cornea
  - 598 duodenum
  - 533 ear, external
  - 589 esophagus
  - 531 eye
  - 517 eyelid
  - 674 fallopian tube
  - 548 gingiva, gums
  - 598 intestine
  - 524 iris
  - 636 kidney

OPERATION INDEX (continued)

Group No. **Title**

- Excision of lesion **(continued)**
  - 598 large intestine
  - 557 larynx
  - 551 lip
  - 564 lung
  - meninges
    - 501 cerebral
    - 507 spinal
  - 742 muscle
  - nerve
    - 508 peripheral
    - 511 sympathetic
  - 542 nose, except submucous resection
    - 540 submucous resection
  - 668 ovary
  - 620 pancreatic duct, except by ERCP
    - 618 by ERCP
  - 549 parotid gland
  - 666 penis
  - perineum
    - 691 female
    - 762 male
  - 508 peripheral nerve
  - 607 perirectal tissue
  - 628 peritoneum
  - 606 rectum
  - 549 salivary gland
  - 524 sclera
  - 658 scrotum
  - 762 skin, except debridement, radical and of pilonidal cyst
    - 763 debridement
    - 761 pilonidal cyst or sinus
    - 764 radical
  - 507 skull
  - 598 small intestine
  - 507 spinal meninges
  - 593 stomach

Group No. **Title**

- Excision of lesion **(continued)**
  - 742 tendon
  - 661 testis
  - 551 tongue
  - 558 trachea
  - 640 ureter
  - 646 urethra
  - 687 uterine ligament
  - 678 uterus
  - 690 vagina
  - 558 vocal cord
  - 691 vulva
- Exenteration
  - 531 eyeball, orbit
  - 681 pelvic
- Exploration
  - 629 abdominal cavity
  - 619 bile duct, except by ERCP
    - 618 by ERCP
  - 636 kidney
- 629 Exploratory laparotomy
- 601 Exteriorization, intestine
- Extracorporeal
  - 582 circulation
  - 582 membrane oxygenation (ECMO)
  - shock wave lithotripsy (ESWL)
    - 619 biliary tract
    - 652 urinary tract
- Extraction
  - 696 breech, for delivery
  - 546 dental
  - 694 menstrual
  - 546 teeth
  - 697 vacuum, for delivery

- 767 Face lift

OPERATION INDEX (continued)

Group No.	Title
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
	Fistulization
523	sclera (for glaucoma)
561	transesophageal (larynx)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction

Group No.	Title
	Fracture-reduction **(continued)**
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	[illegible]h internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy

OPERATION INDEX (continued)

Group No.	Title
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation

Group No.	Title
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
755	limb prosthesis
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain
760	breast
501	cerebral meninges
568	chest (wall)
522	cornea
502	cranial sinus

OPERATION INDEX (continued)

Group No. **Title**

- Incision (and drainage) (continued)
  - 533 ear, external
  - 518 eyelid
  - 551 floor of mouth
  - 619 gallbladder
  - 548 gingiva, gums
  - 601 intestine
  - 727 joint
  - 519 lacrimal gland or sac
  - 614 liver
  - 583 lymph nodes
  - 538 mastoid
  - meninges
    - 501 cerebral
    - 506 spinal
  - 536 middle ear
  - 741 muscle
  - nasal sinus-*see Sinusotomy*
  - 741 palmar space (hand)
  - 620 pancreas
  - 613 perianal tissue
  - perineum
    - 691 female
    - 764 male
  - 607 perirectal tissue
  - 629 peritoneum, except via cul-de-sac
    - 690 via cul-de-sac
  - 761 pilonidal cyst or sinus
  - 568 pleura
  - 607 rectovaginal septum
  - 607 rectum
  - 628 retroperitoneal abscess
  - 658 scrotum
  - sinus (nasal)-*see Sinusotomy*
  - 764 skin, except pilonidal cyst or sinus
    - 761 pilonidal cyst or sinus
  - 506 spinal meninges

Group No. **Title**

- Incision (and drainage) (continued)
  - 741 tendon
  - 568 thorax
  - 637 ureter
  - 690 vagina
  - 691 vulva
- 698 Induction of labor (medical or surgical) for delivery
- Infusion
  - concentrated nutritional substances
  - 783 enteral
  - 781 parenteral (PPN) (TPN)
- Injection
  - 702 intra-amniotic, for termination of pregnancy
  - 781 therapeutic agent (drugs)
    - 760 breast
    - 756 bursa
    - 756 joint
    - 756 tendon
- 694 Insemination, artificial
- Insertion
  - 717 bone growth stimulator, except femur
    - 716 femur
  - 574 cardiac pacemaker (electrode) (pulse generator)
  - 512 catheter, spinal canal
  - 596 gastric balloon
  - 764 infusion pump
  - 694 intrauterine contraceptive device
  - 687 laminaria, uterus
  - 665 penile prosthesis
  - 767 tissue expander, except breast
    - 760 breast
  - 651 ureteral stent, except by incision
    - 637 by incision
- 674 Insufflation, fallopian tubes
- 582 Interruption, vena cava
- 702 Intra-amniotic injection for termination of pregnancy
- 775 Intravenous pyelogram (IVP)

OPERATION INDEX (continued)

Group No.	Title
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter

Group No.	Title
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
757	subtotal
537	Mastoidectomy, except revision
538	revision

OPERATION INDEX (continued)

Group No.	Title
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial
	Ostectomy, except facial bone and femur **(continued)**
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
592	PEG (percutaneous endoscopic gastrostomy)
603	PEJ (percutaneous endoscopic jejunostomy)
681	Pelvic exenteration
	Percutaneous
	endoscopic
592	gastrostomy (PEG)
603	jejunostomy (PEJ)
582	transluminal angioplasty, except coronary
571	coronary
575	Pericardiocentesis
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear

OPERATION INDEX (continued)

Group No.	Title
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
	Polypectomy
589	esophagus
598	large intestine
593	stomach
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)

OPERATION INDEX (continued)

Group No. Title

- Reduction **(continued)**
  - fracture
    - 709 facial bone, except closed reduction
      - 708 closed reduction
    - femur
      - 721 closed, except with internal fixation
        - 719 with internal fixation
      - 721 open, except with internal fixation
        - 720 with internal fixation
    - 709 mandible, except closed reduction
      - 708 closed reduction
    - 709 maxillofacial, except closed reduction
      - 708 closed reduction
    - 543 nose
    - site, other than above
      - 724 closed, except with internal fixation
        - 722 with internal fixation
      - 724 open, except with internal fixation
        - 723 with internal fixation
  - 621 hemorrhoids
  - hernia-*see also Herniorrhaphy*
    - 783 manual
  - 602 intestinal torsion
  - 602 intussusception, intestine
  - 760 mammoplasty
  - 602 volvulus, intestine
- Rehabilitation
  - 779 alcohol
  - 779 drug
- Release
  - adhesions-*see Lysis, adhesions*
  - 743 Dupuytren's contracture
  - 767 scar contracture, skin
  - 648 urethral stricture
- Removal
  - 718 bone growth stimulator

Group No. Title

- Removal **(continued)**
  - calculus
    - 619 biliary tract, except by ERCP or percutaneous
      - 618 by ERCP
      - 617 percutaneous
    - 644 bladder, except transurethral approach
      - 643 transurethral approach
    - 636 kidney, except transurethral approach
      - 639 transurethral approach
    - 519 lacrimal tract (by incision)
      - 532 without incision
    - 620 pancreatic duct, except by endoscopic approach
      - 618 endoscopic approach
    - 637 ureter, except transurethral approach
      - 639 transurethral approach
  - 783 catheter, nonoperatively
  - 783 cholecystotomy tube
  - 701 ectopic fetus
  - 718 fixation device, internal
  - foreign body
    - 780 bronchus, except with incision
      - 562 with incision
    - 531 eye, except as below
      - 524 anterior chamber
      - 520 conjunctiva
      - 524 iris
      - 527 lens
    - prosthesis
      - 760 breast
      - 727 joint
  - 597 gastric balloon
  - 666 penile prosthesis
  - 705 retained placenta, manually
  - 783 sutures
  - 783 t-tube, gallbladder
  - 783 therapeutic device, nonoperatively

OPERATION INDEX (continued)

Group No.	Title
	Removal **(continued)**
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
713	claw toe
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus

Group No.	Title
	Repair **(continued)**
713	hammer toe
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	laceration-*see also Repair, by site*
705	obstetric
561	larynx
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear

OPERATION INDEX (continued)

Group No. **Title**

- Repair (**continued**)
  - 745 rotator-cuff (shoulder)
  - 503 skull
  - 507 spina bifida
  - 507 spinal meningocele
  - 597 stomach, except pylorus
    - 596 pylorus
  - 650 stress incontinence, except urethral suspension
    - 649 urethral suspension
  - 746 tendon, except of hand
    - 744 hand
  - 661 testis
  - 713 toe(s)
  - 561 trachea
  - 640 ureter
  - 646 urethra
  - 687 uterus, except obstetric laceration and supporting structures
    - 705 obstetric laceration
    - 686 supporting structures
  - 689 vagina, except for cystocele and rectocele, and obstetric laceration
    - 688 cystocele and rectocele
    - 705 obstetric laceration
  - 551 vestibular arch (mouth)
  - 693 vulva, except obstetric laceration
    - 705 obstetric laceration
- Replacement
  - 574 cardiac pacemaker
  - 570 heart valve
  - 739 joint, except hip and knee
    - 736 hip, except total replacement
      - 735 total replacement
    - 738 knee
  - 665 penile prosthesis
  - 654 urinary catheter
- Resection
  - 644 bladder

Group No. **Title**

- Resection (**continued**)
  - 582 blood vessel
  - 563 bronchus
  - 600 large intestine
  - 745 muscle, except of hand
    - 743 hand
  - 540 nasal septum, submucous
  - 530 ocular muscle
  - 668 ovary
  - 608 rectum (abdominoperineal) (pull-through)
  - 548 root of tooth
  - 599 small intestine
  - 745 tendon, except of hand
    - 743 hand
- 547 Restoration, tooth
- 775 Retrograde pyelogram
- Revision
  - 754 amputation stump
  - 580 arteriovenous shunt for dialysis
  - 597 gastric anastomosis
  - 602 intestinal anastomosis
  - 538 mastoidectomy
  - 561 tracheostomy
  - 538 tympanoplasty
  - 505 ventricular shunt
- 541 Rhinoplasty
- 767 Rhytidectomy, facial
- 548 Root canal therapy
- 548 Root resection (tooth)
- 698 Rupture of membranes for delivery

- Salpingectomy
  - 673 bilateral
  - 674 unilateral

OPERATION INDEX (continued)

Group No.	Title
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP
618	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy

Group No.	Title
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy

OPERATION INDEX (continued)

Group No. **Title**
Termination of pregnancy (continued)
702 intra-amniotic injection
Therapy
779 behavior
781 cancer (chemical)
779 electroconvulsive (ECT)
778 occupational
778 physical
779 psychiatric
776 radiation
779 shock (EST)
778 speech
777 ventilation
775 Thermography
576 Thoracentesis
569 Thoracoscopy, transpleural
568 Thoracotomy
515 Thymectomy
513 Thyroidectomy
582 Thromboendarterectomy, except carotid
581 carotid
551 Tongue-tie operation
552 Tonsillectomy, except with adenoidectomy
553 with adenoidectomy
547 Tooth restoration
781 TPN (total parenteral nutrition)
560 Tracheostomy
778 Traction, skeletal, except with fracture-reduction
with fracture-reduction-*see Reduction, fracture*
Transfer-*see Transplant*
Transfusion
781 blood, except intrauterine exchange
704 intrauterine
585 bone marrow
781 coagulation factor
781 gamma globulin
781 plasma

Group No. **Title**
Transplant, transplantation
585 bone marrow
521 corneal
570 heart
635 kidney
615 liver
567 lung
746 muscle, except of hand
744 hand
620 pancreas
746 tendon, except of hand
744 hand
655 TUR of prostate
542 Turbinectomy, nasal
535 Tympanoplasty, except revision
538 revision
536 Tympanotomy

Ultrasonic fragmentation of calculus
652 biliary
652 urinary, except by percutaneous nephrostomy
634 percutaneous nephrostomy
775 Ultrasound, diagnostic
640 Ureterectomy
638 Ureterostomy
637 Ureterotomy
641 Urethroscopy
648 Urethrotomy
638 Urinary diversion
783 Uroflowmetry, uroflometry

781 Vaccination
697 Vacuum extraction for delivery
694 Vaginoscopy
596 Vagotomy

OPERATION INDEX (continued)

Group No.	Title
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
644	Vesicostomy
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

B4465-1.3

LOS

LENGTH OF STAY

Length of Stay
by Diagnosis and Operation, Northeastern Region, 1989

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1990

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1989
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1989
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1989
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1989
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1989 through December 31, 1989. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1990 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii

Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of the Statistics ix

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables x

Length of Stay Tables 1

- Length of Stay Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-417 4
- Length of Stay Operation Groups 213
- Summary of All Patients in Operation Groups 214
- Operation Groups 501-783 215

Appendix A

1989 Hospital Characteristics 287

Appendix B

Description of Hospital Characteristics 289

Appendix C

State Inclusions By Region 291

Appendix D

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 293

Index

- Part I: Diagnosis Index 298
- Part II: Operation Index 321

ACKNOWLEDGEMENTS

1989 LENGTH OF STAY BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Linda Vanek, Assistant Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Robert Travis, Librarian.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Stacey Cavanaugh, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1989 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1989 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1989.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborns, age is replaced by birth weight in grams. The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Single or Multiple Diagnosis
- Not Operated or Operated (for Diagnosis groups only)
- Patient's Age (or day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay Tables
Diagnosis Groups

213 Hospitals, Northeastern Region, January-December 1989

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	108104	3.0	10	1	2	2	3	5	6	13
20-34	49665	3.2	17	1	2	2	3	5	7	21
35-49	16731	4.4	32	1	2	3	5	9	13	30
50-64	9167	4.9	33	1	2	3	6	9	14	30
65 +	7868	5.9	45	1	2	4	7	12	17	36
B. Operated										
0-19 YRS	29939	2.8	15	< 1	1	2	3	6	8	18
20-34	58902	2.8	5	1	2	3	3	5	6	10
35-49	24536	3.3	9	1	1	3	4	6	8	14
50-64	15249	3.9	13	1	1	3	5	8	11	17
65 +	12090	5.0	25	1	2	4	7	11	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	107760	4.5	36	1	2	3	5	8	12	33
20-34	54079	5.7	53	1	2	3	6	12	20	36
35-49	51724	6.4	54	1	2	4	7	13	20	38
50-64	72972	6.8	52	2	3	5	8	13	19	40
65 +	191985	9.1	90	2	4	7	11	18	26	63
B. Operated										
0-19 YRS	36826	6.3	104	1	1	3	7	15	26	78
20-34	84370	4.8	34	1	2	4	5	8	12	32
35-49	55756	6.5	65	1	2	4	7	13	20	47
50-64	65744	8.7	102	1	3	6	11	19	27	63
65 +	128643	12.3	165	2	4	9	15	27	41	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191535	3.4	17	1	2	3	4	5	8	21
B. Operated	140716	3.2	11	1	1	2	4	6	9	15
2. MULTIPLE DX										
A. Not Operated	478520	7.0	67	2	3	5	8	14	21	48
B. Operated	371339	8.5	112	1	3	5	10	19	29	71
1. SINGLE DX	332251	3.3	14	1	2	2	4	6	8	18
2. MULTIPLE DX	849859	7.7	88	1	3	5	9	16	25	58
A. Not Operated	670055	6.0	56	1	2	4	7	12	18	42
B. Operated	512055	7.0	90	1	2	4	8	16	24	60
TOTAL										
0-19 YRS	282629	4.0	34	1	2	3	4	7	11	32
20-34	247016	4.2	29	1	2	3	5	7	11	28
35-49	148747	5.7	50	1	2	4	6	11	17	38
50-64	163132	7.2	70	1	3	5	9	15	22	48
65 +	340586	10.1	119	2	4	7	12	21	32	76
GRAND TOTAL	1182110	6.4	71	1	2	4	7	14	21	50

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38445	3.3	22	1	1	2	4	6	8	24
20-34	49665	3.2	17	1	2	2	3	5	7	21
35-49	16731	4.4	32	1	2	3	5	9	13	30
50-64	9167	4.9	33	1	2	3	6	9	14	30
65 +	7868	5.9	45	1	2	4	7	12	17	36
B. Operated										
0-19 YRS	29866	2.8	12	< 1	1	2	3	6	8	17
20-34	58902	2.8	5	1	2	3	3	5	6	10
35-49	24536	3.3	9	1	1	3	4	6	8	14
50-64	15249	3.9	13	1	1	3	5	8	11	17
65 +	12090	5.0	25	1	2	4	7	11	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58077	4.7	44	1	2	3	5	9	14	36
20-34	54079	5.7	53	1	2	3	6	12	20	36
35-49	51724	6.4	54	1	2	4	7	13	20	38
50-64	72972	6.8	52	2	3	5	8	13	19	40
65 +	191985	9.1	90	2	4	7	11	18	26	63
B. Operated										
0-19 YRS	35540	5.8	83	1	1	3	6	14	23	64
20-34	84370	4.8	34	1	2	4	5	8	12	32
35-49	55756	6.5	65	1	2	4	7	13	20	47
50-64	65744	8.7	102	1	3	6	11	19	27	63
65 +	128643	12.3	165	2	4	9	15	27	41	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	121876	3.7	24	1	2	3	4	7	10	26
B. Operated	140643	3.2	10	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	428837	7.4	71	2	3	5	9	15	22	49
B. Operated	370053	8.5	110	1	3	5	10	19	29	69
1. SINGLE DX	262519	3.4	17	1	1	2	4	6	9	20
2. MULTIPLE DX	798890	7.9	90	1	3	5	9	17	25	59
A. Not Operated	550713	6.6	63	1	2	4	8	14	20	45
B. Operated	510696	7.0	88	1	2	4	8	16	24	59
TOTAL										
0-19 YRS	161928	4.3	42	1	1	3	4	8	14	37
20-34	247016	4.2	29	1	2	3	5	7	11	28
35-49	148747	5.7	50	1	2	4	6	11	17	38
50-64	163132	7.2	70	1	3	5	9	15	22	48
65 +	340586	10.1	119	2	4	7	12	21	32	76
GRAND TOTAL	**1061409**	**6.8**	**75**	**1**	**2**	**4**	**8**	**15**	**22**	**52**

213 Hospitals, Northeastern Region, January-December 1989

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	476	2.2	2	1	1	2	3	4	4	6
20-34	120	2.1	2	1	1	2	3	4	5	6
35-49	63	2.4	2	1	1	2	3	4	6	7
50-64	23	2.2	2	1	1	2	3	4	5	5
65+	19	2.4	2	1	1	2	3	4	5	5
B. Operated										
0-19 YRS	7	4.0	2	2	3	4	4	6	7	7
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	0									
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	928	2.9	4	1	2	2	3	5	6	11
20-34	265	2.9	5	1	1	2	4	6	7	12
35-49	237	3.3	6	1	2	3	4	6	8	13
50-64	232	3.8	7	1	2	3	5	7	9	14
65+	482	5.4	42	2	3	4	6	9	12	36
B. Operated										
0-19 YRS	23	5.6	28	1	2	3	8	12	20	21
20-34	17	4.2	6	1	2	4	7	8	8	8
35-49	15	5.1	9	2	3	4	6	11	12	13
50-64	20	6.0	8	3	4	5	7	10	12	13
65+	31	12.0	119	4	6	7	14	25	44	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	701	2.2	2	1	1	2	3	4	5	6
B. Operated	13	4.4	5	2	3	4	5	8	10	10
2. MULTIPLE DX										
A. Not Operated	2144	3.6	14	1	2	3	4	6	8	15
B. Operated	106	7.3	53	2	4	5	8	14	19	46
1. SINGLE DX	714	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2250	3.8	17	1	2	3	4	7	9	17
A. Not Operated	2845	3.3	12	1	2	3	4	6	7	14
B. Operated	119	6.9	49	2	3	5	8	13	18	46
TOTAL										
0-19 YRS	1434	2.7	4	1	2	2	3	5	6	10
20-34	405	2.7	4	1	1	2	4	5	7	10
35-49	317	3.2	6	1	2	3	4	6	7	13
50-64	275	3.8	7	1	2	3	5	7	9	14
65+	533	5.7	47	2	3	4	6	10	14	45
GRAND TOTAL	**2964**	**3.4**	**14**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	201	4.1	8	1	2	3	5	8	10	14
20-34	122	3.3	4	1	2	3	4	6	7	10
35-49	76	4.1	5	2	2	4	5	7	8	10
50-64	33	3.9	4	1	3	4	5	7	7	8
65+	16	4.1	3	2	3	4	5	6	7	8
B. Operated										
0-19 YRS	10	5.3	7	2	4	5	6	9	12	12
20-34	25	4.9	8	2	3	4	6	7	13	13
35-49	7	4.6	5	2	3	4	6	8	8	8
50-64	11	5.6	5	3	4	6	8	9	9	9
65+	2	9.5	113	2	2	9	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	375	5.8	43	2	3	4	7	10	14	44
20-34	233	4.6	11	2	2	4	6	9	12	18
35-49	181	5.9	20	2	3	4	7	12	15	22
50-64	163	5.9	42	2	3	5	7	10	12	44
65+	377	9.7	78	3	5	7	12	17	25	49
B. Operated										
0-19 YRS	25	16.4	383	4	5	8	17	51	66	74
20-34	59	7.1	21	3	4	6	9	15	18	92
35-49	45	12.0	303	3	4	5	13	29	72	99+
50-64	63	9.3	119	3	3	6	10	21	34	58
65+	141	16.1	212	4	7	12	22	31	48	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	448	3.9	6	1	2	3	5	7	8	14
B. Operated	55	5.3	9	2	3	5	6	8	13	17
2. MULTIPLE DX										
A. Not Operated	1329	6.7	48	2	3	5	8	13	17	45
B. Operated	333	12.7	197	3	5	8	15	28	42	97
1. SINGLE DX	503	4.0	7	1	2	3	5	7	9	14
2. MULTIPLE DX	1662	7.9	83	2	3	5	9	15	24	57
A. Not Operated	1777	6.0	39	2	3	4	7	11	15	39
B. Operated	388	11.6	177	3	4	7	14	27	36	92
TOTAL										
0-19 YRS	611	5.7	50	2	3	4	6	10	14	47
20-34	439	4.6	12	2	2	4	6	9	12	19
35-49	309	6.3	62	2	3	4	7	12	17	47
50-64	270	6.4	56	2	3	5	7	11	14	50
65+	536	11.2	120	3	5	8	14	23	30	67
GRAND TOTAL	**2165**	**7.0**	**68**	**2**	**3**	**5**	**8**	**14**	**20**	**51**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	7.7	14	3	4	7	10	13	14	14
20-34	16	10.6	28	4	7	9	14	18	21	22
35-49	6	12.5	22	5	9	14	16	17	17	17
50-64	3	7.7	69	1	2	5	14	17	17	17
65+	3	8.7	30	3	4	9	13	14	14	14
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	9.8	24	4	7	9	14	17	17	17
35-49	6	9.5	5	6	8	10	11	12	12	12
50-64	1	13.0		13	13	13	13	13	13	13
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	8.0	43	3	3	5	13	18	19	19
20-34	72	13.4	167	4	7	10	15	24	34	83
35-49	77	16.8	242	5	7	13	19	37	53	85
50-64	36	16.8	154	4	8	14	20	34	48	55
65+	34	13.5	57	6	8	11	21	24	31	99+
B. Operated										
0-19 YRS	5	7.6	40	1	4	6	10	18	18	18
20-34	40	18.7	100	9	12	15	26	29	43	47
35-49	41	21.0	285	6	8	14	30	46	53	74
50-64	37	20.5	233	7	11	17	28	51	89	99+
65+	37	22.5	296	7	13	21	35	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	9.8	26	3	5	9	14	17	18	22
B. Operated	16	9.0	16	4	6	9	11	14	16	17
2. MULTIPLE DX										
A. Not Operated	225	15.0	172	4	7	11	19	29	41	91
B. Operated	160	20.2	224	7	10	16	28	47	77	99+
1. SINGLE DX	54	9.5	23	3	6	9	13	16	17	22
2. MULTIPLE DX	385	17.2	200	6	8	14	22	39	57	99+
A. Not Operated	263	14.2	155	4	7	11	17	25	38	86
B. Operated	176	19.2	215	6	9	15	26	45	74	99+
TOTAL										
0-19 YRS	22	7.8	24	3	4	6	10	15	18	19
20-34	134	14.5	132	6	8	11	17	26	33	64
35-49	130	17.6	240	5	8	13	20	40	49	78
50-64	77	18.2	191	5	8	15	23	41	57	99+
65+	76	17.4	196	5	9	14	24	51	99+	99+
GRAND TOTAL	**439**	**16.2**	**184**	**5**	**8**	**13**	**20**	**36**	**49**	**99+**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	0									
50-64	1	16.0		16	16	16	16	16	16	16
65+	0									
B. Operated										
0-19 YRS	0									
20-34	4	6.0	9	3	3	6	8	9	9	9
35-49	2	10.5	25	7	7	10	14	14	14	14
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	9.0	128	1	1	9	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	18.0	171	9	10	12	28	33	33	33
20-34	10	13.8	83	2	5	14	22	25	26	26
35-49	6	26.3	641	2	5	18	49	63	65	65
50-64	4	7.3	18	4	4	6	10	13	13	13
65+	3	17.7	202	8	9	22	67	99+	99+	99+
B. Operated										
0-19 YRS	1	1.0		1	1	50	99+	99+	99+	99+
20-34	23	23.4	296	7	12	18	36	50	86	99+
35-49	20	23.0	371	2	8	17	32	60	60	60
50-64	8	23.6	295	8	13	22	40	84	99+	99+
65+	11	32.7	1080	3	4	30	52	88	91	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	11.5	41	7	7	11	16	16	16	16
B. Operated	9	7.2	30	1	3	7	10	16	17	17
2. MULTIPLE DX										
A. Not Operated	26	16.6	230	3	6	12	24	46	70	99+
B. Operated	63	24.6	448	4	9	18	36	60	93	99+
1. SINGLE DX	11	8.0	31	2	3	7	13	16	17	17
2. MULTIPLE DX	89	22.3	395	4	9	17	34	60	90	99+
A. Not Operated	28	16.3	217	3	7	12	23	43	67	99+
B. Operated	72	22.4	428	3	7	17	34	60	90	99+
TOTAL										
0-19 YRS	5	12.4	149	2	7	10	33	93	99+	99+
20-34	37	18.9	241	4	9	17	26	40	67	99+
35-49	28	22.8	395	2	6	16	32	60	61	65
50-64	14	16.9	236	4	7	15	25	60	90	99+
65+	16	26.9	840	2	4	17	41	90	97	99+
GRAND TOTAL	**100**	**20.7**	**374**	**3**	**7**	**16**	**32**	**60**	**87**	**99+**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	2.7	2	1	2	2	3	5	5	7
20-34	39	3.1	2	2	2	3	4	5	5	7
35-49	6	2.3	2	1	2	2	2	5	5	5
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	38	1.1		1	1	1	1	1	2	2
20-34	13	1.2	1	< 1	1	1	1	2	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	229	2.9	3	1	2	2	3	5	6	10
20-34	88	3.0	3	1	2	3	4	5	7	9
35-49	42	3.9	5	1	2	3	5	7	9	10
50-64	12	5.5	24	1	2	4	7	13	17	18
65 +	11	7.7	149	2	3	3	6	23	42	44
B. Operated										
0-19 YRS	36	1.3	1	1	1	1	1	1	3	6
20-34	5	2.2	3	1	1	1	3	5	5	5
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	4	10.0	35	5	5	8	14	18	18	18
65 +	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	2.8	2	1	2	3	3	5	5	7
B. Operated	51	1.1		1	1	1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	382	3.3	9	1	2	3	4	6	7	11
B. Operated	48	2.5	11	1	1	1	2	6	10	18
1. SINGLE DX	184	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	430	3.2	9	1	2	3	4	6	8	11
A. Not Operated	515	3.1	7	1	2	3	4	5	7	10
B. Operated	99	1.8	6	1	1	1	1	4	6	15
TOTAL										
0-19 YRS	387	2.5	3	1	1	2	3	5	6	9
20-34	145	2.9	2	1	2	3	4	5	5	8
35-49	50	3.8	5	1	2	3	5	7	8	10
50-64	18	6.2	27	2	2	4	8	16	18	18
65 +	14	7.1	120	2	3	4	7	13	37	44
GRAND TOTAL	**614**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	319	4.5	10	2	2	3	5	9	11	16
20-34	7	5.9	8	2	3	6	8	10	10	10
35-49	9	6.0	11	1	3	8	8	10	10	10
50-64	8	4.6	10	1	3	4	6	10	11	11
65 +	15	6.5	10	3	4	5	9	11	12	13
B. Operated										
0-19 YRS	15	6.2	39	2	2	3	10	23	77	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	708	5.5	24	2	3	4	7	11	14	29
20-34	186	8.1	33	3	4	7	10	14	19	30
35-49	274	10.4	85	3	6	8	12	19	28	73
50-64	554	11.0	65	5	6	9	13	19	25	49
65 +	2258	13.0	101	5	7	10	15	24	34	82
B. Operated										
0-19 YRS	73	12.5	194	2	5	9	16	28	40	98
20-34	69	19.1	329	4	8	11	26	44	61	85
35-49	114	19.1	171	6	9	15	27	41	52	99 +
50-64	217	18.5	177	7	10	15	25	42	53	99 +
65 +	783	23.5	303	8	12	18	31	55	78	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	358	4.7	10	2	3	4	6	10	11	16
B. Operated	15	6.2	39	2	2	3	10	23	77	99 +
2. MULTIPLE DX										
A. Not Operated	3980	11.0	86	3	5	9	13	20	29	63
B. Operated	1256	21.4	273	7	11	16	29	50	70	99 +
1. SINGLE DX	373	4.7	11	2	3	4	6	10	11	20
2. MULTIPLE DX	5236	13.5	151	4	6	10	16	29	42	99 +
A. Not Operated	4338	10.4	83	3	5	8	13	20	28	58
B. Operated	1271	21.2	273	7	10	16	28	50	70	99 +
TOTAL										
0-19 YRS	1115	5.7	35	2	3	4	7	11	15	33
20-34	262	10.9	133	3	5	8	12	24	31	65
35-49	397	12.8	124	4	6	9	16	29	42	99 +
50-64	779	13.0	107	5	7	10	15	26	39	74
65 +	3056	15.7	174	5	8	12	18	33	49	99 +
GRAND TOTAL	**5609**	**12.9**	**146**	**3**	**6**	**10**	**16**	**27**	**41**	**99 +**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	121	5.7	14	2	2	5	8	11	12	17
20-34	12	9.0	51	3	4	7	12	18	27	28
35-49	10	6.3	20	1	2	6	10	13	15	15
50-64	11	5.0	5	2	4	5	6	8	10	10
65 +	6	6.7	37	3	4	4	5	18	19	19
B. Operated										
0-19 YRS	6	4.7	13	1	1	5	8	8	8	8
20-34	3	8.3	10	6	6	7	11	12	12	12
35-49	2	11.0	2	10	10	11	12	12	12	12
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	161	7.2	18	2	4	7	10	13	16	19
20-34	53	8.1	64	2	3	5	10	16	21	49
35-49	46	10.8	134	3	5	7	14	22	28	71
50-64	43	10.7	153	3	4	7	12	22	36	70
65 +	96	9.5	54	4	5	7	11	19	28	35
B. Operated										
0-19 YRS	22	17.6	282	5	8	11	22	38	54	76
20-34	16	17.4	409	4	8	13	19	76	95	99 +
35-49	20	17.2	88	6	11	18	24	35	65	99 +
50-64	15	14.6	121	3	9	12	22	43	83	99 +
65 +	30	23.4	430	5	8	18	29	51	61	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	6.0	18	2	3	5	8	11	14	21
B. Operated	11	6.8	16	1	3	8	10	12	12	12
2. MULTIPLE DX										
A. Not Operated	399	8.7	62	3	4	7	10	16	21	39
B. Operated	103	18.7	283	5	8	14	26	44	78	99 +
1. SINGLE DX	171	6.0	18	2	3	5	8	11	14	21
2. MULTIPLE DX	502	10.7	123	3	5	8	13	22	31	81
A. Not Operated	559	7.9	51	2	4	6	10	15	19	35
B. Operated	114	17.6	270	4	8	13	23	39	71	99 +
TOTAL										
0-19 YRS	310	7.3	43	2	3	7	9	13	16	36
20-34	84	10.0	134	3	4	7	12	19	29	95
35-49	78	11.9	115	3	5	9	17	26	34	92
50-64	69	10.7	129	3	4	7	12	25	38	94
65 +	132	12.5	171	4	5	8	16	28	31	67
GRAND TOTAL	**673**	**9.5**	**101**	**2**	**4**	**7**	**11**	**19**	**28**	**71**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	479	3.2	4	2	2	3	4	6	7	11
20-34	178	3.9	5	2	2	3	5	7	9	11
35-49	68	4.0	4	2	3	4	5	6	8	11
50-64	6	4.5	6	2	3	4	7	8	8	8
65 +	4	5.0	9	2	3	4	7	9	9	9
B. Operated										
0-19 YRS	10	3.0	2	2	2	3	3	5	7	7
20-34	1	23.0		23	23	23	23	23	23	23
35-49	0									
50-64	1	28.0		28	28	28	28	28	28	28
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	336	4.1	10	2	2	3	4	8	10	18
20-34	134	5.3	18	2	3	4	7	9	11	31
35-49	53	5.2	12	2	3	4	7	11	12	14
50-64	21	5.7	14	2	3	4	7	12	14	15
65 +	23	11.1	54	4	6	10	13	21	31	32
B. Operated										
0-19 YRS	16	7.5	53	2	3	5	9	18	26	29
20-34	4	5.3	28	1	2	3	8	13	13	13
35-49	4	9.0	25	3	5	9	12	15	15	15
50-64	0									
65 +	2	22.5	61	17	17	22	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	735	3.5	5	2	2	3	4	6	8	11
B. Operated	12	6.8	80	2	2	3	5	24	27	28
2. MULTIPLE DX										
A. Not Operated	567	[illegible].8	16	2	3	4	6	9	12	22
B. Operated	26	8.5	59	2	3	6	11	19	28	29
1. SINGLE DX	747	3.5	6	2	2	3	4	6	8	11
2. MULTIPLE DX	593	5.0	18	2	3	4	6	10	12	28
A. Not Operated	1302	4.1	10	2	2	3	5	8	10	14
B. Operated	38	8.0	64	2	2	4	10	22	28	29
TOTAL										
0-19 YRS	841	3.7	8	2	2	3	4	6	9	14
20-34	317	4.6	12	2	3	4	6	8	10	17
35-49	125	4.7	9	2	3	4	6	9	12	14
50-64	28	6.3	30	2	3	4	7	12	16	28
65 +	29	11.1	60	3	6	10	13	24	30	32
GRAND TOTAL	**1340**	**4.2**	**12**	**2**	**2**	**3**	**5**	**8**	**10**	**19**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	114	3.7	11	1	2	3	5	7	9	19
20-34	48	4.5	6	1	3	4	6	8	9	11
35-49	11	5.7	12	2	2	5	9	10	11	11
50-64	16	4.9	6	3	3	4	6	8	10	11
65 +	30	5.2	9	2	3	4	7	10	11	12
B. Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	3	4.7	22	1	1	3	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	360	4.7	10	2	3	4	6	8	10	18
20-34	107	5.8	21	2	3	5	7	9	12	29
35-49	74	7.5	31	3	4	6	10	13	15	33
50-64	92	7.2	25	3	4	6	9	12	16	30
65 +	364	9.1	83	3	5	7	10	17	25	79
B. Operated										
0-19 YRS	13	7.8	47	1	2	8	12	29	84	99 +
20-34	17	17.2	577	2	5	8	20	83	98	99 +
35-49	11	8.6	38	2	5	8	9	19	23	23
50-64	13	11.8	79	5	7	10	14	19	35	39
65 +	55	18.6	250	4	7	16	23	36	54	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	219	4.3	10	1	2	3	6	8	10	13
B. Operated	7	3.4	10	1	1	2	4	9	10	10
2. MULTIPLE DX										
A. Not Operated	997	6.9	44	2	3	6	8	12	17	36
B. Operated	109	15.3	247	3	5	10	19	35	55	99 +
1. SINGLE DX	226	4.3	10	1	2	3	6	8	10	12
2. MULTIPLE DX	1106	7.7	70	2	4	6	9	15	21	55
A. Not Operated	1216	6.4	39	2	3	5	8	11	16	34
B. Operated	116	14.5	240	2	5	10	19	35	55	99 +
TOTAL										
0-19 YRS	490	4.6	12	1	2	4	6	8	10	20
20-34	173	6.5	81	2	3	5	7	10	17	85
35-49	96	7.4	29	2	4	6	10	13	17	30
50-64	121	7.4	31	3	4	6	9	13	16	35
65 +	452	10.0	108	3	4	7	11	20	30	79
GRAND TOTAL	1332	7.1	62	2	3	5	8	13	19	49

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	3.9	5	2	2	3	5	6	8	11
20-34	61	5.3	8	2	3	5	7	8	12	15
35-49	36	5.6	11	2	3	5	8	11	12	14
50-64	6	4.0	5	2	2	3	5	8	8	8
65 +	4	4.3	3	2	3	4	5	6	6	6
B. Operated										
0-19 YRS	0									
20-34	4	2.8	12	1	1	1	5	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	5.2	13	1	2	5	7	11	12	15
20-34	106	6.4	14	3	3	6	8	12	14	18
35-49	71	8.5	80	3	4	6	10	14	20	60
50-64	38	9.8	[illegible]	3	5	10	14	22	26	99 +
65 +	44	9.8	57	3	5	8	13	16	21	47
B. Operated										
0-19 YRS	9	23.6	834	1	2	19	56	92	99 +	99 +
20-34	3	7.0	4	5	5	7	8	9	9	9
35-49	10	10.1	43	5	7	8	12	20	27	27
50-64	6	4.8	16	1	1	4	8	10	10	10
65 +	17	13.4	82	5	8	10	16	23	35	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	5.1	8	2	3	4	7	8	11	14
B. Operated	7	4.3	33	1	1	1	6	14	16	16
2. MULTIPLE DX										
A. Not Operated	291	7.7	42	2	4	6	10	14	18	42
B. Operated	45	13.1	228	2	7	9	16	27	62	99 +
1. SINGLE DX	136	5.0	9	2	3	4	7	8	12	15
2. MULTIPLE DX	336	8.5	70	2	4	7	10	15	21	68
A. Not Operated	420	6.9	33	2	3	5	9	13	16	30
B. Operated	52	11.9	210	1	4	8	15	24	54	99 +
TOTAL										
0-19 YRS	63	7.4	160	1	2	4	7	15	33	98
20-34	174	5.9	12	2	3	5	8	11	13	16
35-49	118	7.7	57	3	3	6	10	13	18	46
50-64	51	8.4	39	2	4	7	11	18	24	98
65 +	66	10.5	63	3	5	9	13	18	22	46
GRAND TOTAL	472	7.5	55	2	3	6	9	14	18	54

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	118	2.9	2	1	2	3	4	5	6	8
20-34	34	4.5	11	1	2	4	7	9	12	13
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	360	3.8	6	2	2	3	4	7	9	12
20-34	95	4.5	10	2	3	4	6	8	10	18
35-49	12	6.3	13	2	3	6	9	11	12	12
50-64	8	5.6	15	2	3	5	7	12	14	14
65 +	1	19.0		19	19	19	19	19	19	19
B. Operated										
0-19 YRS	13	7.5	41	3	4	5	9	14	24	27
20-34	5	6.6	13	2	3	7	9	11	11	11
35-49	1	10.0		10	10	10	10	10	10	10
50-64	0									
65 +	2	12.5	181	3	3	12	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	3.3	5	1	2	3	4	7	8	12
B. Operated	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	476	4.1	8	2	2	3	5	7	9	14
B. Operated	21	7.9	39	3	4	6	10	15	24	27
1. SINGLE DX	157	3.3	5	1	2	3	4	7	8	12
2. MULTIPLE DX	497	4.2	9	2	2	3	5	8	10	18
A. Not Operated	631	3.9	7	2	2	3	5	7	9	14
B. Operated	23	7.7	37	3	3	6	10	13	24	27
TOTAL										
0-19 YRS	492	3.7	6	2	2	3	4	6	8	12
20-34	135	4.6	10	2	3	4	6	9	11	15
35-49	15	6.1	13	2	3	5	9	11	12	12
50-64	9	5.8	13	2	3	6	7	11	14	14
65 +	3	14.7	104	3	7	19	21	22	22	22
GRAND TOTAL	**654**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**9**	**14**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	1.5	1	< 1	< 1	< 1	1	3	5	5
20-34	54	1.5	1	< 1	< 1	1	2	3	4	8
35-49	13	1.9	3	< 1	< 1	1	2	5	7	7
50-64	3	3.3	16	< 1	< 1	1	6	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	14	3.0	14	< 1	1	2	3	10	12	13
20-34	25	1.5	1	< 1	1	1	2	3	4	5
35-49	12	1.7	2	< 1	< 1	1	2	3	6	6
50-64	7	2.9	4	1	1	3	3	6	7	7
65 +	3	4.7	6	2	3	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	81	1.7	2	< 1	< 1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	61	2.2	5	< 1	1	1	2	5	7	13
1. SINGLE DX	82	1.7	2	< 1	< 1	1	2	3	6	8
2. MULTIPLE DX	63	2.1	5	< 1	1	1	2	5	7	13
A. Not Operated	3	3.0	12	< 1	< 1	1	5	7	7	7
B. Operated	142	1.9	3	< 1	< 1	1	2	4	6	10
TOTAL										
0-19 YRS	26	2.5	9	< 1	< 1	1	2	7	11	13
20-34	79	1.5	1	< 1	< 1	1	2	3	4	7
35-49	26	1.8	3	< 1	< 1	1	2	4	6	7
50-64	11	2.8	6	< 1	1	2	3	7	8	8
65 +	3	4.7	6	2	3	5	6	7	7	7
GRAND TOTAL	**145**	**1.9**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**7**	**10**

213 Hospitals, Northeastern Region, January-December 1989

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1317	2.9	2	1	2	3	4	4	5	8
20-34	134	3.5	7	1	2	3	4	7	10	14
35-49	52	3.4	7	1	2	3	4	6	9	13
50-64	24	3.0	3	1	2	3	4	5	6	7
65 +	15	3.4	7	1	2	3	4	5	10	12
B. Operated										
0-19 YRS	47	3.0	2	1	2	3	4	5	5	8
20-34	6	3.7	6	< 1	2	3	6	7	7	7
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1732	3.2	8	1	2	3	4	5	7	13
20-34	491	7.1	86	1	2	4	8	17	26	57
35-49	434	8.9	126	2	3	5	10	20	32	75
50-64	250	6.7	98	2	3	4	7	13	22	99
65 +	416	6.0	26	2	3	5	7	11	15	28
B. Operated										
0-19 YRS	84	5.3	54	2	3	3	5	8	30	80
20-34	189	23.1	381	4	9	19	31	53	83	99 +
35-49	241	23.2	391	4	9	19	32	54	75	99 +
50-64	62	19.0	229	5	9	17	25	53	79	99 +
65 +	38	17.0	281	4	6	9	21	44	50	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1542	2.9	3	1	2	3	4	5	6	11
B. Operated	57	3.1	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	3323	5.1	48	1	2	3	5	10	16	40
B. Operated	614	19.9	354	3	6	16	29	49	71	99 +
1. SINGLE DX	1599	3.0	3	1	2	3	4	5	6	10
2. MULTIPLE DX	3937	7.4	125	2	2	4	7	18	30	74
A. Not Operated	4865	4.4	35	1	2	3	4	8	12	33
B. Operated	671	18.5	346	2	5	13	26	46	70	99 +
TOTAL										
0-19 YRS	3180	3.1	7	1	2	3	4	5	6	12
20-34	820	10.2	192	1	2	4	12	27	41	93
35-49	729	13.2	255	2	3	7	17	34	51	99
50-64	337	8.7	140	2	3	5	10	22	37	99 +
65 +	470	6.8	54	2	3	5	7	12	18	43
GRAND TOTAL	**5536**	**6.1**	**94**	**1**	**2**	**3**	**5**	**14**	**24**	**65**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	3.7	9	1	2	3	4	7	11	14
20-34	52	4.7	23	1	1	3	6	13	15	21
35-49	40	3.2	16	1	1	2	3	8	14	18
50-64	15	3.0	6	1	1	2	4	6	9	10
65 +	12	8.0	44	1	2	7	15	16	19	19
B. Operated										
0-19 YRS	4	5.8	40	1	2	3	9	15	15	15
20-34	0									
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	4.8	19	1	2	3	6	11	13	23
20-34	57	7.5	31	2	3	6	11	15	18	23
35-49	64	6.8	49	1	2	4	10	16	22	32
50-64	33	8.5	65	1	2	7	13	17	30	32
65 +	44	11.7	78	4	6	9	14	21	33	43
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	13.3	94	5	6	11	21	24	24	24
35-49	6	22.8	193	5	12	24	29	42	44	44
50-64	8	12.6	148	2	3	7	22	31	33	33
65 +	14	19.4	406	3	5	8	32	58	60	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	177	4.1	18	1	1	3	5	10	15	19
B. Operated	7	4.9	21	1	3	4	4	13	15	15
2. MULTIPLE DX										
A. Not Operated	238	7.7	51	1	3	5	12	16	22	34
B. Operated	33	16.8	261	2	5	10	26	38	56	61
1. SINGLE DX	184	4.1	18	1	1	3	5	11	15	19
2. MULTIPLE DX	271	8.9	85	1	3	6	13	20	28	44
A. Not Operated	415	6.2	40	1	2	4	8	15	18	32
B. Operated	40	14.7	239	2	4	7	24	34	51	61
TOTAL										
0-19 YRS	104	4.2	14	1	2	3	5	9	13	19
20-34	112	6.3	31	1	2	4	9	15	17	23
35-49	112	6.3	61	1	1	3	8	16	23	38
50-64	57	7.5	67	1	2	4	10	17	30	33
65 +	70	12.6	146	2	5	9	15	28	38	60
GRAND TOTAL	**455**	**6.9**	**63**	**1**	**2**	**4**	**9**	**15**	**22**	**38**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	6.6	10	3	4	6	10	11	12	16
20-34	43	4.7	6	2	3	4	6	8	9	13
35-49	12	4.2	8	1	2	4	6	8	10	10
50-64	4	7.8	7	4	6	8	9	10	10	10
65 +	0									
B. Operated										
0-19 YRS	3	6.3	25	< 1	2	7	10	11	11	11
20-34	9	2.0	6	< 1	1	1	2	6	8	8
35-49	5	3.8	15	< 1	1	1	8	8	8	8
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	7.2	21	2	4	6	10	13	17	21
20-34	88	7.1	25	3	4	5	8	13	15	30
35-49	25	8.9	35	2	4	9	11	14	18	29
50-64	13	7.2	25	1	2	7	12	13	13	13
65 +	18	16.5	315	3	6	9	24	41	60	70
B. Operated										
0-19 YRS	6	6.8	10	4	5	6	7	12	13	13
20-34	24	15.0	400	3	7	9	13	31	59	98
35-49	7	13.4	359	2	5	7	9	47	56	56
50-64	5	7.6	74	< 1	1	6	11	22	22	22
65 +	5	15.8	340	1	3	14	46	95	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	5.7	9	2	3	5	8	10	11	14
B. Operated	18	3.2	12	< 1	1	1	7	8	10	11
2. MULTIPLE DX										
A. Not Operated	210	8.2	55	2	4	6	11	14	19	38
B. Operated	47	13.0	295	2	5	8	12	39	60	99 +
1. SINGLE DX	140	5.4	10	1	3	5	8	10	11	13
2. MULTIPLE DX	257	9.0	101	2	4	7	11	15	25	69
A. Not Operated	332	7.3	40	3	4	6	10	13	15	33
B. Operated	65	10.3	235	1	2	7	11	25	48	99 +
TOTAL										
0-19 YRS	138	6.9	15	3	4	6	10	11	14	19
20-34	164	7.3	84	2	3	5	8	13	16	42
35-49	49	7.9	76	1	2	7	10	13	16	56
50-64	22	7.4	30	1	2	7	11	13	17	22
65 +	24	15.7	302	2	3	9	25	46	77	99 +
GRAND TOTAL	**397**	**7.8**	**72**	**2**	**4**	**6**	**10**	**13**	**18**	**51**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	6.3	70	2	2	4	6	10	29	40
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	2	31.0	1800	1	1	31	61	61	61	61
50-64	4	7.0	7	5	5	6	9	11	11	11
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	4.0	18	< 1	< 1	3	7	7	7	7
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	5.1	25	2	2	3	6	10	13	26
20-34	46	10.5	190	2	3	6	10	33	58	99 +
35-49	99	9.5	257	1	1	3	10	31	49	80
50-64	25	11.3	118	2	4	7	14	33	36	41
65 +	52	11.5	68	3	6	9	15	24	31	38
B. Operated										
0-19 YRS	12	25.9	422	4	15	19	32	62	71	72
20-34	34	30.1	457	6	10	25	49	55	85	99 +
35-49	37	27.3	431	5	10	25	46	64	93	99 +
50-64	22	18.6	234	4	9	16	31	68	99 +	99 +
65 +	22	19.5	396	2	6	15	23	44	66	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	7.5	136	2	2	4	6	11	36	61
B. Operated	6	2.3	6	< 1	< 1	1	3	7	7	7
2. MULTIPLE DX										
A. Not Operated	302	9.0	146	1	2	5	10	23	34	67
B. Operated	127	25.1	406	5	10	22	40	59	88	99 +
1. SINGLE DX	43	6.8	121	1	2	4	6	11	32	61
2. MULTIPLE DX	429	13.7	276	1	3	7	19	40	55	99 +
A. Not Operated	339	8.8	144	1	2	5	10	22	34	63
B. Operated	133	24.0	410	3	8	20	39	57	87	99 +
TOTAL										
0-19 YRS	122	7.3	109	2	2	4	7	18	27	62
20-34	84	18.1	386	3	5	9	28	52	63	99 +
35-49	139	14.5	375	1	1	6	23	49	62	99 +
50-64	52	13.9	172	3	5	10	21	39	59	99 +
65 +	75	13.8	174	3	6	10	18	28	37	79
GRAND TOTAL	**472**	**13.1**	**265**	**1**	**3**	**7**	**17**	**39**	**53**	**99 +**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	0									
35-49	0									
50-64	3	9.3	4	7	8	10	11	11	11	11
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	6.0	7	3	4	6	8	9	9	9
20-34	6	17.5	353	3	5	11	22	50	53	53
35-49	1	9.0		9	9	9	9	9	9	9
50-64	6	9.5	59	2	3	7	19	19	19	19
65 +	3	15.7	104	4	8	20	22	23	23	23
B. Operated										
0-19 YRS	8	3.8	2	2	3	4	5	6	6	6
20-34	3	11.3	22	6	8	13	14	15	15	15
35-49	1	70.0		70	70	70	70	70	70	70
50-64	4	16.5	110	1	10	21	23	23	23	23
65 +	2	15.5	145	7	7	15	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	9.0	6	6	7	10	11	11	11	11
B. Operated	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	24	11.1	124	3	4	8	17	22	32	53
B. Operated	18	12.8	267	2	4	6	19	24	52	70
1. SINGLE DX	8	6.8	15	1	4	7	10	11	11	11
2. MULTIPLE DX	42	11.8	181	2	4	7	19	23	36	70
A. Not Operated	29	10.7	103	3	5	8	12	21	24	53
B. Operated	21	11.4	240	1	3	6	16	24	45	70
TOTAL										
0-19 YRS	19	5.1	7	2	3	4	7	9	10	11
20-34	10	14.0	230	2	5	10	15	37	53	53
35-49	3	28.3	1304	6	7	9	55	70	70	70
50-64	13	11.6	64	2	5	10	19	23	23	23
65 +	5	15.6	88	4	6	20	23	24	24	24
GRAND TOTAL	**50**	**11.0**	**157**	**2**	**4**	**7**	**15**	**23**	**24**	**70**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	12.0		12	12	12	12	12	12	12
20-34	3	7.0	27	1	3	10	10	10	10	10
35-49	3	15.0	217	6	6	7	26	32	32	32
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	14.5	25	11	11	14	18	18	18	18
35-49	1	17.0		17	17	17	17	17	17	17
50-64	1	24.0		24	24	24	24	24	24	24
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	12.8	89	3	6	9	19	28	32	33
20-34	140	15.3	129	5	8	13	20	28	34	60
35-49	140	16.3	103	6	10	14	21	29	34	53
50-64	15	16.7	105	5	10	14	24	42	83	99 +
65 +	8	12.6	90	4	6	8	19	28	30	30
B. Operated										
0-19 YRS	10	14.3	102	4	5	13	20	30	36	36
20-34	203	22.7	227	9	14	20	28	38	50	94
35-49	234	21.5	141	9	15	21	26	34	40	83
50-64	37	30.2	354	11	18	25	36	60	77	86
65 +	8	30.4	500	9	15	21	48	65	66	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	11.3	84	2	6	10	12	26	32	32
B. Operated	4	17.5	28	11	14	17	21	24	24	24
2. MULTIPLE DX										
A. Not Operated	322	15.6	113	5	9	13	20	28	34	60
B. Operated	492	22.6	203	9	14	20	27	37	47	90
1. SINGLE DX	12	13.3	70	4	8	11	17	26	31	32
2. MULTIPLE DX	814	19.8	179	7	11	18	24	34	42	86
A. Not Operated	330	15.5	112	5	9	13	20	28	34	59
B. Operated	496	22.6	201	9	14	20	27	37	46	90
TOTAL										
0-19 YRS	31	13.3	84	4	6	12	19	[illegible]	33	36
20-34	348	19.5	199	7	10	17	23	[illegible]	43	94
35-49	378	19.5	133	7	12	18	23	33	38	80
50-64	53	26.2	311	10	13	23	35	45	79	99 +
65 +	16	21.5	359	6	7	16	27	60	65	66
GRAND TOTAL	**826**	**19.7**	**178**	**7**	**11**	**18**	**24**	**34**	**42**	**86**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.7	3	<1	1	2	4	5	6	6
20-34	4	5.5	4	3	4	5	7	8	8	8
35-49	4	5.0	3	3	3	5	6	7	7	7
50-64	2	13.5	85	7	7	13	20	20	20	20
65+	2	5.0	18	2	2	5	8	8	8	8
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	49	3.6	12	1	1	2	6	9	12	13
35-49	38	2.7	11	1	1	1	2	8	12	14
50-64	11	2.4	6	<1	1	1	2	7	9	9
65+	5	3.4	4	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	5.4	26	1	2	5	7	8	18	22
20-34	46	16.4	348	2	4	8	25	41	62	71
35-49	78	13.8	165	4	5	9	18	30	44	59
50-64	37	13.1	150	2	5	9	17	26	45	51
65+	16	15.4	447	5	7	9	12	38	74	88
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	44	14.8	305	1	3	8	22	35	59	76
35-49	42	10.2	178	1	2	6	15	22	50	99+
50-64	28	11.3	107	1	3	10	16	23	33	44
65+	15	15.2	194	2	6	10	28	48	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	4.7	16	1	2	4	6	8	12	20
B. Operated	104	3.2	11	1	1	2	4	8	11	14
2. MULTIPLE DX										
A. Not Operated	193	13.7	220	2	5	8	17	32	49	70
B. Operated	130	12.5	206	1	2	8	17	32	49	99+
1. SINGLE DX	127	3.5	12	1	1	2	5	8	10	16
2. MULTIPLE DX	323	13.2	214	2	4	8	17	32	49	80
A. Not Operated	216	12.8	206	2	4	7	16	29	46	69
B. Operated	234	8.4	141	1	1	4	10	22	33	80
TOTAL										
0-19 YRS	29	4.6	17	1	2	4	7	8	9	22
20-34	143	11.2	240	1	2	5	12	32	47	71
35-49	162	10.0	147	1	2	6	14	22	36	75
50-64	78	10.9	122	1	2	8	16	24	36	50
65+	38	13.2	276	2	5	8	12	36	71	99+
GRAND TOTAL	**450**	**10.5**	**177**	**1**	**2**	**6**	**13**	**27**	**38**	**76**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	8.0	8	6	6	8	10	10	10	10
50-64	1	11.0		11	11	11	11	11	11	11
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	9.0	7	6	7	10	11	11	11	11
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	3	9.0	7	6	7	10	11	11	11	11
A. Not Operated	3	9.0	7	6	7	10	11	11	11	11
B. Operated	0									
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	2	8.0	8	6	6	8	10	10	10	10
50-64	1	11.0		11	11	11	11	11	11	11
65+	0									
GRAND TOTAL	**3**	**9.0**	**7**	**6**	**7**	**10**	**11**	**11**	**11**	**11**

213 Hospitals, Northeastern Region, January-December 1989

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	5	4.8	4	3	3	4	7	7	7	7
B. Operated										
0-19 YRS	8	5.4	25	1	2	3	8	14	15	15
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	21	4.3	25	< 1	1	2	5	13	15	17
50-64	54	3.7	15	1	1	2	6	10	13	15
65 +	50	3.7	14	1	1	2	4	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.9	30	< 1	1	2	4	14	16	16
20-34	0									
35-49	13	12.3	125	3	5	7	16	32	34	35
50-64	39	10.5	101	3	5	8	13	20	36	49
65 +	34	9.[illegible]	123	2	3	6	10	17	42	49
B. Operated										
0-19 YRS	10	11.9	194	2	4	7	14	34	48	48
20-34	6	14.0	183	3	4	8	25	35	36	36
35-49	52	10.6	127	2	3	8	15	22	27	99
50-64	177	14.0	207	1	3	11	20	36	44	99 +
65 +	263	13.4	227	1	3	8	19	35	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.4	5	3	3	5	7	9	9	9
B. Operated	136	3.9	16	1	1	2	5	11	14	17
2. MULTIPLE DX										
A. Not Operated	93	9.7	108	2	4	7	11	21	34	49
B. Operated	508	13.3	208	1	3	9	19	35	48	99 +
1. SINGLE DX	143	4.0	16	1	1	2	5	11	13	17
2. MULTIPLE DX	601	12.7	194	1	3	8	18	32	46	99 +
A. Not Operated	100	9.4	102	2	4	6	11	19	33	49
B. Operated	644	11.3	182	1	2	7	16	30	42	99 +
TOTAL										
0-19 YRS	26	7.5	97	1	2	4	11	16	26	48
20-34	9	10.1	149	2	3	4	14	32	36	36
35-49	87	9.3	107	1	2	7	13	21	27	89
50-64	270	11.4	169	1	2	7	15	30	40	99
65 +	352	11.5	196	1	2	7	16	30	46	99
GRAND TOTAL	**744**	**11.1**	**172**	**1**	**2**	**7**	**15**	**29**	**42**	**99 +**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	9.5	61	4	4	9	15	15	15	15
50-64	9	7.8	43	2	3	4	14	18	20	20
65 +	6	8.5	17	1	7	10	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	20	8.4	124	2	5	6	8	11	33	54
65 +	28	12.5	502	2	4	5	9	21	90	90
B. Operated										
0-19 YRS	0									
20-34	2	12.5	61	7	7	12	18	18	18	18
35-49	24	18.1	165	2	8	16	27	39	41	45
50-64	95	18.3	272	3	6	15	25	43	74	99 +
65 +	164	17.0	193	4	8	14	24	41	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	2	1	1	2	3	4	4	4
B. Operated	17	8.2	31	1	4	7	12	15	18	20
2. MULTIPLE DX										
A. Not Operated	49	10.6	336	2	4	6	8	15	56	90
B. Operated	285	17.5	215	3	8	15	25	41	55	99 +
1. SINGLE DX	20	7.4	31	1	3	6	12	15	17	20
2. MULTIPLE DX	334	16.5	238	3	6	13	23	40	55	99 +
A. Not Operated	52	10.1	321	2	4	5	8	14	51	90
B. Operated	302	17.0	209	3	7	14	24	40	51	99 +
TOTAL										
0-19 YRS	0									
20-34	2	12.5	61	7	7	12	18	18	18	18
35-49	28	16.3	164	2	7	14	23	38	40	45
50-64	125	15.8	248	2	5	12	22	39	54	99 +
65 +	199	16.0	233	3	6	11	22	40	57	99 +
GRAND TOTAL	**354**	**16.0**	**231**	**3**	**6**	**12**	**22**	**39**	**52**	**99 +**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	4	6.8	27	3	3	5	10	14	14	14
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	4	12.0	31	4	8	13	15	17	17	17
50-64	9	11.0	20	5	8	11	13	17	19	19
65 +	14	10.6	29	1	8	11	15	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	8.0	50	3	3	8	13	13	13	13
50-64	15	15.3	239	3	6	8	26	38	50	54
55 +	61	11.4	97	3	5	9	15	21	32	54
B. Operated										
0-19 YRS	0									
20-34	10	16.5	185	7	11	14	15	35	54	54
35-49	32	15.1	131	4	7	12	19	39	45	99 +
50-64	175	17.1	147	7	9	14	21	32	39	64
65 +	465	19.6	183	7	11	16	26	37	48	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.0	23	3	3	3	9	14	14	14
B. Operated	28	10.8	24	4	8	11	14	18	18	19
2. MULTIPLE DX										
A. Not Operated	78	12.1	122	3	5	9	15	28	36	55
B. Operated	682	18.7	172	7	10	15	24	36	45	78
1. SINGLE DX	33	10.1	26	3	7	11	14	17	18	19
2. MULTIPLE DX	760	18.0	171	6	10	14	23	36	45	77
A. Not Operated	83	11.7	118	3	5	9	15	24	35	55
B. Operated	710	18.4	169	7	10	15	23	36	45	78
TOTAL										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	10	16.5	185	7	11	14	15	35	54	54
35-49	38	14.4	117	3	7	13	18	36	44	99 +
50-64	200	16.6	149	6	9	14	20	32	39	63
65 +	544	18.3	177	6	10	15	24	36	46	77
GRAND TOTAL	**793**	**17.7**	**167**	**6**	**9**	**14**	**22**	**35**	**45**	**77**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
55 +	0									
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	10.0		10	10	10	10	10	10	10
65 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	3	15.0	151	6	7	10	24	29	29	29
B. Operated										
0-19 YRS	0									
20-34	5	35.4	988	14	15	24	47	90	90	90
35-49	6	17.5	97	9	11	13	23	34	35	35
50-64	31	17.4	160	8	9	12	21	45	45	50
65 +	54	17.6	138	8	10	15	23	35	48	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	10.0	5	8	8	9	11	13	13	13
2. MULTIPLE DX										
A. Not Operated	4	12.5	126	5	5	8	19	29	29	29
B. Operated	96	18.5	190	8	10	14	23	36	48	95
1. SINGLE DX	4	10.0	5	8	8	9	11	13	13	13
2. MULTIPLE DX	100	18.2	188	8	10	14	23	36	47	95
A. Not Operated	4	12.5	126	5	5	8	19	29	29	29
B. Operated	100	18.1	185	8	10	14	23	36	47	95
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	35.4	988	14	15	24	47	90	90	90
35-49	7	16.1	93	8	9	13	21	33	35	35
50-64	33	16.8	156	7	9	12	18	45	45	50
65 +	58	17.4	135	7	10	14	23	33	45	97
GRAND TOTAL	**104**	**17.9**	**183**	**8**	**9**	**14**	**23**	**35**	**46**	**94**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	2.3	1	1	1	3	3	3	3	3
65 +	6	9.2	23	4	4	9	14	15	15	15
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	9.0		9	9	9	9	9	9	9
35-49	14	7.6	3	6	6	7	9	10	11	11
50-64	95	8.9	8	6	7	8	10	12	14	21
65 +	127	9.7	9	7	8	9	11	13	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	10	6.7	16	2	4	6	8	12	16	16
50-64	30	10.1	119	3	3	6	11	23	41	45
65 +	162	9.1	54	2	4	7	12	18	23	39
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	27	11.6	37	6	8	11	14	19	21	33
35-49	155	14.2	107	7	9	11	15	25	40	69
50-64	776	13.4	76	7	9	11	15	22	32	56
65 +	2804	16.0	127	8	10	13	19	27	38	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	6.9	26	2	3	4	11	15	15	15
B. Operated	238	9.2	8	6	7	9	10	13	15	20
2. MULTIPLE DX										
A. Not Operated	205	9.0	61	2	4	7	11	18	23	43
B. Operated	3763	15.4	116	8	9	12	18	26	36	73
1. SINGLE DX	247	9.1	9	6	7	9	10	13	15	20
2. MULTIPLE DX	3968	15.0	116	7	9	12	17	26	36	71
A. Not Operated	214	8.9	60	2	4	7	11	18	23	42
B. Operated	4001	15.0	112	8	9	12	17	26	35	71
TOTAL										
0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34	31	10.8	38	4	7	9	13	18	19	33
35-49	179	13.2	99	6	8	11	14	23	33	67
50-64	904	12.8	72	7	8	10	14	22	29	53
65 +	3099	15.4	122	7	9	12	18	27	36	79
GRAND TOTAL	**4215**	**14.7**	**111**	**7**	**9**	**12**	**17**	**25**	**35**	**69**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	4	4.5	8	1	2	4	6	8	8	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	13	7.5	25	2	3	6	12	14	15	15
50-64	69	8.7	15	3	6	10	11	12	14	20
65 +	78	8.3	20	2	4	9	12	13	15	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	9	5.0	15	< 1	1	5	7	11	12	12
50-64	41	7.3	73	1	3	5	8	17	19	51
65 +	80	13.6	211	2	4	9	16	34	43	71
B. Operated										
0-19 YRS	2	44.5	13	42	42	44	47	47	47	47
20-34	13	12.5	108	2	7	8	14	29	37	39
35-49	75	12.6	62	4	9	11	14	25	28	44
50-64	430	14.0	85	7	9	11	16	23	29	53
65 +	1195	16.0	154	6	9	13	19	29	41	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.1	6	1	1	2	4	7	8	8
B. Operated	160	8.4	18	2	5	9	12	13	15	17
2. MULTIPLE DX										
A. Not Operated	131	11.0	163	1	4	7	12	28	41	61
B. Operated	1715	15.4	134	6	9	12	18	28	37	77
1. SINGLE DX	168	8.2	19	2	4	9	11	13	15	17
2. MULTIPLE DX	1846	15.0	137	5	9	12	18	28	37	76
A. Not Operated	139	10.5	157	1	3	6	12	28	39	60
B. Operated	1875	14.8	128	5	9	12	17	26	36	75
TOTAL										
0-19 YRS	4	23.3	607	1	2	22	44	47	47	47
20-34	13	12.5	108	2	7	8	14	29	37	39
35-49	97	11.2	59	3	7	10	13	20	27	43
50-64	543	12.7	81	5	8	11	15	21	27	51
65 +	1357	15.4	152	4	9	12	18	29	40	79
GRAND TOTAL	**2014**	**14.5**	**131**	**4**	**9**	**12**	**17**	**26**	**37**	**74**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.4	2	1	1	3	3	4	4	4
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.8	4	2	2	4	5	6	6	6
65 +	2	6.5	25	3	3	6	10	10	10	10
B. Operated										
0-19 YRS	10	8.2	24	2	3	9	12	14	15	15
20-34	2	10.0	18	7	7	10	13	13	13	13
35-49	2	8.5	5	7	7	8	10	10	10	10
50-64	11	5.5	26	1	1	3	10	13	15	15
65 +	14	9.1	43	1	4	9	14	17	22	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	5.8	28	1	3	4	5	14	19	21
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	11.4	53	1	5	14	17	19	19	19
50-64	21	7.8	27	2	4	7	9	15	21	22
65 +	60	13.4	270	2	5	9	14	26	53	86
B. Operated										
0-19 YRS	22	18.5	211	4	8	15	20	45	52	54
20-34	7	17.7	26	12	14	17	22	25	26	26
35-49	22	12.0	89	4	6	9	16	26	35	37
50-64	106	15.5	139	5	8	11	21	31	40	53
65 +	265	17.7	192	5	9	14	23	37	46	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.2	6	1	2	3	4	6	9	10
B. Operated	39	7.9	30	1	2	7	12	15	16	23
2. MULTIPLE DX										
A. Not Operated	104	10.8	177	2	4	7	13	21	29	79
B. Operated	422	16.9	173	5	9	13	22	36	44	85
1. SINGLE DX	55	6.5	28	1	2	4	11	14	15	23
2. MULTIPLE DX	526	15.7	179	4	7	12	21	31	44	82
A. Not Operated	120	9.8	161	2	3	6	11	20	26	77
B. Operated	461	16.2	167	4	8	12	22	32	44	80
TOTAL										
0-19 YRS	58	10.5	132	1	3	6	14	21	40	54
20-34	10	14.6	49	4	12	14	18	24	26	26
35-49	30	11.3	77	2	6	9	16	22	34	37
50-64	142	13.3	125	3	6	10	17	29	39	52
65 +	341	16.6	203	4	8	13	22	32	46	97
GRAND TOTAL	**581**	**14.8**	**172**	**3**	**6**	**11**	**20**	**29**	**42**	**78**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	6.0	61	1	1	2	12	15	15	15
65 +	2	15.0	338	2	2	15	28	28	28	28
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	10.0	2	9	9	10	11	11	11	11
50-64	5	4.6	13	1	2	4	7	10	10	10
65 +	15	4.4	7	1	2	4	7	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	14	10.9	254	2	4	6	12	22	55	64
50-64	31	7.9	22	3	4	7	11	16	17	20
65 +	121	11.3	131	3	4	8	13	23	35	68
B. Operated										
0-19 YRS	0									
20-34	4	23.3	5	20	22	24	25	25	25	25
35-49	29	23.2	439	3	9	17	30	49	79	86
50-64	172	16.2	135	4	9	14	21	31	42	61
65 +	413	18.6	170	6	11	15	23	34	43	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	9.6	139	1	2	2	18	28	28	28
B. Operated	22	5.0	10	1	2	4	7	9	10	11
2. MULTIPLE DX										
A. Not Operated	166	10.6	121	3	4	8	12	22	30	66
B. Operated	618	18.2	174	5	10	15	23	34	44	70
1. SINGLE DX	27	5.8	33	1	2	4	8	11	17	28
2. MULTIPLE DX	784	16.6	172	4	8	14	21	32	42	68
A. Not Operated	171	10.6	120	2	4	8	13	22	29	66
B. Operated	640	17.7	174	5	9	15	22	33	43	69
TOTAL										
0-19 YRS	0									
20-34	4	23.3	5	20	22	24	25	25	25	25
35-49	45	18.8	390	3	5	12	24	44	68	86
50-64	211	14.5	126	3	7	12	19	30	34	60
65 +	551	16.6	170	4	8	14	22	33	41	67
GRAND TOTAL	**811**	**16.2**	**171**	**4**	**8**	**13**	**21**	**32**	**41**	**67**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	4.0	12	< 1	1	3	6	10	10	10
50-64	11	4.7	17	1	1	3	8	11	14	14
65 +	13	5.5	35	1	2	3	8	12	21	23
B. Operated										
0-19 YRS	0									
20-34	2	16.0	450	1	1	16	31	31	31	31
35-49	28	5.8	33	< 1	1	4	9	13	19	23
50-64	98	7.1	30	1	2	7	9	12	20	26
65 +	113	6.0	21	1	1	6	9	12	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	5.3	4	3	4	6	7	7	7	7
35-49	63	7.7	66	2	2	5	9	19	28	39
50-64	303	9.0	61	2	4	7	11	18	25	43
65 +	640	11.0	132	2	4	8	13	24	30	57
B. Operated										
0-19 YRS	3	13.0	1	12	12	13	14	14	14	14
20-34	12	10.7	97	2	5	6	15	27	30	31
35-49	218	12.7	110	3	7	10	16	26	37	99 +
50-64	1196	13.1	108	3	7	10	16	26	33	59
65 +	1904	14.5	167	3	7	11	18	30	40	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	4.9	23	1	1	3	8	9	14	23
B. Operated	241	6.5	29	1	1	6	9	13	15	26
2. MULTIPLE DX										
A. Not Operated	1009	10.2	107	2	4	7	12	21	29	52
B. Operated	3333	13.9	142	3	7	11	17	28	38	80
1. SINGLE DX	271	6.4	28	1	1	6	9	12	15	25
2. MULTIPLE DX	4342	13.0	137	3	6	10	16	26	36	72
A. Not Operated	1039	10.0	105	2	4	7	12	21	29	52
B. Operated	3574	13.4	138	3	7	10	16	27	37	76
TOTAL										
0-19 YRS	3	13.0	1	12	12	13	14	14	14	14
20-34	17	10.4	104	2	4	6	12	30	31	31
35-49	315	10.9	100	2	4	9	14	24	34	81
50-64	1608	11.9	98	3	6	9	15	24	30	53
65 +	2670	13.3	157	3	6	10	16	27	37	80
GRAND TOTAL	**4613**	**12.6**	**133**	**2**	**6**	**10**	**16**	**26**	**35**	**70**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	< 1	< 1	2	5	5	5	5
35-49	0									
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	3	5.0	7	2	3	6	7	7	7	7
20-34	2	9.0	32	5	5	9	13	13	13	13
35-49	9	7.6	47	1	2	3	15	17	17	17
50-64	40	5.6	42	< 1	1	2	10	14	18	27
65 +	40	6.0	46	< 1	1	2	9	18	21	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.4	7	1	2	3	3	6	10	11
20-34	3	26.0	1387	4	4	5	53	69	69	69
35-49	7	12.4	146	1	4	9	15	33	37	37
50-64	15	5.5	23	< 1	1	6	9	11	14	15
65 +	15	9.5	33	1	6	9	14	16	18	19
B. Operated										
0-19 YRS	16	10.6	68	2	5	9	13	27	28	28
20-34	7	5.7	40	1	2	3	7	17	19	19
35-49	32	12.3	84	2	6	11	16	27	32	34
50-64	166	16.2	265	2	8	13	18	32	57	99
65 +	203	14.8	267	1	4	11	18	34	51	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.2	6	< 1	1	3	5	6	6	6
B. Operated	94	6.0	42	< 1	1	2	10	15	19	25
2. MULTIPLE DX										
A. Not Operated	54	8.1	114	1	2	6	11	15	18	68
B. Operated	424	14.9	243	1	5	12	17	32	50	92
1. SINGLE DX	100	5.8	40	< 1	1	2	10	15	19	25
2. MULTIPLE DX	478	14.1	233	1	4	11	17	30	46	91
A. Not Operated	60	7.6	105	1	2	5	10	15	17	66
B. Operated	518	13.3	218	1	3	10	16	27	42	90
TOTAL										
0-19 YRS	34	6.9	47	1	2	5	9	14	26	28
20-34	14	10.1	312	1	2	5	8	24	59	69
35-49	48	11.4	85	1	2	10	15	25	32	37
50-64	223	13.5	228	1	3	11	16	27	44	98
65 +	259	13.1	229	1	2	10	16	27	44	81
GRAND TOTAL	**578**	**12.7**	**209**	**1**	**2**	**10**	**15**	**27**	**40**	**88**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	3.0	2	2	2	3	4	4	5	11
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	54	5.3	17	1	2	4	8	11	13	19
20-34	17	4.1	14	< 1	1	2	7	10	11	11
35-49	16	4.4	9	2	2	3	6	10	11	11
50-64	16	2.9	3	1	1	3	4	6	6	6
65 +	24	6.9	54	1	1	4	10	16	22	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	5.0	37	1	3	3	5	9	15	37
20-34	10	10.8	231	1	2	3	13	37	47	47
35-49	9	10.3	52	3	4	8	16	21	21	21
50-64	7	11.4	126	1	3	6	17	29	32	32
65 +	19	13.6	222	2	5	9	16	28	50	66
B. Operated										
0-19 YRS	62	11.2	116	2	4	8	15	23	33	59
20-34	13	14.8	565	1	3	5	12	64	71	73
35-49	16	13.4	320	4	5	7	17	66	91	99 +
50-64	41	12.9	113	3	6	9	18	25	33	53
65 +	79	12.7	218	2	4	8	17	31	43	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	3.1	2	2	2	3	4	4	5	11
B. Operated	127	5.0	22	1	2	3	8	11	13	22
2. MULTIPLE DX										
A. Not Operated	138	7.3	89	1	3	4	7	17	24	54
B. Operated	211	12.5	192	2	4	8	16	29	39	94
1. SINGLE DX	215	4.3	15	1	2	3	5	9	11	18
2. MULTIPLE DX	349	10.4	158	2	3	6	13	24	33	75
A. Not Operated	226	5.7	59	2	2	3	5	13	17	48
B. Operated	338	9.7	141	1	3	6	12	22	32	76
TOTAL										
0-19 YRS	294	5.8	48	1	2	3	6	13	19	33
20-34	41	9.2	249	1	2	3	9	19	54	73
35-49	42	9.1	147	3	3	5	11	21	45	99 +
50-64	65	10.1	102	2	3	6	13	24	30	51
65 +	122	11.7	190	1	3	8	16	29	39	93
GRAND TOTAL	**564**	**8.1**	**112**	**1**	**3**	**4**	**9**	**19**	**28**	**67**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	12	2.0	1	1	1	2	3	4	4	4
35-49	29	3.1	6	1	1	2	4	8	9	9
50-64	37	2.9	4	1	1	2	4	6	8	8
65 +	18	5.3	18	1	2	5	8	12	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	0									
35-49	7	6.9	23	2	3	4	11	14	14	14
50-64	4	4.5	12	1	1	4	7	8	8	8
65 +	5	3.8	7	1	2	3	5	8	8	8
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	10	5.8	15	2	3	5	7	11	15	15
35-49	31	5.3	23	1	2	4	7	13	17	19
50-64	48	5.9	46	1	2	4	8	11	14	43
65 +	88	6.8	63	1	2	4	9	13	26	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	97	3.4	8	1	1	2	4	8	9	15
2. MULTIPLE DX										
A. Not Operated	17	5.9	20	1	3	4	8	14	15	15
B. Operated	178	6.2	48	1	2	4	8	12	18	39
1. SINGLE DX	97	3.4	8	1	1	2	4	8	9	15
2. MULTIPLE DX	195	6.2	45	1	2	4	8	12	17	37
A. Not Operated	17	5.9	20	1	3	4	8	14	15	15
B. Operated	275	5.2	36	1	2	4	7	10	15	29
TOTAL										
0-19 YRS	3	11.3	10	9	9	10	14	15	15	15
20-34	22	3.7	11	1	2	3	5	7	11	15
35-49	67	4.5	17	1	2	3	6	10	14	19
50-64	89	4.6	29	1	1	4	6	9	11	34
65 +	111	6.4	53	1	2	4	9	13	25	37
GRAND TOTAL	**292**	**5.3**	**35**	**1**	**2**	**4**	**7**	**10**	**15**	**29**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	8.7	176	1	1	1	18	24	24	24
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	4	3.8	7	1	1	4	6	6	6	6
20-34	6	1.8	3	< 1	< 1	1	2	5	5	5
35-49	24	2.3	5	< 1	1	1	3	5	7	10
50-64	52	2.1	5	< 1	< 1	1	2	5	6	13
65 +	107	2.6	8	< 1	< 1	1	3	6	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	12.3	107	3	6	8	15	30	34	34
35-49	11	14.0	128	6	7	8	15	36	36	36
50-64	5	8.6	137	< 1	< 1	5	12	29	29	29
65 +	17	5.4	36	< 1	1	2	10	14	19	21
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	16	14.0	122	2	6	12	20	24	39	45
35-49	27	5.5	28	1	2	3	9	10	15	24
50-64	66	6.4	86	< 1	1	3	8	17	24	48
65 +	264	5.9	70	1	1	2	7	17	21	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	7.3	126	1	1	2	13	24	24	24
B. Operated	193	2.5	7	< 1	< 1	1	3	6	8	14
2. MULTIPLE DX										
A. Not Operated	45	9.2	92	< 1	2	7	11	27	34	36
B. Operated	374	6.4	74	1	1	3	9	17	23	51
1. SINGLE DX	197	2.5	9	< 1	< 1	1	3	6	8	15
2. MULTIPLE DX	419	6.7	77	1	1	3	9	17	23	50
A. Not Operated	49	9.1	93	< 1	2	6	11	26	34	36
B. Operated	567	5.0	55	< 1	1	2	6	13	19	46
TOTAL										
0-19 YRS	10	5.8	55	1	1	2	6	18	24	24
20-34	32	11.2	112	1	2	9	15	25	33	45
35-49	62	5.7	52	< 1	1	3	8	12	19	36
50-64	124	4.7	57	< 1	< 1	2	5	13	18	43
65 +	388	5.0	53	< 1	1	2	6	13	18	49
GRAND TOTAL	**616**	**5.3**	**59**	**< 1**	**1**	**2**	**6**	**14**	**20**	**45**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.0		4	4	4	4	4	4	4
35-49	10	3.5	3	1	2	3	5	6	6	6
50-64	13	5.2	7	2	3	6	8	8	9	9
65 +	12	5.4	12	1	3	5	7	11	13	13
B. Operated										
0-19 YRS	0									
20-34	48	3.8	4	1	2	4	5	7	7	8
35-49	429	3.5	3	1	2	3	5	6	7	9
50-64	637	3.7	3	1	2	4	5	6	7	9
65 +	606	4.3	5	2	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	9.7	69	3	4	7	16	19	19	19
35-49	35	6.7	43	< 1	2	4	10	17	22	26
50-64	53	9.1	84	1	3	6	12	20	30	45
65 +	78	9.4	127	1	3	6	10	22	34	59
B. Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	65	5.4	10	3	3	5	6	9	12	17
35-49	565	5.0	17	2	3	4	6	8	10	28
50-64	1236	5.5	24	2	3	5	6	9	11	26
65 +	2362	6.4	35	2	4	5	7	10	14	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	4.8	7	2	3	4	6	8	10	13
B. Operated	1720	3.9	4	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	170	8.7	94	1	3	6	11	20	26	55
B. Operated	4230	5.9	30	2	3	5	7	9	13	31
1. SINGLE DX	1757	3.9	4	1	2	4	5	6	7	10
2. MULTIPLE DX	4400	6.0	32	2	3	5	7	10	14	33
A. Not Operated	207	8.0	81	1	3	5	9	18	23	51
B. Operated	5950	5.3	23	2	3	5	6	9	11	26
TOTAL										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	118	4.8	9	2	3	4	6	8	10	18
35-49	1039	4.4	13	1	3	4	5	7	9	21
50-64	1939	5.0	20	2	3	4	6	8	10	23
65 +	3058	6.0	33	2	3	5	7	10	13	32
GRAND TOTAL	**6157**	**5.4**	**25**	**2**	**3**	**5**	**6**	**9**	**12**	**28**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	2.6		2	2	3	3	3	3	3
50-64	5	3.0		3	3	3	3	3	3	3
65+	5	3.4	1	2	3	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	21	3.9	10	<1	1	3	5	9	11	12
35-49	32	5.3	14	2	3	4	8	10	11	17
50-64	18	3.4	4	<1	2	3	4	6	8	9
65+	14	4.2	5	2	3	3	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	6.4	54	2	2	2	10	19	19	19
35-49	25	4.1	14	1	2	3	4	12	13	15
50-64	21	3.9	13	1	2	3	4	6	12	18
65+	25	5.5	46	2	3	3	5	9	22	33
B. Operated										
0-19 YRS	0									
20-34	31	7.0	30	2	4	7	8	11	15	31
35-49	111	7.7	52	2	4	6	9	14	17	41
50-64	72	7.3	45	2	3	5	9	14	18	41
65+	91	9.5	129	2	3	7	12	21	26	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.1		2	3	3	4	4	4	4
B. Operated	85	4.4	10	1	2	3	6	9	10	15
2. MULTIPLE DX										
A. Not Operated	76	4.6	27	1	2	3	4	9	17	29
B. Operated	305	8.1	71	2	3	6	9	15	22	51
1. SINGLE DX	101	4.2	8	1	2	3	5	8	10	14
2. MULTIPLE DX	381	7.4	64	2	3	5	9	15	21	44
A. Not Operated	92	4.4	22	2	2	3	4	8	15	27
B. Operated	390	7.3	60	2	3	5	9	14	20	44
TOTAL										
0-19 YRS	0									
20-34	58	5.7	25	1	3	5	8	10	14	30
35-49	173	6.6	40	2	3	5	9	12	15	30
50-64	116	5.9	34	2	3	4	7	12	17	30
65+	135	8.0	101	2	3	5	9	20	25	92
GRAND TOTAL	**482**	**6.7**	**54**	**2**	**3**	**4**	**8**	**14**	**19**	**38**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	8	2.1	1	1	2	2	2	4	4	4
65+	6	2.0	1	1	1	2	2	4	4	4
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	21	6.1	28	2	4	6	6	7	17	28
50-64	72	4.9	4	2	4	5	6	7	8	8
65+	59	5.3	4	2	4	5	6	8	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	0									
35-49	3	3.3	10	<1	<1	2	6	7	7	7
50-64	15	3.0	3	1	1	3	4	6	6	6
65+	46	9.1	199	1	2	4	9	26	29	83
B. Operated										
0-19 YRS	2	10.5	61	5	5	10	16	16	16	16
20-34	14	6.8	22	2	5	6	7	14	19	20
35-49	83	6.4	12	4	5	6	7	9	12	23
50-64	358	7.6	47	4	5	6	8	13	16	32
65+	565	8.9	68	4	5	7	10	15	23	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.1	1	1	2	2	2	4	4	4
B. Operated	153	5.2	7	2	4	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	65	7.5	148	1	2	4	7	24	27	75
B. Operated	1022	8.2	56	4	5	7	9	14	20	41
1. SINGLE DX	167	5.0	7	2	4	5	6	7	8	10
2. MULTIPLE DX	1087	8.2	61	3	5	6	9	14	21	41
A. Not Operated	79	6.5	126	1	2	3	6	19	27	68
B. Operated	1175	7.8	50	3	5	6	8	13	18	37
TOTAL										
0-19 YRS	3	10.7	30	5	6	11	15	16	16	16
20-34	15	6.6	21	2	4	6	7	13	18	20
35-49	107	6.3	15	3	5	6	7	8	12	26
50-64	453	7.0	39	3	4	6	8	12	15	28
65+	676	8.5	72	3	5	7	9	15	23	60
GRAND TOTAL	**1254**	**7.7**	**55**	**3**	**5**	**6**	**8**	**13**	**19**	**37**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	6	2.8	13	1	1	2	2	9	10	10
B. Operated										
0-19 YRS	7	6.1	24	1	2	6	7	14	16	16
20-34	8	5.5	5	3	4	5	7	9	9	9
35-49	11	7.3	8	5	6	7	8	11	15	15
50-64	13	6.4	6	2	5	7	8	9	9	9
65 +	13	9.5	49	6	7	7	9	16	29	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	3	2.0		2	2	2	2	2	2	2
35-49	9	8.8	135	1	1	2	14	28	36	36
50-64	24	6.0	24	1	2	5	8	13	16	21
65 +	60	9.9	109	2	3	6	11	28	32	53
B. Operated										
0-19 YRS	13	11.7	107	1	6	9	14	32	34	35
20-34	24	7.5	32	3	4	6	8	12	21	29
35-49	104	8.9	27	5	6	8	10	14	17	31
50-64	199	11.6	68	5	6	9	15	20	27	59
65 +	271	14.3	100	6	8	11	17	26	36	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.3	7	1	1	2	2	6	9	10
B. Operated	52	7.2	20	3	5	7	8	10	15	32
2. MULTIPLE DX										
A. Not Operated	98	8.5	88	2	2	5	10	19	30	46
B. Operated	611	12.2	79	5	7	9	15	22	29	46
1. SINGLE DX	64	6.3	21	1	3	6	8	9	13	30
2. MULTIPLE DX	709	11.7	82	4	6	9	15	22	29	46
A. Not Operated	110	7.8	83	1	2	4	10	18	28	44
B. Operated	663	11.8	76	5	7	9	15	22	29	46
TOTAL										
0-19 YRS	23	9.0	75	1	4	7	11	19	32	35
20-34	36	6.4	25	2	4	5	8	11	15	29
35-49	127	8.5	32	4	5	7	10	15	17	37
50-64	237	10.7	64	4	6	8	14	19	26	45
65 +	350	13.2	103	4	7	10	17	26	35	55
GRAND TOTAL	**773**	**11.2**	**79**	**4**	**6**	**9**	**14**	**21**	**29**	**46**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	5	5.0	9	3	3	4	6	10	10	10
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	7	3.1	9	< 1	1	1	6	8	8	8
65 +	12	5.3	29	2	2	3	6	13	20	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.8		2	2	3	3	3	3	3
20-34	0									
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	1	5.0		5	5	5	5	5	5	5
65 +	14	15.7	211	2	4	10	23	39	41	41
B. Operated										
0-19 YRS	2	15.0	18	12	12	15	18	18	18	18
20-34	3	6.7	24	1	3	9	10	10	10	10
35-49	11	4.6	13	< 1	1	4	8	10	11	11
50-64	35	11.7	94	2	5	10	17	24	27	47
65 +	94	12.1	114	3	5	9	16	24	37	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8	1	1	1	2	2	3	3	3
B. Operated	28	4.7	17	1	2	3	6	9	11	21
2. MULTIPLE DX										
A. Not Operated	22	11.5	168	2	3	5	18	38	40	41
B. Operated	145	11.4	102	2	5	9	16	23	32	66
1. SINGLE DX	32	4.3	16	1	2	3	5	8	10	21
2. MULTIPLE DX	167	11.4	109	2	4	9	16	24	38	62
A. Not Operated	26	10.0	154	1	2	4	13	36	39	41
B. Operated	173	10.3	94	2	4	8	15	22	27	61
TOTAL										
0-19 YRS	15	5.0	22	2	3	3	5	12	16	18
20-34	5	5.6	15	1	2	5	9	10	10	10
35-49	15	5.2	16	1	1	5	9	11	12	13
50-64	44	10.0	88	1	3	7	14	23	27	47
65 +	120	11.8	121	2	4	9	16	24	39	75
GRAND TOTAL	**199**	**10.2**	**101**	**2**	**3**	**7**	**14**	**22**	**32**	**56**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	3.5	4	1	2	4	5	5	5	5
65+	6	3.7	26	1	1	2	3	13	14	14
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	10.0	8	8	8	10	12	12	12	12
50-64	93	6.5	25	1	4	6	8	12	15	29
65+	298	4.7	14	1	2	4	7	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	3	11.7	52	7	7	8	17	20	20	20
50-64	29	8.7	81	1	3	5	13	24	28	35
65+	193	9.6	185	2	3	6	11	19	28	89
B. Operated										
0-19 YRS	4	9.5	68	3	3	7	15	21	21	21
20-34	1	17.0		17	17	17	17	17	17	17
35-49	8	7.9	13	4	5	7	10	14	15	15
50-64	464	8.2	56	2	4	6	11	16	23	68
65+	2707	8.3	60	2	4	6	10	17	22	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.6	16	1	1	2	5	10	14	14
B. Operated	395	5.1	17	1	2	4	7	10	12	20
2. MULTIPLE DX										
A. Not Operated	226	9.5	169	2	3	6	11	20	28	83
B. Operated	3184	8.3	59	2	4	6	10	17	22	44
1. SINGLE DX	405	5.1	17	1	2	4	7	10	12	19
2. MULTIPLE DX	3410	8.4	66	2	4	6	10	17	22	45
A. Not Operated	236	9.2	164	1	3	5	11	20	27	82
B. Operated	3579	7.9	55	2	4	6	10	16	21	42
TOTAL										
0-19 YRS	7	5.9	55	1	1	3	8	19	21	21
20-34	1	17.0		17	17	17	17	17	17	17
35-49	13	9.1	20	5	6	8	11	16	19	20
50-64	590	7.9	52	2	4	6	10	16	23	60
65+	3204	8.0	64	2	4	6	10	16	22	43
GRAND TOTAL	**3815**	**8.0**	**62**	**2**	**4**	**6**	**10**	**16**	**22**	**43**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	0									
65+	0									
B. Operated										
0-19 YRS	7	3.1	1	1	3	3	4	5	5	5
20-34	90	2.3	3	1	1	2	3	5	5	10
35-49	44	2.2	5	1	1	2	2	3	6	14
50-64	10	2.4	10	<1	1	1	2	7	11	11
65+	5	6.2	22	1	2	7	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.3	4	<1	1	4	5	6	6	6
20-34	5	2.4	7	<1	<1	<1	3	7	7	7
35-49	4	10.8	75	1	4	10	17	21	21	21
50-64	0									
65+	3	7.7	42	<1	2	8	12	14	14	14
B. Operated										
0-19 YRS	4	5.0	13	1	2	5	8	8	8	8
20-34	44	5.4	58	1	1	3	7	12	24	40
35-49	30	6.4	110	1	2	3	6	13	20	57
50-64	10	8.0	32	1	4	6	14	15	16	16
65+	22	6.1	25	2	3	5	6	16	18	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.5	13	3	3	5	8	8	8	8
B. Operated	156	2.4	5	1	1	2	3	5	8	12
2. MULTIPLE DX										
A. Not Operated	20	5.2	30	<1	1	4	7	14	18	21
B. Operated	110	6.0	60	1	2	4	7	14	20	47
1. SINGLE DX	158	2.4	5	1	1	2	3	5	8	12
2. MULTIPLE DX	130	5.9	56	1	1	4	7	14	20	43
A. Not Operated	22	5.2	28	<1	1	4	7	14	17	21
B. Operated	266	3.9	31	1	1	2	4	8	13	26
TOTAL										
0-19 YRS	19	3.6	5	1	2	3	5	7	8	8
20-34	139	3.3	23	1	1	2	3	7	9	28
35-49	80	4.3	53	1	1	2	4	9	14	46
50-64	20	5.2	28	1	1	3	9	14	15	16
65+	30	6.3	24	1	3	5	8	14	17	20
GRAND TOTAL	**288**	**4.0**	**31**	**1**	**1**	**2**	**5**	**8**	**14**	**25**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	2.9	6	< 1	< 1	2	4	7	8	8
35-49	56	2.0	3	1	1	1	2	4	6	9
50-64	212	3.1	13	1	1	2	4	6	10	22
65 +	377	3.1	16	1	1	2	4	5	9	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	17	5.2	26	1	2	3	6	13	16	18
65 +	77	8.0	133	1	3	5	8	11	25	63
B. Operated										
0-19 YRS	3	10.7	26	5	7	12	14	15	15	15
20-34	7	7.9	36	2	3	7	14	16	16	16
35-49	76	6.6	67	1	1	4	8	15	24	40
50-64	515	5.9	45	1	2	4	7	14	18	30
65 +	2331	6.9	78	1	2	4	8	15	22	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.2	1	1	2	2	3	3	3	3
B. Operated	653	3.0	14	1	1	2	4	5	9	20
2. MULTIPLE DX										
A. Not Operated	95	7.4	113	1	2	5	8	13	19	62
B. Operated	2932	6.8	72	1	2	4	8	15	21	46
1. SINGLE DX	658	3.0	14	1	1	2	4	5	9	20
2. MULTIPLE DX	3027	6.8	73	1	2	4	8	15	21	51
A. Not Operated	100	7.2	109	1	2	5	8	12	19	62
B. Operated	3585	6.1	63	1	2	4	7	14	19	44
TOTAL										
0-19 YRS	4	9.0	29	4	4	8	13	15	15	15
20-34	14	5.4	26	< 1	2	3	8	16	16	16
35-49	133	4.6	44	1	1	2	5	13	16	40
50-64	747	5.1	37	1	2	3	6	13	17	26
65 +	2787	6.4	73	1	2	4	7	14	20	52
GRAND TOTAL	**3685**	**6.1**	**65**	**1**	**2**	**4**	**7**	**14**	**19**	**44**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	3.6	1	2	3	4	4	4	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	2	4.0	18	< 1	< 1	3	7	7	7	7
65 +	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	19	10.1	81	4	6	8	11	15	32	44
20-34	5	6.4	10	1	5	8	8	9	9	9
35-49	18	8.3	11	5	6	8	9	12	16	18
50-64	48	7.8	10	4	6	8	10	12	13	15
65 +	26	7.2	26	1	3	8	10	11	17	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	5.8	7	2	4	6	8	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	9	10.6	115	2	3	5	16	29	30	30
50-64	17	9.3	64	1	4	8	11	19	28	33
65 +	64	9.9	131	1	3	7	12	19	29	63
B. Operated										
0-19 YRS	21	11.3	41	4	7	11	14	17	24	31
20-34	16	12.9	65	7	8	11	16	35	79	99 +
35-49	61	9.6	32	5	7	8	11	16	20	34
50-64	208	11.6	92	6	8	9	13	18	24	63
65 +	427	14.1	122	5	8	11	17	28	38	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	3.6	2	1	3	4	4	5	6	7
B. Operated	116	8.0	25	2	6	8	10	12	15	30
2. MULTIPLE DX										
A. Not Operated	97	9.5	108	2	3	7	11	19	29	60
B. Operated	733	12.9	104	5	8	10	15	24	34	70
1. SINGLE DX	137	7.3	24	2	4	7	9	12	14	26
2. MULTIPLE DX	830	12.5	106	4	7	10	14	24	33	67
A. Not Operated	118	8.4	94	1	3	5	10	17	26	58
B. Operated	849	12.2	96	5	7	9	14	23	33	66
TOTAL										
0-19 YRS	61	8.5	49	3	4	7	11	15	18	43
20-34	23	10.7	59	5	7	9	13	23	57	99 +
35-49	88	9.4	35	4	6	8	11	16	24	33
50-64	275	10.7	78	5	7	9	12	17	22	60
65 +	520	13.2	122	3	7	10	16	26	37	70
GRAND TOTAL	**967**	**11.8**	**98**	**4**	**7**	**9**	**14**	**23**	**31**	**65**

213 Hospitals, Northeastern Region, January-December 1989

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64	3	3.3	6	1	1	3	5	6	6	6
65 +	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	6	3.8	9	1	1	4	4	9	9	9
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65 +	8	5.6	31	1	2	3	9	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	12	3.8	12	<1	1	3	5	10	12	12
2. MULTIPLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	19	4.3	16	1	2	3	5	11	14	16
1. SINGLE DX	13	3.5	12	<1	1	3	4	10	12	12
2. MULTIPLE DX	21	4.1	15	1	2	3	4	10	14	16
A. Not Operated	3	1.7	1	1	1	1	3	3	3	3
B. Operated	31	4.1	14	1	2	3	5	10	12	16
TOTAL										
0-19 YRS	9	3.1	7	<1	1	3	4	7	9	9
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	4	4.8	24	2	2	3	7	12	12	12
50-64	6	2.5	4	1	1	2	3	6	6	6
65 +	13	4.3	22	1	2	3	4	13	15	16
GRAND TOTAL	**34**	**3.9**	**14**	**1**	**1**	**3**	**4**	**9**	**12**	**16**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.6	1	1	1	1	2	3	4	4
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	3	5.7	16	2	3	5	9	10	10	10
50-64	7	11.0	155	1	2	8	15	32	36	36
65 +	12	9.4	21	4	5	10	13	15	17	17
B. Operated										
0-19 YRS	49	7.5	38	1	2	7	11	15	18	28
20-34	20	7.3	15	3	4	7	9	11	15	19
35-49	22	7.9	15	3	5	8	10	13	15	17
50-64	30	10.1	46	3	5	7	15	21	24	25
65 +	25	11.9	207	1	2	8	16	22	38	71
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	4.8	27	1	1	3	7	12	13	27
20-34	20	4.2	12	1	2	3	7	8	11	14
35-49	33	14.3	182	3	5	10	19	29	41	66
50-64	51	10.5	125	2	4	7	17	29	56	99 +
65 +	105	18.5	407	3	6	10	24	49	64	96
B. Operated										
0-19 YRS	167	13.8	194	2	5	9	17	31	44	71
20-34	37	12.0	111	5	7	10	13	22	25	65
35-49	52	13.8	88	6	8	11	17	26	31	56
50-64	87	19.2	318	6	9	13	24	54	70	99 +
65 +	85	24.1	434	5	10	17	34	56	83	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	5.7	46	1	1	3	9	13	17	36
B. Operated	146	8.8	63	2	4	7	12	18	22	30
2. MULTIPLE DX										
A. Not Operated	282	12.0	236	1	3	7	15	30	51	97
B. Operated	428	16.8	263	4	7	11	21	38	56	92
1. SINGLE DX	188	8.1	61	1	3	7	11	17	20	33
2. MULTIPLE DX	710	14.9	257	2	5	10	19	35	56	93
A. Not Operated	324	11.2	216	1	3	7	13	29	48	94
B. Operated	574	14.8	224	3	6	10	18	32	51	87
TOTAL										
0-19 YRS	305	10.0	137	1	2	7	12	22	32	63
20-34	81	8.4	70	2	3	7	10	15	21	53
35-49	110	12.6	105	4	6	10	16	25	31	60
50-64	175	14.8	225	3	6	11	19	35	60	99 +
65 +	227	19.4	392	3	7	13	24	50	65	94
GRAND TOTAL	**898**	**13.5**	**224**	**2**	**4**	**9**	**17**	**31**	**49**	**91**

213 Hospitals, Northeastern Region, January-December 1989

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.6	1	< 1	< 1	1	2	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	7.6	2	6	7	7	9	9	9	9
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.7	10	< 1	1	6	7	7	7	7
20-34	4	8.3	34	2	4	7	12	16	16	16
35-49	2	10.5	181	1	1	10	20	20	20	20
50-64	3	33.0	1531	7	9	14	62	78	78	78
65 +	5	10.8	20	5	8	10	14	17	17	17
B. Operated										
0-19 YRS	15	12.3	137	4	5	10	14	23	43	50
20-34	1	13.0		13	13	13	13	13	13	13
35-49	6	7.0	38	1	2	6	8	17	18	18
50-64	10	19.8	418	7	9	14	20	49	76	76
65 +	10	25.5	804	3	11	17	22	73	97	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.6	1	< 1	< 1	1	2	3	3	3
B. Operated	10	7.2	7	3	6	8	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	17	13.0	311	1	6	8	14	19	58	78
B. Operated	42	16.5	362	3	7	11	18	31	61	97
1. SINGLE DX	15	5.3	12	< 1	1	6	8	9	10	10
2. MULTIPLE DX	59	15.5	344	2	6	10	17	23	64	95
A. Not Operated	22	10.4	261	< 1	2	7	13	18	43	78
B. Operated	52	14.7	306	3	6	10	16	23	50	97
TOTAL										
0-19 YRS	28	8.8	91	1	3	7	10	15	26	50
20-34	7	7.6	30	1	3	7	12	15	16	16
35-49	10	8.1	43	1	2	8	10	19	20	20
50-64	14	21.9	570	7	9	13	20	76	78	78
65 +	15	20.6	574	4	9	15	19	50	85	97
GRAND TOTAL	**74**	**13.4**	**293**	**2**	**5**	**9**	**15**	**22**	**50**	**92**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.8	1	1	1	1	3	4	4	4
20-34	0									
35-49	6	2.2	1	1	2	2	3	3	3	3
50-64	3	4.3	10	2	2	3	7	8	8	8
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	14	4.9	23	1	2	3	5	12	16	17
20-34	30	2.7	2	1	2	2	3	4	6	7
35-49	40	2.8	3	1	2	2	3	5	6	8
50-64	19	2.5	2	1	2	2	3	4	5	6
65 +	5	4.4	3	2	3	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	3.1	8	1	1	2	3	7	8	13
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	3	5.3	17	2	2	4	8	10	10	10
50-64	11	4.6	3	3	4	4	6	7	8	8
65 +	13	4.5	11	1	2	3	6	9	12	13
B. Operated										
0-19 YRS	38	14.8	225	3	5	9	18	46	51	54
20-34	41	4.8	26	1	2	3	6	10	11	31
35-49	57	6.7	42	2	3	5	8	14	25	31
50-64	65	5.7	39	2	2	4	6	13	20	33
65 +	68	7.9	73	2	3	6	11	18	24	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.6	4	1	1	2	3	5	7	8
B. Operated	108	3.1	5	1	2	2	4	6	7	14
2. MULTIPLE DX										
A. Not Operated	64	3.7	8	1	2	3	5	8	9	13
B. Operated	269	7.6	81	2	3	5	9	17	25	60
1. SINGLE DX	128	3.0	5	1	2	2	3	6	7	13
2. MULTIPLE DX	333	6.9	69	2	2	4	8	15	24	55
A. Not Operated	84	3.5	7	1	2	3	5	7	8	13
B. Operated	377	6.3	64	2	2	4	7	14	23	53
TOTAL										
0-19 YRS	96	7.9	126	1	2	4	9	18	35	53
20-34	74	3.9	16	2	2	3	4	7	10	26
35-49	106	4.9	28	2	2	3	5	10	15	28
50-64	98	4.9	28	2	2	3	5	8	17	30
65 +	87	7.2	61	2	3	5	8	16	23	99 +
GRAND TOTAL	**461**	**5.8**	**54**	**2**	**2**	**3**	**6**	**12**	**19**	**52**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.1	4	1	1	1	3	6	6	6
20-34	4	3.5		3	3	3	4	4	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	9	5.9	25	1	3	5	6	14	18	18
65 +	9	4.0	12	1	1	3	6	9	11	11
B. Operated										
0-19 YRS	13	7.6	31	4	5	6	8	13	23	25
20-34	4	8.0	68	< 1	< 1	7	15	17	17	17
35-49	11	5.1	29	1	2	3	6	13	19	20
50-64	24	4.1	28	1	1	2	4	11	17	23
65 +	27	6.6	37	1	1	5	11	17	19	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	4.2	17	1	2	3	5	10	13	23
20-34	52	7.1	27	2	3	6	11	14	17	22
35-49	331	8.5	66	2	3	6	11	20	24	39
50-64	985	10.3	98	2	4	7	13	22	30	53
65 +	2094	12.1	128	3	5	9	15	25	35	60
B. Operated										
0-19 YRS	71	12.8	164	4	6	9	14	30	44	93
20-34	112	10.8	125	2	5	8	13	23	33	87
35-49	469	12.7	192	2	5	8	16	27	42	80
50-64	1312	13.0	154	2	5	9	17	27	39	63
65 +	2411	14.9	195	3	6	11	19	32	44	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.9	13	1	1	3	5	7	11	18
B. Operated	79	5.9	34	1	2	4	8	15	20	24
2. MULTIPLE DX										
A. Not Operated	3528	11.1	113	3	4	8	14	23	32	58
B. Operated	4375	13.9	181	2	5	10	18	30	42	77
1. SINGLE DX	110	5.3	28	1	1	4	6	13	18	24
2. MULTIPLE DX	7903	12.7	152	2	5	9	16	27	38	71
A. Not Operated	3559	11.0	112	2	4	8	14	23	32	58
B. Operated	4454	13.8	179	2	5	10	18	30	42	77
TOTAL										
0-19 YRS	157	8.3	101	1	3	5	10	18	28	68
20-34	172	9.5	94	2	4	7	12	20	27	72
35-49	813	10.8	143	2	4	7	14	23	33	74
50-64	2330	11.7	131	2	4	8	15	25	35	60
65 +	4541	13.6	165	3	5	10	17	29	41	74
GRAND TOTAL	**8013**	**12.6**	**151**	**2**	**5**	**9**	**16**	**27**	**38**	**70**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.5	3	1	1	2	4	5	6	6
20-34	7	2.6	9	< 1	1	1	3	8	9	9
35-49	4	5.5		5	5	5	6	6	6	6
50-64	4	2.0	4	1	1	1	3	5	5	5
65 +	0									
B. Operated										
0-19 YRS	37	4.3	9	1	2	4	6	9	10	13
20-34	60	5.5	60	1	2	4	7	9	10	55
35-49	23	5.0	15	1	1	4	7	12	13	13
50-64	7	5.3	12	< 1	1	7	8	9	9	9
65 +	3	7.3	16	3	4	8	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.6	10	< 1	1	2	6	9	10	10
20-34	18	5.2	7	2	3	5	8	9	10	10
35-49	14	6.4	25	2	2	6	8	13	18	19
50-64	9	9.3	83	2	4	6	11	25	30	30
65 +	9	14.9	78	5	8	11	23	26	27	27
B. Operated										
0-19 YRS	41	8.7	82	1	2	6	11	17	23	51
20-34	67	8.5	94	1	4	6	10	15	31	51
35-49	42	11.4	84	2	6	9	14	24	31	42
50-64	18	9.7	42	3	5	8	11	19	23	25
65 +	40	15.3	149	3	6	12	26	34	42	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.9	5	1	1	2	5	6	7	9
B. Operated	130	5.1	34	1	2	4	7	9	11	23
2. MULTIPLE DX										
A. Not Operated	66	7.0	42	1	2	5	8	17	23	30
B. Operated	208	10.5	101	1	5	8	12	26	33	52
1. SINGLE DX	156	4.7	29	1	2	4	6	9	10	13
2. MULTIPLE DX	274	9.7	89	1	4	7	11	24	30	51
A. Not Operated	92	5.8	35	1	2	4	8	11	21	29
B. Operated	338	8.4	82	1	3	6	10	19	28	51
TOTAL										
0-19 YRS	105	5.7	42	1	2	4	7	12	15	38
20-34	152	6.6	69	1	2	5	8	11	15	53
35-49	83	8.5	59	1	3	7	11	18	24	40
50-64	38	8.0	47	1	4	7	9	18	23	30
65 +	52	14.8	130	3	6	11	26	32	36	98
GRAND TOTAL	**430**	**7.9**	**73**	**1**	**2**	**6**	**9**	**18**	**27**	**50**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	5.9	59	<1	1	3	7	13	19	40
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	92	10.3	116	1	2	8	14	23	34	52
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	0									
65 +	1	38.0		38	38	38	38	38	38	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	6.0	38	1	2	3	8	14	22	27
20-34	5	18.8	239	1	3	25	30	36	36	36
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	4.5	25	2	2	2	7	12	12	12
65 +	4	10.8	48	3	5	11	16	18	18	18
B. Operated										
0-19 YRS	142	19.2	276	2	6	15	30	42	53	99 +
20-34	9	29.8	330	13	19	24	35	61	66	66
35-49	5	46.8	601	18	28	42	66	80	80	80
50-64	11	21.3	204	2	8	23	32	40	41	41
65 +	6	31.7	1064	8	8	15	56	84	87	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	5.9	59	<1	1	3	7	13	19	40
B. Operated	94	10.6	122	1	2	8	15	23	35	51
2. MULTIPLE DX										
A. Not Operated	82	6.9	56	1	2	3	9	18	25	33
B. Operated	173	21.1	328	2	7	18	32	45	61	97
1. SINGLE DX	145	8.9	104	1	2	5	12	23	33	41
2. MULTIPLE DX	255	16.6	285	1	3	10	25	40	53	87
A. Not Operated	133	6.5	57	1	1	3	9	16	25	37
B. Operated	267	17.4	281	2	4	12	25	40	54	86
TOTAL										
0-19 YRS	353	12.4	190	1	2	8	18	34	40	76
20-34	15	24.5	311	4	12	24	29	54	63	66
35-49	6	39.3	815	4	18	37	62	78	80	80
50-64	15	16.8	210	2	2	12	29	39	40	41
65 +	11	24.6	671	5	8	15	33	68	85	87
GRAND TOTAL	**400**	**13.8**	**232**	**1**	**3**	**8**	**22**	**35**	**43**	**81**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	4	2.5	1	2	2	2	3	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	7.5	27	3	4	6	11	15	15	15
65 +	3	9.7	16	5	7	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	7.3	32	1	2	7	12	13	13	13
50-64	24	8.9	58	2	3	6	13	21	27	27
65 +	52	10.5	209	1	3	7	12	22	29	85
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	11.0	72	5	5	11	17	17	17	17
50-64	11	16.6	355	2	4	12	16	49	63	64
65 +	48	16.5	315	4	6	11	17	35	45	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.5	2	1	2	2	4	4	4	4
B. Operated	7	8.4	20	3	5	6	12	14	15	15
2. MULTIPLE DX										
A. Not Operated	81	9.8	152	1	3	7	13	21	28	77
B. Operated	61	16.3	308	4	6	12	17	36	51	87
1. SINGLE DX	13	5.7	20	2	2	4	8	13	15	15
2. MULTIPLE DX	142	12.6	228	2	4	8	15	28	38	87
A. Not Operated	87	9.3	145	1	2	6	12	20	27	75
B. Operated	68	15.5	283	4	6	11	16	35	42	87
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	8.5	38	1	4	8	13	17	17	17
50-64	43	10.2	136	2	3	6	14	21	31	64
65 +	104	13.2	257	2	4	8	15	29	38	87
GRAND TOTAL	**155**	**12.0**	**214**	**2**	**4**	**8**	**14**	**27**	**37**	**87**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	4.1	4	2	2	4	6	7	8	8
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	3.5	13	< 1	< 1	3	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	5	20.0	211	2	7	23	30	38	38	38
20-34	6	1.8	1	< 1	< 1	2	2	3	3	3
35-49	4	9.8	306	1	1	1	19	36	36	36
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	2	25.5	481	10	10	25	41	41	41	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	10.1	167	1	1	3	18	24	42	47
20-34	3	20.0	309	7	8	13	33	40	40	40
35-49	6	6.2	27	< 1	1	5	11	13	13	13
50-64	15	17.5	500	3	5	9	15	45	74	84
65 +	26	11.1	141	2	2	6	16	27	36	47
B. Operated										
0-19 YRS	56	26.4	511	4	20	37	57	65	70	99
20-34	17	31.4	393	1	12	36	48	53	57	59
35-49	29	30.9	563	2	5	30	43	66	71	81
50-64	42	31.5	529	2	7	32	49	66	75	78
65 +	61	22.5	367	4	8	17	33	50	82	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.2	5	1	1	3	5	6	7	8
B. Operated	19	10.7	209	< 1	1	2	20	37	40	41
2. MULTIPLE DX										
A. Not Operated	64	12.3	228	1	2	7	15	34	46	79
B. Operated	205	30.0	489	2	9	30	46	63	75	99 +
1. SINGLE DX	36	7.2	124	1	1	2	6	27	37	41
2. MULTIPLE DX	269	25.8	483	2	6	25	41	60	70	97
A. Not Operated	81	10.4	195	1	2	6	12	27	42	73
B. Operated	224	28.4	493	2	8	28	44	62	72	99 +
TOTAL										
0-19 YRS	85	27.3	543	2	4	28	47	62	66	95
20-34	28	21.7	435	< 1	2	13	41	50	54	59
35-49	41	23.9	544	1	2	23	38	61	69	81
50-64	60	26.5	557	1	6	26	39	62	75	83
65 +	91	18.8	323	2	6	14	30	42	76	99 +
GRAND TOTAL	**305**	**23.6**	**476**	**2**	**4**	**17**	**37**	**58**	**69**	**93**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.0	64	< 1	< 1	1	9	17	17	17
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	4.0	29	< 1	< 1	1	7	12	12	12
65 +	5	4.2	3	2	3	4	6	6	6	6
B. Operated										
0-19 YRS	5	13.6	286	3	4	5	20	43	43	43
20-34	0									
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	6	4.7	11	1	2	4	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	7.0	12	5	5	5	10	11	11	11
35-49	15	8.0	77	2	4	5	8	12	31	36
50-64	19	6.6	49	3	4	5	6	10	24	34
65 +	47	12.1	220	2	4	8	16	28	45	99 +
B. Operated										
0-19 YRS	6	52.3	1045	11	38	51	93	99 +	99 +	99 +
20-34	3	4.3	4	2	3	5	6	6	6	6
35-49	12	27.2	308	5	8	35	42	46	47	47
50-64	18	18.0	431	3	6	8	22	53	66	73
65 +	52	15.1	250	3	5	9	25	42	71	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.9	21	< 1	1	2	5	11	15	17
B. Operated	15	7.3	109	2	2	4	8	13	35	43
2. MULTIPLE DX										
A. Not Operated	85	9.8	151	2	4	6	11	23	38	96
B. Operated	91	19.4	418	3	6	10	34	52	74	99 +
1. SINGLE DX	31	5.6	64	1	2	3	6	12	17	43
2. MULTIPLE DX	176	14.8	310	2	5	7	19	43	69	99 +
A. Not Operated	101	8.9	134	2	3	5	10	22	35	94
B. Operated	106	17.7	391	2	5	8	32	50	73	99 +
TOTAL										
0-19 YRS	16	25.3	922	1	3	13	51	94	99 +	99 +
20-34	8	4.8	9	1	2	5	6	9	11	11
35-49	30	15.1	258	2	4	7	35	42	46	47
50-64	43	11.1	234	2	3	6	11	32	51	73
65 +	110	12.8	220	2	4	8	16	36	64	99 +
GRAND TOTAL	**207**	**13.4**	**284**	**2**	**4**	**7**	**16**	**39**	**55**	**99 +**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.8	7	1	2	3	5	8	10	10
20-34	2	1.0		1	1	1	1	1	1	1
35-49	8	3.6	[illegible]	<1	1	3	5	8	10	10
50-64	8	6.3	45	1	2	5	7	17	22	22
65+	7	4.4	6	1	3	4	5	8	9	9
B. Operated										
0-19 YRS	21	4.7	29	<1	1	2	7	15	54	99+
20-34	14	7.3	85	2	2	4	6	23	31	33
35-49	39	4.9	29	1	1	3	7	10	16	29
50-64	50	5.2	32	<1	1	3	7	15	18	21
65+	61	5.6	21	1	2	4	8	12	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.5	5	2	3	4	6	8	10	10
20-34	13	11.0	193	2	4	7	14	24	48	54
35-49	53	10.6	191	2	4	7	11	20	36	89
50-64	129	11.1	76	3	5	10	14	22	29	41
65+	304	11.3	109	3	5	8	16	[illegible]	35	99+
B. Operated										
0-19 YRS	37	18.0	246	3	7	12	28	39	47	71
20-34	43	14.4	158	3	6	10	20	36	44	53
35-49	127	15.5	186	3	6	11	19	38	49	77
50-64	287	14.8	198	2	5	11	19	32	43	88
65+	570	16.0	245	3	6	11	19	37	55	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	4.3	15	1	2	3	5	8	10	22
B. Operated	185	5.4	31	1	1	3	7	12	18	32
2. MULTIPLE DX										
A. Not Operated	510	11.1	109	3	4	8	15	23	32	93
B. Operated	1064	15.6	222	3	6	11	19	36	49	[illegible]
1. SINGLE DX	223	5.2	28	1	1	3	7	12	18	[illegible]
2. MULTIPLE DX	1574	14.1	190	3	5	10	18	32	45	92
A. Not Operated	548	10.6	106	3	4	8	14	22	31	90
B. Operated	1249	14.1	207	2	5	10	18	33	46	84
TOTAL										
0-19 YRS	82	10.5	165	1	2	6	12	33	40	90
20-34	72	12.0	153	2	4	8	17	27	41	54
35-49	227	12.1	171	2	3	8	16	30	40	74
50-64	474	12.6	154	2	4	10	17	26	38	59
65+	942	13.7	195	2	5	10	18	30	48	99+
GRAND TOTAL	**1797**	**13.0**	**178**	**2**	**4**	**9**	**17**	**29**	**42**	**88**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	20	3.2	6	<1	1	2	5	7	8	9
20-34	53	2.5	2	1	1	2	3	4	5	7
35-49	81	2.5	2	1	2	2	3	5	6	8
50-64	87	2.3	2	1	1	2	3	4	5	6
65+	58	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	0									
50-64	0									
65+	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	9	9.2	136	1	3	4	10	29	38	38
20-34	12	2.3	1	1	1	2	3	4	4	4
35-49	42	2.5	1	1	2	2	3	4	5	5
50-64	74	2.8	8	1	2	2	3	5	5	20
65+	85	3.4	10	1	2	3	4	5	9	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	299	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	3	4.3	10	2	2	3	7	8	8	8
B. Operated	222	3.2	14	1	2	3	4	5	7	23
1. SINGLE DX	301	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	225	3.2	13	1	2	3	4	5	7	23
A. Not Operated	5	3.4	7	2	2	2	4	8	8	8
B. Operated	521	2.8	7	1	1	2	3	5	6	13
TOTAL										
0-19 YRS	30	5.2	50	1	1	3	7	9	15	38
20-34	65	2.5	2	1	1	2	3	4	5	7
35-49	123	2.5	2	1	2	2	3	4	5	7
50-64	162	2.5	5	1	1	2	3	4	5	6
65+	146	3.0	7	1	2	2	4	4	6	16
GRAND TOTAL	**526**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.0	48	<1	<1	<1	10	13	13	13
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	7	4.7	23	1	1	2	9	12	12	12
20-34	6	7.5	24	3	3	6	12	14	14	14
35-49	15	4.3	13	1	1	3	7	9	11	12
50-64	42	5.9	12	1	2	7	8	10	11	13
65 +	49	4.5	13	1	1	3	7	10	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.3	1	1	2	2	3	4	4	4
20-34	4	4.0	8	2	2	3	6	8	8	8
35-49	7	4.4	12	<1	2	3	7	10	10	10
50-64	9	3.0	4	1	2	3	4	6	7	7
65 +	28	5.3	11	1	3	5	7	8	13	13
B. Operated										
0-19 YRS	18	6.0	27	1	2	5	7	14	18	20
20-34	21	8.7	80	2	4	7	9	20	32	39
35-49	53	7.4	28	1	4	6	9	15	17	26
50-64	157	7.8	34	1	3	7	10	15	17	33
65 +	541	8.9	75	1	3	8	11	17	24	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.8	22	<1	<1	2	4	12	13	13
B. Operated	119	5.1	14	1	1	5	8	11	12	14
2. MULTIPLE DX										
A. Not Operated	58	4.2	9	1	2	3	7	8	9	13
B. Operated	790	8.5	63	1	3	7	11	16	21	44
1. SINGLE DX	125	5.1	14	1	1	4	8	11	12	14
2. MULTIPLE DX	848	8.2	60	1	3	7	10	16	21	44
A. Not Operated	64	4.2	10	1	2	3	6	8	11	13
B. Operated	909	8.0	58	1	3	7	10	15	21	42
TOTAL										
0-19 YRS	38	4.7	21	1	2	3	7	12	14	20
20-34	31	7.9	61	2	3	7	9	14	26	39
35-49	76	6.4	24	1	3	6	9	13	16	25
50-64	209	7.2	30	1	3	7	10	14	16	29
65 +	619	8.4	69	1	3	7	10	16	22	46
GRAND TOTAL	**973**	**7.8**	**56**	**1**	**3**	**7**	**10**	**15**	**20**	**41**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	101	1.7	2	<1	1	1	2	3	5	8
20-34	10	3.5	8	1	1	2	6	8	9	9
35-49	15	5.2	8	2	3	5	7	9	10	10
50-64	14	3.1	7	1	1	2	6	7	8	8
65 +	11	2.4	2	<1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	4	6.0	14	1	3	6	8	10	10	10
B. Operated										
0-19 YRS	57	4.1	42	1	1	2	4	8	14	39
20-34	3	1.0		1	1	1	1	1	1	1
35-49	16	6.3	18	1	3	6	8	11	16	18
50-64	33	9.1	189	1	2	6	9	15	39	73
65 +	37	7.7	47	1	4	7	9	16	31	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.8	3	<1	1	2	5	5	5	5
B. Operated	151	2.3	5	<1	1	1	3	6	7	9
2. MULTIPLE DX										
A. Not Operated	6	4.5	14	<1	1	4	7	10	10	10
B. Operated	146	6.3	76	1	1	5	8	12	18	74
1. SINGLE DX	157	2.3	5	<1	1	1	3	6	7	9
2. MULTIPLE DX	152	6.2	74	1	1	5	8	12	18	72
A. Not Operated	12	3.7	9	<1	1	3	6	8	10	10
B. Operated	297	4.3	44	1	1	2	6	9	12	42
TOTAL										
0-19 YRS	163	2.5	17	<1	1	1	2	5	8	25
20-34	14	3.1	7	1	1	2	5	7	9	9
35-49	32	5.7	13	1	3	6	7	10	11	18
50-64	48	7.2	139	1	2	5	8	11	20	73
65 +	52	6.4	39	1	2	5	8	13	18	98
GRAND TOTAL	**309**	**4.3**	**42**	**1**	**1**	**2**	**6**	**9**	**12**	**41**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	229	2.1	3	< 1	1	1	3	4	5	9
20-34	100	2.1	3	< 1	1	1	3	4	5	9
35-49	116	2.0	3	< 1	1	1	2	4	7	9
50-64	88	2.3	7	< 1	1	1	2	6	7	15
65 +	42	2.5	10	< 1	< 1	1	3	5	7	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	< 1	< 1	1	2	3	3	3
20-34	2	3.[illegible]	8	1	1	3	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	7	6.1	86	< 1	2	3	5	23	27	27
65 +	9	8.0	69	< 1	2	8	11	21	27	27
B. Operated										
0-19 YRS	59	3.7	15	1	1	2	4	8	12	18
20-34	50	3.8	12	< 1	1	3	5	9	10	17
35-49	80	3.4	10	< 1	1	2	5	8	10	12
50-64	116	4.4	33	1	1	2	5	11	14	34
65 +	112	3.9	15	1	1	2	6	10	13	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.3	3	1	1	2	2	6	6	6
B. Operated	575	2.1	4	< 1	1	1	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	23	5.7	55	< 1	1	3	7	14	27	27
B. Operated	417	3.9	19	1	1	2	5	9	12	19
1. SINGLE DX	581	2.1	4	< 1	1	1	3	4	6	10
2. MULTIPLE DX	440	4.0	20	1	1	2	5	10	12	22
A. Not Operated	29	5.0	46	< 1	1	2	5	11	27	27
B. Operated	992	2.9	11	< 1	1	2	3	7	9	17
TOTAL										
0-19 YRS	296	2.4	5	< 1	1	2	3	4	7	13
20-34	153	2.7	6	< 1	1	2	3	6	8	12
35-49	198	2.6	6	< 1	1	1	3	7	8	12
50-64	211	3.6	25	< 1	1	2	4	8	13	30
65 +	163	3.8	17	< 1	1	2	5	10	12	19
GRAND TOTAL	**1021**	**2.9**	**12**	**< 1**	**1**	**2**	**3**	**7**	**10**	**18**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.7	5	< 1	1	2	4	7	8	8
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	228	2.4	7	< 1	< 1	1	2	6	8	13
20-34	34	1.7	2	< 1	< 1	1	2	3	5	7
35-49	38	1.6	2	< 1	< 1	1	2	4	5	6
50-64	20	2.1	2	< 1	< 1	2	3	4	5	7
65 +	15	2.1	3	< 1	< 1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	4.0	13	< 1	1	3	4	11	12	13
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	3.2	2	2	2	3	4	5	5	5
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	7	13.4	38	7	9	11	17	23	24	24
B. Operated										
0-19 YRS	88	5.3	34	< 1	1	3	7	14	17	30
20-34	19	4.1	28	< 1	< 1	1	6	8	17	23
35-49	37	6.4	223	< 1	< 1	1	6	13	25	88
50-64	42	7.3	136	< 1	< 1	2	9	19	36	56
65 +	45	9.0	186	1	2	4	9	20	34	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.7	5	< 1	1	2	4	7	8	8
B. Operated	335	2.2	6	< 1	< 1	1	2	5	7	11
2. MULTIPLE DX										
A. Not Operated	34	5.8	30	1	2	4	9	13	18	24
B. Operated	231	6.4	112	< 1	1	3	7	15	22	60
1. SINGLE DX	355	2.2	6	< 1	< 1	1	2	5	7	11
2. MULTIPLE DX	265	6.4	102	< 1	1	3	7	14	22	55
A. Not Operated	54	4.6	23	1	1	3	6	11	15	24
B. Operated	566	3.9	53	< 1	1	2	4	9	14	32
TOTAL										
0-19 YRS	354	3.2	15	< 1	1	1	4	8	11	19
20-34	54	2.6	12	< 1	< 1	1	2	6	7	22
35-49	80	3.9	108	< 1	< 1	1	3	7	12	69
50-64	65	5.5	94	< 1	1	2	4	14	23	54
65 +	67	7.9	140	1	2	4	9	18	25	72
GRAND TOTAL	**620**	**4.0**	**51**	**< 1**	**1**	**2**	**4**	**9**	**14**	**32**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	1.1		< 1	< 1	< 1	1	2	2	2
20-34	24	1.0		< 1	< 1	< 1	1	1	2	2
35-49	43	1.3		< 1	< 1	1	1	2	3	4
50-64	18	1.3	1	< 1	< 1	1	1	2	3	4
65 +	18	1.6	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	10	1.1		< 1	< 1	< 1	1	2	2	2
35-49	33	1.6	1	< 1	1	1	2	3	4	6
50-64	40	1.6	1	< 1	1	1	2	3	3	6
65 +	46	3.1	11	1	1	2	3	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	113	1.3		< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	129	2.1	5	< 1	1	1	2	4	7	14
1. SINGLE DX	113	1.3		< 1	< 1	1	1	2	3	5
2. MULTIPLE DX	129	2.1	5	< 1	1	1	2	4	7	14
A. Not Operated	0									
B. Operated	242	1.7	3	< 1	< 1	1	2	3	4	9
TOTAL										
0-19 YRS	10	1.1		< 1	< 1	< 1	1	2	2	2
20-34	34	1.1		< 1	< 1	< 1	1	1	2	2
35-49	76	1.4	1	< 1	< 1	1	2	2	3	6
50-64	58	1.5	1	< 1	< 1	1	2	3	3	6
65 +	64	2.7	9	< 1	1	2	3	7	8	16
GRAND TOTAL	**242**	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**9**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	3.2	1	2	3	3	4	4	4	4
35-49	22	3.5	2	1	3	4	4	6	6	6
50-64	3	3.3	10	1	1	2	6	7	7	7
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	106	4.3	2	2	4	4	5	6	7	8
35-49	375	4.8	3	3	4	5	6	7	7	10
50-64	57	4.8	4	3	4	5	5	7	8	11
65 +	3	5.7	1	5	5	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	31	2.6	4	< 1	1	2	4	5	7	8
35-49	80	3.0	8	< 1	1	2	4	6	8	16
50-64	13	2.4	9	< 1	1	1	2	6	11	12
65 +	5	6.2	17	1	4	5	9	12	12	12
B. Operated										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	503	5.0	6	3	4	5	6	7	8	14
35-49	4096	5.5	7	4	4	5	6	8	9	15
50-64	827	5.6	14	4	4	5	6	8	9	15
65 +	85	6.8	17	3	5	6	8	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.4	2	1	2	4	4	6	6	7
B. Operated	542	4.7	3	3	4	5	5	7	7	10
2. MULTIPLE DX										
A. Not Operated	129	2.9	8	< 1	1	2	4	6	8	13
B. Operated	5513	5.5	8	3	4	5	6	8	9	15
1. SINGLE DX	572	4.6	3	3	4	5	5	7	7	10
2. MULTIPLE DX	5642	5.4	8	3	4	5	6	8	9	15
A. Not Operated	159	3.0	7	< 1	1	2	4	6	8	12
B. Operated	6055	5.4	7	3	4	5	6	7	9	15
TOTAL										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	645	4.8	5	2	4	5	6	7	8	13
35-49	4573	5.4	6	3	4	5	6	7	9	14
50-64	900	5.5	13	3	4	5	6	8	9	15
65 +	93	6.7	17	3	5	6	8	11	15	25
GRAND TOTAL	**6214**	**5.4**	**7**	**3**	**4**	**5**	**6**	**7**	**9**	**15**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	5.3	14	1	2	5	8	10	10	10
35-49	6	2.8	5	< 1	1	2	5	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	10	3.6	4	1	1	4	5	6	7	7
35-49	34	4.8	7	2	4	5	6	7	10	15
50-64	6	5.8	20	1	4	5	7	13	14	14
65 +	5	9.0	61	1	2	8	16	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	11	4.0	8	< 1	1	4	6	8	10	10
2. MULTIPLE DX										
A. Not Operated	3	2.3	2	< 1	< 1	2	3	4	4	4
B. Operated	55	5.1	13	1	3	4	6	8	15	18
1. SINGLE DX	11	4.0	8	< 1	1	4	6	8	10	10
2. MULTIPLE DX	58	4.9	13	1	3	4	6	8	15	18
A. Not Operated	3	2.3	2	< 1	< 1	2	3	4	4	4
B. Operated	66	4.9	12	1	3	4	6	8	14	18
TOTAL										
0-19 YRS	0									
20-34	14	4.1	7	1	1	4	6	7	9	10
35-49	42	4.5	7	2	3	4	5	7	9	15
50-64	8	5.3	17	< 1	2	5	6	12	14	14
65 +	5	9.0	61	1	2	8	16	18	18	18
GRAND TOTAL	**69**	**4.8**	**12**	**1**	**2**	**4**	**6**	**8**	**14**	**18**

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	2.2	2	1	1	2	3	4	4	4
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	46	4.6	2	3	4	4	5	7	7	9
20-34	214	4.0	2	3	3	4	5	5	6	7
35-49	104	4.3	2	2	3	4	5	6	6	10
50-64	41	5.2	2	3	5	5	6	7	7	8
65 +	27	5.8	4	4	4	6	7	8	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	76	5.0	10	3	4	5	6	6	8	24
20-34	296	4.6	3	3	4	4	5	6	7	11
35-49	320	5.3	5	3	4	5	6	7	9	14
50-64	183	6.7	11	4	5	6	7	10	13	17
65 +	192	8.5	30	5	5	7	10	16	20	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.8	4	1	1	2	4	6	7	7
B. Operated	432	4.4	2	3	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	4	1.8	1	1	1	2	2	3	3	3
B. Operated	1067	5.9	12	3	4	5	6	9	12	21
1. SINGLE DX	441	4.3	2	3	3	4	5	6	7	9
2. MULTIPLE DX	1071	5.9	12	3	4	5	6	9	12	21
A. Not Operated	13	2.5	3	1	1	2	3	5	7	7
B. Operated	1499	5.4	10	3	4	5	6	8	10	19
TOTAL										
0-19 YRS	125	4.7	7	3	4	5	5	6	7	17
20-34	516	4.3	2	3	3	4	5	6	6	10
35-49	426	5.0	4	3	4	5	6	7	8	13
50-64	226	6.3	10	4	5	6	7	9	12	16
65 +	219	8.2	27	5	5	7	9	15	19	36
GRAND TOTAL	**1512**	**5.4**	**10**	**3**	**4**	**5**	**6**	**8**	**10**	**19**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	2.8	3	1	1	3	4	5	5	5
35-49	3	4.0	3	2	3	5	5	5	5	5
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	< 1	< 1	2	4	4	4	4
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	10	4.1	3	2	3	4	5	7	7	7
35-49	18	8.3	84	4	4	5	6	26	33	34
50-64	7	4.3	1	3	4	4	5	5	5	5
65 +	2	4.5	5	3	3	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	15	2.7	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	3	2.0	3	< 1	< 1	< 1	3	4	4	4
B. Operated	39	6.2	43	3	4	5	6	8	23	34
1. SINGLE DX	15	2.7	3	1	1	3	4	5	5	5
2. MULTIPLE DX	42	5.9	41	3	4	4	5	7	19	34
A. Not Operated	3	2.0	3	< 1	< 1	< 1	3	4	4	4
B. Operated	54	5.2	34	1	3	4	5	7	10	34
TOTAL										
0-19 YRS	3	4.0	3	2	3	5	5	5	5	5
20-34	20	3.4	3	1	2	3	4	6	7	7
35-49	22	7.4	73	3	4	5	6	17	33	34
50-64	10	3.5	2	1	3	4	5	5	5	5
65 +	2	4.5	5	3	3	4	6	6	6	6
GRAND TOTAL	**57**	**5.0**	**33**	**1**	**3**	**4**	**5**	**7**	**10**	**34**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	6	2.0	2	< 1	< 1	1	3	4	4	4
35-49	4	1.0		< 1	< 1	1	1	1	1	1
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	5.5	25	2	2	5	9	9	9	9
65 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	15	1.8	1	< 1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	9	2.6	6	1	1	2	3	7	9	9
1. SINGLE DX	15	1.8	1	< 1	1	1	3	4	4	4
2. MULTIPLE DX	9	2.6	6	1	1	2	3	7	9	9
A. Not Operated	0									
B. Operated	24	2.1	3	< 1	1	2	3	4	6	9
TOTAL										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	9	1.9	1	< 1	1	1	3	4	4	4
35-49	6	1.2		< 1	1	1	1	2	2	2
50-64	2	5.5	25	2	2	5	9	9	9	9
65 +	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**24**	**2.1**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**	**9**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	7	7.0	9	1	6	8	9	10	10	10
50-64	4	3.3	7	< 1	< 1	3	5	6	6	6
65 +	4	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	2.7	1	2	2	2	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	6.3	22	1	3	8	9	10	10	10
35-49	5	5.2	5	2	4	5	6	8	8	8
50-64	23	6.3	23	2	3	4	8	10	15	23
65 +	42	5.0	22	1	2	3	7	10	13	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	16	4.7	11	< 1	1	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	4	3.5	4	2	2	3	5	6	6	6
B. Operated	73	5.4	21	1	2	4	8	10	12	25
1. SINGLE DX	17	4.5	11	< 1	1	5	7	9	10	10
2. MULTIPLE DX	77	5.3	20	1	2	4	8	10	12	24
A. Not Operated	5	3.0	4	1	2	2	4	6	6	6
B. Operated	89	5.3	19	1	2	4	8	10	11	24
TOTAL										
0-19 YRS	0									
20-34	4	6.5	15	1	4	7	9	10	10	10
35-49	13	6.2	7	2	5	6	8	9	10	10
50-64	31	5.4	21	1	2	4	8	10	11	23
65 +	46	4.7	21	1	2	3	7	10	13	25
GRAND TOTAL	**94**	**5.2**	**18**	**1**	**2**	**4**	**8**	**10**	**11**	**24**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	11	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	2	3.0	8	1	1	3	5	5	5	5
B. Operated	4	1.5		1	1	1	2	2	2	2
1. SINGLE DX	11	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX	6	2.0	2	1	1	2	2	5	5	5
A. Not Operated	2	3.0	8	1	1	3	5	5	5	5
B. Operated	15	1.1		< 1	< 1	1	1	2	2	2
TOTAL										
0-19 YRS	14	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**17**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**4**	**5**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.7	9	1	1	3	6	7	7	7
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	14	6.4	55	1	2	5	7	10	26	31
20-34	9	10.6	56	5	6	7	15	23	27	27
35-49	27	6.2	9	2	4	7	8	10	11	12
50-64	28	8.7	23	3	5	8	11	15	18	23
65 +	18	9.5	61	1	5	7	11	23	25	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	7	4.9	13	1	2	5	6	11	12	12
50-64	6	8.7	92	1	3	5	11	25	27	27
65 +	50	15.2	328	2	4	9	23	51	80	99 +
B. Operated										
0-19 YRS	17	10.4	45	3	5	9	15	22	23	23
20-34	11	12.8	39	6	9	10	19	21	21	21
35-49	51	11.5	104	3	6	8	15	21	24	65
50-64	78	13.3	109	5	8	10	17	27	47	99 +
65 +	98	20.5	299	4	8	16	32	49	61	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.7	5	1	2	3	5	7	7	7
B. Operated	96	8.0	35	2	5	7	9	15	22	29
2. MULTIPLE DX										
A. Not Operated	68	12.6	269	1	3	6	16	38	71	99 +
B. Operated	255	15.5	188	4	7	12	19	35	52	99 +
1. SINGLE DX	102	7.7	34	2	4	7	9	14	21	29
2. MULTIPLE DX	323	14.9	206	3	6	10	18	35	55	99 +
A. Not Operated	74	11.9	253	1	3	6	15	36	68	99 +
B. Operated	351	13.4	157	3	6	9	17	31	45	99
TOTAL										
0-19 YRS	34	8.0	52	1	2	6	10	18	23	31
20-34	22	11.0	47	4	6	9	17	20	23	27
35-49	88	9.1	72	2	5	7	11	17	21	54
50-64	114	11.8	90	4	6	10	14	22	36	99 +
65 +	167	17.6	292	3	6	12	26	46	62	99 +
GRAND TOTAL	**425**	**13.2**	**174**	**3**	**5**	**9**	**17**	**32**	**47**	**99 +**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	1.7		1	1	2	2	2	2	2
20-34	71	2.6	1	1	2	3	3	4	5	5
35-49	125	2.3	1	1	2	2	3	4	4	5
50-64	59	2.4	1	1	2	2	3	4	4	4
65 +	26	2.7	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	27	3.1	11	2	2	3	3	4	6	19
35-49	70	3.8	42	1	2	3	4	5	6	47
50-64	64	3.6	6	2	2	3	4	6	8	15
65 +	48	5.7	37	2	3	4	5	11	23	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	297	2.4	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	2	3.0	2	2	2	3	4	4	4	4
B. Operated	212	4.1	26	2	2	3	4	6	9	28
1. SINGLE DX	300	2.4	1	1	2	2	3	4	4	5
2. MULTIPLE DX	214	4.1	26	2	2	3	4	6	9	28
A. Not Operated	5	2.4	1	1	2	2	3	4	4	4
B. Operated	509	3.1	12	1	2	3	4	4	5	17
TOTAL										
0-19 YRS	19	1.7		1	1	2	2	2	3	3
20-34	100	2.7	4	1	2	2	3	4	5	12
35-49	196	2.9	16	1	2	2	3	4	5	8
50-64	124	3.0	4	1	2	3	4	4	6	12
65 +	75	4.6	26	2	2	3	4	6	14	30
GRAND TOTAL	**514**	**3.1**	**12**	**1**	**2**	**3**	**4**	**4**	**5**	**17**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	5.3	16	3	3	3	8	10	10	10
20-34	8	6.1	6	3	4	6	8	9	9	9
35-49	12	10.4	88	4	4	8	13	22	35	37
50-64	10	7.1	136	2	3	3	4	23	40	40
65 +	7	6.1	4	4	4	6	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	6	10.3	147	4	5	6	7	32	35	35
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	3	4.3	8	1	2	6	6	6	6	6
65 +	7	16.0	215	4	7	9	23	41	45	45
B. Operated										
0-19 YRS	10	9.0	35	3	5	7	10	19	22	22
20-34	21	6.2	24	2	3	5	7	18	53	99 +
35-49	38	7.3	84	2	3	5	7	14	19	56
50-64	60	8.7	90	2	3	5	11	17	25	55
65 +	71	8.6	90	2	3	5	11	24	54	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	40	7.6	62	3	3	5	8	13	26	40
2. MULTIPLE DX										
A. Not Operated	22	9.2	130	1	3	6	9	29	39	45
B. Operated	200	8.2	79	2	3	5	10	19	27	99 +
1. SINGLE DX	41	7.5	62	3	3	5	8	13	25	40
2. MULTIPLE DX	222	8.3	84	2	3	5	10	19	29	99 +
A. Not Operated	23	8.9	126	1	3	6	8	28	38	45
B. Operated	240	8.1	76	2	3	5	10	17	27	99 +
TOTAL										
0-19 YRS	17	6.9	30	2	3	6	9	15	20	22
20-34	35	6.9	40	3	4	6	7	16	31	99 +
35-49	53	7.7	82	2	3	5	8	15	20	55
50-64	73	8.3	92	2	3	5	10	17	26	53
65 +	85	9.0	96	2	3	5	11	25	46	99 +
GRAND TOTAL	**263**	**8.1**	**80**	**2**	**3**	**5**	**10**	**18**	**29**	**99 +**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	77	2.5	3	< 1	1	2	4	5	5	8
35-49	73	3.4	6	< 1	1	4	5	6	7	12
50-64	21	3.6	5	1	1	4	6	6	6	6
65 +	5	2.6	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	2.8	3	1	1	3	4	5	5	5
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	111	3.1	3	1	1	3	4	5	6	7
35-49	168	4.7	10	1	3	4	5	7	10	15
50-64	51	4.6	6	1	3	5	6	8	9	11
65 +	22	4.9	6	1	3	5	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.3	1	2	2	4	4	4	4	4
B. Operated	177	3.0	4	< 1	1	3	4	6	6	10
2. MULTIPLE DX										
A. Not Operated	7	3.0	4	1	1	3	5	6	6	6
B. Operated	353	4.2	8	1	2	4	5	7	8	15
1. SINGLE DX	180	3.0	4	< 1	1	3	4	6	6	10
2. MULTIPLE DX	360	4.2	8	1	2	4	5	7	8	15
A. Not Operated	10	3.1	3	1	1	3	4	5	6	6
B. Operated	530	3.8	7	1	2	4	5	6	8	13
TOTAL										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	194	2.8	3	< 1	1	3	4	5	6	7
35-49	243	4.3	9	1	2	4	5	6	9	15
50-64	73	4.3	6	1	2	5	6	7	8	11
65 +	28	4.5	6	1	2	5	7	7	8	8
GRAND TOTAL	**540**	**3.8**	**7**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	2.8	2	1	2	3	4	4	4	4
35-49	35	3.5	4	1	1	4	5	6	6	7
50-64	45	3.9	13	1	1	2	5	8	14	16
65 +	48	3.4	7	< 1	1	3	5	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	8.0	72	2	2	8	14	14	14	14
65 +	3	6.7	66	1	1	3	13	16	16	16
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	8	4.1	5	1	2	4	5	7	8	8
35-49	43	4.8	8	2	3	4	7	9	10	13
50-64	134	5.4	17	1	2	5	7	11	13	20
65 +	214	7.9	92	1	3	6	10	16	21	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	132	3.6	8	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. Not Operated	7	6.0	39	1	2	3	11	16	16	16
B. Operated	400	6.6	57	1	2	5	8	13	19	31
1. SINGLE DX	133	3.5	8	1	1	3	5	7	9	16
2. MULTIPLE DX	407	6.6	57	1	2	5	8	13	19	31
A. Not Operated	8	5.5	35	1	2	3	9	15	16	16
B. Operated	532	5.9	47	1	2	4	7	12	16	26
TOTAL										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	13	3.7	4	1	2	4	5	6	8	8
35-49	80	4.2	7	1	2	4	6	8	9	13
50-64	181	5.1	17	1	2	4	7	11	13	19
65 +	265	7.1	79	1	2	5	9	15	20	36
GRAND TOTAL	**540**	**5.9**	**47**	**1**	**2**	**4**	**7**	**12**	**16**	**26**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.5	7	< 1	1	1	3	7	9	9
20-34	6	4.7	44	< 1	1	2	4	17	18	18
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	14	2.6	5	< 1	1	2	3	7	8	8
65 +	5	2.0	3	< 1	1	1	3	5	5	5
B. Operated										
0-19 YRS	57	3.6	21	1	1	2	5	7	9	30
20-34	46	4.7	36	1	2	3	5	9	11	40
35-49	49	3.6	15	1	1	3	5	8	9	24
50-64	49	4.5	13	1	1	3	7	9	10	15
65 +	49	3.9	10	1	1	2	6	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.6	5	< 1	1	2	3	5	8	10
20-34	19	3.4	4	1	2	3	5	6	7	8
35-49	24	6.0	62	1	2	4	6	13	22	38
50-64	56	4.3	9	1	2	3	6	9	11	12
65 +	157	8.6	91	1	3	6	9	19	25	50
B. Operated										
0-19 YRS	62	9.9	121	2	3	6	13	24	30	55
20-34	67	6.6	53	2	4	5	7	10	15	50
35-49	131	7.7	84	2	4	5	8	14	20	52
50-64	171	9.0	89	2	4	7	10	18	27	48
65 +	415	10.5	139	2	4	8	12	22	32	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.8	10	< 1	1	2	3	7	8	18
B. Operated	250	4.0	19	1	1	3	6	9	10	24
2. MULTIPLE DX										
A. Not Operated	282	6.6	64	1	2	4	8	14	20	49
B. Operated	846	9.4	114	2	4	7	11	19	28	69
1. SINGLE DX	290	3.9	18	1	1	2	6	8	10	22
2. MULTIPLE DX	1128	8.7	102	2	3	6	10	17	27	62
A. Not Operated	322	6.1	59	1	2	4	7	13	19	49
B. Operated	1096	8.2	97	1	3	6	10	16	26	63
TOTAL										
0-19 YRS	158	5.8	66	1	1	3	7	14	22	51
20-34	138	5.4	41	1	2	4	6	9	12	42
35-49	206	6.5	67	1	3	5	7	12	18	42
50-64	290	7.0	62	1	2	5	9	13	20	45
65 +	626	9.4	120	1	3	7	11	20	29	72
GRAND TOTAL	**1418**	**7.7**	**89**	**1**	**2**	**5**	**9**	**16**	**24**	**54**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	1.7		1	1	2	2	3	3	3
20-34	72	2.5	1	1	2	2	3	4	4	5
35-49	110	2.5	1	1	2	2	3	4	4	6
50-64	74	2.9	1	2	2	3	4	4	5	7
65 +	41	3.3	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	3.0	7	< 1	< 1	2	5	7	7	7
50-64	5	3.0	10	< 1	1	1	5	8	8	8
65 +	9	9.1	13	5	6	8	12	15	15	15
B. Operated										
0-19 YRS	5	5.0	16	1	2	3	8	11	11	11
20-34	26	2.5	1	1	2	2	3	4	5	6
35-49	75	3.6	34	2	2	3	4	5	6	41
50-64	82	3.7	8	2	2	3	4	6	8	20
65 +	101	5.3	27	2	3	3	6	11	15	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8		1	1	2	2	2	2	2
B. Operated	307	2.7	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	20	5.7	19	< 1	1	5	8	12	14	15
B. Operated	289	4.2	22	2	2	3	4	7	10	22
1. SINGLE DX	311	2.7	1	1	2	2	3	4	5	6
2. MULTIPLE DX	309	4.3	22	2	2	3	5	7	11	21
A. Not Operated	24	5.0	18	< 1	1	4	7	11	14	15
B. Operated	596	3.4	12	2	2	3	4	5	7	16
TOTAL										
0-19 YRS	15	2.8	7	1	1	2	3	7	10	11
20-34	100	2.5	1	1	2	2	3	4	4	6
35-49	193	2.9	14	1	2	2	3	4	5	8
50-64	161	3.3	5	2	2	3	4	5	6	10
65 +	151	5.0	21	2	3	3	6	10	14	19
GRAND TOTAL	**620**	**3.5**	**12**	**2**	**2**	**3**	**4**	**5**	**8**	**16**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.6	3	1	2	2	3	4	7	8
20-34	10	3.9	6	1	2	3	5	8	9	9
35-49	8	3.8	8	1	2	3	4	8	10	10
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	3	8.0	21	4	5	7	11	13	13	13
B. Operated										
0-19 YRS	14	3.6	7	2	2	3	5	6	10	11
20-34	36	3.3	2	2	2	3	4	6	7	7
35-49	34	2.6	2	1	2	3	3	4	5	6
50-64	18	2.9	2	1	2	3	4	5	5	5
65 +	11	2.8	2	1	2	3	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	6.1	17	2	2	5	10	12	13	13
20-34	28	4.9	17	1	2	4	6	10	14	19
35-49	48	6.9	22	3	4	6	8	12	13	27
50-64	50	7.2	32	2	3	5	11	16	20	22
65 +	142	12.5	125	4	6	10	14	24	30	90
B. Operated										
0-19 YRS	5	2.8	6	1	1	1	5	6	6	6
20-34	30	3.6	4	2	2	3	5	7	7	9
35-49	41	4.6	10	2	2	4	6	10	11	13
50-64	37	5.1	15	2	3	4	7	8	14	19
65 +	51	12.3	185	3	3	8	17	38	67	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.6	8	1	2	3	4	8	10	13
B. Operated	113	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	283	9.5	83	2	4	7	12	20	24	61
B. Operated	164	6.9	77	2	3	4	8	15	25	95
1. SINGLE DX	150	3.1	4	1	2	3	4	6	7	11
2. MULTIPLE DX	447	8.6	82	2	3	6	11	19	24	69
A. Not Operated	320	8.8	78	2	4	6	12	19	24	55
B. Operated	277	5.3	50	2	2	3	6	11	18	65
TOTAL										
0-19 YRS	48	4.0	10	1	2	3	5	9	12	13
20-34	104	3.9	7	2	2	3	5	7	8	16
35-49	131	4.9	15	1	2	4	6	10	12	23
50-64	107	5.7	23	2	3	4	7	12	17	21
65 +	207	11.9	136	3	4	9	14	25	38	99 +
GRAND TOTAL	**597**	**7.2**	**68**	**2**	**3**	**5**	**9**	**15**	**23**	**60**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	94	4.9	4	3	4	5	6	7	8	11
20-34	11	3.5	3	1	2	3	5	6	6	6
35-49	11	2.5	1	1	2	2	3	4	4	4
50-64	5	7.4	14	4	4	8	9	13	13	13
65 +	3	10.0	12	6	7	12	12	12	12	12
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	115	5.6	6	2	4	6	7	8	9	13
20-34	14	5.1	20	1	3	4	6	12	16	17
35-49	33	5.3	10	3	4	5	6	9	11	17
50-64	40	5.8	18	1	2	5	9	11	12	21
65 +	31	5.2	16	2	3	5	6	11	21	99 +
B. Operated										
0-19 YRS	5	6.4	2	4	6	7	7	7	7	7
20-34	1	34.0		34	34	34	34	34	34	34
35-49	1	3.0		3	3	3	3	3	3	3
50-64	8	9.3	95	1	3	5	13	26	29	29
65 +	5	10.8	112	2	5	7	15	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	124	4.8	6	2	3	5	6	8	10	12
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	233	5.5	10	2	3	5	7	9	11	21
B. Operated	20	9.9	96	2	4	7	9	29	32	34
1. SINGLE DX	125	4.8	5	2	3	5	6	8	10	12
2. MULTIPLE DX	253	5.8	18	2	3	5	7	9	12	29
A. Not Operated	357	5.2	9	2	3	5	7	8	11	17
B. Operated	21	9.6	92	2	4	7	8	29	31	34
TOTAL										
0-19 YRS	215	5.3	5	2	4	5	7	8	8	12
20-34	26	5.5	46	1	2	4	6	11	20	34
35-49	45	4.6	9	2	3	4	5	8	10	17
50-64	53	6.4	29	2	3	5	9	12	18	29
65 +	39	6.3	29	2	3	5	7	12	25	99 +
GRAND TOTAL	378	5.5	14	2	3	5	7	9	11	27

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	296	4.2	7	1	2	3	6	8	9	13
20-34	133	4.0	7	2	2	3	5	7	10	13
35-49	50	4.9	8	2	3	4	7	8	11	15
50-64	16	5.8	10	2	4	5	8	10	12	13
65 +	10	4.8	6	2	4	4	5	8	10	10
B. Operated										
0-19 YRS	4	5.0	5	2	3	5	6	7	7	7
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	0									
50-64	1	20.0		20	20	20	20	20	20	20
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	466	4.7	13	1	2	4	6	9	12	17
20-34	578	5.3	23	2	3	4	6	10	13	32
35-49	357	6.5	21	2	3	6	8	11	13	25
50-64	269	8.9	62	3	5	7	10	17	25	61
65 +	376	11.3	95	4	5	9	14	21	30	65
B. Operated										
0-19 YRS	24	10.7	51	4	6	8	15	21	26	29
20-34	66	10.4	66	3	5	8	15	27	34	99 +
35-49	64	13.6	88	5	7	11	17	30	36	92
50-64	56	19.3	340	5	7	14	35	99 +	99 +	99 +
65 +	88	21.6	346	7	11	17	28	60	99	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	505	4.3	7	2	2	4	6	8	10	13
B. Operated	7	7.0	36	2	3	6	7	17	20	20
2. MULTIPLE DX										
A. Not Operated	2046	7.0	45	2	3	5	8	13	18	39
B. Operated	298	16.1	223	4	7	12	21	42	95	99 +
1. SINGLE DX	512	4.3	8	2	2	4	6	8	10	14
2. MULTIPLE DX	2344	8.1	76	2	3	6	10	16	25	89
A. Not Operated	2551	6.4	38	2	3	5	8	12	16	35
B. Operated	305	15.9	220	4	7	12	21	41	94	99 +
TOTAL										
0-19 YRS	790	4.7	13	1	2	4	6	9	12	17
20-34	779	5.5	26	2	3	4	7	10	15	34
35-49	471	7.3	35	2	3	6	9	13	19	34
50-64	342	10.5	120	3	5	8	12	26	45	99 +
65 +	474	13.0	157	4	6	10	15	26	39	99 +
GRAND TOTAL	2856	7.4	66	2	3	5	9	15	22	65

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	3.0	12	1	1	1	6	7	7	7
65 +	1	26.0		26	26	26	26	26	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	11	7.1	10	3	4	7	9	12	13	13
50-64	47	12.2	109	4	6	9	13	22	39	52
65 +	108	12.9	166	3	6	9	15	25	35	74
B. Operated										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	11	17.5	254	3	5	15	33	65	95	99 +
35-49	108	17.4	186	5	9	13	22	39	50	80
50-64	393	22.9	339	6	11	17	30	51	71	99 +
65 +	672	22.0	289	6	10	17	30	51	67	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	4	8.8	140	1	1	4	16	26	26	26
2. MULTIPLE DX										
A. Not Operated	169	12.2	139	3	6	9	14	22	35	61
B. Operated	1185	21.8	297	6	10	17	29	50	67	99 +
1. SINGLE DX	5	7.8	110	1	1	4	12	26	26	26
2. MULTIPLE DX	1354	20.6	288	5	9	16	28	47	65	99 +
A. Not Operated	170	12.2	139	3	6	9	14	22	35	61
B. Operated	1189	21.8	297	6	10	17	29	50	67	99 +
TOTAL										
0-19 YRS	3	14.3	110	4	6	14	22	25	25	25
20-34	13	15.2	242	2	4	12	23	55	90	99 +
35-49	119	16.4	179	4	8	12	21	36	49	76
50-64	443	21.6	326	6	9	16	28	49	69	99 +
65 +	781	20.7	281	5	9	16	28	48	65	99 +
GRAND TOTAL	1359	20.6	287	5	9	16	28	47	65	99 +

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	243	4.5	5	2	3	4	6	7	8	10
20-34	105	4.5	8	1	3	4	5	8	10	15
35-49	120	4.9	6	2	3	5	6	8	9	14
50-64	134	5.4	7	2	3	5	7	9	10	13
65 +	89	5.8	10	2	3	5	7	10	12	67
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	1.7	1	1	1	2	2	3	3	3
50-64	5	6.2	16	2	2	7	10	10	10	10
65 +	5	8.2	21	4	4	7	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	199	5.6	20	2	3	5	7	10	12	28
20-34	423	5.5	20	2	3	5	7	10	13	21
35-49	826	6.5	25	2	4	5	8	12	15	27
50-64	1470	7.5	39	3	4	6	9	13	17	31
65 +	2470	9.3	79	3	5	7	11	17	22	61
B. Operated										
0-19 YRS	6	5.8	17	1	2	5	9	12	12	12
20-34	99	11.6	173	2	3	8	14	28	37	70
35-49	283	13.8	246	2	4	9	16	35	50	93
50-64	605	14.2	197	2	5	10	18	33	44	92
65 +	741	17.1	241	4	7	12	22	44	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	691	4.9	7	2	3	5	6	8	10	14
B. Operated	17	4.9	18	1	2	3	8	12	13	13
2. MULTIPLE DX										
A. Not Operated	5388	7.9	55	3	4	6	9	14	19	47
B. Operated	1734	15.2	225	3	6	10	20	37	52	99 +
1. SINGLE DX	708	4.9	7	2	3	5	6	8	10	14
2. MULTIPLE DX	7122	9.7	106	3	4	7	11	19	29	66
A. Not Operated	6079	7.6	50	3	4	6	9	14	18	43
B. Operated	1751	15.1	224	2	6	10	19	36	51	99 +
TOTAL										
0-19 YRS	448	5.0	12	2	3	5	6	8	10	19
20-34	628	6.3	47	2	3	5	7	12	17	36
35-49	1235	8.0	84	2	4	5	9	15	23	55
50-64	2214	9.2	90	3	4	7	10	18	26	57
65 +	3305	11.0	124	3	5	8	12	22	36	81
GRAND TOTAL	7830	9.3	99	3	4	7	10	18	28	64

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	8	3.5	3	1	2	3	5	6	6	6
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	4.9	18	1	2	3	9	11	12	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	38	4.7	35	1	2	4	5	7	9	38
35-49	7	4.6	2	3	3	4	6	6	6	6
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	2	2	2	3	4	4	4	4
B. Operated	13	3.2	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	13	4.3	15	1	2	3	6	11	12	12
B. Operated	49	4.5	28	1	3	4	5	6	8	38
1. SINGLE DX	15	3.1	2	1	2	3	4	5	6	6
2. MULTIPLE DX	62	4.5	25	1	2	4	5	8	10	35
A. Not Operated	15	4.1	13	1	2	3	5	11	12	12
B. Operated	62	4.2	23	1	3	4	5	6	8	35
TOTAL										
0-19 YRS	8	2.8	3	1	1	2	4	5	6	6
20-34	57	4.5	27	1	2	4	5	8	11	36
35-49	11	4.0	2	2	3	4	5	6	6	6
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**77**	**4.2**	**21**	**1**	**2**	**4**	**5**	**6**	**10**	**31**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	132	2.7	23	1	1	1	2	5	8	26
20-34	11	2.7	9	<1	1	2	3	7	11	11
35-49	9	3.6	9	<1	2	3	4	9	11	11
50-64	9	3.1	7	<1	1	3	4	7	9	9
65 +	10	2.6	4	1	1	2	3	6	7	7
B. Operated										
0-19 YRS	8	14.3	321	2	2	6	23	45	49	49
20-34	5	4.0	4	2	2	5	5	6	6	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	7	2.3	2	1	1	3	3	4	4	4
65 +	6	5.2	10	2	3	4	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	241	3.2	20	1	1	2	3	7	10	22
20-34	99	3.8	21	1	1	3	4	7	10	28
35-49	151	5.5	26	1	2	4	7	12	16	23
50-64	312	5.9	26	1	2	4	7	13	18	25
65 +	964	8.7	109	2	3	6	10	17	27	82
B. Operated										
0-19 YRS	22	8.9	149	2	3	4	11	17	36	58
20-34	14	7.2	47	2	3	5	14	22	80	99 +
35-49	33	10.2	281	2	3	6	10	20	22	98
50-64	77	10.2	146	3	4	7	11	18	28	80
65 +	166	15.4	271	3	6	11	20	38	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	171	2.7	20	1	1	1	3	6	8	21
B. Operated	28	6.6	111	1	2	3	6	11	36	49
2. MULTIPLE DX										
A. Not Operated	1767	6.9	75	1	2	4	8	14	20	52
B. Operated	312	12.7	229	3	4	8	15	28	56	99 +
1. SINGLE DX	199	3.3	34	1	1	2	3	7	10	40
2. MULTIPLE DX	2079	7.7	102	1	3	5	9	16	24	80
A. Not Operated	1938	6.5	71	1	2	4	8	14	19	49
B. Operated	340	12.2	222	2	4	8	14	27	50	99 +
TOTAL										
0-19 YRS	403	3.5	37	1	1	2	3	8	13	38
20-34	129	4.1	23	1	1	3	5	8	14	51
35-49	195	6.1	70	1	2	4	7	13	17	31
50-64	405	6.6	51	1	3	5	8	14	18	28
65 +	1146	9.6	137	2	4	6	11	20	32	94
GRAND TOTAL	**2278**	**7.4**	**98**	**1**	**2**	**4**	**9**	**15**	**23**	**72**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	10.6	71	2	3	9	17	23	24	24
20-34	3	12.3	32	6	8	14	16	17	17	17
35-49	0									
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	3	8.7	8	7	7	7	11	12	12	12
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	7	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	14.5	187	4	6	10	16	35	41	71
20-34	7	8.6	119	2	2	3	10	28	32	32
35-49	15	7.8	29	2	3	7	11	13	20	22
50-64	32	15.5	281	5	7	10	16	30	55	84
65 +	116	13.9	123	3	6	12	18	28	43	99 +
B. Operated										
0-19 YRS	26	13.5	249	2	4	10	16	38	79	99 +
20-34	11	8.2	58	2	5	6	8	23	24	24
35-49	20	15.0	93	3	8	15	21	23	33	42
50-64	30	17.2	237	4	7	14	26	39	74	99 +
65 +	160	14.4	293	2	4	8	18	50	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	10.3	60	1	3	9	16	22	24	24
B. Operated	11	3.3	14	1	1	1	6	9	12	12
2. MULTIPLE DX										
A. Not Operated	218	13.7	155	3	6	11	16	28	42	89
B. Operated	247	14.4	255	2	5	9	19	43	63	99 +
1. SINGLE DX	23	6.9	49	1	1	4	11	18	22	24
2. MULTIPLE DX	465	14.1	207	3	5	10	18	36	57	99 +
A. Not Operated	230	13.5	150	3	6	11	16	28	40	87
B. Operated	258	14.0	249	2	4	9	18	43	63	99 +
TOTAL										
0-19 YRS	85	13.6	187	3	5	10	15	36	42	91
20-34	21	8.9	70	2	3	6	12	23	28	32
35-49	35	11.9	77	2	6	9	19	22	24	42
50-64	63	16.1	256	4	6	13	18	36	62	98
65 +	284	13.8	219	2	4	10	18	39	59	99 +
GRAND TOTAL	**488**	**13.7**	**202**	**2**	**5**	**10**	**17**	**35**	**56**	**99 +**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	134	11.2	27	5	8	12	14	18	20	25
20-34	52	11.5	30	5	7	11	14	20	23	24
35-49	5	7.8	12	3	5	8	10	12	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	14.9	63	5	10	14	18	27	29	29
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	15.0		15	15	15	15	15	15	15
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	275	13.6	62	6	10	13	15	22	27	47
20-34	177	13.3	37	5	9	13	16	21	23	31
35-49	19	14.1	41	5	11	13	18	19	26	31
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	45	22.4	170	10	14	19	28	43	47	64
20-34	33	20.1	79	11	14	19	23	35	40	41
35-49	4	22.0	54	18	18	19	26	33	33	33
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	11.2	27	5	7	11	14	18	21	24
B. Operated	13	12.9	70	2	7	14	16	27	29	29
2. MULTIPLE DX										
A. Not Operated	472	13.5	52	5	10	13	16	21	26	36
B. Operated	82	21.4	127	10	14	19	25	38	44	60
1. SINGLE DX	204	11.3	30	5	7	11	14	18	21	27
2. MULTIPLE DX	554	14.7	71	6	10	14	18	24	31	46
A. Not Operated	663	12.8	46	5	9	13	15	21	24	34
B. Operated	95	20.3	127	10	13	18	25	36	43	58
TOTAL										
0-19 YRS	464	13.8	71	5	9	13	16	22	29	48
20-34	264	13.7	48	5	9	13	17	23	26	37
35-49	29	14.1	50	4	11	13	18	19	31	33
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**758**	**13.8**	**62**	**5**	**9**	**13**	**16**	**22**	**28**	**44**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	20	6.2	4	4	5	6	7	10	10	10
35-49	14	5.3	4	2	5	5	6	8	9	9
50-64	3	4.3	8	1	2	6	6	6	6	6
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	7.4	26	3	3	6	11	15	15	15
20-34	2	35.0	2048	3	3	35	67	67	67	67
35-49	6	3.2	23	<1	1	1	2	12	13	13
50-64	2	18.5	265	7	7	18	30	30	30	30
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	51	6.8	19	4	5	6	7	9	13	34
35-49	79	7.7	15	4	5	6	9	12	15	79
50-64	15	11.3	143	5	6	7	12	18	43	52
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated	38	5.7	4	3	5	6	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	16	10.3	288	1	1	3	11	28	56	67
B. Operated	148	7.7	30	5	5	6	9	12	15	52
1. SINGLE DX	39	5.6	5	2	5	6	7	9	10	10
2. MULTIPLE DX	164	8.0	54	4	5	6	9	13	16	65
A. Not Operated	17	9.7	275	<1	1	3	11	27	54	67
B. Operated	186	7.3	25	4	5	6	8	11	14	45
TOTAL										
0-19 YRS	9	6.4	20	1	3	5	10	13	15	15
20-34	73	7.4	65	4	5	6	7	10	13	59
35-49	99	7.1	15	4	5	6	9	12	14	65
50-64	20	11.0	133	5	6	7	11	24	41	52
65+	2	3.0	8	1	1	3	5	5	5	5
GRAND TOTAL	**203**	**7.5**	**45**	**4**	**5**	**6**	**8**	**11**	**15**	**59**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	91	3.0	10	<1	1	2	3	7	11	16
20-34	18	3.4	5	1	2	3	6	7	8	8
35-49	13	2.5	1	1	2	2	3	4	5	5
50-64	6	7.0	25	<1	3	6	10	14	15	15
65+	11	4.0	5	1	3	4	5	7	8	8
B. Operated										
0-19 YRS	29	3.2	7	1	1	2	4	7	8	12
20-34	33	3.2	22	1	1	1	3	6	15	24
35-49	54	1.6	1	1	1	1	2	3	5	6
50-64	23	2.0	2	1	1	2	2	3	5	7
65+	8	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	164	4.3	40	1	2	2	4	7	15	43
20-34	59	4.1	14	<1	<1	3	5	9	12	18
35-49	62	8.5	91	2	3	5	10	17	30	52
50-64	94	9.3	147	2	3	6	10	21	25	78
65+	221	10.0	100	2	4	7	12	21	31	61
B. Operated										
0-19 YRS	73	15.6	310	2	3	10	22	47	65	99+
20-34	31	6.3	64	1	3	4	6	13	25	40
35-49	72	6.2	80	1	2	4	8	15	38	99+
50-64	72	8.4	126	1	2	5	9	25	36	93
65+	82	15.9	223	3	6	12	19	35	45	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	3.3	9	<1	1	2	4	7	10	15
B. Operated	147	2.3	8	1	1	1	3	5	6	16
2. MULTIPLE DX										
A. Not Operated	600	7.6	88	1	2	5	9	16	26	51
B. Operated	330	11.2	192	1	3	6	14	33	47	99+
1. SINGLE DX	286	2.8	9	<1	1	2	3	6	8	16
2. MULTIPLE DX	930	8.9	128	1	2	5	10	21	34	65
A. Not Operated	739	6.8	76	1	2	4	8	15	21	46
B. Operated	477	8.4	152	1	1	4	10	24	39	98
TOTAL										
0-19 YRS	357	6.2	107	1	2	3	5	15	31	65
20-34	141	4.3	26	<1	1	3	5	8	14	26
35-49	201	5.5	64	1	1	3	6	12	20	78
50-64	195	8.0	123	1	2	5	9	19	27	85
65+	322	11.0	136	2	4	8	14	26	34	61
GRAND TOTAL	**1216**	**7.4**	**106**	**1**	**2**	**4**	**9**	**17**	**28**	**62**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	7	3.6	12	1	2	2	4	10	11	11
50-64	4	2.0	2	1	1	2	3	4	4	4
65 +	11	4.0	5	1	2	4	5	7	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	8.5	5	7	7	8	10	10	10	10
50-64	2	2.5	5	< 1	< 1	2	4	4	4	4
65 +	5	6.8	34	2	3	3	12	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	3.0	4	1	2	2	4	6	6	6
35-49	28	5.5	14	2	3	4	8	11	15	15
50-64	54	5.1	10	2	3	4	6	9	12	16
65 +	150	6.8	32	3	3	5	8	14	18	99
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	12	8.7	38	< 1	3	8	13	18	19	19
50-64	14	7.4	44	2	3	5	9	14	24	27
65 +	33	12.1	72	3	6	12	15	21	30	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.4	6	1	2	3	5	6	10	11
B. Operated	9	6.2	23	1	3	4	10	13	15	15
2. MULTIPLE DX										
A. Not Operated	237	6.2	25	2	3	5	7	13	16	52
B. Operated	60	10.2	61	2	4	9	14	19	24	41
1. SINGLE DX	33	4.2	12	1	2	3	5	10	11	15
2. MULTIPLE DX	297	7.0	35	2	3	5	9	15	18	44
A. Not Operated	261	5.9	24	2	3	5	7	12	16	44
B. Operated	69	9.7	57	2	4	8	14	18	22	40
TOTAL										
0-19 YRS	0									
20-34	8	3.0	3	1	1	3	4	5	6	6
35-49	49	6.1	21	1	3	4	9	14	15	19
50-64	74	5.3	17	2	3	4	6	10	12	24
65 +	199	7.5	41	2	3	6	10	15	19	72
GRAND TOTAL	**330**	**6.7**	**33**	**2**	**3**	**5**	**8**	**14**	**17**	**43**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	187	2.8	6	1	1	2	3	5	6	13
20-34	16	4.1	35	1	1	2	4	8	20	25
35-49	8	2.8	9	1	1	1	4	8	8	8
50-64	10	4.5	14	1	2	4	5	10	14	14
65 +	27	7.9	105	2	2	5	8	16	37	45
B. Operated										
0-19 YRS	4	11.8	62	1	6	13	17	19	19	19
20-34	0									
35-49	0									
50-64	0									
65 +	3	24.0	112	12	16	28	31	32	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2482	3.2	16	1	2	2	3	5	7	16
20-34	664	3.6	9	1	2	3	4	7	9	20
35-49	635	5.1	41	1	2	4	6	9	13	30
50-64	1031	6.9	54	2	3	5	8	14	20	38
65 +	5118	10.2	131	3	4	7	12	21	34	99 +
B. Operated										
0-19 YRS	71	13.2	308	1	3	5	16	37	50	80
20-34	56	9.6	163	2	4	6	10	21	26	86
35-49	93	10.3	102	2	3	8	15	30	41	99 +
50-64	175	14.1	179	3	6	10	19	30	39	86
65 +	738	20.8	338	5	9	15	28	52	86	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	248	3.5	21	1	1	2	4	6	9	25
B. Operated	7	17.0	111	3	11	16	26	31	32	32
2. MULTIPLE DX										
A. Not Operated	9930	7.3	90	2	3	4	8	16	24	73
B. Operated	1133	17.9	300	4	7	13	24	44	71	99 +
1. SINGLE DX	255	3.9	28	1	1	2	4	7	12	32
2. MULTIPLE DX	11063	8.4	122	2	3	5	10	19	30	87
A. Not Operated	10178	7.2	89	2	2	4	8	15	24	72
B. Operated	1140	17.9	299	4	7	13	24	44	71	99 +
TOTAL										
0-19 YRS	2744	3.4	26	1	2	2	4	5	8	23
20-34	736	4.0	24	1	2	3	4	7	11	25
35-49	736	5.7	52	1	2	4	7	11	17	47
50-64	1216	7.9	78	2	3	5	9	17	25	48
65 +	5886	11.5	170	3	4	7	14	27	43	99 +
GRAND TOTAL	**11318**	**8.3**	**121**	**2**	**3**	**5**	**9**	**19**	**30**	**87**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.5	1	1	2	2	4	4	4	4
20-34	4	2.5	4	1	1	2	4	5	5	5
35-49	9	3.7	8	1	2	2	5	8	9	9
50-64	6	5.7	10	3	3	4	8	11	11	11
65 +	20	3.2	4	1	2	3	4	6	7	8
B. Operated										
0-19 YRS	3	5.7	41	< 1	1	3	10	13	13	13
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	5	6.0	16	1	3	5	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	5.1	68	1	1	3	5	10	23	43
20-34	36	3.9	4	2	2	4	5	7	7	9
35-49	100	4.0	7	1	2	4	5	7	9	14
50-64	123	5.1	14	1	2	4	7	11	13	17
65 +	702	6.8	57	2	3	5	8	13	19	38
B. Operated										
0-19 YRS	7	7.1	56	2	3	4	9	20	23	23
20-34	13	8.5	40	3	5	6	10	21	21	21
35-49	44	7.8	68	3	4	6	8	13	14	57
50-64	69	7.2	23	2	4	6	9	15	19	21
65 +	339	11.0	107	4	5	8	13	20	33	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	3.4	5	1	2	3	4	6	8	11
B. Operated	13	4.7	15	1	2	4	6	11	13	13
2. MULTIPLE DX										
A. Not Operated	993	6.1	46	1	2	4	7	12	17	33
B. Operated	472	10.0	91	3	5	8	12	19	27	65
1. SINGLE DX	63	3.7	7	1	2	3	5	8	10	13
2. MULTIPLE DX	1465	7.4	64	2	3	5	9	14	20	47
A. Not Operated	1043	6.0	45	1	2	4	7	12	17	32
B. Operated	485	9.9	89	3	5	8	12	19	26	64
TOTAL										
0-19 YRS	53	4.9	51	1	1	3	5	10	21	42
20-34	54	4.9	16	2	3	4	6	7	14	21
35-49	155	5.0	27	1	2	4	6	9	11	17
50-64	200	5.8	18	2	3	5	8	12	15	20
65 +	1066	8.1	76	2	3	6	10	15	23	56
GRAND TOTAL	**1528**	**7.2**	**62**	**2**	**3**	**5**	**9**	**14**	**19**	**46**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	530	4.3	23	1	2	4	6	8	9	14
20-34	277	5.1	15	1	3	4	7	9	11	21
35-49	30	7.9	28	2	4	6	11	16	19	23
50-64	5	5.2	5	2	3	6	7	8	8	8
65 +	0									
B. Operated										
0-19 YRS	5	6.0	10	1	4	7	8	9	9	9
20-34	9	7.7	38	2	3	5	12	18	20	20
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	507	5.4	13	2	3	5	7	10	11	19
20-34	312	8.0	42	3	4	6	9	15	21	37
35-49	117	9.7	38	3	6	8	12	19	22	31
50-64	27	6.0	9	3	4	5	7	11	12	14
65 +	3	14.3	72	8	9	11	21	24	24	24
B. Operated										
0-19 YRS	17	9.8	48	2	6	8	12	22	25	26
20-34	23	22.3	361	5	7	17	28	55	65	72
35-49	9	15.0	146	7	9	11	15	34	46	46
50-64	2	10.5	145	2	2	10	19	19	19	19
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	842	4.7	21	1	2	4	6	8	10	18
B. Operated	15	6.8	26	2	3	5	9	14	18	20
2. MULTIPLE DX										
A. Not Operated	966	6.8	28	2	3	6	9	12	17	30
B. Operated	51	16.4	233	4	7	11	20	37	54	72
1. SINGLE DX	857	4.8	21	1	2	4	6	8	10	19
2. MULTIPLE DX	1017	7.3	42	2	3	6	9	13	19	34
A. Not Operated	1808	5.8	26	2	3	5	7	11	14	24
B. Operated	66	14.2	201	2	6	9	17	28	48	70
TOTAL										
0-19 YRS	1059	4.9	19	1	2	4	6	9	11	18
20-34	621	7.3	51	2	4	6	8	13	20	40
35-49	157	9.6	43	3	5	8	12	18	22	34
50-64	34	6.1	13	3	4	5	7	11	13	19
65 +	3	14.3	72	8	9	11	21	24	24	24
GRAND TOTAL	**1874**	**6.1**	**34**	**2**	**3**	**5**	**8**	**11**	**15**	**29**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	123	2.5	7	<1	1	1	3	6	8	15
20-34	26	2.8	10	<1	1	1	3	7	12	13
35-49	11	3.5	4	1	2	3	5	7	7	7
50-64	15	2.2	6	<1	1	1	3	5	9	10
65+	51	2.9	10	1	1	2	3	7	11	16
B. Operated										
0-19 YRS	40	5.0	10	1	3	4	6	9	12	13
20-34	8	8.3	102	3	4	5	6	25	33	33
35-49	8	6.6	9	2	5	7	8	10	11	11
50-64	5	7.6	19	3	4	7	11	13	13	13
65+	14	7.3	11	3	3	8	10	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	198	4.1	34	<1	1	2	4	8	13	33
20-34	101	4.8	41	1	1	3	6	12	13	40
35-49	229	4.5	26	1	1	3	6	11	13	38
50-64	356	5.0	40	1	1	3	7	11	14	28
65+	1319	6.1	53	1	2	4	7	13	18	40
B. Operated										
0-19 YRS	74	15.1	293	2	5	8	21	39	46	90
20-34	37	9.8	134	1	4	6	11	18	41	54
35-49	79	8.6	81	2	4	6	10	15	26	55
50-64	117	11.0	83	3	5	8	14	23	29	44
65+	468	13.6	203	3	6	9	17	30	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	226	2.6	8	1	1	1	3	6	9	14
B. Operated	75	6.1	20	2	3	5	8	11	12	28
2. MULTIPLE DX										
A. Not Operated	2203	5.5	46	1	2	3	7	12	16	39
B. Operated	775	12.7	180	3	5	9	16	27	42	99
1. SINGLE DX	301	3.5	13	1	1	2	5	8	11	15
2. MULTIPLE DX	2978	7.4	91	1	2	5	9	16	23	55
A. Not Operated	2429	5.3	43	1	2	3	7	12	16	35
B. Operated	850	12.1	170	2	5	8	15	26	39	98
TOTAL										
0-19 YRS	435	5.6	87	1	1	3	5	13	22	47
20-34	172	5.7	63	1	1	3	7	13	17	42
35-49	327	5.5	41	1	2	4	7	11	15	42
50-64	493	6.3	56	1	2	4	8	14	20	40
65+	1852	7.9	100	1	2	5	10	17	25	63
GRAND TOTAL	**3279**	**7.0**	**85**	**1**	**2**	**4**	**8**	**15**	**22**	**54**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	3.3	5	1	2	3	4	7	8	10
20-34	1	18.0		18	18	18	18	18	18	18
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	3.5	8	1	2	3	4	7	11	12
20-34	14	12.1	208	1	3	5	18	39	44	46
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	4.0	3	3	3	3	5	6	6	6
65+	2	9.0	50	4	4	9	14	14	14	14
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	2	8.0	72	2	2	8	14	14	14	14
35-49	2	11.5	145	3	3	11	20	20	20	20
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	3.6	10	1	2	3	4	7	9	18
B. Operated	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	78	5.2	53	1	2	3	5	11	16	44
B. Operated	6	7.5	60	1	2	4	14	19	20	20
1. SINGLE DX	46	3.8	10	1	2	3	5	7	9	18
2. MULTIPLE DX	84	5.4	53	1	2	3	5	12	19	43
A. Not Operated	122	4.6	37	1	2	3	5	9	13	40
B. Operated	8	7.4	44	1	2	5	11	18	20	20
TOTAL										
0-19 YRS	105	3.5	6	1	2	3	4	7	9	12
20-34	17	11.9	177	1	3	5	18	35	43	46
35-49	3	9.3	86	3	3	5	16	20	20	20
50-64	3	4.0	3	3	3	3	5	6	6	6
65+	2	9.0	50	4	4	9	14	14	14	14
GRAND TOTAL	**130**	**4.8**	**38**	**1**	**2**	**3**	**5**	**10**	**14**	**40**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	257	3.7	14	1	2	2	4	8	11	18
20-34	20	5.9	15	2	3	5	9	10	13	16
35-49	11	3.5	6	1	2	4	4	7	10	10
50-64	10	4.0	11	1	1	3	5	9	12	12
65 +	15	3.0	5	1	1	2	4	5	9	10
B. Operated										
0-19 YRS	75	3.7	6	1	2	3	5	7	9	12
20-34	35	6.0	16	2	4	6	7	10	11	25
35-49	14	7.9	41	2	3	6	10	20	21	21
50-64	17	5.4	4	2	4	6	7	7	8	8
65 +	20	8.8	55	2	3	8	12	15	25	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	616	4.8	17	1	2	4	6	9	11	19
20-34	110	5.2	12	1	3	5	7	9	10	19
35-49	182	6.4	21	2	3	5	8	12	16	23
50-64	256	6.9	33	2	4	6	8	12	16	39
65 +	498	8.1	56	2	4	6	10	15	21	38
B. Operated										
0-19 YRS	128	9.6	101	2	3	6	11	25	34	62
20-34	72	8.6	36	3	4	7	12	18	20	26
35-49	70	8.2	27	3	5	8	10	13	17	87
50-64	122	10.7	65	3	5	8	14	23	28	35
65 +	291	13.2	148	4	6	9	16	30	37	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	313	3.8	13	1	2	3	4	8	11	18
B. Operated	161	5.4	20	1	3	5	7	10	13	25
2. MULTIPLE DX										
A. Not Operated	1662	6.3	33	2	3	5	8	12	16	30
B. Operated	683	11.1	103	3	5	8	13	25	33	81
1. SINGLE DX	474	4.4	16	1	2	3	5	9	12	20
2. MULTIPLE DX	2345	7.7	58	2	3	6	9	15	22	43
A. Not Operated	1975	5.9	31	1	3	5	7	11	15	28
B. Operated	844	10.0	92	2	4	7	12	22	32	58
TOTAL										
0-19 YRS	1076	5.0	28	1	2	4	6	10	13	31
20-34	237	6.4	22	2	3	5	8	12	18	25
35-49	277	6.8	24	2	4	6	9	13	17	27
50-64	405	7.9	44	2	4	6	9	15	22	36
65 +	824	9.8	94	2	4	7	12	21	30	54
GRAND TOTAL	**2819**	**7.1**	**53**	**2**	**3**	**5**	**9**	**14**	**20**	**39**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	162	1.7	1	1	1	1	2	3	3	5
20-34	59	2.1	1	1	1	2	3	3	5	6
35-49	11	3.0	3	1	2	3	3	6	7	7
50-64	5	2.8	1	1	2	3	3	4	4	4
65 +	3	1.7	1	1	1	1	3	3	3	3
B. Operated										
0-19 YRS	84	3.3	3	2	2	3	4	5	5	12
20-34	49	3.4	1	2	3	3	4	5	5	6
35-49	6	4.3	4	3	3	4	5	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	113	2.0	1	1	1	2	2	3	5	6
20-34	43	2.5	2	1	1	2	3	4	5	7
35-49	6	2.8	2	1	2	3	4	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65 +	3	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	53	4.0	3	2	3	3	5	7	8	10
20-34	44	5.1	11	3	3	4	5	7	13	20
35-49	10	4.5	3	2	4	5	6	6	6	6
50-64	5	9.6	30	4	5	9	14	17	17	17
65 +	2	10.5	1	10	10	10	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	240	1.9	1	1	1	2	2	3	4	6
B. Operated	141	3.4	3	2	3	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	166	2.2	2	1	1	2	3	4	5	6
B. Operated	114	4.8	9	3	3	4	5	8	12	18
1. SINGLE DX	381	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	280	3.3	6	1	2	3	4	6	7	14
A. Not Operated	406	2.0	1	1	1	2	3	3	4	6
B. Operated	255	4.0	6	2	3	3	4	6	8	15
TOTAL										
0-19 YRS	412	2.4	3	1	1	2	3	4	5	8
20-34	195	3.2	5	1	2	3	4	5	6	13
35-49	33	3.7	3	2	2	3	5	6	7	8
50-64	12	5.9	23	2	3	4	7	14	17	17
65 +	9	4.8	18	1	1	3	10	11	11	11
GRAND TOTAL	**661**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	4.9	8	2	3	4	6	9	10	14
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	32	3.6	8	< 1	1	3	6	8	9	10
20-34	17	1.9	4	< 1	1	1	2	4	7	9
35-49	17	1.7	1	< 1	1	1	2	4	4	4
50-64	8	2.4	10	< 1	1	1	2	8	10	10
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	4.8	5	2	3	5	6	8	9	10
20-34	11	4.7	8	1	2	4	7	8	9	9
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	5	4.4	6	2	3	3	6	8	8	8
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	22	6.1	35	1	2	5	7	12	19	27
20-34	10	2.5	3	1	2	2	2	5	7	7
35-49	16	2.9	10	< 1	1	2	4	5	11	13
50-64	9	2.8	6	1	1	2	3	7	9	9
65 +	8	3.0	11	1	1	2	3	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	4.7	7	2	3	4	6	9	9	14
B. Operated	76	2.6	6	< 1	1	1	3	7	9	10
2. MULTIPLE DX										
A. Not Operated	79	4.8	5	2	3	5	7	8	9	10
B. Operated	65	3.9	19	1	1	2	5	9	12	25
1. SINGLE DX	163	3.7	8	1	1	3	5	8	9	10
2. MULTIPLE DX	144	4.4	11	1	2	4	6	8	9	15
A. Not Operated	166	4.8	6	2	3	4	6	8	9	10
B. Operated	141	3.2	12	1	1	2	4	8	10	15
TOTAL										
0-19 YRS	193	4.8	10	1	3	4	6	9	9	15
20-34	42	2.9	6	1	1	2	4	7	8	9
35-49	37	2.6	6	< 1	1	2	4	5	8	13
50-64	23	3.1	8	1	1	2	4	8	9	10
65 +	12	3.0	11	1	1	2	3	10	11	11
GRAND TOTAL	**307**	**4.1**	**10**	**1**	**2**	**3**	**6**	**8**	**9**	**13**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	15.3	616	1	1	1	33	44	44	44
20-34	3	12.0	91	6	6	7	19	23	23	23
35-49	10	9.3	70	2	2	5	14	22	25	25
50-64	8	8.5	106	1	2	3	12	26	31	31
65 +	15	11.1	123	1	2	8	14	23	37	42
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	13.7	121	1	2	13	19	28	34	38
20-34	51	11.9	143	2	4	8	18	27	36	99
35-49	46	10.1	61	2	3	8	14	24	29	99 +
50-64	67	11.7	150	2	3	7	16	29	49	91
65 +	311	12.9	226	3	4	8	16	33	48	90
B. Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	0									
35-49	3	7.7	20	3	4	8	11	12	12	12
50-64	5	6.0	12	3	4	5	7	12	12	12
65 +	44	18.3	414	2	5	13	24	58	94	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	10.5	122	1	2	6	14	24	37	44
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	494	12.4	187	2	4	8	17	28	46	96
B. Operated	53	16.6	362	2	5	12	22	51	90	99 +
1. SINGLE DX	39	10.5	122	1	2	6	14	24	37	44
2. MULTIPLE DX	547	12.8	205	2	4	8	17	29	49	99 +
A. Not Operated	533	12.3	183	2	4	8	16	28	44	94
B. Operated	53	16.6	362	2	5	12	22	51	90	99 +
TOTAL										
0-19 YRS	23	14.1	156	1	1	13	19	30	40	44
20-34	54	11.9	138	2	4	8	19	26	35	98
35-49	59	9.8	59	2	3	8	14	23	27	93
50-64	80	11.0	138	2	3	7	15	29	46	85
65 +	370	13.5	246	2	4	8	17	35	51	98
GRAND TOTAL	**586**	**12.7**	**200**	**2**	**4**	**8**	**17**	**29**	**47**	**99 +**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	28.0	4	26	26	28	29	30	30	30
65 +	11	12.7	446	2	3	7	9	40	72	75
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	18.0		18	18	18	18	18	18	18
50-64	16	23.3	645	3	7	14	43	99	99 +	99 +
65 +	259	19.7	438	3	7	12	30	62	90	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	37.5	1013	15	15	37	60	60	60	60
65 +	25	23.9	500	3	10	24	79	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	16.0	386	2	4	8	26	34	66	75
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	277	19.9	447	3	7	12	31	63	96	99 +
B. Operated	27	24.9	514	3	10	24	70	99 +	99 +	99 +
1. SINGLE DX	14	16.0	386	2	4	8	26	34	66	75
2. MULTIPLE DX	304	20.3	453	3	7	12	33	75	99 +	99 +
A. Not Operated	291	19.7	443	3	6	12	30	63	93	99 +
B. Operated	27	24.9	514	3	10	24	70	99 +	99 +	99 +
TOTAL										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	18.0		18	18	18	18	18	18	18
50-64	21	25.3	554	4	9	23	42	98	99 +	99 +
65 +	295	19.8	444	3	7	12	32	74	99 +	99 +
GRAND TOTAL	**318**	**20.1**	**450**	**3**	**7**	**12**	**32**	**75**	**99 +**	**99 +**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	6	17.3	223	2	7	13	26	40	42	42
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	14.0	200	4	4	14	24	24	24	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	16	26.6	552	4	8	19	37	64	74	78
65 +	197	19.4	288	4	8	15	27	49	71	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	57.0		57	57	57	57	57	57	57
65 +	17	24.4	552	5	14	19	76	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	17.3	223	2	7	13	26	40	42	42
B. Operated	2	14.0	200	4	4	14	24	24	24	24
2. MULTIPLE DX										
A. Not Operated	213	19.9	309	4	8	15	28	49	73	99 +
B. Operated	18	26.2	578	5	15	19	72	99 +	99 +	99 +
1. SINGLE DX	8	16.5	190	3	5	13	25	37	42	42
2. MULTIPLE DX	231	20.4	330	4	8	15	28	57	89	99 +
A. Not Operated	219	19.9	306	4	8	15	27	49	70	99 +
B. Operated	20	25.0	542	4	14	19	64	99 +	99 +	99 +
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	17	28.4	572	4	10	19	43	64	73	78
65 +	222	19.7	304	4	8	15	28	52	91	99 +
GRAND TOTAL	**239**	**20.3**	**325**	**4**	**8**	**15**	**28**	**56**	**87**	**99 +**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	1.9	1	1	1	1	2	3	5	5
20-34	30	2.5	4	1	1	2	3	5	6	10
35-49	8	4.1	53	< 1	1	1	3	17	22	22
50-64	9	12.6	244	< 1	2	6	19	38	48	48
65 +	59	16.0	170	3	7	13	20	36	47	97
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	4.8	101	1	1	2	4	7	18	64
20-34	78	7.5	163	1	2	3	8	15	29	72
35-49	56	7.3	70	1	2	5	9	20	32	96
50-64	50	11.6	268	2	2	7	16	40	89	99 +
65 +	647	18.0	315	4	6	12	25	53	82	99 +
B. Operated										
0-19 YRS	8	1.5		1	1	1	2	2	2	2
20-34	9	7.3	118	1	2	3	8	25	35	35
35-49	9	7.0	130	1	2	4	5	25	37	37
50-64	9	19.0	884	2	6	9	16	65	97	97
65 +	71	25.5	519	4	8	20	51	82	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	8.7	133	1	1	3	13	23	36	71
B. Operated	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	875	15.3	293	2	4	10	20	43	72	99 +
B. Operated	106	20.0	507	2	4	12	32	74	99 +	99 +
1. SINGLE DX	143	8.7	131	1	1	3	13	22	36	70
2. MULTIPLE DX	981	15.8	317	2	4	10	22	50	76	99 +
A. Not Operated	1016	14.4	276	2	4	9	19	41	68	99 +
B. Operated	108	19.8	502	2	4	12	31	73	99 +	99 +
TOTAL										
0-19 YRS	87	3.3	53	1	1	2	3	5	8	48
20-34	117	6.2	122	1	1	3	6	11	26	67
35-49	73	6.9	74	1	2	4	8	20	34	86
50-64	68	12.7	337	1	2	7	18	40	94	99 +
65 +	779	18.5	326	4	6	13	27	55	83	99 +
GRAND TOTAL	**1124**	**14.9**	**299**	**2**	**4**	**9**	**20**	**44**	**72**	**99 +**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	10	3.6	12	< 1	1	2	4	10	11	11
35-49	13	8.1	59	2	2	4	11	23	23	23
50-64	10	7.8	63	2	3	5	8	20	29	29
65 +	6	11.3	82	3	5	8	17	26	27	27
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	5.1	11	1	4	5	5	10	14	14
20-34	709	5.7	8	3	5	5	6	8	14	14
35-49	1429	5.8	13	3	5	5	6	8	12	20
50-64	656	6.6	33	3	5	5	7	12	15	45
65 +	201	11.7	203	3	4	6	13	30	48	99 +
B. Operated										
0-19 YRS	0									
20-34	11	8.1	54	2	3	6	10	19	26	27
35-49	26	8.9	64	4	5	6	11	24	28	35
50-64	25	13.2	128	3	6	11	19	36	58	99 +
65 +	8	24.3	655	6	10	18	24	68	85	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	6.9	52	1	2	4	9	19	25	29
B. Operated	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	3005	6.3	31	3	5	5	6	10	14	33
B. Operated	70	12.1	166	3	5	8	14	27	37	97
1. SINGLE DX	44	6.8	50	1	2	4	9	18	24	29
2. MULTIPLE DX	3075	6.4	35	3	5	5	6	11	14	34
A. Not Operated	3047	6.3	31	3	5	5	6	10	14	33
B. Operated	72	11.9	163	3	5	7	13	27	37	97
TOTAL										
0-19 YRS	13	4.2	11	< 1	2	4	5	7	13	14
20-34	731	5.7	9	3	5	5	6	8	14	14
35-49	1468	5.8	14	3	5	5	6	9	13	24
50-64	692	6.8	38	3	5	5	7	13	16	50
65 +	215	12.1	219	3	5	7	14	30	48	99 +
GRAND TOTAL	**3119**	**6.4**	**35**	**3**	**5**	**5**	**6**	**11**	**14**	**34**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.2	6	1	1	3	5	7	7	7
20-34	12	7.8	43	1	2	6	12	19	20	20
35-49	6	4.8	9	1	2	5	7	9	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	4	4.3	4	2	3	4	6	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	11.3	304	1	4	6	9	27	60	78
20-34	281	8.1	55	3	5	7	10	14	16	38
35-49	191	8.9	47	4	5	7	13	14	19	30
50-64	67	8.4	76	2	3	6	10	23	28	90
65 +	139	11.1	112	3	4	8	14	27	36	99 +
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	8.3	23	1	4	10	12	13	13	13
35-49	3	9.7	22	6	6	8	13	15	15	15
50-64	4	8.0	9	4	6	8	10	11	11	11
65 +	12	12.3	55	2	8	13	17	42	89	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	5.6	25	1	2	4	7	12	19	20
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	706	9.1	77	3	5	7	12	16	23	69
B. Operated	26	10.0	38	2	6	10	14	19	39	99 +
1. SINGLE DX	28	5.6	25	1	2	4	7	12	19	20
2. MULTIPLE DX	732	9.1	75	3	5	7	12	16	24	74
A. Not Operated	734	9.0	75	3	4	7	12	16	23	68
B. Operated	26	10.0	38	2	6	10	14	19	39	99 +
TOTAL										
0-19 YRS	34	9.8	260	1	2	5	8	18	53	78
20-34	299	8.1	54	3	5	7	10	14	17	35
35-49	200	8.8	46	4	5	7	12	14	19	29
50-64	72	8.3	71	2	3	6	10	22	27	87
65 +	155	11.1	105	3	4	8	15	27	37	99 +
GRAND TOTAL	**760**	**9.0**	**74**	**3**	**4**	**7**	**12**	**16**	**23**	**72**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	17.0	178	2	3	16	20	38	39	39
20-34	218	20.2	275	4	8	16	28	43	55	87
35-49	164	18.1	167	5	9	14	26	35	42	55
50-64	59	19.6	182	7	12	17	26	33	38	85
65 +	19	20.6	129	8	13	18	27	38	43	46
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	24.8	361	3	14	24	34	78	95	99 +
20-34	304	18.7	218	4	9	15	24	41	56	99 +
35-49	239	19.4	274	5	8	15	25	42	60	76
50-64	106	21.0	207	5	12	18	31	45	60	99 +
65 +	54	23.0	309	8	12	18	29	61	83	99 +
B. Operated										
0-19 YRS	0									
20-34	5	31.0	680	13	13	25	40	76	76	76
35-49	7	36.1	570	13	27	34	60	96	99 +	99 +
50-64	5	21.4	55	10	17	21	27	29	29	29
65 +	8	39.9	287	15	28	43	54	57	58	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	470	19.3	217	4	9	16	27	39	48	82
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	716	19.7	245	4	9	16	26	43	61	99 +
B. Operated	25	33.4	396	10	21	29	46	74	89	99 +
1. SINGLE DX	470	19.3	217	4	9	16	27	39	48	82
2. MULTIPLE DX	741	20.2	256	5	9	16	27	46	63	99 +
A. Not Operated	1186	19.6	234	4	9	16	26	41	56	99 +
B. Operated	25	33.4	396	10	21	29	46	74	89	99 +
TOTAL										
0-19 YRS	23	21.4	285	3	11	21	32	43	83	99 +
20-34	527	19.4	246	4	8	16	26	42	56	99 +
35-49	410	19.2	240	5	8	15	26	38	55	80
50-64	170	20.6	193	6	12	18	28	42	55	99 +
65 +	81	24.1	288	8	13	19	30	55	69	99 +
GRAND TOTAL	**1211**	**19.8**	**241**	**4**	**9**	**16**	**27**	**42**	**56**	**99 +**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	23.1	273	9	13	19	32	81	99 +	99 +
20-34	15	18.3	208	2	9	12	26	45	47	48
35-49	3	6.3	24	3	3	4	10	12	12	12
50-64	3	17.3	160	3	8	22	26	27	27	27
65 +	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	26.0	135	11	16	28	35	40	40	40
20-34	17	18.9	276	2	8	16	26	30	57	72
35-49	7	22.7	511	4	9	15	27	62	70	70
50-64	3	24.7	134	17	17	19	33	38	38	38
65 +	3	26.7	289	14	15	20	39	46	46	46
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	17.6	208	3	7	13	26	46	60	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	35	21.8	271	6	11	19	29	40	64	72
B. Operated	1	9.0		9	9	9	9	9	9	9
1. SINGLE DX	32	17.6	208	3	7	13	26	46	60	99 +
2. MULTIPLE DX	36	21.5	268	6	10	18	28	40	63	72
A. Not Operated	67	19.8	242	3	9	17	27	43	63	95
B. Operated	1	9.0		9	9	9	9	9	9	9
TOTAL										
0-19 YRS	14	24.1	212	11	14	19	33	62	90	99 +
20-34	32	18.6	237	2	9	14	26	34	48	72
35-49	11	17.0	375	3	5	12	19	46	68	70
50-64	6	21.0	134	4	17	20	27	37	38	38
65 +	5	18.0	286	4	5	14	26	46	46	46
GRAND TOTAL	**68**	**19.6**	**240**	**3**	**9**	**16**	**27**	**43**	**62**	**95**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	26.5	543	3	7	19	40	66	76	84
20-34	419	19.8	250	4	8	15	28	43	56	85
35-49	305	18.6	205	4	8	14	25	35	48	68
50-64	106	18.3	236	3	8	14	23	42	51	76
65 +	29	20.1	152	5	14	19	24	36	43	58
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	50.0		50	50	50	50	50	50	50
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	23.5	377	4	10	19	38	57	59	99 +
20-34	561	18.9	274	4	7	15	25	42	62	99 +
35-49	482	20.0	277	5	9	15	28	40	54	85
50-64	210	19.8	233	5	8	16	28	41	57	86
65 +	100	24.0	323	6	11	19	34	49	63	96
B. Operated										
0-19 YRS	1	72.0		72	72	72	72	72	72	72
20-34	14	24.6	320	8	16	20	27	47	71	78
35-49	10	26.2	424	7	10	20	35	59	70	70
50-64	14	20.1	82	8	14	19	30	31	33	34
65 +	8	35.8	175	21	27	35	50	83	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	892	19.5	242	4	8	15	27	42	53	77
B. Operated	1	50.0		50	50	50	50	50	50	50
2. MULTIPLE DX										
A. Not Operated	1406	20.0	277	4	8	15	28	42	59	98
B. Operated	47	26.5	296	9	15	23	32	55	73	99 +
1. SINGLE DX	893	19.5	243	4	8	15	27	42	53	77
2. MULTIPLE DX	1453	20.2	279	4	8	16	28	43	59	99
A. Not Operated	2298	19.8	263	4	8	15	27	42	56	94
B. Operated	48	27.0	301	9	15	24	34	55	72	99 +
TOTAL										
0-19 YRS	87	25.2	458	3	9	19	38	59	73	99
20-34	994	19.4	264	4	8	15	26	43	60	99 +
35-49	798	19.6	252	5	9	15	28	40	51	83
50-64	330	19.3	227	4	8	15	26	40	51	77
65 +	137	23.9	287	6	12	20	34	49	59	99 +
GRAND TOTAL	**2346**	**19.9**	**265**	**4**	**8**	**15**	**28**	**42**	**57**	**94**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	28.5	769	1	5	25	52	91	99	99 +
20-34	1	31.0		31	31	31	31	31	31	31
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	27.6	262	8	12	27	39	50	52	52
20-34	4	14.5	48	8	9	13	19	24	24	24
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	28.8	699	1	6	28	48	90	98	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	13	23.5	226	8	11	21	35	48	51	52
B. Operated	0									
1. SINGLE DX	12	28.8	699	1	6	28	48	90	98	99 +
2. MULTIPLE DX	13	23.5	226	8	11	21	35	48	51	52
A. Not Operated	25	26.0	441	2	11	23	42	60	90	99 +
B. Operated	0									
TOTAL										
0-19 YRS	20	28.1	515	2	10	27	45	71	93	99 +
20-34	5	17.8	91	8	10	15	26	31	31	31
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**25**	**26.0**	**441**	**2**	**11**	**23**	**42**	**60**	**90**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	141	20.9	300	2	9	17	29	48	72	99 +
20-34	372	13.9	122	3	6	11	19	29	38	55
35-49	358	14.3	118	3	6	12	20	30	36	50
50-64	228	16.0	134	4	7	15	22	30	38	62
65 +	289	20.5	168	6	11	19	27	37	48	71
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	283	21.6	270	4	9	18	29	45	58	96
20-34	880	16.9	217	3	7	13	22	35	47	88
35-49	938	16.8	182	4	7	14	23	35	45	72
50-64	640	20.2	196	6	10	18	27	37	49	89
65 +	1218	21.6	217	5	11	20	29	42	50	86
B. Operated										
0-19 YRS	5	17.8	113	5	12	21	31	93	99 +	99 +
20-34	28	19.8	181	4	7	18	29	39	42	52
35-49	23	29.7	511	11	20	26	45	99	99 +	99 +
50-64	33	25.0	322	7	12	21	32	48	60	88
65 +	87	32.2	352	11	19	32	41	73	99	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1388	16.4	159	4	7	14	22	33	42	73
B. Operated	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. Not Operated	3959	19.2	214	4	9	16	26	39	49	87
B. Operated	176	28.1	351	9	16	26	38	64	97	99 +
1. SINGLE DX	1389	16.4	159	4	7	14	22	33	42	73
2. MULTIPLE DX	4135	19.6	223	4	9	16	27	40	51	93
A. Not Operated	5347	18.5	201	4	8	15	25	37	48	83
B. Operated	177	28.1	349	9	16	26	38	64	97	99 +
TOTAL										
0-19 YRS	429	21.3	277	4	9	18	29	47	61	99 +
20-34	1280	16.0	191	3	6	13	21	34	44	81
35-49	1319	16.4	174	4	7	13	22	34	45	82
50-64	901	19.3	189	5	9	17	26	35	49	86
65 +	1595	22.0	221	6	11	20	30	42	52	94
GRAND TOTAL	**5524**	**18.8**	**208**	**4**	**8**	**16**	**26**	**38**	**48**	**88**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	17.8	212	4	8	15	22	37	54	97
20-34	320	17.4	181	4	8	15	22	34	45	64
35-49	322	15.6	149	4	7	13	21	30	43	54
50-64	153	19.0	210	6	10	15	23	36	43	83
65 +	72	22.2	238	7	12	18	29	46	57	65
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	16.0		16	16	16	16	16	16	16
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	24.0	290	5	12	22	34	53	59	94
20-34	487	19.2	233	5	8	16	26	40	52	87
35-49	537	17.5	173	5	9	15	22	35	43	75
50-64	417	20.1	215	5	9	17	27	39	52	74
65 +	345	23.1	276	6	12	20	30	50	60	99 +
B. Operated										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	11	21.4	102	11	15	20	29	59	94	99 +
35-49	13	24.5	78	15	17	24	30	38	39	39
50-64	18	25.6	385	11	15	23	31	97	99 +	99 +
65 +	27	32.0	353	9	22	29	43	63	93	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	927	17.4	184	4	8	14	22	35	46	66
B. Operated	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated	1855	19.8	226	5	9	16	26	40	54	94
B. Operated	70	27.1	274	13	17	25	35	50	99	99 +
1. SINGLE DX	928	17.4	183	4	8	14	22	35	46	66
2. MULTIPLE DX	1925	20.1	229	5	9	17	27	40	54	96
A. Not Operated	2782	19.0	213	5	9	16	25	38	51	80
B. Operated	71	26.9	271	13	17	25	35	48	98	99 +
TOTAL										
0-19 YRS	130	21.1	259	5	9	17	29	50	58	99 +
20-34	818	18.5	211	4	8	15	24	38	50	78
35-49	872	16.9	164	4	8	14	22	33	43	69
50-64	589	19.9	219	6	10	17	26	38	50	92
65 +	444	23.5	278	6	12	20	31	49	61	99 +
GRAND TOTAL	**2853**	**19.2**	**216**	**5**	**9**	**16**	**25**	**39**	**52**	**88**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	17.5	243	2	5	13	32	43	45	49
20-34	81	12.3	90	2	5	10	18	24	29	49
35-49	68	12.3	199	2	4	8	13	25	30	87
50-64	38	13.0	152	2	5	9	18	24	30	68
65 +	30	12.7	82	2	6	9	19	24	29	35
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	15.2	286	2	4	8	19	50	55	60
20-34	166	12.7	173	2	4	10	17	30	37	99 +
35-49	156	13.5	136	2	5	12	18	29	43	99 +
50-64	[illegible]	15.0	136	4	6	12	21	32	37	53
65 +	292	14.9	213	3	5	11	20	38	49	99 +
B. Operated										
0-19 YRS	0									
20-34	4	25.5	476	7	8	21	43	53	53	53
35-49	6	8.7	44	3	4	6	18	84	99 +	99 +
50-64	7	18.3	66	10	12	17	24	31	32	32
65 +	21	20.9	208	4	9	21	35	65	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	242	13.0	145	2	5	9	19	25	35	54
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	772	14.2	182	3	5	11	19	33	48	99 +
B. Operated	38	18.9	191	4	8	19	32	54	99 +	99 +
1. SINGLE DX	242	13.0	145	2	5	9	19	25	35	54
2. MULTIPLE DX	810	14.4	183	3	5	11	20	33	49	99 +
A. Not Operated	1014	13.9	173	2	5	10	19	31	44	99 +
B. Operated	38	18.9	191	4	8	19	32	54	99 +	99 +
TOTAL										
0-19 YRS	71	16.0	269	2	5	10	21	46	53	60
20-34	251	12.8	152	2	5	10	18	28	36	97
35-49	230	13.0	152	2	5	10	18	28	43	99 +
50-64	157	14.7	137	3	6	12	21	31	36	54
65 +	343	15.1	203	3	6	11	21	37	50	99 +
GRAND TOTAL	**1052**	**14.1**	**175**	**3**	**5**	**11**	**19**	**32**	**45**	**99 +**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	5.8	92	<1	1	2	5	21	31	31
20-34	25	8.0	125	1	2	4	10	15	38	49
35-49	30	5.9	67	1	2	3	7	14	16	43
50-64	9	8.3	61	2	3	6	12	21	26	26
65+	7	6.7	23	1	2	7	10	13	14	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	20.2	316	2	7	18	28	52	57	58
20-34	89	7.3	64	1	2	4	9	19	22	40
35-49	148	6.8	56	1	2	4	9	16	20	39
50-64	70	6.3	43	2	2	4	9	13	19	35
65+	152	6.8	64	1	2	4	8	16	19	46
B. Operated										
0-19 YRS	0									
20-34	3	13.0	243	4	4	4	24	31	31	31
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	16.0		16	16	16	16	16	16	16
65+	5	9.2	136	3	3	5	11	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	6.9	81	1	2	4	8	15	28	47
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	472	7.2	69	1	2	4	9	17	22	45
B. Operated	10	10.4	127	3	3	4	16	30	31	31
1. SINGLE DX	80	6.9	81	1	2	4	8	15	28	47
2. MULTIPLE DX	482	7.3	70	1	2	4	9	17	22	45
A. Not Operated	552	7.1	71	1	2	4	9	17	22	46
B. Operated	10	10.4	127	3	3	4	16	30	31	31
TOTAL										
0-19 YRS	22	14.3	268	1	2	7	23	37	54	58
20-34	117	7.6	80	1	2	4	10	19	27	45
35-49	179	6.6	57	1	2	4	9	16	20	41
50-64	80	6.6	45	2	2	4	9	14	19	35
65+	164	6.9	64	1	2	4	8	16	19	46
GRAND TOTAL	**562**	**7.2**	**72**	**1**	**2**	**4**	**9**	**17**	**22**	**45**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	17.1	383	2	4	9	27	44	54	93
20-34	43	7.2	66	1	2	6	9	12	22	43
35-49	52	8.3	64	1	3	5	12	20	27	30
50-64	12	9.2	51	3	4	6	12	21	24	25
65+	9	12.3	94	5	8	10	12	27	37	37
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	141	29.9	627	4	11	25	56	84	99+	99+
20-34	316	14.2	112	2	5	13	21	28	32	49
35-49	237	14.2	179	2	5	11	21	27	31	80
50-64	105	11.0	104	2	4	7	14	23	32	49
65+	136	11.0	143	2	4	7	13	21	31	68
B. Operated										
0-19 YRS	3	15.3	136	5	7	13	24	28	28	28
20-34	5	22.4	236	3	13	20	31	45	45	45
35-49	2	11.0		11	11	11	11	11	11	11
50-64	4	18.3	47	12	14	16	22	28	28	28
65+	8	16.9	352	4	6	10	19	50	60	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	10.5	156	1	3	7	12	27	37	58
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	935	15.7	247	2	5	11	21	32	56	99+
B. Operated	22	17.6	193	4	9	13	26	33	51	60
1. SINGLE DX	154	10.5	156	1	3	7	12	27	37	58
2. MULTIPLE DX	957	15.8	245	2	5	12	21	32	56	99+
A. Not Operated	1089	15.0	237	2	5	11	21	30	53	99
B. Operated	22	17.6	193	4	9	13	26	33	51	60
TOTAL										
0-19 YRS	182	27.0	594	3	8	22	47	82	99	99+
20-34	364	13.5	114	2	5	11	21	27	32	48
35-49	291	13.1	162	2	4	10	21	26	30	73
50-64	121	11.1	98	2	4	8	15	23	30	48
65+	153	11.4	150	3	4	8	13	21	36	67
GRAND TOTAL	**1111**	**15.0**	**236**	**2**	**5**	**11**	**21**	**30**	**53**	**98**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	10.9	182	1	2	4	16	32	42	57
20-34	95	9.1	101	1	2	5	14	22	31	45
35-49	50	9.1	75	1	3	7	11	20	25	47
50-64	15	8.1	143	2	2	3	7	35	38	39
65 +	5	19.2	337	3	4	11	38	40	40	40
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	8.0	21	4	4	7	11	14	14	14
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	4	3.5		3	3	3	4	4	4	4
65 +	4	1.8	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	142	11.8	258	1	3	6	13	32	60	99 +
20-34	392	10.6	144	2	3	7	14	24	37	87
35-49	229	11.1	170	2	3	6	13	30	44	68
50-64	86	9.3	127	2	3	6	11	20	27	69
65 +	108	12.9	193	2	4	7	16	32	37	71
B. Operated										
0-19 YRS	2	20.0	162	11	11	20	29	29	29	29
20-34	23	15.6	281	2	5	10	23	50	81	99 +
35-49	24	9.9	108	2	3	5	12	31	34	38
50-64	15	5.3	41	1	2	3	6	12	22	26
65 +	17	15.0	339	2	3	9	16	52	60	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	235	9.8	127	1	2	5	13	24	39	48
B. Operated	15	4.4	13	1	2	3	5	9	13	14
2. MULTIPLE DX										
A. Not Operated	957	11.0	171	2	3	7	14	27	39	88
B. Operated	81	12.0	202	2	3	7	16	31	51	91
1. SINGLE DX	250	9.5	122	1	2	5	13	23	38	47
2. MULTIPLE DX	1038	11.1	174	2	3	7	14	28	39	89
A. Not Operated	1192	10.8	163	1	3	6	14	26	39	84
B. Operated	96	10.8	180	2	3	6	13	28	44	87
TOTAL										
0-19 YRS	215	11.5	231	1	2	6	13	32	47	95
20-34	514	10.5	142	1	3	6	14	24	38	86
35-49	305	10.6	149	2	3	6	13	26	38	61
50-64	120	8.4	115	2	3	5	10	19	28	55
65 +	134	13.1	212	2	4	8	16	34	41	66
GRAND TOTAL	**1288**	**10.8**	**164**	**2**	**3**	**6**	**14**	**26**	**39**	**84**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.9	33	< 1	1	2	4	6	20	26
20-34	228	4.7	10	2	3	4	6	7	10	21
35-49	249	4.8	9	2	3	5	6	8	9	16
50-64	73	5.0	9	1	3	5	6	8	11	14
65 +	11	4.2	5	< 1	2	5	6	7	7	7
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	281	14.6	167	1	4	8	28	30	35	49
20-34	3156	10.3	82	3	4	6	14	28	28	31
35-49	2671	9.0	65	3	4	6	10	26	28	30
50-64	1060	8.4	63	3	4	6	8	21	28	33
65 +	327	9.4	66	3	4	7	13	20	27	50
B. Operated										
0-19 YRS	0									
20-34	44	12.7	116	2	4	7	26	28	29	32
35-49	56	12.2	142	2	5	8	16	28	32	66
50-64	41	13.2	122	4	6	10	17	26	29	62
65 +	23	11.9	99	4	6	9	14	26	36	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	585	4.7	10	1	3	4	6	7	10	17
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	7495	9.7	77	3	4	6	13	27	28	32
B. Operated	164	12.5	122	3	5	9	18	28	30	60
1. SINGLE DX	586	4.7	10	1	3	4	6	7	10	17
2. MULTIPLE DX	7659	9.7	78	3	4	6	13	27	28	32
A. Not Operated	8080	9.3	74	2	4	6	11	27	28	32
B. Operated	165	12.5	122	3	5	8	17	28	30	59
TOTAL										
0-19 YRS	305	13.8	165	1	3	7	27	29	35	48
20-34	3429	9.9	80	3	4	6	14	28	28	31
35-49	2976	8.7	63	3	4	6	9	25	28	30
50-64	1174	8.3	63	2	4	6	8	21	28	33
65 +	361	9.4	67	3	4	7	13	20	27	47
GRAND TOTAL	**8245**	**9.4**	**75**	**2**	**4**	**6**	**12**	**27**	**28**	**32**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	18	7.2	45	1	4	5	8	13	24	30
35-49	14	7.1	5	5	5	7	9	10	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	14.0		14	14	14	14	14	14	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	6.5	24	3	4	5	7	15	18	18
20-34	361	9.7	64	3	4	6	12	25	28	28
35-49	222	9.7	64	3	4	7	12	26	28	30
50-64	16	13.9	75	4	7	11	22	27	28	28
65 +	7	14.1	31	9	10	12	18	23	24	24
B. Operated										
0-19 YRS	0									
20-34	4	16.8	91	11	11	12	22	31	31	31
35-49	4	16.8	492	5	5	6	28	50	50	50
50-64	1	12.0		12	12	12	12	12	12	12
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	7.2	27	3	5	6	9	12	14	30
B. Operated	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	614	9.8	64	3	4	7	12	25	28	29
B. Operated	9	16.2	221	5	6	12	17	42	50	50
1. SINGLE DX	33	7.4	27	3	5	6	9	13	14	30
2. MULTIPLE DX	623	9.9	66	3	4	7	12	26	28	30
A. Not Operated	646	9.7	62	3	4	7	12	25	28	29
B. Operated	10	16.0	197	5	6	12	14	40	50	50
TOTAL										
0-19 YRS	8	6.5	24	3	4	5	7	15	18	18
20-34	383	9.6	63	3	4	6	12	25	28	30
35-49	241	9.7	67	3	5	7	11	26	28	31
50-64	17	13.8	70	5	7	12	22	27	28	28
65 +	7	14.1	31	9	10	12	18	23	24	24
GRAND TOTAL	**656**	**9.8**	**64**	**3**	**4**	**7**	**12**	**25**	**28**	**30**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	5.9	7	2	4	6	7	10	11	11
20-34	145	7.0	21	3	5	6	7	13	15	29
35-49	31	7.5	14	4	5	6	8	14	15	19
50-64	3	8.7	30	5	5	6	13	15	15	15
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	126	15.4	181	3	5	10	27	31	35	62
20-34	1108	9.0	50	3	5	6	11	21	28	30
35-49	371	8.4	43	4	5	6	8	17	26	29
50-64	56	11.1	69	5	5	8	14	23	32	35
65 +	15	14.3	102	6	7	13	15	34	38	39
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	13	11.1	56	5	7	8	15	24	27	28
35-49	4	17.0	151	3	16	25	99 +	99 +	99 +	99 +
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	7.0	19	3	5	6	7	13	15	26
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1676	9.4	63	3	5	6	11	21	28	34
B. Operated	19	11.7	73	4	7	8	19	59	99 +	99 +
1. SINGLE DX	194	7.0	19	3	5	6	7	13	15	26
2. MULTIPLE DX	1695	9.5	63	3	5	6	12	21	28	34
A. Not Operated	1869	9.2	59	3	5	6	11	21	28	34
B. Operated	20	11.3	74	2	6	8	18	52	99 +	99 +
TOTAL										
0-19 YRS	141	14.4	171	3	5	7	22	30	35	56
20-34	1267	8.8	47	3	5	6	10	20	27	30
35-49	406	8.4	42	4	5	6	9	18	26	34
50-64	60	10.9	67	5	5	7	14	22	31	35
65 +	15	14.3	102	6	7	13	15	34	38	39
GRAND TOTAL	**1889**	**9.2**	**59**	**3**	**5**	**6**	**11**	**21**	**28**	**34**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	1.3	1	< 1	< 1	1	1	2	2	6
20-34	22	1.1		< 1	< 1	1	1	2	2	3
35-49	9	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	115	4.6	110	< 1	1	1	2	5	32	56
20-34	144	4.8	37	< 1	1	2	6	13	14	29
35-49	89	5.5	40	< 1	1	3	7	15	21	26
50-64	55	3.9	28	1	1	3	4	7	13	35
65 +	28	5.1	15	1	2	4	7	10	14	15
B. Operated										
0-19 YRS	4	2.5	6	1	1	2	4	6	6	6
20-34	4	10.0	256	2	2	2	18	34	34	34
35-49	6	7.0	47	1	2	4	13	17	18	18
50-64	2	28.0	1458	1	1	28	55	55	55	55
65 +	6	19.2	929	2	3	6	19	74	80	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	1.3	1	< 1	< 1	1	1	2	2	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	431	4.8	54	< 1	1	2	5	13	19	38
B. Operated	22	12.0	403	1	2	3	13	40	65	80
1. SINGLE DX	128	1.3	1	< 1	< 1	1	1	2	2	5
2. MULTIPLE DX	453	5.2	73	< 1	1	2	5	13	21	41
A. Not Operated	559	4.0	44	< 1	1	2	4	11	14	36
B. Operated	22	12.0	403	1	2	3	13	40	65	80
TOTAL										
0-19 YRS	215	3.1	61	< 1	1	1	2	3	9	45
20-34	170	4.5	39	< 1	1	2	5	13	14	33
35-49	104	5.2	38	< 1	1	2	6	14	20	25
50-64	57	4.8	73	1	1	3	4	9	13	54
65 +	35	7.4	178	1	2	3	8	14	18	80
GRAND TOTAL	**581**	**4.3**	**59**	**< 1**	**1**	**2**	**4**	**12**	**16**	**39**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.7	2	< 1	1	1	1	4	5	5
20-34	15	3.4	12	1	1	2	5	8	12	13
35-49	9	5.2	13	1	2	5	7	10	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	10.6	157	1	2	4	14	31	45	99 +
20-34	114	7.3	46	1	3	5	9	20	23	28
35-49	62	9.4	106	1	3	7	11	21	27	58
50-64	6	8.0	25	3	5	8	14	83	99 +	99 +
65 +	3	7.0	7	5	5	8	55	99 +	99 +	99 +
B. Operated										
0-19 YRS	0									
20-34	2	9.5	85	3	3	9	16	16	16	16
35-49	3	10.3	108	2	3	7	18	22	22	22
50-64	2	7.5	1	7	7	7	8	8	8	8
65 +	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	3.4	11	1	1	2	5	8	11	13
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	227	8.5	82	1	2	6	11	22	28	99 +
B. Operated	8	9.5	45	2	5	8	13	20	22	22
1. SINGLE DX	34	3.4	11	1	1	2	5	8	11	13
2. MULTIPLE DX	235	8.5	81	1	2	6	11	22	28	99 +
A. Not Operated	261	7.8	76	1	2	5	10	21	28	94
B. Operated	8	9.5	45	2	5	8	13	20	22	22
TOTAL										
0-19 YRS	52	8.9	139	1	1	3	14	30	40	98
20-34	131	6.9	43	1	[illegible]	5	8	17	23	28
35-49	74	8.9	95	1	[illegible]	7	10	21	25	55
50-64	8	7.9	18	3	5	8	14	66	99 +	99 +
65 +	4	8.0	9	5	6	10	33	99 +	99 +	99 +
GRAND TOTAL	**269**	**7.9**	**75**	**1**	**2**	**5**	**10**	**21**	**28**	**91**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	7.8	202	<1	1	2	5	30	46	48
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	3	1.7		1	1	2	2	2	2	2
50-64	6	1.7	1	<1	1	1	2	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	9.9	253	1	2	5	7	26	50	70
20-34	24	4.5	15	1	2	3	6	10	13	15
35-49	36	3.9	7	<1	2	3	5	8	9	11
50-64	27	5.4	27	1	2	3	7	13	18	22
65+	67	4.8	30	2	2	3	6	9	12	37
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	3	7.0	28	3	3	5	11	13	13	13
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65+	5	6.4	24	3	4	4	8	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	4.7	102	1	1	2	3	8	28	48
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	175	5.3	51	1	2	3	6	10	14	40
B. Operated	11	6.1	18	2	3	4	7	14	15	15
1. SINGLE DX	24	4.5	98	1	1	2	3	6	27	48
2. MULTIPLE DX	186	5.3	49	1	2	4	6	10	14	39
A. Not Operated	198	5.2	56	1	2	3	6	10	15	45
B. Operated	12	5.8	18	2	3	4	7	14	15	15
TOTAL										
0-19 YRS	35	8.6	212	1	2	4	7	22	44	70
20-34	29	4.7	16	1	2	3	6	11	13	15
35-49	39	3.7	7	<1	2	3	6	7	9	11
50-64	34	4.8	24	1	2	3	6	11	16	22
65+	73	4.9	29	2	2	4	6	9	13	36
GRAND TOTAL	**210**	**5.3**	**54**	**1**	**2**	**3**	**6**	**10**	**15**	**44**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	156	8.8	65	1	3	6	13	21	26	37
20-34	209	5.8	40	1	2	4	8	13	19	23
35-49	80	6.6	29	1	3	5	9	14	18	23
50-64	24	6.3	20	1	3	5	9	12	15	19
65+	19	10.0	53	2	4	7	15	20	24	26
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	293	9.8	105	1	3	6	14	21	28	61
20-34	668	7.9	61	1	3	6	10	17	23	39
35-49	406	8.5	49	2	4	6	11	17	23	33
50-64	107	9.9	153	2	3	6	12	20	28	74
65+	184	12.1	155	2	4	8	15	27	38	66
B. Operated										
0-19 YRS	6	9.8	96	1	5	7	9	27	29	29
20-34	21	9.2	98	1	3	7	11	22	34	40
35-49	14	11.1	33	4	6	12	14	20	22	22
50-64	3	17.3	182	4	7	17	27	31	31	31
65+	17	21.8	164	5	14	21	28	41	46	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	488	7.1	48	1	2	5	9	17	21	30
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1658	9.0	84	2	3	6	11	20	26	45
B. Operated	61	13.6	127	2	5	10	19	30	39	47
1. SINGLE DX	488	7.1	48	1	2	5	9	17	21	30
2. MULTIPLE DX	1719	9.1	86	2	3	6	12	20	27	46
A. Not Operated	2146	8.5	76	1	3	6	11	19	24	42
B. Operated	61	13.6	127	2	5	10	19	30	39	47
TOTAL										
0-19 YRS	455	9.4	91	1	3	6	13	21	28	59
20-34	898	7.4	58	1	3	5	10	16	22	39
35-49	500	8.3	46	2	3	6	11	17	22	33
50-64	134	9.4	132	2	3	6	12	19	27	63
65+	220	12.7	153	2	5	8	17	28	38	62
GRAND TOTAL	**2207**	**8.7**	**78**	**1**	**3**	**6**	**11**	**19**	**25**	**42**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	13.5	165	1	3	10	20	35	40	70
20-34	98	7.8	116	1	2	4	10	14	26	67
35-49	40	8.3	66	1	3	6	11	17	21	45
50-64	14	7.1	42	1	2	5	11	16	21	23
65 +	7	11.6	133	2	3	6	16	31	34	34
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	288	15.8	308	2	4	10	21	45	59	99 +
20-34	387	8.8	93	1	3	6	12	20	28	50
35-49	260	9.6	92	2	3	7	13	21	28	47
50-64	66	7.9	58	2	3	6	10	15	19	43
65 +	65	11.9	83	3	5	10	17	25	29	40
B. Operated										
0-19 YRS	8	17.9	125	3	9	18	26	33	35	35
20-34	11	11.4	101	2	3	9	18	28	30	30
35-49	3	9.0	84	1	2	7	16	19	19	19
50-64	4	21.3	202	3	10	24	32	33	33	33
65 +	2	19.5	13	17	17	19	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	304	10.7	136	1	3	6	15	26	36	67
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1066	11.0	157	2	3	7	14	25	37	72
B. Operated	28	15.0	118	2	3	14	23	31	33	35
1. SINGLE DX	304	10.7	136	1	3	6	15	26	36	67
2. MULTIPLE DX	1094	11.1	156	2	3	7	15	26	37	72
A. Not Operated	1370	11.0	152	1	3	7	14	26	37	70
B. Operated	28	15.0	118	2	3	14	23	31	33	35
TOTAL										
0-19 YRS	441	15.1	258	2	3	11	21	38	54	99 +
20-34	496	8.7	98	1	3	6	11	20	28	58
35-49	303	9.4	88	2	3	7	13	20	27	46
50-64	84	8.4	68	2	3	6	11	16	26	43
65 +	74	12.1	85	3	4	10	17	25	30	40
GRAND TOTAL	**1398**	**11.0**	**152**	**2**	**3**	**7**	**15**	**26**	**36**	**70**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	300	22.5	379	2	6	20	35	55	68	99 +
20-34	50	17.1	359	1	2	10	29	36	46	91
35-49	12	7.8	134	1	1	3	6	30	35	36
50-64	7	4.9	29	2	2	2	7	14	16	16
65 +	0									
B. Operated										
0-19 YRS	5	6.8	27	2	3	6	10	15	15	15
20-34	3	17.3	180	2	7	23	26	27	27	27
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	471	25.0	483	2	7	20	39	62	82	99 +
20-34	163	20.1	428	2	4	12	30	54	69	99 +
35-49	78	13.1	176	2	3	8	21	33	45	87
50-64	29	6.9	55	2	2	4	8	17	27	32
65 +	40	6.4	55	1	2	4	7	14	23	37
B. Operated										
0-19 YRS	12	23.8	815	3	5	12	38	64	94	99
20-34	4	21.0	410	3	3	20	38	40	40	40
35-49	9	15.4	133	3	9	14	19	35	39	39
50-64	2	9.5	113	2	2	9	17	17	17	17
65 +	6	17.0	574	3	4	8	13	60	65	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	369	21.0	375	2	4	18	32	49	66	99 +
B. Operated	9	9.7	95	1	2	6	17	25	27	27
2. MULTIPLE DX										
A. Not Operated	781	21.2	437	2	4	15	31	57	72	99 +
B. Operated	33	19.1	464	3	4	12	29	43	63	99
1. SINGLE DX	378	20.7	371	2	4	17	31	49	64	99 +
2. MULTIPLE DX	814	21.1	437	2	4	15	31	57	72	99 +
A. Not Operated	1150	21.1	416	2	4	16	32	56	71	99 +
B. Operated	42	17.1	396	2	4	11	23	41	55	99
TOTAL										
0-19 YRS	788	23.9	448	2	6	20	37	58	78	99 +
20-34	220	19.4	406	2	4	12	30	46	68	99 +
35-49	99	12.7	168	2	3	7	19	32	39	77
50-64	39	6.5	50	2	2	3	8	17	23	32
65 +	46	7.8	124	1	2	4	7	14	31	65
GRAND TOTAL	**1192**	**21.0**	**416**	**2**	**4**	**16**	**31**	**55**	**71**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	32.5	1985	< 1	< 1	32	64	64	64	64
20-34	1	19.0		19	19	19	19	19	19	19
35-49	1	14.0		14	14	14	14	14	14	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.4	1	2	3	4	5	71	99 +	99 +
20-34	5	8.8	17	5	5	9	11	15	15	15
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	10.0		10	10	10	10	10	10	10
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	24.5	751	< 1	7	16	41	64	64	64
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	15	5.8	13	2	4	5	9	15	74	99 +
B. Operated	4	2.3	1	1	1	2	3	3	3	3
1. SINGLE DX	4	24.5	751	< 1	7	16	41	64	64	64
2. MULTIPLE DX	19	5.1	13	2	3	4	7	13	57	99 +
A. Not Operated	19	9.7	197	2	4	5	12	41	82	99 +
B. Operated	4	2.3	1	1	1	2	3	3	3	3
TOTAL										
0-19 YRS	11	8.5	340	1	2	3	5	75	96	99 +
20-34	6	10.5	31	5	5	9	15	19	19	19
35-49	3	7.0	37	3	3	4	11	14	14	14
50-64	2	5.5	41	1	1	5	10	10	10	10
65 +	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**23**	**8.4**	**169**	**2**	**3**	**4**	**10**	**23**	**75**	**99 +**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	147	9.1	24	3	6	10	11	15	15	26
20-34	16	7.7	18	3	4	8	10	14	15	16
35-49	7	7.3	22	1	3	7	11	14	14	14
50-64	5	6.2	16	3	3	4	10	11	11	11
65 +	0									
B. Operated										
0-19 YRS	7	19.0	89	10	11	15	26	34	35	35
20-34	6	8.8	49	1	2	9	14	17	17	17
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	11	3.6	10	1	1	3	5	9	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	214	10.5	30	4	7	10	13	16	20	26
20-34	26	10.1	59	2	5	9	12	21	28	34
35-49	48	12.9	106	2	5	11	17	23	34	56
50-64	31	15.0	151	5	8	12	17	29	46	59
65 +	36	18.5	169	5	9	15	28	44	81	99 +
B. Operated										
0-19 YRS	46	20.7	155	9	12	17	24	42	46	59
20-34	14	20.9	182	6	10	23	32	51	88	99 +
35-49	24	24.5	316	3	11	24	43	58	99 +	99 +
50-64	28	30.0	677	5	13	21	43	79	99	99 +
65 +	32	32.2	338	9	16	35	49	70	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	8.8	23	3	5	10	11	14	15	25
B. Operated	28	8.4	77	1	2	4	14	19	29	35
2. MULTIPLE DX										
A. Not Operated	355	12.0	73	4	7	10	15	22	29	56
B. Operated	144	25.7	341	7	13	22	42	60	98	99 +
1. SINGLE DX	203	8.7	30	2	5	10	11	15	16	31
2. MULTIPLE DX	499	15.9	189	4	8	12	19	39	51	99 +
A. Not Operated	530	10.9	59	3	6	10	13	18	24	48
B. Operated	172	22.9	339	3	10	18	37	56	79	99 +
TOTAL										
0-19 YRS	414	11.2	55	3	7	10	14	18	23	43
20-34	62	11.8	97	2	5	9	14	28	34	94
35-49	83	15.3	194	2	5	11	21	43	53	99 +
50-64	75	18.3	409	3	6	12	20	47	75	99 +
65 +	68	25.0	292	6	13	23	41	62	99 +	99 +
GRAND TOTAL	**702**	**13.9**	**153**	**3**	**7**	**11**	**16**	**31**	**44**	**99 +**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	9	7.7	15	3	5	7	10	13	15	15
65+	19	10.1	54	2	5	8	15	25	63	99+
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	6.8	13	4	4	5	9	12	12	12
50-64	39	14.1	268	2	6	9	14	35	42	91
65+	316	15.1	202	3	6	11	20	38	59	99+
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	16.0		16	16	16	16	16	16	16
50-64	2	64.5	41	60	60	64	69	69	69	69
65+	50	23.8	455	6	9	22	31	79	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	9.3	42	3	5	8	14	21	31	99+
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	359	14.9	208	3	6	10	20	37	55	99+
B. Operated	53	25.2	492	6	9	23	33	76	99+	99+
1. SINGLE DX	29	9.1	42	3	4	8	14	20	27	99+
2. MULTIPLE DX	412	16.3	255	3	7	11	22	41	69	99+
A. Not Operated	387	14.5	197	3	6	10	19	36	53	99+
B. Operated	54	24.8	492	4	9	22	32	75	99+	99+
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	5	8.6	27	4	5	6	13	16	16	16
50-64	50	14.9	322	3	5	9	14	37	60	91
65+	386	16.0	237	3	7	11	22	40	70	99+
GRAND TOTAL	**441**	**15.8**	**244**	**3**	**6**	**11**	**21**	**40**	**69**	**99+**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	74	6.5	17	2	4	6	9	11	15	21
35-49	136	6.5	21	2	4	5	8	12	15	26
50-64	33	6.5	23	2	4	5	8	13	16	24
65+	4	4.8	2	3	4	5	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	3	10.3	66	1	4	14	15	16	16	16
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	15.0		15	15	15	15	15	15	15
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.9	13	2	2	3	7	11	11	11
20-34	97	10.3	65	3	5	7	14	20	25	45
35-49	180	9.6	98	3	4	7	11	16	23	55
50-64	86	9.3	69	3	5	7	11	16	20	53
65+	26	10.4	138	2	5	6	11	22	32	60
B. Operated										
0-19 YRS	0									
20-34	8	26.9	1098	3	4	11	43	84	95	95
35-49	28	14.4	195	4	8	11	16	34	74	99+
50-64	20	17.7	365	5	7	11	22	83	99+	99+
65+	8	24.9	272	3	13	23	37	47	50	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	248	6.5	20	2	4	5	8	12	15	24
B. Operated	6	10.0	50	1	1	13	15	16	16	16
2. MULTIPLE DX										
A. Not Operated	397	9.7	85	3	5	7	12	18	24	56
B. Operated	64	18.3	368	4	7	11	22	57	96	99+
1. SINGLE DX	254	6.6	20	2	4	5	8	13	15	24
2. MULTIPLE DX	461	10.9	132	3	5	8	13	20	33	82
A. Not Operated	645	8.4	62	3	4	6	10	15	20	48
B. Operated	70	17.6	345	3	7	12	22	55	92	99+
TOTAL										
0-19 YRS	9	4.6	13	2	2	3	6	11	11	11
20-34	182	9.5	102	3	4	7	11	18	24	57
35-49	345	8.8	80	3	4	7	10	15	20	58
50-64	140	9.9	109	3	5	7	12	19	33	99+
65+	39	12.8	183	2	5	6	17	31	45	60
GRAND TOTAL	**715**	**9.3**	**97**	**3**	**4**	**7**	**11**	**17**	**24**	**64**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	400	3.2	9	1	1	2	4	7	9	15
20-34	158	3.9	13	1	1	2	5	10	12	16
35-49	84	3.8	10	1	1	3	5	8	11	15
50-64	57	4.2	18	1	2	3	5	8	13	26
65+	33	3.7	13	1	2	3	4	6	8	21
B. Operated										
0-19 YRS	24	10.3	108	2	4	8	10	32	37	39
20-34	39	10.8	69	2	6	9	17	24	27	34
35-49	21	8.8	36	2	5	9	11	15	21	27
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	850	4.5	24	1	2	3	5	10	14	25
20-34	428	5.2	34	1	2	3	6	12	17	27
35-49	432	6.0	55	2	2	4	7	11	16	46
50-64	397	6.4	36	2	3	5	8	13	18	36
65+	790	9.3	124	2	3	6	11	20	32	99+
B. Operated										
0-19 YRS	92	14.6	293	2	5	10	16	32	47	95
20-34	53	10.3	110	2	3	8	14	21	32	60
35-49	59	12.0	301	2	3	6	15	36	57	99+
50-64	45	18.4	419	3	5	12	29	71	88	99+
65+	80	21.9	381	5	7	17	33	59	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	732	3.5	11	1	1	2	4	7	10	16
B. Operated	84	10.2	71	2	5	8	11	23	29	38
2. MULTIPLE DX										
A. Not Operated	2897	6.4	63	1	2	4	8	13	19	48
B. Operated	329	15.8	318	2	5	9	21	45	68	99+
1. SINGLE DX	816	4.2	21	1	2	3	5	9	12	25
2. MULTIPLE DX	3226	7.4	97	1	2	4	8	16	25	77
A. Not Operated	3629	5.8	54	1	2	4	7	12	17	44
B. Operated	413	14.6	272	2	5	9	18	37	57	99+
TOTAL										
0-19 YRS	1366	4.9	47	1	2	3	6	10	14	34
20-34	678	5.6	41	1	2	3	7	13	17	32
35-49	596	6.4	77	1	2	4	7	12	19	54
50-64	499	7.3	81	2	3	5	8	14	23	78
65+	903	10.2	157	2	4	7	12	23	42	99+
GRAND TOTAL	**4042**	**6.7**	**83**	**1**	**2**	**4**	**8**	**14**	**22**	**61**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	108	4.0	20	1	1	3	5	8	11	25
20-34	68	3.5	11	1	1	2	5	7	10	17
35-49	46	3.8	8	1	2	3	6	8	9	14
50-64	29	6.1	84	1	2	4	6	12	16	50
65+	35	9.7	120	2	3	4	12	31	37	40
B. Operated										
0-19 YRS	149	5.4	33	1	1	4	7	11	14	37
20-34	29	4.3	17	<1	1	2	7	9	13	17
35-49	48	3.9	16	1	1	2	5	10	12	17
50-64	28	4.9	21	<1	1	4	7	9	12	23
65+	27	5.4	16	1	2	5	8	11	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	236	5.7	58	1	2	4	6	13	22	46
20-34	149	5.3	33	1	2	3	7	13	16	39
35-49	167	7.9	140	1	2	5	8	17	29	79
50-64	196	9.7	151	2	4	6	11	22	40	99+
65+	749	13.8	226	3	5	9	18	36	63	99+
B. Operated										
0-19 YRS	296	9.2	106	1	3	6	11	19	28	69
20-34	99	9.8	113	2	3	7	14	23	31	84
35-49	109	11.8	182	1	4	8	15	24	40	73
50-64	133	16.2	353	2	4	9	22	48	73	99+
65+	319	18.7	346	3	7	12	28	57	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	286	4.7	38	1	2	3	5	10	14	37
B. Operated	281	5.0	26	1	1	4	7	10	14	26
2. MULTIPLE DX										
A. Not Operated	1497	10.5	173	2	3	6	13	27	44	99+
B. Operated	956	13.7	246	2	4	9	17	37	64	99+
1. SINGLE DX	567	4.9	32	1	1	3	6	10	14	35
2. MULTIPLE DX	2453	11.7	204	2	4	7	14	30	52	99+
A. Not Operated	1783	9.6	156	1	3	6	11	24	38	99+
B. Operated	1237	11.7	210	1	3	7	14	30	52	99+
TOTAL										
0-19 YRS	789	6.7	70	1	2	4	8	14	21	55
20-34	345	6.2	56	1	2	4	7	15	21	47
35-49	370	8.0	128	1	2	4	9	17	28	73
50-64	386	11.3	220	2	4	6	13	29	52	99+
65+	1130	14.9	259	3	5	9	20	39	68	99+
GRAND TOTAL	**3020**	**10.5**	**179**	**1**	**3**	**6**	**13**	**27**	**45**	**99+**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	2.2	2	1	1	2	3	4	5	8
20-34	135	3.0	4	1	1	2	4	6	7	10
35-49	131	2.7	6	1	1	2	3	5	7	13
50-64	20	2.3	2	< 1	1	2	3	4	5	5
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	1.7	1	1	1	2	2	3	3	3
35-49	8	4.5	21	1	1	2	8	12	12	12
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	2.9	6	1	1	2	3	6	8	13
20-34	226	3.6	9	1	2	3	5	7	8	14
35-49	237	3.7	7	1	2	3	5	7	9	12
50-64	100	3.6	6	1	2	3	4	6	9	13
65 +	65	4.3	11	1	2	3	6	8	10	19
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	11	6.4	71	1	2	3	5	22	26	26
35-49	17	3.8	6	1	1	4	6	7	8	8
50-64	6	3.5	1	2	3	4	4	4	4	4
65 +	5	15.0	271	3	7	9	18	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	353	2.7	4	1	1	2	3	5	7	10
B. Operated	18	3.2	11	1	1	2	3	9	12	12
2. MULTIPLE DX										
A. Not Operated	705	3.6	8	1	2	3	5	7	8	13
B. Operated	41	5.8	61	1	2	4	6	10	23	44
1. SINGLE DX	371	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	746	3.7	11	1	2	3	5	7	9	15
A. Not Operated	1058	3.3	7	1	2	3	4	7	8	12
B. Operated	59	5.0	47	1	2	3	5	10	16	42
TOTAL										
0-19 YRS	145	2.6	4	1	1	2	3	5	7	11
20-34	379	3.4	9	1	2	3	4	7	8	16
35-49	393	3.4	7	1	2	3	4	7	8	12
50-64	127	3.4	5	1	2	3	4	6	8	13
65 +	73	5.0	33	1	2	4	6	9	11	38
GRAND TOTAL	**1117**	**3.4**	**9**	**1**	**2**	**3**	**4**	**7**	**8**	**13**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.3		1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	40	1.2	1	< 1	< 1	< 1	1	2	3	5
35-49	79	1.1		< 1	< 1	< 1	< 1	1	2	4
50-64	35	1.2		< 1	< 1	< 1	1	1	3	4
65 +	25	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	1.0		< 1	< 1	< 1	1	1	1	1
50-64	4	4.3	28	1	1	2	7	12	12	12
65 +	10	4.5	9	1	3	4	5	9	11	11
B. Operated										
0-19 YRS	6	3.2	15	1	1	2	3	10	11	11
20-34	17	2.0	3	< 1	< 1	1	2	3	6	8
35-49	44	3.6	98	< 1	< 1	1	2	6	14	65
50-64	50	1.8	3	< 1	< 1	1	2	3	4	11
65 +	84	2.6	29	< 1	1	1	3	5	6	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.0	16	1	1	1	4	10	10	10
B. Operated	182	1.1		< 1	< 1	< 1	< 1	1	2	4
2. MULTIPLE DX										
A. Not Operated	17	3.8	12	< 1	1	3	4	10	12	12
B. Operated	201	2.6	35	< 1	< 1	1	2	4	7	32
1. SINGLE DX	187	1.2	1	< 1	< 1	< 1	1	2	2	5
2. MULTIPLE DX	218	2.7	33	< 1	< 1	1	2	5	8	26
A. Not Operated	22	3.6	12	< 1	1	2	4	10	11	12
B. Operated	383	1.9	19	< 1	< 1	1	2	3	4	12
TOTAL										
0-19 YRS	10	3.4	14	1	1	2	3	10	11	11
20-34	57	1.4	1	< 1	< 1	< 1	1	3	3	8
35-49	127	2.0	35	< 1	< 1	< 1	1	2	3	26
50-64	92	1.7	3	< 1	< 1	1	2	3	4	12
65 +	119	2.4	22	< 1	< 1	1	2	5	7	23
GRAND TOTAL	**405**	**2.0**	**19**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**12**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	4.8	14	1	2	3	7	12	12	14
20-34	34	6.1	44	1	2	3	7	15	22	28
35-49	32	5.4	77	1	2	3	5	12	18	48
50-64	31	4.6	37	1	2	3	5	11	15	32
65 +	28	3.9	11	1	2	3	5	7	9	17
B. Operated										
0-19 YRS	43	5.5	38	< 1	1	3	7	13	19	30
20-34	126	2.6	7	1	1	2	3	5	6	16
35-49	129	2.6	8	< 1	1	2	3	5	7	16
50-64	75	2.1	3	< 1	1	1	3	5	6	9
65 +	28	3.4	25	< 1	1	2	3	6	16	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	7.6	61	1	2	5	9	18	28	31
20-34	50	6.6	41	1	3	6	8	11	16	34
35-49	87	6.4	70	1	2	4	8	13	23	85
50-64	156	6.4	35	1	2	5	9	14	19	30
65 +	286	9.0	129	2	3	6	10	20	30	88
B. Operated										
0-19 YRS	40	6.2	86	1	2	4	7	11	21	54
20-34	106	5.2	99	1	2	3	5	11	18	96
35-49	125	5.9	101	1	1	3	6	15	22	49
50-64	127	6.2	96	1	1	3	7	15	27	71
65 +	166	10.6	195	1	2	5	15	36	62	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	162	5.0	36	1	2	3	6	12	15	32
B. Operated	401	2.9	12	< 1	1	2	3	6	8	19
2. MULTIPLE DX										
A. Not Operated	623	7.7	86	2	3	5	9	18	24	66
B. Operated	564	7.3	130	1	2	3	8	19	34	99 +
1. SINGLE DX	563	3.5	20	< 1	1	2	4	7	12	23
2. MULTIPLE DX	1187	7.5	107	1	2	4	9	18	29	93
A. Not Operated	785	7.1	77	1	2	5	9	16	23	60
B. Operated	965	5.4	85	1	1	3	5	13	23	84
TOTAL										
0-19 YRS	164	6.1	51	1	2	4	7	12	19	31
20-34	316	4.5	49	1	1	3	5	9	14	35
35-49	373	4.8	61	1	1	2	5	11	18	46
50-64	389	5.4	51	1	1	3	6	12	18	46
65 +	508	9.0	142	1	2	5	10	23	37	99 +
GRAND TOTAL	**1750**	**6.2**	**82**	**1**	**2**	**3**	**7**	**15**	**23**	**66**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	44	2.5	2	1	1	2	3	4	5	7
20-34	45	2.6	2	1	2	2	3	4	5	7
35-49	68	2.4	1	1	2	2	3	4	5	6
50-64	127	2.5	2	1	2	2	3	4	6	9
65 +	101	2.9	3	1	2	3	4	5	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	8	1.4	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	29	2.5	1	2	2	2	3	4	4	7
20-34	61	3.1	3	2	2	3	4	5	7	10
35-49	91	3.3	5	1	2	2	4	6	8	11
50-64	275	2.8	2	1	2	2	3	5	6	9
65 +	443	3.2	5	1	2	3	4	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	385	2.6	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	15	1.3		< 1	< 1	1	2	2	3	3
B. Operated	899	3.0	4	1	2	2	4	5	7	10
1. SINGLE DX	387	2.6	2	1	2	2	3	4	5	8
2. MULTIPLE DX	914	3.0	4	1	2	2	4	5	7	10
A. Not Operated	17	1.3		< 1	< 1	1	1	2	3	3
B. Operated	1284	2.9	3	1	2	2	4	5	6	10
TOTAL										
0-19 YRS	77	2.4	2	1	2	2	3	4	5	7
20-34	107	2.9	3	1	2	2	3	5	6	9
35-49	160	2.9	3	1	2	2	3	5	7	10
50-64	405	2.7	2	1	2	2	3	5	6	9
65 +	552	3.1	4	1	2	3	4	5	7	11
GRAND TOTAL	**1301**	**2.9**	**3**	**1**	**2**	**2**	**3**	**5**	**6**	**10**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	8	1.8	1	1	1	1	3	3	3	3
B. Operated										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	1.7		1	1	2	2	2	2	2
35-49	5	3.4	4	<1	1	3	5	6	6	6
50-64	19	2.7	5	<1	1	2	3	7	8	8
65 +	43	2.3	2	<1	1	2	3	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	6	3.3	4	2	2	3	4	7	7	7
65 +	17	6.6	204	<1	1	2	5	10	43	61
B. Operated										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	0									
35-49	5	3.6	7	<1	1	3	5	8	8	8
50-64	31	3.0	8	1	1	2	3	6	10	14
65 +	110	3.6	16	<1	1	2	4	8	11	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.5	1	1	1	1	2	3	3	3
B. Operated	75	2.4	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	29	4.9	122	<1	1	2	5	7	13	61
B. Operated	150	3.4	14	<1	1	2	4	8	10	23
1. SINGLE DX	86	2.3	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	179	3.7	31	<1	1	2	4	8	10	25
A. Not Operated	40	4.0	90	<1	1	2	3	6	9	61
B. Operated	225	3.1	10	<1	1	2	4	6	9	17
TOTAL										
0-19 YRS	8	1.6	1	<1	<1	1	2	3	3	3
20-34	8	2.0	2	1	1	2	2	4	5	5
35-49	13	2.9	5	<1	1	2	4	6	8	8
50-64	58	2.9	6	1	1	2	3	7	8	14
65 +	178	3.5	30	<1	1	2	4	7	10	25
GRAND TOTAL	**265**	**3.2**	**22**	**<1**	**1**	**2**	**3**	**6**	**9**	**22**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	1.0		<1	<1	<1	1	1	1	1
65 +	9	2.6	2	1	2	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	4.0	12	2	2	2	7	8	8	8
65 +	4	1.5		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	3.3	7	1	1	2	5	7	7	7
35-49	8	2.6	4	1	1	2	3	6	7	7
50-64	22	3.0	14	<1	1	2	3	8	13	15
65 +	62	2.7	16	<1	<1	1	3	5	9	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	19	2.1	2	<1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	11	2.5	4	<1	1	2	2	6	8	8
B. Operated	98	2.7	14	<1	<1	1	3	6	9	22
1. SINGLE DX	20	2.1	2	<1	1	2	3	4	5	5
2. MULTIPLE DX	109	2.7	13	<1	<1	1	3	6	9	21
A. Not Operated	12	2.3	4	<1	1	2	2	5	8	8
B. Operated	117	2.6	12	<1	<1	1	3	5	8	20
TOTAL										
0-19 YRS	7	1.6	1	<1	<1	<1	2	4	4	4
20-34	7	2.6	4	<1	1	2	3	6	7	7
35-49	12	2.6	3	1	1	2	3	5	7	7
50-64	28	2.9	12	<1	1	2	3	7	12	15
65 +	75	2.6	14	<1	<1	1	3	5	8	24
GRAND TOTAL	**129**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**8**	**18**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	1.7	3	< 1	< 1	< 1	1	5	6	6
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	10	1.0		< 1	< 1	< 1	1	1	1	1
50-64	51	1.2		< 1	< 1	< 1	1	2	2	2
65 +	259	1.3	1	< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	1.0		< 1	< 1	< 1	1	1	1	1
50-64	9	2.1	5	< 1	< 1	1	2	6	8	8
65 +	37	2.6	11	< 1	< 1	1	2	8	11	14
B. Operated										
0-19 YRS	11	2.0	3	< 1	< 1	1	2	5	7	7
20-34	8	1.8	1	1	1	2	2	3	3	3
35-49	34	2.6	8	< 1	1	2	3	5	9	15
50-64	192	1.9	16	< 1	1	1	2	2	3	18
65 +	1336	2.1	16	< 1	1	2	2	3	4	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	336	1.3	1	< 1	< 1	< 1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	50	2.4	9	< 1	< 1	1	2	7	9	14
B. Operated	1581	2.1	16	< 1	1	2	2	3	4	11
1. SINGLE DX	336	1.3	1	< 1	< 1	< 1	1	2	2	5
2. MULTIPLE DX	1631	2.1	16	< 1	1	2	2	3	4	11
A. Not Operated	50	2.4	9	< 1	< 1	1	2	7	9	14
B. Operated	1917	1.9	13	< 1	1	1	2	3	4	10
TOTAL										
0-19 YRS	24	1.8	3	< 1	< 1	< 1	2	5	6	7
20-34	11	1.8	1	1	1	1	3	4	4	4
35-49	48	2.1	6	< 1	< 1	1	2	4	6	15
50-64	252	1.8	13	< 1	< 1	1	2	2	3	10
65 +	1632	2.0	14	< 1	1	1	2	3	4	10
GRAND TOTAL	**1967**	**1.9**	**13**	**< 1**	**1**	**1**	**2**	**3**	**4**	**10**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.5	2	< 1	1	1	1	4	4	4
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	343	1.0		< 1	< 1	< 1	< 1	< 1	1	2
20-34	20	1.0		< 1	< 1	< 1	< 1	1	1	1
35-49	14	1.1		< 1	< 1	< 1	1	1	2	2
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	6	2.5	4	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.7	7	< 1	1	2	3	6	10	12
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	7	10.3	159	2	3	7	10	32	38	38
50-64	14	5.3	11	2	3	4	7	10	12	13
65 +	18	5.0	10	2	3	4	7	8	12	14
B. Operated										
0-19 YRS	145	1.1		< 1	< 1	< 1	< 1	1	2	3
20-34	13	1.2		< 1	< 1	< 1	1	2	2	2
35-49	8	10.1	551	< 1	< 1	1	4	50	68	68
50-64	8	2.8	10	< 1	< 1	1	3	8	10	10
65 +	9	11.1	148	1	1	8	19	30	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.0	3	< 1	1	1	3	5	5	5
B. Operated	385	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	59	5.0	29	1	2	3	7	10	13	36
B. Operated	183	2.1	36	< 1	< 1	< 1	1	2	4	31
1. SINGLE DX	394	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX	242	2.8	36	< 1	< 1	< 1	2	6	9	36
A. Not Operated	68	4.6	27	1	2	3	6	9	12	34
B. Operated	568	1.4	12	< 1	< 1	< 1	< 1	1	2	10
TOTAL										
0-19 YRS	512	1.1		< 1	< 1	< 1	< 1	1	2	4
20-34	37	1.5	2	< 1	< 1	< 1	1	3	4	8
35-49	29	5.8	194	< 1	< 1	1	3	10	39	68
50-64	25	4.0	12	< 1	1	3	5	10	11	13
65 +	33	6.2	53	1	2	4	7	15	21	36
GRAND TOTAL	**636**	**1.7**	**14**	**< 1**	**< 1**	**< 1**	**1**	**2**	**5**	**13**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	2.6	9	< 1	< 1	1	3	5	7	20
20-34	9	4.1	10	1	2	3	6	9	10	10
35-49	4	4.8	10	2	2	4	7	9	9	9
50-64	7	3.3	10	< 1	1	3	3	9	10	10
65 +	7	3.7	6	1	1	4	6	7	7	7
B. Operated										
0-19 YRS	55	1.8	10	< 1	< 1	< 1	1	3	6	22
20-34	30	1.5	1	< 1	< 1	1	2	3	4	5
35-49	25	1.2		< 1	1	1	1	2	3	4
50-64	47	1.2		< 1	1	1	1	2	2	3
65 +	53	1.7	2	< 1	1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	91	3.9	5	2	2	3	5	7	8	10
20-34	14	4.6	15	2	2	3	5	12	12	12
35-49	8	7.3	46	1	2	5	10	19	21	21
50-64	15	5.8	18	1	2	5	9	13	13	13
65 +	42	8.2	118	1	2	6	8	17	26	62
B. Operated										
0-19 YRS	35	2.4	17	< 1	< 1	1	2	4	13	21
20-34	29	3.4	58	< 1	1	1	2	7	12	41
35-49	76	3.8	79	< 1	1	1	2	7	17	53
50-64	100	1.7	3	1	1	1	2	3	4	11
65 +	315	2.4	13	< 1	1	1	2	4	6	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	3.1	9	< 1	< 1	2	4	7	9	17
B. Operated	210	1.5	3	< 1	< 1	1	1	2	4	8
2. MULTIPLE DX										
A. Not Operated	170	5.3	39	1	2	4	6	10	13	33
B. Operated	555	2.5	23	< 1	1	1	2	4	7	32
1. SINGLE DX	289	1.9	5	< 1	< 1	1	2	4	6	10
2. MULTIPLE DX	725	3.2	28	< 1	1	1	3	6	10	32
A. Not Operated	249	4.6	30	< 1	2	3	6	9	13	21
B. Operated	765	2.2	18	< 1	1	1	2	4	6	27
TOTAL										
0-19 YRS	233	2.9	9	< 1	< 1	2	4	6	8	20
20-34	82	3.0	25	< 1	1	1	3	6	11	32
35-49	113	3.5	58	< 1	1	1	3	7	12	48
50-64	169	2.0	5	1	1	1	2	3	7	13
65 +	417	2.9	25	< 1	1	1	3	6	9	29
GRAND TOTAL	**1014**	**2.8**	**22**	**< 1**	**1**	**1**	**3**	**6**	**8**	**26**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	226	3.7	4	2	2	3	5	7	8	10
20-34	17	4.4	13	1	3	4	4	11	14	15
35-49	7	2.9	2	1	1	3	4	5	5	5
50-64	9	3.0	3	1	2	3	4	6	6	6
65 +	10	4.6	16	1	2	3	5	12	12	12
B. Operated										
0-19 YRS	19	2.9	7	< 1	1	2	4	6	9	11
20-34	7	2.1	1	1	1	2	3	4	4	4
35-49	12	2.6	3	< 1	1	2	3	6	6	6
50-64	13	3.2	14	1	1	2	2	11	12	12
65 +	36	2.4	7	< 1	1	1	2	6	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	313	4.1	8	2	2	3	5	8	10	14
20-34	48	5.7	32	1	3	4	7	11	14	36
35-49	44	5.2	16	1	2	4	7	11	13	20
50-64	44	5.0	13	1	3	4	6	10	13	16
65 +	86	6.5	21	2	3	5	9	11	14	27
B. Operated										
0-19 YRS	51	6.3	33	1	2	5	8	15	16	27
20-34	57	4.2	20	1	2	2	5	11	15	21
35-49	70	3.8	16	1	2	2	4	9	14	21
50-64	126	3.6	16	< 1	2	2	4	7	12	23
65 +	315	3.4	17	< 1	1	2	4	7	12	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	269	3.7	5	2	2	3	5	7	8	12
B. Operated	87	2.6	7	< 1	1	2	3	6	11	12
2. MULTIPLE DX										
A. Not Operated	535	4.8	14	2	3	4	6	9	11	20
B. Operated	619	3.8	19	< 1	1	2	4	8	13	23
1. SINGLE DX	356	3.5	5	1	2	3	4	7	8	12
2. MULTIPLE DX	1154	4.3	17	1	2	3	5	9	12	22
A. Not Operated	804	4.5	11	2	2	4	5	8	11	16
B. Operated	706	3.7	17	< 1	1	2	4	8	12	23
TOTAL										
0-19 YRS	609	4.1	9	2	2	3	5	8	10	16
20-34	129	4.7	23	1	2	3	5	11	14	24
35-49	133	4.1	15	1	2	3	5	9	12	20
50-64	192	3.9	15	1	2	2	5	8	12	20
65 +	447	3.9	18	< 1	1	2	5	10	12	24
GRAND TOTAL	**1510**	**4.1**	**14**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	0									
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.9	4	< 1	1	2	4	6	6	6
20-34	9	2.9	4	1	1	2	4	6	6	6
35-49	12	5.3	10	1	2	5	8	9	11	11
50-64	10	4.0	32	1	2	2	3	12	20	20
65 +	18	4.3	7	2	2	4	6	8	10	11
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	4	1.0		1	1	1	1	1	1	1
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	11	2.6	4	1	1	2	3	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.8	1	1	1	2	2	4	4	4
B. Operated	8	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	59	4.0	11	1	2	3	6	8	10	19
B. Operated	22	2.0	3	< 1	1	1	2	6	7	7
1. SINGLE DX	14	1.6	1	1	1	1	2	3	4	4
2. MULTIPLE DX	81	3.5	9	1	1	2	5	7	8	17
A. Not Operated	65	3.8	10	1	2	3	5	8	9	19
B. Operated	30	1.9	3	1	1	1	2	5	6	7
TOTAL										
0-19 YRS	20	2.1	3	< 1	1	2	3	5	6	6
20-34	12	2.4	3	1	1	2	4	5	6	6
35-49	19	3.9	10	1	1	3	7	8	10	11
50-64	13	3.8	25	1	2	2	3	9	18	20
65 +	31	3.5	6	1	2	3	5	7	8	11
GRAND TOTAL	**95**	**3.2**	**9**	**1**	**1**	**2**	**4**	**7**	**8**	**16**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	215	2.9	4	1	2	2	4	5	6	11
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	435	1.2	2	< 1	< 1	< 1	1	1	2	8
20-34	22	1.2		< 1	1	1	1	2	3	3
35-49	31	1.5	3	< 1	1	1	1	2	2	10
50-64	29	1.1		< 1	1	1	1	2	2	2
65 +	11	1.5		< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	636	3.3	7	1	2	3	4	6	8	13
20-34	11	3.6	12	< 1	1	3	4	9	13	13
35-49	13	9.5	161	2	3	6	10	21	45	50
50-64	6	4.8	1	3	4	5	6	6	6	6
65 +	10	9.7	69	1	2	8	15	22	25	25
B. Operated										
0-19 YRS	855	1.6	5	< 1	1	1	1	2	5	13
20-34	102	1.4	1	< 1	1	1	2	2	2	7
35-49	63	1.6	2	1	1	1	2	2	3	9
50-64	68	1.8	2	1	1	1	2	3	4	9
65 +	63	1.7	4	< 1	1	1	2	3	3	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	221	2.9	4	1	2	2	4	5	6	11
B. Operated	528	1.2	1	< 1	< 1	< 1	1	1	2	8
2. MULTIPLE DX										
A. Not Operated	676	3.6	12	1	2	3	4	6	9	15
B. Operated	1151	1.6	4	< 1	1	1	1	2	4	12
1. SINGLE DX	749	1.7	3	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX	1827	2.3	8	< 1	1	1	3	5	7	14
A. Not Operated	897	3.4	10	1	2	3	4	6	8	15
B. Operated	1679	1.5	3	< 1	< 1	1	1	2	3	11
TOTAL										
0-19 YRS	2141	2.2	5	< 1	1	1	3	4	6	12
20-34	137	1.6	2	< 1	1	1	2	3	4	10
35-49	110	2.5	26	1	1	1	2	4	9	28
50-64	103	1.8	2	1	1	1	2	4	5	8
65 +	85	2.7	17	1	1	1	2	4	12	23
GRAND TOTAL	**2576**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**4**	**6**	**13**

137: Other Inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	3.4	5	1	2	3	4	6	7	14
20-34	17	3.8	7	2	2	3	4	6	11	13
35-49	15	3.8	6	2	2	3	4	7	10	11
50-64	5	2.8	1	2	2	3	3	4	4	4
65 +	3	4.0	7	2	2	3	6	7	7	7
B. Operated										
0-19 YRS	45	2.7	9	< 1	< 1	1	3	9	9	14
20-34	8	2.0	3	1	1	1	3	5	5	5
35-49	3	1.0		1	1	1	1	1	1	1
50-64	10	2.1	3	< 1	1	2	2	5	7	7
65 +	7	1.1		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	259	3.8	5	1	2	3	5	6	8	12
20-34	41	4.8	10	2	3	4	6	9	11	15
35-49	34	5.3	15	2	3	4	7	10	16	17
50-64	29	5.2	28	2	2	4	6	9	13	29
65 +	43	9.2	69	3	4	7	10	21	28	40
B. Operated										
0-19 YRS	131	3.6	19	1	1	1	4	10	13	21
20-34	50	2.6	10	1	1	2	3	4	7	18
35-49	40	2.8	12	< 1	1	2	3	6	10	18
50-64	39	4.2	36	1	1	2	4	11	19	29
65 +	49	8.1	101	1	2	4	10	21	35	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	3.5	5	2	2	3	4	6	7	13
B. Operated	73	2.3	7	< 1	< 1	1	3	5	9	13
2. MULTIPLE DX										
A. Not Operated	406	4.7	17	2	3	4	5	8	11	22
B. Operated	309	4.1	34	1	1	2	4	11	15	32
1. SINGLE DX	212	3.1	6	1	1	3	4	6	9	13
2. MULTIPLE DX	715	4.5	25	1	2	3	5	9	13	29
A. Not Operated	545	4.4	14	2	2	4	5	8	10	21
B. Operated	382	3.8	30	1	1	2	4	10	14	29
TOTAL										
0-19 YRS	534	3.6	9	1	2	3	4	7	9	15
20-34	116	3.5	10	1	1	3	4	7	10	16
35-49	92	3.8	13	1	1	3	5	8	11	18
50-64	83	4.2	28	1	2	2	5	9	13	29
65 +	102	8.0	81	1	2	5	10	19	31	41
GRAND TOTAL	**927**	**4.2**	**21**	**1**	**2**	**3**	**5**	**8**	**12**	**23**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.9	1	1	1	2	2	4	4	4
20-34	30	2.6	1	1	2	2	4	4	5	5
35-49	46	2.4	4	1	1	2	3	5	7	10
50-64	75	2.4	2	1	1	2	3	4	6	7
65 +	67	3.1	5	1	2	3	4	6	7	12
B. Operated										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	7	2.1	3	< 1	< 1	1	3	5	5	5
35-49	21	2.7	4	1	1	2	4	6	6	6
50-64	18	1.9	1	1	1	2	3	3	4	5
65 +	10	2.4	2	1	2	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.9	1	2	2	2	4	5	5	5
20-34	40	4.1	9	1	2	3	6	8	9	16
35-49	149	3.5	6	1	2	3	5	6	7	12
50-64	347	3.9	8	1	2	3	5	8	10	14
65 +	841	4.9	28	2	2	4	6	8	12	23
B. Operated										
0-19 YRS	15	1.5	3	1	1	1	1	2	6	8
20-34	8	2.8	4	< 1	1	2	3	6	7	7
35-49	20	3.3	4	1	2	3	4	7	7	7
50-64	16	5.5	47	2	2	4	5	9	24	30
65 +	46	8.3	66	2	3	7	10	17	21	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	226	2.6	3	1	1	2	3	5	6	10
B. Operated	61	2.2	3	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated	1384	4.5	20	1	2	4	5	8	10	20
B. Operated	105	5.5	44	1	2	3	7	11	18	38
1. SINGLE DX	287	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	1489	4.5	22	1	2	3	5	8	11	21
A. Not Operated	1610	4.2	18	1	2	3	5	8	10	18
B. Operated	166	4.3	31	1	1	2	5	9	13	29
TOTAL										
0-19 YRS	35	1.8	2	1	1	1	2	4	5	8
20-34	85	3.3	6	1	2	3	4	6	8	14
35-49	236	3.2	5	1	2	3	4	6	7	10
50-64	456	3.7	8	1	2	3	4	7	9	14
65 +	964	4.9	29	2	2	4	6	9	12	24
GRAND TOTAL	**1776**	**4.2**	**19**	**1**	**2**	**3**	**5**	**8**	**10**	**20**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	52	1.4		1	1	1	2	2	2	4
35-49	66	1.3		1	1	1	2	2	2	3
50-64	48	1.5	1	1	1	1	2	2	3	5
65 +	45	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	1.3		1	1	1	2	2	2	2
35-49	27	1.3		1	1	1	2	2	3	3
50-64	50	1.4		1	1	1	2	2	2	3
65 +	27	1.4		1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.2		1	1	1	1	2	3	3
B. Operated	213	1.4		1	1	1	2	2	2	4
2. MULTIPLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	117	1.4		1	1	1	2	2	2	3
1. SINGLE DX	223	1.3		1	1	1	2	2	2	4
2. MULTIPLE DX	118	1.4		1	1	1	2	2	2	3
A. Not Operated	11	1.2		< 1	1	1	1	2	3	3
B. Operated	330	1.4		1	1	1	2	2	2	3
TOTAL										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	65	1.3		1	1	1	2	2	2	4
35-49	99	1.3		1	1	1	2	2	2	3
50-64	99	1.4		1	1	1	2	2	3	4
65 +	74	1.4		1	1	1	2	2	2	3
GRAND TOTAL	**341**	**1.4**		**1**	**1**	**1**	**2**	**2**	**2**	**3**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	4.8	13	< 1	2	4	6	10	12	12
20-34	3	1.3		1	1	1	2	2	2	2
35-49	4	4.8	5	2	3	5	6	7	7	7
50-64	5	2.4	4	1	1	1	4	5	5	5
65 +	3	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	251	1.1		< 1	1	1	1	1	2	4
20-34	71	1.1		< 1	1	1	1	1	2	5
35-49	66	1.2		< 1	1	1	1	2	2	3
50-64	35	1.5	2	1	1	1	1	2	5	7
65 +	19	1.0		< 1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.2	10	1	1	4	6	8	10	11
20-34	6	2.7	4	< 1	1	2	4	6	6	6
35-49	6	2.8	3	< 1	< 1	3	3	6	6	6
50-64	22	4.5	7	< 1	3	4	7	8	9	9
65 +	20	4.6	14	1	2	3	6	10	13	15
B. Operated										
0-19 YRS	297	1.6	3	1	1	1	1	2	5	11
20-34	92	1.5	1	< 1	1	1	2	2	4	7
35-49	97	1.3		1	1	1	1	2	3	5
50-64	74	1.7	5	< 1	1	1	1	3	5	15
65 +	60	3.2	70	1	1	1	2	4	9	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	3.7	7	1	1	4	5	7	9	12
B. Operated	442	1.2		< 1	1	1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	70	4.1	9	< 1	1	4	6	8	9	14
B. Operated	620	1.7	9	1	1	1	1	2	5	12
1. SINGLE DX	465	1.3	1	< 1	1	1	1	2	3	6
2. MULTIPLE DX	690	1.9	10	1	1	1	2	4	6	12
A. Not Operated	93	4.0	9	< 1	1	4	6	8	9	14
B. Operated	1062	1.5	6	< 1	1	1	1	2	3	9
TOTAL										
0-19 YRS	572	1.5	3	< 1	1	1	1	2	5	9
20-34	172	1.4	1	< 1	1	1	1	2	3	6
35-49	173	1.4	1	< 1	1	1	1	2	3	6
50-64	136	2.1	5	< 1	1	1	2	5	7	12
65 +	102	3.1	45	1	1	1	3	5	10	39
GRAND TOTAL	**1155**	**1.7**	**6**	**< 1**	**1**	**1**	**1**	**3**	**5**	**11**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	6.4	21	1	2	6	8	14	15	16
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	8.3	29	2	5	7	11	16	20	26
20-34	9	5.9	5	3	4	6	7	9	10	10
35-49	5	9.8	14	5	7	10	12	15	15	15
50-64	6	5.7	8	3	4	5	6	10	11	11
65 +	11	8.0	19	3	4	7	12	14	15	15
B. Operated										
0-19 YRS	0									
20-34	2	23.5	761	4	4	23	43	43	43	43
35-49	1	28.0		28	28	28	28	28	28	28
50-64	5	17.4	58	11	12	16	21	30	30	30
65 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	6.3	19	1	2	6	8	14	15	16
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	57	7.7	20	3	5	7	10	13	16	25
B. Operated	9	18.8	159	5	10	16	28	38	43	43
1. SINGLE DX	22	6.3	19	1	2	6	8	14	15	16
2. MULTIPLE DX	66	9.2	52	3	5	7	11	16	26	41
A. Not Operated	79	7.3	20	2	4	7	10	14	16	24
B. Operated	9	18.8	159	5	10	16	28	38	43	43
TOTAL										
0-19 YRS	44	7.5	26	2	4	7	9	14	17	26
20-34	13	8.8	110	4	4	6	8	17	38	43
35-49	7	12.0	60	5	7	10	14	25	28	28
50-64	11	11.0	65	4	5	11	15	23	29	30
65 +	13	7.4	19	2	4	7	11	13	15	15
GRAND TOTAL	**88**	**8.5**	**45**	**2**	**4**	**7**	**11**	**16**	**19**	**38**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65 +	4	4.0	6	1	2	4	6	6	6	6
B. Operated										
0-19 YRS	9	3.0	4	2	2	2	3	7	7	7
20-34	4	3.5	7	1	1	3	5	7	7	7
35-49	11	3.0	12	1	1	2	3	9	12	12
50-64	10	4.0	10	1	2	2	6	9	10	10
65 +	5	1.2		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	10.3	89	3	4	7	17	21	21	21
20-34	8	10.6	240	1	2	3	18	37	39	39
35-49	17	8.5	64	2	5	6	9	25	29	29
50-64	56	8.5	70	2	4	7	10	15	22	53
65 +	137	9.7	116	3	5	7	11	17	31	99 +
B. Operated										
0-19 YRS	5	7.2	58	1	2	2	15	16	16	16
20-34	19	6.3	25	1	2	6	9	14	16	17
35-49	64	8.0	79	1	2	8	11	15	22	53
50-64	186	8.7	77	1	2	7	13	22	25	51
65 +	265	11.9	148	1	2	10	18	27	34	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.1	3	2	3	4	5	6	6	6
B. Operated	39	3.1	8	1	1	2	4	7	9	12
2. MULTIPLE DX										
A. Not Operated	221	9.3	103	2	4	7	11	17	30	85
B. Operated	539	10.1	113	1	2	8	15	23	30	69
1. SINGLE DX	47	3.3	7	1	1	2	5	7	8	12
2. MULTIPLE DX	760	9.9	110	1	2	8	13	22	30	75
A. Not Operated	229	9.2	100	2	4	7	11	17	30	83
B. Operated	578	9.6	109	1	2	8	14	22	29	64
TOTAL										
0-19 YRS	17	5.5	36	2	2	2	7	16	19	21
20-34	33	6.8	73	1	2	4	8	15	30	39
35-49	93	7.5	69	1	2	5	10	14	23	47
50-64	253	8.5	73	1	2	7	12	20	25	54
65 +	411	11.0	137	1	3	8	15	24	33	91
GRAND TOTAL	**807**	**9.5**	**107**	**1**	**2**	**7**	**13**	**22**	**29**	**71**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	5.6	15	2	3	4	7	12	12	12
20-34	13	2.7	3	1	2	2	3	5	7	7
35-49	49	4.1	12	1	2	3	5	8	9	22
50-64	67	3.8	7	2	2	3	5	7	9	15
65 +	35	3.8	7	1	2	3	5	7	10	12
B. Operated										
0-19 YRS	8	2.5	3	< 1	1	2	4	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	9	3.0	5	1	2	2	4	7	8	8
50-64	13	3.0	7	1	1	2	6	7	7	7
65 +	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	4.1	13	1	1	4	5	9	10	17
20-34	66	4.7	12	1	2	4	6	9	11	21
35-49	258	4.5	11	2	2	3	6	9	11	18
50-64	473	5.0	25	2	3	4	6	9	11	20
65 +	665	6.1	44	2	3	4	7	12	15	41
B. Operated										
0-19 YRS	10	9.4	55	2	3	8	13	20	26	26
20-34	18	8.2	32	1	2	9	14	15	16	16
35-49	43	6.5	35	1	2	5	8	15	20	25
50-64	62	9.0	150	1	2	6	11	21	33	98
65 +	103	9.2	129	1	2	7	12	18	35	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	169	3.9	8	1	2	3	5	7	9	14
B. Operated	35	2.7	5	1	1	2	4	7	7	8
2. MULTIPLE DX										
A. Not Operated	1492	5.4	31	2	3	4	6	10	13	26
B. Operated	236	8.6	107	1	2	6	11	18	28	86
1. SINGLE DX	204	3.7	8	1	2	3	5	7	9	14
2. MULTIPLE DX	1728	5.8	42	2	3	4	7	11	15	38
A. Not Operated	1661	5.2	29	2	3	4	6	10	13	25
B. Operated	271	7.8	97	1	2	5	11	16	26	84
TOTAL										
0-19 YRS	53	5.0	23	1	2	4	6	11	15	26
20-34	99	5.0	17	1	2	4	7	11	14	19
35-49	359	4.7	14	2	2	3	6	9	11	21
50-64	615	5.2	37	2	2	4	6	9	12	30
65 +	806	6.4	54	2	3	4	7	12	17	45
GRAND TOTAL	**1932**	**5.6**	**39**	**2**	**2**	**4**	**7**	**11**	**14**	**33**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	7	4.0	2	2	3	4	4	6	7	7
50-64	6	3.2	2	1	3	3	4	5	5	5
65 +	27	4.4	9	1	2	3	6	8	10	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	5	2.4	7	1	1	1	3	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	3.5	5	1	2	3	5	7	7	7
35-49	74	5.8	9	2	4	5	8	10	12	14
50-64	300	7.8	43	3	4	6	9	14	18	38
65 +	1413	9.3	83	3	5	7	11	16	24	59
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	4	6.5	20	3	3	5	9	13	13	13
35-49	15	8.4	40	2	3	7	12	19	22	23
50-64	60	8.7	158	1	2	5	10	19	34	63
65 +	178	15.0	220	2	6	11	19	37	61	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	4.2	7	1	3	4	5	8	9	14
B. Operated	7	2.7	7	1	1	1	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	1794	8.9	74	3	4	7	10	15	22	48
B. Operated	258	13.0	199	2	4	10	16	28	54	99 +
1. SINGLE DX	48	4.0	7	1	2	3	5	8	8	14
2. MULTIPLE DX	2052	9.4	92	3	4	7	11	17	26	63
A. Not Operated	1835	8.8	73	3	4	7	10	15	22	46
B. Operated	265	12.7	197	1	4	9	16	27	53	99 +
TOTAL										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	11	4.9	11	2	3	4	7	10	13	13
35-49	96	6.1	14	2	4	5	8	11	13	21
50-64	368	7.8	61	2	4	6	9	14	19	46
65 +	1623	9.8	101	3	5	7	11	18	27	73
GRAND TOTAL	**2100**	**9.3**	**90**	**3**	**4**	**7**	**11**	**17**	**25**	**63**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	6.7	54	<1	1	4	12	15	15	15
65+	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	3	6.3	57	1	1	3	12	15	15	15
20-34	5	5.2	39	1	2	2	8	16	16	16
35-49	10	2.1	1	1	1	2	3	3	3	3
50-64	11	2.7	10	<1	1	2	2	8	11	11
65+	12	3.7	8	1	2	3	5	8	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.3	10	1	2	3	7	9	10	10
20-34	17	5.4	28	1	2	4	7	11	18	22
35-49	34	8.2	110	2	3	6	8	16	25	60
50-64	25	8.0	22	2	4	7	12	15	16	16
65+	101	12.1	173	3	5	8	13	28	50	62
B. Operated										
0-19 YRS	7	12.4	70	3	5	12	20	24	24	24
20-34	41	11.2	104	2	4	8	15	25	28	52
35-49	55	8.6	106	1	3	5	12	15	22	64
50-64	96	12.5	156	2	4	9	18	28	33	92
65+	148	14.2	206	2	4	9	19	38	44	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	7.1	26	1	3	6	11	15	15	15
B. Operated	41	3.4	13	1	1	2	3	8	13	16
2. MULTIPLE DX										
A. Not Operated	189	9.8	125	2	4	7	11	17	33	59
B. Operated	347	12.5	164	2	3	8	16	28	40	69
1. SINGLE DX	49	4.0	17	1	1	3	4	11	15	16
2. MULTIPLE DX	536	11.5	152	2	4	8	14	26	39	66
A. Not Operated	197	9.6	121	2	4	7	11	16	32	59
B. Operated	388	11.5	156	2	3	7	15	27	39	68
TOTAL										
0-19 YRS	24	7.5	43	1	2	5	11	16	23	24
20-34	64	9.0	84	2	3	6	13	22	27	49
35-49	100	7.8	99	1	2	5	9	15	22	63
50-64	135	10.8	125	1	3	8	15	25	30	86
65+	262	12.9	188	2	4	8	15	35	44	67
GRAND TOTAL	**585**	**10.9**	**144**	**2**	**3**	**7**	**14**	**25**	**37**	**64**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	7.3	31	2	3	6	11	15	15	15
65+	3	4.3	6	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	3.8	21	1	1	2	5	12	12	12
50-64	4	3.3	7	1	1	3	5	6	6	6
65+	4	2.5		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	4.3		4	4	4	5	5	5	5
35-49	10	5.4	10	<1	3	6	7	9	10	10
50-64	28	6.8	20	2	4	6	9	12	15	23
65+	100	10.9	75	4	6	8	13	20	31	47
B. Operated										
0-19 YRS	5	5.4	44	1	2	2	8	17	17	17
20-34	3	8.3	76	1	2	6	15	18	18	18
35-49	16	6.7	57	1	2	3	8	20	24	26
50-64	35	11.5	186	1	2	7	13	28	47	57
65+	65	12.6	229	1	3	8	16	30	36	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	6.0	27	1	2	4	7	15	15	15
B. Operated	16	2.9	8	1	1	2	3	6	10	12
2. MULTIPLE DX										
A. Not Operated	142	9.5	62	3	5	8	11	16	27	37
B. Operated	124	11.1	185	1	2	7	15	27	36	68
1. SINGLE DX	26	4.1	17	1	2	2	5	12	15	15
2. MULTIPLE DX	266	10.3	120	2	4	7	12	23	31	56
A. Not Operated	152	9.3	60	3	5	7	11	16	25	35
B. Operated	140	10.2	172	1	2	6	13	25	34	61
TOTAL										
0-19 YRS	8	5.6	43	1	1	2	10	16	17	17
20-34	9	4.7	29	<1	1	4	5	13	18	18
35-49	32	5.7	35	1	2	3	8	13	20	26
50-64	71	8.9	107	1	2	6	10	18	28	55
65+	172	11.2	132	2	5	8	14	24	32	56
GRAND TOTAL	**292**	**9.7**	**114**	**2**	**3**	**7**	**12**	**22**	**31**	**54**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	13	5.8	13	1	2	6	9	10	11	11
35-49	155	7.8	6	5	6	8	9	11	12	14
50-64	268	7.9	6	5	7	8	9	11	12	15
65+	247	8.0	8	4	6	8	9	11	12	17
B. Operated										
0-19 YRS	0									
20-34	5	6.8	6	3	5	8	8	9	9	9
35-49	57	7.1	9	3	5	7	9	11	12	15
50-64	69	7.9	11	3	6	9	10	11	12	16
65+	27	8.2	11	3	6	9	10	13	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.0	4	5	5	7	8	9	9	9
20-34	38	9.2	67	3	7	8	9	13	14	55
35-49	786	8.2	18	5	6	8	10	12	13	22
50-64	2659	9.1	18	5	7	9	11	13	16	25
65+	7397	11.0	48	6	7	10	12	17	23	43
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	46	8.1	26	4	5	7	10	11	15	35
35-49	549	9.6	41	4	7	8	11	16	20	43
50-64	1344	11.2	64	5	7	10	13	18	25	59
65+	1772	15.6	127	7	9	13	19	29	38	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	683	7.9	7	5	6	8	9	11	12	16
B. Operated	158	7.6	10	3	5	8	10	12	13	15
2. MULTIPLE DX										
A. Not Operated	10883	10.3	39	6	7	9	12	16	20	39
B. Operated	3712	13.0	97	5	8	10	15	23	32	71
1. SINGLE DX	841	7.8	8	4	6	8	9	11	12	15
2. MULTIPLE DX	14595	11.0	55	6	7	9	12	18	24	46
A. Not Operated	11566	10.2	38	5	7	9	11	16	20	38
B. Operated	3870	12.8	94	5	8	10	15	23	31	69
TOTAL										
0-19 YRS	4	6.0	7	3	4	6	8	9	9	9
20-34	102	8.2	39	3	6	8	9	11	14	45
35-49	1547	8.6	25	4	6	8	10	13	16	27
50-64	4340	9.7	33	5	7	9	11	15	18	33
65+	9443	11.8	65	6	8	10	13	19	26	51
GRAND TOTAL	**15436**	**10.9**	**53**	**5**	**7**	**9**	**12**	**17**	**23**	**45**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	2.5	2	<1	1	2	3	4	6	6
35-49	105	2.7	2	1	2	2	3	4	5	7
50-64	186	2.8	2	1	2	3	3	5	6	8
65+	161	2.8	3	1	2	2	3	5	6	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	31	2.3	2	1	1	2	3	4	5	6
50-64	66	1.7	1	1	1	1	2	3	4	8
65+	29	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	51	3.1	4	1	2	2	4	6	7	10
35-49	681	3.4	5	1	2	3	4	[illegible]	[illegible]	11
50-64	1603	3.8	7	2	2	3	5	[illegible]	[illegible]	13
65+	3399	4.8	24	2	3	4	5	8	[illegible]	24
B. Operated										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	20	3.4	12	1	1	2	4	8	12	14
35-49	378	3.5	9	1	1	2	4	8	9	13
50-64	1143	3.9	16	1	1	2	5	9	11	19
65+	1102	5.4	43	1	2	3	8	12	17	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	466	2.8	2	1	2	2	3	5	6	8
B. Operated	126	1.8	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	5737	4.3	17	2	2	3	5	7	10	19
B. Operated	2644	4.4	27	1	1	2	6	10	13	25
1. SINGLE DX	592	2.6	2	1	2	2	3	4	5	8
2. MULTIPLE DX	8381	4.4	20	1	2	3	5	8	11	22
A. Not Operated	6203	4.2	16	2	2	3	5	7	9	18
B. Operated	2770	4.3	26	1	1	2	6	10	13	25
TOTAL										
0-19 YRS	5	9.0	104	2	4	5	11	27	27	27
20-34	84	3.1	6	1	2	2	4	6	8	13
35-49	1195	3.3	6	1	2	3	4	6	8	12
50-64	2998	3.7	10	1	2	3	5	7	9	17
65+	4691	4.8	28	2	2	4	6	9	12	26
GRAND TOTAL	**8973**	**4.2**	**19**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	13	3.2	3	1	2	3	4	6	7	7
35-49	159	[illegible]	3	1	2	3	4	5	6	9
50-64	376	3.4	4	1	2	3	4	6	7	9
65 +	416	3.9	4	2	3	3	5	6	7	10
B. Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	26	2.8	4	1	1	2	4	5	7	9
50-64	55	3.2	6	1	1	2	5	7	8	10
65 +	35	4.3	12	1	2	3	6	8	9	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	56	3.7	7	2	2	3	5	6	6	19
35-49	1090	4.1	7	2	2	3	5	7	9	14
50-64	3828	4.6	9	2	3	4	6	8	10	15
65 +	9908	5.8	21	2	3	[illegible]	7	10	13	23
B. Operated										
0-19 YRS	0									
20-34	20	5.5	20	1	2	4	8	13	15	16
35-49	616	6.4	26	1	3	6	9	13	16	21
50-64	2175	7.5	45	1	3	6	10	15	19	33
65 +	2707	10.4	98	2	4	8	13	20	27	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	964	3.5	4	2	2	3	4	6	7	9
B. Operated	118	3.4	7	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	14883	5.4	18	2	3	4	7	9	12	20
B. Operated	5518	8.8	71	2	3	7	11	[illegible]	22	46
1. SINGLE DX	1082	3.5	4	1	2	3	4	[illegible]	7	10
2. MULTIPLE DX	20401	6.3	34	2	3	5	8	12	16	29
A. Not Operated	15847	5.2	17	2	3	4	6	9	12	20
B. Operated	5636	8.7	71	2	3	7	11	17	22	45
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	91	4.0	10	2	2	3	5	7	9	18
35-49	1891	4.8	14	2	2	4	6	9	11	19
50-64	6434	5.5	23	2	3	4	7	10	14	23
65 +	13066	6.7	41	2	3	5	8	13	17	33
GRAND TOTAL	**21483**	**6.2**	**33**	**2**	**3**	**5**	**7**	**12**	**16**	**29**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	15	3.0	6	1	1	2	4	7	8	9
50-64	17	2.2	1	1	1	2	3	4	4	4
65 +	18	3.0	3	1	2	3	4	6	7	7
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	7	1.7	1	1	1	2	2	3	3	3
35-49	183	2.3	4	1	1	2	2	4	7	12
50-64	500	2.3	5	1	1	2	2	5	8	11
65 +	375	2.6	7	1	1	2	2	7	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	10.0	181	1	2	4	17	30	30	30
20-34	4	3.5	3	2	2	3	5	6	6	6
35-49	84	3.4	8	1	1	3	5	7	8	15
50-64	273	4.0	8	1	2	3	5	8	9	14
65 +	506	6.3	48	2	3	5	7	12	17	51
B. Operated										
0-19 YRS	6	3.0	8	< 1	< 1	1	5	8	8	8
20-34	50	2.9	6	1	1	2	3	7	9	10
35-49	1093	4.3	24	1	1	2	6	9	12	22
50-64	3785	5.2	34	1	1	3	8	12	15	[illegible]
65 +	3700	6.9	66	1	2	3	10	16	21	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	2.7	3	1	1	2	4	5	7	9
B. Operated	1068	2.4	6	1	1	2	2	5	8	12
2. MULTIPLE DX										
A. Not Operated	871	5.3	33	1	2	4	6	10	14	30
B. Operated	8634	5.8	48	1	1	3	8	13	17	34
1. SINGLE DX	1119	2.4	5	1	1	2	2	5	8	12
2. MULTIPLE DX	9505	5.8	46	1	1	3	8	13	17	34
A. Not Operated	922	5.2	32	1	2	4	6	10	13	30
B. Operated	9702	5.4	44	1	1	2	8	13	17	33
TOTAL										
0-19 YRS	14	4.4	59	< 1	1	1	5	10	26	30
20-34	61	2.8	5	1	1	2	3	7	8	10
35-49	1375	4.0	21	1	1	2	6	9	12	20
50-64	4575	4.8	30	1	1	2	7	11	14	25
65 +	4599	6.5	61	1	2	3	9	15	20	41
GRAND TOTAL	**10624**	**5.4**	**43**	**1**	**1**	**3**	**8**	**13**	**16**	**33**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	18	6.5	6	3	4	6	9	10	10	10
35-49	31	8.2	7	5	6	8	9	11	15	15
50-64	15	9.3	10	5	8	8	12	14	15	15
65 +	20	8.7	13	4	6	8	10	14	16	17
B. Operated										
0-19 YRS	0									
20-34	6	7.5	7	3	7	8	8	11	11	11
35-49	3	5.0	7	2	3	6	7	7	7	7
50-64	5	8.2	17	3	5	9	10	14	14	14
65 +	4	9.8	1	9	9	10	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	10.9	33	5	8	10	13	20	24	24
20-34	52	9.7	23	3	7	9	13	15	17	23
35-49	118	9.7	29	5	7	9	11	14	17	40
50-64	216	10.9	39	6	8	10	13	17	20	38
65 +	559	12.2	56	6	8	10	14	18	23	50
B. Operated										
0-19 YRS	3	27.7	890	8	9	13	50	62	62	62
20-34	37	13.9	112	5	8	11	16	27	36	57
35-49	56	14.8	95	8	9	11	16	31	37	56
50-64	119	13.3	54	6	9	12	15	21	26	46
65 +	227	17.4	184	7	10	13	21	35	45	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	8.1	9	4	6	8	10	12	14	16
B. Operated	18	7.8	9	3	6	8	9	11	13	14
2. MULTIPLE DX										
A. Not Operated	956	11.4	48	6	8	10	13	17	22	43
B. Operated	442	15.7	138	7	9	12	18	29	38	84
1. SINGLE DX	103	8.1	9	4	6	8	10	12	14	16
2. MULTIPLE DX	1398	12.8	80	6	8	11	14	21	28	55
A. Not Operated	1041	11.2	45	6	8	10	13	17	21	42
B. Operated	460	15.4	135	7	9	12	18	29	37	82
TOTAL										
0-19 YRS	15	14.1	201	6	8	10	13	24	52	62
20-34	113	10.5	55	3	7	9	13	17	22	46
35-49	208	10.8	49	6	7	9	12	16	22	40
50-64	355	11.6	44	6	8	10	14	18	22	44
65 +	810	13.5	97	6	8	11	15	23	32	63
GRAND TOTAL	**1501**	**12.5**	**77**	**6**	**8**	**10**	**14**	**20**	**27**	**53**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	2	19.0	50	14	14	19	24	24	24	24
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	18.2	84	8	9	16	28	31	32	32
20-34	40	22.8	148	5	14	25	31	39	44	48
35-49	45	25.6	219	6	17	26	32	43	46	80
50-64	37	23.1	183	6	14	22	29	45	50	51
65 +	116	28.5	202	10	17	29	37	46	56	67
B. Operated										
0-19 YRS	4	32.5	146	16	23	36	41	42	42	42
20-34	23	31.3	185	13	23	30	43	49	68	99 +
35-49	28	38.9	395	20	28	33	46	81	94	99 +
50-64	24	38.1	628	15	18	30	51	82	95	99
65 +	57	33.8	226	15	25	32	45	63	90	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	14.0	100	4	6	14	21	24	24	24
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	256	25.6	193	8	15	28	32	44	48	63
B. Operated	136	35.1	321	15	24	32	45	63	93	99 +
1. SINGLE DX	3	14.0	100	4	6	14	21	24	24	24
2. MULTIPLE DX	392	28.9	257	9	17	28	38	48	59	99 +
A. Not Operated	259	25.5	193	8	15	27	32	44	48	63
B. Operated	136	35.1	321	15	24	32	45	63	93	99 +
TOTAL										
0-19 YRS	23	20.1	127	8	10	16	30	34	41	42
20-34	63	25.9	175	9	15	28	35	45	48	94
35-49	75	30.4	319	8	20	29	39	53	77	98
50-64	61	29.0	405	10	15	25	41	52	67	98
65 +	173	30.3	215	12	20	30	40	49	61	99 +
GRAND TOTAL	**395**	**28.8**	**258**	**9**	**17**	**28**	**38**	**48**	**59**	**99 +**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.8	6	1	1	2	3	5	9	10
20-34	11	2.5	5	< 1	1	2	3	6	9	9
35-49	25	2.4	2	1	1	2	3	4	6	7
50-64	33	2.8	4	1	1	2	3	6	8	8
65 +	29	2.5	3	< 1	1	2	3	5	6	7
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	6.4	31	1	1	7	10	14	14	14
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	4.3	18	1	1	3	5	10	15	17
20-34	[illegible]	3.0	9	1	1	2	3	7	11	13
35-49	94	2.6	6	1	1	2	3	6	7	13
50-64	188	4.0	15	1	2	3	5	8	10	23
65 +	558	6.6	81	2	3	4	7	12	16	58
B. Operated										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	5	6.6	35	1	2	3	12	14	14	14
35-49	7	4.4	7	1	3	3	7	8	8	8
50-64	8	6.0	4	4	4	6	8	9	9	9
65 +	40	16.4	324	4	6	9	25	47	97	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	2.6	4	1	1	2	3	5	7	9
B. Operated	8	5.9	24	1	1	5	9	13	14	14
2. MULTIPLE DX										
A. Not Operated	886	5.5	58	1	2	4	6	10	14	42
B. Operated	62	12.5	239	3	5	7	16	34	66	99 +
1. SINGLE DX	118	2.8	5	1	1	2	3	6	8	11
2. MULTIPLE DX	948	5.9	72	1	2	4	7	11	16	58
A. Not Operated	996	5.2	53	1	2	3	6	9	13	36
B. Operated	70	11.8	218	2	4	7	14	33	52	99 +
TOTAL										
0-19 YRS	36	3.9	13	1	2	3	4	8	13	17
20-34	46	3.7	14	1	1	2	4	10	13	14
35-49	127	2.7	5	1	1	2	3	6	7	11
50-64	229	3.9	13	1	2	3	5	8	9	17
65 +	628	7.1	99	2	3	5	7	13	21	74
GRAND TOTAL	**1066**	**5.6**	**66**	**1**	**2**	**4**	**6**	**10**	**15**	**52**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.6	4	1	1	2	3	7	7	7
20-34	57	1.7	1	< 1	1	1	2	3	4	6
35-49	116	2.0	2	1	1	2	3	4	5	7
50-64	188	2.6	4	1	1	2	3	5	6	10
65 +	206	3.0	6	1	1	2	4	6	7	13
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	5	3.8	8	1	1	4	6	7	7	7
65 +	5	2.8	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	4.0	10	1	2	3	5	7	11	15
20-34	139	2.6	4	1	1	2	3	5	7	10
35-49	331	3.6	9	1	2	3	5	7	9	16
50-64	1325	4.6	14	1	2	3	6	9	12	19
65 +	4251	6.3	40	2	3	5	8	12	16	38
B. Operated										
0-19 YRS	17	6.9	35	2	3	6	8	17	22	23
20-34	6	5.2	11	1	2	5	7	10	10	10
35-49	21	7.7	46	1	4	7	8	21	57	99 +
50-64	94	9.5	111	1	3	7	13	21	25	88
65 +	499	13.1	136	3	5	10	17	26	38	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	580	2.6	4	1	1	2	3	5	6	10
B. Operated	13	3.7	7	< 1	1	4	6	7	8	8
2. MULTIPLE DX										
A. Not Operated	6081	5.7	33	1	2	4	7	11	15	30
B. Operated	637	12.1	129	2	5	9	16	25	35	74
1. SINGLE DX	593	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX	6718	6.3	46	2	3	4	8	13	18	39
A. Not Operated	6661	5.4	31	1	2	4	7	11	14	28
B. Operated	650	11.9	128	2	5	9	16	25	34	74
TOTAL										
0-19 YRS	66	4.5	17	1	2	3	6	9	13	22
20-34	203	2.4	4	1	1	2	3	5	6	10
35-49	469	3.4	10	1	1	2	4	7	9	18
50-64	1612	4.6	20	1	2	3	6	9	12	22
65 +	4961	6.9	53	2	3	5	8	14	19	42
GRAND TOTAL	**7311**	**6.0**	**43**	**1**	**2**	**4**	**7**	**12**	**17**	**38**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	3.5	8	1	2	3	5	6	9	16
20-34	42	2.1	2	<1	1	2	3	4	6	6
35-49	70	3.3	6	1	2	3	4	6	9	14
50-64	120	2.8	4	1	1	2	3	5	7	10
65 +	105	3.3	6	1	2	3	4	6	8	13
B. Operated										
0-19 YRS	38	5.3	34	1	2	4	7	9	15	33
20-34	10	3.1	5	<1	2	2	5	7	8	8
35-49	12	3.3	9	1	2	2	3	9	10	10
50-64	37	3.5	8	1	2	3	4	7	9	14
65 +	106	4.3	10	2	2	3	5	8	10	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	5.1	91	1	2	3	5	9	20	48
20-34	184	3.0	4	1	2	3	4	6	7	9
35-49	476	3.6	7	1	2	3	5	7	9	13
50-64	1184	4.6	15	1	2	4	6	9	11	19
65 +	3634	6.6	40	2	3	5	8	12	16	33
B. Operated										
0-19 YRS	91	5.7	48	2	2	4	7	11	14	45
20-34	55	5.1	12	2	2	4	7	10	11	17
35-49	90	6.9	31	2	3	6	9	15	19	70
50-64	437	10.0	101	2	4	7	12	22	30	54
65 +	2411	10.4	103	3	4	8	12	20	28	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	402	3.1	5	1	2	2	4	6	7	12
B. Operated	203	4.2	14	1	2	3	5	8	10	19
2. MULTIPLE DX										
A. Not Operated	5596	5.8	33	2	3	4	7	11	14	27
B. Operated	3084	10.0	99	3	4	7	12	20	28	62
1. SINGLE DX	605	3.5	9	1	2	3	4	7	9	15
2. MULTIPLE DX	8680	7.3	60	2	3	5	9	14	20	44
A. Not Operated	5998	5.6	31	2	3	4	7	10	14	27
B. Operated	3287	9.6	95	2	4	7	12	19	27	61
TOTAL										
0-19 YRS	312	4.9	54	1	2	3	5	9	13	31
20-34	291	3.3	6	1	2	3	4	7	8	11
35-49	648	4.0	11	1	2	3	5	8	10	16
50-64	1778	5.8	41	2	2	4	7	11	16	34
65 +	6256	7.9	67	2	4	6	9	15	21	48
GRAND TOTAL	**9285**	**7.0**	**58**	**2**	**3**	**5**	**8**	**14**	**19**	**41**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	6.1	27	1	2	5	10	14	16	16
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	10	4.5	5	2	3	4	5	8	9	9
50-64	27	4.7	7	2	3	4	6	9	10	12
65 +	151	5.3	22	2	3	4	6	9	11	21
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	5.5	5	4	4	5	7	7	7	7
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	122	6.7	38	2	3	5	9	13	18	30
20-34	97	7.2	30	2	4	6	9	16	19	28
35-49	546	7.6	31	3	4	6	9	14	17	36
50-64	3187	8.0	46	3	4	6	10	15	19	36
65 +	18401	9.4	74	3	5	7	11	17	24	51
B. Operated										
0-19 YRS	32	15.4	317	2	6	11	22	37	86	99 +
20-34	34	11.1	282	2	3	6	10	40	76	99 +
35-49	97	12.5	138	3	5	9	16	28	42	82
50-64	570	14.4	166	4	6	10	18	30	38	76
65 +	2166	17.1	211	5	8	13	21	35	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	199	5.2	19	2	3	4	6	9	11	19
B. Operated	3	5.0	3	4	4	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	22353	9.1	69	3	5	7	11	17	23	49
B. Operated	2899	16.4	203	4	8	12	20	34	51	99 +
1. SINGLE DX	202	5.2	19	2	3	4	6	9	11	18
2. MULTIPLE DX	25252	9.9	89	3	5	7	12	19	27	60
A. Not Operated	22552	9.1	68	3	4	7	11	17	23	49
B. Operated	2902	16.3	203	4	8	12	20	34	51	99 +
TOTAL										
0-19 YRS	163	8.4	102	2	3	6	10	21	24	87
20-34	133	8.1	96	2	4	6	9	17	23	87
35-49	653	8.3	50	3	4	7	10	15	21	40
50-64	3786	8.9	69	3	4	7	11	17	24	45
65 +	20719	10.1	93	3	5	7	12	19	28	64
GRAND TOTAL	**25454**	**9.9**	**89**	**3**	**5**	**7**	**12**	**19**	**27**	**60**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	3	4.7	16	1	2	4	8	9	9	9
50-64	6	3.7	5	1	2	3	5	7	7	7
65+	7	2.3	4	<1	1	1	3	6	6	6
B. Operated										
0-19 YRS	12	2.9	5	<1	1	2	4	8	8	8
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	12	2.9	9	1	1	2	3	7	11	12
50-64	13	2.0	1	1	1	2	3	3	3	3
65+	5	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	5.3	21	1	2	4	6	12	17	18
20-34	23	7.3	46	2	3	5	9	19	22	28
35-49	82	7.9	44	3	4	6	9	14	21	37
50-64	226	8.4	68	3	4	6	9	15	24	44
65+	451	9.3	45	3	5	7	12	18	23	46
B. Operated										
0-19 YRS	35	18.3	367	2	5	11	30	62	68	99+
20-34	14	5.6	29	1	1	4	8	12	18	20
35-49	58	5.6	58	1	1	2	8	13	21	43
50-64	142	6.6	52	1	2	4	9	16	19	34
65+	172	11.6	196	1	2	7	14	31	46	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	3.0	5	<1	1	2	4	6	8	9
B. Operated	45	2.5	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	804	8.7	51	3	4	7	10	18	23	38
B. Operated	421	9.4	150	1	2	5	12	24	34	73
1. SINGLE DX	67	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	1225	9.0	85	2	4	6	11	19	29	62
A. Not Operated	826	8.6	51	3	4	7	10	18	22	38
B. Operated	466	8.8	140	1	2	5	11	23	33	68
TOTAL										
0-19 YRS	72	11.0	234	1	2	5	14	32	61	93
20-34	43	6.2	36	1	2	4	7	15	20	28
35-49	155	6.6	48	1	2	5	8	13	20	39
50-64	387	7.4	61	1	3	5	9	15	21	37
65+	635	9.8	87	2	4	7	12	21	29	65
GRAND TOTAL	1292	8.7	83	2	3	6	10	19	28	62

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.7	4	<1	1	2	4	6	7	7
20-34	55	2.8	3	1	2	2	4	5	6	9
35-49	67	2.6	3	1	2	2	3	5	6	9
50-64	49	3.9	6	2	2	3	6	8	8	12
65+	25	4.1	8	2	2	3	5	8	10	13
B. Operated										
0-19 YRS	30	2.1	3	<1	1	2	2	4	7	7
20-34	14	3.8	30	1	1	1	6	9	18	21
35-49	27	3.1	8	1	1	2	5	8	9	10
50-64	51	2.0	5	1	1	1	2	4	9	10
65+	47	3.0	16	1	1	2	2	8	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	4.1	9	1	2	3	6	8	10	12
20-34	119	4.3	21	1	2	3	5	8	10	32
35-49	243	5.1	21	2	2	4	6	10	13	29
50-64	341	6.4	34	2	3	5	8	13	17	30
65+	662	7.6	52	2	4	6	9	14	20	37
B. Operated										
0-19 YRS	80	7.0	80	2	2	3	8	17	22	53
20-34	48	8.8	57	1	3	7	11	22	27	29
35-49	159	9.2	139	1	2	7	11	17	30	61
50-64	381	9.5	93	1	2	8	13	20	25	51
65+	851	10.8	126	1	2	9	15	23	30	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	215	3.1	4	1	2	2	4	6	8	10
B. Operated	169	2.6	10	1	1	1	2	7	9	19
2. MULTIPLE DX										
A. Not Operated	1406	6.5	40	2	3	5	8	13	17	32
B. Operated	1519	10.1	115	1	2	8	14	21	29	58
1. SINGLE DX	384	2.9	7	1	1	2	3	7	8	13
2. MULTIPLE DX	2925	8.4	82	1	2	6	11	18	24	50
A. Not Operated	1621	6.1	37	2	3	4	7	12	16	31
B. Operated	1688	9.3	110	1	2	7	13	21	27	58
TOTAL										
0-19 YRS	170	4.9	45	1	2	3	6	10	16	24
20-34	236	4.8	28	1	2	3	5	10	15	29
35-49	496	6.0	61	1	2	4	7	11	16	47
50-64	822	7.4	63	1	2	5	10	16	21	36
65+	1585	9.2	94	1	3	7	12	20	26	55
GRAND TOTAL	3309	7.7	77	1	2	5	10	17	23	48

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	2	5.5	41	1	1	5	10	10	10	10
50-64	2	5.5	41	1	1	5	10	10	10	10
65 +	2	17.0	512	1	1	17	33	33	33	33
B. Operated										
0-19 YRS	2	13.5	25	10	10	13	17	17	17	17
20-34	12	13.6	92	3	7	11	17	28	36	37
35-49	15	11.2	32	3	9	11	12	20	22	23
50-64	6	12.8	36	4	10	14	18	18	18	18
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.5	4	< 1	1	3	5	6	6	6
35-49	6	13.5	56	4	7	14	17	24	25	25
50-64	6	11.2	127	1	3	9	13	30	32	32
65 +	31	20.1	160	4	9	22	28	38	52	99 +
B. Operated										
0-19 YRS	0									
20-34	19	19.5	95	9	13	21	23	31	40	47
35-49	47	21.4	203	8	12	19	33	54	99 +	99 +
50-64	55	26.8	470	9	12	20	40	86	99 +	99 +
65 +	34	39.0	756	8	14	33	60	82	83	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	8.4	134	1	1	3	10	28	33	33
B. Operated	36	12.2	50	3	8	11	16	20	24	37
2. MULTIPLE DX										
A. Not Operated	47	16.7	153	3	6	15	26	35	40	99 +
B. Operated	155	26.9	447	9	12	21	38	80	91	99 +
1. SINGLE DX	43	11.6	63	2	7	11	16	21	27	37
2. MULTIPLE DX	202	24.6	396	7	11	20	34	70	86	99 +
A. Not Operated	54	15.6	156	2	4	13	26	33	39	98
B. Operated	191	24.2	405	7	11	18	34	71	86	99 +
TOTAL										
0-19 YRS	3	10.0	49	3	5	10	15	17	17	17
20-34	35	15.7	108	3	8	13	21	30	33	47
35-49	70	18.1	171	7	10	15	23	47	61	99 +
50-64	69	23.6	428	7	11	17	34	81	99 +	99 +
65 +	68	29.3	552	5	11	26	36	77	82	97
GRAND TOTAL	**245**	**22.3**	**362**	**5**	**10**	**17**	**31**	**60**	**83**	**99 +**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	3	23.0	75	18	18	18	29	33	33	33
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	31.8	33	25	28	36	53	99 +	99 +	99 +
50-64	7	62.1	568	29	47	66	78	94	97	97
65 +	3	33.0	273	17	21	32	45	50	50	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	23.0	75	18	18	18	29	33	33	33
B. Operated	14	47.2	552	25	30	47	70	97	99	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	17	42.9	548	18	25	36	66	92	99	99 +
A. Not Operated	3	23.0	75	18	18	18	29	33	33	33
B. Operated	14	47.2	552	25	30	47	70	97	99	99 +
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	4	31.8	33	25	28	36	53	99 +	99 +	99 +
50-64	7	62.1	568	29	47	66	78	94	97	97
65 +	6	28.0	169	17	18	25	33	48	50	50
GRAND TOTAL	**17**	**42.9**	**548**	**18**	**25**	**36**	**66**	**92**	**99**	**99 +**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	16.0	338	3	3	16	29	29	29	29
35-49	6	4.3	24	< 1	1	2	9	12	12	12
50-64	2	8.0	32	4	4	8	12	12	12	12
65 +	19	6.8	36	1	3	5	8	13	22	27
B. Operated										
0-19 YRS	4	6.3	26	1	2	5	10	13	13	13
20-34	4	8.0	45	2	2	7	13	16	16	16
35-49	12	6.3	12	3	4	5	8	11	14	14
50-64	5	8.6	31	3	6	7	10	18	18	18
65 +	18	12.1	190	4	5	8	11	25	47	61
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	14.0	157	1	2	11	27	31	31	31
20-34	9	12.1	42	2	9	14	18	59	99 +	99 +
35-49	22	14.3	239	4	5	10	13	43	53	62
50-64	106	14.0	178	3	5	9	18	35	51	99 +
65 +	402	18.9	289	5	8	13	25	45	68	99 +
B. Operated										
0-19 YRS	18	10.2	49	3	6	[illegible]	[illegible]	21	27	29
20-34	12	11.5	72	6	6	11	14	49	90	99 +
35-49	23	21.7	150	9	14	19	32	60	99 +	99 +
50-64	54	21.9	434	7	9	16	47	99 +	99 +	99 +
65 +	186	29.2	563	7	13	24	52	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	7.0	48	1	3	5	9	14	27	29
B. Operated	43	9.2	95	3	4	7	10	17	23	61
2. MULTIPLE DX										
A. Not Operated	545	17.6	264	4	7	13	24	44	62	99 +
B. Operated	293	25.4	487	6	10	20	47	98	99 +	99 +
1. SINGLE DX	72	8.3	76	2	4	6	10	16	26	54
2. MULTIPLE DX	838	20.3	355	5	8	15	29	62	99	99 +
A. Not Operated	574	17.1	258	4	7	12	23	41	61	99 +
B. Operated	336	23.3	466	5	9	18	37	91	99 +	99 +
TOTAL										
0-19 YRS	28	10.5	69	2	5	9	13	26	29	31
20-34	27	11.5	65	3	6	11	17	33	99 +	99 +
35-49	63	14.5	180	3	6	11	19	37	60	99 +
50-64	167	16.3	269	3	7	11	22	52	95	99 +
65 +	625	21.4	390	5	8	16	30	64	97	99 +
GRAND TOTAL	**910**	**19.4**	**344**	**4**	**7**	**13**	**27**	**58**	**94**	**99 +**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.8	5	< 1	1	4	5	6	6	6
20-34	1	30.0		30	30	30	30	30	30	30
35-49	6	12.3	49	3	7	12	19	21	21	21
50-64	39	21.8	315	5	10	15	33	47	60	79
65 +	139	23.1	235	8	12	19	30	46	54	81
B. Operated										
0-19 YRS	5	13.6	58	3	7	18	19	20	20	20
20-34	5	19.6	115	6	13	17	27	35	35	35
35-49	7	31.1	486	7	13	30	41	66	71	71
50-64	17	31.4	257	15	22	36	54	99 +	99 +	99 +
65 +	54	29.1	371	10	15	29	49	91	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	189	22.1	249	7	11	17	30	46	54	79
B. Operated	88	28.3	334	9	16	27	47	95	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	277	24.1	283	7	12	19	34	54	78	99 +
A. Not Operated	189	22.1	249	7	11	17	30	46	54	79
B. Operated	88	28.3	334	9	16	27	47	95	99 +	99 +
TOTAL										
0-19 YRS	9	9.2	58	1	3	6	18	20	20	20
20-34	6	21.3	110	7	16	20	30	34	35	35
35-49	13	22.5	359	5	8	19	31	49	67	71
50-64	56	24.7	312	7	12	20	38	65	99 +	99 +
65 +	193	24.8	279	9	13	20	33	54	75	99 +
GRAND TOTAL	**277**	**24.1**	**283**	**7**	**12**	**19**	**34**	**54**	**78**	**99 +**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	12	5.3	20	1	2	4	6	13	16	16
65 +	24	5.4	9	2	3	5	7	10	12	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	15	4.3	5	2	2	4	6	7	8	8
50-64	65	4.5	9	1	3	4	6	7	10	16
65 +	116	3.7	8	1	2	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	7.2	69	1	2	3	12	21	21	21
50-64	66	6.0	23	1	2	5	8	14	16	21
65 +	340	8.4	83	2	4	6	9	16	26	71
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	36	6.6	25	2	3	5	8	13	16	22
50-64	474	6.4	48	2	3	5	8	12	17	28
65 +	1114	7.7	66	2	4	6	9	14	20	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	5.3	13	2	3	5	7	11	13	16
B. Operated	196	4.0	8	1	2	4	6	7	9	15
2. MULTIPLE DX										
A. Not Operated	411	8.0	74	2	4	6	9	15	25	68
B. Operated	1626	7.3	60	2	3	5	9	14	18	37
1. SINGLE DX	233	4.2	9	1	2	4	6	7	10	16
2. MULTIPLE DX	2037	7.4	63	2	3	6	9	14	19	41
A. Not Operated	448	7.8	69	2	4	6	9	15	22	66
B. Operated	1822	6.9	56	2	3	5	8	13	18	36
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	57	5.9	23	2	2	4	8	13	16	22
50-64	617	6.1	41	1	3	5	7	12	16	25
65 +	1594	7.5	66	2	3	6	9	14	20	43
GRAND TOTAL	**2270**	**7.1**	**59**	**2**	**3**	**5**	**8**	**14**	**18**	**39**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	8	15.1	175	2	6	11	20	37	43	43
65 +	18	18.7	511	3	5	7	29	48	74	88
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	16	9.6	127	1	2	5	11	25	37	42
65 +	47	12.9	230	2	5	9	16	31	51	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	28	16.5	386	2	5	8	25	41	56	88
B. Operated	66	11.7	197	2	4	7	16	26	45	98
1. SINGLE DX	0									
2. MULTIPLE DX	94	13.2	254	2	4	7	17	33	46	95
A. Not Operated	28	16.5	386	2	5	8	25	41	56	88
B. Operated	66	11.7	197	2	4	7	16	26	45	98
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	5	3.6	7	1	2	3	5	8	8	8
50-64	24	11.5	143	1	3	8	15	28	42	43
65 +	65	14.5	308	3	5	7	17	37	60	98
GRAND TOTAL	**94**	**13.2**	**254**	**2**	**4**	**7**	**17**	**33**	**46**	**95**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	13.0	128	5	5	13	21	21	21	21
20-34	4	4.3	7	2	2	4	6	7	7	7
35-49	14	5.0	17	1	2	4	7	10	15	16
50-64	45	6.4	18	2	4	6	8	11	14	23
65 +	152	9.5	89	3	5	7	11	18	26	59
B. Operated										
0-19 YRS	0									
20-34	3	7.7	34	1	3	10	11	12	12	12
35-49	5	6.4	7	3	4	6	8	10	10	10
50-64	4	6.5	24	1	3	6	10	13	13	13
65 +	4	5.5	30	1	1	4	9	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	25	11.4	337	2	5	7	11	13	47	95
35-49	148	9.5	79	3	5	8	11	17	24	36
50-64	1028	11.0	132	3	5	8	13	22	36	[illegible]
65 +	5083	13.8	171	4	6	10	17	30	45	99 +
B. Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	10	19.0	210	5	6	14	28	42	44	44
35-49	31	18.0	413	4	7	12	20	72	80	99 +
50-64	183	15.4	210	5	8	11	20	40	98	99 +
65 +	741	27.8	479	7	12	23	46	94	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	217	8.5	71	2	4	7	10	16	22	52
B. Operated	16	6.4	18	1	2	6	10	13	13	13
2. MULTIPLE DX										
A. Not Operated	6286	13.2	164	4	6	9	16	29	43	99 +
B. Operated	967	25.0	447	7	10	19	41	85	99 +	99 +
1. SINGLE DX	233	8.4	67	2	4	6	10	16	21	50
2. MULTIPLE DX	7253	14.8	218	4	6	10	18	36	56	99 +
A. Not Operated	6503	13.1	162	4	6	9	16	28	42	99 +
B. Operated	983	24.7	446	6	10	19	40	84	99 +	99 +
TOTAL										
0-19 YRS	6	8.0	43	3	5	6	8	20	21	21
20-34	42	12.3	265	2	5	7	12	29	42	95
35-49	198	10.5	135	3	5	8	12	19	28	82
50-64	1260	11.4	142	3	5	8	13	25	39	99 +
65 +	5980	15.4	229	4	6	11	19	38	60	99 +
GRAND TOTAL	**7486**	**14.6**	**214**	**4**	**6**	**10**	**18**	**36**	**55**	**99 +**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.5	5	8	8	9	11	11	11	11
20-34	12	13.0	49	5	7	12	17	25	26	26
35-49	64	12.6	143	3	5	9	15	25	35	67
50-64	393	14.9	148	4	7	12	21	33	53	99 +
65 +	1810	18.2	215	6	8	14	24	39	55	99 +
B. Operated										
0-19 YRS	0									
20-34	7	13.6	81	6	6	13	18	28	30	30
35-49	14	27.9	716	5	8	21	50	93	98	99 +
50-64	61	28.1	534	7	10	20	47	75	81	99 +
65 +	252	30.1	496	10	14	23	46	83	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2281	17.5	202	5	8	13	23	38	55	99 +
B. Operated	334	29.3	505	8	13	23	45	77	99	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	2615	19.0	256	6	8	14	25	43	65	99 +
A. Not Operated	2281	17.5	202	5	8	13	23	38	55	99 +
B. Operated	334	29.3	505	8	13	23	45	77	99	99 +
TOTAL										
0-19 YRS	2	9.5	5	8	8	9	11	11	11	11
20-34	19	13.2	57	6	7	13	18	25	28	30
35-49	78	15.4	272	3	6	10	19	36	63	98
50-64	454	16.7	219	5	7	12	22	41	70	99 +
65 +	2062	19.7	264	6	9	15	25	45	65	99 +
GRAND TOTAL	**2615**	**19.0**	**256**	**6**	**8**	**14**	**25**	**43**	**65**	**99 +**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	6	3.0	3	1	2	3	5	5	5	5
35-49	34	3.1	4	1	2	2	4	6	8	9
50-64	95	3.3	5	1	2	3	4	6	7	14
65+	190	4.0	9	1	2	3	5	7	9	16
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	9	2.6	5	1	1	2	3	6	7	7
65+	19	4.6	13	1	2	3	7	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.8	3	1	3	4	5	6	6	6
20-34	23	4.4	10	1	2	4	5	10	12	13
35-49	163	4.4	11	1	2	4	6	8	11	17
50-64	846	4.9	11	2	3	4	6	9	11	15
65+	4623	7.5	75	2	3	5	8	14	21	58
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	25	5.7	9	2	3	6	7	9	12	13
50-64	141	8.5	72	2	3	6	10	18	21	44
65+	532	13.8	187	3	5	10	17	33	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	326	3.7	7	1	2	3	5	7	8	16
B. Operated	30	4.0	11	1	2	3	7	9	12	12
2. MULTIPLE DX										
A. Not Operated	5664	7.0	65	2	3	5	8	13	19	50
B. Operated	702	12.3	163	2	5	9	15	29	46	99+
1. SINGLE DX	356	3.7	8	1	2	3	5	7	9	16
2. MULTIPLE DX	6366	7.6	78	2	3	5	9	14	22	62
A. Not Operated	5990	6.8	62	2	3	5	8	13	18	48
B. Operated	732	12.0	159	2	4	8	14	29	44	99+
TOTAL										
0-19 YRS	12	3.8	3	2	2	4	5	6	7	7
20-34	31	3.9	9	1	2	3	5	8	12	13
35-49	224	4.3	10	1	2	4	6	8	10	16
50-64	1091	5.2	20	2	3	4	6	10	13	21
65+	5364	8.0	88	2	3	5	9	16	25	70
GRAND TOTAL	**6722**	**7.4**	**75**	**2**	**3**	**5**	**8**	**14**	**22**	**59**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	6	4.0	4	2	2	3	6	7	7	7
65+	38	6.4	21	1	4	6	8	11	16	24
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	2	12.5	1	12	12	13	78	99+	99+	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	14.0	101	5	5	13	22	25	25	25
35-49	26	6.0	17	2	4	5	7	10	13	22
50-64	167	7.7	87	2	4	6	9	13	20	87
65+	1004	12.0	162	3	5	8	14	28	40	99+
B. Operated										
0-19 YRS	0									
20-34	3	12.3	140	5	5	6	21	26	26	26
35-49	4	11.0	22	6	7	10	14	17	17	17
50-64	25	17.2	478	3	6	11	20	63	99	99+
65+	109	23.4	433	5	9	17	41	84	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	6.0	18	2	4	5	7	11	15	24
B. Operated	5	7.0	34	1	1	10	13	91	99+	99+
2. MULTIPLE DX										
A. Not Operated	1201	11.3	151	3	5	8	13	25	37	99+
B. Operated	141	21.8	429	5	8	15	34	79	99+	99+
1. SINGLE DX	52	6.1	19	1	4	6	8	12	16	98
2. MULTIPLE DX	1342	12.4	190	3	5	8	14	30	49	99+
A. Not Operated	1248	11.1	147	3	5	8	12	24	36	99+
B. Operated	146	21.2	423	5	8	15	33	82	99+	99+
TOTAL										
0-19 YRS	0									
20-34	8	12.0	97	4	5	6	22	26	26	26
35-49	33	6.4	19	2	4	6	8	11	16	22
50-64	200	8.8	141	2	4	6	9	16	28	99
65+	1153	12.9	195	3	5	8	15	32	53	99+
GRAND TOTAL	**1394**	**12.2**	**185**	**3**	**5**	**8**	**14**	**29**	**48**	**99+**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	10.3	87	4	4	6	16	24	24	24
35-49	8	9.1	43	2	4	9	16	69	99+	99+
50-64	66	12.0	141	3	4	7	17	28	35	64
65+	286	14.3	208	4	6	10	17	33	48	99+
B. Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	10.5	113	3	3	10	18	18	18	18
50-64	3	9.3	8	6	7	11	11	11	11	11
65+	32	28.1	496	7	13	19	39	57	77	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	364	13.7	191	4	6	9	17	32	46	99+
B. Operated	38	25.1	468	6	11	18	38	55	71	99
1. SINGLE DX	0									
2. MULTIPLE DX	402	14.8	228	4	6	10	19	34	53	99+
A. Not Operated	364	13.7	191	4	6	9	17	32	46	99+
B. Operated	38	25.1	468	6	11	18	38	55	71	99
TOTAL										
0-19 YRS	0									
20-34	5	9.4	69	4	5	6	12	24	24	24
35-49	10	9.4	46	2	4	9	17	53	96	99+
50-64	69	11.9	135	3	5	7	15	27	33	63
65+	318	15.7	253	4	6	11	19	38	56	99+
GRAND TOTAL	**402**	**14.8**	**228**	**4**	**6**	**10**	**19**	**34**	**53**	**99+**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	4.8	9	<1	2	5	7	8	8	8
35-49	6	5.2	17	1	4	4	5	12	13	13
50-64	17	3.9	9	1	2	3	5	9	10	11
65+	17	4.3	5	2	3	4	5	8	9	9
B. Operated										
0-19 YRS	3	8.3	44	1	3	10	13	14	14	14
20-34	4	4.8	23	1	1	4	8	11	11	11
35-49	7	4.3	10	<1	1	4	7	8	8	8
50-64	11	4.5	14	<1	1	4	8	10	10	10
65+	3	6.3	56	2	2	2	12	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	9.2	120	2	3	5	10	28	36	36
20-34	6	5.7	17	1	3	4	9	12	12	12
35-49	73	6.2	75	2	3	4	7	11	19	59
50-64	141	6.4	29	2	3	5	8	13	17	39
65+	510	10.3	129	3	4	7	12	23	35	87
B. Operated										
0-19 YRS	13	5.2	29	1	1	4	7	25	83	99+
20-34	7	12.7	284	<1	2	5	22	41	45	45
35-49	25	12.2	118	2	4	9	19	29	33	45
50-64	48	10.6	175	1	4	8	11	18	39	70
65+	118	15.2	317	2	5	10	19	38	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	4.3	8	1	2	4	5	9	10	13
B. Operated	28	5.1	19	1	1	4	8	11	14	15
2. MULTIPLE DX										
A. Not Operated	739	9.1	106	2	4	6	11	20	30	71
B. Operated	211	13.1	247	1	4	8	16	33	62	99+
1. SINGLE DX	73	4.6	12	1	2	4	6	9	11	15
2. MULTIPLE DX	950	10.0	140	2	4	6	12	22	35	94
A. Not Operated	784	8.8	102	2	4	6	10	19	30	70
B. Operated	239	12.2	227	1	4	8	15	31	51	99+
TOTAL										
0-19 YRS	26	6.9	60	1	2	5	9	17	46	99+
20-34	21	7.7	108	<1	1	5	8	18	35	45
35-49	111	7.3	83	2	3	4	8	18	21	55
50-64	217	7.0	62	1	3	5	9	14	18	64
65+	648	11.0	164	2	4	7	13	26	39	99
GRAND TOTAL	**1023**	**9.6**	**133**	**2**	**4**	**6**	**11**	**21**	**33**	**92**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	4	5.3	44	1	1	3	9	15	15	15
65 +	9	5.3	12	2	3	4	8	11	12	12
B. Operated										
0-19 YRS	0									
20-34	3	8.3	17	5	5	7	11	13	13	13
35-49	28	5.3	11	1	2	5	8	10	10	11
50-64	97	4.7	17	1	1	3	7	10	13	19
65 +	107	4.7	29	1	1	3	7	9	13	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	8.0	32	4	4	8	12	12	12	12
20-34	2	10.0		10	10	10	10	10	10	10
35-49	14	7.0	10	3	5	7	9	11	12	12
50-64	39	6.8	48	1	1	4	9	15	23	31
65 +	170	9.2	106	3	4	7	10	16	25	45
B. Operated										
0-19 YRS	2	13.5	85	7	7	13	20	20	20	20
20-34	8	9.4	44	2	6	8	17	68	99 +	99 +
35-49	146	12.6	214	2	4	8	14	30	40	73
50-64	824	11.8	152	2	5	9	14	26	42	96
65 +	2442	15.3	203	3	7	11	19	34	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	5.3	18	1	3	4	8	12	14	15
B. Operated	235	4.8	22	1	1	3	8	10	13	20
2. MULTIPLE DX										
A. Not Operated	227	8.7	89	2	4	7	10	15	23	45
B. Operated	3422	14.3	193	2	6	10	18	31	48	99 +
1. SINGLE DX	249	4.8	21	1	1	3	8	10	13	19
2. MULTIPLE DX	3649	14.0	188	2	6	10	17	31	46	99 +
A. Not Operated	241	8.5	85	2	4	7	10	14	22	45
B. Operated	3657	13.7	187	2	6	10	17	30	46	99 +
TOTAL										
0-19 YRS	4	10.8	49	4	5	9	16	20	20	20
20-34	14	8.9	28	3	6	8	13	21	80	99 +
35-49	188	11.1	177	2	4	8	12	24	35	71
50-64	964	10.9	139	1	4	8	13	24	39	90
65 +	2728	14.5	196	2	6	11	18	32	48	99 +
GRAND TOTAL	3898	13.4	183	2	6	10	17	30	44	99 +

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	4.6	41	1	1	2	6	16	16	16
50-64	7	2.4	11	< 1	1	1	2	8	10	10
65 +	5	1.4	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	7	2.9	8	1	1	2	3	8	9	9
65 +	13	6.5	37	1	2	4	9	18	20	20
B. Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	4	2.5	3	1	1	2	4	4	4	4
35-49	21	6.0	22	1	2	6	9	13	13	13
50-64	93	6.0	32	1	2	4	10	14	16	28
65 +	123	8.0	60	1	2	6	11	21	24	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	18	2.7	16	1	1	1	2	8	14	16
2. MULTIPLE DX										
A. Not Operated	22	5.1	26	1	2	3	8	12	18	20
B. Operated	242	7.0	46	1	2	5	10	17	22	29
1. SINGLE DX	18	2.7	16	1	1	1	2	8	14	16
2. MULTIPLE DX	264	6.9	44	1	2	5	10	17	21	29
A. Not Operated	22	5.1	26	1	2	3	8	12	18	20
B. Operated	260	6.7	45	1	2	4	10	16	21	29
TOTAL										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	5	2.4	2	1	1	2	4	4	4	4
35-49	28	5.6	23	1	2	3	9	13	14	16
50-64	107	5.6	30	1	1	3	9	13	15	25
65 +	141	7.6	57	1	2	5	10	20	24	30
GRAND TOTAL	282	6.6	44	1	2	4	10	16	20	28

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	7	3.1	6	1	1	2	5	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	22	9.4	12	7	8	9	11	12	16	20
65 +	30	7.4	16	1	2	8	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	7.5	61	2	2	7	13	13	13	13
50-64	21	5.7	26	< 1	1	4	8	12	17	20
65 +	141	7.6	79	1	3	5	10	14	18	51
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	12.0		12	12	12	12	12	12	12
35-49	11	8.1	44	2	3	7	12	18	23	23
50-64	309	12.8	88	6	8	10	15	24	31	87
65 +	998	14.8	129	6	9	12	17	27	40	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.4	5	1	2	3	6	7	7	7
B. Operated	53	8.1	16	2	7	9	11	12	12	20
2. MULTIPLE DX										
A. Not Operated	164	7.3	72	1	2	5	10	14	18	46
B. Operated	1320	14.3	120	6	9	12	16	26	39	93
1. SINGLE DX	62	7.4	17	1	3	8	10	12	12	19
2. MULTIPLE DX	1484	13.5	119	4	8	11	15	25	37	87
A. Not Operated	173	7.1	69	1	2	5	10	14	17	45
B. Operated	1373	14.1	117	6	9	11	16	25	38	92
TOTAL										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	12.0		12	12	12	12	12	12	12
35-49	14	7.5	42	1	2	6	13	16	21	23
50-64	354	12.2	83	6	8	10	14	23	30	79
65 +	1176	13.7	127	3	8	11	16	25	38	88
GRAND TOTAL	**1546**	**13.3**	**116**	**3**	**8**	**11**	**15**	**25**	**35**	**83**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	3	6.3	46	1	2	4	11	14	14	14
20-34	5	5.6	22	1	2	6	8	13	13	13
35-49	4	6.0	17	1	3	6	9	11	11	11
50-64	14	8.3	39	1	2	9	12	16	21	22
65 +	16	7.5	57	1	2	5	9	15	26	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	15.0	18	12	12	15	18	18	18	18
20-34	7	10.9	61	1	4	10	15	22	24	24
35-49	16	8.3	35	1	3	8	13	16	18	19
50-64	67	10.8	116	4	5	8	13	21	25	64
65 +	186	12.7	104	4	6	10	15	25	35	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.0	32	1	1	5	9	9	9	9
B. Operated	42	7.3	40	1	2	6	10	14	18	31
2. MULTIPLE DX										
A. Not Operated	3	4.0	7	1	2	5	6	6	6	6
B. Operated	278	12.0	102	4	6	9	15	23	33	64
1. SINGLE DX	44	7.2	39	1	2	6	10	14	17	31
2. MULTIPLE DX	281	11.9	102	4	6	9	15	23	32	64
A. Not Operated	5	4.4	12	1	1	5	7	9	9	9
B. Operated	320	11.4	96	3	5	9	14	22	30	64
TOTAL										
0-19 YRS	5	9.8	50	1	3	12	15	18	18	18
20-34	13	8.4	46	1	3	6	13	18	23	24
35-49	20	7.8	31	1	3	7	12	15	17	19
50-64	83	10.3	101	3	5	8	13	20	24	63
65 +	204	12.2	102	4	6	10	15	25	35	65
GRAND TOTAL	**325**	**11.3**	**96**	**2**	**5**	**9**	**14**	**22**	**30**	**63**

213 Hospitals, Northeastern Region, January-December 1989

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	2.7	8	1	1	1	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	2	9.0	2	8	8	9	10	10	10	10
35-49	22	4.4	8	1	2	4	6	9	10	10
50-64	28	5.2	22	1	1	3	8	12	14	19
65+	16	5.8	15	1	2	6	8	10	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	12.0		12	12	12	12	12	12	12
35-49	9	2.6	4	<1	<1	1	4	6	6	6
50-64	16	4.3	9	1	1	4	7	9	9	9
65+	42	8.0	20	3	5	7	10	13	17	21
B. Operated										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	8	6.6	17	1	3	7	10	11	11	11
35-49	58	7.8	17	2	5	8	11	14	16	17
50-64	226	11.6	176	1	5	9	13	22	34	73
65+	308	13.0	180	2	6	10	16	29	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.5	13	1	1	4	8	9	9	9
B. Operated	70	5.2	15	1	2	5	7	10	12	18
2. MULTIPLE DX										
A. Not Operated	69	6.4	20	1	3	6	9	12	14	21
B. Operated	601	11.9	163	2	5	9	14	23	41	99+
1. SINGLE DX	76	5.1	15	1	2	5	8	10	12	18
2. MULTIPLE DX	670	11.3	151	2	5	9	13	22	36	98
A. Not Operated	75	6.2	19	1	2	6	9	12	14	20
B. Operated	671	11.2	152	1	5	9	13	22	36	98
TOTAL										
0-19 YRS	4	7.8	106	1	1	3	14	23	23	23
20-34	12	7.6	14	1	5	8	10	11	12	12
35-49	90	6.5	17	1	3	6	9	12	15	17
50-64	273	10.4	156	1	3	8	12	20	32	72
65+	367	12.1	159	2	5	9	15	24	43	99+
GRAND TOTAL	**746**	**10.7**	**141**	**1**	**4**	**8**	**12**	**21**	**33**	**95**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	4.7	20	2	3	4	5	7	11	28
20-34	7	3.7	4	1	2	4	5	7	7	7
35-49	5	4.4	18	2	2	3	5	12	12	12
50-64	7	2.7	5	<1	1	2	4	6	7	7
65+	4	2.5	6	<1	<1	1	4	6	6	6
B. Operated										
0-19 YRS	10	5.5	28	1	1	4	6	15	15	15
20-34	9	1.7	1	<1	1	1	2	3	3	3
35-49	22	4.2	61	1	1	1	4	8	21	37
50-64	68	3.0	13	1	1	2	3	8	10	18
65+	57	3.5	16	1	1	1	5	9	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	6.0	24	2	3	4	7	12	15	28
20-34	28	5.5	11	2	3	5	8	11	11	13
35-49	27	5.4	21	2	3	5	6	9	15	23
50-64	57	7.4	145	1	2	4	8	14	22	79
65+	197	9.6	139	1	3	7	11	20	29	60
B. Operated										
0-19 YRS	23	8.7	115	2	2	5	8	23	37	46
20-34	29	7.8	53	1	3	6	10	19	26	29
35-49	89	6.8	110	1	1	4	7	13	31	57
50-64	332	9.3	142	1	2	6	11	24	39	74
65+	722	12.0	193	1	4	8	14	27	46	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	4.5	18	1	3	4	5	7	11	24
B. Operated	166	3.4	20	1	1	1	4	8	13	18
2. MULTIPLE DX										
A. Not Operated	410	7.9	98	1	3	5	9	15	23	54
B. Operated	1195	10.7	170	1	3	7	12	25	41	77
1. SINGLE DX	298	3.9	20	1	1	3	5	7	12	20
2. MULTIPLE DX	1605	10.0	153	1	3	6	12	22	37	71
A. Not Operated	542	7.0	80	1	3	4	8	14	20	52
B. Operated	1361	9.8	158	1	2	6	11	23	39	72
TOTAL										
0-19 YRS	243	5.7	32	2	3	4	6	11	15	38
20-34	73	5.8	29	1	2	4	7	11	16	28
35-49	143	6.1	83	1	1	3	7	12	25	50
50-64	464	8.0	127	1	2	4	10	18	36	71
65+	980	11.0	175	1	3	7	13	25	42	78
GRAND TOTAL	**1903**	**9.0**	**137**	**1**	**2**	**5**	**11**	**20**	**31**	**66**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.6	5	2	3	4	7	7	7	7
20-34	63	6.1	10	2	4	6	8	10	12	15
35-49	79	6.3	12	2	4	6	9	11	13	15
50-64	92	6.8	10	3	5	7	8	10	12	19
65+	69	7.3	11	3	6	7	8	11	13	19
B. Operated										
0-19 YRS	4	7.8	25	1	4	9	11	12	12	12
20-34	28	6.0	11	1	3	6	9	10	11	12
35-49	53	6.8	17	2	4	6	9	12	15	19
50-64	42	7.0	22	1	4	6	9	13	16	20
65+	38	6.6	15	2	5	6	8	11	12	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	9.0	4	7	7	9	10	11	11	11
20-34	104	7.4	20	2	4	7	9	12	16	25
35-49	261	8.2	22	3	5	7	10	14	17	22
50-64	360	8.4	30	3	6	7	11	14	17	27
65+	716	9.4	40	4	6	8	11	15	18	31
B. Operated										
0-19 YRS	7	10.9	40	3	7	11	15	20	21	21
20-34	50	9.1	18	4	7	9	10	16	17	18
35-49	140	9.7	72	3	6	8	11	17	19	50
50-64	268	8.7	36	3	6	8	10	14	18	26
65+	553	12.5	123	5	7	10	14	23	37	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	308	6.6	11	2	4	7	8	10	12	16
B. Operated	165	6.7	16	1	4	6	9	12	13	20
2. MULTIPLE DX										
A. Not Operated	1444	8.8	33	4	6	8	11	14	18	28
B. Operated	1018	10.9	90	4	7	9	12	18	26	71
1. SINGLE DX	473	6.6	13	[illegible]	4	7	8	11	12	19
2. MULTIPLE DX	2462	9.7	58	4	6	8	11	16	20	51
A. Not Operated	1752	8.4	30	3	6	8	10	14	17	27
B. Operated	1183	10.3	82	3	6	8	12	18	24	67
TOTAL										
0-19 YRS	19	8.3	26	2	5	7	11	14	19	21
20-34	245	7.2	17	2	4	7	9	12	16	19
35-49	533	8.2	34	3	5	7	10	14	17	28
50-64	762	8.2	29	3	5	7	10	13	17	24
65+	1376	10.5	74	4	6	8	12	17	24	58
GRAND TOTAL	**2935**	**9.2**	**52**	**3**	**6**	**8**	**11**	**15**	**19**	**46**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	2.4	3	1	1	2	4	5	5	5
35-49	10	3.1	16	<1	1	2	3	9	14	14
50-64	5	6.2	69	2	2	2	8	21	21	21
65+	19	9.2	34	2	6	8	14	18	21	23
B. Operated										
0-19 YRS	5	3.0	9	1	1	2	4	8	8	8
20-34	243	2.0	5	1	1	1	2	3	4	10
35-49	369	2.1	4	1	1	2	3	4	5	10
50-64	212	3.3	20	1	1	2	4	6	11	24
65+	77	5.8	82	1	1	2	5	15	26	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	10.3	187	1	3	5	11	35	40	40
35-49	34	8.0	51	2	3	6	11	16	23	34
50-64	73	9.3	38	3	5	9	11	18	23	28
65+	262	13.4	121	4	7	10	17	28	39	99+
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	90	3.6	20	1	1	2	3	7	13	24
35-49	196	5.1	70	1	1	2	4	12	23	40
50-64	220	7.1	86	1	2	3	8	20	28	52
65+	312	16.5	268	2	4	12	22	38	54	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	6.2	35	1	2	4	8	15	20	23
B. Operated	906	2.7	16	1	1	2	3	4	7	23
2. MULTIPLE DX										
A. Not Operated	377	12.0	103	3	6	9	15	27	35	93
B. Operated	819	9.8	172	1	2	4	13	25	37	72
1. SINGLE DX	947	2.8	17	1	1	2	3	5	8	23
2. MULTIPLE DX	1196	10.5	151	1	2	6	14	26	37	76
A. Not Operated	418	11.4	99	2	5	9	14	26	33	84
B. Operated	1725	6.1	102	1	1	2	5	17	26	55
TOTAL										
0-19 YRS	7	4.3	25	<1	1	2	7	13	14	14
20-34	347	2.6	13	1	1	2	3	4	6	24
35-49	609	3.4	31	1	1	2	3	7	12	27
50-64	510	5.8	56	1	2	3	7	15	21	38
65+	670	13.8	193	2	4	10	20	32	42	94
GRAND TOTAL	**2143**	**7.1**	**106**	**1**	**1**	**3**	**9**	**20**	**28**	**60**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	2.7	2	<1	1	3	4	5	5	5
35-49	16	1.9	1	1	1	2	2	4	4	4
50-64	9	3.2	5	<1	2	3	4	7	8	8
65+	15	2.7	3	<1	1	3	4	4	6	7
B. Operated										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	77	2.3	2	1	1	2	3	4	6	7
35-49	131	2.3	2	1	1	2	3	4	5	7
50-64	68	2.3	1	1	1	2	3	4	4	7
65+	30	2.4	2	1	2	2	3	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	27	3.3	7	<1	1	2	4	5	11	11
35-49	36	3.5	4	1	2	3	5	6	8	9
50-64	46	4.8	21	1	2	3	6	10	10	28
65+	134	5.0	11	1	3	4	7	10	12	30
B. Operated										
0-19 YRS	13	2.2	2	1	1	2	3	4	6	6
20-34	415	2.4	4	1	1	2	3	5	6	9
35-49	809	2.5	3	1	1	2	3	5	6	8
50-64	651	2.7	5	1	1	2	3	5	7	12
65+	484	4.2	27	1	1	3	5	9	12	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	2.5	3	<1	1	2	3	4	6	8
B. Operated	308	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	243	4.5	12	1	2	4	6	9	11	19
B. Operated	2372	2.9	9	1	1	2	4	5	7	14
1. SINGLE DX	360	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2615	3.0	10	1	1	2	4	6	8	15
A. Not Operated	295	4.2	11	1	2	3	5	8	11	17
B. Operated	2680	2.8	8	1	1	2	3	5	7	14
TOTAL										
0-19 YRS	16	2.1	2	1	1	2	3	3	5	6
20-34	530	2.4	4	1	1	2	3	5	6	9
35-49	992	2.5	3	1	1	2	3	5	6	8
50-64	774	2.8	6	1	1	2	3	5	7	12
65+	663	4.2	23	1	2	3	5	9	12	24
GRAND TOTAL	**2975**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	3.9	13	1	1	2	5	10	12	13
20-34	51	6.9	28	2	4	7	8	10	12	38
35-49	77	5.9	12	1	3	6	8	10	12	14
50-64	62	6.1	11	1	4	6	8	10	11	15
65+	78	6.9	13	2	4	7	9	11	13	19
B. Operated										
0-19 YRS	70	2.2	12	<1	1	1	2	4	8	21
20-34	104	3.3	15	1	1	1	6	8	10	19
35-49	81	5.0	25	1	1	3	8	10	17	23
50-64	48	7.2	29	1	4	7	8	13	16	29
65+	38	7.0	26	1	2	7	9	13	18	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	4.2	24	1	2	3	5	9	13	27
20-34	135	6.6	19	1	3	6	9	14	15	19
35-49	269	7.0	18	2	4	7	9	13	15	20
50-64	503	7.5	36	2	4	7	9	13	16	32
65+	1489	8.5	44	2	4	7	10	15	20	37
B. Operated										
0-19 YRS	72	7.5	227	1	1	2	7	16	22	90
20-34	150	6.7	56	1	1	4	9	16	22	37
35-49	246	9.0	47	1	5	8	11	16	21	38
50-64	376	10.0	88	2	5	8	12	19	25	90
65+	769	12.1	114	4	6	9	14	23	33	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	285	6.3	15	1	3	7	8	11	12	16
B. Operated	341	4.4	23	1	1	2	7	10	14	24
2. MULTIPLE DX										
A. Not Operated	2433	7.9	38	2	4	7	10	14	18	34
B. Operated	1613	10.4	100	2	5	8	13	20	29	68
1. SINGLE DX	626	5.3	20	1	1	5	8	10	13	21
2. MULTIPLE DX	4046	8.9	64	2	4	7	11	16	22	46
A. Not Operated	2718	7.8	36	2	4	7	10	14	17	32
B. Operated	1954	9.4	92	1	4	8	12	19	25	64
TOTAL										
0-19 YRS	196	4.7	98	1	1	2	4	11	16	62
20-34	440	5.9	33	1	1	5	8	12	16	29
35-49	673	7.4	31	1	3	7	10	13	17	29
50-64	989	8.3	55	2	4	7	10	14	21	42
65+	2374	9.5	68	3	5	8	11	17	23	55
GRAND TOTAL	**4672**	**8.4**	**60**	**2**	**4**	**7**	**10**	**15**	**21**	**43**

213 Hospitals, Northeastern Region, January-December 1989

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1688	2.2	2	1	1	2	3	4	5	7
20-34	160	3.0	4	1	2	3	4	5	7	12
35-49	50	3.4	6	1	2	3	4	7	9	12
50-64	23	3.7	4	2	2	3	5	7	8	8
65 +	11	3.5	7	1	2	3	4	8	10	10
B. Operated										
0-19 YRS	123	1.7	5	1	1	1	1	3	5	15
20-34	30	2.3	6	1	1	1	2	6	7	12
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	4.3	4	2	3	5	6	6	6	6
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2318	3.0	4	1	2	2	4	5	7	10
20-34	309	3.7	6	1	2	3	4	6	8	12
35-49	164	4.1	11	1	2	3	5	7	10	21
50-64	153	4.8	8	2	3	4	6	9	10	14
65 +	274	7.5	62	3	4	6	9	14	17	49
B. Operated										
0-19 YRS	168	3.9	36	1	1	1	5	10	16	48
20-34	62	2.6	5	1	1	2	3	6	8	10
35-49	35	4.5	24	1	1	3	7	12	20	99 +
50-64	34	6.2	37	1	2	4	10	14	21	25
65 +	50	9.2	75	1	2	6	14	21	25	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1932	2.3	2	1	1	2	3	4	5	8
B. Operated	160	1.8	5	1	1	1	1	4	6	14
2. MULTIPLE DX										
A. Not Operated	3218	3.6	11	1	2	3	4	7	8	15
B. Operated	349	4.7	39	1	1	2	6	13	19	41
1. SINGLE DX	2092	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	3567	3.7	14	1	2	3	4	7	10	19
A. Not Operated	5150	3.1	8	1	2	2	4	6	7	13
B. Operated	509	3.8	30	1	1	1	4	10	16	26
TOTAL										
0-19 YRS	4297	2.7	5	1	1	2	3	5	6	11
20-34	561	3.3	5	1	2	3	4	6	8	12
35-49	252	4.0	12	1	2	3	5	8	11	22
50-64	213	4.9	13	2	2	4	6	9	11	19
65 +	336	7.6	63	2	4	6	9	15	19	43
GRAND TOTAL	**5659**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1410	3.2	4	1	2	3	4	5	7	10
20-34	37	3.1	2	2	2	3	4	5	5	8
35-49	39	3.4	3	1	2	3	4	6	7	9
50-64	37	4.4	6	2	3	4	5	8	9	12
65 +	36	4.3	5	2	3	4	5	8	9	10
B. Operated										
0-19 YRS	9	3.7	9	1	1	2	7	8	8	8
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	2	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2721	4.0	13	2	2	3	5	7	9	16
20-34	269	4.5	12	2	2	4	5	7	12	16
35-49	462	5.3	10	2	3	5	7	9	11	19
50-64	1501	7.1	45	3	4	6	8	11	15	38
65 +	4484	8.2	49	3	5	7	10	14	18	37
B. Operated										
0-19 YRS	36	12.1	284	2	4	6	15	20	54	84
20-34	22	10.0	177	3	4	5	9	36	73	99 +
35-49	39	6.7	17	2	4	7	11	16	99 +	99 +
50-64	99	11.9	126	3	5	8	15	31	46	99 +
65 +	340	14.4	145	5	7	11	18	32	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1559	3.2	4	1	2	3	4	6	7	10
B. Operated	12	3.8	8	< 1	1	3	6	7	8	8
2. MULTIPLE DX										
A. Not Operated	9437	6.6	38	2	3	5	8	12	15	30
B. Operated	536	13.0	146	4	6	10	16	31	55	99 +
1. SINGLE DX	1571	3.2	4	1	2	3	4	6	7	10
2. MULTIPLE DX	9973	6.9	46	2	3	5	8	13	17	42
A. Not Operated	10996	6.1	35	2	3	5	7	11	15	27
B. Operated	548	12.8	145	4	6	10	16	31	54	99 +
TOTAL										
0-19 YRS	4176	3.8	13	1	2	3	4	6	8	15
20-34	328	4.7	24	2	2	4	5	8	13	31
35-49	541	5.2	10	2	3	5	7	9	11	20
50-64	1637	7.3	51	3	4	6	8	12	17	44
65 +	4862	8.6	58	3	5	7	10	15	20	52
GRAND TOTAL	**11544**	**6.4**	**42**	**2**	**3**	**5**	**8**	**12**	**16**	**35**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	122	1.2		1	1	1	1	2	2	3
20-34	218	1.2		<1	1	1	1	2	2	3
35-49	134	1.2		1	1	1	1	2	2	3
50-64	40	1.3		1	1	1	1	2	3	3
65+	14	1.1		<1	1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	7	1.0		<1	<1	<1	<1	1	1	1
50-64	4	2.0	4	<1	<1	1	3	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	305	1.2		1	1	1	1	2	2	3
20-34	988	1.3		1	1	1	1	2	2	4
35-49	729	1.4	2	1	1	1	2	2	3	4
50-64	325	1.5	1	1	1	1	2	2	3	8
65+	89	1.3		1	1	1	2	2	2	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	528	1.2		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	18	1.2	1	<1	<1	<1	1	1	4	5
B. Operated	2436	1.3	1	1	1	1	1	2	3	4
1. SINGLE DX	528	1.2		1	1	1	1	2	2	3
2. MULTIPLE DX	2454	1.3	1	1	1	1	1	2	3	4
A. Not Operated	18	1.2	1	<1	<1	<1	1	1	4	5
B. Operated	2964	1.3	1	1	1	1	1	2	2	4
TOTAL										
0-19 YRS	429	1.2		1	1	1	1	2	2	3
20-34	1210	1.3		1	1	1	1	2	2	4
35-49	870	1.3	2	1	1	1	1	2	3	3
50-64	369	1.4	1	1	1	1	2	2	3	7
65+	104	1.3		1	1	1	1	2	3	4
GRAND TOTAL	**2982**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**2**	**4**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
B. Operated										
0-19 YRS	8	1.5	1	<1	1	1	2	3	4	4
20-34	17	1.1		1	1	1	1	1	2	2
35-49	20	1.5	1	<1	1	1	2	3	3	4
50-64	16	1.8	1	<1	1	1	2	3	4	4
65+	8	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	0									
50-64	3	6.3	85	1	1	1	13	17	17	17
65+	0									
B. Operated										
0-19 YRS	39	1.5	2	1	1	1	1	3	4	9
20-34	61	2.0	4	1	1	1	2	4	6	10
35-49	90	1.6	1	1	1	1	2	3	3	5
50-64	118	1.8	2	1	1	1	2	4	5	8
65+	69	1.8	2	1	1	1	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	13	1	1	3	6	6	6	6
B. Operated	69	1.4	1	<1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	5	4.2	51	<1	<1	1	5	17	17	17
B. Operated	377	1.8	2	1	1	1	2	3	4	9
1. SINGLE DX	71	1.5	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	382	1.8	3	1	1	1	2	3	4	9
A. Not Operated	7	4.0	36	<1	<1	1	5	15	17	17
B. Operated	446	1.7	2	1	1	1	2	3	4	9
TOTAL										
0-19 YRS	48	1.5	2	1	1	1	1	3	4	9
20-34	80	1.9	3	1	1	1	2	4	5	10
35-49	110	1.6	1	1	1	1	2	3	3	5
50-64	138	1.9	4	1	1	1	2	4	5	10
65+	77	1.7	1	1	1	1	2	3	4	8
GRAND TOTAL	**453**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**9**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	82	1.3	2	1	1	1	1	2	3	9
20-34	49	1.2		1	1	1	1	1	2	4
35-49	4	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4527	1.0		1	1	1	1	1	1	2
20-34	1027	1.1		1	1	1	1	1	2	2
35-49	96	1.2		1	1	1	1	2	2	4
50-64	10	1.1		< 1	1	1	1	2	2	2
65 +	4	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	1.6	2	< 1	< 1	< 1	2	3	4	8
20-34	12	1.7	3	< 1	< 1	1	1	4	7	7
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	4295	1.2	2	1	1	1	1	1	2	4
20-34	367	1.3	1	1	1	1	1	2	2	5
35-49	71	1.4	1	1	1	1	1	2	2	9
50-64	17	2.4	7	1	1	1	3	5	9	11
65 +	6	1.3	1	1	1	1	1	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	1.3	1	1	1	1	1	1	2	7
B. Operated	5664	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	84	1.6	2	< 1	< 1	< 1	2	3	4	8
B. Operated	4756	1.2	2	1	1	1	1	1	2	4
1. SINGLE DX	5799	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX	4840	1.2	2	1	1	1	1	1	2	5
A. Not Operated	219	1.4	1	< 1	1	1	1	2	4	8
B. Operated	10420	1.1	1	1	1	1	1	1	2	3
TOTAL										
0-19 YRS	8972	1.1	1	1	1	1	1	1	2	3
20-34	1455	1.1		1	1	1	1	1	2	3
35-49	172	1.3	1	1	1	1	1	2	2	4
50-64	29	1.8	4	< 1	1	1	2	3	6	11
65 +	11	1.3		1	1	1	1	2	3	3
GRAND TOTAL	**10639**	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	318	2.7	3	1	2	2	3	5	6	11
20-34	115	3.0	3	1	2	3	4	5	7	9
35-49	36	3.4	6	1	2	3	4	6	7	13
50-64	18	3.6	3	2	3	3	4	6	7	8
65 +	7	3.4	6	< 1	1	2	6	7	7	7
B. Operated										
0-19 YRS	296	2.5	7	1	1	2	3	5	6	14
20-34	253	1.9	7	1	1	1	2	3	4	7
35-49	210	1.6	2	1	1	1	2	3	4	7
50-64	113	1.5	1	1	1	1	2	3	3	8
65 +	62	1.5	2	< 1	1	1	1	2	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	283	3.2	6	1	2	3	4	6	7	14
20-34	119	3.4	6	1	2	3	4	6	7	14
35-49	69	3.6	19	1	1	2	4	6	10	29
50-64	47	4.4	10	1	2	4	5	10	11	13
65 +	73	4.8	14	1	2	4	7	10	14	17
B. Operated										
0-19 YRS	442	3.9	40	1	1	2	4	9	15	42
20-34	481	1.8	2	1	1	1	2	4	5	9
35-49	513	2.0	5	1	1	1	2	3	6	15
50-64	416	2.6	17	1	1	1	2	5	10	18
65 +	284	3.5	54	1	1	1	3	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	494	2.8	3	1	2	2	4	5	6	10
B. Operated	934	1.9	5	1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	591	3.6	9	1	2	3	4	7	9	16
B. Operated	2136	2.7	21	1	1	1	2	5	9	21
1. SINGLE DX	1428	2.2	5	1	1	2	3	4	6	10
2. MULTIPLE DX	2727	2.9	19	1	1	2	3	6	9	19
A. Not Operated	1085	3.2	7	1	2	3	4	6	7	14
B. Operated	3070	2.4	16	1	1	1	2	4	8	18
TOTAL										
0-19 YRS	1339	3.1	17	1	1	2	3	6	9	24
20-34	968	2.2	4	1	1	1	3	4	5	9
35-49	828	2.1	6	1	1	1	2	4	6	13
50-64	594	2.6	13	1	1	1	3	5	9	16
65 +	426	3.4	39	1	1	2	4	8	10	19
GRAND TOTAL	**4155**	**2.6**	**14**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	149	3.8	6	2	2	3	5	6	8	15
20-34	118	5.1	10	2	3	4	6	9	10	18
35-49	80	5.5	10	3	3	5	7	9	10	21
50-64	54	6.4	6	4	5	6	8	9	11	13
65+	83	6.7	9	3	4	6	9	10	13	17
B. Operated										
0-19 YRS	2	9.5	85	3	3	9	16	16	16	16
20-34	3	4.7	10	1	2	6	7	7	7	7
35-49	3	10.3	74	1	4	12	16	18	18	18
50-64	4	6.5	20	1	3	6	9	12	12	12
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	426	7.1	34	2	3	5	10	15	18	26
20-34	453	7.5	23	3	4	6	10	14	16	27
35-49	522	8.9	51	3	5	7	10	15	21	38
50-64	925	9.5	54	4	5	8	11	16	20	39
65+	3735	11.6	84	4	6	9	14	21	30	62
B. Operated										
0-19 YRS	52	13.9	71	4	8	14	18	20	35	98
20-34	79	18.7	274	6	8	14	23	37	52	89
35-49	111	19.8	254	7	10	14	23	40	53	85
50-64	222	21.4	286	7	10	15	30	44	62	99+
65+	689	22.3	260	8	12	18	30	49	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	484	5.2	9	2	3	5	7	9	10	15
B. Operated	13	7.9	34	1	3	7	12	16	18	18
2. MULTIPLE DX										
A. Not Operated	6061	10.4	71	4	5	8	13	19	25	50
B. Operated	1153	21.3	260	7	11	16	28	45	67	99+
1. SINGLE DX	497	5.3	10	2	3	5	7	9	11	17
2. MULTIPLE DX	7214	12.1	117	4	6	9	14	24	34	80
A. Not Operated	6545	10.0	68	4	5	8	12	18	25	49
B. Operated	1166	21.1	259	7	11	16	28	45	67	99+
TOTAL										
0-19 YRS	629	6.9	37	2	3	5	10	15	18	30
20-34	653	8.4	66	3	4	6	10	15	22	42
35-49	716	10.2	95	3	5	7	11	19	26	53
50-64	1205	11.5	116	4	6	8	13	22	32	64
65+	4508	13.1	125	5	7	10	16	26	38	94
GRAND TOTAL	**7711**	**11.7**	**113**	**4**	**6**	**9**	**14**	**23**	**33**	**78**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1762	3.5	6	2	2	3	4	6	7	10
20-34	371	4.8	6	2	3	4	6	8	9	12
35-49	269	5.2	6	2	3	5	6	8	10	13
50-64	194	5.4	6	2	4	5	7	9	10	14
65+	280	6.4	12	3	4	6	8	11	13	17
B. Operated										
0-19 YRS	10	8.9	52	2	4	6	15	20	22	22
20-34	6	9.2	50	4	5	6	13	21	22	22
35-49	12	8.4	19	4	6	8	10	15	18	19
50-64	11	6.2	17	< 1	1	7	8	11	14	14
65+	7	11.4	17	7	8	11	14	17	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4355	4.4	11	2	2	4	5	8	10	16
20-34	1072	6.2	19	3	4	5	8	11	14	22
35-49	1260	7.3	30	3	4	6	8	12	15	25
50-64	2225	8.0	30	3	5	7	10	14	17	30
65+	9196	10.6	80	4	6	8	12	18	25	61
B. Operated										
0-19 YRS	123	13.9	230	3	5	9	19	29	46	99+
20-34	113	12.9	105	4	6	10	15	26	35	52
35-49	208	14.2	125	5	7	11	16	27	41	61
50-64	332	16.1	214	5	8	12	19	32	51	94
65+	1179	19.4	221	7	10	16	24	39	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2876	4.2	8	2	3	4	5	7	9	13
B. Operated	46	8.5	29	2	5	8	11	18	20	22
2. MULTIPLE DX										
A. Not Operated	18108	8.3	57	3	4	7	10	15	20	44
B. Operated	1955	17.6	209	6	9	14	22	36	51	99+
1. SINGLE DX	2922	4.3	8	2	3	4	5	8	9	14
2. MULTIPLE DX	20063	9.2	79	3	4	7	11	17	24	56
A. Not Operated	20984	7.7	52	2	4	6	9	14	19	41
B. Operated	2001	17.4	206	6	8	14	22	36	51	99+
TOTAL										
0-19 YRS	6250	4.3	16	2	2	3	5	8	10	19
20-34	1562	6.3	26	2	4	5	8	11	14	26
35-49	1749	7.8	44	3	4	6	9	13	17	38
50-64	2762	8.8	58	3	5	7	10	15	20	44
65+	10662	11.5	102	4	6	9	13	21	30	75
GRAND TOTAL	**22985**	**8.6**	**73**	**3**	**4**	**6**	**10**	**16**	**22**	**52**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.7	3	1	2	2	3	5	6	9
20-34	14	2.7	2	1	2	2	3	5	6	6
35-49	8	4.4	9	1	2	4	6	9	10	10
50-64	8	3.9	2	2	3	4	5	6	6	6
65 +	6	3.0	2	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	110	3.1	6	1	2	3	3	5	6	16
20-34	49	3.1	4	1	2	3	4	6	7	11
35-49	52	4.1	6	2	2	3	5	7	8	12
50-64	55	5.2	15	2	3	4	6	12	15	16
65 +	197	7.2	57	2	3	5	8	13	21	46
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	6	6.5	25	< 1	1	6	11	13	13	13
35-49	4	12.8	137	4	6	8	19	30	30	30
50-64	3	4.7	6	2	3	5	6	7	7	7
65 +	16	15.2	189	3	6	12	20	26	49	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	3.1	3	1	2	3	4	6	6	10
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	463	5.2	32	2	2	4	6	10	14	27
B. Operated	31	11.4	134	2	4	7	15	24	30	59
1. SINGLE DX	64	3.1	3	1	2	3	4	6	6	10
2. MULTIPLE DX	494	5.6	40	2	2	4	6	10	16	29
A. Not Operated	527	5.0	29	2	2	4	6	9	13	26
B. Operated	31	11.4	134	2	4	7	15	24	30	59
TOTAL										
0-19 YRS	140	3.0	5	1	2	3	3	5	6	14
20-34	69	3.3	6	1	2	3	4	6	8	13
35-49	64	4.6	17	2	2	4	6	8	10	27
50-64	66	5.0	13	2	3	4	6	9	14	16
65 +	219	7.7	69	2	3	5	8	15	21	56
GRAND TOTAL	**558**	**5.3**	**37**	**2**	**2**	**4**	**6**	**10**	**15**	**28**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	2.3	2	1	1	2	3	4	5	9
20-34	8	2.1	4	1	1	1	3	5	6	6
35-49	9	4.8	10	1	3	4	6	10	11	11
50-64	38	5.8	8	3	3	5	8	10	11	13
65 +	62	5.9	11	3	4	5	7	10	12	18
B. Operated										
0-19 YRS	8	1.5	2	1	1	1	1	4	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	4.8	17	< 1	1	4	8	10	10	10
50-64	3	6.3	14	2	3	8	9	9	9	9
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	3.4	5	1	2	3	4	6	8	12
20-34	35	4.0	6	2	2	4	5	6	8	13
35-49	69	5.9	18	2	4	5	7	10	13	27
50-64	253	7.8	53	3	4	6	9	13	18	43
65 +	706	9.1	78	3	5	7	10	17	23	65
B. Operated										
0-19 YRS	8	6.0	86	< 1	1	2	7	22	28	28
20-34	10	3.2	6	1	2	3	4	7	9	9
35-49	8	6.1	16	2	3	5	8	12	14	14
50-64	45	14.2	263	3	5	8	19	38	65	99 +
65 +	88	14.4	144	4	7	11	18	25	37	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	4.3	9	1	2	3	6	9	10	14
B. Operated	17	3.3	10	1	1	2	5	9	10	10
2. MULTIPLE DX										
A. Not Operated	1157	8.0	64	3	4	6	9	15	20	49
B. Operated	159	12.8	170	2	5	9	17	25	41	78
1. SINGLE DX	209	4.2	9	1	2	3	5	9	10	14
2. MULTIPLE DX	1316	8.6	79	3	4	6	10	16	23	63
A. Not Operated	1349	7.5	58	2	4	6	9	14	18	43
B. Operated	176	11.9	162	1	4	8	16	24	37	77
TOTAL										
0-19 YRS	185	3.0	7	1	2	2	4	5	7	12
20-34	54	3.6	5	1	2	3	4	6	8	13
35-49	90	5.8	16	2	3	5	8	10	13	24
50-64	339	8.4	80	3	4	6	9	14	23	65
65 +	857	9.4	83	3	5	7	11	17	24	64
GRAND TOTAL	**1525**	**8.0**	**72**	**2**	**4**	**6**	**9**	**15**	**22**	**51**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	8.0	50	3	3	8	13	13	13	13
35-49	5	6.2	25	2	3	3	11	13	13	13
50-64	27	6.5	9	2	4	7	9	10	11	11
65 +	51	7.1	25	3	4	7	8	10	12	37
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	9.7	22	6	6	8	13	15	15	15
35-49	0									
50-64	1	14.0		14	14	14	14	14	14	14
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.7	16	1	2	4	8	9	9	9
20-34	5	5.2	13	2	3	3	8	10	10	10
35-49	21	7.2	35	2	4	6	8	11	20	30
50-64	239	9.2	93	3	4	7	10	17	26	70
65 +	640	10.2	84	3	5	8	12	18	26	67
B. Operated										
0-19 YRS	5	7.6	11	4	5	7	9	13	13	13
20-34	15	11.3	58	4	5	10	14	23	27	28
35-49	14	13.5	89	4	6	12	17	28	34	36
50-64	26	10.4	53	3	7	10	15	74	99 +	99 +
65 +	75	20.8	419	5	8	13	28	59	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	6.9	20	3	4	7	9	11	12	29
B. Operated	6	8.7	27	1	6	8	14	15	15	15
2. MULTIPLE DX										
A. Not Operated	908	9.8	85	3	5	8	11	18	26	68
B. Operated	135	16.5	281	4	7	11	22	48	96	99 +
1. SINGLE DX	91	7.0	20	3	4	7	9	11	13	28
2. MULTIPLE DX	1043	10.7	115	3	5	8	12	20	31	96
A. Not Operated	993	9.6	80	3	5	7	11	17	25	66
B. Operated	141	16.2	273	4	7	11	21	47	96	99 +
TOTAL										
0-19 YRS	9	5.9	15	1	3	6	8	11	13	13
20-34	25	9.6	46	3	5	8	12	22	24	28
35-49	40	9.3	60	3	4	7	11	18	28	36
50-64	293	9.1	82	3	4	7	11	17	28	99 +
65 +	767	11.0	123	4	5	8	13	20	31	93
GRAND TOTAL	**1134**	**10.4**	**109**	**3**	**5**	**8**	**12**	**20**	**29**	**96**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4978	2.7	2	1	2	2	3	5	5	8
20-34	1012	3.4	4	1	2	3	4	6	7	10
35-49	862	4.3	5	2	3	4	5	7	9	11
50-64	540	4.7	7	2	3	4	6	8	10	14
65 +	284	5.4	11	2	3	5	7	9	12	17
B. Operated										
0-19 YRS	13	3.5	5	1	2	3	4	7	8	8
20-34	5	2.2	2	1	1	2	3	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	6.0	31	1	2	5	10	12	12	12
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4163	3.2	6	1	2	3	4	5	7	11
20-34	1476	4.8	14	2	3	4	6	8	10	19
35-49	1843	5.8	16	2	3	5	7	10	13	20
50-64	2178	6.8	26	3	4	6	8	12	14	26
65 +	2944	8.0	33	3	5	7	10	14	18	33
B. Operated										
0-19 YRS	40	11.5	309	2	4	6	11	29	81	99 +
20-34	30	12.1	143	2	5	9	13	29	44	53
35-49	65	12.4	111	3	5	9	17	25	33	51
50-64	107	13.3	181	4	6	10	16	23	40	97
65 +	176	16.7	172	5	8	12	24	44	57	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7676	3.2	4	1	2	3	4	6	7	10
B. Operated	23	3.6	7	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	12604	5.5	22	2	3	4	7	10	13	23
B. Operated	418	14.3	178	4	6	10	19	34	50	99 +
1. SINGLE DX	7699	3.2	4	1	2	3	4	6	7	10
2. MULTIPLE DX	13022	5.8	29	2	3	4	7	11	14	28
A. Not Operated	20280	4.6	16	2	2	4	6	9	11	20
B. Operated	441	13.8	175	3	6	10	18	32	49	99 +
TOTAL										
0-19 YRS	9194	3.0	5	1	2	3	4	5	6	10
20-34	2523	4.3	12	2	2	4	5	8	9	17
35-49	2771	5.4	17	2	3	5	7	10	12	20
50-64	2828	6.6	31	2	4	5	8	11	14	27
65 +	3405	8.2	43	3	4	7	10	14	20	40
GRAND TOTAL	**20721**	**4.8**	**21**	**2**	**2**	**4**	**6**	**9**	**12**	**23**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	5.0	14	1	2	5	8	10	10	10
20-34	6	3.0	1	2	2	3	3	5	5	5
35-49	20	3.9	3	2	2	4	5	6	8	9
50-64	104	6.1	28	3	3	5	7	11	13	34
65 +	188	5.8	17	2	3	5	7	10	12	26
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	18.0		18	18	18	18	18	18	18
65 +	3	5.0	9	2	3	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	8.5	22	2	4	10	13	14	14	14
20-34	14	8.7	52	2	3	8	10	21	25	26
35-49	87	5.6	17	2	3	5	7	10	16	21
50-64	760	7.8	43	3	4	6	9	14	19	42
65 +	2122	8.8	78	3	4	7	10	16	22	81
B. Operated										
0-19 YRS	7	14.0	114	2	8	10	19	31	34	34
20-34	6	6.7	14	3	3	6	10	12	12	12
35-49	19	7.9	13	3	6	8	11	13	14	14
50-64	75	15.1	264	3	5	10	17	42	51	84
65 +	216	15.4	204	4	7	11	19	40	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	323	5.7	20	2	3	5	7	10	12	26
B. Operated	7	6.0	34	< 1	2	5	7	16	18	18
2. MULTIPLE DX										
A. Not Operated	2994	8.4	67	3	4	7	10	15	21	72
B. Operated	323	14.7	204	3	7	11	18	35	54	99 +
1. SINGLE DX	330	5.7	20	2	3	5	7	10	12	25
2. MULTIPLE DX	3317	9.0	84	3	4	7	10	17	24	81
A. Not Operated	3317	8.2	63	3	4	6	9	15	20	66
B. Operated	330	14.5	202	3	7	11	17	35	54	99 +
TOTAL										
0-19 YRS	24	9.1	55	1	3	9	12	16	24	34
20-34	27	6.7	36	2	3	5	8	14	22	26
35-49	127	5.6	15	2	3	5	7	10	14	20
50-64	940	8.2	63	3	4	6	9	15	21	52
65 +	2529	9.1	88	3	4	7	10	17	25	96
GRAND TOTAL	**3647**	**8.7**	**79**	**3**	**4**	**7**	**10**	**16**	**23**	**77**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.0	5	1	1	2	4	6	7	11
20-34	57	3.5	6	1	2	3	4	7	9	12
35-49	15	3.2	7	1	1	3	4	6	10	11
50-64	3	3.3		3	3	3	4	4	4	4
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	84	6.2	18	2	3	5	8	13	16	19
20-34	249	5.7	23	2	3	5	7	11	13	24
35-49	96	5.4	8	2	4	5	6	10	12	14
50-64	22	5.1	8	2	3	4	7	8	12	13
65 +	10	7.1	7	4	5	7	8	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.3	10	1	1	3	8	9	9	9
20-34	30	3.9	9	1	2	3	6	10	10	11
35-49	13	3.1	2	1	2	3	4	5	6	6
50-64	24	4.7	6	1	3	4	7	8	9	10
65 +	40	6.9	28	2	3	5	9	14	18	25
B. Operated										
0-19 YRS	52	10.5	35	4	6	10	14	20	22	25
20-34	174	8.9	43	3	5	7	10	17	21	36
35-49	101	10.5	62	4	5	9	13	19	28	75
50-64	118	12.9	122	3	5	9	17	28	35	56
65 +	182	13.5	177	4	6	9	18	31	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	3.3	6	1	2	3	4	6	9	12
B. Operated	461	5.7	18	2	3	5	7	11	13	20
2. MULTIPLE DX										
A. Not Operated	117	5.0	16	1	2	4	7	10	12	21
B. Operated	627	11.4	102	4	5	9	14	22	31	87
1. SINGLE DX	563	5.3	17	2	3	4	6	10	13	19
2. MULTIPLE DX	744	10.4	94	3	5	8	13	21	30	75
A. Not Operated	219	4.2	12	1	2	3	6	9	11	18
B. Operated	1088	9.0	74	3	4	6	11	18	24	54
TOTAL										
0-19 YRS	171	6.9	27	2	3	5	9	16	18	23
20-34	510	6.4	31	2	3	5	8	12	16	31
35-49	225	7.4	40	2	4	5	10	14	18	44
50-64	167	10.5	102	3	4	7	14	24	30	54
65 +	234	12.0	151	3	5	8	15	25	40	99 +
GRAND TOTAL	**1307**	**8.2**	**67**	**2**	**4**	**6**	**10**	**17**	**22**	**50**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	6.1	30	1	2	5	10	18	67	99 +
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49	2	3.0		3	3	3	3	3	3	3
50-64	3	6.3	37	1	2	5	11	13	13	13
65 +	7	5.1	10	1	2	7	8	8	8	8
B. Operated										
0-19 YRS	1	11.0		11	11	55	99 +	99 +	99 +	99 +
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	139	6.8	63	1	2	4	8	16	23	59
20-34	63	7.5	38	2	3	5	9	19	24	90
35-49	124	10.1	112	3	5	7	13	20	39	99 +
50-64	708	11.2	90	4	5	9	13	21	29	71
65 +	1853	12.3	115	4	6	9	14	24	32	73
B. Operated										
0-19 YRS	30	23.8	428	6	10	21	64	99 +	99 +	99 +
20-34	22	30.9	700	4	12	29	66	99 +	99 +	99 +
35-49	56	20.7	304	5	8	16	32	55	65	99 +
50-64	159	24.5	455	6	10	18	34	73	99 +	99 +
65 +	384	27.0	459	8	12	22	46	96	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	5.8	22	1	2	5	9	14	18	99 +
B. Operated	2	8.0	18	5	6	11	78	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	2887	11.6	106	4	6	9	14	23	31	75
B. Operated	651	25.8	453	7	11	21	44	93	99 +	99 +
1. SINGLE DX	33	6.0	22	1	2	5	10	18	79	99 +
2. MULTIPLE DX	3538	14.2	201	4	6	10	17	33	56	99 +
A. Not Operated	2918	11.5	106	4	6	9	14	23	30	76
B. Operated	653	25.8	453	7	11	21	44	94	99 +	99 +
TOTAL										
0-19 YRS	187	9.5	156	1	3	6	14	34	99 +	99 +
20-34	87	13.4	303	3	4	7	19	49	99	99 +
35-49	183	13.3	193	3	5	9	16	35	60	99 +
50-64	870	13.6	183	4	6	10	16	29	48	99 +
65 +	2244	14.8	204	4	7	11	18	34	56	99 +
GRAND TOTAL	**3571**	**14.1**	**200**	**4**	**6**	**10**	**17**	**33**	**56**	**99 +**

196: Other lung and pleural diseases (500-511.9; 513-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	216	3.1	8	1	1	2	4	6	9	14
20-34	73	4.5	16	1	2	3	6	11	14	17
35-49	45	2.8	5	1	1	2	3	6	8	9
50-64	37	3.8	9	1	2	3	4	8	11	14
65 +	38	5.4	18	1	2	4	8	13	14	17
B. Operated										
0-19 YRS	41	6.0	161	1	1	1	4	24	47	99 +
20-34	20	5.6	24	1	2	5	7	10	17	23
35-49	34	7.4	27	2	5	6	7	17	19	20
50-64	46	5.0	18	1	1	4	8	11	12	22
65 +	35	4.4	17	< 1	1	3	6	11	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	614	7.0	77	1	2	4	9	16	21	35
20-34	205	6.7	52	1	3	4	9	15	19	35
35-49	316	5.8	23	2	2	4	8	11	16	25
50-64	626	7.6	59	2	3	6	9	15	19	43
65 +	2406	10.2	89	3	5	8	12	19	27	55
B. Operated										
0-19 YRS	270	12.2	220	1	2	6	19	33	50	99 +
20-34	138	12.8	136	2	4	10	18	29	45	99 +
35-49	251	12.8	147	3	5	10	16	26	34	81
50-64	440	13.2	153	3	6	9	17	30	42	99 +
65 +	1028	17.4	233	4	8	13	22	39	58	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	409	3.6	10	1	1	2	4	8	11	16
B. Operated	176	5.7	53	1	1	4	7	13	19	60
2. MULTIPLE DX										
A. Not Operated	4167	8.8	78	2	4	7	11	17	23	51
B. Operated	2127	15.0	203	2	6	11	20	35	51	99 +
1. SINGLE DX	585	4.2	24	1	1	3	5	9	13	22
2. MULTIPLE DX	6294	10.9	129	2	4	8	14	23	34	75
A. Not Operated	4576	8.4	75	2	3	6	10	16	22	48
B. Operated	2303	14.3	198	2	5	10	19	34	50	99 +
TOTAL										
0-19 YRS	1141	7.5	109	1	2	4	9	19	28	71
20-34	436	8.2	81	1	3	5	11	19	28	59
35-49	646	8.4	83	2	3	6	11	18	25	51
50-64	1149	9.5	101	2	4	7	12	20	30	63
65 +	3507	12.2	141	3	5	9	15	26	38	78
GRAND TOTAL	**6879**	**10.4**	**124**	**2**	**4**	**7**	**13**	**22**	**33**	**73**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.1	4	1	1	3	5	6	6	6
20-34	11	3.8	4	1	2	4	5	7	7	7
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	5	6.4	20	<1	3	5	11	11	11	11
65 +	0									
B. Operated										
0-19 YRS	279	2.1	2	<1	<1	1	3	4	5	7
20-34	317	1.9	1	<1	1	2	2	3	4	5
35-49	115	2.0	1	1	1	2	2	3	4	7
50-64	34	1.9	1	<1	1	2	2	3	4	6
65 +	12	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	2.5	3	<1	1	2	3	5	6	7
20-34	27	3.7	14	1	2	3	4	6	9	21
35-49	26	2.8	6	1	1	2	3	5	7	13
50-64	15	4.3	8	1	2	4	5	9	10	11
65 +	20	9.4	75	2	3	7	12	24	31	32
B. Operated										
0-19 YRS	549	2.3	7	<1	1	1	3	4	6	11
20-34	355	2.7	4	1	1	2	3	5	6	11
35-49	169	2.7	6	<1	1	2	3	5	8	14
50-64	112	4.2	47	<1	1	2	4	9	18	36
65 +	142	3.5	36	1	1	1	3	8	12	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.9	8	<1	2	4	5	7	11	11
B. Operated	757	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	129	4.1	23	1	2	3	4	7	12	31
B. Operated	1327	2.7	13	<1	1	2	3	5	7	17
1. SINGLE DX	785	2.0	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	1456	2.9	14	<1	1	2	3	5	8	18
A. Not Operated	157	4.1	20	1	2	3	4	7	12	30
B. Operated	2084	2.5	9	<1	1	2	3	4	6	15
TOTAL										
0-19 YRS	879	2.3	5	<1	<1	2	3	4	6	8
20-34	710	2.4	3	<1	1	2	3	4	5	9
35-49	312	2.4	4	1	1	2	3	4	5	13
50-64	166	3.8	34	<1	1	2	4	8	15	25
65 +	174	4.0	42	1	1	2	4	10	13	32
GRAND TOTAL	**2241**	**2.6**	**10**	**<1**	**1**	**2**	**3**	**5**	**6**	**15**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	3.4	4	1	2	3	4	7	8	8
20-34	12	5.0	8	2	3	4	7	9	10	10
35-49	21	4.2	4	1	3	4	6	7	8	8
50-64	7	2.9	3	1	2	2	4	6	6	6
65 +	7	6.0	10	2	4	7	8	10	10	10
B. Operated										
0-19 YRS	58	2.7	8	<1	1	2	3	6	10	15
20-34	41	2.1	2	1	1	1	3	4	6	7
35-49	47	1.8	1	1	1	1	2	3	5	6
50-64	34	1.7	2	1	1	1	2	3	3	8
65 +	34	2.0	2	<1	1	2	2	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	4.0	6	2	2	4	5	7	10	14
20-34	32	4.2	4	2	3	4	5	7	9	9
35-49	29	5.2	10	2	3	5	8	10	11	12
50-64	46	5.2	28	1	3	4	6	9	11	36
65 +	89	8.7	50	4	5	7	10	15	18	45
B. Operated										
0-19 YRS	45	3.4	23	1	1	2	4	7	15	99 +
20-34	49	3.8	33	1	1	2	4	7	8	40
35-49	82	3.7	32	1	1	2	4	8	14	33
50-64	97	3.5	32	1	1	2	4	8	10	35
65 +	114	6.7	106	1	2	3	8	14	21	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	4.0	5	1	2	3	5	8	9	10
B. Operated	214	2.1	4	1	1	2	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	268	5.9	29	2	3	5	7	11	14	22
B. Operated	387	4.5	54	1	1	2	5	9	15	40
1. SINGLE DX	296	2.6	5	1	1	2	3	6	8	11
2. MULTIPLE DX	655	5.1	44	1	2	3	6	10	14	38
A. Not Operated	350	5.5	24	2	3	4	7	10	12	20
B. Operated	601	3.7	38	1	1	2	4	8	11	37
TOTAL										
0-19 YRS	210	3.4	10	1	2	3	4	7	9	21
20-34	134	3.5	15	1	1	3	4	7	9	15
35-49	179	3.5	18	1	1	2	5	8	11	25
50-64	184	3.6	26	1	1	2	4	7	9	29
65 +	244	6.8	73	1	2	5	8	14	19	41
GRAND TOTAL	**951**	**4.3**	**33**	**1**	**1**	**3**	**5**	**9**	**12**	**36**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	198	3.0	6	1	2	2	4	6	7	13
20-34	38	2.3	2	1	1	2	3	4	5	6
35-49	60	2.3	1	1	1	2	3	4	4	6
50-64	52	2.8	4	1	1	2	4	5	7	10
65+	29	2.7	2	1	2	2	3	4	5	8
B. Operated										
0-19 YRS	91	5.1	41	1	1	3	7	10	22	33
20-34	23	4.3	8	1	1	4	7	8	9	9
35-49	19	3.6	6	1	2	3	6	8	9	9
50-64	24	5.1	33	1	2	3	6	10	20	26
65+	26	3.7	6	1	2	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	328	4.5	34	1	2	3	5	8	13	39
20-34	172	3.6	12	1	2	3	4	7	9	20
35-49	343	4.0	16	1	2	3	5	7	10	18
50-64	500	4.3	22	1	2	3	5	8	11	22
65+	959	5.7	37	2	3	4	7	10	15	38
B. Operated										
0-19 YRS	270	9.9	126	1	2	7	13	27	34	99+
20-34	100	8.2	59	1	3	6	11	20	26	67
35-49	145	7.7	98	2	3	5	8	14	25	68
50-64	275	8.8	107	2	3	6	10	17	27	56
65+	760	9.6	104	2	4	7	11	19	28	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	377	2.8	4	1	2	2	3	5	7	12
B. Operated	183	4.6	27	1	1	3	6	8	10	30
2. MULTIPLE DX										
A. Not Operated	2302	4.8	29	1	2	3	6	9	12	29
B. Operated	1550	9.2	105	2	4	6	11	20	29	68
1. SINGLE DX	560	3.4	12	1	1	2	4	7	8	22
2. MULTIPLE DX	3852	6.6	64	1	2	4	8	13	20	50
A. Not Operated	2679	4.5	26	1	2	3	5	9	12	24
B. Operated	1733	8.8	99	2	3	6	10	19	28	67
TOTAL										
0-19 YRS	887	5.9	64	1	2	3	7	13	23	49
20-34	333	4.8	29	1	2	3	6	10	18	32
35-49	567	4.7	38	1	2	3	5	8	12	31
50-64	851	5.7	53	1	2	4	6	11	16	37
65+	1774	7.3	69	2	3	5	8	15	20	54
GRAND TOTAL	**4412**	**6.2**	**59**	**1**	**2**	**4**	**7**	**12**	**19**	**47**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	3.8	6	<1	2	3	5	7	9	9
35-49	20	3.8	8	1	2	3	5	8	10	11
50-64	9	3.1	4	<1	2	3	4	6	7	7
65+	9	3.4	3	1	2	3	4	6	7	7
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	5	4.8	7	2	3	4	7	8	8	8
35-49	15	5.9	9	3	4	4	9	10	11	11
50-64	10	6.2	7	1	5	7	8	9	9	9
65+	3	5.7	6	3	4	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.2	2	3	3	4	6	6	6	6
20-34	24	3.5	3	2	2	3	5	6	7	7
35-49	50	4.8	8	2	3	4	6	7	9	18
50-64	86	5.0	9	2	3	4	6	9	10	16
65+	184	7.5	36	3	4	6	9	13	17	37
B. Operated										
0-19 YRS	6	8.5	31	1	6	7	14	16	16	16
20-34	16	5.0	6	2	3	5	6	8	11	12
35-49	59	8.7	53	4	5	7	10	13	28	38
50-64	86	8.0	23	3	4	7	9	15	16	27
65+	195	9.4	41	3	5	8	12	17	22	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	3.6	5	1	2	3	4	7	9	11
B. Operated	34	6.0	8	3	4	6	8	10	11	12
2. MULTIPLE DX										
A. Not Operated	350	6.2	24	2	3	5	7	11	13	28
B. Operated	362	8.8	38	3	5	7	11	16	20	35
1. SINGLE DX	83	4.6	8	1	2	4	7	9	10	12
2. MULTIPLE DX	712	7.5	33	3	4	6	9	14	17	32
A. Not Operated	399	5.9	23	2	3	5	7	11	13	26
B. Operated	396	8.5	36	3	4	7	11	16	19	34
TOTAL										
0-19 YRS	14	6.4	21	2	3	6	8	14	16	16
20-34	55	4.1	5	2	3	4	6	7	8	12
35-49	144	6.4	30	2	3	5	8	11	13	36
50-64	191	6.3	17	2	3	5	8	11	15	19
65+	391	8.4	39	3	4	6	11	15	20	34
GRAND TOTAL	**795**	**7.2**	**31**	**3**	**4**	**6**	**9**	**13**	**17**	**32**

213 Hospitals, Northeastern Region, January-December 1989

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.01; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	8	3.3	6	1	2	3	3	7	9	9
35-49	20	3.1	1	1	2	3	4	4	5	5
50-64	28	3.5	3	1	2	3	4	7	7	8
65 +	24	5.1	6	2	3	5	7	8	9	9
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	8	7.5	11	3	5	7	10	12	12	12
35-49	28	6.2	11	2	3	6	8	11	12	13
50-64	19	6.9	20	3	4	6	9	13	17	20
65 +	19	6.7	20	3	3	6	9	13	16	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	40	4.3	3	2	3	4	5	7	8	8
35-49	116	5.0	7	2	3	4	6	10	11	13
50-64	239	6.6	53	3	4	5	7	10	14	38
65 +	687	7.6	59	3	4	6	8	14	19	64
B. Operated										
0-19 YRS	6	13.3	351	1	4	7	10	47	51	51
20-34	32	7.7	28	3	4	7	9	13	20	26
35-49	120	9.1	78	3	4	6	10	16	35	62
50-64	258	10.[illegible]	91	4	5	8	11	20	30	51
65 +	898	1[illegible]	146	4	6	8	15	26	37	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	3.8	4	2	2	3	5	7	8	9
B. Operated	76	6.6	15	3	4	6	9	12	13	20
2. MULTIPLE DX										
A. Not Operated	1085	7.0	51	3	4	5	8	12	17	47
B. Operated	1314	11.5	128	4	5	8	13	25	35	81
1. SINGLE DX	159	5.1	11	2	3	4	7	9	12	18
2. MULTIPLE DX	2399	9.5	98	3	4	7	10	19	28	72
A. Not Operated	1168	6.7	48	3	4	5	8	12	17	45
B. Operated	1390	11.3	123	3	5	8	13	23	34	78
TOTAL										
0-19 YRS	14	7.4	165	1	2	4	6	14	43	51
20-34	88	5.7	16	2	3	5	7	9	11	24
35-49	284	6.7	42	3	3	5	8	12	15	43
50-64	544	8.1	71	3	4	6	9	14	22	45
65 +	1628	10.2	112	3	5	7	12	21	32	80
GRAND TOTAL	**2558**	**9.2**	**94**	**3**	**4**	**6**	**10**	**18**	**28**	**71**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.4	4	< 1	1	2	2	5	8	8
20-34	53	3.2	5	1	2	2	4	6	7	12
35-49	61	2.8	2	1	2	3	4	5	5	8
50-64	25	4.2	3	2	3	4	6	7	8	9
65 +	19	4.0	2	2	3	4	5	6	7	7
B. Operated										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	7	5.7	13	< 1	2	5	9	10	10	10
35-49	12	7.7	29	3	4	6	10	16	19	20
50-64	7	5.0	2	3	4	6	6	6	6	6
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.0	5	2	2	4	5	8	8	8
20-34	106	3.8	6	1	2	3	5	7	9	12
35-49	178	4.2	8	2	2	4	6	7	9	12
50-64	214	5.0	10	2	3	4	6	9	11	18
65 +	337	6.6	25	2	4	5	7	13	18	25
B. Operated										
0-19 YRS	6	2.3		2	2	2	3	3	3	3
20-34	27	8.2	31	3	4	7	9	18	21	24
35-49	46	11.5	125	3	5	7	13	29	39	51
50-64	73	9.7	80	3	5	7	11	21	33	46
65 +	109	11.8	101	4	6	9	14	22	37	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	3.2	3	1	2	3	4	6	7	9
B. Operated	31	5.9	18	1	3	5	8	11	15	20
2. MULTIPLE DX										
A. Not Operated	851	5.3	16	2	3	4	7	9	13	22
B. Operated	261	10.6	92	3	5	8	13	21	35	50
1. SINGLE DX	199	3.7	7	1	2	3	5	7	8	14
2. MULTIPLE DX	1112	6.5	39	2	3	5	8	12	18	36
A. Not Operated	1019	5.0	15	2	3	4	6	9	12	21
B. Operated	292	10.1	86	3	5	7	12	20	35	50
TOTAL										
0-19 YRS	36	3.0	4	1	2	2	4	6	8	8
20-34	193	4.3	12	1	2	3	6	9	11	19
35-49	297	5.2	34	2	2	4	6	9	13	37
50-64	319	6.0	29	2	3	5	7	11	14	35
65 +	466	7.7	47	2	4	6	9	15	21	40
GRAND TOTAL	**1311**	**6.1**	**35**	**2**	**3**	**4**	**7**	**11**	**17**	**35**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.6	3	1	2	4	5	6	6	6
20-34	37	3.8	5	1	2	3	5	6	9	12
35-49	55	4.2	4	2	3	4	5	7	9	10
50-64	40	4.2	3	2	3	4	6	7	7	7
65 +	38	4.5	6	2	3	4	5	6	10	14
B. Operated										
0-19 YRS	0									
20-34	21	6.0	2	4	5	6	7	8	8	8
35-49	31	6.8	7	3	6	7	8	10	11	15
50-64	24	6.0	8	2	4	6	8	9	11	12
65 +	12	6.6	9	3	4	6	9	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	4.6	10	1	3	3	6	10	12	12
20-34	115	4.3	3	2	3	4	5	6	8	10
35-49	225	5.4	17	2	3	4	6	9	11	20
50-64	389	5.5	12	3	4	5	6	9	12	20
65 +	926	7.5	38	3	4	6	9	13	17	33
B. Operated										
0-19 YRS	4	15.5	139	4	8	13	23	32	32	32
20-34	53	10.0	43	4	6	8	12	18	24	39
35-49	129	9.4	104	3	5	7	10	15	21	66
50-64	217	9.7	64	3	5	8	12	18	29	99 +
65 +	631	15.9	202	5	7	12	19	31	43	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	177	4.1	5	2	3	4	5	7	7	12
B. Operated	88	6.4	6	3	5	6	8	9	11	14
2. MULTIPLE DX										
A. Not Operated	1673	6.5	28	3	4	5	8	11	14	28
B. Operated	1034	13.5	161	4	6	10	16	27	40	90
1. SINGLE DX	265	4.9	6	2	3	4	6	8	10	12
2. MULTIPLE DX	2707	9.2	90	3	4	6	10	17	25	63
A. Not Operated	1850	6.3	26	3	4	5	7	11	14	25
B. Operated	1122	12.9	153	4	6	9	15	26	39	88
TOTAL										
0-19 YRS	29	5.9	37	1	3	4	6	12	14	32
20-34	226	5.7	19	2	3	5	6	10	12	24
35-49	440	6.6	44	3	4	5	8	11	13	46
50-64	670	6.8	32	3	4	5	8	13	17	63
65 +	1607	10.7	119	3	5	7	12	21	30	67
GRAND TOTAL	**2972**	**8.8**	**84**	**3**	**4**	**6**	**10**	**17**	**24**	**59**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.8	2	1	2	3	4	4	4	4
35-49	4	5.3	5	3	3	5	7	8	8	8
50-64	8	4.4	8	1	3	4	6	9	10	10
65 +	2	9.0	72	3	3	9	15	15	15	15
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	1	20.0		20	20	20	20	20	20	20
50-64	10	10.7	38	4	5	9	15	20	22	22
65 +	5	8.2	20	5	6	7	9	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	6	5.3	11	2	3	4	7	11	11	11
35-49	14	6.9	14	3	5	6	8	14	15	15
50-64	27	8.4	37	3	4	5	12	17	21	27
65 +	75	7.3	14	4	5	7	9	13	15	19
B. Operated										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	10	11.8	116	5	5	7	12	31	35	35
35-49	31	11.8	76	3	6	9	17	22	31	39
50-64	53	13.5	141	5	8	10	16	23	34	77
65 +	129	16.7	144	5	9	13	23	33	45	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	4.7	12	2	3	4	6	9	13	15
B. Operated	19	9.9	33	4	5	7	14	19	21	22
2. MULTIPLE DX										
A. Not Operated	124	7.4	19	3	4	6	9	13	16	22
B. Operated	225	14.9	134	5	7	11	19	30	39	63
1. SINGLE DX	37	7.4	29	3	4	6	10	16	19	22
2. MULTIPLE DX	349	12.2	106	4	5	9	15	27	33	57
A. Not Operated	142	7.0	19	3	4	6	9	13	16	21
B. Operated	244	14.5	128	5	7	11	19	30	38	59
TOTAL										
0-19 YRS	5	5.6	9	2	3	5	8	10	10	10
20-34	22	7.8	67	2	4	5	8	17	31	35
35-49	50	10.1	59	3	5	7	14	20	25	39
50-64	98	11.1	98	3	5	9	13	20	28	59
65 +	211	13.1	114	4	6	10	16	29	36	57
GRAND TOTAL	**386**	**11.8**	**101**	**4**	**5**	**9**	**15**	**25**	**32**	**56**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	108	2.2	1	1	1	2	3	3	4	7
20-34	157	2.5	2	1	1	2	3	4	6	7
35-49	98	2.8	3	1	2	2	4	5	6	11
50-64	60	2.6	3	1	1	2	3	5	6	10
65 +	36	3.1	5	1	2	3	4	6	7	11
B. Operated										
0-19 YRS	12	3.5	3	2	2	3	4	6	7	7
20-34	15	4.3	6	2	3	4	5	7	10	11
35-49	17	4.5	12	1	3	3	5	10	13	14
50-64	12	4.3	12	< 1	2	4	5	8	13	14
65 +	6	6.8	2	5	6	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	266	2.8	10	1	2	2	3	5	6	12
20-34	489	3.6	18	1	2	3	4	6	8	15
35-49	682	4.2	8	2	2	4	5	7	10	16
50-64	712	5.0	18	2	3	4	6	9	12	26
65 +	1383	6.4	32	2	3	5	8	12	15	30
B. Operated										
0-19 YRS	38	5.0	19	2	2	4	6	10	15	22
20-34	85	6.3	38	2	3	4	7	11	20	35
35-49	156	6.7	27	2	3	6	8	12	15	33
50-64	210	8.1	73	3	4	6	8	16	23	48
65 +	545	9.4	73	3	5	7	11	18	25	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	459	2.6	3	1	1	2	3	5	6	8
B. Operated	62	4.5	8	1	3	4	6	8	11	14
2. MULTIPLE DX										
A. Not Operated	3532	5.0	22	2	2	4	6	9	13	23
B. Operated	1034	8.3	63	2	4	6	10	16	23	54
1. SINGLE DX	521	2.8	4	1	2	2	4	5	6	11
2. MULTIPLE DX	4566	5.8	34	2	3	4	7	11	15	31
A. Not Operated	3991	4.7	21	1	2	4	6	9	12	23
B. Operated	1096	8.1	61	2	4	6	9	15	23	52
TOTAL										
0-19 YRS	424	2.9	9	1	2	2	3	5	6	14
20-34	746	3.7	18	1	2	3	4	7	8	22
35-49	953	4.5	12	2	2	4	5	8	11	17
50-64	994	5.5	30	2	3	4	6	10	15	29
65 +	1970	7.1	45	2	3	5	8	13	19	38
GRAND TOTAL	**5087**	**5.5**	**31**	**2**	**2**	**4**	**7**	**10**	**15**	**29**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.4	1	1	2	2	3	4	5	5
20-34	18	3.6	6	1	2	3	6	8	8	8
35-49	18	3.3	5	1	1	3	5	7	7	7
50-64	10	3.3	5	< 1	1	3	6	7	7	7
65 +	10	2.5	1	1	2	2	3	4	4	4
B. Operated										
0-19 YRS	25	4.0	6	1	3	4	5	6	10	11
20-34	2	15.5	181	6	6	15	25	25	25	25
35-49	3	4.0	3	2	3	5	5	5	5	5
50-64	5	6.6	14	< 1	4	6	9	11	11	11
65 +	4	30.5	1927	3	6	11	55	96	96	96
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	5.2	117	1	2	4	5	7	8	78
20-34	70	4.1	12	1	2	3	6	9	10	18
35-49	118	4.7	20	1	2	3	6	10	12	28
50-64	107	5.0	22	1	2	4	6	10	13	26
65 +	227	7.1	42	2	3	5	9	14	19	42
B. Operated										
0-19 YRS	33	7.9	86	1	2	4	9	26	32	33
20-34	33	12.4	190	2	4	9	14	24	41	71
35-49	61	11.7	120	3	5	8	13	24	40	56
50-64	65	15.6	316	3	6	11	18	35	47	96
65 +	212	14.2	177	4	7	10	16	32	40	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	3.0	4	1	1	2	4	6	7	8
B. Operated	39	7.7	230	1	3	4	6	11	20	96
2. MULTIPLE DX										
A. Not Operated	585	5.7	40	1	2	4	7	11	16	32
B. Operated	404	13.4	187	3	5	9	16	31	41	89
1. SINGLE DX	114	4.6	85	1	2	3	5	7	10	50
2. MULTIPLE DX	989	8.8	114	2	3	6	10	18	28	59
A. Not Operated	660	5.4	36	1	2	4	7	10	15	29
B. Operated	443	12.9	193	3	5	9	15	28	40	90
TOTAL										
0-19 YRS	140	5.2	76	1	2	4	5	8	13	39
20-34	123	6.5	74	1	2	3	8	13	20	51
35-49	200	6.7	59	1	2	4	8	13	21	44
50-64	187	8.6	148	1	3	5	10	18	25	77
65 +	453	10.6	134	2	4	7	13	22	33	87
GRAND TOTAL	**1103**	**8.4**	**113**	**2**	**3**	**5**	**10**	**18**	**28**	**58**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	3.0	2	1	2	3	4	5	6	8
20-34	34	3.1	2	1	2	3	4	5	6	8
35-49	10	4.4	3	2	3	4	6	7	8	8
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	1902	3.2	1	2	3	3	4	5	5	8
20-34	1428	3.5	2	2	3	3	4	5	6	8
35-49	491	3.8	3	2	3	4	4	6	7	9
50-64	138	4.3	3	2	3	4	5	6	7	10
65+	21	6.7	13	3	5	6	8	12	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.6	4	<1	1	2	3	5	8	8
20-34	12	4.0	10	1	2	3	6	9	10	10
35-49	8	3.4	1	1	3	4	4	4	4	4
50-64	7	6.6	17	1	4	6	9	12	13	13
65+	10	5.4	12	2	3	4	6	11	13	13
B. Operated										
0-19 YRS	464	4.5	7	2	3	4	5	7	9	19
20-34	471	4.7	7	3	3	4	5	7	10	14
35-49	267	5.7	14	3	3	5	7	9	11	23
50-64	146	6.2	20	3	4	5	7	10	12	21
65+	90	7.8	19	4	5	7	9	12	18	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	3.2	2	1	2	3	4	5	6	8
B. Operated	3980	3.5	2	2	3	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	49	4.2	10	1	2	4	5	9	10	13
B. Operated	1438	5.2	11	3	3	4	6	9	10	20
1. SINGLE DX	4075	3.4	2	2	3	3	4	5	6	8
2. MULTIPLE DX	1487	5.1	11	3	3	4	6	9	10	20
A. Not Operated	144	3.5	5	1	2	3	4	6	8	13
B. Operated	5418	3.9	5	2	3	3	4	6	8	12
TOTAL										
0-19 YRS	2426	3.5	3	2	3	3	4	5	6	10
20-34	1945	3.8	3	2	3	3	4	6	7	10
35-49	776	4.5	7	2	3	4	5	7	9	14
50-64	293	5.3	13	3	3	5	6	9	10	16
65+	122	7.4	18	3	5	6	9	12	17	24
GRAND TOTAL	**5562**	**3.9**	**5**	**2**	**3**	**3**	**4**	**6**	**8**	**12**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	6.0	10	3	4	6	7	10	13	14
20-34	10	6.1	11	2	4	6	7	11	13	13
35-49	8	7.6	11	4	5	7	9	13	14	14
50-64	5	8.4	53	3	3	5	13	20	20	20
65+	2	8.0	8	6	6	8	10	10	10	10
B. Operated										
0-19 YRS	524	6.5	10	3	4	6	8	10	11	17
20-34	288	5.9	7	3	4	5	7	9	10	14
35-49	189	6.7	9	3	5	6	8	10	11	16
50-64	82	7.5	8	4	5	7	9	12	13	17
65+	39	8.6	8	5	7	8	10	13	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	10.0	16	7	8	9	10	17	20	20
20-34	3	6.0	4	4	4	6	7	8	8	8
35-49	9	9.0	11	5	7	8	11	14	15	15
50-64	8	8.4	7	6	7	8	9	13	14	14
65+	8	8.5	9	5	6	8	10	13	14	14
B. Operated										
0-19 YRS	417	9.6	30	5	6	8	11	16	20	31
20-34	282	8.8	26	4	6	8	10	14	17	29
35-49	251	9.2	26	5	6	8	11	15	19	30
50-64	267	11.8	46	6	8	10	14	19	25	62
65+	257	13.1	101	6	8	10	16	22	26	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	6.8	15	3	4	6	9	12	14	20
B. Operated	1122	6.5	9	3	4	6	8	10	12	16
2. MULTIPLE DX										
A. Not Operated	40	8.9	11	5	7	8	10	14	15	20
B. Operated	1474	10.4	46	5	7	9	12	18	21	37
1. SINGLE DX	1160	6.5	9	3	4	6	8	10	12	17
2. MULTIPLE DX	1514	10.4	45	5	7	9	12	18	21	37
A. Not Operated	78	7.8	14	4	6	7	9	13	15	20
B. Operated	2596	8.7	34	4	5	8	10	15	19	30
TOTAL										
0-19 YRS	966	7.9	21	3	5	7	10	13	16	25
20-34	583	7.3	18	3	5	7	9	12	14	21
35-49	457	8.1	20	4	5	7	10	13	16	24
50-64	362	10.7	40	5	7	9	12	18	23	53
65+	306	12.3	89	6	8	10	15	21	25	43
GRAND TOTAL	**2674**	**8.7**	**33**	**4**	**5**	**8**	**10**	**15**	**18**	**29**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.6	1	1	1	1	2	3	3	3
20-34	14	2.1	2	1	1	2	3	4	5	5
35-49	5	3.4	6	1	2	2	5	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	83	3.1	1	2	2	3	4	4	6	7
20-34	59	3.4	2	2	3	3	4	4	5	9
35-49	22	4.0	4	2	3	4	5	6	9	11
50-64	7	3.9	2	2	3	3	5	6	6	6
65 +	5	5.8	11	3	4	4	8	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.4	1	< 1	1	1	2	3	3	3
20-34	8	3.3	5	1	1	3	5	6	7	7
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	47	4.3	3	2	3	4	5	7	9	10
20-34	64	4.6	5	2	3	4	6	8	9	11
35-49	24	5.5	11	3	3	5	6	11	14	14
50-64	10	6.8	32	3	4	5	6	15	22	22
65 +	11	6.8	16	3	4	6	8	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.1	2	1	1	1	3	4	5	7
B. Operated	176	3.4	2	2	3	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	21	2.8	6	1	1	2	4	6	9	11
B. Operated	156	4.9	8	2	3	4	6	8	10	16
1. SINGLE DX	209	3.2	3	1	2	3	4	5	6	10
2. MULTIPLE DX	177	4.7	8	2	3	4	6	8	10	16
A. Not Operated	54	2.4	4	1	1	2	3	5	6	11
B. Operated	332	4.1	6	2	3	4	5	7	9	14
TOTAL										
0-19 YRS	152	3.2	3	1	2	3	4	5	7	9
20-34	145	3.8	4	2	3	3	5	6	8	10
35-49	54	4.6	8	2	3	4	5	7	11	14
50-64	18	5.4	21	2	3	4	6	8	17	22
65 +	17	6.8	14	3	4	6	9	12	15	16
GRAND TOTAL	**386**	**3.9**	**6**	**2**	**3**	**3**	**5**	**6**	**8**	**13**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	1.8	1	1	1	2	2	3	3	3
65 +	8	1.8	3	1	1	1	2	5	6	6
B. Operated										
0-19 YRS	755	1.2		< 1	< 1	1	1	2	2	3
20-34	807	1.4		1	1	1	2	2	3	4
35-49	874	1.6	1	1	1	1	2	3	3	5
50-64	1063	1.7	1	1	1	1	2	3	4	6
65 +	753	1.9	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	1.6	4	< 1	< 1	1	1	2	4	14
20-34	7	1.1		< 1	< 1	< 1	1	2	2	2
35-49	20	1.5	1	< 1	< 1	1	2	3	3	4
50-64	19	2.6	11	< 1	1	1	3	6	11	15
65 +	46	3.6	63	< 1	1	2	3	6	10	54
B. Operated										
0-19 YRS	622	1.6	4	< 1	1	1	2	3	4	9
20-34	387	2.0	3	1	1	1	2	3	4	10
35-49	746	2.0	2	1	1	2	2	4	5	6
50-64	1454	2.3	4	1	1	2	3	4	6	11
65 +	2494	3.1	17	1	1	2	3	6	8	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	1.9	2	< 1	1	1	2	4	5	6
B. Operated	4252	1.6	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	145	2.3	24	< 1	< 1	1	2	4	7	17
B. Operated	5703	2.5	9	1	1	2	3	5	7	13
1. SINGLE DX	4272	1.6	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX	5848	2.5	10	1	1	2	3	5	7	13
A. Not Operated	165	2.3	21	< 1	< 1	1	2	4	6	15
B. Operated	9955	2.1	6	1	1	1	2	4	5	11
TOTAL										
0-19 YRS	1432	1.4	2	< 1	< 1	1	1	2	3	7
20-34	1205	1.6	1	1	1	1	2	3	[illegible]	6
35-49	1641	1.8	1	1	1	1	2	3	4	6
50-64	2541	2.1	3	1	1	2	2	4	5	9
65 +	3301	2.8	14	1	1	2	3	5	7	15
GRAND TOTAL	**10120**	**2.1**	**6**	**1**	**1**	**1**	**2**	**4**	**5**	**11**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		< 1	< 1	< 1	1	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	1.5	1	< 1	< 1	1	2	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65 +	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	177	1.5	1	1	1	1	2	3	3	5
20-34	71	1.9	1	1	1	2	3	4	4	4
35-49	74	2.4	2	1	1	2	3	4	6	8
50-64	75	2.4	3	1	1	2	3	4	5	9
65 +	120	3.0	4	1	1	3	4	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.6		< 1	1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	3.7	14	1	1	2	6	8	8	8
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	29	4.8	20	< 1	2	4	7	8	9	24
B. Operated										
0-19 YRS	192	2.6	15	1	1	2	3	5	6	22
20-34	46	2.8	3	1	1	2	4	5	7	8
35-49	57	3.9	12	1	2	3	5	8	12	19
50-64	168	4.9	23	1	2	4	7	9	12	29
65 +	702	7.4	75	2	3	5	9	15	21	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.6	1	< 1	< 1	1	2	3	4	4
B. Operated	517	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	46	3.8	15	1	1	3	6	8	8	24
B. Operated	1165	5.9	55	1	2	4	7	12	18	40
1. SINGLE DX	532	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1211	5.8	54	1	2	4	7	12	18	39
A. Not Operated	61	3.3	13	< 1	1	2	4	7	8	22
B. Operated	1682	4.8	42	1	2	3	5	10	14	34
TOTAL										
0-19 YRS	384	2.1	8	1	1	1	2	3	5	13
20-34	120	2.2	2	1	1	2	3	4	5	7
35-49	136	3.0	7	1	1	2	4	6	8	14
50-64	249	4.1	18	1	2	3	5	8	10	27
65 +	854	6.7	65	1	3	4	8	14	19	48
GRAND TOTAL	**1743**	**4.7**	**41**	**1**	**1**	**3**	**5**	**9**	**14**	**33**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	65	1.4	1	< 1	< 1	1	1	2	3	6
20-34	56	1.6	1	< 1	1	1	2	3	3	6
35-49	97	1.7	1	< 1	1	1	2	3	3	6
50-64	71	1.7	1	< 1	1	1	2	3	4	5
65 +	21	1.9	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.6	2	< 1	< 1	1	2	4	4	4
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	8	1.5	2	< 1	< 1	1	1	4	5	5
50-64	8	4.0	20	< 1	< 1	2	5	12	14	14
65 +	4	1.8	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	25	4.7	206	< 1	< 1	1	2	60	99 +	99 +
20-34	41	2.6	4	1	1	2	3	5	7	10
35-49	113	2.6	5	1	1	2	3	5	5	13
50-64	104	2.7	3	1	1	2	4	5	5	10
65 +	96	4.1	18	1	2	3	5	9	15	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.3	3	< 1	1	3	4	5	5	5
B. Operated	310	1.6	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	27	2.3	8	< 1	< 1	1	3	5	7	14
B. Operated	379	3.1	21	1	1	2	4	6	9	21
1. SINGLE DX	314	1.6	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX	406	3.1	20	1	1	2	4	6	9	20
A. Not Operated	31	2.5	7	< 1	< 1	1	4	5	6	14
B. Operated	689	2.5	12	1	1	2	3	5	6	17
TOTAL										
0-19 YRS	97	2.3	54	< 1	< 1	1	2	3	7	99 +
20-34	100	2.1	2	1	1	2	3	4	5	9
35-49	218	2.2	3	1	1	2	3	4	5	12
50-64	183	2.3	3	1	1	2	3	4	5	12
65 +	122	3.7	15	1	1	2	4	8	11	20
GRAND TOTAL	**720**	**2.5**	**12**	**< 1**	**1**	**2**	**3**	**5**	**6**	**16**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	6	3.5	2	1	3	4	4	5	5	5
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	5	2.6	7	1	1	1	4	7	7	7
B. Operated										
0-19 YRS	25	2.6	15	< 1	< 1	1	2	5	13	18
20-34	105	2.7	3	1	1	2	4	5	6	9
35-49	203	2.9	3	1	2	3	4	5	6	8
50-64	209	3.2	3	1	2	3	4	5	6	8
65 +	144	3.5	15	1	2	3	4	6	7	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	1.6	1	< 1	1	1	2	4	4	4
35-49	8	2.5	4	< 1	< 1	1	4	6	6	6
50-64	18	2.9	5	< 1	< 1	2	5	6	7	8
65 +	41	5.3	24	1	2	4	8	10	11	29
B. Operated										
0-19 YRS	15	2.7	6	1	1	2	4	6	8	9
20-34	119	4.0	26	1	2	3	5	7	8	28
35-49	334	4.3	10	1	2	4	5	8	10	19
50-64	499	4.8	13	1	3	4	6	8	11	18
65 +	610	6.0	30	2	3	5	7	11	13	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.0	3	1	1	3	4	5	7	7
B. Operated	686	3.1	6	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	74	4.1	17	< 1	1	3	6	8	10	25
B. Operated	1577	5.1	20	1	3	4	6	9	12	20
1. SINGLE DX	700	3.1	6	1	2	3	4	5	6	9
2. MULTIPLE DX	1651	5.0	20	1	3	4	6	9	12	20
A. Not Operated	88	3.9	15	< 1	1	3	5	8	10	22
B. Operated	2263	4.5	17	1	2	4	5	8	10	18
TOTAL										
0-19 YRS	40	2.6	11	< 1	< 1	1	3	6	10	18
20-34	232	3.3	15	1	1	3	4	6	8	11
35-49	551	3.8	8	1	2	3	5	7	9	17
50-64	728	4.3	11	1	2	4	5	8	10	17
65 +	800	5.5	28	2	3	5	7	10	12	25
GRAND TOTAL	**2351**	**4.5**	**17**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.0		2	2	2	2	2	2	2
35-49	10	3.4	3	1	2	3	4	6	6	6
50-64	6	3.0	2	1	2	3	4	5	5	5
65 +	6	4.2	6	1	3	4	5	8	8	8
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	3	6.7	16	3	4	6	10	11	11	11
50-64	7	5.6	7	1	3	7	8	8	8	8
65 +	4	12.3	6	9	10	13	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.0	13	2	2	4	7	10	10	10
20-34	20	3.6	4	1	2	3	5	6	7	8
35-49	67	3.7	4	2	2	3	4	7	8	11
50-64	158	3.7	5	1	2	3	5	6	8	11
65 +	263	6.0	43	2	3	4	7	11	14	36
B. Operated										
0-19 YRS	10	13.6	104	6	8	9	16	29	40	40
20-34	23	8.7	12	5	6	9	10	12	15	20
35-49	43	8.4	23	4	5	8	10	15	19	26
50-64	55	8.6	23	3	6	7	11	16	18	21
65 +	97	10.5	39	4	7	8	13	20	23	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	3.3	3	1	2	3	4	6	7	8
B. Operated	15	7.8	15	3	5	8	11	14	14	14
2. MULTIPLE DX										
A. Not Operated	512	4.9	25	2	2	4	6	8	11	27
B. Operated	228	9.6	33	4	6	8	12	18	21	30
1. SINGLE DX	40	5.0	12	1	2	4	7	10	13	14
2. MULTIPLE DX	740	6.3	33	2	3	5	8	12	17	28
A. Not Operated	537	4.8	25	2	2	4	6	8	11	26
B. Operated	243	9.5	32	4	6	8	11	18	20	28
TOTAL										
0-19 YRS	15	11.0	85	3	6	8	14	18	34	40
20-34	46	6.0	15	2	3	5	9	10	12	20
35-49	123	5.4	16	2	3	4	7	10	12	22
50-64	226	4.9	14	1	2	4	7	9	13	19
65 +	370	7.2	45	2	3	5	8	14	20	35
GRAND TOTAL	**780**	**6.3**	**32**	**2**	**3**	**5**	**8**	**12**	**16**	**28**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	11.0	200	1	1	11	21	21	21	21
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	15	1.5		1	1	1	2	2	3	3
35-49	35	1.4		1	1	1	2	2	3	3
50-64	23	1.9	1	< 1	1	1	3	4	4	5
65 +	28	2.2	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	9.5	85	3	3	9	16	16	16	16
50-64	0									
65 +	3	5.7	6	3	4	6	7	8	8	8
B. Operated										
0-19 YRS	0									
20-34	11	4.0	36	< 1	1	1	3	16	17	17
35-49	16	2.8	4	1	1	2	4	7	7	7
50-64	24	3.1	7	1	1	2	4	7	9	10
65 +	64	4.7	22	1	2	3	6	12	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	8.0	127	1	1	2	16	21	21	21
B. Operated	104	1.8	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	7	5.6	27	1	2	3	7	14	16	16
B. Operated	115	4.0	18	1	1	3	5	9	14	22
1. SINGLE DX	107	2.0	5	1	1	1	2	3	5	13
2. MULTIPLE DX	122	4.1	19	1	1	3	5	9	14	22
A. Not Operated	10	6.3	48	1	2	3	8	18	21	21
B. Operated	219	3.0	11	1	1	2	3	7	10	18
TOTAL										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	29	3.1	26	1	1	1	2	10	17	21
35-49	53	2.1	6	1	1	1	2	4	6	16
50-64	48	2.5	4	1	1	2	3	6	7	10
65 +	95	4.0	17	1	2	3	5	9	13	22
GRAND TOTAL	**229**	**3.1**	**13**	**1**	**1**	**2**	**3**	**7**	**10**	**21**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	4	1.5	1	< 1	< 1	1	2	3	3	3
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	4	2.5	2	1	1	2	3	4	4	4
65 +	9	4.1	4	2	3	3	6	7	8	8
B. Operated										
0-19 YRS	21	2.1	2	1	1	2	3	4	5	6
20-34	78	2.3	6	1	1	2	3	4	6	16
35-49	164	2.9	6	1	1	2	4	6	8	10
50-64	124	3.5	7	1	1	3	5	7	9	14
65 +	116	4.6	11	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	13	2.5	2	1	1	2	3	4	5	5
50-64	23	3.5	3	1	2	3	5	6	7	7
65 +	91	7.6	98	2	3	5	8	13	15	66
B. Operated										
0-19 YRS	5	6.2	16	2	3	7	8	12	12	12
20-34	52	5.5	32	1	2	4	7	13	16	31
35-49	179	5.7	18	2	3	5	7	10	14	23
50-64	384	8.0	114	2	3	5	9	16	21	63
65 +	853	10.2	91	3	5	8	12	20	26	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.9	3	1	1	3	3	6	7	8
B. Operated	503	3.3	8	1	1	3	4	7	9	15
2. MULTIPLE DX										
A. Not Operated	129	6.3	74	2	3	4	7	12	15	46
B. Operated	1473	8.9	88	2	4	7	11	17	23	53
1. SINGLE DX	525	3.3	8	1	1	3	4	7	9	15
2. MULTIPLE DX	1602	8.7	88	2	4	6	10	17	22	53
A. Not Operated	151	5.8	65	1	2	4	7	12	14	35
B. Operated	1976	7.5	74	1	3	5	9	15	21	49
TOTAL										
0-19 YRS	27	2.9	7	1	1	2	3	7	8	12
20-34	136	3.6	18	1	1	2	4	8	12	22
35-49	360	4.3	14	1	2	3	6	9	11	20
50-64	535	6.7	88	1	2	5	7	13	18	53
65 +	1069	9.3	85	2	4	7	11	18	23	53
GRAND TOTAL	**2127**	**7.3**	**73**	**1**	**3**	**5**	**9**	**15**	**21**	**48**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	136	2.3	13	1	1	1	2	4	6	19
20-34	94	4.1	8	1	2	3	5	7	11	15
35-49	143	4.4	11	1	2	4	6	8	10	21
50-64	162	4.1	5	1	3	4	5	7	8	12
65+	191	5.0	9	2	3	4	6	8	9	14
B. Operated										
0-19 YRS	81	5.2	28	2	3	4	6	9	14	32
20-34	49	7.9	19	3	5	7	9	12	15	29
35-49	73	8.2	13	4	6	7	10	12	16	21
50-64	53	9.8	20	5	7	9	11	17	19	25
65+	55	10.3	20	6	7	9	12	16	17	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	3.9	14	1	2	3	5	7	10	24
20-34	167	4.7	10	1	2	4	6	9	10	15
35-49	365	5.3	13	2	3	4	7	10	12	20
50-64	622	5.4	14	2	3	5	7	9	12	18
65+	2106	7.8	45	3	4	6	9	14	19	34
B. Operated										
0-19 YRS	151	10.2	99	4	5	8	11	17	35	99
20-34	142	12.0	112	5	7	9	13	23	29	77
35-49	257	13.1	71	7	8	10	15	21	32	53
50-64	451	15.4	110	7	9	13	18	28	37	63
65+	1279	18.1	166	7	10	14	22	35	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	726	4.0	10	1	2	4	5	7	9	14
B. Operated	311	8.0	23	3	5	7	10	13	17	28
2. MULTIPLE DX										
A. Not Operated	3350	6.8	35	2	4	5	8	13	17	29
B. Operated	2280	16.1	143	7	9	13	19	31	43	91
1. SINGLE DX	1037	5.2	17	1	2	4	7	10	12	21
2. MULTIPLE DX	5630	10.6	99	3	5	8	13	21	30	61
A. Not Operated	4076	6.4	31	2	3	5	8	12	16	28
B. Operated	2591	15.1	136	6	8	12	18	29	40	88
TOTAL										
0-19 YRS	458	5.8	55	1	2	4	7	12	17	43
20-34	452	7.2	54	2	3	5	9	13	18	31
35-49	838	7.8	44	2	3	6	10	15	20	36
50-64	1288	8.9	70	2	4	6	11	18	25	45
65+	3631	11.4	111	3	5	8	14	23	32	74
GRAND TOTAL	**6667**	**9.8**	**90**	**2**	**4**	**7**	**12**	**20**	**28**	**55**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1003	2.1	3	1	1	2	3	4	4	7
20-34	527	2.3	2	1	1	2	3	4	5	8
35-49	253	2.3	2	1	1	2	3	4	5	7
50-64	89	2.8	3	1	1	2	3	5	6	7
65+	78	3.4	10	1	2	3	4	6	9	20
B. Operated										
0-19 YRS	39	3.7	3	1	3	3	5	6	7	9
20-34	39	4.3	5	2	3	4	5	8	9	9
35-49	22	5.4	14	2	3	4	5	12	15	16
50-64	11	4.5	6	2	2	4	6	8	10	10
65+	5	5.2	8	3	4	4	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2194	3.0	5	1	2	2	4	5	7	12
20-34	828	3.0	9	1	2	2	3	5	7	14
35-49	638	3.9	10	1	2	3	5	7	10	17
50-64	649	4.4	17	2	2	3	5	7	10	23
65+	1644	6.2	48	2	3	4	7	12	17	44
B. Operated										
0-19 YRS	76	8.4	46	2	3	5	13	20	23	26
20-34	130	5.8	23	2	3	5	7	11	13	28
35-49	118	9.0	85	3	4	7	10	16	25	58
50-64	122	8.8	93	3	4	6	10	17	23	51
65+	319	13.0	138	4	6	9	15	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1950	2.3	3	1	1	2	3	4	5	8
B. Operated	116	4.4	6	2	3	4	5	8	9	15
2. MULTIPLE DX										
A. Not Operated	5953	4.1	21	1	2	3	5	8	10	23
B. Operated	765	10.0	101	3	4	7	12	21	27	57
1. SINGLE DX	2066	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	6718	4.8	34	1	2	3	5	9	14	29
A. Not Operated	7903	3.7	17	1	2	3	4	7	9	20
B. Operated	881	9.3	92	3	4	6	11	18	26	54
TOTAL										
0-19 YRS	3312	2.9	6	1	1	2	3	5	6	13
20-34	1524	3.0	9	1	1	2	4	6	7	13
35-49	1031	4.1	20	1	2	3	5	8	11	19
50-64	871	4.8	29	1	2	4	5	8	12	27
65+	2046	7.2	67	2	3	5	8	14	21	54
GRAND TOTAL	**8784**	**4.2**	**28**	**1**	**2**	**3**	**5**	**8**	**12**	**26**

219: Diverticula of Intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	51	4.7	5	2	3	5	6	7	8	10
35-49	235	4.9	5	2	3	5	6	8	9	12
50-64	289	5.2	6	3	4	5	6	9	10	12
65 +	200	5.1	7	2	3	5	7	9	9	12
B. Operated										
0-19 YRS	3	8.0	7	6	6	7	10	11	11	11
20-34	17	8.8	17	4	7	8	10	15	18	20
35-49	67	8.9	15	5	6	8	10	13	18	24
50-64	67	9.5	18	5	7	9	11	17	19	23
65 +	37	9.1	7	7	8	9	9	13	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	33	5.8	9	3	4	6	7	10	11	15
35-49	312	6.2	10	3	4	6	8	10	12	17
50-64	841	6.2	10	3	4	6	8	10	12	18
65 +	2535	7.7	34	3	4	6	9	13	17	31
B. Operated										
0-19 YRS	4	11.5	152	5	5	6	18	30	30	30
20-34	64	11.3	50	6	8	10	13	17	21	50
35-49	271	11.2	27	6	8	10	13	19	22	25
50-64	566	13.4	77	6	8	11	16	24	31	55
65 +	1422	15.7	155	5	8	12	19	31	44	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	776	5.1	6	2	3	5	6	8	9	12
B. Operated	191	9.1	14	6	7	8	10	14	18	23
2. MULTIPLE DX										
A. Not Operated	3723	7.2	27	3	4	6	9	12	15	27
B. Operated	2327	14.5	121	6	8	11	17	27	37	76
1. SINGLE DX	967	5.9	10	3	4	5	8	10	11	18
2. MULTIPLE DX	6050	10.0	76	3	5	8	12	19	25	56
A. Not Operated	4499	6.8	24	3	4	6	8	11	15	25
B. Operated	2518	14.0	115	6	8	11	17	26	36	73
TOTAL										
0-19 YRS	10	8.8	58	5	6	6	7	20	30	30
20-34	165	7.9	32	3	5	7	10	14	17	26
35-49	885	7.6	21	3	4	7	9	13	17	24
50-64	1763	8.5	43	3	5	7	10	15	20	37
65 +	4194	10.3	89	3	5	8	12	19	28	63
GRAND TOTAL	**7017**	**9.4**	**69**	**3**	**5**	**7**	**11**	**18**	**24**	**53**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.3	1	1	2	2	3	4	4	4
20-34	10	2.9	4	1	2	2	4	6	7	7
35-49	12	3.3	15	< 1	1	2	4	8	14	15
50-64	3	2.7	4	1	1	2	4	5	5	5
65 +	4	5.0	4	4	4	4	6	8	8	8
B. Operated										
0-19 YRS	54	2.1	2	1	1	2	3	4	5	7
20-34	278	2.1	2	1	1	2	3	4	5	9
35-49	326	2.2	3	1	1	2	3	4	5	8
50-64	139	2.3	4	1	1	2	3	4	6	11
65 +	45	2.8	8	1	1	2	3	5	8	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.6	31	1	2	3	5	9	19	24
20-34	26	3.3	6	1	2	3	4	7	8	12
35-49	39	5.7	32	1	2	5	7	10	16	31
50-64	21	5.9	11	2	4	6	7	11	13	14
65 +	28	8.8	111	1	3	7	11	17	24	56
B. Operated										
0-19 YRS	58	5.0	38	1	1	3	5	10	18	32
20-34	347	3.1	8	1	1	2	4	6	8	14
35-49	443	3.1	15	1	1	2	4	6	8	19
50-64	335	3.9	24	1	1	2	4	8	12	27
65 +	252	6.0	79	1	2	3	8	13	20	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	3.1	7	1	2	2	4	5	8	15
B. Operated	842	2.2	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	130	5.8	42	1	2	4	7	11	14	36
B. Operated	1435	3.9	28	1	1	2	4	8	12	31
1. SINGLE DX	881	2.2	3	1	1	2	3	4	5	10
2. MULTIPLE DX	1565	4.0	30	1	1	2	5	8	12	31
A. Not Operated	169	5.1	35	1	2	4	6	11	13	30
B. Operated	2277	3.3	20	1	1	2	4	6	9	21
TOTAL										
0-19 YRS	138	3.6	22	1	1	2	4	7	10	27
20-34	661	2.7	6	1	1	2	3	5	7	12
35-49	820	2.9	11	1	1	2	3	6	7	16
50-64	498	3.5	18	1	1	2	4	7	10	23
65 +	329	5.8	72	1	2	3	7	13	19	73
GRAND TOTAL	**2446**	**3.4**	**21**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

213 Hospitals, Northeastern Region, January-December 1989

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.6	3	1	1	2	4	5	7	7
20-34	40	3.9	4	2	2	3	5	7	8	9
35-49	28	3.9	9	1	2	4	5	6	7	17
50-64	8	4.1	3	2	3	4	5	6	7	7
65+	5	7.2	16	4	5	6	9	14	14	14
B. Operated										
0-19 YRS	5	7.6	13	5	6	6	9	14	14	14
20-34	7	3.7	2	2	3	3	5	6	6	6
35-49	9	6.9	16	3	4	5	9	13	15	15
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	4.1	7	2	2	3	6	8	10	11
20-34	77	4.8	9	2	3	4	6	9	10	17
35-49	84	5.1	11	2	3	4	7	9	11	18
50-64	78	5.7	13	2	3	5	8	11	13	18
65+	179	8.3	33	3	5	7	11	14	18	32
B. Operated										
0-19 YRS	12	6.4	8	3	4	6	9	10	11	11
20-34	39	7.8	31	3	4	7	10	14	18	31
35-49	19	8.3	25	3	5	7	12	16	18	19
50-64	24	9.3	46	4	5	7	10	20	26	30
65+	96	14.7	204	4	7	10	18	29	47	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	3.9	7	1	2	4	5	7	8	16
B. Operated	24	6.1	12	3	3	5	8	11	14	15
2. MULTIPLE DX										
A. Not Operated	441	6.4	22	2	3	5	8	11	14	28
B. Operated	190	11.4	129	4	5	8	13	23	31	84
1. SINGLE DX	116	4.4	8	2	2	4	5	7	10	16
2. MULTIPLE DX	631	7.9	59	2	4	6	9	14	20	40
A. Not Operated	533	6.0	20	2	3	5	8	11	14	26
B. Operated	214	10.8	118	4	5	8	13	22	30	84
TOTAL										
0-19 YRS	51	4.7	9	1	2	4	6	9	11	14
20-34	163	5.3	15	2	3	4	7	9	11	19
35-49	140	5.4	14	2	3	4	7	10	13	19
50-64	112	6.4	21	2	4	5	8	11	14	27
65+	281	10.5	100	3	5	8	12	20	29	75
GRAND TOTAL	**747**	**7.4**	**53**	**2**	**3**	**6**	**9**	**14**	**19**	**38**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	4.5	7	1	2	4	6	9	10	11
20-34	147	5.6	20	2	3	5	7	9	11	24
35-49	67	5.9	14	2	4	6	7	9	10	26
50-64	19	6.8	16	3	4	6	9	14	15	15
65+	24	5.8	7	2	4	5	7	9	12	13
B. Operated										
0-19 YRS	56	11.8	153	2	5	7	14	28	38	65
20-34	88	9.8	45	3	5	8	12	19	24	32
35-49	58	8.4	19	4	5	8	10	16	18	19
50-64	27	8.3	22	4	5	8	10	11	21	23
65+	9	10.8	21	5	7	11	13	18	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	7.0	30	2	3	5	9	17	19	24
20-34	257	7.5	43	2	4	6	9	14	19	34
35-49	185	7.5	43	3	4	5	9	14	20	33
50-64	107	8.5	41	3	4	6	11	16	20	35
65+	130	9.2	39	4	5	7	11	16	21	35
B. Operated										
0-19 YRS	99	15.1	134	5	7	11	21	33	37	80
20-34	308	14.0	128	4	7	10	18	29	40	72
35-49	264	14.0	108	5	8	10	17	29	35	51
50-64	178	12.8	109	4	6	9	17	29	37	99+
65+	298	15.5	160	5	8	12	19	31	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	310	5.5	15	2	3	5	7	9	11	22
B. Operated	238	9.8	61	3	5	8	11	18	25	38
2. MULTIPLE DX										
A. Not Operated	760	7.9	41	3	4	6	10	15	20	33
B. Operated	1147	14.3	130	4	7	11	18	30	40	81
1. SINGLE DX	548	7.4	40	2	4	6	9	14	18	35
2. MULTIPLE DX	1907	11.7	104	3	5	9	14	25	33	59
A. Not Operated	1070	7.2	35	2	4	6	9	13	18	31
B. Operated	1385	13.5	121	4	7	10	17	29	37	66
TOTAL										
0-19 YRS	289	10.2	102	2	4	7	13	25	33	57
20-34	800	9.9	83	3	4	7	12	21	27	50
35-49	574	10.4	78	3	5	8	12	21	30	47
50-64	331	10.7	80	3	5	8	13	23	32	72
65+	461	13.1	126	4	6	10	15	28	42	80
GRAND TOTAL	**2455**	**10.8**	**93**	**3**	**5**	**8**	**13**	**22**	**31**	**57**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.3	6	2	3	6	7	7	7	7
20-34	3	6.3	6	4	4	6	8	9	9	9
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
B. Operated										
0-19 YRS	4	17.3	312	4	6	11	28	43	43	43
20-34	5	6.4	6	4	4	6	9	9	9	9
35-49	6	10.2	73	4	5	7	10	25	27	27
50-64	5	3.0	5	1	1	3	4	6	6	6
65 +	2	11.0	50	6	6	11	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	7.0	32	1	3	6	11	15	18	20
20-34	31	5.8	13	2	3	6	7	12	13	15
35-49	35	7.7	25	2	4	6	12	14	18	21
50-64	74	8.6	50	3	4	7	11	15	22	41
65 +	58	11.3	72	3	5	8	15	23	30	37
B. Operated										
0-19 YRS	15	11.1	59	4	5	8	16	23	27	28
20-34	38	12.3	86	3	6	10	16	26	33	40
35-49	42	16.6	345	4	6	11	19	31	65	96
50-64	61	18.9	201	6	9	14	22	41	53	60
65 +	92	17.9	136	6	10	15	22	39	46	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	5.6	7	2	4	5	7	9	10	10
B. Operated	22	9.0	90	2	4	6	9	19	33	43
2. MULTIPLE DX										
A. Not Operated	215	8.7	48	3	4	7	12	17	21	35
B. Operated	248	16.6	179	5	8	14	21	35	47	66
1. SINGLE DX	32	8.0	66	2	4	6	9	15	26	43
2. MULTIPLE DX	463	12.9	134	3	6	10	17	25	37	62
A. Not Operated	225	8.5	46	2	4	7	11	17	21	35
B. Operated	270	16.0	176	5	7	12	20	34	46	66
TOTAL										
0-19 YRS	40	9.4	70	2	4	7	13	20	25	43
20-34	77	9.1	58	3	4	7	11	17	26	39
35-49	85	12.2	203	3	5	8	14	21	31	85
50-64	141	12.9	141	3	5	9	16	26	41	56
65 +	152	15.3	120	5	7	13	20	30	40	62
GRAND TOTAL	**495**	**12.6**	**131**	**3**	**5**	**9**	**16**	**25**	**37**	**62**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	137	2.4	8	< 1	1	2	3	5	7	18
20-34	42	2.9	3	1	2	3	4	5	6	7
35-49	47	2.9	6	1	1	2	4	5	7	14
50-64	35	3.6	6	1	2	3	5	6	7	13
65 +	56	4.3	66	1	1	3	5	8	10	58
B. Operated										
0-19 YRS	44	5.0	8	1	3	4	7	10	10	11
20-34	59	4.1	8	1	2	4	6	7	9	15
35-49	53	5.3	32	1	2	4	7	10	14	34
50-64	47	6.4	26	1	2	4	10	15	16	21
65 +	42	5.5	27	1	2	3	8	11	17	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	212	3.7	27	1	1	3	4	7	10	24
20-34	121	5.0	20	1	2	4	7	10	13	21
35-49	172	4.8	55	1	2	3	5	9	12	28
50-64	257	5.9	27	1	3	4	7	12	16	27
65 +	1470	7.4	58	2	3	5	9	15	20	47
B. Operated										
0-19 YRS	94	9.3	177	1	3	6	9	23	54	99 +
20-34	238	7.6	95	1	2	5	9	17	24	46
35-49	311	8.6	67	1	3	7	11	18	22	45
50-64	433	11.3	132	2	4	8	14	26	37	92
65 +	1278	13.8	173	3	6	10	18	30	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	317	3.0	17	1	1	2	3	6	7	15
B. Operated	245	5.2	20	1	2	4	7	10	14	21
2. MULTIPLE DX										
A. Not Operated	2232	6.6	51	2	3	5	8	13	19	36
B. Operated	2354	11.8	149	2	4	9	15	26	39	99 +
1. SINGLE DX	562	4.0	20	1	1	3	5	8	11	20
2. MULTIPLE DX	4586	9.3	108	2	3	6	11	20	29	74
A. Not Operated	2549	6.1	48	1	2	4	7	12	17	36
B. Operated	2599	11.2	141	2	4	8	14	25	37	98
TOTAL										
0-19 YRS	487	4.6	54	1	1	3	5	9	12	60
20-34	460	6.1	58	1	2	4	7	12	20	38
35-49	583	6.7	59	1	2	4	9	14	19	39
50-64	772	8.9	93	2	3	6	11	20	28	64
65 +	2846	10.2	120	2	4	7	13	22	33	85
GRAND TOTAL	**5148**	**8.7**	**101**	**1**	**3**	**6**	**11**	**19**	**28**	**69**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	7	8.0	56	3	3	5	11	21	23	23
50-64	6	3.5	7	<1	2	3	5	8	8	8
65+	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	0									
20-34	3	6.7	54	1	2	4	12	15	15	15
35-49	9	5.1	31	<1	1	3	7	14	18	18
50-64	12	4.6	34	1	1	1	6	14	19	20
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	61	8.6	46	3	4	6	10	21	25	31
35-49	284	10.8	86	3	5	8	14	21	28	49
50-64	311	11.3	102	3	5	8	13	22	33	51
65+	154	9.9	52	3	5	8	12	17	25	47
B. Operated										
0-19 YRS	0									
20-34	27	10.9	118	1	4	8	13	24	31	51
35-49	94	14.4	150	4	6	11	18	31	37	60
50-64	154	13.8	158	4	6	10	18	28	42	71
65+	101	16.4	181	3	8	13	23	40	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	5.8	32	1	2	4	7	13	20	23
B. Operated	24	5.0	32	1	1	2	7	15	19	20
2. MULTIPLE DX										
A. Not Operated	811	10.7	83	3	5	8	13	21	28	48
B. Operated	376	14.5	160	3	6	11	19	31	43	91
1. SINGLE DX	40	5.3	31	1	1	4	7	14	19	23
2. MULTIPLE DX	1187	11.9	110	3	5	9	15	25	34	61
A. Not Operated	827	10.6	82	3	5	8	13	21	28	47
B. Operated	400	13.9	157	3	6	10	19	30	42	84
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	93	9.1	67	2	4	7	11	21	25	43
35-49	394	11.5	102	3	5	8	15	23	31	58
50-64	483	11.9	120	3	5	9	15	24	34	62
65+	256	12.5	112	3	6	10	15	28	40	99+
GRAND TOTAL	**1227**	**11.7**	**109**	**3**	**5**	**9**	**15**	**24**	**34**	**61**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.0	8	<1	<1	2	5	7	7	7
20-34	1	8.0		8	8	8	8	8	8	8
35-49	4	5.3	32	1	1	4	9	13	13	13
50-64	2	12.0	8	10	10	12	14	14	14	14
65+	3	1.7	1	<1	<1	<1	2	3	3	3
B. Operated										
0-19 YRS	10	1.4		1	1	1	2	3	3	3
20-34	18	1.3	2	<1	1	1	1	1	5	7
35-49	48	1.1	1	<1	1	1	1	1	2	6
50-64	37	1.2	1	<1	1	1	1	2	3	4
65+	18	2.3	4	1	1	1	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	6.1	28	1	2	5	8	15	17	17
20-34	16	7.2	23	2	4	6	9	16	17	17
35-49	40	7.5	28	1	4	6	12	15	18	21
50-64	106	9.9	60	3	4	8	13	19	22	47
65+	200	12.4	123	4	6	9	14	23	36	71
B. Operated										
0-19 YRS	32	9.7	392	1	1	2	5	26	57	96
20-34	26	5.4	43	1	1	2	9	12	17	30
35-49	87	6.1	80	1	1	2	7	19	24	46
50-64	142	8.6	63	1	1	8	13	19	25	44
65+	180	12.2	173	1	4	8	14	27	44	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	5.0	22	<1	1	3	8	13	14	14
B. Operated	131	1.4	1	<1	1	1	1	2	4	6
2. MULTIPLE DX										
A. Not Operated	370	10.8	92	3	5	9	13	20	25	59
B. Operated	467	9.4	135	1	1	7	12	22	30	62
1. SINGLE DX	145	1.7	4	<1	1	1	1	4	6	13
2. MULTIPLE DX	837	10.0	116	1	3	8	12	21	30	61
A. Not Operated	384	10.6	90	3	5	9	13	19	25	58
B. Operated	598	7.6	116	1	1	3	10	19	28	61
TOTAL										
0-19 YRS	54	7.1	245	1	1	2	5	17	29	95
20-34	61	4.7	30	1	1	2	7	12	15	29
35-49	179	5.1	51	1	1	1	7	13	19	40
50-64	287	8.1	61	1	1	7	12	18	23	44
65+	401	11.7	144	1	5	9	14	25	36	71
GRAND TOTAL	**982**	**8.8**	**108**	**1**	**1**	**6**	**12**	**19**	**27**	**60**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.3	4	1	1	3	5	5	7	8
20-34	16	3.8	4	1	2	3	5	7	7	7
35-49	12	4.8	13	1	2	4	7	11	12	12
50-64	10	4.6	11	1	2	4	5	10	11	11
65 +	4	9.5	10	7	7	8	11	14	14	14
B. Operated										
0-19 YRS	14	4.1	36	1	1	2	6	10	20	23
20-34	6	4.7	23	< 1	1	3	7	12	13	13
35-49	14	4.0	26	< 1	1	1	5	12	17	18
50-64	8	4.8	39	< 1	1	2	7	15	17	17
65 +	8	4.1	11	< 1	1	3	7	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	5.0	19	1	2	3	7	10	15	20
20-34	68	6.3	24	2	3	5	7	12	14	32
35-49	125	7.3	34	2	4	6	10	13	19	33
50-64	199	9.3	60	3	4	7	12	21	27	99 +
65 +	358	10.7	83	4	5	8	13	22	29	48
B. Operated										
0-19 YRS	66	13.0	434	1	2	4	16	68	99 +	99 +
20-34	22	11.1	91	1	2	8	17	23	28	35
35-49	59	16.9	237	2	6	14	22	36	53	69
50-64	97	12.5	151	1	4	9	18	25	30	71
65 +	130	18.4	345	3	7	14	21	41	51	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	4.4	9	1	2	4	5	9	11	14
B. Operated	50	4.3	26	< 1	1	2	7	11	17	23
2. MULTIPLE DX										
A. Not Operated	785	9.2	65	3	4	7	11	20	27	46
B. Operated	374	15.3	283	2	4	11	20	36	61	99 +
1. SINGLE DX	110	4.3	17	1	1	3	5	10	12	20
2. MULTIPLE DX	1159	11.1	143	2	4	7	14	24	35	95
A. Not Operated	845	8.8	62	3	4	7	11	19	26	44
B. Operated	424	14.0	266	1	3	9	18	35	51	99 +
TOTAL										
0-19 YRS	133	8.6	242	1	2	3	8	35	69	99 +
20-34	112	6.8	39	2	3	5	8	15	20	35
35-49	210	9.6	110	1	4	6	12	21	29	60
50-64	314	10.0	89	2	4	7	13	23	29	82
65 +	500	12.6	161	3	5	9	16	27	36	95
GRAND TOTAL	**1269**	**10.5**	**136**	**2**	**4**	**7**	**13**	**23**	**33**	**93**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	3.0	1	1	2	3	4	4	5	5
20-34	135	2.5	5	< 1	1	2	3	5	5	14
35-49	131	2.7	3	1	1	2	3	5	6	8
50-64	111	2.5	3	1	1	2	3	5	6	9
65 +	59	3.5	8	1	2	3	4	7	9	16
B. Operated										
0-19 YRS	100	4.7	4	3	3	4	6	8	9	11
20-34	1455	4.7	3	3	4	4	5	7	8	11
35-49	1372	4.8	4	3	4	4	6	7	8	12
50-64	855	5.1	5	3	4	5	6	8	9	13
65 +	353	6.2	8	3	4	6	7	9	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.1	4	1	1	2	4	6	7	7
20-34	139	3.3	5	1	2	3	4	6	8	11
35-49	223	4.0	7	1	2	3	6	8	9	13
50-64	373	4.6	12	2	2	4	6	8	11	22
65 +	882	7.0	49	2	3	5	8	13	17	35
B. Operated										
0-19 YRS	123	6.2	10	3	4	5	8	10	12	19
20-34	1758	6.1	13	3	4	5	7	10	12	19
35-49	2247	6.6	18	3	4	5	8	11	13	22
50-64	2838	7.4	22	4	5	6	9	12	15	24
65 +	3658	11.0	73	5	6	9	13	19	25	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	451	2.7	4	1	1	2	3	5	6	10
B. Operated	4135	4.9	4	3	4	4	6	7	9	13
2. MULTIPLE DX										
A. Not Operated	1642	5.7	33	2	3	4	7	11	14	28
B. Operated	10624	8.2	41	4	5	7	10	14	19	35
1. SINGLE DX	4586	4.7	5	3	3	4	6	7	9	12
2. MULTIPLE DX	12266	7.9	41	3	4	6	9	14	18	34
A. Not Operated	2093	5.1	28	1	2	4	6	10	13	26
B. Operated	14759	7.3	33	3	4	6	8	13	17	30
TOTAL										
0-19 YRS	263	5.2	8	2	3	5	6	8	10	16
20-34	3487	5.2	9	3	4	5	6	8	10	16
35-49	3973	5.7	13	3	4	5	7	9	11	18
50-64	4177	6.6	19	3	4	6	8	11	14	22
65 +	4952	9.9	67	4	5	8	12	18	23	53
GRAND TOTAL	**16852**	**7.0**	**33**	**3**	**4**	**6**	**8**	**12**	**16**	**29**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.4	1	<1	1	3	3	4	4	4
20-34	55	2.9	4	1	1	2	4	7	8	9
35-49	62	3.2	4	1	2	3	4	6	7	10
50-64	45	3.2	6	1	1	2	4	7	9	10
65+	23	4.0	11	1	2	3	5	10	11	12
B. Operated										
0-19 YRS	11	5.0	12	1	3	4	6	11	11	11
20-34	97	5.1	7	3	4	5	5	8	11	17
35-49	88	4.9	6	3	4	4	6	8	10	15
50-64	42	4.8	5	2	4	4	6	8	9	12
65+	17	6.2	9	4	4	5	8	11	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	5.0	4	3	3	5	6	8	8	8
20-34	69	3.2	6	1	2	2	4	7	8	13
35-49	91	4.1	9	1	2	3	6	8	10	15
50-64	96	5.1	11	2	2	4	6	10	12	15
65+	211	7.7	38	3	4	6	9	14	18	31
B. Operated										
0-19 YRS	10	16.7	690	4	5	8	12	55	90	90
20-34	148	6.7	23	3	4	5	8	11	13	22
35-49	212	6.9	21	3	4	6	8	12	15	26
50-64	199	9.0	54	4	5	7	11	16	21	30
65+	297	13.5	89	5	8	11	17	24	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	3.2	5	1	2	3	4	7	8	11
B. Operated	255	5.1	7	3	4	4	6	8	11	13
2. MULTIPLE DX										
A. Not Operated	473	5.8	25	2	3	5	8	11	14	21
B. Operated	866	9.7	68	4	5	7	12	18	24	59
1. SINGLE DX	447	4.3	7	1	2	4	5	8	9	12
2. MULTIPLE DX	1339	8.3	56	3	4	6	10	16	21	48
A. Not Operated	665	5.1	21	1	2	4	7	10	13	19
B. Operated	1121	8.7	53	4	4	6	10	16	21	50
TOTAL										
0-19 YRS	34	7.9	227	1	3	4	8	11	19	90
20-34	369	5.1	15	2	3	4	6	9	11	18
35-49	453	5.5	15	2	3	5	7	10	12	20
50-64	382	6.9	37	2	4	5	9	13	16	26
65+	548	10.6	74	3	5	9	13	20	26	61
GRAND TOTAL	**1786**	**7.3**	**47**	**2**	**4**	**5**	**9**	**14**	**19**	**38**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	12	2.2	3	1	1	2	3	4	7	7
35-49	6	2.0	4	<1	<1	1	2	6	6	6
50-64	12	3.1	8	1	1	2	4	7	10	11
65+	10	4.0	3	1	3	4	5	6	7	7
B. Operated										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	35	6.1	12	2	4	5	8	11	14	14
35-49	48	5.2	15	1	2	4	8	11	12	16
50-64	38	5.7	13	1	3	5	8	11	12	15
65+	71	5.2	24	1	2	3	8	13	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	17	4.0	4	1	3	4	5	7	8	8
35-49	22	4.4	21	<1	1	3	6	11	15	19
50-64	19	4.5	7	2	2	4	6	9	10	10
65+	133	7.4	24	3	4	6	9	15	17	23
B. Operated										
0-19 YRS	12	7.4	11	3	4	7	10	12	13	13
20-34	91	7.4	15	3	5	7	9	12	15	22
35-49	128	9.4	34	4	5	8	12	17	21	28
50-64	172	10.0	44	3	6	9	13	18	20	40
65+	629	13.2	129	3	7	11	16	24	31	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.0	5	1	1	2	4	6	7	11
B. Operated	194	5.4	17	1	2	5	8	11	14	18
2. MULTIPLE DX										
A. Not Operated	192	6.4	22	2	3	5	9	13	16	21
B. Operated	1032	11.6	96	3	6	10	14	21	27	57
1. SINGLE DX	236	5.0	16	1	2	4	7	11	13	17
2. MULTIPLE DX	1224	10.8	88	3	5	9	14	20	26	53
A. Not Operated	234	5.8	20	1	3	5	8	12	16	20
B. Operated	1226	10.7	89	2	5	9	14	20	25	53
TOTAL										
0-19 YRS	17	6.7	10	3	4	6	9	11	12	13
20-34	155	6.3	15	2	4	6	8	12	14	18
35-49	204	7.6	32	1	4	7	11	15	20	26
50-64	241	8.5	40	2	4	7	11	16	18	38
65+	843	11.5	111	2	5	10	15	22	29	62
GRAND TOTAL	**1460**	**9.9**	**81**	**2**	**4**	**8**	**13**	**19**	**24**	**48**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	16.6	5	14	15	17	18	20	20	20
20-34	7	5.3	9	2	3	5	7	10	11	11
35-49	8	3.6	5	1	2	3	5	7	7	7
50-64	7	3.1	3	1	2	3	4	6	6	6
65 +	15	4.3	13	1	2	3	5	7	13	15
B. Operated										
0-19 YRS	4	6.3	23	1	2	6	10	12	12	12
20-34	6	3.5	8	1	1	2	6	8	8	8
35-49	13	5.1	19	1	2	4	6	11	15	16
50-64	18	3.4	6	<1	1	3	4	7	9	9
65 +	14	5.1	26	1	2	2	8	13	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	8.7	35	2	3	9	12	17	20	23
20-34	15	4.5	8	1	2	4	7	9	10	10
35-49	21	5.5	18	2	2	4	8	12	15	16
50-64	31	8.5	33	2	4	7	11	14	22	27
65 +	161	9.4	63	3	4	7	12	20	27	52
B. Operated										
0-19 YRS	24	18.1	284	3	5	14	22	45	60	63
20-34	23	9.3	46	3	5	7	13	18	23	30
35-49	51	9.9	71	1	5	8	13	22	26	40
50-64	91	8.8	72	1	3	7	13	18	26	81
65 +	259	11.7	99	2	5	10	14	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	5.6	25	1	2	4	7	15	17	20
B. Operated	55	4.5	15	1	1	3	6	10	13	17
2. MULTIPLE DX										
A. Not Operated	253	8.6	52	2	4	7	11	16	25	43
B. Operated	448	11.1	100	2	4	9	14	23	31	57
1. SINGLE DX	97	5.0	19	1	2	4	6	12	16	19
2. MULTIPLE DX	701	10.2	84	2	4	8	13	21	27	54
A. Not Operated	295	8.2	49	2	3	7	11	16	24	38
B. Operated	503	10.4	95	1	3	8	14	21	28	56
TOTAL										
0-19 YRS	58	13.1	154	2	4	11	17	24	40	63
20-34	51	6.7	31	2	3	5	8	14	18	30
35-49	93	7.7	51	1	2	6	10	17	22	37
50-64	147	7.8	56	1	3	6	11	17	24	56
65 +	449	10.4	84	2	4	8	13	21	28	50
GRAND TOTAL	**798**	**9.6**	**79**	**2**	**3**	**7**	**13**	**19**	**27**	**51**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	4.5	5	1	2	5	7	7	8	8
20-34	121	4.3	6	1	3	4	6	7	9	12
35-49	149	5.3	10	2	3	4	6	9	13	16
50-64	91	5.5	10	3	3	5	7	9	13	17
65 +	44	5.1	8	2	3	5	7	9	11	12
B. Operated										
0-19 YRS	0									
20-34	18	8.8	36	2	3	7	14	17	19	20
35-49	25	6.8	22	1	3	6	10	13	15	20
50-64	20	5.0	26	1	1	3	7	13	17	18
65 +	14	7.4	33	1	3	6	11	16	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	6.5	54	2	3	4	6	11	29	33
20-34	460	6.5	22	3	4	5	8	11	15	23
35-49	825	7.1	33	3	4	6	9	13	17	28
50-64	545	7.7	38	3	4	6	9	14	19	31
65 +	739	8.3	39	3	5	7	10	15	20	36
B. Operated										
0-19 YRS	22	16.8	286	4	7	10	21	45	62	63
20-34	136	16.7	236	5	7	11	21	43	57	99 +
35-49	255	16.7	167	6	8	13	21	38	51	99 +
50-64	270	15.4	218	3	7	11	19	33	53	89
65 +	388	15.6	184	5	8	12	19	29	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	426	5.0	9	2	3	4	6	9	11	15
B. Operated	77	6.9	29	1	3	6	11	16	18	20
2. MULTIPLE DX										
A. Not Operated	2608	7.4	34	3	4	6	9	13	18	31
B. Operated	1071	16.0	197	5	8	12	19	35	53	99 +
1. SINGLE DX	503	5.3	12	2	3	5	6	10	13	17
2. MULTIPLE DX	3679	9.9	97	3	4	7	12	19	28	66
A. Not Operated	3034	7.1	32	3	4	6	9	13	17	29
B. Operated	1148	15.4	191	4	7	12	19	33	51	99 +
TOTAL										
0-19 YRS	82	8.8	125	2	3	5	8	21	31	62
20-34	735	8.1	77	2	4	6	9	13	22	56
35-49	1254	8.8	73	3	4	6	11	17	24	52
50-64	926	9.7	101	3	4	7	11	19	27	63
65 +	1185	10.6	98	3	5	8	13	20	27	72
GRAND TOTAL	**4182**	**9.4**	**89**	**3**	**4**	**7**	**11**	**18**	**26**	**61**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.1	4	1	2	3	4	7	7	8
20-34	28	2.5	2	1	1	2	4	4	5	5
35-49	18	2.8	2	1	2	3	4	5	5	5
50-64	33	3.0	3	1	2	3	4	6	6	8
65 +	40	3.6	4	1	2	3	5	6	7	10
B. Operated										
0-19 YRS	8	8.[illegible]	35	4	5	6	11	19	22	22
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	5	4.2	3	2	3	4	6	6	6	6
50-64	4	5.8	2	5	5	5	7	8	8	8
65 +	7	3.3	4	1	2	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	3.8	10	1	2	3	4	8	10	16
20-34	213	3.6	13	1	2	3	4	6	8	19
35-49	296	5.3	18	2	3	4	6	9	13	25
50-64	535	5.7	24	2	3	4	7	10	13	29
65 +	2371	7.5	50	2	4	6	9	14	19	40
B. Operated										
0-19 YRS	23	10.3	112	2	4	6	11	26	37	44
20-34	38	5.6	22	2	3	4	7	11	22	99 +
35-49	106	8.3	47	3	4	6	10	18	20	36
50-64	243	9.3	116	3	4	6	10	17	26	57
65 +	944	11.5	142	3	5	8	14	23	33	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	3.1	3	1	2	3	4	5	6	8
B. Operated	27	5.6	17	2	3	5	6	10	13	22
2. MULTIPLE DX										
A. Not Operated	3521	6.7	41	2	3	5	8	12	17	33
B. Operated	1354	10.6	128	3	5	7	12	21	30	86
1. SINGLE DX	170	3.5	6	1	2	3	4	6	7	12
2. MULTIPLE DX	4875	7.8	68	2	4	6	9	15	21	50
A. Not Operated	3664	6.6	40	2	3	5	8	12	17	32
B. Operated	1381	10.5	126	3	5	7	12	21	29	81
TOTAL										
0-19 YRS	161	4.9	30	1	2	3	6	10	14	32
20-34	282	3.8	13	1	2	3	5	6	8	30
35-49	425	5.9	26	2	3	5	7	11	15	31
50-64	815	6.6	53	2	3	5	7	12	17	40
65 +	3362	8.6	78	3	4	6	10	17	23	57
GRAND TOTAL	**5045**	**7.6**	**67**	**2**	**3**	**5**	**9**	**15**	**21**	**49**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	4.8	17	1	2	4	6	10	15	16
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65 +	4	10.0	77	4	5	6	15	23	23	23
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	24.0	512	8	8	24	40	40	40	40
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	6.8	50	1	3	5	8	15	22	36
20-34	4	13.5	147	2	4	11	23	29	29	29
35-49	11	12.5	56	4	8	11	16	25	26	26
50-64	16	10.0	46	3	5	8	14	18	24	27
65 +	27	10.3	91	3	4	5	14	26	35	37
B. Operated										
0-19 YRS	19	22.2	610	1	4	17	28	81	93	99 +
20-34	14	15.4	111	3	6	13	23	30	33	34
35-49	11	13.2	302	2	4	6	14	42	58	59
50-64	24	12.5	59	7	8	11	14	28	52	99 +
65 +	32	20.4	448	4	7	14	25	37	79	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	6.2	29	1	2	6	7	13	20	23
B. Operated	8	8.0	176	1	1	2	8	30	40	40
2. MULTIPLE DX										
A. Not Operated	99	9.2	67	2	3	6	12	20	28	37
B. Operated	100	17.4	326	3	6	12	23	36	79	99 +
1. SINGLE DX	27	6.7	68	1	2	5	8	15	26	40
2. MULTIPLE DX	199	13.3	213	3	5	9	17	29	37	98
A. Not Operated	118	8.7	62	2	3	6	11	18	27	36
B. Operated	108	16.7	319	2	6	11	23	36	76	99 +
TOTAL										
0-19 YRS	76	10.1	227	1	2	5	13	23	47	96
20-34	19	14.4	113	3	5	11	22	30	32	34
35-49	24	12.5	157	3	6	8	15	26	39	59
50-64	43	12.0	70	5	7	10	14	27	37	99 +
65 +	64	15.2	290	3	5	10	22	32	37	95
GRAND TOTAL	**226**	**12.5**	**200**	**2**	**4**	**8**	**16**	**28**	**37**	**98**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	4.0	8	1	2	3	5	8	11	16
20-34	5	4.8	8	1	3	5	6	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	37	2.3	4	1	1	2	2	5	8	9
20-34	12	1.9	1	1	1	2	3	3	3	3
35-49	20	2.0	1	1	1	2	3	4	4	4
50-64	6	2.0	2	1	1	2	3	4	4	4
65 +	5	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	4.9	18	1	2	3	6	13	14	19
20-34	12	4.5	33	1	2	3	4	11	20	22
35-49	16	6.5	15	2	3	7	9	10	14	16
50-64	15	9.5	41	2	6	9	13	17	24	26
65 +	34	7.6	61	2	3	5	10	14	18	44
B. Operated										
0-19 YRS	52	6.5	78	1	2	3	7	17	29	43
20-34	41	5.8	41	1	2	3	8	15	18	31
35-49	42	5.3	49	1	1	2	4	18	22	28
50-64	47	10.6	246	1	2	5	15	28	56	99 +
65 +	52	10.0	136	1	2	5	14	27	39	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	4.1	8	1	2	3	5	8	10	16
B. Operated	80	2.1	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	161	6.0	32	1	2	4	8	14	16	26
B. Operated	234	7.8	116	1	2	3	10	21	29	58
1. SINGLE DX	137	2.9	6	1	1	2	4	6	8	12
2. MULTIPLE DX	395	7.1	82	1	2	4	9	17	25	47
A. Not Operated	218	5.5	26	1	2	4	7	13	15	23
B. Operated	314	6.3	93	1	1	2	7	17	27	51
TOTAL										
0-19 YRS	224	4.6	29	1	2	3	5	10	15	30
20-34	70	4.8	31	1	2	3	5	12	17	29
35-49	79	4.6	32	1	1	2	5	12	19	27
50-64	68	9.6	184	1	2	6	13	26	32	98
65 +	91	8.7	104	1	2	5	12	20	35	48
GRAND TOTAL	**532**	**6.0**	**66**	**1**	**2**	**3**	**7**	**15**	**21**	**43**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	4.4	11	2	2	4	5	10	12	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	4.6	6	2	3	4	6	9	9	11
20-34	3	4.0		4	4	4	4	4	4	4
35-49	4	6.3	5	4	4	6	8	9	9	9
50-64	8	7.5	24	3	4	6	9	16	18	18
65 +	13	7.5	25	3	3	7	11	16	16	16
B. Operated										
0-19 YRS	9	9.9	80	1	3	8	15	24	28	28
20-34	9	6.4	17	1	3	6	10	12	13	13
35-49	9	10.7	155	1	3	7	12	31	42	42
50-64	6	11.0	35	4	7	9	17	19	19	19
65 +	12	12.8	55	3	7	13	18	22	25	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.3	10	2	2	4	5	10	12	13
B. Operated	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	61	5.7	13	2	4	4	7	10	14	18
B. Operated	45	10.3	68	2	4	8	14	19	26	42
1. SINGLE DX	18	4.1	10	1	2	3	5	9	12	13
2. MULTIPLE DX	106	7.7	41	2	4	6	10	16	19	34
A. Not Operated	76	5.4	13	2	3	4	7	10	13	18
B. Operated	48	9.8	67	2	3	8	14	19	26	42
TOTAL										
0-19 YRS	58	5.3	21	2	2	4	6	11	14	27
20-34	14	5.6	12	2	3	5	8	11	12	13
35-49	13	9.3	109	2	4	7	9	20	38	42
50-64	14	9.0	29	4	5	7	11	18	19	19
65 +	25	10.1	45	3	4	10	16	19	22	26
GRAND TOTAL	**124**	**7.1**	**38**	**2**	**3**	**5**	**9**	**16**	**18**	**32**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	0									
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	7.5	85	1	1	7	14	14	14	14
65 +	0									
B. Operated										
0-19 YRS	8	3.3	9	1	1	2	4	8	10	10
20-34	17	4.2	15	< 1	1	2	6	10	13	14
35-49	8	2.0	1	1	1	2	3	4	4	4
50-64	14	2.1	2	1	1	2	3	5	5	5
65 +	27	1.9	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	2.6	5	1	1	1	3	7	7	8
20-34	17	4.6	15	1	2	4	6	11	13	14
35-49	46	7.0	34	2	3	6	9	16	21	25
50-64	64	6.1	20	2	3	5	8	14	15	19
65 +	193	10.4	90	3	4	7	14	23	30	57
B. Operated										
0-19 YRS	103	17.1	298	2	4	12	22	41	52	98
20-34	101	10.7	114	1	3	7	15	23	33	54
35-49	175	8.9	96	1	3	6	12	20	30	62
50-64	258	10.7	140	1	3	7	13	27	34	67
65 +	381	12.6	186	1	4	8	17	33	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.6	22	1	1	2	3	12	14	14
B. Operated	74	2.6	6	1	1	2	3	5	8	13
2. MULTIPLE DX										
A. Not Operated	341	8.4	66	2	3	6	11	18	25	49
B. Operated	1018	11.8	167	1	3	8	16	29	41	86
1. SINGLE DX	81	2.7	7	1	1	2	3	5	9	14
2. MULTIPLE DX	1359	10.9	144	1	3	7	14	26	37	68
A. Not Operated	348	8.3	66	2	3	6	10	18	25	49
B. Operated	1092	11.1	162	1	3	7	15	28	39	80
TOTAL										
0-19 YRS	135	13.7	266	1	3	7	19	36	48	97
20-34	135	9.1	96	1	2	6	14	20	30	46
35-49	231	8.3	62	1	2	5	11	19	25	49
50-64	338	9.4	117	1	3	6	12	23	29	67
65 +	601	11.4	152	2	3	7	15	27	40	96
GRAND TOTAL	**1440**	**10.5**	**140**	**1**	**3**	**7**	**14**	**25**	**37**	**68**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	2	15.5	313	3	3	15	28	28	28	28
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	3.3	16	1	1	1	6	8	8	8
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	10.2	52	2	4	9	13	23	24	24
20-34	36	7.6	44	2	4	6	9	14	20	36
35-49	31	7.3	32	2	3	6	8	16	23	24
50-64	89	9.3	76	3	4	7	11	16	28	50
65 +	421	11.8	131	4	6	9	14	22	31	79
B. Operated										
0-19 YRS	7	20.4	204	6	13	14	28	44	47	47
20-34	40	16.9	203	3	7	13	25	33	44	68
35-49	48	16.4	122	3	10	14	22	30	38	55
50-64	102	18.2	196	3	8	15	25	37	53	82
65 +	305	20.5	245	6	10	17	26	44	61	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	10.3	142	3	3	5	17	28	28	28
B. Operated	7	5.0	50	1	1	2	7	18	20	20
2. MULTIPLE DX										
A. Not Operated	590	10.9	112	3	5	8	13	21	29	63
B. Operated	502	19.4	220	5	9	16	25	40	57	99 +
1. SINGLE DX	11	6.9	80	1	1	3	7	23	28	28
2. MULTIPLE DX	1092	14.8	180	4	6	11	19	31	45	98
A. Not Operated	594	10.9	112	3	5	8	13	21	29	63
B. Operated	509	19.2	221	5	9	16	25	40	57	99 +
TOTAL										
0-19 YRS	21	14.0	118	3	6	13	20	26	38	47
20-34	77	12.4	147	3	5	7	15	30	35	63
35-49	80	12.7	106	2	5	10	17	25	33	51
50-64	196	13.9	159	3	5	10	20	33	38	63
65 +	729	15.4	197	4	7	11	19	32	48	99 +
GRAND TOTAL	**1103**	**14.7**	**179**	**4**	**6**	**11**	**19**	**31**	**45**	**98**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	3.9	2	2	3	4	5	6	7	8
20-34	166	4.0	3	2	3	4	5	6	7	11
35-49	40	4.6	4	2	3	4	6	7	9	12
50-64	16	4.4	4	2	3	4	6	8	8	8
65 +	6	5.2	12	2	2	4	7	11	11	11
B. Operated										
0-19 YRS	6	4.2	1	3	3	4	5	6	6	6
20-34	9	5.6	3	3	4	5	6	8	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	311	4.5	6	2	3	4	5	7	9	14
20-34	544	4.8	5	2	3	4	6	7	8	13
35-49	258	5.7	15	2	3	5	7	10	13	23
50-64	227	6.4	16	3	4	6	8	10	13	23
65 +	409	7.9	39	4	5	7	9	13	16	32
B. Operated										
0-19 YRS	34	7.1	21	3	4	5	9	13	19	19
20-34	43	8.5	41	3	4	6	10	15	23	34
35-49	37	9.2	30	4	5	9	12	14	22	26
50-64	43	10.7	52	5	7	9	13	19	34	99 +
65 +	115	16.8	275	4	7	12	19	36	61	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	343	4.1	3	2	3	4	5	6	7	11
B. Operated	16	5.1	3	3	4	5	6	7	8	9
2. MULTIPLE DX										
A. Not Operated	1749	5.8	18	2	4	5	7	10	13	20
B. Operated	272	12.3	153	4	6	9	14	24	36	92
1. SINGLE DX	359	4.1	3	2	3	4	5	6	7	11
2. MULTIPLE DX	2021	6.7	41	3	4	5	7	12	16	34
A. Not Operated	2092	5.5	16	2	3	5	7	9	12	19
B. Operated	288	11.9	147	4	5	8	14	22	34	91
TOTAL										
0-19 YRS	466	4.6	7	2	3	4	5	7	9	16
20-34	762	4.8	8	2	3	4	6	7	9	14
35-49	336	5.9	17	2	3	5	7	11	13	23
50-64	286	6.9	23	3	4	6	8	11	16	34
65 +	530	9.8	104	4	5	7	11	17	25	64
GRAND TOTAL	**2380**	**6.3**	**36**	**2**	**3**	**5**	**7**	**11**	**15**	**32**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	3.7	3	2	3	3	5	6	7	10
20-34	112	3.9	4	2	3	4	5	6	7	11
35-49	37	5.3	28	2	3	4	5	9	18	28
50-64	12	4.3	3	2	3	4	5	7	7	7
65 +	8	5.6	10	2	3	5	8	10	11	11
B. Operated										
0-19 YRS	7	4.9	2	3	5	5	6	6	6	6
20-34	8	5.0	8	2	3	5	6	9	11	11
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	2	5.0	8	3	3	5	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	239	4.7	8	2	3	4	5	8	10	16
20-34	277	5.0	8	2	3	4	6	8	10	16
35-49	141	5.4	8	3	3	5	7	10	11	13
50-64	107	5.9	11	3	4	5	7	10	12	19
65 +	202	8.8	102	3	5	6	9	16	20	94
B. Operated										
0-19 YRS	33	8.0	43	3	4	7	9	13	16	39
20-34	47	8.8	47	2	4	8	11	14	19	44
35-49	38	11.5	161	3	6	8	12	18	35	74
50-64	41	12.6	64	5	6	11	18	23	24	43
65 +	70	14.9	101	7	8	11	20	27	39	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	4.1	7	2	3	4	5	7	7	15
B. Operated	20	4.8	5	2	3	5	6	7	9	11
2. MULTIPLE DX										
A. Not Operated	966	5.9	30	2	3	5	7	10	13	22
B. Operated	229	11.7	90	4	6	9	13	22	28	46
1. SINGLE DX	285	4.1	7	2	3	4	5	7	7	14
2. MULTIPLE DX	1195	7.0	47	3	4	5	8	12	18	41
A. Not Operated	1231	5.5	26	2	3	5	6	9	12	21
B. Operated	249	11.1	87	3	6	9	13	21	26	44
TOTAL										
0-19 YRS	375	4.8	11	2	3	4	5	8	10	16
20-34	444	5.1	13	2	3	4	6	9	11	16
35-49	219	6.4	43	2	3	5	7	11	13	33
50-64	162	7.5	32	3	4	6	9	13	21	25
65 +	280	10.2	106	4	5	7	12	20	26	90
GRAND TOTAL	**1480**	**6.4**	**40**	**2**	**3**	**5**	**7**	**12**	**16**	**34**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	1.5	1	1	1	1	2	2	3	4
20-34	140	1.7	1	<1	1	1	2	3	4	6
35-49	198	1.9	3	1	1	1	2	4	5	8
50-64	98	1.9	1	1	1	2	2	3	4	7
65+	50	1.8	1	1	1	1	2	4	4	5
B. Operated										
0-19 YRS	5	4.8	48	<1	1	1	7	17	17	17
20-34	46	2.9	4	1	1	2	4	6	7	8
35-49	81	3.9	8	1	2	3	6	8	9	12
50-64	57	3.3	8	<1	1	2	4	7	10	12
65+	40	4.5	11	1	2	3	7	10	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	3.1	7	1	1	2	4	8	8	13
20-34	207	2.5	3	1	1	2	3	5	6	8
35-49	319	2.6	5	1	1	2	3	5	7	12
50-64	271	3.0	6	1	1	2	4	6	8	13
65+	195	3.9	9	1	2	3	5	7	10	15
B. Operated										
0-19 YRS	17	10.1	67	3	5	7	13	24	28	30
20-34	101	6.2	23	1	3	5	8	12	17	24
35-49	166	5.8	33	1	2	4	7	11	14	32
50-64	227	5.8	19	1	2	5	8	11	14	24
65+	262	9.2	117	2	3	6	10	18	31	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	527	1.8	2	1	1	1	2	3	4	7
B. Operated	229	3.7	9	1	1	3	5	8	10	12
2. MULTIPLE DX										
A. Not Operated	1028	3.0	6	1	1	2	4	6	7	13
B. Operated	773	7.0	59	1	3	5	9	13	20	38
1. SINGLE DX	756	2.4	5	1	1	2	3	5	7	11
2. MULTIPLE DX	1801	4.7	33	1	2	3	6	10	13	28
A. Not Operated	1555	2.6	5	1	1	2	3	5	7	12
B. Operated	1002	6.3	50	1	2	4	8	12	17	36
TOTAL										
0-19 YRS	99	3.7	25	1	1	2	4	8	15	28
20-34	494	3.1	9	1	1	2	4	6	8	17
35-49	764	3.3	13	1	1	2	4	7	9	16
50-64	653	3.8	12	1	1	3	5	8	10	17
65+	547	6.3	68	1	2	4	7	12	18	46
GRAND TOTAL	**2557**	**4.0**	**26**	**1**	**1**	**2**	**5**	**8**	**12**	**25**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	1.8	1	1	1	2	2	3	3	5
20-34	498	1.8	1	1	1	1	2	3	4	6
35-49	680	1.8	1	1	1	1	2	3	4	6
50-64	310	1.9	2	1	1	2	2	3	5	7
65+	94	2.1	2	1	1	2	3	3	5	7
B. Operated										
0-19 YRS	31	3.5	6	1	2	3	5	7	8	11
20-34	300	3.2	5	1	2	3	4	6	8	11
35-49	464	3.1	[illegible]	1	1	2	4	6	7	11
50-64	279	3.4	[illegible]	1	1	3	5	7	8	12
65+	110	3.2	6	1	1	2	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	2.2	2	1	1	2	3	4	4	8
20-34	448	2.1	2	1	1	2	3	4	5	7
35-49	790	2.3	2	1	1	2	3	4	[illegible]	7
50-64	562	2.6	4	1	1	2	3	5	6	11
65+	312	2.8	6	1	1	2	3	6	7	10
B. Operated										
0-19 YRS	28	5.0	13	2	3	4	5	10	15	15
20-34	337	4.5	8	1	2	4	5	8	10	14
35-49	566	4.8	13	1	2	4	6	9	12	19
50-64	644	5.1	13	1	2	4	7	10	12	19
65+	559	7.1	43	2	3	5	9	15	19	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1643	1.8	1	1	1	1	2	3	4	6
B. Operated	1184	3.2	6	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	2158	2.4	3	1	1	2	3	5	6	8
B. Operated	2134	5.4	21	1	2	4	7	10	14	22
1. SINGLE DX	2827	2.4	4	1	1	2	3	5	6	9
2. MULTIPLE DX	4292	3.9	14	1	2	3	5	8	11	19
A. Not Operated	3801	2.1	2	1	1	2	3	4	5	8
B. Operated	3318	4.6	17	1	2	4	6	9	12	20
TOTAL										
0-19 YRS	166	2.8	5	1	1	2	3	5	8	14
20-34	1583	2.7	5	1	1	2	3	6	7	11
35-49	2500	2.8	6	1	1	2	4	6	7	12
50-64	1795	3.5	9	1	1	2	5	7	9	14
65+	1075	5.1	30	1	2	3	6	10	15	26
GRAND TOTAL	**7119**	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.6	9	1	2	3	4	6	11	13
20-34	14	2.4	1	<1	1	2	3	4	4	4
35-49	12	2.8	4	1	1	2	4	6	7	7
50-64	8	1.8	1	1	1	2	2	3	3	3
65+	6	5.0	6	2	2	5	7	8	8	8
B. Operated										
0-19 YRS	230	5.1	5	2	4	5	7	8	9	11
20-34	41	4.5	11	1	1	4	7	9	11	13
35-49	33	4.5	11	1	1	5	6	10	11	12
50-64	44	4.0	11	1	1	3	6	8	11	14
65+	18	3.6	13	1	1	2	5	8	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	4.5	16	<1	2	3	5	9	15	18
20-34	58	3.7	8	1	2	3	5	8	10	12
35-49	39	3.3	13	1	1	2	4	6	8	22
50-64	63	5.4	17	1	2	4	7	11	16	17
65+	131	7.8	73	2	3	5	10	14	19	54
B. Operated										
0-19 YRS	337	6.8	35	2	4	5	8	12	17	28
20-34	120	7.5	41	1	4	6	9	14	18	36
35-49	163	7.8	48	2	4	6	10	14	19	40
50-64	261	8.2	52	1	3	7	11	16	21	32
65+	376	9.1	90	1	2	6	12	22	29	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	3.0	5	1	1	2	4	5	7	13
B. Operated	366	4.8	8	1	2	5	7	8	10	13
2. MULTIPLE DX										
A. Not Operated	333	5.7	40	1	2	4	7	12	16	34
B. Operated	1257	8.0	58	1	3	6	10	16	23	43
1. SINGLE DX	420	4.5	8	1	2	4	6	8	9	13
2. MULTIPLE DX	1590	7.5	55	1	3	6	9	15	21	43
A. Not Operated	387	5.3	36	1	2	4	7	11	15	28
B. Operated	1623	7.2	49	1	3	6	9	14	20	40
TOTAL										
0-19 YRS	623	5.9	23	2	4	5	7	9	14	24
20-34	233	5.7	29	1	2	5	8	11	14	30
35-49	247	6.4	39	1	2	5	8	12	18	36
50-64	376	7.1	44	1	2	6	10	15	18	28
65+	531	8.5	83	1	2	6	11	19	26	50
GRAND TOTAL	**2010**	**6.9**	**47**	**1**	**3**	**5**	**8**	**14**	**19**	**38**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	15	1.7	2	<1	1	1	2	3	5	6
35-49	27	1.4		1	1	1	2	2	3	3
50-64	8	2.3	2	<1	1	2	3	5	5	5
65+	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	7	2.3	2	1	1	2	3	5	5	5
35-49	13	2.5	2	1	1	2	4	4	5	5
50-64	20	2.2	3	<1	1	1	2	5	6	7
65+	15	2.5	5	1	1	1	3	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	17	3.8	5	1	2	3	5	7	9	10
35-49	32	2.6	3	1	1	2	3	5	7	8
50-64	22	3.6	12	1	1	3	4	7	12	17
65+	19	4.7	9	1	2	4	7	9	11	11
B. Operated										
0-19 YRS	7	2.7	4	1	1	3	4	6	6	6
20-34	16	4.6	9	1	2	4	7	9	10	10
35-49	29	6.0	44	1	2	4	8	13	22	30
50-64	106	3.8	10	1	1	3	5	7	10	15
65+	250	6.3	70	1	2	4	7	14	21	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	1.6	1	<1	1	1	2	3	4	6
B. Operated	58	2.3	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	93	3.5	7	1	1	3	4	7	8	14
B. Operated	408	5.5	50	1	2	4	6	11	18	29
1. SINGLE DX	112	2.0	2	1	1	1	2	4	5	8
2. MULTIPLE DX	501	5.2	43	1	2	4	6	10	16	28
A. Not Operated	147	2.8	6	1	1	2	4	6	7	11
B. Operated	466	5.1	45	1	2	4	6	10	17	28
TOTAL										
0-19 YRS	15	2.2	2	1	1	2	3	4	5	6
20-34	55	3.3	6	1	1	3	4	7	9	10
35-49	101	3.2	17	1	1	2	4	7	10	26
50-64	156	3.5	9	1	1	3	5	7	9	17
65+	286	6.0	63	1	2	4	7	13	20	29
GRAND TOTAL	**613**	**4.6**	**37**	**1**	**1**	**3**	**5**	**9**	**14**	**27**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.1	2	1	2	3	4	5	6	6
20-34	7	2.1	1	1	1	2	3	4	4	4
35-49	10	2.7	3	1	1	2	4	5	6	6
50-64	6	2.8	1	1	2	3	4	4	4	4
65 +	3	5.3	17	2	2	4	8	10	10	10
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	3.7	21	< 1	< 1	1	5	11	15	16
35-49	13	2.0	2	< 1	1	2	3	4	5	5
50-64	17	2.8	8	< 1	1	2	4	4	10	13
65 +	20	3.0	6	< 1	1	2	4	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.6	7	1	2	3	4	5	7	16
20-34	23	3.0	2	1	2	3	4	5	6	6
35-49	28	5.8	43	2	3	4	7	10	15	36
50-64	29	4.8	8	2	3	4	6	9	11	12
65 +	122	8.5	79	3	4	6	11	17	28	72
B. Operated										
0-19 YRS	8	4.5	6	1	2	4	6	8	8	8
20-34	32	5.3	44	1	2	3	6	10	12	38
35-49	55	4.8	16	1	1	3	8	10	15	95
50-64	117	5.1	23	1	2	4	6	10	14	54
65 +	449	8.1	90	1	3	6	10	16	23	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	2.9	3	1	2	3	4	5	6	10
B. Operated	66	2.9	9	< 1	1	2	4	6	10	16
2. MULTIPLE DX										
A. Not Operated	235	6.5	53	2	3	4	7	12	19	48
B. Operated	661	7.1	70	1	2	5	9	15	21	75
1. SINGLE DX	105	2.9	7	< 1	1	2	4	6	9	14
2. MULTIPLE DX	896	6.9	66	1	3	5	9	14	21	65
A. Not Operated	274	6.0	47	2	3	4	7	12	17	44
B. Operated	727	6.7	66	1	2	4	9	14	20	69
TOTAL										
0-19 YRS	55	3.6	6	1	2	3	4	6	7	16
20-34	77	4.0	24	1	2	3	5	7	11	32
35-49	106	4.5	21	1	1	3	6	10	13	63
50-64	169	4.7	19	1	2	4	6	9	12	31
65 +	594	8.0	85	1	3	5	10	16	24	72
GRAND TOTAL	**1001**	**6.5**	**61**	**1**	**2**	**4**	**8**	**13**	**19**	**60**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	32	1.4	2	< 1	< 1	< 1	1	2	2	9
20-34	44	2.3	4	< 1	1	1	3	5	7	9
35-49	41	1.8	2	< 1	1	1	2	4	5	6
50-64	30	2.0	2	< 1	1	1	3	4	5	5
65 +	54	2.3	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	4.0	8	1	2	4	6	8	8	8
35-49	4	2.0	2	< 1	< 1	1	3	4	4	4
50-64	3	3.0	3	2	2	2	4	5	5	5
65 +	15	4.1	6	2	3	3	5	8	9	10
B. Operated										
0-19 YRS	44	2.9	18	< 1	< 1	1	3	6	14	20
20-34	47	6.1	55	1	2	3	7	20	22	36
35-49	51	2.9	7	< 1	1	2	4	7	8	13
50-64	87	3.7	12	1	1	2	4	9	11	17
65 +	362	5.0	31	1	2	4	6	10	13	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.3		4	4	4	5	5	5	5
B. Operated	201	2.0	3	< 1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	28	3.6	5	1	2	3	5	7	8	10
B. Operated	591	4.5	28	1	1	3	6	10	13	25
1. SINGLE DX	204	2.0	3	< 1	1	1	2	4	6	8
2. MULTIPLE DX	619	4.5	27	1	1	3	5	9	13	24
A. Not Operated	31	3.7	5	1	2	3	5	7	8	10
B. Operated	792	3.9	23	< 1	1	2	5	9	11	23
TOTAL										
0-19 YRS	77	2.3	11	< 1	< 1	< 1	2	4	11	19
20-34	96	4.2	32	< 1	1	2	5	9	20	30
35-49	97	2.4	5	< 1	1	1	3	5	7	12
50-64	120	3.2	10	1	1	2	4	7	10	17
65 +	433	4.6	27	1	2	3	6	9	12	25
GRAND TOTAL	**823**	**3.9**	**22**	**< 1**	**1**	**2**	**5**	**8**	**11**	**23**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	154	3.6	5	1	2	3	5	6	8	12
20-34	55	3.1	3	1	2	3	4	5	7	9
35-49	24	4.0	4	2	3	3	6	7	7	8
50-64	27	4.9	18	2	3	4	5	8	12	24
65 +	33	4.3	6	2	3	4	5	8	10	11
B. Operated										
0-19 YRS	28	3.3	5	< 1	< 1	3	4	7	8	9
20-34	3	4.7	16	< 1	1	4	8	9	9	9
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	4	4.5	8	1	2	4	6	8	8	8
65 +	3	4.7	4	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	666	4.7	14	2	3	4	6	8	11	18
20-34	297	4.7	22	1	2	4	5	8	11	21
35-49	317	6.3	24	2	3	5	7	12	16	26
50-64	577	7.3	50	3	4	6	8	12	17	68
65 +	3406	10.2	105	4	5	7	12	19	26	88
B. Operated										
0-19 YRS	109	6.4	19	2	3	5	10	12	16	20
20-34	44	8.8	111	2	4	6	10	17	46	99 +
35-49	49	10.2	119	3	4	8	10	19	34	62
50-64	135	11.2	56	4	7	9	14	21	29	99 +
65 +	715	16.6	194	6	8	13	20	41	66	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	293	3.7	6	1	2	3	5	6	8	12
B. Operated	39	3.6	6	< 1	< 1	4	5	8	9	9
2. MULTIPLE DX										
A. Not Operated	5263	8.6	83	3	4	6	10	16	22	73
B. Operated	1052	14.2	164	4	7	11	17	34	55	99 +
1. SINGLE DX	332	3.7	6	1	2	3	5	7	8	11
2. MULTIPLE DX	6315	9.6	101	3	4	7	11	19	27	91
A. Not Operated	5556	8.4	80	3	4	6	10	16	21	71
B. Operated	1091	13.8	162	4	7	11	17	32	53	99 +
TOTAL										
0-19 YRS	957	4.7	13	2	2	4	6	9	11	17
20-34	399	4.9	31	1	2	4	6	9	12	34
35-49	391	6.7	37	2	3	5	8	12	16	32
50-64	743	7.9	53	3	4	6	9	14	19	70
65 +	4157	11.2	126	4	5	8	13	21	35	99 +
GRAND TOTAL	**6647**	**9.3**	**98**	**3**	**4**	**7**	**11**	**18**	**26**	**86**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	2.1	1	1	1	2	3	3	4	5
20-34	17	1.8	1	< 1	< 1	1	2	4	5	5
35-49	6	2.0	1	< 1	1	2	2	4	4	4
50-64	5	4.8	1	4	4	5	5	6	6	6
65 +	20	2.8	3	1	2	2	3	4	7	9
B. Operated										
0-19 YRS	43	1.8	2	< 1	1	1	2	3	5	7
20-34	47	3.0	19	< 1	1	1	3	4	11	23
35-49	54	2.3	4	< 1	1	1	4	5	7	9
50-64	59	2.5	8	< 1	1	1	3	6	8	17
65 +	90	2.8	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	2.8	5	1	1	2	4	6	8	9
20-34	42	2.8	4	1	1	2	4	6	7	8
35-49	52	3.8	8	1	2	3	5	7	9	15
50-64	72	4.6	20	1	2	4	5	8	13	26
65 +	319	6.3	44	2	3	4	8	12	16	35
B. Operated										
0-19 YRS	57	5.7	74	< 1	1	2	6	16	25	43
20-34	62	6.7	90	1	2	5	9	13	16	65
35-49	113	5.9	28	1	2	4	8	13	18	23
50-64	282	5.7	41	1	2	4	7	12	16	36
65 +	1017	7.5	75	1	3	5	9	17	28	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	2.4	2	< 1	1	2	3	4	5	8
B. Operated	293	2.5	7	< 1	1	2	3	5	7	16
2. MULTIPLE DX										
A. Not Operated	538	5.2	32	1	2	4	6	11	14	26
B. Operated	1531	7.0	66	1	2	5	8	15	22	54
1. SINGLE DX	368	2.5	6	< 1	1	2	3	5	6	12
2. MULTIPLE DX	2069	6.5	58	1	2	4	8	14	20	47
A. Not Operated	613	4.9	29	1	2	3	6	9	13	26
B. Operated	1824	6.3	59	1	2	4	7	14	21	48
TOTAL										
0-19 YRS	180	3.4	28	< 1	1	2	3	7	9	32
20-34	168	4.2	43	< 1	1	2	5	9	13	23
35-49	225	4.4	19	< 1	1	3	6	10	14	21
50-64	418	5.0	33	1	2	3	6	10	16	30
65 +	1446	6.9	64	1	3	5	8	15	22	54
GRAND TOTAL	**2437**	**5.9**	**52**	**1**	**2**	**4**	**7**	**12**	**19**	**44**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	3.0	7	1	1	2	5	7	7	7
65 +	5	2.8	2	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	3	5.0		5	5	5	5	5	5	5
35-49	11	3.7	5	1	3	3	4	7	9	9
50-64	411	4.2	4	2	3	4	5	6	8	11
65 +	828	4.7	7	2	3	4	6	7	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	39	4.6	26	< 1	1	3	5	12	16	25
65 +	175	5.6	88	< 1	2	3	7	10	17	83
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	3	3.3		3	3	3	4	4	4	4
35-49	46	5.5	14	2	3	5	7	9	14	20
50-64	1736	5.7	16	3	4	5	7	10	12	19
65 +	6377	6.9	33	3	4	5	8	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.9	4	1	2	2	4	6	7	7
B. Operated	1253	4.5	6	2	3	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	216	5.4	76	< 1	2	3	6	10	16	72
B. Operated	8163	6.6	30	3	4	5	8	11	15	30
1. SINGLE DX	1262	4.5	6	2	3	4	5	7	8	12
2. MULTIPLE DX	8379	6.6	31	3	4	5	7	11	15	31
A. Not Operated	225	5.3	74	< 1	2	3	6	10	16	69
B. Operated	9416	6.3	27	3	4	5	7	11	14	30
TOTAL										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	6	4.2	1	3	3	4	5	5	5	5
35-49	59	5.0	13	1	3	4	6	9	13	20
50-64	2190	5.4	14	3	3	5	6	9	12	19
65 +	7385	6.6	32	3	4	5	7	11	15	32
GRAND TOTAL	**9641**	**6.3**	**28**	**3**	**4**	**5**	**7**	**11**	**15**	**30**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	15	3.1	2	1	2	3	5	5	5	5
35-49	18	4.9	11	2	2	4	7	9	12	14
50-64	17	3.8	3	2	3	3	5	7	7	7
65 +	8	5.3	7	2	3	5	7	9	10	10
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	5	2.8	6	< 1	1	2	4	7	7	7
50-64	0									
65 +	12	3.1	2	< 1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	26	4.1	4	2	2	4	5	7	8	9
35-49	39	4.5	3	3	3	4	5	7	7	8
50-64	90	4.9	4	2	3	5	6	7	8	11
65 +	72	6.0	11	3	4	5	7	10	13	19
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	10	5.4	16	1	3	4	6	12	14	14
35-49	29	4.6	11	1	2	4	6	9	11	14
50-64	79	5.7	16	1	3	5	8	11	13	19
65 +	107	6.3	21	2	3	5	8	13	16	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	4.2	6	2	2	4	5	7	9	14
B. Operated	21	2.7	3	< 1	1	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	229	5.1	7	2	3	5	6	8	10	13
B. Operated	226	5.9	17	1	3	5	8	11	14	20
1. SINGLE DX	79	3.8	6	1	2	3	5	7	8	13
2. MULTIPLE DX	455	5.5	12	2	3	5	7	10	12	19
A. Not Operated	287	4.9	7	2	3	5	6	8	10	14
B. Operated	247	5.6	17	1	3	5	7	11	14	19
TOTAL										
0-19 YRS	5	5.4	23	1	2	3	8	13	13	13
20-34	53	3.9	6	1	2	4	5	7	9	14
35-49	91	4.5	7	1	3	4	6	8	9	14
50-64	186	5.2	9	2	3	5	7	8	11	17
65 +	199	6.0	16	2	3	5	7	11	14	21
GRAND TOTAL	**534**	**5.2**	**11**	**2**	**3**	**5**	**7**	**9**	**12**	**18**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	53	1.5	1	<1	<1	1	2	3	3	4
20-34	22	1.9	2	<1	1	2	2	4	5	6
35-49	51	1.6	1	1	1	1	2	3	4	5
50-64	65	1.6	1	1	1	1	2	3	4	5
65 +	28	1.7	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.3	3	<1	<1	2	2	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	4	2.8	4	1	1	3	4	5	5	5
B. Operated										
0-19 YRS	72	1.3		<1	1	1	2	2	3	4
20-34	24	2.6	7	1	1	2	3	5	8	13
35-49	38	1.7	1	1	1	1	2	4	5	5
50-64	73	2.5	5	1	1	2	3	5	8	13
65 +	110	3.3	16	1	1	2	4	6	9	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.1		<1	1	1	1	2	2	2
B. Operated	219	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	13	2.2	3	<1	<1	1	3	5	6	6
B. Operated	317	2.4	8	1	1	2	3	4	6	12
1. SINGLE DX	226	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	330	2.4	8	1	1	2	3	5	6	12
A. Not Operated	20	1.8	2	<1	<1	1	2	4	5	6
B. Operated	536	2.1	5	1	1	1	2	4	5	10
TOTAL										
0-19 YRS	133	1.4	1	<1	1	1	2	2	3	5
20-34	48	2.2	4	<1	1	2	3	4	6	13
35-49	91	1.6	1	1	1	1	2	3	4	5
50-64	140	2.1	3	1	1	2	2	4	6	10
65 +	144	2.9	13	1	1	2	3	6	8	13
GRAND TOTAL	556	2.1	5	1	1	1	2	4	5	10

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	3.6	5	1	2	3	4	7	8	11
20-34	69	3.7	3	2	2	3	5	6	7	8
35-49	39	4.4	5	2	2	4	6	8	9	9
50-64	16	4.2	3	2	3	4	6	6	7	7
65 +	13	5.1	7	3	4	4	5	10	12	12
B. Operated										
0-19 YRS	13	1.3	1	<1	1	1	1	2	4	4
20-34	12	2.8	5	1	1	2	3	6	9	9
35-49	11	4.4	15	<1	1	3	8	10	11	11
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	3.3	3	1	2	3	5	6	6	7
20-34	49	4.8	6	2	3	5	6	8	10	11
35-49	40	5.9	11	2	4	5	7	10	11	19
50-64	67	6.0	10	3	4	5	7	10	14	16
65 +	79	6.5	12	2	4	6	8	11	14	18
B. Operated										
0-19 YRS	9	2.7	4	1	1	2	5	6	6	6
20-34	7	4.3	11	1	2	4	6	9	10	10
35-49	21	6.3	20	1	2	7	11	12	13	14
50-64	16	5.8	27	1	2	4	9	15	15	15
65 +	45	8.5	37	3	4	7	11	15	20	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	4.0	4	2	2	4	5	7	8	11
B. Operated	41	2.8	8	1	1	2	3	8	10	11
2. MULTIPLE DX										
A. Not Operated	262	5.6	10	2	3	5	7	9	12	17
B. Operated	98	6.7	30	1	2	5	10	14	15	27
1. SINGLE DX	220	3.7	5	1	2	3	5	7	8	11
2. MULTIPLE DX	360	5.9	16	2	3	5	8	11	14	19
A. Not Operated	441	5.0	9	2	3	4	6	8	10	15
B. Operated	139	5.6	26	1	1	4	8	12	15	23
TOTAL										
0-19 YRS	91	3.1	4	1	1	3	4	6	7	11
20-34	137	4.0	5	2	2	4	5	7	8	10
35-49	111	5.3	12	1	3	4	7	10	11	16
50-64	103	5.6	12	2	3	5	7	10	14	16
65 +	138	7.0	21	3	4	6	9	13	15	23
GRAND TOTAL	580	5.1	13	1	3	4	7	9	12	17

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	97	1.0		<1	<1	<1	1	1	1	2
20-34	15	1.0		<1	<1	1	1	1	1	1
35-49	12	1.2		<1	<1	1	1	2	2	2
50-64	7	1.1		<1	<1	1	1	2	2	2
65 +	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	8.0	72	2	2	8	14	14	14	14
65 +	2	6.0	2	5	5	6	7	7	7	7
B. Operated										
0-19 YRS	36	1.3	1	<1	<1	1	1	2	3	4
20-34	3	1.3		1	1	1	2	2	2	2
35-49	14	1.1		<1	1	1	1	2	2	2
50-64	24	2.9	16	<1	1	1	3	7	15	15
65 +	35	2.9	7	1	1	2	3	7	9	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.1		<1	<1	1	1	2	2	2
B. Operated	136	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	14	2.8	14	<1	<1	1	2	8	13	14
B. Operated	112	2.1	6	<1	1	1	2	4	7	15
1. SINGLE DX	144	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX	126	2.2	7	<1	1	1	2	5	7	15
A. Not Operated	22	2.2	9	<1	<1	1	2	6	10	14
B. Operated	248	1.5	3	<1	<1	1	1	2	4	12
TOTAL										
0-19 YRS	147	1.1		<1	<1	<1	1	1	2	3
20-34	20	1.1		<1	<1	1	1	1	2	2
35-49	27	1.1		<1	1	1	1	2	2	2
50-64	33	2.8	16	<1	1	1	3	8	15	15
65 +	43	2.8	7	1	1	2	3	7	8	12
GRAND TOTAL	**270**	**1.6**	**4**	**<1**	**<1**	**1**	**1**	**3**	**4**	**14**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.7	1	<1	1	1	2	4	4	5
20-34	10	2.4	3	<1	1	2	3	5	6	6
35-49	12	2.1	3	<1	1	2	3	4	7	7
50-64	10	2.7	7	1	1	2	3	7	9	9
65 +	10	2.3	6	<1	1	1	2	6	8	8
B. Operated										
0-19 YRS	326	1.4	1	<1	1	1	1	2	3	5
20-34	121	1.8	2	1	1	1	2	4	5	6
35-49	93	2.0	3	<1	1	2	2	4	5	10
50-64	75	2.7	6	1	1	2	3	6	8	13
65 +	38	2.8	4	1	1	2	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	4.4	17	1	2	3	5	11	15	16
20-34	14	3.1	9	<1	1	2	4	7	10	11
35-49	7	4.6	14	1	1	4	8	10	10	10
50-64	18	5.8	78	<1	1	3	8	10	28	39
65 +	27	7.4	38	1	2	6	10	18	21	24
B. Operated										
0-19 YRS	131	2.0	6	1	1	1	2	4	5	16
20-34	71	2.8	6	1	1	2	4	6	6	12
35-49	120	3.7	12	1	2	2	5	8	10	45
50-64	250	4.3	29	1	2	3	5	8	13	36
65 +	148	3.9	25	1	1	2	4	8	10	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	2.1	3	<1	1	1	3	5	6	9
B. Operated	653	1.8	2	<1	1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	97	5.3	34	1	1	3	8	11	16	32
B. Operated	720	3.5	20	1	1	2	4	7	10	24
1. SINGLE DX	720	1.8	2	<1	1	1	2	3	5	8
2. MULTIPLE DX	817	3.8	22	1	1	2	4	8	11	25
A. Not Operated	164	4.0	24	1	1	2	5	9	12	24
B. Operated	1373	2.7	12	1	1	2	3	6	8	16
TOTAL										
0-19 YRS	513	1.7	4	<1	1	1	2	3	4	11
20-34	216	2.2	4	1	1	1	3	5	6	11
35-49	232	3.0	9	1	1	2	4	7	9	20
50-64	353	4.0	27	1	1	3	5	8	12	36
65 +	223	4.0	24	1	1	2	5	9	11	27
GRAND TOTAL	**1537**	**2.8**	**13**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	1.2		<1	<1	<1	1	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	31	1.9	2	<1	<1	1	2	3	7	7
35-49	102	1.4	1	<1	<1	1	1	2	3	6
50-64	85	1.3		<1	<1	<1	1	2	3	4
65 +	27	1.1		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	3.0	4	1	1	3	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	26	2.4	3	<1	1	2	3	6	6	7
35-49	94	2.1	5	<1	<1	1	2	4	7	12
50-64	118	2.3	9	<1	1	1	3	4	7	18
65 +	110	2.2	4	<1	1	1	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.2		<1	<1	<1	1	2	2	2
B. Operated	247	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	6	2.0	3	<1	1	1	3	5	5	5
B. Operated	352	2.2	6	<1	1	1	3	4	7	12
1. SINGLE DX	252	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	358	2.2	6	<1	1	1	3	4	7	12
A. Not Operated	11	1.6	2	<1	<1	1	2	4	5	5
B. Operated	599	1.9	4	<1	<1	1	2	3	5	11
TOTAL										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	58	2.1	3	<1	1	2	3	4	6	7
35-49	203	1.7	3	<1	<1	1	2	3	5	11
50-64	206	1.9	5	<1	<1	1	2	3	5	12
65 +	137	2.0	3	<1	1	1	2	4	5	10
GRAND TOTAL	**610**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	4.8	5	2	3	5	7	8	9	9
20-34	19	2.7	2	1	2	2	4	5	6	7
35-49	22	3.6	3	1	3	3	4	6	7	7
50-64	8	3.8	8	<1	1	3	4	8	10	10
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	151	2.0	1	1	1	2	3	3	4	5
20-34	256	2.1	2	1	1	2	3	4	4	7
35-49	150	2.1	2	1	1	2	3	4	4	7
50-64	72	2.2	3	1	1	2	3	4	6	10
65 +	18	2.0	2	<1	1	2	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	5.1	7	2	3	4	8	9	9	9
20-34	13	3.9	6	1	2	4	5	7	9	9
35-49	17	3.0	5	<1	<1	3	4	6	7	8
50-64	10	3.5	16	<1	1	2	3	11	11	11
65 +	31	5.6	24	1	2	4	7	13	14	22
B. Operated										
0-19 YRS	50	2.2	1	1	1	2	3	3	4	5
20-34	187	2.5	4	1	1	2	3	4	5	13
35-49	189	3.0	18	1	1	2	3	6	7	14
50-64	115	3.4	13	1	1	2	4	7	10	21
65 +	63	4.1	50	1	1	2	3	8	16	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	3.5	4	1	2	3	4	7	8	10
B. Operated	647	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	81	4.5	15	<1	1	3	6	9	12	20
B. Operated	604	3.0	15	1	1	2	3	5	7	16
1. SINGLE DX	709	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX	685	3.2	15	1	1	2	3	6	8	16
A. Not Operated	143	4.0	10	1	2	3	5	8	10	15
B. Operated	1251	2.5	8	1	1	2	3	4	6	12
TOTAL										
0-19 YRS	222	2.3	2	1	1	2	3	4	5	9
20-34	475	2.3	3	1	1	2	3	4	5	9
35-49	378	2.7	10	1	1	2	3	5	7	11
50-64	205	3.0	10	1	1	2	3	6	9	14
65 +	114	4.1	35	1	1	2	4	9	14	35
GRAND TOTAL	**1394**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	190	2.0	1	1	1	2	2	4	4	6
20-34	289	2.1	2	1	1	2	3	4	4	7
35-49	82	2.3	2	1	1	2	3	4	6	8
50-64	5	2.2	3	1	1	2	3	5	5	5
65 +	1	15.0		15	15	15	15	15	15	15
B. Operated										
0-19 YRS	136	3.3	3	1	2	3	4	6	7	8
20-34	375	3.2	3	1	2	3	4	5	6	9
35-49	123	4.0	3	1	3	4	5	6	7	9
50-64	17	4.2	2	3	3	4	5	6	7	7
65 +	14	5.0	5	2	4	5	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	2.3	2	1	1	2	3	4	4	9
20-34	241	2.6	4	1	1	2	3	5	6	9
35-49	70	3.3	4	1	2	3	5	6	8	11
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	4	5.0	5	2	3	5	6	7	7	7
B. Operated										
0-19 YRS	144	3.9	3	1	3	4	5	6	7	8
20-34	966	4.4	6	2	3	4	5	7	8	12
35-49	664	5.0	10	2	4	5	6	7	9	15
50-64	126	5.9	7	4	4	6	7	8	10	17
65 +	89	7.7	20	4	5	6	8	14	18	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	567	2.1	2	1	1	2	3	4	5	7
B. Operated	665	3.5	3	1	2	4	4	6	6	9
2. MULTIPLE DX										
A. Not Operated	406	2.7	3	1	1	2	3	5	6	10
B. Operated	1989	4.8	8	2	3	4	6	7	9	15
1. SINGLE DX	1232	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX	2395	4.4	8	1	3	4	6	7	8	14
A. Not Operated	973	2.3	3	1	1	2	3	4	5	9
B. Operated	2654	4.5	8	1	3	4	5	7	8	14
TOTAL										
0-19 YRS	559	2.9	3	1	1	2	4	5	6	8
20-34	1871	3.6	5	1	2	3	5	6	7	11
35-49	939	4.5	9	1	3	4	6	7	8	14
50-64	150	5.5	7	3	4	5	7	8	10	17
65 +	108	7.3	19	4	5	6	8	13	18	25
GRAND TOTAL	3627	3.9	7	1	2	4	5	7	8	13

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	341	4.1	5	2	3	4	5	6	8	15
20-34	610	4.0	4	2	3	4	5	6	7	11
35-49	120	4.7	8	2	3	4	6	9	10	13
50-64	4	4.5	4	2	3	5	6	6	6	6
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	43	4.7	6	1	3	4	6	8	10	11
20-34	188	4.1	7	1	2	4	5	7	9	13
35-49	68	4.7	9	2	3	4	6	7	10	19
50-64	8	4.4	5	1	2	5	6	7	7	7
65 +	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	323	5.4	17	2	3	4	6	9	14	25
20-34	626	4.6	6	2	3	4	6	7	9	14
35-49	178	5.8	11	3	3	5	7	11	13	17
50-64	14	5.6	6	3	4	5	7	9	11	12
65 +	5	10.4	51	4	4	8	18	18	18	18
B. Operated										
0-19 YRS	79	5.5	11	2	4	5	6	9	12	17
20-34	823	4.8	10	1	3	4	6	8	10	18
35-49	511	6.0	18	2	4	5	7	11	16	23
50-64	47	7.4	16	4	5	6	9	14	16	19
65 +	25	17.4	225	5	8	13	25	42	76	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1076	4.1	5	2	3	4	5	7	8	12
B. Operated	309	4.4	7	1	3	4	5	8	10	13
2. MULTIPLE DX										
A. Not Operated	1146	5.0	10	2	3	4	6	8	11	17
B. Operated	1485	5.5	19	1	3	5	6	10	14	22
1. SINGLE DX	1385	4.2	5	2	3	4	5	7	8	12
2. MULTIPLE DX	2631	5.3	15	2	3	5	6	9	13	20
A. Not Operated	2222	4.6	8	2	3	4	5	7	10	15
B. Operated	1794	5.3	17	1	3	5	6	10	13	21
TOTAL										
0-19 YRS	786	4.8	11	2	3	4	5	8	11	17
20-34	2247	4.5	7	2	3	4	5	7	9	14
35-49	877	5.7	15	2	3	5	7	11	14	21
50-64	73	6.6	13	3	5	5	7	12	15	18
65 +	33	15.3	191	5	6	12	18	39	64	99 +
GRAND TOTAL	4016	4.9	12	2	3	4	6	8	11	18

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	20	3.6	2	1	2	4	4	6	6	7
35-49	4	4.0	2	2	3	4	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+	0									
B. Operated										
0-19 YRS	11	2.2	2	1	1	1	4	5	5	5
20-34	150	3.3	3	1	2	3	4	6	6	7
35-49	115	4.2	2	2	4	4	5	6	6	8
50-64	3	4.7		4	4	5	5	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	26	2.6	3	<1	1	2	3	5	6	7
35-49	21	4.2	6	1	2	5	6	7	8	8
50-64	0									
65+	0									
B. Operated										
0-19 YRS	12	2.9	4	<1	1	2	5	6	6	6
20-34	803	4.1	4	1	3	4	5	6	7	12
35-49	1393	5.0	6	3	4	5	6	7	8	14
50-64	140	5.5	7	4	4	5	6	8	10	18
65+	9	6.1	1	5	6	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	3.5	2	1	2	4	4	6	6	7
B. Operated	280	3.6	3	1	3	4	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	48	3.3	5	<1	1	3	5	7	7	8
B. Operated	2357	4.7	6	2	4	4	5	7	8	13
1. SINGLE DX	309	3.6	3	1	3	4	5	6	6	7
2. MULTIPLE DX	2405	4.7	5	2	4	4	5	7	8	13
A. Not Operated	77	3.4	4	1	2	3	5	6	7	8
B. Operated	2637	4.6	5	2	4	4	5	7	8	13
TOTAL										
0-19 YRS	28	2.5	3	1	1	2	4	6	6	6
20-34	999	3.9	4	1	3	4	5	6	7	10
35-49	1533	4.9	6	3	4	5	6	7	8	13
50-64	144	5.5	7	4	4	5	6	8	10	17
65+	10	6.0	1	5	5	6	7	7	7	7
GRAND TOTAL	2714	4.6	5	2	4	4	5	7	8	13

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	9	1.9	2	<1	<1	1	2	5	5	5
35-49	11	1.9	2	<1	<1	1	3	4	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.0	3	2	3	4	5	6	6	6
20-34	5	4.4	4	2	3	4	6	7	7	7
35-49	2	4.0		4	4	4	4	4	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	31	2.7	3	<1	1	2	4	5	6	6
35-49	58	3.2	4	<1	1	4	4	6	6	8
50-64	13	4.2	9	1	1	4	6	9	11	11
65+	6	3.8	7	2	2	3	4	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	3	1	1	1	3	4	4	4
B. Operated	20	1.9	2	<1	<1	1	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	11	4.2	3	2	3	4	5	7	7	7
B. Operated	112	3.1	5	<1	1	3	4	6	6	10
1. SINGLE DX	23	1.9	2	<1	<1	1	3	4	5	5
2. MULTIPLE DX	123	3.2	4	<1	1	4	4	6	7	10
A. Not Operated	14	3.7	3	1	2	4	4	6	7	7
B. Operated	132	2.9	4	<1	1	2	4	6	6	9
TOTAL										
0-19 YRS	9	2.6	3	<1	1	2	4	5	6	6
20-34	47	2.7	3	<1	1	2	4	5	6	7
35-49	71	3.0	4	<1	1	3	4	6	6	8
50-64	13	4.2	9	1	1	4	6	9	11	11
65+	6	3.8	7	2	2	3	4	9	9	9
GRAND TOTAL	146	3.0	4	<1	1	3	4	6	6	9

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.9	2	1	2	3	4	5	5	5
20-34	17	3.5	3	2	2	3	4	6	7	8
35-49	7	3.0	1	2	2	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	21	2.0	4	< 1	< 1	1	2	6	7	8
20-34	121	1.4	1	< 1	1	1	2	2	3	5
35-49	48	1.5	1	< 1	< 1	1	2	2	3	8
50-64	5	1.2		< 1	< 1	1	1	2	2	2
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.9	6	1	3	4	4	7	10	11
20-34	27	3.5	3	2	2	3	4	5	6	10
35-49	23	4.0	7	1	2	3	5	7	9	12
50-64	14	7.4	26	4	4	6	8	16	20	21
65 +	11	16.1	266	3	6	9	18	45	54	55
B. Operated										
0-19 YRS	12	3.5	11	1	2	2	4	9	12	12
20-34	49	3.0	6	1	1	2	4	6	7	11
35-49	51	5.0	158	< 1	1	2	5	6	12	90
50-64	24	8.1	89	1	2	4	11	22	33	35
65 +	26	10.0	91	1	3	7	12	25	29	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	3.2	2	2	2	3	4	5	6	8
B. Operated	197	1.5	1	< 1	1	1	2	2	3	7
2. MULTIPLE DX										
A. Not Operated	95	5.7	51	2	3	4	6	11	16	47
B. Operated	162	5.6	85	1	1	3	6	12	20	39
1. SINGLE DX	240	1.8	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX	257	5.6	72	1	2	4	6	11	18	40
A. Not Operated	138	4.9	37	2	2	4	5	8	12	40
B. Operated	359	3.3	43	< 1	1	1	3	7	11	31
TOTAL										
0-19 YRS	71	3.0	6	< 1	1	2	4	6	8	12
20-34	214	2.2	3	< 1	1	2	3	5	5	9
35-49	129	3.4	66	< 1	1	2	4	6	8	31
50-64	44	7.0	60	1	2	5	8	16	24	35
65 +	39	11.3	142	1	3	8	14	26	39	55
GRAND TOTAL	**497**	**3.8**	**42**	**< 1**	**1**	**2**	**4**	**7**	**11**	**34**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	4.0		4	4	4	4	4	4	4
50-64	9	3.9	1	3	3	4	5	5	5	5
65 +	5	5.4	5	3	4	5	7	9	9	9
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	46	3.9	2	2	3	4	5	6	7	8
35-49	125	4.2	4	2	3	4	5	6	7	11
50-64	304	4.5	3	2	3	4	5	6	7	11
65 +	287	4.9	3	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.8	6	1	1	2	4	6	6	6
35-49	13	2.0	2	< 1	< 1	1	3	4	5	5
50-64	15	2.3	4	< 1	< 1	1	4	5	7	7
65 +	31	4.7	28	< 1	1	3	7	16	22	99 +
B. Operated										
0-19 YRS	2	19.5	313	7	7	19	32	32	32	32
20-34	162	4.0	3	2	3	4	5	6	7	11
35-49	759	4.9	4	3	4	5	6	7	8	13
50-64	949	5.5	5	3	4	5	7	8	9	13
65 +	1304	6.0	12	3	4	5	7	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	4.4	2	3	3	4	5	6	8	9
B. Operated	763	4.6	3	3	3	4	6	7	8	11
2. MULTIPLE DX										
A. Not Operated	63	3.4	17	< 1	1	2	4	8	16	89
B. Operated	3176	5.5	8	3	4	5	6	8	9	15
1. SINGLE DX	780	4.6	3	3	3	4	6	7	8	11
2. MULTIPLE DX	3239	5.5	8	3	4	5	6	8	9	16
A. Not Operated	80	3.6	14	< 1	1	3	5	7	13	76
B. Operated	3939	5.3	7	3	4	5	6	8	9	14
TOTAL										
0-19 YRS	3	13.7	258	2	3	7	26	32	32	32
20-34	212	4.0	3	2	3	4	5	6	7	10
35-49	900	4.7	4	3	4	5	6	7	8	13
50-64	1277	5.2	5	3	4	5	6	8	9	13
65 +	1627	5.8	11	3	4	5	7	9	10	18
GRAND TOTAL	**4019**	**5.3**	**8**	**3**	**4**	**5**	**6**	**8**	**9**	**15**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.9	8	<1	1	2	3	6	11	12
20-34	10	1.7	2	<1	<1	1	2	4	4	4
35-49	5	2.0	3	<1	1	1	3	5	5	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	56	1.7	2	<1	<1	1	2	4	5	7
35-49	81	1.7	2	<1	<1	1	2	4	5	7
50-64	9	1.0		<1	<1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.6	2	1	2	2	3	4	5	7
20-34	27	3.0	9	1	1	2	3	6	8	16
35-49	16	3.2	41	<1	<1	1	2	4	20	27
50-64	4	4.3	8	<1	1	4	6	7	7	7
65+	4	10.0	29	5	5	9	14	16	16	16
B. Operated										
0-19 YRS	9	3.1	5	<1	1	2	5	6	7	7
20-34	117	3.3	5	<1	1	3	4	6	7	10
35-49	326	3.4	6	<1	1	4	5	6	6	10
50-64	43	3.2	5	1	1	3	5	6	7	10
65+	6	5.3	6	3	4	5	6	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.3	5	<1	1	2	3	5	6	12
B. Operated	149	1.6	2	<1	<1	1	1	4	5	7
2. MULTIPLE DX										
A. Not Operated	77	3.3	16	1	1	2	3	6	11	24
B. Operated	501	3.4	6	<1	1	4	5	6	7	10
1. SINGLE DX	178	1.8	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	578	3.4	7	<1	1	3	5	6	7	12
A. Not Operated	106	3.1	13	<1	1	2	3	6	8	21
B. Operated	650	3.0	5	<1	1	2	4	6	6	9
TOTAL										
0-19 YRS	52	2.7	4	1	1	2	3	5	7	12
20-34	210	2.8	5	<1	1	2	4	6	7	10
35-49	428	3.0	7	<1	1	2	4	6	6	10
50-64	56	2.9	5	<1	1	2	5	6	7	10
65+	10	7.2	19	3	4	5	10	14	16	16
GRAND TOTAL	**756**	**3.0**	**6**	**<1**	**1**	**2**	**4**	**6**	**7**	**11**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	22	1.5	1	<1	1	1	2	3	4	4
35-49	6	1.8	2	<1	1	1	3	4	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	44	1.7	1	<1	<1	1	2	4	4	5
35-49	109	2.0	2	<1	<1	1	4	5	5	6
50-64	19	1.3	1	<1	<1	1	1	2	4	4
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	36	1.8	1	<1	1	2	3	3	4	4
35-49	53	2.2	3	<1	1	1	3	4	6	11
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	7	3.0	4	1	1	3	5	6	6	6
20-34	229	3.4	4	<1	1	4	5	6	7	8
35-49	681	3.6	5	<1	2	4	5	6	7	11
50-64	90	3.4	6	<1	1	3	4	7	8	13
65+	2	9.5	13	7	7	9	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	1.6	1	<1	1	1	2	3	4	4
B. Operated	175	1.8	2	<1	<1	1	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	100	2.0	2	<1	1	1	3	4	5	9
B. Operated	1009	3.6	5	<1	1	4	5	6	7	12
1. SINGLE DX	206	1.8	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX	1109	3.4	5	<1	1	4	5	6	7	11
A. Not Operated	131	1.9	2	<1	1	1	3	4	4	7
B. Operated	1184	3.3	5	<1	1	3	5	6	7	10
TOTAL										
0-19 YRS	20	2.0	2	<1	1	1	3	4	5	6
20-34	331	2.9	4	<1	1	2	4	5	6	8
35-49	849	3.3	5	<1	1	3	5	6	7	10
50-64	112	3.0	6	<1	1	2	4	6	7	12
65+	3	7.7	16	4	5	7	11	12	12	12
GRAND TOTAL	**1315**	**3.2**	**5**	**<1**	**1**	**3**	**5**	**6**	**7**	**10**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	10	1.4	2	<1	<1	1	1	3	5	5
50-64	41	1.2		<1	<1	1	1	2	3	4
65 +	14	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	2.2	2	<1	1	2	3	4	4	4
65 +	12	3.5	4	1	2	3	5	6	7	7
B. Operated										
0-19 YRS	0									
20-34	4	2.8	6	<1	<1	2	4	6	6	6
35-49	40	2.6	4	<1	1	2	4	6	6	6
50-64	136	2.7	6	<1	1	2	4	6	6	12
65 +	122	3.1	9	1	1	2	4	6	6	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	66	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	19	2.9	3	<1	1	3	4	6	7	7
B. Operated	302	2.8	7	<1	1	2	4	6	7	13
1. SINGLE DX	68	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	321	2.9	7	<1	1	2	4	6	7	12
A. Not Operated	21	2.9	3	<1	2	3	4	6	6	7
B. Operated	368	2.6	6	<1	1	2	4	5	6	12
TOTAL										
0-19 YRS	0									
20-34	5	2.8	4	<1	1	3	4	6	6	6
35-49	52	2.3	3	<1	1	1	4	5	6	6
50-64	184	2.4	5	<1	1	1	3	5	6	12
65 +	148	3.0	8	<1	1	2	4	6	7	13
GRAND TOTAL	389	2.6	6	<1	1	2	4	5	6	12

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.1	2	<1	<1	1	3	3	5	6
20-34	27	2.1	1	1	1	2	2	4	5	6
35-49	11	2.9	3	<1	1	3	4	5	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	27	3.2	4	1	2	2	5	7	7	7
20-34	157	2.1	3	<1	<1	1	3	5	6	9
35-49	116	2.7	4	<1	1	2	4	5	6	10
50-64	46	2.5	6	<1	1	1	4	5	7	13
65 +	21	2.3	2	<1	<1	2	3	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	2.0	1	<1	1	2	3	3	4	6
20-34	34	2.6	5	1	1	2	4	6	8	9
35-49	27	2.3	3	<1	1	2	3	5	6	9
50-64	9	4.8	16	1	2	2	8	10	12	12
65 +	24	7.4	39	2	3	6	10	21	44	99 +
B. Operated										
0-19 YRS	40	4.0	20	1	2	4	5	5	7	29
20-34	343	3.8	12	1	1	4	5	6	8	12
35-49	566	4.3	17	1	2	4	5	7	8	15
50-64	270	5.8	37	1	3	5	6	11	19	39
65 +	194	7.3	45	1	3	6	10	14	19	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.3	2	1	1	2	3	4	6	6
B. Operated	367	2.4	4	<1	<1	2	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	116	3.6	16	1	1	2	4	9	11	50
B. Operated	1413	4.8	25	1	2	4	6	8	12	28
1. SINGLE DX	423	2.4	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	1529	4.7	24	1	2	4	6	8	12	28
A. Not Operated	172	3.2	12	1	1	2	4	7	9	24
B. Operated	1780	4.3	22	<1	1	4	5	8	11	24
TOTAL										
0-19 YRS	104	3.1	10	<1	1	2	4	5	7	18
20-34	561	3.1	9	<1	1	3	4	6	7	12
35-49	720	3.9	15	1	2	4	5	7	8	14
50-64	326	5.3	33	1	2	4	6	10	14	37
65 +	241	6.8	42	1	2	5	9	14	20	52
GRAND TOTAL	1952	4.2	21	<1	1	4	5	7	11	25

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	1.7	1	1	1	2	2	3	3	4
20-34	86	1.9	1	<1	1	2	3	4	4	6
35-49	26	2.3	2	<1	1	2	4	4	4	4
50-64	5	3.8	7	1	2	3	6	7	7	7
65 +	0									
B. Operated										
0-19 YRS	13	2.2	2	<1	<1	3	3	4	4	4
20-34	157	2.5	3	<1	<1	2	3	5	6	7
35-49	207	4.3	4	2	3	4	5	7	8	9
50-64	115	4.5	4	2	3	4	5	7	8	11
65 +	51	5.6	5	3	4	5	7	8	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	1.7	1	<1	1	1	2	3	4	5
20-34	90	2.1	2	1	1	2	3	4	5	7
35-49	28	2.3	2	<1	1	2	3	4	6	6
50-64	10	3.5	12	<1	<1	2	5	9	11	11
65 +	7	6.3	7	3	4	6	8	10	11	11
B. Operated										
0-19 YRS	20	2.6	2	<1	1	2	4	4	5	6
20-34	506	3.6	4	<1	2	4	5	6	7	11
35-49	496	4.5	4	2	3	4	6	7	8	10
50-64	254	5.6	7	3	4	5	7	8	11	15
65 +	196	6.9	21	4	4	6	8	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	1.9	1	<1	1	2	3	4	4	7
B. Operated	543	3.9	4	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	186	2.2	3	<1	1	2	3	4	6	10
B. Operated	1472	4.7	8	2	3	4	6	7	9	14
1. SINGLE DX	725	3.4	4	1	2	3	5	6	7	9
2. MULTIPLE DX	1658	4.4	8	1	3	4	6	7	9	14
A. Not Operated	368	2.1	2	<1	1	2	3	4	5	8
B. Operated	2015	4.5	7	1	3	4	6	7	9	13
TOTAL										
0-19 YRS	149	1.8	1	<1	1	2	2	3	4	5
20-34	839	3.1	4	<1	1	3	4	5	6	9
35-49	757	4.3	4	1	3	4	5	7	8	10
50-64	384	5.2	6	3	4	5	6	8	10	14
65 +	254	6.6	18	3	4	6	7	10	13	23
GRAND TOTAL	2383	4.1	7	1	2	4	5	7	8	13

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.4		1	1	1	2	2	2	2
20-34	27	2.3	2	<1	1	2	4	4	5	5
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	70	3.3	2	1	2	3	4	5	6	6
20-34	839	3.7	2	2	3	4	5	5	6	8
35-49	158	3.7	3	1	3	4	5	6	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	15	2.3	2	1	1	2	3	4	6	6
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	60	4.3	3	2	3	4	5	6	7	10
20-34	1144	4.3	3	2	3	4	5	6	7	11
35-49	266	4.5	4	2	3	4	5	6	8	11
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	2.1	2	<1	1	2	3	4	4	5
B. Operated	1067	3.6	2	1	3	4	5	5	6	8
2. MULTIPLE DX										
A. Not Operated	18	2.6	3	1	1	2	3	5	7	7
B. Operated	1471	4.3	3	2	3	4	5	6	7	11
1. SINGLE DX	1104	3.6	2	1	3	4	4	5	6	8
2. MULTIPLE DX	1489	4.3	3	2	3	4	5	6	7	11
A. Not Operated	55	2.2	2	1	1	2	3	4	5	7
B. Operated	2538	4.0	3	2	3	4	5	6	7	9
TOTAL										
0-19 YRS	138	3.7	3	1	3	4	5	6	6	9
20-34	2025	4.0	3	2	3	4	5	6	7	9
35-49	429	4.2	4	2	3	4	5	6	7	10
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	2593	4.0	3	2	3	4	5	6	7	9

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.4		<1	1	1	2	2	2	2
20-34	10	2.0	1	<1	1	2	3	4	4	4
35-49	9	1.6	1	<1	1	1	2	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	187	1.3		<1	<1	<1	1	2	2	5
20-34	152	1.3		<1	<1	<1	1	2	2	4
35-49	32	1.3	1	<1	<1	1	1	2	3	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	4	4
20-34	42	2.4	12	<1	1	1	2	4	10	18
35-49	11	1.9	1	<1	1	1	3	4	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	45	1.7	1	<1	<1	1	2	3	4	6
20-34	164	2.7	9	<1	1	2	3	5	9	16
35-49	73	2.4	4	<1	1	2	3	5	6	11
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	1.7	1	<1	1	1	2	3	3	4
B. Operated	371	1.3		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	61	2.2	8	<1	1	1	2	4	6	18
B. Operated	282	2.5	7	<1	1	2	3	5	6	15
1. SINGLE DX	398	1.3		<1	<1	<1	1	2	3	4
2. MULTIPLE DX	343	2.4	7	<1	1	1	3	5	6	15
A. Not Operated	88	2.0	6	<1	1	1	2	3	4	17
B. Operated	653	1.8	3	<1	<1	1	2	3	5	10
TOTAL										
0-19 YRS	248	1.4	1	<1	<1	1	1	2	3	5
20-34	368	2.0	6	<1	<1	1	2	4	5	15
35-49	125	2.0	3	<1	1	1	3	4	5	10
50-64	0									
65+	0									
GRAND TOTAL	**741**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
A. Not Operated	0									
B. Operated	2	2.5	1	2	2	2	3	3	3	3
TOTAL										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	0									
50-64	0									
65+	0									
GRAND TOTAL	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	1.5	1	<1	1	1	2	3	3	4
20-34	331	1.4	1	<1	1	1	2	3	3	5
35-49	56	1.6	1	<1	1	1	2	3	4	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	517	1.2		<1	<1	1	1	2	2	4
20-34	3507	1.1	1	<1	<1	1	1	1	2	4
35-49	849	1.1		<1	<1	1	1	1	2	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	2.0	2	<1	1	2	2	4	5	5
20-34	104	2.1	4	1	1	1	2	4	5	13
35-49	11	2.8	6	<1	1	2	4	7	8	8
50-64	0									
65+	0									
B. Operated										
0-19 YRS	96	2.0	3	<1	1	1	2	5	6	8
20-34	782	1.8	2	<1	1	1	2	3	5	8
35-49	250	1.6	2	<1	1	1	2	3	4	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	472	1.5	1	<1	1	1	2	3	3	5
B. Operated	4874	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	136	2.1	4	1	1	2	2	4	5	10
B. Operated	1129	1.7	2	<1	1	1	2	3	5	8
1. SINGLE DX	5346	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1265	1.8	3	<1	1	1	2	3	5	8
A. Not Operated	608	1.6	2	<1	1	1	2	3	4	6
B. Operated	6003	1.3	1	<1	<1	1	1	2	3	5
TOTAL										
0-19 YRS	719	1.4	1	<1	1	1	1	2	3	5
20-34	4724	1.3	1	<1	<1	1	1	2	3	5
35-49	1166	1.2	1	<1	<1	1	1	2	2	5
50-64	2	1.0		1	1	1	1	1	1	1
65+	0									
GRAND TOTAL	**6611**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	2.8	3	1	1	3	4	5	6	9
20-34	170	2.1	4	<1	1	1	3	4	5	9
35-49	34	2.0	3	1	1	1	2	5	6	7
50-64	0									
65+	0									
B. Operated										
0-19 YRS	70	1.6	1	<1	<1	1	2	3	4	6
20-34	803	1.3	1	<1	<1	1	1	2	3	5
35-49	171	1.1		<1	<1	1	1	2	2	3
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	3.7	5	1	2	3	6	7	8	8
20-34	82	2.8	6	1	1	2	4	5	8	13
35-49	19	3.2	10	1	1	2	5	9	10	11
50-64	0									
65+	0									
B. Operated										
0-19 YRS	38	2.9	7	1	1	2	3	6	10	13
20-34	276	2.2	4	<1	1	1	3	5	7	10
35-49	96	2.7	9	<1	1	2	3	6	8	19
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	251	2.2	3	<1	1	2	3	4	5	9
B. Operated	1044	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	123	3.1	6	1	1	2	4	6	8	12
B. Operated	410	2.4	6	<1	1	1	3	5	7	12
1, SINGLE DX	1295	1.5	2	<1	<1	1	1	3	4	7
2. MULTIPLE DX	533	2.6	6	<1	1	2	3	6	7	11
A. Not Operated	374	2.5	5	1	1	2	3	5	6	10
B. Operated	1454	1.6	2	<1	<1	1	1	3	4	9
TOTAL										
0-19 YRS	177	2.5	4	<1	1	2	3	5	6	10
20-34	1331	1.7	3	<1	<1	1	2	3	5	8
35-49	320	1.8	4	<1	<1	1	2	4	6	11
50-64	0									
65+	0									
GRAND TOTAL	**1828**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	1.5	1	<1	1	1	2	3	3	4
20-34	352	1.8	2	<1	1	1	2	3	4	7
35-49	28	1.6	1	<1	1	1	2	3	4	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	6	1.2		<1	1	1	1	2	2	2
20-34	14	1.4		<1	1	1	2	2	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.2	2	<1	1	2	3	4	5	5
20-34	99	2.3	3	<1	1	2	3	5	6	8
35-49	25	2.3	2	1	1	2	3	4	6	6
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	11	2.6	4	<1	1	2	4	6	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	426	1.7	1	<1	1	1	2	3	4	7
B. Operated	21	1.3		<1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	137	2.3	3	<1	1	2	3	5	6	7
B. Operated	15	2.5	3	1	1	2	4	5	6	7
1. SINGLE DX	447	1.7	1	<1	1	1	2	3	4	7
2. MULTIPLE DX	152	2.3	3	<1	1	2	3	5	6	7
A. Not Operated	563	1.9	2	<1	1	1	2	3	4	7
B. Operated	36	1.8	2	<1	1	1	2	4	5	7
TOTAL										
0-19 YRS	68	1.6	1	<1	1	1	2	3	4	5
20-34	476	1.9	2	<1	1	1	2	3	5	7
35-49	55	1.9	2	1	1	1	3	4	5	6
50-64	0									
65+	0									
GRAND TOTAL	**599**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	54	2.1	2	1	1	2	2	4	5	7
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.2	5	<1	1	1	3	6	6	6
20-34	20	3.0	3	1	2	3	4	5	6	7
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.0	2	1	1	2	2	4	5	7
B. Operated	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	25	2.8	3	1	1	3	4	6	6	7
B. Operated	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	68	1.9	2	<1	1	2	2	4	5	7
2. MULTIPLE DX	26	2.8	3	1	1	3	4	6	6	7
A. Not Operated	89	2.2	2	1	1	2	3	5	6	7
B. Operated	5	1.6	2	<1	<1	1	2	4	4	4
TOTAL										
0-19 YRS	12	1.6	2	<1	<1	1	2	3	6	6
20-34	79	2.3	2	1	1	2	3	5	6	7
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	0									
65+	0									
GRAND TOTAL	**94**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**6**	**7**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	2.8	5	<1	1	2	3	6	8	13
20-34	579	2.8	5	1	2	2	3	5	6	9
35-49	90	3.2	6	1	2	2	4	7	8	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.7		1	1	2	2	2	2	2
20-34	72	2.6	2	<1	1	2	3	4	5	6
35-49	19	3.6	39	<1	1	1	4	7	19	28
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	3.3	19	<1	1	2	3	6	9	24
20-34	225	3.3	8	1	2	2	4	6	8	17
35-49	45	3.6	5	1	2	3	5	7	8	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	3.5	11	<1	1	2	5	9	10	10
20-34	87	2.4	6	<1	1	2	3	5	6	15
35-49	11	6.9	72	<1	1	5	6	23	26	26
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	732	2.8	5	1	2	2	3	5	7	10
B. Operated	97	2.7	9	<1	1	2	3	5	6	18
2. MULTIPLE DX										
A. Not Operated	297	3.4	9	1	2	3	4	6	8	17
B. Operated	108	2.9	14	<1	1	2	3	6	8	23
1. SINGLE DX	829	2.8	5	1	2	2	3	5	6	10
2. MULTIPLE DX	405	3.2	10	<1	1	2	4	6	8	19
A. Not Operated	1029	3.0	6	1	2	2	4	6	7	14
B. Operated	205	2.8	12	<1	1	2	3	5	7	23
TOTAL										
0-19 YRS	106	2.9	9	<1	1	2	3	6	8	18
20-34	963	2.8	5	1	1	2	3	5	6	11
35-49	165	3.6	14	1	2	2	4	7	8	25
50-64	0									
65 +	0									
GRAND TOTAL	**1234**	**3.0**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	153	3.1	4	1	2	3	4	5	7	9
20-34	1100	3.7	7	2	2	3	4	6	9	14
35-49	67	4.2	12	1	2	3	5	7	13	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	13	7.9	78	1	2	5	11	22	27	28
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	3.3	5	1	2	3	4	6	7	11
20-34	592	4.0	14	1	2	3	5	7	9	22
35-49	28	4.7	8	2	2	4	7	9	11	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	3.6	1	2	3	4	4	5	5	5
20-34	29	4.5	16	1	2	3	5	12	14	15
35-49	3	5.7	32	1	2	4	10	12	12	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1320	3.6	7	1	2	3	4	6	8	14
B. Operated	14	7.4	75	<1	1	4	8	22	27	28
2. MULTIPLE DX										
A. Not Operated	713	3.9	12	1	2	3	5	7	9	21
B. Operated	37	4.5	15	1	2	3	5	11	14	15
1. SINGLE DX	1334	3.7	8	1	2	3	4	6	9	16
2. MULTIPLE DX	750	3.9	12	1	2	3	5	7	9	21
A. Not Operated	2033	3.7	9	1	2	3	4	6	9	16
B. Operated	51	5.3	32	1	2	3	7	14	18	28
TOTAL										
0-19 YRS	252	3.2	4	1	2	3	4	6	7	11
20-34	1734	3.8	10	1	2	3	4	7	9	19
35-49	98	4.4	11	1	2	4	5	8	12	18
50-64	0									
65 +	0									
GRAND TOTAL	**2084**	**3.8**	**9**	**1**	**2**	**3**	**4**	**7**	**9**	**16**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	286	1.1	1	<1	<1	<1	1	1	1	4
20-34	1359	1.1		<1	<1	<1	1	1	1	3
35-49	117	1.0		<1	<1	<1	1	1	1	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	114	1.1		<1	<1	<1	1	1	1	5
20-34	720	1.0		<1	<1	<1	1	1	1	3
35-49	76	1.1		<1	<1	<1	1	1	1	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	1.1		<1	<1	<1	1	1	2	4
20-34	227	1.3	1	<1	<1	1	1	2	3	6
35-49	15	1.3	1	<1	<1	1	1	2	3	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	19	1.0		<1	<1	1	1	1	1	1
20-34	82	1.4	2	<1	<1	<1	1	2	4	10
35-49	22	2.2	9	<1	<1	1	1	7	11	12
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1762	1.1		<1	<1	<1	1	1	1	3
B. Operated	910	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX										
A. Not Operated	283	1.3	1	<1	<1	1	1	2	3	6
B. Operated	123	1.5	3	<1	<1	1	1	2	4	11
1. SINGLE DX	2672	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX	406	1.4	2	<1	<1	1	1	2	3	9
A. Not Operated	2045	1.1	1	<1	<1	<1	1	1	2	4
B. Operated	1033	1.1	1	<1	<1	<1	1	1	1	4
TOTAL										
0-19 YRS	460	1.1	1	<1	<1	<1	1	1	1	5
20-34	2388	1.1		<1	<1	<1	1	1	2	4
35-49	230	1.2	1	<1	<1	<1	1	1	1	7
50-64	0									
65+	0									
GRAND TOTAL	**3078**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.5		<1	1	1	2	2	2	2
20-34	165	3.5	21	1	1	2	4	6	9	29
35-49	23	3.4	8	1	1	2	4	7	9	13
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	43	3.2	8	1	1	2	4	7	10	13
35-49	11	2.9	11	1	1	2	2	8	12	12
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	5.3	24	1	2	4	8	14	14	14
20-34	92	5.7	56	1	2	4	5	13	23	41
35-49	16	3.2	10	1	1	2	4	6	11	13
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	29	4.2	8	1	2	4	7	8	9	10
35-49	7	7.0	28	2	3	5	12	15	15	15
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	3.4	19	1	1	2	4	7	9	24
B. Operated	56	3.1	8	1	1	2	4	7	10	13
2. MULTIPLE DX										
A. Not Operated	117	5.3	47	1	2	3	5	13	14	37
B. Operated	36	4.7	12	1	2	4	7	9	13	15
1. SINGLE DX	252	3.4	17	1	1	2	4	7	9	14
2. MULTIPLE DX	153	5.2	39	1	2	4	6	12	14	31
A. Not Operated	313	4.1	30	1	1	3	4	8	13	31
B. Operated	92	3.7	10	1	1	2	5	8	10	15
TOTAL										
0-19 YRS	19	3.4	14	1	1	2	3	10	14	14
20-34	329	4.1	29	1	1	3	5	8	12	31
35-49	57	3.7	12	1	1	2	5	7	13	15
50-64	0									
65+	0									
GRAND TOTAL	**405**	**4.0**	**26**	**1**	**1**	**3**	**5**	**8**	**13**	**30**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	2.2	14	<1	<1	1	2	3	5	23
20-34	291	1.8	2	<1	1	1	2	3	5	8
35-49	22	1.4		<1	1	1	2	2	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	8	2.4	7	<1	<1	1	2	7	9	9
20-34	54	1.8	2	<1	1	1	2	4	5	6
35-49	11	1.4	1	<1	1	1	1	3	3	3
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.0	1	<1	1	2	2	4	5	6
20-34	141	3.0	11	<1	1	2	4	6	10	17
35-49	20	3.0	3	1	2	3	4	6	7	7
50-64	0									
65+	0									
B. Operated										
0-19 YRS	7	5.0	46	<1	1	3	5	17	20	20
20-34	25	7.4	377	1	1	2	4	13	44	97
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	348	1.8	3	<1	1	1	2	3	5	8
B. Operated	73	1.8	2	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	188	2.8	9	<1	1	2	4	6	8	16
B. Operated	35	6.4	278	<1	1	2	4	13	24	97
1. SINGLE DX	421	1.8	3	<1	1	1	2	3	5	8
2. MULTIPLE DX	223	3.4	52	<1	1	2	4	6	10	25
A. Not Operated	536	2.2	5	<1	1	1	2	4	6	11
B. Operated	108	3.3	94	<1	1	1	3	5	7	56
TOTAL										
0-19 YRS	77	2.4	12	<1	1	2	2	4	6	22
20-34	511	2.4	24	<1	1	1	3	4	6	14
35-49	56	1.9	2	<1	1	1	3	4	5	7
50-64	0									
65+	0									
GRAND TOTAL	**644**	**2.4**	**20**	**<1**	**1**	**1**	**2**	**4**	**6**	**15**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	2.8	3	1	1	2	4	5	6	7
20-34	229	3.0	3	1	2	3	4	5	6	8
35-49	9	2.9	2	1	2	3	4	5	5	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	9	2.3	4	<1	1	2	3	5	7	7
20-34	20	2.7	4	<1	1	2	4	6	6	7
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	198	3.3	5	<1	1	3	5	6	8	12
20-34	596	3.2	8	<1	1	3	4	6	7	12
35-49	44	3.5	4	1	2	3	4	6	8	11
50-64	0									
65+	0									
B. Operated										
0-19 YRS	15	4.7	24	1	2	3	5	6	17	21
20-34	71	3.6	5	1	1	3	5	7	8	11
35-49	4	2.8	4	<1	<1	2	4	5	5	5
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	315	3.0	3	1	2	3	4	5	6	8
B. Operated	30	2.5	4	<1	1	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	838	3.2	7	<1	1	3	4	6	7	11
B. Operated	90	3.7	8	1	1	3	5	7	8	17
1. SINGLE DX	345	2.9	3	1	2	3	4	5	6	8
2. MULTIPLE DX	928	3.3	7	<1	1	3	4	6	7	11
A. Not Operated	1153	3.2	6	<1	2	3	4	6	7	11
B. Operated	120	3.4	7	<1	1	3	5	7	7	14
TOTAL										
0-19 YRS	299	3.2	6	<1	1	3	4	6	7	12
20-34	916	3.2	6	1	1	3	4	6	7	10
35-49	58	3.3	4	<1	2	3	4	6	7	11
50-64	0									
65+	0									
GRAND TOTAL	**1273**	**3.2**	**6**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	2.5	3	< 1	1	2	3	5	6	8
20-34	401	3.3	4	1	2	3	4	6	7	10
35-49	99	3.8	4	2	3	3	5	6	8	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	49	2.7	6	< 1	< 1	2	3	6	7	12
35-49	12	3.4	7	< 1	< 1	3	5	7	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	230	2.6	7	< 1	1	2	3	6	6	16
20-34	1307	3.1	9	< 1	1	2	4	6	7	15
35-49	176	3.6	7	1	2	3	5	7	9	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	35	3.2	8	< 1	1	2	4	6	8	15
20-34	198	4.0	28	< 1	1	2	5	9	12	29
35-49	31	4.7	27	< 1	1	3	6	11	14	25
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	535	3.3	4	1	2	3	4	6	7	10
B. Operated	65	2.8	6	< 1	< 1	2	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	1713	3.1	9	< 1	1	2	4	6	7	15
B. Operated	264	4.0	25	< 1	1	2	5	8	13	25
1. SINGLE DX	600	3.3	4	1	2	3	4	6	7	10
2. MULTIPLE DX	1977	3.2	11	< 1	1	2	4	6	8	17
A. Not Operated	2248	3.1	8	< 1	1	2	4	6	7	13
B. Operated	329	3.8	22	< 1	1	2	4	8	11	24
TOTAL										
0-19 YRS	304	2.7	7	< 1	1	2	3	6	7	15
20-34	1955	3.2	10	< 1	1	2	4	6	8	16
35-49	318	3.7	8	1	2	3	5	7	9	14
50-64	0									
65 +	0									
GRAND TOTAL	**2577**	**3.2**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	408	1.9	6	< 1	< 1	1	2	4	5	14
20-34	2084	2.1	6	< 1	< 1	1	2	4	6	13
35-49	174	2.8	28	< 1	< 1	2	3	5	9	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	150	2.0	16	< 1	< 1	1	2	3	5	10
20-34	991	2.0	5	< 1	< 1	1	2	4	5	12
35-49	131	1.8	3	< 1	< 1	1	2	3	5	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	263	2.5	7	< 1	1	2	3	5	6	16
20-34	1412	3.2	27	< 1	1	2	3	6	9	21
35-49	165	4.0	42	< 1	1	2	4	7	12	39
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	115	3.3	51	< 1	< 1	2	3	5	7	51
20-34	791	3.0	23	< 1	< 1	1	3	6	8	25
35-49	112	2.9	8	< 1	1	2	4	6	10	15
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2666	2.1	8	< 1	< 1	1	2	4	6	13
B. Operated	1274	2.0	6	< 1	< 1	1	2	4	5	12
2. MULTIPLE DX										
A. Not Operated	1841	3.1	25	< 1	1	2	3	6	9	21
B. Operated	1019	3.0	25	< 1	< 1	1	3	6	9	25
1. SINGLE DX	3940	2.1	7	< 1	< 1	1	2	4	6	12
2. MULTIPLE DX	2860	3.1	25	< 1	1	2	3	6	9	23
A. Not Operated	4507	2.5	15	< 1	1	1	3	5	7	16
B. Operated	2293	2.4	14	< 1	< 1	1	3	5	7	16
TOTAL										
0-19 YRS	936	2.3	14	< 1	< 1	1	2	4	6	17
20-34	5278	2.5	14	< 1	< 1	1	3	5	7	16
35-49	582	2.9	23	< 1	1	2	3	5	9	17
50-64	4	2.8	5	1	1	2	4	6	6	6
65 +	0									
GRAND TOTAL	**6800**	**2.5**	**15**	**<1**	**<1**	**1**	**3**	**5**	**7**	**16**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	2.7		2	2	3	3	3	4	4
20-34	701	2.6	1	2	2	3	3	3	4	5
35-49	90	2.6		2	2	3	3	3	3	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	64	3.0	1	2	2	3	3	4	5	9
20-34	460	2.9	1	2	2	3	3	4	5	6
35-49	70	3.1	1	2	3	3	3	5	5	8
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	128	2.7	1	2	2	3	3	4	4	7
20-34	901	2.7	1	2	2	3	3	4	4	5
35-49	119	2.8	1	2	2	3	3	4	4	6
50-64	0									
65+	0									
B. Operated										
0-19 YRS	189	3.5	11	2	2	3	4	5	7	16
20-34	1806	3.8	15	2	2	3	4	5	7	15
35-49	299	4.1	11	2	3	3	5	6	8	27
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	891	2.6		2	2	3	3	3	4	4
B. Operated	594	2.9	1	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	1148	2.7	1	2	2	3	3	4	4	6
B. Operated	2294	3.8	14	2	2	3	4	6	7	16
1. SINGLE DX	1485	2.7	1	2	2	3	3	4	4	5
2. MULTIPLE DX	3442	3.4	10	2	2	3	4	5	6	13
A. Not Operated	2039	2.7	1	2	2	3	3	3	4	5
B. Operated	2888	3.6	11	2	2	3	4	5	7	14
TOTAL										
0-19 YRS	481	3.1	5	2	2	3	3	4	5	9
20-34	3868	3.2	7	2	2	3	3	5	6	11
35-49	578	3.5	7	2	2	3	4	5	6	14
50-64	0									
65+	0									
GRAND TOTAL	**4927**	**3.2**	**7**	**2**	**2**	**3**	**3**	**5**	**6**	**11**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1970	2.4	1	2	2	2	3	3	4	4
20-34	16627	2.4		2	2	2	3	3	3	4
35-49	1585	2.5	1	2	2	2	3	3	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	781	2.5	1	2	2	2	3	3	4	4
20-34	6765	2.5		2	2	3	3	3	4	4
35-49	632	2.6	1	2	2	3	3	3	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	2.5	1	1	2	3	3	3	4	5
20-34	748	2.5	1	2	2	2	3	3	4	5
35-49	67	2.6	1	2	2	3	3	3	4	6
50-64	0									
65+	0									
B. Operated										
0-19 YRS	62	2.3		2	2	2	3	3	3	4
20-34	1757	2.8	1	2	2	3	3	4	4	5
35-49	301	3.1	1	2	3	3	3	4	5	6
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20182	2.4	1	2	2	2	3	3	3	4
B. Operated	8178	2.5		2	2	3	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	912	2.5	1	2	2	2	3	3	4	5
B. Operated	2120	2.8	1	2	2	3	3	4	4	5
1. SINGLE DX	28360	2.5		2	2	2	3	3	3	4
2. MULTIPLE DX	3032	2.7	1	2	2	3	3	4	4	5
A. Not Operated	21094	2.4	1	2	2	2	3	3	3	4
B. Operated	10298	2.6	1	2	2	3	3	3	4	4
TOTAL										
0-19 YRS	2910	2.5	1	2	2	2	3	3	4	4
20-34	25897	2.5	1	2	2	2	3	3	4	4
35-49	2585	2.6	1	2	2	3	3	3	4	5
50-64	0									
65+	0									
GRAND TOTAL	**31392**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**4**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	2.7	1	1	2	3	3	4	5	5
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	57	5.4	22	3	4	5	5	7	11	33
35-49	12	4.7	1	3	4	5	5	6	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	24	2.8	1	2	2	3	3	4	4	4
35-49	2	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	5.5	14	3	3	4	8	11	11	11
20-34	269	9.1	150	3	4	5	7	20	34	69
35-49	74	9.7	91	4	5	6	10	23	36	88
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.8	1	1	2	3	3	4	5	5
B. Operated	71	5.3	18	3	4	5	5	7	10	31
2. MULTIPLE DX										
A. Not Operated	29	3.0	1	2	2	3	3	4	4	6
B. Operated	347	9.2	135	3	4	5	8	20	34	70
1. SINGLE DX	84	4.9	16	2	3	4	5	6	9	29
2. MULTIPLE DX	376	8.7	128	3	4	5	7	20	32	68
A. Not Operated	42	2.9	1	2	2	3	3	4	5	6
B. Operated	418	8.5	118	3	4	5	7	19	29	65
TOTAL										
0-19 YRS	9	4.7	8	2	3	4	6	9	11	11
20-34	360	7.9	120	3	4	5	6	15	27	63
35-49	91	8.7	79	4	4	5	8	19	33	80
50-64	0									
65 +	0									
GRAND TOTAL	**460**	**8.0**	**110**	**3**	**4**	**5**	**7**	**16**	**27**	**63**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.0	1	<1	1	2	3	3	3	3
20-34	49	2.2	1	1	2	2	3	3	3	4
35-49	6	2.3	1	1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	4.1	3	2	3	4	5	7	7	7
20-34	90	4.0	8	2	3	4	4	5	6	19
35-49	6	2.5	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.7	2	2	2	2	3	5	6	6
20-34	90	2.8	4	1	2	2	3	5	6	14
35-49	13	3.9	10	1	2	3	5	9	11	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	27	5.1	19	1	3	4	6	8	12	24
20-34	401	4.8	17	2	3	4	5	7	11	23
35-49	61	5.5	29	2	3	5	6	8	10	37
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.2	1	1	2	2	3	3	3	4
B. Operated	105	3.9	7	2	3	4	4	5	6	17
2. MULTIPLE DX										
A. Not Operated	110	3.0	5	1	2	2	3	5	6	13
B. Operated	489	4.9	18	2	3	4	5	7	11	24
1. SINGLE DX	167	3.3	5	1	2	3	4	5	5	8
2. MULTIPLE DX	599	4.6	16	2	3	4	5	7	10	23
A. Not Operated	172	2.7	3	1	2	2	3	4	6	13
B. Operated	594	4.7	17	2	3	4	5	7	10	24
TOTAL										
0-19 YRS	50	4.2	12	1	2	4	5	7	8	24
20-34	630	4.2	13	2	2	4	5	6	9	21
35-49	86	4.8	23	2	3	4	5	8	10	33
50-64	0									
65 +	0									
GRAND TOTAL	**766**	**4.3**	**14**	**2**	**2**	**4**	**5**	**6**	**9**	**23**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	14	2.6	1	1	2	3	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	2.2	1	1	2	2	3	3	3	3
20-34	227	2.5	1	1	2	2	3	3	4	5
35-49	21	2.7	1	1	2	3	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	13	4.0	30	2	2	2	3	8	19	22
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	3.0	1	2	2	3	4	4	5	5
20-34	192	2.9	2	2	2	3	3	4	5	9
35-49	31	2.9	2	2	2	3	3	4	6	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.5	1	1	1	3	3	4	4	4
B. Operated	265	2.5	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	18	3.7	21	2	2	3	3	4	15	22
B. Operated	247	2.9	2	2	2	3	3	4	5	9
1. SINGLE DX	280	2.5	1	1	2	3	3	3	4	5
2. MULTIPLE DX	265	3.0	3	2	2	3	3	4	5	9
A. Not Operated	33	3.1	12	1	2	3	3	4	4	22
B. Operated	512	2.7	1	2	2	3	3	4	4	7
TOTAL										
0-19 YRS	45	2.7	1	2	2	3	3	4	4	5
20-34	446	2.7	2	2	2	3	3	4	4	7
35-49	54	2.8	1	2	2	3	3	4	4	7
50-64	0									
65 +	0									
GRAND TOTAL	**545**	**2.7**	**2**	**2**	**2**	**3**	**3**	**4**	**4**	**7**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.5	1	1	2	2	3	4	4	4
20-34	98	2.4	1	1	2	2	3	3	4	5
35-49	8	2.5		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	65	2.6	1	2	2	3	3	3	4	6
35-49	7	2.9		2	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.2		2	2	2	3	3	3	3
20-34	80	2.7	1	2	2	3	3	4	4	5
35-49	10	2.7		2	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	21	2.8	1	1	2	3	3	4	5	5
20-34	116	3.6	9	2	2	3	4	5	8	22
35-49	17	7.2	256	2	3	3	4	6	47	69
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	2.4	1	2	2	2	3	3	4	5
B. Operated	75	2.6	1	2	2	3	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	107	2.6	1	2	2	3	3	4	4	5
B. Operated	154	3.8	35	2	2	3	4	5	7	25
1. SINGLE DX	191	2.5	1	2	2	2	3	3	4	5
2. MULTIPLE DX	261	3.4	21	2	2	3	3	4	6	20
A. Not Operated	223	2.5	1	2	2	2	3	4	4	5
B. Operated	229	3.4	24	2	2	3	3	4	6	22
TOTAL										
0-19 YRS	51	2.5	1	2	2	2	3	4	4	5
20-34	359	2.9	4	2	2	3	3	4	5	11
35-49	42	4.5	105	2	2	3	3	4	6	69
50-64	0									
65 +	0									
GRAND TOTAL	**452**	**3.0**	**13**	**2**	**2**	**3**	**3**	**4**	**5**	**11**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	37	3.1	1	2	3	3	4	4	5	5
35-49	5	2.8		2	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	37	3.8	1	3	3	4	4	5	6	6
35-49	8	6.0	17	3	4	5	6	13	16	16
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.4	1	2	3	3	4	5	5	5
20-34	67	4.0	20	2	2	3	4	6	8	29
35-49	7	3.7	1	2	3	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	5.8	5	3	4	5	7	9	11	12
20-34	451	5.1	22	3	3	5	5	6	8	33
35-49	76	5.9	25	3	3	5	6	9	16	34
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.1	1	2	3	3	3	4	5	5
B. Operated	48	4.1	4	3	3	4	5	6	6	16
2. MULTIPLE DX										
A. Not Operated	79	3.9	17	2	2	3	4	6	7	29
B. Operated	546	5.2	22	3	3	5	5	7	9	33
1. SINGLE DX	90	3.6	3	2	3	3	4	5	6	12
2. MULTIPLE DX	625	5.0	21	2	3	4	5	7	9	31
A. Not Operated	121	3.6	11	2	2	3	4	5	6	26
B. Operated	594	5.1	20	3	3	5	5	7	9	29
TOTAL										
0-19 YRS	27	5.0	5	3	3	5	6	8	9	12
20-34	592	4.7	19	2	3	4	5	6	8	28
35-49	96	5.6	22	3	3	5	6	8	15	31
50-64	0									
65 +	0									
GRAND TOTAL	**715**	**4.9**	**19**	**2**	**3**	**4**	**5**	**6**	**8**	**27**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.0	9	2	2	3	5	9	9	9
20-34	69	3.0	2	1	2	3	4	5	5	5
35-49	4	2.3	2	< 1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	88	4.0	1	3	4	4	4	5	6	9
20-34	989	4.2	1	3	4	4	5	5	6	6
35-49	91	4.1	1	3	4	4	5	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.7	14	2	2	3	7	9	9	9
20-34	40	2.9	1	1	2	3	4	4	5	5
35-49	8	2.1	1	< 1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	115	4.8	3	3	4	5	5	6	8	11
20-34	1600	4.6	4	3	4	4	5	6	7	11
35-49	276	5.2	12	3	4	5	5	7	9	24
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	3.0	2	1	2	3	4	5	5	8
B. Operated	1168	4.1	1	3	4	4	5	5	6	6
2. MULTIPLE DX										
A. Not Operated	51	2.9	2	1	2	3	4	4	5	9
B. Operated	1992	4.7	5	3	4	5	5	6	7	12
1. SINGLE DX	1246	4.1	1	3	4	4	5	5	6	6
2. MULTIPLE DX	2043	4.7	5	3	4	4	5	6	7	11
A. Not Operated	129	2.9	2	1	2	3	4	5	5	9
B. Operated	3160	4.5	4	3	4	4	5	6	6	10
TOTAL										
0-19 YRS	211	4.5	2	3	4	4	5	6	8	10
20-34	2698	4.4	3	3	4	4	5	6	6	9
35-49	379	4.8	9	3	4	5	5	6	7	17
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**3289**	**4.4**	**4**	**3**	**4**	**4**	**5**	**6**	**6**	**10**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.3	1	1	2	2	3	3	4	4
20-34	211	2.4	1	2	2	2	3	3	3	5
35-49	21	2.3	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	38	3.3	2	2	2	3	4	5	6	6
20-34	410	3.5	1	2	3	3	5	5	5	6
35-49	36	3.7	2	2	3	4	5	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.1		1	2	2	2	3	4	4
20-34	189	2.8	2	2	2	3	3	4	4	10
35-49	22	2.5		1	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	177	4.5	8	2	3	4	5	6	9	17
20-34	1962	4.3	3	2	3	4	5	6	7	10
35-49	301	4.7	3	3	4	5	5	7	7	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	253	2.4	1	2	2	2	3	3	3	4
B. Operated	484	3.5	2	2	3	3	5	5	5	6
2. MULTIPLE DX										
A. Not Operated	225	2.7	2	2	2	3	3	4	4	8
B. Operated	2440	4.3	3	2	3	4	5	6	7	11
1. SINGLE DX	737	3.1	1	2	2	3	4	5	5	6
2. MULTIPLE DX	2665	4.2	3	2	3	4	5	6	7	11
A. Not Operated	478	2.5	1	2	2	2	3	3	4	7
B. Operated	2924	4.2	3	2	3	4	5	6	7	10
TOTAL										
0-19 YRS	250	4.0	6	2	3	4	5	6	7	16
20-34	2772	3.9	3	2	3	4	5	6	6	9
35-49	380	4.4	3	2	3	4	5	6	7	10
50-64	0									
65 +	0									
GRAND TOTAL	**3402**	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	19	3.4	2	2	2	3	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	57	4.6	1	4	4	5	5	6	6	8
20-34	509	4.5	1	4	4	5	5	6	6	7
35-49	46	4.7	1	4	4	5	5	6	6	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.0	9	2	3	5	7	8	8	8
20-34	34	3.6	2	2	3	3	5	5	6	7
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	326	5.3	4	4	4	5	6	8	9	15
20-34	3240	4.9	2	4	4	5	5	6	7	10
35-49	376	5.3	4	4	4	5	6	7	8	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	3.3	2	2	2	3	5	5	5	5
B. Operated	613	4.6	1	4	4	5	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	39	3.7	2	2	3	3	5	5	7	8
B. Operated	3942	5.0	2	4	4	5	5	6	7	10
1. SINGLE DX	635	4.5	1	4	4	5	5	6	6	7
2. MULTIPLE DX	3981	5.0	2	4	4	5	5	6	7	10
A. Not Operated	61	3.6	2	2	2	3	5	5	6	8
B. Operated	4555	4.9	2	4	4	5	5	6	7	10
TOTAL										
0-19 YRS	388	5.2	4	4	4	5	6	7	9	14
20-34	3802	4.9	2	4	4	5	5	6	7	9
35-49	425	5.3	3	4	4	5	6	7	8	12
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**4616**	**4.9**	**2**	**4**	**4**	**5**	**5**	**6**	**7**	**10**

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	2.7	1	2	2	3	3	4	4	5
20-34	458	2.6	1	2	2	3	3	3	4	4
35-49	46	2.8	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	125	3.4	1	2	3	3	4	5	5	7
20-34	1101	3.6	2	2	3	3	5	5	6	6
35-49	126	3.5	1	2	3	3	4	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	2.8	1	2	2	3	3	4	4	7
20-34	428	2.8	1	2	2	3	3	4	4	5
35-49	51	2.8	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	352	4.5	6	2	3	4	5	7	8	13
20-34	3619	4.1	3	2	3	4	5	6	6	9
35-49	470	4.3	3	2	3	4	5	6	7	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	564	2.6	1	2	2	3	3	4	4	5
B. Operated	1352	3.6	2	2	3	3	5	5	6	6
2. MULTIPLE DX										
A. Not Operated	539	2.8	1	2	2	3	3	4	4	5
B. Operated	4441	4.2	3	2	3	4	5	6	7	9
1. SINGLE DX	1916	3.3	1	2	2	3	4	5	6	6
2. MULTIPLE DX	4980	4.0	3	2	3	4	5	6	6	9
A. Not Operated	1103	2.7	1	2	2	3	3	4	4	5
B. Operated	5793	4.0	3	2	3	4	5	6	6	9
TOTAL										
0-19 YRS	597	3.9	4	2	3	3	5	6	7	12
20-34	5606	3.8	2	2	3	4	5	6	6	8
35-49	693	4.0	2	2	3	4	5	6	6	9
50-64	0									
65 +	0									
GRAND TOTAL	**6896**	**3.8**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	1	<1	1	2	3	4	4	4
20-34	71	2.9	1	2	2	3	3	4	5	6
35-49	25	2.4	1	2	2	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	3.4	1	2	2	3	4	5	5	5
20-34	180	3.8	2	2	3	4	5	5	6	6
35-49	28	3.5	2	2	2	3	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.7	2	1	2	3	4	4	4	4
20-34	103	3.2	3	2	2	3	4	5	6	11
35-49	11	3.2	2	1	2	3	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	51	4.1	2	2	3	4	5	6	6	8
20-34	588	4.4	10	2	3	4	5	6	7	13
35-49	157	5.5	55	3	3	5	5	7	10	34
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	2.7	1	2	2	3	3	4	5	6
B. Operated	228	3.7	2	2	3	4	5	5	6	6
2. MULTIPLE DX										
A. Not Operated	121	3.2	3	2	2	3	4	5	6	10
B. Operated	797	4.6	18	2	3	4	5	6	7	17
1. SINGLE DX	329	3.4	2	2	2	3	4	5	6	6
2. MULTIPLE DX	918	4.4	16	2	3	4	5	6	7	16
A. Not Operated	222	3.0	2	2	2	3	3	5	5	7
B. Operated	1025	4.4	15	2	3	4	5	6	7	13
TOTAL										
0-19 YRS	83	3.7	2	2	3	4	5	6	6	8
20-34	942	4.0	7	2	3	4	5	6	6	11
35-49	221	4.8	40	2	3	4	5	6	8	26
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**1247**	**4.2**	**13**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.5	1	1	2	2	3	4	5	5
20-34	437	2.7	1	2	2	3	3	4	4	5
35-49	62	2.7	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	117	4.0	1	3	3	4	5	5	6	7
20-34	3131	4.1	1	3	4	4	5	5	6	6
35-49	397	4.3	1	3	4	4	5	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.7	1	2	2	3	3	4	4	4
20-34	236	2.9	2	2	2	3	3	4	5	8
35-49	20	2.8	1	1	2	3	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	134	4.5	2	3	4	4	5	6	7	9
20-34	6265	4.5	2	3	4	4	5	6	6	9
35-49	1212	4.8	3	3	4	5	5	6	7	10
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	509	2.7	1	2	2	3	3	4	4	5
B. Operated	3645	4.2	1	3	4	4	5	5	6	6
2. MULTIPLE DX										
A. Not Operated	263	2.9	1	2	2	3	3	4	5	8
B. Operated	7612	4.5	2	3	4	4	5	6	7	9
1. SINGLE DX	4154	4.0	1	3	3	4	5	5	6	6
2. MULTIPLE DX	7875	4.5	2	3	4	4	5	6	6	9
A. Not Operated	772	2.8	1	2	2	3	3	4	4	6
B. Operated	11257	4.4	2	3	4	4	5	6	6	8
TOTAL										
0-19 YRS	268	4.2	2	3	3	4	5	6	6	8
20-34	10069	4.2	2	3	4	4	5	6	6	8
35-49	1691	4.6	3	3	4	5	5	6	7	9
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**12029**	**4.3**	**2**	**3**	**4**	**4**	**5**	**6**	**6**	**8**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	2.9	1	2	2	3	3	4	4	7
20-34	925	2.7	1	2	2	3	3	4	4	5
35-49	76	3.0	1	2	2	3	3	4	4	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	107	2.9	2	2	2	3	3	4	4	9
20-34	893	2.9	1	2	2	3	3	4	4	6
35-49	106	2.9	1	2	2	3	3	4	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	122	3.5	4	2	2	3	4	6	7	14
20-34	853	3.2	4	2	2	3	3	4	5	11
35-49	118	2.9	1	2	2	3	3	4	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	281	3.8	5	2	3	3	5	6	7	11
20-34	3346	3.8	6	2	3	3	5	6	7	13
35-49	490	3.9	5	2	3	3	5	6	7	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1090	2.7	1	2	2	3	3	4	4	6
B. Operated	1106	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	1093	3.2	3	2	2	3	4	4	5	11
B. Operated	4117	3.8	5	2	3	3	5	6	7	13
1. SINGLE DX	2196	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX	5210	3.7	5	2	3	3	4	6	7	12
A. Not Operated	2183	3.0	2	2	2	3	3	4	5	8
B. Operated	5223	3.6	5	2	3	3	4	6	6	11
TOTAL										
0-19 YRS	599	3.5	4	2	2	3	4	5	6	11
20-34	6017	3.4	4	2	2	3	4	5	6	10
35-49	790	3.5	4	2	2	3	4	5	6	11
50-64	0									
65 +	0									
GRAND TOTAL	**7406**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	251	2.3	1	1	2	2	3	3	3	4
20-34	2722	2.4	1	2	2	2	3	3	3	4
35-49	262	2.4	1	1	2	2	3	3	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	179	2.5	1	2	2	2	3	3	4	4
20-34	1965	2.6	1	2	2	3	3	3	4	4
35-49	187	2.7	1	2	2	3	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	110	2.6	1	2	2	3	3	4	5	6
20-34	941	2.5	1	2	2	2	3	3	4	5
35-49	109	2.4	1	2	2	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	207	2.8	1	2	2	3	3	4	5	7
20-34	2150	2.8	1	2	2	3	3	4	5	6
35-49	296	2.9	1	2	2	3	3	4	5	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3236	2.4	1	2	2	2	3	3	3	4
B. Operated	2331	2.6	1	2	2	3	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	1160	2.5	1	2	2	2	3	3	4	5
B. Operated	2654	2.8	1	2	2	3	3	4	5	7
1. SINGLE DX	5567	2.5	1	2	2	2	3	3	4	4
2. MULTIPLE DX	3814	2.7	1	2	2	3	3	4	5	6
A. Not Operated	4396	2.4	1	2	2	2	3	3	4	4
B. Operated	4985	2.7	1	2	2	3	3	4	4	6
TOTAL										
0-19 YRS	747	2.5	1	2	2	2	3	3	4	6
20-34	7778	2.6	1	2	2	3	3	3	4	5
35-49	854	2.7	1	2	2	3	3	4	4	6
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**9381**	**2.6**	**1**	**2**	**2**	**3**	**3**	**3**	**4**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	2.1	1	1	2	2	3	3	3	4
20-34	457	2.2	1	1	2	2	3	3	3	4
35-49	45	2.1		1	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	474	2.4	1	2	2	2	3	3	3	4
20-34	5809	2.4	1	2	2	2	3	3	3	4
35-49	801	2.4	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	2.5	2	1	2	2	3	3	4	11
20-34	275	2.4	1	1	2	2	3	3	4	5
35-49	27	2.5	1	1	2	3	3	3	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	376	2.7	1	2	2	3	3	4	5	8
20-34	4733	2.6	1	2	2	3	3	3	4	5
35-49	762	2.7	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	547	2.2	1	1	2	2	3	3	3	4
B. Operated	7084	2.4	1	2	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	342	2.4	1	1	2	2	3	3	4	7
B. Operated	5871	2.6	1	2	2	3	3	4	4	5
1. SINGLE DX	7631	2.3	1	2	2	2	3	3	3	4
2. MULTIPLE DX	6213	2.6	1	2	2	3	3	4	4	5
A. Not Operated	889	2.3	1	1	2	2	3	3	3	4
B. Operated	12955	2.5	1	2	2	2	3	3	4	5
TOTAL										
0-19 YRS	935	2.5	1	2	2	2	3	3	4	6
20-34	11274	2.4	1	2	2	2	3	3	4	4
35-49	1635	2.5	1	2	2	2	3	3	4	5
50-64	0									
65 +	0									
GRAND TOTAL	**13844**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**4**	**4**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.4	1	1	2	3	3	3	3	3
20-34	67	2.5		2	2	2	3	3	4	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	206	2.5		2	2	2	3	3	4	4
20-34	1618	2.6		2	2	3	3	3	4	4
35-49	124	2.6		2	2	3	3	3	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.2		2	2	2	2	3	3	3
20-34	42	2.7	1	2	2	3	3	4	4	6
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	195	3.0	1	2	2	3	3	4	5	9
20-34	1624	3.0	5	2	2	3	3	4	4	6
35-49	159	3.0	1	2	2	3	3	4	5	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	2.5		2	2	2	3	3	3	4
B. Operated	1949	2.6		2	2	3	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	52	2.7	1	2	2	3	3	4	4	6
B. Operated	1978	3.0	4	2	2	3	3	4	4	6
1. SINGLE DX	2025	2.6		2	2	3	3	3	4	4
2. MULTIPLE DX	2030	3.0	4	2	2	3	3	4	4	6
A. Not Operated	128	2.6	1	2	2	2	3	3	4	5
B. Operated	3927	2.8	2	2	2	3	3	4	4	6
TOTAL										
0-19 YRS	414	2.7	1	2	2	3	3	4	4	6
20-34	3351	2.8	3	2	2	3	3	4	4	5
35-49	289	2.8	1	2	2	3	3	4	4	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**4055**	**2.8**	**2**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.0	1	1	1	2	3	3	3	4
20-34	131	2.3	1	1	2	2	3	3	4	6
35-49	8	2.1		1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	99	2.4	1	1	2	2	3	3	3	6
20-34	634	2.4	1	2	2	2	3	3	4	5
35-49	44	2.5	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	2.8	1	1	2	3	3	4	5	6
20-34	83	2.5	1	2	2	2	3	4	4	7
35-49	5	2.4		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	100	2.6	1	2	2	2	3	4	4	6
20-34	689	2.8	2	2	2	3	3	4	5	8
35-49	90	3.0	2	2	2	3	3	4	5	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	171	2.2	1	1	2	2	3	3	4	5
B. Operated	777	2.4	1	2	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	110	2.6	1	2	2	2	3	4	4	7
B. Operated	879	2.8	1	2	2	3	3	4	5	8
1. SINGLE DX	948	2.4	1	1	2	2	3	3	4	5
2. MULTIPLE DX	989	2.8	1	2	2	3	3	4	4	8
A. Not Operated	281	2.3	1	1	2	2	3	3	4	6
B. Operated	1656	2.6	1	2	2	3	3	4	4	6
TOTAL										
0-19 YRS	253	2.4	1	1	2	2	3	3	4	6
20-34	1537	2.6	1	2	2	2	3	4	4	6
35-49	147	2.7	1	2	2	3	3	4	4	7
50-64	0									
65 +	0									
GRAND TOTAL	**1937**	**2.6**	**1**	**2**	**2**	**2**	**3**	**4**	**4**	**6**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	429	2.7	2	2	2	3	3	4	4	7
20-34	2710	2.5	1	2	2	2	3	3	4	6
35-49	294	2.7	12	1	2	2	3	4	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	607	3.0	1	2	2	3	3	5	5	7
20-34	4276	3.0	2	2	2	3	3	5	5	7
35-49	465	3.2	3	2	2	3	4	5	6	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	433	2.9	3	1	2	3	3	4	6	12
20-34	2652	2.9	6	1	2	3	3	4	5	12
35-49	359	3.3	15	1	2	3	3	5	7	24
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1440	4.3	8	2	3	4	5	7	9	15
20-34	12603	4.0	10	2	3	3	5	6	8	15
35-49	1863	4.6	23	2	3	4	5	7	9	23
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3433	2.6	2	2	2	2	3	4	4	6
B. Operated	5348	3.0	2	2	2	3	3	5	5	7
2. MULTIPLE DX										
A. Not Operated	3444	2.9	7	1	2	3	3	4	5	13
B. Operated	15908	4.1	11	2	3	4	5	6	8	16
1. SINGLE DX	8781	2.8	2	2	2	3	3	4	5	7
2. MULTIPLE DX	19352	3.9	11	2	2	3	5	6	8	16
A. Not Operated	6877	2.8	4	1	2	3	3	4	5	8
B. Operated	21256	3.9	9	2	2	3	5	6	7	14
TOTAL										
0-19 YRS	2909	3.6	6	2	2	3	4	6	7	13
20-34	22241	3.5	7	2	2	3	4	5	7	13
35-49	2981	4.1	19	2	2	3	5	6	8	20
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	**28133**	**3.6**	**8**	**2**	**2**	**3**	**4**	**6**	**7**	**13**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.3	2	3	3	4	5	6	6	6
20-34	73	3.5	3	2	3	3	4	6	7	10
35-49	9	3.2	2	1	2	3	4	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.4	2	2	2	3	4	5	7	7
20-34	81	4.4	7	2	3	4	5	7	10	14
35-49	6	3.8	1	3	3	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	9.3	24	2	6	11	12	12	12	12
20-34	11	8.0	42	3	3	6	10	17	24	25
35-49	2	9.5	41	5	5	9	14	14	14	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	3.6	3	2	3	3	4	6	7	10
B. Operated	6	6.7	15	2	4	6	10	12	12	12
2. MULTIPLE DX										
A. Not Operated	100	4.2	6	2	3	4	5	7	9	13
B. Operated	17	8.5	34	3	4	7	12	14	21	25
1. SINGLE DX	100	3.8	4	2	3	3	4	6	8	11
2. MULTIPLE DX	117	4.8	12	2	3	4	6	10	12	18
A. Not Operated	194	3.9	4	2	3	3	5	6	8	12
B. Operated	23	8.0	29	3	4	7	12	13	18	25
TOTAL										
0-19 YRS	30	4.8	9	2	3	4	6	11	12	12
20-34	168	4.2	8	2	3	3	5	7	10	15
35-49	19	4.7	10	2	3	4	5	9	12	14
50-64	0									
65 +	0									
GRAND TOTAL	**217**	**4.3**	**8**	**2**	**3**	**4**	**5**	**7**	**11**	**14**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	25	1.5	1	<1	1	1	2	3	3	3
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	11	1.4		<1	<1	1	2	3	3	3
20-34	70	1.2		<1	1	1	1	2	2	3
35-49	19	1.2	1	<1	<1	1	1	2	3	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	16	2.1	1	1	1	2	2	4	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	21	2.1	3	1	1	1	2	5	7	7
20-34	88	2.1	2	1	1	1	3	4	5	6
35-49	10	2.0	3	<1	1	1	2	5	6	6
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	1.5		<1	1	1	2	3	3	3
B. Operated	100	1.2		<1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	23	2.0	1	1	1	2	2	4	5	5
B. Operated	119	2.1	2	1	1	1	3	4	5	7
1. SINGLE DX	129	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX	142	2.1	2	1	1	2	3	4	5	7
A. Not Operated	52	1.8	1	1	1	2	2	3	4	5
B. Operated	219	1.7	2	<1	1	1	2	4	5	6
TOTAL										
0-19 YRS	38	1.9	2	<1	1	1	2	4	6	7
20-34	199	1.7	1	<1	1	1	2	3	4	6
35-49	34	1.5	1	<1	1	1	2	3	4	6
50-64	0									
65+	0									
GRAND TOTAL	**271**	**1.7**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**	**6**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.4	11	<1	1	2	4	9	11	11
20-34	54	3.4	3	2	2	3	4	5	7	10
35-49	10	5.8	10	1	4	5	9	10	10	10
50-64	0									
65+	0									
B. Operated										
0-19 YRS	8	2.6	3	1	2	2	3	6	7	7
20-34	108	2.8	3	1	2	2	3	5	6	9
35-49	19	3.3	7	1	2	2	3	8	10	11
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.9	6	2	2	3	6	8	8	8
20-34	53	4.4	8	1	2	4	5	9	10	14
35-49	9	4.1	4	1	2	5	5	7	7	7
50-64	0									
65+	0									
B. Operated										
0-19 YRS	15	4.0	12	2	2	3	4	8	13	15
20-34	96	3.9	15	1	2	3	5	8	10	24
35-49	19	4.1	17	2	2	3	4	7	14	20
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	3.7	6	2	2	3	4	7	9	11
B. Operated	135	2.8	3	1	2	2	3	5	7	10
2. MULTIPLE DX										
A. Not Operated	76	4.3	7	1	2	4	6	8	10	13
B. Operated	130	3.9	15	1	2	3	5	8	11	22
1. SINGLE DX	207	3.1	4	1	2	2	4	6	8	11
2. MULTIPLE DX	206	4.0	12	1	2	3	5	8	10	20
A. Not Operated	148	4.0	6	1	2	3	5	8	9	11
B. Operated	265	3.4	9	1	2	2	3	7	8	19
TOTAL										
0-19 YRS	45	3.6	8	1	2	3	4	8	9	15
20-34	311	3.5	8	1	2	3	4	7	9	14
35-49	57	4.1	11	2	2	3	5	8	10	19
50-64	0									
65+	0									
GRAND TOTAL	**413**	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	452	3.6	5	2	2	3	4	7	8	13
20-34	311	3.9	6	2	2	3	5	6	9	15
35-49	269	4.5	7	2	3	4	6	8	10	14
50-64	173	4.8	6	2	3	4	6	9	10	13
65 +	121	5.7	9	3	4	5	7	9	11	15
B. Operated										
0-19 YRS	147	4.0	9	1	2	3	6	7	10	14
20-34	134	4.4	9	1	2	4	6	8	10	14
35-49	86	4.8	18	1	2	4	6	9	13	23
50-64	56	6.0	18	2	3	5	8	11	13	20
65 +	31	7.2	56	1	3	5	8	16	25	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	551	4.1	8	2	2	3	5	7	10	15
20-34	673	5.4	13	2	3	4	7	9	12	20
35-49	893	6.9	29	3	4	6	8	12	15	26
50-64	1153	7.3	30	3	4	6	9	13	16	30
65 +	2608	9.7	71	4	5	8	11	17	23	55
B. Operated										
0-19 YRS	223	6.7	59	2	3	5	7	12	16	49
20-34	384	8.3	60	2	4	6	10	17	23	39
35-49	515	10.9	108	3	5	8	12	23	34	62
50-64	598	12.8	143	4	6	9	16	28	36	74
65 +	949	17.1	248	4	7	12	21	42	61	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1326	4.2	7	2	2	4	5	7	9	14
B. Operated	454	4.7	16	1	2	4	6	9	12	22
2. MULTIPLE DX										
A. Not Operated	5878	7.8	48	3	4	6	9	14	18	41
B. Operated	2669	12.8	168	3	5	9	16	29	43	97
1. SINGLE DX	1780	4.4	9	2	2	4	5	8	10	15
2. MULTIPLE DX	8547	9.3	91	3	4	7	11	18	27	62
A. Not Operated	7204	7.1	42	2	4	6	9	13	17	36
B. Operated	3123	11.6	154	3	4	8	14	26	39	87
TOTAL										
0-19 YRS	1373	4.4	16	2	2	3	5	8	10	17
20-34	1502	5.7	26	2	3	4	7	10	14	28
35-49	1763	7.6	53	3	4	6	9	14	20	44
50-64	1980	8.7	69	3	4	6	10	16	24	51
65 +	3709	11.4	126	4	5	8	13	22	36	84
GRAND TOTAL	**10327**	**8.5**	**80**	**2**	**4**	**6**	**10**	**16**	**24**	**57**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	181	3.8	6	2	2	3	5	7	9	11
20-34	45	3.3	3	2	2	3	4	5	6	11
35-49	42	3.6	4	2	2	3	4	6	8	11
50-64	13	4.9	17	2	2	3	7	10	15	16
65 +	7	4.6	8	1	2	5	7	9	9	9
B. Operated										
0-19 YRS	92	4.0	12	1	1	3	5	9	10	18
20-34	33	4.6	12	1	2	4	6	11	12	13
35-49	37	3.5	9	< 1	1	2	5	8	10	13
50-64	8	3.4	3	1	2	3	4	6	7	7
65 +	15	4.4	8	< 1	1	4	7	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	235	4.8	25	2	3	4	5	7	11	24
20-34	79	5.5	21	2	3	4	7	11	16	25
35-49	88	6.0	16	3	3	4	7	12	15	19
50-64	108	7.2	33	2	4	6	9	12	14	37
65 +	190	7.6	22	3	4	7	9	14	17	30
B. Operated										
0-19 YRS	101	4.9	15	1	2	4	6	9	11	23
20-34	85	7.1	52	2	3	4	9	16	23	39
35-49	96	7.7	70	2	3	5	8	17	28	44
50-64	102	7.9	67	2	4	6	10	13	18	49
65 +	162	11.3	110	3	6	9	14	21	32	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	288	3.8	6	2	2	3	5	7	9	11
B. Operated	185	4.0	11	1	1	3	5	9	11	16
2. MULTIPLE DX										
A. Not Operated	700	6.2	25	2	3	5	7	12	14	25
B. Operated	546	8.2	73	2	3	6	10	16	23	45
1. SINGLE DX	473	3.9	8	1	2	3	5	8	10	13
2. MULTIPLE DX	1246	7.0	47	2	3	5	9	14	18	37
A. Not Operated	988	5.5	21	2	3	4	7	10	13	22
B. Operated	731	7.1	61	1	3	5	9	14	20	42
TOTAL										
0-19 YRS	609	4.4	16	1	2	4	5	8	10	1[illegible]
20-34	242	5.5	29	2	3	4	6	11	16	29
35-49	263	5.9	35	2	3	4	7	11	17	34
50-64	231	7.2	47	2	3	6	9	12	15	34
65 +	374	9.0	64	3	4	7	11	16	21	45
GRAND TOTAL	**1719**	**6.2**	**38**	**2**	**3**	**4**	**7**	**12**	**16**	**33**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	236	1.9	2	1	1	1	2	4	5	7
20-34	530	1.9	1	1	1	2	2	3	4	7
35-49	102	1.9	1	1	1	2	3	4	4	6
50-64	20	2.3	3	1	1	2	3	5	7	7
65 +	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	7	2.0	1	<1	<1	2	3	4	4	4
35-49	3	3.3		3	3	3	4	4	4	4
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	28	2.6	5	1	1	2	3	5	6	12
20-34	93	2.7	6	1	1	2	3	6	7	13
35-49	33	2.6	4	1	1	2	3	5	7	10
50-64	15	2.8	5	1	1	2	3	7	8	8
65 +	5	11.2	195	3	4	6	14	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.3	5	1	1	3	5	7	7	7
B. Operated	891	1.9	2	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	14	2.6	2	<1	<1	2	4	4	5	5
B. Operated	174	2.9	12	1	1	2	3	6	7	14
1. SINGLE DX	898	1.9	2	1	1	2	2	3	4	7
2. MULTIPLE DX	188	2.9	11	1	1	2	3	5	7	14
A. Not Operated	21	2.8	3	<1	1	3	4	5	6	7
B. Operated	1065	2.1	3	1	1	2	2	4	5	8
TOTAL										
0-19 YRS	269	2.0	2	1	1	1	2	4	5	7
20-34	634	2.0	2	1	1	2	2	3	5	7
35-49	138	2.1	2	1	1	2	3	4	5	7
50-64	36	2.5	4	1	1	2	3	6	7	8
65 +	9	7.7	117	1	3	5	6	24	36	36
GRAND TOTAL	**1086**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	44	1.8	8	<1	<1	<1	1	2	6	17
20-34	17	1.2		<1	<1	<1	1	2	3	3
35-49	22	1.1		<1	<1	<1	1	2	2	2
50-64	16	1.1		<1	<1	<1	1	1	2	3
65 +	9	1.4	2	<1	<1	<1	<1	3	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	16	2.1	4	<1	<1	1	3	5	7	8
35-49	18	2.6	4	<1	<1	2	4	6	7	7
50-64	18	2.8	4	<1	1	2	5	6	7	7
65 +	25	2.8	6	<1	1	2	4	8	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.5	5	4	4	5	7	7	7	7
B. Operated	108	1.4	3	<1	<1	<1	1	2	3	13
2. MULTIPLE DX										
A. Not Operated	5	4.0	2	3	3	4	5	6	6	6
B. Operated	80	2.6	4	<1	<1	2	3	6	7	9
1. SINGLE DX	110	1.5	4	<1	<1	<1	1	2	4	13
2. MULTIPLE DX	85	2.7	4	<1	<1	2	4	6	7	9
A. Not Operated	7	4.4	2	3	3	4	6	7	7	7
B. Operated	188	1.9	4	<1	<1	1	2	5	6	10
TOTAL										
0-19 YRS	49	1.8	7	<1	<1	<1	1	3	5	17
20-34	36	1.9	3	<1	<1	1	2	4	6	8
35-49	42	2.0	3	<1	<1	1	2	5	6	7
50-64	34	2.0	3	<1	<1	1	2	5	6	7
65 +	34	2.4	5	<1	<1	1	3	6	8	9
GRAND TOTAL	**195**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**5**	**6**	**10**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	12.5	25	9	9	12	16	16	16	16
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	1	11.0		11	11	11	11	11	11	11
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	9	4.8	8	2	2	5	7	9	9	9
B. Operated										
0-19 YRS	13	5.8	28	1	1	4	11	14	15	15
20-34	16	8.1	73	<1	2	6	9	18	29	34
35-49	16	5.4	31	1	2	3	7	15	19	20
50-64	21	7.6	63	1	2	6	8	16	28	35
65+	30	12.3	272	1	3	10	15	21	27	91
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	12.1	147	2	4	7	17	31	37	49
20-34	38	9.9	56	3	5	8	12	24	27	32
35-49	87	10.7	124	3	5	7	12	21	29	68
50-64	131	12.2	110	3	6	9	15	24	30	69
65+	587	14.3	153	5	7	11	17	32	48	99+
B. Operated										
0-19 YRS	29	14.6	128	3	5	12	21	38	45	99+
20-34	99	21.5	366	4	7	17	33	59	84	99+
35-49	148	20.2	318	4	8	15	29	53	76	99+
50-64	276	19.8	320	3	8	15	28	48	67	99+
65+	872	22.1	375	5	9	17	31	63	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	5.9	15	2	2	6	8	11	14	16
B. Operated	96	8.6	124	1	2	6	11	19	23	65
2. MULTIPLE DX										
A. Not Operated	873	13.3	141	4	6	10	16	28	42	99+
B. Operated	1424	21.2	354	4	8	16	30	57	84	99+
1. SINGLE DX	113	8.2	108	1	2	6	10	17	22	56
2. MULTIPLE DX	2297	18.2	288	4	7	13	25	47	71	99+
A. Not Operated	890	13.2	140	4	6	10	16	27	42	99+
B. Operated	1520	20.4	349	4	8	15	29	55	81	99+
TOTAL										
0-19 YRS	74	12.0	122	2	4	10	16	28	39	87
20-34	156	17.0	289	3	5	10	26	38	71	99+
35-49	252	15.9	258	3	6	10	22	43	59	99+
50-64	430	16.8	259	3	7	12	22	40	61	99+
65+	1498	18.7	300	5	8	14	25	50	76	99+
GRAND TOTAL	**2410**	**17.8**	**284**	**4**	**7**	**13**	**24**	**45**	**68**	**99+**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	110	3.1	7	1	1	2	4	6	9	14
20-34	40	4.3	19	1	2	3	5	10	17	18
35-49	42	4.1	19	1	1	2	5	10	15	19
50-64	17	3.2	6	1	2	3	4	7	8	9
65+	16	7.5	25	2	3	7	10	15	17	18
B. Operated										
0-19 YRS	76	3.0	16	<1	<1	1	3	7	12	21
20-34	94	2.5	9	<1	1	1	3	6	7	18
35-49	117	2.4	7	<1	1	1	3	5	9	13
50-64	96	1.6	2	<1	1	1	1	3	4	9
65+	61	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	204	4.8	31	1	2	3	5	10	14	22
20-34	141	7.8	60	1	3	5	11	19	25	35
35-49	184	7.3	46	2	3	5	9	17	23	30
50-64	180	8.5	44	2	3	6	13	18	21	27
65+	283	9.9	56	3	4	7	14	21	25	32
B. Operated										
0-19 YRS	73	6.0	115	1	1	3	7	14	21	70
20-34	92	6.1	62	1	2	3	8	19	21	76
35-49	153	4.9	44	1	1	2	5	13	18	30
50-64	213	4.6	43	1	1	2	5	14	21	29
65+	207	8.7	135	1	1	5	12	21	28	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	225	3.8	13	1	1	3	5	9	12	18
B. Operated	444	2.2	7	<1	1	1	2	5	7	14
2. MULTIPLE DX										
A. Not Operated	992	7.8	50	2	3	5	11	18	23	31
B. Operated	738	6.1	81	1	1	2	8	17	22	53
1. SINGLE DX	669	2.8	10	<1	1	2	3	6	9	18
2. MULTIPLE DX	1730	7.1	64	1	2	4	10	18	23	34
A. Not Operated	1217	7.1	46	1	2	5	9	17	21	30
B. Operated	1182	4.7	57	<1	1	2	5	13	19	35
TOTAL										
0-19 YRS	463	4.3	37	1	1	3	5	9	14	22
20-34	367	5.6	47	1	1	3	7	16	20	36
35-49	496	5.1	37	1	1	3	6	14	18	29
50-64	506	5.4	41	1	1	2	7	15	20	27
65+	567	8.5	84	1	2	6	12	21	26	56
GRAND TOTAL	**2399**	**5.9**	**53**	**1**	**1**	**3**	**7**	**15**	**21**	**32**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	3.7	33	1	1	2	3	8	13	34
20-34	17	3.6	7	1	2	3	5	7	10	11
35-49	11	4.0	19	1	1	2	5	10	15	16
50-64	6	6.3	88	1	1	1	10	23	24	24
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	16	2.8	4	1	1	2	4	6	7	7
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	9	5.1	27	1	1	2	9	13	15	15
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	4.7	18	1	2	3	7	11	15	99 +
20-34	93	6.6	48	2	3	5	7	14	22	37
35-49	84	8.6	61	3	4	6	11	16	28	43
50-64	56	8.3	57	2	3	7	10	16	21	39
65 +	66	14.1	172	4	6	9	16	34	41	63
B. Operated										
0-19 YRS	28	12.8	292	2	2	8	16	28	40	86
20-34	60	14.6	224	2	4	9	21	33	50	64
35-49	41	10.7	97	2	4	8	14	22	35	44
50-64	48	12.9	103	2	5	9	20	28	31	40
65 +	44	18.4	214	5	9	13	24	44	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	4.0	28	1	1	2	4	9	14	31
B. Operated	28	3.5	12	1	1	2	5	8	11	15
2. MULTIPLE DX										
A. Not Operated	343	8.6	80	2	3	6	10	17	29	46
B. Operated	221	14.0	184	2	5	10	20	31	42	72
1. SINGLE DX	106	3.8	24	1	1	2	4	8	12	28
2. MULTIPLE DX	564	10.7	128	2	4	7	13	25	35	63
A. Not Operated	421	7.7	74	1	2	5	9	16	28	44
B. Operated	249	12.8	175	2	4	8	19	30	40	67
TOTAL										
0-19 YRS	131	5.8	91	1	2	3	6	13	23	89
20-34	172	9.1	121	2	3	5	10	23	32	58
35-49	145	8.6	68	2	4	6	11	16	28	44
50-64	110	10.2	83	2	4	7	15	23	30	39
65 +	112	15.6	190	4	6	11	22	36	48	79

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	5.7	21	2	3	4	7	12	16	18
20-34	8	3.9	4	2	2	3	5	7	7	7
35-49	4	7.0	3	5	5	7	8	9	9	9
50-64	15	4.9	14	2	3	4	5	11	14	15
65 +	10	4.4	11	1	2	4	5	10	11	11
B. Operated										
0-19 YRS	9	9.8	72	< 1	3	7	18	22	24	24
20-34	18	5.2	20	1	1	3	9	12	14	14
35-49	36	4.9	18	1	2	3	8	12	14	16
50-64	64	6.1	22	1	2	5	9	12	14	22
65 +	50	8.7	105	1	3	7	12	14	16	71
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	5.3	25	1	2	3	7	13	16	25
20-34	23	5.0	7	2	4	4	6	9	11	11
35-49	28	7.0	25	3	4	5	8	12	18	25
50-64	72	10.5	205	3	4	7	10	18	24	85
65 +	159	8.3	58	3	4	6	10	17	20	70
B. Operated										
0-19 YRS	21	8.3	126	< 1	1	5	10	21	34	48
20-34	24	8.6	50	1	3	7	13	16	26	26
35-49	56	7.6	67	1	2	5	10	15	23	44
50-64	168	9.1	91	2	4	8	11	15	19	62
65 +	265	12.1	111	3	7	10	15	21	28	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	5.2	15	2	3	4	6	11	15	18
B. Operated	177	6.7	49	1	2	5	10	13	16	24
2. MULTIPLE DX										
A. Not Operated	337	7.9	81	2	4	6	9	16	20	72
B. Operated	534	10.4	100	2	4	9	13	19	24	57
1. SINGLE DX	249	6.3	39	1	2	4	9	12	15	23
2. MULTIPLE DX	871	9.4	94	2	4	8	11	17	22	63
A. Not Operated	409	7.5	70	2	3	5	9	15	20	64
B. Operated	711	9.5	90	1	3	8	12	17	22	51
TOTAL										
0-19 YRS	120	6.3	45	1	2	4	8	16	19	32
20-34	73	6.1	27	1	3	5	8	13	15	26
35-49	124	6.6	42	1	2	5	9	13	18	35
50-64	319	8.6	101	2	4	7	10	15	20	67
65 +	484	10.4	95	2	5	9	13	19	23	69

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.[illegible])

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	17	7.6	22	2	3	9	11	12	15	17
65 +	39	10.2	11	5	9	10	12	14	14	18
B. Operated										
0-19 YRS	4	5.0	25	1	1	3	8	12	12	12
20-34	21	6.0	17	1	3	6	9	12	13	14
35-49	81	6.4	13	1	4	7	9	10	12	18
50-64	416	9.1	14	4	7	9	11	13	15	20
65 +	524	10.9	16	7	8	10	13	15	17	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	4	3.3	3	1	2	3	4	5	5	5
35-49	7	8.1	106	< 1	1	2	17	24	25	25
50-64	69	5.8	29	< 1	1	3	10	13	17	24
65 +	270	8.8	99	1	3	7	11	18	27	50
B. Operated										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	33	7.6	22	1	5	7	10	14	17	21
35-49	148	8.3	37	2	3	8	11	15	19	31
50-64	1092	10.9	31	6	8	10	13	16	20	30
65 +	3280	13.3	58	8	10	12	15	19	24	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	9.2	16	2	8	10	12	14	14	18
B. Operated	1046	9.7	17	5	7	10	12	15	16	22
2. MULTIPLE DX										
A. Not Operated	352	8.1	85	1	2	6	10	17	24	47
B. Operated	4555	12.5	52	7	9	11	14	18	23	46
1. SINGLE DX	1103	9.7	17	4	7	10	12	15	16	22
2. MULTIPLE DX	4907	12.2	56	6	9	11	14	18	23	46
A. Not Operated	409	8.3	76	1	3	7	11	16	22	45
B. Operated	5601	12.0	47	7	9	11	14	17	22	43
TOTAL										
0-19 YRS	8	4.3	16	1	1	3	6	11	12	12
20-34	59	6.6	20	1	3	6	9	12	15	21
35-49	236	7.6	31	1	3	7	10	14	17	30
50-64	1594	10.1	28	4	8	10	12	15	19	28
65 +	4113	12.7	57	7	9	11	15	18	24	47
GRAND TOTAL	**6010**	**11.7**	**50**	**6**	**8**	**11**	**14**	**17**	**22**	**43**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	3	1.7		1	1	2	2	2	2	2
65 +	7	4.7	7	2	3	4	7	9	9	9
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	33	2.2	4	< 1	1	1	3	5	6	9
35-49	56	2.1	1	1	1	2	3	4	4	5
50-64	72	3.0	9	1	1	2	3	7	11	15
65 +	42	4.9	23	1	1	2	9	11	15	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	7	4.6	7	2	3	4	6	9	10	10
50-64	23	6.3	23	1	3	7	8	12	17	20
65 +	116	11.6	185	3	5	7	12	33	50	99 +
B. Operated										
0-19 YRS	3	5.3	10	3	3	4	8	9	9	9
20-34	34	2.5	3	1	1	2	3	5	7	8
35-49	55	3.4	17	1	1	2	4	9	11	23
50-64	124	5.6	78	1	1	3	7	12	15	37
65 +	158	10.6	92	1	3	9	15	23	26	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.5	6	1	2	3	4	8	9	9
B. Operated	205	3.0	10	1	1	2	3	7	10	16
2. MULTIPLE DX										
A. Not Operated	151	10.3	152	3	4	7	11	26	46	99 +
B. Operated	374	7.1	77	1	2	4	11	16	22	44
1. SINGLE DX	219	3.0	9	1	1	2	3	8	10	16
2. MULTIPLE DX	525	8.0	100	1	2	5	11	17	25	61
A. Not Operated	165	9.7	143	2	4	7	10	24	44	99 +
B. Operated	579	5.7	57	1	1	3	8	13	18	41
TOTAL										
0-19 YRS	8	4.5	8	1	2	4	6	9	9	9
20-34	70	2.4	3	1	1	2	3	5	6	9
35-49	121	2.8	9	1	1	2	3	5	9	17
50-64	222	4.8	50	1	1	3	6	11	14	19
65 +	323	10.1	119	1	3	7	13	23	38	98
GRAND TOTAL	**744**	**6.6**	**79**	**1**	**2**	**3**	**9**	**15**	**22**	**52**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	8.3	65	2	3	5	11	18	26	38
20-34	19	6.4	43	2	3	5	7	10	22	31
35-49	13	4.9	5	3	3	5	6	7	10	11
50-64	9	6.7	24	1	4	5	8	14	18	18
65 +	14	5.8	13	2	2	5	9	11	12	12
B. Operated										
0-19 YRS	48	10.0	53	2	4	9	13	19	24	33
20-34	48	3.9	19	1	1	2	6	8	12	23
35-49	57	4.5	14	1	1	4	6	11	13	15
50-64	72	5.0	32	1	1	3	6	12	15	31
65 +	33	8.5	31	2	5	8	11	15	20	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	9.5	58	3	4	6	13	21	26	34
20-34	41	8.0	46	2	4	6	9	18	25	29
35-49	52	7.9	77	2	3	6	10	15	22	45
50-64	56	8.5	35	3	4	8	11	17	20	31
65 +	139	11.9	179	2	4	8	14	27	42	77
B. Operated										
0-19 YRS	74	14.2	78	5	9	13	17	24	31	47
20-34	89	7.4	105	1	2	4	9	16	26	55
35-49	122	7.3	79	1	2	5	9	16	27	71
50-64	148	11.8	182	2	3	8	14	25	51	81
65 +	174	17.3	238	4	9	13	21	38	58	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	7.0	42	2	3	5	9	14	20	35
B. Operated	258	6.1	34	1	2	4	9	13	17	29
2. MULTIPLE DX										
A. Not Operated	339	9.9	107	2	4	7	12	20	29	52
B. Operated	607	12.1	169	2	3	9	15	27	42	78
1. SINGLE DX	355	6.3	36	1	2	4	9	14	18	31
2. MULTIPLE DX	946	11.3	148	2	4	8	14	24	37	75
A. Not Operated	436	9.2	94	2	4	6	11	19	28	49
B. Operated	865	10.3	136	1	3	7	14	23	35	70
TOTAL										
0-19 YRS	215	11.0	70	2	4	10	15	21	29	39
20-34	197	6.6	67	1	2	4	7	15	23	50
35-49	244	6.7	61	1	2	4	8	14	21	46
50-64	285	9.3	117	1	3	6	12	19	28	64
65 +	360	14.0	199	2	5	10	16	30	44	81
GRAND TOTAL	**1301**	**10.0**	**122**	**1**	**3**	**7**	**13**	**21**	**31**	**63**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	3.6	6	<1	1	5	5	6	6	6
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	130	2.4	2	1	1	2	3	4	5	7
20-34	263	2.6	2	<1	1	2	4	5	5	6
35-49	113	2.3	2	<1	1	2	3	4	5	7
50-64	24	2.1	5	<1	<1	1	2	6	8	9
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.8	3	<1	1	3	4	5	5	5
20-34	5	2.8	4	<1	1	2	5	5	5	5
35-49	5	1.6	1	<1	<1	<1	2	3	3	3
50-64	6	2.0	2	<1	<1	1	2	5	5	5
65 +	4	4.5	6	1	3	5	6	6	6	6
B. Operated										
0-19 YRS	143	2.7	2	1	2	2	4	4	5	8
20-34	361	2.6	5	<1	1	2	3	5	6	8
35-49	200	2.8	9	<1	1	2	3	6	9	14
50-64	124	2.1	4	<1	1	1	3	4	5	12
65 +	63	3.7	28	1	1	2	4	7	13	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.0	5	<1	<1	3	5	6	6	6
B. Operated	531	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	25	2.6	3	<1	<1	2	5	5	6	6
B. Operated	891	2.7	7	<1	1	2	3	5	6	13
1. SINGLE DX	539	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	916	2.7	7	<1	1	2	3	5	6	13
A. Not Operated	33	2.7	4	<1	<1	2	5	5	6	6
B. Operated	1422	2.6	5	<1	1	2	3	5	6	11
TOTAL										
0-19 YRS	279	2.6	2	1	1	2	3	4	5	8
20-34	634	2.6	3	<1	1	2	4	5	6	7
35-49	320	2.6	6	<1	1	2	3	5	7	13
50-64	154	2.1	4	<1	1	1	2	4	6	10
65 +	68	3.7	26	1	1	2	4	7	12	31
GRAND TOTAL	**1455**	**2.6**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	2.6	3	1	1	2	4	6	6	7
20-34	22	2.7	3	1	2	2	3	4	7	9
35-49	17	3.7	16	1	2	3	4	7	14	18
50-64	12	3.1	6	<1	1	2	5	7	8	8
65 +	9	3.9	10	1	2	3	6	9	9	9
B. Operated										
0-19 YRS	352	2.4	3	1	1	2	3	4	5	7
20-34	606	2.3	2	1	1	2	3	4	4	7
35-49	192	2.5	3	1	1	2	3	5	7	9
50-64	51	2.6	3	1	1	2	4	5	5	7
65 +	17	3.5	6	1	2	3	4	6	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	3.4	8	<1	1	2	4	7	8	15
20-34	38	3.9	24	<1	1	3	4	8	11	29
35-49	48	6.5	63	1	2	4	7	15	25	43
50-64	77	9.5	197	1	2	4	11	28	39	94
65 +	177	12.3	208	2	4	7	14	28	50	69
B. Operated										
0-19 YRS	334	3.5	17	1	2	3	4	6	9	20
20-34	380	3.0	8	1	1	2	4	5	8	16
35-49	179	3.8	40	1	1	2	3	7	13	20
50-64	118	4.8	35	1	2	3	5	10	15	34
65 +	134	9.6	125	1	2	6	13	21	31	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	2.9	6	1	1	2	4	6	7	12
B. Operated	1218	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	412	8.8	150	1	2	4	9	22	37	71
B. Operated	1145	4.2	36	1	2	3	4	8	13	28
1. SINGLE DX	1333	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	1557	5.4	70	1	2	3	5	12	18	52
A. Not Operated	527	7.5	124	1	2	4	8	17	29	65
B. Operated	2363	3.3	20	1	1	2	4	6	9	20
TOTAL										
0-19 YRS	813	3.0	9	1	1	2	4	5	7	14
20-34	1046	2.6	5	1	1	2	3	4	6	13
35-49	436	3.5	26	1	1	2	3	7	10	21
50-64	258	5.7	82	1	2	3	6	12	22	69
65 +	337	10.6	164	2	3	6	13	24	38	65
GRAND TOTAL	**2890**	**4.0**	**41**	**1**	**1**	**2**	**4**	**7**	**13**	**36**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	15.0		15	15	15	15	15	15	15
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	3	4.3	10	2	2	3	7	8	8	8
65 +	4	23.0	649	2	3	16	42	57	57	57
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	14.3	20	10	11	14	18	19	19	19
50-64	1	4.0		4	4	4	4	4	4	4
65 +	3	29.0	601	4	10	30	47	53	53	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated	9	13.2	333	2	3	7	13	45	57	57
B. Operated	8	17.4	287	4	5	12	24	46	53	53
1. SINGLE DX	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX	17	15.2	297	2	4	7	21	48	56	57
A. Not Operated	9	13.2	333	2	3	7	13	45	57	57
B. Operated	9	17.1	252	4	5	14	22	44	53	53
TOTAL										
0-19 YRS	0									
20-34	3	6.3	1	5	5	7	7	7	7	7
35-49	4	14.5	14	10	12	14	17	19	19	19
50-64	4	4.3	7	2	2	3	6	8	8	8
65 +	7	25.6	535	2	4	28	47	56	57	57
GRAND TOTAL	**18**	**15.2**	**279**	**2**	**4**	**8**	**19**	**46**	**55**	**57**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	6.3	4	5	5	6	7	9	9	9
35-49	14	4.3	5	2	3	4	6	7	9	9
50-64	18	5.2	5	3	3	5	7	9	9	9
65 +	25	5.8	22	1	3	4	8	14	15	19
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	17	3.8	24	1	1	2	4	12	17	19
35-49	96	3.7	10	1	1	3	6	7	8	17
50-64	98	3.0	5	1	1	2	5	7	8	8
65 +	38	3.9	16	1	1	2	5	9	11	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	6	7.0	33	2	4	5	7	17	18	18
35-49	40	6.5	75	1	2	4	7	14	16	53
50-64	134	7.7	67	2	3	6	10	14	16	53
65 +	462	8.6	73	3	4	7	10	17	21	67.
B. Operated										
0-19 YRS	4	5.8	4	4	4	6	7	8	8	8
20-34	18	6.6	15	1	3	6	10	12	13	13
35-49	131	5.9	46	1	2	4	6	11	17	44
50-64	193	6.3	32	1	2	5	8	13	17	32
65 +	260	12.2	159	1	4	9	15	29	42	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	5.2	12	2	3	4	7	9	13	18
B. Operated	250	3.5	10	1	1	2	5	7	8	19
2. MULTIPLE DX										
A. Not Operated	644	8.3	71	2	4	6	10	15	19	66
B. Operated	606	8.8	98	1	3	6	10	20	29	59
1. SINGLE DX	312	3.8	11	1	1	3	5	8	9	19
2. MULTIPLE DX	1250	8.5	84	2	3	6	10	17	24	61
A. Not Operated	706	8.0	67	2	4	6	10	15	19	60
B. Operated	856	7.2	78	1	2	5	9	16	24	51
TOTAL										
0-19 YRS	8	5.4	7	2	4	5	7	9	9	9
20-34	45	5.6	20	1	2	5	7	12	14	19
35-49	281	5.2	37	1	2	4	6	9	15	37
50-64	443	5.9	38	1	2	5	8	12	15	31
65 +	785	9.5	102	2	4	7	11	19	29	66
GRAND TOTAL	**1562**	**7.6**	**73**	**1**	**3**	**5**	**9**	**15**	**22**	**55**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	5.1	6	1	3	5	7	8	8	8
20-34	221	5.8	18	2	3	5	7	11	14	21
35-49	361	6.6	29	2	3	6	8	12	14	22
50-64	144	6.7	27	1	3	5	9	13	16	31
65 +	60	7.6	22	2	4	7	10	14	17	20
B. Operated										
0-19 YRS	73	4.6	19	1	2	4	5	8	13	25
20-34	1466	4.3	13	1	2	4	5	8	11	19
35-49	1918	4.6	15	1	2	4	6	9	12	21
50-64	680	5.0	18	1	2	4	7	10	13	20
65 +	123	6.3	27	1	3	5	8	14	18	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	6.6	9	4	5	6	7	11	13	13
20-34	173	6.6	24	1	3	5	9	12	17	21
35-49	358	7.8	37	2	4	6	10	15	19	33
50-64	371	8.2	27	3	5	7	11	14	16	27
65 +	481	9.9	59	4	6	8	12	17	21	33
B. Operated										
0-19 YRS	14	9.1	396	2	2	4	5	15	64	78
20-34	553	6.5	23	1	4	5	8	12	16	24
35-49	1135	6.8	34	1	3	5	8	13	18	30
50-64	757	8.1	56	1	4	6	10	17	22	32
65 +	544	10.9	99	3	5	8	14	23	29	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	793	6.4	25	2	3	5	8	12	15	22
B. Operated	4260	4.6	15	1	2	4	6	9	12	20
2. MULTIPLE DX										
A. Not Operated	1391	8.5	41	2	4	7	11	15	19	32
B. Operated	3003	7.8	53	1	4	6	9	16	21	35
1. SINGLE DX	5053	4.9	17	1	2	4	6	9	13	21
2. MULTIPLE DX	4394	8.0	50	2	4	6	10	15	21	33
A. Not Operated	2184	7.7	36	2	4	7	10	14	18	29
B. Operated	7263	5.9	34	1	3	5	7	12	16	28
TOTAL										
0-19 YRS	102	5.5	68	1	2	4	6	8	13	51
20-34	2413	5.1	17	1	2	4	6	10	13	21
35-49	3772	5.7	26	1	3	5	7	11	15	27
50-64	1952	6.9	37	1	3	5	9	14	17	29
65 +	1208	9.9	74	3	5	8	12	19	25	45
GRAND TOTAL	**9447**	**6.3**	**35**	**1**	**3**	**5**	**8**	**13**	**17**	**29**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	15	5.7	23	1	2	5	8	14	16	17
35-49	46	5.6	13	1	2	6	9	11	11	12
50-64	23	6.7	54	2	3	5	6	14	26	34
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	153	3.6	6	1	2	3	5	7	9	10
35-49	434	4.0	9	1	2	3	5	7	9	14
50-64	125	3.5	7	1	1	3	5	6	8	15
65 +	14	3.5	4	1	1	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	7.1	26	1	4	7	9	13	19	22
35-49	64	6.5	23	1	3	6	9	12	16	24
50-64	52	7.4	24	2	3	7	10	15	16	21
65 +	58	10.5	97	3	4	8	12	20	31	58
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	65	5.4	25	1	2	4	6	9	18	26
35-49	276	5.3	26	1	2	4	7	10	14	23
50-64	177	6.5	38	1	2	5	8	15	19	31
65 +	54	13.5	285	1	4	8	15	39	51	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	5.9	24	1	2	5	8	11	12	29
B. Operated	727	3.8	8	1	2	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	193	8.0	48	2	4	7	10	15	18	35
B. Operated	573	6.5	59	1	2	5	8	13	19	44
1. SINGLE DX	815	4.0	10	1	2	3	5	7	10	15
2. MULTIPLE DX	766	6.8	57	1	3	5	8	14	18	40
A. Not Operated	281	7.3	41	1	3	6	10	14	17	34
B. Operated	1300	5.0	32	1	2	4	6	9	13	31
TOTAL										
0-19 YRS	5	3.6	8	1	1	3	6	7	7	7
20-34	251	4.4	14	1	2	4	6	8	10	19
35-49	820	4.7	17	1	2	4	6	9	12	19
50-64	377	5.7	29	1	2	4	7	12	17	26
65 +	128	10.9	173	1	4	7	12	29	39	95
GRAND TOTAL	**1581**	**5.4**	**34**	**1**	**2**	**4**	**7**	**10**	**15**	**32**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	6	1	2	3	5	7	7	7
20-34	7	6.0	16	1	2	6	8	11	12	12
35-49	10	4.5	5	2	2	4	6	7	8	8
50-64	7	4.9	9	1	3	4	7	10	10	10
65 +	1	15.0		15	15	15	15	15	15	15
B. Operated										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	4	3.8	8	1	1	3	6	7	7	7
35-49	10	5.2	18	1	1	5	8	11	14	14
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	11	4.8	6	1	3	4	7	9	10	10
35-49	15	6.7	14	2	4	5	9	12	14	15
50-64	17	7.4	30	2	4	6	10	14	20	23
65 +	16	12.4	84	5	7	9	15	31	34	35
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	10	10.9	80	2	5	9	15	24	33	33
35-49	15	7.9	8	3	6	9	10	11	12	12
50-64	9	6.6	11	3	4	5	8	12	14	14
65 +	2	6.5	41	2	2	6	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	5.2	12	1	3	4	7	10	12	15
B. Operated	18	4.6	14	1	1	4	7	9	12	14
2. MULTIPLE DX										
A. Not Operated	60	8.2	43	2	4	6	10	15	20	35
B. Operated	37	8.4	30	3	5	8	10	14	15	33
1. SINGLE DX	47	4.9	13	1	2	4	7	10	12	15
2. MULTIPLE DX	97	8.3	37	3	5	7	10	15	17	34
A. Not Operated	89	7.2	34	2	4	6	9	14	16	34
B. Operated	55	7.1	27	1	3	7	10	12	15	32
TOTAL										
0-19 YRS	8	6.5	23	1	3	5	10	14	15	15
20-34	32	6.8	38	1	3	6	9	13	15	33
35-49	50	6.3	12	2	4	6	9	11	12	15
50-64	35	6.3	21	1	4	5	9	12	14	23
65 +	19	11.9	76	4	6	10	15	26	34	35
GRAND TOTAL	**144**	**7.2**	**32**	**2**	**4**	**6**	**9**	**14**	**15**	**33**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	17	6.1	22	1	4	5	7	10	18	22
35-49	42	6.1	10	2	4	6	8	10	12	17
50-64	20	5.2	17	1	2	4	6	12	14	16
65 +	12	5.0	6	2	3	5	6	8	11	11
B. Operated										
0-19 YRS	0									
20-34	16	1.6	2	1	1	1	1	4	5	6
35-49	26	2.8	19	< 1	1	1	2	5	14	21
50-64	12	1.8	5	1	1	1	2	4	8	9
65 +	5	1.2		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	21	5.7	31	1	3	4	8	11	19	26
35-49	57	7.1	27	2	4	6	9	12	14	34
50-64	65	8.4	31	3	4	7	11	15	21	28
65 +	150	9.9	48	3	5	9	13	17	22	99 +
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	7.7	21	2	4	10	11	13	13	13
35-49	27	8.6	92	1	1	5	12	20	32	39
50-64	14	6.0	26	1	2	5	8	12	18	20
65 +	11	8.6	53	1	2	8	15	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	5.7	13	2	4	5	7	10	12	20
B. Operated	59	2.1	10	1	1	1	2	5	8	20
2. MULTIPLE DX										
A. Not Operated	294	8.7	40	3	5	7	12	16	21	78
B. Operated	60	7.9	59	1	2	6	11	17	21	38
1. SINGLE DX	153	4.4	15	1	1	4	6	9	11	21
2. MULTIPLE DX	354	8.6	43	2	4	7	12	16	21	52
A. Not Operated	388	8.0	35	3	4	7	10	15	19	48
B. Operated	119	5.1	43	1	1	2	6	14	19	33
TOTAL										
0-19 YRS	5	7.0	9	4	5	6	9	11	11	11
20-34	61	5.0	23	1	1	4	7	10	13	26
35-49	152	6.4	35	1	2	5	9	12	16	35
50-64	111	6.8	29	1	3	5	9	14	17	25
65 +	178	9.2	47	2	5	8	13	17	21	99 +
GRAND TOTAL	**507**	**7.3**	**38**	**1**	**3**	**6**	**10**	**15**	**19**	**39**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	3.3	5	1	1	3	4	6	8	10
20-34	152	5.5	15	1	3	5	7	10	14	21
35-49	246	4.5	11	1	2	4	6	9	10	18
50-64	157	4.4	13	< 1	1	3	6	9	12	17
65 +	74	3.4	16	< 1	< 1	2	4	7	10	24
B. Operated										
0-19 YRS	6	2.3	4	1	1	2	3	6	6	6
20-34	173	2.5	7	1	1	1	3	6	8	13
35-49	292	2.6	7	1	1	1	4	6	8	13
50-64	232	3.3	9	1	1	2	5	8	9	14
65 +	171	5.5	25	1	1	5	8	11	15	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	3.2	7	1	1	2	4	7	10	11
20-34	251	5.8	19	1	3	5	8	11	13	20
35-49	415	6.4	33	1	3	5	8	12	17	31
50-64	406	6.3	20	1	3	5	9	12	15	21
65 +	712	8.7	67	2	4	7	11	17	22	50
B. Operated										
0-19 YRS	18	4.6	61	< 1	1	2	5	9	25	34
20-34	134	5.6	57	1	1	3	7	11	16	41
35-49	299	6.6	62	1	1	4	8	16	19	37
50-64	479	7.3	50	1	2	6	9	15	22	35
65 +	787	11.1	114	2	5	9	13	22	31	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	661	4.5	13	< 1	2	4	6	9	11	18
B. Operated	874	3.3	12	1	1	2	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	1841	7.1	43	2	3	5	9	14	19	32
B. Operated	1717	8.8	87	1	3	7	11	18	26	51
1. SINGLE DX	1535	3.9	13	1	1	3	5	8	10	17
2. MULTIPLE DX	3558	7.9	65	1	3	6	10	16	22	42
A. Not Operated	2502	6.4	36	1	3	5	8	13	17	27
B. Operated	2591	6.9	68	1	1	5	9	15	22	41
TOTAL										
0-19 YRS	113	3.4	14	1	1	2	4	6	10	20
20-34	710	4.9	24	1	1	4	7	10	13	23
35-49	1252	5.2	32	1	1	4	7	11	15	30
50-64	1274	5.9	31	1	2	5	8	12	16	26
65 +	1744	9.3	86	1	4	7	11	19	25	54
GRAND TOTAL	**5093**	**6.7**	**52**	**1**	**2**	**5**	**9**	**14**	**19**	**37**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	3.2	4	1	2	3	4	6	7	9
20-34	30	3.8	6	1	2	3	5	8	9	10
35-49	38	3.9	5	2	2	3	5	7	9	10
50-64	25	4.4	8	1	2	4	7	9	9	9
65 +	10	4.0	4	1	2	4	6	6	6	6
B. Operated										
0-19 YRS	70	2.0	3	<1	1	1	2	4	5	11
20-34	213	1.9	2	<1	1	1	2	3	5	8
35-49	328	1.9	2	<1	1	1	2	3	4	8
50-64	205	2.0	2	<1	1	2	2	3	5	8
65 +	54	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	3.9	8	1	2	4	5	7	10	14
20-34	56	4.2	6	1	2	4	5	8	9	10
35-49	67	5.0	14	1	3	5	6	8	10	24
50-64	85	4.2	10	1	2	3	6	9	10	15
65 +	119	6.2	25	2	3	5	8	12	17	25
B. Operated										
0-19 YRS	45	3.8	28	<1	1	2	5	7	12	33
20-34	174	2.7	6	1	1	2	3	6	8	11
35-49	399	2.6	10	1	1	2	3	5	6	16
50-64	377	3.0	8	1	1	2	4	5	9	15
65 +	176	5.2	66	1	2	3	6	12	17	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	3.6	5	1	2	3	5	7	8	10
B. Operated	870	1.9	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	382	4.9	15	1	2	4	6	9	12	19
B. Operated	1171	3.2	19	1	1	2	3	6	10	20
1. SINGLE DX	1057	2.2	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	1553	3.6	18	1	1	2	4	7	10	20
A. Not Operated	569	4.5	12	1	2	4	6	9	10	17
B. Operated	2041	2.6	12	<1	1	2	3	5	7	15
TOTAL										
0-19 YRS	254	3.1	9	1	1	2	4	6	7	14
20-34	473	2.6	5	<1	1	2	3	6	7	10
35-49	832	2.6	7	1	1	2	3	5	7	14
50-64	692	2.9	7	1	1	2	4	6	8	14
65 +	359	5.0	43	1	2	3	6	10	16	48
GRAND TOTAL	**2610**	**3.0**	**13**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	48	2.0	2	<1	1	2	3	3	4	6
20-34	93	1.8	1	<1	<1	1	2	4	4	5
35-49	126	1.8	1	<1	1	2	2	3	4	6
50-64	109	2.1	1	<1	1	2	3	4	4	6
65 +	36	2.3	2	1	1	2	3	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	9	1.1		<1	<1	<1	1	2	2	2
50-64	6	1.3	1	<1	<1	1	1	3	3	3
65 +	5	3.0	16	<1	<1	1	4	10	10	10
B. Operated										
0-19 YRS	80	1.9	2	<1	1	2	2	4	4	7
20-34	195	1.9	2	<1	<1	1	2	4	5	8
35-49	364	2.0	2	<1	1	2	3	4	5	6
50-64	425	2.4	3	<1	1	2	3	5	5	8
65 +	328	2.7	4	1	1	2	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5		1	1	1	2	2	2	2
B. Operated	412	1.9	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	25	1.6	3	<1	<1	<1	1	3	[illegible]	10
B. Operated	1392	2.3	3	<1	1	2	3	4	5	8
1. SINGLE DX	416	1.9	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	1417	2.3	3	<1	1	2	3	4	5	8
A. Not Operated	29	1.6	3	<1	<1	1	1	3	4	10
B. Operated	1804	2.2	3	<1	1	2	3	4	5	8
TOTAL										
0-19 YRS	129	2.0	1	<1	1	2	2	4	4	6
20-34	293	1.9	2	<1	<1	1	2	4	4	6
35-49	500	2.0	2	<1	1	2	3	4	4	6
50-64	542	2.3	3	<1	1	2	3	4	5	8
65 +	369	2.7	4	1	1	2	4	5	6	9
GRAND TOTAL	**1833**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	6	1.8	1	<1	1	1	2	4	4	4
50-64	2	2.0		2	2	2	2	2	2	2
65+	5	4.8	10	2	3	4	6	10	10	10
B. Operated										
0-19 YRS	35	1.0		<1	<1	<1	1	1	1	2
20-34	46	1.3		<1	<1	<1	1	2	3	3
35-49	47	1.6	2	<1	<1	<1	1	3	4	9
50-64	36	1.4	1	<1	<1	1	2	3	4	5
65+	9	4.0	20	<1	1	3	4	11	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.7	5	1	2	5	5	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	3.3	5	2	2	2	5	6	6	6
65+	10	4.4	11	1	2	4	6	9	12	12
B. Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	12	3.0	17	<1	1	2	2	8	15	16
35-49	33	1.9	2	<1	1	1	2	4	5	6
50-64	31	3.0	7	<1	1	2	4	5	9	13
65+	36	5.6	43	1	2	3	7	15	22	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.9	5	1	2	2	4	5	9	10
B. Operated	173	1.5	2	<1	<1	<1	1	3	3	8
2. MULTIPLE DX										
A. Not Operated	18	3.8	8	1	2	3	5	7	10	12
B. Operated	114	3.5	20	<1	1	2	4	7	13	25
1. SINGLE DX	188	1.6	3	<1	<1	<1	1	3	4	10
2. MULTIPLE DX	132	3.5	18	<1	1	2	4	7	13	25
A. Not Operated	33	3.4	7	1	2	2	5	6	10	12
B. Operated	287	2.3	10	<1	<1	1	2	5	7	17
TOTAL										
0-19 YRS	38	1.1		<1	<1	<1	1	1	2	2
20-34	62	1.7	4	<1	<1	<1	2	3	4	15
35-49	88	1.7	2	<1	<1	1	2	4	5	8
50-64	72	2.2	4	<1	<1	1	3	5	5	12
65+	60	5.1	31	1	2	3	6	13	17	28
GRAND TOTAL	**320**	**2.4**	**10**	**<1**	**<1**	**1**	**3**	**5**	**7**	**17**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	11.6	58	3	5	10	15	22	28	29
20-34	14	10.3	31	4	5	9	15	19	19	19
35-49	11	13.4	213	2	4	8	17	39	46	47
50-64	8	16.3	156	4	8	14	21	36	42	42
65+	4	10.0	25	3	6	11	13	14	14	14
B. Operated										
0-19 YRS	53	11.7	110	2	5	8	12	32	36	49
20-34	29	7.2	60	2	3	4	8	16	21	38
35-49	23	9.1	43	2	3	8	14	19	21	24
50-64	27	9.0	88	1	3	7	11	21	32	41
65+	10	10.7	183	1	4	6	10	32	47	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	14.6	92	4	7	13	18	31	35	41
20-34	32	9.7	63	2	4	8	12	21	28	33
35-49	61	14.4	155	3	5	10	22	37	39	46
50-64	96	16.9	184	6	9	13	21	30	40	78
65+	152	16.7	160	5	8	13	22	39	43	98
B. Operated										
0-19 YRS	96	16.4	188	4	9	12	22	33	44	94
20-34	108	16.0	160	4	8	13	21	35	44	85
35-49	179	19.1	263	3	8	14	29	42	50	94
50-64	292	17.5	208	4	8	13	24	39	51	99+
65+	373	20.4	284	5	9	15	28	48	59	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	12.0	80	3	5	10	17	22	29	45
B. Operated	142	9.8	90	2	3	7	12	21	33	47
2. MULTIPLE DX										
A. Not Operated	412	15.5	148	4	7	12	21	34	41	61
B. Operated	1048	18.6	239	4	8	14	25	42	52	99+
1. SINGLE DX	225	10.6	87	2	4	8	14	22	32	47
2. MULTIPLE DX	1460	17.7	215	4	8	13	24	40	49	95
A. Not Operated	495	14.9	138	4	7	11	20	32	40	55
B. Operated	1190	17.5	230	3	8	13	24	41	50	95
TOTAL										
0-19 YRS	266	14.2	128	3	7	11	18	31	37	62
20-34	183	13.1	129	3	5	11	16	27	40	70
35-49	274	17.0	227	3	6	11	25	41	47	80
50-64	423	16.8	197	4	8	12	22	36	47	97
65+	539	19.1	249	5	8	14	26	43	53	99+
GRAND TOTAL	**1685**	**16.7**	**204**	**4**	**7**	**12**	**22**	**39**	**47**	**87**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	5.1	28	<1	1	3	7	11	19	23
20-34	22	2.4	4	<1	1	2	3	5	7	9
35-49	38	3.1	10	1	1	2	4	6	9	18
50-64	27	3.1	5	1	2	2	4	6	8	11
65 +	45	7.0	28	2	3	5	8	14	18	22
B. Operated										
0-19 YRS	487	3.4	7	1	1	3	5	7	9	12
20-34	269	2.8	7	1	1	2	4	6	7	11
35-49	150	4.2	12	1	2	3	6	9	12	15
50-64	80	5.1	43	1	1	3	6	11	15	84
65 +	57	6.4	43	1	2	4	9	16	20	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	6.5	60	1	2	5	7	11	30	37
20-34	76	3.4	8	1	1	3	4	7	10	13
35-49	191	4.7	50	1	2	3	4	10	15	38
50-64	302	6.4	61	1	2	4	8	13	19	71
65 +	1528	11.9	116	3	5	9	15	24	33	62
B. Operated										
0-19 YRS	240	5.0	44	1	2	3	6	9	17	31
20-34	283	4.3	36	1	1	3	5	9	12	34
35-49	299	6.6	74	1	2	4	8	14	19	46
50-64	335	10.2	113	1	3	8	12	23	30	62
65 +	762	17.4	215	5	9	14	22	37	58	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	4.5	21	1	1	3	6	10	16	22
B. Operated	1043	3.7	13	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	2147	10.1	106	2	4	7	13	21	30	62
B. Operated	1919	11.0	158	1	3	7	14	25	36	78
1. SINGLE DX	1232	3.8	14	1	1	3	5	8	10	20
2. MULTIPLE DX	4066	10.5	131	2	3	7	13	23	33	68
A. Not Operated	2336	9.6	101	2	3	7	12	20	29	59
B. Operated	2962	8.4	119	1	2	5	10	20	30	68
TOTAL										
0-19 YRS	834	4.2	23	1	1	3	5	8	10	24
20-34	650	3.5	20	1	1	2	4	7	9	26
35-49	678	5.3	51	1	2	3	6	11	16	33
50-64	744	7.8	85	1	2	5	10	17	26	63
65 +	2392	13.4	152	3	6	10	16	28	39	76
GRAND TOTAL	**5298**	**8.9**	**112**	**1**	**3**	**6**	**11**	**20**	**29**	**63**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	83	3.3	13	1	1	3	4	6	9	24
20-34	22	2.8	6	1	1	2	3	6	9	10
35-49	15	2.9	4	1	1	2	5	6	6	6
50-64	9	4.2	11	1	2	4	6	10	10	10
65 +	3	5.0	9	2	3	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.5	1	<1	<1	1	2	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	2	7.0	32	3	3	7	11	11	11	11
65 +	3	10.3	58	2	4	12	16	17	17	17
B. Operated										
0-19 YRS	340	4.4	17	1	2	4	6	8	9	21
20-34	64	4.1	13	<1	1	3	5	8	10	21
35-49	43	3.9	17	1	1	3	4	7	14	21
50-64	50	3.9	9	1	2	3	5	8	9	15
65 +	21	7.0	103	1	2	4	8	14	32	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7	1	1	1	1	3	3	3	3
B. Operated	132	3.3	11	1	1	3	4	6	9	18
2. MULTIPLE DX										
A. Not Operated	21	3.3	19	<1	<1	1	3	11	14	17
B. Operated	518	4.4	19	1	2	3	5	8	10	21
1. SINGLE DX	135	3.2	11	1	1	3	4	6	9	18
2. MULTIPLE DX	539	4.4	19	1	2	3	5	8	10	21
A. Not Operated	24	3.1	17	<1	<1	1	3	11	13	17
B. Operated	650	4.2	18	1	2	3	5	8	10	21
TOTAL										
0-19 YRS	440	4.1	16	1	2	3	5	8	9	21
20-34	88	3.7	11	1	1	3	5	8	10	19
35-49	58	3.6	14	1	1	3	4	6	13	20
50-64	61	4.0	10	1	2	3	5	8	10	15
65 +	27	7.2	86	1	2	4	8	16	23	47
GRAND TOTAL	**674**	**4.1**	**18**	**1**	**2**	**3**	**5**	**8**	**10**	**21**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	1.5	2	< 1	< 1	< 1	1	3	5	8
20-34	42	2.7	4	1	1	2	4	6	8	8
35-49	63	3.6	14	1	1	3	4	7	9	24
50-64	39	3.8	7	1	2	2	5	8	9	11
65 +	24	3.5	6	1	1	3	5	7	9	9
B. Operated										
0-19 YRS	203	5.2	12	1	2	6	8	9	10	12
20-34	143	2.7	7	< 1	1	1	4	7	8	11
35-49	148	2.4	5	1	1	2	3	5	8	11
50-64	115	1.9	5	< 1	1	1	2	3	4	13
65 +	77	2.8	39	1	1	1	3	4	6	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	3.7	19	< 1	1	2	4	9	15	23
20-34	95	3.4	9	1	1	3	4	7	9	16
35-49	160	4.6	18	1	2	3	6	10	15	19
50-64	145	4.5	14	1	2	3	6	9	11	21
65 +	310	7.4	60	2	3	5	9	16	22	38
B. Operated										
0-19 YRS	521	6.9	53	1	2	6	9	13	20	38
20-34	283	4.8	66	1	1	2	5	10	17	34
35-49	281	4.9	54	1	1	3	6	10	16	46
50-64	266	5.0	60	1	1	2	6	11	15	46
65 +	288	7.8	119	1	1	4	10	17	27	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	279	2.7	7	< 1	< 1	2	4	6	8	11
B. Operated	686	3.3	13	1	1	2	4	8	9	11
2. MULTIPLE DX										
A. Not Operated	797	5.4	35	1	2	3	7	11	16	27
B. Operated	1639	6.1	69	1	1	3	8	13	20	49
1. SINGLE DX	965	3.1	11	< 1	1	2	4	8	9	11
2. MULTIPLE DX	2436	5.9	58	1	2	3	8	13	18	44
A. Not Operated	1076	4.7	29	< 1	1	3	6	10	15	26
B. Operated	2325	5.2	54	1	1	3	7	11	16	44
TOTAL										
0-19 YRS	922	5.6	38	< 1	1	3	8	11	15	29
20-34	563	3.9	37	1	1	2	4	9	12	27
35-49	652	4.1	31	1	1	2	5	9	12	29
50-64	565	4.2	35	1	1	2	5	9	13	30
65 +	699	6.9	83	1	2	4	8	15	23	57
GRAND TOTAL	**3401**	**5.1**	**46**	**1**	**1**	**3**	**7**	**11**	**16**	**36**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	1	4.0		4	4	4	4	4	4	4
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	0									
TOTAL										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.5	4	< 1	< 1	1	4	6	6	6
20-34	9	1.7	1	< 1	1	1	2	3	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	64	7.2	46	2	4	6	8	13	20	39
20-34	4	4.0	9	1	2	3	6	8	8	8
35-49	6	3.8	8	1	1	4	6	7	7	7
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	4.2	22	1	1	2	5	11	16	20
20-34	7	6.1	17	1	2	8	9	11	12	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	54.0		54	54	54	54	54	54	54
65 +	4	4.5	7	2	2	4	6	8	8	8
B. Operated										
0-19 YRS	183	9.5	109	2	5	7	10	16	25	50
20-34	16	12.0	200	1	3	7	16	27	48	57
35-49	5	6.6	40	1	2	4	11	16	16	16
50-64	8	11.0	27	5	7	10	15	18	19	19
65 +	5	8.0	5	5	6	8	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.1	3	< 1	1	1	2	5	6	6
B. Operated	75	6.8	41	2	3	6	7	12	20	38
2. MULTIPLE DX										
A. Not Operated	68	5.1	56	1	1	3	6	12	17	48
B. Operated	217	9.6	108	2	5	7	10	16	25	53
1. SINGLE DX	94	5.8	37	1	2	4	7	10	19	36
2. MULTIPLE DX	285	8.5	99	1	3	7	10	16	22	53
A. Not Operated	87	4.5	46	< 1	1	2	5	10	14	41
B. Operated	292	8.9	92	2	4	7	10	16	24	50
TOTAL										
0-19 YRS	312	7.8	82	1	3	6	9	15	20	48
20-34	36	7.4	109	1	1	4	9	17	25	57
35-49	12	4.8	21	1	1	3	7	12	15	16
50-64	9	15.8	229	6	7	13	17	40	54	54
65 +	10	6.6	8	2	5	7	8	10	10	10
GRAND TOTAL	**379**	**7.9**	**85**	**1**	**3**	**6**	**9**	**15**	**20**	**50**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	1.1		< 1	< 1	< 1	< 1	1	2	5
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	202	1.5	1	< 1	< 1	1	1	3	4	7
20-34	36	2.1	2	1	1	2	3	3	5	8
35-49	10	1.4		< 1	1	1	2	2	2	2
50-64	6	2.0	1	1	1	2	3	3	3	3
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	1.7	4	< 1	< 1	1	1	4	7	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	123	2.1	5	< 1	1	1	2	4	7	13
20-34	14	3.1	5	1	1	2	5	6	7	7
35-49	12	1.8		< 1	1	2	2	3	3	3
50-64	6	2.0	2	1	1	2	2	5	5	5
65 +	6	1.3		1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	1.1		< 1	< 1	< 1	< 1	1	2	5
B. Operated	257	1.6	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	21	1.8	4	< 1	< 1	1	1	4	6	9
B. Operated	161	2.1	5	< 1	1	1	2	5	7	12
1. SINGLE DX	312	1.5	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX	182	2.1	5	< 1	1	1	2	4	6	12
A. Not Operated	76	1.3	1	< 1	< 1	< 1	1	2	4	8
B. Operated	418	1.8	3	< 1	1	1	2	3	5	9
TOTAL										
0-19 YRS	398	1.6	3	< 1	< 1	1	1	3	5	10
20-34	51	2.4	3	1	1	2	3	5	6	8
35-49	22	1.6		< 1	1	2	2	2	3	3
50-64	14	2.1	2	1	1	2	3	4	5	5
65 +	9	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**494**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.2	10	1	1	2	4	6	9	16
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	631	4.4	31	1	2	2	6	9	10	24
20-34	26	3.9	16	1	1	2	7	9	13	16
35-49	25	3.6	23	<1	1	2	2	10	16	18
50-64	9	2.1	4	<1	1	1	3	6	6	6
65 +	6	6.7	68	1	1	2	14	19	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	202	3.7	21	1	1	2	5	9	12	20
20-34	14	2.7	7	<1	<1	2	4	6	9	10
35-49	10	5.2	8	1	3	5	7	9	10	10
50-64	5	4.6	1	3	4	5	5	6	6	6
65 +	20	8.4	182	1	3	5	8	11	38	64
B. Operated										
0-19 YRS	2348	8.5	109	1	2	6	10	20	31	99
20-34	85	4.9	19	1	2	2	8	11	15	17
35-49	54	5.6	18	1	2	5	8	12	18	99 +
50-64	37	5.3	18	1	2	4	8	11	11	19
65 +	39	13.6	335	1	5	8	16	31	63	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.0	9	1	1	2	4	6	7	16
B. Operated	697	4.3	30	1	2	2	6	9	11	23
2. MULTIPLE DX										
A. Not Operated	251	4.1	33	1	1	2	5	9	12	21
B. Operated	2563	8.4	108	1	2	6	10	19	30	98
1. SINGLE DX	727	4.3	29	1	2	2	6	9	11	22
2. MULTIPLE DX	2814	8.0	102	1	2	5	10	18	29	87
A. Not Operated	281	4.0	30	1	1	2	5	9	12	20
B. Operated	3260	7.5	94	1	2	5	9	16	26	79
TOTAL										
0-19 YRS	3207	7.3	91	1	2	5	9	16	26	72
20-34	126	4.4	18	1	1	2	7	11	14	17
35-49	92	4.8	18	1	1	3	8	11	16	99 +
50-64	51	4.7	15	1	1	3	8	10	11	19
65 +	65	11.3	266	1	2	6	12	20	57	83
GRAND TOTAL	**3541**	**7.2**	**90**	**1**	**2**	**5**	**9**	**16**	**25**	**72**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	367	2.6	2	1	1	2	4	5	5	6
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	1.8	2	<1	<1	1	2	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	436	2.8	5	1	1	2	4	5	6	10
20-34	6	4.0	35	1	1	2	2	15	16	16
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	370	2.6	2	1	1	2	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	17	1.8	2	<1	<1	1	2	5	5	5
B. Operated	442	2.8	5	1	1	2	4	5	6	11
1. SINGLE DX	371	2.6	2	1	1	2	4	5	5	7
2. MULTIPLE DX	459	2.7	5	1	1	2	4	5	6	11
A. Not Operated	18	1.7	2	<1	<1	1	1	5	5	5
B. Operated	812	2.7	4	1	1	2	4	5	5	9
TOTAL										
0-19 YRS	821	2.7	3	1	1	2	4	5	5	8
20-34	8	4.3	26	1	1	2	5	13	16	16
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
GRAND TOTAL	**830**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**5**	**8**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.4	2	1	1	2	3	5	6	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	354	3.2	1	2	3	3	4	5	5	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.9	4	< 1	1	3	5	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	139	4.5	5	2	3	4	5	7	8	15
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.4	2	1	1	2	3	5	6	7
B. Operated	354	3.2	1	2	3	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	7	2.9	4	< 1	1	3	5	6	6	6
B. Operated	139	4.5	5	2	3	4	5	7	8	15
1. SINGLE DX	372	3.2	1	2	3	3	4	5	5	7
2. MULTIPLE DX	146	4.4	5	2	3	4	5	7	8	15
A. Not Operated	25	2.5	3	1	1	2	3	5	6	7
B. Operated	493	3.6	3	2	3	3	4	5	6	9
TOTAL										
0-19 YRS	518	3.5	3	2	3	3	4	5	6	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**518**	**3.5**	**3**	**2**	**3**	**3**	**4**	**5**	**6**	**9**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	2.5	17	< 1	1	1	3	4	5	29
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	303	5.5	32	1	1	4	7	11	16	41
20-34	18	3.1	7	< 1	1	1	5	7	8	9
35-49	6	4.8	11	1	1	5	7	9	9	9
50-64	4	6.0	12	1	4	7	8	9	9	9
65 +	4	5.5	2	4	4	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	6.2	98	1	1	3	8	13	17	61
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	2	11.0	50	6	6	11	16	16	16	16
50-64	7	5.7	4	3	4	5	8	8	8	8
65 +	8	5.1	6	3	3	4	7	9	9	9
B. Operated										
0-19 YRS	480	11.5	232	1	2	7	15	35	56	99 +
20-34	37	5.6	20	1	2	5	8	11	14	21
35-49	17	9.2	31	4	5	7	15	16	20	22
50-64	13	6.3	22	1	2	6	10	12	14	15
65 +	26	11.2	106	3	4	7	13	26	36	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	2.5	15	< 1	1	2	3	4	5	23
B. Operated	335	5.3	30	1	1	4	7	11	16	40
2. MULTIPLE DX										
A. Not Operated	104	6.0	81	1	1	3	8	12	16	58
B. Operated	573	10.9	204	1	2	6	14	30	53	99 +
1. SINGLE DX	389	4.9	28	1	1	4	7	10	15	39
2. MULTIPLE DX	677	10.2	188	1	2	6	12	28	49	99 +
A. Not Operated	158	4.8	61	< 1	1	3	5	10	15	51
B. Operated	908	8.9	147	1	2	5	10	23	40	99 +
TOTAL										
0-19 YRS	916	8.5	152	1	2	5	10	23	40	99 +
20-34	60	4.6	17	1	1	4	6	10	12	20
35-49	27	8.0	28	2	5	6	11	16	17	22
50-64	25	5.9	14	1	3	6	8	11	12	15
65 +	38	9.3	81	3	4	7	10	23	31	42
GRAND TOTAL	**1066**	**8.3**	**136**	**1**	**2**	**5**	**9**	**21**	**37**	**99 +**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	194	1.4	1	<1	1	1	1	2	3	5
20-34	15	2.0	1	<1	1	2	2	4	5	5
35-49	4	3.8	1	3	3	4	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	184	1.5	1	<1	1	1	2	3	4	6
20-34	11	2.0	2	1	1	2	2	4	6	6
35-49	9	2.1	2	<1	1	2	3	4	5	5
50-64	6	1.8	4	<1	1	1	1	6	6	6
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		1	1	1	1	1	1	1
B. Operated	213	1.4	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	8	1.0		<1	<1	<1	1	1	1	1
B. Operated	210	1.6	1	<1	1	1	2	3	4	6
1. SINGLE DX	216	1.4	1	<1	1	1	2	3	3	5
2. MULTIPLE DX	218	1.6	1	<1	1	1	2	3	4	6
A. Not Operated	11	1.0		<1	<1	1	1	1	1	1
B. Operated	423	1.5	1	<1	1	1	2	3	4	6
TOTAL										
0-19 YRS	388	1.4	1	<1	1	1	2	3	3	5
20-34	27	2.0	2	1	1	2	2	4	5	6
35-49	13	2.6	2	1	2	2	3	5	5	5
50-64	6	1.8	4	<1	1	1	1	6	6	6
65 +	0									
GRAND TOTAL	**434**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**	**6**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.5		<1	1	1	2	3	3	3
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	421	3.2	9	1	1	2	5	7	9	14
20-34	38	3.9	9	1	1	3	6	7	8	16
35-49	26	4.0	4	1	2	4	5	6	7	9
50-64	7	5.9	5	3	4	[illegible]	8	9	9	9
65 +	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	2.4	9	<1	<1	1	2	6	11	12
20-34	7	3.4	5	1	2	3	5	7	7	7
35-49	7	5.0	9	2	3	4	7	10	10	10
50-64	6	7.8	15	4	6	7	8	14	15	15
65 +	6	4.7	12	1	3	3	8	10	10	10
B. Operated										
0-19 YRS	385	6.0	41	1	2	4	8	14	18	35
20-34	83	4.7	12	1	3	4	6	9	10	19
35-49	57	6.0	11	3	4	5	8	9	13	18
50-64	31	5.5	24	1	2	5	7	9	10	27
65 +	21	7.3	41	1	2	7	9	14	21	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.3	3	<1	1	2	3	5	6	7
B. Operated	495	3.4	9	1	1	2	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	50	3.8	12	<1	1	3	6	9	11	15
B. Operated	577	5.8	33	1	2	4	7	12	17	32
1. SINGLE DX	511	3.3	9	1	1	2	5	7	9	14
2. MULTIPLE DX	627	5.7	32	1	2	4	7	12	16	31
A. Not Operated	66	3.4	10	<1	1	2	5	8	10	15
B. Operated	1072	4.7	23	1	1	3	6	9	14	27
TOTAL										
0-19 YRS	841	4.5	26	1	1	3	6	10	14	27
20-34	131	4.4	10	1	2	4	6	8	9	18
35-49	92	5.3	9	2	3	5	7	9	10	17
50-64	44	5.9	20	2	3	5	8	9	12	27
65 +	30	6.3	34	1	2	5	8	12	16	28
GRAND TOTAL	**1138**	**4.6**	**23**	**1**	**1**	**3**	**6**	**9**	**13**	**26**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.4	1	<1	<1	<1	2	3	3	3
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	299	2.7	3	1	1	2	3	5	7	8
20-34	3	3.0	3	1	2	4	4	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	1.0		<1	<1	<1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	212	3.0	5	1	2	3	4	5	8	14
20-34	17	4.2	30	2	2	3	4	5	18	25
35-49	20	3.1	2	1	2	3	4	5	5	5
50-64	22	3.2	9	1	2	3	3	5	9	16
65+	9	5.4	57	<1	1	4	5	17	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.4	1	<1	<1	<1	2	3	3	3
B. Operated	307	2.7	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. Not Operated	18	1.0		<1	<1	<1	1	1	1	1
B. Operated	280	3.2	8	1	2	3	4	5	8	16
1. SINGLE DX	314	2.6	3	1	1	2	3	5	7	8
2. MULTIPLE DX	298	3.1	8	1	2	3	4	5	8	16
A. Not Operated	25	1.1		<1	<1	<1	1	1	2	3
B. Operated	587	2.9	6	1	2	2	3	5	7	14
TOTAL										
0-19 YRS	536	2.7	4	1	1	2	3	5	7	9
20-34	20	4.0	26	2	2	3	4	5	15	25
35-49	22	3.0	2	1	2	3	4	5	5	5
50-64	25	3.2	8	1	2	3	4	4	8	16
65+	9	5.4	57	<1	1	4	5	17	25	25
GRAND TOTAL	**612**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	2.7	19	<1	1	1	3	4	10	27
20-34	6	5.7	20	1	1	6	10	10	10	10
35-49	7	3.6	5	1	2	3	5	7	7	7
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	0									
B. Operated										
0-19 YRS	758	3.2	11	1	1	2	4	7	9	18
20-34	118	2.2	5	1	1	1	2	4	7	13
35-49	56	3.3	11	1	1	2	4	8	11	15
50-64	27	3.1	13	1	1	2	4	10	13	13
65+	6	3.8	12	<1	1	3	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	144	3.2	13	<1	1	2	4	7	11	28
20-34	10	2.7	3	<1	1	2	4	5	6	6
35-49	11	4.2	16	<1	<1	2	8	10	11	11
50-64	10	4.8	14	1	3	4	5	11	13	13
65+	16	8.5	40	3	5	7	10	13	24	29
B. Operated										
0-19 YRS	662	6.9	128	1	2	4	7	15	27	98
20-34	114	4.7	40	1	1	3	8	10	12	73
35-49	69	5.2	20	1	2	4	8	10	12	22
50-64	47	5.3	25	1	2	4	8	10	11	30
65+	29	12.5	262	2	3	8	13	31	44	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	2.9	18	<1	1	1	3	7	10	25
B. Operated	965	3.1	11	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. Not Operated	191	3.7	17	<1	1	2	5	9	12	27
B. Operated	921	6.6	110	1	2	4	8	13	23	83
1. SINGLE DX	1066	3.1	11	1	1	2	4	7	9	17
2. MULTIPLE DX	1112	6.1	95	1	1	3	7	12	20	79
A. Not Operated	292	3.5	17	<1	1	2	4	8	11	27
B. Operated	1886	4.8	62	1	1	3	6	10	15	61
TOTAL										
0-19 YRS	1650	4.7	62	1	1	3	5	9	15	65
20-34	248	3.5	23	1	1	2	4	8	10	20
35-49	143	4.3	16	1	1	2	7	10	11	20
50-64	86	4.5	20	1	1	3	6	10	13	24
65+	51	10.2	169	1	3	8	11	18	39	79
GRAND TOTAL	**2178**	**4.6**	**56**	**1**	**1**	**2**	**5**	**10**	**14**	**60**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	123	13.4	157	3	6	10	16	28	44	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	4	39.8	1834	3	50	99+	99+	99+	99+	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	299	17.5	189	4	7	14	22	35	48	76
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	39	27.4	541	8	14	29	99+	99+	99+	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	13.4	157	3	6	10	16	28	44	99+
B. Operated	4	39.8	1834	3	50	99+	99+	99+	99+	99+
2. MULTIPLE DX										
A. Not Operated	299	17.5	189	4	7	14	22	35	48	76
B. Operated	39	27.4	541	8	14	29	99+	99+	99+	99+
1. SINGLE DX	127	14.2	217	3	6	11	20	44	99+	99+
2. MULTIPLE DX	338	18.6	238	4	8	15	26	48	84	99+
A. Not Operated	422	16.3	183	4	7	13	22	34	47	99+
B. Operated	43	28.5	633	6	14	37	99+	99+	99+	99+
TOTAL										
0-19 YRS	465	17.4	236	4	7	14	24	47	89	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
GRAND TOTAL	**465**	**17.4**	**236**	**4**	**7**	**14**	**24**	**47**	**89**	**99+**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	902	2.2	1	1	2	2	3	3	4	5
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	9	2.7	3	1	2	2	3	6	7	7
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	224	3.5	14	1	2	3	3	6	11	22
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	16	11.8	506	2	3	5	10	13	70	95
20-34	0									
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	902	2.2	1	1	2	2	3	3	4	5
B. Operated	9	2.7	3	1	2	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated	224	3.5	14	1	2	3	3	6	11	22
B. Operated	16	11.8	506	2	3	5	10	13	70	95
1. SINGLE DX	911	2.2	1	1	2	2	3	3	4	5
2. MULTIPLE DX	240	4.1	49	1	2	3	4	7	13	23
A. Not Operated	1126	2.5	4	1	2	2	3	4	4	11
B. Operated	25	8.5	338	2	2	4	7	13	34	95
TOTAL										
0-19 YRS	1151	2.6	12	1	2	2	3	4	5	13
20-34	0									
35-49	0									
50-64	0									
65+	0									
GRAND TOTAL	**1151**	**2.6**	**12**	**1**	**2**	**2**	**3**	**4**	**5**	**13**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	469	3.6	26	1	2	3	4	6	8	16
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	28	9.3	344	1	2	5	9	25	98	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	790	7.0	80	2	2	4	8	16	25	98
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	162	19.7	447	4	7	15	66	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	469	3.6	26	1	2	3	4	6	8	16
B. Operated	28	9.3	344	1	2	5	9	25	98	99 +
2. MULTIPLE DX										
A. Not Operated	790	7.0	80	2	2	4	8	16	25	98
B. Operated	162	19.7	447	4	7	15	66	99 +	99 +	99 +
1. SINGLE DX	497	4.0	45	1	2	3	4	7	10	27
2. MULTIPLE DX	952	9.2	165	2	3	5	11	32	99 +	99 +
A. Not Operated	1259	5.7	62	1	2	4	6	12	18	70
B. Operated	190	18.2	444	3	6	13	54	99 +	99 +	99 +
TOTAL										
0-19 YRS	1449	7.4	130	1	2	4	8	20	50	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**1449**	**7.4**	**130**	**1**	**2**	**4**	**8**	**20**	**50**	**99 +**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	763	2.5	3	1	1	2	3	5	6	9
20-34	196	2.6	4	1	1	2	3	5	6	11
35-49	103	2.9	6	1	1	2	3	5	7	15
50-64	62	4.0	13	1	2	3	5	7	13	20
65 +	47	4.1	11	1	2	3	5	9	12	16
B. Operated										
0-19 YRS	6	4.3	13	2	2	3	6	10	11	11
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	9.5	145	1	1	9	18	18	18	18
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1583	3.1	6	1	2	3	4	6	7	11
20-34	355	4.0	17	1	2	3	5	7	9	27
35-49	434	4.8	18	1	2	4	6	9	13	22
50-64	450	6.0	36	2	3	4	7	12	15	35
65 +	1024	8.0	77	2	3	6	9	16	23	78
B. Operated										
0-19 YRS	40	5.4	30	1	2	4	6	16	22	99 +
20-34	28	8.8	70	1	2	5	15	24	25	26
35-49	37	9.7	130	2	3	5	11	22	40	49
50-64	34	10.8	99	2	3	8	16	27	34	38
65 +	102	18.0	296	3	7	14	27	57	87	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1171	2.7	5	1	1	2	3	5	6	12
B. Operated	11	5.5	25	1	2	4	6	14	18	18
2. MULTIPLE DX										
A. Not Operated	3846	5.0	35	1	2	4	6	10	14	34
B. Operated	241	12.6	195	2	4	8	17	35	52	99 +
1. SINGLE DX	1182	2.7	5	1	1	2	3	5	7	12
2. MULTIPLE DX	4087	5.5	47	1	2	4	6	11	16	43
A. Not Operated	5017	4.5	29	1	2	3	5	9	12	29
B. Operated	252	12.3	190	2	3	7	17	35	50	99 +
TOTAL										
0-19 YRS	2392	3.0	6	1	1	2	4	5	7	11
20-34	581	3.8	17	1	2	3	4	7	9	26
35-49	576	4.8	26	1	2	3	6	9	13	25
50-64	547	6.1	39	1	3	4	7	12	16	35
65 +	1173	8.7	102	2	3	6	10	17	29	98
GRAND TOTAL	**5269**	**4.9**	**39**	**1**	**2**	**3**	**5**	**10**	**15**	**39**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	252	3.0	4	1	2	3	4	5	6	9
20-34	26	4.0	5	2	2	3	5	7	8	10
35-49	9	3.9	19	1	2	2	4	11	15	15
50-64	19	3.7	5	2	2	3	4	6	9	11
65 +	20	5.2	6	2	3	5	7	9	10	10
B. Operated										
0-19 YRS	9	5.3	21	1	2	4	8	13	15	15
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	3.0		3	3	51	99 +	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	719	3.5	6	1	2	3	4	6	8	13
20-34	200	4.8	19	2	2	4	6	8	10	17
35-49	154	6.2	24	2	3	5	8	12	14	28
50-64	225	6.7	27	2	4	6	8	12	14	36
65 +	661	7.4	52	3	4	6	9	13	17	30
B. Operated										
0-19 YRS	51	11.8	145	2	3	7	18	31	41	45
20-34	27	12.5	69	4	7	11	15	22	27	43
35-49	34	11.6	87	3	5	10	15	23	30	45
50-64	49	13.5	73	5	7	12	17	25	41	99 +
65 +	117	16.1	120	5	9	13	23	33	42	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	326	3.3	5	1	2	3	4	6	7	11
B. Operated	12	4.8	17	1	2	4	8	32	87	99 +
2. MULTIPLE DX										
A. Not Operated	1959	5.5	30	2	3	4	7	10	13	25
B. Operated	278	13.9	110	3	7	12	19	30	40	99 +
1. SINGLE DX	338	3.3	5	1	2	3	4	6	8	15
2. MULTIPLE DX	2237	6.6	47	2	3	5	8	13	18	40
A. Not Operated	2285	5.2	27	2	2	4	6	10	12	24
B. Operated	290	13.6	109	3	6	11	18	30	41	99 +
TOTAL										
0-19 YRS	1031	3.8	16	1	2	3	4	6	9	21
20-34	253	5.6	28	2	3	4	7	10	13	24
35-49	198	7.0	39	2	3	5	9	14	17	31
50-64	294	7.6	40	2	4	6	10	14	18	41
65 +	799	8.6	70	3	4	6	10	16	24	61
GRAND TOTAL	**2575**	**6.1**	**43**	**2**	**3**	**4**	**7**	**12**	**17**	**39**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	2.1	1	1	1	2	3	4	4	5
20-34	65	3.2	5	1	2	3	5	6	7	11
35-49	51	3.1	7	1	1	2	4	6	10	13
50-64	14	4.3	7	1	2	4	7	8	8	8
65 +	7	3.0	3	1	2	3	4	6	6	6
B. Operated										
0-19 YRS	0									
20-34	7	1.1		< 1	1	1	1	2	2	2
35-49	5	1.4	1	1	1	1	2	3	3	3
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	2.8	4	1	1	2	3	5	7	10
20-34	136	3.3	6	1	2	3	4	6	8	12
35-49	114	3.5	7	1	2	3	4	7	8	16
50-64	72	4.1	7	1	2	3	5	8	9	14
65 +	110	5.8	35	2	3	4	7	11	14	65
B. Operated										
0-19 YRS	7	5.9	44	1	1	5	7	17	20	20
20-34	15	4.2	10	1	2	4	5	7	12	13
35-49	17	4.7	9	1	2	5	6	10	10	10
50-64	13	3.3	5	1	2	3	5	6	8	8
65 +	14	9.9	65	3	5	6	14	19	28	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	167	3.1	5	1	1	2	4	6	7	11
B. Operated	13	1.2		< 1	1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	480	4.0	14	1	2	3	5	7	10	16
B. Operated	66	5.5	28	1	2	5	7	13	16	29
1. SINGLE DX	180	2.9	5	1	1	2	4	6	7	11
2. MULTIPLE DX	546	4.2	16	1	2	3	5	8	11	18
A. Not Operated	647	3.8	12	1	2	3	5	7	10	15
B. Operated	79	4.8	26	1	1	4	5	11	15	28
TOTAL										
0-19 YRS	85	2.8	7	1	1	2	3	5	7	17
20-34	223	3.3	6	1	2	3	4	6	8	12
35-49	187	3.5	7	1	2	3	5	7	9	15
50-64	99	4.0	7	1	2	3	5	8	9	13
65 +	132	6.0	38	1	3	4	7	13	16	53
GRAND TOTAL	**726**	**3.9**	**13**	**1**	**2**	**3**	**5**	**7**	**10**	**16**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	2	1	1	2	4	4	4	4
20-34	13	2.7	4	<1	1	2	4	6	6	6
35-49	6	2.7	5	1	1	2	5	6	6	6
50-64	18	3.4	4	1	2	3	5	6	7	7
65+	33	2.6	2	1	1	3	3	5	5	6
B. Operated										
0-19 YRS	8	2.4	4	<1	<1	2	3	6	7	7
20-34	20	3.8	3	<1	3	4	5	6	6	6
35-49	26	4.8	5	2	3	5	7	8	9	10
50-64	44	4.0	6	2	2	4	5	7	8	14
65+	31	4.4	8	1	2	4	5	8	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.5	5	<1	2	3	4	5	9	10
20-34	8	2.9	8	1	1	2	4	8	9	9
35-49	30	4.9	8	2	3	5	6	8	10	15
50-64	68	4.2	5	2	2	4	5	7	8	13
65+	189	3.7	6	1	2	3	5	7	8	11
B. Operated										
0-19 YRS	6	5.8	99	1	1	2	4	24	26	26
20-34	22	4.7	4	2	3	5	6	8	8	9
35-49	50	4.8	7	2	3	5	6	8	10	14
50-64	113	5.1	17	2	3	4	6	9	10	22
65+	242	5.5	14	2	3	5	7	10	13	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	2.8	3	1	1	3	4	6	6	7
B. Operated	129	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	310	3.9	6	1	2	3	5	7	9	12
B. Operated	433	5.3	14	2	3	5	6	9	11	18
1. SINGLE DX	204	3.6	5	1	2	3	5	6	8	11
2. MULTIPLE DX	743	4.7	11	2	2	4	6	8	10	17
A. Not Operated	385	3.7	6	1	2	3	5	7	8	11
B. Operated	562	5.0	13	2	3	4	6	9	11	17
TOTAL										
0-19 YRS	34	3.5	20	<1	1	2	4	5	9	26
20-34	63	3.8	5	1	2	4	5	6	8	9
35-49	112	4.7	7	2	3	5	6	8	10	14
50-64	243	4.5	11	2	2	4	6	7	10	14
65+	495	4.6	10	1	2	4	6	8	11	17
GRAND TOTAL	**947**	**4.5**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.3	10	1	1	2	4	10	11	11
20-34	8	2.9	4	1	1	2	4	6	7	7
35-49	9	4.7	26	1	2	3	5	14	16	16
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	7	2.1	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	35	1.5	1	<1	<1	1	2	2	4	4
20-34	38	1.8	1	<1	1	1	2	3	4	6
35-49	16	2.1	6	1	1	1	2	4	9	11
50-64	15	1.5	1	<1	1	1	2	3	4	4
65+	10	2.9	7	<1	1	2	3	7	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	7.3	44	1	2	4	11	19	22	22
20-34	33	3.0	4	1	2	2	4	6	7	10
35-49	49	3.6	23	1	2	2	4	6	9	33
50-64	74	5.4	48	1	2	3	6	12	23	86
65+	122	6.8	42	2	2	4	10	15	21	31
B. Operated										
0-19 YRS	8	7.0	147	<1	<1	1	9	29	34	34
20-34	19	5.8	48	<1	1	3	7	19	22	24
35-49	23	5.9	48	1	1	3	8	17	24	25
50-64	49	9.2	205	1	1	4	11	25	32	88
65+	68	13.4	216	1	2	8	19	45	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.3	10	1	1	2	4	8	11	16
B. Operated	114	1.8	2	<1	1	1	2	3	4	10
2. MULTIPLE DX										
A. Not Operated	308	5.6	38	1	2	3	6	13	20	34
B. Operated	167	10.0	174	1	1	5	15	32	45	99+
1. SINGLE DX	156	2.2	5	<1	1	1	3	4	6	11
2. MULTIPLE DX	475	7.1	90	1	2	3	9	19	28	81
A. Not Operated	350	5.3	36	1	2	3	6	13	20	33
B. Operated	281	6.7	121	<1	1	2	7	19	34	96
TOTAL										
0-19 YRS	89	4.3	35	<1	1	2	4	12	19	29
20-34	98	3.1	13	<1	1	2	3	6	8	22
35-49	97	4.0	27	1	1	2	4	10	14	29
50-64	140	6.3	102	1	2	3	6	18	27	89
65+	207	8.7	108	1	2	5	12	21	36	99+
GRAND TOTAL	**631**	**5.9**	**74**	**1**	**1**	**3**	**6**	**16**	**24**	**52**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	0									
20-34	3	4.0	9	1	2	4	6	7	7	7
35-49	7	5.7	7	2	4	6	8	9	9	9
50-64	5	4.2	13	1	2	3	6	10	10	10
65 +	6	4.0	3	< 1	4	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	15.0	338	2	2	15	28	28	28	28
20-34	0									
35-49	3	10.7	6	8	9	11	12	13	13	13
50-64	11	11.6	77	3	6	8	16	25	31	32
65 +	36	10.1	98	3	5	7	12	23	45	99 +
B. Operated										
0-19 YRS	7	5.9	31	1	1	3	11	13	14	14
20-34	12	11.7	113	3	7	9	16	54	91	99 +
35-49	33	16.2	117	6	8	15	21	33	41	48
50-64	105	20.5	329	5	7	17	26	47	64	94
65 +	377	19.4	256	6	9	15	25	44	62	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.7	9	1	1	3	6	7	7	7
B. Operated	21	4.6	7	1	3	4	6	8	9	10
2. MULTIPLE DX										
A. Not Operated	52	10.7	90	3	5	8	13	25	39	98
B. Operated	534	19.0	259	5	8	15	24	43	61	99 +
1. SINGLE DX	24	4.5	7	1	2	4	6	8	9	10
2. MULTIPLE DX	586	18.3	250	5	8	14	23	42	61	99 +
A. Not Operated	55	10.3	88	2	4	8	12	24	38	97
B. Operated	555	18.5	257	4	8	14	23	42	61	99 +
TOTAL										
0-19 YRS	10	7.4	75	1	1	3	11	21	28	28
20-34	15	10.1	100	1	4	8	14	39	83	99 +
35-49	43	14.1	107	4	8	11	18	28	37	48
50-64	122	18.9	308	3	7	14	25	43	62	92
65 +	420	18.3	248	5	8	14	23	42	61	99 +
GRAND TOTAL	**610**	**17.8**	**247**	**4**	**8**	**13**	**22**	**40**	**59**	**99 +**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.1	2	< 1	1	2	3	5	5	5
20-34	293	2.0	1	1	1	2	2	4	4	6
35-49	1120	2.2	2	1	1	2	3	4	5	7
50-64	729	2.6	2	1	2	2	3	4	6	8
65 +	288	2.8	3	1	2	2	4	5	6	8
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	14	1.9	1	1	1	2	2	4	4	4
35-49	168	2.0	5	1	1	1	2	4	5	8
50-64	187	2.1	3	1	1	2	2	5	6	9
65 +	67	1.9	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	2.4	3	1	1	2	3	5	6	8
20-34	569	2.7	5	1	1	2	3	5	6	9
35-49	2691	2.9	6	1	2	2	4	5	6	9
50-64	3626	3.2	4	1	2	3	4	6	7	10
65 +	3509	4.0	19	2	2	3	5	7	9	15
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	42	4.2	15	1	2	3	5	8	15	17
35-49	437	3.2	9	1	1	2	4	7	9	14
50-64	709	3.4	12	1	1	2	4	8	10	17
65 +	458	5.4	45	1	2	4	7	11	15	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2446	2.4	2	1	1	2	3	4	5	7
B. Operated	437	2.1	3	1	1	2	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	10440	3.4	10	1	2	3	4	6	7	12
B. Operated	1650	3.9	21	1	1	2	5	8	11	21
1. SINGLE DX	2883	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	12090	3.4	12	1	2	3	4	6	8	13
A. Not Operated	12886	3.2	9	1	2	3	4	6	7	11
B. Operated	2087	3.5	18	1	1	2	4	8	10	19
TOTAL										
0-19 YRS	66	2.3	3	1	1	2	3	5	6	8
20-34	918	2.5	4	1	1	2	3	4	6	9
35-49	4416	2.7	5	1	1	2	3	5	6	9
50-64	5251	3.1	5	1	2	3	4	6	7	11
65 +	4322	4.0	21	1	2	3	5	7	9	18
GRAND TOTAL	**14973**	**3.2**	**10**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	249	2.6	4	1	1	2	3	5	7	9
20-34	10	2.1	3	1	1	1	3	5	5	5
35-49	11	1.9	1	1	1	2	3	4	4	4
50-64	11	2.3	5	1	1	1	3	6	7	7
65 +	7	3.7	12	1	1	3	5	10	11	11
B. Operated										
0-19 YRS	30	5.4	180	1	1	1	3	12	22	72
20-34	10	2.9	5	<1	1	2	4	6	8	8
35-49	17	2.4	3	<1	1	2	4	5	6	6
50-64	17	2.1	3	<1	1	1	2	5	6	7
65 +	11	2.3	2	<1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	448	4.4	19	1	2	3	5	10	14	24
20-34	36	4.1	11	1	2	3	5	9	12	15
35-49	79	2.8	6	1	1	2	4	6	9	11
50-64	126	4.6	25	1	2	3	6	9	11	60
65 +	280	5.4	23	1	2	4	7	12	15	35
B. Operated										
0-19 YRS	77	6.7	95	1	1	3	7	19	29	88
20-34	18	6.2	41	<1	1	3	8	15	20	23
35-49	57	5.3	51	1	2	3	6	10	15	48
50-64	73	6.4	44	1	2	4	9	13	22	34
65 +	161	7.2	111	1	2	4	8	13	19	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	288	2.5	4	1	1	2	3	5	7	10
B. Operated	85	3.4	66	<1	1	1	3	5	9	54
2. MULTIPLE DX										
A. Not Operated	969	4.6	20	1	2	3	6	10	14	25
B. Operated	386	6.6	83	1	2	4	8	14	21	55
1. SINGLE DX	373	2.7	18	1	1	2	3	5	7	13
2. MULTIPLE DX	1355	5.2	39	1	2	3	6	11	15	37
A. Not Operated	1257	4.1	17	1	2	3	5	9	12	22
B. Operated	471	6.0	81	1	1	3	7	13	20	55
TOTAL										
0-19 YRS	804	4.1	29	1	1	3	5	9	13	25
20-34	74	4.2	18	1	1	3	5	9	14	21
35-49	164	3.6	22	1	1	2	4	8	10	16
50-64	227	4.9	30	1	2	3	6	10	14	39
65 +	459	5.9	54	1	2	4	7	12	16	52
GRAND TOTAL	1728	4.6	35	1	2	3	5	10	14	32

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.7	1	<1	1	2	2	3	3	3
20-34	161	1.7	1	1	1	1	2	3	4	6
35-49	211	1.9	1	1	1	2	2	3	4	6
50-64	115	1.8	1	<1	1	1	2	3	4	6
65 +	39	2.2	2	1	1	2	3	4	5	6
B. Operated										
0-19 YRS	5	3.6	18	<1	1	2	5	11	11	11
20-34	18	3.8	5	<1	2	4	5	7	9	9
35-49	22	4.0	5	2	2	3	5	8	8	8
50-64	13	3.8	6	1	3	3	4	8	9	9
65 +	9	5.2	6	2	4	5	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
[illegible]9 YRS	49	2.2	2	1	1	2	3	4	5	8
[illegible]4	141	2.4	3	1	1	2	3	4	5	9
[illegible]-49	203	2.7	5	1	1	2	3	5	7	12
50-64	224	3.1	5	1	2	3	4	5	7	13
65 +	340	6.0	62	1	2	4	7	11	18	54
B. Operated										
0-19 YRS	22	11.7	196	1	3	5	22	28	42	58
20-34	38	5.0	42	1	1	3	7	9	12	39
35-49	57	4.4	12	1	2	4	6	8	9	20
50-64	92	6.0	32	1	3	4	7	12	16	34
65 +	260	8.3	83	2	4	6	10	15	24	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	551	1.8	1	1	1	2	2	3	4	6
B. Operated	67	4.0	6	1	2	3	5	8	9	11
2. MULTIPLE DX										
A. Not Operated	957	3.9	27	1	2	3	4	7	10	26
B. Operated	469	7.2	69	1	3	6	8	14	22	46
1. SINGLE DX	618	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1426	5.0	43	1	2	3	6	10	14	37
A. Not Operated	1508	3.1	19	1	1	2	3	6	8	20
B. Operated	536	6.8	62	1	3	5	8	13	21	40
TOTAL										
0-19 YRS	101	4.2	59	1	1	2	3	8	22	44
20-34	358	2.4	7	1	1	2	3	5	6	10
35-49	493	2.6	5	1	1	2	3	5	6	11
50-64	444	3.4	12	1	1	2	4	6	9	16
65 +	648	6.7	68	2	2	5	8	13	21	54
GRAND TOTAL	2044	4.1	33	1	1	2	5	8	12	27

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	804	1.8	1	1	1	1	2	3	4	7
20-34	779	2.3	3	1	1	2	3	4	5	9
35-49	380	2.7	4	1	1	2	3	5	6	11
50-64	168	2.8	3	1	1	2	4	5	7	9
65 +	89	3.0	6	1	1	2	4	6	8	13
B. Operated										
0-19 YRS	86	3.3	2	2	2	3	4	5	6	9
20-34	119	3.3	4	1	2	3	4	6	7	11
35-49	45	3.3	6	<1	2	3	4	6	9	13
50-64	9	3.7	5	<1	2	4	5	7	7	7
65 +	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	553	2.3	3	1	1	2	3	4	5	10
20-34	859	3.0	8	1	1	2	4	6	8	12
35-49	604	4.0	13	1	2	3	5	7	9	16
50-64	553	4.3	9	1	2	4	5	8	9	15
65 +	1037	5.8	52	2	2	4	7	11	14	55
B. Operated										
0-19 YRS	91	4.1	10	1	2	3	6	9	12	64
20-34	188	4.9	17	1	2	4	6	10	13	23
35-49	176	6.4	35	1	3	5	7	13	19	27
50-64	106	6.2	16	1	3	6	8	13	14	17
65 +	184	8.3	59	2	4	7	10	17	21	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2220	2.3	3	1	1	2	3	4	5	9
B. Operated	261	3.3	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	3606	4.1	22	1	2	3	5	8	10	19
B. Operated	745	6.2	33	1	3	5	8	13	17	27
1. SINGLE DX	2481	2.4	3	1	1	2	3	4	6	9
2. MULTIPLE DX	4351	4.4	25	1	2	3	5	9	12	23
A. Not Operated	5826	3.4	16	1	1	2	4	7	9	15
B. Operated	1006	5.5	27	1	2	4	7	11	15	25
TOTAL										
0-19 YRS	1534	2.2	3	1	1	2	3	4	5	10
20-34	1945	2.9	7	1	1	2	4	6	7	13
35-49	1205	3.9	14	1	2	3	5	7	10	19
50-64	836	4.2	10	1	2	3	6	8	10	15
65 +	1312	5.9	51	1	2	4	7	11	15	48
GRAND TOTAL	**6832**	**3.7**	**18**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	2.5	13	1	1	2	3	4	6	26
20-34	20	3.2	6	1	1	2	4	7	8	9
35-49	11	3.6	10	<1	1	2	5	9	10	10
50-64	9	3.4	20	<1	1	3	3	10	15	15
65 +	6	2.0	2	<1	<1	1	3	4	4	4
B. Operated										
0-19 YRS	21	2.2	8	<1	1	1	2	7	10	10
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	4	4.8	4	2	3	5	6	6	6	6
50-64	7	3.3	6	<1	1	3	5	7	8	8
65 +	11	3.5	7	<1	<1	3	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	192	3.2	8	1	1	2	4	6	8	14
20-34	106	3.6	13	1	1	2	4	7	12	19
35-49	141	4.8	24	1	2	4	6	10	13	22
50-64	209	5.8	37	1	2	4	7	11	14	36
65 +	499	7.2	52	2	3	5	9	15	21	40
B. Operated										
0-19 YRS	78	3.7	45	1	1	1	2	10	18	35
20-34	85	2.4	7	1	1	1	3	8	8	11
35-49	95	3.7	38	1	1	1	4	9	11	36
50-64	89	6.6	80	1	1	3	8	16	35	40
65 +	224	9.7	124	1	2	7	14	27	35	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	2.8	12	1	1	2	3	5	8	20
B. Operated	46	2.9	7	<1	1	2	5	7	9	10
2. MULTIPLE DX										
A. Not Operated	1147	5.6	37	1	2	4	7	12	16	33
B. Operated	571	6.3	83	1	1	2	8	17	29	59
1. SINGLE DX	159	2.8	10	<1	1	2	3	6	8	15
2. MULTIPLE DX	1718	5.9	53	1	2	4	7	13	20	41
A. Not Operated	1260	5.4	36	1	2	4	7	11	16	31
B. Operated	617	6.1	78	1	1	2	8	16	27	56
TOTAL										
0-19 YRS	358	3.1	17	1	1	2	3	6	9	26
20-34	214	3.1	10	1	1	2	4	7	9	16
35-49	251	4.3	28	1	1	3	6	9	12	20
50-64	314	5.9	49	1	2	4	7	12	16	37
65 +	740	7.8	74	1	3	5	10	18	25	69
GRAND TOTAL	**1877**	**5.6**	**50**	**1**	**1**	**3**	**7**	**13**	**19**	**38**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	386	3.3	15	1	1	2	4	7	9	22
20-34	119	3.0	8	1	1	2	3	7	8	16
35-49	150	2.7	4	1	1	2	4	5	6	11
50-64	204	2.6	3	1	1	2	4	5	6	10
65 +	254	3.3	6	1	2	3	4	7	8	13
B. Operated										
0-19 YRS	43	6.0	176	< 1	1	2	4	11	31	74
20-34	24	2.3	3	1	1	2	3	4	6	7
35-49	46	1.7	3	< 1	1	1	1	4	6	9
50-64	36	1.5	1	< 1	1	1	1	3	5	6
65 +	20	2.4	4	< 1	1	1	4	6	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	843	5.3	51	1	2	3	6	11	16	34
20-34	381	3.4	9	1	2	2	4	6	9	16
35-49	674	3.7	14	1	2	3	4	7	9	21
50-64	1517	4.2	14	1	2	3	5	8	10	19
65 +	5413	6.4	54	2	3	4	7	12	17	51
B. Operated										
0-19 YRS	195	8.2	118	1	2	4	9	26	36	99 +
20-34	100	2.7	24	1	1	1	3	5	9	71
35-49	166	4.3	45	1	1	2	4	10	16	38
50-64	242	5.2	43	1	1	3	7	12	16	99 +
65 +	732	11.0	157	2	4	7	14	25	36	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1113	3.1	8	1	1	2	4	6	8	14
B. Operated	169	2.9	49	< 1	1	1	2	5	7	42
2. MULTIPLE DX										
A. Not Operated	8828	5.6	43	1	2	4	7	11	15	37
B. Operated	1435	8.3	119	1	2	5	10	20	30	97
1. SINGLE DX	1282	3.1	14	1	1	2	4	6	8	14
2. MULTIPLE DX	10263	6.0	55	1	2	4	7	12	17	47
A. Not Operated	9941	5.3	40	1	2	4	6	10	15	35
B. Operated	1604	7.7	115	1	1	4	9	20	30	88
TOTAL										
0-19 YRS	1467	5.2	56	1	2	3	6	10	17	46
20-34	624	3.2	11	1	1	2	4	6	8	18
35-49	1036	3.6	17	1	1	2	4	7	9	22
50-64	1999	4.1	17	1	2	3	5	8	11	21
65 +	6419	6.8	66	2	3	5	8	13	20	57
GRAND TOTAL	**11546**	**5.8**	**51**	**1**	**2**	**4**	**7**	**11**	**16**	**44**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	18.0	21	14	14	17	21	24	24	24
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	0									
65 +	1	42.0		42	56	99 +	99 +	99 +	99 +	99 +
B. Operated										
0-19 YRS	15	43.3	7[illegible]	16	27	36	76	99	99 +	99 +
20-34	18	36.6	642	11	20	40	87	99 +	99 +	99 +
35-49	2	14.5	13	12	13	17	79	99 +	99 +	99 +
50-64	4	45.5	282	21	35	51	55	59	59	59
65 +	1	95.0		95	95	95	95	95	95	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	6	20.2	146	9	14	21	71	99 +	99 +	99 +
B. Operated	40	40.4	684	13	20	41	83	99 +	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	46	37.7	656	13	19	39	83	99 +	99 +	99 +
A. Not Operated	6	20.2	146	9	14	21	71	99 +	99 +	99 +
B. Operated	40	40.4	684	13	20	41	83	99 +	99 +	99 +
TOTAL										
0-19 YRS	19	38.0	675	15	18	33	69	98	99 +	99 +
20-34	19	35.0	653	10	18	39	82	99 +	99 +	99 +
35-49	2	14.5	13	12	13	17	79	99 +	99 +	99 +
50-64	4	45.5	282	21	35	51	55	59	59	59
65 +	2	68.5	1405	42	68	97	99 +	99 +	99 +	99 +
GRAND TOTAL	**46**	**37.7**	**656**	**13**	**19**	**39**	**83**	**99 +**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	191	1.8	4	1	1	1	2	3	4	11
20-34	5	6.6	15	2	3	8	10	10	10	10
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	4.7	16	1	2	4	8	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	20	3.8	4	1	2	4	5	7	8	8
20-34	6	4.8	8	2	2	4	7	9	9	9
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	159	3.8	20	1	1	2	4	9	13	25
20-34	27	4.3	15	1	2	3	6	8	14	18
35-49	12	5.9	13	2	3	6	9	11	12	12
50-64	10	6.3	15	2	3	5	11	12	12	12
65+	9	6.7	27	1	3	4	10	15	17	17
B. Operated										
0-19 YRS	69	9.1	92	2	3	6	11	23	37	40
20-34	55	11.6	199	1	2	7	17	42	63	99+
35-49	27	10.6	58	4	5	9	14	25	42	99+
50-64	17	26.5	725	3	7	14	50	85	97	99+
65+	13	24.8	373	3	10	20	39	54	60	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202	2.0	5	1	1	1	2	3	5	12
B. Operated	28	4.2	5	1	2	4	5	8	8	9
2. MULTIPLE DX										
A. Not Operated	217	4.2	20	1	1	3	5	11	13	21
B. Operated	181	12.8	227	2	4	8	16	37	54	99+
1. SINGLE DX	230	2.2	5	1	1	1	2	4	7	11
2. MULTIPLE DX	398	8.1	132	1	2	4	10	18	37	96
A. Not Operated	419	3.1	14	1	1	2	3	8	11	18
B. Operated	209	11.7	206	2	3	7	14	36	52	99+
TOTAL										
0-19 YRS	439	3.8	30	1	1	2	4	9	13	31
20-34	93	8.8	134	1	2	5	11	20	46	99+
35-49	43	8.7	46	3	4	7	11	17	31	99+
50-64	30	17.6	514	2	4	9	21	63	91	99+
65+	23	16.7	304	2	4	12	24	45	55	62
GRAND TOTAL	**628**	**6.0**	**94**	**1**	**1**	**3**	**7**	**14**	**25**	**68**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	108	2.3	3	1	1	2	3	5	6	9
20-34	17	4.1	8	1	2	3	5	9	10	11
35-49	8	3.5	2	1	2	4	5	5	5	5
50-64	4	1.8		1	1	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	12	4.7	9	1	2	4	7	9	9	9
20-34	8	5.8	18	2	3	5	7	13	15	15
35-49	5	4.0	18	1	1	1	8	10	10	10
50-64	1	42.0		42	42	42	42	42	42	42
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	114	3.7	11	1	2	3	5	7	11	18
20-34	59	8.1	126	2	2	4	9	20	29	68
35-49	41	7.4	31	2	3	6	10	17	19	21
50-64	30	7.7	41	2	3	6	11	14	17	33
65+	32	13.6	134	3	6	10	16	34	42	47
B. Operated										
0-19 YRS	73	9.6	100	1	3	6	12	27	33	88
20-34	91	9.6	92	2	4	6	13	22	30	80
35-49	43	11.1	87	3	4	8	16	27	35	99+
50-64	21	12.8	115	3	6	7	21	30	35	39
65+	19	19.5	537	3	6	10	26	46	78	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	2.6	4	1	1	2	3	5	6	10
B. Operated	26	6.3	65	1	1	5	7	10	20	42
2. MULTIPLE DX										
A. Not Operated	276	6.8	65	1	2	4	8	15	20	41
B. Operated	247	10.9	133	2	4	7	14	27	34	99+
1. SINGLE DX	164	3.2	15	1	1	2	4	6	8	14
2. MULTIPLE DX	523	8.7	101	2	3	6	11	21	29	58
A. Not Operated	414	5.4	48	1	2	3	6	12	18	35
B. Operated	273	10.4	128	2	4	7	13	27	34	99
TOTAL										
0-19 YRS	307	4.7	37	1	1	3	5	9	17	35
20-34	175	8.4	94	2	3	5	10	19	28	67
35-49	97	8.5	59	2	3	6	11	20	26	73
50-64	56	9.8	93	2	3	7	11	23	32	42
65+	52	15.5	283	2	6	10	18	34	47	97
GRAND TOTAL	**687**	**7.4**	**66**	**1**	**2**	**4**	**9**	**18**	**27**	**52**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.8	2	1	1	1	2	5	5	5
20-34	10	1.9	1	<1	1	2	2	3	4	4
35-49	6	2.0	2	<1	1	1	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	0									
B. Operated										
0-19 YRS	217	1.8	2	<1	1	1	2	3	4	7
20-34	309	2.4	3	1	1	2	3	5	6	9
35-49	87	2.4	3	1	1	2	3	5	6	9
50-64	11	1.8	2	<1	1	1	2	4	5	5
65+	8	1.5	1	<1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	2.5	8	1	1	2	2	5	7	19
20-34	65	3.0	7	<1	1	2	4	6	7	17
35-49	30	3.6	9	1	1	3	4	8	10	13
50-64	16	4.3	7	1	3	4	6	9	10	10
65+	54	7.0	94	2	2	4	8	12	20	53
B. Operated										
0-19 YRS	337	3.7	19	1	1	2	5	7	11	19
20-34	577	4.4	17	1	2	3	6	9	13	22
35-49	190	4.9	27	1	2	3	6	10	14	24
50-64	80	5.6	29	1	2	4	7	11	16	30
65+	96	8.5	158	1	2	4	10	18	35	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	1.9	2	1	1	1	2	4	5	5
B. Operated	632	2.2	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	218	4.1	32	1	1	3	5	8	10	30
B. Operated	1280	4.7	32	1	2	3	6	10	13	27
1. SINGLE DX	665	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1498	4.6	32	1	2	3	6	10	13	27
A. Not Operated	251	3.8	28	1	1	2	4	7	10	21
B. Operated	1912	3.9	24	1	1	2	5	8	12	23
TOTAL										
0-19 YRS	623	2.9	13	1	1	2	3	6	8	17
20-34	961	3.7	13	1	1	3	5	8	11	19
35-49	313	4.0	19	1	1	3	5	8	13	22
50-64	108	5.0	24	1	2	3	6	10	13	27
65+	158	7.6	130	1	2	4	8	16	29	81
GRAND TOTAL	**2163**	**3.8**	**24**	**1**	**1**	**2**	**5**	**8**	**12**	**22**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	3.1	4	1	2	3	4	5	7	11
20-34	152	4.0	8	1	2	3	5	7	10	15
35-49	91	4.4	13	1	2	3	6	8	11	21
50-64	56	5.1	15	2	3	4	6	9	12	23
65+	72	6.1	13	2	4	6	7	10	13	19
B. Operated										
0-19 YRS	8	8.0	29	3	4	6	10	17	19	19
20-34	23	7.3	23	2	3	7	12	14	15	15
35-49	8	13.5	251	1	4	9	16	40	50	50
50-64	4	9.3	23	4	5	9	13	15	15	15
65+	3	5.7	41	1	1	3	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	5.5	21	1	2	4	7	12	14	23
20-34	207	5.1	25	1	2	4	6	10	13	27
35-49	165	6.0	29	1	3	5	7	12	16	25
50-64	203	7.8	32	2	4	7	10	15	17	30
65+	1044	12.9	147	4	6	10	15	27	37	86
B. Operated										
0-19 YRS	36	10.9	97	2	4	7	15	29	32	36
20-34	97	10.6	83	4	6	8	12	18	23	56
35-49	54	11.7	51	3	6	10	18	23	25	27
50-64	39	13.9	94	4	7	11	19	27	32	47
65+	144	19.7	227	7	10	15	27	49	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	439	4.4	11	1	2	4	6	8	10	16
B. Operated	46	8.5	64	2	3	7	12	15	18	50
2. MULTIPLE DX										
A. Not Operated	1702	10.3	112	2	4	7	13	21	29	67
B. Operated	370	14.7	153	4	7	11	20	32	47	99+
1. SINGLE DX	485	4.8	17	1	2	4	6	10	13	19
2. MULTIPLE DX	2072	11.1	122	3	5	8	14	23	34	81
A. Not Operated	2141	9.1	97	2	4	6	11	18	27	63
B. Operated	416	14.0	147	4	6	11	18	31	46	99+
TOTAL										
0-19 YRS	195	5.8	36	1	2	4	7	12	20	32
20-34	479	6.0	37	1	3	4	7	12	16	34
35-49	318	6.7	40	2	3	5	8	14	19	26
50-64	302	8.1	42	2	4	6	10	16	21	33
65+	1263	13.3	156	4	6	10	16	28	40	99+
GRAND TOTAL	**2557**	**9.9**	**108**	**2**	**4**	**7**	**12**	**21**	**30**	**71**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	5	21.8	1117	1	3	11	29	81	81	81
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	13.7	254	3	4	6	25	32	32	32
20-34	5	14.0	221	4	5	10	40	94	99+	99+
35-49	3	19.7	82	13	14	16	26	30	30	30
50-64	7	26.9	1079	3	6	9	55	78	80	80
65+	24	13.1	98	4	6	9	16	28	34	41
B. Operated										
0-19 YRS	8	31.3	870	9	11	15	67	94	99+	99+
20-34	32	27.3	360	10	15	24	35	75	99	99+
35-49	18	26.4	207	15	17	24	43	99+	99+	99+
50-64	8	28.0	194	10	19	25	38	48	50	50
65+	9	16.7	75	10	11	18	67	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.2	1	2	2	3	4	5	5	5
B. Operated	9	13.7	655	1	1	6	11	53	81	81
2. MULTIPLE DX										
A. Not Operated	42	16.0	278	4	6	10	18	40	73	99+
B. Operated	75	26.3	322	10	15	23	41	99+	99+	99+
1. SINGLE DX	15	9.5	403	1	2	4	6	12	64	81
2. MULTIPLE DX	117	22.6	328	6	10	19	34	79	99+	99+
A. Not Operated	48	14.4	261	3	4	9	16	37	70	99+
B. Operated	84	25.0	366	9	12	22	37	96	99+	99+
TOTAL										
0-19 YRS	12	24.5	707	3	8	12	50	89	98	99+
20-34	44	24.1	426	4	11	21	34	79	99+	99+
35-49	27	20.5	236	3	13	20	31	83	99+	99+
50-64	16	26.1	551	5	8	19	38	67	77	80
65+	33	14.1	92	4	8	13	22	40	99+	99+
GRAND TOTAL	**132**	**21.1**	**351**	**4**	**9**	**16**	**32**	**75**	**99+**	**99+**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.7	1	1	1	2	2	3	3	3
20-34	40	2.2	2	1	1	2	3	4	6	8
35-49	45	2.3	2	1	1	2	3	4	5	6
50-64	27	2.9	5	1	2	2	3	7	8	10
65+	38	4.0	14	1	1	3	5	9	12	18
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	3.4	7	1	2	3	4	7	10	11
20-34	179	3.8	9	1	2	3	5	7	9	16
35-49	238	3.9	8	1	2	3	5	7	9	15
50-64	265	4.9	22	1	2	4	6	9	11	27
65+	681	9.1	96	2	4	6	11	20	27	97
B. Operated										
0-19 YRS	12	5.6	12	2	3	5	8	10	13	13
20-34	72	6.7	68	2	3	4	8	14	19	53
35-49	92	8.3	55	2	4	6	10	18	27	74
50-64	80	11.2	113	3	5	8	13	23	37	51
65+	139	15.3	261	3	7	11	17	40	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	161	2.7	6	1	1	2	3	5	8	14
B. Operated	4	5.0	5	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	1408	6.6	59	2	3	4	8	13	20	49
B. Operated	395	11.0	152	2	4	7	13	26	40	96
1. SINGLE DX	165	2.8	6	1	1	2	3	6	7	13
2. MULTIPLE DX	1803	7.5	83	2	3	5	9	16	24	62
A. Not Operated	1569	6.2	55	1	2	4	7	13	19	48
B. Operated	399	10.9	151	2	4	7	13	25	39	96
TOTAL										
0-19 YRS	69	3.6	8	1	2	3	4	8	10	13
20-34	291	4.3	25	1	2	3	5	8	12	20
35-49	376	4.8	23	1	2	4	6	9	14	31
50-64	374	6.1	47	2	3	4	7	11	15	43
65+	858	9.9	125	2	4	7	12	21	33	99+
GRAND TOTAL	**1968**	**7.1**	**78**	**1**	**2**	**5**	**8**	**15**	**22**	**59**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	4.7	56	1	2	3	5	7	10	46
20-34	39	6.8	58	1	2	5	8	13	23	41
35-49	14	5.5	13	2	3	5	7	9	14	16
50-64	27	7.9	50	1	3	5	10	16	22	33
65 +	89	11.0	103	3	5	8	13	21	43	82
B. Operated										
0-19 YRS	5	6.8	94	1	2	3	9	24	24	24
20-34	3	7.0	27	1	3	10	10	10	10	10
35-49	3	24.3	549	7	9	15	42	51	51	51
50-64	0									
65 +	2	12.0	18	9	9	12	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	7.6	77	2	3	6	8	13	22	53
20-34	126	10.2	114	2	4	7	12	24	41	68
35-49	76	13.0	183	3	4	8	15	31	44	64
50-64	119	11.2	82	3	6	9	13	21	27	52
65 +	949	15.3	135	5	8	12	19	29	39	84
B. Operated										
0-19 YRS	51	16.3	365	3	6	9	18	38	60	89
20-34	89	16.4	187	3	7	13	23	36	51	83
35-49	60	19.1	216	4	8	16	27	38	49	98
50-64	50	19.8	139	7	11	17	26	39	44	49
65 +	139	27.1	405	7	12	23	36	59	73	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	204	8.3	78	2	3	5	10	16	27	51
B. Operated	13	11.7	184	1	3	9	15	29	47	51
2. MULTIPLE DX										
A. Not Operated	1355	13.8	133	4	7	11	18	27	38	76
B. Operated	389	21.1	306	5	8	16	29	49	59	98
1. SINGLE DX	217	8.5	85	2	3	6	10	16	27	52
2. MULTIPLE DX	1744	15.5	180	4	7	12	20	33	47	87
A. Not Operated	1559	13.1	129	3	6	10	17	26	38	75
B. Operated	402	20.8	304	4	8	16	28	49	59	97
TOTAL										
0-19 YRS	176	9.5	174	2	3	5	10	20	35	78
20-34	257	11.8	141	2	4	8	14	29	42	58
35-49	153	14.9	201	3	5	10	20	35	46	79
50-64	196	13.0	109	3	6	10	17	26	36	50
65 +	1179	16.4	181	5	8	13	20	33	49	96
GRAND TOTAL	**1961**	**14.7**	**175**	**3**	**6**	**11**	**19**	**31**	**45**	**86**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	2.3	8	< 1	1	1	2	5	11	13
20-34	9	2.8	7	< 1	1	2	4	7	9	9
35-49	6	2.0		1	2	2	2	3	3	3
50-64	12	2.9	7	< 1	1	2	4	7	9	9
65 +	36	5.3	31	1	2	4	7	9	17	29
B. Operated										
0-19 YRS	590	2.7	14	1	1	2	3	5	8	23
20-34	53	2.9	9	1	1	2	3	5	6	17
35-49	71	3.0	20	1	2	2	3	5	5	32
50-64	61	3.6	6	1	2	3	5	6	9	13
65 +	94	4.3	11	1	2	4	5	9	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	4.1	35	1	1	2	4	8	22	25
20-34	15	3.6	14	1	1	4	4	4	13	16
35-49	15	4.0	12	1	2	3	6	7	12	14
50-64	38	5.4	26	1	2	4	7	15	16	23
65 +	333	11.9	165	2	4	8	15	28	37	77
B. Operated										
0-19 YRS	176	4.8	20	1	2	3	6	11	16	21
20-34	80	9.3	123	1	3	6	11	24	34	53
35-49	88	8.6	104	1	3	5	12	21	32	87
50-64	136	7.3	119	1	3	4	8	13	21	68
65 +	459	11.0	160	2	4	7	14	25	34	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	3.3	16	< 1	1	2	4	8	11	21
B. Operated	869	3.0	13	1	1	2	3	5	9	22
2. MULTIPLE DX										
A. Not Operated	441	10.1	141	1	3	6	13	24	32	73
B. Operated	939	8.9	125	2	3	5	11	20	31	78
1. SINGLE DX	992	3.0	14	1	1	2	3	6	9	22
2. MULTIPLE DX	1380	9.3	130	1	3	6	11	22	31	75
A. Not Operated	564	8.6	122	1	2	5	10	22	30	71
B. Operated	1808	6.1	80	1	2	3	6	14	22	54
TOTAL										
0-19 YRS	866	3.2	16	1	1	2	3	6	11	23
20-34	157	6.2	77	1	2	3	6	15	24	51
35-49	180	5.8	67	1	2	3	6	15	21	57
50-64	247	5.9	74	1	2	4	6	12	15	55
65 +	922	10.4	148	2	3	6	13	24	33	82
GRAND TOTAL	**2372**	**8.7**	**91**	**1**	**2**	**3**	**8**	**16**	**24**	**64**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	1.3	1	<1	1	1	1	2	4	4
20-34	8	2.8	3	<1	1	3	4	5	5	5
35-49	8	3.0	3	1	2	3	4	5	6	6
50-64	8	2.1	3	1	1	1	3	5	6	6
65+	9	3.0	7	1	2	2	4	8	8	8
B. Operated										
0-19 YRS	822	1.6	1	1	1	1	2	3	4	7
20-34	238	2.3	2	1	1	2	3	4	5	8
35-49	221	2.3	3	1	1	2	3	4	5	10
50-64	207	2.3	4	1	1	2	3	4	6	13
65+	157	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	3.5	20	1	1	2	4	9	13	21
20-34	34	2.9	7	1	1	2	3	5	6	15
35-49	13	3.2	4	1	2	3	4	6	8	8
50-64	21	3.9	8	1	1	3	6	9	9	9
65+	62	8.0	84	1	2	5	9	18	29	45
B. Operated										
0-19 YRS	217	3.4	19	1	1	2	3	8	13	24
20-34	257	5.6	52	1	2	4	6	11	16	35
35-49	198	4.9	29	1	2	3	5	10	16	32
50-64	216	4.8	68	1	2	3	5	9	12	80
65+	448	7.3	101	1	2	4	9	16	25	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	2.1	3	1	1	1	3	4	6	8
B. Operated	1645	2.0	2	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	154	5.2	45	1	2	3	6	11	17	38
B. Operated	1336	5.6	64	1	2	3	6	12	18	49
1. SINGLE DX	1705	2.0	2	1	1	1	2	4	5	8
2. MULTIPLE DX	1490	5.6	62	1	2	3	6	12	18	47
A. Not Operated	214	4.3	35	1	1	2	5	9	16	38
B. Operated	2981	3.6	33	1	1	2	4	7	11	28
TOTAL										
0-19 YRS	1090	1.9	6	1	1	1	2	4	5	13
20-34	537	4.0	29	1	1	3	4	8	12	25
35-49	440	3.5	16	1	1	2	4	8	10	19
50-64	452	3.6	36	1	1	2	4	6	9	25
65+	676	6.2	80	1	2	3	7	14	21	68
GRAND TOTAL	**3195**	**3.6**	**33**	**1**	**1**	**2**	**4**	**8**	**12**	**29**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.9	9	1	1	2	4	7	10	11
20-34	16	2.4	3	<1	1	2	3	4	6	7
35-49	8	2.1	1	1	1	2	3	3	3	3
50-64	2	3.0		3	3	3	3	3	3	3
65+	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	144	1.8	3	<1	1	1	2	4	5	9
20-34	204	1.8	4	<1	1	1	2	3	4	8
35-49	128	1.8	2	<1	1	1	2	4	5	7
50-64	53	1.7	1	<1	1	1	2	3	4	5
65+	11	2.7	6	1	1	2	4	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	5.5	20	1	2	3	10	12	14	14
20-34	16	3.9	9	1	2	3	4	9	11	12
35-49	6	3.3	5	1	2	3	5	7	7	7
50-64	14	2.6	7	<1	1	2	3	6	9	10
65+	15	4.7	19	<1	1	4	6	14	15	15
B. Operated										
0-19 YRS	103	2.8	7	1	1	2	3	6	7	15
20-34	215	3.2	14	1	1	2	3	7	9	18
35-49	125	3.4	13	1	1	2	4	7	10	19
50-64	73	3.2	13	1	1	2	3	7	13	81
65+	53	6.4	134	1	1	3	5	13	31	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.5	4	1	1	2	3	4	6	11
B. Operated	540	1.8	3	<1	1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	64	4.1	13	1	2	3	5	10	13	15
B. Operated	569	3.5	24	1	1	2	4	7	11	28
1. SINGLE DX	582	1.9	3	<1	1	1	2	3	5	9
2. MULTIPLE DX	633	3.5	23	1	1	2	4	7	11	24
A. Not Operated	106	3.4	10	1	1	2	4	7	11	15
B. Operated	1109	2.7	14	<1	1	2	3	5	7	19
TOTAL										
0-19 YRS	273	2.4	6	<1	1	1	3	5	7	13
20-34	451	2.5	9	<1	1	2	3	4	7	12
35-49	267	2.6	8	1	1	2	3	6	7	18
50-64	142	2.6	8	1	1	2	3	5	9	27
65+	82	5.4	92	1	1	2	5	11	20	59
GRAND TOTAL	**1215**	**2.7**	**14**	**<1**	**1**	**2**	**3**	**5**	**8**	**18**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	10.9	136	1	2	4	18	31	35	36
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49	3	5.7	30	2	2	3	10	12	12	12
50-64	14	8.5	84	1	3	6	10	18	33	37
65 +	41	11.0	82	3	5	10	13	18	32	48
B. Operated										
0-19 YRS	65	6.1	23	2	3	5	7	15	18	23
20-34	32	8.5	210	4	5	6	7	9	13	87
35-49	67	7.2	10	4	5	7	9	11	12	19
50-64	137	9.1	15	5	7	9	11	13	15	23
65 +	565	13.3	40	7	9	12	16	20	25	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	14.8	211	2	3	10	23	33	48	51
20-34	8	5.9	15	< 1	2	6	8	11	12	12
35-49	14	12.5	337	1	3	5	10	50	58	60
50-64	37	15.4	279	3	7	11	17	31	45	94
65 +	502	16.4	215	4	7	12	20	36	48	99 +
B. Operated										
0-19 YRS	56	15.6	260	4	6	11	18	29	43	89
20-34	83	15.1	156	5	8	11	17	27	43	70
35-49	132	15.7	207	6	8	12	16	28	51	97
50-64	518	15.3	133	7	9	12	17	28	42	99 +
65 +	6726	20.0	186	9	12	16	24	39	54	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	10.[illegible]	89	2	3	9	12	19	34	45
B. Operated	866	11.[illegible]	45	5	7	10	14	19	23	34
2. MULTIPLE DX										
A. Not Operated	573	16.0	220	3	7	12	20	36	48	99 +
B. Operated	7515	19.5	185	8	11	16	24	38	53	99 +
1. SINGLE DX	943	11.4	49	4	7	10	14	19	23	35
2. MULTIPLE DX	8088	19.3	188	8	11	15	23	38	53	99 +
A. Not Operated	650	15.3	208	3	7	12	19	35	47	99 +
B. Operated	8381	18.7	176	8	11	15	22	36	51	99 +
TOTAL										
0-19 YRS	150	10.9	155	2	3	6	14	24	32	71
20-34	125	12.7	168	4	6	9	15	23	38	76
35-49	216	12.7	165	4	6	9	14	25	36	86
50-64	706	13.9	123	6	8	11	16	25	37	97
65 +	7834	19.3	180	8	11	15	23	37	52	99 +
GRAND TOTAL	**9031**	**18.5**	**179**	**7**	**10**	**15**	**22**	**36**	**50**	**99 +**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	141	14.2	163	1	2	14	23	29	43	68
20-34	5	10.6	350	1	1	3	14	44	44	44
35-49	4	14.5	626	1	1	2	27	52	52	52
50-64	6	4.8	15	< 1	2	4	5	11	12	12
65 +	19	15.2	318	1	4	7	21	33	57	75
B. Operated										
0-19 YRS	264	10.4	111	1	2	6	16	25	30	46
20-34	51	10.5	122	4	5	8	11	16	27	66
35-49	18	11.4	48	4	4	10	14	24	26	26
50-64	17	13.9	77	4	7	14	16	25	34	38
65 +	24	12.0	42	5	7	11	15	19	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	16.5	175	2	4	17	24	36	45	78
20-34	13	15.6	427	3	4	6	18	43	69	75
35-49	13	11.8	70	5	6	10	14	22	33	36
50-64	19	18.4	294	4	6	13	24	44	60	69
65 +	144	19.5	381	3	7	12	23	51	69	86
B. Operated										
0-19 YRS	316	16.6	207	3	7	13	22	36	45	82
20-34	235	16.8	197	5	9	13	20	39	48	83
35-49	90	19.6	203	7	10	15	27	39	62	99 +
50-64	99	24.7	469	8	11	16	32	56	84	99
65 +	391	24.2	361	8	12	18	32	57	86	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	13.9	187	1	2	11	22	31	44	72
B. Operated	374	10.8	104	2	3	8	15	24	28	47
2. MULTIPLE DX										
A. Not Operated	291	17.8	291	3	6	13	23	43	65	82
B. Operated	1131	20.2	293	5	9	15	26	46	67	99 +
1. SINGLE DX	549	11.7	132	1	3	8	18	26	34	53
2. MULTIPLE DX	1422	19.7	294	4	9	15	26	45	66	99 +
A. Not Operated	466	16.3	255	2	4	12	23	37	51	79
B. Operated	1505	17.9	263	3	7	14	24	41	56	99 +
TOTAL										
0-19 YRS	823	14.2	172	2	4	11	21	31	41	66
20-34	304	15.6	200	4	7	12	18	37	47	79
35-49	125	17.5	187	5	8	13	24	38	53	99 +
50-64	141	21.7	403	5	10	15	26	49	74	98
65 +	578	22.2	361	6	10	16	30	55	75	99 +
GRAND TOTAL	**1971**	**17.5**	**261**	**3**	**7**	**13**	**23**	**40**	**55**	**99 +**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	2.4	4	1	1	2	3	5	6	12
20-34	33	3.6	10	1	2	3	5	6	11	15
35-49	33	3.9	17	1	1	3	5	8	10	23
50-64	18	3.7	6	1	1	3	6	7	8	8
65 +	30	7.7	32	2	4	6	9	16	22	22
B. Operated										
0-19 YRS	403	3.2	12	1	1	2	4	6	9	19
20-34	299	4.5	15	1	2	4	5	9	11	17
35-49	218	5.1	18	1	2	4	6	10	13	22
50-64	118	5.9	17	2	3	5	8	12	13	19
65 +	64	8.0	55	1	4	6	11	15	18	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	5.9	49	1	2	3	7	13	17	39
20-34	50	6.8	82	1	2	4	7	14	20	56
35-49	32	7.7	45	2	3	6	11	16	21	30
50-64	57	10.7	134	2	4	7	13	23	31	57
65 +	203	14.0	228	3	5	9	17	29	45	87
B. Operated										
0-19 YRS	250	7.8	80	1	3	5	10	18	25	46
20-34	345	10.3	118	3	4	7	13	21	32	66
35-49	249	12.1	171	2	4	8	15	27	39	99 +
50-64	214	13.5	184	3	5	9	16	27	41	80
65 +	297	16.1	191	4	7	12	21	35	52	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	198	3.8	15	1	1	3	5	8	11	22
B. Operated	1102	4.5	19	1	2	3	6	9	13	19
2. MULTIPLE DX										
A. Not Operated	389	11.1	169	2	4	7	14	23	37	79
B. Operated	1355	12.0	155	2	4	8	15	27	38	80
1. SINGLE DX	1300	4.4	18	1	2	3	5	9	13	19
2. MULTIPLE DX	1744	11.8	158	2	4	8	15	26	38	81
A. Not Operated	587	8.6	129	1	2	5	10	19	28	70
B. Operated	2457	8.6	107	1	3	5	11	19	28	64
TOTAL										
0-19 YRS	784	4.8	40	1	1	3	5	10	16	35
20-34	727	7.4	76	1	3	5	9	15	21	57
35-49	532	8.5	103	2	3	5	10	20	28	74
50-64	407	10.5	133	2	4	7	12	22	32	57
65 +	594	14.1	188	3	6	10	17	30	47	95
GRAND TOTAL	**3044**	**8.6**	**111**	**1**	**3**	**5**	**10**	**19**	**28**	**66**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	2.2	1	< 1	1	2	3	4	4	5
20-34	68	3.2	4	1	2	3	4	6	7	11
35-49	55	3.3	5	1	2	3	4	7	8	9
50-64	32	3.9	32	1	1	2	4	6	9	33
65 +	30	4.7	9	1	2	4	7	9	10	12
B. Operated										
0-19 YRS	503	2.8	5	1	1	2	4	5	7	12
20-34	759	3.4	6	1	2	3	4	6	7	12
35-49	653	3.7	8	1	2	3	5	6	8	14
50-64	512	4.3	9	2	2	4	5	8	9	16
65 +	255	5.7	14	2	3	5	7	11	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.2	6	< 1	1	2	5	7	9	9
20-34	79	4.6	25	1	1	4	5	9	14	28
35-49	70	5.3	32	1	2	4	6	11	12	33
50-64	72	7.5	135	1	2	5	8	16	23	76
65 +	187	10.4	155	2	4	7	12	22	34	81
B. Operated										
0-19 YRS	228	5.2	35	1	2	4	6	10	16	38
20-34	568	6.4	68	2	3	4	7	12	18	44
35-49	535	6.3	41	2	3	4	7	12	17	33
50-64	532	7.6	66	2	3	5	9	15	21	52
65 +	779	10.6	117	3	4	7	13	21	31	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	242	3.3	8	1	1	3	4	6	8	12
B. Operated	2682	3.8	8	1	2	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	441	7.5	105	1	2	5	9	15	24	74
B. Operated	2642	7.8	77	2	3	5	9	15	23	46
1. SINGLE DX	2924	3.7	8	1	2	3	5	7	9	15
2. MULTIPLE DX	3083	7.7	81	2	3	5	9	15	24	49
A. Not Operated	683	6.0	75	1	2	4	7	12	19	53
B. Operated	5324	5.7	46	1	2	4	6	11	16	36
TOTAL										
0-19 YRS	821	3.5	14	1	1	3	4	6	9	19
20-34	1474	4.6	33	1	2	3	5	8	12	31
35-49	1313	4.8	24	1	2	4	6	9	12	28
50-64	1148	6.0	47	2	3	4	7	11	16	33
65 +	1251	9.4	103	3	4	7	11	19	26	63
GRAND TOTAL	**6007**	**5.8**	**50**	**1**	**2**	**4**	**6**	**11**	**16**	**38**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.2		<1	1	1	1	2	2	2
20-34	10	2.8	8	1	1	2	3	7	10	10
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	13	1.9	1	<1	1	1	3	4	4	4
20-34	18	1.8	1	1	1	2	2	3	4	4
35-49	8	2.4	1	1	2	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	2.3	2	1	1	2	3	4	5	5
20-34	60	3.3	6	1	2	3	5	6	8	13
35-49	39	3.9	15	1	2	3	5	8	10	22
50-64	31	6.6	39	2	3	4	8	17	20	26
65+	48	9.5	157	1	3	5	12	20	31	71
B. Operated										
0-19 YRS	11	5.1	60	1	2	3	5	15	27	28
20-34	41	5.0	26	1	2	3	6	10	18	25
35-49	20	3.6	9	1	2	3	4	9	11	11
50-64	9	4.6	8	2	2	4	6	9	10	10
65+	19	14.3	109	4	7	13	27	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.0	4	1	1	1	2	4	6	10
B. Operated	42	1.9	1	<1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	214	5.1	52	1	2	3	5	11	16	36
B. Operated	100	6.4	54	1	2	4	7	21	29	99+
1. SINGLE DX	69	2.0	2	1	1	2	2	4	4	9
2. MULTIPLE DX	314	5.5	53	1	2	3	6	14	21	80
A. Not Operated	241	4.8	47	1	1	3	5	10	15	31
B. Operated	142	5.1	42	1	2	3	6	14	25	99+
TOTAL										
0-19 YRS	71	2.5	11	<1	1	2	3	4	5	23
20-34	129	3.6	13	1	2	2	4	7	9	20
35-49	69	3.6	11	1	2	3	4	8	11	20
50-64	43	5.9	31	2	2	4	7	14	19	26
65+	71	10.4	142	1	3	7	14	29	67	99+
GRAND TOTAL	**383**	**4.9**	**45**	**1**	**2**	**3**	**5**	**11**	**20**	**63**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.5	2	1	1	1	1	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	35.0		35	35	35	35	35	35	35
50-64	1	14.0		14	14	14	14	14	14	14
65+	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	10.0	8	8	8	10	12	12	12	12
50-64	0									
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	5	21.0	455	2	9	12	31	57	57	57
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	3	8.7	65	4	4	4	15	18	18	18
65+	3	16.3	422	3	4	6	31	40	40	40
B. Operated										
0-19 YRS	8	13.5	255	2	3	9	16	41	50	50
20-34	20	16.0	309	4	6	11	20	64	81	99+
35-49	6	13.3	57	4	9	12	16	25	26	26
50-64	4	8.3	43	4	4	5	12	18	18	18
65+	5	19.0	188	9	11	15	23	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	7.0	128	1	1	1	7	27	35	35
B. Operated	5	4.8	25	1	1	2	9	12	12	12
2. MULTIPLE DX										
A. Not Operated	17	11.9	232	2	3	6	14	36	51	57
B. Operated	43	14.8	218	4	6	11	17	44	63	99+
1. SINGLE DX	14	6.2	88	1	1	2	8	16	31	35
2. MULTIPLE DX	60	14.0	220	3	5	10	17	41	59	96
A. Not Operated	26	10.2	195	1	2	4	12	34	43	57
B. Operated	48	13.8	206	2	5	10	16	37	62	99+
TOTAL										
0-19 YRS	20	6.5	129	1	1	2	5	16	34	50
20-34	26	16.5	317	4	6	11	21	61	71	99+
35-49	11	13.5	88	5	7	10	16	30	35	35
50-64	8	9.1	41	4	4	5	16	18	18	18
65+	9	16.2	229	2	5	12	22	42	43	43
GRAND TOTAL	**74**	**12.5**	**202**	**1**	**4**	**8**	**15**	**35**	**55**	**91**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5	2	<1	1	2	3	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	36	1.9	1	<1	1	2	2	4	4	4
20-34	113	2.1	1	1	1	2	3	4	4	6
35-49	35	1.7	1	<1	1	1	2	3	3	4
50-64	14	1.2		<1	1	1	1	2	2	2
65 +	14	1.5		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	3.5	11	<1	1	2	6	9	9	9
35-49	4	4.8	8	1	3	5	7	8	8	8
50-64	6	4.2	7	1	3	4	4	9	9	9
65 +	2	19.5	685	1	1	19	38	38	38	38
B. Operated										
0-19 YRS	13	1.8	2	1	1	1	2	4	6	6
20-34	24	3.8	24	<1	1	2	4	9	15	23
35-49	20	3.4	11	1	2	3	4	6	11	16
50-64	18	3.6	14	<1	2	2	4	11	14	14
65 +	42	6.0	75	1	1	3	6	15	27	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.9	1	<1	1	2	2	4	4	4
B. Operated	212	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	21	5.3	64	<1	1	4	6	9	22	38
B. Operated	117	4.3	38	1	1	2	4	11	15	34
1. SINGLE DX	221	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX	138	4.4	41	1	1	2	4	9	15	39
A. Not Operated	30	4.3	47	<1	1	2	4	8	9	38
B. Operated	329	2.7	15	1	1	2	3	4	6	23
TOTAL										
0-19 YRS	54	1.9	1	<1	1	2	2	4	4	6
20-34	147	2.4	6	<1	1	2	3	4	6	12
35-49	62	2.4	5	<1	1	2	3	5	6	15
50-64	38	2.8	9	<1	1	2	3	5	11	14
65 +	58	5.4	77	1	1	2	4	13	28	43
GRAND TOTAL	**359**	**2.9**	**18**	**1**	**1**	**2**	**3**	**5**	**8**	**25**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	96	2.0	2	<1	1	1	3	4	5	7
20-34	150	1.7	1	<1	<1	1	2	3	4	5
35-49	78	2.2	6	<1	<1	1	2	5	7	15
50-64	35	1.7	2	<1	<1	1	2	3	5	7
65 +	13	1.4	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.8	6	<1	<1	2	4	6	6	6
20-34	8	4.5	20	<1	<1	2	8	11	12	12
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	10	5.6	19	<1	2	4	10	11	12	12
65 +	5	8.0	25	<1	5	8	10	15	15	15
B. Operated										
0-19 YRS	127	2.4	5	<1	1	2	3	5	6	11
20-34	302	2.5	7	<1	1	2	3	5	7	13
35-49	154	2.2	4	<1	<1	1	2	5	7	10
50-64	127	2.8	21	<1	<1	1	2	5	11	29
65 +	76	4.3	30	<1	1	2	5	9	15	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	2	1	1	2	3	4	4	4
B. Operated	372	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	29	5.0	19	<1	<1	3	8	11	12	15
B. Operated	786	2.6	11	<1	1	1	3	5	8	16
1. SINGLE DX	375	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	815	2.7	11	<1	1	2	3	6	9	16
A. Not Operated	32	4.8	18	<1	<1	3	8	11	12	15
B. Operated	1158	2.4	8	<1	1	1	3	5	7	15
TOTAL										
0-19 YRS	228	2.2	4	<1	1	1	3	4	5	9
20-34	462	2.3	6	<1	1	1	3	4	6	12
35-49	234	2.1	5	<1	<1	1	2	5	7	11
50-64	172	2.7	18	<1	<1	1	2	6	11	25
65 +	94	4.1	27	<1	1	2	5	9	15	30
GRAND TOTAL	**1190**	**2.5**	**9**	**<1**	**1**	**1**	**3**	**5**	**7**	**15**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.8	10	<1	1	2	3	7	12	12
20-34	14	6.4	18	1	4	5	8	13	15	16
35-49	13	5.8	29	1	3	5	7	12	20	22
50-64	7	3.0	3	1	2	2	4	6	6	6
65 +	0									
B. Operated										
0-19 YRS	90	2.6	13	1	1	1	2	5	9	21
20-34	77	2.3	5	<1	1	1	3	6	7	11
35-49	51	2.4	5	<1	1	2	3	5	8	13
50-64	19	2.7	4	1	1	2	4	6	8	8
65 +	18	3.5	7	1	1	3	4	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	6.0	117	1	1	2	6	15	36	42
20-34	19	6.1	27	1	2	4	9	13	17	20
35-49	13	7.1	51	2	4	5	7	15	26	29
50-64	12	7.9	25	1	5	8	9	14	19	20
65 +	14	8.6	27	2	5	8	12	16	17	17
B. Operated										
0-19 YRS	71	6.5	30	1	3	4	8	15	19	23
20-34	91	5.8	78	1	2	3	7	11	15	56
35-49	53	6.8	78	1	1	3	7	23	29	34
50-64	34	9.8	131	1	2	5	12	27	39	48
65 +	44	9.1	359	1	2	4	6	19	42	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	4.8	19	1	2	4	6	10	14	22
B. Operated	255	2.6	8	1	1	1	3	6	8	14
2. MULTIPLE DX										
A. Not Operated	72	7.1	47	1	2	6	9	15	19	39
B. Operated	293	7.1	115	1	2	4	8	15	23	65
1. SINGLE DX	300	2.9	10	1	1	2	3	7	9	17
2. MULTIPLE DX	365	7.1	101	1	2	4	8	15	23	47
A. Not Operated	117	6.2	37	1	2	5	8	12	17	33
B. Operated	548	5.0	70	1	1	2	5	11	17	34
TOTAL										
0-19 YRS	186	4.4	30	1	1	2	5	12	16	23
20-34	201	4.5	44	1	1	3	6	10	13	23
35-49	130	5.0	46	1	1	3	6	11	23	33
50-64	72	7.0	77	1	2	4	8	13	26	46
65 +	76	7.7	218	1	2	4	8	16	19	94
GRAND TOTAL	**665**	**5.2**	**64**	**1**	**1**	**3**	**6**	**12**	**17**	**34**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.4		<1	1	1	2	2	2	2
20-34	6	3.8	1	2	3	4	5	5	5	5
35-49	8	2.4	4	<1	1	2	3	6	7	7
50-64	7	3.3	1	2	2	3	4	5	5	5
65 +	3	9.0	48	5	5	5	14	17	17	17
B. Operated										
0-19 YRS	145	2.7	1	1	2	3	4	4	5	5
20-34	272	3.0	2	1	2	3	4	5	6	8
35-49	69	3.3	3	1	2	3	4	6	6	8
50-64	26	3.3	3	2	2	3	4	5	7	8
65 +	6	4.8	6	2	3	4	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.1	1	1	1	2	3	3	3	3
20-34	20	2.8	5	<1	1	2	4	6	7	9
35-49	14	3.0	3	1	2	3	4	5	7	7
50-64	13	6.3	15	2	4	5	8	13	15	15
65 +	47	7.8	28	2	4	6	11	17	18	23
B. Operated										
0-19 YRS	201	3.4	6	1	2	3	4	6	7	19
20-34	387	3.7	10	1	2	3	4	6	7	14
35-49	130	3.2	5	1	2	3	4	5	7	12
50-64	39	4.2	6	1	2	4	6	8	9	10
65 +	40	10.0	154	2	3	6	12	19	28	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.3	9	1	1	3	4	5	7	17
B. Operated	518	3.0	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	110	5.3	21	1	2	4	7	12	17	21
B. Operated	797	3.9	17	1	2	3	4	6	8	20
1. SINGLE DX	549	3.0	3	1	2	3	4	5	6	8
2. MULTIPLE DX	907	4.0	18	1	2	3	5	7	9	20
A. Not Operated	141	4.8	19	1	2	3	6	11	16	19
B. Operated	1315	3.5	11	1	2	3	4	6	7	15
TOTAL										
0-19 YRS	369	3.0	4	1	2	3	4	5	6	9
20-34	685	3.4	7	1	2	3	4	5	7	11
35-49	221	3.2	4	1	2	3	4	5	7	10
50-64	85	4.1	7	2	2	4	5	8	9	14
65 +	96	8.5	80	2	4	6	10	18	20	55
GRAND TOTAL	**1456**	**3.7**	**12**	**1**	**2**	**3**	**4**	**6**	**8**	**17**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.4	2	1	1	2	3	4	5	5
20-34	114	4.5	9	2	2	4	6	9	10	14
35-49	123	4.4	10	2	2	3	6	9	10	17
50-64	67	4.8	8	2	3	4	6	9	9	15
65 +	22	4.2	5	1	3	4	5	8	9	9
B. Operated										
0-19 YRS	0									
20-34	14	2.5	6	< 1	1	1	3	7	8	8
35-49	9	4.8	9	1	3	5	6	9	10	10
50-64	3	4.7	10	1	2	6	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.5	10	1	2	4	7	9	10	11
20-34	169	5.4	9	2	3	5	7	9	10	15
35-49	247	6.3	19	2	4	5	8	12	14	21
50-64	189	6.9	42	2	4	6	9	13	14	31
65 +	165	7.9	81	2	4	6	9	15	18	56
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	6.8	20	1	3	5	11	13	13	13
35-49	14	7.6	16	1	5	8	10	13	14	14
50-64	7	11.6	20	5	7	12	15	16	16	16
65 +	16	14.9	298	2	5	8	13	45	54	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	337	4.4	9	2	2	4	6	9	10	15
B. Operated	26	3.5	8	1	1	2	6	8	9	10
2. MULTIPLE DX										
A. Not Operated	786	6.5	36	2	3	5	8	11	14	23
B. Operated	47	10.4	122	2	4	8	12	16	42	58
1. SINGLE DX	363	4.4	9	1	2	4	6	9	10	14
2. MULTIPLE DX	833	6.8	41	2	4	5	8	12	15	37
A. Not Operated	1123	5.9	28	2	3	5	7	10	14	21
B. Operated	73	8.0	92	1	2	6	10	14	16	55
TOTAL										
0-19 YRS	28	3.6	7	1	2	3	5	8	9	11
20-34	306	5.0	9	2	3	4	7	9	10	15
35-49	393	5.7	16	2	3	5	7	11	13	20
50-64	266	6.4	34	2	3	5	8	12	14	22
65 +	203	8.0	94	2	3	6	9	15	19	58
GRAND TOTAL	**1196**	**6.0**	**33**	**2**	**3**	**5**	**8**	**11**	**14**	**22**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	1.6	1	< 1	1	1	2	3	5	5
20-34	115	3.5	5	1	2	3	5	7	8	10
35-49	93	4.5	16	1	2	3	5	11	14	19
50-64	29	4.8	18	1	2	4	6	9	16	20
65 +	8	6.3	14	2	4	5	8	12	13	13
B. Operated										
0-19 YRS	0									
20-34	12	1.5	1	< 1	1	1	2	3	3	3
35-49	16	3.2	21	< 1	< 1	1	2	9	15	17
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	2.7	7	1	1	2	3	6	7	17
20-34	197	4.3	13	1	2	3	6	9	11	20
35-49	186	4.9	15	1	2	4	7	9	12	19
50-64	133	5.6	48	1	2	5	6	10	13	28
65 +	137	6.4	41	1	3	5	8	12	16	30
B. Operated										
0-19 YRS	7	3.9	12	1	1	2	6	9	10	10
20-34	20	5.2	18	1	2	4	8	9	14	19
35-49	22	4.6	21	1	2	3	6	10	17	19
50-64	8	4.0	5	1	2	4	6	7	7	7
65 +	10	17.2	346	4	7	12	19	45	67	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277	3.8	11	1	1	3	5	8	11	16
B. Operated	29	2.4	12	< 1	1	1	2	7	10	17
2. MULTIPLE DX										
A. Not Operated	713	5.0	26	1	2	4	6	9	13	20
B. Operated	67	6.5	81	1	2	4	8	15	19	59
1. SINGLE DX	306	3.7	11	1	1	3	5	8	10	16
2. MULTIPLE DX	780	5.1	31	1	2	4	7	10	13	21
A. Not Operated	990	4.6	22	1	2	4	6	9	12	20
B. Operated	96	5.3	63	1	1	3	7	10	18	47
TOTAL										
0-19 YRS	99	2.4	6	< 1	1	1	3	5	7	14
20-34	344	4.0	11	1	2	3	5	8	9	18
35-49	317	4.7	16	1	2	4	6	9	12	19
50-64	171	5.4	41	1	2	4	6	10	13	20
65 +	155	7.1	65	2	3	5	9	14	17	58
GRAND TOTAL	**1086**	**4.7**	**26**	**1**	**2**	**3**	**6**	**9**	**12**	**20**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.7	1	1	1	1	2	4	5	5
20-34	31	2.1	3	<1	1	2	3	4	6	8
35-49	25	2.4	1	1	2	3	3	4	4	5
50-64	14	3.1	3	1	2	3	4	5	7	8
65 +	12	3.6	6	<1	1	3	5	7	8	8
B. Operated										
0-19 YRS	32	1.6	1	<1	1	1	2	3	4	4
20-34	183	2.1	2	<1	1	2	3	4	4	6
35-49	296	2.2	2	1	1	2	3	4	5	7
50-64	267	2.5	2	1	2	2	3	4	5	8
65 +	84	2.8	2	1	2	2	3	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	1.8	1	<1	1	1	3	3	4	4
20-34	38	2.5	5	1	1	2	3	6	7	11
35-49	47	2.7	9	1	1	2	3	5	7	19
50-64	40	3.5	9	<1	1	3	4	7	10	15
65 +	104	7.3	60	1	3	5	9	18	26	71
B. Operated										
0-19 YRS	14	1.9	2	1	1	1	2	4	5	6
20-34	96	2.9	6	<1	1	2	4	5	8	14
35-49	180	2.8	4	1	1	2	4	6	7	8
50-64	337	3.5	13	1	2	3	4	6	8	21
65 +	263	4.8	13	2	2	4	6	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	2.4	3	1	1	2	3	5	6	8
B. Operated	862	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	249	4.6	34	1	1	3	5	11	17	32
B. Operated	890	3.7	11	1	2	3	4	7	9	17
1. SINGLE DX	963	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1139	3.9	16	1	2	3	4	7	10	24
A. Not Operated	350	4.0	26	1	1	3	4	8	14	31
B. Operated	1752	3.0	7	1	2	2	4	5	7	13
TOTAL										
0-19 YRS	85	1.7	1	1	1	1	2	3	4	6
20-34	348	2.4	3	<1	1	2	3	4	5	10
35-49	548	2.5	3	1	1	2	3	4	6	8
50-64	658	3.1	8	1	2	2	4	5	7	15
65 +	463	5.0	23	2	2	4	6	10	13	29
GRAND TOTAL	**2102**	**3.2**	**10**	**1**	**2**	**2**	**4**	**6**	**8**	**17**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	745	1.3	1	1	1	1	1	2	2	4
20-34	181	1.6	1	1	1	1	2	3	4	6
35-49	69	2.0	2	1	1	1	2	4	5	8
50-64	30	2.0	2	<1	1	1	3	4	5	6
65 +	19	2.2	2	1	1	2	3	4	5	6
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	920	1.9	7	1	1	1	2	3	5	9
20-34	708	2.5	5	1	1	2	3	5	7	11
35-49	335	3.0	9	1	1	2	4	6	8	15
50-64	187	3.3	9	1	1	2	4	7	8	22
65 +	345	6.2	71	1	2	4	7	15	22	91
B. Operated										
0-19 YRS	285	2.8	12	1	1	2	3	6	8	18
20-34	436	3.2	12	1	1	2	4	6	10	18
35-49	159	4.2	31	1	1	3	5	9	11	37
50-64	104	6.0	85	1	2	3	5	16	27	49
65 +	145	8.8	221	1	2	5	9	19	36	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1044	1.4	1	1	1	1	2	2	3	5
B. Operated	5	1.2		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	2495	2.9	18	1	1	2	3	6	8	21
B. Operated	1129	4.2	52	1	1	2	4	9	13	37
1. SINGLE DX	1049	1.4	1	1	1	1	2	2	3	5
2. MULTIPLE DX	3624	3.3	29	1	1	2	4	6	10	27
A. Not Operated	3539	2.5	13	1	1	1	3	5	7	19
B. Operated	1134	4.2	51	1	1	2	4	9	13	37
TOTAL										
0-19 YRS	1953	1.8	6	1	1	1	2	3	4	10
20-34	1327	2.6	7	1	1	2	3	5	7	13
35-49	563	3.2	14	1	1	2	4	6	9	18
50-64	321	4.1	35	1	1	2	4	7	13	34
65 +	509	6.8	113	1	2	4	7	15	24	89
GRAND TOTAL	**4673**	**2.9**	**23**	**1**	**1**	**2**	**3**	**6**	**9**	**24**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	22.6	198	7	12	28	58	99 +	99 +	99 +
20-34	2	16.5	113	9	9	16	24	24	24	24
35-49	3	19.3	450	2	5	13	35	43	43	43
50-64	0									
65 +	1	26.0		26	26	63	99 +	99 +	99 +	99 +
B. Operated										
0-19 YRS	25	35.5	431	18	21	37	80	99 +	99 +	99 +
20-34	25	36.4	488	15	21	35	48	96	99 +	99 +
35-49	11	44.5	780	15	28	42	87	99 +	99 +	99 +
50-64	12	45.4	363	31	41	44	99 +	99 +	99 +	99 +
65 +	6	35.3	173	20	33	43	99 +	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	13	21.2	191	4	11	26	43	99 +	99 +	99 +
B. Operated	79	38.5	462	18	27	41	85	99 +	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	92	36.1	459	13	23	39	82	99 +	99 +	99 +
A. Not Operated	13	21.2	191	4	11	26	43	99 +	99 +	99 +
B. Operated	79	38.5	462	18	27	41	85	99 +	99 +	99 +
TOTAL										
0-19 YRS	32	32.7	402	11	21	35	73	99 +	99 +	99 +
20-34	27	35.0	483	13	21	33	47	92	99 +	99 +
35-49	14	39.1	784	8	22	37	78	99	99 +	99 +
50-64	12	45.4	363	31	41	44	99 +	99 +	99 +	99 +
65 +	7	34.0	156	20	32	43	99 +	99 +	99 +	99 +
GRAND TOTAL	**92**	**36.1**	**459**	**13**	**23**	**39**	**82**	**99 +**	**99 +**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	326	1.6	3	< 1	1	1	2	3	4	9
20-34	48	2.4	5	1	1	1	3	5	8	11
35-49	16	2.8	3	1	1	3	4	6	6	6
50-64	11	4.7	28	1	1	2	6	13	18	18
65 +	12	6.0	28	1	2	4	10	15	16	16
B. Operated										
0-19 YRS	21	5.8	47	1	3	4	7	12	24	31
20-34	7	4.1	8	< 1	1	4	7	8	8	8
35-49	7	10.0	118	2	6	7	9	29	34	34
50-64	6	7.3	18	1	5	7	12	12	12	12
65 +	14	10.2	55	4	5	8	13	23	28	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	506	2.4	12	1	1	1	2	5	8	19
20-34	247	3.7	22	1	1	2	4	8	12	24
35-49	119	5.6	50	1	2	3	7	13	17	48
50-64	92	6.1	68	1	2	4	7	13	17	49
65 +	271	10.7	129	2	3	7	15	25	37	99 +
B. Operated										
0-19 YRS	182	6.8	114	1	1	3	8	16	32	67
20-34	173	9.4	164	1	2	5	14	23	32	99 +
35-49	83	14.5	328	2	3	8	22	53	95	99 +
50-64	66	14.2	291	1	3	9	18	44	68	95
65 +	208	19.6	394	2	5	13	29	58	84	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	413	1.9	5	1	1	1	2	4	7	12
B. Operated	55	7.4	52	1	3	6	8	13	27	34
2. MULTIPLE DX										
A. Not Operated	1235	5.1	58	1	1	2	6	13	20	48
B. Operated	712	12.7	274	1	2	7	17	42	64	99 +
1. SINGLE DX	468	2.6	13	1	1	1	2	6	8	18
2. MULTIPLE DX	1947	7.9	150	1	1	3	9	22	38	99 +
A. Not Operated	1648	4.3	46	1	1	2	4	11	16	40
B. Operated	767	12.4	260	1	2	7	17	38	60	99 +
TOTAL										
0-19 YRS	1035	3.0	31	1	1	1	2	7	11	35
20-34	475	5.7	80	1	1	3	6	15	21	78
35-49	225	8.8	170	1	2	4	9	24	48	99 +
50-64	175	9.1	163	1	2	4	12	20	39	71
65 +	505	14.3	253	2	4	9	20	42	59	99 +
GRAND TOTAL	**2415**	**6.9**	**128**	**1**	**1**	**2**	**7**	**18**	**31**	**94**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.5	1	<1	1	1	2	3	3	3
20-34	23	2.5	2	1	1	3	3	4	6	6
35-49	7	2.1	3	1	1	1	3	5	6	6
50-64	0									
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	24	3.8	11	1	2	3	4	7	10	16
20-34	37	4.8	4	2	3	5	6	7	8	9
35-49	7	4.0	3	2	2	4	6	6	6	6
50-64	4	5.0	1	4	4	5	6	6	6	6
65 +	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	4.1	18	1	2	3	5	8	11	25
20-34	86	4.3	12	1	2	3	5	9	12	18
35-49	58	4.1	8	1	2	4	6	8	10	13
50-64	69	5.0	18	1	2	4	6	9	13	23
65 +	93	8.7	163	2	3	5	9	16	41	93
B. Operated										
0-19 YRS	111	9.3	68	3	4	7	10	22	26	44
20-34	260	8.5	69	3	4	7	10	14	18	61
35-49	121	9.4	98	3	4	6	10	19	26	57
50-64	104	12.4	138	4	6	8	15	25	36	66
65 +	129	13.2	134	4	6	10	16	26	36	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	2.1	2	1	1	2	3	3	6	6
B. Operated	74	4.4	6	2	3	4	6	7	8	14
2. MULTIPLE DX										
A. Not Operated	350	5.5	57	1	2	4	6	10	15	40
B. Operated	725	10.2	98	3	5	7	12	20	27	61
1. SINGLE DX	121	3.5	5	1	2	3	5	7	7	11
2. MULTIPLE DX	1075	8.7	89	2	4	6	10	17	24	60
A. Not Operated	397	5.1	51	1	2	3	6	9	13	47
B. Operated	799	9.7	93	3	4	7	11	19	27	59
TOTAL										
0-19 YRS	194	6.8	53	1	2	5	9	14	23	38
20-34	406	6.9	52	2	3	5	9	13	15	31
35-49	193	7.4	71	2	3	5	8	15	20	45
50-64	177	9.3	102	2	4	6	11	21	26	60
65 +	226	11.2	149	3	4	7	13	22	37	75
GRAND TOTAL	**1196**	**8.2**	**83**	**2**	**3**	**6**	**10**	**16**	**23**	**58**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	112	4.3	21	1	1	3	6	9	12	24
20-34	30	3.5	12	<1	1	2	5	8	12	15
35-49	12	5.4	20	1	2	4	7	12	15	16
50-64	4	3.0	5	1	1	2	4	6	6	6
65 +	4	1.5		<1	<1	1	2	2	2	2
B. Operated										
0-19 YRS	37	6.6	12	3	5	7	8	9	11	22
20-34	46	6.8	16	4	5	6	8	10	11	28
35-49	14	6.9	17	2	5	7	8	12	15	16
50-64	7	6.9	10	2	5	7	9	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	206	4.8	20	1	2	4	7	10	12	21
20-34	182	4.1	8	1	2	3	6	8	9	12
35-49	73	4.6	19	1	2	3	6	11	12	25
50-64	51	4.9	14	2	2	4	7	9	13	22
65 +	69	7.2	37	1	3	6	11	14	20	87
B. Operated										
0-19 YRS	198	13.8	160	5	7	10	15	28	45	78
20-34	395	13.3	135	5	7	10	15	28	38	76
35-49	168	15.3	213	5	8	10	17	33	54	99
50-64	74	16.3	214	4	8	13	20	33	49	98
65 +	66	16.5	169	4	8	14	26	41	61	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	162	4.1	19	1	1	3	5	9	12	18
B. Operated	104	6.8	14	2	5	7	8	10	11	25
2. MULTIPLE DX										
A. Not Operated	581	4.8	18	1	2	4	7	10	12	22
B. Operated	901	14.3	165	5	7	10	17	30	48	99 +
1. SINGLE DX	266	5.2	18	1	2	4	7	10	12	21
2. MULTIPLE DX	1482	10.6	128	2	4	8	13	23	33	78
A. Not Operated	743	4.7	18	1	2	3	6	10	12	22
B. Operated	1005	13.5	154	5	7	9	15	28	44	98
TOTAL										
0-19 YRS	553	8.0	88	1	2	6	10	15	25	56
20-34	653	9.8	105	2	4	8	11	21	30	68
35-49	267	11.5	165	2	5	8	13	25	37	95
50-64	136	11.1	154	2	4	8	14	25	37	92
65 +	139	11.5	122	2	4	9	15	29	46	99 +
GRAND TOTAL	**1748**	**9.7**	**115**	**1**	**3**	**7**	**12**	**21**	**31**	**75**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.4	1	<1	<1	1	2	3	3	3
20-34	3	2.3		2	2	2	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	93	2.4	5	<1	1	1	3	6	6	11
20-34	49	2.8	4	1	1	2	4	6	6	10
35-49	16	1.8	2	1	1	1	2	2	6	7
50-64	5	2.6	2	1	2	2	3	5	5	5
65 +	4	3.0	2	1	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.9	8	<1	2	3	5	8	10	10
20-34	7	2.3	1	1	1	2	3	4	4	4
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	104	3.1	5	1	1	2	4	6	7	11
20-34	100	3.6	11	1	1	3	5	6	8	20
35-49	42	4.8	22	1	2	4	5	9	16	23
50-64	19	7.9	52	2	2	8	9	16	25	31
65 +	46	6.0	62	1	2	4	7	11	16	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.3	2	<1	1	2	3	5	6	6
B. Operated	167	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	20	3.5	6	1	2	3	5	7	9	10
B. Operated	311	4.2	22	1	1	3	5	8	11	24
1. SINGLE DX	179	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	331	4.2	21	1	1	3	5	8	10	24
A. Not Operated	32	3.0	5	1	1	2	4	6	7	10
B. Operated	478	3.6	16	1	1	3	5	7	9	21
TOTAL										
0-19 YRS	214	2.7	5	<1	1	2	4	6	7	11
20-34	159	3.3	8	1	1	3	4	6	7	15
35-49	61	4.1	17	1	2	3	5	8	11	23
50-64	26	6.5	43	2	2	4	8	13	21	31
65 +	50	5.8	58	1	2	4	7	10	16	51
GRAND TOTAL	**510**	**3.6**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**20**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	1.9	1	1	1	1	3	4	4	5
20-34	21	1.8	1	1	1	1	3	3	4	4
35-49	5	3.6	28	1	1	1	5	13	13	13
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	120	1.5	1	<1	1	1	2	3	4	5
20-34	44	1.5	1	<1	1	1	2	3	4	5
35-49	17	1.7	1	<1	1	1	2	4	4	4
50-64	5	2.4	2	1	1	2	3	5	5	5
65 +	7	2.3	3	<1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	2.4	2	<1	1	2	3	4	6	8
20-34	61	2.8	7	1	1	2	3	5	9	14
35-49	30	2.9	8	<1	1	2	3	8	10	12
50-64	16	3.3	6	1	1	3	5	7	8	9
65 +	26	7.9	91	1	2	4	10	20	33	38
B. Operated										
0-19 YRS	280	2.8	23	1	1	2	3	5	8	56
20-34	318	3.2	37	1	1	2	4	6	9	17
35-49	130	3.3	8	1	1	3	4	7	8	16
50-64	78	4.3	31	1	2	3	5	8	11	37
65 +	146	6.1	47	1	2	4	7	11	17	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	2.0	3	1	1	1	3	4	5	11
B. Operated	193	1.6	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	206	3.3	19	<1	1	2	4	6	10	25
B. Operated	952	3.6	31	1	1	2	4	7	11	33
1. SINGLE DX	274	1.7	2	<1	1	1	2	3	4	5
2. MULTIPLE DX	1158	3.6	29	1	1	2	4	7	10	32
A. Not Operated	287	3.0	14	1	1	2	3	5	9	19
B. Operated	1145	3.3	27	1	1	2	4	7	10	28
TOTAL										
0-19 YRS	527	2.4	13	<1	1	1	3	4	6	12
20-34	444	2.9	28	1	1	2	3	5	9	15
35-49	182	3.1	8	1	1	2	4	6	8	14
50-64	99	4.0	25	1	2	2	5	8	10	33
65 +	180	6.2	52	1	2	4	7	13	19	37
GRAND TOTAL	**1432**	**3.2**	**24**	**1**	**1**	**2**	**4**	**6**	**9**	**25**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	1.8	1	1	1	1	2	3	4	6
20-34	85	1.5	1	1	1	1	2	3	3	4
35-49	25	2.1	3	<1	1	2	2	3	5	9
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	81	2.0	2	<1	1	1	2	4	5	8
20-34	57	2.8	4	<1	1	2	4	5	7	10
35-49	13	2.2	3	<1	1	2	3	5	6	6
50-64	5	2.2	5	1	1	1	3	6	6	6
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	3.0	40	<1	1	2	3	4	7	42
20-34	84	2.1	1	1	1	2	3	3	4	6
35-49	25	2.3	4	1	1	2	2	4	6	11
50-64	14	4.6	16	1	2	3	7	11	13	14
65+	5	10.0	55	1	3	12	15	19	19	19
B. Operated										
0-19 YRS	78	4.2	22	1	1	3	6	9	14	26
20-34	143	6.0	75	1	2	3	8	11	17	49
35-49	47	5.8	49	1	2	4	6	11	25	33
50-64	12	8.5	79	1	4	7	8	19	33	35
65+	9	5.2	19	1	2	4	7	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	170	1.7	1	1	1	1	2	3	3	6
B. Operated	159	2.3	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	171	2.8	16	1	1	2	3	5	7	18
B. Operated	289	5.5	55	1	2	4	7	11	15	34
1. SINGLE DX	329	2.0	2	<1	1	1	2	4	5	9
2. MULTIPLE DX	460	4.5	42	1	1	3	5	9	13	33
A. Not Operated	341	2.2	9	1	1	2	2	4	5	14
B. Operated	448	4.4	39	1	1	3	5	9	12	32
TOTAL										
0-19 YRS	258	2.8	15	1	1	2	3	6	7	24
20-34	369	3.6	34	1	1	2	4	8	10	24
35-49	110	3.7	25	1	1	2	4	8	11	32
50-64	35	5.2	39	1	1	3	7	11	13	35
65+	17	5.9	32	1	2	4	12	14	17	19
GRAND TOTAL	**789**	**3.5**	**27**	**1**	**1**	**2**	**4**	**7**	**10**	**26**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	2.7	2	1	2	2	3	5	5	7
20-34	117	3.1	3	1	2	3	4	5	7	9
35-49	50	3.8	9	1	2	3	6	7	10	15
50-64	22	2.7	2	1	2	2	3	5	6	6
65+	17	3.6	3	2	2	3	5	7	7	7
B. Operated										
0-19 YRS	229	1.9	3	<1	1	1	2	4	6	9
20-34	375	2.3	6	<1	1	2	3	5	7	12
35-49	172	2.4	9	<1	1	1	3	5	8	17
50-64	63	2.3	3	<1	1	2	3	5	6	10
65+	23	2.2	6	<1	1	1	3	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	3.9	47	1	2	3	4	6	8	50
20-34	126	3.7	9	1	2	3	4	8	8	16
35-49	70	3.7	6	1	2	3	5	7	8	14
50-64	39	4.6	34	2	2	3	5	8	10	37
65+	49	6.4	28	2	3	5	8	12	19	26
B. Operated										
0-19 YRS	282	3.1	18	1	1	2	3	6	10	23
20-34	492	3.5	17	1	1	2	4	7	10	24
35-49	236	3.7	18	1	1	2	4	8	14	23
50-64	151	4.5	45	1	1	2	5	10	17	34
65+	84	4.7	40	1	1	2	5	12	18	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	298	3.1	4	1	2	3	4	6	7	10
B. Operated	862	2.2	6	<1	1	1	2	5	6	11
2. MULTIPLE DX										
A. Not Operated	347	4.3	21	1	2	3	5	8	10	25
B. Operated	1245	3.6	23	1	1	2	4	7	12	27
1. SINGLE DX	1160	2.5	5	1	1	2	3	5	7	11
2. MULTIPLE DX	1592	3.8	22	1	1	2	4	8	11	26
A. Not Operated	645	3.7	14	1	2	3	4	7	8	15
B. Operated	2107	3.1	16	1	1	2	3	6	9	22
TOTAL										
0-19 YRS	666	2.7	14	1	1	2	3	5	7	19
20-34	1110	3.1	11	1	1	2	4	6	8	21
35-49	528	3.3	13	1	1	2	4	7	9	19
50-64	275	3.9	31	1	1	2	4	7	11	34
65+	173	4.8	30	1	1	3	6	11	16	28
GRAND TOTAL	**2752**	**3.2**	**16**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	98	2.9	5	1	1	2	4	6	7	11
20-34	62	3.1	6	1	2	2	4	6	10	12
35-49	21	3.1	3	2	2	3	4	5	7	8
50-64	10	4.1	9	1	2	3	5	9	11	11
65 +	6	6.5	24	3	3	5	7	15	16	16
B. Operated										
0-19 YRS	197	3.0	10	1	1	2	3	5	8	20
20-34	163	3.5	17	1	1	2	4	6	11	23
35-49	57	4.0	17	1	2	2	4	10	15	18
50-64	23	3.3	11	1	1	2	4	8	12	14
65 +	19	3.6	10	1	1	2	5	8	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	5.1	24	2	2	3	6	11	13	28
20-34	63	3.3	6	1	1	3	4	6	8	13
35-49	36	5.6	10	2	3	5	7	10	12	14
50-64	30	6.9	19	3	4	5	9	14	16	18
65 +	50	8.2	32	3	4	7	10	13	20	28
B. Operated										
0-19 YRS	155	6.4	57	1	2	4	8	16	22	53
20-34	199	6.1	58	2	2	4	6	13	17	48
35-49	86	9.4	184	1	2	4	10	24	32	75
50-64	54	11.3	272	2	3	6	12	27	34	97
65 +	91	14.4	207	3	5	9	18	33	49	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	197	3.2	6	1	1	2	4	6	9	12
B. Operated	459	3.3	13	1	1	2	4	7	10	22
2. MULTIPLE DX										
A. Not Operated	231	5.6	21	1	3	4	7	11	14	28
B. Operated	585	8.5	127	1	2	4	10	19	30	61
1. SINGLE DX	656	3.3	11	1	1	2	4	6	9	18
2. MULTIPLE DX	816	7.6	99	1	2	4	9	17	26	54
A. Not Operated	428	4.5	15	1	2	3	6	9	12	19
B. Operated	1044	6.2	84	1	2	3	7	14	23	53
TOTAL										
0-19 YRS	502	4.2	27	1	2	3	5	9	12	31
20-34	487	4.5	33	1	2	3	5	9	13	32
35-49	200	6.5	92	1	2	4	7	14	20	53
50-64	117	8.0	143	1	2	4	9	18	27	74
65 +	166	11.0	140	2	4	7	13	25	35	66
GRAND TOTAL	**1472**	**5.7**	**65**	**1**	**2**	**3**	**6**	**12**	**18**	**45**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	2.4	2	1	1	2	4	4	4	4
20-34	7	5.3	15	1	3	4	6	12	13	13
35-49	4	1.3		< 1	< 1	1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	8.5	86	1	1	6	15	21	21	21
20-34	0									
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	43	10.6	275	1	3	6	14	35	98	99 +
20-34	86	12.9	293	1	3	8	14	34	60	79
35-49	26	14.1	327	1	2	7	19	40	57	75
50-64	18	6.4	129	1	1	3	6	15	36	49
65 +	9	15.7	354	1	2	5	29	47	50	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	20	3.2	8	< 1	1	3	4	6	10	13
2. MULTIPLE DX										
A. Not Operated	7	6.0	53	1	2	2	8	19	21	21
B. Operated	182	12.0	280	1	2	6	14	35	56	99
1. SINGLE DX	21	3.1	8	< 1	1	2	4	6	10	13
2. MULTIPLE DX	189	11.8	272	1	2	6	14	35	55	99
A. Not Operated	8	5.4	49	1	1	2	7	18	21	21
B. Operated	202	11.2	260	1	2	6	12	31	54	98
TOTAL										
0-19 YRS	57	9.0	221	1	2	4	11	22	75	99 +
20-34	93	12.3	276	1	3	7	13	32	59	78
35-49	32	11.8	288	1	2	5	14	31	52	75
50-64	19	6.2	123	1	1	3	6	14	35	49
65 +	9	15.7	354	1	2	5	29	47	50	50
GRAND TOTAL	**210**	**10.9**	**253**	**1**	**2**	**6**	**12**	**29**	**53**	**98**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.0	4	< 1	< 1	1	3	5	5	5
20-34	7	1.7	2	< 1	< 1	< 1	2	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	4	6.5	34	1	1	6	11	12	12	12
65 +	2	5.5	41	1	1	5	10	10	10	10
B. Operated										
0-19 YRS	6	[illegible]	4	1	2	3	5	6	6	6
20-34	11	3.7	8	1	2	3	5	8	10	10
35-49	12	3.3	7	< 1	1	2	5	8	8	8
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	5	9.4	62	4	4	8	12	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	16	1.8	2	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	11	5.9	21	1	2	3	11	12	12	12
B. Operated	37	4.2	16	1	2	3	5	8	9	23
1. SINGLE DX	16	1.8	2	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX	48	4.6	18	1	2	3	7	10	11	23
A. Not Operated	11	5.9	21	1	2	3	11	12	12	12
B. Operated	53	3.5	13	< 1	1	2	5	8	8	23
TOTAL										
0-19 YRS	12	3.6	9	< 1	1	3	5	7	10	11
20-34	19	2.9	6	< 1	1	2	4	7	9	10
35-49	16	3.5	8	1	1	3	5	8	9	9
50-64	9	4.0	19	< 1	1	2	6	12	12	12
65 +	8	7.4	51	< 1	2	6	9	19	23	23
GRAND TOTAL	**64**	**3.9**	**15**	**< 1**	**1**	**3**	**5**	**9**	**11**	**21**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	4.1	2	2	3	4	5	6	6	7
20-34	24	3.6	2	2	2	4	5	5	6	6
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	3	3.0	3	2	2	2	4	5	5	5
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	3.8	7	1	2	4	5	7	7	16
20-34	38	3.3	5	1	2	3	4	6	8	11
35-49	9	4.0	4	1	3	4	5	7	8	8
50-64	5	4.2	1	3	3	4	5	6	6	6
65 +	23	7.7	88	2	3	4	8	18	35	37
B. Operated										
0-19 YRS	8	4.6	23	1	1	2	8	12	12	12
20-34	10	3.2	9	1	1	2	5	8	10	10
35-49	7	7.6	49	2	3	5	10	20	22	22
50-64	3	2.3		2	2	2	3	3	3	3
65 +	2	2.5	5	1	1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	3.8	2	2	3	4	5	5	6	7
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	149	4.3	20	1	2	4	5	7	9	34
B. Operated	30	4.5	22	1	1	3	5	11	12	22
1. SINGLE DX	94	3.8	2	2	3	4	5	5	6	7
2. MULTIPLE DX	179	4.3	20	1	2	3	5	8	11	31
A. Not Operated	243	4.1	13	1	2	4	5	6	8	19
B. Operated	30	4.5	22	1	1	3	5	11	12	22
TOTAL										
0-19 YRS	143	4.0	6	1	3	4	5	6	7	13
20-34	72	3.4	4	1	2	3	5	6	6	11
35-49	20	4.9	22	1	2	4	5	9	16	22
50-64	11	3.4	2	2	2	3	4	5	6	6
65 +	27	6.9	79	2	3	4	7	14	34	37
GRAND TOTAL	**273**	**4.2**	**14**	**1**	**2**	**4**	**5**	**6**	**9**	**21**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	209	1.7	1	1	1	1	2	3	4	7
20-34	157	2.0	3	<1	1	1	2	4	6	10
35-49	62	2.3	3	<1	1	2	3	5	6	8
50-64	40	2.0	2	1	1	1	3	4	5	6
65+	51	3.3	6	1	1	2	4	7	8	12
B. Operated										
0-19 YRS	32	2.4	6	<1	<1	1	3	5	5	13
20-34	21	2.9	6	<1	1	2	3	7	8	8
35-49	16	2.9	7	<1	1	2	3	6	9	11
50-64	10	3.8	13	1	1	2	6	10	10	10
65+	5	3.4	19	<1	1	1	5	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	344	2.1	4	1	1	2	3	4	5	11
20-34	364	2.4	4	1	1	2	3	5	6	9
35-49	229	3.2	7	1	1	2	4	6	7	16
50-64	221	4.1	11	1	2	3	5	8	11	17
65+	762	9.0	131	2	3	6	10	19	32	93
B. Operated										
0-19 YRS	51	5.0	48	<1	1	3	6	10	16	41
20-34	87	3.6	36	1	1	2	4	8	11	38
35-49	44	5.0	16	2	2	4	7	10	14	20
50-64	43	6.0	55	1	2	4	7	10	17	46
65+	131	14.1	295	2	4	9	16	37	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	519	2.0	3	1	1	1	2	4	6	9
B. Operated	84	2.8	7	<1	1	2	3	7	10	12
2. MULTIPLE DX										
A. Not Operated	1920	5.3	65	1	1	3	6	11	18	53
B. Operated	356	8.1	153	1	2	4	9	17	33	83
1. SINGLE DX	603	2.1	4	<1	1	1	3	4	6	10
2. MULTIPLE DX	2276	5.7	80	1	2	3	6	12	19	59
A. Not Operated	2439	4.6	54	1	1	2	5	10	15	45
B. Operated	440	7.1	130	1	2	3	8	15	26	82
TOTAL										
0-19 YRS	636	2.2	7	1	1	1	3	4	6	12
20-34	629	2.5	9	1	1	2	3	5	7	11
35-49	351	3.2	8	1	1	2	4	6	8	16
50-64	314	4.1	17	1	2	3	5	8	10	19
65+	949	9.4	152	2	3	6	10	20	36	93
GRAND TOTAL	**2879**	**5.0**	**66**	**1**	**1**	**3**	**5**	**10**	**17**	**53**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	1.6	1	1	1	1	2	3	4	4
20-34	20	2.7	12	1	1	2	3	5	11	16
35-49	4	1.5		1	1	1	2	2	2	2
50-64	3	2.3		2	2	2	3	3	3	3
65+	0									
B. Operated										
0-19 YRS	13	2.7	14	<1	1	1	3	6	13	15
20-34	20	4.0	33	<1	1	2	4	9	18	26
35-49	5	5.0	46	1	1	3	7	17	17	17
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.3	11	1	1	2	4	6	11	15
20-34	10	4.0	17	1	2	2	7	11	14	14
35-49	8	2.4	6	1	1	2	3	6	8	8
50-64	6	6.3	26	2	3	5	7	15	16	16
65+	5	5.2	15	3	3	4	6	12	12	12
B. Operated										
0-19 YRS	25	8.7	197	1	2	4	10	17	33	71
20-34	35	7.5	103	1	2	4	8	23	37	42
35-49	34	6.6	54	1	1	4	10	19	25	28
50-64	12	12.9	194	1	3	10	16	34	47	49
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	2.1	5	1	1	1	2	4	5	16
B. Operated	40	3.5	26	<1	1	2	3	9	16	26
2. MULTIPLE DX										
A. Not Operated	48	3.9	14	1	2	2	5	8	14	16
B. Operated	107	8.1	119	1	2	4	10	21	28	58
1. SINGLE DX	89	2.7	15	1	1	1	3	5	10	22
2. MULTIPLE DX	155	6.8	90	1	2	3	8	15	25	49
A. Not Operated	97	3.0	10	1	1	2	3	6	11	16
B. Operated	147	6.8	97	1	1	3	9	17	26	50
TOTAL										
0-19 YRS	79	4.4	75	1	1	2	4	11	15	56
20-34	85	5 1	58	1	1	2	5	12	23	42
35-49	51	5.4	44	1	1	3	7	13	23	28
50-64	22	9.1	128	1	2	4	13	21	36	49
65+	7	4.3	13	1	3	3	4	10	12	12
GRAND TOTAL	**244**	**5.3**	**66**	**1**	**1**	**3**	**5**	**13**	**20**	**42**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	396	1.3	1	<1	<1	1	1	2	3	4
20-34	38	1.2		<1	1	1	1	2	3	4
35-49	44	1.2		<1	<1	1	1	2	3	99+
50-64	50	1.3	1	<1	1	1	1	2	3	6
65+	39	1.2		<1	1	1	1	2	2	2
B. Operated										
0-19 YRS	103	1.5	1	<1	1	1	2	3	4	5
20-34	4	3.3	10	1	1	2	5	8	8	8
35-49	5	2.6	13	1	1	1	3	9	9	9
50-64	6	3.5	6	2	2	3	4	8	8	8
65+	2	4.5	25	<1	<1	4	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	122	1.9	2	<1	1	1	2	3	4	9
20-34	42	2.4	5	1	1	2	3	7	8	9
35-49	38	2.0	4	<1	1	1	2	4	6	10
50-64	62	2.9	9	1	1	2	3	7	10	14
65+	141	4.5	50	1	1	2	5	10	16	44
B. Operated										
0-19 YRS	60	5.5	103	1	1	2	5	11	33	53
20-34	23	4.9	14	1	2	4	8	9	12	15
35-49	22	6.9	44	1	2	4	10	19	20	20
50-64	23	4.8	24	1	1	2	7	13	15	17
65+	85	8.4	204	1	1	4	9	22	41	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	567	1.2	1	<1	<1	1	1	2	3	4
B. Operated	120	1.8	2	<1	1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated	405	3.0	21	1	1	2	3	6	9	24
B. Operated	213	6.7	120	1	1	3	7	17	25	80
1. SINGLE DX	687	1.3	1	<1	1	1	1	2	3	6
2. MULTIPLE DX	618	4.3	58	1	1	2	4	9	16	43
A. Not Operated	972	2.0	10	<1	1	1	2	3	6	15
B. Operated	333	4.9	83	1	1	2	5	12	19	57
TOTAL										
0-19 YRS	681	1.8	11	<1	1	1	2	3	4	12
20-34	107	2.6	7	<1	1	1	3	7	8	12
35-49	109	2.7	15	<1	1	1	2	6	14	52
50-64	141	2.7	9	1	1	1	3	7	10	14
65+	267	5.2	97	1	1	2	5	14	20	69
GRAND TOTAL	**1305**	**2.7**	**30**	**<1**	**1**	**1**	**2**	**5**	**9**	**29**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	5.0	13	1	2	4	7	10	13	13
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	26	6.0	39	1	1	5	8	14	24	24
20-34	10	9.5	46	2	5	7	14	19	20	20
35-49	15	5.9	11	2	3	5	8	10	13	14
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	3	20.0	343	1	6	21	34	38	38	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	3.9	10	1	2	3	5	8	11	14
20-34	17	8.0	84	1	4	5	8	15	31	40
35-49	14	6.6	27	1	2	6	9	15	17	18
50-64	10	9.3	43	2	3	9	14	18	22	22
65+	9	8.8	43	2	4	7	12	19	22	22
B. Operated										
0-19 YRS	68	16.1	235	1	4	13	21	35	51	69
20-34	56	14.0	149	2	5	12	21	32	35	98
35-49	37	15.7	206	2	4	11	23	39	48	57
50-64	26	23.2	497	3	8	16	22	53	76	94
65+	33	21.8	201	9	12	17	36	53	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.5	11	1	2	4	6	9	12	13
B. Operated	56	7.3	52	1	2	5	8	19	23	37
2. MULTIPLE DX										
A. Not Operated	87	6.3	37	1	2	5	9	14	16	33
B. Operated	220	17.2	240	2	5	14	22	40	54	99+
1. SINGLE DX	70	6.7	45	1	2	5	8	14	21	35
2. MULTIPLE DX	307	14.1	206	2	4	10	19	35	50	96
A. Not Operated	101	6.0	34	1	2	4	8	13	15	31
B. Operated	276	15.2	218	2	5	12	21	36	52	98
TOTAL										
0-19 YRS	142	10.2	154	1	2	5	13	25	35	63
20-34	85	12.0	127	2	4	8	18	26	34	89
35-49	67	11.4	144	2	3	8	16	26	41	56
50-64	38	18.5	395	2	6	14	21	47	64	94
65+	45	19.1	197	4	10	16	26	47	63	99+
GRAND TOTAL	**377**	**12.7**	**184**	**1**	**3**	**8**	**17**	**32**	**42**	**87**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	3.3	11	1	1	2	4	7	9	18
20-34	40	3.5	7	1	1	3	5	8	9	11
35-49	14	4.5	23	1	1	3	6	12	16	17
50-64	5	6.0	13	2	3	6	9	10	10	10
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	17	5.3	37	1	1	2	8	15	19	21
20-34	7	10.3	79	2	5	6	15	25	27	27
35-49	0									
50-64	3	14.3	162	6	6	8	24	29	29	29
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	282	4.0	17	1	1	3	5	8	10	19
20-34	149	4.1	15	1	1	3	5	10	13	18
35-49	78	5.0	28	1	2	3	6	11	18	26
50-64	47	5.2	27	1	2	3	6	12	18	26
65 +	57	8.7	65	1	2	6	12	20	25	39
B. Operated										
0-19 YRS	41	10.5	108	1	3	8	11	25	38	42
20-34	43	8.7	87	1	2	7	11	17	25	49
35-49	20	14.5	225	2	4	9	17	36	50	60
50-64	20	14.5	143	5	8	10	23	38	75	99 +
65 +	21	14.4	200	3	5	9	18	29	45	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	3.5	11	1	1	2	5	8	10	18
B. Operated	27	7.6	64	1	1	5	11	20	27	29
2. MULTIPLE DX										
A. Not Operated	613	4.7	25	1	1	3	6	10	14	26
B. Operated	145	11.6	138	2	4	8	15	27	40	65
1. SINGLE DX	187	4.1	21	1	1	2	5	9	13	25
2. MULTIPLE DX	758	6.0	54	1	2	4	8	13	20	41
A. Not Operated	773	4.4	22	1	1	3	6	9	14	23
B. Operated	172	11.0	128	1	4	8	13	26	37	63
TOTAL										
0-19 YRS	440	4.5	28	1	1	3	6	9	12	28
20-34	239	5.0	32	1	1	3	7	12	15	28
35-49	112	6.6	74	1	2	4	8	16	21	48
50-64	75	8.1	77	1	3	5	10	23	26	88
65 +	79	10.1	105	2	3	7	14	23	28	57
GRAND TOTAL	**945**	**5.6**	**48**	**1**	**2**	**3**	**7**	**12**	**19**	**40**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.2	2	< 1	1	2	3	5	6	6
20-34	11	4.6	23	1	1	3	7	12	16	16
35-49	9	7.3	38	1	1	6	13	15	15	15
50-64	2	5.5	13	3	3	5	8	8	8	8
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	17	1.4	2	< 1	< 1	1	1	2	5	6
20-34	30	1.3		< 1	< 1	1	1	2	3	4
35-49	13	1.2		< 1	1	1	1	2	3	3
50-64	4	1.8	2	< 1	< 1	1	3	4	4	4
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	5.0	11	2	3	4	6	11	13	14
20-34	26	7.2	102	1	3	5	7	13	22	53
35-49	34	7.8	29	2	4	7	9	16	20	24
50-64	17	7.3	28	2	3	7	9	14	20	22
65 +	21	15.6	187	3	8	13	18	33	48	61
B. Operated										
0-19 YRS	54	3.9	53	1	1	1	3	9	19	45
20-34	115	3.0	23	1	1	1	2	6	13	30
35-49	45	3.4	33	< 1	1	1	3	8	13	35
50-64	24	9.3	423	1	1	2	6	25	48	99
65 +	12	14.8	107	2	8	16	27	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	4.2	18	1	1	3	6	12	15	16
B. Operated	66	1.3	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	120	8.4	79	2	3	6	10	16	22	55
B. Operated	250	4.4	80	1	1	2	3	12	22	98
1. SINGLE DX	109	2.4	9	< 1	1	1	3	6	10	16
2. MULTIPLE DX	370	5.7	83	1	1	2	7	15	22	59
A. Not Operated	163	7.3	66	1	2	5	9	15	20	51
B. Operated	316	3.8	65	< 1	1	1	3	9	19	63
TOTAL										
0-19 YRS	112	3.5	29	1	1	2	4	7	12	31
20-34	182	3.4	33	< 1	1	1	3	7	13	30
35-49	101	4.9	33	1	1	2	7	12	16	29
50-64	47	7.8	226	1	2	3	8	18	25	99
65 +	37	14.0	152	1	6	11	21	36	82	99 +
GRAND TOTAL	**479**	**5.0**	**68**	**1**	**1**	**2**	**6**	**13**	**20**	**51**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	122	1.9	2	1	1	1	2	4	5	8
20-34	94	2.5	5	1	1	2	3	5	8	12
35-49	40	2.5	5	1	1	2	3	5	8	11
50-64	15	2.1	2	1	1	1	3	4	5	5
65 +	13	4.0	21	1	2	2	3	13	15	16
B. Operated										
0-19 YRS	27	3.2	8	< 1	1	2	4	8	9	11
20-34	26	5.2	35	1	1	3	6	14	19	26
35-49	11	3.1	9	1	1	1	5	7	10	10
50-64	9	5.1	14	2	3	4	6	11	14	14
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	2.7	8	1	1	2	3	5	6	20
20-34	175	3.1	9	1	1	2	4	5	7	13
35-49	104	4.7	29	1	2	3	6	8	11	35
50-64	72	5.1	26	1	2	4	6	10	13	32
65 +	150	7.8	61	2	3	6	9	17	22	38
B. Operated										
0-19 YRS	67	5.3	42	1	1	3	6	11	21	30
20-34	118	7.8	84	1	2	4	11	20	26	48
35-49	55	7.1	71	1	2	4	7	18	26	41
50-64	34	14.2	305	2	4	7	21	28	59	80
65 +	42	13.5	273	2	5	7	17	38	63	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	284	2.3	5	1	1	2	3	4	6	12
B. Operated	73	4.2	19	1	1	3	5	9	14	24
2. MULTIPLE DX										
A. Not Operated	671	4.5	29	1	2	3	5	9	13	28
B. Operated	316	8.6	129	1	2	5	10	22	29	71
1. SINGLE DX	357	2.7	8	1	1	2	3	6	8	15
2. MULTIPLE DX	987	5.8	65	1	2	3	7	13	21	41
A. Not Operated	955	3.8	23	1	1	2	4	8	12	26
B. Operated	389	7.8	111	1	2	4	9	20	27	60
TOTAL										
0-19 YRS	386	2.9	13	1	1	2	3	6	8	21
20-34	413	4.4	36	1	1	2	4	10	16	31
35-49	210	4.8	37	1	2	3	6	9	16	37
50-64	130	7.1	112	1	2	4	7	18	25	69
65 +	205	8.7	107	2	3	6	10	19	26	75
GRAND TOTAL	**1344**	**5.0**	**52**	**1**	**1**	**3**	**5**	**11**	**18**	**35**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	709	1.6	2	< 1	1	1	2	3	4	7
20-34	206	1.7	2	< 1	1	1	2	3	4	7
35-49	65	1.8	2	< 1	1	1	2	4	4	7
50-64	26	1.8	2	1	1	1	2	3	5	7
65 +	9	2.3	2	1	2	2	3	4	5	5
B. Operated										
0-19 YRS	3	4.3	9	1	2	5	6	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1224	2.8	13	1	1	2	3	5	8	21
20-34	1544	3.4	29	1	1	2	3	7	11	27
35-49	854	3.6	27	1	1	2	4	7	12	27
50-64	363	4.3	17	1	2	3	5	9	13	22
65 +	534	7.4	75	2	3	5	9	15	25	64
B. Operated										
0-19 YRS	13	5.3	50	1	2	4	5	12	25	28
20-34	33	12.8	292	1	3	5	17	32	36	86
35-49	37	12.4	139	2	4	9	18	29	47	99 +
50-64	36	14.6	249	2	6	12	18	24	27	96
65 +	60	16.4	310	3	7	11	19	38	48	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1015	1.7	2	< 1	1	1	2	3	4	7
B. Operated	6	3.8	6	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	4519	3.8	31	1	1	2	4	8	13	28
B. Operated	179	13.7	244	2	4	10	18	30	43	94
1. SINGLE DX	1021	1.7	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	4698	4.2	42	1	1	2	4	[illegible]	15	34
A. Not Operated	5534	3.4	26	1	1	2	4	[illegible]	11	27
B. Operated	185	13.4	239	2	4	9	[illegible]	[illegible]	41	94
TOTAL										
0-19 YRS	1949	2.4	10	< 1	1	1	3	4	6	18
20-34	1784	3.4	33	1	1	2	3	7	11	30
35-49	957	3.8	32	1	1	2	4	8	14	31
50-64	426	5.0	44	1	1	3	6	11	16	26
65 +	603	8.3	104	2	3	5	10	18	28	67
GRAND TOTAL	**5719**	**3.8**	**36**	**1**	**1**	**2**	**4**	**8**	**13**	**31**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	344	2.7	7	<1	1	1	5	6	7	11
20-34	100	1.6	2	<1	1	1	2	2	5	8
35-49	36	1.3		<1	1	1	1	2	3	4
50-64	26	1.1		<1	1	1	1	2	2	2
65+	15	4.3	56	1	2	2	3	5	24	31
B. Operated										
0-19 YRS	5	1.8	2	1	1	1	2	4	4	4
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	243	3.9	38	1	1	2	5	7	10	23
20-34	169	2.3	4	1	1	1	3	4	6	11
35-49	156	2.6	9	1	1	2	3	5	7	14
50-64	78	3.0	7	1	1	2	5	6	7	13
65+	116	4.4	32	1	2	3	6	9	13	99+
B. Operated										
0-19 YRS	8	4.5	12	1	1	4	7	9	10	10
20-34	11	8.0	112	<1	1	2	12	24	34	35
35-49	5	5.6	40	1	1	3	9	16	16	16
50-64	7	7.1	19	2	4	5	11	14	14	14
65+	8	28.0	884	3	8	17	40	77	92	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	521	2.4	7	<1	1	1	3	6	7	10
B. Operated	5	1.8	2	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated	762	3.2	21	1	1	2	4	6	9	23
B. Operated	39	10.9	281	1	1	7	12	30	40	92
1. SINGLE DX	526	2.3	7	<1	1	1	3	6	6	10
2. MULTIPLE DX	801	3.6	36	1	1	2	4	7	11	32
A. Not Operated	1283	2.9	15	1	1	2	4	6	7	18
B. Operated	44	9.9	257	1	1	5	10	24	40	92
TOTAL										
0-19 YRS	600	3.2	19	1	1	2	5	6	8	17
20-34	280	2.2	8	1	1	1	2	4	6	13
35-49	197	2.4	9	1	1	1	3	5	7	15
50-64	111	2.8	8	1	1	2	4	6	8	14
65+	139	5.7	107	1	2	3	6	11	29	99+
GRAND TOTAL	**1327**	**3.1**	**25**	**1**	**1**	**2**	**4**	**6**	**8**	**23**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	1.7	1	<1	1	1	2	3	4	6
20-34	69	2.0	6	1	1	1	2	4	5	16
35-49	49	1.9	2	1	1	2	2	4	5	6
50-64	25	2.2	7	1	1	1	2	4	8	13
65+	16	2.0	1	<1	1	2	3	3	4	4
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	3	12.7	132	1	4	13	21	24	24	24
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	244	3.6	22	1	1	2	4	8	12	21
20-34	143	3.3	10	<1	1	2	4	8	10	15
35-49	171	3.5	13	1	1	2	4	7	10	17
50-64	209	4.8	35	1	2	3	5	9	14	34
65+	470	8.0	105	2	3	5	9	16	27	74
B. Operated										
0-19 YRS	24	5.7	98	1	1	2	6	11	30	46
20-34	32	5.6	93	1	1	1	5	28	31	34
35-49	30	4.4	58	1	1	1	4	19	30	99+
50-64	39	8.4	77	1	2	6	11	24	36	99+
65+	71	14.7	173	1	6	13	24	41	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	270	1.9	3	<1	1	1	2	4	5	9
B. Operated	10	5.9	57	1	1	2	9	18	24	24
2. MULTIPLE DX										
A. Not Operated	1237	5.4	57	1	2	3	6	11	16	44
B. Operated	196	9.3	131	1	1	5	14	29	43	99+
1. SINGLE DX	280	2.0	5	<1	1	1	2	4	5	13
2. MULTIPLE DX	1433	5.9	69	1	2	3	7	13	23	67
A. Not Operated	1507	4.8	49	1	1	3	5	10	15	42
B. Operated	206	9.1	127	1	1	5	14	29	41	99+
TOTAL										
0-19 YRS	380	3.2	22	1	1	2	3	7	10	22
20-34	248	3.2	20	1	1	2	4	6	10	29
35-49	253	3.4	18	1	1	2	4	7	12	30
50-64	274	5.0	40	1	1	3	6	11	17	41
65+	558	8.7	117	2	3	5	10	21	34	99+
GRAND TOTAL	**1713**	**5.3**	**61**	**1**	**1**	**3**	**6**	**12**	**19**	**61**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	6.6	26	1	3	5	10	15	17	18
20-34	11	8.1	182	1	2	4	5	28	45	47
35-49	10	4.8	15	1	2	3	8	11	12	12
50-64	16	2.9	5	1	1	2	4	7	7	7
65 +	26	7.6	234	1	1	3	7	15	28	79
B. Operated										
0-19 YRS	152	5.5	43	1	2	3	6	12	20	35
20-34	109	4.1	25	1	1	3	5	9	12	28
35-49	120	4.1	29	1	1	2	5	9	12	35
50-64	187	5.9	42	1	2	4	8	13	17	33
65 +	311	5.3	38	1	1	3	7	12	15	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	296	7.0	46	1	2	5	9	14	18	39
20-34	91	6.7	29	2	3	5	9	13	17	28
35-49	117	7.8	100	1	3	5	10	17	33	99 +
50-64	164	7.1	81	1	2	5	9	15	20	50
65 +	425	8.8	104	1	3	6	11	17	25	61
B. Operated										
0-19 YRS	989	7.8	98	1	2	4	9	20	27	68
20-34	485	7.6	102	1	2	4	9	18	29	52
35-49	742	8.0	98	1	2	5	10	18	26	46
50-64	1408	10.0	144	1	3	6	12	23	35	72
65 +	2813	11.2	176	1	3	7	14	26	40	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	6.3	90	1	2	4	7	14	16	62
B. Operated	879	5.1	37	1	1	3	6	12	15	32
2. MULTIPLE DX										
A. Not Operated	1093	7.7	79	1	3	5	10	15	22	53
B. Operated	6437	9.8	145	1	2	6	12	22	34	78
1. SINGLE DX	981	5.2	43	1	1	3	7	12	15	32
2. MULTIPLE DX	7530	9.5	136	1	2	6	12	22	33	74
A. Not Operated	1195	7.6	80	1	3	5	10	15	21	53
B. Operated	7316	9.2	134	1	2	5	12	21	32	73
TOTAL										
0-19 YRS	1476	7.4	81	1	2	4	9	18	24	49
20-34	696	6.9	83	1	2	4	8	16	25	48
35-49	989	7.4	91	1	2	4	9	16	25	47
50-64	1775	9.2	128	1	2	6	11	21	32	64
65 +	3575	10.4	159	1	3	7	13	23	36	83
GRAND TOTAL	**8511**	**9.0**	**127**	**1**	**2**	**5**	**11**	**20**	**31**	**72**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	1.5	1	< 1	1	1	2	3	5	77
20-34	63	2.0	2	< 1	1	2	3	3	4	8
35-49	44	2.2	1	1	1	2	3	4	5	6
50-64	43	2.7	2	1	1	2	4	5	6	7
65 +	38	2.7	3	1	2	2	3	5	6	11
B. Operated										
0-19 YRS	122	1.6	2	1	1	1	2	3	4	8
20-34	95	1.8	2	< 1	1	1	2	3	4	9
35-49	32	1.8	2	< 1	1	1	2	3	4	7
50-64	19	3.3	8	1	1	3	4	9	10	10
65 +	19	3.5	8	1	2	3	4	6	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	1.9	1	1	1	2	2	3	4	4
20-34	38	2.9	11	1	1	2	3	6	12	15
35-49	51	2.8	4	1	1	3	3	5	6	11
50-64	117	4.1	10	1	2	3	5	7	10	18
65 +	255	4.2	10	1	2	4	5	8	10	15
B. Operated										
0-19 YRS	77	1.8	3	1	1	1	2	4	6	9
20-34	111	2.5	7	1	1	1	3	7	8	12
35-49	108	2.6	7	1	1	1	3	5	9	14
50-64	125	3.5	14	1	1	2	4	9	11	19
65 +	298	5.0	56	1	1	3	6	10	16	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	262	2.1	2	1	1	2	3	4	5	8
B. Operated	287	2.0	3	1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	503	3.7	9	1	2	3	5	7	9	16
B. Operated	719	3.7	29	1	1	2	4	8	11	29
1. SINGLE DX	549	2.0	3	1	1	1	3	4	5	10
2. MULTIPLE DX	1222	3.7	21	1	1	2	4	8	10	24
A. Not Operated	765	3.2	7	1	1	3	4	6	8	15
B. Operated	1006	3.2	22	1	1	2	4	8	10	25
TOTAL										
0-19 YRS	315	1.7	2	1	1	1	2	3	4	9
20-34	307	2.2	5	1	1	1	3	4	8	12
35-49	235	2.4	4	1	1	2	3	5	6	11
50-64	304	3.6	10	1	1	3	5	7	10	17
65 +	610	4.5	32	1	2	3	5	9	12	33
GRAND TOTAL	**1771**	**3.2**	**16**	**1**	**1**	**2**	**4**	**7**	**9**	**18**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	4.9	21	1	2	3	7	10	12	24
20-34	66	4.7	11	2	2	4	6	9	12	17
35-49	46	5.3	14	2	3	4	6	12	13	17
50-64	22	6.0	11	2	4	5	7	11	13	15
65 +	30	9.0	52	3	4	7	12	17	20	37
B. Operated										
0-19 YRS	44	6.0	25	1	2	4	9	12	17	22
20-34	47	6.0	24	2	3	5	7	11	19	24
35-49	33	6.4	29	2	2	6	8	13	20	23
50-64	22	8.0	52	2	3	6	9	16	26	32
65 +	16	7.9	34	2	4	6	12	18	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	82	6.2	21	2	3	5	8	12	15	23
20-34	95	5.9	23	2	3	5	7	10	13	32
35-49	114	6.9	43	2	4	5	8	13	17	40
50-64	131	7.6	27	3	5	7	9	14	16	30
65 +	229	9.8	75	3	5	8	12	18	[illegible]4	51
B. Operated										
0-19 YRS	88	10.7	73	2	4	9	15	24	28	37
20-34	98	10.8	67	3	5	8	16	23	26	35
35-49	125	13.0	184	3	5	9	16	28	39	71
50-64	187	14.2	162	3	5	11	20	32	44	58
65 +	283	16.3	173	4	8	13	21	32	42	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	224	5.6	21	2	3	4	7	12	14	22
B. Operated	162	6.5	30	2	3	5	9	13	20	24
2. MULTIPLE DX										
A. Not Operated	651	7.8	48	3	4	6	9	14	19	37
B. Operated	781	14.0	151	3	6	11	18	28	38	62
1. SINGLE DX	386	6.0	25	2	3	4	8	12	16	23
2. MULTIPLE DX	1432	11.2	113	3	5	8	14	24	32	58
A. Not Operated	875	7.3	42	2	4	6	9	14	18	36
B. Operated	943	12.7	138	3	5	9	17	26	35	61
TOTAL										
0-19 YRS	274	7.3	44	2	3	5	10	16	23	31
20-34	306	7.2	41	2	3	5	9	16	22	32
35-49	318	9.0	103	2	4	6	11	18	27	57
50-64	362	11.0	109	3	5	7	13	24	33	50
65 +	558	13.0	133	4	6	10	16	26	36	62
GRAND TOTAL	**1818**	**10.1**	**99**	**2**	**4**	**7**	**12**	**22**	**29**	**55**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	3.2	14	<1	1	2	4	7	14	15
20-34	32	3.9	13	1	2	3	5	12	12	13
35-49	42	4.0	7	1	2	3	5	7	8	15
50-64	31	4.1	15	1	1	3	5	8	11	20
65 +	20	3.7	13	1	1	2	5	8	12	15
B. Operated										
0-19 YRS	30	4.5	14	1	1	4	6	9	13	16
20-34	33	5.1	19	1	2	4	7	13	14	17
35-49	41	5.1	16	1	2	4	7	10	15	16
50-64	31	4.5	14	1	1	3	7	9	9	17
65 +	21	2.7	7	<1	1	1	4	7	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	116	4.7	74	1	1	3	5	8	17	50
20-34	117	3.5	7	1	1	2	5	8	9	11
35-49	179	4.6	18	1	1	3	7	9	12	23
50-64	212	6.0	31	1	2	4	8	12	15	26
65 +	471	6.8	37	1	3	5	9	14	19	27
B. Operated										
0-19 YRS	310	3.7	52	1	1	1	3	10	15	36
20-34	450	3.7	62	1	1	1	3	8	12	36
35-49	559	5.2	97	1	1	1	5	13	23	64
50-64	621	7.6	130	1	1	3	9	19	30	62
65 +	989	9.0	158	1	1	5	11	22	37	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	3.8	12	1	1	3	5	8	12	15
B. Operated	156	4.5	15	1	1	3	7	9	14	17
2. MULTIPLE DX										
A. Not Operated	1095	5.7	34	1	2	4	8	12	16	26
B. Operated	2929	6.6	119	1	1	2	8	16	27	62
1. SINGLE DX	304	4.2	13	1	1	3	6	9	13	16
2. MULTIPLE DX	4024	6.3	96	1	1	3	8	15	23	57
A. Not Operated	1243	5.5	32	1	2	4	7	12	15	25
B. Operated	3085	6.5	114	1	1	2	8	16	26	62
TOTAL										
0-19 YRS	479	3.9	53	1	1	1	4	10	15	35
20-34	632	3.7	47	1	1	2	4	8	12	31
35-49	821	5.0	71	1	1	2	6	12	16	51
50-64	895	7.0	99	1	1	4	9	15	25	57
65 +	1501	8.1	117	1	2	5	10	19	28	62
GRAND TOTAL	**4328**	**6.2**	**91**	**1**	**1**	**3**	**8**	**14**	**22**	**56**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.7	3	1	1	2	3	5	7	8
20-34	8	4.1	9	2	2	3	4	9	11	11
35-49	1	8.0		8	8	8	8	8	8	8
50-64	4	2.8	2	1	1	3	4	4	4	4
65 +	4	4.8	23	1	1	4	8	11	11	11
B. Operated										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	3.5	7	1	2	3	4	6	8	14
20-34	21	5.6	19	1	2	4	7	14	14	14
35-49	20	4.6	19	1	2	2	7	10	14	18
50-64	36	6.3	24	1	2	5	9	14	17	20
65 +	50	5.4	59	1	1	3	8	11	15	50
B. Operated										
0-19 YRS	4	9.0	99	1	2	6	16	23	23	23
20-34	7	6.4	6	3	5	6	9	9	9	9
35-49	10	8.6	101	1	4	5	10	24	35	35
50-64	13	10.3	66	3	4	11	13	21	29	31
65 +	14	10.9	104	1	4	7	19	27	32	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	3.3	7	1	2	3	4	7	10	11
B. Operated	7	5.7	10	1	3	6	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	172	5.0	29	1	2	3	7	11	14	20
B. Operated	48	9.4	74	1	4	6	12	22	31	35
1. SINGLE DX	45	3.7	8	1	2	3	5	8	10	11
2. MULTIPLE DX	220	6.0	42	1	2	4	8	14	18	34
A. Not Operated	210	4.7	25	1	2	3	6	10	14	19
B. Operated	55	9.0	67	1	4	6	11	20	30	35
TOTAL										
0-19 YRS	72	3.6	11	1	2	3	4	7	9	21
20-34	38	5.3	14	2	2	4	7	12	14	14
35-49	32	6.0	45	1	2	4	8	12	18	35
50-64	54	7.1	35	1	3	5	10	14	19	31
65 +	69	6.5	69	1	1	4	8	15	20	47
GRAND TOTAL	**265**	**5.6**	**37**	**1**	**2**	**4**	**7**	**12**	**16**	**34**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	322	1.4	1	<1	<1	1	1	3	3	4
35-49	182	1.3	1	<1	<1	1	1	3	3	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	1.0		<1	<1	<1	<1	1	1	1
35-49	5	1.0		<1	<1	<1	1	1	1	1
50-64	0									
65	0									
B. Operated										
0-19 YRS	0									
20-34	218	2.0	2	<1	1	1	3	4	4	7
35-49	171	1.9	2	<1	1	1	3	4	4	6
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated	505	1.4	1	<1	<1	1	1	3	3	4
2. MULTIPLE DX										
A. Not Operated	14	1.0		<1	<1	<1	<1	1	1	1
B. Operated	391	1.9	2	<1	1	1	3	4	4	7
1. SINGLE DX	506	1.4	1	<1	<1	1	1	3	3	4
2. MULTIPLE DX	405	1.9	2	<1	1	1	2	4	4	7
A. Not Operated	15	1.0		<1	<1	<1	<1	1	1	1
B. Operated	896	1.6	1	<1	<1	1	2	3	4	6
TOTAL										
0-19 YRS	0									
20-34	549	1.6	1	<1	<1	1	2	3	4	6
35-49	359	1.6	1	<1	<1	1	2	3	4	5
50-64	3	1.0		<1	<1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**911**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	3	75.7	121	65	70	81	93	99+	99+	99+
1000-1499	14	55.2	196	31	46	58	67	69	73	74
1500-1749	9	27.7	124	16	18	24	33	45	47	47
1750-2499	941	3.9	19	2	2	3	4	7	12	23
2500+	67593	2.7	1	2	2	2	3	4	5	6
B. Operated										
1-999 G	3	94.3	10	92	95	99+	99+	99+	99+	99+
1000-1499	5	71.2	89	62	64	72	85	98	99+	99+
1500-1749	2	37.5	5	36	36	37	39	39	39	39
1750-2499	9	17.9	179	2	9	19	23	39	44	44
2500+	47	4.9	7	2	3	5	6	8	9	15
2. MULTIPLE DX										
A. Not Operated										
1-999 G	24	77.8	227	58	76	89	99+	99+	99+	99+
1000-1499	138	44.5	319	23	33	44	56	74	86	99+
1500-1749	170	28.6	174	15	20	26	33	43	56	97
1750-2499	2976	7.5	53	2	3	5	9	17	22	37
2500+	44702	3.6	6	2	2	3	4	5	7	12
B. Operated										
1-999 G	37	77.8	247	63	79	92	99+	99+	99+	99+
1000-1499	111	56.8	303	33	48	57	72	88	99+	99+
1500-1749	58	35.1	136	22	27	33	42	51	70	99+
1750-2499	207	20.4	272	5	11	16	26	42	64	99+
2500+	752	8.4	94	2	3	6	10	17	25	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68560	2.8	3	2	2	2	3	4	5	6
B. Operated	66	16.8	653	2	3	6	26	94	99+	99+
2. MULTIPLE DX										
A. Not Operated	48010	4.1	21	2	2	3	5	6	8	24
B. Operated	1165	18.7	483	3	5	10	27	63	87	99+
1. SINGLE DX	68626	2.8	3	2	2	2	3	4	5	6
2. MULTIPLE DX	49175	4.5	37	2	2	3	5	6	10	34
A. Not Operated	116570	3.3	11	2	2	3	4	5	6	14
B. Operated	1231	18.6	492	3	4	9	27	64	89	99+
TOTAL										
1-999 G	67	78.4	230	64	79	92	99+	99+	99+	99+
1000-1499	268	50.7	344	28	38	51	66	82	93	99+
1500-1749	239	30.2	168	17	22	28	37	47	57	99+
1750-2499	4133	7.4	68	2	3	4	9	17	23	40
2500+	113094	3.1	4	2	2	3	4	5	6	9
GRAND TOTAL	**117801**	**3.5**	**18**	**2**	**2**	**3**	**4**	**5**	**6**	**18**

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	1	97.0		97	97	98	99+	99+	99+	99+
1000-1499	6	52.3	123	41	44	58	66	94	99+	99+
1500-1749	6	28.8	118	16	18	29	37	42	43	43
1750-2499	153	6.0	29	3	3	5	6	11	17	33
2500+	722	4.1	2	2	3	4	5	6	6	9
B. Operated										
1-999 G	2	90.0	18	87	91	99+	99+	99+	99+	99+
1000-1499	1	62.0		62	62	81	99+	99+	99+	99+
1500-1749	1	48.0		48	48	48	48	48	48	48
1750-2499	2	12.0		12	12	12	12	12	12	12
2500+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
1-999 G	8	80.1	88	67	74	81	90	97	99+	99+
1000-1499	40	48.4	300	25	38	46	60	71	79	88
1500-1749	48	29.2	260	15	19	25	34	46	62	87
1750-2499	643	9.3	61	3	4	6	12	19	23	43
2500+	721	4.8	6	3	4	5	5	7	8	15
B. Operated										
1-999 G	8	78.8	94	72	74	76	99	99+	99+	99+
1000-1499	22	60.1	177	46	51	59	78	99+	99+	99+
1500-1749	16	34.3	181	10	28	36	42	48	56	59
1750-2499	48	20.9	144	7	13	18	27	36	50	57
2500+	16	9.4	70	4	5	6	11	17	31	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	888	5.1	38	2	3	4	5	6	8	42
B. Operated	7	45.6	1357	9	21	87	99+	99+	99+	99+
2. MULTIPLE DX										
A. Not Operated	1460	9.2	139	3	4	5	9	19	30	69
B. Operated	110	33.2	586	6	14	30	57	78	99+	99+
1. SINGLE DX	895	5.4	59	2	3	4	5	6	10	78
2. MULTIPLE DX	1570	10.9	208	3	4	5	11	25	46	85
A. Not Operated	2348	7.6	105	3	4	5	6	15	25	66
B. Operated	117	33.9	629	6	13	32	59	93	99+	99+
TOTAL										
1-999 G	19	81.5	97	71	75	89	99+	99+	99+	99+
1000-1499	69	52.7	265	36	44	53	68	88	99+	99+
1500-1749	71	30.5	231	15	20	28	39	47	59	86
1750-2499	846	9.4	69	3	4	6	12	19	26	46
2500+	1460	4.5	5	3	3	4	5	6	7	13
GRAND TOTAL	**2465**	**8.9**	**161**	**3**	**4**	**5**	**7**	**19**	**38**	**85**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	2	24.0	98	17	17	24	31	31	31	31
1750-2499	10	3.2	2	2	2	3	5	5	5	5
2500 +	199	2.5	2	1	2	2	3	3	4	9
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	6	51.5	542	28	36	48	83	97	99 +	99 +
1500-1749	6	51.3	681	17	27	54	77	80	80	80
1750-2499	45	11.4	138	2	4	8	16	35	62	99 +
2500 +	156	6.2	118	2	2	3	5	12	23	74
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	1	17.0		17	17	17	17	17	17	17
2500 +	10	15.4	184	5	8	10	14	40	45	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	2.7	7	1	2	2	3	3	5	22
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	213	9.8	252	2	2	4	10	33	67	99 +
B. Operated	11	15.5	166	6	9	14	37	99 +	99 +	99 +
1. SINGLE DX	211	2.7	7	1	2	2	3	3	5	22
2. MULTIPLE DX	224	10.1	248	2	2	4	11	34	76	99 +
A. Not Operated	424	6.3	142	2	2	3	5	15	34	99 +
B. Operated	11	15.5	166	6	9	14	37	99 +	99 +	99 +
TOTAL										
1-999 G	0									
1000-1499	6	51.5	542	29	37	60	93	99 +	99 +	99 +
1500-1749	8	44.5	661	16	22	39	68	79	80	80
1750-2499	56	10.0	122	2	3	7	14	33	50	99 +
2500 +	365	4.4	62	1	2	3	3	8	14	43
GRAND TOTAL	**435**	**6.5**	**145**	**2**	**2**	**3**	**5**	**17**	**37**	**99 +**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.0	50	< 1	< 1	5	11	11	11	11
20-34	10	2.3	4	< 1	1	2	3	5	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65 +	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	200	1.6	1	< 1	1	1	2	3	3	6
20-34	231	1.6	1	< 1	1	1	2	3	4	5
35-49	103	1.6	1	< 1	< 1	1	2	3	4	5
50-64	68	1.6	1	< 1	1	1	2	3	4	7
65 +	42	2.3	7	< 1	1	1	3	5	6	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.5	1	< 1	< 1	< 1	2	3	3	3
20-34	4	1.0		< 1	< 1	< 1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	4	4.3	5	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	240	1.7	2	< 1	1	1	2	3	4	7
20-34	108	2.7	18	1	1	2	3	6	7	24
35-49	67	3.5	52	1	1	2	4	5	10	51
50-64	46	3.7	59	1	1	2	4	5	8	53
65 +	50	6.0	117	1	1	3	6	9	38	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.4	7	< 1	1	1	3	6	9	11
B. Operated	644	1.7	2	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	16	2.0	3	< 1	< 1	1	2	5	6	7
B. Operated	511	2.8	29	1	1	2	3	4	7	39
1. SINGLE DX	663	1.7	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	527	2.7	29	1	1	2	3	4	7	39
A. Not Operated	35	2.2	5	< 1	< 1	1	3	5	7	11
B. Operated	1155	2.2	14	< 1	1	1	2	4	5	11
TOTAL										
0-19 YRS	446	1.7	2	< 1	1	1	2	3	4	8
20-34	353	2.0	6	< 1	1	1	2	4	5	8
35-49	173	2.3	21	< 1	1	1	2	4	5	11
50-64	119	2.4	24	< 1	1	1	3	4	5	23
65 +	99	4.2	65	1	1	2	4	6	11	51
GRAND TOTAL	**1190**	**2.2**	**14**	**< 1**	**1**	**1**	**2**	**4**	**5**	**11**

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	4	2.8	1	2	2	3	3	4	4	4
B. Operated										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	4	4.0	18	<1	<1	2	7	10	10	10
35-49	45	1.8	12	<1	<1	<1	1	2	6	23
50-64	26	3.7	74	<1	<1	1	3	5	15	45
65 +	30	4.3	17	<1	1	2	7	9	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	8	2.6	1	<1	2	3	3	4	4	4
B. Operated	106	3.3	36	<1	<1	1	3	8	11	36
1. SINGLE DX	0									
2. MULTIPLE DX	114	3.3	33	<1	<1	1	3	8	10	35
A. Not Operated	8	2.6	1	<1	2	3	3	4	4	4
B. Operated	106	3.3	36	<1	<1	1	3	8	11	36
TOTAL										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	4	4.0	18	<1	<1	2	7	10	10	10
35-49	48	1.9	12	<1	<1	<1	1	4	5	23
50-64	27	3.6	71	<1	<1	1	3	5	14	45
65 +	34	4.1	16	<1	1	2	6	8	15	16
GRAND TOTAL	**114**	**3.3**	**33**	**<1**	**<1**	**1**	**3**	**8**	**10**	**35**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	112	3.8	4	1	2	4	5	6	7	10
20-34	10	2.6	1	1	2	2	4	4	4	4
35-49	8	1.3		<1	1	1	2	2	2	2
50-64	23	2.5	3	1	1	2	4	5	5	5
65 +	18	1.7	1	1	1	2	2	3	4	4
B. Operated										
0-19 YRS	7	6.6	16	3	4	5	7	14	15	15
20-34	0									
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1559	2.9	4	1	2	2	4	5	6	8
20-34	683	3.4	10	1	2	3	5	6	6	16
35-49	1934	3.0	5	1	1	2	4	5	6	9
50-64	4900	3.0	7	1	1	2	4	5	6	11
65 +	5710	3.2	6	1	2	3	4	6	6	12
B. Operated										
0-19 YRS	150	5.4	35	1	2	4	6	10	15	36
20-34	83	3.9	14	1	1	4	5	6	8	24
35-49	202	5.2	37	1	2	4	5	9	18	36
50-64	461	5.1	46	1	2	4	5	8	17	40
65 +	531	5.0	32	2	2	4	5	9	14	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	171	3.2	4	1	1	3	5	5	6	9
B. Operated	10	5.2	16	1	3	4	6	11	15	15
2. MULTIPLE DX										
A. Not Operated	14786	3.1	6	1	2	2	4	5	6	11
B. Operated	1427	5.1	37	1	2	4	5	8	15	33
1. SINGLE DX	181	3.3	5	1	1	3	5	5	7	11
2. MULTIPLE DX	16213	3.3	9	1	2	3	4	6	7	15
A. Not Operated	14957	3.1	6	1	2	2	4	5	6	11
B. Operated	1437	5.1	36	1	2	4	5	8	15	33
TOTAL										
0-19 YRS	1828	3.2	7	1	2	2	4	5	6	13
20-34	776	3.4	10	1	2	3	5	6	6	19
35-49	2146	3.2	8	1	1	3	4	6	6	12
50-64	5385	3.2	10	1	1	2	4	6	7	16
65 +	6259	3.3	9	1	2	3	4	6	7	15
GRAND TOTAL	**16394**	**3.3**	**9**	**1**	**2**	**3**	**4**	**6**	**7**	**15**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V53.9; V54.8-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	571	2.6	10	<1	1	2	3	5	8	20
20-34	552	1.8	3	<1	1	1	2	3	4	6
35-49	169	2.0	2	1	1	1	3	4	6	6
50-64	128	1.8	5	1	1	1	2	3	4	12
65 +	79	3.7	26	<1	1	1	4	11	17	23
B. Operated										
0-19 YRS	192	3.4	9	<1	1	2	6	8	9	13
20-34	257	3.1	7	<1	1	2	4	7	8	14
35-49	180	3.3	8	<1	1	2	5	8	9	11
50-64	122	4.1	14	<1	1	2	7	9	11	14
65 +	95	3.9	15	<1	<1	1	7	10	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1235	5.7	107	<1	1	2	5	16	25	82
20-34	524	11.7	238	<1	1	3	23	31	51	99 +
35-49	494	13.8	296	1	2	5	22	35	53	94
50-64	755	16.0	295	1	4	8	26	41	54	87
65 +	2041	17.6	257	2	5	14	27	41	52	93
B. Operated										
0-19 YRS	495	4.6	58	1	1	2	6	12	18	99 +
20-34	497	4.7	68	1	1	2	5	11	19	89
35-49	649	5.4	73	1	1	3	7	11	15	56
50-64	886	7.2	117	1	1	4	9	14	26	79
65 +	1300	9.1	137	1	1	6	11	21	35	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1499	2.2	7	<1	1	1	2	4	6	15
B. Operated	846	3.4	10	<1	1	2	5	8	10	13
2. MULTIPLE DX										
A. Not Operated	5049	13.5	251	1	2	6	21	36	48	93
B. Operated	3827	6.9	105	1	1	3	9	15	28	78
1. SINGLE DX	2345	2.7	8	<1	1	2	3	6	9	13
2. MULTIPLE DX	8876	10.6	199	1	1	5	14	30	43	88
A. Not Operated	6548	10.9	217	1	1	4	16	32	44	84
B. Operated	4673	6.3	90	1	1	3	8	14	22	73
TOTAL										
0-19 YRS	2493	4.6	69	<1	1	2	4	11	19	69
20-34	1830	5.6	105	<1	1	2	4	17	28	72
35-49	1492	7.5	151	1	1	3	8	21	31	75
50-64	1891	10.2	198	1	2	5	11	30	42	78
65 +	3515	13.8	223	1	3	9	20	36	47	87
GRAND TOTAL	**11221**	**9.0**	**169**	**1**	**1**	**3**	**11**	**27**	**39**	**78**

Length of Stay Tables
Operation Groups

213 Hospitals, Northeastern Region, January-December 1989, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	43682	3.0	18	1	1	2	3	5	8	20
20-34	88154	2.8	5	1	2	2	3	5	6	10
35-49	31348	3.4	10	1	1	3	4	7	9	15
50-64	18472	4.0	14	1	1	3	5	8	11	18
65 +	15038	5.1	27	1	2	4	7	11	14	24
2. MULTIPLE DX										
0-19 YRS	56057	6.1	91	1	2	3	6	14	23	68
20-34	104928	4.8	35	1	2	3	5	8	13	32
35-49	74326	6.5	60	1	2	4	7	13	20	44
50-64	95893	8.3	87	1	3	6	10	17	25	57
65 +	218082	11.3	141	2	4	8	14	24	36	87
TOTAL SINGLE DX	196694	3.2	11	1	1	2	4	6	8	16
TOTAL MULTIPLE DX	549286	8.4	102	1	3	5	10	18	27	66
TOTAL										
0-19 YRS	99739	4.7	61	1	1	3	5	10	16	50
20-34	193082	3.9	22	1	2	3	4	6	9	26
35-49	105674	5.5	47	1	2	4	6	11	16	38
50-64	114365	7.6	78	1	3	5	9	16	23	53
65 +	233120	10.9	136	2	4	8	13	23	35	84
GRAND TOTAL	**745980**	**7.0**	**83**	**1**	**2**	**4**	**8**	**15**	**23**	**56**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	110	8.4	58	2	4	6	10	18	28	36
20-34	57	9.5	55	3	5	8	10	17	25	40
35-49	55	8.7	30	4	6	8	10	14	19	33
50-64	59	9.9	53	2	5	9	12	19	24	40
65 +	61	11.5	161	2	4	7	14	25	30	70
2. MULTIPLE DX										
0-19 YRS	360	12.4	173	2	4	8	16	29	41	66
20-34	112	15.7	264	4	7	10	20	34	46	99 +
35-49	139	15.4	146	5	8	12	21	35	52	99 +
50-64	249	19.2	311	5	8	14	25	61	99	99 +
65 +	369	23.2	355	6	10	18	34	57	84	99 +
TOTAL SINGLE DX	342	9.4	72	2	4	7	11	19	26	40
TOTAL MULTIPLE DX	1229	17.7	279	4	7	12	24	47	66	99 +
TOTAL										
0-19 YRS	470	11.5	150	2	4	7	14	27	37	62
20-34	169	13.6	202	3	7	9	17	29	39	99
35-49	194	13.5	123	4	7	10	18	31	46	99 +
50-64	308	17.4	275	4	7	12	23	51	78	99 +
65 +	430	21.6	344	5	8	16	31	54	79	99 +
GRAND TOTAL	1571	15.9	246	3	6	10	21	41	59	99 +

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	5.5	26	2	3	4	7	9	16	28
20-34	10	7.5	29	2	4	6	9	16	19	19
35-49	17	6.8	7	4	5	6	7	11	13	14
50-64	8	6.8	23	2	4	5	8	15	17	17
65 +	5	10.4	8	7	8	11	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	67	16.1	296	6	8	11	17	36	71	99 +
20-34	46	19.3	337	5	7	15	27	78	99 +	99 +
35-49	41	17.7	201	6	7	13	24	44	56	99 +
50-64	45	18.5	242	7	10	14	32	99 +	99 +	99 +
65 +	83	21.1	255	8	11	18	34	82	99 +	99 +
TOTAL SINGLE DX	82	6.5	22	2	3	6	8	13	15	26
TOTAL MULTIPLE DX	282	18.7	269	6	9	14	27	60	99 +	99 +
TOTAL										
0-19 YRS	109	12.0	218	3	5	8	13	23	37	98
20-34	56	17.2	302	4	6	13	23	67	99 +	99 +
35-49	58	14.5	168	5	6	11	17	40	50	96
50-64	53	16.7	226	5	8	13	30	93	99 +	99 +
65 +	88	20.5	248	8	11	16	31	71	99 +	99 +
GRAND TOTAL	364	15.9	239	4	7	12	22	45	99 +	99 +

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	95	4.5	6	2	3	4	6	7	9	16
20-34	11	4.8	7	2	3	4	7	9	9	9
35-49	6	5.5	10	2	3	5	8	10	10	10
50-64	4	15.5	116	6	9	12	22	31	31	31
65 +	0									
2. MULTIPLE DX										
0-19 YRS	140	6.4	35	2	3	5	8	11	15	54
20-34	50	9.9	140	2	3	7	11	29	66	99 +
35-49	22	10.3	50	3	5	10	15	25	52	99 +
50-64	15	10.9	72	3	4	8	18	22	27	29
65 +	9	29.4	896	3	9	15	46	78	94	94
TOTAL SINGLE DX	116	5.0	13	2	3	4	6	8	10	22
TOTAL MULTIPLE DX	236	8.7	110	2	3	6	10	18	30	99 +
TOTAL										
0-19 YRS	235	5.7	24	2	3	5	7	9	13	36
20-34	61	9.0	120	2	3	6	11	24	52	99 +
35-49	28	9.3	45	3	4	7	14	23	31	99 +
50-64	19	11.8	80	3	5	9	18	26	30	31
65 +	9	29.4	897	3	9	15	46	78	94	94
GRAND TOTAL	352	7.5	81	2	3	5	8	15	26	99

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	74	7.3	47	3	4	5	8	19	24	85
20-34	7	5.3	9	3	3	4	7	10	11	11
35-49	8	6.1	24	2	3	5	7	14	17	17
50-64	5	6.0	4	3	4	7	7	8	8	8
65 +	13	6.8	10	3	5	7	8	10	14	15
2. MULTIPLE DX										
0-19 YRS	202	12.8	258	3	4	7	15	36	58	99 +
20-34	29	18.1	308	4	7	16	24	62	99	99 +
35-49	40	15.0	383	3	5	9	16	40	86	99 +
50-64	56	18.7	256	4	7	15	37	56	99 +	99 +
65 +	108	21.1	319	5	9	16	31	45	78	99 +
TOTAL SINGLE DX	107	7.0	37	3	4	5	8	15	20	65
TOTAL MULTIPLE DX	435	16.2	298	3	5	10	22	43	79	99 +
TOTAL										
0-19 YRS	276	11.3	207	3	4	6	14	31	48	99 +
20-34	36	15.6	275	3	5	11	22	44	95	99 +
35-49	48	13.5	333	3	4	8	16	25	78	99 +
50-64	61	17.7	248	4	7	13	36	47	99 +	99 +
65 +	121	19.6	306	5	8	14	29	43	76	99 +
GRAND TOTAL	542	14.4	259	3	5	9	19	40	73	99 +

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	6.3	63	2	2	4	6	12	24	42
20-34	17	18.9	349	3	7	17	25	33	65	81
35-49	5	13.2	78	6	7	9	19	27	27	27
50-64	2	8.5	13	6	6	8	11	11	11	11
65 +	4	9.0	27	2	5	10	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	498	7.5	88	1	2	4	8	20	26	51
20-34	58	10.1	143	2	3	6	12	17	41	64
35-49	28	16.5	244	3	6	10	27	41	52	59
50-64	22	12.4	115	3	5	8	19	36	60	99 +
65 +	39	16.3	386	3	6	10	18	40	88	99 +
TOTAL SINGLE DX	111	8.7	123	2	2	5	10	21	32	58
TOTAL MULTIPLE DX	645	8.8	126	2	3	5	10	23	33	67
TOTAL										
0-19 YRS	581	7.3	85	1	2	4	8	19	26	50
20-34	75	12.1	200	2	3	8	15	26	42	77
35-49	33	16.0	217	3	7	10	27	40	50	59
50-64	24	12.1	108	3	5	8	18	35	54	99 +
65 +	43	15.6	356	3	6	10	16	39	87	99 +
GRAND TOTAL	756	8.8	125	2	3	5	10	23	33	67

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	8.0	28	2	5	7	11	16	19	19
20-34	65	5.7	17	3	3	4	6	11	15	23
35-49	144	5.5	10	2	3	5	7	10	12	18
50-64	121	5.7	10	3	3	5	7	9	12	18
65 +	94	7.4	17	3	5	7	8	11	15	24
2. MULTIPLE DX										
0-19 YRS	47	10.1	67	4	6	8	11	18	26	46
20-34	81	10.2	78	3	5	8	11	20	27	51
35-49	195	9.5	81	3	5	7	11	19	35	77
50-64	357	9.3	70	3	5	7	11	18	24	59
65 +	583	13.6	147	5	7	9	16	28	37	69
TOTAL SINGLE DX	433	6.1	14	3	4	5	7	10	13	21
TOTAL MULTIPLE DX	1263	11.4	112	4	6	8	13	23	33	62
TOTAL										
0-19 YRS	56	9.8	62	4	6	8	11	18	23	46
20-34	146	8.2	56	3	4	6	9	17	22	38
35-49	339	7.8	55	3	4	6	8	16	21	50
50-64	478	8.4	58	3	4	6	10	15	22	53
65 +	677	12.7	134	4	6	9	15	26	36	68
GRAND TOTAL	1696	10.0	92	3	5	7	11	19	29	58

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	9.2	50	4	6	7	10	14	23	46
20-34	25	4.6	10	1	2	5	7	8	10	14
35-49	30	5.7	13	1	2	5	7	10	12	17
50-64	10	5.4	13	1	3	4	9	10	11	11
65 +	4	15.3	34	8	10	16	20	20	20	20
2. MULTIPLE DX										
0-19 YRS	168	11.0	69	4	6	8	13	20	28	48
20-34	61	12.9	109	3	6	10	21	40	99 +	99 +
35-49	65	12.8	174	3	5	9	16	24	44	73
50-64	56	16.3	244	4	6	11	19	37	49	78
65 +	66	21.5	264	6	11	16	26	45	66	96
TOTAL SINGLE DX	131	7.4	37	2	4	7	9	13	17	32
TOTAL MULTIPLE DX	416	13.9	158	4	7	10	17	32	45	99 +
TOTAL										
0-19 YRS	230	10.5	65	4	6	8	12	18	26	48
20-34	86	10.5	95	2	5	8	15	32	45	99 +
35-49	95	10.6	134	2	4	7	12	23	31	66
50-64	66	14.6	224	3	5	10	18	32	47	77
65 +	70	21.2	253	7	11	16	25	44	65	95
GRAND TOTAL	547	12.4	137	3	6	9	15	26	42	79

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	5.0	86	<1	<1	1	5	18	31	31
20-34	26	2.9	14	<1	1	1	3	6	14	17
35-49	35	3.0	7	<1	<1	1	5	7	8	10
50-64	30	2.8	14	<1	<1	1	2	8	14	15
65 +	12	2.9	11	<1	1	2	3	7	12	13
2. MULTIPLE DX										
0-19 YRS	22	7.5	87	1	2	3	10	25	30	32
20-34	23	4.3	36	1	1	2	5	7	16	30
35-49	37	7.0	120	<1	1	3	7	16	23	62
50-64	44	6.2	50	1	2	3	8	16	20	34
65 +	40	10.5	249	1	2	3	15	27	34	87
TOTAL SINGLE DX	113	3.1	18	<1	<1	1	3	7	12	22
TOTAL MULTIPLE DX	166	7.3	119	1	1	3	8	20	28	58
TOTAL										
0-19 YRS	32	6.7	86	<1	1	3	7	25	31	32
20-34	49	3.6	25	<1	1	2	4	7	13	30
35-49	72	5.0	69	<1	1	2	7	9	16	54
50-64	74	4.8	38	<1	1	2	8	14	16	32
65 +	52	8.7	204	1	2	3	11	25	32	86
GRAND TOTAL	279	5.6	82	<1	1	2	6	15	24	35

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	1.6	1	<1	1	1	2	3	4	6
20-34	127	1.5		<1	<1	1	2	3	3	6
35-49	149	1.5	1	<1	<1	1	1	2	4	8
50-64	72	1.4		<1	<1	1	1	3	4	5
65+	36	1.3		<1	<1	<1	1	2	4	5
2. MULTIPLE DX										
0-19 YRS	83	3.2	22	1	1	1	3	7	15	24
20-34	183	2.3	6	<1	1	1	2	5	7	13
35-49	151	2.9	49	<1	1	1	2	4	8	55
50-64	141	3.4	40	<1	1	2	3	6	11	30
65+	166	4.3	73	<1	1	2	4	8	15	55
TOTAL SINGLE DX	419	1.5	1	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	724	3.2	40	<1	1	1	3	6	11	30
TOTAL										
0-19 YRS	118	2.8	17	1	1	1	2	6	10	23
20-34	310	2.0	4	<1	1	1	2	4	6	12
35-49	300	2.2	26	<1	<1	1	2	4	5	14
50-64	213	2.7	28	<1	1	1	3	5	9	24
65+	202	3.7	62	<1	1	1	3	6	12	52
GRAND TOTAL	**1143**	**2.6**	**26**	**<1**	**1**	**1**	**2**	**5**	**7**	**22**

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	7.8	83	1	1	3	14	22	22	22
20-34	5	3.6	1	3	3	3	4	5	5	5
35-49	6	3.8	4	<1	2	4	5	7	7	7
50-64	3	7.3	20	3	4	7	11	12	12	12
65+	2	8.0	98	1	1	8	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	3.0	2	1	1	3	4	5	5	5
35-49	13	8.1	56	2	3	6	10	19	27	29
50-64	15	10.6	76	3	4	9	14	25	31	33
65+	45	14.4	81	5	7	12	23	29	33	99+
TOTAL SINGLE DX	21	5.6	29	1	2	4	7	13	18	22
TOTAL MULTIPLE DX	82	11.5	81	3	4	9	16	26	31	80
TOTAL										
0-19 YRS	6	7.2	69	1	1	3	12	21	22	22
20-34	13	3.2	2	1	2	3	4	5	5	5
35-49	19	6.7	43	1	3	4	8	14	23	29
50-64	18	10.1	67	3	4	8	13	22	30	33
65+	47	14.1	82	5	7	12	22	29	32	99+
GRAND TOTAL	**103**	**10.3**	**75**	**2**	**4**	**7**	**14**	**24**	**30**	**68**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	3.2	9	<1	<1	1	6	8	8	8
20-34	7	5.6	51	<1	<1	3	6	18	21	21
35-49	13	2.8	9	<1	<1	<1	3	8	10	11
50-64	4	11.3	24	7	7	11	15	16	16	16
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	5	3.8	27	1	1	1	5	13	13	13
20-34	6	4.5	7	1	3	4	8	82	99+	99+
35-49	10	7.3	25	3	3	5	11	15	15	15
50-64	19	7.9	25	1	5	8	10	14	19	22
65+	29	12.7	181	1	3	9	19	24	29	68
TOTAL SINGLE DX	31	4.8	27	<1	<1	3	7	13	16	21
TOTAL MULTIPLE DX	69	9.2	97	1	3	7	13	22	24	94
TOTAL										
0-19 YRS	11	3.5	16	<1	<1	1	5	10	13	13
20-34	13	5.1	29	<1	1	4	6	29	84	99+
35-49	23	4.7	20	<1	<1	3	7	12	15	15
50-64	23	8.5	26	2	6	8	11	16	18	22
65+	30	12.6	176	1	4	9	19	24	27	68
GRAND TOTAL	**100**	**7.9**	**79**	**<1**	**2**	**6**	**11**	**19**	**24**	**84**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	2.4	3	1	1	2	3	5	5	11
20-34	208	2.7	1	1	2	2	3	4	5	7
35-49	303	2.5	1	1	2	2	3	4	4	6
50-64	170	2.7	1	1	2	2	3	4	5	6
65 +	82	3.2	2	2	2	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	18	4.7	12	1	2	3	7	11	11	11
20-34	113	3.3	5	2	2	3	4	5	7	14
35-49	222	3.7	15	2	2	3	4	6	8	15
50-64	227	4.1	13	2	2	3	4	7	9	26
65 +	221	5.9	43	2	3	4	6	14	18	71
TOTAL SINGLE DX	808	2.6	2	1	2	2	3	4	5	7
TOTAL MULTIPLE DX	801	4.4	22	2	2	3	5	7	11	29
TOTAL										
0-19 YRS	63	3.0	7	1	1	2	3	6	10	11
20-34	321	2.9	3	1	2	3	3	5	6	9
35-49	525	3.0	7	1	2	3	4	5	6	10
50-64	397	3.5	9	2	2	3	4	6	7	18
65 +	303	5.2	34	2	3	3	5	10	16	51
GRAND TOTAL	1609	3.5	12	2	2	3	4	6	7	19

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	127	1.4		1	1	1	2	2	3	6
20-34	45	1.8	1	1	1	1	2	3	4	6
35-49	29	2.1	1	1	1	2	3	4	5	5
50-64	25	2.5	1	1	2	3	3	4	4	4
65 +	8	3.5	2	1	2	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	30	3.3	54	1	1	1	3	5	9	41
20-34	33	8.3	99	2	2	4	9	22	24	46
35-49	51	7.4	121	2	3	4	8	15	52	99
50-64	102	7.4	137	2	3	4	7	12	26	73
65 +	109	8.1	72	2	3	5	11	21	31	99 +
TOTAL SINGLE DX	234	1.8	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	325	7.3	102	2	2	4	8	19	26	93
TOTAL										
0-19 YRS	157	1.8	11	1	1	1	2	3	4	9
20-34	78	4.5	53	1	1	2	4	10	22	40
35-49	80	5.5	84	1	2	3	5	10	19	87
50-64	127	6.5	114	2	2	3	6	10	24	65
65 +	117	7.8	69	2	3	4	10	20	30	99 +
GRAND TOTAL	559	5.0	68	1	1	3	5	11	21	57

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	8.7	21	3	4	10	12	15	17	17
20-34	7	7.1	6	3	5	8	9	10	10	10
35-49	16	10.7	63	4	6	8	13	16	31	37
50-64	4	15.0	279	5	6	7	24	40	40	40
65 +	7	6.3	5	3	5	7	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	28	11.7	66	5	6	9	16	24	28	37
20-34	22	7.1	12	4	5	6	9	15	46	99 +
35-49	34	12.2	120	5	6	8	15	26	36	56
50-64	36	13.6	61	7	9	11	15	24	32	43
65 +	36	15.1	207	5	8	11	19	39	66	99 +
TOTAL SINGLE DX	45	9.4	53	4	5	8	10	15	22	40
TOTAL MULTIPLE DX	156	12.4	106	5	6	10	15	24	37	98
TOTAL										
0-19 YRS	39	10.9	54	4	6	9	14	20	26	37
20-34	29	7.1	11	4	5	6	9	13	17	99 +
35-49	50	11.7	101	5	6	8	15	23	37	56
50-64	40	13.7	77	6	9	11	15	25	37	43
65 +	43	13.7	184	4	7	10	17	26	56	99 +
GRAND TOTAL	201	11.7	95	5	6	9	14	22	37	88

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	1.2		<1	<1	<1	<1	2	3	4
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	4	2.0	2	<1	<1	1	3	4	4	4
50-64	5	1.0		<1	<1	<1	1	1	1	1
65 +	16	1.8	1	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	16	2.9	27	<1	<1	<1	2	5	17	22
20-34	3	4.7	5	2	3	6	6	6	6	6
35-49	8	2.8	6	<1	1	2	4	7	8	8
50-64	5	4.4	5	2	3	4	6	8	8	8
65 +	38	8.1	244	1	1	2	8	21	34	88
TOTAL SINGLE DX	69	1.4	1	<1	<1	<1	1	3	4	4
TOTAL MULTIPLE DX	70	5.9	144	<1	1	2	5	13	22	78
TOTAL										
0-19 YRS	57	1.7	8	<1	<1	<1	1	3	4	21
20-34	6	2.8	6	<1	1	2	6	6	6	6
35-49	12	2.5	5	<1	1	2	3	6	8	8
50-64	10	2.7	6	<1	<1	2	4	6	8	8
65 +	54	6.3	179	<1	1	2	5	15	24	86
GRAND TOTAL	139	3.7	78	<1	<1	1	3	7	14	45

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	79	1.2		<1	<1	<1	1	2	2	4
20-34	15	1.3		<1	<1	1	1	2	4	4
35-49	22	1.2		<1	1	1	1	2	3	5
50-64	37	1.4	1	<1	1	1	1	2	4	6
65 +	14	1.6	2	<1	1	1	1	3	6	7
2. MULTIPLE DX										
0-19 YRS	160	2.7	8	1	1	2	3	5	8	20
20-34	189	3.6	24	1	1	2	4	7	10	33
35-49	123	3.6	28	1	1	2	4	7	12	35
50-64	125	3.7	61	1	1	1	3	9	11	47
65 +	192	7.3	107	1	1	4	9	20	46	99 +
TOTAL SINGLE DX	167	1.3	1	<1	<1	1	1	2	3	6
TOTAL MULTIPLE DX	789	4.3	51	1	1	2	5	10	16	71
TOTAL										
0-19 YRS	239	2.2	6	<1	1	1	3	4	6	16
20-34	204	3.4	23	1	1	2	4	6	9	30
35-49	145	3.3	25	1	1	1	4	7	11	33
50-64	162	3.2	49	1	1	1	3	6	10	36
65 +	206	6.9	103	1	1	4	9	19	45	99 +
GRAND TOTAL	956	3.8	43	<1	1	2	4	8	15	51

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	1.2		<1	<1	1	1	2	3	3
20-34	10	1.1		<1	1	1	1	2	2	2
35-49	4	1.3		1	1	1	2	2	2	2
50-64	7	1.0		<1	1	1	1	1	1	1
65 +	13	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	17	1.2		<1	1	1	1	2	3	3
20-34	14	1.2		<1	1	1	1	2	2	2
35-49	9	1.3		<1	1	1	2	3	3	3
50-64	19	1.8	6	<1	1	1	1	3	8	12
65 +	86	2.2	22	<1	<1	1	2	3	5	76
TOTAL SINGLE DX	55	1.1		<1	1	1	1	2	2	3
TOTAL MULTIPLE DX	145	1.8	14	<1	1	1	1	3	5	38
TOTAL										
0-19 YRS	38	1.2		<1	<1	1	1	2	3	3
20-34	24	1.2		<1	1	1	1	2	2	2
35-49	13	1.3		<1	1	1	2	2	3	3
50-64	26	1.6	5	<1	1	1	1	3	5	12
65 +	99	2.0	20	<1	<1	1	1	3	5	67
GRAND TOTAL	200	1.7	11	<1	1	1	1	2	3	32

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	3	4.0	19	1	1	2	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	6	1.8	2	<1	1	1	2	5	5	5
20-34	3	4.7	10	1	2	6	7	7	7	7
35-49	2	7.0		7	7	7	7	7	7	7
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65 +	4	6.8	61	<1	1	4	12	18	18	18
TOTAL SINGLE DX	10	2.1	6	<1	<1	1	2	6	9	9
TOTAL MULTIPLE DX	18	4.0	18	<1	1	2	6	7	14	18
TOTAL										
0-19 YRS	12	1.5	1	<1	<1	1	2	3	5	5
20-34	4	4.0	9	1	1	4	6	7	7	7
35-49	2	7.0		7	7	7	7	7	7	7
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65 +	7	5.6	39	<1	1	2	8	16	18	18
GRAND TOTAL	28	3.3	14	<1	1	2	5	7	10	18

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	3.2	7	1	1	2	6	7	7	7
20-34	8	2.4	2	1	1	2	3	5	5	5
35-49	6	1.8	1	1	1	2	2	4	4	4
50-64	7	2.0		1	1	2	3	3	3	3
65 +	28	1.6		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	6	3.3	6	1	1	2	6	7	7	7
20-34	8	1.9	1	1	1	2	2	4	5	5
35-49	11	4.2	12	<1	<1	4	6	9	12	12
50-64	24	2.8	3	1	2	2	4	6	31	99 +
65 +	172	3.1	50	1	1	2	3	4	6	27
TOTAL SINGLE DX	55	2.0	2	1	1	2	2	3	5	7
TOTAL MULTIPLE DX	221	3.1	41	1	1	2	3	5	7	43
TOTAL										
0-19 YRS	12	3.3	6	1	1	2	6	7	7	7
20-34	16	2.1	2	1	1	2	2	5	5	5
35-49	17	3.4	9	<1	1	2	4	7	10	12
50-64	31	2.6	3	1	1	2	3	6	8	99 +
65 +	200	2.9	44	1	1	2	3	4	6	27
GRAND TOTAL	276	2.9	33	1	1	2	3	5	6	27

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	3.5	14	<1	1	3	5	6	6	23
20-34	22	2.0	2	<1	1	1	3	4	5	6
35-49	6	1.3		1	1	1	2	2	2	2
50-64	5	1.6	1	<1	1	1	2	3	3	3
65 +	9	1.8	1	<1	1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	29	4.0	5	<1	2	4	5	7	8	8
20-34	23	4.7	23	1	2	4	6	8	15	24
35-49	16	11.0	276	<1	1	4	8	40	51	57
50-64	9	3.3	9	<1	1	2	5	9	9	9
65 +	38	3.4	6	<1	1	3	5	7	8	11
TOTAL SINGLE DX	78	2.6	8	<1	1	2	3	5	6	18
TOTAL MULTIPLE DX	117	5.0	56	<1	1	4	5	8	11	47
TOTAL										
0-19 YRS	65	3.7	10	<1	1	3	5	6	8	21
20-34	45	3.4	15	<1	1	3	4	6	8	24
35-49	24	8.6	223	1	1	2	5	36	46	57
50-64	14	2.7	7	<1	1	2	3	8	9	9
65 +	47	3.1	6	<1	1	2	5	7	8	11
GRAND TOTAL	195	4.0	38	<1	1	3	5	7	9	39

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	1.6	1	<1	<1	1	2	4	4	4
20-34	7	2.6	6	1	1	2	2	7	8	8
35-49	6	3.0	4	<1	<1	2	5	6	6	6
50-64	17	2.8	5	<1	1	2	4	7	8	8
65 +	47	2.5	2	1	1	2	4	5	5	6
2. MULTIPLE DX										
0-19 YRS	18	1.3		<1	1	1	1	3	3	3
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	14	2.3	2	1	1	2	3	4	6	7
50-64	60	3.1	12	<1	1	2	3	6	11	19
65 +	148	3.5	15	<1	1	2	4	9	10	23
TOTAL SINGLE DX	103	2.3	3	<1	1	2	3	5	6	8
TOTAL MULTIPLE DX	243	3.1	13	<1	1	2	4	7	10	20
TOTAL										
0-19 YRS	44	1.5	1	<1	<1	1	2	3	4	4
20-34	10	2.8	6	1	1	2	3	7	8	8
35-49	20	2.5	3	<1	1	2	3	5	6	7
50-64	77	3.0	10	<1	1	2	3	7	9	18
65 +	195	3.2	12	<1	1	2	4	7	10	20
GRAND TOTAL	346	2.9	10	<1	1	2	3	6	9	15

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	2.0	2	<1	1	1	3	4	5	5
20-34	8	3.4	5	1	1	3	5	7	7	7
35-49	6	1.3		<1	1	1	2	2	2	2
50-64	9	2.9	12	<1	1	2	3	8	12	12
65 +	13	1.8	3	<1	1	1	2	4	6	7
2. MULTIPLE DX										
0-19 YRS	21	5.9	60	<1	1	3	7	14	24	34
20-34	13	6.1	114	1	2	3	5	15	36	41
35-49	10	2.9	4	<1	2	2	3	6	8	8
50-64	13	6.2	67	<1	1	2	8	20	26	28
65 +	95	4.6	28	1	1	3	7	13	25	99 +
TOTAL SINGLE DX	47	2.3	5	<1	1	1	3	5	7	12
TOTAL MULTIPLE DX	152	4.9	41	1	1	3	7	12	25	99 +
TOTAL										
0-19 YRS	32	4.5	43	<1	1	2	5	12	16	34
20-34	21	5.0	72	1	2	3	5	7	23	41
35-49	16	2.3	3	<1	1	2	3	4	7	8
50-64	22	4.8	46	<1	1	2	7	14	22	28
65 +	108	4.3	26	1	1	2	6	12	23	99 +
GRAND TOTAL	199	4.3	34	1	1	2	5	11	18	99 +

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.0		<1	<1	<1	1	1	1	1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	13	1.4		<1	1	1	2	2	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	8.3	85	2	3	4	13	22	22	22
50-64	17	1.9	1	<1	1	1	2	4	5	6
65 +	97	2.8	23	<1	1	2	2	6	22	99 +
TOTAL SINGLE DX	13	1.5	2	<1	<1	<1	1	3	5	6
TOTAL MULTIPLE DX	133	2.7	20	<1	1	2	2	6	16	99 +
TOTAL										
0-19 YRS	22	1.2		<1	<1	1	1	2	3	3
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	4	8.3	86	2	3	4	13	22	22	22
50-64	18	1.8	2	<1	1	1	2	4	5	6
65 +	99	2.8	23	<1	1	2	2	6	22	99 +
GRAND TOTAL	146	2.6	19	<1	1	2	2	5	13	99 +

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	1.5	1	<1	<1	<1	1	3	5	6
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	12	1.0		<1	<1	<1	1	1	1	1
50-64	51	1.2		<1	<1	<1	1	2	2	2
65 +	257	1.3		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	22	2.6	11	<1	<1	1	2	8	12	12
20-34	12	2.1	3	<1	1	2	3	4	7	7
35-49	38	3.4	31	<1	1	2	3	8	13	32
50-64	203	2.7	33	<1	1	1	2	3	11	31
65 +	1440	2.5	27	1	1	2	2	4	8	62
TOTAL SINGLE DX	344	1.3	1	<1	<1	<1	1	2	2	5
TOTAL MULTIPLE DX	1715	2.6	28	<1	1	2	2	4	8	52
TOTAL										
0-19 YRS	43	2.0	7	<1	<1	1	2	5	9	12
20-34	15	2.1	3	1	1	1	3	4	6	7
35-49	50	2.9	25	<1	1	1	2	5	11	32
50-64	254	2.4	27	<1	1	1	2	2	6	30
65 +	1697	2.3	23	<1	1	1	2	3	6	48
GRAND TOTAL	2059	2.4	23	<1	1	1	2	3	7	34

527: Miscellaneous operations on lens (13.0, 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	9	1.9	3	<1	<1	<1	2	5	7	7
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	4	3.0	8	<1	<1	2	5	7	7	7
50-64	14	1.9	2	<1	<1	1	2	5	5	5
65 +	66	3.1	83	<1	1	2	2	4	7	65
TOTAL SINGLE DX	12	1.7	3	<1	<1	1	2	4	7	7
TOTAL MULTIPLE DX	86	2.9	64	<1	<1	2	2	4	6	53
TOTAL										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	5	2.6	7	<1	<1	1	4	7	7	7
50-64	16	1.8	2	<1	<1	1	2	5	5	5
65 +	75	3.0	74	<1	<1	1	2	4	7	59
GRAND TOTAL	98	2.8	57	<1	<1	1	2	4	6	46

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	2.7	2	1	1	2	3	5	7	7
20-34	42	2.6	1	1	2	2	3	4	5	7
35-49	67	2.4	1	1	2	2	3	4	5	6
50-64	124	2.5	2	1	2	2	3	4	6	9
65 +	99	2.9	2	1	2	3	4	5	5	9
2. MULTIPLE DX										
0-19 YRS	35	7.1	254	2	2	3	5	10	72	99 +
20-34	54	3.3	3	2	2	3	4	6	7	10
35-49	86	3.6	6	1	2	3	5	7	8	14
50-64	252	2.9	2	1	2	2	3	5	6	9
65 +	431	3.5	16	1	2	3	4	6	7	13
TOTAL SINGLE DX	376	2.6	2	1	2	2	3	4	6	8
TOTAL MULTIPLE DX	858	3.4	20	1	2	3	4	6	7	13
TOTAL										
0-19 YRS	79	4.6	117	1	2	2	4	7	10	93
20-34	96	3.0	3	1	2	3	4	5	6	10
35-49	153	3.0	5	1	2	2	3	6	7	12
50-64	376	2.8	3	1	2	2	3	5	6	9
65 +	530	3.4	14	1	2	3	4	5	7	13
GRAND TOTAL	1234	3.2	15	1	2	3	4	5	7	12

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	1.9	1	<1		2	3	4	4	4
20-34	10	1.7		<1	1	2	2	3	3	3
35-49	9	3.2	4	1	2	3	5	6	6	6
50-64	9	1.7		<1	1	2	2	2	2	2
65+	21	2.7	9	<1	1	2	2	6	11	12
2. MULTIPLE DX										
0-19 YRS	23	6.3	251	1	2	2	6	97	99+	99+
20-34	66	2.7	1	2	2	2	3	4	6	8
35-49	86	3.0	16	1	2	2	3	6	9	76
50-64	151	3.9	27	1	2	2	4	6	13	36
65+	289	3.4	25	<1	1	2	3	7	9	27
TOTAL SINGLE DX	61	2.3	4	<1	1	2	2	4	6	12
TOTAL MULTIPLE DX	615	3.5	31	<1	2	2	3	6	10	49
TOTAL										
0-19 YRS	35	4.8	167	1	2	2	4	58	99+	99+
20-34	76	2.6	2	1	2	2	3	4	6	8
35-49	95	3.0	15	1	2	2	3	6	8	70
50-64	160	3.8	26	1	2	2	4	6	13	35
65+	310	3.3	24	<1	1	2	3	7	9	26
GRAND TOTAL	**676**	**3.4**	**28**	**<1**	**2**	**2**	**3**	**6**	**10**	**46**

530: Operations on ocular muscle (15.01; 15.11-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	345	1.0		<1	<1	<1	<1	<1	1	2
20-34	20	1.0		<1	<1	<1	<1	1	1	1
35-49	13	1.0		<1	<1	<1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	156	1.1		<1	<1	<1	1	1	2	4
20-34	15	1.1		<1	<1	<1	1	2	2	2
35-49	7	1.4	1	<1	<1	<1	1	3	4	4
50-64	8	1.3		<1	<1	1	2	2	2	2
65+	7	1.7	1	1	1	1	3	4	4	4
TOTAL SINGLE DX	382	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	193	1.2		<1	<1	<1	1	2	2	4
TOTAL										
0-19 YRS	501	1.1		<1	<1	<1	<1	1	1	3
20-34	35	1.1		<1	<1	<1	1	1	2	2
35-49	20	1.2		<1	<1	<1	1	1	3	4
50-64	9	1.2		<1	<1	1	1	2	2	2
65+	10	1.6	1	1	1	1	2	3	4	4
GRAND TOTAL	**575**	**1.1**		**<1**	**<1**	**<1**	**<1**	**1**	**1**	**4**

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	2.8	8	<1	1	1	4	8	10	12
20-34	23	3.8	6	1	2	4	5	7	9	10
35-49	16	3.1	9	1	1	2	3	7	11	12
50-64	5	2.2	4	<1	1	1	3	6	6	6
65+	16	2.2	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
0-19 YRS	47	7.8	211	1	2	5	8	14	18	99
20-34	43	4.7	21	1	2	4	6	11	13	26
35-49	33	4.2	21	1	1	3	5	11	14	22
50-64	27	5.3	39	1	2	3	8	11	16	31
65+	87	6.1	105	1	1	3	7	12	24	62
TOTAL SINGLE DX	97	2.9	7	1	1	2	4	7	9	12
TOTAL MULTIPLE DX	237	5.8	92	1	1	3	7	12	17	53
TOTAL										
0-19 YRS	84	5.6	128	1	1	3	7	11	15	74
20-34	66	4.4	16	1	2	4	5	9	12	24
35-49	49	3.8	17	1	1	2	4	9	12	22
50-64	32	4.8	35	1	1	2	7	10	13	31
65+	103	5.5	91	1	1	2	6	11	20	59
GRAND TOTAL	**334**	**5.0**	**69**	**1**	**1**	**3**	**6**	**10**	**14**	**35**

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	124	1.6	2	<1	1	1	1	3	5	9
20-34	16	1.6	1	<1	<1	1	2	3	4	5
35-49	12	1.7		<1	<1	1	2	3	3	3
50-64	8	1.3		<1	<1	1	1	2	2	2
65 +	16	1.9	7	<1	<1	<1	1	3	9	12
2. MULTIPLE DX										
0-19 YRS	128	2.8	7	1	1	2	3	8	9	14
20-34	49	4.9	30	<1	2	3	5	[illegible]	15	31
35-49	28	2.1	1	<1	1	2	3	4	5	5
50-64	38	4.4	25	1	1	2	6	12	16	21
65 +	67	9.4	276	1	1	4	11	33	66	99 +
TOTAL SINGLE DX	176	1.6	2	<1	<1	1	2	3	4	10
TOTAL MULTIPLE DX	310	4.7	77	1	1	2	5	11	15	76
TOTAL										
0-19 YRS	252	2.2	6	<1	1	1	3	4	7	13
20-34	65	4.0	25	<1	1	2	5	10	14	29
35-49	40	2.0	1	<1	1	2	3	4	5	5
50-64	46	3.9	23	<1	1	1	5	11	15	21
65 +	83	8.0	233	<1	1	3	9	15	60	99 +
GRAND TOTAL	486	3.6	52	<1	1	1	3	8	12	56

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.0		<1	1	1	1	1	1	1
20-34	56	1.3		1	1	1	2	2	2	4
35-49	73	1.3		1	1	1	2	2	2	3
50-64	57	1.5		1	1	1	2	2	3	5
65 +	46	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	7	1.3		<1	1	1	2	2	2	2
20-34	18	1.3		1	1	1	2	2	2	2
35-49	45	1.4		1	1	1	2	2	3	4
50-64	51	1.4		1	1	1	2	2	2	3
65 +	33	1.6	2	1	1	1	2	2	3	10
TOTAL SINGLE DX	238	1.3		1	1	1	2	2	2	3
TOTAL MULTIPLE DX	154	1.4	1	1	1	1	2	2	2	4
TOTAL										
0-19 YRS	13	1.2		<1	1	1	1	2	2	2
20-34	74	1.3		1	1	1	2	2	2	4
35-49	118	1.3		1	1	1	2	2	2	4
50-64	108	1.4		1	1	1	2	2	3	4
65 +	79	1.4	1	1	1	1	2	2	2	8
GRAND TOTAL	392	1.4	1	1	1	1	2	2	2	4

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	201	1.0		<1	1	1	1	1	1	2
20-34	50	1.2		1	1	1	1	2	3	5
35-49	41	1.2		<1	1	1	1	2	2	2
50-64	27	1.2		1	1	1	1	2	2	2
65 +	12	1.1		<1	1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	231	1.2		1	1	1	1	2	2	3
20-34	91	1.2		<1	1	1	1	2	2	2
35-49	70	1.3		1	1	1	1	2	2	5
50-64	77	1.4	1	1	1	1	2	2	3	8
65 +	53	1.5		1	1	1	2	2	3	3
TOTAL SINGLE DX	331	1.1		<1	1	1	1	1	2	3
TOTAL MULTIPLE DX	522	1.3	1	1	1	1	1	2	2	4
TOTAL										
0-19 YRS	432	1.1	1	<1	1	1	1	1	2	2
20-34	141	1.2		1	1	1	1	2	2	3
35-49	111	1.3		1	1	1	1	2	2	4
50-64	104	1.4	1	1	1	1	1	2	2	7
65 +	65	1.4		1	1	1	2	2	3	3
GRAND TOTAL	853	1.2	1	1	1	1	1	2	2	3

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	331	1.3	2	<1	<1	<1	<1	1	3	10
20-34	13	1.0		<1	<1	1	1	1	1	1
35-49	14	1.0		<1	<1	<1	1	1	1	1
50-64	6	1.0		<1	<1	<1	1	1	1	1
65 +	3	9.7	225	<1	<1	<1	20	27	27	27
2. MULTIPLE DX										
0-19 YRS	818	1.8	11	<1	1	1	1	3	7	19
20-34	31	2.8	8	<1	1	1	4	8	9	11
35-49	18	4.7	43	<1	1	1	9	14	20	24
50-64	10	2.4	11	<1	<1	1	2	7	12	12
65 +	23	7.8	175	<1	1	3	9	39	69	99 +
TOTAL SINGLE DX	367	1.4	4	<1	<1	<1	<1	1	3	11
TOTAL MULTIPLE DX	900	2.1	17	<1	1	1	1	4	8	23
TOTAL										
0-19 YRS	1149	1.7	9	<1	<1	1	1	2	6	14
20-34	44	2.3	7	<1	1	1	2	7	8	11
35-49	32	3.1	27	<1	<1	1	1	11	14	24
50-64	16	1.9	8	<1	<1	1	1	3	9	12
65 +	26	8.0	173	<1	1	3	10	35	63	99 +
GRAND TOTAL	1267	1.9	13	<1	<1	1	1	3	7	20

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	68	1.2		1	1	1	1	2	2	5
20-34	25	1.2		1	1	1	1	1	3	4
35-49	20	1.2		1	1	1	1	2	2	2
50-64	21	1.3	1	1	1	1	1	2	4	6
65+	15	1.7	4	1	1	1	1	3	7	9
2. MULTIPLE DX										
0-19 YRS	178	2.3	9	1	1	1	2	5	10	16
20-34	101	2.1	9	1	1	1	2	3	5	21
35-49	78	1.8	2	1	1	1	2	4	7	74
50-64	62	2.5	14	1	1	2	2	4	7	26
65+	78	4.4	49	1	1	2	4	12	18	41
TOTAL SINGLE DX	149	1.3	1	1	1	1	1	2	2	6
TOTAL MULTIPLE DX	497	2.6	16	1	1	1	2	5	10	23
TOTAL										
0-19 YRS	246	2.0	7	1	1	1	2	5	8	16
20-34	126	2.0	8	1	1	1	2	3	4	19
35-49	98	1.7	2	1	1	1	2	3	6	55
50-64	83	2.2	11	1	1	1	2	4	6	22
65+	93	4.0	43	1	1	2	4	11	16	40
GRAND TOTAL	646	2.3	13	1	1	1	2	4	7	18

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	92	1.4	2	<1	<1	1	1	2	4	10
20-34	18	1.6	1	<1	1	1	2	3	4	5
35-49	33	1.6	2	1	1	1	2	3	4	10
50-64	27	2.1	2	1	1	2	2	5	7	7
65+	17	1.9	1	1	1	2	2	3	5	6
2. MULTIPLE DX										
0-19 YRS	112	2.3	9	<1	1	1	1	6	10	15
20-34	40	1.8	3	<1	1	1	2	3	4	13
35-49	49	2.8	33	1	1	2	3	5	7	41
50-64	40	2.1	3	1	1	2	2	4	6	11
65+	30	5.1	68	1	1	2	7	12	16	43
TOTAL SINGLE DX	187	1.6	2	<1	1	1	2	3	5	9
TOTAL MULTIPLE DX	271	2.6	19	1	1	1	2	6	9	16
TOTAL										
0-19 YRS	204	1.9	7	<1	1	1	1	5	7	14
20-34	58	1.7	3	<1	1	1	2	3	4	12
35-49	82	2.3	21	1	1	1	2	4	6	31
50-64	67	2.1	3	1	1	2	2	4	7	10
65+	47	4.0	46	1	1	2	3	8	15	43
GRAND TOTAL	458	2.2	13	<1	1	1	2	5	7	15

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	54	1.6	2	1	1	1	2	2	3	9
20-34	122	1.3		1	1	1	1	2	3	3
35-49	66	1.3		1	1	1	2	2	2	3
50-64	21	1.5		1	1	1	2	3	3	3
65+	6	1.7	1	<1	1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	203	1.2		1	1	1	1	2	2	3
20-34	624	1.3		1	1	1	1	2	3	4
35-49	456	1.4	2	1	1	1	1	2	3	3
50-64	197	1.5	1	1	1	1	2	2	3	6
65+	63	1.6	3	1	1	1	2	3	4	13
TOTAL SINGLE DX	269	1.4	1	1	1	1	2	2	3	3
TOTAL MULTIPLE DX	1543	1.3	1	1	1	1	1	2	3	4
TOTAL										
0-19 YRS	257	1.3	1	1	1	1	1	2	2	8
20-34	746	1.3		1	1	1	1	2	2	3
35-49	522	1.4	2	1	1	1	2	2	3	3
50-64	218	1.5	1	1	1	1	2	2	3	5
65+	69	1.6	3	1	1	1	2	3	4	12
GRAND TOTAL	1812	1.4	1	1	1	1	1	2	3	4

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	148	1.5	1	1	1	1	1	3	4	6
20-34	180	1.1		<1	1	1	1	2	2	3
35-49	117	1.1		<1	1	1	1	1	2	3
50-64	41	1.1		1	1	1	1	2	2	3
65 +	15	1.3	1	<1	1	1	1	1	4	5
2. MULTIPLE DX										
0-19 YRS	275	2.2	25	1	1	1	2	4	5	26
20-34	543	1.6	11	1	1	1	1	2	3	7
35-49	382	1.5	2	1	1	1	2	2	3	7
50-64	192	1.9	6	1	1	1	2	3	6	14
65 +	112	3.3	27	1	1	1	3	7	12	32
TOTAL SINGLE DX	501	1.2		<1	1	1	1	2	3	5
TOTAL MULTIPLE DX	1504	1.8	13	1	1	1	2	3	4	14
TOTAL										
0-19 YRS	423	1.9	17	1	1	1	2	3	4	12
20-34	723	1.5	9	1	1	1	1	2	3	6
35-49	499	1.4	2	1	1	1	1	2	3	6
50-64	233	1.8	5	1	1	1	2	3	5	13
65 +	127	3.1	25	1	1	1	3	6	12	32
GRAND TOTAL	2005	1.7	10	1	1	1	2	2	4	12

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	1.3		<1	<1	1	1	2	3	4
20-34	30	2.2	16	<1	1	1	1	2	13	20
35-49	25	1.5	1	<1	1	1	2	2	4	6
50-64	29	1.3		<1	<1	1	1	2	3	4
65 +	29	1.3		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	76	2.6	29	1	1	1	2	4	8	36
20-34	133	2.0	17	1	1	1	2	2	4	23
35-49	145	1.7	2	1	1	1	2	2	3	8
50-64	115	1.6	2	1	1	1	2	3	4	9
65 +	112	5.5	84	1	1	2	7	14	20	50
TOTAL SINGLE DX	140	1.5	4	<1	<1	1	1	2	3	14
TOTAL MULTIPLE DX	581	2.6	27	1	1	1	2	4	9	28
TOTAL										
0-19 YRS	103	2.2	22	<1	1	1	2	3	7	33
20-34	163	2.0	17	1	1	1	2	2	4	20
35-49	170	1.6	2	1	1	1	2	2	3	8
50-64	144	1.6	2	<1	1	1	2	2	4	9
65 +	141	4.7	70	<1	1	2	4	12	18	43
GRAND TOTAL	721	2.4	23	<1	1	1	2	3	8	23

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	119	1.5	1	<1	<1	1	1	3	3	8
20-34	105	2.1	2	<1	1	1	3	4	5	8
35-49	42	3.3	6	<1	1	3	5	8	8	10
50-64	46	4.1	6	2	2	4	5	7	8	14
65 +	34	3.8	7	1	2	3	5	8	11	12
2. MULTIPLE DX										
0-19 YRS	111	2.8	16	<1	1	1	3	6	11	26
20-34	156	2.9	12	1	1	2	3	7	9	17
35-49	107	4.2	12	1	2	3	6	8	9	19
50-64	125	5.8	58	2	3	5	7	10	11	42
65 +	297	6.5	33	2	3	5	8	12	16	36
TOTAL SINGLE DX	346	2.5	5	<1	1	1	3	5	7	11
TOTAL MULTIPLE DX	796	4.9	30	1	2	3	6	10	13	29
TOTAL										
0-19 YRS	230	2.1	9	<1	1	1	2	4	7	16
20-34	261	2.6	9	<1	1	2	3	5	8	14
35-49	149	3.9	11	1	1	3	5	8	9	14
50-64	171	5.4	45	2	3	4	6	9	10	30
65 +	331	6.2	31	2	3	5	8	12	15	36
GRAND TOTAL	1142	4.2	24	1	1	3	5	9	11	26

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.9	5	1	1	1	2	3	8	11
20-34	41	2.0	4	<1	1	1	2	6	7	10
35-49	44	1.8	1	1	1	1	2	3	4	6
50-64	26	1.4		1	1	1	2	3	3	3
65 +	14	2.0	2	1	1	1	2	4	6	7
2. MULTIPLE DX										
0-19 YRS	41	5.1	126	1	1	2	3	9	28	58
20-34	94	2.3	8	1	1	2	2	4	6	19
35-49	104	3.0	25	1	1	2	3	5	10	32
50-64	94	3.1	9	1	1	2	3	7	11	16
65 +	57	2.4	20	1	1	1	2	4	7	32
TOTAL SINGLE DX	143	1.8	3	1	1	1	2	3	6	10
TOTAL MULTIPLE DX	390	3.0	28	1	1	2	3	5	9	30
TOTAL										
0-19 YRS	59	4.1	91	1	1	2	3	8	12	57
20-34	135	2.2	7	1	1	1	2	4	6	13
35-49	148	2.7	18	1	1	2	2	5	6	24
50-64	120	2.7	8	1	1	2	3	5	9	15
65 +	71	2.3	17	1	1	1	2	4	7	29
GRAND TOTAL	533	2.7	21	1	1	2	2	5	8	24

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	3.9	17	<1	1	1	6	10	12	17
20-34	61	1.5	1	1	1	1	1	3	4	7
35-49	81	1.4		1	1	1	1	2	3	5
50-64	48	1.7	2	1	1	1	2	3	4	10
65 +	28	1.7	4	1	1	1	2	3	4	12
2. MULTIPLE DX										
0-19 YRS	113	4.1	39	1	1	1	6	9	14	35
20-34	282	1.9	4	1	1	1	2	3	6	13
35-49	346	1.9	9	1	1	1	2	3	5	21
50-64	312	2.3	9	1	1	1	2	4	9	20
65 +	199	3.3	20	1	1	2	4	8	13	21
TOTAL SINGLE DX	246	1.8	4	1	1	1	2	3	6	11
TOTAL MULTIPLE DX	1252	2.4	13	1	1	1	2	5	8	20
TOTAL										
0-19 YRS	141	4.1	35	1	1	1	6	9	14	27
20-34	343	1.8	4	1	1	1	2	3	6	12
35-49	427	1.8	8	1	1	1	2	3	5	19
50-64	360	2.2	9	1	1	1	2	4	8	19
65 +	227	3.1	19	1	1	1	3	8	12	20
GRAND TOTAL	1498	2.3	12	1	1	1	2	5	8	18

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	115	1.1		<1	<1	<1	1	1	2	4
20-34	66	1.1		<1	<1	<1	1	1	2	6
35-49	10	2.8	10	<1	<1	1	2	9	9	9
50-64	7	2.1	3	<1	<1	1	3	5	6	6
65 +	5	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	231	2.6	20	<1	1	1	2	6	7	46
20-34	142	6.2	139	<1	1	2	6	17	28	79
35-49	86	4.7	59	<1	1	2	6	12	16	99 +
50-64	96	6.7	163	<1	1	3	7	19	51	99 +
65 +	189	9.7	218	1	1	4	13	33	73	99 +
TOTAL SINGLE DX	203	1.2	1	<1	<1	<1	1	1	2	8
TOTAL MULTIPLE DX	744	5.9	123	<1	1	2	6	17	30	99 +
TOTAL										
0-19 YRS	346	2.1	14	<1	<1	1	2	4	6	34
20-34	208	4.6	100	<1	<1	1	3	11	23	51
35-49	96	4.5	55	<1	1	2	6	12	15	99 +
50-64	103	6.4	154	<1	1	3	6	18	43	99 +
65 +	194	9.5	215	1	1	4	13	32	72	99 +
GRAND TOTAL	947	4.9	101	<1	<1	1	4	13	26	99 +

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	1.1		<1	<1	<1	1	2	2	2
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	102	1.3		<1	<1	1	1	2	3	50
20-34	15	1.7		<1	1	1	2	3	4	4
35-49	7	2.7	17	<1	<1	1	2	10	12	12
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
TOTAL SINGLE DX	15	1.1		<1	<1	<1	1	2	2	2
TOTAL MULTIPLE DX	126	1.4	2	<1	<1	1	1	2	3	32
TOTAL										
0-19 YRS	113	1.3	1	<1	<1	1	1	2	3	40
20-34	15	1.7	1	<1	1	1	2	3	4	4
35-49	9	2.3	13	<1	1	1	2	8	12	12
50-64	4	1.3		<1	<1	<1	1	2	2	2
65 +	0									
GRAND TOTAL	141	1.4	1	<1	<1	1	1	2	3	19

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	2.3	2	<1	1	2	3	4	6	8
20-34	11	1.5		<1	1	1	2	3	3	3
35-49	6	1.5		<1	1	1	2	3	3	3
50-64	9	1.4		<1	1	1	2	3	3	3
65 +	6	1.5		<1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	111	2.4	22	<1	<1	1	2	4	7	32
20-34	37	2.1	1	1	1	1	3	4	5	6
35-49	23	3.6	9	<1	1	2	7	8	9	9
50-64	35	4.5	56	1	1	2	3	17	21	34
65 +	35	2.3	6	1	1	1	3	4	9	12
TOTAL SINGLE DX	51	1.8	1	<1	1	1	2	3	3	8
TOTAL MULTIPLE DX	241	2.8	21	<1	1	1	3	5	9	26
TOTAL										
0-19 YRS	130	2.4	19	<1	<1	1	2	4	7	28
20-34	48	2.0	2	1	1	1	3	4	5	6
35-49	29	3.2	8	<1	1	2	5	8	9	9
50-64	44	3.9	46	<1	1	1	2	16	19	34
65 +	41	2.2	6	1	1	1	2	4	8	12
GRAND TOTAL	292	2.6	18	<1	1	1	3	5	8	24

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	43	2.8	5	1	1	2	3	6	9	11
20-34	104	2.3	1	1	1	2	3	4	5	7
35-49	126	2.1	1	1	1	2	3	4	5	6
50-64	129	2.2	1	1	1	2	3	4	5	7
65 +	95	2.5	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
0-19 YRS	20	2.4	3	1	1	2	4	6	49	99 +
20-34	49	2.6	2	1	1	2	3	4	5	8
35-49	122	2.8	6	1	1	2	3	5	8	39
50-64	146	2.8	3	1	2	2	4	5	7	10
65 +	198	5.0	43	1	2	3	5	10	14	41
TOTAL SINGLE DX	497	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	535	3.6	20	1	2	2	4	7	10	32
TOTAL										
0-19 YRS	63	2.7	5	1	1	2	3	5	9	87
20-34	153	2.4	2	1	1	2	3	4	5	7
35-49	248	2.4	4	1	1	2	3	5	6	15
50-64	275	2.5	3	1	1	2	3	5	6	9
65 +	293	4.2	32	1	2	3	4	8	12	34
GRAND TOTAL	1032	3.0	12	1	1	2	3	5	8	17

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	211	2.4	1	1	2	2	3	4	5	6
20-34	5	3.6	5	<1	2	3	5	7	7	7
35-49	7	1.6	2	1	1	1	1	4	5	5
50-64	3	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	272	2.7	2	1	2	2	3	5	6	9
20-34	8	2.5	2	1	1	2	4	5	5	5
35-49	21	1.9	2	1	1	1	2	4	6	8
50-64	3	1.0		1	1	1	1	1	1	1
65 +	5	5.2	39	1	1	3	8	16	16	16
TOTAL SINGLE DX	227	2.4	2	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	309	2.6	3	1	1	2	3	5	6	9
TOTAL										
0-19 YRS	483	2.6	2	1	2	2	3	4	5	8
20-34	13	2.9	3	1	1	3	4	5	7	7
35-49	28	1.8	3	1	1	1	2	4	5	8
50-64	6	1.0		1	1	1	1	1	1	1
65 +	6	4.7	33	1	1	2	5	15	16	16
GRAND TOTAL	536	2.5	3	1	1	2	3	4	5	8

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	268	2.5	2	<1	1	2	4	5	6	7
20-34	28	3.4	8	<1	1	3	5	7	9	13
35-49	26	4.3	22	1	1	2	5	12	16	17
50-64	45	2.8	9	<1	1	1	3	6	9	15
65 +	43	3.3	11	1	1	2	4	9	10	17
2. MULTIPLE DX										
0-19 YRS	347	3.5	24	1	1	2	4	6	10	21
20-34	167	4.6	30	1	2	3	6	9	14	33
35-49	110	5.1	23	1	2	3	6	13	16	21
50-64	156	8.3	127	1	2	4	10	23	35	98
65 +	255	9.0	105	1	3	6	13	22	31	99 +
TOTAL SINGLE DX	410	2.8	6	<1	1	2	4	6	7	14
TOTAL MULTIPLE DX	1035	5.9	66	1	1	3	7	15	21	56
TOTAL										
0-19 YRS	615	3.0	15	1	1	2	4	5	7	19
20-34	195	4.5	28	1	1	3	5	8	13	29
35-49	136	5.0	23	1	2	3	6	13	16	20
50-64	201	7.1	106	1	1	3	8	18	31	85
65 +	298	8.2	96	1	2	5	11	20	29	99 +
GRAND TOTAL	1445	5.0	51	1	1	3	5	12	18	47

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1608	1.1		1	1	1	1	1	2	3
20-34	998	1.1		1	1	1	1	1	2	3
35-49	97	1.3		1	1	1	1	2	3	4
50-64	11	1.3		<1	1	1	1	2	3	3
65 +	5	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	797	1.2		1	1	1	1	2	2	5
20-34	384	1.4	1	1	1	1	1	2	3	5
35-49	86	1.5	1	1	1	1	2	3	3	8
50-64	21	3.5	14	1	1	2	4	11	12	13
65 +	12	4.8	66	1	1	1	5	16	27	29
TOTAL SINGLE DX	2719	1.1		1	1	1	1	1	2	3
TOTAL MULTIPLE DX	1300	1.3	2	1	1	1	1	2	3	7
TOTAL										
0-19 YRS	2405	1.1		1	1	1	1	1	2	4
20-34	1382	1.2	1	1	1	1	1	2	2	4
35-49	183	1.4	1	1	1	1	1	2	3	5
50-64	32	2.8	11	1	1	1	3	8	12	13
65 +	17	3.9	48	1	1	1	3	9	22	29
GRAND TOTAL	4019	1.2	1	1	1	1	1	2	2	4

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2990	1.0		1	1	1	1	1	1	2
20-34	73	1.1		1	1	1	1	1	2	3
35-49	6	1.2		1	1	1	1	2	2	2
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	3508	1.2	3	1	1	1	1	1	2	5
20-34	50	1.3		1	1	1	1	2	3	7
35-49	3	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	3070	1.1		1	1	1	1	1	1	2
TOTAL MULTIPLE DX	3562	1.2	4	1	1	1	1	1	2	5
TOTAL										
0-19 YRS	6498	1.1	2	1	1	1	1	1	2	3
20-34	123	1.2		1	1	1	1	2	2	4
35-49	9	1.1		1	1	1	1	2	2	2
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	6632	1.1	2	1	1	1	1	1	2	3

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	149	1.0		<1	1	1	1	1	1	2
20-34	6	1.0		<1	<1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	352	1.3	3	<1	1	1	1	1	2	9
20-34	4	1.3		1	1	1	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
TOTAL SINGLE DX	157	1.0		<1	1	1	1	1	1	1
TOTAL MULTIPLE DX	360	1.3	3	<1	1	1	1	1	2	9
TOTAL										
0-19 YRS	501	1.2	2	<1	1	1	1	1	1	6
20-34	10	1.1		<1	1	1	1	2	2	2
35-49	5	1.2		1	1	1	2	2	2	2
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
GRAND TOTAL	517	1.2	2	<1	1	1	1	1	1	6

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	312	2.3	6	1	1	1	3	4	6	18
20-34	158	2.1	1	1	1	2	3	4	5	6
35-49	50	2.5	3	1	1	2	3	6	6	8
50-64	24	2.5	2	1	1	2	3	5	6	7
65 +	19	2.6	4	<1	1	1	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	184	3.9	36	1	1	2	4	7	12	39
20-34	99	3.3	18	1	1	2	4	6	10	27
35-49	76	3.9	25	1	1	2	4	9	10	32
50-64	82	6.7	116	1	1	3	7	18	31	54
65 +	86	8.7	207	1	1	4	10	22	43	79
TOTAL SINGLE DX	563	2.3	5	1	1	2	3	4	6	11
TOTAL MULTIPLE DX	527	5.0	75	1	1	2	5	11	18	49
TOTAL										
0-19 YRS	496	2.9	18	1	1	2	3	5	7	25
20-34	257	2.5	9	1	1	2	3	5	6	14
35-49	126	3.4	17	1	1	2	4	7	9	25
50-64	106	5.7	94	1	1	2	5	12	21	53
65 +	105	7.6	176	1	1	3	7	17	39	72
GRAND TOTAL	1090	3.6	41	1	1	2	4	6	11	42

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.8	3	<1	<1	1	1	4	7	8
20-34	12	2.8	7	<1	1	2	4	6	9	10
35-49	5	2.0	3	1	1	1	3	5	5	5
50-64	10	2.4	4	<1	1	2	3	6	7	7
65 +	21	3.1	7	<1	1	3	4	6	9	12
2. MULTIPLE DX										
0-19 YRS	59	3.5	9	1	2	3	4	7	10	18
20-34	21	5.0	47	1	1	3	6	8	20	33
35-49	28	7.2	204	1	2	4	7	10	21	78
50-64	58	7.7	121	2	3	5	9	15	20	75
65 +	149	6.0	69	1	2	3	7	13	22	82
TOTAL SINGLE DX	62	2.5	6	<1	1	1	3	6	7	12
TOTAL MULTIPLE DX	315	5.9	79	1	2	3	6	12	18	78
TOTAL										
0-19 YRS	73	3.2	9	1	1	2	4	6	8	17
20-34	33	4.2	33	1	1	3	5	8	10	33
35-49	33	6.4	176	1	2	3	6	10	14	78
50-64	68	6.9	108	1	2	4	8	13	20	70
65 +	170	5.6	63	1	2	3	6	12	22	71
GRAND TOTAL	377	5.3	69	1	2	3	6	11	18	65

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	115	1.9	4	<1	1	1	2	4	5	12
20-34	14	1.2		<1	<1	1	1	2	3	3
35-49	27	1.2		<1	1	1	1	2	3	5
50-64	53	1.5	4	<1	1	1	1	2	3	15
65+	34	1.3	1	<1	<1	1	1	2	2	8
2. MULTIPLE DX										
0-19 YRS	73	5.1	63	1	1	2	6	20	39	99+
20-34	15	1.3		<1	<1	1	1	2	3	3
35-49	45	3.6	123	<1	1	1	2	7	8	75
50-64	107	3.8	25	1	1	2	5	10	12	25
65+	127	6.1	82	1	1	2	8	16	27	72
TOTAL SINGLE DX	243	1.6	3	<1	1	1	1	2	5	11
TOTAL MULTIPLE DX	367	4.7	65	1	1	2	5	12	23	94
TOTAL										
0-19 YRS	188	3.1	30	1	1	1	2	10	14	99+
20-34	29	1.2		<1	<1	1	1	2	3	3
35-49	72	~~2.7~~	78	<1	1	1	1	4	7	61
50-64	160	3.1	20	<1	1	1	2	9	11	24
65+	161	5.1	69	<1	1	2	6	13	22	61
GRAND TOTAL	610	3.5	42	<1	1	1	2	10	14	49

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.5	1	<1	1	1	2	3	4	4
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	16.0		16	16	16	16	16	16	16
50-64	2	7.5	85	1	1	7	14	14	14	14
65+	8	10.6	35	2	7	9	15	19	19	19
2. MULTIPLE DX										
0-19 YRS	42	5.0	50	1	2	2	4	17	23	32
20-34	2	49.0	4608	1	1	49	97	97	97	97
35-49	6	13.2	47	5	7	16	21	84	99+	99+
50-64	20	18.7	409	1	9	14	20	47	73	80
65+	31	13.9	252	2	3	9	19	37	71	99+
TOTAL SINGLE DX	32	4.7	32	<1	1	2	7	15	18	19
TOTAL MULTIPLE DX	101	11.8	281	1	2	6	16	29	69	99+
TOTAL										
0-19 YRS	60	4.0	38	1	1	2	3	9	20	31
20-34	5	20.8	1815	1	1	2	26	97	97	97
35-49	7	13.6	41	5	8	16	20	76	99+	99+
50-64	22	17.7	385	1	9	14	19	40	72	80
65+	39	13.3	208	1	4	9	18	32	61	99+
GRAND TOTAL	133	10.1	229	1	2	4	14	26	44	99+

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	2	13.5	25	10	10	13	17	17	17	17
50-64	11	13.4	33	9	10	11	14	24	27	27
65+	7	15.4	38	8	9	15	21	23	23	23
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	10	20.5	140	11	12	15	32	39	44	44
50-64	85	22.8	320	11	13	16	27	40	73	99
65+	74	25.0	381	10	13	16	32	48	78	88
TOTAL SINGLE DX	20	14.1	32	9	10	12	18	23	25	27
TOTAL MULTIPLE DX	169	23.6	335	10	13	16	27	46	71	97
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	12	19.3	125	10	12	15	25	37	43	44
50-64	96	21.8	296	10	12	16	25	39	70	99
65+	81	24.2	358	9	13	16	28	47	74	87
GRAND TOTAL	189	22.6	311	10	12	16	26	44	70	97

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	38.0	1043	11	17	73	99+	99+	99+	99+
20-34	4	4.0	6	1	2	4	6	7	7	7
35-49	3	9.7	26	4	6	11	13	14	14	14
50-64	4	10.8	13	6	8	11	13	14	14	14
65+	0									
2. MULTIPLF DX										
0-19 YRS	55	34.5	639	11	21	52	99+	99+	99+	99+
20-34	48	39.3	562	8	25	47	68	99+	99+	99+
35-49	73	30.7	517	6	13	28	61	99+	99+	99+
50-64	185	35.9	648	8	15	38	68	99+	99+	99+
65+	226	45.1	638	14	32	57	99+	99+	99+	99+
TOTAL SINGLE DX	18	19.7	607	3	6	14	73	99+	99+	99+
TOTAL MULTIPLE DX	587	38.9	644	10	21	48	91	99+	99+	99+
TOTAL										
0-19 YRS	62	34.9	670	11	20	58	99+	99+	99+	99+
20-34	52	36.5	609	6	19	44	66	99+	99+	99+
35-49	76	29.8	514	6	12	27	59	99+	99+	99+
50-64	189	35.3	648	8	14	38	66	99+	99+	99+
65+	226	45.1	639	14	32	57	99+	99+	99+	99+
GRAND TOTAL	605	38.3	653	10	20	47	90	99+	99+	99+

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	4.5	52	1	1	1	6	11	16	39
20-34	5	8.6	270	1	1	1	11	38	38	38
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	10	4.2	20	1	2	2	3	12	14	14
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	97	9.3	165	1	1	6	14	27	89	99 +
20-34	8	4.4	14	1	2	2	9	64	99 +	99 +
35-49	8	4.0	7	<1	1	4	6	7	7	7
50-64	31	6.5	87	1	1	2	8	19	31	39
65 +	30	11.0	173	2	2	7	22	69	99 +	99 +
TOTAL SINGLE DX	54	4.6	60	1	1	2	3	11	16	39
TOTAL MULTIPLE DX	174	8.6	141	1	1	5	13	28	88	99 +
TOTAL										
0-19 YRS	132	8.0	140	1	1	4	12	25	62	99 +
20-34	13	6.0	103	1	1	2	9	44	88	99 +
35-49	10	3.6	7	<1	1	3	6	7	7	7
50-64	41	6.0	71	1	1	2	7	18	25	39
65 +	32	10.3	168	1	2	6	21	62	99 +	99 +
GRAND TOTAL	228	7.7	124	1	1	4	11	26	55	99 +

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.4		1	1	1	2	2	2	2
20-34	25	7.5	55	1	3	5	8	18	24	31
35-49	21	6.1	23	1	2	5	8	12	16	20
50-64	35	4.9	27	<1	1	3	8	12	13	26
65 +	43	4.3	22	<1	1	2	5	12	15	19
2. MULTIPLE DX										
0-19 YRS	30	10.7	83	1	4	8	15	25	32	33
20-34	128	17.4	231	4	8	15	21	30	40	94
35-49	294	15.2	150	4	7	12	20	29	39	72
50-64	514	12.2	113	2	5	10	16	23	32	64
65 +	1135	14.8	164	3	7	12	19	30	40	73
TOTAL SINGLE DX	133	5.1	30	<1	1	3	7	12	17	27
TOTAL MULTIPLE DX	2101	14.3	155	3	7	11	18	29	38	73
TOTAL										
0-19 YRS	39	8.8	80	1	2	5	14	21	31	33
20-34	153	15.8	216	3	6	13	21	28	37	93
35-49	315	14.6	147	4	7	12	19	29	38	71
50-64	549	11.8	112	2	5	10	15	23	31	63
65 +	1178	14.4	163	3	6	12	19	30	39	72
GRAND TOTAL	2234	13.8	152	2	6	11	18	28	37	71

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	7.5	5	6	6	7	9	9	9	9
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	4	5.8	6	4	4	5	7	9	9	9
TOTAL										
0-18 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	7.5	5	6	6	7	9	9	9	9
GRAND TOTAL	4	5.8	6	4	4	5	7	9	9	9

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	17.4	595	5	6	7	21	61	61	61
20-34	31	7.5	30	2	4	7	10	16	20	24
35-49	60	7.0	40	1	3	6	8	17	19	35
50-64	67	7.1	31	1	2	7	9	14	21	24
65 +	77	5.4	22	1	1	4	9	13	15	18
2. MULTIPLE DX										
0-19 YRS	84	15.0	183	4	6	10	19	34	46	66
20-34	222	15.5	140	5	7	13	21	32	40	95
35-49	361	15.5	195	4	7	11	21	32	43	83
50-64	800	13.7	134	3	6	10	18	28	37	59
65 +	1386	15.0	186	3	7	11	19	33	46	96
TOTAL SINGLE DX	240	6.8	43	1	2	6	9	14	18	26
TOTAL MULTIPLE DX	2853	14.7	169	3	7	11	19	31	42	87
TOTAL										
0-19 YRS	89	15.2	200	4	6	10	19	35	50	68
20-34	253	14.6	134	4	7	12	20	31	39	92
35-49	421	14.3	182	3	6	10	19	30	41	80
50-64	867	13.2	129	3	6	10	17	28	36	58
65 +	1463	14.5	182	2	7	11	18	32	45	96
GRAND TOTAL	3093	14.1	164	3	6	11	18	30	41	86

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	7.0	8	3	5	7	9	11	11	11
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	13	10.7	17	7	9	10	11	16	22	23
50-64	38	10.4	25	7	7	9	11	19	24	26
65 +	26	9.2	5	6	7	9	11	13	13	14
2. MULTIPLE DX										
0-19 YRS	13	18.9	345	7	9	13	23	77	95	99 +
20-34	10	16.5	292	6	7	8	31	47	49	49
35-49	81	12.8	51	7	8	10	15	23	30	37
50-64	357	14.0	87	7	9	11	16	24	29	62
65 +	463	14.8	81	8	9	12	17	28	33	49
TOTAL SINGLE DX	85	9.7	17	6	7	9	11	13	20	26
TOTAL MULTIPLE DX	924	14.4	87	7	9	11	16	26	32	50
TOTAL										
0-19 YRS	19	15.2	265	5	7	10	18	55	87	99 +
20-34	12	16.4	263	5	7	8	23	47	49	49
35-49	94	12.5	47	7	8	10	14	22	28	37
50-64	395	13.7	83	7	8	11	16	23	29	56
65 +	489	14.5	79	8	9	11	16	27	32	49
GRAND TOTAL	1009	14.0	83	7	9	11	16	26	32	50

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	99	2.2	5	<1	1	1	2	5	7	14
20-34	13	3.0	9	<1	<1	2	4	7	10	11
35-49	18	3.3	10	<1	1	2	5	10	10	10
50-64	21	3.4	6	<1	1	3	5	7	9	10
65 +	18	5.2	14	<1	2	4	8	12	61	99 +
2. MULTIPLE DX										
0-19 YRS	195	9.2	133	1	2	6	12	21	31	68
20-34	145	15.5	136	4	7	12	22	31	45	99 +
35-49	200	16.3	131	3	8	14	21	33	40	62
50-64	239	13.2	156	3	5	10	17	27	36	67
65 +	484	14.0	137	3	6	11	18	27	35	66
TOTAL SINGLE DX	169	2.8	8	<1	1	2	4	8	10	15
TOTAL MULTIPLE DX	1263	13.7	144	2	5	11	19	28	37	67
TOTAL										
0-19 YRS	294	6.8	102	1	1	3	9	16	25	66
20-34	158	14.5	138	3	6	11	22	30	44	97
35-49	218	15.3	134	2	7	13	21	31	39	62
50-64	260	12.4	152	2	5	9	15	26	34	66
65 +	502	13.7	136	3	6	11	18	27	35	71
GRAND TOTAL	1432	12.4	140	1	4	10	17	27	35	67

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	4.4	28	1	1	3	5	14	16	16
20-34	23	5.1	5	2	3	5	7	8	9	11
35-49	5	5.0	3	2	4	6	6	6	6	6
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
2. MULTIPLE DX										
0-19 YRS	10	9.8	26	3	6	9	13	17	18	18
20-34	19	9.0	27	3	5	9	12	18	19	19
35-49	14	16.9	174	4	6	13	26	34	45	48
50-64	23	18.8	286	5	7	14	24	40	63	71
65 +	46	18.6	302	4	5	12	28	38	60	78
TOTAL SINGLE DX	36	5.1	9	2	3	5	6	8	10	16
TOTAL MULTIPLE DX	112	16.0	223	4	6	11	21	32	48	74
TOTAL										
0-19 YRS	17	7.6	33	1	3	6	11	17	18	18
20-34	42	6.9	18	3	4	6	9	13	18	19
35-49	19	13.8	156	3	5	7	22	31	41	48
50-64	24	18.4	278	5	7	12	24	38	62	71
65 +	46	18.6	302	4	5	12	28	38	60	78
GRAND TOTAL	148	13.4	192	3	5	8	18	29	40	71

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	103	5.6	15	2	3	4	7	12	15	18
20-34	251	5.2	11	2	3	4	6	9	13	16
35-49	102	5.4	9	2	3	5	6	10	12	17
50-64	38	5.3	7	3	3	5	7	10	12	13
65 +	18	5.8	9	2	4	5	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	179	10.9	131	3	5	7	13	23	31	86
20-34	373	9.0	69	3	5	7	11	17	22	54
35-49	299	11.7	131	4	5	9	14	25	33	79
50-64	423	12.1	105	4	6	9	15	25	32	66
65 +	738	14.1	149	4	7	11	18	30	40	86
TOTAL SINGLE DX	512	5.4	12	2	3	5	6	10	13	17
TOTAL MULTIPLE DX	2012	12.1	124	4	5	9	15	25	34	75
TOTAL										
0-19 YRS	282	8.9	95	2	4	6	10	19	26	63
20-34	624	7.5	50	3	4	6	9	14	19	30
35-49	401	10.1	108	3	4	7	12	22	28	76
50-64	461	11.6	101	4	5	9	14	24	31	65
65 +	756	13.9	148	4	6	10	17	29	39	86
GRAND TOTAL	2524	10.7	109	3	5	8	13	22	31	69

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	99	5.7	24	2	4	5	6	9	11	33
20-34	56	5.4	58	1	1	3	6	12	14	50
35-49	38	3.5	13	1	1	2	6	8	12	16
50-64	47	2.7	8	1	1	2	3	6	8	17
65+	27	5.0	23	1	1	4	7	13	16	18
2. MULTIPLE DX										
0-19 YRS	75	10.4	57	4	5	7	14	23	28	83
20-34	116	12.0	111	2	5	9	15	27	32	49
35-49	144	10.1	101	1	3	7	13	25	32	45
50-64	295	11.5	125	1	3	8	15	26	36	54
65+	434	12.8	135	2	4	10	19	28	38	50
TOTAL SINGLE DX	267	4.7	28	1	1	4	6	9	12	23
TOTAL MULTIPLE DX	1064	11.8	121	2	4	9	16	27	35	51
TOTAL										
0-19 YRS	174	7.7	44	3	4	6	8	18	23	42
20-34	172	9.9	103	1	2	7	13	24	29	50
35-49	182	8.7	90	1	2	6	11	21	31	42
50-64	342	10.3	118	1	3	7	14	25	33	53
65+	461	12.3	132	1	3	9	17	27	37	50
GRAND TOTAL	1331	10.4	110	1	3	7	14	25	32	50

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	196	6.3	14	2	4	6	8	10	14	21
20-34	8	8.9	28	5	6	7	10	18	21	21
35-49	8	8.3	2	7	7	8	9	11	12	12
50-64	10	7.5	5	4	6	8	9	10	10	10
65+	5	13.2	29	8	9	11	18	20	20	20
2. MULTIPLE DX										
0-19 YRS	978	13.4	157	5	7	9	15	28	41	98
20-34	54	12.5	147	3	7	9	12	29	43	64
35-49	100	12.9	136	7	8	10	13	21	32	75
50-64	284	15.0	96	8	9	12	18	26	34	79
65+	578	18.6	166	8	10	15	22	35	51	99+
TOTAL SINGLE DX	227	6.6	16	2	4	6	8	10	15	21
TOTAL MULTIPLE DX	1994	15.1	155	6	8	11	18	30	43	97
TOTAL										
0-19 YRS	1174	12.2	141	4	6	8	14	26	36	90
20-34	62	12.0	133	4	7	9	12	23	43	63
35-49	108	12.6	128	7	8	9	13	20	31	72
50-64	294	14.7	95	8	9	12	17	26	33	77
65+	583	18.6	165	8	10	15	22	35	51	99+
GRAND TOTAL	2221	14.2	147	5	7	10	17	29	40	91

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	56	3.4	3	2	2	3	4	5	7	12
50-64	91	3.7	6	2	2	3	5	8	9	12
65+	64	4.1	11	2	2	3	4	9	12	17
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	34	4.3	11	2	2	3	5	9	13	14
35-49	698	5.0	17	2	2	4	6	9	12	18
50-64	1775	5.4	15	2	3	4	7	10	13	19
65+	1371	6.6	34	2	3	5	8	13	17	33
TOTAL SINGLE DX	214	3.7	7	2	2	3	4	8	9	13
TOTAL MULTIPLE DX	3879	5.7	23	2	3	4	7	11	14	23
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	37	4.1	11	2	2	3	5	9	12	14
35-49	754	4.8	16	2	2	4	6	9	12	18
50-64	1866	5.3	15	2	3	4	7	10	13	18
65+	1435	6.5	33	2	3	5	8	13	17	33
GRAND TOTAL	4093	5.6	22	2	3	4	7	11	14	22

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	8	8.3	7	5	7	8	9	12	14	14
50-64	30	9.0	3	7	8	9	9	11	13	16
65+	27	9.4	2	7	8	9	10	11	12	14
2. MULTIPLE DX										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	13	9.2	61	6	6	7	8	14	31	35
35-49	387	11.1	33	7	8	9	12	17	22	43
50-64	1769	12.5	47	7	8	10	15	20	25	42
65+	2060	15.6	102	8	9	13	18	27	35	81
TOTAL SINGLE DX	65	9.1	4	7	8	9	10	11	13	16
TOTAL MULTIPLE DX	4231	13.9	76	7	9	11	16	23	30	60
TOTAL										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	13	9.2	61	6	6	7	8	14	31	35
35-49	395	11.0	33	7	8	9	12	17	22	42
50-64	1799	12.4	47	7	8	10	14	20	25	41
65+	2087	15.5	102	8	9	13	18	28	35	80
GRAND TOTAL	4296	13.8	75	7	9	11	16	23	30	59

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	298	2.1	7	1	1	2	2	2	3	11
20-34	50	2.2	4	1	1	2	2	5	8	9
35-49	451	2.4	5	1	1	2	2	6	8	12
50-64	858	2.2	5	1	1	1	2	5	6	11
65 +	496	2.1	4	1	1	2	2	4	7	11
2. MULTIPLE DX										
0-19 YRS	1024	3.2	28	1	1	2	2	6	11	31
20-34	225	4.2	18	1	1	2	6	10	12	24
35-49	2091	4.1	17	1	1	2	6	9	12	18
50-64	5873	4.3	25	1	1	2	6	10	13	21
65 +	5846	5.3	35	1	1	2	8	13	16	26
TOTAL SINGLE DX	2153	2.2	5	1	1	2	2	5	7	11
TOTAL MULTIPLE DX	15059	4.6	29	1	1	2	7	11	14	24
TOTAL										
0-19 YRS	1322	2.9	24	1	1	2	2	5	9	28
20-34	275	3.8	16	1	1	2	6	9	11	23
35-49	2542	3.8	16	1	1	2	6	9	11	17
50-64	6731	4.0	23	1	1	2	6	10	12	20
65 +	6342	5.1	34	1	1	2	7	12	16	25
GRAND TOTAL	17212	4.3	26	1	1	2	6	10	14	23

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	5.4	14	2	3	4	6	12	14	15
20-34	7	3.3	5	<1	1	2	5	7	7	7
35-49	7	4.6	17	1	2	3	8	11	11	11
50-64	43	4.2	12	1	2	3	5	9	11	18
65 +	212	3.3	8	1	2	3	4	6	8	18
2. MULTIPLE DX										
0-19 YRS	62	7.5	37	2	3	5	9	17	21	28
20-34	26	5.4	12	2	3	4	8	10	11	17
35-49	61	8.0	35	2	4	7	10	16	20	29
50-64	423	9.9	93	2	4	8	13	20	26	61
65 +	3396	10.8	113	3	4	8	14	22	30	67
TOTAL SINGLE DX	284	3.6	9	1	2	3	4	7	10	18
TOTAL MULTIPLE DX	3970	10.6	108	2	4	8	13	21	29	66
TOTAL										
0-19 YRS	77	7.1	33	2	3	5	9	16	19	28
20-34	35	4.9	12	2	2	4	7	9	10	17
35-49	68	7.7	35	2	3	7	10	15	20	28
50-64	466	9.4	89	2	4	7	12	19	26	53
65 +	3608	10.4	110	2	4	8	13	21	29	66
GRAND TOTAL	4254	10.1	106	2	4	7	13	21	28	64

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	3.9	51	<1	1	2	4	7	7	45
20-34	8	5.5	8	<1	3	6	7	9	9	9
35-49	4	7.0	25	2	4	6	10	14	14	14
50-64	6	3.5	5	<1	1	3	5	7	7	7
65 +	3	9.3	76	2	3	7	16	19	19	19
2. MULTIPLE DX										
0-19 YRS	129	5.8	55	1	2	3	7	15	19	70
20-34	38	12.5	255	2	6	9	13	24	33	97
35-49	65	16.6	328	6	7	11	17	29	60	96
50-64	119	15.3	129	5	8	13	19	30	35	73
65 +	131	15.8	110	6	9	13	19	31	47	99 +
TOTAL SINGLE DX	59	4.5	40	<1	1	2	6	7	12	43
TOTAL MULTIPLE DX	482	12.9	159	2	5	10	16	27	36	95
TOTAL										
0-19 YRS	167	5.3	54	1	1	3	6	14	19	60
20-34	46	11.3	218	1	6	8	12	23	28	97
35-49	69	16.1	315	5	7	11	16	29	60	96
50-64	125	14.8	130	5	8	12	18	29	35	73
65 +	134	15.6	110	6	9	13	19	31	46	99 +
GRAND TOTAL	541	11.9	153	2	4	9	15	25	35	92

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	688	2.6	3	1	1	2	3	4	6	10
20-34	67	3.7	12	<1	1	2	4	9	12	16
35-49	43	2.9	7	<1	1	1	4	8	9	10
50-64	36	3.9	18	1	1	2	5	11	14	17
65 +	52	3.3	13	<1	1	2	4	7	12	19
2. MULTIPLE DX										
0-19 YRS	890	5.2	63	1	2	3	5	10	16	47
20-34	165	9.3	113	1	2	6	13	18	30	45
35-49	318	10.3	103	1	3	8	13	21	28	44
50-64	677	11.0	114	2	4	8	14	24	31	64
65 +	2090	14.0	153	3	6	11	18	28	38	73
TOTAL SINGLE DX	886	2.8	5	1	1	2	3	5	8	13
TOTAL MULTIPLE DX	4140	11.2	134	2	4	8	15	24	32	65
TOTAL										
0-19 YRS	1578	4.1	39	1	2	3	4	7	12	25
20-34	232	7.7	91	1	2	4	10	16	24	42
35-49	361	9.4	98	1	3	7	12	20	27	44
50-64	713	10.7	112	2	4	8	14	23	30	63
65 +	2142	13.8	153	3	6	11	17	28	37	71
GRAND TOTAL	5026	9.7	122	1	3	6	13	22	30	60

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	237	1.9	3	1	1	1	2	3	4	7
35-49	363	2.0	2	1	1	2	2	3	4	7
50-64	198	2.8	13	1	1	2	3	5	6	22
65 +	62	3.0	9	1	1	2	3	6	11	15
2. MULTIPLE DX										
0-19 YRS	0									
20-34	92	2.3	3	1	1	2	3	4	5	11
35-49	174	2.8	9	1	1	2	3	5	8	21
50-64	188	4.1	22	1	1	3	4	9	14	22
65 +	119	6.9	74	1	2	4	7	19	23	46
TOTAL SINGLE DX	864	2.2	6	1	1	2	3	4	5	12
TOTAL MULTIPLE DX	573	4.0	29	1	1	2	4	8	15	25
TOTAL										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	329	2.0	4	1	1	2	2	3	4	9
35-49	537	2.3	5	1	1	2	3	4	5	11
50-64	386	3.5	18	1	1	2	4	6	11	22
65 +	181	5.6	55	1	2	3	5	15	21	41
GRAND TOTAL	1437	2.9	16	1	1	2	3	5	8	21

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	10.2	24	6	7	10	10	17	23	23
20-34	2	14.0	2	13	13	14	15	15	15	15
35-49	25	6.5	5	4	5	7	8	10	10	10
50-64	64	8.0	17	3	5	8	10	13	18	22
65 +	61	9.0	48	4	5	8	10	14	16	44
2. MULTIPLE DX										
0-19 YRS	181	14.6	135	6	8	11	17	31	44	99 +
20-34	17	17.6	171	6	8	16	24	50	84	99 +
35-49	168	13.2	124	5	7	9	15	28	35	81
50-64	883	14.4	155	5	7	10	16	30	43	91
65 +	1930	17.9	208	7	9	13	22	38	53	99 +
TOTAL SINGLE DX	162	8.3	28	4	5	8	10	13	16	38
TOTAL MULTIPLE DX	3179	16.5	188	6	8	12	20	35	50	99 +
TOTAL										
0-19 YRS	191	14.3	131	6	8	10	17	30	43	99 +
20-34	19	17.2	154	6	9	15	23	43	80	99 +
35-49	193	12.3	114	4	7	9	14	25	35	72
50-64	947	14.0	149	5	7	10	16	28	42	85
65 +	1991	17.7	208	6	9	13	22	37	53	99 +
GRAND TOTAL	3341	16.1	184	6	8	12	19	34	49	99 +

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.8	1	1	1	1	2	4	4	4
20-34	4	2.5	1	2	2	2	3	4	4	4
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	2	8.0	18	5	5	8	11	11	11	11
65 +	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	38	5.6	41	1	2	4	7	11	20	32
20-34	175	6.8	54	2	3	5	8	13	16	34
35-49	321	6.0	62	1	2	4	7	12	17	45
50-64	520	7.5	58	2	3	6	9	16	22	46
65 +	875	9.3	105	2	3	6	11	19	27	65
TOTAL SINGLE DX	16	3.3	8	1	1	2	4	7	10	11
TOTAL MULTIPLE DX	1929	8.0	81	2	3	5	9	17	24	59
TOTAL										
0-19 YRS	43	5.2	38	1	2	3	7	10	18	32
20-34	179	6.7	53	2	3	5	8	13	16	34
35-49	324	6.0	62	1	2	4	7	12	17	45
50-64	522	7.5	58	2	3	6	9	16	22	45
65 +	877	9.3	105	2	3	6	11	19	27	65
GRAND TOTAL	1945	7.9	81	2	3	5	9	17	24	59

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	5.7	14	3	3	4	8	10	10	10
20-34	12	4.8	23	1	2	2	7	13	16	16
35-49	16	1.9		1	1	2	2	3	4	4
50-64	17	1.7	1	1	1	1	2	3	4	5
65 +	24	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	47	8.6	131	2	2	4	10	19	50	99 +
20-34	170	13.9	246	1	3	9	18	38	52	96
35-49	268	10.9	150	1	3	7	14	26	39	63
50-64	461	13.2	198	2	3	8	18	31	43	67
65 +	694	15.9	257	2	4	11	23	40	55	99 +
TOTAL SINGLE DX	72	2.5	6	1	1	2	3	4	8	15
TOTAL MULTIPLE DX	1640	13.9	222	2	3	9	19	36	48	90
TOTAL										
0-19 YRS	50	8.4	125	2	2	4	10	19	48	99 +
20-34	182	13.3	237	1	3	8	17	36	51	94
35-49	284	10.4	146	1	2	6	14	26	36	63
50-64	478	12.8	196	1	3	8	17	30	43	66
65 +	718	15.4	255	2	4	10	22	40	53	99 +
GRAND TOTAL	1712	13.4	218	1	3	8	18	35	47	90

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	9	5.1	4	2	4	5	7	8	8	8
50-64	42	4.4	3	2	3	4	6	7	8	9
65+	65	5.3	7	3	4	5	6	8	10	17
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	21	6.6	19	2	4	5	9	14	16	17
50-64	386	7.9	69	3	4	6	9	13	21	45
65+	904	9.3	75	4	5	7	11	18	24	55
TOTAL SINGLE DX	116	4.9	6	3	3	5	6	7	9	15
TOTAL MULTIPLE DX	1311	8.8	74	3	4	6	10	17	23	50
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	30	6.2	15	2	4	5	8	12	15	17
50-64	428	7.5	64	3	4	5	8	13	18	43
65+	969	9.0	72	3	4	6	11	17	23	53
GRAND TOTAL	1427	8.5	69	3	4	6	10	16	22	48

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.22; 38.30-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	222	10.9	376	2	3	5	8	41	92	99+
20-34	69	5.1	23	1	2	3	7	11	14	23
35-49	94	4.8	22	1	1	2	7	11	14	21
50-64	135	5.3	21	1	1	3	9	11	13	20
65+	132	5.4	25	1	1	4	8	12	13	26
2. MULTIPLE DX										
0-19 YRS	1044	13.9	314	2	3	8	18	46	79	99+
20-34	365	9.3	140	1	2	5	11	22	32	65
35-49	546	8.9	100	1	2	6	12	20	29	75
50-64	1562	11.5	176	1	3	8	14	25	41	81
65+	3380	14.3	185	2	6	11	17	31	45	99
TOTAL SINGLE DX	652	7.1	150	1	2	4	8	13	22	99+
TOTAL MULTIPLE DX	6897	12.9	197	2	4	9	16	30	47	99+
TOTAL										
0-19 YRS	1266	13.4	326	2	3	7	16	47	84	99+
20-34	434	8.6	124	1	2	4	11	21	30	63
35-49	640	8.3	91	1	2	6	11	19	28	70
50-64	1697	11.0	167	1	3	8	13	24	39	80
65+	3512	13.9	183	2	6	11	17	30	45	98
GRAND TOTAL	7549	12.4	196	2	4	9	15	29	46	99+

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	148	3.3	14	<1	1	2	4	8	10	19
20-34	85	3.2	17	<1	1	2	3	6	9	26
35-49	89	2.9	8	1	1	2	3	6	11	14
50-64	70	3.4	13	<1	1	2	4	7	10	22
65+	67	3.8	9	1	1	3	5	9	10	12
2. MULTIPLE DX										
0-19 YRS	95	8.4	105	1	2	5	11	18	24	62
20-34	130	9.8	120	1	2	6	13	25	29	50
35-49	205	10.3	144	1	3	7	14	22	29	71
50-64	279	8.2	78	1	2	5	11	20	30	39
65+	464	11.9	171	2	3	8	15	28	34	86
TOTAL SINGLE DX	459	3.3	13	1	1	2	4	7	10	18
TOTAL MULTIPLE DX	1173	10.2	135	1	3	7	13	24	32	71
TOTAL										
0-19 YRS	243	5.3	56	1	1	3	7	12	17	31
20-34	215	7.2	90	1	1	4	8	19	28	45
35-49	294	8.1	115	1	2	4	10	19	24	65
50-64	349	7.3	70	1	2	4	9	18	25	38
65+	531	10.9	158	1	3	7	14	26	33	83
GRAND TOTAL	1632	8.3	111	1	2	5	10	20	29	55

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	7.7	56	<1	4	5	9	21	22	22
20-34	10	3.0	4	<1	2	3	3	6	8	8
35-49	33	2.9	4	1	2	2	4	5	8	10
50-64	66	3.2	2	1	2	3	4	5	6	8
65+	40	3.4	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	6	12.0	128	3	3	6	26	27	27	27
20-34	28	6.6	12	2	4	7	9	12	20	99+
35-49	71	6.6	36	1	2	5	8	15	22	26
50-64	173	7.4	75	2	3	5	9	17	26	64
65+	251	9.5	152	2	3	6	10	21	37	84
TOTAL SINGLE DX	155	3.3	6	1	2	3	4	6	8	10
TOTAL MULTIPLE DX	529	8.3	105	2	3	5	9	20	27	72
TOTAL										
0-19 YRS	12	9.8	89	2	3	6	15	26	27	27
20-34	38	5.7	13	1	3	5	9	11	14	99+
35-49	104	5.4	29	1	2	4	6	13	20	25
50-64	239	6.3	59	1	2	4	7	12	22	52
65+	291	8.6	137	2	3	5	9	20	34	74
GRAND TOTAL	684	7.2	87	1	3	4	8	15	24	59

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	35.3	30	29	31	38	39	39	39	39
20-34	1	60.0		60	60	60	60	60	60	60
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	63	45.7	162	31	36	44	58	65	72	99 +
20-34	2	48.5	1	48	48	48	49	49	49	49
35-49	10	34.8	276	13	28	33	42	58	62	62
50-64	2	29.5	761	10	10	29	49	49	49	49
65 +	0									
TOTAL SINGLE DX	5	34.2	396	5	23	38	44	60	60	60
TOTAL MULTIPLE DX	77	43.9	195	29	34	43	56	64	70	99 +
TOTAL										
0-19 YRS	66	45.2	161	30	35	43	57	65	72	99 +
20-34	3	52.3	44	48	48	49	57	60	60	60
35-49	11	32.1	330	3	26	33	41	57	62	62
50-64	2	29.5	761	10	10	29	49	49	49	49
65 +	0									
GRAND TOTAL	82	43.3	208	29	34	42	56	64	69	99 +

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	238	5.0	23	1	2	4	6	11	14	23
20-34	95	5.7	17	2	4	6	7	8	10	29
35-49	40	5.8	39	1	2	5	7	9	17	36
50-64	43	7.1	54	2	4	6	8	10	15	48
65 +	58	8.1	41	3	3	7	10	13	18	38
2. MULTIPLE DX										
0-19 YRS	380	10.6	117	2	4	7	12	24	35	40
20-34	351	13.2	175	4	6	9	15	28	42	76
35-49	399	13.9	190	4	6	10	16	31	46	85
50-64	568	13.5	153	4	6	10	16	27	36	77
65 +	1819	14.6	165	4	7	11	18	30	43	99 +
TOTAL SINGLE DX	474	5.8	29	1	2	5	7	10	14	34
TOTAL MULTIPLE DX	3517	13.8	163	4	6	10	17	29	40	88
TOTAL										
0-19 YRS	618	8.5	88	1	2	5	10	21	27	44
20-34	446	11.6	151	3	5	7	13	26	36	68
35-49	439	13.2	182	3	6	9	15	27	45	81
50-64	611	13.1	149	3	6	9	16	26	36	75
65 +	1877	14.4	163	4	7	11	17	30	43	99 +
GRAND TOTAL	3991	12.8	154	3	6	9	16	27	38	85

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	98	7.9	78	1	2	5	11	22	30	99 +
20-34	23	11.3	84	1	2	8	20	24	26	28
35-49	25	7.1	46	< 1	1	4	13	17	19	21
50-64	23	5.2	72	< 1	1	2	6	12	24	40
65 +	14	5.6	108	1	1	2	6	10	34	41
2. MULTIPLE DX										
0-19 YRS	396	15.2	287	1	3	9	21	41	58	99 +
20-34	254	16.5	272	3	6	11	23	37	50	95
35-49	424	15.9	216	2	6	12	22	37	48	82
50-64	610	13.1	168	2	4	8	19	30	39	69
65 +	891	16.9	274	3	6	12	22	41	56	99 +
TOTAL SINGLE DX	183	7.7	78	1	2	4	11	21	28	80
TOTAL MULTIPLE DX	2575	15.5	243	2	5	11	21	37	51	97
TOTAL										
0-19 YRS	494	13.7	254	1	3	8	19	37	54	99 +
20-34	277	16.1	258	2	5	11	23	36	49	94
35-49	449	15.4	211	1	5	11	21	35	46	81
50-64	633	12.8	167	2	4	8	18	30	39	69
65 +	905	16.7	273	3	6	11	22	41	56	99 +
GRAND TOTAL	2758	15.0	236	2	5	10	20	36	50	97

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	3.9	10	< 1	1	3	6	9	10	10
20-34	0									
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	16	6.7	42	< 1	1	3	14	17	18	18
20-34	5	8.0	27	3	4	5	13	15	15	15
35-49	16	7.9	36	2	4	8	10	12	22	27
50-64	21	9.4	120	1	4	5	13	23	37	47
65 +	44	9.7	83	2	4	8	11	19	31	44
TOTAL SINGLE DX	11	4.8	14	1	2	4	9	10	10	10
TOTAL MULTIPLE DX	102	8.8	73	1	3	7	11	17	28	45
TOTAL										
0-19 YRS	24	5.8	33	< 1	1	3	9	15	17	18
20-34	5	8.0	27	3	4	5	13	15	15	15
35-49	18	7.7	35	2	3	8	10	12	21	27
50-64	21	9.4	120	1	4	5	13	23	37	47
65 +	45	9.7	81	2	4	8	10	18	31	44
GRAND TOTAL	113	8.4	69	1	3	6	10	17	28	45

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	76	4.0	40	1	1	2	5	10	11	40
20-34	14	3.4	6	1	1	3	5	7	8	8
35-49	15	3.8	8	<1	1	3	6	8	9	9
50-64	26	5.2	36	1	1	3	7	17	20	20
65 +	24	3.5	6	<1	1	3	5	8	8	9
2. MULTIPLE DX										
0-19 YRS	167	6.6	102	1	1	2	8	17	27	54
20-34	65	9.7	80	1	3	8	14	22	24	46
35-49	133	10.2	93	2	4	7	13	19	36	46
50-64	304	9.0	71	1	3	6	12	20	25	42
65 +	596	11.7	151	2	5	8	14	24	41	83
TOTAL SINGLE DX	155	4.0	28	<1	1	2	5	9	11	30
TOTAL MULTIPLE DX	1265	10.1	119	1	3	7	13	22	32	66
TOTAL										
0-19 YRS	243	5.8	85	1	1	2	7	13	25	54
20-34	79	8.6	73	1	2	6	13	21	24	44
35-49	148	9.6	89	1	3	7	12	19	35	45
50-64	330	8.7	69	1	3	6	12	19	25	41
65 +	620	11.4	149	2	5	8	14	24	40	83
GRAND TOTAL	1420	9.5	113	1	3	7	12	21	31	62

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	365	3.2	1	2	3	3	4	5	5	6
20-34	0									
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	1	8.0		8	8	8	8	8	8	8
65 +	2	9.0	32	5	5	9	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	149	4.7	9	2	3	4	6	7	10	99
20-34	7	11.6	23	6	8	10	14	19	20	20
35-49	6	10.5	85	5	6	7	10	27	29	29
50-64	6	28.2	998	10	12	16	23	85	92	92
65 +	17	19.5	250	8	9	12	22	49	54	56
TOTAL SINGLE DX	370	3.3	2	2	3	3	4	5	5	8
TOTAL MULTIPLE DX	185	7.2	94	2	3	5	7	14	24	97
TOTAL										
0-19 YRS	514	3.7	4	2	3	3	4	5	6	13
20-34	7	11.6	23	6	8	10	14	19	20	20
35-49	8	9.1	72	2	5	7	9	23	29	29
50-64	7	25.3	890	8	10	15	21	78	92	92
65 +	19	18.4	235	7	9	12	18	47	54	56
GRAND TOTAL	555	4.6	36	2	3	3	4	7	11	41

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	15.0	301	4	4	6	28	35	35	35
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	1.0		1	1	1	1	1	1	1
65 +	13	4.8	20	1	1	3	10	22	83	99 +
2. MULTIPLE DX										
0-19 YRS	122	16.6	406	3	5	10	21	43	81	99 +
20-34	21	12.0	342	1	3	6	15	47	91	99 +
35-49	46	22.0	373	5	9	19	28	84	99 +	99 +
50-64	112	22.2	389	5	9	18	37	92	99 +	99 +
65 +	1076	25.3	468	4	10	19	43	82	99 +	99 +
TOTAL SINGLE DX	20	6.7	66	1	1	4	10	24	64	99 +
TOTAL MULTIPLE DX	1377	24.0	459	4	9	18	40	79	99 +	99 +
TOTAL										
0-19 YRS	125	16.6	401	3	5	10	21	43	80	99 +
20-34	22	12.2	327	1	3	6	16	42	90	99 +
35-49	47	21.7	370	5	9	19	28	82	99 +	99 +
50-64	114	21.8	390	4	8	17	37	91	99 +	99 +
65 +	1089	25.0	468	4	10	19	43	81	99 +	99 +
GRAND TOTAL	1397	23.7	458	4	9	18	40	79	99 +	99 +

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	5.8	14	2	3	5	7	12	12	12
20-34	7	4.4	3	3	3	4	5	7	8	8
35-49	15	4.9	5	2	3	4	7	8	9	10
50-64	15	4.1	3	<1	3	5	5	6	7	7
65+	11	12.4	771	3	3	3	6	43	91	96
2. MULTIPLE DX										
0-19 YRS	5	14.2	431	1	4	5	19	51	51	51
20-34	29	5.5	17	3	4	4	6	9	12	24
35-49	98	6.5	18	2	3	6	8	13	16	21
50-64	175	7.9	38	3	4	6	9	13	20	31
65+	698	11.8	132	4	6	8	14	23	32	73
TOTAL SINGLE DX	53	6.2	162	2	3	4	6	7	10	93
TOTAL MULTIPLE DX	1005	10.4	107	3	5	8	12	20	29	70
TOTAL										
0-19 YRS	10	10.0	218	1	4	5	9	31	51	51
20-34	36	5.3	14	3	4	4	6	8	10	24
35-49	113	6.3	17	2	3	6	8	11	15	20
50-64	190	7.6	37	3	4	6	9	13	20	31
65+	709	11.8	141	4	6	8	13	23	32	76
GRAND TOTAL	1058	10.2	111	3	5	7	12	20	29	70

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	6	6.0	9	2	3	6	8	10	10	10
35-49	7	10.7	5	7	9	11	13	13	13	13
50-64	17	12.2	21	8	9	11	15	20	21	22
65+	13	12.5	17	8	9	12	17	18	19	19
2. MULTIPLE DX										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	36	13.2	56	8	9	11	15	22	26	46
35-49	87	16.3	122	8	9	13	19	36	40	88
50-64	199	18.0	194	8	10	14	20	36	49	98
65+	447	23.0	230	10	13	18	28	45	60	99+
TOTAL SINGLE DX	43	11.2	20	7	8	11	13	18	20	22
TOTAL MULTIPLE DX	771	20.5	210	9	11	16	25	40	56	99+
TOTAL										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	42	12.1	56	7	8	10	14	21	25	46
35-49	94	15.9	116	8	9	13	18	31	40	86
50-64	216	17.5	183	8	10	14	20	34	48	98
65+	460	22.7	228	10	13	18	28	45	59	99+
GRAND TOTAL	814	20.0	204	9	11	15	24	39	55	99+

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	17.0		17	17	17	17	17	17	17
50-64	2	12.0	2	11	11	12	13	13	13	13
65+	4	13.0	8	10	10	13	15	16	16	16
2. MULTIPLE DX										
0-19 YRS	2	18.0	72	12	12	18	24	24	24	24
20-34	2	10.5	1	10	10	10	11	11	11	11
35-49	14	20.8	121	10	11	17	32	38	39	39
50-64	67	22.3	212	11	12	16	28	40	52	81
65+	99	24.6	186	12	15	22	32	44	64	99+
TOTAL SINGLE DX	7	13.3	8	10	11	13	16	17	17	17
TOTAL MULTIPLE DX	184	23.2	189	11	13	19	31	42	52	99+
TOTAL										
0-19 YRS	2	18.0	72	12	12	18	24	24	24	24
20-34	2	10.5	1	10	10	10	11	11	11	11
35-49	15	20.5	113	10	12	17	31	38	39	39
50-64	69	22.0	210	11	12	16	27	40	51	80
65+	103	24.1	184	11	15	21	32	44	64	99+
GRAND TOTAL	191	22.9	186	11	13	18	30	42	50	99+

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	4.8	2	3	4	5	6	7	7	7
20-34	8	7.8	4	5	6	7	9	11	12	12
35-49	15	9.0	23	6	6	7	10	20	20	20
50-64	9	9.1	18	5	6	8	11	16	18	18
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	6	21.5	1410	3	5	6	10	89	98	98
20-34	18	10.7	66	4	6	9	12	23	31	35
35-49	42	12.9	82	6	7	10	15	23	38	42
50-64	53	16.0	126	7	9	13	18	37	41	55
65+	113	19.0	158	7	10	15	27	38	44	83
TOTAL SINGLE DX	38	8.1	17	4	6	7	9	13	19	20
TOTAL MULTIPLE DX	232	16.6	164	6	9	13	21	36	42	77
TOTAL										
0-19 YRS	11	13.9	782	3	4	5	7	45	94	98
20-34	26	9.8	49	5	6	8	12	15	28	35
35-49	57	11.9	70	6	6	9	13	22	32	42
50-64	62	15.0	116	6	8	11	17	31	40	53
65+	114	18.9	159	7	10	15	26	38	44	82
GRAND TOTAL	270	15.4	152	5	8	11	19	34	40	70

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	10.9	136	1	4	7	11	33	41	99+
20-34	36	7.1	13	4	5	6	8	10	11	25
35-49	47	6.8	5	5	5	6	8	9	12	15
50-64	22	8.1	24	5	6	7	8	10	18	29
65+	10	8.5	14	4	6	7	10	15	16	16
2. MULTIPLE DX										
0-19 YRS	173	16.7	272	4	7	11	24	58	99+	99+
20-34	142	11.4	157	5	6	8	11	23	36	94
35-49	210	11.4	128	5	6	8	12	23	36	99+
50-64	203	14.7	161	6	8	10	18	29	43	99+
65+	521	19.7	228	8	10	15	25	42	58	99+
TOTAL SINGLE DX	154	8.2	46	4	5	7	8	12	27	46
TOTAL MULTIPLE DX	1249	16.2	210	6	8	11	20	36	54	99+
TOTAL										
0-19 YRS	212	15.6	252	3	7	10	23	50	95	99+
20-34	178	10.5	131	5	6	7	10	20	30	93
35-49	257	10.5	109	5	6	7	11	21	31	99
50-64	225	14.1	152	6	8	10	17	28	39	99+
65+	531	19.5	226	7	10	15	24	42	58	99+
GRAND TOTAL	1403	15.3	198	5	7	10	19	34	51	99+

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	130	5.0	40	1	2	4	6	9	13	25
20-34	145	5.8	21	2	3	5	7	11	15	24
35-49	133	6.0	25	2	3	5	7	10	12	24
50-64	100	5.1	8	1	3	5	7	9	10	14
65+	96	5.3	14	1	2	5	7	11	12	17
2. MULTIPLE DX										
0-19 YRS	293	9.3	155	1	3	5	10	22	32	70
20-34	650	7.9	49	2	4	6	10	16	24	35
35-49	951	8.2	69	3	4	6	10	15	21	44
50-64	1655	8.7	75	3	4	6	10	16	23	49
65+	5446	11.3	117	3	5	8	14	23	31	73
TOTAL SINGLE DX	604	5.5	23	1	3	5	7	10	12	19
TOTAL MULTIPLE DX	8995	10.2	103	3	5	7	12	21	29	63
TOTAL										
0-19 YRS	423	8.0	124	1	2	5	8	18	28	68
20-34	795	7.5	45	2	4	6	9	15	23	35
35-49	1084	7.9	65	3	4	6	9	15	20	43
50-64	1755	8.5	72	3	4	6	10	16	22	48
65+	5542	11.2	116	3	5	8	14	22	31	72
GRAND TOTAL	9599	9.9	99	3	4	7	12	20	28	62

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	7.5	6	5	6	7	9	11	12	12
20-34	16	13.1	58	7	8	9	17	28	29	29
35-49	8	9.5	16	6	7	8	12	16	17	17
50-64	10	11.8	39	6	7	8	17	21	22	22
65+	18	11.8	49	5	8	10	14	23	29	32
2. MULTIPLE DX										
0-19 YRS	68	18.6	351	6	9	13	32	99+	99+	99+
20-34	110	13.9	101	6	9	11	16	28	32	90
35-49	151	15.1	151	7	8	11	17	28	35	70
50-64	247	17.5	162	8	10	14	20	28	40	91
65+	578	20.1	217	8	11	15	24	42	58	99+
TOTAL SINGLE DX	63	11.1	40	6	7	9	14	21	26	32
TOTAL MULTIPLE DX	1154	18.2	198	7	10	14	22	37	58	99+
TOTAL										
0-19 YRS	79	17.0	317	6	8	12	28	99+	99+	99+
20-34	126	13.8	95	6	8	11	16	28	31	87
35-49	159	14.8	146	7	8	10	17	28	35	70
50-64	257	17.2	159	8	10	14	20	28	40	91
65+	596	19.9	215	8	11	15	24	41	58	99+
GRAND TOTAL	1217	17.8	193	7	9	13	22	36	55	99

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	10.9	70	6	7	8	12	19	35	41
20-34	41	10.8	27	6	7	9	13	19	23	26
35-49	94	9.3	13	6	7	8	10	14	18	24
50-64	202	9.4	11	7	7	9	10	13	17	22
65+	192	9.7	8	7	8	9	11	13	16	20
2. MULTIPLE DX										
0-19 YRS	84	18.8	240	6	9	14	32	70	99+	99+
20-34	245	16.2	162	7	9	11	19	30	42	75
35-49	574	13.7	70	7	9	11	16	24	32	51
50-64	1513	14.2	87	8	9	11	16	25	34	66
65+	4363	17.3	147	8	10	13	20	31	44	90
TOTAL SINGLE DX	559	9.7	15	6	7	9	10	14	17	25
TOTAL MULTIPLE DX	6779	16.2	132	8	9	12	19	29	41	88
TOTAL										
0-19 YRS	114	16.7	207	6	8	11	28	50	99+	99+
20-34	286	15.4	146	7	9	11	17	28	40	69
35-49	668	13.1	65	7	8	11	15	23	29	49
50-64	1715	13.6	81	7	9	11	15	24	32	62
65+	4555	16.9	144	8	10	13	20	30	43	88
GRAND TOTAL	7338	15.7	126	8	9	12	18	28	39	86

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	7.2	5	5	6	7	8	11	13	13
20-34	2	8.0		8	8	8	8	8	8	8
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	3	7.0	7	4	5	8	9	9	9	9
65 +	4	12.8	35	8	8	11	17	21	21	21
2. MULTIPLE DX										
0-19 YRS	17	18.0	432	5	6	9	35	70	93	99 +
20-34	15	13.0	149	4	7	9	11	40	42	43
35-49	18	12.1	36	7	8	10	14	23	24	24
50-64	80	19.0	252	7	10	14	22	39	58	99
65 +	222	20.2	235	8	10	15	25	39	60	99 +
TOTAL SINGLE DX	22	8.3	13	5	6	8	9	13	16	21
TOTAL MULTIPLE DX	352	19.1	237	7	10	14	23	39	59	99 +
TOTAL										
0-19 YRS	28	13.8	287	5	6	7	13	40	84	99 +
20-34	17	12.4	134	5	7	8	11	36	42	43
35-49	20	11.7	34	7	8	9	14	22	23	24
50-64	83	18.5	248	7	9	14	22	36	57	99
65 +	226	20.1	232	8	10	15	25	39	60	99 +
GRAND TOTAL	374	18.5	230	7	9	14	22	38	57	99 +

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	115	5.6	15	2	3	5	7	9	12	54
20-34	36	7.3	7	4	6	7	9	10	12	15
35-49	42	7.6	5	5	6	7	9	11	12	16
50-64	55	8.4	6	6	7	8	10	11	13	14
65 +	46	7.3	11	3	5	7	10	11	12	16
2. MULTIPLE DX										
0-19 YRS	216	12.7	173	4	6	9	15	34	68	99 +
20-34	130	11.9	49	5	8	10	14	22	28	52
35-49	211	11.1	75	6	7	9	12	16	22	57
50-64	364	12.8	115	5	8	10	14	24	38	86
65 +	780	14.2	120	6	8	11	16	27	36	85
TOTAL SINGLE DX	294	6.9	12	3	5	7	9	11	12	19
TOTAL MULTIPLE DX	1701	13.1	116	6	8	10	15	24	37	99 +
TOTAL										
0-19 YRS	331	10.2	130	3	5	7	12	22	47	99 +
20-34	166	10.9	44	5	7	9	13	20	25	40
35-49	253	10.5	65	6	7	9	11	15	20	56
50-64	419	12.2	104	6	7	9	13	22	35	78
65 +	826	13.8	116	6	8	11	16	26	35	85
GRAND TOTAL	1995	12.2	105	5	7	10	14	22	34	91

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	7.6	15	4	5	6	9	14	17	18
20-34	1	15.0		15	15	15	15	15	15	15
35-49	4	9.8	17	5	7	9	12	15	15	15
50-64	7	12.6	8	10	10	12	14	17	18	18
65 +	3	7.3	25	2	3	8	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	51	18.5	179	5	8	17	29	51	99 +	99 +
20-34	18	21.4	358	6	10	14	20	50	63	71
35-49	33	20.4	338	7	9	14	27	43	90	99 +
50-64	137	21.3	212	8	11	18	28	44	67	99 +
65 +	380	22.9	242	9	12	18	30	50	65	99 +
TOTAL SINGLE DX	33	9.1	18	4	6	9	12	15	17	18
TOTAL MULTIPLE DX	619	22.0	239	8	12	18	29	49	67	99 +
TOTAL										
0-19 YRS	69	15.9	160	5	6	11	25	47	92	99 +
20-34	19	21.1	341	6	10	15	20	50	62	71
35-49	37	19.2	313	7	9	13	27	39	82	99 +
50-64	144	20.9	206	8	11	17	26	44	67	99 +
65 +	383	22.7	243	9	12	18	29	50	65	99 +
GRAND TOTAL	652	21.3	236	8	11	17	28	48	67	99 +

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2672	3.9	4	2	3	3	4	7	8	12
20-34	1886	3.8	3	2	3	3	4	6	7	10
35-49	736	4.6	5	2	3	4	5	8	9	13
50-64	231	5.3	6	3	3	5	7	9	10	13
65 +	62	7.5	9	4	5	7	10	12	13	17
2. MULTIPLE DX										
0-19 YRS	1043	6.4	22	3	3	5	8	12	15	23
20-34	941	5.7	13	3	3	5	7	10	12	18
35-49	561	7.0	18	3	4	6	9	12	15	22
50-64	422	9.2	40	4	5	8	11	16	19	36
65 +	346	11.3	86	5	7	9	13	19	23	41
TOTAL SINGLE DX	5587	4.1	5	2	3	3	5	7	9	12
TOTAL MULTIPLE DX	3313	7.2	31	3	4	6	9	13	17	28
TOTAL										
0-19 YRS	3715	4.6	11	2	3	4	5	8	11	18
20-34	2827	4.5	7	2	3	4	5	7	9	14
35-49	1297	5.6	13	3	3	5	7	10	12	20
50-64	653	7.8	32	3	4	7	10	14	17	31
65 +	408	10.7	77	4	6	9	12	19	22	40
GRAND TOTAL	8900	5.2	17	2	3	4	6	9	12	20

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	5.3	6	2	3	5	7	9	9	9
20-34	5	8.0	3	5	7	9	9	9	9	9
35-49	6	6.8	7	4	4	7	8	11	11	11
50-64	2	12.5	41	8	8	12	17	17	17	17
65+	0									
2. MULTIPLE DX										
0-19 YRS	9	10.0	3	8	9	10	11	13	13	13
20-34	6	14.2	7	9	14	15	16	17	17	17
35-49	11	9.4	17	4	7	9	11	16	17	17
50-64	4	13.8	75	4	6	14	21	22	22	22
65+	5	12.2	12	9	10	10	15	17	17	17
TOTAL SINGLE DX	20	7.2	11	3	5	7	9	10	14	17
TOTAL MULTIPLE DX	35	11.3	19	7	9	10	15	17	19	22
TOTAL										
0-19 YRS	16	7.9	10	3	5	8	10	12	13	13
20-34	11	11.4	15	7	9	9	15	16	17	17
35-49	17	8.5	15	4	6	8	11	14	16	17
50-64	6	13.3	53	4	8	13	20	22	22	22
65+	5	12.2	13	9	10	10	15	17	17	17
GRAND TOTAL	55	9.8	20	4	7	9	12	17	17	22

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	5.2	14	1	2	4	7	11	13	15
20-34	13	3.7	23	<1	1	2	4	11	17	18
35-49	15	2.3	1	1	1	2	3	4	5	5
50-64	24	2.1	1	1	1	2	2	4	5	5
65+	44	2.4	4	1	1	2	3	5	6	13
2. MULTIPLE DX										
0-19 YRS	33	8.6	78	1	3	6	11	19	32	38
20-34	24	7.9	106	1	2	4	9	24	35	41
35-49	53	4.4	35	1	2	3	4	9	12	36
50-64	105	5.5	25	1	2	4	7	12	15	26
65+	456	10.1	156	2	3	7	12	21	34	75
TOTAL SINGLE DX	132	3.2	10	1	1	2	4	7	11	16
TOTAL MULTIPLE DX	671	8.8	125	1	3	5	10	18	28	70
TOTAL										
0-19 YRS	69	6.8	47	1	2	6	8	14	17	37
20-34	37	6.4	80	1	2	3	8	17	29	41
35-49	68	3.9	28	1	2	3	4	7	10	34
50-64	129	4.9	23	1	2	3	6	10	15	26
65+	500	9.4	148	1	2	6	12	19	31	74
GRAND TOTAL	803	7.9	110	1	2	4	10	17	26	67

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	2.1	3	1	1	1	3	5	7	7
20-34	58	2.4	1	1	1	2	3	4	5	7
35-49	53	3.0	6	1	1	2	4	6	8	12
50-64	26	2.6	2	1	1	2	3	4	6	6
65+	7	4.6	12	2	2	3	5	11	12	12
2. MULTIPLE DX										
0-19 YRS	22	7.3	37	2	4	5	10	16	21	26
20-34	72	4.9	20	1	2	4	6	9	11	23
35-49	89	4.7	23	1	2	3	6	10	14	27
50-64	58	5.1	30	1	2	3	5	8	20	29
65+	53	11.3	250	3	3	7	12	34	72	99+
TOTAL SINGLE DX	163	2.7	4	1	1	2	3	5	7	12
TOTAL MULTIPLE DX	294	6.2	71	1	2	4	7	12	20	72
TOTAL										
0-19 YRS	41	4.9	28	1	1	3	6	11	16	26
20-34	130	3.8	14	1	2	3	5	8	10	23
35-49	142	4.1	17	1	2	3	5	9	11	18
50-64	84	4.3	23	1	2	3	5	7	13	27
65+	60	10.5	226	2	3	7	11	24	72	99+
GRAND TOTAL	457	5.0	50	1	2	3	5	10	15	65

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	7.0	5	3	5	7	8	10	10	11
20-34	1	7.0		7	7	7	7	7	7	7
35-49	7	12.0	26	6	8	12	14	20	21	21
50-64	52	10.4	9	7	9	10	12	14	16	21
65+	56	10.2	13	6	8	10	12	15	16	21
2. MULTIPLE DX										
0-19 YRS	43	9.9	25	6	7	9	11	15	20	30
20-34	20	11.9	27	6	8	11	17	20	20	21
35-49	61	14.5	135	8	10	11	14	19	29	80
50-64	294	14.6	67	8	10	12	17	23	33	54
65+	717	17.2	148	9	10	13	20	29	44	94
TOTAL SINGLE DX	140	9.8	13	5	8	10	12	14	16	21
TOTAL MULTIPLE DX	1135	16.0	123	8	10	13	18	27	41	87
TOTAL										
0-19 YRS	67	8.9	20	5	7	8	9	14	16	29
20-34	21	11.6	27	6	8	11	17	20	20	21
35-49	68	14.2	124	8	10	12	14	20	29	78
50-64	346	14.0	61	8	10	12	16	21	29	53
65+	773	16.7	142	9	10	13	19	29	42	93
GRAND TOTAL	1275	15.3	115	8	10	12	17	25	38	84

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	3.1	8	1	1	2	3	6	10	16
20-34	203	4.3	11	1	2	3	6	8	11	18
35-49	213	4.1	9	1	2	3	5	7	10	16
50-64	174	4.2	7	1	2	4	6	7	10	13
65 +	159	5.1	17	1	2	4	6	10	13	22
2. MULTIPLE DX										
0-19 YRS	174	5.2	43	1	2	3	5	10	15	44
20-34	848	5.6	32	2	3	4	6	10	15	29
35-49	1545	6.7	44	2	3	5	8	12	16	43
50-64	2422	7.7	61	2	4	6	9	15	21	42
65 +	7129	10.2	106	3	5	7	12	19	29	71
TOTAL SINGLE DX	832	4.3	11	1	2	3	6	8	11	16
TOTAL MULTIPLE DX	12118	8.9	87	3	4	6	10	17	25	58
TOTAL										
0-19 YRS	257	4.5	33	1	2	3	5	9	13	35
20-34	1051	5.4	28	2	3	4	6	9	14	27
35-49	1758	6.4	41	2	3	5	7	12	16	39
50-64	2596	7.5	59	2	4	5	9	14	21	41
65 +	7288	10.1	106	3	5	7	12	19	29	70
GRAND TOTAL	12950	8.6	83	2	4	6	10	17	24	57

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.6		<1	1	1	2	2	3	3
20-34	96	1.8	1	1	1	1	2	4	4	7
35-49	121	2.1	2	1	1	2	2	3	5	9
50-64	52	1.7		1	1	1	2	3	4	5
65 +	16	1.5		1	1	1	2	2	4	4
2. MULTIPLE DX										
0-19 YRS	14	3.1	14	1	1	2	2	9	13	14
20-34	119	2.8	10	1	1	2	3	5	8	18
35-49	139	2.8	9	1	1	2	3	6	8	18
50-64	101	2.2	3	1	1	2	3	4	5	11
65 +	76	3.7	22	1	1	2	3	9	14	81
TOTAL SINGLE DX	299	1.8	2	1	1	1	2	3	4	8
TOTAL MULTIPLE DX	449	2.8	11	1	1	2	3	5	9	19
TOTAL										
0-19 YRS	28	2.4	8	<1	1	2	2	6	9	14
20-34	215	2.3	7	1	1	2	3	4	6	13
35-49	260	2.5	6	1	1	2	3	5	7	15
50-64	153	2.0	3	1	1	2	2	4	5	10
65 +	92	3.3	19	1	1	2	3	9	13	70
GRAND TOTAL	748	2.4	7	1	1	2	3	4	7	15

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	3.3	10	<1	<1	2	5	9	9	9
20-34	48	1.8	1	<1	1	1	2	3	4	8
35-49	37	1.6		1	1	1	2	3	3	4
50-64	16	1.6		<1	1	1	2	3	4	4
65 +	8	2.8	7	<1	1	2	3	7	9	9
2. MULTIPLE DX										
0-19 YRS	5	3.8	27	1	1	1	5	13	13	13
20-34	87	2.4	9	1	1	2	3	4	6	21
35-49	96	2.3	3	1	1	2	3	4	5	13
50-64	68	2.5	5	1	1	2	3	4	5	16
65 +	82	4.1	21	1	1	3	5	10	13	26
TOTAL SINGLE DX	115	1.8	2	<1	1	1	2	3	4	9
TOTAL MULTIPLE DX	338	2.8	11	1	1	2	3	5	8	18
TOTAL										
0-19 YRS	11	3.5	16	<1	1	1	5	11	13	13
20-34	135	2.2	7	1	1	2	2	4	5	13
35-49	133	2.1	3	1	1	1	3	4	5	12
50-64	84	2.3	5	1	1	2	3	4	5	15
65 +	90	4.0	21	1	1	2	5	9	12	25
GRAND TOTAL	453	2.6	9	1	1	2	3	5	7	17

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	77	2.3	2	1	1	2	3	4	6	7
35-49	126	2.3	2	1	1	2	3	4	5	7
50-64	66	2.3	1	1	2	2	3	4	4	7
65 +	29	2.2	1	1	2	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	10	1.8		1	1	2	2	3	3	3
20-34	437	2.3	2	1	1	2	3	4	6	8
35-49	815	2.6	9	1	1	2	3	5	6	9
50-64	664	2.9	9	1	1	2	3	6	8	16
65 +	471	4.1	23	1	1	3	4	9	13	24
TOTAL SINGLE DX	298	2.3	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	2397	2.9	11	1	1	2	3	5	8	16
TOTAL										
0-19 YRS	10	1.8	1	1	1	2	2	3	3	3
20-34	514	2.3	3	1	1	2	3	4	6	8
35-49	941	2.5	8	1	1	2	3	5	6	8
50-64	730	2.8	9	1	1	2	3	5	7	15
65 +	500	4.0	23	1	1	3	4	9	13	23
GRAND TOTAL	2695	2.8	10	1	1	2	3	5	7	15

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	3.9	7	1	2	4	5	9	10	11
20-34	107	2.4	3	1	1	2	3	4	6	11
35-49	117	2.2	2	1	1	2	3	4	6	7
50-64	52	2.9	8	1	1	2	3	6	8	18
65 +	25	3.8	9	1	2	3	5	7	9	16
2. MULTIPLE DX										
0-19 YRS	69	6.0	51	1	2	4	7	14	17	45
20-34	151	3.5	11	1	1	2	4	8	9	19
35-49	175	3.8	50	1	1	2	4	6	9	59
50-64	162	4.9	28	1	1	3	6	12	15	31
65 +	171	8.3	125	1	2	5	9	18	33	60
TOTAL SINGLE DX	372	2.8	5	1	1	2	3	6	7	11
TOTAL MULTIPLE DX	728	5.2	58	1	1	3	6	11	17	50
TOTAL										
0-19 YRS	140	5.0	30	1	2	4	6	10	14	29
20-34	258	3.0	8	1	1	2	4	6	8	13
35-49	292	3.2	32	1	1	2	3	6	8	43
50-64	214	4.4	24	1	1	3	5	10	15	29
65 +	196	7.7	113	1	2	4	9	16	27	59
GRAND TOTAL	1100	4.4	42	1	1	3	5	9	14	41

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	2	9.5	25	6	6	9	13	13	13	13
35-49	2	10.0	128	2	2	10	18	18	18	18
50-64	3	12.7	100	3	5	12	20	23	23	23
65 +	4	5.8	9	2	3	6	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	7	23.3	364	6	13	18	26	56	63	63
20-34	9	16.2	105	3	10	13	23	30	35	35
35-49	18	15.5	96	5	8	14	19	32	36	38
50-64	18	16.2	108	2	9	15	26	29	30	30
65 +	44	21.2	320	3	8	18	32	41	45	95
TOTAL SINGLE DX	12	10.3	58	2	4	8	15	23	23	23
TOTAL MULTIPLE DX	96	18.9	222	3	8	16	26	36	42	80
TOTAL										
0-19 YRS	8	23.3	312	7	13	20	25	52	63	63
20-34	11	15.0	94	4	8	13	22	28	34	35
35-49	20	15.0	96	4	7	14	18	30	36	38
50-64	21	15.7	104	2	7	14	25	29	30	30
65 +	48	19.9	312	3	7	12	30	41	44	95
GRAND TOTAL	108	17.9	210	3	7	14	25	36	41	76

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	52	2.8	10	1	1	1	3	7	12	13
20-34	46	1.9	4	< 1	1	1	1	6	7	9
35-49	99	1.7	5	< 1	1	1	1	3	6	16
50-64	66	2.1	9	< 1	1	1	1	4	11	17
65 +	32	2.7	12	1	1	1	1	9	11	13
2. MULTIPLE DX										
0-19 YRS	264	18.7	490	1	3	11	29	63	94	99 +
20-34	134	11.0	114	1	2	8	15	24	34	48
35-49	212	9.4	148	1	1	5	13	27	36	63
50-64	349	9.0	105	1	1	6	13	21	27	55
65 +	472	12.0	120	1	4	10	17	25	33	68
TOTAL SINGLE DX	295	2.1	8	< 1	1	1	1	6	9	14
TOTAL MULTIPLE DX	1431	12.0	200	1	2	8	16	29	42	99 +
TOTAL										
0-19 YRS	316	16.1	446	1	2	8	23	56	89	99 +
20-34	180	8.6	102	1	1	6	11	21	30	46
35-49	311	6.9	116	1	1	1	8	21	33	55
50-64	415	7.9	97	1	1	4	11	20	25	48
65 +	504	11.4	119	1	3	9	16	25	31	67
GRAND TOTAL	1726	10.3	181	1	1	6	14	26	39	95

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	110	4.8	4	3	3	4	6	8	9	11
20-34	1575	4.8	3	3	4	4	5	7	8	12
35-49	1477	4.8	3	3	4	4	6	7	8	12
50-64	900	5.2	4	3	4	5	6	8	9	13
65 +	380	6.3	8	4	4	6	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	153	7.2	21	3	4	6	8	12	20	26
20-34	2006	6.3	18	3	4	5	7	10	13	21
35-49	2554	6.8	23	3	4	6	8	11	14	26
50-64	3179	7.9	32	4	5	6	9	13	17	31
65 +	4221	12.1	93	5	7	9	14	22	29	68
TOTAL SINGLE DX	4442	5.0	5	3	4	4	6	8	9	13
TOTAL MULTIPLE DX	12113	8.9	55	4	5	7	10	16	21	44
TOTAL										
0-19 YRS	263	6.2	16	3	4	5	7	10	13	25
20-34	3581	5.6	13	3	4	5	6	9	11	18
35-49	4031	6.1	17	3	4	5	7	10	13	21
50-64	4079	7.3	27	4	4	6	8	12	16	28
65 +	4601	11.6	89	5	6	9	14	21	28	66
GRAND TOTAL	16555	7.8	45	3	4	6	9	14	19	37

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	5.2	37	2	2	2	7	16	16	16
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	12	3.2	12	1	1	2	3	7	13	14
2. MULTIPLE DX										
0-19 YRS	3	7.3	8	4	5	9	9	9	9	9
20-34	3	10.3	140	3	3	4	19	24	24	24
35-49	10	9.1	79	1	3	5	16	22	28	28
50-64	26	7.6	49	2	3	5	11	14	23	33
65+	58	12.5	119	2	5	10	17	32	38	44
TOTAL SINGLE DX	23	3.4	15	1	2	2	4	6	15	16
TOTAL MULTIPLE DX	100	10.7	96	2	4	8	14	25	33	42
TOTAL										
0-19 YRS	5	5.6	10	2	3	4	9	9	9	9
20-34	4	8.0	115	1	2	3	14	24	24	24
35-49	15	7.8	65	1	2	4	15	17	25	28
50-64	29	7.1	47	1	3	4	11	14	21	33
65+	70	10.9	113	2	3	7	15	28	35	43
GRAND TOTAL	123	9.3	89	2	3	5	13	23	32	42

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	4.5	25	1	1	2	7	12	12	12
20-34	41	4.2	17	<1	1	3	5	11	12	20
35-49	50	3.5	14	<1	1	2	5	9	13	16
50-64	52	3.6	9	<1	1	3	5	8	9	16
65+	65	3.5	14	1	1	2	4	9	12	18
2. MULTIPLE DX										
0-19 YRS	9	11.1	107	2	3	8	17	27	33	33
20-34	82	7.8	44	1	3	7	10	15	19	33
35-49	144	8.9	72	1	3	7	12	17	24	45
50-64	271	8.1	70	1	2	6	10	16	22	37
65+	769	10.1	100	2	4	8	13	20	27	62
TOTAL SINGLE DX	212	3.7	14	<1	1	2	5	9	12	17
TOTAL MULTIPLE DX	1275	9.4	88	1	3	7	12	18	25	51
TOTAL										
0-19 YRS	13	9.1	88	2	2	4	14	22	31	33
20-34	123	6.6	38	1	2	5	9	14	17	31
35-49	194	7.5	63	1	2	5	11	16	22	42
50-64	323	7.3	64	1	2	5	10	16	20	35
65+	834	9.6	97	1	3	7	12	19	26	61
GRAND TOTAL	1487	8.6	82	1	3	6	11	17	24	48

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	17.0	121	9	9	13	19	38	42	43
20-34	5	4.6	5	<1	3	5	6	7	7	7
35-49	13	4.8	12	1	2	5	7	10	11	11
50-64	15	4.7	17	1	1	4	6	13	14	14
65+	14	9.1	47	1	2	8	16	19	21	21
2. MULTIPLE DX										
0-19 YRS	26	17.8	201	6	9	15	21	44	69	99+
20-34	34	15.3	136	6	8	11	16	31	35	60
35-49	75	15.1	201	4	7	11	19	32	40	79
50-64	187	14.6	123	4	8	12	18	26	39	61
65+	586	18.3	171	8	11	15	22	33	47	95
TOTAL SINGLE DX	61	8.5	68	1	2	7	11	18	22	42
TOTAL MULTIPLE DX	908	17.2	166	6	10	14	21	32	44	86
TOTAL										
0-19 YRS	40	17.6	170	7	9	14	20	43	53	99+
20-34	39	13.9	133	5	7	11	16	30	35	60
35-49	88	13.6	187	2	6	10	17	29	39	76
50-64	202	13.8	123	3	7	12	18	25	35	60
65+	600	18.1	171	7	10	15	22	32	46	94
GRAND TOTAL	969	16.6	164	6	9	13	21	31	44	85

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.83; 52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	50	99+	99+	99+	99+
20-34	1	18.0		18	18	18	18	18	18	18
35-49	7	9.6	12	3	9	11	12	12	12	12
50-64	6	6.2	44	1	1	3	10	17	18	18
65+	8	7.4	42	<1	1	5	14	16	16	16
2. MULTIPLE DX										
0-19 YRS	10	24.1	288	10	11	20	43	75	98	99+
20-34	28	27.0	262	10	18	24	42	62	99+	99+
35-49	65	22.0	282	6	10	18	33	53	81	99+
50-64	109	21.2	367	3	9	16	29	55	82	99+
65+	177	21.5	330	4	9	15	29	47	69	99
TOTAL SINGLE DX	23	7.9	35	1	2	9	13	18	43	99+
TOTAL MULTIPLE DX	389	22.0	326	4	10	17	31	54	71	99+
TOTAL										
0-19 YRS	11	22.0	308	8	11	20	48	99+	99+	99+
20-34	29	26.7	256	10	18	24	41	61	98	99+
35-49	72	20.8	270	6	10	17	31	52	76	99+
50-64	115	20.4	362	3	7	15	29	53	76	99+
65+	185	20.9	326	4	8	15	28	46	69	98
GRAND TOTAL	412	21.2	[illegible]	4	9	16	30	52	71	99+

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	3.7	14	1	1	2	4	7	11	21
20-34	83	4.1	6	1	2	3	5	8	9	12
35-49	93	3.9	7	1	2	3	5	7	9	15
50-64	60	4.5	12	1	2	3	6	8	9	22
65 +	65	6.8	69	1	3	5	8	12	17	56
2. MULTIPLE DX										
0-19 YRS	153	6.0	47	1	2	4	7	14	21	38
20-34	249	6.5	40	2	3	5	8	13	17	30
35-49	315	7.4	67	2	3	5	9	13	19	47
50-64	544	8.2	59	3	4	6	9	15	21	46
65 +	2248	10.2	96	3	5	8	12	20	28	78
TOTAL SINGLE DX	372	4.5	21	1	2	3	6	8	11	23
TOTAL MULTIPLE DX	3509	9.2	84	2	4	7	11	18	25	60
TOTAL										
0-19 YRS	224	5.3	38	1	2	3	6	11	17	34
20-34	332	5.9	33	2	3	4	7	12	15	28
35-49	408	6.6	56	2	3	5	8	12	18	40
50-64	604	7.8	56	2	4	6	9	14	21	45
65 +	2313	10.1	96	3	5	8	12	19	28	74
GRAND TOTAL	**3881**	**8.8**	**80**	**2**	**4**	**6**	**11**	**17**	**24**	**58**

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	561	1.3		<1	<1	1	1	2	3	4
20-34	802	1.4		1	1	1	2	2	3	4
35-49	844	1.6		1	1	1	2	3	4	5
50-64	1013	1.7	1	1	1	1	2	3	4	6
65 +	800	2.0	2	1	1	1	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	457	2.4	38	<1	1	1	2	4	6	42
20-34	474	2.0	3	1	1	1	2	4	5	10
35-49	750	2.2	8	1	1	1	2	4	5	12
50-64	1494	2.5	7	1	1	2	3	5	7	13
65 +	3115	4.1	40	1	1	2	4	8	13	35
TOTAL SINGLE DX	4020	1.6	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	6290	3.2	27	1	1	2	3	6	9	26
TOTAL										
0-19 YRS	1018	1.8	18	<1	1	1	2	2	4	15
20-34	1276	1.6	2	1	1	1	2	3	3	7
35-49	1594	1.9	4	1	1	1	2	3	4	7
50-64	2507	2.2	5	1	1	2	2	4	6	11
65 +	3915	3.7	34	1	1	2	4	7	11	32
GRAND TOTAL	**10310**	**2.6**	**17**	**1**	**1**	**2**	**3**	**5**	**7**	**18**

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	379	1.6	19	<1	1	1	2	2	2	7
20-34	76	1.8		1	1	2	2	3	4	4
35-49	102	1.9	1	1	1	2	2	4	4	6
50-64	122	2.3	1	1	1	2	3	4	5	7
65 +	70	2.2	1	1	1	2	3	4	4	8
2. MULTIPLE DX										
0-19 YRS	420	2.9	73	<1	1	1	2	5	8	99 +
20-34	46	1.9	1	1	1	2	2	4	4	7
35-49	134	2.3	1	1	1	2	3	4	5	6
50-64	236	2.7	4	1	1	2	3	5	7	10
65 +	290	4.3	49	1	2	3	4	8	12	34
TOTAL SINGLE DX	749	1.8	11	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	1126	3.1	42	1	1	2	3	5	8	57
TOTAL										
0-19 YRS	799	2.3	48	<1	1	1	2	3	5	87
20-34	122	1.8	1	1	1	2	2	3	4	6
35-49	236	2.1	2	1	1	2	3	4	5	6
50-64	358	2.6	3	1	1	2	3	5	6	9
65 +	360	3.9	41	1	2	3	4	7	10	21
GRAND TOTAL	**1875**	**2.6**	**30**	**1**	**1**	**2**	**3**	**4**	**6**	**19**

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	3.0	4	<1	1	2	5	6	6	6
20-34	26	1.6		1	1	1	2	3	4	4
35-49	60	1.6		1	1	1	2	3	4	5
50-64	47	2.4	2	1	1	2	3	5	6	9
65 +	58	3.3	6	1	1	2	4	7	9	10
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	1.7	1	1	1	1	2	3	4	4
35-49	30	3.3	11	1	1	2	3	7	10	17
50-64	56	3.5	12	1	1	2	4	7	9	21
65 +	280	7.3	73	1	3	5	9	14	22	50
TOTAL SINGLE DX	198	2.4	4	1	1	2	3	5	7	10
TOTAL MULTIPLE DX	377	6.3	60	1	2	4	7	12	21	46
TOTAL										
0-19 YRS	8	2.9	4	<1	1	2	4	6	6	6
20-34	36	1.6	1	1	1	1	2	3	4	4
35-49	90	2.2	5	1	1	2	2	4	6	14
50-64	103	3.0	8	1	1	2	3	6	8	18
65 +	338	6.6	64	1	2	4	8	12	21	49
GRAND TOTAL	**575**	**4.9**	**44**	**1**	**1**	**3**	**6**	**10**	**15**	**34**

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	77	1.4		<1	<1	1	2	2	3	6
20-34	98	1.7		1	1	1	2	3	3	5
35-49	173	2.0	1	1	1	2	3	4	4	8
50-64	119	2.2	3	<1	1	1	3	4	6	9
65+	56	3.0	6	1	1	2	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	36	5.1	153	<1	1	1	7	18	89	99+
20-34	66	2.8	6	1	1	2	4	6	8	13
35-49	193	2.9	5	1	1	2	4	5	7	13
50-64	228	3.8	15	1	1	3	5	7	11	28
65+	268	6.2	31	1	2	4	8	13	17	41
TOTAL SINGLE DX	523	2.0	2	<1	1	1	3	4	5	9
TOTAL MULTIPLE DX	791	4.4	26	1	2	3	5	10	14	31
TOTAL										
0-19 YRS	113	2.6	52	<1	<1	1	2	6	9	99+
20-34	164	2.2	3	1	1	2	3	4	6	11
35-49	366	2.5	4	1	1	2	3	5	6	12
50-64	347	3.2	12	1	1	2	4	6	8	21
65+	324	5.6	29	1	2	4	7	12	16	32
GRAND TOTAL	1314	3.4	18	1	1	2	4	7	11	23

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	2.6	13	<1	<1	1	2	5	12	18
20-34	128	2.7	3	1	1	2	4	5	6	9
35-49	250	3.0	3	1	1	3	4	5	6	9
50-64	257	3.4	3	1	2	3	4	6	7	9
65+	181	3.7	13	1	2	3	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	12	2.9	6	<1	1	2	4	7	9	9
20-34	131	4.1	27	1	2	3	5	7	8	31
35-49	407	4.7	12	1	2	4	6	8	11	21
50-64	667	5.6	37	1	3	4	7	10	13	30
65+	889	7.4	52	2	4	6	9	14	20	36
TOTAL SINGLE DX	843	3.2	6	1	2	3	4	6	7	10
TOTAL MULTIPLE DX	2106	6.1	40	2	3	5	7	11	16	29
TOTAL										
0-19 YRS	39	2.7	11	<1	1	1	3	6	10	18
20-34	259	3.4	16	1	2	3	4	6	8	14
35-49	657	4.0	10	1	2	3	5	7	9	19
50-64	924	5.0	29	1	2	4	6	9	12	24
65+	1070	6.8	48	2	3	5	8	13	18	35
GRAND TOTAL	**2949**	**5.2**	**32**	**1**	**2**	**4**	**6**	**10**	**14**	**26**

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	6.5	8	2	5	7	9	10	10	10
20-34	3	9.0	84	1	2	7	16	19	19	19
35-49	12	6.3	15	2	3	6	9	11	14	15
50-64	8	6.0	9	2	4	6	8	10	11	11
65+	10	8.6	24	2	3	10	13	14	14	14
2. MULTIPLE DX										
0-19 YRS	36	18.8	473	1	7	10	28	60	86	99+
20-34	16	9.4	14	5	6	9	11	13	18	20
35-49	31	9.0	23	5	5	9	10	15	18	26
50-64	34	11.0	44	6	6	8	15	19	21	36
65+	103	13.8	56	8	8	12	16	24	29	42
TOTAL SINGLE DX	41	7.0	18	2	3	7	9	13	15	19
TOTAL MULTIPLE DX	220	13.2	123	5	8	10	15	24	35	80
TOTAL										
0-19 YRS	44	16.6	410	1	6	8	17	45	79	99+
20-34	19	9.3	21	5	6	9	11	17	20	20
35-49	43	8.3	22	3	5	8	9	15	16	26
50-64	42	10.0	41	4	6	8	13	18	20	36
65+	113	13.4	56	7	8	12	16	23	29	42
GRAND TOTAL	261	12.2	111	5	7	9	14	22	33	74

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	3.7	10	<1	1	3	5	9	10	14
20-34	83	3.9	13	1	1	3	5	9	11	19
35-49	57	3.8	7	<1	1	3	5	7	10	14
50-64	48	5.2	15	1	2	4	8	10	13	17
65+	36	5.2	34	<1	1	4	6	11	14	32
2. MULTIPLE DX										
0-19 YRS	96	9.8	124	2	3	7	12	21	42	82
20-34	192	7.2	72	1	2	4	8	14	26	47
35-49	370	10.7	112	2	4	8	13	22	35	61
50-64	615	11.3	85	3	5	9	14	23	29	58
65+	918	13.6	164	3	6	10	17	29	37	85
TOTAL SINGLE DX	287	4.2	15	1	1	3	6	9	11	16
TOTAL MULTIPLE DX	2191	11.8	127	2	5	9	14	25	35	68
TOTAL										
0-19 YRS	159	7.4	88	1	2	5	9	15	24	61
20-34	275	6.2	57	1	2	4	7	13	21	42
35-49	427	9.8	104	2	4	7	12	20	32	58
50-64	663	10.9	83	3	5	9	14	22	29	56
65+	954	13.3	162	3	6	10	16	28	37	81
GRAND TOTAL	**2478**	**10.9**	**120**	**2**	**4**	**8**	**13**	**23**	**33**	**66**

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	69	5.0	10	2	3	4	7	10	11	15
20-34	142	4.6	7	2	3	4	6	8	10	13
35-49	50	7.0	19	3	4	6	9	13	14	27
50-64	19	7.1	51	3	4	5	7	10	24	35
65 +	17	7.5	7	5	6	7	8	9	14	16
2. MULTIPLE DX										
0-19 YRS	142	10.5	119	3	4	7	12	23	38	99 +
20-34	294	8.8	85	3	4	6	10	17	24	68
35-49	227	12.5	169	4	5	8	14	25	44	88
50-64	224	14.7	124	5	7	10	19	32	39	53
65 +	394	18.2	180	6	9	14	24	38	52	93
TOTAL SINGLE DX	297	5.4	14	2	3	5	7	10	12	16
TOTAL MULTIPLE DX	1281	13.6	153	4	6	9	17	31	42	73
TOTAL										
0-19 YRS	211	8.7	90	2	4	6	10	17	32	84
20-34	436	7.5	64	2	4	5	8	13	20	51
35-49	277	11.5	147	4	5	8	13	23	34	80
50-64	243	14.1	123	5	7	10	19	32	38	52
65 +	411	17.8	178	6	8	14	24	36	50	91
GRAND TOTAL	1578	12.0	137	3	5	8	15	27	38	66

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	101	2.8	4	< 1	1	2	4	6	7	9
20-34	313	2.3	3	< 1	1	2	3	5	6	9
35-49	66	2.6	6	< 1	1	2	4	5	8	14
50-64	7	2.6	4	< 1	1	2	4	6	6	6
65 +	0									
2. MULTIPLE DX										
0-19 YRS	98	3.4	8	< 1	1	2	5	7	8	14
20-34	545	3.1	8	< 1	1	2	4	7	9	14
35-49	187	3.7	23	< 1	1	2	5	9	12	28
50-64	28	4.7	36	< 1	1	2	5	13	20	26
65 +	28	8.2	95	1	1	4	12	24	34	35
TOTAL SINGLE DX	487	2.5	4	< 1	1	2	4	5	6	10
TOTAL MULTIPLE DX	886	3.5	16	< 1	1	2	4	8	10	24
TOTAL										
0-19 YRS	199	3.1	6	< 1	1	2	4	6	8	12
20-34	858	2.8	7	< 1	1	2	4	6	8	12
35-49	253	3.4	19	< 1	1	2	4	8	11	25
50-64	35	4.3	31	< 1	1	2	5	9	18	26
65 +	28	8.2	95	1	1	4	12	24	34	35
GRAND TOTAL	1373	3.1	12	<1	1	2	4	6	9	17

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	51	6.9	30	2	4	6	8	14	20	99
20-34	105	4.9	9	1	3	4	7	9	11	14
35-49	91	7.2	13	3	4	7	10	11	12	19
50-64	57	7.7	18	3	5	7	9	12	17	25
65 +	50	8.9	26	2	6	8	11	15	16	28
2. MULTIPLE DX										
0-19 YRS	153	12.9	204	3	5	8	15	32	54	99 +
20-34	413	7.9	86	2	3	5	9	15	23	49
35-49	454	9.2	74	2	4	7	11	19	25	42
50-64	501	12.7	112	4	6	10	16	25	32	58
65 +	882	16.1	169	5	8	13	20	33	47	99 +
TOTAL SINGLE DX	354	6.8	19	2	4	6	9	12	15	25
TOTAL MULTIPLE DX	2403	12.5	138	3	5	9	16	26	36	79
TOTAL										
0-19 YRS	204	11.4	168	2	5	7	13	28	47	99 +
20-34	518	7.3	72	2	3	5	8	14	21	43
35-49	545	8.9	64	2	4	7	11	18	24	42
50-64	558	12.2	105	3	6	9	15	25	31	56
65 +	932	15.8	164	5	8	13	20	32	45	99 +
GRAND TOTAL	2757	11.8	126	3	5	9	15	25	34	78

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	5.1	14	1	2	4	8	10	13	17
20-34	15	7.3	1	6	6	8	8	9	9	9
35-49	25	7.9	8	5	6	7	9	11	13	18
50-64	45	8.2	5	5	7	8	10	12	12	15
65 +	15	9.1	9	5	8	9	10	14	15	16
2. MULTIPLE DX										
0-19 YRS	83	8.3	76	2	4	5	11	16	22	55
20-34	67	12.8	130	5	7	9	12	27	40	63
35-49	98	10.7	49	6	7	8	12	19	25	38
50-64	222	12.9	133	7	8	9	14	21	31	84
65 +	403	15.1	112	7	9	11	18	30	39	69
TOTAL SINGLE DX	138	7.3	10	3	5	7	9	11	13	17
TOTAL MULTIPLE DX	873	13.3	113	6	8	10	15	25	35	68
TOTAL										
0-19 YRS	121	7.3	59	2	3	5	9	14	18	41
20-34	82	11.8	111	6	7	8	11	23	35	61
35-49	123	10.2	42	5	7	8	11	18	25	37
50-64	267	12.1	115	6	8	9	12	19	28	80
65 +	418	14.9	110	7	9	11	17	30	38	69
GRAND TOTAL	1011	12.4	103	5	7	9	14	23	33	66

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	3.8	25	<1	1	2	4	12	17	17
20-34	15	5.1	5	1	4	5	7	8	9	9
35-49	30	4.5	7	2	2	3	7	8	10	11
50-64	16	3.6	6	1	2	3	5	8	9	9
65 +	11	4.7	12	1	2	4	7	10	11	11
2. MULTIPLE DX										
0-19 YRS	21	8.1	59	1	2	4	13	20	23	25
20-34	41	7.9	29	3	4	7	10	15	19	27
35-49	67	9.2	108	2	4	7	10	16	22	69
50-64	84	9.7	56	3	5	8	12	16	25	46
65 +	188	15.7	210	3	6	11	21	35	51	99 +
TOTAL SINGLE DX	82	4.4	10	1	2	3	6	8	10	15
TOTAL MULTIPLE DX	401	12.2	146	3	5	9	16	26	38	82
TOTAL										
0-19 YRS	31	6.7	51	1	2	2	11	18	21	25
20-34	56	7.2	24	3	4	6	9	13	17	27
35-49	97	7.7	81	2	3	6	9	13	21	59
50-64	100	8.7	54	2	5	7	11	16	22	44
65 +	199	15.1	206	2	6	10	21	33	49	99 +
GRAND TOTAL	483	10.9	131	2	4	8	13	23	33	73

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	2	12.5	5	11	11	12	14	14	14	14
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	39	25.3	100	16	18	22	34	43	76	99 +
20-34	29	19.2	76	12	14	17	23	30	35	52
35-49	8	15.6	12	11	13	15	19	20	20	20
50-64	13	17.2	97	11	12	14	17	31	43	46
65 +	1	20.0		20	20	20	20	20	20	20
TOTAL SINGLE DX	3	14.7	16	11	12	14	18	19	19	19
TOTAL MULTIPLE DX	90	21.3	95	13	14	18	26	37	46	99 +
TOTAL										
0-19 YRS	40	25.2	99	16	18	21	34	43	73	99 +
20-34	31	18.8	75	11	14	16	22	29	34	52
35-49	8	15.6	13	11	13	15	19	20	20	20
50-64	13	17.2	97	11	12	14	17	31	43	46
65 +	1	20.0		20	20	20	20	20	20	20
GRAND TOTAL	93	21.0	94	12	14	18	26	37	46	99 +

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	189	4.0	7	1	2	3	5	8	9	13
20-34	52	4.0	7	1	2	3	6	8	9	11
35-49	57	4.2	8	1	2	4	6	9	9	12
50-64	42	4.3	10	1	1	4	7	8	10	12
65 +	24	4.7	14	1	1	3	8	9	12	13
2. MULTIPLE DX										
0-19 YRS	258	7.3	57	2	3	5	9	16	25	39
20-34	165	8.8	73	1	3	7	10	19	28	52
35-49	203	8.5	91	1	2	6	10	19	30	45
50-64	244	10.0	82	2	4	8	13	20	25	54
65 +	321	13.6	205	2	4	9	17	29	41	73
TOTAL SINGLE DX	364	4.1	9	1	2	3	6	8	9	12
TOTAL MULTIPLE DX	1191	10.0	116	1	3	7	12	22	30	56
TOTAL										
0-19 YRS	447	5.9	39	1	2	4	7	12	18	34
20-34	217	7.6	62	1	2	6	10	14	25	50
35-49	260	7.5	76	1	2	5	9	15	26	44
50-64	286	9.2	76	1	3	8	12	19	24	54
65 +	345	13.0	197	2	4	8	16	28	40	73
GRAND TOTAL	1555	8.6	97	1	2	6	10	19	27	53

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	4.7	8	3	3	3	7	8	8	8
20-34	13	5.3	8	1	3	6	8	9	10	10
35-49	30	5.7	15	2	3	5	7	11	14	18
50-64	24	6.0	23	1	1	6	9	12	15	20
65 +	14	7.6	28	2	3	8	9	12	21	23
2. MULTIPLE DX										
0-19 YRS	4	4.8	25	1	1	3	8	12	12	12
20-34	19	7.8	13	3	5	8	10	14	15	15
35-49	32	8.3	33	2	4	7	12	15	18	28
50-64	61	8.4	29	2	4	8	11	15	19	24
65 +	70	12.0	49	4	6	11	16	21	26	31
TOTAL SINGLE DX	84	6.0	18	1	3	5	8	11	13	22
TOTAL MULTIPLE DX	186	9.6	39	2	5	8	13	19	21	29
TOTAL										
0-19 YRS	7	4.7	15	1	2	3	7	11	12	12
20-34	32	6.8	13	2	4	7	9	12	14	15
35-49	62	7.0	26	2	3	6	10	13	17	27
50-64	85	7.7	28	1	3	8	10	15	19	24
65 +	84	11.3	49	3	6	10	16	20	24	30
GRAND TOTAL	270	8.5	35	2	4	8	12	16	20	28

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	158	5.5	4	3	4	5	7	8	9	13
20-34	7	10.6	29	5	7	10	12	19	21	21
35-49	3	7.0	13	4	4	6	10	11	11	11
50-64	5	8.2	23	1	5	8	12	14	14	14
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	229	8.3	67	3	5	6	9	16	22	46
20-34	25	10.5	28	5	7	9	14	18	20	21
35-49	16	14.2	100	7	9	10	23	36	78	99 +
50-64	22	17.2	86	8	9	12	27	34	58	99 +
65 +	61	20.8	159	10	12	18	28	43	56	95
TOTAL SINGLE DX	174	5.8	7	3	4	5	7	9	11	14
TOTAL MULTIPLE DX	353	11.5	106	4	5	8	15	24	33	82
TOTAL										
0-19 YRS	387	7.2	43	3	4	6	8	12	16	30
20-34	32	10.5	28	5	7	9	14	18	21	21
35-49	19	13.1	93	5	8	10	17	35	68	99 +
50-64	27	15.5	86	8	9	12	25	32	41	99 +
65 +	62	20.5	161	9	12	18	25	42	55	95
GRAND TOTAL	527	9.6	30	3	5	7	11	21	27	58

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	2.4	2	<1	1	2	3	5	6	6
20-34	133	3.1	4	1	1	3	4	6	7	10
35-49	218	2.9	3	1	1	3	4	5	7	9
50-64	123	3.2	5	1	2	3	4	6	7	11
65 +	44	3.1	4	1	1	3	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	9	4.9	3	2	3	5	6	8	8	8
20-34	143	4.5	8	2	2	4	6	8	10	15
35-49	258	4.2	9	1	2	4	5	8	11	14
50-64	286	4.6	12	1	2	4	6	9	11	18
65 +	240	7.5	54	2	3	5	9	16	21	38
TOTAL SINGLE DX	532	3.0	4	1	1	3	4	6	7	10
TOTAL MULTIPLE DX	936	5.2	24	1	2	4	6	10	13	25
TOTAL										
0-19 YRS	23	3.3	4	1	2	3	5	6	7	8
20-34	276	3.8	7	1	2	3	5	7	8	13
35-49	476	3.6	7	1	2	3	5	7	8	13
50-64	409	4.2	11	1	2	3	6	8	10	17
65 +	284	6.8	50	1	3	5	8	14	19	38
GRAND TOTAL	1468	4.4	18	1	2	3	6	8	11	21

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	5.4	17	<1	1	4	8	12	12	12
20-34	7	3.4	5	<1	1	3	5	7	7	7
35-49	12	2.8	9	1	1	2	3	8	11	11
50-64	10	4.7	14	1	2	4	6	10	14	14
65 +	6	4.0	16	<1	1	3	6	10	11	11
2. MULTIPLE DX										
0-19 YRS	66	7.7	30	2	4	6	10	14	18	29
20-34	17	5.3	33	1	2	3	7	9	20	25
35-49	20	8.8	59	3	4	6	10	19	29	33
50-64	40	8.6	83	2	3	4	11	16	24	52
65 +	60	9.4	125	1	3	8	11	17	22	73
TOTAL SINGLE DX	46	4.1	13	<1	1	3	6	10	12	14
TOTAL MULTIPLE DX	203	8.3	72	2	3	6	10	16	23	47
TOTAL										
0-19 YRS	77	7.4	29	2	4	6	10	14	16	29
20-34	24	4.8	25	1	2	3	6	8	14	25
35-49	32	6.5	48	1	2	5	8	12	24	33
50-64	50	7.8	72	2	3	4	11	16	24	52
65 +	66	8.9	118	1	2	7	11	16	22	71
GRAND TOTAL	249	7.5	64	1	3	5	10	15	20	42

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	2.5	6	<1	<1	1	3	7	9	11
20-34	150	2.9	4	<1	1	2	4	6	7	9
35-49	211	2.5	3	<1	1	2	4	5	7	8
50-64	163	2.7	5	<1	1	2	4	6	7	12
65+	143	2.6	7	<1	<1	1	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	111	4.5	32	<1	1	3	6	9	14	32
20-34	278	5.8	40	1	2	4	7	11	16	36
35-49	461	6.6	54	1	3	5	8	13	17	43
50-64	766	7.0	60	1	3	5	8	15	20	49
65+	2374	11.7	172	2	4	8	14	26	40	96
TOTAL SINGLE DX	737	2.6	5	<1	1	2	4	6	7	10
TOTAL MULTIPLE DX	3990	9.6	131	1	3	6	11	21	32	82
TOTAL										
0-19 YRS	181	3.7	23	<1	1	2	5	8	10	19
20-34	428	4.8	30	1	2	3	6	9	12	30
35-49	672	5.3	42	1	2	4	6	11	15	40
50-64	929	6.2	53	1	2	4	8	13	19	42
65+	2517	11.2	168	1	4	7	14	26	38	94
GRAND TOTAL	4727	8.5	118	1	2	5	10	19	29	74

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	16	2.7	14	<1	<1	1	3	5	13	16
35-49	67	2.0	1	1	1	1	2	4	5	6
50-64	234	2.5	4	1	1	2	3	5	6	12
65+	436	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	13	5.8	21	1	2	6	8	11	16	17
20-34	33	5.9	37	1	2	3	8	15	18	28
35-49	153	5.6	53	1	1	3	7	14	21	40
50-64	693	4.6	35	1	1	3	5	9	15	29
65+	3114	6.4	75	1	2	4	7	14	22	54
TOTAL SINGLE DX	754	2.5	4	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	4006	6.0	68	1	2	4	7	13	20	47
TOTAL										
0-19 YRS	14	5.6	20	1	2	5	8	11	16	17
20-34	49	4.8	31	<1	1	3	5	14	17	28
35-49	220	4.5	40	1	1	2	5	11	16	40
50-64	927	4.0	29	1	1	3	5	8	13	24
65+	3550	5.9	69	1	2	3	7	13	20	48
GRAND TOTAL	4760	5.5	60	1	2	3	6	12	18	42

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	8	3.1	5	1	1	2	5	7	7	7
35-49	6	1.7		1	1	2	2	3	3	3
50-64	14	1.6		<1	1	1	2	3	3	3
65+	13	1.6		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	2	5.5	41	<1	<1	5	10	10	10	10
20-34	18	6.7	59	1	2	5	8	26	71	99+
35-49	19	6.3	60	1	1	4	7	18	26	30
50-64	77	3.8	12	1	1	3	5	8	11	20
65+	212	7.5	99	1	2	4	9	19	29	59
TOTAL SINGLE DX	41	1.9	2	1	1	2	2	3	5	7
TOTAL MULTIPLE DX	328	6.5	76	1	2	4	7	15	24	52
TOTAL										
0-19 YRS	2	5.5	41	<1	<1	5	10	10	10	10
20-34	26	5.6	45	1	2	5	7	12	45	99+
35-49	25	5.2	49	1	1	2	6	13	24	30
50-64	91	3.5	11	1	1	2	4	8	10	18
65+	225	7.2	95	1	2	4	8	18	28	54
GRAND TOTAL	369	6.0	70	1	2	3	7	13	23	44

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	4.5	21	1	1	3	6	11	14	20
20-34	14	5.9	36	<1	2	4	7	15	21	23
35-49	31	4.0	8	2	3	3	4	6	9	17
50-64	47	6.1	31	1	2	4	8	15	20	23
65+	46	8.5	78	2	3	6	12	17	22	52
2. MULTIPLE DX										
0-19 YRS	113	9.3	102	1	3	5	11	25	31	50
20-34	46	11.9	99	2	4	9	16	27	35	39
35-49	87	9.7	68	3	4	7	13	17	20	48
50-64	199	11.1	85	2	4	10	15	22	25	63
65+	712	14.5	192	2	5	11	18	33	49	99+
TOTAL SINGLE DX	166	6.1	41	1	2	4	8	14	20	26
TOTAL MULTIPLE DX	1157	13.0	156	2	5	10	17	28	43	83
TOTAL										
0-19 YRS	141	8.3	90	1	2	5	11	23	30	46
20-34	60	10.5	91	2	3	7	15	25	32	39
35-49	118	8.2	59	2	3	6	12	17	19	46
50-64	246	10.2	79	2	4	8	15	21	23	63
65+	758	14.2	187	2	5	11	18	31	48	98
GRAND TOTAL	1323	[illegible].1	147	2	4	9	16	26	40	78

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.0		<1	<1	<1	<1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	0									
2. MULTIPLE DX										
0-19 YRS	15	1.9	3	<1	<1	<1	2	4	6	7
20-34	1	29.0		29	29	29	29	29	29	29
35-49	7	12.7	148	1	4	8	18	33	36	36
50-64	0									
65+	13	8.5	67	1	2	3	14	21	23	24
TOTAL SINGLE DX	17	1.1		<1	<1	<1	<1	1	2	2
TOTAL MULTIPLE DX	36	7.1	82	<1	<1	3	10	20	27	36
TOTAL										
0-19 YRS	20	1.5	2	<1	<1	<1	<1	3	4	7
20-34	2	15.0	392	1	1	15	29	29	29	29
35-49	7	12.7	148	1	4	8	18	33	36	36
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	13	8.5	67	1	2	3	14	21	23	24
GRAND TOTAL	53	5.2	63	<1	<1	1	4	19	23	36

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	266	2.8	8	1	1	1	4	7	8	16
20-34	36	3.0	8	1	1	2	3	6	8	16
35-49	26	4.0	7	1	1	4	5	8	10	12
50-64	22	3.2	3	1	2	3	5	6	7	7
65+	19	3.1	5	1	1	2	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	142	5.5	50	<1	1	3	8	13	17	35
20-34	23	5.7	44	1	1	2	8	19	21	23
35-49	30	5.1	22	1	2	4	7	10	11	24
50-64	44	6.1	27	1	2	5	7	16	19	21
65+	100	6.6	78	1	2	4	8	15	19	54
TOTAL SINGLE DX	369	2.9	8	1	1	2	4	7	8	15
TOTAL MULTIPLE DX	339	5.9	53	1	1	3	7	14	19	35
TOTAL										
0-19 YRS	408	3.7	25	<1	1	2	5	8	12	22
20-34	59	4.0	24	1	1	2	4	9	18	23
35-49	56	4.6	16	1	2	4	6	9	11	23
50-64	66	5.2	21	1	2	4	6	10	18	21
65+	119	6.0	69	1	2	4	7	13	18	52
GRAND TOTAL	708	4.3	32	1	1	2	6	9	15	26

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.3		<1	<1	<1	1	2	2	2
20-34	5	4.4	3	2	3	4	5	7	7	7
35-49	4	1.8		1	1	2	2	2	2	2
50-64	5	2.0	1	1	1	2	3	3	3	3
65+	8	4.4	20	<1	1	3	7	12	13	13
2. MULTIPLE DX										
0-19 YRS	17	1.7	2	<1	<1	<1	2	3	6	7
20-34	30	4.1	8	1	2	4	5	8	11	13
35-49	36	5.4	20	1	2	4	9	14	18	99+
50-64	72	5.7	22	1	2	4	8	13	16	19
65+	298	11.5	140	2	4	8	15	25	33	74
TOTAL SINGLE DX	26	3.0	8	<1	1	2	4	7	10	13
TOTAL MULTIPLE DX	453	9.2	109	1	3	6	12	21	29	74
TOTAL										
0-19 YRS	21	1.6	2	<1	<1	<1	2	3	5	7
20-34	35	4.1	8	1	2	4	5	7	10	13
35-49	40	5.1	20	1	2	4	7	14	17	99+
50-64	77	5.5	22	1	2	4	8	13	16	19
65+	306	11.3	139	2	4	8	15	25	33	74
GRAND TOTAL	479	8.9	105	1	3	6	11	20	29	72

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.3		<1	1	1	2	2	2	2
20-34	31	1.8	1	<1	<1	1	2	4	5	5
35-49	34	2.0	4	<1	1	1	2	4	6	11
50-64	28	2.5	5	<1	1	1	4	5	7	10
65+	45	2.3	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	32	6.5	77	1	2	4	8	14	20	47
20-34	35	7.5	91	1	2	4	8	14	36	38
35-49	44	3.8	24	1	1	2	5	7	12	29
50-64	97	4.0	14	1	1	3	5	9	12	18
65+	349	7.0	88	1	2	4	8	14	22	58
TOTAL SINGLE DX	145	2.1	3	<1	1	1	3	4	6	10
TOTAL MULTIPLE DX	557	6.2	72	1	2	4	7	13	19	47
TOTAL										
0-19 YRS	39	5.6	68	1	1	3	7	13	18	47
20-34	66	4.8	57	<1	1	2	5	10	18	38
35-49	78	3.0	16	<1	1	2	3	6	9	26
50-64	125	3.7	12	1	1	2	5	8	11	17
65+	394	6.4	81	1	2	4	7	13	21	55
GRAND TOTAL	702	5.4	60	1	1	3	6	11	16	47

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	14	5.1	3	3	4	5	6	7	9	9
35-49	77	5.3	2	4	4	5	7	8	8	9
50-64	39	5.5	3	3	4	5	7	8	9	10
65 +	22	6.9	5	4	5	7	8	9	12	14
2. MULTIPLE DX										
0-19 YRS	0									
20-34	19	5.7	2	4	5	5	7	8	8	8
35-49	89	6.2	3	4	5	6	7	9	10	12
50-64	89	6.5	8	4	5	6	7	9	12	19
65 +	96	8.1	38	4	5	6	8	13	20	39
TOTAL SINGLE DX	153	5.6	4	4	4	5	7	8	9	10
TOTAL MULTIPLE DX	293	6.9	17	4	5	6	8	9	13	26
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	33	5.5	3	4	4	5	7	8	8	9
35-49	166	5.8	3	4	4	6	7	8	9	11
50-64	128	6.2	7	4	5	6	7	9	11	17
65 +	118	7.9	32	4	5	7	8	13	18	36
GRAND TOTAL	446	6.4	13	4	5	6	7	9	11	22

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	9	3.6	2	2	3	3	4	6	6	6
35-49	65	4.2	4	2	3	4	5	7	8	9
50-64	48	3.9	3	2	3	3	5	6	8	11
65 +	21	4.7	2	3	4	4	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	13	3.6		3	3	4	4	5	5	5
35-49	97	4.7	3	2	3	4	6	7	9	10
50-64	113	4.8	4	2	3	4	6	8	9	11
65 +	88	6.6	39	3	4	6	7	10	12	42
TOTAL SINGLE DX	143	4.1	4	2	3	4	5	7	8	10
TOTAL MULTIPLE DX	312	5.2	15	3	3	5	6	8	10	13
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	22	3.6	1	3	3	4	4	5	6	6
35-49	162	4.5	4	2	3	4	6	7	8	10
50-64	161	4.5	5	2	3	4	6	8	9	11
65 +	109	6.2	33	3	4	5	7	9	12	33
GRAND TOTAL	455	4.9	12	2	3	4	6	8	9	12

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	3.7	4	1	2	4	5	6	8	8
20-34	69	3.4	7	1	1	2	4	8	10	11
35-49	86	2.8	3	1	1	2	4	6	6	8
50-64	60	2.9	4	1	1	2	4	6	7	10
65 +	35	3.3	4	1	1	3	5	7	7	9
2. MULTIPLE DX										
0-19 YRS	18	5.8	62	1	3	3	5	12	26	35
20-34	129	4.1	12	1	2	3	5	8	9	47
35-49	202	4.9	18	1	2	4	7	10	15	22
50-64	258	6.3	56	1	2	4	8	13	19	43
65 +	312	8.4	71	1	3	6	11	18	24	45
TOTAL SINGLE DX	264	3.1	5	1	1	2	4	6	7	10
TOTAL MULTIPLE DX	919	6.4	49	1	2	4	8	14	21	42
TOTAL										
0-19 YRS	32	4.9	37	1	2	4	5	9	12	35
20-34	198	3.8	11	1	2	3	5	8	10	23
35-49	288	4.3	15	1	2	3	6	9	12	21
50-64	318	5.7	48	1	2	4	6	12	17	35
65 +	347	7.9	67	1	2	5	10	18	24	43
GRAND TOTAL	1183	5.7	41	1	2	4	7	12	18	35

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95-59.96; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	1.2		1	1	1	1	2	2	2
20-34	28	1.6		<1	1	1	2	3	3	4
35-49	32	2.2	5	<1	1	1	3	5	8	10
50-64	31	2.0	3	<1	<1	1	2	5	6	9
65 +	15	1.4		1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	17	2.8	4	1	1	2	4	5	8	9
35-49	40	3.2	9	1	1	2	4	7	10	14
50-64	68	4.0	10	1	1	3	6	9	10	14
65 +	56	4.8	56	1	1	2	5	11	17	47
TOTAL SINGLE DX	117	1.8	3	<1	1	1	2	3	5	9
TOTAL MULTIPLE DX	185	3.9	24	1	1	2	5	9	11	22
TOTAL										
0-19 YRS	15	1.3		1	1	1	1	2	3	3
20-34	45	2.0	3	<1	1	1	3	4	5	9
35-49	72	2.8	8	<1	1	2	3	7	10	13
50-64	99	3.3	9	<1	1	2	5	9	10	14
65 +	71	4.1	46	1	1	2	4	10	14	44
GRAND TOTAL	302	3.1	17	<1	1	2	3	7	10	18

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65 +	4	4.3	11	2	2	3	6	9	9	9
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	9	13.3	55	6	7	10	18	25	28	28
35-49	8	7.1	22	2	4	6	11	14	15	15
50-64	20	9.8	33	3	5	9	14	19	21	21
65 +	31	12.3	190	2	4	7	16	23	37	71
TOTAL SINGLE DX	8	4.9	11	1	2	4	8	9	9	9
TOTAL MULTIPLE DX	69	11.0	106	3	5	8	15	21	26	65
TOTAL										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	9	13.3	56	6	7	10	18	25	28	28
35-49	10	6.2	22	1	3	5	10	13	15	15
50-64	21	9.7	32	3	5	9	14	18	21	21
65 +	35	11.4	175	2	4	6	16	21	35	71
GRAND TOTAL	77	10.4	99	2	4	7	14	20	24	62

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	4.0	4	1	3	5	5	5	5	5
35-49	8	4.3	2	3	3	4	5	7	7	7
50-64	388	4.2	2	3	3	4	5	6	7	10
65 +	889	4.9	7	3	4	4	6	7	9	14
2. MULTIPLE DX										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	2	7.5	41	3	3	7	12	12	12	12
35-49	44	6.6	20	3	3	5	8	14	16	21
50-64	1907	6.0	27	3	4	5	6	10	14	29
65 +	8373	8.2	70	3	4	6	9	15	23	50
TOTAL SINGLE DX	1291	4.7	6	3	3	4	5	7	8	13
TOTAL MULTIPLE DX	10328	7.8	63	3	4	5	8	14	21	48
TOTAL										
0-19 YRS	4	4.8	39	1	1	2	8	14	14	14
20-34	6	5.2	14	1	3	5	5	11	12	12
35-49	52	6.3	18	3	3	5	7	14	16	21
50-64	2295	5.7	24	3	4	5	6	9	13	26
65 +	9262	7.9	65	3	4	5	8	15	22	48
GRAND TOTAL	11619	7.4	58	3	4	5	8	14	20	44

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	4	7.8	17	2	5	8	10	12	12	12
50-64	47	9.8	10	7	8	9	11	15	17	22
65 +	53	9.2	10	6	7	9	11	13	15	21
2. MULTIPLE DX										
0-19 YRS	2	13.5	113	6	6	13	21	21	21	21
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	6	9.8	29	5	7	8	11	19	20	20
50-64	268	11.1	24	7	8	10	13	17	21	28
65 +	817	12.4	57	7	8	10	14	20	25	46
TOTAL SINGLE DX	104	9.4	11	6	8	9	11	13	16	21
TOTAL MULTIPLE DX	1095	12.1	49	7	8	10	14	19	23	44
TOTAL										
0-19 YRS	2	13.5	113	6	6	13	21	21	21	21
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	10	9.0	23	3	7	8	11	16	20	20
50-64	315	10.9	23	7	8	10	13	17	20	28
65 +	870	12.3	55	7	8	10	14	19	24	45
GRAND TOTAL	1199	11.9	47	7	8	10	14	18	23	44

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	38	1.6		<1	1	1	2	3	3	5
65 +	70	2.1	8	1	1	1	2	4	7	19
2. MULTIPLE DX										
0-19 YRS	0									
20-34	5	3.0	4	1	2	2	4	6	6	6
35-49	13	3.4	33	1	1	1	3	9	20	22
50-64	114	4.8	56	1	1	2	5	11	22	73
65 +	371	7.9	99	1	2	4	10	18	30	62
TOTAL SINGLE DX	112	1.9	6	1	1	1	2	3	5	15
TOTAL MULTIPLE DX	503	7.0	89	1	2	3	9	17	28	61
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	3.0	4	1	2	2	4	6	6	6
35-49	16	3.1	28	1	1	1	3	6	17	22
50-64	152	4.0	45	1	1	2	4	9	16	58
65 +	441	7.0	90	1	1	3	9	17	28	56
GRAND TOTAL	**615**	**6.1**	**78**	**1**	**1**	**3**	**7**	**15**	**24**	**56**

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	1.3		<1	<1	1	1	2	3	4
20-34	27	2.9	5	1	1	2	4	6	8	9
35-49	29	2.2	6	1	1	2	2	4	5	14
50-64	30	2.6	7	<1	1	1	3	6	8	14
65 +	15	1.5		<1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	30	2.6	13	<1	1	1	3	5	8	20
20-34	29	4.7	12	1	2	4	6	11	12	12
35-49	45	4.6	24	1	1	3	7	11	20	99 +
50-64	47	4.7	16	1	1	3	8	11	13	15
65 +	78	5.2	64	1	2	3	5	10	25	44
TOTAL SINGLE DX	139	2.1	4	<1	1	1	3	4	6	14
TOTAL MULTIPLE DX	229	4.6	33	1	1	2	6	10	14	37
TOTAL										
0-19 YRS	68	1.9	6	<1	1	1	2	3	4	18
20-34	56	3.9	9	1	1	3	6	8	11	12
35-49	74	3.6	18	1	1	2	4	10	15	80
50-64	77	3.9	14	1	1	2	6	10	13	15
65 +	93	4.6	56	1	1	2	5	9	15	42
GRAND TOTAL	**368**	**3.7**	**24**	**1**	**1**	**2**	**4**	**8**	**12**	**32**

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	74	1.9	1	<1	1	1	3	3	5	7
20-34	114	2.1	2	1	1	2	3	4	5	7
35-49	57	2.2	4	1	1	2	2	4	8	11
50-64	21	2.0	5	<1	1	1	2	4	7	11
65 +	76	1.9	3	<1	1	1	2	3	6	10
2. MULTIPLE DX										
0-19 YRS	70	2.2	3	1	1	1	2	4	8	10
20-34	57	4.3	47	1	1	2	4	10	20	39
35-49	50	3.7	11	1	1	3	4	10	11	13
50-64	87	6.6	61	1	1	3	8	17	29	75
65 +	586	8.2	115	1	2	4	11	21	31	68
TOTAL SINGLE DX	342	2.0	3	<1	1	1	2	4	5	10
TOTAL MULTIPLE DX	850	7.0	94	1	1	3	9	19	28	60
TOTAL										
0-19 YRS	144	2.0	3	<1	1	1	2	4	5	8
20-34	171	2.8	18	1	1	2	3	5	7	25
35-49	107	2.9	8	1	1	2	3	8	11	12
50-64	108	5.7	54	1	1	3	7	15	25	62
65 +	662	7.5	106	1	1	3	10	20	29	65
GRAND TOTAL	**1192**	**5.6**	**73**	**1**	**1**	**2**	**6**	**14**	**24**	**52**

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	334	1.4		<1	1	1	1	2	3	5
20-34	55	1.6		1	1	1	2	3	4	5
35-49	12	1.9	1	<1	1	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	205	1.6	2	<1	1	1	2	3	4	7
20-34	12	1.8	1	1	1	2	2	3	4	4
35-49	5	3.0	4	1	2	2	4	6	6	6
50-64	3	1.3		<1	<1	1	2	2	2	2
65 +	0									
TOTAL SINGLE DX	401	1.4	1	<1	1	1	2	2	3	5
TOTAL MULTIPLE DX	225	1.6	2	<1	1	1	2	3	4	7
TOTAL										
0-19 YRS	539	1.5	1	<1	1	1	2	2	3	5
20-34	67	1.6	1	1	1	1	2	3	4	5
35-49	17	2.2	2	1	1	2	3	4	5	6
50-64	3	1.3		<1	<1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**626**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**	**6**

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	103	1.2		<1	1	1	1	2	3	5
20-34	28	1.6	1	<1	<1	1	2	3	4	7
35-49	12	1.4		<1	<1	1	2	2	3	3
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	41	1.5		<1	1	1	2	3	3	4
20-34	18	2.1	1	<1	1	1	3	4	5	5
35-49	8	4.3	41	1	1	2	3	15	20	20
50-64	8	4.4	25	1	1	2	6	13	15	15
65 +	8	5.3	14	1	2	4	9	10	10	10
TOTAL SINGLE DX	145	1.3	1	<1	1	1	1	2	3	7
TOTAL MULTIPLE DX	83	2.5	10	1	1	1	3	4	9	18
TOTAL										
0-19 YRS	144	1.3	1	<1	1	1	1	2	3	4
20-34	46	1.8	2	<1	1	1	2	3	4	7
35-49	20	2.6	18	<1	1	1	2	4	12	20
50-64	8	4.4	25	1	1	2	6	13	15	15
65 +	10	4.4	15	1	1	3	9	10	10	10
GRAND TOTAL	228	1.8	4	<1	1	1	2	3	4	11

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	7	1.0		<1	<1	<1	<1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	11	1.0		<1	<1	<1	<1	1	1	1
TOTAL MULTIPLE DX	8	1.3		<1	1	1	2	2	2	2
TOTAL										
0-19 YRS	0									
20-34	8	1.0		<1	<1	<1	1	1	1	1
35-49	10	1.1		<1	<1	<1	1	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	19	1.1		<1	<1	<1	1	2	2	2

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.3		<1	1	1	1	2	3	4
20-34	40	1.3		<1	1	1	1	2	3	3
35-49	67	1.4		<1	1	1	2	2	3	4
50-64	17	1.4		1	1	1	2	3	3	3
65 +	8	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	8	1.8		<1	<1	1	2	3	3	3
20-34	13	4.1	42	1	1	2	4	10	22	25
35-49	33	2.1	3	1	1	1	2	4	7	8
50-64	38	2.8	8	1	1	2	3	6	11	13
65 +	37	2.2	2	1	1	2	3	4	6	7
TOTAL SINGLE DX	156	1.4		<1	1	1	2	2	3	4
TOTAL MULTIPLE DX	129	2.5	8	1	1	2	3	5	7	16
TOTAL										
0-19 YRS	32	1.4	1	<1	1	1	2	3	3	4
20-34	53	2.0	11	<1	1	1	2	3	5	24
35-49	100	1.6	1	<1	1	1	2	3	4	7
50-64	55	2.4	6	1	1	1	3	5	8	13
65 +	45	2.1	2	1	1	2	2	4	5	7
GRAND TOTAL	285	1.9	4	1	1	1	2	3	5	11

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	104	1.4	2	<1	<1	<1	1	1	2	11
20-34	18	1.1		<1	<1	1	1	1	2	3
35-49	14	1.1		<1	<1	1	1	2	2	2
50-64	12	1.1		<1	<1	1	1	2	2	2
65 +	6	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	70	7.5	100	<1	1	2	13	21	29	46
20-34	7	1.7		1	1	2	2	3	3	3
35-49	21	3.8	69	<1	1	1	3	7	22	39
50-64	39	6.2	60	<1	1	3	8	16	23	35
65 +	72	6.3	62	1	1	3	8	17	21	43
TOTAL SINGLE DX	154	1.3	2	<1	<1	<1	1	1	2	10
TOTAL MULTIPLE DX	209	6.3	74	<1	1	2	8	19	22	42
TOTAL										
0-19 YRS	174	3.8	51	<1	<1	1	1	13	20	34
20-34	25	1.3		<1	<1	1	1	2	3	3
35-49	35	2.7	43	<1	1	1	2	4	8	39
50-64	51	5.0	50	<1	1	1	6	15	22	35
65 +	78	5.9	60	1	1	3	8	16	20	42
GRAND TOTAL	363	4.2	49	<1	<1	1	3	13	19	36

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	15	2.8	1	1	2	2	4	5	5	5
50-64	47	3.1	6	1	2	2	4	7	9	14
65 +	29	3.3	4	1	2	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	0									
20-34	18	5.3	40	1	2	4	6	9	21	29
35-49	64	3.5	6	1	2	3	4	7	8	14
50-64	215	3.6	18	1	2	3	4	7	7	13
65 +	95	3.1	3	1	2	2	4	6	7	9
TOTAL SINGLE DX	91	3.1	5	1	2	2	4	6	8	12
TOTAL MULTIPLE DX	392	3.5	14	1	2	3	4	7	8	14
TOTAL										
0-19 YRS	0									
20-34	18	5.3	40	1	2	4	6	9	21	29
35-49	79	3.4	5	1	2	3	4	7	8	13
50-64	262	3.5	17	1	2	3	4	7	8	14
65 +	124	3.1	4	1	2	3	4	6	7	9
GRAND TOTAL	483	3.5	12	1	2	3	4	7	8	13

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	34	2.2	3	<1	<1	1	3	5	6	8
20-34	15	3.2	2	1	2	3	5	5	6	6
35-49	12	3.5	2	1	2	4	5	5	5	5
50-64	11	3.5	7	1	1	3	5	8	10	10
65 +	10	4.8	12	1	2	4	7	10	12	12
2. MULTIPLE DX										
0-19 YRS	34	2.9	8	1	1	2	4	5	9	15
20-34	20	3.6	12	1	1	3	4	7	12	16
35-49	34	4.4	21	1	2	2	5	11	20	99 +
50-64	38	6.5	40	1	2	4	9	14	19	30
65 +	41	8.3	149	1	3	4	7	18	29	71
TOTAL SINGLE DX	82	3.1	5	<1	1	2	5	6	7	11
TOTAL MULTIPLE DX	167	5.4	57	1	2	3	6	14	18	65
TOTAL										
0-19 YRS	68	2.5	6	<1	1	2	3	5	7	14
20-34	35	3.4	8	1	2	3	5	6	8	16
35-49	46	4.2	16	1	2	3	5	10	18	99 +
50-64	49	5.9	35	1	2	3	9	14	15	30
65 +	51	7.6	124	1	3	4	7	16	23	71
GRAND TOTAL	249	4.7	41	1	1	3	5	10	15	36

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	90	4.0	2	2	3	4	5	6	6	8
20-34	352	3.9	2	2	3	4	5	5	6	11
35-49	81	4.1	2	2	3	4	5	6	7	7
50-64	3	5.0	1	4	4	5	6	6	6	6
65 +	4	5.3	6	4	4	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	119	4.5	8	2	3	4	5	7	8	18
20-34	901	4.5	5	2	3	4	5	7	8	13
35-49	304	4.7	8	2	3	4	6	7	8	11
50-64	28	10.6	84	3	5	7	14	21	34	40
65 +	27	15.8	292	5	7	10	15	43	65	68
TOTAL SINGLE DX	530	4.0	2	2	3	4	5	6	6	9
TOTAL MULTIPLE DX	1379	4.9	16	2	3	4	6	7	9	20
TOTAL										
0-19 YRS	209	4.3	6	2	3	4	5	6	7	13
20-34	1253	4.4	5	2	3	4	5	6	8	13
35-49	385	4.6	7	2	3	4	6	7	8	11
50-64	31	10.0	79	3	5	6	12	20	32	40
65 +	31	14.4	267	4	6	9	13	38	63	68
GRAND TOTAL	1909	4.7	13	2	3	4	5	7	8	16

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	5.0	4	3	4	5	6	7	8	16
20-34	204	4.1	2	3	3	4	5	6	6	9
35-49	151	4.4	1	3	4	4	5	6	7	8
50-64	27	4.3	1	3	3	4	5	6	7	7
65 +	16	5.4	3	3	4	5	6	9	9	9
2. MULTIPLE DX										
0-19 YRS	95	5.2	4	3	4	5	6	7	9	14
20-34	637	4.9	5	3	4	5	6	7	9	14
35-49	558	5.5	20	3	4	5	6	8	10	21
50-64	76	8.0	43	4	5	6	9	16	18	43
65 +	103	12.9	116	4	6	9	17	28	39	76
TOTAL SINGLE DX	448	4.4	3	3	3	4	5	6	7	9
TOTAL MULTIPLE DX	1469	5.9	25	3	4	5	6	9	13	30
TOTAL										
0-19 YRS	145	5.1	5	3	4	5	6	7	8	14
20-34	841	4.7	5	3	4	4	5	7	8	14
35-49	709	5.3	17	3	4	5	6	7	9	18
50-64	103	7.1	35	3	4	5	7	13	17	39
65 +	119	11.8	108	4	5	8	15	25	39	69
GRAND TOTAL	1917	5.5	20	3	4	5	6	8	11	24

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	11	3.5	1	2	3	4	4	5	6	6
35-49	25	5.1	2	4	4	4	6	8	8	9
50-64	18	4.8	2	3	3	5	6	7	8	8
65 +	13	5.8	4	4	4	5	7	9	11	11
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	83	4.9	5	3	4	5	5	7	10	15
35-49	253	5.9	14	3	4	5	7	10	12	22
50-64	120	8.1	28	4	5	6	9	16	19	29
65 +	136	11.2	70	5	6	8	14	21	28	74
TOTAL SINGLE DX	68	4.9	3	3	4	5	6	8	8	11
TOTAL MULTIPLE DX	593	7.4	34	3	4	6	8	14	19	31
TOTAL										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	94	4.7	6	3	3	4	5	7	9	15
35-49	278	5.9	14	3	4	5	7	9	12	22
50-64	138	7.7	27	4	5	6	8	15	18	27
65 +	149	10.7	67	5	6	8	13	20	27	70
GRAND TOTAL	661	7.2	32	3	4	5	8	13	18	30

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	2.3	3	< 1	1	1	3	5	7	7
20-34	64	2.6	2	< 1	1	2	3	5	6	8
35-49	17	3.4	8	1	1	3	4	6	11	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	31	3.8	3	1	2	4	5	6	7	8
20-34	323	3.7	7	1	2	4	5	6	7	13
35-49	115	3.6	5	1	1	3	5	6	7	12
50-64	3	4.0	7	< 1	1	5	6	6	6	6
65 +	4	10.5	93	5	5	6	16	25	25	25
TOTAL SINGLE DX	105	2.6	4	< 1	1	2	3	5	6	10
TOTAL MULTIPLE DX	476	3.7	8	1	2	4	5	6	7	13
TOTAL										
0-19 YRS	55	3.2	4	1	1	3	5	6	7	8
20-34	387	3.5	7	1	2	3	4	6	7	12
35-49	132	3.5	6	1	1	3	5	6	7	13
50-64	3	4.0	7	< 1	1	5	6	6	6	6
65 +	4	10.5	94	5	5	6	16	25	25	25
GRAND TOTAL	581	3.5	7	1	2	3	5	6	7	13

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	77	1.1		< 1	< 1	< 1	< 1	1	2	4
35-49	44	1.0		< 1	< 1	< 1	< 1	1	1	3
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	77	2.1	3	< 1	1	1	3	4	4	13
35-49	61	1.8	1	< 1	< 1	1	2	4	5	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
TOTAL SINGLE DX	122	1.1		< 1	< 1	< 1	< 1	1	1	4
TOTAL MULTIPLE DX	139	1.9	3	< 1	1	1	3	4	4	7
TOTAL										
0-19 YRS	0									
20-34	154	1.6	2	< 1	< 1	1	1	3	4	5
35-49	105	1.5	1	< 1	< 1	1	1	3	4	6
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	0									
GRAND TOTAL	261	1.5	2	<1	<1	1	1	3	4	5

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	277	1.7	1	<1	1	1	2	3	3	6
35-49	138	1.7	1	<1	1	1	2	3	4	6
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1420	2.9	1	2	2	3	3	4	5	6
35-49	421	2.9	2	1	2	3	4	4	5	9
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	0									
TOTAL SINGLE DX	415	1.7	1	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	1844	2.9	2	1	2	3	3	4	5	7
TOTAL										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1697	2.8	2	1	2	3	3	4	4	6
35-49	559	2.6	3	1	1	3	3	4	5	7
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	0									
GRAND TOTAL	2259	2.7	2	1	2	3	3	4	5	7

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	3.7	1	2	3	4	4	6	6	7
20-34	765	3.7	2	2	3	4	5	5	6	8
35-49	182	3.5	2	1	3	4	4	5	6	7
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	56	4.4	5	2	3	4	5	6	9	15
20-34	1280	4.2	3	2	3	4	5	6	7	9
35-49	360	4.5	4	2	3	4	5	7	8	12
50-64	7	10.0	100	2	4	6	12	27	31	31
65+	5	25.4	665	10	11	15	33	71	71	71
TOTAL SINGLE DX	1007	3.7	2	2	3	4	5	5	6	8
TOTAL MULTIPLE DX	1708	4.3	7	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	116	4.0	4	2	3	4	5	6	7	12
20-34	2045	4.0	3	2	3	4	5	6	7	9
35-49	542	4.2	4	2	3	4	5	6	7	10
50-64	7	10.0	100	2	4	6	12	27	31	31
65+	5	25.4	665	10	11	15	33	71	71	71
GRAND TOTAL	2715	4.1	5	2	3	4	5	6	7	10

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	66	1.2		<1	<1	1	1	2	2	3
35-49	49	1.3		<1	<1	1	1	2	3	3
50-64	10	1.1		<1	<1	1	1	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	93	1.6	7	<1	1	1	1	2	3	18
35-49	87	1.3		<1	1	1	1	2	2	6
50-64	33	2.2	6	<1	1	1	2	5	10	11
65+	15	1.9	1	<1	1	1	3	3	4	4
TOTAL SINGLE DX	130	1.2		<1	<1	1	1	2	3	3
TOTAL MULTIPLE DX	229	1.6	4	<1	1	1	2	2	3	10
TOTAL										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	159	1.4	5	<1	<1	1	1	2	3	7
35-49	136	1.3	1	<1	<1	1	1	2	3	4
50-64	43	1.9	5	<1	1	1	2	3	9	11
65+	18	1.8	1	<1	1	1	3	3	4	4
GRAND TOTAL	359	1.5	3	<1	<1	1	1	2	3	8

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.2		<1	<1	<1	1	2	2	2
20-34	37	1.0		<1	<1	<1	1	1	1	1
35-49	35	1.5	1	<1	<1	1	2	3	5	6
50-64	15	1.6	4	<1	<1	1	1	2	7	9
65+	10	3.5	9	<1	<1	2	6	8	9	9
2. MULTIPLE DX										
0-19 YRS	4	2.5	9	<1	<1	1	4	7	7	7
20-34	64	2.1	3	<1	1	1	3	5	6	10
35-49	121	2.9	36	<1	1	1	3	6	8	35
50-64	60	4.9	50	<1	1	2	5	10	15	44
65+	72	8.2	164	1	2	4	8	23	33	98
TOTAL SINGLE DX	103	1.5	2	<1	<1	<1	1	2	5	9
TOTAL MULTIPLE DX	321	4.3	65	<1	1	2	4	9	16	49
TOTAL										
0-19 YRS	10	1.7	4	<1	<1	<1	1	4	7	7
20-34	101	1.7	2	<1	<1	1	2	3	5	9
35-49	156	2.6	28	<1	<1	1	2	5	7	25
50-64	75	4.2	43	<1	1	2	4	9	13	41
65+	82	7.7	148	1	2	4	8	22	31	97
GRAND TOTAL	424	3.6	51	<1	1	1	3	8	12	41

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.6		<1	1	1	2	3	3	3
20-34	242	1.8	1	1	1	2	2	3	4	6
35-49	68	1.7	1	<1	1	1	2	3	4	7
50-64	2	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	126	3.6	37	1	1	2	3	5	11	43
35-49	42	3.9	32	1	1	2	3	9	13	35
50-64	0									
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL SINGLE DX	319	1.8	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	172	3.7	35	1	1	2	3	6	12	40
TOTAL										
0-19 YRS	10	2.1	2	<1	1	2	3	4	5	5
20-34	368	2.4	14	1	1	2	3	4	5	15
35-49	110	2.6	14	1	1	2	3	4	7	22
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	491	2.5	14	1	1	2	3	4	5	15

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	92	4.5	2	2	4	4	5	6	7	10
35-49	83	4.3	2	2	4	4	5	6	7	9
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	3	2.7	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	4	5.3	9	1	3	6	7	8	8	8
20-34	348	4.9	8	2	4	5	6	7	7	16
35-49	369	5.0	9	2	3	5	6	7	10	17
50-64	34	3.9	14	1	1	3	5	10	11	18
65+	50	10.2	224	1	2	7	12	30	43	99+
TOTAL SINGLE DX	183	4.3	3	2	3	4	5	6	7	10
TOTAL MULTIPLE DX	805	5.2	24	2	3	5	6	7	11	26
TOTAL										
0-19 YRS	6	4.5	9	1	1	5	7	8	8	8
20-34	440	4.8	7	2	4	5	6	7	7	14
35-49	452	4.8	8	2	3	5	6	7	9	15
50-64	37	3.8	14	1	1	2	5	10	11	18
65+	53	9.8	215	1	2	7	12	30	42	99+
GRAND TOTAL	988	5.0	20	2	3	5	6	7	10	19

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	126	4.5	1	3	4	4	5	6	6	10
35-49	508	4.9	3	4	4	5	6	7	7	10
50-64	187	5.3	2	4	4	5	6	7	8	10
65+	72	6.1	2	4	5	6	7	8	8	12
2. MULTIPLE DX										
0-19 YRS	6	7.5	19	4	5	6	8	15	16	16
20-34	1048	5.3	5	4	4	5	6	7	9	14
35-49	6273	5.6	7	4	4	5	6	8	9	16
50-64	1874	6.6	20	4	5	6	7	10	13	23
65+	1019	9.3	52	5	6	7	10	16	22	43
TOTAL SINGLE DX	893	5.0	3	4	4	5	6	7	8	10
TOTAL MULTIPLE DX	10220	6.1	16	4	4	5	7	9	12	22
TOTAL										
0-19 YRS	6	7.5	20	4	5	6	8	15	16	16
20-34	1174	5.2	5	4	4	5	6	7	9	14
35-49	6781	5.6	7	4	4	5	6	8	9	16
50-64	2061	6.4	19	4	5	6	7	9	12	22
65+	1091	9.1	50	5	5	7	10	16	22	41
GRAND TOTAL	11113	6.1	15	4	4	5	6	9	11	21

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	56	3.6	1	2	3	3	4	5	6	7
35-49	120	4.2	3	2	3	4	5	6	7	11
50-64	138	4.9	2	3	4	5	6	7	8	11
65+	160	5.2	2	3	4	5	6	7	9	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	262	3.6	1	2	3	3	4	5	6	8
35-49	905	4.5	2	3	3	4	5	6	7	9
50-64	596	5.6	5	3	4	5	6	8	10	13
65+	730	6.6	16	4	5	6	7	9	12	23
TOTAL SINGLE DX	475	4.6	3	3	4	4	5	7	8	11
TOTAL MULTIPLE DX	2493	5.3	8	3	4	5	6	8	9	16
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	318	3.6	2	2	3	3	4	5	6	8
35-49	1025	4.5	3	3	3	4	5	6	7	9
50-64	734	5.5	5	3	4	5	6	8	9	13
65+	890	6.3	14	4	4	6	7	9	12	20
GRAND TOTAL	2968	5.2	8	3	4	5	6	8	9	15

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	5	7.8	10	4	5	7	10	12	12	12
35-49	9	10.1	10	6	8	10	11	15	17	17
50-64	4	7.5		7	7	7	8	8	8	8
65 +	4	6.8		6	6	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	0									
20-34	11	9.9	24	6	7	8	10	18	23	23
35-49	59	9.6	20	6	7	8	10	15	19	30
50-64	49	12.3	60	7	8	9	14	22	27	47
65 +	31	13.5	45	8	9	11	15	25	29	34
TOTAL SINGLE DX	22	8.5	8	6	7	8	10	12	14	17
TOTAL MULTIPLE DX	150	11.3	41	6	8	9	13	20	25	34
TOTAL										
0-19 YRS	0									
20-34	16	9.3	20	6	7	8	10	15	21	23
35-49	68	9.7	19	6	7	9	11	15	18	29
50-64	53	12.0	57	7	8	9	14	22	27	47
65 +	35	12.7	45	7	8	11	14	25	28	34
GRAND TOTAL	172	11.0	37	6	7	9	12	17	25	34

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	1.1		<1	<1	<1	<1	1	1	5
20-34	53	1.2		<1	<1	<1	1	2	3	5
35-49	18	1.2		<1	<1	<1	1	2	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	19	3.8	16	<1	1	3	5	8	14	18
20-34	48	4.1	44	<1	1	2	4	8	13	43
35-49	21	2.8	4	1	1	2	4	6	7	7
50-64	0									
65 +	0									
TOTAL SINGLE DX	106	1.2		<1	<1	<1	1	1	3	5
TOTAL MULTIPLE DX	88	3.7	29	<1	1	2	4	7	10	34
TOTAL										
0-19 YRS	54	2.1	8	<1	<1	<1	1	5	6	18
20-34	101	2.6	23	<1	<1	1	2	5	8	30
35-49	39	2.0	3	<1	<1	1	2	5	6	7
50-64	0									
65 +	0									
GRAND TOTAL	194	2.3	15	<1	<1	1	2	5	6	18

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	467	1.3		<1	<1	1	1	2	3	6
20-34	3441	1.2		<1	<1	1	1	2	3	5
35-49	915	1.2		<1	<1	1	1	1	2	4
50-64	87	1.2		<1	<1	1	1	2	2	4
65 +	30	1.6		<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	178	2.3	3	<1	1	2	3	5	6	6
20-34	1346	2.3	6	<1	1	1	3	5	6	12
35-49	1020	2.3	10	<1	1	1	2	5	7	20
50-64	332	3.6	27	<1	1	1	4	9	14	21
65 +	267	6.1	65	1	1	3	8	14	21	92
TOTAL SINGLE DX	4940	1.2	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	3143	2.8	16	<1	1	1	3	6	8	21
TOTAL										
0-19 YRS	645	1.6	2	<1	1	1	2	3	4	6
20-34	4787	1.5	2	<1	<1	1	1	3	4	7
35-49	1935	1.8	6	<1	<1	1	1	3	5	12
50-64	419	3.1	23	<1	1	1	3	7	11	20
65 +	297	5.6	61	1	1	3	7	14	20	81
GRAND TOTAL	8083	1.8	7	<1	<1	1	2	3	5	13

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	75	1.1		<1	<1	<1	<1	1	1	3
20-34	131	1.1		<1	<1	<1	1	1	2	2
35-49	33	1.0		<1	<1	<1	1	1	1	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	22	2.0	4	<1	<1	<1	2	4	7	10
20-34	87	3.6	24	<1	<1	2	4	10	13	29
35-49	38	2.7	8	<1	<1	1	3	7	10	11
50-64	0									
65 +	0									
TOTAL SINGLE DX	239	1.1		<1	<1	<1	1	1	1	2
TOTAL MULTIPLE DX	147	3.1	17	<1	<1	1	4	8	11	17
TOTAL										
0-19 YRS	97	1.3	1	<1	<1	<1	<1	1	3	8
20-34	218	2.1	11	<1	<1	1	1	4	6	15
35-49	71	1.9	5	<1	<1	1	1	4	8	11
50-64	0									
65 +	0									
GRAND TOTAL	386	1.8	8	<1	<1	<1	1	3	6	14

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	142	1.2		<1	<1	1	1	2	2	4
20-34	1070	1.2	1	<1	<1	1	1	1	2	3
35-49	286	1.1		<1	<1	1	1	1	2	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	42	2.9	13	1	1	1	4	7	11	19
20-34	329	2.0	3	<1	1	1	2	4	5	10
35-49	105	2.0	8	<1	1	1	2	4	6	19
50-64	3	5.0	21	1	2	4	8	10	10	10
65+	2	19.5	41	15	15	19	24	24	24	24
TOTAL SINGLE DX	1500	1.1	1	<1	<1	1	1	1	2	3
TOTAL MULTIPLE DX	481	2.1	7	<1	1	1	2	4	7	18
TOTAL										
0-19 YRS	184	1.6	4	<1	1	1	1	3	4	12
20-34	1399	1.3	2	<1	<1	1	1	2	3	6
35-49	391	1.3	2	<1	<1	1	1	2	2	9
50-64	4	4.0	18	1	1	3	7	10	10	10
65+	3	13.3	134	1	4	15	22	24	24	24
GRAND TOTAL	1981	1.4	3	<1	<1	1	1	2	3	7

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	2.5	2	<1	1	2	4	5	5	5
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	0									
20-34	15	4.3	4	3	3	4	5	6	10	11
35-49	6	4.8	17	1	3	4	5	12	13	13
50-64	6	6.8	4	4	6	7	8	10	10	10
65+	3	6.7	2	5	5	7	8	8	8	8
TOTAL SINGLE DX	11	3.0	3	<1	1	3	5	5	5	5
TOTAL MULTIPLE DX	30	5.1	8	3	3	4	6	9	11	13
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	23	3.7	5	1	2	3	5	8	8	11
35-49	6	4.8	18	1	3	4	5	12	13	13
50-64	7	6.3	6	3	4	6	8	10	10	10
65+	4	6.3	2	5	5	6	7	8	8	8
GRAND TOTAL	41	4.6	7	2	3	4	6	8	10	13

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.6	3	1	1	2	4	6	6	6
20-34	39	3.1	17	<1	1	2	3	5	6	27
35-49	21	3.8	3	2	2	3	5	7	7	8
50-64	4	2.5	1	1	2	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	12	2.9	4	1	1	2	5	6	7	7
20-34	100	5.2	132	1	1	3	4	6	22	75
35-49	66	3.2	4	1	1	3	4	6	7	9
50-64	22	3.6	7	1	2	3	5	6	9	14
65+	19	2.6	1	1	2	3	4	4	52	99+
TOTAL SINGLE DX	72	3.2	11	<1	1	3	4	6	6	23
TOTAL MULTIPLE DX	219	4.1	64	1	1	3	4	6	8	75
TOTAL										
0-19 YRS	19	2.8	4	1	1	2	5	6	7	7
20-34	139	4.6	101	<1	1	3	4	6	17	75
35-49	87	3.3	4	1	2	3	5	6	7	9
50-64	26	3.5	7	1	2	3	4	5	8	14
65+	20	2.7	1	1	2	3	4	5	48	99+
GRAND TOTAL	291	3.9	51	1	1	3	4	6	7	61

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	16	3.6	3	1	3	3	4	6	7	8
35-49	50	3.7	2	2	3	3	4	6	7	9
50-64	149	4.0	3	2	3	4	5	6	7	11
65+	112	4.6	3	2	4	5	6	7	7	10
2. MULTIPLE DX										
0-19 YRS	0									
20-34	34	4.7	3	3	3	4	5	7	8	11
35-49	207	4.8	5	2	3	5	6	7	8	14
50-64	336	5.4	5	3	4	5	6	8	10	13
65+	423	5.6	11	3	4	5	6	8	10	17
TOTAL SINGLE DX	327	4.1	3	2	3	4	5	6	7	10
TOTAL MULTIPLE DX	1000	5.3	8	3	4	5	6	8	10	15
TOTAL										
0-19 YRS	0									
20-34	50	4.4	4	2	3	4	5	7	8	11
35-49	257	4.6	5	2	3	4	5	7	8	14
50-64	485	4.9	5	2	3	5	6	8	9	13
65+	535	5.4	10	3	4	5	6	8	10	15
GRAND TOTAL	1327	5.0	7	3	3	5	6	8	9	14

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	2.5	5	<1	1	2	3	5	7	11
20-34	44	2.7	4	1	1	2	4	5	8	9
35-49	16	1.9	1	<1	1	1	3	4	5	5
50-64	6	3.5	3	1	2	3	5	6	6	6
65+	6	3.8	5	<1	1	5	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	21	3.9	17	1	1	2	5	9	14	18
20-34	31	6.1	80	1	2	4	7	10	13	51
35-49	23	7.6	109	2	3	5	8	12	27	53
50-64	23	7.2	49	2	3	6	9	12	21	35
65+	40	7.8	63	3	4	5	8	16	19	48
TOTAL SINGLE DX	96	2.6	4	1	1	2	4	5	6	10
TOTAL MULTIPLE DX	138	6.7	66	1	2	5	8	12	18	51
TOTAL										
0-19 YRS	45	3.2	11	<1	1	2	4	8	10	18
20-34	75	4.1	38	1	1	2	5	9	10	41
35-49	39	5.2	72	1	1	3	7	10	12	53
50-64	29	6.4	42	1	3	5	7	12	14	35
65+	46	7.3	57	3	4	5	7	15	19	48
GRAND TOTAL	234	5.0	44	1	1	3	6	10	13	48

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	3.5	12	<1	1	2	5	10	11	12
20-34	51	3.5	11	1	1	3	4	8	13	15
35-49	16	3.4	7	<1	1	2	6	7	8	9
50-64	14	3.1	6	1	1	2	4	8	9	9
65+	14	4.0	8	1	2	3	4	8	11	12
2. MULTIPLE DX										
0-19 YRS	42	4.9	29	1	2	3	5	10	15	30
20-34	114	4.5	22	1	2	3	5	11	13	28
35-49	53	5.3	24	<1	2	4	6	12	17	24
50-64	69	6.9	70	1	3	5	7	17	21	51
65+	137	6.8	50	2	3	5	8	11	18	47
TOTAL SINGLE DX	110	3.5	10	<1	1	3	4	8	10	14
TOTAL MULTIPLE DX	415	5.8	41	1	2	4	7	11	17	31
TOTAL										
0-19 YRS	57	4.5	25	1	1	3	5	10	12	29
20-34	165	4.2	19	1	2	3	5	10	13	24
35-49	69	4.8	21	<1	2	3	6	11	16	23
50-64	83	6.3	61	1	2	4	7	16	21	47
65+	151	6.5	47	2	3	5	8	11	17	47
GRAND TOTAL	525	5.3	35	1	2	4	6	11	16	29

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	1.8	3	<1	<1	1	2	3	8	8
20-34	152	1.6	1	<1	1	1	2	3	3	6
35-49	54	1.5	1	<1	<1	1	2	2	4	6
50-64	12	1.4		<1	<1	1	2	3	3	3
65+	14	2.6	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	30	4.2	48	1	2	2	4	8	10	39
20-34	89	2.9	10	<1	1	2	3	5	6	21
35-49	46	6.2	188	1	1	2	5	12	22	91
50-64	35	5.9	42	1	2	4	9	15	29	99+
65+	63	9.7	232	1	3	5	9	25	51	98
TOTAL SINGLE DX	262	1.7	2	<1	1	1	2	3	4	8
TOTAL MULTIPLE DX	263	5.6	108	1	2	3	5	11	22	90
TOTAL										
0-19 YRS	60	3.0	27	<1	1	2	3	6	9	36
20-34	241	[illegible]	5	<1	1	1	2	4	5	11
35-49	100	3.7	92	<1	1	2	3	6	11	58
50-64	47	4.7	35	<1	1	2	6	12	22	99+
65+	77	8.4	197	1	2	4	8	20	37	96
GRAND TOTAL	525	3.7	59	<1	1	2	3	7	11	48

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	6	4.5	6	1	3	4	6	8	8	8
65+	9	5.8	38	2	2	3	7	16	21	21
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	5	3.8	11	1	1	2	7	8	8	8
50-64	11	8.2	55	2	3	5	15	19	23	23
65+	57	12.7	102	3	6	10	17	24	32	51
TOTAL SINGLE DX	19	4.7	21	1	2	3	6	9	16	21
TOTAL MULTIPLE DX	77	10.9	95	1	4	8	16	23	29	49
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	8	3.6	9	1	1	2	6	8	8	8
50-64	17	6.9	40	1	3	5	9	17	21	23
65+	66	11.8	99	2	4	9	16	23	32	50
GRAND TOTAL	96	9.7	86	1	3	7	13	22	24	48

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.4		<1	1	1	2	3	3	3
20-34	11	2.5	1	1	1	3	3	4	5	5
35-49	7	2.3	4	<1	1	1	3	6	6	6
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	11	3.0	11	1	1	1	3	9	10	10
20-34	31	3.7	18	1	2	3	4	6	7	25
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	3	3.3		3	3	3	4	4	4	4
65+	4	7.0	20	3	3	6	10	13	13	13
TOTAL SINGLE DX	42	1.8	1	<1	1	1	3	3	4	6
TOTAL MULTIPLE DX	53	3.6	15	1	1	3	4	7	10	25
TOTAL										
0-19 YRS	35	1.9	4	1	1	1	2	3	8	10
20-34	42	3.4	14	1	2	3	4	6	7	25
35-49	11	2.1	3	<1	1	1	3	5	6	6
50-64	3	3.3		3	3	3	4	4	4	4
65+	4	7.0	21	3	3	6	10	13	13	13
GRAND TOTAL	95	2.8	10	1	1	2	3	6	8	20

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.2		<1	1	2	3	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	4	3.5	14	<1	<1	2	6	9	9	9
20-34	5	7.4	88	1	2	4	10	24	24	24
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	11.8	13	9	9	10	14	17	17	17
65+	2	7.5	41	3	3	7	12	12	12	12
TOTAL SINGLE DX	9	1.7	1	<1	1	1	2	3	3	3
TOTAL MULTIPLE DX	16	7.1	43	<1	2	4	10	16	22	24
TOTAL										
0-19 YRS	9	2.8	6	<1	<1	2	3	7	9	9
20-34	7	5.6	69	<1	1	3	5	20	24	24
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	4	11.8	13	9	9	10	14	17	17	17
65+	2	7.5	41	3	3	7	12	12	12	12
GRAND TOTAL	25	5.2	35	<1	1	3	9	12	19	24

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	169	2.6		2	2	3	3	3	4	5
20-34	1254	2.7		2	2	3	3	4	4	5
35-49	153	3.0		2	2	3	3	4	4	6
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	191	3.0	1	2	2	3	3	4	4	6
20-34	1956	3.1	3	2	2	3	3	4	5	7
35-49	271	3.2	1	2	3	3	3	4	5	7
50-64	0									
65+	0									
TOTAL SINGLE DX	1576	2.7	1	2	2	3	3	4	4	5
TOTAL MULTIPLE DX	2418	3.1	4	2	2	3	3	4	5	7
TOTAL										
0-19 YRS	360	2.8	1	2	2	3	3	4	4	5
20-34	3210	2.9	3	2	2	3	3	4	4	7
35-49	424	3.1	2	2	3	3	3	4	5	7
50-64	0									
65+	0									
GRAND TOTAL	3994	3.0	2	2	2	3	3	4	4	7

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	69	2.4		1	2	2	3	3	4	4
35-49	5	2.6		2	2	3	3	3	3	3
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	15	3.5	17	<1	2	3	3	5	15	18
20-34	143	2.4	2	1	2	2	3	3	4	10
35-49	31	2.7	1	1	2	3	3	4	6	7
50-64	0									
65+	0									
TOTAL SINGLE DX	77	2.5	1	2	2	2	3	3	4	5
TOTAL MULTIPLE DX	189	2.6	3	1	2	2	3	3	5	11
TOTAL										
0-19 YRS	18	3.4	14	1	2	3	3	5	13	18
20-34	212	2.4	2	1	2	2	3	3	4	8
35-49	36	2.7	2	1	2	3	3	4	5	7
50-64	0									
65+	0									
GRAND TOTAL	266	2.5	2	1	2	2	3	3	4	10

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	182	2.5		2	2	2	3	3	4	5
20-34	1310	2.6		2	2	3	3	3	4	4
35-49	102	2.6		2	2	3	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	268	2.8	1	2	2	3	3	4	4	8
20-34	2249	2.9	2	2	2	3	3	4	5	7
35-49	248	3.3	19	2	2	3	3	4	5	13
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	1594	2.6	1	2	2	3	3	3	4	4
TOTAL MULTIPLE DX	2766	2.9	4	2	2	3	3	4	5	7
TOTAL										
0-19 YRS	450	2.7	1	2	2	3	3	4	4	6
20-34	3559	2.8	2	2	2	3	3	4	4	6
35-49	350	3.1	14	2	2	3	3	4	5	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	4360	2.8	3	2	2	3	3	4	4	6

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4177	2.5		2	2	2	3	3	4	5
20-34	35306	2.5		2	2	2	3	3	4	4
35-49	3523	2.5	1	2	2	3	3	3	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2081	2.9	3	2	2	3	3	4	5	9
20-34	18005	2.8	2	2	2	3	3	4	5	8
35-49	2308	3.0	7	2	2	3	3	4	5	9
50-64	3	2.3		2	2	2	3	3	3	3
65 +	0									
TOTAL SINGLE DX	43007	2.5	1	2	2	2	3	3	4	4
TOTAL MULTIPLE DX	22397	2.9	3	2	2	3	3	4	5	8
TOTAL										
0-19 YRS	6258	2.6	2	2	2	3	3	4	4	7
20-34	53311	2.6	1	2	2	3	3	3	4	6
35-49	5831	2.7	4	2	2	3	3	4	4	6
50-64	4	2.3		2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	65404	2.6	2	2	2	3	3	4	4	6

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	415	4.4	1	3	4	4	5	6	6	8
20-34	5892	4.5	1	3	4	4	5	5	6	7
35-49	662	4.6	1	4	4	5	5	6	6	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1603	5.6	6	4	4	5	6	8	10	15
20-34	20993	5.2	8	4	4	5	5	6	8	14
35-49	3557	5.6	13	4	4	5	6	7	9	23
50-64	2	4.0		4	4	4	4	4	4	4
65 +	0									
TOTAL SINGLE DX	6970	4.5	1	3	4	4	5	6	6	7
TOTAL MULTIPLE DX	26155	5.2	9	4	4	5	6	7	8	15
TOTAL										
0-19 YRS	2018	5.3	6	4	4	5	6	8	9	15
20-34	26885	5.0	7	4	4	5	5	6	7	13
35-49	4219	5.4	11	4	4	5	6	7	8	20
50-64	3	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	33125	5.1	7	4	4	5	5	6	8	14

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	35	4.3	1	3	4	4	5	6	6	7
35-49	7	5.0	1	3	4	5	6	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	26	6.1	7	4	4	6	7	9	11	16
20-34	268	6.5	28	4	4	5	6	9	16	29
35-49	67	8.8	68	4	5	6	9	17	22	50
50-64	0									
65 +	0									
TOTAL SINGLE DX	44	4.4	1	3	4	4	5	6	7	7
TOTAL MULTIPLE DX	361	6.9	35	4	4	5	7	10	18	37
TOTAL										
0-19 YRS	28	6.0	7	4	4	5	7	9	11	16
20-34	303	6.3	26	4	4	5	6	9	15	28
35-49	74	8.5	63	4	5	6	8	16	20	49
50-64	0									
65 +	0									
GRAND TOTAL	405	6.6	32	4	4	5	7	10	16	35

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	2.8	1	1	2	3	3	5	5	5
20-34	98	2.8	2	1	1	3	4	5	5	9
35-49	15	3.1	3	1	1	3	4	6	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	9	3.8		3	3	4	4	5	5	5
20-34	108	3.6	5	1	2	3	4	6	7	15
35-49	19	4.3	15	1	2	3	5	8	14	18
50-64	0									
65 +	0									
TOTAL SINGLE DX	121	2.8	2	1	2	3	4	5	5	8
TOTAL MULTIPLE DX	136	3.7	7	1	2	3	4	6	8	16
TOTAL										
0-19 YRS	17	3.3	1	2	3	3	4	5	5	5
20-34	206	3.2	4	1	2	3	4	5	6	13
35-49	34	3.8	10	1	2	3	5	7	9	18
50-64	0									
65 +	0									
GRAND TOTAL	257	3.3	5	1	2	3	4	5	7	15

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	76	1.5		1	1	1	2	2	3	4
20-34	33	1.4		1	1	1	2	2	2	3
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	1.5		1	1	1	2	2	2	2
20-34	33	2.2	2	1	1	2	3	4	5	7
35-49	11	2.0		1	1	2	2	3	4	4
50-64	0									
65 +	0									
TOTAL SINGLE DX	112	1.4		1	1	1	2	2	2	4
TOTAL MULTIPLE DX	52	2.1	2	1	1	2	2	4	5	7
TOTAL										
0-19 YRS	84	1.5		1	1	1	2	2	3	4
20-34	66	1.8	1	1	1	2	2	3	4	7
35-49	14	1.9	1	1	1	2	2	3	4	4
50-64	0									
65 +	0									
GRAND TOTAL	164	1.6	1	1	1	1	2	2	3	5

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	5.8	165	<1	1	2	3	17	42	48
20-34	44	5.6	25	1	2	4	7	12	14	26
35-49	6	6.2	117	<1	<1	1	5	26	28	28
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	12	8.8	172	1	2	4	7	29	44	47
20-34	70	5.7	34	1	2	4	8	11	15	33
35-49	14	8.4	36	3	5	7	9	15	23	25
50-64	0									
65 +	0									
TOTAL SINGLE DX	63	5.7	59	1	1	3	6	12	19	45
TOTAL MULTIPLE DX	96	6.5	52	1	2	5	8	14	19	41
TOTAL										
0-19 YRS	25	7.3	164	1	1	3	6	21	47	48
20-34	114	5.7	31	1	2	4	7	11	15	31
35-49	20	7.7	57	<1	2	6	9	20	26	28
50-64	0									
65 +	0									
GRAND TOTAL	159	6.2	54	1	2	4	7	13	19	46

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	438	1.7	1	<1	<1	1	2	3	3	7
20-34	3548	2.0	1	<1	<1	2	3	3	4	5
35-49	444	2.1	1	<1	1	2	3	3	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	272	2.1	3	<1	<1	2	3	4	4	10
20-34	1970	2.6	9	<1	1	2	3	4	5	10
35-49	289	2.7	3	<1	2	2	3	5	6	11
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	4431	2.0	1	<1	<1	2	3	3	4	5
TOTAL MULTIPLE DX	2532	2.5	8	<1	1	2	3	4	5	10
TOTAL										
0-19 YRS	710	1.8	2	<1	<1	1	2	3	4	9
20-34	5518	2.2	4	<1	1	2	3	3	4	7
35-49	733	2.3	2	<1	1	2	3	4	5	9
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	6963	2.2	4	<1	1	2	3	3	4	7

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	601	2.4		2	2	2	3	3	4	4
20-34	6388	2.4		2	2	2	3	3	3	4
35-49	789	2.4		1	2	2	3	3	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	797	2.8	1	2	2	3	3	4	5	9
20-34	8185	2.7	2	2	2	3	3	4	4	6
35-49	1215	2.7	4	2	2	3	3	4	4	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	7779	2.4	1	2	2	2	3	3	3	4
TOTAL MULTIPLE DX	10197	2.7	2	2	2	3	3	4	4	6
TOTAL										
0-19 YRS	1398	2.7	1	2	2	3	3	4	4	7
20-34	14573	2.6	1	2	2	3	3	3	4	5
35-49	2004	2.6	3	2	2	3	3	4	4	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	17976	2.6	2	2	2	3	3	3	4	6

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	3.3	6	<1	1	3	5	7	8	9
20-34	7	2.3	1	1	1	3	3	3	3	3
35-49	8	2.0	1	1	1	2	3	4	4	4
50-64	4	5.3	19	1	1	5	9	10	10	10
65 +	5	6.0	34	1	1	5	10	15	15	15
2. MULTIPLE DX										
0-19 YRS	20	5.5	44	2	3	3	4	14	24	28
20-34	18	2.2		1	1	2	3	3	4	4
35-49	19	7.8	259	1	1	3	6	15	47	72
50-64	21	11.9	170	1	2	9	12	29	44	53
65 +	24	9.5	51	2	3	8	16	18	20	24
TOTAL SINGLE DX	42	3.4	10	1	1	2	4	8	9	15
TOTAL MULTIPLE DX	102	7.6	111	1	2	3	9	18	25	62
TOTAL										
0-19 YRS	38	4.4	27	1	2	3	4	8	16	28
20-34	25	2.2	1	1	1	2	3	3	4	4
35-49	27	6.1	187	1	1	2	4	12	24	72
50-64	25	10.8	151	1	2	8	12	25	40	53
65 +	29	8.9	49	1	2	7	15	18	19	24
GRAND TOTAL	144	6.4	85	1	2	3	8	15	21	54

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	139	3.0	2	1	2	3	4	5	5	8
20-34	232	2.1		1	1	2	3	3	4	5
35-49	97	2.1	1	1	1	2	3	3	4	7
50-64	24	1.9		1	1	2	2	3	4	4
65 +	3	4.3	24	1	1	2	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	194	4.0	27	2	2	3	4	6	9	27
20-34	213	2.9	2	1	2	3	3	5	6	8
35-49	97	2.8	3	1	2	2	3	5	5	13
50-64	20	3.4	14	1	1	3	4	6	12	18
65 +	8	4.9	25	1	2	3	6	14	16	16
TOTAL SINGLE DX	495	2.4	2	1	2	2	3	4	5	7
TOTAL MULTIPLE DX	532	3.3	13	1	2	3	4	5	7	15
TOTAL										
0-19 YRS	333	3.6	17	2	2	3	4	6	7	13
20-34	445	2.5	2	1	2	2	3	4	5	7
35-49	194	2.4	3	1	2	2	3	4	5	10
50-64	44	2.6	7	1	1	2	3	4	5	18
65 +	11	4.7	23	1	2	2	7	12	16	16
GRAND TOTAL	1027	2.9	8	1	2	2	3	5	6	11

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	2.3	1	1	1	2	3	4	5	6
20-34	77	2.6	1	1	1	2	3	5	5	6
35-49	18	3.2	1	1	2	3	4	5	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	101	3.5	7	1	2	3	4	7	11	13
20-34	160	4.8	17	1	2	4	6	9	12	25
35-49	47	7.5	64	2	3	5	8	15	28	41
50-64	11	5.9	3	3	5	6	7	8	9	9
65 +	10	12.7	472	2	4	6	8	43	74	74
TOTAL SINGLE DX	159	2.5	2	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	329	5.1	36	1	2	4	6	10	13	28
TOTAL										
0-19 YRS	162	3.1	6	1	2	2	4	6	7	13
20-34	237	4.1	14	1	2	3	5	8	11	23
35-49	65	6.3	51	2	3	4	7	13	19	40
50-64	12	5.5	5	2	4	6	7	8	9	9
65 +	12	10.9	404	1	3	5	8	31	68	74
GRAND TOTAL	488	4.3	27	1	2	3	5	8	11	26

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	2.5	4	1	1	2	3	6	7	10
20-34	119	2.8	4	1	1	2	4	6	8	10
35-49	47	2.5	4	1	1	2	3	6	7	12
50-64	8	2.0	2	1	1	2	3	4	5	5
65 +	2	1.0	-	1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	129	5.9	32	1	2	4	7	12	16	37
20-34	285	6.0	39	1	2	4	8	13	17	42
35-49	103	6.2	36	2	3	4	8	13	19	69
50-64	50	6.2	24	1	3	5	9	13	18	19
65 +	38	11.4	309	1	2	6	12	38	76	99 +
TOTAL SINGLE DX	213	2.7	4	1	1	2	3	6	7	11
TOTAL MULTIPLE DX	605	6.4	54	1	2	4	8	13	19	50
TOTAL										
0-19 YRS	166	5.1	28	1	2	4	6	11	14	34
20-34	404	5.1	31	1	2	3	6	11	14	29
35-49	150	5.0	30	1	2	4	6	11	17	43
50-64	58	5.7	23	1	2	4	7	13	18	19
65 +	40	10.9	299	1	2	5	12	32	75	99 +
GRAND TOTAL	818	5.4	44	1	2	4	7	12	16	44

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	2.6	1	1	1	2	4	4	5	5
20-34	6	1.5		<1	1	1	2	3	3	3
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	8	1.1		<1	1	1	1	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	26	4.6	29	1	2	3	4	8	13	29
20-34	22	5.1	82	1	1	3	5	9	24	44
35-49	9	4.1	17	<1	1	3	5	11	14	14
50-64	13	3.6	22	1	1	1	4	13	15	15
65 +	5	9.8	107	1	2	4	20	23	23	23
TOTAL SINGLE DX	35	1.9	1	1	1	1	3	4	4	5
TOTAL MULTIPLE DX	75	4.9	47	1	1	3	5	10	18	40
TOTAL										
0-19 YRS	41	3.9	20	1	2	3	4	7	8	29
20-34	28	4.4	68	1	1	2	4	8	13	44
35-49	14	3.1	13	<1	1	2	4	8	13	14
50-64	21	2.7	15	1	1	1	2	8	13	15
65 +	6	8.3	99	1	1	3	19	23	23	23
GRAND TOTAL	110	3.9	34	1	1	2	4	8	14	35

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	76	5.3	12	2	3	5	6	9	11	24
20-34	11	8.1	62	2	3	5	9	21	27	28
35-49	5	5.2	9	2	3	4	8	9	9	9
50-64	2	9.0	18	6	6	9	12	12	12	12
65 +	0									
2. MULTIPLE DX										
0-19 YRS	200	6.0	11	3	4	5	7	9	12	22
20-34	14	10.4	203	4	5	6	8	18	50	59
35-49	12	8.1	72	2	4	5	8	20	31	33
50-64	8	6.8	13	2	3	7	9	12	12	12
65 +	6	16.2	178	4	9	12	20	39	41	41
TOTAL SINGLE DX	94	5.7	19	2	3	5	7	9	12	28
TOTAL MULTIPLE DX	240	6.6	32	3	4	5	7	11	13	34
TOTAL										
0-19 YRS	276	5.8	12	3	4	5	7	9	12	22
20-34	25	9.4	138	3	4	6	9	17	36	59
35-49	17	7.2	54	2	4	5	8	13	26	33
50-64	10	7.2	13	2	4	7	11	12	12	12
65 +	6	16.2	178	4	9	12	20	39	41	41
GRAND TOTAL	334	6.3	28	3	4	5	7	10	13	29

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	121	3.6	6	1	2	3	5	7	9	13
20-34	54	3.0	5	1	1	2	4	6	9	10
35-49	63	4.0	7	1	2	3	5	8	9	15
50-64	57	4.2	9	1	2	4	5	8	11	16
65 +	15	3.5	18	1	1	2	3	7	15	18
2. MULTIPLE DX										
0-19 YRS	179	5.6	26	1	3	4	7	12	16	27
20-34	77	4.5	28	1	2	3	5	10	12	35
35-49	73	7.0	79	1	2	4	8	21	29	42
50-64	122	5.6	25	2	3	4	7	12	15	26
65 +	46	11.9	230	1	3	6	13	33	57	59
TOTAL SINGLE DX	310	3.7	8	1	2	3	5	7	9	14
TOTAL MULTIPLE DX	497	6.2	56	1	3	4	7	13	20	42
TOTAL										
0-19 YRS	300	4.8	19	1	2	4	6	9	13	22
20-34	131	3.9	20	1	1	3	5	8	11	23
35-49	136	5.6	48	1	2	4	6	11	21	40
50-64	179	5.2	21	1	3	4	6	11	14	25
65 +	61	9.8	190	1	2	4	11	27	49	59
GRAND TOTAL	807	5.2	39	1	2	4	6	10	15	35

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	2.1	1	<1	1	2	3	3	4	6
20-34	87	1.8	1	<1	<1	1	2	4	4	5
35-49	108	1.9	1	<1	<1	2	2	3	4	6
50-64	86	2.0	1	<1	1	2	3	4	4	6
65+	26	2.2	2	<1	1	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	80	1.9	1	<1	1	2	2	4	4	5
20-34	196	2.0	3	<1	<1	1	2	3	4	11
35-49	352	2.1	2	<1	1	2	3	4	5	6
50-64	379	2.3	2	<1	1	2	3	4	5	8
65+	268	3.2	24	1	1	2	4	5	7	21
TOTAL SINGLE DX	351	1.9	1	<1	1	2	3	4	4	6
TOTAL MULTIPLE DX	1275	2.4	7	<1	1	2	3	4	5	9
TOTAL										
0-19 YRS	124	2.0	1	<1	1	2	2	4	4	6
20-34	283	1.9	3	<1	<1	1	2	3	4	8
35-49	460	2.0	2	<1	1	2	3	4	4	6
50-64	465	2.3	3	<1	1	2	3	4	5	7
65+	294	3.1	22	1	1	2	4	5	7	20
GRAND TOTAL	1626	2.3	6	<1	1	2	3	4	5	8

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	91	3.1	16	1	1	2	4	5	7	28
20-34	25	3.6	7	1	2	3	5	8	9	10
35-49	16	2.9	4	1	1	2	3	7	8	9
50-64	14	4.5	11	2	2	3	6	11	12	12
65+	4	3.5	9	<1	1	2	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	48	14.5	385	2	3	6	16	46	63	87
20-34	33	14.2	234	1	4	12	21	31	71	99+
35-49	36	16.4	465	1	2	5	25	60	69	99+
50-64	23	15.6	392	1	2	7	28	53	75	99+
65+	56	21.2	378	3	8	15	27	54	71	99
TOTAL SINGLE DX	150	3.3	13	1	1	2	4	7	9	22
TOTAL MULTIPLE DX	196	16.9	374	1	3	10	24	52	68	99+
TOTAL										
0-19 YRS	139	7.0	172	1	1	3	5	16	33	67
20-34	58	9.7	163	1	2	5	14	24	35	98
35-49	52	12.3	361	1	2	4	14	50	65	99
50-64	37	11.4	274	1	2	5	12	49	60	99+
65+	60	20.1	373	3	8	14	26	54	71	98
GRAND TOTAL	346	11.0	263	1	2	4	13	34	54	99+

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	373	2.7	10	1	1	2	3	5	8	22
20-34	354	2.6	9	1	1	2	3	5	7	16
35-49	257	2.8	6	1	1	2	3	5	8	12
50-64	139	3.4	12	1	1	2	4	8	10	14
65+	81	4.3	12	1	2	3	7	9	11	16
2. MULTIPLE DX										
0-19 YRS	236	7.1	88	1	2	3	9	19	28	46
20-34	401	6.2	68	1	2	3	7	14	25	43
35-49	398	7.1	113	1	1	3	8	18	32	73
50-64	437	9.7	171	1	2	5	12	25	40	77
65+	463	12.0	185	1	3	7	16	32	41	80
TOTAL SINGLE DX	1204	2.9	10	1	1	2	3	6	8	16
TOTAL MULTIPLE DX	1935	8.7	136	1	2	4	10	23	35	66
TOTAL										
0-19 YRS	609	4.4	45	1	1	2	4	10	18	35
20-34	755	4.5	44	1	1	2	5	10	16	38
35-49	655	5.4	76	1	1	2	5	13	22	54
50-64	576	8.2	140	1	2	4	9	23	34	68
65+	544	10.8	167	1	2	6	14	28	40	80
GRAND TOTAL	3139	6.4	96	1	1	3	7	16	27	57

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	254	4.5	17	1	2	3	6	8	10	26
20-34	12	3.8	4	1	2	4	5	7	7	7
35-49	14	5.6	8	2	3	6	8	9	11	11
50-64	11	8.8	107	2	4	6	9	24	37	38
65+	33	10.6	38	3	7	9	12	17	22	34
2. MULTIPLE DX										
0-19 YRS	133	8.9	111	2	3	5	10	24	33	55
20-34	36	13.7	145	3	7	10	16	37	44	45
35-49	30	14.7	160	3	7	11	20	33	40	58
50-64	53	12.8	154	4	5	9	15	27	35	65
65+	363	18.8	222	7	10	15	22	39	61	99+
TOTAL SINGLE DX	324	5.3	25	1	2	4	6	10	13	32
TOTAL MULTIPLE DX	615	15.6	201	3	7	12	19	33	47	89
TOTAL										
0-19 YRS	387	6.0	54	1	2	4	6	11	21	40
20-34	48	11.3	128	2	4	8	13	27	42	45
35-49	44	11.8	129	3	5	9	13	27	39	58
50-64	64	12.1	147	4	4	8	14	27	37	64
65+	396	18.1	213	7	10	14	21	37	55	99+
GRAND TOTAL	939	12.1	165	2	4	8	15	27	39	75

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	92	4.1	26	1	1	2	4	9	18	25
20-34	100	3.4	30	<1	1	2	4	7	8	32
35-49	44	3.6	13	1	1	3	4	6	12	20
50-64	18	4.6	14	1	2	4	6	11	14	14
65 +	17	6.1	55	1	2	4	7	12	25	32
2. MULTIPLE DX										
0-19 YRS	118	3.6	17	1	1	2	4	8	12	26
20-34	88	6.3	64	1	2	3	8	14	26	39
35-49	58	6.1	76	1	2	4	6	13	20	48
50-64	56	6.9	44	2	3	5	9	15	19	96
65 +	68	14.3	214	2	4	11	18	33	43	71
TOTAL SINGLE DX	271	3.9	27	1	1	2	4	8	13	25
TOTAL MULTIPLE DX	388	7.0	87	1	2	3	8	17	26	52
TOTAL										
0-19 YRS	210	3.8	21	1	1	2	4	8	15	25
20-34	188	4.8	48	1	1	3	5	10	15	39
35-49	102	5.0	50	1	2	3	5	10	17	46
50-64	74	6.3	38	1	2	5	8	14	17	85
65 +	85	12.6	192	1	3	8	17	30	41	69
GRAND TOTAL	659	5.7	65	1	2	3	6	13	20	44

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	237	2.2	19	<1	1	1	2	3	4	28
20-34	293	1.9	3	<1	1	1	2	3	4	9
35-49	146	1.9	3	<1	1	1	2	4	5	10
50-64	101	2.3	7	<1	1	1	2	4	6	18
65 +	71	3.2	18	<1	1	2	4	6	9	28
2. MULTIPLE DX										
0-19 YRS	342	3.3	64	<1	1	1	3	5	10	50
20-34	195	3.6	34	1	1	2	3	7	12	36
35-49	147	5.6	71	1	1	3	5	14	24	44
50-64	123	6.2	149	1	1	3	6	11	30	96
65 +	220	11.9	267	1	3	6	15	30	51	86
TOTAL SINGLE DX	848	2.1	10	<1	1	1	2	4	5	14
TOTAL MULTIPLE DX	1027	5.9	124	1	1	2	5	14	25	72
TOTAL										
0-19 YRS	579	2.9	46	<1	1	1	2	4	8	44
20-34	488	2.6	16	<1	1	1	3	4	7	22
35-49	293	3.8	41	<1	1	2	4	8	14	43
50-64	224	4.4	89	1	1	2	4	8	14	64
65 +	291	9.8	221	1	2	4	12	22	41	82
GRAND TOTAL	1875	4.2	76	<1	1	2	4	8	16	50

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	68	12.0	137	3	4	7	17	27	37	55
20-34	11	6.6	7	2	5	8	9	10	10	10
35-49	16	6.5	11	2	4	6	9	10	13	14
50-64	16	6.5	5	3	5	7	8	10	11	11
65 +	39	10.7	60	3	6	9	13	18	30	38
2. MULTIPLE DX										
0-19 YRS	76	15.4	178	4	6	12	19	33	46	69
20-34	59	14.1	163	4	8	11	15	25	41	71
35-49	22	17.1	254	6	8	11	25	44	86	99 +
50-64	54	12.9	122	5	7	11	15	23	27	76
65 +	454	20.3	258	7	11	15	25	45	68	99 +
TOTAL SINGLE DX	150	10.1	85	3	5	7	12	21	34	44
TOTAL MULTIPLE DX	665	18.4	236	6	9	14	22	41	58	99 +
TOTAL										
0-19 YRS	144	13.8	160	3	5	9	18	31	42	58
20-34	70	12.9	146	4	7	10	14	23	39	70
35-49	38	12.7	177	4	6	9	14	27	59	99 +
50-64	70	11.4	103	4	6	9	13	20	24	69
65 +	493	19.5	250	7	10	15	24	44	62	99 +
GRAND TOTAL	815	16.9	219	5	8	13	20	36	51	99 +

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	76	6.8	23	2	4	6	8	12	15	28
20-34	56	8.3	19	4	5	7	11	14	16	26
35-49	69	7.8	19	3	4	7	10	12	16	24
50-64	89	9.5	18	5	7	9	11	14	16	26
65 +	304	13.6	49	7	9	12	17	22	28	36
2. MULTIPLE DX										
0-19 YRS	120	13.7	139	5	7	11	16	23	32	75
20-34	197	17.7	173	7	9	14	21	38	50	86
35-49	169	16.2	171	7	9	13	20	31	48	99
50-64	437	17.2	207	7	9	12	19	35	54	99 +
65 +	3956	20.6	194	9	12	16	25	41	57	99 +
TOTAL SINGLE DX	594	10.9	43	4	6	10	14	19	24	33
TOTAL MULTIPLE DX	4879	19.8	195	8	11	16	24	40	56	99 +
TOTAL										
0-19 YRS	196	11.0	105	3	5	8	14	20	28	58
20-34	253	15.6	155	6	8	12	18	29	46	72
35-49	238	13.8	141	5	7	10	16	27	37	96
50-64	526	15.9	183	7	9	12	17	32	47	99 +
65 +	4260	20.1	187	9	12	16	25	40	55	99 +
GRAND TOTAL	5473	18.9	186	7	10	15	23	38	53	99 +

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	164	8.1	80	1	2	4	12	23	26	36
20-34	6	4.8	3	3	3	5	6	7	7	7
35-49	4	11.8	95	5	5	8	18	26	26	26
50-64	5	12.2	67	3	5	14	17	24	24	24
65 +	5	11.0	114	3	3	6	18	28	28	28
2. MULTIPLE DX										
0-19 YRS	141	15.5	220	2	4	11	26	33	38	80
20-34	19	13.6	128	3	5	11	18	29	41	46
35-49	9	16.0	95	4	10	15	21	31	33	33
50-64	15	30.5	741	6	11	20	53	95	99	99 +
65 +	106	19.2	342	3	6	12	24	45	64	80
TOTAL SINGLE DX	184	8.3	78	1	2	4	12	23	26	36
TOTAL MULTIPLE DX	290	17.5	291	2	5	12	24	38	51	88
TOTAL										
0-19 YRS	305	11.5	158	1	2	6	19	28	35	50
20-34	25	11.5	112	3	4	7	17	21	38	46
35-49	13	14.7	92	4	6	15	21	29	32	33
50-64	20	25.9	627	5	10	17	41	82	99	99 +
65 +	111	18.8	334	3	6	12	23	45	63	79
GRAND TOTAL	**474**	**13.9**	**228**	**2**	**3**	**9**	**21**	**33**	**44**	**78**

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	208	2.4	8	1	1	1	2	5	8	14
20-34	106	2.7	7	<1	1	2	4	5	8	16
35-49	80	3.1	21	1	1	2	3	6	9	30
50-64	55	2.6	6	1	1	2	3	6	7	15
65 +	38	2.1	2	1	1	2	2	5	6	8
2. MULTIPLE DX										
0-19 YRS	63	5.6	54	1	1	3	6	16	23	37
20-34	82	6.6	51	1	2	4	8	14	21	36
35-49	81	9.1	117	1	3	5	11	22	29	61
50-64	60	9.1	166	1	2	5	8	24	47	53
65 +	132	9.3	200	1	2	4	10	20	33	78
TOTAL SINGLE DX	487	2.6	9	1	1	2	3	5	8	15
TOTAL MULTIPLE DX	418	8.1	129	1	2	4	9	19	31	67
TOTAL										
0-19 YRS	271	3.1	21	1	1	2	3	6	12	25
20-34	188	4.4	30	1	1	2	5	10	15	32
35-49	161	6.1	78	1	2	3	7	16	23	38
50-64	115	6.0	100	1	1	3	5	10	24	51
65 +	170	7.7	165	1	2	3	8	16	28	75
GRAND TOTAL	**905**	**5.1**	**72**	**1**	**1**	**2**	**5**	**12**	**18**	**47**

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	869	2.7	5	1	1	2	3	5	6	10
20-34	1025	3.3	5	1	2	3	4	6	7	12
35-49	887	3.7	11	1	2	3	5	7	9	16
50-64	622	4.4	14	1	2	4	5	8	11	19
65 +	317	5.5	19	2	3	4	7	10	14	19
2. MULTIPLE DX										
0-19 YRS	405	5.0	26	1	2	3	6	11	15	28
20-34	938	7.3	89	2	3	4	8	15	23	54
35-49	793	7.3	75	2	3	5	9	16	24	55
50-64	786	8.4	103	2	3	5	9	17	24	56
65 +	1100	10.6	116	3	4	7	13	23	31	75
TOTAL SINGLE DX	3720	3.6	10	1	2	3	4	7	9	16
TOTAL MULTIPLE DX	4022	8.2	93	2	3	5	10	17	25	59
TOTAL										
0-19 YRS	1274	3.4	13	1	1	2	4	6	10	20
20-34	1963	5.2	50	1	2	3	6	10	15	37
35-49	1680	5.4	45	1	2	4	6	11	16	35
50-64	1408	6.7	68	2	3	4	7	13	20	45
65 +	1417	9.4	99	2	4	6	11	20	29	70
GRAND TOTAL	**7742**	**6.0**	**58**	**1**	**2**	**4**	**7**	**13**	**18**	**41**

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1330	2.1	9	1	1	1	2	4	6	18
20-34	328	2.9	10	1	1	2	3	5	8	15
35-49	260	2.9	5	1	1	2	4	7	8	12
50-64	210	3.1	7	1	1	2	4	7	9	13
65 +	179	4.2	28	1	2	3	5	9	13	23
2. MULTIPLE DX										
0-19 YRS	420	5.0	53	1	1	2	5	12	18	38
20-34	309	6.8	66	1	2	4	8	15	23	40
35-49	253	6.6	82	1	2	4	7	15	27	88
50-64	297	7.1	90	1	2	4	8	17	25	44
65 +	732	11.6	209	2	3	7	14	28	46	99 +
TOTAL SINGLE DX	2307	2.6	11	1	1	1	3	5	8	16
TOTAL MULTIPLE DX	2011	8.2	128	1	2	4	10	19	30	73
TOTAL										
0-19 YRS	1750	2.8	21	1	1	1	3	6	10	22
20-34	637	4.8	42	1	1	3	5	11	16	34
35-49	513	4.7	47	1	1	3	5	10	15	39
50-64	507	5.5	60	1	2	3	6	12	19	34
65 +	911	10.2	182	1	3	6	12	23	40	98
GRAND TOTAL	**4318**	**5.2**	**73**	**1**	**1**	**2**	**5**	**12**	**19**	**51**

213 Hospitals, Northeastern Region, January-December 1989, by Operation

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	4.9	24	<1	1	3	6	14	16	21
20-34	10	7.9	77	2	4	6	7	20	32	32
35-49	3	3.7	14	1	1	2	6	8	8	8
50-64	10	7.2	100	<1	2	3	7	23	34	34
65 +	49	4.7	20	1	1	3	6	10	15	19
2. MULTIPLE DX										
0-19 YRS	71	7.4	48	<1	3	4	11	17	19	32
20-34	33	7.5	49	2	3	5	9	16	20	36
35-49	11	8.3	30	3	4	7	12	17	20	20
50-64	19	11.9	186	<1	1	3	23	32	38	42
65 +	94	12.7	283	1	2	7	16	25	34	93
TOTAL SINGLE DX	143	5.1	31	1	1	3	7	12	16	32
TOTAL MULTIPLE DX	228	10.0	161	1	3	6	14	21	30	87
TOTAL										
0-19 YRS	142	6.1	37	<1	2	4	8	16	18	30
20-34	43	7.6	54	2	3	6	9	16	25	36
35-49	14	7.3	29	2	3	6	8	15	19	20
50-64	29	10.3	157	<1	2	3	18	32	35	42
65 +	143	9.9	207	1	2	5	14	20	28	90
GRAND TOTAL	371	8.1	116	1	2	4	10	19	25	46

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	90	2.0	8	<1	1	1	2	4	5	20
20-34	117	1.8	1	<1	1	1	3	3	4	6
35-49	54	2.2	5	<1	1	1	2	4	5	14
50-64	30	1.7	1	1	1	1	2	4	4	4
65 +	26	2.4	7	1	1	2	2	5	8	14
2. MULTIPLE DX										
0-19 YRS	46	3.2	14	1	1	2	4	7	9	20
20-34	70	3.8	18	1	1	2	5	9	13	22
35-49	53	4.4	39	1	1	2	5	9	13	33
50-64	43	6.2	155	<1	2	4	6	10	14	83
65 +	91	10.5	190	1	2	6	12	25	43	70
TOTAL SINGLE DX	317	2.0	5	<1	1	1	2	4	5	14
TOTAL MULTIPLE DX	303	6.2	101	1	1	3	6	14	22	63
TOTAL										
0-19 YRS	136	2.4	11	<1	1	1	2	4	7	21
20-34	187	2.6	9	<1	1	2	3	5	7	18
35-49	107	3.3	23	<1	1	2	3	6	11	32
50-64	73	4.3	96	1	1	2	4	8	12	67
65 +	117	8.7	161	1	2	4	11	22	34	69
GRAND TOTAL	620	4.0	56	1	1	2	4	9	14	38

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	192	4.4	27	1	1	3	5	10	16	27
20-34	150	2.7	8	<1	1	2	3	5	7	17
35-49	77	2.6	5	1	1	2	3	7	7	12
50-64	47	2.9	5	1	1	2	4	7	9	10
65 +	21	7.6	166	1	2	4	7	15	36	61
2. MULTIPLE DX										
0-19 YRS	209	5.7	43	1	1	3	8	15	21	31
20-34	195	4.2	34	1	1	2	5	10	15	32
35-49	132	5.7	70	1	1	3	6	13	21	67
50-64	116	12.1	261	1	2	5	17	40	65	99 +
65 +	160	21.3	459	3	5	13	33	56	77	99 +
TOTAL SINGLE DX	487	3.6	23	1	1	2	4	8	11	23
TOTAL MULTIPLE DX	812	9.3	199	1	2	4	10	26	45	90
TOTAL										
0-19 YRS	401	5.1	36	1	1	3	6	13	18	28
20-34	345	3.6	24	<1	1	2	4	7	13	23
35-49	209	4.6	48	1	1	3	5	10	14	55
50-64	163	9.4	205	1	2	3	12	31	48	99 +
65 +	181	19.7	443	2	4	11	29	55	72	99 +
GRAND TOTAL	1299	7.2	141	1	1	3	7	18	33	77

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	8	1.5	1	1	1	1	2	3	4	4
35-49	5	3.0	4	1	2	2	4	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	0									
TOTAL SINGLE DX	13	2.1	3	1	1	1	3	5	6	6
TOTAL MULTIPLE DX	3	2.0	1	1	1	2	3	3	3	3
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	1.5	1	1	1	1	2	3	4	4
35-49	7	2.7	3	1	1	2	4	6	6	6
50-64	0									
65 +	0									
GRAND TOTAL	16	2.1	2	1	1	2	3	4	5	6

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	4.7	11	2	3	4	6	8	11	20
20-34	1236	4.8	11	2	3	4	6	8	11	19
35-49	1779	5.1	12	2	3	4	6	9	12	19
50-64	610	5.4	11	2	3	5	7	9	12	18
65 +	120	6.8	20	3	4	5	8	12	17	23
2. MULTIPLE DX										
0-19 YRS	18	13.2	330	2	4	8	20	59	90	99 +
20-34	457	7.3	32	3	4	6	8	13	17	29
35-49	1084	6.9	28	3	4	5	8	13	16	29
50-64	739	8.9	53	3	4	7	11	18	24	37
65 +	561	12.8	156	4	6	9	14	27	38	75
TOTAL SINGLE DX	3807	5.1	13	2	[illegible]	4	6	9	12	19
TOTAL MULTIPLE DX	2859	8.7	67	3	4	6	10	16	24	46
TOTAL										
0-19 YRS	80	6.7	93	2	3	4	7	12	23	93
20-34	1693	5.5	18	2	3	4	6	10	13	22
35-49	2863	5.8	19	2	3	5	7	10	14	25
50-64	1349	7.3	38	3	4	6	8	14	19	32
65 +	681	11.8	137	4	5	8	13	24	35	73
GRAND TOTAL	6666	6.6	39	2	3	5	8	12	17	32

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	1.5	1	<1	1	1	2	3	3	7
20-34	110	1.4		<1	<1	1	2	3	3	5
35-49	85	1.4		<1	<1	1	2	3	3	5
50-64	42	1.6	2	<1	<1	1	1	4	5	7
65 +	8	2.3	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	103	2.2	2	<1	1	2	3	4	5	7
20-34	345	2.1	2	<1	1	1	3	4	5	7
35-49	218	1.9	3	<1	1	1	2	4	5	11
50-64	213	2.4	13	<1	1	1	2	4	6	24
65 +	131	3.3	27	<1	1	1	3	7	14	32
TOTAL SINGLE DX	291	1.5	1	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	1010	2.3	8	<1	1	1	3	4	6	15
TOTAL										
0-19 YRS	149	2.0	2	<1	1	1	3	4	5	7
20-34	455	2.0	2	<1	1	1	3	4	5	7
35-49	303	1.8	3	<1	<1	1	2	3	4	10
50-64	255	2.3	12	<1	<1	1	2	4	6	22
65 +	139	3.2	26	<1	1	1	3	7	12	31
GRAND TOTAL	1301	2.1	7	<1	1	1	2	4	5	14

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	84	2.0	5	<1	<1	1	2	3	4	14
20-34	119	1.7	2	<1	<1	1	2	3	5	11
35-49	53	2.2	4	<1	<1	2	3	4	5	15
50-64	34	3.2	23	<1	1	2	3	8	11	27
65 +	8	3.4	22	<1	<1	2	3	11	15	15
2. MULTIPLE DX										
0-19 YRS	90	3.3	23	<1	1	2	3	6	14	27
20-34	153	2.7	17	<1	1	2	3	5	7	15
35-49	115	2.7	12	<1	1	1	3	5	11	21
50-64	69	3.3	24	<1	1	1	3	8	15	26
65 +	60	10.1	170	1	1	4	14	35	42	95
TOTAL SINGLE DX	298	2.1	7	<1	<1	1	2	4	5	15
TOTAL MULTIPLE DX	487	3.8	43	<1	1	2	3	8	15	42
TOTAL										
0-19 YRS	174	2.7	15	<1	1	1	3	5	9	22
20-34	272	2.3	11	<1	<1	1	3	4	6	15
35-49	168	2.6	10	<1	1	1	3	5	8	20
50-64	103	3.3	24	<1	1	2	3	8	13	26
65 +	68	9.3	157	1	1	3	13	33	42	91
GRAND TOTAL	785	3.2	30	<1	1	1	3	6	13	33

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	2.4	6	<1	1	1	3	6	9	13
20-34	114	1.9	5	<1	<1	1	2	4	6	15
35-49	95	2.1	5	<1	1	1	2	4	7	14
50-64	44	2.5	9	<1	<1	1	2	5	10	16
65 +	24	2.8	5	<1	<1	2	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	75	4.5	63	<1	1	1	3	13	28	39
20-34	174	3.5	35	<1	1	1	3	8	13	36
35-49	177	3.9	39	<1	1	2	3	10	14	35
50-64	153	6.2	76	1	1	3	7	16	21	47
65 +	141	11.4	218	1	2	5	14	35	53	99 +
TOTAL SINGLE DX	349	2.2	6	<1	<1	1	2	5	7	14
TOTAL MULTIPLE DX	720	5.8	92	<1	1	2	5	15	27	53
TOTAL										
0-19 YRS	147	3.5	37	<1	1	1	3	7	14	33
20-34	288	2.9	24	<1	<1	1	2	6	9	27
35-49	272	3.3	29	<1	1	1	3	7	14	30
50-64	197	5.4	64	1	1	2	5	14	19	43
65 +	165	10.2	197	1	2	4	13	31	50	96
GRAND TOTAL	1069	4.6	67	<1	1	2	4	12	20	48

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	131	8.0	7	5	7	8	9	10	11	20
20-34	60	6.9	8	4	5	7	8	11	13	15
35-49	78	5.9	15	2	4	5	7	9	12	26
50-64	30	6.8	30	3	4	5	8	14	18	28
65+	6	15.7	408	4	5	5	20	51	55	55
2. MULTIPLE DX										
0-19 YRS	327	11.2	49	6	7	9	12	19	24	47
20-34	108	13.6	223	5	7	9	14	25	37	99
35-49	156	9.8	61	4	6	8	11	20	26	97
50-64	101	13.6	264	4	5	8	14	27	52	90
65+	76	18.0	287	5	8	11	22	37	62	96
TOTAL SINGLE DX	305	7.3	20	3	5	7	8	10	13	24
TOTAL MULTIPLE DX	768	12.2	133	5	7	9	13	22	33	93
TOTAL										
0-19 YRS	458	10.3	40	6	7	9	11	17	22	37
20-34	168	11.2	157	4	6	8	12	17	32	97
35-49	234	8.5	49	3	5	7	9	17	22	72
50-64	131	12.0	218	3	4	7	12	25	40	84
65+	82	17.8	292	5	8	11	22	40	61	95
GRAND TOTAL	1073	10.8	106	4	6	8	11	20	28	79

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	3.1	5	1	1	3	4	7	8	10
20-34	75	2.8	3	1	1	3	4	6	6	9
35-49	56	3.4	4	1	2	3	5	6	7	13
50-64	75	3.4	4	1	2	3	4	6	7	12
65+	20	3.5	4	1	2	4	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	74	4.0	9	1	2	3	5	8	10	15
20-34	112	4.3	24	1	2	3	5	7	9	32
35-49	99	4.4	29	1	2	3	5	7	12	34
50-64	124	5.3	79	1	2	3	5	9	17	44
65+	75	8.2	134	1	2	4	8	21	31	67
TOTAL SINGLE DX	261	3.2	4	1	2	3	4	6	7	10
TOTAL MULTIPLE DX	484	5.1	56	1	2	3	5	9	16	41
TOTAL										
0-19 YRS	109	3.7	8	1	2	3	4	7	9	15
20-34	187	3.7	17	1	2	3	4	7	8	22
35-49	155	4.0	20	1	2	3	5	7	9	24
50-64	199	4.6	52	1	2	3	5	7	11	28
65+	95	7.2	110	1	2	4	7	16	26	62
GRAND TOTAL	745	4.5	38	1	2	3	5	7	11	28

735: Total hip replacement (81.51; 81.59*) *(pre-October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	18.0	36	12	13	18	22	24	24	24
20-34	19	8.5	6	6	6	8	11	12	13	14
35-49	55	9.0	8	6	7	9	10	13	15	19
50-64	227	10.0	10	6	8	10	11	14	15	23
65+	324	11.6	18	8	9	11	14	16	19	27
2. MULTIPLE DX										
0-19 YRS	5	11.4	31	7	8	8	15	20	20	20
20-34	47	10.7	27	6	7	9	12	20	26	99+
35-49	158	12.4	104	7	8	10	13	19	25	66
50-64	695	12.8	62	7	9	11	14	20	27	60
65+	2464	15.7	108	8	10	13	17	27	38	72
TOTAL SINGLE DX	628	10.7	16	7	8	10	12	15	17	25
TOTAL MULTIPLE DX	3369	14.9	100	8	10	12	16	25	35	69
TOTAL										
0-19 YRS	8	13.9	40	7	8	13	19	23	24	24
20-34	66	10.0	22	6	7	9	12	16	22	88
35-49	213	11.5	81	6	8	10	12	16	21	65
50-64	922	12.1	52	7	9	10	13	18	25	56
65+	2788	15.2	100	8	10	12	16	25	36	69
GRAND TOTAL	3997	14.2	89	8	9	12	15	23	32	65

736: Other arthroplasty of hip (81.40; 81.52-81.53; 81.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	5.8	9	2	4	5	7	11	11	11
20-34	5	10.4	78	5	6	6	13	26	26	26
35-49	8	11.4	7	8	9	12	14	15	15	15
50-64	45	10.2	13	7	8	10	12	15	16	23
65+	197	12.9	20	8	10	12	15	19	20	28
2. MULTIPLE DX										
0-19 YRS	12	7.3	22	3	4	6	9	15	18	18
20-34	12	8.8	21	5	6	7	10	16	19	20
35-49	33	13.0	57	7	8	12	15	21	30	40
50-64	173	16.6	142	8	10	13	20	31	39	86
65+	2149	20.0	181	9	12	16	24	39	53	99+
TOTAL SINGLE DX	261	12.1	21	7	9	11	14	18	20	28
TOTAL MULTIPLE DX	2379	19.5	178	9	11	16	23	37	52	99+
TOTAL										
0-19 YRS	18	6.8	18	2	4	6	9	13	16	18
20-34	17	9.3	35	5	6	6	10	19	24	26
35-49	41	12.7	48	7	8	12	14	19	28	40
50-64	218	15.3	123	7	9	12	17	27	34	81
65+	2346	19.4	172	9	12	15	23	37	51	99+
GRAND TOTAL	2640	18.8	167	9	11	15	22	35	49	99+

737: Total knee replacement (81.41; 81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	12.3	2	11	11	12	13	14	14	14
35-49	14	9.7	10	6	7	9	12	15	16	16
50-64	187	10.3	10	7	8	10	12	15	16	21
65+	297	11.6	24	7	9	11	13	16	18	24
2. MULTIPLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	11	10.7	11	7	9	9	13	16	17	17
35-49	44	14.7	86	9	10	12	16	22	33	58
50-64	582	11.8	28	7	9	11	13	17	21	30
65+	2005	13.7	60	8	10	12	15	20	26	49
TOTAL SINGLE DX	501	11.0	19	7	8	10	13	16	17	23
TOTAL MULTIPLE DX	2643	13.3	54	8	10	12	15	19	24	47
TOTAL										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	14	11.1	9	8	9	10	14	15	17	17
35-49	58	13.5	72	7	9	11	15	21	32	56
50-64	769	11.4	25	7	9	10	13	16	19	30
65+	2302	13.4	56	8	10	12	15	19	24	47
GRAND TOTAL	3144	12.9	49	8	9	11	15	19	23	45

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	300	2.9	1	1	2	3	4	4	5	6
20-34	475	3.1	2	1	2	3	4	5	6	7
35-49	103	3.8	5	2	2	3	5	6	8	14
50-64	29	4.5	13	1	2	4	6	8	10	19
65+	19	8.1	30	3	5	7	9	15	22	26
2. MULTIPLE DX										
0-19 YRS	319	3.3	4	1	2	3	4	5	7	13
20-34	599	3.5	7	1	2	3	4	6	7	13
35-49	208	3.7	10	1	2	3	5	7	9	17
50-64	70	6.6	34	1	2	5	9	13	15	32
65+	108	11.0	58	4	7	10	14	19	22	45
TOTAL SINGLE DX	926	3.3	4	1	2	3	4	5	6	9
TOTAL MULTIPLE DX	1304	4.3	17	1	2	3	5	8	12	20
TOTAL										
0-19 YRS	619	3.1	3	1	2	3	4	5	6	10
20-34	1074	3.3	5	1	2	3	4	5	6	11
35-49	311	3.7	9	1	2	3	5	7	8	14
50-64	99	6.0	29	1	2	5	8	12	15	30
65+	127	10.6	55	4	6	9	13	18	23	41
GRAND TOTAL	2230	3.8	12	1	2	3	4	7	9	19

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.56-81.59*; 81.71; 81.73-81.74; 81.80-81.81; 81.84; 81.86) *(post October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	13	3.7	13	1	1	2	5	10	11	11
35-49	32	2.8	5	1	2	2	3	5	10	11
50-64	60	3.9	12	1	1	2	5	10	11	17
65+	49	5.6	15	1	3	5	8	11	14	16
2. MULTIPLE DX										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	9	10.3	299	1	1	2	12	41	52	52
35-49	38	6.9	60	1	2	4	9	18	26	32
50-64	115	6.2	27	1	2	5	8	13	15	25
65+	170	10.0	73	2	3	8	12	19	31	40
TOTAL SINGLE DX	157	4.1	13	1	2	3	6	10	11	16
TOTAL MULTIPLE DX	335	8.3	64	1	3	6	11	17	26	40
TOTAL										
0-19 YRS	6	3.0	9	1	1	2	3	8	9	9
20-34	22	6.4	133	1	1	2	8	15	35	52
35-49	70	5.0	39	1	2	3	6	11	18	32
50-64	175	5.4	24	1	2	4	8	12	14	22
65+	219	9.0	64	2	3	7	12	17	29	40
GRAND TOTAL	492	6.9	52	1	2	4	10	15	20	36

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	223	2.0	1	1	1	2	3	3	4	5
20-34	553	2.1	1	1	1	2	3	4	4	4
35-49	334	2.1	1	1	1	2	3	3	4	6
50-64	219	2.2	1	1	1	2	3	4	5	9
65+	69	2.9	4	1	2	2	3	6	7	10
2. MULTIPLE DX										
0-19 YRS	78	2.3	2	1	1	2	3	4	5	9
20-34	258	2.7	7	1	1	2	3	5	6	14
35-49	338	2.3	2	1	1	2	3	4	6	7
50-64	377	2.5	4	1	1	2	3	4	5	10
65+	211	4.3	48	1	2	3	4	8	11	47
TOTAL SINGLE DX	1398	2.1	1	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	1262	2.8	12	1	1	2	3	4	6	13
TOTAL										
0-19 YRS	301	2.1	1	1	1	2	3	4	4	6
20-34	811	2.3	3	1	1	2	3	4	4	8
35-49	672	2.2	2	1	1	2	3	4	5	7
50-64	596	2.4	4	1	1	2	3	4	5	9
65+	280	4.0	37	1	2	3	4	7	9	40
GRAND TOTAL	2660	2.4	7	1	1	2	3	4	5	10

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	142	3.4	13	<1	1	2	4	7	12	18
20-34	80	3.5	15	<1	1	2	4	8	10	23
35-49	67	3.0	7	<1	1	2	4	8	9	11
50-64	45	2.3	5	<1	<1	2	3	4	6	14
65+	18	2.2	6	<1	<1	1	2	7	8	9
2. MULTIPLE DX										
0-19 YRS	282	4.4	50	1	2	3	5	8	11	23
20-34	149	6.0	31	1	3	5	7	13	20	35
35-49	109	6.6	107	1	1	3	7	15	31	99+
50-64	130	7.8	94	1	2	5	9	15	31	54
65+	106	10.6	197	1	2	6	11	28	47	83
TOTAL SINGLE DX	352	3.1	12	<1	1	2	4	7	10	17
TOTAL MULTIPLE DX	776	6.4	86	1	2	4	7	14	22	69
TOTAL										
0-19 YRS	424	4.1	38	1	2	3	4	8	11	21
20-34	229	5.1	27	1	2	4	6	10	17	29
35-49	176	5.2	72	<1	1	3	7	11	16	92
50-64	175	6.4	77	<1	1	4	7	14	24	52
65+	124	9.4	178	1	2	5	10	24	43	77
GRAND TOTAL	1128	5.4	65	1	1	3	6	11	17	52

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	123	1.7	2	<1	<1	1	2	3	5	9
20-34	75	1.9	4	<1	<1	1	2	4	6	12
35-49	81	1.9	5	<1	<1	1	2	3	6	14
50-64	53	1.6	1	<1	<1	1	2	3	4	7
65+	30	3.3	15	<1	1	2	4	7	15	18
2. MULTIPLE DX										
0-19 YRS	78	7.0	174	1	1	3	8	13	24	81
20-34	60	7.4	131	1	1	2	8	17	31	59
35-49	103	6.5	128	<1	1	2	8	14	22	64
50-64	105	9.1	140	1	2	4	12	25	34	81
65+	193	13.8	249	1	3	8	18	36	50	83
TOTAL SINGLE DX	362	1.9	4	<1	<1	1	2	3	5	13
TOTAL MULTIPLE DX	539	9.8	190	1	2	4	13	25	37	76
TOTAL										
0-19 YRS	201	3.8	75	<1	1	1	3	8	11	55
20-34	135	4.3	67	<1	<1	2	3	12	16	51
35-49	184	4.5	79	<1	1	1	4	13	15	35
50-64	158	6.6	106	<1	1	2	8	20	30	65
65+	223	12.3	231	1	2	7	17	32	47	79
GRAND TOTAL	901	6.6	130	<1	1	2	7	18	29	66

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	11	1.8	2	<1	<1	1	2	4	5	5
35-49	19	1.2		<1	<1	1	1	2	2	2
50-64	50	1.2		<1	1	1	1	2	2	5
65+	41	1.5		<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	7	1.7	1	<1	1	1	3	4	4	4
20-34	15	2.8	10	<1	1	1	3	9	11	12
35-49	19	3.1	7	1	1	2	4	8	10	10
50-64	35	2.3	6	<1	1	1	2	7	9	10
65+	72	1.5		1	1	1	2	2	4	6
TOTAL SINGLE DX	124	1.4	1	<1	1	1	1	2	4	5
TOTAL MULTIPLE DX	148	2.1	4	1	1	1	2	4	7	10
TOTAL										
0-19 YRS	10	1.9	2	<1	1	1	3	4	5	5
20-34	26	2.4	7	<1	1	1	2	5	10	12
35-49	38	2.1	5	<1	1	1	2	5	8	10
50-64	85	1.7	3	<1	1	1	2	3	5	10
65+	113	1.5	1	1	1	1	2	3	4	5
GRAND TOTAL	272	1.8	3	<1	1	1	2	4	5	10

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	102	1.4	1	<1	<1	1	1	2	3	7
20-34	105	1.6	1	<1	1	1	2	3	4	7
35-49	63	1.7	3	<1	1	1	2	3	4	14
50-64	22	1.3		<1	<1	1	2	2	2	2
65+	9	1.9	2	<1	1	1	2	5	6	6
2. MULTIPLE DX										
0-19 YRS	110	1.9	3	1	1	1	2	3	5	12
20-34	172	2.5	9	1	1	2	3	4	8	24
35-49	103	2.1	3	1	1	1	2	5	7	10
50-64	48	2.4	4	1	1	2	3	6	7	10
65+	27	2.8	6	<1	1	2	3	7	9	9
TOTAL SINGLE DX	301	1.5	2	<1	1	1	2	3	4	7
TOTAL MULTIPLE DX	460	2.3	6	1	1	1	3	5	7	14
TOTAL										
0-19 YRS	212	1.6	2	<1	1	1	2	3	4	9
20-34	277	2.1	6	<1	1	1	2	4	6	18
35-49	166	2.0	4	<1	1	1	2	4	6	11
50-64	70	2.1	4	<1	1	1	2	4	7	10
65+	36	2.4	5	<1	1	2	3	7	8	9
GRAND TOTAL	761	2.0	4	<1	1	1	2	4	6	11

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	58	2.6	7	1	1	2	3	5	7	18
20-34	138	2.1	1	1	1	2	3	4	4	6
35-49	188	2.2	1	1	1	2	3	4	4	8
50-64	181	2.5	2	1	1	2	3	4	6	9
65 +	77	2.5	1	1	2	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	59	3.1	20	1	1	2	4	6	9	31
20-34	146	3.7	11	1	2	2	5	8	11	23
35-49	200	4.5	70	1	2	3	4	7	13	50
50-64	287	4.3	37	1	2	3	4	7	11	37
65 +	208	6.5	87	2	2	4	7	12	19	75
TOTAL SINGLE DX	642	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	900	4.7	52	1	2	3	5	8	13	45
TOTAL										
0-19 YRS	117	2.9	14	1	1	2	3	5	8	24
20-34	284	2.9	7	1	1	2	3	6	8	18
35-49	388	3.4	38	1	1	2	3	5	8	23
50-64	468	3.6	25	1	2	2	4	6	8	31
65 +	285	5.4	67	1	2	3	6	10	15	64
GRAND TOTAL	1542	3.7	33	1	2	2	4	7	10	32

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	303	2.5	3	1	1	2	3	5	7	9
20-34	154	2.8	2	1	2	2	4	5	6	7
35-49	177	2.5	2	1	1	2	3	5	5	8
50-64	79	3.3	7	1	2	3	4	5	7	19
65 +	17	4.1	4	1	3	4	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	377	2.9	8	1	1	2	3	5	7	14
20-34	111	6.2	101	1	2	4	6	12	29	99 +
35-49	95	5.1	39	1	2	3	5	14	19	73
50-64	113	8.0	173	1	2	3	6	21	35	70
65 +	100	10.6	190	3	4	7	10	24	43	92
TOTAL SINGLE DX	730	2.7	4	1	1	2	3	5	6	8
TOTAL MULTIPLE DX	796	5.3	78	1	2	3	5	10	18	70
TOTAL										
0-19 YRS	680	2.7	6	1	1	2	3	5	7	11
20-34	265	4.2	47	1	2	3	4	7	10	73
35-49	272	3.4	17	1	1	2	4	8	9	27
50-64	192	6.1	110	1	2	3	5	13	23	66
65 +	117	9.7	169	3	4	6	9	22	39	89
GRAND TOTAL	1526	4.0	44	1	1	3	4	7	11	44

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	3.4	66	<1	1	1	2	4	21	39
20-34	32	2.3	4	<1	1	2	2	4	8	10
35-49	28	1.9	2	1	1	1	2	4	5	8
50-64	10	2.1	1	<1	1	2	3	4	4	4
65 +	5	1.4	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	17	2.4	3	1	1	2	3	5	6	6
20-34	35	4.5	19	1	2	3	5	10	12	23
35-49	48	6.7	91	1	2	2	7	19	32	43
50-64	51	6.6	133	1	1	3	7	15	26	72
65 +	43	8.2	85	1	2	3	13	24	28	35
TOTAL SINGLE DX	97	2.3	17	<1	1	1	2	4	7	25
TOTAL MULTIPLE DX	194	6.2	82	1	2	3	6	18	25	40
TOTAL										
0-19 YRS	39	2.9	38	1	1	1	2	5	8	39
20-34	67	3.4	13	1	1	2	4	9	10	21
35-49	76	4.9	63	1	1	2	4	14	20	41
50-64	61	5.9	114	1	1	3	5	13	23	68
65 +	48	7.5	81	1	1	3	10	23	26	35
GRAND TOTAL	291	4.9	64	1	1	2	4	12	20	38

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	10.3	25	5	6	11	14	15	15	15
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	18.0		18	18	18	18	18	18	18
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	28.5	145	20	20	28	37	37	37	37
20-34	1	21.0		21	21	21	21	21	21	21
35-49	1	12.0		12	12	12	12	12	12	12
50-64	4	15.5	113	5	7	22	45	99 +	99 +	99 +
65 +	9	12.2	43	4	8	13	20	60	99 +	99 +
TOTAL SINGLE DX	5	11.0	32	5	6	11	16	18	18	18
TOTAL MULTIPLE DX	17	15.4	82	5	8	18	22	75	99 +	99 +
TOTAL										
0-19 YRS	5	17.6	148	5	9	15	24	37	37	37
20-34	2	13.5	113	6	6	13	21	21	21	21
35-49	2	15.0	18	12	12	15	18	18	18	18
50-64	4	15.5	114	5	7	22	45	99 +	99 +	99 +
65 +	9	12.2	44	4	8	13	20	60	99 +	99 +
GRAND TOTAL	22	14.4	72	5	8	15	21	43	99 +	99 +

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	2.0		<1	1	2	2	4	4	4
20-34	5	1.4	1	<1	<1	1	2	3	3	3
35-49	4	12.5	97	2	4	12	20	24	24	24
50-64	6	5.2	25	1	2	3	10	13	13	13
65 +	10	3.2	4	<1	1	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	13	7.8	131	<1	1	4	10	20	39	43
20-34	40	11.8	151	2	3	7	16	33	43	45
35-49	131	13.7	158	3	6	10	17	30	43	75
50-64	315	16.7	201	3	7	13	21	35	47	73
65 +	563	17.5	255	4	7	13	22	39	54	90
TOTAL SINGLE DX	33	4.1	26	1	1	2	4	11	16	24
TOTAL MULTIPLE DX	1062	16.4	225	3	7	12	21	37	51	82
TOTAL										
0-19 YRS	21	5.6	88	<1	1	2	6	12	27	43
20-34	45	10.7	145	1	2	6	15	24	42	45
35-49	135	13.7	156	2	6	10	17	29	43	73
50-64	321	16.4	201	3	7	13	20	35	45	73
65 +	573	17.2	254	4	7	13	21	39	53	90
GRAND TOTAL	1095	16.1	223	3	6	12	20	36	50	82

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	18.0		18	18	18	18	18	18	18
65 +	1	26.0		26	26	26	26	26	26	26
2. MULTIPLE DX										
0-19 YRS	5	25.6	247	10	13	21	38	48	48	48
20-34	11	18.4	353	4	5	10	22	52	60	61
35-49	46	28.7	306	10	16	26	34	58	66	72
50-64	149	30.6	441	10	16	25	42	66	83	99 +
65 +	432	27.7	359	9	14	24	40	67	98	99 +
TOTAL SINGLE DX	4	14.3	91	6	6	12	22	26	26	26
TOTAL MULTIPLE DX	643	28.3	375	9	14	24	40	66	84	99 +
TOTAL										
0-19 YRS	5	25.6	247	10	13	21	38	48	48	48
20-34	12	17.3	334	4	5	9	20	50	59	61
35-49	47	28.2	310	8	15	26	34	58	66	72
50-64	150	30.5	440	10	16	25	42	66	83	99 +
65 +	433	27.7	358	9	14	24	40	67	98	99 +
GRAND TOTAL	647	28.2	374	9	14	24	40	66	84	99 +

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	7.3	4	5	6	8	9	9	9	9
20-34	0									
35-49	0									
50-64	0									
65 +	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	8	11.6	54	6	7	9	15	24	26	26
20-34	5	24.6	344	3	11	20	39	50	50	50
35-49	19	30.9	605	6	14	24	40	69	91	98
50-64	80	29.6	570	7	13	25	51	95	99 +	99 +
65 +	489	19.8	293	6	9	15	27	56	99 +	99 +
TOTAL SINGLE DX	5	6.2	5	4	5	5	8	9	9	9
TOTAL MULTIPLE DX	601	21.4	350	6	9	16	29	68	99 +	99 +
TOTAL										
0-19 YRS	11	10.5	43	5	6	9	10	22	26	26
20-34	5	24.6	344	3	11	20	39	50	50	50
35-49	19	30.9	606	6	14	24	40	69	91	98
50-64	80	29.6	571	7	13	25	51	95	99 +	99 +
65 +	491	19.7	293	6	9	15	27	56	99 +	99 +
GRAND TOTAL	606	21.3	349	6	9	16	29	67	99 +	99 +

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	6.5	31	2	3	4	10	16	16	16
20-34	6	30.8	437	5	11	34	40	60	62	62
35-49	43	21.4	170	8	11	21	30	46	73	99 +
50-64	119	24.2	331	7	11	18	34	51	64	79
65 +	198	25.7	361	8	12	20	36	54	86	99 +
TOTAL SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
TOTAL MULTIPLE DX	374	24.4	331	7	11	19	34	51	69	99 +
TOTAL										
0-19 YRS	10	5.5	29	1	2	3	5	15	16	16
20-34	6	30.8	438	5	11	34	40	60	62	62
35-49	43	21.4	170	8	11	21	30	46	73	99 +
50-64	119	24.2	331	7	11	18	34	51	64	79
65 +	198	25.7	362	8	12	20	36	54	86	99 +
GRAND TOTAL	376	24.3	332	7	11	19	34	51	69	99 +

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	3.5	6	1	1	3	5	7	8	8
20-34	7	5.7	23	<1	2	4	8	14	15	15
35-49	5	5.6	9	2	3	6	7	10	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65+	0									
2. MULTIPLE DX										
0-19 YRS	9	5.0	12	1	2	6	8	9	10	10
20-34	8	8.9	44	4	5	7	10	20	24	24
35-49	6	8.8	13	5	5	8	13	13	13	13
50-64	4	6.5	13	2	4	6	9	11	11	11
65+	2	18.5	313	6	6	18	31	31	31	31
TOTAL SINGLE DX	24	4.5	12	1	2	4	6	9	11	15
TOTAL MULTIPLE DX	29	8.0	41	2	5	7	10	13	24	31
TOTAL										
0-19 YRS	20	4.2	9	1	2	3	7	8	9	10
20-34	15	7.4	35	2	4	6	9	15	22	24
35-49	11	7.4	13	3	5	6	10	13	13	13
50-64	5	5.8	13	2	3	6	8	11	11	11
65+	2	18.5	313	6	6	18	31	31	31	31
GRAND TOTAL	53	6.4	30	1	3	6	8	12	15	31

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.0	3	<1	<1	1	3	5	6	6
20-34	5	5.6	26	1	1	5	9	13	13	13
35-49	7	2.1	4	<1	<1	1	2	6	7	7
50-64	4	4.3	5	2	2	4	6	7	7	7
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	7	6.7	85	1	1	3	9	23	26	26
20-34	9	14.1	735	2	3	6	10	93	99+	99+
35-49	19	13.3	200	2	4	8	20	37	46	50
50-64	32	13.7	129	2	5	10	19	29	36	47
65+	62	16.6	317	4	6	11	25	61	89	99+
TOTAL SINGLE DX	24	3.5	11	<1	1	2	6	8	10	13
TOTAL MULTIPLE DX	129	14.7	267	2	4	10	21	38	74	99+
TOTAL										
0-19 YRS	14	4.4	47	<1	1	1	4	12	23	26
20-34	14	11.1	479	1	3	5	10	86	96	99+
35-49	26	10.3	171	1	2	6	11	29	44	50
50-64	36	12.6	124	2	4	9	15	29	35	47
65+	63	16.5	313	4	6	11	25	59	88	99+
GRAND TOTAL	153	12.9	243	1	3	8	16	35	66	99+

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	0									
35-49	2	17.5	481	2	2	17	33	33	33	33
50-64	2	21.5	761	2	2	21	41	41	41	41
65+	4	16.8	191	6	8	12	25	37	37	37
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	10	14.7	257	<1	2	8	33	39	41	41
TOTAL										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	0									
35-49	2	17.5	481	2	2	17	33	33	33	33
50-64	2	21.5	761	2	2	21	41	41	41	41
65+	4	16.8	191	6	8	12	25	37	37	37
GRAND TOTAL	10	14.7	257	<1	2	8	33	39	41	41

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	2.3	6	<1	<1	1	3	5	8	11
20-34	69	1.6	1	<1	<1	1	2	3	5	7
35-49	289	1.8	1	<1	<1	1	2	3	4	7
50-64	294	2.0	2	<1	<1	1	3	4	5	8
65 +	191	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	8	3.1	4	<1	1	3	4	6	7	7
20-34	70	4.4	36	<1	1	3	5	10	17	32
35-49	296	3.4	23	<1	1	1	4	8	13	29
50-64	502	4.3	50	1	1	2	4	10	15	45
65 +	837	6.7	86	1	2	3	8	17	28	71
TOTAL SINGLE DX	862	2.0	3	<1	<1	1	3	4	5	7
TOTAL MULTIPLE DX	1713	5.3	64	1	1	3	5	13	21	51
TOTAL										
0-19 YRS	27	2.5	6	<1	<1	1	3	5	8	11
20-34	139	3.1	21	<1	<1	1	3	7	10	31
35-49	585	2.6	13	<1	1	1	3	5	8	23
50-64	796	3.5	34	<1	1	2	4	7	12	26
65 +	1028	5.9	74	1	1	3	6	15	23	67
GRAND TOTAL	2575	4.2	46	<1	1	2	4	9	17	40

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.9		1	1	2	2	3	3	3
20-34	5	3.0	4	1	1	3	4	6	6	6
35-49	40	3.4	2	1	2	3	5	6	6	6
50-64	26	3.3	2	1	2	3	4	5	6	7
65 +	34	3.8	4	2	2	4	4	6	7	12
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	3.4	1	2	2	3	5	5	5	5
35-49	49	4.9	50	2	3	4	5	6	7	52
50-64	76	5.3	21	2	3	4	6	9	11	31
65 +	211	8.2	110	2	3	5	8	17	30	86
TOTAL SINGLE DX	114	3.4	3	1	2	3	4	6	6	9
TOTAL MULTIPLE DX	349	6.9	85	2	3	5	7	13	24	72
TOTAL										
0-19 YRS	10	2.0	1	1	1	2	3	3	3	3
20-34	17	3.3	2	1	2	3	5	5	6	6
35-49	89	4.2	29	2	2	4	5	6	6	35
50-64	102	4.8	17	2	3	4	5	8	10	27
65 +	245	7.6	103	2	3	5	7	16	26	79
GRAND TOTAL	463	6.0	67	2	3	4	6	10	19	60

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	28	4.5	2	2	4	4	5	7	7	8
35-49	231	4.4	2	2	3	4	5	7	8	9
50-64	392	4.4	2	2	3	4	5	7	7	9
65 +	416	5.0	4	3	4	5	6	7	9	12
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	41	5.5	6	3	4	5	6	8	11	14
35-49	403	5.2	8	3	4	5	6	8	9	17
50-64	928	5.6	10	3	4	5	7	9	11	18
65 +	1736	6.8	33	3	4	6	8	10	14	35
TOTAL SINGLE DX	1067	4.6	4	3	3	4	6	7	8	10
TOTAL MULTIPLE DX	3109	6.2	24	3	4	5	7	9	12	26
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	69	5.1	5	3	4	5	6	7	9	14
35-49	634	4.9	7	3	3	4	6	7	8	13
50-64	1320	5.3	9	3	4	5	6	8	9	17
65 +	2152	6.5	29	3	4	5	7	10	13	28
GRAND TOTAL	4176	5.8	19	3	4	5	7	9	11	23

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	148	2.0	1	1	1	2	3	3	4	6
20-34	304	2.1	1	1	1	2	3	3	4	7
35-49	189	2.0	1	1	1	2	2	4	4	7
50-64	72	2.3	3	1	1	2	3	4	7	10
65 +	15	1.9		<1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	60	2.3	1	1	1	2	3	4	4	5
20-34	247	2.6	5	1	1	2	3	4	6	15
35-49	354	2.7	5	1	1	2	3	5	7	13
50-64	207	3.2	11	1	1	2	4	7	10	15
65 +	65	5.0	66	1	2	3	5	8	14	52
TOTAL SINGLE DX	728	2.0	2	1	1	2	3	3	4	7
TOTAL MULTIPLE DX	933	2.9	11	1	1	2	3	5	8	15
TOTAL										
0-19 YRS	208	2.1	1	1	1	2	3	3	4	6
20-34	551	2.3	3	1	1	2	3	4	5	9
35-49	543	2.4	4	1	1	2	3	5	7	11
50-64	279	3.0	9	1	1	2	3	6	9	14
65 +	80	4.4	55	1	1	2	4	8	11	49
GRAND TOTAL	1661	2.5	7	1	1	2	3	4	7	12

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	232	1.9	1	1	1	1	2	4	4	7
20-34	521	1.9	1	1	1	2	2	3	4	7
35-49	98	1.9	1	1	1	2	2	4	4	6
50-64	19	2.1	2	1	1	2	2	4	6	7
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	34	3.9	57	1	1	2	3	5	11	45
20-34	100	3.3	26	1	1	2	3	6	10	33
35-49	34	2.6	4	1	1	2	3	5	7	10
50-64	16	3.3	14	1	1	2	3	8	14	16
65+	5	11.8	188	3	4	7	16	36	36	36
TOTAL SINGLE DX	873	1.9	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	189	3.5	32	1	1	2	3	7	10	38
TOTAL										
0-19 YRS	266	2.1	9	1	1	1	2	4	5	9
20-34	621	2.1	6	1	1	2	2	3	5	9
35-49	132	2.1	2	1	1	2	3	4	5	8
50-64	35	2.6	8	1	1	2	3	5	6	16
65+	8	8.4	131	1	2	4	8	28	36	36
GRAND TOTAL	1062	2.2	7	1	1	2	2	4	5	10

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	223	2.2	12	<1	<1	1	2	5	6	20
20-34	129	1.7	2	<1	<1	1	2	3	6	7
35-49	162	1.9	5	<1	<1	1	2	3	6	16
50-64	114	2.1	8	<1	<1	1	2	4	7	20
65+	78	2.0	5	<1	<1	1	2	5	7	14
2. MULTIPLE DX										
0-19 YRS	169	8.1	142	1	2	4	9	21	32	50
20-34	179	8.3	156	<1	1	4	9	20	32	67
35-49	216	7.8	102	<1	1	4	9	21	28	66
50-64	279	8.5	132	<1	2	5	10	21	31	96
65+	607	12.6	212	1	4	9	16	31	58	99+
TOTAL SINGLE DX	706	2.0	8	<1	<1	1	2	4	6	17
TOTAL MULTIPLE DX	1450	10.1	171	1	2	6	13	24	39	99+
TOTAL										
0-19 YRS	392	4.7	77	<1	1	2	4	11	21	44
20-34	308	5.5	102	<1	1	2	5	13	24	50
35-49	378	5.3	69	<1	1	2	6	15	23	39
50-64	393	6.6	104	<1	1	3	8	18	25	83
65+	665	11.6	201	1	2	8	15	29	54	99+
GRAND TOTAL	2156	7.5	132	<1	1	3	9	19	31	84

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	154	3.7	20	1	1	2	4	8	13	24
20-34	207	4.6	27	1	1	3	6	11	14	26
35-49	105	6.5	46	1	2	4	8	14	21	36
50-64	66	8.0	89	1	2	5	9	20	33	44
65+	40	10.9	98	1	2	7	18	26	29	38
2. MULTIPLE DX										
0-19 YRS	396	10.1	179	1	2	5	13	25	38	93
20-34	575	11.6	221	1	3	6	15	30	47	90
35-49	582	15.2	218	2	5	10	22	40	52	99+
50-64	902	18.7	295	4	7	14	25	45	65	99+
65+	1747	23.4	405	6	10	18	35	66	99	99+
TOTAL SINGLE DX	572	5.6	45	1	1	3	7	13	21	33
TOTAL MULTIPLE DX	4202	18.4	334	3	6	13	26	49	76	99+
TOTAL										
0-19 YRS	550	8.3	143	1	2	4	10	20	34	84
20-34	782	9.8	180	1	2	5	12	25	38	80
35-49	687	13.8	202	2	4	9	19	37	46	99+
50-64	968	18.0	288	4	7	13	24	43	62	99+
65+	1787	23.1	402	6	10	17	35	65	99	99+
GRAND TOTAL	4774	16.8	316	2	5	11	23	46	69	99+

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	447	3.5	14	<1	1	2	4	7	9	16
20-34	343	3.5	13	1	1	2	4	7	10	20
35-49	219	3.5	9	1	1	2	4	8	9	15
50-64	134	4.0	16	1	1	3	5	8	11	22
65+	121	4.7	24	1	1	3	6	10	14	25
2. MULTIPLE DX										
0-19 YRS	987	4.6	40	1	1	3	5	9	16	33
20-34	1386	4.9	36	1	1	3	6	11	16	30
35-49	921	7.4	87	1	2	4	9	16	26	58
50-64	903	8.7	93	2	3	6	10	19	27	60
65+	1721	11.0	178	2	3	7	13	27	41	99+
TOTAL SINGLE DX	1264	3.7	15	1	1	2	5	8	10	20
TOTAL MULTIPLE DX	5918	7.6	102	1	2	4	9	17	27	68
TOTAL										
0-19 YRS	1434	4.2	32	1	1	3	5	9	13	31
20-34	1729	4.7	32	1	1	3	5	10	15	29
35-49	1140	6.6	75	1	2	4	8	14	22	47
50-64	1037	8.1	86	1	3	5	10	17	26	51
65+	1842	10.6	171	2	3	7	12	25	39	96
GRAND TOTAL	7182	6.9	89	1	2	4	8	15	24	60

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	76	4.2	21	1	1	2	6	10	14	21
20-34	55	4.9	25	1	2	3	6	13	18	20
35-49	53	5.4	36	1	1	3	7	12	17	32
50-64	28	6.3	40	1	2	5	7	14	18	29
65 +	38	11.3	281	1	3	6	11	22	46	91
2. MULTIPLE DX										
0-19 YRS	83	13.6	208	1	4	9	15	34	48	68
20-34	115	12.8	103	2	5	10	19	30	36	99 +
35-49	110	17.4	244	2	5	13	24	39	52	69
50-64	157	16.9	277	2	6	12	23	41	65	99 +
65 +	339	21.2	300	5	9	16	29	51	70	99 +
TOTAL SINGLE DX	250	5.9	72	1	1	3	8	13	20	41
TOTAL MULTIPLE DX	804	17.8	260	3	6	14	25	41	61	99 +
TOTAL										
0-19 YRS	159	9.1	141	1	1	5	11	21	35	61
20-34	170	10.2	92	1	3	7	16	25	32	87
35-49	163	13.5	208	1	3	8	19	33	46	58
50-64	185	15.3	256	2	5	11	21	37	62	99 +
65 +	377	20.2	307	4	8	15	28	50	69	99 +
GRAND TOTAL	1054	15.0	241	1	4	10	21	37	52	99 +

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	4.0	25	1	1	2	5	10	15	24
20-34	25	3.2	14	1	1	2	3	7	10	19
35-49	15	3.4	12	1	1	2	4	5	13	15
50-64	10	2.0	3	<1	<1	1	3	5	7	7
65 +	3	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	36	8.9	158	1	2	4	13	25	54	99 +
20-34	52	12.5	275	1	2	7	13	39	50	80
35-49	30	8.5	182	1	1	2	10	36	52	99 +
50-64	39	15.8	388	1	3	9	15	42	66	84
65 +	65	21.3	401	2	5	18	31	61	86	99 +
TOTAL SINGLE DX	85	3.3	17	<1	1	2	4	7	13	22
TOTAL MULTIPLE DX	222	14.5	320	1	2	8	21	47	65	99 +
TOTAL										
0-19 YRS	68	6.6	101	1	1	3	8	17	25	94
20-34	77	9.5	208	1	2	4	9	26	43	74
35-49	45	6.8	130	1	1	2	7	21	51	99 +
50-64	49	13.0	340	<1	2	7	15	37	49	84
65 +	68	20.4	401	1	4	17	31	60	84	99 +
GRAND TOTAL	307	11.4	261	1	1	4	15	38	56	99 +

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.26; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	159	2.7	11	<1	1	1	3	5	10	20
20-34	117	2.7	7	1	1	2	3	6	10	13
35-49	112	2.2	5	1	1	1	2	4	7	13
50-64	82	1.9	4	1	1	1	2	3	6	13
65 +	42	3.1	20	1	1	1	3	8	15	22
2. MULTIPLE DX										
0-19 YRS	241	4.5	46	1	1	3	5	10	15	38
20-34	246	7.0	114	1	2	4	7	14	29	79
35-49	324	7.1	81	1	2	4	9	15	20	45
50-64	419	8.3	106	1	2	5	11	16	28	69
65 +	716	16.4	246	3	7	12	22	41	61	99 +
TOTAL SINGLE DX	512	2.5	9	1	1	1	3	5	8	16
TOTAL MULTIPLE DX	1946	10.4	169	1	2	6	13	27	41	99 +
TOTAL										
0-19 YRS	400	3.8	33	1	1	2	4	8	13	28
20-34	363	5.6	83	1	1	3	6	11	17	69
35-49	436	5.8	67	1	1	3	7	13	18	39
50-64	501	7.3	96	1	1	4	10	17	27	63
65 +	758	15.7	243	2	6	11	21	41	58	99 +
GRAND TOTAL	2458	8.8	146	1	2	5	11	22	37	92

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.1	2	<1	<1	1	3	5	5	5
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	4	2.8	4	<1	<1	2	4	5	5	5
50-64	0									
65 +	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	9	4.3	60	<1	1	2	3	16	25	25
20-34	10	8.0	67	1	2	6	9	22	25	25
35-49	8	6.5	16	3	4	5	8	13	15	15
50-64	12	9.3	64	2	3	7	15	21	25	26
65 +	30	11.4	105	3	6	7	15	25	34	47
TOTAL SINGLE DX	15	3.1	5	<1	1	3	5	7	8	8
TOTAL MULTIPLE DX	69	9.0	79	1	3	6	12	23	26	45
TOTAL										
0-19 YRS	16	3.4	35	<1	1	2	3	5	19	25
20-34	12	7.5	57	1	2	6	8	21	24	25
35-49	12	5.3	15	1	3	4	6	11	14	15
50-64	12	9.3	64	2	3	7	15	21	25	26
65 +	32	11.0	101	3	5	7	14	25	33	47
GRAND TOTAL	84	8.0	71	1	3	5	9	20	25	43

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	1.9	4	<1	1	1	2	3	7	12
20-34	563	2.0	5	1	1	1	2	5	7	13
35-49	830	2.0	7	1	1	1	1	4	7	15
50-64	431	1.9	6	1	1	1	1	3	7	15
65 +	138	2.7	19	1	1	1	2	6	15	23
2. MULTIPLE DX										
0-19 YRS	49	3.5	28	1	1	1	3	10	11	33
20-34	300	4.1	28	1	1	2	5	10	14	28
35-49	573	4.1	34	1	1	1	4	11	17	31
50-64	556	5.0	62	1	1	2	6	13	20	41
65 +	501	7.3	102	1	1	3	10	18	24	69
TOTAL SINGLE DX	1997	2.0	8	1	1	1	2	4	7	15
TOTAL MULTIPLE DX	1979	5.1	60	1	1	2	7	14	20	40
TOTAL										
0-19 YRS	84	2.8	19	1	1	1	3	8	11	27
20-34	863	2.7	15	1	1	1	2	7	10	21
35-49	1403	2.8	20	1	1	1	2	7	12	22
50-64	987	3.6	41	1	1	1	3	10	15	31
65 +	639	6.3	88	1	1	2	9	17	23	62
GRAND TOTAL	3976	3.6	36	1	1	1	3	9	15	30

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	2.0	2	1	1	1	2	3	6	9
20-34	50	2.5	10	1	1	1	2	7	12	16
35-49	57	3.5	17	1	1	2	5	10	12	20
50-64	53	2.8	9	1	1	1	4	7	8	15
65 +	81	2.3	6	1	1	1	2	5	8	13
2. MULTIPLE DX										
0-19 YRS	54	5.7	63	1	1	2	7	15	21	41
20-34	64	6.1	42	1	1	3	8	17	19	29
35-49	134	6.1	57	1	1	3	8	13	19	37
50-64	327	6.6	53	1	2	4	10	15	21	39
65 +	583	7.1	64	1	2	5	10	15	21	45
TOTAL SINGLE DX	277	2.6	10	1	1	1	2	6	10	16
TOTAL MULTIPLE DX	1162	6.7	60	1	2	4	9	15	21	41
TOTAL										
0-19 YRS	90	4.2	42	1	1	2	4	9	18	38
20-34	114	4.5	32	1	1	2	6	14	18	24
35-49	191	5.3	47	1	1	2	7	12	18	30
50-64	380	6.1	50	1	1	3	9	14	21	36
65 +	664	6.5	60	1	2	4	9	14	19	42
GRAND TOTAL	1439	5.9	53	1	1	3	8	14	19	37

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	1.7		1	1	2	2	2	2	2
50-64	10	2.0		2	2	2	2	2	2	2
65 +	8	2.1		2	2	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	37	2.6	3	2	2	2	3	3	7	11
50-64	102	3.0	4	2	2	2	3	5	8	12
65 +	97	4.5	15	2	2	2	7	10	12	19
TOTAL SINGLE DX	25	2.1	1	2	2	2	2	2	4	6
TOTAL MULTIPLE DX	237	3.5	9	2	2	2	4	8	10	15
TOTAL										
0-19 YRS	0									
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	43	2.5	3	1	2	2	2	3	6	11
50-64	112	2.9	4	2	2	2	3	5	8	12
65 +	105	4.3	14	2	2	2	6	10	12	18
GRAND TOTAL	262	3.4	9	2	2	2	3	8	10	15

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	2.9	8	<1	1	1	4	7	10	14
20-34	179	4.8	50	1	2	3	7	10	11	16
35-49	192	4.7	17	1	2	3	7	10	12	20
50-64	235	4.2	16	1	1	2	7	10	12	19
65 +	204	4.1	14	1	1	2	6	9	12	18
2. MULTIPLE DX										
0-19 YRS	77	5.5	30	1	2	4	7	12	21	24
20-34	294	7.1	41	1	2	6	9	15	18	31
35-49	558	7.3	32	1	3	7	10	13	17	30
50-64	1171	6.9	40	1	2	6	10	14	18	29
65 +	2519	8.6	79	1	3	7	11	17	23	58
TOTAL SINGLE DX	881	4.3	22	1	1	3	7	9	12	19
TOTAL MULTIPLE DX	4619	7.9	61	1	3	7	10	15	21	41
TOTAL										
0-19 YRS	148	4.3	22	1	1	3	6	10	14	23
20-34	473	6.2	46	1	2	5	8	12	16	29
35-49	750	6.6	30	1	2	6	9	12	16	27
50-64	1406	6.4	37	1	2	5	9	13	17	28
65 +	2723	8.3	76	1	3	7	11	16	22	56
GRAND TOTAL	5500	7.3	57	1	2	6	10	14	19	39

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1172	3.8	45	1	1	2	4	7	11	39
20-34	744	4.9	38	1	2	3	6	10	14	37
35-49	616	5.3	35	1	2	4	7	10	14	29
50-64	440	5.4	27	1	2	4	7	10	15	28
65 +	492	6.7	49	2	3	5	8	13	20	32
2. MULTIPLE DX										
0-19 YRS	2303	5.8	82	1	2	3	6	12	22	54
20-34	2240	6.8	86	1	2	4	7	15	23	54
35-49	2870	7.9	84	2	3	5	9	16	23	54
50-64	4766	9.1	91	2	4	6	11	18	28	71
65 +	16726	12.5	165	3	5	9	15	27	41	99 +
TOTAL SINGLE DX	3464	4.9	41	1	2	3	6	10	14	35
TOTAL MULTIPLE DX	28905	10.5	139	2	4	7	12	23	35	89
TOTAL										
0-19 YRS	3475	5.1	71	1	1	3	5	10	18	51
20-34	2984	6.3	75	1	2	4	7	13	22	50
35-49	3486	7.5	77	2	3	5	9	15	22	52
50-64	5206	8.7	87	2	4	6	10	18	27	69
65 +	17218	12.3	163	3	5	8	15	27	40	99 +
GRAND TOTAL	32369	9.9	131	2	3	6	12	22	33	85

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2638	3.4	15	1	1	2	4	6	9	20
20-34	3589	3.2	8	1	1	2	4	6	8	13
35-49	1940	3.5	12	1	1	2	4	7	9	15
50-64	1159	3.9	12	1	2	3	5	8	9	15
65 +	815	5.3	18	1	2	4	7	10	13	24
2. MULTIPLE DX										
0-19 YRS	4789	5.5	44	1	2	4	6	11	16	35
20-34	6060	5.1	33	1	2	4	6	10	14	30
35-49	6571	6.2	41	2	3	4	8	12	16	35
50-64	9672	7.2	42	2	3	6	9	13	17	36
65 +	25598	9.6	80	3	5	7	11	18	26	60
TOTAL SINGLE DX	10141	3.5	13	1	2	3	4	7	9	16
TOTAL MULTIPLE DX	52690	7.9	63	2	3	6	10	15	21	46
TOTAL										
0-19 YRS	7427	4.8	36	1	2	3	5	10	14	31
20-34	9649	4.4	25	1	2	3	5	8	12	27
35-49	8511	5.6	36	1	2	4	7	11	15	32
50-64	10831	6.8	41	2	3	5	9	13	17	34
65 +	26413	9.5	79	3	4	7	11	18	26	59
GRAND TOTAL	62831	7.2	58	2	3	5	9	14	20	42

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	14.4	426	1	2	7	21	91	99+	99+
20-34	9	6.9	49	2	3	4	9	18	24	24
35-49	7	5.7	2	3	5	6	7	8	8	8
50-64	5	7.0	24	1	4	5	11	13	13	13
65+	5	8.0	26	1	5	8	11	15	15	15
2. MULTIPLE DX										
0-19 YRS	413	20.2	391	3	6	13	32	56	82	99+
20-34	74	9.0	116	2	3	5	10	23	33	92
35-49	124	12.3	137	2	4	9	18	29	41	99+
50-64	324	15.8	167	4	8	13	21	31	45	99+
65+	895	18.0	196	6	9	14	22	38	52	99+
TOTAL SINGLE DX	64	11.3	274	1	3	6	14	55	99+	99+
TOTAL MULTIPLE DX	1830	17.3	235	4	8	13	23	41	58	99+
TOTAL										
0-19 YRS	451	19.7	396	3	6	13	31	59	87	99+
20-34	83	8.8	109	2	3	5	10	23	33	89
35-49	131	12.0	132	2	4	8	17	27	40	99+
50-64	329	15.6	166	4	8	13	21	31	45	99+
65+	900	17.9	196	6	9	14	22	38	52	99+
GRAND TOTAL	1894	17.1	237	4	7	13	23	41	59	99+

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3695	3.6	19	1	2	3	4	6	9	24
20-34	738	5.8	33	1	2	4	7	12	18	30
35-49	725	6.1	34	2	3	4	8	12	15	30
50-64	480	5.8	28	1	2	4	7	11	16	31
65+	454	7.8	68	2	3	6	9	15	21	47
2. MULTIPLE DX										
0-19 YRS	5234	5.3	44	2	2	3	5	10	16	36
20-34	2076	10.4	104	2	3	6	14	28	28	52
35-49	2108	9.7	101	2	4	6	11	25	28	51
50-64	3474	9.6	105	3	4	7	11	20	28	59
65+	9961	12.0	148	3	5	8	14	25	38	83
TOTAL SINGLE DX	6092	4.7	29	1	2	3	5	9	14	28
TOTAL MULTIPLE DX	22853	9.8	117	2	4	6	12	22	30	67
TOTAL										
0-19 YRS	8929	4.6	35	1	2	3	5	8	14	31
20-34	2814	9.2	90	2	3	6	11	27	28	44
35-49	2833	8.8	87	2	3	6	10	21	28	46
50-64	3954	9.2	97	2	4	6	11	19	28	57
65+	10415	11.9	146	3	5	8	14	25	37	81
GRAND TOTAL	28945	8.7	103	2	3	5	10	19	28	60

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	725	3.1	4	1	2	3	4	5	6	10
20-34	302	4.0	7	1	2	3	5	8	9	15
35-49	277	4.2	7	1	2	4	6	8	9	13
50-64	277	4.8	13	2	3	4	6	8	10	12
65+	269	5.5	16	2	3	4	7	11	13	20
2. MULTIPLE DX										
0-19 YRS	1178	5.4	29	2	3	4	6	10	14	29
20-34	906	5.8	42	1	2	4	7	12	16	29
35-49	1319	6.6	39	2	3	5	8	13	17	33
50-64	2845	7.7	50	2	4	6	9	14	20	36
65+	9220	9.6	77	3	5	7	11	18	25	53
TOTAL SINGLE DX	1850	4.0	9	1	2	3	5	7	9	15
TOTAL MULTIPLE DX	15468	8.4	66	2	4	6	10	16	22	47
TOTAL										
0-19 YRS	1903	4.5	21	1	2	3	5	8	11	26
20-34	1208	5.3	34	1	2	4	6	10	14	27
35-49	1596	6.2	35	2	3	5	8	11	16	30
50-64	3122	7.4	48	2	3	6	9	14	19	36
65+	9489	9.4	76	3	5	7	11	18	24	52
GRAND TOTAL	17318	8.0	62	2	4	6	10	15	21	44

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2496	4.0	60	1	1	2	4	6	11	57
20-34	871	3.6	36	<1	1	2	4	7	11	35
35-49	939	3.4	16	1	1	2	4	7	10	23
50-64	849	3.7	10	1	2	3	5	7	10	17
65+	790	4.6	19	1	2	4	6	9	11	24
2. MULTIPLE DX										
0-19 YRS	5291	8.0	178	1	2	3	7	20	39	94
20-34	2388	5.7	78	1	2	3	6	13	21	54
35-49	4265	5.6	60	1	2	3	6	11	17	47
50-64	8160	6.3	50	2	3	4	7	12	17	41
65+	22307	8.8	93	2	4	6	10	17	26	67
TOTAL SINGLE DX	5945	3.9	38	1	1	2	4	7	10	35
TOTAL MULTIPLE DX	42411	7.7	93	2	3	5	9	16	24	67
TOTAL										
0-19 YRS	7787	6.7	144	1	2	3	6	15	31	86
20-34	3259	5.1	68	1	1	3	5	11	20	46
35-49	5204	5.2	54	1	2	3	6	10	15	40
50-64	9009	6.0	48	2	2	4	7	11	16	39
65+	23097	8.6	92	2	3	6	10	17	26	65
GRAND TOTAL	48356	7.2	88	1	2	4	8	15	23	63

APPENDIX A

1989 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL [3]
Hospital Category			
Bedsize			
6-24	378	55	14.6
25-49	1,126	189	16.8
50-99	1,202	221	18.4
100-199	1,143	213	18.6
200-299	714	122	17.1
300-399	392	87	22.2
400-499	202	40	19.8
500+	268	54	20.1
Unknown	1	0	
Total	**5,426**	**981**	**18.1**
Region and Census Division			
Northeast	773	213	27.6
New England	232	78	33.6
Middle Atlantic	541	135	25.0
North Central	1,579	304	19.3
East North Central	825	270	32.7
West North Central	754	34	4.5
South	2,052	156	7.6
South Atlantic	801	88	11.0
East South Central	474	37	7.8
West South Central	777	31	4.0
West	1,022	308	30.1
Mountain	363	160	44.1
Pacific	659	148	22.5
Location			
Urban	2,851	553	19.4
Rural	2,575	428	16.6
Teaching Intensity			
Low	4,443	731	16.5
Medium	687	173	25.2
High	296	61	20.6
Unknown	0	16	

---

[1] Hospitals with average stay less than 30 days

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1989 sample is compared to the universe of hospitals in 1988.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1988 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P.,J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texas
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1989 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No. Title

Anomaly, congenital **(continued)**
340 genitourinary system, except undescended testis and urethral stenosis
335 heart
342 musculoskeletal system, except clubfoot
338 respiratory system
357 Anorexia, except nervosa
118 nervosa
147 Anterior wall infarction
107 Anxiety reaction or neurosis, except depression
108 depression
173 Aortic aneurysm
Aortic valve disease-*see Valvular disease*
134 Aphakia
89 Aplastic anemia
209 Appendicitis, except acute
207 acute, without peritonitis
208 with peritonitis
209 recurrent
155 Arrhythmia, heart
176 Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
Arteriosclerosis
170 cerebral
150 coronary
171 lower limb
Arteriosclerotic
150 cardiovascular disease
96 dementia or psychosis
150 heart disease
172 vascular disease, except lower limb
171 lower limb
315 Arthritis, except osteo- and rheumatoid
314 osteo- except hip, knee and spine
313 hip
313 knee
319 spine

Group No. Title

315 Arthritis, except osteo- and rheumatoid **(continued)**
315 pyogenic
312 rheumatoid, except spine
318 spine
356 Ascites
150 ASCVD (arteriosclerotic cardiovascular disease)
150 ASHD (arteriosclerotic heart disease)
192 Asthma
192 Asthmatic bronchitis
Atherosclerosis-*see Arteriosclerosis*
154 Atrial fibrillation and flutter
81 Avitaminosis

152 Bacterial endocarditis
247 Bacteriuria, except in pregnancy
280 in pregnancy
301 with delivery
327 Baker's cyst
249 Benign prostatic hyperplasia (BPH)
248 Bladder disease, except calculus and cystitis
52 Blast cell leukemia
Bleeding
265 menopausal
265 postmenopausal
263 uterine, dysfunctional
234 Blind loop syndrome
135 Blindness
155 Block, heart
349 Bloody nose
329 Bone disease, except osteomyelitis and osteoarthritis
130 Borderline glaucoma
2 Botulism
71 Bowen's disease
249 BPH (benign prostatic hyperplasia)
256 Breast disease, except fibrocystic
255 fibrocystic
192 Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy, except ischemic
150	ischemic
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit
	Cellulitis **(continued)**
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic **(continued)**
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired

DIAGNOSIS INDEX (continued)

Group No.	Title
134	Degeneration, globe of eye
86	Dehydration
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic
112	amphetamine
112	barbiturate
112	cocaine

Group No.	Title
	Dependence (continued)
111	heroin
112	LSD
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Dialysis (continued)
415	renal
214	Diaphragmatic hernia
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's
80	Cushing's
13	cytomegalic inclusion
197	dental
219	diverticular

Group No.	Title
	Disease (continued)
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
146	with renal disease or failure
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
146	with renal disease or failure
145	renal
146	with heart disease or failure
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
14	Lyme
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
224	peritoneum, except peritonitis
196	pleura
250	*prostate, except hypertrophy*

Group No.	Title
	Disease (continued)
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar

DIAGNOSIS INDEX (continued)

Group
No. Title
173 Dissecting aortic aneurysm
195 Distress, acute respiratory
219 Diverticulitis
219 Diverticulosis
    Diverticulum
199   esophagus
219   intestine
    Drug
114   abuse, except alcohol
112   dependence, except opioid
111   opioid
99   induced psychosis
402   poisoning or overdose
99   withdrawal syndrome or symptoms
113 Drunkenness
206 Duodenal disease, except ulcer and inflammation
      ulcer-*see Ulcer, duodenal*
205 Duodenitis
2 Dysentery
    Dysfunction
79   ovarian
332   somatic (osteopathic)
267 Dysmenorrhea
267 Dyspareunia
353 Dyspnea
108 Dysthymia
124 Dystrophy, muscular
354 Dysuria

346 Eclampsia
275   of pregnancy
301   with delivery
268 Ectopic pregnancy
    Effect, adverse
404   drugs, not otherwise specified
402   overdose or wrong substance given or taken
404   external conditions

Group
No. Title
    Effect, adverse **(continued)**
403   nonmedical substance
404   radiation
404   temperature
282 Elderly primigravida
301   with delivery
    Elective
269   abortion
410   sterilization
86 Electrolyte imbalance or disorder
    Embolism
175   arterial, except cerebral, precerebral, and lower limb
      cerebral
165   without paralysis
166   with paralysis
171   lower limb
      precerebral
163   without paralysis
164   with paralysis
151   pulmonary, except postoperative
408   postoperative
180   vein
191 Emphysema
120 Encephalitis, except viral
13   viral
20   late effect
152 Endocarditis, acute and subacute bacterial
80 Endocrine disease, except ovary, thyroid, and diabetes mellitus
259 Endometriosis
261 Endometritis, except puerperal
302   puerperal
73 Enlarged thyroid
218 Enteritis, except bacterial, regional, and viral
2   bacterial
218   noninfectious
222   regional
1   viral

DIAGNOSIS INDEX (continued)

Group No. Title

- 252 Epididymitis
- 123 Epilepsy
- 349 Epistaxis
- 7 Erysipelas
- 71 Erythroplasia
- 180 Esophageal varices
- 199 Esophagitis
- 199 Esophagospasm
- 143 Essential benign hypertension
- Examination
  - 417 follow-up
  - 417 medical

- Failure
  - 156 heart, except hypertensive and postoperative
    - 144 hypertensive
      - 146 with renal disease or failure
    - 408 postoperative
  - 238 renal, except chronic and hypertensive
    - 237 chronic
    - 145 hypertensive
      - 146 with heart disease or failure
  - 195 respiratory (acute)
- 357 Fainting
- 277 False labor
- Fever
  - 141 active rheumatic
  - 347 of undetermined origin (FUO)
  - 2 paratyphoid
  - 302 puerperal
  - 5 scarlet
  - 2 typhoid
  - 13 yellow
- Fibrillation or flutter
  - 154 atrial
  - 155 ventricular

Group No. Title

- Fibrocystic disease
  - 255 breast
  - 82 pancreas
- 60 Fibroma, uterus
- 17 Filariasis
- 220 Fissure, anal
- 220 Fistula, anal
- 134 Flat anterior chamber
- 2 Food poisoning
- 397 Foreign body in body orifice
- Fracture
  - 372 ankle
  - 367 arm, except upper
    - 366 upper
  - 372 bimalleolar
  - 368 carpal
  - 373 clavicle
  - 367 Colles'
  - 361 face bone
  - 370 femur, except upper end
    - 369 upper end
  - 371 fibula, except lateral malleolus
  - 368 finger
  - 372 foot
  - 368 hand
  - 417 healed, aftercare, except removal of fixation device
    - 414 removal of fixation device
  - 369 hip
  - 366 humerus
  - 372 knee
  - 372 lateral malleolus
  - 371 leg, lower, except ankle
    - 370 upper, except hip
  - 361 mandible
  - 372 medial malleolus
  - 368 metacarpal
  - 372 metatarsal

DIAGNOSIS INDEX (continued)

Group No. Title

- Fracture (continued)
  - 374 multiple bones
  - 361 nose
  - 372 patella
  - 365 pelvis
  - 367 radius
  - 364 rib
  - 373 scapula
  - skull
    - 360 base, except with prolonged loss of consciousness
      - 358 prolonged loss of consciousness
    - 359 vault, except with prolonged loss of consciousness
      - 358 prolonged loss of consciousness
  - spine
    - 362 without cord injury
    - 363 with cord injury
  - 364 sternum
  - 372 tarsal
  - 364 thorax
  - 371 tibia
  - 372 toe
  - 372 trimalleolar
  - 367 ulna
  - vertebra
    - 362 without cord injury
    - 363 with cord injury
- 347 FUO (fever of undetermined origin)

- 229 Gallbladder disease, except calculus
  - 228 with calculus
- 327 Ganglion, tendon sheath
- 351 Gangrene, except gas gangrene
  - 7 gas
- Gastric ulcer-*see Ulcer, gastric*
- 205 Gastritis

Group No. Title

- 218 Gastroenteritis, except infectious
  - 2 infectious, except viral
  - 218 noninfectious
  - 1 viral
- 233 Gastrointestinal hemorrhage
- 172 Generalized arteriosclerosis
- 4 Generalized tuberculosis
- 330 Genu valgum or varum, except congenital
  - 342 congenital
- 233 GI hemorrhage
- 130 Glaucoma, except acute
  - 129 acute
  - 129 closed-angle
  - 129 open-angle
- 235 Glomerulonephritis, except acute
  - 236 acute
- 73 Goiter
- 15 Gonorrhea
- 85 Gout
- 405 Graft-versus-Host disease, except of bone marrow
  - 409 bone marrow
- 123 Grand mal epilepsy
- 282 Grand multiparity
  - 410 without pregnancy

- 282 Habitual aborter
  - 266 without pregnancy
- 326 Hallux valgus or varus, except congenital
  - 342 congenital
- 326 Hammer toe
- 348 Headache, except migraine and tension
  - 125 migraine
  - 118 tension
- 417 Healed fracture aftercare, except removal of fixation device
  - 414 removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	Title
	Heart
147	attack
156	failure, execpt hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids

Group No.	Title
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No.	Title
357	Hyperbilirubinemia, unspecified
84	constitutional
344	neonatal
84	Hypercalcemia
276	Hyperemesis gravidarum
80	Hyperinsulinism
84	Hyperlipoproteinemia
80	Hyperparathyroidism
249	Hyperplasia of prostate
86	Hyperpotassemia
143	Hypertension, except renal and of pregnancy
275	of pregnancy
301	with delivery
145	renal
146	renovascular
134	Hypertensive retinopathy
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial

Group No.	Title
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion

DIAGNOSIS INDEX (continued)

Group No.	Title
	Injury (continued)
386	internal, except chest
385	chest
401	knee
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
14	Lyme
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria
32	Malignant melanoma, skin
105	Manic-depressive psychosis
342	Marfan syndrome
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis

Group No.	Title
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign (continued)
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
27	bile duct
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye
	Neoplasm, malignant (continued)
38	fallopian tube
27	gallbladder
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, not further specified
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
27	liver
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple
411	single term
412	twin
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus

Group No.	Title
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis
	Ovarian
257	cyst
266	disease, except endometriosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian (continued)
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst

Group No.	Title
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome

DIAGNOSIS INDEX (continued)

Group No. **Title**

- 180 Postmastectomy lymphedema
- Postoperative wound
  - 408 dehiscence
  - 406 hemorrhage
  - 407 infection
- Postpartum
  - 304 complication, not elsewhere classified
  - 281 depression
- 4 Pott's disease
- 342 Prader-Willi syndrome
- Precerebral occlusion
  - 163 without paralysis
  - 164 with paralysis
- 357 Prediabetes
- 275 Pre-eclampsia
  - 301 with delivery
- 130 Preglaucoma
- 417 Pregnancy
  - 268 ectopic
  - 268 ovarian
  - 282 post-term
    - 301 with delivery
  - 268 tubal
  - 417 undelivered
- 282 Premature rupture of membranes
  - 296 with delivery
- 343 Prematurity of newborn
- 267 Premenstrual tension
- 95 Presenile dementia or psychosis
- 222 Proctocolitis, idiopathic
- Prolapse
  - 134 iris
  - 262 uterovaginal
- 250 Prostatic disease, except hypertrophy
  - 249 hypertrophy
- Proteinuria
  - 357 except postural

Group No. **Title**

- Proteinuria **(continued)**
  - 236 postural or orthostatic
- Psychogenic
  - 115 diarrhea
  - 115 hyperventilation
  - 115 paralysis
  - 115 vomiting
- 123 Psychomotor epilepsy
- 106 Psychosis
  - 98 alcoholic
  - 95 Alzheimer's
  - 96 arteriosclerotic
  - 104 depressive
  - 99 drug-induced
  - 105 manic-depressive
  - 94 organic, acute or transient
    - 97 chronic, except arteriosclerotic and Alzheimer's
  - 97 senile
- 104 Psychotic depression
- 304 Puerperal complication
  - 301 with delivery
- Pulmonary
  - 151 embolism
  - 191 emphysema
  - 3 tuberculosis
  - valve disease-*see Valvular disease*
- 240 Pyelitis, except acute
  - 239 acute
- 240 Pyelonephritis, except acute
  - 239 acute
- 337 Pyloric stenosis, congential
- 347 Pyrexia of unknown origin
  - 302 puerperal

- 13 Rabies
- 417 Radiotherapy session or treatment
- 357 Rash

DIAGNOSIS INDEX (continued)

Group No. Title

- Reaction
  - 107 anxiety
  - 108 depressive
  - 404 drug, not elsewhere classified
  - 409 transfusion
- 262 Rectocele, female
- 253 Redundant prepuce
- 222 Regional enteritis
- 414 Removal of internal fixation device
- Renal
  - 241 calculus
  - 415 dialysis treatment
  - 238 failure, except chronic and hypertensive
    - 237 chronic
    - 145 hypertensive
      - 146 with heart disease or failure
  - 145 hypertension
- 146 Renovascular hypertension
- 195 Respiratory distress, acute
- 3 Respiratory tuberculosis
- 134 Retained intraocular foreign body
- 287 Retained placenta
- 119 Retardation, mental
- 354 Retention, urine
- Retinal
  - 128 cyst
  - 128 detachment
  - 128 hemorrhage
  - 128 tear
- 134 Retinitis pigmentosa
- 344 Rh (Rhesus) disease of newborn
- 141 Rheumatic fever, active
- 142 Rheumatic heart disease, chronic
- 331 Rheumatism
- 312 Rheumatoid arthritis, except spine
  - 318 spine
- 14 Rickettsiosis

Group No. Title

- 9 Rubella
  - 20 late effect
- Rupture
  - 180 blood vessel
  - 321 intervertebral disc, except lumbar
    - 320 lumbar disc
  - 257 ovarian cyst
  - 282 uterus
    - 304 postpartum
    - 300 with delivery
- 208 Ruptured appendix

- 322 Sacroiliac instability
- 2 Salmonellosis
- 258 Salpingitis
- Sarcoma-*see Neoplasm, malignant, connective tissue*
- 102 Schizophrenia, except paranoid, childhood, and acute episode
  - 101 acute episode
  - 103 childhood
  - 100 paranoid
- 323 Sciatica
- 122 Sclerosis, multiple
- 331 Scoliosis
- 308 Sebaceous cyst
- 346 Seizure, except epileptic
  - 123 epileptic
- 270 Self-induced abortion
- 131 Senile cataract
- 97 Senile dementia or psychosis
- 357 Senility
- 375 Separation, shoulder
- 6 Sepsis
  - 302 puerperal
- 6 Septicemia
  - 302 puerperal
- 10 Serum hepatitis
- 409 Serum sickness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective

Group No.	Title
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No.	Title
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis

Group No.	Title
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper respiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart

Group No.	Title
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	**Title**
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery

Group No.	**Title**
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain
	Biopsy (continued)
757	breast
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura

OPERATION INDEX (continued)

Group No.	Title
	Biopsy **(continued)**
657	prostate
606	rectum
549	salivary gland or duct
658	scrotum
762	skin
598	small intestine
507	spinal meninges
593	stomach
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary

Group No.	Title
	Bypass, graft or shunt **(continued)**
597	gastric
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization (continued)
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder
	Control of hemorrhage (continued)
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No. Title

- Debridement (continued)
  - 715 fracture, except of femur and skull
    - 714 femur
    - 502 skull
  - 768 nail, nail bed, nail fold
  - 763 skin (infection) (wound), except nonexcisional
    - 764 nonexcisional
- Decompression
  - 509 carpal tunnel
  - 502 cranial
  - 506 laminectomy
  - 506 spinal
- Delivery
  - 698 artificial rupture of membranes
  - 696 breech extraction
  - 700 cesarean section, except low cervical
    - 699 low cervical
  - 697 forceps, except low forceps
    - 695 low forceps
  - 697 internal and combined version
- 767 Dermabrasion
- 602 Derotation, intestine
- 779 Detoxification (alcohol) (drug)
- 579 Dialysis, except peritoneal
  - 631 peritoneal
- Dilation
  - 644 bladder (neck)
  - 602 large intestine
  - 640 ureteral meatus
  - 651 ureterovesical orifice
  - 647 urethra, urethrovesical junction
- 683 Dilation and curettage (D and C), uterus, except for termination of pregnancy
  - 682 termination of pregnancy
- 726 Dislocation-reduction, except hip and temporomandibular
  - 725 hip
  - 710 temporomandibular (joint)

Group No. Title

- Division
  - adhesions-*see Lysis, adhesions*
  - 613 anal sphincter
  - 741 fascia, except of hand
    - 743 hand
  - 508 peripheral nerve
  - 511 sympathetic nerve or ganglion
- 667 Dorsal or lateral slit of prepuce
- Drainage-*see also Incision (and drainage)*
  - 654 bladder, except surgical approach
    - 644 surgical approach (suprapubic)
  - 568 chest
  - 536 middle ear
- 781 Drug therapy
- 599 Duodenectomy

- 783 ECG (electrocardiogram)
- 582 ECMO (extracorporeal membrane oxygenation)
- 775 Echoencephalography
- 783 EEG (electroencephalogram)
- 609 EGD (esophagogastroduodenoscopy), except with biopsy
  - 598 with biopsy
- 783 EKG (electrocardiogram)
- 783 Electrocardiogram (ECG) (EKG)
- 783 Electroencephalogram (EEG)
- 768 Electrolysis, skin
- 769 Encephalography
- Endoscopy
  - 618 biliary tract
  - 641 bladder
  - 566 bronchus
  - 621 colon, except surgical approach
    - 609 surgical approach (transabdominal)
  - 690 cul-de-sac, except for tubal ligation
    - 672 tubal ligation
  - 590 esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy **(continued)**
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy

Group No.	Title
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No.	Title
	Excision (continued)
	hydrocele (continued)
663	spermatic cord
658	tunica vaginalis
729	intervertebral disc or cartilage, except chemonucleolysis
728	chemonucleolysis
732	joint, except intervertebral disc and cartilage of knee
729	intervertebral disc, except chemonucleolysis
728	chemonucleolysis
730	knee cartilage
633	kidney, except partial
636	partial
730	knee cartilage (semilunar)
583	lymph nodes, except radical
584	radical
508	neuroma, peripheral nerve
	ovary
670	bilateral
669	unilateral
549	parotid gland
761	pilonidal cyst or sinus
515	pituitary gland
656	prostate, except transurethral approach
655	transurethral approach
522	pterygium
762	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
730	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
767	toenail
551	tongue
552	tonsil, except with adenoids
553	with adenoids
555	tonsil tag
	Excision (continued)
	tubes and ovaries
670	bilateral
669	unilateral
678	uterine fibroid
577	varicocele, except of spermatic cord
663	spermatic cord
	Excision of lesion (and destruction of tissue)
628	abdominal wall
611	anus
619	bile duct, except by ERCP
618	by ERCP
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
501	brain
757	breast
562	bronchus
501	cerebral meninges
676	cervix, except by conization
675	conization
598	colon
520	conjunctiva
522	cornea
598	duodenum
533	ear, external
589	esophagus
531	eye
517	eyelid
674	fallopian tube
548	gingiva, gums
598	intestine
524	iris
636	kidney

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion (continued)
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
620	pancreatic duct, except by ERCP
618	by ERCP
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach

Group No.	Title
	Excision of lesion (continued)
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	Exteriorization, intestine
	Extracorporeal
582	circulation
582	membrane oxygenation (ECMO)
	shock wave lithotripsy (ESWL)
619	biliary tract
652	urinary tract
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift

OPERATION INDEX (continued)

Group No.	Title
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
	Fistulization
523	sclera (for glaucoma)
561	transesophageal (larynx)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction

Group No.	Title
	Fracture-reduction (continued)
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy

OPERATION INDEX (continued)

Group No.	Title
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation

Group No.	Title
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
755	limb prosthesis
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain
760	breast
501	cerebral meninges
568	chest (wall)
522	cornea
502	cranial sinus

OPERATION INDEX (continued)

Group No. Title

Incision (and drainage) (continued)
533   ear, external
518   eyelid
551   floor of mouth
619   gallbladder
548   gingiva, gums
601   intestine
727   joint
519   lacrimal gland or sac
614   liver
583   lymph nodes
538   mastoid
  meninges
501   cerebral
506   spinal
536   middle ear
741   muscle
  nasal sinus-*see Sinusotomy*
741   palmar space (hand)
620   pancreas
613   perianal tissue
  perineum
691   female
764   male
607   perirectal tissue
629   peritoneum, except via cul-de-sac
690   via cul-de-sac
761   pilonidal cyst or sinus
568   pleura
607   rectovaginal septum
607   rectum
628   retroperitoneal abscess
658   scrotum
  sinus (nasal)-*see Sinusotomy*
764   skin, except pilonidal cyst or sinus
761   pilonidal cyst or sinus
506   spinal meninges

Group No. Title

Incision (and drainage) (continued)
741   tendon
568   thorax
637   ureter
690   vagina
691   vulva
698 Induction of labor (medical or surgical) for delivery
Infusion
  concentrated nutritional substances
783   enteral
781   parenteral (PPN) (TPN)
Injection
702   intra-amniotic, for termination of pregnancy
781   therapeutic agent (drugs)
760   breast
756   bursa
756   joint
756   tendon
694 Insemination, artificial
Insertion
717   bone growth stimulator, except femur
716   femur
574   cardiac pacemaker (electrode) (pulse generator)
512   catheter, spinal canal
596   gastric balloon
764   infusion pump
694   intrauterine contraceptive device
687   laminaria, uterus
665   penile prosthesis
767   tissue expander, except breast
760   breast
651   ureteral stent, except by incision
637   by incision
674 Insufflation, fallopian tubes
582 Interruption, vena cava
702 Intra-amniotic injection for termination of pregnancy
775 Intravenous pyelogram (IVP)

OPERATION INDEX (continued)

Group No.	Title
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter

Group No.	Title
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
757	subtotal
537	Mastoidectomy, except revision
538	revision

OPERATION INDEX (continued)

Group No. **Title**

- 760 Mastotomy
- Meatotomy
  - 640 ureteral
  - 645 urethral
- 698 Medical induction of labor
- 730 Meniscectomy, knee
- 694 Menstrual extraction or regulation
- 707 Mentoplasty
- 782 Monitoring, circulatory (CVP) (PCW)
- 775 MRI (magnetic resonance imaging)
- 770 Myelography
- 678 Myomectomy, uterus
- 536 Myringotomy

- 633 Nephrectomy (complete)
- 636 Nephropexy
- 775 NMR (nuclear magnetic resonance imaging)
- Nutritional infusion
  - 783 enteral
  - 781 parenteral (PPN) (TPN)

- 690 Obliteration, vagina or vaginal vault
- 767 Onychectomy
- 767 Onychoplasty
- Oophorectomy
  - 670 bilateral
  - 669 unilateral
- 532 Ophthalmoscopy
- 659 Orchiectomy
- 660 Orchiopexy
- 661 Orchioplasty, except suspension
  - 660 suspension
- 715 Ostectomy, except facial bone and femur
  - 707 facial bone, except partial
    - 706 partial

Group No. **Title**

- Ostectomy, except facial bone and femur (continued)
  - 714 femur
- 717 Osteoplasty, except facial bone and femur
  - 707 facial bone
  - 714 femur
- 712 Osteotomy, except facial bone and femur
  - 707 facial bone
  - 711 femur
- 539 Otoscopy

- 550 Palatoplasty
- 620 Pancreatectomy
- 620 Pancreatotomy
- Paracentesis
  - 628 abdominal
  - 524 anterior chamber (eye)
  - 576 thoracic
- 514 Parathyroidectomy
- 549 Parotidectomy
- 592 PEG (percutaneous endoscopic gastrostomy)
- 603 PEJ (percutaneous endoscopic jejunostomy)
- 681 Pelvic exenteration
- Percutaneous
  - endoscopic
    - 592 gastrostomy (PEG)
    - 603 jejunostomy (PEJ)
  - 582 transluminal angioplasty, except coronary
    - 571 coronary
- 575 Pericardiocentesis
- 631 Peritoneal dialysis
- 630 Peritoneoscopy
- 556 Pharyngoscopy
- 555 Pharyngotomy
- 773 Phlebography
- 781 Photopheresis
- 539 Piercing, ear

OPERATION INDEX (continued)

Group No.	Title
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
	Polypectomy
589	esophagus
598	large intestine
593	stomach
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy

Group No.	Title
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)

OPERATION INDEX (continued)

Group No. **Title**

- Reduction (continued)
  - fracture
    - 709 facial bone, except closed reduction
      - 708 closed reduction
    - femur
      - 721 closed, except with internal fixation
        - 719 with internal fixation
      - 721 open, except with internal fixation
        - 720 with internal fixation
    - 709 mandible, except closed reduction
      - 708 closed reduction
    - 709 maxillofacial, except closed reduction
      - 708 closed reduction
    - 543 nose
    - site, other than above
      - 724 closed, except with internal fixation
        - 722 with internal fixation
      - 724 open, except with internal fixation
        - 723 with internal fixation
  - 621 hemorrhoids
  - hernia-*see also Herniorrhaphy*
    - 783 manual
  - 602 intestinal torsion
  - 602 intussusception, intestine
  - 760 mammoplasty
  - 602 volvulus, intestine
- Rehabilitation
  - 779 alcohol
  - 779 drug
- Release
  - adhesions-*see Lysis, adhesions*
  - 743 Dupuytren's contracture
  - 767 scar contracture, skin
  - 648 urethral stricture
- Removal
  - 718 bone growth stimulator

Group No. **Title**

- Removal (continued)
  - calculus
    - 619 biliary tract, except by ERCP or percutaneous
      - 618 by ERCP
      - 617 percutaneous
    - 644 bladder, except transurethral approach
      - 643 transurethral approach
    - 636 kidney, except transurethral approach
      - 639 transurethral approach
    - 519 lacrimal tract (by incision)
      - 532 without incision
    - 620 pancreatic duct, except by endoscopic approach
      - 618 endoscopic approach
    - 637 ureter, except transurethral approach
      - 639 transurethral approach
  - 783 catheter, nonoperatively
  - 783 cholecystotomy tube
  - 701 ectopic fetus
  - 718 fixation device, internal
  - foreign body
    - 780 bronchus, except with incision
      - 562 with incision
    - 531 eye, except as below
      - 524 anterior chamber
      - 520 conjunctiva
      - 524 iris
      - 527 lens
    - prosthesis
      - 760 breast
      - 727 joint
  - 597 gastric balloon
  - 666 penile prosthesis
  - 705 retained placenta, manually
  - 783 sutures
  - 783 t-tube, gallbladder
  - 783 therapeutic device, nonoperatively

OPERATION INDEX (continued)

Group No.	Title
	Removal (continued)
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
713	claw toe
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus

Group No.	Title
	Repair (continued)
713	hammer toe
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	laceration-*see also Repair, by site*
705	obstetric
561	larynx
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
713	toe(s)
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder

Group No.	Title
	Resection (continued)
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump
580	arteriovenous shunt for dialysis
597	gastric anastomosis
602	intestinal anastomosis
538	mastoidectomy
561	tracheostomy
538	tympanoplasty
505	ventricular shunt
541	Rhinoplasty
767	Rhytidectomy, facial
548	Root canal therapy
548	Root resection (tooth)
698	Rupture of membranes for delivery
	Salpingectomy
673	bilateral
674	unilateral

OPERATION INDEX (continued)

Group No.	Title
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP
618	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy

Group No.	Title
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy

OPERATION INDEX (continued)

Group No. Title

- Termination of pregnancy (continued)
  - 702 intra-amniotic injection
- Therapy
  - 779 behavior
  - 781 cancer (chemical)
  - 779 electroconvulsive (ECT)
  - 778 occupational
  - 778 physical
  - 779 psychiatric
  - 776 radiation
  - 779 shock (EST)
  - 778 speech
  - 777 ventilation
- 775 Thermography
- 576 Thoracentesis
- 569 Thoracoscopy, transpleural
- 568 Thoracotomy
- 515 Thymectomy
- 513 Thyroidectomy
- 582 Thromboendarterectomy, except carotid
  - 581 carotid
- 551 Tongue-tie operation
- 552 Tonsillectomy, except with adenoidectomy
  - 553 with adenoidectomy
- 547 Tooth restoration
- 781 TPN (total parenteral nutrition)
- 560 Tracheostomy
- 778 Traction, skeletal, except with fracture-reduction
  - with fracture-reduction-*see Reduction, fracture*
- Transfer-*see Transplant*
- Transfusion
  - 781 blood, except intrauterine exchange
    - 704 intrauterine
  - 585 bone marrow
  - 781 coagulation factor
  - 781 gamma globulin
  - 781 plasma

Group No. Title

- Transplant, transplantation
  - 585 bone marrow
  - 521 corneal
  - 570 heart
  - 635 kidney
  - 615 liver
  - 567 lung
  - 746 muscle, except of hand
    - 744 hand
  - 620 pancreas
  - 746 tendon, except of hand
    - 744 hand
- 655 TUR of prostate
- 542 Turbinectomy, nasal
- 535 Tympanoplasty, except revision
  - 538 revision
- 536 Tympanotomy

- Ultrasonic fragmentation of calculus
  - 652 biliary
  - 652 urinary, except by percutaneous nephrostomy
    - 634 percutaneous nephrostomy
- 775 Ultrasound, diagnostic
- 640 Ureterectomy
- 638 Ureterostomy
- 637 Ureterotomy
- 641 Urethroscopy
- 648 Urethrotomy
- 638 Urinary diversion
- 783 Uroflowmetry, uroflometry

- 781 Vaccination
- 697 Vacuum extraction for delivery
- 694 Vaginoscopy
- 596 Vagotomy

OPERATION INDEX (continued)

Group No.	Title
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
644	Vesicostomy
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

B4465-1.4

LOS

LENGTH OF STAY

Length of Stay by Diagnosis and Operation, Southern Region, 1989

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1990

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1989
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1989
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1989
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1989
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1989 through December 31, 1989. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1990 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii

Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of the Statistics ix

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables x

Length of Stay Tables 1

- Length of Stay Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-417 4
- Length of Stay Operation Groups 213
- Summary of All Patients in Operation Groups 214
- Operation Groups 501-783 215

Appendix A

1989 Hospital Characteristics 287

Appendix B

Description of Hospital Characteristics 289

Appendix C

State Inclusions By Region 291

Appendix D

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 293

Index

- Part I: Diagnosis Index 298
- Part II: Operation Index 321

ACKNOWLEDGEMENTS

1989 LENGTH OF STAY BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Linda Vanek, Assistant Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Robert Travis, Librarian.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Stacey Cavanaugh, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1989 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1989 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

> **General** – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.
>
> **Nonfederal** – Controlled by state, county, city, city-county, hospital district or authority, church.
>
> **Short-term** – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1989.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborns, age is replaced by birth weight in grams. The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Single or Multiple Diagnosis

- Not Operated or Operated (for Diagnosis groups only)

- Patient's Age (on day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay Tables
Diagnosis Groups

156 Hospitals, Southern Region, January-December 1989

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80054	2.9	12	1	2	2	3	4	6	15
20-34	30107	2.9	13	1	2	2	3	5	7	20
35-49	11243	4.1	25	1	2	3	5	8	12	27
50-64	6256	4.4	24	1	2	3	5	9	13	27
65 +	5060	5.7	41	1	2	4	7	11	16	33
B. Operated										
0-19 YRS	31399	2.8	12	<1	1	2	3	6	8	16
20-34	34750	2.8	5	1	2	2	3	5	6	11
35-49	16778	3.5	11	1	1	3	4	7	9	15
50-64	11766	3.9	14	1	1	3	5	8	10	16
65 +	8334	4.7	23	<1	1	3	7	10	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99436	4.7	41	1	2	3	5	8	14	36
20-34	37313	5.6	52	1	2	3	6	12	20	38
35-49	36955	6.1	49	1	2	4	7	13	20	36
50-64	47952	6.1	40	2	3	4	7	12	17	33
65 +	106608	7.4	49	2	3	6	9	14	19	38
B. Operated										
0-19 YRS	38217	7.2	127	1	2	4	8	18	31	94
20-34	62139	4.8	39	2	2	3	5	8	13	36
35-49	43564	6.6	65	1	3	4	7	13	20	46
50-64	46337	8.2	81	1	3	6	10	17	24	52
65 +	72704	10.4	103	2	4	8	13	21	30	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132720	3.2	15	1	2	2	3	5	8	21
B. Operated	103027	3.2	11	<1	1	2	4	6	9	15
2. MULTIPLE DX										
A. Not Operated	328264	6.0	47	2	2	4	7	12	18	37
B. Operated	262961	7.6	86	1	3	5	9	16	24	56
1. SINGLE DX	235747	3.2	13	1	1	2	4	6	8	18
2. MULTIPLE DX	591225	6.7	65	1	2	4	8	14	21	45
A. Not Operated	460984	5.2	39	1	2	3	6	11	15	33
B. Operated	365988	6.4	69	1	2	4	8	14	21	48
TOTAL										
0-19 YRS	249106	4.3	43	1	2	3	4	8	13	39
20-34	164309	4.2	31	1	2	3	4	8	12	31
35-49	108540	5.7	49	1	2	4	6	11	17	38
50-64	112311	6.7	56	1	2	5	8	14	19	40
65 +	192706	8.4	71	2	3	6	10	17	23	47
GRAND TOTAL	**826972**	**5.7**	**53**	**1**	**2**	**4**	**7**	**12**	**18**	**40**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39941	3.4	22	1	1	2	4	6	9	25
20-34	30107	2.9	13	1	2	2	3	5	7	20
35-49	11243	4.1	25	1	2	3	5	8	12	27
50-64	6256	4.4	24	1	2	3	5	9	13	27
65 +	5060	5.7	41	1	2	4	7	11	16	33
B. Operated										
0-19 YRS	31341	2.8	12	< 1	1	2	3	6	8	16
20-34	34750	2.8	5	1	2	2	3	5	6	11
35-49	16778	3.5	11	1	1	3	4	7	9	15
50-64	11766	3.9	14	1	1	3	5	8	10	16
65 +	8334	4.7	23	< 1	1	3	7	10	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70704	4.9	45	1	2	3	5	9	15	39
20-34	37313	5.6	52	1	2	3	6	12	20	38
35-49	36955	6.1	49	1	2	4	7	13	20	36
50-64	47952	6.1	40	2	3	4	7	12	17	33
65 +	106608	7.4	49	2	3	6	9	14	19	38
B. Operated										
0-19 YRS	36832	6.5	94	1	2	3	7	16	25	74
20-34	62139	4.8	39	2	2	3	5	8	13	36
35-49	43564	6.6	65	1	3	4	7	13	20	46
50-64	46337	8.2	81	1	3	6	10	17	24	52
65 +	72704	10.4	103	2	4	8	13	21	30	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92607	3.5	21	1	2	2	4	7	10	25
B. Operated	102969	3.2	11	< 1	1	2	4	6	9	15
2. MULTIPLE DX										
A. Not Operated	299532	6.2	48	1	2	4	7	13	18	37
B. Operated	261576	7.5	81	1	3	5	9	16	24	53
1. SINGLE DX	195576	3.4	16	1	1	2	4	6	9	20
2. MULTIPLE DX	561108	6.8	64	1	3	4	8	14	21	44
A. Not Operated	392139	5.6	43	1	2	4	7	11	17	35
B. Operated	364545	6.3	65	1	2	4	7	14	20	46
TOTAL										
0-19 YRS	178818	4.5	46	1	1	3	5	9	15	40
20-34	164309	4.2	31	1	2	3	4	8	12	31
35-49	108540	5.7	49	1	2	4	6	11	17	38
50-64	112311	6.7	56	1	2	5	8	14	19	40
65 +	192706	8.4	71	2	3	6	10	17	23	47
GRAND TOTAL	**756684**	**5.9**	**54**	**1**	**2**	**4**	**7**	**13**	**18**	**40**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	544	2.6	2	1	1	2	3	4	5	8
20-34	116	2.1	1	1	1	2	3	3	4	7
35-49	49	2.8	3	1	1	2	3	5	6	8
50-64	23	2.3	2	1	1	2	3	5	6	6
65 +	20	4.3	9	2	2	3	5	10	11	11
B. Operated										
0-19 YRS	8	3.9	2	2	3	4	5	6	6	6
20-34	4	3.8	7	< 1	1	4	6	6	6	6
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64	0									
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1590	3.1	6	1	2	3	4	5	6	12
20-34	319	2.7	3	1	1	2	3	5	6	8
35-49	199	3.2	5	1	2	3	4	6	8	12
50-64	184	3.6	5	1	2	3	5	6	8	10
65 +	307	4.7	11	2	3	4	6	9	11	17
B. Operated										
0-19 YRS	42	8.1	69	2	4	5	9	18	23	47
20-34	16	5.6	21	1	3	4	7	13	16	18
35-49	18	6.1	21	1	3	5	9	12	17	19
50-64	14	7.5	19	4	4	6	10	16	17	17
65 +	26	7.8	55	2	4	6	8	14	28	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	752	2.6	3	1	1	2	3	4	5	8
B. Operated	16	4.4	6	2	3	4	5	6	10	12
2. MULTIPLE DX										
A. Not Operated	2599	3.3	6	1	2	3	4	6	7	12
B. Operated	116	7.3	46	2	3	5	9	16	19	38
1. SINGLE DX	768	2.6	3	1	1	2	3	5	5	8
2. MULTIPLE DX	2715	3.4	9	1	2	3	4	6	8	14
A. Not Operated	3351	3.1	6	1	2	3	4	5	7	12
B. Operated	132	7.0	42	2	3	5	8	14	19	36
TOTAL										
0-19 YRS	2184	3.1	7	1	2	3	4	5	6	12
20-34	455	2.6	3	1	1	2	3	5	6	8
35-49	269	3.3	6	1	2	3	4	6	8	13
50-64	221	3.7	6	1	2	3	5	7	8	15
65 +	354	4.9	15	2	3	4	6	9	11	20
GRAND TOTAL	**3483**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	210	3.8	5	2	3	3	5	6	8	14
20-34	50	3.1	4	1	2	3	4	5	7	11
35-49	32	3.9	7	2	2	3	5	7	8	14
50-64	23	3.8	6	1	2	3	5	7	9	10
65 +	17	4.6	3	2	3	5	6	7	8	8
B. Operated										
0-19 YRS	14	4.5	6	2	3	4	6	8	10	10
20-34	11	4.1	4	2	3	4	5	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	5.0	1	4	4	5	6	6	6	6
65 +	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	658	4.4	11	2	3	4	5	7	10	15
20-34	164	3.6	12	1	2	3	4	6	9	24
35-49	114	4.0	6	1	2	4	5	7	9	12
50-64	89	5.1	10	2	3	4	6	8	11	19
65 +	196	8.0	52	3	4	6	10	15	22	36
B. Operated										
0-19 YRS	47	12.0	197	2	4	6	15	33	50	55
20-34	30	6.1	26	2	3	5	7	11	15	28
35-49	25	8.2	105	2	3	6	10	16	28	52
50-64	34	10.8	153	3	5	7	10	31	48	52
65 +	83	11.4	89	3	5	9	14	23	32	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	332	3.8	5	1	2	3	5	6	8	14
B. Operated	31	4.3	4	2	3	4	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	1221	4.9	19	2	3	4	6	9	11	24
B. Operated	219	10.4	117	2	4	7	12	22	39	53
1. SINGLE DX	363	3.8	5	1	2	3	5	7	8	13
2. MULTIPLE DX	1440	5.7	38	2	3	4	6	10	15	36
A. Not Operated	1553	4.7	16	2	3	4	5	8	11	20
B. Operated	250	9.6	107	2	4	6	11	20	32	52
TOTAL										
0-19 YRS	929	4.7	21	2	3	4	5	8	10	22
20-34	255	3.8	12	1	2	3	5	7	9	25
35-49	172	4.6	22	1	2	4	5	8	10	19
50-64	149	6.2	47	2	3	5	7	10	12	52
65 +	298	8.8	62	3	4	7	10	16	24	43
GRAND TOTAL	**1803**	**5.3**	**32**	**2**	**3**	**4**	**6**	**10**	**13**	**31**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	5.3	10	1	3	4	8	10	10	10
20-34	5	5.4	13	1	3	4	8	10	10	10
35-49	7	10.6	83	1	6	8	13	26	29	29
50-64	2	9.0	50	4	4	9	14	14	14	14
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	8.8	18	3	6	9	11	13	13	13
35-49	4	9.0	54	3	3	8	15	18	18	18
50-64	2	8.0		8	8	8	8	8	8	8
65 +	3	8.0	1	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	10.5	181	3	4	7	10	27	48	50
20-34	27	11.3	75	3	5	10	13	20	32	41
35-49	35	11.3	95	3	5	9	14	19	34	49
50-64	23	11.8	76	4	6	11	13	20	29	44
65 +	43	16.9	125	6	9	14	24	36	41	43
B. Operated										
0-19 YRS	13	7.9	53	2	2	6	11	21	23	23
20-34	13	12.2	65	3	6	12	17	24	27	28
35-49	28	15.9	307	6	8	11	17	50	83	99 +
50-64	22	15.6	112	6	7	13	22	34	37	39
65 +	44	15.9	175	6	7	10	20	36	54	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	7.3	38	1	4	6	9	14	21	29
B. Operated	14	8.1	20	3	3	8	10	13	17	18
2. MULTIPLE DX										
A. Not Operated	139	13.0	108	4	6	10	15	27	40	49
B. Operated	120	14.6	171	5	7	10	19	30	45	99 +
1. SINGLE DX	36	7.6	30	2	4	7	9	14	17	29
2. MULTIPLE DX	259	13.8	137	4	6	10	17	28	41	80
A. Not Operated	161	12.3	102	3	6	10	15	25	37	48
B. Operated	134	13.9	159	4	7	10	18	28	41	99 +
TOTAL										
0-19 YRS	33	7.9	83	2	3	6	9	17	23	50
20-34	49	10.7	63	3	5	10	13	20	28	41
35-49	74	12.9	173	3	6	10	15	20	46	95
50-64	49	13.2	90	4	7	11	18	25	35	44
65 +	90	16.1	146	6	8	12	22	36	42	86
GRAND TOTAL	**295**	**13.0**	**128**	**4**	**6**	**10**	**16**	**27**	**39**	**75**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	13.0	288	1	1	13	25	25	25	25
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	9.5	13	7	7	9	12	12	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	21.8	243	4	4	23	36	40	40	40
20-34	1	3.0		3	3	3	3	3	3	3
35-49	6	8.3	83	1	1	5	13	23	24	24
50-64	4	5.5	14	3	3	4	8	11	11	11
65 +	4	18.8	318	4	4	16	33	40	40	40
B. Operated										
0-19 YRS	10	16.3	322	1	2	16	69	99 +	99 +	99 +
20-34	4	16.0	18	10	13	17	19	19	19	19
35-49	11	26.7	734	5	6	12	40	74	82	83
50-64	4	37.8	237	23	25	35	50	57	57	57
65 +	14	26.1	370	6	13	21	46	68	92	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	13.0	288	1	1	13	25	25	25	25
B. Operated	7	4.9	14	1	2	4	6	11	12	12
2. MULTIPLE DX										
A. Not Operated	21	13.4	184	2	3	4	25	37	40	40
B. Operated	43	24.1	418	4	11	19	43	80	99 +	99 +
1. SINGLE DX	9	6.7	60	1	1	4	8	20	25	25
2. MULTIPLE DX	64	20.6	363	2	5	17	33	65	99 +	99 +
A. Not Operated	23	13.3	180	1	3	4	25	37	40	40
B. Operated	50	21.4	406	2	6	17	39	70	99 +	99 +
TOTAL										
0-19 YRS	21	15.5	260	1	2	16	32	99 +	99 +	99 +
20-34	6	11.8	53	3	4	13	19	19	19	19
35-49	18	19.4	547	1	5	10	24	60	77	83
50-64	10	19.2	342	3	4	11	28	50	57	57
65 +	18	24.5	349	4	12	21	40	62	86	99 +
GRAND TOTAL	**73**	**18.9**	**346**	**2**	**4**	**15**	**28**	**59**	**94**	**99 +**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	2.3	1	1	1	2	3	4	5	6
20-34	13	2.4	2	1	2	2	3	4	6	7
35-49	11	2.9	1	2	2	3	3	4	6	6
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	16	1.0		< 1	< 1	1	1	1	1	1
20-34	3	1.3		1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	251	2.7	2	1	2	2	3	4	5	7
20-34	73	4.2	113	2	2	3	3	5	6	73
35-49	24	4.7	35	2	3	3	4	6	14	32
50-64	23	3.9	4	2	2	4	5	6	8	10
65 +	4	5.3	2	4	4	5	6	7	7	7
B. Operated										
0-19 YRS	14	2.1	3	1	1	1	4	5	5	5
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.5	2	1	2	2	3	4	5	7
B. Operated	19	1.1		< 1	< 1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	375	3.2	26	1	2	3	4	5	6	8
B. Operated	19	2.9	4	1	1	3	5	6	6	6
1. SINGLE DX	87	2.2	2	1	1	2	3	3	5	7
2. MULTIPLE DX	394	3.2	25	1	2	3	4	5	6	8
A. Not Operated	443	3.1	22	1	2	3	3	5	6	8
B. Operated	38	2.0	3	< 1	1	1	3	5	6	6
TOTAL										
0-19 YRS	322	2.5	2	1	1	2	3	4	5	7
20-34	92	3.8	90	1	2	3	3	5	6	57
35-49	36	4.1	24	2	2	3	4	6	7	32
50-64	25	3.8	3	2	2	4	5	6	7	10
65 +	6	5.3	1	4	5	5	6	7	7	7
GRAND TOTAL	**461**	**3.0**	**21**	**1**	**2**	**3**	**3**	**5**	**6**	**8**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	444	4.2	7	2	3	3	5	8	10	14
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	6	4.2	5	1	3	4	5	8	8	8
50-64	4	4.8		4	4	5	5	5	5	5
65 +	13	7.3	26	2	3	6	11	15	17	18
B. Operated										
0-19 YRS	6	7.3	18	3	4	7	11	13	13	13
20-34	3	20.0	633	4	5	7	38	49	49	49
35-49	1	14.0		14	14	14	14	14	14	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1157	5.7	22	2	3	4	7	11	14	22
20-34	91	7.7	19	3	5	7	9	14	16	24
35-49	161	8.6	32	3	5	7	11	16	19	36
50-64	314	9.2	35	4	6	8	11	16	21	29
65 +	1494	11.0	75	4	6	9	13	19	26	50
B. Operated										
0-19 YRS	100	14.0	175	3	5	11	19	31	43	99 +
20-34	62	16.4	253	4	7	11	20	33	42	85
35-49	78	19.1	299	5	8	13	25	40	63	99
50-64	109	18.3	210	5	8	14	27	45	56	99 +
65 +	413	19.7	232	7	10	15	25	44	68	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	469	4.3	8	2	3	3	5	8	10	14
B. Operated	10	11.8	187	3	4	8	13	31	49	49
2. MULTIPLE DX										
A. Not Operated	3217	8.7	54	3	4	7	11	15	21	42
B. Operated	762	18.4	232	5	9	14	24	42	64	99 +
1. SINGLE DX	479	4.4	12	2	3	3	5	9	10	15
2. MULTIPLE DX	3979	10.6	103	3	5	8	13	21	30	69
A. Not Operated	3686	8.2	50	3	4	7	10	15	20	38
B. Operated	772	18.3	232	5	9	14	23	42	64	99 +
TOTAL										
0-19 YRS	1707	5.8	31	2	3	4	7	11	14	29
20-34	158	11.3	137	4	5	8	13	22	32	80
35-49	246	11.9	140	4	5	8	14	24	36	96
50-64	427	11.5	95	4	6	9	14	22	32	97
65 +	1920	12.9	122	5	7	10	15	24	36	76
GRAND TOTAL	**4458**	**9.9**	**97**	**3**	**4**	**7**	**12**	**20**	**28**	**66**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	182	5.4	18	2	3	4	7	9	12	22
20-34	9	4.1	3	2	3	4	5	7	7	7
35-49	7	3.7	14	<1	2	2	4	10	12	12
50-64	4	4.3	4	2	2	4	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	8	5.3	10	1	2	6	8	8	8	8
20-34	2	7.0		7	7	7	7	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	4.7	6	2	3	5	6	7	7	7
65+	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	189	7.2	39	2	4	6	9	12	15	49
20-34	20	7.0	36	2	3	5	8	16	21	24
35-49	19	8.7	38	2	4	8	12	19	20	20
50-64	33	8.6	45	3	4	7	11	15	27	30
65+	48	9.7	109	3	5	6	9	20	28	65
B. Operated										
0-19 YRS	29	17.4	375	4	7	14	23	73	99+	99+
20-34	22	12.9	103	4	7	11	16	21	34	51
35-49	22	15.7	77	6	10	12	21	27	36	41
50-64	10	13.4	167	3	7	11	19	68	97	99+
65+	29	14.5	214	4	6	11	19	21	42	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	203	5.2	17	2	3	4	7	9	11	21
B. Operated	16	4.9	8	1	2	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	309	7.8	50	2	4	6	9	14	21	45
B. Operated	112	15.1	199	4	7	12	18	32	55	99+
1. SINGLE DX	219	5.2	16	2	3	4	7	9	11	21
2. MULTIPLE DX	421	9.8	100	3	4	7	11	20	27	97
A. Not Operated	512	6.8	39	2	3	6	8	12	17	34
B. Operated	128	13.8	186	3	6	11	17	26	51	99+
TOTAL										
0-19 YRS	408	7.1	61	2	3	6	8	13	19	74
20-34	53	8.9	68	3	4	7	12	18	23	50
35-49	49	11.0	71	2	4	10	17	21	25	41
50-64	50	9.0	67	2	4	7	11	18	30	99+
65+	80	11.2	148	3	5	7	13	21	31	74
GRAND TOTAL	**640**	**8.2**	**76**	**2**	**3**	**6**	**10**	**16**	**23**	**66**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	606	3.6	3	2	3	3	4	5	7	10
20-34	138	3.5	4	1	2	3	5	6	7	9
35-49	29	3.6	5	1	2	3	4	7	7	11
50-64	9	5.1	9	1	3	4	8	9	10	10
65+	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	5	4.4	3	3	3	4	5	7	7	7
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	455	4.2	6	2	3	4	5	7	10	13
20-34	131	4.2	8	2	2	4	5	7	9	16
35-49	38	5.0	7	2	3	4	7	9	10	12
50-64	18	6.7	37	1	3	5	8	13	22	27
65+	16	8.6	23	3	5	7	11	17	19	19
B. Operated										
0-19 YRS	11	8.5	55	2	3	5	15	21	23	23
20-34	2	8.0		8	8	8	8	8	8	8
35-49	4	8.3	21	3	4	8	12	13	13	13
50-64	2	10.5	85	4	4	10	17	17	17	17
65+	2	8.0	2	7	7	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	783	3.6	3	2	2	3	4	6	7	10
B. Operated	10	3.7	5	1	2	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	658	4.4	8	2	3	4	5	8	10	16
B. Operated	21	8.6	36	3	4	7	11	18	21	23
1. SINGLE DX	793	3.6	3	2	2	3	4	6	7	10
2. MULTIPLE DX	679	4.5	9	2	3	4	5	8	10	18
A. Not Operated	1441	4.0	6	2	3	3	5	7	9	12
B. Operated	31	7.0	31	2	3	5	8	17	19	23
TOTAL										
0-19 YRS	1077	3.9	5	2	3	3	4	7	8	11
20-34	273	3.9	6	2	2	3	5	7	8	14
35-49	74	4.5	8	1	3	4	6	9	11	13
50-64	29	6.4	30	1	3	5	8	13	17	27
65+	19	8.4	20	4	5	7	10	16	19	19
GRAND TOTAL	**1472**	**4.0**	**6**	**2**	**3**	**3**	**5**	**7**	**9**	**14**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	3.6	6	1	2	3	5	7	9	13
20-34	13	3.5	1	2	3	4	4	5	5	5
35-49	11	4.5	3	2	3	4	5	7	9	9
50-64	12	4.3	7	1	2	4	6	8	10	10
65 +	15	5.1	10	2	4	4	6	11	12	12
B. Operated										
0-19 YRS	5	8.2	75	<1	2	7	11	23	23	23
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	3	9.0	31	4	5	8	13	15	15	15
50-64	2	8.0	98	1	1	8	15	15	15	15
65 +	5	4.4	12	1	2	4	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	423	4.7	9	2	3	4	6	8	11	15
20-34	77	5.0	11	2	3	4	6	10	12	16
35-49	52	5.9	8	3	4	5	8	11	12	12
50-64	64	5.8	13	2	3	5	7	9	11	23
65 +	204	7.0	27	2	4	6	8	11	16	28
B. Operated										
0-19 YRS	21	8.4	81	3	3	5	8	24	32	36
20-34	7	9.0	62	4	4	6	10	23	26	26
35-49	4	7.3		7	7	7	8	[illegible]	8	8
50-64	16	12.9	168	3	4	8	16	[illegible]	45	52
65 +	26	13.9	182	2	4	9	19	30	46	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	3.8	6	1	2	3	5	7	9	13
B. Operated	17	6.6	37	1	2	5	8	15	20	23
2. MULTIPLE DX										
A. Not Operated	820	5.5	15	2	3	5	7	10	12	20
B. Operated	74	11.3	131	3	4	7	13	28	35	54
1. SINGLE DX	177	4.1	10	1	2	3	5	7	10	15
2. MULTIPLE DX	894	6.0	27	2	3	5	7	11	13	28
A. Not Operated	980	5.2	14	2	3	4	7	9	11	19
B. Operated	91	10.4	116	2	4	7	13	27	30	53
TOTAL										
0-19 YRS	558	4.7	12	2	2	4	6	8	11	17
20-34	99	5.1	14	2	3	4	6	10	12	21
35-49	70	5.9	8	3	4	5	8	10	12	14
50-64	94	6.9	46	2	3	6	8	12	18	42
65 +	250	7.5	46	2	4	6	9	13	19	44
GRAND TOTAL	**1071**	**5.7**	**25**	**2**	**3**	**4**	**7**	**10**	**13**	**27**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.7	3	1	1	2	4	5	6	7
20-34	53	4.2	11	1	2	4	5	7	8	18
35-49	21	6.5	15	3	3	5	9	13	14	15
50-64	8	7.6	73	1	2	5	9	22	27	27
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	4	7.8	65	1	1	7	14	17	17	17
35-49	2	9.0	128	1	1	9	17	17	17	17
50-64	3	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	4.2	10	2	2	4	5	8	11	17
20-34	83	5.4	10	2	3	5	7	10	12	16
35-49	61	6.9	37	2	4	5	8	13	15	38
50-64	21	8.2	42	2	3	7	11	17	22	27
65 +	19	4.9	7	2	3	5	7	9	10	11
B. Operated										
0-19 YRS	4	8.8	14	4	6	9	11	13	13	13
20-34	7	10.6	124	2	5	8	10	30	35	35
35-49	12	13.8	219	1	4	9	15	42	47	48
50-64	5	10.8	33	3	7	11	14	19	19	19
65 +	4	19.5	571	3	6	10	33	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	4.7	17	1	2	4	6	9	13	22
B. Operated	11	5.4	44	1	1	1	10	17	17	17
2. MULTIPLE DX										
A. Not Operated	210	5.9	22	2	3	5	7	11	14	26
B. Operated	32	12.7	173	2	5	9	12	36	47	55
1. SINGLE DX	113	4.8	19	1	2	4	6	10	15	21
2. MULTIPLE DX	242	6.8	46	2	3	5	8	12	17	41
A. Not Operated	312	5.5	20	2	3	4	7	11	13	26
B. Operated	43	10.8	149	1	3	8	12	22	42	55
TOTAL										
0-19 YRS	51	4.0	10	1	2	3	5	8	10	17
20-34	147	5.3	18	2	3	4	7	10	12	18
35-49	96	7.7	59	2	4	5	10	14	18	44
50-64	37	7.8	46	1	3	6	11	18	24	27
65 +	24	7.5	110	2	3	5	8	10	24	55
GRAND TOTAL	**355**	**6.2**	**38**	**2**	**3**	**5**	**8**	**12**	**16**	**39**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	3.8	5	2	2	3	5	6	9	11
20-34	11	3.5	2	1	2	4	4	5	7	7
35-49	3	5.7	12	2	3	6	8	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	190	3.6	4	2	2	3	4	6	7	10
20-34	48	4.1	5	2	2	4	6	8	8	10
35-49	8	4.0	6	1	2	4	6	7	7	7
50-64	6	5.0	3	3	4	5	7	7	7	7
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	11	10.2	71	2	4	9	12	24	29	30
20-34	3	6.3	4	4	5	7	8	8	8	8
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64	1	11.0		11	11	11	11	11	11	11
65 +	2	10.5	13	8	8	10	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	3.8	5	2	2	3	5	7	9	11
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	253	3.8	4	2	2	3	5	7	8	10
B. Operated	19	9.5	43	3	5	8	11	17	25	30
1. SINGLE DX	100	3.8	5	2	2	3	5	7	9	11
2. MULTIPLE DX	272	4.2	9	2	2	3	5	7	8	15
A. Not Operated	352	3.8	5	2	2	3	5	7	8	10
B. Operated	20	9.2	44	2	5	8	11	17	25	30
TOTAL										
0-19 YRS	286	3.9	8	2	2	3	5	7	8	16
20-34	62	4.1	5	2	3	4	5	8	8	10
35-49	13	5.2	9	1	3	5	7	9	10	10
50-64	8	5.4	8	2	3	5	7	10	11	11
65 +	3	9.7	8	8	8	8	12	13	13	13
GRAND TOTAL	**372**	**4.1**	**8**	**2**	**2**	**3**	**5**	**7**	**8**	**13**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	52	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	59	1.2		< 1	< 1	< 1	< 1	2	2	4
35-49	21	1.1		< 1	< 1	< 1	1	2	2	2
50-64	5	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	1.2		< 1	< 1	< 1	1	2	2	2
20-34	26	1.5	1	< 1	< 1	1	2	3	4	5
35-49	17	3.1	19	< 1	< 1	1	2	8	14	18
50-64	6	3.8	25	< 1	1	2	3	13	14	14
65 +	3	2.3	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	138	1.1		< 1	< 1	< 1	< 1	1	2	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	63	2.1	8	< 1	< 1	1	2	4	7	17
1. SINGLE DX	140	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX	63	2.1	8	< 1	< 1	1	2	4	7	17
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	201	1.4	3	< 1	< 1	< 1	1	2	3	11
TOTAL										
0-19 YRS	63	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	86	1.3	1	< 1	< 1	< 1	1	2	3	5
35-49	39	1.9	9	< 1	< 1	< 1	1	3	8	18
50-64	11	2.5	15	< 1	< 1	1	2	7	13	14
65 +	4	3.5	7	1	1	3	5	7	7	7
GRAND TOTAL	**203**	**1.4**	**3**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**11**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1266	2.9	2	1	2	3	3	4	5	8
20-34	64	2.9	3	1	2	3	4	5	7	8
35-49	44	3.0	5	1	1	3	4	7	8	99+
50-64	13	3.5	10	1	2	2	4	7	12	13
65+	14	3.4	7	1	2	3	4	6	10	11
B. Operated										
0-19 YRS	27	4.5	24	<1	2	3	4	9	13	25
20-34	4	10.5	67	4	4	9	17	21	21	21
35-49	4	11.0	302	<1	1	3	20	37	37	37
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	3.3	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1733	3.5	9	1	2	3	4	5	7	16
20-34	317	5.0	30	1	2	3	6	11	17	29
35-49	203	5.0	28	1	2	4	6	10	14	27
50-64	138	4.0	7	1	2	3	5	8	8	12
65+	212	5.4	23	2	3	4	7	11	14	31
B. Operated										
0-19 YRS	74	11.8	251	2	4	6	14	25	64	95
20-34	84	13.6	139	3	4	9	18	31	43	52
35-49	71	14.9	176	3	6	12	18	39	46	94
50-64	35	11.2	88	4	5	9	14	30	38	99+
65+	20	10.0	85	4	6	7	10	32	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1401	2.9	2	1	2	3	3	4	5	8
B. Operated	39	5.7	53	<1	2	3	6	12	23	37
2. MULTIPLE DX										
A. Not Operated	2603	4.0	15	1	2	3	4	7	10	22
B. Operated	284	12.9	168	3	4	9	16	30	45	99+
1. SINGLE DX	1440	3.0	4	1	2	3	3	4	5	10
2. MULTIPLE DX	2887	4.8	37	2	2	3	5	9	15	38
A. Not Operated	4004	3.6	11	1	2	3	4	6	8	18
B. Operated	323	12.0	159	2	4	8	15	28	44	99+
TOTAL										
0-19 YRS	3100	3.4	14	1	2	3	4	5	7	17
20-34	469	6.3	58	1	2	3	7	16	22	42
35-49	322	7.0	78	1	2	4	8	15	24	57
50-64	187	5.3	30	2	2	4	7	10	14	38
65+	249	5.7	28	2	3	4	7	11	16	43
GRAND TOTAL	**4327**	**4.2**	**27**	**1**	**2**	**3**	**4**	**7**	**11**	**30**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	3.8	7	1	2	3	5	9	10	11
20-34	18	2.9	4	1	2	2	4	6	7	8
35-49	19	4.2	2	2	3	4	5	6	7	7
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	2	9.5	13	7	7	9	12	12	12	12
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	5.1	15	2	3	4	6	11	15	17
20-34	24	4.7	9	1	2	4	6	10	11	11
35-49	14	7.5	13	3	6	7	9	11	15	16
50-64	10	5.9	17	2	4	5	7	12	16	16
65+	7	14.3	281	5	7	8	11	44	52	52
B. Operated										
0-19 YRS	5	13.2	224	2	3	4	25	36	36	36
20-34	4	10.5	35	4	5	11	15	16	16	16
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	8.5	1	8	8	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	3.8	6	1	2	3	5	7	10	12
B. Operated	5	1.8	3	<1	<1	1	2	5	5	5
2. MULTIPLE DX										
A. Not Operated	91	6.1	37	2	3	5	8	11	15	38
B. Operated	13	10.6	90	3	4	7	15	24	34	36
1. SINGLE DX	90	3.7	6	1	2	3	5	7	10	12
2. MULTIPLE DX	104	6.7	45	2	3	5	8	12	16	43
A. Not Operated	176	5.0	23	2	2	4	6	10	11	17
B. Operated	18	8.2	81	<1	2	5	9	19	30	36
TOTAL										
0-19 YRS	86	4.8	25	1	2	3	5	10	14	31
20-34	48	4.3	13	1	2	3	6	9	12	16
35-49	34	5.6	9	3	4	5	7	9	11	16
50-64	15	5.5	12	2	4	5	7	8	14	16
65+	11	12.4	177	6	7	8	11	28	50	52
GRAND TOTAL	**194**	**5.3**	**29**	**2**	**2**	**4**	**7**	**10**	**14**	**29**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	82	5.9	8	2	4	6	7	10	10	13
20-34	34	4.0	3	2	3	4	5	6	8	8
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	3	8.0	7	5	6	9	10	10	10	10
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	4	1.5	1	< 1	< 1	< 1	2	3	3	3
20-34	6	4.7	7	< 1	3	4	7	8	8	8
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	119	6.8	23	3	4	6	8	11	12	26
20-34	87	5.9	11	3	4	5	7	11	13	18
35-49	30	7.5	25	3	4	6	10	14	18	24
50-64	13	9.8	47	2	4	10	12	18	25	27
65 +	18	15.4	173	4	5	12	20	36	46	51
B. Operated										
0-19 YRS	14	10.4	46	3	5	11	12	19	26	28
20-34	20	8.0	27	3	4	7	10	13	19	25
35-49	7	11.1	46	2	6	10	16	20	21	21
50-64	6	11.3	36	4	9	10	12	21	22	22
65 +	8	17.4	142	4	10	13	26	35	38	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	5.4	7	2	3	5	7	10	10	12
B. Operated	12	3.0	6	< 1	< 1	2	4	7	8	8
2. MULTIPLE DX										
A. Not Operated	267	7.3	35	3	4	6	9	13	16	37
B. Operated	55	10.7	57	3	5	10	12	22	27	37
1. SINGLE DX	134	5.2	8	2	3	5	7	10	10	12
2. MULTIPLE DX	322	7.9	40	3	4	6	10	14	19	38
A. Not Operated	389	6.7	27	3	4	6	8	11	14	28
B. Operated	67	9.3	56	1	4	9	12	20	26	36
TOTAL										
0-19 YRS	219	6.6	19	2	4	6	9	11	12	21
20-34	147	5.7	12	3	4	5	7	10	12	19
35-49	41	7.6	30	2	4	6	10	16	19	24
50-64	22	10.0	37	3	5	10	12	18	24	27
65 +	27	15.7	154	4	7	12	22	36	41	51
GRAND TOTAL	**456**	**7.1**	**32**	**3**	**4**	**6**	**9**	**12**	**16**	**28**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	2.9	3	1	2	3	4	5	6	7
20-34	2	12.0	128	4	4	12	20	20	20	20
35-49	4	2.5	6	< 1	< 1	1	4	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	10.5	25	7	7	10	14	14	14	14
B. Operated										
0-19 YRS	4	12.8	236	< 1	1	8	24	34	34	34
20-34	2	12.0	2	11	11	12	13	13	13	13
35-49	4	9.5	136	3	3	4	16	27	27	27
50-64	5	10.4	76	1	5	7	16	24	24	24
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	153	4.2	10	2	2	3	5	8	10	14
20-34	63	10.9	218	1	2	5	12	29	43	82
35-49	55	7.7	135	1	1	4	10	19	26	67
50-64	26	7.3	14	3	4	7	11	12	14	16
65 +	59	11.3	74	4	6	10	13	21	29	45
B. Operated										
0-19 YRS	24	17.9	252	4	6	11	27	40	51	62
20-34	34	20.4	345	5	7	17	28	68	94	99 +
35-49	49	18.8	357	4	6	13	24	40	67	85
50-64	25	12.6	64	3	7	11	18	31	99 +	99 +
65 +	37	20.0	308	5	9	12	26	56	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	3.7	12	1	2	3	5	7	9	20
B. Operated	16	10.9	97	1	3	8	14	27	32	34
2. MULTIPLE DX										
A. Not Operated	356	7.3	85	1	3	5	9	14	23	46
B. Operated	169	18.3	286	4	7	13	26	47	70	99 +
1. SINGLE DX	61	5.6	43	1	2	3	6	13	22	33
2. MULTIPLE DX	525	10.9	176	2	3	6	12	27	44	90
A. Not Operated	401	6.9	78	1	2	4	8	13	22	45
B. Operated	185	17.7	273	4	7	12	26	45	70	99 +
TOTAL										
0-19 YRS	217	5.7	58	1	2	3	6	10	18	41
20-34	101	14.1	270	1	3	8	21	37	60	99 +
35-49	112	12.4	257	1	3	6	14	28	46	76
50-64	57	9.9	46	3	5	8	14	22	31	99 +
65 +	99	14.5	175	5	7	10	16	37	49	85
GRAND TOTAL	**586**	**10.3**	**164**	**1**	**3**	**6**	**12**	**26**	**40**	**86**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.9	4	2	2	3	5	7	8	8
20-34	3	4.3	4	2	3	5	6	6	6	6
35-49	3	7.0	21	2	3	8	10	11	11	11
50-64	3	4.3	6	2	2	4	6	7	7	7
65 +	2	6.0	2	5	5	6	7	7	7	7
B. Operated										
0-19 YRS	4	5.5	18	1	2	5	9	10	10	10
20-34	1	21.0		21	21	21	21	21	21	21
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64	0									
65 +	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	2	2	2	3	4	4	4	4
B. Operated	3	3.3	1	2	2	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	18	4.8	7	2	2	4	7	8	10	11
B. Operated	8	10.6	61	2	5	9	16	22	23	23
1. SINGLE DX	5	3.2	1	2	2	4	4	4	4	4
2. MULTIPLE DX	26	6.6	29	2	3	5	8	11	21	23
A. Not Operated	20	4.6	7	2	2	4	6	8	10	11
B. Operated	11	8.6	54	2	3	8	11	22	23	23
TOTAL										
0-19 YRS	15	4.1	7	2	2	3	5	8	10	10
20-34	5	7.6	58	2	3	5	10	21	21	21
35-49	5	8.0	14	2	6	8	11	11	11	11
50-64	3	4.3	6	2	2	4	6	7	7	7
65 +	3	11.7	97	5	5	7	19	23	23	23
GRAND TOTAL	**31**	**6.0**	**26**	**2**	**2**	**4**	**8**	**11**	**21**	**23**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	9.5	5	8	8	9	11	11	11	11
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	9.2	32	3	6	8	12	17	22	22
20-34	73	10.8	61	2	4	10	14	21	28	35
35-49	53	11.1	87	3	5	9	17	21	22	58
50-64	0									
65 +	2	13.0	98	6	6	13	20	20	20	20
B. Operated										
0-19 YRS	22	18.3	144	5	8	15	27	36	39	43
20-34	115	19.9	250	6	9	16	24	44	52	95
35-49	70	17.6	118	6	10	14	25	35	43	90
50-64	17	17.1	102	5	9	16	25	36	75	99 +
65 +	4	13.3	6	10	11	13	15	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	13	< 1	< 1	3	6	6	6	6
B. Operated	2	9.5	5	8	8	9	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	138	10.8	68	3	5	9	15	21	23	39
B. Operated	228	18.7	184	6	9	15	25	36	49	99 +
1. SINGLE DX	4	6.5	18	< 1	3	7	9	11	11	11
2. MULTIPLE DX	366	15.8	154	4	7	13	21	31	43	90
A. Not Operated	140	10.7	68	3	5	9	15	21	23	38
B. Operated	230	18.7	183	6	9	15	24	36	49	99 +
TOTAL										
0-19 YRS	32	15.5	125	5	6	12	21	35	36	43
20-34	191	16.3	194	4	7	13	21	31	48	86
35-49	124	14.7	114	4	7	12	20	29	37	69
50-64	17	17.1	102	5	9	16	25	36	75	99 +
65 +	6	13.2	23	6	10	13	16	20	20	20
GRAND TOTAL	**370**	**15.7**	**154**	**4**	**7**	**13**	**21**	**31**	**43**	**89**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	3.3	3	2	2	3	5	6	6	6
35-49	6	2.5	4	1	1	2	3	6	6	6
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	3.3	17	<1	1	2	5	9	14	16
35-49	13	4.7	16	1	1	4	7	11	13	13
50-64	8	3.6	9	<1	1	3	5	8	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.8	4	1	2	3	5	7	7	7
20-34	37	7.2	26	3	3	6	9	15	18	23
35-49	42	8.0	57	2	3	6	10	17	24	39
50-64	18	8.2	175	1	3	5	8	10	40	60
65 +	7	6.3	16	1	4	6	7	13	14	14
B. Operated										
0-19 YRS	7	6.1	13	1	3	6	9	10	10	10
20-34	49	11.2	106	2	5	7	13	31	36	42
35-49	40	10.2	70	3	4	8	14	19	28	40
50-64	12	8.1	71	3	4	6	7	20	31	33
65 +	13	9.5	56	2	3	7	16	20	23	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.4	6	1	2	2	5	7	9	10
B. Operated	40	3.8	14	<1	1	2	6	10	12	16
2. MULTIPLE DX										
A. Not Operated	120	7.1	56	2	3	5	8	14	20	45
B. Operated	121	10.1	80	2	5	7	12	22	33	41
1. SINGLE DX	54	3.7	12	1	1	2	5	9	11	16
2. MULTIPLE DX	241	8.6	70	2	3	6	10	18	25	40
A. Not Operated	134	6.7	52	2	3	5	7	14	19	42
B. Operated	161	8.5	71	1	3	6	11	18	30	40
TOTAL										
0-19 YRS	25	4.2	8	1	2	4	6	8	10	10
20-34	110	8.1	68	1	3	6	10	17	30	40
35-49	101	8.1	58	2	3	6	11	17	23	39
50-64	38	7.2	107	1	3	5	7	10	25	60
65 +	21	8.4	41	2	4	7	11	19	21	24
GRAND TOTAL	**295**	**7.7**	**63**	**1**	**3**	**6**	**9**	**16**	**24**	**40**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	18.0		18	18	18	18	18	18	18
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX	2	2.5	5	1	1	2	4	4	4	4
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	2	11.0	98	4	4	11	18	18	18	18
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	1	18.0		18	18	18	18	18	18	18
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**3**	**7.7**	**82**	**1**	**2**	**4**	**14**	**18**	**18**	**18**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	7	9.1	239	1	2	5	5	36	44	44
65 +	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	8	3.5	19	1	1	2	3	11	14	14
20-34	3	3.3		3	3	3	4	4	4	4
35-49	21	4.6	21	1	1	3	5	12	15	17
50-64	30	3.9	12	1	1	3	6	9	12	14
65 +	35	5.6	59	< 1	1	3	7	11	25	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	7.1	28	1	3	6	12	15	15	15
20-34	8	4.0	7	1	2	3	6	8	9	9
35-49	17	5.4	13	2	4	5	6	8	14	17
50-64	37	6.6	28	2	3	5	10	14	16	25
65 +	18	7.1	23	2	3	6	9	14	17	18
B. Operated										
0-19 YRS	6	25.7	1242	7	7	12	19	89	97	97
20-34	7	7.6	93	1	2	2	13	24	26	26
35-49	76	10.9	98	1	4	9	15	21	31	52
50-64	199	11.3	141	2	3	8	14	24	38	60
65 +	180	10.6	99	2	4	8	14	25	34	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	7.3	152	1	2	5	5	21	42	44
B. Operated	97	4.6	31	1	1	3	6	11	14	33
2. MULTIPLE DX										
A. Not Operated	87	6.3	22	2	3	5	8	14	15	22
B. Operated	468	11.1	131	2	4	8	14	24	35	61
1. SINGLE DX	108	4.9	43	1	1	3	6	11	14	40
2. MULTIPLE DX	555	10.3	117	2	3	7	13	23	32	60
A. Not Operated	98	6.4	35	1	3	5	7	14	16	35
B. Operated	565	10.0	120	1	3	7	13	23	32	60
TOTAL										
0-19 YRS	21	11.0	418	1	2	6	14	17	54	97
20-34	19	5.1	38	1	2	3	4	13	21	26
35-49	115	8.9	78	1	3	6	13	18	23	46
50-64	273	9.8	119	1	3	6	12	22	31	58
65 +	235	9.6	90	1	3	6	13	23	32	65
GRAND TOTAL	**663**	**9.5**	**109**	**1**	**3**	**6**	**12**	**21**	**29**	**59**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	3.3		3	3	3	4	4	4	4
65 +	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	5	13.8	92	3	4	15	22	24	24	24
50-64	10	5.0	12	< 1	2	4	9	10	10	10
65 +	6	7.0	44	< 1	3	5	10	18	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	8.6	27	4	5	6	12	17	17	17
50-64	22	5.8	34	1	3	5	6	11	21	27
65 +	27	8.0	131	1	3	4	7	19	27	59
B. Operated										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	1	15.0		15	15	15	15	15	15	15
35-49	22	18.3	218	6	11	14	17	43	54	65
50-64	99	15.7	153	4	8	12	20	36	47	78
65 +	95	15.7	184	4	7	11	21	33	40	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.6	1	3	3	3	4	5	5	5
B. Operated	21	7.7	48	< 1	3	5	10	20	23	24
2. MULTIPLE DX										
A. Not Operated	54	7.1	81	1	3	5	7	17	21	58
B. Operated	218	16.0	171	4	7	12	20	36	46	69
1. SINGLE DX	26	6.9	41	< 1	3	4	9	19	22	24
2. MULTIPLE DX	272	14.2	165	3	6	11	18	31	44	64
A. Not Operated	59	6.8	75	1	3	5	6	17	20	56
B. Operated	239	15.3	166	3	7	12	20	33	44	66
TOTAL										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	1	15.0		15	15	15	15	15	15	15
35-49	32	16.1	177	5	8	13	17	30	46	65
50-64	134	13.0	140	2	5	10	18	28	44	63
65 +	130	13.5	175	3	5	9	18	31	39	65
GRAND TOTAL	**298**	**13.6**	**159**	**3**	**5**	**10**	**18**	**30**	**43**	**64**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	2	10.0	2	9	9	10	11	11	11	11
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	15.0		15	15	15	15	15	15	15
35-49	2	9.0	8	7	7	9	11	11	11	11
50-64	4	6.3	20	< 1	2	7	10	10	10	10
65 +	9	10.4	126	1	3	9	11	29	38	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	19.5	313	7	7	19	32	32	32	32
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	11.0	30	4	6	12	14	19	20	20
65 +	29	8.2	48	1	3	7	10	20	23	25
B. Operated										
0-19 YRS	0									
20-34	9	12.7	63	3	3	14	18	23	23	23
35-49	32	12.7	77	4	7	10	16	26	34	36
50-64	90	15.3	118	6	9	12	18	34	40	54
65 +	220	16.0	98	7	9	14	20	28	35	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	7.0	28	1	3	9	10	11	11	11
B. Operated	16	9.5	77	< 1	4	9	11	15	31	38
2. MULTIPLE DX										
A. Not Operated	39	9.2	57	2	3	7	13	20	24	32
B. Operated	351	15.4	101	6	[illegible]	13	19	29	36	50
1. SINGLE DX	19	9.1	68	1	3	9	11	15	28	38
2. MULTIPLE DX	390	14.8	100	5	8	12	19	27	36	50
A. Not Operated	42	9.0	54	2	3	7	12	20	24	32
B. Operated	367	15.1	101	5	9	12	19	28	36	50
TOTAL										
0-19 YRS	0									
20-34	13	13.0	88	2	3	14	18	25	31	32
35-49	35	12.1	74	3	7	10	15	23	33	36
50-64	103	14.6	110	5	9	11	17	32	39	52
65 +	258	14.9	99	4	8	13	20	26	34	50
GRAND TOTAL	409	14.5	100	4	8	12	19	27	36	50

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	14.0		14	14	14	14	14	14	14
65 +	3	6.7	26	< 1	2	8	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	13.0	72	7	7	13	19	19	19	19
65 +	8	5.9	8	3	4	5	7	10	11	11
B. Operated										
0-19 YRS	0									
20-34	2	24.5	1	24	24	24	25	25	25	25
35-49	9	15.0	13	11	12	15	18	20	20	20
50-64	17	14.9	113	7	8	12	18	43	80	99 +
65 +	43	16.9	120	8	9	13	21	37	40	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	6	7.7	20	1	6	7	11	14	14	14
2. MULTIPLE DX										
A. Not Operated	10	7.3	23	3	4	6	8	15	19	19
B. Operated	71	16.4	102	8	10	14	20	33	43	89
1. SINGLE DX	7	6.7	23	< 1	2	6	10	13	14	14
2. MULTIPLE DX	81	15.3	101	6	9	12	19	31	41	84
A. Not Operated	11	6.7	24	2	4	6	8	14	19	19
B. Operated	77	15.7	101	7	9	13	20	32	41	86
TOTAL										
0-19 YRS	0									
20-34	3	18.3	114	6	10	24	25	25	25	25
35-49	10	14.1	19	8	12	14	17	20	20	20
50-64	21	14.0	104	7	8	12	18	34	70	99 +
65 +	54	14.7	117	4	8	11	17	32	39	44
GRAND TOTAL	88	14.6	100	5	8	12	18	30	39	80

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	4	5.8	30	1	1	4	10	13	13	13
B. Operated										
0-19 YRS	0									
20-34	5	6.6	5	3	5	7	8	9	9	9
35-49	18	10.3	26	6	8	9	12	19	22	23
50-64	40	8.7	12	5	7	8	10	13	16	19
65 +	92	8.8	12	5	7	9	10	12	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	15.3	208	7	7	7	26	32	32	32
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	34	9.7	217	2	3	5	8	20	51	70
65 +	72	7.3	30	2	4	6	10	15	17	27
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	17.6	402	3	7	7	31	44	63	75
35-49	99	12.4	65	6	7	10	13	23	26	48
50-64	409	12.1	85	6	8	10	13	19	26	52
65 +	1111	14.4	90	8	9	12	16	24	33	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.0	26	1	2	2	8	13	13	13
B. Operated	155	8.9	13	5	7	8	10	13	17	21
2. MULTIPLE DX										
A. Not Operated	112	8.2	90	2	4	6	10	17	21	63
B. Operated	1638	13.7	92	7	9	11	16	23	32	60
1. SINGLE DX	160	8.7	14	5	7	8	10	13	16	21
2. MULTIPLE DX	1750	13.3	94	7	8	11	15	22	31	60
A. Not Operated	117	8.1	88	2	4	5	9	16	21	62
B. Operated	1793	13.3	87	7	8	11	15	22	31	59
TOTAL										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	26	15.2	310	3	7	7	11	42	51	75
35-49	119	11.9	60	6	7	9	13	22	24	47
50-64	484	11.6	89	5	8	9	13	19	25	58
65 +	1279	13.5	86	7	9	11	16	22	31	60
GRAND TOTAL	**1910**	**13.0**	**89**	**6**	**8**	**10**	**15**	**22**	**30**	**59**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	14.0		14	14	14	14	14	14	14
35-49	19	8.4	16	3	7	8	10	11	16	20
50-64	47	7.7	18	1	4	8	10	13	14	16
65 +	50	6.5	22	1	2	6	10	13	15	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	7.0	5	4	5	7	8	9	9	9
20-34	3	4.7	6	2	3	5	6	7	7	7
35-49	5	9.8	4	7	8	10	11	12	12	12
50-64	23	6.2	12	2	4	6	9	11	12	13
65 +	24	8.7	86	2	4	5	11	21	29	44
B. Operated										
0-19 YRS	3	15.3	70	10	10	11	21	25	25	25
20-34	9	12.0	34	4	7	14	17	18	19	19
35-49	66	12.8	157	6	8	10	12	21	32	77
50-64	181	13.3	76	6	9	11	16	22	31	55
65 +	402	13.5	103	5	8	11	16	25	33	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.7	1	2	2	3	3	4	4	4
B. Operated	118	7.4	19	1	3	8	10	13	15	18
2. MULTIPLE DX										
A. Not Operated	59	7.5	41	2	4	6	10	12	18	42
B. Operated	661	13.4	99	5	9	11	16	24	32	63
1. SINGLE DX	124	7.1	20	1	3	8	10	13	15	18
2. MULTIPLE DX	720	12.9	97	4	8	11	15	22	31	59
A. Not Operated	65	7.1	40	2	4	5	9	12	15	41
B. Operated	779	12.4	92	3	8	11	15	21	30	57
TOTAL										
0-19 YRS	8	9.8	45	4	6	8	10	21	25	25
20-34	14	9.9	37	2	5	9	15	17	19	19
35-49	91	11.6	121	5	8	10	11	18	29	73
50-64	252	11.6	66	3	7	10	14	19	28	54
65 +	479	12.5	99	3	7	11	15	22	31	54
GRAND TOTAL	**844**	**12.0**	**90**	**3**	**7**	**10**	**14**	**21**	**29**	**56**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.4	6	<1	1	2	5	7	8	8
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	10.0		10	10	10	10	10	10	10
50-64	0									
65 +	3	5.3	14	1	2	7	8	8	8	8
B. Operated										
0-19 YRS	22	10.3	112	2	3	7	14	22	34	46
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	10	5.4	27	1	2	5	6	13	19	19
50-64	19	5.8	40	1	2	3	8	11	20	28
65 +	11	5.0	30	1	1	2	7	14	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	6.0	47	1	1	4	8	12	14	42
20-34	1	19.0		19	19	19	19	19	19	19
35-49	7	3.0	4	1	1	3	5	6	6	6
50-64	22	7.5	26	2	4	5	11	16	17	17
65 +	28	6.5	27	2	3	5	9	11	16	26
B. Operated										
0-19 YRS	41	15.3	144	3	8	14	19	27	34	69
20-34	12	15.1	195	4	7	11	18	36	50	52
35-49	32	15.0	176	2	4	12	20	35	44	53
50-64	74	12.5	101	2	3	10	18	29	32	39
65 +	183	15.3	200	2	7	12	20	32	45	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.9	10	1	1	2	7	8	10	10
B. Operated	64	7.2	63	1	2	5	9	18	22	43
2. MULTIPLE DX										
A. Not Operated	101	6.4	36	1	2	5	9	13	16	34
B. Operated	342	14.7	169	2	6	11	19	31	39	64
1. SINGLE DX	79	6.6	54	1	2	4	9	15	20	41
2. MULTIPLE DX	443	12.8	150	2	4	10	17	28	36	58
A. Not Operated	116	6.1	33	1	2	5	8	12	16	31
B. Operated	406	13.5	159	2	4	10	18	29	37	61
TOTAL										
0-19 YRS	115	9.9	109	1	2	7	14	21	28	54
20-34	17	12.8	161	1	5	9	14	28	44	52
35-49	50	11.3	143	2	2	7	16	30	36	53
50-64	115	10.5	84	2	3	8	14	25	31	38
65 +	225	13.6	180	2	4	10	18	30	40	65
GRAND TOTAL	**522**	**11.8**	**141**	**2**	**3**	**9**	**16**	**26**	**35**	**56**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	4.0	5	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	2	9.5	85	3	3	9	16	16	16	16
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	12	7.2	57	1	2	4	11	16	25	27
65 +	8	9.6	53	3	4	7	14	21	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	7.0	22	1	3	8	10	13	13	13
20-34	6	3.8	7	1	2	3	6	8	8	8
35-49	5	5.4	21	1	2	4	8	13	13	13
50-64	42	7.4	45	2	3	6	10	16	24	31
65 +	69	7.1	17	3	4	6	9	13	17	18
B. Operated										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	5	11.0	22	6	7	11	15	17	17	17
35-49	30	16.4	187	3	7	12	22	39	44	57
50-64	145	16.2	153	4	9	13	20	29	39	65
65 +	241	16.0	135	4	8	13	21	31	36	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.3	4	1	2	2	5	6	6	6
B. Operated	25	7.5	51	1	3	4	11	17	24	27
2. MULTIPLE DX										
A. Not Operated	127	7.0	26	2	3	6	9	13	18	26
B. Operated	422	16.0	143	4	8	13	20	31	39	67
1. SINGLE DX	33	6.5	42	1	2	4	10	16	22	27
2. MULTIPLE DX	549	13.9	131	3	6	11	19	29	36	64
A. Not Operated	135	6.7	26	2	3	6	9	13	18	26
B. Operated	447	15.6	142	4	8	13	20	31	38	66
TOTAL										
0-19 YRS	10	9.1	77	1	3	6	13	23	30	30
20-34	12	6.8	25	2	3	6	9	15	17	17
35-49	38	13.8	176	2	4	11	15	36	43	57
50-64	200	13.7	139	2	5	11	19	26	36	60
65 +	322	13.7	121	3	6	11	19	29	34	67
GRAND TOTAL	**582**	**13.5**	**129**	**3**	**5**	**11**	**18**	**29**	**36**	**62**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	2.0		1	2	2	2	3	3	3
50-64	12	3.8	10	1	2	3	5	10	10	10
65 +	11	5.2	36	2	2	3	4	16	21	21
B. Operated										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	29	6.9	13	1	4	8	10	11	11	15
50-64	102	6.4	27	1	1	6	9	13	16	25
65 +	86	7.0	30	< 1	1	8	10	13	16	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	8.6	46	3	4	7	12	20	20	20
35-49	70	5.5	20	2	3	4	7	11	15	24
50-64	290	6.4	36	2	2	4	8	15	17	28
65 +	349	8.1	62	2	3	6	10	16	22	36
B. Operated										
0-19 YRS	7	9.9	18	4	7	10	13	15	15	15
20-34	10	13.1	81	4	7	12	13	28	34	34
35-49	152	11.3	58	4	6	9	15	22	27	37
50-64	803	12.0	88	3	7	10	15	22	29	50
65 +	1064	12.4	90	4	7	10	15	23	31	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	4.0	18	1	2	2	4	10	12	21
B. Operated	221	6.7	26	< 1	2	7	9	12	15	24
2. MULTIPLE DX										
A. Not Operated	714	7.2	48	2	3	5	9	15	20	32
B. Operated	2036	12.1	87	3	7	10	15	23	30	49
1. SINGLE DX	250	6.4	26	< 1	2	6	9	12	15	24
2. MULTIPLE DX	2750	10.9	81	2	5	9	14	21	28	46
A. Not Operated	743	7.1	47	2	3	5	9	15	19	32
B. Operated	2257	11.6	83	3	6	9	15	22	29	48
TOTAL										
0-19 YRS	9	9.0	17	4	6	9	13	14	15	15
20-34	17	10.6	70	3	5	8	13	22	30	34
35-49	257	9.0	49	2	4	7	11	18	25	36
50-64	1207	10.1	77	2	4	8	13	20	25	45
65 +	1510	11.0	84	3	5	9	14	21	29	47
GRAND TOTAL	**3000**	**10.5**	**78**	**2**	**5**	**8**	**14**	**21**	**27**	**45**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	6	3.7	15	< 1	1	2	7	10	10	10
20-34	5	8.2	24	1	5	10	11	14	14	14
35-49	13	8.2	70	1	2	8	10	17	29	32
50-64	24	6.3	44	< 1	1	4	9	13	23	25
65 +	26	5.5	41	< 1	< 1	2	10	15	20	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.2	3	1	2	3	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	9	5.1	4	2	4	5	7	8	8	8
50-64	15	9.1	52	2	5	7	12	18	26	29
65 +	16	6.6	33	1	2	5	9	13	20	23
B. Operated										
0-19 YRS	8	11.3	21	5	10	11	17	67	99 +	99 +
20-34	8	11.1	29	4	7	10	16	18	18	18
35-49	31	16.0	319	1	3	10	24	36	45	87
50-64	122	12.5	108	2	7	11	15	24	30	57
65 +	150	13.4	172	1	3	11	17	28	38	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.5	2	< 1	2	2	4	4	4	4
B. Operated	74	6.2	43	< 1	1	3	10	13	21	30
2. MULTIPLE DX										
A. Not Operated	47	6.6	32	2	3	5	8	13	19	29
B. Operated	319	13.2	154	2	5	11	16	27	36	77
1. SINGLE DX	80	6.0	41	< 1	1	3	10	13	21	30
2. MULTIPLE DX	366	12.4	143	2	4	10	16	26	35	74
A. Not Operated	53	6.2	30	2	3	5	7	12	18	29
B. Operated	393	11.9	140	1	3	10	15	25	34	70
TOTAL										
0-19 YRS	21	6.4	27	1	2	5	10	17	50	99 +
20-34	15	9.1	29	2	5	9	13	17	18	18
35-49	55	11.9	217	1	3	8	13	32	36	85
50-64	162	11.2	98	1	5	10	14	22	28	49
65 +	193	11.7	152	1	2	10	15	26	36	62
GRAND TOTAL	**446**	**11.2**	**131**	**1**	**3**	**9**	**14**	**24**	**33**	**63**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.8	10	<1	2	3	5	7	12	14
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65+	0									
B. Operated										
0-19 YRS	92	6.2	23	1	2	5	9	13	17	21
20-34	11	4.5	11	1	2	3	7	10	11	11
35-49	18	5.3	13	1	3	4	7	10	13	15
50-64	19	4.9	13	1	1	4	8	10	11	11
65+	11	4.3	10	1	2	4	6	9	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	5.9	28	1	2	5	7	12	18	25
20-34	10	3.0	1	1	3	3	4	4	4	4
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	6	4.8	2	3	3	5	6	6	6	6
65+	12	9.8	52	2	5	7	13	22	25	25
B. Operated										
0-19 YRS	71	10.7	124	2	3	7	15	25	42	90
20-34	21	10.8	167	2	5	7	11	19	41	62
35-49	25	10.2	127	2	4	9	11	22	31	57
50-64	27	12.4	169	3	4	10	14	23	51	54
65+	56	12.3	105	3	5	9	17	31	35	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	3.6	9	<1	2	3	5	7	11	14
B. Operated	151	5.7	19	1	2	5	8	11	15	19
2. MULTIPLE DX										
A. Not Operated	107	6.0	28	1	3	5	7	12	18	25
B. Operated	200	11.3	128	2	4	8	14	25	37	59
1. SINGLE DX	172	5.4	18	1	2	4	8	11	14	19
2. MULTIPLE DX	307	9.5	99	2	3	6	11	22	31	55
A. Not Operated	128	5.6	26	1	2	4	6	12	18	25
B. Operated	351	8.9	89	1	3	6	11	19	29	54
TOTAL										
0-19 YRS	258	7.2	56	1	2	5	9	16	22	46
20-34	44	7.0	94	1	3	4	8	13	18	62
35-49	45	8.0	81	2	4	5	10	15	22	57
50-64	53	8.7	104	1	3	6	11	18	23	54
65+	79	10.8	90	2	4	8	13	28	34	37
GRAND TOTAL	**479**	**8.0**	**74**	**1**	**3**	**5**	**10**	**17**	**24**	**52**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
B. Operated										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	13	3.0	3	1	2	3	4	5	6	6
35-49	25	3.6	7	<1	1	2	7	7	8	9
50-64	25	2.9	8	1	1	2	4	5	8	14
65+	29	3.3	10	<1	<1	2	4	9	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3		2	2	2	3	3	3	3
50-64	5	4.4	6	2	3	3	7	7	7	7
65+	3	18.0	237	5	7	14	30	35	35	35
B. Operated										
0-19 YRS	0									
20-34	4	5.8	9	2	3	6	8	9	9	9
35-49	16	3.4	10	<1	1	3	4	6	12	14
50-64	29	4.3	10	1	2	4	6	8	9	15
65+	44	5.4	30	1	2	4	7	9	14	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	94	3.2	7	<1	1	2	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	12	7.1	90	2	2	3	7	20	33	35
B. Operated	93	4.7	20	1	2	4	6	9	13	26
1. SINGLE DX	96	3.2	7	<1	1	2	4	7	9	13
2. MULTIPLE DX	105	5.0	27	1	2	4	6	9	14	34
A. Not Operated	14	6.3	80	2	2	3	7	16	31	35
B. Operated	187	4.0	14	<1	2	3	5	8	10	15
TOTAL										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	18	3.6	5	1	2	3	5	7	8	9
35-49	45	3.4	7	<1	2	2	5	7	8	14
50-64	60	3.7	9	1	2	3	5	7	9	15
65+	76	5.1	35	<1	2	3	6	10	14	35
GRAND TOTAL	**201**	**4.1**	**18**	**<1**	**2**	**3**	**5**	**8**	**10**	**24**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	5	2.2	5	<1	<1	1	3	6	6	6
35-49	18	1.9	4	<1	<1	<1	2	4	7	8
50-64	46	2.1	5	<1	<1	<1	2	5	8	11
65 +	75	1.8	4	<1	<1	1	1	4	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	3	5.0	3	4	4	4	6	7	7	7
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	4	5.5	9	2	3	6	8	8	8	8
65 +	8	6.3	21	1	3	5	9	13	15	15
B. Operated										
0-19 YRS	2	5.5	41	<1	<1	5	10	10	10	10
20-34	9	9.2	79	<1	1	8	13	24	24	24
35-49	27	6.9	72	<1	1	3	9	22	26	33
50-64	41	4.9	45	<1	1	1	6	16	20	29
65 +	146	6.1	82	<1	1	3	8	14	22	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	147	1.9	4	<1	<1	<1	1	5	8	10
2. MULTIPLE DX										
A. Not Operated	21	5.1	11	2	3	4	7	9	12	15
B. Operated	225	6.1	73	<1	1	3	8	15	23	38
1. SINGLE DX	148	1.9	4	<1	<1	<1	1	5	8	10
2. MULTIPLE DX	246	6.0	68	<1	1	3	8	15	22	35
A. Not Operated	22	5.0	11	2	2	4	7	9	12	15
B. Operated	372	4.4	50	<1	<1	1	5	10	19	32
TOTAL										
0-19 YRS	8	2.9	10	<1	<1	1	4	8	10	10
20-34	17	6.4	51	<1	1	4	8	20	24	24
35-49	48	4.8	47	<1	<1	2	5	10	22	33
50-64	91	3.5	25	<1	<1	1	4	8	15	27
65 +	230	4.7	58	<1	<1	2	6	10	16	37
GRAND TOTAL	**394**	**4.5**	**48**	**<1**	**<1**	**2**	**5**	**10**	**18**	**31**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	8	3.0	4	<1	1	3	5	6	6	6
50-64	4	2.5	1	2	2	2	3	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	63	3.2	3	1	2	3	4	6	7	9
35-49	343	3.3	3	1	2	3	4	5	6	8
50-64	394	3.4	3	2	2	3	4	6	6	8
65 +	345	3.7	4	1	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	7.3	23	1	3	8	11	11	11	11
35-49	26	6.0	20	2	3	5	7	14	15	18
50-64	42	9.1	76	2	4	5	12	23	30	38
65 +	30	7.5	82	1	3	4	6	22	29	38
B. Operated										
0-19 YRS	0									
20-34	60	5.9	57	2	2	4	6	11	17	43
35-49	357	5.6	54	2	3	4	6	9	14	47
50-64	544	5.2	27	2	3	4	6	9	12	31
65 +	1012	5.5	18	2	3	5	7	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.7	3	1	1	2	4	5	6	6
B. Operated	1147	3.4	3	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. Not Operated	103	7.8	61	1	3	5	9	17	28	38
B. Operated	1973	5.4	28	2	3	4	6	9	12	33
1. SINGLE DX	1160	3.4	3	1	2	3	4	6	7	8
2. MULTIPLE DX	2076	5.6	30	2	3	4	6	9	13	34
A. Not Operated	116	7.2	57	1	3	5	8	16	26	38
B. Operated	3120	4.7	20	2	3	4	5	8	10	26
TOTAL										
0-19 YRS	3	4.7	8	3	3	3	7	8	8	8
20-34	127	4.6	31	1	2	3	5	8	11	41
35-49	734	4.5	30	1	2	3	5	7	9	42
50-64	984	4.6	21	2	3	4	5	7	10	29
65 +	1388	5.1	16	2	3	4	6	8	11	25
GRAND TOTAL	**3236**	**4.8**	**21**	**2**	**3**	**4**	**5**	**8**	**10**	**29**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.5		2	2	2	3	3	3	3
35-49	11	2.5	1	1	2	3	3	4	4	4
50-64	3	3.7	1	3	3	3	5	5	5	5
65 +	6	3.2	1	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	22	4.4	6	2	3	4	7	8	9	9
35-49	28	4.4	7	2	3	4	6	8	9	12
50-64	25	3.7	5	1	2	3	6	7	7	7
65 +	12	3.1	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	3.8	3	2	2	3	5	6	7	7
35-49	39	4.5	25	1	2	3	5	10	15	26
50-64	32	4.8	30	2	2	3	5	9	14	30
65 +	32	4.7	13	2	3	4	5	9	11	20
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	54	6.1	12	3	4	6	8	9	10	20
35-49	119	7.0	29	2	4	6	9	12	15	32
50-64	86	7.3	45	2	3	6	9	14	18	38
65 +	91	7.4	65	2	3	4	9	13	27	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.8	1	2	2	3	3	4	5	5
B. Operated	87	4.0	5	1	2	3	6	7	8	11
2. MULTIPLE DX										
A. Not Operated	115	4.6	20	2	2	3	5	9	12	27
B. Operated	351	7.0	40	2	3	6	9	12	17	35
1. SINGLE DX	111	3.8	5	1	2	3	5	7	8	10
2. MULTIPLE DX	466	6.4	36	2	3	5	8	11	17	33
A. Not Operated	139	4.3	17	2	2	3	5	8	11	26
B. Operated	438	6.4	34	2	3	5	8	11	16	33
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	92	5.3	10	2	3	4	7	9	9	19
35-49	197	5.9	25	2	3	4	8	10	14	27
50-64	146	6.1	36	2	3	4	7	12	16	32
65 +	141	6.2	48	2	3	4	7	11	22	36
GRAND TOTAL	**577**	**5.9**	**31**	**2**	**3**	**4**	**7**	**10**	**15**	**32**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	2.4	1	1	2	3	3	3	3	3
65 +	5	2.8	1	2	2	3	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	4	4.3	1	3	3	4	5	5	5	5
35-49	11	4.4	2	2	3	4	6	7	7	7
50-64	43	4.4	3	2	4	5	5	6	7	8
65 +	37	4.7	4	1	4	5	6	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	17	5.2	27	1	2	3	6	16	17	17
65 +	44	5.5	26	2	3	4	5	13	19	20
B. Operated										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	4	9.5	26	6	6	7	12	17	17	17
35-49	56	5.0	5	3	4	5	6	7	9	14
50-64	191	6.8	23	3	4	6	8	11	15	26
65 +	290	7.8	37	4	5	7	9	13	17	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.7	1	1	2	3	3	4	4	4
B. Operated	95	4.5	3	2	4	5	5	7	7	10
2. MULTIPLE DX										
A. Not Operated	64	5.3	25	1	2	4	5	13	18	20
B. Operated	543	7.2	29	3	4	6	8	12	16	29
1. SINGLE DX	107	4.3	3	2	3	4	5	6	7	10
2. MULTIPLE DX	607	7.0	29	3	4	6	8	12	16	28
A. Not Operated	76	4.9	22	1	2	3	5	12	18	20
B. Operated	638	6.8	26	3	4	6	7	11	15	28
TOTAL										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	10	6.0	19	2	4	5	7	12	17	17
35-49	69	4.9	5	3	4	5	6	7	9	13
50-64	256	6.2	20	2	4	5	7	10	14	25
65 +	376	7.2	33	3	4	6	8	12	17	30
GRAND TOTAL	**714**	**6.6**	**26**	**3**	**4**	**5**	**7**	**11**	**16**	**28**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	4	7.5	50	3	3	4	11	18	18	18
20-34	7	7.0	7	4	5	6	9	11	11	11
35-49	16	4.2	1	3	4	4	5	5	6	6
50-64	17	5.2	9	2	3	5	7	8	11	13
65 +	17	6.2	7	3	5	5	7	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	15	7.6	118	1	2	4	6	25	37	41
50-64	29	4.4	19	1	1	3	6	9	12	22
65 +	30	7.5	30	1	2	7	11	14	18	23
B. Operated										
0-19 YRS	6	7.7	36	3	4	6	9	18	19	19
20-34	23	9.5	228	4	5	6	9	10	34	78
35-49	68	9.6	57	4	6	8	11	16	23	48
50-64	138	11.5	104	5	7	9	13	20	30	50
65 +	149	13.6	98	6	8	11	15	26	35	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5	1	1	1	1	2	3	3	3
B. Operated	61	5.6	9	3	4	5	6	9	12	17
2. MULTIPLE DX										
A. Not Operated	79	6.1	43	1	2	4	8	12	20	36
B. Operated	384	11.8	101	5	7	9	13	21	33	51
1. SINGLE DX	65	5.3	9	2	4	5	6	9	12	17
2. MULTIPLE DX	463	10.8	96	3	6	8	12	20	29	51
A. Not Operated	83	5.8	42	1	2	4	8	12	19	36
B. Operated	445	11.0	93	4	6	8	12	20	29	51
TOTAL										
0-19 YRS	13	6.3	34	2	3	4	7	18	19	19
20-34	32	8.5	166	4	5	6	8	10	11	78
35-49	101	8.3	60	3	4	6	9	15	23	46
50-64	185	9.8	90	3	5	8	11	17	25	43
65 +	197	12.0	87	4	7	10	13	22	34	51
GRAND TOTAL	**528**	**10.2**	**88**	**3**	**5**	**8**	**12**	**19**	**26**	**50**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	3	3.0	3	2	2	2	4	5	5	5
B. Operated										
0-19 YRS	3	9.0	13	6	6	8	12	13	13	13
20-34	1	1.0		1	1	1	1	1	1	1
35-49	8	3.4	4	< 1	1	3	5	6	6	6
50-64	6	5.5	8	2	2	6	7	9	9	9
65 +	12	3.4	7	< 1	1	2	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.8	28	2	4	5	7	16	17	17
20-34	0									
35-49	0									
50-64	10	3.3	13	1	1	2	3	10	11	11
65 +	8	5.6	25	2	2	4	7	14	17	17
B. Operated										
0-19 YRS	4	6.3	38	2	2	4	10	15	15	15
20-34	9	5.8	32	< 1	1	4	9	15	17	17
35-49	18	11.7	106	4	7	9	12	20	38	49
50-64	18	12.7	74	3	8	12	17	33	72	99 +
65 +	59	11.3	96	2	5	9	13	24	32	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.7	3	1	2	2	4	5	5	5
B. Operated	30	4.3	10	< 1	2	4	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	24	5.0	21	1	2	3	6	12	17	17
B. Operated	108	11.0	88	2	5	9	14	22	34	70
1. SINGLE DX	37	4.0	9	< 1	2	3	6	8	9	13
2. MULTIPLE DX	132	9.9	81	1	4	8	13	21	29	58
A. Not Operated	31	4.5	18	1	2	3	5	10	16	17
B. Operated	138	9.5	78	1	4	8	13	20	28	55
TOTAL										
0-19 YRS	14	7.0	23	2	4	6	8	15	17	17
20-34	12	4.8	27	< 1	1	2	7	13	16	17
35-49	27	8.9	88	1	4	7	10	17	25	49
50-64	34	8.6	62	1	2	7	12	18	34	99 +
65 +	82	9.3	83	1	3	7	13	21	27	46
GRAND TOTAL	**169**	**8.6**	**71**	**1**	**2**	**7**	**11**	**18**	**25**	**49**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	6.3	12	1	4	8	8	8	8	8
50-64	85	6.2	8	3	4	6	8	10	11	14
65 +	178	4.8	14	1	2	4	7	9	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	0									
50-64	21	6.7	24	1	3	6	8	14	18	18
65 +	125	7.3	68	2	3	5	9	13	16	58
B. Operated										
0-19 YRS	2	15.5	181	6	6	15	25	25	25	25
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	13	9.2	14	5	7	9	10	15	17	17
50-64	278	7.5	55	2	4	6	9	12	15	50
65 +	1379	7.7	57	2	4	6	9	14	19	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.2		< 1	< 1	1	1	2	2	2
B. Operated	270	5.3	12	1	3	5	7	10	11	16
2. MULTIPLE DX										
A. Not Operated	147	7.3	61	2	3	6	9	13	18	54
B. Operated	1674	7.7	56	2	4	6	9	14	19	39
1. SINGLE DX	275	5.2	12	1	2	5	7	10	11	16
2. MULTIPLE DX	1821	7.6	56	2	4	6	9	14	18	41
A. Not Operated	152	7.1	61	1	3	5	9	13	17	53
B. Operated	1944	7.3	51	2	4	6	9	13	18	37
TOTAL										
0-19 YRS	7	8.0	65	1	3	6	9	22	25	25
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	17	8.5	14	3	7	8	10	13	16	17
50-64	384	7.1	43	2	4	6	9	12	14	43
65 +	1685	7.4	54	2	4	5	9	14	18	37
GRAND TOTAL	**2096**	**7.3**	**51**	**2**	**4**	**6**	**9**	**13**	**18**	**37**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	4.7	12	1	2	5	7	8	8	8
20-34	29	2.3	4	1	1	2	2	6	7	8
35-49	18	2.9	10	1	1	2	3	9	11	11
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	4.4	20	1	1	4	6	12	12	12
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	4.3	6	2	2	4	6	7	7	7
65 +	0									
B. Operated										
0-19 YRS	7	5.4	18	1	2	3	9	11	12	12
20-34	12	5.1	18	1	2	4	7	10	15	16
35-49	8	5.1	25	1	1	2	10	12	12	12
50-64	6	3.7	14	1	1	2	4	10	11	11
65 +	7	8.4	77	3	3	4	10	24	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.0		4	4	4	4	4	4	4
B. Operated	55	2.6	6	1	1	2	3	6	8	11
2. MULTIPLE DX										
A. Not Operated	11	3.7	11	1	1	4	4	9	12	12
B. Operated	40	5.5	28	1	2	3	8	12	14	27
1. SINGLE DX	58	2.7	6	1	1	2	3	6	8	11
2. MULTIPLE DX	51	5.1	25	1	2	3	8	12	12	27
A. Not Operated	14	3.8	9	1	1	4	4	7	11	12
B. Operated	95	3.8	17	1	1	2	5	9	12	22
TOTAL										
0-19 YRS	14	4.6	11	1	2	4	8	9	11	12
20-34	46	3.2	10	1	1	2	5	7	9	16
35-49	28	3.5	14	1	1	2	4	11	12	12
50-64	13	3.3	8	1	1	3	4	8	10	11
65 +	8	7.6	71	2	3	4	9	22	27	27
GRAND TOTAL	**109**	**3.8**	**16**	**1**	**1**	**2**	**5**	**9**	**12**	**20**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	3	3.3	5	2	2	2	5	6	6	6
35-49	26	2.6	6	1	1	2	3	4	9	11
50-64	89	2.9	9	1	1	2	4	7	11	14
65 +	150	3.1	35	1	1	2	3	5	8	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	20.5	254	7	7	17	33	40	40	40
20-34	0									
35-49	0									
50-64	17	6.2	74	1	2	2	7	16	29	35
65 +	32	7.5	38	2	3	6	10	16	19	28
B. Operated										
0-19 YRS	6	14.0	264	1	3	5	30	38	39	39
20-34	3	11.7	22	8	8	10	15	17	17	17
35-49	37	7.9	154	1	1	3	11	16	39	58
50-64	160	5.8	31	1	2	4	9	13	17	30
65 +	691	6.9	68	1	2	4	8	15	21	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.7	1	2	2	2	4	4	4	4
B. Operated	270	3.0	23	1	1	2	3	6	9	19
2. MULTIPLE DX										
A. Not Operated	53	8.1	73	2	2	5	10	18	28	40
B. Operated	897	6.8	66	1	2	4	8	15	21	43
1. SINGLE DX	273	3.0	23	1	1	2	3	6	9	19
2. MULTIPLE DX	950	6.9	66	1	2	4	8	15	21	42
A. Not Operated	56	7.8	71	2	2	5	9	18	28	40
B. Operated	1167	5.9	58	1	2	3	7	14	19	39
TOTAL										
0-19 YRS	12	14.9	214	2	5	7	28	39	40	40
20-34	6	7.5	32	2	2	7	10	16	17	17
35-49	63	5.7	99	1	1	2	6	13	17	57
50-64	268	4.9	28	1	1	3	6	12	15	30
65 +	874	6.2	63	1	2	4	7	14	20	37
GRAND TOTAL	**1223**	**6.0**	**59**	**1**	**2**	**3**	**7**	**14**	**19**	**39**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	7.3	27	2	3	6	13	14	15	15
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	27	8.1	12	4	5	8	10	13	14	17
20-34	4	6.3	5	4	4	6	8	9	9	9
35-49	12	6.3	6	4	6	6	7	9	12	12
50-64	21	9.0	39	3	5	8	10	17	23	29
65 +	20	8.9	37	1	6	8	10	17	23	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	6.2	43	1	2	5	8	12	22	30
20-34	0									
35-49	3	5.3	17	2	2	4	8	10	10	10
50-64	19	5.9	28	2	2	4	7	13	19	22
65 +	20	7.6	30	2	4	5	11	16	19	21
B. Operated										
0-19 YRS	47	13.7	171	3	6	10	14	32	41	65
20-34	8	11.4	107	4	6	8	11	29	36	36
35-49	42	9.2	27	5	6	9	10	13	21	31
50-64	106	10.4	54	4	6	9	12	19	23	42
65 +	219	11.6	84	4	7	9	14	20	28	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	6.6	26	1	3	5	12	14	15	15
B. Operated	84	8.2	23	3	5	8	10	13	17	28
2. MULTIPLE DX										
A. Not Operated	64	6.5	32	1	3	5	9	15	18	29
B. Operated	422	11.3	81	4	7	9	12	20	29	50
1. SINGLE DX	98	8.0	24	2	5	8	10	14	17	28
2. MULTIPLE DX	486	10.6	77	3	6	9	12	19	28	47
A. Not Operated	78	6.5	31	1	3	5	9	15	16	28
B. Operated	506	10.8	73	4	6	9	12	19	27	46
TOTAL										
0-19 YRS	108	10.1	98	2	5	8	11	17	31	56
20-34	12	9.7	76	4	5	7	10	20	34	36
35-49	58	8.3	23	4	6	8	9	12	18	30
50-64	147	9.5	50	3	6	8	11	18	22	35
65 +	259	11.1	77	3	7	9	13	19	27	43
GRAND TOTAL	**584**	**10.2**	**69**	**3**	**6**	**9**	**12**	**18**	**26**	**42**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	2.7	5	1	1	2	4	6	7	8
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	6	2.5	6	< 1	1	2	3	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	11.8	240	1	3	6	16	39	39	39
20-34	0									
35-49	0									
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	6	4.7	17	2	2	3	7	11	12	12
20-34	0									
35-49	4	2.5	3	1	1	2	4	5	5	5
50-64	7	3.4	5	1	1	4	5	7	7	7
65 +	7	3.7	9	1	1	2	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	31	2.5	4	1	1	2	3	6	7	8
2. MULTIPLE DX										
A. Not Operated	9	8.2	138	1	3	4	7	27	39	39
B. Operated	24	3.7	8	1	2	2	5	7	10	12
1. SINGLE DX	33	2.5	4	1	1	2	3	6	7	8
2. MULTIPLE DX	33	4.9	45	1	2	4	5	9	12	39
A. Not Operated	11	7.1	117	1	2	4	6	21	37	39
B. Operated	55	3.0	6	1	1	2	5	7	8	12
TOTAL										
0-19 YRS	32	4.4	47	1	1	2	5	8	12	39
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	6	2.0	2	1	1	2	2	5	5	5
50-64	11	2.9	4	1	1	2	4	6	7	7
65 +	15	3.3	7	1	1	2	5	7	8	9
GRAND TOTAL	66	3.7	26	1	1	2	5	7	9	35

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	4.8	46	1	1	2	4	19	22	23
20-34	3	3.3	16	< 1	< 1	1	6	8	8	8
35-49	8	3.9	9	1	2	3	6	9	9	9
50-64	11	4.5	15	< 1	1	4	6	11	13	13
65 +	5	10.8	39	4	7	8	15	20	20	20
B. Operated										
0-19 YRS	114	8.2	47	1	3	7	11	16	22	35
20-34	18	7.0	7	3	6	7	8	11	11	11
35-49	28	7.9	13	4	6	7	10	12	14	20
50-64	36	8.3	26	2	5	8	10	15	19	23
65 +	16	10.5	48	3	6	8	15	22	23	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	4.9	22	1	1	3	7	12	15	21
20-34	21	5.5	15	2	3	4	7	12	13	14
35-49	47	5.7	34	2	2	4	7	13	16	34
50-64	66	6.8	61	2	3	4	8	12	15	50
65 +	68	10.6	88	3	4	7	13	25	33	38
B. Operated										
0-19 YRS	163	12.8	156	3	5	9	16	27	43	73
20-34	54	13.7	222	4	6	10	13	21	55	80
35-49	68	11.3	98	5	6	8	13	22	25	61
50-64	80	13.5	169	3	6	9	17	30	48	91
65 +	106	17.3	133	6	10	14	23	34	41	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	5.1	31	1	1	3	8	13	20	23
B. Operated	212	8.2	36	1	5	7	10	16	20	30
2. MULTIPLE DX										
A. Not Operated	274	7.0	53	1	3	4	9	14	21	37
B. Operated	471	13.8	155	4	6	10	16	29	42	73
1. SINGLE DX	256	7.7	36	1	3	7	10	15	20	29
2. MULTIPLE DX	745	11.3	128	2	4	8	14	24	35	66
A. Not Operated	318	6.7	51	1	2	4	8	14	21	36
B. Operated	683	12.1	124	3	6	9	15	24	35	68
TOTAL										
0-19 YRS	366	9.4	100	1	3	7	12	19	29	56
20-34	96	10.4	144	2	5	8	11	15	24	70
35-49	151	8.5	64	2	4	7	10	16	22	40
50-64	193	9.7	106	2	4	7	12	19	31	65
65 +	195	14.3	118	4	6	11	20	30	36	59
GRAND TOTAL	1001	10.4	107	2	4	8	13	21	32	58

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	9	4.2	10	1	1	5	6	9	9	9
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	29.0	691	10	12	18	49	59	59	59
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	37.5	1985	6	6	37	69	69	69	69
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	7.2	68	1	3	5	8	20	28	28
20-34	0									
35-49	1	30.0		30	30	30	30	30	30	30
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	5.0	28	<1	1	3	9	11	11	11
B. Operated										
0-19 YRS	24	8.0	35	2	4	7	14	18	41	99+
20-34	4	9.0	15	4	6	10	12	12	12	12
35-49	8	14.4	72	5	9	13	18	28	31	31
50-64	12	15.7	116	6	8	12	23	33	36	37
65+	13	14.3	89	6	8	13	19	25	36	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.0	3	2	2	4	5	6	6	6
B. Operated	17	12.3	400	1	2	5	9	51	65	69
2. MULTIPLE DX										
A. Not Operated	14	8.2	86	1	3	5	9	28	30	30
B. Operated	61	11.7	73	2	6	10	15	24	34	93
1. SINGLE DX	21	10.7	332	1	2	5	8	34	63	69
2. MULTIPLE DX	75	11.1	76	2	5	9	14	27	31	84
A. Not Operated	18	7.3	70	1	3	5	7	23	29	30
B. Operated	78	11.9	140	2	5	9	14	26	38	91
TOTAL										
0-19 YRS	44	6.8	36	1	2	5	9	18	23	99+
20-34	6	7.2	17	3	4	6	12	12	12	12
35-49	12	19.3	225	7	10	14	26	39	56	59
50-64	15	13.3	115	4	6	9	18	31	35	37
65+	19	14.8	251	2	6	11	18	32	55	69
GRAND TOTAL	**96**	**11.0**	**129**	**2**	**4**	**8**	**14**	**27**	**35**	**85**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	4.2	11	1	2	3	6	8	12	14
20-34	9	2.3	1	1	2	2	3	4	4	4
35-49	7	2.1	1	1	1	2	3	3	3	3
50-64	6	2.0	1	1	1	2	3	3	3	3
65+	6	1.7	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	31	7.6	146	1	3	4	6	19	36	57
20-34	30	2.9	3	2	2	3	3	5	6	9
35-49	32	3.9	11	1	2	3	4	9	12	15
50-64	20	3.0	3	1	2	3	4	5	7	8
65+	12	3.1	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	6.1	33	1	2	5	7	13	16	32
20-34	9	2.8	3	1	2	2	3	6	7	7
35-49	8	2.3	4	1	1	2	2	6	7	7
50-64	16	2.6	1	2	2	3	3	3	4	4
65+	5	3.0	4	1	2	3	4	6	6	6
B. Operated										
0-19 YRS	75	11.5	224	2	4	7	12	27	57	93
20-34	29	4.6	10	2	3	3	6	8	10	17
35-49	49	5.2	35	1	2	4	6	10	16	37
50-64	40	6.1	35	2	3	4	8	14	27	99+
65+	42	6.5	35	2	3	4	7	12	22	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	3.0	6	1	1	3	3	6	7	14
B. Operated	125	4.4	43	1	2	3	4	6	9	41
2. MULTIPLE DX										
A. Not Operated	96	4.7	23	1	2	3	6	10	15	27
B. Operated	235	7.5	99	2	3	5	8	16	26	78
1. SINGLE DX	176	4.0	33	1	2	3	4	6	9	35
2. MULTIPLE DX	331	6.7	79	1	3	4	7	14	21	72
A. Not Operated	147	4.1	18	1	2	3	6	8	12	20
B. Operated	360	6.4	82	2	2	4	7	12	22	70
TOTAL										
0-19 YRS	187	8.3	132	1	3	5	8	16	34	73
20-34	77	3.5	6	2	2	3	4	7	8	15
35-49	96	4.3	22	1	2	3	5	9	12	28
50-64	82	4.4	21	2	2	3	5	8	14	77
65+	65	5.1	27	1	2	4	6	10	16	29
GRAND TOTAL	**507**	**5.8**	**64**	**1**	**2**	**3**	**6**	**11**	**17**	**58**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	4.2	56	<1	<1	1	4	7	24	31
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	6	5.8	18	1	2	6	8	12	12	12
65 +	8	4.1	9	2	2	3	5	9	11	11
B. Operated										
0-19 YRS	23	6.1	18	1	2	6	9	13	14	14
20-34	7	4.1	5	1	2	6	6	6	6	6
35-49	18	4.3	9	<1	2	3	5	10	10	10
50-64	25	4.9	12	1	2	4	6	9	12	14
65 +	25	5.8	16	1	3	5	8	10	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	4.9	17	<1	2	4	6	10	13	20
20-34	70	5.3	26	2	2	4	5	12	14	27
35-49	290	7.1	55	2	3	5	8	15	22	36
50-64	665	7.3	56	2	3	5	9	16	20	32
65 +	1024	9.0	68	2	4	7	11	19	25	40
B. Operated										
0-19 YRS	83	10.3	121	2	3	7	13	24	32	58
20-34	84	13.8	289	3	5	8	15	36	43	93
35-49	407	11.3	124	2	4	8	15	24	34	58
50-64	910	11.7	125	2	5	8	15	25	33	56
65 +	1249	12.0	119	2	5	9	15	25	34	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.3	32	<1	1	2	5	9	12	31
B. Operated	98	5.2	14	1	2	5	7	10	13	16
2. MULTIPLE DX										
A. Not Operated	2094	8.0	61	2	3	6	10	17	23	38
B. Operated	2733	11.8	127	2	5	8	15	25	34	58
1. SINGLE DX	131	5.0	18	1	2	4	7	10	13	19
2. MULTIPLE DX	4827	10.2	102	2	4	7	13	22	30	52
A. Not Operated	2127	7.9	60	2	3	5	10	17	23	38
B. Operated	2831	11.6	125	2	5	8	15	25	34	57
TOTAL										
0-19 YRS	167	7.7	79	1	2	6	9	18	26	41
20-34	162	9.6	180	2	3	6	10	22	37	88
35-49	717	9.4	98	2	3	6	12	21	30	51
50-64	1606	9.8	99	2	3	7	12	22	29	48
65 +	2306	10.6	97	2	4	8	14	22	30	51
GRAND TOTAL	**4958**	**10.0**	**100**	**2**	**4**	**7**	**13**	**22**	**30**	**50**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.4	5	1	2	2	5	7	7	7
20-34	3	1.3		1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	42	5.9	14	1	3	5	7	12	13	15
20-34	23	5.0	13	1	2	5	7	7	11	18
35-49	8	4.6	11	1	2	4	7	9	9	9
50-64	5	6.4	25	<1	2	7	9	14	14	14
65 +	3	6.0	31	<1	1	5	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	4.1	10	1	2	3	5	9	11	13
20-34	10	7.8	51	1	2	6	12	19	23	23
35-49	4	17.8	692	1	3	6	32	57	57	57
50-64	0									
65 +	3	17.0	333	5	6	8	30	38	38	38
B. Operated										
0-19 YRS	30	9.1	45	3	6	8	11	13	14	40
20-34	48	13.0	359	2	2	6	10	37	45	94
35-49	17	10.7	209	2	4	5	9	29	49	59
50-64	10	7.0	21	2	2	6	12	13	14	14
65 +	11	11.5	67	2	7	12	14	21	31	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.8	5	1	1	2	4	6	7	7
B. Operated	81	5.6	14	1	3	5	7	11	13	17
2. MULTIPLE DX										
A. Not Operated	38	7.5	117	1	2	4	8	14	32	57
B. Operated	116	11.0	199	2	3	7	11	30	38	80
1. SINGLE DX	92	5.2	13	1	2	5	7	10	12	17
2. MULTIPLE DX	154	10.1	180	2	3	6	10	23	38	72
A. Not Operated	49	6.5	95	1	2	4	7	13	24	57
B. Operated	197	8.8	130	2	3	6	9	14	34	66
TOTAL										
0-19 YRS	101	6.3	25	1	3	5	8	12	13	27
20-34	84	9.8	228	1	2	5	9	24	38	87
35-49	29	10.0	213	1	3	5	9	26	57	59
50-64	15	6.8	21	2	2	7	11	14	14	14
65 +	17	11.5	99	1	5	9	14	28	36	38
GRAND TOTAL	**246**	**8.3**	**123**	**1**	**2**	**6**	**9**	**14**	**33**	**60**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	3.7	14	<1	1	2	5	9	11	20
20-34	2	11.5	25	8	8	11	15	15	15	15
35-49	0									
50-64	0									
65+	1	21.0		21	21	21	21	21	21	21
B. Operated										
0-19 YRS	107	7.2	81	1	3	5	9	14	19	55
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	0									
50-64	0									
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	227	6.0	63	1	2	4	7	12	15	34
20-34	3	6.0	21	2	3	5	9	11	11	11
35-49	3	10.3	56	6	6	6	16	19	19	19
50-64	3	16.3	244	2	5	14	28	33	33	33
65+	3	8.7	52	4	4	5	14	17	17	17
B. Operated										
0-19 YRS	156	15.7	217	4	6	10	21	35	49	73
20-34	22	33.8	381	7	23	30	46	55	69	89
35-49	7	25.9	261	7	10	28	38	48	50	50
50-64	8	27.0	177	8	22	30	41	77	99+	99+
65+	9	34.0	742	9	23	29	50	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	4.1	19	<1	1	2	6	10	12	23
B. Operated	109	7.2	80	1	3	5	9	14	19	54
2. MULTIPLE DX										
A. Not Operated	239	6.2	64	1	2	4	7	13	16	34
B. Operated	202	19.3	297	4	7	13	28	46	60	99+
1. SINGLE DX	204	5.7	53	1	2	4	7	11	16	29
2. MULTIPLE DX	441	12.2	213	1	3	7	15	31	46	91
A. Not Operated	334	5.6	52	1	2	4	7	12	15	31
B. Operated	311	15.0	254	2	5	9	21	38	50	99
TOTAL										
0-19 YRS	582	8.5	120	1	3	5	10	19	29	69
20-34	28	28.0	427	2	10	25	42	53	59	89
35-49	10	21.2	243	6	7	18	31	45	50	50
50-64	11	24.1	198	2	15	29	37	60	94	99+
65+	14	25.7	608	4	9	23	32	98	99+	99+
GRAND TOTAL	**645**	**10.1**	**171**	**1**	**3**	**6**	**11**	**26**	**40**	**81**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	3	4.7	22	1	1	3	8	10	10	10
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	0									
35-49	5	4.4	20	1	1	4	6	12	12	12
50-64	8	6.8	81	<1	1	3	7	22	28	28
65+	35	9.5	75	3	4	6	13	21	31	38
B. Operated										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	6	6.5	7	3	4	7	8	10	10	10
50-64	6	10.5	120	2	5	6	11	30	32	32
65+	28	15.5	183	5	8	11	16	36	53	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	7.7	24	2	4	10	11	11	11	11
B. Operated	7	6.6	29	1	2	5	12	13	13	13
2. MULTIPLE DX										
A. Not Operated	50	8.3	69	2	3	5	9	19	28	38
B. Operated	41	13.4	150	4	7	10	14	31	45	55
1. SINGLE DX	10	6.9	25	1	2	7	11	13	13	13
2. MULTIPLE DX	91	10.6	111	2	4	7	12	24	34	54
A. Not Operated	53	8.3	66	2	3	6	10	19	27	38
B. Operated	48	12.4	138	3	6	9	13	28	40	55
TOTAL										
0-19 YRS	5	4.4	13	1	2	3	7	10	10	10
20-34	1	14.0		14	14	14	14	14	14	14
35-49	13	5.5	14	1	3	4	8	11	12	12
50-64	16	8.3	82	1	3	5	10	26	31	32
65+	66	12.0	125	3	5	8	14	24	38	55
GRAND TOTAL	**101**	**10.2**	**103**	**2**	**4**	**7**	**12**	**23**	**33**	**54**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	6.8	106	<1	<1	3	7	15	34	42
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	15.0		15	15	15	15	15	15	15
50-64	0									
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	22	8.4	124	<1	2	3	9	21	39	44
20-34	1	41.0		41	41	41	41	41	41	41
35-49	2	29.0	50	24	24	29	34	34	34	34
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	7.8	92	<1	2	6	9	13	28	51
20-34	[illegible]	18.3	250	<1	5	22	29	32	32	32
35-49	7	10.4	156	1	2	6	16	32	35	35
50-64	10	7.1	52	1	3	5	7	19	24	24
65+	22	7.6	55	1	2	4	13	16	22	29
B. Operated										
0-19 YRS	73	28.0	422	5	10	27	43	59	70	97
20-34	36	36.7	381	4	31	39	48	61	63	81
35-49	43	39.9	274	20	32	40	52	74	99+	99+
50-64	42	35.8	359	8	26	35	45	59	69	84
65+	34	24.6	348	4	7	26	38	49	52	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	6.6	90	<1	<1	3	7	15	29	42
B. Operated	25	11.3	182	<1	2	7	14	36	42	44
2. MULTIPLE DX										
A. Not Operated	76	8.3	86	1	2	5	10	19	30	47
B. Operated	228	32.6	390	5	14	34	46	59	72	99+
1. SINGLE DX	45	9.2	144	<1	1	4	10	34	41	44
2. MULTIPLE DX	304	26.5	424	3	7	27	42	56	63	99+
A. Not Operated	96	7.9	87	<1	2	5	10	17	30	47
B. Operated	253	30.5	409	3	11	33	44	58	70	99+
TOTAL										
0-19 YRS	145	17.9	365	1	3	9	31	48	59	88
20-34	42	33.8	413	3	22	37	43	59	63	81
35-49	53	35.2	351	8	25	37	48	72	95	99+
50-64	52	30.3	428	3	10	32	42	58	66	84
65+	57	17.7	298	2	4	10	30	47	51	64
GRAND TOTAL	**349**	**24.3**	**421**	**2**	**6**	**21**	**41**	**54**	**62**	**99**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	7.8	48	<1	2	6	10	19	22	22
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	2	7.5	85	<1	<1	7	14	14	14	14
B. Operated										
0-19 YRS	13	9.3	69	1	3	7	12	21	29	31
20-34	0									
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	5.9	20	2	3	5	8	12	16	19
20-34	9	4.3	10	1	2	4	7	9	9	9
35-49	13	10.5	39	2	6	11	15	19	19	19
50-64	14	6.3	14	3	4	5	7	13	14	14
65+	35	7.7	67	1	2	5	11	16	29	35
B. Operated										
0-19 YRS	32	21.8	333	3	9	14	37	50	59	61
20-34	23	32.7	326	4	13	38	44	51	54	59
35-49	51	31.1	363	4	9	38	44	52	59	71
50-64	22	21.8	562	2	4	7	42	59	65	69
65+	32	13.8	223	2	5	9	15	32	50	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	6.6	42	<1	1	4	9	16	21	22
B. Operated	16	8.2	61	1	3	5	11	17	27	31
2. MULTIPLE DX										
A. Not Operated	90	7.2	41	1	3	5	10	15	19	34
B. Operated	160	24.7	391	3	7	18	42	52	59	69
1. SINGLE DX	30	7.4	51	<1	2	5	11	16	22	31
2. MULTIPLE DX	250	18.4	336	2	4	10	35	48	53	68
A. Not Operated	104	7.1	41	1	2	5	10	15	19	34
B. Operated	176	23.2	383	2	6	15	41	51	59	69
TOTAL										
0-19 YRS	73	13.7	218	2	4	9	16	39	49	61
20-34	32	24.7	401	2	5	30	43	50	52	59
35-49	67	25.9	373	3	7	21	43	50	58	69
50-64	39	14.7	383	2	4	6	14	54	60	69
65+	69	10.5	146	1	3	7	12	25	35	65
GRAND TOTAL	**280**	**17.2**	**316**	**2**	**4**	**9**	**29**	**44**	**52**	**66**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	1.8	2	<1	<1	1	2	4	5	5
20-34	2	1.0		1	1	1	1	1	1	1
35-49	11	3.5	20	<1	1	1	4	11	15	15
50-64	33	2.0	7	1	1	1	1	4	9	13
65 +	7	2.9	5	1	1	3	4	6	7	7
B. Operated										
0-19 YRS	35	8.2	171	1	2	4	8	14	40	67
20-34	18	4.2	18	1	1	2	8	10	12	14
35-49	25	5.5	14	1	2	5	8	10	12	14
50-64	41	3.6	9	<1	1	3	5	8	9	13
65 +	33	6.6	20	<1	2	6	10	13	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	5.6	31	1	2	4	7	11	13	30
20-34	18	7.9	70	2	3	5	10	17	28	36
35-49	61	6.3	59	1	1	4	7	16	28	31
50-64	109	6.4	46	1	1	4	9	16	20	34
65 +	181	8.7	55	1	4	7	11	18	23	36
B. Operated										
0-19 YRS	46	18.1	290	2	6	13	23	38	57	83
20-34	40	18.2	281	3	5	10	32	44	56	99 +
35-49	76	17.6	221	3	6	12	26	42	47	60
50-64	164	14.5	152	3	7	11	19	31	40	73
65 +	340	13.9	134	3	6	11	18	30	37	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	2.2	7	1	1	1	3	4	8	14
B. Operated	152	5.7	52	1	1	4	8	11	13	46
2. MULTIPLE DX										
A. Not Operated	399	7.4	53	1	2	5	10	17	22	36
B. Operated	666	15.0	169	3	6	17	20	34	42	65
1. SINGLE DX	227	4.6	40	1	1	3	7	10	13	25
2. MULTIPLE DX	1065	12.2	139	2	4	8	16	29	37	58
A. Not Operated	474	6.6	49	1	1	4	9	15	20	35
B. Operated	818	13.3	160	2	5	9	17	31	41	64
TOTAL										
0-19 YRS	133	10.0	189	1	2	5	11	26	38	70
20-34	78	12.1	202	1	3	6	17	41	44	89
35-49	173	10.9	155	1	3	6	14	30	41	53
50-64	347	9.5	112	1	2	6	13	24	31	60
65 +	561	11.6	108	2	4	9	15	26	32	49
GRAND TOTAL	**1292**	**10.8**	**130**	**1**	**3**	**7**	**14**	**26**	**36**	**58**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	3.2	18	<1	1	2	3	10	15	16
20-34	35	1.8	1	1	1	2	2	3	3	3
35-49	33	1.6	1	1	1	1	2	3	3	4
50-64	38	1.9	2	1	1	2	3	3	4	7
65 +	26	2.0	1	<1	1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	5.0	22	1	2	3	8	12	15	15
20-34	11	4.5	39	1	2	2	3	15	21	22
35-49	12	2.7	3	1	1	2	3	6	6	6
50-64	32	3.0	5	1	1	2	4	7	7	9
65 +	38	3.7	14	1	2	3	4	5	12	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	145	2.0	2	1	1	2	2	3	3	8
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	102	3.5	13	1	2	2	4	7	9	21
1. SINGLE DX	146	2.0	2	1	1	2	2	3	3	8
2. MULTIPLE DX	103	3.5	13	1	2	2	4	7	9	21
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	247	2.6	7	1	1	2	3	5	7	16
TOTAL										
0-19 YRS	22	3.9	20	<1	1	2	5	10	15	16
20-34	47	2.4	10	1	1	2	2	3	4	22
35-49	46	1.9	1	1	1	2	2	3	5	6
50-64	70	2.4	3	1	1	2	3	5	7	9
65 +	64	3.0	9	1	2	2	3	5	6	19
GRAND TOTAL	**249**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**16**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	4	1.0		<1	<1	<1	1	1	1	1
B. Operated										
0-19 YRS	34	3.3	11	<1	1	2	6	8	10	13
20-34	13	5.1	20	<1	<1	5	8	10	14	15
35-49	30	4.0	17	<1	<1	1	8	10	11	12
50-64	80	2.5	11	<1	<1	<1	1	9	10	14
65+	85	1.8	6	<1	<1	<1	1	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	6	3.3	10	<1	1	2	5	9	9	9
35-49	6	3.3	4	<1	2	3	5	6	6	6
50-64	6	6.8	13	4	5	6	6	13	14	14
65+	20	6.1	40	1	2	4	7	19	20	21
B. Operated										
0-19 YRS	28	3.4	10	<1	1	2	5	9	11	11
20-34	15	8.3	48	<1	2	8	11	16	24	27
35-49	75	4.9	21	<1	<1	3	8	11	14	19
50-64	162	5.4	49	<1	<1	4	8	11	14	66
65+	329	6.2	40	<1	<1	5	8	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.7	2	<1	<1	<1	1	4	6	6
B. Operated	242	2.7	11	<1	<1	<1	2	9	10	13
2. MULTIPLE DX										
A. Not Operated	41	5.2	25	1	2	4	6	12	19	21
B. Operated	609	5.7	39	<1	<1	4	8	12	16	28
1. SINGLE DX	255	2.7	10	<1	<1	<1	2	9	10	13
2. MULTIPLE DX	650	5.7	38	<1	<1	4	8	12	16	28
A. Not Operated	54	4.4	22	<1	1	3	5	9	17	21
B. Operated	851	4.9	33	<1	<1	2	8	11	15	27
TOTAL										
0-19 YRS	68	3.3	10	<1	1	2	5	8	10	13
20-34	35	6.2	32	<1	<1	5	9	13	16	27
35-49	113	4.5	19	<1	<1	2	7	11	12	18
50-64	251	4.5	37	<1	<1	2	7	10	12	28
65+	438	5.3	36	<1	<1	3	8	12	17	27
GRAND TOTAL	**905**	**4.9**	**32**	**<1**	**<1**	**2**	**8**	**11**	**15**	**27**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	143	1.3		<1	<1	1	1	2	3	5
20-34	8	5.3	21	<1	2	4	7	13	15	15
35-49	8	4.3	10	<1	1	3	7	9	9	9
50-64	8	3.3	12	1	1	2	4	9	11	11
65+	8	6.3	6	2	5	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.9	4	<1	1	2	4	6	6	6
20-34	0									
35-49	0									
50-64	0									
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	59	3.3	10	1	1	2	5	8	10	15
20-34	8	3.3	5	<1	1	3	5	7	7	7
35-49	13	6.4	26	1	2	5	10	14	15	15
50-64	25	8.1	16	3	4	8	11	14	14	15
65+	23	10.3	132	2	5	8	11	15	31	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.4		<1	<1	1	2	2	2	2
B. Operated	175	1.9	4	<1	<1	1	2	4	7	10
2. MULTIPLE DX										
A. Not Operated	8	3.0	3	<1	1	3	4	6	6	6
B. Operated	128	5.8	41	1	2	4	8	12	14	26
1. SINGLE DX	182	1.9	4	<1	<1	1	2	4	7	10
2. MULTIPLE DX	136	5.7	39	1	2	4	8	12	14	22
A. Not Operated	15	2.3	3	<1	<1	2	3	5	6	6
B. Operated	303	3.6	24	<1	1	1	5	9	12	15
TOTAL										
0-19 YRS	216	1.9	4	<1	<1	1	2	4	6	10
20-34	16	4.3	13	<1	1	3	6	8	13	15
35-49	21	5.6	20	<1	2	4	9	13	14	15
50-64	33	6.9	19	1	3	7	11	13	14	15
65+	32	9.1	99	2	5	7	10	14	16	60
GRAND TOTAL	**318**	**3.5**	**23**	**<1**	**1**	**2**	**5**	**9**	**12**	**15**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	194	2.3	5	< 1	1	1	3	6	8	10
20-34	62	2.7	8	< 1	< 1	1	3	7	9	13
35-49	59	2.5	15	< 1	1	1	2	4	7	27
50-64	68	2.3	5	< 1	< 1	1	2	5	9	11
65 +	31	2.0	2	< 1	< 1	1	3	4	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.0	12	1	1	1	6	7	7	7
35-49	0									
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	6	6.7	18	2	4	5	9	13	14	14
B. Operated										
0-19 YRS	41	5.0	11	1	2	5	7	9	12	14
20-34	18	6.3	34	2	2	4	7	15	21	23
35-49	40	3.8	10	1	1	3	6	9	10	10
50-64	59	3.4	16	< 1	1	1	4	9	11	22
65 +	44	4.8	27	< 1	1	3	7	11	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	414	2.4	7	< 1	1	1	3	5	8	11
2. MULTIPLE DX										
A. Not Operated	11	5.0	16	1	1	5	7	11	14	14
B. Operated	202	4.4	18	< 1	1	3	7	10	12	23
1. SINGLE DX	417	2.4	7	< 1	1	1	3	5	8	11
2. MULTIPLE DX	213	4.4	18	< 1	1	3	7	10	12	23
A. Not Operated	14	4.4	14	1	1	3	6	9	13	14
B. Operated	616	3.0	11	< 1	1	2	4	7	10	15
TOTAL										
0-19 YRS	238	2.8	7	< 1	1	2	4	7	8	12
20-34	83	3.5	15	< 1	1	2	4	9	11	21
35-49	99	3.0	13	1	1	2	3	7	9	20
50-64	129	2.8	10	< 1	< 1	1	3	8	10	14
65 +	81	3.9	19	< 1	1	2	5	9	13	23
GRAND TOTAL	**630**	**3.1**	**11**	**< 1**	**1**	**2**	**4**	**7**	**10**	**15**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.7	7	< 1	1	2	3	6	10	11
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	344	2.0	5	< 1	< 1	1	2	4	6	13
20-34	27	2.0	2	< 1	< 1	1	3	5	5	6
35-49	22	3.0	8	< 1	1	2	5	7	9	12
50-64	10	1.9	1	< 1	< 1	1	3	4	4	4
65 +	4	2.3	4	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	4.5	12	1	2	4	6	10	12	14
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	4.4	5	1	3	4	6	7	7	7
65 +	8	6.5	14	2	4	6	8	12	14	14
B. Operated										
0-19 YRS	109	4.0	33	< 1	< 1	2	4	11	14	30
20-34	22	4.1	17	< 1	1	3	7	13	45	99 +
35-49	20	4.4	45	< 1	< 1	1	4	15	23	24
50-64	18	4.8	19	< 1	1	4	7	9	14	18
65 +	25	8.4	79	< 1	2	5	9	26	28	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.7	7	< 1	1	2	3	6	10	11
B. Operated	407	2.1	5	< 1	< 1	1	2	5	6	12
2. MULTIPLE DX										
A. Not Operated	39	4.9	11	1	2	4	7	9	12	14
B. Operated	194	4.7	38	< 1	1	2	6	12	22	33
1. SINGLE DX	429	2.1	5	< 1	< 1	1	2	5	6	12
2. MULTIPLE DX	233	4.7	34	< 1	1	2	6	12	18	31
A. Not Operated	61	4.1	11	1	2	3	6	9	11	14
B. Operated	601	2.9	17	< 1	< 1	1	3	7	11	25
TOTAL										
0-19 YRS	498	2.6	12	< 1	< 1	1	3	6	10	17
20-34	51	3.1	10	< 1	1	2	4	8	12	98
35-49	43	3.6	25	< 1	< 1	2	4	8	15	24
50-64	33	3.8	13	< 1	1	3	5	8	9	18
65 +	37	7.3	59	1	2	5	8	21	27	30
GRAND TOTAL	**662**	**3.0**	**17**	**< 1**	**< 1**	**1**	**3**	**7**	**11**	**24**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	17	1.2		<1	<1	<1	1	2	3	3
20-34	21	1.0		<1	<1	<1	<1	1	1	1
35-49	27	1.3	2	<1	<1	<1	<1	2	3	8
50-64	17	1.3		<1	<1	<1	1	2	3	3
65+	12	1.3		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	6	1.5	2	<1	<1	1	1	4	4	4
35-49	21	1.4	1	<1	<1	1	2	3	3	4
50-64	13	1.3		<1	<1	<1	1	2	3	3
65+	22	2.5	8	<1	1	2	3	5	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	94	1.2	1	<1	<1	<1	<1	2	3	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	64	1.8	3	<1	<1	1	2	3	4	13
1. SINGLE DX	94	1.2	1	<1	<1	<1	<1	2	3	6
2. MULTIPLE DX	64	1.8	3	<1	<1	1	2	3	4	13
A. Not Operated	0									
B. Operated	158	1.5	2	<1	<1	<1	1	2	3	8
TOTAL										
0-19 YRS	19	1.3		<1	<1	<1	1	2	3	3
20-34	27	1.1		<1	<1	<1	<1	1	2	4
35-49	48	1.4	1	<1	<1	<1	1	2	3	8
50-64	30	1.3		<1	<1	<1	1	2	3	3
65+	34	2.1	6	<1	<1	1	2	4	5	14
GRAND TOTAL	**158**	**1.5**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**8**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	1.9		1	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	0									
B. Operated										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	130	4.0	1	3	3	4	4	5	6	8
35-49	299	4.2	1	3	4	4	5	6	6	7
50-64	41	4.3	1	3	4	4	5	6	6	7
65+	7	3.6	1	2	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	13	2.6	3	<1	1	2	4	5	6	6
35-49	46	2.8	4	<1	1	2	4	6	7	7
50-64	8	2.6	3	<1	1	2	4	5	6	6
65+	3	4.3	2	3	3	4	5	6	6	6
B. Operated										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	733	4.5	3	3	4	4	5	6	8	10
35-49	3092	4.7	4	3	4	4	5	6	8	12
50-64	405	4.9	4	3	4	4	5	7	8	13
65+	69	6.7	15	4	4	6	7	12	14	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.0		1	2	2	2	3	3	3
B. Operated	480	4.1	1	3	4	4	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	70	2.8	3	<1	1	2	4	6	6	7
B. Operated	4302	4.7	4	3	4	4	5	6	8	12
1. SINGLE DX	490	4.1	1	3	4	4	5	6	6	7
2. MULTIPLE DX	4372	4.7	4	3	4	4	5	6	8	12
A. Not Operated	80	2.7	3	<1	1	2	4	6	6	7
B. Operated	4782	4.6	4	3	4	4	5	6	8	12
TOTAL										
0-19 YRS	6	4.7	3	3	4	4	5	8	8	8
20-34	877	4.4	3	3	4	4	5	6	7	10
35-49	3445	4.6	4	3	4	4	5	6	7	11
50-64	455	4.8	4	3	4	4	5	7	8	13
65+	79	6.3	14	4	4	5	7	11	14	22
GRAND TOTAL	**4862**	**4.6**	**4**	**3**	**4**	**4**	**5**	**6**	**7**	**12**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	4.0		4	4	4	4	4	4	4
35-49	5	2.2	2	< 1	1	2	3	4	4	4
50-64	2	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	13	4.7	6	2	3	4	6	8	10	11
35-49	39	5.2	9	3	3	5	6	8	11	19
50-64	5	6.2	47	1	2	5	8	18	18	18
65 +	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	10	2.9	1	< 1	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	58	5.2	11	3	3	4	6	8	11	19
1. SINGLE DX	10	2.9	1	< 1	2	3	4	4	4	4
2. MULTIPLE DX	59	5.1	11	3	3	4	6	8	11	19
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	68	4.8	10	2	3	4	5	8	11	19
TOTAL										
0-19 YRS	0									
20-34	16	4.6	5	3	3	4	5	7	10	11
35-49	44	4.8	9	2	3	4	5	8	11	19
50-64	7	5.3	34	1	2	3	5	15	18	18
65 +	2	3.5	13	1	1	3	6	6	6	6
GRAND TOTAL	**69**	**4.8**	**10**	**2**	**3**	**4**	**5**	**8**	**11**	**19**

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	45	3.8	1	3	3	4	4	5	6	8
20-34	111	3.5	1	2	3	3	4	5	5	7
35-49	54	4.3	2	3	3	4	5	6	7	9
50-64	25	4.6	4	3	4	4	5	6	8	13
65 +	13	5.0	6	2	4	5	6	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	4.3	2	3	3	4	5	6	7	9
20-34	152	4.3	3	3	3	4	5	6	8	13
35-49	170	4.9	4	3	4	4	5	7	9	12
50-64	101	5.4	5	3	4	5	6	8	9	15
65 +	106	7.9	24	4	5	6	9	12	20	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7		1	1	2	2	2	2	2
B. Operated	248	3.9	2	3	3	4	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	5	5.2	14	< 1	2	4	8	10	10	10
B. Operated	555	5.4	9	3	4	5	6	8	10	20
1. SINGLE DX	251	3.9	2	2	3	4	4	5	6	9
2. MULTIPLE DX	560	5.4	9	3	4	5	6	9	10	20
A. Not Operated	8	3.9	11	< 1	1	3	6	9	10	10
B. Operated	803	4.9	7	3	4	4	5	8	9	16
TOTAL										
0-19 YRS	73	4.0	2	3	3	4	5	5	6	9
20-34	267	4.0	3	3	3	4	4	5	7	11
35-49	226	4.7	3	3	4	4	5	7	9	11
50-64	126	5.3	5	3	4	5	6	8	9	14
65 +	119	7.6	23	4	5	6	9	11	19	31
GRAND TOTAL	**811**	**4.9**	**7**	**3**	**4**	**4**	**5**	**8**	**9**	**16**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	1.0		<1	<1	<1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	3.6	7	<1	1	2	6	7	7	7
35-49	6	3.7	2	<1	4	4	4	5	5	5
50-64	2	6.0	2	5	5	6	7	7	7	7
65 +	5	4.6	5	<1	3	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	13	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	19	4.0	5	<1	2	4	6	7	7	7
1. SINGLE DX	13	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX	19	4.0	5	<1	2	4	6	7	7	7
A. Not Operated	0									
B. Operated	32	2.8	5	<1	<1	2	5	6	7	7
TOTAL										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	7	3.0	6	<1	1	2	5	7	7	7
35-49	11	2.5	3	<1	<1	1	4	5	5	5
50-64	3	4.3	9	<1	1	5	6	7	7	7
65 +	7	3.6	7	<1	<1	4	6	7	7	7
GRAND TOTAL	**32**	**2.8**	**5**	**<1**	**<1**	**2**	**5**	**6**	**7**	**7**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	1.7	2	<1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	4	2.0	2	<1	<1	1	3	4	4	4
1. SINGLE DX	7	1.7	2	<1	1	1	2	4	5	5
2. MULTIPLE DX	4	2.0	2	<1	<1	1	3	4	4	4
A. Not Operated	0									
B. Operated	11	1.8	2	<1	1	1	2	4	5	5
TOTAL										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
GRAND TOTAL	**11**	**1.8**	**2**	**<1**	**1**	**1**	**2**	**4**	**5**	**5**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	3	7.0	4	5	5	7	8	9	9	9
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	14.0		14	14	14	14	14	14	14
35-49	7	4.4	17	1	1	3	7	11	12	12
50-64	7	4.3	9	1	1	5	7	8	8	8
65 +	15	8.1	74	2	2	5	10	27	28	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	3	7.0	4	5	5	7	8	9	9	9
B. Operated	31	6.5	45	1	2	5	8	13	26	29
1. SINGLE DX	3	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX	34	6.6	41	1	2	5	8	12	24	29
A. Not Operated	3	7.0	4	5	5	7	8	9	9	9
B. Operated	34	6.0	44	1	1	5	7	12	24	29
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	14.0		14	14	14	14	14	14	14
35-49	7	4.4	17	1	1	3	7	11	12	12
50-64	10	3.3	8	< 1	1	2	6	7	8	8
65 +	18	7.9	62	2	3	6	9	22	28	29
GRAND TOTAL	**37**	**6.1**	**40**	**1**	**2**	**5**	**8**	**12**	**22**	**29**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	1.4	1	< 1	< 1	< 1	1	3	4	4
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	14.5	365	1	1	14	28	28	28	28
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	14	1.3	1	< 1	< 1	1	1	2	4	4
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	4	8.0	178	1	1	2	15	28	28	28
1. SINGLE DX	15	1.3	1	< 1	< 1	1	1	2	4	4
2. MULTIPLE DX	5	6.6	143	1	1	1	8	28	28	28
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	18	2.8	40	< 1	< 1	1	1	3	18	28
TOTAL										
0-19 YRS	14	1.4	1	< 1	< 1	1	1	2	4	4
20-34	0									
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	10.0	243	1	1	1	21	28	28	28
65 +	0									
GRAND TOTAL	**20**	**2.7**	**36**	**< 1**	**< 1**	**1**	**2**	**3**	**16**	**28**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	12	6.8	12	2	4	7	9	11	13	13
20-34	14	9.3	21	5	7	8	11	15	20	21
35-49	26	6.2	12	1	4	6	8	10	14	16
50-64	21	7.0	20	3	4	6	10	14	16	17
65+	10	11.3	57	5	6	11	17	57	96	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	12.0	281	1	3	5	21	37	37	37
20-34	3	6.0	25	1	2	6	10	11	11	11
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	20	7.7	108	2	3	4	9	16	34	47
B. Operated										
0-19 YRS	24	13.0	247	2	5	10	16	29	85	99+
20-34	17	17.5	412	5	7	10	17	49	72	81
35-49	48	14.8	165	6	7	9	16	36	45	63
50-64	62	12.8	99	5	7	11	16	25	51	99+
65+	93	15.8	256	6	7	12	20	28	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3		2	2	2	3	3	3	3
B. Operated	83	7.6	23	3	5	7	10	13	17	76
2. MULTIPLE DX										
A. Not Operated	32	7.3	101	2	2	4	7	14	35	47
B. Operated	244	14.7	206	5	7	10	17	28	58	99+
1. SINGLE DX	86	7.5	23	2	4	7	9	13	17	74
2. MULTIPLE DX	276	13.8	199	4	7	9	16	27	53	99+
A. Not Operated	35	6.9	94	2	2	4	6	11	33	47
B. Operated	327	12.9	169	4	7	9	15	25	48	99+
TOTAL										
0-19 YRS	42	10.7	173	2	5	8	13	22	52	99+
20-34	34	13.1	230	5	7	9	12	21	49	81
35-49	77	11.4	126	3	6	8	11	25	40	58
50-64	86	11.0	85	3	5	9	14	22	36	99+
65+	123	14.1	223	4	7	10	17	28	65	99+
GRAND TOTAL	**362**	**12.3**	**165**	**3**	**6**	**9**	**14**	**25**	**46**	**99+**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	15	1.9	1	1	1	2	2	3	3	3
20-34	49	1.9	1	1	1	2	2	3	3	4
35-49	84	1.9	1	1	1	2	2	3	4	5
50-64	42	1.8	1	1	1	2	2	3	3	4
65+	19	2.4	1	1	2	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	3.3	16	1	1	1	6	8	8	8
20-34	16	2.3	2	1	1	2	3	5	5	5
35-49	51	2.6	2	1	2	2	3	4	4	10
50-64	43	4.0	17	1	2	3	3	9	15	19
65+	49	3.3	5	2	2	3	4	6	9	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	209	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	162	3.2	7	1	2	3	3	5	9	17
1. SINGLE DX	209	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	162	3.2	7	1	2	3	3	5	9	17
A. Not Operated	0									
B. Operated	371	2.5	4	1	2	2	3	4	5	12
TOTAL										
0-19 YRS	18	2.1	3	1	1	2	2	3	6	8
20-34	65	2.0	1	1	1	2	2	3	4	5
35-49	135	2.2	1	1	1	2	3	3	4	6
50-64	85	2.9	10	1	2	2	3	4	9	19
65+	68	3.0	4	2	2	3	4	4	8	12
GRAND TOTAL	**371**	**2.5**	**4**	**1**	**2**	**2**	**3**	**4**	**5**	**12**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	4	9.8	30	5	5	8	14	17	17	17
20-34	8	7.1	24	4	4	6	7	15	19	19
35-49	25	5.2	12	2	3	5	6	10	12	16
50-64	11	6.0	4	4	5	5	7	9	10	10
65+	11	8.0	32	2	5	5	13	16	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.3	12	4	5	7	10	11	11	11
20-34	3	4.0	27	<1	<1	1	8	10	10	10
35-49	7	2.6	3	1	1	2	4	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+	6	7.8	53	<1	2	7	9	20	21	21
B. Operated										
0-19 YRS	8	17.3	78	8	11	15	24	31	31	31
20-34	27	6.2	12	2	4	6	8	10	11	17
35-49	44	8.9	77	3	4	7	9	19	28	45
50-64	52	8.8	58	3	4	7	10	21	32	98
65+	56	8.6	85	2	3	5	8	25	32	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.3	7	1	1	2	5	7	7	7
B. Operated	59	6.5	18	2	4	5	8	13	17	19
2. MULTIPLE DX										
A. Not Operated	20	5.2	25	<1	1	4	8	10	16	21
B. Operated	187	8.7	67	2	4	6	10	20	30	43
1. SINGLE DX	63	6.3	17	2	4	5	7	12	16	19
2. MULTIPLE DX	207	8.4	64	2	4	6	9	19	29	43
A. Not Operated	24	4.8	22	1	1	3	7	10	14	21
B. Operated	246	8.2	56	2	4	6	9	17	25	41
TOTAL										
0-19 YRS	15	13.3	67	5	7	11	17	30	31	31
20-34	39	6.1	15	2	4	5	8	10	14	19
35-49	77	7.0	53	2	3	5	8	11	21	43
50-64	65	8.2	49	3	4	6	10	17	26	90
65+	74	8.4	72	2	4	6	9	21	28	41
GRAND TOTAL	**270**	**7.9**	**54**	**2**	**4**	**6**	**9**	**17**	**24**	**41**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	109	2.5	2	<1	<1	3	4	4	4	6
35-49	43	3.2	2	<1	3	3	4	5	5	6
50-64	11	1.8	1	<1	<1	1	3	4	4	4
65+	7	2.6	4	1	1	1	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65+	3	2.7	8	1	1	1	5	6	6	6
B. Operated										
0-19 YRS	0									
20-34	167	3.6	4	<1	3	4	4	5	6	12
35-49	124	4.2	6	3	3	4	5	6	7	15
50-64	31	4.1	3	2	3	4	5	6	6	9
65+	31	4.5	5	1	3	4	6	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	171	2.6	2	<1	<1	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	4	2.8	6	1	1	2	4	6	6	6
B. Operated	353	3.9	5	1	3	4	5	6	7	11
1. SINGLE DX	171	2.6	2	<1	<1	3	4	4	5	6
2. MULTIPLE DX	357	3.9	5	1	3	4	5	6	7	11
A. Not Operated	4	2.8	6	1	1	2	4	6	6	6
B. Operated	524	3.5	4	<1	2	4	4	5	6	10
TOTAL										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	277	3.2	4	<1	1	3	4	5	6	9
35-49	167	4.0	5	2	3	4	5	5	6	11
50-64	42	3.5	3	<1	2	4	5	5	6	9
65+	41	4.0	6	1	1	4	6	7	8	9
GRAND TOTAL	**528**	**3.5**	**4**	**<1**	**2**	**4**	**4**	**5**	**6**	**10**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	4	2.8	2	1	2	3	4	4	4	4
35-49	28	3.0	5	< 1	1	2	4	6	7	10
50-64	34	3.4	5	< 1	1	3	5	7	8	9
65 +	36	2.8	3	< 1	1	2	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-19 YRS	2	4.5	25	< 1	< 1	4	8	8	8	8
20-34	8	4.9	15	1	2	4	6	11	13	13
35-49	48	4.9	29	2	2	4	5	8	11	37
50-64	60	5.0	18	< 1	2	4	7	10	13	21
65 +	108	6.6	53	1	2	4	9	14	23	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	8.0		8	8	8	8	8	8	8
B. Operated	104	3.0	4	< 1	1	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	2	8.5	61	3	3	8	14	14	14	14
B. Operated	226	5.7	37	1	2	4	7	11	17	34
1. SINGLE DX	105	3.1	4	< 1	1	3	4	6	7	9
2. MULTIPLE DX	228	5.8	37	1	2	4	7	11	16	34
A. Not Operated	3	8.3	30	3	4	8	12	14	14	14
B. Operated	330	4.9	28	< 1	2	3	6	10	13	32
TOTAL										
0-19 YRS	5	5.0	10	< 1	2	5	8	8	8	8
20-34	12	4.2	11	1	2	4	5	8	12	13
35-49	76	4.2	21	1	2	3	5	7	10	31
50-64	95	4.4	14	< 1	2	3	6	8	10	21
65 +	145	5.7	43	< 1	1	4	7	12	21	33
GRAND TOTAL	**333**	**4.9**	**28**	**< 1**	**2**	**3**	**6**	**10**	**13**	**32**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	4.6	25	< 1	1	2	8	13	15	17
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	7.3	111	1	1	2	13	23	23	23
50-64	5	2.8	12	< 1	1	1	4	9	9	9
65 +	3	4.7	16	1	2	4	8	9	9	9
B. Operated										
0-19 YRS	98	3.6	11	< 1	1	2	6	8	10	16
20-34	31	3.9	9	1	2	3	5	8	12	13
35-49	42	4.5	15	1	1	3	7	9	11	19
50-64	43	3.9	6	1	1	4	6	7	8	10
65 +	44	3.8	14	1	1	2	7	11	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	3.4	22	1	1	2	4	8	10	29
20-34	8	5.5	20	< 1	1	5	8	12	13	13
35-49	29	3.8	5	1	2	3	5	7	9	10
50-64	28	5.3	22	1	2	3	6	14	16	17
65 +	81	8.4	142	1	3	5	9	17	22	77
B. Operated										
0-19 YRS	95	11.5	187	2	4	8	14	22	29	82
20-34	56	9.0	134	2	4	5	9	16	37	61
35-49	71	6.3	35	1	3	5	8	10	19	35
50-64	100	8.3	54	1	4	6	11	17	25	36
65 +	187	9.8	62	3	5	8	12	18	24	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	4.5	28	< 1	1	2	7	13	15	23
B. Operated	258	3.9	11	< 1	1	3	6	9	10	14
2. MULTIPLE DX										
A. Not Operated	189	6.0	75	1	2	4	7	14	17	36
B. Operated	509	9.3	90	2	4	7	11	18	26	54
1. SINGLE DX	298	4.0	14	< 1	1	3	6	9	11	18
2. MULTIPLE DX	698	8.4	88	1	3	6	10	17	24	48
A. Not Operated	229	5.7	67	1	2	3	7	13	17	32
B. Operated	767	7.4	70	1	2	5	9	15	21	40
TOTAL										
0-19 YRS	262	6.5	92	< 1	1	4	8	14	21	52
20-34	97	7.0	87	1	3	4	8	13	17	58
35-49	146	5.3	28	1	2	4	7	9	14	28
50-64	176	6.6	40	1	2	5	8	14	22	32
65 +	315	8.6	79	1	3	7	11	17	22	40
GRAND TOTAL	**996**	**7.0**	**70**	**1**	**2**	**5**	**9**	**14**	**20**	**40**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	2.0	1	1	1	2	3	3	3	3
20-34	46	2.0		1	2	2	2	3	3	3
35-49	111	2.3	1	1	2	2	3	3	4	6
50-64	72	2.3	2	1	1	2	3	4	5	7
65 +	35	2.5	2	1	2	2	4	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	2	3.0		3	3	3	3	3	3	3
65 +	4	6.0	17	2	2	6	9	10	10	10
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	19	2.4	2	1	1	2	3	4	5	6
35-49	62	2.7	2	1	2	2	3	5	6	10
50-64	66	3.6	11	1	2	3	4	7	10	18
65 +	67	5.3	50	2	2	3	5	9	16	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	272	2.3	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	8	4.4	11	1	2	3	6	10	10	10
B. Operated	216	3.7	21	1	2	3	4	6	10	22
1. SINGLE DX	273	2.3	1	1	2	2	3	4	4	6
2. MULTIPLE DX	224	3.8	20	1	2	3	4	7	10	21
A. Not Operated	9	4.0	11	< 1	2	3	5	10	10	10
B. Operated	488	2.9	10	1	2	2	3	5	6	17
TOTAL										
0-19 YRS	10	1.9	1	1	1	2	2	3	3	3
20-34	66	2.1	1	1	2	2	3	3	4	6
35-49	175	2.4	2	1	2	2	3	4	5	7
50-64	140	2.9	6	1	2	2	3	5	7	17
65 +	106	4.4	34	1	2	3	4	8	11	38
GRAND TOTAL	**497**	**2.9**	**10**	**1**	**2**	**2**	**3**	**5**	**7**	**17**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	16	3.8	7	1	2	3	4	9	10	10
35-49	8	2.3	3	1	1	2	3	5	6	6
50-64	6	2.7	1	1	2	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	15	2.7	2	2	2	2	3	5	6	6
20-34	27	2.8	2	1	2	2	4	5	6	7
35-49	38	2.8	3	1	2	2	3	5	7	10
50-64	21	2.5	1	1	2	2	3	4	5	5
65 +	6	2.5	1	1	2	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	4.6	11	1	2	3	7	9	11	11
20-34	25	4.6	9	1	2	4	6	9	11	12
35-49	45	5.8	63	2	3	4	6	9	12	54
50-64	42	5.8	15	2	3	5	9	11	14	16
65 +	63	7.8	23	3	4	7	11	14	15	24
B. Operated										
0-19 YRS	4	5.0	11	3	3	4	7	10	10	10
20-34	24	5.8	36	1	3	3	8	13	18	27
35-49	40	4.4	27	2	2	3	4	8	16	28
50-64	35	6.5	69	2	2	3	8	15	26	40
65 +	32	9.2	157	1	2	4	9	24	39	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	3.1	5	1	2	3	4	6	9	10
B. Operated	107	2.7	2	1	2	2	3	5	5	8
2. MULTIPLE DX										
A. Not Operated	188	6.2	29	2	3	5	8	12	14	23
B. Operated	135	6.4	71	2	2	3	7	14	25	43
1. SINGLE DX	139	2.8	3	1	2	2	3	5	6	10
2. MULTIPLE DX	323	6.3	47	2	2	4	8	12	16	40
A. Not Operated	220	5.8	27	2	3	4	8	11	14	23
B. Operated	242	4.7	44	1	2	3	4	10	16	40
TOTAL										
0-19 YRS	34	3.7	7	2	2	3	4	8	10	11
20-34	92	4.2	15	1	2	3	5	9	12	22
35-49	131	4.3	32	1	2	3	5	7	10	33
50-64	104	5.2	32	2	2	3	6	10	15	32
65 +	101	7.9	65	2	3	6	10	14	23	49
GRAND TOTAL	**462**	**5.2**	**36**	**1**	**2**	**3**	**6**	**11**	**14**	**28**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	194	5.0	9	2	4	5	6	7	8	11
20-34	10	4.7	17	1	2	4	6	11	15	15
35-49	15	3.9	5	1	2	4	5	6	8	9
50-64	9	4.6	6	1	3	4	6	8	8	8
65 +	3	4.3	6	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	2	8.5	5	7	7	8	10	10	10	10
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	5.2	15	2	3	5	7	9	10	22
20-34	39	3.4	2	2	2	3	5	5	6	7
35-49	54	5.5	6	3	3	6	7	9	9	12
50-64	43	4.6	5	2	3	4	6	7	9	12
65 +	38	6.6	43	2	3	5	9	27	99 +	99 +
B. Operated										
0-19 YRS	6	16.2	587	1	2	4	22	59	63	63
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	5	6.0	26	3	3	4	7	15	15	15
50-64	7	10.0	66	2	4	9	12	23	26	26
65 +	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	231	4.9	9	2	4	5	6	7	8	12
B. Operated	4	4.8	20	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	277	5.1	14	2	3	4	6	9	11	80
B. Operated	21	10.5	190	2	3	6	13	24	43	63
1. SINGLE DX	235	4.9	9	2	3	5	6	7	8	12
2. MULTIPLE DX	298	5.5	28	2	3	4	7	9	13	81
A. Not Operated	508	5.0	12	2	3	5	6	8	10	32
B. Operated	25	9.6	166	1	3	6	11	22	35	63
TOTAL										
0-19 YRS	303	5.3	23	2	3	5	6	8	10	27
20-34	52	3.7	5	1	2	3	5	6	7	15
35-49	74	5.2	7	2	3	5	7	9	9	14
50-64	61	5.3	14	2	3	4	6	9	11	25
65 +	43	6.5	40	2	3	5	9	25	99 +	99 +
GRAND TOTAL	533	5.2	20	2	3	5	6	8	10	34

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	370	3.9	6	1	2	3	5	7	8	11
20-34	115	3.4	4	1	2	3	4	6	7	10
35-49	69	5.0	17	2	3	4	6	8	10	28
50-64	6	4.0	2	3	3	4	4	7	7	7
65 +	8	6.8	23	1	3	6	9	14	16	16
B. Operated										
0-19 YRS	4	4.3	5	2	2	4	6	7	7	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	493	4.0	7	1	2	3	5	7	9	14
20-34	405	4.7	11	2	3	4	6	8	10	15
35-49	372	5.7	32	2	3	5	7	9	12	22
50-64	214	7.8	51	3	4	6	10	14	17	30
65 +	250	8.5	35	3	5	7	10	16	20	31
B. Operated										
0-19 YRS	30	10.5	284	3	4	6	8	15	58	82
20-34	64	8.5	52	3	5	6	10	16	33	91
35-49	72	12.3	196	3	6	9	13	22	58	95
50-64	42	13.2	89	4	7	10	20	31	37	99 +
65 +	52	20.7	268	7	9	17	24	41	53	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	568	4.0	7	1	2	3	5	7	8	12
B. Operated	6	4.3	4	2	3	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	1734	5.6	25	2	3	5	7	10	13	23
B. Operated	260	13.0	183	3	6	9	16	28	43	98
1. SINGLE DX	574	4.0	7	1	2	3	5	7	8	12
2. MULTIPLE DX	1994	6.6	52	2	3	5	8	12	17	39
A. Not Operated	2302	5.2	21	2	3	4	6	9	12	22
B. Operated	266	12.8	181	3	5	9	16	27	42	97
TOTAL										
0-19 YRS	897	4.2	17	1	2	3	5	7	9	14
20-34	585	4.8	16	2	3	4	6	8	11	28
35-49	514	6.5	58	2	3	5	7	11	15	57
50-64	262	8.6	60	3	4	7	10	16	22	41
65 +	310	10.5	94	3	5	8	13	20	27	49
GRAND TOTAL	2568	6.0	43	2	3	5	7	11	16	34

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	13.5	41	9	9	13	18	18	18	18
65 +	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	6.1	7	3	4	6	7	10	11	11
50-64	37	6.6	13	1	4	7	9	11	11	18
65 +	65	11.1	91	4	5	8	14	20	30	55
B. Operated										
0-19 YRS	0									
20-34	18	19.7	398	3	6	10	37	50	63	69
35-49	73	16.1	239	4	7	12	20	34	46	87
50-64	236	15.6	165	5	8	12	19	33	43	97
65 +	465	14.5	127	5	7	12	18	27	34	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	9.8	38	3	6	9	14	18	18	18
2. MULTIPLE DX										
A. Not Operated	109	9.2	64	3	5	7	10	18	21	47
B. Operated	792	15.1	155	5	7	12	18	30	40	71
1. SINGLE DX	4	9.8	38	3	6	9	14	18	18	18
2. MULTIPLE DX	901	14.4	147	4	7	11	18	28	39	67
A. Not Operated	109	9.2	64	3	5	7	10	18	21	47
B. Operated	796	15.0	154	5	7	12	18	30	40	71
TOTAL										
0-19 YRS	0									
20-34	18	19.7	398	3	6	10	37	50	63	69
35-49	80	15.2	227	4	6	10	19	32	45	85
50-64	275	14.4	153	4	7	11	18	31	39	88
65 +	532	14.0	124	5	7	12	17	26	34	62
GRAND TOTAL	**905**	**14.3**	**147**	**4**	**7**	**11**	**18**	**28**	**39**	**67**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	185	4.9	37	2	3	4	5	7	8	15
20-34	66	4.0	7	2	2	4	5	7	8	16
35-49	95	4.6	6	2	3	4	6	8	9	11
50-64	100	4.3	6	2	3	4	6	7	8	14
65 +	89	5.2	7	3	4	5	6	8	8	17
B. Operated										
0-19 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
20-34	6	2.3	2	< 1	1	2	4	4	4	4
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64	7	3.3	5	1	2	3	4	7	8	8
65 +	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	191	4.8	21	1	3	4	6	7	10	30
20-34	345	5.0	13	2	3	4	6	9	10	19
35-49	790	5.6	15	2	3	5	7	10	12	21
50-64	1218	5.8	14	3	4	5	7	10	12	20
65 +	1616	6.9	24	3	4	6	8	12	15	27
B. Operated										
0-19 YRS	7	4.6	8	< 1	2	5	7	8	8	8
20-34	128	6.8	66	1	2	4	8	15	17	46
35-49	323	9.5	86	2	3	7	12	20	29	51
50-64	438	10.2	98	2	4	7	13	23	32	61
65 +	463	11.7	123	2	5	9	15	26	33	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	535	4.7	17	2	3	4	6	7	8	13
B. Operated	21	2.9	3	< 1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	4160	6.1	19	2	3	5	7	11	13	24
B. Operated	1359	10.2	102	2	3	7	13	22	31	53
1. SINGLE DX	556	4.6	16	2	3	4	6	7	8	13
2. MULTIPLE DX	5519	7.1	43	2	3	5	8	13	18	36
A. Not Operated	4695	5.9	19	2	3	5	7	10	13	23
B. Operated	1380	10.1	102	2	3	7	13	22	31	52
TOTAL										
0-19 YRS	385	4.9	28	2	3	4	6	7	9	27
20-34	545	5.3	25	2	3	4	7	9	12	33
35-49	1211	6.5	37	2	3	5	8	12	17	35
50-64	1763	6.8	39	2	3	5	8	12	18	36
65 +	2171	7.8	49	3	4	6	9	14	20	36
GRAND TOTAL	**6075**	**6.9**	**41**	**2**	**3**	**5**	**8**	**13**	**18**	**36**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	1.6	1	< 1	< 1	1	2	3	4	4
35-49	3	2.0	3	< 1	< 1	< 1	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	4.0	11	1	2	3	6	9	9	9
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	30	3.8	9	< 1	3	4	5	5	5	18
35-49	15	3.9	2	2	3	4	5	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	16	1.8	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	11	3.5	8	1	1	3	4	9	9	9
B. Operated	45	3.8	7	1	3	4	5	5	6	18
1. SINGLE DX	18	1.9	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX	56	3.8	7	1	2	4	5	5	8	17
A. Not Operated	13	3.4	7	1	2	3	4	9	9	9
B. Operated	61	3.3	6	< 1	1	3	4	5	6	17
TOTAL										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	51	3.3	8	< 1	1	3	4	5	9	18
35-49	20	3.5	2	< 1	2	4	4	5	6	6
50-64	0									
65 +	0									
GRAND TOTAL	**74**	**3.3**	**6**	**< 1**	**1**	**3**	**4**	**5**	**6**	**16**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	1.5	4	1	1	1	1	2	4	14
20-34	12	2.7	2	1	2	2	3	5	6	6
35-49	13	2.9	9	1	1	2	3	9	11	11
50-64	12	4.0	10	1	1	3	6	8	11	12
65 +	9	2.2	2	< 1	1	2	4	4	4	4
B. Operated										
0-19 YRS	10	2.3	2	< 1	1	2	3	4	4	4
20-34	7	2.9	2	2	2	2	4	6	6	6
35-49	8	3.5	3	2	2	3	4	6	7	7
50-64	9	4.2	17	2	2	2	4	12	14	14
65 +	3	4.3	10	2	2	3	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	204	3.5	14	1	1	2	4	7	11	23
20-34	86	3.7	8	1	2	3	5	8	9	12
35-49	133	5.4	63	1	2	3	6	9	16	44
50-64	207	5.2	25	1	2	4	6	10	13	22
65 +	668	6.3	40	2	3	5	8	12	16	34
B. Operated										
0-19 YRS	26	12.0	139	3	5	10	18	49	99 +	99 +
20-34	18	9.1	37	4	5	6	12	20	21	22
35-49	40	8.0	50	2	2	5	13	20	23	25
50-64	58	10.8	110	2	3	7	17	23	30	50
65 +	114	12.1	129	3	4	9	14	25	41	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	2.0	5	1	1	1	2	4	6	14
B. Operated	37	3.3	6	1	2	3	4	7	8	14
2. MULTIPLE DX										
A. Not Operated	1298	5.4	35	1	2	4	6	11	15	33
B. Operated	256	11.0	108	2	4	8	14	24	36	56
1. SINGLE DX	184	2.3	6	1	1	1	2	4	7	14
2. MULTIPLE DX	1554	6.3	51	1	2	4	8	13	19	43
A. Not Operated	1445	5.1	33	1	2	4	6	10	14	29
B. Operated	293	10.0	101	2	3	7	14	23	30	56
TOTAL										
0-19 YRS	341	3.5	27	1	1	2	4	8	13	59
20-34	123	4.3	15	1	2	3	5	9	12	21
35-49	194	5.7	56	1	2	3	6	12	19	37
50-64	286	6.3	46	1	2	4	7	13	20	38
65 +	794	7.1	56	2	3	5	8	14	18	43
GRAND TOTAL	**1738**	**5.9**	**48**	**1**	**2**	**4**	**7**	**13**	**17**	**42**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.6	6	1	2	3	5	8	8	8
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	12.0		12	12	12	12	12	12	12
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	19.3	417	3	5	10	30	59	84	99 +
20-34	6	6.3	11	2	5	6	7	12	12	12
35-49	10	6.7	38	1	4	5	7	17	22	22
50-64	18	9.6	71	2	4	8	10	18	31	38
65 +	112	10.7	94	3	6	8	13	21	26	55
B. Operated										
0-19 YRS	30	15.8	288	2	4	10	24	37	42	79
20-34	13	14.7	87	4	7	15	20	25	33	35
35-49	11	10.0	74	2	4	7	14	24	29	29
50-64	20	17.4	248	1	5	12	29	42	52	52
65 +	74	11.7	128	2	4	9	14	27	40	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.3	8	1	2	3	6	9	10	10
B. Operated	7	4.4	14	1	2	4	6	11	12	12
2. MULTIPLE DX										
A. Not Operated	219	13.2	213	3	5	8	15	37	51	99 +
B. Operated	148	13.5	171	2	4	9	18	31	41	55
1. SINGLE DX	18	4.3	10	1	2	3	6	9	11	12
2. MULTIPLE DX	367	13.3	195	2	5	8	16	32	47	85
A. Not Operated	230	12.7	206	3	5	8	14	32	50	99 +
B. Operated	155	13.1	167	2	4	9	18	30	40	55
TOTAL										
0-19 YRS	114	16.8	362	2	4	9	27	49	75	99 +
20-34	21	11.7	72	4	5	8	18	22	28	35
35-49	22	8.2	56	2	4	5	10	21	25	29
50-64	39	13.5	172	2	5	9	19	32	46	52
65 +	189	11.0	106	3	5	8	13	21	34	54
GRAND TOTAL	**385**	**12.9**	**190**	**2**	**5**	**8**	**15**	**31**	**45**	**84**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	178	9.3	31	2	6	10	12	14	17	32
20-34	42	10.2	30	3	6	10	13	15	20	28
35-49	1	10.0		10	10	10	10	10	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	11.3	62	1	4	13	15	20	27	28
20-34	8	9.9	23	1	7	11	13	14	14	14
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	383	11.2	42	4	7	10	14	18	22	33
20-34	127	11.6	59	4	7	10	14	21	26	44
35-49	7	16.9	104	8	10	13	19	34	38	38
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	73	19.4	193	7	10	15	24	35	44	72
20-34	18	14.0	76	4	8	13	19	28	31	32
35-49	3	30.3	706	14	14	16	50	61	61	61
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	221	9.5	31	2	6	10	12	14	18	30
B. Operated	20	10.8	45	1	5	12	14	16	22	28
2. MULTIPLE DX										
A. Not Operated	519	11.4	48	4	7	10	14	19	23	37
B. Operated	94	18.7	188	7	10	15	23	32	43	71
1. SINGLE DX	241	9.6	32	2	6	10	13	15	18	29
2. MULTIPLE DX	613	12.5	76	4	7	11	14	21	29	50
A. Not Operated	740	10.8	43	3	7	10	14	18	22	34
B. Operated	114	17.3	171	6	9	14	21	32	41	70
TOTAL										
0-19 YRS	646	11.6	65	3	7	10	14	20	27	41
20-34	195	11.5	53	4	7	11	14	21	26	38
35-49	11	19.9	253	9	11	14	19	47	60	61
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
GRAND TOTAL	**854**	**11.7**	**65**	**4**	**7**	**10**	**14**	**20**	**27**	**42**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.3	2	1	1	2	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	4.1	2	2	4	4	5	6	6	6
20-34	33	4.8	1	4	4	5	5	6	7	7
35-49	26	5.2	2	4	4	5	6	7	8	9
50-64	2	7.0		7	7	7	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	15.6	396	1	2	5	30	48	49	49
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	10	3.2	3	1	2	3	5	5	5	5
65 +	3	7.0	3	5	6	8	8	8	8	8
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	43	6.8	22	4	5	6	7	9	16	32
35-49	85	7.2	24	4	5	6	8	10	16	30
50-64	24	9.8	85	5	5	6	10	18	38	39
65 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.3	2	1	1	2	4	4	4	4
B. Operated	68	4.9	2	4	4	5	5	7	7	9
2. MULTIPLE DX										
A. Not Operated	25	7.6	150	1	2	4	6	15	46	49
B. Operated	154	7.5	33	4	5	6	8	11	17	37
1. SINGLE DX	74	4.7	2	3	4	5	5	7	7	9
2. MULTIPLE DX	179	7.5	49	4	5	6	8	11	20	43
A. Not Operated	31	6.6	125	1	2	4	5	11	43	49
B. Operated	222	6.7	25	4	5	5	7	10	14	34
TOTAL										
0-19 YRS	22	8.0	169	1	2	4	6	24	47	49
20-34	77	5.9	14	4	4	5	6	8	9	28
35-49	114	6.6	20	4	5	5	7	10	12	28
50-64	36	7.8	65	2	4	6	7	14	31	39
65 +	4	7.0	2	5	6	7	8	8	8	8
GRAND TOTAL	**253**	**6.7**	**37**	**4**	**4**	**5**	**7**	**10**	**15**	**39**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	133	2.2	4	< 1	< 1	1	3	4	7	10
20-34	6	4.2	15	< 1	1	3	7	10	10	10
35-49	4	3.3	4	2	2	3	4	6	6	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	3	5.3	5	4	4	4	7	8	8	8
B. Operated										
0-19 YRS	34	4.2	20	1	1	3	5	13	15	16
20-34	12	3.2	9	< 1	1	2	3	9	10	10
35-49	14	1.9	2	< 1	< 1	1	3	4	5	5
50-64	7	1.1		< 1	1	1	1	2	2	2
65 +	4	2.5	3	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	235	6.2	96	1	2	3	7	13	19	63
20-34	36	7.0	43	2	3	6	8	12	14	39
35-49	64	6.0	21	2	3	5	7	11	14	28
50-64	89	6.6	39	2	3	5	8	12	16	40
65 +	127	8.2	47	2	4	7	10	16	20	39
B. Operated										
0-19 YRS	63	10.6	160	1	3	5	16	24	34	71
20-34	13	11.6	415	1	2	5	10	30	68	77
35-49	45	8.7	57	2	4	6	13	18	19	42
50-64	44	7.5	56	1	2	5	10	17	23	35
65 +	57	13.0	98	3	6	11	16	25	33	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	2.4	4	< 1	< 1	1	3	5	7	10
B. Operated	71	3.2	13	< 1	1	2	4	8	13	16
2. MULTIPLE DX										
A. Not Operated	551	6.8	64	1	3	5	8	13	19	42
B. Operated	222	10.3	119	2	3	6	14	22	29	57
1. SINGLE DX	219	2.6	7	< 1	< 1	2	3	6	9	15
2. MULTIPLE DX	773	7.8	82	2	3	5	9	16	23	46
A. Not Operated	699	5.8	54	< 1	2	4	7	12	16	39
B. Operated	293	8.6	102	1	2	5	12	20	25	47
TOTAL										
0-19 YRS	465	5.5	79	< 1	1	3	6	13	19	58
20-34	67	7.0	108	1	2	5	8	12	16	71
35-49	127	6.4	35	1	3	5	7	14	17	33
50-64	142	6.5	43	1	3	5	8	13	18	36
65 +	191	9.5	67	2	4	7	12	20	25	41
GRAND TOTAL	**992**	**6.6**	**70**	**1**	**2**	**4**	**8**	**15**	**20**	**41**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	4.0	3	2	3	5	5	5	5	5
50-64	4	2.3	1	<1	1	2	3	3	3	3
65 +	4	4.3	10	2	2	3	6	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	4.5	25	1	1	4	8	8	8	8
65 +	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	2.6	1	2	2	2	3	4	4	4
35-49	19	4.6	13	1	2	3	6	11	13	13
50-64	29	5.3	18	2	3	4	6	10	13	23
65 +	112	5.7	19	2	3	5	7	10	13	25
B. Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	5	5.0	7	2	3	5	7	8	8	8
65 +	20	12.8	162	3	5	10	15	24	42	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.5	4	1	2	3	4	6	9	9
B. Operated	4	4.5	12	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	166	5.3	18	2	3	4	6	10	13	23
B. Operated	28	10.5	129	2	4	7	12	22	28	59
1. SINGLE DX	16	3.8	6	1	2	3	5	8	9	9
2. MULTIPLE DX	194	6.1	37	2	3	4	7	11	15	30
A. Not Operated	178	5.2	17	2	3	4	6	10	12	22
B. Operated	32	9.8	118	2	4	7	12	20	25	59
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	3.7	6	2	2	3	4	8	9	9
35-49	24	4.4	11	1	2	4	6	9	13	13
50-64	40	4.9	15	2	3	4	6	9	11	23
65 +	138	6.6	45	2	3	5	8	12	17	37
GRAND TOTAL	**210**	**5.9**	**35**	**2**	**3**	**4**	**7**	**11**	**14**	**29**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	2.2	2	1	1	2	3	4	5	8
20-34	13	2.0	2	1	1	2	3	4	5	5
35-49	11	3.1	2	1	3	3	4	5	5	5
50-64	15	3.4	5	1	2	3	4	8	8	8
65 +	41	5.3	22	1	2	[illegible]	7	11	13	25
B. Operated										
0-19 YRS	5	8.0	59	2	3	6	11	21	21	21
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	2	9.0	6	7	7	9	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2119	3.3	10	1	2	3	4	6	8	16
20-34	422	3.3	7	1	2	3	4	6	8	13
35-49	603	4.5	23	1	2	3	5	9	12	20
50-64	916	5.8	33	2	3	4	7	11	15	30
65 +	3604	7.5	57	2	3	6	9	14	19	37
B. Operated										
0-19 YRS	101	13.7	299	3	4	8	15	29	58	97
20-34	67	9.5	229	1	3	6	11	17	34	99
35-49	109	8.9	64	2	3	6	11	22	29	30
50-64	172	9.4	87	2	4	7	13	17	21	49
65 +	588	14.8	187	3	6	11	19	31	45	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	3.1	8	1	1	2	4	6	8	14
B. Operated	9	7.3	36	1	3	7	9	17	21	21
2. MULTIPLE DX										
A. Not Operated	7664	5.7	39	2	2	4	7	11	16	30
B. Operated	1037	12.8	177	2	5	9	16	28	41	92
1. SINGLE DX	188	3.3	10	1	1	2	4	7	8	18
2. MULTIPLE DX	8701	6.5	61	2	3	4	8	14	19	43
A. Not Operated	7843	5.6	39	2	2	4	7	11	15	30
B. Operated	1046	12.8	176	2	5	9	16	27	41	92
TOTAL										
0-19 YRS	2324	3.7	26	1	2	3	4	6	10	22
20-34	503	4.1	41	1	2	3	4	8	11	26
35-49	724	5.1	31	1	2	4	6	10	15	30
50-64	1103	6.3	43	2	3	4	8	13	17	34
65 +	4235	8.5	81	2	4	6	10	17	23	52
GRAND TOTAL	**8889**	**6.5**	**60**	**2**	**2**	**4**	**8**	**13**	**19**	**43**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.0	2	1	1	2	2	4	5	6
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	5	2.6	6	1	1	2	3	7	7	7
50-64	5	5.0	8	2	3	4	8	8	8	8
65 +	8	5.8	38	1	2	3	9	16	17	17
B. Operated										
0-19 YRS	7	2.0	1	1	1	2	3	4	4	4
20-34	0									
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.0	3	1	2	3	4	6	7	8
20-34	48	4.0	26	1	2	3	5	7	8	36
35-49	63	4.1	6	2	3	3	5	8	9	11
50-64	75	5.0	11	2	3	4	6	8	13	16
65 +	362	5.0	11	1	3	4	7	9	12	18
B. Operated										
0-19 YRS	10	5.1	25	1	2	3	6	12	18	18
20-34	9	5.6	11	1	4	5	7	11	12	12
35-49	35	8.3	69	3	4	6	10	15	30	41
50-64	49	7.4	63	3	4	6	8	10	19	53
65 +	155	7.8	28	3	5	6	9	14	19	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	3.1	11	1	1	2	3	7	10	17
B. Operated	12	2.8	3	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	579	4.7	12	1	2	4	6	8	11	16
B. Operated	258	7.6	40	3	4	6	9	13	18	35
1. SINGLE DX	55	3.0	9	1	1	2	3	6	8	17
2. MULTIPLE DX	837	5.6	22	2	3	5	7	10	13	27
A. Not Operated	622	4.6	12	1	2	4	6	8	11	16
B. Operated	270	7.4	39	2	4	6	9	13	18	35
TOTAL										
0-19 YRS	70	2.9	6	1	1	2	3	6	7	16
20-34	60	4.2	23	1	2	3	5	7	9	34
35-49	106	5.4	30	2	3	4	6	10	12	38
50-64	130	5.9	31	2	3	5	7	9	13	33
65 +	526	5.8	18	2	3	5	7	11	14	20
GRAND TOTAL	**892**	**5.4**	**22**	**2**	**3**	**4**	**7**	**10**	**13**	**24**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	719	3.3	5	1	1	3	4	6	8	10
20-34	399	5.1	14	1	3	4	7	9	12	18
35-49	84	5.6	17	1	3	5	8	10	11	22
50-64	7	5.0	7	1	3	6	7	8	8	8
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	10	4.4	12	< 1	1	4	5	10	11	11
20-34	6	9.3	41	1	6	9	11	19	20	20
35-49	3	15.7	54	10	11	13	21	24	24	24
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1036	4.4	12	1	2	3	6	8	10	18
20-34	648	7.5	35	2	4	6	10	14	19	31
35-49	215	7.5	37	2	4	6	10	14	16	26
50-64	30	6.9	40	2	4	5	8	13	19	33
65 +	2	6.5	25	3	3	6	10	10	10	10
B. Operated										
0-19 YRS	38	7.8	48	1	4	7	9	14	17	41
20-34	60	16.3	184	4	7	14	22	36	48	97
35-49	31	9.3	43	2	4	8	14	20	23	23
50-64	4	22.3	643	7	7	11	37	60	60	60
65 +	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1210	4.0	10	1	2	3	6	8	10	15
B. Operated	19	7.7	41	< 1	2	6	11	17	22	24
2. MULTIPLE DX										
A. Not Operated	1931	5.8	26	1	3	4	7	11	15	27
B. Operated	134	12.4	138	2	5	8	16	26	41	77
1. SINGLE DX	1229	4.1	10	1	2	3	6	8	10	16
2. MULTIPLE DX	2065	6.2	35	1	3	5	8	12	16	31
A. Not Operated	3141	5.1	20	1	2	4	7	10	13	23
B. Operated	153	11.8	128	2	5	8	15	24	39	72
TOTAL										
0-19 YRS	1803	4.0	11	1	2	3	5	8	10	15
20-34	1113	7.1	42	2	3	5	9	14	20	33
35-49	333	7.3	34	2	4	6	9	14	17	24
50-64	41	8.0	101	2	4	6	8	14	25	60
65 +	4	4.5	15	1	2	3	7	10	10	10
GRAND TOTAL	**3294**	**5.4**	**27**	**1**	**2**	**4**	**7**	**11**	**14**	**27**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	274	2.1	5	<1	1	1	2	5	7	11
20-34	19	3.3	27	<1	<1	1	2	9	17	22
35-49	6	2.2		2	2	2	2	3	3	3
50-64	15	2.5	4	<1	<1	1	4	5	7	7
65+	27	3.3	17	<1	1	1	5	8	13	18
B. Operated										
0-19 YRS	55	4.0	12	1	2	3	5	7	9	19
20-34	4	9.0	49	3	4	7	13	19	19	19
35-49	6	4.2	4	3	3	4	4	8	8	8
50-64	4	8.3	66	2	3	5	13	20	20	20
65+	8	3.4	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	324	3.8	27	1	1	2	5	8	11	22
20-34	86	4.0	15	1	1	3	5	9	12	19
35-49	139	4.1	12	1	2	3	6	9	12	16
50-64	231	4.5	23	1	1	3	6	10	14	26
65+	656	5.2	26	1	2	4	6	10	13	27
B. Operated										
0-19 YRS	108	9.4	145	2	3	5	12	23	33	60
20-34	31	8.5	43	2	2	6	14	18	20	24
35-49	89	8.4	62	2	4	6	11	18	21	48
50-64	95	8.3	51	2	3	7	11	15	19	76
65+	242	10.0	79	3	5	7	12	20	29	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	341	2.3	7	<1	1	1	2	5	8	12
B. Operated	77	4.4	16	1	2	4	5	8	15	20
2. MULTIPLE DX										
A. Not Operated	1436	4.6	24	1	2	3	6	9	13	24
B. Operated	565	9.3	83	2	4	7	12	19	26	46
1. SINGLE DX	418	2.7	9	<1	1	1	3	6	8	18
2. MULTIPLE DX	2001	5.9	45	1	2	4	7	13	18	34
A. Not Operated	1777	4.2	21	1	1	3	5	9	12	23
B. Operated	642	8.7	77	2	3	6	11	18	24	43
TOTAL										
0-19 YRS	761	4.0	40	<1	1	2	5	8	14	33
20-34	140	5.0	27	1	1	3	6	13	17	22
35-49	240	5.6	34	1	2	4	7	11	16	24
50-64	345	5.5	34	1	2	4	7	12	16	33
65+	933	6.4	44	1	2	5	8	13	18	36
GRAND TOTAL	**2419**	**5.4**	**40**	**1**	**2**	**4**	**7**	**12**	**17**	**32**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	1.8	3	1	1	1	2	4	5	11
20-34	18	2.4	7	1	1	1	3	6	9	11
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	0									
B. Operated										
0-19 YRS	5	5.8	25	1	2	5	8	14	14	14
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	3.5	15	1	2	2	4	7	10	25
20-34	35	3.6	12	1	1	2	5	7	13	15
35-49	3	5.3	6	3	3	5	7	8	8	8
50-64	5	5.8	14	1	2	7	8	10	10	10
65+	3	4.3	10	2	2	3	7	8	8	8
B. Operated										
0-19 YRS	9	17.4	271	3	7	12	21	46	53	53
20-34	8	10.9	24	6	8	9	13	19	21	21
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	8.0	72	2	2	8	14	14	14	14
65+	2	6.5	5	5	5	6	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	1.9	4	1	1	1	2	4	5	11
B. Operated	7	5.6	17	1	3	5	6	12	14	14
2. MULTIPLE DX										
A. Not Operated	110	3.7	13	1	2	2	5	8	11	20
B. Operated	22	12.6	134	4	5	9	15	25	42	53
1. SINGLE DX	132	2.1	5	1	1	1	2	4	6	12
2. MULTIPLE DX	132	5.2	44	1	2	3	6	11	15	38
A. Not Operated	235	2.7	9	1	1	2	3	6	8	14
B. Operated	29	10.9	114	2	5	8	14	19	36	53
TOTAL										
0-19 YRS	177	3.3	32	1	1	1	3	7	11	33
20-34	62	4.2	19	1	1	2	5	10	14	20
35-49	9	3.4	6	1	1	3	5	7	8	8
50-64	11	4.8	19	1	1	3	8	12	14	14
65+	5	5.2	8	2	3	5	8	8	8	8
GRAND TOTAL	**264**	**3.6**	**27**	**1**	**1**	**2**	**4**	**8**	**12**	**26**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	250	2.6	5	<1	1	2	3	5	6	15
20-34	7	2.7	2	1	2	2	4	5	5	5
35-49	10	4.1	6	1	2	4	6	7	8	8
50-64	8	2.9	4	<1	1	2	4	6	6	6
65 +	12	3.6	8	1	1	3	5	9	9	9
B. Operated										
0-19 YRS	95	3.8	9	1	2	3	5	7	9	18
20-34	17	4.5	3	3	3	4	5	7	8	9
35-49	15	4.5	4	3	3	4	5	8	9	9
50-64	5	6.4	13	2	4	6	8	12	12	12
65 +	10	8.4	61	2	5	6	9	20	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	892	4.7	15	1	2	4	6	9	12	19
20-34	103	5.1	13	2	2	4	6	9	13	18
35-49	161	5.7	20	2	3	5	7	10	15	27
50-64	194	5.9	18	2	3	5	7	10	13	26
65 +	358	6.6	33	2	3	5	8	12	17	30
B. Operated										
0-19 YRS	146	8.9	69	2	3	6	12	19	23	44
20-34	76	10.8	112	3	5	7	13	24	25	66
35-49	81	10.8	103	3	5	8	11	21	38	53
50-64	94	9.9	67	2	4	7	13	23	26	40
65 +	143	12.3	94	4	6	10	15	27	33	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	287	2.7	5	<1	1	2	3	5	6	15
B. Operated	142	4.4	12	1	2	4	5	8	9	20
2. MULTIPLE DX										
A. Not Operated	1708	5.4	20	1	3	4	7	10	13	23
B. Operated	540	10.5	87	3	5	8	13	22	30	47
1. SINGLE DX	429	3.2	8	1	1	2	4	6	8	16
2. MULTIPLE DX	2248	6.6	41	2	3	5	8	13	18	34
A. Not Operated	1995	5.0	19	1	2	4	6	9	12	22
B. Operated	682	9.2	78	2	4	7	11	19	27	46
TOTAL										
0-19 YRS	1383	4.7	21	1	2	3	6	9	13	23
20-34	203	7.1	57	2	3	5	8	14	19	35
35-49	267	7.1	49	2	3	5	8	13	19	40
50-64	301	7.1	37	2	3	5	8	13	21	30
65 +	523	8.1	56	2	4	6	10	17	22	45
GRAND TOTAL	**2677**	**6.1**	**37**	**1**	**3**	**4**	**7**	**12**	**17**	**32**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	91	1.5	1	1	1	1	2	2	3	5
20-34	15	1.5	1	1	1	1	2	2	4	5
35-49	5	2.0	1	1	1	2	3	3	3	3
50-64	0									
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	78	3.3	3	2	2	3	4	5	6	10
20-34	24	3.4	2	1	2	4	4	5	6	7
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	1.9	1	1	1	2	2	3	4	6
20-34	15	2.5	2	1	1	2	3	4	5	5
35-49	7	2.1	2	1	1	2	3	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	40	3.6	6	2	2	3	4	6	7	16
20-34	21	4.0	2	2	3	4	5	6	7	7
35-49	4	6.8	32	3	3	5	10	15	15	15
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	1.6	1	1	1	1	2	3	3	5
B. Operated	105	3.3	2	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	80	2.1	1	1	1	2	2	4	5	6
B. Operated	66	3.9	6	2	3	3	4	6	7	16
1. SINGLE DX	218	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX	146	2.9	5	1	2	2	4	5	6	15
A. Not Operated	193	1.8	1	1	1	2	2	3	4	6
B. Operated	171	3.5	4	2	2	3	4	6	7	14
TOTAL										
0-19 YRS	265	2.4	3	1	1	2	3	4	6	9
20-34	75	3.0	3	1	2	3	4	5	6	7
35-49	18	3.2	11	1	1	3	3	6	11	15
50-64	3	4.3		4	4	4	5	5	5	5
65 +	3	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**364**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	4.5	5	2	3	4	5	8	9	11
20-34	3	1.7		1	1	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	49	3.5	12	< 1	1	2	5	8	9	18
20-34	3	6.3	46	1	2	4	11	14	14	14
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	0									
65 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	4.9	6	2	3	4	6	8	10	13
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	6	3.8	1	2	3	4	5	5	5	5
50-64	3	5.3	16	3	3	3	8	10	10	10
65 +	4	6.8	13	4	4	5	9	12	12	12
B. Operated										
0-19 YRS	27	5.0	9	1	3	5	6	9	12	12
20-34	9	5.9	21	2	3	4	7	13	17	17
35-49	8	2.9	5	< 1	1	2	3	7	8	8
50-64	3	1.7		1	1	2	2	2	2	2
65 +	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	4.3	5	2	3	4	5	8	9	11
B. Operated	57	3.5	12	< 1	1	2	5	8	11	18
2. MULTIPLE DX										
A. Not Operated	94	4.9	7	2	3	4	6	9	11	13
B. Operated	49	4.6	11	1	2	4	6	8	12	17
1. SINGLE DX	143	4.0	8	1	2	3	5	8	9	14
2. MULTIPLE DX	143	4.8	8	2	3	4	6	8	11	14
A. Not Operated	180	4.7	6	2	3	4	6	8	10	12
B. Operated	106	4.0	12	< 1	1	3	6	8	12	17
TOTAL										
0-19 YRS	236	4.5	7	1	3	4	6	8	10	13
20-34	17	5.2	21	1	2	4	7	13	16	17
35-49	19	2.9	3	1	2	3	4	5	7	8
50-64	6	3.5	11	1	2	2	3	9	10	10
65 +	8	5.0	10	2	3	4	6	10	12	12
GRAND TOTAL	**286**	**4.4**	**8**	**1**	**2**	**4**	**6**	**8**	**10**	**14**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.0	13	1	2	5	8	9	9	9
20-34	9	8.1	97	1	2	3	14	24	30	30
35-49	6	8.2	25	1	4	9	10	15	15	15
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	12	9.3	44	1	3	9	13	20	20	20
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	15.1	261	2	3	7	22	45	46	46
20-34	40	10.8	99	1	4	8	14	22	31	47
35-49	53	12.6	128	3	4	10	18	26	45	98
50-64	65	9.1	111	2	3	5	11	20	32	53
65 +	270	9.5	82	2	4	6	11	20	30	52
B. Operated										
0-19 YRS	0									
20-34	2	39.5	613	22	22	39	57	57	57	57
35-49	2	12.0	98	5	5	12	19	19	19	19
50-64	8	25.0	666	2	7	14	43	67	70	70
65 +	25	14.1	232	1	2	8	21	44	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	7.7	47	1	2	6	11	16	20	30
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	440	10.1	99	2	4	6	13	22	31	56
B. Operated	37	17.7	353	1	3	11	27	57	66	99 +
1. SINGLE DX	34	7.7	47	1	2	6	11	16	20	30
2. MULTIPLE DX	477	10.7	122	2	4	7	14	23	35	66
A. Not Operated	474	9.9	96	2	4	6	13	21	31	55
B. Operated	37	17.7	353	1	3	11	27	57	66	99 +
TOTAL										
0-19 YRS	16	12.6	214	1	2	6	21	42	45	46
20-34	51	11.5	139	1	3	8	15	23	38	57
35-49	61	12.1	117	3	4	10	18	24	40	95
50-64	76	10.5	183	1	3	5	12	22	45	67
65 +	307	9.8	94	2	4	6	12	21	31	61
GRAND TOTAL	**511**	**10.5**	**118**	**2**	**4**	**7**	**14**	**22**	**34**	**63**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	10	13.4	56	6	7	12	17	25	30	30
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	18.0	18	15	16	21	80	99 +	99 +	99 +
50-64	25	8.8	21	3	4	9	12	14	18	18
65 +	209	12.6	156	3	5	9	14	28	40	74
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	5	15.6	151	3	9	13	20	36	36	36
65 +	30	18.9	121	3	11	20	29	38	94	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	13.4	56	6	7	12	17	25	30	30
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	237	12.2	142	3	4	9	14	27	39	78
B. Operated	35	18.4	123	3	11	19	29	38	78	99 +
1. SINGLE DX	10	13.4	56	6	7	12	17	25	30	30
2. MULTIPLE DX	272	13.0	143	3	5	10	16	31	40	99 +
A. Not Operated	247	12.2	138	3	5	9	14	27	38	75
B. Operated	35	18.4	123	3	11	19	29	38	78	99 +
TOTAL										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	18.0	18	15	16	21	80	99 +	99 +	99 +
50-64	30	9.9	45	3	4	9	13	16	18	36
65 +	249	13.4	151	3	5	10	17	31	40	99
GRAND TOTAL	**282**	**13.0**	**140**	**3**	**5**	**10**	**17**	**30**	**39**	**99 +**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	17.0	50	12	12	17	22	22	22	22
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	13	15.4	265	2	3	11	18	45	53	55
65 +	177	13.1	117	4	6	10	16	29	38	63
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	13.7	30	10	10	11	18	20	20	20
65 +	27	21.0	278	5	8	19	32	48	73	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	9.3	97	1	1	7	17	22	22	22
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	190	13.3	127	3	6	10	17	29	40	62
B. Operated	30	20.3	256	5	8	17	31	45	69	99 +
1. SINGLE DX	4	9.3	97	1	1	7	17	22	22	22
2. MULTIPLE DX	220	14.2	149	4	6	10	19	33	42	78
A. Not Operated	194	13.2	126	3	5	10	17	29	40	62
B. Operated	30	20.3	256	5	8	17	31	45	69	99 +
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	18	15.3	194	2	5	12	20	37	50	55
65 +	206	14.1	145	4	6	10	19	33	41	82
GRAND TOTAL	**224**	**14.2**	**148**	**3**	**6**	**10**	**19**	**33**	**42**	**77**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	1.4	1	< 1	1	1	1	3	4	4
20-34	13	6.6	65	1	1	2	11	18	25	27
35-49	9	3.4	5	1	2	3	5	7	7	7
50-64	9	5.9	29	2	3	4	7	15	19	19
65 +	52	10.3	50	2	6	9	13	24	27	98
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	7.5	106	1	1	2	10	24	32	44
20-34	51	8.2	76	1	2	5	10	24	26	37
35-49	60	10.1	96	2	4	7	11	21	32	51
50-64	66	12.1	206	1	3	8	15	28	44	72
65 +	502	12.8	126	3	5	10	16	29	41	99 +
B. Operated										
0-19 YRS	2	15.5	313	3	3	15	28	28	28	28
20-34	3	10.0	171	1	2	4	20	25	25	25
35-49	7	14.4	121	5	6	11	19	33	36	36
50-64	13	17.2	350	1	3	9	26	44	60	64
65 +	60	14.6	137	4	6	12	19	26	39	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	117	6.4	46	1	1	4	9	16	25	51
B. Operated	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	738	11.8	129	2	4	8	15	27	37	99 +
B. Operated	85	14.8	164	3	5	11	21	30	40	62
1. SINGLE DX	119	6.4	45	1	1	4	9	16	25	49
2. MULTIPLE DX	823	12.1	133	2	4	9	16	28	37	99
A. Not Operated	855	11.0	121	2	4	8	15	26	36	99 +
B. Operated	87	14.6	163	3	5	11	21	30	39	62
TOTAL										
0-19 YRS	96	5.4	79	1	1	2	4	15	28	42
20-34	67	7.9	75	1	2	4	11	25	26	36
35-49	77	9.6	92	2	4	6	11	21	33	48
50-64	88	12.2	212	1	3	7	15	29	43	70
65 +	614	12.8	121	3	6	10	17	27	39	99 +
GRAND TOTAL	**942**	**11.4**	**125**	**2**	**4**	**8**	**15**	**26**	**36**	**99**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	2.9	3	1	2	3	3	6	7	7
35-49	29	3.0	6	1	2	2	4	4	5	14
50-64	8	3.8	9	1	2	3	5	8	10	10
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	187	5.1	32	1	2	4	6	9	12	37
35-49	515	5.6	32	2	2	4	7	11	15	27
50-64	317	6.4	43	2	3	4	8	12	19	33
65 +	132	8.6	86	2	3	6	11	19	22	51
B. Operated										
0-19 YRS	0									
20-34	11	5.7	7	2	4	5	8	9	9	9
35-49	28	14.6	217	3	5	8	16	42	50	56
50-64	28	14.4	316	4	6	9	15	23	61	87
65 +	15	22.4	475	5	10	14	29	39	77	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	3.0	5	1	2	3	4	5	7	14
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1152	6.1	42	2	3	4	7	12	17	29
B. Operated	82	14.8	283	4	5	9	16	33	52	89
1. SINGLE DX	57	3.0	5	1	2	3	4	5	7	14
2. MULTIPLE DX	1234	6.6	62	2	3	4	8	13	19	46
A. Not Operated	1209	5.9	40	2	2	4	7	11	17	29
B. Operated	82	14.8	283	4	5	9	16	33	52	89
TOTAL										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	216	4.9	29	1	2	3	6	9	12	30
35-49	572	5.9	43	2	2	4	7	12	17	39
50-64	353	7.0	68	2	3	5	8	13	20	48
65 +	148	9.9	140	2	3	7	12	22	26	79
GRAND TOTAL	**1291**	**6.5**	**60**	**2**	**3**	**4**	**8**	**13**	**19**	**46**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	5	3.0	7	1	1	2	5	7	7	7
35-49	5	6.6	10	3	4	7	9	11	11	11
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	10.3	308	1	2	4	12	24	51	79
20-34	88	8.1	91	1	2	5	10	19	28	53
35-49	55	9.3	70	2	3	7	13	20	31	35
50-64	42	9.6	202	3	3	5	9	17	43	72
65+	163	7.6	81	2	3	5	9	15	21	55
B. Operated										
0-19 YRS	0									
20-34	3	13.3	209	4	4	6	24	30	30	30
35-49	2	25.5	545	9	9	25	42	42	42	42
50-64	5	16.0	114	10	11	12	18	35	35	35
65+	20	15.8	117	7	9	12	18	34	42	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.7	8	1	2	3	5	8	9	11
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	369	8.4	107	2	3	5	10	18	24	66
B. Operated	30	16.2	133	6	9	12	18	36	42	47
1. SINGLE DX	20	3.7	8	1	2	3	5	8	9	11
2. MULTIPLE DX	399	9.0	113	2	3	6	11	19	29	65
A. Not Operated	389	8.1	103	2	3	5	9	17	24	65
B. Operated	30	16.2	133	6	9	12	18	36	42	47
TOTAL										
0-19 YRS	27	8.4	250	1	1	2	7	20	36	79
20-34	96	8.0	90	1	2	5	10	19	28	50
35-49	62	9.6	81	2	3	7	11	21	32	41
50-64	50	9.9	185	3	4	6	10	19	35	72
65+	184	8.5	90	2	3	6	10	17	22	55
GRAND TOTAL	**419**	**8.7**	**109**	**2**	**3**	**5**	**10**	**18**	**28**	**64**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	22.5	111	8	15	25	33	55	94	99+
20-34	208	11.4	125	2	4	9	14	22	31	73
35-49	145	12.0	90	3	5	9	15	24	32	44
50-64	61	11.6	90	2	5	9	16	22	31	47
65+	16	15.3	145	3	8	13	17	34	45	49
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	15.0		15	15	15	15	15	15	15
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	25.2	197	12	13	20	32	49	50	50
20-34	200	13.5	116	3	6	11	17	27	37	53
35-49	177	12.4	100	3	6	10	15	26	33	67
50-64	107	17.4	175	3	8	15	23	29	40	76
65+	41	19.6	237	6	9	15	28	44	64	99+
B. Operated										
0-19 YRS	0									
20-34	8	23.4	352	4	10	18	34	52	60	60
35-49	2	36.0	648	18	27	54	88	99+	99+	99+
50-64	7	21.4	209	5	11	23	25	44	49	49
65+	3	30.3	440	14	16	23	46	54	54	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	441	12.0	111	2	5	10	15	24	34	61
B. Operated	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated	536	14.6	140	3	7	12	19	29	37	74
B. Operated	20	25.0	299	6	13	23	38	57	78	99+
1. SINGLE DX	442	12.0	111	2	5	10	15	24	34	61
2. MULTIPLE DX	556	15.0	149	3	7	12	20	30	40	74
A. Not Operated	977	13.4	129	3	6	11	18	28	36	66
B. Operated	21	24.5	289	6	13	23	34	56	76	99+
TOTAL										
0-19 YRS	22	23.8	149	10	13	22	33	49	67	99+
20-34	416	12.6	127	3	5	10	16	25	36	60
35-49	325	12.4	100	3	6	10	16	26	34	59
50-64	175	15.5	154	3	7	14	22	28	38	70
65+	60	19.0	223	6	10	15	24	44	54	98
GRAND TOTAL	**998**	**13.7**	**134**	**3**	**6**	**11**	**18**	**28**	**37**	**71**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	25.0	186	12	14	33	55	99 +	99 +	99 +
20-34	4	12.3	421	1	1	2	23	43	43	43
35-49	3	4.3	1	3	3	5	5	5	5	5
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	23.0	99	11	15	22	32	34	34	34
20-34	4	14.5	156	1	4	15	25	27	27	27
35-49	4	9.5	30	3	5	10	14	14	14	14
50-64	1	7.0		7	7	7	7	7	7	7
65 +	2	9.0	8	7	7	9	11	11	11	11
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	14.3	238	2	3	10	35	54	91	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	16	14.8	102	3	7	12	22	31	33	34
B. Operated	0									
1. SINGLE DX	12	14.3	238	2	3	10	35	54	91	99 +
2. MULTIPLE DX	16	14.8	102	3	7	12	22	31	33	34
A. Not Operated	28	14.6	154	2	5	11	24	38	46	99 +
B. Operated	0									
TOTAL										
0-19 YRS	9	23.9	120	11	15	27	34	70	99 +	99 +
20-34	8	13.4	249	1	2	5	25	38	43	43
35-49	7	7.3	23	3	4	5	12	14	14	14
50-64	2	8.5	5	7	7	8	10	10	10	10
65 +	2	9.0	8	7	7	9	11	11	11	11
GRAND TOTAL	**28**	**14.6**	**154**	**2**	**5**	**11**	**24**	**38**	**46**	**99 +**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	24.2	361	4	10	17	37	53	57	74
20-34	296	13.1	152	2	4	9	18	29	36	56
35-49	218	14.1	182	3	6	10	18	30	41	70
50-64	87	11.9	66	2	5	11	17	25	30	31
65 +	23	17.0	228	1	7	12	27	37	46	63
B. Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	24.2	350	6	10	20	38	52	65	97
20-34	433	15.5	176	3	7	12	20	31	43	83
35-49	424	14.9	137	5	7	12	18	29	39	62
50-64	207	16.5	164	5	9	13	21	33	43	73
65 +	99	17.2	206	3	7	14	23	30	47	72
B. Operated										
0-19 YRS	2	48.0	98	41	41	48	55	55	55	55
20-34	13	19.5	119	9	11	16	28	33	43	45
35-49	21	21.5	196	8	11	16	33	40	49	59
50-64	10	22.5	257	6	10	19	28	45	61	61
65 +	8	24.6	437	5	6	19	45	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	657	14.0	169	2	5	10	19	30	40	63
B. Operated	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	1226	16.1	175	4	7	13	21	32	45	72
B. Operated	54	22.7	232	6	10	18	30	46	54	61
1. SINGLE DX	658	13.9	169	2	5	10	19	30	40	63
2. MULTIPLE DX	1280	16.3	179	4	7	13	21	32	45	72
A. Not Operated	1883	15.3	174	3	7	12	20	31	42	71
B. Operated	55	22.4	232	6	10	18	30	45	54	61
TOTAL										
0-19 YRS	98	24.7	355	5	10	20	39	54	61	91
20-34	743	14.6	167	2	6	11	20	30	41	66
35-49	663	14.8	155	4	7	11	19	30	40	63
50-64	304	15.4	144	4	7	13	20	29	39	67
65 +	130	17.6	222	3	7	14	25	36	51	69
GRAND TOTAL	**1938**	**15.5**	**177**	**3**	**7**	**12**	**20**	**32**	**43**	**70**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	16.2	147	2	7	11	26	34	36	37
20-34	0									
35-49	0									
50-64	1	12.0		12	12	12	12	12	12	12
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	19.4	334	3	4	19	29	86	99 +	99 +
20-34	1	7.0		7	7	53	99 +	99 +	99 +	99 +
35-49	0									
50-64	1	39.0		39	39	39	39	39	39	39
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	15.9	138	2	8	11	26	34	36	37
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	33	19.6	330	3	6	20	32	96	99 +	99 +
B. Operated	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	16	15.9	138	2	8	11	26	34	36	37
2. MULTIPLE DX	34	19.2	327	3	4	19	30	95	99 +	99 +
A. Not Operated	49	18.4	266	3	7	17	29	63	99 +	99 +
B. Operated	1	4.0		4	4	4	4	4	4	4
TOTAL										
0-19 YRS	47	18.1	269	3	4	17	28	51	99 +	99 +
20-34	1	7.0		7	7	53	99 +	99 +	99 +	99 +
35-49	0									
50-64	2	25.5	365	12	12	25	39	39	39	39
65 +	0									
GRAND TOTAL	**50**	**18.1**	**265**	**3**	**6**	**17**	**29**	**61**	**99 +**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	150	18.9	223	3	7	15	28	40	47	64
20-34	264	11.2	76	2	4	9	17	24	29	37
35-49	294	12.7	99	3	6	11	18	25	30	51
50-64	148	16.1	131	4	7	14	22	32	35	56
65 +	165	19.8	167	6	12	17	25	36	45	66
B. Operated										
0-19 YRS	0									
20-34	1	17.0		17	17	17	17	17	17	17
35-49	0									
50-64	3	14.0	67	5	8	16	20	21	21	21
65 +	5	49.4	623	15	37	45	64	84	84	84
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	446	23.6	274	6	11	21	33	48	58	99 +
20-34	942	15.9	148	4	7	14	22	31	42	70
35-49	1095	16.8	163	4	7	14	23	33	42	59
50-64	645	18.2	161	4	8	15	27	34	43	62
65 +	790	21.7	229	6	11	18	30	43	55	77
B. Operated										
0-19 YRS	13	35.0	425	5	24	34	54	80	96	99 +
20-34	45	28.6	473	8	13	22	42	63	74	84
35-49	68	25.6	224	10	13	24	33	43	58	97
50-64	53	24.3	181	11	15	22	31	49	56	99
65 +	66	29.0	280	11	18	25	35	54	64	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1021	14.9	138	3	6	12	20	30	37	56
B. Operated	9	34.0	663	9	16	21	48	74	84	84
2. MULTIPLE DX										
A. Not Operated	3918	18.6	192	4	8	15	26	37	47	70
B. Operated	245	27.3	288	10	15	24	34	54	67	99 +
1. SINGLE DX	1030	15.0	145	3	6	12	20	30	38	58
2. MULTIPLE DX	4163	19.1	202	4	9	16	27	38	47	73
A. Not Operated	4939	17.8	183	4	8	15	25	35	45	68
B. Operated	254	27.5	300	10	15	24	35	55	70	99
TOTAL										
0-19 YRS	609	22.7	271	5	10	20	32	47	57	93
20-34	1252	15.4	154	3	7	13	21	30	41	70
35-49	1457	16.4	159	3	7	13	23	32	41	60
50-64	849	18.2	160	4	8	16	26	34	43	64
65 +	1026	22.0	231	6	11	18	29	43	55	78
GRAND TOTAL	**5193**	**18.3**	**193**	**4**	**8**	**15**	**25**	**36**	**46**	**70**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	18.7	235	2	6	16	25	34	47	78
20-34	218	12.4	129	2	5	10	16	25	29	69
35-49	178	13.5	108	3	6	12	18	26	34	62
50-64	98	14.6	96	5	8	12	19	27	34	50
65+	40	18.9	197	6	8	17	26	33	54	60
B. Operated										
0-19 YRS	2	24.5	221	14	14	24	35	35	35	35
20-34	0									
35-49	1	43.0		43	43	43	43	43	43	43
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	151	29.0	333	7	14	28	38	57	68	76
20-34	432	16.7	170	4	8	13	22	35	43	71
35-49	501	16.2	190	4	7	13	21	32	46	66
50-64	302	18.4	184	6	9	15	24	35	44	79
65+	202	21.7	256	6	10	18	28	43	52	78
B. Operated										
0-19 YRS	2	46.0	1352	20	59	99+	99+	99+	99+	99+
20-34	14	25.0	382	4	12	21	31	59	64	65
35-49	20	19.0	137	9	12	15	29	42	74	99+
50-64	21	23.7	[illegible]	8	15	27	31	35	43	52
65+	12	26.1	134	11	18	25	34	43	46	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	578	14.0	133	3	6	12	18	27	34	63
B. Operated	3	30.7	224	14	19	35	41	43	43	43
2. MULTIPLE DX										
A. Not Operated	1588	18.7	219	5	8	14	25	38	49	74
B. Operated	69	23.7	214	9	14	20	32	53	95	99+
1. SINGLE DX	581	14.1	134	3	6	12	19	28	34	63
2. MULTIPLE DX	1657	18.9	220	5	8	15	25	39	50	78
A. Not Operated	2166	17.5	200	4	8	14	23	35	47	73
B. Operated	72	24.0	213	9	14	21	34	52	91	99+
TOTAL										
0-19 YRS	199	26.9	334	6	14	26	36	58	71	99+
20-34	664	15.5	166	3	7	13	20	31	42	70
35-49	700	15.7	169	4	7	12	20	31	45	66
50-64	421	17.8	165	5	9	14	24	34	43	71
65+	254	21.5	242	6	10	18	28	42	51	78
GRAND TOTAL	**2238**	**17.7**	**202**	**4**	**8**	**14**	**24**	**36**	**48**	**74**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	9.4	55	1	3	8	13	18	23	34
20-34	77	8.6	62	2	3	7	11	18	25	41
35-49	68	8.6	37	2	4	8	12	14	16	33
50-64	36	10.6	52	3	4	9	15	20	24	31
65+	46	9.4	84	1	4	8	11	18	21	55
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	12.0		12	12	12	12	12	12	12
50-64	0									
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	21.8	369	3	7	17	30	43	53	95
20-34	145	11.4	134	2	4	8	14	25	34	55
35-49	145	11.0	83	2	4	8	15	23	31	51
50-64	150	11.0	129	3	4	7	13	24	36	61
65+	382	11.3	107	3	5	8	14	23	30	54
B. Operated										
0-19 YRS	0									
20-34	8	18.3	267	1	6	14	26	44	51	51
35-49	9	13.0	37	6	10	11	16	22	25	25
50-64	14	19.6	166	7	9	15	25	42	43	43
65+	32	14.8	118	4	6	14	21	36	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	9.1	57	2	4	8	12	18	22	34
B. Operated	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. Not Operated	872	11.8	132	3	4	8	15	25	35	57
B. Operated	63	16.1	134	4	7	14	23	36	42	93
1. SINGLE DX	267	9.1	56	2	3	8	12	18	22	34
2. MULTIPLE DX	935	12.1	133	3	5	9	15	26	36	58
A. Not Operated	1137	11.2	115	3	4	8	14	23	32	53
B. Operated	65	15.8	133	4	7	14	23	36	42	92
TOTAL										
0-19 YRS	88	16.4	269	2	5	11	22	37	47	88
20-34	230	10.7	117	2	4	8	14	22	32	51
35-49	223	10.4	68	2	4	9	14	21	27	46
50-64	200	11.5	121	3	4	8	15	25	36	56
65+	461	11.3	107	3	4	8	15	23	31	55
GRAND TOTAL	**1202**	**11.4**	**117**	**3**	**4**	**8**	**14**	**24**	**33**	**54**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	6.5	61	2	2	3	7	20	22	22
20-34	28	6.0	26	1	2	4	9	12	16	21
35-49	32	5.1	29	1	2	3	7	13	19	22
50-64	13	10.8	191	1	2	4	14	38	41	42
65 +	7	6.6	11	2	4	6	9	11	12	12
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	7.5	70	<1	2	4	10	19	29	30
20-34	116	7.3	63	1	2	4	9	18	25	39
35-49	132	8.3	78	1	2	5	11	19	29	41
50-64	87	8.1	57	2	2	6	11	17	22	39
65 +	137	8.7	98	2	3	5	11	20	32	44
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	17.9	711	2	4	8	17	65	77	77
35-49	8	9.3	57	3	4	6	13	22	24	24
50-64	6	3.8	5	1	2	4	6	6	6	6
65 +	3	8.3	24	5	5	6	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	6.5	54	1	2	4	9	15	21	40
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	497	8.1	76	1	2	5	11	19	28	41
B. Operated	25	10.1	226	2	4	6	10	19	37	77
1. SINGLE DX	86	6.5	54	1	2	4	9	15	21	40
2. MULTIPLE DX	522	8.2	83	1	2	5	11	19	27	42
A. Not Operated	583	7.9	73	1	2	4	11	19	27	42
B. Operated	25	10.1	226	2	4	6	10	19	37	77
TOTAL										
0-19 YRS	32	7.2	64	1	2	4	9	20	28	30
20-34	151	7.5	87	1	2	4	10	18	22	42
35-49	172	7.7	69	1	2	4	11	19	24	41
50-64	106	8.2	70	2	2	5	11	19	27	43
65 +	147	8.6	93	2	3	5	11	20	30	42
GRAND TOTAL	**608**	**8.0**	**79**	**1**	**2**	**5**	**11**	**19**	**27**	**42**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	17.9	187	3	8	15	24	38	44	65
20-34	60	7.1	40	1	3	5	9	16	22	27
35-49	52	7.6	43	1	3	5	11	15	18	31
50-64	16	8.1	31	2	4	7	10	17	20	21
65 +	14	13.2	101	4	6	9	19	30	32	32
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	19.5	266	3	6	15	28	42	50	78
20-34	209	9.3	61	1	4	7	14	20	25	36
35-49	164	9.7	103	2	3	6	12	21	32	40
50-64	104	11.1	92	3	4	9	15	22	32	46
65 +	76	10.4	77	3	4	7	15	27	28	36
B. Operated										
0-19 YRS	5	9.2	24	4	6	8	12	17	17	17
20-34	5	22.4	620	4	6	13	33	65	65	65
35-49	8	17.8	139	3	8	18	22	35	40	40
50-64	4	29.5	1303	3	6	16	53	82	82	82
65 +	7	14.7	185	5	6	11	15	38	44	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	268	12.7	137	2	4	9	17	28	37	60
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	749	12.4	147	2	4	8	17	29	37	53
B. Operated	29	18.0	345	4	6	13	22	42	66	82
1. SINGLE DX	268	12.7	137	2	4	9	17	28	37	60
2. MULTIPLE DX	778	12.6	155	2	4	8	17	29	38	60
A. Not Operated	1017	12.5	144	2	4	8	17	28	37	54
B. Operated	29	18.0	345	4	6	13	22	42	66	82
TOTAL										
0-19 YRS	327	18.7	233	3	7	15	27	41	49	71
20-34	274	9.1	69	1	3	6	13	20	25	37
35-49	224	9.5	93	2	3	6	13	20	31	40
50-64	124	11.3	125	3	4	8	15	22	32	58
65 +	97	11.1	88	3	4	8	15	27	31	41
GRAND TOTAL	**1046**	**12.6**	**150**	**2**	**4**	**9**	**17**	**29**	**38**	**61**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	12.5	238	1	2	6	18	34	46	95
20-34	70	9.3	208	1	2	4	13	23	36	99
35-49	38	8.7	50	2	4	5	14	19	24	28
50-64	18	7.3	151	1	1	3	7	16	39	53
65 +	9	11.9	102	2	3	8	18	27	30	30
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	15.5	262	2	3	10	22	35	49	73
20-34	311	11.9	127	2	3	8	19	25	30	61
35-49	240	12.1	120	2	4	9	18	28	30	50
50-64	90	12.4	193	2	4	8	15	25	31	83
65 +	123	9.2	84	2	3	7	11	21	30	68
B. Operated										
0-19 YRS	12	20.2	718	1	3	11	37	88	98	99 +
20-34	9	16.6	426	1	3	6	23	50	65	65
35-49	18	12.3	63	3	6	13	16	23	30	33
50-64	11	9.8	79	2	3	7	14	24	29	29
65 +	21	15.5	162	4	5	12	23	30	45	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	10.4	184	1	2	5	15	27	41	98
B. Operated	7	2.7	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	919	12.2	151	2	3	8	18	27	35	64
B. Operated	71	14.7	245	3	4	11	19	30	62	97
1. SINGLE DX	227	10.1	180	1	2	5	15	27	40	98
2. MULTIPLE DX	990	12.4	158	2	4	8	18	27	35	70
A. Not Operated	1139	11.9	158	2	3	8	18	27	35	71
B. Operated	78	13.7	235	2	4	9	18	29	59	96
TOTAL										
0-19 YRS	252	14.7	276	1	3	9	21	40	54	86
20-34	391	11.5	148	1	3	7	18	25	33	68
35-49	297	11.6	109	2	4	9	17	27	29	49
50-64	122	11.2	175	2	3	7	14	24	30	80
65 +	155	10.2	99	2	3	7	13	25	30	57
GRAND TOTAL	**1217**	**12.0**	**163**	**2**	**3**	**8**	**18**	**27**	**36**	**72**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	13.0	167	1	3	5	27	31	34	34
20-34	146	8.0	86	1	3	4	8	28	29	32
35-49	174	5.7	37	1	3	4	6	12	19	31
50-64	94	7.2	74	1	3	4	7	25	29	33
65 +	9	7.7	45	2	4	5	9	19	24	24
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	113	20.8	165	3	8	24	30	36	42	47
20-34	844	16.5	161	2	4	14	28	34	37	42
35-49	949	13.6	140	2	4	8	26	30	34	42
50-64	566	11.8	116	2	4	7	21	28	31	39
65 +	236	13.8	137	3	5	8	23	29	36	43
B. Operated										
0-19 YRS	2	35.0	98	28	28	35	42	42	42	42
20-34	19	20.2	168	4	9	16	32	38	40	41
35-49	32	19.1	142	5	8	17	29	35	38	42
50-64	31	16.8	128	4	7	15	27	35	35	37
65 +	14	17.2	102	7	9	16	21	30	39	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	433	7.0	66	1	3	4	7	21	29	32
B. Operated	2	3.0	8	< 1	< 1	2	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	2708	14.5	147	2	4	9	28	30	35	42
B. Operated	98	18.7	138	5	9	16	28	35	38	42
1. SINGLE DX	435	7.0	66	1	3	4	7	21	29	32
2. MULTIPLE DX	2806	14.6	147	2	4	9	28	31	35	42
A. Not Operated	3141	13.4	142	2	4	7	26	30	35	42
B. Operated	100	18.3	140	4	8	16	28	35	38	42
TOTAL										
0-19 YRS	126	20.3	171	2	7	22	30	36	42	47
20-34	1009	15.3	159	2	4	11	28	33	37	42
35-49	1155	12.6	134	2	4	7	22	29	34	42
50-64	692	11.4	114	2	4	6	21	28	31	37
65 +	259	13.7	133	3	5	9	23	29	36	43
GRAND TOTAL	**3241**	**13.6**	**143**	**2**	**4**	**8**	**26**	**30**	**35**	**42**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	19	7.0	52	1	2	4	12	16	23	28
35-49	5	7.6	28	2	3	7	12	14	14	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	8.0	23	1	5	9	11	12	12	12
20-34	69	13.2	102	3	6	10	18	30	30	41
35-49	65	12.4	94	2	5	11	18	28	30	41
50-64	11	22.5	215	6	10	19	35	41	46	47
65 +	7	21.3	139	6	11	22	32	34	34	34
B. Operated										
0-19 YRS	0									
20-34	2	23.5	85	17	17	23	30	30	30	30
35-49	3	10.7	8	9	9	9	13	14	14	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	7.2	44	2	2	4	12	15	20	28
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	156	13.8	113	3	5	11	19	30	34	42
B. Operated	5	15.8	75	9	9	14	20	30	30	30
1. SINGLE DX	26	7.0	43	2	2	4	12	15	19	28
2. MULTIPLE DX	161	13.8	111	3	6	11	19	30	34	42
A. Not Operated	181	12.9	108	2	5	10	18	30	33	42
B. Operated	6	13.5	92	3	9	12	17	29	30	30
TOTAL										
0-19 YRS	5	8.0	18	1	6	9	10	12	12	12
20-34	91	12.0	98	2	4	9	17	29	30	40
35-49	73	12.0	87	2	5	10	17	25	30	41
50-64	11	22.5	215	6	10	19	35	41	46	47
65 +	7	21.3	139	6	11	22	32	34	34	34
GRAND TOTAL	**187**	**12.9**	**107**	**2**	**5**	**10**	**18**	**30**	**32**	**42**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	10.2	178	1	1	3	18	32	32	32
20-34	50	11.2	151	1	3	4	20	30	38	45
35-49	8	11.1	108	1	2	9	19	25	27	27
50-64	1	11.0		11	11	11	11	11	11	11
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	22.4	130	6	14	22	30	36	42	53
20-34	558	19.2	155	3	7	19	29	36	41	42
35-49	153	19.0	129	4	8	20	28	33	37	42
50-64	25	17.6	144	6	7	12	28	33	40	42
65 +	31	18.5	127	6	9	18	26	34	41	42
B. Operated										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	26	24.1	148	5	18	24	32	42	59	99 +
35-49	15	26.6	232	11	15	27	34	46	59	63
50-64	1	11.0		11	11	11	11	11	11	11
65 +	3	25.3	741	4	7	16	46	56	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	11.0	140	1	3	4	18	30	33	45
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	866	19.5	147	4	7	20	29	35	41	44
B. Operated	46	24.8	194	7	16	24	32	45	57	99 +
1. SINGLE DX	65	11.0	140	1	3	4	18	30	33	45
2. MULTIPLE DX	912	19.7	150	4	8	20	29	35	41	46
A. Not Operated	931	18.9	151	3	7	19	29	35	41	44
B. Operated	46	24.8	194	7	16	24	32	45	57	99 +
TOTAL										
0-19 YRS	105	21.9	137	6	14	22	30	35	42	52
20-34	634	18.8	160	3	7	19	29	36	41	45
35-49	176	19.3	142	3	8	18	28	33	38	46
50-64	27	17.1	136	6	7	12	27	33	39	42
65 +	35	18.7	166	4	9	16	26	35	42	56
GRAND TOTAL	**977**	**19.2**	**154**	**3**	**7**	**19**	**29**	**35**	**41**	**46**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.1		<1	<1	1	1	2	2	2
20-34	21	3.1	13	<1	1	1	5	7	11	16
35-49	21	2.0	2	<1	1	1	3	4	5	5
50-64	7	2.7	4	1	1	2	4	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	4.7	97	<1	1	1	3	13	29	58
20-34	87	6.1	66	<1	1	3	7	16	28	38
35-49	105	5.6	40	1	2	3	6	11	24	30
50-64	67	5.8	36	1	2	4	7	15	23	87
65+	27	4.6	10	1	2	4	6	9	11	13
B. Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	5.8	15	2	3	5	8	11	11	11
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	6	12.0	95	5	6	8	13	29	31	31
65+	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	2.2	5	<1	1	1	2	5	6	14
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	336	5.6	52	1	2	3	6	13	25	33
B. Operated	15	7.9	57	1	2	6	11	13	26	31
1. SINGLE DX	71	2.2	5	<1	1	1	2	5	6	14
2. MULTIPLE DX	351	5.7	52	1	2	3	6	13	26	32
A. Not Operated	406	5.0	45	1	1	3	6	11	21	31
B. Operated	16	7.4	56	1	2	6	10	13	26	31
TOTAL										
0-19 YRS	72	3.6	70	<1	1	1	2	5	17	52
20-34	112	5.6	55	<1	1	3	6	14	27	35
35-49	128	5.0	35	1	2	3	6	11	18	30
50-64	81	5.9	40	1	2	4	7	15	24	78
65+	29	4.9	11	1	2	4	6	10	12	13
GRAND TOTAL	**422**	**5.1**	**46**	**1**	**1**	**3**	**6**	**11**	**21**	**31**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	11.3	145	1	2	8	16	28	38	41
20-34	58	6.6	77	1	2	3	7	16	25	48
35-49	11	7.5	42	1	3	4	13	17	20	20
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	154	19.2	140	2	9	18	29	31	38	43
20-34	244	12.5	138	1	3	8	19	28	34	46
35-49	84	14.4	140	2	4	11	27	28	35	46
50-64	9	15.3	223	1	3	10	30	38	40	40
65+	10	15.2	182	2	3	10	30	33	35	35
B. Operated										
0-19 YRS	2	15.5	1	15	15	15	16	16	16	16
20-34	6	13.0	258	2	3	5	22	40	42	42
35-49	2	12.0	50	7	7	12	17	17	17	17
50-64	2	28.0	50	23	23	28	33	33	33	33
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	7.4	84	1	2	4	9	18	27	46
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	501	15.0	148	2	4	13	28	30	36	45
B. Operated	13	14.8	158	3	4	15	22	35	41	42
1. SINGLE DX	87	7.4	84	1	2	4	9	18	27	46
2. MULTIPLE DX	514	15.0	148	2	4	13	27	30	36	45
A. Not Operated	588	13.9	146	1	3	10	25	30	35	45
B. Operated	13	14.8	158	3	4	15	22	35	41	42
TOTAL										
0-19 YRS	171	18.4	143	2	7	18	29	31	38	43
20-34	308	11.4	133	1	3	7	18	28	[illegible]	47
35-49	97	13.6	131	2	4	10	23	28	[illegible]	45
50-64	12	16.5	206	2	4	10	30	36	39	40
65+	13	12.4	166	2	3	4	27	31	34	35
GRAND TOTAL	**601**	**13.9**	**146**	**2**	**3**	**10**	**25**	**30**	**36**	**45**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	5.8	80	<1	2	2	4	22	24	24
20-34	4	1.3		1	1	1	2	2	2	2
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	0									
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	13.4	228	1	2	6	26	34	37	70
20-34	31	10.0	165	2	2	5	15	22	24	67
35-49	53	11.0	116	1	3	6	17	27	36	43
50-64	38	11.7	93	1	3	9	21	25	27	29
65+	60	11.2	178	2	3	5	16	28	38	66
B. Operated										
0-19 YRS	5	10.4	161	3	4	5	13	33	33	33
20-34	6	14.3	96	3	7	13	22	27	28	28
35-49	7	7.6	101	1	3	5	6	25	30	30
50-64	4	14.0	65	3	8	16	20	20	20	20
65+	6	21.7	316	7	7	14	41	46	47	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.4	34	1	1	2	3	4	19	24
B. Operated	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	224	11.5	155	1	3	6	19	28	35	67
B. Operated	28	13.5	156	3	5	7	20	32	42	47
1. SINGLE DX	17	3.3	30	1	1	2	3	4	17	24
2. MULTIPLE DX	252	11.7	155	2	3	6	20	28	36	67
A. Not Operated	239	11.0	151	1	2	5	18	27	35	67
B. Operated	30	12.7	153	3	4	7	20	31	41	47
TOTAL										
0-19 YRS	54	12.1	204	1	2	5	24	33	36	69
20-34	42	9.6	144	1	2	5	16	22	26	67
35-49	64	10.1	111	1	3	5	16	27	34	42
50-64	42	11.9	89	2	3	9	21	24	26	29
65+	67	12.0	193	2	3	6	17	33	42	64
GRAND TOTAL	**269**	**11.2**	**151**	**1**	**3**	**6**	**18**	**28**	**35**	**63**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	162	14.2	233	1	3	9	21	38	44	69
20-34	232	5.8	30	1	2	4	8	13	17	25
35-49	133	7.7	49	1	2	6	12	17	22	32
50-64	37	11.0	76	2	4	10	14	26	30	34
65+	25	14.0	119	4	5	13	17	30	37	42
B. Operated										
0-19 YRS	2	7.5	41	3	3	7	12	12	12	12
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	384	16.5	281	2	4	10	25	42	56	99+
20-34	522	7.8	55	1	3	6	10	17	23	33
35-49	361	9.1	62	2	3	7	12	19	24	41
50-64	144	8.9	45	3	4	7	13	18	21	34
65+	134	10.8	81	3	4	8	13	23	29	45
B. Operated										
0-19 YRS	9	32.6	401	6	22	35	56	81	99+	99+
20-34	16	10.1	86	2	3	8	13	23	32	36
35-49	9	10.0	35	3	5	11	14	18	20	20
50-64	10	21.5	427	8	11	12	28	53	76	76
65+	13	11.8	96	3	6	9	15	24	36	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	589	9.2	110	1	2	6	12	21	31	48
B. Operated	2	7.5	41	3	3	7	12	12	12	12
2. MULTIPLE DX										
A. Not Operated	1545	10.6	126	2	3	7	13	24	35	59
B. Operated	57	16.0	244	3	6	11	20	41	60	98
1. SINGLE DX	591	9.2	109	1	2	6	12	21	31	48
2. MULTIPLE DX	1602	10.8	131	2	4	7	14	25	36	61
A. Not Operated	2134	10.2	122	1	3	7	13	24	34	58
B. Operated	59	15.7	239	3	6	11	20	40	59	98
TOTAL										
0-19 YRS	557	16.1	273	2	4	10	24	42	55	99+
20-34	770	7.2	49	1	3	5	9	16	21	33
35-49	503	8.7	58	1	3	7	12	18	23	37
50-64	191	10.0	77	3	4	8	14	19	27	39
65+	172	11.3	88	3	4	8	15	24	30	44
GRAND TOTAL	**2193**	**10.4**	**126**	**1**	**3**	**7**	**13**	**24**	**35**	**59**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	169	15.0	176	2	4	11	21	40	42	48
20-34	107	4.6	19	1	1	3	6	9	14	23
35-49	58	7.4	71	1	2	4	11	21	25	36
50-64	15	5.0	18	1	1	4	8	10	14	15
65 +	8	11.8	175	< 1	1	7	18	34	39	39
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	2	8.5	113	1	1	8	16	16	16	16
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	317	16.1	217	2	5	12	22	38	47	73
20-34	252	6.7	52	1	2	5	9	14	19	32
35-49	194	8.9	99	2	3	6	10	19	31	59
50-64	60	8.5	80	1	2	5	12	24	27	42
65 +	43	7.9	37	2	3	6	10	15	22	28
B. Operated										
0-19 YRS	8	29.9	925	2	3	21	57	73	74	74
20-34	7	15.1	278	3	4	9	18	44	50	50
35-49	6	15.7	130	3	11	12	24	33	34	34
50-64	6	15.2	97	1	6	17	22	26	27	27
65 +	2	10.0	32	6	6	10	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	357	10.1	127	1	2	6	14	26	39	45
B. Operated	5	8.4	48	1	1	12	13	16	16	16
2. MULTIPLE DX										
A. Not Operated	866	10.8	140	1	3	7	14	26	36	63
B. Operated	29	19.0	381	2	5	12	25	48	70	74
1. SINGLE DX	362	10.1	126	1	2	6	14	26	39	45
2. MULTIPLE DX	895	11.1	150	1	3	7	14	28	37	64
A. Not Operated	1223	10.6	137	1	3	7	14	26	37	56
B. Operated	34	17.4	344	2	4	12	22	45	66	74
TOTAL										
0-19 YRS	495	15.9	215	2	5	12	22	40	45	72
20-34	368	6.3	48	1	2	4	8	14	18	31
35-49	260	8.7	94	1	3	6	10	20	29	52
50-64	81	8.4	74	1	2	5	12	22	27	40
65 +	53	8.6	56	2	3	6	11	19	25	39
GRAND TOTAL	**1257**	**10.8**	**143**	**1**	**3**	**7**	**14**	**27**	**37**	**62**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	357	20.2	327	1	5	15	34	47	57	79
20-34	20	10.3	247	2	2	4	7	40	52	52
35-49	14	7.6	145	1	2	3	4	27	39	43
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	819	22.9	334	3	9	19	32	48	65	99 +
20-34	144	21.6	435	2	4	14	34	59	69	99 +
35-49	77	12.6	224	1	3	6	18	36	51	92
50-64	22	6.1	23	2	3	4	7	15	17	18
65 +	17	12.1	401	1	2	4	11	46	65	72
B. Operated										
0-19 YRS	26	29.0	551	4	10	29	56	99 +	99 +	99 +
20-34	8	25.8	372	6	14	28	57	99 +	99 +	99 +
35-49	5	12.6	272	3	4	6	16	42	42	42
50-64	3	6.3	70	1	1	2	12	16	16	16
65 +	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	394	19.1	325	1	4	13	31	46	56	77
B. Operated	3	3.0	12	1	1	1	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	1079	21.4	347	3	7	17	30	49	65	99 +
B. Operated	43	24.5	478	3	7	22	50	99 +	99 +	99 +
1. SINGLE DX	397	19.0	325	1	4	13	30	45	56	77
2. MULTIPLE DX	1122	21.6	352	3	7	17	31	49	67	99 +
A. Not Operated	1473	20.8	342	2	6	16	30	48	61	99 +
B. Operated	46	23.1	475	2	6	20	49	99 +	99 +	99 +
TOTAL										
0-19 YRS	1203	22.2	338	3	8	18	33	49	64	99 +
20-34	173	20.3	420	2	4	13	33	58	70	99 +
35-49	97	11.8	212	1	3	6	15	36	45	86
50-64	27	5.9	25	2	2	4	7	16	17	18
65 +	19	11.4	363	1	1	4	10	40	63	72
GRAND TOTAL	**1519**	**20.9**	**346**	**2**	**6**	**16**	**31**	**49**	**64**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34	0									
35-49	1	19.0		19	19	19	19	19	19	19
50-64	0									
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	8.8	55	2	4	7	10	23	24	24
20-34	15	9.3	79	1	2	7	13	26	29	30
35-49	9	10.1	84	3	5	6	12	26	31	31
50-64	7	10.7	47	4	6	8	17	21	21	21
65+	0									
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	2	21.5	841	1	1	21	42	42	42	42
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	10.8	43	3	6	10	15	19	19	19
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	48	9.5	63	2	4	7	12	23	26	31
B. Operated	5	11.0	304	1	2	3	15	42	42	42
1. SINGLE DX	4	10.8	43	3	6	10	15	19	19	19
2. MULTIPLE DX	53	9.6	80	2	4	7	11	24	29	42
A. Not Operated	52	9.6	61	2	4	7	12	22	26	31
B. Operated	5	11.0	304	1	2	3	15	42	42	42
TOTAL										
0-19 YRS	21	8.4	47	2	3	7	10	22	24	24
20-34	17	10.8	138	1	2	7	14	29	38	42
35-49	10	11.0	83	3	5	7	19	25	31	31
50-64	8	10.1	43	5	6	7	14	21	21	21
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	57	9.7	77	2	4	7	12	23	29	41

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	252	8.7	13	3	6	10	11	13	14	17
20-34	15	6.6	16	1	4	6	10	11	13	14
35-49	8	5.8	8	1	3	7	8	9	9	9
50-64	8	9.8	30	3	7	9	12	18	20	20
65+	1	13.0		13	13	13	13	13	13	13
B. Operated										
0-19 YRS	5	9.2	24	<1	7	10	12	14	14	14
20-34	3	8.0	37	4	4	5	12	15	15	15
35-49	4	11.3	138	1	1	9	21	25	25	25
50-64	3	10.7	16	7	8	10	14	15	15	15
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	447	10.5	29	4	8	10	12	16	19	30
20-34	32	8.7	19	2	6	9	11	14	17	19
35-49	33	11.2	55	3	6	12	14	21	24	37
50-64	24	12.3	108	2	4	9	16	26	34	41
65+	26	13.6	130	4	7	11	17	22	34	59
B. Operated										
0-19 YRS	114	20.2	243	8	10	15	27	40	56	99
20-34	18	22.4	424	7	8	12	37	45	69	84
35-49	29	17.1	319	3	5	12	26	49	80	99+
50-64	21	15.2	161	3	5	8	26	34	37	41
65+	30	21.8	362	2	5	19	30	50	64	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	284	8.5	14	3	6	10	11	13	14	17
B. Operated	16	9.7	43	1	4	10	14	17	23	25
2. MULTIPLE DX										
A. Not Operated	562	10.6	39	3	7	10	13	16	21	37
B. Operated	212	19.7	276	4	10	15	27	42	56	99
1. SINGLE DX	300	8.6	15	3	6	10	11	13	15	18
2. MULTIPLE DX	774	13.1	120	3	8	11	15	24	34	65
A. Not Operated	846	9.9	31	3	7	10	12	15	18	30
B. Operated	228	19.0	266	4	9	14	26	42	56	98
TOTAL										
0-19 YRS	818	11.3	67	4	8	10	13	17	23	52
20-34	68	11.8	162	3	6	9	12	20	41	77
35-49	74	12.9	167	2	5	10	16	26	41	95
50-64	56	12.9	112	2	5	9	18	29	34	41
65+	58	17.7	259	2	7	13	22	44	56	68
GRAND TOTAL	1074	11.3	95	3	7	10	13	20	29	58

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	6	13.7	345	2	5	6	12	47	51	51
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	15.7	186	2	5	12	25	37	39	39
50-64	19	7.4	34	2	3	5	10	15	20	24
65 +	128	11.5	111	3	5	9	15	23	27	87
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	26.0		26	26	26	26	26	26	26
50-64	4	6.8	10	4	4	7	9	10	10	10
65 +	29	15.9	229	4	6	11	20	33	56	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	11.0	271	2	3	5	9	39	51	51
B. Operated	5	5.2	8	3	4	4	6	10	10	10
2. MULTIPLE DX										
A. Not Operated	154	11.1	107	3	5	8	14	23	28	83
B. Operated	34	15.1	208	4	5	10	20	30	51	67
1. SINGLE DX	13	8.8	170	2	3	5	8	20	45	51
2. MULTIPLE DX	188	11.9	126	3	5	9	15	24	30	77
A. Not Operated	162	11.1	113	3	4	8	14	23	29	81
B. Operated	39	13.8	193	4	5	9	18	28	46	67
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	11	13.8	154	2	4	10	24	32	38	39
50-64	25	7.0	28	2	3	4	10	15	17	24
65 +	165	12.2	140	3	5	9	16	24	33	81
GRAND TOTAL	**201**	**11.7**	**129**	**3**	**5**	**8**	**15**	**24**	**31**	**75**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	34	5.6	13	2	3	5	8	10	11	18
35-49	42	6.9	29	3	4	5	7	11	21	28
50-64	14	5.4	5	3	4	5	6	8	10	11
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.0		5	5	5	5	5	5	5
20-34	42	9.3	86	3	5	8	10	16	22	59
35-49	82	8.3	45	3	5	7	10	17	19	41
50-64	31	8.5	33	2	5	8	12	16	27	99 +
65 +	6	6.0	4	4	5	5	6	10	10	10
B. Operated										
0-19 YRS	0									
20-34	7	9.7	42	2	4	11	14	19	20	20
35-49	22	19.9	748	2	5	11	21	87	95	99 +
50-64	5	10.8	53	2	4	13	15	20	20	20
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	6.1	19	2	4	5	7	11	12	26
B. Operated	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	164	8.5	51	3	5	7	10	15	20	57
B. Operated	34	16.4	512	2	5	11	18	77	90	99 +
1. SINGLE DX	95	6.1	19	2	4	5	7	11	12	26
2. MULTIPLE DX	198	9.8	137	3	5	7	11	18	24	96
A. Not Operated	257	7.6	40	2	4	6	9	14	19	47
B. Operated	36	15.9	487	2	5	11	16	66	90	99 +
TOTAL										
0-19 YRS	5	5.0		5	5	5	5	5	5	5
20-34	83	7.8	55	2	4	6	9	14	19	48
35-49	147	9.6	159	3	5	6	10	18	24	92
50-64	51	7.8	29	2	5	6	11	14	20	98
65 +	7	5.6	5	3	4	5	6	9	10	10
GRAND TOTAL	**293**	**8.6**	**101**	**2**	**4**	**6**	**10**	**15**	**21**	**89**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	515	3.3	17	1	2	2	4	6	9	17
20-34	104	3.1	5	1	1	3	4	5	8	12
35-49	73	3.5	7	1	2	3	5	7	8	13
50-64	31	3.5	8	<1	1	2	5	7	9	14
65+	14	2.9	7	1	2	2	3	6	10	11
B. Operated										
0-19 YRS	35	13.7	154	4	6	9	17	29	46	56
20-34	4	8.5		8	8	8	9	9	9	9
35-49	3	9.0	73	1	3	8	15	18	18	18
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	914	4.2	24	1	2	3	5	8	11	23
20-34	268	4.8	26	1	2	3	6	9	14	30
35-49	280	5.8	65	1	2	4	6	12	16	42
50-64	330	5.8	38	2	3	4	7	11	16	31
65+	438	7.2	54	2	3	5	9	15	20	41
B. Operated										
0-19 YRS	95	12.9	138	2	5	10	17	28	39	85
20-34	29	7.7	37	2	3	8	10	13	16	32
35-49	40	10.5	63	2	5	9	15	21	27	32
50-64	27	17.0	160	5	8	12	23	38	41	49
65+	53	19.3	275	6	9	13	27	44	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	737	3.3	14	1	1	2	4	6	8	14
B. Operated	42	12.9	135	4	6	9	16	25	40	56
2. MULTIPLE DX										
A. Not Operated	2230	5.3	39	1	2	4	6	11	15	29
B. Operated	244	13.7	158	2	6	10	19	32	41	89
1. SINGLE DX	779	3.8	25	1	2	3	5	7	10	24
2. MULTIPLE DX	2474	6.1	57	1	2	4	7	13	19	42
A. Not Operated	2967	4.8	33	1	2	3	6	9	13	27
B. Operated	286	13.6	154	3	6	10	18	31	40	81
TOTAL										
0-19 YRS	1559	4.7	38	1	2	3	5	10	14	31
20-34	405	4.6	23	1	2	3	5	9	12	26
35-49	396	5.9	57	1	2	4	7	12	18	36
50-64	388	6.4	52	2	3	4	7	13	19	40
65+	505	8.3	90	2	3	5	10	17	26	56
GRAND TOTAL	**3253**	**5.6**	**50**	**1**	**2**	**4**	**6**	**11**	**17**	**39**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	4.4	34	1	2	3	5	8	14	36
20-34	50	4.8	73	1	1	3	4	8	19	56
35-49	50	3.4	6	1	2	3	4	6	8	13
50-64	23	5.0	21	1	2	4	7	11	17	18
65+	23	6.4	25	2	3	5	9	12	18	21
B. Operated										
0-19 YRS	248	4.7	21	1	2	4	5	9	15	24
20-34	47	4.1	8	1	2	4	6	7	9	13
35-49	52	4.8	13	1	2	4	7	10	12	14
50-64	29	5.3	22	1	2	4	7	13	17	18
65+	29	6.2	19	2	4	5	7	11	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	360	5.7	51	1	2	3	7	14	20	48
20-34	150	6.4	76	1	2	3	7	15	25	66
35-49	149	6.7	57	2	2	4	8	13	26	41
50-64	174	9.2	124	2	3	6	11	20	30	85
65+	482	9.1	74	2	4	7	11	18	27	57
B. Operated										
0-19 YRS	543	8.1	102	2	3	5	10	20	29	99+
20-34	110	9.4	104	2	3	7	12	22	32	99+
35-49	141	10.7	170	2	4	7	14	22	42	99+
50-64	142	10.8	103	2	4	9	14	22	30	81
65+	219	14.3	188	3	6	10	18	31	49	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	291	4.5	34	1	2	3	5	9	15	31
B. Operated	405	4.8	18	1	2	4	6	9	14	23
2. MULTIPLE DX										
A. Not Operated	1315	7.6	75	1	3	5	10	16	26	54
B. Operated	1155	10.1	132	2	3	7	13	23	34	99+
1. SINGLE DX	696	4.7	25	1	2	3	6	9	15	24
2. MULTIPLE DX	2470	8.8	103	2	3	6	11	20	29	95
A. Not Operated	1606	7.1	69	1	2	4	8	15	24	50
B. Operated	1560	8.7	108	1	3	6	11	20	29	99+
TOTAL										
0-19 YRS	1296	6.4	67	1	2	4	7	16	23	86
20-34	357	6.8	79	1	2	4	8	15	26	74
35-49	392	7.5	92	1	2	5	8	16	26	70
50-64	368	9.2	104	2	3	7	12	19	27	75
65+	753	10.4	110	2	4	8	12	21	33	67
GRAND TOTAL	**3166**	**7.9**	**89**	**1**	**3**	**5**	**10**	**18**	**27**	**75**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	2.6	5	1	1	2	3	5	6	14
20-34	123	2.9	4	1	1	2	4	5	7	11
35-49	108	2.9	5	1	2	2	4	5	7	12
50-64	25	2.4	1	1	2	2	3	4	4	4
65 +	5	2.6	2	1	2	2	3	5	5	5
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.8	8	1	1	3	6	7	7	7
35-49	7	3.0	4	1	2	3	3	6	7	7
50-64	3	1.7		1	1	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	2.8	4	1	1	2	4	5	6	11
20-34	158	4.6	17	1	2	4	5	10	12	21
35-49	175	4.2	16	1	2	3	5	7	10	20
50-64	62	3.5	10	1	2	3	4	6	10	18
65 +	30	4.6	10	1	2	4	6	9	11	13
B. Operated										
0-19 YRS	4	7.5	20	4	4	6	10	14	14	14
20-34	9	4.3	9	1	2	4	7	8	8	8
35-49	26	6.2	18	2	3	5	9	13	15	16
50-64	7	5.9	15	2	3	5	8	12	13	13
65 +	3	7.7	52	3	3	4	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	319	2.8	4	1	1	2	4	5	7	11
B. Operated	15	2.8	4	1	1	2	3	7	7	7
2. MULTIPLE DX										
A. Not Operated	485	4.1	14	1	2	3	5	7	11	19
B. Operated	49	6.0	17	2	3	5	8	13	15	16
1. SINGLE DX	334	2.8	4	1	1	2	4	5	7	10
2. MULTIPLE DX	534	4.3	14	1	2	3	5	8	11	18
A. Not Operated	804	3.6	10	1	2	3	4	7	9	17
B. Operated	64	5.3	16	1	2	4	7	11	14	16
TOTAL										
0-19 YRS	123	2.8	5	1	1	2	4	5	7	14
20-34	294	3.9	12	1	2	3	5	7	10	18
35-49	316	3.9	13	1	2	3	4	7	10	17
50-64	97	3.3	8	1	2	3	4	6	8	17
65 +	38	4.6	12	1	2	4	6	9	12	16
GRAND TOTAL	868	3.7	11	1	2	3	4	7	10	17

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	37	1.1		< 1	< 1	< 1	1	1	2	2
35-49	87	1.1		< 1	< 1	< 1	1	1	2	4
50-64	50	1.0		< 1	< 1	< 1	< 1	1	1	2
65 +	37	1.1		< 1	< 1	< 1	< 1	< 1	< 1	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	2.2	1	< 1	1	2	3	4	4	4
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	19	2.5	6	< 1	< 1	1	4	5	8	11
35-49	59	1.9	4	< 1	< 1	1	2	3	4	14
50-64	33	2.5	7	< 1	1	1	3	6	7	14
65 +	29	2.3	10	< 1	< 1	< 1	2	7	11	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	212	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated	9	2.2	2	< 1	1	2	3	5	5	5
B. Operated	140	2.2	6	< 1	< 1	1	2	4	7	14
1. SINGLE DX	213	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX	149	2.2	6	< 1	< 1	1	2	4	6	14
A. Not Operated	10	2.3	2	< 1	1	2	3	4	5	5
B. Operated	352	1.5	3	< 1	< 1	< 1	1	2	4	11
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	58	1.6	2	< 1	< 1	< 1	1	3	4	11
35-49	148	1.4	2	< 1	< 1	< 1	1	2	3	5
50-64	88	1.6	3	< 1	< 1	< 1	1	3	5	11
65 +	67	1.7	5	< 1	< 1	< 1	< 1	3	6	13
GRAND TOTAL	362	1.5	3	<1	<1	<1	1	3	4	11

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	4.7	18	1	3	4	5	9	13	24
20-34	30	8.1	63	1	2	6	13	19	21	34
35-49	35	5.4	26	1	2	4	7	12	14	26
50-64	22	4.1	14	1	1	3	6	11	12	12
65 +	15	5.3	49	1	2	3	4	11	24	28
B. Operated										
0-19 YRS	47	4.1	29	< 1	1	3	5	6	16	26
20-34	100	3.4	17	1	1	2	4	6	13	22
35-49	139	3.3	13	< 1	1	2	4	7	10	20
50-64	67	2.9	9	< 1	1	1	4	7	8	17
65 +	37	2.9	14	< 1	1	1	3	8	10	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	6.2	51	1	2	3	7	17	21	36
20-34	45	6.2	40	1	2	4	7	16	19	32
35-49	97	6.5	34	2	2	4	9	15	19	28
50-64	101	7.9	132	2	3	5	9	17	21	78
65 +	128	6.0	40	2	3	4	7	13	15	28
B. Operated										
0-19 YRS	56	9.3	182	1	2	4	7	32	42	60
20-34	86	8.0	152	1	2	4	7	23	41	93
35-49	144	6.5	90	1	2	4	7	18	26	83
50-64	131	6.4	114	1	1	3	7	16	22	56
65 +	142	9.1	113	1	2	6	12	23	36	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	5.5	33	1	2	4	7	12	17	28
B. Operated	390	3.3	15	< 1	1	2	4	7	11	22
2. MULTIPLE DX										
A. Not Operated	419	6.6	62	1	2	4	8	14	18	33
B. Operated	559	7.7	121	1	2	4	9	19	31	92
1. SINGLE DX	536	3.9	21	< 1	1	2	5	9	13	25
2. MULTIPLE DX	978	7.2	96	1	2	4	8	17	24	79
A. Not Operated	565	6.3	55	1	2	4	8	14	18	32
B. Operated	949	5.9	82	1	1	3	6	15	24	61
TOTAL										
0-19 YRS	195	6.2	79	1	2	3	6	15	25	46
20-34	261	6.0	75	1	1	3	6	15	21	49
35-49	415	5.3	48	1	1	3	6	12	19	32
50-64	321	6.0	94	1	1	3	7	14	19	56
65 +	322	7.0	74	1	2	4	9	15	23	86
GRAND TOTAL	**1514**	**6.0**	**72**	**1**	**2**	**3**	**7**	**14**	**21**	**48**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	28	1.7	1	1	1	2	2	3	3	4
20-34	41	2.1	2	1	1	2	3	4	5	7
35-49	44	2.3	2	1	1	2	3	3	4	9
50-64	93	2.2	2	1	1	2	3	4	5	9
65 +	59	2.0	1	1	1	2	3	3	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	< 1	< 1	1	2	2	2	2
50-64	3	2.0	3	1	1	1	3	4	4	4
65 +	4	2.5	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	47	1.9	1	1	1	2	3	3	4	4
20-34	69	2.2	2	1	1	2	3	4	4	9
35-49	108	2.8	4	1	2	2	3	5	6	14
50-64	223	2.6	3	1	2	2	3	4	6	9
65 +	289	2.7	5	1	2	2	3	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated	265	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	13	1.8	1	< 1	1	1	2	4	4	4
B. Operated	736	2.6	4	1	1	2	3	4	5	10
1. SINGLE DX	268	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX	749	2.6	4	1	1	2	3	4	5	10
A. Not Operated	16	1.9	1	< 1	1	2	3	4	4	4
B. Operated	1001	2.5	3	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	79	1.8	1	1	1	2	2	3	4	4
20-34	111	2.2	2	1	1	2	3	4	4	8
35-49	154	2.6	4	1	1	2	3	4	6	13
50-64	320	2.5	3	1	1	2	3	4	5	9
65 +	353	2.6	4	1	2	2	3	4	5	10
GRAND TOTAL	**1017**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	9	1.6	2	1	1	1	2	4	5	5
50-64	13	1.6	1	1	1	1	2	3	4	4
65 +	30	1.3		< 1	1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	1.8		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	3	4.0	13	1	1	3	7	8	8	8
35-49	10	4.3	20	1	2	3	5	11	16	16
50-64	26	3.0	6	1	1	2	4	7	8	9
65 +	86	4.1	25	1	1	2	4	10	16	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.0	1	1	1	2	2	3	3	3
B. Operated	54	1.4	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	7	1.6		1	1	2	2	2	2	2
B. Operated	127	3.9	20	1	1	2	4	9	15	25
1. SINGLE DX	59	1.5	1	1	1	1	2	3	3	5
2. MULTIPLE DX	134	3.8	19	1	1	2	4	9	14	25
A. Not Operated	12	1.8		1	1	2	2	3	3	3
B. Operated	181	3.1	15	1	1	2	3	7	10	22
TOTAL										
0-19 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
20-34	4	3.3	11	1	1	2	5	8	8	8
35-49	21	2.9	12	1	1	2	3	6	10	16
50-64	41	2.5	4	1	1	1	3	6	7	9
65 +	123	3.3	19	1	1	2	3	8	13	25
GRAND TOTAL	**193**	**3.1**	**15**	**1**	**1**	**2**	**3**	**7**	**10**	**22**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.3		< 1	< 1	1	2	2	2	2
20-34	0									
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	16	2.5	11	1	1	1	2	6	11	13
65 +	32	1.4	1	< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7		< 1	< 1	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	6	2.8	8	1	1	2	4	8	8	8
B. Operated										
0-19 YRS	9	4.3	50	< 1	1	2	3	15	23	23
20-34	11	1.9	1	1	1	2	3	3	3	3
35-49	22	1.7	1	1	1	1	2	3	4	6
50-64	39	2.9	8	1	1	2	4	7	10	11
65 +	68	2.5	7	1	1	1	3	5	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.0		< 1	< 1	< 1	< 1	1	1	1
B. Operated	60	1.7	3	< 1	1	1	2	3	5	12
2. MULTIPLE DX										
A. Not Operated	10	2.5	5	< 1	1	2	3	6	8	8
B. Operated	149	2.6	8	1	1	2	3	5	8	16
1. SINGLE DX	69	1.6	3	< 1	1	1	2	3	4	12
2. MULTIPLE DX	159	2.6	8	1	1	2	3	5	8	16
A. Not Operated	19	1.8	3	< 1	< 1	1	2	4	6	8
B. Operated	209	2.3	7	1	1	1	2	4	7	14
TOTAL										
0-19 YRS	28	2.2	17	< 1	< 1	1	2	3	6	23
20-34	12	2.0	1	1	1	2	3	3	3	3
35-49	27	1.7	1	1	1	1	2	3	4	6
50-64	55	2.8	8	1	1	2	3	7	10	13
65 +	106	2.2	5	1	1	1	3	4	7	13
GRAND TOTAL	**228**	**2.3**	**7**	**1**	**1**	**1**	**2**	**4**	**7**	**14**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	1.1		< 1	1	1	1	2	2	2
20-34	4	1.8	1	< 1	< 1	1	2	3	3	3
35-49	11	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	82	1.0		< 1	< 1	< 1	< 1	1	1	3
65 +	484	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	2	5.0	32	1	1	5	9	9	9	9
65 +	5	3.8	12	< 1	< 1	2	7	8	8	8
B. Operated										
0-19 YRS	22	1.9	3	1	1	1	2	4	6	7
20-34	20	1.4		< 1	1	1	2	2	3	3
35-49	25	2.2	3	1	1	2	3	3	5	9
50-64	102	1.6	2	< 1	< 1	1	2	3	4	9
65 +	473	1.4	1	< 1	< 1	1	1	2	3	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	605	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	8	3.8	13	< 1	< 1	2	7	9	9	9
B. Operated	642	1.5	1	< 1	< 1	1	2	3	3	7
1. SINGLE DX	605	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX	650	1.5	1	< 1	< 1	1	2	3	3	7
A. Not Operated	8	3.8	13	< 1	< 1	2	7	9	9	9
B. Operated	1247	1.3	1	< 1	< 1	< 1	1	2	3	5
TOTAL										
0-19 YRS	47	1.5	1	1	1	1	1	3	4	7
20-34	24	1.4		< 1	1	1	2	2	3	3
35-49	36	1.8	2	< 1	< 1	1	2	3	3	9
50-64	186	1.4	1	< 1	< 1	1	1	2	3	8
65 +	962	1.2	1	< 1	< 1	< 1	1	2	2	5
GRAND TOTAL	**1255**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	329	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	10	1.0		< 1	1	1	1	1	1	1
35-49	9	2.0	3	< 1	< 1	1	2	5	6	6
50-64	8	1.5	1	< 1	1	1	2	3	4	4
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.3	4	< 1	< 1	1	4	5	6	6
20-34	4	1.5		1	1	1	2	2	2	2
35-49	8	3.3	4	< 1	2	3	4	6	7	7
50-64	14	3.6	5	1	2	3	5	7	8	8
65 +	16	5.1	13	2	3	4	6	12	13	14
B. Operated										
0-19 YRS	66	1.4	1	< 1	< 1	1	1	3	4	8
20-34	9	1.7	2	1	1	1	2	4	5	5
35-49	13	2.7	24	< 1	1	1	2	6	17	19
50-64	3	1.7		1	1	2	2	2	2	2
65 +	15	5.5	39	1	1	2	6	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.8		1	1	2	2	2	2	2
B. Operated	358	1.1		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	51	3.6	8	1	1	3	5	7	8	14
B. Operated	106	2.2	11	< 1	< 1	1	2	4	7	18
1. SINGLE DX	363	1.1		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX	157	2.6	10	< 1	1	1	3	5	8	18
A. Not Operated	56	3.4	7	1	1	3	4	7	8	14
B. Operated	464	1.3	3	< 1	< 1	< 1	1	1	2	8
TOTAL										
0-19 YRS	407	1.1		< 1	< 1	< 1	< 1	1	2	4
20-34	23	1.3	1	1	1	1	1	2	4	5
35-49	30	2.6	12	< 1	1	1	3	5	7	19
50-64	26	2.7	4	1	1	2	4	5	7	8
65 +	34	4.9	24	1	2	3	5	14	17	18
GRAND TOTAL	**520**	**1.5**	**4**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**13**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	2.1	2	<1	<1	2	3	3	5	8
20-34	12	3.3	3	1	2	3	4	6	7	7
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	5	3.6	4	2	2	3	5	7	7	7
65 +	5	5.0	10	2	3	4	7	10	10	10
B. Operated										
0-19 YRS	68	1.3	1	<1	<1	<1	1	2	3	7
20-34	22	1.6	1	<1	1	1	2	3	3	3
35-49	34	1.8	1	<1	<1	1	2	3	3	5
50-64	28	1.5	1	<1	<1	1	2	3	3	3
65 +	53	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	4.6	33	2	2	3	5	8	10	38
20-34	9	6.4	52	2	2	5	6	18	25	25
35-49	14	6.0	9	3	4	5	8	11	12	12
50-64	16	5.4	9	1	3	5	8	8	10	11
65 +	29	4.8	14	1	3	4	6	8	10	20
B. Operated										
0-19 YRS	43	4.6	64	<1	1	2	4	14	29	34
20-34	32	3.3	12	1	1	2	4	6	12	17
35-49	46	4.0	19	1	1	2	4	10	16	18
50-64	75	3.9	14	1	2	2	4	10	12	17
65 +	248	3.0	7	1	1	2	3	5	9	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	2.5	3	<1	1	2	3	5	7	9
B. Operated	205	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	156	4.9	26	2	2	4	6	8	11	25
B. Operated	444	3.4	16	1	1	2	4	7	11	19
1. SINGLE DX	304	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	600	3.8	19	1	2	3	4	8	11	21
A. Not Operated	255	4.0	18	<1	2	3	5	8	9	20
B. Operated	649	2.8	12	<1	1	2	3	5	9	18
TOTAL										
0-19 YRS	273	3.1	23	<1	<1	2	3	6	8	30
20-34	75	3.1	13	1	1	2	4	6	7	23
35-49	97	3.5	12	<1	1	2	4	8	11	18
50-64	124	3.6	12	<1	1	2	4	8	11	16
65 +	335	3.0	8	<1	1	2	3	6	9	15
GRAND TOTAL	**904**	**3.2**	**14**	**<1**	**1**	**2**	**3**	**6**	**9**	**18**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	278	3.5	4	2	2	3	4	6	7	10
20-34	13	3.5	2	2	3	3	4	6	7	7
35-49	14	4.4	4	2	4	4	5	7	9	9
50-64	8	4.9	8	1	2	5	7	9	9	9
65 +	7	3.4	4	1	2	3	5	6	6	6
B. Operated										
0-19 YRS	43	1.9	4	<1	1	1	2	4	5	13
20-34	12	2.4	6	<1	1	1	3	6	9	9
35-49	13	2.5	3	1	1	2	3	4	7	8
50-64	27	1.4	1	<1	1	1	1	3	4	5
65 +	60	1.6	3	<1	<1	1	2	3	5	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	396	4.1	7	2	2	4	5	7	8	14
20-34	22	4.4	14	1	2	3	6	9	14	15
35-49	22	4.0	4	2	2	3	6	7	8	8
50-64	30	5.4	13	2	3	4	7	12	13	13
65 +	40	4.7	11	1	3	4	6	9	10	18
B. Operated										
0-19 YRS	83	6.0	49	1	2	3	8	15	19	38
20-34	78	2.8	11	1	1	2	3	6	9	20
35-49	72	4.4	36	1	1	2	4	11	18	30
50-64	142	3.1	10	1	1	2	3	8	10	15
65 +	266	3.9	66	1	1	2	3	7	11	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	320	3.6	4	2	2	3	4	6	8	10
B. Operated	155	1.8	3	<1	1	1	2	3	5	11
2. MULTIPLE DX										
A. Not Operated	510	4.2	8	2	2	4	5	7	9	14
B. Operated	641	3.9	42	1	1	2	4	9	13	31
1. SINGLE DX	475	3.0	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1151	4.1	27	1	2	3	5	8	11	24
A. Not Operated	830	4.0	6	2	2	3	5	7	9	13
B. Operated	796	3.5	35	1	1	2	3	8	12	27
TOTAL										
0-19 YRS	800	4.0	11	1	2	3	5	7	9	16
20-34	125	3.2	10	1	1	2	4	7	9	17
35-49	121	4.1	23	1	2	3	4	8	14	27
50-64	207	3.3	11	1	1	2	4	8	11	14
65 +	373	3.6	49	1	1	2	3	7	11	36
GRAND TOTAL	**1626**	**3.8**	**21**	**1**	**2**	**3**	**4**	**7**	**10**	**18**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	1.8	1	< 1	1	1	2	3	4	4
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	8	6.6	23	2	3	5	10	14	15	15
50-64	15	4.0	15	1	1	3	5	8	14	16
65 +	8	5.1	13	1	3	5	6	11	13	13
B. Operated										
0-19 YRS	9	1.0		< 1	1	1	1	1	1	1
20-34	13	1.9	4	< 1	1	1	2	5	7	8
35-49	12	1.7	1	1	1	1	2	3	4	4
50-64	13	4.2	7	1	2	4	6	8	9	9
65 +	15	2.8	7	1	1	2	3	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.1	1	1	1	2	3	4	4	4
B. Operated	11	1.5		< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	46	4.0	14	1	1	3	5	8	13	16
B. Operated	62	2.4	5	1	1	1	3	6	8	10
1. SINGLE DX	18	1.7	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX	108	3.1	9	1	1	2	4	7	9	15
A. Not Operated	53	3.7	12	1	1	3	4	8	13	16
B. Operated	73	2.3	5	1	1	1	2	6	8	10
TOTAL										
0-19 YRS	27	1.5	1	< 1	1	1	2	3	4	4
20-34	20	1.9	3	< 1	1	1	2	4	6	8
35-49	23	3.4	14	1	1	2	4	9	13	15
50-64	33	3.8	10	1	2	3	5	8	9	16
65 +	23	3.6	10	1	1	2	5	8	11	13
GRAND TOTAL	**126**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	279	2.8	3	1	2	3	3	5	6	9
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2352	1.1		< 1	< 1	< 1	< 1	< 1	< 1	3
20-34	6	1.2		1	1	1	1	2	2	2
35-49	10	1.2		< 1	1	1	1	2	2	2
50-64	8	1.3		1	1	1	2	2	2	2
65 +	4	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	928	3.1	9	1	2	3	4	5	6	10
20-34	17	3.5	2	1	2	4	4	6	6	6
35-49	12	4.2	6	1	2	4	6	8	9	9
50-64	7	5.1	26	< 1	2	5	5	14	16	16
65 +	8	4.0	2	2	3	4	5	6	6	6
B. Operated										
0-19 YRS	945	1.8	5	< 1	< 1	1	1	4	7	11
20-34	24	1.6	2	< 1	1	1	2	3	6	6
35-49	20	1.5	1	< 1	1	1	2	2	4	6
50-64	15	1.3	1	1	1	1	1	2	4	4
65 +	5	1.4	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	283	2.8	3	1	2	3	3	5	6	9
B. Operated	2380	1.1		< 1	< 1	< 1	< 1	< 1	1	3
2. MULTIPLE DX										
A. Not Operated	972	3.2	9	1	2	3	4	5	6	10
B. Operated	1009	1.7	5	< 1	< 1	1	1	4	6	11
1. SINGLE DX	2663	1.2	1	< 1	< 1	< 1	< 1	2	3	5
2. MULTIPLE DX	1981	2.4	7	< 1	1	2	3	5	6	11
A. Not Operated	1255	3.1	7	1	2	3	4	5	6	10
B. Operated	3389	1.3	2	< 1	< 1	< 1	< 1	1	2	8
TOTAL										
0-19 YRS	4504	1.7	4	< 1	< 1	< 1	2	3	5	9
20-34	50	2.2	3	1	1	1	3	5	6	6
35-49	43	2.3	5	< 1	1	1	2	6	8	9
50-64	30	2.2	8	1	1	1	2	5	5	16
65 +	17	2.5	3	< 1	1	2	4	5	6	6
GRAND TOTAL	**4644**	**1.8**	**4**	**< 1**	**< 1**	**< 1**	**2**	**4**	**5**	**9**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	3.3	6	1	2	3	4	5	10	92
20-34	10	3.9	1	2	3	4	5	5	5	5
35-49	9	4.0	1	3	3	4	5	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	127	2.0	6	<1	<1	<1	2	4	7	12
20-34	7	3.4	13	1	1	2	4	10	11	11
35-49	11	2.0	11	1	1	1	1	6	11	12
50-64	5	3.0	12	1	1	1	4	9	9	9
65+	7	2.1	5	1	1	1	2	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	181	3.7	6	1	2	3	5	7	9	14
20-34	23	4.7	7	2	3	4	6	8	10	14
35-49	21	3.6	2	2	3	3	4	5	6	6
50-64	13	9.5	300	3	4	5	6	20	58	67
65+	10	5.8	10	3	4	5	8	11	13	13
B. Operated										
0-19 YRS	141	3.9	15	<1	1	2	6	10	12	15
20-34	17	5.5	44	1	1	4	6	12	22	28
35-49	22	4.2	39	<1	1	1	4	14	21	23
50-64	9	4.0	20	1	1	3	5	11	15	15
65+	12	9.1	114	2	3	5	11	22	37	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	3.5	5	1	2	3	5	5	8	73
B. Operated	157	2.1	6	<1	<1	1	2	5	8	12
2. MULTIPLE DX										
A. Not Operated	248	4.2	22	1	2	3	5	7	9	14
B. Operated	201	4.4	27	<1	1	2	6	11	14	25
1. SINGLE DX	237	2.5	6	<1	<1	1	3	5	8	14
2. MULTIPLE DX	449	4.3	24	1	2	3	5	9	12	20
A. Not Operated	328	4.0	18	1	2	3	5	7	9	14
B. Operated	358	3.4	19	<1	<1	1	4	9	12	20
TOTAL										
0-19 YRS	507	3.3	9	<1	1	2	4	7	10	15
20-34	57	4.6	18	1	2	4	5	8	12	27
35-49	63	3.6	16	1	1	3	4	6	12	23
50-64	28	6.4	150	1	2	4	5	9	20	67
65+	31	6.1	54	1	2	4	8	12	15	40
GRAND TOTAL	**686**	**3.7**	**19**	**<1**	**1**	**3**	**5**	**8**	**11**	**16**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.4	2	<1	1	2	3	5	5	5
20-34	23	2.3	2	1	1	2	3	5	6	6
35-49	29	2.3	2	1	1	2	3	5	5	6
50-64	39	2.8	4	1	1	2	3	6	7	9
65+	40	3.2	3	1	2	3	4	6	7	8
B. Operated										
0-19 YRS	8	1.6	3	<1	1	1	1	5	6	6
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	7	2.3	4	1	1	1	3	5	6	6
50-64	5	3.0	3	1	2	3	4	5	5	5
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.6	3	1	1	2	4	5	5	5
20-34	28	2.9	5	1	1	2	3	5	8	11
35-49	90	3.7	10	1	2	3	5	6	7	21
50-64	206	3.4	6	1	2	3	4	6	8	13
65+	389	4.1	8	2	2	3	5	8	9	15
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	1	9.0		9	9	9	9	9	9	9
35-49	7	5.0	21	1	1	2	9	12	12	12
50-64	15	6.4	30	1	2	5	9	14	18	20
65+	20	6.9	14	2	4	7	10	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	2.7	3	1	1	2	3	5	6	8
B. Operated	24	2.2	3	1	1	1	3	5	6	6
2. MULTIPLE DX										
A. Not Operated	718	3.8	7	1	2	3	5	7	9	14
B. Operated	47	6.0	21	1	2	5	9	12	13	20
1. SINGLE DX	162	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	765	3.9	8	1	2	3	5	7	9	15
A. Not Operated	856	3.6	7	1	2	3	5	7	8	14
B. Operated	71	4.7	18	1	1	3	8	11	12	19
TOTAL										
0-19 YRS	24	2.0	2	1	1	1	3	5	5	6
20-34	54	2.8	5	1	1	2	3	5	8	11
35-49	133	3.4	9	1	2	3	5	6	7	21
50-64	265	3.5	7	1	2	3	4	7	9	14
65+	451	4.1	8	2	2	3	5	8	9	14
GRAND TOTAL	**927**	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	16	1.3		1	1	1	2	2	2	2
35-49	17	1.1		1	1	1	1	1	2	2
50-64	17	1.0		1	1	1	1	1	1	1
65 +	6	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	1.2		1	1	1	1	2	2	2
35-49	10	1.0		1	1	1	1	1	1	1
50-64	5	1.6	1	1	1	1	2	3	3	3
65 +	5	1.6	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	57	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	28	1.3		1	1	1	1	2	3	3
1. SINGLE DX	57	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX	28	1.3		1	1	1	1	2	3	3
A. Not Operated	0									
B. Operated	85	1.2		1	1	1	1	2	2	3
TOTAL										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	22	1.2		1	1	1	1	2	2	2
35-49	27	1.0		1	1	1	1	1	2	2
50-64	22	1.1		1	1	1	1	2	2	3
65 +	11	1.6		1	1	2	2	3	3	3
GRAND TOTAL	**85**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**3**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.3		< 1	< 1	1	1	2	3	3
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	281	1.2	3	< 1	< 1	1	1	1	2	4
20-34	33	1.6	2	< 1	1	1	2	3	6	7
35-49	22	1.3	1	< 1	1	1	1	3	4	4
50-64	23	1.0		< 1	1	1	1	1	2	2
65 +	15	1.3	1	< 1	< 1	1	1	2	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.2	6	< 1	1	2	4	7	9	10
20-34	5	4.0	11	< 1	1	3	7	8	8	8
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64	5	2.6	1	1	2	3	3	4	4	4
65 +	8	3.9	4	2	2	4	5	6	7	7
B. Operated										
0-19 YRS	213	1.4	2	< 1	1	1	1	2	3	9
20-34	46	1.6	2	1	1	1	1	3	5	8
35-49	46	1.5	1	1	1	1	2	3	4	6
50-64	42	1.4	1	< 1	1	1	1	3	4	5
65 +	28	2.1	3	< 1	1	1	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.1	5	< 1	< 1	1	2	6	8	8
B. Operated	374	1.3	3	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	40	3.5	5	< 1	1	3	5	7	8	10
B. Operated	375	1.5	2	< 1	1	1	1	2	4	8
1. SINGLE DX	387	1.3	3	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX	415	1.7	3	< 1	1	1	2	4	5	9
A. Not Operated	53	3.2	6	< 1	1	2	5	7	8	10
B. Operated	749	1.4	2	< 1	1	1	1	2	4	7
TOTAL										
0-19 YRS	523	1.4	3	< 1	< 1	1	1	2	3	8
20-34	84	1.7	3	< 1	1	1	2	4	7	8
35-49	72	1.7	2	1	1	1	2	4	6	8
50-64	72	1.4	1	< 1	1	1	1	3	4	5
65 +	51	2.2	3	< 1	1	1	3	5	5	7
GRAND TOTAL	**802**	**1.5**	**3**	**< 1**	**1**	**1**	**1**	**2**	**4**	**8**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	5.5	13	2	3	4	7	10	14	17
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	5.0	6	2	3	5	7	8	9	10
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	0									
65 +	2	8.5	41	4	4	8	13	13	13	13
B. Operated										
0-19 YRS	3	10.3	17	7	7	9	13	15	15	15
20-34	1	10.0		10	10	10	10	10	10	10
35-49	3	9.7	34	3	5	12	13	14	14	14
50-64	2	13.0	50	8	8	13	18	18	18	18
65 +	3	14.7	134	7	7	9	23	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	5.0	12	2	3	4	6	9	12	17
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	26	5.3	8	2	3	5	7	9	11	13
B. Operated	12	11.7	43	6	8	10	14	21	27	28
1. SINGLE DX	25	5.0	12	2	3	4	6	9	12	17
2. MULTIPLE DX	38	7.3	27	2	4	6	9	14	17	28
A. Not Operated	50	5.2	10	2	3	4	7	9	10	17
B. Operated	13	11.2	42	5	7	9	14	20	26	28
TOTAL										
0-19 YRS	43	5.6	11	2	3	5	7	9	12	17
20-34	6	4.5	13	1	2	3	8	10	10	10
35-49	7	7.0	21	2	3	6	11	14	14	14
50-64	2	13.0	50	8	8	13	18	18	18	18
65 +	5	12.2	89	4	6	9	17	28	28	28
GRAND TOTAL	**63**	**6.4**	**22**	**2**	**3**	**6**	**8**	**12**	**16**	**27**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	3.4	13	< 1	< 1	2	6	9	10	10
20-34	8	7.1	18	1	4	8	10	12	12	12
35-49	14	6.9	17	1	2	8	10	11	13	14
50-64	21	6.4	26	1	1	7	10	13	15	16
65 +	5	6.4	20	1	2	9	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.9	5	1	1	2	4	7	7	7
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	13	3.4	8	< 1	1	3	4	8	10	10
50-64	29	5.5	24	1	3	4	6	11	18	23
65 +	35	6.9	17	2	4	7	8	11	15	21
B. Operated										
0-19 YRS	15	8.1	64	1	2	8	11	19	27	30
20-34	24	9.9	48	1	7	9	12	19	26	30
35-49	80	10.4	74	2	4	9	13	22	25	47
50-64	115	11.5	103	2	6	10	15	19	26	91
65 +	147	11.7	108	2	3	11	16	22	26	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.0		5	5	5	5	5	5	5
B. Operated	55	6.2	20	1	1	7	10	12	14	16
2. MULTIPLE DX										
A. Not Operated	86	5.5	18	1	3	4	8	10	14	22
B. Operated	381	11.1	94	2	4	10	15	22	26	58
1. SINGLE DX	57	6.2	20	1	1	7	10	12	13	16
2. MULTIPLE DX	467	10.1	85	1	3	9	14	20	24	50
A. Not Operated	88	5.5	18	1	3	5	8	10	13	22
B. Operated	436	10.5	87	1	3	9	14	20	25	53
TOTAL										
0-19 YRS	29	5.7	42	< 1	1	2	8	12	20	30
20-34	35	8.9	39	1	5	8	11	16	22	30
35-49	108	9.0	64	1	3	8	11	19	24	43
50-64	165	9.8	86	1	3	9	14	18	23	80
65 +	187	10.6	93	2	3	9	14	21	24	54
GRAND TOTAL	**524**	**9.7**	**79**	**1**	**3**	**9**	**13**	**19**	**24**	**45**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.9	9	1	2	3	5	9	11	12
20-34	12	3.4	3	2	2	3	5	6	6	6
35-49	57	2.6	2	1	2	2	3	4	5	7
50-64	68	3.1	4	1	2	3	4	6	7	10
65 +	37	3.2	4	1	2	3	4	6	8	10
B. Operated										
0-19 YRS	6	2.5	4	<1	1	2	3	6	6	6
20-34	3	1.7		1	1	2	2	2	2	2
35-49	11	2.4	3	<1	1	2	3	5	6	6
50-64	11	2.1	4	1	1	2	2	5	8	8
65 +	4	4.0	17	1	1	2	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	3.4	3	2	2	3	5	6	7	7
20-34	95	3.9	7	1	2	4	5	7	9	13
35-49	375	3.9	6	1	2	3	5	7	8	12
50-64	446	4.2	9	2	2	3	5	8	9	13
65 +	506	4.8	16	2	2	4	6	9	13	21
B. Operated										
0-19 YRS	13	5.5	17	2	2	5	7	10	16	17
20-34	23	8.2	35	2	4	8	10	13	20	30
35-49	60	8.3	150	2	3	5	9	14	20	84
50-64	83	5.7	41	1	2	4	8	12	17	39
65 +	84	6.7	54	1	2	4	8	12	18	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	194	3.1	4	1	2	3	4	6	7	11
B. Operated	35	2.4	4	1	1	2	3	6	8	10
2. MULTIPLE DX										
A. Not Operated	1460	4.3	10	2	2	4	5	8	10	17
B. Operated	263	6.8	69	1	2	5	8	13	18	44
1. SINGLE DX	229	3.0	4	1	2	2	4	6	7	10
2. MULTIPLE DX	1723	4.7	20	1	2	4	6	9	12	20
A. Not Operated	1654	4.2	10	1	2	3	5	7	10	16
B. Operated	298	6.3	63	1	2	4	8	13	17	42
TOTAL										
0-19 YRS	77	3.8	7	2	2	3	5	7	8	16
20-34	133	4.5	14	1	2	4	6	9	11	17
35-49	503	4.2	25	1	2	3	5	7	10	15
50-64	608	4.3	13	1	2	3	5	8	10	17
65 +	631	5.0	21	2	2	4	6	9	13	25
GRAND TOTAL	**1952**	**4.5**	**19**	**1**	**2**	**3**	**5**	**8**	**11**	**18**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	14	3.7	2	2	3	4	4	5	7	8
50-64	14	4.6	6	2	2	5	6	7	9	10
65 +	25	5.0	8	2	3	4	7	9	10	10
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	5	3.6	6	1	2	3	5	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	3.4	2	2	2	3	4	5	6	6
35-49	112	5.7	20	2	3	5	6	10	15	26
50-64	316	6.3	17	2	4	5	8	11	14	23
65 +	896	7.7	40	3	4	6	9	14	19	31
B. Operated										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	7	10.7	85	3	5	8	13	27	30	30
35-49	34	10.7	219	1	3	6	11	21	47	73
50-64	97	6.8	29	1	2	6	11	14	17	22
65 +	150	12.1	73	3	6	10	16	24	29	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	4.4	6	2	3	4	6	9	9	10
B. Operated	8	3.1	5	1	1	2	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	1336	7.1	33	3	4	6	8	13	17	29
B. Operated	289	10.2	81	1	4	9	14	21	27	45
1. SINGLE DX	64	4.3	6	2	2	4	6	8	9	10
2. MULTIPLE DX	1625	7.7	43	2	4	6	9	14	20	31
A. Not Operated	1392	7.0	32	3	4	6	8	13	17	29
B. Operated	297	10.0	81	1	4	8	13	21	27	45
TOTAL										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	22	5.6	38	2	2	4	6	10	20	30
35-49	162	6.5	64	2	3	5	7	12	18	51
50-64	432	6.3	19	2	3	5	9	12	14	22
65 +	1072	8.2	46	3	4	6	10	16	21	32
GRAND TOTAL	**1689**	**7.5**	**42**	**2**	**4**	**6**	**9**	**14**	**20**	**31**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	4.3	7	2	2	3	6	8	8	8
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	6	7.2	20	2	2	8	11	12	12	12
35-49	10	3.5	16	< 1	1	2	3	10	13	13
50-64	13	5.8	27	1	2	6	8	12	18	19
65 +	8	3.3	1	1	3	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	4.2	9	2	2	3	5	8	11	15
20-34	14	3.0	4	1	1	3	3	7	7	7
35-49	27	4.9	7	2	3	4	7	8	11	11
50-64	39	5.7	18	2	3	4	7	12	15	19
65 +	70	9.2	113	2	4	7	11	17	19	73
B. Operated										
0-19 YRS	40	15.4	276	2	5	12	18	41	68	99 +
20-34	82	9.1	81	2	3	7	11	21	28	47
35-49	139	9.8	61	2	5	8	13	18	23	33
50-64	166	9.8	93	2	3	7	13	22	28	49
65 +	122	11.1	144	2	3	8	15	24	36	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.1	4	2	3	4	5	8	8	8
B. Operated	40	4.7	17	1	2	3	7	11	12	19
2. MULTIPLE DX										
A. Not Operated	196	6.3	52	2	3	4	8	13	16	26
B. Operated	549	10.4	109	2	4	8	13	21	29	59
1. SINGLE DX	49	4.6	15	1	2	3	7	10	12	19
2. MULTIPLE DX	745	9.3	97	2	3	7	12	19	26	52
A. Not Operated	205	6.2	50	2	3	4	7	13	16	25
B. Operated	589	10.0	105	2	3	7	13	21	28	56
TOTAL										
0-19 YRS	91	9.1	155	2	3	5	12	20	38	96
20-34	103	8.1	71	2	3	6	10	17	24	44
35-49	180	8.6	54	2	4	7	11	17	21	28
50-64	220	8.8	78	2	3	6	11	19	26	47
65 +	200	10.1	129	2	3	7	13	20	29	86
GRAND TOTAL	**794**	**9.0**	**93**	**2**	**3**	**6**	**12**	**19**	**25**	**51**

145: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	8.0	98	1	1	8	15	15	15	15
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	0									
35-49	4	1.8	2	< 1	< 1	1	3	4	4	4
50-64	5	4.6	7	1	2	5	6	8	8	8
65 +	6	4.5	34	1	1	2	5	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.0	13	1	2	3	4	8	13	15
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	12	5.0	13	2	3	4	6	9	14	15
50-64	40	7.2	19	3	4	6	9	12	18	20
65 +	65	8.3	38	3	4	7	10	15	22	33
B. Operated										
0-19 YRS	4	12.3	87	2	4	12	20	22	22	22
20-34	8	6.3	25	2	3	4	8	15	17	17
35-49	20	6.2	33	1	2	4	9	17	18	18
50-64	46	10.7	129	1	3	7	15	22	30	63
65 +	56	13.3	195	2	5	9	17	25	42	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.2	34	1	2	2	8	15	15	15
B. Operated	17	3.9	15	1	1	3	5	8	13	16
2. MULTIPLE DX										
A. Not Operated	133	7.2	29	2	4	6	9	15	18	27
B. Operated	134	10.9	139	2	3	8	15	21	32	66
1. SINGLE DX	22	4.2	18	1	1	3	6	10	15	16
2. MULTIPLE DX	267	9.0	87	2	3	7	11	18	24	49
A. Not Operated	138	7.1	29	2	3	6	9	15	18	26
B. Operated	151	10.1	130	1	3	7	14	21	29	63
TOTAL										
0-19 YRS	22	6.0	36	1	2	3	7	16	20	22
20-34	10	6.2	23	2	3	4	10	14	17	17
35-49	37	5.2	24	1	2	3	6	14	17	18
50-64	92	8.7	76	2	3	7	11	18	22	50
65 +	128	10.3	113	2	4	8	12	21	26	57
GRAND TOTAL	**289**	**8.7**	**84**	**2**	**3**	**6**	**10**	**18**	**22**	**48**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	4.8	15	<1	1	4	7	10	10	10
35-49	46	5.7	8	1	3	6	8	9	10	11
50-64	113	6.0	11	1	3	6	8	9	10	15
65+	110	7.5	11	3	5	7	9	11	12	18
B. Operated										
0-19 YRS	0									
20-34	10	8.3	22	2	4	9	11	14	17	17
35-49	74	7.2	6	4	6	7	9	10	12	13
50-64	70	7.9	11	4	6	8	9	11	13	21
65+	29	8.0	18	3	5	8	10	14	17	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	20	5.4	8	2	3	5	7	9	10	12
35-49	257	6.9	11	3	5	7	9	11	13	20
50-64	1007	8.0	18	3	6	8	9	13	15	24
65+	3166	9.6	29	5	7	9	11	15	19	31
B. Operated										
0-19 YRS	0									
20-34	40	7.6	13	4	5	7	9	11	15	19
35-49	633	8.8	19	4	6	8	10	14	17	23
50-64	1247	10.5	53	4	7	9	12	18	23	39
65+	1372	13.3	95	5	8	11	16	24	31	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	273	6.5	11	1	4	7	9	10	11	16
B. Operated	183	7.7	11	4	6	8	9	11	13	20
2. MULTIPLE DX										
A. Not Operated	4450	9.0	26	4	6	8	11	14	18	29
B. Operated	3292	11.3	67	5	7	9	13	19	25	47
1. SINGLE DX	456	7.0	11	2	5	7	9	11	12	18
2. MULTIPLE DX	7742	10.0	45	4	6	9	12	17	21	38
A. Not Operated	4723	8.9	25	4	6	8	11	14	17	29
B. Operated	3475	11.1	65	5	7	9	13	19	25	46
TOTAL										
0-19 YRS	0									
20-34	74	6.9	14	3	4	7	9	11	14	19
35-49	1010	8.0	17	4	6	8	10	13	15	22
50-64	2437	9.2	37	4	6	8	11	15	20	31
65+	4677	10.6	51	5	7	9	12	18	23	40
GRAND TOTAL	**8198**	**9.8**	**43**	**4**	**6**	**9**	**12**	**16**	**21**	**37**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	55	2.7	2	1	2	3	3	4	6	7
50-64	64	2.6	3	1	1	2	3	4	5	9
65+	90	3.0	5	1	2	2	4	5	9	13
B. Operated										
0-19 YRS	0									
20-34	4	3.8	5	2	2	3	5	7	7	7
35-49	28	1.8	1	1	1	2	2	4	4	5
50-64	60	2.1	3	1	1	1	2	4	5	9
65+	24	2.0	4	1	1	1	2	5	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	40	2.7	2	1	2	2	4	5	6	6
35-49	383	3.0	2	1	2	3	4	5	6	8
50-64	1045	3.6	5	1	2	3	4	6	7	12
65+	2248	4.3	7	2	3	4	5	7	9	15
B. Operated										
0-19 YRS	0									
20-34	17	4.6	15	1	2	3	7	11	12	13
35-49	268	3.2	7	1	1	2	4	7	8	13
50-64	734	3.7	14	1	1	2	5	8	11	17
65+	677	5.0	32	1	2	3	7	10	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	213	2.8	3	1	2	2	3	4	6	10
B. Operated	116	2.0	3	1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	3716	3.9	6	2	2	3	5	7	8	14
B. Operated	1696	4.1	21	1	1	3	5	9	12	21
1. SINGLE DX	329	2.5	3	1	1	2	3	4	6	10
2. MULTIPLE DX	5412	4.0	11	1	2	3	5	8	9	16
A. Not Operated	3929	3.9	6	2	2	3	5	7	8	14
B. Operated	1812	4.0	20	1	1	2	5	9	11	20
TOTAL										
0-19 YRS	0									
20-34	65	3.2	6	1	2	2	4	6	9	13
35-49	734	3.0	4	1	2	3	4	6	7	10
50-64	1903	3.5	9	1	2	3	4	7	9	14
65+	3039	4.4	13	1	2	4	5	8	10	17
GRAND TOTAL	**5741**	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	73	2.6	3	1	1	2	3	5	6	8
50-64	135	3.0	3	1	2	3	4	6	6	10
65 +	167	3.5	5	2	2	3	4	7	8	13
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	28	3.5	7	1	2	3	5	8	9	10
50-64	81	4.1	11	1	2	3	6	8	11	17
65 +	44	5.4	40	1	2	4	6	10	13	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	27	4.6	30	1	2	3	5	7	12	30
35-49	520	3.6	5	1	2	3	4	6	8	13
50-64	1602	4.2	8	2	2	4	5	7	9	15
65 +	4253	4.9	12	2	3	4	6	8	11	18
B. Operated										
0-19 YRS	0									
20-34	18	5.8	13	2	2	5	8	12	13	13
35-49	540	6.1	22	2	3	5	8	11	14	22
50-64	1540	6.9	43	2	3	6	9	13	16	26
65 +	1846	8.3	54	2	3	7	11	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	376	3.2	4	1	2	3	4	6	7	10
B. Operated	154	4.3	19	1	2	3	6	8	11	18
2. MULTIPLE DX										
A. Not Operated	6405	4.6	11	2	3	4	6	8	10	17
B. Operated	3944	7.5	46	2	3	6	10	14	18	33
1. SINGLE DX	530	3.5	9	1	2	3	4	7	8	14
2. MULTIPLE DX	10349	5.7	26	2	3	4	7	11	14	25
A. Not Operated	6781	4.6	11	2	3	4	6	8	10	16
B. Operated	4098	7.3	45	2	3	6	10	14	18	33
TOTAL										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	47	5.0	22	1	2	4	6	9	13	30
35-49	1161	4.7	14	1	2	4	6	9	12	18
50-64	3358	5.4	26	2	3	4	7	10	13	22
65 +	6310	5.9	27	2	3	4	7	11	15	27
GRAND TOTAL	**10879**	**5.6**	**25**	**2**	**3**	**4**	**7**	**11**	**14**	**25**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	10	1.9	1	1	1	2	3	4	4	4
50-64	16	3.1	4	1	2	3	4	4	8	9
65 +	13	4.7	5	2	3	4	6	8	9	9
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	167	3.6	12	1	1	2	6	8	10	14
50-64	529	3.4	11	1	1	2	5	9	10	14
65 +	221	3.6	18	1	1	1	5	10	11	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	10	3.5	5	1	2	3	6	7	7	7
35-49	110	3.6	7	1	2	3	4	6	8	16
50-64	286	4.3	10	1	2	3	5	8	10	15
65 +	423	5.5	30	2	3	4	7	10	14	28
B. Operated										
0-19 YRS	5	1.2		< 1	< 1	< 1	1	2	2	2
20-34	65	6.0	21	1	2	5	8	13	16	20
35-49	1453	6.4	28	1	2	5	9	12	15	26
50-64	4498	7.4	45	1	2	7	10	14	18	30
65 +	3877	9.2	68	1	3	8	12	18	23	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	3.4	4	1	2	3	4	6	8	9
B. Operated	922	3.5	13	1	1	2	5	9	10	15
2. MULTIPLE DX										
A. Not Operated	832	4.8	20	1	2	4	6	9	12	23
B. Operated	9898	7.9	52	1	3	7	11	16	20	36
1. SINGLE DX	963	3.5	13	1	1	2	5	9	10	14
2. MULTIPLE DX	10730	7.7	50	1	3	7	10	15	20	36
A. Not Operated	873	4.7	19	1	2	4	6	9	12	23
B. Operated	10820	7.6	51	1	2	7	10	15	20	35
TOTAL										
0-19 YRS	10	2.1	6	< 1	< 1	1	2	6	9	9
20-34	80	5.5	19	1	2	4	8	10	16	20
35-49	1740	5.9	26	1	2	5	9	12	14	23
50-64	5329	6.8	41	1	2	6	9	14	17	29
65 +	4534	8.6	64	1	3	7	12	17	22	43
GRAND TOTAL	**11693**	**7.4**	**49**	**1**	**2**	**6**	**10**	**15**	**19**	**35**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	7.3	9	2	6	8	9	10	11	11
35-49	20	7.7	5	5	6	8	9	12	52	99 +
50-64	11	7.8	8	3	6	8	10	11	11	11
65 +	15	9.1	20	1	6	10	13	14	15	15
B. Operated										
0-19 YRS	0									
20-34	3	6.7	17	2	3	8	9	10	10	10
35-49	3	5.0	16	1	2	5	8	9	9	9
50-64	2	18.5	181	9	9	18	28	28	28	28
65 +	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	5.1	5	2	4	5	7	8	9	9
20-34	44	8.5	29	4	5	7	10	14	20	31
35-49	71	9.4	28	3	7	9	11	14	20	32
50-64	149	9.7	18	6	7	9	12	14	18	25
65 +	353	11.3	37	6	8	10	13	18	22	32
B. Operated										
0-19 YRS	13	8.6	176	3	3	5	7	19	46	52
20-34	18	16.9	125	7	8	13	20	37	40	41
35-49	30	15.0	75	8	9	13	16	29	38	39
50-64	56	12.0	58	6	9	11	14	19	20	55
65 +	120	15.1	101	7	9	12	17	25	35	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	8.0	10	4	6	8	10	13	14	95
B. Operated	10	8.7	56	1	5	8	9	19	28	28
2. MULTIPLE DX										
A. Not Operated	627	10.4	32	5	7	9	12	16	20	31
B. Operated	237	14.1	95	6	9	11	16	25	36	53
1. SINGLE DX	65	8.1	16	4	6	8	10	13	14	88
2. MULTIPLE DX	864	11.4	52	6	7	10	13	19	24	42
A. Not Operated	682	10.2	31	5	7	9	12	16	20	32
B. Operated	247	13.9	95	6	9	11	16	25	34	52
TOTAL										
0-19 YRS	24	7.0	96	3	3	5	7	9	23	52
20-34	73	10.3	63	4	6	8	11	19	31	41
35-49	124	10.3	42	5	7	9	12	16	24	54
50-64	218	10.3	30	6	7	9	12	16	19	29
65 +	490	12.2	55	6	8	10	14	20	25	43
GRAND TOTAL	**929**	**11.2**	**50**	**5**	**7**	**10**	**13**	**18**	**24**	**42**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	14.0		14	14	14	14	14	14	14
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	20.0	139	5	13	16	28	40	43	43
20-34	45	17.4	147	3	7	15	28	33	42	44
35-49	38	22.7	170	6	11	25	30	39	49	53
50-64	15	20.1	265	4	7	16	30	37	56	63
65 +	27	19.6	234	5	8	17	27	35	55	69
B. Operated										
0-19 YRS	10	36.7	718	7	11	41	47	74	95	95
20-34	31	35.1	325	17	28	32	47	97	99 +	99 +
35-49	39	30.8	157	13	24	31	42	45	49	60
50-64	27	31.5	174	12	20	33	43	47	51	54
65 +	32	23.8	123	11	14	24	32	40	42	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.4	19	1	2	4	9	11	11	11
B. Operated	3	6.3	44	2	2	3	11	14	14	14
2. MULTIPLE DX										
A. Not Operated	142	19.8	180	4	8	17	29	35	44	63
B. Operated	139	30.7	240	12	19	31	42	48	59	99 +
1. SINGLE DX	8	5.8	24	1	2	3	10	13	14	14
2. MULTIPLE DX	281	25.2	238	7	13	26	35	44	51	99
A. Not Operated	147	19.3	181	4	8	16	29	35	43	63
B. Operated	142	30.2	247	12	18	31	42	48	59	99 +
TOTAL										
0-19 YRS	29	24.5	413	3	10	16	40	45	55	95
20-34	78	24.2	291	5	11	26	34	47	85	99 +
35-49	79	26.3	182	8	14	28	32	44	49	58
50-64	43	26.8	241	6	13	29	38	46	51	63
65 +	60	31.5	178	6	12	18	30	38	42	67
GRAND TOTAL	**289**	**24.7**	**242**	**6**	**12**	**25**	**34**	**44**	**51**	**99**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.7	3	1	1	2	4	5	6	6
20-34	11	2.1	2	1	1	2	3	4	4	4
35-49	19	1.8	1	1	1	1	3	3	4	4
50-64	17	2.9	9	1	2	2	3	6	11	13
65 +	17	5.5	64	1	2	3	6	9	26	35
B. Operated										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	4.3	[illegible]	1	2	2	3	8	18	37
20-34	24	3.6	7	1	2	3	5	7	10	12
35-49	45	2.9	7	1	1	2	3	8	10	11
50-64	97	2.8	3	1	1	3	4	5	6	9
65 +	240	4.6	18	1	2	4	5	8	12	23
B. Operated										
0-19 YRS	4	7.0	10	4	4	6	9	11	11	11
20-34	4	6.0	13	3	3	6	9	10	10	10
35-49	15	7.5	48	2	3	5	10	12	25	29
50-64	18	5.8	13	2	3	5	6	10	15	17
65 +	32	10.6	53	3	5	9	14	19	29	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	3.0	17	1	1	2	3	5	7	28
B. Operated	6	2.8	3	2	2	2	3	6	6	6
2. MULTIPLE DX										
A. Not Operated	430	4.0	15	1	2	3	5	7	10	21
B. Operated	73	8.3	40	2	4	7	11	16	21	31
1. SINGLE DX	88	3.0	16	1	1	2	3	6	7	27
2. MULTIPLE DX	503	4.6	21	1	2	3	5	9	13	27
A. Not Operated	512	3.8	16	1	2	3	4	7	10	22
B. Operated	79	7.9	40	2	3	6	11	15	20	31
TOTAL										
0-19 YRS	49	3.8	29	1	2	2	4	7	10	37
20-34	41	3.5	7	1	2	3	4	7	9	12
35-49	80	3.5	17	1	1	2	4	9	11	24
50-64	132	3.3	6	1	2	3	4	6	8	14
65 +	289	5.3	27	2	2	4	6	10	15	31
GRAND TOTAL	**591**	**4.4**	**21**	**1**	**2**	**3**	**5**	**9**	**12**	**28**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.0	2	< 1	1	2	2	3	5	6
20-34	39	1.8	1	< 1	1	2	2	3	4	4
35-49	48	1.8	1	1	1	2	2	3	4	5
50-64	88	2.4	2	1	1	2	3	4	5	8
65 +	106	2.5	3	1	1	2	3	5	6	10
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	12.5	145	4	4	12	21	21	21	21
50-64	7	2.6	2	1	1	2	4	5	5	5
65 +	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	4.7	12	1	2	4	6	10	11	15
20-34	62	2.7	5	1	1	2	3	5	6	13
35-49	190	3.3	6	1	2	3	4	6	7	12
50-64	693	4.3	15	1	2	3	5	8	11	19
65 +	2184	5.2	18	2	3	4	7	10	13	22
B. Operated										
0-19 YRS	12	7.1	105	1	2	4	7	20	35	38
20-34	11	5.2	15	2	3	4	7	12	12	12
35-49	19	5.9	18	2	3	5	7	10	16	20
50-64	105	7.3	23	2	4	6	10	13	15	26
65 +	270	11.1	125	3	5	8	13	23	33	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	296	2.2	2	1	1	2	3	4	5	8
B. Operated	14	4.2	27	1	2	3	4	9	18	21
2. MULTIPLE DX										
A. Not Operated	3155	4.9	16	2	2	4	6	9	12	22
B. Operated	417	9.7	95	2	4	7	11	20	26	47
1. SINGLE DX	310	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	3572	5.4	28	2	2	4	7	10	14	26
A. Not Operated	3451	4.6	16	1	2	4	6	9	12	21
B. Operated	431	9.5	94	2	4	7	11	20	25	47
TOTAL										
0-19 YRS	54	4.4	31	1	2	3	5	9	12	37
20-34	113	2.7	5	1	1	2	3	5	7	13
35-49	259	3.3	8	1	2	2	4	6	7	19
50-64	893	4.4	16	1	2	3	6	9	12	21
65 +	2563	5.7	32	2	3	4	7	11	15	28
GRAND TOTAL	**3882**	**5.2**	**27**	**1**	**2**	**4**	**6**	**10**	**14**	**25**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	2.9	7	1	1	2	4	5	10	14
20-34	39	2.6	3	1	1	2	3	5	7	8
35-49	50	2.4	3	1	1	2	3	5	6	9
50-64	71	3.0	5	1	2	2	4	5	6	15
65 +	79	3.7	7	1	2	3	5	8	9	12
B. Operated										
0-19 YRS	37	3.8	19	<1	1	2	5	8	15	19
20-34	19	3.9	9	1	1	3	7	8	8	8
35-49	13	5.6	23	1	2	4	8	14	15	15
50-64	36	4.9	14	1	2	4	7	10	13	15
65 +	64	4.1	5	2	2	4	5	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	135	4.1	15	1	2	3	5	8	12	22
20-34	141	3.7	13	1	2	3	4	8	10	19
35-49	296	3.4	6	1	2	3	4	6	8	11
50-64	672	4.7	17	1	2	4	6	9	12	21
65 +	2207	5.5	19	2	3	4	7	10	13	21
B. Operated										
0-19 YRS	85	9.7	251	1	2	5	11	18	34	93
20-34	71	7.3	26	2	3	6	9	15	18	21
35-49	132	8.6	85	2	3	6	10	20	29	69
50-64	408	10.3	111	2	4	7	12	24	29	62
65 +	1503	9.3	72	3	4	7	11	18	25	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	314	3.0	6	1	1	2	4	6	8	12
B. Operated	169	4.3	12	1	2	3	6	9	11	17
2. MULTIPLE DX										
A. Not Operated	3451	5.0	18	2	2	4	6	9	12	21
B. Operated	2199	9.4	86	2	4	7	11	18	26	50
1. SINGLE DX	483	3.5	8	1	2	3	4	7	9	15
2. MULTIPLE DX	5650	6.7	49	2	3	5	8	13	18	37
A. Not Operated	3765	4.8	17	1	2	4	6	9	12	21
B. Operated	2368	9.0	82	2	4	7	11	18	25	48
TOTAL										
0-19 YRS	332	5.2	80	1	2	3	6	11	15	52
20-34	270	4.5	17	1	2	3	6	10	13	19
35-49	491	4.8	33	1	2	3	6	9	15	35
50-64	1187	6.5	56	2	2	4	8	14	20	42
65 +	3853	6.9	43	2	3	5	8	13	18	34
GRAND TOTAL	**6133**	**6.5**	**46**	**2**	**3**	**5**	**8**	**13**	**18**	**36**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	0									
35-49	13	3.6	3	2	2	3	4	7	7	7
50-64	36	6.8	31	2	3	5	8	16	21	24
65 +	157	6.0	28	2	3	5	7	11	15	33
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	8.5	28	1	5	10	12	13	13	13
50-64	0									
65 +	4	13.3	171	1	3	11	23	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	141	5.9	40	2	2	4	7	12	18	30
20-34	88	5.5	20	2	3	5	7	9	10	30
35-49	538	5.9	17	2	3	5	7	11	14	20
50-64	2135	6.6	25	2	4	5	8	12	15	26
65 +	9007	7.4	32	3	4	6	9	14	17	30
B. Operated										
0-19 YRS	32	15.1	123	5	8	12	19	35	49	99 +
20-34	48	8.6	64	1	2	7	12	18	21	43
35-49	180	8.2	46	1	4	7	11	16	21	35
50-64	465	11.7	124	2	5	8	15	24	33	59
65 +	1096	13.5	117	4	6	11	17	27	37	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	209	6.0	27	2	3	5	7	11	16	29
B. Operated	8	10.9	92	1	3	10	15	26	30	30
2. MULTIPLE DX										
A. Not Operated	11909	7.1	31	3	4	6	9	13	17	29
B. Operated	1821	12.4	113	3	6	9	16	25	34	58
1. SINGLE DX	217	6.2	30	2	3	5	7	12	17	31
2. MULTIPLE DX	13730	7.8	45	3	4	6	9	15	20	37
A. Not Operated	12118	7.1	31	3	4	6	9	13	17	29
B. Operated	1829	12.4	113	3	6	9	16	25	34	58
TOTAL										
0-19 YRS	176	7.6	66	2	2	5	9	17	28	48
20-34	136	6.6	37	2	3	5	8	12	18	39
35-49	735	6.5	25	2	3	5	8	13	16	25
50-64	2636	7.5	46	2	4	6	9	14	19	38
65 +	10264	8.0	45	3	4	6	10	15	20	37
GRAND TOTAL	**13947**	**7.8**	**45**	**3**	**4**	**6**	**9**	**15**	**20**	**37**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.4	7	1	2	3	3	7	10	12
20-34	1	7.0		7	7	7	7	7	7	7
35-49	7	3.6	5	1	2	4	4	7	8	8
50-64	9	3.4	5	<1	1	3	5	7	7	7
65+	2	20.5	481	5	5	20	36	36	36	36
B. Operated										
0-19 YRS	11	5.0	21	1	2	3	7	12	16	16
20-34	9	6.2	40	1	2	2	11	16	19	19
35-49	18	2.6	11	<1	1	1	3	7	12	14
50-64	17	3.1	12	1	1	2	3	8	12	14
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	6.7	66	1	3	4	7	13	18	50
20-34	35	6.2	23	3	3	5	7	10	15	27
35-49	88	5.9	72	2	3	4	7	10	12	56
50-64	172	7.0	35	2	3	6	9	15	22	85
65+	207	8.1	41	3	4	7	10	16	20	42
B. Operated										
0-19 YRS	41	13.3	157	2	4	10	21	39	67	99+
20-34	33	9.6	72	2	4	8	15	39	99+	99+
35-49	118	11.1	202	1	2	5	14	33	47	80
50-64	191	10.3	194	1	2	5	13	27	31	72
65+	126	8.7	118	1	2	5	10	21	30	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	4.5	36	1	2	3	5	7	11	36
B. Operated	58	3.7	18	1	1	2	3	10	14	19
2. MULTIPLE DX										
A. Not Operated	551	7.1	46	2	3	5	9	14	19	50
B. Operated	509	10.3	166	1	2	6	14	27	42	99+
1. SINGLE DX	93	4.0	25	1	1	3	4	8	14	29
2. MULTIPLE DX	1060	8.7	106	1	3	6	10	20	30	77
A. Not Operated	586	7.0	45	2	3	5	8	14	19	45
B. Operated	567	9.6	155	1	2	5	12	26	38	98
TOTAL										
0-19 YRS	117	8.4	99	1	3	4	10	22	37	99+
20-34	78	7.7	47	2	3	6	10	20	33	99+
35-49	231	8.2	140	1	2	4	8	19	37	72
50-64	389	8.4	115	1	2	5	10	19	29	72
65+	338	8.3	72	2	3	6	10	18	23	51
GRAND TOTAL	**1153**	**8.3**	**101**	**1**	**3**	**5**	**10**	**19**	**29**	**74**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	3.7	11	1	2	2	5	8	12	13
20-34	35	4.3	48	1	1	2	4	11	15	39
35-49	35	3.9	50	1	1	2	4	5	9	43
50-64	28	3.1	3	1	2	3	4	5	6	8
65+	11	2.5	1	1	1	3	3	4	4	4
B. Operated										
0-19 YRS	36	4.6	28	1	1	2	7	10	15	25
20-34	21	4.8	13	1	2	3	8	9	11	13
35-49	38	4.3	15	1	1	2	7	10	12	15
50-64	53	4.8	22	1	1	2	8	11	13	23
65+	39	4.6	18	1	1	2	9	9	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	4.8	12	1	2	4	6	9	13	72
20-34	89	4.3	15	1	2	3	5	9	14	20
35-49	146	4.2	12	2	2	3	5	8	10	17
50-64	184	5.1	13	2	3	4	6	9	12	20
65+	323	7.1	36	2	3	5	9	15	21	28
B. Operated										
0-19 YRS	124	9.4	192	1	2	6	13	20	27	98
20-34	74	11.2	92	2	5	9	15	24	30	49
35-49	149	8.3	42	1	3	8	11	17	18	32
50-64	371	10.0	83	1	2	9	14	20	27	45
65+	631	12.6	127	2	5	11	16	25	32	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	144	3.7	27	1	2	2	4	6	10	39
B. Operated	187	4.6	19	1	1	2	8	10	13	20
2. MULTIPLE DX										
A. Not Operated	826	5.6	23	2	3	4	7	11	15	24
B. Operated	1349	11.0	112	1	3	9	15	22	30	53
1. SINGLE DX	331	4.2	23	1	1	2	6	9	12	23
2. MULTIPLE DX	2175	9.0	85	1	3	6	12	19	25	49
A. Not Operated	970	5.3	24	1	2	4	6	11	15	26
B. Operated	1536	10.2	105	1	2	9	14	21	28	53
TOTAL										
0-19 YRS	279	6.7	100	1	2	4	8	15	20	79
20-34	219	6.7	56	1	2	4	9	15	20	41
35-49	368	5.8	32	1	2	4	8	12	16	32
50-64	636	7.8	61	1	2	5	11	17	22	42
65+	1004	10.4	100	2	3	8	14	22	28	54
GRAND TOTAL	**2506**	**8.3**	**79**	**1**	**2**	**6**	**11**	**18**	**24**	**45**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	14.0	162	5	5	14	23	23	23	23
35-49	0									
50-64	0									
65 +	1	20.0		20	20	20	20	20	20	20
B. Operated										
0-19 YRS	3	9.3	41	2	4	12	13	14	14	14
20-34	8	9.5	59	1	2	10	15	20	22	22
35-49	16	11.9	52	2	7	13	17	27	75	99 +
50-64	5	15.4	209	3	6	13	20	40	40	40
65 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	14.0	43	7	9	15	19	20	20	20
20-34	0									
35-49	6	11.0	131	1	4	8	12	31	33	33
50-64	6	8.5	30	2	5	8	10	17	18	18
65 +	14	18.1	449	4	6	11	21	51	73	79
B. Operated										
0-19 YRS	7	25.0	538	4	7	14	35	62	69	69
20-34	15	19.3	157	7	12	15	31	48	85	99 +
35-49	49	19.2	266	3	10	16	25	50	77	99 +
50-64	50	22.9	303	5	11	19	33	66	98	99 +
65 +	42	26.6	230	10	15	23	34	44	55	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	16.0	93	5	9	20	22	23	23	23
B. Operated	33	11.6	70	2	5	12	16	23	38	99 +
2. MULTIPLE DX										
A. Not Operated	29	14.2	257	3	6	9	16	30	50	79
B. Operated	163	22.5	271	6	12	19	32	48	75	99 +
1. SINGLE DX	36	12.0	71	2	5	12	17	23	36	99 +
2. MULTIPLE DX	192	21.3	276	5	10	17	31	47	73	99 +
A. Not Operated	32	14.4	238	3	6	10	19	27	46	79
B. Operated	196	20.7	253	4	10	16	30	45	71	99 +
TOTAL										
0-19 YRS	13	18.8	334	4	7	14	23	43	64	69
20-34	25	15.7	136	3	7	14	22	37	59	99 +
35-49	71	16.8	215	3	8	15	22	42	76	99 +
50-64	61	20.9	285	4	9	18	31	47	91	99 +
65 +	58	24.2	284	7	13	21	32	45	59	79
GRAND TOTAL	**228**	**19.8**	**255**	**4**	**9**	**16**	**28**	**45**	**69**	**99 +**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	2	26.0	2	25	25	26	27	27	27	27
B. Operated										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	3	44.0	1597	8	15	37	74	87	87	87
35-49	5	25.6	240	6	22	37	85	99 +	99 +	99 +
50-64	11	34.4	455	10	19	24	55	65	67	67
65 +	4	33.0	179	21	23	30	43	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	18.3	177	3	8	25	26	27	27	27
B. Operated	24	33.5	430	9	21	34	51	85	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	27	31.8	418	8	21	28	49	79	99 +	99 +
A. Not Operated	3	18.3	177	3	8	25	26	27	27	27
B. Operated	24	33.5	430	9	21	34	51	85	99 +	99 +
TOTAL										
0-19 YRS	2	18.0	450	3	3	18	33	33	33	33
20-34	3	44.0	1597	8	15	37	74	87	87	87
35-49	5	25.6	240	6	22	37	85	99 +	99 +	99 +
50-64	11	34.4	455	10	19	24	55	65	67	67
65 +	6	30.7	121	21	25	26	35	49	51	51
GRAND TOTAL	**27**	**31.8**	**418**	**8**	**21**	**28**	**49**	**79**	**99 +**	**99 +**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	12.8	174	2	5	8	20	32	32	32
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	4.0	9	<1	1	4	6	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	20	9.2	56	3	5	8	10	15	26	37
B. Operated										
0-19 YRS	11	9.3	86	2	4	6	13	23	33	34
20-34	7	8.1	28	2	4	10	10	16	17	17
35-49	9	11.8	181	4	5	6	13	34	46	46
50-64	10	4.3	9	1	2	3	6	9	11	11
65+	21	8.5	42	2	5	7	9	19	24	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	12.6	211	1	4	7	15	35	48	54
20-34	11	9.5	41	2	5	8	13	20	22	22
35-49	28	5.9	21	1	3	5	7	10	13	24
50-64	57	9.4	164	2	4	7	11	17	24	99+
65+	201	12.6	83	3	6	10	17	24	32	82
B. Operated										
0-19 YRS	27	22.3	576	4	6	10	33	70	72	78
20-34	9	12.9	38	5	7	15	16	21	23	23
35-49	40	22.1	322	6	10	18	23	53	63	84
50-64	68	18.0	325	4	6	12	27	48	77	99+
65+	185	19.9	276	5	8	16	24	44	57	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	8.4	65	2	3	7	9	15	32	37
B. Operated	58	8.4	65	2	4	6	10	16	25	45
2. MULTIPLE DX										
A. Not Operated	314	11.3	101	3	5	9	16	23	30	97
B. Operated	329	19.8	309	5	8	15	24	48	67	99+
1. SINGLE DX	88	8.4	64	2	4	6	10	15	27	43
2. MULTIPLE DX	643	15.6	225	3	6	11	20	35	52	99+
A. Not Operated	344	11.0	98	2	5	8	15	23	30	95
B. Operated	387	18.1	289	4	7	13	23	41	62	97
TOTAL										
0-19 YRS	59	16.4	371	2	5	8	17	46	69	77
20-34	29	9.7	39	2	5	9	15	18	22	23
35-49	80	14.6	245	3	5	8	19	29	53	78
50-64	136	13.3	255	2	4	7	16	37	61	99+
65+	427	15.4	180	4	7	11	20	32	45	95
GRAND TOTAL	**731**	**14.8**	**211**	**3**	**6**	**10**	**18**	**33**	**50**	**96**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	10	17.7	171	6	8	14	17	41	43	43
50-64	33	18.1	310	4	7	11	23	42	66	73
65+	88	13.8	60	6	8	13	18	28	35	99+
B. Operated										
0-19 YRS	1	10.0		10	32	99+	99+	99+	99+	99+
20-34	5	33.2	356	18	23	27	39	66	66	66
35-49	12	31.3	563	7	15	26	40	62	89	93
50-64	15	28.1	294	9	17	31	52	99+	99+	99+
65+	44	25.9	376	8	12	21	35	56	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	132	15.1	132	6	8	13	19	30	42	99+
B. Operated	77	27.4	377	8	14	25	46	75	99+	99+
1. SINGLE DX	0									
2. MULTIPLE DX	209	19.6	256	6	8	15	27	50	85	99+
A. Not Operated	132	15.1	132	6	8	13	19	30	42	99+
B. Operated	77	27.4	377	8	14	25	46	75	99+	99+
TOTAL										
0-19 YRS	2	8.0	8	6	8	55	99+	99+	99+	99+
20-34	5	33.2	356	18	23	27	39	66	66	66
35-49	22	25.1	417	7	13	17	34	48	67	93
50-64	48	21.2	320	5	8	17	32	61	98	99+
65+	132	17.8	196	6	9	14	22	40	57	99+
GRAND TOTAL	**209**	**19.6**	**256**	**6**	**8**	**15**	**27**	**50**	**85**	**99+**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	5.6	14	3	3	4	7	12	12	12
65 +	7	6.6	17	1	3	7	9	12	13	13
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	15	3.5	3	1	2	3	4	6	7	7
50-64	120	3.8	4	1	3	4	5	6	8	11
65 +	172	4.3	6	1	3	4	5	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	8	6.4	34	2	3	5	7	16	20	20
50-64	31	5.8	19	1	3	5	7	12	14	21
65 +	117	5.4	12	2	3	5	7	11	13	16
B. Operated										
0-19 YRS	0									
20-34	7	15.1	385	1	2	6	24	49	54	54
35-49	48	6.0	18	2	3	5	7	13	15	21
50-64	402	6.4	29	2	3	5	8	12	15	30
65 +	1115	6.9	27	2	4	5	8	13	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	5.8	15	2	3	4	9	12	13	13
B. Operated	307	4.1	5	1	3	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	156	5.5	14	2	3	5	7	11	13	20
B. Operated	1572	6.7	29	2	4	5	8	13	16	28
1. SINGLE DX	320	4.2	6	1	3	4	5	7	9	12
2. MULTIPLE DX	1728	6.6	28	2	4	5	8	13	16	28
A. Not Operated	169	5.6	14	2	3	5	7	11	13	19
B. Operated	1879	6.3	26	2	3	5	8	12	16	28
TOTAL										
0-19 YRS	0									
20-34	7	15.1	385	1	2	6	24	49	54	54
35-49	72	5.4	17	2	3	4	6	10	15	21
50-64	558	5.8	24	2	3	5	7	11	14	28
65 +	1411	6.4	24	2	4	5	8	12	16	26
GRAND TOTAL	**2048**	**6.3**	**25**	**2**	**3**	**5**	**8**	**12**	**15**	**27**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	11.3	365	1	1	4	8	46	50	50
65 +	21	10.0	47	4	6	7	12	23	25	26
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	4.7	1	4	4	4	6	6	6	6
50-64	24	10.2	78	3	4	7	13	19	33	37
65 +	41	12.8	87	5	7	9	18	33	37	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	28	10.0	105	2	4	7	11	24	28	50
B. Operated	68	11.5	83	4	6	8	15	30	35	88
1. SINGLE DX	0									
2. MULTIPLE DX	96	11.1	89	4	5	8	15	26	35	76
A. Not Operated	28	10.0	105	2	4	7	11	24	28	50
B. Operated	68	11.5	83	4	6	8	15	30	35	88
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	4	4.0	3	2	3	4	5	6	6	6
50-64	30	10.4	125	2	4	7	12	25	37	50
65 +	62	11.8	74	4	6	8	16	26	34	92
GRAND TOTAL	**96**	**11.1**	**89**	**4**	**5**	**8**	**15**	**26**	**35**	**76**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	5	6.4	51	2	2	4	8	19	19	19
50-64	37	5.2	10	2	3	5	7	9	12	15
65 +	64	7.8	123	2	3	5	8	13	16	79
B. Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	0									
35-49	4	7.0	14	3	4	6	9	12	12	12
50-64	9	9.3	174	2	4	6	7	30	44	44
65 +	7	18.1	344	2	4	11	33	47	49	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	13.0	112	3	7	11	16	31	31	31
20-34	20	9.3	40	2	3	9	12	20	20	21
35-49	122	8.0	40	3	4	6	9	14	20	38
50-64	503	8.1	64	3	4	6	10	15	20	46
65 +	1926	9.9	81	3	5	8	12	19	25	63
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	18	8.6	16	3	6	8	11	14	15	16
35-49	57	15.3	363	3	5	9	17	33	60	92
50-64	109	12.8	174	4	6	9	15	29	52	99 +
65 +	355	17.3	217	5	8	13	22	37	52	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	6.7	79	2	3	5	8	12	15	51
B. Operated	22	11.4	191	2	4	6	11	40	46	49
2. MULTIPLE DX										
A. Not Operated	2576	9.4	76	3	5	7	11	18	24	59
B. Operated	541	15.8	221	4	7	11	20	35	53	92
1. SINGLE DX	131	7.5	100	2	3	5	8	13	19	56
2. MULTIPLE DX	3117	10.5	107	3	5	8	12	21	29	71
A. Not Operated	2685	9.3	76	3	4	7	11	18	24	59
B. Operated	563	15.6	220	4	7	11	20	35	53	92
TOTAL										
0-19 YRS	10	8.3	77	2	3	6	11	21	31	31
20-34	40	8.6	29	2	4	8	11	17	20	21
35-49	188	10.1	148	3	4	7	11	20	27	76
50-64	658	8.7	84	3	4	6	10	16	23	82
65 +	2352	10.9	110	3	5	8	13	22	31	71
GRAND TOTAL	**3248**	**10.4**	**107**	**3**	**5**	**8**	**12**	**21**	**29**	**71**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	10.1	71	4	5	7	11	26	28	28
35-49	47	11.5	61	4	5	9	17	22	26	38
50-64	219	11.8	95	4	6	8	16	24	33	59
65 +	786	12.6	108	4	7	10	16	24	32	85
B. Operated										
0-19 YRS	0									
20-34	6	31.2	846	7	14	22	74	97	99 +	99 +
35-49	26	18.9	176	7	9	16	30	50	99 +	99 +
50-64	55	[illegible]	535	6	8	14	36	78	99	99 +
65 +	182	22.4	242	7	11	20	30	45	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1063	12.4	103	4	6	9	16	24	31	74
B. Operated	269	22.5	306	7	10	18	31	49	82	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	1332	14.4	160	4	7	11	18	30	41	99 +
A. Not Operated	1063	12.4	103	4	6	9	16	24	31	74
B. Operated	269	22.5	306	7	10	18	31	49	82	99 +
TOTAL										
0-19 YRS	0									
20-34	17	17.5	417	5	6	10	25	72	94	99 +
35-49	73	14.1	113	4	7	10	21	31	41	99 +
50-64	274	14.2	203	4	6	9	16	31	48	99 +
65 +	968	14.5	148	4	7	11	18	29	40	91
GRAND TOTAL	**1332**	**14.4**	**160**	**4**	**7**	**11**	**18**	**30**	**41**	**99 +**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	2.6	1	1	2	3	3	4	4	4
35-49	21	2.6	2	1	2	2	3	5	6	7
50-64	65	2.8	3	1	2	3	4	5	6	7
65+	126	3.6	7	1	2	3	5	7	8	14
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	2.1	1	1	1	2	3	4	4	4
50-64	18	4.1	12	1	2	3	5	9	12	14
65+	18	4.4	8	1	2	4	7	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	21	3.4	4	1	2	3	4	7	7	8
35-49	130	3.7	6	1	2	3	5	6	8	12
50-64	493	4.1	9	2	2	3	5	7	9	17
65+	2281	4.9	13	2	3	4	6	9	11	18
B. Operated										
0-19 YRS	0									
20-34	2	3.0		3	3	3	3	3	3	3
35-49	35	5.6	15	2	3	5	7	10	12	21
50-64	125	6.3	33	2	3	5	7	12	15	30
65+	307	8.8	87	2	4	7	10	17	26	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	3.2	5	1	2	3	4	6	7	12
B. Operated	45	3.8	9	1	1	3	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	2925	4.7	12	2	3	4	6	8	11	18
B. Operated	469	7.9	68	2	4	6	9	15	21	45
1. SINGLE DX	263	3.3	6	1	2	3	4	6	8	13
2. MULTIPLE DX	3394	5.1	21	2	3	4	6	9	12	21
A. Not Operated	3143	4.6	11	2	2	4	6	8	11	17
B. Operated	514	7.5	64	2	3	6	9	14	20	44
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	29	3.1	3	1	2	3	4	6	7	8
35-49	193	3.9	8	1	2	3	5	7	9	14
50-64	701	4.4	13	1	2	4	5	8	10	19
65+	2732	5.3	22	2	3	4	6	10	12	22
GRAND TOTAL	**3657**	**5.0**	**20**	**2**	**3**	**4**	**6**	**9**	**12**	**21**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	4.2	22	<1	1	2	6	12	13	13
50-64	21	6.3	39	1	3	5	7	11	22	30
65+	97	7.0	24	2	3	6	9	12	18	24
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	5	6.8	30	1	2	6	10	15	15	15
65+	4	7.8	30	3	3	6	12	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	3.5	3	1	3	3	4	6	7	7
35-49	79	7.3	31	2	4	6	9	13	18	30
50-64	350	7.1	35	2	4	6	8	13	21	28
65+	1506	9.6	77	3	5	7	11	18	25	61
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	19	8.6	28	3	4	8	12	17	18	19
50-64	45	13.0	141	3	5	10	21	38	57	99+
65+	191	15.8	156	5	7	13	22	34	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	6.7	26	2	3	6	8	12	17	28
B. Operated	11	6.9	22	2	3	6	9	15	15	15
2. MULTIPLE DX										
A. Not Operated	1946	9.1	68	3	4	7	11	17	24	50
B. Operated	255	14.8	147	4	6	11	21	34	46	99+
1. SINGLE DX	136	6.7	26	2	3	6	9	12	17	28
2. MULTIPLE DX	2201	9.7	81	3	5	7	12	20	27	61
A. Not Operated	2071	8.9	66	3	4	7	11	17	23	49
B. Operated	266	14.5	145	4	6	11	20	33	46	99+
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	3.5	2	2	3	3	4	6	7	7
35-49	106	7.3	30	2	4	6	10	13	17	28
50-64	421	7.7	49	2	4	6	9	15	24	43
65+	1798	10.2	86	3	5	8	12	20	28	65
GRAND TOTAL	**2337**	**9.5**	**78**	**3**	**4**	**7**	**11**	**19**	**26**	**59**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.7	10	1	2	6	7	7	7	7
20-34	3	11.7	180	2	3	6	22	27	27	27
35-49	23	10.0	78	3	5	7	10	23	31	39
50-64	99	8.9	71	3	4	6	11	17	20	51
65+	422	10.3	53	4	6	8	13	19	26	41
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	8	7.3	21	1	5	6	10	14	14	14
50-64	12	12.6	139	3	6	11	18	56	92	99+
65+	42	23.0	369	7	11	16	32	61	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	550	10.0	57	4	6	8	12	18	26	41
B. Operated	62	18.9	312	5	7	14	27	54	93	99+
1. SINGLE DX	0									
2. MULTIPLE DX	612	10.9	90	4	6	8	13	21	31	81
A. Not Operated	550	10.0	57	4	6	8	12	18	26	41
B. Operated	62	18.9	312	5	7	14	27	54	93	99+
TOTAL										
0-19 YRS	3	4.7	10	1	2	6	7	7	7	7
20-34	3	11.7	180	2	3	6	22	27	27	27
35-49	31	9.3	63	3	5	6	10	20	26	39
50-64	111	9.3	78	3	5	7	11	18	26	78
65+	464	11.4	94	4	6	9	14	23	32	88
GRAND TOTAL	**612**	**10.9**	**90**	**4**	**6**	**8**	**13**	**21**	**31**	**81**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	9	2.8	1	1	2	3	4	4	4	4
35-49	14	2.9	2	1	2	3	4	5	6	6
50-64	18	3.8	11	1	2	3	4	7	12	15
65+	23	5.8	54	1	2	3	7	12	24	34
B. Operated										
0-19 YRS	6	3.7	12	<1	1	2	5	9	10	10
20-34	10	4.9	9	1	1	5	7	9	10	10
35-49	9	5.2	28	1	2	3	7	14	16	16
50-64	19	6.5	28	1	1	6	11	15	16	16
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	7.2	59	1	3	5	9	18	27	31
20-34	22	4.7	26	1	2	3	5	10	18	23
35-49	96	4.7	13	2	2	4	6	10	11	18
50-64	167	6.3	34	2	3	4	7	14	17	34
65+	382	7.9	91	2	3	5	8	16	23	75
B. Operated										
0-19 YRS	15	7.0	90	1	1	6	8	11	32	39
20-34	17	9.8	40	1	6	9	13	16	23	27
35-49	44	12.5	125	2	4	10	16	28	41	52
50-64	77	11.9	184	1	5	8	14	21	30	79
65+	98	11.4	162	2	4	8	13	24	36	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	4.1	23	1	2	3	4	7	11	31
B. Operated	45	5.4	21	1	1	5	8	14	15	16
2. MULTIPLE DX										
A. Not Operated	685	6.9	65	2	3	5	8	14	21	54
B. Operated	251	11.4	149	2	4	8	14	23	34	63
1. SINGLE DX	113	4.6	23	1	2	3	6	10	15	24
2. MULTIPLE DX	936	8.1	91	2	3	5	9	16	25	59
A. Not Operated	753	6.7	61	2	3	4	7	14	20	48
B. Operated	296	10.5	134	1	4	7	13	20	30	62
TOTAL										
0-19 YRS	43	6.2	58	1	2	4	7	12	24	39
20-34	58	5.9	29	1	2	4	8	14	16	27
35-49	163	6.7	55	2	2	4	8	15	18	42
50-64	281	7.7	80	2	3	5	9	16	22	60
65+	504	8.5	105	2	3	6	9	17	27	70
GRAND TOTAL	**1049**	**7.8**	**85**	**2**	**3**	**5**	**9**	**16**	**23**	**58**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	8.0	8	6	6	8	10	10	10	10
B. Operated										
0-19 YRS	0									
20-34	6	6.2	19	1	2	6	8	12	13	13
35-49	24	4.8	7	1	2	5	7	8	9	10
50-64	83	3.7	13	1	1	2	6	9	11	16
65 +	64	5.0	23	1	1	3	8	12	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	6.0	6	3	4	6	8	9	9	9
35-49	8	4.4	5	2	3	4	6	7	8	8
50-64	23	5.7	25	1	2	4	7	11	18	22
65 +	68	7.6	69	2	3	6	9	13	20	54
B. Operated										
0-19 YRS	4	7.0	26	2	3	6	10	14	14	14
20-34	14	8.0	23	3	5	7	11	15	18	19
35-49	131	9.6	93	2	4	7	11	18	31	53
50-64	597	10.8	137	1	4	8	13	23	30	76
65 +	1392	11.8	116	2	5	9	15	25	34	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.0	8	3	4	6	8	10	10	10
B. Operated	177	4.4	16	1	1	3	7	10	12	16
2. MULTIPLE DX										
A. Not Operated	103	6.9	52	2	3	5	8	12	19	44
B. Operated	2138	11.4	120	2	5	9	14	24	32	63
1. SINGLE DX	182	4.4	16	1	1	3	7	10	12	16
2. MULTIPLE DX	2241	11.2	118	2	5	8	14	23	31	60
A. Not Operated	108	6.8	50	2	3	5	8	12	19	42
B. Operated	2315	10.8	116	2	4	8	13	23	31	60
TOTAL										
0-19 YRS	4	7.0	26	2	3	6	10	14	14	14
20-34	25	7.2	18	2	5	7	9	13	16	19
35-49	164	8.6	79	2	4	7	10	16	22	49
50-64	704	9.8	124	1	3	7	12	22	29	73
65 +	1526	11.3	113	2	5	9	14	24	32	58
GRAND TOTAL	**2423**	**10.7**	**114**	**2**	**4**	**8**	**13**	**23**	**30**	**59**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	6	3.0	5	1	2	2	4	7	7	7
50-64	6	1.8	3	1	1	1	2	5	5	5
65 +	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.5	41	1	1	5	10	10	10	10
50-64	4	3.8	5	1	2	4	5	6	6	6
65 +	9	10.1	153	1	2	7	32	99 +	99 +	99 +
B. Operated										
0-19 YRS	0									
20-34	7	7.4	78	1	2	3	9	23	26	26
35-49	16	8.8	31	2	5	9	11	14	20	23
50-64	67	8.3	62	1	2	7	11	19	23	39
65 +	98	9.2	84	2	2	7	12	21	31	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	16	2.3	3	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	15	7.8	100	1	2	5	15	86	99 +	99 +
B. Operated	188	8.8	71	1	2	7	11	20	25	40
1. SINGLE DX	16	2.3	3	1	1	2	3	5	6	7
2. MULTIPLE DX	203	8.7	72	1	2	7	11	21	31	72
A. Not Operated	15	7.8	100	1	2	5	15	86	99 +	99 +
B. Operated	204	8.3	68	1	2	7	11	18	24	39
TOTAL										
0-19 YRS	0									
20-34	7	7.4	78	1	2	3	9	23	26	26
35-49	24	7.0	29	1	2	8	10	12	17	23
50-64	77	7.5	58	1	2	6	10	17	23	38
65 +	111	9.0	88	2	2	7	12	24	34	99 +
GRAND TOTAL	**219**	**8.2**	**70**	**1**	**2**	**7**	**11**	**20**	**30**	**64**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	5.5	41	1	1	5	10	10	10	10
B. Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	9.0	36	3	4	9	13	15	15	15
50-64	25	6.1	8	1	5	7	8	9	9	10
65 +	44	8.5	16	2	7	9	11	13	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	11	6.9	15	1	4	7	9	12	13	13
65 +	73	5.9	32	1	2	4	8	12	14	30
B. Operated										
0-19 YRS	3	11.0	1	10	10	11	12	12	12	12
20-34	21	10.1	20	4	8	9	12	16	20	21
35-49	30	12.8	65	2	8	11	14	25	29	37
50-64	241	13.5	149	6	8	10	14	23	33	77
65 +	691	14.1	121	6	8	11	16	26	38	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.5	41	1	1	5	10	10	10	10
B. Operated	73	7.7	15	2	6	8	9	12	14	18
2. MULTIPLE DX										
A. Not Operated	87	6.1	29	1	2	5	8	12	13	29
B. Operated	986	13.8	123	6	8	11	15	25	36	74
1. SINGLE DX	75	7.7	15	1	6	8	9	12	14	18
2. MULTIPLE DX	1073	13.2	120	3	8	10	15	24	34	68
A. Not Operated	89	6.1	29	1	2	5	8	12	13	29
B. Operated	1059	13.4	118	5	8	11	15	24	34	69
TOTAL										
0-19 YRS	3	11.0	1	10	10	11	12	12	12	12
20-34	23	10.0	19	5	9	9	11	15	20	21
35-49	35	12.1	61	2	8	11	14	21	29	37
50-64	277	12.6	136	4	8	10	13	22	32	77
65 +	810	13.0	113	3	8	11	15	24	34	63
GRAND TOTAL	1148	12.8	115	3	8	10	14	23	33	66

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	5	9.2	107	1	2	2	20	21	21	21
35-49	8	5.5	13	1	2	6	8	10	11	11
50-64	7	5.1	4	1	4	6	7	7	7	7
65 +	9	5.8	6	2	4	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	6.0		6	6	6	6	6	6	6
65 +	11	3.7	4	1	3	3	5	7	9	9
B. Operated										
0-19 YRS	2	12.0	32	8	8	12	16	16	16	16
20-34	10	7.7	25	2	3	7	11	15	18	18
35-49	24	11.2	168	2	4	7	13	26	40	61
50-64	55	9.4	124	3	5	7	10	19	26	99
65 +	123	11.1	111	4	5	8	13	25	38	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	30	6.4	24	1	3	6	7	12	20	21
2. MULTIPLE DX										
A. Not Operated	13	3.7	5	1	2	3	5	7	9	9
B. Operated	214	10.6	116	3	5	7	12	21	34	87
1. SINGLE DX	30	6.4	24	1	3	6	7	12	20	21
2. MULTIPLE DX	227	10.2	112	3	5	7	12	20	33	84
A. Not Operated	13	3.7	5	1	2	3	5	7	9	9
B. Operated	244	10.0	106	2	5	7	12	20	33	81
TOTAL										
0-19 YRS	3	12.7	17	8	9	14	15	16	16	16
20-34	15	8.2	47	2	2	7	12	20	21	21
35-49	33	9.5	132	1	3	7	11	19	30	61
50-64	63	8.9	111	3	5	7	10	17	26	97
65 +	143	10.2	102	3	5	7	12	21	36	58
GRAND TOTAL	257	9.7	103	2	4	7	11	19	32	78

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	4	7.8	29	1	4	8	11	14	14	14
35-49	26	7.0	23	2	3	7	9	12	15	23
50-64	41	4.3	10	1	1	3	6	9	10	12
65 +	12	4.2	13	1	1	3	6	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
20-34	8	5.8	3	3	5	6	7	8	8	8
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	8	5.9	18	1	2	6	9	11	12	12
65 +	26	7.3	22	2	4	7	9	14	17	19
B. Operated										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	6	8.0	49	1	3	7	9	20	21	21
35-49	50	7.6	52	1	3	7	10	12	15	38
50-64	182	9.1	48	2	5	8	11	17	23	36
65 +	159	11.1	102	3	5	8	13	24	29	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	10.0		10	10	10	10	10	10	10
B. Operated	86	5.2	16	1	2	4	8	11	12	20
2. MULTIPLE DX										
A. Not Operated	46	6.6	17	1	4	6	9	12	14	19
B. Operated	399	9.7	71	2	5	8	12	19	26	49
1. SINGLE DX	87	5.2	16	1	2	4	8	11	12	20
2. MULTIPLE DX	445	9.4	66	2	5	8	11	19	25	49
A. Not Operated	47	6.7	17	1	4	6	9	12	14	19
B. Operated	485	8.9	64	2	4	7	11	18	24	48
TOTAL										
0-19 YRS	7	4.9	22	< 1	1	4	7	13	14	14
20-34	19	7.1	21	2	5	7	9	12	18	21
35-49	78	7.4	41	1	3	7	10	12	14	38
50-64	231	8.2	44	1	3	8	11	15	21	34
65 +	197	10.2	90	2	4	8	12	20	28	51
GRAND TOTAL	**532**	**8.7**	**60**	**2**	**4**	**7**	**11**	**16**	**24**	**46**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	4.7	13	2	3	4	5	7	9	23
20-34	5	3.0	3	1	2	3	4	5	5	5
35-49	11	4.3	4	1	3	5	6	7	7	7
50-64	6	2.7	4	1	1	2	4	6	6	6
65 +	8	5.8	31	< 1	1	4	8	15	17	17
B. Operated										
0-19 YRS	11	4.5	20	1	1	2	6	12	14	14
20-34	6	3.2	3	1	2	3	4	6	6	6
35-49	37	2.9	7	1	1	2	4	6	9	11
50-64	50	4.1	13	1	1	3	7	9	11	16
65 +	52	4.0	16	1	1	3	6	10	11	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	5.6	18	3	3	4	7	10	13	26
20-34	16	6.4	92	1	2	3	6	14	32	40
35-49	25	4.5	9	1	2	3	7	9	10	11
50-64	49	4.6	10	1	2	4	6	9	10	14
65 +	120	7.8	60	2	3	6	11	19	24	99 +
B. Operated										
0-19 YRS	23	10.4	62	2	5	9	15	25	51	99 +
20-34	41	7.8	85	1	2	4	10	18	25	49
35-49	122	9.1	81	1	3	7	11	21	28	45
50-64	376	8.0	83	1	2	5	10	18	24	47
65 +	565	10.3	118	2	3	7	14	22	33	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	4.6	12	1	3	4	5	7	9	22
B. Operated	156	3.8	13	1	1	2	6	9	11	16
2. MULTIPLE DX										
A. Not Operated	316	6.2	37	2	3	4	7	13	19	46
B. Operated	1127	9.3	101	1	3	7	12	21	29	62
1. SINGLE DX	301	4.2	13	1	1	4	5	8	10	20
2. MULTIPLE DX	1443	8.6	88	1	3	6	11	20	28	61
A. Not Operated	461	5.7	30	2	3	4	7	11	17	31
B. Operated	1283	8.7	93	1	2	6	11	20	28	60
TOTAL										
0-19 YRS	255	5.6	22	2	3	4	6	10	15	30
20-34	68	6.7	75	1	2	4	8	15	23	47
35-49	195	7.1	60	1	2	5	9	15	24	35
50-64	481	7.2	69	1	2	5	9	15	23	46
65 +	745	9.4	103	1	3	7	13	21	30	77
GRAND TOTAL	**1744**	**7.9**	**78**	**1**	**3**	**5**	**10**	**17**	**24**	**53**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.8	11	1	2	5	6	10	10	10
20-34	46	6.3	9	3	4	7	8	9	11	15
35-49	70	6.6	11	3	5	7	8	10	11	21
50-64	55	5.9	8	2	4	6	7	10	11	14
65 +	45	7.6	13	3	6	7	9	11	15	20
B. Operated										
0-19 YRS	0									
20-34	13	7.7	37	1	2	7	14	15	16	16
35-49	26	6.6	9	2	4	7	9	9	11	13
50-64	29	6.5	13	3	4	5	9	11	12	18
65 +	16	5.9	14	1	3	5	8	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	5.7	21	2	2	4	8	13	14	14
20-34	58	6.7	15	2	4	6	10	12	14	20
35-49	129	6.8	19	2	4	6	9	12	14	22
50-64	214	7.2	16	3	5	7	9	11	14	21
65 +	408	8.3	16	4	6	8	10	13	15	26
B. Operated										
0-19 YRS	3	10.0	79	3	4	7	17	20	20	20
20-34	30	7.0	36	2	2	5	9	17	18	25
35-49	64	8.4	40	2	5	7	9	16	22	36
50-64	67	8.3	51	2	3	6	11	17	21	38
65 +	154	9.6	67	3	5	8	11	18	21	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	221	6.5	10	3	4	6	8	10	11	17
B. Operated	84	6.6	15	2	4	6	9	12	14	17
2. MULTIPLE DX										
A. Not Operated	815	7.6	17	3	5	7	9	12	14	22
B. Operated	318	8.9	58	2	4	7	10	18	21	40
1. SINGLE DX	305	6.6	12	2	4	6	8	11	12	17
2. MULTIPLE DX	1133	8.0	28	3	5	7	10	13	17	29
A. Not Operated	1036	7.4	16	3	5	7	9	12	14	21
B. Operated	402	8.4	48	2	4	7	10	16	20	38
TOTAL										
0-19 YRS	14	6.3	28	2	3	4	8	15	19	20
20-34	147	6.8	19	2	3	6	9	13	15	20
35-49	289	7.1	21	2	4	7	9	11	14	27
50-64	365	7.1	22	3	4	6	9	12	15	26
65 +	623	8.5	28	4	6	8	10	14	17	30
GRAND TOTAL	**1438**	**7.7**	**25**	**3**	**5**	**7**	**9**	**13**	**16**	**27**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	5.3	6	2	3	5	7	8	8	8
50-64	4	4.3	8	2	2	4	6	8	8	8
65 +	9	9.7	91	2	4	5	13	25	32	32
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	56	1.9	2	1	1	2	2	3	4	9
35-49	121	2.1	5	1	1	2	2	3	5	14
50-64	69	2.7	9	1	1	2	3	4	10	17
65 +	27	5.9	65	1	1	3	9	13	19	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	7.4	24	2	4	5	12	14	14	14
35-49	15	11.0	79	4	6	9	14	18	34	39
50-64	39	9.4	55	2	4	7	12	23	27	29
65 +	115	9.1	36	4	5	8	11	15	21	34
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	23	6.0	25	1	2	5	8	15	17	18
35-49	45	7.4	163	1	2	3	7	19	42	61
50-64	98	8.3	107	1	2	4	10	22	29	53
65 +	108	13.3	119	2	5	11	18	29	41	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	7.5	52	2	3	5	9	14	25	32
B. Operated	276	2.6	12	1	1	2	3	4	10	16
2. MULTIPLE DX										
A. Not Operated	174	9.3	43	3	5	8	11	16	24	35
B. Operated	276	9.9	120	1	2	6	14	23	36	58
1. SINGLE DX	294	2.9	16	1	1	2	3	5	10	17
2. MULTIPLE DX	450	9.6	90	2	3	7	13	21	29	46
A. Not Operated	192	9.1	44	3	5	7	11	16	24	34
B. Operated	552	6.3	79	1	1	2	7	17	23	46
TOTAL										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	85	3.5	14	1	1	2	4	9	12	17
35-49	185	4.2	58	1	1	2	3	10	14	46
50-64	210	6.6	70	1	2	3	8	17	25	42
65 +	259	10.5	81	2	5	8	14	22	31	46
GRAND TOTAL	**744**	**7.0**	**72**	**1**	**2**	**3**	**9**	**17**	**24**	**44**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	14	1.6	1	<1	<1	1	2	3	4	4
35-49	18	1.9	2	<1	<1	1	2	4	5	5
50-64	13	1.4		<1	<1	<1	2	2	3	3
65+	3	1.0		<1	<1	1	1	1	1	1
B. Operated										
0-19 YRS	10	1.6	1	<1	1	1	2	3	4	4
20-34	60	2.2	1	1	1	2	3	4	4	6
35-49	115	2.3	2	1	1	2	3	4	5	8
50-64	56	2.6	5	1	1	2	3	4	5	16
65+	16	1.9	2	1	1	2	2	2	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	18	2.3	2	<1	<1	2	4	4	4	4
35-49	45	3.0	5	<1	1	3	4	5	7	13
50-64	56	4.0	18	<1	1	3	5	9	10	25
65+	61	5.0	21	1	2	4	6	11	14	26
B. Operated										
0-19 YRS	6	2.3	3	<1	<1	1	4	5	5	5
20-34	215	3.2	6	1	2	3	4	6	7	14
35-49	469	3.1	7	1	2	2	4	5	8	14
50-64	334	3.0	4	1	2	2	4	6	6	10
65+	207	4.4	12	1	2	3	6	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	1.6	1	<1	<1	1	2	3	4	5
B. Operated	257	2.3	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	180	4.0	15	<1	2	3	5	8	11	23
B. Operated	1231	3.3	7	1	2	3	4	6	8	14
1. SINGLE DX	305	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1411	3.4	8	1	2	3	4	6	9	15
A. Not Operated	228	3.5	13	<1	1	3	4	7	10	20
B. Operated	1488	3.1	6	1	2	2	4	6	8	14
TOTAL										
0-19 YRS	16	1.9	2	<1	1	1	2	4	5	5
20-34	307	2.9	5	1	1	2	4	5	7	12
35-49	647	2.9	6	1	1	2	4	5	7	13
50-64	459	3.0	6	1	1	2	4	6	7	13
65+	287	4.4	14	1	2	3	5	9	12	19
GRAND TOTAL	**1716**	**3.2**	**7**	**1**	**2**	**2**	**4**	**6**	**8**	**14**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	5.3	22	1	2	4	6	10	15	22
20-34	46	6.2	12	2	4	6	8	11	13	17
35-49	73	6.6	11	3	5	7	8	10	13	19
50-64	70	6.6	9	2	5	7	9	10	11	13
65+	71	7.5	16	3	5	7	9	11	15	24
B. Operated										
0-19 YRS	17	2.5	8	<1	<1	1	4	7	9	10
20-34	44	4.7	21	<1	1	3	7	12	15	18
35-49	44	5.6	12	1	3	5	8	10	13	13
50-64	30	6.4	16	2	3	6	8	11	13	19
65+	26	7.3	36	2	4	6	9	11	19	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	5.3	48	1	1	3	7	13	17	41
20-34	150	6.2	19	2	3	6	8	11	14	20
35-49	247	6.9	26	2	3	6	9	12	15	24
50-64	479	6.5	24	2	3	6	8	11	14	21
65+	1164	6.9	28	2	4	6	9	12	14	31
B. Operated										
0-19 YRS	58	7.5	74	1	1	5	9	19	28	39
20-34	95	9.6	61	2	4	8	12	20	25	37
35-49	160	9.4	80	2	5	8	11	16	24	59
50-64	274	10.2	106	2	5	8	11	20	31	50
65+	427	10.7	65	3	6	9	13	20	24	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	281	6.7	13	2	4	7	9	11	12	20
B. Operated	161	5.4	20	1	2	4	8	11	13	19
2. MULTIPLE DX										
A. Not Operated	2105	6.7	27	2	3	6	9	12	14	27
B. Operated	1014	10.1	79	2	5	8	12	19	26	47
1. SINGLE DX	442	6.2	16	1	3	6	8	11	13	19
2. MULTIPLE DX	3119	7.8	46	2	4	7	10	14	19	36
A. Not Operated	2386	6.7	25	2	3	6	9	11	14	24
B. Operated	1175	9.4	73	2	4	8	11	18	24	44
TOTAL										
0-19 YRS	161	5.8	51	1	1	3	8	14	20	39
20-34	335	6.9	33	2	3	6	9	14	17	35
35-49	524	7.5	41	2	4	7	9	13	16	35
50-64	853	7.7	52	2	4	7	9	13	17	37
65+	1688	7.9	39	2	4	7	10	14	18	33
GRAND TOTAL	**3561**	**7.6**	**43**	**2**	**4**	**7**	**9**	**13**	**18**	**35**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1286	2.4	4	1	1	2	3	4	5	8
20-34	99	2.6	2	1	2	2	3	4	5	8
35-49	33	2.8	2	1	2	2	4	5	5	5
50-64	13	3.2	4	1	2	2	4	7	7	7
65 +	10	4.1	10	1	2	3	5	9	11	11
B. Operated										
0-19 YRS	90	1.4	1	< 1	1	1	1	3	4	5
20-34	27	2.2	4	1	1	1	3	5	6	9
35-49	5	3.2	15	1	1	1	5	10	10	10
50-64	0									
65 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2297	3.3	7	1	2	3	4	6	7	12
20-34	254	3.3	5	1	2	3	4	6	7	13
35-49	175	3.9	4	2	2	3	5	7	8	10
50-64	143	4.4	8	2	2	4	5	8	10	14
65 +	209	5.7	17	2	3	5	7	10	13	25
B. Operated										
0-19 YRS	225	5.7	79	1	1	2	7	13	21	62
20-34	40	5.3	14	1	3	5	7	11	13	15
35-49	31	6.5	41	2	3	5	8	12	13	36
50-64	23	5.6	26	2	2	5	8	10	16	25
65 +	26	11.7	186	1	3	10	15	25	40	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1441	2.4	4	1	1	2	3	4	5	8
B. Operated	124	1.7	2	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	3078	3.5	8	1	2	3	4	6	8	13
B. Operated	345	6.2	74	1	1	4	8	13	20	54
1. SINGLE DX	1565	2.4	4	1	1	2	3	4	5	8
2. MULTIPLE DX	3423	3.8	15	1	2	3	4	7	9	18
A. Not Operated	4519	3.2	7	1	2	3	4	6	7	12
B. Operated	469	5.0	59	1	1	2	6	11	16	36
TOTAL										
0-19 YRS	3898	3.1	11	1	2	2	4	5	7	13
20-34	420	3.3	6	1	2	3	4	6	7	13
35-49	244	4.1	10	2	2	3	5	7	9	12
50-64	179	4.5	10	2	2	4	6	8	10	15
65 +	247	6.3	37	2	3	5	7	11	16	26
GRAND TOTAL	**4988**	**3.3**	**12**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1092	3.0	3	1	2	3	4	5	6	8
20-34	61	3.3	3	1	2	3	4	5	6	9
35-49	64	4.2	17	2	2	3	5	6	8	30
50-64	54	5.1	17	2	3	4	7	9	11	26
65 +	62	5.9	22	3	3	5	7	9	15	28
B. Operated										
0-19 YRS	5	2.8	4	1	2	2	4	6	6	6
20-34	0									
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	6	4.0	21	< 1	< 1	1	7	11	12	12
65 +	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3227	3.9	7	2	2	3	5	7	9	14
20-34	258	4.4	8	2	3	4	5	7	10	14
35-49	506	4.9	8	2	3	4	6	9	10	15
50-64	1380	6.3	18	3	4	5	8	11	13	22
65 +	3322	7.1	26	3	4	6	8	12	16	26
B. Operated										
0-19 YRS	44	13.1	267	3	4	7	14	47	67	99 +
20-34	17	10.9	425	2	3	4	8	21	65	88
35-49	31	6.8	34	< 1	2	6	9	15	22	24
50-64	121	9.4	49	3	5	7	11	17	26	35
65 +	252	12.5	156	3	6	9	14	23	35	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1333	3.3	6	1	2	3	4	5	7	10
B. Operated	15	3.7	11	< 1	1	2	5	9	11	12
2. MULTIPLE DX										
A. Not Operated	8693	5.6	18	2	3	5	7	10	13	21
B. Operated	465	11.3	142	3	5	8	13	22	31	72
1. SINGLE DX	1348	3.3	6	1	2	3	4	5	7	10
2. MULTIPLE DX	9158	5.9	26	2	3	5	7	11	14	25
A. Not Operated	10026	5.3	17	2	3	4	6	10	12	21
B. Operated	480	11.0	139	3	5	8	13	21	31	71
TOTAL										
0-19 YRS	4368	3.8	10	2	2	3	4	6	8	14
20-34	336	4.6	29	2	3	4	5	7	10	17
35-49	603	4.9	10	2	3	4	6	9	10	17
50-64	1561	6.5	21	3	4	5	8	11	14	25
65 +	3638	7.4	37	3	4	6	9	13	17	29
GRAND TOTAL	**10506**	**5.5**	**24**	**2**	**3**	**4**	**7**	**10**	**13**	**24**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	19	1.1		<1	1	1	1	1	2	2
20-34	35	1.1		<1	1	1	1	1	2	3
35-49	19	1.0		<1	1	1	1	1	1	1
50-64	14	1.2		<1	1	1	1	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		1	1	1	1	1	1	1
65+	0									
B. Operated										
0-19 YRS	60	1.3		1	1	1	1	2	3	4
20-34	158	1.3	1	<1	1	1	1	2	3	6
35-49	134	1.4	1	<1	1	1	1	2	3	5
50-64	62	1.5	1	<1	1	1	2	3	4	5
65+	15	1.1		1	1	1	1	1	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	88	1.1		<1	1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	5	1.0		<1	<1	1	1	1	1	1
B. Operated	429	1.3	1	<1	1	1	1	2	3	5
1. SINGLE DX	88	1.1		<1	1	1	1	1	2	3
2. MULTIPLE DX	434	1.3	1	<1	1	1	1	2	3	5
A. Not Operated	5	1.0		<1	<1	1	1	1	1	1
B. Operated	517	1.3	1	<1	1	1	1	2	3	4
TOTAL										
0-19 YRS	80	1.2		<1	1	1	1	2	2	4
20-34	194	1.2	1	<1	1	1	1	2	3	5
35-49	154	1.3	1	<1	1	1	1	2	3	4
50-64	78	1.4	1	<1	1	1	2	3	4	5
65+	16	1.1		1	1	1	1	1	2	2
GRAND TOTAL	**522**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**	**4**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65+	0									
B. Operated										
0-19 YRS	8	1.4	1	1	1	1	1	3	4	4
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	1.5	1	1	1	1	2	3	3	3
65+	3	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65+	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	19	2.2	3	<1	1	1	3	5	6	7
20-34	23	1.3	1	<1	1	1	1	2	4	5
35-49	23	2.6	14	<1	1	1	2	5	11	18
50-64	21	1.5		<1	1	1	2	3	3	3
65+	11	1.2		<1	<1	1	1	2	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	20	1.4	1	<1	1	1	1	3	4	4
2. MULTIPLE DX										
A. Not Operated	4	2.0	2	1	1	2	3	4	4	4
B. Operated	97	1.8	4	<1	1	1	2	3	5	13
1. SINGLE DX	21	1.6	2	<1	1	1	2	4	5	6
2. MULTIPLE DX	101	1.8	4	<1	1	1	2	3	5	13
A. Not Operated	5	2.8	5	1	1	2	4	6	6	6
B. Operated	117	1.8	4	<1	1	1	2	3	5	11
TOTAL										
0-19 YRS	29	1.9	3	1	1	1	2	5	5	7
20-34	26	1.4	1	<1	1	1	1	3	4	5
35-49	25	2.5	13	1	1	1	2	4	10	18
50-64	26	1.7	1	1	1	1	2	3	4	6
65+	16	1.3	1	<1	<1	1	1	3	4	4
GRAND TOTAL	**122**	**1.8**	**4**	**<1**	**1**	**1**	**2**	**3**	**5**	**11**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.0	3	1	1	2	2	4	6	7
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1901	1.1		<1	1	1	1	1	1	2
20-34	198	1.1		1	1	1	1	1	2	3
35-49	41	1.1		1	1	1	1	1	2	3
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	3.1	8	<1	1	2	4	6	7	16
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2135	1.4	5	<1	1	1	1	2	3	10
20-34	108	1.4	1	1	1	1	1	2	3	6
35-49	36	2.0	7	1	1	1	1	6	9	13
50-64	10	1.4		1	1	1	2	3	3	3
65 +	7	2.3	5	<1	<1	2	2	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.0	2	1	1	2	2	3	6	7
B. Operated	2142	1.1		<1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	54	3.0	8	<1	1	2	4	6	7	16
B. Operated	2296	1.4	5	<1	1	1	1	2	3	10
1. SINGLE DX	2158	1.1		<1	1	1	1	1	2	3
2. MULTIPLE DX	2350	1.5	5	<1	1	1	1	2	3	10
A. Not Operated	70	2.8	6	<1	1	2	3	6	7	15
B. Operated	4438	1.2	2	<1	1	1	1	1	2	7
TOTAL										
0-19 YRS	4100	1.3	3	<1	1	1	1	1	2	7
20-34	312	1.2	1	1	1	1	1	2	2	4
35-49	77	1.5	4	1	1	1	1	2	5	12
50-64	12	1.3		1	1	1	2	2	3	3
65 +	7	2.3	5	<1	<1	2	2	6	7	7
GRAND TOTAL	**4508**	**1.3**	**3**	**<1**	**1**	**1**	**1**	**1**	**2**	**7**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	230	2.8	6	<1	1	2	3	5	7	11
20-34	67	3.0	4	1	2	3	3	5	7	11
35-49	31	2.9	2	1	2	3	4	4	5	8
50-64	9	4.1	9	2	3	3	4	9	11	11
65 +	7	3.9	9	1	2	3	5	9	10	10
B. Operated										
0-19 YRS	378	2.1	5	<1	<1	1	2	4	7	14
20-34	110	2.1	3	<1	1	1	3	4	5	10
35-49	75	2.6	53	<1	1	1	2	3	6	50
50-64	44	1.8	3	<1	1	1	2	3	6	10
65 +	25	1.8	2	1	1	1	2	4	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	449	3.6	9	1	2	3	4	6	8	10
20-34	96	3.8	6	1	2	3	5	7	9	13
35-49	79	3.6	4	2	2	3	4	6	8	11
50-64	47	4.0	8	1	3	4	5	7	10	15
65 +	51	5.7	25	1	3	4	7	13	14	24
B. Operated										
0-19 YRS	535	4.5	56	<1	1	2	5	11	20	47
20-34	211	2.9	12	1	1	1	3	7	10	20
35-49	226	3.0	12	1	1	2	4	6	12	17
50-64	192	3.1	17	1	1	2	4	7	9	16
65 +	142	5.3	78	1	1	2	5	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	344	2.9	5	<1	1	2	3	5	7	11
B. Operated	632	2.1	10	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated	722	3.8	9	1	2	3	5	7	9	14
B. Operated	1306	3.9	38	<1	1	2	4	9	14	35
1. SINGLE DX	976	2.4	9	<1	1	2	3	5	7	11
2. MULTIPLE DX	2028	3.8	28	1	1	2	4	8	12	27
A. Not Operated	1066	3.5	8	1	2	3	4	6	8	14
B. Operated	1938	3.3	30	<1	1	1	3	7	12	27
TOTAL										
0-19 YRS	1592	3.4	24	<1	1	2	4	7	10	26
20-34	484	2.9	6	1	1	2	3	6	8	13
35-49	411	3.0	17	1	1	2	4	6	8	17
50-64	292	3.1	13	1	1	2	4	7	9	15
65 +	225	4.9	56	1	1	3	5	13	17	30
GRAND TOTAL	**3004**	**3.4**	**22**	**<1**	**1**	**2**	**4**	**7**	**10**	**23**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	170	4.0	5	2	2	3	5	7	8	11
20-34	67	4.8	5	3	3	4	5	8	10	12
35-49	46	5.2	7	3	4	5	6	9	12	12
50-64	40	5.4	6	2	4	5	7	9	10	13
65 +	46	5.9	8	3	4	5	8	10	11	16
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	32.3	1926	6	6	8	64	83	83	83
65 +	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	534	7.1	42	2	3	5	9	14	18	34
20-34	276	6.7	17	3	4	5	9	13	15	20
35-49	302	7.4	27	3	4	6	9	12	17	29
50-64	593	8.6	35	4	5	7	10	15	19	28
65 +	2198	9.8	53	4	6	8	12	17	22	45
B. Operated										
0-19 YRS	82	20.2	314	7	11	15	24	35	61	92
20-34	61	15.1	213	4	6	12	17	29	42	78
35-49	100	17.5	237	5	7	12	23	38	54	95
50-64	127	18.4	265	7	9	14	22	40	68	99 +
65 +	380	19.1	228	7	9	14	23	39	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	369	4.7	6	2	3	4	6	8	10	12
B. Operated	10	12.6	618	1	3	5	8	46	83	83
2. MULTIPLE DX										
A. Not Operated	3903	8.9	45	3	5	7	11	15	20	36
B. Operated	750	18.6	244	6	9	14	23	38	54	99 +
1. SINGLE DX	379	4.9	22	2	3	4	6	8	10	13
2. MULTIPLE DX	4653	10.4	90	3	5	8	12	19	27	61
A. Not Operated	4272	8.5	43	3	5	7	10	15	20	35
B. Operated	760	18.5	248	6	9	14	23	38	54	99 +
TOTAL										
0-19 YRS	789	7.8	81	2	3	5	9	15	23	43
20-34	405	7.6	55	3	4	5	9	14	18	37
35-49	449	9.4	90	3	5	7	10	19	26	56
50-64	763	10.2	92	4	5	8	12	18	25	71
65 +	2626	11.1	88	4	6	9	13	20	28	61
GRAND TOTAL	**5032**	**10.0**	**87**	**3**	**5**	**7**	**12**	**19**	**26**	**59**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2654	3.6	6	2	2	3	4	6	7	10
20-34	326	4.4	5	2	3	4	5	7	8	11
35-49	246	4.8	6	2	3	4	6	8	9	14
50-64	182	5.1	5	3	4	5	6	8	9	14
65 +	249	6.3	18	3	4	5	7	11	14	21
B. Operated										
0-19 YRS	32	3.5	7	< 1	1	3	5	7	9	10
20-34	5	9.2	17	4	6	9	12	15	15	15
35-49	12	6.7	18	3	3	6	9	12	16	17
50-64	13	8.5	30	4	5	7	9	17	23	24
65 +	5	9.4	14	5	6	11	12	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6224	4.5	13	2	3	4	5	8	10	16
20-34	787	5.6	14	2	3	5	7	10	12	16
35-49	927	6.2	15	3	4	5	8	11	14	21
50-64	1679	7.1	22	3	4	6	9	12	15	25
65 +	5473	8.6	34	4	5	7	10	14	18	32
B. Operated										
0-19 YRS	241	12.7	107	3	6	10	18	28	35	99 +
20-34	90	14.2	159	4	7	11	15	28	46	65
35-49	163	13.0	118	4	7	10	16	23	34	55
50-64	264	12.3	65	5	7	10	16	22	28	47
65 +	702	16.4	189	6	9	12	19	34	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3657	4.0	7	2	3	4	5	7	8	13
B. Operated	67	5.9	19	1	3	5	8	11	15	23
2. MULTIPLE DX										
A. Not Operated	15090	6.4	25	2	3	5	8	12	15	26
B. Operated	1460	14.5	147	5	8	11	17	28	40	93
1. SINGLE DX	3724	4.0	8	2	3	4	5	7	8	13
2. MULTIPLE DX	16550	7.1	41	2	4	6	9	13	17	35
A. Not Operated	18747	6.0	23	2	3	5	7	11	14	24
B. Operated	1527	14.2	144	4	7	11	17	28	39	91
TOTAL										
0-19 YRS	9151	4.5	16	2	3	4	5	7	10	20
20-34	1208	5.9	28	2	3	5	7	10	13	28
35-49	1348	6.8	31	3	4	5	8	12	16	30
50-64	2138	7.5	30	3	4	6	9	13	17	31
65 +	6429	9.3	57	4	5	8	11	16	22	47
GRAND TOTAL	**20274**	**6.6**	**36**	**2**	**3**	**5**	**8**	**12**	**16**	**32**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	2.9	2	1	2	3	3	5	6	9
20-34	42	3.3	3	1	2	3	4	6	7	8
35-49	41	3.7	3	2	3	3	5	6	7	7
50-64	15	4.3	3	2	3	4	5	7	8	8
65 +	28	4.8	6	2	3	4	6	8	11	11
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	269	3.8	18	2	2	3	4	5	7	28
20-34	163	3.3	3	2	2	3	4	5	6	11
35-49	144	4.1	6	2	3	4	5	7	8	15
50-64	151	4.8	9	2	3	4	6	8	9	13
65 +	320	6.4	15	3	4	5	8	11	14	21
B. Operated										
0-19 YRS	3	8.7	12	5	6	9	11	12	12	12
20-34	3	6.0	7	4	4	5	8	9	9	9
35-49	3	7.3	14	3	4	9	10	10	10	10
50-64	6	8.5	40	5	5	6	9	20	21	21
65 +	11	10.1	55	4	6	8	12	22	28	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	203	3.5	3	2	2	3	4	6	7	10
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	1047	4.7	13	2	3	4	6	8	10	19
B. Operated	26	8.8	35	4	5	7	10	17	23	29
1. SINGLE DX	204	3.5	3	2	2	3	4	6	7	10
2. MULTIPLE DX	1073	4.8	14	2	3	4	6	8	11	20
A. Not Operated	1250	4.5	12	2	3	4	5	8	10	17
B. Operated	27	8.5	36	3	5	7	10	16	22	29
TOTAL										
0-19 YRS	349	3.7	15	2	2	3	4	5	7	17
20-34	209	3.3	3	2	2	3	4	6	6	10
35-49	188	4.1	5	2	3	4	5	7	7	13
50-64	172	4.9	10	2	3	4	6	8	9	19
65 +	359	6.4	16	3	4	5	8	11	14	22
GRAND TOTAL	**1277**	**4.6**	**13**	**2**	**3**	**4**	**5**	**8**	**10**	**19**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	137	2.8	2	1	2	2	4	5	6	7
20-34	16	2.9	2	1	2	2	4	5	6	6
35-49	16	3.6	3	2	2	3	4	7	7	7
50-64	27	5.4	39	2	3	4	5	8	19	33
65 +	30	4.5	9	2	2	4	6	8	9	16
B. Operated										
0-19 YRS	8	2.5	4	1	1	2	4	6	6	6
20-34	0									
35-49	5	1.4		< 1	< 1	< 1	2	2	2	2
50-64	6	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	8	3.6	55	< 1	< 1	< 1	< 1	16	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	388	4.2	22	2	2	3	4	8	11	17
20-34	82	4.0	6	1	2	4	5	7	8	11
35-49	110	4.3	6	2	3	4	5	8	9	13
50-64	246	6.1	42	2	3	5	7	10	13	29
65 +	447	6.4	26	3	3	5	8	11	14	27
B. Operated										
0-19 YRS	19	7.3	73	1	2	5	9	14	28	38
20-34	10	6.1	32	1	3	4	7	16	19	19
35-49	19	6.6	41	< 1	2	6	8	11	22	29
50-64	42	8.4	50	2	3	7	11	19	20	37
65 +	55	9.7	76	1	3	7	13	21	28	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	226	3.4	8	1	2	3	4	6	7	16
B. Operated	27	2.3	17	< 1	< 1	< 1	2	5	8	22
2. MULTIPLE DX										
A. Not Operated	1273	5.3	26	2	3	4	7	10	12	23
B. Operated	145	8.4	61	1	3	6	12	19	25	38
1. SINGLE DX	253	3.3	9	1	2	3	4	6	7	16
2. MULTIPLE DX	1418	5.6	30	2	3	4	7	10	14	28
A. Not Operated	1499	5.0	24	2	3	4	6	9	11	21
B. Operated	172	7.4	59	< 1	2	5	10	17	22	38
TOTAL										
0-19 YRS	552	3.9	19	1	2	3	4	7	10	15
20-34	108	4.1	8	1	2	4	5	7	8	16
35-49	150	4.4	11	2	2	4	6	8	9	14
50-64	321	6.2	43	2	3	5	7	10	16	34
65 +	540	6.6	32	2	3	5	8	12	16	29
GRAND TOTAL	**1671**	**5.3**	**28**	**2**	**3**	**4**	**6**	**10**	**13**	**28**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	6	5.5	8	1	4	6	7	9	9	9
65 +	12	9.0	82	1	4	6	9	27	28	28
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	7	5.7	5	3	4	6	8	8	8	8
50-64	83	7.2	36	2	3	5	9	15	20	29
65 +	146	8.1	49	3	4	6	9	15	20	44
B. Operated										
0-19 YRS	3	8.3	20	4	5	8	12	13	13	13
20-34	7	11.1	41	4	5	12	17	18	18	18
35-49	5	8.6	35	3	4	5	15	15	15	15
50-64	14	15.5	117	5	8	14	17	34	41	43
65 +	20	17.3	269	4	7	12	22	43	60	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	7.5	56	1	4	6	8	20	28	28
B. Operated	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	238	7.7	43	2	4	6	9	15	20	36
B. Operated	49	14.4	158	4	5	12	17	26	44	61
1. SINGLE DX	21	7.5	51	1	4	6	8	17	27	28
2. MULTIPLE DX	287	8.9	69	3	4	6	11	17	25	44
A. Not Operated	257	7.7	44	2	4	6	9	15	20	35
B. Operated	51	14.2	154	4	5	12	17	26	42	61
TOTAL										
0-19 YRS	3	8.3	20	4	5	8	12	13	13	13
20-34	10	8.7	43	2	4	5	16	18	18	18
35-49	12	6.9	17	3	4	6	8	15	15	15
50-64	104	8.3	52	2	4	6	10	17	24	38
65 +	179	9.2	82	3	4	6	10	19	27	55
GRAND TOTAL	**308**	**8.8**	**68**	**3**	**4**	**6**	**10**	**17**	**25**	**44**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4073	2.7	2	1	2	2	3	4	5	7
20-34	472	3.4	4	1	2	3	4	6	7	10
35-49	361	3.7	4	2	2	3	5	6	7	10
50-64	257	4.4	5	2	3	4	6	8	9	10
65 +	140	5.4	13	2	3	4	7	10	13	19
B. Operated										
0-19 YRS	16	3.9	6	1	2	3	5	7	9	10
20-34	1	15.0		15	15	15	15	15	15	15
35-49	5	4.4	4	1	3	5	6	6	6	6
50-64	2	11.5	25	8	8	11	15	15	15	15
65 +	3	8.0	28	4	4	6	12	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4288	3.4	6	1	2	3	4	6	7	11
20-34	665	3.9	6	2	2	3	5	7	9	13
35-49	1008	5.0	11	2	3	4	6	8	10	18
50-64	1334	5.9	19	2	3	5	7	10	13	20
65 +	1716	6.8	24	3	4	6	8	12	15	23
B. Operated										
0-19 YRS	106	9.2	142	2	4	6	10	17	25	74
20-34	24	8.4	22	3	5	8	12	16	39	99 +
35-49	53	8.7	42	3	5	7	11	21	26	97
50-64	71	10.5	53	4	5	8	12	22	28	33
65 +	99	14.4	219	5	6	10	15	26	52	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5303	3.0	3	1	2	3	4	5	6	9
B. Operated	27	5.4	16	1	3	5	6	13	15	15
2. MULTIPLE DX										
A. Not Operated	9011	4.6	14	2	2	4	6	8	11	18
B. Operated	353	10.8	127	3	5	8	12	21	30	88
1. SINGLE DX	5330	3.0	3	1	2	3	4	5	6	10
2. MULTIPLE DX	9364	4.9	20	2	3	4	6	9	12	20
A. Not Operated	14314	4.0	11	1	2	3	5	7	10	16
B. Operated	380	10.4	121	3	5	7	12	20	29	87
TOTAL										
0-19 YRS	8483	3.1	7	1	2	3	4	5	6	10
20-34	1162	3.8	6	1	2	3	5	7	8	13
35-49	1427	4.8	11	2	3	4	6	8	10	20
50-64	1664	5.9	20	2	3	5	7	10	13	22
65 +	1958	7.1	36	3	4	6	9	13	16	27
GRAND TOTAL	**14694**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	4	3.5	3	1	2	4	5	5	5	5
35-49	13	5.2	9	2	3	4	7	10	11	11
50-64	53	4.5	9	2	2	4	6	10	11	13
65 +	76	5.4	14	2	3	5	7	9	11	24
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	10.5	29	4	7	11	13	14	20	29
20-34	10	6.3	14	1	5	5	9	11	13	13
35-49	64	5.4	12	2	3	4	7	11	12	17
50-64	443	6.3	25	2	3	5	8	12	16	26
65 +	814	6.9	30	2	4	6	8	12	17	30
B. Operated										
0-19 YRS	21	12.3	170	4	6	9	12	24	46	61
20-34	5	18.0	105	5	9	20	27	28	28	28
35-49	11	10.9	149	1	3	7	14	31	40	41
50-64	48	13.5	157	4	6	11	17	28	47	99 +
65 +	83	14.6	189	3	6	10	18	34	41	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	5.0	12	2	3	4	6	9	11	17
B. Operated	8	4.3	6	1	2	4	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	1366	6.7	28	2	4	5	8	12	16	29
B. Operated	168	13.9	171	3	6	10	17	31	41	78
1. SINGLE DX	156	4.9	11	2	3	4	6	9	11	17
2. MULTIPLE DX	1534	7.5	49	2	4	6	9	14	19	38
A. Not Operated	1514	6.6	27	2	3	5	8	12	16	27
B. Operated	176	13.4	167	3	6	9	16	30	40	78
TOTAL										
0-19 YRS	59	10.8	80	3	6	10	13	16	25	59
20-34	20	8.8	60	2	4	5	10	23	27	28
35-49	90	6.0	30	2	3	4	8	11	15	35
50-64	546	6.7	39	2	3	5	8	13	16	33
65 +	975	7.5	47	2	4	6	9	14	19	38
GRAND TOTAL	**1690**	**7.3**	**46**	**2**	**4**	**6**	**9**	**14**	**19**	**38**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.1	5	< 1	1	2	2	3	7	11
20-34	21	3.2	5	1	2	3	4	6	9	10
35-49	11	3.9	7	2	2	3	5	8	10	10
50-64	4	2.5	4	1	1	2	4	5	5	5
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	59	5.3	15	2	3	4	6	9	15	19
20-34	171	5.6	14	3	4	5	6	9	14	19
35-49	60	5.8	16	2	3	5	7	12	16	18
50-64	18	5.7	16	2	3	5	7	11	16	18
65 +	10	8.6	19	3	6	8	11	15	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.7	12	1	1	2	7	9	9	9
20-34	22	3.5	8	1	2	3	4	7	10	14
35-49	12	5.8	11	2	3	5	8	11	12	12
50-64	9	5.3	7	2	3	6	7	9	9	9
65 +	17	7.1	45	2	3	5	9	12	24	30
B. Operated										
0-19 YRS	22	10.5	37	4	6	7	16	20	22	22
20-34	99	9.7	51	3	5	8	14	18	24	71
35-49	61	9.1	40	3	4	7	11	17	24	30
50-64	87	11.7	136	3	4	7	14	28	35	61
65 +	135	12.1	117	4	5	8	16	26	38	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	2.9	5	1	1	2	3	6	9	11
B. Operated	318	5.7	15	2	3	5	7	10	15	19
2. MULTIPLE DX										
A. Not Operated	66	5.1	20	1	2	4	7	10	12	27
B. Operated	404	10.9	90	3	5	8	14	22	30	64
1. SINGLE DX	376	5.3	14	2	3	4	6	9	13	19
2. MULTIPLE DX	470	10.1	84	3	4	7	13	21	28	60
A. Not Operated	124	4.1	14	1	2	3	5	9	10	18
B. Operated	722	8.6	63	3	4	6	10	18	23	46
TOTAL										
0-19 YRS	107	5.7	24	1	2	4	7	13	17	22
20-34	313	6.6	30	2	3	5	8	14	17	31
35-49	144	7.0	28	2	3	5	9	15	17	26
50-64	118	10.0	112	3	4	7	11	22	32	56
65 +	164	11.3	105	3	5	8	15	24	31	67
GRAND TOTAL	**846**	**7.9**	**59**	**2**	**3**	**6**	**9**	**17**	**22**	**42**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	4	1	1	3	52	99+	99+	99+
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	3	5.3	9	2	3	6	7	8	8	8
50-64	3	5.7	12	2	3	6	8	9	9	9
65+	13	8.2	16	4	5	7	11	14	16	16
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	132	8.7	87	2	3	5	11	20	26	51
20-34	34	7.9	168	2	2	4	7	15	28	73
35-49	95	8.0	36	3	4	6	10	14	19	34
50-64	448	8.9	45	3	5	7	11	17	22	41
65+	1076	10.0	65	4	5	8	12	18	24	44
B. Operated										
0-19 YRS	53	21.6	223	5	14	22	35	99+	99+	99+
20-34	14	23.9	302	5	9	29	42	96	99+	99+
35-49	27	18.7	205	4	7	17	25	48	63	99+
50-64	108	23.2	353	6	10	19	31	56	83	99+
65+	198	21.1	278	6	10	16	30	49	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	6.8	15	2	4	7	9	14	37	99+
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1785	9.5	62	3	5	7	12	18	24	44
B. Operated	400	21.7	286	6	10	18	31	59	91	99+
1. SINGLE DX	24	6.8	15	2	4	7	9	14	37	99+
2. MULTIPLE DX	2185	11.7	125	3	5	8	14	25	36	99+
A. Not Operated	1809	9.4	62	3	5	7	12	17	24	44
B. Operated	400	21.7	286	6	10	18	31	59	91	99+
TOTAL										
0-19 YRS	188	12.3	158	2	4	8	20	34	65	99+
20-34	50	12.4	246	2	3	6	17	39	72	99+
35-49	125	10.2	90	3	4	7	12	22	30	69
50-64	559	11.7	135	3	5	8	13	24	36	91
65+	1287	11.7	114	4	6	8	14	23	33	72
GRAND TOTAL	**2209**	**11.7**	**125**	**3**	**5**	**8**	**14**	**25**	**36**	**99+**

196: Other lung and pleural diseases (500-511.9; 513-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	483	2.7	2	1	2	2	3	4	5	8
20-34	32	3.2	5	1	2	3	4	6	9	10
35-49	33	3.5	7	1	2	3	5	7	10	12
50-64	31	3.8	5	1	2	3	5	7	7	11
65+	36	6.1	29	1	2	4	8	14	17	24
B. Operated										
0-19 YRS	92	2.8	11	<1	1	1	3	7	12	14
20-34	16	4.4	9	1	2	4	6	8	11	13
35-49	44	5.9	28	1	1	4	10	14	17	19
50-64	43	4.5	14	1	1	3	7	11	12	13
65+	36	5.6	24	<1	1	4	8	12	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	906	4.8	28	1	2	3	5	9	14	25
20-34	175	5.4	17	2	2	4	7	12	14	20
35-49	285	6.2	33	1	3	5	8	12	16	31
50-64	496	6.8	32	2	3	5	9	14	17	34
65+	1499	8.3	48	3	4	7	10	16	21	40
B. Operated										
0-19 YRS	396	10.4	212	<1	1	5	14	29	44	88
20-34	132	11.2	122	2	4	8	16	23	31	69
35-49	201	12.0	134	2	5	9	15	24	34	68
50-64	380	12.5	149	2	5	9	16	27	37	66
65+	623	14.1	148	3	6	11	18	31	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	615	3.0	5	1	2	3	4	5	7	12
B. Operated	231	4.3	18	<1	1	3	6	11	13	17
2. MULTIPLE DX										
A. Not Operated	3361	6.8	40	2	3	5	9	14	18	34
B. Operated	1732	12.5	161	1	4	9	16	28	38	80
1. SINGLE DX	846	3.4	9	1	2	3	4	7	10	17
2. MULTIPLE DX	5093	8.7	88	2	3	6	11	19	27	57
A. Not Operated	3976	6.3	36	2	3	4	8	13	17	32
B. Operated	1963	11.5	151	1	3	8	15	27	37	79
TOTAL										
0-19 YRS	1877	5.4	67	1	2	3	5	12	18	48
20-34	355	7.3	64	2	3	5	9	16	21	37
35-49	563	8.1	76	1	3	5	10	18	24	41
50-64	950	8.9	86	2	3	6	11	18	26	55
65+	2194	9.9	83	3	4	7	12	21	28	62
GRAND TOTAL	**5939**	**8.0**	**80**	**1**	**3**	**5**	**10**	**17**	**25**	**52**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.4	2	<1	1	2	3	4	5	5
20-34	13	1.9	1	1	1	2	3	13	81	99+
35-49	5	3.0	3	1	2	3	4	5	5	5
50-64	3	4.3	6	2	2	4	6	7	7	7
65+	0									
B. Operated										
0-19 YRS	286	1.6	1	<1	<1	<1	2	3	3	4
20-34	160	2.2	1	1	2	2	3	3	5	7
35-49	119	2.1	1	1	1	2	2	4	4	5
50-64	31	2.1	2	1	1	2	3	4	6	6
65+	10	2.8	3	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	3.2	4	1	2	3	4	6	7	9
20-34	20	3.5	9	1	1	3	4	7	10	14
35-49	17	2.8	7	1	1	2	4	4	9	12
50-64	13	2.9	6	1	1	2	4	6	9	10
65+	12	3.7	5	1	2	4	5	6	9	9
B. Operated										
0-19 YRS	447	2.1	4	<1	<1	2	2	4	5	11
20-34	232	2.9	6	1	2	2	3	5	7	16
35-49	156	2.5	3	1	1	2	3	5	6	11
50-64	103	3.4	11	1	1	2	4	8	10	19
65+	77	4.2	22	1	2	2	5	9	14	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	2.5	2	1	1	2	3	5	7	99+
B. Operated	606	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	116	3.2	5	1	2	3	4	6	7	13
B. Operated	1015	2.6	7	<1	1	2	3	5	7	15
1. SINGLE DX	636	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX	1131	2.7	7	<1	1	2	3	5	7	14
A. Not Operated	146	3.1	5	1	2	3	4	6	7	16
B. Operated	1621	2.4	5	<1	1	2	3	4	6	12
TOTAL										
0-19 YRS	796	2.0	3	<1	<1	1	2	4	5	9
20-34	425	2.6	5	1	2	2	3	4	6	15
35-49	297	2.4	3	1	1	2	3	4	5	10
50-64	150	3.1	9	1	1	2	4	7	9	17
65+	99	4.0	18	1	2	2	5	8	12	25
GRAND TOTAL	**1767**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	3.4	4	1	3	3	4	6	8	10
20-34	11	3.6	4	1	2	3	5	7	8	8
35-49	8	3.3	3	1	2	3	5	5	5	5
50-64	5	3.6	1	2	3	4	4	5	5	5
65+	4	3.8	2	2	2	4	5	5	5	5
B. Operated										
0-19 YRS	80	2.5	3	<1	1	2	3	5	6	8
20-34	33	2.4	4	<1	1	2	3	5	6	10
35-49	25	2.6	4	1	1	2	3	6	7	9
50-64	30	2.0	4	1	1	2	2	3	4	12
65+	16	1.9	3	1	1	1	2	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	122	4.3	15	2	2	3	5	7	10	26
20-34	22	4.5	3	2	3	4	6	7	7	8
35-49	33	6.0	25	2	3	4	8	13	19	21
50-64	22	4.6	5	2	3	4	6	8	9	9
65+	55	6.3	14	3	4	6	8	10	13	21
B. Operated										
0-19 YRS	77	4.0	15	1	2	3	5	8	12	21
20-34	40	5.3	34	1	2	3	6	11	20	28
35-49	58	4.1	28	1	2	3	5	7	9	38
50-64	58	4.2	29	1	2	3	5	9	17	94
65+	62	5.4	28	1	1	3	8	12	14	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	3.5	3	1	2	3	4	6	7	10
B. Operated	184	2.4	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	254	5.0	15	2	3	4	6	9	11	21
B. Operated	295	4.5	26	1	2	3	6	9	13	33
1. SINGLE DX	255	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX	549	4.7	21	1	2	3	6	9	12	28
A. Not Operated	325	4.7	13	2	3	4	6	8	10	21
B. Operated	479	3.7	18	1	1	2	4	8	10	26
TOTAL										
0-19 YRS	322	3.7	11	1	2	3	4	7	9	20
20-34	106	4.0	16	1	2	3	5	8	9	25
35-49	124	4.2	22	1	2	3	5	9	10	26
50-64	115	3.7	17	1	1	3	5	8	9	57
65+	137	5.3	21	1	2	4	7	10	13	22
GRAND TOTAL	**804**	**4.1**	**16**	**1**	**2**	**3**	**5**	**8**	**10**	**22**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	482	2.7	6	1	1	2	3	6	7	13
20-34	38	2.4	4	<1	1	2	3	4	5	12
35-49	47	2.2	2	<1	1	2	3	4	5	6
50-64	45	2.2	2	1	1	2	3	4	6	8
65+	18	2.4	3	<1	1	2	3	5	7	7
B. Operated										
0-19 YRS	222	4.6	20	1	1	4	6	10	12	23
20-34	25	3.6	4	1	2	4	5	7	7	7
35-49	36	3.4	5	<1	1	3	5	7	7	8
50-64	37	3.1	7	<1	1	2	4	6	9	12
65+	40	2.1	3	<1	<1	<1	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	931	4.4	21	1	2	3	5	9	12	22
20-34	176	3.2	6	<1	2	3	4	6	8	14
35-49	347	3.6	9	1	2	3	4	7	8	14
50-64	467	4.1	16	1	2	3	5	7	9	18
65+	602	4.8	14	2	3	4	6	8	12	19
B. Operated										
0-19 YRS	636	9.3	109	1	3	6	11	21	31	57
20-34	115	6.6	59	<1	2	4	9	13	20	40
35-49	260	5.5	41	<1	2	4	7	11	16	53
50-64	326	5.7	66	<1	2	4	7	11	14	39
65+	517	7.7	75	<1	3	5	9	15	23	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	630	2.6	5	1	1	2	3	5	7	12
B. Operated	360	4.0	15	<1	1	3	6	8	11	22
2. MULTIPLE DX										
A. Not Operated	2523	4.2	16	1	2	3	5	8	11	19
B. Operated	1854	7.5	82	1	3	5	9	15	24	55
1. SINGLE DX	990	3.1	9	1	1	2	4	6	8	15
2. MULTIPLE DX	4377	5.6	46	1	2	4	7	11	16	38
A. Not Operated	3153	3.9	14	1	2	3	5	7	10	18
B. Operated	2214	6.9	73	<1	2	5	8	14	22	52
TOTAL										
0-19 YRS	2271	5.4	49	1	2	3	7	11	17	38
20-34	354	4.2	25	<1	2	3	5	9	12	27
35-49	690	4.2	21	1	2	3	5	8	11	21
50-64	875	4.5	35	1	2	3	5	8	11	25
65+	1177	6.0	43	1	3	4	7	12	16	33
GRAND TOTAL	**5367**	**5.2**	**40**	**1**	**2**	**4**	**6**	**10**	**15**	**34**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	13	1.9	1	<1	<1	2	2	4	5	5
35-49	26	3.8	4	<1	3	4	5	7	8	8
50-64	9	2.4	3	<1	1	2	3	5	6	6
65+	4	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	4	3.5	4	<1	1	3	5	6	6	6
20-34	8	2.6	13	<1	<1	<1	2	9	11	11
35-49	25	4.5	29	<1	<1	1	6	11	19	20
50-64	22	3.1	15	<1	<1	<1	3	9	13	15
65+	22	1.9	4	<1	<1	<1	1	4	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.6	44	<1	2	5	9	18	18	18
20-34	45	4.3	6	2	3	4	5	8	9	11
35-49	65	3.8	7	1	2	3	5	6	10	14
50-64	83	4.3	10	1	2	4	6	7	10	18
65+	118	5.8	13	2	3	5	7	9	13	19
B. Operated										
0-19 YRS	13	3.3	3	1	2	3	4	6	8	8
20-34	27	5.4	25	<1	<1	4	8	12	14	22
35-49	70	6.5	20	<1	3	6	9	13	15	23
50-64	102	6.4	26	<1	3	5	9	12	15	28
65+	153	8.0	56	<1	4	6	10	19	22	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	3.0	4	<1	2	3	4	6	7	8
B. Operated	81	3.2	16	<1	<1	<1	4	8	12	20
2. MULTIPLE DX										
A. Not Operated	316	4.8	11	2	3	4	6	8	11	16
B. Operated	365	6.9	38	<1	3	6	9	13	19	32
1. SINGLE DX	136	3.1	11	<1	<1	2	4	7	9	19
2. MULTIPLE DX	681	5.9	26	<1	3	5	7	11	15	26
A. Not Operated	371	4.5	10	1	3	4	6	8	10	15
B. Operated	446	6.2	36	<1	2	5	8	13	19	30
TOTAL										
0-19 YRS	25	4.1	12	1	2	3	5	8	11	18
20-34	93	4.2	12	<1	1	3	5	9	11	18
35-49	186	4.9	16	<1	2	4	6	10	13	20
50-64	216	5.1	19	<1	2	4	7	10	13	22
65+	297	6.6	37	<1	3	5	8	12	20	34
GRAND TOTAL	**817**	**5.5**	**25**	**<1**	**2**	**4**	**7**	**10**	**14**	**24**

156 Hospitals, Southern Region, January-December 1989

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.01; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.2	2	1	2	3	4	5	5	5
20-34	10	3.3	2	1	2	3	4	5	6	6
35-49	19	3.8	2	2	3	4	5	6	6	6
50-64	19	4.1	4	1	2	5	6	7	8	8
65+	10	4.1	2	2	3	4	5	6	7	7
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	12	5.9	2	4	5	6	6	8	9	9
35-49	20	6.6	12	2	4	6	8	11	13	15
50-64	17	5.2	12	2	3	4	7	11	12	12
65+	5	4.8	20	<1	1	3	7	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.3	3	1	2	3	5	6	6	6
20-34	38	4.2	7	2	3	4	5	6	8	16
35-49	113	5.0	19	2	3	4	5	8	9	27
50-64	170	5.1	14	2	3	4	6	8	11	24
65+	403	6.2	19	3	3	5	8	12	15	29
B. Operated										
0-19 YRS	13	9.4	89	2	3	7	12	19	34	37
20-34	27	7.7	29	3	4	6	10	15	20	25
35-49	81	[illegible].7	120	2	4	7	9	15	26	96
50-64	197	[illegible].3	45	3	4	7	10	17	23	37
65+	537	9.2	68	3	4	7	11	17	24	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	3.8	3	2	3	4	5	6	7	8
B. Operated	55	5.9	10	2	3	6	7	11	12	15
2. MULTIPLE DX										
A. Not Operated	731	5.6	17	2	3	5	6	10	14	26
B. Operated	855	9.0	66	3	4	7	11	17	24	45
1. SINGLE DX	118	4.8	7	2	3	4	6	8	11	13
2. MULTIPLE DX	1586	7.4	47	3	4	5	9	14	20	38
A. Not Operated	794	5.5	17	2	3	4	6	10	13	24
B. Operated	910	8.8	63	3	4	7	10	17	23	44
TOTAL										
0-19 YRS	26	6.5	53	2	3	4	7	14	19	37
20-34	87	5.4	15	2	3	5	6	9	13	23
35-49	233	6.3	55	2	3	5	7	11	15	48
50-64	403	6.8	32	2	4	5	8	12	18	30
65+	955	7.9	49	3	4	6	10	15	21	41
GRAND TOTAL	**1704**	**7.2**	**44**	**3**	**4**	**5**	**9**	**14**	**19**	**37**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.4	4	<1	1	2	4	6	6	6
20-34	48	3.0	7	1	2	2	3	5	6	19
35-49	78	2.9	4	1	1	3	4	5	7	9
50-64	35	3.0	5	<1	2	2	4	6	7	11
65+	17	4.0	8	<1	1	4	6	8	10	10
B. Operated										
0-19 YRS	7	2.3	4	<1	1	1	3	5	6	6
20-34	9	6.4	6	3	4	7	9	9	9	9
35-49	21	6.9	5	3	6	7	8	9	10	10
50-64	12	5.0	6	2	3	5	7	8	9	9
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	4.3	14	1	2	3	6	7	12	18
20-34	112	3.7	5	1	2	3	5	6	8	12
35-49	186	4.3	8	2	2	4	5	8	10	17
50-64	161	3.7	4	2	2	3	5	6	7	10
65+	228	4.9	11	2	3	4	6	9	10	17
B. Operated										
0-19 YRS	24	3.4	6	1	1	3	5	7	8	9
20-34	24	6.4	26	2	3	5	8	12	18	25
35-49	66	6.3	28	3	3	5	7	13	17	30
50-64	46	7.5	35	3	4	6	8	14	21	33
65+	66	9.0	119	2	4	6	10	16	26	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	186	3.0	5	<1	2	2	4	6	7	11
B. Operated	50	5.6	8	1	3	6	8	9	9	10
2. MULTIPLE DX										
A. Not Operated	716	4.2	8	2	2	4	5	7	10	15
B. Operated	226	7.0	55	2	3	5	8	13	20	36
1. SINGLE DX	236	3.6	7	1	2	3	5	7	9	10
2. MULTIPLE DX	942	4.9	21	2	3	4	6	9	11	23
A. Not Operated	902	4.0	8	1	2	3	5	7	9	15
B. Operated	276	6.8	47	2	3	5	8	11	17	32
TOTAL										
0-19 YRS	68	3.5	9	1	1	3	5	7	8	17
20-34	193	4.0	9	2	2	3	5	7	9	17
35-49	351	4.5	12	1	2	4	6	8	10	18
50-64	254	4.4	12	2	2	4	6	8	9	20
65+	312	5.7	36	2	3	4	6	10	13	28
GRAND TOTAL	**1178**	**4.7**	**18**	**2**	**2**	**4**	**6**	**8**	**10**	**22**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	49	3.6	3	1	2	3	5	7	7	8
35-49	39	3.4	3	1	2	3	5	6	6	7
50-64	36	3.8	3	2	3	4	5	6	7	7
65 +	15	5.7	43	2	2	4	7	8	23	28
B. Operated										
0-19 YRS	3	6.0	19	< 1	2	8	9	9	9	9
20-34	20	6.6	15	3	5	6	7	11	16	20
35-49	30	6.9	7	4	5	7	9	10	11	16
50-64	21	6.2	11	2	4	6	8	11	12	13
65 +	13	8.9	16	3	6	10	12	13	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.6	4	2	2	3	5	6	7	8
20-34	95	4.6	7	2	3	4	5	8	10	16
35-49	165	4.4	5	2	3	4	5	7	9	11
50-64	244	5.2	13	2	3	5	6	8	10	18
65 +	468	6.4	23	3	4	5	8	11	14	26
B. Operated										
0-19 YRS	16	7.7	139	3	3	4	7	10	39	51
20-34	61	9.5	105	3	5	7	10	18	22	71
35-49	100	9.0	74	3	5	7	10	13	22	55
50-64	180	10.1	109	3	5	7	10	19	33	51
65 +	331	12.2	101	4	6	9	15	26	36	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	3.8	7	2	2	3	5	6	7	10
B. Operated	87	6.9	12	3	5	7	9	12	13	19
2. MULTIPLE DX										
A. Not Operated	988	5.6	17	2	3	5	7	10	12	21
B. Operated	688	10.8	102	3	5	8	12	22	34	68
1. SINGLE DX	230	5.0	11	2	3	4	7	9	11	17
2. MULTIPLE DX	1676	7.7	58	3	4	6	9	14	21	45
A. Not Operated	1131	5.3	16	2	3	4	6	9	11	20
B. Operated	775	10.4	93	3	5	8	12	20	32	59
TOTAL										
0-19 YRS	39	5.4	62	2	2	3	6	8	10	51
20-34	225	5.9	39	2	3	5	7	10	13	24
35-49	334	5.9	30	2	3	5	7	10	12	28
50-64	481	7.0	54	3	4	5	8	11	16	47
65 +	827	8.8	62	3	4	6	10	17	25	44
GRAND TOTAL	**1906**	**7.4**	**53**	**3**	**4**	**5**	**8**	**13**	**20**	**41**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	4.3	12	1	2	4	7	8	8	8
35-49	3	9.7	42	3	5	10	14	16	16	16
50-64	3	5.3	12	2	3	5	8	9	9	9
65 +	5	5.8	10	< 1	4	6	8	9	9	9
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	11.8	37	3	7	12	17	19	19	19
35-49	8	7.8	5	5	6	8	9	10	10	10
50-64	4	14.8	41	8	9	14	20	22	22	22
65 +	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	3.0		3	3	3	3	3	3	3
35-49	16	5.1	12	2	3	4	6	10	13	15
50-64	18	4.1	2	2	3	4	5	6	7	7
65 +	42	6.7	16	3	4	5	8	13	16	20
B. Operated										
0-19 YRS	4	16.0	250	2	3	13	29	35	35	35
20-34	6	8.3	41	< 1	5	7	9	19	20	20
35-49	25	14.2	99	5	8	12	16	28	38	46
50-64	52	16.5	85	7	9	14	21	31	33	41
65 +	85	15.5	114	6	8	12	20	30	42	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	6.2	17	1	3	6	9	11	15	16
B. Operated	21	9.7	31	4	6	9	12	18	20	22
2. MULTIPLE DX										
A. Not Operated	79	5.7	13	3	3	5	7	10	14	19
B. Operated	172	15.4	103	6	8	12	20	30	38	45
1. SINGLE DX	35	8.3	28	2	5	8	10	17	19	22
2. MULTIPLE DX	251	12.3	95	3	5	9	17	26	33	45
A. Not Operated	93	5.8	13	3	3	5	7	10	15	19
B. Operated	193	14.8	98	5	8	12	20	29	36	45
TOTAL										
0-19 YRS	6	12.7	177	2	4	6	23	34	35	35
20-34	17	8.2	37	1	3	7	12	19	20	20
35-49	52	10.1	69	3	5	9	12	19	27	46
50-64	77	13.1	90	4	5	10	19	27	32	40
65 +	134	12.2	97	4	6	9	16	25	35	45
GRAND TOTAL	**286**	**11.8**	**88**	**3**	**5**	**9**	**16**	**25**	**31**	**45**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	2.1	2	1	1	2	3	4	5	6
20-34	100	2.5	2	< 1	1	2	3	4	5	8
35-49	108	2.6	3	< 1	1	2	3	5	6	10
50-64	44	2.8	5	< 1	2	2	3	5	8	11
65 +	22	3.2	18	< 1	1	2	4	5	12	21
B. Operated										
0-19 YRS	57	2.8	4	1	1	2	4	6	6	10
20-34	20	2.0	2	< 1	< 1	1	3	4	5	5
35-49	23	4.8	21	< 1	1	3	6	11	17	18
50-64	13	2.2	2	< 1	< 1	2	3	4	6	6
65 +	14	2.2	4	< 1	< 1	< 1	4	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	286	2.7	3	1	2	2	3	5	6	10
20-34	425	3.4	6	1	2	3	4	6	7	14
35-49	585	4.0	10	1	2	3	5	7	9	16
50-64	557	4.2	8	1	2	4	5	8	10	15
65 +	799	5.2	14	2	3	4	6	9	12	20
B. Operated										
0-19 YRS	136	3.9	13	1	2	3	5	7	10	19
20-34	96	4.3	8	1	2	4	5	8	11	14
35-49	201	5.3	18	1	2	4	7	9	13	23
50-64	204	5.5	35	< 1	2	4	7	11	15	75
65 +	352	7.5	40	2	4	6	9	14	18	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	359	2.5	4	< 1	1	2	3	4	5	10
B. Operated	127	2.9	7	< 1	< 1	2	4	6	7	16
2. MULTIPLE DX										
A. Not Operated	2652	4.2	10	1	2	3	5	7	10	16
B. Operated	989	5.9	29	1	3	5	7	11	15	33
1. SINGLE DX	486	2.6	5	< 1	1	2	3	5	6	11
2. MULTIPLE DX	3641	4.6	16	1	2	4	6	9	11	20
A. Not Operated	3011	4.0	10	1	2	3	5	7	9	15
B. Operated	1116	5.5	28	< 1	2	4	7	11	15	30
TOTAL										
0-19 YRS	564	2.9	6	1	2	2	3	6	7	12
20-34	641	3.3	6	1	2	3	4	6	8	13
35-49	917	4.1	12	1	2	3	5	8	10	18
50-64	818	4.4	15	1	2	4	6	9	11	17
65 +	1187	5.8	23	2	3	5	7	11	14	26
GRAND TOTAL	**4127**	**4.4**	**15**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	2.8	4	1	2	2	4	5	8	99 +
20-34	13	2.8	2	1	2	2	3	5	5	5
35-49	23	3.3	3	1	2	3	4	6	7	7
50-64	10	3.0	1	2	2	3	4	4	4	4
65 +	10	3.7	6	1	2	3	5	7	9	9
B. Operated										
0-19 YRS	92	3.0	1	2	2	3	3	4	6	7
20-34	4	4.0	15	< 1	< 1	3	7	9	9	9
35-49	8	11.9	143	4	5	7	13	32	40	40
50-64	5	4.8	5	< 1	4	5	6	7	7	7
65 +	3	6.0	12	4	4	4	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	3.5	12	1	2	2	4	6	8	22
20-34	68	3.9	9	1	2	3	5	9	11	12
35-49	111	4.5	14	1	2	3	6	9	12	20
50-64	109	4.6	13	1	2	3	6	9	11	19
65 +	188	5.9	24	2	3	4	8	13	17	23
B. Operated										
0-19 YRS	55	7.3	52	2	3	4	9	16	27	32
20-34	24	6.1	19	1	3	5	8	10	14	22
35-49	54	11.7	140	1	4	9	16	24	38	61
50-64	77	12.2	100	4	6	9	15	25	27	56
65 +	152	13.6	151	3	6	9	17	30	43	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	3.0	3	1	2	3	4	5	7	53
B. Operated	112	3.9	16	2	2	3	4	6	8	24
2. MULTIPLE DX										
A. Not Operated	564	4.8	17	1	2	3	6	10	13	21
B. Operated	362	11.6	121	3	4	8	14	26	35	58
1. SINGLE DX	214	3.5	10	1	2	3	4	6	7	24
2. MULTIPLE DX	926	7.4	68	2	3	5	9	16	24	45
A. Not Operated	666	4.5	15	1	2	3	5	9	12	21
B. Operated	474	9.8	107	2	3	6	12	23	31	50
TOTAL										
0-19 YRS	281	4.0	18	1	2	3	4	7	11	29
20-34	109	4.2	11	1	2	3	5	9	11	16
35-49	196	6.7	63	1	2	4	8	14	19	43
50-64	201	7.4	59	2	3	5	9	17	22	38
65 +	353	9.2	93	2	3	6	11	20	29	48
GRAND TOTAL	**1140**	**6.7**	**60**	**2**	**2**	**4**	**8**	**14**	**21**	**43**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.9	7	1	1	2	3	5	10	11
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1362	2.9	2	2	2	3	3	4	5	8
20-34	747	3.1	2	2	2	3	4	5	6	7
35-49	299	3.4	3	2	2	3	4	5	6	10
50-64	88	3.8	3	2	3	3	4	6	8	9
65+	23	5.0	11	2	3	4	6	7	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	7.3	16	5	5	5	10	12	12	12
B. Operated										
0-19 YRS	256	4.2	11	2	3	3	5	8	10	17
20-34	193	4.1	5	2	3	4	5	7	8	11
35-49	105	5.2	16	3	3	4	6	8	12	24
50-64	68	5.2	9	3	3	4	6	9	13	14
65+	40	7.4	22	3	4	6	9	14	16	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.8	5	1	2	3	3	4	7	11
B. Operated	2519	3.1	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	10	3.5	11	<1	1	2	5	9	12	12
B. Operated	662	4.6	11	2	3	4	5	8	10	17
1. SINGLE DX	2540	3.1	2	2	2	3	4	5	6	8
2. MULTIPLE DX	672	4.6	11	2	3	4	5	8	10	17
A. Not Operated	31	3.0	7	1	1	3	3	5	11	12
B. Operated	3181	3.4	4	2	2	3	4	5	7	12
TOTAL										
0-19 YRS	1636	3.1	4	2	2	3	3	5	6	10
20-34	946	3.3	2	2	2	3	4	5	6	8
35-49	406	3.8	7	2	3	3	4	6	8	14
50-64	157	4.4	6	2	3	4	5	8	9	14
65+	67	6.5	19	3	4	5	8	13	16	21
GRAND TOTAL	**3212**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**7**	**12**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	7.0	16	1	4	8	9	12	12	12
20-34	5	6.2	2	4	5	7	7	7	7	7
35-49	0									
50-64	2	11.0	50	6	6	11	16	16	16	16
65+	0									
B. Operated										
0-19 YRS	400	6.3	9	3	4	6	8	10	11	16
20-34	142	5.3	6	3	4	5	7	8	10	12
35-49	82	6.0	9	3	4	6	8	9	11	19
50-64	54	7.1	13	4	5	7	8	10	14	24
65+	20	8.8	12	5	6	8	10	14	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	11.5	1	11	11	11	12	12	12	12
20-34	4	7.0	5	5	5	6	8	10	10	10
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64	2	9.0	18	6	6	9	12	12	12	12
65+	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	316	9.4	33	5	6	8	11	14	20	37
20-34	122	8.0	22	4	5	7	9	12	16	31
35-49	106	9.5	76	5	6	8	11	13	17	52
50-64	99	10.3	37	4	7	9	13	19	21	35
65+	120	12.3	85	6	7	10	14	19	28	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	7.3	14	3	5	7	9	13	15	16
B. Operated	698	6.2	9	3	4	6	8	10	11	16
2. MULTIPLE DX										
A. Not Operated	11	8.5	7	5	6	8	11	12	12	12
B. Operated	763	9.8	47	5	6	8	11	16	20	36
1. SINGLE DX	711	6.2	9	3	4	6	8	10	11	16
2. MULTIPLE DX	774	9.8	47	5	6	8	11	16	20	36
A. Not Operated	24	7.9	11	4	6	7	10	12	13	16
B. Operated	1461	8.1	32	3	5	7	9	13	17	29
TOTAL										
0-19 YRS	724	7.7	22	3	5	7	9	12	15	28
20-34	273	6.6	15	3	4	6	8	10	12	25
35-49	190	8.0	49	3	5	7	9	12	15	23
50-64	157	9.2	30	4	6	8	11	16	20	33
65+	141	11.8	75	5	7	10	13	18	26	55
GRAND TOTAL	**1485**	**8.1**	**32**	**3**	**5**	**7**	**9**	**13**	**17**	**29**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	1.9	2	<1	1	1	2	3	6	8
20-34	5	2.4	3	<1	1	2	3	5	5	5
35-49	3	4.3	33	1	1	1	9	11	11	11
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	167	2.8	2	1	2	3	4	4	5	10
20-34	96	3.2	2	2	2	3	4	5	5	9
35-49	31	3.9	7	2	2	3	4	7	11	13
50-64	5	4.2	3	3	3	4	5	7	7	7
65 +	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.0	12	1	1	1	4	10	11	11
20-34	10	3.2	10	1	1	2	3	9	10	10
35-49	2	7.0		7	7	7	7	7	7	7
50-64	2	7.5	13	5	5	7	10	10	10	10
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	82	4.2	8	2	2	3	5	8	9	15
20-34	58	4.4	5	2	3	4	5	8	10	11
35-49	20	4.9	4	3	4	5	6	7	9	10
50-64	9	9.1	157	2	3	5	8	28	42	42
65 +	3	6.0	12	2	3	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	2.2	4	<1	1	1	2	4	7	11
B. Operated	301	3.1	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	30	3.7	12	1	1	2	7	10	10	11
B. Operated	172	4.6	14	2	3	4	6	8	10	15
1. SINGLE DX	342	3.0	3	1	2	3	4	5	6	11
2. MULTIPLE DX	202	4.5	14	1	2	4	6	8	10	15
A. Not Operated	71	2.8	8	1	1	2	3	7	10	11
B. Operated	473	3.7	8	2	2	3	4	6	8	12
TOTAL										
0-19 YRS	295	3.1	5	1	2	3	4	6	8	12
20-34	169	3.6	4	2	2	3	4	6	8	11
35-49	56	4.4	7	2	3	4	6	7	11	13
50-64	18	6.8	83	2	3	4	7	9	29	42
65 +	6	5.8	6	2	4	6	8	8	8	8
GRAND TOTAL	**544**	**3.5**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**11**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	1.4	1	<1	1	1	1	3	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	1.3		1	1	1	2	2	2	2
50-64	5	1.4	1	1	1	1	2	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1044	1.1		<1	<1	1	1	1	2	3
20-34	281	1.6	1	1	1	1	2	3	4	6
35-49	394	1.6	1	1	1	1	2	3	4	6
50-64	501	1.6	1	1	1	1	2	3	3	5
65 +	364	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	1.5	1	<1	<1	1	2	3	4	5
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	3.4	2	<1	2	4	4	5	5	5
50-64	8	1.3	1	<1	<1	1	1	3	3	3
65 +	16	3.8	5	1	2	4	5	7	8	8
B. Operated										
0-19 YRS	940	1.4	2	<1	<1	1	1	2	3	8
20-34	137	2.0	3	1	1	1	2	4	5	11
35-49	247	2.0	2	1	1	1	2	4	6	8
50-64	492	2.4	4	1	1	2	3	5	7	10
65 +	907	3.3	12	1	1	2	4	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	1.4	1	<1	1	1	2	3	3	4
B. Operated	2584	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	64	2.2	3	<1	<1	1	3	5	6	8
B. Operated	2723	2.3	6	<1	1	1	3	5	7	11
1. SINGLE DX	2613	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX	2787	2.3	6	<1	1	1	3	5	7	11
A. Not Operated	93	2.0	2	<1	1	1	3	4	5	8
B. Operated	5307	1.9	4	<1	1	1	2	4	5	9
TOTAL										
0-19 YRS	2035	1.2	1	<1	<1	1	1	[illegible]	2	6
20-34	422	1.7	2	1	1	1	[illegible]	[illegible]	4	8
35-49	650	1.8	2	1	1	1	2	[illegible]	4	7
50-64	1006	2.0	3	1	1	1	2	4	5	9
65 +	1287	2.8	9	1	1	2	3	5	8	14
GRAND TOTAL	**5400**	**1.9**	**4**	**<1**	**1**	**1**	**2**	**4**	**5**	**9**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.3	13	< 1	< 1	< 1	1	6	12	14
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	14.0	98	7	7	14	21	21	21	21
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	180	1.8	2	< 1	1	1	2	3	4	8
20-34	30	2.4	1	1	1	2	3	4	4	5
35-49	18	2.2	1	1	1	2	3	4	5	5
50-64	39	2.6	4	1	1	2	3	5	6	11
65 +	55	2.8	3	1	2	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.4	1	< 1	1	1	2	3	3	3
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	3.0	3	1	2	4	4	4	4	4
65 +	2	17.0	18	14	14	17	20	20	20	20
B. Operated										
0-19 YRS	162	2.4	5	1	1	2	3	5	7	12
20-34	16	3.2	2	1	2	3	4	5	6	6
35-49	34	4.3	17	1	1	3	7	9	14	17
50-64	58	5.2	70	1	2	3	6	9	14	59
65 +	238	6.2	39	2	3	5	7	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.4	30	< 1	< 1	1	2	12	18	21
B. Operated	322	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	14	3.9	33	1	1	1	4	15	19	20
B. Operated	508	4.6	31	1	2	3	6	9	13	22
1. SINGLE DX	340	2.2	4	1	1	2	3	4	5	10
2. MULTIPLE DX	522	4.6	31	1	2	3	6	9	13	21
A. Not Operated	32	3.7	30	< 1	< 1	1	3	14	19	21
B. Operated	830	3.7	22	1	1	2	4	8	11	18
TOTAL										
0-19 YRS	363	2.1	4	< 1	1	1	2	4	5	10
20-34	47	2.6	2	1	2	3	3	4	5	6
35-49	54	3.5	12	1	1	2	4	8	11	17
50-64	102	4.3	46	1	2	3	4	8	10	41
65 +	296	5.6	34	1	2	4	7	12	15	26
GRAND TOTAL	**862**	**3.7**	**22**	**1**	**1**	**2**	**4**	**8**	**11**	**19**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	155	1.5	5	< 1	< 1	< 1	1	2	3	16
20-34	29	1.7	1	1	1	1	2	4	4	5
35-49	25	2.5	9	< 1	1	2	3	5	8	15
50-64	17	1.6	1	< 1	1	1	2	3	3	3
65 +	11	1.4		< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.8	1	< 1	< 1	< 1	3	3	3	3
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	58	1.8	3	< 1	< 1	1	2	4	8	99 +
20-34	23	2.9	4	1	1	2	4	6	7	8
35-49	34	2.7	3	1	1	2	4	5	6	7
50-64	53	3.3	9	1	1	2	4	8	10	15
65 +	33	3.5	3	1	2	4	4	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		< 1	< 1	1	1	1	1	1
B. Operated	237	1.6	4	< 1	< 1	1	1	3	4	15
2. MULTIPLE DX										
A. Not Operated	8	2.5	4	< 1	< 1	2	3	6	7	7
B. Operated	201	2.7	5	< 1	1	2	4	6	8	55
1. SINGLE DX	241	1.6	4	< 1	< 1	1	1	3	4	15
2. MULTIPLE DX	209	2.7	5	< 1	1	2	4	6	8	48
A. Not Operated	12	2.0	3	< 1	< 1	1	3	4	7	7
B. Operated	438	2.1	5	< 1	< 1	1	2	4	6	15
TOTAL										
0-19 YRS	221	1.6	4	< 1	< 1	< 1	1	3	5	39
20-34	53	2.3	3	1	1	2	3	5	7	8
35-49	60	2.6	5	< 1	1	2	3	5	6	14
50-64	71	2.9	7	1	1	2	3	6	9	14
65 +	45	3.0	3	< 1	1	3	4	6	7	8
GRAND TOTAL	**450**	**2.1**	**5**	**< 1**	**< 1**	**1**	**3**	**4**	**6**	**15**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	5.0	32	< 1	< 1	4	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	32	1.8	2	< 1	< 1	1	2	4	4	5
20-34	52	2.8	3	1	1	2	4	6	7	9
35-49	154	3.2	3	1	2	3	4	6	6	9
50-64	118	3.2	4	1	2	3	5	6	6	10
65 +	112	3.1	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.7	1	< 1	< 1	1	2	3	3	3
35-49	5	3.2	4	< 1	1	3	4	6	6	6
50-64	12	3.2	10	< 1	1	2	4	9	10	10
65 +	13	2.8	3	< 1	1	2	4	5	6	6
B. Operated										
0-19 YRS	22	3.6	15	< 1	1	3	4	7	12	18
20-34	70	4.0	7	1	2	3	5	7	9	15
35-49	183	4.4	7	2	3	4	6	8	9	14
50-64	301	5.0	10	2	3	5	6	9	10	17
65 +	317	5.8	23	2	3	5	7	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.0	16	< 1	< 1	1	5	9	9	9
B. Operated	468	3.0	4	1	1	3	4	6	6	9
2. MULTIPLE DX										
A. Not Operated	33	2.9	5	< 1	1	2	4	6	9	10
B. Operated	893	5.1	14	2	3	4	6	9	11	19
1. SINGLE DX	472	3.0	4	1	1	3	4	6	6	9
2. MULTIPLE DX	926	5.0	14	2	3	4	6	9	11	19
A. Not Operated	37	2.9	6	< 1	1	2	4	6	9	10
B. Operated	1361	4.4	12	1	2	4	6	8	10	17
TOTAL										
0-19 YRS	54	2.5	8	< 1	< 1	1	4	5	6	18
20-34	127	3.5	6	1	2	3	4	7	8	12
35-49	343	3.8	6	1	2	3	5	7	8	13
50-64	431	4.5	9	1	2	4	6	8	9	15
65 +	443	5.0	19	1	2	4	6	10	12	25
GRAND TOTAL	**1398**	**4.3**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	4.1	5	1	2	4	6	7	7	7
20-34	6	2.5	2	< 1	1	3	3	4	4	4
35-49	16	2.5	1	1	2	2	3	4	5	5
50-64	11	2.4	3	< 1	< 1	2	3	5	6	6
65 +	6	5.8	42	2	3	3	4	18	19	19
B. Operated										
0-19 YRS	13	4.7	6	1	3	4	7	8	9	9
20-34	3	4.0	3	3	3	3	5	6	6	6
35-49	4	4.8	14	1	2	4	7	10	10	10
50-64	9	4.0	9	< 1	1	4	6	8	9	9
65 +	4	7.0	7	3	5	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.6	16	< 1	1	2	4	11	13	13
20-34	22	2.7	2	1	1	3	4	4	5	6
35-49	110	3.4	4	1	2	3	4	6	7	12
50-64	183	3.7	10	1	2	3	4	6	8	13
65 +	251	4.6	10	2	3	4	6	8	10	15
B. Operated										
0-19 YRS	23	9.7	98	4	5	5	11	23	33	45
20-34	15	5.3	7	2	4	5	7	7	12	13
35-49	62	6.6	15	3	4	6	8	12	15	20
50-64	94	6.7	14	3	4	6	8	11	14	19
65 +	97	8.8	92	2	4	7	10	14	21	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	3.2	8	< 1	2	3	4	5	7	19
B. Operated	33	4.7	8	1	3	4	7	9	9	10
2. MULTIPLE DX										
A. Not Operated	574	4.0	9	2	2	3	5	7	9	14
B. Operated	291	7.5	47	3	4	6	9	13	16	30
1. SINGLE DX	79	3.8	8	1	2	3	5	8	9	16
2. MULTIPLE DX	865	5.2	25	2	3	4	6	10	13	22
A. Not Operated	620	3.9	9	1	2	3	5	7	9	14
B. Operated	324	7.2	44	2	4	6	9	13	16	29
TOTAL										
0-19 YRS	51	6.7	55	1	3	5	7	13	22	45
20-34	46	3.6	5	1	2	3	4	6	7	13
35-49	192	4.4	10	1	2	4	5	8	10	18
50-64	297	4.6	13	1	2	4	6	9	11	16
65 +	358	5.8	36	2	3	4	7	10	14	29
GRAND TOTAL	**944**	**5.0**	**24**	**2**	**3**	**4**	**6**	**9**	**13**	**22**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.2	5	< 1	< 1	< 1	3	6	6	6
20-34	5	1.2		1	1	1	2	2	2	2
35-49	8	1.4	1	1	1	1	2	3	3	3
50-64	12	2.7	12	< 1	1	2	3	7	12	13
65 +	9	2.4	2	1	2	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	2.5	3	1	1	2	4	5	5	5
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	3.4	6	< 1	1	2	5	7	[illegible]	7
35-49	9	2.9	4	< 1	1	3	4	6	7	7
50-64	15	3.9	20	1	1	2	5	7	15	18
65 +	19	4.6	11	2	3	4	5	10	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	6.5	5	5	5	6	8	8	8	8
B. Operated	39	2.1	5	< 1	1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	7	2.6	4	1	1	2	4	6	6	6
B. Operated	49	4.0	12	1	2	3	5	7	12	18
1. SINGLE DX	41	2.3	6	< 1	1	1	2	5	7	13
2. MULTIPLE DX	56	3.8	11	1	2	3	5	7	11	18
A. Not Operated	9	3.4	7	1	1	2	5	7	8	8
B. Operated	88	3.1	9	1	1	2	4	6	8	17
TOTAL										
0-19 YRS	7	3.1	6	< 1	< 1	2	6	6	6	6
20-34	11	2.2	4	< 1	1	1	2	6	7	7
35-49	19	2.4	4	1	1	1	3	6	8	8
50-64	31	3.3	14	1	1	2	4	6	13	18
65 +	29	4.0	9	2	2	3	4	6	12	15
GRAND TOTAL	**97**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64	2	1.0		1	1	1	1	1	1	1
65 +	3	6.3	25	1	2	7	10	11	11	11
B. Operated										
0-19 YRS	18	2.7	4	1	1	2	3	6	7	8
20-34	29	2.2	4	1	1	2	3	4	5	11
35-49	69	3.1	5	1	1	2	4	7	7	10
50-64	58	3.7	9	1	1	3	5	7	8	17
65 +	50	4.2	7	1	2	4	5	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	5.7	4	4	4	5	7	8	8	8
50-64	7	3.4	4	1	2	3	5	6	6	6
65 +	34	6.2	45	2	3	4	7	12	13	39
B. Operated										
0-19 YRS	16	6.1	52	1	1	3	10	23	73	99 +
20-34	26	4.4	11	1	2	3	6	11	12	13
35-49	94	7.0	66	1	3	5	8	13	16	50
50-64	130	6.7	31	2	3	5	8	13	15	35
65 +	285	10.6	109	3	5	8	13	21	29	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.2	14	1	1	3	6	10	11	11
B. Operated	224	3.4	6	1	1	3	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	47	5.5	35	1	3	4	7	11	13	39
B. Operated	551	8.6	81	2	4	6	11	17	24	62
1. SINGLE DX	235	3.4	7	1	1	3	5	7	8	11
2. MULTIPLE DX	598	8.4	78	2	3	6	10	17	24	57
A. Not Operated	58	5.2	31	1	2	4	7	11	13	37
B. Operated	775	7.1	65	1	3	5	9	14	20	46
TOTAL										
0-19 YRS	37	4.1	27	1	1	2	5	12	22	99 +
20-34	57	3.3	9	1	1	2	4	8	11	13
35-49	170	5.3	42	1	2	4	6	11	14	32
50-64	197	5.7	26	1	2	4	8	11	14	27
65 +	372	9.3	94	2	4	7	11	18	27	60
GRAND TOTAL	**833**	**7.0**	**63**	**1**	**3**	**5**	**8**	**14**	**20**	**45**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	136	2.4	3	1	1	2	3	5	6	7
20-34	62	4.0	6	1	2	4	5	8	9	10
35-49	120	4.0	5	1	2	4	5	7	9	12
50-64	117	4.4	9	1	3	4	5	8	10	17
65 +	100	4.2	5	1	2	4	6	7	8	10
B. Operated										
0-19 YRS	130	5.9	28	2	3	5	7	10	15	25
20-34	46	8.3	14	4	6	8	9	14	15	21
35-49	56	10.3	66	5	7	9	11	17	25	55
50-64	55	9.5	20	5	7	9	12	15	18	27
65 +	41	11.4	44	6	7	9	13	20	25	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	133	4.7	27	1	2	3	6	9	13	26
20-34	119	5.0	11	2	3	4	7	9	12	16
35-49	245	5.1	11	2	3	4	7	9	11	17
50-64	392	5.8	18	2	3	5	7	10	13	19
65 +	1008	6.7	29	2	4	5	8	12	15	26
B. Operated										
0-19 YRS	199	11.3	120	3	5	8	13	24	39	99 +
20-34	116	14.3	176	6	7	10	17	30	46	90
35-49	223	13.5	121	5	7	10	16	25	35	59
50-64	324	14.7	152	5	8	11	17	29	40	70
65 +	726	15.9	145	7	9	13	19	29	40	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	535	3.7	6	1	2	3	5	7	8	12
B. Operated	328	8.3	37	3	5	7	10	15	18	31
2. MULTIPLE DX										
A. Not Operated	1897	6.0	23	2	3	5	8	11	14	22
B. Operated	1588	14.6	144	5	8	11	17	28	39	86
1. SINGLE DX	863	5.4	23	1	2	4	7	10	13	21
2. MULTIPLE DX	3485	9.9	97	3	4	7	12	19	28	60
A. Not Operated	2432	5.5	21	2	3	4	7	10	13	20
B. Operated	1916	13.5	131	5	7	10	16	26	36	81
TOTAL										
0-19 YRS	598	6.6	65	1	2	4	8	14	21	50
20-34	343	8.4	85	2	4	6	9	16	21	57
35-49	644	8.3	69	2	4	6	10	16	23	41
50-64	888	9.1	85	2	4	7	11	18	25	54
65 +	1875	10.2	94	3	4	8	12	20	27	60
GRAND TOTAL	**4348**	**9.0**	**85**	**2**	**4**	**7**	**11**	**18**	**25**	**56**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	950	2.4	3	1	1	2	3	4	5	7
20-34	353	2.2	2	1	1	2	3	4	5	8
35-49	174	2.4	3	1	1	2	3	4	6	9
50-64	75	2.7	4	1	1	2	4	5	6	10
65 +	50	2.5	2	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	60	4.7	25	1	3	4	5	8	10	35
20-34	42	2.7	3	< 1	< 1	3	3	5	6	8
35-49	28	2.1	3	< 1	< 1	< 1	3	4	5	8
50-64	18	3.0	10	< 1	< 1	< 1	4	9	11	11
65 +	11	1.8	3	< 1	< 1	< 1	2	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2571	3.0	6	1	2	3	4	5	6	12
20-34	668	3.0	6	1	2	2	4	5	7	12
35-49	569	3.5	12	1	2	3	4	6	8	12
50-64	551	4.1	9	1	2	3	5	7	10	14
65 +	1031	4.9	20	2	3	4	6	9	12	19
B. Operated										
0-19 YRS	134	7.9	91	1	2	5	9	21	27	99 +
20-34	91	6.4	24	2	3	5	8	12	19	23
35-49	81	7.7	60	2	4	6	9	14	23	45
50-64	108	8.0	55	1	3	6	10	17	23	41
65 +	188	9.7	63	3	4	7	13	19	26	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1602	2.4	3	1	1	2	3	4	5	8
B. Operated	159	3.3	13	< 1	< 1	3	4	7	8	13
2. MULTIPLE DX										
A. Not Operated	5390	3.5	10	1	2	3	4	6	8	15
B. Operated	602	8.2	62	2	4	6	10	18	24	46
1. SINGLE DX	1761	2.4	4	1	1	2	3	4	5	9
2. MULTIPLE DX	5992	4.0	17	1	2	3	5	7	10	21
A. Not Operated	6992	3.3	9	1	2	3	4	6	8	14
B. Operated	761	7.2	56	< 1	3	5	9	15	22	44
TOTAL										
0-19 YRS	3715	3.1	10	1	2	2	4	5	7	16
20-34	1154	3.0	7	1	1	2	4	6	7	15
35-49	852	3.6	16	1	2	3	4	6	9	16
50-64	752	4.5	17	1	2	3	5	9	11	23
65 +	1280	5.5	29	2	3	4	7	11	14	26
GRAND TOTAL	**7753**	**3.7**	**15**	**1**	**2**	**3**	**4**	**7**	**9**	**19**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	22	4.5	8	2	2	4	6	9	11	12
35-49	122	4.6	4	2	3	5	6	7	8	10
50-64	190	4.3	7	< 1	3	4	5	8	9	13
65 +	146	4.0	8	< 1	2	4	5	7	9	13
B. Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	9	7.6	10	4	5	7	10	12	13	13
35-49	37	7.1	11	4	5	7	8	10	15	18
50-64	44	9.3	12	5	7	8	12	14	15	16
65 +	18	7.8	26	< 1	2	8	10	14	17	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	7.5	30	1	3	7	11	14	14	14
20-34	12	5.5	7	3	4	5	7	9	12	12
35-49	165	5.4	20	2	3	4	7	9	11	27
50-64	458	5.3	9	2	3	5	7	9	11	16
65 +	1472	6.0	14	2	4	5	7	10	12	21
B. Operated										
0-19 YRS	3	6.3	4	4	5	7	8	8	8	8
20-34	19	14.4	242	5	8	10	15	22	52	75
35-49	138	10.1	22	5	7	9	13	16	19	25
50-64	251	10.9	58	5	7	9	13	18	30	98
65 +	629	12.5	89	4	7	10	15	23	32	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	480	4.3	7	< 1	2	4	6	8	9	13
B. Operated	110	8.1	15	3	6	8	10	14	15	18
2. MULTIPLE DX										
A. Not Operated	2111	5.8	14	2	3	5	7	10	12	19
B. Operated	1040	11.8	76	4	7	10	14	20	30	59
1. SINGLE DX	590	5.0	10	< 1	3	5	7	9	11	16
2. MULTIPLE DX	3151	7.7	42	3	4	6	9	14	19	36
A. Not Operated	2591	5.5	13	2	3	5	7	9	12	18
B. Operated	1150	11.4	71	4	7	9	14	20	28	56
TOTAL										
0-19 YRS	9	6.4	14	2	4	6	8	12	14	14
20-34	62	8.2	95	2	4	6	10	14	18	69
35-49	462	6.7	21	2	4	6	8	12	15	22
50-64	943	6.7	29	2	3	5	9	13	15	33
65 +	2265	7.6	44	2	4	6	9	14	20	35
GRAND TOTAL	3741	7.3	38	2	4	6	9	14	18	33

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.8	1	1	2	3	3	4	4	4
20-34	13	2.1	3	< 1	1	1	2	5	6	6
35-49	6	3.2	2	1	2	3	4	5	5	5
50-64	5	2.0	1	1	1	2	3	3	3	3
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	79	2.2	4	< 1	1	1	3	4	7	12
20-34	185	2.2	2	1	1	2	3	4	5	9
35-49	173	2.2	4	1	1	2	3	4	5	11
50-64	94	2.4	4	1	1	2	3	5	7	10
65 +	18	1.8	3	< 1	1	1	3	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	5.6	36	< 1	2	4	6	16	20	24
20-34	10	3.5	6	1	1	3	5	7	9	9
35-49	15	4.8	13	2	2	3	7	10	12	13
50-64	14	4.8	13	< 1	2	4	6	8	13	15
65 +	14	5.4	21	1	2	3	10	12	14	14
B. Operated										
0-19 YRS	56	4.4	20	1	2	3	6	8	11	27
20-34	193	3.4	14	1	1	3	4	7	9	17
35-49	270	3.3	11	1	1	2	4	6	8	21
50-64	171	4.1	19	1	2	3	5	8	14	26
65 +	127	5.2	28	1	2	4	6	11	15	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	2.6	2	1	1	2	3	5	6	7
B. Operated	549	2.2	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	83	5.0	22	1	2	4	6	11	15	23
B. Operated	817	3.9	17	1	2	3	5	8	11	25
1. SINGLE DX	584	2.2	3	1	1	2	3	4	6	10
2. MULTIPLE DX	900	4.0	18	1	2	3	5	8	12	24
A. Not Operated	118	4.3	17	1	2	3	5	10	14	21
B. Operated	1366	3.2	12	1	1	2	4	7	8	17
TOTAL										
0-19 YRS	175	3.5	16	< 1	1	2	4	8	11	23
20-34	401	2.8	8	1	1	2	3	5	7	13
35-49	464	2.9	9	1	1	2	4	5	8	14
50-64	284	3.5	14	1	1	2	4	7	10	22
65 +	160	4.9	25	1	2	3	6	11	14	30
GRAND TOTAL	1484	3.3	13	1	1	2	4	7	9	17

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	3.3	6	1	2	2	5	7	8	10
20-34	22	3.5	3	1	2	4	4	6	7	7
35-49	27	3.0	5	1	2	2	4	5	8	11
50-64	12	2.8	4	< 1	1	2	4	5	8	8
65 +	11	4.1	5	< 1	3	4	5	7	8	8
B. Operated										
0-19 YRS	10	4.8	13	1	3	4	5	10	14	14
20-34	10	5.2	4	3	4	5	6	8	9	9
35-49	5	4.0	2	2	3	4	5	5	5	5
50-64	3	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.2	3	2	2	3	4	7	7	9
20-34	67	4.6	8	2	3	4	6	8	10	16
35-49	84	4.5	8	2	2	4	6	8	9	15
50-64	69	5.0	10	2	3	4	6	10	11	15
65 +	102	7.6	36	2	4	5	9	16	20	29
B. Operated										
0-19 YRS	9	5.0	9	1	3	5	7	9	9	9
20-34	19	5.1	8	1	3	5	7	10	11	11
35-49	21	6.0	9	2	4	6	8	10	11	11
50-64	23	11.6	157	3	4	7	10	31	40	54
65 +	56	13.0	126	3	5	10	17	28	33	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	3.3	4	1	2	3	4	7	7	11
B. Operated	29	4.8	12	1	3	4	5	8	14	16
2. MULTIPLE DX										
A. Not Operated	355	5.4	18	2	3	4	7	10	13	26
B. Operated	128	9.9	97	2	4	6	11	24	30	56
1. SINGLE DX	122	3.6	6	1	2	3	5	7	8	15
2. MULTIPLE DX	483	6.6	43	2	3	5	8	12	17	32
A. Not Operated	448	4.9	16	2	2	4	6	9	12	21
B. Operated	157	8.9	85	2	4	6	10	19	28	53
TOTAL										
0-19 YRS	73	3.7	6	1	2	3	5	7	9	13
20-34	118	4.5	7	2	3	4	6	8	10	13
35-49	137	4.4	8	1	2	4	6	8	10	12
50-64	107	6.0	49	1	3	4	7	10	16	42
65 +	170	9.2	71	2	4	6	12	19	28	38
GRAND TOTAL	**605**	**6.0**	**37**	**2**	**3**	**4**	**7**	**11**	**16**	**31**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	5.5	21	1	2	4	7	13	17	19
20-34	51	4.4	9	2	3	3	5	9	10	16
35-49	25	5.1	9	2	4	5	6	10	12	13
50-64	6	5.2	2	3	4	5	6	7	7	7
65 +	4	6.0	7	3	4	6	8	9	9	9
B. Operated										
0-19 YRS	57	8.8	45	1	3	8	13	18	22	31
20-34	44	8.0	31	3	4	7	10	16	19	28
35-49	49	6.9	38	< 1	3	6	8	13	14	40
50-64	17	7.9	22	< 1	5	8	11	13	16	18
65 +	6	7.5	26	< 1	5	6	12	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	6.4	38	2	3	5	8	11	18	79
20-34	123	5.9	31	2	3	4	7	10	14	34
35-49	102	6.1	14	2	4	5	8	10	12	22
50-64	52	5.3	10	2	3	6	7	10	11	14
65 +	35	7.4	23	3	4	6	10	16	17	21
B. Operated										
0-19 YRS	118	14.1	149	2	6	10	17	34	40	54
20-34	193	11.7	63	4	7	9	15	23	28	40
35-49	143	12.6	117	4	6	10	16	23	30	60
50-64	95	12.3	159	3	5	9	16	26	34	72
65 +	80	13.8	119	4	6	10	19	30	42	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	5.0	14	2	3	4	6	10	13	18
B. Operated	173	7.9	36	1	4	7	11	15	19	30
2. MULTIPLE DX										
A. Not Operated	402	6.1	25	2	3	5	8	11	14	25
B. Operated	629	12.7	113	4	6	9	16	27	34	50
1. SINGLE DX	320	6.6	28	1	3	5	8	14	17	25
2. MULTIPLE DX	1031	10.1	89	2	4	7	12	21	29	49
A. Not Operated	549	5.8	22	2	3	5	7	11	14	22
B. Operated	802	11.7	100	3	6	9	15	24	32	49
TOTAL										
0-19 YRS	326	9.4	89	1	3	7	12	19	31	49
20-34	411	8.7	52	3	4	7	10	17	24	36
35-49	319	9.1	74	2	4	7	11	17	23	45
50-64	170	9.5	104	2	4	7	11	19	26	48
65 +	125	11.4	93	3	5	8	16	26	34	62
GRAND TOTAL	**1351**	**9.3**	**77**	**2**	**4**	**7**	**11**	**19**	**27**	**46**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	5.8	33	1	2	4	9	14	14	14
50-64	2	6.0	18	3	3	6	9	9	9	9
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	5	11.6	294	2	3	3	16	42	42	42
20-34	11	5.8	9	3	4	5	8	10	12	12
35-49	7	10.3	73	4	6	7	10	25	29	29
50-64	2	11.5	25	8	8	11	15	15	15	15
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	6.5	27	2	3	5	8	11	15	31
20-34	35	5.7	13	2	3	5	7	11	14	15
35-49	46	6.4	30	2	3	5	8	11	22	27
50-64	57	8.4	22	3	5	7	12	15	17	22
65 +	37	10.0	27	3	6	11	14	16	17	24
B. Operated										
0-19 YRS	34	15.4	244	4	5	10	22	33	51	73
20-34	37	13.5	125	4	6	10	14	33	40	52
35-49	25	14.2	111	5	7	12	18	22	36	53
50-64	51	14.9	91	5	9	13	17	27	35	47
65 +	58	21.4	250	7	11	17	27	38	57	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.6	16	1	3	3	5	11	14	14
B. Operated	26	8.5	77	3	4	6	9	15	32	42
2. MULTIPLE DX										
A. Not Operated	230	7.4	26	2	4	6	10	14	17	25
B. Operated	205	16.5	177	5	8	13	20	34	44	73
1. SINGLE DX	36	7.4	62	2	3	5	9	14	25	42
2. MULTIPLE DX	435	11.7	117	3	5	9	14	23	33	56
A. Not Operated	240	7.3	26	2	3	6	10	14	16	25
B. Operated	231	15.6	172	4	7	12	19	32	42	73
TOTAL										
0-19 YRS	95	9.9	132	2	3	6	11	23	32	64
20-34	84	9.1	76	3	4	7	11	15	27	48
35-49	82	9.1	69	2	4	6	11	19	25	46
50-64	112	11.4	63	4	5	10	14	21	26	45
65 +	98	16.6	193	4	8	13	20	34	38	77
GRAND TOTAL	**471**	**11.3**	**114**	**3**	**5**	**9**	**14**	**23**	**32**	**55**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	140	2.3	3	< 1	1	2	3	5	6	8
20-34	32	2.2	2	< 1	1	2	3	5	5	6
35-49	24	3.3	8	< 1	1	2	4	9	10	10
50-64	22	2.5	2	1	1	2	3	5	6	7
65 +	37	3.6	10	1	1	3	4	8	11	15
B. Operated										
0-19 YRS	116	4.1	47	< 1	1	3	4	7	11	42
20-34	48	3.8	8	< 1	2	3	5	7	11	13
35-49	37	4.4	10	1	2	4	7	10	10	12
50-64	33	5.4	13	2	2	4	8	10	12	16
65 +	44	6.3	78	< 1	1	3	8	14	22	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	243	4.2	36	1	1	2	4	8	13	38
20-34	95	4.0	26	1	2	3	5	7	9	32
35-49	131	4.7	18	1	2	3	6	9	13	22
50-64	172	4.9	25	1	2	4	6	10	11	34
65 +	685	5.7	24	2	3	4	7	11	15	25
B. Operated										
0-19 YRS	181	8.1	86	1	2	5	10	22	34	82
20-34	188	8.5	87	2	4	6	9	17	23	54
35-49	203	10.1	122	2	4	6	12	23	32	69
50-64	289	11.8	168	2	4	8	13	24	40	81
65 +	595	11.3	125	3	5	9	14	24	36	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	255	2.6	4	< 1	1	2	3	5	7	10
B. Operated	278	4.6	37	< 1	1	3	5	10	12	30
2. MULTIPLE DX										
A. Not Operated	1326	5.1	26	1	2	4	6	10	14	27
B. Operated	1456	10.5	125	2	4	7	13	23	35	90
1. SINGLE DX	533	3.6	22	< 1	1	2	4	7	10	20
2. MULTIPLE DX	2782	7.9	85	2	3	5	9	17	25	56
A. Not Operated	1581	4.7	24	1	2	3	6	9	12	25
B. Operated	1734	9.5	115	1	3	6	12	21	32	77
TOTAL										
0-19 YRS	680	4.8	48	1	1	3	5	11	18	42
20-34	363	6.2	59	1	2	4	7	12	18	46
35-49	395	7.4	78	1	2	5	9	16	23	52
50-64	516	8.7	116	2	3	6	10	18	28	65
65 +	1361	8.1	78	2	3	6	10	17	24	58
GRAND TOTAL	**3315**	**7.2**	**77**	**1**	**2**	**5**	**9**	**15**	**23**	**51**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	3	3.3		3	3	3	4	4	4	4
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	62	9.3	72	3	4	6	12	22	25	46
35-49	206	9.0	69	2	4	7	10	19	25	45
50-64	151	9.2	62	3	4	7	10	18	24	43
65 +	69	10.1	75	3	5	9	12	18	21	50
B. Operated										
0-19 YRS	0									
20-34	20	19.5	308	5	8	13	22	53	62	63
35-49	86	13.5	175	2	5	10	18	24	36	77
50-64	74	10.9	82	2	5	9	16	23	32	86
65 +	36	12.6	57	4	6	11	18	24	25	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.2	15	2	2	3	5	11	11	11
B. Operated	7	5.9	11	3	3	4	9	11	11	11
2. MULTIPLE DX										
A. Not Operated	489	9.2	67	3	4	7	11	19	25	46
B. Operated	216	13.0	139	3	5	11	17	24	35	75
1. SINGLE DX	12	5.2	12	2	3	4	8	11	11	11
2. MULTIPLE DX	705	10.4	92	3	4	8	13	21	27	48
A. Not Operated	494	9.2	67	3	4	7	11	19	25	46
B. Operated	223	12.8	137	3	5	10	17	24	35	72
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	84	11.6	143	3	4	7	14	24	32	63
35-49	296	10.3	103	2	4	7	13	21	28	46
50-64	230	9.6	68	3	4	7	12	21	26	44
65 +	106	10.9	69	3	5	9	13	21	25	49
GRAND TOTAL	**717**	**10.3**	**91**	**3**	**4**	**8**	**13**	**21**	**27**	**48**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.0	2	1	2	3	4	4	4	4
20-34	1	9.0		9	9	9	9	9	9	9
35-49	4	2.8	8	< 1	< 1	1	4	7	7	7
50-64	4	6.0	9	2	4	6	8	9	9	9
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	16	1.7	3	1	1	1	2	2	6	8
20-34	15	1.6	4	< 1	1	1	1	2	7	9
35-49	25	1.6	2	1	1	1	2	3	5	8
50-64	12	2.4	6	1	1	1	4	6	7	7
65 +	6	2.3	8	1	1	1	2	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	7.5	221	1	2	2	6	20	49	56
20-34	14	6.5	16	3	4	5	10	12	14	15
35-49	42	8.5	84	3	3	6	9	17	27	49
50-64	76	7.8	27	2	4	7	10	14	18	24
65 +	97	9.9	115	3	5	8	11	18	25	70
B. Operated										
0-19 YRS	40	5.1	47	1	1	2	5	15	21	31
20-34	33	6.0	46	1	2	3	8	13	22	31
35-49	76	9.8	196	1	1	4	12	29	40	98
50-64	90	8.4	102	1	2	6	12	17	20	63
65 +	80	12.2	120	1	5	9	15	29	39	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.3	8	1	2	4	7	9	9	9
B. Operated	74	1.8	4	1	1	1	2	4	8	9
2. MULTIPLE DX										
A. Not Operated	242	8.7	82	2	4	7	10	16	21	50
B. Operated	319	9.0	120	1	2	6	12	21	32	59
1. SINGLE DX	88	2.2	5	1	1	1	2	7	8	9
2. MULTIPLE DX	561	8.9	104	1	3	6	11	18	27	55
A. Not Operated	256	8.4	79	2	4	7	10	16	20	49
B. Operated	393	7.7	106	1	1	4	10	18	29	51
TOTAL										
0-19 YRS	73	4.7	67	1	1	2	4	11	19	50
20-34	63	5.1	32	1	1	3	7	12	16	30
35-49	147	7.9	135	1	1	4	9	18	33	91
50-64	182	7.7	64	1	2	6	11	16	19	46
65 +	184	10.6	116	2	5	8	12	22	31	46
GRAND TOTAL	**649**	**8.0**	**95**	**1**	**2**	**5**	**10**	**18**	**25**	**49**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	5.0	114	1	2	2	4	6	28	51
20-34	17	5.6	6	3	4	4	7	10	11	11
35-49	18	4.3	5	1	3	4	6	7	8	8
50-64	4	8.0	28	3	4	7	12	15	15	15
65 +	2	5.5	1	5	5	5	6	6	6	6
B. Operated										
0-19 YRS	20	3.1	12	1	1	1	4	7	11	15
20-34	10	7.6	46	1	1	6	14	17	18	18
35-49	10	2.7	11	1	1	1	4	8	11	11
50-64	12	1.8	2	<1	<1	1	2	4	5	5
65 +	4	7.8	13	3	5	8	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	6.3	47	1	3	4	7	13	20	36
20-34	76	5.1	13	2	3	4	6	10	12	19
35-49	104	6.9	28	2	3	5	9	13	17	28
50-64	165	7.5	38	2	4	6	9	14	21	31
65 +	175	7.9	36	3	4	6	10	16	19	33
B. Operated										
0-19 YRS	53	13.5	218	1	2	9	19	30	46	70
20-34	28	15.5	287	1	3	11	22	41	55	67
35-49	46	11.5	180	1	4	8	12	32	44	62
50-64	54	13.0	152	1	5	11	17	30	51	98
65 +	64	10.9	79	3	6	8	13	20	30	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	5.2	43	1	3	4	6	8	10	47
B. Operated	56	3.9	20	1	1	1	5	11	15	18
2. MULTIPLE DX										
A. Not Operated	572	7.1	34	2	3	5	9	14	19	31
B. Operated	245	12.6	167	1	4	9	16	30	45	67
1. SINGLE DX	118	4.6	32	1	1	3	6	10	13	29
2. MULTIPLE DX	817	8.8	80	2	4	6	11	18	26	51
A. Not Operated	634	6.9	35	2	3	5	8	13	18	32
B. Operated	301	11.0	151	1	3	7	14	26	42	64
TOTAL										
0-19 YRS	146	8.3	129	1	2	4	9	20	32	56
20-34	131	7.6	89	2	3	5	9	16	23	56
35-49	178	7.6	70	1	3	5	9	13	23	47
50-64	235	8.5	69	2	3	6	11	19	27	52
65 +	245	8.7	48	3	4	7	10	16	22	42
GRAND TOTAL	935	8.2	76	2	3	6	10	17	24	50

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.1	2	1	2	3	4	5	6	6
20-34	60	2.2	2	1	1	2	3	4	5	9
35-49	74	2.2	2	1	1	2	3	4	5	8
50-64	66	2.7	5	1	1	2	4	5	7	10
65 +	28	3.1	5	1	1	3	4	5	7	11
B. Operated										
0-19 YRS	115	4.3	4	2	3	4	5	7	9	10
20-34	1113	4.1	3	2	3	4	5	6	8	10
35-49	922	4.1	3	2	3	4	5	6	7	10
50-64	706	4.5	4	3	3	4	5	7	8	12
65 +	293	5.3	7	3	4	5	6	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.7	16	1	2	3	6	11	14	14
20-34	98	3.7	7	1	1	3	5	7	9	12
35-49	118	3.6	7	1	2	3	5	8	9	12
50-64	233	4.0	9	1	2	3	5	8	10	15
65 +	519	5.7	16	2	3	5	7	11	14	21
B. Operated										
0-19 YRS	113	5.9	11	3	4	5	7	11	14	47
20-34	1037	5.6	11	3	4	5	7	10	11	17
35-49	1444	5.7	11	3	4	5	7	9	12	18
50-64	1586	6.5	17	3	4	5	8	11	13	22
65 +	2120	9.1	43	4	5	8	11	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	242	2.5	3	1	1	2	3	5	6	9
B. Operated	3149	4.3	4	3	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	978	4.8	13	1	2	4	6	9	12	18
B. Operated	6300	7.1	26	3	4	6	8	12	16	27
1. SINGLE DX	3391	4.2	4	2	3	4	5	7	8	11
2. MULTIPLE DX	7278	6.8	25	3	4	5	8	12	15	26
A. Not Operated	1220	4.4	12	1	2	3	6	9	11	18
B. Operated	9449	6.1	20	3	4	5	7	11	14	23
TOTAL										
0-19 YRS	252	5.0	8	2	3	4	6	9	11	16
20-34	2308	4.7	8	2	3	4	6	8	10	14
35-49	2558	4.9	9	2	3	4	6	8	10	16
50-64	2591	5.6	14	3	3	5	7	10	12	19
65 +	2960	8.1	37	3	4	7	10	14	18	31
GRAND TOTAL	10669	5.9	19	3	3	5	7	10	13	22

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.9	12	1	2	3	4	10	12	12
20-34	29	2.4	2	1	1	2	3	5	6	6
35-49	39	3.4	5	1	1	3	5	7	7	10
50-64	15	2.6	1	1	2	3	3	4	5	5
65 +	11	3.3	9	<1	1	2	5	8	10	10
B. Operated										
0-19 YRS	8	3.4	1	1	3	3	4	5	5	5
20-34	86	5.1	12	3	3	4	6	9	10	22
35-49	91	4.7	7	2	3	4	5	8	9	14
50-64	49	5.4	5	3	3	5	7	9	10	12
65 +	14	6.6	9	3	4	7	9	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.6	2	<1	<1	3	4	4	4	4
20-34	50	4.2	9	1	3	4	5	6	13	16
35-49	49	4.1	4	1	3	4	5	7	8	8
50-64	59	4.0	7	1	2	3	5	8	10	14
65 +	133	6.5	16	3	4	5	9	12	14	18
B. Operated										
0-19 YRS	11	5.7	9	3	4	4	7	10	13	13
20-34	115	5.7	9	3	4	5	7	10	12	15
35-49	197	6.1	16	3	4	5	7	10	13	19
50-64	173	7.9	61	3	4	7	9	13	16	27
65 +	182	11.1	75	5	6	9	13	19	26	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	3.0	5	1	1	2	4	6	7	11
B. Operated	248	5.0	8	3	3	4	6	9	10	15
2. MULTIPLE DX										
A. Not Operated	296	5.2	12	2	3	4	6	10	13	17
B. Operated	678	7.8	46	3	4	6	9	13	16	33
1. SINGLE DX	350	4.4	8	2	3	4	6	8	9	13
2. MULTIPLE DX	974	7.0	38	3	4	6	9	13	15	26
A. Not Operated	398	4.6	11	1	2	4	6	9	12	16
B. Operated	926	7.1	38	3	4	6	8	12	15	27
TOTAL										
0-19 YRS	32	4.2	8	1	3	4	4	8	12	13
20-34	280	4.9	10	2	3	4	6	9	11	16
35-49	376	5.2	12	2	3	4	6	9	12	16
50-64	296	6.5	41	2	3	5	8	12	14	22
65 +	340	8.9	53	3	5	8	11	15	21	35
GRAND TOTAL	**1324**	**6.3**	**31**	**2**	**3**	**5**	**8**	**12**	**14**	**26**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	3.5	7	1	2	3	5	8	8	8
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	4	2.8	5	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	3	7.7	1	7	7	7	9	9	9	9
20-34	33	5.7	7	3	4	5	7	10	11	12
35-49	26	4.9	8	2	3	4	6	10	10	11
50-64	20	5.1	5	2	4	5	7	9	9	9
65 +	24	8.0	120	1	2	4	8	19	34	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	7	5.0	12	1	3	4	7	10	11	11
35-49	10	5.8	20	2	3	4	7	13	16	16
50-64	14	7.1	27	1	3	6	8	15	17	18
65 +	49	6.4	18	2	4	5	8	12	17	18
B. Operated										
0-19 YRS	9	11.1	23	6	8	11	12	18	22	22
20-34	58	6.8	15	3	4	6	9	11	12	23
35-49	56	9.7	33	5	5	9	13	17	20	30
50-64	69	8.9	47	2	5	8	11	18	20	39
65 +	253	11.3	51	5	7	10	14	20	23	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.1	5	1	1	2	4	6	7	8
B. Operated	106	5.9	33	2	3	5	7	10	12	37
2. MULTIPLE DX										
A. Not Operated	82	6.3	19	2	3	5	8	13	16	18
B. Operated	445	10.1	45	3	6	9	[illegible]	18	22	39
1. SINGLE DX	122	5.6	30	1	3	4	7	9	12	33
2. MULTIPLE DX	527	9.5	43	3	5	8	12	17	21	37
A. Not Operated	98	5.7	18	1	3	5	7	11	16	18
B. Operated	551	9.3	45	3	5	8	12	17	21	39
TOTAL										
0-19 YRS	16	8.4	26	2	6	8	11	13	19	22
20-34	100	6.2	12	3	4	5	9	10	12	20
35-49	98	7.7	29	2	4	6	10	15	17	28
50-64	105	7.8	38	2	4	7	9	17	19	33
65 +	330	10.2	54	3	6	9	13	18	22	50
GRAND TOTAL	**649**	**8.8**	**43**	**3**	**4**	**7**	**11**	**17**	**20**	**36**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	8	2.6	2	<1	1	3	4	5	5	5
35-49	14	4.4	15	1	2	3	5	10	13	14
50-64	7	3.7	4	2	2	3	4	7	8	8
65+	7	4.3	3	1	4	4	6	6	6	6
B. Operated										
0-19 YRS	7	4.1	16	1	1	1	8	10	10	10
20-34	4	5.3	10	1	3	6	7	8	8	8
35-49	14	5.4	17	1	2	5	9	11	13	14
50-64	15	2.0	2	1	1	2	2	3	6	7
65+	9	5.6	22	1	2	3	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	10.2	56	3	5	8	14	18	27	34
20-34	14	5.2	9	2	3	5	7	9	11	11
35-49	19	4.6	10	1	2	4	7	10	11	11
50-64	43	6.0	28	2	3	5	8	10	12	34
65+	91	5.9	23	2	3	5	7	11	15	27
B. Operated										
0-19 YRS	22	20.6	653	3	9	11	17	67	89	97
20-34	37	12.9	183	3	5	9	14	26	46	67
35-49	51	11.2	119	1	3	8	14	27	39	46
50-64	85	10.9	134	2	4	8	13	21	25	74
65+	140	11.1	115	2	4	9	13	23	32	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	3.7	7	1	2	3	5	7	9	14
B. Operated	49	4.2	14	1	1	2	7	10	12	14
2. MULTIPLE DX										
A. Not Operated	188	6.2	27	2	3	5	7	12	15	32
B. Operated	335	11.9	166	2	4	9	14	24	36	85
1. SINGLE DX	87	4.0	11	1	1	3	5	9	11	14
2. MULTIPLE DX	523	9.8	123	2	4	7	12	19	30	74
A. Not Operated	226	5.8	25	1	3	5	7	11	14	31
B. Operated	384	10.9	153	2	4	8	13	23	32	83
TOTAL										
0-19 YRS	52	13.5	336	2	4	9	14	24	57	97
20-34	63	9.4	127	2	3	7	11	18	30	65
35-49	98	8.1	78	1	2	6	11	16	29	44
50-64	150	8.3	94	2	3	6	10	16	23	60
65+	247	8.8	81	2	4	6	11	19	28	72
GRAND TOTAL	**610**	**9.0**	**111**	**2**	**3**	**6**	**11**	**18**	**26**	**69**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.9	3	2	3	4	5	6	8	8
20-34	76	4.4	5	2	3	4	6	7	8	12
35-49	111	5.3	8	2	3	5	7	9	10	16
50-64	58	5.4	7	2	4	5	7	9	11	12
65+	39	5.2	5	2	4	5	7	8	9	10
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	18	6.3	58	1	2	5	7	9	25	35
35-49	25	12.0	123	1	4	7	18	32	34	36
50-64	14	12.2	191	1	4	7	14	35	47	51
65+	8	6.3	65	1	1	3	7	20	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	6.6	14	3	4	6	8	12	14	19
20-34	418	6.1	17	2	3	5	7	10	14	24
35-49	757	6.6	21	3	4	6	8	12	16	24
50-64	467	7.0	29	2	4	5	9	13	17	30
65+	441	7.6	45	3	4	6	9	13	17	35
B. Operated										
0-19 YRS	9	12.7	60	5	8	11	16	25	30	30
20-34	135	17.8	235	4	7	13	24	40	52	71
35-49	260	17.1	241	4	7	12	21	40	53	80
50-64	227	16.2	242	4	7	11	20	43	60	99+
65+	229	13.1	124	4	7	11	16	23	29	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	297	5.0	7	2	3	4	6	8	10	13
B. Operated	67	9.5	114	1	3	6	10	27	34	48
2. MULTIPLE DX										
A. Not Operated	2115	6.8	27	3	4	6	8	12	16	27
B. Operated	860	15.9	210	4	7	12	20	32	51	82
1. SINGLE DX	364	5.8	29	2	3	5	7	9	13	34
2. MULTIPLE DX	2975	9.4	97	3	4	6	11	19	27	57
A. Not Operated	2412	6.6	25	2	4	5	8	12	15	26
B. Operated	927	15.4	205	3	6	11	19	32	51	81
TOTAL										
0-19 YRS	56	6.8	26	3	4	5	8	12	17	29
20-34	647	8.3	86	2	3	6	9	17	25	52
35-49	1153	8.9	91	3	4	6	10	18	27	53
50-64	766	9.7	111	3	4	6	11	20	31	68
65+	717	9.2	76	3	5	7	11	17	23	47
GRAND TOTAL	**3339**	**9.0**	**91**	**3**	**4**	**6**	**10**	**18**	**26**	**56**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	2.7	7	1	1	2	3	5	6	17
20-34	21	2.8	2	1	2	2	4	5	5	5
35-49	23	3.0	6	<1	1	2	4	7	9	10
50-64	19	3.3	5	1	2	3	4	6	9	11
65 +	37	3.9	9	1	2	3	6	8	10	12
B. Operated										
0-19 YRS	11	3.5	4	1	2	3	5	7	7	7
20-34	4	9.5	63	3	4	7	14	21	21	21
35-49	6	5.3	2	3	5	5	7	7	7	7
50-64	8	5.0	24	<1	1	3	7	13	15	15
65 +	6	6.0	18	1	3	5	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	142	3.4	7	1	2	3	4	6	8	17
20-34	122	4.3	10	1	2	3	5	9	10	15
35-49	251	4.7	15	2	2	4	6	9	11	24
50-64	384	5.1	15	2	3	4	6	9	11	19
65 +	1223	6.1	26	2	3	5	7	11	15	22
B. Operated										
0-19 YRS	42	6.5	49	2	3	4	10	12	25	99 +
20-34	37	4.3	10	2	2	3	6	8	10	17
35-49	84	7.5	51	2	3	5	10	19	22	33
50-64	201	8.1	94	2	4	6	9	16	21	55
65 +	455	9.8	103	3	4	7	11	20	29	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	3.2	6	1	2	2	4	6	9	13
B. Operated	35	5.3	18	1	3	5	7	10	14	21
2. MULTIPLE DX										
A. Not Operated	2122	5.5	21	2	3	4	7	10	14	22
B. Operated	819	8.7	90	2	4	6	10	18	25	56
1. SINGLE DX	174	3.6	9	1	2	3	5	7	10	17
2. MULTIPLE DX	2941	6.4	42	2	3	5	7	12	17	33
A. Not Operated	2261	5.3	21	2	3	4	7	10	13	21
B. Operated	85[illegible]	8.6	88	2	4	6	10	18	25	53
TOTAL										
0-19 YRS	234	3.8	16	1	2	3	5	7	11	21
20-34	184	4.2	10	1	2	3	5	8	10	19
35-49	364	5.2	24	2	2	4	6	10	16	28
50-64	612	6.0	43	2	3	4	7	10	15	32
65 +	1721	7.1	49	2	3	5	8	14	18	39
GRAND TOTAL	**3115**	**6.2**	**41**	**2**	**3**	**5**	**7**	**12**	**17**	**33**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	3.7	7	1	2	3	5	7	9	13
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	4.3	30	1	1	2	4	12	19	20
20-34	0									
35-49	3	4.3	12	1	2	4	7	8	8	8
50-64	0									
65 +	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	10.0	205	2	3	6	11	31	68	99 +
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	8	4.0	1	3	3	4	5	5	5	5
50-64	3	4.7	6	2	3	5	6	7	7	7
65 +	16	8.9	57	3	4	7	12	17	27	31
B. Operated										
0-19 YRS	42	16.4	343	3	5	11	33	99 +	99 +	99 +
20-34	9	10.4	65	4	5	8	13	25	27	27
35-49	3	8.7	1	8	8	9	55	99 +	99 +	99 +
50-64	9	19.2	107	6	10	23	25	32	36	36
65 +	5	11.0	19	6	8	12	17	92	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	3.7	7	1	2	3	5	7	9	13
B. Operated	16	5.1	34	1	1	2	6	16	19	20
2. MULTIPLE DX										
A. Not Operated	111	8.9	160	2	3	5	10	27	47	99 +
B. Operated	68	15.3	241	4	6	11	26	99	99 +	99 +
1. SINGLE DX	56	4.1	15	1	2	3	5	8	12	20
2. MULTIPLE DX	179	11.3	199	2	4	7	16	39	99 +	99 +
A. Not Operated	151	7.5	125	1	3	4	7	17	32	99 +
B. Operated	84	13.3	217	2	5	9	24	71	99 +	99 +
TOTAL										
0-19 YRS	174	9.7	200	1	3	5	12	34	98	99 +
20-34	13	7.9	59	1	4	5	9	22	26	27
35-49	14	5.1	6	3	4	4	8	10	77	99 +
50-64	12	15.6	122	3	6	13	24	30	35	36
65 +	22	9.7	48	3	5	8	15	20	55	99 +
GRAND TOTAL	**235**	**9.6**	**165**	**1**	**3**	**5**	**12**	**31**	**96**	**99 +**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	114	3.4	6	<1	2	3	4	7	9	12
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.0		1	1	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	79	3.0	9	1	1	2	3	7	9	16
20-34	15	1.3	1	1	1	1	1	2	4	4
35-49	7	1.7	1	<1	1	1	2	4	4	4
50-64	4	1.3		1	1	1	2	2	2	2
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	4.8	14	1	2	4	6	10	12	18
20-34	19	5.8	12	1	3	6	8	9	12	15
35-49	20	4.5	13	1	2	4	5	9	13	15
50-64	16	9.9	96	3	4	8	11	15	35	44
65+	34	7.9	37	2	3	6	10	20	21	25
B. Operated										
0-19 YRS	93	8.2	122	2	2	4	10	20	29	91
20-34	45	7.3	90	1	2	4	9	16	29	50
35-49	57	7.8	64	1	2	5	11	20	25	33
50-64	45	7.8	75	1	2	5	12	16	23	45
65+	33	8.5	110	1	2	6	10	20	33	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	3.4	6	<1	1	3	4	7	9	12
B. Operated	108	2.6	7	1	1	2	2	6	9	14
2. MULTIPLE DX										
A. Not Operated	227	5.7	25	2	2	4	8	11	15	22
B. Operated	273	8.0	94	1	2	4	10	19	28	50
1. SINGLE DX	228	3.0	7	1	1	2	4	6	9	12
2. MULTIPLE DX	500	6.9	64	1	2	4	9	15	21	46
A. Not Operated	347	4.9	19	1	2	4	6	10	13	20
B. Operated	381	6.4	75	1	2	3	8	15	23	49
TOTAL										
0-19 YRS	424	4.9	38	1	2	3	6	10	15	30
20-34	80	5.8	58	1	1	3	7	13	18	44
35-49	87	6.4	49	1	2	4	8	18	21	32
50-64	66	7.8	78	1	2	5	11	15	23	45
65+	71	7.9	70	1	2	5	10	19	25	47
GRAND TOTAL	**728**	**5.7**	**49**	**1**	**2**	**3**	**7**	**13**	**19**	**36**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	4.5	6	2	3	4	6	8	10	11
20-34	2	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	5.9	12	2	4	5	7	11	13	18
20-34	6	7.3	20	1	5	7	11	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	8	5.0	8	1	3	5	7	9	9	9
65+	9	6.2	5	3	5	6	8	10	10	10
B. Operated										
0-19 YRS	10	10.9	93	2	6	8	12	26	35	35
20-34	4	13.0	129	1	3	13	22	25	25	25
35-49	6	6.2	10	2	3	7	8	10	10	10
50-64	8	10.6	34	2	6	12	15	17	17	17
65+	8	10.5	65	3	4	7	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.5	6	2	3	4	6	8	9	11
B. Operated	4	2.5	1	2	2	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	69	5.9	11	2	4	5	8	10	12	17
B. Operated	36	10.2	60	2	4	8	15	21	24	35
1. SINGLE DX	29	4.2	6	2	2	4	5	8	9	11
2. MULTIPLE DX	105	7.4	31	2	4	6	9	14	19	29
A. Not Operated	94	5.6	10	2	3	5	7	9	12	16
B. Operated	40	9.4	60	2	3	7	13	20	23	35
TOTAL										
0-19 YRS	82	6.0	23	2	3	5	7	11	13	30
20-34	12	8.7	56	1	4	6	12	21	24	25
35-49	7	5.7	10	2	3	6	8	10	10	10
50-64	16	7.8	28	1	3	7	12	16	17	17
65+	17	8.2	36	3	4	7	9	20	21	21
GRAND TOTAL	**134**	**6.7**	**28**	**2**	**3**	**5**	**8**	**13**	**18**	**27**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	6.1	109	<1	1	2	4	28	34	34
20-34	5	1.6	1	1	1	1	2	3	3	3
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	8.5	41	4	4	8	13	13	13	13
B. Operated										
0-19 YRS	288	1.4	7	<1	<1	<1	<1	<1	2	12
20-34	8	4.9	10	1	2	4	6	10	11	11
35-49	9	5.7	16	1	2	7	9	11	11	11
50-64	6	2.8	5	<1	1	2	5	6	6	6
65+	7	2.7	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	4.9	36	<1	1	3	7	12	19	28
20-34	22	3.7	20	<1	1	2	5	7	13	21
35-49	23	4.7	12	1	2	4	6	11	12	14
50-64	42	7.2	63	2	3	5	8	16	19	47
65+	118	8.2	27	3	5	7	10	16	18	26
B. Operated										
0-19 YRS	224	6.9	116	<1	<1	<1	9	21	32	56
20-34	103	10.2	74	2	4	7	16	24	28	34
35-49	136	12.2	139	2	4	9	16	27	34	60
50-64	145	9.9	75	2	3	7	14	22	30	46
65+	160	12.7	100	2	5	10	19	27	30	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	5.1	74	<1	1	2	4	12	33	34
B. Operated	318	1.7	8	<1	<1	<1	<1	2	6	12
2. MULTIPLE DX										
A. Not Operated	275	6.6	35	1	3	5	8	13	18	28
B. Operated	768	10.1	108	<1	2	7	14	24	30	52
1. SINGLE DX	345	1.9	14	<1	<1	<1	<1	3	7	27
2. MULTIPLE DX	1043	9.1	91	<1	2	6	13	22	27	47
A. Not Operated	302	6.4	39	1	2	5	8	13	18	33
B. Operated	1086	7.6	93	<1	<1	3	11	21	27	46
TOTAL										
0-19 YRS	599	4.0	60	<1	<1	<1	2	12	20	42
20-34	138	8.5	67	1	2	5	12	22	26	32
35-49	170	10.7	122	2	3	7	14	24	31	54
50-64	194	9.1	72	2	3	7	12	20	27	46
65+	287	10.6	73	2	5	8	14	23	27	48
GRAND TOTAL	**1388**	**7.3**	**82**	**<1**	**<1**	**4**	**10**	**19**	**26**	**45**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	1.7	1	<1	<1	<1	2	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	4	11.0	131	1	3	8	19	27	27	27
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	3.3	16	1	1	1	6	8	8	8
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	10.4	138	4	4	5	13	26	33	56
20-34	25	5.1	11	2	2	5	7	11	11	12
35-49	35	7.0	57	2	3	5	8	12	26	38
50-64	67	8.7	32	3	5	7	11	16	23	27
65+	278	9.1	54	3	5	7	11	15	20	46
B. Operated										
0-19 YRS	44	19.6	353	3	6	12	26	47	66	76
20-34	41	11.5	136	2	4	8	17	34	45	99+
35-49	37	11.8	115	2	5	10	14	25	31	56
50-64	70	15.5	108	4	8	14	19	30	33	52
65+	165	19.6	221	6	9	16	26	39	47	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.5	2	<1	<1	2	3	5	5	5
B. Operated	9	6.3	73	1	1	2	9	21	27	27
2. MULTIPLE DX										
A. Not Operated	433	8.7	55	3	4	7	11	15	21	44
B. Operated	357	17.0	203	3	7	14	23	34	47	91
1. SINGLE DX	15	4.8	46	<1	1	2	5	11	23	27
2. MULTIPLE DX	790	12.5	139	3	5	9	15	27	35	75
A. Not Operated	439	8.6	55	3	4	7	11	15	21	43
B. Operated	366	16.8	202	3	7	14	23	34	46	89
TOTAL										
0-19 YRS	77	15.6	276	3	4	10	24	31	56	75
20-34	66	9.1	98	2	3	6	11	20	35	93
35-49	75	9.2	90	2	3	6	11	19	29	51
50-64	143	11.7	83	3	5	9	16	24	30	51
65+	444	13.0	142	4	6	9	15	27	38	78
GRAND TOTAL	**805**	**12.3**	**138**	**3**	**5**	**9**	**15**	**27**	**35**	**74**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	118	3.5	2	2	2	3	5	5	6	7
20-34	108	3.4	2	2	2	3	4	6	6	8
35-49	48	3.8	3	2	2	4	5	6	7	10
50-64	16	4.1	1	2	3	4	5	5	5	5
65 +	15	4.3	4	2	3	4	5	8	8	8
B. Operated										
0-19 YRS	7	6.0	3	4	4	7	7	8	8	8
20-34	4	6.0	13	2	3	6	9	9	9	9
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	312	4.7	8	2	3	4	5	8	10	15
20-34	378	4.4	5	2	3	4	5	7	9	12
35-49	240	5.0	5	2	3	5	6	8	10	12
50-64	201	5.5	10	3	4	5	7	9	11	16
65 +	444	6.8	19	3	4	6	8	11	13	37
B. Operated										
0-19 YRS	47	7.6	19	3	5	7	10	16	19	99 +
20-34	36	7.9	35	3	5	6	10	14	17	33
35-49	38	9.2	47	4	6	6	12	16	21	40
50-64	40	10.9	47	5	7	8	13	21	27	33
65 +	65	11.8	58	5	8	9	14	22	27	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	305	3.6	2	2	2	3	5	6	6	8
B. Operated	13	5.7	5	3	4	5	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	1575	5.4	11	2	3	5	6	9	11	18
B. Operated	226	9.7	45	4	5	8	12	17	23	43
1. SINGLE DX	318	3.7	3	2	2	3	5	6	7	9
2. MULTIPLE DX	1801	5.9	17	3	4	5	7	10	13	25
A. Not Operated	1880	5.1	10	2	3	4	6	9	11	18
B. Operated	239	9.5	43	4	5	8	11	17	23	41
TOTAL										
0-19 YRS	484	4.8	9	2	3	4	5	8	10	18
20-34	526	4.4	8	2	3	4	5	7	9	14
35-49	328	5.3	12	2	3	5	6	9	11	19
50-64	257	6.2	19	3	4	5	7	11	14	27
65 +	524	7.3	26	3	4	6	9	12	17	40
GRAND TOTAL	**2119**	**5.6**	**16**	**2**	**3**	**5**	**7**	**10**	**12**	**23**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	130	3.9	7	2	2	3	4	6	8	16
20-34	121	3.4	2	2	2	3	4	5	6	8
35-49	22	3.5	3	1	2	3	5	6	6	7
50-64	17	4.9	3	3	3	5	7	7	8	8
65 +	12	4.6	4	2	4	5	5	7	9	9
B. Operated										
0-19 YRS	9	3.7	4	1	2	3	5	6	6	6
20-34	11	4.4	4	2	3	4	6	7	8	8
35-49	5	3.2	6	1	2	2	5	7	7	7
50-64	5	10.2	25	6	7	7	15	17	17	17
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	306	4.3	6	2	3	4	5	7	9	13
20-34	325	4.4	5	2	3	4	5	7	9	13
35-49	166	5.3	9	2	3	5	7	9	12	15
50-64	110	5.8	12	3	4	5	7	10	14	18
65 +	244	6.4	14	3	4	6	8	10	12	21
B. Operated										
0-19 YRS	38	7.3	32	3	4	6	8	12	19	32
20-34	50	10.6	92	3	5	8	12	19	26	49
35-49	48	8.5	51	3	5	7	9	15	25	43
50-64	37	9.3	41	3	5	7	12	15	23	33
65 +	86	11.4	77	4	7	9	14	22	25	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	302	3.7	4	2	2	3	4	6	7	12
B. Operated	31	4.8	12	1	2	4	6	8	14	17
2. MULTIPLE DX										
A. Not Operated	1151	5.1	9	2	3	4	6	9	11	16
B. Operated	259	9.8	65	3	5	8	11	19	25	48
1. SINGLE DX	333	3.8	5	2	2	3	5	6	7	14
2. MULTIPLE DX	1410	6.0	23	2	3	5	7	10	14	25
A. Not Operated	1453	4.8	9	2	3	4	6	8	10	15
B. Operated	290	9.3	61	3	5	7	11	17	25	46
TOTAL										
0-19 YRS	483	4.4	9	2	3	4	5	7	9	15
20-34	507	4.8	17	2	3	4	5	8	11	19
35-49	241	5.7	19	2	3	5	7	9	13	25
50-64	169	6.6	20	3	4	5	8	13	15	25
65 +	343	7.6	34	3	4	6	9	12	18	27
GRAND TOTAL	**1743**	**5.5**	**20**	**2**	**3**	**4**	**7**	**10**	**13**	**24**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	1.8	1	1	1	1	2	4	5	5
20-34	132	1.8	7	<1	1	1	2	3	4	10
35-49	192	1.4	1	<1	<1	1	2	2	3	4
50-64	126	1.7	4	<1	<1	1	2	3	4	12
65+	71	2.3	9	<1	1	1	2	5	10	16
B. Operated										
0-19 YRS	9	4.9	41	<1	1	2	5	16	21	21
20-34	52	2.5	3	<1	1	2	3	5	6	8
35-49	88	3.0	8	<1	1	2	5	6	8	14
50-64	74	2.9	14	<1	1	1	3	6	10	21
65+	30	2.5	7	<1	1	2	3	5	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.3	9	1	2	2	4	7	7	17
20-34	104	2.1	3	1	1	1	3	4	5	10
35-49	150	2.5	3	1	1	2	3	5	6	8
50-64	139	2.3	4	1	1	2	3	5	6	10
65+	122	3.1	8	1	1	2	3	7	10	13
B. Operated										
0-19 YRS	11	6.3	32	1	2	4	9	16	17	17
20-34	66	5.8	40	1	2	4	6	11	17	40
35-49	129	4.8	38	1	1	3	6	9	12	38
50-64	125	6.0	48	1	2	4	8	13	16	33
65+	147	7.4	89	1	2	5	9	16	20	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	551	1.7	4	<1	1	1	2	3	4	11
B. Operated	253	2.9	10	<1	1	2	4	6	8	16
2. MULTIPLE DX										
A. Not Operated	548	2.5	5	1	1	2	3	5	6	12
B. Operated	478	6.1	57	1	2	4	7	13	17	42
1. SINGLE DX	804	2.1	6	<1	1	1	2	4	6	14
2. MULTIPLE DX	1026	4.2	32	1	1	2	5	9	13	24
A. Not Operated	1099	2.1	4	<1	1	1	2	4	6	12
B. Operated	731	5.0	43	1	1	3	6	11	16	29
TOTAL										
0-19 YRS	83	3.3	14	1	1	2	4	7	13	20
20-34	354	2.7	13	<1	1	2	3	5	7	18
35-49	559	2.7	13	<1	1	2	3	6	8	13
50-64	464	3.2	20	<1	1	2	4	8	11	19
65+	370	4.6	45	1	1	2	6	10	14	27
GRAND TOTAL	**1830**	**3.3**	**22**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	1.5		1	1	1	2	2	3	3
20-34	526	1.7	1	1	1	1	2	3	3	5
35-49	621	1.6	1	1	1	1	2	3	4	5
50-64	327	1.7	1	1	1	1	2	3	4	5
65+	79	2.1	2	1	1	2	2	4	5	9
B. Operated										
0-19 YRS	61	2.9	4	1	2	2	4	5	7	12
20-34	412	2.8	4	1	1	2	4	5	7	10
35-49	562	2.7	3	1	1	2	4	5	6	8
50-64	383	3.1	7	1	1	3	4	6	8	14
65+	89	3.1	6	1	1	2	4	6	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	2.9	34	1	1	2	3	4	5	36
20-34	250	2.0	3	1	1	2	2	3	4	11
35-49	402	2.0	4	1	1	2	2	4	5	8
50-64	277	2.4	3	1	1	2	3	4	6	9
65+	197	2.7	4	1	1	2	3	5	7	9
B. Operated										
0-19 YRS	37	5.0	23	2	2	3	6	9	13	28
20-34	254	4.2	14	1	2	4	5	7	10	16
35-49	421	3.9	11	1	2	3	5	7	9	16
50-64	402	4.6	13	1	2	4	6	9	12	18
65+	371	5.9	31	2	3	4	8	11	15	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1620	1.7	1	1	1	1	2	3	3	5
B. Operated	1507	2.9	4	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. Not Operated	1162	2.2	4	1	1	2	3	4	5	9
B. Operated	1485	4.7	18	1	2	4	6	9	12	20
1. SINGLE DX	3127	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	2647	3.6	13	1	1	3	4	7	10	18
A. Not Operated	2782	1.9	2	1	1	2	2	3	4	7
B. Operated	2992	3.8	12	1	2	3	5	7	10	17
TOTAL										
0-19 YRS	201	2.8	13	1	1	2	3	5	7	21
20-34	1442	2.5	5	1	1	2	3	5	6	11
35-49	2006	2.5	5	1	1	2	3	5	6	10
50-64	1389	3.1	7	1	1	2	4	6	8	14
65+	736	4.3	20	1	2	3	5	9	11	21
GRAND TOTAL	**5774**	**2.9**	**6**	**1**	**1**	**2**	**3**	**6**	**8**	**14**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	3.5	13	1	1	3	4	7	9	19
20-34	6	1.7	1	1	1	2	2	3	3	3
35-49	9	2.1	1	1	2	2	3	4	4	4
50-64	4	2.8	3	<1	1	2	4	5	5	5
65+	2	5.0	8	3	3	5	7	7	7	7
B. Operated										
0-19 YRS	276	4.5	6	2	3	4	5	7	9	13
20-34	42	4.0	6	1	2	4	5	8	8	9
35-49	38	3.4	5	1	1	3	5	7	8	8
50-64	37	3.5	8	1	1	2	6	8	8	11
65+	15	4.5	7	1	2	4	7	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	4.8	25	1	2	4	6	9	11	32
20-34	23	2.9	3	1	1	3	4	6	7	7
35-49	29	4.1	7	2	2	4	5	8	9	12
50-64	40	4.6	10	1	2	4	6	8	12	14
65+	78	6.7	18	2	3	5	10	13	15	20
B. Operated										
0-19 YRS	349	6.7	24	2	4	5	8	12	16	27
20-34	90	7.5	76	2	4	5	9	12	15	60
35-49	134	7.7	44	2	3	6	9	17	25	51
50-64	165	7.8	61	2	4	6	9	14	16	48
65+	208	9.0	85	2	3	7	11	18	23	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	3.0	8	1	1	2	3	6	7	19
B. Operated	408	4.2	6	1	3	4	6	7	8	12
2. MULTIPLE DX										
A. Not Operated	253	5.1	18	1	2	4	7	10	13	19
B. Operated	946	7.6	52	2	4	6	9	14	19	44
1. SINGLE DX	457	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX	1199	7.1	46	2	3	5	9	13	18	40
A. Not Operated	302	4.8	17	1	2	4	6	10	12	19
B. Operated	1354	6.6	41	1	3	5	8	12	16	33
TOTAL										
0-19 YRS	736	5.5	18	2	3	5	7	10	13	23
20-34	161	5.7	48	1	2	4	7	10	13	44
35-49	210	6.2	34	1	2	5	8	12	18	34
50-64	246	6.6	47	1	3	5	8	12	15	48
65+	303	8.1	65	2	3	6	10	16	21	43
GRAND TOTAL	**1656**	**6.3**	**37**	**1**	**3**	**5**	**8**	**12**	**16**	**32**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.9	1	1	1	2	2	3	4	4
20-34	17	1.6	1	1	1	1	2	3	4	4
35-49	28	1.6	1	1	1	1	2	3	4	5
50-64	8	2.3	2	<1	1	2	3	4	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	3.0	2	1	2	3	4	5	5	5
35-49	9	1.7	2	<1	<1	1	2	4	5	5
50-64	8	1.8	1	1	1	1	2	4	4	4
65+	7	2.1	4	1	1	1	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.6	22	1	1	2	3	12	14	14
20-34	13	2.3	1	1	2	2	3	4	4	4
35-49	15	2.5	3	1	1	2	3	6	6	6
50-64	11	2.6	2	<1	1	3	3	5	6	6
65+	4	5.0	23	1	2	3	8	12	12	12
B. Operated										
0-19 YRS	8	4.3	28	1	1	3	4	13	17	17
20-34	10	5.2	17	2	3	4	6	11	16	16
35-49	18	6.2	105	1	2	3	5	15	34	44
50-64	18	3.3	6	1	2	3	4	6	9	10
65+	69	5.5	23	1	3	5	7	10	12	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	1.8	1	1	1	1	2	3	4	5
B. Operated	33	2.0	2	<1	1	1	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	50	2.8	6	1	1	2	3	5	6	14
B. Operated	123	5.2	32	1	2	4	6	10	15	33
1. SINGLE DX	97	1.8	1	1	1	1	2	4	5	6
2. MULTIPLE DX	173	4.5	26	1	2	3	5	9	12	28
A. Not Operated	114	2.2	4	1	1	2	3	4	5	13
B. Operated	156	4.5	27	1	2	3	5	9	12	29
TOTAL										
0-19 YRS	26	3.0	15	1	1	2	3	4	15	17
20-34	47	2.8	6	1	1	2	4	4	6	16
35-49	70	3.0	31	1	1	2	3	5	6	39
50-64	45	2.7	4	1	1	2	3	5	6	10
65+	82	5.1	22	1	2	4	7	10	12	27
GRAND TOTAL	**270**	**3.5**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**23**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.6	3	1	2	3	5	6	7	7
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	3.3	2	2	2	3	4	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	20	2.0	1	<1	1	2	3	3	4	5
35-49	13	2.0	1	<1	1	2	3	3	4	4
50-64	4	3.0	7	<1	1	2	5	7	7	7
65 +	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.0	2	1	2	3	4	5	6	6
20-34	26	3.8	4	1	2	4	5	6	7	8
35-49	17	4.1	11	1	2	3	5	7	12	15
50-64	20	3.7	4	1	2	3	5	7	8	8
65 +	66	4.9	11	2	2	4	7	9	10	17
B. Operated										
0-19 YRS	19	4.9	30	<1	<1	4	6	14	19	21
20-34	24	6.2	25	1	3	6	7	11	18	24
35-49	40	8.6	215	1	2	4	8	22	29	87
50-64	62	5.5	54	1	2	3	6	12	16	41
65 +	165	6.1	32	1	2	4	8	14	16	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.8	3	1	1	3	4	5	6	7
B. Operated	44	2.0	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	162	4.1	8	1	2	4	6	7	9	15
B. Operated	310	6.2	59	1	2	4	8	13	18	34
1. SINGLE DX	62	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	472	5.5	43	1	2	4	7	11	15	31
A. Not Operated	180	4.0	7	1	2	3	5	7	9	15
B. Operated	354	5.7	54	1	2	3	7	12	17	32
TOTAL										
0-19 YRS	63	3.7	11	<1	2	3	4	6	9	20
20-34	73	4.0	13	1	1	3	5	7	8	22
35-49	72	6.2	129	1	1	3	6	13	22	74
50-64	90	4.9	39	1	2	3	5	10	13	40
65 +	236	5.7	26	1	2	4	8	12	16	28
GRAND TOTAL	**534**	**5.1**	**39**	**1**	**2**	**3**	**6**	**10**	**15**	**30**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
B. Operated										
0-19 YRS	63	2.0	10	<1	<1	<1	1	4	6	22
20-34	18	2.4	3	1	1	2	3	5	6	7
35-49	26	1.7	1	1	1	1	2	3	4	4
50-64	12	2.3	5	<1	1	1	2	7	7	7
65 +	15	2.7	6	1	1	2	3	5	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	4.0	7	1	2	4	6	7	7	7
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	10	4.4	14	1	2	4	4	11	13	13
B. Operated										
0-19 YRS	53	2.6	8	<1	<1	1	3	7	8	14
20-34	36	3.0	5	1	1	2	5	6	8	9
35-49	35	3.3	15	1	1	2	4	7	8	22
50-64	47	4.3	14	1	2	3	5	10	11	20
65 +	160	4.4	20	1	2	3	5	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated	134	2.1	6	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated	16	3.9	11	1	2	3	5	9	12	13
B. Operated	331	3.8	16	1	1	3	5	8	10	20
1. SINGLE DX	135	2.1	6	<1	<1	1	2	4	6	12
2. MULTIPLE DX	347	3.8	15	1	1	3	5	8	10	20
A. Not Operated	17	3.8	11	1	1	3	5	9	12	13
B. Operated	465	3.3	14	<1	1	2	4	7	9	20
TOTAL										
0-19 YRS	116	2.3	9	<1	<1	1	2	6	7	17
20-34	54	2.8	5	1	1	2	4	6	8	9
35-49	65	2.7	10	1	1	2	3	6	7	20
50-64	62	3.7	13	1	1	2	4	9	10	19
65 +	185	4.2	19	1	2	3	5	9	11	20
GRAND TOTAL	**482**	**3.3**	**13**	**<1**	**1**	**2**	**4**	**7**	**9**	**19**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	222	3.4	4	1	2	3	4	6	7	10
20-34	52	3.0	2	1	2	3	4	5	6	7
35-49	20	3.3	4	1	2	3	4	6	8	9
50-64	19	3.2	3	1	2	3	4	6	7	8
65 +	42	5.1	25	1	2	4	6	10	17	24
B. Operated										
0-19 YRS	31	2.7	8	< 1	< 1	2	3	6	9	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	2.8	4	< 1	< 1	2	4	5	5	5
50-64	0									
65 +	4	5.3	12	< 1	2	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	969	4.9	12	2	3	4	6	9	11	19
20-34	328	4.7	19	2	3	4	5	8	10	30
35-49	321	5.6	13	2	3	5	7	10	13	18
50-64	423	6.2	19	3	4	5	8	10	12	24
65 +	2731	7.9	47	3	4	6	9	14	19	41
B. Operated										
0-19 YRS	148	7.1	39	2	4	6	9	12	17	40
20-34	50	8.8	79	3	4	6	9	16	34	41
35-49	50	11.3	229	3	4	7	10	23	38	77
50-64	98	10.8	103	3	5	8	14	20	28	60
65 +	444	14.4	125	5	8	11	19	30	37	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	355	3.5	6	1	2	3	4	6	8	12
B. Operated	40	3.0	8	< 1	< 1	2	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	4772	6.8	35	2	4	5	8	12	16	31
B. Operated	790	12.0	118	3	5	9	15	26	33	72
1. SINGLE DX	395	3.5	6	1	2	3	4	6	8	12
2. MULTIPLE DX	5562	7.5	50	3	4	6	9	14	20	40
A. Not Operated	5127	6.6	34	2	3	5	8	12	15	30
B. Operated	830	11.6	116	3	5	9	14	26	32	70
TOTAL										
0-19 YRS	1370	4.8	14	2	3	4	6	9	11	20
20-34	431	5.0	26	2	3	4	6	8	12	35
35-49	395	6.1	44	2	3	5	7	10	14	28
50-64	540	6.9	37	3	4	5	8	12	16	30
65 +	3221	8.8	63	3	4	7	10	16	24	47
GRAND TOTAL	**5957**	**7.3**	**48**	**2**	**4**	**5**	**8**	**13**	**19**	**39**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	1.9	1	1	1	2	2	3	4	5
20-34	9	1.8	1	< 1	1	2	2	3	3	3
35-49	8	2.0	1	1	1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	10	2.7	5	< 1	1	2	3	6	7	7
B. Operated										
0-19 YRS	87	1.8	1	< 1	1	1	2	3	4	7
20-34	24	2.5	6	< 1	1	2	3	7	8	9
35-49	28	2.3	2	< 1	1	2	3	4	5	7
50-64	41	2.3	4	1	1	2	3	5	7	9
65 +	40	3.3	9	1	1	2	4	6	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	2.6	3	1	1	2	3	5	7	10
20-34	38	2.6	3	< 1	1	2	3	5	6	8
35-49	34	3.9	7	2	2	3	5	6	9	14
50-64	52	3.6	5	1	2	3	5	7	8	11
65 +	146	5.7	22	2	3	4	7	12	15	24
B. Operated										
0-19 YRS	95	4.3	26	< 1	1	2	6	9	14	29
20-34	73	7.2	68	1	2	4	10	16	22	46
35-49	110	4.6	15	1	2	4	6	10	13	53
50-64	178	5.8	45	1	2	4	8	13	16	25
65 +	547	6.0	44	2	3	4	7	12	16	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	2.0	2	1	1	2	3	3	5	7
B. Operated	220	2.3	4	< 1	1	2	3	4	7	10
2. MULTIPLE DX										
A. Not Operated	325	4.3	14	1	2	3	5	8	12	22
B. Operated	1003	5.7	42	1	2	4	7	12	16	32
1. SINGLE DX	272	2.2	3	< 1	1	2	3	4	6	9
2. MULTIPLE DX	1328	5.4	35	1	2	4	6	11	15	30
A. Not Operated	377	4.0	13	1	2	3	5	8	11	20
B. Operated	1223	5.1	37	1	2	3	6	11	15	31
TOTAL										
0-19 YRS	261	2.9	12	< 1	1	2	3	6	8	19
20-34	144	4.9	41	1	1	3	5	11	17	34
35-49	180	4.0	12	1	2	3	5	8	12	21
50-64	272	4.9	33	1	2	3	6	11	14	24
65 +	743	5.7	38	1	2	4	7	12	15	31
GRAND TOTAL	**1600**	**4.8**	**31**	**1**	**2**	**3**	**6**	**10**	**14**	**26**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	7.0	22	2	3	5	12	12	12	12
65 +	7	3.1	5	< 1	1	4	4	6	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	6	3.3	1	2	3	3	4	4	4	4
50-64	228	3.5	2	2	3	3	4	5	6	9
65 +	355	3.9	3	2	3	4	4	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	3.0	5	1	1	3	5	5	5	5
50-64	13	2.7	3	1	1	2	4	5	6	6
65 +	80	5.2	14	1	2	4	7	11	13	74
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49	42	4.5	6	2	3	4	5	7	10	14
50-64	883	4.6	18	2	3	4	5	7	10	18
65 +	2950	5.9	20	3	4	5	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	4.7	14	1	2	4	5	12	12	12
B. Operated	589	3.7	3	2	3	4	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	97	4.8	13	1	2	4	6	11	13	60
B. Operated	3877	5.6	19	3	3	4	6	9	12	22
1. SINGLE DX	602	3.8	3	2	3	4	4	6	7	10
2. MULTIPLE DX	3974	5.6	19	3	3	4	6	9	12	22
A. Not Operated	110	4.7	13	1	2	4	6	11	13	49
B. Operated	4466	5.3	17	3	3	4	6	9	12	21
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49	53	4.2	6	2	3	4	5	6	10	14
50-64	1129	4.4	15	2	3	4	5	7	9	16
65 +	3392	5.6	18	3	3	5	6	10	12	22
GRAND TOTAL	**4576**	**5.3**	**17**	**3**	**3**	**4**	**6**	**9**	**12**	**21**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	22	2.7	2	1	2	2	3	5	6	7
35-49	23	3.7	3	2	2	3	5	7	8	8
50-64	19	3.3	1	2	3	3	4	5	5	5
65 +	4	5.0	10	2	2	4	7	9	9	9
B. Operated										
0-19 YRS	0									
20-34	5	4.0	4	2	3	3	6	6	6	6
35-49	5	3.8	10	1	2	3	5	9	9	9
50-64	10	5.6	6	1	4	6	8	9	9	9
65 +	7	3.9	4	1	3	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	18	4.1	3	2	2	4	5	6	7	8
35-49	59	3.6	3	2	2	3	4	6	7	10
50-64	85	4.5	6	2	3	4	5	7	10	14
65 +	84	4.5	5	2	3	4	6	8	8	11
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	12	8.6	80	2	4	5	8	23	32	33
35-49	26	4.7	6	3	3	4	6	7	10	12
50-64	32	4.6	6	2	3	4	6	7	10	12
65 +	70	6.1	19	2	3	4	7	13	15	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	3.3	3	2	2	3	4	5	7	9
B. Operated	27	4.5	6	1	3	4	6	8	9	9
2. MULTIPLE DX										
A. Not Operated	248	4.2	5	2	3	4	5	7	8	12
B. Operated	142	5.6	19	2	3	4	7	11	14	22
1. SINGLE DX	96	3.7	4	2	2	3	5	7	8	9
2. MULTIPLE DX	390	4.7	11	2	3	4	6	8	11	17
A. Not Operated	317	4.0	5	2	3	4	5	7	8	11
B. Operated	169	5.5	17	2	3	4	6	11	13	21
TOTAL										
0-19 YRS	5	2.0	1	< 1	< 1	2	3	3	3	3
20-34	57	4.5	23	1	2	3	5	6	9	32
35-49	113	3.9	4	2	2	3	5	6	8	11
50-64	146	4.4	6	2	3	4	5	7	9	12
65 +	165	5.2	11	2	3	4	6	9	12	18
GRAND TOTAL	**486**	**4.5**	**9**	**2**	**3**	**4**	**5**	**8**	**10**	**16**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	34	1.2		< 1	< 1	< 1	1	2	3	4
20-34	12	1.2		< 1	1	1	1	2	2	2
35-49	20	1.5	1	1	1	1	2	3	3	3
50-64	24	1.7	1	1	1	1	2	3	4	4
65 +	13	1.8	1	< 1	< 1	1	3	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.0		< 1	< 1	1	1	1	1	1
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	55	1.4	1	< 1	1	1	1	2	2	9
20-34	7	4.0	12	< 1	1	3	5	10	11	11
35-49	14	2.5	8	1	1	1	3	6	10	11
50-64	17	1.6	1	1	1	1	2	2	3	4
65 +	43	2.8	6	1	1	2	4	7	8	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	103	1.4	1	< 1	< 1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	6	1.2		< 1	1	1	1	2	2	2
B. Operated	136	2.1	4	< 1	1	1	2	4	7	11
1. SINGLE DX	104	1.4	1	< 1	< 1	1	2	3	3	4
2. MULTIPLE DX	142	2.1	4	< 1	1	1	2	4	7	11
A. Not Operated	7	1.1		< 1	1	1	1	2	2	2
B. Operated	239	1.8	3	< 1	1	1	2	4	5	10
TOTAL										
0-19 YRS	95	1.3	1	< 1	< 1	1	1	2	3	7
20-34	19	2.2	6	< 1	1	1	3	5	8	11
35-49	35	1.9	4	1	1	1	2	3	5	11
50-64	41	1.6	1	1	1	1	2	2	4	4
65 +	56	2.6	5	1	1	2	3	6	8	10
GRAND TOTAL	**246**	**1.8**	3	<1	1	1	2	4	5	10

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	4.0	5	1	2	4	5	7	8	10
20-34	51	3.6	4	1	2	3	4	6	7	11
35-49	29	4.4	7	2	3	4	5	8	10	13
50-64	15	3.7	2	2	3	4	4	6	7	7
65 +	6	4.7	6	2	3	4	5	9	9	9
B. Operated										
0-19 YRS	28	2.4	5	1	1	2	3	5	6	11
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	16	3.8	5	2	2	3	5	7	8	8
50-64	12	5.3	17	1	1	5	8	11	14	14
65 +	3	3.0	12	1	1	1	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	4.1	5	2	2	4	5	8	9	10
20-34	28	4.6	8	1	3	4	6	8	9	14
35-49	34	4.1	4	2	3	4	5	7	8	9
50-64	50	5.3	6	3	4	5	6	8	9	17
65 +	51	6.1	6	3	5	6	7	9	11	14
B. Operated										
0-19 YRS	14	4.1	11	1	2	3	6	9	11	11
20-34	11	2.5	3	1	1	2	4	5	5	5
35-49	18	4.6	12	1	2	4	6	9	12	13
50-64	23	6.5	33	1	2	6	9	12	18	26
65 +	32	9.2	53	1	3	7	15	20	24	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	3.9	5	2	2	4	5	7	8	11
B. Operated	62	3.3	8	1	1	2	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	178	5.1	6	2	3	5	6	8	10	14
B. Operated	98	6.2	34	1	2	5	8	14	19	26
1. SINGLE DX	190	3.7	6	1	2	3	5	7	8	12
2. MULTIPLE DX	276	5.5	16	2	3	5	7	10	14	23
A. Not Operated	306	4.6	6	2	3	4	6	8	9	13
B. Operated	160	5.1	26	1	1	4	7	11	16	26
TOTAL										
0-19 YRS	84	3.5	6	1	2	3	4	7	9	11
20-34	93	3.7	5	1	2	4	5	6	8	13
35-49	97	4.2	6	1	2	4	6	8	9	13
50-64	100	5.3	13	2	3	5	7	9	11	21
65 +	92	7.0	25	2	4	6	8	14	18	25
GRAND TOTAL	**466**	**4.8**	13	1	2	**4**	**6**	**8**	11	20

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	2	<1	<1	1	3	4	4	4
20-34	0									
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	133	1.0		<1	<1	<1	<1	1	1	2
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49	6	1.0		<1	<1	<1	1	1	1	1
50-64	5	1.0		<1	<1	1	1	1	1	1
65 +	3	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	8.0	72	2	2	8	14	14	14	14
B. Operated										
0-19 YRS	52	1.1		<1	<1	<1	1	1	1	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	1.9	2	<1	1	1	3	4	4	4
50-64	9	1.3	1	<1	<1	1	2	3	3	3
65 +	12	2.2	4	<1	<1	1	3	5	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.7	2	<1	<1	1	3	4	4	4
B. Operated	151	1.0		<1	<1	<1	<1	1	1	2
2. MULTIPLE DX										
A. Not Operated	8	3.9	18	1	1	2	4	11	14	14
B. Operated	81	1.3	1	<1	<1	1	1	2	3	7
1. SINGLE DX	158	1.0		<1	<1	<1	<1	1	1	3
2. MULTIPLE DX	89	1.6	3	<1	<1	1	1	3	4	12
A. Not Operated	15	2.9	11	<1	1	2	3	5	12	14
B. Operated	232	1.1		<1	<1	<1	1	1	2	4
TOTAL										
0-19 YRS	194	1.1		<1	<1	<1	<1	1	1	3
20-34	6	1.7	3	<1	1	1	1	5	5	5
35-49	14	1.4	1	<1	<1	1	1	4	4	4
50-64	16	1.3		<1	<1	1	1	2	3	3
65 +	17	2.6	12	<1	<1	1	3	7	12	14
GRAND TOTAL	247	1.2	1	<1	<1	<1	1	1	3	5

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.0	1	<1	1	2	3	4	4	5
20-34	5	2.4	7	1	1	1	3	7	7	7
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	231	1.3	1	<1	1	1	1	2	3	5
20-34	85	2.3	17	<1	1	1	2	3	6	29
35-49	52	2.0	2	<1	1	1	3	4	5	7
50-64	86	2.3	3	1	1	2	3	4	5	10
65 +	39	2.5	2	<1	1	2	3	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	2.9	4	<1	2	2	4	6	7	8
20-34	9	4.8	17	<1	1	4	7	11	13	13
35-49	13	5.2	9	2	3	4	7	10	12	12
50-64	4	1.3		1	1	1	2	2	2	2
65 +	8	4.0	4	1	2	4	6	7	7	7
B. Operated										
0-19 YRS	98	2.3	8	<1	1	1	2	5	8	16
20-34	60	4.0	18	1	1	3	5	10	12	23
35-49	115	4.3	18	1	2	3	5	8	11	25
50-64	151	4.3	35	1	2	3	4	7	12	32
65 +	104	4.5	43	1	2	3	5	9	12	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.0	2	<1	1	2	3	4	5	7
B. Operated	493	1.8	4	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	54	3.8	8	1	2	3	5	8	9	13
B. Operated	528	3.9	26	1	1	3	4	8	11	27
1. SINGLE DX	535	1.8	4	<1	1	1	2	3	5	7
2. MULTIPLE DX	582	3.9	24	1	1	3	4	8	11	27
A. Not Operated	96	3.0	6	<1	1	2	4	7	8	13
B. Operated	1021	2.9	17	<1	1	2	3	5	8	24
TOTAL										
0-19 YRS	378	1.7	3	<1	1	1	2	3	4	9
20-34	159	3.1	18	1	1	2	3	6	11	23
35-49	184	3.6	14	1	1	3	5	7	9	24
50-64	243	3.5	23	1	1	2	4	6	8	30
65 +	153	3.9	30	1	2	3	4	7	11	29
GRAND TOTAL	1117	2.9	16	<1	1	2	3	6	8	24

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	6	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	33	1.2		<1	<1	<1	1	2	3	3
35-49	114	1.3	1	<1	<1	<1	<1	2	4	5
50-64	109	1.1		<1	<1	<1	<1	1	1	3
65+	47	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	2	4.0	18	1	1	4	7	7	7	7
B. Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	26	2.8	7	<1	<1	2	3	5	8	14
35-49	104	2.3	4	<1	<1	2	3	5	6	10
50-64	53	1.8	1	<1	<1	1	3	3	4	5
65+	60	2.0	3	<1	<1	1	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated	309	1.1		<1	<1	<1	<1	1	2	4
2. MULTIPLE DX										
A. Not Operated	3	3.0	12	1	1	1	6	7	7	7
B. Operated	244	2.2	3	<1	<1	1	3	4	5	10
1. SINGLE DX	310	1.1		<1	<1	<1	<1	1	2	4
2. MULTIPLE DX	247	2.2	3	<1	<1	1	3	4	5	10
A. Not Operated	4	2.5	9	<1	<1	1	4	7	7	7
B. Operated	553	1.6	2	<1	<1	<1	2	3	4	7
TOTAL										
0-19 YRS	7	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	60	1.9	4	<1	<1	<1	2	4	5	13
35-49	219	1.8	2	<1	<1	<1	2	4	5	9
50-64	162	1.3	1	<1	<1	<1	1	2	3	4
65+	109	1.6	2	<1	<1	<1	1	4	5	8
GRAND TOTAL	**557**	**1.6**	**2**	**<1**	**<1**	**<1**	**2**	**3**	**4**	**7**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.3	2	2	2	3	4	5	6	6
20-34	5	4.0	5	2	2	4	5	7	7	7
35-49	7	3.9	3	1	2	5	5	6	6	6
50-64	4	2.8	3	<1	1	2	4	5	5	5
65+	0									
B. Operated										
0-19 YRS	94	1.5	1	<1	1	1	2	2	3	5
20-34	141	2.1	4	<1	1	2	2	3	4	13
35-49	98	2.1	2	<1	1	2	3	4	5	7
50-64	56	1.9	1	<1	<1	1	1	3	5	6
65+	18	1.6	2	<1	<1	<1	1	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	4.2	4	2	3	4	6	7	8	8
20-34	8	4.0	5	2	3	3	4	8	9	9
35-49	11	3.6	2	2	3	4	5	5	5	5
50-64	12	3.4	7	<1	1	2	6	7	8	8
65+	9	6.0	13	2	4	6	7	12	14	14
B. Operated										
0-19 YRS	31	2.5	3	1	1	2	3	5	7	9
20-34	82	2.8	7	1	2	2	3	4	6	17
35-49	116	3.4	9	1	1	3	4	6	9	17
50-64	75	3.6	17	1	1	3	4	8	9	27
65+	32	3.3	6	1	2	3	4	6	10	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.5	3	2	2	3	5	6	6	7
B. Operated	407	1.9	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	53	4.2	6	2	2	4	5	7	8	14
B. Operated	336	3.2	9	1	2	2	4	6	9	16
1. SINGLE DX	435	2.0	2	<1	1	2	2	4	5	6
2. MULTIPLE DX	389	3.3	9	1	2	3	4	6	8	16
A. Not Operated	81	3.9	5	2	2	3	5	7	8	12
B. Operated	743	2.5	6	<1	1	2	3	4	6	13
TOTAL										
0-19 YRS	150	2.1	2	1	1	2	2	4	5	8
20-34	236	2.4	5	1	1	2	3	4	5	16
35-49	232	2.8	6	1	1	2	4	5	6	13
50-64	147	2.9	10	<1	1	2	3	6	8	14
65+	59	3.2	8	<1	1	2	4	6	9	14
GRAND TOTAL	**824**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**13**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	87	1.8	1	1	1	2	2	3	4	6
20-34	147	2.0	1	1	1	2	2	3	4	6
35-49	35	2.1	1	1	1	2	2	4	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	114	3.5	6	1	2	3	4	6	6	14
20-34	242	3.4	3	1	2	3	4	5	6	9
35-49	91	3.8	3	1	3	4	5	6	7	11
50-64	10	4.5	6	1	3	4	5	8	10	10
65 +	3	6.3	6	4	4	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	2.3	2	1	1	2	3	4	6	8
20-34	110	2.7	4	1	1	2	3	5	7	10
35-49	33	2.6	2	1	2	2	3	4	5	8
50-64	4	2.5	1	< 1	1	3	3	3	3	3
65 +	4	5.5	4	3	4	5	7	8	8	8
B. Operated										
0-19 YRS	111	4.0	24	1	2	3	4	6	8	33
20-34	763	4.1	10	1	3	4	5	6	8	13
35-49	542	4.8	8	2	3	4	5	8	10	15
50-64	60	5.2	6	3	4	5	6	8	10	15
65 +	48	6.9	21	4	4	6	8	10	13	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	270	2.0	1	1	1	2	2	3	4	6
B. Operated	460	3.6	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	218	2.6	3	1	1	2	3	5	6	8
B. Operated	1524	4.4	11	2	3	4	5	7	9	15
1. SINGLE DX	730	3.0	4	1	2	3	4	5	6	9
2. MULTIPLE DX	1742	4.2	10	1	3	4	5	7	9	14
A. Not Operated	488	2.3	2	1	1	2	3	4	5	8
B. Operated	1984	4.2	10	2	3	4	5	7	8	14
TOTAL										
0-19 YRS	379	3.0	10	1	1	2	4	5	6	15
20-34	1262	3.6	8	1	2	3	4	6	7	11
35-49	701	4.4	7	2	3	4	5	7	9	14
50-64	75	4.9	6	3	4	4	6	8	10	15
65 +	55	6.7	19	4	4	6	8	10	12	27
GRAND TOTAL	**2472**	**3.8**	**9**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	273	3.8	6	2	2	3	5	6	8	14
20-34	589	3.8	5	2	3	3	5	6	8	10
35-49	71	4.4	4	2	3	4	6	7	8	10
50-64	5	5.4	6	3	4	4	7	9	9	9
65 +	3	3.0	3	2	2	2	4	5	5	5
B. Operated										
0-19 YRS	46	4.2	8	1	3	4	5	7	10	16
20-34	173	3.8	7	< 1	2	4	5	6	9	16
35-49	90	3.9	4	< 1	3	4	5	7	9	10
50-64	7	3.3	6	< 1	1	3	4	7	8	8
65 +	3	4.0	7	< 1	1	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	371	4.5	5	2	3	4	6	7	8	13
20-34	637	4.3	6	2	3	4	5	7	8	11
35-49	145	5.1	6	2	3	5	7	8	9	13
50-64	10	6.5	11	3	4	6	8	11	14	14
65 +	5	6.0	26	3	3	4	7	15	15	15
B. Operated										
0-19 YRS	104	5.5	15	2	3	4	7	11	15	18
20-34	952	4.7	12	1	3	4	5	8	10	18
35-49	561	5.2	12	3	4	4	6	9	11	19
50-64	54	7.2	31	3	4	5	9	15	19	30
65 +	25	9.7	54	4	5	6	14	20	27	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	941	3.9	5	2	3	3	5	6	8	11
B. Operated	319	3.9	6	< 1	2	4	5	6	9	15
2. MULTIPLE DX										
A. Not Operated	1168	4.5	6	2	3	4	6	7	9	13
B. Operated	1696	5.1	14	1	3	4	6	9	11	20
1. SINGLE DX	1260	3.9	5	2	2	3	5	6	8	12
2. MULTIPLE DX	2864	4.8	11	2	3	4	6	8	10	18
A. Not Operated	2109	4.2	6	2	3	4	5	7	8	12
B. Operated	2015	4.9	13	1	3	4	5	8	11	19
TOTAL										
0-19 YRS	794	4.4	7	2	3	4	5	7	9	15
20-34	2351	4.3	8	2	3	4	5	7	9	15
35-49	867	5.0	10	2	3	4	6	8	10	17
50-64	76	6.6	25	3	4	5	8	14	17	28
65 +	36	8.2	46	3	4	5	10	17	25	29
GRAND TOTAL	**4124**	**4.5**	**9**	**2**	**3**	**4**	**5**	**8**	**10**	**16**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	10	3.7	5	1	2	3	5	7	8	8
35-49	7	2.1	3	<1	1	1	3	5	5	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	17	2.2	4	<1	<1	1	3	5	7	8
20-34	173	2.5	3	<1	<1	3	4	4	5	7
35-49	111	3.6	2	<1	3	4	4	5	5	9
50-64	6	3.2	3	<1	<1	4	4	5	5	5
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	18	2.6	2	<1	1	2	4	5	5	5
35-49	8	2.9	2	1	2	3	4	5	5	5
50-64	0									
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	26	2.4	3	<1	<1	1	4	5	5	5
20-34	965	3.6	4	<1	3	4	5	5	6	9
35-49	1224	4.2	3	3	3	4	5	6	7	11
50-64	87	4.9	5	3	4	4	5	7	8	16
65+	10	6.0	4	4	5	6	7	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	3.1	4	1	2	2	4	6	7	8
B. Operated	308	2.9	3	<1	<1	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	29	2.7	2	<1	2	2	4	5	5	5
B. Operated	2312	4.0	4	<1	3	4	5	6	7	11
1. SINGLE DX	329	3.0	3	<1	<1	3	4	5	5	8
2. MULTIPLE DX	2341	4.0	4	<1	3	4	5	6	7	11
A. Not Operated	50	2.8	3	1	2	2	4	5	5	8
B. Operated	2620	3.9	4	<1	3	4	5	6	7	10
TOTAL										
0-19 YRS	49	2.4	3	<1	<1	2	4	5	5	8
20-34	1166	3.5	4	<1	2	4	4	5	6	9
35-49	1350	4.1	3	2	3	4	5	6	7	10
50-64	93	4.8	5	3	4	4	5	7	8	16
65+	12	6.0	5	4	4	6	7	10	11	11
GRAND TOTAL	**2670**	**3.8**	**4**	**<1**	**3**	**4**	**5**	**6**	**7**	**10**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	6	4.0	5	1	2	4	5	7	7	7
35-49	3	4.0	7	<1	1	5	6	6	6	6
50-64	0									
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	3.0	5	1	1	3	4	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	84	4.1	2	3	3	4	5	5	6	10
35-49	96	4.6	2	3	4	4	5	6	7	8
50-64	11	5.8	35	2	3	4	5	15	21	22
65+	10	6.4	8	3	4	6	9	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.6	2	1	2	2	3	5	5	5
B. Operated	10	4.1	4	<1	2	5	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	9	2.8	4	1	1	3	4	6	6	6
B. Operated	202	4.5	4	3	4	4	5	6	8	12
1. SINGLE DX	15	3.6	4	1	2	4	5	6	7	7
2. MULTIPLE DX	211	4.4	4	3	4	4	5	6	7	12
A. Not Operated	14	2.7	3	1	1	2	4	5	6	6
B. Operated	212	4.5	4	3	4	4	5	6	7	12
TOTAL										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	98	4.0	2	2	3	4	5	5	6	10
35-49	101	4.5	2	3	4	4	5	6	7	8
50-64	11	5.8	35	2	3	4	5	15	21	22
65+	12	6.0	8	3	4	5	8	10	12	12
GRAND TOTAL	**226**	**4.4**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.2	2	1	2	3	4	5	5	5
20-34	29	3.1	2	2	2	3	4	5	5	7
35-49	5	3.6	1	3	3	3	4	5	5	5
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	14	1.7	1	<1	1	2	2	3	3	3
20-34	48	2.0	3	<1	<1	1	3	4	5	8
35-49	23	1.7	2	<1	<1	1	2	3	5	6
50-64	4	2.5	9	<1	<1	1	4	7	7	7
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	3.8	6	1	3	3	4	7	8	15
20-34	59	3.9	5	2	2	3	5	7	9	11
35-49	18	4.3	6	2	2	4	5	8	10	10
50-64	10	4.2	4	2	3	4	6	7	7	7
65+	10	8.8	152	2	3	5	8	27	43	43
B. Operated										
0-19 YRS	17	2.8	4	<1	1	3	4	5	7	8
20-34	51	3.6	6	1	2	3	5	8	8	10
35-49	39	4.4	26	1	2	3	5	8	12	31
50-64	15	6.2	30	1	2	5	9	16	17	18
65+	19	6.8	32	1	3	5	11	18	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	3.4	2	2	2	3	4	5	6	9
B. Operated	90	1.9	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	144	4.3	16	2	2	3	5	7	9	17
B. Operated	141	4.4	18	1	2	3	5	9	15	36
1. SINGLE DX	133	2.4	3	<1	<1	2	3	4	6	8
2. MULTIPLE DX	285	4.4	17	1	2	3	5	8	10	27
A. Not Operated	187	4.1	13	2	2	3	5	7	9	14
B. Operated	231	3.5	14	<1	1	2	4	8	10	22
TOTAL										
0-19 YRS	84	3.2	5	1	2	3	4	5	7	13
20-34	187	3.2	5	<1	2	3	4	6	8	10
35-49	85	3.6	15	<1	1	3	4	6	9	25
50-64	31	5.0	18	1	2	3	7	10	16	18
65+	31	7.4	67	1	3	5	9	18	41	99+
GRAND TOTAL	**418**	**3.7**	**13**	**<1**	**2**	**3**	**5**	**7**	**9**	**19**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	55	3.4	1	2	3	3	4	5	5	7
35-49	158	3.9	2	2	3	4	5	6	6	7
50-64	219	4.0	4	2	3	4	5	6	6	9
65+	195	4.4	3	2	3	4	5	7	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	8	3.8	6	<1	1	3	5	7	8	8
50-64	4	5.3	28	1	2	3	8	13	13	13
65+	16	4.9	14	1	2	4	6	11	13	14
B. Operated										
0-19 YRS	6	7.0	46	1	4	5	8	19	20	20
20-34	380	4.1	2	3	3	4	5	6	6	9
35-49	762	4.4	3	3	3	4	5	6	7	9
50-64	586	5.0	4	3	4	5	6	7	8	12
65+	798	5.8	15	3	4	5	7	8	10	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	630	4.0	3	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	31	4.3	13	<1	1	4	6	10	13	14
B. Operated	2532	4.9	7	3	4	4	6	7	8	13
1. SINGLE DX	631	4.0	3	2	3	4	5	6	7	8
2. MULTIPLE DX	2563	4.9	7	3	4	4	6	7	8	13
A. Not Operated	32	4.3	12	1	1	4	6	9	13	14
B. Operated	3162	4.8	6	3	3	4	6	7	8	12
TOTAL										
0-19 YRS	9	5.3	35	1	2	4	6	15	20	20
20-34	438	3.9	2	3	3	4	5	5	6	9
35-49	929	4.3	3	3	3	4	5	6	7	9
50-64	809	4.7	4	3	4	4	6	7	8	12
65+	1009	5.5	13	3	4	5	6	8	9	17
GRAND TOTAL	**3194**	**4.7**	**6**	**3**	**3**	**4**	**6**	**7**	**8**	**13**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	7	1.7	2	< 1	< 1	1	2	4	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	76	1.8	2	< 1	< 1	1	2	4	5	7
35-49	86	1.7	2	< 1	< 1	< 1	2	4	4	6
50-64	10	1.0		< 1	< 1	< 1	< 1	1	1	1
65 +	5	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.4	2	2	2	4	4	5	6	6
20-34	25	2.3	1	1	2	2	3	4	5	6
35-49	11	2.0	2	< 1	1	2	2	4	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	12	3.9	15	< 1	1	2	5	11	12	12
20-34	221	3.3	6	< 1	1	3	4	6	7	10
35-49	379	3.3	4	< 1	1	4	4	5	6	10
50-64	44	3.0	4	< 1	< 1	3	5	5	6	7
65 +	3	2.0	3	< 1	< 1	< 1	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.6	1	< 1	< 1	1	2	3	5	5
B. Operated	181	1.7	2	< 1	< 1	< 1	2	4	4	6
2. MULTIPLE DX										
A. Not Operated	56	2.6	2	1	2	2	3	5	6	6
B. Operated	659	3.3	5	< 1	1	3	4	5	6	10
1. SINGLE DX	193	1.7	2	< 1	< 1	< 1	2	4	4	6
2. MULTIPLE DX	715	3.2	4	< 1	1	3	4	5	6	10
A. Not Operated	68	2.4	2	1	1	2	3	5	5	6
B. Operated	840	2.9	4	< 1	< 1	3	4	5	6	10
TOTAL										
0-19 YRS	38	3.2	6	1	1	2	4	6	9	12
20-34	329	2.9	5	< 1	< 1	3	4	5	6	9
35-49	478	3.0	4	< 1	< 1	3	4	5	6	10
50-64	55	2.6	3	< 1	< 1	1	4	5	6	7
65 +	8	1.4	1	< 1	< 1	< 1	1	3	4	4
GRAND TOTAL	**908**	**2.9**	**4**	**< 1**	**< 1**	**3**	**4**	**5**	**6**	**10**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	9	1.4	1	< 1	< 1	1	2	3	4	4
35-49	6	2.0		1	2	2	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	9	2.8	8	< 1	< 1	1	4	8	9	9
20-34	106	2.1	2	< 1	< 1	1	3	4	5	6
35-49	148	1.9	2	< 1	< 1	< 1	3	4	5	6
50-64	13	2.2	3	< 1	< 1	< 1	4	5	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.0	8	1	2	4	6	8	10	10
20-34	26	2.2	3	< 1	1	2	2	4	6	7
35-49	34	2.5	3	1	1	2	4	5	6	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	14	1.9	1	< 1	1	2	2	3	4	4
20-34	478	3.8	3	< 1	3	4	5	6	6	10
35-49	1004	3.9	4	< 1	3	4	5	6	7	10
50-64	62	4.0	5	< 1	2	4	5	7	7	9
65 +	3	4.7	2	3	3	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.6	1	< 1	1	1	2	3	4	4
B. Operated	276	2.0	2	< 1	< 1	< 1	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	72	2.6	4	< 1	1	2	4	6	6	10
B. Operated	1561	3.9	4	< 1	3	4	5	6	7	10
1. SINGLE DX	294	2.0	2	< 1	< 1	1	3	4	5	6
2. MULTIPLE DX	1633	3.8	4	< 1	3	4	5	6	7	10
A. Not Operated	90	2.4	3	< 1	1	2	3	5	6	9
B. Operated	1837	3.8	4	< 1	2	4	5	6	7	9
TOTAL										
0-19 YRS	36	2.8	5	< 1	1	2	3	6	8	10
20-34	619	3.4	4	< 1	2	3	4	5	6	9
35-49	1192	3.6	4	< 1	2	4	5	6	7	10
50-64	77	3.6	5	< 1	1	4	5	7	7	9
65 +	3	4.7	2	3	3	5	6	6	6	6
GRAND TOTAL	**1927**	**3.5**	**4**	**< 1**	**2**	**4**	**5**	**6**	**6**	**9**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	2.0	3	< 1	< 1	1	3	4	4	4
35-49	18	1.5	1	< 1	< 1	< 1	< 1	4	5	5
50-64	47	1.1		< 1	< 1	< 1	< 1	1	2	4
65 +	26	1.6	2	< 1	< 1	< 1	1	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	5.0	12	3	3	3	8	9	9	9
50-64	5	4.0	7	< 1	2	3	6	8	8	8
65 +	12	5.8	43	1	1	3	8	15	22	23
B. Operated										
0-19 YRS	0									
20-34	12	3.2	2	< 1	1	3	4	5	5	5
35-49	47	2.8	4	< 1	< 1	2	4	5	6	9
50-64	112	2.9	5	< 1	< 1	2	5	6	6	11
65 +	66	3.7	19	< 1	< 1	2	5	8	11	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	94	1.3	1	< 1	< 1	< 1	< 1	2	4	5
2. MULTIPLE DX										
A. Not Operated	20	5.2	28	< 1	2	3	7	11	17	23
B. Operated	237	3.1	8	< 1	< 1	2	5	6	7	12
1. SINGLE DX	94	1.3	1	< 1	< 1	< 1	< 1	2	4	5
2. MULTIPLE DX	257	3.3	10	< 1	< 1	3	5	6	8	14
A. Not Operated	20	5.2	28	< 1	2	3	7	11	17	23
B. Operated	331	2.6	7	< 1	< 1	1	4	5	6	11
TOTAL										
0-19 YRS	0									
20-34	15	2.9	2	< 1	1	3	4	5	5	5
35-49	68	2.6	4	< 1	< 1	1	4	5	6	9
50-64	164	2.4	4	< 1	< 1	< 1	4	5	6	10
65 +	104	3.4	18	< 1	< 1	2	4	7	11	26
GRAND TOTAL	**351**	**2.8**	**8**	**< 1**	**< 1**	**1**	**4**	**5**	**7**	**12**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.4	1	< 1	1	1	1	3	3	3
20-34	11	2.0	3	1	1	1	2	5	7	7
35-49	10	2.3	3	1	1	2	3	5	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	48	2.6	9	< 1	< 1	1	3	5	8	18
20-34	337	1.8	2	< 1	< 1	< 1	3	4	5	7
35-49	162	2.5	4	< 1	< 1	1	4	5	6	11
50-64	59	2.7	4	< 1	< 1	2	4	5	6	10
65 +	12	3.6	7	< 1	1	3	5	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.3	6	< 1	< 1	< 1	3	6	8	8
20-34	29	2.1	3	< 1	1	1	3	5	6	8
35-49	14	3.1	5	1	2	2	3	7	8	8
50-64	4	9.3	43	1	5	9	13	17	17	17
65 +	14	4.9	10	1	3	4	7	10	12	12
B. Operated										
0-19 YRS	55	3.7	7	< 1	1	3	5	7	10	11
20-34	550	3.7	5	< 1	3	4	4	6	7	11
35-49	658	4.1	11	< 1	3	4	5	6	7	13
50-64	288	4.9	31	< 1	3	4	5	7	10	36
65 +	175	6.8	43	1	3	5	8	12	20	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	1.9	2	1	1	1	2	4	6	7
B. Operated	618	2.2	4	< 1	< 1	< 1	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	70	3.3	10	< 1	1	2	4	8	10	16
B. Operated	1726	4.3	16	< 1	3	4	5	7	9	20
1. SINGLE DX	651	2.2	3	< 1	< 1	1	3	4	5	9
2. MULTIPLE DX	1796	4.3	16	< 1	3	4	5	7	9	20
A. Not Operated	103	2.9	8	< 1	1	2	3	7	9	14
B. Operated	2344	3.8	14	< 1	1	3	5	6	8	17
TOTAL										
0-19 YRS	122	3.0	7	< 1	< 1	2	4	6	8	13
20-34	927	2.9	4	< 1	< 1	3	4	5	6	9
35-49	844	3.7	10	< 1	2	4	5	6	7	13
50-64	352	4.6	27	< 1	2	4	5	7	10	22
65 +	202	6.4	39	1	3	5	8	12	18	32
GRAND TOTAL	**2447**	**3.7**	**13**	**< 1**	**1**	**3**	**5**	**6**	**8**	**17**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	1.6	1	1	1	2	2	3	3	4
20-34	46	2.2	2	1	1	2	3	4	5	6
35-49	9	1.6	1	1	1	1	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	2.6	6	< 1	< 1	< 1	4	7	8	8
20-34	167	2.5	3	< 1	< 1	2	4	5	6	8
35-49	173	4.0	4	< 1	3	4	5	6	7	10
50-64	119	4.2	3	2	3	4	5	6	7	8
65 +	50	4.2	4	2	3	4	5	7	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	2.4	4	1	1	2	2	6	7	9
20-34	62	2.1	2	1	1	2	3	4	5	7
35-49	28	2.7	4	< 1	1	2	3	6	7	9
50-64	8	2.5	4	1	1	2	3	6	7	7
65 +	4	3.3	3	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	38	2.8	4	< 1	< 1	2	4	6	7	9
20-34	811	3.7	4	< 1	3	4	5	5	6	9
35-49	739	4.4	4	3	3	4	5	6	7	11
50-64	224	5.4	7	3	4	5	6	8	10	14
65 +	198	5.7	9	3	4	5	7	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	2.0	1	1	1	2	2	3	4	6
B. Operated	526	3.5	4	< 1	2	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	130	2.4	3	1	1	2	3	5	6	9
B. Operated	2010	4.3	5	1	3	4	5	7	8	12
1. SINGLE DX	609	3.3	4	< 1	1	3	5	6	7	9
2. MULTIPLE DX	2140	4.2	5	1	3	4	5	6	8	12
A. Not Operated	213	2.2	2	1	1	2	3	4	6	8
B. Operated	2536	4.1	5	1	3	4	5	6	8	11
TOTAL										
0-19 YRS	111	2.4	4	< 1	1	2	3	5	7	9
20-34	1086	3.3	4	< 1	2	3	4	5	6	9
35-49	949	4.2	4	2	3	4	5	6	7	10
50-64	351	4.9	6	3	4	5	6	7	9	13
65 +	252	5.4	8	2	4	5	7	9	10	16
GRAND TOTAL	**2749**	**4.0**	**5**	**1**	**3**	**4**	**5**	**6**	**7**	**11**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
20-34	13	1.7	1	< 1	1	1	2	3	4	4
35-49	3	1.3		< 1	< 1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	56	3.1	1	1	2	3	4	5	5	5
20-34	592	3.3	2	1	3	3	4	5	5	7
35-49	100	3.1	1	1	3	3	4	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	10	1.8	1	< 1	1	2	2	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	62	3.6	2	1	3	4	4	5	6	7
20-34	797	3.8	3	2	3	4	4	5	7	9
35-49	158	4.2	3	2	3	4	5	6	7	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	1.6	1	< 1	1	1	2	3	4	4
B. Operated	748	3.3	2	1	3	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	13	1.8	1	< 1	1	2	2	3	4	4
B. Operated	1017	3.9	3	2	3	4	5	6	6	9
1. SINGLE DX	768	3.2	2	1	2	3	4	5	5	7
2. MULTIPLE DX	1030	3.8	3	2	3	4	5	6	6	9
A. Not Operated	33	1.7	1	< 1	1	1	2	3	4	4
B. Operated	1765	3.6	2	2	3	4	4	5	6	8
TOTAL										
0-19 YRS	125	3.3	2	1	2	3	4	5	5	7
20-34	1412	3.6	2	2	3	4	4	5	6	8
35-49	261	3.7	2	2	3	4	4	6	6	9
50-64	0									
65 +	0									
GRAND TOTAL	**1798**	**3.6**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	**8**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	25	1.6	1	<1	1	1	2	3	3	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	80	1.4	1	1	1	1	2	2	2	5
20-34	190	1.3	1	<1	1	1	1	2	2	4
35-49	22	1.2		<1	1	1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	34	2.2	2	1	1	2	3	3	6	7
35-49	8	1.4	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	35	1.6	1	1	1	1	2	2	4	6
20-34	178	2.4	5	1	1	2	3	5	7	13
35-49	35	1.9	2	<1	1	1	3	4	4	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	1.7	1	<1	1	1	2	3	3	4
B. Operated	292	1.3	1	<1	1	1	2	2	2	4
2. MULTIPLE DX										
A. Not Operated	47	2.0	2	1	1	2	3	3	4	7
B. Operated	248	2.2	4	1	1	1	2	4	6	10
1. SINGLE DX	321	1.4	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	295	2.2	4	1	1	2	2	4	6	10
A. Not Operated	76	1.9	1	1	1	2	2	3	4	7
B. Operated	540	1.7	2	<1	1	1	2	3	4	8
TOTAL										
0-19 YRS	123	1.5	1	1	1	1	2	2	3	6
20-34	427	1.9	3	<1	1	1	2	4	5	9
35-49	66	1.6	1	<1	1	1	2	3	4	6
50-64	0									
65 +	0									
GRAND TOTAL	616	1.8	2	<1	1	1	2	3	4	8

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	2	4.5	5	3	3	4	6	6	6	6
TOTAL										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	2	4.5	5	3	3	4	6	6	6	6

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	1.5	1	<1	1	1	2	3	4	5
20-34	123	1.5	2	<1	1	1	2	2	3	11
35-49	7	1.0		<1	<1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	280	1.3	1	<1	1	1	1	2	3	5
20-34	1007	1.3	1	<1	<1	1	1	2	3	5
35-49	164	1.3	1	<1	<1	1	1	2	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	1.8	1	1	1	1	2	4	4	4
20-34	67	2.2	2	1	1	2	3	4	4	6
35-49	9	2.0	2	1	1	1	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	87	2.1	2	<1	1	2	3	4	5	7
20-34	337	2.2	3	1	1	2	3	4	6	8
35-49	63	2.1	3	<1	1	1	3	4	6	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	1.5	2	<1	1	1	2	2	3	10
B. Operated	1451	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	102	2.1	1	1	1	2	3	4	4	6
B. Operated	487	2.1	3	1	1	2	3	4	5	8
1. SINGLE DX	1636	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	589	2.1	3	1	1	2	3	4	5	8
A. Not Operated	287	1.7	2	<1	1	1	2	3	4	7
B. Operated	1938	1.5	2	<1	<1	1	2	3	4	7
TOTAL										
0-19 YRS	448	1.5	1	<1	1	1	2	3	4	6
20-34	1534	1.5	2	<1	<1	1	2	3	4	7
35-49	243	1.5	1	<1	<1	1	1	3	4	7
50-64	0									
65 +	0									
GRAND TOTAL	**2225**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.1	1	1	1	2	3	4	4	4
20-34	71	1.9	2	1	1	1	2	4	6	8
35-49	6	1.5	1	<1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	60	1.5	1	<1	1	1	2	2	3	5
20-34	305	1.3	1	<1	<1	1	1	2	3	5
35-49	63	1.3		<1	<1	<1	1	2	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.5	1	1	1	3	3	4	4	4
20-34	59	2.3	2	1	1	2	3	4	4	7
35-49	7	1.3		<1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	3.0	15	<1	1	2	3	6	13	18
20-34	189	2.2	7	1	1	2	3	4	5	8
35-49	31	2.7	5	<1	1	2	4	5	6	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	1.9	2	1	1	2	2	4	4	8
B. Operated	428	1.4	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	81	2.2	1	1	1	2	3	4	4	6
B. Operated	246	2.4	7	1	1	2	3	4	6	12
1. SINGLE DX	522	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	327	2.3	6	1	1	2	3	4	5	11
A. Not Operated	175	2.1	2	1	1	2	3	4	4	7
B. Operated	674	1.7	3	<1	<1	1	2	3	4	7
TOTAL										
0-19 YRS	118	2.0	4	<1	1	2	2	4	4	14
20-34	624	1.8	3	<1	1	1	2	3	4	7
35-49	107	1.7	2	<1	<1	1	2	3	4	8
50-64	0									
65 +	0									
GRAND TOTAL	**849**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

156 Hospitals, Southern Region, January-December 1989

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	2.0	2	1	1	1	3	5	5	6
20-34	153	1.7	1	<1	1	1	2	3	3	5
35-49	15	1.8	1	1	1	1	3	3	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	11	1.4		<1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	3.0	2	1	2	3	4	5	6	6
20-34	65	2.4	3	1	1	2	3	4	6	10
35-49	7	4.0	26	<1	1	1	5	13	15	15
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	2.6	3	1	1	2	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	195	1.7	1	<1	1	1	2	3	4	5
B. Operated	14	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	95	2.7	4	1	1	2	3	5	6	13
B. Operated	10	2.3	3	1	1	2	3	5	5	5
1. SINGLE DX	209	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX	105	2.8	4	1	1	2	3	5	6	12
A. Not Operated	290	2.0	2	<1	1	2	3	4	5	8
B. Operated	24	1.8	1	1	1	2	2	3	5	5
TOTAL										
0-19 YRS	53	2.5	2	1	1	2	3	5	5	6
20-34	237	1.9	2	<1	1	2	2	3	4	7
35-49	24	2.4	9	1	1	1	3	4	8	15
50-64	0									
65+	0									
GRAND TOTAL	**314**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**4**	**5**	**7**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.6	1	<1	1	1	2	3	4	4
20-34	20	2.5	4	1	1	2	3	4	7	9
35-49	6	1.7	1	<1	1	1	3	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	2.4	4	<1	1	1	4	5	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.1	3	1	1	2	3	4	5	9
B. Operated	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	12	2.2	3	<1	1	1	3	5	6	6
B. Operated	4	2.0	1	<1	1	2	3	3	3	3
1. SINGLE DX	36	2.1	3	1	1	2	3	4	5	9
2. MULTIPLE DX	16	2.1	2	<1	1	2	3	4	5	6
A. Not Operated	46	2.2	3	1	1	2	3	4	5	9
B. Operated	6	1.7	1	<1	<1	1	2	3	3	3
TOTAL										
0-19 YRS	9	1.6	1	<1	1	1	2	3	4	4
20-34	34	2.3	3	<1	1	2	3	4	6	9
35-49	9	1.8	1	<1	1	1	3	3	3	3
50-64	0									
65+	0									
GRAND TOTAL	**52**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	133	2.6	2	1	2	2	3	5	6	8
20-34	469	2.8	4	1	2	2	3	5	6	10
35-49	45	3.0	8	1	2	2	3	5	7	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	3.0	3	<1	1	3	4	5	5	5
20-34	40	2.9	12	<1	1	2	3	6	9	19
35-49	5	2.6	2	<1	1	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	2.9	2	1	2	2	4	5	6	7
20-34	157	3.9	13	2	2	3	4	8	11	14
35-49	42	3.5	6	1	2	3	4	6	8	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	5.7	48	1	2	4	13	76	99 +	99 +
20-34	42	3.0	7	<1	1	2	4	7	9	11
35-49	6	5.0	21	2	2	3	5	13	14	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	647	2.8	4	1	2	2	3	5	6	10
B. Operated	50	2.9	10	<1	1	2	3	6	7	19
2. MULTIPLE DX										
A. Not Operated	243	3.6	10	1	2	3	4	7	9	14
B. Operated	55	3.6	13	1	1	3	4	9	13	95
1. SINGLE DX	697	2.8	4	1	2	2	3	5	6	10
2. MULTIPLE DX	298	3.6	10	1	2	3	4	7	10	18
A. Not Operated	890	3.0	5	1	2	2	3	5	7	12
B. Operated	105	3.2	12	1	1	2	4	7	11	56
TOTAL										
0-19 YRS	189	2.8	4	1	2	2	3	5	6	16
20-34	708	3.0	6	1	2	2	3	5	7	13
35-49	98	3.3	7	1	2	3	4	6	8	16
50-64	0									
65 +	0									
GRAND TOTAL	**995**	**3.0**	**6**	**1**	**2**	**2**	**3**	**5**	**7**	**14**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	160	2.7	2	1	2	2	3	5	5	7
20-34	686	3.1	4	1	2	3	4	5	7	12
35-49	32	3.2	3	1	2	3	4	5	7	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	9.8	149	1	3	4	12	30	40	40
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	107	2.9	2	1	2	3	4	5	6	7
20-34	428	3.6	6	1	2	3	4	6	8	12
35-49	16	2.9	3	1	2	2	4	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	16.8	442	2	2	9	31	47	47	47
20-34	22	10.4	62	3	5	8	13	19	27	38
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	878	3.0	4	1	2	3	4	5	6	11
B. Operated	11	9.2	138	2	3	4	11	29	39	40
2. MULTIPLE DX										
A. Not Operated	551	3.4	5	1	2	3	4	6	8	12
B. Operated	27	11.3	107	3	5	8	14	20	39	47
1. SINGLE DX	889	3.1	6	1	2	3	4	5	7	12
2. MULTIPLE DX	578	3.8	12	1	2	3	4	7	9	16
A. Not Operated	1429	3.2	4	1	2	3	4	6	7	11
B. Operated	38	10.7	113	2	3	8	13	21	39	47
TOTAL										
0-19 YRS	272	3.0	10	1	2	3	4	5	6	9
20-34	1146	3.5	8	1	2	3	4	6	8	14
35-49	49	3.2	4	1	2	3	4	6	7	9
50-64	0									
65 +	0									
GRAND TOTAL	**1467**	**3.4**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	156	1.2	1	<1	<1	1	1	2	2	5
20-34	484	1.2		<1	<1	1	1	2	2	4
35-49	25	1.2		<1	<1	1	1	2	2	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	1.3		<1	<1	<1	1	2	3	3
20-34	67	1.6	15	<1	<1	<1	1	2	2	28
35-49	6	1.0		<1	<1	<1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	1.9	2	<1	1	1	2	4	5	7
20-34	73	1.6	3	<1	<1	1	2	2	4	11
35-49	5	2.0	1	<1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.2	5	<1	<1	<1	3	6	6	6
20-34	11	1.4		<1	<1	1	2	3	3	3
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	665	1.2		<1	<1	1	1	2	2	4
B. Operated	86	1.5	12	<1	<1	<1	1	2	2	22
2. MULTIPLE DX										
A. Not Operated	113	1.7	2	<1	1	1	2	3	4	10
B. Operated	16	1.6	2	<1	<1	1	2	3	5	6
1. SINGLE DX	751	1.2	2	<1	<1	1	1	2	2	4
2. MULTIPLE DX	129	1.7	2	<1	<1	1	2	3	4	10
A. Not Operated	778	1.3	1	<1	<1	1	1	2	2	5
B. Operated	102	1.5	10	<1	<1	<1	1	2	3	19
TOTAL										
0-19 YRS	209	1.4	1	<1	<1	1	1	2	3	6
20-34	635	1.3	2	<1	<1	1	1	2	2	5
35-49	36	1.3		<1	<1	1	1	2	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**880**	**1.3**	**2**	**<1**	**<1**	**1**	**1**	**2**	**2**	**6**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.1	1	<1	1	2	3	4	4	4
20-34	94	3.3	11	1	1	2	4	5	12	18
35-49	14	2.6	5	1	1	2	3	7	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	20	2.3	2	<1	1	2	3	4	5	5
35-49	4	3.5	4	<1	1	4	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.0	2	1	2	3	4	4	4	4
20-34	65	4.9	53	1	2	3	4	10	16	43
35-49	7	3.6	2	2	3	3	5	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	18	6.8	89	1	2	3	5	21	30	36
35-49	4	5.5	70	<1	<1	1	10	18	18	18
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	3.1	9	1	1	2	4	5	9	17
B. Operated	24	2.5	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	77	4.7	45	1	2	3	4	10	14	42
B. Operated	22	6.6	82	1	2	3	5	21	28	36
1. SINGLE DX	142	3.0	8	1	1	2	4	5	8	17
2. MULTIPLE DX	99	5.1	53	1	2	3	4	10	21	40
A. Not Operated	195	3.7	24	1	1	3	4	7	12	29
B. Operated	46	4.5	44	<1	2	2	4	7	20	36
TOTAL										
0-19 YRS	15	2.4	2	1	1	3	3	4	4	4
20-34	197	4.0	32	1	1	2	4	7	14	36
35-49	29	3.3	12	1	1	2	4	7	8	18
50-64	0									
65 +	0									
GRAND TOTAL	**241**	**3.9**	**28**	**1**	**1**	**2**	**4**	**7**	**13**	**35**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.2	4	<1	1	2	2	5	7	8
20-34	129	2.1	2	1	1	2	2	4	5	8
35-49	10	1.3	1	<1	1	1	1	3	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	18	2.3	6	<1	1	2	2	5	9	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	1.8	1	1	1	2	2	3	3	3
20-34	75	3.0	8	1	1	2	4	7	8	17
35-49	8	4.4	21	1	1	2	6	12	14	14
50-64	0									
65+	0									
B. Operated										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	18	3.3	7	<1	1	2	5	8	9	9
35-49	4	6.8	48	2	3	4	11	17	17	17
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	161	2.1	2	1	1	2	2	4	5	8
B. Operated	22	2.2	5	<1	1	2	2	4	8	11
2. MULTIPLE DX										
A. Not Operated	99	2.9	8	1	1	2	3	7	8	17
B. Operated	26	3.7	13	<1	1	2	4	8	11	17
1. SINGLE DX	183	2.1	3	1	1	2	2	4	6	9
2. MULTIPLE DX	125	3.1	9	1	1	2	4	7	8	17
A. Not Operated	260	2.4	5	1	1	2	3	5	7	10
B. Operated	48	3.0	10	<1	1	2	3	7	9	17
TOTAL										
0-19 YRS	45	2.0	2	<1	1	2	2	3	5	8
20-34	240	2.5	5	1	1	2	3	5	7	10
35-49	23	3.3	18	<1	1	2	4	9	15	17
50-64	0									
65+	0									
GRAND TOTAL	**308**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	102	2.5	2	1	1	2	3	4	5	6
20-34	189	2.7	2	1	2	3	3	4	5	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	18	3.2	3	<1	2	3	5	6	6	6
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	309	3.4	2	1	2	3	4	6	6	7
20-34	621	3.3	3	1	2	3	4	5	7	9
35-49	23	3.9	9	1	2	3	5	7	10	15
50-64	0									
65+	0									
B. Operated										
0-19 YRS	29	3.8	3	2	3	3	5	6	7	8
20-34	55	3.7	5	1	2	3	5	7	8	10
35-49	4	4.8	24	2	2	3	7	12	12	12
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	292	2.6	2	1	2	2	3	4	5	6
B. Operated	20	3.1	3	<1	1	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	953	3.3	3	1	2	3	4	5	6	9
B. Operated	88	3.8	5	1	2	3	5	7	8	11
1. SINGLE DX	312	2.7	2	1	2	3	3	4	5	6
2. MULTIPLE DX	1041	3.4	3	1	2	3	4	6	7	9
A. Not Operated	1245	3.2	3	1	2	3	4	5	6	8
B. Operated	108	3.6	5	1	2	3	5	7	8	11
TOTAL										
0-19 YRS	442	3.2	2	1	2	3	4	5	6	7
20-34	883	3.2	3	1	2	3	4	5	6	9
35-49	28	3.9	11	1	2	3	5	7	12	15
50-64	0									
65+	0									
GRAND TOTAL	**1353**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	3.3	4	1	2	3	4	6	7	10
20-34	246	3.2	6	1	2	2	4	6	7	11
35-49	40	3.0	4	1	1	3	4	6	7	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	4.0	7	1	2	3	5	8	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	220	3.5	13	1	1	2	4	7	10	19
20-34	1054	3.8	14	1	2	3	4	7	9	21
35-49	131	4.4	15	2	2	3	5	8	14	23
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	36	6.0	157	<1	1	3	5	10	18	75
20-34	175	5.3	39	1	2	3	6	12	17	25
35-49	15	3.4	6	1	2	3	4	6	9	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	327	3.2	5	1	2	3	4	6	7	11
B. Operated	16	3.8	7	1	2	3	5	8	9	10
2. MULTIPLE DX										
A. Not Operated	1405	3.8	14	1	2	3	4	7	9	21
B. Operated	226	5.2	55	1	2	3	6	11	17	32
1. SINGLE DX	343	3.2	5	1	2	3	4	6	8	10
2. MULTIPLE DX	1631	4.0	20	1	2	3	5	8	11	22
A. Not Operated	1732	3.7	12	1	2	3	4	7	9	20
B. Operated	242	5.1	52	1	2	3	6	11	16	27
TOTAL										
0-19 YRS	298	3.8	29	1	1	3	4	7	10	22
20-34	1489	3.9	15	1	2	3	4	7	10	21
35-49	187	4.0	12	1	2	3	5	8	10	21
50-64	0									
65 +	0									
GRAND TOTAL	**1974**	**3.9**	**17**	**1**	**2**	**3**	**4**	**7**	**10**	**21**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	493	2.2	3	<1	1	2	3	4	6	11
20-34	1478	2.3	5	<1	1	2	3	4	5	13
35-49	113	2.9	9	<1	1	2	3	8	10	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	131	2.1	2	<1	1	2	2	4	5	7
20-34	765	2.2	9	<1	1	1	2	4	6	14
35-49	76	1.7	3	<1	1	1	2	4	5	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	355	3.3	19	1	1	2	4	6	8	24
20-34	1054	3.4	13	1	1	2	4	7	10	17
35-49	81	4.9	29	1	1	3	6	13	19	23
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	117	3.5	11	<1	1	2	5	8	12	15
20-34	492	4.2	42	<1	1	2	4	8	13	37
35-49	51	4.5	37	1	1	3	5	8	18	34
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2084	2.3	5	<1	1	2	3	4	6	12
B. Operated	972	2.2	8	<1	1	1	2	4	6	14
2. MULTIPLE DX										
A. Not Operated	1490	3.5	16	1	1	2	4	7	11	21
B. Operated	660	4.1	36	<1	1	2	4	8	13	35
1. SINGLE DX	3056	2.2	6	<1	1	1	3	4	6	12
2. MULTIPLE DX	2150	3.7	22	1	1	2	4	7	11	24
A. Not Operated	3574	2.8	10	<1	1	2	3	5	8	15
B. Operated	1632	3.0	20	<1	1	2	3	6	8	25
TOTAL										
0-19 YRS	1096	2.7	9	<1	1	2	3	5	7	14
20-34	3789	2.8	14	<1	1	2	3	5	8	17
35-49	321	3.4	18	<1	1	2	4	8	11	22
50-64	0									
65 +	0									
GRAND TOTAL	**5206**	**2.8**	**13**	**<1**	**1**	**2**	**3**	**5**	**8**	**17**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	2.2		1	2	2	2	3	3	4
20-34	306	2.1	1	1	2	2	2	3	3	5
35-49	37	2.1		1	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	63	2.7	1	2	2	2	3	4	5	6
20-34	203	2.6	1	2	2	2	3	4	4	6
35-49	15	2.5	1	2	2	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	146	2.4	2	1	2	2	3	3	4	6
20-34	551	2.4	3	1	2	2	3	3	4	8
35-49	43	3.1	16	2	2	2	3	4	9	26
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	260	3.2	30	1	2	2	3	5	6	13
20-34	1380	3.3	7	2	2	3	4	5	6	13
35-49	186	3.7	6	2	2	3	4	6	7	16
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	427	2.1	1	1	2	2	2	3	3	5
B. Operated	281	2.6	1	2	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	740	2.5	3	1	2	2	3	3	4	10
B. Operated	1826	3.4	10	2	2	3	4	5	6	14
1. SINGLE DX	708	2.3	1	2	2	2	3	3	4	6
2. MULTIPLE DX	2566	3.1	8	2	2	2	4	5	6	13
A. Not Operated	1167	2.3	2	1	2	2	3	3	4	7
B. Operated	2107	3.3	9	2	2	3	4	5	6	12
TOTAL										
0-19 YRS	553	2.8	15	2	2	2	3	4	5	9
20-34	2440	2.9	5	2	2	2	3	5	5	11
35-49	281	3.3	7	2	2	3	4	5	7	16
50-64	0									
65 +	0									
GRAND TOTAL	**3274**	**2.9**	**7**	**2**	**2**	**2**	**3**	**5**	**6**	**11**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2468	2.1		1	2	2	2	3	3	4
20-34	9030	2.0		1	2	2	2	3	3	4
35-49	526	2.0		1	2	2	2	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	946	2.2		1	2	2	3	3	3	4
20-34	3024	2.1		1	2	2	2	3	3	4
35-49	181	2.2		1	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	180	2.1	1	1	2	2	2	3	3	5
20-34	455	2.1	1	1	2	2	2	3	4	5
35-49	27	2.9	14	1	2	2	2	3	9	21
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	118	2.3	3	1	2	2	3	3	3	11
20-34	2325	2.4	1	2	2	2	3	3	4	5
35-49	236	2.5		2	2	2	3	3	4	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12026	2.0		1	2	2	2	3	3	4
B. Operated	4151	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	662	2.1	1	1	2	2	2	3	4	5
B. Operated	2679	2.4	1	2	2	2	3	3	4	5
1. SINGLE DX	16177	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX	3341	2.4	1	2	2	2	3	3	4	5
A. Not Operated	12688	2.0		1	2	2	2	3	3	4
B. Operated	6830	2.2	1	2	2	2	3	3	3	4
TOTAL										
0-19 YRS	3712	2.1	1	1	2	2	2	3	3	4
20-34	14834	2.1		1	2	2	2	3	3	4
35-49	970	2.2	1	1	2	2	2	3	3	4
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**19518**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.7		1	1	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	38	5.3	34	3	3	4	5	7	19	32
35-49	13	11.3	312	3	4	4	5	50	52	52
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	7	7.1	185	1	2	2	3	31	38	38
35-49	3	2.7		2	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	6.9	90	2	3	5	6	10	29	46
20-34	192	8.7	111	3	4	4	8	22	31	65
35-49	38	6.9	41	4	4	4	6	18	21	32
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7		1	1	2	2	2	2	2
B. Operated	54	6.6	102	3	3	4	5	7	31	52
2. MULTIPLE DX										
A. Not Operated	13	5.1	98	1	2	2	3	11	33	38
B. Operated	250	8.3	98	3	4	4	8	21	31	52
1. SINGLE DX	57	6.4	97	2	3	4	5	7	30	52
2. MULTIPLE DX	263	8.1	98	3	4	4	7	21	31	52
A. Not Operated	16	4.4	81	1	2	2	3	4	28	38
B. Operated	304	8.0	99	3	4	4	7	21	31	52
TOTAL										
0-19 YRS	26	6.0	71	2	3	4	5	8	19	46
20-34	240	8.0	100	3	4	4	7	21	31	54
35-49	54	7.7	104	3	4	4	5	21	30	52
50-64	0									
65 +	0									
GRAND TOTAL	**320**	**7.8**	**98**	**3**	**4**	**4**	**6**	**21**	**31**	**52**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	24	2.2	1	1	2	2	3	3	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	3.2	3	1	2	3	5	5	5	5
20-34	49	3.9	5	2	3	3	5	5	7	16
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.1	1	1	1	2	2	3	5	5
20-34	52	3.1	8	1	2	2	3	6	10	14
35-49	4	2.5	4	1	1	2	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	62	4.0	5	2	2	4	5	7	8	12
20-34	301	4.5	13	2	3	4	5	7	10	23
35-49	32	4.1	4	2	2	4	5	7	8	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	2.2	1	1	2	2	3	3	4	4
B. Operated	66	3.7	5	2	3	3	5	5	6	15
2. MULTIPLE DX										
A. Not Operated	71	2.8	6	1	2	2	3	5	9	14
B. Operated	395	4.4	11	2	3	4	5	7	10	19
1. SINGLE DX	96	3.3	4	1	2	3	4	5	5	13
2. MULTIPLE DX	466	4.2	11	2	2	4	5	7	9	18
A. Not Operated	101	2.7	5	1	2	2	3	4	6	14
B. Operated	461	4.3	10	2	3	4	5	7	9	18
TOTAL										
0-19 YRS	98	3.5	4	1	2	3	5	7	7	11
20-34	426	4.1	12	2	2	3	5	7	9	18
35-49	38	3.9	4	2	2	4	5	6	8	11
50-64	0									
65 +	0									
GRAND TOTAL	**562**	**4.0**	**10**	**2**	**2**	**3**	**5**	**7**	**9**	**17**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	11	2.3	1	1	2	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	2.0	1	1	2	2	2	3	3	4
20-34	107	2.1	1	1	1	2	3	3	4	6
35-49	16	2.4	1	1	2	2	3	3	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	18	2.3	2	1	1	2	3	3	6	7
20-34	113	2.7	3	1	2	2	3	4	5	12
35-49	19	2.9	1	2	2	2	4	5	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.2	1	1	2	2	3	3	3	3
B. Operated	149	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	7	2.0	1	1	1	2	3	3	3	3
B. Operated	150	2.7	3	1	2	2	3	4	5	11
1. SINGLE DX	165	2.1	1	1	2	2	3	3	4	6
2. MULTIPLE DX	157	2.7	2	1	2	2	3	4	5	11
A. Not Operated	23	2.1	1	1	2	2	3	3	3	3
B. Operated	299	2.4	2	1	2	2	3	4	5	7
TOTAL										
0-19 YRS	49	2.1	1	1	2	2	3	3	3	7
20-34	236	2.4	2	1	2	2	3	4	5	8
35-49	37	2.6	1	1	2	2	3	4	5	6
50-64	0									
65 +	0									
GRAND TOTAL	**322**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**5**	**7**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.3	1	1	2	2	3	4	5	5
20-34	34	1.9		1	1	2	2	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	29	2.1		1	2	2	2	3	3	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.8	2	1	2	3	4	5	5	5
20-34	28	2.4	1	2	2	2	3	4	4	6
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	2.9	3	2	2	3	3	5	7	8
20-34	36	4.4	127	1	2	3	3	4	5	70
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.0	1	1	2	2	2	3	3	5
B. Operated	33	2.1	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	34	2.5	1	2	2	2	3	4	5	6
B. Operated	55	3.9	84	2	2	3	3	4	5	67
1. SINGLE DX	79	2.0	1	1	2	2	2	3	3	5
2. MULTIPLE DX	89	3.4	52	2	2	2	3	4	5	46
A. Not Operated	80	2.2	1	1	2	2	2	3	4	6
B. Operated	88	3.2	53	1	2	2	3	4	4	46
TOTAL										
0-19 YRS	37	2.6	2	1	2	2	3	5	5	8
20-34	127	2.8	37	1	2	2	3	3	4	21
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
GRAND TOTAL	**168**	**2.7**	**28**	**1**	**2**	**2**	**3**	**3**	**4**	**8**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	24	2.3	1	2	2	2	3	3	4	7
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	37	3.5	4	2	2	3	4	5	6	13
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.0	1	1	1	2	2	4	4	4
20-34	32	3.1	6	1	2	2	3	5	6	15
35-49	4	3.5		3	3	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	43	6.2	58	2	4	4	6	12	14	51
20-34	352	4.8	15	2	3	4	5	7	11	22
35-49	42	4.0	3	2	3	4	4	6	7	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.3	1	1	2	2	3	3	4	7
B. Operated	44	3.5	4	2	2	3	4	5	6	13
2. MULTIPLE DX										
A. Not Operated	43	3.0	5	1	2	2	3	5	6	15
B. Operated	437	4.9	18	2	3	4	5	7	11	23
1. SINGLE DX	73	3.0	3	2	2	3	3	5	6	12
2. MULTIPLE DX	480	4.7	17	2	3	4	5	7	11	22
A. Not Operated	72	2.7	4	1	2	2	3	4	6	13
B. Operated	481	4.7	17	2	3	4	5	7	11	22
TOTAL										
0-19 YRS	58	5.2	46	2	2	4	5	8	13	48
20-34	445	4.4	13	2	3	4	5	7	9	22
35-49	50	3.9	3	2	3	4	4	6	7	12
50-64	0									
65 +	0									
GRAND TOTAL	**553**	**4.5**	**16**	**2**	**3**	**4**	**5**	**7**	**9**	**22**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34	21	2.2	1	1	2	2	3	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	127	3.7	1	3	3	4	4	5	5	8
20-34	563	3.6	1	3	3	4	4	5	5	5
35-49	49	3.6	1	2	3	4	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.0	5	1	2	2	3	7	8	8
20-34	17	2.7	3	1	2	2	4	6	7	7
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	187	5.1	15	3	4	4	5	7	9	30
20-34	1049	4.4	13	3	3	4	5	6	7	19
35-49	142	4.5	9	3	4	4	5	6	7	15
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.2	1	1	2	2	2	4	4	4
B. Operated	739	3.6	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	27	2.7	3	1	2	2	4	6	7	8
B. Operated	1379	4.5	13	3	3	4	5	6	8	20
1. SINGLE DX	764	3.6	1	2	3	4	4	5	5	6
2. MULTIPLE DX	1406	4.5	13	3	3	4	5	6	8	20
A. Not Operated	52	2.5	2	1	2	2	3	4	6	8
B. Operated	2118	4.2	9	3	3	4	4	5	7	13
TOTAL										
0-19 YRS	326	4.4	10	3	3	4	5	6	8	20
20-34	1650	4.1	9	3	3	4	4	5	6	13
35-49	193	4.3	7	3	3	4	5	6	7	12
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**2170**	**4.2**	**9**	**3**	**3**	**4**	**4**	**5**	**7**	**13**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.2	1	1	2	2	3	3	4	4
20-34	152	2.1	1	1	2	2	2	3	3	4
35-49	9	2.1	1	< 1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	62	2.8	1	2	2	3	3	4	5	6
20-34	280	2.8	1	2	2	3	3	4	5	6
35-49	20	3.2	1	2	2	3	4	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.0		1	2	2	2	3	3	3
20-34	120	2.2	1	1	2	2	3	3	3	4
35-49	8	2.8	1	1	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	240	3.5	3	2	2	3	4	5	7	9
20-34	1298	3.5	3	2	2	3	4	5	6	8
35-49	140	3.9	3	2	3	4	4	5	7	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	2.1	1	1	2	2	2	3	3	4
B. Operated	362	2.8	1	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	154	2.2	1	1	2	2	3	3	3	4
B. Operated	1678	3.5	3	2	2	3	4	5	6	9
1. SINGLE DX	554	2.6	1	2	2	2	3	4	4	6
2. MULTIPLE DX	1832	3.4	3	2	2	3	4	5	6	8
A. Not Operated	346	2.2	1	1	2	2	3	3	3	4
B. Operated	2040	3.4	3	2	2	3	4	5	6	8
TOTAL										
0-19 YRS	359	3.2	3	2	2	3	4	5	6	9
20-34	1850	3.2	3	2	2	3	4	5	5	7
35-49	177	3.6	3	2	3	4	4	5	6	10
50-64	0									
65 +	0									
GRAND TOTAL	**2386**	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	2.4	1	1	2	2	3	4	4	4
35-49	2	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	162	4.0	2	3	3	4	4	5	6	13
20-34	634	4.0	1	3	3	4	4	5	5	7
35-49	27	4.2	1	3	4	4	5	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	3.3	4	1	2	3	4	6	7	7
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	545	4.8	4	3	4	4	5	7	9	12
20-34	2249	4.4	5	3	4	4	5	6	7	10
35-49	176	4.5	2	3	4	4	5	6	7	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.5	1	1	2	2	3	4	4	4
B. Operated	823	4.0	1	3	3	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	9	3.6	4	1	2	3	5	7	7	7
B. Operated	2970	4.4	5	3	4	4	5	6	7	11
1. SINGLE DX	837	4.0	1	3	3	4	4	5	5	7
2. MULTIPLE DX	2979	4.4	5	3	4	4	5	6	7	11
A. Not Operated	23	2.9	2	1	2	2	4	5	6	7
B. Operated	3793	4.4	4	3	4	4	5	6	7	11
TOTAL										
0-19 YRS	708	4.6	3	3	4	4	5	7	8	12
20-34	2903	4.3	4	3	4	4	5	5	6	9
35-49	205	4.4	2	3	4	4	5	6	7	11
50-64	0									
65 +	0									
GRAND TOTAL	**3816**	**4.3**	**4**	**3**	**4**	**4**	**5**	**6**	**7**	**10**

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	2.2		2	2	2	2	3	3	4
20-34	131	2.3	1	1	2	2	3	3	4	4
35-49	9	2.2		1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	164	3.7	2	2	3	4	5	5	6	9
20-34	563	3.4	2	2	2	3	4	5	5	7
35-49	35	3.2	2	2	2	3	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.7	1	2	2	2	3	4	5	7
20-34	127	2.4	1	2	2	2	3	3	4	5
35-49	3	2.7		2	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	429	4.5	5	2	3	4	5	7	9	12
20-34	1846	4.0	4	2	3	4	5	6	7	10
35-49	162	4.1	2	2	3	4	5	6	7	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	197	2.3	1	1	2	2	3	3	4	4
B. Operated	762	3.5	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	182	2.5	1	2	2	2	3	4	4	6
B. Operated	2437	4.1	4	2	3	4	5	6	7	10
1. SINGLE DX	959	3.2	2	2	2	3	4	5	5	6
2. MULTIPLE DX	2619	4.0	4	2	3	4	5	6	7	10
A. Not Operated	379	2.4	1	2	2	2	3	3	4	5
B. Operated	3199	3.9	3	2	3	4	5	6	7	10
TOTAL										
0-19 YRS	702	4.0	4	2	3	4	5	6	8	12
20-34	2667	3.7	3	2	2	4	5	5	6	9
35-49	209	3.9	2	2	3	4	5	5	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**3578**	**3.8**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.7	1	1	1	2	2	3	3	3
20-34	32	2.3		2	2	2	3	3	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	48	2.7	2	1	2	2	4	5	5	6
20-34	123	2.8	1	1	2	3	4	4	5	6
35-49	8	2.9	2	1	2	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.5	1	2	2	2	3	4	4	4
20-34	46	3.2	44	1	2	2	3	3	4	47
35-49	3	2.7		2	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	75	4.2	5	2	2	4	5	6	9	14
20-34	390	3.6	3	2	3	3	4	5	6	10
35-49	66	4.4	14	2	3	4	4	6	10	22
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.2	1	1	2	2	3	3	4	4
B. Operated	179	2.7	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	64	3.0	32	1	2	2	3	3	4	41
B. Operated	531	3.8	4	2	3	4	4	6	7	11
1. SINGLE DX	221	2.6	1	1	2	2	3	4	5	6
2. MULTIPLE DX	595	3.7	7	2	2	3	4	5	6	12
A. Not Operated	106	2.7	19	1	2	2	3	3	4	23
B. Operated	710	3.5	4	2	2	3	4	5	6	11
TOTAL										
0-19 YRS	147	3.4	4	2	2	3	4	5	6	11
20-34	591	3.4	6	2	2	3	4	5	6	10
35-49	78	4.1	12	2	2	4	4	5	7	22
50-64	0									
65 +	0									
GRAND TOTAL	**816**	**3.4**	**6**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.9	1	1	1	2	2	3	3	3
20-34	137	2.2		1	2	2	3	3	3	4
35-49	8	2.4		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	144	3.8	1	3	3	4	4	5	5	7
20-34	1762	3.6	1	3	3	4	4	4	5	6
35-49	155	3.7	1	3	3	4	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.2	1	1	2	2	3	4	4	4
20-34	96	2.3	1	1	2	2	3	3	4	6
35-49	10	2.3		2	2	2	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	196	3.9	1	3	3	4	4	5	6	8
20-34	4079	3.9	2	3	3	4	4	5	6	9
35-49	526	3.9	1	3	3	4	4	5	5	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	2.2		1	2	2	3	3	3	4
B. Operated	2061	3.6	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	116	2.3	1	1	2	2	3	3	4	6
B. Operated	4801	3.9	2	3	3	4	4	5	6	9
1. SINGLE DX	2225	3.5	1	2	3	4	4	4	5	6
2. MULTIPLE DX	4917	3.9	2	3	3	4	4	5	6	9
A. Not Operated	280	2.2	1	1	2	2	3	3	3	4
B. Operated	6862	3.8	2	3	3	4	4	5	5	8
TOTAL										
0-19 YRS	369	3.7	1	2	3	4	4	5	5	7
20-34	6074	3.7	2	3	3	4	4	5	5	8
35-49	699	3.8	1	3	3	4	4	5	5	8
50-64	0									
65 +	0									
GRAND TOTAL	**7142**	**3.7**	**2**	**3**	**3**	**4**	**4**	**5**	**5**	**8**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	2.5	2	2	2	2	3	3	4	10
20-34	326	2.3	1	2	2	2	3	3	4	6
35-49	23	2.3		2	2	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	56	3.1	21	2	2	2	3	4	5	34
20-34	269	2.7	8	2	2	2	3	3	4	8
35-49	26	2.3	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	125	3.6	15	2	2	3	4	6	9	26
20-34	424	3.7	25	2	2	2	3	6	9	27
35-49	41	4.2	15	1	2	3	6	9	11	22
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	307	4.0	12	2	2	3	4	6	10	15
20-34	1720	4.1	22	2	2	3	4	6	9	22
35-49	190	4.8	57	2	2	3	5	7	10	50
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	448	2.4	1	2	2	2	3	3	4	6
B. Operated	351	2.8	9	2	2	2	3	3	4	8
2. MULTIPLE DX										
A. Not Operated	590	3.7	22	2	2	3	4	6	9	26
B. Operated	2217	4.2	24	2	2	3	4	6	9	21
1. SINGLE DX	799	2.5	5	2	2	2	3	3	4	7
2. MULTIPLE DX	2807	4.1	23	2	2	3	4	6	9	23
A. Not Operated	1038	3.1	14	2	2	2	3	5	7	20
B. Operated	2568	4.0	22	2	2	3	4	6	8	21
TOTAL										
0-19 YRS	587	3.6	12	2	2	3	4	5	8	15
20-34	2739	3.7	19	2	2	3	4	6	8	21
35-49	280	4.3	42	2	2	3	4	6	9	33
50-64	0									
65 +	0									
GRAND TOTAL	**3606**	**3.7**	**20**	**2**	**2**	**3**	**4**	**6**	**8**	**20**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	244	2.1		1	2	2	2	3	3	4
20-34	1157	2.0		1	2	2	2	3	3	3
35-49	94	2.0		1	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	163	2.2	1	1	2	2	3	3	3	5
20-34	861	2.2	1	2	2	2	2	3	3	5
35-49	64	2.1		1	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	2.2	1	1	2	2	3	3	4	6
20-34	452	2.2	1	1	2	2	2	3	3	5
35-49	26	2.0	1	1	2	2	2	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	209	2.5	2	1	2	2	3	4	5	8
20-34	1453	2.4	1	2	2	2	3	4	4	6
35-49	144	2.7	2	2	2	2	3	4	5	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1495	2.0		1	2	2	2	3	3	4
B. Operated	1088	2.2	1	2	2	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	602	2.2	1	1	2	2	2	3	3	5
B. Operated	1807	2.5	1	2	2	2	3	4	4	7
1. SINGLE DX	2583	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX	2409	2.4	1	1	2	2	3	3	4	6
A. Not Operated	2097	2.1		1	2	2	2	3	3	4
B. Operated	2895	2.4	1	2	2	2	3	3	4	6
TOTAL										
0-19 YRS	740	2.2	1	1	2	2	3	3	4	6
20-34	3923	2.2	1	1	2	2	3	3	4	5
35-49	328	2.3	1	1	2	2	3	3	4	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**4992**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	113	2.0		1	2	2	2	3	3	4
20-34	411	2.0		1	2	2	2	3	3	3
35-49	28	1.9	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	609	2.1		1	2	2	2	3	3	4
20-34	2599	2.0	1	1	2	2	2	3	3	4
35-49	236	2.0		1	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	2.4	1	1	2	2	3	3	4	7
20-34	281	2.4	5	1	2	2	3	3	4	8
35-49	23	2.2	1	1	2	2	2	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	502	2.5	6	2	2	2	3	4	4	8
20-34	2756	2.3	1	1	2	2	3	3	4	6
35-49	305	2.3	1	1	2	2	3	3	4	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	552	2.0		1	2	2	2	3	3	3
B. Operated	3444	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	407	2.4	4	1	2	2	3	3	4	7
B. Operated	3563	2.3	2	1	2	2	3	3	4	6
1. SINGLE DX	3996	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX	3970	2.3	2	1	2	2	3	3	4	6
A. Not Operated	959	2.2	2	1	2	2	2	3	3	5
B. Operated	7007	2.2	1	1	2	2	2	3	3	5
TOTAL										
0-19 YRS	1327	2.3	3	1	2	2	2	3	4	5
20-34	6047	2.2	1	1	2	2	2	3	3	5
35-49	592	2.1	1	1	2	2	3	3	3	5
50-64	0									
65 +	0									
GRAND TOTAL	**7966**	**2.2**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**5**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	2.1	1	1	2	2	3	3	4	4
20-34	72	2.3		2	2	2	3	3	3	4
35-49	4	1.8		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	412	2.3	3	1	2	2	3	3	3	5
20-34	961	2.2		2	2	2	3	3	3	4
35-49	42	2.3		2	2	2	3	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.1	1	1	1	2	3	3	4	4
20-34	42	2.5		2	2	2	3	3	4	4
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	380	2.5	1	2	2	2	3	4	4	6
20-34	1136	2.5	1	2	2	2	3	3	4	6
35-49	89	2.8	2	2	2	3	3	4	5	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	2.2		1	2	2	3	3	3	4
B. Operated	1416	2.2	1	2	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	59	2.3	1	1	2	2	3	3	4	4
B. Operated	1605	2.5	1	2	2	2	3	3	4	6
1. SINGLE DX	1531	2.2	1	2	2	2	3	3	3	4
2. MULTIPLE DX	1664	2.5	1	2	2	2	3	3	4	6
A. Not Operated	174	2.2	1	1	2	2	3	3	4	4
B. Operated	3021	2.4	1	2	2	2	3	3	4	5
TOTAL										
0-19 YRS	845	2.4	2	2	2	2	3	3	4	6
20-34	2211	2.4	1	2	2	2	3	3	4	5
35-49	138	2.6	2	2	2	2	3	4	4	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**3195**	**2.4**	**1**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.0		1	2	2	2	3	3	3
20-34	151	2.0		1	2	2	2	3	3	3
35-49	5	1.8		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	169	2.0		1	2	2	2	3	3	4
20-34	605	2.1		1	2	2	2	3	3	4
35-49	28	2.2		2	2	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	2.3	1	2	2	2	3	3	3	5
20-34	108	2.3	1	1	2	2	3	3	4	8
35-49	4	1.5		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	181	2.4	1	2	2	2	3	3	4	7
20-34	848	2.4	1	2	2	2	3	3	4	6
35-49	48	2.7	7	1	2	2	3	3	4	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	204	2.0		1	2	2	2	3	3	3
B. Operated	802	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	161	2.3	1	1	2	2	3	3	4	7
B. Operated	1077	2.4	1	2	2	2	3	3	4	6
1. SINGLE DX	1006	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX	1238	2.4	1	2	2	2	3	3	4	6
A. Not Operated	365	2.1	1	1	2	2	2	3	3	5
B. Operated	1879	2.3	1	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	447	2.2	1	1	2	2	2	3	3	5
20-34	1712	2.3	1	1	2	2	3	3	4	5
35-49	85	2.4	4	1	2	2	3	3	4	15
50-64	0									
65 +	0									
GRAND TOTAL	**2244**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	**5**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	576	2.5	6	1	2	2	3	3	4	8
20-34	1645	2.2	1	1	2	2	3	3	4	6
35-49	128	2.2	1	1	2	2	3	3	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1121	2.6	2	2	2	2	3	4	5	7
20-34	4447	2.6	2	2	2	2	3	4	4	6
35-49	281	2.7	1	2	2	2	3	4	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	659	2.9	8	1	2	2	3	4	6	12
20-34	1789	2.8	8	1	2	2	3	4	6	12
35-49	146	3.2	25	1	2	2	3	5	8	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2639	3.7	8	2	2	3	4	6	8	16
20-34	10642	3.7	11	2	2	3	4	6	8	16
35-49	1162	4.3	27	2	2	3	5	7	10	30
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2349	2.3	2	1	2	2	3	3	4	6
B. Operated	5849	2.6	2	2	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	2594	2.8	9	1	2	2	3	4	6	12
B. Operated	14444	3.7	12	2	2	3	4	6	8	17
1. SINGLE DX	8198	2.5	2	2	2	2	3	4	4	6
2. MULTIPLE DX	17038	3.6	12	2	2	3	4	6	8	16
A. Not Operated	4943	2.6	6	1	2	2	3	4	5	9
B. Operated	20293	3.4	9	2	2	3	4	5	7	15
TOTAL										
0-19 YRS	4995	3.2	6	2	2	3	4	5	7	13
20-34	18523	3.2	8	2	2	3	4	5	6	13
35-49	1717	3.8	21	2	2	3	4	6	8	22
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**25236**	**3.2**	**9**	**2**	**2**	**3**	**4**	**5**	**7**	**14**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	3.1	2	2	2	3	4	5	6	6
20-34	54	2.9	1	2	2	3	4	4	4	5
35-49	8	3.5	4	1	2	3	4	7	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	5.4	18	1	1	6	9	10	10	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	3.5	3	2	2	3	4	6	8	9
20-34	86	4.0	6	2	2	3	5	7	9	13
35-49	6	3.3	1	1	3	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	5.4	7	2	3	7	8	8	8	8
20-34	16	5.9	15	3	3	5	6	12	15	17
35-49	3	22.7	444	5	8	17	39	46	46	46
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	3.0	1	2	2	3	4	4	5	7
B. Operated	7	4.9	13	1	2	4	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	124	3.9	5	2	2	3	4	7	8	12
B. Operated	26	7.7	77	3	3	5	8	16	23	46
1. SINGLE DX	97	3.2	2	2	2	3	4	5	6	10
2. MULTIPLE DX	150	4.5	19	2	3	4	5	8	10	17
A. Not Operated	214	3.5	4	2	2	3	4	6	7	11
B. Operated	33	7.1	64	2	3	5	8	13	17	46
TOTAL										
0-19 YRS	68	3.5	3	2	2	3	4	7	8	9
20-34	161	3.9	6	2	2	3	4	7	9	13
35-49	18	6.7	109	1	3	4	4	14	34	46
50-64	0									
65 +	0									
GRAND TOTAL	**247**	**4.0**	**13**	**2**	**2**	**3**	**4**	**7**	**9**	**17**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	1.9	1	1	1	2	3	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	30	1.5		<1	1	1	2	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	7	1.7	2	1	1	1	2	4	5	5
35-49	1	15.0		15	15	15	15	15	15	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	38	2.6	4	1	1	2	4	5	7	9
35-49	4	2.5	4	1	1	2	4	5	5	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.9	1	1	1	2	3	4	4	4
B. Operated	39	1.5		<1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	10	3.0	19	1	1	1	2	10	15	15
B. Operated	47	2.5	4	1	1	2	4	5	6	9
1. SINGLE DX	49	1.6	1	<1	1	1	2	3	3	4
2. MULTIPLE DX	57	2.6	6	1	1	2	4	5	7	15
A. Not Operated	20	2.5	10	1	1	1	3	4	10	15
B. Operated	86	2.0	2	<1	1	1	3	4	5	9
TOTAL										
0-19 YRS	14	1.6	1	<1	1	1	2	3	4	4
20-34	85	2.1	2	<1	1	1	3	4	5	9
35-49	7	3.9	26	1	1	1	4	13	15	15
50-64	0									
65 +	0									
GRAND TOTAL	**106**	**2.1**	**4**	**<1**	**1**	**1**	**3**	**4**	**5**	**12**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.0	17	2	2	3	7	11	11	11
20-34	43	4.2	14	1	2	3	4	9	14	17
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	22	1.9	1	1	1	2	2	3	4	6
20-34	54	2.4	2	1	2	2	3	4	6	8
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.8	10	2	2	4	6	9	12	13
20-34	44	4.1	10	1	2	3	5	9	11	12
35-49	6	4.0	8	1	2	4	4	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	4.1	11	1	2	3	6	8	12	14
20-34	63	4.1	15	1	2	2	5	7	10	22
35-49	5	5.4	18	2	2	3	9	11	11	11
50-64	1	34.0		34	34	34	34	34	34	34
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	4.2	13	1	2	3	4	10	12	17
B. Operated	79	2.3	2	1	2	2	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	66	4.2	10	1	2	3	5	9	11	13
B. Operated	88	4.5	24	1	2	3	6	9	11	29
1. SINGLE DX	128	3.0	7	1	2	2	4	6	8	16
2. MULTIPLE DX	154	4.4	18	1	2	3	5	9	11	22
A. Not Operated	115	4.2	11	1	2	3	5	9	12	16
B. Operated	167	3.5	15	1	2	2	4	7	9	22
TOTAL										
0-19 YRS	61	3.5	9	1	2	2	4	8	10	14
20-34	204	3.7	11	1	2	2	4	7	10	19
35-49	16	4.0	10	1	2	3	5	9	10	11
50-64	1	34.0		34	34	34	34	34	34	34
65 +	0									
GRAND TOTAL	**282**	**3.8**	**13**	**1**	**2**	**2**	**4**	**8**	**10**	**20**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	421	3.6	5	2	2	3	4	7	8	11
20-34	172	3.8	3	2	3	4	5	6	6	9
35-49	131	4.6	7	2	3	4	6	9	11	13
50-64	69	4.2	4	2	3	4	5	7	8	11
65+	61	5.4	11	2	3	4	7	11	13	14
B. Operated										
0-19 YRS	195	4.0	10	1	2	3	5	8	10	15
20-34	109	4.6	9	2	2	4	6	8	10	16
35-49	56	4.1	9	2	2	3	5	7	8	18
50-64	19	4.1	10	1	2	3	6	9	11	12
65+	22	8.1	26	3	4	7	10	14	20	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	573	4.5	9	2	3	4	6	8	10	15
20-34	407	5.1	12	2	3	4	6	9	11	20
35-49	539	5.8	18	2	3	5	7	10	12	17
50-64	552	6.3	20	3	3	5	8	11	14	21
65+	1002	7.6	34	3	4	6	9	13	17	32
B. Operated										
0-19 YRS	217	6.4	25	2	3	5	8	12	15	27
20-34	297	6.9	47	2	3	5	8	15	20	46
35-49	381	9.5	73	3	4	7	11	20	26	53
50-64	315	10.4	103	3	5	7	12	21	31	56
65+	382	12.3	101	3	6	10	15	25	32	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	854	4.0	5	2	2	3	5	7	9	12
B. Operated	401	4.4	11	1	2	3	6	8	11	17
2. MULTIPLE DX										
A. Not Operated	3073	6.1	23	2	3	5	8	11	14	26
B. Operated	1592	9.4	79	3	4	7	11	20	26	53
1. SINGLE DX	1255	4.1	7	2	2	3	5	7	9	14
2. MULTIPLE DX	4665	7.3	44	2	3	6	9	14	19	41
A. Not Operated	3927	5.7	20	2	3	5	7	10	13	24
B. Operated	1993	8.4	69	2	3	6	10	18	24	50
TOTAL										
0-19 YRS	1406	4.5	11	2	2	3	5	8	10	17
20-34	985	5.3	22	2	3	4	6	10	13	24
35-49	1107	6.9	39	2	3	5	8	13	18	41
50-64	955	7.5	51	3	4	6	9	14	18	50
65+	1467	8.7	55	3	4	7	10	16	24	42
GRAND TOTAL	**5920**	**6.6**	**38**	**2**	**3**	**5**	**8**	**12**	**17**	**35**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	3.8	5	2	2	3	5	6	9	12
20-34	23	3.6	2	2	3	3	4	6	7	7
35-49	22	3.5	3	2	3	3	4	6	7	8
50-64	10	3.6	5	1	2	3	4	7	8	8
65+	10	3.6	7	<1	1	3	4	8	9	9
B. Operated										
0-19 YRS	74	3.9	13	<1	1	3	5	8	13	16
20-34	23	3.3	6	<1	1	3	4	7	8	9
35-49	17	3.9	10	<1	1	2	6	8	11	12
50-64	10	3.6	7	<1	1	3	6	7	8	8
65+	8	4.0	19	<1	1	2	6	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	183	4.5	12	2	3	4	5	8	10	18
20-34	49	4.3	5	2	3	4	5	7	10	12
35-49	55	5.6	9	2	3	5	8	10	12	14
50-64	75	6.0	14	3	3	5	7	10	14	20
65+	100	7.2	14	3	5	6	9	12	14	20
B. Operated										
0-19 YRS	97	5.6	17	1	3	5	8	10	13	23
20-34	53	4.8	10	2	3	4	7	9	9	19
35-49	54	6.3	49	1	3	5	7	12	15	47
50-64	75	9.5	104	2	4	7	12	19	25	60
65+	70	9.0	47	2	4	7	11	20	22	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	174	3.7	4	2	2	3	5	6	8	12
B. Operated	132	3.8	11	<1	1	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	462	5.4	13	2	3	5	7	9	12	19
B. Operated	349	7.1	48	2	3	5	9	14	19	37
1. SINGLE DX	306	3.8	7	1	2	3	5	7	9	14
2. MULTIPLE DX	811	6.1	29	2	3	5	8	11	15	26
A. Not Operated	636	4.9	11	2	3	4	6	9	11	18
B. Operated	481	6.2	40	1	2	5	8	12	17	34
TOTAL										
0-19 YRS	463	4.5	12	1	2	4	5	8	10	16
20-34	148	4.3	7	2	3	4	[illegible]	8	9	12
35-49	148	5.3	24	1	3	4	[illegible]	10	12	20
50-64	170	7.2	57	2	3	5	8	14	19	43
65+	188	7.5	28	3	4	6	9	14	19	26
GRAND TOTAL	**1117**	**5.5**	**24**	**2**	**3**	**4**	**7**	**10**	**14**	**22**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	112	2.2	3	< 1	1	2	3	4	6	9
20-34	137	2.2	4	1	1	2	3	4	5	12
35-49	34	2.1	1	1	1	2	3	4	5	5
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	0									
35-49	6	2.0	2	< 1	< 1	1	3	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	19	2.6	4	1	1	2	3	6	7	7
20-34	42	2.6	5	1	1	2	3	4	6	14
35-49	25	3.0	6	1	1	2	4	7	9	9
50-64	5	12.8	404	1	2	2	20	48	48	48
65 +	2	2.0	2	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	18	1	1	4	7	7	7	7
B. Operated	289	2.2	3	1	1	2	3	4	5	12
2. MULTIPLE DX										
A. Not Operated	9	2.4	2	< 1	1	2	3	5	5	5
B. Operated	93	3.3	27	1	1	2	3	6	9	33
1. SINGLE DX	291	2.2	3	1	1	2	3	4	5	12
2. MULTIPLE DX	102	3.2	25	1	1	2	3	6	8	30
A. Not Operated	11	2.7	4	< 1	1	2	4	6	7	7
B. Operated	382	2.5	9	1	1	2	3	4	6	13
TOTAL										
0-19 YRS	134	2.3	3	1	1	2	3	5	6	8
20-34	180	2.3	4	1	1	2	3	4	5	13
35-49	65	2.4	3	1	1	2	3	5	7	9
50-64	9	8.1	234	< 1	1	2	6	33	48	48
65 +	5	1.6	1	< 1	1	1	2	3	3	3
GRAND TOTAL	**393**	**2.5**	**9**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	53	1.1		< 1	< 1	< 1	< 1	1	1	4
20-34	9	1.4	1	< 1	< 1	< 1	1	3	4	4
35-49	13	1.9	5	< 1	< 1	< 1	2	4	8	9
50-64	10	1.3		< 1	< 1	1	2	2	2	2
65 +	4	2.0	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	2	< 1	1	3	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
20-34	5	2.6	5	< 1	< 1	1	5	5	5	5
35-49	10	3.1	7	< 1	2	2	4	7	10	10
50-64	6	3.8	7	1	1	4	6	7	7	7
65 +	8	6.6	68	< 1	1	4	7	21	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	89	1.3	1	< 1	< 1	< 1	1	2	3	7
2. MULTIPLE DX										
A. Not Operated	6	2.7	3	< 1	1	2	4	5	5	5
B. Operated	35	3.6	21	< 1	1	2	5	7	10	26
1. SINGLE DX	90	1.3	1	< 1	< 1	< 1	1	2	3	7
2. MULTIPLE DX	41	3.5	18	< 1	1	2	5	6	9	26
A. Not Operated	7	2.4	3	< 1	< 1	2	4	5	5	5
B. Operated	124	2.0	8	< 1	< 1	< 1	2	4	6	14
TOTAL										
0-19 YRS	63	1.2		< 1	< 1	< 1	< 1	1	3	4
20-34	15	1.8	2	< 1	< 1	< 1	2	5	5	5
35-49	23	2.4	6	< 1	< 1	2	3	5	9	10
50-64	17	2.4	4	< 1	1	1	3	6	7	7
65 +	13	4.8	46	< 1	< 1	2	5	12	23	26
GRAND TOTAL	**131**	**2.0**	**7**	**< 1**	**< 1**	**< 1**	**2**	**4**	**5**	**13**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	3	3.7	8	2	2	2	6	7	7	7
35-49	4	4.5	1	4	4	4	5	6	6	6
50-64	2	3.0		3	3	3	3	3	3	3
65 +	7	18.7	329	1	2	15	32	45	48	48
B. Operated										
0-19 YRS	15	16.5	531	< 1	1	2	25	49	71	78
20-34	15	8.3	26	1	5	7	12	15	18	19
35-49	8	8.0	71	1	2	7	9	22	27	27
50-64	8	10.9	59	2	4	9	18	21	22	22
65 +	19	12.9	215	1	3	9	15	31	50	60
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	8.5	120	1	4	5	7	24	37	46
20-34	47	7.2	26	2	3	6	10	14	16	24
35-49	57	9.3	71	3	4	7	12	18	36	95
50-64	75	9.4	64	2	5	7	12	17	25	46
65 +	294	12.5	169	4	6	8	13	28	41	97
B. Operated										
0-19 YRS	41	15.5	197	2	6	11	22	36	56	99 +
20-34	122	20.1	272	5	9	16	29	45	62	99 +
35-49	117	18.2	291	3	7	13	26	44	63	99 +
50-64	170	16.2	180	3	6	13	24	36	46	92
65 +	500	18.5	292	4	7	13	24	46	63	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	9.2	168	1	2	4	7	31	41	48
B. Operated	65	11.8	207	1	2	7	15	26	42	75
2. MULTIPLE DX										
A. Not Operated	503	10.9	129	3	5	8	12	24	35	86
B. Operated	950	18.2	266	4	7	13	25	44	60	99 +
1. SINGLE DX	84	11.2	197	1	2	6	15	27	42	72
2. MULTIPLE DX	1453	15.7	230	3	6	11	21	38	55	99 +
A. Not Operated	522	10.9	130	3	5	8	12	24	36	84
B. Operated	1015	17.7	264	3	7	13	24	43	60	99 +
TOTAL										
0-19 YRS	89	12.9	229	1	3	7	18	36	49	91
20-34	187	15.7	223	3	6	11	21	38	49	99 +
35-49	186	14.7	227	3	5	9	20	34	55	99 +
50-64	255	14.0	151	3	5	10	20	34	42	64
65 +	820	16.2	254	4	6	11	21	41	60	99 +
GRAND TOTAL	**1537**	**15.4**	**229**	**3**	**6**	**10**	**20**	**37**	**55**	**99 +**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	113	3.5	19	1	2	2	3	7	10	29
20-34	38	3.6	25	1	1	2	4	7	8	31
35-49	29	3.4	7	1	2	3	4	6	7	14
50-64	15	3.3	2	1	2	3	5	5	5	5
65 +	6	4.5	6	3	3	3	6	9	9	9
B. Operated										
0-19 YRS	216	1.8	5	< 1	< 1	< 1	1	4	6	11
20-34	63	3.4	34	< 1	1	1	4	6	12	33
35-49	60	2.6	9	< 1	1	1	3	6	9	16
50-64	41	1.6	1	< 1	< 1	1	2	3	4	4
65 +	21	1.4	1	< 1	< 1	< 1	1	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	205	4.5	21	1	2	3	5	9	12	26
20-34	104	4.3	13	1	2	3	6	7	10	22
35-49	74	4.9	11	2	3	4	6	9	12	17
50-64	79	7.3	65	2	3	5	9	12	16	53
65 +	139	6.4	21	2	3	5	8	13	15	22
B. Operated										
0-19 YRS	158	3.8	37	< 1	1	2	4	8	13	27
20-34	75	6.0	63	1	2	3	7	16	22	41
35-49	112	5.4	55	1	1	3	6	11	19	40
50-64	93	5.3	35	1	1	3	7	15	17	29
65 +	82	9.3	106	1	3	7	13	22	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	201	3.5	16	1	2	2	4	6	9	29
B. Operated	401	2.1	10	< 1	< 1	1	2	4	7	16
2. MULTIPLE DX										
A. Not Operated	601	5.3	25	1	2	4	7	10	13	27
B. Operated	520	5.6	58	< 1	1	3	7	15	21	55
1. SINGLE DX	602	2.6	12	< 1	< 1	1	3	5	8	16
2. MULTIPLE DX	1121	5.5	40	1	2	4	7	11	16	35
A. Not Operated	802	4.9	23	1	2	3	6	10	13	27
B. Operated	921	4.1	40	< 1	1	2	4	9	16	38
TOTAL										
0-19 YRS	692	3.3	20	< 1	1	2	4	7	10	26
20-34	280	4.5	34	1	1	3	5	8	15	33
35-49	275	4.4	29	1	1	3	5	9	14	29
50-64	228	5.2	41	1	1	3	6	11	15	31
65 +	248	6.9	51	1	3	5	9	15	20	99
GRAND TOTAL	**1723**	**4.5**	**32**	**< 1**	**1**	**3**	**5**	**10**	**14**	**30**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	2.9	11	1	2	2	3	5	8	23
20-34	11	2.5	3	<1	1	2	4	5	6	6
35-49	51	1.3	1	1	1	1	1	1	4	6
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	0									
B. Operated										
0-19 YRS	22	4.5	11	1	2	3	7	10	11	11
20-34	17	2.9	25	1	1	1	2	9	17	20
35-49	6	4.0	4	1	2	4	6	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	6.0	68	1	2	4	6	12	23	50
20-34	76	4.9	13	2	3	4	6	9	12	19
35-49	68	5.9	35	1	2	5	7	12	15	34
50-64	36	6.9	34	2	3	5	8	12	20	30
65+	37	10.0	45	4	6	8	12	17	22	38
B. Operated										
0-19 YRS	30	13.9	168	1	2	11	21	33	40	50
20-34	65	9.9	85	2	4	7	12	22	38	91
35-49	53	12.4	217	2	4	8	15	25	43	74
50-64	30	11.8	133	2	5	7	14	29	29	48
65+	30	15.1	127	4	6	12	23	32	35	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	2.3	7	1	1	1	2	5	7	13
B. Operated	47	3.9	15	1	1	2	6	10	11	20
2. MULTIPLE DX										
A. Not Operated	297	6.3	41	2	3	5	7	12	19	33
B. Operated	208	12.1	144	2	4	8	16	28	39	72
1. SINGLE DX	174	2.7	10	1	1	2	3	6	8	18
2. MULTIPLE DX	505	8.7	92	2	3	5	10	21	27	49
A. Not Operated	424	5.1	34	1	2	3	6	11	15	28
B. Operated	255	10.6	131	2	3	7	13	25	35	70
TOTAL										
0-19 YRS	195	6.1	71	1	2	3	6	15	25	45
20-34	169	6.5	49	1	2	4	9	15	21	46
35-49	178	6.4	96	1	1	4	7	15	21	64
50-64	69	9.0	80	2	4	6	9	22	30	46
65+	68	12.2	86	4	6	9	15	28	33	43
GRAND TOTAL	**679**	**7.2**	**78**	**1**	**2**	**4**	**9**	**16**	**25**	**46**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	4.3	9	2	2	3	5	8	11	14
20-34	4	4.3	4	3	3	4	5	7	7	7
35-49	6	5.7	3	4	4	5	7	8	8	8
50-64	9	4.6	7	1	3	4	6	8	10	10
65+	10	6.3	37	2	4	5	6	15	23	23
B. Operated										
0-19 YRS	9	6.7	15	2	3	7	9	12	13	13
20-34	8	4.0	13	<1	1	2	8	9	9	9
35-49	29	6.4	10	2	3	7	9	11	12	12
50-64	65	6.6	31	1	2	6	9	13	17	26
65+	52	7.5	24	1	3	8	11	14	15	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	5.3	9	2	3	5	7	9	10	14
20-34	8	4.8	4	3	3	4	6	8	9	9
35-49	21	6.2	27	2	3	5	7	13	20	23
50-64	68	5.8	30	2	3	4	7	11	17	32
65+	112	7.3	29	3	4	6	9	13	19	58
B. Operated										
0-19 YRS	10	8.1	12	3	4	10	11	11	11	11
20-34	21	9.9	76	3	4	8	12	25	32	34
35-49	65	7.2	37	2	3	6	9	13	16	36
50-64	119	7.9	50	2	3	7	10	15	18	42
65+	152	9.4	47	2	4	8	13	17	20	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	4.7	12	2	3	4	6	8	10	22
B. Operated	163	6.8	23	1	2	7	10	13	15	24
2. MULTIPLE DX										
A. Not Operated	248	6.4	26	2	3	5	8	11	17	33
B. Operated	367	8.5	47	2	3	7	11	16	19	38
1. SINGLE DX	228	6.2	21	1	2	5	9	12	14	23
2. MULTIPLE DX	615	7.7	40	2	3	6	10	15	18	36
A. Not Operated	313	6.0	23	2	3	5	7	11	17	29
B. Operated	530	8.0	41	2	3	7	11	15	18	36
TOTAL										
0-19 YRS	94	5.3	11	2	3	4	8	10	11	14
20-34	41	7.2	49	2	3	5	9	13	25	34
35-49	121	6.8	27	2	3	6	9	12	16	28
50-64	261	6.9	39	1	3	5	9	13	17	35
65+	326	8.3	38	2	4	7	11	16	19	36
GRAND TOTAL	**843**	**7.3**	**35**	**2**	**3**	**6**	**10**	**14**	**17**	**34**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX		—								
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	10	6.6	23	< 1	1	6	11	12	13	13
65 +	20	7.4	27	1	2	8	10	15	17	18
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	8	5.0	13	1	3	4	6	11	13	13
35-49	50	6.7	18	< 1	3	7	10	11	13	21
50-64	273	8.5	11	4	7	8	10	13	14	15
65 +	411	9.8	11	6	8	9	11	14	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	13.0	200	3	3	13	23	23	23	23
35-49	6	2.7	7	< 1	1	2	3	7	8	8
50-64	37	7.1	31	1	2	7	10	12	19	28
65 +	136	7.9	40	1	4	8	10	14	17	38
B. Operated										
0-19 YRS	3	11.0	36	5	6	11	15	17	17	17
20-34	17	8.1	34	1	2	8	12	16	18	19
35-49	105	8.8	38	2	5	7	11	16	22	31
50-64	542	9.8	20	5	7	9	12	15	17	25
65 +	1619	11.6	34	7	9	11	13	17	21	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	7.1	24	1	2	7	11	13	16	18
B. Operated	743	9.1	12	5	7	9	11	14	15	19
2. MULTIPLE DX										
A. Not Operated	181	7.7	39	1	3	7	10	14	17	34
B. Operated	2286	11.0	31	6	8	10	13	16	20	32
1. SINGLE DX	774	9.0	13	5	7	9	11	14	15	19
2. MULTIPLE DX	2467	10.8	33	5	8	10	13	16	19	32
A. Not Operated	212	7.6	37	1	3	7	10	13	17	31
B. Operated	3029	10.5	27	6	8	10	13	16	18	28
TOTAL										
0-19 YRS	4	10.5	25	5	7	10	14	17	17	17
20-34	27	7.5	36	1	2	5	12	16	20	23
35-49	162	7.9	32	2	4	7	10	14	17	27
50-64	862	9.2	18	4	7	9	11	14	16	23
65 +	2186	11.0	31	6	8	10	13	16	19	30
GRAND TOTAL	**3241**	**10.3**	**29**	**5**	**8**	**10**	**12**	**16**	**18**	**28**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	3	5.3	16	1	2	6	8	9	9	9
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	15	2.5	7	1	1	2	3	4	9	11
35-49	29	2.2	4	1	1	2	3	4	6	11
50-64	49	2.6	7	1	1	2	3	5	8	13
65 +	23	3.2	7	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	5	3.8	3	2	3	3	5	6	6	6
35-49	7	5.0	17	2	3	4	5	12	14	14
50-64	10	4.2	9	1	2	3	8	9	9	9
65 +	46	6.6	54	2	3	4	8	14	36	99 +
B. Operated										
0-19 YRS	0									
20-34	11	1.8	1	< 1	1	1	3	4	4	4
35-49	34	3.1	4	1	1	3	4	6	7	8
50-64	58	4.3	19	1	2	3	5	10	13	23
65 +	95	8.1	45	2	3	6	11	17	18	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.0	9	1	3	5	7	9	9	9
B. Operated	118	2.6	6	1	1	2	3	5	9	13
2. MULTIPLE DX										
A. Not Operated	69	6.2	48	2	3	4	7	13	29	87
B. Operated	198	5.8	33	1	2	4	8	12	17	30
1. SINGLE DX	123	2.7	6	1	1	2	3	5	9	13
2. MULTIPLE DX	267	5.9	36	1	2	4	8	13	17	37
A. Not Operated	74	6.1	45	2	3	4	7	13	26	84
B. Operated	316	4.6	25	1	1	3	6	11	15	24
TOTAL										
0-19 YRS	4	8.8	184	1	1	3	16	29	29	29
20-34	31	2.5	4	1	1	2	3	5	6	11
35-49	70	3.0	6	1	1	2	4	6	7	13
50-64	118	3.6	13	1	1	2	4	8	12	20
65 +	167	6.9	44	2	3	5	9	15	18	39
GRAND TOTAL	**390**	**4.9**	**29**	**1**	**2**	**3**	**6**	**11**	**15**	**36**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	7.1	25	2	3	6	9	13	20	22
20-34	12	4.8	14	1	2	3	7	10	13	13
35-49	7	5.6	9	1	3	5	8	10	10	10
50-64	6	3.8	9	1	1	3	7	8	8	8
65 +	6	4.3	2	3	3	4	5	7	7	7
B. Operated										
0-19 YRS	75	10.5	112	4	6	8	11	16	22	74
20-34	28	5.3	42	1	2	4	5	8	25	30
35-49	41	4.3	21	1	1	3	6	8	12	26
50-64	39	4.4	17	1	1	3	7	11	13	17
65 +	22	8.1	18	2	4	9	10	13	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	9.4	47	2	4	8	13	20	22	32
20-34	31	5.6	14	2	3	5	7	11	14	15
35-49	36	6.3	16	2	3	5	8	11	15	20
50-64	40	8.4	86	2	3	5	9	18	26	51
65 +	67	7.3	48	2	3	5	9	15	19	39
B. Operated										
0-19 YRS	83	12.9	109	4	7	10	15	23	35	55
20-34	60	7.9	54	2	3	5	10	20	26	93
35-49	76	10.4	174	2	4	7	12	20	26	86
50-64	83	10.7	170	2	3	7	13	23	32	75
65 +	121	13.1	96	4	7	11	16	23	33	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	6.4	21	2	3	6	8	11	15	22
B. Operated	205	7.1	63	1	2	6	9	13	17	36
2. MULTIPLE DX										
A. Not Operated	257	7.8	46	2	3	6	10	16	21	34
B. Operated	423	11.4	123	2	4	9	15	23	32	61
1. SINGLE DX	305	6.9	49	1	3	6	9	12	16	29
2. MULTIPLE DX	680	10.0	97	2	4	7	13	20	27	53
A. Not Operated	357	7.4	39	2	3	6	10	15	20	31
B. Operated	628	10.0	107	2	4	8	12	20	28	58
TOTAL										
0-19 YRS	310	10.1	78	3	5	8	12	20	22	48
20-34	131	6.5	39	1	3	5	8	15	22	47
35-49	160	7.7	98	1	3	5	9	15	22	52
50-64	168	8.4	115	1	2	5	10	17	25	58
65 +	216	10.6	79	2	5	9	13	19	27	46
GRAND TOTAL	**985**	**9.0**	**84**	**2**	**3**	**7**	**11**	**18**	**24**	**50**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	77	2.0	4	<1	<1	1	2	3	4	14
20-34	128	2.8	3	<1	1	3	4	5	6	8
35-49	56	1.9	2	<1	<1	1	3	3	5	7
50-64	16	1.5	1	<1	<1	<1	1	4	5	5
65 +	8	1.9	3	<1	<1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	15.0		15	15	15	15	15	15	15
B. Operated										
0-19 YRS	74	2.6	2	<1	1	3	4	4	4	6
20-34	148	2.6	2	<1	1	3	4	5	5	6
35-49	89	2.9	5	<1	1	2	4	6	7	13
50-64	52	2.0	3	<1	<1	1	2	5	7	8
65 +	31	1.9	3	<1	<1	1	2	3	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.3	2	2	2	3	4	5	5	5
B. Operated	285	2.3	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	6	4.3	30	<1	1	2	5	14	15	15
B. Operated	394	2.5	3	<1	1	2	3	5	6	8
1. SINGLE DX	288	2.3	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX	400	2.6	3	<1	1	2	3	5	6	9
A. Not Operated	9	4.0	20	<1	1	3	5	11	15	15
B. Operated	679	2.4	3	<1	1	2	3	4	5	8
TOTAL										
0-19 YRS	152	2.3	3	<1	1	2	3	4	4	6
20-34	278	2.7	2	<1	1	3	4	5	5	7
35-49	148	2.5	4	<1	<1	2	3	5	6	9
50-64	69	2.0	3	<1	<1	1	2	5	6	8
65 +	41	2.2	7	<1	<1	1	2	4	8	15
GRAND TOTAL	**688**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**5**	**5**	**8**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	3.1	6	1	1	2	4	6	8	14
20-34	7	3.6	17	1	1	1	7	10	10	10
35-49	10	3.4	9	1	2	2	5	8	11	11
50-64	6	4.2	6	2	2	3	6	8	8	8
65 +	10	4.1	9	1	2	3	6	9	10	10
B. Operated										
0-19 YRS	141	2.1	2	1	1	2	3	4	5	7
20-34	201	2.6	3	1	2	2	3	4	5	10
35-49	94	2.7	3	1	2	2	3	5	6	8
50-64	35	3.4	10	1	1	2	4	8	10	15
65 +	13	3.1	6	1	2	2	4	7	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	3.9	20	1	2	3	4	7	9	25
20-34	22	4.4	8	1	2	4	6	8	10	11
35-49	38	4.3	10	1	2	3	6	9	10	15
50-64	35	5.3	23	1	2	4	7	11	13	26
65 +	73	5.6	13	2	3	5	7	9	13	19
B. Operated										
0-19 YRS	216	4.7	34	1	2	3	5	9	12	27
20-34	126	3.7	11	1	2	3	4	7	11	19
35-49	98	4.4	17	1	2	3	5	10	12	21
50-64	60	4.6	25	1	2	3	5	12	15	26
65 +	74	7.6	81	1	3	5	10	16	20	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	3.4	8	1	1	3	4	8	10	13
B. Operated	484	2.5	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	289	4.6	17	1	2	3	6	9	11	20
B. Operated	574	4.8	32	1	2	3	5	11	15	25
1. SINGLE DX	562	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	863	4.7	27	1	2	3	5	9	13	24
A. Not Operated	367	4.3	15	1	2	3	5	9	10	19
B. Operated	1058	3.8	20	1	2	3	4	7	11	22
TOTAL										
0-19 YRS	523	3.7	20	1	2	2	4	7	10	23
20-34	356	3.1	7	1	2	2	4	6	8	15
35-49	240	3.7	10	1	2	3	5	8	10	18
50-64	136	4.5	20	1	2	3	5	9	14	26
65 +	170	6.2	44	1	2	5	8	12	16	24
GRAND TOTAL	**1425**	**3.9**	**19**	**1**	**2**	**3**	**4**	**8**	**11**	**21**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	4	6.8	4	4	5	7	8	8	8	8
50-64	2	10.5	1	10	10	10	11	11	11	11
65 +	4	4.8	13	2	2	3	7	10	10	10
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	10.0	67	3	4	8	16	19	19	19
50-64	8	10.4	35	2	6	9	16	17	18	18
65 +	2	6.5	13	4	4	6	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.3	10	2	2	3	7	8	8	8
B. Operated	2	5.5	41	1	1	5	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	11	6.5	10	3	4	7	9	11	11	11
B. Operated	13	9.7	34	3	5	9	16	18	19	19
1. SINGLE DX	5	4.8	16	1	2	3	8	10	10	10
2. MULTIPLE DX	24	8.2	25	3	4	8	10	16	18	19
A. Not Operated	14	6.0	10	2	3	6	8	10	11	11
B. Operated	15	9.1	35	1	4	9	14	18	19	19
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	10	6.9	25	2	3	7	8	14	19	19
50-64	11	10.4	24	4	7	10	15	17	18	18
65 +	6	5.3	11	2	3	4	9	10	10	10
GRAND TOTAL	**29**	**7.6**	**25**	**2**	**4**	**8**	**10**	**16**	**18**	**19**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	15	2.5	4	1	1	2	3	6	7	7
35-49	44	2.4	8	1	1	1	3	4	7	18
50-64	50	3.0	8	<1	1	2	5	6	10	11
65+	35	2.8	6	<1	<1	1	4	7	9	9
B. Operated										
0-19 YRS	0									
20-34	20	3.6	6	1	2	3	5	7	9	10
35-49	121	4.1	12	1	2	3	5	8	9	22
50-64	165	4.2	12	1	1	3	5	8	10	19
65+	50	4.4	15	1	2	3	7	9	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	9.5	22	5	6	8	12	16	16	16
20-34	12	2.3	2	1	1	2	3	5	6	6
35-49	60	3.9	14	1	2	3	5	6	8	26
50-64	119	4.7	14	1	2	4	6	8	11	21
65+	247	6.5	45	2	3	5	8	10	13	27
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	35	6.7	20	1	3	6	9	10	18	21
35-49	225	5.9	30	1	3	4	7	11	16	28
50-64	270	6.5	28	1	3	5	8	12	15	27
65+	298	9.1	70	2	4	7	11	18	24	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	2.8	7	<1	1	2	4	6	8	11
B. Operated	356	4.1	12	1	1	3	5	8	10	20
2. MULTIPLE DX										
A. Not Operated	442	5.5	32	1	3	4	7	10	13	25
B. Operated	829	7.2	45	1	3	6	9	14	20	33
1. SINGLE DX	503	3.7	11	1	1	3	5	8	10	18
2. MULTIPLE DX	1271	6.7	41	1	3	5	8	13	17	30
A. Not Operated	589	4.9	27	1	2	4	6	9	12	22
B. Operated	1185	6.3	37	1	3	5	8	13	17	29
TOTAL										
0-19 YRS	8	7.6	15	4	5	7	9	14	16	16
20-34	82	4.5	15	1	2	3	7	9	10	20
35-49	450	4.8	22	1	2	4	6	9	13	27
50-64	604	5.2	20	1	2	4	7	10	14	23
65+	630	7.3	56	1	3	6	9	14	19	38
GRAND TOTAL	**1774**	**5.8**	**34**	**1**	**2**	**4**	**8**	**11**	**15**	**27**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.8	4	2	3	3	5	7	7	7
20-34	198	3.4	8	<1	1	2	5	7	9	13
35-49	337	3.5	8	<1	1	3	5	8	9	13
50-64	158	3.7	9	<1	1	3	5	8	10	13
65+	50	3.6	10	<1	<1	2	6	9	9	11
B. Operated										
0-19 YRS	34	3.3	3	1	2	3	4	6	7	7
20-34	1114	4.3	7	1	2	4	5	7	9	14
35-49	1844	4.3	8	1	2	4	6	8	10	15
50-64	703	4.3	8	1	2	4	6	8	9	14
65+	117	5.3	12	1	3	5	7	10	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.3		3	3	3	4	4	4	4
20-34	116	4.7	20	1	2	3	6	10	14	22
35-49	254	5.2	16	1	2	4	8	10	13	19
50-64	236	5.8	17	1	3	5	8	10	13	23
65+	208	6.7	22	2	4	6	8	12	15	26
B. Operated										
0-19 YRS	9	5.2	9	2	3	5	7	10	10	10
20-34	444	6.3	21	2	3	5	8	12	14	24
35-49	1036	6.4	22	2	3	5	8	12	15	25
50-64	703	6.5	20	2	4	6	8	12	14	21
65+	457	8.7	41	3	4	7	11	17	22	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	748	3.5	9	<1	1	3	5	8	9	13
B. Operated	3812	4.3	8	1	2	4	6	8	9	14
2. MULTIPLE DX										
A. Not Operated	818	5.7	19	1	3	5	8	11	14	22
B. Operated	2649	6.8	25	2	3	6	9	13	16	26
1. SINGLE DX	4560	4.2	8	1	2	4	6	8	9	14
2. MULTIPLE DX	3467	6.5	24	2	3	5	8	12	15	26
A. Not Operated	1566	4.7	15	<1	2	4	6	9	11	18
B. Operated	6461	5.3	17	1	3	4	7	10	13	21
TOTAL										
0-19 YRS	52	3.7	4	1	2	3	5	7	7	10
20-34	1872	4.7	12	1	2	4	6	9	11	17
35-49	3471	4.9	14	1	2	4	6	9	12	19
50-64	1800	5.3	15	1	3	5	7	10	12	18
65+	832	7.4	33	2	4	6	9	14	19	29
GRAND TOTAL	**8027**	**5.2**	**16**	**1**	**3**	**4**	**7**	**10**	**13**	**21**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	19	4.8	17	1	1	4	7	9	14	17
35-49	57	4.4	9	1	2	4	6	8	10	13
50-64	22	4.4	14	1	1	3	7	10	13	13
65 +	10	4.1	3	<1	3	5	5	6	6	6
B. Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	178	4.0	12	1	2	3	5	7	9	20
35-49	451	4.0	7	1	2	3	5	7	9	16
50-64	161	4.3	16	1	2	4	6	7	9	14
65 +	19	5.8	17	3	3	5	6	12	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	19	3.4	4	1	2	3	4	6	8	10
35-49	71	4.9	13	1	2	4	7	9	10	19
50-64	55	4.4	13	1	2	3	6	10	11	16
65 +	45	6.4	33	2	3	5	7	11	18	34
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	66	5.3	11	2	3	4	7	10	13	16
35-49	355	4.7	16	1	2	4	6	9	11	22
50-64	198	5.5	32	1	3	4	6	9	16	36
65 +	63	8.8	57	2	4	7	10	16	23	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	4.4	10	1	2	4	6	8	11	15
B. Operated	811	4.1	10	1	2	4	5	7	9	16
2. MULTIPLE DX										
A. Not Operated	192	4.9	17	1	2	4	7	9	11	20
B. Operated	683	5.4	25	1	3	4	7	10	13	27
1. SINGLE DX	920	4.1	10	1	2	4	5	7	9	16
2. MULTIPLE DX	875	5.3	24	1	3	4	7	10	13	26
A. Not Operated	301	4.8	15	1	2	4	7	9	11	19
B. Operated	1494	4.7	18	1	2	4	6	8	11	21
TOTAL										
0-19 YRS	6	5.3	9	1	4	5	7	10	10	10
20-34	282	4.3	12	1	2	4	5	8	10	17
35-49	934	4.4	11	1	2	4	5	8	10	16
50-64	436	4.9	23	1	2	4	6	8	11	25
65 +	137	7.3	42	2	4	6	9	14	18	36
GRAND TOTAL	**1795**	**4.7**	**17**	**1**	**2**	**4**	**6**	**8**	**11**	**20**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	9.5	5	8	8	9	11	11	11	11
20-34	4	4.3	5	2	2	4	6	7	7	7
35-49	7	5.6	8	2	4	6	8	9	9	9
50-64	4	3.0	5	1	1	2	4	6	6	6
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	9	6.7	13	1	5	7	9	11	11	11
35-49	27	5.3	14	1	2	5	9	10	11	12
50-64	4	5.5	10	2	3	5	8	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	5.4	9	2	3	5	6	10	12	12
35-49	10	7.2	42	2	3	5	9	17	24	24
50-64	9	6.9	16	2	4	8	10	12	13	13
65 +	10	5.6	25	1	2	4	6	14	15	15
B. Operated										
0-19 YRS	2	11.0	8	9	9	11	13	13	13	13
20-34	22	5.7	21	1	2	6	8	10	14	20
35-49	37	7.0	38	1	3	6	9	12	13	37
50-64	14	8.4	24	3	6	7	12	14	19	21
65 +	6	9.7	84	1	4	7	11	25	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.8	9	1	2	4	7	9	10	11
B. Operated	41	5.8	14	1	2	6	9	11	12	13
2. MULTIPLE DX										
A. Not Operated	38	6.2	23	2	3	5	9	13	15	24
B. Operated	81	7.2	34	2	3	7	9	12	17	34
1. SINGLE DX	60	5.5	12	1	2	5	8	10	11	13
2. MULTIPLE DX	119	6.9	30	2	3	6	9	13	15	30
A. Not Operated	57	5.7	18	2	3	4	8	11	14	23
B. Operated	122	6.7	27	1	2	7	9	12	13	30
TOTAL										
0-19 YRS	6	9.5	14	3	8	10	13	13	13	13
20-34	43	5.7	15	1	2	6	8	10	11	20
35-49	81	6.4	28	1	2	6	9	11	12	33
50-64	31	6.9	20	2	3	6	9	13	13	21
65 +	18	6.6	44	1	2	4	8	15	22	27
GRAND TOTAL	**179**	**6.4**	**24**	**1**	**2**	**6**	**9**	**12**	**13**	**26**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	1.8	1	1	1	1	2	4	4	4
35-49	32	2.3	4	1	1	2	3	5	7	9
50-64	17	2.0	3	1	1	1	2	4	7	8
65+	2	7.5	5	6	6	7	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	9	4.8	6	1	3	5	6	8	9	9
35-49	14	2.0	3	1	1	1	2	4	6	7
50-64	6	1.8	3	1	1	1	2	5	5	5
65+	3	3.3	1	2	2	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	6.8	17	2	4	5	10	12	12	12
35-49	21	4.4	8	1	2	3	6	9	10	10
50-64	19	5.3	8	2	3	5	7	9	10	11
65+	49	7.8	46	3	4	6	9	14	20	40
B. Operated										
0-19 YRS	0									
20-34	7	3.3	5	1	1	3	5	7	7	7
35-49	18	5.2	45	1	1	2	6	18	22	23
50-64	10	7.4	59	1	2	5	7	21	22	22
65+	7	10.4	73	2	3	8	15	24	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.3	4	1	1	2	3	5	7	9
B. Operated	32	2.9	5	1	1	2	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	95	6.4	30	2	3	5	8	11	14	34
B. Operated	42	6.3	48	1	2	3	7	21	22	26
1. SINGLE DX	94	2.5	4	1	1	2	4	6	7	9
2. MULTIPLE DX	137	6.4	35	1	3	5	8	13	20	29
A. Not Operated	157	4.8	23	1	2	4	6	9	12	27
B. Operated	74	4.8	32	1	1	3	6	11	21	25
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	32	3.8	8	1	1	3	5	8	10	12
35-49	85	3.4	15	1	1	2	4	7	10	22
50-64	52	4.2	19	1	1	3	6	9	11	22
65+	61	7.8	46	2	4	6	9	14	23	39
GRAND TOTAL	**231**	**4.8**	**26**	**1**	**1**	**3**	**6**	**10**	**14**	**26**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	2.6	5	1	1	2	4	5	7	10
20-34	192	3.3	9	1	1	2	5	7	9	16
35-49	278	3.4	8	1	1	3	5	7	9	13
50-64	113	4.0	16	1	1	3	6	8	12	22
65+	54	3.3	15	< 1	< 1	1	4	7	13	18
B. Operated										
0-19 YRS	12	2.8	5	< 1	1	2	4	7	7	7
20-34	168	3.3	31	1	1	2	4	6	11	19
35-49	316	2.9	7	1	1	2	4	7	8	12
50-64	201	3.7	8	1	1	3	6	8	9	12
65+	114	4.0	9	1	1	4	6	8	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	2.8	5	1	1	2	3	5	9	10
20-34	162	4.8	25	1	2	3	6	10	16	27
35-49	354	5.4	23	1	2	4	7	11	15	25
50-64	253	5.5	20	1	2	4	7	11	13	23
65+	311	6.5	27	2	3	6	8	12	16	29
B. Operated										
0-19 YRS	19	4.2	13	1	1	3	6	9	12	15
20-34	174	5.4	36	1	1	3	7	11	16	31
35-49	409	5.2	25	1	2	4	7	10	14	23
50-64	407	6.8	47	1	3	6	8	13	17	39
65+	507	9.2	55	2	5	8	11	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	673	3.5	10	1	1	2	5	8	9	17
B. Operated	811	3.3	13	1	1	2	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	1117	5.5	24	1	2	4	7	11	15	26
B. Operated	1516	7.0	45	1	2	6	9	14	20	36
1. SINGLE DX	1484	3.4	12	1	1	2	5	7	9	15
2. MULTIPLE DX	2633	6.4	36	1	2	5	8	12	18	29
A. Not Operated	1790	4.8	20	1	2	4	6	10	13	24
B. Operated	2327	5.7	37	1	2	4	8	11	16	28
TOTAL										
0-19 YRS	104	3.0	7	1	1	2	4	7	9	12
20-34	696	4.2	25	1	1	3	5	9	12	23
35-49	1357	4.4	18	1	1	3	6	9	12	21
50-64	974	5.5	30	1	2	4	7	10	14	27
65+	986	7.4	43	1	3	6	9	14	21	32
GRAND TOTAL	**4117**	**5.3**	**29**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	3.0	4	1	2	2	4	5	6	13
20-34	9	2.8	3	1	2	2	3	6	7	7
35-49	18	3.2	1	2	3	3	4	5	5	5
50-64	15	4.5	15	1	1	3	7	10	12	13
65 +	7	3.1	5	1	1	3	5	7	7	7
B. Operated										
0-19 YRS	37	2.7	7	<1	<1	1	3	7	9	10
20-34	107	2.1	3	<1	1	1	3	4	6	8
35-49	171	2.1	3	<1	1	2	3	4	5	10
50-64	114	2.0	2	<1	1	2	3	4	4	9
65 +	44	1.9	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.7	4	1	1	2	4	6	7	9
20-34	26	3.3	3	2	2	3	4	5	7	8
35-49	43	3.6	3	1	2	3	5	6	7	8
50-64	41	4.9	18	1	2	3	6	10	11	25
65 +	76	5.4	13	2	3	5	6	9	11	23
B. Operated										
0-19 YRS	19	3.8	7	<1	1	4	6	7	9	10
20-34	80	3.9	31	<1	1	2	4	9	12	35
35-49	182	2.7	13	<1	1	2	3	5	7	12
50-64	216	2.9	6	1	1	2	4	6	8	12
65 +	101	4.4	31	<1	1	3	6	8	12	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	3.2	5	1	2	3	4	6	8	13
B. Operated	473	2.1	3	<1	1	1	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	220	4.3	11	1	2	4	5	8	9	20
B. Operated	598	3.3	16	<1	1	2	4	7	9	19
1. SINGLE DX	588	2.3	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	818	3.5	15	1	1	2	4	7	9	19
A. Not Operated	335	3.9	9	1	2	3	5	7	9	16
B. Operated	1071	2.8	11	<1	1	2	3	6	7	13
TOTAL										
0-19 YRS	156	3.0	5	<1	1	2	4	6	7	10
20-34	222	2.9	13	<1	1	2	3	5	8	16
35-49	414	2.6	8	<1	1	2	3	5	6	11
50-64	386	2.9	7	<1	1	2	4	6	9	12
65 +	228	4.2	20	<1	1	3	5	8	10	26
GRAND TOTAL	**1406**	**3.0**	**11**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	15	1.6	1	1	1	1	2	3	4	4
20-34	34	1.6	1	1	1	1	2	3	4	4
35-49	43	1.8	1	<1	1	1	2	3	4	4
50-64	46	1.8	2	<1	1	1	3	3	4	6
65 +	24	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65 +	2	2.5	5	<1	<1	2	4	4	4	4
B. Operated										
0-19 YRS	19	1.5		<1	<1	1	2	2	3	3
20-34	60	1.8	1	<1	<1	1	2	3	4	6
35-49	148	2.0	3	<1	<1	1	2	4	5	9
50-64	226	2.2	3	<1	1	2	3	4	5	8
65 +	205	2.3	3	<1	1	2	3	5	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	162	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	3	4.3	12	<1	1	4	7	8	8	8
B. Operated	658	2.1	2	<1	1	2	3	4	5	7
1. SINGLE DX	163	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX	661	2.1	2	<1	1	2	3	4	5	8
A. Not Operated	4	3.8	10	<1	1	3	6	8	8	8
B. Operated	820	2.1	2	<1	1	2	3	4	5	7
TOTAL										
0-19 YRS	34	1.6	1	<1	1	1	2	3	3	4
20-34	94	1.7	1	<1	1	1	2	3	4	6
35-49	191	1.9	2	<1	<1	1	2	3	4	8
50-64	274	2.2	3	<1	1	2	3	4	5	8
65 +	231	2.3	2	<1	1	2	3	4	5	7
GRAND TOTAL	**824**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	0									
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	42	1.1		<1	<1	<1	1	1	2	4
20-34	45	1.3	1	<1	<1	<1	1	2	4	4
35-49	40	1.5	2	<1	<1	<1	1	3	5	8
50-64	27	1.3		<1	<1	<1	2	2	3	3
65+	13	1.2		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64	4	4.8	4	2	3	5	6	6	6	6
65+	6	6.0	24	1	3	5	7	14	15	15
B. Operated										
0-19 YRS	7	2.6	6	<1	<1	<1	4	7	7	7
20-34	11	1.5	1	<1	<1	1	2	3	4	4
35-49	15	1.9	2	<1	<1	2	2	3	5	6
50-64	13	2.2	2	<1	1	2	3	4	5	5
65+	21	3.1	8	<1	1	2	3	6	10	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		<1	<1	<1	1	1	1	1
B. Operated	167	1.3	1	<1	<1	<1	1	2	3	7
2. MULTIPLE DX										
A. Not Operated	14	4.8	12	1	2	5	6	8	13	15
B. Operated	67	2.3	4	<1	<1	2	3	5	6	12
1. SINGLE DX	169	1.3	1	<1	<1	<1	1	2	3	7
2. MULTIPLE DX	81	2.8	6	<1	1	2	3	6	7	14
A. Not Operated	16	4.3	12	1	2	4	6	7	13	15
B. Operated	234	1.6	2	<1	<1	<1	2	3	4	8
TOTAL										
0-19 YRS	50	1.3	1	<1	<1	<1	1	2	4	7
20-34	56	1.3	1	<1	<1	<1	1	2	4	4
35-49	59	1.7	2	<1	<1	<1	2	4	6	8
50-64	44	1.9	2	<1	<1	1	2	4	5	6
65+	41	2.9	10	<1	1	2	3	6	10	15
GRAND TOTAL	**250**	**1.8**	**3**	**<1**	**<1**	**<1**	**2**	**4**	**5**	**8**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	9.0	58	2	6	8	11	14	19	48
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	9	9.3	30	3	6	7	14	17	18	18
50-64	6	4.7	4	1	4	5	6	6	6	6
65+	5	6.2	53	1	2	3	8	19	19	19
B. Operated										
0-19 YRS	60	12.5	90	3	5	10	18	26	31	44
20-34	16	6.1	29	1	3	5	8	12	20	23
35-49	42	7.9	46	1	3	5	12	17	21	29
50-64	13	5.2	7	2	4	5	6	9	10	10
65+	5	5.0	19	1	2	4	7	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	12.8	70	4	7	9	18	28	29	34
20-34	17	12.9	116	3	6	9	16	32	36	37
35-49	32	12.8	126	4	6	9	15	30	42	48
50-64	37	9.9	39	2	5	9	14	21	23	23
65+	74	13.3	153	4	7	10	16	23	34	70
B. Operated										
0-19 YRS	115	17.9	202	6	9	14	23	34	48	99+
20-34	67	15.1	200	3	5	12	22	31	36	86
35-49	111	13.8	171	4	6	9	16	29	47	65
50-64	155	14.9	231	3	6	10	19	32	36	93
65+	152	15.9	219	3	7	13	22	32	44	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	8.2	48	2	4	7	10	15	18	44
B. Operated	136	9.3	66	2	3	7	13	21	26	36
2. MULTIPLE DX										
A. Not Operated	235	12.5	102	4	6	9	16	26	30	53
B. Operated	600	15.6	208	4	7	12	20	32	42	94
1. SINGLE DX	202	9.0	60	2	4	7	12	19	24	40
2. MULTIPLE DX	835	14.7	180	4	6	11	19	29	38	91
A. Not Operated	301	[illegible]	93	3	6	9	14	22	29	50
B. Operated	736	14.4	188	3	6	11	19	30	38	92
TOTAL										
0-19 YRS	293	14.2	134	4	7	11	18	28	35	92
20-34	103	13.0	165	3	5	9	18	29	35	66
35-49	194	12.1	135	3	5	8	15	26	38	59
50-64	211	13.2	186	3	5	9	17	25	33	88
65+	236	14.7	195	3	6	11	19	30	40	82
GRAND TOTAL	**1037**	**13.6**	**162**	**3**	**6**	**10**	**17**	**28**	**36**	**80**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	5.2	30	1	2	4	6	9	17	30
20-34	17	2.4	2	1	1	2	3	4	5	5
35-49	37	2.6	3	1	1	2	3	5	6	8
50-64	20	4.2	20	1	1	3	4	10	15	19
65+	27	5.6	13	2	3	4	8	11	14	15
B. Operated										
0-19 YRS	388	3.7	10	1	1	3	5	7	9	17
20-34	164	3.2	5	1	1	3	4	7	8	10
35-49	133	4.6	12	1	2	4	6	9	10	18
50-64	91	4.6	11	<1	1	4	7	9	10	16
65+	44	7.0	25	2	3	6	10	13	17	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	4.1	25	1	1	2	5	10	14	25
20-34	43	2.3	2	1	1	2	3	4	5	6
35-49	139	3.4	14	1	2	2	4	7	11	19
50-64	185	5.9	38	2	2	4	7	13	17	31
65+	720	8.3	47	3	4	7	10	16	20	38
B. Operated										
0-19 YRS	146	6.0	58	1	2	4	7	11	17	38
20-34	234	5.5	37	1	2	4	7	10	14	38
35-49	267	8.1	95	2	3	6	10	13	22	64
50-64	300	8.6	52	2	4	7	11	17	22	31
65+	448	12.3	94	4	7	10	14	23	30	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	4.3	18	1	2	3	5	8	11	24
B. Operated	820	4.0	11	1	2	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	1142	6.9	43	2	3	5	9	14	18	34
B. Operated	1395	8.9	78	2	3	7	11	17	24	43
1. SINGLE DX	985	4.1	12	1	2	3	5	8	10	18
2. MULTIPLE DX	2537	8.0	63	2	3	6	10	16	22	38
A. Not Operated	1307	6.5	41	1	3	5	8	14	18	32
B. Operated	2215	7.1	59	1	2	5	9	14	20	36
TOTAL										
0-19 YRS	653	4.4	24	1	2	3	5	8	12	25
20-34	458	4.3	23	1	2	3	5	8	11	21
35-49	576	5.8	55	1	2	4	7	11	16	36
50-64	596	7.0	43	1	3	5	9	14	19	31
65+	1239	9.6	67	3	5	8	12	18	23	44
GRAND TOTAL	**3522**	**6.9**	**52**	**1**	**2**	**5**	**9**	**14**	**19**	**35**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.7	1	1	1	2	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	94	3.1	20	1	1	2	3	5	6	31
20-34	11	2.7	2	<1	1	3	4	5	6	6
35-49	14	2.6	3	<1	1	2	4	5	6	6
50-64	14	5.6	53	<1	<1	4	6	12	25	29
65+	4	3.5	4	<1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.5	16	<1	1	2	5	10	11	11
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	0									
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	21.0	733	2	4	9	41	52	52	52
B. Operated										
0-19 YRS	182	3.1	9	1	2	2	4	5	7	14
20-34	32	3.6	19	<1	1	2	4	6	9	25
35-49	33	3.6	6	<1	1	3	5	7	8	11
50-64	25	3.7	7	<1	1	3	6	8	9	10
65+	31	5.4	16	1	2	4	8	11	14	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.6	1	1	1	1	2	3	3	3
B. Operated	137	3.3	20	<1	1	2	4	6	7	30
2. MULTIPLE DX										
A. Not Operated	13	7.0	194	<1	1	2	6	19	46	52
B. Operated	303	3.5	11	1	1	3	4	7	9	16
1. SINGLE DX	144	3.2	19	<1	1	2	4	6	7	29
2. MULTIPLE DX	316	3.6	18	1	1	3	4	7	9	20
A. Not Operated	20	5.1	130	<1	1	2	3	10	31	52
B. Operated	440	3.4	13	1	1	3	4	6	8	25
TOTAL										
0-19 YRS	288	3.1	12	1	1	2	4	5	7	21
20-34	46	3.2	14	<1	1	2	4	6	7	25
35-49	47	3.3	5	<1	1	3	5	6	8	11
50-64	41	4.3	23	<1	1	3	6	8	10	29
65+	38	6.4	72	1	2	4	8	12	16	52
GRAND TOTAL	**460**	**3.5**	**18**	**1**	**1**	**3**	**4**	**6**	**9**	**25**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.5	5	1	1	2	3	6	8	10
20-34	40	3.3	6	1	1	2	5	7	8	11
35-49	43	4.4	25	1	1	2	6	11	18	19
50-64	26	2.9	3	1	2	2	4	5	6	8
65 +	14	2.9	3	1	1	3	4	6	6	6
B. Operated										
0-19 YRS	310	5.6	11	1	3	6	8	9	10	14
20-34	95	4.3	18	1	1	3	6	10	12	21
35-49	98	3.4	16	< 1	1	2	4	7	11	21
50-64	90	3.2	12	< 1	1	2	4	8	11	18
65 +	31	2.3	5	< 1	1	1	3	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	2.9	7	1	1	2	3	6	7	15
20-34	96	4.6	18	1	2	4	6	9	10	24
35-49	164	4.7	13	2	2	4	6	9	12	20
50-64	131	4.4	23	1	2	3	5	9	11	23
65 +	156	6.3	43	2	3	5	8	12	15	19
B. Operated										
0-19 YRS	413	6.6	64	1	2	4	9	13	18	45
20-34	168	5.7	61	1	2	3	7	12	19	68
35-49	228	7.0	92	1	2	4	9	16	25	48
50-64	203	6.6	48	1	2	4	9	13	19	40
65 +	144	6.4	42	1	2	4	9	15	21	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	3.3	11	1	1	2	4	7	9	19
B. Operated	624	4.5	14	1	1	4	7	9	10	18
2. MULTIPLE DX										
A. Not Operated	630	4.8	23	1	2	4	6	9	12	20
B. Operated	1156	6.5	64	1	2	4	9	14	20	42
1. SINGLE DX	778	4.3	14	1	1	3	6	9	10	19
2. MULTIPLE DX	1786	5.9	50	1	2	4	8	12	18	32
A. Not Operated	784	4.5	21	1	2	3	6	9	12	19
B. Operated	1780	5.8	47	1	2	4	8	12	17	31
TOTAL										
0-19 YRS	837	5.7	38	1	2	5	8	10	14	29
20-34	399	4.8	35	1	1	3	6	10	14	28
35-49	533	5.4	50	1	2	3	7	11	18	31
50-64	450	5.0	33	1	2	3	7	11	14	28
65 +	345	5.8	39	1	2	4	7	13	16	24
GRAND TOTAL	**2564**	**5.4**	**40**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	8.0	18	5	5	8	11	11	11	11
1. SINGLE DX	0									
2. MULTIPLE DX	2	8.0	18	5	5	8	11	11	11	11
A. Not Operated	0									
B. Operated	2	8.0	18	5	5	8	11	11	11	11
TOTAL										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**2**	**8.0**	**18**	**5**	**5**	**8**	**11**	**11**	**11**	**11**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	3.9	38	<1	1	2	3	7	23	26
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65+	0									
B. Operated										
0-19 YRS	153	4.9	17	1	2	4	6	9	12	22
20-34	3	11.7	30	6	7	12	16	17	17	17
35-49	13	6.5	12	3	4	6	8	11	14	15
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	5.4	37	1	2	4	5	13	22	29
20-34	6	6.3	51	1	2	2	14	17	17	17
35-49	4	2.5	6	1	1	2	4	6	6	6
50-64	0									
65+	2	10.0	32	6	6	10	14	14	14	14
B. Operated										
0-19 YRS	320	9.0	83	2	4	6	10	18	32	99+
20-34	17	6.6	16	1	4	7	8	13	14	14
35-49	16	7.7	19	2	6	7	9	12	18	20
50-64	5	11.8	81	5	6	7	16	27	27	27
65+	2	13.5	113	6	6	13	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	3.9	36	<1	1	2	3	8	23	26
B. Operated	172	5.1	18	1	2	4	6	10	12	22
2. MULTIPLE DX										
A. Not Operated	101	5.4	37	1	2	3	6	14	20	28
B. Operated	360	8.9	77	2	4	6	10	18	31	99+
1. SINGLE DX	201	4.9	20	1	2	4	6	10	13	24
2. MULTIPLE DX	461	8.2	70	2	4	6	10	17	27	93
A. Not Operated	130	5.1	37	1	1	3	5	13	22	28
B. Operated	532	7.7	61	2	3	6	9	16	24	64
TOTAL										
0-19 YRS	589	7.2	61	1	3	5	8	16	24	59
20-34	27	6.9	26	1	2	7	10	14	17	17
35-49	34	6.6	16	1	4	7	8	10	14	20
50-64	7	9.1	75	2	4	7	12	24	27	27
65+	5	11.0	42	6	6	8	16	21	21	21
GRAND TOTAL	**662**	**7.2**	**57**	**1**	**3**	**5**	**8**	**16**	**23**	**58**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	1.1		<1	<1	<1	<1	1	2	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	261	1.4	1	<1	<1	1	1	3	3	5
20-34	15	1.3		1	1	1	2	2	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64	4	2.0	1	<1	<1	2	3	3	3	3
65+	3	2.3	5	<1	<1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	1.8	2	<1	1	1	2	4	5	5
20-34	0									
35-49	0									
50-64	0									
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	123	1.8	3	1	1	1	2	3	4	10
20-34	6	1.7		<1	1	2	2	2	2	2
35-49	6	2.2	1	<1	1	2	3	4	4	4
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	5	1.4	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	1.2	1	<1	<1	<1	<1	1	3	5
B. Operated	286	1.4	1	<1	<1	1	1	3	3	5
2. MULTIPLE DX										
A. Not Operated	23	1.9	2	<1	1	1	3	4	5	5
B. Operated	143	1.9	3	1	1	1	2	3	4	8
1. SINGLE DX	367	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	166	1.9	3	<1	1	1	2	3	4	8
A. Not Operated	104	1.3	1	<1	<1	<1	1	3	4	5
B. Operated	429	1.5	1	<1	1	1	2	3	4	6
TOTAL										
0-19 YRS	486	1.5	1	<1	<1	1	1	3	4	6
20-34	22	1.6	1	<1	1	1	2	3	4	5
35-49	9	1.9	1	<1	1	2	2	4	4	4
50-64	7	2.3	2	<1	1	3	3	4	4	4
65+	9	2.0	3	<1	1	1	3	5	5	5
GRAND TOTAL	**533**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated			-							
0-19 YRS	101	5.5	41	1	2	3	8	12	14	74
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	719	4.4	22	1	1	4	6	9	11	18
20-34	39	4.1	13	1	1	2	7	9	10	16
35-49	26	4.3	10	1	1	4	7	9	10	10
50-64	4	4.5	12	1	1	4	7	8	8	8
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	425	5.8	74	1	2	3	7	12	19	40
20-34	13	6.6	116	<1	1	2	6	25	35	37
35-49	9	2.7	4	<1	1	3	4	6	6	6
50-64	5	4.4	18	1	1	2	8	10	10	10
65 +	5	6.2	17	1	3	6	9	12	12	12
B. Operated										
0-19 YRS	2201	8.1	89	1	2	6	10	18	28	86
20-34	73	7.4	39	1	2	7	10	15	19	85
35-49	70	6.6	38	1	2	6	9	13	16	35
50-64	28	13.0	279	2	3	8	13	29	61	72
65 +	26	7.3	32	2	3	6	10	18	20	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	5.5	41	1	2	3	8	12	14	73
B. Operated	789	4.4	21	1	1	3	6	9	10	18
2. MULTIPLE DX										
A. Not Operated	457	5.8	72	1	1	3	7	12	20	39
B. Operated	2398	8.1	88	1	2	6	10	18	28	80
1. SINGLE DX	892	4.5	23	1	1	3	6	9	11	21
2. MULTIPLE DX	2855	7.7	86	1	2	6	10	17	26	71
A. Not Operated	560	5.7	66	1	2	3	7	12	19	44
B. Operated	3187	7.1	74	1	2	5	9	16	23	61
TOTAL										
0-19 YRS	3446	7.0	74	1	2	5	9	15	23	59
20-34	126	6.2	40	1	2	4	9	15	19	51
35-49	106	5.7	29	1	2	4	8	11	13	30
50-64	37	10.9	226	1	3	8	10	26	49	72
65 +	32	6.9	29	2	3	5	9	14	20	21
GRAND TOTAL	**3747**	**6.9**	**73**	**1**	**2**	**5**	**9**	**15**	**22**	**59**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.9	4	1	2	2	3	6	7	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	405	2.1	1	1	1	2	3	4	4	6
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.1	2	1	1	2	3	4	6	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	494	2.5	3	1	1	2	3	4	6	11
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.9	4	1	2	2	3	6	7	8
B. Operated	407	2.1	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	35	2.1	2	1	1	2	3	4	6	7
B. Operated	498	2.5	3	1	1	2	3	4	6	11
1. SINGLE DX	428	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX	533	2.5	3	1	1	2	3	4	6	10
A. Not Operated	56	2.4	3	1	1	2	3	5	7	8
B. Operated	905	2.3	2	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	955	2.3	2	1	1	2	3	4	5	8
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**961**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.2	1	1	2	2	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	483	2.9	2	2	2	3	3	4	5	7
20-34	0									
35-49	0									
50-64	0									
65 +	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.6	2	< 1	1	2	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	157	3.8	4	2	3	3	4	6	7	13
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.2	1	1	2	2	3	3	3	3
B. Operated	485	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	5	2.6	2	< 1	1	2	4	4	4	4
B. Operated	157	3.8	4	2	3	3	4	6	7	13
1. SINGLE DX	491	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX	162	3.7	4	2	3	3	4	6	7	13
A. Not Operated	11	2.4	1	1	2	2	3	4	4	4
B. Operated	642	3.1	3	2	2	3	3	4	6	9
TOTAL										
0-19 YRS	651	3.1	3	2	2	3	3	4	5	9
20-34	0									
35-49	0									
50-64	0									
65 +	2	4.5	5	3	3	4	6	6	6	6
GRAND TOTAL	**653**	**3.1**	**3**	**2**	**2**	**3**	**3**	**4**	**6**	**9**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	3.2	10	< 1	1	2	4	8	11	15
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	390	5.3	40	< 1	2	4	7	10	13	26
20-34	14	5.4	9	1	3	6	8	9	10	10
35-49	7	5.6	55	1	1	1	7	18	21	21
50-64	2	4.0	18	1	1	4	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	7.2	127	1	2	3	6	22	40	72
20-34	0									
35-49	4	4.0	8	2	2	3	6	8	8	8
50-64	2	4.0	8	2	2	4	6	6	6	6
65 +	7	4.0	8	1	2	3	7	8	8	8
B. Operated										
0-19 YRS	503	10.6	209	1	3	6	13	31	65	99 +
20-34	16	6.2	7	1	5	6	8	9	10	11
35-49	13	6.6	37	1	2	5	9	12	22	24
50-64	10	6.2	24	1	3	5	7	14	17	17
65 +	10	11.7	52	4	7	10	15	23	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	3.2	10	< 1	1	2	4	8	11	15
B. Operated	413	5.3	39	< 1	2	4	7	10	13	24
2. MULTIPLE DX										
A. Not Operated	134	6.9	116	1	2	3	6	18	37	67
B. Operated	552	10.3	194	1	3	6	12	28	62	99 +
1. SINGLE DX	465	5.1	36	< 1	1	4	7	10	13	21
2. MULTIPLE DX	686	9.7	180	1	2	5	11	25	48	99 +
A. Not Operated	186	5.9	89	1	2	3	5	12	24	60
B. Operated	965	8.2	133	1	2	5	9	20	35	99 +
TOTAL										
0-19 YRS	1066	7.9	135	1	2	5	9	20	36	99 +
20-34	30	5.8	8	1	3	6	8	9	10	11
35-49	24	5.9	36	1	1	5	8	10	22	24
50-64	14	5.6	20	1	2	5	7	12	16	17
65 +	17	8.5	48	2	3	7	12	18	24	27
GRAND TOTAL	**1151**	**7.8**	**127**	**1**	**2**	**5**	**9**	**19**	**34**	**99 +**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	146	1.1		<1	<1	1	1	1	2	3
20-34	5	2.6	13	<1	<1	1	3	9	9	9
35-49	5	1.8	1	<1	1	2	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
B. Operated										
0-19 YRS	164	1.5	2	<1	<1	1	2	2	3	7
20-34	8	1.9	1	1	1	2	3	4	4	4
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	157	1.2	1	<1	<1	1	1	2	2	6
2. MULTIPLE DX										
A. Not Operated	4	1.0		<1	<1	1	1	1	1	1
B. Operated	177	1.5	2	<1	<1	1	2	3	3	7
1. SINGLE DX	160	1.2	1	<1	<1	1	1	2	2	6
2. MULTIPLE DX	181	1.5	2	<1	<1	1	2	3	3	7
A. Not Operated	7	1.1		<1	1	1	1	2	2	2
B. Operated	334	1.4	1	<1	<1	1	1	2	3	7
TOTAL										
0-19 YRS	316	1.3	1	<1	<1	1	1	2	3	6
20-34	13	2.2	5	<1	1	1	2	5	8	9
35-49	10	1.5	1	<1	1	1	2	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+	0									
GRAND TOTAL	**341**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	1.4	2	<1	1	1	1	2	3	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	625	2.9	8	<1	1	2	4	6	9	13
20-34	25	3.6	6	<1	2	3	5	7	8	9
35-49	11	3.1	3	<1	1	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	4.1	[illegible]	<1	1	2	5	9	12	39
20-34	6	3.7	[illegible]	<1	1	3	6	7	7	7
35-49	11	5.6	18	2	3	3	7	12	16	16
50-64	1	12.0		12	12	12	12	12	12	12
65+	4	4.3	8	2	2	4	6	8	8	8
B. Operated										
0-19 YRS	471	6.4	46	1	2	4	8	13	17	35
20-34	45	5.2	26	1	2	4	5	14	18	23
35-49	40	5.6	9	2	3	5	7	10	11	14
50-64	20	8.8	89	2	4	7	9	14	30	46
65+	8	6.6	25	<1	1	8	10	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	1.4	2	1	1	1	1	2	3	8
B. Operated	663	2.9	7	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	81	4.3	30	<1	1	3	5	9	12	34
B. Operated	584	6.3	43	1	2	4	8	13	16	35
1. SINGLE DX	698	2.8	7	<1	1	2	4	6	8	13
2. MULTIPLE DX	665	6.1	42	1	2	4	8	12	16	35
A. Not Operated	116	3.5	23	<1	1	2	4	8	11	26
B. Operated	1247	4.5	27	1	1	3	6	10	13	26
TOTAL										
0-19 YRS	1188	4.3	27	<1	1	3	5	10	12	26
20-34	77	4.5	18	1	2	4	5	9	14	22
35-49	62	5.2	10	1	3	5	7	10	11	16
50-64	23	8.3	82	2	4	7	9	13	26	46
65+	13	6.0	19	<1	2	7	9	11	13	14
GRAND TOTAL	**1363**	**4.4**	**27**	**<1**	**1**	**3**	**6**	**10**	**13**	**26**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.1	2	<1	1	2	3	4	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	259	2.3	1	1	1	2	3	4	5	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.9	4	<1	1	2	4	6	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	108	3.1	11	1	2	2	4	5	6	24
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	14	2.3	3	1	1	2	4	4	6	6
50-64	4	4.0	3	2	3	4	5	6	6	6
65 +	5	3.8	4	2	2	4	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.1	2	<1	1	2	2	4	6	6
B. Operated	261	2.3	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	11	2.6	3	<1	1	2	4	5	7	7
B. Operated	134	3.1	9	1	2	2	4	5	6	24
1. SINGLE DX	274	2.3	1	1	1	2	3	4	5	6
2. MULTIPLE DX	145	3.0	9	1	2	2	4	5	6	24
A. Not Operated	24	2.3	2	<1	1	2	3	4	6	7
B. Operated	395	2.6	4	1	1	2	3	4	5	7
TOTAL										
0-19 YRS	388	2.5	4	1	1	2	3	4	5	7
20-34	6	2.7	1	2	2	3	3	4	4	4
35-49	16	2.3	2	1	1	2	3	4	5	6
50-64	4	4.0	3	2	3	4	5	6	6	6
65 +	5	3.8	4	2	2	4	5	7	7	7
GRAND TOTAL	**419**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	3.2	26	<1	1	2	3	7	10	32
20-34	5	4.8	9	<1	1	7	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	757	3.6	10	1	1	3	5	7	9	19
20-34	56	2.9	8	<1	1	2	4	7	9	12
35-49	40	3.4	10	<1	1	2	5	8	10	14
50-64	18	2.6	6	1	1	2	3	7	9	9
65 +	8	1.6	1	<1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	151	5.2	39	1	1	3	7	13	19	98
20-34	6	6.5	22	4	4	5	6	15	16	16
35-49	8	5.1	6	2	3	5	7	8	8	8
50-64	7	5.1	11	1	3	3	9	9	9	9
65 +	7	5.9	13	1	2	7	9	11	11	11
B. Operated										
0-19 YRS	574	6.7	69	1	2	4	8	15	23	92
20-34	43	7.3	38	1	3	6	11	17	20	26
35-49	43	7.1	28	1	3	5	10	13	21	22
50-64	31	7.9	47	1	3	7	10	14	17	36
65 +	19	9.4	65	2	3	8	12	17	28	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	3.2	24	<1	1	2	3	7	9	30
B. Operated	879	3.5	10	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. Not Operated	179	5.2	35	1	1	3	7	13	17	84
B. Operated	710	6.9	63	1	2	5	8	15	22	59
1. SINGLE DX	982	3.5	12	1	1	2	5	7	9	18
2. MULTIPLE DX	889	6.6	58	1	2	5	8	15	21	69
A. Not Operated	282	4.5	32	<1	1	3	6	10	15	47
B. Operated	1589	5.0	37	1	1	3	6	10	15	33
TOTAL										
0-19 YRS	1577	4.9	37	1	1	3	6	10	15	35
20-34	110	4.9	24	<1	1	3	6	11	16	24
35-49	92	5.2	21	1	2	4	8	11	14	22
50-64	57	5.8	35	1	1	4	9	12	15	35
65 +	35	6.7	48	1	2	4	10	13	17	36
GRAND TOTAL	**1871**	**4.9**	**36**	**1**	**1**	**3**	**6**	**10**	**15**	**34**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	12.1	43	4	6	13	18	21	22	23
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	22.7	185	12	13	18	33	38	38	38
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	267	18.8	193	5	9	16	27	43	58	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	90	39.8	721	11	23	59	99 +	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	12.1	43	4	6	13	18	21	22	23
B. Operated	3	22.7	185	12	13	18	33	38	38	38
2. MULTIPLE DX										
A. Not Operated	267	18.8	193	5	9	16	27	43	58	99 +
B. Operated	90	39.8	721	11	23	59	99 +	99 +	99 +	99 +
1. SINGLE DX	43	12.8	56	4	6	13	18	21	23	38
2. MULTIPLE DX	357	24.1	407	6	10	21	46	99 +	99 +	99 +
A. Not Operated	307	17.9	178	5	8	15	25	40	56	99 +
B. Operated	93	39.2	710	11	23	54	99 +	99 +	99 +	99 +
TOTAL										
0-19 YRS	400	22.9	382	6	10	19	41	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**400**	**22.9**	**382**	**6**	**10**	**19**	**41**	**99 +**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	534	2.3	1	1	2	2	3	3	4	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	4.3	6	1	2	4	6	8	9	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	215	3.8	48	1	2	3	4	6	8	16
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	8.1	48	2	4	6	8	18	24	29
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	534	2.3	1	1	2	2	3	3	4	7
B. Operated	12	4.3	6	1	2	4	6	8	9	9
2. MULTIPLE DX										
A. Not Operated	215	3.8	48	1	2	3	4	6	8	16
B. Operated	20	8.1	48	2	4	6	8	18	24	29
1. SINGLE DX	546	2.4	1	1	2	2	3	4	4	7
2. MULTIPLE DX	235	4.1	49	1	2	3	4	7	10	21
A. Not Operated	749	2.7	15	1	2	2	3	4	5	11
B. Operated	32	6.7	35	2	3	5	7	16	20	29
TOTAL										
0-19 YRS	781	2.9	16	1	2	2	3	4	6	15
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**781**	**2.9**	**16**	**1**	**2**	**2**	**3**	**4**	**6**	**15**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	390	3.5	11	1	2	3	4	6	8	15
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	41	4.4	82	< 1	1	3	4	6	13	58
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	881	7.4	92	2	3	5	9	14	24	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	177	19.4	464	3	6	15	53	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	391	3.5	11	1	2	3	4	6	8	15
B. Operated	42	4.3	80	< 1	1	3	4	6	13	58
2. MULTIPLE DX										
A. Not Operated	881	7.4	92	2	3	5	9	14	24	99 +
B. Operated	177	19.4	464	3	6	15	53	99 +	99 +	99 +
1. SINGLE DX	433	3.6	17	1	2	3	4	6	8	17
2. MULTIPLE DX	1058	9.4	174	2	3	5	10	30	79	99 +
A. Not Operated	1272	6.2	70	2	3	4	7	12	20	79
B. Operated	219	16.5	425	1	4	11	39	99 +	99 +	99 +
TOTAL										
0-19 YRS	1489	7.7	136	2	3	4	9	21	50	99 +
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**1491**	**7.7**	**135**	**2**	**3**	**4**	**9**	**21**	**50**	**99 +**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	719	2.4	3	1	1	2	3	4	5	10
20-34	108	2.5	3	1	1	2	3	4	5	10
35-49	60	2.8	5	1	1	2	3	6	7	12
50-64	39	3.0	7	1	1	2	3	6	8	15
65 +	30	4.5	12	1	2	3	5	8	13	17
B. Operated										
0-19 YRS	11	5.4	49	1	2	2	5	16	24	25
20-34	3	4.0	12	2	2	2	7	8	8	8
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1453	3.0	6	1	2	2	4	5	7	13
20-34	252	3.6	6	1	2	3	5	7	9	12
35-49	284	4.1	13	1	2	3	5	8	10	16
50-64	323	4.9	29	1	2	4	6	9	12	21
65 +	565	6.3	36	2	3	5	8	13	17	27
B. Operated										
0-19 YRS	45	6.6	33	2	3	5	7	17	21	25
20-34	23	5.3	17	2	3	4	7	9	14	20
35-49	27	9.7	130	2	3	5	10	32	36	46
50-64	38	8.5	44	2	4	6	11	18	20	33
65 +	44	12.2	121	2	6	9	15	23	41	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	956	2.5	4	1	1	2	3	5	6	12
B. Operated	17	4.9	35	1	2	2	6	10	20	25
2. MULTIPLE DX										
A. Not Operated	2877	4.0	17	1	2	3	5	8	10	19
B. Operated	177	8.7	74	2	4	6	10	19	25	45
1. SINGLE DX	973	2.5	5	1	1	2	3	5	6	13
2. MULTIPLE DX	3054	4.3	21	1	2	3	5	8	12	21
A. Not Operated	3833	3.7	14	1	2	3	4	7	9	17
B. Operated	194	8.4	72	2	3	6	10	19	25	45
TOTAL										
0-19 YRS	2228	2.9	6	1	1	2	4	5	7	14
20-34	386	3.4	6	1	2	3	4	7	8	12
35-49	373	4.3	23	1	2	3	5	8	12	31
50-64	401	5.0	30	1	2	4	6	10	14	21
65 +	639	6.6	43	2	3	5	8	13	17	31
GRAND TOTAL	**4027**	**3.9**	**18**	**1**	**2**	**3**	**5**	**8**	**10**	**20**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	357	2.7	3	1	2	2	3	4	5	8
20-34	19	3.2	2	2	2	3	4	5	6	6
35-49	17	3.4	5	1	2	3	4	7	9	10
50-64	7	4.7	2	3	4	4	6	6	6	6
65 +	18	6.6	56	2	3	4	7	16	26	32
B. Operated										
0-19 YRS	16	4.6	8	2	3	4	6	9	11	12
20-34	0									
35-49	3	14.3	262	4	4	6	26	33	33	33
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	935	3.6	6	2	2	3	4	6	8	15
20-34	122	4.3	10	2	3	4	5	7	9	17
35-49	138	4.4	6	2	3	4	6	8	9	11
50-64	193	5.9	15	2	4	5	7	11	14	20
65 +	364	6.8	25	2	4	5	9	12	16	26
B. Operated										
0-19 YRS	67	10.0	78	2	3	8	13	23	33	38
20-34	39	7.9	42	3	4	6	9	14	23	33
35-49	33	9.8	78	3	4	7	12	20	30	42
50-64	40	9.5	43	3	4	8	14	18	22	30
65 +	56	13.6	157	3	6	10	16	27	41	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	418	3.0	6	1	2	3	3	5	6	12
B. Operated	19	6.2	49	2	3	4	6	11	24	33
2. MULTIPLE DX										
A. Not Operated	1752	4.6	13	2	2	4	6	9	11	19
B. Operated	235	10.4	87	3	4	8	14	20	30	44
1. SINGLE DX	437	3.1	8	1	2	3	4	5	6	15
2. MULTIPLE DX	1987	5.3	25	2	3	4	6	10	14	26
A. Not Operated	2170	4.3	12	2	2	3	5	8	11	18
B. Operated	254	10.1	85	3	4	7	13	20	30	44
TOTAL										
0-19 YRS	1375	3.7	11	1	2	3	4	6	9	18
20-34	180	5.0	18	2	3	4	6	9	12	28
35-49	191	5.4	27	2	3	4	6	10	13	32
50-64	240	6.5	21	2	4	5	8	13	16	22
65 +	438	7.6	48	2	4	6	9	14	19	35
GRAND TOTAL	**2424**	**4.9**	**23**	**2**	**2**	**4**	**6**	**9**	**13**	**25**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	2.0	2	1	1	2	2	4	6	7
20-34	49	2.3	1	1	1	2	3	4	4	6
35-49	55	2.5	2	1	2	2	3	5	5	8
50-64	14	2.4	2	1	1	2	4	4	4	4
65 +	4	3.3	7	1	1	2	5	7	7	7
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	2.8	6	< 1	1	2	4	7	8	8
35-49	11	1.8	1	1	1	1	2	4	4	4
50-64	6	1.7	1	1	1	1	2	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	2.4	3	1	1	2	3	4	5	12
20-34	163	3.7	9	1	2	3	5	7	9	16
35-49	141	4.3	21	1	2	3	5	7	9	28
50-64	80	3.9	17	1	2	3	4	6	9	28
65 +	59	4.5	12	2	2	4	6	9	10	19
B. Operated										
0-19 YRS	4	3.8	18	< 1	< 1	2	6	10	10	10
20-34	13	8.5	163	2	3	5	8	18	44	50
35-49	27	4.7	11	1	2	4	7	11	12	12
50-64	14	5.1	6	2	4	5	7	8	10	10
65 +	14	6.2	19	2	3	5	8	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	163	2.3	2	1	1	2	3	4	5	7
B. Operated	27	2.0	3	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	530	3.8	13	1	2	3	5	7	9	20
B. Operated	72	5.7	39	1	3	4	7	10	12	42
1. SINGLE DX	190	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	602	4.0	16	1	2	3	5	7	10	20
A. Not Operated	693	3.4	11	1	2	3	4	6	8	17
B. Operated	99	4.7	32	1	1	4	6	9	11	33
TOTAL										
0-19 YRS	133	2.3	3	1	1	2	3	4	5	11
20-34	233	3.6	17	1	2	3	4	7	8	16
35-49	234	3.8	15	1	2	3	5	7	9	25
50-64	114	3.7	13	1	2	3	4	6	8	21
65 +	78	4.7	13	2	2	4	6	9	12	19
GRAND TOTAL	**792**	**3.6**	**14**	**1**	**2**	**3**	**4**	**7**	**9**	**17**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2	3	1	1	1	3	5	5	5
20-34	6	2.8	2	1	2	3	3	5	5	5
35-49	20	3.1	2	1	2	3	4	5	6	6
50-64	18	2.6	2	1	2	2	3	5	5	5
65 +	15	3.2	3	1	2	4	4	4	6	7
B. Operated										
0-19 YRS	19	2.1	7	<1	<1	<1	1	5	8	11
20-34	6	3.0	4	<1	2	2	5	6	6	6
35-49	19	3.2	6	1	1	3	4	6	9	11
50-64	17	3.8	5	2	2	3	5	6	9	10
65 +	16	4.4	9	2	2	4	5	7	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.5	2	<1	<1	1	1	4	5	5
20-34	12	2.4	2	1	1	2	3	4	6	6
35-49	33	3.0	3	1	2	3	4	5	6	7
50-64	56	3.3	3	1	2	3	4	5	7	9
65 +	68	4.7	14	2	2	4	5	10	13	19
B. Operated										
0-19 YRS	10	5.3	18	<1	2	4	10	11	12	12
20-34	14	5.4	22	1	3	4	6	12	17	19
35-49	34	4.7	9	2	2	4	6	8	12	13
50-64	59	4.4	8	2	3	4	5	8	10	15
65 +	71	4.2	8	2	2	4	5	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.9	2	1	2	3	4	5	5	7
B. Operated	77	3.3	7	<1	1	2	5	6	9	13
2. MULTIPLE DX										
A. Not Operated	177	3.6	8	1	2	3	5	6	8	17
B. Operated	188	4.5	9	2	2	4	5	9	11	15
1. SINGLE DX	141	3.1	5	<1	1	3	4	5	6	11
2. MULTIPLE DX	365	4.1	9	1	2	3	5	7	10	16
A. Not Operated	241	3.4	6	1	2	3	4	6	7	16
B. Operated	265	4.1	9	1	2	4	5	8	11	14
TOTAL										
0-19 YRS	42	2.8	10	<1	<1	1	4	7	11	12
20-34	38	3.7	11	1	2	3	5	6	9	19
35-49	106	3.6	6	1	2	3	5	6	7	12
50-64	150	3.7	5	1	2	3	5	6	9	14
65 +	170	4.3	10	2	2	4	5	8	12	18
GRAND TOTAL	**506**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**10**	**15**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	3.1	6	1	1	3	4	6	9	11
20-34	5	1.4		1	1	1	2	2	2	2
35-49	7	1.4		<1	1	1	2	2	2	2
50-64	5	2.2	3	1	1	1	3	5	5	5
65 +	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	39	1.4	1	<1	<1	<1	1	2	3	7
20-34	17	1.8	2	<1	1	1	2	4	5	5
35-49	17	2.4	9	<1	1	1	3	4	10	13
50-64	3	1.0		<1	<1	1	1	1	1	1
65 +	7	2.1	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	4.8	12	1	2	4	7	10	11	14
20-34	21	3.8	15	1	2	2	4	9	14	16
35-49	33	3.2	9	1	1	2	4	7	11	14
50-64	37	4.0	18	1	2	3	4	7	10	26
65 +	67	6.3	57	1	2	5	8	14	16	50
B. Operated										
0-19 YRS	27	10.1	294	<1	1	3	9	36	51	72
20-34	15	3.3	7	1	2	2	4	8	9	9
35-49	21	4.0	6	<1	2	4	6	7	8	10
50-64	20	4.4	26	<1	1	2	5	13	17	18
65 +	22	9.7	82	1	2	6	17	23	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	2.4	4	1	1	2	3	5	6	11
B. Operated	83	1.7	3	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated	187	4.8	30	1	2	3	6	10	14	24
B. Operated	105	6.7	106	<1	1	4	7	17	30	58
1. SINGLE DX	122	1.9	3	<1	<1	1	2	4	5	12
2. MULTIPLE DX	292	5.5	58	1	2	3	6	11	17	42
A. Not Operated	226	4.4	27	1	2	3	5	9	14	21
B. Operated	188	4.5	67	<1	1	2	4	10	17	43
TOTAL										
0-19 YRS	114	4.6	83	<1	1	2	4	9	13	56
20-34	58	2.9	8	<1	1	2	3	7	9	16
35-49	78	3.1	8	<1	1	2	4	6	10	14
50-64	65	3.8	19	1	1	3	4	7	12	25
65 +	99	6.7	60	1	2	4	8	15	19	43
GRAND TOTAL	**414**	**4.4**	**45**	**<1**	**1**	**2**	**5**	**9**	**14**	**35**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	3	5.0	13	1	2	6	7	8	8	8
20-34	5	6.8	38	2	3	4	10	17	17	17
35-49	4	5.8	6	4	4	5	7	9	9	9
50-64	3	4.7	14	2	2	3	7	9	9	9
65+	22	9.0	72	1	3	7	12	20	27	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	9.0	37	5	5	6	13	16	16	16
50-64	2	12.0	98	5	5	12	19	19	19	19
65+	30	9.6	103	2	4	7	13	18	20	55
B. Operated										
0-19 YRS	9	8.0	27	2	4	6	13	14	15	15
20-34	14	17.4	416	2	4	12	21	33	70	81
35-49	32	15.0	142	4	8	11	16	32	42	51
50-64	73	15.7	178	3	6	13	22	36	51	91
65+	205	13.8	110	5	7	11	17	26	37	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3	1	1	1	2	3	3	3	3
B. Operated	37	7.7	51	1	3	6	9	17	21	37
2. MULTIPLE DX										
A. Not Operated	37	9.4	90	3	4	6	13	18	20	55
B. Operated	333	14.3	139	4	7	11	18	28	40	63
1. SINGLE DX	41	7.2	49	1	3	6	9	16	20	37
2. MULTIPLE DX	370	13.8	136	3	6	11	17	28	39	62
A. Not Operated	41	8.7	86	2	3	5	13	18	19	55
B. Operated	370	13.7	134	3	6	11	17	28	37	62
TOTAL										
0-19 YRS	13	6.9	23	2	3	6	12	14	15	15
20-34	21	13.6	310	2	4	8	18	28	52	81
35-49	40	13.3	128	3	5	10	15	32	38	51
50-64	79	15.0	173	2	5	12	21	35	50	89
65+	258	12.9	109	3	6	10	16	24	36	58
GRAND TOTAL	**411**	**13.2**	**131**	**3**	**6**	**10**	**17**	**26**	**37**	**61**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.0	1	1	1	2	3	3	4	4
20-34	163	2.1	1	1	1	2	3	3	4	5
35-49	585	2.2	2	1	1	2	3	4	5	7
50-64	385	2.5	2	1	1	2	3	4	5	8
65+	136	2.7	2	1	2	2	4	4	6	7
B. Operated										
0-19 YRS	4	1.8	2	<1	<1	1	2	4	4	4
20-34	30	1.9	2	<1	1	1	2	4	5	6
35-49	207	2.0	5	<1	1	1	2	4	6	11
50-64	238	2.0	7	<1	1	1	2	4	5	11
65+	60	1.7	2	<1	1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	4.8	174	1	1	2	4	7	10	88
20-34	386	2.6	3	1	1	2	3	5	6	10
35-49	2022	2.7	3	1	2	2	3	5	6	8
50-64	2327	3.1	4	1	2	3	4	5	7	10
65+	2117	3.7	10	1	2	3	4	6	8	13
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	69	3.4	7	1	1	3	4	7	9	11
35-49	656	3.1	6	1	1	2	4	6	8	12
50-64	927	3.3	10	1	1	2	4	7	9	14
65+	562	4.3	19	1	2	3	5	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1288	2.3	2	1	1	2	3	4	5	7
B. Operated	539	2.0	5	<1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	6895	3.2	7	1	2	3	4	5	7	11
B. Operated	2215	3.5	11	1	1	2	4	7	9	15
1. SINGLE DX	1827	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	9110	3.2	8	1	2	3	4	6	7	12
A. Not Operated	8183	3.0	6	1	2	3	4	5	7	10
B. Operated	2754	3.2	10	1	1	2	4	7	8	14
TOTAL										
0-19 YRS	67	3.9	113	1	1	2	3	5	8	75
20-34	648	2.5	3	1	1	2	3	5	6	9
35-49	3470	2.7	4	1	1	2	3	5	6	9
50-64	3877	3.0	6	1	1	2	4	5	7	12
65+	2875	3.7	12	1	2	3	5	7	8	16
GRAND TOTAL	**10937**	**3.1**	**7**	**1**	**2**	**2**	**4**	**6**	**7**	**12**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	287	2.6	5	1	1	2	3	5	6	14
20-34	4	2.3	2	<1	<1	2	3	4	4	4
35-49	10	2.0	1	1	1	2	3	3	3	3
50-64	14	2.6	6	1	1	2	3	5	9	10
65 +	8	3.4	2	2	2	3	4	6	6	6
B. Operated										
0-19 YRS	28	2.3	7	<1	<1	1	2	6	8	11
20-34	7	4.6	13	1	3	3	5	11	12	12
35-49	7	2.6	7	<1	1	1	3	7	8	8
50-64	18	2.6	4	<1	1	2	4	6	7	7
65 +	10	1.2		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	564	4.2	15	1	2	3	5	8	11	20
20-34	28	2.8	2	1	2	3	3	5	5	5
35-49	59	4.6	41	1	2	3	5	9	14	43
50-64	98	4.1	8	1	2	4	5	7	10	15
65 +	152	5.3	40	1	2	4	6	[illegible]	13	50
B. Operated										
0-19 YRS	76	9.4	139	1	2	6	14	32	51	99 +
20-34	18	4.1	13	1	2	3	6	9	13	15
35-49	38	4.2	16	1	2	3	5	7	11	23
50-64	74	4.6	11	2	2	4	6	8	10	19
65 +	83	7.5	120	1	2	4	9	13	22	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	323	2.6	4	1	1	2	3	5	6	13
B. Operated	70	2.5	6	<1	1	1	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	901	4.4	20	1	2	3	5	8	11	19
B. Operated	289	6.6	80	1	2	4	7	15	23	87
1. SINGLE DX	393	2.5	5	1	1	2	3	5	6	13
2. MULTIPLE DX	1190	4.9	35	1	2	3	6	10	14	41
A. Not Operated	1224	3.9	16	1	2	3	5	8	11	18
B. Operated	359	5.8	68	1	2	3	7	12	19	69
TOTAL										
0-19 YRS	955	4.1	24	1	2	3	5	8	13	29
20-34	57	3.4	7	1	2	3	4	6	9	15
35-49	114	4.1	27	1	2	3	5	7	12	31
50-64	204	4.0	9	1	2	3	5	7	9	16
65 +	253	5.8	65	1	2	4	6	11	13	54
GRAND TOTAL	**1583**	**4.3**	**29**	**1**	**2**	**3**	**5**	**9**	**12**	**29**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.8	1	1	1	2	3	3	3	3
20-34	65	1.7	1	<1	1	1	2	3	4	7
35-49	77	1.8	1	1	1	2	2	4	4	5
50-64	28	1.4		<1	1	1	2	2	2	3
65 +	5	2.4	1	1	2	2	3	4	4	4
B. Operated										
0-19 YRS	18	2.0	3	<1	<1	1	2	5	6	6
20-34	11	3.5	5	1	2	2	5	7	8	8
35-49	18	3.5	6	1	2	3	4	8	9	9
50-64	18	3.7	3	1	2	4	5	6	7	7
65 +	12	4.0	4	1	2	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.3	13	1	1	3	4	8	10	18
20-34	47	2.4	2	1	1	2	3	5	5	6
35-49	94	2.7	8	1	1	2	3	6	9	16
50-64	64	2.8	8	1	1	2	4	6	6	18
65 +	116	5.0	42	1	2	3	6	8	11	45
B. Operated										
0-19 YRS	27	4.9	23	<1	1	3	7	15	16	16
20-34	17	6.1	31	1	2	5	8	11	19	24
35-49	42	5.5	150	1	1	3	5	9	11	81
50-64	29	6.4	21	2	3	4	8	14	15	17
65 +	110	6.8	37	2	3	5	8	12	18	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	1.7	1	<1	1	1	2	3	4	5
B. Operated	77	3.3	4	<1	1	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	350	3.5	20	1	1	2	4	7	9	20
B. Operated	225	6.2	53	1	3	4	8	12	16	33
1. SINGLE DX	268	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	575	4.6	35	1	2	3	6	9	12	27
A. Not Operated	541	2.9	14	1	1	2	3	6	8	16
B. Operated	302	5.5	43	1	2	4	7	10	14	28
TOTAL										
0-19 YRS	90	3.3	13	<1	1	2	3	8	10	17
20-34	140	2.6	7	1	1	2	3	5	7	12
35-49	231	3.0	32	1	1	2	3	5	8	15
50-64	139	3.4	11	1	1	2	4	6	12	17
65 +	243	5.7	38	1	2	4	7	10	14	41
GRAND TOTAL	**843**	**3.8**	**26**	**1**	**1**	**2**	**5**	**8**	**10**	**24**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	524	1.8	1	1	1	2	2	3	4	5
20-34	407	2.2	2	1	1	2	3	4	5	8
35-49	260	2.6	4	1	1	2	3	5	5	9
50-64	128	2.6	4	1	1	2	3	5	7	10
65+	60	2.6	3	<1	1	2	4	5	6	10
B. Operated										
0-19 YRS	84	3.0	4	1	2	3	3	5	7	12
20-34	77	3.8	8	<1	2	3	5	7	8	16
35-49	59	3.9	14	<1	1	3	5	9	12	16
50-64	17	3.4	4	<1	1	4	5	6	7	7
65+	7	4.4	20	<1	1	3	5	12	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	478	2.4	3	1	1	2	3	4	6	9
20-34	571	3.1	6	1	1	2	4	7	8	12
35-49	441	3.6	8	1	2	3	5	7	9	16
50-64	405	4.1	28	1	2	3	5	7	10	13
65+	538	4.9	15	2	2	4	6	9	12	21
B. Operated										
0-19 YRS	79	4.1	13	1	2	3	5	8	10	21
20-34	123	5.6	17	2	3	5	7	10	14	20
35-49	126	5.7	18	1	3	5	8	10	13	23
50-64	92	7.4	66	2	3	5	8	14	21	50
65+	107	8.2	65	2	4	6	10	17	21	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1379	2.2	2	1	1	2	3	4	5	8
B. Operated	244	3.5	8	<1	1	3	5	7	8	16
2. MULTIPLE DX										
A. Not Operated	2433	3.6	12	1	2	3	5	7	9	15
B. Operated	527	6.3	37	1	3	5	8	12	17	27
1. SINGLE DX	1623	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	2960	4.1	17	1	2	3	5	8	10	20
A. Not Operated	3812	3.1	9	1	1	2	4	6	8	13
B. Operated	771	5.4	29	1	2	4	7	10	15	24
TOTAL										
0-19 YRS	1165	2.3	3	1	1	2	3	4	5	9
20-34	1178	3.1	7	1	1	2	4	6	8	14
35-49	886	3.6	9	1	2	3	5	7	9	17
50-64	642	4.3	30	1	2	3	5	8	10	22
65+	712	5.2	23	1	2	4	7	10	14	24
GRAND TOTAL	4583	3.5	13	1	1	3	4	7	9	16

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	2.9	7	1	1	2	4	6	8	15
20-34	16	2.6	4	1	1	2	3	4	8	9
35-49	21	2.1	2	<1	1	2	2	5	6	6
50-64	11	3.5	5	<1	1	3	5	7	7	7
65+	15	3.2	4	1	2	3	4	5	8	9
B. Operated										
0-19 YRS	19	3.9	16	<1	1	2	6	10	13	15
20-34	12	3.9	6	1	1	4	6	7	8	8
35-49	7	3.4	3	1	2	3	5	6	6	6
50-64	5	3.8	8	1	2	3	6	8	8	8
65+	5	1.8	2	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	364	3.2	10	1	1	2	4	6	9	18
20-34	114	3.7	9	1	2	3	5	7	8	50
35-49	143	4.2	17	1	2	3	5	8	11	24
50-64	180	5.0	21	1	3	4	6	9	12	26
65+	381	5.4	16	2	2	4	7	11	15	20
B. Operated										
0-19 YRS	72	5.9	53	1	1	3	7	13	20	40
20-34	46	5.1	20	1	2	4	6	10	16	22
35-49	58	5.1	16	<1	2	4	6	10	15	20
50-64	74	6.8	46	1	2	5	8	19	23	29
65+	130	9.6	123	2	4	6	12	20	27	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	2.8	6	1	1	2	4	6	8	14
B. Operated	48	3.6	9	<1	1	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	1182	4.4	15	1	2	3	5	9	12	22
B. Operated	380	7.1	69	1	2	5	9	16	22	36
1. SINGLE DX	206	3.0	7	1	1	2	4	6	8	15
2. MULTIPLE DX	1562	5.0	30	1	2	4	6	10	15	27
A. Not Operated	1340	4.2	14	1	2	3	5	9	11	20
B. Operated	428	6.7	64	1	2	4	8	15	20	31
TOTAL										
0-19 YRS	550	3.6	16	1	1	2	4	7	10	22
20-34	188	3.9	11	1	2	3	5	8	10	23
35-49	229	4.2	15	1	2	3	5	8	11	21
50-64	270	5.4	28	1	2	4	7	11	15	28
65+	531	6.4	45	2	3	5	8	14	16	29
GRAND TOTAL	1768	4.8	27	1	2	3	6	10	14	26

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	659	2.9	10	1	1	2	4	6	7	15
20-34	134	2.1	3	1	1	2	3	4	5	12
35-49	118	2.4	2	1	1	2	3	4	5	8
50-64	105	2.5	3	1	1	2	3	5	5	9
65+	103	3.8	12	1	2	3	4	8	11	19
B. Operated										
0-19 YRS	73	2.9	17	<1	1	1	3	6	9	24
20-34	31	2.1	2	<1	1	2	3	4	6	7
35-49	62	2.0	4	<1	1	1	2	6	7	8
50-64	48	1.8	2	<1	1	1	2	3	5	9
65+	21	3.2	7	1	2	2	4	7	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1165	5.1	30	1	2	3	6	11	14	25
20-34	349	3.2	6	1	2	3	4	6	8	15
35-49	553	3.5	9	1	2	3	4	6	9	15
50-64	883	3.9	12	1	2	3	5	7	9	17
65+	2431	5.1	23	2	3	4	6	9	13	22
B. Operated										
0-19 YRS	258	9.7	196	1	2	5	11	23	46	69
20-34	67	5.0	67	1	1	2	6	11	24	91
35-49	127	3.6	11	1	1	3	5	8	10	15
50-64	195	5.8	72	1	1	4	6	12	23	89
65+	393	7.9	68	1	3	6	10	17	23	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1119	2.8	8	1	1	2	3	5	7	14
B. Operated	235	2.3	8	<1	1	1	2	6	7	14
2. MULTIPLE DX										
A. Not Operated	5381	4.6	21	1	2	3	6	9	12	23
B. Operated	1040	7.2	97	1	2	4	8	16	24	64
1. SINGLE DX	1354	2.7	8	1	1	2	3	5	7	14
2. MULTIPLE DX	6421	5.0	34	1	2	4	6	10	14	29
A. Not Operated	6500	4.3	19	1	2	3	5	8	11	22
B. Operated	1275	6.3	84	1	1	3	7	14	22	61
TOTAL										
0-19 YRS	2155	4.9	48	1	1	3	6	10	15	36
20-34	581	3.1	13	1	1	2	3	6	8	19
35-49	860	3.2	8	1	1	2	4	6	9	13
50-64	1231	4.0	21	1	2	3	5	7	10	23
65+	2948	5.4	29	2	3	4	6	10	14	27
GRAND TOTAL	7775	4.6	30	1	2	3	5	9	13	27

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	18.0		18	18	18	18	18	18	18
65+	0									
B. Operated										
0-19 YRS	0									
20-34	1	20.0		20	20	20	20	20	20	20
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	24.2	79	11	21	25	28	36	36	36
20-34	1	29.0		29	29	29	29	29	29	29
35-49	2	14.0	18	11	11	14	17	17	17	17
50-64	2	12.0	242	1	1	12	23	23	23	23
65+	0									
B. Operated										
0-19 YRS	15	27.7	127	15	20	29	39	91	99+	99+
20-34	7	32.7	466	8	18	42	73	99+	99+	99+
35-49	6	41.5	320	28	33	43	99+	99+	99+	99+
50-64	3	79.3	310	65	67	74	93	99	99	99+
65+	2	37.5	1105	14	14	37	61	61	61	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	18.0		18	18	18	18	18	18	18
B. Operated	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. Not Operated	10	20.2	105	6	11	23	25	32	36	36
B. Operated	33	36.5	463	14	23	36	69	99+	99+	99+
1. SINGLE DX	2	19.0	2	18	18	19	20	20	20	20
2. MULTIPLE DX	43	32.7	424	13	21	32	61	99+	99+	99+
A. Not Operated	11	20.0	95	7	13	23	25	32	36	36
B. Operated	34	36.1	457	14	22	34	67	99+	99+	99+
TOTAL										
0-19 YRS	20	26.8	112	14	21	25	36	68	99+	99+
20-34	9	30.9	368	9	20	34	61	99+	99+	99+
35-49	8	34.6	393	15	28	39	94	99+	99+	99+
50-64	6	46.7	1458	3	18	44	74	96	99	99+
65+	2	37.5	1105	14	14	37	61	61	61	61
GRAND TOTAL	45	32.1	413	13	20	31	57	99+	99+	99+

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	289	1.9	4	1	1	1	2	4	5	9
20-34	10	4.3	15	1	1	3	8	10	12	12
35-49	3	4.3	33	<1	<1	<1	8	11	11	11
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	0									
B. Operated										
0-19 YRS	71	4.3	6	2	3	4	5	8	10	11
20-34	7	7.6	13	4	5	7	9	13	14	14
35-49	9	5.8	15	1	3	5	9	12	12	12
50-64	3	5.3	16	1	2	6	8	9	9	9
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	242	3.8	19	1	1	2	4	9	13	21
20-34	17	5.5	26	1	2	4	8	12	17	20
35-49	9	4.8	36	1	1	3	5	15	20	20
50-64	5	10.0	51	2	3	12	16	17	17	17
65+	11	7.0	75	1	2	5	7	18	31	32
B. Operated										
0-19 YRS	115	14.2	312	2	3	7	20	37	50	85
20-34	49	17.2	310	3	6	12	22	55	80	99+
35-49	21	12.5	177	1	3	10	14	36	45	48
50-64	11	10.3	183	2	4	6	25	99+	99+	99+
65+	4	13.0	135	4	6	9	20	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	304	2.0	5	1	1	1	2	4	5	11
B. Operated	92	4.7	8	2	3	4	6	9	10	13
2. MULTIPLE DX										
A. Not Operated	284	4.2	23	1	1	3	5	10	14	25
B. Operated	200	14.5	286	2	4	8	20	45	57	99+
1. SINGLE DX	396	2.6	7	1	1	2	3	6	8	12
2. MULTIPLE DX	484	8.5	157	1	2	4	9	22	37	88
A. Not Operated	588	3.1	15	1	1	2	3	7	11	20
B. Operated	292	11.4	219	2	3	6	13	34	50	99+
TOTAL										
0-19 YRS	717	4.8	76	1	1	2	4	10	19	49
20-34	83	12.4	222	1	4	8	15	35	56	99+
35-49	42	8.8	112	1	2	5	12	20	36	48
50-64	21	8.8	110	2	3	6	16	58	99+	99+
65+	17	7.8	83	2	2	5	8	26	31	32
GRAND TOTAL	880	5.8	98	1	1	3	6	13	23	62

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	94	1.9	2	1	1	1	2	4	5	8
20-34	10	3.3	13	<1	1	2	4	9	13	13
35-49	5	5.4	25	1	2	4	7	14	14	14
50-64	3	1.7		1	1	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	11	5.5	33	1	1	3	6	15	19	19
20-34	5	2.4	2	1	1	2	3	5	5	5
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	168	4.2	36	1	1	3	5	8	12	23
20-34	66	6.8	118	1	2	4	8	13	21	72
35-49	35	6.2	40	1	2	5	7	14	24	27
50-64	11	8.3	54	2	3	5	13	20	25	25
65+	19	9.1	68	1	4	7	11	20	29	34
B. Operated										
0-19 YRS	73	13.0	194	2	4	8	20	36	58	99+
20-34	58	15.0	268	2	5	10	19	39	58	99
35-49	26	14.8	392	2	3	6	20	50	91	99+
50-64	14	13.3	366	1	2	9	13	28	65	76
65+	9	23.0	259	5	9	27	35	44	49	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	2.2	5	1	1	1	2	5	6	13
B. Operated	18	4.4	22	1	2	2	6	11	17	19
2. MULTIPLE DX										
A. Not Operated	299	5.5	59	1	2	3	6	12	18	35
B. Operated	180	14.4	261	2	4	9	21	37	62	99+
1. SINGLE DX	131	2.5	7	1	1	2	3	5	6	15
2. MULTIPLE DX	479	8.8	153	1	2	5	10	23	35	88
A. Not Operated	412	4.6	46	1	1	2	5	10	15	30
B. Operated	198	13.5	248	2	4	8	18	36	57	99+
TOTAL										
0-19 YRS	346	5.5	76	1	1	3	6	13	23	64
20-34	139	9.8	188	1	2	5	12	23	39	86
35-49	68	9.4	187	1	3	5	10	25	37	98
50-64	28	10.1	211	1	2	6	13	21	30	76
65+	29	13.1	165	1	4	9	19	35	38	49
GRAND TOTAL	610	7.5	129	1	2	4	8	19	29	81

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.5	1	1	1	1	2	3	4	4
20-34	20	2.2	3	<1	1	2	3	5	6	7
35-49	8	2.0	2	1	1	2	3	4	5	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	0									
B. Operated										
0-19 YRS	113	1.9	2	<1	1	1	2	4	5	8
20-34	165	2.7	3	1	1	2	3	5	6	8
35-49	61	2.5	4	1	1	2	3	6	7	9
50-64	12	3.2	8	1	1	2	5	7	10	10
65+	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	2.0	1	1	1	2	3	3	4	7
20-34	54	2.3	2	1	1	2	3	4	6	8
35-49	28	3.3	6	1	2	3	4	8	8	10
50-64	6	5.8	9	2	3	6	8	10	10	10
65+	21	6.6	45	1	2	5	7	16	22	28
B. Operated										
0-19 YRS	228	4.5	32	1	2	3	5	10	14	25
20-34	416	4.5	17	1	2	3	5	9	12	23
35-49	200	5.1	21	1	2	4	6	10	16	23
50-64	54	5.7	44	1	1	4	7	15	25	97
65+	50	7.0	36	1	2	5	9	17	19	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	1.9	2	<1	1	1	2	4	5	7
B. Operated	354	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	153	3.1	11	1	1	2	3	6	8	17
B. Operated	948	4.8	24	1	2	3	6	10	15	25
1. SINGLE DX	400	2.3	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	1101	4.6	23	1	2	3	6	9	14	24
A. Not Operated	199	2.8	9	1	1	2	3	6	8	16
B. Operated	1302	4.2	20	1	2	3	5	8	12	23
TOTAL										
0-19 YRS	402	3.4	21	<1	1	2	4	7	10	23
20-34	655	3.8	13	1	2	3	5	7	9	21
35-49	297	4.3	17	1	2	3	6	8	11	22
50-64	73	5.2	35	1	1	3	7	13	17	84
65+	74	6.6	37	1	2	5	9	16	19	28
GRAND TOTAL	**1501**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	3.2	9	1	1	2	4	6	7	19
20-34	118	3.8	17	1	2	3	5	7	8	20
35-49	75	4.5	7	2	3	4	6	8	10	13
50-64	48	5.0	5	3	3	5	6	8	10	13
65+	59	6.2	16	2	3	5	8	12	15	19
B. Operated										
0-19 YRS	17	5.9	18	1	3	5	7	13	15	16
20-34	25	8.8	37	2	4	8	13	17	21	24
35-49	16	7.8	18	3	4	7	11	13	16	17
50-64	6	12.7	47	3	8	13	19	20	20	20
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	4.2	8	1	2	4	6	8	11	12
20-34	154	4.6	8	1	3	4	6	8	10	15
35-49	113	6.1	17	2	3	5	8	12	13	21
50-64	122	6.6	26	3	4	5	8	11	15	32
65+	537	8.5	56	3	4	7	10	15	20	39
B. Operated										
0-19 YRS	46	12.6	227	2	4	9	16	26	42	86
20-34	100	11.2	74	4	5	9	14	23	38	99+
35-49	56	9.4	42	3	5	8	14	19	25	95
50-64	28	13.7	55	4	8	13	18	24	28	32
65+	75	16.3	116	5	7	14	23	31	38	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	355	4.4	13	1	2	4	6	8	10	18
B. Operated	64	8.1	30	2	4	7	12	16	19	23
2. MULTIPLE DX										
A. Not Operated	984	7.1	40	2	4	6	9	13	17	33
B. Operated	305	12.6	104	3	5	10	16	26	36	92
1. SINGLE DX	419	5.0	17	1	2	4	6	10	13	20
2. MULTIPLE DX	1289	8.4	61	2	4	6	11	17	23	41
A. Not Operated	1339	6.4	34	2	3	5	8	12	15	31
B. Operated	369	11.8	94	3	5	10	16	24	32	79
TOTAL										
0-19 YRS	176	6.2	80	1	2	4	6	14	20	45
20-34	397	6.3	38	1	3	5	7	13	18	40
35-49	260	6.5	23	2	3	5	8	13	16	26
50-64	204	7.4	34	3	4	5	9	14	19	30
65+	671	9.2	66	3	4	7	11	17	24	41
GRAND TOTAL	**1708**	**7.6**	**52**	**2**	**3**	**6**	**9**	**15**	**20**	**39**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	5.0	22	<1	1	3	9	11	11	11
20-34	5	12.2	291	2	3	3	19	42	42	42
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	4	19.8	93	13	14	16	25	34	34	34
20-34	5	8.4	43	<1	3	7	14	17	17	17
35-49	5	19.2	178	6	7	20	28	38	38	38
50-64	2	17.5	25	14	14	17	21	21	21	21
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	10.0	84	2	3	8	17	20	20	20
20-34	7	23.1	913	5	7	14	58	97	99+	99+
35-49	7	11.3	141	1	1	10	20	29	31	31
50-64	3	8.7	4	7	7	8	10	11	11	11
65+	4	11.0	17	6	8	11	14	16	16	16
B. Operated										
0-19 YRS	10	23.2	197	14	15	24	99+	99+	99+	99+
20-34	35	29.6	551	4	11	29	54	89	99+	99+
35-49	20	24.4	400	7	11	18	46	99+	99+	99+
50-64	3	33.7	490	18	21	41	79	99+	99+	99+
65+	9	33.3	530	11	17	30	39	70	86	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	8.0	142	1	2	3	10	24	40	42
B. Operated	17	15.7	99	4	7	15	20	32	37	38
2. MULTIPLE DX										
A. Not Operated	24	14.2	320	1	6	10	20	31	92	99+
B. Operated	77	28.0	451	8	14	26	52	99+	99+	99+
1. SINGLE DX	28	12.7	126	1	3	11	17	31	38	42
2. MULTIPLE DX	101	24.7	451	6	11	20	46	99+	99+	99+
A. Not Operated	35	12.3	267	1	3	8	14	31	75	99+
B. Operated	94	25.8	408	7	13	20	46	99+	99+	99+
TOTAL										
0-19 YRS	22	16.6	171	2	11	16	29	99+	99+	99+
20-34	52	25.0	559	3	8	17	45	87	99+	99+
35-49	33	20.1	325	2	8	16	38	78	99+	99+
50-64	8	20.3	282	7	10	18	33	84	99+	99+
65+	14	25.6	446	7	12	17	34	50	78	86
GRAND TOTAL	**129**	**22.1**	**404**	**3**	**9**	**17**	**38**	**87**	**99+**	**99+**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.1	2	1	1	2	3	4	5	5
20-34	24	1.8	1	1	1	2	2	3	4	4
35-49	39	2.6	3	1	1	2	3	5	6	7
50-64	21	2.5	2	1	2	2	3	4	6	7
65+	14	2.9	4	1	1	2	4	6	7	8
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	4.8	27	1	2	3	6	11	17	24
20-34	73	4.0	12	1	2	3	5	9	11	17
35-49	122	4.3	36	1	2	3	5	7	9	32
50-64	129	5.4	26	2	2	4	6	9	11	32
65+	274	6.3	29	2	3	5	8	13	18	24
B. Operated										
0-19 YRS	13	6.9	24	2	3	6	9	13	18	19
20-34	46	6.0	24	2	3	5	7	13	17	23
35-49	61	10.3	97	2	4	7	12	25	32	51
50-64	54	11.3	188	2	5	7	12	21	50	65
65+	67	13.6	260	3	5	9	17	22	40	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	2.4	2	1	1	2	3	5	6	8
B. Operated	5	3.4	14	1	1	2	5	10	10	10
2. MULTIPLE DX										
A. Not Operated	625	5.4	29	1	2	4	7	10	14	25
B. Operated	241	10.4	151	2	4	7	12	21	30	66
1. SINGLE DX	111	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX	866	6.8	67	2	3	5	8	14	20	42
A. Not Operated	731	5.0	26	1	2	4	6	10	13	24
B. Operated	246	10.3	149	2	4	7	12	21	30	66
TOTAL										
0-19 YRS	48	4.9	24	1	2	3	6	11	16	24
20-34	144	4.3	16	1	2	3	5	10	12	19
35-49	223	5.6	55	1	2	4	6	10	17	41
50-64	206	6.6	74	2	2	5	7	11	20	59
65+	356	7.6	80	2	3	5	9	16	21	43
GRAND TOTAL	**977**	**6.3**	**62**	**1**	**2**	**4**	**7**	**13**	**19**	**37**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	4.0	14	1	2	3	5	7	11	19
20-34	32	5.6	64	2	2	3	6	9	12	47
35-49	18	4.5	6	2	3	4	6	8	10	10
50-64	13	7.5	41	3	4	5	8	17	23	24
65 +	50	7.1	34	2	4	6	9	12	14	35
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	9.0	13	5	6	10	11	12	12	12
35-49	4	16.8	464	2	2	8	31	48	48	48
50-64	4	14.0	57	7	7	14	20	21	21	21
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	7.6	68	1	3	5	8	20	29	36
20-34	76	9.5	114	3	4	6	10	20	37	89
35-49	56	9.9	89	3	5	7	12	19	36	46
50-64	53	12.1	179	3	5	9	12	32	38	75
65 +	369	10.1	51	4	6	8	12	20	24	36
B. Operated										
0-19 YRS	48	14.9	177	3	6	9	25	37	45	99 +
20-34	70	19.1	288	4	7	12	29	49	57	93
35-49	58	21.0	256	3	9	19	27	42	54	76
50-64	25	20.1	96	8	14	19	25	32	38	49
65 +	44	20.4	295	6	8	17	28	45	74	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	5.8	34	2	3	5	7	11	14	36
B. Operated	12	13.3	155	3	6	10	17	29	45	48
2. MULTIPLE DX										
A. Not Operated	618	9.9	75	3	5	7	12	20	27	46
B. Operated	245	19.1	241	4	8	15	26	43	56	99 +
1. SINGLE DX	155	6.4	47	2	3	5	7	12	18	46
2. MULTIPLE DX	863	12.5	139	3	5	9	15	27	39	68
A. Not Operated	761	9.2	70	3	4	7	11	19	26	46
B. Operated	257	18.8	238	4	7	15	26	43	53	98
TOTAL										
0-19 YRS	143	9.3	110	2	3	5	11	26	35	64
20-34	181	12.5	199	3	4	7	14	36	49	90
35-49	136	14.1	196	3	4	9	20	35	43	66
50-64	95	13.7	148	3	5	9	19	27	36	64
65 +	463	10.8	83	4	6	8	13	21	28	47
GRAND TOTAL	1018	11.6	130	3	5	8	14	26	37	63

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	1.8	8	<1	1	1	1	2	5	18
20-34	5	4.0	4	2	3	3	5	7	7	7
35-49	9	1.8	1	<1	1	2	2	3	3	3
50-64	4	2.8	6	1	1	2	4	6	6	6
65 +	22	2.9	5	1	1	2	4	6	8	8
B. Operated										
0-19 YRS	534	2.2	6	1	1	2	2	4	5	15
20-34	22	3.6	7	1	2	2	6	8	9	10
35-49	29	2.9	4	1	1	3	4	5	6	10
50-64	29	3.5	9	1	2	2	4	9	10	13
65 +	42	5.2	26	1	2	4	6	11	14	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	5.5	60	1	1	3	5	21	27	31
20-34	10	3.6	4	1	2	4	5	6	6	6
35-49	11	6.8	38	1	2	5	12	16	18	18
50-64	25	6.0	59	1	1	3	7	14	24	34
65 +	159	6.2	46	1	2	5	8	13	16	33
B. Operated										
0-19 YRS	138	5.5	57	1	2	3	5	14	22	34
20-34	68	10.0	158	2	3	6	10	21	34	75
35-49	55	8.3	127	2	2	5	8	22	36	56
50-64	59	7.4	80	1	3	5	8	15	24	54
65 +	186	7.7	56	2	4	6	9	14	22	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	2.1	7	1	1	1	2	5	7	16
B. Operated	656	2.5	8	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	240	6.0	47	1	2	4	7	13	19	34
B. Operated	506	7.4	82	1	3	5	8	16	25	49
1. SINGLE DX	771	2.5	8	1	1	2	3	5	7	15
2. MULTIPLE DX	746	7.0	71	1	2	5	8	15	22	45
A. Not Operated	355	4.8	37	1	1	3	6	11	15	31
B. Operated	1162	4.7	46	1	1	2	5	10	16	35
TOTAL										
0-19 YRS	782	2.9	19	1	1	2	3	5	9	23
20-34	105	7.8	113	2	3	5	8	16	26	62
35-49	104	6.0	78	1	2	3	6	12	23	51
50-64	117	6.0	58	1	2	4	6	13	19	41
65 +	409	6.6	48	2	3	5	8	13	19	37
GRAND TOTAL	1517	4.7	44	1	1	2	5	10	15	34

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	1.2		< 1	1	1	1	2	3	4
20-34	10	2.6	3	< 1	1	2	3	5	6	6
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	4	2.5	4	< 1	< 1	2	4	5	5	5
B. Operated										
0-19 YRS	477	1.7	2	< 1	1	1	2	3	4	8
20-34	148	2.8	6	1	1	2	3	5	7	12
35-49	98	2.4	2	1	1	2	3	4	5	8
50-64	101	2.3	2	1	1	2	3	4	5	8
65 +	72	2.2	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	2.0	2	1	1	1	2	4	5	5
20-34	28	2.5	5	1	1	2	3	6	8	10
35-49	8	2.8	7	1	1	2	3	7	9	9
50-64	13	4.5	14	1	2	3	6	10	12	13
65 +	34	6.5	57	1	2	5	7	14	23	38
B. Operated										
0-19 YRS	129	3.9	20	1	1	2	5	10	16	19
20-34	153	5.4	22	1	2	4	7	12	16	24
35-49	107	6.0	58	1	2	4	7	13	17	79
50-64	109	4.7	26	1	2	3	5	11	14	30
65 +	166	5.8	29	1	2	4	7	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	1.7	2	< 1	1	1	2	3	5	6
B. Operated	896	2.1	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	104	4.0	26	1	1	2	5	9	13	31
B. Operated	664	5.2	30	1	2	3	7	11	16	26
1. SINGLE DX	942	2.1	3	1	1	1	3	4	5	8
2. MULTIPLE DX	768	5.0	30	1	2	3	6	11	15	26
A. Not Operated	150	3.3	19	1	1	2	4	7	9	25
B. Operated	1560	3.4	17	1	1	2	4	7	11	18
TOTAL										
0-19 YRS	653	2.1	6	< 1	1	1	2	4	5	17
20-34	339	3.9	15	1	2	3	5	9	12	19
35-49	217	4.2	33	1	2	3	4	8	13	44
50-64	225	3.6	16	1	2	2	4	7	11	25
65 +	276	4.9	28	1	2	3	6	11	14	25
GRAND TOTAL	**1710**	**3.4**	**17**	**1**	**1**	**2**	**4**	**7**	**11**	**19**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.1	4	< 1	1	1	2	4	7	9
20-34	7	2.3	2	< 1	1	2	4	4	4	4
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	0									
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	87	1.7	1	< 1	< 1	1	2	3	4	7
20-34	83	1.9	1	< 1	1	1	2	4	4	5
35-49	42	2.1	3	< 1	1	1	3	5	6	8
50-64	22	2.3	5	< 1	1	2	2	5	9	10
65 +	8	1.8	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.3	31	< 1	1	1	3	10	19	20
20-34	15	5.1	88	1	1	2	6	7	30	38
35-49	8	4.5	14	1	2	3	7	11	11	11
50-64	5	2.2	2	< 1	1	2	3	4	4	4
65 +	6	4.2	15	1	3	3	3	11	12	12
B. Operated										
0-19 YRS	76	3.5	13	1	1	2	5	7	10	20
20-34	128	3.1	8	1	1	2	4	6	8	13
35-49	78	3.2	15	1	1	3	4	6	7	26
50-64	45	3.0	5	1	2	2	4	5	7	13
65 +	24	4.0	30	1	1	2	5	8	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	2.1	3	< 1	1	2	2	4	5	9
B. Operated	242	1.9	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	45	4.1	40	1	1	2	3	10	14	38
B. Operated	351	3.2	12	1	1	2	4	6	8	21
1. SINGLE DX	270	1.9	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX	396	3.3	15	1	1	2	4	7	8	23
A. Not Operated	73	3.3	27	1	1	2	3	7	11	34
B. Operated	593	2.7	8	< 1	1	2	3	5	7	13
TOTAL										
0-19 YRS	190	2.6	9	< 1	1	2	3	5	8	19
20-34	233	2.7	11	< 1	1	2	3	5	7	13
35-49	131	2.9	11	1	1	2	3	6	7	15
50-64	72	2.7	5	1	1	2	3	5	8	12
65 +	40	3.5	21	1	1	2	4	7	11	27
GRAND TOTAL	**666**	**2.8**	**10**	**< 1**	**1**	**2**	**3**	**5**	**7**	**17**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	7.8	122	1	1	2	12	26	33	39
20-34	0									
35-49	0									
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	30	6.5	24	2	3	6	9	13	24	99+
B. Operated										
0-19 YRS	49	8.0	67	2	3	5	8	20	28	37
20-34	23	10.1	83	3	5	8	11	20	37	38
35-49	40	6.7	7	4	5	6	8	10	12	13
50-64	93	9.5	53	5	6	8	10	15	17	49
65+	369	11.6	20	7	9	11	14	17	19	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	9.7	111	1	2	4	19	25	31	36
20-34	5	14.2	379	5	5	5	17	49	49	49
35-49	10	14.8	245	3	5	13	15	37	57	57
50-64	18	11.8	117	4	7	8	14	21	39	50
65+	219	12.4	121	3	5	9	16	24	34	51
B. Operated										
0-19 YRS	51	13.4	103	5	6	10	17	26	40	45
20-34	51	13.5	126	5	7	10	15	29	35	57
35-49	88	13.7	162	5	7	11	15	22	47	98
50-64	292	13.8	92	6	8	12	16	24	31	58
65+	3307	14.5	84	7	9	12	16	24	31	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	6.8	64	1	2	3	9	21	28	95
B. Operated	574	10.5	33	5	7	9	13	16	19	34
2. MULTIPLE DX										
A. Not Operated	271	12.3	127	3	5	9	15	24	35	53
B. Operated	3789	14.4	87	7	9	12	16	24	32	60
1. SINGLE DX	631	10.2	37	4	7	9	13	16	20	36
2. MULTIPLE DX	4060	14.2	90	7	9	12	16	24	32	59
A. Not Operated	328	11.3	120	2	5	8	14	24	34	55
B. Operated	4363	13.9	82	7	9	12	16	22	30	58
TOTAL										
0-19 YRS	143	10.1	99	2	3	6	14	24	34	41
20-34	79	12.5	126	5	6	9	12	30	37	56
35-49	138	11.8	132	5	6	9	14	19	27	96
50-64	406	12.6	87	6	7	10	14	21	29	58
65+	3925	14.0	81	7	9	12	16	23	31	57
GRAND TOTAL	**4691**	**13.7**	**85**	**6**	**9**	**12**	**16**	**23**	**31**	**57**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	279	12.3	114	1	3	9	21	27	32	42
20-34	2	16.0	288	4	4	16	28	28	28	28
35-49	6	11.2	367	< 1	1	4	7	46	50	50
50-64	5	14.4	325	< 1	4	8	20	46	46	46
65+	7	9.0	191	1	3	4	7	34	40	40
B. Operated										
0-19 YRS	255	7.7	69	1	2	5	10	19	23	40
20-34	47	8.8	43	3	5	7	10	15	28	33
35-49	18	9.4	121	2	5	7	11	13	36	51
50-64	14	15.5	180	7	8	10	14	34	50	55
65+	25	10.5	36	2	7	11	12	20	23	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	149	12.1	108	1	3	8	20	26	31	38
20-34	8	15.3	291	1	2	7	26	43	49	49
35-49	15	21.7	645	2	4	9	36	52	80	90
50-64	13	21.1	382	4	6	16	40	47	61	64
65+	77	17.6	321	3	6	10	27	54	59	89
B. Operated										
0-19 YRS	283	14.2	129	3	6	11	19	29	35	58
20-34	180	14.6	153	5	8	11	17	27	48	65
35-49	86	19.6	293	5	9	14	26	45	65	96
50-64	62	16.1	117	7	10	12	18	31	39	56
65+	174	19.4	196	7	10	15	25	40	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	299	12.2	122	1	3	8	21	28	32	45
B. Operated	359	8.4	72	1	3	6	11	19	24	40
2. MULTIPLE DX										
A. Not Operated	262	14.8	226	2	4	9	22	37	47	64
B. Operated	785	16.2	171	5	8	12	20	34	46	75
1. SINGLE DX	658	10.1	98	1	3	6	15	24	29	43
2. MULTIPLE DX	1047	15.8	185	4	7	12	21	34	46	75
A. Not Operated	561	13.4	172	1	3	9	21	31	40	59
B. Operated	1144	13.7	153	3	6	10	18	29	40	67
TOTAL										
0-19 YRS	966	11.6	111	1	3	8	18	25	31	44
20-34	237	13.5	139	4	7	10	16	27	41	59
35-49	125	18.0	321	3	6	11	25	46	55	92
50-64	94	16.6	168	6	9	12	18	37	45	60
65+	283	17.9	222	4	8	13	24	42	57	99+
GRAND TOTAL	**1705**	**13.6**	**159**	**2**	**5**	**10**	**19**	**30**	**40**	**63**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	93	1.9	2	1	1	1	2	3	4	9
20-34	36	3.1	6	1	1	2	4	6	9	11
35-49	30	3.1	5	1	2	3	3	6	9	10
50-64	12	5.6	9	1	4	5	8	10	11	11
65 +	19	6.5	15	2	3	5	10	12	13	14
B. Operated										
0-19 YRS	259	3.5	18	1	1	2	4	7	8	26
20-34	159	5.0	14	2	3	4	7	9	11	23
35-49	105	5.8	28	2	3	4	7	11	14	33
50-64	71	6.1	22	2	3	5	8	11	14	28
65 +	19	7.1	21	3	3	6	11	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	4.7	47	1	1	2	5	11	15	40
20-34	21	4.5	12	1	1	3	7	10	11	12
35-49	38	7.2	59	1	3	5	9	16	24	39
50-64	23	8.7	110	2	2	6	9	24	38	41
65 +	99	6.7	23	2	4	6	9	12	16	64
B. Operated										
0-19 YRS	168	10.5	148	1	3	6	12	27	37	55
20-34	192	10.9	106	3	5	8	14	23	34	61
35-49	174	11.9	129	3	5	9	15	26	40	92
50-64	115	10.3	69	3	5	8	13	20	24	74
65 +	123	11.3	148	3	5	8	14	19	32	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	190	3.0	7	1	1	2	4	7	10	12
B. Operated	613	4.7	20	1	2	4	6	9	13	27
2. MULTIPLE DX										
A. Not Operated	235	6.3	43	1	2	5	8	12	19	40
B. Operated	772	11.0	121	3	4	8	13	24	36	73
1. SINGLE DX	803	4.3	18	1	2	3	5	9	11	22
2. MULTIPLE DX	1007	9.9	107	2	4	7	12	21	32	68
A. Not Operated	425	4.8	29	1	2	3	6	10	14	37
B. Operated	1385	8.2	86	2	3	5	10	17	26	55
TOTAL										
0-19 YRS	574	5.4	67	1	1	3	6	12	20	43
20-34	408	7.6	66	1	3	5	9	16	24	48
35-49	347	8.8	90	2	3	6	10	18	29	57
50-64	221	8.6	58	2	4	6	11	17	23	49
65 +	260	8.9	86	2	4	7	11	16	25	82
GRAND TOTAL	**1810**	**7.4**	**75**	**1**	**3**	**5**	**9**	**16**	**24**	**51**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	2.1	2	< 1	1	2	3	4	5	7
20-34	36	2.2	2	< 1	1	2	3	4	4	8
35-49	32	3.0	5	1	1	3	3	6	8	10
50-64	17	3.2	9	1	2	3	3	5	11	14
65 +	20	4.4	9	1	2	4	6	9	10	12
B. Operated										
0-19 YRS	312	3.1	9	1	1	2	4	5	8	16
20-34	395	3.6	5	1	2	3	5	6	8	11
35-49	381	3.7	6	2	2	3	4	6	8	14
50-64	277	4.2	4	2	3	4	5	7	8	11
65 +	120	4.8	9	2	3	4	6	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	3.7	10	1	2	3	4	6	8	17
20-34	45	3.6	10	1	2	3	4	7	9	17
35-49	39	4.0	7	1	2	3	5	8	10	12
50-64	29	4.9	14	1	2	4	6	9	15	17
65 +	80	8.4	43	2	5	7	10	15	23	33
B. Operated										
0-19 YRS	167	5.5	38	1	2	4	6	11	18	33
20-34	320	6.2	34	2	3	5	7	12	17	34
35-49	334	6.8	59	2	3	5	8	11	17	44
50-64	302	6.6	41	2	3	5	7	13	16	34
65 +	333	7.7	55	3	4	6	9	15	19	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	2.7	5	1	1	2	3	5	7	12
B. Operated	1485	3.7	6	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. Not Operated	240	5.4	25	1	2	4	7	11	15	31
B. Operated	1456	6.7	47	2	3	5	7	13	18	35
1. SINGLE DX	1650	3.6	6	1	2	3	5	6	8	13
2. MULTIPLE DX	1696	6.5	44	2	3	5	7	12	17	34
A. Not Operated	405	4.3	18	1	2	3	5	9	12	23
B. Operated	2941	5.2	29	2	3	4	6	9	13	24
TOTAL										
0-19 YRS	586	3.7	18	1	2	3	4	6	11	22
20-34	796	4.6	18	1	2	4	5	8	12	23
35-49	786	5.0	31	2	3	4	6	9	12	30
50-64	625	5.3	24	2	3	4	6	9	14	21
65 +	553	7.1	43	2	4	6	8	13	17	29
GRAND TOTAL	**3346**	**5.1**	**27**	**1**	**2**	**4**	**6**	**9**	**13**	**24**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.7	1	< 1	< 1	1	2	3	3	3
20-34	5	1.4	1	< 1	< 1	1	2	3	3	3
35-49	4	2.8	5	1	1	2	4	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	10	1.4		< 1	1	1	2	3	3	3
20-34	16	3.4	4	1	2	3	4	7	8	8
35-49	6	2.5	2	1	2	2	3	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.8	7	1	1	2	3	6	8	14
20-34	31	2.2	2	1	1	2	3	5	5	6
35-49	24	2.8	6	1	1	2	4	6	8	11
50-64	21	5.1	15	1	2	5	6	12	14	16
65 +	24	4.8	21	1	2	4	6	8	15	22
B. Operated										
0-19 YRS	15	2.7	3	1	1	2	4	6	6	6
20-34	17	4.9	29	1	2	3	5	13	18	21
35-49	17	5.1	29	1	2	4	6	9	19	24
50-64	2	9.5	113	2	2	9	17	17	17	17
65 +	8	8.9	18	2	6	10	11	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.9	2	< 1	1	1	2	3	5	6
B. Operated	33	2.6	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. Not Operated	142	3.3	10	1	1	2	4	7	9	16
B. Operated	59	5.1	25	1	2	3	6	11	16	24
1. SINGLE DX	49	2.3	3	< 1	1	2	3	5	6	8
2. MULTIPLE DX	201	3.9	15	1	1	2	5	8	12	21
A. Not Operated	158	3.2	9	1	1	2	4	6	8	16
B. Operated	92	4.2	18	1	2	3	5	10	13	23
TOTAL										
0-19 YRS	73	2.5	5	< 1	1	2	3	6	7	13
20-34	69	3.1	10	1	1	2	4	6	8	19
35-49	51	3.5	14	1	1	2	5	6	9	24
50-64	25	5.2	20	2	2	4	6	13	16	17
65 +	32	5.8	23	1	2	4	8	12	14	22
GRAND TOTAL	**250**	**3.6**	**13**	**1**	**1**	**2**	**5**	**7**	**11**	**21**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.3		1	1	1	2	2	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.8		2	2	3	3	3	3	3
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.6	25	< 1	1	2	7	13	16	16
20-34	5	5.4	43	< 1	1	3	7	17	17	17
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	0									
65 +	3	10.0	81	1	3	10	17	19	19	19
B. Operated										
0-19 YRS	15	16.1	303	3	4	9	20	45	52	54
20-34	3	40.0	1612	12	14	22	70	86	86	86
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.3		1	1	1	2	2	3	3
B. Operated	5	2.4	1	1	2	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	22	5.7	33	1	1	3	10	16	18	19
B. Operated	19	19.4	502	3	5	10	23	50	72	86
1. SINGLE DX	17	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX	41	12.1	291	1	2	6	12	32	49	86
A. Not Operated	34	4.2	26	1	1	2	4	12	17	19
B. Operated	24	15.9	443	2	3	8	17	46	64	86
TOTAL										
0-19 YRS	43	7.5	149	1	1	3	8	17	45	54
20-34	8	18.4	806	1	2	8	19	67	86	86
35-49	4	5.8	16	1	2	6	9	10	10	10
50-64	0									
65 +	3	10.0	81	1	3	10	17	19	19	19
GRAND TOTAL	**58**	**9.0**	**227**	**1**	**1**	**3**	**10**	**21**	**45**	**83**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	15	1.4		1	1	1	2	2	3	3
20-34	59	2.0	1	1	1	2	2	3	4	5
35-49	30	1.9	1	< 1	1	1	3	4	5	5
50-64	6	1.5	1	1	1	1	2	3	3	3
65 +	4	1.3		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	1.7		1	1	2	2	2	2	2
35-49	0									
50-64	3	4.7	4	3	3	4	6	7	7	7
65 +	4	3.8	13	1	1	2	6	9	9	9
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	19	2.2	2	1	1	2	3	4	6	7
35-49	18	3.2	5	1	2	3	5	7	8	8
50-64	14	6.1	74	1	2	3	5	18	30	33
65 +	16	6.3	22	2	2	5	11	14	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7		< 1	< 1	2	2	2	2	2
B. Operated	114	1.8	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	11	3.8	8	1	2	3	6	8	9	9
B. Operated	69	4.2	24	1	2	3	5	10	14	87
1. SINGLE DX	117	1.8	1	1	1	2	2	3	4	5
2. MULTIPLE DX	80	4.1	22	1	2	3	5	10	14	79
A. Not Operated	14	3.4	7	1	2	2	4	8	9	9
B. Operated	183	2.7	11	1	1	2	3	5	8	27
TOTAL										
0-19 YRS	19	1.9	3	1	1	1	2	3	6	8
20-34	81	2.0	1	1	1	2	2	4	4	6
35-49	49	2.4	3	< 1	1	2	3	5	6	8
50-64	24	4.6	47	1	2	3	4	8	21	33
65 +	24	5.0	20	1	2	3	9	13	35	99 +
GRAND TOTAL	**197**	**2.8**	**11**	**1**	**1**	**2**	**3**	**5**	**9**	**25**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	52	1.7	2	< 1	< 1	1	2	3	4	8
20-34	93	2.1	3	< 1	< 1	1	3	5	5	8
35-49	59	2.1	2	< 1	< 1	1	3	4	5	8
50-64	20	2.1	6	< 1	< 1	< 1	2	4	8	11
65 +	6	1.7	1	< 1	< 1	< 1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	7.0		7	7	7	7	7	7	7
65 +	3	9.0	108	3	3	3	17	21	21	21
B. Operated										
0-19 YRS	79	2.9	6	< 1	1	3	4	5	8	14
20-34	130	3.0	8	< 1	1	2	4	5	8	16
35-49	80	3.0	10	< 1	1	2	4	6	7	20
50-64	53	3.2	67	< 1	< 1	1	2	5	7	58
65 +	44	4.8	74	< 1	< 1	2	5	9	17	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.8	12	1	1	1	4	9	9	9
B. Operated	230	2.0	3	< 1	< 1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	7	5.3	53	1	1	3	6	18	21	21
B. Operated	386	3.2	24	< 1	1	2	4	6	9	18
1. SINGLE DX	235	2.0	3	< 1	< 1	1	3	4	5	9
2. MULTIPLE DX	393	3.2	24	< 1	1	2	4	6	9	20
A. Not Operated	12	4.3	35	1	1	2	5	13	20	21
B. Operated	616	2.7	16	< 1	< 1	2	3	5	7	16
TOTAL										
0-19 YRS	133	2.4	5	< 1	< 1	1	3	4	7	11
20-34	227	2.6	6	< 1	< 1	2	4	5	6	15
35-49	140	2.6	7	< 1	< 1	2	3	5	7	11
50-64	74	2.9	49	< 1	< 1	1	2	5	7	48
65 +	54	4.6	66	< 1	< 1	2	5	9	18	53
GRAND TOTAL	**628**	**2.8**	**16**	**<1**	**<1**	**2**	**3**	**5**	**7**	**17**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.6	4	1	2	3	6	6	6	6
20-34	8	3.1	6	< 1	1	2	4	7	8	8
35-49	6	3.5	8	1	1	3	6	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	62	3.2	15	1	1	2	4	8	13	18
20-34	52	3.0	7	1	1	2	4	6	10	13
35-49	41	5.5	59	1	2	4	6	11	14	48
50-64	14	5.3	24	1	2	3	9	13	15	16
65 +	7	4.6	21	1	2	3	6	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.9	15	< 1	< 1	2	3	8	13	14
20-34	6	4.3	17	1	1	2	8	11	11	11
35-49	13	8.9	161	1	2	5	9	28	43	46
50-64	9	5.8	12	3	3	4	9	11	12	12
65 +	9	12.3	267	2	5	9	10	37	55	55
B. Operated										
0-19 YRS	53	8.2	83	2	3	5	10	18	28	47
20-34	58	6.0	32	1	2	4	8	14	19	27
35-49	45	6.3	34	1	2	5	8	13	17	30
50-64	30	7.9	64	3	3	5	9	18	21	39
65 +	26	7.8	70	1	2	4	11	21	28	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	3.4	5	1	1	3	5	6	7	8
B. Operated	176	3.9	24	1	1	2	4	9	13	18
2. MULTIPLE DX										
A. Not Operated	48	7.0	105	1	2	3	9	12	25	55
B. Operated	212	7.1	54	1	3	5	9	16	22	38
1. SINGLE DX	201	3.9	22	1	1	2	4	8	13	17
2. MULTIPLE DX	260	7.1	63	1	2	4	9	16	22	45
A. Not Operated	73	5.8	73	1	1	3	7	11	14	53
B. Operated	388	5.7	43	1	2	4	7	13	18	34
TOTAL										
0-19 YRS	135	5.2	46	1	1	3	6	13	17	38
20-34	124	4.5	21	1	1	3	6	10	14	22
35-49	105	6.1	57	1	2	4	7	12	18	47
50-64	54	6.8	44	2	3	4	9	16	19	38
65 +	43	8.2	101	1	2	5	10	19	28	55
GRAND TOTAL	**461**	**5.7**	**48**	**1**	**2**	**4**	**7**	**13**	**18**	**39**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2	7	< 1	< 1	1	3	7	7	7
20-34	7	2.3	2	< 1	1	2	4	4	4	4
35-49	7	3.3	2	2	2	3	4	5	5	5
50-64	3	1.7		1	1	2	2	2	2	2
65 +	4	2.8	2	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	76	3.0	2	1	2	3	4	5	5	8
20-34	101	2.9	2	1	2	3	4	5	5	8
35-49	44	2.9	3	1	1	3	4	5	5	9
50-64	8	3.4	1	2	3	3	4	5	6	6
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	5	2.8	4	1	2	2	4	6	6	6
35-49	10	3.0	4	1	2	3	4	6	7	7
50-64	6	3.5	8	1	1	2	6	8	8	8
65 +	10	6.3	31	1	2	4	9	15	17	17
B. Operated										
0-19 YRS	60	3.1	4	< 1	2	3	4	6	7	11
20-34	104	4.3	11	1	2	4	5	7	10	20
35-49	45	5.5	23	1	3	4	7	11	13	29
50-64	16	6.2	22	2	3	5	7	10	18	21
65 +	14	5.6	12	2	2	6	7	10	12	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.5	3	< 1	1	2	3	5	6	7
B. Operated	230	3.0	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	32	4.0	14	1	2	3	6	8	13	17
B. Operated	239	4.4	13	1	2	4	6	8	11	22
1. SINGLE DX	256	2.9	2	1	2	3	4	5	5	8
2. MULTIPLE DX	271	4.4	13	1	2	3	6	8	11	20
A. Not Operated	58	3.4	9	1	1	2	4	7	9	17
B. Operated	469	3.7	8	1	2	3	5	6	8	14
TOTAL										
0-19 YRS	142	3.0	3	< 1	1	3	4	5	6	8
20-34	217	3.5	7	1	2	3	4	6	7	14
35-49	106	4.0	13	1	2	3	5	7	10	21
50-64	33	4.6	14	1	2	3	6	8	10	21
65 +	29	5.4	17	1	2	4	7	12	14	17
GRAND TOTAL	**527**	**3.7**	**8**	**1**	**2**	**3**	**5**	**6**	**8**	**14**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.8	3	1	2	2	4	6	7	7
20-34	103	4.5	6	2	3	4	6	8	9	12
35-49	100	4.3	6	1	3	4	6	7	9	12
50-64	33	5.1	8	2	3	4	6	10	11	12
65+	5	2.8	4	1	2	2	4	6	6	6
B. Operated										
0-19 YRS	0									
20-34	17	4.2	20	1	1	2	6	13	15	15
35-49	17	1.8	2	1	1	1	3	4	5	6
50-64	4	1.3		1	1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.5	7	<1	3	4	7	8	8	8
20-34	91	4.6	6	2	3	4	7	8	9	12
35-49	142	5.4	9	2	3	5	7	9	10	16
50-64	100	5.0	7	2	3	5	7	9	10	12
65+	105	5.8	45	2	3	5	7	9	10	39
B. Operated										
0-19 YRS	0									
20-34	22	4.9	33	1	1	3	7	9	17	27
35-49	27	5.1	21	1	2	4	8	10	14	21
50-64	7	3.7	19	<1	1	1	8	10	10	10
65+	3	9.3		9	9	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	252	4.4	6	2	3	4	6	8	9	12
B. Operated	39	2.8	11	1	1	1	3	6	12	15
2. MULTIPLE DX										
A. Not Operated	448	5.2	16	2	3	5	7	9	10	14
B. Operated	59	5.1	25	1	1	3	8	10	12	26
1. SINGLE DX	291	4.2	7	1	2	4	6	8	9	13
2. MULTIPLE DX	507	5.2	17	2	3	5	7	9	10	15
A. Not Operated	700	4.9	13	2	3	4	6	8	10	13
B. Operated	98	4.2	20	1	1	2	6	10	12	24
TOTAL										
0-19 YRS	21	3.6	6	1	2	3	5	7	8	8
20-34	233	4.5	10	1	2	4	6	8	9	14
35-49	286	4.8	9	1	3	4	6	9	10	15
50-64	144	4.9	8	2	3	4	7	9	10	12
65+	114	5.7	43	2	3	5	7	9	10	34
GRAND TOTAL	**798**	**4.8**	**14**	**1**	**3**	**4**	**6**	**9**	**10**	**14**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	1.8	2	1	1	1	2	3	4	8
20-34	100	3.6	6	1	2	3	5	7	9	12
35-49	102	3.8	7	1	2	3	5	7	9	15
50-64	37	3.8	5	1	2	3	5	7	8	9
65+	10	2.7	1	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	2.9	6	1	1	2	5	7	7	7
35-49	18	2.2	4	1	1	2	2	5	7	8
50-64	7	1.9	1	1	1	2	3	3	3	3
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.5	3	1	1	2	4	5	6	8
20-34	173	4.1	9	1	2	3	5	8	10	14
35-49	188	5.0	11	2	3	4	7	9	11	18
50-64	119	5.4	17	2	3	4	7	11	13	22
65+	106	6.0	19	2	3	5	7	10	14	24
B. Operated										
0-19 YRS	0									
20-34	34	3.1	12	1	1	2	4	6	8	20
35-49	45	5.1	27	1	1	3	7	15	17	18
50-64	18	4.6	24	1	1	3	6	11	17	20
65+	5	11.4	46	2	8	12	14	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	286	3.4	6	1	2	3	4	7	8	13
B. Operated	42	2.4	4	1	1	2	3	6	7	8
2. MULTIPLE DX										
A. Not Operated	628	4.8	13	1	2	4	6	9	11	19
B. Operated	102	4.6	25	1	1	3	5	13	17	21
1. SINGLE DX	328	3.3	6	1	1	3	4	7	8	12
2. MULTIPLE DX	730	4.8	15	1	2	4	6	9	12	19
A. Not Operated	914	4.4	11	1	2	4	6	8	10	17
B. Operated	144	4.0	20	1	1	2	5	9	16	20
TOTAL										
0-19 YRS	80	2.1	2	1	1	2	3	4	5	8
20-34	323	3.8	8	1	2	3	5	8	9	13
35-49	353	4.5	12	1	2	4	6	8	12	17
50-64	181	4.9	15	1	2	4	6	9	13	20
65+	121	5.9	20	2	3	5	7	11	15	23
GRAND TOTAL	**1058**	**4.3**	**12**	**1**	**2**	**3**	**6**	**8**	**11**	**19**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.6	1	<1	1	1	2	3	4	4
20-34	9	1.7	1	<1	1	1	2	3	3	3
35-49	7	2.6	3	1	1	3	4	5	5	5
50-64	7	2.9	7	1	1	2	4	7	8	8
65 +	5	3.6	5	1	2	3	6	6	6	6
B. Operated										
0-19 YRS	16	2.1	1	1	1	2	3	4	4	4
20-34	85	2.3	2	1	1	2	3	4	5	9
35-49	119	2.0	1	1	1	2	2	3	4	5
50-64	169	2.5	1	1	2	2	3	4	5	6
65 +	63	2.8	4	1	2	3	3	4	5	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.0	1	1	1	2	3	4	4	4
20-34	21	2.6	2	<1	1	2	3	5	6	6
35-49	13	4.1	17	1	2	3	4	8	15	17
50-64	17	3.4	3	1	2	3	4	5	8	9
65 +	37	4.1	6	1	2	4	6	7	9	12
B. Operated										
0-19 YRS	9	3.1	6	<1	1	2	4	7	9	9
20-34	34	3.2	7	1	1	2	5	7	9	10
35-49	88	3.1	9	1	2	2	3	4	6	20
50-64	153	3.6	9	1	2	3	4	6	7	19
65 +	154	4.6	20	2	2	3	5	9	13	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	2.2	3	1	1	1	3	5	6	8
B. Operated	452	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	99	3.4	6	1	2	3	4	6	8	15
B. Operated	438	3.8	13	1	2	3	4	7	10	19
1. SINGLE DX	499	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	537	3.7	12	1	2	3	4	7	9	19
A. Not Operated	146	3.0	5	1	1	2	4	6	7	12
B. Operated	890	3.1	8	1	2	2	3	5	7	16
TOTAL										
0-19 YRS	55	2.1	2	1	1	2	3	4	4	9
20-34	149	2.5	4	1	1	2	3	5	7	10
35-49	227	2.5	5	1	1	2	3	4	5	17
50-64	346	3.0	5	1	2	3	3	5	6	15
65 +	259	4.1	14	2	2	3	5	8	10	17
GRAND TOTAL	**1036**	**3.1**	**8**	**1**	**2**	**2**	**4**	**5**	**7**	**16**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	605	1.3	1	<1	1	1	1	2	3	5
20-34	59	1.7	3	1	1	1	2	3	4	12
35-49	22	1.6		1	1	2	2	3	3	3
50-64	14	2.7	5	1	2	2	3	5	8	9
65 +	6	1.7	1	1	1	1	3	3	3	3
B. Operated										
0-19 YRS	4	3.0	16	1	1	1	5	9	9	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	569	1.9	4	1	1	1	2	3	5	9
20-34	186	2.1	3	1	1	2	3	4	5	10
35-49	94	2.5	4	1	1	2	3	5	6	10
50-64	69	2.3	3	1	1	2	3	4	5	10
65 +	87	5.9	25	2	3	4	8	12	15	27
B. Operated										
0-19 YRS	126	3.3	27	1	1	2	3	6	12	29
20-34	99	4.0	77	1	1	2	4	7	11	58
35-49	41	5.2	64	1	1	2	6	11	22	40
50-64	30	4.0	17	1	1	3	5	10	13	18
65 +	32	4.8	19	1	2	3	7	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	706	1.4	1	<1	1	1	1	2	3	7
B. Operated	4	3.0	16	1	1	1	5	9	9	9
2. MULTIPLE DX										
A. Not Operated	1005	2.4	7	1	1	1	3	5	7	13
B. Operated	328	4.0	45	1	1	2	4	8	13	38
1. SINGLE DX	710	1.4	1	<1	1	1	1	2	3	7
2. MULTIPLE DX	1333	2.8	17	1	1	2	3	6	8	17
A. Not Operated	1711	2.0	5	1	1	1	2	4	6	11
B. Operated	332	4.0	45	1	1	2	4	8	13	38
TOTAL										
0-19 YRS	1304	1.8	5	<1	1	1	2	3	4	10
20-34	344	2.6	25	1	1	1	3	5	7	14
35-49	157	3.1	21	1	1	2	3	6	9	33
50-64	113	2.8	7	1	1	2	3	5	8	15
65 +	125	5.5	23	1	2	4	7	12	14	25
GRAND TOTAL	**2043**	**2.3**	**12**	**1**	**1**	**1**	**2**	**4**	**7**	**14**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	43.5	2665	7	7	43	80	80	80	80
20-34	1	20.0		20	20	20	20	20	20	20
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	21.8	152	5	14	20	33	37	38	38
20-34	3	27.7	489	7	11	25	44	51	51	51
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	17.0		17	17	17	17	17	17	17
65+	0									
B. Operated										
0-19 YRS	21	31.1	244	18	21	36	60	99+	99+	99+
20-34	12	39.0	479	15	28	37	81	99+	99+	99+
35-49	9	50.3	634	15	35	66	76	99+	99+	99+
50-64	4	47.5	87	37	50	55	99+	99+	99+	99+
65+	5	26.6	311	13	14	21	36	56	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	35.7	1516	7	10	20	65	80	80	80
2. MULTIPLE DX										
A. Not Operated	18	21.4	197	2	10	18	32	38	46	51
B. Operated	51	37.2	402	17	23	39	74	99+	99+	99+
1. SINGLE DX	3	35.7	1516	7	10	20	65	80	80	80
2. MULTIPLE DX	69	33.1	394	13	20	35	64	99+	99+	99+
A. Not Operated	18	21.4	197	2	10	18	32	38	46	51
B. Operated	54	37.1	436	15	22	39	75	99+	99+	99+
TOTAL										
0-19 YRS	36	28.4	301	9	18	28	44	99+	99+	99+
20-34	16	35.7	455	13	25	35	70	99+	99+	99+
35-49	10	45.4	807	6	25	65	75	99+	99+	99+
50-64	5	41.4	251	22	41	53	99+	99+	99+	99+
65+	5	26.6	311	13	14	21	36	56	56	56
GRAND TOTAL	**72**	**33.2**	**420**	**12**	**20**	**34**	**64**	**99+**	**99+**	**99+**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	403	2.0	30	<1	1	1	2	3	4	24
20-34	68	3.8	38	1	1	2	4	8	15	39
35-49	17	2.6	6	<1	1	1	4	7	8	9
50-64	7	4.0	8	1	2	3	6	9	9	9
65+	10	3.5	10	<1	1	2	5	8	11	11
B. Operated										
0-19 YRS	36	8.8	117	2	3	5	11	22	32	55
20-34	13	4.7	23	1	2	4	5	12	17	18
35-49	10	4.1	19	<1	2	2	5	11	15	15
50-64	7	5.6	18	1	3	6	6	12	14	14
65+	12	7.3	9	3	5	8	9	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	556	3.9	51	1	1	2	3	8	14	44
20-34	230	4.6	80	1	1	2	4	8	14	53
35-49	137	5.9	68	1	2	3	6	14	24	40
50-64	78	6.0	102	1	2	3	6	11	15	62
65+	138	8.1	55	1	3	5	11	20	25	31
B. Operated										
0-19 YRS	252	13.4	299	1	2	7	18	39	67	99+
20-34	153	14.6	315	1	2	8	23	55	73	99+
35-49	90	15.4	333	1	3	9	22	58	98	99+
50-64	51	13.8	161	2	5	11	21	42	92	99+
65+	129	15.9	228	2	6	12	21	34	42	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	505	2.3	30	1	1	1	2	4	6	28
B. Operated	78	7.0	65	1	2	5	9	13	21	50
2. MULTIPLE DX										
A. Not Operated	1139	4.9	65	1	1	2	5	11	19	45
B. Operated	675	14.5	283	1	3	9	20	42	68	99+
1. SINGLE DX	583	2.9	37	1	1	1	3	6	9	37
2. MULTIPLE DX	1814	8.5	167	1	1	3	10	24	39	99+
A. Not Operated	1644	4.1	55	1	1	2	4	9	16	43
B. Operated	753	13.7	265	1	3	8	19	40	63	99+
TOTAL										
0-19 YRS	1247	5.3	114	1	1	2	4	14	26	75
20-34	464	7.8	172	1	1	3	8	24	43	99+
35-49	254	9.0	178	1	2	4	11	29	46	99+
50-64	143	8.7	128	1	2	5	11	22	43	99+
65+	289	11.4	146	1	3	8	15	26	32	69
GRAND TOTAL	**2397**	**7.1**	**141**	**1**	**1**	**3**	**8**	**20**	**34**	**86**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.2	1	1	1	2	3	4	4	5
20-34	16	2.8	4	<1	1	2	4	5	7	8
35-49	10	2.0	1	<1	1	2	3	3	3	3
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	20	4.0	3	1	2	4	5	6	7	7
20-34	69	4.8	9	2	3	4	5	9	11	16
35-49	15	5.1	9	2	3	4	7	9	12	13
50-64	10	4.3	8	2	2	3	7	9	9	9
65+	4	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	3.4	4	2	2	3	4	5	7	12
20-34	61	3.0	6	1	1	2	4	6	9	12
35-49	48	4.8	32	1	2	3	7	9	12	35
50-64	33	4.9	18	1	2	4	7	11	14	19
65+	51	7.2	33	2	4	6	8	12	16	32
B. Operated										
0-19 YRS	98	10.4	141	3	4	7	11	19	32	73
20-34	232	9.2	126	3	4	6	10	18	29	74
35-49	104	12.1	274	3	4	7	11	26	43	97
50-64	60	11.8	114	3	4	8	15	30	43	94
65+	74	14.3	228	4	5	11	18	31	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	2.3	2	1	1	2	3	4	5	8
B. Operated	118	4.6	8	2	3	4	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	281	4.4	18	1	2	3	5	9	11	25
B. Operated	568	10.9	170	3	4	7	12	23	36	96
1. SINGLE DX	172	3.9	7	1	2	3	5	7	9	15
2. MULTIPLE DX	849	8.7	129	2	3	5	10	18	29	82
A. Not Operated	335	4.1	16	1	2	3	5	8	11	20
B. Operated	686	9.8	147	3	4	6	11	20	32	91
TOTAL										
0-19 YRS	229	6.3	75	2	2	4	7	12	18	53
20-34	378	7.1	88	2	3	4	8	14	20	67
35-49	177	9.0	184	2	3	5	9	17	35	88
50-64	106	8.6	83	2	3	5	11	20	33	69
65+	131	11.0	156	3	4	7	13	26	37	99+
GRAND TOTAL	**1021**	**7.9**	**112**	**2**	**3**	**5**	**9**	**16**	**26**	**73**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	4.7	12	1	2	4	7	10	11	14
20-34	24	3.2	5	1	2	3	4	5	7	11
35-49	5	2.2		2	2	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	44	5.5	8	2	3	5	8	9	11	11
20-34	49	5.7	8	3	4	5	7	9	11	17
35-49	22	7.0	36	2	4	6	8	11	20	31
50-64	3	4.7		4	4	5	5	5	5	5
65+	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	5.1	17	1	2	4	7	10	12	24
20-34	51	4.0	22	1	1	3	4	9	12	28
35-49	38	4.3	10	1	2	4	6	9	10	13
50-64	20	3.7	8	1	2	2	5	8	10	11
65+	25	7.5	51	2	3	5	9	13	24	35
B. Operated										
0-19 YRS	214	11.6	123	5	6	8	14	20	31	93
20-34	363	11.6	132	4	5	8	13	27	40	98
35-49	151	12.3	140	4	6	8	13	26	44	71
50-64	61	16.0	283	5	7	10	21	37	86	99+
65+	54	13.1	181	3	6	9	15	26	37	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	4.1	10	1	2	3	6	9	11	14
B. Operated	120	5.9	13	2	4	5	7	9	11	21
2. MULTIPLE DX										
A. Not Operated	289	4.9	20	1	2	4	7	10	12	25
B. Operated	843	12.2	146	4	6	8	14	25	40	99
1. SINGLE DX	216	5.1	12	1	2	5	7	9	11	15
2. MULTIPLE DX	1132	10.3	124	2	5	7	12	22	33	88
A. Not Operated	385	4.7	18	1	2	4	7	10	11	23
B. Operated	963	11.4	134	4	5	8	13	24	37	90
TOTAL										
0-19 YRS	479	8.0	73	1	3	7	9	15	20	59
20-34	487	9.8	112	3	5	7	11	21	33	82
35-49	216	10.2	115	2	5	7	11	23	35	59
50-64	85	12.6	235	2	5	8	14	29	65	99+
65+	81	11.1	143	2	4	8	14	24	34	71
GRAND TOTAL	**1348**	**9.5**	**110**	**2**	**4**	**7**	**11**	**20**	**30**	**84**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.1	2	<1	1	2	3	5	5	5
20-34	0									
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	104	2.4	3	1	1	2	4	4	5	8
20-34	39	2.6	2	1	1	2	4	5	5	6
35-49	15	2.7	3	1	1	3	3	5	6	6
50-64	5	2.8	3	1	1	3	4	5	5	5
65 +	7	3.0	3	1	2	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	5	4.6	9	<1	1	5	7	8	8	8
35-49	6	4.7	3	3	4	4	5	8	8	8
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	123	3.8	8	1	2	3	5	7	10	15
20-34	97	3.7	5	1	2	3	5	6	8	12
35-49	51	3.9	8	1	2	4	5	7	10	13
50-64	28	4.1	4	1	3	4	5	7	8	8
65 +	27	4.9	42	1	2	3	5	10	15	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.1	2	<1	1	2	3	4	5	5
B. Operated	170	2.5	3	1	1	2	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	16	4.3	5	1	3	4	5	8	8	8
B. Operated	326	3.9	10	1	2	3	5	7	9	14
1. SINGLE DX	180	2.5	3	1	1	2	4	5	5	7
2. MULTIPLE DX	342	3.9	9	1	2	3	5	7	9	14
A. Not Operated	26	3.4	5	1	2	3	5	7	8	8
B. Operated	496	3.4	8	1	1	3	5	6	8	13
TOTAL										
0-19 YRS	236	3.1	6	1	1	3	4	5	8	13
20-34	141	3.4	5	1	2	3	5	6	7	10
35-49	75	3.7	6	1	2	3	5	7	8	12
50-64	35	3.9	4	1	2	4	5	7	8	8
65 +	35	4.5	33	1	2	3	5	9	11	34
GRAND TOTAL	**522**	**3.4**	**8**	**1**	**1**	**3**	**5**	**6**	**8**	**13**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	1.6	1	<1	1	1	2	3	4	7
20-34	14	1.6	1	<1	1	1	2	3	3	3
35-49	10	2.0	2	<1	<1	1	2	4	5	5
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	0									
B. Operated										
0-19 YRS	126	2.3	28	<1	1	1	2	3	5	36
20-34	57	2.9	25	1	1	2	3	4	8	35
35-49	23	1.9	1	<1	1	1	3	3	4	4
50-64	6	1.7	1	1	1	2	2	3	3	3
65 +	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	2.1	2	<1	1	1	2	4	6	7
20-34	69	2.4	5	<1	1	2	3	5	7	11
35-49	28	2.0	3	<1	1	1	3	4	7	7
50-64	16	3.4	9	1	1	2	5	8	11	12
65 +	23	5.0	32	1	1	2	7	12	17	25
B. Operated										
0-19 YRS	257	3.2	37	1	1	2	3	6	9	30
20-34	256	3.4	18	1	1	2	4	7	9	23
35-49	117	3.5	15	1	1	2	4	7	11	22
50-64	60	4.8	36	1	2	3	6	9	15	38
65 +	61	4.0	22	1	1	2	5	8	11	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	1.7	1	<1	1	1	2	3	4	7
B. Operated	214	2.4	24	<1	1	1	2	4	5	33
2. MULTIPLE DX										
A. Not Operated	236	2.5	7	1	1	2	3	5	7	12
B. Operated	751	3.5	26	1	1	2	4	7	10	25
1. SINGLE DX	314	2.2	17	<1	1	1	2	3	5	19
2. MULTIPLE DX	987	3.3	21	1	1	2	4	7	9	24
A. Not Operated	336	2.3	5	<1	1	1	3	5	7	12
B. Operated	965	3.2	25	1	1	2	3	6	9	26
TOTAL										
0-19 YRS	555	2.6	24	1	1	1	2	5	7	25
20-34	396	3.1	16	1	1	2	3	6	9	21
35-49	178	2.9	11	1	1	2	3	6	9	20
50-64	86	4.2	28	1	1	3	5	8	12	33
65 +	86	4.3	24	1	1	2	5	9	13	28
GRAND TOTAL	**1301**	**3.0**	**20**	**1**	**1**	**2**	**3**	**6**	**8**	**24**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	1.4	1	<1	1	1	2	3	3	5
20-34	58	1.7	1	<1	1	1	2	3	4	6
35-49	20	2.3	6	<1	1	1	2	6	8	10
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	101	2.4	5	1	1	1	3	5	7	12
20-34	78	3.1	5	1	1	3	4	5	7	12
35-49	16	2.4	2	1	1	2	3	4	5	5
50-64	4	2.5	2	1	1	2	3	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	3.8	57	1	1	2	3	7	12	51
20-34	71	2.3	4	<1	1	2	3	5	6	12
35-49	31	2.3	2	<1	1	2	3	4	5	6
50-64	10	4.4	16	1	1	3	6	10	14	14
65 +	5	22.4	1021	1	7	10	29	79	79	79
B. Operated										
0-19 YRS	93	5.8	82	1	2	4	6	12	18	84
20-34	191	4.7	49	1	2	3	6	9	13	62
35-49	80	4.3	10	1	2	4	6	7	9	19
50-64	21	5.7	23	1	2	4	8	12	16	20
65 +	9	5.8	32	1	2	4	7	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	1.7	2	<1	1	1	2	3	4	7
B. Operated	200	2.7	5	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. Not Operated	166	3.5	56	1	1	2	3	6	9	46
B. Operated	394	5.0	47	1	2	4	6	9	14	60
1. SINGLE DX	343	2.3	4	1	1	2	3	5	6	11
2. MULTIPLE DX	560	4.5	50	1	1	3	5	9	13	55
A. Not Operated	309	2.7	32	<1	1	2	2	5	7	16
B. Operated	594	4.2	34	1	1	3	5	8	12	33
TOTAL										
0-19 YRS	304	3.5	39	1	1	2	4	7	11	53
20-34	398	3.5	27	1	1	2	4	7	9	23
35-49	147	3.4	8	1	1	3	5	7	8	13
50-64	37	4.8	19	1	2	4	6	11	14	20
65 +	17	10.1	341	1	2	4	10	17	58	79
GRAND TOTAL	**903**	**3.7**	**34**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	2.1	2	<1	1	2	2	4	4	9
20-34	115	2.8	3	1	1	2	4	5	6	8
35-49	30	2.7	3	<1	1	2	3	5	7	7
50-64	8	3.8	5	<1	2	4	5	7	7	7
65 +	0									
B. Operated										
0-19 YRS	174	2.2	6	<1	1	1	2	4	6	14
20-34	210	2.8	7	<1	1	2	3	6	8	14
35-49	120	2.7	10	<1	1	2	3	6	10	17
50-64	49	2.0	2	<1	1	1	3	4	6	8
65 +	12	1.8	1	<1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	3.1	13	1	2	2	4	5	7	22
20-34	77	3.1	8	1	1	2	4	6	7	18
35-49	37	3.1	3	1	2	3	4	6	7	8
50-64	26	4.5	20	1	2	3	5	9	15	22
65 +	21	3.4	5	2	2	3	4	6	9	11
B. Operated										
0-19 YRS	180	3.3	11	1	1	2	4	8	10	20
20-34	348	3.4	13	1	1	2	4	7	10	23
35-49	181	5.0	34	1	2	3	6	11	18	32
50-64	93	5.1	58	1	2	3	5	10	17	46
65 +	62	4.9	28	1	2	3	6	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	214	2.6	3	1	1	2	3	5	6	8
B. Operated	565	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	258	3.3	10	1	2	2	4	6	7	21
B. Operated	864	4.0	23	1	1	2	5	8	12	25
1. SINGLE DX	779	2.5	6	<1	1	2	3	5	7	14
2. MULTIPLE DX	1122	3.8	21	1	1	2	4	8	11	24
A. Not Operated	472	3.0	7	1	1	2	4	5	7	11
B. Operated	1429	3.4	17	<1	1	2	4	7	10	23
TOTAL										
0-19 YRS	512	2.8	9	<1	1	2	3	5	8	16
20-34	750	3.1	9	1	1	2	4	6	8	16
35-49	368	3.9	22	1	1	2	5	8	12	27
50-64	176	4.1	36	<1	1	3	4	7	13	25
65 +	95	4.2	20	1	2	3	4	8	14	26
GRAND TOTAL	**1901**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**9**	**22**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	2.7	4	< 1	1	2	4	5	7	11
20-34	73	2.5	3	1	1	2	3	5	7	8
35-49	30	3.1	6	1	1	2	4	5	8	12
50-64	7	4.6	7	2	2	3	7	8	8	8
65 +	3	5.0	1	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	205	3.4	10	1	1	2	4	7	10	16
20-34	136	3.4	12	1	1	2	4	7	10	19
35-49	58	4.8	29	1	2	3	5	10	19	26
50-64	26	3.5	11	1	1	2	4	9	10	13
65 +	12	5.3	11	2	3	4	7	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	3.3	6	1	2	3	4	7	8	12
20-34	53	2.9	3	1	1	3	4	5	6	7
35-49	41	5.0	17	1	3	4	7	10	12	23
50-64	29	5.4	4	2	4	5	7	8	9	9
65 +	55	6.8	36	2	3	5	8	13	16	37
B. Operated										
0-19 YRS	142	7.6	80	1	2	5	9	18	26	53
20-34	144	6.2	54	1	2	4	7	13	18	34
35-49	73	10.0	185	2	2	5	11	24	38	71
50-64	51	10.1	131	2	3	8	13	19	25	73
65 +	43	7.8	46	1	3	6	9	15	24	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	212	2.8	4	1	1	2	4	5	7	10
B. Operated	437	3.6	13	1	1	3	4	8	11	20
2. MULTIPLE DX										
A. Not Operated	247	4.5	16	1	2	4	6	8	11	23
B. Operated	453	7.8	92	1	2	5	9	18	26	56
1. SINGLE DX	649	3.4	11	1	1	2	4	7	9	17
2. MULTIPLE DX	700	6.7	68	1	2	4	8	14	21	46
A. Not Operated	459	3.7	11	1	2	3	5	7	9	15
B. Operated	890	5.8	58	1	2	3	7	13	19	36
TOTAL										
0-19 YRS	515	4.4	31	1	1	3	5	10	13	28
20-34	406	4.2	26	1	1	3	5	9	13	25
35-49	202	6.5	86	1	2	4	7	14	23	54
50-64	113	7.1	71	1	3	5	9	14	19	50
65 +	113	7.0	37	2	3	6	9	12	20	34
GRAND TOTAL	**1349**	**5.1**	**43**	**1**	**2**	**3**	**6**	**11**	**15**	**31**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	3.8	12	< 1	1	3	6	9	12	12
20-34	9	3.1	5	< 1	1	3	4	6	8	8
35-49	5	2.2	5	1	1	1	3	6	6	6
50-64	3	4.0	19	1	1	2	7	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.8	61	< 1	1	4	12	18	18	18
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	< 1	< 1	2	4	4	4	4
65 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	29	13.8	131	2	4	10	19	32	34	42
20-34	94	9.6	149	1	2	5	11	31	38	58
35-49	33	9.2	128	2	2	6	9	28	35	51
50-64	11	9.9	102	1	2	6	16	27	31	31
65 +	12	18.3	486	1	2	6	40	54	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.2		1	1	1	2	2	2	2
B. Operated	28	3.3	8	1	1	2	5	8	9	12
2. MULTIPLE DX										
A. Not Operated	10	4.9	31	< 1	1	3	6	14	18	18
B. Operated	179	10.8	164	1	2	6	12	31	39	55
1. SINGLE DX	33	3.0	8	1	1	2	4	7	9	12
2. MULTIPLE DX	189	10.5	158	1	2	6	12	31	39	55
A. Not Operated	15	3.7	23	< 1	1	2	4	11	16	18
B. Operated	207	9.8	149	1	2	5	11	30	37	54
TOTAL										
0-19 YRS	47	10.0	111	1	2	6	16	30	33	42
20-34	107	8.7	136	1	2	4	10	24	36	56
35-49	39	8.1	115	1	2	5	8	24	33	51
50-64	16	7.9	81	< 1	1	4	9	23	29	31
65 +	13	17.8	450	1	3	7	37	54	56	56
GRAND TOTAL	**222**	**9.4**	**143**	**1**	**2**	**5**	**10**	**29**	**36**	**54**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	18	4.2	17	1	1	3	4	12	13	13
20-34	17	4.4	29	1	1	4	5	11	18	22
35-49	7	4.0	5	2	2	3	6	7	7	7
50-64	3	4.7	21	2	2	2	8	10	10	10
65 +	3	9.7	50	2	4	11	15	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	16.7	281	6	6	8	29	36	36	36
20-34	4	6.5	26	3	3	4	9	14	14	14
35-49	4	11.3	252	2	2	4	20	35	35	35
50-64	4	4.5	3	3	3	4	6	6	6	6
65 +	19	14.7	80	4	8	14	21	28	31	32
B. Operated										
0-19 YRS	11	3.6	17	<1	1	1	6	9	14	14
20-34	11	6.7	28	2	3	4	11	15	17	17
35-49	7	12.4	74	1	4	15	20	23	23	23
50-64	2	12.0	200	2	2	12	22	22	22	22
65 +	6	13.5	126	3	5	9	25	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.3	5	2	2	2	5	6	6	6
B. Operated	48	4.6	21	1	2	3	6	12	14	22
2. MULTIPLE DX										
A. Not Operated	34	12.3	103	3	5	8	18	30	34	36
B. Operated	37	8.3	64	1	2	5	14	22	24	30
1. SINGLE DX	51	4.5	20	1	2	3	6	12	13	22
2. MULTIPLE DX	71	10.2	86	1	3	6	16	24	30	36
A. Not Operated	37	11.6	101	2	4	8	18	29	34	36
B. Operated	85	6.2	43	1	2	4	8	16	22	28
TOTAL										
0-19 YRS	33	5.1	46	1	1	3	6	13	14	36
20-34	32	5.5	28	1	2	4	6	14	17	22
35-49	20	8.4	82	2	2	5	11	22	29	35
50-64	9	6.2	42	2	2	3	7	17	22	22
65 +	28	13.9	83	3	7	11	20	28	30	32
GRAND TOTAL	**122**	**7.8**	**66**	**1**	**2**	**5**	**11**	**21**	**25**	**35**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	3.9	4	2	3	4	5	6	7	12
20-34	11	3.6	3	1	2	4	5	6	6	6
35-49	8	2.9	3	1	1	3	4	5	5	5
50-64	3	4.7	1	4	4	4	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	6	5.7	10	2	3	5	9	10	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	3.6	4	1	2	4	5	6	7	8
20-34	29	3.2	2	1	2	3	4	5	6	7
35-49	11	3.8	2	1	3	4	5	5	5	5
50-64	9	3.3	12	1	1	2	4	9	12	12
65 +	6	4.7	10	1	2	5	5	10	10	10
B. Operated										
0-19 YRS	11	4.7	8	2	3	4	5	9	12	12
20-34	12	5.7	16	2	3	5	7	11	15	16
35-49	6	3.7	3	1	2	4	5	6	6	6
50-64	5	5.6	13	2	3	5	8	11	11	11
65 +	3	4.3	4	2	3	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	3.8	3	1	3	4	5	6	7	11
B. Operated	7	5.1	10	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	110	3.6	4	1	2	4	5	5	7	11
B. Operated	37	4.9	10	2	2	5	6	9	12	16
1. SINGLE DX	88	3.9	4	2	3	4	5	6	8	11
2. MULTIPLE DX	147	3.9	6	1	2	4	5	7	8	12
A. Not Operated	191	3.7	4	1	2	4	5	6	7	11
B. Operated	44	5.0	10	2	2	5	6	9	11	16
TOTAL										
0-19 YRS	131	3.9	4	1	2	4	5	6	8	12
20-34	53	3.8	6	1	2	4	5	6	7	16
35-49	25	3.5	3	1	2	4	5	5	6	6
50-64	17	4.2	11	1	2	3	5	10	12	12
65 +	9	4.6	7	1	2	5	6	8	10	10
GRAND TOTAL	**235**	**3.9**	**5**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	259	1.6	2	<1	1	1	2	3	4	9
20-34	114	1.9	2	1	1	2	2	3	4	9
35-49	63	2.2	2	1	1	2	3	5	6	7
50-64	39	2.4	1	1	2	2	3	4	4	6
65+	25	3.8	9	1	2	3	5	8	10	12
B. Operated										
0-19 YRS	38	3.2	21	<1	<1	1	3	10	14	22
20-34	17	2.4	2	<1	1	2	4	4	5	6
35-49	10	3.1	6	1	1	2	4	7	9	9
50-64	6	2.3	5	<1	1	1	2	7	7	7
65+	7	5.6	23	1	1	5	8	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	373	2.1	3	1	1	1	2	4	6	10
20-34	322	2.5	6	1	1	2	3	5	6	11
35-49	219	3.0	6	1	1	2	4	7	8	12
50-64	147	3.4	6	1	2	3	4	6	8	13
65+	337	5.7	30	1	2	4	8	12	15	27
B. Operated										
0-19 YRS	43	3.4	9	1	1	3	5	7	8	15
20-34	58	4.3	29	1	1	2	5	10	14	27
35-49	50	3.8	7	1	1	3	6	7	9	11
50-64	25	5.9	97	1	1	3	5	10	28	48
65+	63	7.4	34	2	3	6	11	18	20	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	500	1.9	3	1	1	1	2	4	5	9
B. Operated	78	3.2	14	<1	1	2	4	8	13	20
2. MULTIPLE DX										
A. Not Operated	1398	3.3	13	1	1	2	4	7	10	17
B. Operated	239	5.0	31	1	2	3	6	11	16	27
1. SINGLE DX	578	2.1	4	<1	1	1	2	4	5	12
2. MULTIPLE DX	1637	3.6	16	1	1	2	4	8	11	20
A. Not Operated	1898	3.0	11	1	1	2	3	6	9	15
B. Operated	317	4.6	28	<1	1	3	6	11	14	25
TOTAL										
0-19 YRS	713	2.0	4	<1	1	1	2	4	6	12
20-34	511	2.6	8	1	1	2	3	5	7	14
35-49	342	3.0	6	1	1	2	4	6	8	11
50-64	217	3.5	16	1	2	3	4	6	8	17
65+	432	5.8	30	1	2	4	8	13	16	25
GRAND TOTAL	**2215**	**3.2**	**13**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.9	2	1	1	2	2	4	5	6
20-34	9	2.2	2	1	1	2	3	5	5	5
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	0									
B. Operated										
0-19 YRS	7	6.1	94	<1	2	3	4	23	28	28
20-34	12	2.6	7	<1	1	2	3	6	9	10
35-49	7	2.4	3	<1	1	2	4	5	5	5
50-64	7	2.0	2	1	1	1	3	5	5	5
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.2	5	<1	1	3	5	6	7	7
20-34	10	3.2	6	1	1	2	6	7	7	7
35-49	7	3.9	10	2	2	3	4	10	11	11
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	4	4.0	3	2	2	4	5	6	6	6
B. Operated										
0-19 YRS	11	8.1	64	<1	1	4	16	20	22	22
20-34	25	6.2	34	2	3	4	7	13	19	28
35-49	17	10.6	356	1	2	4	10	25	61	79
50-64	5	6.6	78	1	2	2	10	22	22	22
65+	4	5.0	23	1	2	3	8	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.0	2	1	1	2	2	4	5	6
B. Operated	33	3.2	23	1	1	2	3	5	9	28
2. MULTIPLE DX										
A. Not Operated	35	3.5	5	1	2	3	5	7	7	11
B. Operated	62	7.7	127	1	2	4	9	17	24	73
1. SINGLE DX	66	2.6	13	1	1	2	3	4	5	25
2. MULTIPLE DX	97	6.2	87	1	2	4	7	14	20	55
A. Not Operated	68	2.8	4	1	1	2	4	6	7	10
B. Operated	95	6.1	95	1	2	3	6	14	22	56
TOTAL										
0-19 YRS	46	4.4	35	1	1	2	4	13	19	28
20-34	56	4.3	21	1	1	3	5	8	12	27
35-49	36	6.5	181	1	2	3	5	11	24	79
50-64	17	3.6	25	1	1	2	4	6	16	22
65+	8	4.5	12	1	2	4	5	10	12	12
GRAND TOTAL	**163**	**4.7**	**60**	**1**	**1**	**3**	**5**	**10**	**16**	**28**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	411	1.2	1	<1	<1	1	1	2	2	4
20-34	22	1.5	1	<1	1	1	1	3	4	4
35-49	28	1.3		<1	<1	1	2	2	3	3
50-64	11	1.5		<1	1	1	2	2	2	2
65+	18	1.4	1	<1	1	1	2	2	4	5
B. Operated										
0-19 YRS	150	1.7	2	<1	1	1	2	3	4	8
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	6	3.8	10	1	1	4	7	7	7	7
50-64	5	3.8	27	<1	1	1	5	13	13	13
65+	6	2.3	2	<1	<1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	128	2.4	4	1	1	2	3	4	6	11
20-34	15	2.5	7	1	1	1	3	7	9	10
35-49	21	4.1	15	1	2	2	5	11	13	14
50-64	31	3.1	16	<1	1	1	4	6	14	19
65+	68	4.9	19	1	2	3	7	10	16	19
B. Operated										
0-19 YRS	84	3.8	15	1	1	2	5	9	14	72
20-34	12	7.6	112	1	1	2	10	26	33	34
35-49	19	6.3	43	1	2	5	7	13	22	29
50-64	24	6.4	58	<1	1	3	10	16	27	28
65+	57	5.7	37	1	2	4	7	15	17	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	490	1.2	1	<1	<1	1	1	2	2	4
B. Operated	170	1.9	3	<1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	263	3.2	11	1	1	2	4	7	11	18
B. Operated	196	5.1	36	1	1	3	7	14	17	33
1. SINGLE DX	660	1.4	1	<1	<1	1	1	2	3	7
2. MULTIPLE DX	459	4.0	22	1	1	2	5	10	14	28
A. Not Operated	753	1.9	5	<1	1	1	2	4	6	13
B. Operated	366	3.6	23	<1	1	2	4	8	14	29
TOTAL										
0-19 YRS	773	1.8	4	<1	1	1	2	3	5	12
20-34	52	3.2	32	1	1	1	3	7	14	34
35-49	74	3.6	19	<1	1	2	5	8	12	25
50-64	71	4.0	31	<1	1	2	4	12	15	28
65+	149	4.7	24	1	1	3	6	11	16	21
GRAND TOTAL	**1119**	**2.5**	**12**	**<1**	**1**	**1**	**2**	**5**	**9**	**18**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	8	3.9	11	1	1	3	7	8	8	8
35-49	4	4.3	13	1	1	3	7	9	9	9
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	2	6.0	18	3	3	6	9	9	9	9
B. Operated										
0-19 YRS	36	7.4	100	1	1	4	10	18	30	48
20-34	12	7.3	42	1	2	5	13	18	18	18
35-49	8	9.9	96	1	4	7	13	27	31	31
50-64	4	8.8	74	1	3	6	14	21	21	21
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	6.6	51	1	2	4	9	16	21	39
20-34	22	6.6	31	1	2	6	10	16	19	20
35-49	16	11.9	73	1	4	11	19	23	27	29
50-64	12	10.0	75	1	4	7	14	26	26	26
65+	18	10.2	31	4	6	9	14	17	21	24
B. Operated										
0-19 YRS	134	20.2	281	4	9	16	25	51	80	99+
20-34	45	22.0	430	3	8	17	31	55	88	99+
35-49	45	20.1	323	4	8	15	27	55	72	99+
50-64	35	21.4	438	2	7	16	35	58	98	99+
65+	43	21.0	217	4	8	16	32	45	50	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.2	9	1	1	3	7	9	9	9
B. Operated	61	7.7	82	1	1	5	10	18	29	46
2. MULTIPLE DX										
A. Not Operated	153	7.8	53	1	2	6	10	18	22	29
B. Operated	302	20.7	315	3	8	16	29	51	75	99+
1. SINGLE DX	80	6.9	67	1	1	4	9	17	25	43
2. MULTIPLE DX	455	16.4	263	2	5	12	22	44	56	99+
A. Not Operated	172	7.4	49	1	2	5	10	17	21	28
B. Operated	363	18.5	299	2	6	14	25	48	60	99+
TOTAL										
0-19 YRS	258	13.8	222	1	3	10	20	38	52	99+
20-34	87	14.4	297	1	3	9	19	36	56	96
35-49	73	16.3	248	2	6	12	21	37	57	94
50-64	53	17.2	343	2	5	11	25	53	86	99+
65+	64	17.2	184	4	7	13	26	37	48	53
GRAND TOTAL	**535**	**15.0**	**245**	**2**	**4**	**10**	**20**	**38**	**54**	**99+**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	4.5	17	1	1	3	6	10	11	24
20-34	46	3.9	9	1	2	3	5	8	9	17
35-49	21	7.0	32	1	2	6	9	15	19	21
50-64	10	7.8	42	1	3	7	10	17	24	24
65 +	0									
B. Operated										
0-19 YRS	47	5.3	25	1	1	3	8	12	16	23
20-34	4	15.0	23	10	11	15	19	20	20	20
35-49	5	7.2	24	2	2	9	11	12	12	12
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	624	6.1	29	1	2	5	9	12	16	23
20-34	178	6.1	43	1	2	4	8	13	17	37
35-49	115	6.6	35	1	2	5	8	14	18	31
50-64	63	7.8	66	1	3	5	9	19	30	92
65 +	33	9.0	54	2	4	7	10	21	26	30
B. Operated										
0-19 YRS	89	16.2	183	3	6	14	22	28	44	68
20-34	41	14.9	240	2	7	10	18	31	35	91
35-49	20	19.4	221	5	9	14	26	43	53	58
50-64	17	12.9	116	3	5	9	18	29	38	42
65 +	16	19.3	231	1	8	15	30	36	50	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	4.8	19	1	1	4	6	10	12	24
B. Operated	58	6.0	30	1	1	4	9	13	18	23
2. MULTIPLE DX										
A. Not Operated	1013	6.4	36	1	2	5	8	13	17	30
B. Operated	183	16.2	197	3	7	13	22	32	43	68
1. SINGLE DX	266	5.0	21	1	1	4	7	10	14	24
2. MULTIPLE DX	1196	7.9	73	1	3	5	10	17	23	43
A. Not Operated	1221	6.1	33	1	2	4	8	13	17	29
B. Operated	241	13.8	176	2	4	10	20	29	37	67
TOTAL										
0-19 YRS	891	6.9	52	1	2	5	9	15	21	35
20-34	269	7.2	79	1	2	4	9	16	22	37
35-49	161	8.2	74	1	3	6	10	17	23	48
50-64	92	8.6	74	1	3	6	11	19	31	75
65 +	49	12.4	132	2	4	8	17	30	32	56
GRAND TOTAL	**1462**	**7.4**	**65**	**1**	**2**	**5**	**9**	**16**	**22**	**40**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.1	7	1	2	2	4	8	8	8
20-34	12	3.8	8	1	2	3	5	9	9	9
35-49	6	2.3	2	< 1	1	2	3	5	5	5
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	18	2.6	3	1	1	2	3	5	6	7
20-34	22	2.6	3	< 1	1	2	4	5	6	7
35-49	15	2.5	5	< 1	1	2	3	5	8	9
50-64	3	4.7	6	2	3	5	6	7	7	7
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	6.4	33	2	2	4	11	19	72	99 +
20-34	21	7.0	187	1	2	2	6	11	37	65
35-49	10	7.9	52	< 1	2	6	11	19	24	24
50-64	10	7.7	99	1	2	3	12	23	33	33
65 +	8	9.6	29	3	5	10	13	17	18	18
B. Operated										
0-19 YRS	44	7.3	207	< 1	1	3	7	24	93	99 +
20-34	73	6.7	97	1	2	3	8	18	24	58
35-49	33	4.7	35	< 1	1	3	5	16	22	99 +
50-64	16	4.5	15	1	2	4	7	12	69	99 +
65 +	7	6.3	41	1	1	5	8	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.1	6	1	2	2	4	8	9	9
B. Operated	59	2.7	4	1	1	2	4	5	7	9
2. MULTIPLE DX										
A. Not Operated	65	7.4	92	2	2	4	10	16	26	94
B. Operated	173	6.3	103	1	1	3	7	19	24	99 +
1. SINGLE DX	87	2.8	4	1	1	2	4	6	7	9
2. MULTIPLE DX	238	6.6	99	1	2	3	8	18	24	99 +
A. Not Operated	93	6.2	69	1	2	3	9	14	20	85
B. Operated	232	5.4	80	1	1	3	5	16	23	99 +
TOTAL										
0-19 YRS	87	5.7	115	1	2	3	6	18	24	99 +
20-34	128	5.8	89	1	2	3	6	13	22	65
35-49	64	4.5	30	< 1	1	2	5	15	21	89
50-64	30	5.5	42	1	2	3	7	13	32	99 +
65 +	16	7.8	34	1	3	6	12	18	19	19
GRAND TOTAL	**325**	**5.6**	**77**	**1**	**2**	**3**	**6**	**15**	**22**	**99 +**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	87	1.8	3	< 1	1	1	2	3	4	11
20-34	72	2.3	2	1	1	2	3	5	5	79
35-49	23	2.2	2	1	1	2	3	4	5	8
50-64	17	2.2	2	< 1	1	2	3	5	5	5
65 +	5	6.6	39	1	2	5	9	17	17	17
B. Operated										
0-19 YRS	23	4.5	48	1	1	3	5	9	18	34
20-34	23	4.7	35	1	2	3	5	9	16	30
35-49	16	5.3	28	1	1	3	11	14	15	15
50-64	5	2.2	3	< 1	< 1	1	4	4	4	4
65 +	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	125	3.4	21	1	1	2	4	5	12	24
20-34	127	3.0	19	1	1	2	4	6	7	24
35-49	68	3.1	8	1	1	2	4	6	8	17
50-64	41	4.1	8	1	2	3	5	9	10	12
65 +	79	7.6	95	1	3	6	9	13	14	65
B. Operated										
0-19 YRS	45	6.2	27	1	3	4	8	17	19	19
20-34	66	7.2	58	1	2	5	9	14	21	38
35-49	36	7.4	103	1	2	5	9	16	25	56
50-64	32	10.8	100	2	4	7	14	23	37	41
65 +	30	9.7	56	2	4	9	14	22	33	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	204	2.1	4	< 1	1	2	3	4	5	15
B. Operated	70	4.5	33	1	1	3	5	10	14	33
2. MULTIPLE DX										
A. Not Operated	440	4.1	33	1	1	3	5	8	11	32
B. Operated	209	7.9	67	1	3	5	10	18	25	47
1. SINGLE DX	274	2.7	12	< 1	1	2	3	5	8	27
2. MULTIPLE DX	649	5.3	47	1	1	3	6	12	17	38
A. Not Operated	644	3.5	24	1	1	2	4	7	10	22
B. Operated	279	7.1	60	1	2	4	9	16	22	40
TOTAL										
0-19 YRS	280	3.4	20	1	1	2	4	7	12	22
20-34	288	3.9	28	1	1	2	4	8	12	38
35-49	143	4.3	36	1	1	2	5	10	14	30
50-64	95	5.9	50	1	2	4	7	12	21	40
65 +	117	8.0	81	1	3	6	10	15	23	82
GRAND TOTAL	**923**	**4.6**	**38**	**1**	**1**	**3**	**5**	**10**	**15**	**37**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	588	1.7	3	< 1	1	1	2	3	4	9
20-34	154	1.8	1	< 1	1	1	2	3	4	6
35-49	59	2.3	5	< 1	1	1	3	4	8	11
50-64	17	1.8	1	< 1	1	2	2	3	4	4
65 +	10	2.3	8	1	1	1	2	6	10	10
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	14.5	265	3	3	14	26	26	26	26
35-49	0									
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	850	3.7	44	1	1	2	3	7	13	42
20-34	915	3.2	21	1	1	2	3	6	9	23
35-49	618	3.7	23	1	1	2	4	8	12	27
50-64	257	4.5	23	1	2	3	5	10	15	25
65 +	336	5.4	24	2	2	4	7	10	14	25
B. Operated										
0-19 YRS	16	8.4	450	< 1	1	2	4	13	65	87
20-34	35	8.3	102	1	2	4	9	27	34	41
35-49	28	10.0	142	1	3	5	12	29	36	50
50-64	22	12.5	99	3	5	12	16	26	36	43
65 +	36	12.4	112	3	6	10	14	25	32	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	828	1.8	3	< 1	1	1	2	3	4	9
B. Operated	4	10.0	117	3	3	5	16	26	26	26
2. MULTIPLE DX										
A. Not Operated	2976	3.8	29	1	1	2	4	8	12	28
B. Operated	137	10.4	151	1	3	6	13	26	34	62
1. SINGLE DX	832	1.8	4	< 1	1	1	2	3	4	10
2. MULTIPLE DX	3113	4.1	36	1	1	2	4	8	14	32
A. Not Operated	3804	3.4	24	1	1	2	3	7	11	25
B. Operated	141	10.4	149	1	3	6	13	26	34	61
TOTAL										
0-19 YRS	1455	2.9	33	1	1	1	3	5	8	30
20-34	1106	3.2	22	1	1	2	3	6	9	26
35-49	705	3.8	28	1	1	2	4	8	12	29
50-64	296	5.0	32	1	2	3	6	12	16	29
65 +	383	6.0	36	2	3	4	7	12	17	31
GRAND TOTAL	**3945**	**3.6**	**30**	**1**	**1**	**2**	**4**	**7**	**12**	**29**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	353	2.0	4	<1	1	1	2	5	5	7
20-34	67	2.0	2	1	1	1	3	4	5	8
35-49	44	1.8	2	1	1	1	2	3	6	8
50-64	24	2.0	2	1	1	2	3	4	5	7
65+	6	1.7		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	10	5.2	12	1	1	5	8	9	10	10
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	4	5.0	6	2	3	5	7	8	8	8
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	269	2.6	6	1	1	2	3	5	7	15
20-34	114	3.2	16	1	1	2	4	6	10	24
35-49	100	4.1	41	1	1	3	4	8	12	39
50-64	50	3.8	27	1	1	3	4	8	11	35
65+	61	4.3	40	1	2	3	4	8	12	44
B. Operated										
0-19 YRS	9	11.4	118	4	4	10	14	69	99+	99+
20-34	11	11.6	163	2	4	7	15	32	44	45
35-49	8	9.0	219	<1	1	4	7	34	45	45
50-64	7	13.1	244	3	5	8	11	41	48	48
65+	8	6.6	46	2	2	4	8	18	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	494	2.0	3	1	1	1	2	4	5	8
B. Operated	16	4.9	9	1	2	5	8	9	10	10
2. MULTIPLE DX										
A. Not Operated	594	3.2	19	1	1	2	4	6	9	22
B. Operated	43	10.4	145	2	3	6	12	39	46	99+
1. SINGLE DX	510	2.1	4	1	1	1	2	5	6	8
2. MULTIPLE DX	637	3.7	31	1	1	2	4	7	11	39
A. Not Operated	1088	2.7	12	1	1	2	3	5	7	17
B. Operated	59	8.9	114	2	3	6	9	22	45	95
TOTAL										
0-19 YRS	641	2.4	8	1	1	1	3	5	6	15
20-34	194	3.3	23	1	1	2	3	6	9	27
35-49	156	3.7	39	1	1	2	4	7	8	44
50-64	81	4.1	44	1	1	2	4	8	11	44
65+	75	4.3	38	1	2	3	4	8	12	41
GRAND TOTAL	**1147**	**3.0**	**19**	**1**	**1**	**2**	**3**	**6**	**8**	**23**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	188	1.6	1	1	1	1	2	3	3	5
20-34	37	1.5	1	1	1	1	2	3	4	4
35-49	44	1.6	1	<1	1	1	2	3	4	5
50-64	29	2.6	18	1	1	1	2	5	9	23
65+	20	3.8	11	1	1	2	6	9	10	11
B. Operated										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	219	3.7	31	1	1	2	3	7	10	38
20-34	101	3.1	9	1	1	2	3	6	9	16
35-49	146	3.3	10	1	1	2	4	7	10	16
50-64	153	5.6	90	1	2	3	5	10	17	62
65+	290	6.0	39	2	3	4	7	12	20	42
B. Operated										
0-19 YRS	24	19.4	709	1	3	5	27	66	81	93
20-34	11	3.8	24	1	1	1	5	12	17	17
35-49	15	10.3	106	1	4	7	17	37	81	99+
50-64	15	12.6	240	1	3	9	13	38	53	58
65+	44	13.3	221	3	5	9	15	23	46	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	318	1.8	3	1	1	1	2	3	4	9
B. Operated	4	4.3	34	<1	<1	1	7	13	13	13
2. MULTIPLE DX										
A. Not Operated	909	4.6	39	1	2	3	5	9	14	35
B. Operated	109	13.2	305	1	3	8	14	38	58	96
1. SINGLE DX	322	1.9	4	1	1	1	2	3	4	10
2. MULTIPLE DX	1018	5.5	74	1	2	3	6	11	18	52
A. Not Operated	1227	3.9	31	1	1	2	4	8	12	30
B. Operated	113	12.8	298	1	3	7	14	38	58	96
TOTAL										
0-19 YRS	433	3.6	69	1	1	2	3	5	9	45
20-34	150	2.7	8	1	1	2	3	5	8	17
35-49	205	3.5	18	1	1	2	4	7	11	31
50-64	197	5.7	94	1	1	3	5	12	17	61
65+	355	6.8	66	2	3	4	8	14	21	45
GRAND TOTAL	**1340**	**4.7**	**60**	**1**	**1**	**2**	**5**	**9**	**16**	**44**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	3.8	37	1	1	2	4	7	10	39
20-34	14	5.9	52	1	1	3	7	14	24	27
35-49	21	5.4	25	1	2	3	7	13	16	20
50-64	15	4.1	12	1	1	3	6	10	11	11
65 +	18	5.6	43	<1	1	4	7	11	21	28
B. Operated										
0-19 YRS	524	4.2	25	1	2	3	5	7	11	21
20-34	138	4.4	35	1	1	3	6	10	12	25
35-49	170	4.2	12	1	1	3	6	9	11	16
50-64	171	5.4	51	1	2	4	7	10	12	22
65 +	215	6.4	41	1	2	4	9	14	18	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	364	7.0	57	1	2	4	10	15	21	38
20-34	98	6.9	34	1	3	5	10	14	18	29
35-49	129	6.0	28	1	3	4	7	13	16	27
50-64	149	5.8	22	1	2	5	7	13	15	23
65 +	265	6.3	25	2	3	5	8	12	15	29
B. Operated										
0-19 YRS	1257	8.3	99	2	3	5	10	20	27	53
20-34	551	8.1	84	2	3	5	10	17	24	52
35-49	931	8.9	103	1	3	6	11	20	28	50
50-64	1252	8.1	77	1	3	5	11	17	24	48
65 +	1814	9.4	105	2	3	7	12	19	28	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	169	4.4	35	1	1	2	5	10	12	33
B. Operated	1218	4.8	32	1	2	3	6	10	13	22
2. MULTIPLE DX										
A. Not Operated	1005	6.5	38	1	3	5	8	13	17	30
B. Operated	5805	8.7	95	2	3	6	11	19	26	53
1. SINGLE DX	1387	4.7	32	1	2	3	6	10	13	26
2. MULTIPLE DX	6810	8.4	87	2	3	6	10	18	25	51
A. Not Operated	1174	6.2	38	1	2	4	8	13	17	30
B. Operated	7023	8.0	87	1	3	5	10	17	25	51
TOTAL										
0-19 YRS	2246	7.0	75	1	2	4	8	16	24	47
20-34	801	7.3	71	1	2	5	9	15	22	47
35-49	1251	7.9	85	1	2	5	10	17	25	46
50-64	1587	7.6	69	1	2	5	10	16	22	45
65 +	2312	8.7	91	1	3	6	11	18	26	52
GRAND TOTAL	**8197**	**7.8**	**80**	**1**	**2**	**5**	**10**	**16**	**24**	**48**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	1.9	9	<1	1	1	2	3	4	21
20-34	38	2.0	1	<1	1	2	3	4	4	5
35-49	21	3.0	3	1	2	3	4	5	6	7
50-64	22	3.3	9	1	1	2	5	8	10	11
65 +	16	2.9	2	2	2	3	4	5	6	6
B. Operated										
0-19 YRS	58	1.7	2	<1	1	1	2	4	4	7
20-34	59	2.2	2	<1	1	2	3	5	6	7
35-49	20	3.3	5	1	2	3	5	6	8	9
50-64	29	2.3	2	1	1	2	3	5	6	6
65 +	13	3.0	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	2.1	1	1	1	2	3	4	4	4
20-34	31	3.2	9	1	1	2	4	7	10	14
35-49	34	3.8	8	1	1	3	5	7	9	12
50-64	60	3.3	4	1	2	3	4	6	7	10
65 +	125	3.8	7	1	2	3	5	7	9	12
B. Operated										
0-19 YRS	30	2.7	19	1	1	1	2	6	10	23
20-34	51	4.0	11	1	1	3	5	9	10	15
35-49	63	5.3	80	1	1	2	6	11	15	55
50-64	91	4.8	21	1	2	3	6	12	16	68
65 +	193	5.2	34	1	2	3	6	10	15	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	2.4	5	<1	1	2	3	5	6	12
B. Operated	179	2.2	3	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	273	3.5	6	1	2	3	4	7	8	12
B. Operated	428	4.8	35	1	1	3	6	10	14	39
1. SINGLE DX	320	2.3	4	1	1	2	3	5	6	9
2. MULTIPLE DX	701	4.3	24	1	2	3	5	9	12	24
A. Not Operated	414	3.1	6	1	1	2	4	6	7	12
B. Operated	607	4.0	26	1	1	3	5	9	12	27
TOTAL										
0-19 YRS	155	2.0	7	<1	1	1	2	4	4	20
20-34	179	2.8	6	1	1	2	3	6	8	13
35-49	138	4.3	40	1	1	3	5	10	11	41
50-64	202	3.8	13	1	2	3	5	8	11	22
65 +	347	4.5	22	1	2	3	6	8	12	23
GRAND TOTAL	**1021**	**3.7**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	4.2	7	2	2	4	6	8	9	12
20-34	49	4.4	5	2	3	4	5	7	8	15
35-49	52	4.8	9	2	3	4	6	8	11	15
50-64	30	5.8	14	3	4	5	7	10	15	19
65 +	15	6.3	11	3	3	6	9	11	11	11
B. Operated										
0-19 YRS	35	4.8	14	1	2	3	8	11	12	14
20-34	27	5.5	12	1	3	5	7	11	12	14
35-49	25	7.0	25	2	2	5	12	14	15	19
50-64	22	8.7	59	3	4	7	9	17	28	36
65 +	16	4.9	15	1	2	4	6	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	6.1	32	2	3	4	7	14	15	32
20-34	66	4.6	6	2	3	4	6	8	10	11
35-49	96	6.1	16	2	4	5	8	10	14	23
50-64	108	6.9	24	3	4	6	8	13	18	28
65 +	150	8.2	57	3	4	6	10	14	18	26
B. Operated										
0-19 YRS	92	14.6	250	2	5	8	17	34	52	72
20-34	87	10.5	133	3	5	7	12	19	36	63
35-49	135	12.9	154	3	5	9	14	26	43	61
50-64	138	13.9	139	4	7	11	17	26	32	74
65 +	218	15.0	176	3	6	12	19	36	47	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	190	4.8	9	2	3	4	6	8	11	15
B. Operated	125	6.1	25	1	2	5	8	12	14	26
2. MULTIPLE DX										
A. Not Operated	488	6.7	32	3	3	5	8	12	16	25
B. Operated	670	13.7	170	3	6	10	17	30	44	71
1. SINGLE DX	315	5.3	15	2	3	4	7	10	13	19
2. MULTIPLE DX	1158	10.8	124	3	4	7	13	22	34	63
A. Not Operated	678	6.2	26	2	3	5	7	11	15	24
B. Operated	795	12.5	155	2	5	9	15	28	40	66
TOTAL										
0-19 YRS	239	8.8	129	2	3	5	10	18	29	62
20-34	229	6.9	62	2	3	5	7	13	17	54
35-49	308	8.9	88	2	4	6	10	17	25	56
50-64	298	10.2	91	3	4	7	13	20	27	50
65 +	399	11.7	132	3	5	9	14	26	39	79
GRAND TOTAL	**1473**	**9.6**	**106**	**2**	**4**	**7**	**12**	**19**	**30**	**60**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	5.9	92	1	1	3	5	12	35	39
20-34	32	2.6	4	1	1	2	3	5	8	9
35-49	35	3.6	7	1	2	2	5	8	9	11
50-64	23	4.7	9	2	3	4	6	8	11	15
65 +	19	3.9	8	1	2	4	5	9	10	10
B. Operated										
0-19 YRS	54	3.1	10	< 1	1	2	4	6	10	15
20-34	34	4.6	18	< 1	1	3	6	13	14	16
35-49	47	4.7	14	1	2	4	6	10	13	17
50-64	29	3.5	10	1	1	3	4	7	9	16
65 +	35	6.0	32	1	2	5	8	14	19	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	113	4.7	47	1	1	2	5	10	18	41
20-34	113	4.0	11	1	2	3	5	8	11	16
35-49	127	4.7	20	1	2	3	6	8	11	25
50-64	139	4.9	10	1	2	4	7	10	11	13
65 +	265	6.5	37	2	3	5	8	13	18	31
B. Operated										
0-19 YRS	269	4.8	39	1	1	2	6	11	17	33
20-34	241	4.0	38	1	1	2	4	10	14	34
35-49	356	6.5	88	1	1	3	8	16	23	63
50-64	444	7.1	85	1	1	4	9	16	25	46
65 +	676	7.3	101	1	2	4	8	16	27	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	4.0	23	1	2	3	5	8	9	35
B. Operated	199	4.3	17	1	1	3	6	10	14	19
2. MULTIPLE DX										
A. Not Operated	757	5.3	28	1	2	4	7	10	14	28
B. Operated	1986	6.3	80	1	1	3	8	15	22	47
1. SINGLE DX	333	4.2	19	1	1	3	5	8	12	20
2. MULTIPLE DX	2743	6.1	66	1	1	3	7	14	20	44
A. Not Operated	891	5.1	27	1	2	4	7	10	13	29
B. Operated	2185	6.2	75	1	1	3	7	15	21	46
TOTAL										
0-19 YRS	461	4.6	41	1	1	2	5	11	17	34
20-34	420	4.0	27	1	1	2	5	9	13	24
35-49	565	5.7	62	1	1	3	7	13	19	53
50-64	635	6.3	64	1	2	4	8	14	20	38
65 +	995	7.0	80	1	2	4	8	15	22	48
GRAND TOTAL	**3076**	**5.8**	**61**	**1**	**1**	**3**	**7**	**13**	**19**	**41**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	1.7	2	< 1	1	1	2	4	5	5
20-34	5	4.2	9	1	2	4	5	9	9	9
35-49	6	2.7	2	< 1	2	2	3	5	5	5
50-64	5	3.4	4	2	2	2	5	6	6	6
65 +	0									
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	3.0	7	1	1	2	3	6	9	14
20-34	18	3.0	4	1	2	2	4	6	8	8
35-49	12	4.0	9	1	2	3	6	9	10	10
50-64	17	4.4	7	1	2	4	6	8	9	10
65 +	22	5.1	9	1	4	5	7	9	11	14
B. Operated										
0-19 YRS	5	6.8	32	2	2	5	11	15	15	15
20-34	7	10.0	162	1	1	4	14	32	36	36
35-49	9	7.1	87	1	2	5	7	22	31	31
50-64	10	7.4	16	1	4	8	11	12	12	12
65 +	13	7.4	18	3	3	6	11	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.5	4	1	1	2	3	5	6	9
B. Operated	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. Not Operated	109	3.7	8	1	2	3	5	8	9	14
B. Operated	44	7.7	51	1	3	6	11	15	20	36
1. SINGLE DX	36	2.7	6	1	1	2	4	5	8	12
2. MULTIPLE DX	153	4.9	23	1	2	3	7	10	13	31
A. Not Operated	143	3.4	7	1	1	3	5	7	9	14
B. Operated	46	7.7	50	1	2	6	11	15	19	36
TOTAL										
0-19 YRS	64	3.0	10	1	1	2	3	8	11	15
20-34	30	4.8	46	1	2	3	5	9	16	36
35-49	28	4.6	33	1	2	3	6	8	12	31
50-64	32	5.2	11	1	2	5	7	10	12	12
65 +	35	5.9	13	2	3	5	7	12	14	15
GRAND TOTAL	**189**	**4.5**	**21**	**1**	**2**	**3**	**6**	**10**	**12**	**25**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	324	1.1		< 1	< 1	< 1	< 1	1	1	4
35-49	184	1.0		< 1	< 1	< 1	< 1	< 1	1	3
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.3		< 1	< 1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.3	1	2	2	3	4	4	4	4
20-34	132	1.7	1	< 1	< 1	1	2	4	4	6
35-49	78	1.4	1	< 1	< 1	< 1	1	3	4	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	510	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated	4	1.3		< 1	< 1	1	2	2	2	2
B. Operated	216	1.6	1	< 1	< 1	1	2	4	4	5
1. SINGLE DX	510	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX	220	1.6	1	< 1	< 1	1	2	4	4	5
A. Not Operated	4	1.3		< 1	< 1	1	2	2	2	2
B. Operated	726	1.2	1	< 1	< 1	< 1	< 1	2	3	4
TOTAL										
0-19 YRS	5	2.8	2	< 1	1	3	4	4	4	4
20-34	459	1.3	1	< 1	< 1	< 1	1	2	3	4
35-49	263	1.2		< 1	< 1	< 1	< 1	1	2	4
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**730**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**2**	**3**	**4**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	1	7.0		7	7	7	7	7	7	7
1500-1749	1	24.0		24	24	24	24	24	24	24
1750-2499	845	2.6	3	1	2	2	3	4	5	8
2500 +	38667	2.4	1	1	2	2	3	4	4	5
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	2	2.0		2	2	2	2	2	2	2
2500 +	55	2.3	1	1	2	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
1-999 G	29	65.4	217	47	53	64	73	90	94	97
1000-1499	168	38.6	211	23	29	36	47	61	71	99 +
1500-1749	227	23.1	93	14	17	20	28	36	42	53
1750-2499	2684	6.2	35	2	2	4	8	14	18	30
2500 +	24497	3.1	4	2	2	3	4	5	6	10
B. Operated										
1-999 G	114	76.9	229	59	72	87	99 +	99 +	99 +	99 +
1000-1499	169	50.3	271	31	39	51	66	96	99 +	99 +
1500-1749	78	33.3	188	20	24	31	45	60	87	99 +
1750-2499	260	16.8	204	5	8	14	21	31	51	96
2500 +	608	8.6	104	2	4	6	10	17	30	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39514	2.4	1	1	2	2	3	4	4	6
B. Operated	57	2.3	1	1	2	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	27605	3.8	25	2	2	3	4	6	9	27
B. Operated	1229	24.0	654	3	5	13	44	82	99 +	99 +
1. SINGLE DX	39571	2.4	1	1	2	2	3	4	4	6
2. MULTIPLE DX	28834	4.7	68	2	2	3	4	7	13	58
A. Not Operated	67119	3.0	11	1	2	2	3	4	6	15
B. Operated	1286	23.0	644	3	5	12	42	81	99 +	99 +
TOTAL										
1-999 G	143	74.5	247	56	69	83	98	99 +	99 +	99 +
1000-1499	338	44.4	278	26	33	43	59	74	99 +	99 +
1500-1749	306	25.7	136	15	18	23	32	43	50	99 +
1750-2499	3791	6.1	50	2	2	4	7	14	19	34
2500 +	63827	2.7	4	1	2	2	3	4	5	9
GRAND TOTAL	**68405**	**3.4**	**31**	**1**	**2**	**2**	**3**	**5**	**6**	**29**

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	111	3.4	3	2	2	3	4	5	7	10
2500 +	359	3.5	2	2	2	4	4	5	6	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
1-999 G	10	59.9	244	38	54	62	73	93	99	99 +
1000-1499	44	34.7	167	21	27	33	40	50	53	89
1500-1749	52	22.3	138	13	17	20	25	36	40	82
1750-2499	507	7.6	43	3	4	5	10	15	21	28
2500 +	375	4.4	7	2	3	4	5	6	8	13
B. Operated										
1-999 G	31	72.8	171	58	67	82	99 +	99 +	99 +	99 +
1000-1499	41	50.7	238	32	39	49	64	75	85	99 +
1500-1749	17	31.3	96	18	24	31	39	45	46	46
1750-2499	48	19.1	159	7	10	16	27	39	53	99 +
2500 +	14	10.1	100	3	3	8	12	22	36	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	470	3.5	2	2	2	3	4	5	6	8
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	988	8.9	115	3	4	5	9	21	30	57
B. Operated	151	39.2	651	9	18	39	67	89	99 +	99 +
1. SINGLE DX	471	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	1139	12.9	292	3	4	5	15	38	61	99 +
A. Not Operated	1458	7.2	85	2	3	4	6	16	25	50
B. Operated	152	39.0	655	9	18	39	67	89	99 +	99 +
TOTAL										
1-999 G	41	69.6	215	55	62	74	92	99 +	99 +	99 +
1000-1499	85	42.4	263	26	31	39	51	67	77	96
1500-1749	69	24.6	141	14	17	22	30	39	44	76
1750-2499	666	7.8	57	3	3	5	9	16	22	38
2500 +	749	4.1	7	2	3	4	5	6	7	12
GRAND TOTAL	**1610**	**10.2**	**225**	**2**	**3**	**4**	**9**	**28**	**49**	**91**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	12	1.9	1	1	1	2	2	3	4	4
2500 +	117	1.9	1	1	1	2	2	3	3	4
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	1	62.0		62	62	62	62	62	62	62
1000-1499	3	24.0	97	16	17	21	31	35	35	35
1500-1749	6	30.7	496	16	18	23	29	70	75	75
1750-2499	34	5.9	33	2	2	4	8	13	18	27
2500 +	95	3.6	12	2	2	2	4	6	9	23
B. Operated										
1-999 G	0									
1000-1499	1	25.0		25	25	62	99 +	99 +	99 +	99 +
1500-1749	1	26.0		26	26	26	26	26	26	26
1750-2499	2	43.5	1741	14	14	43	73	73	73	73
2500 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	1.9	1	1	1	2	2	3	3	4
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	139	6.2	96	2	2	3	6	15	24	63
B. Operated	5	28.0	728	4	17	26	93	99 +	99 +	99 +
1. SINGLE DX	129	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	144	7.0	129	2	2	3	6	20	27	99 +
A. Not Operated	268	4.1	55	1	2	2	3	7	16	34
B. Operated	5	28.0	728	4	17	26	93	99 +	99 +	99 +
TOTAL										
1-999 G	1	62.0		62	62	81	99 +	99 +	99 +	99 +
1000-1499	4	24.3	65	16	20	25	51	99 +	99 +	99 +
1500-1749	7	30.0	416	16	18	26	28	66	75	75
1750-2499	48	6.5	124	1	2	3	7	14	20	73
2500 +	213	2.6	7	1	2	2	3	4	6	14
GRAND TOTAL	**273**	**4.5**	**75**	**1**	**2**	**2**	**3**	**9**	**20**	**74**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	168	1.4	1	< 1	< 1	1	1	2	3	6
20-34	110	1.9	2	< 1	1	1	2	4	4	8
35-49	62	2.3	4	< 1	1	1	3	5	7	10
50-64	39	1.5	1	< 1	1	1	2	3	4	4
65 +	22	1.9	2	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	79	1.7	1	< 1	1	1	2	3	4	6
20-34	57	4.1	13	1	1	3	6	8	13	17
35-49	31	3.8	5	1	2	3	5	7	7	11
50-64	16	6.3	68	1	2	4	7	11	28	35
65 +	11	5.2	16	1	2	4	8	11	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	401	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	8	1.1		1	1	1	1	2	2	2
B. Operated	194	3.3	13	1	1	2	4	7	9	16
1. SINGLE DX	409	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX	202	3.2	13	1	1	2	4	6	9	16
A. Not Operated	16	1.1		< 1	< 1	1	1	1	2	2
B. Operated	595	2.2	6	< 1	1	1	3	5	6	12
TOTAL										
0-19 YRS	259	1.5	1	< 1	1	1	2	3	3	6
20-34	167	2.6	7	< 1	1	2	3	6	7	14
35-49	95	2.7	5	< 1	1	2	4	6	7	11
50-64	57	2.9	23	< 1	1	1	3	6	8	33
65 +	33	3.0	9	< 1	1	2	4	7	9	14
GRAND TOTAL	**611**	**2.2**	**6**	**<1**	**1**	**1**	**3**	**4**	**6**	**12**

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	95TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	5	< 1	< 1	1	4	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	1.7		1	1	2	2	2	2	2
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	3	2.7	1	2	2	2	4	4	4	4
B. Operated										
0-19 YRS	17	6.9	51	< 1	< 1	4	16	18	19	20
20-34	24	5.2	12	2	2	4	7	10	12	15
35-49	50	4.3	8	2	3	4	5	8	10	16
50-64	61	6.5	67	1	2	4	8	14	27	94
65 +	63	4.7	19	1	2	3	6	9	12	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	12	2.7	3	1	1	2	4	5	6	6
B. Operated	215	5.4	32	1	2	4	7	10	16	36
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX	227	5.2	31	1	2	4	6	10	16	33
A. Not Operated	14	2.5	2	1	1	2	3	5	6	6
B. Operated	215	5.4	32	1	2	4	7	10	16	36
TOTAL										
0-19 YRS	20	6.3	47	< 1	< 1	4	11	17	19	20
20-34	25	5.1	12	2	3	4	7	10	11	15
35-49	53	4.2	8	2	2	3	5	8	10	16
50-64	65	6.3	64	1	2	4	7	14	26	92
65 +	66	4.7	18	1	2	3	6	9	11	25
GRAND TOTAL	**229**	**5.2**	**31**	**1**	**2**	**4**	**6**	**10**	**16**	**33**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	3.8	20	2	2	3	4	5	6	32
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	1.9	1	1	1	1	3	3	3	3
50-64	10	2.2	2	1	1	2	3	4	5	5
65 +	4	1.8	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3619	3.0	5	1	2	3	4	5	6	10
20-34	480	3.0	5	1	1	2	4	5	6	10
35-49	960	3.0	9	1	1	2	4	5	6	12
50-64	2234	3.0	7	1	1	2	4	5	6	11
65 +	2103	3.1	6	1	2	3	4	5	6	12
B. Operated										
0-19 YRS	189	6.5	77	2	3	4	6	11	25	52
20-34	52	6.2	159	1	2	4	5	10	20	87
35-49	137	6.8	138	1	2	4	7	10	26	61
50-64	175	6.3	49	2	3	4	6	11	21	32
65 +	181	6.1	47	2	3	5	6	9	17	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	3.2	15	1	2	3	4	5	5	28
B. Operated	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	9396	3.0	6	1	2	3	4	5	6	11
B. Operated	734	6.4	80	2	3	4	6	10	21	53
1. SINGLE DX	70	3.1	14	1	2	3	4	5	5	27
2. MULTIPLE DX	10130	3.3	12	1	2	3	4	5	6	15
A. Not Operated	9462	3.0	6	1	2	3	4	5	6	11
B. Operated	738	6.4	79	2	3	4	6	10	21	53
TOTAL										
0-19 YRS	3854	3.2	9	1	2	3	4	5	6	12
20-34	534	3.3	20	1	1	2	4	5	6	20
35-49	1104	3.4	27	1	1	2	4	6	7	25
50-64	2420	3.2	11	1	1	2	4	6	7	15
65 +	2288	3.3	10	1	2	3	4	5	6	16
GRAND TOTAL	**10200**	**3.3**	**12**	**1**	**2**	**3**	**4**	**5**	**6**	**15**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V53.9; V54.8-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	674	2.0	7	<1	<1	1	2	4	5	10
20-34	504	2.3	8	<1	1	1	2	4	9	22
35-49	132	1.9	6	<1	1	1	2	3	4	12
50-64	58	1.5	2	<1	<1	1	1	2	4	7
65 +	48	9.0	219	<1	<1	1	5	32	47	59
B. Operated										
0-19 YRS	354	2.9	30	<1	<1	1	3	7	8	19
20-34	186	3.6	9	<1	1	3	6	8	9	99 +
35-49	171	3.4	9	<1	1	2	5	8	9	13
50-64	86	3.8	12	<1	1	2	7	9	11	13
65 +	35	5.8	27	<1	1	6	9	11	13	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	763	3.4	57	<1	1	1	3	6	13	55
20-34	369	7.0	170	<1	1	2	6	25	38	99 +
35-49	417	9.8	203	1	1	3	14	28	43	84
50-64	574	12.7	233	1	2	5	19	35	46	97
65 +	1598	15.6	206	2	4	12	22	36	44	95
B. Operated										
0-19 YRS	503	4.0	22	<1	1	2	6	9	13	22
20-34	449	3.8	31	1	1	2	4	9	14	99 +
35-49	701	4.3	49	1	1	2	5	9	14	44
50-64	819	5.4	83	1	1	2	6	12	25	81
65 +	733	10.6	200	1	2	5	14	31	44	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1416	2.3	15	<1	1	1	2	4	5	22
B. Operated	832	3.4	19	<1	<1	2	5	8	9	17
2. MULTIPLE DX										
A. Not Operated	3721	11.1	199	1	2	5	17	31	41	89
B. Operated	3205	5.9	92	1	1	2	7	14	27	93
1. SINGLE DX	2248	2.7	17	<1	1	1	3	6	8	22
2. MULTIPLE DX	6926	8.7	156	1	1	3	11	26	37	90
A. Not Operated	5137	8.7	164	<1	1	3	11	27	37	77
B. Operated	4037	5.4	78	1	1	2	6	12	23	77
TOTAL										
0-19 YRS	2294	3.0	31	<1	1	1	3	7	9	31
20-34	1508	4.1	58	<1	1	2	4	9	18	99 +
35-49	1421	5.6	93	1	1	2	5	14	25	58
50-64	1537	7.9	146	1	1	3	9	25	37	83
65 +	2414	13.8	208	1	3	9	21	34	44	98
GRAND TOTAL	**9174**	**7.2**	**129**	**<1**	**1**	**2**	**8**	**22**	**33**	**77**

Length of Stay Tables
Operation Groups

156 Hospitals, Southern Region, January-December 1989, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41471	2.9	14	<1	1	2	3	6	8	18
20-34	51034	2.7	5	1	2	2	3	4	6	11
35-49	20304	3.5	11	1	1	3	4	7	9	16
50-64	13520	3.9	14	1	1	3	5	8	10	16
65+	9838	4.8	25	<1	1	3	7	10	13	22
2. MULTIPLE DX										
0-19 YRS	53363	6.9	110	1	2	4	7	16	27	80
20-34	74421	4.7	36	1	2	3	5	8	13	33
35-49	54861	6.4	58	1	3	4	7	13	19	43
50-64	62312	7.8	71	1	3	5	10	16	22	48
65+	112345	9.5	87	2	4	7	12	19	27	53
TOTAL SINGLE DX	136167	3.1	11	<1	1	2	4	6	9	16
TOTAL MULTIPLE DX	357302	7.3	75	1	3	5	9	15	23	51
TOTAL										
0-19 YRS	94834	5.1	72	<1	1	3	5	11	19	56
20-34	125455	3.9	24	1	2	3	4	7	10	26
35-49	75165	5.6	47	1	2	4	6	11	16	38
50-64	75832	7.1	63	1	3	5	9	15	21	44
65+	122183	9.1	84	2	4	7	11	18	26	51
GRAND TOTAL	**493469**	**6.2**	**61**	**1**	**2**	**4**	**7**	**13**	**19**	**44**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	192	7.6	34	2	3	6	10	15	20	31
20-34	47	7.4	20	2	4	7	9	12	20	21
35-49	71	7.9	35	3	5	7	9	13	16	41
50-64	67	7.7	22	3	4	7	10	15	16	22
65 +	55	11.0	118	5	6	8	12	22	41	98
2. MULTIPLE DX										
0-19 YRS	387	14.2	205	2	5	10	18	36	52	99 +
20-34	144	16.9	274	5	7	11	21	55	81	99 +
35-49	212	16.1	219	5	7	10	21	44	65	99 +
50-64	272	15.5	183	4	7	12	20	38	56	99 +
65 +	452	18.8	216	7	9	14	24	39	53	94
TOTAL SINGLE DX	432	8.1	43	2	4	7	10	15	20	35
TOTAL MULTIPLE DX	1467	16.4	216	4	7	12	22	39	56	99 +
TOTAL										
0-19 YRS	579	12.0	158	2	5	8	15	29	39	99 +
20-34	191	14.6	229	4	6	10	18	42	61	99 +
35-49	283	1[illegible]1	185	4	7	9	18	40	49	99 +
50-64	339	14.0	161	4	6	10	18	33	50	99 +
65 +	507	18.0	212	6	8	13	23	38	52	96
GRAND TOTAL	1899	14.5	189	3	6	10	18	35	51	99 +

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	92	6.9	61	2	3	5	7	12	22	47
20-34	13	7.1	9	5	5	6	8	11	15	16
35-49	12	8.2	25	3	5	7	9	18	19	19
50-64	10	10.4	111	5	6	7	9	25	40	40
65 +	5	7.6	12	4	4	9	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	135	16.3	250	5	6	11	22	45	65	99 +
20-34	46	22.2	363	5	7	15	35	62	85	99 +
35-49	36	16.4	405	5	7	10	19	87	99 +	99 +
50-64	42	14.1	215	5	7	11	15	22	34	94
65 +	37	20.9	368	6	9	14	28	40	60	94
TOTAL SINGLE DX	132	7.3	54	3	4	5	8	12	19	43
TOTAL MULTIPLE DX	296	17.5	299	5	7	12	22	45	80	99 +
TOTAL										
0-19 YRS	227	12.5	194	3	5	7	15	33	51	99 +
20-34	59	18.8	324	5	7	10	32	57	72	99 +
35-49	48	14.3	321	4	6	9	17	70	99	99 +
50-64	52	13.4	195	5	6	9	15	22	38	93
65 +	42	19.4	344	5	8	11	27	40	57	94
GRAND TOTAL	428	14.4	246	4	5	8	18	38	61	99 +

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	208	4.3	5	2	3	4	6	7	8	12
20-34	12	4.0	8	1	2	4	5	8	11	11
35-49	16	6.3	36	1	3	4	8	12	21	25
50-64	3	7.3	5	6	6	6	9	10	10	10
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	151	9.6	128	3	4	6	9	24	39	76
20-34	42	11.7	109	3	5	8	15	29	41	99 +
35-49	26	17.8	348	3	6	11	23	39	66	76
50-64	13	16.0	476	2	3	9	42	99 +	99 +	99 +
65 +	6	12.7	74	4	7	10	18	26	27	27
TOTAL SINGLE DX	240	4.5	8	2	3	4	6	8	10	13
TOTAL MULTIPLE DX	238	11.3	170	3	4	7	13	31	46	99 +
TOTAL										
0-19 YRS	359	6.5	63	2	3	5	7	11	23	47
20-34	54	10.0	97	2	4	7	13	22	35	98
35-49	42	13.4	258	2	4	7	13	33	49	76
50-64	16	14.4	394	2	3	8	26	92	99 +	99 +
65 +	7	12.4	63	5	7	11	17	25	27	27
GRAND TOTAL	478	7.9	100	2	3	5	8	17	31	77

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	201	4.4	15	2	2	4	5	7	10	25
20-34	5	3.8	1	2	3	4	4	5	5	5
35-49	5	5.0	8	3	3	4	6	10	10	10
50-64	7	6.1	26	1	2	4	8	15	16	16
65 +	11	5.8	9	3	4	4	8	10	12	12
2. MULTIPLE DX										
0-19 YRS	383	13.3	323	2	3	6	19	52	99 +	99 +
20-34	34	18.3	543	3	5	7	22	75	82	99 +
35-49	47	13.8	140	4	5	12	18	39	43	99 +
50-64	40	20.2	350	5	9	16	36	99 +	99 +	99 +
65 +	68	16.5	222	5	7	10	22	43	55	94
TOTAL SINGLE DX	229	4.5	15	2	2	4	5	8	10	23
TOTAL MULTIPLE DX	572	14.5	314	2	4	8	20	52	96	99 +
TOTAL										
0-19 YRS	584	10.2	235	2	3	5	11	34	80	99 +
20-34	39	16.4	496	3	4	6	18	68	80	99 +
35-49	52	12.9	134	3	4	9	17	38	42	98
50-64	47	18.1	326	4	7	13	29	80	99 +	99 +
65 +	79	15.0	206	4	6	9	18	37	54	90
GRAND TOTAL	801	11.6	249	2	3	6	14	38	75	99 +

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	410	3.9	14	2	2	3	4	6	11	18
20-34	37	6.4	90	1	3	4	7	10	17	58
35-49	15	6.1	17	2	4	5	7	12	16	18
50-64	4	6.3	7	3	4	6	8	9	9	9
65 +	3	4.7	10	1	2	6	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	779	7.8	87	2	3	5	8	18	26	51
20-34	77	14.6	395	2	4	7	17	50	83	99 +
35-49	55	12.1	139	3	6	9	16	20	33	75
50-64	32	14.6	136	4	6	13	20	29	31	59
65 +	27	14.7	187	4	8	11	16	38	44	61
TOTAL SINGLE DX	469	4.2	21	2	2	3	5	7	11	19
TOTAL MULTIPLE DX	970	9.0	124	2	3	5	10	20	31	66
TOTAL										
0-19 YRS	1189	6.5	66	2	2	4	6	15	21	45
20-34	114	11.9	309	2	3	6	12	32	69	99 +
35-49	70	10.9	119	3	5	8	13	20	30	69
50-64	36	13.7	129	4	5	11	18	28	31	59
65 +	30	13.7	178	4	6	8	16	36	41	61
GRAND TOTAL	1439	7.4	96	2	3	4	7	17	25	55

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	7.6	18	4	4	6	8	15	16	17
20-34	65	5.6	11	2	3	5	7	9	11	18
35-49	205	5.1	10	2	3	5	6	9	12	17
50-64	152	5.3	7	2	3	5	7	9	10	14
65 +	90	5.5	9	2	3	5	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	43	14.0	241	5	7	9	17	28	66	99 +
20-34	115	10.3	64	5	6	8	11	20	29	42
35-49	350	8.3	63	3	4	7	10	14	19	65
50-64	409	9.3	69	4	5	7	10	17	24	48
65 +	482	11.4	79	4	6	9	13	22	28	48
TOTAL SINGLE DX	534	5.4	10	2	3	5	7	9	11	17
TOTAL MULTIPLE DX	1399	10.0	78	4	5	8	11	19	26	50
TOTAL										
0-19 YRS	65	11.8	174	4	6	8	14	22	42	99
20-34	180	8.6	50	3	5	7	9	16	21	40
35-49	555	7.1	47	2	4	6	9	13	16	31
50-64	561	8.2	56	3	4	6	9	14	20	44
65 +	572	10.5	73	4	6	8	12	21	27	47
GRAND TOTAL	1933	8.7	64	3	5	7	10	16	23	46

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	98	8.0	34	3	5	6	9	16	23	25
20-34	41	4.6	15	1	2	3	7	11	13	14
35-49	46	7.0	87	1	2	5	8	13	19	59
50-64	22	5.3	21	1	2	4	7	12	16	19
65 +	19	6.2	42	1	2	5	8	12	22	29
2. MULTIPLE DX										
0-19 YRS	208	11.7	138	5	5	7	14	24	41	77
20-34	82	9.8	143	2	4	7	12	19	23	74
35-49	107	8.1	58	2	4	7	10	15	22	41
50-64	83	12.6	218	2	4	7	15	28	45	81
65 +	77	15.3	158	4	7	12	20	30	38	63
TOTAL SINGLE DX	226	6.8	42	1	3	5	8	14	21	26
TOTAL MULTIPLE DX	557	11.4	142	3	5	7	14	24	34	66
TOTAL										
0-19 YRS	306	10.5	108	4	5	7	12	22	29	62
20-34	123	8.1	107	1	3	6	9	16	22	73
35-49	153	7.8	67	1	3	6	9	14	22	58
50-64	105	11.1	186	2	3	7	14	25	37	74
65 +	96	13.5	148	3	6	9	18	29	35	63
GRAND TOTAL	783	10.0	118	2	4	7	12	22	29	62

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	2.9	3	1	1	3	4	6	6	6
20-34	24	2.3	2	<1	1	2	3	5	6	6
35-49	43	2.4	4	<1	<1	1	4	6	7	8
50-64	31	2.4	6	<1	<1	1	3	7	7	11
65 +	17	2.1	4	<1	<1	1	2	4	7	9
2. MULTIPLE DX										
0-19 YRS	39	6.4	221	1	2	4	5	9	14	95
20-34	40	3.7	10	<1	1	3	5	8	10	16
35-49	50	4.6	25	<1	1	3	6	12	16	99
50-64	48	6.4	76	<1	1	3	7	19	30	36
65 +	69	5.9	48	1	2	3	7	15	21	33
TOTAL SINGLE DX	133	2.4	4	<1	<1	1	3	6	7	9
TOTAL MULTIPLE DX	246	5.4	70	<1	1	3	6	12	18	38
TOTAL										
0-19 YRS	57	5.3	154	1	2	3	5	7	11	89
20-34	64	3.2	8	<1	1	2	4	6	8	15
35-49	93	3.6	17	<1	1	2	5	8	14	68
50-64	79	4.8	52	<1	<1	2	5	13	21	36
65 +	86	5.1	42	<1	1	3	6	12	19	32
GRAND TOTAL	379	4.4	49	<1	1	2	5	9	15	35

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	3.8	17	1	1	3	4	10	12	21
20-34	98	2.0	3	<1	<1	1	2	5	6	9
35-49	153	1.9	5	<1	<1	1	2	4	7	10
50-64	81	1.7	2	<1	<1	<1	1	4	6	8
65+	52	1.4	2	<1	<1	<1	1	2	5	9
2. MULTIPLE DX										
0-19 YRS	70	3.6	8	1	1	3	5	7	8	18
20-34	124	3.7	20	<1	1	2	4	7	14	50
35-49	140	2.7	8	<1	1	2	3	5	9	16
50-64	110	4.4	38	<1	1	2	4	11	20	31
65+	77	4.9	33	<1	1	3	7	11	14	34
TOTAL SINGLE DX	421	2.0	5	<1	<1	1	2	4	6	10
TOTAL MULTIPLE DX	521	3.7	22	<1	1	2	4	8	13	28
TOTAL										
0-19 YRS	107	3.7	11	1	1	3	5	7	10	20
20-34	222	2.9	14	<1	1	2	3	6	9	26
35-49	293	2.3	7	<1	<1	1	2	5	7	14
50-64	191	3.3	25	<1	<1	1	3	7	14	28
65+	129	3.5	23	<1	<1	1	5	9	13	23
GRAND TOTAL	942	3.0	15	<1	<1	1	3	6	9	21

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	3.6	1	2	3	4	4	5	5	5
35-49	13	5.0	6	2	3	6	6	8	10	10
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	12	8.3	130	2	2	4	7	27	38	40
35-49	16	7.8	67	1	2	5	10	19	27	30
50-64	14	7.0	36	2	3	5	7	19	21	21
65+	20	8.4	24	3	4	8	11	15	19	22
TOTAL SINGLE DX	25	4.7	5	2	3	4	6	7	10	10
TOTAL MULTIPLE DX	63	7.9	55	2	3	5	10	19	22	39
TOTAL										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	19	6.6	85	2	3	4	5	16	32	40
35-49	29	6.5	41	1	3	5	7	16	20	30
50-64	16	6.8	32	2	3	5	7	18	20	21
65+	22	8.2	23	3	4	8	10	15	18	22
GRAND TOTAL	88	7.0	43	2	3	5	8	15	21	36

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.6	4	<1	<1	<1	5	5	5	5
20-34	10	5.9	23	<1	1	4	11	12	12	12
35-49	12	4.8	41	<1	1	2	7	13	22	23
50-64	11	3.8	6	1	1	4	5	7	9	9
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	11	7.3	11	3	4	7	10	12	13	13
35-49	17	13.8	373	3	5	7	13	32	65	82
50-64	17	7.7	26	3	5	7	8	11	20	25
65+	22	7.5	64	1	2	4	9	23	25	28
TOTAL SINGLE DX	41	4.4	20	<1	1	3	6	10	12	23
TOTAL MULTIPLE DX	68	9.2	125	2	4	6	10	21	25	73
TOTAL										
0-19 YRS	8	3.8	15	<1	<1	2	5	10	12	12
20-34	21	6.6	17	1	3	5	11	12	13	13
35-49	29	10.1	250	1	2	5	10	23	36	82
50-64	28	6.2	22	1	3	6	8	10	13	25
65+	23	7.3	63	1	2	4	9	23	25	28
GRAND TOTAL	109	7.4	90	1	2	5	9	13	23	54

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47	2.3	1	1	2	2	3	3	5	6
20-34	151	2.3	1	1	2	2	3	4	4	9
35-49	256	2.3	1	1	2	2	3	4	4	9
50-64	146	2.2	1	1	1	2	3	4	4	6
65 +	73	2.6	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	16	4.4	26	1	2	3	4	8	18	22
20-34	82	3.8	12	1	2	3	4	7	12	20
35-49	174	3.0	5	1	2	2	4	5	7	12
50-64	157	4.0	17	2	2	3	4	7	14	23
65 +	155	4.6	21	2	2	3	5	9	14	29
TOTAL SINGLE DX	673	2.3	2	1	2	2	3	4	4	7
TOTAL MULTIPLE DX	584	3.9	15	1	2	3	4	7	10	23
TOTAL										
0-19 YRS	63	2.9	8	1	2	2	3	4	7	20
20-34	233	2.9	6	1	2	2	3	5	7	15
35-49	430	2.6	4	1	2	2	3	4	5	10
50-64	303	3.1	10	1	2	2	3	5	8	20
65 +	228	3.9	16	1	2	3	4	7	11	24
GRAND TOTAL	1257	3.0	8	1	2	2	3	5	7	18

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	1.6	3	<1	1	1	2	3	3	12
20-34	31	2.4	3	1	1	2	3	4	6	11
35-49	32	2.6	4	1	1	2	3	4	9	10
50-64	23	2.1		1	1	2	3	3	4	5
65 +	10	5.0	21	1	2	3	8	12	15	15
2. MULTIPLE DX										
0-19 YRS	24	3.4	9	1	1	2	5	8	10	11
20-34	36	4.8	9	1	2	4	6	9	11	14
35-49	61	6.7	44	2	3	4	10	16	25	92
50-64	83	7.1	78	2	3	4	7	15	18	49
65 +	102	7.3	67	2	3	4	8	15	20	45
TOTAL SINGLE DX	179	2.2	5	1	1	2	2	3	6	12
TOTAL MULTIPLE DX	306	6.5	55	2	3	4	8	14	19	48
TOTAL										
0-19 YRS	107	2.0	5	<1	1	1	2	4	8	12
20-34	67	3.7	8	1	2	3	5	8	10	14
35-49	93	5.3	34	1	2	3	6	13	20	70
50-64	106	6.0	66	2	2	4	6	12	17	49
65 +	112	7.1	63	2	3	4	8	14	20	45
GRAND TOTAL	485	4.9	41	1	2	3	5	11	15	44

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	6.3	19	1	3	5	8	12	15	17
20-34	13	6.7	19	4	4	5	7	14	18	19
35-49	23	7.0	11	4	5	6	9	11	15	16
50-64	14	6.9	7	4	5	6	9	10	13	14
65 +	11	8.5	17	5	6	7	9	16	18	18
2. MULTIPLE DX										
0-19 YRS	46	12.6	75	5	8	10	15	22	29	51
20-34	38	8.4	24	4	5	7	10	17	22	99 +
35-49	46	11.8	172	5	6	8	11	22	31	87
50-64	52	10.2	48	5	7	8	12	21	32	98
65 +	43	12.9	79	6	7	9	16	27	34	39
TOTAL SINGLE DX	79	7.0	14	4	5	6	8	13	16	19
TOTAL MULTIPLE DX	225	11.2	82	5	7	8	13	22	30	90
TOTAL										
0-19 YRS	64	10.8	67	4	6	9	13	18	28	48
20-34	51	8.0	23	4	5	7	9	17	21	98
35-49	69	10.2	123	4	6	7	10	16	23	77
50-64	66	9.5	41	5	6	8	10	17	25	89
65 +	54	12.0	69	5	7	9	15	25	31	39
GRAND TOTAL	304	10.1	68	4	6	8	12	18	26	67

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	48	1.0		<1	<1	<1	<1	<1	1	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	2.0	4	<1	<1	1	3	5	5	5
50-64	8	1.1		<1	<1	<1	1	2	2	2
65+	12	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	8	2.1	4	<1	1	1	2	6	7	7
20-34	3	4.7	22	<1	1	3	8	10	10	10
35-49	8	4.8	30	<1	<1	2	8	14	14	14
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	15	2.8	4	<1	1	2	4	7	8	8
TOTAL SINGLE DX	73	1.1		<1	<1	<1	<1	1	1	5
TOTAL MULTIPLE DX	36	3.1	11	<1	<1	2	4	8	12	14
TOTAL										
0-19 YRS	56	1.2	1	<1	<1	<1	<1	1	2	7
20-34	4	3.8	18	<1	<1	2	6	10	10	10
35-49	12	3.8	22	<1	<1	1	4	13	14	14
50-64	10	1.1		<1	<1	<1	1	2	2	2
65+	27	2.0	3	<1	<1	1	3	4	7	8
GRAND TOTAL	109	1.8	5	<1	<1	<1	1	3	7	13

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	88	1.3		<1	<1	1	1	2	3	5
20-34	13	1.2		<1	<1	1	1	2	3	3
35-49	10	1.2		<1	<1	<1	<1	2	3	3
50-64	7	1.0		<1	<1	<1	<1	1	1	1
65+	20	1.7	3	<1	<1	<1	1	4	7	9
2. MULTIPLE DX										
0-19 YRS	103	4.2	70	1	1	2	4	12	19	83
20-34	78	3.1	6	<1	1	2	4	7	9	11
35-49	48	3.7	14	1	1	2	5	8	13	18
50-64	35	2.1	2	1	1	2	3	4	6	99+
65+	78	6.1	158	<1	1	2	6	14	23	82
TOTAL SINGLE DX	138	1.3	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	342	4.1	62	<1	1	2	4	9	15	70
TOTAL										
0-19 YRS	191	2.9	41	<1	1	1	2	5	13	54
20-34	91	2.8	6	<1	1	2	4	6	8	11
35-49	58	3.3	13	<1	1	2	4	8	11	18
50-64	42	2.0	2	<1	1	1	3	4	6	99+
65+	98	5.2	130	<1	<1	1	5	10	21	69
GRAND TOTAL	480	3.3	46	<1	1	1	3	7	11	38

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	1.1		<1	<1	1	1	1	2	2
20-34	5	1.0		1	1	1	1	1	1	1
35-49	7	1.4		1	1	1	2	3	3	3
50-64	5	1.0		1	1	1	1	1	1	1
65+	11	1.0		<1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	14	2.8	16	<1	1	1	3	6	14	16
20-34	12	1.8	5	1	1	1	2	4	8	9
35-49	11	3.0	17	1	1	1	3	9	14	15
50-64	3	2.7	8	1	1	1	5	6	6	6
65+	15	2.5	6	1	1	1	4	7	8	9
TOTAL SINGLE DX	48	1.1		<1	1	1	1	1	2	3
TOTAL MULTIPLE DX	55	2.5	10	1	1	1	3	6	9	16
TOTAL										
0-19 YRS	34	1.8	7	<1	1	1	1	3	5	16
20-34	17	1.6	4	1	1	1	1	2	7	9
35-49	18	2.4	11	1	1	1	2	4	11	15
50-64	8	1.8	3	1	1	1	1	5	6	6
65+	26	1.8	4	1	1	1	1	4	7	9
GRAND TOTAL	103	1.9	6	1	1	1	1	4	6	15

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	12	5.6	82	1	2	3	5	14	31	34
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	5	2.4	1	1	2	2	3	4	4	4
50-64	4	4.5	11	1	2	4	7	9	9	9
65+	2	4.0		4	4	4	4	4	4	4
TOTAL SINGLE DX	4	1.3		<1	<1	1	1	2	2	2
TOTAL MULTIPLE DX	25	4.4	41	1	2	3	4	5	15	34
TOTAL										
0-19 YRS	15	4.7	68	<1	1	2	5	5	27	34
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	5	2.4	1	1	2	2	3	4	4	4
50-64	4	4.5	12	1	2	4	7	9	9	9
65+	3	3.0	3	1	2	4	4	4	4	4
GRAND TOTAL	29	4.0	37	1	1	3	4	5	10	34

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.4	2	1	1	2	4	4	4	4
20-34	19	1.6		1	1	1	2	3	3	3
35-49	11	2.3		1	2	2	3	3	3	3
50-64	14	1.8		1	1	2	2	3	3	3
65 +	22	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	17	2.0	2	1	1	2	2	5	6	6
20-34	13	3.8	17	1	2	2	3	8	15	17
35-49	28	2.9	3	2	2	2	3	4	8	9
50-64	51	2.8	2	2	2	2	3	4	5	12
65 +	193	2.7	3	1	2	2	3	4	5	11
TOTAL SINGLE DX	71	1.8	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	302	2.7	4	1	2	2	3	4	6	12
TOTAL										
0-19 YRS	22	2.1	2	1	1	2	2	4	5	6
20-34	32	2.5	8	1	1	2	3	4	6	17
35-49	39	2.7	2	2	2	2	3	4	6	9
50-64	65	2.6	3	1	2	2	3	4	5	11
65 +	215	2.6	3	1	2	2	3	4	5	11
GRAND TOTAL	373	2.6	3	1	2	2	3	4	5	11

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	3.4	3	1	2	3	4	6	7	10
20-34	18	2.9	2	1	1	3	4	5	6	6
35-49	12	2.2	1	<1	1	2	3	4	5	5
50-64	8	1.6	1	<1	<1	1	2	4	4	4
65 +	8	2.4	7	<1	<1	<1	3	7	8	8
2. MULTIPLE DX										
0-19 YRS	56	4.1	6	2	3	4	5	7	9	14
20-34	42	4.7	10	2	3	4	5	8	13	16
35-49	22	5.0	19	1	2	4	6	12	15	18
50-64	26	6.0	16	2	3	5	8	11	16	17
65 +	44	5.5	35	1	2	4	6	10	13	38
TOTAL SINGLE DX	90	2.9	3	<1	1	3	4	5	6	9
TOTAL MULTIPLE DX	190	4.9	17	1	3	4	6	9	13	16
TOTAL										
0-19 YRS	100	3.8	5	1	2	4	5	6	8	12
20-34	60	4.2	9	1	2	4	5	7	11	16
35-49	34	4.0	15	1	1	3	5	10	13	18
50-64	34	5.0	16	<1	2	4	7	10	15	17
65 +	52	5.0	32	<1	1	4	6	9	12	37
GRAND TOTAL	280	4.3	13	1	2	4	5	8	11	17

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	1.3		<1	<1	1	1	2	3	4
20-34	3	1.0		1	1	1	1	1	1	1
35-49	13	1.3		1	1	1	2	2	3	3
50-64	25	2.1	7	1	1	1	2	6	8	13
65 +	58	1.3		<1	1	1	1	3	3	3
2. MULTIPLE DX										
0-19 YRS	19	2.9	24	<1	1	2	3	4	14	23
20-34	14	2.1	3	1	1	2	3	4	7	8
35-49	28	3.8	38	1	1	2	3	6	18	31
50-64	53	3.6	13	1	1	2	6	8	11	18
65 +	128	4.0	33	1	1	2	4	8	15	30
TOTAL SINGLE DX	137	1.5	2	<1	1	1	1	3	3	7
TOTAL MULTIPLE DX	242	3.7	27	1	1	2	4	8	13	26
TOTAL										
0-19 YRS	57	1.8	9	<1	1	1	2	3	4	22
20-34	17	1.9	3	1	1	1	2	3	6	8
35-49	41	3.0	27	1	1	2	3	5	11	31
50-64	78	3.1	12	1	1	2	4	7	10	17
65 +	186	3.2	25	1	1	1	3	7	10	25
GRAND TOTAL	379	2.9	19	1	1	1	3	6	9	24

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	2.9	5	1	1	2	4	6	8	9
20-34	7	3.3	1	2	2	4	4	5	5	5
35-49	5	3.0	5	1	1	2	5	6	6	6
50-64	6	1.8	1	1	1	2	2	4	4	4
65 +	6	1.5		<1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	29	4.2	16	1	2	2	5	10	12	18
20-34	26	4.2	6	1	2	4	5	7	9	11
35-49	20	4.4	14	1	2	3	6	9	13	16
50-64	23	4.3	11	1	1	4	6	10	11	12
65 +	44	4.2	18	1	1	3	5	10	12	22
TOTAL SINGLE DX	39	2.6	4	1	1	2	4	5	6	9
TOTAL MULTIPLE DX	142	4.2	14	1	1	3	5	9	11	18
TOTAL										
0-19 YRS	44	3.7	13	1	1	2	5	9	11	18
20-34	33	4.0	5	2	2	4	5	7	9	11
35-49	25	4.1	13	1	2	3	6	7	12	16
50-64	29	3.8	10	1	1	2	5	9	11	12
65 +	50	3.9	17	1	1	2	5	10	12	22
GRAND TOTAL	181	3.9	12	1	1	3	5	9	11	17

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	1.1		1	1	1	1	2	2	2
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	6	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	11	2.5	6	<1	1	1	4	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.7		1	1	2	2	2	2	2
50-64	5	3.0	5	1	2	2	4	7	7	7
65 +	11	2.6	8	1	1	2	3	7	11	11
TOTAL SINGLE DX	41	1.1		<1	1	1	1	2	2	2
TOTAL MULTIPLE DX	31	2.5	6	1	1	2	3	7	7	11
TOTAL										
0-19 YRS	44	1.5	2	1	1	1	1	2	6	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	1.8		1	1	2	2	2	2	2
50-64	6	2.7	5	<1	1	2	3	7	7	7
65 +	17	2.1	6	<1	1	1	2	4	9	11
GRAND TOTAL	72	1.7	3	<1	1	1	2	3	6	10

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	1.1		<1	1	1	1	1	2	2
20-34	4	1.5	1	<1	<1	<1	2	3	3	3
35-49	11	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	82	1.0		<1	<1	<1	<1	1	1	3
65 +	480	1.0		<1	<1	<1	<1	1	1	2
2. MULTIPLE DX										
0-19 YRS	27	2.0	1	1	1	1	3	4	5	5
20-34	18	1.7		<1	1	2	2	3	3	3
35-49	24	3.5	32	1	1	2	3	9	17	27
50-64	102	2.1	7	<1	<1	1	2	4	8	15
65 +	523	2.3	21	<1	<1	1	2	3	8	26
TOTAL SINGLE DX	613	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	694	2.3	18	<1	<1	1	2	4	8	24
TOTAL										
0-19 YRS	63	1.5	1	1	1	1	1	3	4	5
20-34	22	1.6	1	<1	1	1	2	3	3	3
35-49	35	2.7	24	<1	<1	1	2	3	12	27
50-64	184	1.6	4	<1	<1	<1	1	2	4	12
65 +	1003	1.7	11	<1	<1	<1	1	2	4	18
GRAND TOTAL	1307	1.7	10	<1	<1	<1	1	2	4	17

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.0		<1	<1	<1	1	1	1	1
65 +	17	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	0									
20-34	3	4.3	24	1	1	2	8	10	10	10
35-49	0									
50-64	8	1.4		<1	<1	1	2	3	3	3
65 +	17	1.8	1	<1	1	1	2	3	4	4
TOTAL SINGLE DX	23	1.1		<1	<1	<1	1	1	2	2
TOTAL MULTIPLE DX	28	1.9	3	<1	1	1	2	3	5	10
TOTAL										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	3	4.3	24	1	1	2	[illegible]	10	10	10
35-49	1	1.0		1	1	[illegible]	1	1	1	1
50-64	11	1.3		<1	<1	[illegible]	1	2	3	3
65 +	34	1.4	1	<1	<1	1	2	3	3	4
GRAND TOTAL	51	1.5	2	<1	<1	1	2	3	3	10

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	1.8	1	1	1	2	2	3	4	5
20-34	40	2.1	1	1	1	2	3	4	5	7
35-49	42	2.3	2	1	1	2	3	4	5	9
50-64	93	2.2	2	1	1	2	3	4	5	9
65 +	54	2.1	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	49	2.7	9	1	1	2	3	4	6	99 +
20-34	72	2.9	5	1	1	2	4	5	7	13
35-49	96	2.8	3	1	2	2	3	5	7	11
50-64	201	2.9	6	1	2	2	3	5	8	14
65 +	272	2.6	3	1	2	2	3	4	6	10
TOTAL SINGLE DX	262	2.1	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	690	2.8	5	1	2	2	3	5	7	14
TOTAL										
0-19 YRS	82	2.3	6	1	1	2	3	4	5	74
20-34	112	2.6	4	1	1	2	3	4	7	13
35-49	138	2.7	3	1	1	2	3	5	6	10
50-64	294	2.7	5	1	1	2	3	5	7	14
65 +	326	2.5	4	1	1	2	3	4	5	9
GRAND TOTAL	952	2.6	4	1	1	2	3	4	6	13

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	1.6		1	1	1	2	3	4	5
20-34	14	2.4	5	1	1	2	3	5	8	9
35-49	14	3.7	8	1	2	3	4	8	10	11
50-64	2	1.7	3	1	1	1	[illegible]	4	6	8
65+	43	2.0	3	1	1	1	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	52	5.9	246	1	1	2	3	9	52	99+
20-34	103	2.1	5	1	1	2	2	4	4	15
35-49	129	2.7	6	1	1	2	3	5	6	15
50-64	204	2.5	4	1	1	2	3	5	6	12
65+	302	3.0	30	1	1	2	3	5	8	22
TOTAL SINGLE DX	124	2.1	4	1	1	1	2	4	7	11
TOTAL MULTIPLE DX	790	2.9	31	1	1	2	3	5	7	21
TOTAL										
0-19 YRS	84	4.3	156	1	1	2	3	5	20	98
20-34	117	2.1	5	1	1	2	2	4	5	13
35-49	143	2.8	6	1	1	2	3	5	8	15
50-64	225	2.4	5	1	1	2	3	5	6	12
65+	345	2.9	27	1	1	2	3	5	8	20
GRAND TOTAL	914	2.8	28	1	1	2	3	5	7	19

530: Operations on ocular muscle (15.01; 15.11-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	331	1.0		<1	<1	<1	<1	1	1	2
20-34	10	1.0		<1	1	1	1	1	1	1
35-49	7	1.4		<1	<1	1	2	3	3	3
50-64	6	1.0		<1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	75	2.1	31	<1	<1	1	1	3	5	39
20-34	11	1.1		<1	1	1	1	2	2	2
35-49	11	1.1		<1	1	1	1	2	2	2
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	6	1.3		1	1	1	2	2	2	2
TOTAL SINGLE DX	355	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	106	1.9	22	<1	<1	1	1	2	4	27
TOTAL										
0-19 YRS	406	1.2	6	<1	<1	<1	<1	1	1	4
20-34	21	1.0		<1	1	1	1	1	2	2
35-49	18	1.2		<1	1	1	1	2	3	3
50-64	9	1.7	3	<1	1	1	2	4	6	6
65+	7	1.3		1	1	1	2	2	2	2
GRAND TOTAL	461	1.2	5	<1	<1	<1	1	1	2	5

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	2.9	6	<1	1	2	4	6	7	13
20-34	18	2.5	2	1	1	2	4	5	5	5
35-49	15	1.9	1	1	1	1	2	5	5	5
50-64	14	2.9	7	1	1	2	4	6	10	11
65+	15	2.0	2	1	1	2	2	4	5	6
2. MULTIPLE DX										
0-19 YRS	69	5.1	28	1	2	3	7	12	15	27
20-34	48	4.0	14	1	1	3	5	9	11	19
35-49	49	4.5	25	1	1	3	6	9	12	26
50-64	40	4.4	24	1	2	3	5	9	12	28
65+	67	4.9	43	1	2	3	5	12	15	37
TOTAL SINGLE DX	124	2.6	5	1	1	2	4	5	6	12
TOTAL MULTIPLE DX	273	4.6	28	1	2	3	6	10	14	28
TOTAL										
0-19 YRS	131	4.0	19	1	1	2	5	9	12	25
20-34	66	3.6	11	1	1	2	5	8	10	18
35-49	64	3.9	21	1	1	2	5	8	10	26
50-64	54	4.0	20	1	1	2	5	9	11	27
65+	82	4.4	37	1	1	2	4	11	15	37
GRAND TOTAL	397	4.0	22	1	1	2	5	9	12	27

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	145	1.5		<1	<1	1	2	3	4	5
20-34	10	2.2	1	<1	1	2	3	4	5	5
35-49	7	1.6		<1	<1	1	2	3	3	3
50-64	7	3.6	16	<1	<1	1	7	10	10	10
65+	10	3.4	13	<1	<1	1	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	103	3.0	12	1	1	2	4	6	12	99+
20-34	28	4.8	129	1	1	1	3	8	27	58
35-49	22	6.9	58	1	2	4	9	19	27	29
50-64	24	4.9	42	1	2	3	4	8	25	27
65+	42	6.6	40	1	2	5	9	14	18	35
TOTAL SINGLE DX	179	1.7	2	<1	<1	1	2	3	4	10
TOTAL MULTIPLE DX	219	4.5	42	1	1	2	5	10	18	70
TOTAL										
0-19 YRS	248	2.1	6	<1	<1	1	3	4	6	28
20-34	38	4.1	96	<1	1	2	3	5	18	58
35-49	29	5.6	50	<1	1	2	7	14	25	29
50-64	31	4.6	36	<1	1	3	4	9	23	27
65+	52	6.0	37	<1	2	5	8	12	16	35
GRAND TOTAL	398	3.3	26	<1	1	2	3	7	10	32

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.1		1	1	1	1	2	2	2
20-34	19	1.2		1	1	1	1	2	2	2
35-49	18	1.1		1	1	1	1	1	2	2
50-64	18	1.0		1	1	1	1	1	1	1
65+	8	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	19	1.2		1	1	1	1	2	2	2
20-34	13	1.5	1	1	1	1	2	3	5	5
35-49	14	1.0		1	1	1	1	1	1	1
50-64	12	2.3	5	1	1	1	3	5	8	9
65+	14	2.6	8	<1	1	2	3	7	10	11
TOTAL SINGLE DX	70	1.1		1	1	1	1	2	2	2
TOTAL MULTIPLE DX	72	1.7	3	1	1	1	2	3	5	11
TOTAL										
0-19 YRS	26	1.2		1	1	1	1	2	2	2
20-34	32	1.3	1	1	1	1	1	2	2	5
35-49	32	1.0		1	1	1	1	1	1	2
50-64	30	1.5	2	1	1	1	1	3	4	9
65+	22	2.2	6	<1	1	1	2	4	9	11
GRAND TOTAL	142	1.4	2	1	1	1	1	2	3	9

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	190	1.1		<1	<1	1	1	1	1	5
20-34	16	1.2		<1	1	1	1	2	2	2
35-49	15	1.3		1	1	1	1	2	3	4
50-64	10	1.0		<1	<1	1	1	1	1	1
65+	6	1.8	2	1	1	1	2	5	5	5
2. MULTIPLE DX										
0-19 YRS	126	1.6	6	<1	<1	1	1	2	3	16
20-34	25	2.1	5	1	1	1	2	5	9	9
35-49	26	1.3	1	<1	1	1	1	2	3	6
50-64	26	1.2		<1	1	1	1	2	3	4
65+	13	1.2		<1	1	1	1	2	3	3
TOTAL SINGLE DX	237	1.1		<1	<1	1	1	1	2	5
TOTAL MULTIPLE DX	216	1.5	4	<1	<1	1	1	2	4	11
TOTAL										
0-19 YRS	316	1.3	3	<1	<1	1	1	1	2	8
20-34	41	1.7	3	<1	1	1	2	3	7	9
35-49	41	1.3	1	<1	1	1	1	2	3	6
50-64	36	1.2		<1	<1	1	1	2	2	4
65+	19	1.4	1	<1	1	1	1	3	4	5
GRAND TOTAL	453	1.3	2	<1	<1	1	1	2	2	8

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2355	1.1		<1	<1	<1	<1	<1	<1	3
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.0		1	1	1	1	1	1	1
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	971	2.4	18	<1	<1	1	2	6	8	16
20-34	20	3.8	13	<1	1	2	6	10	12	12
35-49	12	4.6	39	<1	1	1	6	14	21	22
50-64	10	4.7	35	<1	1	3	5	13	21	21
65+	7	12.4	289	2	4	4	12	42	50	50
TOTAL SINGLE DX	2364	1.1	1	<1	<1	<1	<1	<1	<1	3
TOTAL MULTIPLE DX	1020	2.5	21	<1	<1	1	2	6	9	20
TOTAL										
0-19 YRS	3326	1.4	6	<1	<1	<1	<1	1	4	10
20-34	23	3.6	12	<1	1	2	6	9	12	12
35-49	13	4.4	36	<1	1	1	5	12	20	22
50-64	13	3.8	29	<1	1	2	4	8	19	21
65+	9	9.9	242	<1	2	4	11	35	50	50
GRAND TOTAL	3384	1.5	7	<1	<1	<1	<1	2	4	11

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	1.9	6	1	1	1	1	4	8	14
20-34	20	2.5	7	1	1	1	2	6	9	11
35-49	16	1.3		1	1	1	1	2	3	4
50-64	18	1.2		1	1	1	1	2	3	3
65 +	11	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	133	2.6	12	1	1	1	2	8	11	17
20-34	37	2.9	31	1	1	1	2	6	17	28
35-49	48	3.1	45	1	1	1	2	5	13	42
50-64	25	2.5	18	1	1	1	2	3	16	18
65 +	12	4.2	18	1	1	3	5	11	14	15
TOTAL SINGLE DX	152	1.8	5	1	1	1	1	3	7	11
TOTAL MULTIPLE DX	255	2.8	22	1	1	1	2	7	12	25
TOTAL										
0-19 YRS	220	2.3	10	1	1	1	2	7	10	15
20-34	57	2.8	23	1	1	1	2	7	10	28
35-49	64	2.6	35	1	1	1	2	4	8	39
50-64	43	2.0	11	1	1	1	1	3	7	18
65 +	23	2.8	12	1	1	1	3	6	12	15
GRAND TOTAL	407	2.4	16	1	1	1	2	5	10	22

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	108	1.4	1	<1	<1	<1	1	3	4	7
20-34	7	2.3	2	<1	<1	2	4	4	4	4
35-49	17	2.5	9	1	1	1	3	7	10	12
50-64	7	1.9	1	1	1	1	3	4	4	4
65 +	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	102	2.3	6	<1	1	1	2	7	9	12
20-34	11	1.6	1	1	1	1	2	3	4	4
35-49	16	2.8	14	<1	1	1	2	11	13	13
50-64	16	6.1	112	1	1	2	6	16	34	42
65 +	14	3.6	6	1	2	3	5	7	9	9
TOTAL SINGLE DX	142	1.6	2	<1	<1	1	1	4	4	8
TOTAL MULTIPLE DX	159	2.8	19	<1	1	1	3	7	9	16
TOTAL										
0-19 YRS	210	1.8	4	<1	<1	1	1	4	7	10
20-34	18	1.9	1	<1	1	1	3	4	4	4
35-49	33	2.6	12	<1	1	1	2	8	12	13
50-64	23	4.8	81	1	1	2	3	14	25	42
65 +	17	3.4	6	1	2	2	5	7	3	9
GRAND TOTAL	301	2.2	11	<1	<1	1	2	5	8	14

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.4		<1	<1	1	2	3	3	3
20-34	6	1.3		<1	1	1	1	3	3	3
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64	3	1.3		1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	20	2.0	2	1	1	1	3	4	5	6
20-34	51	1.5	1	<1	1	1	2	3	5	6
35-49	59	1.7	3	<1	1	1	2	3	5	12
50-64	27	2.4	4	<1	1	2	3	4	8	10
65 +	6	2.3	5	<1	1	1	2	7	7	7
TOTAL SINGLE DX	20	1.3		<1	1	1	1	2	3	3
TOTAL MULTIPLE DX	163	1.8	3	<1	1	1	2	4	5	10
TOTAL										
0-19 YRS	27	1.8	2	<1	1	1	2	4	5	6
20-34	57	1.5	1	<1	1	1	2	3	4	6
35-49	63	1.7	3	<1	1	1	2	3	4	11
50-64	30	2.3	5	<1	1	2	3	4	8	10
65 +	6	2.3	5	<1	1	1	2	7	7	7
GRAND TOTAL	183	1.8	3	<1	1	1	2	3	5	9

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	1.6	1	<1	1	1	2	3	4	7
20-34	53	1.1		<1	1	1	1	2	2	3
35-49	37	1.3		1	1	1	1	2	3	4
50-64	20	1.5		<1	1	1	2	2	3	4
65+	11	1.7	1	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	161	1.8	2	1	1	1	2	3	5	88
20-34	194	1.9	22	1	1	1	1	3	4	14
35-49	168	1.7	2	1	1	1	2	3	6	9
50-64	95	3.0	49	1	1	1	2	6	11	45
65+	58	3.4	22	1	1	2	4	7	8	33
TOTAL SINGLE DX	191	1.4	1	<1	1	1	1	3	3	5
TOTAL MULTIPLE DX	676	2.1	17	1	1	1	2	4	6	21
TOTAL										
0-19 YRS	231	1.7	2	1	1	1	2	3	4	27
20-34	247	1.7	17	<1	1	1	1	2	3	12
35-49	205	1.6	2	1	1	1	2	3	4	9
50-64	115	2.7	41	1	1	1	2	4	7	40
65+	69	3.2	20	1	1	2	4	6	8	30
GRAND TOTAL	867	1.9	13	1	1	1	2	3	5	14

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.5	2	<1	<1	1	1	3	5	7
20-34	8	1.6	1	<1	<1	1	2	4	4	4
35-49	10	1.7	1	<1	<1	1	3	3	3	3
50-64	15	1.1		<1	<1	<1	1	1	3	3
65+	29	1.2		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	37	6.8	264	<1	1	2	6	11	29	95
20-34	32	2.2	9	<1	1	1	2	5	8	16
35-49	30	1.8	2	<1	1	1	2	3	5	8
50-64	40	3.5	18	<1	1	2	3	10	14	19
65+	58	4.5	33	<1	1	2	5	11	23	93
TOTAL SINGLE DX	84	1.4	1	<1	<1	<1	1	3	3	6
TOTAL MULTIPLE DX	197	3.9	67	<1	1	1	4	9	14	68
TOTAL										
0-19 YRS	59	4.8	172	<1	<1	1	4	8	12	90
20-34	40	2.1	8	<1	<1	1	2	4	8	16
35-49	40	1.8	2	<1	<1	1	2	3	4	8
50-64	55	2.8	15	<1	<1	1	3	8	12	19
65+	87	3.4	25	<1	<1	1	4	10	16	72
GRAND TOTAL	281	3.2	48	<1	<1	1	3	8	11	35

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	1.3		<1	<1	<1	1	2	3	5
20-34	24	2.0	2	<1	1	1	2	5	6	6
35-49	23	2.8	5	<1	1	2	4	5	8	11
50-64	16	3.4	5	1	2	3	5	6	9	10
65+	17	4.2	9	1	2	3	5	7	12	14
2. MULTIPLE DX										
0-19 YRS	51	4.5	41	<1	1	2	6	10	16	99
20-34	53	4.1	20	1	1	3	5	9	11	27
35-49	50	4.4	11	1	2	4	5	9	12	17
50-64	58	4.4	8	2	2	4	5	8	10	14
65+	101	5.3	17	2	2	4	7	11	14	21
TOTAL SINGLE DX	129	2.3	5	<1	<1	1	3	5	6	12
TOTAL MULTIPLE DX	313	4.7	19	1	2	4	6	10	13	24
TOTAL										
0-19 YRS	100	2.9	24	<1	<1	1	3	8	10	70
20-34	77	3.4	16	1	1	2	4	8	11	24
35-49	73	3.9	10	1	2	3	5	7	11	16
50-64	74	4.2	8	2	2	4	5	8	10	14
65+	118	5.2	17	2	2	4	7	11	14	20
GRAND TOTAL	442	4.0	16	<1	1	3	5	9	11	19

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.7	1	1	1	1	2	4	4	4
20-34	13	2.2	2	1	1	1	3	5	6	6
35-49	15	1.3		1	1	1	2	2	3	3
50-64	12	1.1		<1	1	1	1	2	2	2
65+	7	1.1		1	1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	15	4.3	14	1	1	3	7	11	12	12
20-34	27	5.9	149	1	1	2	5	15	23	63
35-49	41	3.0	28	1	1	1	3	5	8	34
50-64	31	3.3	17	1	1	2	4	9	19	99+
65+	27	4.9	72	1	1	1	5	12	21	42
TOTAL SINGLE DX	54	1.5	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	141	4.1	56	1	1	2	4	11	16	66
TOTAL										
0-19 YRS	22	3.5	12	1	1	2	5	10	11	12
20-34	40	4.7	104	1	1	2	4	10	16	63
35-49	56	2.6	22	1	1	1	3	4	5	33
50-64	43	2.7	14	1	1	1	3	6	16	99+
65+	34	4.1	59	1	1	1	4	11	16	42
GRAND TOTAL	195	3.4	42	1	1	1	3	7	12	53

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	59	2.3	8	<1	1	1	2	5	9	17
20-34	35	2.8	5	<1	1	2	4	7	8	10
35-49	30	2.0	1	1	1	2	3	4	5	6
50-64	20	3.0	12	1	1	1	3	9	12	14
65+	5	4.2	8	1	2	4	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	174	5.5	64	<1	1	2	7	13	19	50
20-34	113	3.8	21	1	1	2	5	9	15	23
35-49	138	4.6	58	1	1	2	5	10	17	41
50-64	128	4.4	28	1	1	2	6	10	11	29
65+	84	6.0	60	1	1	3	8	13	18	45
TOTAL SINGLE DX	149	2.5	7	<1	1	1	3	6	8	14
TOTAL MULTIPLE DX	637	4.9	48	1	1	2	6	11	15	38
TOTAL										
0-19 YRS	233	4.7	52	<1	1	2	6	12	17	43
20-34	148	3.5	18	1	1	2	4	8	14	21
35-49	168	4.1	49	1	1	2	4	9	14	36
50-64	148	4.2	26	1	1	2	6	10	11	25
65+	89	5.9	57	1	1	3	8	13	17	44
GRAND TOTAL	786	4.4	41	1	1	2	5	10	14	29

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	1.8	2	<1	<1	<1	2	4	7	8
20-34	7	3.3	3	<1	2	3	4	6	7	7
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	158	3.8	60	<1	<1	1	4	8	14	69
20-34	87	6.5	50	1	2	4	8	18	25	31
35-49	72	9.8	158	1	2	6	12	23	40	63
50-64	75	8.0	107	1	2	4	9	19	33	52
65+	72	8.8	93	1	2	5	11	21	32	45
TOTAL SINGLE DX	67	1.9	3	<1	<1	<1	2	4	7	8
TOTAL MULTIPLE DX	464	6.7	91	<1	1	3	8	17	28	53
TOTAL										
0-19 YRS	211	3.3	47	<1	<1	1	3	7	11	60
20-34	94	6.3	48	1	2	4	8	17	24	31
35-49	75	9.5	155	1	2	5	11	23	39	63
50-64	78	7.7	105	1	2	4	9	19	33	52
65+	73	8.7	93	1	2	5	11	21	31	45
GRAND TOTAL	531	6.1	82	<1	1	3	7	15	24	51

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	123	1.1	1	<1	<1	<1	<1	<1	<1	6
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	117	2.1	31	<1	<1	<1	1	2	3	40
20-34	5	2.8	12	<1	1	1	4	9	9	9
35-49	5	5.8	33	1	2	3	10	15	15	15
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	11.0		11	11	55	99+	99+	99+	99+
TOTAL SINGLE DX	133	1.2	1	<1	<1	<1	<1	1	3	6
TOTAL MULTIPLE DX	129	2.3	31	<1	<1	1	1	2	9	61
TOTAL										
0-19 YRS	240	1.6	16	<1	<1	<1	<1	2	2	15
20-34	8	2.3	8	<1	<1	1	2	7	9	9
35-49	7	5.0	24	1	2	3	7	14	15	15
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	5	4.8	12	3	3	4	11	91	99+	99+
GRAND TOTAL	262	1.8	16	<1	<1	<1	1	2	4	32

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	1.9		<1	<1	2	3	3	4	4
20-34	8	2.4	2	1	1	2	3	5	6	6
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	5	2.2	1	<1	<1	3	3	3	3	3
65+	3	2.3	5	<1	<1	<1	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	58	1.9	2	1	1	1	2	3	5	10
20-34	20	4.8	32	1	1	2	6	14	19	21
35-49	19	4.1	48	1	1	2	3	9	22	31
50-64	22	4.2	36	1	1	2	3	13	19	26
65+	28	7.5	125	1	2	3	8	17	39	50
TOTAL SINGLE DX	46	2.0	1	<1	<1	2	3	3	4	6
TOTAL MULTIPLE DX	147	4.0	44	1	1	2	3	9	14	38
TOTAL										
0-19 YRS	85	1.9	2	<1	1	2	2	3	4	10
20-34	28	4.1	25	1	1	2	4	10	17	21
35-49	22	3.6	43	1	1	2	2	9	18	31
50-64	27	3.8	30	1	1	2	3	11	16	26
65+	31	7.0	116	<1	2	3	7	15	37	50
GRAND TOTAL	193	3.5	34	<1	1	2	3	8	12	35

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	2.0	1	1	1	2	3	4	4	6
20-34	58	2.1	2	1	1	2	3	3	4	10
35-49	63	2.0	1	1	1	2	2	3	4	7
50-64	73	1.8		1	1	2	2	3	4	4
65 +	48	2.6	3	1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	26	6.5	121	1	1	2	3	17	40	42
20-34	33	3.2	14	1	2	2	3	6	8	22
35-49	59	4.1	41	1	1	2	5	7	9	44
50-64	90	3.1	5	1	1	2	4	7	9	11
65 +	101	5.1	39	1	2	3	5	11	17	36
TOTAL SINGLE DX	279	2.1	2	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	309	4.2	35	1	2	2	4	9	12	38
TOTAL										
0-19 YRS	63	3.9	55	1	1	2	3	6	16	42
20-34	91	2.5	7	1	1	2	3	4	6	17
35-49	122	3.0	22	1	1	2	3	6	7	29
50-64	163	2.5	4	1	1	2	3	5	7	11
65 +	149	4.3	29	1	2	3	4	9	15	36
GRAND TOTAL	588	3.2	20	1	1	2	3	6	9	25

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	239	2.4	1	1	2	2	3	4	5	6
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	374	2.8	5	1	2	2	3	5	6	14
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	5	3.0	6	1	1	3	4	7	7	7
65 +	2	1.5	1	1	1	1	2	2	2	2
TOTAL SINGLE DX	246	2.4	1	1	2	2	3	4	5	6
TOTAL MULTIPLE DX	385	2.8	5	1	2	2	3	5	6	14
TOTAL										
0-19 YRS	613	2.6	4	1	2	2	3	4	5	11
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	5	2.0	2	1	1	1	3	4	4	4
50-64	7	2.7	4	1	1	2	3	6	7	7
65 +	3	1.7		1	1	2	2	2	2	2
GRAND TOTAL	631	2.6	4	1	2	2	3	4	5	11

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	290	1.9	1	<1	1	2	2	3	4	6
20-34	27	3.9	15	<1	1	2	5	9	12	17
35-49	20	4.4	20	<1	1	3	6	11	15	17
50-64	23	4.0	10	1	1	3	5	10	12	12
65 +	26	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	318	3.5	38	1	1	2	4	6	9	28
20-34	110	4.8	20	1	2	3	6	10	12	28
35-49	103	6.7	73	1	2	4	8	18	21	48
50-64	125	9.4	130	2	3	6	11	23	33	64
65 +	142	9.0	138	1	2	5	10	18	43	76
TOTAL SINGLE DX	386	2.3	5	<1	1	2	3	4	6	13
TOTAL MULTIPLE DX	798	6.0	78	1	2	3	7	13	21	52
TOTAL										
0-19 YRS	608	2.7	21	<1	1	2	3	4	6	20
20-34	137	4.6	19	1	2	3	6	10	12	27
35-49	123	6.3	65	1	2	4	8	15	21	44
50-64	148	8.5	116	1	3	5	9	18	30	59
65 +	168	7.9	124	1	1	4	9	17	30	71
GRAND TOTAL	1184	4.8	57	1	1	2	5	10	16	43

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	544	1.1		<1	1	1	1	1	2	4
20-34	181	1.2		1	1	1	1	2	3	7
35-49	45	1.2		1	1	1	1	2	3	5
50-64	3	2.0	3	1	1	1	3	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	335	1.9	15	<1	1	1	1	3	5	15
20-34	120	2.0	4	1	1	1	2	4	6	12
35-49	38	2.4	7	1	1	1	2	6	9	13
50-64	23	2.7	16	1	1	2	2	4	12	20
65 +	8	4.5	25	1	1	2	6	13	15	15
TOTAL SINGLE DX	774	1.2		<1	1	1	1	1	2	4
TOTAL MULTIPLE DX	524	2.0	13	1	1	1	2	4	6	14
TOTAL										
0-19 YRS	879	1.4	6	<1	1	1	1	2	3	7
20-34	301	1.5	2	1	1	1	1	3	4	10
35-49	83	1.8	4	1	1	1	2	3	6	12
50-64	26	2.6	14	1	1	2	2	4	10	20
65 +	9	4.1	23	1	1	2	5	13	15	15
GRAND TOTAL	1298	1.5	6	<1	1	1	1	2	4	10

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1480	1.1		<1	1	1	1	1	1	2
20-34	43	1.2		1	1	1	1	2	2	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2096	1.6	10	<1	1	1	1	2	4	14
20-34	31	1.6	2	1	1	1	2	3	6	7
35-49	7	4.4	37	1	1	1	8	15	16	16
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65 +	5	2.6	6	<1	<1	2	3	7	7	7
TOTAL SINGLE DX	1525	1.1		<1	1	1	1	1	1	3
TOTAL MULTIPLE DX	2141	1.6	10	<1	1	1	1	2	4	14
TOTAL										
0-19 YRS	3576	1.4	6	<1	1	1	1	2	2	10
20-34	74	1.4	1	1	1	1	1	2	3	7
35-49	9	3.7	30	1	1	1	4	14	16	16
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65 +	5	2.6	6	<1	<1	2	3	7	7	7
GRAND TOTAL	3666	1.4	6	<1	1	1	1	2	2	10

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	1.5	5	<1	<1	<1	1	1	5	17
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	260	2.1	15	<1	<1	1	1	4	8	17
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	54	1.5	5	<1	<1	<1	1	1	4	17
TOTAL MULTIPLE DX	263	2.1	16	<1	<1	1	1	4	7	17
TOTAL										
0-19 YRS	313	2.0	14	<1	<1	1	1	4	7	17
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	317	2.0	14	<1	<1	1	1	4	7	17

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	180	2.4	5	<1	1	2	3	5	7	15
20-34	69	2.0	1	1	1	2	3	3	4	5
35-49	26	2.0	1	1	1	2	2	4	5	7
50-64	9	2.2	2	1	1	2	3	4	5	5
65 +	7	3.3	8	<1	1	2	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	124	5.0	103	1	1	3	5	9	13	58
20-34	55	3.4	9	1	1	3	4	6	10	16
35-49	77	4.6	47	1	1	2	5	14	16	40
50-64	77	5.8	55	1	1	3	7	13	15	42
65 +	54	6.0	27	1	2	4	10	14	17	22
TOTAL SINGLE DX	291	2.3	4	1	1	2	3	4	6	12
TOTAL MULTIPLE DX	387	5.0	59	1	1	3	5	[illegible]	15	42
TOTAL										
0-19 YRS	304	3.5	47	1	1	2	4	7	10	28
20-34	124	2.6	5	1	1	2	3	5	6	15
35-49	103	3.9	37	1	1	2	4	9	15	36
50-64	86	5.5	51	1	1	3	7	11	15	42
65 +	61	5.7	26	1	2	3	8	13	16	22
GRAND TOTAL	678	3.8	37	1	1	2	4	8	13	27

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	159	1.2		<1	<1	<1	<1	1	2	5
20-34	4	3.3	4	1	1	3	5	5	5	5
35-49	11	3.1	2	<1	1	3	5	5	5	5
50-64	14	3.1	1	2	2	3	4	5	5	5
65 +	8	3.3	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	119	2.7	29	<1	<1	1	2	5	11	29
20-34	21	4.4	13	1	1	4	6	10	12	13
35-49	30	5.2	15	1	3	4	7	11	12	18
50-64	36	4.7	11	1	2	4	6	9	12	15
65 +	53	6.7	117	2	3	4	6	13	17	76
TOTAL SINGLE DX	196	1.6	2	<1	<1	<1	1	4	5	6
TOTAL MULTIPLE DX	259	4.2	44	<1	1	2	5	10	13	21
TOTAL										
0-19 YRS	278	1.9	14	<1	<1	<1	1	3	5	20
20-34	25	4.2	12	1	1	4	6	10	11	13
35-49	41	4.6	13	1	2	4	6	10	11	18
50-64	50	4.2	9	1	2	4	5	8	11	15
65 +	61	6.2	104	1	2	4	6	12	17	71
GRAND TOTAL	455	3.1	27	<1	<1	1	4	6	10	20

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	130	1.4	1	<1	<1	1	1	2	4	7
20-34	8	2.1	7	<1	<1	1	2	7	9	9
35-49	14	4.1	75	<1	<1	1	1	12	28	33
50-64	21	1.5	1	<1	1	1	2	3	4	6
65+	14	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	65	4.6	64	1	1	2	5	11	16	52
20-34	7	4.4	67	<1	<1	1	3	19	23	23
35-49	33	3.6	12	1	1	2	5	9	11	15
50-64	67	4.8	24	1	1	2	8	13	15	21
65+	75	5.4	60	1	1	2	5	16	24	40
TOTAL SINGLE DX	187	1.7	7	<1	<1	1	1	2	4	12
TOTAL MULTIPLE DX	247	4.7	45	1	1	2	6	12	16	27
TOTAL										
0-19 YRS	195	2.5	25	<1	<1	1	2	5	8	20
20-34	15	3.2	34	<1	<1	1	2	9	19	23
35-49	47	3.8	30	<1	1	1	5	10	12	33
50-64	88	4.0	21	1	1	2	7	11	15	19
65+	89	4.8	53	1	1	2	4	13	22	37
GRAND TOTAL	434	3.4	31	<1	1	1	3	9	15	26

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	3.6	19	<1	<1	1	5	10	15	15
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	7	10.3	41	2	7	10	12	20	22	22
65+	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	42	8.9	227	<1	1	2	5	37	43	66
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	4	7.5	30	1	3	8	12	13	13	13
50-64	19	15.4	412	2	4	8	19	40	68	85
65+	27	11.1	92	2	4	11	15	19	24	50
TOTAL SINGLE DX	20	6.5	35	<1	1	5	11	14	18	22
TOTAL MULTIPLE DX	95	10.6	213	1	2	5	13	25	43	76
TOTAL										
0-19 YRS	52	7.9	191	<1	1	2	5	28	43	66
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	5	8.0	24	1	4	10	11	13	13	13
50-64	26	14.0	312	2	5	9	16	28	55	85
65+	29	10.8	89	2	4	11	14	18	21	50
GRAND TOTAL	115	9.9	184	1	2	5	12	21	42	73

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	7	13.7	69	8	10	10	14	29	32	32
50-64	2	17.0	128	9	9	17	25	25	25	25
65+	6	13.7	15	10	11	12	17	20	20	20
2. MULTIPLE DX										
0-19 YRS	0									
20-34	4	15.0	76	7	8	13	22	26	26	26
35-49	15	19.9	112	9	11	17	29	35	39	41
50-64	71	17.0	135	9	10	13	19	29	39	71
65+	61	19.7	243	10	12	14	20	35	62	82
TOTAL SINGLE DX	15	14.1	46	9	10	11	16	25	30	32
TOTAL MULTIPLE DX	151	18.3	175	9	11	14	21	33	41	80
TOTAL										
0-19 YRS	0									
20-34	4	15.0	77	7	8	13	22	26	26	26
35-49	22	17.9	103	9	10	14	27	34	37	41
50-64	73	17.0	134	9	10	13	20	27	38	71
65+	67	19.2	225	10	11	14	20	34	62	82
GRAND TOTAL	166	17.9	164	9	10	14	20	33	39	79

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	16.4	334	1	6	13	16	48	56	56
20-34	2	9.0	32	5	5	9	13	13	13	13
35-49	4	5.3	32	1	1	4	9	13	13	13
50-64	6	20.0	958	4	6	8	11	76	83	83
65+	2	6.0	8	4	4	6	8	8	[illegible]	8
2. MULTIPLE DX										
0-19 YRS	107	31.3	506	8	16	33	66	99+	99+	99+
20-34	48	30.0	653	4	7	32	62	99+	99+	99+
35-49	54	27.3	463	5	9	26	51	74	99+	99+
50-64	95	32.8	627	9	12	31	55	99	99+	99+
65+	116	36.4	725	6	14	38	72	99+	99+	99+
TOTAL SINGLE DX	21	13.6	383	1	5	8	13	32	68	83
TOTAL MULTIPLE DX	420	32.4	609	6	12	32	64	99+	99+	99+
TOTAL										
0-19 YRS	114	30.4	506	7	15	30	64	99+	99+	99+
20-34	50	29.1	645	4	7	31	61	99+	99+	99+
35-49	58	25.7	464	4	8	23	46	73	99+	99+
50-64	101	32.0	647	8	11	30	55	97	99+	99+
65+	118	35.8	729	5	12	37	70	99+	99+	99+
GRAND TOTAL	441	31.5	613	6	11	31	62	99+	99+	99+

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	5.0	14	1	1	5	7	11	13	14
20-34	4	5.5	51	1	1	3	10	16	16	16
35-49	6	1.2		1	1	1	1	2	2	2
50-64	4	1.8	2	<1	<1	1	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	103	12.9	188	1	3	8	20	39	72	99+
20-34	22	7.1	29	1	2	6	10	15	19	20
35-49	15	8.3	124	1	2	3	12	17	37	44
50-64	24	4.8	36	1	1	2	6	12	20	26
65+	19	7.4	68	1	1	3	16	19	24	27
TOTAL SINGLE DX	48	4.2	16	1	1	3	6	10	13	16
TOTAL MULTIPLE DX	183	10.2	140	1	2	6	16	30	44	99+
TOTAL										
0-19 YRS	136	11.0	157	1	2	7	17	34	56	99+
20-34	26	6.8	31	1	2	6	10	16	19	20
35-49	21	6.3	98	1	1	2	7	15	29	44
50-64	28	4.3	32	1	1	2	4	10	18	26
65+	20	7.1	67	1	1	3	15	19	23	27
GRAND TOTAL	231	9.0	120	1	2	5	13	26	39	99+

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	2.8	3	1	1	2	4	5	7	7
20-34	10	6.4	36	<1	2	6	8	15	21	21
35-49	32	5.3	53	<1	1	3	6	13	18	37
50-64	61	3.9	20	<1	<1	2	5	9	13	23
65+	43	3.1	15	<1	<1	<1	3	11	13	14
2. MULTIPLE DX										
0-19 YRS	87	8.1	64	1	2	6	12	15	18	48
20-34	105	11.5	127	3	5	8	14	22	28	64
35-49	195	11.4	59	3	5	10	15	23	27	32
50-64	416	10.8	89	2	5	9	14	22	31	54
65+	713	12.2	93	3	6	10	16	23	31	52
TOTAL SINGLE DX	160	4.0	26	<1	<1	2	5	10	14	24
TOTAL MULTIPLE DX	1516	11.5	90	3	5	9	14	22	30	49
TOTAL										
0-19 YRS	101	7.4	59	1	2	5	11	15	18	44
20-34	115	11.1	121	3	5	8	13	22	28	58
35-49	227	10.5	63	1	4	9	14	22	26	33
50-64	477	9.9	86	1	4	8	13	20	30	49
65+	756	11.7	94	2	5	10	15	23	30	52
GRAND TOTAL	1676	10.7	88	2	4	9	14	22	29	46

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	3	8.3	140	1	1	2	17	22	22	22
20-34	1	28.0		28	28	28	28	28	28	28
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+	0									
TOTAL SINGLE DX	2	4.0	18	<1	<1	3	7	7	7	7
TOTAL MULTIPLE DX	6	9.8	144	1	1	3	22	27	28	28
TOTAL										
0-19 YRS	4	6.5	107	<1	<1	1	12	22	22	22
20-34	2	17.5	221	7	7	17	28	28	28	28
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+	0									
GRAND TOTAL	8	8.4	113	<1	1	3	14	26	28	28

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	5.3	9	1	3	5	8	9	11	11
20-34	17	8.1	22	3	5	8	10	15	18	19
35-49	43	6.5	25	1	3	5	8	12	16	27
50-64	71	5.3	12	1	1	6	7	9	12	13
65+	51	6.8	31	1	2	7	9	12	22	23
2. MULTIPLE DX										
0-19 YRS	83	14.6	130	5	7	11	20	41	60	99+
20-34	149	13.7	143	4	7	9	17	25	39	74
35-49	188	13.0	153	4	6	9	16	27	36	85
50-64	506	11.6	101	2	5	9	15	24	31	52
65+	799	12.6	127	3	6	9	15	26	35	82
TOTAL SINGLE DX	200	6.2	21	1	2	6	8	12	14	23
TOTAL MULTIPLE DX	1725	12.6	124	3	6	9	16	26	36	68
TOTAL										
0-19 YRS	101	12.9	121	4	6	9	17	34	52	99+
20-34	166	13.1	134	4	7	9	17	22	37	70
35-49	231	11.8	136	3	5	8	15	24	36	73
50-64	577	10.8	95	2	5	8	14	22	29	51
65+	850	12.3	123	3	6	9	15	24	35	82
GRAND TOTAL	1925	11.9	117	3	6	9	15	24	35	63

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	5.0	5	3	3	5	7	7	7	7
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	8	8.8	2	7	8	9	10	11	11	11
50-64	32	10.2	24	6	7	9	11	17	22	27
65 +	31	10.1	19	7	8	9	11	14	24	25
2. MULTIPLE DX										
0-19 YRS	20	11.9	76	5	7	9	14	35	65	99 +
20-34	10	24.2	438	8	12	14	36	60	69	69
35-49	43	14.2	135	6	8	10	18	27	37	68
50-64	240	12.8	60	7	8	10	15	21	25	40
65 +	280	15.6	101	8	9	13	19	29	35	68
TOTAL SINGLE DX	77	9.7	20	6	7	9	10	14	21	26
TOTAL MULTIPLE DX	593	14.4	95	7	8	11	17	26	34	69
TOTAL										
0-19 YRS	24	10.8	71	5	6	8	12	34	52	99 +
20-34	12	21.5	399	6	10	13	27	56	67	69
35-49	51	13.4	118	6	8	9	15	25	36	68
50-64	272	12.5	57	7	8	10	15	21	25	39
65 +	311	15.0	96	7	9	12	18	28	34	67
GRAND TOTAL	670	13.3	88	7	8	11	16	25	33	67

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	185	2.4	9	< 1	1	1	2	5	7	14
20-34	22	4.1	17	< 1	< 1	2	8	11	13	15
35-49	19	4.2	11	< 1	1	3	7	9	11	12
50-64	20	4.7	19	< 1	< 1	3	7	12	14	15
65 +	21	4.6	13	< 1	2	3	7	10	11	13
2. MULTIPLE DX										
0-19 YRS	383	9.0	132	1	2	5	12	23	35	99 +
20-34	108	11.8	84	2	5	10	17	25	32	68
35-49	158	11.1	72	2	5	9	16	24	29	41
50-64	255	11.1	106	2	4	8	14	24	30	51
65 +	399	13.3	175	2	5	10	16	28	36	80
TOTAL SINGLE DX	267	3.0	12	< 1	1	2	3	8	10	15
TOTAL MULTIPLE DX	1303	11.2	132	2	4	8	14	25	34	82
TOTAL										
0-19 YRS	568	6.9	102	1	1	3	8	19	29	89
20-34	130	10.5	81	1	4	8	15	23	30	56
35-49	177	10.4	71	2	4	8	14	23	28	41
50-64	275	10.7	103	2	4	8	13	24	30	51
65 +	420	12.9	171	2	5	10	15	27	35	80
GRAND TOTAL	1570	9.8	121	1	3	7	13	23	31	77

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	7.6	31	1	3	5	12	16	17	17
20-34	16	5.3	5	3	3	5	7	8	9	10
35-49	9	8.2	27	3	4	6	13	16	18	18
50-64	4	10.0	32	3	5	10	14	16	16	16
65 +	3	8.0	37	1	3	11	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	14	11.2	57	4	5	10	18	27	82	99 +
20-34	18	9.3	38	3	5	7	11	20	22	22
35-49	17	12.4	93	4	4	9	16	30	31	31
50-64	23	10.1	40	4	7	9	17	27	99 +	99 +
65 +	29	14.8	239	3	6	8	22	43	66	99 +
TOTAL SINGLE DX	41	7.1	20	2	4	6	10	14	16	18
TOTAL MULTIPLE DX	101	11.8	109	4	5	9	17	29	50	99 +
TOTAL										
0-19 YRS	23	9.8	48	2	4	8	15	22	49	99 +
20-34	34	7.4	26	3	4	6	8	17	20	22
35-49	26	10.9	72	4	4	8	13	28	30	31
50-64	27	10.1	38	3	7	9	16	25	99 +	99 +
65 +	32	14.1	223	3	5	9	19	42	63	99 +
GRAND TOTAL	142	10.5	88	3	4	8	14	22	40	99 +

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	82	4.2	11	1	2	4	5	7	9	21
20-34	213	4.9	8	2	3	4	6	8	11	18
35-49	68	5.5	17	2	3	4	7	11	17	19
50-64	28	5.4	13	2	3	4	7	9	13	18
65 +	15	7.7	18	3	4	8	10	14	17	18
2. MULTIPLE DX										
0-19 YRS	185	12.5	215	3	5	8	15	22	40	89
20-34	300	8.2	62	3	4	6	10	16	22	44
35-49	213	10.2	135	3	4	7	11	19	28	67
50-64	289	11.2	73	4	5	9	14	22	28	42
65 +	416	13.2	121	4	6	10	17	26	35	58
TOTAL SINGLE DX	406	5.0	12	2	3	4	6	8	12	19
TOTAL MULTIPLE DX	1403	11.2	117	3	5	8	14	22	29	58
TOTAL										
0-19 YRS	267	9.9	167	2	4	6	11	19	28	86
20-34	513	6.8	43	3	3	5	8	14	18	34
35-49	281	9.1	111	3	4	6	10	17	24	56
50-64	317	10.7	71	3	5	8	14	21	28	40
65 +	431	13.0	119	4	6	10	16	26	34	58
GRAND TOTAL	1809	9.8	100	3	4	7	12	20	27	52

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	147	4.9	5	2	4	5	6	7	9	12
20-34	47	6.1	34	1	1	4	9	14	16	28
35-49	28	6.0	17	1	2	6	8	12	14	17
50-64	20	4.2	10	1	2	4	6	8	11	13
65 +	14	6.4	38	1	2	4	8	17	21	22
2. MULTIPLE DX										
0-19 YRS	137	10.5	150	3	4	6	11	24	32	62
20-34	75	13.3	133	2	5	10	17	33	38	52
35-49	93	12.1	120	2	5	9	17	26	29	55
50-64	161	11.8	91	2	5	10	16	23	29	49
65 +	195	11.4	132	1	4	8	15	24	35	63
TOTAL SINGLE DX	256	5.3	14	1	3	5	6	9	13	19
TOTAL MULTIPLE DX	661	11.6	124	2	4	8	16	24	34	55
TOTAL										
0-19 YRS	284	7.6	83	3	4	5	7	14	23	50
20-34	122	10.5	107	1	3	7	15	24	34	46
35-49	121	10.7	103	1	4	8	15	24	29	54
50-64	181	11.0	88	2	4	9	15	22	28	48
65 +	209	11.1	127	1	3	8	15	23	35	61
GRAND TOTAL	917	9.9	102	2	4	6	13	21	29	52

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	213	7.2	23	4	5	6	9	10	14	27
20-34	22	8.9	3	7	7	8	11	12	13	13
35-49	33	8.2	6	5	7	8	10	11	13	14
50-64	32	11.2	21	7	8	10	12	18	23	25
65 +	16	9.8	5	8	9	9	10	15	16	16
2. MULTIPLE DX										
0-19 YRS	904	12.6	121	5	7	9	15	26	36	99 +
20-34	105	14.8	137	8	9	12	17	27	45	99 +
35-49	207	16.8	162	8	9	12	20	37	52	99 +
50-64	399	18.1	190	8	10	14	20	34	46	89
65 +	583	18.4	158	9	11	15	22	32	48	90
TOTAL SINGLE DX	316	8.0	21	4	5	8	9	12	14	24
TOTAL MULTIPLE DX	2198	15.6	155	7	8	12	18	31	43	99 +
TOTAL										
0-19 YRS	1117	11.6	107	5	6	8	13	23	33	96
20-34	127	13.7	119	7	8	11	16	24	40	99 +
35-49	240	15.6	149	7	9	11	18	33	49	99 +
50-64	431	17.6	181	8	10	13	19	32	45	88
65 +	599	18.1	156	9	11	14	21	32	46	87
GRAND TOTAL	2514	14.7	144	6	8	11	17	29	41	96

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	4	4.5	5	3	3	4	6	8	8	8
35-49	89	3.9	7	1	2	3	5	8	9	13
50-64	187	3.4	5	1	2	3	4	7	8	12
65 +	61	3.7	8	1	2	3	4	7	10	15
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	26	4.8	7	1	2	4	7	9	10	11
35-49	759	5.5	12	2	3	5	8	10	12	17
50-64	1742	5.5	18	2	3	4	7	10	12	18
65 +	1326	6.7	28	2	3	5	9	13	16	28
TOTAL SINGLE DX	344	3.5	7	1	2	3	4	7	9	13
TOTAL MULTIPLE DX	3854	5.9	21	2	3	5	8	11	14	21
TOTAL										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	30	4.7	7	1	3	4	7	9	10	11
35-49	848	5.4	12	2	3	4	7	10	12	16
50-64	1929	5.3	18	2	3	4	7	10	12	18
65 +	1387	6.6	28	2	3	5	9	13	16	27
GRAND TOTAL	4198	5.7	20	2	3	4	8	11	14	21

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	35	8.8	4	7	7	8	10	12	14	16
50-64	109	9.3	6	7	8	8	10	12	14	21
65 +	48	10.1	15	7	8	9	11	13	15	30
2. MULTIPLE DX										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	28	10.1	11	7	8	9	12	16	17	19
35-49	747	11.1	24	7	8	10	12	16	19	33
50-64	2460	12.4	47	8	9	10	14	19	23	39
65 +	2451	14.5	74	8	9	12	16	23	32	64
TOTAL SINGLE DX	192	9.4	9	7	8	9	10	12	14	22
TOTAL MULTIPLE DX	5687	13.1	57	8	9	11	15	21	26	49
TOTAL										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	28	10.1	11	7	8	9	12	16	17	19
35-49	782	11.0	24	7	8	10	12	16	19	33
50-64	2569	12.3	46	8	9	10	14	19	23	39
65 +	2499	14.4	74	8	9	12	16	23	32	63
GRAND TOTAL	5879	13.0	56	8	9	11	15	20	26	49

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	329	1.6	3	<1	1	1	2	2	4	11
20-34	84	2.8	11	1	1	2	3	6	10	18
35-49	476	2.6	6	<1	1	1	3	7	8	12
50-64	781	2.3	6	<1	1	1	2	5	8	11
65 +	317	2.4	9	1	1	1	2	5	8	17
2. MULTIPLE DX										
0-19 YRS	968	3.0	26	<1	1	2	2	7	11	25
20-34	320	4.6	20	1	2	3	6	9	13	21
35-49	2677	4.1	16	1	1	3	6	9	10	18
50-64	5667	4.4	20	1	1	3	6	9	12	19
65 +	4983	5.6	32	1	2	4	7	12	15	28
TOTAL SINGLE DX	1987	2.3	7	<1	1	1	2	5	8	12
TOTAL MULTIPLE DX	14615	4.7	25	1	1	3	6	10	13	24
TOTAL										
0-19 YRS	1297	2.6	21	<1	1	1	2	5	9	21
20-34	404	4.2	19	1	1	3	6	9	12	19
35-49	3153	3.9	16	1	1	3	5	8	10	17
50-64	6448	4.2	20	1	1	[illegible]	6	9	11	19
65 +	5300	5.4	32	1	2	[illegible]	7	12	15	28
GRAND TOTAL	16602	4.4	23	1	1	3	6	10	12	22

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	3.9	9	1	2	3	5	7	9	17
20-34	6	3.0	6	1	2	2	3	7	8	8
35-49	12	3.3	6	1	2	3	4	7	10	10
50-64	34	4.9	58	1	1	3	5	10	13	44
65 +	116	3.3	4	1	2	3	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	68	7.8	70	2	3	5	9	17	21	50
20-34	30	6.1	18	2	3	5	8	13	17	18
35-49	68	8.5	53	2	3	6	10	20	24	37
50-64	325	10.6	87	2	4	8	13	24	29	48
65 +	1822	9.4	69	3	4	7	12	18	26	42
TOTAL SINGLE DX	198	3.7	15	1	2	3	4	7	9	16
TOTAL MULTIPLE DX	2313	9.5	71	3	4	7	12	19	26	42
TOTAL										
0-19 YRS	98	6.6	55	2	3	4	7	15	18	46
20-34	36	5.6	18	2	3	4	7	12	16	18
35-49	80	7.8	49	2	3	6	10	18	23	35
50-64	359	10.0	88	2	4	7	13	23	29	47
65 +	1938	9.0	67	2	4	7	11	18	25	41
GRAND TOTAL	2511	9.0	69	2	4	7	11	18	25	42

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	48	5.1	25	<1	<1	4	7	11	16	25
20-34	16	6.3	6	2	6	7	8	8	9	9
35-49	9	6.2	14	2	4	6	8	12	14	14
50-64	23	5.8	13	1	3	6	9	11	12	13
65 +	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	108	10.6	110	1	4	8	12	27	34	47
20-34	99	8.1	110	1	2	7	10	15	18	62
35-49	196	8.9	110	1	2	6	11	18	25	61
50-64	302	8.4	90	1	2	4	12	22	28	48
65 +	120	12.9	113	3	6	11	16	24	33	56
TOTAL SINGLE DX	98	5.6	18	<1	2	6	8	10	14	21
TOTAL MULTIPLE DX	825	9.4	106	1	2	7	12	21	28	52
TOTAL										
0-19 YRS	156	8.9	90	<1	2	7	10	19	32	43
20-34	115	7.9	96	1	2	7	9	14	17	52
35-49	205	8.8	107	1	2	6	11	18	24	59
50-64	325	8.2	85	1	2	5	11	21	27	48
65 +	122	12.8	113	3	6	11	16	24	33	56
GRAND TOTAL	923	9.0	98	1	2	7	12	19	28	52

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	228	2.3	6	<1	1	1	3	5	7	14
20-34	36	3.8	12	<1	1	3	5	8	10	18
35-49	31	6.2	132	1	1	2	7	13	15	64
50-64	42	3.3	11	<1	1	2	4	9	11	15
65 +	34	3.1	6	<1	1	2	5	6	9	11
2. MULTIPLE DX										
0-19 YRS	408	7.6	89	1	2	5	10	17	28	96
20-34	162	10.8	149	2	4	7	13	23	36	87
35-49	293	9.6	99	2	3	7	12	19	29	64
50-64	505	9.9	83	2	4	8	13	21	27	59
65 +	1150	11.5	88	3	5	9	15	24	30	45
TOTAL SINGLE DX	371	[illegible]	19	<1	1	2	3	6	10	17
TOTAL MULTIPLE DX	2518	10.3	94	2	4	8	13	22	29	55
TOTAL										
0-19 YRS	636	5.7	66	<1	1	3	7	14	21	48
20-34	198	9.5	131	1	3	6	12	21	30	82
35-49	324	9.3	103	1	3	7	12	18	29	64
50-64	547	9.3	81	2	3	7	12	19	27	56
65 +	1184	11.2	88	2	5	9	15	24	30	45
GRAND TOTAL	2889	9.3	91	1	3	7	12	21	28	53

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	57	2.1	4	1	1	2	2	3	4	15
35-49	117	1.9	3	1	1	1	2	3	3	13
50-64	61	2.0	1	<1	1	2	3	4	4	7
65+	16	1.9	2	1	1	1	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	18	3.4	7	1	2	2	5	8	9	9
35-49	42	2.8	5	1	2	2	3	5	9	12
50-64	69	3.9	34	1	1	2	4	8	13	39
65+	36	4.4	19	1	2	3	6	9	16	19
TOTAL SINGLE DX	254	2.0	3	1	1	2	2	3	4	12
TOTAL MULTIPLE DX	168	3.6	20	1	1	2	4	8	10	19
TOTAL										
0-19 YRS	6	2.0	1	1	1	2	2	4	4	4
20-34	75	2.4	5	1	1	2	3	4	7	14
35-49	159	2.1	4	1	1	2	2	3	4	12
50-64	130	3.0	19	1	1	2	3	5	8	22
65+	52	3.7	15	1	1	2	5	8	10	19
GRAND TOTAL	422	2.6	11	1	1	2	3	5	8	16

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	9.2	23	5	6	8	10	16	20	24
20-34	5	6.6	13	1	5	7	9	11	11	11
35-49	34	7.6	13	4	5	7	9	11	12	23
50-64	53	7.2	8	4	5	6	9	11	12	16
65+	38	8.6	11	4	7	9	10	12	16	16
2. MULTIPLE DX										
0-19 YRS	184	12.0	78	5	7	9	14	28	34	99+
20-34	24	16.7	110	6	8	13	24	33	35	39
35-49	160	12.5	120	4	7	9	14	25	32	50
50-64	610	12.9	104	5	7	10	15	23	29	71
65+	1057	14.5	105	6	8	11	17	28	36	57
TOTAL SINGLE DX	153	7.9	13	4	6	8	9	12	15	23
TOTAL MULTIPLE DX	2035	13.6	104	6	8	10	16	27	34	63
TOTAL										
0-19 YRS	207	11.7	73	5	7	9	14	27	32	99+
20-34	29	14.9	107	6	7	11	22	32	34	39
35-49	194	11.6	105	4	6	9	12	23	31	49
50-64	663	12.5	99	5	7	10	14	23	29	69
65+	1095	14.3	103	6	8	11	16	28	35	56
GRAND TOTAL	2188	13.2	100	5	7	10	15	25	33	62

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	274	1.1	1	<1	<1	<1	<1	<1	<1	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	0									
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	194	2.7	38	<1	<1	<1	2	5	8	35
20-34	229	5.2	21	1	2	4	6	11	16	22
35-49	393	5.6	34	1	2	4	7	11	13	31
50-64	523	6.5	50	2	3	5	7	12	16	37
65+	681	7.9	58	2	3	6	10	16	23	41
TOTAL SINGLE DX	280	1.2	2	<1	<1	<1	<1	<1	<1	5
TOTAL MULTIPLE DX	2020	6.3	48	1	2	4	7	13	18	35
TOTAL										
0-19 YRS	468	1.8	17	<1	<1	<1	<1	2	5	19
20-34	230	5.2	21	1	2	4	6	11	16	22
35-49	396	5.5	34	1	2	4	7	11	13	31
50-64	523	6.5	50	2	3	5	7	12	16	37
65+	683	7.8	58	2	3	6	10	16	23	41
GRAND TOTAL	2300	5.6	45	<1	2	4	7	12	17	34

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.8	3	1	1	2	4	6	7	7
20-34	8	4.8	10	1	2	4	6	10	11	11
35-49	12	2.9	8	<1	1	2	3	9	10	10
50-64	15	4.4	21	<1	1	3	8	8	16	19
65+	13	3.1	2	1	2	3	4	5	7	7
2. MULTIPLE DX										
0-19 YRS	38	8.5	59	1	3	5	12	20	28	30
20-34	207	10.0	102	2	3	7	14	25	36	69
35-49	316	10.2	137	2	3	7	12	24	32	88
50-64	514	9.9	108	2	3	6	14	23	30	56
65+	571	12.8	153	2	3	9	18	29	39	64
TOTAL SINGLE DX	58	3.6	10	1	1	3	5	7	9	18
TOTAL MULTIPLE DX	1646	10.9	129	2	3	7	15	25	35	59
TOTAL										
0-19 YRS	48	7.3	53	1	2	4	11	19	23	30
20-34	215	9.8	100	2	3	6	13	25	36	64
35-49	328	9.9	134	2	3	7	12	24	31	87
50-64	529	9.7	106	2	3	6	14	22	29	56
65+	584	12.5	152	2	3	8	18	28	39	63
GRAND TOTAL	1704	10.7	127	2	3	7	15	25	34	59

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	12	3.6	1	2	3	3	4	5	6	6
50-64	92	4.4	3	3	3	4	5	7	8	12
65+	142	5.0	4	3	4	5	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	37	6.6	28	3	4	5	6	14	15	31
50-64	354	7.7	35	3	4	6	9	14	18	34
65+	1037	8.0	32	3	4	6	10	15	19	33
TOTAL SINGLE DX	246	4.7	4	3	3	4	5	7	9	12
TOTAL MULTIPLE DX	1429	7.9	33	3	4	6	10	15	18	33
TOTAL										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	49	5.9	24	3	3	4	6	12	15	31
50-64	446	7.0	30	3	4	5	8	13	16	31
65+	1179	7.6	30	3	4	6	9	14	18	30
GRAND TOTAL	1675	7.4	30	3	4	6	9	14	17	31

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.22; 38.30-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	257	5.1	16	2	3	4	6	9	12	21
20-34	61	5.8	45	1	1	3	7	13	20	38
5-49	96	5.7	28	1	2	3	9	14	16	66
50-64	183	4.8	18	1	1	4	7	9	14	16
65+	143	6.0	21	1	2	5	9	12	15	18
2. MULTIPLE DX										
0-19 YRS	1347	18.5	440	3	6	10	27	64	92	99+
20-34	358	9.7	167	1	3	6	11	20	35	84
35-49	588	10.2	130	2	3	7	13	24	34	76
50-64	1347	10.5	121	1	3	8	13	22	31	60
65+	2235	11.8	132	2	5	9	15	25	35	66
TOTAL SINGLE DX	740	5.3	22	1	2	4	7	11	14	22
TOTAL MULTIPLE DX	5875	12.8	213	2	4	8	15	30	49	99+
TOTAL										
0-19 YRS	1604	16.4	397	3	5	8	22	58	85	99+
20-34	419	9.1	152	1	2	5	10	19	33	82
35-49	684	9.6	119	1	3	7	12	22	32	76
50-64	1530	9.8	113	1	3	7	12	21	30	57
65+	2378	11.5	128	2	4	9	14	24	34	61
GRAND TOTAL	6615	11.9	197	2	4	8	14	28	45	99+

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	161	2.8	8	<1	<1	1	4	7	8	15
20-34	38	3.1	10	<1	1	2	4	7	10	16
35-49	47	3.4	10	1	1	2	5	9	11	14
50-64	34	2.9	8	<1	1	2	3	6	9	14
65+	30	3.6	11	<1	1	3	4	9	13	13
2. MULTIPLE DX										
0-19 YRS	129	7.4	96	1	2	5	9	14	19	59
20-34	73	7.3	42	1	2	6	10	17	21	85
35-49	94	7.9	56	1	3	6	10	16	26	37
50-64	180	8.5	76	1	3	6	10	16	25	53
65+	241	8.2	74	1	3	6	10	17	20	51
TOTAL SINGLE DX	310	3.0	9	<1	1	2	4	7	10	15
TOTAL MULTIPLE DX	717	8.0	73	1	3	6	10	16	22	51
TOTAL										
0-19 YRS	290	4.9	53	<1	1	3	6	11	14	34
20-34	111	5.9	35	1	2	4	9	16	19	60
35-49	141	6.4	45	1	2	4	9	15	17	32
50-64	214	7.6	70	1	3	5	9	15	23	48
65+	271	7.7	70	1	3	6	10	15	20	50
GRAND TOTAL	1027	6.5	59	<1	2	4	9	14	19	42

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.0	5	<1	1	2	4	7	7	7
20-34	10	3.3	3	1	2	3	5	6	7	7
35-49	19	2.9	4	1	1	2	4	6	8	8
50-64	27	3.6	5	2	2	3	4	8	9	9
65+	23	5.4	27	2	3	5	5	7	16	28
2. MULTIPLE DX										
0-19 YRS	6	7.5	45	1	2	6	12	17	18	18
20-34	15	5.3	9	1	3	5	8	10	10	10
35-49	40	5.9	13	2	4	4	7	12	14	16
50-64	109	7.2	30	2	4	6	9	13	20	65
65+	157	7.8	47	2	4	6	9	19	22	36
TOTAL SINGLE DX	84	3.9	11	1	2	3	5	7	8	22
TOTAL MULTIPLE DX	327	7.2	36	2	4	6	9	14	21	36
TOTAL										
0-19 YRS	11	5.5	30	1	2	3	8	14	18	18
20-34	25	4.5	8	1	2	3	7	8	10	10
35-49	59	4.9	12	1	2	4	6	11	13	16
50-64	136	6.5	27	2	3	5	9	11	14	49
65+	180	7.5	46	2	3	5	8	18	22	35
GRAND TOTAL	411	6.6	33	2	3	5	8	13	20	34

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	49.1	328	34	36	44	62	78	81	81
20-34	2	21.5	761	2	2	21	41	41	41	41
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	45	43.2	270	24	32	40	59	72	75	99 +
20-34	22	34.0	632	2	2	41	49	56	73	94
35-49	19	47.1	143	36	39	44	57	72	91	99 +
50-64	8	38.6	566	2	22	44	54	62	65	65
65 +	0									
TOTAL SINGLE DX	10	38.9	604	2	33	39	47	74	81	81
TOTAL MULTIPLE DX	94	41.4	363	4	33	42	53	65	76	99 +
TOTAL										
0-19 YRS	52	44.0	277	26	33	40	59	72	76	99 +
20-34	24	32.9	623	2	2	41	49	55	69	94
35-49	20	44.9	237	36	38	44	56	70	91	99 +
50-64	8	38.6	567	2	22	44	54	62	65	65
65 +	0									
GRAND TOTAL	104	41.2	381	2	33	42	52	67	77	99 +

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	280	4.5	13	1	2	4	6	9	11	20
20-34	59	4.7	10	1	2	4	6	8	11	19
35-49	53	4.4	24	1	2	3	5	8	12	33
50-64	25	5.4	22	1	2	4	7	12	17	20
65 +	24	6.9	35	1	4	6	8	13	18	29
2. MULTIPLE DX										
0-19 YRS	488	9.3	93	2	[illegible]	6	12	20	29	62
20-34	318	10.0	108	2	5	7	11	19	32	52
35-49	337	11.6	131	2	5	8	13	26	39	56
50-64	386	11.6	116	3	5	8	14	24	37	60
65 +	883	12.5	108	4	6	10	15	25	35	57
TOTAL SINGLE DX	441	4.7	17	1	2	4	6	9	12	21
TOTAL MULTIPLE DX	2412	11.2	111	3	5	8	14	23	34	58
TOTAL										
0-19 YRS	768	7.5	70	2	3	5	9	16	23	46
20-34	377	9.2	97	2	4	6	10	18	29	51
35-49	390	10.6	123	2	4	7	12	24	36	54
50-64	411	11.2	113	3	5	8	13	23	36	59
65 +	907	12.3	107	4	6	10	15	24	34	56
GRAND TOTAL	2853	10.2	102	2	4	7	12	21	32	54

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	183	6.4	57	1	1	4	9	15	22	35
20-34	32	9.3	36	1	4	10	13	20	20	21
35-49	33	9.2	96	1	2	5	13	26	31	36
50-64	24	6.0	49	< 1	1	2	8	16	23	24
65 +	20	5.9	45	< 1	< 1	3	8	16	21	25
2. MULTIPLE DX										
0-19 YRS	593	15.8	300	2	4	10	22	46	66	99 +
20-34	299	14.3	185	3	5	10	20	31	42	79
35-49	405	13.9	180	2	5	10	18	32	44	66
50-64	496	12.5	145	2	4	9	17	28	37	69
65 +	694	14.5	146	3	6	12	19	30	41	76
TOTAL SINGLE DX	292	7.0	59	1	1	4	10	17	23	35
TOTAL MULTIPLE DX	2487	14.3	194	2	5	10	19	33	47	99
TOTAL										
0-19 YRS	776	13.6	259	1	3	8	18	40	58	99 +
20-34	331	13.8	173	3	5	10	19	28	41	73
35-49	438	13.5	176	2	4	9	18	30	43	62
50-64	520	12.2	142	2	4	9	17	27	36	66
65 +	714	14.2	146	3	6	11	19	29	40	75
GRAND TOTAL	2779	13.5	185	2	4	10	18	31	44	94

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	4.0	7	1	2	3	6	8	9	9
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	74	7.0	77	2	3	5	8	12	15	60
20-34	6	6.8	16	1	4	7	10	12	12	12
35-49	4	9.3	11	5	6	10	12	12	12	12
50-64	22	9.7	27	4	6	8	11	20	21	21
65 +	32	9.1	62	2	4	6	11	21	29	30
TOTAL SINGLE DX	10	3.7	6	1	2	3	5	8	9	9
TOTAL MULTIPLE DX	138	8.0	62	2	4	6	10	15	21	35
TOTAL										
0-19 YRS	82	6.7	71	2	3	5	8	11	15	57
20-34	6	6.8	16	1	4	7	10	12	12	12
35-49	4	9.3	12	5	6	10	12	12	12	12
50-64	23	9.4	28	4	6	8	11	20	21	21
65 +	33	8.9	62	2	4	6	11	20	29	30
GRAND TOTAL	148	7.7	59	2	3	6	10	14	20	31

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	78	3.2	11	<1	1	1	5	8	11	14
20-34	5	2.2	4	1	1	1	3	6	6	6
35-49	15	6.9	51	1	2	6	8	22	23	24
50-64	25	2.8	6	<1	<1	1	4	6	9	9
65 +	19	4.3	13	<1	1	4	6	9	13	15
2. MULTIPLE DX										
0-19 YRS	180	7.9	172	1	1	4	8	16	30	89
20-34	45	7.0	59	1	2	4	9	16	17	45
35-49	135	8.5	65	1	3	6	11	18	23	54
50-64	233	10.3	123	2	4	7	12	21	34	57
65 +	268	9.7	83	2	4	7	12	22	30	49
TOTAL SINGLE DX	142	3.6	16	<1	1	2	6	9	11	22
TOTAL MULTIPLE DX	861	9.2	110	1	3	6	11	20	30	59
TOTAL										
0-19 YRS	258	6.5	128	1	1	3	7	12	22	80
20-34	50	6.5	56	1	2	4	9	16	17	45
35-49	150	8.4	64	1	3	6	11	19	23	46
50-64	258	9.6	117	1	3	6	11	20	31	57
65 +	287	9.4	80	2	4	6	11	22	30	47
GRAND TOTAL	1003	8.4	100	1	2	6	10	18	27	56

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	568	2.9	1	2	2	3	3	4	5	7
20-34	0									
35-49	2	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	199	4.7	37	2	3	3	5	7	12	53
20-34	2	13.5	145	5	5	13	22	22	22	22
35-49	7	11.3	95	5	6	8	10	29	33	33
50-64	2	9.5	1	9	9	9	10	10	10	10
65 +	9	9.0	40	2	3	8	13	19	19	19
TOTAL SINGLE DX	572	2.9	2	2	2	3	3	4	5	7
TOTAL MULTIPLE DX	219	5.3	42	2	3	4	5	9	14	46
TOTAL										
0-19 YRS	767	3.4	12	2	2	3	4	5	6	15
20-34	2	13.5	145	5	5	13	22	22	22	22
35-49	9	10.1	77	5	6	7	9	24	33	33
50-64	2	9.5	1	9	9	9	10	10	10	10
65 +	11	8.2	36	2	3	8	11	18	19	19
GRAND TOTAL	791	3.6	14	2	2	3	4	5	7	20

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	6.4	22	1	3	5	9	12	17	19
20-34	2	4.5	25	<1	<1	4	8	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	9.3	19	5	6	8	12	15	15	15
65 +	8	14.9	227	1	3	9	28	38	38	38
2. MULTIPLE DX										
0-19 YRS	136	16.3	349	3	5	11	22	69	99 +	99 +
20-34	14	14.3	262	2	4	15	40	99 +	99 +	99 +
35-49	50	22.7	543	5	8	15	25	73	92	99 +
50-64	118	18.6	324	3	7	14	30	65	99 +	99 +
65 +	801	20.1	271	4	8	16	28	45	61	99 +
TOTAL SINGLE DX	32	8.6	81	1	3	7	10	19	35	38
TOTAL MULTIPLE DX	1119	19.5	300	4	7	15	28	49	70	99 +
TOTAL										
0-19 YRS	153	15.2	323	2	5	10	19	57	95	99 +
20-34	16	13.1	240	1	3	8	31	99 +	99 +	99 +
35-49	51	22.3	540	5	8	14	25	72	91	99 +
50-64	122	18.3	317	3	7	14	30	63	99 +	99 +
65 +	809	20.1	271	4	8	16	28	45	60	99 +
GRAND TOTAL	1151	19.2	297	3	7	15	27	48	70	99 +

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	3.8	4	1	2	4	6	6	7	7
20-34	6	3.7	4	<1	2	4	5	6	6	6
35-49	4	4.5	11	<1	2	4	7	9	9	9
50-64	11	4.7	27	<1	<1	4	5	12	18	19
65 +	7	3.3	5	<1	1	3	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	35	5.4	57	1	2	3	6	10	16	43
20-34	21	4.5	3	2	4	5	5	7	8	9
35-49	46	6.0	21	2	3	4	9	10	13	27
50-64	109	9.2	113	2	4	6	10	21	26	96
65 +	278	8.9	50	3	4	7	11	21	25	43
TOTAL SINGLE DX	47	4.0	10	<1	1	4	5	7	8	19
TOTAL MULTIPLE DX	489	8.2	62	2	4	6	10	17	25	45
TOTAL										
0-19 YRS	54	4.8	39	1	2	3	6	8	14	42
20-34	27	4.3	3	1	3	5	5	6	7	9
35-49	50	5.9	20	2	3	4	9	10	12	27
50-64	120	8.8	107	2	4	6	10	20	26	96
65 +	285	8.7	50	3	4	6	11	21	25	42
GRAND TOTAL	**536**	**7.9**	**59**	**2**	**4**	**6**	**9**	**17**	**24**	**43**

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	5	12.8	13	9	9	14	15	17	17	17
35-49	19	9.4	18	6	7	8	10	17	20	20
50-64	10	9.9	22	6	7	9	11	17	22	22
65 +	10	12.7	86	6	9	10	12	26	38	38
2. MULTIPLE DX										
0-19 YRS	3	22.7	120	10	15	29	29	29	29	29
20-34	16	15.6	105	6	8	12	20	29	38	42
35-49	58	15.6	125	6	7	14	18	30	39	61
50-64	125	15.8	99	8	9	12	20	28	35	57
65 +	199	18.3	121	8	11	16	23	33	41	69
TOTAL SINGLE DX	46	10.4	34	6	7	9	12	17	20	38
TOTAL MULTIPLE DX	401	17.0	115	7	9	14	21	31	40	60
TOTAL										
0-19 YRS	5	15.6	154	5	5	10	29	29	29	29
20-34	21	15.0	83	6	9	13	18	27	35	42
35-49	77	14.1	106	6	7	11	16	27	34	58
50-64	135	15.3	96	7	9	12	19	28	34	57
65 +	209	18.0	120	8	10	15	22	33	41	67
GRAND TOTAL	**447**	**16.3**	**111**	**7**	**9**	**13**	**20**	**30**	**39**	**60**

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	11.0		11	11	11	11	11	11	11
50-64	3	9.3		9	9	9	10	10	10	10
65 +	1	9.0		9	9	9	[illegible]	9	9	9
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	19.0	18	16	16	19	22	[illegible]	22	22
35-49	15	15.0	37	11	11	14	16	20	30	34
50-64	30	19.7	98	11	12	17	21	37	44	45
65 +	38	23.4	215	10	13	19	25	48	59	62
TOTAL SINGLE DX	5	9.6	1	9	9	9	10	11	11	11
TOTAL MULTIPLE DX	85	20.5	145	11	12	17	22	42	46	62
TOTAL										
0-19 YRS	0									
20-34	2	19.0	18	16	16	19	22	22	22	22
35-49	16	14.8	36	11	11	13	16	20	30	34
50-64	33	18.7	98	10	12	16	21	35	44	45
65 +	39	23.1	215	10	13	19	25	47	59	62
GRAND TOTAL	**90**	**19.9**	**143**	**10**	**12**	**16**	**22**	**41**	**45**	**62**

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	5.4	3	3	4	5	7	8	8	8
20-34	10	7.4	25	2	5	6	9	15	20	20
35-49	32	7.9	7	5	6	7	9	10	15	16
50-64	11	8.8	14	5	7	7	11	14	18	18
65 +	4	6.5	16	1	3	7	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	12	19.4	394	4	6	12	30	47	67	70
20-34	17	10.6	22	6	8	9	12	19	22	23
35-49	67	11.2	42	6	7	10	13	17	25	38
50-64	71	12.3	65	6	8	10	14	21	31	46
65 +	84	16.9	178	5	8	12	21	44	46	88
TOTAL SINGLE DX	67	7.5	11	4	6	7	9	11	15	20
TOTAL MULTIPLE DX	251	13.7	115	6	7	10	15	28	41	67
TOTAL										
0-19 YRS	22	13.0	259	3	5	7	16	36	50	70
20-34	27	9.4	25	5	6	8	11	19	21	23
35-49	99	10.1	33	6	7	9	12	15	19	37
50-64	82	11.8	60	6	7	9	13	19	30	45
65 +	88	16.4	176	5	7	12	20	43	45	87
GRAND TOTAL	**318**	**12.4**	**100**	**5**	**7**	**9**	**14**	**24**	**37**	**57**

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	98	6.8	21	1	5	6	8	12	14	27
20-34	66	5.5	3	4	4	5	6	7	9	13
35-49	51	6.6	16	4	5	5	7	10	16	27
50-64	20	7.2	8	5	5	7	9	12	12	13
65 +	7	12.4	22	7	8	12	16	19	19	19
2. MULTIPLE DX										
0-19 YRS	471	15.7	228	5	7	11	20	43	70	99 +
20-34	154	11.0	171	4	5	7	10	19	33	76
35-49	225	10.8	119	4	5	7	12	22	33	75
50-64	199	15.8	264	5	6	9	18	37	55	85
65 +	302	17.2	164	6	9	13	22	35	46	77
TOTAL SINGLE DX	242	6.6	16	4	5	6	7	11	14	23
TOTAL MULTIPLE DX	1351	14.7	200	5	6	10	18	34	52	99 +
TOTAL										
0-19 YRS	569	14.2	204	4	6	9	18	37	60	99 +
20-34	220	9.4	127	4	5	6	9	16	26	75
35-49	276	10.1	103	4	5	7	10	19	30	69
50-64	219	15.0	247	5	6	9	17	33	52	84
65 +	309	17.1	162	6	9	13	22	35	46	75
GRAND TOTAL	1593	13.5	181	4	6	9	16	31	46	99 +

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	236	3.4	14	<1	1	2	4	7	9	17
20-34	121	3.5	6	<1	<1	3	5	7	8	12
35-49	164	3.5	15	<1	<1	2	5	7	9	15
50-64	204	3.1	13	<1	<1	<1	4	7	12	17
65 +	161	3.1	68	<1	<1	<1	2	6	9	54
2. MULTIPLE DX										
0-19 YRS	661	6.3	60	1	2	4	7	14	21	46
20-34	572	6.7	45	2	3	5	8	13	18	39
35-49	953	7.0	51	1	3	5	8	15	21	37
50-64	1406	6.9	46	<1	3	5	9	14	19	36
65 +	3336	8.8	66	2	4	7	11	18	24	48
TOTAL SINGLE DX	886	3.3	23	<1	<1	2	4	7	9	17
TOTAL MULTIPLE DX	6928	7.7	59	1	3	6	9	16	22	43
TOTAL										
0-19 YRS	897	5.5	50	1	2	3	6	12	18	39
20-34	693	6.2	40	<1	3	5	7	12	17	38
35-49	1117	6.5	48	<1	3	5	8	13	20	37
50-64	1610	6.4	44	<1	2	5	8	13	18	35
65 +	3497	8.5	68	1	4	6	10	17	24	48
GRAND TOTAL	7814	7.2	57	<1	3	5	9	15	21	41

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	8.5	10	5	7	8	9	13	16	17
20-34	18	9.1	13	6	6	8	11	15	18	18
35-49	9	10.8	57	6	6	7	13	23	29	29
50-64	8	10.9	7	8	9	10	12	15	16	16
65 +	13	10.2	24	5	7	10	11	19	21	21
2. MULTIPLE DX										
0-19 YRS	94	20.4	477	6	8	14	76	99 +	99 +	99 +
20-34	72	14.9	142	6	8	10	18	30	49	91
35-49	98	15.1	138	7	8	11	17	31	45	82
50-64	121	18.2	193	7	9	12	23	39	46	70
65 +	291	18.7	177	8	11	15	23	37	52	99 +
TOTAL SINGLE DX	71	9.5	19	6	7	8	11	16	18	27
TOTAL MULTIPLE DX	676	17.9	215	7	9	13	24	46	96	99 +
TOTAL										
0-19 YRS	117	18.0	407	6	8	12	57	99 +	99 +	99 +
20-34	90	13.8	122	6	8	10	17	27	46	84
35-49	107	14.7	133	6	8	11	17	30	43	79
50-64	129	17.7	185	7	9	12	21	38	45	69
65 +	304	18.4	174	8	11	14	23	36	51	99 +
GRAND TOTAL	747	17.1	202	7	9	13	22	44	88	99 +

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	10.1	87	4	5	8	12	19	24	58
20-34	24	9.5	20	7	7	8	10	14	19	28
35-49	77	9.6	25	6	7	8	10	14	19	35
50-64	117	8.6	5	6	7	8	9	12	13	16
65 +	115	9.7	22	7	8	9	10	13	15	30
2. MULTIPLE DX										
0-19 YRS	97	21.8	433	5	8	16	42	99 +	99 +	99 +
20-34	170	13.8	86	7	8	11	17	24	34	45
35-49	325	12.6	75	7	8	10	14	20	24	53
50-64	706	13.3	102	7	8	10	14	22	32	81
65 +	1743	15.0	99	8	9	12	17	26	35	64
TOTAL SINGLE DX	375	9.4	25	6	7	8	10	13	15	27
TOTAL MULTIPLE DX	3041	14.5	110	7	9	11	16	26	36	82
TOTAL										
0-19 YRS	139	18.3	357	5	7	12	26	79	99 +	99 +
20-34	194	13.3	80	7	8	10	16	23	31	45
35-49	402	12.0	68	7	8	10	13	19	24	48
50-64	823	12.7	92	7	8	10	13	21	31	70
65 +	1858	14.7	96	8	9	11	17	26	35	64
GRAND TOTAL	3416	14.0	103	7	8	11	16	24	35	79

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	8.9	55	4	5	8	9	14	28	35
20-34	4	8.5	24	3	4	8	12	14	14	14
35-49	5	7.4	14	1	6	8	9	11	11	11
50-64	7	11.3	24	5	7	12	15	18	18	18
65 +	5	12.8	23	8	9	11	18	18	18	18
2. MULTIPLE DX										
0-19 YRS	35	12.7	138	4	6	11	17	45	84	99 +
20-34	15	21.1	383	4	7	13	31	57	65	68
35-49	18	17.6	229	7	9	12	17	44	57	61
50-64	43	15.6	73	7	9	14	20	28	33	40
65 +	75	19.1	182	7	10	15	22	43	50	66
TOTAL SINGLE DX	38	9.6	37	4	6	9	11	17	18	35
TOTAL MULTIPLE DX	186	17.1	172	6	9	14	20	36	52	88
TOTAL										
0-19 YRS	52	11.4	113	4	5	9	15	24	55	99 +
20-34	19	18.5	330	4	6	11	27	48	63	68
35-49	23	15.3	198	7	8	11	16	30	55	61
50-64	50	15.0	68	7	8	13	18	27	31	40
65 +	80	18.8	174	7	9	15	21	39	49	65
GRAND TOTAL	224	15.8	157	6	8	12	18	32	50	76

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	173	6.3	55	2	4	5	7	9	11	49
20-34	49	6.6	7	3	5	6	8	10	12	13
35-49	38	7.9	8	6	6	7	9	11	15	17
50-64	29	9.1	24	4	7	8	10	15	18	27
65 +	30	8.9	17	5	7	8	10	13	16	26
2. MULTIPLE DX										
0-19 YRS	287	10.3	123	4	5	8	12	20	30	99 +
20-34	157	11.2	95	5	7	8	13	20	31	98
35-49	155	12.9	158	5	7	9	14	27	38	93
50-64	201	13.0	142	5	7	9	14	24	34	88
65 +	275	13.5	126	5	8	10	15	29	45	99 +
TOTAL SINGLE DX	319	7.1	37	3	4	7	8	10	13	26
TOTAL MULTIPLE DX	1075	12.1	130	5	7	9	14	24	35	99 +
TOTAL										
0-19 YRS	460	8.8	102	3	5	7	9	16	23	99
20-34	206	10.1	78	5	6	8	11	17	28	88
35-49	193	11.9	133	5	6	8	12	23	32	84
50-64	230	12.5	129	5	7	9	14	23	31	88
65 +	305	13.0	117	5	7	10	15	28	40	99 +
GRAND TOTAL	1394	11.0	113	4	6	8	12	21	31	99 +

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	8.2	18	4	5	7	10	16	17	20
20-34	3	6.3		6	6	6	7	7	7	7
35-49	3	11.7	80	6	6	7	18	22	22	22
50-64	4	12.0	8	8	10	13	14	14	14	14
65 +	5	10.8		10	10	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	41	17.9	307	6	8	13	26	61	99 +	99 +
20-34	27	18.6	323	6	9	12	20	37	70	78
35-49	35	17.3	138	5	8	16	23	40	48	99 +
50-64	69	18.3	112	9	11	15	24	31	46	50
65 +	158	21.3	251	8	12	16	26	44	59	91
TOTAL SINGLE DX	44	8.9	19	4	6	8	11	15	18	22
TOTAL MULTIPLE DX	330	19.6	223	7	10	15	24	43	56	99 +
TOTAL										
0-19 YRS	70	13.9	209	5	6	9	15	38	88	99 +
20-34	30	17.3	304	6	8	10	18	36	69	78
35-49	38	16.9	134	5	7	16	22	38	48	99 +
50-64	73	17.9	108	9	11	14	23	31	45	50
65 +	163	21.0	247	8	11	16	25	44	58	91
GRAND TOTAL	374	18.3	211	6	9	14	22	41	51	99 +

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2062	3.6	4	2	2	3	4	7	8	11
20-34	1077	3.4	2	2	2	3	4	6	7	10
35-49	434	3.9	5	2	3	3	5	7	8	12
50-64	147	4.8	7	2	3	4	6	8	9	15
65 +	46	6.5	14	3	4	6	8	12	15	18
2. MULTIPLE DX										
0-19 YRS	764	6.3	25	2	3	5	6	12	14	28
20-34	461	5.4	13	2	3	5	7	9	11	19
35-49	249	6.8	43	3	4	6	8	11	14	23
50-64	173	7.9	34	3	4	7	10	14	18	35
65 +	165	10.6	69	4	6	9	13	18	21	52
TOTAL SINGLE DX	3766	3.6	5	2	2	3	4	6	8	11
TOTAL MULTIPLE DX	1812	6.7	32	2	3	5	8	12	16	29
TOTAL										
0-19 YRS	2826	4.3	12	2	2	3	5	8	10	17
20-34	1538	4.0	7	2	2	3	5	7	8	13
35-49	683	5.0	21	2	3	4	6	8	11	18
50-64	320	6.5	24	3	3	5	8	12	14	29
65 +	211	9.7	60	4	5	8	12	17	21	48
GRAND TOTAL	5578	4.6	16	2	3	3	6	9	11	19

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	6.0	8	2	4	6	8	9	9	9
20-34	3	6.0	3	4	5	7	7	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
2. MULTIPLE DX										
0-19 YRS	7	5.7	5	2	4	7	7	8	8	8
20-34	3	9.7	6	7	8	10	11	12	12	12
35-49	4	9.0	16	5	5	9	12	13	13	13
50-64	3	8.0	19	3	5	10	11	11	11	11
65 +	4	15.5	156	7	8	10	23	34	34	34
TOTAL SINGLE DX	9	6.8	10	3	4	7	8	11	13	13
TOTAL MULTIPLE DX	21	9.1	42	3	6	7	11	13	22	34
TOTAL										
0-19 YRS	11	5.8	6	2	4	7	7	8	9	9
20-34	6	7.8	8	4	7	7	10	12	12	12
35-49	5	8.0	18	4	5	6	12	13	13	13
50-64	4	9.3	19	3	6	10	12	13	13	13
65 +	4	15.5	156	7	8	10	23	34	34	34
GRAND TOTAL	30	8.3	34	3	6	7	10	13	13	34

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	3.3	9	<1	1	2	4	7	10	14
20-34	6	2.2	1	1	1	2	3	4	4	4
35-49	12	2.8	5	<1	<1	1	4	7	7	7
50-64	13	2.1	1	<1	<1	2	3	4	5	5
65 +	38	2.0	1	<1	1	2	3	3	5	6
2. MULTIPLE DX										
0-19 YRS	71	7.5	80	1	2	4	9	20	22	46
20-34	8	7.5	50	2	4	4	9	20	24	24
35-49	28	6.6	188	1	2	3	6	10	18	75
50-64	63	5.8	18	1	2	5	8	11	15	20
65 +	173	8.1	58	1	2	6	11	16	24	41
TOTAL SINGLE DX	128	2.6	6	<1	1	2	3	5	7	13
TOTAL MULTIPLE DX	343	7.4	66	1	2	5	9	16	22	44
TOTAL										
0-19 YRS	130	5.6	52	<1	1	3	6	14	21	43
20-34	14	5.2	36	1	2	4	4	11	21	24
35-49	40	5.4	136	<1	1	3	6	8	11	75
50-64	76	5.2	18	1	2	4	7	10	14	20
65 +	211	7.0	54	1	2	5	10	15	23	36
GRAND TOTAL	471	6.1	54	1	2	4	8	14	19	40

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	2.5	3	1	1	2	3	5	7	10
20-34	85	2.5	2	1	1	2	3	4	6	9
35-49	74	2.6	3	1	1	2	3	5	6	11
50-64	40	3.0	6	1	1	2	3	7	8	11
65 +	8	1.6	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	33	6.3	39	2	3	4	8	13	22	28
20-34	95	4.3	32	1	2	3	5	8	12	35
35-49	100	5.3	62	1	2	3	6	9	14	49
50-64	70	5.0	24	1	2	3	6	11	15	25
65 +	56	6.6	31	2	3	5	8	12	15	35
TOTAL SINGLE DX	245	2.6	4	1	1	2	3	5	7	10
TOTAL MULTIPLE DX	354	5.3	40	1	2	3	6	10	15	35
TOTAL										
0-19 YRS	71	4.3	24	1	2	3	5	9	12	27
20-34	180	3.5	19	1	2	2	4	7	9	17
35-49	174	4.2	39	1	2	3	5	8	10	34
50-64	110	4.3	19	1	2	3	6	9	14	23
65 +	64	6.0	31	1	3	4	8	12	15	34
GRAND TOTAL	599	4.2	27	1	2	3	5	8	12	27

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	8.3	23	5	6	8	9	11	14	31
20-34	8	10.3	36	3	7	8	15	19	20	20
35-49	11	7.9	10	2	7	9	10	11	11	11
50-64	23	9.3	9	6	7	10	11	13	14	16
65 +	25	8.9	16	2	8	9	11	15	16	17
2. MULTIPLE DX										
0-19 YRS	59	12.7	219	5	6	8	12	19	50	79
20-34	13	11.0	20	6	8	10	14	17	19	19
35-49	42	15.8	282	8	9	11	14	28	57	84
50-64	114	13.7	65	7	9	12	16	21	31	71
65 +	206	14.7	82	8	9	12	17	25	30	73
TOTAL SINGLE DX	128	8.7	19	5	6	8	10	13	16	31
TOTAL MULTIPLE DX	434	14.2	114	7	9	11	16	22	33	80
TOTAL										
0-19 YRS	120	10.5	124	5	6	8	10	15	25	76
20-34	21	10.7	25	5	8	9	14	18	19	20
35-49	53	14.2	235	6	9	10	13	20	41	84
50-64	137	13.0	59	7	9	11	15	20	30	61
65 +	231	14.1	78	8	9	12	16	24	28	72
GRAND TOTAL	562	12.9	98	6	8	11	14	20	29	76

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	223	2.9	8	< 1	1	2	4	6	8	17
20-34	233	3.4	10	< 1	1	3	4	6	8	21
35-49	285	3.4	9	< 1	< 1	3	5	8	10	13
50-64	212	3.0	6	< 1	< 1	2	4	7	9	10
65 +	197	3.9	20	< 1	< 1	1	5	9	13	24
2. MULTIPLE DX										
0-19 YRS	391	4.8	24	1	2	3	6	10	14	27
20-34	924	5.6	33	1	3	4	7	11	15	32
35-49	1572	5.9	30	2	3	4	7	11	16	28
50-64	2146	6.5	45	2	3	5	8	12	16	35
65 +	4498	8.1	59	2	4	6	10	16	22	42
TOTAL SINGLE DX	1150	3.3	11	< 1	< 1	2	4	7	9	17
TOTAL MULTIPLE DX	9531	7.0	49	2	3	5	8	14	18	37
TOTAL										
0-19 YRS	614	4.1	20	1	1	3	5	8	13	23
20-34	1157	5.2	30	1	2	4	6	10	14	30
35-49	1857	5.5	28	1	3	4	7	10	15	27
50-64	2358	6.2	43	1	3	5	7	11	16	34
65 +	4695	7.9	59	2	4	6	10	15	21	41
GRAND TOTAL	10681	6.6	46	1	3	5	8	13	18	35

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.1		< 1	< 1	< 1	1	1	2	4
20-34	40	1.6		< 1	1	1	2	3	3	4
35-49	50	1.6	1	1	1	1	2	3	4	5
50-64	25	1.4	1	1	1	1	1	2	5	7
65 +	7	1.3		< 1	1	1	1	3	3	3
2. MULTIPLE DX										
0-19 YRS	8	4.1	17	< 1	1	2	7	11	12	12
20-34	40	3.0	6	1	1	3	3	4	10	13
35-49	61	2.4	2	1	1	2	3	5	6	7
50-64	43	3.6	20	1	1	2	3	8	14	25
65 +	36	4.1	30	1	1	3	4	8	14	31
TOTAL SINGLE DX	144	1.5	1	< 1	1	1	2	3	4	5
TOTAL MULTIPLE DX	188	3.2	14	1	1	2	4	6	9	21
TOTAL										
0-19 YRS	30	1.9	6	< 1	< 1	< 1	1	5	8	12
20-34	80	2.3	4	1	1	2	3	4	4	13
35-49	111	2.0	2	1	1	1	3	4	5	7
50-64	68	2.8	14	1	1	1	3	6	9	23
65 +	43	3.7	26	1	1	2	4	7	12	31
GRAND TOTAL	332	2.5	9	1	1	1	3	5	7	15

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	1.1		< 1	< 1	1	1	2	2	2
20-34	28	1.6	2	< 1	< 1	1	2	3	4	9
35-49	22	1.3		< 1	< 1	1	1	2	3	3
50-64	12	1.6		< 1	1	1	2	3	3	3
65 +	5	2.0	2	1	1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	9	3.9	47	< 1	< 1	1	3	15	22	22
20-34	27	2.8	6	< 1	1	2	4	7	8	10
35-49	65	2.5	8	1	1	2	3	4	6	18
50-64	31	3.7	28	1	1	2	3	7	19	25
65 +	36	3.1	6	1	1	2	4	7	9	12
TOTAL SINGLE DX	75	1.5	1	< 1	< 1	1	2	3	3	8
TOTAL MULTIPLE DX	168	3.0	13	1	1	2	3	6	8	22
TOTAL										
0-19 YRS	17	2.6	26	< 1	< 1	1	2	4	16	22
20-34	55	2.2	5	< 1	< 1	1	2	5	8	10
35-49	87	2.2	6	< 1	1	1	3	4	5	17
50-64	43	3.1	21	1	1	2	3	6	12	25
65 +	41	2.9	6	1	1	2	3	7	8	12
GRAND TOTAL	243	2.5	10	< 1	1	1	3	4	7	20

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.6	1	< 1	1	1	2	3	4	4
20-34	58	2.2	1	1	1	2	3	4	4	6
35-49	109	2.3	2	1	1	2	3	4	5	8
50-64	50	2.6	5	1	1	2	3	4	5	17
65 +	13	2.0	2	1	1	2	2	3	6	7
2. MULTIPLE DX										
0-19 YRS	7	2.9	3	< 1	1	2	5	5	5	5
20-34	224	3.1	5	1	2	3	4	6	7	12
35-49	475	3.1	7	1	2	2	4	5	8	14
50-64	337	2.9	4	1	1	2	4	6	6	10
65 +	211	4.7	28	1	2	3	5	9	12	35
TOTAL SINGLE DX	240	2.3	3	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1254	3.3	10	1	2	3	4	6	8	14
TOTAL										
0-19 YRS	17	2.1	2	< 1	1	2	3	5	5	5
20-34	282	2.9	4	1	1	2	4	5	7	11
35-49	584	3.0	7	1	2	2	4	5	7	13
50-64	387	2.9	4	1	1	2	4	5	6	10
65 +	224	4.5	27	1	2	3	5	8	11	33
GRAND TOTAL	1494	3.2	9	1	2	2	4	6	7	13

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	55	2.8	3	1	1	2	4	5	7	8
20-34	40	2.2	2	1	1	2	3	4	5	7
35-49	39	2.2	2	1	1	2	3	4	5	8
50-64	20	2.2	1	<1	1	2	3	4	5	6
65+	19	2.8	5	<1	1	2	3	6	.8	10
2. MULTIPLE DX										
0-19 YRS	57	5.2	17	1	2	4	7	11	14	21
20-34	41	3.7	27	1	1	2	4	6	11	32
35-49	81	6.0	110	1	2	3	7	10	13	69
50-64	47	3.8	8	1	2	3	5	8	9	15
65+	50	6.8	63	1	2	4	9	15	22	42
TOTAL SINGLE DX	173	2.5	3	1	1	2	3	5	6	8
TOTAL MULTIPLE DX	276	5.3	54	1	2	3	6	10	15	39
TOTAL										
0-19 YRS	112	4.0	12	1	2	3	5	8	11	19
20-34	81	3.0	15	1	1	2	3	5	7	27
35-49	120	4.8	78	1	1	3	5	8	11	67
50-64	67	3.3	7	1	2	2	4	7	8	14
65+	69	5.7	51	1	2	3	6	14	19	40
GRAND TOTAL	449	4.2	36	1	2	3	5	8	11	31

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	15.3	9	12	13	16	17	18	18	18
35-49	1	31.0		31	31	31	31	31	31	31
50-64	0									
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	4	12.0	8	9	9	12	14	15	15	15
20-34	14	14.0	88	5	8	12	17	29	36	38
35-49	8	14.5	121	3	6	11	23	31	32	32
50-64	8	17.8	61	7	13	18	20	29	32	32
65+	14	10.4	50	2	4	9	14	23	24	24
TOTAL SINGLE DX	5	16.0	104	3	10	16	21	31	31	31
TOTAL MULTIPLE DX	48	13.5	73	3	7	12	18	27	32	38
TOTAL										
0-19 YRS	4	12.0	9	9	9	12	14	15	15	15
20-34	17	14.2	74	5	10	12	17	26	34	38
35-49	9	16.3	137	4	7	15	29	32	32	32
50-64	8	17.8	61	7	13	18	20	29	32	32
65+	15	9.9	51	2	3	8	14	23	24	24
GRAND TOTAL	53	13.7	74	3	7	12	18	28	32	38

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	109	5.9	83	1	1	3	8	13	18	59
20-34	31	2.5	12	1	1	1	2	7	9	17
35-49	54	2.6	15	1	1	1	2	8	11	19
50-64	41	2.3	5	1	1	1	3	6	8	10
65+	15	4.2	21	1	1	1	9	11	12	13
2. MULTIPLE DX										
0-19 YRS	222	11.0	147	1	2	8	15	25	38	99+
20-34	140	13.6	259	1	4	8	17	37	64	99+
35-49	205	10.6	189	1	1	7	13	28	40	99
50-64	234	9.7	91	1	3	8	12	22	30	72
65+	262	10.8	75	1	5	9	16	20	27	48
TOTAL SINGLE DX	250	4.1	49	1	1	1	5	10	14	26
TOTAL MULTIPLE DX	1063	10.9	141	1	3	8	14	24	36	98
TOTAL										
0-19 YRS	331	9.3	134	1	2	6	13	21	32	97
20-34	171	11.5	233	1	1	7	13	32	55	94
35-49	259	9.0	164	1	1	5	11	24	38	97
50-64	275	8.6	86	1	1	7	11	20	27	63
65+	277	10.4	75	1	4	9	15	20	26	47
GRAND TOTAL	1313	9.6	131	1	2	7	13	23	32	81

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	122	4.5	5	2	3	4	6	7	9	12
20-34	1224	4.2	4	2	3	4	5	7	8	11
35-49	1028	4.2	3	2	3	4	5	6	8	10
50-64	756	4.6	4	3	3	4	5	7	8	12
65+	309	5.7	15	3	4	5	7	9	11	20
2. MULTIPLE DX										
0-19 YRS	135	6.8	23	3	4	5	8	12	15	30
20-34	1223	6.0	19	3	4	5	7	10	12	21
35-49	1707	6.2	21	3	4	5	7	10	13	23
50-64	1827	7.1	28	3	4	6	8	12	15	29
65+	2504	10.2	64	4	6	8	12	18	23	46
TOTAL SINGLE DX	3439	4.4	5	3	3	4	5	7	8	12
TOTAL MULTIPLE DX	7396	7.8	41	3	4	6	9	14	18	33
TOTAL										
0-19 YRS	257	5.7	16	3	3	5	7	10	13	26
20-34	2447	5.1	13	3	3	4	6	9	10	16
35-49	2735	5.4	16	3	3	4	6	9	12	20
50-64	2583	6.4	23	3	4	5	8	11	14	25
65+	2813	9.7	61	4	5	8	12	17	22	44
GRAND TOTAL	10835	6.7	32	3	4	5	8	12	15	29

156 Hospitals, Southern Region, January-December 1989, by Operation

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	4	14.0	609	1	1	2	27	51	51	51
65+	4	3.3	8	1	1	3	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	0									
20-34	7	4.9	11	1	2	4	6	10	11	11
35-49	8	12.1	114	2	4	11	16	29	34	34
50-64	22	10.6	153	2	4	6	12	30	43	50
65+	35	11.1	93	2	5	8	16	28	41	99+
TOTAL SINGLE DX	14	5.9	171	1	1	2	4	11	42	51
TOTAL MULTIPLE DX	72	10.5	106	2	4	7	13	27	38	88
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	4.6	10	1	2	4	6	10	11	11
35-49	11	9.5	100	1	2	5	15	24	33	34
50-64	26	11.1	203	1	3	6	12	38	50	51
65+	39	10.3	90	2	4	7	13	27	37	99+
GRAND TOTAL	86	9.7	118	1	3	7	12	26	40	82

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	3.5	12	<1	1	2	5	9	10	10
20-34	28	6.3	112	<1	1	3	6	11	36	49
35-49	41	4.0	16	<1	1	2	5	10	15	17
50-64	26	2.5	3	<1	1	2	4	5	7	7
65+	29	3.6	11	<1	1	2	4	10	12	12
2. MULTIPLE DX										
0-19 YRS	14	5.4	14	1	3	5	8	11	13	14
20-34	64	9.4	127	1	3	6	10	25	31	58
35-49	103	8.4	88	1	2	6	11	16	27	50
50-64	185	7.8	62	1	3	6	10	18	23	43
65+	310	8.6	41	2	4	7	11	16	21	30
TOTAL SINGLE DX	130	4.1	34	<1	1	2	5	9	12	38
TOTAL MULTIPLE DX	676	8.3	62	1	3	7	11	17	23	43
TOTAL										
0-19 YRS	20	4.8	14	1	1	4	7	10	12	14
20-34	92	8.4	124	1	2	5	9	20	34	56
35-49	144	7.1	72	1	2	5	9	14	20	45
50-64	211	7.2	58	1	2	5	9	17	22	39
65+	339	8.1	41	1	3	7	11	15	20	29
GRAND TOTAL	806	7.7	60	1	2	6	10	15	22	42

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	8.3	23	2	5	8	12	15	15	15
20-34	7	4.4	19	1	2	3	5	12	14	14
35-49	10	5.2	10	1	3	5	7	10	11	11
50-64	20	7.6	84	1	2	5	9	20	32	36
65+	9	7.0	18	1	3	8	10	13	13	13
2. MULTIPLE DX										
0-19 YRS	24	18.9	334	7	9	12	24	60	87	99+
20-34	31	11.8	120	3	4	10	13	25	37	52
35-49	59	11.9	129	2	4	8	16	28	39	51
50-64	132	15.8	160	3	8	12	22	30	49	70
65+	253	15.4	174	3	7	12	19	31	44	72
TOTAL SINGLE DX	55	6.8	42	1	2	5	9	13	15	36
TOTAL MULTIPLE DX	499	15.0	171	3	7	12	19	30	44	77
TOTAL										
0-19 YRS	33	16.0	270	5	8	11	22	34	78	99+
20-34	38	10.4	109	2	3	9	13	22	33	52
35-49	69	10.9	117	1	4	7	14	23	39	50
50-64	152	14.7	158	2	7	11	20	29	45	64
65+	262	15.1	171	3	7	12	19	31	43	72
GRAND TOTAL	554	14.2	164	2	6	11	18	30	43	72

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.83; 52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	4	7.3	33	1	3	6	11	15	15	15
35-49	9	10.9	106	2	5	7	13	29	34	34
50-64	11	9.9	51	3	4	9	13	20	26	27
65+	4	12.0	102	2	3	11	20	23	23	23
2. MULTIPLE DX										
0-19 YRS	7	15.6	98	6	10	13	29	80	99+	99+
20-34	33	24.8	353	8	11	17	33	56	68	76
35-49	68	22.9	328	7	11	15	28	51	66	80
50-64	99	20.4	280	4	10	18	26	51	79	99+
65+	116	20.0	253	5	10	15	26	39	59	97
TOTAL SINGLE DX	28	10.1	68	2	4	7	14	22	28	34
TOTAL MULTIPLE DX	323	21.1	285	6	11	16	27	48	71	99+
TOTAL										
0-19 YRS	7	15.6	98	6	10	13	29	80	99+	99+
20-34	37	22.9	347	7	10	15	30	55	65	76
35-49	77	21.5	316	7	10	14	27	47	62	80
50-64	110	19.3	267	4	9	16	26	50	75	99+
65+	120	19.7	250	5	10	15	25	39	56	96
GRAND TOTAL	351	20.2	276	5	10	15	26	45	69	99+

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	97	2.7	7	<1	1	2	4	6	8	15
20-34	103	3.1	8	<1	1	2	4	5	11	15
35-49	83	3.7	6	<1	1	3	5	7	8	13
50-64	80	3.4	6	<1	1	3	4	6	9	13
65+	52	4.9	25	1	2	4	5	9	16	30
2. MULTIPLE DX										
0-19 YRS	288	6.8	63	1	2	4	8	13	22	48
20-34	264	5.3	42	1	2	4	6	9	19	40
35-49	370	6.0	31	2	3	5	7	11	19	32
50-64	526	6.8	49	2	3	5	8	13	17	35
65+	1366	7.8	44	2	4	6	10	14	20	36
TOTAL SINGLE DX	415	3.4	10	<1	1	3	4	7	9	16
TOTAL MULTIPLE DX	2614	7.0	46	2	3	5	9	14	19	37
TOTAL										
0-19 YRS	385	5.7	52	1	2	4	7	12	17	42
20-34	367	4.7	34	<1	1	3	5	9	15	37
35-49	453	5.6	28	1	3	4	7	10	18	30
50-64	606	6.4	45	2	3	5	8	12	16	34
65+	1418	7.7	44	2	4	6	9	14	19	35
GRAND TOTAL	3229	6.6	43	1	3	5	8	13	17	35

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	612	1.2		<1	<1	<1	1	2	2	4
20-34	282	1.6	1	1	1	1	2	3	4	6
35-49	331	1.7	1	<1	1	1	2	3	4	6
50-64	451	1.6	1	1	1	1	2	3	3	5
65+	364	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	518	2.4	42	<1	<1	1	2	3	6	39
20-34	151	2.2	4	1	1	1	3	4	6	11
35-49	253	2.4	17	1	1	1	2	4	7	16
50-64	489	2.7	14	1	1	2	3	5	7	16
65+	1059	3.8	19	1	1	3	4	8	11	20
TOTAL SINGLE DX	2040	1.5	1	<1	1	1	2	3	3	6
TOTAL MULTIPLE DX	2470	3.1	23	<1	1	2	3	6	9	19
TOTAL										
0-19 YRS	1130	1.8	20	<1	<1	1	1	2	4	14
20-34	433	1.8	2	1	1	1	2	3	5	8
35-49	584	2.0	9	1	1	1	2	3	5	10
50-64	940	2.2	8	1	1	1	3	4	5	11
65+	1423	3.3	16	1	1	2	4	7	9	19
GRAND TOTAL	4610	2.4	14	<1	1	1	3	4	7	15

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	618	1.2		<1	<1	1	1	1	2	4
20-34	30	1.7	1	1	1	1	2	3	4	5
35-49	83	1.7		1	1	1	2	3	4	5
50-64	88	1.9	1	1	1	2	2	3	4	7
65+	54	2.1	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	672	3.5	127	<1	1	1	2	5	14	99+
20-34	19	2.1	1	<1	1	2	3	4	4	4
35-49	64	2.8	6	1	1	2	3	5	7	16
50-64	108	2.9	4	1	1	2	4	6	7	10
65+	180	3.8	8	1	2	3	5	7	10	15
TOTAL SINGLE DX	873	1.4	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	1043	3.4	85	<1	1	1	3	6	10	89
TOTAL										
0-19 YRS	1290	2.4	68	<1	<1	1	1	2	5	83
20-34	49	1.8	1	1	1	1	2	4	4	5
35-49	147	2.2	3	1	1	2	3	4	5	9
50-64	196	2.4	3	1	1	2	3	5	7	10
65+	234	3.4	8	1	1	3	4	7	9	14
GRAND TOTAL	1916	2.5	48	<1	1	1	2	4	7	65

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	1.4		1	1	1	2	2	2	2
35-49	15	1.9	2	1	1	1	2	3	6	7
50-64	16	3.2	10	1	1	2	4	8	11	13
65+	21	2.7	1	1	2	2	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	13	1.6		<1	1	1	2	3	3	3
50-64	25	3.0	4	1	2	2	4	6	8	9
65+	78	7.0	55	2	3	5	7	14	22	44
TOTAL SINGLE DX	63	2.4	4	1	1	2	3	4	6	12
TOTAL MULTIPLE DX	121	5.4	42	1	2	3	6	11	15	39
TOTAL										
0-19 YRS	4	1.3		<1	<1	<1	1	2	2	2
20-34	12	1.4		<1	1	1	2	2	2	2
35-49	28	1.8	2	1	1	1	2	3	4	7
50-64	41	3.0	7	1	1	2	3	7	9	13
65+	99	6.1	48	2	3	4	7	13	17	42
GRAND TOTAL	184	4.4	31	1	2	3	5	9	14	33

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	164	1.5	4	<1	<1	<1	1	2	3	16
20-34	35	1.7	1	1	1	1	2	3	4	5
35-49	43	2.5	6	<1	1	2	3	5	7	15
50-64	33	1.9	1	1	1	2	2	3	4	6
65 +	19	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
0-19 YRS	75	2.7	16	<1	<1	1	4	22	99 +	99 +
20-34	34	3.2	4	1	1	3	4	6	8	10
35-49	59	3.3	5	1	2	3	4	6	7	14
50-64	79	3.7	11	1	1	3	4	8	11	16
65 +	85	6.8	48	2	3	4	8	14	22	81
TOTAL SINGLE DX	294	1.8	4	<1	<1	1	2	3	5	14
TOTAL MULTIPLE DX	332	4.1	23	1	1	3	5	10	17	99 +
TOTAL										
0-19 YRS	239	1.9	9	<1	<1	<1	2	4	11	99 +
20-34	69	2.4	3	1	1	2	3	5	6	10
35-49	102	3.0	6	1	1	2	4	6	7	15
50-64	112	3.2	9	1	1	2	4	8	9	16
65 +	104	5.9	44	1	2	4	8	13	19	71
GRAND TOTAL	626	3.0	15	<1	1	2	4	7	11	99 +

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	1.8	1	<1	<1	1	2	4	4	5
20-34	69	2.6	3	1	1	2	3	5	6	9
35-49	193	3.2	3	1	2	3	4	6	7	10
50-64	147	3.3	4	1	2	3	5	6	7	9
65 +	138	3.4	4	1	2	3	5	6	8	9
2. MULTIPLE DX										
0-19 YRS	27	5.0	42	<1	1	3	6	16	20	27
20-34	89	4.1	8	1	2	3	6	8	10	15
35-49	241	5.0	24	1	2	4	6	9	12	27
50-64	362	5.2	12	2	3	5	6	9	11	18
65 +	425	6.5	24	2	3	5	8	12	17	28
TOTAL SINGLE DX	580	3.1	4	1	2	3	4	6	7	9
TOTAL MULTIPLE DX	1144	5.6	21	2	3	5	7	10	13	27
TOTAL										
0-19 YRS	60	3.2	22	<1	<1	1	4	7	14	26
20-34	158	3.4	7	1	1	3	4	7	9	13
35-49	434	4.2	16	1	2	3	5	8	9	14
50-64	509	4.7	11	1	3	4	6	8	10	17
65 +	563	5.7	22	2	3	5	7	11	14	27
GRAND TOTAL	1724	4.7	16	1	2	4	6	9	11	20

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	5.5	6	2	4	5	7	9	11	12
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	4	4.0		3	3	4	5	5	5	5
50-64	9	4.8	6	1	3	5	7	9	9	9
65 +	5	7.2	6	2	6	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	44	12.6	132	4	5	9	20	33	99 +	99 +
20-34	10	11.1	53	4	7	9	13	23	27	27
35-49	26	8.2	23	3	5	7	11	16	20	20
50-64	45	8.4	14	5	5	8	11	14	15	18
65 +	54	15.3	242	5	7	10	17	29	63	99
TOTAL SINGLE DX	37	5.3	7	2	4	5	7	9	9	12
TOTAL MULTIPLE DX	179	11.6	122	4	6	9	14	25	35	99 +
TOTAL										
0-19 YRS	61	10.6	107	4	5	7	13	28	76	99 +
20-34	12	10.0	50	3	5	7	13	21	26	27
35-49	30	7.7	23	3	4	6	9	15	20	20
50-64	54	7.8	15	3	5	7	11	14	14	18
65 +	59	14.6	227	5	7	10	16	29	63	98
GRAND TOTAL	216	10.6	108	4	5	8	12	22	30	99 +

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	104	3.9	10	<1	1	3	6	8	11	14
20-34	59	3.5	7	<1	1	3	5	8	10	91
35-49	69	4.6	18	1	1	3	7	9	11	26
50-64	30	3.8	6	1	2	3	5	7	10	11
65 +	18	3.9	8	1	2	3	6	9	10	10
2. MULTIPLE DX										
0-19 YRS	145	8.8	84	1	4	7	11	19	26	51
20-34	181	8.6	104	1	3	6	10	22	29	66
35-49	323	9.7	73	2	4	7	13	19	25	47
50-64	404	9.2	51	3	4	7	11	17	24	36
65 +	446	11.9	101	3	6	9	15	22	28	59
TOTAL SINGLE DX	280	4.0	11	<1	1	3	6	9	10	14
TOTAL MULTIPLE DX	1499	10.0	82	2	4	8	12	20	26	51
TOTAL										
0-19 YRS	249	6.7	59	<1	2	5	8	13	20	36
20-34	240	7.4	85	1	2	5	9	16	26	69
35-49	392	8.8	67	1	3	7	11	18	24	46
50-64	434	8.8	51	2	4	7	11	17	24	36
65 +	464	11.5	100	3	6	9	14	22	27	59
GRAND TOTAL	1779	9.0	76	1	4	7	11	19	25	50

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	120	5.9	68	2	3	4	6	9	13	54
20-34	114	4.8	8	2	3	4	6	8	12	15
35-49	61	5.1	8	3	3	5	6	8	10	13
50-64	29	5.9	17	1	3	5	8	12	15	15
65 +	16	6.9	37	3	4	5	7	12	23	28
2. MULTIPLE DX										
0-19 YRS	180	11.2	193	2	4	6	13	27	40	94
20-34	284	6.3	46	3	4	5	7	11	14	40
35-49	175	10.4	90	3	5	7	13	23	35	87
50-64	176	14.0	188	5	7	10	16	26	37	86
65 +	248	15.8	119	6	9	14	20	31	36	81
TOTAL SINGLE DX	340	5.4	31	2	3	4	6	9	12	31
TOTAL MULTIPLE DX	1063	11.3	132	3	5	8	14	25	33	79
TOTAL										
0-19 YRS	300	9.0	150	2	3	5	9	20	33	76
20-34	398	5.9	36	2	3	4	6	10	14	29
35-49	236	9.0	74	3	4	6	11	18	31	59
50-64	205	12.9	172	4	6	9	15	25	33	79
65 +	264	15.2	119	6	8	13	18	30	35	79
GRAND TOTAL	1403	9.9	114	3	4	6	12	21	32	65

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	3.0	7	<1	1	2	4	5	9	16
20-34	289	2.3	2	<1	<1	1	3	5	5	9
35-49	57	2.1	2	<1	<1	1	3	4	5	7
50-64	7	1.1		<1	<1	<1	1	2	2	2
65 +	2	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	128	3.7	6	<1	1	3	5	7	8	14
20-34	562	3.0	9	<1	<1	2	4	6	8	15
35-49	173	2.6	5	<1	<1	1	4	6	7	10
50-64	8	6.0	130	<1	<1	2	4	25	34	34
65 +	12	9.8	59	1	4	10	14	19	27	28
TOTAL SINGLE DX	438	2.4	4	<1	<1	1	3	5	5	9
TOTAL MULTIPLE DX	883	3.1	10	<1	<1	2	4	6	8	15
TOTAL										
0-19 YRS	211	3.4	7	<1	1	3	5	7	8	15
20-34	851	2.7	7	<1	<1	2	4	5	7	13
35-49	230	2.4	4	<1	<1	1	4	5	7	10
50-64	15	3.7	71	<1	<1	1	2	5	27	34
65 +	14	8.6	61	<1	1	7	14	16	25	28
GRAND TOTAL	1321	2.9	8	<1	<1	2	4	6	8	14

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	84	7.3	24	3	4	6	9	15	17	25
20-34	100	5.4	14	<1	3	5	8	9	13	19
35-49	90	7.2	44	2	4	6	9	12	16	42
50-64	54	7.2	19	2	3	7	10	14	15	19
65 +	39	9.4	47	3	5	8	11	18	23	36
2. MULTIPLE DX										
0-19 YRS	274	15.1	254	4	6	10	19	36	54	99 +
20-34	454	6.9	69	1	3	4	7	12	23	50
35-49	455	9.0	98	2	4	6	10	19	28	46
50-64	402	11.0	100	3	4	8	14	25	33	81
65 +	567	15.7	173	4	8	12	19	31	40	77
TOTAL SINGLE DX	367	7.0	[illegible]	2	4	6	9	13	17	24
TOTAL MULTIPLE DX	2152	11.5	144	3	4	8	14	26	37	76
TOTAL										
0-19 YRS	358	13.3	211	3	5	8	16	29	46	99
20-34	554	6.6	60	1	3	5	7	12	18	50
35-49	545	8.7	90	2	4	6	10	17	26	46
50-64	456	10.6	92	2	4	8	13	23	31	67
65 +	606	15.3	168	4	8	11	19	31	39	76
GRAND TOTAL	2519	10.8	130	2	4	7	13	24	35	68

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47	6.1	17	1	3	5	9	12	14	18
20-34	32	6.3	3	4	5	6	7	8	9	13
35-49	24	6.8	4	5	6	6	8	10	11	12
50-64	32	8.8	26	5	6	7	9	15	18	29
65+	18	9.7	27	6	7	9	10	17	24	26
2. MULTIPLE DX										
0-19 YRS	129	10.7	129	3	5	8	12	25	48	99+
20-34	58	8.8	53	4	5	7	9	14	21	47
35-49	119	11.7	115	5	6	9	11	22	38	67
50-64	140	12.0	106	5	7	9	13	22	31	55
65+	219	13.9	130	7	8	10	15	24	34	67
TOTAL SINGLE DX	153	7.3	17	3	5	6	9	11	15	26
TOTAL MULTIPLE DX	665	12.1	118	5	7	9	13	23	34	84
TOTAL										
0-19 YRS	176	9.5	103	2	4	7	11	19	33	90
20-34	90	7.9	37	4	5	6	8	13	15	41
35-49	143	10.9	100	5	6	8	10	21	32	83
50-64	172	11.4	93	5	7	9	13	20	29	50
65+	237	13.6	124	7	8	10	15	24	34	86
GRAND TOTAL	818	11.2	102	5	6	8	12	21	30	70

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	3.2	7	1	2	2	4	8	8	8
20-34	18	2.8	3	1	2	2	4	4	7	9
35-49	22	5.5	11	2	3	5	7	9	12	16
50-64	8	4.8	11	1	2	5	5	10	12	12
65+	8	5.6	17	1	2	4	9	11	12	12
2. MULTIPLE DX										
0-19 YRS	21	10.8	297	1	2	4	10	30	52	76
20-34	25	8.0	32	2	3	7	12	17	17	18
35-49	45	10.2	128	2	3	6	11	27	34	57
50-64	48	10.6	120	2	4	8	14	24	29	61
65+	99	13.7	106	3	6	11	18	30	37	46
TOTAL SINGLE DX	61	4.4	10	1	2	3	6	9	11	16
TOTAL MULTIPLE DX	238	11.5	124	2	4	8	16	27	34	57
TOTAL										
0-19 YRS	26	9.3	248	1	2	3	9	27	42	76
20-34	43	5.8	27	2	2	4	8	16	17	18
35-49	67	8.6	94	2	3	6	9	19	29	54
50-64	56	9.8	109	2	4	7	12	19	28	60
65+	107	13.1	104	3	5	10	17	29	37	46
GRAND TOTAL	299	10.1	109	2	3	7	13	23	31	53

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	13.3	50	7	10	11	14	26	27	27
20-34	4	9.8	7	6	8	10	11	12	12	12
35-49	5	10.0	5	7	8	10	11	13	13	13
50-64	3	8.3	2	7	7	8	9	10	10	10
65+	0									
2. MULTIPLE DX										
0-19 YRS	57	21.8	197	9	14	18	27	40	61	98
20-34	60	16.2	88	7	9	14	22	28	34	50
35-49	117	15.6	72	7	10	14	18	28	33	47
50-64	56	18.0	126	7	9	15	22	31	45	55
65+	7	11.9	41	6	8	10	14	23	25	25
TOTAL SINGLE DX	18	10.8	21	7	8	10	11	14	22	27
TOTAL MULTIPLE DX	297	17.3	114	7	10	15	21	31	39	62
TOTAL										
0-19 YRS	63	21.0	189	9	13	18	26	39	57	97
20-34	64	15.8	86	7	9	13	21	28	33	50
35-49	122	15.4	71	7	9	13	18	27	33	47
50-64	59	17.5	124	7	9	15	21	31	45	55
65+	7	11.9	42	6	8	10	14	23	25	25
GRAND TOTAL	315	16.9	111	7	10	14	20	31	38	60

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	269	3.8	9	1	2	3	5	8	9	17
20-34	54	3.6	11	1	1	2	5	8	9	18
35-49	37	3.4	6	1	1	2	5	7	8	11
50-64	31	4.8	16	1	1	4	7	11	13	16
65+	9	4.6	18	1	2	2	7	11	14	14
2. MULTIPLE DX										
0-19 YRS	302	7.3	50	1	2	5	10	15	20	36
20-34	166	7.6	47	1	2	6	10	16	21	37
35-49	194	8.4	71	1	3	7	10	19	25	50
50-64	149	8.1	51	1	2	6	11	19	25	29
65+	155	10.9	137	2	4	7	14	25	29	76
TOTAL SINGLE DX	400	3.8	10	1	2	3	5	8	10	16
TOTAL MULTIPLE DX	966	8.3	69	1	3	6	10	18	25	37
TOTAL										
0-19 YRS	571	5.6	34	1	2	4	7	12	16	33
20-34	220	6.6	41	1	2	5	8	15	18	36
35-49	231	7.6	65	1	2	6	9	16	22	49
50-64	180	7.5	47	1	2	6	11	18	24	29
65+	164	10.6	133	2	4	7	13	24	29	73
GRAND TOTAL	1366	7.0	56	1	2	5	9	15	21	36

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	6.1	27	1	3	5	6	15	19	19
20-34	11	4.6	7	1	2	5	6	9	10	10
35-49	16	5.4	12	1	3	5	7	12	13	14
50-64	24	7.4	21	1	4	7	10	15	16	17
65 +	6	5.7	5	3	3	6	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	10	6.3	31	<1	1	4	13	15	16	16
20-34	19	8.7	62	3	5	6	9	19	30	35
35-49	19	8.3	68	1	4	7	9	13	28	39
50-64	32	7.2	14	3	4	7	10	12	14	15
65 +	52	9.8	43	2	6	8	12	20	28	98
TOTAL SINGLE DX	66	6.1	17	1	3	6	8	12	15	19
TOTAL MULTIPLE DX	132	8.5	42	2	4	7	11	15	22	49
TOTAL										
0-19 YRS	19	6.2	28	1	2	5	8	15	18	19
20-34	30	7.2	45	2	4	6	8	12	23	35
35-49	35	7.0	44	1	3	6	8	12	14	39
50-64	56	7.3	17	2	4	7	10	13	15	17
65 +	58	9.3	41	2	6	8	11	20	26	94
GRAND TOTAL	198	7.7	35	2	4	7	10	15	20	37

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	182	5.4	7	3	4	5	6	9	11	15
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	6.0	50	1	1	6	11	11	11	11
65 +	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	249	8.6	33	4	5	7	10	16	19	33
20-34	27	14.7	158	6	8	10	17	26	38	68
35-49	16	16.4	78	3	9	17	24	27	28	28
50-64	15	13.1	116	2	9	12	14	19	41	48
65 +	27	17.5	108	8	10	15	23	32	40	43
TOTAL SINGLE DX	189	5.4	7	3	4	5	6	9	11	15
TOTAL MULTIPLE DX	334	10.4	64	4	5	8	13	19	27	40
TOTAL										
0-19 YRS	431	7.2	25	3	4	6	9	13	17	30
20-34	29	14.1	151	6	8	10	16	25	35	68
35-49	17	15.9	78	3	8	16	24	27	28	28
50-64	17	12.2	111	1	8	12	14	18	38	48
65 +	29	16.6	113	5	10	14	23	32	39	43
GRAND TOTAL	523	8.6	50	3	4	6	10	16	22	36

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	2.7	1	1	2	2	3	4	5	6
20-34	213	2.7	2	1	2	2	4	5	6	8
35-49	296	2.7	3	1	1	2	3	5	6	8
50-64	180	3.0	4	1	1	3	4	5	7	12
65 +	53	3.0	7	1	1	2	4	6	7	15
2. MULTIPLE DX										
0-19 YRS	13	3.8	2	2	2	4	5	6	7	7
20-34	128	3.6	5	1	2	3	5	6	7	14
35-49	214	3.7	5	1	2	3	5	7	8	13
50-64	206	4.4	11	1	2	3	5	8	11	18
65 +	174	5.3	37	1	2	4	7	10	13	25
TOTAL SINGLE DX	768	2.8	3	1	1	2	4	5	6	10
TOTAL MULTIPLE DX	735	4.3	15	1	2	3	5	8	10	17
TOTAL										
0-19 YRS	39	3.1	2	2	2	3	4	5	6	7
20-34	341	3.1	4	1	2	3	4	5	7	9
35-49	510	3.1	4	1	2	3	4	6	7	11
50-64	386	3.7	9	1	2	3	5	6	10	17
65 +	227	4.8	32	1	2	3	6	9	13	19
GRAND TOTAL	1503	3.5	10	1	2	3	4	6	8	15

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	4.1	5	1	2	4	6	7	8	10
20-34	9	4.0	8	1	2	3	5	9	10	10
35-49	12	3.2	1	1	2	3	4	5	6	6
50-64	7	3.3	6	1	1	3	4	7	8	8
65 +	5	3.2	8	<1	1	2	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	37	10.9	96	3	5	9	13	20	34	48
20-34	16	7.0	108	1	2	4	7	12	34	44
35-49	22	6.9	51	1	2	4	9	17	22	28
50-64	26	5.1	13	1	3	4	8	11	13	14
65 +	36	7.3	44	1	2	5	11	15	21	29
TOTAL SINGLE DX	54	3.7	5	1	2	3	4	7	8	10
TOTAL MULTIPLE DX	137	7.8	64	1	2	5	10	17	21	45
TOTAL										
0-19 YRS	58	8.5	74	2	4	6	10	19	22	47
20-34	25	5.9	73	1	2	3	7	10	20	44
35-49	34	5.6	37	1	2	3	6	16	18	28
50-64	33	4.7	12	1	2	4	6	10	13	14
65 +	41	6.8	42	1	2	4	10	15	20	29
GRAND TOTAL	191	6.6	50	1	2	4	9	14	19	42

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	153	2.0	3	<1	<1	1	2	4	6	11
20-34	198	3.1	5	1	1	2	4	6	8	14
35-49	275	2.6	2	1	1	2	4	5	6	8
50-64	193	3.1	6	1	1	2	4	6	7	12
65 +	71	3.5	13	<1	1	3	5	7	8	23
2. MULTIPLE DX										
0-19 YRS	229	4.6	39	<1	1	3	6	10	13	27
20-34	291	6.7	70	1	3	5	7	13	19	54
35-49	480	5.9	39	1	2	4	7	12	16	29
50-64	634	6.5	42	1	2	5	9	13	17	36
65 +	1374	9.1	70	2	4	7	12	19	24	46
TOTAL SINGLE DX	890	2.8	6	<1	1	2	4	5	7	11
TOTAL MULTIPLE DX	3008	7.5	60	1	3	5	9	15	21	42
TOTAL										
0-19 YRS	382	3.6	27	<1	<1	2	4	8	11	16
20-34	489	5.2	48	1	2	3	6	9	15	40
35-49	755	4.7	28	1	2	3	5	9	13	25
50-64	827	5.7	36	1	2	4	7	12	15	28
65 +	1445	8.9	69	2	4	7	11	18	24	46
GRAND TOTAL	3898	6.4	51	1	2	4	8	14	19	37

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.8	1	<1	1	1	3	3	3	3
20-34	8	2.0	2	1	1	2	2	5	6	6
35-49	37	2.2	3	1	1	2	3	4	4	11
50-64	101	2.0	1	1	1	2	3	4	5	7
65 +	161	2.3	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	12	2.9	3	<1	1	2	5	6	6	6
20-34	23	5.3	17	1	1	4	8	10	13	17
35-49	81	4.8	50	1	1	3	5	10	15	44
50-64	218	4.2	19	1	2	3	5	9	13	26
65 +	930	6.1	65	1	2	4	7	13	20	41
TOTAL SINGLE DX	316	2.2	2	1	1	2	3	4	6	8
TOTAL MULTIPLE DX	1264	5.6	56	1	2	3	6	11	18	35
TOTAL										
0-19 YRS	21	2.4	3	<1	1	2	3	5	6	6
20-34	31	4.5	15	1	1	3	8	9	11	17
35-49	118	4.0	37	1	1	2	4	9	13	36
50-64	319	3.5	15	1	1	2	4	7	10	21
65 +	1091	5.5	58	1	2	3	6	11	18	37
GRAND TOTAL	1580	4.9	47	1	2	3	5	10	16	32

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	7	2.4	1	1	2	2	3	4	4	4
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64	7	2.0	1	1	1	1	3	4	4	4
65 +	6	1.8	1	1	1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	5	5.4	21	2	2	4	8	13	13	13
20-34	7	6.3	40	2	2	5	7	17	20	20
35-49	15	7.7	121	1	2	4	9	16	37	44
50-64	19	5.7	40	1	2	2	8	15	21	24
65 +	71	5.2	23	1	2	4	6	12	14	26
TOTAL SINGLE DX	25	2.2	2	1	1	2	3	4	4	5
TOTAL MULTIPLE DX	117	5.7	38	1	2	4	6	13	17	33
TOTAL										
0-19 YRS	5	5.4	21	2	2	4	8	13	13	13
20-34	14	4.4	23	2	2	3	5	8	17	20
35-49	20	6.4	95	1	1	3	6	14	30	44
50-64	26	4.7	32	1	1	2	7	13	18	24
65 +	77	4.9	22	1	2	4	6	11	14	26
GRAND TOTAL	142	5.1	34	1	2	3	6	12	16	28

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	43	4.1	16	1	1	3	5	11	13	17
20-34	14	4.6	5	2	3	4	6	8	8	8
35-49	28	4.1	12	1	2	3	5	9	11	16
50-64	27	4.9	18	1	2	3	8	12	13	14
65 +	28	7.7	158	1	2	4	7	17	30	65
2. MULTIPLE DX										
0-19 YRS	176	10.6	83	2	4	8	14	21	28	43
20-34	58	12.5	205	3	4	8	16	26	30	89
35-49	63	10.6	112	3	4	8	14	22	38	94
50-64	117	9.2	93	2	3	7	11	17	26	57
65 +	304	11.0	138	2	4	8	14	22	34	84
TOTAL SINGLE DX	140	5.0	44	1	2	3	6	11	13	30
TOTAL MULTIPLE DX	718	10.7	121	2	4	8	14	21	31	66
TOTAL										
0-19 YRS	219	9.3	77	1	3	7	13	20	26	41
20-34	72	11.0	176	3	4	7	13	25	29	84
35-49	91	8.6	90	2	3	6	11	18	28	82
50-64	144	8.4	82	1	3	6	11	16	22	54
65 +	332	10.7	141	2	4	7	14	21	34	81
GRAND TOTAL	858	9.8	113	2	3	7	13	20	30	65

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	1.9	2	<1	<1	<1	2	5	5	5
20-34	0									
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	7	2.0	5	<1	<1	<1	2	6	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	6	4.3	3	2	3	4	6	7	7	7
TOTAL SINGLE DX	10	1.7	2	<1	<1	<1	1	4	5	5
TOTAL MULTIPLE DX	16	2.9	5	<1	<1	2	4	7	7	7
TOTAL										
0-19 YRS	15	1.9	4	<1	<1	<1	2	5	6	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	6	4.3	3	2	3	4	6	7	7	7
GRAND TOTAL	26	2.4	4	<1	<1	1	4	6	7	7

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	462	2.5	6	<1	1	1	3	5	7	12
20-34	24	3.1	4	<1	1	3	4	7	8	8
35-49	25	2.5	1	1	1	3	3	4	4	5
50-64	13	2.9	5	<1	1	3	4	7	9	9
65 +	13	2.8	8	<1	1	2	3	8	10	10
2. MULTIPLE DX										
0-19 YRS	239	4.9	18	1	1	3	7	11	14	18
20-34	26	5.8	28	1	2	4	8	16	18	20
35-49	21	5.6	35	2	2	3	6	15	22	23
50-64	30	6.6	90	2	3	4	5	12	28	49
65 +	45	5.5	25	1	3	4	6	15	15	25
TOTAL SINGLE DX	537	2.5	6	<1	1	2	3	5	7	11
TOTAL MULTIPLE DX	361	5.2	27	1	2	4	7	11	15	25
TOTAL										
0-19 YRS	701	3.3	12	<1	1	2	4	8	10	16
20-34	50	4.5	19	1	1	3	6	9	16	20
35-49	46	3.9	19	1	2	3	4	6	12	23
50-64	43	5.5	67	1	2	3	5	9	19	49
65 +	58	4.9	22	1	2	4	5	11	15	24
GRAND TOTAL	898	3.6	16	1	1	2	4	8	11	20

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	1.6	1	<1	<1	<1	2	4	5	5
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	6	2.7	2	1	1	2	4	5	5	5
50-64	4	2.0		1	1	2	3	3	3	3
65 +	6	3.0	4	<1	1	3	3	7	7	7
2. MULTIPLE DX										
0-19 YRS	17	5.8	165	<1	1	2	5	8	39	55
20-34	14	5.8	16	1	2	5	7	13	14	14
35-49	36	4.6	7	1	2	4	7	8	9	12
50-64	49	7.6	116	1	2	5	9	14	17	74
65 +	154	10.2	135	2	4	7	13	20	29	89
TOTAL SINGLE DX	29	2.2	2	<1	1	2	3	4	5	7
TOTAL MULTIPLE DX	270	8.5	114	1	3	6	10	16	23	85
TOTAL										
0-19 YRS	28	4.1	103	<1	<1	1	3	6	13	55
20-34	16	5.3	16	1	2	5	7	13	14	14
35-49	42	4.4	7	1	2	4	6	8	9	12
50-64	53	7.2	109	1	2	5	9	13	17	72
65 +	160	9.9	132	2	4	7	12	19	28	89
GRAND TOTAL	299	7.9	106	1	3	5	9	16	22	81

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.8	3	<1	<1	1	2	5	7	8
20-34	17	2.6	3	1	1	2	3	6	7	7
35-49	19	2.4	4	1	1	2	3	6	8	9
50-64	12	4.1	7	1	1	4	7	8	8	8
65 +	18	3.7	4	1	2	4	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	22	4.2	16	1	1	3	6	10	14	16
20-34	32	3.6	12	1	1	3	4	8	13	16
35-49	46	3.4	10	1	1	2	5	6	10	16
50-64	49	5.2	19	1	2	4	7	12	14	20
65 +	191	6.5	62	1	2	4	8	14	23	56
TOTAL SINGLE DX	85	2.8	5	1	1	2	4	7	7	9
TOTAL MULTIPLE DX	340	5.4	43	1	2	4	6	13	16	31
TOTAL										
0-19 YRS	41	3.1	11	<1	1	2	4	8	10	16
20-34	49	3.2	10	1	1	2	4	6	9	16
35-49	65	3.1	9	1	1	2	4	6	9	16
50-64	61	5.0	17	1	2	4	7	11	14	19
65 +	209	6.2	58	1	2	4	8	14	22	49
GRAND TOTAL	425	4.9	36	1	2	3	6	12	15	30

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	9	4.3		3	4	4	5	5	5	5
35-49	58	4.9	2	3	4	5	6	7	8	9
50-64	53	4.9	1	3	4	5	6	7	7	8
65+	16	4.8	3	3	4	4	6	7	8	9
2. MULTIPLE DX										
0-19 YRS	0									
20-34	13	4.2	1	3	3	4	5	6	7	7
35-49	77	5.1	2	3	4	5	6	7	8	9
50-64	86	6.4	7	4	5	6	7	9	12	19
65+	70	6.6	10	4	5	6	8	10	11	83
TOTAL SINGLE DX	137	4.8	2	3	4	5	6	7	7	9
TOTAL MULTIPLE DX	246	5.9	7	3	4	6	7	9	10	21
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	22	4.2	1	3	4	4	5	5	6	7
35-49	135	5.0	3	3	4	5	6	7	8	9
50-64	139	5.8	6	4	4	6	7	8	10	14
65+	86	6.2	10	3	4	6	7	10	11	71
GRAND TOTAL	383	5.5	6	3	4	5	6	8	9	18

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	10	4.2	5	2	3	4	5	8	10	10
35-49	47	4.3	3	3	3	4	5	7	9	11
50-64	50	3.9	1	2	3	4	5	6	6	7
65+	24	4.0	2	2	3	4	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	13	4.5	1	3	4	5	5	6	6	6
35-49	86	4.9	3	3	4	5	6	8	8	10
50-64	73	4.6	2	3	3	4	5	7	8	10
65+	118	5.4	10	2	4	5	7	9	12	17
TOTAL SINGLE DX	133	4.1	3	2	3	4	5	6	7	10
TOTAL MULTIPLE DX	293	5.0	6	3	4	5	6	8	9	15
TOTAL										
0-19 YRS	5	3.0	6	1	1	2	5	6	6	6
20-34	23	4.4	3	2	3	4	5	6	8	10
35-49	133	4.7	4	3	3	4	5	7	9	10
50-64	123	4.3	3	2	3	4	5	6	7	9
65+	142	5.2	9	2	3	4	6	8	11	17
GRAND TOTAL	426	4.7	5	2	3	4	6	7	8	13

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.7	1	<1	1	1	2	4	4	4
20-34	45	2.8	5	1	1	2	4	5	6	13
35-49	44	2.8	3	1	1	2	4	6	7	9
50-64	33	2.8	5	1	1	2	4	6	8	9
65+	19	2.2	4	<1	1	1	3	6	7	7
2. MULTIPLE DX										
0-19 YRS	23	4.0	9	1	1	3	6	9	11	11
20-34	65	4.8	17	1	2	3	6	10	13	21
35-49	74	4.3	13	1	2	3	5	8	10	20
50-64	60	6.8	24	1	3	6	10	13	17	18
65+	110	7.7	40	2	3	6	11	16	22	64
TOTAL SINGLE DX	151	2.7	4	1	1	2	4	5	7	9
TOTAL MULTIPLE DX	332	6.0	27	1	2	4	8	13	17	23
TOTAL										
0-19 YRS	33	3.3	8	1	1	2	4	7	10	11
20-34	110	4.0	13	1	2	3	5	8	13	20
35-49	118	3.7	10	1	2	3	5	8	9	19
50-64	93	5.4	21	1	2	4	8	12	16	18
65+	129	6.9	39	1	2	5	10	16	20	53
GRAND TOTAL	483	4.9	22	1	2	3	7	11	14	22

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95-59.96; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	3.3	15	<1	1	2	4	10	13	13
20-34	80	1.9	2	<1	<1	1	2	4	4	8
35-49	116	1.3		<1	<1	<1	1	2	3	6
50-64	125	1.5	1	<1	<1	1	1	3	4	7
65+	45	1.6	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	36	2.4	3	<1	1	1	4	5	7	8
35-49	72	4.0	134	<1	1	1	4	7	10	80
50-64	79	3.1	14	<1	1	1	4	8	12	20
65+	85	4.2	40	<1	1	1	5	11	14	37
TOTAL SINGLE DX	375	1.6	2	<1	<1	1	2	3	4	8
TOTAL MULTIPLE DX	276	3.6	52	<1	1	1	4	8	12	24
TOTAL										
0-19 YRS	13	2.7	11	<1	1	1	3	7	12	13
20-34	116	2.0	3	<1	<1	1	3	4	6	8
35-49	188	2.4	53	<1	<1	1	2	4	6	21
50-64	204	2.1	7	<1	<1	1	2	4	7	16
65+	130	3.3	29	<1	1	1	3	9	12	25
GRAND TOTAL	651	2.4	24	<1	<1	1	2	5	8	17

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.6	5	<1	1	1	4	6	6	6
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	7.5	27	3	4	6	11	15	15	15
20-34	4	5.5	15	2	3	4	8	11	11	11
35-49	8	10.4	72	3	4	6	15	24	28	28
50-64	6	8.5	20	4	4	8	10	15	16	16
65 +	9	10.2	35	4	6	8	13	20	23	23
TOTAL SINGLE DX	8	3.5	8	<1	1	3	6	7	8	8
TOTAL MULTIPLE DX	31	9.0	37	3	4	7	12	16	23	28
TOTAL										
0-19 YRS	9	4.8	20	<1	1	4	6	12	15	15
20-34	5	5.6	11	2	3	5	7	11	11	11
35-49	10	9.2	66	2	4	6	14	22	28	28
50-64	6	8.5	20	4	4	8	10	15	16	16
65 +	9	10.2	35	4	6	8	13	20	23	23
GRAND TOTAL	39	7.8	36	2	4	6	10	16	20	28

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	1.7		1	1	2	2	2	2	2
35-49	7	3.3		2	3	3	4	4	4	4
50-64	237	3.6	1	2	3	3	4	5	6	8
65 +	406	4.0	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	3	11.0	97	3	4	8	18	22	22	22
20-34	1	33.0		33	33	33	33	33	33	33
35-49	44	4.9	7	3	3	4	6	10	11	14
50-64	991	5.1	25	2	3	4	5	8	12	27
65 +	3958	6.7	42	3	4	5	7	12	17	33
TOTAL SINGLE DX	653	3.9	2	2	3	4	4	6	7	9
TOTAL MULTIPLE DX	4997	6.4	39	3	4	5	7	12	16	32
TOTAL										
0-19 YRS	3	11.0	97	3	4	8	18	22	22	22
20-34	4	9.5	246	1	1	2	18	33	33	33
35-49	51	4.7	7	2	3	4	5	10	10	14
50-64	1228	4.8	21	2	3	4	5	7	11	25
65 +	4364	6.5	39	3	4	5	7	12	16	32
GRAND TOTAL	5650	6.1	36	3	3	4	7	11	15	31

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	0									
35-49	3	8.0		8	8	8	8	8	8	8
50-64	50	8.0	4	6	7	8	9	11	11	14
65 +	48	9.1	7	6	7	9	11	12	15	17
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	6	8.7	2	6	8	9	10	10	10	10
50-64	114	10.2	35	6	7	9	11	14	16	48
65 +	341	11.1	49	6	8	9	12	17	23	50
TOTAL SINGLE DX	104	8.4	7	6	7	8	10	11	13	16
TOTAL MULTIPLE DX	461	10.8	45	6	7	9	12	16	22	50
TOTAL										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	0									
35-49	9	8.4	2	7	8	8	9	10	10	10
50-64	164	9.5	27	6	7	9	10	14	15	42
65 +	389	10.8	44	6	7	9	12	17	22	50
GRAND TOTAL	565	10.4	39	6	7	9	11	15	19	48

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	0									
50-64	8	1.4		<1	1	1	2	3	3	3
65+	14	2.6	6	1	1	2	3	4	9	11
2. MULTIPLE DX										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	2	11.0	128	3	3	11	19	19	19	19
35-49	4	6.5	49	2	2	3	10	17	17	17
50-64	51	5.7	35	1	1	4	8	12	14	31
65+	170	9.6	135	1	3	7	11	19	26	72
TOTAL SINGLE DX	24	2.0	4	<1	1	1	2	3	6	11
TOTAL MULTIPLE DX	228	8.7	114	1	3	6	11	18	25	60
TOTAL										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	4	6.0	76	<1	<1	2	11	19	19	19
35-49	4	6.5	50	2	2	3	10	17	17	17
50-64	59	5.1	33	1	1	3	7	12	14	30
65+	184	9.0	129	1	3	6	11	18	26	69
GRAND TOTAL	252	8.1	107	1	2	5	10	17	25	56

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47	1.7	3	<1	1	1	1	4	4	12
20-34	18	2.3	1	<1	1	2	3	4	5	6
35-49	14	2.9	4	<1	1	2	4	7	7	7
50-64	13	3.3	6	<1	1	2	4	7	9	9
65+	8	1.9	1	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	22	2.5	6	<1	1	1	3	8	9	9
20-34	22	5.8	29	1	3	5	7	11	18	26
35-49	28	8.2	145	1	2	5	9	21	29	61
50-64	28	8.0	99	2	3	4	9	21	33	44
65+	42	7.8	41	1	3	6	11	16	22	27
TOTAL SINGLE DX	100	2.2	4	<1	1	1	3	4	6	10
TOTAL MULTIPLE DX	142	6.8	68	1	2	4	9	13	25	45
TOTAL										
0-19 YRS	69	2.0	4	<1	1	1	2	4	8	11
20-34	40	4.3	20	1	2	3	5	9	11	26
35-49	42	6.4	104	1	1	4	7	11	25	61
50-64	41	6.5	74	1	2	4	7	12	28	44
65+	50	6.9	39	1	3	5	10	15	20	27
GRAND TOTAL	242	4.9	47	1	1	3	5	11	15	33

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	58	1.7	3	<1	<1	1	2	3	5	11
20-34	41	1.8	1	1	1	2	2	3	4	8
35-49	27	1.5		1	1	1	2	3	3	3
50-64	13	3.7	14	1	1	2	4	10	13	14
65+	52	1.9	3	<1	1	1	2	5	7	8
2. MULTIPLE DX										
0-19 YRS	62	2.2	8	<1	1	1	2	4	7	19
20-34	27	2.6	6	1	1	2	3	6	10	11
35-49	24	5.1	61	1	1	3	5	8	23	38
50-64	62	9.3	169	1	1	5	10	23	39	67
65+	269	7.3	90	1	2	3	10	18	25	63
TOTAL SINGLE DX	191	1.9	3	<1	1	1	2	4	5	10
TOTAL MULTIPLE DX	444	6.5	88	1	1	3	8	17	22	57
TOTAL										
0-19 YRS	120	2.0	6	<1	1	1	2	4	6	14
20-34	68	2.1	4	1	1	2	2	4	7	11
35-49	51	3.2	32	1	1	2	3	6	7	38
50-64	75	8.3	147	1	1	4	10	21	34	65
65+	321	6.4	81	1	1	3	8	16	21	59
GRAND TOTAL	635	5.1	67	1	1	2	6	13	19	49

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	225	1.2		<1	<1	1	1	2	2	4
20-34	37	1.3		<1	1	1	1	2	3	6
35-49	4	1.3		1	1	1	2	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	185	1.9	24	<1	1	1	2	3	3	12
20-34	7	1.9		1	1	2	2	3	3	3
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	0									
65+	0									
TOTAL SINGLE DX	266	1.2		<1	<1	1	1	2	2	4
TOTAL MULTIPLE DX	194	1.9	24	<1	1	1	2	3	4	11
TOTAL										
0-19 YRS	410	1.5	12	<1	<1	1	1	2	3	6
20-34	44	1.4	1	1	1	1	2	2	3	6
35-49	6	2.5	4	1	1	2	4	6	6	6
50-64	0									
65+	0									
GRAND TOTAL	460	1.5	10	<1	<1	1	1	2	3	6

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	1.6	1	<1	1	1	2	3	4	6
20-34	11	1.3		<1	<1	1	1	2	3	3
35-49	6	3.0	5	<1	1	3	5	6	6	6
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	15	1.6		<1	<1	1	2	3	3	3
20-34	6	2.8	5	1	1	2	5	6	6	6
35-49	6	2.5	2	1	1	2	4	5	5	5
50-64	4	3.5	19	1	1	2	6	10	10	10
65+	3	3.0	3	1	2	4	4	4	4	4
TOTAL SINGLE DX	80	1.7	2	<1	1	1	2	4	5	6
TOTAL MULTIPLE DX	34	2.3	4	<1	1	2	3	5	6	10
TOTAL										
0-19 YRS	75	1.6	1	<1	1	1	2	3	4	6
20-34	17	1.8	2	<1	1	1	2	5	6	6
35-49	12	2.8	4	<1	1	2	4	5	6	6
50-64	6	2.7	13	1	1	1	2	9	10	10
65+	4	3.5	3	1	2	4	5	5	5	5
GRAND TOTAL	114	1.9	2	<1	1	1	2	4	5	8

662: ..terruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	95TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	2.3	5	<1	<1	<1	4	5	5	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	0									
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	2.7	2	<1	1	3	4	4	4	4
35-49	4	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
TOTAL SINGLE DX	5	1.8	3	<1	<1	<1	2	5	5	5
TOTAL MULTIPLE DX	9	1.6	1	<1	1	1	2	4	4	4
TOTAL										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	2.3	2	<1	<1	2	3	4	4	4
35-49	7	1.6	2	<1	<1	1	1	4	5	5
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	0									
GRAND TOTAL	14	1.6	2	<1	<1	1	1	4	5	5

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.3	1	<1	1	1	1	3	4	5
20-34	9	1.4	1	<1	<1	1	2	3	4	4
35-49	26	2.5	4	<1	1	2	3	6	7	8
50-64	20	1.8	4	<1	1	1	2	4	7	10
65+	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	6	2.2	3	<1	1	1	2	6	6	6
20-34	8	1.6		1	1	2	2	3	3	3
35-49	25	2.1	2	1	1	2	2	5	6	7
50-64	13	2.3	3	1	1	2	3	5	7	7
65+	12	2.3	3	<1	1	1	4	5	6	6
TOTAL SINGLE DX	78	1.8	3	<1	1	1	2	5	6	9
TOTAL MULTIPLE DX	64	2.1	3	1	1	2	2	5	6	7
TOTAL										
0-19 YRS	24	1.5	2	<1	1	1	1	3	5	6
20-34	17	1.5	1	<1	1	1	2	3	4	4
35-49	51	2.3	3	<1	1	2	2	6	6	8
50-64	33	2.0	4	1	1	1	2	4	7	10
65+	17	2.0	3	<1	1	1	3	5	6	6
GRAND TOTAL	142	2.0	3	<1	1	1	2	5	6	8

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	209	1.1		<1	<1	<1	<1	<1	1	2
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	8	1.0		<1	<1	<1	1	1	1	1
50-64	7	1.0		<1	<1	1	1	1	1	1
65+	5	1.4	1	<1	<1	<1	1	3	3	3
2. MULTIPLE DX										
0-19 YRS	81	4.1	55	<1	<1	1	2	11	19	42
20-34	4	2.0	4	1	1	1	3	5	5	5
35-49	15	3.3	13	<1	1	1	4	10	11	12
50-64	22	6.1	89	<1	1	3	6	15	33	39
65+	19	4.9	56	<1	1	2	5	18	26	26
TOTAL SINGLE DX	234	1.1	1	<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	141	4.4	55	<1	<1	1	5	11	21	40
TOTAL										
0-19 YRS	290	1.9	18	<1	<1	<1	<1	1	8	22
20-34	9	1.4	2	<1	<1	1	1	4	5	5
35-49	23	2.5	10	<1	<1	1	2	8	11	12
50-64	29	4.9	72	<1	1	2	5	9	29	39
65+	24	4.2	47	<1	<1	1	4	10	25	26
GRAND TOTAL	375	2.3	23	<1	<1	<1	1	4	9	27

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	33	2.4	1	1	1	2	3	4	4	5
50-64	78	2.6	2	1	2	2	3	4	6	9
65 +	39	2.9	3	<1	2	2	4	5	7	8
2. MULTIPLE DX										
0-19 YRS	0									
20-34	17	4.7	14	1	2	4	6	11	13	14
35-49	74	5.2	45	1	2	3	5	8	14	40
50-64	151	3.1	3	1	2	3	4	5	7	9
65 +	97	3.1	3	1	2	2	4	6	8	10
TOTAL SINGLE DX	152	2.7	3	1	1	2	4	5	6	8
TOTAL MULTIPLE DX	339	3.6	14	1	2	3	4	6	8	16
TOTAL										
0-19 YRS	0									
20-34	19	4.6	14	1	2	4	6	11	13	14
35-49	107	4.3	34	1	2	3	4	7	11	39
50-64	229	2.9	3	1	2	2	4	5	7	9
65 +	136	3.0	4	1	2	2	4	6	7	9
GRAND TOTAL	**491**	**3.3**	**11**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	2.0	2	<1	1	1	3	4	5	7
20-34	19	3.8	65	<1	1	2	3	4	22	37
35-49	10	3.9	17	<1	1	1	6	11	11	11
50-64	13	2.5	3	<1	1	2	3	5	7	7
65 +	5	4.0	7	2	2	2	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	57	5.8	111	1	1	2	6	14	22	69
20-34	28	6.4	40	1	2	4	8	15	23	26
35-49	27	6.0	46	1	2	4	7	12	24	30
50-64	28	6.5	48	1	2	3	10	16	24	27
65 +	19	6.8	105	1	2	4	6	15	32	46
TOTAL SINGLE DX	87	2.8	18	<1	1	2	3	5	7	27
TOTAL MULTIPLE DX	159	6.2	74	1	1	3	7	14	23	45
TOTAL										
0-19 YRS	97	4.2	70	<1	1	2	4	9	16	50
20-34	47	5.4	51	1	2	3	5	12	23	37
35-49	37	5.4	38	1	1	3	6	12	19	30
50-64	41	5.2	38	1	1	3	6	12	21	27
65 +	24	6.3	85	2	2	3	6	13	25	46
GRAND TOTAL	**246**	**5.0**	**57**	**1**	**1**	**3**	**5**	**11**	**19**	**37**

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	76	3.8	7	2	3	3	4	6	6	19
20-34	168	3.5	2	1	3	3	4	5	6	9
35-49	31	3.3	3	1	3	3	4	5	5	12
50-64	2	6.5	5	5	5	6	8	8	8	8
65 +	3	5.3	12	2	3	5	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	69	4.6	27	2	3	4	5	8	11	37
20-34	395	3.7	4	1	3	4	4	6	7	12
35-49	116	4.3	7	<1	3	4	5	8	10	14
50-64	15	8.0	21	3	4	7	12	15	16	16
65 +	13	16.6	136	6	10	11	21	40	40	40
TOTAL SINGLE DX	280	3.6	4	2	3	3	4	5	7	11
TOTAL MULTIPLE DX	608	4.3	14	1	3	4	5	7	10	20
TOTAL										
0-19 YRS	145	4.2	17	2	3	4	5	6	9	24
20-34	563	3.6	4	1	3	3	4	6	7	11
35-49	147	4.1	7	<1	3	4	5	7	9	14
50-64	17	7.8	19	3	4	7	11	15	16	16
65 +	16	14.5	131	4	7	11	20	38	40	40
GRAND TOTAL	**888**	**4.1**	**11**	**1**	**3**	**4**	**5**	**6**	**9**	**16**

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	58	4.0	1	2	3	4	5	6	7	7
20-34	156	4.1	3	3	3	4	4	5	7	15
35-49	95	4.0	2	3	3	4	5	6	7	9
50-64	11	3.8		3	3	4	4	5	5	5
65 +	6	7.2	14	4	5	5	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	63	5.9	21	3	3	4	7	11	16	27
20-34	550	4.6	5	3	3	4	5	8	9	14
35-49	391	4.9	8	3	3	4	6	7	10	17
50-64	37	7.5	35	3	4	6	8	13	22	31
65 +	48	10.8	66	4	6	9	14	20	23	51
TOTAL SINGLE DX	326	4.1	3	3	3	4	5	6	7	12
TOTAL MULTIPLE DX	1089	5.2	13	3	3	4	6	8	11	21
TOTAL										
0-19 YRS	121	5.0	13	2	3	4	5	8	11	22
20-34	706	4.5	6	3	3	4	5	7	9	15
35-49	486	4.7	7	3	3	4	5	7	9	15
50-64	48	6.7	30	3	4	5	7	11	16	31
65 +	54	10.4	62	4	6	9	13	19	22	50
GRAND TOTAL	1415	4.9	11	3	3	4	5	8	10	19

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	23	4.2	3	2	3	4	5	6	8	10
35-49	47	4.4	2	3	3	4	5	6	9	9
50-64	18	5.0	3	3	4	4	6	8	9	10
65 +	13	5.8	1	4	5	6	6	7	8	8
2. MULTIPLE DX										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	140	4.8	7	3	4	4	5	7	9	15
35-49	384	5.3	10	3	4	4	6	9	11	18
50-64	118	7.3	26	4	4	6	8	12	18	30
65 +	85	8.6	35	4	5	7	9	13	22	34
TOTAL SINGLE DX	103	4.7	3	3	3	4	6	7	8	10
TOTAL MULTIPLE DX	729	5.9	17	3	4	5	7	10	13	25
TOTAL										
0-19 YRS	4	4.3	4	2	3	4	6	7	7	7
20-34	163	4.7	7	3	4	4	5	7	9	13
35-49	431	5.2	10	3	4	4	6	9	10	17
50-64	136	7.0	24	4	4	5	8	11	17	27
65 +	98	8.3	32	4	5	7	9	13	20	34
GRAND TOTAL	832	5.7	15	3	4	5	6	10	12	22

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	3.9	18	1	1	3	4	7	16	18
20-34	28	2.3	1	<1	1	2	3	4	5	5
35-49	8	3.3	17	<1	<1	<1	5	10	11	11
50-64	3	6.3	33	3	3	3	11	13	13	13
65 +	0									
2. MULTIPLE DX										
0-19 YRS	25	3.7	22	<1	1	3	3	6	17	21
20-34	162	3.1	3	<1	1	3	4	5	6	10
35-49	57	3.5	10	<1	1	3	4	6	8	21
50-64	3	6.0	19	3	3	4	9	11	11	11
65 +	1	27.0		27	27	27	27	27	27	27
TOTAL SINGLE DX	53	3.1	10	<1	1	2	4	5	11	18
TOTAL MULTIPLE DX	248	3.4	10	<1	1	3	4	5	7	21
TOTAL										
0-19 YRS	39	3.8	20	<1	1	3	4	6	17	21
20-34	190	3.0	4	<1	1	3	4	5	6	9
35-49	65	3.5	11	<1	<1	3	4	7	9	20
50-64	6	6.2	21	3	3	4	11	13	13	13
65 +	1	27.0		27	27	27	27	27	27	27
GRAND TOTAL	301	3.3	10	<1	1	3	4	5	7	19

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	228	1.1		<1	<1	<1	<1	<1	1	4
35-49	138	1.0		<1	<1	<1	<1	<1	<1	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	94	2.3	20	<1	<1	1	2	3	5	29
35-49	43	1.0		<1	<1	<1	1	1	1	3
50-64	0									
65 +	0									
TOTAL SINGLE DX	368	1.1		<1	<1	<1	<1	<1	1	4
TOTAL MULTIPLE DX	139	1.9	14	<1	<1	1	2	3	4	16
TOTAL										
0-19 YRS	3	3.0	7	<1	<1	2	5	6	6	6
20-34	322	1.4	6	<1	<1	<1	<1	2	3	8
35-49	181	1.0		<1	<1	<1	<1	1	1	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
GRAND TOTAL	507	1.3	4	<1	<1	<1	<1	2	3	6

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	157	1.7	1	<1	<1	1	2	3	4	6
35-49	51	1.5		<1	<1	<1	1	3	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	7	2.6		2	2	3	3	3	3	3
20-34	1008	2.5	1	2	2	2	3	4	4	6
35-49	172	2.5	3	1	2	2	3	4	5	9
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
TOTAL SINGLE DX	209	1.7	1	<1	<1	<1	2	3	4	5
TOTAL MULTIPLE DX	1188	2.5	2	2	2	2	3	4	4	7
TOTAL										
0-19 YRS	8	2.6		2	2	3	3	3	3	3
20-34	1165	2.4	2	1	2	2	3	4	4	6
35-49	223	2.3	3	<1	1	2	3	4	5	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
GRAND TOTAL	1397	2.4	2	<1	2	2	3	4	4	6

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	3.1	1	1	2	3	4	5	5	5
20-34	501	3.3	1	1	3	3	4	5	5	7
35-49	99	3.1	1	1	3	3	4	4	5	5
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	0									
2. MULTIPLE DX										
0-19 YRS	60	3.9	3	2	3	4	5	6	7	9
20-34	753	3.7	2	2	3	4	4	5	6	9
35-49	150	4.1	5	2	3	4	5	6	7	11
50-64	5	6.4	11	2	3	7	9	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
TOTAL SINGLE DX	648	3.2	2	1	3	3	4	5	5	6
TOTAL MULTIPLE DX	969	3.8	3	2	3	4	4	6	7	10
TOTAL										
0-19 YRS	106	3.5	3	1	3	3	4	5	6	8
20-34	1254	3.6	2	2	3	3	4	5	6	9
35-49	249	3.7	4	2	3	4	4	5	6	11
50-64	7	5.1	12	<1	2	4	8	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	1617	3.6	3	2	3	3	4	5	6	9

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	90	1.1		<1	<1	<1	1	1	2	4
35-49	24	1.1		<1	<1	<1	1	1	2	3
50-64	11	2.1	5	<1	<1	<1	1	7	7	7
65+	6	1.0		<1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	4	1.8	2	<1	<1	1	2	4	4	4
20-34	67	1.5	1	<1	<1	<1	1	3	4	7
35-49	32	1.3		<1	<1	<1	1	2	3	4
50-64	22	2.7	6	<1	<1	1	4	7	8	9
65+	18	2.4	7	<1	<1	1	3	5	10	12
TOTAL SINGLE DX	134	1.2	1	<1	<1	<1	1	1	3	7
TOTAL MULTIPLE DX	143	1.8	3	<1	<1	1	2	4	5	9
TOTAL										
0-19 YRS	7	1.6	1	<1	<1	<1	2	4	4	4
20-34	157	1.3	1	<1	<1	<1	1	2	3	5
35-49	56	1.2		<1	<1	<1	1	2	3	4
50-64	33	2.5	6	<1	<1	1	3	7	8	9
65+	24	2.0	6	<1	<1	1	2	4	8	12
GRAND TOTAL	277	1.5	2	<1	<1	<1	1	3	4	8

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	169	1.0		<1	<1	<1	<1	<1	1	2
35-49	47	1.1		<1	<1	<1	<1	1	2	3
50-64	10	1.4	1	<1	<1	1	1	3	4	4
65+	9	3.7	5	<1	2	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	9	1.1		<1	<1	<1	1	2	2	2
20-34	74	1.9	13	<1	<1	<1	1	3	4	26
35-49	53	3.2	25	<1	<1	1	3	7	13	31
50-64	31	5.9	63	<1	1	4	6	19	28	32
65+	42	5.7	16	1	3	5	8	12	13	20
TOTAL SINGLE DX	249	1.1	1	<1	<1	<1	<1	1	2	5
TOTAL MULTIPLE DX	209	3.5	26	<1	<1	1	4	8	13	31
TOTAL										
0-19 YRS	23	1.0		<1	<1	<1	<1	1	2	2
20-34	243	1.3	4	<1	<1	<1	<1	1	3	5
35-49	100	2.2	14	<1	<1	<1	2	5	7	24
50-64	41	4.8	51	<1	1	2	5	13	24	32
65+	51	5.4	15	1	3	5	7	10	13	20
GRAND TOTAL	458	2.2	14	<1	<1	<1	1	5	8	21

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	2.3	2	<1	1	2	3	5	6	6
20-34	217	1.9	7	1	1	1	2	3	5	17
35-49	25	1.2		<1	1	1	1	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	71	3.0	18	1	1	2	4	5	5	30
35-49	10	3.1	7	1	1	2	5	7	9	9
50-64	0									
65+	0									
TOTAL SINGLE DX	258	1.9	6	<1	1	1	2	3	5	8
TOTAL MULTIPLE DX	85	3.0	16	1	1	2	4	5	6	27
TOTAL										
0-19 YRS	20	2.4	2	<1	1	2	3	5	6	6
20-34	288	2.2	10	1	1	1	3	4	5	25
35-49	35	1.7	3	<1	1	1	2	3	6	9
50-64	0									
65+	0									
GRAND TOTAL	343	2.2	9	1	1	1	3	4	5	11

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	86	3.7	2	<1	3	4	4	5	6	8
35-49	38	3.5	2	<1	2	4	5	5	6	6
50-64	2	4.0		4	4	4	4	4	4	4
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	8	3.4	6	<1	1	3	5	7	8	8
20-34	327	4.5	35	1	3	4	5	6	7	32
35-49	193	4.5	16	1	3	4	5	6	9	24
50-64	12	6.7	52	1	3	4	8	15	26	28
65+	22	9.8	98	1	3	6	15	26	31	36
TOTAL SINGLE DX	130	3.6	2	<1	3	4	4	5	6	7
TOTAL MULTIPLE DX	562	4.7	32	1	3	4	5	6	9	28
TOTAL										
0-19 YRS	10	3.4	5	<1	1	3	4	6	8	8
20-34	413	4.3	28	1	3	4	5	6	7	19
35-49	231	4.3	15	<1	2	4	5	6	9	23
50-64	14	6.3	46	2	3	4	8	12	24	28
65+	24	9.1	96	1	2	5	13	25	30	36
GRAND TOTAL	692	4.5	27	1	3	4	5	6	8	28

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	257	4.3	1	3	4	4	5	6	7	8
35-49	488	4.3	1	3	4	4	5	6	6	7
50-64	131	4.7	1	3	4	4	5	6	7	9
65+	57	5.4	4	4	4	5	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	20	4.7	4	3	3	4	5	7	10	12
20-34	2519	4.8	6	3	4	4	5	7	8	12
35-49	5932	4.9	4	3	4	4	5	6	8	13
50-64	1155	5.7	10	4	4	5	6	8	12	20
65+	656	8.0	29	4	5	6	9	13	20	33
TOTAL SINGLE DX	936	4.4	2	3	4	4	5	6	7	9
TOTAL MULTIPLE DX	10282	5.1	8	3	4	4	5	7	9	16
TOTAL										
0-19 YRS	23	4.5	4	3	3	4	5	6	9	12
20-34	2776	4.8	6	3	4	4	5	6	8	12
35-49	6420	4.8	5	3	4	4	5	6	8	13
50-64	1286	5.6	10	4	4	5	6	8	11	20
65+	713	7.8	28	4	5	6	9	13	19	32
GRAND TOTAL	11218	5.1	8	3	4	4	5	7	9	16

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	173	3.3		2	3	3	4	4	5	5
35-49	172	3.5	1	2	3	3	4	5	6	7
50-64	78	4.4	2	3	3	4	5	6	7	9
65+	56	4.8	1	3	4	5	6	6	7	7
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	829	3.7	1	3	3	3	4	5	6	8
35-49	1369	3.9	2	3	3	4	4	5	6	9
50-64	361	5.1	6	3	4	5	6	7	8	13
65+	388	6.0	14	4	4	5	7	8	9	14
TOTAL SINGLE DX	479	3.7	2	2	3	3	4	5	6	7
TOTAL MULTIPLE DX	2948	4.3	5	3	3	4	5	6	7	11
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1002	3.7	2	3	3	3	4	5	5	8
35-49	1541	3.9	3	3	3	4	4	5	6	9
50-64	439	5.0	6	3	4	5	6	7	8	12
65+	444	5.8	13	4	4	5	7	8	9	14
GRAND TOTAL	3427	4.2	5	3	3	4	5	6	7	11

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	4	7.8	1	7	7	8	8	9	9	9
35-49	10	6.6	5	4	5	6	7	10	12	12
50-64	2	6.0		6	6	6	6	6	6	6
65+	0									
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	19	7.5	1	6	7	8	8	9	9	9
35-49	54	8.5	8	6	7	8	9	12	14	21
50-64	27	13.5	89	6	8	11	15	35	47	99+
65+	19	13.6	81	5	7	10	20	29	33	35
TOTAL SINGLE DX	16	6.8	4	4	6	7	8	9	11	12
TOTAL MULTIPLE DX	120	10.2	43	6	7	8	10	16	29	53
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	23	7.5	1	6	7	8	8	9	9	9
35-49	64	8.2	8	6	6	8	9	12	14	20
50-64	29	13.0	87	6	7	10	15	33	41	99+
65+	19	13.6	82	5	7	10	20	29	33	35
GRAND TOTAL	136	9.8	39	6	7	8	10	15	28	49

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	18	1.8	1	<1	1	2	2	4	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	8	2.8	2	<1	1	2	4	5	5	5
20-34	38	6.4	174	1	1	3	6	13	21	80
35-49	11	3.5	9	<1	1	2	5	9	10	10
50-64	0									
65+	0									
TOTAL SINGLE DX	23	1.6	1	<1	1	1	2	3	4	4
TOTAL MULTIPLE DX	57	5.4	119	1	1	3	5	10	16	76
TOTAL										
0-19 YRS	11	2.3	2	<1	<1	2	3	5	5	5
20-34	56	4.9	122	1	1	2	5	8	16	77
35-49	13	3.2	9	<1	1	2	4	8	10	10
50-64	0									
65+	0									
GRAND TOTAL	80	4.3	88	<1	1	2	4	8	13	63

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	290	1.4	1	<1	1	1	1	2	3	7
20-34	1214	1.4	1	<1	<1	1	1	2	3	6
35-49	384	1.2		<1	<1	<1	1	2	3	5
50-64	81	1.1		<1	<1	<1	<1	1	2	5
65+	36	1.3		<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
0-19 YRS	152	2.6	6	1	1	2	3	5	7	14
20-34	817	2.6	12	<1	1	2	3	5	6	15
35-49	589	2.1	9	<1	<1	1	2	5	6	10
50-64	183	2.8	36	<1	<1	<1	3	6	8	25
65+	149	5.6	56	<1	1	3	7	16	25	38
TOTAL SINGLE DX	2005	1.4	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	1890	2.7	17	<1	<1	1	3	5	7	22
TOTAL										
0-19 YRS	442	1.8	3	<1	1	1	2	4	5	10
20-34	2031	1.9	6	<1	<1	1	2	4	5	9
35-49	973	1.8	6	<1	<1	<1	1	4	5	9
50-64	264	2.3	26	<1	<1	<1	2	5	6	21
65+	185	4.7	48	<1	<1	2	4	14	21	37
GRAND TOTAL	3895	2.0	10	<1	<1	1	2	4	5	14

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.6	2	<1	<1	<1	1	4	6	6
20-34	35	1.1		<1	<1	<1	1	1	2	2
35-49	8	1.0		<1	<1	<1	<1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	5	12.2	319	2	3	6	16	44	44	44
20-34	44	3.2	21	<1	1	2	3	5	11	28
35-49	10	1.5	1	<1	<1	1	2	3	4	4
50-64	0									
65+	0									
TOTAL SINGLE DX	53	1.2	1	<1	<1	<1	1	1	2	6
TOTAL MULTIPLE DX	59	3.7	45	<1	<1	2	3	6	13	43
TOTAL										
0-19 YRS	15	5.1	120	<1	<1	1	5	6	35	44
20-34	79	2.3	13	<1	<1	1	2	4	6	25
35-49	18	1.3	1	<1	<1	<1	1	2	3	4
50-64	0									
65+	0									
GRAND TOTAL	112	2.5	26	<1	<1	1	2	4	6	34

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	1.6	3	<1	1	1	2	3	3	13
20-34	348	1.3		<1	<1	1	1	2	3	5
35-49	67	1.5	1	<1	<1	1	1	3	4	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
0-19 YRS	31	2.6	4	<1	1	2	4	6	7	7
20-34	148	2.4	6	1	1	2	3	5	6	9
35-49	26	3.4	13	1	1	3	4	6	12	18
50-64	0									
65+	2	4.5	5	3	3	4	6	6	6	6
TOTAL SINGLE DX	497	1.4	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	207	2.6	7	1	1	2	3	5	6	13
TOTAL										
0-19 YRS	112	1.9	4	<1	1	1	2	3	5	11
20-34	496	1.6	3	<1	<1	1	2	3	4	7
35-49	93	2.0	5	<1	<1	1	2	4	5	15
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	4.5	5	3	3	4	6	6	6	6
GRAND TOTAL	704	1.7	3	<1	<1	1	2	3	4	8

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	5	2.0	1	<1	1	2	3	4	4	4
35-49	0									
50-64	0									
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	4	5.3	3	4	4	5	6	8	8	8
20-34	26	3.5	2	2	3	3	4	5	6	9
35-49	3	1.3		1	1	1	2	2	2	2
50-64	0									
65+	2	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	9	3.0	3	<1	2	3	4	5	6	6
TOTAL MULTIPLE DX	35	3.4	3	1	2	3	4	5	7	9
TOTAL										
0-19 YRS	7	4.6	3	3	4	4	5	7	8	8
20-34	31	3.3	2	1	2	3	4	5	5	9
35-49	3	1.3		1	1	1	2	2	2	2
50-64	0									
65+	3	2.7	8	1	1	1	5	6	6	6
GRAND TOTAL	44	3.3	3	1	2	3	4	5	7	9

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.2		<1	<1	1	1	2	2	2
20-34	48	1.5	1	<1	<1	<1	1	3	4	5
35-49	16	1.4	1	<1	<1	<1	1	4	5	5
50-64	8	3.0	2	1	2	3	4	5	6	6
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	19	2.8	3	<1	<1	3	4	6	7	7
20-34	125	2.2	4	<1	<1	1	3	4	7	12
35-49	52	2.6	8	<1	<1	1	4	5	8	17
50-64	15	3.4	6	1	2	3	3	9	10	10
65+	12	7.6	307	1	2	2	3	24	57	63
TOTAL SINGLE DX	83	1.6	1	<1	<1	<1	2	3	4	6
TOTAL MULTIPLE DX	223	2.7	22	<1	<1	1	3	5	8	14
TOTAL										
0-19 YRS	28	2.3	3	<1	<1	1	3	5	6	7
20-34	173	2.0	4	<1	<1	<1	3	4	6	11
35-49	68	2.3	7	<1	<1	<1	3	5	6	16
50-64	23	3.3	5	1	2	3	3	7	9	10
65+	14	6.9	263	1	2	2	3	13	52	63
GRAND TOTAL	306	2.4	17	<1	<1	1	3	5	6	12

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	13	2.8	1	1	2	3	4	5	5	5
35-49	70	3.7	2	1	3	4	5	5	6	7
50-64	129	3.6	1	2	3	4	4	6	6	7
65+	108	4.2	3	2	3	4	5	7	7	10
2. MULTIPLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	29	3.4	2	1	2	3	5	6	6	6
35-49	156	4.9	14	3	3	4	5	7	9	20
50-64	226	4.5	5	2	3	4	5	7	8	13
65+	300	5.0	4	3	4	5	6	8	9	12
TOTAL SINGLE DX	321	3.8	3	2	3	4	5	6	7	8
TOTAL MULTIPLE DX	713	4.8	7	2	3	4	6	7	8	14
TOTAL										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	42	3.2	2	1	2	3	5	5	6	6
35-49	226	4.5	11	2	3	4	5	7	8	15
50-64	355	4.2	4	2	3	4	5	6	7	12
65+	408	4.8	4	2	4	5	6	7	8	11
GRAND TOTAL	1034	4.5	6	2	3	4	5	7	8	12

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	2.4	6	1	1	1	3	8	8	9
20-34	41	2.9	5	<1	1	2	3	5	7	12
35-49	14	2.4	2	1	2	2	3	4	6	6
50-64	9	5.4	45	1	2	4	5	16	23	23
65 +	6	3.8	3	2	2	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	31	4.5	50	1	1	2	6	9	10	40
20-34	37	3.6	10	1	2	3	4	7	11	16
35-49	27	4.2	5	1	3	4	5	7	10	10
50-64	18	5.2	9	2	3	5	7	11	12	12
65 +	26	8.6	40	3	5	7	9	19	24	28
TOTAL SINGLE DX	96	3.0	9	1	1	2	4	6	8	18
TOTAL MULTIPLE DX	139	5.1	26	1	2	4	7	10	13	29
TOTAL										
0-19 YRS	57	3.5	31	1	1	2	4	8	9	38
20-34	78	3.2	8	1	1	3	4	6	9	15
35-49	41	3.6	5	1	2	3	5	6	8	10
50-64	27	5.3	20	1	3	4	6	11	14	23
65 +	32	7.7	36	3	4	6	9	16	23	28
GRAND TOTAL	235	4.2	20	1	2	3	5	8	11	24

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	2.8	23	<1	<1	1	2	5	12	26
20-34	51	2.1	3	<1	<1	1	3	4	7	8
35-49	20	2.8	3	<1	<1	2	4	5	6	6
50-64	15	2.7	5	<1	<1	2	3	7	8	8
65 +	16	3.8	10	1	1	4	4	8	11	13
2. MULTIPLE DX										
0-19 YRS	32	4.1	33	<1	1	2	4	11	15	29
20-34	108	3.9	16	<1	<1	3	5	9	11	20
35-49	62	6.2	79	<1	<1	4	7	12	22	49
50-64	36	4.3	15	<1	1	3	5	10	13	19
65 +	77	6.2	30	1	3	4	8	13	15	31
TOTAL SINGLE DX	137	2.6	9	<1	<1	1	4	5	8	15
TOTAL MULTIPLE DX	315	5.0	35	<1	1	3	6	11	14	31
TOTAL										
0-19 YRS	67	3.4	28	<1	<1	1	3	10	13	28
20-34	159	3.3	13	<1	<1	2	4	8	10	15
35-49	82	5.4	63	<1	<1	4	6	10	19	48
50-64	51	3.8	13	<1	1	3	5	8	11	19
65 +	93	5.8	27	1	2	4	8	12	14	29
GRAND TOTAL	452	4.3	28	<1	1	3	5	10	13	28

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	1.6		<1	<1	1	2	3	3	4
20-34	73	1.8	4	<1	<1	<1	2	4	5	14
35-49	41	1.3		<1	<1	<1	1	2	3	4
50-64	14	1.6	2	<1	<1	1	2	3	6	7
65 +	11	2.1	3	<1	<1	<1	3	5	7	7
2. MULTIPLE DX										
0-19 YRS	34	5.1	101	1	1	3	4	8	19	58
20-34	58	3.7	26	<1	1	2	4	7	9	35
35-49	41	6.5	53	1	2	4	8	15	26	32
50-64	28	7.2	92	<1	1	3	9	28	40	99 +
65 +	33	10.3	195	2	3	6	12	41	57	99 +
TOTAL SINGLE DX	177	1.7	3	<1	<1	<1	2	3	4	8
TOTAL MULTIPLE DX	194	6.1	87	<1	2	3	6	15	32	81
TOTAL										
0-19 YRS	72	3.2	51	<1	<1	2	3	4	8	50
20-34	131	2.7	15	<1	<1	1	3	5	8	20
35-49	82	3.9	34	<1	<1	1	4	9	15	31
50-64	42	5.3	68	<1	<1	2	7	19	34	99 +
65 +	44	8.3	159	<1	2	4	8	32	49	99 +
GRAND TOTAL	371	4.0	51	<1	<1	2	4	8	16	55

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	4.7	12	1	2	5	7	8	8	8
35-49	9	3.1	4	<1	1	3	5	6	6	6
50-64	4	5.8	11	<1	3	6	8	9	9	9
65 +	8	4.0	8	<1	1	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	7.8	35	1	3	7	12	16	17	17
35-49	14	9.6	34	3	7	8	10	21	23	23
50-64	14	9.2	43	3	5	8	11	17	24	26
65 +	37	10.7	88	2	4	8	13	22	28	48
TOTAL SINGLE DX	24	4.0	8	<1	1	4	6	8	9	9
TOTAL MULTIPLE DX	72	9.8	63	2	4	8	12	19	25	44
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	6.8	27	1	3	6	9	15	17	17
35-49	23	7.0	33	1	3	6	9	14	22	23
50-64	18	8.4	37	2	5	7	10	16	22	26
65 +	45	9.5	80	2	3	7	13	18	26	48
GRAND TOTAL	96	8.4	56	1	3	7	10	18	23	40

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	1.4		<1	1	1	2	2	3	4
20-34	21	1.9	1	1	1	2	2	4	4	5
35-49	9	2.0		<1	1	2	3	3	3	3
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	13	3.6	12	1	1	3	4	9	12	13
20-34	26	2.3	3	1	1	2	2	5	6	8
35-49	11	4.9	77	1	1	2	4	16	30	31
50-64	3	5.0	28	1	1	3	9	11	11	11
65+	3	10.7	30	5	6	11	15	16	16	16
TOTAL SINGLE DX	53	1.8	1	<1	1	1	2	3	4	7
TOTAL MULTIPLE DX	56	3.7	24	1	1	2	4	8	12	30
TOTAL										
0-19 YRS	33	2.2	6	<1	1	1	2	5	8	13
20-34	47	2.1	2	1	1	2	2	4	5	8
35-49	20	3.6	43	1	1	2	3	5	18	31
50-64	5	3.8	17	<1	1	3	5	11	11	11
65+	4	9.8	24	5	6	9	13	16	16	16
GRAND TOTAL	109	2.8	14	1	1	2	3	6	8	22

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.0		<1	<1	<1	1	1	1	1
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	12	5.3	67	<1	<1	1	6	20	25	26
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65+	9	12.8	291	<1	2	3	21	42	46	46
TOTAL SINGLE DX	11	1.0		<1	<1	<1	1	1	1	1
TOTAL MULTIPLE DX	24	7.7	152	<1	<1	2	7	27	40	46
TOTAL										
0-19 YRS	21	3.5	42	<1	<1	1	1	12	22	26
20-34	4	1.3		<1	<1	<1	1	2	2	2
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65+	9	12.8	291	<1	2	3	21	42	46	46
GRAND TOTAL	35	5.6	112	<1	<1	1	3	18	34	46

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	660	2.3		2	2	2	3	3	3	4
20-34	2719	2.3		2	2	2	3	3	3	4
35-49	170	2.4		2	2	2	3	3	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	939	2.9	3	2	2	3	3	4	5	9
20-34	3900	2.7	4	2	2	2	3	4	4	9
35-49	343	3.3	24	2	2	3	3	4	5	17
50-64	0									
65+	0									
TOTAL SINGLE DX	3549	2.3	1	2	2	2	3	3	3	4
TOTAL MULTIPLE DX	5182	2.8	5	2	2	2	3	4	5	9
TOTAL										
0-19 YRS	1599	2.6	2	2	2	2	3	4	4	7
20-34	6619	2.6	3	2	2	2	3	3	4	7
35-49	513	3.0	17	2	2	2	3	4	5	12
50-64	0									
65+	0									
GRAND TOTAL	8731	2.6	4	2	2	2	3	3	4	7

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.4		1	2	3	3	3	3	3
20-34	26	2.2		2	2	2	2	3	4	4
35-49	7	1.9		1	2	2	2	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	32	3.6	56	1	1	2	3	5	5	44
20-34	108	2.9	6	1	1	2	3	6	9	14
35-49	15	5.5	116	1	1	3	3	8	35	44
50-64	0									
65+	0									
TOTAL SINGLE DX	40	2.2		2	2	2	3	3	3	4
TOTAL MULTIPLE DX	155	3.3	27	1	1	2	3	6	9	42
TOTAL										
0-19 YRS	39	3.4	46	1	1	2	3	5	5	44
20-34	134	2.7	5	1	2	2	3	5	7	13
35-49	22	4.3	81	1	2	2	3	5	22	44
50-64	0									
65+	0									
GRAND TOTAL	195	3.0	22	1	2	2	3	5	7	32

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	330	2.3		2	2	2	3	3	4	5
20-34	1271	2.3		2	2	2	3	3	3	4
35-49	73	2.4		1	2	2	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	438	2.6	1	2	2	2	3	4	5	7
20-34	2151	2.7	2	2	2	2	3	4	4	8
35-49	234	3.0	14	2	2	3	3	4	5	12
50-64	0									
65 +	0									
TOTAL SINGLE DX	1674	2.3	1	2	2	2	3	3	3	5
TOTAL MULTIPLE DX	2823	2.7	3	2	2	2	3	4	5	8
TOTAL										
0-19 YRS	768	2.5	1	2	2	2	3	4	4	7
20-34	3422	2.5	2	2	2	2	3	3	4	7
35-49	307	2.9	12	2	2	2	3	4	4	10
50-64	0									
65 +	0									
GRAND TOTAL	4497	2.5	2	2	2	2	3	3	4	7

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5409	2.2	1	1	2	2	2	3	3	4
20-34	19756	2.1		1	2	2	2	3	3	4
35-49	1321	2.1		1	2	2	2	3	3	4
50-64	3	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3119	2.7	4	1	2	2	3	4	5	10
20-34	13238	2.6	4	1	2	2	3	4	5	10
35-49	1228	2.8	7	2	2	2	3	4	5	11
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	26489	2.1	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	17586	2.6	5	1	2	2	3	4	5	10
TOTAL										
0-19 YRS	8528	2.3	2	1	2	2	3	3	4	7
20-34	32994	2.3	2	1	2	2	3	3	4	7
35-49	2549	2.4	4	1	2	2	3	3	4	8
50-64	4	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	44075	2.3	2	1	2	2	3	3	4	7

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	662	4.2	1	3	3	4	5	5	6	9
20-34	3850	3.9	1	3	3	4	4	5	5	7
35-49	294	4.3	15	3	4	4	4	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2300	5.3	12	3	4	4	6	8	10	17
20-34	13629	4.7	11	3	4	4	5	6	8	17
35-49	1626	5.0	17	3	4	4	5	7	9	21
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	4806	3.9	3	3	3	4	4	5	5	7
TOTAL MULTIPLE DX	17556	4.8	12	3	4	4	5	6	8	17
TOTAL										
0-19 YRS	2962	5.0	10	3	4	4	5	7	9	16
20-34	17479	4.5	10	3	3	4	5	6	7	15
35-49	1920	4.9	17	3	4	4	5	6	8	21
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	22362	4.6	10	3	4	4	5	6	8	16

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	3.6		3	3	4	4	5	5	6
20-34	173	3.6	1	3	3	4	4	5	5	6
35-49	12	3.9	1	3	3	4	4	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	97	4.6	4	3	4	4	5	7	9	14
20-34	541	5.5	29	3	3	4	5	9	13	34
35-49	97	5.6	11	3	4	5	6	8	12	22
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
TOTAL SINGLE DX	230	3.6	1	3	3	4	4	5	5	6
TOTAL MULTIPLE DX	736	5.4	24	3	3	4	5	8	12	31
TOTAL										
0-19 YRS	142	4.3	3	3	3	4	5	6	8	11
20-34	714	5.0	23	3	3	4	5	7	11	31
35-49	109	5.4	10	3	4	4	6	8	12	20
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	966	5.0	19	3	3	4	5	7	11	29

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	32	3.3	2	1	2	3	4	5	6	8
35-49	3	3.0	3	1	2	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	55	3.1	3	1	1	3	4	6	7	8
35-49	10	4.0	6	1	2	3	5	8	10	10
50-64	0									
65 +	0									
TOTAL SINGLE DX	37	3.2	2	1	2	3	4	5	6	8
TOTAL MULTIPLE DX	66	3.4	5	1	2	3	4	6	7	12
TOTAL										
0-19 YRS	3	5.3	33	2	2	2	10	12	12	12
20-34	87	3.2	3	1	2	3	4	5	6	8
35-49	13	3.8	6	1	2	4	5	7	9	10
50-64	0									
65 +	0									
GRAND TOTAL	103	3.3	4	1	2	3	4	6	7	11

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	1.4		1	1	1	2	2	2	4
20-34	117	1.3		1	1	1	2	2	2	4
35-49	9	1.4		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	16	1.8	1	1	1	2	2	2	4	5
20-34	57	1.9	2	1	1	1	2	4	6	8
35-49	8	2.0	2	1	1	2	2	5	6	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	187	1.3		1	1	1	2	2	2	4
TOTAL MULTIPLE DX	81	1.9	2	1	1	1	2	4	5	8
TOTAL										
0-19 YRS	77	1.5	1	1	1	1	2	2	2	5
20-34	174	1.5	1	1	1	1	2	2	3	7
35-49	17	1.7	1	1	1	1	2	2	5	6
50-64	0									
65 +	0									
GRAND TOTAL	268	1.5	1	1	1	1	2	2	3	6

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	2.9	3	1	2	2	4	5	6	7
20-34	58	4.0	13	<1	2	3	4	8	13	19
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	36	4.8	8	1	3	4	7	9	10	12
20-34	106	6.4	75	1	2	4	7	11	20	55
35-49	6	5.2	8	2	3	4	7	10	10	10
50-64	0									
65 +	0									
TOTAL SINGLE DX	77	3.7	11	1	2	3	4	8	10	18
TOTAL MULTIPLE DX	148	5.9	57	1	2	4	7	10	14	48
TOTAL										
0-19 YRS	53	4.2	7	1	2	4	6	8	9	12
20-34	164	5.5	55	1	2	4	6	10	16	46
35-49	8	4.8	7	2	3	4	6	9	10	10
50-64	0									
65 +	0									
GRAND TOTAL	225	5.2	42	1	2	4	6	9	13	39

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	156	1.9	1	<1	1	2	2	3	4	7
20-34	807	2.2	7	<1	1	2	2	3	5	12
35-49	82	2.0	3	<1	1	1	2	4	5	10
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	161	2.8	7	<1	1	2	3	5	7	15
20-34	701	3.2	17	1	1	2	3	6	9	23
35-49	56	3.7	29	1	2	3	3	6	6	34
50-64	0									
65 +	0									
TOTAL SINGLE DX	1046	2.1	6	<1	1	2	2	3	5	10
TOTAL MULTIPLE DX	918	3.1	16	1	1	2	3	6	9	23
TOTAL										
0-19 YRS	317	2.3	5	<1	1	2	3	4	6	14
20-34	1508	2.6	12	<1	1	2	3	4	7	20
35-49	138	2.7	14	<1	1	2	3	5	6	28
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	1964	2.6	11	<1	1	2	3	4	7	19

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	609	2.1	1	1	2	2	2	3	3	4
20-34	2080	2.0		1	2	2	2	3	3	4
35-49	155	2.0		1	2	2	2	3	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	885	2.5	2	1	2	2	3	3	4	8
20-34	3697	2.4	2	1	2	2	3	3	4	7
35-49	340	2.4	2	1	2	2	3	4	4	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	2844	2.0	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	4922	2.4	3	1	2	2	3	3	4	7
TOTAL										
0-19 YRS	1494	2.3	2	1	2	2	3	3	4	7
20-34	5777	2.3	2	1	2	2	3	3	4	7
35-49	495	2.3	2	1	2	2	3	3	4	7
50-64	0									
65 +	0									
GRAND TOTAL	7766	2.3	2	1	2	2	3	3	4	7

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	3.6	24	<1	1	1	4	10	17	18
20-34	7	4.6	18	2	2	2	7	12	13	13
35-49	8	2.4	1	<1	1	2	3	4	4	4
50-64	4	2.5	5	<1	<1	1	4	6	6	6
65 +	4	5.8	10	3	3	6	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	13	5.0	48	<1	1	2	5	17	22	23
20-34	11	6.8	30	2	2	5	9	16	17	17
35-49	17	8.2	52	1	2	5	14	17	22	25
50-64	30	6.6	28	<1	2	5	11	14	16	19
65 +	20	11.4	119	2	4	7	12	32	34	35
TOTAL SINGLE DX	35	3.6	14	1	1	2	4	8	12	18
TOTAL MULTIPLE DX	91	7.7	58	1	2	5	12	17	25	35
TOTAL										
0-19 YRS	25	4.3	36	1	1	1	4	15	19	23
20-34	18	5.9	25	2	2	3	9	15	17	17
35-49	25	6.4	43	1	2	3	10	17	19	25
50-64	34	6.1	27	<1	2	4	10	14	16	19
65 +	24	10.5	105	2	4	7	11	30	34	35
GRAND TOTAL	126	6.6	49	1	2	3	9	16	20	34

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	90	2.3	1	1	2	2	3	4	4	6
20-34	139	2.1		1	1	2	2	3	3	5
35-49	102	2.1		1	2	2	2	3	4	5
50-64	27	1.9	2	<1	1	2	2	3	6	7
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	155	3.0	7	1	2	2	3	4	7	14
20-34	166	2.7	9	1	2	2	3	4	5	9
35-49	105	2.7	3	1	2	2	3	5	7	11
50-64	37	3.4	20	1	2	2	3	5	15	24
65 +	16	3.6	6	1	2	3	5	10	68	99 +
TOTAL SINGLE DX	359	2.1	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	479	2.9	8	1	2	2	3	4	7	16
TOTAL										
0-19 YRS	245	2.7	5	1	2	2	3	4	6	9
20-34	305	2.4	5	1	2	2	3	3	4	7
35-49	207	2.4	2	1	2	2	3	4	5	9
50-64	64	2.8	13	1	1	2	3	5	8	23
65 +	17	3.5	6	1	2	3	5	9	64	99 +
GRAND TOTAL	838	2.6	5	1	2	2	3	4	5	10

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	2.8	5	1	1	2	3	6	9	11
20-34	36	2.3	1	1	1	2	3	4	5	5
35-49	10	1.9	1	1	1	2	2	3	4	4
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	68	4.5	22	1	2	3	5	11	14	23
20-34	90	4.1	11	1	2	3	5	8	9	20
35-49	37	4.6	23	1	2	3	5	8	14	27
50-64	10	4.9	19	<1	2	3	7	12	15	15
65 +	5	13.2	129	1	6	8	22	30	30	30
TOTAL SINGLE DX	81	2.4	3	1	1	2	3	4	6	10
TOTAL MULTIPLE DX	210	4.6	21	1	2	3	5	9	14	26
TOTAL										
0-19 YRS	101	4.0	17	1	2	2	5	9	13	23
20-34	126	3.6	9	1	2	3	4	7	8	15
35-49	47	4.0	20	1	2	3	5	8	13	27
50-64	12	4.6	16	1	2	3	6	11	14	15
65 +	5	13.2	130	1	6	8	22	30	30	30
GRAND TOTAL	291	4.0	17	1	2	3	5	8	11	25

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	1.7		1	1	2	2	3	3	4
20-34	103	3.0	4	1	1	3	4	6	7	11
35-49	42	2.8	4	1	1	2	4	6	7	9
50-64	8	4.0	10	1	1	4	6	9	10	10
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	111	6.0	53	1	2	4	7	14	19	75
20-34	275	5.8	40	1	2	4	7	12	18	41
35-49	134	6.1	30	2	3	4	7	14	20	42
50-64	33	8.3	80	1	3	6	11	19	33	35
65 +	29	7.7	36	1	3	5	11	17	19	21
TOTAL SINGLE DX	197	2.7	4	1	1	2	3	6	7	10
TOTAL MULTIPLE DX	582	6.2	43	1	2	4	7	14	19	41
TOTAL										
0-19 YRS	153	4.8	42	1	2	3	6	11	16	59
20-34	378	5.1	32	1	2	3	6	10	15	38
35-49	176	5.3	26	1	2	4	6	11	18	31
50-64	41	7.5	69	1	2	5	8	16	31	35
65 +	31	7.3	36	1	2	5	10	17	19	21
GRAND TOTAL	779	5.3	35	1	2	3	6	11	17	35

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	2.0	2	1	1	1	3	4	6	6
20-34	6	3.2	7	<1	1	2	6	7	7	7
35-49	13	2.5	8	<1	1	1	3	6	10	11
50-64	9	2.4	4	<1	<1	1	4	6	6	6
65 +	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	15	4.4	18	1	2	3	5	12	15	16
20-34	21	3.0	6	1	1	2	3	7	9	10
35-49	14	2.6	9	1	1	1	3	6	11	12
50-64	13	3.3	14	1	1	1	4	8	13	14
65 +	8	3.5	7	1	2	3	4	8	10	10
TOTAL SINGLE DX	42	2.4	5	<1	1	1	3	6	7	11
TOTAL MULTIPLE DX	71	3.3	11	1	1	2	4	8	12	16
TOTAL										
0-19 YRS	26	3.4	13	1	1	2	3	7	13	16
20-34	27	3.0	6	1	1	2	4	7	9	10
35-49	27	2.6	8	<1	1	1	3	5	11	12
50-64	22	3.0	10	<1	1	1	4	6	10	14
65 +	11	3.1	7	<1	1	3	4	7	10	10
GRAND TOTAL	113	3.0	9	1	1	2	4	6	10	15

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	51	4.7	13	2	2	4	5	8	11	21
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	108	7.5	133	2	3	5	7	12	25	70
20-34	4	9.3	11	7	7	8	11	14	14	14
35-49	6	10.2	39	5	7	8	12	21	22	22
50-64	1	5.0		5	5	5	5	5	5	5
65 +	7	11.3	68	4	6	8	14	26	28	28
TOTAL SINGLE DX	56	4.6	12	2	2	4	5	7	11	21
TOTAL MULTIPLE DX	126	7.9	120	3	3	5	7	14	25	66
TOTAL										
0-19 YRS	159	6.6	96	2	3	4	6	11	19	60
20-34	8	6.5	14	2	4	6	8	12	14	14
35-49	7	9.0	42	3	5	7	11	20	22	22
50-64	1	5.0		5	5	5	5	5	5	5
65 +	7	11.3	68	4	6	8	14	26	28	28
GRAND TOTAL	182	6.9	89	2	3	5	7	12	21	59

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	114	4.3	23	1	2	3	5	8	14	27
20-34	29	3.1	5	1	1	3	4	6	7	12
35-49	28	3.6	16	1	2	3	4	6	11	22
50-64	39	3.2	1	1	2	3	4	5	6	6
65 +	8	5.1	14	1	2	4	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	103	5.8	56	1	2	3	6	15	22	41
20-34	45	4.3	12	1	2	3	6	9	11	19
35-49	49	5.4	47	<1	2	3	6	13	31	99 +
50-64	64	4.9	58	1	2	3	5	8	11	55
65 +	43	8.9	195	1	3	4	8	21	35	81
TOTAL SINGLE DX	218	3.9	16	1	2	3	4	7	10	22
TOTAL MULTIPLE DX	304	5.8	69	1	2	3	6	11	19	56
TOTAL										
0-19 YRS	217	5.0	39	1	2	3	5	10	18	32
20-34	74	3.8	10	1	2	3	5	6	10	18
35-49	77	4.8	36	1	2	3	5	11	20	82
50-64	103	4.2	37	1	2	3	5	6	9	37
65 +	51	8.3	168	1	3	4	8	17	34	81
GRAND TOTAL	522	5.0	48	1	2	3	5	9	16	36

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	1.9		1	1	2	3	3	4	4
20-34	30	1.6		1	1	1	2	3	4	4
35-49	38	2.0	1	1	1	2	3	4	4	5
50-64	35	2.0	1	<1	1	1	3	4	4	6
65+	14	2.3	1	1	2	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	21	2.0	3	<1	1	2	2	3	6	10
20-34	49	1.8	1	<1	<1	1	2	3	5	6
35-49	146	1.9	1	<1	<1	1	3	4	5	7
50-64	209	2.3	2	<1	1	2	3	4	5	8
65+	175	2.4	3	<1	1	2	3	4	5	10
TOTAL SINGLE DX	133	1.9	1	1	1	2	2	4	4	5
TOTAL MULTIPLE DX	600	2.2	3	<1	1	2	3	4	5	8
TOTAL										
0-19 YRS	37	1.9	2	<1	1	2	2	3	4	10
20-34	79	1.7	1	<1	<1	1	2	3	4	6
35-49	184	1.9	2	<1	1	2	3	4	4	6
50-64	244	2.2	3	<1	1	2	3	4	5	7
65+	189	2.4	4	<1	1	2	3	4	5	10
GRAND TOTAL	733	2.1	3	<1	1	2	3	4	5	7

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	77	5.3	45	1	1	3	7	11	19	37
20-34	29	4.3	16	1	1	3	5	11	13	16
35-49	18	3.5	12	1	2	3	4	4	12	17
50-64	7	1.6		1	1	2	2	2	2	2
65+	3	7.0	21	3	4	6	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	49	11.1	198	2	4	7	12	24	33	92
20-34	35	13.9	192	3	4	8	20	38	53	99+
35-49	28	19.3	593	2	3	6	28	57	80	93
50-64	27	13.1	189	1	3	7	19	38	41	44
65+	27	14.6	156	2	7	14	18	38	62	99+
TOTAL SINGLE DX	134	4.7	32	1	1	3	5	11	17	32
TOTAL MULTIPLE DX	166	14.0	257	2	4	8	18	37	46	99
TOTAL										
0-19 YRS	126	7.6	112	1	2	4	9	17	24	52
20-34	64	9.5	135	1	2	5	13	30	40	94
35-49	46	13.1	422	2	3	4	17	38	67	93
50-64	34	10.7	172	1	2	5	13	36	40	44
65+	30	13.8	147	3	6	12	18	31	57	99+
GRAND TOTAL	300	9.8	177	1	2	5	12	26	39	92

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	290	3.9	27	1	1	2	4	8	14	28
20-34	194	3.6	13	1	1	3	4	8	12	68
35-49	152	3.4	14	1	1	2	4	7	11	17
50-64	108	3.4	13	1	1	2	4	7	8	21
65+	47	4.0	18	<1	1	3	5	10	13	23
2. MULTIPLE DX										
0-19 YRS	209	10.4	139	2	3	6	13	26	34	51
20-34	246	8.5	92	1	2	5	10	23	28	55
35-49	277	7.8	139	1	2	3	8	20	35	82
50-64	272	8.2	86	1	2	4	11	22	30	42
65+	300	10.0	110	1	3	7	14	22	28	53
TOTAL SINGLE DX	791	3.7	19	1	1	2	4	8	12	28
TOTAL MULTIPLE DX	1304	8.9	113	1	2	5	11	22	31	54
TOTAL										
0-19 YRS	499	6.6	85	1	2	3	7	16	26	47
20-34	440	6.4	63	1	2	3	8	18	24	57
35-49	429	6.2	100	1	1	3	7	15	25	75
50-64	380	6.8	70	1	2	4	8	17	27	41
65+	347	9.2	102	1	3	6	13	21	27	50
GRAND TOTAL	2095	6.9	84	1	2	3	8	18	26	50

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	189	4.4	28	1	2	3	5	7	14	32
20-34	16	6.8	12	2	4	7	9	10	14	15
35-49	9	10.1	240	1	3	6	8	34	51	51
50-64	17	6.9	13	3	4	6	11	12	13	13
65+	19	9.7	28	3	6	9	13	15	20	24
2. MULTIPLE DX										
0-19 YRS	77	7.9	71	1	3	5	9	20	29	41
20-34	38	8.6	32	3	5	7	10	17	19	30
35-49	21	14.9	127	5	7	12	17	36	40	43
50-64	56	12.8	126	5	6	8	16	26	32	69
65+	216	13.4	67	6	8	11	16	22	30	48
TOTAL SINGLE DX	250	5.4	36	1	2	4	6	12	15	37
TOTAL MULTIPLE DX	408	11.9	81	4	6	10	15	22	30	46
TOTAL										
0-19 YRS	266	5.4	43	1	2	4	5	12	20	37
20-34	54	8.0	27	3	4	7	10	15	18	30
35-49	30	13.5	160	4	5	8	16	36	43	51
50-64	73	11.4	106	4	6	8	13	22	29	63
65+	235	13.1	65	6	8	11	16	21	29	47
GRAND TOTAL	658	9.4	74	2	4	7	12	19	26	44

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	92	3.4	15	1	1	2	4	7	7	24
20-34	52	3.6	14	1	1	3	4	6	11	22
35-49	29	6.7	84	1	2	5	7	16	20	48
50-64	17	4.1	5	1	3	4	5	8	9	10
65 +	6	4.3	5	1	3	4	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	61	4.3	37	1	2	3	5	8	12	35
20-34	86	4.9	22	1	2	4	6	9	15	28
35-49	69	5.9	34	2	2	4	6	13	17	30
50-64	49	7.4	43	2	3	6	9	15	21	34
65 +	46	8.4	24	2	4	6	12	15	17	20
TOTAL SINGLE DX	196	4.0	25	1	1	3	5	7	11	24
TOTAL MULTIPLE DX	311	5.9	33	1	2	4	7	13	17	32
TOTAL										
0-19 YRS	153	3.8	24	1	1	2	4	7	9	33
20-34	138	4.4	20	1	2	3	5	8	13	26
35-49	98	6.1	48	1	2	4	6	14	18	40
[illegible]-64	66	6.5	35	2	3	5	8	11	21	33
65 +	52	8.0	24	2	4	7	11	15	17	20
GRAND TOTAL	507	5.2	31	1	2	3	6	11	17	30

718: Removal of internal fixation device (76.[illegible] 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	208	1.5	1	<1	<1	1	2	2	4	8
20-34	160	2.3	3	<1	1	1	3	4	7	9
35-49	110	2.8	8	<1	1	2	3	6	10	14
50-64	61	2.5	6	<1	1	1	3	6	9	12
65 +	43	4.4	40	<1	1	2	5	12	19	31
2. MULTIPLE DX										
0-19 YRS	145	4.7	54	<1	1	2	5	10	21	38
20-34	125	5.0	23	1	2	3	6	13	16	43
35-49	95	5.6	36	1	2	3	7	11	18	33
50-64	81	7.1	103	1	2	4	8	17	31	87
65 +	110	9.6	87	1	3	7	13	21	28	47
TOTAL SINGLE DX	582	2.3	7	<1	1	1	2	4	7	13
TOTAL MULTIPLE DX	556	6.2	61	1	2	3	8	15	21	48
TOTAL										
0-19 YRS	353	2.8	26	<1	1	1	2	6	9	31
20-34	285	3.5	14	1	1	2	4	8	13	22
35-49	205	4.1	24	1	1	2	5	10	13	22
50-64	142	5.1	67	1	1	2	7	11	19	62
65 +	153	8.2	80	1	2	5	11	20	26	47
GRAND TOTAL	1138	4.2	38	<1	1	2	4	10	16	35

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	48	8.1	55	2	3	5	10	19	25	35
20-34	18	8.2	44	4	5	6	10	11	24	33
35-49	15	4.9	3	2	4	5	6	7	8	8
50-64	12	6.1	3	3	5	6	7	8	9	9
65 +	50	11.3	27	6	8	11	13	16	20	32
2. MULTIPLE DX										
0-19 YRS	52	14.0	77	5	8	11	20	28	31	39
20-34	55	10.7	30	5	7	10	14	16	21	33
35-49	39	13.6	96	5	7	10	17	29	33	50
50-64	51	12.7	127	5	7	10	13	23	30	68
65 +	322	15.8	162	8	9	12	17	30	45	99 +
TOTAL SINGLE DX	143	8.7	38	3	5	7	11	16	21	33
TOTAL MULTIPLE DX	519	14.6	134	7	9	12	15	27	39	88
TOTAL										
0-19 YRS	100	11.2	75	3	[illegible]	9	15	25	30	37
20-34	73	10.1	35	4	6	9	12	15	21	33
35-49	54	11.2	85	4	5	8	14	22	31	49
50-64	63	11.4	111	5	6	9	12	17	28	66
65 +	372	15.2	146	7	9	12	16	28	41	99
GRAND TOTAL	662	13.3	119	5	8	11	15	25	34	77

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	6.5	16	2	4	5	8	11	14	23
20-34	37	9.8	44	5	6	8	11	15	24	38
35-49	31	8.5	62	4	5	7	9	12	13	48
50-64	58	11.3	120	5	7	8	11	17	29	68
65 +	147	11.5	20	7	9	11	14	17	19	23
2. MULTIPLE DX										
0-19 YRS	118	12.5	100	4	6	9	15	24	37	50
20-34	131	14.7	127	6	8	11	17	26	38	55
35-49	120	17.1	225	6	8	12	21	36	46	90
50-64	200	14.4	86	7	8	12	17	28	35	56
65 +	1724	14.8	85	7	9	12	17	25	32	58
TOTAL SINGLE DX	335	10.1	47	4	6	9	12	16	19	40
TOTAL MULTIPLE DX	2293	14.7	97	7	9	12	17	26	35	57
TOTAL										
0-19 YRS	180	10.5	80	4	5	8	13	18	30	47
20-34	168	13.6	113	5	7	11	16	25	38	52
35-49	151	15.3	204	5	7	10	18	33	46	88
50-64	258	13.7	96	6	8	10	17	25	34	57
65 +	1871	14.5	81	7	9	12	17	24	32	57
GRAND TOTAL	2628	14.1	93	6	9	12	16	25	33	56

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	181	7.0	73	1	2	4	9	18	22	40
20-34	3	14.3	352	3	3	4	28	36	36	36
35-49	4	3.0	11	<1	<1	1	5	8	8	8
50-64	1	8.0		8	8	8	8	8	8	8
65 +	5	7.8	105	2	2	4	10	26	26	26
2. MULTIPLE DX										
0-19 YRS	96	11.5	102	2	3	7	19	27	32	73
20-34	11	26.5	513	8	11	15	39	64	74	75
35-49	7	16.4	154	4	8	13	26	36	37	37
50-64	10	16.7	201	4	6	13	26	38	49	49
65 +	41	17.6	300	4	7	11	21	47	57	75
TOTAL SINGLE DX	194	7.0	76	1	2	4	9	19	24	40
TOTAL MULTIPLE DX	165	14.5	199	2	5	10	20	33	46	75
TOTAL										
0-19 YRS	277	8.5	88	1	2	5	12	21	27	42
20-34	14	23.9	476	4	8	13	36	59	71	75
35-49	11	11.5	142	1	2	8	14	33	37	37
50-64	11	15.9	188	4	6	8	24	35	48	49
65 +	46	16.6	286	4	8	10	20	45	56	75
GRAND TOTAL	359	10.5	146	1	2	6	15	26	37	62

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	246	2.1	3	1	1	2	2	4	5	13
20-34	51	3.3	7	<1	1	3	5	7	9	14
35-49	40	3.9	12	1	2	3	5	9	12	15
50-64	29	2.9	5	1	1	2	3	7	8	10
65 +	18	4.7	54	1	1	2	3	13	24	30
2. MULTIPLE DX										
0-19 YRS	62	4.3	18	1	1	3	7	10	17	89
20-34	51	6.6	59	1	3	4	7	12	28	37
35-49	34	5.9	19	3	3	5	7	9	10	27
50-64	42	7.0	39	1	3	5	9	14	23	28
65 +	43	7.7	48	1	2	6	10	19	21	32
TOTAL SINGLE DX	384	2.7	8	1	1	2	3	5	8	15
TOTAL MULTIPLE DX	232	6.2	38	1	2	4	8	13	21	35
TOTAL										
0-19 YRS	308	2.6	8	1	1	2	3	5	8	17
20-34	102	5.0	36	1	2	3	6	9	14	35
35-49	74	4.8	16	1	2	4	6	9	11	24
50-64	71	5.4	30	1	2	4	7	12	15	27
65 +	61	6.6	51	1	2	4	9	19	21	32
GRAND TOTAL	616	4.0	22	1	1	2	5	9	13	28

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	581	2.6	6	1	1	2	3	5	6	14
20-34	547	3.5	6	1	2	3	5	6	8	12
35-49	486	3.6	6	1	2	3	5	6	8	12
50-64	345	4.3	7	1	3	4	5	8	10	14
65 +	170	4.5	9	2	2	4	5	9	11	15
2. MULTIPLE DX										
0-19 YRS	286	6.8	75	1	2	4	7	16	23	50
20-34	560	6.8	59	2	3	5	8	14	16	43
35-49	542	7.7	88	2	3	5	8	17	24	59
50-64	447	7.0	48	2	3	5	8	14	20	41
65 +	512	8.6	95	3	4	6	10	16	21	57
TOTAL SINGLE DX	2129	3.5	7	1	2	3	4	6	8	13
TOTAL MULTIPLE DX	2347	7.5	74	2	3	5	8	15	22	48
TOTAL										
0-19 YRS	867	4.0	33	1	1	2	4	8	12	32
20-34	1107	5.2	36	1	2	4	6	10	14	34
35-49	1028	5.8	54	1	2	4	6	10	16	42
50-64	792	5.8	33	2	3	4	7	11	16	29
65 +	682	7.6	77	2	3	6	9	14	18	50
GRAND TOTAL	4476	5.6	46	1	2	4	6	11	16	39

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	760	2.0	4	<1	1	1	2	4	5	10
20-34	153	3.4	7	1	2	3	4	6	9	12
35-49	99	3.1	5	1	1	3	4	6	7	14
50-64	80	2.9	4	1	1	2	3	6	8	10
65 +	53	2.8	5	1	1	2	3	6	7	13
2. MULTIPLE DX										
0-19 YRS	261	6.3	132	1	1	3	6	12	26	62
20-34	141	6.3	67	1	2	4	7	13	20	47
35-49	128	8.1	114	1	2	4	9	17	27	59
50-64	136	7.0	59	1	2	4	9	17	20	38
65 +	250	7.4	69	2	3	5	9	15	22	42
TOTAL SINGLE DX	1145	2.4	6	1	1	2	3	5	6	12
TOTAL MULTIPLE DX	916	6.9	92	1	2	4	8	15	23	56
TOTAL										
0-19 YRS	1021	3.1	41	1	1	1	3	5	9	37
20-34	294	4.8	38	1	2	3	5	9	13	41
35-49	227	5.9	73	1	2	4	6	13	17	49
50-64	216	5.5	43	1	2	3	6	13	17	29
65 +	303	6.6	61	1	2	4	8	14	20	41
GRAND TOTAL	2061	4.4	49	1	1	2	5	9	15	42

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	85	5.8	30	1	2	4	7	15	19	24
20-34	7	3.9	17	1	1	3	4	11	13	13
35-49	5	8.2	37	1	4	6	14	16	16	16
50-64	9	2.7	2	1	2	2	4	5	5	5
65 +	18	6.2	28	<1	1	5	10	14	16	17
2. MULTIPLE DX										
0-19 YRS	57	6.8	23	3	3	5	8	14	17	23
20-34	15	15.0	321	1	4	7	18	43	58	63
35-49	7	15.6	288	<1	3	9	30	42	43	43
50-64	16	14.9	174	2	3	13	20	36	40	42
65 +	50	10.5	154	1	5	6	12	24	30	77
TOTAL SINGLE DX	124	5.6	28	1	2	4	7	14	17	[illegible]
TOTAL MULTIPLE DX	145	10.2	134	2	3	6	13	23	35	64
TOTAL										
0-19 YRS	142	6.2	28	2	3	4	7	15	18	23
20-34	22	11.5	247	1	3	5	16	35	51	63
35-49	12	12.5	185	1	3	7	15	38	42	43
50-64	25	10.5	146	2	2	4	17	35	37	42
65 +	68	9.4	124	1	3	6	12	20	30	69
GRAND TOTAL	269	8.1	90	1	3	5	10	18	24	43

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	1.8	2	<1	1	1	2	4	5	8
20-34	52	2.3	2	<1	1	2	3	4	5	7
35-49	45	2.5	2	1	1	2	3	5	6	8
50-64	20	2.4	2	1	1	2	3	5	6	7
65 +	9	1.7	1	<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	25	6.1	43	1	2	3	7	18	24	26
20-34	36	4.1	21	1	1	3	5	7	17	21
35-49	35	4.7	23	1	1	4	6	10	15	25
50-64	33	6.4	44	1	2	4	8	16	17	33
65 +	40	7.4	53	1	2	5	11	26	58	99 +
TOTAL SINGLE DX	175	2.2	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	169	5.7	38	1	2	4	7	15	23	86
TOTAL										
0-19 YRS	74	3.2	20	1	1	2	3	7	9	25
20-34	88	3.0	11	1	1	2	4	6	7	20
35-49	80	3.5	13	1	1	2	4	7	9	22
50-64	53	4.9	32	1	2	3	5	12	16	33
65 +	49	6.3	49	1	2	4	10	20	31	99 +
GRAND TOTAL	344	3.9	23	1	1	2	4	9	15	31

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	134	5.1	25	1	1	3	8	11	15	23
20-34	65	3.5	9	<1	1	3	4	7	11	15
35-49	57	3.9	22	<1	1	2	4	10	14	26
50-64	32	4.2	19	<1	1	2	6	11	15	17
65 +	13	9.5	96	2	3	5	13	23	34	36
2. MULTIPLE DX										
0-19 YRS	143	7.2	55	1	2	4	9	16	22	32
20-34	94	5.5	77	<1	1	3	5	15	21	51
35-49	91	7.5	118	1	2	4	7	21	25	60
50-64	71	9.1	161	<1	1	4	11	23	30	66
65 +	93	16.2	253	2	5	11	21	42	53	89
TOTAL SINGLE DX	301	4.6	25	1	1	3	6	11	15	24
TOTAL MULTIPLE DX	492	8.9	136	1	2	4	11	22	30	69
TOTAL										
0-19 YRS	277	6.2	42	1	2	4	8	14	20	30
20-34	159	4.7	51	<1	1	3	5	10	17	23
35-49	148	6.1	84	1	1	3	6	16	24	45
50-64	103	7.6	122	1	1	3	9	21	27	66
65 +	106	15.3	238	2	5	10	20	41	48	86
GRAND TOTAL	793	7.3	98	1	2	4	9	18	25	59

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	4	3.3	5	1	1	3	5	6	6	6
35-49	2	8.0	8	6	6	8	10	10	10	10
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	3	4.3	4	2	3	5	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
TOTAL SINGLE DX	7	4.3	11	1	1	4	6	9	10	10
TOTAL MULTIPLE DX	3	4.3	4	2	3	5	6	6	6	6
TOTAL										
0-19 YRS	0									
20-34	7	3.7	4	1	2	4	6	6	6	6
35-49	2	8.0	8	6	6	8	10	10	10	10
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	10	4.3	8	1	2	4	6	8	10	10

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	3.7	2	2	2	3	5	6	7	7
20-34	1080	4.5	6	2	3	4	6	7	9	14
35-49	1875	4.6	7	2	3	4	6	8	9	15
50-64	745	4.7	10	2	3	4	6	8	10	16
65 +	124	5.9	11	3	4	5	7	10	12	20
2. MULTIPLE DX										
0-19 YRS	26	10.0	27	3	6	9	13	19	20	21
20-34	401	6.6	26	2	3	5	8	12	15	26
35-49	1163	6.4	28	2	3	5	8	11	15	29
50-64	801	6.8	28	3	4	6	8	12	15	23
65 +	503	9.3	44	4	5	8	11	17	22	37
TOTAL SINGLE DX	3854	4.6	8	2	3	4	6	8	9	15
TOTAL MULTIPLE DX	2894	7.1	32	3	4	6	9	13	17	30
TOTAL										
0-19 YRS	56	6.7	24	2	3	5	9	14	19	21
20-34	1481	5.0	13	2	[illegible]	4	6	9	11	18
35-49	3038	5.3	16	2	[illegible]	4	6	9	12	21
50-64	1546	5.8	21	2	3	5	7	10	13	21
65 +	627	8.7	40	3	5	7	10	15	21	35
GRAND TOTAL	6748	5.7	20	2	3	5	7	10	13	22

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	1.2		<1	<1	<1	1	2	3	3
20-34	71	1.6	1	<1	<1	<1	2	3	4	6
35-49	61	1.6	1	<1	<1	<1	2	3	4	7
50-64	24	1.6	1	<1	<1	<1	1	4	5	5
65 +	11	1.5	1	<1	<1	<1	1	3	4	4
2. MULTIPLE DX										
0-19 YRS	55	2.2	2	<1	<1	1	3	4	5	6
20-34	112	2.7	6	<1	1	2	3	5	7	16
35-49	91	2.4	3	<1	<1	2	3	5	6	9
50-64	86	2.2	6	<1	<1	1	2	4	7	15
65 +	76	3.2	25	<1	1	1	2	7	17	27
TOTAL SINGLE DX	213	1.5	1	<1	<1	<1	1	3	4	6
TOTAL MULTIPLE DX	420	2.6	9	<1	<1	2	3	5	7	18
TOTAL										
0-19 YRS	101	1.8	2	<1	<1	1	2	4	4	6
20-34	183	2.3	5	<1	<1	1	3	4	5	14
35-49	152	2.0	3	<1	<1	1	2	4	6	8
50-64	110	2.1	6	<1	<1	1	2	4	6	13
65 +	87	3.0	23	<1	<1	1	2	6	15	26
GRAND TOTAL	633	2.2	6	<1	<1	1	3	4	6	16

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	2.3	7	<1	1	1	3	4	5	18
20-34	62	2.2	9	<1	<1	1	2	4	6	22
35-49	25	2.3	4	<1	<1	1	3	5	7	8
50-64	16	3.1	9	<1	<1	2	4	9	10	11
65 +	5	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	51	5.0	105	<1	1	2	4	7	34	58
20-34	65	3.2	12	1	1	2	4	6	13	15
35-49	38	4.6	39	1	1	2	4	14	21	26
50-64	33	6.1	74	1	1	2	8	15	27	41
65 +	22	8.6	112	1	1	4	15	25	31	39
TOTAL SINGLE DX	175	2.3	8	<1	<1	1	3	4	6	18
TOTAL MULTIPLE DX	209	4.9	61	1	1	2	4	13	21	40
TOTAL										
0-19 YRS	118	3.5	51	<1	1	2	3	5	8	44
20-34	127	2.8	11	<1	1	2	3	6	11	17
35-49	63	3.7	27	<1	1	1	4	10	15	26
50-64	49	5.1	54	<1	1	2	5	11	19	41
65 +	27	7.2	100	1	1	2	8	24	27	39
GRAND TOTAL	384	3.7	39	<1	1	2	4	8	15	37

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	54	5.4	157	<1	<1	2	6	9	12	82
20-34	65	2.0	3	<1	<1	1	2	4	5	10
35-49	78	1.9	1	<1	<1	1	2	4	5	7
50-64	38	3.0	12	<1	<1	1	4	6	12	16
65 +	19	1.7		<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	53	7.3	79	<1	1	4	11	21	24	98
20-34	92	4.1	51	<1	1	2	4	7	14	42
35-49	99	7.1	197	<1	1	2	5	17	35	78
50-64	100	5.4	80	1	1	2	6	12	19	55
65 +	125	8.4	146	1	1	3	11	21	36	61
TOTAL SINGLE DX	254	2.8	38	<1	<1	1	3	6	8	16
TOTAL MULTIPLE DX	469	6.5	119	<1	1	2	7	15	28	59
TOTAL										
0-19 YRS	107	6.3	119	<1	1	2	9	15	22	91
20-34	157	3.2	32	<1	<1	1	3	6	11	37
35-49	177	4.8	117	<1	1	2	3	9	19	57
50-64	138	4.7	63	<1	1	2	5	11	16	52
65 +	144	7.5	132	1	1	2	9	18	35	59
GRAND TOTAL	723	5.2	93	<1	1	2	5	12	21	55

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	230	7.9	12	5	6	7	9	10	13	28
20-34	94	6.7	13	2	4	6	8	10	14	21
35-49	157	5.9	12	2	3	5	8	10	12	18
50-64	72	6.5	12	3	4	6	8	11	14	19
65+	8	7.6	16	2	5	8	10	13	14	14
2. MULTIPLE DX										
0-19 YRS	244	12.0	92	6	7	9	14	20	27	67
20-34	132	13.3	154	4	7	10	15	40	63	99+
35-49	228	8.8	56	3	5	8	10	15	19	55
50-64	154	10.2	72	3	5	8	11	22	31	49
65+	102	12.4	104	5	7	9	15	24	27	61
TOTAL SINGLE DX	561	6.9	13	3	5	7	8	10	13	20
TOTAL MULTIPLE DX	860	11.1	92	4	6	9	12	20	30	85
TOTAL										
0-19 YRS	474	10.0	58	6	6	8	10	16	21	56
20-34	226	10.5	106	3	6	8	12	20	43	99+
35-49	385	7.6	41	3	4	7	9	13	16	31
50-64	226	9.0	56	3	5	7	10	16	24	46
65+	110	12.0	99	4	7	9	14	23	26	60
GRAND TOTAL	1421	9.4	65	4	6	8	10	17	23	61

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	3.0	2	1	2	3	4	5	6	7
20-34	42	2.6	2	1	2	3	4	4	5	8
35-49	53	3.2	3	1	2	3	4	6	7	8
50-64	55	2.8	4	1	1	2	4	6	7	10
65+	14	2.3	3	<1	1	2	2	6	6	6
2. MULTIPLE DX										
0-19 YRS	41	3.7	9	1	2	3	4	8	13	99+
20-34	52	4.2	11	1	2	3	5	9	12	16
35-49	88	5.0	33	1	2	4	6	8	9	40
50-64	75	4.2	8	1	2	3	6	8	9	16
65+	58	7.0	111	1	2	4	8	13	30	98
TOTAL SINGLE DX	197	2.9	3	1	1	3	4	5	6	8
TOTAL MULTIPLE DX	314	4.9	36	1	2	4	6	9	12	53
TOTAL										
0-19 YRS	74	3.4	7	1	2	3	4	7	9	79
20-34	94	3.6	8	1	2	3	4	6	10	15
35-49	141	4.3	23	1	2	3	5	7	8	37
50-64	130	3.6	7	1	2	3	5	7	9	13
65+	72	6.1	94	1	2	4	7	12	22	94
GRAND TOTAL	511	4.1	24	1	2	3	5	7	10	35

735: Total hip replacement (81.51; 81.59*) *(pre-October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	8.7		8	8	9	9	9	9	9
20-34	18	8.5	10	5	6	8	11	13	15	16
35-49	53	8.6	10	5	6	8	10	13	13	21
50-64	156	9.1	7	6	7	9	10	13	14	18
65+	227	10.5	10	7	8	10	12	15	16	22
2. MULTIPLE DX										
0-19 YRS	3	13.7	21	11	11	11	17	19	19	19
20-34	51	11.6	73	6	7	9	12	18	29	52
35-49	151	11.4	76	6	7	9	12	18	28	85
50-64	382	11.3	28	7	8	10	13	17	22	36
65+	1125	13.0	54	7	9	11	15	21	26	39
TOTAL SINGLE DX	457	9.7	10	6	8	9	11	14	15	21
TOTAL MULTIPLE DX	1712	12.5	52	7	9	11	14	19	25	40
TOTAL										
0-19 YRS	6	11.2	16	8	9	10	11	18	19	19
20-34	69	10.8	59	6	7	9	12	16	21	50
35-49	204	10.7	61	6	7	9	12	17	23	64
50-64	538	10.7	23	7	8	9	12	15	19	35
65+	1352	12.6	48	7	9	11	14	19	25	38
GRAND TOTAL	2169	11.9	44	7	8	10	13	18	23	38

736: Other arthroplasty of hip (81.40; 81.52-81.53; 81.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	3.4	4	<1	1	4	5	6	6	6
20-34	3	6.3	10	4	4	5	9	10	10	10
35-49	14	7.9	7	4	6	8	10	11	12	12
50-64	36	12.5	162	5	8	10	14	17	19	83
65+	169	11.6	24	7	9	11	14	17	19	31
2. MULTIPLE DX										
0-19 YRS	10	8.8	39	3	4	7	14	18	22	22
20-34	12	17.5	205	7	8	11	23	42	51	52
35-49	41	12.0	63	5	7	11	13	22	33	39
50-64	110	15.6	121	8	10	13	16	24	38	65
65+	1162	14.8	80	8	10	13	17	24	32	57
TOTAL SINGLE DX	229	11.2	47	6	8	10	13	17	19	34
TOTAL MULTIPLE DX	1335	14.8	85	8	9	12	17	24	32	59
TOTAL										
0-19 YRS	17	6.6	31	1	3	5	7	15	20	22
20-34	15	15.3	185	5	7	10	20	38	48	52
35-49	55	10.9	52	5	6	9	12	16	27	39
50-64	146	14.9	133	8	9	12	15	22	36	71
65+	1331	14.4	75	8	9	12	16	23	30	54
GRAND TOTAL	1564	14.2	81	7	9	12	16	23	30	57

737: Total knee replacement (81.41; 81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	10.5	15	7	8	9	13	16	16	16
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	26	9.3	5	7	8	9	10	13	14	16
50-64	154	9.7	9	7	8	9	11	14	15	20
65 +	264	10.1	11	6	8	9	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	2	12.5	41	8	8	12	17	17	17	17
20-34	7	13.6	51	7	10	11	16	26	28	28
35-49	38	11.9	20	7	8	12	16	17	19	25
50-64	332	11.0	16	7	8	10	13	16	18	26
65 +	1116	11.8	25	7	9	11	14	17	20	34
TOTAL SINGLE DX	450	9.9	10	7	8	9	11	14	16	20
TOTAL MULTIPLE DX	1495	11.6	24	7	9	11	14	17	20	31
TOTAL										
0-19 YRS	6	11.2	18	7	8	9	16	17	17	17
20-34	9	12.3	45	6	8	11	13	24	28	28
35-49	64	10.9	16	7	8	10	13	16	17	24
50-64	486	10.6	16	7	8	10	12	16	17	25
65 +	1380	11.4	23	7	9	10	13	17	19	29
GRAND TOTAL	1945	11.2	21	7	8	10	13	16	19	28

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	120	3.0	3	1	2	3	4	5	5	11
20-34	170	3.5	3	1	2	3	4	5	7	9
35-49	62	2.9	2	1	2	3	3	5	6	9
50-64	20	5.0	12	1	2	5	8	10	11	11
65 +	18	8.2	12	3	5	8	11	13	14	14
2. MULTIPLE DX										
0-19 YRS	104	3.2	2	1	2	3	4	5	6	10
20-34	199	4.1	10	1	2	3	5	7	12	18
35-49	93	4.8	21	1	3	4	5	8	11	28
50-64	45	6.0	19	1	3	5	9	10	15	19
65 +	59	9.3	91	2	4	7	12	16	21	63
TOTAL SINGLE DX	390	3.5	6	1	2	3	4	6	8	13
TOTAL MULTIPLE DX	500	4.6	24	1	3	3	5	9	13	25
TOTAL										
0-19 YRS	224	3.1	3	1	2	3	4	5	6	10
20-34	369	3.8	8	1	2	3	4	6	8	15
35-49	155	4.0	15	1	2	3	5	7	9	26
50-64	65	5.6	17	1	2	5	8	10	13	19
65 +	77	9.0	73	2	4	7	11	16	20	56
GRAND TOTAL	890	4.2	17	1	2	3	5	8	11	20

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.56-81.59*; 81.71; 81.73-81.74; 81.80-81.81; 81.84; 81.86) *(post October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.8		1	1	2	2	3	3	3
20-34	12	3.1	3	2	2	2	4	6	8	8
35-49	22	3.4	4	1	2	3	4	6	8	9
50-64	38	4.2	17	1	2	3	5	8	10	24
65 +	45	5.0	14	1	2	3	8	11	13	15
2. MULTIPLE DX										
0-19 YRS	0									
20-34	13	6.0	19	2	3	4	7	14	16	16
35-49	44	6.5	23	2	3	6	8	12	17	24
50-64	59	6.4	24	2	3	5	10	13	15	21
65 +	120	7.3	48	2	3	6	9	12	14	43
TOTAL SINGLE DX	122	4.1	13	1	2	3	6	8	11	18
TOTAL MULTIPLE DX	236	6.8	36	2	3	6	9	12	15	26
TOTAL										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	25	4.6	13	2	2	3	5	8	14	16
35-49	66	5.5	19	1	2	4	7	11	14	23
50-64	97	5.5	23	1	2	4	8	12	14	23
65 +	165	6.7	40	2	3	6	8	11	14	32
GRAND TOTAL	358	5.9	30	2	2	5	8	11	14	24

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	92	1.8		1	1	2	2	3	4	5
20-34	220	2.3	2	1	1	2	3	4	4	9
35-49	127	2.0		1	1	2	2	3	4	5
50-64	107	2.1	1	1	1	2	3	4	4	6
65 +	30	2.7	2	<1	2	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	23	3.9	41	1	1	2	4	7	17	32
20-34	79	2.8	11	1	1	2	3	5	5	23
35-49	111	2.6	6	1	2	2	3	5	6	14
50-64	139	2.7	4	1	2	2	3	5	6	14
65 +	94	4.5	16	1	2	3	6	10	14	21
TOTAL SINGLE DX	576	2.1	2	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	446	3.2	11	1	2	2	4	6	7	17
TOTAL										
0-19 YRS	115	2.2	9	1	1	2	2	3	4	17
20-34	299	2.4	5	1	1	2	3	4	5	12
35-49	238	2.3	4	1	1	2	2	4	5	8
50-64	246	2.5	3	1	1	2	3	4	6	8
65 +	124	4.1	14	1	2	3	5	7	13	19
GRAND TOTAL	1022	2.6	6	1	1	2	3	4	6	14

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	111	3.2	8	<1	1	2	4	7	9	14
20-34	47	3.0	5	<1	<1	2	5	7	8	9
35-49	46	3.2	9	<1	<1	2	5	8	11	12
50-64	27	2.8	32	<1	<1	<1	2	4	15	29
65+	17	1.5	2	<1	<1	<1	1	3	6	7
2. MULTIPLE DX										
0-19 YRS	253	5.8	51	1	2	3	6	13	22	32
20-34	87	7.7	75	1	3	5	10	22	31	99+
35-49	85	7.8	75	1	3	5	9	22	25	45
50-64	68	6.6	52	<1	2	4	9	15	20	41
65+	75	8.7	65	2	3	7	10	23	26	35
TOTAL SINGLE DX	248	3.0	10	<1	<1	2	4	7	9	12
TOTAL MULTIPLE DX	568	6.8	61	1	2	4	8	17	24	44
TOTAL										
0-19 YRS	364	5.0	40	1	2	3	5	11	18	31
20-34	134	6.0	56	<1	2	4	7	13	26	99+
35-49	131	6.2	57	<1	2	3	7	12	23	39
50-64	95	5.5	49	<1	<1	3	8	14	19	38
65+	92	7.4	62	<1	2	4	9	20	24	34
GRAND TOTAL	816	5.7	49	<1	1	3	7	13	22	36

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	155	2.1	5	<1	<1	1	2	4	7	11
20-34	62	2.2	15	<1	<1	<1	1	4	9	28
35-49	66	2.0	4	<1	<1	<1	2	5	6	11
50-64	66	2.3	5	<1	<1	1	2	6	9	11
65+	21	3.5	23	<1	1	1	5	9	15	21
2. MULTIPLE DX										
0-19 YRS	83	8.1	162	<1	1	3	9	27	34	90
20-34	35	8.4	76	<1	2	6	12	23	33	99+
35-49	79	8.0	65	<1	2	6	10	20	25	37
50-64	78	9.3	97	1	2	6	12	24	31	45
65+	105	9.2	123	1	3	5	12	22	28	63
TOTAL SINGLE DX	370	2.2	8	<1	<1	1	2	5	8	14
TOTAL MULTIPLE DX	380	8.7	109	1	2	5	11	23	31	71
TOTAL										
0-19 YRS	238	4.2	68	<1	1	1	3	10	16	70
20-34	97	4.5	48	<1	<1	1	5	13	23	68
35-49	145	5.3	46	<1	<1	2	7	12	21	35
50-64	144	6.1	67	<1	1	2	8	17	24	42
65+	126	8.2	111	1	2	5	11	20	26	56
GRAND TOTAL	750	5.5	70	<1	1	2	7	13	23	42

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	4.3	28	<1	1	2	4	14	15	15
35-49	8	1.5	1	<1	<1	1	2	3	4	4
50-64	27	1.2		<1	1	1	1	2	2	3
65+	14	1.1		<1	1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	8	6.0	29	1	2	4	9	14	16	16
20-34	18	3.9	8	1	2	3	6	9	10	10
35-49	6	11.2	351	1	1	4	8	45	49	49
50-64	14	2.2	6	1	1	1	2	5	9	10
65+	26	2.2	6	1	1	1	2	5	8	12
TOTAL SINGLE DX	57	1.6	4	<1	1	1	1	3	4	14
TOTAL MULTIPLE DX	72	3.8	39	1	1	2	4	9	11	42
TOTAL										
0-19 YRS	10	5.1	26	1	1	3	8	13	16	16
20-34	24	4.0	13	1	1	3	5	9	11	15
35-49	14	5.6	161	<1	1	1	4	12	41	49
50-64	41	1.6	2	<1	1	1	2	2	4	10
65+	40	1.9	4	1	1	1	2	3	6	12
GRAND TOTAL	129	2.8	25	1	1	1	3	7	10	23

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	1.4		<1	1	1	2	2	3	6
20-34	65	1.8	2	<1	1	1	2	4	5	8
35-49	33	1.4		<1	<1	1	2	2	3	4
50-64	22	1.5	1	<1	<1	1	1	3	4	5
65+	7	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	86	2.5	10	<1	1	2	2	4	9	21
20-34	109	2.4	9	<1	1	1	3	5	6	19
35-49	62	3.4	17	1	1	2	4	6	9	25
50-64	29	2.2	3	<1	1	2	3	5	7	7
65+	13	3.8	20	1	2	3	4	8	16	18
TOTAL SINGLE DX	197	1.5	1	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	299	2.7	12	<1	1	2	3	5	7	23
TOTAL										
0-19 YRS	156	2.0	7	<1	1	1	2	3	5	15
20-34	174	2.2	7	<1	1	1	2	4	6	13
35-49	95	2.7	12	<1	1	2	3	5	7	23
50-64	51	1.9	2	<1	<1	1	2	4	6	7
65+	20	2.9	15	<1	1	2	3	5	12	18
GRAND TOTAL	496	2.2	8	<1	1	1	2	4	6	17

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	56	3.0	7	1	1	2	3	7	10	12
20-34	80	2.4	2	1	1	2	3	5	6	9
35-49	106	2.5	1	1	1	2	3	4	5	7
50-64	142	2.6	1	1	2	2	3	4	5	7
65 +	57	2.9	5	1	2	2	3	5	6	14
2. MULTIPLE DX										
0-19 YRS	32	3.5	20	1	1	2	4	8	13	23
20-34	80	4.4	32	1	1	3	5	8	14	36
35-49	102	3.9	32	1	2	3	4	7	10	34
50-64	149	3.9	13	1	2	3	5	7	9	24
65 +	154	4.4	13	2	2	3	5	8	12	20
TOTAL SINGLE DX	441	2.6	3	1	1	2	3	4	6	10
TOTAL MULTIPLE DX	517	4.1	21	1	2	3	5	8	12	23
TOTAL										
0-19 YRS	88	3.2	12	1	1	2	3	7	10	20
20-34	160	3.4	18	1	1	2	4	6	9	22
35-49	208	3.2	17	1	2	2	4	5	7	12
50-64	291	3.2	8	1	2	3	4	6	7	17
65 +	211	4.0	12	1	2	3	5	8	12	18
GRAND TOTAL	958	3.4	13	1	2	3	4	6	9	17

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	302	2.3	1	1	1	2	3	4	5	6
20-34	71	2.5	1	1	2	2	3	4	4	7
35-49	66	2.6	5	1	1	2	3	5	5	15
50-64	36	2.6	1	1	1	3	3	4	6	6
65 +	9	5.0	21	2	3	4	4	12	17	17
2. MULTIPLE DX										
0-19 YRS	372	2.6	4	1	1	2	4	5	6	10
20-34	70	6.6	92	1	2	3	7	19	34	89
35-49	56	8.3	191	1	2	4	7	17	27	83
50-64	36	8.2	93	2	3	5	9	21	29	48
65 +	41	9.2	89	2	3	6	10	29	36	99 +
TOTAL SINGLE DX	484	2.4	3	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	575	4.5	51	1	1	3	4	8	17	46
TOTAL										
0-19 YRS	674	2.5	3	1	1	2	3	4	5	8
20-34	141	4.5	50	1	2	3	4	9	19	54
35-49	122	5.2	98	1	1	3	4	13	17	64
50-64	72	5.4	55	1	2	3	6	11	21	44
65 +	50	8.5	79	2	3	5	9	25	35	99
GRAND TOTAL	1059	3.6	30	1	1	2	4	6	9	33

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	2.4	8	<1	1	1	2	6	10	12
20-34	23	2.7	4	1	1	2	3	5	8	9
35-49	31	1.8	1	<1	1	1	2	3	5	6
50-64	14	1.3		<1	<1	1	1	2	3	3
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	13	5.2	26	<1	1	3	7	14	16	17
20-34	29	4.1	17	1	1	2	5	8	13	19
35-49	41	7.9	76	1	2	5	10	24	31	99 +
50-64	25	6.6	90	1	2	3	5	23	32	34
65 +	24	6.5	38	2	2	4	8	13	20	28
TOTAL SINGLE DX	88	2.0	3	<1	1	1	2	4	6	11
TOTAL MULTIPLE DX	132	6.3	55	1	2	4	7	17	25	48
TOTAL										
0-19 YRS	30	3.6	17	<1	1	2	4	10	13	17
20-34	52	3.4	12	1	1	2	4	8	9	19
35-49	72	5.3	53	1	1	2	6	18	25	86
50-64	39	4.7	64	<1	1	2	4	14	28	34
65 +	27	5.9	37	1	2	4	8	12	19	28
GRAND TOTAL	220	4.6	38	1	1	2	5	12	19	35

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	0									
35-49	0									
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	6	15.2	161	2	7	12	21	35	37	37
35-49	5	18.6	333	3	4	10	35	43	43	43
50-64	6	21.8	683	2	4	8	49	60	61	61
65 +	8	15.4	148	4	7	12	20	36	40	40
TOTAL SINGLE DX	5	2.2	3	1	1	1	4	4	4	4
TOTAL MULTIPLE DX	26	17.6	271	3	4	11	26	43	51	61
TOTAL										
0-19 YRS	4	6.5	83	1	1	3	12	20	20	20
20-34	6	15.2	161	2	7	12	21	35	37	37
35-49	5	18.6	333	3	4	10	35	43	43	43
50-64	8	17.0	569	1	3	4	30	57	61	61
65 +	8	15.4	148	4	7	12	20	36	40	40
GRAND TOTAL	31	15.1	260	1	4	10	21	41	49	61

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	2.5	5	<1	1	1	3	7	7	7
20-34	7	3.0	2	1	2	3	4	5	5	5
35-49	5	4.8	17	2	2	4	6	12	12	12
50-64	5	4.2		3	4	4	5	5	5	5
65 +	17	6.0	31	1	2	3	10	13	18	21
2. MULTIPLE DX										
0-19 YRS	14	11.6	213	<1	2	5	13	35	46	49
20-34	22	7.3	80	2	3	5	8	23	64	99 +
35-49	99	13.3	140	4	6	10	15	27	44	61
50-64	234	13.8	139	3	6	10	18	27	36	62
65 +	337	12.1	140	3	5	9	14	26	36	73
TOTAL SINGLE DX	47	4.3	16	1	1	3	5	11	12	21
TOTAL MULTIPLE DX	706	12.7	141	3	5	9	16	27	37	65
TOTAL										
0-19 YRS	27	7.2	131	<1	1	2	7	23	36	49
20-34	29	6.2	64	1	3	4	7	14	44	99 +
35-49	104	12.9	138	4	6	10	15	25	43	61
50-64	239	13.6	139	3	6	10	17	27	36	62
65 +	354	11.8	137	3	5	9	14	25	35	73
GRAND TOTAL	753	12.1	137	3	5	9	15	26	36	65

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	0									
35-49	3	9.0	31	4	5	8	13	15	15	15
50-64	6	11.7	34	6	8	9	18	20	20	20
65 +	3	22.7	252	13	13	14	34	41	41	41
2. MULTIPLE DX										
0-19 YRS	2	23.5	313	11	17	36	84	99 +	99 +	99 +
20-34	26	16.6	255	3	6	11	18	35	56	69
35-49	50	17.9	213	8	9	12	21	34	40	76
50-64	172	19.3	198	6	10	15	24	37	51	78
65 +	367	18.1	174	7	9	14	23	35	47	87
TOTAL SINGLE DX	14	12.9	92	4	8	11	15	22	37	41
TOTAL MULTIPLE DX	617	18.4	187	7	9	15	23	36	49	83
TOTAL										
0-19 YRS	4	15.8	208	2	9	14	52	99 +	99 +	99 +
20-34	26	16.6	255	3	6	11	18	35	56	69
35-49	53	17.4	207	8	9	12	20	33	40	76
50-64	178	19.0	195	6	9	15	24	37	50	78
65 +	370	18.2	174	7	9	14	23	36	47	87
GRAND TOTAL	631	18.3	185	7	9	14	22	36	49	81

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	6.2	17	2	3	5	8	13	13	13
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65 +	11	12.1	109	2	6	8	19	27	36	37
2. MULTIPLE DX										
0-19 YRS	8	11.8	123	2	5	9	27	73	99 +	99 +
20-34	9	16.3	132	8	10	14	19	72	99 +	99 +
35-49	15	17.9	215	5	7	12	29	33	50	56
50-64	109	21.1	293	7	10	16	26	46	69	99 +
65 +	503	15.8	178	6	8	12	19	33	48	99 +
TOTAL SINGLE DX	20	9.4	71	2	5	6	12	20	29	37
TOTAL MULTIPLE DX	644	16.7	200	6	8	13	21	35	52	99 +
TOTAL										
0-19 YRS	13	9.6	86	2	5	6	13	39	86	99 +
20-34	10	15.2	130	6	10	12	19	67	97	99 +
35-49	17	16.5	204	5	6	12	24	33	48	56
50-64	110	20.9	293	7	10	16	25	46	68	99 +
65 +	514	15.7	177	6	8	12	19	33	48	99 +
GRAND TOTAL	664	16.5	190	6	8	12	21	35	50	99 +

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	4.1	25	1	1	3	4	12	17	17
20-34	2	12.0	50	7	7	12	17	17	17	17
35-49	3	4.0	3	2	3	5	5	5	5	5
50-64	0									
65 +	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	6	20.0	213	4	11	27	70	99 +	99 +	99 +
20-34	13	19.8	410	4	10	15	21	48	73	79
35-49	38	18.9	221	6	8	13	24	42	45	67
50-64	65	15.2	101	4	8	15	18	34	37	93
65 +	76	19.4	193	7	9	16	24	43	60	99 +
TOTAL SINGLE DX	16	5.5	26	1	2	4	6	16	17	17
TOTAL MULTIPLE DX	198	18.0	182	6	9	15	23	40	57	99 +
TOTAL										
0-19 YRS	15	10.5	156	1	2	5	24	88	99 +	99 +
20-34	15	18.7	363	4	9	15	19	40	69	79
35-49	41	17.8	220	5	8	12	23	42	45	67
50-64	65	15.2	101	4	8	15	18	34	37	93
65 +	78	19.1	192	7	9	16	24	42	59	99 +
GRAND TOTAL	214	17.0	191	5	8	15	22	39	57	99 +

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	4.0	30	<1	1	2	4	12	19	20
20-34	11	6.6	10	3	5	6	7	12	14	14
35-49	7	7.6	46	1	3	6	10	19	21	21
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	10	5.5	11	2	2	5	8	10	11	11
20-34	5	10.4	23	6	6	9	15	16	16	16
35-49	5	11.0	63	4	6	7	16	24	24	24
50-64	7	10.6	46	4	5	9	13	22	24	24
65+	3	9.3	85	4	4	4	16	20	20	20
TOTAL SINGLE DX	32	5.7	25	1	2	5	7	12	19	21
TOTAL MULTIPLE DX	30	8.8	37	3	4	7	12	18	24	24
TOTAL										
0-19 YRS	22	4.7	21	1	2	3	7	10	15	20
20-34	16	7.8	16	4	5	7	9	15	16	16
35-49	12	9.0	51	2	4	7	12	22	24	24
50-64	8	9.8	45	4	5	8	12	21	24	24
65+	4	8.0	64	4	4	4	12	20	20	20
GRAND TOTAL	62	7.2	33	2	4	6	9	15	21	24

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	2.0	1	1	1	2	3	4	5	5
20-34	5	5.6	23	1	2	5	8	13	13	13
35-49	5	4.4	14	<1	<1	4	7	10	10	10
50-64	4	3.5	14	1	1	2	6	9	9	9
65+	4	5.0	6	2	3	5	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	4	5.3	24	1	1	5	9	10	10	10
20-34	13	7.5	43	2	2	7	9	18	23	25
35-49	9	10.7	410	1	1	4	8	42	64	64
50-64	34	9.2	118	2	4	7	10	22	53	99+
65+	51	11.3	84	3	6	9	15	25	38	90
TOTAL SINGLE DX	35	3.4	9	1	1	2	5	8	10	13
TOTAL MULTIPLE DX	111	10.0	112	1	4	8	13	23	38	99+
TOTAL										
0-19 YRS	21	2.6	7	1	1	2	3	7	9	10
20-34	18	7.0	37	1	2	6	8	14	21	25
35-49	14	8.4	267	<1	1	4	8	18	53	64
50-64	38	8.6	110	1	3	7	10	19	47	99+
65+	55	10.9	81	2	5	8	14	24	36	97
GRAND TOTAL	146	8.4	95	1	2	6	10	18	29	99+

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	2	29.0		29	29	29	29	29	29	29
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	13.5	221	3	3	13	24	24	24	24
65+	2	6.5	1	6	6	6	7	7	7	7
TOTAL SINGLE DX	5	2.8	3	1	2	2	4	5	5	5
TOTAL MULTIPLE DX	7	14.9	140	4	6	7	28	29	29	29
TOTAL										
0-19 YRS	2	29.0		29	29	29	29	29	29	29
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	5.0	2	4	4	5	6	6	6	6
50-	3	9.7	154	2	2	3	19	24	24	24
65+	3	6.0	1	5	5	6	7	7	7	7
GRAND TOTAL	12	9.8	116	2	3	5	15	29	29	29

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	1.1		<1	<1	<1	1	1	2	3
20-34	83	1.4	2	<1	<1	<1	1	2	3	10
35-49	225	1.5	1	<1	<1	<1	1	3	4	6
50-64	222	1.5	1	<1	<1	<1	1	3	4	6
65 +	129	1.8	15	<1	<1	<1	1	3	4	13
2. MULTIPLE DX										
0-19 YRS	8	9.4	239	<1	1	2	11	36	46	46
20-34	49	6.1	86	<1	<1	2	6	17	22	52
35-49	209	3.5	22	<1	<1	2	4	8	13	24
50-64	188	4.4	36	<1	<1	2	6	11	16	37
65 +	273	5.0	35	<1	1	3	7	11	14	29
TOTAL SINGLE DX	692	1.5	4	<1	<1	<1	1	3	4	6
TOTAL MULTIPLE DX	727	4.5	38	<1	1	2	6	11	16	33
TOTAL										
0-19 YRS	41	2.7	53	<1	<1	<1	1	3	11	46
20-34	132	3.1	38	<1	<1	<1	2	7	16	32
35-49	434	2.5	12	<1	<1	1	3	5	8	17
50-64	410	2.8	19	<1	<1	1	3	7	10	29
65 +	402	4.0	31	<1	<1	2	5	9	13	28
GRAND TOTAL	1419	3.1	24	<1	<1	1	3	7	11	27

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.2		<1	1	1	1	2	2	2
20-34	7	2.0	1	1	1	2	3	3	3	3
35-49	40	3.2	2	1	2	3	4	5	6	7
50-64	33	3.1	2	1	2	3	4	5	6	7
65 +	35	4.0	3	2	2	4	5	7	7	8
2. MULTIPLE DX										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	15	4.5	16	2	2	3	4	10	15	17
35-49	60	3.7	3	2	2	3	5	7	7	10
50-64	48	5.1	18	2	3	4	6	10	15	23
65 +	113	5.8	39	2	3	4	7	10	16	39
TOTAL SINGLE DX	121	3.2	3	1	2	3	4	6	7	8
TOTAL MULTIPLE DX	240	5.0	25	2	3	4	6	9	14	24
TOTAL										
0-19 YRS	10	1.6	1	<1	1	1	2	3	4	4
20-34	22	3.7	13	1	2	3	4	7	13	17
35-49	100	3.5	3	2	2	3	4	6	7	9
50-64	81	4.3	13	2	3	3	5	7	12	21
65 +	148	5.4	31	2	3	4	6	9	15	31
GRAND TOTAL	361	4.4	18	1	2	3	5	8	10	21

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	42	3.8	3	2	2	3	4	7	8	9
35-49	223	3.8	2	2	3	3	5	6	7	8
50-64	287	3.8	2	2	3	3	5	6	7	8
65 +	263	4.1	4	2	3	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	0									
20-34	38	4.5	6	2	3	4	6	8	9	13
35-49	257	4.5	14	2	3	4	5	7	8	12
50-64	428	4.9	11	2	3	4	6	8	10	22
65 +	826	5.8	20	3	3	5	7	9	13	26
TOTAL SINGLE DX	817	3.9	3	2	3	4	5	6	7	9
TOTAL MULTIPLE DX	1549	5.3	17	2	3	4	6	9	11	24
TOTAL										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	80	4.1	5	2	3	4	5	7	8	12
35-49	480	4.2	9	2	3	4	5	7	8	10
50-64	715	4.4	8	2	3	4	5	7	9	15
65 +	1089	5.4	17	2	3	4	6	9	12	25
GRAND TOTAL	2366	4.8	13	2	3	4	6	8	10	20

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	86	1.6		1	1	1	2	3	3	6
20-34	154	2.2	6	<1	1	2	2	3	4	17
35-49	126	2.1	1	1	1	2	3	4	5	6
50-64	56	2.3	2	1	1	2	3	4	6	8
65 +	7	2.3	3	1	1	1	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	38	2.5	4	<1	1	2	3	5	7	10
20-34	104	3.4	23	1	1	2	3	6	9	30
35-49	191	3.2	7	1	1	2	4	7	9	14
50-64	105	3.4	12	1	1	3	4	6	8	20
65 +	43	5.8	90	1	2	3	7	11	14	62
TOTAL SINGLE DX	429	2.1	3	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	481	3.5	19	1	1	2	4	7	9	17
TOTAL										
0-19 YRS	124	1.9	2	1	1	1	2	3	5	8
20-34	258	2.7	14	1	1	2	3	4	6	19
35-49	317	2.8	5	1	1	2	3	5	7	12
50-64	161	3.0	9	1	1	2	4	6	8	10
65 +	50	5.3	79	1	1	3	6	10	13	62
GRAND TOTAL	910	2.8	12	1	1	2	3	5	7	16

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	99	2.2	3	1	1	2	3	4	6	10
20-34	131	2.3	4	1	1	2	3	4	5	13
35-49	32	2.5	8	1	1	2	3	4	5	17
50-64	3	2.3	2	<1	<1	2	3	4	4	4
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	19	2.5	3	1	1	2	3	6	7	7
20-34	45	2.7	4	1	1	2	3	5	5	14
35-49	29	4.0	15	1	1	3	5	10	12	17
50-64	5	5.4	26	1	2	2	11	11	11	11
65+	2	8.0	50	3	3	8	13	13	13	13
TOTAL SINGLE DX	268	2.3	4	1	1	2	3	4	5	13
TOTAL MULTIPLE DX	100	3.3	10	1	1	2	4	7	11	15
TOTAL										
0-19 YRS	118	2.3	3	1	1	2	3	5	6	9
20-34	176	2.4	4	1	1	2	3	4	5	13
35-49	61	3.2	12	1	1	2	3	8	11	17
50-64	8	4.3	18	<1	1	2	7	11	11	11
65+	5	4.0	26	<1	1	2	5	13	13	13
GRAND TOTAL	368	2.5	6	1	1	2	3	5	7	14

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	460	1.8	8	<1	<1	<1	1	3	6	15
20-34	108	2.1	3	<1	<1	1	3	4	6	10
35-49	93	2.3	6	<1	<1	1	2	5	9	13
50-64	72	1.9	3	<1	<1	1	2	4	5	10
65+	63	2.6	25	<1	<1	<1	2	4	8	34
2. MULTIPLE DX										
0-19 YRS	212	5.5	63	<1	1	2	6	14	24	48
20-34	148	9.9	148	1	2	5	12	30	36	60
35-49	220	7.4	75	1	2	5	9	14	24	44
50-64	227	7.8	72	1	2	5	10	18	23	39
65+	378	10.0	120	1	3	7	13	21	29	67
TOTAL SINGLE DX	794	2.0	8	<1	<1	<1	2	4	6	15
TOTAL MULTIPLE DX	1185	8.3	99	1	2	5	10	19	28	61
TOTAL										
0-19 YRS	672	3.0	29	<1	<1	1	2	7	11	33
20-34	254	6.6	103	<1	1	3	7	16	31	51
35-49	313	5.9	60	<1	1	3	7	13	20	38
50-64	299	6.4	62	<1	1	4	8	16	22	36
65+	441	8.9	114	<1	2	6	12	20	29	66
GRAND TOTAL	1979	5.8	72	<1	<1	2	7	14	22	48

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	186	6.1	77	1	2	3	7	14	21	47
20-34	154	4.6	21	1	2	3	5	10	14	28
35-49	82	6.3	43	1	2	4	9	13	21	35
50-64	49	5.1	23	1	2	4	6	11	16	22
65+	37	9.1	122	1	3	7	12	15	32	60
2. MULTIPLE DX										
0-19 YRS	325	11.8	201	1	3	7	15	26	42	88
20-34	439	12.8	231	2	4	8	16	31	46	95
35-49	372	15.4	231	2	6	10	21	37	54	99+
50-64	447	14.3	208	3	6	10	18	35	51	99+
65+	876	18.0	270	4	7	13	24	47	69	99+
TOTAL SINGLE DX	508	5.8	54	1	2	3	7	13	17	36
TOTAL MULTIPLE DX	2459	15.2	242	2	5	10	20	37	56	99+
TOTAL										
0-19 YRS	511	9.7	163	1	2	5	12	23	32	77
20-34	593	10.7	190	1	3	6	13	26	38	91
35-49	454	13.8	209	2	4	9	19	33	51	98
50-64	496	13.4	198	2	5	9	17	32	46	99+
65+	913	17.6	267	4	7	13	23	46	68	99+
GRAND TOTAL	2967	13.6	222	2	4	9	18	33	51	99+

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	480	3.0	6	<1	1	2	4	6	8	15
20-34	250	3.5	11	1	1	3	4	7	8	14
35-49	154	3.6	8	1	1	3	5	7	8	15
50-64	98	3.3	7	1	1	2	4	7	10	12
65+	75	3.5	11	<1	1	2	4	9	12	15
2. MULTIPLE DX										
0-19 YRS	879	5.4	45	1	1	3	7	13	19	36
20-34	886	5.1	55	1	1	3	5	11	16	41
35-49	717	7.0	61	1	2	5	9	16	22	46
50-64	534	7.6	65	1	3	5	10	16	23	48
65+	806	8.9	86	2	3	6	11	20	27	58
TOTAL SINGLE DX	1057	3.3	9	<1	1	2	4	7	9	14
TOTAL MULTIPLE DX	3822	6.7	64	1	2	4	8	15	22	48
TOTAL										
0-19 YRS	1359	4.6	33	1	1	3	5	10	15	32
20-34	1136	4.7	46	1	1	3	5	9	15	37
35-49	871	6.4	53	1	2	4	8	14	20	42
50-64	632	6.9	59	1	2	5	9	15	21	46
65+	881	8.5	82	1	3	6	11	18	25	56
GRAND TOTAL	4879	5.9	54	1	2	4	7	13	20	41

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	142	5.1	48	<1	1	2	7	13	16	43
20-34	39	7.9	65	1	2	5	12	19	25	37
35-49	38	6.5	37	1	2	4	9	14	18	31
50-64	18	6.9	29	1	2	6	10	14	17	18
65+	22	7.6	31	1	2	8	10	16	19	22
2. MULTIPLE DX										
0-19 YRS	226	15.1	203	2	4	12	21	38	53	99+
20-34	110	15.0	192	2	6	12	20	30	43	70
35-49	97	12.8	170	1	3	9	16	36	49	99+
50-64	112	14.2	160	2	5	10	20	32	46	73
65+	162	16.0	199	4	7	12	21	33	47	86
TOTAL SINGLE DX	259	6.1	47	1	1	3	9	14	18	36
TOTAL MULTIPLE DX	707	14.8	189	2	5	11	20	33	48	99+
TOTAL										
0-19 YRS	368	11.2	167	1	2	7	16	26	45	96
20-34	149	13.1	168	1	4	10	17	28	37	60
35-49	135	11.0	140	1	3	8	14	31	43	99+
50-64	130	13.2	148	2	4	9	18	30	43	66
65+	184	15.0	187	3	6	10	19	32	41	83
GRAND TOTAL	966	12.5	166	1	3	9	17	29	43	84

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	2.9	9	<1	<1	1	5	8	11	11
20-34	14	1.9	1	<1	<1	1	3	4	5	5
35-49	11	5.4	66	<1	1	1	5	19	26	27
50-64	9	2.1	2	<1	1	1	3	5	6	6
65+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	45	9.8	130	1	2	6	13	27	35	48
20-34	29	11.9	152	<1	3	7	17	24	27	60
35-49	36	11.7	296	<1	1	3	13	34	53	71
50-64	26	11.8	130	<1	1	11	20	24	57	99+
65+	32	18.9	199	3	8	15	33	40	49	99+
TOTAL SINGLE DX	66	3.1	17	<1	<1	1	4	6	11	25
TOTAL MULTIPLE DX	168	12.6	189	<1	2	8	19	33	46	94
TOTAL										
0-19 YRS	75	7.1	93	<1	1	3	9	18	27	47
20-34	43	8.6	124	<1	1	4	15	22	25	60
35-49	47	10.2	247	<1	1	3	12	33	47	71
50-64	35	9.3	115	<1	1	3	17	23	41	99+
65+	34	18.1	197	3	8	15	32	40	48	99+
GRAND TOTAL	234	9.9	158	<1	1	4	15	28	40	75

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	254	2.3	8	<1	<1	1	2	5	9	16
20-34	83	3.6	11	1	1	3	4	7	9	20
35-49	66	3.7	26	<1	1	2	4	8	16	28
50-64	34	2.3	4	<1	1	2	3	6	7	10
65+	29	6.4	98	<1	1	3	7	14	29	48
2. MULTIPLE DX										
0-19 YRS	253	5.4	58	1	1	3	6	13	18	51
20-34	146	5.7	31	1	2	4	7	13	20	32
35-49	204	7.4	69	1	3	5	9	15	20	49
50-64	233	10.1	173	1	3	6	12	24	47	85
65+	429	13.3	170	4	6	9	16	29	47	99+
TOTAL SINGLE DX	466	3.0	18	<1	1	1	3	7	9	21
TOTAL MULTIPLE DX	1265	9.3	127	1	3	6	11	21	36	74
TOTAL										
0-19 YRS	507	3.8	36	<1	1	2	4	9	13	38
20-34	229	4.9	26	1	2	3	6	11	16	30
35-49	270	6.5	61	1	2	4	8	13	20	47
50-64	267	9.1	159	1	2	5	10	22	42	79
65+	458	12.9	169	3	5	9	15	29	46	99+
GRAND TOTAL	1731	7.6	105	1	2	4	9	18	27	65

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	2.0	1	1	1	2	2	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	2.3	1	1	1	2	3	4	4	4
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	26	4.8	14	1	2	4	7	11	13	17
20-34	7	12.9	392	2	3	6	11	48	57	57
35-49	5	5.2	14	1	2	5	8	10	10	10
50-64	10	3.3	14	1	1	2	3	9	13	13
65 +	33	7.9	48	2	3	5	11	16	18	35
TOTAL SINGLE DX	17	2.2	2	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	81	6.6	62	1	2	4	8	14	17	50
TOTAL										
0-19 YRS	32	4.3	13	1	2	3	5	9	12	17
20-34	8	11.4	354	1	2	4	10	44	57	57
35-49	9	3.9	10	1	2	2	6	9	10	10
50-64	14	2.9	10	1	1	2	3	7	12	13
65 +	35	7.7	46	2	3	5	11	16	18	35
GRAND TOTAL	98	5.8	54	1	2	4	7	13	16	46

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	54	2.3	26	1	1	1	1	3	7	29
20-34	345	2.5	18	1	1	1	2	6	8	15
35-49	611	2.3	7	1	1	1	2	5	8	14
50-64	300	2.1	5	1	1	1	2	5	8	11
65 +	90	2.3	10	1	1	1	2	6	7	20
2. MULTIPLE DX										
0-19 YRS	70	3.2	18	1	1	2	3	8	10	27
20-34	293	3.6	14	1	1	2	5	8	11	18
35-49	579	3.8	19	1	1	2	4	8	11	25
50-64	407	3.7	18	1	1	2	5	10	13	19
65 +	312	5.6	56	1	1	3	7	13	21	44
TOTAL SINGLE DX	1400	2.3	11	1	1	1	2	5	8	15
TOTAL MULTIPLE DX	1661	4.0	26	1	1	2	5	9	13	27
TOTAL										
0-19 YRS	124	2.8	22	1	1	1	3	7	9	30
20-34	638	3.0	17	1	1	1	3	8	10	16
35-49	1190	2.9	14	1	1	1	3	7	10	17
50-64	707	3.1	14	1	1	1	3	8	10	17
65 +	402	4.9	49	1	1	2	6	12	19	38
GRAND TOTAL	3061	3.2	20	1	1	1	4	8	11	23

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	1.9	4	<1	1	1	2	5	6	12
20-34	53	3.2	11	1	1	2	4	7	10	17
35-49	75	2.8	10	1	1	2	3	6	9	17
50-64	70	2.9	8	1	1	2	3	6	9	14
65 +	63	2.4	5	1	1	2	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	60	5.1	43	1	1	2	7	13	18	32
20-34	70	6.7	98	1	2	3	8	15	25	52
35-49	191	7.1	89	1	2	4	8	15	21	55
50-64	393	6.1	37	1	2	4	8	13	18	30
65 +	574	6.8	48	1	2	5	9	15	20	36
TOTAL SINGLE DX	305	2.7	8	1	1	2	3	6	9	15
TOTAL MULTIPLE DX	1288	6.6	54	1	2	4	8	14	20	42
TOTAL										
0-19 YRS	104	3.8	29	<1	1	2	4	10	15	30
20-34	123	5.2	64	1	1	2	6	10	18	47
35-49	266	5.9	71	1	2	3	7	13	17	45
50-64	463	5.6	35	1	2	4	7	13	17	29
65 +	637	6.4	46	1	2	4	8	14	19	36
GRAND TOTAL	1593	5.8	47	1	2	4	7	13	18	36

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.3		1	1	1	2	2	2	2
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	13	1.8	2	1	1	1	2	3	6	7
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	73	2.7	15	1	1	1	2	7	13	20
20-34	1	1.0		1	1	1	1	1	1	1
35-49	8	6.6	13	2	3	6	10	11	12	12
50-64	28	3.3	8	1	1	2	4	7	9	13
65 +	26	6.2	28	1	1	6	9	14	16	22
TOTAL SINGLE DX	31	1.6	1	1	1	1	2	2	3	7
TOTAL MULTIPLE DX	136	3.7	18	1	1	2	4	10	13	20
TOTAL										
0-19 YRS	87	2.5	13	1	1	1	2	4	11	20
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	5.7	14	1	3	5	10	11	12	12
50-64	41	2.8	7	1	1	2	3	7	8	13
65 +	28	5.9	28	1	1	5	9	13	15	22
GRAND TOTAL	167	3.3	16	1	1	2	3	9	12	20

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	80	2.3	5	<1	1	1	2	5	7	14
20-34	117	3.4	11	1	1	2	4	8	12	17
35-49	136	3.8	8	1	1	3	6	8	9	13
50-64	136	3.3	14	1	1	2	5	8	10	19
65 +	117	4.5	25	1	1	2	7	11	14	27
2. MULTIPLE DX										
0-19 YRS	100	6.1	44	1	1	3	8	17	20	28
20-34	229	5.2	29	1	2	3	8	11	18	28
35-49	378	5.9	41	1	2	5	8	11	15	26
50-64	756	5.8	56	1	2	4	8	12	15	38
65 +	1199	7.0	50	1	2	5	9	15	19	33
TOTAL SINGLE DX	586	3.5	14	1	1	2	5	8	10	17
TOTAL MULTIPLE DX	2662	6.4	49	1	2	4	8	13	17	34
TOTAL										
0-19 YRS	180	4.4	31	1	1	2	5	13	18	26
20-34	346	4.6	24	1	1	2	7	10	15	25
35-49	514	5.4	33	1	2	4	8	10	14	23
50-64	892	5.5	51	1	2	3	7	11	15	37
65 +	1316	6.8	49	1	2	5	9	14	18	32
GRAND TOTAL	3248	5.8	44	1	2	4	8	12	16	31

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	955	3.7	33	1	1	2	3	8	14	35
20-34	359	4.3	44	1	2	3	5	8	10	23
35-49	340	4.8	32	1	2	3	6	9	12	29
50-64	230	5.3	30	1	2	4	6	11	17	28
65 +	224	6.5	38	2	3	5	8	13	18	30
2. MULTIPLE DX										
0-19 YRS	1898	5.7	73	1	2	3	6	13	20	47
20-34	1175	5.9	45	1	2	4	7	12	18	36
35-49	1513	6.7	53	2	3	5	8	14	21	41
50-64	2316	7.3	59	2	3	5	8	15	21	43
65 +	6511	8.9	65	3	4	7	11	17	24	45
TOTAL SINGLE DX	2108	4.4	36	1	1	3	5	9	14	31
TOTAL MULTIPLE DX	13413	7.6	64	2	3	5	9	15	22	43
TOTAL										
0-19 YRS	2853	5.0	61	1	1	3	5	11	17	42
20-34	1534	5.5	46	1	2	4	6	11	17	35
35-49	1853	6.4	50	2	2	4	7	13	20	40
50-64	2546	7.1	58	2	3	5	8	14	20	43
65 +	6735	8.8	65	3	4	7	11	17	23	45
GRAND TOTAL	15521	7.2	62	2	3	5	9	15	21	42

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2374	3.5	16	1	2	3	4	6	8	17
20-34	1890	3.3	9	1	2	2	4	6	9	17
35-49	1331	3.6	10	1	2	3	5	7	9	17
50-64	780	4.0	12	1	2	3	5	7	10	19
65 +	583	5.4	31	1	2	4	7	10	15	31
2. MULTIPLE DX										
0-19 YRS	5469	5.8	48	1	2	4	6	11	17	42
20-34	3982	5.1	25	1	2	4	6	10	14	27
35-49	4883	5.7	35	2	3	4	7	11	15	30
50-64	6382	6.4	35	2	3	5	8	12	16	30
65 +	14298	7.7	48	2	4	6	9	14	19	36
TOTAL SINGLE DX	6958	3.7	15	1	2	3	4	7	9	19
TOTAL MULTIPLE DX	35014	6.6	43	2	3	5	8	13	17	34
TOTAL										
0-19 YRS	7843	5.1	40	1	2	3	6	10	15	37
20-34	5872	4.6	21	1	2	3	5	9	12	24
35-49	6214	5.2	31	1	2	4	6	10	14	28
50-64	7162	6.1	34	2	3	5	7	12	16	29
65 +	14881	7.6	48	2	4	6	9	14	19	36
GRAND TOTAL	41972	6.1	39	2	3	4	7	12	16	32

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	7.0	110	2	2	4	6	15	34	52
20-34	5	4.0	12	1	2	3	5	10	10	10
35-49	6	8.5	170	1	2	4	5	32	35	35
50-64	4	5.0	2	3	4	5	6	6	6	6
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	507	18.8	395	3	5	12	26	55	80	99+
20-34	82	12.3	241	2	3	7	16	28	62	95
35-49	90	12.0	134	3	5	8	16	32	45	99+
50-64	203	14.7	189	4	7	11	18	29	51	89
65+	486	16.2	169	5	8	13	20	31	41	80
TOTAL SINGLE DX	52	6.6	96	1	2	4	6	12	34	52
TOTAL MULTIPLE DX	1368	16.4	263	3	6	12	21	39	61	99+
TOTAL										
0-19 YRS	543	18.0	385	3	5	11	26	54	78	99+
20-34	87	11.8	231	2	3	7	14	27	61	94
35-49	96	11.8	136	2	4	7	16	33	44	99+
50-64	207	14.5	188	4	7	11	17	29	51	88
65+	487	16.1	170	5	8	13	20	31	41	80
GRAND TOTAL	1420	16.1	260	3	6	11	20	39	59	99+

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1329	5.5	47	1	2	3	6	14	22	33
20-34	286	5.6	30	1	2	4	7	12	16	29
35-49	275	5.5	29	1	2	4	7	11	14	25
50-64	172	5.3	28	1	2	4	7	11	13	29
65+	139	7.4	82	1	3	6	8	13	20	45
2. MULTIPLE DX										
0-19 YRS	2132	6.1	58	1	2	4	6	13	21	39
20-34	681	8.4	92	2	3	5	10	18	28	55
35-49	838	9.2	97	2	3	6	11	21	31	52
50-64	1127	8.8	94	2	4	6	10	18	28	54
65+	2987	10.6	98	3	5	8	13	22	31	53
TOTAL SINGLE DX	2201	5.6	44	1	2	3	7	13	20	32
TOTAL MULTIPLE DX	7765	8.8	89	2	3	6	10	19	28	51
TOTAL										
0-19 YRS	3461	5.9	54	1	2	3	6	14	22	37
20-34	967	7.6	76	2	3	5	9	16	25	51
35-49	1113	8.3	83	2	3	5	10	17	26	49
50-64	1299	8.4	87	2	3	6	9	17	26	51
65+	3126	10.5	98	3	5	7	13	22	31	53
GRAND TOTAL	9966	8.1	81	2	3	5	10	18	26	47

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	274	3.3	5	1	2	3	4	6	8	13
20-34	91	4.0	10	1	2	3	5	8	13	16
35-49	95	3.7	8	1	2	3	5	8	11	13
50-64	53	4.0	6	1	2	3	6	7	8	11
65+	45	4.6	14	1	2	4	5	10	14	18
2. MULTIPLE DX										
0-19 YRS	853	8.1	142	2	3	4	8	17	36	71
20-34	343	5.7	42	1	2	4	6	11	15	43
35-49	572	6.3	55	2	3	4	7	11	17	36
50-64	1006	7.3	57	2	3	5	9	14	19	38
65+	2875	8.3	60	3	4	6	10	15	21	44
TOTAL SINGLE DX	558	3.6	8	1	2	3	5	7	9	15
TOTAL MULTIPLE DX	5649	7.8	72	2	3	6	9	15	21	48
TOTAL										
0-19 YRS	1127	6.9	114	1	2	4	7	14	28	66
20-34	434	5.3	36	1	2	4	6	11	14	42
35-49	667	5.9	50	1	2	4	7	11	16	34
50-64	1059	7.2	56	2	3	5	9	14	19	38
65+	2920	8.3	60	3	4	6	10	15	20	44
GRAND TOTAL	6207	7.4	67	2	3	5	9	14	20	47

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1761	3.7	41	1	1	2	4	7	10	41
20-34	552	3.4	18	1	1	2	4	7	10	23
35-49	392	4.0	24	1	1	3	4	9	13	25
50-64	311	3.8	12	1	2	3	5	7	10	17
65+	335	5.3	25	1	2	4	7	9	14	30
2. MULTIPLE DX										
0-19 YRS	3866	9.5	194	1	2	4	10	25	42	85
20-34	1371	6.4	73	1	2	4	7	15	25	51
35-49	2145	6.1	63	1	2	4	7	13	21	42
50-64	3370	6.5	55	2	3	4	8	13	20	38
65+	8821	7.5	58	2	3	5	9	15	21	39
TOTAL SINGLE DX	3351	3.8	32	1	1	2	4	8	11	32
TOTAL MULTIPLE DX	19573	7.5	88	2	3	5	8	16	24	54
TOTAL										
0-19 YRS	5627	7.7	154	1	2	3	8	19	36	75
20-34	1923	5.5	60	1	2	3	6	13	21	42
35-49	2537	5.8	58	1	2	3	6	12	20	40
50-64	3681	6.3	52	2	2	4	7	13	19	37
65+	9156	7.4	58	2	3	5	9	14	21	39
GRAND TOTAL	22924	7.0	81	1	2	4	8	15	23	51

APPENDIX A

1989 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL [3]
Hospital Category			
Bedsize			
6-24	378	55	14.6
25-49	1,126	189	16.8
50-99	1,202	221	18.4
100-199	1,143	213	18.6
200-299	714	122	17.1
300-399	392	87	22.2
400-499	202	40	19.8
500+	268	54	20.1
Unknown	1	0	
Total	**5,426**	**981**	**18.1**
Region and Census Division			
Northeast	773	213	27.6
New England	232	78	33.6
Middle Atlantic	541	135	25.0
North Central	1,579	304	19.3
East North Central	825	270	32.7
West North Central	754	34	4.5
South	2,052	156	7.6
South Atlantic	801	88	11.0
East South Central	474	37	7.8
West South Central	777	31	4.0
West	1,022	308	30.1
Mountain	363	160	44.1
Pacific	659	148	22.5
Location			
Urban	2,851	553	19.4
Rural	2,575	428	16.6
Teaching Intensity			
Low	4,443	731	16.5
Medium	687	173	25.2
High	296	61	20.6
Unknown	0	16	

---

[1] Hospitals with average stay less than 30 days

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1989 sample is compared to the universe of hospitals in 1988.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1988 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P.J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1989 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism

Group No.	Title
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine

Group No.	Title
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy, except ischemic
150	ischemic
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit

Group No.	Title
	Cellulitis (continued)
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic (continued)
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired

DIAGNOSIS INDEX (continued)

Group No.	Title
134	Degeneration, globe of eye
86	Dehydration
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic
112	amphetamine
112	barbiturate
112	cocaine

Group No.	Title
	Dependence (continued)
111	heroin
112	LSD
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal

DIAGNOSIS INDEX (continued)

Group No. Title
Dialysis (continued)
415 renal
214 Diaphragmatic hernia
218 Diarrhea, except infectious and functional
224 functional
2 infectious
7 Diphtheria
Disease
209 appendix, except acute appendicitis
150 arteriosclerotic cardiovascular
176 artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14 arthropod-borne
84 autoimmune, except AIDS
13 AIDS
7 bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231 biliary ducts
248 bladder, except calculus and cystitis
329 bone, except osteomyelitis and osteoarthritis
256 breast, except fibrocystic
255 fibrocystic
234 celiac
central nervous system
8 enteroviral
120 inflammatory, except enteroviral
124 noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
cerebrovascular-*see Cerebrovascular accident*
142 chronic rheumatic heart
311 connective tissue, diffuse
150 coronary artery
222 Crohn's
80 Cushing's
13 cytomegalic inclusion
197 dental
219 diverticular

Group No. Title
Disease (continued)
206 duodenum, except ulcer and inflammatory
140 ear, except inflammatory and otosclerosis
152 endocarditis, bacterial
80 endocrine, except ovary, thyroid, and diabetes mellitus
199 esophagus
135 eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134 inflammatory, except lacrimal tract
266 fallopian tube, except endometriosis
331 fascia
266 female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229 gallbladder
266 gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
heart
144 hypertensive
146 with renal disease or failure
150 ischemic, except infarction and angina pectoris
142 rheumatic, chronic
158 other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91 hematopoietic, except anemia, hemophilia, and leukemia
344 hemolytic, newborn
13 HIV infection (AIDS)
48 Hodgkin's
143 hypertensive, except heart and renal
144 heart
146 with renal disease or failure
145 renal
146 with heart disease or failure
19 infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224 intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2 infectious

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
14	Lyme
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
	Disease (continued)
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar

DIAGNOSIS INDEX (continued)

Group No. **Title**

- 173 Dissecting aortic aneurysm
- 195 Distress, acute respiratory
- 219 Diverticulitis
- 219 Diverticulosis
- Diverticulum
  - 199 esophagus
  - 219 intestine
- Drug
  - 114 abuse, except alcohol
  - 112 dependence, except opioid
    - 111 opioid
  - 99 induced psychosis
  - 402 poisoning or overdose
  - 99 withdrawal syndrome or symptoms
- 113 Drunkenness
- 206 Duodenal disease, except ulcer and inflammation
  - ulcer-*see Ulcer, duodenal*
- 205 Duodenitis
- 2 Dysentery
- Dysfunction
  - 79 ovarian
  - 332 somatic (osteopathic)
- 267 Dysmenorrhea
- 267 Dyspareunia
- 353 Dyspnea
- 108 Dysthymia
- 124 Dystrophy, muscular
- 354 Dysuria

- 346 Eclampsia
  - 275 of pregnancy
    - 301 with delivery
- 268 Ectopic pregnancy
- Effect, adverse
  - 404 drugs, not otherwise specified
    - 402 overdose or wrong substance given or taken
  - 404 external conditions

Group No. **Title**

- Effect, adverse **(continued)**
  - 403 nonmedical substance
  - 404 radiation
  - 404 temperature
- 282 Elderly primigravida
  - 301 with delivery
- Elective
  - 269 abortion
  - 410 sterilization
- 86 Electrolyte imbalance or disorder
- Embolism
  - 175 arterial, except cerebral, precerebral, and lower limb
  - cerebral
    - 165 without paralysis
    - 166 with paralysis
  - 171 lower limb
  - precerebral
    - 163 without paralysis
    - 164 with paralysis
  - 151 pulmonary, except postoperative
    - 408 postoperative
  - 180 vein
- 191 Emphysema
- 120 Encephalitis, except viral
  - 13 viral
    - 20 late effect
- 152 Endocarditis, acute and subacute bacterial
- 80 Endocrine disease, except ovary, thyroid, and diabetes mellitus
- 259 Endometriosis
- 261 Endometritis, except puerperal
  - 302 puerperal
- 73 Enlarged thyroid
- 218 Enteritis, except bacterial, regional, and viral
  - 2 bacterial
  - 218 noninfectious
  - 222 regional
  - 1 viral

DIAGNOSIS INDEX (continued)

Group No.	Title
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension
	Examination
417	follow-up
417	medical
	Failure
156	heart, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
238	renal, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow
	Fibrillation or flutter
154	atrial
155	ventricular

Group No.	Title
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible
372	medial malleolus
368	metacarpal
372	metatarsal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	Title
	Heart
147	attack
156	failure, execpt hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids

Group No.	Title
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No. **Title**
357 Hyperbilirubinemia, unspecified
  84 constitutional
  344 neonatal
84 Hypercalcemia
276 Hyperemesis gravidarum
80 Hyperinsulinism
84 Hyperlipoproteinemia
80 Hyperparathyroidism
249 Hyperplasia of prostate
86 Hyperpotassemia
143 Hypertension, except renal and of pregnancy
  275 of pregnancy
  301 with delivery
  145 renal
  146 renovascular
134 Hypertensive retinopathy
74 Hyperthyroidism
185 Hypertrophy of tonsils and adenoids
84 Hypogammaglobulinemia
80 Hypoparathyroidism
86 Hypopotassemia
180 Hypotension
74 Hypothyroidism
86 Hypovolemia

222 Ileitis, regional
217 Ileus, paralytic or adynamic
357 Ill-defined conditions
343 Immaturity of newborn
84 Immunodeficiency disorder, except AIDS
  13 AIDS
167 Impending CVA
306 Impetigo
271 Incomplete abortion
354 Incontinence
147 Infarction, acute myocardial

Group No. **Title**
Infection
  245 bladder
  328 bone
  260 cervix
  240 kidney, except nephritis, nephrosis, and acute pyelonephritis
  7 meningococcal
  407 postoperative wound
  302 puerperal, major
  306 skin and subcutaneous tissue, except cellulitis and abscess
  181 upper respiratory, except streptococcal
  247 urinary tract
    280 in pregnancy
  261 uterine, except cervix
  261 vaginal
  261 vulvar
  407 wound, postoperative
11 Infectious mononucleosis
Infertility
  266 female
  254 male
Inflammation
  120 central nervous system
  135 eye, except lacrimal tract
    133 lacrimal tract
189 Influenza
189 Influenzal pneumonia
Inguinal hernia
  210 without complication
  211 with complication
Injury
  345 birth
  392 blood vessel
  396 crush, except abdomen and chest
    386 abdomen
    385 chest
  384 head, except concussion

DIAGNOSIS INDEX (continued)

Group No.	Title
	Injury (continued)
386	internal, except chest
385	chest
401	knee
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*

Group No.	Title
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
14	Lyme
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria
32	Malignant melanoma, skin
105	Manic-depressive psychosis
342	Marfan syndrome
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign (continued)
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
27	bile duct
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye

Group No.	Title
	Neoplasm, malignant (continued)
38	fallopian tube
27	gallbladder
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, not further specified
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
27	liver
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple
411	single term
412	twin
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus

Group No.	Title
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis
	Ovarian
257	cyst
266	disease, except endometriosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian (continued)
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome

DIAGNOSIS INDEX (continued)

Group No.	Title
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
342	Prader-Willi syndrome
	Precerebral occlusion
163	without paralysis
1[illegible]4	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
	Proteinuria (continued)
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment
357	Rash

DIAGNOSIS INDEX (continued)

Group No.	Title
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis

Group No.	Title
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis
409	Serum sickness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective

Group No.	Title
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No. Title

- 7 Tetanus
- 173 Thoracic aortic aneurysm
- 273 Threatened abortion
- 91 Thrombocytopenia
- 177 Thrombophlebitis
  - 180 migrans
- Thrombosis
  - 175 arterial, except cerebral, precerebral, and lower limb
  - 165 cerebral, without paralysis
    - 166 with paralysis
  - 171 lower limb
  - 180 portal vein
  - 163 precerebral, without paralysis
    - 164 with paralysis
  - 180 vein
- 74 Thyroid disease, except nodule or goiter
  - 73 thyroid nodule or goiter
- 74 Thyrotoxicosis
- 167 TIA
- 127 Tic douloureux
- 185 Tonsillitis, chronic
- 275 Toxemia of pregnancy
  - 301 with delivery
- 275 Toxemia of the puerperium
  - 301 with delivery
- 182 Tracheobronchitis, acute
- 409 Transfusion reaction
- 167 Transient ischemic attack (TIA)
- 131 Traumatic cataract
- Treatment
  - 416 chemotherapy
  - 415 dialysis
  - 417 physical therapy
  - 417 radiotherapy
- 17 Trichinosis
- 19 Trichomoniasis

Group No. Title

- Tricuspid valve disease-*see Valvular disease*
- 127 Trigeminal neuralgia
- 245 Trigonitis
- 268 Tubal pregnancy
- Tuberculosis
  - 4 bone
  - 20 late effect
  - 3 lung
  - 4 nonrespiratory
  - 3 respiratory
- 14 Typhus

- Ulcer
  - 202 duodenal
    - 203 with hemorrhage or perforation
    - 204 with obstruction
  - 200 gastric
    - 201 with hemorrhage or perforation
    - 204 with obstruction
  - 202 gastrojejunal
    - 203 with hemorrhage or perforation
    - 204 with obstruction
  - 202 peptic, except gastric
    - 203 with hemorrhage or perforation
    - 204 with obstruction
  - 309 skin
  - 178 varicose, lower extremity
- 222 Ulcerative colitis
- 78 Uncontrolled diabetes mellitus
- 339 Undescended testis
- 357 Undiagnosed disease
- 322 Unstable low back
- 181 Upper respiratory infection, acute, except streptococcal
  - 5 streptococcal
- 238 Uremia, except chronic
  - 237 chronic

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper respiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart

Group No.	Title
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No. **Title**

- Aspiration
  - 768 breast, except for biopsy
    - 757 biopsy
  - 756 bursa
  - 690 cul-de-sac
  - 685 curettage, uterus, except for termination of pregnancy
    - 682 termination of pregnancy
  - 658 hydrocele, except of spermatic cord
    - 663 spermatic cord
  - 636 kidney
  - 614 liver, percutaneous, except for biopsy
    - 615 biopsy
  - 536 middle ear
  - 545 nasal sinus
  - 671 ovary
  - 768 skin
  - 663 spermatocele
  - 529 vitreous
- Augmentation
  - 760 breast
  - 707 chin
- Balloon
  - 582 angioplasty, except coronary
    - 571 coronary
  - 570 valvuloplasty, heart
- Biopsy
  - 515 adrenal gland
  - 611 anus
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 714 femur
  - 586 bone marrow
  - 501 brain

Group No. **Title**

- **Biopsy (continued)**
  - 757 breast
  - 562 bronchus
  - 501 cerebral meninges
  - 676 cervix
  - 598 colon
  - 598 duodenum
  - 676 endocervical
  - 589 esophagus
  - 531 eyeball
  - 517 eyelid
  - 674 fallopian tubes
  - 598 intestine (large) (small)
  - 732 joint structure
  - 636 kidney
  - 598 large intestine
  - 557 larynx
  - 551 lip
  - 615 liver
  - 564 lung
  - 583 lymph nodes
  - 569 mediastinum
  - meninges
    - 501 cerebral
    - 507 spinal
  - 742 muscle
  - 545 nasal sinus
  - 542 nose
  - 531 orbit
  - 668 ovary, except by aspiration
    - 671 aspiration
  - 620 pancreas
  - 666 penis
  - 508 peripheral nerve
  - 628 peritoneum
  - 555 pharynx
  - 569 pleura

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
657	prostate
606	rectum
549	salivary gland or duct
658	scrotum
762	skin
598	small intestine
507	spinal meninges
593	stomach
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary

Group No.	Title
	Bypass, graft or shunt (continued)
597	gastric
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization **(continued)**
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder

Group No.	Title
	Control of hemorrhage **(continued)**
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Debridement (continued)
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
602	large intestine
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
609	EGD (esophagogastroduodenoscopy), except with biopsy
598	with biopsy
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy (continued)
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy

Group No.	Title
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No. **Title**

Excision (continued)
- hydrocele (continued)
  - 663 spermatic cord
  - 658 tunica vaginalis
- 729 intervertebral disc or cartilage, except chemonucleolysis
  - 728 chemonucleolysis
- 732 joint, except intervertebral disc and cartilage of knee
  - 729 intervertebral disc, except chemonucleolysis
    - 728 chemonucleolysis
  - 730 knee cartilage
- 633 kidney, except partial
  - 636 partial
- 730 knee cartilage (semilunar)
- 583 lymph nodes, except radical
  - 584 radical
- 508 neuroma, peripheral nerve
- ovary
  - 670 bilateral
  - 669 unilateral
- 549 parotid gland
- 761 pilonidal cyst or sinus
- 515 pituitary gland
- 656 prostate, except transurethral approach
  - 655 transurethral approach
- 522 pterygium
- 762 sebaceous cyst, except of eyelid
  - 517 eyelid, eyebrow
- 730 semilunar cartilage, knee
- 586 spleen
- 514 thyroglossal duct or tract
- 513 thyroid
- 767 toenail
- 551 tongue
- 552 tonsil, except with adenoids
  - 553 with adenoids
- 555 tonsil tag

Group No. **Title**

Excision (continued)
- tubes and ovaries
  - 670 bilateral
  - 669 unilateral
- 678 uterine fibroid
- 577 varicocele, except of spermatic cord
  - 663 spermatic cord

Excision of lesion (and destruction of tissue)
- 628 abdominal wall
- 611 anus
- 619 bile duct, except by ERCP
  - 618 by ERCP
- 644 bladder, except transurethral approach
  - 642 transurethral approach
- 715 bone, except facial and femur
  - 706 facial
  - 714 femur
- 501 brain
- 757 breast
- 562 bronchus
- 501 cerebral meninges
- 676 cervix, except by conization
  - 675 conization
- 598 colon
- 520 conjunctiva
- 522 cornea
- 598 duodenum
- 533 ear, external
- 589 esophagus
- 531 eye
- 517 eyelid
- 674 fallopian tube
- 548 gingiva, gums
- 598 intestine
- 524 iris
- 636 kidney

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion (continued)
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
620	pancreatic duct, except by ERCP
618	by ERCP
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach
	Excision of lesion (continued)
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	Exteriorization, intestine
	Extracorporeal
582	circulation
582	membrane oxygenation (ECMO)
	shock wave lithotripsy (ESWL)
619	biliary tract
652	urinary tract
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift

OPERATION INDEX (continued)

Group No.	Title
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
	Fistulization
523	sclera (for glaucoma)
561	transesophageal (larynx)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction

Group No.	Title
	Fracture-reduction **(continued)**
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy

OPERATION INDEX (continued)

Group No. Title

- Graft
  - 717 bone, except facial, femur and skull
    - 710 facial
    - 716 femur
    - 503 skull
  - 765 free, of skin
  - 551 lip
  - 746 muscle, except of hand
    - 744 hand
  - 766 pedicle, of skin
  - skin
    - 765 free
    - 766 pedicle
  - 746 tendon, except of hand
    - 744 hand

- 573 Heart catheterization
- 582 Heart-lung bypass
- 600 Hemicolectomy
- 579 Hemodialysis
- 612 Hemorrhoidectomy
- 615 Hepatectomy
- Herniorrhaphy
  - 627 diaphragmatic
  - 626 epigastric
  - 624 femoral
  - 626 incisional
  - inguinal
    - 623 bilateral
    - 622 unilateral
  - 625 umbilical
  - 626 ventral
- 736 Hip replacement, except total
  - 735 total
- 576 His bundle study
- 781 Hyperalimentation

Group No. Title

- 778 Hyperthermia, except localized
  - 781 localized, for treatment of malignancy and other lesions
- 515 Hypophysectomy
- 679 Hysterectomy, except radical and vaginal
  - 681 radical
  - 680 vaginal
- 686 Hysteropexy
- 687 Hysteroscopy
- 678 Hysterotomy, except for termination of pregnancy
  - 701 termination of pregnancy

- 603 Ileostomy, except loop
  - 601 loop
- 638 Ileoureterostomy
- Implant, implantation
  - 648 artificial urinary sphincter
  - 760 breast
  - 574 cardiac pacemaker (electrodes) (pulse generator)
  - 575 cardioverter/defibrillator
  - 538 cochlear prosthetic device
  - 538 electromagnetic hearing device (bone) (cochlea)
  - 755 limb prosthesis
- Incision (and drainage)
  - 628 abdominal wall
  - 610 anal fistula
  - 605 appendix
  - 691 Bartholin's gland or abscess
  - 712 bone, except facial and femur
    - 710 facial
    - 711 femur
  - 501 brain
  - 760 breast
  - 501 cerebral meninges
  - 568 chest (wall)
  - 522 cornea
  - 502 cranial sinus

OPERATION INDEX (continued)

Group No. **Title**

Incision (and drainage) (continued)
533 ear, external
518 eyelid
551 floor of mouth
619 gallbladder
548 gingiva, gums
601 intestine
727 joint
519 lacrimal gland or sac
614 liver
583 lymph nodes
538 mastoid
meninges
501 cerebral
506 spinal
536 middle ear
741 muscle
nasal sinus-*see Sinusotomy*
741 palmar space (hand)
620 pancreas
613 perianal tissue
perineum
691 female
764 male
607 perirectal tissue
629 peritoneum, except via cul-de-sac
690 via cul-de-sac
761 pilonidal cyst or sinus
568 pleura
607 rectovaginal septum
607 rectum
628 retroperitoneal abscess
658 scrotum
sinus (nasal)-*see Sinusotomy*
764 skin, except pilonidal cyst or sinus
761 pilonidal cyst or sinus
506 spinal meninges

Group No. **Title**

Incision (and drainage) (continued)
741 tendon
568 thorax
637 ureter
690 vagina
691 vulva
698 Induction of labor (medical or surgical) for delivery
Infusion
concentrated nutritional substances
783 enteral
781 parenteral (PPN) (TPN)
Injection
702 intra-amniotic, for termination of pregnancy
781 therapeutic agent (drugs)
760 breast
756 bursa
756 joint
756 tendon
694 Insemination, artificial
Insertion
717 bone growth stimulator, except femur
716 femur
574 cardiac pacemaker (electrode) (pulse generator)
512 catheter, spinal canal
596 gastric balloon
764 infusion pump
694 intrauterine contraceptive device
687 laminaria, uterus
665 penile prosthesis
767 tissue expander, except breast
760 breast
651 ureteral stent, except by incision
637 by incision
674 Insufflation, fallopian tubes
582 Interruption, vena cava
702 Intra-amniotic injection for termination of pregnancy
775 Intravenous pyelogram (IVP)

OPERATION INDEX (continued)

Group No.	Title
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter

Group No.	Title
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
757	subtotal
537	Mastoidectomy, except revision
538	revision

OPERATION INDEX (continued)

Group No.	Title
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial

Group No.	Title
	Ostectomy, except facial bone and femur **(continued)**
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
592	PEG (percutaneous endoscopic gastrostomy)
603	PEJ (percutaneous endoscopic jejunostomy)
681	Pelvic exenteration
	Percutaneous
	endoscopic
592	gastrostomy (PEG)
603	jejunostomy (PEJ)
582	transluminal angioplasty, except coronary
571	coronary
575	Pericardiocentesis
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear

OPERATION INDEX (continued)

Group No.	Title
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
	Polypectomy
589	esophagus
598	large intestine
593	stomach
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)

OPERATION INDEX (continued)

Group No.	Title
	Reduction **(continued)**
	fracture
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	site, other than above
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
621	hemorrhoids
	hernia-*see also Herniorrhaphy*
783	manual
602	intestinal torsion
602	intussusception, intestine
760	mammoplasty
602	volvulus, intestine
	Rehabilitation
779	alcohol
779	drug
	Release
	adhesions-*see Lysis, adhesions*
743	Dupuytren's contracture
767	scar contracture, skin
648	urethral stricture
	Removal
718	bone growth stimulator

Group No.	Title
	Removal **(continued)**
	calculus
619	biliary tract, except by ERCP or percutaneous
618	by ERCP
617	percutaneous
644	bladder, except transurethral approach
643	transurethral approach
636	kidney, except transurethral approach
639	transurethral approach
519	lacrimal tract (by incision)
532	without incision
620	pancreatic duct, except by endoscopic approach
618	endoscopic approach
637	ureter, except transurethral approach
639	transurethral approach
783	catheter, nonoperatively
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively

OPERATION INDEX (continued)

Group No.	Title
	Removal (continued)
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
713	claw toe
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus

Group No.	Title
	Repair (continued)
713	hammer toe
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	laceration-*see also Repair, by site*
705	obstetric
561	larynx
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
713	toe(s)
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder

Group No.	Title
	Resection (continued)
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump
580	arteriovenous shunt for dialysis
597	gastric anastomosis
602	intestinal anastomosis
538	mastoidectomy
561	tracheostomy
538	tympanoplasty
505	ventricular shunt
541	Rhinoplasty
767	Rhytidectomy, facial
548	Root canal therapy
548	Root resection (tooth)
698	Rupture of membranes for delivery
	Salpingectomy
673	bilateral
674	unilateral

OPERATION INDEX (continued)

Group No.	Title
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP
618	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy

Group No.	Title
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy

OPERATION INDEX (continued)

Group No.	Title
	Termination of pregnancy (**continued**)
702	intra-amniotic injection
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
635	kidney
615	liver
567	lung
746	muscle, except of hand
744	hand
620	pancreas
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy
641	Urethroscopy
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy

OPERATION INDEX (continued)

Group No.	Title
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
644	Vesicostomy
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

B4465-1.5

LOS

LENGTH OF STAY

Length of Stay
by Diagnosis and Operation, Western Region, 1989

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1990

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1989
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1989
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1989
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1989
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1989 through December 31, 1989. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1990 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii

Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of the Statistics ix

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables x

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-417 4
Length of Stay Operation Groups 213
Summary of All Patients in Operation Groups 214
Operation Groups 501-783 215

Appendix A
1989 Hospital Characteristics 287

Appendix B
Description of Hospital Characteristics 289

Appendix C
State Inclusions By Region 291

Appendix D
Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 293

Index
Part I: Diagnosis Index 298
Part II: Operation Index 321

ACKNOWLEDGEMENTS

1989 LENGTH OF STAY BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Linda Vanek, Assistant Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Robert Travis, Librarian.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Stacey Cavanaugh, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1989 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1989 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1989.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborns, age is replaced by birth weight in grams. The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Single or Multiple Diagnosis
- Not Operated or Operated (for Diagnosis groups only)
- Patient's Age (on day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay Tables
Diagnosis Groups

308 Hospitals, Western Region, January-December 1989

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	119818	2.1	7	1	1	2	2	3	4	11
20-34	60305	2.5	14	1	1	2	2	4	7	19
35-49	22147	3.6	26	1	1	2	4	7	11	28
50-64	11772	3.7	20	1	1	2	4	7	10	24
65 +	10174	4.0	24	1	2	3	5	8	10	25
B. Operated										
0-19 YRS	34458	2.5	7	< 1	1	2	3	5	7	14
20-34	80968	2.5	5	1	1	2	3	4	6	11
35-49	33618	3.3	9	1	1	3	4	6	8	14
50-64	20604	3.9	12	1	2	3	5	8	10	16
65 +	18240	4.5	13	1	2	4	7	9	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121960	4.1	41	1	1	2	4	7	13	37
20-34	67520	4.8	44	1	1	3	5	10	19	31
35-49	62096	5.1	39	1	2	3	6	11	17	31
50-64	75832	5.0	29	1	2	4	6	10	14	28
65 +	192953	5.8	27	2	3	4	7	11	15	27
B. Operated										
0-19 YRS	42090	6.1	96	1	1	3	6	14	25	78
20-34	123074	4.0	27	1	2	3	4	7	11	29
35-49	77335	5.5	44	1	2	4	6	11	16	37
50-64	73841	7.0	59	1	3	5	9	14	20	42
65 +	134259	8.3	62	2	3	6	10	16	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	224216	2.5	13	1	1	2	3	4	7	17
B. Operated	187888	3.0	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	520361	5.1	35	1	2	3	6	10	15	30
B. Operated	450599	6.2	55	1	2	4	8	13	19	41
1. SINGLE DX	412104	2.7	11	1	1	2	3	5	7	15
2. MULTIPLE DX	970960	5.6	44	1	2	4	7	12	17	35
A. Not Operated	744577	4.3	29	1	1	3	5	9	13	28
B. Operated	638487	5.3	43	1	2	3	6	11	16	35
TOTAL										
0-19 YRS	318326	3.4	34	1	1	2	3	6	10	34
20-34	331867	3.5	24	1	1	2	4	6	10	27
35-49	195196	4.8	35	1	2	3	5	9	14	31
50-64	182049	5.6	40	1	2	4	7	11	16	33
65 +	355626	6.6	41	2	3	5	8	13	18	33
GRAND TOTAL	**1383064**	**4.7**	**36**	**1**	**2**	**3**	**5**	**10**	**14**	**31**

308 Hospitals, Western Region, January-December 1989

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40786	2.7	17	1	1	2	3	5	7	21
20-34	60305	2.5	14	1	1	2	2	4	7	19
35-49	22147	3.6	26	1	1	2	4	7	11	28
50-64	11772	3.7	20	1	1	2	4	7	10	24
65 +	10174	4.0	24	1	2	3	5	8	10	25
B. Operated										
0-19 YRS	34443	2.5	7	< 1	1	2	3	5	7	14
20-34	80968	2.5	5	1	1	2	3	4	6	11
35-49	33618	3.3	9	1	1	3	4	6	8	14
50-64	20604	3.9	12	1	2	3	5	8	10	16
65 +	18240	4.5	13	1	2	4	7	9	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71762	4.8	57	1	2	3	4	10	18	43
20-34	67520	4.8	44	1	1	3	5	10	19	31
35-49	62096	5.1	39	1	2	3	6	11	17	31
50-64	75832	5.0	29	1	2	4	6	10	14	28
65 +	192953	5.8	27	2	3	4	7	11	15	27
B. Operated										
0-19 YRS	40374	5.6	75	1	1	3	6	13	21	64
20-34	123074	4.0	27	1	2	3	4	7	11	29
35-49	77335	5.5	44	1	2	4	6	11	16	37
50-64	73841	7.0	59	1	3	5	9	14	20	42
65 +	134259	8.3	62	2	3	6	10	16	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145184	2.9	18	1	1	2	3	5	8	22
B. Operated	187873	3.0	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	470163	5.3	36	1	2	4	6	11	15	31
B. Operated	448883	6.2	53	1	2	4	7	13	18	40
1. SINGLE DX	333057	3.0	13	1	1	2	3	6	8	17
2. MULTIPLE DX	919046	5.7	45	1	2	4	7	12	17	35
A. Not Operated	615347	4.7	33	1	2	3	6	10	14	30
B. Operated	636756	5.2	42	1	2	3	6	11	16	34
TOTAL										
0-19 YRS	187365	4.1	45	1	1	2	4	8	14	39
20-34	331867	3.5	24	1	1	2	4	6	10	27
35-49	195196	4.8	35	1	2	3	5	9	14	31
50-64	182049	5.6	40	1	2	4	7	11	16	33
65 +	355626	6.6	41	2	3	5	8	13	18	33
GRAND TOTAL	**1252103**	**5.0**	**38**	**1**	**2**	**3**	**6**	**10**	**15**	**32**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	359	1.9	1	1	1	2	3	3	4	6
20-34	142	1.8	1	1	1	2	2	3	4	6
35-49	83	2.0	1	1	1	2	3	3	4	6
50-64	30	2.3	3	1	1	2	3	5	7	8
65 +	21	2.1	3	1	1	2	3	4	6	9
B. Operated										
0-19 YRS	12	3.3	3	1	2	3	4	6	6	6
20-34	10	3.3	3	1	2	3	4	6	6	6
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65 +	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1310	2.6	5	1	1	2	3	4	6	10
20-34	330	2.3	2	1	1	2	3	4	5	8
35-49	249	2.7	3	1	1	2	3	5	6	10
50-64	253	3.1	5	1	2	3	4	5	7	12
65 +	583	3.5	6	1	2	3	4	6	8	12
B. Operated										
0-19 YRS	35	6.0	28	2	2	4	7	13	18	23
20-34	24	4.5	48	1	2	3	4	7	19	35
35-49	21	3.2	3	1	2	3	4	6	7	7
50-64	11	4.4	8	1	2	5	7	8	9	9
65 +	20	6.8	54	2	4	5	6	12	25	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	635	2.0	1	1	1	2	2	3	4	6
B. Operated	28	3.5	3	2	2	3	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	2725	2.8	5	1	2	2	3	5	7	11
B. Operated	111	5.1	31	1	2	4	6	10	14	35
1. SINGLE DX	663	2.0	2	1	1	2	3	3	5	6
2. MULTIPLE DX	2836	2.9	6	1	2	2	3	5	7	12
A. Not Operated	3360	2.6	4	1	1	2	3	5	6	10
B. Operated	139	4.8	25	1	2	4	6	8	13	35
TOTAL										
0-19 YRS	1716	2.5	5	1	1	2	3	4	6	12
20-34	506	2.3	4	1	1	2	3	4	5	8
35-49	355	2.6	3	1	1	2	3	5	6	9
50-64	295	3.0	5	1	2	3	4	6	7	12
65 +	627	3.5	8	1	2	3	4	6	8	13
GRAND TOTAL	**3499**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	191	3.6	18	1	2	3	4	7	10	24
20-34	142	3.5	7	1	2	3	4	6	8	15
35-49	88	3.0	5	1	1	3	4	5	6	13
50-64	33	3.1	3	1	2	3	4	6	7	7
65 +	20	3.3	3	1	2	3	4	6	7	7
B. Operated										
0-19 YRS	10	8.1	97	2	2	4	10	24	33	33
20-34	25	4.8	6	2	4	4	6	8	9	11
35-49	14	4.1	11	1	3	3	4	6	13	15
50-64	6	3.8	6	2	2	3	5	8	8	8
65 +	3	6.7	40	3	3	3	11	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	415	4.0	22	1	2	3	5	7	11	26
20-34	247	4.1	11	1	2	3	5	7	11	16
35-49	230	4.2	9	1	2	3	5	8	10	16
50-64	167	4.4	12	1	3	4	5	8	12	18
65 +	385	5.9	17	2	3	5	8	11	14	21
B. Operated										
0-19 YRS	31	13.8	279	4	5	8	14	36	44	83
20-34	63	7.2	26	3	4	6	9	12	15	32
35-49	45	8.8	118	3	3	6	9	18	35	62
50-64	63	7.6	34	2	3	6	11	14	19	28
65 +	121	11.0	84	4	5	8	13	21	35	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	474	3.4	11	1	2	3	4	6	8	15
B. Operated	58	5.2	24	2	3	4	5	10	15	32
2. MULTIPLE DX										
A. Not Operated	1444	4.6	16	1	2	4	6	9	11	20
B. Operated	323	9.6	89	3	4	7	11	18	31	55
1. SINGLE DX	532	3.6	12	1	2	3	4	6	9	15
2. MULTIPLE DX	1767	5.5	33	2	2	4	6	11	14	33
A. Not Operated	1918	4.3	15	1	2	3	5	8	11	18
B. Operated	381	8.9	82	3	4	6	10	18	28	50
TOTAL										
0-19 YRS	647	4.4	39	1	2	3	5	8	11	33
20-34	477	4.4	13	1	2	4	5	8	11	18
35-49	377	4.5	24	1	2	3	5	8	10	21
50-64	269	5.0	18	1	3	4	6	10	14	23
65 +	529	7.0	37	2	3	5	9	13	18	36
GRAND TOTAL	**2299**	**5.1**	**29**	**1**	**2**	**4**	**6**	**10**	**14**	**29**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.5	6	1	2	3	4	8	9	9
20-34	43	7.0	136	1	2	4	7	11	28	69
35-49	26	7.2	53	1	2	4	9	15	25	30
50-64	12	14.9	449	1	1	5	24	43	69	73
65 +	11	3.6	8	1	1	2	6	8	9	9
B. Operated										
0-19 YRS	6	7.0	14	1	4	8	10	10	10	10
20-34	12	8.3	16	4	6	9	10	13	17	18
35-49	10	6.9	22	2	3	6	8	15	15	15
50-64	3	10.7	32	6	7	9	15	17	17	17
65 +	4	9.5	9	7	7	9	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	9.1	122	2	4	7	10	54	91	99 +
20-34	61	9.5	172	1	3	6	13	24	80	99 +
35-49	59	11.0	152	2	4	7	14	37	78	99 +
50-64	60	12.4	143	2	5	8	17	38	67	99 +
65 +	64	10.5	63	4	6	8	12	27	28	37
B. Operated										
0-19 YRS	12	10.3	42	1	6	10	13	20	23	24
20-34	34	15.1	298	5	7	8	20	32	82	99 +
35-49	25	14.5	161	4	6	11	34	99 +	99 +	99 +
50-64	22	13.2	132	6	7	10	16	58	99 +	99 +
65 +	46	12.8	100	4	5	9	18	26	31	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	7.2	126	1	2	4	8	13	29	71
B. Operated	35	8.0	17	2	6	7	10	15	17	18
2. MULTIPLE DX										
A. Not Operated	256	10.8	130	2	5	7	14	31	53	99 +
B. Operated	139	13.5	157	4	6	10	19	34	94	99 +
1. SINGLE DX	141	7.4	99	1	2	5	9	14	22	69
2. MULTIPLE DX	395	11.7	141	2	5	8	16	33	63	99 +
A. Not Operated	362	9.7	131	1	3	6	12	28	42	99 +
B. Operated	174	12.4	134	4	6	9	16	31	53	99 +
TOTAL										
0-19 YRS	44	7.4	54	1	3	6	10	15	29	99 +
20-34	150	10.0	184	1	3	6	11	25	66	99 +
35-49	120	10.6	126	2	4	7	15	36	99 +	99 +
50-64	97	12.8	169	2	6	9	17	38	84	99 +
65 +	125	10.7	75	2	5	8	13	24	29	40
GRAND TOTAL	**536**	**10.6**	**133**	**2**	**4**	**7**	**13**	**29**	**48**	**99 +**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	6.8	8	4	5	6	9	11	11	11
35-49	3	5.3	6	3	3	5	7	8	8	8
50-64	5	5.8	9	4	4	5	7	11	11	11
65 +	0									
B. Operated										
0-19 YRS	9	3.1	11	< 1	1	2	4	9	11	11
20-34	6	9.5	40	1	6	8	14	18	19	19
35-49	2	16.5	181	7	7	16	26	26	26	26
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	12	6.2	16	2	4	6	8	34	87	99 +
35-49	10	20.5	172	9	11	16	32	69	97	99 +
50-64	7	9.1	125	1	2	7	10	29	33	33
65 +	4	13.5	271	3	4	6	23	38	38	38
B. Operated										
0-19 YRS	7	25.7	1215	1	2	13	36	86	98	98
20-34	20	13.5	87	4	8	10	25	57	99 +	99 +
35-49	12	11.5	60	3	5	11	15	23	27	28
50-64	8	23.9	255	10	12	19	33	50	54	54
65 +	14	21.0	354	4	8	14	31	53	64	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	6.1	7	4	4	5	8	11	11	11
B. Operated	20	6.5	45	< 1	1	4	8	16	22	26
2. MULTIPLE DX										
A. Not Operated	34	12.3	139	2	5	8	19	38	84	99 +
B. Operated	61	17.6	295	4	8	13	24	43	78	99 +
1. SINGLE DX	33	6.3	29	1	3	5	8	12	18	26
2. MULTIPLE DX	95	15.7	244	3	6	11	23	41	84	99 +
A. Not Operated	47	10.6	109	3	5	7	13	33	51	99 +
B. Operated	81	14.8	255	2	5	11	21	39	59	99 +
TOTAL										
0-19 YRS	17	13.5	592	< 1	1	3	15	37	78	98
20-34	43	10.1	60	3	5	8	14	26	99 +	99 +
35-49	27	14.5	120	4	7	13	21	32	54	99 +
50-64	21	13.6	200	2	4	9	17	36	47	54
65 +	20	17.9	314	3	5	11	27	45	59	67
GRAND TOTAL	**128**	**13.3**	**205**	**2**	**5**	**9**	**18**	**35**	**54**	**99 +**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	2.3	2	1	1	2	3	4	5	7
20-34	22	2.7	1	2	2	3	3	4	5	5
35-49	9	2.0	1	1	1	2	3	4	4	4
50-64	4	1.5		1	1	1	2	2	2	2
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	5	1.8	3	< 1	< 1	1	2	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	209	2.1	1	1	1	2	3	3	4	6
20-34	87	2.7	3	1	2	2	3	5	6	10
35-49	34	2.7	2	1	2	2	3	5	5	7
50-64	20	3.4	2	1	2	4	4	5	6	6
65 +	15	4.6	8	2	2	4	7	9	9	9
B. Operated										
0-19 YRS	12	1.8	2	1	1	1	2	4	5	5
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	2.3	1	1	2	2	3	4	5	7
B. Operated	6	1.7	3	< 1	1	1	1	5	5	5
2. MULTIPLE DX										
A. Not Operated	365	2.4	2	1	1	2	3	4	5	9
B. Operated	16	2.2	4	1	1	1	3	5	7	8
1. SINGLE DX	88	2.3	1	1	1	2	3	4	5	7
2. MULTIPLE DX	381	2.4	2	1	1	2	3	4	6	9
A. Not Operated	447	2.4	2	1	1	2	3	4	5	9
B. Operated	22	2.0	3	1	1	1	2	5	6	8
TOTAL										
0-19 YRS	272	2.1	1	1	1	2	3	3	4	6
20-34	112	2.7	3	1	2	2	3	5	6	10
35-49	45	2.5	2	1	2	2	3	5	5	7
50-64	24	3.1	2	1	2	3	4	5	5	6
65 +	16	4.5	8	2	2	4	7	9	9	9
GRAND TOTAL	**469**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	274	3.7	6	2	2	3	4	7	9	11
20-34	8	4.1	8	1	2	3	5	9	10	10
35-49	15	4.7	10	1	2	4	8	9	10	10
50-64	12	4.6	11	1	2	3	7	10	11	11
65 +	30	6.1	48	2	3	5	7	9	13	40
B. Operated										
0-19 YRS	8	7.9	191	2	2	3	4	31	42	42
20-34	0									
35-49	0									
50-64	2	10.0	8	8	8	10	12	12	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	793	5.8	29	2	2	4	8	11	14	27
20-34	215	7.4	28	3	4	6	9	14	18	29
35-49	315	7.6	32	3	4	6	10	15	18	30
50-64	549	8.1	30	3	4	7	10	15	18	29
65 +	2465	8.2	26	4	5	7	10	14	17	28
B. Operated										
0-19 YRS	88	14.3	154	3	6	11	17	28	39	66
20-34	92	13.7	105	4	6	11	19	29	35	82
35-49	150	17.2	217	5	8	13	22	37	52	88
50-64	232	15.7	124	5	8	13	20	31	40	68
65 +	669	15.0	110	5	8	12	19	28	34	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	339	4.0	11	2	2	3	4	8	10	12
B. Operated	10	8.3	150	2	2	4	8	27	42	42
2. MULTIPLE DX										
A. Not Operated	4337	7.7	28	3	4	7	10	14	17	28
B. Operated	1231	15.2	129	5	8	12	19	30	38	62
1. SINGLE DX	349	4.1	15	2	2	3	5	8	10	13
2. MULTIPLE DX	5568	9.4	60	3	5	7	12	18	24	43
A. Not Operated	4676	7.4	28	2	4	6	9	14	17	28
B. Operated	1241	15.2	129	5	8	12	19	30	38	62
TOTAL										
0-19 YRS	1163	5.9	40	2	2	4	7	12	16	33
20-34	315	9.2	59	3	4	7	12	19	25	40
35-49	480	10.5	110	3	4	7	13	21	30	60
50-64	795	10.3	69	3	5	8	13	20	28	48
65 +	3164	9.7	51	4	5	8	12	17	23	38
GRAND TOTAL	**5917**	**9.0**	**59**	**3**	**4**	**7**	**11**	**17**	**23**	**41**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	213	5.5	14	2	3	5	7	11	13	15
20-34	25	5.2	13	2	3	4	6	10	14	15
35-49	19	3.9	7	1	2	3	5	9	9	9
50-64	9	4.6	10	1	2	4	7	9	10	10
65+	11	4.1	4	2	3	4	6	7	7	7
B. Operated										
0-19 YRS	11	5.3	21	1	2	3	8	13	15	15
20-34	10	4.7	10	1	2	4	7	9	11	11
35-49	4	5.0	9	2	2	5	7	8	8	8
50-64	5	12.4	191	4	5	7	15	37	37	37
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	239	6.6	16	2	3	6	9	12	14	19
20-34	96	6.4	15	2	3	6	9	12	14	17
35-49	79	7.3	46	3	3	5	8	16	20	41
50-64	75	6.2	18	2	4	5	8	13	15	21
65+	109	7.5	45	3	3	5	9	16	21	34
B. Operated										
0-19 YRS	32	16.9	317	3	8	11	19	42	86	99+
20-34	45	12.7	85	5	7	10	17	24	34	46
35-49	43	14.1	180	3	6	10	17	38	48	99+
50-64	40	12.0	44	5	6	11	16	21	25	29
65+	41	13.5	88	3	8	12	15	26	30	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277	5.3	13	2	3	4	7	10	12	15
B. Operated	30	6.2	46	1	2	5	7	11	15	37
2. MULTIPLE DX										
A. Not Operated	598	6.8	26	2	3	5	9	12	15	25
B. Operated	201	13.7	134	4	7	11	17	29	38	96
1. SINGLE DX	307	5.4	16	2	3	4	7	10	12	15
2. MULTIPLE DX	799	8.5	62	2	4	7	11	16	22	45
A. Not Operated	875	6.3	22	2	3	5	8	12	15	24
B. Operated	231	12.7	129	3	6	10	16	28	37	93
TOTAL										
0-19 YRS	495	6.8	42	2	3	6	9	12	15	32
20-34	176	7.8	41	2	4	6	10	14	19	35
35-49	145	8.8	92	2	3	6	10	19	34	69
50-64	129	8.2	39	2	4	6	10	16	21	31
65+	161	8.8	61	3	4	6	12	19	25	43
GRAND TOTAL	**1106**	**7.6**	**51**	**2**	**3**	**6**	**10**	**15**	**19**	**39**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	525	3.0	3	1	2	3	3	5	6	10
20-34	284	2.9	3	1	2	2	4	5	6	9
35-49	84	3.5	5	1	2	3	4	6	8	13
50-64	12	2.9	2	1	2	2	4	5	6	6
65+	3	6.3	14	2	3	8	9	9	9	9
B. Operated										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	4	6.0	22	1	2	6	10	10	10	10
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	360	3.7	9	2	2	3	4	6	9	19
20-34	176	4.0	7	2	2	3	5	7	9	16
35-49	82	5.3	16	2	3	4	7	10	12	23
50-64	24	6.5	17	2	3	6	8	13	14	17
65+	28	4.8	6	2	3	4	7	8	10	11
B. Operated										
0-19 YRS	15	6.7	22	3	3	5	10	16	16	16
20-34	4	5.5	6	4	4	5	7	9	9	9
35-49	7	8.1	18	3	4	7	12	14	14	14
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	5	10.8	37	5	6	10	15	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	908	3.0	3	1	2	3	4	5	6	10
B. Operated	8	4.5	13	1	2	3	7	10	10	10
2. MULTIPLE DX										
A. Not Operated	670	4.1	10	2	2	3	5	7	10	18
B. Operated	33	7.3	21	3	4	5	11	14	16	20
1. SINGLE DX	916	3.0	3	1	2	3	4	5	6	10
2. MULTIPLE DX	703	4.3	11	2	2	3	5	8	11	18
A. Not Operated	1578	3.5	6	1	2	3	4	6	8	14
B. Operated	41	6.8	21	2	3	5	10	13	16	20
TOTAL										
0-19 YRS	903	3.3	6	1	2	3	4	5	7	15
20-34	468	3.3	5	1	2	3	4	6	8	12
35-49	174	4.5	12	1	2	4	5	9	11	19
50-64	38	5.3	14	2	2	4	6	12	13	17
65+	36	5.8	14	2	3	5	7	10	12	20
GRAND TOTAL	**1619**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

308 Hospitals, Western Region, January-December 1989

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	112	3.1	6	1	2	2	4	6	8	13
20-34	56	3.8	3	2	2	4	5	7	7	8
35-49	16	6.6	39	2	2	4	9	16	21	23
50-64	12	4.4	18	1	1	3	7	10	14	15
65 +	29	4.0	9	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	3	4.7	8	3	3	3	7	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	8	3.4	5	1	2	3	4	7	8	8
65 +	4	3.3	15	1	1	2	5	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	516	4.1	11	1	2	3	5	7	10	15
20-34	178	4.9	11	2	3	4	6	9	12	19
35-49	103	5.4	13	2	3	4	7	10	11	20
50-64	90	6.0	23	2	4	5	7	9	11	33
65 +	338	6.3	23	2	3	5	8	11	15	28
B. Operated										
0-19 YRS	22	19.3	259	4	7	18	21	54	74	99 +
20-34	25	9.7	61	3	[illegible]	8	11	13	32	37
35-49	11	14.2	121	4	[illegible]	8	24	31	36	36
50-64	11	11.3	79	3	4	11	15	25	30	31
65 +	37	11.1	63	2	6	9	15	24	26	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	225	3.7	9	1	2	3	5	7	9	16
B. Operated	18	4.1	9	1	2	3	6	9	10	11
2. MULTIPLE DX										
A. Not Operated	1225	5.1	16	2	3	4	6	9	12	22
B. Operated	106	12.8	119	3	5	9	17	27	36	77
1. SINGLE DX	243	3.7	9	1	2	3	5	7	9	15
2. MULTIPLE DX	1331	5.7	29	2	3	4	7	11	14	32
A. Not Operated	1450	4.9	15	2	2	4	6	9	11	21
B. Operated	124	11.5	112	2	4	8	16	25	35	70
TOTAL										
0-19 YRS	652	4.5	26	1	2	3	5	8	12	34
20-34	[illegible]	5.1	16	2	3	4	7	9	12	29
35-49	[illegible]	6.3	30	2	3	5	8	11	17	29
50-64	[illegible]	6.2	29	2	3	5	7	11	14	32
65 +	[illegible]	6.6	28	2	3	5	8	12	17	29
GRAND TOTAL	1574	5.4	26	2	3	4	7	10	14	31

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	2.8	4	1	2	2	3	5	6	11
20-34	76	3.4	4	1	2	3	5	6	8	9
35-49	35	4.2	12	1	2	4	6	6	10	20
50-64	14	6.3	14	2	4	5	9	11	13	14
65 +	5	5.8	8	2	3	7	8	9	9	9
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	3.0	12	1	1	1	6	7	7	7
35-49	5	2.0	3	1	1	1	3	5	5	5
50-64	2	1.0		1	1	1	1	1	1	1
65 +	3	3.7	21	1	1	1	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	3.7	7	1	2	3	5	6	9	14
20-34	186	4.2	10	2	2	3	5	8	10	16
35-49	136	5.6	26	2	3	4	7	10	15	31
50-64	64	4.9	8	2	3	4	6	9	11	13
65 +	66	6.9	37	2	3	5	9	15	21	27
B. Operated										
0-19 YRS	9	10.2	58	2	3	7	16	20	23	23
20-34	15	15.1	99	4	6	15	21	31	31	31
35-49	15	8.9	26	3	5	8	13	17	17	17
50-64	10	12.7	147	1	3	9	19	31	39	39
65 +	20	7.9	22	1	4	8	11	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	171	3.8	7	1	2	3	5	7	9	13
B. Operated	14	2.7	8	1	1	1	5	7	9	9
2. MULTIPLE DX										
A. Not Operated	523	4.9	18	2	2	4	6	9	12	24
B. Operated	69	10.7	66	2	5	8	16	21	28	38
1. SINGLE DX	185	3.7	7	1	2	3	5	7	9	13
2. MULTIPLE DX	592	5.6	27	2	3	4	6	11	16	28
A. Not Operated	694	4.6	15	1	2	4	6	9	11	22
B. Operated	83	9.3	65	1	3	7	15	19	25	36
TOTAL										
0-19 YRS	122	3.9	12	1	2	3	4	7	11	18
20-34	280	4.5	19	1	2	3	5	8	13	27
35-49	191	5.5	24	1	3	4	7	10	15	28
50-64	90	5.9	29	2	3	5	7	11	14	33
65 +	94	6.9	31	2	3	5	9	14	18	27
GRAND TOTAL	777	5.1	23	1	2	4	6	10	15	26

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	2.6	2	1	1	2	3	5	6	7
20-34	12	3.4	9	1	2	2	4	9	10	10
35-49	4	2.8	3	1	1	2	4	5	5	5
50-64	6	3.2	1	2	3	3	3	5	5	5
65 +	2	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	219	2.8	3	1	2	2	3	5	7	9
20-34	73	4.1	9	1	2	3	5	7	11	17
35-49	22	3.9	8	1	2	3	5	8	11	12
50-64	4	4.3		4	4	4	5	5	5	5
65 +	4	4.5	4	3	3	4	6	7	7	7
B. Operated										
0-19 YRS	9	23.8	755	4	6	13	34	71	86	86
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	3	9.7	54	4	5	7	15	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	2.8	3	1	2	2	3	5	6	10
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	322	3.2	5	1	2	3	4	6	7	12
B. Operated	15	16.9	519	3	4	7	17	48	76	86
1. SINGLE DX	95	2.8	3	1	2	2	3	5	6	10
2. MULTIPLE DX	337	3.8	34	1	2	3	4	6	8	20
A. Not Operated	417	3.1	5	1	2	3	4	6	7	11
B. Operated	15	16.9	519	3	4	7	17	48	76	86
TOTAL										
0-19 YRS	299	3.4	36	1	2	2	3	6	7	23
20-34	87	4.0	9	1	2	3	5	8	10	16
35-49	27	3.7	7	1	2	3	5	6	11	12
50-64	10	3.6	1	2	3	4	4	5	5	5
65 +	9	6.3	21	3	4	5	7	14	18	18
GRAND TOTAL	**432**	**3.6**	**28**	**1**	**2**	**3**	**4**	**6**	**8**	**18**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	1.3		< 1	< 1	1	2	2	2	2
20-34	18	2.3	24	< 1	1	1	1	3	14	22
35-49	7	1.0		< 1	< 1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	2.6	4	< 1	1	2	4	6	6	6
35-49	7	3.4	8	1	1	3	4	8	9	9
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	39	1.7	11	< 1	< 1	1	1	2	3	22
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	18	3.0	5	1	1	2	4	6	8	9
1. SINGLE DX	40	1.7	11	< 1	< 1	1	1	2	3	22
2. MULTIPLE DX	20	2.9	5	1	1	2	4	6	7	9
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	57	2.1	10	< 1	1	1	2	4	6	21
TOTAL										
0-19 YRS	14	1.4		< 1	< 1	1	2	2	2	2
20-34	30	2.3	15	< 1	1	1	2	4	6	22
35-49	14	2.2	5	< 1	1	1	3	5	8	9
50-64	0									
65 +	2	3.0	8	1	1	3	5	5	5	5
GRAND TOTAL	**60**	**2.1**	**9**	**<1**	**1**	**1**	**2**	**4**	**6**	**21**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	984	2.5	3	1	2	2	3	4	4	7
20-34	136	2.7	3	1	2	2	3	5	6	9
35-49	71	3.2	7	1	2	3	4	5	8	17
50-64	33	3.5	10	1	2	2	4	8	11	15
65 +	20	3.0	2	1	2	3	4	5	6	6
B. Operated										
0-19 YRS	25	2.9	8	1	2	2	3	5	8	15
20-34	15	6.3	27	2	2	4	9	11	18	21
35-49	11	7.0	32	2	2	6	9	17	18	18
50-64	2	15.5	221	5	5	15	26	26	26	26
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1536	2.9	6	1	2	2	3	5	6	10
20-34	563	4.5	26	1	2	3	5	9	15	28
35-49	510	5.2	35	1	2	3	6	11	16	35
50-64	256	4.0	11	1	2	3	5	7	10	19
65 +	429	4.5	37	2	2	3	5	7	10	22
B. Operated										
0-19 YRS	48	10.0	173	2	3	6	14	25	33	99 +
20-34	205	12.6	112	3	5	9	16	26	35	56
35-49	187	13.6	116	3	6	11	17	29	37	83
50-64	46	13.8	167	3	5	12	16	32	46	63
65 +	27	13.4	151	3	4	12	18	25	41	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1244	2.6	3	1	2	2	3	4	5	8
B. Operated	53	5.2	29	1	2	3	6	12	18	26
2. MULTIPLE DX										
A. Not Operated	3294	3.8	19	1	2	3	4	7	10	22
B. Operated	513	12.9	126	2	5	10	17	28	36	69
1. SINGLE DX	1297	2.7	5	1	2	2	3	4	5	12
2. MULTIPLE DX	3807	5.0	43	1	2	3	5	11	16	35
A. Not Operated	4538	3.5	15	1	2	3	4	6	9	19
B. Operated	566	12.1	122	2	4	9	16	27	35	62
TOTAL										
0-19 YRS	2593	2.9	9	1	2	2	3	4	6	13
20-34	919	6.0	55	1	2	3	7	15	21	41
35-49	779	7.1	66	1	2	4	9	16	25	46
50-64	337	5.3	45	1	2	3	6	12	16	36
65 +	476	4.9	46	2	2	3	5	8	14	28
GRAND TOTAL	**5104**	**4.4**	**34**	**1**	**2**	**3**	**4**	**9**	**15**	**32**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.7	1	1	2	3	3	4	5	5
20-34	25	3.2	5	1	2	3	4	6	8	11
35-49	9	3.8	20	< 1	1	2	4	11	15	15
50-64	8	3.0	6	1	1	2	5	6	7	7
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.5	4	2	2	3	5	6	8	8
20-34	36	3.0	3	1	2	3	4	6	7	8
35-49	27	4.0	14	1	1	3	5	8	10	19
50-64	12	4.3	5	1	2	4	6	7	7	7
65 +	11	7.8	28	3	4	6	9	17	19	19
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	11.4	57	5	6	8	16	24	26	26
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	3.2	7	1	1	3	4	6	7	15
B. Operated	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	100	4.0	11	1	2	3	5	7	8	19
B. Operated	9	10.4	58	4	5	7	14	23	26	26
1. SINGLE DX	55	3.3	7	1	1	3	4	6	7	15
2. MULTIPLE DX	109	4.6	17	1	2	3	6	8	13	22
A. Not Operated	153	3.7	9	1	2	3	5	7	8	19
B. Operated	11	9.5	51	4	5	7	12	22	26	26
TOTAL										
0-19 YRS	24	3.2	3	2	2	3	4	5	7	8
20-34	63	3.1	4	1	2	3	4	6	7	11
35-49	44	5.3	30	1	2	4	6	13	19	26
50-64	21	3.8	5	1	2	4	5	7	7	7
65 +	12	7.5	27	3	4	6	9	17	19	19
GRAND TOTAL	**164**	**4.1**	**14**	**1**	**2**	**3**	**5**	**7**	**10**	**19**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	4.7	7	2	3	4	6	9	10	12
20-34	64	3.6	3	2	2	3	4	6	8	10
35-49	14	5.1	10	2	3	4	7	9	11	12
50-64	4	8.3	7	6	6	8	10	11	11	11
65 +	3	12.7	90	3	5	13	20	22	22	22
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	3.6	3	1	3	3	5	6	6	6
35-49	2	7.5	85	1	1	7	14	14	14	14
50-64	3	5.0	28	1	1	3	9	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	5.7	17	2	3	5	7	11	15	20
20-34	99	5.1	15	2	3	4	6	10	14	20
35-49	42	6.5	14	2	3	6	10	11	14	15
50-64	17	12.9	109	2	8	11	14	21	39	48
65 +	10	15.4	57	6	11	14	19	27	28	28
B. Operated										
0-19 YRS	3	13.7	177	5	6	18	64	99 +	99 +	99 +
20-34	36	6.8	74	2	3	4	6	12	25	47
35-49	13	10.9	106	1	3	6	19	26	31	32
50-64	4	7.8	26	1	4	8	11	13	13	13
65 +	3	6.3	14	2	3	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	4.5	9	2	3	4	5	9	10	13
B. Operated	13	4.8	16	1	2	3	6	12	14	14
2. MULTIPLE DX										
A. Not Operated	230	6.6	31	2	3	5	8	14	16	27
B. Operated	59	8.1	79	1	3	5	9	23	30	95
1. SINGLE DX	160	4.5	9	2	3	4	6	9	11	14
2. MULTIPLE DX	289	6.9	41	2	3	5	9	14	19	41
A. Not Operated	377	5.8	23	2	3	4	7	11	14	23
B. Operated	72	7.5	69	1	3	5	9	20	29	88
TOTAL										
0-19 YRS	128	5.4	16	2	3	5	7	10	12	44
20-34	206	4.9	22	2	3	4	5	9	13	25
35-49	71	7.0	33	2	3	6	10	14	18	31
50-64	28	10.6	79	1	6	10	13	16	25	48
65 +	16	13.2	61	3	7	12	18	26	28	28
GRAND TOTAL	**449**	**6.0**	**31**	**2**	**3**	**4**	**7**	**12**	**16**	**29**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.5	5	< 1	1	2	2	4	9	10
20-34	9	14.2	438	1	3	4	16	52	62	62
35-49	11	6.8	31	2	3	4	8	16	21	21
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	5	4.4	1	3	4	4	5	6	6	6
B. Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	3	5.0	19	2	2	3	8	10	10	10
35-49	11	4.7	10	2	3	4	5	9	13	13
50-64	13	5.0	6	2	3	5	7	8	8	8
65 +	7	5.9	26	2	3	5	6	15	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	104	4.3	24	2	2	3	5	6	8	34
20-34	66	7.6	46	2	3	5	10	17	24	29
35-49	59	8.7	51	2	4	7	12	17	23	38
50-64	44	10.0	166	2	4	7	11	18	30	81
65 +	93	8.2	24	3	4	7	11	16	17	24
B. Operated										
0-19 YRS	17	15.2	112	5	9	14	20	40	78	99 +
20-34	57	17.7	281	4	7	11	22	43	61	70
35-49	60	10.8	61	4	6	9	13	24	28	94
50-64	47	19.7	388	3	7	12	29	46	65	91
65 +	76	18.5	304	4	7	14	23	43	62	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	6.4	115	1	2	3	6	11	27	62
B. Operated	37	4.9	11	2	3	4	6	8	12	17
2. MULTIPLE DX										
A. Not Operated	366	7.3	53	2	3	5	9	15	19	33
B. Operated	257	16.5	252	4	6	11	20	39	61	90
1. SINGLE DX	79	5.7	66	1	2	4	6	10	15	54
2. MULTIPLE DX	623	11.1	156	2	4	7	13	25	36	69
A. Not Operated	408	7.2	59	2	3	5	9	15	20	37
B. Operated	294	15.1	237	3	5	10	18	35	58	84
TOTAL										
0-19 YRS	139	5.4	45	2	2	3	5	12	20	51
20-34	135	12.2	191	2	4	8	15	29	43	69
35-49	141	9.2	53	3	4	7	12	20	26	48
50-64	106	13.5	272	2	4	7	16	31	49	85
65 +	181	12.3	168	3	5	8	15	26	38	66
GRAND TOTAL	**702**	**10.5**	**148**	**2**	**4**	**7**	**12**	**24**	**34**	**69**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.2	13	1	2	3	5	10	13	13
20-34	18	3.7	6	1	2	3	5	8	10	10
35-49	14	3.3	5	1	2	3	5	7	8	8
50-64	0									
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	5	2.6	1	2	2	2	3	4	4	4
20-34	8	5.3	22	1	2	3	8	13	14	14
35-49	2	20.5	221	10	10	20	31	31	31	31
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	3.4	10	1	1	3	5	6	7	17
20-34	39	3.7	11	1	1	3	5	8	11	15
35-49	17	4.7	27	< 1	2	2	5	12	18	20
50-64	6	8.2	42	3	3	6	14	18	18	18
65 +	3	2.7		2	2	3	3	3	3	3
B. Operated										
0-19 YRS	5	4.6	12	2	2	3	7	10	10	10
20-34	11	10.0	24	3	6	11	14	16	17	17
35-49	4	10.8	32	7	7	9	14	19	19	19
50-64	5	23.4	397	2	6	27	35	52	52	52
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	3.7	7	1	2	3	5	7	9	13
B. Operated	16	6.6	58	2	2	3	9	14	26	31
2. MULTIPLE DX										
A. Not Operated	95	4.1	16	1	1	3	5	9	14	19
B. Operated	25	11.7	123	2	5	9	14	27	35	52
1. SINGLE DX	59	4.5	21	1	2	3	5	10	12	29
2. MULTIPLE DX	120	5.7	47	1	2	3	7	14	18	36
A. Not Operated	138	4.0	13	1	2	3	5	8	13	18
B. Operated	41	9.7	102	2	3	7	12	22	30	52
TOTAL										
0-19 YRS	49	3.6	9	1	2	3	5	6	10	17
20-34	76	4.8	17	1	2	3	5	12	14	17
35-49	37	5.7	40	1	2	3	7	12	20	31
50-64	12	14.6	224	2	3	8	22	36	50	52
65 +	5	3.4	1	2	3	3	4	5	5	5
GRAND TOTAL	**179**	**5.3**	**39**	**1**	**2**	**3**	**6**	**12**	**16**	**30**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	6.8	22	< 1	1	8	10	12	13	13
35-49	1	15.0		15	15	15	15	15	15	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	12	13.7	43	7	10	14	15	21	30	32
35-49	3	18.7	36	13	14	18	23	25	25	25
50-64	3	7.7	16	4	5	7	11	12	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	9.3	35	4	6	9	12	24	81	99 +
20-34	112	9.7	47	3	5	8	13	18	24	33
35-49	106	9.8	40	3	5	8	13	18	22	31
50-64	18	10.2	38	4	5	9	13	21	24	24
65 +	9	9.3	12	4	8	9	11	14	15	15
B. Operated										
0-19 YRS	4	12.5	40	3	9	15	16	16	16	16
20-34	232	15.5	99	6	9	14	19	25	35	61
35-49	215	15.4	97	6	9	14	18	28	33	57
50-64	53	18.0	195	6	9	13	23	32	53	65
65 +	14	15.4	27	9	11	16	19	22	24	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	7.2	26	< 1	2	8	11	14	15	15
B. Operated	19	14.4	57	6	10	14	16	28	31	32
2. MULTIPLE DX										
A. Not Operated	259	9.7	41	3	5	8	13	18	23	34
B. Operated	518	15.7	106	6	9	14	19	27	35	64
1. SINGLE DX	30	11.7	57	2	7	11	14	21	30	32
2. MULTIPLE DX	777	13.7	92	5	7	12	17	24	31	59
A. Not Operated	270	9.6	41	3	5	8	13	18	23	33
B. Operated	537	15.6	104	6	9	14	19	27	34	64
TOTAL										
0-19 YRS	20	10.7	55	3	6	9	16	26	61	99 +
20-34	365	13.5	87	5	7	12	17	24	29	49
35-49	325	13.6	84	5	7	12	17	23	30	48
50-64	74	15.7	162	5	8	11	21	30	39	65
65 +	23	13.0	30	7	9	12	17	21	23	25
GRAND TOTAL	**807**	**13.6**	**91**	**5**	**7**	**12**	**17**	**24**	**30**	**57**

19: Miscellanecus infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0	1	<1	1	2	3	3	3	3
20-34	14	4.4	17	1	1	3	6	12	14	14
35-49	4	3.3	7	1	1	2	5	7	7	7
50-64	5	3.0	12	<1	1	2	4	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	13	2.9	10	<1	1	1	5	8	10	11
35-49	19	2.8	12	1	1	1	3	7	12	15
50-64	4	7.3	74	<1	2	4	12	20	20	20
65+	3	3.7	6	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	4.6	15	1	1	4	7	10	13	15
20-34	33	8.9	49	2	4	6	14	20	23	25
35-49	56	7.4	38	2	3	7	11	13	17	32
50-64	19	9.3	106	1	2	5	11	29	31	32
65+	26	6.1	6	3	4	6	8	10	11	12
B. Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	27	8.0	54	1	3	6	13	24	35	99+
35-49	29	10.2	248	1	3	6	11	23	28	84
50-64	19	12.1	411	1	2	4	9	52	66	66
65+	11	6.7	21	1	3	6	11	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.5	12	<1	1	2	4	8	12	14
B. Operated	40	3.4	17	1	1	2	4	7	13	20
2. MULTIPLE DX										
A. Not Operated	151	7.4	42	2	3	6	10	15	21	32
B. Operated	88	9.4	187	1	2	5	11	23	34	94
1. SINGLE DX	68	3.4	14	1	1	2	4	7	12	19
2. MULTIPLE DX	239	8.1	96	1	3	5	10	16	26	68
A. Not Operated	179	6.8	39	1	2	5	9	14	20	31
B. Operated	128	7.5	141	1	1	4	8	15	28	87
TOTAL										
0-19 YRS	24	4.1	12	1	2	3	5	9	11	15
20-34	87	7.0	44	1	2	5	11	17	23	73
35-49	108	7.2	93	1	2	4	9	14	22	54
50-64	47	9.6	216	1	2	4	10	29	37	66
65+	41	6.0	11	2	4	6	8	11	12	15
GRAND TOTAL	**307**	**7.1**	**81**	**1**	**2**	**4**	**9**	**15**	**23**	**66**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	28.0		28	28	28	28	28	28	28
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	0									
35-49	4	7.8	89	1	1	5	14	21	21	21
50-64	1	1.0		1	1	1	1	1	1	1
65+	6	8.2	38	1	3	8	14	15	15	15
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	21.5	181	12	12	21	31	31	31	31
50-64	3	9.3	1	8	8	10	10	10	10	10
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. Not Operated	12	8.1	52	1	1	6	14	17	20	21
B. Operated	5	14.2	90	8	9	10	17	31	31	31
1. SINGLE DX	2	18.5	181	9	9	18	28	28	28	28
2. MULTIPLE DX	17	9.9	66	1	3	10	14	20	27	31
A. Not Operated	13	8.2	48	1	1	8	14	17	20	21
B. Operated	6	16.5	104	8	10	11	28	31	31	31
TOTAL										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	0									
35-49	8	13.9	134	1	5	10	24	30	31	31
50-64	4	7.3	18	1	4	9	10	10	10	10
65+	6	8.2	38	1	3	8	14	15	15	15
GRAND TOTAL	**19**	**10.8**	**77**	**1**	**3**	**10**	**15**	**25**	**30**	**31**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	3	4.0	3	2	3	5	5	5	5	5
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	17	4.8	9	1	3	4	6	7	12	14
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	6	4.0	6	2	2	3	6	8	8	8
20-34	17	2.8	7	1	1	2	3	8	9	9
35-49	31	5.5	52	1	1	2	7	15	20	34
50-64	79	5.7	35	1	2	3	8	14	16	30
65 +	66	3.2	10	1	1	2	4	7	8	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	6	6.8	61	< 1	2	4	7	20	22	22
35-49	17	6.2	13	1	4	6	9	11	12	13
50-64	36	6.3	21	2	3	6	8	12	15	23
65 +	41	7.1	40	1	3	4	10	18	21	23
B. Operated										
0-19 YRS	8	11.1	62	4	5	7	17	23	25	25
20-34	10	9.7	51	3	5	9	11	20	28	28
35-49	66	11.1	172	2	2	8	12	26	46	58
50-64	220	8.9	58	2	3	7	12	17	23	44
65 +	291	9.1	76	1	3	7	12	20	25	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.2	8	1	2	4	5	7	9	14
B. Operated	199	4.5	27	1	1	2	6	10	15	30
2. MULTIPLE DX										
A. Not Operated	102	6.6	29	1	3	5	8	14	19	23
B. Operated	595	9.3	79	2	3	7	12	20	25	47
1. SINGLE DX	224	4.5	25	1	1	3	6	9	15	29
2. MULTIPLE DX	697	8.9	73	2	3	7	12	19	24	46
A. Not Operated	127	6.1	25	1	2	5	7	13	18	23
B. Operated	794	8.1	70	1	2	6	11	17	24	45
TOTAL										
0-19 YRS	18	6.9	42	2	2	5	8	18	22	25
20-34	36	5.5	34	1	2	4	7	11	19	28
35-49	115	8.8	121	1	2	5	10	20	33	56
50-64	352	7.7	49	1	3	6	11	15	20	34
65 +	400	7.9	66	1	2	5	11	18	23	34
GRAND TOTAL	921	7.8	65	1	2	6	11	17	23	43

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	13.2	302	1	1	6	19	43	46	46
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	12.5	113	5	5	12	20	20	20	20
50-64	17	10.6	146	1	2	9	15	22	40	49
65 +	7	9.1	21	2	5	10	13	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	6.4	30	1	2	5	10	15	15	15
50-64	40	5.6	23	1	2	4	8	11	15	22
65 +	39	7.1	32	3	4	6	8	11	21	30
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	5	9.0	42	1	3	11	13	17	17	17
35-49	17	12.6	55	5	7	11	16	24	27	29
50-64	102	14.8	201	3	6	10	19	30	46	70
65 +	155	13.7	134	3	6	11	19	28	33	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	8.2	185	< 1	1	3	6	30	45	46
B. Operated	27	10.3	100	1	3	9	14	20	26	49
2. MULTIPLE DX										
A. Not Operated	85	6.3	27	1	3	5	8	11	16	29
B. Operated	280	13.9	151	3	6	11	18	29	35	66
1. SINGLE DX	38	9.7	121	1	2	6	13	20	36	49
2. MULTIPLE DX	365	12.2	133	2	5	9	15	26	32	63
A. Not Operated	96	6.5	44	1	3	5	8	12	19	39
B. Operated	307	13.6	148	3	6	10	18	29	34	65
TOTAL										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	6.7	32	< 1	1	6	11	15	17	17
35-49	25	11.0	55	3	5	9	15	23	25	29
50-64	165	12.1	168	1	4	9	15	28	44	66
65 +	203	12.1	117	3	5	9	16	26	31	51
GRAND TOTAL	403	11.9	132	2	4	9	15	26	32	59

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	10.0	124	1	3	5	16	29	30	30
35-49	9	7.9	56	2	4	6	8	20	27	27
50-64	10	5.1	18	1	2	5	7	11	15	15
65 +	3	9.0	39	2	4	11	13	14	14	14
B. Operated										
0-19 YRS	0									
20-34	3	8.0	3	6	7	9	9	9	9	9
35-49	12	9.9	12	7	8	9	11	14	19	20
50-64	28	10.5	69	3	5	8	12	26	30	33
65 +	19	10.7	38	5	7	8	13	18	25	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	16.0		16	16	16	16	16	16	16
20-34	12	8.3	28	1	4	7	12	16	17	17
35-49	18	7.4	28	2	3	6	12	14	18	21
50-64	51	7.0	32	2	3	5	10	17	20	23
65 +	77	6.5	23	2	3	6	9	12	17	80
B. Operated										
0-19 YRS	0									
20-34	16	11.5	56	4	6	10	14	24	28	30
35-49	75	11.7	73	4	7	10	14	22	26	48
50-64	193	13.2	111	5	8	11	15	23	28	63
65 +	453	13.4	73	5	8	11	17	24	31	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	7.5	52	1	3	5	8	16	27	30
B. Operated	62	10.3	44	4	7	9	12	20	28	33
2. MULTIPLE DX										
A. Not Operated	160	7.0	27	2	3	5	10	15	18	29
B. Operated	737	13.1	82	5	8	11	16	23	30	51
1. SINGLE DX	90	9.4	48	3	5	8	11	18	27	32
2. MULTIPLE DX	897	12.0	78	4	6	10	15	22	28	48
A. Not Operated	188	7.1	31	2	3	5	10	15	19	30
B. Operated	799	12.9	80	5	7	11	16	23	30	48
TOTAL										
0-19 YRS	2	16.0		16	16	16	16	16	16	16
20-34	37	9.9	52	3	5	8	13	17	28	30
35-49	114	10.5	61	3	6	9	13	20	25	44
50-64	282	11.5	96	3	6	9	14	21	27	59
65 +	552	12.3	70	4	7	10	16	23	30	44
GRAND TOTAL	987	11.8	76	3	6	10	15	22	28	45

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	12.7	133	6	6	6	21	26	26	26
35-49	3	15.7	41	11	11	13	20	23	23	23
50-64	4	13.8	23	10	10	13	17	20	20	20
65 +	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	5.7	36	1	1	4	8	15	16	16
50-64	2	8.0	8	6	6	8	10	10	10	10
65 +	2	5.5	13	3	3	5	8	8	8	8
B. Operated										
0-19 YRS	0									
20-34	12	10.6	13	7	7	10	13	15	18	18
35-49	17	12.6	96	3	8	10	14	28	37	41
50-64	43	11.6	48	6	8	10	14	16	22	46
65 +	85	16.3	165	7	9	12	19	30	42	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	12	12.8	47	6	7	11	17	24	26	26
2. MULTIPLE DX										
A. Not Operated	10	6.1	23	1	1	6	8	13	16	16
B. Operated	157	14.2	118	7	8	11	16	28	39	61
1. SINGLE DX	13	12.1	50	5	7	10	16	24	26	26
2. MULTIPLE DX	167	13.7	116	6	8	11	16	26	38	60
A. Not Operated	11	5.8	22	1	2	6	8	12	16	16
B. Operated	169	14.1	113	6	8	11	16	27	38	60
TOTAL										
0-19 YRS	0									
20-34	15	11.0	30	6	7	10	14	18	24	26
35-49	27	11.1	82	1	7	9	13	22	32	41
50-64	49	11.7	44	6	8	10	14	17	21	46
65 +	89	15.9	162	7	8	12	18	30	40	72
GRAND TOTAL	180	13.6	111	6	8	11	16	25	34	58

308 Hospitals, Western Region, January-December 1989

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	7	8.0	37	1	3	8	11	18	19	19
65 +	4	1.5		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	9	7.3	25	2	2	8	10	15	16	16
35-49	36	7.8	14	5	6	7	8	11	17	22
50-64	123	8.6	15	6	6	8	9	12	17	26
65 +	158	7.9	4	6	7	8	9	11	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	7.5	25	4	4	7	11	11	11	11
35-49	24	6.1	12	2	3	6	8	11	12	13
50-64	48	6.4	28	1	3	5	9	15	17	25
65 +	128	6.0	19	1	3	5	8	12	16	19
B. Operated										
0-19 YRS	6	10.3	21	6	7	8	15	17	17	17
20-34	32	8.4	17	5	6	8	9	16	17	18
35-49	177	10.1	28	6	7	8	11	17	19	34
50-64	728	10.2	49	6	7	8	11	17	23	44
65 +	2439	11.8	53	7	8	10	13	19	26	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.6	33	< 1	1	3	8	15	19	19
B. Operated	326	8.1	10	6	7	8	9	11	13	21
2. MULTIPLE DX										
A. Not Operated	203	6.1	20	1	3	5	8	12	16	21
B. Operated	3382	11.4	51	6	8	9	13	18	24	42
1. SINGLE DX	337	8.1	11	5	6	8	9	11	14	20
2. MULTIPLE DX	3585	11.1	51	6	7	9	13	18	24	41
A. Not Operated	214	6.1	21	1	3	5	8	12	16	21
B. Operated	3708	11.1	49	6	7	9	13	18	24	40
TOTAL										
0-19 YRS	7	9.7	20	6	6	8	13	17	17	17
20-34	43	8.2	18	2	6	8	9	16	17	18
35-49	237	9.3	26	5	7	8	11	16	19	32
50-64	906	9.8	44	5	7	8	11	16	20	39
65 +	2729	11.3	51	6	8	9	13	18	25	40
GRAND TOTAL	3922	10.8	48	6	7	9	12	18	23	39

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	3.7	13	< 1	< 1	2	6	10	10	10
50-64	15	5.5	8	2	3	6	7	9	11	12
65 +	9	3.0	4	< 1	1	3	4	6	7	7
B. Operated										
0-19 YRS	2	7.5	85	1	1	7	14	14	14	14
20-34	3	25.3	212	9	14	30	35	37	37	37
35-49	35	7.6	19	1	5	8	10	12	15	19
50-64	94	7.8	13	2	6	8	9	12	14	19
65 +	105	6.9	18	1	3	8	9	11	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	27	4.4	7	1	2	5	6	8	10	10
50-64	38	5.3	17	2	2	4	6	10	13	22
65 +	87	7.2	47	1	3	5	8	15	21	37
B. Operated										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	22	12.3	46	7	9	10	14	22	27	34
35-49	94	9.6	31	6	7	9	10	16	18	36
50-64	378	10.9	69	5	7	9	12	17	23	49
65 +	904	11.7	68	5	8	10	13	20	25	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	4.4	9	< 1	2	4	6	8	10	12
B. Operated	239	7.6	22	1	5	8	10	12	15	26
2. MULTIPLE DX										
A. Not Operated	154	6.2	33	1	2	5	7	13	19	36
B. Operated	1400	11.4	66	5	8	10	13	19	24	44
1. SINGLE DX	269	7.2	22	1	4	8	9	12	14	24
2. MULTIPLE DX	1554	10.8	65	4	7	9	13	18	23	43
A. Not Operated	184	5.9	30	1	2	5	7	11	16	32
B. Operated	1639	10.8	61	4	7	9	12	18	23	42
TOTAL										
0-19 YRS	4	8.5	34	1	4	9	13	14	14	14
20-34	27	13.3	74	7	8	10	14	28	34	37
35-49	162	8.1	28	2	5	8	10	13	17	27
50-64	525	9.8	57	3	7	9	11	16	20	38
65 +	1105	10.8	65	3	7	9	13	19	24	41
GRAND TOTAL	1823	10.3	60	3	7	9	12	18	23	40

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	4	4.5	7	2	2	4	6	8	8	8
65 +	5	4.0	9	1	2	3	6	8	8	8
B. Operated										
0-19 YRS	16	8.3	35	1	4	7	11	16	21	23
20-34	3	3.0	3	1	2	4	4	4	4	4
35-49	13	6.1	10	3	4	6	7	11	13	13
50-64	28	6.9	41	1	2	5	8	17	20	25
65 +	28	7.8	74	1	1	4	12	18	24	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	5.3	17	1	3	5	6	7	15	22
20-34	4	7.3	18	<1	4	9	10	10	10	10
35-49	15	8.5	44	1	2	7	14	17	20	21
50-64	41	6.9	27	2	3	5	10	14	17	24
65 +	76	6.9	50	2	3	5	9	14	19	44
B. Operated										
0-19 YRS	24	23.6	628	4	6	12	35	62	85	86
20-34	18	10.1	41	2	5	10	15	20	21	21
35-49	49	11.3	197	3	4	8	14	18	24	93
50-64	135	12.0	119	2	6	9	16	25	33	48
65 +	282	12.9	94	4	7	9	16	25	32	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	4.5	7	2	3	3	7	8	8	8
B. Operated	88	7.2	44	1	2	5	10	16	20	34
2. MULTIPLE DX										
A. Not Operated	172	6.7	36	2	3	5	8	14	18	26
B. Operated	508	12.9	138	3	6	9	16	25	35	66
1. SINGLE DX	101	6.9	40	1	2	5	9	15	19	32
2. MULTIPLE DX	680	11.3	120	2	5	8	14	23	31	55
A. Not Operated	185	6.6	35	2	3	5	8	14	17	26
B. Operated	596	12.1	129	2	5	9	15	24	33	59
TOTAL										
0-19 YRS	78	11.5	270	2	4	6	11	26	50	86
20-34	25	8.8	38	2	4	8	13	20	20	21
35-49	79	9.8	135	2	4	7	13	17	20	79
50-64	208	10.2	94	2	4	8	13	21	29	40
65 +	391	11.3	90	2	5	9	14	23	29	46
GRAND TOTAL	**781**	**10.8**	**112**	**2**	**4**	**8**	**14**	**22**	**29**	**50**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	6.7	32	2	3	5	11	13	13	13
50-64	5	4.4	7	3	3	3	5	9	9	9
65 +	8	3.8	5	1	2	3	5	7	8	8
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	8.5	54	1	3	7	14	18	18	18
50-64	11	6.6	23	1	2	7	9	13	17	17
65 +	13	10.6	26	6	7	8	12	19	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	5.3	62	1	1	2	9	17	17	17
35-49	12	5.3	12	1	2	5	8	10	11	11
50-64	63	6.7	22	2	3	5	10	12	17	23
65 +	163	6.5	22	2	3	5	8	14	17	22
B. Operated										
0-19 YRS	0									
20-34	12	11.1	158	4	5	7	11	27	46	49
35-49	49	14.9	117	5	8	13	18	28	35	63
50-64	181	13.9	104	5	7	12	17	27	34	51
65 +	445	13.7	98	4	7	12	17	27	34	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.5	10	2	2	4	5	9	12	13
B. Operated	29	8.6	29	2	5	8	10	18	19	20
2. MULTIPLE DX										
A. Not Operated	242	6.5	22	2	3	5	9	13	17	22
B. Operated	687	13.8	102	4	7	12	17	27	34	51
1. SINGLE DX	45	7.1	26	2	3	6	9	17	19	20
2. MULTIPLE DX	929	11.9	91	3	5	10	15	23	31	49
A. Not Operated	258	6.4	21	2	3	5	8	13	17	22
B. Operated	716	13.6	100	4	7	11	17	27	34	51
TOTAL										
0-19 YRS	0									
20-34	17	9.3	129	1	4	5	10	17	38	49
35-49	68	12.5	105	4	6	10	16	24	34	58
50-64	260	11.7	90	3	6	9	15	22	31	50
65 +	629	11.7	87	3	5	10	15	23	31	44
GRAND TOTAL	**974**	**11.7**	**89**	**3**	**5**	**9**	**15**	**23**	**31**	**49**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	7	2.4	3	1	1	2	3	5	6	6
35-49	15	6.7	246	< 1	1	2	4	7	49	63
50-64	47	4.1	16	1	2	2	5	7	13	21
65 +	20	2.7	9	< 1	1	2	2	8	10	11
B. Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	8	8.8	39	4	5	6	10	20	23	23
35-49	44	5.6	14	1	3	5	7	9	12	21
50-64	144	6.8	23	2	4	6	8	10	14	29
65 +	145	6.0	17	1	3	6	8	10	11	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	3.1	6	1	1	3	5	7	7	7
35-49	101	6.4	35	1	3	4	8	14	18	30
50-64	447	6.1	27	2	3	4	8	13	16	26
65 +	624	6.4	28	2	3	5	8	12	16	28
B. Operated										
0-19 YRS	6	6.5	14	4	5	5	6	13	14	14
20-34	14	7.6	12	4	5	7	9	12	16	17
35-49	211	9.7	73	3	5	7	12	20	28	48
50-64	1087	9.1	55	3	5	7	11	16	22	38
65 +	1674	9.9	49	3	6	8	12	18	23	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	4.1	50	1	1	2	4	7	11	46
B. Operated	342	6.4	20	1	4	6	8	10	13	28
2. MULTIPLE DX										
A. Not Operated	1181	6.3	28	2	3	5	8	12	17	28
B. Operated	2992	9.6	53	3	5	8	12	18	23	37
1. SINGLE DX	433	5.9	27	1	2	5	8	10	13	28
2. MULTIPLE DX	4173	8.6	48	2	4	7	11	16	21	35
A. Not Operated	1272	6.1	30	2	3	5	8	12	16	28
B. Operated	3334	9.3	50	3	5	8	11	17	22	36
TOTAL										
0-19 YRS	9	6.6	22	2	4	5	8	15	15	15
20-34	38	5.8	20	1	3	5	7	10	15	23
35-49	371	8.2	65	2	4	6	9	17	24	45
50-64	1725	8.0	46	2	4	7	10	14	20	35
65 +	2463	8.8	45	2	4	7	11	17	21	34
GRAND TOTAL	**4606**	**8.4**	**47**	**2**	**4**	**7**	**10**	**16**	**21**	**35**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	5.0	1	4	4	5	6	6	6	6
35-49	0									
50-64	7	4.1	15	1	1	3	5	11	12	12
65 +	5	5.0	5	2	4	5	6	8	8	8
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	5.3	8	1	3	6	8	9	9	9
35-49	21	5.7	22	1	3	4	7	11	17	21
50-64	46	7.3	36	1	2	7	11	15	18	27
65 +	41	3.9	10	1	1	3	6	9	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	5.4	2	4	4	5	7	7	7	7
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	11	5.2	93	< 1	1	2	3	17	33	34
50-64	28	5.6	14	1	3	5	8	11	12	17
65 +	26	8.1	79	1	4	5	9	21	26	43
B. Operated										
0-19 YRS	15	14.3	247	3	5	7	20	32	54	61
20-34	15	9.3	52	4	5	9	11	14	27	32
35-49	39	10.1	44	2	5	9	14	17	21	34
50-64	140	11.7	95	2	6	10	14	21	31	72
65 +	185	11.3	106	1	6	9	14	21	33	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.6	7	1	3	5	5	8	11	12
B. Operated	116	5.7	24	1	2	4	8	12	15	24
2. MULTIPLE DX										
A. Not Operated	72	6.3	48	1	3	4	7	11	21	41
B. Operated	394	11.4	99	2	5	10	14	21	32	68
1. SINGLE DX	132	5.6	22	1	2	5	8	12	15	23
2. MULTIPLE DX	466	10.6	94	2	4	9	14	20	29	65
A. Not Operated	88	6.0	41	1	3	5	7	11	17	40
B. Operated	510	10.1	87	1	4	8	13	19	28	63
TOTAL										
0-19 YRS	21	11.7	191	3	5	6	12	28	45	61
20-34	28	7.2	34	2	4	6	9	12	16	32
35-49	71	8.0	48	1	3	7	11	16	21	34
50-64	221	9.8	76	1	4	9	12	18	26	57
65 +	257	9.7	93	1	3	8	13	19	28	64
GRAND TOTAL	**598**	**9.5**	**82**	**1**	**4**	**8**	**12**	**18**	**26**	**56**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	3.4	5	1	2	3	4	5	6	15
20-34	9	6.8	39	1	2	5	10	17	20	20
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	9.3	120	3	3	3	17	22	22	22
65+	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	89	5.1	31	1	2	4	6	9	11	35
20-34	34	6.8	50	1	2	4	9	19	24	27
35-49	39	5.1	24	1	2	4	6	11	16	24
50-64	35	5.9	26	1	2	4	8	12	17	22
65+	27	3.3	8	1	1	2	4	8	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	4.9	22	1	2	4	6	10	13	28
20-34	28	5.9	26	1	2	5	7	13	18	22
35-49	15	8.3	159	1	1	3	9	21	42	49
50-64	18	5.6	11	1	3	5	9	10	11	11
65+	17	9.6	179	2	3	5	11	20	43	56
B. Operated										
0-19 YRS	96	10.1	89	3	5	7	12	19	29	54
20-34	35	10.9	122	2	4	7	11	25	39	47
35-49	40	9.7	63	2	4	8	13	21	29	33
50-64	66	8.5	65	1	3	6	12	21	27	32
65+	109	8.6	57	2	3	6	14	20	23	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	4.1	16	1	2	3	5	6	13	22
B. Operated	224	5.2	30	1	2	4	7	11	16	26
2. MULTIPLE DX										
A. Not Operated	202	5.7	46	1	2	4	7	11	17	41
B. Operated	346	9.4	74	2	3	7	13	21	27	41
1. SINGLE DX	286	5.0	27	1	2	4	6	10	15	25
2. MULTIPLE DX	548	8.0	67	1	3	6	10	18	24	41
A. Not Operated	264	5.3	39	1	2	4	6	10	16	33
B. Operated	570	7.7	61	1	3	5	10	18	24	37
TOTAL										
0-19 YRS	356	6.1	46	1	2	4	7	12	18	37
20-34	106	7.9	70	1	2	6	9	20	25	44
35-49	95	7.5	65	1	3	5	10	16	24	42
50-64	122	7.3	47	1	3	5	9	18	23	30
65+	155	7.7	64	1	2	5	11	18	23	36
GRAND TOTAL	**834**	**7.0**	**55**	**1**	**2**	**5**	**8**	**16**	**22**	**36**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65+	0									
B. Operated										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	19	3.5	3	1	2	4	4	6	8	8
35-49	51	2.4	3	1	1	2	3	4	6	10
50-64	34	2.8	5	1	1	2	4	7	8	9
65+	35	3.3	7	1	1	2	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	6.0	43	2	2	2	9	17	17	17
35-49	7	2.4	2	<1	1	3	4	4	4	4
50-64	11	5.0	5	3	4	5	6	8	10	10
65+	9	5.1	6	2	3	5	6	9	10	10
B. Operated										
0-19 YRS	0									
20-34	16	4.1	9	1	2	3	6	9	10	10
35-49	43	3.2	4	1	2	3	5	6	7	9
50-64	26	5.7	63	1	2	3	5	21	25	33
65+	68	6.3	33	1	2	5	8	13	19	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	143	2.9	5	1	1	2	4	6	8	9
2. MULTIPLE DX										
A. Not Operated	32	4.6	10	1	2	4	6	8	10	17
B. Operated	153	5.1	29	1	2	3	6	10	17	27
1. SINGLE DX	144	2.9	5	1	1	2	4	6	8	9
2. MULTIPLE DX	185	5.0	25	1	2	3	6	10	15	26
A. Not Operated	33	4.6	10	2	3	4	6	8	10	17
B. Operated	296	4.0	18	1	2	3	5	8	10	25
TOTAL										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	40	4.0	10	1	2	3	5	8	9	17
35-49	101	2.8	3	1	1	2	3	6	7	9
50-64	72	4.2	27	1	1	3	5	7	10	31
65+	112	5.3	24	1	2	4	7	10	14	26
GRAND TOTAL	**329**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**10**	**24**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	12	4.2	7	1	2	4	5	8	10	10
35-49	29	2.1	4	< 1	1	1	2	6	7	8
50-64	44	1.8	2	< 1	1	1	2	4	5	8
65 +	64	2.1	4	< 1	1	1	2	4	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	16	4.0	8	1	2	3	6	8	9	9
35-49	16	7.1	41	< 1	2	4	11	17	20	21
50-64	5	6.4	89	1	1	2	9	23	23	23
65 +	7	6.4	68	< 1	1	3	8	21	24	24
B. Operated										
0-19 YRS	5	9.4	41	3	3	11	13	18	18	18
20-34	18	8.6	64	2	3	5	13	22	26	28
35-49	38	7.4	31	2	3	5	11	17	19	21
50-64	51	5.8	117	1	1	3	7	14	15	74
65 +	188	5.1	57	1	2	3	6	10	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	153	2.2	4	< 1	1	1	3	5	7	10
2. MULTIPLE DX										
A. Not Operated	44	5.8	37	1	2	4	8	16	22	24
B. Operated	300	5.8	65	1	2	3	7	13	17	29
1. SINGLE DX	155	2.2	4	< 1	1	1	3	5	7	10
2. MULTIPLE DX	344	5.8	61	1	2	3	7	14	17	28
A. Not Operated	46	5.6	36	1	2	3	7	16	21	24
B. Operated	453	4.6	47	1	1	3	5	11	15	24
TOTAL										
0-19 YRS	9	6.6	33	2	3	3	11	16	18	18
20-34	48	5.7	32	1	2	4	7	13	19	28
35-49	83	5.5	29	1	1	3	8	15	18	21
50-64	100	4.1	68	1	1	2	4	9	15	49
65 +	259	4.4	46	1	1	2	5	9	13	24
GRAND TOTAL	**499**	**4.7**	**46**	**1**	**1**	**3**	**6**	**11**	**16**	**24**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	12	3.2	6	1	1	2	5	6	9	9
50-64	8	3.6	6	1	2	3	6	7	7	7
65 +	6	3.7	14	< 1	2	2	4	10	11	11
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	93	3.2	5	1	2	3	4	5	7	13
35-49	656	2.7	3	1	2	2	3	4	5	9
50-64	864	3.0	5	1	2	3	3	5	6	10
65 +	878	3.0	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	4.4	10	1	2	3	6	10	11	11
35-49	58	6.1	28	1	2	5	8	16	18	21
50-64	94	5.6	20	1	2	4	8	12	14	23
65 +	78	6.8	103	1	2	5	9	12	15	67
B. Operated										
0-19 YRS	2	9.0	98	2	2	9	16	16	16	16
20-34	91	3.9	33	1	2	3	4	5	7	39
35-49	819	3.2	5	1	2	3	4	5	6	15
50-64	1189	3.6	14	2	2	3	4	6	8	18
65 +	2201	3.8	7	2	2	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.4	7	1	1	3	5	7	9	11
B. Operated	2492	2.9	3	1	2	3	3	5	5	9
2. MULTIPLE DX										
A. Not Operated	239	6.1	49	1	2	5	8	13	15	23
B. Operated	4302	3.7	9	2	2	3	4	6	8	16
1. SINGLE DX	2519	2.9	3	1	2	3	3	5	5	9
2. MULTIPLE DX	4541	3.8	12	2	2	3	4	6	8	16
A. Not Operated	266	5.8	45	1	2	4	8	12	15	22
B. Operated	6794	3.4	7	2	2	3	4	5	7	14
TOTAL										
0-19 YRS	4	6.8	40	2	3	4	10	16	16	16
20-34	193	3.6	18	1	2	3	4	5	7	18
35-49	1545	3.1	5	1	2	3	3	5	6	16
50-64	2155	3.5	11	1	2	3	4	6	8	15
65 +	3163	3.7	8	2	2	3	4	6	8	14
GRAND TOTAL	**7060**	**3.5**	**9**	**1**	**2**	**3**	**4**	**6**	**7**	**15**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	2.7	1	1	2	3	3	4	5	5
35-49	15	2.1	1	1	1	2	3	3	4	4
50-64	22	2.8	4	1	2	2	3	3	6	11
65+	11	3.0	4	1	2	3	3	6	8	8
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	26	5.3	8	2	3	6	7	8	10	12
35-49	64	4.2	6	2	2	4	6	8	9	13
50-64	34	4.4	14	2	3	3	5	7	10	22
65+	12	3.5	5	1	2	3	4	6	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	4.4	16	1	2	3	6	11	13	14
35-49	34	3.8	11	1	2	2	5	9	10	14
50-64	33	3.8	17	1	2	3	4	7	7	25
65+	25	8.8	137	2	3	5	6	31	39	43
B. Operated										
0-19 YRS	0									
20-34	64	5.8	8	2	4	5	7	9	11	16
35-49	155	6.9	63	2	4	6	8	11	13	50
50-64	72	7.9	67	2	3	6	9	17	22	50
65+	64	6.2	31	2	3	5	7	11	15	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	2.6	3	1	2	2	3	3	5	11
B. Operated	137	4.4	8	2	3	4	6	8	9	14
2. MULTIPLE DX										
A. Not Operated	111	5.0	45	1	2	3	5	9	14	40
B. Operated	355	6.8	48	2	3	6	8	11	17	32
1. SINGLE DX	195	3.9	7	2	2	3	5	7	8	13
2. MULTIPLE DX	466	6.4	48	2	3	5	7	11	16	37
A. Not Operated	169	4.2	32	1	2	3	4	8	11	37
B. Operated	492	6.1	38	2	3	5	7	10	14	31
TOTAL										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	118	5.2	9	2	3	4	7	9	11	15
35-49	268	5.6	42	1	2	4	7	9	12	31
50-64	161	5.6	41	2	2	3	7	11	18	28
65+	112	6.2	51	2	3	4	6	11	23	40
GRAND TOTAL	**661**	**5.6**	**37**	**2**	**3**	**4**	**7**	**10**	**14**	**32**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	6	2.2	1	<1	1	2	3	4	4	4
65+	19	2.2	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	6	4.7	1	4	4	4	5	7	7	7
35-49	31	4.8	4	3	3	4	6	8	9	10
50-64	97	4.0	2	2	4	4	5	5	7	8
65+	129	4.5	3	3	4	4	5	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	9	4.0	15	<1	1	4	5	10	13	13
65+	30	5.7	32	1	2	3	8	14	20	23
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	6.0	17	4	4	5	5	9	17	19
35-49	112	5.1	6	3	4	4	5	7	9	17
50-64	364	5.6	24	3	4	4	6	9	12	22
65+	654	5.9	15	3	4	5	7	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	2.1	1	1	1	2	3	4	4	4
B. Operated	263	4.4	3	3	4	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	42	5.3	26	1	2	4	7	13	17	23
B. Operated	1146	5.7	17	3	4	5	6	9	12	20
1. SINGLE DX	291	4.1	3	2	3	4	5	6	7	9
2. MULTIPLE DX	1188	5.7	17	3	4	5	6	9	12	20
A. Not Operated	70	4.0	18	1	1	3	4	8	13	22
B. Operated	1409	5.5	15	3	4	5	6	8	11	19
TOTAL										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	22	5.5	12	3	4	5	5	9	13	19
35-49	146	5.0	6	3	4	4	5	7	9	16
50-64	476	5.2	19	3	4	4	5	7	11	19
65+	832	5.6	14	3	4	5	6	8	12	20
GRAND TOTAL	**1479**	**5.4**	**15**	**3**	**4**	**5**	**6**	**8**	**11**	**19**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	8	3.0	24	1	1	1	2	11	15	15
50-64	7	2.7	9	<1	<1	1	5	7	7	7
65+	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	6	4.5	2	3	3	4	5	7	7	7
20-34	18	4.5	2	3	4	4	4	7	8	8
35-49	21	5.4	5	2	4	6	7	8	9	9
50-64	22	6.1	4	4	5	6	6	9	11	12
65+	16	5.4	2	4	4	5	6	7	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	4	5.0	18	1	1	4	8	10	10	10
35-49	11	2.8	5	<1	1	2	5	6	7	7
50-64	35	5.5	30	1	2	4	7	11	17	27
65+	55	6.4	57	1	2	4	7	15	22	46
B. Operated										
0-19 YRS	5	3.8		3	3	4	4	4	4	4
20-34	53	5.2	5	3	4	5	6	8	10	12
35-49	134	7.8	37	4	5	6	8	12	17	37
50-64	227	9.2	51	4	5	7	11	16	21	44
65+	284	11.1	73	5	6	9	13	21	25	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.6	12	<1	1	1	2	7	12	15
B. Operated	83	5.3	4	3	4	5	6	8	9	11
2. MULTIPLE DX										
A. Not Operated	107	5.7	41	1	2	4	7	12	19	36
B. Operated	703	9.4	56	4	5	7	11	17	23	44
1. SINGLE DX	102	4.8	6	1	4	5	6	8	9	13
2. MULTIPLE DX	810	8.9	56	3	5	7	10	17	22	44
A. Not Operated	126	5.2	38	1	1	3	6	11	16	32
B. Operated	786	8.9	52	4	5	7	10	16	22	44
TOTAL										
0-19 YRS	13	4.2	1	3	4	4	5	6	7	7
20-34	77	4.9	5	3	4	4	6	8	10	12
35-49	174	7.0	33	2	4	6	8	12	16	33
50-64	291	8.4	46	3	5	7	10	14	21	41
65+	357	10.1	71	4	5	8	12	20	25	45
GRAND TOTAL	912	8.4	52	3	4	6	10	16	22	44

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	4	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65+	7	3.0	2	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	5	6	6	6
20-34	4	4.0	5	1	2	4	5	6	6	6
35-49	6	3.8	9	<1	1	3	6	8	8	8
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	11	3.1	3	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	0									
50-64	6	4.7	27	<1	2	3	4	14	15	15
65+	15	4.0	6	1	2	3	6	7	9	9
B. Operated										
0-19 YRS	5	4.4	4	2	3	5	6	7	7	7
20-34	3	5.3	26	1	2	4	9	11	11	11
35-49	12	9.7	80	4	5	7	10	21	34	36
50-64	39	9.6	54	2	4	8	13	18	27	33
65+	73	8.5	95	2	4	6	10	15	21	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.4	2	1	1	2	3	5	5	5
B. Operated	25	3.7	4	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	23	4.2	11	1	2	3	6	8	11	15
B. Operated	132	8.7	77	2	4	6	11	15	21	44
1. SINGLE DX	39	3.2	4	1	1	3	5	6	6	8
2. MULTIPLE DX	155	8.0	69	2	4	6	10	15	19	36
A. Not Operated	37	3.5	8	1	1	3	5	7	8	15
B. Operated	157	7.9	68	2	4	6	9	15	19	36
TOTAL										
0-19 YRS	10	3.9	3	2	3	3	5	6	7	7
20-34	13	3.4	10	1	1	1	5	8	10	11
35-49	18	7.7	62	1	4	6	8	14	28	36
50-64	47	8.8	51	2	4	6	13	17	21	33
65+	106	6.9	72	1	3	5	9	14	16	49
GRAND TOTAL	194	7.1	60	1	3	5	9	14	18	35

308 Hospitals, Western Region, January-December 1989

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	4.5	20	<1	1	3	7	11	11	11
65+	3	3.7	5	<1	1	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	16	5.3	11	1	2	5	7	8	12	14
50-64	208	4.9	5	2	4	5	6	7	8	13
65+	463	4.3	7	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	30	6.1	30	1	2	5	8	12	22	22
65+	181	5.4	18	2	2	4	7	10	15	18
B. Operated										
0-19 YRS	5	6.4	50	1	1	4	10	18	18	18
20-34	1	5.0		5	5	5	5	5	5	5
35-49	16	8.3	51	2	5	6	8	18	26	30
50-64	605	5.8	14	2	3	5	7	10	12	21
65+	3200	5.2	18	2	3	4	7	9	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.1	12	<1	1	3	5	10	11	11
B. Operated	687	4.5	7	1	3	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	211	5.5	20	1	2	4	7	11	15	22
B. Operated	3827	5.3	18	2	3	4	7	9	13	22
1. SINGLE DX	694	4.5	7	1	3	4	6	8	9	12
2. MULTIPLE DX	4038	5.3	18	2	3	4	7	10	13	22
A. Not Operated	218	5.4	20	1	2	4	7	11	15	22
B. Operated	4514	5.2	16	2	3	4	7	9	12	22
TOTAL										
0-19 YRS	5	6.4	50	1	1	4	10	18	18	18
20-34	1	5.0		5	5	5	5	5	5	5
35-49	32	6.8	33	2	3	6	8	14	18	30
50-64	847	5.6	13	2	3	5	7	9	12	22
65+	3847	5.1	17	2	3	4	6	9	12	22
GRAND TOTAL	**4732**	**5.2**	**16**	**2**	**3**	**4**	**7**	**9**	**12**	**22**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	2.3	3	1	1	1	3	5	6	7
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
B. Operated										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	80	3.0	13	1	1	2	5	7	8	22
35-49	32	2.8	7	<1	1	1	4	8	9	9
50-64	9	3.3	13	<1	1	2	4	10	12	12
65+	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.9	7	1	3	5	7	8	10	10
20-34	51	4.2	21	1	2	3	5	7	9	31
35-49	12	4.4	21	1	1	2	8	12	12	12
50-64	6	6.7	14	3	5	6	6	13	14	14
65+	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	8	7.1	38	1	3	6	9	17	20	20
20-34	55	9.4	88	1	2	7	11	21	33	41
35-49	23	3.9	12	1	1	2	7	10	10	10
50-64	13	6.7	30	1	2	6	11	15	16	16
65+	17	5.0	37	1	2	3	6	12	21	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.1	3	1	1	1	3	5	6	7
B. Operated	130	2.9	11	1	1	2	4	7	8	15
2. MULTIPLE DX										
A. Not Operated	83	4.5	18	1	2	3	6	8	12	25
B. Operated	116	7.2	59	1	2	6	10	15	21	40
1. SINGLE DX	154	2.8	10	1	1	1	4	7	8	12
2. MULTIPLE DX	199	6.1	44	1	2	5	7	13	18	37
A. Not Operated	107	4.0	16	1	1	3	5	7	11	21
B. Operated	246	4.9	38	1	1	2	7	10	15	33
TOTAL										
0-19 YRS	26	4.8	18	1	1	4	7	10	12	20
20-34	207	4.9	41	1	1	2	6	10	16	36
35-49	69	3.4	11	1	1	1	5	9	10	12
50-64	28	5.6	22	1	2	4	7	14	15	16
65+	23	4.4	28	1	2	3	5	8	18	25
GRAND TOTAL	**353**	**4.6**	**31**	**1**	**1**	**2**	**6**	**10**	**14**	**32**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	0									
50-64	3	8.3	22	3	5	10	11	12	12	12
65 +	6	3.8	13	1	2	3	3	10	11	11
B. Operated										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	9	3.1	13	<1	1	1	4	10	10	10
35-49	43	2.2	5	1	1	2	2	4	8	12
50-64	155	2.6	21	1	1	1	2	5	10	35
65 +	322	2.3	6	1	1	2	3	4	7	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	33	6.0	34	1	2	5	7	12	15	31
65 +	60	4.6	12	1	2	4	6	9	12	15
B. Operated										
0-19 YRS	6	13.2	63	2	7	14	21	21	21	21
20-34	13	5.3	24	1	1	3	9	13	15	15
35-49	55	5.3	58	1	1	2	5	17	24	32
50-64	395	5.3	65	1	1	2	7	12	15	49
65 +	1552	4.8	34	1	1	3	5	11	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.6	17	1	2	3	8	11	12	12
B. Operated	532	2.4	10	1	1	1	2	4	8	14
2. MULTIPLE DX										
A. Not Operated	96	5.1	19	1	2	4	7	10	14	24
B. Operated	2021	4.9	41	1	1	3	6	12	16	29
1. SINGLE DX	543	2.5	11	1	1	1	3	5	8	13
2. MULTIPLE DX	2117	4.9	40	1	1	3	6	12	16	29
A. Not Operated	107	5.0	19	1	2	4	7	11	13	22
B. Operated	2553	4.4	35	1	1	2	5	11	15	28
TOTAL										
0-19 YRS	9	9.1	76	<1	1	7	16	21	21	21
20-34	25	4.2	18	<1	1	2	8	10	13	15
35-49	100	4.0	36	1	1	2	4	10	18	31
50-64	586	4.7	53	1	1	2	5	11	15	37
65 +	1940	4.4	29	1	1	3	5	11	15	26
GRAND TOTAL	**2660**	**4.4**	**35**	**1**	**1**	**2**	**5**	**11**	**15**	**28**

42. Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	18	7.1	12	4	5	6	8	11	15	18
20-34	6	8.0	6	5	7	8	9	12	12	12
35-49	29	6.9	3	5	6	6	8	9	10	12
50-64	55	6.0	4	4	5	6	7	9	11	11
65 +	52	6.2	8	3	5	6	7	9	10	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	7.6	230	1	2	3	6	15	29	79
20-34	3	6.3	12	3	4	6	9	10	10	10
35-49	16	6.8	32	1	2	5	11	15	17	18
50-64	38	5.0	32	1	3	4	6	9	11	35
65 +	59	6.9	34	2	3	5	9	15	20	27
B. Operated										
0-19 YRS	49	11.7	93	4	7	9	13	20	25	61
20-34	18	7.6	15	3	5	7	9	14	15	15
35-49	105	8.6	49	5	6	7	9	13	17	45
50-64	225	9.0	38	5	6	7	10	15	19	29
65 +	470	9.1	37	4	6	8	10	15	21	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.4	2	1	1	2	3	5	5	5
B. Operated	160	6.4	6	4	5	6	8	9	11	17
2. MULTIPLE DX										
A. Not Operated	142	6.5	68	1	3	4	7	13	16	38
B. Operated	867	9.1	42	4	6	8	10	15	20	37
1. SINGLE DX	167	6.3	7	4	5	6	7	9	11	17
2. MULTIPLE DX	1009	8.8	46	3	5	7	10	15	20	36
A. Not Operated	149	6.3	65	1	2	4	7	13	15	35
B. Operated	1027	8.7	37	4	6	7	10	15	19	35
TOTAL										
0-19 YRS	96	9.4	116	2	4	7	11	16	23	71
20-34	28	7.3	13	2	5	7	9	13	14	15
35-49	151	8.0	38	4	5	7	9	13	16	30
50-64	318	8.0	34	3	5	7	9	14	17	28
65 +	583	8.6	35	3	6	7	10	15	20	34
GRAND TOTAL	**1176**	**8.4**	**41**	**3**	**5**	**7**	**10**	**15**	**18**	**35**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.0		<1	<1	<1	<1	1	1	1
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	0									
B. Operated										
0-19 YRS	10	1.8	4	1	1	1	2	5	7	7
20-34	0									
35-49	7	1.6	1	<1	1	1	2	3	3	3
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	11	2.8	2	1	2	3	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
20-34	0									
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	9	2.8	8	<1	1	2	3	7	10	10
65+	23	4.3	9	1	2	3	5	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.2		<1	<1	<1	1	2	3	3
B. Operated	31	2.1	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
A. Not Operated	6	1.8	2	<1	<1	1	3	4	4	4
B. Operated	34	3.7	9	1	2	3	5	10	10	11
1. SINGLE DX	44	1.9	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	40	3.4	8	<1	1	3	4	9	10	11
A. Not Operated	19	1.4	1	<1	<1	<1	1	3	4	4
B. Operated	65	3.0	6	1	1	2	3	7	10	11
TOTAL										
0-19 YRS	25	1.5	2	<1	<1	1	1	3	5	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	1.6		<1	1	1	2	3	3	3
50-64	14	2.5	5	1	1	2	3	4	9	10
65+	34	3.8	7	1	2	3	5	8	10	11
GRAND TOTAL	**84**	**2.6**	**5**	**<1**	**1**	**2**	**3**	**5**	**8**	**11**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.6	1	1	1	1	2	3	4	4
20-34	5	2.2	1	1	1	3	3	3	3	3
35-49	10	2.9	4	1	1	2	4	6	6	6
50-64	16	5.1	48	1	2	3	4	11	24	29
65+	11	14.5	776	2	4	6	9	46	94	98
B. Operated										
0-19 YRS	94	6.8	28	1	2	5	11	15	17	20
20-34	34	8.6	48	2	4	7	10	18	23	33
35-49	62	6.2	16	2	3	5	8	13	15	16
50-64	62	7.5	20	3	5	7	10	13	15	27
65+	44	7.8	21	2	4	7	11	15	15	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	4.7	93	1	1	3	5	8	22	99+
20-34	28	7.5	68	1	2	5	8	21	26	36
35-49	53	6.9	57	1	2	4	8	16	23	37
50-64	88	6.8	29	1	3	6	9	14	18	24
65+	90	6.6	24	2	3	5	8	15	17	23
B. Operated										
0-19 YRS	136	14.4	220	3	6	10	17	37	49	99+
20-34	51	9.8	35	4	5	8	13	18	24	27
35-49	91	9.0	44	3	4	8	12	18	25	29
50-64	129	13.8	169	3	7	10	16	31	56	99+
65+	146	12.4	72	4	7	11	16	24	27	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	5.3	172	1	1	3	4	9	11	92
B. Operated	296	7.2	25	1	4	6	10	14	16	23
2. MULTIPLE DX										
A. Not Operated	345	6.3	51	1	2	4	8	14	19	39
B. Operated	553	12.4	126	3	6	9	16	25	36	91
1. SINGLE DX	354	6.9	50	1	3	6	9	14	16	28
2. MULTIPLE DX	898	10.1	106	2	4	8	13	22	30	81
A. Not Operated	403	6.2	68	1	2	4	8	13	18	57
B. Operated	849	10.6	97	2	5	8	13	21	29	70
TOTAL										
0-19 YRS	332	9.1	142	1	2	6	11	21	37	99+
20-34	118	8.6	47	2	4	7	10	18	24	34
35-49	216	7.4	39	2	3	6	9	15	20	31
50-64	295	9.9	101	2	4	8	12	21	29	68
65+	291	10.0	81	2	4	8	13	19	25	45
GRAND TOTAL	**1252**	**9.2**	**92**	**2**	**3**	**7**	**11**	**19**	**26**	**70**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	8.0		8	8	8	8	8	8	8
65+	0									
B. Operated										
0-19 YRS	8	6.4	23	<1	1	6	10	12	13	13
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	10	6.2	5	3	5	6	8	9	9	9
50-64	7	7.7	2	6	7	8	9	9	9	9
65+	2	12.5	41	8	8	12	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.8	30	<1	<1	<1	6	12	12	12
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	7.8	14	4	4	8	11	11	11	11
65+	4	7.5	6	4	6	8	9	10	10	10
B. Operated										
0-19 YRS	22	12.4	96	2	6	8	23	26	31	35
20-34	5	18.4	154	7	8	13	30	35	35	35
35-49	12	10.8	65	3	5	8	20	42	89	99+
50-64	8	12.9	84	2	5	17	22	70	99+	99+
65+	10	17.7	334	8	10	13	16	43	69	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.8	8	2	2	3	5	8	8	8
B. Operated	29	6.9	13	1	5	7	8	11	13	17
2. MULTIPLE DX										
A. Not Operated	13	6.2	16	<1	3	5	10	11	12	12
B. Operated	57	13.6	131	3	6	10	21	28	54	99+
1. SINGLE DX	33	6.5	13	1	4	7	8	10	13	17
2. MULTIPLE DX	70	12.2	118	2	5	9	17	27	35	99+
A. Not Operated	17	5.6	15	<1	2	5	9	11	12	12
B. Operated	86	11.3	101	2	6	8	15	26	35	99+
TOTAL										
0-19 YRS	34	9.9	80	<1	2	8	13	25	27	35
20-34	9	11.4	147	1	2	7	17	32	35	35
35-49	24	8.3	40	3	5	7	9	22	45	99+
50-64	20	9.8	40	3	6	8	13	23	59	99+
65+	16	14.5	225	8	8	10	15	17	53	69
GRAND TOTAL	**103**	**10.4**	**91**	**2**	**5**	**8**	**13**	**25**	**30**	**99+**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	6.0	145	1	2	3	6	7	36	52
20-34	13	1.5		1	1	1	2	3	3	3
35-49	32	4.4	206	1	1	2	3	3	3	83
50-64	14	4.4	26	2	2	2	3	16	16	16
65+	8	2.1	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	15	4.4	9	1	2	3	7	9	10	10
20-34	100	2.9	12	1	2	2	3	5	6	21
35-49	99	2.2	1	1	2	2	3	4	4	5
50-64	49	2.5	1	1	2	2	3	4	5	6
65+	18	3.1	4	2	2	2	4	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	5.1	30	<1	1	3	7	13	15	27
20-34	28	2.4	1	1	2	2	3	5	5	5
35-49	17	1.8	1	1	1	2	2	2	4	5
50-64	26	2.7	5	1	2	2	3	4	7	12
65+	11	3.0	3	1	2	3	4	5	7	7
B. Operated										
0-19 YRS	77	10.0	141	1	3	5	13	23	30	66
20-34	91	4.1	58	1	2	3	4	6	10	48
35-49	128	3.3	8	1	2	3	4	6	8	17
50-64	107	4.4	17	2	2	3	5	9	13	22
65+	82	6.2	39	2	2	4	7	13	21	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	4.0	111	1	1	2	3	6	10	72
B. Operated	281	2.7	6	1	2	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	124	3.3	13	1	2	2	4	7	12	19
B. Operated	485	5.3	50	1	2	3	5	12	17	34
1. SINGLE DX	365	3.0	30	1	2	2	3	4	6	16
2. MULTIPLE DX	609	4.9	43	1	2	3	5	11	14	30
A. Not Operated	208	3.6	53	1	1	2	3	6	12	37
B. Operated	766	4.3	35	1	2	3	4	8	13	29
TOTAL										
0-19 YRS	151	7.6	102	1	2	4	9	17	27	55
20-34	232	3.2	28	1	2	2	3	5	7	18
35-49	276	3.0	28	1	2	2	3	5	6	16
50-64	196	3.7	13	1	2	2	4	7	12	21
65+	119	5.2	30	2	2	3	6	11	19	29
GRAND TOTAL	**974**	**4.2**	**39**	**1**	**2**	**2**	**4**	**8**	**13**	**29**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7	9	1	2	5	53	99 +	99 +	99 +
20-34	3	6.3	33	3	3	3	11	13	13	13
35-49	7	4.9	2	3	3	5	6	7	7	7
50-64	25	6.0	35	< 1	1	4	10	14	17	24
65 +	21	5.3	22	1	2	4	7	12	16	19
B. Operated										
0-19 YRS	15	4.7	9	1	2	4	8	8	9	9
20-34	15	8.3	59	2	3	5	13	16	26	30
35-49	26	5.0	16	1	2	4	6	11	15	16
50-64	47	5.0	15	2	2	4	8	10	12	17
65 +	46	5.7	21	1	2	5	7	12	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	4.2	8	1	2	4	5	8	9	15
20-34	94	4.9	16	1	2	4	7	9	16	19
35-49	409	6.2	37	1	2	4	8	13	17	38
50-64	973	6.9	35	2	3	5	9	14	19	28
65 +	2020	6.9	30	2	3	5	9	14	18	27
B. Operated										
0-19 YRS	75	9.0	95	1	4	6	9	28	31	44
20-34	168	8.9	59	2	4	7	11	21	26	42
35-49	594	9.1	96	2	4	6	10	18	29	56
50-64	1385	9.5	73	2	4	7	12	19	26	40
65 +	2460	10.1	74	2	5	8	13	20	26	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	5.5	24	1	2	4	7	13	17	92
B. Operated	149	5.5	21	1	2	4	8	11	15	21
2. MULTIPLE DX										
A. Not Operated	3538	6.7	32	2	3	5	9	13	18	28
B. Operated	4682	9.7	77	2	4	7	12	20	26	43
1. SINGLE DX	208	5.5	22	1	2	4	7	12	15	26
2. MULTIPLE DX	8220	8.4	60	2	4	6	11	17	23	39
A. Not Operated	3597	6.7	32	2	3	5	9	13	18	28
B. Operated	4831	9.6	75	2	4	7	12	19	26	43
TOTAL										
0-19 YRS	135	6.9	61	1	3	5	8	15	30	54
20-34	280	7.5	47	1	3	5	9	16	23	36
35-49	1036	7.8	73	2	3	5	9	16	23	51
50-64	2430	8.3	58	2	3	6	11	17	23	37
65 +	4547	8.6	56	2	4	7	11	17	23	37
GRAND TOTAL	**8428**	**8.4**	**59**	**2**	**4**	**6**	**11**	**17**	**23**	**39**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	11	3.7	16	1	1	2	5	10	14	14
35-49	3	4.3	12	1	2	4	7	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	33	3.2	5	1	1	2	5	6	7	8
20-34	51	4.9	7	1	3	5	6	8	10	13
35-49	41	4.5	8	1	2	5	6	8	9	11
50-64	14	8.8	78	1	2	5	15	25	25	25
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.2	3	1	2	3	5	5	6	6
20-34	17	4.8	11	2	3	4	6	8	13	15
35-49	19	5.2	20	1	2	3	8	11	14	17
50-64	5	6.4	60	1	2	4	9	20	20	20
65 +	4	8.0	46	3	4	5	12	18	18	18
B. Operated										
0-19 YRS	24	5.5	23	2	3	4	6	12	18	21
20-34	73	8.8	161	3	4	6	8	16	36	81
35-49	37	7.8	24	3	5	6	11	16	18	20
50-64	33	9.1	42	1	5	8	11	19	23	27
65 +	26	12.8	107	3	6	10	18	28	35	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.5	12	1	1	2	5	8	12	14
B. Operated	139	4.8	15	1	2	5	6	8	10	25
2. MULTIPLE DX										
A. Not Operated	59	4.9	18	1	2	4	6	10	16	20
B. Operated	193	8.8	92	2	4	6	10	18	24	42
1. SINGLE DX	156	4.6	15	1	2	4	6	8	10	25
2. MULTIPLE DX	252	7.9	78	2	3	6	9	17	21	38
A. Not Operated	76	4.6	17	1	2	3	6	10	15	19
B. Operated	332	7.1	64	1	3	5	8	14	20	38
TOTAL										
0-19 YRS	73	3.9	11	1	2	4	5	7	8	20
20-34	152	6.7	86	2	3	5	7	10	16	38
35-49	100	5.8	18	1	3	5	8	12	15	19
50-64	53	8.6	52	1	4	6	11	20	25	27
65 +	30	12.1	99	3	6	9	18	25	33	45
GRAND TOTAL	**408**	**6.6**	**56**	**1**	**3**	**5**	**7**	**13**	**19**	**37**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	3.3	9	1	1	2	4	6	11	14
20-34	3	22.7	884	5	5	6	44	57	57	57
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64	1	21.0		21	21	21	21	21	21	21
65+	0									
B. Operated										
0-19 YRS	120	5.1	13	<1	2	5	7	10	12	17
20-34	6	16.8	432	1	1	6	37	48	49	49
35-49	4	10.5	89	4	4	7	17	24	24	24
50-64	3	18.3	625	1	2	7	37	47	47	47
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	133	4.6	16	1	2	3	6	9	11	21
20-34	12	15.0	258	2	5	9	22	36	55	58
35-49	6	4.3	13	<1	1	4	8	8	8	8
50-64	4	11.5	247	2	3	4	20	35	35	35
65+	13	8.4	93	3	4	5	9	17	35	39
B. Operated										
0-19 YRS	199	14.6	205	3	5	10	20	34	48	99+
20-34	25	24.8	432	3	6	22	42	57	61	71
35-49	23	22.7	446	4	7	14	35	41	61	95
50-64	5	21.4	179	<1	12	25	31	35	35	35
65+	21	19.6	202	6	8	15	33	40	46	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	4.5	57	1	1	3	5	7	13	52
B. Operated	133	6.1	50	<1	3	5	7	11	15	47
2. MULTIPLE DX										
A. Not Operated	168	5.8	49	1	2	4	7	11	20	38
B. Operated	273	16.7	254	3	6	10	25	40	51	98
1. SINGLE DX	197	5.6	52	<1	2	4	6	11	14	48
2. MULTIPLE DX	441	12.6	204	2	4	7	16	34	43	87
A. Not Operated	232	5.4	52	1	2	3	6	11	17	42
B. Operated	406	13.3	212	2	4	8	18	35	44	90
TOTAL										
0-19 YRS	509	8.5	112	1	3	5	10	21	29	70
20-34	46	21.1	401	2	5	10	37	56	58	71
35-49	36	16.7	358	3	4	8	28	39	42	95
50-64	13	17.6	245	1	3	16	31	38	45	47
65+	34	15.3	187	3	6	9	24	37	43	48
GRAND TOTAL	**638**	**10.4**	**168**	**1**	**3**	**6**	**11**	**28**	**40**	**71**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5	9	<1	<1	1	4	7	7	7
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	5.7	41	1	1	3	10	13	13	13
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. Operated										
0-19 YRS	4	10.0	7	7	8	10	12	13	13	13
20-34	0									
35-49	3	3.7		3	3	4	4	4	4	4
50-64	5	4.6	8	1	2	6	7	7	7	7
65+	2	15.5	181	6	6	15	25	25	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.8	30	1	3	6	10	14	14	14
20-34	0									
35-49	5	3.8	7	<1	1	4	5	8	8	8
50-64	14	6.4	20	1	3	6	9	12	15	16
65+	48	5.6	15	2	3	5	7	14	15	99+
B. Operated										
0-19 YRS	4	14.5	323	1	4	8	25	41	41	41
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	5	15.6	245	6	6	9	21	43	43	43
50-64	19	15.3	304	3	7	9	14	49	61	61
65+	34	9.7	79	3	4	6	12	23	33	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.3	15	<1	1	2	3	10	13	13
B. Operated	14	7.5	36	2	4	6	9	14	23	25
2. MULTIPLE DX										
A. Not Operated	71	5.7	16	1	3	5	8	13	15	82
B. Operated	64	12.0	168	2	5	8	12	33	42	61
1. SINGLE DX	24	5.8	31	1	2	4	7	13	17	25
2. MULTIPLE DX	135	8.7	97	1	4	6	10	16	33	66
A. Not Operated	81	5.4	16	1	3	4	7	13	15	73
B. Operated	78	11.2	147	2	5	7	12	29	39	61
TOTAL										
0-19 YRS	16	8.4	94	1	1	7	10	14	33	41
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	14	7.9	113	2	3	4	8	17	37	43
50-64	41	10.2	169	1	4	7	11	18	45	61
65+	86	7.3	47	2	3	5	8	15	26	77
GRAND TOTAL	**159**	**8.2**	**88**	**1**	**3**	**6**	**9**	**15**	**32**	**61**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.8	7	< 1	< 1	< 1	4	8	8	8
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	5.3	2	4	4	5	6	7	7	7
65 +	4	7.8	149	< 1	< 1	2	14	26	26	26
B. Operated										
0-19 YRS	14	5.9	66	< 1	1	2	8	15	27	31
20-34	2	16.0	450	< 1	< 1	15	31	31	31	31
35-49	6	12.5	223	1	2	5	23	36	38	38
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	17.0	367	4	5	8	31	39	39	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	7.4	61	1	3	5	7	21	28	33
20-34	12	7.0	66	1	1	4	8	23	24	24
35-49	14	12.1	93	3	4	7	22	26	28	28
50-64	25	15.5	248	3	5	9	23	34	56	57
65 +	29	7.2	75	1	3	5	8	14	17	46
B. Operated										
0-19 YRS	46	22.6	237	5	10	23	33	42	53	67
20-34	31	30.4	300	6	21	31	37	52	60	83
35-49	45	34.3	382	7	24	31	45	69	76	99 +
50-64	43	29.5	321	5	13	31	39	54	59	80
65 +	89	25.9	447	4	8	22	36	55	69	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	4.0	28	< 1	< 1	3	4	8	14	26
B. Operated	26	9.3	148	< 1	2	3	9	31	38	39
2. MULTIPLE DX										
A. Not Operated	111	9.7	119	1	3	6	11	25	33	56
B. Operated	254	28.0	368	5	11	27	37	54	67	89
1. SINGLE DX	49	6.9	97	< 1	1	3	8	25	32	39
2. MULTIPLE DX	365	22.4	362	3	6	19	33	49	61	83
A. Not Operated	134	8.8	108	1	3	5	9	24	28	56
B. Operated	280	26.2	376	3	9	26	36	53	66	87
TOTAL										
0-19 YRS	104	13.4	201	< 1	3	8	23	33	39	62
20-34	47	22.6	345	1	5	24	33	47	54	83
35-49	66	27.1	407	4	8	26	37	61	74	97
50-64	72	23.3	339	3	7	23	34	53	57	76
65 +	125	20.8	412	3	5	14	30	48	64	90
GRAND TOTAL	**414**	**20.6**	**356**	**2**	**5**	**14**	**32**	**47**	**59**	**82**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.6	5	< 1	< 1	1	5	6	6	6
20-34	4	2.3	1	< 1	1	2	3	3	3	3
35-49	5	5.6	8	< 1	4	6	8	8	8	8
50-64	2	5.5	41	< 1	< 1	5	10	10	10	10
65 +	11	1.1		< 1	< 1	< 1	< 1	1	2	2
B. Operated										
0-19 YRS	12	7.7	121	< 1	1	4	7	24	37	39
20-34	5	20.2	347	5	6	9	40	42	42	42
35-49	2	4.0	18	< 1	< 1	3	7	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	3.3	11	< 1	< 1	2	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	8.4	63	2	3	6	12	21	26	27
20-34	12	4.1	8	1	2	4	6	8	9	9
35-49	22	5.8	40	< 1	1	4	8	11	20	29
50-64	28	10.8	108	3	4	6	16	26	30	45
65 +	46	5.8	23	1	2	5	9	11	13	28
B. Operated										
0-19 YRS	35	21.3	256	4	9	15	37	44	57	99 +
20-34	9	29.9	603	3	6	37	50	63	67	67
35-49	31	25.7	239	8	10	27	36	42	52	66
50-64	23	16.0	192	3	5	11	26	39	44	51
65 +	67	13.3	186	2	4	8	21	31	34	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	2.7	7	< 1	< 1	< 1	4	7	8	10
B. Operated	24	9.0	159	< 1	1	4	8	39	40	42
2. MULTIPLE DX										
A. Not Operated	120	7.1	52	1	3	5	9	15	25	34
B. Operated	165	18.6	257	3	6	12	30	41	51	77
1. SINGLE DX	54	5.5	83	< 1	< 1	2	6	10	35	42
2. MULTIPLE DX	285	13.8	203	2	4	8	20	36	42	67
A. Not Operated	150	6.2	46	< 1	2	5	8	13	22	29
B. Operated	189	17.4	254	2	5	10	30	41	48	74
TOTAL										
0-19 YRS	67	14.3	219	1	3	8	22	41	45	93
20-34	30	14.3	362	1	3	5	11	45	56	67
35-49	60	16.0	239	1	5	9	29	38	43	65
50-64	54	12.7	147	2	4	8	18	28	40	51
65 +	128	9.3	125	1	2	6	10	26	31	55
GRAND TOTAL	**339**	**12.4**	**193**	**1**	**3**	**7**	**16**	**34**	**41**	**66**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	3.3	12	< 1	1	1	6	8	11	12
20-34	4	4.5	8	< 1	2	4	6	[illegible]	8	8
35-49	14	4.0	9	1	1	3	5	8	10	10
50-64	25	6.0	26	2	3	4	7	14	19	21
65 +	28	4.5	7	1	2	4	6	8	9	12
B. Operated										
0-19 YRS	37	5.3	15	1	2	4	8	10	13	15
20-34	26	6.3	26	1	2	5	8	15	18	18
35-49	47	7.6	70	1	3	4	9	18	25	44
50-64	56	5.8	23	1	3	4	8	12	15	26
65 +	78	5.6	28	1	1	4	7	12	15	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	4.9	23	1	2	3	6	9	13	25
20-34	29	5.1	20	< 1	2	4	6	14	15	17
35-49	76	6.8	25	2	3	5	9	13	16	25
50-64	156	7.4	90	1	3	5	8	17	23	41
65 +	322	8.1	41	2	4	6	11	15	21	28
B. Operated										
0-19 YRS	60	12.5	191	2	4	9	13	31	45	71
20-34	59	13.6	141	2	5	9	20	33	41	46
35-49	124	11.8	139	3	5	8	14	27	37	66
50-64	293	11.1	129	3	5	8	13	22	31	62
65 +	550	12.1	110	3	5	9	15	24	36	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	4.7	14	1	2	4	7	9	12	20
B. Operated	244	6.0	33	1	2	4	8	12	17	28
2. MULTIPLE DX										
A. Not Operated	614	7.4	50	2	3	6	9	15	20	28
[illegible] Operated	1086	11.9	125	3	5	9	15	25	35	54
1. SINGLE DX	331	5.7	28	1	2	4	7	11	15	26
2. MULTIPLE DX	1700	10.3	102	2	4	8	13	21	30	49
A. Not Operated	701	7.1	46	1	3	5	9	15	19	28
B. Operated	1330	10.8	113	2	4	8	13	23	33	51
TOTAL										
0-19 YRS	143	8.0	104	1	2	5	10	14	29	52
20-34	118	9.6	97	1	3	6	12	23	33	44
35-49	261	9.2	93	2	4	6	11	19	28	44
50-64	531	9.2	106	2	4	6	11	18	26	60
65 +	978	10.0	84	2	4	8	13	21	28	47
GRAND TOTAL	**2031**	**9.5**	**93**	**2**	**4**	**7**	**12**	**20**	**28**	**48**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	24	2.2	4	< 1	1	1	2	6	7	7
20-34	72	1.8	1	1	1	2	2	3	4	5
35-49	107	1.6		1	1	1	2	2	3	4
50-64	99	1.6	1	1	1	1	2	3	3	5
65 +	70	2.1	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	2	4.0	18	< 1	< 1	3	7	7	7	7
B. Operated										
0-19 YRS	6	2.8	2	1	1	3	4	4	4	4
20-34	28	1.9	2	1	1	2	2	4	6	7
35-49	41	2.0	1	1	1	2	2	4	4	6
50-64	55	2.1	4	1	1	2	2	3	4	14
65 +	95	2.4	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	372	1.8	1	1	1	2	2	3	3	6
2. MULTIPLE [illegible]										
A. Not Operated	3	3.0	12	< 1	< 1	< 1	5	7	7	7
B. Operated	225	2.2	2	1	1	2	3	4	5	8
1. SINGLE DX	373	1.8	1	1	1	2	2	3	3	6
2. MULTIPLE DX	228	2.2	2	1	1	2	3	4	5	8
A. Not Operated	4	2.5	9	< 1	< 1	1	4	7	7	7
B. Operated	597	1.9	2	1	1	2	2	3	4	7
TOTAL										
0-19 YRS	30	2.3	3	< 1	1	1	3	6	6	7
20-34	100	1.8	1	1	1	2	2	3	4	6
35-49	149	1.7	1	1	1	2	2	3	3	4
50-64	154	1.8	2	1	1	2	2	3	3	7
65 +	168	2.3	2	1	1	2	3	4	5	8
GRAND TOTAL	**601**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	3	1.0		< 1	< 1	< 1	1	1	1	1
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	7	2.1	4	< 1	< 1	< 1	4	5	5	5
B. Operated										
0-19 YRS	11	3.9	7	< 1	1	4	5	8	9	9
20-34	19	7.3	25	2	5	6	9	15	19	20
35-49	24	5.8	9	1	5	6	7	10	12	13
50-64	46	5.6	9	1	3	6	8	9	10	11
65 +	75	4.9	10	< 1	2	5	7	10	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	2.3	2	< 1	1	2	3	4	4	4
50-64	7	2.6	4	< 1	< 1	2	4	6	6	6
65 +	20	3.7	26	< 1	< 1	2	4	6	15	24
B. Operated										
0-19 YRS	18	11.7	98	3	7	9	12	24	36	43
20-34	38	8.9	107	2	5	7	10	16	18	66
35-49	65	8.4	66	1	3	7	12	16	19	43
50-64	144	6.9	23	1	3	6	9	13	15	25
65 +	332	8.2	47	2	4	8	10	15	18	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.3	6	< 1	< 1	1	3	7	8	8
B. Operated	175	5.4	12	1	2	5	7	10	11	17
2. MULTIPLE DX										
A. Not Operated	34	3.1	16	< 1	< 1	2	4	6	6	24
B. Operated	597	8.0	49	1	4	7	10	15	18	42
1. SINGLE DX	192	5.1	12	< 1	2	5	7	9	10	16
2. MULTIPLE DX	631	7.8	48	1	3	7	10	15	18	42
A. Not Operated	51	2.9	13	< 1	< 1	1	4	6	7	24
B. Operated	772	7.4	42	1	3	7	9	14	17	38
TOTAL										
0-19 YRS	34	7.7	71	1	2	6	9	17	24	43
20-34	60	8.2	76	2	5	7	9	15	18	61
35-49	96	7.3	50	1	2	6	9	15	17	43
50-64	199	6.4	20	1	3	6	9	12	14	22
65 +	434	7.3	42	1	3	6	10	14	17	33
GRAND TOTAL	**823**	**7.2**	**41**	**1**	**3**	**6**	**9**	**13**	**16**	**34**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	1	15.0		15	15	15	15	15	15	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	40	2.0	5	< 1	< 1	1	1	5	8	10
20-34	9	2.6	4	1	1	2	4	6	6	6
35-49	17	3.2	6	1	1	2	4	6	9	10
50-64	30	3.9	7	1	1	3	6	8	8	8
65 +	13	3.5	5	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	1	31.0		31	31	31	31	31	31	31
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	17	3.9	11	1	1	3	6	8	11	13
20-34	9	5.8	9	2	3	6	9	9	9	9
35-49	23	4.9	15	1	3	4	6	9	13	19
50-64	46	6.0	14	2	3	6	8	10	12	19
65 +	47	6.5	28	1	3	5	8	17	18	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.8	25	< 1	< 1	< 1	< 1	11	15	15
B. Operated	109	2.9	6	< 1	1	2	4	7	8	10
2. MULTIPLE DX										
A. Not Operated	3	11.7	281	< 1	1	3	24	31	31	31
B. Operated	142	5.7	18	1	3	5	7	10	16	19
1. SINGLE DX	117	2.9	7	< 1	1	1	4	7	8	12
2. MULTIPLE DX	145	5.8	23	1	3	5	7	11	17	22
A. Not Operated	11	5.2	91	< 1	< 1	< 1	2	21	30	31
B. Operated	251	4.5	15	1	1	4	7	9	11	19
TOTAL										
0-19 YRS	65	2.4	7	< 1	< 1	1	3	7	8	13
20-34	18	4.2	9	1	2	3	6	9	9	9
35-49	41	4.4	14	1	2	4	5	9	12	19
50-64	77	5.5	20	1	2	5	7	9	12	28
65 +	61	5.8	24	1	2	5	7	14	18	22
GRAND TOTAL	**262**	**4.5**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**19**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34	3	1.3		< 1	< 1	< 1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	232	2.0	7	< 1	1	1	2	3	5	14
20-34	111	2.2	7	1	1	1	2	4	6	14
35-49	87	2.5	8	1	1	1	3	6	7	17
50-64	68	2.5	4	1	1	2	3	6	7	11
65 +	35	2.1	2	< 1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1		1	1	1	1	1
20-34	2	2.5	5	< 1	< 1	2	4	4	4	4
35-49	2	10.0	162	1	1	10	19	19	19	19
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	4	1.8		< 1	1	2	2	2	2	2
B. Operated										
0-19 YRS	66	3.7	40	1	1	2	4	6	12	36
20-34	52	3.0	5	1	1	2	4	7	8	10
35-49	65	3.3	6	1	1	3	5	6	7	12
50-64	90	4.1	15	1	1	2	6	10	13	17
65 +	77	5.2	40	1	2	4	6	11	14	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.7		< 1	1	2	2	2	2	2
B. Operated	533	2.2	6	1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	13	3.2	24	< 1	1	2	3	7	17	19
B. Operated	350	3.9	22	1	1	2	5	8	11	20
1. SINGLE DX	542	2.1	6	1	1	1	2	4	6	11
2. MULTIPLE DX	363	3.9	22	1	1	2	5	8	11	20
A. Not Operated	22	2.5	14	< 1	1	2	2	4	10	19
B. Operated	883	2.9	13	1	1	2	3	6	9	17
TOTAL										
0-19 YRS	305	2.3	14	1	1	1	2	4	6	24
20-34	168	2.4	6	1	1	2	3	5	7	10
35-49	156	2.9	9	1	1	2	4	6	7	19
50-64	160	3.4	11	1	1	2	5	8	10	16
65 +	116	4.2	29	1	1	2	5	9	12	29
GRAND TOTAL	**905**	**2.9**	**13**	**1**	**1**	**2**	**3**	**6**	**9**	**18**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.0	5	< 1	< 1	1	1	7	7	7
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	1	14.0		14	14	14	14	14	14	14
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	213	2.0	6	< 1	< 1	1	2	4	6	13
20-34	29	2.1	3	1	1	1	2	5	6	6
35-49	36	2.2	3	< 1	1	1	3	5	6	8
50-64	16	4.6	14	< 1	1	5	7	11	12	12
65 +	9	4.1	28	1	1	2	4	13	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.9	2	1	2	3	4	5	5	5
20-34	5	4.8	10	< 1	1	6	7	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	7.4	99	1	2	3	10	25	25	25
65 +	12	5.0	8	3	3	4	6	8	12	13
B. Operated										
0-19 YRS	75	5.1	93	< 1	1	3	5	9	19	63
20-34	22	4.3	18	< 1	1	2	7	11	13	15
35-49	32	7.4	88	1	3	5	8	14	20	52
50-64	38	5.9	68	1	2	4	6	12	20	48
65 +	43	7.4	108	1	2	4	8	22	38	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.3	14	< 1	1	1	6	8	12	14
B. Operated	303	2.2	7	< 1	1	1	2	5	7	14
2. MULTIPLE DX										
A. Not Operated	36	4.5	18	1	2	4	5	7	11	25
B. Operated	210	6.0	83	1	1	3	6	13	22	64
1. SINGLE DX	321	2.3	7	< 1	1	1	2	5	7	15
2. MULTIPLE DX	246	5.8	74	1	1	3	6	12	21	58
A. Not Operated	54	4.1	17	1	1	3	5	7	12	25
B. Operated	513	3.8	41	< 1	1	2	4	8	12	38
TOTAL										
0-19 YRS	315	2.8	28	< 1	1	1	3	6	7	25
20-34	58	3.3	10	1	1	2	5	8	10	15
35-49	70	4.8	49	1	1	3	5	10	14	46
50-64	60	5.7	53	1	2	4	6	11	19	46
65 +	64	6.5	79	1	2	4	7	18	24	94
GRAND TOTAL	**567**	**3.8**	**39**	**< 1**	**1**	**2**	**4**	**8**	**12**	**32**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.3		< 1	< 1	1	1	2	2	2
20-34	10	1.7	1	< 1	< 1	1	2	3	3	3
35-49	10	1.7	5	< 1	< 1	< 1	1	5	8	8
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.0		2	2	2	2	2	2	2
35-49	23	2.1	1	1	1	2	3	4	5	5
50-64	15	2.5	2	< 1	1	2	4	4	5	5
65 +	11	2.9	8	< 1	< 1	2	3	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	28	1.9	3	< 1	< 1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	54	2.4	3	< 1	1	2	3	4	5	10
1. SINGLE DX	28	1.9	3	< 1	< 1	1	2	4	5	8
2. MULTIPLE DX	54	2.4	3	< 1	1	2	3	4	5	10
A. Not Operated	0									
B. Operated	82	2.2	3	< 1	1	2	3	4	5	9
TOTAL										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	14	1.8		< 1	< 1	2	2	3	3	3
35-49	33	2.0	2	< 1	< 1	2	2	4	5	8
50-64	17	2.5	2	< 1	1	2	4	4	5	5
65 +	13	3.1	7	< 1	1	2	4	7	9	10
GRAND TOTAL	**82**	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**	**9**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	3.2	3	< 1	2	3	5	5	5	5
35-49	8	1.9	2	< 1	1	1	2	4	5	5
50-64	3	2.3	1	1	1	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	168	3.6	1	2	3	4	4	5	5	8
35-49	599	3.7	1	3	3	4	4	5	5	6
50-64	96	4.2	1	3	3	4	5	6	7	8
65 +	5	4.4	5	1	3	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	14	2.2	1	< 1	1	2	3	4	4	4
35-49	32	1.9	2	< 1	< 1	1	2	4	5	6
50-64	6	4.0	41	< 1	1	1	2	16	17	17
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	8	4.6	5	3	4	4	4	8	10	10
20-34	744	3.9	2	3	3	4	4	5	6	9
35-49	5364	4.0	3	3	3	4	4	5	6	10
50-64	1033	4.2	2	3	3	4	5	5	6	10
65 +	119	4.7	3	3	4	4	5	7	8	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.4	2	< 1	1	2	3	5	5	5
B. Operated	869	3.8	1	3	3	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	53	2.2	6	< 1	1	2	2	4	5	17
B. Operated	7268	4.0	3	3	3	4	4	5	6	10
1. SINGLE DX	886	3.7	1	3	3	4	4	5	5	7
2. MULTIPLE DX	7321	4.0	3	3	3	4	4	5	6	10
A. Not Operated	70	2.3	5	< 1	1	2	3	4	5	15
B. Operated	8137	4.0	2	3	3	4	4	5	6	10
TOTAL										
0-19 YRS	9	4.7	4	3	4	4	5	8	10	10
20-34	932	3.8	2	3	3	4	4	5	6	9
35-49	6003	4.0	3	3	3	4	4	5	6	9
50-64	1138	4.1	2	3	3	4	5	5	6	10
65 +	125	4.6	3	3	4	4	5	7	8	10
GRAND TOTAL	**8207**	**4.0**	**3**	**3**	**3**	**4**	**4**	**5**	**6**	**10**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	3.7		3	3	4	4	4	4	4
35-49	16	3.8		3	3	4	4	5	5	5
50-64	2	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	24	4.4	4	3	3	4	5	8	9	10
35-49	128	3.9	1	3	3	4	5	5	6	7
50-64	23	4.3	1	4	4	4	5	5	6	6
65 +	8	5.5	6	3	4	5	6	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	21	3.8		3	3	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	183	4.1	2	3	3	4	5	6	6	10
1. SINGLE DX	21	3.8		3	3	4	4	5	5	5
2. MULTIPLE DX	183	4.1	2	3	3	4	5	6	6	10
A. Not Operated	0									
B. Operated	204	4.1	2	3	3	4	5	5	6	9
TOTAL										
0-19 YRS	0									
20-34	27	4.3	4	3	3	4	5	8	9	10
35-49	144	3.9	1	3	3	4	4	5	6	7
50-64	25	4.3		4	4	4	5	5	6	6
65 +	8	5.5	6	3	4	5	6	9	11	11
GRAND TOTAL	**204**	**4.1**	**2**	**3**	**3**	**4**	**5**	**5**	**6**	**9**

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	49	3.1	1	2	3	3	4	4	4	5
20-34	246	3.1	1	2	3	3	4	4	4	5
35-49	128	3.5	1	2	3	3	4	4	5	8
50-64	59	3.8	1	3	3	4	4	5	6	6
65 +	33	4.6	2	3	4	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	59	4.0	2	3	3	3	5	6	7	9
20-34	344	3.6	1	2	3	3	4	5	6	8
35-49	392	4.2	3	3	3	4	4	6	7	11
50-64	249	4.8	4	3	4	4	5	6	8	14
65 +	265	6.1	17	4	4	5	7	9	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	515	3.4	1	2	3	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	2	3.5	5	2	2	3	5	5	5	5
B. Operated	1309	4.5	6	3	3	4	5	7	8	14
1. SINGLE DX	515	3.4	1	2	3	3	4	4	5	7
2. MULTIPLE DX	1311	4.5	6	3	3	4	5	7	8	14
A. Not Operated	2	3.5	5	2	2	3	5	5	5	5
B. Operated	1824	4.2	5	3	3	4	5	6	7	12
TOTAL										
0-19 YRS	108	3.6	2	2	3	3	4	5	6	8
20-34	591	3.4	1	2	3	3	4	5	5	7
35-49	520	4.0	2	3	3	4	4	6	7	10
50-64	308	4.6	4	3	4	4	5	6	7	13
65 +	299	5.9	16	4	4	5	6	9	12	22
GRAND TOTAL	**1826**	**4.2**	**5**	**3**	**3**	**4**	**5**	**6**	**7**	**12**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	3.0	2	< 1	2	4	4	4	4	4
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	3.5	13	< 1	< 1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	16	3.1	1	2	3	3	4	4	4	4
35-49	18	4.6	5	3	3	4	5	7	9	11
50-64	5	4.2	1	3	4	4	5	5	5	5
65 +	4	5.3	8	2	3	5	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	13	3.2	2	< 1	2	4	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	45	4.0	3	2	3	4	5	6	7	11
1. SINGLE DX	13	3.2	2	< 1	2	4	4	5	6	6
2. MULTIPLE DX	45	4.0	3	2	3	4	5	6	7	11
A. Not Operated	0									
B. Operated	58	3.8	3	2	3	4	4	6	7	11
TOTAL										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	23	3.1	1	1	2	3	4	4	4	4
35-49	20	4.5	4	2	3	4	5	7	9	11
50-64	6	4.2	1	3	4	4	5	5	5	5
65 +	6	4.7	8	< 1	2	5	6	9	9	9
GRAND TOTAL	**58**	**3.8**	**3**	**2**	**3**	**4**	**4**	**6**	**7**	**11**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	4	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	2	2.0		2	2	2	2	2	2	2
65 +	3	1.7	1	1	1	1	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	9	1.0		< 1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	9	2.1	3	< 1	1	2	2	5	6	6
1. SINGLE DX	9	1.0		< 1	1	1	1	1	1	1
2. MULTIPLE DX	10	2.1	2	< 1	1	2	2	4	6	6
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	18	1.6	2	< 1	1	1	2	3	5	6
TOTAL										
0-19 YRS	0									
20-34	5	1.2		< 1	< 1	1	1	2	2	2
35-49	7	1.9	3	1	1	1	2	5	6	6
50-64	4	1.5		1	1	1	2	2	2	2
65 +	3	1.7	1	1	1	1	3	3	3	3
GRAND TOTAL	**19**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**5**	**6**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	4	3.0	16	< 1	< 1	1	5	9	9	9
35-49	7	5.7	8	2	4	6	7	9	10	10
50-64	7	3.0	3	< 1	1	3	5	5	5	5
65 +	7	4.9	10	1	2	5	6	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	10	5.3	29	1	1	4	7	13	19	19
35-49	11	5.6	10	1	3	6	7	9	11	11
50-64	18	3.3	8	1	1	2	6	7	9	10
65 +	33	5.0	65	1	1	3	6	9	11	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	27	4.2	8	< 1	1	4	6	9	10	10
2. MULTIPLE DX										
A. Not Operated	1	17.0		17	17	17	17	17	17	17
B. Operated	75	4.7	36	1	1	4	6	8	11	40
1. SINGLE DX	28	4.1	8	< 1	1	4	6	8	10	10
2. MULTIPLE DX	76	4.8	37	1	1	4	6	9	11	40
A. Not Operated	2	9.5	113	2	2	9	17	17	17	17
B. Operated	102	4.5	28	1	1	4	6	8	10	32
TOTAL										
0-19 YRS	6	5.5	33	2	2	4	4	16	17	17
20-34	14	4.6	25	< 1	1	3	7	10	17	19
35-49	19	5.5	9	1	3	6	7	9	11	11
50-64	25	3.2	6	1	1	2	5	7	8	10
65 +	40	5.0	55	1	1	3	6	9	11	47
GRAND TOTAL	**104**	**4.6**	**29**	**1**	**1**	**4**	**6**	**9**	**10**	**32**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	4.5	25	< 1	< 1	4	8	8	8	8
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	2.8	7	< 1	1	2	3	8	8	8
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	2	2.0		2	2	2	2	2	2	2
1. SINGLE DX	6	2.8	7	< 1	1	2	3	8	8	8
2. MULTIPLE DX	3	2.3		2	2	2	3	3	3	3
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	8	2.6	5	< 1	1	2	3	7	8	8
TOTAL										
0-19 YRS	3	3.7	14	< 1	< 1	2	6	8	8	8
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**9**	**2.7**	**5**	**< 1**	**1**	**2**	**3**	**6**	**8**	**8**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64	5	3.2	2	2	2	3	4	5	5	5
65+	5	2.6	1	1	2	3	3	4	4	4
B. Operated										
0-19 YRS	13	5.5	10	1	3	7	8	9	11	11
20-34	25	6.6	6	4	5	6	9	10	10	11
35-49	53	8.7	129	4	5	7	9	14	16	84
50-64	56	7.6	34	3	5	6	9	13	18	38
65+	44	8.4	23	3	5	8	10	14	18	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	9	1.9	1	1	1	2	2	4	4	4
50-64	17	5.4	21	1	2	4	6	13	16	17
65+	39	6.0	17	1	3	6	8	10	13	22
B. Operated										
0-19 YRS	26	10.8	54	4	6	8	14	24	26	31
20-34	40	8.3	23	3	5	7	10	15	17	26
35-49	77	11.5	108	5	7	8	12	23	36	54
50-64	116	11.2	62	4	6	9	13	25	29	37
65+	192	13.0	125	5	7	9	16	29	34	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.3	2	2	2	3	5	5	5	5
B. Operated	191	7.8	52	3	5	7	9	12	16	34
2. MULTIPLE DX										
A. Not Operated	69	5.1	17	1	2	4	7	10	13	21
B. Operated	451	11.7	94	5	7	9	13	25	30	49
1. SINGLE DX	206	7.5	50	3	5	6	9	11	16	32
2. MULTIPLE DX	520	10.8	89	3	6	8	13	23	30	48
A. Not Operated	84	4.8	15	1	2	4	6	10	12	20
B. Operated	642	10.6	85	4	6	8	12	19	29	48
TOTAL										
0-19 YRS	42	8.5	45	2	4	7	9	18	25	31
20-34	68	7.5	17	3	5	7	9	12	16	24
35-49	142	9.7	113	3	5	7	10	16	26	57
50-64	194	9.4	53	3	5	7	11	19	26	37
65+	280	11.1	100	3	6	8	13	21	30	48
GRAND TOTAL	**726**	**9.9**	**80**	**3**	**5**	**8**	**11**	**18**	**27**	**47**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	2.0	2	1	1	2	3	4	4	4
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	11	1.9	2	<1	1	1	3	4	4	4
20-34	120	1.7		1	1	2	2	2	3	4
35-49	193	1.9	1	1	1	2	2	3	3	5
50-64	101	2.0	1	1	1	2	2	4	4	6
65+	47	2.1	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	10.0	109	3	3	5	18	22	22	22
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	66	1.9	1	1	1	2	2	3	4	4
35-49	99	2.6	5	1	2	2	3	4	5	16
50-64	100	2.3	1	1	2	2	3	4	4	7
65+	88	3.7	25	1	2	2	3	7	9	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.9	1	1	1	2	2	4	4	4
B. Operated	472	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	9	4.3	46	<1	1	2	3	15	22	22
B. Operated	358	2.7	8	1	2	2	3	4	5	13
1. SINGLE DX	479	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX	367	2.7	9	1	2	2	3	4	5	18
A. Not Operated	16	3.3	26	1	1	2	3	5	17	22
B. Operated	830	2.2	4	1	1	2	2	3	4	8
TOTAL										
0-19 YRS	16	1.9	1	1	1	2	3	4	4	4
20-34	190	1.9	3	1	1	2	2	3	3	5
35-49	300	2.1	2	1	1	2	2	3	4	7
50-64	202	2.2	1	1	1	2	3	4	4	6
65+	138	3.1	17	1	2	2	3	5	7	30
GRAND TOTAL	**846**	**2.2**	**5**	**1**	**1**	**2**	**2**	**3**	**4**	**9**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	13	1	1	3	6	6	6	6
B. Operated										
0-19 YRS	6	4.8	6	2	3	4	6	9	9	9
20-34	20	5.1	6	2	3	5	7	8	9	9
35-49	42	5.5	13	2	3	5	6	10	13	18
50-64	35	4.4	14	2	2	4	5	8	8	22
65+	33	4.2	13	2	2	3	5	8	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.7	9	<1	1	1	5	8	8	8
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	10	3.4	10	<1	1	2	4	8	11	11
50-64	8	3.8	4	1	3	3	5	7	7	7
65+	11	7.4	27	1	3	7	12	15	15	15
B. Operated										
0-19 YRS	15	11.5	349	3	5	6	10	13	62	78
20-34	45	5.5	6	2	4	5	7	8	10	13
35-49	85	5.2	26	2	2	4	6	9	19	26
50-64	121	5.3	15	2	2	4	8	11	12	19
65+	128	6.1	45	2	2	4	8	13	16	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.0	7	1	2	4	6	7	7	7
B. Operated	136	4.8	12	2	2	4	6	8	11	19
2. MULTIPLE DX										
A. Not Operated	38	4.4	16	1	1	3	6	10	14	15
B. Operated	394	5.8	39	2	2	4	7	11	14	27
1. SINGLE DX	142	4.8	12	2	2	4	6	8	11	18
2. MULTIPLE DX	432	5.7	37	2	2	4	7	11	14	26
A. Not Operated	44	4.3	14	1	1	3	6	9	14	15
B. Operated	530	5.5	32	2	2	4	7	10	13	23
TOTAL										
0-19 YRS	28	7.9	200	1	2	5	8	11	19	78
20-34	68	5.3	6	2	3	5	7	8	9	13
35-49	139	5.2	20	2	2	4	6	9	14	24
50-64	165	5.0	14	2	2	4	7	9	12	21
65+	174	5.8	38	2	2	4	7	13	16	33
GRAND TOTAL	**574**	**5.5**	**31**	**2**	**2**	**4**	**7**	**10**	**13**	**23**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	122	3.0	1	1	3	3	4	4	5	5
35-49	85	3.1	1	2	3	3	4	4	5	6
50-64	23	3.1	1	1	3	3	4	4	5	5
65+	5	3.4	2	<1	2	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	198	3.5	2	2	3	3	4	5	6	9
35-49	238	3.6	1	2	3	4	4	5	5	7
50-64	57	4.4	4	3	4	4	5	6	7	15
65+	42	4.6	10	2	4	4	5	6	8	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	235	3.1	1	1	3	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	3	1.3		<1	<1	1	2	2	2	2
B. Operated	537	3.7	2	2	3	4	4	5	6	8
1. SINGLE DX	236	3.1	1	1	3	3	4	4	5	6
2. MULTIPLE DX	540	3.7	3	2	3	4	4	5	6	8
A. Not Operated	4	1.8	1	<1	<1	1	2	3	3	3
B. Operated	772	3.5	2	2	3	3	4	5	6	8
TOTAL										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	322	3.3	2	2	3	3	4	5	5	8
35-49	325	3.5	1	2	3	3	4	5	5	7
50-64	80	4.1	4	2	3	4	5	6	7	13
65+	47	4.4	9	2	3	4	5	6	8	22
GRAND TOTAL	**776**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**6**	**8**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	12	3.4	6	1	2	3	5	7	8	8
35-49	58	2.9	2	1	2	3	4	5	6	9
50-64	97	2.8	3	1	2	2	3	4	7	10
65 +	85	2.9	3	1	2	3	3	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	3	4.0	19	1	1	2	7	9	9	9
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	15	5.5	15	2	2	5	7	10	14	15
35-49	71	3.3	4	1	2	3	4	6	7	12
50-64	144	3.8	8	1	2	3	5	8	9	13
65 +	240	5.6	27	1	2	4	8	12	14	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	253	2.9	3	1	2	2	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	8	2.9	6	1	2	2	3	7	9	9
B. Operated	471	4.7	18	1	2	3	6	10	12	20
1. SINGLE DX	254	2.9	3	1	2	2	4	5	7	10
2. MULTIPLE DX	479	4.6	18	1	2	3	6	10	12	20
A. Not Operated	9	2.8	6	1	2	2	3	7	9	9
B. Operated	724	4.1	14	1	2	3	5	9	10	17
TOTAL										
0-19 YRS	5	1.6		< 1	< 1	2	2	2	2	2
20-34	27	4.6	11	1	2	3	7	9	11	15
35-49	129	3.1	4	1	2	3	4	5	7	10
50-64	244	3.4	6	1	2	3	4	7	9	11
65 +	328	4.9	22	1	2	3	6	10	13	23
GRAND TOTAL	**733**	**4.0**	**13**	**1**	**2**	**3**	**5**	**9**	**10**	**17**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.5	5	1	1	1	4	6	6	6
20-34	15	3.3	6	1	2	2	4	8	8	8
35-49	16	3.4	7	< 1	1	3	4	7	10	11
50-64	14	4.5	22	1	2	3	5	9	17	19
65 +	9	2.2	1	< 1	1	2	3	4	4	4
B. Operated										
0-19 YRS	70	4.1	12	< 1	1	3	6	9	11	14
20-34	82	4.2	13	1	2	3	5	8	11	21
35-49	106	4.0	12	1	1	3	6	9	11	18
50-64	83	3.9	8	1	1	3	6	8	8	15
65 +	69	3.8	10	1	1	2	7	9	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	2.6	6	< 1	1	2	3	5	8	12
20-34	29	5.8	35	1	2	4	7	14	17	28
35-49	24	2.6	4	1	1	2	3	5	7	8
50-64	50	4.5	12	1	1	4	6	9	9	16
65 +	138	5.7	22	1	3	4	7	11	15	25
B. Operated										
0-19 YRS	76	9.9	165	1	3	6	10	22	36	76
20-34	100	7.8	75	2	3	5	8	16	24	50
35-49	151	5.8	27	1	3	4	7	12	15	25
50-64	188	7.1	60	1	3	5	8	16	21	43
65 +	325	8.0	51	1	3	7	10	16	22	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	3.3	9	1	1	2	4	7	8	18
B. Operated	410	4.0	11	1	1	3	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	284	4.7	19	1	1	4	6	9	13	23
B. Operated	840	7.6	63	1	3	5	9	16	22	42
1. SINGLE DX	474	3.9	11	1	1	3	6	8	10	16
2. MULTIPLE DX	1124	6.8	53	1	3	5	8	14	21	40
A. Not Operated	348	4.5	18	1	1	3	6	9	12	21
B. Operated	1250	6.4	48	1	2	4	8	13	20	39
TOTAL										
0-19 YRS	199	5.9	78	1	1	4	7	11	20	46
20-34	226	5.9	46	1	2	4	7	11	18	35
35-49	297	4.8	20	1	2	4	6	9	13	21
50-64	335	5.8	41	1	2	4	7	10	17	35
65 +	541	6.8	40	1	2	5	9	14	20	31
GRAND TOTAL	**1598**	**6.0**	**42**	**1**	**2**	**4**	**7**	**12**	**17**	**32**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	22	1.6		1	1	2	2	3	3	3
20-34	114	1.9	1	1	1	2	2	3	3	4
35-49	185	2.0	1	1	1	2	2	3	4	6
50-64	109	2.1	1	1	1	2	2	3	4	6
65 +	64	2.4	1	1	2	2	3	3	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	3	2.3	5	< 1	< 1	< 1	4	5	5	5
50-64	2	2.0		2	2	2	2	2	2	2
65 +	6	5.3	15	2	3	4	8	12	12	12
B. Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	35	2.2	1	1	1	2	3	3	4	7
35-49	104	3.0	45	1	2	2	3	4	6	38
50-64	91	2.7	3	1	2	2	3	4	5	12
65 +	77	3.4	9	1	2	3	4	6	7	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	494	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	13	3.5	11	< 1	1	2	4	9	11	12
B. Operated	310	2.9	19	1	2	2	3	4	7	12
1. SINGLE DX	495	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX	323	2.9	18	1	2	2	3	4	7	12
A. Not Operated	14	3.4	10	< 1	1	2	4	8	11	12
B. Operated	804	2.4	8	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	25	1.7		1	1	2	2	3	3	3
20-34	151	1.9	1	1	1	2	2	3	4	4
35-49	293	2.4	17	1	1	2	2	3	4	8
50-64	202	2.4	2	1	2	2	3	4	5	8
65 +	147	3.0	6	1	2	2	3	5	7	12
GRAND TOTAL	**818**	**2.4**	**8**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.8	18	1	1	2	6	10	10	10
20-34	18	1.9	1	1	1	2	3	3	4	5
35-49	17	2.6	1	1	2	2	3	4	5	5
50-64	11	4.0	18	1	1	2	5	11	15	15
65 +	5	3.4	4	2	2	3	4	7	7	7
B. Operated										
0-19 YRS	8	2.5	2	1	1	2	3	4	5	5
20-34	61	2.8	6	1	2	2	3	5	6	16
35-49	61	1.9	1	1	1	2	2	3	4	5
50-64	51	2.3	1	1	2	2	3	4	4	5
65 +	25	3.2	18	1	2	2	3	4	9	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	4.1	18	1	2	2	4	13	14	14
20-34	52	4.8	24	1	2	3	5	10	16	24
35-49	66	5.0	65	1	1	3	6	8	11	55
50-64	80	6.1	41	1	2	4	8	13	17	36
65 +	133	6.5	23	2	3	5	8	12	17	25
B. Operated										
0-19 YRS	3	3.3	4	1	2	4	5	5	5	5
20-34	32	3.0	10	1	2	2	3	5	11	16
35-49	50	3.4	6	1	2	3	4	7	10	11
50-64	66	4.5	62	1	2	3	3	6	18	52
65 +	48	5.5	26	2	2	4	8	12	14	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.8	6	1	1	2	3	5	8	15
B. Operated	206	2.4	4	1	2	2	3	4	5	12
2. MULTIPLE DX										
A. Not Operated	349	5.7	35	1	2	4	7	12	16	27
B. Operated	199	4.2	31	1	2	3	4	9	13	26
1. SINGLE DX	261	2.5	5	1	1	2	3	4	5	14
2. MULTIPLE DX	548	5.2	34	1	2	3	6	11	15	27
A. Not Operated	404	5.3	32	1	2	4	7	11	15	26
B. Operated	405	3.3	18	1	2	2	3	5	10	21
TOTAL										
0-19 YRS	33	3.6	12	1	2	2	4	10	13	14
20-34	163	3.3	13	1	2	2	3	6	10	23
35-49	194	3.4	25	1	2	2	4	7	8	20
50-64	208	4.5	38	1	2	3	4	9	15	32
65 +	211	5.8	24	2	2	4	7	12	16	26
GRAND TOTAL	**809**	**4.3**	**26**	**1**	**2**	**3**	**5**	**9**	**13**	**24**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	3.7	2	2	3	3	5	6	6	7
20-34	23	3.2	3	<1	2	3	5	6	6	6
35-49	27	3.9	12	<1	2	3	5	8	10	18
50-64	25	2.8	4	1	1	2	4	5	6	10
65+	13	4.8	25	2	3	3	5	9	19	21
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	2.5	2	1	1	2	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	5.2	33	2	3	4	6	7	17	35
20-34	46	3.5	7	2	2	3	4	6	7	18
35-49	66	4.3	36	1	1	2	5	8	14	39
50-64	79	4.8	17	1	2	4	6	9	11	26
65+	70	6.5	84	2	3	5	7	10	14	92
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49	17	4.6	52	1	1	2	4	15	24	28
50-64	19	13.2	227	1	2	9	16	42	47	50
65+	9	11.0	26	5	8	10	13	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	3.6	6	1	2	3	4	6	7	18
B. Operated	7	3.4	10	1	1	3	4	9	10	10
2. MULTIPLE DX										
A. Not Operated	336	5.0	37	1	2	4	6	8	13	45
B. Operated	50	8.8	123	1	2	4	12	19	42	50
1. SINGLE DX	162	3.6	6	1	2	3	4	6	7	17
2. MULTIPLE DX	386	5.5	50	1	2	4	6	10	16	48
A. Not Operated	491	4.5	28	1	2	3	5	7	10	34
B. Operated	57	8.2	112	1	2	4	10	18	37	49
TOTAL										
0-19 YRS	144	4.5	19	2	3	4	5	7	10	30
20-34	73	3.4	6	1	2	3	4	6	7	16
35-49	111	4.2	32	1	1	2	5	8	14	34
50-64	127	5.6	55	1	2	4	6	10	17	44
65+	93	6.6	71	2	3	5	7	12	20	83
GRAND TOTAL	548	4.9	38	1	2	4	6	8	13	42

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	434	2.8	3	1	1	2	4	5	6	9
20-34	247	2.8	3	1	2	3	4	5	6	10
35-49	93	3.2	4	1	2	3	4	6	8	12
50-64	32	5.5	48	1	2	4	6	8	21	37
65+	26	4.2	5	2	3	4	5	8	9	11
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	2.0	1	1	1	2	3	3	3	3
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	732	3.4	7	1	2	3	4	6	8	13
20-34	835	3.7	15	1	2	3	4	6	8	14
35-49	611	4.6	13	2	3	4	6	8	10	15
50-64	372	5.1	9	2	3	5	6	9	12	16
65+	468	6.6	24	2	3	5	8	12	15	25
B. Operated										
0-19 YRS	29	5.5	13	2	4	5	7	8	12	20
20-34	90	7.3	39	2	3	5	9	12	24	32
35-49	92	8.8	40	2	4	7	12	17	22	33
50-64	57	12.1	132	4	5	9	17	25	61	99+
65+	67	16.2	188	5	7	13	20	30	50	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	832	3.0	5	1	2	3	4	5	6	10
B. Operated	11	3.5	12	1	2	2	4	9	13	13
2. MULTIPLE DX										
A. Not Operated	3018	4.4	14	2	2	4	5	8	11	17
B. Operated	335	10.1	95	3	4	7	12	21	28	66
1. SINGLE DX	843	3.0	5	1	2	3	4	5	6	10
2. MULTIPLE DX	3353	5.0	25	2	2	4	6	9	13	25
A. Not Operated	3850	4.1	13	1	2	3	5	7	10	16
B. Operated	346	9.9	93	2	4	7	12	21	27	65
TOTAL										
0-19 YRS	1196	3.2	6	1	2	3	4	6	7	11
20-34	1178	3.8	15	1	2	3	4	7	9	17
35-49	798	4.9	17	2	3	4	6	9	12	22
50-64	462	6.0	32	2	3	5	7	11	15	56
65+	562	7.7	53	2	4	6	9	14	19	39
GRAND TOTAL	4196	4.6	22	1	2	3	5	9	12	24

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	3	14.0	201	3	4	9	25	30	30	30
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	9.3	61	3	3	5	16	21	22	22
35-49	32	5.8	13	2	3	6	7	10	14	17
50-64	72	7.7	35	2	4	5	10	16	21	30
65 +	113	6.8	25	2	4	6	8	13	19	25
B. Operated										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	33	12.5	155	3	6	10	15	21	39	65
35-49	155	13.0	144	4	6	11	15	25	34	69
50-64	330	14.0	146	4	7	10	18	29	41	62
65 +	623	13.7	131	4	7	10	18	26	36	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.3	10	2	2	3	7	8	8	8
B. Operated	5	10.8	124	3	3	9	14	30	30	30
2. MULTIPLE DX										
A. Not Operated	224	7.0	28	2	4	6	9	14	19	25
B. Operated	1142	13.7	137	4	7	10	17	26	37	65
1. SINGLE DX	8	8.4	85	2	3	6	9	24	30	30
2. MULTIPLE DX	1366	12.6	126	3	6	9	16	25	34	63
A. Not Operated	227	7.0	28	2	3	5	9	14	19	25
B. Operated	1147	13.7	137	4	7	10	17	26	37	65
TOTAL										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	40	11.9	138	3	5	9	16	20	35	65
35-49	190	11.6	127	3	5	9	14	21	29	69
50-64	406	12.9	132	3	6	10	16	27	36	58
65 +	737	12.6	121	3	6	9	16	25	33	60
GRAND TOTAL	**1374**	**12.6**	**125**	**3**	**6**	**9**	**16**	**25**	**34**	**62**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	3.6	3	1	3	3	4	6	7	9
20-34	103	2.8	3	1	1	3	4	5	6	9
35-49	127	2.5	4	1	1	2	3	5	7	9
50-64	108	3.2	6	1	2	3	4	6	7	12
65 +	69	3.6	14	1	2	3	4	6	9	25
B. Operated										
0-19 YRS	0									
20-34	7	2.3	5	< 1	1	2	2	6	7	7
35-49	12	1.5		< 1	1	1	2	2	2	2
50-64	14	2.8	3	1	1	2	4	6	6	6
65 +	12	3.3	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	258	4.2	27	1	2	3	5	7	9	14
20-34	595	4.0	12	1	2	3	5	8	10	16
35-49	942	4.7	19	1	2	4	6	9	11	20
50-64	1302	4.9	16	2	3	4	6	9	12	22
65 +	1845	5.5	14	2	3	5	7	10	12	20
B. Operated										
0-19 YRS	3	6.7	80	1	1	2	13	17	17	17
20-34	240	7.3	88	1	2	4	9	16	23	37
35-49	469	8.9	97	2	3	6	12	19	26	43
50-64	709	9.4	76	1	3	6	14	22	26	40
65 +	565	10.0	78	2	3	7	13	22	28	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	533	3.1	5	1	2	3	4	6	7	9
B. Operated	45	2.5	3	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	4942	4.9	16	2	3	4	6	9	11	20
B. Operated	1986	9.2	84	1	3	6	13	21	27	41
1. SINGLE DX	578	3.1	5	1	2	3	4	6	7	9
2. MULTIPLE DX	6928	6.2	39	2	3	4	7	13	17	31
A. Not Operated	5475	4.8	16	1	2	4	6	9	11	19
B. Operated	2031	9.0	83	1	3	6	12	21	27	40
TOTAL										
0-19 YRS	387	4.0	20	1	2	3	5	7	9	14
20-34	945	4.7	33	1	2	3	5	9	14	29
35-49	1550	5.7	46	1	2	4	7	12	17	33
50-64	2133	6.3	40	2	3	4	7	14	20	31
65 +	2491	6.4	32	2	3	5	8	12	17	31
GRAND TOTAL	**7506**	**5.9**	**37**	**1**	**3**	**4**	**7**	**12**	**17**	**31**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	15	2.7	4	<1	1	3	3	4	8	9
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	9	2.3	1	<1	1	3	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	4.2	8	2	3	3	4	9	11	11
35-49	7	4.9	7	2	2	4	8	8	8	8
50-64	0									
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	6	2.5	1	1	2	2	3	4	4	4
20-34	73	3.6	3	2	3	3	4	5	6	12
35-49	30	3.8	2	2	3	4	4	5	6	9
50-64	0									
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.5	4	<1	1	3	3	4	7	9
B. Operated	12	2.4	1	<1	1	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	17	4.5	7	2	3	3	6	8	10	11
B. Operated	110	3.6	3	2	3	3	4	5	6	11
1. SINGLE DX	29	2.5	3	<1	1	3	3	4	5	9
2. MULTIPLE DX	127	3.7	3	2	3	3	4	5	8	11
A. Not Operated	34	3.5	6	<1	2	3	4	8	9	11
B. Operated	122	3.5	3	2	3	3	4	5	6	10
TOTAL										
0-19 YRS	10	2.2	2	<1	1	2	3	4	4	4
20-34	106	3.5	4	1	3	3	4	5	7	12
35-49	38	3.9	3	2	3	4	4	7	8	9
50-64	0									
65+	2	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**156**	**3.5**	**4**	**1**	**3**	**3**	**4**	**5**	**7**	**11**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	1.8	3	1	1	1	2	3	5	8
20-34	20	2.1	2	1	1	2	3	5	6	6
35-49	23	1.8	2	<1	1	1	2	3	5	6
50-64	13	2.7	3	1	2	2	3	6	6	6
65+	22	3.0	18	1	1	2	2	6	14	20
B. Operated										
0-19 YRS	23	2.7	5	<1	1	2	4	6	7	7
20-34	9	2.9	3	1	2	2	4	6	6	6
35-49	14	2.6	4	1	1	2	3	5	7	8
50-64	14	3.4	4	1	2	3	4	6	7	8
65+	10	3.7	3	2	2	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	209	3.0	30	1	1	2	3	6	8	46
20-34	106	3.2	8	1	1	2	4	7	9	13
35-49	179	3.6	15	1	2	2	4	8	11	19
50-64	319	4.0	11	1	2	3	5	8	10	14
65+	978	4.7	15	1	2	4	6	9	12	20
B. Operated										
0-19 YRS	24	7.3	92	1	2	5	8	14	26	48
20-34	28	8.9	73	2	3	5	12	25	29	29
35-49	67	5.9	24	2	3	4	7	14	18	86
50-64	84	8.6	96	2	3	5	10	21	27	52
65+	143	8.2	98	2	3	5	10	16	22	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	2.1	5	1	1	1	2	4	6	10
B. Operated	70	3.0	4	1	1	2	4	6	7	8
2. MULTIPLE DX										
A. Not Operated	1791	4.2	16	1	2	3	5	9	11	20
B. Operated	346	7.9	81	2	3	5	10	17	25	53
1. SINGLE DX	216	2.4	5	1	1	2	3	5	6	9
2. MULTIPLE DX	2137	4.8	28	1	2	3	6	10	13	26
A. Not Operated	1937	4.1	15	1	2	3	5	8	11	20
B. Operated	416	7.0	71	2	2	4	8	15	23	50
TOTAL										
0-19 YRS	324	3.1	29	1	1	1	3	7	8	37
20-34	163	4.0	23	1	1	2	5	8	13	28
35-49	283	4.0	17	1	2	3	5	9	12	24
50-64	430	4.8	30	1	2	3	6	9	12	27
65+	1153	5.1	26	1	2	4	6	10	14	24
GRAND TOTAL	**2353**	**4.6**	**27**	**1**	**2**	**3**	**6**	**9**	**13**	**26**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.0	28	2	2	4	10	12	12	12
20-34	2	12.0	18	9	9	12	15	15	15	15
35-49	0									
50-64	0									
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	10.3	209	3	4	5	10	18	42	81
20-34	16	6.3	23	2	2	5	9	15	16	16
35-49	21	7.5	38	2	3	6	10	14	22	28
50-64	38	10.6	94	2	4	8	13	21	34	44
65 +	143	7.3	58	2	3	6	9	14	18	53
B. Operated										
0-19 YRS	17	10.9	129	2	4	6	12	34	36	37
20-34	7	10.9	43	3	7	12	12	21	23	23
35-49	15	10.9	54	4	5	8	16	25	25	25
50-64	21	13.9	233	3	5	10	16	28	52	70
65 +	103	9.6	66	2	4	7	14	20	25	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	6.3	33	< 1	1	4	11	14	15	15
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	259	8.2	84	2	3	6	10	15	20	52
B. Operated	163	10.4	92	2	4	8	14	22	29	41
1. SINGLE DX	7	6.3	33	< 1	1	4	11	14	15	15
2. MULTIPLE DX	422	9.1	88	2	4	6	11	18	25	49
A. Not Operated	266	8.2	83	2	3	6	10	15	20	51
B. Operated	163	10.4	92	2	4	8	14	22	29	41
TOTAL										
0-19 YRS	61	10.3	176	2	4	5	11	23	37	77
20-34	25	8.0	31	2	3	8	12	16	18	23
35-49	36	8.9	47	2	4	7	11	18	25	28
50-64	59	11.7	143	2	4	8	15	22	39	68
65 +	248	8.2	62	2	3	6	10	17	21	41
GRAND TOTAL	**429**	**9.0**	**87**	**2**	**4**	**6**	**11**	**18**	**25**	**49**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	8.2	16	2	5	8	11	14	14	14
20-34	20	11.8	9	9	10	12	14	15	16	17
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	10.5	14	4	10	11	13	14	14	14
20-34	15	11.4	21	4	10	12	14	15	18	19
35-49	3	13.7		13	13	14	14	14	14	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	365	9.4	33	3	5	10	13	16	19	28
20-34	112	11.5	36	4	7	11	15	19	22	30
35-49	13	11.5	26	6	7	12	13	17	22	23
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	56	16.9	299	6	9	14	17	26	39	99
20-34	60	15.4	94	8	11	14	18	22	26	73
35-49	13	14.0	43	6	10	14	17	22	28	30
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	9.4	16	3	7	10	13	14	15	17
B. Operated	30	11.3	16	4	10	12	14	14	15	19
2. MULTIPLE DX										
A. Not Operated	491	9.9	34	3	5	10	14	17	21	28
B. Operated	129	15.9	177	7	10	14	18	24	28	97
1. SINGLE DX	88	10.1	17	3	8	11	13	14	15	18
2. MULTIPLE DX	620	11.2	70	3	6	10	14	19	22	32
A. Not Operated	549	9.9	32	3	6	10	14	16	20	27
B. Operated	159	15.0	149	7	10	13	17	21	27	94
TOTAL										
0-19 YRS	471	10.2	68	3	5	10	14	17	21	32
20-34	207	12.6	51	5	9	12	15	20	22	30
35-49	29	12.8	31	7	10	13	14	19	23	30
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**708**	**11.0**	**63**	**3**	**6**	**10**	**14**	**18**	**21**	**31**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	11	2.6	2	< 1	< 1	3	3	5	6	6
35-49	7	2.3	2	< 1	< 1	2	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	5.3	10	3	4	5	6	6	13	16
35-49	12	4.9	4	2	3	5	7	7	8	8
50-64	4	2.8		2	2	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.2	35	1	2	3	12	14	14	14
20-34	14	6.8	79	1	3	4	4	26	28	29
35-49	17	3.4	4	1	2	4	4	7	8	8
50-64	4	4.8	13	2	2	3	7	10	10	10
65 +	0									
B. Operated										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	43	5.6	21	2	4	5	6	7	8	32
35-49	71	6.4	28	3	4	6	7	9	11	37
50-64	20	8.0	71	2	4	6	9	12	27	41
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.1	9	< 1	< 1	3	4	5	10	14
B. Operated	33	4.8	7	2	3	4	6	7	8	16
2. MULTIPLE DX										
A. Not Operated	40	5.1	35	1	2	4	4	10	20	29
B. Operated	136	6.4	31	3	4	6	7	8	12	39
1. SINGLE DX	52	4.2	8	< 1	3	4	6	7	8	16
2. MULTIPLE DX	176	6.1	32	2	4	5	7	10	13	37
A. Not Operated	59	4.4	27	< 1	2	3	4	9	14	29
B. Operated	169	6.0	27	2	4	5	6	8	11	38
TOTAL										
0-19 YRS	9	6.8	26	1	3	5	12	14	14	14
20-34	84	5.3	26	1	3	5	6	7	11	31
35-49	107	5.5	21	2	4	5	6	8	10	33
50-64	28	6.8	56	2	3	5	8	12	16	41
65 +	0									
GRAND TOTAL	**228**	**5.6**	**27**	**2**	**3**	**5**	**6**	**8**	**12**	**34**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	4.4	33	1	1	2	4	14	20	20
20-34	32	2.6	7	< 1	< 1	< 1	4	6	9	11
35-49	14	3.1	3	1	2	3	3	6	7	7
50-64	13	1.8	2	< 1	1	1	2	5	5	5
65 +	9	4.0	7	< 1	2	4	5	8	8	8
B. Operated										
0-19 YRS	18	3.8	15	< 1	2	3	3	11	14	14
20-34	12	2.3	2	1	1	2	3	4	5	5
35-49	35	2.3	4	1	1	1	3	4	7	9
50-64	17	2.7	6	1	1	2	3	7	9	10
65 +	9	2.6	3	1	1	3	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	161	5.3	57	< 1	2	3	6	11	19	50
20-34	78	5.2	26	2	2	4	6	9	15	30
35-49	89	5.8	31	2	2	4	7	12	14	31
50-64	156	4.8	23	< 1	< 1	4	6	10	13	25
65 +	251	6.8	20	2	4	6	9	12	14	23
B. Operated										
0-19 YRS	53	10.5	214	1	1	4	14	25	41	66
20-34	27	5.0	18	1	2	3	9	12	14	14
35-49	72	4.4	11	1	2	3	6	9	12	16
50-64	84	8.8	94	2	3	6	10	20	36	44
65 +	102	9.1	66	2	4	7	11	22	28	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	3.2	13	< 1	1	2	4	7	11	20
B. Operated	91	2.7	6	1	1	2	3	5	8	14
2. MULTIPLE DX										
A. Not Operated	735	5.7	31	1	2	4	7	12	14	31
B. Operated	338	7.9	85	1	3	5	9	18	26	51
1. SINGLE DX	184	2.9	10	< 1	1	2	3	6	9	18
2. MULTIPLE DX	1073	6.4	49	1	2	4	8	13	20	41
A. Not Operated	828	5.5	30	< 1	2	4	7	11	14	29
B. Operated	429	6.8	73	1	2	4	8	15	22	45
TOTAL										
0-19 YRS	257	6.1	88	< 1	1	3	6	14	22	54
20-34	149	4.4	20	< 1	2	3	6	10	13	21
35-49	210	4.5	19	1	2	3	5	9	13	27
50-64	270	5.8	47	< 1	1	4	[illegible]	12	20	42
65 +	371	7.2	34	2	4	6	9	13	20	32
GRAND TOTAL	**1257**	**5.9**	**45**	**1**	**2**	**4**	**7**	**12**	**17**	**34**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.5	3	1	1	2	4	4	4	4
35-49	18	2.4	2	1	2	2	3	4	5	6
50-64	12	3.8	11	1	2	3	5	8	12	13
65 +	16	2.5	4	1	1	2	2	6	7	8
B. Operated										
0-19 YRS	0									
20-34	4	4.3	16	1	1	4	7	9	9	9
35-49	6	3.2	8	1	1	2	5	8	8	8
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	6	3.7	2	< 1	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	3.9	10	< 1	2	3	5	9	11	11
35-49	34	3.6	5	2	2	3	4	7	9	10
50-64	46	5.0	12	2	2	4	6	9	14	17
65 +	127	5.1	15	2	2	4	7	9	13	20
B. Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	13	7.8	86	< 1	3	5	7	23	32	34
65 +	24	7.8	32	2	4	6	10	17	20	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	2.8	5	1	2	2	3	6	6	13
B. Operated	18	3.6	7	1	1	3	5	7	9	9
2. MULTIPLE DX										
A. Not Operated	216	4.8	13	2	2	4	6	9	12	18
B. Operated	41	7.2	47	1	3	5	9	18	22	34
1. SINGLE DX	68	3.0	5	1	1	2	4	6	8	12
2. MULTIPLE DX	257	5.2	19	2	2	4	7	10	13	24
A. Not Operated	266	4.4	12	1	2	3	6	8	11	17
B. Operated	59	6.1	37	1	2	5	7	12	20	33
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	18	3.3	9	1	1	2	5	8	10	11
35-49	60	3.2	4	1	2	3	4	6	8	10
50-64	73	5.3	25	1	2	4	6	10	14	31
65 +	173	5.1	17	2	2	4	7	10	13	23
GRAND TOTAL	**325**	**4.7**	**17**	**1**	**2**	**4**	**6**	**9**	**13**	**21**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	88	2.4	5	1	1	2	3	4	4	15
20-34	20	2.6	3	1	1	2	3	6	6	7
35-49	24	2.2	5	1	1	1	3	4	8	10
50-64	22	4.5	28	1	1	2	8	9	16	23
65 +	44	2.7	4	1	1	2	4	6	7	8
B. Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2196	2.6	6	1	1	2	3	5	7	12
20-34	589	3.0	8	1	2	2	3	5	8	15
35-49	820	3.5	9	1	2	3	4	7	9	16
50-64	1302	4.5	16	1	2	3	6	9	12	20
65 +	5943	5.3	17	2	3	4	7	10	12	20
B. Operated										
0-19 YRS	69	12.2	185	1	3	7	15	29	49	56
20-34	87	7.0	112	1	2	4	7	18	24	64
35-49	112	8.0	125	1	2	4	10	17	24	67
50-64	190	8.1	77	2	3	6	10	17	32	78
65 +	623	10.0	66	3	4	8	13	19	25	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	198	2.7	7	1	1	2	3	5	8	15
B. Operated	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	10850	4.4	15	1	2	3	6	9	11	19
B. Operated	1081	9.4	87	2	4	7	12	19	28	52
1. SINGLE DX	201	2.7	7	1	1	2	3	5	7	15
2. MULTIPLE DX	11931	4.8	23	1	2	3	6	10	13	23
A. Not Operated	11048	4.4	15	1	2	3	5	9	11	19
B. Operated	1084	9.4	87	2	4	7	12	19	28	52
TOTAL										
0-19 YRS	2355	2.9	13	1	1	2	3	5	8	17
20-34	697	3.5	23	1	2	2	4	6	9	22
35-49	956	4.0	24	1	2	3	5	8	11	22
50-64	1514	5.0	25	1	2	3	6	10	13	30
65 +	6610	5.7	23	2	3	4	7	11	14	24
GRAND TOTAL	**12132**	**4.8**	**23**	**1**	**2**	**3**	**6**	**10**	**13**	**23**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.8	1	1	1	2	2	3	3	3
20-34	4	5.3	18	< 1	2	4	8	11	11	11
35-49	11	2.8	9	< 1	1	2	4	7	11	11
50-64	17	3.2	5	1	1	3	5	6	7	8
65 +	13	3.8	17	1	1	2	4	9	15	16
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	6	6.2	12	3	4	5	10	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	3.0	5	1	1	2	4	7	7	10
20-34	35	3.2	9	1	1	3	4	6	6	18
35-49	107	2.9	4	1	1	2	4	6	7	9
50-64	120	3.7	8	1	2	3	5	7	8	17
65 +	449	4.4	16	1	2	3	5	8	10	20
B. Operated										
0-19 YRS	4	8.0	6	5	6	8	10	11	11	11
20-34	12	6.4	42	1	3	5	7	13	24	26
35-49	25	4.4	5	2	3	4	6	9	9	9
50-64	38	6.2	18	2	3	5	8	14	16	20
65 +	136	6.1	43	2	3	5	7	10	14	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	3.0	8	1	1	2	4	6	9	15
B. Operated	11	4.4	11	1	2	4	5	10	11	11
2. MULTIPLE DX										
A. Not Operated	751	3.9	13	1	2	3	5	7	9	17
B. Operated	215	6.0	33	2	3	5	7	10	14	25
1. SINGLE DX	73	3.2	9	1	1	2	4	6	11	15
2. MULTIPLE DX	966	4.4	18	1	2	3	6	8	10	19
A. Not Operated	813	3.8	12	1	2	3	5	7	9	17
B. Operated	226	5.9	32	2	3	5	7	10	14	25
TOTAL										
0-19 YRS	63	2.9	6	1	1	2	4	7	8	11
20-34	52	4.0	18	1	2	3	5	7	11	26
35-49	145	3.2	5	1	2	2	4	6	8	10
50-64	181	4.3	11	1	2	3	6	8	11	18
65 +	598	4.7	23	1	2	4	6	9	11	20
GRAND TOTAL	**1039**	**4.3**	**17**	**1**	**2**	**3**	**6**	**8**	**10**	**18**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	211	3.2	8	< 1	1	2	4	7	8	15
20-34	292	4.8	18	1	2	4	6	9	12	23
35-49	67	5.2	12	2	3	4	7	10	13	15
50-64	6	3.5	8	< 1	2	3	3	8	9	9
65 +	0									
B. Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	6	5.7	22	2	2	3	10	13	13	13
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	299	4.3	15	< 1	2	3	6	8	12	20
20-34	395	6.1	22	2	3	5	8	11	14	22
35-49	132	5.9	19	2	3	5	7	11	14	22
50-64	26	5.7	21	2	2	4	6	13	15	20
65 +	2	6.5	13	4	4	6	9	9	9	9
B. Operated										
0-19 YRS	16	10.2	72	1	3	9	17	24	26	26
20-34	40	8.9	51	3	4	7	11	20	24	33
35-49	8	6.4	13	1	3	8	9	10	10	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	576	4.3	14	1	2	3	5	8	11	20
B. Operated	11	5.0	16	2	2	3	8	11	13	13
2. MULTIPLE DX										
A. Not Operated	854	5.5	20	1	3	4	7	11	13	21
B. Operated	64	8.9	52	2	4	7	11	19	25	32
1. SINGLE DX	587	4.3	14	1	2	3	5	8	11	20
2. MULTIPLE DX	918	5.7	23	1	3	4	7	11	14	23
A. Not Operated	1430	5.0	18	1	2	4	6	10	13	21
B. Operated	75	8.3	48	2	3	7	10	19	24	31
TOTAL										
0-19 YRS	529	4.0	15	< 1	1	3	5	8	11	21
20-34	733	5.8	23	2	3	4	7	11	14	24
35-49	209	5.7	16	2	3	5	7	11	14	21
50-64	32	5.3	19	1	2	4	6	12	13	20
65 +	2	6.5	13	4	4	6	9	9	9	9
GRAND TOTAL	**1505**	**5.1**	**20**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	219	1.9	5	< 1	< 1	1	2	3	5	12
20-34	29	3.2	17	< 1	< 1	1	4	10	12	18
35-49	34	2.1	3	< 1	1	1	3	4	7	8
50-64	20	5.9	174	< 1	1	1	4	13	38	59
65 +	52	1.8	4	< 1	< 1	1	2	4	7	12
B. Operated										
0-19 YRS	53	5.2	64	2	2	3	4	8	16	50
20-34	11	4.9	18	2	3	4	4	11	16	17
35-49	10	6.1	14	1	3	6	8	11	13	13
50-64	9	5.6	7	3	3	5	7	10	10	10
65 +	8	3.9	6	1	2	3	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	364	2.6	13	< 1	< 1	1	3	5	8	24
20-34	152	3.0	8	< 1	1	2	4	6	10	12
35-49	191	3.7	15	1	1	2	5	8	11	20
50-64	297	4.3	14	1	1	3	6	10	13	18
65 +	1002	4.0	13	1	2	3	5	8	10	18
B. Operated										
0-19 YRS	77	6.3	38	2	3	4	7	14	21	33
20-34	48	8.8	81	1	3	6	12	17	30	41
35-49	59	7.8	127	2	4	5	9	13	19	80
50-64	111	7.9	64	2	3	6	9	15	24	49
65 +	351	7.7	69	2	3	5	9	15	18	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	354	2.2	16	< 1	< 1	1	2	4	6	17
B. Operated	91	5.2	42	2	2	3	5	9	13	43
2. MULTIPLE DX										
A. Not Operated	2006	3.7	13	1	1	3	5	8	10	18
B. Operated	646	7.7	71	2	3	5	9	15	21	46
1. SINGLE DX	445	2.8	22	< 1	1	1	3	5	8	18
2. MULTIPLE DX	2652	4.7	30	1	1	3	6	10	14	26
A. Not Operated	2360	3.5	14	< 1	1	2	4	7	10	17
B. Operated	737	7.4	68	2	3	5	9	15	19	46
TOTAL										
0-19 YRS	713	3.0	19	< 1	1	2	3	6	10	25
20-34	240	4.3	29	< 1	1	3	5	11	14	30
35-49	294	4.4	39	1	1	3	5	9	12	22
50-64	437	5.3	36	1	2	4	7	11	15	25
65 +	1413	4.8	30	1	2	3	6	10	14	26
GRAND TOTAL	**3097**	**4.4**	**29**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.8	1	< 1	1	2	2	3	4	4
20-34	6	3.0	5	1	2	2	4	7	7	7
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	3.7	59	< 1	1	1	4	7	9	47
20-34	4	6.0	65	< 1	1	2	10	18	18	18
35-49	9	8.4	44	2	4	8	10	19	24	24
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	21.7	126	12	14	19	30	34	34	34
B. Operated										
0-19 YRS	4	3.3	8	1	1	3	5	7	7	7
20-34	3	7.0	49	2	2	4	12	15	15	15
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	35.0	2312	1	1	35	69	69	69	69
65 +	2	14.5	181	5	5	14	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.6	5	< 1	1	2	3	6	8	9
B. Operated	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	54	5.6	74	< 1	1	2	7	13	23	46
B. Operated	12	11.4	375	1	2	4	11	37	64	69
1. SINGLE DX	19	3.0	7	< 1	1	2	4	8	9	9
2. MULTIPLE DX	66	6.7	129	1	1	3	7	18	26	65
A. Not Operated	71	4.9	59	< 1	1	2	6	10	19	44
B. Operated	14	10.6	323	1	2	4	9	28	60	69
TOTAL										
0-19 YRS	50	3.3	45	< 1	1	1	4	6	8	47
20-34	15	5.0	27	1	2	3	6	15	17	18
35-49	12	7.6	37	2	3	7	9	15	23	24
50-64	3	24.0	1519	1	1	2	52	69	69	69
65 +	5	18.8	124	5	10	19	26	34	34	34
GRAND TOTAL	**85**	**5.8**	**104**	**1**	**1**	**2**	**6**	**12**	**24**	**61**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	194	2.1	2	1	1	2	2	3	5	8
20-34	26	3.7	3	2	2	4	5	6	6	7
35-49	21	2.8	4	<1	<1	2	4	6	7	7
50-64	30	3.3	6	<1	1	3	5	8	8	9
65+	15	2.7	4	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	77	3.9	8	1	2	3	5	8	9	16
20-34	54	6.0	36	3	3	4	6	9	14	38
35-49	28	4.5	5	2	3	4	5	7	9	12
50-64	21	5.5	9	2	3	5	7	9	12	14
65+	16	4.8	8	2	3	4	6	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	580	3.9	15	<1	1	3	5	8	12	20
20-34	148	4.5	11	1	2	4	6	8	10	18
35-49	187	5.0	15	1	2	4	7	10	12	17
50-64	288	4.8	14	1	2	4	6	9	12	25
65+	544	5.7	19	2	3	5	7	11	14	20
B. Operated										
0-19 YRS	136	7.7	75	1	2	5	10	20	27	44
20-34	99	8.7	63	2	4	7	10	18	25	45
35-49	130	10.0	79	2	4	7	13	22	31	42
50-64	160	10.5	109	3	5	7	12	19	30	55
65+	275	9.2	51	3	5	7	12	18	23	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	286	2.4	3	1	1	2	3	5	6	9
B. Operated	196	4.8	16	2	3	4	6	8	10	23
2. MULTIPLE DX										
A. Not Operated	1747	4.8	16	1	2	4	6	10	12	20
B. Operated	800	9.3	73	2	4	7	12	19	26	48
1. SINGLE DX	482	3.4	10	1	1	3	4	6	8	13
2. MULTIPLE DX	2547	6.2	38	1	2	5	8	13	18	33
A. Not Operated	2033	4.5	15	1	2	3	6	9	12	18
B. Operated	996	8.4	65	2	4	6	10	18	24	46
TOTAL										
0-19 YRS	987	4.1	23	<1	1	3	5	8	12	27
20-34	327	5.9	33	2	3	5	7	10	16	32
35-49	366	6.6	42	1	3	5	8	13	18	34
50-64	499	6.6	51	1	3	5	8	12	19	51
65+	850	6.8	32	2	3	5	9	13	17	30
GRAND TOTAL	**3029**	**5.8**	**35**	**1**	**2**	**4**	**7**	**12**	**16**	**31**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	114	1.4	1	1	1	1	2	2	3	5
20-34	35	1.8	4	1	1	1	2	3	4	12
35-49	12	2.4	1	1	1	2	3	4	4	4
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	192	2.7	1	2	2	3	3	4	5	7
20-34	63	3.0	1	2	2	3	4	4	5	7
35-49	9	3.3	1	2	3	3	4	5	5	5
50-64	2	7.0	18	4	4	7	10	10	10	10
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	1.7	1	1	1	1	2	3	4	5
20-34	22	1.7		1	1	2	2	3	3	3
35-49	8	3.1	2	1	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	99	3.5	2	2	2	3	4	5	6	8
20-34	64	3.8	2	2	3	4	4	6	6	7
35-49	7	4.4	9	2	2	3	7	9	9	9
50-64	1	11.0		11	11	11	11	11	11	11
65+	2	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	1.6	1	1	1	1	2	2	3	6
B. Operated	266	2.8	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	90	1.9	1	1	1	2	2	3	4	5
B. Operated	173	3.7	2	2	3	3	4	6	7	9
1. SINGLE DX	430	2.4	2	1	1	2	3	4	4	7
2. MULTIPLE DX	263	3.1	3	1	2	3	4	5	6	8
A. Not Operated	254	1.7	1	1	1	1	2	3	4	5
B. Operated	439	3.2	2	2	2	3	4	5	6	8
TOTAL										
0-19 YRS	464	2.4	2	1	1	2	3	4	5	6
20-34	184	2.9	2	1	2	3	4	4	6	7
35-49	36	3.2	3	1	2	3	4	5	7	9
50-64	6	5.2	18	2	2	3	10	11	11	11
65+	3	5.0	12	1	2	7	7	7	7	7
GRAND TOTAL	**693**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**	**8**

308 Hospitals, Western Region, January-December 1989

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	3.5	4	1	2	3	5	6	8	8
20-34	9	3.8	5	1	2	3	5	7	8	8
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	27	3.0	6	< 1	< 1	3	5	7	8	8
20-34	10	2.5	10	< 1	1	1	3	7	11	11
35-49	6	1.7	1	< 1	1	1	2	3	3	3
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	4.0	6	2	2	4	5	7	9	13
20-34	4	3.0	11	1	1	2	5	8	8	8
35-49	9	4.8	16	< 1	2	4	6	11	14	14
50-64	0									
65 +	3	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	20	5.7	14	1	2	5	9	11	12	12
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64	5	5.0	32	1	1	1	10	13	13	13
65 +	6	2.8	8	1	1	2	4	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	3.6	5	1	2	3	5	7	8	9
B. Operated	46	2.6	6	< 1	< 1	1	3	6	8	11
2. MULTIPLE DX										
A. Not Operated	78	4.1	7	1	2	4	5	7	10	14
B. Operated	37	4.9	15	1	2	4	8	12	12	13
1. SINGLE DX	113	3.2	5	< 1	1	3	4	7	8	10
2. MULTIPLE DX	115	4.3	10	1	2	4	5	9	12	14
A. Not Operated	145	3.9	6	1	2	4	5	7	8	13
B. Operated	83	3.6	11	< 1	1	2	5	9	11	13
TOTAL										
0-19 YRS	163	3.9	7	1	2	3	5	8	9	12
20-34	27	3.1	7	< 1	1	2	5	7	9	11
35-49	19	4.1	15	< 1	1	3	6	11	13	14
50-64	8	4.5	25	< 1	1	1	9	12	13	13
65 +	11	2.8	5	1	1	2	4	6	8	8
GRAND TOTAL	**228**	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**9**	**13**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	19.6	202	< 1	2	25	28	35	35	35
20-34	21	9.4	55	2	2	8	14	21	23	25
35-49	14	9.3	194	1	1	5	11	22	47	54
50-64	9	5.0	26	1	2	3	7	13	17	17
65 +	19	5.1	24	1	2	3	6	15	17	17
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	13.6	327	1	5	8	26	99 +	99 +	99 +
20-34	87	10.1	132	1	3	6	14	23	33	60
35-49	86	7.8	71	1	2	6	10	16	20	49
50-64	106	8.3	73	2	3	5	11	17	28	41
65 +	395	6.2	26	2	3	5	8	11	16	27
B. Operated										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	4	12.5	67	2	7	13	18	22	22	22
35-49	6	10.0	38	5	6	8	10	21	22	22
50-64	12	7.9	22	2	5	7	11	14	17	18
65 +	34	11.4	68	3	7	10	15	18	25	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	8.9	103	1	2	5	13	25	26	50
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	687	7.3	60	2	3	5	9	15	22	45
B. Operated	58	10.4	54	3	6	9	13	18	22	43
1. SINGLE DX	73	8.8	102	1	2	5	12	25	26	50
2. MULTIPLE DX	745	7.6	60	2	3	5	9	16	22	45
A. Not Operated	759	7.5	64	2	3	5	9	16	24	46
B. Operated	59	10.2	54	2	6	9	13	18	22	43
TOTAL										
0-19 YRS	24	15.1	259	1	4	8	26	65	99 +	99 +
20-34	112	10.1	114	2	3	7	14	22	29	57
35-49	106	8.1	84	1	2	6	10	17	23	52
50-64	127	8.0	65	2	3	5	10	17	27	40
65 +	449	6.5	31	2	3	5	8	13	17	27
GRAND TOTAL	**818**	**7.7**	**64**	**2**	**3**	**5**	**9**	**16**	**23**	**45**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	13.0		13	13	13	13	13	13	13
50-64	4	4.0	11	2	2	3	6	9	9	9
65 +	24	11.3	148	1	3	6	23	35	56	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	13.0		13	13	13	13	13	13	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	4.4	11	< 1	2	4	6	10	10	10
50-64	35	11.0	95	3	4	7	13	30	33	42
65 +	351	8.3	81	2	3	6	10	15	23	39
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	13.0		13	13	13	13	13	13	13
50-64	2	18.5	613	1	1	18	36	36	36	36
65 +	21	10.2	64	2	4	10	14	19	27	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	10.1	128	1	2	5	17	32	41	99 +
B. Operated	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	393	8.4	81	2	3	6	11	15	24	41
B. Operated	24	11.0	88	2	4	10	14	22	36	36
1. SINGLE DX	31	10.2	124	1	2	6	16	31	40	99 +
2. MULTIPLE DX	417	8.6	82	2	3	6	11	16	25	40
A. Not Operated	423	8.6	84	2	3	6	11	17	27	48
B. Operated	25	11.1	84	2	4	10	14	20	36	36
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	8	7.6	26	1	3	7	13	13	13	13
50-64	41	10.7	104	2	4	7	13	31	34	42
65 +	396	8.6	84	2	3	6	11	18	26	55
GRAND TOTAL	**448**	**8.7**	**85**	**2**	**3**	**6**	**11**	**18**	**27**	**42**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	8	13.8	441	1	2	5	16	50	63	63
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	30.0		30	30	30	30	30	30	30
50-64	24	11.3	150	2	5	8	13	24	71	99 +
65 +	234	9.7	97	3	4	7	12	19	29	62
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	65.0		65	65	65	65	65	65	65
50-64	4	16.8	107	4	12	19	47	99 +	99 +	99 +
65 +	15	13.4	168	6	6	11	15	18	48	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	12.7	397	1	2	4	13	46	63	63
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	260	9.9	103	3	4	7	13	20	30	69
B. Operated	20	16.7	272	6	7	13	18	61	81	99 +
1. SINGLE DX	9	12.7	397	1	2	4	13	46	63	63
2. MULTIPLE DX	280	10.4	117	3	4	7	13	20	35	90
A. Not Operated	269	10.0	111	3	4	7	13	20	30	69
B. Operated	20	16.7	272	6	7	13	18	61	81	99 +
TOTAL										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	33.0	937	4	10	30	56	65	65	65
50-64	28	12.1	144	3	6	10	19	45	99 +	99 +
65 +	257	10.1	111	3	4	7	13	19	30	63
GRAND TOTAL	**289**	**10.5**	**124**	**3**	**4**	**7**	**13**	**20**	**36**	**87**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	2.8	46	< 1	1	1	2	6	7	45
20-34	29	5.6	42	< 1	1	3	6	19	20	23
35-49	20	5.5	46	1	1	3	7	12	22	30
50-64	15	6.8	32	1	2	5	13	16	16	16
65 +	71	10.5	230	< 1	2	5	14	29	54	94
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	11.6	265	1	1	3	16	36	45	73
20-34	99	8.2	133	1	2	5	9	18	28	68
35-49	126	9.2	119	1	2	5	12	21	35	72
50-64	121	11.6	209	2	3	7	14	27	56	83
65 +	881	8.6	73	2	4	6	11	17	23	65
B. Operated										
0-19 YRS	5	1.6	1	< 1	1	1	2	3	3	3
20-34	10	24.2	1050	1	3	12	69	91	99	99 +
35-49	7	7.4	51	3	3	6	7	20	23	23
50-64	3	4.7	8	3	3	3	7	8	8	8
65 +	78	10.8	103	2	5	9	14	21	29	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	6.9	125	1	1	3	7	18	29	71
B. Operated	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	1312	9.1	108	2	3	6	11	19	30	73
B. Operated	103	11.2	197	2	4	8	13	23	54	99 +
1. SINGLE DX	181	6.9	124	1	1	3	7	18	29	71
2. MULTIPLE DX	1415	9.2	114	2	3	6	11	19	31	79
A. Not Operated	1491	8.8	110	1	3	6	11	19	30	72
B. Operated	105	11.1	195	2	3	7	13	23	53	99 +
TOTAL										
0-19 YRS	134	8.3	201	1	1	2	8	31	42	64
20-34	138	8.8	192	1	2	5	10	20	32	93
35-49	154	8.6	107	1	2	5	11	21	32	63
50-64	139	10.9	188	2	3	7	14	22	45	79
65 +	1031	8.9	86	2	3	6	11	18	25	72
GRAND TOTAL	**1596**	**9.0**	**116**	**1**	**3**	**6**	**11**	**19**	**30**	**78**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.2	1	1	1	3	3	3	3	3
20-34	64	2.3	2	< 1	1	2	3	4	5	8
35-49	108	2.7	5	1	1	2	3	5	7	12
50-64	29	3.6	6	1	2	3	4	8	9	10
65 +	12	3.6	8	1	1	3	5	8	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	13.0		13	13	13	13	13	13	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	8.3	67	< 1	2	4	17	21	22	22
20-34	625	5.2	33	1	2	3	6	11	20	28
35-49	1146	4.6	24	1	2	3	6	9	14	28
50-64	670	6.0	39	1	2	4	7	13	20	32
65 +	338	8.0	85	2	3	5	9	17	22	41
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	5	5.6	31	1	2	4	8	15	15	15
35-49	33	8.8	84	1	3	6	10	22	35	37
50-64	24	12.6	236	2	3	7	16	31	46	70
65 +	18	13.3	31	8	9	11	15	23	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	2.7	5	1	1	2	3	5	7	10
B. Operated	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	2792	5.5	39	1	2	4	6	12	19	29
B. Operated	81	10.8	115	2	4	9	13	24	33	60
1. SINGLE DX	219	2.8	5	1	1	2	3	6	8	11
2. MULTIPLE DX	2873	5.7	41	1	2	4	6	12	19	30
A. Not Operated	3010	5.3	37	1	2	3	6	11	17	29
B. Operated	82	10.8	114	2	4	9	13	24	32	59
TOTAL										
0-19 YRS	19	6.9	54	< 1	2	3	11	21	22	22
20-34	694	4.9	31	1	2	3	6	10	18	28
35-49	1288	4.6	25	1	2	3	6	9	14	28
50-64	723	6.2	46	1	2	4	7	13	20	34
65 +	368	8.1	82	2	3	6	10	17	22	40
GRAND TOTAL	**3092**	**5.5**	**39**	**1**	**2**	**4**	**6**	**12**	**18**	**30**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.3	4	< 1	1	1	3	5	7	7
20-34	38	5.6	77	1	1	3	6	14	17	51
35-49	17	3.9	19	< 1	1	2	5	12	14	15
50-64	7	4.7	17	1	2	4	10	74	99 +	99 +
65 +	9	4.0	6	1	2	3	6	8	8	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	7.5	60	1	2	5	8	23	27	32
20-34	471	6.3	37	1	2	5	7	14	21	28
35-49	266	6.5	42	2	3	5	7	14	23	30
50-64	114	6.9	25	2	3	6	10	14	16	24
65 +	264	5.8	25	2	3	4	7	12	16	26
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	3	5.7	12	2	3	6	8	9	9	9
35-49	7	6.3	86	1	2	2	5	23	27	27
50-64	4	8.8	23	3	5	9	12	14	14	14
65 +	16	8.0	37	1	4	7	11	13	22	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	4.5	43	1	1	2	6	12	15	84
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	1178	6.4	35	1	3	5	8	14	20	28
B. Operated	31	7.3	41	1	2	6	10	13	25	27
1. SINGLE DX	83	4.5	42	1	1	2	6	12	14	83
2. MULTIPLE DX	1209	6.4	35	1	3	5	8	14	20	28
A. Not Operated	1260	6.3	36	1	2	5	7	13	20	29
B. Operated	32	7.2	40	1	3	6	10	13	25	27
TOTAL										
0-19 YRS	75	6.7	55	1	2	4	7	16	27	31
20-34	512	6.3	39	1	2	5	7	14	21	28
35-49	290	6.4	42	1	3	5	7	14	23	30
50-64	126	6.9	25	2	3	6	10	14	16	44
65 +	289	5.9	25	2	3	5	7	12	16	26
GRAND TOTAL	**1292**	**6.3**	**36**	**1**	**2**	**5**	**7**	**13**	**20**	**29**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	12.3	80	2	5	11	18	21	31	39
20-34	606	11.8	140	2	4	8	15	24	37	74
35-49	439	12.1	127	2	5	9	16	27	33	58
50-64	99	13.3	163	2	5	9	19	28	38	68
65 +	32	13.5	94	3	4	12	18	30	31	34
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	13.0		13	13	13	13	13	13	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	11.7	113	2	3	8	16	26	37	40
20-34	512	10.5	95	2	4	7	13	22	30	52
35-49	463	11.9	130	3	5	8	15	26	35	65
50-64	171	12.7	134	3	5	8	17	30	38	69
65 +	64	14.8	153	4	6	10	20	37	42	48
B. Operated										
0-19 YRS	0									
20-34	13	13.4	84	5	7	12	18	24	35	38
35-49	5	33.2	1205	7	8	16	56	89	89	89
50-64	7	13.0	34	5	10	14	19	76	99 +	99 +
65 +	2	47.0	1352	21	21	47	73	73	73	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1207	12.1	134	2	5	9	16	26	34	69
B. Operated	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	1243	11.6	118	3	5	8	15	25	35	57
B. Operated	27	19.4	408	5	8	14	20	65	90	99 +
1. SINGLE DX	1208	12.1	134	2	5	9	16	26	34	69
2. MULTIPLE DX	1270	11.7	125	3	5	8	15	26	36	61
A. Not Operated	2450	11.8	126	2	5	8	15	26	35	60
B. Operated	28	19.2	395	5	9	13	20	62	90	99 +
TOTAL										
0-19 YRS	64	12.0	96	2	4	10	17	24	34	40
20-34	1131	11.2	119	2	4	8	14	23	32	58
35-49	908	12.1	135	2	5	9	15	26	34	70
50-64	277	12.9	141	3	5	8	18	29	39	74
65 +	98	15.0	165	3	6	11	20	33	41	61
GRAND TOTAL	**2478**	**11.9**	**129**	**2**	**5**	**8**	**15**	**26**	**35**	**65**

308 Hospitals, Western Region, January-December 1989

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	12.3	56	3	6	12	18	23	23	23
20-34	36	12.7	61	4	6	11	19	25	29	29
35-49	18	8.6	32	3	4	7	13	18	20	21
50-64	7	8.3	47	1	4	7	10	20	22	22
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	14.6	210	2	3	8	17	42	44	45
20-34	27	12.7	251	2	5	8	13	26	53	75
35-49	20	9.3	82	1	3	7	11	22	32	36
50-64	1	23.0		23	23	23	23	23	23	23
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	11.0	54	3	5	9	15	22	25	29
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	64	12.2	181	2	4	8	15	29	43	71
B. Operated	0									
1. SINGLE DX	71	11.0	54	3	5	9	15	22	25	29
2. MULTIPLE DX	64	12.2	181	2	4	8	15	29	43	71
A. Not Operated	135	11.6	114	3	5	9	15	23	29	53
B. Operated	0									
TOTAL										
0-19 YRS	24	13.8	149	2	4	10	17	35	43	45
20-34	63	12.7	140	4	6	9	17	25	29	72
35-49	38	8.9	57	2	4	7	13	18	26	36
50-64	8	10.1	67	2	4	8	16	23	23	23
65 +	2	6.5	25	3	3	6	10	10	10	10
GRAND TOTAL	**135**	**11.6**	**114**	**3**	**5**	**9**	**15**	**23**	**29**	**53**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	13.6	183	2	5	10	17	28	46	66
20-34	731	12.7	137	2	5	9	17	27	38	53
35-49	468	12.6	110	3	5	10	16	25	34	63
50-64	109	13.3	101	3	6	12	18	25	33	49
65 +	35	15.0	186	3	7	10	18	31	48	61
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	111	16.1	250	3	5	11	24	37	51	92
20-34	889	11.7	116	2	5	8	16	25	33	59
35-49	656	11.8	128	3	5	8	15	25	34	70
50-64	259	15.1	164	4	7	12	20	31	42	99 +
65 +	130	12.3	91	4	6	9	15	26	36	59
B. Operated										
0-19 YRS	3	16.3	101	7	9	15	24	27	27	27
20-34	21	14.3	291	3	6	8	18	28	55	79
35-49	16	19.3	173	4	9	20	25	48	82	99 +
50-64	8	19.1	190	5	7	16	29	39	43	43
65 +	5	16.8	101	6	10	13	24	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1426	12.8	129	3	5	10	17	27	35	58
B. Operated	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	2045	12.4	133	3	5	9	16	27	35	65
B. Operated	53	16.9	204	4	7	13	22	37	48	99
1. SINGLE DX	1427	12.8	129	3	5	10	17	27	35	58
2. MULTIPLE DX	2098	12.5	135	3	5	9	16	27	35	71
A. Not Operated	3471	12.6	131	3	5	9	16	27	35	63
B. Operated	54	16.8	201	4	7	13	22	36	47	99
TOTAL										
0-19 YRS	197	15.0	220	2	5	11	20	34	49	86
20-34	1641	12.2	128	2	5	8	16	26	34	56
35-49	1140	12.2	122	3	5	9	16	25	34	66
50-64	376	14.7	146	4	7	12	20	30	40	89
65 +	171	13.0	110	4	6	10	16	29	36	59
GRAND TOTAL	**3525**	**12.6**	**133**	**3**	**5**	**9**	**16**	**27**	**35**	**63**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	30.6	397	2	13	34	47	58	58	58
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	20.5	364	2	8	18	37	94	99+	99+
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	20.0		20	20	20	20	20	20	20
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	3	42.0	57	35	36	41	48	50	50	50
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	27.4	423	< 1	10	27	44	57	58	58
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	29	19.5	339	3	7	17	34	89	99+	99+
B. Operated	3	42.0	57	35	36	41	48	50	50	50
1. SINGLE DX	16	27.4	423	< 1	10	27	44	57	58	58
2. MULTIPLE DX	32	21.6	355	3	8	20	38	85	99+	99+
A. Not Operated	45	22.3	375	2	8	19	40	58	99+	99+
B. Operated	3	42.0	57	35	36	41	48	50	50	50
TOTAL										
0-19 YRS	43	25.3	386	2	11	22	42	58	99+	99+
20-34	2	3.0	8	< 1	< 1	2	5	5	5	5
35-49	2	14.5	61	9	9	14	20	20	20	20
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
GRAND TOTAL	**48**	**23.5**	**376**	**2**	**8**	**20**	**41**	**58**	**99**	**99+**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	205	15.2	136	3	6	13	21	32	41	75
20-34	383	10.0	99	2	3	7	14	21	29	49
35-49	449	10.6	123	1	3	8	14	23	30	52
50-64	172	11.9	81	2	5	10	17	24	29	36
65 +	190	15.0	153	2	7	12	21	32	42	58
B. Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	806	19.5	262	3	7	15	29	40	49	78
20-34	1577	11.4	130	2	4	8	14	25	32	66
35-49	1709	11.6	105	2	4	9	16	25	31	49
50-64	721	12.4	125	3	5	10	16	26	33	51
65 +	990	15.3	139	4	7	13	21	31	38	54
B. Operated										
0-19 YRS	7	12.3	121	1	2	11	22	27	28	28
20-34	46	15.5	146	2	5	16	22	39	59	99+
35-49	44	18.0	134	5	8	16	28	33	40	47
50-64	24	19.0	106	8	9	18	26	32	37	47
65 +	45	23.8	258	8	12	21	32	49	60	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1399	11.9	121	2	4	9	16	26	33	53
B. Operated	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	5803	13.4	150	2	5	10	18	29	37	63
B. Operated	166	18.8	174	4	9	17	27	38	47	94
1. SINGLE DX	1401	11.8	121	2	4	9	16	26	33	53
2. MULTIPLE DX	5969	13.5	151	2	5	10	18	29	37	63
A. Not Operated	7202	13.1	145	2	5	10	17	29	36	60
B. Operated	168	18.6	175	3	9	17	27	37	47	93
TOTAL										
0-19 YRS	1018	18.6	239	3	7	14	28	39	47	78
20-34	2007	11.2	125	2	4	8	14	25	32	63
35-49	2202	11.5	110	2	4	8	15	25	31	50
50-64	917	12.5	117	2	5	10	16	27	33	49
65 +	1226	15.6	147	3	7	13	21	32	40	57
GRAND TOTAL	**7370**	**13.2**	**146**	**2**	**5**	**10**	**18**	**29**	**37**	**60**

308 Hospitals, Western Region, January-December 1989

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	18.8	333	3	7	14	28	40	90	99+
20-34	515	10.6	89	2	5	8	14	20	27	51
35-49	474	10.6	78	3	5	8	14	21	28	44
50-64	178	11.6	88	2	5	9	15	25	31	44
65+	78	13.2	153	2	4	10	18	30	35	59
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	163	18.0	324	4	6	11	26	38	58	90
20-34	726	11.7	124	3	5	8	15	23	32	57
35-49	785	11.7	119	3	5	8	15	25	34	58
50-64	496	13.3	127	3	6	10	18	27	36	60
65+	372	15.2	128	4	7	13	20	27	36	52
B. Operated										
0-19 YRS	4	26.8	119	13	29	33	99+	99+	99+	99+
20-34	13	24.0	693	1	7	13	34	69	84	87
35-49	24	20.5	149	7	9	19	28	39	44	45
50-64	16	21.9	340	4	8	16	32	46	62	69
65+	22	24.0	240	9	10	20	31	[illegible]	55	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1317	11.3	105	2	5	8	15	23	31	53
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	2542	12.9	140	3	5	10	17	27	36	62
B. Operated	79	22.6	288	7	10	18	32	49	66	99+
1. SINGLE DX	1318	11.3	105	2	5	8	15	23	31	53
2. MULTIPLE DX	2621	13.2	147	3	5	10	17	28	37	64
A. Not Operated	3859	12.4	128	3	5	9	16	26	34	60
B. Operated	80	22.4	288	7	10	17	32	48	66	99+
TOTAL										
0-19 YRS	239	18.4	322	4	6	13	28	40	62	99+
20-34	1254	11.4	117	2	5	8	15	22	30	56
35-49	1283	11.4	106	3	5	8	15	24	31	52
50-64	691	13.1	124	3	5	10	17	27	36	59
65+	472	15.3	141	4	7	13	20	29	38	56
GRAND TOTAL	**3939**	**12.6**	**134**	**3**	**5**	**9**	**16**	**26**	**35**	**62**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	16.4	356	2	4	10	22	38	71	80
20-34	325	8.4	79	2	3	6	12	17	22	47
35-49	179	7.8	72	1	3	6	10	17	22	55
50-64	74	7.1	49	1	3	4	8	18	21	31
65+	58	7.2	66	1	2	4	10	21	24	36
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	95	17.7	288	2	6	13	26	43	55	78
20-34	377	9.1	74	2	3	7	11	21	31	46
35-49	275	8.4	77	2	3	6	11	16	23	43
50-64	188	8.1	57	1	3	6	11	18	24	34
65+	495	8.0	70	2	3	5	10	17	23	54
B. Operated										
0-19 YRS	0									
20-34	5	37.2	1115	1	11	28	65	83	83	83
35-49	9	11.3	58	2	4	14	16	22	24	24
50-64	9	14.1	115	7	8	9	16	32	40	40
65+	35	11.8	81	3	5	10	16	24	28	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	698	8.7	103	1	3	6	11	18	26	58
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1430	9.0	91	2	3	6	11	19	28	53
B. Operated	58	14.3	202	2	6	11	18	29	52	98
1. SINGLE DX	698	8.7	103	1	3	6	11	18	26	58
2. MULTIPLE DX	1488	9.2	96	2	3	6	12	20	29	55
A. Not Operated	2128	8.9	95	2	3	6	11	19	27	54
B. Operated	58	14.3	202	2	6	11	18	29	52	98
TOTAL										
0-19 YRS	157	17.2	313	2	5	12	24	41	61	80
20-34	707	9.0	88	2	3	6	11	19	27	49
35-49	463	8.2	75	2	3	6	11	16	23	49
50-64	271	8.0	57	1	3	5	11	18	24	34
65+	588	8.1	71	2	3	5	11	18	24	51
GRAND TOTAL	**2186**	**9.1**	**98**	**2**	**3**	**6**	**12**	**19**	**28**	**56**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.4		<1	1	1	2	2	2	2
20-34	30	2.1	5	<1	1	1	3	4	6	12
35-49	30	3.3	13	1	1	2	4	8	14	14
50-64	14	3.1	10	1	1	2	4	8	11	12
65 +	14	2.9	11	<1	1	2	3	7	12	13
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	12.6	271	1	2	3	20	37	47	63
20-34	98	5.7	35	1	1	3	8	16	20	23
35-49	171	6.2	51	1	1	3	8	18	21	33
50-64	114	4.8	37	1	1	2	5	14	20	29
65 +	129	5.1	26	1	2	3	7	13	17	21
B. Operated										
0-19 YRS	0									
20-34	6	6.3	19	2	3	6	9	13	13	13
35-49	7	10.3	281	1	2	5	6	40	48	48
50-64	5	7.6	9	6	6	6	8	13	13	13
65 +	4	4.5	14	2	2	3	7	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	2.6	9	1	1	1	3	6	11	14
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	535	5.8	50	1	1	3	7	16	20	31
B. Operated	22	7.5	93	2	3	6	8	13	27	48
1. SINGLE DX	98	2.6	9	1	1	1	3	6	11	14
2. MULTIPLE DX	557	5.9	52	1	1	3	7	16	20	34
A. Not Operated	633	5.3	45	1	1	3	6	14	19	30
B. Operated	22	7.5	93	2	3	6	8	13	27	48
TOTAL										
0-19 YRS	33	9.2	213	1	1	2	11	31	38	63
20-34	134	4.9	30	1	1	3	7	13	19	23
35-49	208	5.9	54	1	1	3	7	16	20	37
50-64	133	4.8	34	1	1	2	5	13	18	29
65 +	147	4.9	24	1	2	3	6	13	16	20
GRAND TOTAL	**655**	**5.4**	**47**	**1**	**1**	**3**	**6**	**14**	**19**	**30**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	124	18.0	365	2	6	12	22	41	57	99
20-34	82	4.6	24	1	1	3	6	10	13	25
35-49	67	5.7	31	1	2	4	8	13	17	26
50-64	24	7.6	46	1	3	5	11	16	21	28
65 +	6	5.8	25	2	2	4	7	14	15	15
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	723	20.7	298	3	7	16	31	45	58	99 +
20-34	448	6.9	45	1	2	5	9	15	19	34
35-49	327	7.3	54	1	2	5	9	15	22	41
50-64	126	7.3	39	2	3	6	9	15	20	31
65 +	105	8.4	99	2	3	7	10	16	19	57
B. Operated										
0-19 YRS	19	16.8	198	3	7	14	23	50	78	99 +
20-34	11	9.5	25	3	4	10	13	16	18	18
35-49	7	12.1	220	1	3	5	19	38	41	41
50-64	0									
65 +	4	16.5	175	4	6	14	26	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	303	10.6	205	1	2	6	13	26	33	79
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1729	12.9	199	2	3	8	17	33	43	84
B. Operated	41	14.0	152	3	5	11	19	36	49	99 +
1. SINGLE DX	303	10.6	205	1	2	6	13	26	33	79
2. MULTIPLE DX	1770	12.9	198	2	4	8	17	33	43	85
A. Not Operated	2032	12.5	201	2	3	7	16	32	42	81
B. Operated	41	14.0	152	3	5	11	19	36	49	99 +
TOTAL										
0-19 YRS	866	20.2	306	3	7	15	30	45	58	99 +
20-34	541	6.6	42	1	2	4	9	15	18	31
35-49	401	7.1	53	1	2	5	9	15	22	41
50-64	150	7.3	40	2	3	6	9	16	20	31
65 +	115	8.6	99	2	3	7	10	16	20	54
GRAND TOTAL	**2073**	**12.5**	**200**	**2**	**3**	**7**	**16**	**32**	**43**	**83**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	91	5.3	68	1	1	2	6	12	19	51
20-34	179	5.7	37	1	2	3	7	13	20	27
35-49	84	6.2	88	1	1	3	6	15	23	57
50-64	25	7.9	71	1	2	6	10	21	24	33
65 +	9	3.1	5	< 1	2	3	4	6	8	8
B. Operated										
0-19 YRS	0									
20-34	18	6.0	11	2	2	7	9	9	9	9
35-49	23	5.5	11	2	2	5	9	9	9	9
50-64	9	4.0	14	1	1	2	9	9	9	9
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	243	8.4	126	1	2	4	10	23	32	56
20-34	634	5.8	53	1	2	3	7	14	20	33
35-49	424	7.6	147	1	2	4	9	17	23	79
50-64	109	7.0	83	1	2	4	10	14	32	99 +
65 +	124	6.8	45	1	2	4	9	17	21	30
B. Operated										
0-19 YRS	8	9.6	147	< 1	1	4	14	30	36	36
20-34	26	13.0	168	2	4	9	13	34	39	52
35-49	14	7.6	47	1	2	4	10	19	19	19
50-64	17	5.5	46	1	2	3	8	14	23	27
65 +	13	9.1	62	1	3	7	14	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	388	5.8	57	1	1	3	7	14	21	38
B. Operated	52	5.3	12	1	2	4	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	1534	6.9	93	1	2	4	8	16	23	55
B. Operated	78	9.4	104	1	2	6	11	25	33	48
1. SINGLE DX	440	5.7	51	1	1	3	7	13	20	36
2. MULTIPLE DX	1612	7.0	94	1	2	4	8	16	24	53
A. Not Operated	1922	6.7	86	1	2	3	8	15	23	50
B. Operated	130	7.7	71	1	2	5	9	18	27	39
TOTAL										
0-19 YRS	342	7.6	113	1	1	3	9	20	30	55
20-34	857	6.0	54	1	2	3	7	14	20	35
35-49	545	7.3	129	1	2	4	9	16	23	65
50-64	160	6.8	74	1	2	4	9	16	26	94
65 +	148	6.7	45	1	2	4	8	17	22	29
GRAND TOTAL	**2052**	**6.7**	**85**	**1**	**2**	**4**	**8**	**16**	**23**	**49**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	9.0	123	< 1	1	3	14	30	35	35
20-34	231	10.0	165	1	1	3	18	35	36	42
35-49	285	8.2	129	1	1	3	8	31	35	45
50-64	118	7.4	112	1	1	3	6	30	34	38
65 +	42	6.4	67	1	2	4	6	15	29	35
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	437	24.0	247	2	10	27	36	44	47	99 +
20-34	2044	15.0	122	2	3	16	26	28	30	36
35-49	2243	12.0	110	2	3	7	21	28	29	33
50-64	1196	11.1	98	2	3	6	21	28	29	33
65 +	649	11.2	84	2	4	8	18	27	28	34
B. Operated										
0-19 YRS	8	22.8	223	2	12	24	31	42	45	45
20-34	43	12.9	112	1	2	11	23	28	29	35
35-49	45	10.9	110	1	2	5	20	28	30	35
50-64	45	15.8	119	4	7	12	26	31	34	45
65 +	34	16.6	177	2	5	15	28	35	35	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	706	8.6	135	1	1	3	10	32	35	41
B. Operated	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	6569	13.5	128	2	3	10	23	28	31	42
B. Operated	175	14.3	136	2	4	11	24	29	35	45
1. SINGLE DX	708	8.6	134	1	1	3	10	32	35	41
2. MULTIPLE DX	6744	13.5	128	2	3	10	23	28	31	42
A. Not Operated	7275	13.0	131	1	3	8	23	28	31	42
B. Operated	177	14.2	135	2	4	11	24	29	35	45
TOTAL										
0-19 YRS	475	23.0	251	1	8	25	35	43	46	99 +
20-34	2318	14.5	128	1	3	14	26	28	30	36
35-49	2575	11.5	113	1	3	6	21	28	29	35
50-64	1359	10.9	101	2	3	6	20	28	29	35
65 +	725	11.2	90	2	4	7	18	27	29	35
GRAND TOTAL	**7452**	**13.0**	**131**	**1**	**3**	**8**	**23**	**28**	**31**	**42**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	34	5.8	48	< 1	1	3	6	15	21	30
35-49	23	5.2	36	1	2	3	6	13	22	23
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	23.6	271	4	10	21	34	44	59	64
20-34	284	12.1	101	2	4	8	21	28	29	36
35-49	230	11.6	98	2	4	7	19	28	29	37
50-64	25	11.9	93	3	5	7	17	30	31	33
65 +	15	9.3	41	3	5	7	14	18	22	24
B. Operated										
0-19 YRS	0									
20-34	7	15.0	72	5	7	13	23	25	25	25
35-49	5	17.8	296	6	7	13	22	48	48	48
50-64	2	7.5	25	4	4	7	11	11	11	11
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	5.8	53	1	1	3	6	17	23	32
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	586	12.4	114	2	4	8	21	28	30	38
B. Operated	14	14.9	138	5	7	12	23	27	43	48
1. SINGLE DX	60	5.8	53	1	1	3	6	17	23	32
2. MULTIPLE DX	600	12.5	114	2	4	8	21	28	31	41
A. Not Operated	646	11.8	112	2	4	7	20	28	30	38
B. Operated	14	14.9	138	5	7	12	23	27	43	48
TOTAL										
0-19 YRS	33	23.9	264	4	11	22	34	44	59	64
20-34	325	11.5	98	2	4	7	21	28	29	36
35-49	258	11.1	99	2	4	7	17	28	29	38
50-64	29	10.8	89	2	4	7	13	29	31	33
65 +	15	9.3	41	3	5	7	14	18	22	24
GRAND TOTAL	**660**	**11.9**	**112**	**2**	**4**	**7**	**20**	**28**	**30**	**38**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	18.4	588	1	3	9	27	43	91	94
20-34	99	8.5	113	1	2	4	7	29	33	42
35-49	28	12.4	176	1	2	5	27	35	35	37
50-64	1	25.0		25	25	25	25	25	25	25
65 +	2	16.0	18	13	13	16	19	19	19	19
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	495	26.2	225	5	14	28	36	44	51	69
20-34	1343	15.4	108	2	5	15	26	28	30	34
35-49	432	14.5	95	3	6	12	24	28	29	34
50-64	49	11.6	80	3	5	7	20	26	28	34
65 +	39	12.4	90	4	5	10	15	27	34	40
B. Operated										
0-19 YRS	3	25.0	241	10	13	24	37	41	41	41
20-34	14	14.0	101	2	4	14	21	29	30	30
35-49	7	22.4	202	6	9	25	28	43	47	47
50-64	1	34.0		34	34	34	34	34	34	34
65 +	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	11.2	220	1	2	5	15	32	36	87
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	2358	17.4	151	3	6	17	28	31	38	51
B. Operated	26	18.8	153	3	6	21	27	34	42	47
1. SINGLE DX	160	11.2	219	1	2	5	15	32	36	87
2. MULTIPLE DX	2384	17.4	150	3	6	17	28	31	38	51
A. Not Operated	2517	17.0	157	2	6	16	27	31	38	51
B. Operated	27	18.2	157	3	6	21	27	33	42	47
TOTAL										
0-19 YRS	527	25.8	247	4	14	27	36	44	51	78
20-34	1456	14.9	111	2	5	13	26	28	30	35
35-49	468	14.5	102	3	6	11	24	28	30	35
50-64	51	12.3	90	3	5	8	21	27	31	34
65 +	42	12.9	90	4	5	11	16	27	32	40
GRAND TOTAL	**2544**	**17.0**	**157**	**2**	**6**	**16**	**27**	**31**	**38**	**51**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	1.6	4	< 1	< 1	1	1	3	5	74
20-34	81	1.4	1	< 1	< 1	1	1	3	3	5
35-49	43	1.6	4	< 1	< 1	1	2	2	3	13
50-64	13	1.3		1	1	1	2	2	2	2
65 +	11	1.7		1	1	2	2	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	173	10.6	223	< 1	1	2	15	40	44	45
20-34	234	3.3	25	< 1	1	1	3	7	14	28
35-49	206	4.6	45	< 1	1	2	5	13	21	29
50-64	74	4.9	44	< 1	1	2	5	12	24	29
65 +	52	4.7	32	1	1	3	6	9	13	29
B. Operated										
0-19 YRS	8	1.9	2	< 1	< 1	1	3	4	4	4
20-34	5	1.0		< 1	< 1	1	1	1	1	1
35-49	9	4.8	28	< 1	1	2	7	14	15	15
50-64	8	8.4	33	1	4	6	13	17	17	17
65 +	2	11.5	85	5	5	11	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	227	1.5	2	< 1	< 1	1	1	2	3	13
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	739	5.6	87	< 1	1	2	5	17	28	44
B. Operated	32	4.8	29	< 1	1	2	6	15	17	18
1. SINGLE DX	228	1.5	2	< 1	< 1	1	1	3	3	13
2. MULTIPLE DX	771	5.6	84	< 1	1	2	5	16	28	44
A. Not Operated	966	4.7	70	< 1	1	1	4	13	26	44
B. Operated	33	4.7	28	< 1	1	2	6	15	17	18
TOTAL										
0-19 YRS	260	7.6	167	< 1	1	1	6	33	44	45
20-34	320	2.7	19	< 1	< 1	1	2	5	11	27
35-49	258	4.1	39	< 1	1	2	4	11	18	28
50-64	96	4.7	39	< 1	1	2	5	12	18	29
65 +	65	4.4	29	1	1	3	5	9	14	29
GRAND TOTAL	**999**	**4.7**	**69**	**< 1**	**1**	**1**	**4**	**13**	**26**	**44**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	13.6	240	< 1	1	5	28	35	41	55
20-34	57	4.0	40	< 1	1	1	3	11	23	27
35-49	15	2.4	5	< 1	1	1	3	7	8	8
50-64	3	15.0	139	2	6	18	23	25	25	25
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	312	19.8	195	2	5	21	30	37	42	51
20-34	309	9.1	92	1	2	4	15	26	28	31
35-49	110	7.4	85	1	1	3	7	23	26	39
50-64	8	7.0	55	1	2	4	9	20	23	23
65 +	10	7.2	35	2	2	6	8	17	21	21
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	8	7.4	49	1	3	5	9	19	23	23
35-49	3	6.7	12	3	4	7	9	10	10	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	119	7.6	134	< 1	1	2	8	27	34	52
B. Operated	4	4.3	5	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	749	13.2	164	1	2	7	25	31	36	45
B. Operated	13	6.4	35	1	3	4	8	13	21	23
1. SINGLE DX	123	7.5	130	< 1	1	2	7	27	34	52
2. MULTIPLE DX	762	13.1	162	1	2	7	25	31	36	45
A. Not Operated	868	12.5	163	1	2	6	24	31	36	46
B. Operated	17	5.9	28	1	3	4	7	10	19	23
TOTAL										
0-19 YRS	358	19.0	204	1	4	20	30	37	42	54
20-34	377	8.2	86	1	1	4	12	26	28	31
35-49	129	6.8	76	1	1	3	7	22	25	39
50-64	11	9.2	80	1	2	5	17	24	25	25
65 +	10	7.2	35	2	2	6	8	17	21	21
GRAND TOTAL	**885**	**12.3**	**161**	**1**	**2**	**6**	**23**	**30**	**36**	**46**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	9.2	197	1	2	3	4	33	43	52
20-34	41	3.1	12	<1	1	2	3	7	10	19
35-49	54	4.4	68	1	1	2	4	8	11	57
50-64	34	2.7	4	<1	1	2	3	5	7	10
65+	44	3.0	5	1	2	2	4	6	8	10
B. Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	5	5.2	11	2	2	5	8	9	9	9
65+	3	5.7	17	1	2	7	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.6	1	<1	1	1	2	2	4	5
B. Operated	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	201	4.2	53	1	1	2	4	7	11	47
B. Operated	12	5.4	10	1	2	5	8	9	10	10
1. SINGLE DX	19	1.9	3	<1	1	1	2	4	7	8
2. MULTIPLE DX	213	4.3	51	1	1	2	4	8	11	46
A. Not Operated	219	4.0	49	1	1	2	4	7	11	45
B. Operated	13	5.6	10	2	2	6	8	9	10	10
TOTAL										
0-19 YRS	33	8.0	175	1	1	3	4	32	41	52
20-34	47	3.3	12	1	1	2	4	8	10	19
35-49	63	4.0	60	1	1	2	4	8	10	53
50-64	40	3.0	5	<1	2	2	4	6	8	10
65+	49	3.1	5	1	2	2	4	7	9	10
GRAND TOTAL	**232**	**4.1**	**47**	**1**	**1**	**2**	**4**	**8**	**10**	**44**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	204	9.2	139	1	2	4	13	27	35	99+
20-34	236	4.0	28	1	1	2	5	8	14	21
35-49	133	3.8	12	1	1	3	5	8	10	34
50-64	37	3.9	18	<1	1	2	5	10	15	17
65+	14	4.8	30	1	1	3	6	11	19	21
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	616	9.7	131	1	2	5	13	26	35	63
20-34	924	4.9	27	1	2	3	6	11	14	27
35-49	597	5.2	28	1	2	3	7	12	15	26
50-64	150	5.3	35	1	2	3	7	13	18	22
65+	185	7.0	51	2	3	5	8	15	20	39
B. Operated										
0-19 YRS	13	20.1	713	1	2	7	35	62	83	88
20-34	37	6.2	68	1	1	3	6	20	28	29
35-49	9	15.4	363	1	2	9	23	48	48	48
50-64	3	11.7	154	4	4	5	21	26	26	26
65+	9	14.2	204	3	5	11	17	37	49	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	624	5.7	66	1	1	3	6	14	22	62
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2472	6.3	59	1	2	4	8	14	21	39
B. Operated	71	11.2	257	1	2	4	15	32	48	81
1. SINGLE DX	624	5.7	66	1	1	3	6	14	22	62
2. MULTIPLE DX	2543	6.5	65	1	2	4	8	15	22	42
A. Not Operated	3096	6.2	61	1	2	3	7	14	21	39
B. Operated	71	11.2	257	1	2	4	15	32	48	81
TOTAL										
0-19 YRS	833	9.7	143	1	2	5	13	27	35	79
20-34	1197	4.7	29	1	1	3	6	11	15	28
35-49	739	5.1	30	1	2	3	6	12	15	27
50-64	190	5.2	33	<1	2	3	6	13	17	24
65+	208	7.2	58	2	3	5	8	16	20	46
GRAND TOTAL	**3167**	**6.3**	**66**	**1**	**2**	**3**	**7**	**15**	**22**	**43**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	211	8.9	99	1	3	5	12	23	36	53
20-34	126	4.2	22	1	1	2	5	10	13	26
35-49	88	6.2	66	1	1	3	7	17	28	38
50-64	15	6.3	34	1	2	3	10	14	18	20
65 +	13	2.8	2	1	2	2	3	5	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	570	11.1	160	1	3	7	15	32	44	99 +
20-34	595	5.4	41	1	2	3	6	13	17	34
35-49	361	6.1	44	1	2	4	8	14	21	32
50-64	80	4.5	15	1	2	4	6	9	11	21
65 +	66	5.7	36	1	2	4	6	15	21	28
B. Operated										
0-19 YRS	10	14.7	218	< 1	2	24	99 +	99 +	99 +	99 +
20-34	8	4.0	25	< 1	1	2	4	12	16	16
35-49	8	13.9	274	1	4	8	17	42	52	52
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	453	6.8	70	1	2	4	9	16	27	40
B. Operated	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	1672	7.5	88	1	2	4	9	18	29	53
B. Operated	28	10.5	178	< 1	2	5	24	99 +	99 +	99 +
1. SINGLE DX	455	6.8	70	1	2	4	9	16	27	40
2. MULTIPLE DX	1700	7.5	89	1	2	4	9	18	30	58
A. Not Operated	2125	7.3	84	1	2	4	9	17	28	51
B. Operated	30	10.2	168	< 1	2	5	20	99 +	99 +	99 +
TOTAL										
0-19 YRS	791	10.6	145	1	3	6	14	31	42	99 +
20-34	729	5.1	38	1	1	3	6	12	16	29
35-49	458	6.3	52	1	2	4	8	14	22	39
50-64	98	4.7	18	1	2	3	6	11	13	22
65 +	79	5.2	32	1	2	3	6	11	21	27
GRAND TOTAL	**2155**	**7.4**	**85**	**1**	**2**	**4**	**9**	**18**	**29**	**54**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	258	14.6	255	1	3	10	23	37	63	99 +
20-34	75	8.0	122	1	1	3	9	24	38	43
35-49	25	4.4	61	1	1	2	4	9	17	40
50-64	8	1.9	2	1	1	2	2	4	5	5
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	4.0	18	< 1	< 1	3	7	7	7	7
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	911	20.3	299	2	6	16	32	44	67	99 +
20-34	361	14.8	171	2	3	11	23	35	40	54
35-49	139	10.7	118	1	2	6	15	28	32	48
50-64	50	14.8	321	1	2	6	26	42	55	77
65 +	50	4.3	16	1	2	3	5	8	13	20
B. Operated										
0-19 YRS	15	18.1	226	4	4	14	34	43	83	99 +
20-34	14	17.7	351	1	5	7	39	43	52	54
35-49	14	21.4	320	4	7	11	39	47	51	52
50-64	3	16.3	534	2	2	4	33	43	43	43
65 +	6	8.2	10	4	5	8	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	367	12.3	222	1	2	6	19	33	46	99 +
B. Operated	3	3.3	10	< 1	< 1	2	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	1511	17.4	259	2	4	13	28	42	53	99 +
B. Operated	52	17.6	270	4	5	9	34	43	51	99
1. SINGLE DX	370	12.2	221	1	2	6	19	33	46	99 +
2. MULTIPLE DX	1563	17.4	260	2	4	13	28	42	53	99 +
A. Not Operated	1878	16.4	256	2	3	11	28	41	53	99 +
B. Operated	55	16.9	266	2	4	9	31	43	50	97
TOTAL										
0-19 YRS	1185	19.1	293	2	5	15	30	43	65	99 +
20-34	452	13.7	174	1	3	9	22	35	41	54
35-49	178	10.6	139	1	2	6	14	29	38	50
50-64	61	13.1	300	1	2	5	22	42	50	75
65 +	57	4.7	16	1	2	3	7	10	13	20
GRAND TOTAL	**1933**	**16.4**	**256**	**2**	**4**	**11**	**28**	**41**	**53**	**99 +**

308 Hospitals, Western Region, January-December 1989

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	17.0	242	6	6	17	28	28	28	28
20-34	2	1.5	1	1	1	2	75	99 +	99 +	99 +
35-49	2	20.5	221	10	10	20	31	31	31	31
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	6.4	40	2	3	4	7	17	21	23
20-34	25	9.3	94	1	2	6	14	28	48	99 +
35-49	12	8.2	99	< 1	1	3	13	25	29	30
50-64	3	7.3	85	2	2	2	14	18	18	18
65 +	0									
B. Operated										
0-19 YRS	2	32.0	1352	6	6	32	58	58	58	58
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	10.4	149	1	2	6	29	72	99 +	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	57	8.1	76	1	2	4	12	25	29	95
B. Operated	3	22.3	956	3	4	6	45	58	58	58
1. SINGLE DX	8	10.4	149	1	2	6	29	72	99 +	99 +
2. MULTIPLE DX	60	8.8	114	1	2	5	12	26	32	95
A. Not Operated	65	8.4	83	1	2	5	13	28	32	99 +
B. Operated	3	22.3	956	3	4	6	45	58	58	58
TOTAL										
0-19 YRS	21	9.9	176	2	3	5	13	25	41	58
20-34	27	8.7	91	1	2	5	14	32	99 +	99 +
35-49	15	9.5	116	1	1	3	16	30	31	31
50-64	5	5.4	51	1	2	2	7	18	18	18
65 +	0									
GRAND TOTAL	**68**	**9.0**	**116**	**1**	**2**	**5**	**14**	**28**	**35**	**99 +**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	195	8.3	16	3	5	10	11	12	14	20
20-34	43	5.0	14	2	2	4	6	10	15	99 +
35-49	12	4.3	8	1	2	4	7	8	9	9
50-64	7	5.7	28	< 1	2	3	9	14	15	15
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	11	11.6	65	2	6	10	16	24	28	28
20-34	2	33.5	221	23	23	33	44	44	44	44
35-49	5	6.0	24	1	1	7	10	12	12	12
50-64	3	8.7	10	5	6	10	11	11	11	11
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	441	11.0	40	5	9	10	12	16	22	39
20-34	61	10.4	90	3	6	8	11	16	34	51
35-49	61	8.5	63	2	3	6	11	16	30	93
50-64	53	12.2	79	4	7	10	14	21	34	45
65 +	69	11.8	56	4	7	11	14	18	28	40
B. Operated										
0-19 YRS	75	23.7	360	9	12	18	28	50	71	91
20-34	33	22.3	372	4	8	18	30	53	80	99 +
35-49	44	19.8	324	6	8	15	22	46	56	84
50-64	43	19.8	218	5	9	14	30	41	49	62
65 +	45	19.6	194	7	10	15	26	40	53	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	7.5	18	2	4	8	10	12	14	21
B. Operated	22	11.5	106	1	5	10	14	24	34	44
2. MULTIPLE DX										
A. Not Operated	685	10.9	51	4	7	10	12	16	25	45
B. Operated	240	21.3	297	6	10	15	27	48	60	85
1. SINGLE DX	280	7.8	25	2	4	8	11	12	15	28
2. MULTIPLE DX	925	13.6	136	4	8	11	15	27	40	70
A. Not Operated	943	10.0	44	3	6	10	11	16	21	43
B. Operated	262	20.5	288	5	10	15	26	45	58	84
TOTAL										
0-19 YRS	722	11.6	85	4	8	10	12	18	26	53
20-34	139	11.9	179	2	4	8	13	30	49	99 +
35-49	122	12.0	183	2	4	8	15	26	45	88
50-64	106	14.8	148	4	7	11	16	34	41	56
65 +	116	14.7	123	4	7	12	17	30	40	58
GRAND TOTAL	**1205**	**12.2**	**116**	**3**	**7**	**10**	**13**	**23**	**34**	**63**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	4.3	24	1	1	2	8	10	10	10
50-64	26	7.4	288	2	3	4	4	7	28	90
65 +	28	3.8	7	1	2	3	5	8	9	12
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	16.0		16	16	16	16	16	16	16
35-49	6	4.0	8	1	2	4	6	8	8	8
50-64	37	6.9	34	2	3	5	9	16	21	22
65 +	246	7.1	40	2	4	6	8	13	16	34
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	10.0	117	1	2	7	18	22	22	22
65 +	31	10.3	47	3	5	9	13	20	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	5.5	134	1	2	4	4	8	11	84
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	290	7.0	38	2	3	6	8	13	16	32
B. Operated	34	10.3	50	2	4	9	13	22	26	27
1. SINGLE DX	59	5.4	132	1	2	4	4	8	11	83
2. MULTIPLE DX	324	7.4	41	2	4	6	9	14	18	32
A. Not Operated	348	6.8	54	2	3	5	8	12	16	33
B. Operated	35	10.0	51	1	4	9	13	22	26	27
TOTAL										
0-19 YRS	0									
20-34	2	12.0	32	8	8	12	16	16	16	16
35-49	9	4.1	11	1	2	2	6	9	10	10
50-64	66	7.3	134	2	3	4	7	16	22	79
65 +	306	7.1	39	2	3	6	8	13	16	32
GRAND TOTAL	383	7.1	55	2	3	5	8	13	17	32

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	51	5.3	6	3	4	5	6	8	11	13
35-49	74	5.2	9	2	4	4	7	9	11	15
50-64	24	4.1	8	< 1	2	4	5	9	11	11
65 +	3	4.7	9	2	2	4	7	8	8	8
B. Operated										
0-19 YRS	0									
20-34	5	4.8	9	1	3	4	7	9	9	9
35-49	8	7.8	24	1	4	8	12	13	13	13
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	74	6.5	28	2	4	5	7	10	20	26
35-49	158	6.0	31	2	3	5	7	10	14	33
50-64	62	7.2	33	3	3	5	10	14	22	28
65 +	32	6.6	9	3	4	6	9	11	12	12
B. Operated										
0-19 YRS	0									
20-34	13	10.8	177	3	4	7	11	23	47	53
35-49	20	9.1	74	2	4	5	11	20	29	36
50-64	14	17.5	268	3	8	13	24	32	58	65
65 +	10	10.7	86	1	4	8	21	24	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	5.1	8	2	4	4	6	9	11	13
B. Operated	14	6.3	19	1	2	6	10	13	13	13
2. MULTIPLE DX										
A. Not Operated	326	6.4	29	2	3	5	8	11	15	27
B. Operated	57	11.8	150	2	4	8	16	26	33	64
1. SINGLE DX	166	5.2	9	2	4	4	7	10	11	13
2. MULTIPLE DX	383	7.2	50	2	4	5	8	13	22	35
A. Not Operated	478	6.0	22	2	4	5	7	10	13	25
B. Operated	71	10.7	129	2	4	7	13	23	28	62
TOTAL										
0-19 YRS	0									
20-34	143	6.4	34	2	4	5	7	10	16	28
35-49	260	6.1	29	2	3	5	7	10	14	33
50-64	101	7.9	74	2	3	5	10	17	24	47
65 +	45	7.4	28	2	4	7	9	12	21	27
GRAND TOTAL	549	6.6	39	2	4	5	8	11	17	29

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	450	2.3	3	1	1	2	3	4	6	10
20-34	224	2.2	2	1	1	2	3	4	5	9
35-49	122	2.4	4	1	1	2	3	4	5	13
50-64	70	2.5	5	1	1	2	3	4	5	14
65 +	37	2.9	5	1	1	2	4	6	8	9
B. Operated										
0-19 YRS	5	7.2	66	1	2	3	11	21	21	21
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	2	10.0	98	3	3	10	17	17	17	17
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	873	3.3	16	1	1	2	4	6	10	21
20-34	525	3.8	23	1	1	2	5	7	10	18
35-49	487	3.7	17	1	2	3	5	7	10	21
50-64	447	4.8	29	1	2	3	6	9	14	30
65 +	846	5.0	20	1	2	4	6	10	13	25
B. Operated										
0-19 YRS	47	10.8	241	1	3	4	14	34	48	99 +
20-34	49	9.1	81	2	3	7	11	20	30	40
35-49	37	9.3	107	2	3	7	12	20	26	57
50-64	51	10.3	175	2	3	6	11	22	36	79
65 +	82	14.4	222	3	4	10	17	36	44	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	903	2.3	3	1	1	2	3	4	6	10
B. Operated	12	6.3	42	1	2	3	8	18	21	21
2. MULTIPLE DX										
A. Not Operated	3178	4.1	21	1	2	3	5	8	11	22
B. Operated	266	11.3	176	2	3	7	14	28	40	80
1. SINGLE DX	915	2.4	4	1	1	2	3	4	6	11
2. MULTIPLE DX	3444	4.7	36	1	2	3	5	9	14	30
A. Not Operated	4081	3.7	17	1	1	2	4	7	10	21
B. Operated	278	11.1	171	2	3	7	14	27	38	80
TOTAL										
0-19 YRS	1375	3.2	22	1	1	2	3	6	9	23
20-34	800	3.7	23	1	1	2	4	7	10	22
35-49	648	3.8	22	1	1	2	4	8	11	22
50-64	571	5.0	42	1	2	3	6	10	15	36
65 +	965	5.7	43	1	2	4	7	11	16	35
GRAND TOTAL	**4359**	**4.2**	**30**	**1**	**2**	**3**	**5**	**8**	**12**	**28**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	2.7	9	1	1	2	3	6	8	18
20-34	68	3.9	11	1	2	3	5	9	10	17
35-49	73	3.0	4	1	2	2	4	7	7	11
50-64	34	4.9	30	1	1	3	5	15	18	24
65 +	46	6.1	182	1	2	4	5	9	11	94
B. Operated										
0-19 YRS	201	4.4	46	< 1	< 1	2	4	10	17	38
20-34	83	5.0	24	< 1	1	4	7	10	16	22
35-49	64	4.6	15	1	2	4	6	9	11	24
50-64	40	4.7	14	1	2	4	6	10	13	17
65 +	42	6.0	15	2	3	5	7	13	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	288	6.1	119	1	2	3	6	12	27	73
20-34	210	7.2	143	1	2	3	8	23	54	99 +
35-49	266	5.5	68	1	2	3	6	12	16	83
50-64	258	7.1	48	1	2	5	9	17	25	93
65 +	853	6.8	41	2	3	5	8	13	18	39
B. Operated										
0-19 YRS	490	11.7	213	1	3	6	15	32	46	99 +
20-34	182	9.3	130	1	3	7	11	23	52	99 +
35-49	242	10.8	216	1	3	6	12	25	45	88
50-64	207	9.4	114	1	3	7	12	24	40	99 +
65 +	377	10.6	92	2	4	8	14	21	33	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	306	3.8	38	1	1	3	4	7	10	19
B. Operated	430	4.8	31	< 1	1	3	6	10	14	30
2. MULTIPLE DX										
A. Not Operated	1875	6.6	69	1	2	4	8	14	22	98
B. Operated	1498	10.7	160	1	3	7	13	27	42	99 +
1. SINGLE DX	736	4.4	34	< 1	1	3	5	9	12	28
2. MULTIPLE DX	3373	8.4	114	1	3	5	10	19	32	99 +
A. Not Operated	2181	6.2	66	1	2	4	7	13	20	87
B. Operated	1928	9.3	137	1	3	6	11	24	36	99 +
TOTAL										
0-19 YRS	1064	8.1	152	1	2	4	8	24	36	87
20-34	543	7.2	107	1	2	4	9	16	41	99 +
35-49	645	7.1	120	1	2	4	8	15	25	83
50-64	539	7.7	72	1	2	5	10	18	26	99 +
65 +	1318	7.8	63	2	3	6	10	16	22	57
GRAND TOTAL	**4109**	**7.7**	**102**	**1**	**2**	**5**	**9**	**17**	**29**	**97**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	1.7	2	1	1	1	2	3	4	8
20-34	162	2.8	6	1	1	2	3	5	8	14
35-49	172	2.4	4	1	1	2	3	5	6	12
50-64	34	2.2	3	1	1	2	3	5	6	6
65 +	7	2.1	2	< 1	< 1	1	4	4	4	4
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	3.3	3	1	2	4	5	5	5	5
35-49	7	1.9	2	1	1	1	2	4	5	5
50-64	2	12.0		12	12	12	12	12	12	12
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	82	2.4	11	1	1	2	2	3	6	23
20-34	244	3.7	16	1	2	3	4	7	11	20
35-49	267	3.4	8	1	2	3	4	6	8	17
50-64	104	3.2	7	1	1	3	4	5	9	13
65 +	61	2.6	3	1	2	2	3	5	6	9
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	16	4.3	13	1	2	3	6	10	13	14
35-49	30	6.5	118	1	2	3	7	10	15	61
50-64	8	4.0	7	1	2	3	6	8	8	8
65 +	2	7.0	18	4	4	7	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	448	2.4	4	1	1	2	3	5	6	12
B. Operated	18	3.6	12	1	1	2	5	10	12	12
2. MULTIPLE DX										
A. Not Operated	758	3.3	10	1	1	2	4	6	9	18
B. Operated	58	5.4	66	1	2	3	7	10	13	57
1. SINGLE DX	466	2.5	5	1	1	2	3	5	6	12
2. MULTIPLE DX	816	3.4	15	1	2	2	4	6	10	18
A. Not Operated	1206	3.0	8	1	1	2	4	6	8	15
B. Operated	76	4.9	54	1	2	3	6	10	12	49
TOTAL										
0-19 YRS	158	2.0	7	1	1	1	2	3	5	11
20-34	429	3.4	12	1	2	2	4	7	10	18
35-49	476	3.2	14	1	1	2	4	6	9	16
50-64	148	3.1	7	1	1	2	4	6	9	13
65 +	71	2.7	3	1	2	2	3	5	6	10
GRAND TOTAL	**1282**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
20-34	22	1.1		< 1	< 1	1	1	2	2	3
35-49	37	1.1		< 1	< 1	< 1	1	1	2	2
50-64	17	1.1		< 1	< 1	< 1	1	1	2	2
65 +	19	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	5.8	67	1	1	2	10	18	18	18
35-49	1	21.0		21	21	21	21	21	21	21
50-64	1	3.0		3	3	3	3	3	3	3
65 +	5	4.6	7	2	3	4	6	9	9	9
B. Operated										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34	24	3.0	22	1	1	1	2	6	14	22
35-49	45	2.3	10	< 1	1	1	2	4	13	15
50-64	54	1.9	3	1	1	1	2	3	5	11
65 +	38	1.6	1	< 1	1	1	2	2	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	1	< 1	1	3	3	3	3	3
B. Operated	99	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	11	6.4	47	1	2	3	8	19	21	21
B. Operated	166	2.1	7	< 1	1	1	2	4	6	15
1. SINGLE DX	102	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX	177	2.4	10	1	1	1	2	4	8	20
A. Not Operated	14	5.5	40	1	2	3	5	18	20	21
B. Operated	265	1.7	5	< 1	< 1	1	2	2	4	13
TOTAL										
0-19 YRS	9	1.7	1	< 1	1	2	2	3	3	3
20-34	50	2.4	16	< 1	1	1	2	4	11	22
35-49	85	2.0	10	< 1	< 1	1	2	2	7	19
50-64	72	1.7	2	< 1	1	1	2	3	4	10
65 +	63	1.7	2	< 1	< 1	1	2	3	5	9
GRAND TOTAL	**279**	**1.9**	**7**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**17**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	5.1	20	1	2	4	6	11	17	18
20-34	51	4.2	18	1	1	3	6	8	11	26
35-49	59	4.2	16	1	1	3	5	8	14	21
50-64	31	3.0	8	1	1	2	4	6	11	12
65 +	18	3.7	9	1	1	3	5	7	11	13
B. Operated										
0-19 YRS	37	2.9	15	< 1	1	1	3	10	13	17
20-34	166	2.9	6	1	1	2	3	5	7	14
35-49	210	2.5	3	1	1	2	4	5	5	8
50-64	108	3.5	13	1	1	2	4	8	11	20
65 +	48	2.5	5	1	1	2	3	6	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	11.4	134	2	3	8	16	34	44	99 +
20-34	71	4.9	15	1	2	4	7	9	13	22
35-49	161	6.5	57	1	2	4	7	15	27	36
50-64	140	6.5	104	1	2	4	7	16	21	49
65 +	264	5.7	24	2	2	4	8	12	15	24
B. Operated										
0-19 YRS	35	4.9	28	1	1	3	7	15	19	99 +
20-34	173	4.6	35	1	2	3	5	9	15	32
35-49	285	5.1	41	1	2	3	5	12	18	40
50-64	175	7.3	178	1	1	3	6	18	28	88
65 +	206	8.6	138	1	2	4	11	20	36	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	4.1	15	1	1	3	5	8	13	20
B. Operated	569	2.8	7	1	1	2	4	5	7	15
2. MULTIPLE DX										
A. Not Operated	677	6.3	56	1	2	4	7	13	19	41
B. Operated	874	6.3	92	1	2	3	7	16	24	67
1. SINGLE DX	762	3.2	9	1	1	2	4	6	9	17
2. MULTIPLE DX	1551	6.3	76	1	2	4	7	15	21	53
A. Not Operated	870	5.8	47	1	2	4	7	13	18	38
B. Operated	1443	4.9	61	1	1	3	5	11	18	52
TOTAL										
0-19 YRS	147	6.3	63	1	1	3	9	16	21	99 +
20-34	461	4.0	20	1	2	3	5	8	11	25
35-49	715	4.6	34	1	1	3	5	10	16	34
50-64	454	5.9	106	1	1	3	6	12	21	68
65 +	536	6.5	69	1	2	4	8	15	20	56
GRAND TOTAL	**2313**	**5.3**	**56**	**1**	**2**	**3**	**6**	**11**	**18**	**44**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	4	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	42	1.8	1	1	1	2	2	3	3	5
20-34	130	2.0	2	1	1	2	2	4	5	7
35-49	160	2.1	2	1	1	2	3	3	5	7
50-64	270	2.0	1	1	1	2	3	3	4	7
65 +	240	2.1	1	1	1	2	2	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	5	1.6	1	< 1	1	1	2	3	3	3
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	5	1.4		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	59	2.6	4	1	1	2	3	5	7	11
20-34	136	2.4	2	1	1	2	3	4	5	7
35-49	204	2.5	4	1	1	2	3	4	5	8
50-64	472	2.6	4	1	2	2	3	4	6	11
65 +	738	2.7	4	1	2	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.3	1	< 1	1	1	1	3	3	3
B. Operated	842	2.0	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. Not Operated	16	1.3		< 1	< 1	1	2	2	3	3
B. Operated	1609	2.6	4	1	2	2	3	4	5	9
1. SINGLE DX	849	2.0	1	1	1	2	3	3	4	7
2. MULTIPLE DX	1625	2.6	4	1	2	2	3	4	5	9
A. Not Operated	23	1.3		< 1	< 1	1	1	2	3	3
B. Operated	2451	2.4	3	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	105	2.3	3	1	1	2	3	4	5	10
20-34	268	2.2	2	1	1	2	3	4	5	7
35-49	370	2.3	3	1	1	2	3	4	5	8
50-64	748	2.4	3	1	1	2	3	4	5	8
65 +	983	2.5	3	1	1	2	3	4	5	8
GRAND TOTAL	**2474**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	1.5		1	1	1	2	2	2	2
65 +	3	1.7	1	1	1	1	3	3	3	3
B. Operated										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	11	1.9	3	1	1	1	3	4	6	6
35-49	12	2.0	2	<1	1	1	3	4	5	5
50-64	17	2.6	4	<1	1	2	3	6	7	7
65 +	40	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	7	3.0	3	1	2	2	4	6	6	6
65 +	12	3.0	3	1	1	3	4	6	6	6
B. Operated										
0-19 YRS	7	2.4	14	1	1	1	1	9	11	11
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	9	4.3	15	1	1	4	6	11	13	13
50-64	21	3.9	11	1	2	2	6	9	11	12
65 +	110	3.9	13	1	2	3	5	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.7	1	<1	1	1	2	3	3	3
B. Operated	85	2.0	2	1	1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	21	3.1	3	1	2	3	4	6	6	6
B. Operated	151	3.8	12	1	1	3	5	8	11	13
1. SINGLE DX	94	2.0	2	1	1	1	3	4	5	7
2. MULTIPLE DX	172	3.7	11	1	1	3	5	8	10	13
A. Not Operated	30	2.7	3	1	1	2	4	6	6	6
B. Operated	236	3.2	9	1	1	2	4	7	9	12
TOTAL										
0-19 YRS	13	2.2	9	<1	1	1	1	7	10	11
20-34	17	1.8	2	<1	1	1	3	3	5	6
35-49	22	3.0	8	1	1	2	4	6	9	13
50-64	49	3.1	7	1	1	2	4	7	8	12
65 +	165	3.3	10	1	1	2	4	7	9	12
GRAND TOTAL	**266**	**3.1**	**9**	**1**	**1**	**2**	**4**	**7**	**8**	**12**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	3	2.7	1	2	2	2	4	4	4	4
65 +	8	2.0	4	1	1	1	2	6	7	7
B. Operated										
0-19 YRS	9	2.1	3	<1	1	1	4	5	5	5
20-34	15	3.1	9	1	1	1	5	9	9	9
35-49	12	4.6	24	<1	1	2	6	12	16	17
50-64	23	2.8	7	1	1	2	4	6	10	11
65 +	36	2.4	7	<1	1	1	2	6	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	0									
50-64	3	2.3	1	1	1	3	3	3	3	3
65 +	12	2.3	2	1	1	2	3	4	5	5
B. Operated										
0-19 YRS	7	2.0	3	1	1	1	3	5	5	5
20-34	13	4.8	13	1	2	3	7	11	13	13
35-49	18	4.7	12	1	2	4	7	9	12	13
50-64	40	4.3	18	1	2	3	4	10	14	20
65 +	107	3.8	12	1	1	2	5	8	12	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.2	3	<1	1	2	2	5	6	7
B. Operated	95	2.9	9	1	1	1	4	6	10	15
2. MULTIPLE DX										
A. Not Operated	19	2.2	2	<1	1	2	3	4	5	5
B. Operated	185	4.0	13	1	1	3	5	8	12	17
1. SINGLE DX	111	2.8	8	1	1	1	4	6	9	15
2. MULTIPLE DX	204	3.8	12	1	1	3	4	8	12	16
A. Not Operated	35	2.2	2	<1	1	2	3	4	5	7
B. Operated	280	3.6	12	1	1	2	4	8	11	17
TOTAL										
0-19 YRS	18	2.0	2	<1	1	1	4	5	5	5
20-34	33	3.6	10	1	1	2	5	9	10	13
35-49	32	4.5	15	1	1	3	6	10	13	17
50-64	69	3.6	13	1	1	2	4	9	11	19
65 +	163	3.3	10	1	1	2	4	7	11	15
GRAND TOTAL	**315**	**3.4**	**11**	**1**	**1**	**2**	**4**	**8**	**10**	**16**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	1.4	1	< 1	< 1	1	1	3	3	3
20-34	5	1.6	1	1	1	1	2	3	3	3
35-49	13	1.2		< 1	< 1	< 1	1	2	2	2
50-64	40	1.1		< 1	< 1	< 1	< 1	1	2	5
65 +	223	1.0		< 1	< 1	< 1	< 1	< 1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	6	2.5	6	1	1	2	3	7	7	7
65 +	9	2.4	7	< 1	1	1	3	7	9	9
B. Operated										
0-19 YRS	16	2.4	7	< 1	1	1	3	7	8	9
20-34	17	2.2	2	1	1	2	3	4	5	6
35-49	17	1.5		< 1	1	1	2	2	3	3
50-64	74	2.4	7	< 1	1	2	3	5	7	15
65 +	284	1.6	2	< 1	< 1	1	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	296	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated	19	2.2	5	< 1	< 1	1	3	6	8	9
B. Operated	408	1.8	3	< 1	< 1	1	2	3	5	10
1. SINGLE DX	296	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX	427	1.8	3	< 1	< 1	1	2	3	5	10
A. Not Operated	19	2.2	5	< 1	< 1	1	3	6	8	9
B. Operated	704	1.5	2	< 1	< 1	< 1	1	2	4	8
TOTAL										
0-19 YRS	33	1.9	4	< 1	< 1	1	2	4	7	9
20-34	23	2.1	2	1	1	2	3	4	5	6
35-49	31	1.4		< 1	< 1	1	2	2	2	3
50-64	120	2.0	5	< 1	< 1	1	2	4	7	12
65 +	516	1.4	1	< 1	< 1	< 1	1	2	3	8
GRAND TOTAL	**723**	**1.5**	**2**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**	**9**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.6	3	< 1	1	2	4	5	5	5
20-34	8	3.5	6	1	2	3	5	7	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	3.0	4	< 1	1	3	4	5	5	5
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	226	1.0		< 1	< 1	< 1	< 1	< 1	1	1
20-34	3	1.3		1	1	1	2	2	2	2
35-49	4	3.5	3	1	2	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.9	2	< 1	1	3	4	5	5	5
20-34	5	6.8	47	1	1	4	13	16	16	16
35-49	5	2.8	3	1	1	3	4	5	5	5
50-64	12	4.7	5	2	3	4	6	8	9	9
65 +	25	4.0	8	2	2	3	5	8	10	14
B. Operated										
0-19 YRS	100	1.2	2	< 1	< 1	< 1	1	1	1	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	1.3		< 1	< 1	1	2	2	2	2
50-64	5	4.8	23	1	1	2	10	10	10	10
65 +	8	3.3	9	1	2	2	4	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.1	4	< 1	1	3	4	6	7	8
B. Operated	235	1.1		< 1	< 1	< 1	< 1	1	1	4
2. MULTIPLE DX										
A. Not Operated	54	4.2	10	1	2	3	5	8	11	16
B. Operated	118	1.5	4	< 1	< 1	< 1	1	2	4	11
1. SINGLE DX	254	1.2	1	< 1	< 1	< 1	< 1	1	3	5
2. MULTIPLE DX	172	2.3	7	< 1	< 1	1	3	5	8	14
A. Not Operated	73	3.9	8	1	2	3	5	7	9	16
B. Operated	353	1.2	1	< 1	< 1	< 1	< 1	1	2	10
TOTAL										
0-19 YRS	338	1.1	1	< 1	< 1	< 1	< 1	1	1	5
20-34	17	3.9	19	1	1	2	5	11	15	16
35-49	14	2.6	3	1	1	2	4	5	5	5
50-64	21	4.3	9	1	2	4	6	9	10	10
65 +	36	3.7	8	2	2	3	4	8	9	14
GRAND TOTAL	**426**	**1.7**	**4**	**< 1**	**< 1**	**< 1**	**1**	**4**	**5**	**11**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	2.3	4	<1	<1	2	3	4	5	14
20-34	26	4.4	7	2	2	3	7	8	10	10
35-49	10	4.5	5	1	3	4	6	7	8	8
50-64	9	5.6	12	2	4	5	6	11	13	13
65+	6	6.5	2	4	6	7	8	8	8	8
B. Operated										
0-19 YRS	48	2.0	11	<1	<1	<1	2	3	7	21
20-34	43	1.9	1	1	1	2	2	3	4	6
35-49	44	2.0	3	1	1	1	2	4	5	10
50-64	34	2.4	10	1	1	1	3	5	11	15
65+	65	1.6	1	<1	1	1	2	3	3	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	3.1	4	1	2	3	4	6	7	11
20-34	36	5.8	26	2	2	5	8	9	13	29
35-49	23	5.1	9	2	2	5	7	9	11	13
50-64	18	5.4	15	2	2	4	9	11	13	13
65+	43	7.5	60	2	4	5	8	16	22	43
B. Operated										
0-19 YRS	42	2.3	4	<1	<1	1	3	5	7	8
20-34	47	5.1	82	1	1	2	5	12	20	57
35-49	52	3.6	30	1	1	2	3	7	13	34
50-64	76	3.7	42	1	1	2	3	7	12	39
65+	272	2.4	6	1	1	2	3	4	5	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	3.6	7	<1	2	3	5	8	9	13
B. Operated	234	1.9	5	<1	1	1	2	3	5	13
2. MULTIPLE DX										
A. Not Operated	201	5.0	24	1	2	4	6	9	12	30
B. Operated	489	3.0	22	1	1	2	3	5	8	22
1. SINGLE DX	337	2.4	6	<1	1	2	3	5	8	13
2. MULTIPLE DX	690	3.6	23	1	1	2	4	7	9	26
A. Not Operated	304	4.5	19	1	2	3	6	9	11	23
B. Operated	723	2.7	17	1	1	2	3	4	7	21
TOTAL										
0-19 YRS	223	2.5	6	<1	<1	2	3	5	6	13
20-34	152	4.3	35	1	1	2	5	9	11	29
35-49	129	3.4	16	1	1	2	4	8	9	23
50-64	137	3.7	29	1	1	2	4	9	13	38
65+	386	2.9	14	1	1	2	3	6	7	20
GRAND TOTAL	**1027**	**3.2**	**18**	**1**	**1**	**2**	**3**	**7**	**9**	**21**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	236	2.7	3	1	2	2	3	4	5	9
20-34	37	3.3	6	1	2	3	4	6	7	15
35-49	17	3.4	4	1	2	3	5	6	7	8
50-64	13	3.7	8	<1	1	3	6	8	9	9
65+	11	4.1	18	<1	1	3	4	11	15	15
B. Operated										
0-19 YRS	32	1.8	2	<1	1	1	2	3	5	9
20-34	30	3.1	9	1	1	2	4	7	8	14
35-49	21	2.9	9	1	1	1	4	9	10	11
50-64	32	2.0	2	1	1	1	3	4	6	6
65+	74	2.2	4	<1	1	2	2	4	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	388	3.3	6	2	2	3	4	6	7	12
20-34	55	3.9	10	1	2	3	4	7	11	16
35-49	46	5.2	19	1	2	4	7	10	15	20
50-64	42	5.1	29	1	2	4	6	11	18	27
65+	75	4.4	13	1	2	4	6	8	10	21
B. Operated										
0-19 YRS	91	5.2	21	1	2	4	8	10	14	22
20-34	108	4.2	16	1	2	3	5	10	15	18
35-49	118	4.9	45	1	1	2	5	14	18	34
50-64	156	3.7	22	1	1	2	4	8	14	28
65+	285	3.2	9	1	1	2	4	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	314	2.9	4	1	2	2	3	5	7	12
B. Operated	189	2.3	5	<1	1	1	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	606	3.7	10	1	2	3	4	7	9	17
B. Operated	758	3.9	20	1	1	2	5	8	14	23
1. SINGLE DX	503	2.7	4	1	1	2	3	5	7	11
2. MULTIPLE DX	1364	3.9	16	1	2	3	4	8	11	21
A. Not Operated	920	3.5	8	1	2	3	4	6	8	16
B. Operated	947	3.6	17	1	1	2	4	8	11	21
TOTAL										
0-19 YRS	747	3.3	7	1	2	3	4	6	8	14
20-34	230	3.9	12	1	2	3	4	8	14	17
35-49	202	4.6	32	1	1	3	5	12	15	25
50-64	243	3.7	20	1	1	2	4	7	13	27
65+	445	3.3	9	1	1	2	4	7	9	15
GRAND TOTAL	**1867**	**3.5**	**13**	**1**	**2**	**2**	**4**	**7**	**10**	**18**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.7	65	1	1	1	12	15	15	15
20-34	10	1.9	3	1	1	1	2	5	7	7
35-49	6	3.5	8	1	1	2	7	7	7	7
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	3	2.0	3	1	1	1	3	4	4	4
B. Operated										
0-19 YRS	8	1.3		< 1	< 1	< 1	1	2	2	2
20-34	5	2.0	3	1	1	1	3	5	5	5
35-49	4	2.8	5	1	1	2	4	6	6	6
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.5	2	< 1	1	3	3	4	4	4
20-34	8	2.1	1	1	1	2	3	4	4	4
35-49	15	2.7	3	1	1	2	3	4	7	8
50-64	11	3.0	4	< 1	1	3	4	6	8	8
65 +	29	3.0	3	1	2	3	4	6	6	7
B. Operated										
0-19 YRS	5	1.6	1	< 1	< 1	1	2	3	3	3
20-34	9	4.0	41	1	1	2	3	14	21	21
35-49	5	3.0	12	1	1	1	4	9	9	9
50-64	5	2.0	1	< 1	1	2	2	3	3	3
65 +	17	2.5	15	1	1	1	2	5	13	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.7	10	1	1	1	3	7	9	15
B. Operated	19	1.8	2	< 1	< 1	1	2	4	6	6
2. MULTIPLE DX										
A. Not Operated	69	2.8	3	1	2	3	3	5	6	8
B. Operated	41	2.7	16	< 1	1	1	3	4	13	21
1. SINGLE DX	45	2.3	7	< 1	1	1	2	6	7	15
2. MULTIPLE DX	110	2.8	8	1	1	2	3	5	7	19
A. Not Operated	95	2.7	5	1	1	2	3	5	7	12
B. Operated	60	2.5	12	< 1	1	1	2	4	7	21
TOTAL										
0-19 YRS	22	2.3	9	< 1	< 1	1	3	4	8	15
20-34	32	2.6	13	1	1	2	3	4	7	21
35-49	30	2.9	5	1	1	2	3	7	8	9
50-64	22	2.5	3	1	1	2	3	4	6	8
65 +	49	2.8	7	1	1	2	3	5	6	17
GRAND TOTAL	**155**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	184	2.5	3	1	2	2	3	4	5	12
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	702	1.0		< 1	< 1	< 1	< 1	< 1	1	2
20-34	26	1.4	2	< 1	1	1	1	2	5	7
35-49	16	1.1		1	1	1	1	1	3	3
50-64	24	1.3	1	1	1	1	1	2	3	6
65 +	14	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	546	2.6	4	1	1	2	3	4	7	11
20-34	19	7.7	76	1	2	4	10	22	29	33
35-49	16	2.9	4	1	1	2	4	6	7	7
50-64	11	3.8	12	1	2	3	5	9	13	13
65 +	10	3.6	6	1	2	3	4	7	10	10
B. Operated										
0-19 YRS	469	1.6	8	< 1	< 1	1	1	3	4	10
20-34	43	1.6	2	1	1	1	2	3	5	8
35-49	53	1.7	6	1	1	1	1	2	4	17
50-64	46	1.4	1	1	1	1	1	2	3	7
65 +	34	1.4	1	1	1	1	1	2	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	2.5	3	1	2	2	3	4	5	12
B. Operated	782	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated	602	2.8	7	1	1	2	3	5	8	12
B. Operated	645	1.6	7	< 1	< 1	1	1	3	4	9
1. SINGLE DX	973	1.3	1	< 1	< 1	< 1	1	2	3	5
2. MULTIPLE DX	1247	2.2	7	< 1	1	1	2	4	6	11
A. Not Operated	793	2.8	6	1	1	2	3	5	7	12
B. Operated	1427	1.3	3	< 1	< 1	< 1	1	1	3	7
TOTAL										
0-19 YRS	1901	1.8	4	< 1	< 1	1	2	3	4	10
20-34	91	2.8	23	1	1	1	2	6	10	30
35-49	87	1.9	5	1	1	1	2	4	6	14
50-64	83	1.7	3	1	1	1	2	3	6	11
65 +	58	1.8	2	1	1	1	2	4	5	10
GRAND TOTAL	**2220**	**1.8**	**5**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**10**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	3.0	2	1	2	3	4	6	7	7
20-34	31	3.5	5	1	2	3	4	6	8	11
35-49	25	3.0	2	1	2	3	4	5	6	6
50-64	6	3.3	2	2	3	3	3	6	6	6
65 +	2	5.0	18	2	2	5	8	8	8	8
B. Operated										
0-19 YRS	56	2.0	4	< 1	< 1	1	2	5	8	9
20-34	25	2.8	10	1	1	1	3	6	10	15
35-49	14	1.6	2	< 1	1	1	2	3	5	6
50-64	9	6.7	23	1	3	6	11	14	14	14
65 +	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	192	3.4	9	1	2	3	4	6	8	18
20-34	45	4.1	10	1	2	3	5	7	8	20
35-49	53	4.2	7	2	2	4	5	7	8	17
50-64	24	6.5	76	2	3	4	6	10	28	43
65 +	30	5.9	12	2	3	5	9	11	12	14
B. Operated										
0-19 YRS	126	5.4	58	1	1	3	6	11	17	53
20-34	26	4.5	42	1	1	2	5	13	22	27
35-49	35	5.3	57	1	1	3	6	13	20	39
50-64	26	4.2	23	1	1	1	8	10	14	20
65 +	21	4.1	30	1	1	2	4	14	18	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	3.1	3	1	2	3	4	6	7	9
B. Operated	108	2.5	8	< 1	< 1	1	3	6	9	14
2. MULTIPLE DX										
A. Not Operated	344	4.1	14	1	2	3	5	7	9	20
B. Operated	234	5.0	49	1	1	3	6	12	18	41
1. SINGLE DX	248	2.9	5	< 1	1	2	4	6	7	13
2. MULTIPLE DX	578	4.5	29	1	2	3	5	8	13	24
A. Not Operated	484	3.8	11	1	2	3	5	7	8	18
B. Operated	342	4.2	38	< 1	1	2	5	9	14	28
TOTAL										
0-19 YRS	450	3.7	22	1	1	3	4	7	9	22
20-34	127	3.8	15	1	1	3	4	7	10	22
35-49	127	4.0	20	1	2	3	5	6	10	26
50-64	65	5.3	41	1	1	4	7	10	15	40
65 +	57	4.9	19	1	2	3	8	11	13	20
GRAND TOTAL	**826**	**4.0**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	23	2.3	5	1	1	2	3	3	6	12
35-49	57	2.6	3	1	1	2	3	6	7	8
50-64	66	1.8	1	1	1	1	2	3	4	5
65 +	76	2.3	3	1	1	2	3	4	6	10
B. Operated										
0-19 YRS	21	1.5	2	< 1	1	1	1	4	5	6
20-34	18	2.6	8	1	1	1	3	6	9	11
35-49	44	1.8	2	1	1	1	2	4	5	7
50-64	15	2.4	9	1	1	1	3	6	10	12
65 +	17	2.1	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.4	4	1	1	2	3	6	7	7
20-34	47	2.6	3	1	1	2	4	5	6	7
35-49	112	2.9	6	1	1	2	4	5	6	15
50-64	242	2.6	3	1	1	2	3	4	5	9
65 +	701	3.2	6	1	2	3	4	6	8	13
B. Operated										
0-19 YRS	14	1.8	1	1	1	2	2	3	4	4
20-34	15	2.3	3	1	1	2	2	6	7	7
35-49	29	3.4	11	1	1	2	4	8	9	15
50-64	34	3.4	5	1	1	3	5	6	7	8
65 +	45	5.6	47	1	2	4	8	12	16	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	224	2.2	3	1	1	2	3	4	6	10
B. Operated	115	2.0	4	1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	1110	3.0	5	1	2	2	4	5	7	13
B. Operated	137	3.9	21	1	1	2	5	8	10	22
1. SINGLE DX	339	2.2	3	1	1	2	3	4	6	11
2. MULTIPLE DX	1247	3.1	7	1	2	2	4	6	8	14
A. Not Operated	1334	2.9	5	1	2	2	4	5	7	12
B. Operated	252	3.0	14	1	1	2	4	7	9	15
TOTAL										
0-19 YRS	45	1.8	2	< 1	1	1	2	4	5	7
20-34	103	2.5	4	1	1	2	3	5	7	11
35-49	242	2.7	5	1	1	2	3	5	7	13
50-64	357	2.5	3	1	1	2	3	5	6	9
65 +	839	3.3	8	1	2	3	4	6	8	14
GRAND TOTAL	**1586**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	28	1.2		1	1	1	1	2	2	4
35-49	52	1.1		1	1	1	1	2	2	3
50-64	32	1.4	2	1	1	1	2	[illegible]	2	8
65 +	12	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	10.0		10	10	10	10	10	10	10
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	18	1.1		1	1	1	1	2	2	2
35-49	40	1.2		1	1	1	1	2	2	3
50-64	24	1.7	5	< 1	1	1	1	3	8	9
65 +	16	1.3		1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	128	1.2	1	1	1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	2	10.0		10	10	10	10	10	10	10
B. Operated	100	1.3	1	1	1	1	1	2	2	8
1. SINGLE DX	128	1.2	1	1	1	1	1	2	2	5
2. MULTIPLE DX	102	1.5	3	1	1	1	1	2	3	10
A. Not Operated	2	10.0		10	10	10	10	10	10	10
B. Operated	228	1.3	1	1	1	1	1	2	2	8
TOTAL										
0-19 YRS	6	1.3		1	1	1	2	2	2	2
20-34	46	1.2		1	1	1	1	2	2	4
35-49	92	1.2		1	1	1	1	2	2	3
50-64	58	1.8	5	1	1	1	1	3	9	10
65 +	28	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**230**	**1.3**	**2**	**1**	**1**	**1**	**1**	**2**	**2**	**9**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.3	1	< 1	< 1	< 1	< 1	2	4	4
20-34	12	3.7	8	1	1	3	5	9	9	9
35-49	6	4.7	9	1	2	4	8	8	8	8
50-64	5	2.4	4	1	1	2	3	6	6	6
65 +	0									
B. Operated										
0-19 YRS	132	1.1		< 1	1	1	1	2	2	3
20-34	59	1.4	1	1	1	1	1	2	3	8
35-49	56	1.4	2	< 1	1	1	1	2	3	10
50-64	45	1.2		1	1	1	1	2	3	3
65 +	10	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.3	9	< 1	< 1	1	2	5	11	12
20-34	9	4.3	5	1	3	5	6	7	7	7
35-49	8	3.1	4	< 1	2	3	4	6	6	6
50-64	15	3.9	8	1	2	2	5	8	10	10
65 +	16	3.9	7	1	2	3	6	8	9	9
B. Operated										
0-19 YRS	150	1.4	2	< 1	1	1	1	2	3	9
20-34	77	1.8	7	1	1	1	1	2	6	17
35-49	96	1.8	7	1	1	1	1	3	5	17
50-64	62	1.8	6	1	1	1	1	3	6	17
65 +	53	2.1	10	1	1	1	2	3	9	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.9	7	< 1	< 1	2	4	8	9	9
B. Operated	302	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	61	3.5	7	< 1	1	3	5	7	9	12
B. Operated	438	1.7	6	1	1	1	1	2	5	16
1. SINGLE DX	336	1.4	2	< 1	1	1	1	2	3	8
2. MULTIPLE DX	499	1.9	6	1	1	1	2	4	7	15
A. Not Operated	95	3.3	7	< 1	1	2	5	8	9	11
B. Operated	740	1.5	4	< 1	1	1	1	2	3	11
TOTAL										
0-19 YRS	306	1.3	1	< 1	1	1	1	2	3	8
20-34	157	1.9	6	1	1	1	2	4	7	13
35-49	166	1.8	6	1	1	1	1	4	6	13
50-64	127	1.9	5	1	1	1	2	4	6	12
65 +	79	2.4	9	1	1	1	2	6	8	17
GRAND TOTAL	**835**	**1.7**	**4**	**< 1**	**1**	**1**	**1**	**3**	**6**	**11**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	4.4	9	2	3	4	6	7	11	14
20-34	7	6.7	8	4	4	5	9	11	11	11
35-49	3	3.7	14	1	1	2	6	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	20.0	361	1	6	20	34	39	39	39
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	5.5	14	2	3	4	7	11	14	15
20-34	9	4.8	9	1	3	4	6	9	11	11
35-49	6	6.7	25	1	2	6	11	13	13	13
50-64	7	8.9	98	1	2	4	12	26	29	29
65 +	6	8.8	33	3	5	6	15	17	17	17
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	6	7.3	13	3	4	7	10	12	12	12
35-49	4	32.0	1265	3	3	24	60	77	77	77
50-64	5	13.6	365	1	2	3	23	46	46	46
65 +	5	12.2	37	2	9	14	16	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	4.8	9	2	3	4	6	9	11	14
B. Operated	4	- 16.3	297	1	3	12	29	39	39	39
2. MULTIPLE DX										
A. Not Operated	51	6.4	28	2	3	4	9	14	15	29
B. Operated	21	14.4	361	1	3	9	15	45	60	77
1. SINGLE DX	33	6.2	51	2	3	4	6	12	19	39
2. MULTIPLE DX	72	8.7	135	2	3	5	11	16	28	70
A. Not Operated	80	5.8	21	2	3	4	7	12	14	25
B. Operated	25	14.7	338	1	3	9	16	44	54	77
TOTAL										
0-19 YRS	42	4.9	12	2	3	4	6	10	14	15
20-34	25	7.8	60	2	4	5	9	12	25	39
35-49	13	13.8	491	1	2	4	11	51	72	77
50-64	14	9.8	170	1	2	4	13	31	43	46
65 +	11	10.4	34	3	5	12	15	17	18	18
GRAND TOTAL	**105**	**7.9**	**109**	**2**	**3**	**5**	**9**	**15**	**22**	**60**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	9.3	108	< 1	1	6	16	24	24	24
35-49	5	3.8	13	< 1	1	2	5	10	10	10
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	9	7.7	63	1	1	6	12	20	24	24
35-49	24	5.9	34	1	1	2	9	14	20	21
50-64	14	8.0	99	1	1	7	11	15	34	39
65 +	12	6.6	78	< 1	1	2	12	18	28	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	10.0	50	5	5	10	15	15	15	15
20-34	22	9.0	293	2	3	5	7	14	46	83
35-49	23	4.8	13	1	2	4	6	12	13	14
50-64	55	5.7	25	1	2	4	7	12	14	28
65 +	147	6.5	22	2	3	5	8	13	14	23
B. Operated										
0-19 YRS	6	18.8	480	< 1	1	13	26	56	59	59
20-34	41	11.2	90	2	6	8	12	32	33	34
35-49	140	11.8	199	1	3	9	12	19	47	74
50-64	269	10.5	60	1	4	10	14	18	24	39
65 +	325	12.1	98	1	6	11	15	24	29	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.9	36	< 1	1	3	5	10	20	24
B. Operated	60	6.8	59	1	1	2	10	14	22	38
2. MULTIPLE DX										
A. Not Operated	249	6.4	45	2	3	5	8	12	14	29
B. Operated	781	11.5	105	1	5	10	15	22	30	53
1. SINGLE DX	75	6.4	54	1	1	3	10	13	23	37
2. MULTIPLE DX	1030	10.3	96	1	4	9	13	19	28	51
A. Not Operated	264	6.3	45	2	3	5	8	12	15	28
B. Operated	841	11.2	104	1	4	10	14	21	30	51
TOTAL										
0-19 YRS	10	14.4	307	< 1	5	7	17	42	59	59
20-34	76	10.1	143	1	3	7	11	24	32	70
35-49	192	10.0	159	1	2	8	11	18	36	72
50-64	340	9.6	59	1	3	9	13	17	23	39
65 +	487	10.2	81	2	4	9	13	20	28	42
GRAND TOTAL	**1105**	**10.0**	**94**	**1**	**3**	**8**	**13**	**19**	**27**	**50**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.1	2	1	1	2	3	4	4	4
20-34	17	1.8	3	< 1	1	1	2	3	6	8
35-49	107	2.1	2	1	1	2	3	4	6	8
50-64	107	2.4	5	1	1	2	3	5	7	12
65 +	51	2.2	2	1	1	2	3	4	5	7
B. Operated										
0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	8	1.8	1	< 1	< 1	2	2	3	3	3
50-64	13	7.6	124	1	2	4	7	23	38	41
65 +	6	5.8	43	< 1	1	3	8	17	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.5	10	1	1	2	5	8	9	14
20-34	109	3.0	7	< 1	1	2	3	7	8	15
35-49	371	3.3	12	1	1	2	4	6	9	21
50-64	590	3.3	10	1	1	2	4	6	8	19
65 +	693	3.7	9	1	2	3	5	7	8	16
B. Operated										
0-19 YRS	5	2.8	4	1	1	2	5	5	5	5
20-34	12	5.0	29	1	2	4	5	11	20	21
35-49	56	5.8	24	1	2	4	8	11	19	22
50-64	77	5.7	36	1	2	4	7	13	19	29
65 +	91	6.6	49	1	2	4	8	16	23	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	290	2.2	3	1	1	2	3	4	6	9
B. Operated	34	4.7	59	< 1	1	2	4	10	19	41
2. MULTIPLE DX										
A. Not Operated	1792	3.4	10	1	2	3	4	7	9	18
B. Operated	241	6.0	37	1	2	4	8	14	20	30
1. SINGLE DX	324	2.5	10	1	1	2	3	5	7	16
2. MULTIPLE DX	2033	3.7	14	1	2	3	4	7	10	21
A. Not Operated	2082	3.3	9	1	1	2	4	6	8	17
B. Operated	275	5.8	40	1	2	4	8	14	20	30
TOTAL										
0-19 YRS	47	3.0	7	1	1	2	4	6	8	14
20-34	140	3.0	9	< 1	1	2	4	6	8	17
35-49	542	3.3	12	1	1	2	4	7	9	20
50-64	787	3.5	15	1	1	2	4	7	9	21
65 +	841	3.9	14	1	2	3	5	7	11	20
GRAND TOTAL	**2357**	**3.6**	**13**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	13	4.0	3	2	3	4	5	6	6	6
50-64	16	3.5	5	1	2	3	5	7	8	9
65 +	38	3.0	3	1	2	3	4	6	6	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.0		4	4	4	4	4	4	4
50-64	6	2.7	7	1	1	1	6	6	6	6
65 +	5	2.8	9	< 1	< 1	1	4	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.8	9	4	5	6	9	11	11	11
20-34	17	5.1	17	2	2	4	7	9	15	18
35-49	106	4.3	11	1	2	4	5	8	10	17
50-64	287	4.6	13	2	3	4	5	8	10	21
65 +	1099	6.0	21	2	3	5	7	11	14	24
B. Operated										
0-19 YRS	0									
20-34	6	3.7	5	< 1	2	3	6	7	7	7
35-49	24	9.1	80	1	2	8	11	22	31	35
50-64	54	6.2	33	1	2	4	8	16	20	23
65 +	141	9.5	57	2	4	8	12	19	23	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	3.2	3	1	2	3	4	6	6	9
B. Operated	13	2.9	6	< 1	1	1	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	1513	5.6	19	2	3	4	7	10	13	23
B. Operated	225	8.5	55	1	3	7	11	19	21	36
1. SINGLE DX	83	3.2	4	1	2	3	4	6	7	9
2. MULTIPLE DX	1738	6.0	25	2	3	5	7	11	15	25
A. Not Operated	1583	5.5	19	2	3	4	7	10	13	23
B. Operated	238	8.2	53	1	3	6	11	18	21	36
TOTAL										
0-19 YRS	5	5.6	13	1	3	6	7	11	11	11
20-34	25	4.5	14	1	2	3	6	9	11	18
35-49	145	5.1	24	1	2	4	6	9	15	30
50-64	363	4.7	16	2	2	4	6	9	11	22
65 +	1283	6.3	26	2	3	5	8	12	16	26
GRAND TOTAL	**1821**	**5.8**	**24**	**2**	**3**	**4**	**7**	**11**	**15**	**25**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.6	1	3	3	3	4	5	5	5
20-34	5	2.2	1	1	1	3	3	3	3	3
35-49	8	2.9	1	2	2	3	4	5	5	5
50-64	11	5.0	17	< 1	< 1	5	8	11	13	13
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	16	6.6	43	< 1	1	4	11	15	21	23
35-49	17	5.5	18	1	2	5	9	12	14	15
50-64	17	4.3	11	1	1	4	7	10	11	11
65 +	2	5.5	41	< 1	< 1	5	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.5	2	1	2	2	3	5	5	5
20-34	14	3.5	7	1	1	3	5	8	9	9
35-49	49	4.1	7	1	2	4	5	8	9	12
50-64	39	4.6	26	< 1	2	3	5	12	14	26
65 +	66	6.6	23	2	3	6	9	12	16	24
B. Operated										
0-19 YRS	20	9.5	66	1	3	7	12	22	27	30
20-34	67	8.5	43	2	3	7	12	17	23	28
35-49	128	8.5	86	1	3	7	10	16	22	53
50-64	121	8.8	82	1	3	7	11	16	23	53
65 +	144	8.3	66	1	3	6	10	17	27	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.9	9	< 1	2	3	5	8	9	13
B. Operated	56	5.1	23	< 1	1	3	8	12	15	23
2. MULTIPLE DX										
A. Not Operated	181	5.0	18	1	2	3	7	10	13	23
B. Operated	480	8.6	72	1	3	7	11	17	24	44
1. SINGLE DX	86	4.7	18	< 1	1	3	7	10	13	20
2. MULTIPLE DX	661	7.6	60	1	3	6	10	16	22	39
A. Not Operated	211	4.8	17	1	2	3	7	9	13	23
B. Operated	536	8.2	68	1	3	7	11	16	23	44
TOTAL										
0-19 YRS	42	5.8	44	1	1	3	7	14	22	30
20-34	102	7.2	40	1	2	5	11	16	20	27
35-49	202	7.0	62	1	3	5	9	13	19	36
50-64	188	7.3	64	1	2	5	10	13	21	48
65 +	213	7.8	53	2	3	6	10	16	24	38
GRAND TOTAL	**747**	**7.2**	**56**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	4	3.3	3	1	2	3	4	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	4	3.5	1	2	3	4	4	4	4	4
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	5.0	32	< 1	< 1	4	9	9	9	9
35-49	2	14.0	338	1	1	14	27	27	27	27
50-64	8	4.4	23	< 1	1	2	7	12	13	13
65 +	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.0	2	< 1	< 1	2	2	4	5	5
35-49	12	3.8	12	1	2	3	4	8	13	14
50-64	24	7.4	26	3	4	5	9	16	17	20
65 +	77	5.2	11	2	3	4	7	10	12	16
B. Operated										
0-19 YRS	5	3.2	5	1	1	3	5	6	6	6
20-34	16	4.9	33	< 1	1	3	5	16	18	19
35-49	21	6.3	21	2	3	5	9	12	16	19
50-64	49	6.7	40	1	3	6	8	12	13	42
65 +	71	11.9	97	2	4	10	17	24	28	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.2	3	1	2	4	4	5	6	6
B. Operated	16	5.4	47	< 1	1	3	7	13	23	27
2. MULTIPLE DX										
A. Not Operated	121	5.3	15	2	3	4	7	11	14	17
B. Operated	162	8.6	69	1	3	6	11	19	24	44
1. SINGLE DX	29	4.4	28	< 1	1	3	4	10	14	27
2. MULTIPLE DX	283	7.2	48	1	3	5	9	16	20	41
A. Not Operated	134	5.1	14	2	2	4	6	10	14	17
B. Operated	178	8.3	67	1	3	6	11	18	25	43
TOTAL										
0-19 YRS	10	3.0	4	1	1	2	5	6	6	6
20-34	29	4.0	21	< 1	1	2	5	10	17	19
35-49	36	5.8	31	1	2	4	7	13	18	27
50-64	83	6.6	34	1	3	5	8	13	16	35
65 +	154	8.2	61	2	3	6	10	17	23	44
GRAND TOTAL	**312**	**6.9**	**47**	**1**	**3**	**5**	**9**	**15**	**20**	**41**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	3.3	3	<1	1	3	5	6	6	6
35-49	126	5.8	17	1	4	6	7	8	10	23
50-64	306	5.7	7	2	4	6	7	9	10	12
65+	281	5.9	5	3	4	6	7	9	10	11
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	5.7	11	2	3	5	7	11	12	12
35-49	117	5.7	8	2	4	6	8	9	11	14
50-64	149	6.2	6	3	5	6	7	9	11	13
65+	145	6.3	7	3	5	6	8	10	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	37	6.4	21	3	4	5	7	11	13	28
35-49	556	6.0	14	2	4	6	7	9	10	16
50-64	2006	6.[illegible]	16	3	5	6	8	10	12	17
65+	5884	7.7	15	4	5	7	9	12	14	22
B. Operated										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	61	7.8	13	4	6	7	8	14	16	18
35-49	1078	7.5	22	3	5	7	9	12	15	26
50-64	2451	8.6	34	4	5	7	10	14	18	33
65+	2793	10.4	50	5	6	9	13	18	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	721	5.8	8	2	4	6	7	9	10	12
B. Operated	424	6.1	7	3	4	6	8	9	10	14
2. MULTIPLE DX										
A. Not Operated	8484	7.3	15	3	5	7	9	11	14	21
B. Operated	6385	9.2	40	4	6	8	11	16	20	35
1. SINGLE DX	1145	5.9	8	2	4	6	7	9	10	12
2. MULTIPLE DX	14869	8.1	27	4	5	7	9	13	17	28
A. Not Operated	9205	7.2	15	3	5	7	9	11	13	20
B. Operated	6809	9.0	38	4	6	8	11	15	19	34
TOTAL										
0-19 YRS	4	4.5	3	3	3	4	6	7	7	7
20-34	118	6.8	16	3	5	6	8	12	15	21
35-49	1877	6.8	19	3	5	6	8	11	13	22
50-64	4912	7.5	25	3	5	7	9	12	15	27
65+	9103	8.4	27	4	6	7	10	14	17	28
GRAND TOTAL	**16014**	**8.0**	**26**	**4**	**5**	**7**	**9**	**13**	**16**	**27**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	23	1.7	2	<1	1	1	2	4	5	5
35-49	151	2.0	2	1	1	2	2	4	5	7
50-64	253	2.0	1	1	1	2	2	3	4	7
65+	273	2.1	2	1	1	2	2	3	4	7
B. Operated										
0-19 YRS	0									
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	39	2.3	3	<1	1	2	3	5	7	7
50-64	77	2.2	4	<1	1	1	2	5	7	11
65+	85	2.5	5	1	1	2	3	5	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	59	2.4	3	1	1	2	3	5	6	8
35-49	639	2.3	4	1	1	2	3	4	5	7
50-64	1742	2.6	3	1	1	2	3	5	6	9
65+	4092	3.0	6	1	2	2	4	5	7	11
B. Operated										
0-19 YRS	0									
20-34	15	3.4	5	2	2	2	5	6	9	10
35-49	364	3.6	11	1	1	2	5	8	10	14
50-64	1119	4.2	17	1	1	3	6	9	12	18
65+	1251	5.2	30	1	2	3	8	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	700	2.0	2	1	1	2	2	3	4	7
B. Operated	204	2.3	5	<1	1	1	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	6535	2.8	5	1	2	2	3	5	6	10
B. Operated	2749	4.6	22	1	1	3	7	10	13	22
1. SINGLE DX	904	2.1	2	1	1	2	2	4	5	8
2. MULTIPLE DX	9284	3.3	11	1	2	2	4	7	9	15
A. Not Operated	7235	2.7	5	1	2	2	3	5	6	10
B. Operated	2953	4.4	21	1	1	3	6	10	13	22
TOTAL										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	100	2.3	3	1	1	2	3	5	6	9
35-49	1193	2.7	6	1	1	2	3	5	7	11
50-64	3191	3.1	9	1	1	2	4	7	9	14
65+	5701	3.4	12	1	2	2	4	7	9	16
GRAND TOTAL	**10188**	**3.2**	**10**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

308 Hospitals, Western Region, January-December 1989

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	2.7	4	1	1	2	3	7	7	7
35-49	123	2.5	3	1	1	2	3	5	6	8
50-64	307	2.7	4	1	1	2	3	5	7	10
65 +	351	2.6	2	1	2	2	3	4	5	8
B. Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	51	2.6	4	1	1	2	3	6	7	10
50-64	197	3.5	8	1	1	3	5	7	9	13
65 +	248	4.5	15	1	2	3	6	9	12	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	25	2.4	3	1	1	2	3	4	6	10
35-49	621	2.9	6	1	1	2	3	5	7	12
50-64	2368	3.0	5	1	2	2	4	5	7	12
65 +	6236	3.6	7	1	2	3	4	6	8	13
B. Operated										
0-19 YRS	0									
20-34	14	3.8	8	1	2	2	6	9	9	9
35-49	769	5.3	16	1	3	4	7	10	13	19
50-64	2864	6.2	26	2	3	5	9	12	15	25
65 +	3893	7.7	47	2	3	6	10	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	793	2.6	3	1	1	2	3	5	6	9
B. Operated	498	3.9	11	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	9250	3.4	6	1	2	3	4	6	8	12
B. Operated	7540	6.9	36	2	3	5	9	13	17	29
1. SINGLE DX	1291	3.1	7	1	2	2	4	6	8	12
2. MULTIPLE DX	16790	5.0	23	1	2	3	6	10	13	23
A. Not Operated	10043	3.3	6	1	2	3	4	6	8	12
B. Operated	8038	6.7	35	2	3	5	9	13	17	29
TOTAL										
0-19 YRS	0									
20-34	53	2.8	5	1	2	2	3	7	9	10
35-49	1564	4.0	12	1	2	3	5	9	11	16
50-64	5736	4.6	18	1	2	3	6	10	12	21
65 +	10728	5.1	25	1	2	3	6	11	14	24
GRAND TOTAL	**18081**	**4.8**	**22**	**1**	**2**	**3**	**6**	**10**	**13**	**22**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	17	2.8	3	< 1	2	2	4	5	6	7
50-64	32	2.8	6	1	1	2	4	6	7	12
65 +	14	2.3	2	1	1	2	3	4	6	6
B. Operated										
0-19 YRS	0									
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	119	2.9	9	1	1	2	3	7	9	17
50-64	363	3.2	13	1	1	2	4	8	10	19
65 +	250	4.1	24	1	1	2	7	10	11	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	3.9	10	1	2	3	6	10	10	10
35-49	117	3.1	15	1	1	2	3	6	10	26
50-64	381	3.5	12	1	2	2	4	7	9	22
65 +	606	4.1	11	1	2	3	5	8	10	16
B. Operated										
0-19 YRS	2	33.0	2048	1	1	33	65	65	65	65
20-34	39	4.9	24	1	2	3	6	11	16	23
35-49	911	5.6	46	1	2	4	8	11	13	35
50-64	3383	6.4	42	1	2	5	9	12	16	33
65 +	3542	7.4	48	1	2	7	10	14	18	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	2.7	4	1	1	2	3	5	7	11
B. Operated	734	3.5	16	1	1	2	4	9	10	19
2. MULTIPLE DX										
A. Not Operated	1118	3.6	12	1	2	3	4	7	9	16
B. Operated	7877	6.[illegible]	46	1	2	6	9	13	17	35
1. SINGLE DX	801	3.4	15	1	1	2	4	9	10	19
2. MULTIPLE DX	8995	6.3	42	1	2	5	9	13	16	32
A. Not Operated	1185	3.7	11	1	2	3	4	7	9	16
B. Operated	8611	6.4	44	1	2	5	9	13	17	33
TOTAL										
0-19 YRS	4	17.3	1014	1	1	2	33	65	65	65
20-34	57	4.7	20	1	2	3	6	10	13	23
35-49	1164	5.0	40	1	1	3	7	10	12	29
50-64	4159	5.8	37	1	2	4	8	12	15	29
65 +	4412	6.7	43	1	2	5	9	13	17	32
GRAND TOTAL	**9796**	**6.1**	**41**	**1**	**2**	**4**	**9**	**12**	**16**	**31**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	40	6.9	4	4	5	7	8	9	10	14
35-49	50	7.[illegible]	6	5	6	7	9	10	11	17
50-64	55	7.8	6	6	7	8	9	11	12	14
65+	60	7.6	5	5	6	8	9	10	10	14
B. Operated										
0-19 YRS	0									
20-34	5	4.0	7	1	2	4	6	7	7	7
35-49	9	7.9	14	3	6	7	11	13	14	14
50-64	13	7.4	5	5	6	7	8	10	12	12
65+	6	6.8	18	3	5	6	7	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	6.8	6	4	5	7	9	10	11	11
20-34	107	8.0	16	4	6	8	9	11	14	26
35-49	209	8.1	13	5	6	8	10	12	14	18
50-64	392	8.4	13	5	6	8	10	12	15	19
65+	1070	8.8	18	5	7	8	10	13	15	20
B. Operated										
0-19 YRS	4	9.8	15	6	6	9	13	14	14	14
20-34	30	10.3	39	4	7	9	11	19	23	32
35-49	71	10.5	28	5	8	9	12	18	23	27
50-64	104	11.7	60	6	7	10	13	19	25	46
65+	247	12.0	69	6	8	10	13	18	26	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	206	7.4	5	5	6	7	9	10	11	14
B. Operated	33	6.9	11	3	5	7	8	11	14	15
2. MULTIPLE DX										
A. Not Operated	1791	8.6	16	5	6	8	10	13	15	20
B. Operated	456	11.5	58	6	7	10	13	18	25	45
1. SINGLE DX	239	7.4	6	5	6	7	9	10	11	14
2. MULTIPLE DX	2247	9.2	26	5	7	8	10	14	17	27
A. Not Operated	1997	8.5	15	5	6	8	10	12	15	20
B. Operated	489	11.2	56	5	7	10	13	18	24	43
TOTAL										
0-19 YRS	18	7.6	8	4	5	7	9	12	13	14
20-34	182	8.0	18	4	6	8	9	11	15	26
35-49	339	8.5	16	5	6	8	10	13	16	24
50-64	564	8.9	23	5	7	8	10	13	16	32
65+	1383	9.3	28	5	7	8	11	14	17	27
GRAND TOTAL	**2486**	**9.0**	**24**	**5**	**7**	**8**	**10**	**14**	**16**	**27**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	27.8	241	7	17	30	38	44	44	44
50-64	2	23.0	50	18	18	23	28	28	28	28
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	2	23.5	1013	< 1	< 1	23	46	46	46	46
35-49	2	6.0	50	1	1	6	11	11	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	11.7	85	2	4	10	18	27	28	28
20-34	58	14.6	122	3	7	11	21	31	35	50
35-49	76	13.6	119	4	6	10	16	30	34	57
50-64	46	14.4	91	5	7	11	20	29	31	40
65+	83	18.0	128	6	9	15	24	37	43	51
B. Operated										
0-19 YRS	10	19.6	104	8	10	18	29	33	34	34
20-34	51	23.7	268	6	11	22	32	45	58	72
35-49	51	21.1	198	6	10	17	31	41	48	58
50-64	54	25.6	217	9	14	21	40	45	51	63
65+	87	19.4	189	7	10	14	27	40	46	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	20.8	215	4	6	22	30	41	44	44
B. Operated	5	13.8	347	< 1	1	10	20	46	46	46
2. MULTIPLE DX										
A. Not Operated	280	15.1	118	4	7	13	20	30	36	50
B. Operated	253	22.0	212	7	10	18	30	43	49	68
1. SINGLE DX	13	18.1	254	1	5	11	29	44	46	46
2. MULTIPLE DX	533	18.4	174	5	8	14	27	37	44	59
A. Not Operated	288	15.3	121	4	7	13	20	30	37	49
B. Operated	258	21.8	215	7	10	17	30	43	49	68
TOTAL										
0-19 YRS	27	14.6	103	3	5	13	23	29	33	34
20-34	112	18.8	215	4	8	15	28	37	47	70
35-49	133	16.8	167	4	7	14	25	36	42	59
50-64	103	20.4	185	7	9	17	29	43	45	61
65+	171	18.6	159	7	10	14	25	38	44	56
GRAND TOTAL	**546**	**18.4**	**176**	**5**	**8**	**14**	**27**	**38**	**44**	**59**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.6	5	< 1	1	2	3	7	7	7
20-34	6	1.2		1	1	1	1	2	2	2
35-49	26	1.8	3	1	1	1	2	2	4	9
50-64	26	1.4		< 1	1	1	2	2	3	3
65 +	37	1.9	1	1	1	2	2	4	4	4
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	4	5.5	10	2	3	5	8	9	9	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	4.8	24	< 1	1	3	7	13	16	17
20-34	28	1.9	5	< 1	1	1	2	3	5	12
35-49	71	1.7	1	1	1	1	2	3	4	6
50-64	168	2.6	9	1	1	2	3	5	8	11
65 +	489	3.4	8	1	2	3	4	7	9	14
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	5	3.8	4	2	3	3	5	7	7	7
35-49	6	4.3	19	1	2	3	4	12	13	13
50-64	17	3.8	8	1	2	3	5	8	11	12
65 +	39	6.9	31	1	3	6	9	14	21	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	1.8	2	1	1	1	2	3	4	8
B. Operated	9	3.9	8	< 1	2	3	6	8	9	9
2. MULTIPLE DX										
A. Not Operated	776	3.1	8	1	1	2	4	6	9	14
B. Operated	68	5.8	24	1	2	4	8	12	16	24
1. SINGLE DX	123	2.0	3	1	1	1	2	4	6	9
2. MULTIPLE DX	844	3.3	10	1	1	2	4	7	10	16
A. Not Operated	890	2.9	7	1	1	2	3	6	9	14
B. Operated	77	5.6	22	1	2	4	7	11	15	24
TOTAL										
0-19 YRS	42	3.8	17	< 1	1	2	6	9	14	17
20-34	43	2.3	6	1	1	1	3	5	8	12
35-49	104	1.9	3	1	1	1	2	3	4	11
50-64	212	2.6	8	1	1	2	3	5	8	12
65 +	566	3.5	10	1	2	3	4	8	10	16
GRAND TOTAL	**967**	**3.1**	**9**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	54	1.6	2	< 1	1	1	2	2	3	12
35-49	130	1.6	1	< 1	1	1	2	2	4	7
50-64	206	1.8	2	< 1	1	1	2	4	5	7
65 +	278	2.1	2	< 1	1	2	3	4	5	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	15.3	533	2	2	2	32	42	42	42
50-64	6	2.7	4	< 1	< 1	2	4	6	6	6
65 +	4	3.3	10	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	4.1	29	1	1	2	4	9	19	25
20-34	91	2.7	7	1	1	2	3	6	7	16
35-49	358	2.8	12	1	1	2	3	6	8	18
50-64	1291	3.2	10	1	1	2	4	6	9	16
65 +	4519	3.8	11	1	2	3	5	7	10	17
B. Operated										
0-19 YRS	8	4.3	8	2	3	3	4	9	11	11
20-34	3	9.3	89	2	3	6	16	20	20	20
35-49	30	7.2	75	1	3	5	9	14	29	42
50-64	128	6.9	47	1	3	5	8	15	22	38
65 +	386	7.0	50	2	3	6	9	13	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	673	1.9	2	< 1	1	1	2	4	5	8
B. Operated	13	5.8	123	< 1	1	2	4	15	37	42
2. MULTIPLE DX										
A. Not Operated	6290	3.6	11	1	2	3	5	7	9	17
B. Operated	555	7.0	50	2	3	5	9	14	20	36
1. SINGLE DX	686	1.9	4	< 1	1	1	2	4	5	8
2. MULTIPLE DX	6845	3.9	15	1	2	3	5	8	10	20
A. Not Operated	6963	3.4	10	1	1	2	4	7	9	16
B. Operated	568	6.9	52	2	3	5	8	14	20	37
TOTAL										
0-19 YRS	44	3.8	23	1	1	2	4	8	14	25
20-34	148	2.4	8	< 1	1	2	2	5	7	17
35-49	521	2.8	17	< 1	1	2	3	6	8	20
50-64	1631	3.3	13	1	1	2	4	7	9	17
65 +	5187	3.9	14	1	2	3	5	8	10	18
GRAND TOTAL	**7531**	**3.7**	**14**	**1**	**2**	**3**	**5**	**7**	**10**	**18**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	2.8	10	<1	1	2	3	7	9	17
20-34	55	2.3	4	<1	1	2	3	4	7	11
35-49	104	1.9	2	1	1	1	2	3	5	8
50-64	128	2.1	3	1	1	2	2	4	5	9
65+	143	2.7	5	1	1	2	3	4	6	13
B. Operated										
0-19 YRS	19	3.9	15	1	1	2	6	9	13	15
20-34	32	4.1	19	<1	1	3	6	8	10	23
35-49	32	3.9	12	1	1	3	5	9	11	15
50-64	74	4.0	9	1	2	3	5	8	11	14
65+	179	2.7	6	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	149	3.2	12	<1	1	2	4	8	13	16
20-34	156	2.5	6	1	1	2	3	5	6	13
35-49	484	3.0	10	1	1	2	4	5	8	18
50-64	1124	3.4	11	1	2	2	4	7	9	18
65+	3945	4.1	10	1	2	3	5	8	10	17
B. Operated										
0-19 YRS	55	6.8	41	1	2	5	8	19	20	26
20-34	62	6.2	57	1	2	3	7	15	18	45
35-49	205	5.8	33	1	2	4	8	12	16	31
50-64	608	7.2	76	1	2	5	9	15	21	47
65+	2612	6.4	38	2	3	5	8	13	17	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	486	2.3	5	1	1	2	3	4	6	12
B. Operated	336	3.3	9	1	1	2	4	7	10	15
2. MULTIPLE DX										
A. Not Operated	5858	3.8	10	1	2	3	5	7	10	17
B. Operated	3542	6.5	45	1	3	5	8	13	17	34
1. SINGLE DX	822	2.7	7	1	1	2	3	5	8	14
2. MULTIPLE DX	9400	4.8	25	1	2	3	6	10	13	25
A. Not Operated	6344	3.7	10	1	2	3	5	7	9	17
B. Operated	3878	6.2	43	1	2	4	8	13	17	33
TOTAL										
0-19 YRS	279	3.9	20	1	1	2	5	10	14	20
20-34	305	3.4	20	1	1	2	3	7	11	22
35-49	825	3.6	16	1	1	2	4	8	11	24
50-64	1934	4.5	34	1	2	3	5	9	14	27
65+	6879	4.9	22	1	2	4	6	10	13	24
GRAND TOTAL	**10222**	**4.6**	**24**	**1**	**2**	**3**	**6**	**9**	**13**	**24**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.8	14	1	2	4	6	11	11	11
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	24	3.7	20	1	1	2	4	7	14	21
50-64	78	4.2	13	1	2	3	5	8	12	20
65+	270	3.7	7	1	2	3	5	7	9	12
B. Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	4	4.8	14	<1	1	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	135	5.8	20	2	3	5	7	11	16	24
20-34	127	5.6	21	2	2	5	7	11	13	25
35-49	630	5.2	20	2	3	4	6	9	12	25
50-64	2976	5.4	16	2	3	4	7	10	13	22
65+	14704	5.8	18	2	3	5	7	11	14	22
B. Operated										
0-19 YRS	27	8.8	100	1	3	5	12	40	99+	99+
20-34	44	7.0	44	1	2	5	9	19	24	26
35-49	144	8.3	38	2	3	7	12	16	20	28
50-64	509	9.6	87	2	4	7	12	20	26	54
65+	1638	10.6	73	3	5	8	14	21	26	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	379	3.8	9	1	2	3	5	7	10	16
B. Operated	8	5.6	9	1	3	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	18572	5.7	18	2	3	5	7	11	14	22
B. Operated	2362	10.2	74	3	5	8	13	21	26	44
1. SINGLE DX	387	3.9	9	1	2	3	5	8	10	16
2. MULTIPLE DX	20934	6.2	26	2	3	5	8	12	15	27
A. Not Operated	18951	5.7	18	2	3	5	7	10	13	22
B. Operated	2370	10.1	74	3	5	8	13	21	26	44
TOTAL										
0-19 YRS	167	6.2	33	2	3	5	7	12	20	89
20-34	174	6.0	26	2	2	5	7	11	15	26
35-49	799	5.7	25	2	3	4	7	11	16	27
50-64	3565	5.9	29	2	3	5	7	11	15	27
65+	16616	6.3	26	2	3	5	8	12	15	26
GRAND TOTAL	**21321**	**6.2**	**26**	**2**	**3**	**5**	**8**	**12**	**15**	**26**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	8	2.6	15	1	1	1	2	9	12	12
35-49	14	4.7	8	2	3	4	7	9	10	11
50-64	6	3.8	7	1	2	3	7	7	7	7
65 +	6	5.3	6	2	3	6	7	8	8	8
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	5.0	18	< 1	1	4	8	10	10	10
35-49	5	11.8	259	1	2	8	16	40	40	40
50-64	13	2.1	4	< 1	1	1	2	6	6	6
65 +	8	1.8	1	< 1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	6.4	39	1	3	4	8	18	21	26
20-34	59	5.4	20	1	2	4	8	11	14	21
35-49	147	5.6	20	1	3	4	7	11	14	21
50-64	236	5.6	16	2	3	4	7	10	13	25
65 +	540	5.9	17	2	3	5	7	11	13	22
B. Operated										
0-19 YRS	23	12.7	248	1	1	10	15	29	51	69
20-34	27	8.7	29	2	5	8	11	17	20	21
35-49	89	7.2	39	1	3	6	10	14	20	28
50-64	168	8.0	66	1	2	6	12	16	21	44
65 +	158	7.1	43	1	2	5	11	15	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	4.0	9	1	2	3	7	8	10	12
B. Operated	32	3.8	50	< 1	1	2	4	8	10	40
2. MULTIPLE DX										
A. Not Operated	1009	5.7	18	2	3	5	7	11	13	22
B. Operated	465	7.8	61	1	2	6	11	16	21	38
1. SINGLE DX	68	3.9	28	1	1	2	6	8	10	35
2. MULTIPLE DX	1474	6.4	32	1	3	5	8	13	16	27
A. Not Operated	1045	5.7	18	2	3	5	7	11	13	22
B. Operated	497	7.6	61	1	2	6	11	15	21	39
TOTAL										
0-19 YRS	54	8.7	136	1	1	5	11	20	26	68
20-34	98	6.1	24	1	2	4	9	13	17	21
35-49	255	6.2	31	1	3	4	9	12	16	28
50-64	423	6.4	37	1	3	5	8	13	16	30
65 +	712	6.1	23	2	3	5	8	12	15	23
GRAND TOTAL	**1542**	**6.3**	**32**	**1**	**3**	**5**	**8**	**13**	**16**	**27**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.4	3	1	1	2	3	4	6	8
20-34	58	2.2	5	1	1	2	2	4	5	15
35-49	122	2.8	16	1	1	2	3	5	7	25
50-64	52	1.9	1	1	1	2	3	3	4	4
65 +	26	2.4	3	1	1	2	3	5	7	7
B. Operated										
0-19 YRS	19	2.6	9	< 1	< 1	1	4	7	9	11
20-34	14	7.1	81	< 1	1	4	8	21	30	33
35-49	45	4.0	22	1	1	2	6	9	12	25
50-64	54	5.7	48	1	1	3	7	12	21	35
65 +	45	5.2	27	< 1	1	2	9	12	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	4.2	17	1	2	3	5	8	15	21
20-34	131	3.6	22	1	1	2	4	6	9	26
35-49	315	3.4	10	1	2	2	4	7	9	16
50-64	450	4.5	19	1	2	3	6	9	12	22
65 +	793	5.3	16	2	3	4	7	10	13	20
B. Operated										
0-19 YRS	97	8.5	129	< 1	1	5	10	21	31	59
20-34	85	10.8	189	1	3	6	11	28	40	72
35-49	241	7.9	85	1	2	6	10	17	23	42
50-64	540	9.3	58	1	4	8	12	18	24	41
65 +	1025	10.8	72	1	5	10	14	21	25	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	280	2.4	9	1	1	2	3	4	5	14
B. Operated	177	4.9	35	1	1	2	7	11	17	31
2. MULTIPLE DX										
A. Not Operated	1744	4.6	17	1	2	3	6	9	12	21
B. Operated	1988	9.9	78	1	3	8	13	20	25	44
1. SINGLE DX	457	3.4	20	1	1	2	4	8	10	25
2. MULTIPLE DX	3732	7.4	57	1	2	5	10	16	21	38
A. Not Operated	2024	4.3	16	1	2	3	5	9	12	20
B. Operated	2165	9.5	77	1	3	8	12	20	25	42
TOTAL										
0-19 YRS	193	6.0	77	< 1	1	3	7	13	21	44
20-34	288	5.6	82	1	1	3	6	11	23	49
35-49	723	4.8	41	1	2	3	6	10	14	35
50-64	1096	6.8	45	1	2	5	9	15	19	33
65 +	1889	8.2	54	1	3	7	11	17	22	37
GRAND TOTAL	**4189**	**7.0**	**54**	**1**	**2**	**5**	**9**	**15**	**21**	**37**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	6.0	33	1	3	4	7	16	17	17
35-49	6	3.8	8	<1	<1	3	6	8	8	8
50-64	4	4.8	20	<1	1	3	8	11	11	11
65+	0									
B. Operated										
0-19 YRS	4	12.0	3	10	11	12	13	14	14	14
20-34	18	7.8	17	1	4	8	11	13	14	14
35-49	33	12.7	31	6	9	12	16	20	22	28
50-64	20	7.7	18	2	3	8	10	13	15	16
65+	9	10.4	44	1	7	10	13	20	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	11.0	255	<1	1	4	16	39	39	39
20-34	7	11.0	166	1	3	5	14	33	38	38
35-49	7	7.6	55	2	3	4	12	20	21	21
50-64	19	9.2	192	1	3	5	11	40	81	99+
65+	28	9.9	80	1	4	7	14	20	23	42
B. Operated										
0-19 YRS	6	27.5	338	19	20	20	54	93	99+	99+
20-34	22	18.4	178	5	9	13	30	41	71	99+
35-49	60	18.3	207	5	9	16	21	34	43	86
50-64	78	20.1	199	7	11	16	27	51	60	99+
65+	77	24.5	277	8	11	20	34	43	64	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	4.7	18	<1	2	4	6	10	15	17
B. Operated	84	10.2	29	2	7	10	13	16	20	26
2. MULTIPLE DX										
A. Not Operated	66	9.7	123	1	3	6	12	21	39	94
B. Operated	243	21.1	231	7	11	17	26	43	61	99+
1. SINGLE DX	101	9.2	31	2	4	9	13	16	19	25
2. MULTIPLE DX	309	18.6	229	4	9	15	23	41	60	99+
A. Not Operated	83	8.6	105	1	3	5	11	19	38	87
B. Operated	327	18.3	202	6	9	14	22	39	56	99+
TOTAL										
0-19 YRS	16	16.9	259	2	8	14	20	60	88	99+
20-34	53	12.4	127	3	5	10	14	32	38	98
35-49	106	15.0	148	3	8	14	18	23	35	73
50-64	121	15.8	194	2	8	12	20	40	60	99+
65+	114	19.8	255	4	9	16	25	42	55	75
GRAND TOTAL	**410**	**16.3**	**197**	**3**	**8**	**13**	**21**	**38**	**53**	**99+**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	20.7	474	3	6	14	37	45	45	45
50-64	2	50.0	3528	8	8	50	92	92	92	92
65+	7	11.7	32	6	8	11	13	21	23	23
B. Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	0									
35-49	17	25.1	328	4	15	22	31	45	67	78
50-64	19	36.8	635	9	14	33	64	72	77	80
65+	9	32.2	387	19	19	25	38	64	80	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	12	20.3	632	5	8	12	18	59	87	92
B. Operated	46	31.1	473	12	16	24	39	70	78	80
1. SINGLE DX	0									
2. MULTIPLE DX	58	28.9	515	7	13	22	39	70	79	91
A. Not Operated	12	20.3	632	5	8	12	18	59	87	92
B. Operated	46	31.1	473	12	16	24	39	70	78	80
TOTAL										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	0									
35-49	20	24.5	329	2	14	21	32	45	62	78
50-64	21	38.1	764	8	13	33	67	76	85	92
65+	16	23.3	329	8	12	19	28	40	68	80
GRAND TOTAL	**58**	**28.9**	**515**	**7**	**13**	**22**	**39**	**70**	**79**	**91**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	5.2	16	2	2	3	8	12	12	12
20-34	3	5.0	3	3	4	6	6	6	6	6
35-49	6	4.2	4	1	3	4	6	6	6	6
50-64	14	6.7	38	2	2	4	12	16	21	22
65 +	38	6.7	16	3	4	5	10	13	14	15
B. Operated										
0-19 YRS	9	7.1	31	3	4	6	7	16	21	21
20-34	10	5.7	35	2	3	4	5	14	22	22
35-49	25	9.4	353	2	4	5	7	13	34	98
50-64	28	8.1	33	3	5	6	10	16	23	25
65 +	36	8.1	15	4	5	8	9	12	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.0	6	1	1	2	5	7	7	7
20-34	10	5.9	21	1	3	5	8	12	16	16
35-49	36	7.0	28	2	3	5	9	14	19	24
50-64	108	7.6	27	2	4	6	10	14	17	26
65 +	531	8.6	44	3	4	7	11	17	21	36
B. Operated										
0-19 YRS	31	9.8	57	3	5	7	15	20	21	34
20-34	24	15.9	140	6	8	16	20	28	71	99 +
35-49	56	14.3	201	3	6	11	19	33	72	99 +
50-64	92	17.7	259	4	6	13	22	44	53	75
65 +	259	15.4	177	5	7	12	19	31	46	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	6.3	19	2	3	5	8	13	14	21
B. Operated	108	8.1	99	3	4	6	9	13	21	56
2. MULTIPLE DX										
A. Not Operated	693	8.2	40	2	4	7	11	16	20	34
B. Operated	462	15.4	188	4	7	11	19	34	49	88
1. SINGLE DX	175	7.4	69	2	4	6	9	13	15	24
2. MULTIPLE DX	1155	11.1	111	3	5	8	14	22	32	62
A. Not Operated	760	8.1	38	2	4	6	11	15	20	33
B. Operated	570	14.0	179	4	6	10	18	29	46	88
TOTAL										
0-19 YRS	54	7.9	46	2	3	6	9	19	21	33
20-34	47	10.9	108	3	4	8	18	22	31	99 +
35-49	123	10.7	181	2	4	6	13	21	38	99 +
50-64	242	11.4	140	3	5	8	14	24	38	57
65 +	864	10.5	91	3	5	8	13	21	27	59
GRAND TOTAL	**1330**	**10.6**	**107**	**3**	**5**	**8**	**13**	**21**	**29**	**62**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	7.7	44	2	3	6	13	15	15	15
35-49	16	9.3	25	3	4	9	13	16	18	19
50-64	54	11.4	79	3	6	9	13	28	30	44
65 +	181	10.0	43	4	6	8	12	19	24	34
B. Operated										
0-19 YRS	4	28.0	235	8	20	39	56	99 +	99 +	99 +
20-34	3	28.3	186	19	20	22	38	44	44	44
35-49	12	29.0	743	8	11	17	37	76	93	96
50-64	26	20.3	266	7	10	16	30	68	99 +	99 +
65 +	79	18.6	250	6	9	14	21	38	77	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	254	10.2	50	3	6	9	12	19	27	35
B. Operated	124	20.5	301	7	10	15	26	46	89	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	378	13.6	155	4	7	10	17	29	41	99 +
A. Not Operated	254	10.2	50	3	6	9	12	19	27	35
B. Operated	124	20.5	301	7	10	15	26	46	89	99 +
TOTAL										
0-19 YRS	4	28.0	235	8	20	39	56	99 +	99 +	99 +
20-34	6	18.0	220	2	6	17	22	42	44	44
35-49	28	17.7	416	4	8	11	17	39	70	96
50-64	80	14.3	155	4	7	11	18	34	48	99 +
65 +	260	12.6	121	4	6	10	15	24	33	88
GRAND TOTAL	**378**	**13.6**	**155**	**4**	**7**	**10**	**17**	**29**	**41**	**99 +**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64	8	2.5	4	<1	1	2	3	6	7	7
65+	9	2.8	7	<1	1	2	3	7	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	13	3.9	21	1	2	2	3	14	14	14
50-64	158	2.9	3	1	2	3	4	5	5	11
65+	388	3.5	5	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	8	5.6	12	2	3	5	7	11	12	12
50-64	43	3.9	10	1	2	3	6	9	10	15
65+	173	4.9	12	2	3	4	6	10	12	17
B. Operated										
0-19 YRS	0									
20-34	5	9.4	32	4	4	9	14	17	17	17
35-49	51	4.2	5	2	2	4	5	8	9	98
50-64	548	4.4	16	2	2	3	5	7	10	20
65+	1803	4.7	15	2	3	4	5	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.7	6	<1	1	2	3	7	8	9
B. Operated	559	3.4	5	1	2	3	4	5	7	14
2. MULTIPLE DX										
A. Not Operated	225	4.8	12	1	2	4	6	10	11	16
B. Operated	2407	4.6	15	2	3	4	5	9	11	19
1. SINGLE DX	578	3.3	5	1	2	3	4	5	7	13
2. MULTIPLE DX	2632	4.7	15	2	3	4	5	9	11	19
A. Not Operated	244	4.6	12	1	2	4	6	10	11	16
B. Operated	2966	4.4	13	2	2	4	5	8	11	18
TOTAL										
0-19 YRS	0									
20-34	6	9.5	26	4	4	9	13	17	17	17
35-49	74	4.3	9	2	2	4	6	9	11	78
50-64	757	4.0	14	2	2	3	4	7	9	18
65+	2373	4.5	13	2	3	4	5	8	11	18
GRAND TOTAL	**3210**	**4.4**	**13**	**2**	**2**	**4**	**5**	**8**	**11**	**18**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64	13	8.5	28	5	5	7	9	18	21	22
65+	31	7.2	76	2	3	4	8	11	30	44
B. Operated										
0-19 YRS	0									
20-34	2	13.0		13	13	13	13	13	13	13
35-49	5	6.8	33	<1	3	5	10	16	16	16
50-64	23	5.5	13	2	3	5	8	11	12	14
65+	83	6.9	41	2	3	5	7	16	22	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	47	7.4	57	2	4	6	8	12	23	44
B. Operated	113	6.7	35	2	3	5	8	14	21	31
1. SINGLE DX	0									
2. MULTIPLE DX	160	6.9	41	2	3	5	8	14	21	32
A. Not Operated	47	7.4	57	2	4	6	8	12	23	44
B. Operated	113	6.7	35	2	3	5	8	14	21	31
TOTAL										
0-19 YRS	0									
20-34	2	13.0		13	13	13	13	13	13	13
35-49	8	6.4	20	1	4	5	7	14	16	16
50-64	36	6.6	20	2	3	6	9	11	16	22
65+	114	7.0	50	2	3	5	7	15	23	36
GRAND TOTAL	**160**	**6.9**	**41**	**2**	**3**	**5**	**8**	**14**	**21**	**32**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	31	5.5	20	2	2	4	6	13	17	17
50-64	50	4.6	12	1	3	4	6	8	8	20
65 +	179	5.0	15	1	2	4	6	9	13	21
B. Operated										
0-19 YRS	0									
20-34	8	5.8	16	1	2	6	9	11	11	11
35-49	9	4.6	9	< 1	2	5	6	9	10	10
50-64	7	5.0	23	1	2	4	6	13	15	15
65 +	16	4.1	5	2	2	4	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.7	41	2	2	4	11	14	14	14
20-34	27	9.0	89	2	3	5	12	18	30	43
35-49	187	7.2	48	2	4	6	8	12	20	34
50-64	837	6.3	42	2	3	5	8	11	15	28
65 +	4243	6.5	24	2	4	5	8	12	14	24
B. Operated										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	17	15.6	337	2	5	9	18	43	60	68
35-49	49	9.5	64	2	4	8	12	19	27	44
50-64	149	13.8	213	3	5	9	16	30	44	76
65 +	495	13.1	134	4	6	9	16	27	38	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	4.9	15	2	2	4	6	9	13	20
B. Operated	40	4.7	10	1	2	4	6	9	11	15
2. MULTIPLE DX										
A. Not Operated	5297	6.5	28	2	3	5	8	12	15	25
B. Operated	711	13.1	151	4	6	9	16	28	40	65
1. SINGLE DX	305	4.9	14	1	2	4	6	9	13	19
2. MULTIPLE DX	6008	7.3	47	2	4	6	9	13	18	37
A. Not Operated	5562	6.5	27	2	3	5	8	11	15	25
B. Operated	751	12.6	147	3	5	9	15	27	38	64
TOTAL										
0-19 YRS	5	11.4	168	2	3	4	19	33	33	33
20-34	56	10.0	160	1	3	7	11	23	42	67
35-49	276	7.3	47	2	4	6	9	15	20	34
50-64	1043	7.3	72	2	3	5	8	13	20	43
65 +	4933	7.1	38	2	4	6	9	13	17	34
GRAND TOTAL	**6313**	**7.2**	**46**	**2**	**3**	**6**	**9**	**13**	**18**	**36**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	13	5.5	14	1	3	5	7	12	13	13
35-49	76	11.1	92	4	5	7	14	26	30	44
50-64	484	8.5	63	3	4	7	10	15	21	42
65 +	2177	8.1	30	3	5	7	10	14	18	30
B. Operated										
0-19 YRS	7	10.0	108	4	4	7	9	28	33	33
20-34	9	11.6	106	3	4	8	17	29	30	30
35-49	27	12.6	193	5	6	8	14	23	37	74
50-64	71	14.9	266	4	6	10	16	28	43	95
65 +	228	16.3	130	6	9	13	21	32	41	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2752	8.3	38	3	5	7	10	15	19	33
B. Operated	342	15.5	162	5	7	12	19	30	41	63
1. SINGLE DX	0									
2. MULTIPLE DX	3094	9.1	57	3	5	7	11	17	22	40
A. Not Operated	2752	8.3	38	3	5	7	10	15	19	33
B. Operated	342	15.5	162	5	7	12	19	30	41	63
TOTAL										
0-19 YRS	9	9.2	88	3	4	7	10	24	33	33
20-34	22	8.0	58	2	4	5	10	18	28	30
35-49	103	11.5	118	4	5	7	14	25	30	59
50-64	555	9.4	93	3	4	7	11	17	23	46
65 +	2405	8.9	45	3	5	7	11	16	21	38
GRAND TOTAL	**3094**	**9.1**	**57**	**3**	**5**	**7**	**11**	**17**	**22**	**40**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	1.8	1	1	1	2	2	3	4	4
35-49	29	2.8	6	1	1	2	4	5	6	13
50-64	100	2.2	2	1	1	2	3	4	5	8
65 +	235	2.3	3	1	1	2	3	5	5	8
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	4.0	10	< 1	3	3	4	9	10	10
50-64	19	3.9	12	1	2	3	4	6	12	17
65 +	36	3.3	4	1	2	3	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	31	2.4	2	1	1	2	3	4	5	6
35-49	175	3.4	8	1	1	3	4	7	8	13
50-64	660	3.1	6	1	2	2	4	6	7	12
65 +	3242	3.7	7	1	2	3	5	7	9	13
B. Operated										
0-19 YRS	0									
20-34	3	9.0	112	1	2	5	17	21	21	21
35-49	33	4.3	13	1	2	4	5	7	8	21
50-64	114	5.1	19	2	2	4	6	10	13	23
65 +	347	6.7	51	2	3	5	8	13	17	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	374	2.3	3	1	1	2	3	4	5	8
B. Operated	62	3.5	7	1	2	3	5	6	8	16
2. MULTIPLE DX										
A. Not Operated	4109	3.6	7	1	2	3	4	7	8	13
B. Operated	497	6.2	42	2	3	5	7	12	16	31
1. SINGLE DX	436	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	4606	3.9	11	1	2	3	5	7	9	16
A. Not Operated	4483	3.5	7	1	2	3	4	7	8	13
B. Operated	559	5.9	39	2	3	5	7	11	16	31
TOTAL										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	44	2.7	10	1	1	2	3	4	5	21
35-49	243	3.4	9	1	1	3	4	7	8	14
50-64	893	3.3	8	1	2	2	4	6	8	16
65 +	3860	3.9	12	1	2	3	5	7	9	15
GRAND TOTAL	**5042**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	3.3	6	< 1	< 1	4	5	7	7	7
35-49	19	4.3	9	2	2	3	6	7	11	14
50-64	46	5.1	16	1	3	4	6	8	14	22
65 +	107	5.0	70	2	2	4	5	8	10	47
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	5	5.6	23	2	3	4	7	14	14	14
50-64	5	5.8	9	2	4	5	8	10	10	10
65 +	6	10.8	92	1	3	9	17	24	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	9.0	125	1	2	3	14	28	28	28
35-49	65	4.8	24	2	2	4	5	8	12	33
50-64	332	5.3	21	1	2	4	7	11	14	23
65 +	1834	6.2	22	2	3	5	8	11	15	23
B. Operated										
0-19 YRS	0									
20-34	8	7.6	11	4	5	7	8	13	15	15
35-49	12	8.8	48	2	4	6	12	20	23	24
50-64	39	9.0	37	3	5	7	13	18	22	26
65 +	154	10.9	55	4	6	9	14	19	23	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	4.9	47	1	2	4	6	8	11	21
B. Operated	16	7.6	46	2	3	5	12	17	23	25
2. MULTIPLE DX										
A. Not Operated	2236	6.1	22	2	3	5	8	11	15	23
B. Operated	213	10.3	50	4	6	8	14	19	24	46
1. SINGLE DX	195	5.1	47	2	2	4	6	8	14	24
2. MULTIPLE DX	2449	6.4	26	2	3	5	8	12	16	25
A. Not Operated	2415	6.0	24	2	3	5	7	11	15	23
B. Operated	229	10.1	50	3	5	8	14	19	24	44
TOTAL										
0-19 YRS	0									
20-34	20	6.5	38	< 1	3	5	8	12	21	28
35-49	101	5.2	25	2	2	4	6	10	14	30
50-64	422	5.6	23	2	2	4	7	11	16	23
65 +	2101	6.5	29	2	3	5	8	12	16	25
GRAND TOTAL	**2644**	**6.3**	**28**	**2**	**3**	**5**	**8**	**12**	**16**	**25**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	5.2	7	1	4	5	8	8	8	8
35-49	27	5.7	25	2	2	4	8	10	13	26
50-64	116	6.9	42	3	3	5	8	12	21	38
65 +	735	6.9	20	3	4	6	9	13	15	22
B. Operated										
0-19 YRS	0									
20-34	1	16.0		16	16	16	16	16	16	16
35-49	6	7.5	32	2	4	6	11	16	17	17
50-64	20	13.8	391	3	5	7	16	23	59	93
65 +	78	10.4	50	3	6	8	14	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	885	6.8	23	3	4	6	8	13	15	25
B. Operated	105	10.9	112	3	6	8	15	19	25	64
1. SINGLE DX	0									
2. MULTIPLE DX	990	7.2	34	3	4	6	9	13	17	27
A. Not Operated	885	6.8	23	3	4	6	8	13	15	25
B. Operated	105	10.9	112	3	6	8	15	19	25	64
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	6.7	23	2	4	6	8	14	16	16
35-49	33	6.0	25	2	3	4	8	11	16	26
50-64	136	7.9	97	3	3	5	8	16	22	48
65 +	813	7.2	23	3	4	6	9	13	17	25
GRAND TOTAL	**990**	**7.2**	**34**	**3**	**4**	**6**	**9**	**13**	**17**	**27**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.6	2	2	3	3	4	6	6	6
35-49	11	3.5	7	1	2	2	6	8	8	8
50-64	20	2.6	5	1	1	2	3	6	7	7
65 +	21	3.0	4	1	1	2	4	6	7	8
B. Operated										
0-19 YRS	3	3.3	4	1	2	4	5	5	5	5
20-34	10	4.8	11	1	2	4	8	9	10	10
35-49	20	5.8	25	1	1	6	8	12	16	19
50-64	16	8.9	91	1	1	7	11	21	32	37
65 +	11	2.8	11	< 1	< 1	1	4	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	4.1	26	1	2	2	4	13	17	17
20-34	22	5.3	49	1	1	3	5	14	23	30
35-49	75	4.5	27	1	2	3	5	8	12	29
50-64	164	4.5	46	1	2	3	5	8	12	71
65 +	548	5.3	41	2	2	4	6	9	13	22
B. Operated										
0-19 YRS	9	4.7	17	1	2	3	7	11	13	13
20-34	21	9.5	32	4	6	8	11	16	22	28
35-49	47	10.0	92	1	4	7	14	22	24	56
50-64	60	11.1	143	2	4	7	15	27	30	73
65 +	82	9.2	120	1	4	6	10	24	30	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	2.9	4	1	1	2	4	7	7	8
B. Operated	60	5.8	40	1	1	4	9	11	17	35
2. MULTIPLE DX										
A. Not Operated	818	5.1	41	1	2	4	6	9	13	29
B. Operated	219	9.7	108	2	4	7	13	22	28	77
1. SINGLE DX	118	4.4	24	1	1	3	7	9	11	27
2. MULTIPLE DX	1037	6.0	59	1	2	4	7	13	17	33
A. Not Operated	876	4.9	39	1	2	3	6	9	13	28
B. Operated	279	8.9	96	1	3	6	11	20	27	71
TOTAL										
0-19 YRS	22	4.1	17	1	1	3	5	10	15	17
20-34	58	6.6	36	1	3	5	9	13	18	30
35-49	153	6.3	51	1	2	4	8	14	22	31
50-64	260	6.1	76	1	2	3	7	13	20	73
65 +	662	5.7	51	1	2	4	7	10	15	31
GRAND TOTAL	**1155**	**5.9**	**55**	**1**	**2**	**4**	**7**	**12**	**17**	**32**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	4	5.3	1	4	4	5	6	6	6	6
50-64	4	7.3	8	4	5	7	9	10	10	10
65 +	7	3.4	11	< 1	< 1	1	7	8	8	8
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	10	7.9	53	2	3	5	9	20	26	26
35-49	35	3.7	9	1	1	3	5	7	8	15
50-64	107	4.1	15	1	1	4	5	8	8	22
65 +	175	3.8	7	1	1	3	5	8	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	7.4	7	4	6	7	10	11	11	11
35-49	15	6.5	13	2	4	6	8	11	14	15
50-64	35	6.2	25	1	3	5	8	10	18	24
65 +	149	6.5	15	2	4	6	9	11	14	16
B. Operated										
0-19 YRS	5	14.4	173	4	6	10	20	37	37	37
20-34	18	7.5	19	3	4	6	12	14	15	16
35-49	133	8.0	62	2	4	6	9	16	26	65
50-64	693	7.2	47	1	3	6	9	13	20	42
65 +	2227	8.6	54	2	4	7	10	17	22	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	5.0	9	< 1	2	5	7	9	10	10
B. Operated	329	4.0	11	1	2	3	5	8	8	15
2. MULTIPLE DX										
A. Not Operated	206	6.5	16	2	4	6	9	11	14	20
B. Operated	3076	8.3	53	2	4	7	10	16	21	38
1. SINGLE DX	345	4.1	11	1	2	4	6	8	9	15
2. MULTIPLE DX	3282	8.2	51	2	4	7	10	16	21	37
A. Not Operated	222	6.4	15	2	4	6	9	11	14	20
B. Operated	3405	7.8	51	1	4	6	10	15	21	36
TOTAL										
0-19 YRS	8	10.5	129	3	4	6	12	30	37	37
20-34	35	7.6	25	3	4	6	10	14	16	26
35-49	187	7.0	49	2	3	6	8	12	20	50
50-64	839	6.7	43	1	3	5	8	12	18	35
65 +	2558	8.2	50	2	4	7	10	16	21	35
GRAND TOTAL	3627	7.8	49	2	4	6	9	15	20	36

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	8.3	32	1	4	9	12	14	14	14
50-64	10	4.8	26	1	1	2	6	14	14	14
65 +	6	7.2	68	1	1	5	9	21	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	6.2	51	< 1	1	2	12	17	17	17
50-64	12	3.1	14	< 1	1	2	3	8	13	14
65 +	24	4.5	14	1	2	3	5	11	13	14
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	19	6.6	27	1	2	6	10	15	17	17
50-64	111	7.8	59	1	2	7	9	14	22	42
65 +	166	8.0	80	1	3	7	10	15	18	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	20	6.2	38	1	1	4	10	14	18	22
2. MULTIPLE DX										
A. Not Operated	41	4.3	18	1	1	3	5	12	14	17
B. Operated	298	7.8	69	1	2	7	10	14	18	43
1. SINGLE DX	21	6.0	36	1	1	3	10	14	18	22
2. MULTIPLE DX	339	7.4	64	1	2	6	10	14	18	42
A. Not Operated	42	4.3	17	1	1	3	5	12	14	17
B. Operated	318	7.7	67	1	2	7	10	14	18	42
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	29	6.7	29	1	2	6	10	15	17	17
50-64	133	7.1	55	1	2	6	9	14	21	42
65 +	196	7.6	73	1	2	6	10	14	18	43
GRAND TOTAL	360	7.3	62	1	2	6	10	14	18	42

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	1.7	1	< 1	< 1	1	2	3	3	3
65 +	4	2.0	4	< 1	< 1	1	3	5	5	5
B. Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	9.7	21	7	7	7	13	15	15	15
50-64	46	7.4	12	5	6	7	8	10	12	24
65 +	84	7.8	20	4	6	8	9	10	12	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	5	11.8	41	2	8	12	17	18	18	18
50-64	26	5.7	76	< 1	1	2	6	10	33	35
65 +	114	5.2	27	1	2	3	7	14	16	24
B. Operated										
0-19 YRS	2	37.0	1568	9	9	37	65	65	65	65
20-34	7	14.4	167	3	9	11	14	37	42	42
35-49	28	10.7	107	3	6	9	12	15	25	58
50-64	356	10.0	47	6	7	8	11	16	21	36
65 +	1320	12.3	93	6	8	10	14	21	30	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.9	10	< 1	< 1	1	4	8	10	10
B. Operated	134	7.7	17	4	6	7	9	10	12	27
2. MULTIPLE DX										
A. Not Operated	146	5.6	37	1	2	3	7	14	17	32
B. Operated	1713	11.8	86	6	7	9	13	20	29	60
1. SINGLE DX	142	7.4	18	2	6	7	9	10	12	25
2. MULTIPLE DX	1859	11.4	85	4	7	9	13	20	27	58
A. Not Operated	154	5.4	36	< 1	1	3	7	14	17	32
B. Operated	1847	11.5	82	6	7	9	13	19	27	58
TOTAL										
0-19 YRS	2	37.0	1568	9	9	37	65	65	65	65
20-34	9	13.8	129	4	9	11	14	31	42	42
35-49	37	10.7	86	3	7	9	13	17	20	58
50-64	431	9.4	46	5	7	8	10	15	21	35
65 +	1522	11.5	88	4	7	9	13	20	29	60
GRAND TOTAL	**2001**	**11.1**	**82**	**4**	**7**	**9**	**12**	**19**	**26**	**56**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	7.5	85	< 1	< 1	7	14	14	14	14
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	8	5.8	31	< 1	1	4	8	15	17	17
35-49	8	6.3	49	1	1	4	8	18	22	22
50-64	20	6.0	17	1	4	5	8	12	14	16
65 +	22	4.6	9	2	3	4	5	8	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	13.3	204	< 1	2	10	24	29	29	29
65 +	11	4.1	18	< 1	1	3	6	10	15	15
B. Operated										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	6	11.5	27	6	8	9	18	18	18	18
35-49	30	6.6	35	2	3	5	9	12	22	28
50-64	79	6.9	49	1	3	5	8	13	24	36
65 +	211	8.4	71	2	4	6	10	16	23	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.3	56	< 1	< 1	1	11	14	14	14
B. Operated	58	5.5	19	1	2	4	7	11	16	22
2. MULTIPLE DX										
A. Not Operated	17	5.2	53	< 1	1	2	6	14	24	29
B. Operated	328	7.9	62	2	4	6	9	16	22	39
1. SINGLE DX	61	5.5	20	1	2	4	7	12	15	21
2. MULTIPLE DX	345	7.8	61	2	4	6	9	15	22	38
A. Not Operated	20	5.3	50	< 1	1	2	6	14	22	29
B. Operated	386	7.6	56	2	4	6	9	15	22	38
TOTAL										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	15	7.7	37	1	2	6	11	18	18	18
35-49	41	6.2	36	1	2	5	8	12	22	28
50-64	104	6.9	46	1	3	5	9	13	21	34
65 +	244	7.8	64	2	4	6	9	15	22	41
GRAND TOTAL	**406**	**7.4**	**56**	**2**	**3**	**6**	**9**	**15**	**22**	**38**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	4.3	17	1	1	3	7	9	9	9
35-49	0									
50-64	4	2.8	1	2	2	3	3	4	4	4
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	20	4.3	10	1	2	3	7	9	10	11
50-64	43	5.9	19	1	3	5	8	10	15	20
65 +	23	5.4	22	1	2	4	9	11	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	8.5	9	5	6	9	11	11	11	11
35-49	7	7.5	35	2	5	7	8	18	20	20
50-64	19	6.6	13	2	4	6	10	12	13	14
65 +	47	5.5	15	1	3	5	7	10	11	24
B. Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	10	11.2	102	2	4	7	19	28	28	28
35-49	75	7.0	16	1	5	7	9	12	16	19
50-64	253	8.0	40	1	4	7	10	16	21	30
65 +	417	8.7	52	2	4	7	11	16	21	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.4	7	1	2	3	4	8	9	9
B. Operated	88	5.4	17	1	2	4	8	10	12	20
2. MULTIPLE DX										
A. Not Operated	77	6.1	16	2	4	6	7	11	12	23
B. Operated	757	8.3	46	2	4	7	10	16	20	37
1. SINGLE DX	95	5.3	17	1	2	4	8	10	12	20
2. MULTIPLE DX	834	8.1	43	2	4	7	10	15	20	32
A. Not Operated	84	5.9	16	2	3	5	7	11	12	23
B. Operated	845	8.0	43	2	4	7	10	15	20	31
TOTAL										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	19	8.9	63	2	3	7	10	24	28	28
35-49	102	6.5	17	1	3	6	8	11	16	19
50-64	319	7.6	36	1	4	7	9	14	20	29
65 +	487	8.2	49	2	4	7	10	14	20	37
GRAND TOTAL	**929**	**7.8**	**41**	**2**	**4**	**7**	**9**	**14**	**19**	**30**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	91	3.5	3	1	3	4	4	5	6	9
20-34	15	2.7	3	1	2	2	3	6	7	7
35-49	20	3.4	11	<1	1	2	4	8	11	13
50-64	15	3.2	5	1	1	3	4	7	8	8
65 +	6	2.3	4	<1	1	2	3	6	6	6
B. Operated										
0-19 YRS	11	4.9	27	<1	1	3	6	12	18	19
20-34	19	5.3	16	1	2	4	7	12	14	14
35-49	41	4.0	17	1	1	2	5	9	15	16
50-64	80	4.3	45	<1	1	2	6	11	14	42
65 +	76	2.8	8	<1	1	1	3	6	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	4.9	10	2	3	4	6	7	11	18
20-34	16	5.1	6	2	4	5	6	7	11	12
35-49	40	5.3	25	1	2	4	7	12	15	25
50-64	57	5.2	19	1	2	4	7	11	14	23
65 +	167	6.1	32	1	3	4	7	13	17	30
B. Operated										
0-19 YRS	25	7.7	120	1	1	4	7	23	37	45
20-34	47	6.6	32	1	1	5	10	14	17	26
35-49	110	8.7	92	1	2	5	10	21	31	48
50-64	326	7.7	76	1	2	5	9	21	27	45
65 +	653	8.1	86	1	2	6	10	16	25	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	3.3	4	1	2	3	4	5	7	10
B. Operated	227	3.9	25	<1	1	2	5	8	13	19
2. MULTIPLE DX										
A. Not Operated	367	5.5	23	1	3	4	7	11	15	27
B. Operated	1161	7.9	82	1	2	5	10	17	26	51
1. SINGLE DX	374	3.6	17	1	1	3	4	7	10	17
2. MULTIPLE DX	1528	7.4	69	1	2	5	9	16	24	46
A. Not Operated	514	4.9	19	1	2	4	6	9	13	26
B. Operated	1388	7.3	75	1	2	5	9	16	24	49
TOTAL										
0-19 YRS	214	4.6	21	1	3	4	5	7	11	27
20-34	97	5.5	22	1	2	4	7	13	14	23
35-49	211	6.7	62	1	2	4	9	15	23	41
50-64	478	6.7	64	1	1	4	8	16	25	41
65 +	902	7.2	71	1	2	5	9	15	22	50
GRAND TOTAL	**1902**	**6.6**	**61**	**1**	**2**	**4**	**8**	**14**	**21**	**41**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	6.3	22	2	3	6	7	14	16	16
20-34	65	5.0	6	2	4	5	6	8	9	13
35-49	111	5.7	9	2	4	5	8	10	11	13
50-64	112	5.6	6	3	4	6	7	9	10	12
65 +	102	6.1	5	3	5	6	7	9	10	12
B. Operated										
0-19 YRS	3	10.7	126	1	3	8	19	23	23	23
20-34	27	6.5	10	2	5	7	8	9	11	16
35-49	40	5.0	7	1	3	5	7	9	9	11
50-64	34	5.1	4	2	4	5	7	8	8	8
65 +	49	6.4	20	2	4	6	8	10	10	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	6.8	12	3	4	7	9	12	14	14
20-34	86	6.0	12	2	4	5	8	10	12	19
35-49	235	6.7	13	3	4	6	9	11	14	17
50-64	351	6.6	10	3	5	6	8	10	12	17
65 +	817	7.4	12	4	5	7	9	11	13	21
B. Operated										
0-19 YRS	6	6.3	13	1	3	7	9	10	10	10
20-34	42	8.0	51	2	5	7	9	13	15	47
35-49	79	8.4	35	3	5	7	10	15	23	29
50-64	145	7.6	22	2	4	7	10	13	17	23
65 +	291	8.5	25	4	5	7	10	15	18	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	397	5.7	7	3	4	6	7	9	10	12
B. Operated	153	5.8	14	2	4	6	7	9	10	23
2. MULTIPLE DX										
A. Not Operated	1500	7.0	12	3	5	7	8	11	13	20
B. Operated	563	8.2	27	3	5	7	10	14	18	27
1. SINGLE DX	550	5.7	9	2	4	6	7	9	10	13
2. MULTIPLE DX	2063	7.3	16	3	5	7	9	12	14	22
A. Not Operated	1897	6.7	11	3	5	6	8	11	12	18
B. Operated	716	7.7	25	2	5	7	9	13	17	27
TOTAL										
0-19 YRS	27	7.0	24	2	3	6	9	13	17	23
20-34	220	6.1	18	2	4	6	8	10	12	18
35-49	465	6.6	16	2	4	6	9	11	14	22
50-64	642	6.6	12	3	4	6	8	11	12	20
65 +	1259	7.5	15	4	5	7	9	12	14	23
GRAND TOTAL	**2613**	**7.0**	**15**	**3**	**5**	**6**	**8**	**11**	**14**	**22**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	9	3.9	6	1	2	4	6	7	8	8
50-64	8	4.3	12	1	1	4	7	9	10	10
65 +	15	8.1	32	2	3	6	13	17	18	18
B. Operated										
0-19 YRS	8	1.1		< 1	1	1	1	2	2	2
20-34	146	1.5	1	1	1	1	2	3	3	4
35-49	275	1.6	1	1	1	1	2	3	3	7
50-64	160	2.0	5	1	1	2	2	3	5	15
65 +	57	3.9	27	1	1	2	3	13	16	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	12	9.4	254	< 1	1	3	8	36	51	54
35-49	20	6.0	27	1	2	5	9	11	17	23
50-64	40	10.0	47	3	5	9	12	19	22	35
65 +	163	8.8	98	3	4	6	10	15	23	74
B. Operated										
0-19 YRS	0									
20-34	34	1.9	1	1	1	2	2	3	4	5
35-49	107	4.4	45	1	1	2	4	9	20	36
50-64	116	4.8	33	1	1	2	6	14	18	25
65 +	151	10.5	137	1	2	5	15	28	35	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	5.9	23	1	2	5	8	14	17	18
B. Operated	646	1.9	5	1	1	1	2	3	4	15
2. MULTIPLE DX										
A. Not Operated	236	8.8	90	3	4	6	10	16	23	57
B. Operated	408	6.5	81	1	1	3	7	18	26	44
1. SINGLE DX	678	2.1	6	1	1	1	2	3	5	15
2. MULTIPLE DX	644	7.4	86	1	2	4	9	18	26	46
A. Not Operated	268	8.4	83	2	4	6	10	15	23	52
B. Operated	1054	3.7	40	1	1	2	3	8	17	34
TOTAL										
0-19 YRS	9	1.6	2	< 1	1	1	2	4	5	5
20-34	192	2.1	19	1	1	1	2	3	3	20
35-49	411	2.6	16	1	1	1	2	4	8	23
50-64	324	4.0	27	1	1	2	4	11	16	24
65 +	386	8.7	105	1	3	6	11	21	28	51
GRAND TOTAL	**1322**	**4.7**	**52**	**1**	**1**	**2**	**5**	**11**	**18**	**35**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	17	2.5	3	1	1	2	3	5	6	6
35-49	16	2.1	2	<1	1	2	3	5	5	5
50-64	14	2.4	5	<1	<1	1	3	5	8	9
65+	5	2.2	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	62	2.4	2	1	1	2	3	4	5	7
35-49	116	2.4	2	1	1	2	3	4	5	8
50-64	86	2.2	2	1	1	2	3	4	5	8
65+	27	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	26	2.8	4	<1	1	2	4	5	7	8
35-49	57	2.7	3	1	1	2	3	5	7	8
50-64	53	3.5	6	1	2	3	4	6	10	11
65+	88	3.8	8	1	2	3	5	7	8	17
B. Operated										
0-19 YRS	9	3.7	3	2	2	3	5	6	6	6
20-34	238	2.7	3	1	2	2	3	5	6	10
35-49	601	2.6	3	1	2	2	3	4	5	8
50-64	430	2.7	2	1	2	2	3	5	6	8
65+	298	3.2	5	1	2	3	4	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	2.3	3	<1	1	2	3	5	6	9
B. Operated	291	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	226	3.3	6	1	2	3	4	7	8	12
B. Operated	1576	2.8	3	1	2	2	3	5	6	10
1. SINGLE DX	345	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1802	2.8	4	1	2	2	3	5	6	10
A. Not Operated	280	3.1	6	1	2	2	4	6	7	11
B. Operated	1867	2.7	3	1	2	2	3	5	6	9
TOTAL										
0-19 YRS	13	3.1	3	1	2	3	4	6	6	6
20-34	343	2.6	3	1	1	2	3	5	6	10
35-49	790	2.6	3	1	2	2	3	4	5	8
50-64	583	2.7	3	1	2	2	3	5	6	9
65+	418	3.2	6	1	2	3	4	6	7	15
GRAND TOTAL	**2147**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**	**10**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	4.5	8	1	2	5	7	8	9	9
20-34	102	5.7	8	2	4	6	7	9	10	14
35-49	154	5.9	10	2	4	6	7	9	10	19
50-64	148	5.5	6	2	3	6	7	9	10	11
65+	129	5.5	8	1	3	6	7	9	10	12
B. Operated										
0-19 YRS	34	2.6	8	<1	<1	1	3	8	9	10
20-34	62	5.0	9	1	3	5	7	9	10	12
35-49	65	5.0	10	1	2	5	7	8	10	13
50-64	58	6.1	20	2	4	6	8	10	11	31
65+	50	5.9	13	1	4	6	8	9	10	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	5.6	19	1	2	4	8	11	14	19
20-34	196	5.9	11	2	3	6	8	9	13	15
35-49	470	5.6	13	2	3	5	7	10	11	17
50-64	780	5.9	16	2	3	6	8	10	13	19
65+	2220	6.0	19	2	3	6	8	10	13	18
B. Operated										
0-19 YRS	34	8.8	63	1	3	7	9	23	28	30
20-34	140	7.5	50	1	3	6	9	15	23	34
35-49	245	7.8	34	2	4	6	9	16	20	25
50-64	365	8.4	42	2	5	7	10	16	22	32
65+	738	8.9	45	3	5	7	11	18	23	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	555	5.6	8	1	4	6	7	9	10	14
B. Operated	269	5.1	13	1	2	5	7	9	10	16
2. MULTIPLE DX										
A. Not Operated	3713	5.9	17	2	3	6	8	10	13	18
B. Operated	1522	8.5	43	2	5	7	10	17	23	34
1. SINGLE DX	824	5.4	10	1	3	6	7	9	10	15
2. MULTIPLE DX	5235	6.7	26	2	3	6	8	12	15	26
A. Not Operated	4268	5.9	16	2	3	6	8	10	12	18
B. Operated	1791	8.0	40	2	4	7	9	16	21	33
TOTAL										
0-19 YRS	137	5.5	30	1	1	4	8	10	17	29
20-34	500	6.2	21	1	3	6	8	10	14	24
35-49	934	6.2	19	2	3	6	8	10	15	21
50-64	1351	6.5	2[illegible]	2	3	6	8	11	15	27
65+	3137	6.7	26	2	4	6	8	12	15	26
GRAND TOTAL	**6059**	**6.5**	**24**	**2**	**3**	**6**	**8**	**11**	**15**	**25**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2234	1.7	1	1	1	1	2	3	4	5
20-34	132	2.5	2	1	2	2	3	4	5	7
35-49	86	2.6	2	1	2	2	3	4	5	7
50-64	17	2.5	4	1	1	2	3	4	7	9
65 +	13	2.9	3	< 1	1	3	4	5	6	6
B. Operated										
0-19 YRS	69	2.0	4	< 1	< 1	1	2	5	6	10
20-34	28	3.3	11	1	1	1	5	7	10	14
35-49	9	3.6	11	1	1	2	6	9	10	10
50-64	4	2.0	4	1	1	1	3	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2803	2.4	3	1	1	2	3	4	6	9
20-34	376	2.8	3	1	2	2	3	5	7	9
35-49	247	3.0	4	1	2	3	4	5	6	11
50-64	230	4.1	9	1	2	3	5	8	10	16
65 +	370	4.7	10	2	3	4	6	9	11	13
B. Operated										
0-19 YRS	113	4.6	21	1	1	3	7	10	14	24
20-34	52	4.2	10	1	2	4	5	8	12	13
35-49	60	5.5	24	1	2	4	8	12	16	23
50-64	45	5.1	20	1	2	4	7	10	12	24
65 +	34	8.5	92	2	4	6	9	20	25	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2482	1.8	1	1	1	1	2	3	4	6
B. Operated	111	2.4	6	< 1	1	1	3	6	7	12
2. MULTIPLE DX										
A. Not Operated	4026	2.8	5	1	1	2	3	5	7	12
B. Operated	304	5.2	29	1	1	4	7	11	15	24
1. SINGLE DX	2593	1.8	1	1	1	1	2	3	4	6
2. MULTIPLE DX	4330	3.0	7	1	1	2	4	6	8	13
A. Not Operated	6508	2.4	4	1	1	2	3	4	6	10
B. Operated	415	4.5	24	1	1	3	6	10	13	24
TOTAL										
0-19 YRS	5219	2.1	3	1	1	2	3	4	5	9
20-34	588	2.9	4	1	2	2	4	5	7	11
35-49	402	3.3	7	1	2	3	4	6	9	15
50-64	296	4.1	11	1	2	3	5	8	11	17
65 +	418	5.0	17	2	3	4	6	9	11	21
GRAND TOTAL	**6923**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1388	2.4	2	1	1	2	3	4	5	8
20-34	53	2.8	1	1	2	3	4	4	5	5
35-49	52	3.1	4	1	2	3	3	5	6	13
50-64	41	3.3	3	1	2	3	4	5	7	10
65 +	38	3.7	5	1	2	3	5	7	8	11
B. Operated										
0-19 YRS	10	4.0	11	1	2	[illegible]	5	9	12	12
20-34	0									
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3540	3.5	6	1	2	3	4	6	8	13
20-34	358	4.6	28	1	2	3	5	9	12	17
35-49	462	4.2	9	2	2	4	5	8	10	14
50-64	1520	5.1	11	2	3	4	6	9	11	18
65 +	4680	5.8	15	2	3	5	7	10	13	20
B. Operated										
0-19 YRS	46	8.3	54	1	3	6	12	17	20	40
20-34	21	10.1	52	3	4	9	14	27	57	99 +
35-49	32	12.6	202	3	5	9	13	25	58	61
50-64	73	9.1	57	2	5	8	12	15	26	41
65 +	241	11.4	148	3	5	8	14	21	32	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1572	2.5	3	1	1	2	3	4	5	8
B. Operated	14	3.6	9	1	2	2	5	7	11	12
2. MULTIPLE DX										
A. Not Operated	10560	4.8	13	2	3	4	6	9	11	18
B. Operated	413	10.7	121	3	5	8	13	20	31	66
1. SINGLE DX	1586	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	10973	5.0	18	2	3	4	6	9	12	20
A. Not Operated	12132	4.5	12	1	2	4	6	8	10	17
B. Operated	427	10.4	119	2	4	8	13	20	29	64
TOTAL										
0-19 YRS	4984	3.2	6	1	2	3	4	6	7	12
20-34	432	4.6	27	1	2	3	5	9	13	27
35-49	549	4.6	23	2	2	4	5	9	10	20
50-64	1635	5.2	14	2	3	4	7	9	12	19
65 +	4959	6.0	23	2	3	5	7	10	14	23
GRAND TOTAL	**12559**	**4.7**	**17**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	1.0		< 1	1	1	1	1	2	2
20-34	29	1.2		1	1	1	1	2	2	2
35-49	34	1.1		1	1	1	1	2	2	3
50-64	15	1.0		< 1	1	1	1	1	1	1
65 +	7	1.0		< 1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	40	1.2		< 1	1	1	1	2	2	3
20-34	110	1.2		< 1	1	1	1	2	2	3
35-49	160	1.4	1	1	1	1	2	2	3	4
50-64	93	1.4	1	1	1	1	2	2	3	8
65 +	43	2.0	6	1	1	1	2	3	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	108	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	446	1.4	1	1	1	1	1	2	3	6
1. SINGLE DX	108	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX	447	1.4	1	1	1	1	1	2	3	6
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	554	1.3	1	1	1	1	1	2	3	5
TOTAL										
0-19 YRS	63	1.1		< 1	1	1	1	2	2	3
20-34	140	1.2		< 1	1	1	1	2	2	3
35-49	194	1.3	1	1	1	1	1	2	3	4
50-64	108	1.4	1	1	1	1	1	2	3	7
65 +	50	1.9	5	1	1	1	2	3	6	12
GRAND TOTAL	**555**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**	**5**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	7	1.4	1	< 1	1	1	1	3	4	4
35-49	11	1.0		1	1	1	1	1	1	1
50-64	7	1.6	1	1	1	1	2	3	3	3
65 +	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	15	1.7	1	1	1	1	2	3	5	5
20-34	34	1.7	2	1	1	1	2	3	5	6
35-49	40	1.3		1	1	1	1	2	3	3
50-64	42	1.9	5	1	1	1	2	3	4	15
65 +	35	2.0	5	1	1	1	2	4	4	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	33	1.3		1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	166	1.7	3	1	1	1	2	3	4	13
1. SINGLE DX	34	1.3		1	1	1	1	2	3	4
2. MULTIPLE DX	168	1.7	3	1	1	1	2	3	4	13
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	199	1.6	2	1	1	1	2	3	4	10
TOTAL										
0-19 YRS	19	1.6	1	< 1	1	1	2	3	4	5
20-34	41	1.7	1	1	1	1	2	3	5	6
35-49	52	1.3		1	1	1	1	2	3	3
50-64	51	1.8	4	1	1	1	2	3	3	15
65 +	39	1.9	5	1	1	1	2	3	4	14
GRAND TOTAL	**202**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**10**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.7		1	1	2	2	2	2	2
20-34	5	3.8	13	1	2	3	5	10	10	10
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1129	1.0		<1	1	1	1	1	1	2
20-34	200	1.1		1	1	1	1	2	2	3
35-49	34	1.2		1	1	1	1	2	3	3
50-64	10	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	2.1	3	<1	1	2	3	4	4	9
20-34	5	2.4	2	1	1	2	4	4	4	4
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	1175	1.2	1	<1	1	1	1	2	3	5
20-34	103	1.3		1	1	1	1	2	2	4
35-49	28	1.6	2	1	1	1	1	3	4	8
50-64	12	2.7	30	1	1	1	1	7	18	20
65 +	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.4	4	1	2	2	2	3	8	10
B. Operated	1374	1.1		<1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	39	2.2	3	<1	1	2	3	4	5	9
B. Operated	1320	1.3	1	<1	1	1	1	2	3	5
1. SINGLE DX	1391	1.1		<1	1	1	1	1	2	3
2. MULTIPLE DX	1359	1.3	1	<1	1	1	1	2	3	5
A. Not Operated	56	2.3	3	<1	1	2	3	4	5	10
B. Operated	2694	1.2	1	<1	1	1	1	1	2	4
TOTAL										
0-19 YRS	2344	1.2	1	<1	1	1	1	1	2	4
20-34	313	1.2	1	1	1	1	1	2	2	4
35-49	67	1.4	1	1	1	1	1	3	3	7
50-64	23	2.0	16	1	1	1	1	3	10	20
65 +	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**2750**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**1**	**2**	**4**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	205	2.1	1	<1	1	2	3	4	4	6
20-34	102	2.4	1	1	2	2	3	4	5	6
35-49	53	2.3	2	1	1	2	3	4	5	7
50-64	22	2.8	4	<1	1	2	4	6	7	7
65 +	10	2.0	1	<1	1	2	3	3	3	3
B. Operated										
0-19 YRS	253	2.2	10	<1	1	1	2	4	6	13
20-34	171	2.2	3	1	1	2	3	4	6	8
35-49	127	1.8	2	1	1	1	2	3	4	8
50-64	87	2.0	4	1	1	1	2	3	7	13
65 +	29	1.3	1	1	1	1	1	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	301	2.7	4	1	1	2	3	5	7	12
20-34	141	2.8	5	1	2	2	3	6	8	10
35-49	113	3.2	5	1	2	3	4	7	8	10
50-64	71	4.6	17	1	2	3	6	8	12	24
65 +	73	3.8	7	1	2	3	5	7	9	13
B. Operated										
0-19 YRS	422	3.8	52	<1	1	1	4	8	12	37
20-34	327	2.4	8	1	1	1	3	5	7	16
35-49	429	2.3	10	1	1	1	2	4	7	14
50-64	309	2.5	9	1	1	1	3	6	8	14
65 +	242	3.9	25	1	1	2	5	10	14	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	392	2.2	2	1	1	2	3	4	5	6
B. Operated	667	2.1	5	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	699	3.1	6	1	2	2	4	6	8	13
B. Operated	1729	2.9	22	1	1	1	3	6	10	23
1. SINGLE DX	1059	2.1	4	1	1	2	3	4	5	9
2. MULTIPLE DX	2428	3.0	18	1	1	2	3	6	9	18
A. Not Operated	1091	2.8	5	1	1	2	3	5	7	11
B. Operated	2396	2.7	18	1	1	1	3	6	9	18
TOTAL										
0-19 YRS	1181	2.9	23	<1	1	2	3	5	8	22
20-34	741	2.5	5	1	1	2	3	5	6	12
35-49	722	2.4	7	1	1	2	3	5	7	11
50-64	489	2.7	10	1	1	2	3	6	8	16
65 +	354	3.6	19	1	1	2	4	8	12	29
GRAND TOTAL	**3487**	**2.7**	**14**	**1**	**1**	**2**	**3**	**5**	**8**	**15**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	240	3.4	4	2	2	3	4	7	7	10
20-34	161	3.6	3	2	2	3	5	6	7	9
35-49	133	4.3	4	2	3	4	5	7	7	11
50-64	85	4.5	5	2	3	4	5	8	10	13
65 +	141	4.8	7	2	3	4	6	8	10	15
B. Operated										
0-19 YRS	6	8.3	33	2	5	6	12	17	18	18
20-34	4	8.3	3	6	7	8	9	10	10	10
35-49	9	8.6	96	3	4	5	8	24	34	34
50-64	3	16.3	177	5	7	13	26	31	31	31
65 +	7	8.9	41	1	6	7	12	19	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	667	5.5	33	2	3	4	7	10	13	21
20-34	547	5.6	17	2	3	4	7	10	14	19
35-49	706	6.2	27	2	3	5	7	11	14	25
50-64	1186	6.8	21	3	4	6	8	12	15	26
65 +	5316	7.7	25	3	5	7	9	13	17	26
B. Operated										
0-19 YRS	81	16.8	156	6	10	13	20	33	46	66
20-34	99	14.8	155	5	7	11	17	33	51	99 +
35-49	146	14.7	181	4	7	12	18	29	53	99 +
50-64	264	14.9	192	5	7	11	18	32	39	86
65 +	747	15.4	135	5	9	12	19	28	37	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	760	4.0	5	2	2	4	5	7	8	11
B. Operated	29	9.3	61	3	5	7	11	20	31	34
2. MULTIPLE DX										
A. Not Operated	8422	7.1	25	3	4	6	9	12	16	26
B. Operated	1337	15.3	154	5	8	12	18	31	39	86
1. SINGLE DX	789	4.2	8	2	2	4	5	7	9	13
2. MULTIPLE DX	9759	8.2	51	3	4	6	10	15	20	37
A. Not Operated	9182	6.9	24	3	4	6	9	12	15	26
B. Operated	1366	15.2	153	5	8	12	18	31	39	86
TOTAL										
0-19 YRS	994	5.9	48	2	2	4	7	11	15	33
20-34	811	6.3	42	2	3	4	7	12	17	37
35-49	994	7.2	57	2	3	5	8	14	18	46
50-64	1538	8.1	60	3	4	6	9	15	21	40
65 +	6211	8.6	44	3	5	7	10	15	20	36
GRAND TOTAL	**10548**	**7.9**	**49**	**3**	**4**	**6**	**10**	**15**	**20**	**36**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2072	3.2	4	1	2	3	4	5	7	10
20-34	414	3.6	4	2	2	3	4	6	7	12
35-49	384	4.0	6	2	3	4	5	7	8	12
50-64	208	4.9	16	2	3	4	6	8	9	21
65 +	351	4.8	7	2	3	4	6	8	9	13
B. Operated										
0-19 YRS	20	3.9	6	1	2	3	5	8	8	9
20-34	15	5.9	9	2	4	6	8	10	11	12
35-49	12	6.1	14	< 1	3	6	9	11	11	11
50-64	16	9.0	18	3	6	9	12	15	16	16
65 +	11	9.4	35	4	6	8	10	20	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5727	4.0	12	1	2	3	5	7	10	18
20-34	961	4.9	16	2	3	4	6	9	11	24
35-49	1387	5.1	11	2	3	4	6	9	12	18
50-64	2299	5.9	15	2	4	5	7	10	13	19
65 +	10167	6.8	20	3	4	6	8	12	14	22
B. Operated										
0-19 YRS	217	12.9	199	3	5	9	15	29	40	75
20-34	120	10.5	82	3	5	8	13	19	26	77
35-49	227	11.1	90	4	6	9	13	19	31	57
50-64	300	12.1	87	4	6	10	15	23	33	49
65 +	1032	12.1	74	5	7	10	15	22	27	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3429	3.6	5	2	2	3	4	6	8	11
B. Operated	74	6.6	18	2	3	6	9	12	14	21
2. MULTIPLE DX										
A. Not Operated	20541	5.7	18	2	3	5	7	10	13	21
B. Operated	1896	11.9	93	4	6	10	15	22	29	57
1. SINGLE DX	3503	3.6	6	2	2	3	4	6	8	12
2. MULTIPLE DX	22437	6.3	27	2	3	5	8	11	15	26
A. Not Operated	23970	5.4	17	2	3	4	7	10	12	20
B. Operated	1970	11.7	91	4	6	9	14	22	29	57
TOTAL										
0-19 YRS	8036	4.0	17	1	2	3	5	7	10	20
20-34	1510	5.0	21	2	3	4	6	9	12	25
35-49	2010	5.6	23	2	3	4	7	10	14	24
50-64	2823	6.5	27	2	4	5	8	11	15	28
65 +	11561	7.2	26	3	4	6	9	13	16	26
GRAND TOTAL	**25940**	**5.9**	**25**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	2.4	6	1	1	2	3	3	5	17
20-34	46	2.2	2	1	1	2	3	4	5	6
35-49	28	3.6	4	2	2	3	4	7	8	9
50-64	20	2.9	3	1	1	3	3	6	7	7
65 +	20	2.8	2	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	4	8.3	125	2	2	3	14	25	25	25
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	192	3.1	8	1	2	2	3	5	9	17
20-34	165	3.0	3	1	2	3	4	5	6	8
35-49	154	3.2	4	1	2	3	4	6	7	9
50-64	175	4.2	10	2	2	3	5	7	11	18
65 +	522	5.1	10	2	3	4	7	9	11	15
B. Operated										
0-19 YRS	12	15.4	352	2	3	7	19	43	64	67
20-34	12	5.3	20	1	2	3	10	12	12	12
35-49	9	23.9	769	4	6	13	28	73	77	77
50-64	5	9.0	31	3	5	7	13	17	17	17
65 +	16	6.5	13	2	4	6	8	12	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	195	2.6	4	1	1	2	3	5	6	13
B. Operated	4	8.3	125	2	2	3	14	25	25	25
2. MULTIPLE DX										
A. Not Operated	1208	4.1	9	1	2	3	5	8	10	15
B. Operated	54	11.4	246	2	3	7	12	19	60	77
1. SINGLE DX	199	2.7	7	1	1	2	3	5	6	17
2. MULTIPLE DX	1262	4.4	21	1	2	3	5	8	11	18
A. Not Operated	1403	3.9	9	1	2	3	5	7	9	15
B. Operated	58	11.1	235	2	3	6	12	19	53	76
TOTAL										
0-19 YRS	289	3.4	29	1	2	2	3	6	10	23
20-34	223	2.9	4	1	2	2	4	5	7	11
35-49	191	4.3	55	1	2	3	5	7	9	46
50-64	200	4.2	10	2	2	3	5	7	11	18
65 +	558	5.1	10	2	3	4	7	9	11	15
GRAND TOTAL	**1461**	**4.2**	**19**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	90	2.2	2	1	1	2	3	4	4	6
20-34	22	2.2	1	1	1	2	3	4	4	4
35-49	27	3.1	5	1	1	3	4	6	7	11
50-64	59	3.4	2	2	2	3	4	5	7	8
65 +	60	4.2	5	2	2	4	6	7	8	11
B. Operated										
0-19 YRS	7	2.4	11	< 1	1	1	2	8	10	10
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	3.0	4	< 1	1	3	4	5	5	5
50-64	5	2.4	4	< 1	< 1	1	4	5	5	5
65 +	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	194	2.9	6	1	2	2	3	5	7	14
20-34	74	3.6	9	1	2	3	4	6	10	17
35-49	128	3.5	6	1	2	3	4	6	7	13
50-64	331	5.8	28	2	3	4	7	11	16	24
65 +	821	5.6	19	2	3	5	7	10	13	24
B. Operated										
0-19 YRS	9	3.0	9	< 1	1	2	4	8	10	10
20-34	10	7.4	42	2	3	6	10	17	23	23
35-49	14	8.9	83	3	3	7	10	17	33	38
50-64	35	8.8	49	3	4	7	10	23	25	27
65 +	67	10.1	77	2	4	8	14	19	22	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	3.0	4	1	2	3	4	6	7	11
B. Operated	19	2.6	6	< 1	1	1	4	6	8	10
2. MULTIPLE DX										
A. Not Operated	1548	5.0	19	2	2	4	6	9	12	23
B. Operated	135	8.9	65	2	3	7	11	19	24	42
1. SINGLE DX	277	3.0	4	1	2	3	4	6	7	10
2. MULTIPLE DX	1683	5.3	23	2	3	4	7	10	14	24
A. Not Operated	1806	4.7	17	1	2	4	6	9	12	21
B. Operated	154	8.2	62	1	3	6	10	18	23	40
TOTAL										
0-19 YRS	300	2.6	5	1	1	2	3	5	6	13
20-34	107	3.7	12	1	2	3	4	7	11	20
35-49	172	3.8	14	1	2	3	5	7	8	18
50-64	430	5.7	27	2	3	4	7	11	16	25
65 +	951	5.8	23	2	3	5	7	10	14	28
GRAND TOTAL	**1960**	**5.0**	**21**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	24	3.5	4	2	2	3	4	5	7	11
65 +	35	5.6	12	2	3	5	8	10	12	17
B. Operated										
0-19 YRS	2	8.0		8	8	8	8	8	8	8
20-34	4	4.8	3	3	3	4	6	7	7	7
35-49	1	19.0		19	19	19	19	19	19	19
50-64	4	5.5	6	3	3	5	7	8	8	8
65 +	3	4.3	5	3	3	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	26	5.3	12	1	3	5	6	10	13	17
50-64	230	5.3	15	2	3	4	7	10	13	20
65 +	504	6.1	16	2	3	5	8	12	14	21
B. Operated										
0-19 YRS	5	17.2	435	3	6	10	22	54	54	54
20-34	9	8.4	13	3	6	8	12	13	13	13
35-49	14	9.7	57	3	5	7	10	26	26	26
50-64	33	17.7	291	5	7	13	23	33	42	94
65 +	49	13.0	140	4	6	10	16	24	32	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	4.7	10	2	3	4	6	9	11	16
B. Operated	14	6.4	17	3	3	6	8	9	17	19
2. MULTIPLE DX										
A. Not Operated	762	5.8	16	2	3	5	7	11	14	21
B. Operated	110	13.8	181	4	6	10	17	26	37	83
1. SINGLE DX	76	5.0	11	2	3	4	6	9	12	18
2. MULTIPLE DX	872	6.8	43	2	3	5	8	13	17	31
A. Not Operated	824	5.7	15	2	3	5	7	11	13	20
B. Operated	124	13.0	168	3	6	9	16	26	34	80
TOTAL										
0-19 YRS	7	14.6	310	4	7	8	11	46	54	54
20-34	16	6.6	13	3	4	6	8	13	13	13
35-49	43	7.0	33	2	4	5	8	15	21	26
50-64	291	6.6	60	2	3	4	8	12	18	35
65 +	591	6.6	30	2	3	5	8	12	15	24
GRAND TOTAL	**948**	**6.7**	**41**	**2**	**3**	**5**	**8**	**13**	**16**	**31**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3823	2.2	1	1	1	2	3	4	4	6
20-34	719	2.6	2	1	2	2	3	5	5	8
35-49	871	3.0	4	1	2	3	4	5	7	11
50-64	559	3.3	5	1	2	3	4	6	8	12
65 +	327	3.7	5	1	2	3	5	7	8	11
B. Operated										
0-19 YRS	14	1.7	2	< 1	< 1	1	2	4	5	5
20-34	5	1.6		< 1	1	2	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	3.3	5	< 1	1	3	5	6	6	6
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4262	2.7	5	1	2	2	3	5	6	10
20-34	1048	3.4	8	1	2	3	4	6	7	12
35-49	1444	4.0	7	1	2	3	5	7	9	14
50-64	1933	4.7	10	2	3	4	6	9	10	16
65 +	2758	5.5	14	2	3	5	7	10	12	19
B. Operated										
0-19 YRS	66	7.3	48	2	3	6	9	14	25	38
20-34	34	7.7	24	2	4	7	10	16	16	20
35-49	52	7.9	57	3	4	6	9	14	21	39
50-64	75	11.8	259	3	4	7	11	19	42	88
65 +	119	11.5	84	5	6	9	13	20	26	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6299	2.5	3	1	1	2	3	4	5	8
B. Operated	26	2.1	2	< 1	< 1	1	3	5	5	6
2. MULTIPLE DX										
A. Not Operated	11445	3.9	10	1	2	3	5	7	9	15
B. Operated	346	9.8	108	3	4	7	11	18	26	58
1. SINGLE DX	6325	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	11791	4.1	14	1	2	3	5	8	10	17
A. Not Operated	17744	3.4	8	1	2	3	4	7	8	14
B. Operated	372	9.3	105	2	4	7	11	17	25	57
TOTAL										
0-19 YRS	8165	2.5	4	1	1	2	3	4	5	9
20-34	1806	3.2	6	1	2	3	4	6	7	12
35-49	2369	3.7	8	1	2	3	5	7	8	14
50-64	2571	4.6	18	2	2	4	6	8	10	17
65 +	3205	5.5	17	2	3	4	7	10	12	21
GRAND TOTAL	**18116**	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	4.2	7	< 1	2	4	6	8	8	8
35-49	29	4.7	15	1	2	3	6	11	14	16
50-64	142	4.0	6	1	2	3	5	7	9	12
65 +	210	4.1	11	1	2	3	5	7	9	18
B. Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	5	6.0	27	2	3	4	7	15	15	15
50-64	6	5.0	18	< 1	1	4	8	11	11	11
65 +	3	8.3	5	7	7	7	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.5	7	2	3	6	7	9	11	11
20-34	16	8.1	82	1	2	6	10	14	31	38
35-49	119	4.3	10	1	2	4	5	8	10	17
50-64	938	5.3	15	2	3	4	7	10	13	20
65 +	2240	5.6	17	2	3	4	7	10	13	23
B. Operated										
0-19 YRS	7	9.1	40	2	7	8	10	20	22	22
20-34	7	13.6	37	6	8	14	17	22	23	23
35-49	17	10.8	107	2	4	7	13	29	35	37
50-64	95	11.3	150	2	5	8	13	23	36	64
65 +	171	9.3	67	3	5	8	12	17	22	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	388	4.1	10	1	2	3	5	8	9	15
B. Operated	15	6.3	17	1	3	7	9	11	14	15
2. MULTIPLE DX										
A. Not Operated	3324	5.5	16	2	3	4	7	10	13	21
B. Operated	297	10.1	95	2	5	8	13	19	25	64
1. SINGLE DX	403	4.2	10	1	2	3	5	8	10	15
2. MULTIPLE DX	3621	5.8	24	2	3	5	7	11	14	24
A. Not Operated	3712	5.3	16	2	3	4	7	10	12	21
B. Operated	312	10.0	92	2	5	8	12	19	25	62
TOTAL										
0-19 YRS	20	6.4	23	1	3	6	8	10	16	22
20-34	29	8.8	63	1	3	7	12	17	24	38
35-49	170	5.1	24	1	2	4	6	10	14	29
50-64	1181	5.6	28	2	3	4	7	11	14	23
65 +	2624	5.7	21	2	3	4	7	11	14	23
GRAND TOTAL	**4024**	**5.7**	**23**	**2**	**3**	**4**	**7**	**11**	**14**	**23**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.6	8	1	1	3	5	7	10	12
20-34	47	2.8	5	1	1	2	3	7	7	11
35-49	12	3.7	4	1	2	4	5	6	6	6
50-64	10	3.5	8	1	1	2	6	8	8	8
65 +	3	2.3	1	1	1	3	3	3	3	3
B. Operated										
0-19 YRS	70	5.2	16	2	3	4	7	10	15	20
20-34	232	5.6	15	2	3	4	7	11	13	22
35-49	99	5.6	17	2	3	4	7	12	14	20
50-64	29	5.9	18	2	3	4	7	12	13	20
65 +	21	4.9	10	2	2	4	6	9	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.5	13	1	1	4	7	10	11	11
20-34	30	3.7	10	1	1	2	5	9	10	11
35-49	19	6.5	57	2	2	4	7	13	25	34
50-64	35	5.6	19	1	2	4	8	11	13	19
65 +	50	5.9	21	2	3	4	8	14	16	18
B. Operated										
0-19 YRS	37	8.4	29	3	4	7	12	15	18	25
20-34	168	8.4	48	3	4	6	10	15	23	34
35-49	103	9.2	78	2	3	6	12	17	31	42
50-64	139	8.7	48	2	4	7	11	17	24	37
65 +	264	9.6	73	3	4	7	12	22	30	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	3.1	6	1	1	3	4	7	8	12
B. Operated	451	5.5	15	2	3	4	7	11	13	21
2. MULTIPLE DX										
A. Not Operated	146	5.3	23	1	2	4	8	11	14	20
B. Operated	711	9.0	61	3	4	7	11	17	26	39
1. SINGLE DX	539	5.1	14	2	3	4	7	10	12	20
2. MULTIPLE DX	857	8.4	56	2	4	6	11	16	24	38
A. Not Operated	234	4.5	17	1	2	3	6	10	12	18
B. Operated	1162	7.7	46	2	3	6	10	15	21	36
TOTAL										
0-19 YRS	135	5.8	21	2	3	4	7	12	15	22
20-34	477	6.2	28	2	3	5	7	12	15	31
35-49	233	7.2	50	2	3	5	9	15	18	41
50-64	213	7.5	40	2	3	6	10	14	20	33
65 +	338	8.7	64	2	4	6	11	17	26	38
GRAND TOTAL	**1396**	**7.1**	**42**	**2**	**3**	**5**	**9**	**14**	**19**	**36**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	2	46.5	3961	2	2	46	91	91	91	91
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	4.3	2	3	3	4	5	6	6	6
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	24.5	925	3	3	24	46	46	46	46
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	129	6.6	76	1	2	4	8	15	20	46
20-34	63	5.4	22	1	2	4	7	9	14	28
35-49	179	6.2	37	2	3	4	7	13	18	30
50-64	815	7.4	31	2	4	6	9	15	18	29
65 +	2279	7.8	32	3	4	6	10	15	19	29
B. Operated										
0-19 YRS	25	27.2	590	4	8	22	45	66	99	99 +
20-34	20	17.8	113	7	9	15	26	33	39	41
35-49	58	18.7	222	3	9	15	27	48	60	99 +
50-64	183	18.8	326	5	8	14	24	56	96	99 +
65 +	419	19.6	307	5	8	14	23	46	60	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	10.0	654	< 1	1	2	5	32	82	91
B. Operated	2	24.5	925	3	3	24	46	46	46	46
2. MULTIPLE DX										
A. Not Operated	3465	7.5	34	2	4	6	10	15	19	29
B. Operated	705	19.6	310	5	8	14	25	49	69	99 +
1. SINGLE DX	14	12.1	652	1	1	3	6	50	82	91
2. MULTIPLE DX	4170	9.6	101	2	4	7	11	19	27	67
A. Not Operated	3477	7.5	36	2	4	6	10	15	19	29
B. Operated	707	19.6	311	5	8	14	25	49	69	99 +
TOTAL										
0-19 YRS	158	9.7	211	1	2	5	10	24	42	97
20-34	85	9.3	150	2	3	6	9	25	29	73
35-49	238	9.2	111	2	3	6	12	23	34	64
50-64	1003	9.5	105	3	4	7	11	19	29	97
65 +	2700	9.6	93	3	4	7	11	19	25	57
GRAND TOTAL	**4184**	**9.6**	**103**	**2**	**4**	**7**	**11**	**19**	**28**	**68**

196: Other lung and pleural diseases (500-511.9; 513-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125	2.9	9	1	1	2	3	5	6	17
20-34	52	3.0	6	1	1	2	4	6	9	11
35-49	86	4.0	77	1	1	2	4	8	10	57
50-64	51	2.8	4	1	1	2	4	6	7	11
65 +	50	3.8	8	1	2	3	4	8	9	15
B. Operated										
0-19 YRS	29	5.0	85	< 1	1	2	4	12	24	46
20-34	26	6.2	16	2	3	5	8	14	15	16
35-49	61	6.5	30	1	2	6	8	16	19	23
50-64	62	5.1	19	1	2	4	7	12	14	22
65 +	47	6.4	34	1	2	5	8	14	17	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	511	4.8	25	1	2	3	6	10	13	24
20-34	268	5.2	23	1	2	4	7	10	14	25
35-49	403	5.2	23	1	2	4	7	10	13	31
50-64	685	5.6	25	1	2	4	7	11	15	23
65 +	2675	6.9	27	2	3	6	9	13	17	28
B. Operated										
0-19 YRS	250	11.9	193	1	3	8	17	31	55	99 +
20-34	238	11.0	109	2	4	8	15	24	30	54
35-49	340	10.7	100	2	4	8	14	22	30	56
50-64	559	10.6	101	2	4	8	14	23	33	62
65 +	1233	13.0	125	3	6	10	17	27	36	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	364	3.3	24	1	1	2	4	6	9	15
B. Operated	225	5.9	33	1	2	4	7	13	17	25
2. MULTIPLE DX										
A. Not Operated	4542	6.2	27	2	3	5	8	12	16	26
B. Operated	2620	11.9	122	2	5	9	16	26	35	69
1. SINGLE DX	589	4.3	29	1	1	3	5	9	13	23
2. MULTIPLE DX	7162	8.3	69	2	3	6	10	18	24	45
A. Not Operated	4906	6.0	27	1	3	5	8	12	16	26
B. Operated	2845	11.4	118	2	4	8	15	24	33	66
TOTAL										
0-19 YRS	915	6.5	82	1	2	3	8	15	23	69
20-34	584	7.4	66	1	2	5	9	17	24	39
35-49	890	7.3	65	1	2	5	9	16	21	42
50-64	1357	7.5	62	1	3	5	9	16	22	44
65 +	4005	8.8	65	2	4	6	11	18	24	43
GRAND TOTAL	**7751**	**8.0**	**67**	**2**	**3**	**6**	**10**	**17**	**24**	**44**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.2	2	1	1	2	4	4	4	4
20-34	33	3.3	7	< 1	1	2	5	7	7	11
35-49	15	2.6	6	1	1	2	3	7	7	7
50-64	4	1.0		< 1	< 1	1	1	1	1	1
65 +	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	590	1.5	1	< 1	< 1	1	2	2	3	5
20-34	553	2.0	2	1	1	2	2	3	4	7
35-49	327	2.0	2	1	1	2	2	3	4	6
50-64	75	2.2	4	1	1	2	3	4	5	14
65 +	10	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.8	2	1	2	3	3	4	6	8
20-34	43	2.9	6	< 1	1	2	4	7	9	10
35-49	28	3.9	14	1	1	3	5	8	11	18
50-64	19	3.2	8	< 1	1	2	4	7	10	12
65 +	20	4.4	9	1	2	4	6	7	11	14
B. Operated										
0-19 YRS	599	2.1	7	< 1	1	2	2	3	5	16
20-34	510	2.6	17	1	1	2	3	4	5	15
35-49	375	2.5	4	1	1	2	3	4	5	9
50-64	113	3.4	11	1	2	2	4	6	11	19
65 +	99	3.8	20	1	1	2	4	8	11	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	2.8	5	1	1	2	4	7	7	10
B. Operated	1555	1.8	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	162	3.2	7	1	1	3	4	6	9	14
B. Operated	1696	2.5	11	1	1	2	3	4	6	15
1. SINGLE DX	1625	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	1858	2.6	10	1	1	2	3	4	6	15
A. Not Operated	232	3.1	6	1	1	2	4	7	8	12
B. Operated	3251	2.2	6	< 1	1	2	2	4	5	11
TOTAL										
0-19 YRS	1256	1.8	4	< 1	< 1	1	2	3	4	11
20-34	1139	2.3	9	1	1	2	3	4	5	11
35-49	745	2.3	4	1	1	2	3	4	5	9
50-64	211	2.9	8	1	1	2	3	6	8	16
65 +	132	3.7	17	1	1	2	4	8	11	27
GRAND TOTAL	**3483**	**2.2**	**6**	**<1**	**1**	**2**	**2**	**4**	**5**	**12**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	3.3	4	1	2	3	4	6	7	9
20-34	26	3.2	3	1	2	3	4	5	6	8
35-49	22	3.6	8	1	2	3	4	7	10	13
50-64	15	2.7	3	1	2	2	4	4	6	7
65 +	9	2.6	2	< 1	1	3	3	5	5	5
B. Operated										
0-19 YRS	68	1.8	2	< 1	1	1	2	3	4	8
20-34	74	3.3	8	1	1	2	5	7	8	15
35-49	62	3.0	10	1	1	2	5	7	11	15
50-64	46	2.6	7	1	1	2	3	5	9	15
65 +	32	1.6	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	3.1	4	1	2	3	4	5	7	11
20-34	27	3.7	7	1	2	4	5	5	8	14
35-49	37	3.6	6	1	2	3	4	8	9	10
50-64	50	5.4	10	2	3	5	7	10	11	14
65 +	75	5.3	9	2	3	5	7	9	10	15
B. Operated										
0-19 YRS	134	2.5	6	1	1	2	3	5	6	13
20-34	68	5.4	34	1	2	4	7	11	15	33
35-49	88	4.9	23	1	1	3	7	11	14	25
50-64	83	3.6	31	1	1	2	4	7	11	34
65 +	110	4.9	39	1	2	2	7	12	15	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	3.2	4	1	2	3	4	6	7	10
B. Operated	282	2.6	6	1	1	2	3	6	7	14
2. MULTIPLE DX										
A. Not Operated	291	4.2	8	1	2	3	5	8	10	13
B. Operated	483	4.1	26	1	1	2	4	9	13	30
1. SINGLE DX	410	2.8	6	1	1	2	4	6	7	13
2. MULTIPLE DX	774	4.1	19	1	2	3	5	9	11	22
A. Not Operated	419	3.9	7	1	2	3	5	7	9	13
B. Operated	765	3.5	19	1	1	2	4	8	11	22
TOTAL										
0-19 YRS	360	2.7	4	1	1	2	3	5	7	11
20-34	195	4.0	17	1	1	3	5	9	11	20
35-49	209	4.0	15	1	1	3	5	9	12	16
50-64	194	3.8	19	1	1	2	5	8	11	25
65 +	226	4.5	24	1	2	3	6	9	12	28
GRAND TOTAL	**1184**	**3.6**	**15**	**1**	**1**	**2**	**4**	**8**	**10**	**16**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	214	1.9	2	1	1	1	2	4	5	7
20-34	49	2.0	1	1	1	2	2	4	4	5
35-49	85	2.0	3	1	1	1	3	4	5	9
50-64	86	1.8	1	<1	1	1	2	3	4	5
65+	53	2.2	2	<1	1	2	3	4	6	7
B. Operated										
0-19 YRS	76	3.4	9	<1	<1	1	6	7	8	13
20-34	27	4.8	16	1	3	4	6	7	11	22
35-49	51	3.9	7	<1	1	3	5	8	9	11
50-64	35	3.9	11	1	1	3	6	11	11	12
65+	51	3.1	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	435	3.4	10	1	1	2	4	7	9	17
20-34	247	3.1	8	1	1	2	4	5	8	15
35-49	511	2.9	5	1	1	2	3	5	7	14
50-64	607	2.8	4	1	1	2	3	5	7	10
65+	1126	4.0	14	1	2	3	5	7	10	17
B. Operated										
0-19 YRS	302	8.5	87	1	3	6	10	18	27	56
20-34	139	6.2	44	2	3	4	7	12	16	32
35-49	261	6.5	55	2	3	5	7	12	18	52
50-64	402	6.7	52	2	3	5	7	12	20	39
65+	789	7.1	60	2	3	5	8	13	20	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	487	2.0	2	1	1	1	2	4	5	8
B. Operated	240	3.7	9	<1	1	3	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	2926	3.4	9	1	2	3	4	6	9	15
B. Operated	1893	7.1	61	2	3	5	8	14	21	45
1. SINGLE DX	727	2.5	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	4819	4.8	33	1	2	3	6	9	13	30
A. Not Operated	3413	3.2	9	1	1	2	4	6	8	14
B. Operated	2133	6.7	56	1	3	5	8	13	20	41
TOTAL										
0-19 YRS	1027	4.6	38	1	1	3	6	10	14	35
20-34	462	4.0	21	1	2	3	5	7	11	22
35-49	908	3.9	22	1	2	3	5	8	11	20
50-64	1130	4.2	25	1	2	3	5	8	11	28
65+	2019	5.1	34	1	2	4	6	10	13	30
GRAND TOTAL	**5546**	**4.5**	**30**	**1**	**2**	**3**	**5**	**9**	**12**	**27**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	14	3.1	1	2	2	3	4	5	5	5
35-49	19	2.7	2	1	2	3	3	4	6	7
50-64	9	3.1	7	<1	1	2	4	7	9	9
65+	14	2.7	2	1	2	3	3	5	5	5
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	8.3	16	6	6	6	11	13	13	13
35-49	14	5.1	7	2	3	5	7	9	9	9
50-64	12	3.8	3	1	2	4	5	6	7	7
65+	8	5.4	7	3	3	5	6	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.5	4	1	1	2	3	5	7	7
20-34	41	3.4	4	1	2	3	5	6	7	7
35-49	101	4.0	8	2	2	3	5	7	8	17
50-64	97	3.7	8	2	2	3	4	6	7	19
65+	197	4.6	10	2	3	4	6	8	10	20
B. Operated										
0-19 YRS	5	3.0	3	1	2	3	4	5	5	5
20-34	17	7.3	56	2	2	6	9	19	27	29
35-49	63	6.5	31	2	4	5	8	11	16	37
50-64	92	6.1	29	2	3	5	7	11	17	72
65+	172	6.8	46	2	3	5	8	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	2.8	2	1	2	3	3	5	5	9
B. Operated	39	4.9	8	2	3	4	7	8	10	13
2. MULTIPLE DX										
A. Not Operated	446	4.1	9	2	2	3	5	7	9	19
B. Operated	349	6.5	38	2	3	5	8	11	17	34
1. SINGLE DX	98	3.6	5	1	2	3	5	7	8	12
2. MULTIPLE DX	795	5.2	23	2	3	4	6	9	13	25
A. Not Operated	505	4.0	8	2	2	3	5	7	8	16
B. Operated	388	6.4	36	2	3	5	8	11	16	34
TOTAL										
0-19 YRS	20	2.6	2	1	1	2	3	5	6	7
20-34	75	4.4	18	1	2	3	6	7	9	27
35-49	197	4.8	16	2	3	4	6	8	11	21
50-64	210	4.7	18	2	2	4	6	8	12	34
65+	391	5.5	27	2	3	4	7	10	13	25
GRAND TOTAL	**893**	**5.0**	**21**	**2**	**3**	**4**	**6**	**9**	**12**	**25**

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.01; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.7	1	<1	2	3	3	4	4	4
20-34	17	3.1	2	1	2	3	4	5	6	6
35-49	31	2.9	3	2	2	2	3	5	7	9
50-64	46	3.2	2	2	2	3	4	6	6	6
65 +	35	3.7	3	2	3	3	5	5	7	9
B. Operated										
0-19 YRS	3	5.0	7	2	3	6	7	7	7	7
20-34	16	6.9	10	3	5	7	8	12	13	13
35-49	35	6.7	42	2	3	5	8	12	18	36
50-64	39	5.4	14	2	3	4	8	12	13	15
65 +	34	5.1	14	2	2	4	7	11	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.7	11	1	2	3	4	8	12	13
20-34	84	3.6	4	2	2	3	4	6	7	13
35-49	236	3.8	8	2	2	3	4	6	8	12
50-64	346	4.0	7	2	3	3	5	7	9	18
65 +	993	4.8	10	2	3	4	6	8	11	18
B. Operated										
0-19 YRS	10	6.8	40	1	2	4	9	17	20	20
20-34	45	7.8	49	3	4	6	9	16	20	39
35-49	174	7.0	34	2	3	5	9	13	19	33
50-64	341	8.1	61	2	4	6	10	16	21	36
65 +	1051	8.1	56	3	4	6	9	16	23	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	3.2	2	2	2	3	4	5	6	9
B. Operated	127	5.9	21	2	3	5	8	12	13	24
2. MULTIPLE DX										
A. Not Operated	1671	4.4	9	2	3	4	5	8	10	16
B. Operated	1621	8.0	54	3	4	6	9	16	22	40
1. SINGLE DX	262	4.5	13	2	2	3	6	9	12	15
2. MULTIPLE DX	3292	6.2	35	2	3	4	7	12	17	32
A. Not Operated	1806	4.3	9	2	3	4	5	7	9	15
B. Operated	1748	7.8	52	2	4	6	9	16	21	39
TOTAL										
0-19 YRS	31	4.6	19	1	2	3	5	11	15	20
20-34	162	5.1	21	2	3	4	6	9	14	25
35-49	476	5.1	22	2	3	4	6	10	13	30
50-64	772	5.8	35	2	3	4	7	11	16	26
65 +	2113	6.4	36	2	3	5	7	12	17	34
GRAND TOTAL	**3554**	**6.1**	**33**	**2**	**3**	**4**	**7**	**11**	**16**	**30**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.8	1	1	1	2	2	3	3	3
20-34	62	2.2	3	1	1	2	3	4	6	9
35-49	68	2.4	2	1	1	2	3	4	6	6
50-64	54	2.8	3	1	2	3	4	5	7	8
65 +	26	2.8	2	1	2	2	4	5	6	6
B. Operated										
0-19 YRS	0									
20-34	12	6.4	15	2	5	6	7	12	15	16
35-49	21	6.3	10	2	4	6	9	10	11	12
50-64	14	5.7	28	<1	2	4	9	14	18	19
65 +	3	5.7	9	3	3	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.6	8	1	2	3	5	7	8	14
20-34	124	3.0	4	1	2	3	3	5	6	14
35-49	201	3.2	5	1	2	3	4	6	7	13
50-64	212	3.5	6	1	2	3	4	7	10	13
65 +	360	4.7	15	2	2	3	6	9	11	19
B. Operated										
0-19 YRS	5	3.2	5	<1	1	3	5	6	6	6
20-34	22	6.1	14	2	3	6	7	11	15	15
35-49	58	7.7	32	3	4	6	9	16	18	28
50-64	67	7.7	96	2	2	5	8	16	29	50
65 +	104	6.8	23	2	4	6	8	14	19	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	2.5	2	1	1	2	3	5	6	8
B. Operated	50	6.1	15	1	3	6	9	11	13	19
2. MULTIPLE DX										
A. Not Operated	928	3.8	10	1	2	3	5	7	10	15
B. Operated	256	7.1	43	2	4	6	8	15	18	37
1. SINGLE DX	268	3.1	7	1	1	2	4	6	9	13
2. MULTIPLE DX	1184	4.5	19	1	2	3	6	8	12	20
A. Not Operated	1146	3.6	9	1	2	3	4	7	9	14
B. Operated	306	7.0	39	2	4	6	8	15	18	33
TOTAL										
0-19 YRS	44	3.3	7	1	1	3	4	6	8	14
20-34	220	3.3	7	1	2	2	4	7	8	15
35-49	348	4.0	13	1	2	3	5	8	11	18
50-64	347	4.3	27	1	2	3	5	8	11	28
65 +	493	5.0	17	2	3	4	6	9	13	21
GRAND TOTAL	**1452**	**4.3**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**19**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.2	3	1	2	3	4	6	7	7
20-34	66	2.6	2	1	2	2	4	4	5	7
35-49	95	3.0	2	2	2	3	4	4	6	8
50-64	85	3.0	2	2	2	3	4	4	6	8
65 +	70	3.1	2	2	2	3	4	5	6	9
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	51	7.5	45	3	5	6	8	12	19	45
35-49	54	6.0	10	2	4	6	8	9	11	20
50-64	32	6.8	16	3	4	6	8	12	16	18
65 +	28	5.9	8	2	3	6	8	9	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	3.3	4	1	2	3	4	6	8	10
20-34	185	3.3	5	1	2	3	4	5	6	12
35-49	369	3.8	7	2	2	3	4	6	9	15
50-64	502	3.9	5	2	2	3	5	7	8	11
65 +	1076	4.8	10	2	3	4	6	8	11	18
B. Operated										
0-19 YRS	15	7.8	18	2	4	8	11	14	15	16
20-34	84	7.0	24	2	3	6	9	12	16	28
35-49	177	7.5	38	3	4	6	9	13	17	36
50-64	279	9.5	82	3	4	8	11	18	29	58
65 +	770	10.8	82	3	5	8	14	21	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	326	3.0	2	1	2	3	4	4	6	8
B. Operated	166	6.6	22	2	4	6	8	10	12	25
2. MULTIPLE DX										
A. Not Operated	2158	4.3	8	2	3	4	5	7	10	15
B. Operated	1325	9.8	74	3	4	8	12	18	26	49
1. SINGLE DX	492	4.2	12	2	2	3	5	8	9	17
2. MULTIPLE DX	3483	6.4	40	2	3	4	8	12	17	33
A. Not Operated	2484	4.1	8	2	2	3	5	7	9	14
B. Operated	1491	9.5	69	3	4	7	11	18	25	47
TOTAL										
0-19 YRS	52	4.6	12	1	2	3	6	10	12	16
20-34	386	4.5	18	2	2	3	5	9	11	23
35-49	695	4.8	18	2	2	4	6	9	11	20
50-64	898	5.7	36	2	3	4	7	10	14	31
65 +	1944	7.1	47	2	3	5	9	14	19	37
GRAND TOTAL	**3975**	**6.1**	**37**	**2**	**3**	**4**	**7**	**12**	**16**	**32**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	4.3	6	2	2	4	6	7	7	7
35-49	8	3.6	3	1	2	4	5	6	6	6
50-64	7	3.9	2	2	3	4	5	6	6	6
65 +	5	3.6	1	2	3	4	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	7	13.3	94	3	6	12	20	28	30	30
35-49	13	8.2	15	4	5	7	11	13	15	16
50-64	3	10.7	30	5	6	11	15	16	16	16
65 +	7	8.9	17	3	7	9	11	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	13	3.8	11	1	2	3	4	10	12	12
35-49	21	3.1	1	2	2	3	4	5	5	5
50-64	23	3.9	6	2	2	3	5	7	9	12
65 +	86	6.5	52	2	3	5	7	12	14	49
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	20	14.4	127	5	7	11	18	27	41	52
35-49	64	15.3	212	5	7	11	16	32	47	76
50-64	72	13.0	70	5	7	11	16	25	29	44
65 +	136	12.9	99	4	7	10	15	24	34	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	3.8	2	2	2	4	5	6	7	7
B. Operated	30	9.8	36	3	6	9	12	16	22	30
2. MULTIPLE DX										
A. Not Operated	145	5.3	35	2	3	4	6	9	12	36
B. Operated	293	13.5	118	5	7	11	15	25	36	54
1. SINGLE DX	53	7.2	30	2	4	5	10	13	16	30
2. MULTIPLE DX	438	10.8	105	3	4	8	13	22	30	52
A. Not Operated	168	5.1	31	2	3	4	6	8	12	33
B. Operated	323	13.2	111	4	7	10	15	24	33	53
TOTAL										
0-19 YRS	3	5.7	22	2	2	4	9	11	11	11
20-34	43	10.3	100	2	3	8	13	23	30	52
35-49	106	11.1	158	2	4	7	12	22	38	74
50-64	105	10.3	67	2	4	8	13	22	28	41
65 +	234	10.2	87	3	4	8	13	21	28	51
GRAND TOTAL	**491**	**10.4**	**98**	**3**	**4**	**8**	**13**	**22**	**29**	**52**

308 Hospitals, Western Region, January-December 1989

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	1.8	1	1	1	2	2	3	3	4
20-34	130	2.1	2	1	1	2	3	4	4	7
35-49	131	2.4	2	1	1	2	3	4	5	8
50-64	64	1.8	1	< 1	1	1	2	3	4	6
65 +	40	2.5	3	1	1	2	3	5	6	7
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	11	3.5	4	1	2	3	5	6	8	8
35-49	22	3.4	6	< 1	2	3	4	8	9	10
50-64	6	4.2	13	< 1	2	3	4	10	11	11
65 +	6	4.0	7	< 1	2	3	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	193	2.4	3	1	1	2	3	4	6	8
20-34	544	2.7	4	1	1	2	3	5	7	10
35-49	811	3.1	6	1	2	3	4	6	7	13
50-64	723	3.4	7	1	2	3	4	6	8	13
65 +	1216	4.2	10	2	2	3	5	8	10	16
B. Operated										
0-19 YRS	20	6.5	117	1	2	2	7	14	33	49
20-34	91	4.9	18	1	2	4	6	9	13	24
35-49	158	5.5	27	2	2	4	7	10	13	25
50-64	185	5.5	24	2	2	4	7	10	15	27
65 +	381	6.4	23	2	3	5	8	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	419	2.1	2	1	1	2	3	4	5	7
B. Operated	47	3.5	6	< 1	2	3	4	8	9	11
2. MULTIPLE DX										
A. Not Operated	3487	3.5	7	1	2	3	4	6	8	14
B. Operated	835	5.8	26	2	3	4	7	12	15	27
1. SINGLE DX	466	2.3	2	1	1	2	3	4	5	9
2. MULTIPLE DX	4322	3.9	12	1	2	3	5	7	10	17
A. Not Operated	3906	3.3	7	1	2	3	4	6	8	13
B. Operated	882	5.7	25	2	3	4	7	11	15	26
TOTAL										
0-19 YRS	269	2.6	12	1	1	2	3	4	6	10
20-34	776	2.9	6	1	1	2	4	5	7	12
35-49	1122	3.4	9	1	2	3	4	6	9	14
50-64	978	3.7	11	1	2	3	4	7	9	21
65 +	1643	4.7	14	2	2	4	6	9	12	19
GRAND TOTAL	**4788**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	3.1	15	1	1	2	3	6	7	27
20-34	24	2.1	3	1	1	2	2	4	7	8
35-49	34	3.2	19	1	1	2	3	5	12	24
50-64	29	2.8	8	< 1	1	1	4	7	9	11
65 +	16	2.3	3	1	1	2	3	5	6	7
B. Operated										
0-19 YRS	50	3.0	3	2	2	3	4	5	7	10
20-34	6	5.5	8	< 1	5	5	6	10	10	10
35-49	15	7.7	55	< 1	2	5	11	17	25	28
50-64	6	7.7	38	1	2	7	10	17	18	18
65 +	9	6.9	34	2	2	6	11	16	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	3.8	18	1	2	3	5	7	12	66
20-34	121	3.8	9	1	2	3	5	8	9	15
35-49	145	3.7	9	1	2	3	4	8	10	14
50-64	200	4.1	12	1	2	3	5	8	11	17
65 +	326	4.3	10	1	2	4	5	8	11	15
B. Operated										
0-19 YRS	61	5.9	81	2	2	3	5	12	18	58
20-34	58	8.7	47	2	3	8	11	17	22	35
35-49	82	11.6	120	3	5	8	12	27	38	57
50-64	147	10.7	68	3	4	9	14	22	30	50
65 +	231	13.4	167	3	6	9	16	29	44	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	157	2.8	11	1	1	2	3	6	7	23
B. Operated	86	4.7	21	1	2	3	6	10	14	25
2. MULTIPLE DX										
A. Not Operated	888	4.0	11	1	2	3	5	8	11	16
B. Operated	579	11.2	119	2	4	8	14	24	34	61
1. SINGLE DX	243	3.5	16	1	1	2	4	7	10	24
2. MULTIPLE DX	1467	6.8	66	1	2	4	8	15	21	48
A. Not Operated	1045	3.8	11	1	2	3	5	8	11	16
B. Operated	665	10.3	111	2	3	7	13	22	31	61
TOTAL										
0-19 YRS	261	4.0	30	1	2	3	4	7	11	34
20-34	209	5.0	24	1	2	3	7	10	15	25
35-49	276	6.2	58	1	2	4	8	13	20	40
50-64	382	6.6	44	1	2	4	9	15	19	35
65 +	582	7.9	92	2	3	5	9	16	26	57
GRAND TOTAL	**1710**	**6.4**	**60**	**1**	**2**	**4**	**8**	**14**	**20**	**45**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.6	13	1	1	2	2	4	11	18
20-34	15	2.0	1	1	1	2	3	3	4	4
35-49	4	4.8	39	1	1	2	8	14	14	14
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	3382	2.7	1	2	2	3	3	4	4	7
20-34	2894	2.9	1	2	2	3	3	4	5	7
35-49	1015	3.1	2	2	2	3	4	5	6	7
50-64	260	3.4	2	2	2	3	4	5	6	9
65 +	77	3.8	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.3		1	1	1	2	2	2	2
20-34	5	3.6	13	< 1	1	2	5	10	10	10
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	620	3.6	6	2	2	3	4	6	8	13
20-34	744	3.7	4	2	3	3	4	6	7	11
35-49	361	4.1	5	2	3	3	5	7	9	12
50-64	169	5.1	13	2	3	4	6	9	12	21
65 +	155	5.7	33	2	3	4	7	10	15	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	2.7	11	1	1	2	3	4	9	18
B. Operated	7628	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	19	2.9	5	1	1	2	4	6	8	10
B. Operated	2049	4.0	8	2	3	3	5	7	8	15
1. SINGLE DX	7669	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX	2068	4.0	8	2	3	3	5	7	8	15
A. Not Operated	60	2.7	9	1	1	2	3	5	8	18
B. Operated	9677	3.1	3	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	4029	2.8	2	2	2	3	3	4	5	8
20-34	3658	3.1	2	2	2	3	4	5	5	8
35-49	1384	3.4	3	2	2	3	4	5	6	10
50-64	431	4.1	7	2	3	3	5	7	9	15
65 +	235	5.1	23	2	3	4	6	8	12	18
GRAND TOTAL	**9737**	**3.1**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	4.2	4	< 1	3	4	5	7	9	9
20-34	9	7.7	28	1	4	5	13	15	15	15
35-49	11	6.2	5	3	4	6	8	9	10	10
50-64	1	7.0		7	7	7	7	7	7	7
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	926	5.6	7	3	4	5	7	9	10	14
20-34	670	5.4	5	3	4	5	7	8	9	11
35-49	372	5.8	6	3	4	5	7	9	10	16
50-64	176	6.4	8	3	5	6	8	10	11	16
65 +	69	6.5	7	4	5	6	8	9	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	7.8	19	3	4	6	10	15	16	16
20-34	4	11.5	28	7	7	11	16	17	17	17
35-49	7	6.1	7	3	5	5	8	10	10	10
50-64	1	5.0		5	5	5	5	5	5	5
65 +	8	7.3	31	1	3	6	10	16	18	18
B. Operated										
0-19 YRS	653	8.1	27	4	5	7	9	13	19	29
20-34	482	7.7	26	4	5	7	9	12	15	26
35-49	417	8.3	26	4	5	7	10	13	17	29
50-64	334	8.7	27	4	6	8	10	14	18	24
65 +	328	10.0	34	5	7	8	12	16	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	5.8	12	3	4	5	7	10	14	15
B. Operated	2213	5.7	7	3	4	5	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	28	7.6	21	2	5	7	10	16	17	18
B. Operated	2214	8.4	28	4	5	7	10	14	18	29
1. SINGLE DX	2248	5.7	7	3	4	5	7	9	10	14
2. MULTIPLE DX	2242	8.4	28	4	5	7	10	14	18	29
A. Not Operated	63	6.6	16	3	4	5	8	13	16	18
B. Operated	4427	7.0	19	3	5	6	8	11	15	23
TOTAL										
0-19 YRS	1600	6.6	17	3	4	6	8	11	13	22
20-34	1165	6.4	15	3	4	6	8	10	12	21
35-49	807	7.1	18	3	5	6	8	11	14	24
50-64	512	7.9	22	4	5	7	9	13	16	22
65 +	406	9.3	31	5	6	8	11	15	19	31
GRAND TOTAL	**4490**	**7.0**	**19**	**3**	**5**	**6**	**8**	**11**	**15**	**23**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.1		<1	1	1	1	2	2	2
20-34	22	2.0	3	1	1	2	2	3	6	9
35-49	7	3.1	8	1	1	2	5	8	8	8
50-64	0									
65+	3	4.0	7	1	2	5	6	6	6	6
B. Operated										
0-19 YRS	190	2.6	1	2	2	2	3	4	5	7
20-34	158	3.2	2	2	2	3	4	5	6	8
35-49	64	3.2	3	2	2	3	4	5	6	10
50-64	17	3.7	3	3	3	3	4	5	8	10
65+	7	3.4	2	1	2	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.0	2	1	1	2	3	4	5	5
20-34	5	2.8	9	<1	1	1	4	8	8	8
35-49	4	3.5	4	2	2	3	5	6	6	6
50-64	3	3.7	14	1	1	2	6	8	8	8
65+	3	5.7	6	3	4	6	7	8	8	8
B. Operated										
0-19 YRS	111	2.9	2	2	2	3	3	5	6	7
20-34	115	3.9	5	2	3	3	5	6	9	14
35-49	58	4.5	6	2	3	4	5	8	10	11
50-64	11	7.6	15	4	5	6	9	13	17	17
65+	16	6.8	10	3	4	6	8	10	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	2.0	3	1	1	1	2	5	6	9
B. Operated	436	3.0	2	2	2	3	3	4	6	8
2. MULTIPLE DX										
A. Not Operated	25	3.0	6	1	1	2	4	8	8	8
B. Operated	311	3.9	6	2	2	3	5	7	9	14
1. SINGLE DX	484	2.9	2	1	2	3	3	4	6	9
2. MULTIPLE DX	336	3.9	6	2	2	3	5	7	9	13
A. Not Operated	73	2.4	4	1	1	1	3	6	8	9
B. Operated	747	3.4	4	2	2	3	4	6	7	11
TOTAL										
0-19 YRS	327	2.6	1	1	2	2	3	4	5	7
20-34	300	3.4	4	2	2	3	4	6	7	10
35-49	133	3.8	5	2	2	3	4	6	9	11
50-64	31	5.1	11	2	3	4	6	10	11	17
65+	29	5.6	9	2	4	5	8	9	10	15
GRAND TOTAL	**820**	**3.3**	**4**	**2**	**2**	**3**	**4**	**6**	**7**	**10**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.5	1	<1	<1	1	1	3	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	5.3	14	1	2	7	8	8	8	8
65+	4	1.5		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	564	1.1		<1	<1	<1	1	1	2	3
20-34	186	1.3		<1	1	1	1	2	2	4
35-49	243	1.5	1	<1	1	1	2	3	3	5
50-64	323	1.6	3	1	1	1	2	2	3	8
65+	290	1.6	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.4	22	<1	<1	1	4	10	16	16
20-34	8	1.8	1	<1	1	1	2	4	4	4
35-49	7	2.7	8	1	1	2	3	8	9	9
50-64	12	1.5	2	<1	<1	1	1	3	6	6
65+	10	3.2	8	<1	1	2	7	8	8	8
B. Operated										
0-19 YRS	538	1.3	2	<1	<1	1	1	2	2	9
20-34	92	1.9	2	1	1	1	2	4	6	6
35-49	207	1.9	2	1	1	1	2	3	5	9
50-64	413	2.2	3	1	1	2	3	4	6	11
65+	838	2.6	4	1	1	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.0	3	<1	1	1	2	4	7	8
B. Operated	1606	1.4	1	<1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	47	2.5	8	<1	1	1	3	7	8	16
B. Operated	2088	2.1	3	1	1	1	2	4	5	10
1. SINGLE DX	1632	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX	2135	2.1	4	<1	1	1	2	4	6	10
A. Not Operated	73	2.3	7	<1	1	1	2	6	8	14
B. Operated	3694	1.8	3	<1	1	1	2	3	4	9
TOTAL										
0-19 YRS	1126	1.2	1	<1	<1	1	1	1	2	6
20-34	289	1.5	1	<1	1	1	2	3	4	6
35-49	459	1.7	2	1	1	1	2	3	4	9
50-64	751	2.0	4	1	1	1	2	3	5	10
65+	1142	2.3	3	1	1	2	3	4	6	10
GRAND TOTAL	**3767**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	177	1.4	1	< 1	1	1	2	2	3	6
20-34	44	1.8	1	1	1	2	2	3	4	4
35-49	44	1.6	1	1	1	1	2	3	4	5
50-64	66	2.2	2	1	1	2	3	4	5	8
65 +	76	2.7	4	1	1	2	3	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.2		< 1	< 1	1	1	2	3	3
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	3.8	5	2	2	3	5	8	8	8
65 +	18	5.2	81	< 1	1	2	5	11	28	39
B. Operated										
0-19 YRS	179	1.9	3	1	1	1	2	4	5	10
20-34	22	2.6	6	1	1	2	3	6	8	10
35-49	45	3.2	9	1	1	3	4	7	8	17
50-64	85	4.1	23	1	1	3	5	9	12	29
65 +	364	5.5	32	1	2	4	7	11	15	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.3		< 1	1	1	2	2	2	2
B. Operated	407	1.9	2	1	1	1	2	4	4	8
2. MULTIPLE DX										
A. Not Operated	35	3.7	44	< 1	1	2	4	8	11	39
B. Operated	695	4.2	24	1	1	3	5	9	12	26
1. SINGLE DX	417	1.8	2	1	1	1	2	4	4	8
2. MULTIPLE DX	730	4.2	25	1	1	3	5	9	12	28
A. Not Operated	45	3.2	35	< 1	1	1	3	6	10	39
B. Operated	1102	3.3	17	1	1	2	4	7	10	19
TOTAL										
0-19 YRS	370	1.7	2	< 1	1	1	2	3	4	7
20-34	67	2.1	3	1	1	2	2	4	5	9
35-49	92	2.4	5	1	1	2	3	5	7	14
50-64	157	3.3	14	1	1	2	4	6	10	19
65 +	461	5.0	30	1	2	3	6	10	14	32
GRAND TOTAL	**1147**	**3.3**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	43	1.2	1	< 1	< 1	< 1	< 1	1	3	5
20-34	19	1.7	1	< 1	< 1	1	2	4	5	5
35-49	32	1.7	1	1	1	1	2	3	4	5
50-64	30	2.1	2	< 1	1	2	3	4	5	7
65 +	11	2.3	7	< 1	1	1	3	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.0	2	< 1	< 1	1	3	3	3	3
35-49	3	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	4	2.8	5	< 1	1	2	4	6	6	6
B. Operated										
0-19 YRS	27	4.9	49	< 1	1	1	5	18	21	26
20-34	10	3.2	9	< 1	1	2	4	8	10	10
35-49	43	2.8	8	< 1	1	2	3	8	9	13
50-64	66	2.9	5	1	1	2	5	6	7	11
65 +	58	3.6	6	1	2	3	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	135	1.7	2	< 1	< 1	1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated	12	1.9	2	< 1	1	1	2	4	6	6
B. Operated	204	3.4	12	1	1	2	4	7	9	19
1. SINGLE DX	136	1.7	2	< 1	< 1	1	2	3	5	7
2. MULTIPLE DX	216	3.3	12	1	1	2	4	7	9	19
A. Not Operated	13	1.8	2	< 1	1	1	2	4	6	6
B. Operated	339	2.7	9	< 1	1	2	3	6	8	17
TOTAL										
0-19 YRS	72	2.6	22	< 1	< 1	< 1	1	5	16	25
20-34	31	2.2	4	< 1	< 1	1	2	5	7	10
35-49	78	2.3	5	1	1	1	3	4	8	12
50-64	98	2.6	4	1	1	2	4	6	7	10
65 +	73	3.3	6	1	1	3	4	6	8	14
GRAND TOTAL	**352**	**2.6**	**8**	**< 1**	**1**	**2**	**3**	**6**	**8**	**17**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	2.6	5	< 1	< 1	1	5	5	5	5
50-64	8	1.9	2	< 1	1	1	2	4	5	5
65 +	4	4.5	8	1	2	4	6	8	8	8
B. Operated										
0-19 YRS	36	1.9	2	< 1	< 1	1	2	4	5	5
20-34	71	2.4	2	1	1	2	3	5	5	6
35-49	214	2.8	3	1	1	2	3	5	6	10
50-64	277	2.9	3	1	2	3	4	5	6	8
65 +	202	3.1	4	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.7	8	< 1	< 1	< 1	5	6	6	6
35-49	9	2.6	6	< 1	1	2	3	7	8	8
50-64	14	3.1	8	< 1	1	2	4	8	10	10
65 +	19	3.6	9	1	1	2	5	8	10	12
B. Operated										
0-19 YRS	13	3.3	8	1	2	2	4	7	10	11
20-34	81	4.2	25	1	2	3	5	7	9	34
35-49	278	3.8	8	1	2	3	5	7	8	18
50-64	496	4.1	15	1	2	4	5	7	9	15
65 +	714	4.7	17	1	2	4	6	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.8	5	< 1	1	2	5	5	7	8
B. Operated	800	2.8	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	45	3.2	8	< 1	1	2	5	8	9	12
B. Operated	1582	4.4	15	1	2	4	5	8	10	17
1. SINGLE DX	818	2.8	3	1	2	3	4	5	6	8
2. MULTIPLE DX	1627	4.3	15	1	2	4	5	8	10	16
A. Not Operated	63	3.0	7	< 1	1	2	5	7	8	12
B. Operated	2382	3.9	12	1	2	3	5	7	9	15
TOTAL										
0-19 YRS	49	2.3	4	< 1	1	2	3	5	5	11
20-34	156	3.4	15	1	1	3	4	6	8	14
35-49	506	3.3	6	1	2	3	4	6	7	13
50-64	795	3.7	11	1	2	3	5	6	7	13
65 +	939	4.4	14	1	2	4	5	8	10	17
GRAND TOTAL	**2445**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	12	2.4	2	1	1	2	3	4	5	5
50-64	10	1.7	2	< 1	1	1	2	4	5	5
65 +	7	1.7	1	< 1	1	1	3	3	3	3
B. Operated										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	7	4.6	5	1	3	4	7	7	7	7
50-64	10	6.1	4	3	5	7	7	8	9	9
65 +	10	4.6	6	< 1	3	5	6	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.8	95	< 1	1	4	9	24	24	24
20-34	12	2.9	6	1	2	2	3	6	9	10
35-49	49	2.2	1	1	2	2	3	3	4	4
50-64	98	2.7	3	1	2	2	3	5	7	9
65 +	223	3.4	6	1	2	3	4	7	8	11
B. Operated										
0-19 YRS	13	9.2	135	3	4	7	9	18	41	47
20-34	29	6.6	17	3	4	6	7	9	19	20
35-49	87	5.3	4	3	4	5	6	8	8	12
50-64	105	6.9	31	3	4	6	7	11	19	36
65 +	127	9.0	53	4	6	7	10	14	17	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.0	1	< 1	1	2	3	4	5	5
B. Operated	32	5.2	4	2	4	5	7	8	8	9
2. MULTIPLE DX										
A. Not Operated	387	3.1	6	1	2	2	4	6	7	11
B. Operated	361	7.3	37	3	5	6	8	12	16	37
1. SINGLE DX	65	3.6	5	1	1	3	5	7	8	9
2. MULTIPLE DX	748	5.1	25	1	2	4	6	9	12	24
A. Not Operated	420	3.0	5	1	2	2	3	6	7	10
B. Operated	393	7.1	34	3	4	6	8	11	15	37
TOTAL										
0-19 YRS	20	8.3	107	2	3	5	8	17	35	47
20-34	48	5.2	15	2	2	4	7	9	11	20
35-49	155	4.1	5	1	2	4	6	7	8	10
50-64	223	4.8	21	1	2	4	6	8	11	27
65 +	367	5.4	29	1	2	4	7	10	13	27
GRAND TOTAL	**813**	**5.0**	**24**	**1**	**2**	**4**	**6**	**9**	**11**	**24**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.7	5	< 1	1	5	5	5	5	5
20-34	8	2.5	3	< 1	1	2	4	5	5	5
35-49	14	1.8	2	1	1	1	2	4	6	6
50-64	5	3.6	6	1	1	4	6	6	6	6
65 +	9	1.8	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	5	3.0	3	1	2	3	4	5	5	5
35-49	19	3.4	8	1	1	3	5	8	10	10
50-64	24	3.6	7	1	1	3	4	8	9	11
65 +	35	4.7	22	1	1	3	6	14	16	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	39	2.3	3	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated	3	5.0	16	< 1	1	5	8	9	9	9
B. Operated	83	4.0	13	1	1	3	5	8	12	17
1. SINGLE DX	41	2.2	3	1	1	1	3	5	6	6
2. MULTIPLE DX	86	4.0	13	1	1	3	5	8	12	17
A. Not Operated	5	3.4	13	< 1	< 1	1	6	9	9	9
B. Operated	122	3.5	11	1	1	2	4	7	9	17
TOTAL										
0-19 YRS	3	3.7	5	< 1	1	5	5	5	5	5
20-34	13	2.7	3	1	1	2	4	5	5	5
35-49	36	2.6	6	1	1	1	3	6	8	10
50-64	30	3.7	7	1	1	4	5	7	8	11
65 +	45	4.2	19	1	1	2	5	9	16	18
GRAND TOTAL	**127**	**3.4**	**11**	**1**	**1**	**2**	**4**	**8**	**9**	**17**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	2.3		2	2	2	3	3	3	3
65 +	4	2.5		2	2	2	3	3	3	3
B. Operated										
0-19 YRS	9	1.4	1	< 1	1	1	2	3	3	3
20-34	43	2.3	3	1	1	2	3	5	6	8
35-49	105	3.5	13	1	1	3	4	7	9	21
50-64	99	3.4	6	1	1	3	4	6	8	12
65 +	100	4.0	10	1	2	3	6	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	3.1	5	1	1	3	5	6	6	6
50-64	16	3.2	5	< 1	2	2	4	8	8	8
65 +	72	4.2	12	1	2	3	5	8	11	20
B. Operated										
0-19 YRS	13	4.5	14	1	2	2	7	10	12	12
20-34	54	5.8	18	1	3	5	8	11	15	18
35-49	126	6.2	45	1	3	5	7	11	13	47
50-64	243	6.0	25	2	3	5	8	11	14	32
65 +	614	8.0	36	2	4	7	11	15	19	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.2		1	2	2	3	3	3	3
B. Operated	356	3.4	9	1	1	2	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	96	3.9	10	1	2	3	5	8	9	18
B. Operated	1050	7.2	34	2	3	6	9	14	17	29
1. SINGLE DX	365	3.4	9	1	1	2	4	7	9	13
2. MULTIPLE DX	1146	6.9	33	2	3	6	9	13	17	28
A. Not Operated	105	3.8	10	1	2	3	5	8	9	17
B. Operated	1406	6.2	31	1	2	5	8	13	16	28
TOTAL										
0-19 YRS	22	3.3	11	< 1	1	2	5	9	11	12
20-34	99	4.2	14	1	1	3	6	9	12	18
35-49	239	4.9	31	1	2	3	6	9	11	33
50-64	361	5.1	20	1	2	4	7	10	12	21
65 +	790	7.1	33	2	3	6	10	14	17	28
GRAND TOTAL	**1511**	**6.0**	**30**	**1**	**2**	**5**	**8**	**12**	**16**	**27**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	177	2.5	7	1	1	2	3	6	7	10
20-34	176	3.4	6	1	2	3	4	6	7	15
35-49	259	3.4	5	1	2	3	4	6	8	12
50-64	284	3.2	5	1	2	3	4	6	8	10
65+	341	3.7	5	2	2	3	5	6	8	11
B. Operated										
0-19 YRS	111	6.0	31	2	3	5	7	10	12	37
20-34	111	8.2	16	4	6	7	10	13	15	23
35-49	141	8.5	23	4	6	7	10	13	17	30
50-64	103	8.2	13	5	6	8	9	12	16	22
65+	93	9.0	17	5	7	8	10	13	16	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	175	3.1	9	1	1	2	4	6	8	13
20-34	218	4.1	16	1	2	3	5	8	11	17
35-49	510	4.1	9	1	2	3	5	8	10	16
50-64	768	4.4	10	2	2	4	5	8	10	17
65+	2520	5.2	14	2	3	4	6	10	12	20
B. Operated										
0-19 YRS	218	8.5	42	4	5	7	9	16	21	32
20-34	236	10.6	75	4	6	8	11	18	26	52
35-49	422	11.4	88	5	6	9	13	21	30	87
50-64	588	13.2	102	6	8	10	15	24	32	58
65+	1462	14.3	99	6	8	12	17	24	31	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1237	3.3	6	1	2	3	4	6	8	11
B. Operated	559	8.0	21	4	5	7	9	12	16	25
2. MULTIPLE DX										
A. Not Operated	4191	4.8	13	2	3	4	6	9	11	18
B. Operated	2926	12.9	95	5	7	10	15	23	29	56
1. SINGLE DX	1796	4.8	15	1	2	4	6	9	11	20
2. MULTIPLE DX	7117	8.1	63	2	3	6	10	16	22	43
A. Not Operated	5428	4.5	11	1	2	4	6	8	11	17
B. Operated	3485	12.1	86	5	7	10	14	22	28	53
TOTAL										
0-19 YRS	681	5.2	29	1	2	4	7	10	13	28
20-34	741	6.6	42	2	3	5	8	12	17	35
35-49	1332	6.8	47	2	3	5	8	13	18	47
50-64	1743	7.4	59	2	3	5	9	15	20	38
65+	4416	8.2	60	2	3	6	10	17	21	38
GRAND TOTAL	**8913**	**7.5**	**55**	**2**	**3**	**5**	**9**	**15**	**20**	**38**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	785	2.0	7	1	1	2	2	3	4	8
20-34	477	1.8	1	1	1	1	2	3	4	6
35-49	269	2.0	3	1	1	2	2	4	4	9
50-64	126	2.1	1	1	1	2	3	4	5	6
65+	115	2.3	2	1	1	2	3	4	5	8
B. Operated										
0-19 YRS	53	3.8	15	2	2	3	4	6	7	28
20-34	73	3.2	2	2	2	3	4	5	6	7
35-49	26	3.7	4	1	3	3	4	7	8	9
50-64	17	3.1	3	< 1	1	3	4	6	6	6
65+	13	5.0	5	2	3	5	7	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2292	2.4	4	1	1	2	3	4	5	10
20-34	879	2.5	5	1	1	2	3	4	6	12
35-49	759	2.9	5	1	2	2	3	5	6	12
50-64	739	3.3	6	1	2	3	4	6	8	14
65+	1818	4.0	8	1	2	3	5	7	10	14
B. Operated										
0-19 YRS	72	8.0	92	2	3	4	10	26	34	85
20-34	136	6.9	100	2	3	4	7	13	20	52
35-49	115	5.6	20	2	3	5	7	10	15	24
50-64	123	8.3	77	2	3	5	10	19	29	47
65+	287	9.2	56	3	4	7	12	18	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1772	2.0	4	1	1	2	2	3	4	7
B. Operated	182	3.6	6	2	2	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	6487	3.0	6	1	2	2	4	5	7	13
B. Operated	733	7.9	67	2	3	5	10	17	23	42
1. SINGLE DX	1954	2.1	4	1	1	2	3	4	5	7
2. MULTIPLE DX	7220	3.5	15	1	2	3	4	7	10	19
A. Not Operated	8259	2.8	6	1	1	2	3	5	7	12
B. Operated	915	7.1	58	2	3	5	8	15	22	39
TOTAL										
0-19 YRS	3207	2.5	8	1	1	2	3	4	5	12
20-34	1555	2.7	13	1	1	2	3	5	6	15
35-49	1169	2.9	7	1	1	2	4	5	7	14
50-64	1010	3.8	18	1	2	3	4	7	10	21
65+	2233	4.6	17	1	2	3	5	9	12	21
GRAND TOTAL	**9174**	**3.2**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	41	3.7	4	2	2	3	5	7	8	10
35-49	218	4.4	5	2	3	4	5	7	9	12
50-64	276	4.0	4	2	2	4	5	7	8	10
65 +	225	4.3	15	2	2	4	5	6	10	16
B. Operated										
0-19 YRS	5	5.6	2	4	5	5	6	8	8	8
20-34	19	6.6	2	5	5	7	8	8	9	9
35-49	57	8.0	25	4	6	7	8	11	17	35
50-64	91	8.1	7	6	6	8	9	12	13	17
65 +	64	8.4	6	6	7	8	10	11	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	21	4.6	15	1	2	4	6	9	13	18
35-49	229	4.8	11	2	3	4	6	8	10	16
50-64	687	4.5	7	2	3	4	6	7	9	13
65 +	2206	5.1	9	2	3	4	7	9	11	15
B. Operated										
0-19 YRS	4	13.8	44	6	9	13	18	22	22	22
20-34	63	10.6	58	5	6	8	12	20	29	41
35-49	250	9.7	31	5	6	9	11	16	19	33
50-64	494	10.6	47	5	7	9	13	17	22	38
65 +	1204	11.3	70	4	7	9	14	19	25	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	760	4.2	7	2	3	4	5	7	8	12
B. Operated	236	8.0	11	5	6	7	9	11	13	19
2. MULTIPLE DX										
A. Not Operated	3145	5.0	9	2	3	4	6	8	10	15
B. Operated	2015	10.9	60	4	7	9	13	18	24	41
1. SINGLE DX	996	5.1	11	2	3	4	6	9	10	15
2. MULTIPLE DX	5160	7.3	37	2	4	6	9	14	17	31
A. Not Operated	3905	4.8	9	2	3	4	6	8	10	15
B. Operated	2251	10.6	55	4	7	9	13	18	23	40
TOTAL										
0-19 YRS	11	7.9	38	2	4	6	11	18	22	22
20-34	144	7.2	38	2	4	6	8	13	19	34
35-49	754	6.6	23	2	4	6	8	11	15	22
50-64	1548	6.6	28	2	3	5	8	12	15	26
65 +	3699	7.1	38	2	3	6	9	13	17	31
GRAND TOTAL	**6156**	**6.9**	**34**	**2**	**3**	**6**	**9**	**13**	**16**	**29**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.0	2	<1	1	2	2	4	5	5
20-34	9	3.1	6	1	1	2	5	7	7	7
35-49	11	2.0	1	<1	1	2	3	4	4	4
50-64	4	2.8	3	1	1	2	4	5	5	5
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	50	2.2	10	<1	1	1	3	4	5	22
20-34	267	2.0	2	1	1	2	3	4	5	8
35-49	287	2.1	5	1	1	2	2	4	5	8
50-64	144	2.3	4	1	1	2	3	4	5	14
65 +	43	2.8	5	1	1	2	3	6	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	5.4	30	1	2	4	5	15	19	20
20-34	17	5.6	29	1	2	4	8	14	18	20
35-49	22	3.8	10	1	1	3	5	8	11	13
50-64	12	3.6	5	1	2	3	5	7	8	8
65 +	24	8.3	80	2	3	5	9	17	31	42
B. Operated										
0-19 YRS	37	4.2	19	1	1	3	5	9	15	19
20-34	210	3.5	13	1	1	2	4	8	10	18
35-49	364	3.0	11	1	1	2	3	6	9	20
50-64	248	4.4	57	1	1	2	4	10	15	36
65 +	195	5.5	39	1	2	3	6	14	19	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.5	3	1	1	2	3	5	6	7
B. Operated	791	2.2	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	89	5.6	37	1	2	4	7	11	16	36
B. Operated	1054	3.9	29	1	1	2	4	8	13	28
1. SINGLE DX	825	2.2	4	1	1	2	3	4	5	9
2. MULTIPLE DX	1143	4.0	29	1	1	2	4	9	13	28
A. Not Operated	123	4.7	29	1	2	3	5	10	14	30
B. Operated	1845	3.2	19	1	1	2	3	6	9	23
TOTAL										
0-19 YRS	110	3.3	16	<1	1	2	3	7	14	21
20-34	503	2.8	8	1	1	2	3	6	8	14
35-49	684	2.6	9	1	1	2	3	5	7	15
50-64	408	3.6	37	1	1	2	3	7	12	30
65 +	263	5.3	39	1	2	3	6	12	18	34
GRAND TOTAL	**1968**	**3.3**	**20**	**1**	**1**	**2**	**3**	**7**	**10**	**24**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.4	2	1	1	2	3	4	5	5
20-34	43	2.6	3	1	1	2	4	4	6	7
35-49	34	3.5	4	1	2	3	5	6	7	8
50-64	16	3.4	6	1	1	3	5	8	9	9
65 +	12	3.8	7	1	1	4	6	7	8	8
B. Operated										
0-19 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
20-34	14	7.3	22	3	4	6	11	16	16	16
35-49	6	4.2	3	2	3	4	5	7	7	7
50-64	2	7.5	61	2	2	7	13	13	13	13
65 +	4	4.8	15	1	2	4	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.3	6	1	1	3	4	7	8	9
20-34	61	3.5	4	1	2	4	5	6	7	10
35-49	100	3.9	5	1	2	3	5	7	9	11
50-64	68	4.5	15	1	2	4	6	8	11	22
65 +	178	5.8	14	2	3	5	7	11	13	18
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	20	5.5	8	2	3	5	7	9	10	11
35-49	31	7.5	54	2	3	5	9	16	21	38
50-64	32	6.0	17	2	3	5	7	10	15	22
65 +	58	10.3	76	2	5	8	13	20	29	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	119	3.1	4	1	1	3	4	6	7	9
B. Operated	28	6.0	18	2	3	5	7	13	16	16
2. MULTIPLE DX										
A. Not Operated	428	4.7	11	1	2	4	6	9	11	17
B. Operated	143	8.0	51	2	4	6	9	17	21	38
1. SINGLE DX	147	3.6	8	1	1	3	5	7	8	16
2. MULTIPLE DX	571	5.5	23	1	3	4	7	10	14	26
A. Not Operated	547	4.4	10	1	2	4	6	8	11	16
B. Operated	171	7.6	46	2	4	6	9	16	20	38
TOTAL										
0-19 YRS	39	2.9	4	1	1	3	4	5	8	9
20-34	138	3.9	8	1	2	3	5	7	9	16
35-49	171	4.5	16	1	2	4	6	8	9	20
50-64	118	4.8	16	1	2	4	6	9	12	22
65 +	252	6.8	31	2	3	5	8	12	17	29
GRAND TOTAL	**718**	**5.1**	**21**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	4.9	14	2	2	4	5	11	12	19
20-34	116	4.7	13	1	2	4	6	9	10	19
35-49	66	4.3	9	2	2	4	5	8	12	14
50-64	33	4.9	14	2	3	4	6	9	13	19
65 +	16	4.8	4	3	4	4	6	8	9	9
B. Operated										
0-19 YRS	30	6.2	26	2	3	6	7	10	19	26
20-34	85	8.2	21	4	5	7	10	14	17	28
35-49	54	7.4	16	3	5	6	9	13	16	21
50-64	18	9.0	32	2	6	8	9	18	22	24
65 +	6	6.3	15	1	3	7	8	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	7.3	63	2	3	4	8	16	24	45
20-34	202	6.0	36	2	3	5	7	13	17	36
35-49	197	6.0	39	2	3	5	7	11	15	29
50-64	89	6.4	21	2	3	5	8	11	16	26
65 +	125	7.1	21	3	4	6	8	13	15	24
B. Operated										
0-19 YRS	84	11.3	88	3	5	9	14	24	30	50
20-34	256	12.1	110	4	6	9	14	24	31	49
35-49	249	11.2	110	4	6	8	12	23	31	83
50-64	156	11.4	60	4	7	10	14	22	25	44
65 +	209	12.6	108	4	6	10	15	25	36	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	4.6	12	2	2	4	6	9	11	18
B. Operated	193	7.7	22	3	5	7	9	13	18	26
2. MULTIPLE DX										
A. Not Operated	663	6.4	34	2	3	5	7	13	16	30
B. Operated	954	11.8	99	4	6	9	14	23	31	57
1. SINGLE DX	458	5.9	18	2	3	5	8	11	14	24
2. MULTIPLE DX	1617	9.6	79	3	4	7	11	19	26	48
A. Not Operated	928	5.9	28	2	3	5	7	11	15	27
B. Operated	1147	11.1	88	4	6	9	13	22	29	52
TOTAL										
0-19 YRS	198	8.4	66	2	3	6	10	19	26	41
20-34	659	8.4	68	2	4	6	10	16	24	45
35-49	566	8.2	72	2	4	6	10	16	23	60
50-64	296	9.0	48	2	4	7	11	18	22	37
65 +	356	10.2	79	3	5	8	12	20	28	43
GRAND TOTAL	**2075**	**8.8**	**68**	**2**	**4**	**7**	**10**	**18**	**24**	**44**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	3	1	2	4	5	5	5	5
20-34	9	4.2	6	2	3	4	5	8	10	10
35-49	7	3.4	6	<1	2	3	5	7	8	8
50-64	6	4.8	10	2	2	4	6	10	10	10
65+	3	7.0	31	<1	2	8	11	12	12	12
B. Operated										
0-19 YRS	6	4.2	8	2	2	3	6	9	9	9
20-34	10	8.9	32	5	5	7	10	17	24	24
35-49	7	4.7	6	1	3	5	7	7	7	7
50-64	8	6.1	6	2	4	7	8	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	4.6	12	1	2	4	7	10	11	13
20-34	39	6.3	33	2	3	4	7	14	22	25
35-49	68	6.9	24	2	3	6	8	13	17	23
50-64	71	6.0	29	2	3	5	7	11	14	31
65+	86	9.3	57	2	4	8	11	20	29	33
B. Operated										
0-19 YRS	32	11.2	155	3	4	8	12	25	26	69
20-34	39	9.5	58	2	6	9	11	19	34	99+
35-49	70	12.9	75	4	7	11	16	28	34	87
50-64	64	15.6	139	6	8	13	19	28	34	69
65+	87	16.2	166	5	8	13	21	28	38	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	4.3	8	1	2	4	5	9	10	12
B. Operated	32	6.2	17	2	3	6	8	9	10	24
2. MULTIPLE DX										
A. Not Operated	286	7.1	37	2	3	5	9	14	21	32
B. Operated	292	13.8	127	4	7	11	17	27	34	78
1. SINGLE DX	61	5.3	14	2	3	5	7	9	10	23
2. MULTIPLE DX	578	10.5	94	2	4	8	13	23	29	61
A. Not Operated	315	6.9	35	2	3	5	9	13	19	31
B. Operated	324	13.1	121	3	6	10	16	26	34	74
TOTAL										
0-19 YRS	64	7.8	93	2	3	5	9	15	25	63
20-34	97	7.7	43	2	3	6	10	14	24	72
35-49	152	9.4	56	3	4	7	12	21	27	38
50-64	149	10.1	97	2	4	7	13	22	29	57
65+	177	12.6	122	3	5	10	16	27	32	58
GRAND TOTAL	**639**	**10.0**	**88**	**2**	**4**	**8**	**12**	**22**	**28**	**58**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	2.3	8	<1	1	1	3	5	6	19
20-34	55	2.1	2	1	1	2	3	4	5	8
35-49	69	2.2	3	<1	1	2	3	4	5	11
50-64	48	2.8	5	1	1	2	3	7	8	9
65+	83	2.4	4	<1	1	2	3	4	6	12
B. Operated										
0-19 YRS	48	3.4	7	<1	1	3	4	6	10	13
20-34	92	5.1	47	1	2	4	6	9	12	43
35-49	86	5.0	14	1	2	4	6	10	13	18
50-64	61	5.6	30	1	2	5	7	10	14	31
65+	61	4.7	9	1	2	4	7	9	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	199	2.5	5	1	1	2	3	6	7	10
20-34	152	3.7	17	1	1	2	5	7	11	28
35-49	220	3.9	22	1	2	3	5	8	10	20
50-64	316	4.2	13	1	2	3	5	8	10	18
65+	1286	4.7	15	1	2	4	6	9	12	19
B. Operated										
0-19 YRS	146	6.5	48	1	2	4	8	15	18	40
20-34	282	7.5	84	2	3	5	8	15	26	54
35-49	379	7.9	59	2	3	6	9	18	27	99+
50-64	455	9.9	95	2	4	8	12	20	28	48
65+	1256	11.0	99	3	5	8	14	22	31	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	366	2.3	5	<1	1	2	3	4	6	11
B. Operated	348	4.9	24	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. Not Operated	2173	4.3	15	1	2	3	5	8	11	19
B. Operated	2518	9.7	90	2	4	7	12	20	29	55
1. SINGLE DX	714	3.6	16	1	1	2	5	7	10	16
2. MULTIPLE DX	4691	7.2	63	1	3	5	9	15	22	42
A. Not Operated	2539	4.0	14	1	2	3	5	8	10	18
B. Operated	2866	9.1	84	2	3	7	11	19	28	52
TOTAL										
0-19 YRS	504	3.7	21	1	1	2	4	8	12	20
20-34	581	5.6	56	1	2	4	6	10	18	40
35-49	754	5.9	43	1	2	4	7	13	19	55
50-64	880	7.2	65	1	2	5	9	15	21	43
65+	2686	7.6	64	2	3	5	9	16	22	42
GRAND TOTAL	**5405**	**6.7**	**58**	**1**	**2**	**4**	**8**	**14**	**20**	**42**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	2.3	2	1	1	2	3	5	5	5
35-49	24	3.2	11	1	2	2	3	6	12	15
50-64	7	7.7	76	1	3	3	12	23	25	25
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	6	6.0	29	1	3	5	7	15	16	16
50-64	4	2.5	2	1	1	2	3	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	169	5.6	20	2	3	4	7	12	15	22
35-49	616	6.3	40	2	3	4	7	13	18	35
50-64	464	6.4	25	2	3	5	8	12	16	23
65 +	215	7.5	24	2	4	6	10	14	18	23
B. Operated										
0-19 YRS	0									
20-34	42	11.0	113	4	5	7	15	20	31	60
35-49	195	9.8	99	3	4	6	12	22	30	57
50-64	193	9.0	83	3	4	7	11	18	23	44
65 +	87	9.9	38	4	5	8	13	20	24	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.9	24	1	2	2	4	10	15	25
B. Operated	11	4.8	18	1	2	3	7	11	16	16
2. MULTIPLE DX										
A. Not Operated	1465	6.4	31	2	3	5	8	13	17	26
B. Operated	517	9.6	84	3	4	7	12	21	26	52
1. SINGLE DX	48	4.1	22	1	2	3	4	10	15	25
2. MULTIPLE DX	1982	7.3	47	2	3	5	9	15	20	35
A. Not Operated	1502	6.4	31	2	3	5	8	13	17	26
B. Operated	528	9.5	83	3	4	7	12	20	26	51
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	218	6.5	42	2	3	5	8	14	18	31
35-49	841	7.0	55	2	3	5	8	14	22	43
50-64	668	7.2	43	2	3	6	9	15	19	29
65 +	302	8.2	29	3	4	7	11	16	20	25
GRAND TOTAL	**2030**	**7.2**	**46**	**2**	**3**	**5**	**9**	**15**	**20**	**34**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	4	3.5	19	1	1	2	6	10	10	10
35-49	5	1.4		1	1	1	2	2	2	2
50-64	15	3.3	5	1	1	3	6	7	7	7
65 +	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	8	3.3	17	< 1	< 1	1	6	10	10	10
20-34	14	1.8	5	< 1	1	1	1	4	8	9
35-49	24	1.9	2	1	1	1	2	5	5	5
50-64	18	2.6	7	< 1	1	1	3	8	9	9
65 +	12	1.8	1	< 1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.7	18	1	1	1	2	9	14	14
20-34	18	5.1	19	1	2	4	6	13	15	16
35-49	72	4.8	12	1	2	4	7	10	12	16
50-64	116	6.4	24	2	3	5	8	13	16	27
65 +	162	6.7	16	3	4	6	9	12	14	20
B. Operated										
0-19 YRS	27	4.5	69	1	1	1	4	8	22	41
20-34	22	5.3	24	1	1	4	8	11	15	21
35-49	81	8.5	107	1	3	5	10	18	40	49
50-64	114	7.1	58	1	2	5	9	14	21	46
65 +	144	8.7	62	2	4	6	11	18	25	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.6	5	1	1	2	3	6	7	10
B. Operated	76	2.1	5	< 1	1	1	2	5	9	10
2. MULTIPLE DX										
A. Not Operated	377	6.1	19	2	3	5	8	12	14	21
B. Operated	388	7.7	70	1	2	5	9	16	22	44
1. SINGLE DX	108	2.3	5	1	1	1	3	6	8	10
2. MULTIPLE DX	765	6.9	45	1	3	5	9	13	19	41
A. Not Operated	409	5.8	18	1	3	5	8	12	14	21
B. Operated	464	6.8	63	1	1	5	9	14	21	43
TOTAL										
0-19 YRS	49	3.7	44	1	1	1	3	9	14	41
20-34	58	4.3	19	1	1	2	6	11	13	21
35-49	182	6.0	59	1	2	4	7	12	17	44
50-64	263	6.3	38	1	2	5	8	13	17	28
65 +	321	7.3	39	2	3	6	9	14	19	33
GRAND TOTAL	**873**	**6.3**	**42**	**1**	**2**	**5**	**8**	**13**	**17**	**40**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.9	6	1	1	2	4	5	8	11
20-34	54	3.3	6	1	2	3	4	6	8	13
35-49	27	5.5	34	1	2	4	6	10	16	31
50-64	24	3.4	3	1	2	3	5	5	6	6
65 +	9	3.9	2	2	3	4	5	5	5	5
B. Operated										
0-19 YRS	8	3.0	14	1	1	1	5	9	10	10
20-34	8	5.1	12	1	2	5	8	9	9	9
35-49	5	9.6	28	4	4	11	14	15	15	15
50-64	10	5.3	9	< 1	2	6	8	9	9	9
65 +	7	5.1	19	1	1	4	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	3.3	6	1	2	3	5	6	8	14
20-34	127	4.8	19	2	2	4	6	8	11	27
35-49	226	5.9	37	2	3	4	7	11	17	31
50-64	364	6.1	26	2	3	5	7	12	15	25
65 +	357	6.6	21	2	4	5	8	12	15	24
B. Operated										
0-19 YRS	29	6.7	49	1	1	4	9	21	22	22
20-34	43	10.3	78	1	4	8	16	25	35	99 +
35-49	98	12.2	133	2	5	8	15	28	38	59
50-64	152	10.9	89	2	5	9	15	20	30	67
65 +	129	12.9	70	4	7	11	17	23	28	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	3.7	11	1	2	3	5	6	8	16
B. Operated	38	5.3	17	1	1	5	9	11	13	15
2. MULTIPLE DX										
A. Not Operated	1120	6.0	26	2	3	5	7	12	15	26
B. Operated	451	11.4	91	2	5	9	16	23	30	56
1. SINGLE DX	172	4.1	13	1	2	3	5	8	11	15
2. MULTIPLE DX	1571	7.5	51	2	3	5	9	16	21	40
A. Not Operated	1254	5.7	24	2	3	4	7	11	14	26
B. Operated	489	11.0	88	2	5	9	15	22	29	52
TOTAL										
0-19 YRS	103	4.2	21	1	1	2	5	9	14	22
20-34	232	5.5	32	1	2	4	7	11	17	34
35-49	356	7.7	70	2	3	5	9	17	26	46
50-64	550	7.3	47	2	3	5	9	15	20	37
65 +	502	8.2	41	2	4	6	11	16	21	31
GRAND TOTAL	**1743**	**7.2**	**48**	**2**	**3**	**5**	**9**	**15**	**21**	**37**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	1.8	2	< 1	1	1	2	3	5	6
20-34	146	2.3	3	1	1	2	3	5	6	9
35-49	178	2.1	2	< 1	1	2	3	4	5	7
50-64	120	2.2	3	1	1	2	3	4	5	9
65 +	60	2.4	3	1	1	2	3	4	6	10
B. Operated										
0-19 YRS	171	3.9	3	2	3	4	4	6	7	10
20-34	2027	4.1	3	3	3	4	5	6	7	10
35-49	2092	4.1	3	3	3	4	5	6	7	10
50-64	1512	4.4	3	3	3	4	5	6	7	11
65 +	669	4.8	4	3	4	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	3.1	5	1	2	3	4	5	7	12
20-34	165	3.0	13	< 1	1	2	3	5	7	26
35-49	189	2.6	3	1	1	2	4	5	6	8
50-64	326	3.3	9	1	1	2	4	7	9	16
65 +	687	4.4	10	1	2	4	6	9	10	14
B. Operated										
0-19 YRS	190	5.2	5	3	4	5	6	9	9	13
20-34	2257	4.9	11	3	3	4	6	7	9	14
35-49	3123	5.2	11	3	4	4	6	8	10	16
50-64	3437	5.9	19	3	4	5	7	9	12	20
65 +	4362	7.5	25	4	5	6	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	522	2.2	3	1	1	2	3	4	5	8
B. Operated	6471	4.2	3	3	3	4	5	6	7	11
2. MULTIPLE DX										
A. Not Operated	1391	3.7	10	1	2	3	5	7	10	14
B. Operated	13369	6.1	18	3	4	5	7	10	13	21
1. SINGLE DX	6993	4.1	4	2	3	4	5	6	7	10
2. MULTIPLE DX	14760	5.9	18	3	4	5	7	10	12	21
A. Not Operated	1913	3.3	8	1	1	2	4	7	9	13
B. Operated	19840	5.5	14	3	4	5	6	9	11	19
TOTAL										
0-19 YRS	403	4.4	5	2	3	4	5	7	9	12
20-34	4595	4.4	8	2	3	4	5	7	8	13
35-49	5582	4.6	8	3	3	4	5	7	9	14
50-64	5395	5.2	14	3	3	4	6	8	11	18
65 +	5778	6.8	22	3	4	6	8	12	14	24
GRAND TOTAL	**21753**	**5.3**	**14**	**3**	**3**	**4**	**6**	**9**	**11**	**18**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.9	3	1	1	3	4	6	6	6
20-34	50	2.4	3	1	1	2	3	5	6	8
35-49	57	2.0	2	< 1	1	1	3	4	5	9
50-64	38	3.0	4	1	1	2	4	6	7	7
65 +	14	3.0	4	1	2	2	4	6	8	8
B. Operated										
0-19 YRS	18	4.8	9	2	3	4	6	10	11	11
20-34	208	4.7	5	3	3	4	6	8	9	13
35-49	208	4.9	8	3	3	4	5	9	10	16
50-64	98	6.2	14	3	4	5	8	11	14	19
65 +	32	7.1	14	3	4	6	9	13	14	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.8	13	1	2	4	7	10	12	12
20-34	58	3.3	6	1	2	2	4	6	8	15
35-49	65	3.4	5	1	2	3	5	6	7	10
50-64	73	4.2	10	1	2	4	6	9	10	15
65 +	180	5.3	12	2	3	5	7	9	11	19
B. Operated										
0-19 YRS	18	5.7	17	2	4	5	6	12	16	18
20-34	220	5.7	14	3	4	5	7	10	12	19
35-49	328	6.0	39	3	4	5	6	10	11	26
50-64	261	7.2	35	3	4	6	8	12	15	34
65 +	409	9.2	41	4	6	8	10	15	20	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	166	2.5	3	1	1	2	3	5	6	8
B. Operated	564	5.2	9	3	3	4	6	9	11	17
2. MULTIPLE DX										
A. Not Operated	388	4.5	10	1	2	4	6	8	10	16
B. Operated	1236	7.2	36	3	4	6	9	12	16	35
1. SINGLE DX	730	4.6	9	2	3	4	6	9	10	16
2. MULTIPLE DX	1624	6.6	31	3	4	5	8	11	15	27
A. Not Operated	554	3.9	9	1	2	3	5	8	9	15
B. Operated	1800	6.6	28	3	4	5	8	11	14	26
TOTAL										
0-19 YRS	55	4.8	12	1	3	4	6	9	12	18
20-34	536	4.8	10	2	3	4	6	8	10	15
35-49	658	5.0	24	2	3	4	6	9	10	19
50-64	470	6.2	26	2	4	5	8	11	14	24
65 +	635	7.8	34	3	4	7	9	13	18	35
GRAND TOTAL	**2354**	**5.9**	**25**	**2**	**3**	**5**	**7**	**10**	**13**	**24**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	15	3.9	15	1	1	2	5	9	13	15
35-49	19	2.1	2	1	1	2	3	4	6	7
50-64	13	1.9	1	< 1	1	2	2	3	4	4
65 +	8	1.9		< 1	1	2	2	3	3	3
B. Operated										
0-19 YRS	7	6.6	18	2	4	5	9	13	14	14
20-34	97	6.1	16	2	4	5	8	12	14	20
35-49	75	5.1	11	1	3	5	6	9	11	18
50-64	56	6.4	22	1	4	5	9	11	16	26
65 +	64	6.0	12	2	3	6	8	9	11	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	19	5.2	28	1	1	3	8	15	16	16
35-49	24	2.8	2	1	2	3	3	4	6	6
50-64	14	5.8	24	2	3	4	6	14	17	18
65 +	114	4.8	22	2	2	4	6	10	11	29
B. Operated										
0-19 YRS	16	6.9	17	3	4	6	10	12	15	16
20-34	113	7.4	20	4	5	6	8	14	19	21
35-49	115	7.2	14	3	5	7	9	11	14	21
50-64	181	8.2	53	3	5	7	9	14	19	40
65 +	621	9.4	43	3	6	8	12	17	20	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.5	6	1	1	2	3	4	7	15
B. Operated	299	5.9	15	2	3	5	8	10	13	20
2. MULTIPLE DX										
A. Not Operated	172	4.7	20	1	2	3	5	10	13	26
B. Operated	1046	8.7	40	3	5	7	11	16	19	32
1. SINGLE DX	354	5.4	15	1	3	5	7	10	13	19
2. MULTIPLE DX	1218	8.2	39	2	4	7	10	15	19	32
A. Not Operated	227	4.1	17	1	2	3	4	9	12	24
B. Operated	1345	8.1	36	3	5	7	10	14	18	29
TOTAL										
0-19 YRS	24	6.6	16	2	4	6	9	12	15	16
20-34	244	6.5	19	2	4	5	8	13	17	21
35-49	233	5.7	14	1	3	5	8	10	12	18
50-64	264	7.4	45	2	4	6	9	13	17	39
65 +	807	8.4	41	2	4	7	10	16	19	32
GRAND TOTAL	**1572**	**7.5**	**35**	**2**	**4**	**6**	**9**	**14**	**18**	**29**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	8.0	18	2	6	8	10	14	14	14
20-34	8	3.6	16	1	1	2	4	11	13	13
35-49	17	5.4	62	1	1	3	7	9	25	34
50-64	18	3.4	6	<1	1	3	6	7	8	8
65 +	8	2.5	3	<1	1	2	3	5	6	6
B. Operated										
0-19 YRS	5	7.2	35	<1	4	6	9	17	17	17
20-34	5	14.6	155	1	4	12	27	29	29	29
35-49	21	5.8	38	<1	1	4	7	13	20	27
50-64	16	4.4	11	1	1	4	7	10	10	10
65 +	24	3.9	12	1	1	2	6	9	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	7.1	16	3	4	6	10	14	15	16
20-34	20	4.4	22	<1	1	2	6	12	16	16
35-49	27	4.3	5	1	3	5	5	7	9	10
50-64	68	5.0	11	1	3	4	6	10	12	16
65 +	155	5.4	12	2	3	5	7	9	12	19
B. Operated										
0-19 YRS	15	17.3	172	7	9	14	22	35	48	52
20-34	28	7.4	37	1	3	6	10	17	20	25
35-49	91	6.6	35	1	2	5	9	14	18	32
50-64	106	7.4	47	1	3	6	10	15	18	41
65 +	230	9.8	61	2	4	7	13	20	25	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	4.3	26	1	1	3	6	8	12	33
B. Operated	71	5.5	35	1	1	4	7	12	17	29
2. MULTIPLE DX										
A. Not Operated	304	5.4	12	1	3	5	7	10	13	17
B. Operated	470	8.7	58	2	3	7	11	18	23	37
1. SINGLE DX	127	5.0	31	1	1	3	7	10	14	30
2. MULTIPLE DX	774	7.4	43	2	3	6	10	15	19	35
A. Not Operated	360	5.2	15	1	3	5	7	10	13	18
B. Operated	541	8.3	57	1	3	6	11	17	23	36
TOTAL										
0-19 YRS	59	9.8	73	2	5	8	12	16	28	50
20-34	61	6.5	45	1	2	5	8	16	22	29
35-49	156	6.0	33	1	2	5	8	12	17	34
50-64	208	6.0	31	1	2	5	8	12	15	30
65 +	417	7.7	44	2	3	6	10	16	21	32
GRAND TOTAL	**901**	**7.1**	**42**	**1**	**3**	**5**	**9**	**15**	**19**	**34**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	3.9	5	1	2	4	6	7	8	9
20-34	213	4.2	7	2	2	4	5	8	10	14
35-49	244	4.4	10	2	3	4	5	8	10	21
50-64	133	4.0	5	2	3	4	5	7	8	11
65 +	92	4.5	7	2	3	4	6	8	9	14
B. Operated										
0-19 YRS	7	7.4	12	2	6	8	9	11	12	12
20-34	37	8.6	70	2	4	8	10	16	40	99 +
35-49	37	9.5	59	2	5	8	12	19	22	41
50-64	31	8.1	42	2	4	7	10	12	12	38
65 +	7	10.0	57	1	3	10	14	21	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	4.6	11	1	2	4	6	8	12	16
20-34	674	5.9	36	2	3	4	7	10	14	36
35-49	1111	5.9	23	2	3	5	7	11	14	25
50-64	741	5.8	24	2	3	5	7	10	14	26
65 +	851	6.0	16	2	4	5	7	11	14	19
B. Operated										
0-19 YRS	23	25.7	624	4	6	13	45	65	76	78
20-34	165	14.9	180	5	7	10	18	34	45	71
35-49	331	13.7	166	4	6	10	17	30	42	89
50-64	285	14.1	148	4	7	10	18	29	40	66
65 +	401	13.9	173	4	7	10	17	26	42	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	715	4.3	8	2	2	4	5	8	9	14
B. Operated	119	8.8	54	2	4	8	10	15	22	64
2. MULTIPLE DX										
A. Not Operated	3434	5.9	24	2	3	5	7	11	14	25
B. Operated	1205	14.3	176	4	7	10	17	30	45	80
1. SINGLE DX	834	4.9	17	2	3	4	6	9	11	22
2. MULTIPLE DX	4639	8.0	77	2	4	6	9	15	23	50
A. Not Operated	4149	5.6	22	2	3	4	7	10	13	24
B. Operated	1324	13.8	168	4	6	10	16	29	43	80
TOTAL										
0-19 YRS	120	8.6	192	1	3	4	7	14	41	76
20-34	1089	7.0	65	2	3	5	8	13	21	46
35-49	1723	7.2	60	2	3	5	8	14	20	43
50-64	1190	7.7	65	2	3	5	9	15	23	46
65 +	1351	8.2	76	2	4	6	10	16	21	49
GRAND TOTAL	**5473**	**7.6**	**69**	**2**	**3**	**5**	**9**	**14**	**21**	**48**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.2	2	1	1	2	3	4	5	6
20-34	75	2.4	3	1	1	2	3	5	6	8
35-49	76	2.7	3	1	2	2	3	5	7	9
50-64	90	3.0	5	1	2	2	4	6	7	11
65 +	75	2.8	3	1	2	2	4	5	7	8
B. Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64	5	7.0	29	2	2	6	12	14	14	14
65 +	13	5.9	25	2	2	3	12	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	3.5	19	1	1	2	4	6	9	28
20-34	351	3.2	13	1	2	2	4	6	7	16
35-49	660	3.8	12	1	2	3	5	7	9	15
50-64	873	4.1	12	2	2	3	5	7	10	19
65 +	2823	4.7	12	2	3	4	6	8	11	18
B. Operated										
0-19 YRS	28	11.5	318	1	3	5	13	31	42	89
20-34	52	6.0	81	1	2	3	6	11	20	58
35-49	142	6.4	29	2	3	5	8	12	18	39
50-64	298	6.4	45	2	3	4	8	13	18	29
65 +	877	7.8	52	3	4	6	10	15	19	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	347	2.7	3	1	1	2	3	5	7	9
B. Operated	27	4.9	20	1	2	3	6	13	14	14
2. MULTIPLE DX										
A. Not Operated	4828	4.3	12	2	2	3	5	8	10	18
B. Operated	1397	7.4	55	2	3	5	9	14	19	37
1. SINGLE DX	374	2.9	5	1	1	2	3	6	7	13
2. MULTIPLE DX	6225	5.0	23	2	2	4	6	9	13	24
A. Not Operated	5175	4.2	12	1	2	3	5	8	10	17
B. Operated	1424	7.3	55	2	3	5	9	14	19	37
TOTAL										
0-19 YRS	183	4.5	69	1	1	2	5	8	13	37
20-34	480	3.3	19	1	2	2	4	6	7	20
35-49	882	4.1	15	1	2	3	5	8	10	21
50-64	1266	4.6	20	2	2	3	5	9	11	23
65 +	3788	5.4	23	2	3	4	6	10	13	23
GRAND TOTAL	**6599**	**4.9**	**23**	**2**	**2**	**4**	**6**	**9**	**13**	**23**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.2	2	< 1	1	2	3	4	5	5
20-34	0									
35-49	3	6.0	27	3	3	3	10	12	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.3	16	1	1	1	6	8	8	8
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	5.3	28	1	2	3	8	12	14	27
20-34	7	5.0	4	2	3	5	7	7	7	7
35-49	15	5.3	21	1	2	4	6	13	14	15
50-64	15	6.2	21	2	3	5	9	11	16	18
65 +	23	8.4	43	2	3	7	11	18	24	24
B. Operated										
0-19 YRS	25	22.2	428	4	6	21	45	99 +	99 +	99 +
20-34	6	11.0	40	4	9	10	11	22	23	23
35-49	19	12.2	160	4	7	8	13	21	44	60
50-64	19	12.2	169	1	3	8	16	31	45	51
65 +	23	15.0	303	4	7	8	19	28	56	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.7	6	< 1	1	2	3	5	8	12
B. Operated	4	3.3	11	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. Not Operated	124	5.9	28	1	2	4	8	12	16	25
B. Operated	92	15.5	272	3	6	10	22	47	88	99 +
1. SINGLE DX	26	2.8	6	1	1	2	3	5	9	12
2. MULTIPLE DX	216	10.0	154	1	3	7	12	24	43	99 +
A. Not Operated	146	5.5	26	1	2	3	7	12	16	24
B. Operated	96	15.0	267	3	6	9	21	45	86	99 +
TOTAL										
0-19 YRS	111	8.5	166	1	2	4	10	31	52	99 +
20-34	13	7.8	28	3	5	7	9	13	21	23
35-49	38	8.7	100	2	3	7	11	15	21	60
50-64	34	9.5	110	1	3	6	11	18	34	51
65 +	46	11.7	180	2	4	8	12	24	28	83
GRAND TOTAL	**242**	**9.2**	**143**	**1**	**2**	**6**	**11**	**23**	**38**	**99 +**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	3.0	7	< 1	1	2	4	6	8	15
20-34	11	3.5	6	< 1	1	3	6	7	7	7
35-49	4	4.8	39	1	1	2	8	14	14	14
50-64	3	1.3		< 1	< 1	< 1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	38	1.5	1	1	1	1	2	2	3	6
20-34	31	2.2	5	1	1	1	2	5	8	11
35-49	23	1.3		1	1	1	1	2	3	4
50-64	23	1.6	2	< 1	1	1	2	3	5	7
65 +	10	1.5	2	1	1	1	1	3	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	4.3	31	< 1	2	3	5	8	9	37
20-34	31	3.7	10	1	2	3	5	7	12	14
35-49	31	4.7	16	2	2	4	5	8	17	18
50-64	40	5.9	18	1	2	5	9	13	14	15
65 +	51	7.1	21	2	4	6	10	12	15	25
B. Operated										
0-19 YRS	28	7.0	186	1	2	3	6	12	25	73
20-34	65	5.1	31	1	1	3	7	12	16	29
35-49	64	4.9	26	1	1	2	8	12	15	25
50-64	55	4.4	21	1	1	2	7	10	16	17
65 +	73	7.8	90	1	1	5	10	18	24	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	3.1	8	< 1	1	2	4	7	9	15
B. Operated	125	1.6	2	1	1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	239	5.1	23	1	2	4	6	11	13	19
B. Operated	285	5.8	59	1	1	3	8	14	18	34
1. SINGLE DX	200	2.2	5	1	1	1	2	5	7	12
2. MULTIPLE DX	524	5.5	43	1	2	4	7	12	16	27
A. Not Operated	314	4.6	20	1	2	3	6	10	12	18
B. Operated	410	4.5	45	1	1	2	6	11	16	28
TOTAL										
0-19 YRS	209	3.8	42	1	1	2	4	7	9	32
20-34	138	4.0	20	1	1	2	5	8	13	22
35-49	122	4.1	20	1	1	2	5	10	14	20
50-64	121	4.3	18	1	1	2	6	11	14	17
65 +	134	7.1	59	1	2	5	10	15	20	39
GRAND TOTAL	**724**	**4.6**	**34**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	3.7	3	2	3	3	5	5	8	8
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	5.1	11	2	3	5	7	9	10	17
20-34	8	3.6	4	1	2	4	5	6	6	6
35-49	7	3.7	3	1	3	4	5	6	6	6
50-64	6	5.2	2	3	4	5	6	7	7	7
65 +	25	10.6	94	3	5	9	12	23	30	49
B. Operated										
0-19 YRS	7	8.7	17	4	6	8	9	15	17	17
20-34	8	7.4	45	2	3	6	9	19	22	22
35-49	4	12.3	83	2	6	11	18	24	24	24
50-64	17	11.4	161	2	4	6	14	23	43	53
65 +	19	10.3	56	2	4	10	14	21	26	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.6	3	2	3	3	5	5	8	8
B. Operated	10	2.3	2	< 1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	107	6.2	34	2	3	5	8	10	13	34
B. Operated	55	10.2	81	2	4	6	14	22	24	52
1. SINGLE DX	41	3.3	3	1	2	3	5	5	6	8
2. MULTIPLE DX	162	7.5	53	2	3	6	9	15	22	46
A. Not Operated	138	5.6	28	2	3	5	7	10	12	26
B. Operated	65	9.0	77	2	3	6	13	21	24	49
TOTAL										
0-19 YRS	99	4.9	10	2	3	4	7	9	10	18
20-34	19	5.1	24	1	2	5	6	10	17	22
35-49	16	5.6	34	1	2	4	5	13	21	24
50-64	24	9.5	122	2	4	6	11	21	33	53
65 +	45	10.2	76	2	5	9	13	23	24	49
GRAND TOTAL	**203**	**6.7**	**46**	**2**	**3**	**5**	**8**	**13**	**20**	**38**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	11	1.9	2	< 1	< 1	1	2	4	5	5
35-49	11	1.7	2	< 1	< 1	< 1	2	4	5	5
50-64	11	1.5	2	< 1	< 1	1	1	4	6	6
65 +	8	4.6	8	< 1	2	5	6	8	9	9
B. Operated										
0-19 YRS	14	4.4	28	< 1	< 1	1	7	15	15	15
20-34	53	4.4	25	< 1	< 1	2	7	11	17	21
35-49	51	4.6	36	< 1	< 1	1	8	12	17	31
50-64	60	3.4	18	< 1	< 1	2	4	9	11	22
65 +	28	3.0	9	1	1	2	3	7	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	8.4	117	< 1	2	4	8	26	36	40
20-34	39	3.3	11	< 1	1	2	4	6	11	17
35-49	52	3.0	7	< 1	1	2	4	8	9	11
50-64	85	4.5	34	< 1	1	3	5	10	15	32
65 +	178	6.3	26	1	3	5	8	13	16	22
B. Operated										
0-19 YRS	69	9.2	57	< 1	3	8	14	18	21	36
20-34	210	8.6	76	1	3	7	11	19	24	45
35-49	299	8.8	87	1	2	6	12	20	26	42
50-64	379	8.0	66	1	3	6	10	17	25	47
65 +	337	9.1	69	1	3	7	12	22	29	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	2.3	4	< 1	< 1	1	3	6	7	9
B. Operated	206	4.0	24	< 1	< 1	2	5	10	15	21
2. MULTIPLE DX										
A. Not Operated	372	5.2	30	< 1	2	4	7	11	15	28
B. Operated	1294	8.6	73	1	3	6	11	19	26	42
1. SINGLE DX	249	3.7	21	< 1	< 1	1	5	10	13	21
2. MULTIPLE DX	1666	7.9	65	1	2	6	10	17	24	40
A. Not Operated	415	4.9	28	< 1	1	3	6	10	15	27
B. Operated	1500	8.0	69	1	2	6	11	18	24	40
TOTAL										
0-19 YRS	103	8.3	64	< 1	1	7	13	18	22	38
20-34	313	7.0	62	< 1	1	5	9	16	22	29
35-49	413	7.3	74	< 1	1	5	10	17	23	41
50-64	535	6.8	58	< 1	2	5	9	16	21	44
65 +	551	7.8	54	1	3	6	10	17	22	36
GRAND TOTAL	**1915**	**7.3**	**61**	**1**	**2**	**5**	**10**	**17**	**22**	**39**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	9	5.4	7	2	4	5	8	9	9	9
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	3	3.3	16	< 1	< 1	< 1	6	8	8	8
65 +	6	6.3	86	< 1	< 1	3	5	23	25	25
B. Operated										
0-19 YRS	4	4.3	14	< 1	< 1	4	7	8	8	8
20-34	7	2.1	1	< 1	< 1	2	3	4	4	4
35-49	4	5.8	24	< 1	1	5	9	12	12	12
50-64	3	4.3	33	1	1	1	9	11	11	11
65 +	5	5.2	78	1	1	1	7	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	5.1	18	2	2	4	5	11	16	17
20-34	29	5.6	22	1	2	5	8	10	19	19
35-49	55	5.6	16	2	2	5	7	11	14	18
50-64	101	6.5	23	2	3	5	8	11	19	25
65 +	516	7.5	26	3	4	6	9	14	17	29
B. Operated										
0-19 YRS	23	11.6	72	3	4	9	20	26	48	99 +
20-34	75	8.7	104	< 1	2	6	12	18	26	61
35-49	79	11.0	85	2	5	8	13	27	30	42
50-64	141	12.1	155	2	4	8	16	29	36	66
65 +	341	14.3	140	4	7	11	19	27	33	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	5.1	25	< 1	2	4	6	9	15	25
B. Operated	23	4.1	25	< 1	1	2	6	11	15	21
2. MULTIPLE DX										
A. Not Operated	715	7.1	25	2	4	6	9	13	17	26
B. Operated	659	12.7	133	2	5	10	17	26	33	70
1. SINGLE DX	46	4.6	25	< 1	1	3	6	9	14	25
2. MULTIPLE DX	1374	9.8	85	2	4	7	12	21	27	41
A. Not Operated	738	7.0	25	2	4	6	9	13	17	26
B. Operated	682	12.4	132	2	5	9	17	26	32	69
TOTAL										
0-19 YRS	44	8.3	56	1	3	5	15	22	26	99 +
20-34	120	7.3	74	< 1	2	5	9	16	23	43
35-49	140	8.6	62	2	4	6	11	18	28	40
50-64	248	9.6	106	2	3	7	11	22	32	42
65 +	868	10.2	82	3	5	7	13	20	26	40
GRAND TOTAL	**1420**	**9.6**	**83**	**2**	**4**	**7**	**12**	**20**	**26**	**41**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	158	3.1	2	1	2	3	4	5	6	9
20-34	253	3.2	2	2	2	3	4	5	6	8
35-49	95	3.7	18	1	2	3	4	6	8	28
50-64	27	3.5	3	1	2	3	4	6	7	9
65 +	32	3.5	3	1	2	3	5	6	8	8
B. Operated										
0-19 YRS	4	4.5	3	3	3	4	6	7	7	7
20-34	6	5.8	6	3	4	5	7	10	10	10
35-49	3	6.3	1	5	5	7	7	7	7	7
50-64	3	5.7	6	3	4	6	7	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	468	3.8	4	2	2	3	5	6	7	10
20-34	795	3.7	4	2	3	3	5	6	7	10
35-49	472	4.6	7	2	3	4	6	8	10	15
50-64	427	5.1	11	2	3	5	6	9	10	15
65 +	767	5.3	10	2	3	5	7	9	10	16
B. Operated										
0-19 YRS	33	8.0	24	3	4	7	10	15	18	21
20-34	55	5.9	14	3	4	5	7	10	12	24
35-49	42	8.4	32	3	5	6	11	16	18	29
50-64	51	11.5	92	4	6	9	14	22	27	61
65 +	95	11.5	83	5	6	9	13	24	28	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	565	3.3	5	1	2	3	4	5	6	8
B. Operated	16	5.6	4	3	4	5	7	8	9	10
2. MULTIPLE DX										
A. Not Operated	2929	4.5	7	2	3	4	5	7	9	14
B. Operated	276	9.5	61	3	5	7	11	17	25	49
1. SINGLE DX	581	3.3	5	1	2	3	4	5	7	9
2. MULTIPLE DX	3205	4.9	14	2	3	4	6	8	10	19
A. Not Operated	3494	4.3	7	2	3	4	5	7	9	13
B. Operated	292	9.3	58	3	5	7	11	17	24	45
TOTAL										
0-19 YRS	663	3.8	6	2	2	3	5	6	8	14
20-34	1109	3.7	4	2	2	3	5	6	7	10
35-49	612	4.7	11	2	3	4	6	8	10	17
50-64	508	5.7	23	2	3	5	6	10	13	26
65 +	894	5.9	21	2	3	5	7	10	12	25
GRAND TOTAL	**3786**	**4.7**	**13**	**2**	**3**	**4**	**6**	**8**	**10**	**18**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	123	2.7	2	1	2	2	3	4	5	7
20-34	177	3.3	3	1	2	3	4	6	7	9
35-49	66	3.5	4	2	2	3	4	7	8	9
50-64	21	2.9	1	1	2	3	4	4	4	4
65 +	15	3.9	4	2	2	4	5	6	8	8
B. Operated										
0-19 YRS	7	5.4	29	1	3	3	6	15	17	17
20-34	6	7.3	35	3	3	5	12	16	17	17
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	4	9.5	15	6	7	8	12	15	15	15
65 +	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	339	4.0	5	2	2	3	5	7	8	12
20-34	460	4.0	8	2	2	3	5	7	8	15
35-49	257	4.4	7	2	3	4	5	7	9	16
50-64	206	5.0	10	2	3	4	6	9	11	16
65 +	309	5.7	10	3	4	5	7	10	12	17
B. Operated										
0-19 YRS	67	8.0	36	2	4	7	10	13	17	38
20-34	57	8.3	79	3	4	6	9	18	24	52
35-49	44	7.9	38	3	5	6	9	13	21	34
50-64	43	10.0	62	4	6	8	11	19	25	47
65 +	60	11.6	50	4	6	10	15	23	26	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	402	3.1	3	1	2	3	4	5	7	8
B. Operated	23	6.2	22	2	3	4	8	15	17	17
2. MULTIPLE DX										
A. Not Operated	1571	4.5	8	2	3	4	5	8	10	16
B. Operated	271	9.2	54	3	5	7	11	17	24	42
1. SINGLE DX	425	3.3	4	1	2	3	4	6	7	11
2. MULTIPLE DX	1842	5.2	18	2	3	4	6	9	13	23
A. Not Operated	1973	4.3	8	2	3	4	5	7	9	15
B. Operated	294	8.9	52	3	5	7	11	17	24	41
TOTAL										
0-19 YRS	536	4.2	11	2	2	3	5	7	10	17
20-34	700	4.2	14	2	2	3	5	7	9	20
35-49	370	4.6	12	2	3	4	6	8	10	17
50-64	274	5.7	21	2	3	4	7	11	14	23
65 +	387	6.5	21	3	4	5	8	12	15	26
GRAND TOTAL	**2267**	**4.9**	**16**	**2**	**3**	**4**	**6**	**9**	**12**	**20**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.2		< 1	1	1	1	2	3	3
20-34	140	1.7	2	< 1	1	1	2	3	4	8
35-49	219	1.6	2	< 1	1	1	2	3	4	9
50-64	104	1.5	1	< 1	1	1	2	2	3	4
65 +	35	1.7	1	1	1	1	2	3	5	6
B. Operated										
0-19 YRS	6	4.3	15	1	1	3	7	11	11	11
20-34	65	3.0	4	1	1	2	5	6	6	8
35-49	75	2.9	6	1	1	2	4	6	8	11
50-64	58	3.3	6	1	1	3	5	7	8	10
65 +	34	3.2	11	< 1	< 1	1	5	8	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	2.6	8	1	1	2	3	5	8	15
20-34	147	2.2	3	1	1	2	3	4	6	8
35-49	218	2.3	5	1	1	2	3	4	6	13
50-64	169	2.3	3	1	1	2	3	5	6	8
65 +	148	2.7	6	1	1	2	3	6	10	14
B. Operated										
0-19 YRS	13	6.1	14	1	3	6	9	11	12	12
20-34	87	5.0	18	1	2	4	6	10	12	26
35-49	126	6.4	58	1	2	4	8	13	18	63
50-64	130	4.9	13	1	2	4	7	10	12	16
65 +	137	7.1	77	1	2	5	8	12	19	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	515	1.6	2	< 1	1	1	2	3	4	7
B. Operated	238	3.1	6	1	1	2	5	6	8	11
2. MULTIPLE DX										
A. Not Operated	714	2.4	4	1	1	2	3	5	6	12
B. Operated	493	5.9	44	1	2	4	7	11	15	48
1. SINGLE DX	753	2.1	3	< 1	1	1	2	4	6	10
2. MULTIPLE DX	1207	3.8	23	1	1	2	5	8	11	25
A. Not Operated	1229	2.1	3	1	1	1	2	4	5	10
B. Operated	731	5.0	33	1	2	4	6	10	12	30
TOTAL										
0-19 YRS	68	3.1	10	1	1	2	4	8	11	14
20-34	439	2.7	7	1	1	2	4	6	8	12
35-49	638	3.0	17	1	1	2	3	6	9	18
50-64	461	3.0	7	1	1	2	4	7	9	13
65 +	354	4.3	38	1	1	2	6	10	12	44
GRAND TOTAL	**1960**	**3.2**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**17**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	1.3		1	1	1	1	2	3	3
20-34	516	1.5	1	1	1	1	2	2	3	5
35-49	861	1.4	1	< 1	1	1	2	2	3	4
50-64	417	1.5	1	< 1	1	1	2	3	3	5
65 +	131	1.6	1	1	1	1	2	3	3	4
B. Operated										
0-19 YRS	37	2.6	3	1	1	2	3	6	6	6
20-34	344	2.4	2	1	1	2	3	4	5	8
35-49	582	2.3	3	1	1	2	3	4	6	8
50-64	337	2.3	2	1	1	2	3	4	5	7
65 +	120	2.7	4	1	1	2	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	1.9	1	< 1	1	2	2	3	3	4
20-34	313	1.7	1	1	1	1	2	3	4	6
35-49	519	1.7	1	1	1	1	2	3	4	6
50-64	394	1.9	2	1	1	1	2	3	4	7
65 +	290	2.4	5	1	1	2	3	4	5	9
B. Operated										
0-19 YRS	39	3.5	11	1	2	2	5	6	7	20
20-34	256	3.4	9	1	2	3	4	6	7	15
35-49	438	3.6	8	1	2	3	5	7	8	14
50-64	433	4.0	25	1	2	3	5	7	9	22
65 +	430	4.6	15	1	2	4	6	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1979	1.5	1	< 1	1	1	2	2	3	5
B. Operated	1420	2.4	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	1545	1.9	2	1	1	2	2	3	4	6
B. Operated	1596	3.9	15	1	2	3	5	7	10	17
1. SINGLE DX	3399	1.9	2	1	1	1	2	3	4	7
2. MULTIPLE DX	3141	2.9	10	1	1	2	4	6	7	14
A. Not Operated	3524	1.7	1	1	1	1	2	3	4	5
B. Operated	3016	3.2	10	1	1	2	4	6	8	14
TOTAL										
0-19 YRS	159	2.3	4	1	1	2	3	5	6	8
20-34	1429	2.1	3	1	1	2	3	4	5	8
35-49	2400	2.1	3	1	1	2	2	4	6	9
50-64	1581	2.4	9	1	1	2	3	5	6	11
65 +	971	3.3	10	1	1	2	4	7	9	16
GRAND TOTAL	**6540**	**2.4**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	4.1	26	<1	1	2	4	9	18	20
20-34	15	1.7	1	<1	1	1	2	3	4	4
35-49	22	2.4	5	<1	1	1	3	7	8	8
50-64	13	2.5	7	<1	1	1	3	7	9	9
65+	4	4.0	36	<1	<1	1	7	13	13	13
B. Operated										
0-19 YRS	248	4.3	3	2	3	4	5	6	8	11
20-34	69	4.2	6	1	2	4	6	7	8	13
35-49	61	4.0	5	1	2	4	6	7	8	10
50-64	42	4.2	7	1	2	4	7	8	8	11
65+	29	3.5	6	1	2	3	5	[illegible]	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	3.8	26	1	1	2	4	7	12	33
20-34	60	2.7	5	1	1	2	4	5	6	13
35-49	64	2.8	4	1	1	3	4	6	7	10
50-64	75	4.3	16	1	2	3	5	8	12	23
65+	134	5.2	14	1	2	5	7	10	13	18
B. Operated										
0-19 YRS	348	5.5	11	2	3	5	7	10	11	18
20-34	152	6.2	29	1	3	[illegible]	8	11	16	27
35-49	217	6.2	36	1	2	[illegible]	7	12	16	38
50-64	215	8.3	87	1	3	6	9	16	30	44
65+	354	8.4	74	1	3	6	10	17	25	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.7	11	<1	1	1	3	7	8	19
B. Operated	449	4.2	5	1	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	383	4.0	14	1	1	3	5	8	12	18
B. Operated	1286	7.0	49	1	3	5	8	13	18	42
1. SINGLE DX	517	4.0	6	1	2	4	5	7	8	11
2. MULTIPLE DX	1669	6.3	42	1	3	5	7	12	17	40
A. Not Operated	451	3.8	13	1	1	3	5	8	11	18
B. Operated	1735	6.2	39	1	3	5	7	11	16	39
TOTAL										
0-19 YRS	660	4.9	10	2	3	4	6	8	10	17
20-34	296	4.8	20	1	2	4	6	9	13	21
35-49	364	5.0	26	1	2	4	6	9	13	32
50-64	345	6.7	63	1	2	5	8	13	24	44
65+	521	7.2	57	1	3	6	9	15	18	43
GRAND TOTAL	**2186**	**5.8**	**35**	**1**	**2**	**4**	**7**	**10**	**15**	**34**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	17	1.8	2	<1	1	1	2	3	6	7
35-49	28	1.5	1	<1	1	1	2	3	3	4
50-64	14	1.8	1	1	1	2	2	3	4	4
65+	7	1.4	1	<1	1	1	2	3	3	3
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	[illegible]	1	<1	1	1	2	4	4	4
35-49	17	2.9	4	<1	1	2	4	6	7	7
50-64	30	2.7	8	<1	1	1	4	6	6	14
65+	12	1.7	1	<1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		<1	<1	<1	2	[illegible]	2	2
20-34	21	2.3	2	1	1	2	3	4	5	7
35-49	22	1.8	1	1	1	2	2	3	4	4
50-64	21	2.4	4	1	1	2	3	4	6	9
65+	17	2.0	2	<1	1	2	3	3	5	6
B. Operated										
0-19 YRS	6	6.5	38	<1	3	4	11	16	17	17
20-34	13	3.4	12	<1	1	2	4	8	12	13
35-49	21	3.3	5	1	1	3	5	6	7	7
50-64	52	3.7	10	1	1	3	5	8	12	15
65+	161	4.1	21	1	2	3	5	7	10	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	1.6	1	<1	1	1	2	3	3	7
B. Operated	67	2.5	5	<1	1	2	3	5	6	13
2. MULTIPLE DX										
A. Not Operated	84	2.1	2	1	1	2	3	4	4	8
B. Operated	253	4.0	17	1	2	3	5	7	10	19
1. SINGLE DX	134	2.0	3	<1	1	1	2	4	6	8
2. MULTIPLE DX	337	3.5	14	1	1	3	4	7	9	17
A. Not Operated	151	1.9	2	1	1	1	2	3	4	7
B. Operated	320	3.7	15	1	1	3	5	7	9	18
TOTAL										
0-19 YRS	11	[illegible]	27	<1	<1	2	4	13	17	17
20-34	58	2.3	4	1	1	2	3	4	7	13
35-49	88	2.3	3	1	1	2	3	5	6	7
50-64	117	3.0	8	1	1	2	4	6	9	14
65+	197	3.7	18	1	2	3	4	7	9	23
GRAND TOTAL	**471**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.6	1	1	1	1	2	3	4	4
20-34	9	1.4	1	< 1	< 1	1	2	3	3	3
35-49	5	2.[illegible]	3	1	1	1	3	5	5	5
50-64	3	3.0	3	1	2	4	4	4	[illegible]	4
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	13	1.8	2	< 1	1	1	2	4	6	6
35-49	10	1.7	1	< 1	1	1	3	3	3	3
50-64	14	1.4	1	< 1	1	1	1	3	3	3
65 +	18	2.7	11	< 1	1	2	3	5	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.0	4	1	2	2	4	4	8	10
20-34	34	3.3	4	1	2	3	4	6	8	8
35-49	35	2.9	3	1	2	3	4	5	7	8
50-64	32	4.1	21	2	2	3	4	6	8	28
65 +	128	4.7	9	2	3	4	6	8	10	18
B. Operated										
0-19 YRS	9	5.3	7	1	4	5	7	9	9	9
20-34	20	5.7	54	< 1	1	4	7	10	22	34
35-49	37	8.6	171	1	1	3	11	21	37	65
50-64	63	4.4	19	1	1	3	6	10	14	20
65 +	203	5.0	22	1	2	3	7	12	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	1.8	1	< 1	1	1	3	4	4	5
B. Operated	56	2.1	5	< 1	1	1	2	4	6	15
2. MULTIPLE DX										
A. Not Operated	246	4.0	9	1	2	3	5	7	9	17
B. Operated	332	5.3	40	1	2	3	7	12	15	34
1. SINGLE DX	90	2.0	4	< 1	1	1	3	4	5	12
2. MULTIPLE DX	578	4.8	27	1	2	3	6	10	13	25
A. Not Operated	280	3.8	9	1	2	3	5	7	8	16
B. Operated	388	4.9	37	1	1	3	6	11	14	31
TOTAL										
0-19 YRS	42	3.1	6	1	1	2	4	6	9	10
20-34	76	3.5	18	< 1	1	3	4	7	8	28
35-49	87	5.1	82	1	1	2	5	12	16	55
50-64	112	3.9	18	1	1	3	4	9	10	24
65 +	351	4.7	17	1	2	3	6	10	12	22
GRAND TOTAL	**668**	**4.4**	**25**	**1**	**2**	**3**	**5**	**9**	**12**	**25**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	1	8.0		8	8	8	8	8	8	8
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	1.0		< 1	< 1	< 1	1	1	1	1
20-34	39	2.2	4	1	1	1	3	5	7	8
35-49	44	1.9	4	1	1	1	2	3	5	13
50-64	30	1.5	2	1	1	1	2	2	3	8
65 +	40	1.8	2	1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	4	1.8		< 1	1	2	2	2	2	2
65 +	11	3.5	8	1	1	2	4	8	10	10
B. Operated										
0-19 YRS	29	2.3	5	1	1	1	3	5	6	10
20-34	50	2.4	4	1	1	2	3	6	7	9
35-49	52	3.3	9	1	1	2	5	8	9	13
50-64	76	2.6	12	1	1	1	3	6	9	21
65 +	192	3.2	14	1	1	2	4	7	8	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.0	8	2	2	3	6	8	8	8
B. Operated	167	1.8	3	1	1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	18	2.8	6	1	1	2	4	6	9	10
B. Operated	399	3.0	11	1	1	2	3	7	8	19
1. SINGLE DX	171	1.9	3	1	1	1	2	3	6	8
2. MULTIPLE DX	417	3.0	11	1	1	2	3	7	8	18
A. Not Operated	22	3.0	6	1	2	2	4	7	9	10
B. Operated	566	2.6	9	1	1	2	3	6	8	14
TOTAL										
0-19 YRS	46	1.9	3	< 1	1	1	2	4	6	10
20-34	91	2.4	4	1	1	2	3	6	7	9
35-49	98	2.7	7	1	1	2	3	6	9	13
50-64	110	2.3	9	1	1	1	2	4	8	17
65 +	243	3.0	12	1	1	2	4	6	8	20
GRAND TOTAL	**588**	**2.6**	**9**	**1**	**1**	**2**	**3**	**6**	**8**	**14**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	146	3.2	5	1	2	3	4	7	9	11
20-34	37	2.7	4	1	1	2	3	5	6	10
35-49	30	3.3	12	<1	2	3	4	5	5	20
50-64	27	3.5	6	1	2	3	5	6	7	13
65+	42	3.4	4	1	2	3	5	7	7	8
B. Operated										
0-19 YRS	4	3.5	6	<1	1	3	5	6	6	6
20-34	5	3.6	1	3	3	3	4	5	5	5
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65+	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	694	4.0	8	1	2	3	5	8	10	15
20-34	331	4.4	17	1	2	3	5	8	11	17
35-49	384	4.8	26	2	3	4	6	8	12	58
50-64	642	5.1	13	2	3	4	6	9	12	22
65+	3396	6.2	19	2	4	5	7	11	14	23
B. Operated										
0-19 YRS	78	8.2	51	3	4	6	10	15	27	34
20-34	42	10.5	224	2	4	5	11	27	66	99+
35-49	54	9.7	94	2	5	7	11	23	26	58
50-64	108	9.8	64	3	5	8	12	18	26	44
65+	440	11.8	73	4	6	10	15	21	28	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	282	3.2	6	1	2	3	4	6	7	12
B. Operated	12	4.2	4	1	3	4	6	7	8	8
2. MULTIPLE DX										
A. Not Operated	5447	5.6	18	2	3	5	7	10	13	22
B. Operated	722	10.9	81	3	5	8	13	21	27	50
1. SINGLE DX	294	3.3	6	1	2	3	4	6	7	12
2. MULTIPLE DX	6169	6.2	28	2	3	5	7	12	15	27
A. Not Operated	5729	5.5	17	2	3	5	7	10	13	22
B. Operated	734	10.8	80	3	5	8	13	21	27	48
TOTAL										
0-19 YRS	922	4.2	12	1	2	3	5	8	10	16
20-34	415	4.8	40	1	2	3	5	9	12	44
35-49	469	5.3	35	2	3	4	6	9	14	52
50-64	777	5.7	23	2	3	4	7	11	15	26
65+	3880	6.8	28	2	4	6	8	12	16	27
GRAND TOTAL	**6463**	**6.1**	**27**	**2**	**3**	**5**	**7**	**11**	**15**	**26**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.3	4	1	1	2	3	6	7	8
20-34	23	2.0	2	1	1	1	2	4	5	6
35-49	9	3.2	8	<1	1	3	4	8	9	9
50-64	12	3.5	11	1	1	2	6	8	11	11
65+	10	3.2	6	1	2	3	4	7	9	9
B. Operated										
0-19 YRS	31	1.4	1	<1	1	1	1	2	2	6
20-34	27	3.1	19	<1	1	1	3	7	13	21
35-49	37	1.8	2	<1	1	1	2	4	6	6
50-64	68	2.2	3	<1	1	2	3	4	5	10
65+	108	2.2	3	1	1	2	3	4	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	2.8	10	1	1	2	3	7	9	17
20-34	55	2.9	4	1	1	2	4	6	8	9
35-49	40	2.4	5	1	1	2	3	5	5	13
50-64	59	2.7	3	1	2	2	4	5	5	9
65+	253	4.0	9	1	2	3	5	7	9	16
B. Operated										
0-19 YRS	64	4.3	34	1	1	3	5	8	11	36
20-34	79	4.9	25	1	2	3	7	9	10	32
35-49	145	5.2	48	1	1	2	6	13	21	33
50-64	313	4.3	25	1	2	3	4	11	14	34
65+	954	4.4	26	1	2	3	5	9	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	2.6	5	1	1	2	4	6	8	11
B. Operated	271	2.1	4	<1	1	1	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	444	3.4	7	1	2	3	4	7	9	16
B. Operated	1555	4.5	28	1	2	3	5	9	13	31
1. SINGLE DX	341	2.2	5	<1	1	1	3	4	7	10
2. MULTIPLE DX	1999	4.3	24	1	2	3	5	9	12	24
A. Not Operated	514	3.3	7	1	1	2	4	7	9	15
B. Operated	1826	4.1	25	1	2	3	5	9	12	27
TOTAL										
0-19 YRS	148	3.1	19	1	1	2	3	7	9	28
20-34	184	3.7	16	1	1	2	5	8	9	19
35-49	231	4.1	33	1	1	2	5	9	14	28
50-64	452	3.7	19	1	1	2	4	8	12	31
65+	1325	4.2	21	1	2	3	5	8	11	23
GRAND TOTAL	**2340**	**4.0**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	5	4.6	5	3	3	3	6	8	8	8
65 +	9	3.6	7	< 1	1	3	6	7	7	7
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	28	2.3	1	1	2	2	3	3	5	5
50-64	505	2.8	1	1	2	3	3	4	5	7
65 +	1151	3.0	2	2	2	3	4	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	45	2.9	5	< 1	1	2	4	6	7	12
65 +	115	3.3	11	< 1	1	2	4	6	11	17
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	79	3.0	5	1	2	3	4	4	7	14
50-64	2138	3.2	3	2	2	3	4	5	6	9
65 +	7633	3.9	8	2	2	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.9	6	1	2	3	6	7	8	8
B. Operated	1687	3.0	2	2	2	3	4	4	5	8
2. MULTIPLE DX										
A. Not Operated	162	3.2	9	< 1	1	2	4	6	9	15
B. Operated	9851	3.7	7	2	2	3	4	6	8	13
1. SINGLE DX	1701	3.0	2	2	2	3	4	4	5	8
2. MULTIPLE DX	10013	3.7	7	2	2	3	4	6	8	14
A. Not Operated	176	3.3	9	< 1	1	2	4	6	8	15
B. Operated	11538	3.6	6	2	2	3	4	6	8	13
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	109	2.8	4	1	2	2	3	4	6	12
50-64	2693	3.2	3	2	2	3	4	5	6	9
65 +	8908	3.8	7	2	2	3	4	6	8	14
GRAND TOTAL	**11714**	**3.6**	**6**	**2**	**2**	**3**	**4**	**6**	**8**	**13**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	17	3.6	6	1	2	3	5	8	9	10
50-64	13	3.6	4	1	2	4	5	6	8	8
65 +	13	3.2	2	2	2	3	4	5	6	6
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	2.5		2	2	2	3	3	3	3
65 +	7	3.1	6	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	34	3.4	3	2	2	3	4	6	7	7
35-49	61	3.7	3	2	2	3	4	6	8	8
50-64	62	4.0	4	2	2	4	5	7	8	12
65 +	135	4.3	8	2	2	4	5	8	10	15
B. Operated										
0-19 YRS	0									
20-34	6	7.7	16	3	4	7	10	14	14	14
35-49	9	3.8	10	< 1	1	3	6	9	10	10
50-64	36	4.3	20	1	2	3	5	8	11	26
65 +	82	3.6	6	1	2	3	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	3.4	4	1	2	3	4	6	8	10
B. Operated	15	2.8	3	1	2	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated	295	4.0	6	2	2	4	5	7	8	13
B. Operated	133	4.0	11	1	2	3	5	8	10	16
1. SINGLE DX	62	3.2	4	1	2	3	4	6	7	10
2. MULTIPLE DX	428	4.0	7	1	2	3	5	7	8	14
A. Not Operated	342	3.9	5	2	2	3	5	7	8	12
B. Operated	148	3.9	10	1	2	3	5	8	9	14
TOTAL										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	44	3.8	7	1	2	3	5	7	9	14
35-49	88	3.7	4	2	2	3	4	6	8	10
50-64	117	4.0	9	1	2	3	5	7	8	17
65 +	237	4.0	7	1	2	3	5	7	9	14
GRAND TOTAL	**490**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	26	1.0		< 1	< 1	1	1	1	1	1
20-34	12	1.0		< 1	1	1	1	1	1	1
35-49	13	1.5	2	< 1	1	1	1	3	5	6
50-64	25	1.1		1	1	1	1	1	2	2
65 +	15	1.3		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
0-19 YRS	33	1.3		< 1	1	1	1	2	3	3
20-34	9	7.6	269	< 1	1	1	4	33	51	51
35-49	25	2.2	3	1	1	1	3	5	6	7
50-64	30	1.9	2	1	1	1	3	4	5	5
65 +	44	1.8	1	1	1	1	2	4	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	91	1.1		< 1	1	1	1	1	2	5
2. MULTIPLE DX										
A. Not Operated	4	4.8	12	1	2	4	7	9	9	9
B. Operated	141	2.1	19	1	1	1	2	4	5	11
1. SINGLE DX	92	1.1		< 1	1	1	1	1	2	5
2. MULTIPLE DX	145	2.2	19	1	1	1	2	4	5	11
A. Not Operated	5	4.0	12	1	1	3	7	9	9	9
B. Operated	232	1.8	12	< 1	1	1	2	3	4	6
TOTAL										
0-19 YRS	60	1.2		< 1	< 1	1	1	2	2	3
20-34	21	3.8	118	< 1	1	1	1	5	26	51
35-49	39	2.2	4	1	1	1	3	5	7	9
50-64	56	1.5	1	1	1	1	2	3	4	5
65 +	61	1.8	1	1	1	1	2	4	5	6
GRAND TOTAL	**237**	**1.8**	**12**	**< 1**	**1**	**1**	**2**	**3**	**5**	**7**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	3.7	8	1	2	3	5	7	10	11
20-34	40	3.5	3	2	2	3	5	6	6	8
35-49	47	3.4	4	1	2	3	4	7	7	9
50-64	23	3.9	4	2	3	3	4	8	9	9
65 +	13	3.9	3	2	3	3	5	6	7	7
B. Operated										
0-19 YRS	17	2.1	2	< 1	< 1	1	3	5	5	5
20-34	17	2.3	4	1	1	1	3	6	7	8
35-49	15	3.3	8	1	1	2	5	9	9	9
50-64	12	4.5	19	1	1	3	5	12	15	15
65 +	7	1.7	2	1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	4.2	2	3	3	4	5	5	8	9
20-34	46	4.7	11	2	3	4	5	7	11	19
35-49	36	4.0	7	2	3	3	4	6	11	14
50-64	50	4.7	8	2	3	4	6	7	9	16
65 +	83	4.8	6	2	3	4	6	8	10	13
B. Operated										
0-19 YRS	11	3.3	6	1	1	3	5	7	8	8
20-34	14	5.1	18	1	1	4	7	11	14	15
35-49	26	7.6	304	1	1	2	7	12	33	90
50-64	24	4.2	11	1	1	3	7	9	10	11
65 +	42	5.6	25	1	2	4	9	11	12	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	3.6	4	2	2	3	5	6	8	11
B. Operated	68	2.8	8	1	1	1	4	6	9	14
2. MULTIPLE DX										
A. Not Operated	230	4.6	7	2	3	4	5	8	9	15
B. Operated	117	5.5	81	1	1	3	7	11	12	48
1. SINGLE DX	223	3.3	5	1	2	3	4	6	8	11
2. MULTIPLE DX	347	4.9	32	1	3	4	6	9	11	19
A. Not Operated	385	4.2	6	2	3	4	5	7	9	14
B. Operated	185	4.5	55	1	1	3	6	9	11	25
TOTAL										
0-19 YRS	75	3.4	6	< 1	1	3	5	6	8	11
20-34	117	4.0	8	1	2	3	5	7	9	16
35-49	124	4.4	69	1	2	3	4	7	10	37
50-64	109	4.4	9	1	2	4	6	8	9	15
65 +	145	4.8	12	1	3	4	6	9	11	14
GRAND TOTAL	**570**	**4.3**	**22**	**1**	**2**	**3**	**5**	**8**	**10**	**15**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	79	1.0		<1	<1	<1	<1	1	1	1
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	22	1.3	1	<1	<1	1	1	2	3	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	7	2.4	9	<1	1	1	3	8	9	9
65+	10	6.4	160	<1	1	2	6	24	42	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.0	2	<1	1	2	3	4	4	4
B. Operated	90	1.0		<1	<1	<1	<1	1	1	2
2. MULTIPLE DX										
A. Not Operated	7	2.6	4	1	1	2	4	6	6	6
B. Operated	43	2.6	41	<1	<1	1	1	5	7	42
1. SINGLE DX	96	1.1		<1	<1	<1	<1	1	2	4
2. MULTIPLE DX	50	2.6	35	<1	<1	1	2	5	6	42
A. Not Operated	13	2.3	3	<1	1	2	3	5	6	6
B. Operated	133	1.5	14	<1	<1	<1	1	1	3	15
TOTAL										
0-19 YRS	107	1.1		<1	<1	<1	1	1	2	5
20-34	7	1.4	1	<1	<1	1	2	3	3	3
35-49	6	1.0		<1	<1	<1	1	1	1	1
50-64	11	2.0	6	<1	<1	1	2	5	9	9
65+	15	5.1	108	<1	1	2	5	6	33	42
GRAND TOTAL	**146**	**1.6**	**13**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**10**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.5		1	1	2	2	2	2	2
20-34	13	2.2	3	<1	1	1	2	6	6	6
35-49	8	5.3	44	<1	2	3	5	17	21	21
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	262	1.2		<1	1	1	1	2	2	4
20-34	96	1.5	1	<1	1	1	2	3	3	8
35-49	72	1.8	2	1	1	1	2	4	6	8
50-64	107	1.5	1	1	1	1	2	3	4	6
65+	97	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.7	7	<1	1	2	3	7	9	10
20-34	16	2.5	4	<1	1	2	4	6	6	6
35-49	11	6.5	31	2	3	5	8	14	21	22
50-64	17	3.5	5	<1	1	3	5	7	8	8
65+	24	5.1	20	2	3	5	7	13	16	19
B. Operated										
0-19 YRS	113	1.8	3	<1	1	1	2	4	6	10
20-34	64	2.8	5	1	1	2	4	5	8	10
35-49	128	4.5	93	1	1	2	4	8	17	54
50-64	242	3.4	29	1	1	1	3	8	12	31
65+	227	2.6	12	1	1	2	2	5	9	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.6	13	1	1	2	3	6	7	21
B. Operated	634	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	87	4.3	15	1	2	3	5	8	13	21
B. Operated	774	3.1	30	1	1	1	3	6	10	29
1. SINGLE DX	668	1.5	2	<1	1	1	2	3	3	6
2. MULTIPLE DX	861	3.2	28	1	1	2	3	7	10	29
A. Not Operated	121	3.8	15	1	1	3	5	7	11	21
B. Operated	1408	2.3	17	1	1	1	2	4	7	23
TOTAL										
0-19 YRS	405	1.4	2	<1	1	1	1	2	3	8
20-34	189	2.1	3	1	1	1	2	5	6	9
35-49	219	3.7	60	1	1	2	3	7	11	36
50-64	367	2.9	20	1	1	1	3	6	10	28
65+	349	2.5	11	1	1	2	3	5	8	19
GRAND TOTAL	**1529**	**2.4**	**17**	**1**	**1**	**1**	**2**	**5**	**7**	**22**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	26	2.0	1	< 1	1	2	2	3	4	4
35-49	81	2.3	2	< 1	1	2	3	4	5	5
50-64	56	1.7	2	< 1	< 1	1	2	3	4	8
65 +	19	1.6	1	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	35	3.4	5	< 1	2	3	4	7	9	9
35-49	138	2.9	3	1	2	3	3	5	6	10
50-64	75	2.8	2	1	2	3	4	4	6	7
65 +	40	2.4	2	1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated	186	2.0	2	< 1	< 1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	5	2.2	1	< 1	1	2	3	3	3	3
B. Operated	290	2.9	3	1	2	3	4	5	6	9
1. SINGLE DX	189	2.0	2	< 1	< 1	2	3	4	4	7
2. MULTIPLE DX	295	2.8	3	1	2	3	4	5	6	9
A. Not Operated	8	2.0	1	< 1	1	2	3	3	3	3
B. Operated	476	2.5	3	< 1	1	2	3	4	5	8
TOTAL										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	64	2.8	3	< 1	2	2	3	5	7	9
35-49	221	2.7	3	< 1	1	2	3	4	5	9
50-64	132	2.3	2	< 1	1	2	3	4	6	8
65 +	61	2.2	2	< 1	1	2	3	4	5	7
GRAND TOTAL	**484**	**2.5**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**	**8**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.5	6	< 1	2	2	6	7	7	7
20-34	25	2.3	1	1	2	2	3	3	5	6
35-49	9	3.1	4	1	2	2	5	6	7	7
50-64	3	2.7	8	< 1	< 1	1	5	6	6	6
65 +	4	7.8	20	3	4	8	11	12	12	12
B. Operated										
0-19 YRS	161	1.8	1	1	1	2	2	3	3	8
20-34	302	2.0	2	1	1	2	2	3	4	6
35-49	221	2.1	2	1	1	2	2	3	5	9
50-64	123	2.1	1	1	1	2	3	3	4	5
65 +	51	2.0	1	< 1	1	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.3	6	< 1	2	3	4	7	9	9
20-34	17	3.9	3	2	3	4	5	6	7	8
35-49	15	4.9	15	2	2	4	5	12	13	14
50-64	11	3.5	10	< 1	1	2	5	8	11	11
65 +	9	4.2	5	< 1	2	5	6	7	7	7
B. Operated										
0-19 YRS	51	2.6	10	1	1	2	3	3	4	22
20-34	161	2.5	4	1	2	2	3	4	5	13
35-49	252	2.3	2	1	1	2	3	4	4	9
50-64	170	2.5	4	1	1	2	3	4	5	13
65 +	87	2.7	4	1	2	2	3	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	3.1	6	1	2	2	4	6	8	12
B. Operated	858	2.0	2	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	60	4.1	8	1	2	4	5	7	10	14
B. Operated	721	2.5	4	1	1	2	3	4	5	10
1. SINGLE DX	907	2.1	2	1	1	2	2	3	4	7
2. MULTIPLE DX	781	2.6	4	1	1	2	3	4	6	12
A. Not Operated	109	3.6	7	1	2	3	5	7	10	13
B. Operated	1579	2.2	3	1	1	2	3	3	4	9
TOTAL										
0-19 YRS	228	2.1	4	1	1	2	2	3	4	10
20-34	505	2.2	2	1	1	2	3	4	4	8
35-49	497	2.3	3	1	1	2	3	4	5	10
50-64	307	2.4	3	1	1	2	3	4	5	9
65 +	151	2.7	4	1	1	2	3	5	7	11
GRAND TOTAL	**1688**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125	1.5	1	1	1	1	2	2	3	4
20-34	204	1.6	1	1	1	1	2	3	3	5
35-49	53	1.6	1	1	1	1	2	3	4	4
50-64	0									
65 +	2	14.0	72	8	8	14	20	20	20	20
B. Operated										
0-19 YRS	183	2.7	2	1	2	3	4	4	5	6
20-34	541	3.0	2	1	2	3	4	4	5	7
35-49	179	3.2	1	1	3	3	4	5	5	6
50-64	32	3.7	2	2	3	4	4	5	6	8
65 +	13	4.5	4	3	3	4	5	7	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	2.1	3	1	1	1	3	4	5	10
20-34	162	2.1	2	1	1	2	3	4	5	7
35-49	47	2.0	1	1	1	2	3	3	5	5
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	2	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	187	3.2	2	2	2	3	4	5	5	8
20-34	1187	3.6	3	2	3	3	4	5	6	10
35-49	847	3.9	3	3	3	4	4	6	7	10
50-64	153	4.5	4	3	3	4	5	6	9	11
65 +	102	5.7	15	3	4	5	6	8	12	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	384	1.7	2	1	1	1	2	3	3	6
B. Operated	948	3.0	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	266	2.1	2	1	1	2	3	4	5	7
B. Operated	2476	3.8	3	2	3	4	4	6	7	11
1. SINGLE DX	1332	2.6	2	1	1	3	3	4	5	7
2. MULTIPLE DX	2742	3.6	4	2	3	3	4	5	7	10
A. Not Operated	650	1.8	2	1	1	1	2	3	4	7
B. Operated	3424	3.6	3	2	3	3	4	5	6	10
TOTAL										
0-19 YRS	548	2.6	2	1	1	2	3	4	5	7
20-34	2094	3.1	3	1	2	3	4	5	6	9
35-49	1126	3.6	3	2	3	4	4	5	6	9
50-64	187	4.3	4	3	3	4	5	6	9	11
65 +	119	5.7	15	3	4	5	6	8	13	24
GRAND TOTAL	**4074**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	362	3.0	3	1	2	3	4	5	6	9
20-34	778	3.2	2	2	2	3	4	5	6	9
35-49	184	4.0	5	2	2	4	5	7	8	11
50-64	4	4.5		4	4	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	53	3.5	3	1	3	3	4	5	6	9
20-34	276	3.7	5	1	3	3	4	6	7	13
35-49	139	4.2	8	2	3	4	4	8	10	16
50-64	10	9.4	107	4	4	6	9	24	38	38
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	276	3.8	5	2	2	3	5	7	8	13
20-34	708	3.8	5	2	2	3	5	6	8	11
35-49	153	4.1	5	2	2	4	5	7	8	11
50-64	13	5.3	5	2	3	5	7	8	9	9
65 +	5	9.2	22	5	6	7	12	17	17	17
B. Operated										
0-19 YRS	109	4.3	5	2	3	4	5	8	9	11
20-34	1355	4.3	12	2	3	4	5	7	9	16
35-49	850	4.9	11	3	3	4	5	9	11	18
50-64	115	5.9	24	3	4	4	7	11	14	32
65 +	33	8.7	37	4	5	6	10	18	24	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1328	3.2	3	2	2	3	4	5	6	9
B. Operated	480	3.9	8	1	3	4	4	6	9	14
2. MULTIPLE DX										
A. Not Operated	1155	3.9	5	2	2	3	5	7	8	11
B. Operated	2462	4.6	12	2	3	4	5	8	10	18
1. SINGLE DX	1808	3.4	4	1	2	3	4	5	7	10
2. MULTIPLE DX	3617	4.4	10	2	3	4	5	7	9	16
A. Not Operated	2483	3.5	4	2	2	3	4	6	7	10
B. Operated	2942	4.5	12	2	3	4	5	7	10	17
TOTAL										
0-19 YRS	800	3.5	4	2	2	3	4	6	7	10
20-34	3117	3.8	7	2	3	3	4	6	8	13
35-49	1326	4.6	9	2	3	4	5	8	10	17
50-64	142	6.0	28	3	4	4	7	10	14	37
65 +	40	8.5	35	4	5	7	10	17	24	27
GRAND TOTAL	**5425**	**4.1**	**8**	**2**	**3**	**4**	**5**	**7**	**9**	**14**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	11	2.9	2	1	1	3	4	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	14	2.7	2	1	1	3	4	4	5	5
20-34	211	3.0	2	1	2	3	4	4	5	6
35-49	213	3.4	2	2	3	3	4	5	5	9
50-64	14	3.6	1	2	3	4	4	5	6	6
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.6	2	<1	1	2	4	4	4	4
20-34	27	2.6	1	1	2	3	4	4	5	5
35-49	16	2.4	2	1	1	2	3	4	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	45	3.5	6	1	2	3	4	5	9	12
20-34	1702	3.7	3	2	3	4	4	5	6	8
35-49	2716	4.0	2	3	3	4	4	5	6	9
50-64	312	4.1	2	3	3	4	4	5	6	9
65 +	40	4.7	4	3	4	4	5	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.8	2	1	1	3	4	5	5	5
B. Operated	453	3.2	2	1	3	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	48	2.5	1	1	2	2	3	4	4	6
B. Operated	4815	3.9	2	3	3	4	4	5	6	9
1. SINGLE DX	469	3.2	2	1	2	3	4	5	5	8
2. MULTIPLE DX	4863	3.9	2	3	3	4	4	5	6	9
A. Not Operated	64	2.6	2	1	2	2	4	4	5	6
B. Operated	5268	3.8	2	2	3	4	4	5	6	9
TOTAL										
0-19 YRS	67	3.3	5	1	2	3	4	5	7	12
20-34	1951	3.6	3	2	3	4	4	5	6	8
35-49	2946	3.9	2	3	3	4	4	5	6	9
50-64	327	4.1	2	3	3	4	4	5	6	9
65 +	41	4.7	4	3	4	4	5	7	9	11
GRAND TOTAL	**5332**	**3.8**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.2	2	<1	<1	2	3	4	4	4
35-49	4	3.8		3	3	4	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.3	1	1	1	2	3	4	4	4
20-34	4	4.8	19	1	2	3	7	11	11	11
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	63	3.4	2	2	3	3	4	5	6	9
35-49	104	3.7	1	2	3	4	4	5	5	7
50-64	23	4.0	2	3	3	4	5	5	6	7
65 +	5	4.4	1	3	4	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.5	1	2	2	2	3	4	4	4
B. Operated	12	2.7	2	<1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	14	3.1	7	1	2	2	4	5	10	11
B. Operated	195	3.7	1	2	3	4	4	5	5	8
1. SINGLE DX	18	2.6	1	<1	2	3	4	4	4	4
2. MULTIPLE DX	209	3.6	2	2	3	4	4	5	5	8
A. Not Operated	20	2.9	5	1	2	2	4	4	8	11
B. Operated	207	3.6	2	2	3	4	4	5	5	8
TOTAL										
0-19 YRS	9	2.1	1	1	1	2	3	4	4	4
20-34	76	3.4	3	2	2	3	4	4	7	10
35-49	112	3.7	1	2	3	4	4	5	5	7
50-64	25	3.9	2	3	3	4	5	5	6	7
65 +	5	4.4	1	3	4	5	5	5	5	5
GRAND TOTAL	**227**	**3.6**	**2**	**2**	**3**	**4**	**4**	**5**	**5**	**8**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.9	7	1	2	3	4	8	10	10
20-34	33	3.0	2	2	2	3	3	5	7	8
35-49	9	2.7	2	1	2	3	3	5	6	6
50-64	0									
65+	0									
B. Operated										
0-19 YRS	8	2.0	2	<1	<1	1	3	4	5	5
20-34	26	1.9	1	<1	1	1	3	4	4	4
35-49	20	3.3	8	<1	1	2	4	8	10	11
50-64	4	3.0	16	<1	<1	1	5	9	9	9
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	3.7	7	1	2	3	5	8	10	10
20-34	57	3.2	2	1	2	3	4	5	6	7
35-49	18	4.4	8	2	3	4	5	10	11	11
50-64	9	4.3	3	2	3	5	5	7	7	7
65+	10	6.0	16	2	4	5	7	12	16	16
B. Operated										
0-19 YRS	12	5.3	37	2	2	3	5	12	22	24
20-34	77	3.7	3	1	3	4	4	6	7	10
35-49	57	4.1	5	1	3	4	5	7	7	13
50-64	18	7.2	46	<1	3	5	9	20	23	23
65+	16	6.5	19	2	3	6	9	14	15	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	3.1	3	1	2	3	3	5	7	10
B. Operated	58	2.5	5	<1	1	2	3	5	8	11
2. MULTIPLE DX										
A. Not Operated	116	3.8	6	2	2	3	5	6	9	13
B. Operated	180	4.5	13	1	3	4	5	7	11	23
1. SINGLE DX	108	2.8	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	296	4.3	10	1	3	4	5	7	10	20
A. Not Operated	166	3.6	5	2	2	3	4	6	8	11
B. Operated	238	4.0	11	1	2	4	5	7	10	23
TOTAL										
0-19 YRS	50	3.9	14	1	2	3	4	7	10	24
20-34	193	3.2	3	1	2	3	4	5	6	9
35-49	104	3.9	6	1	3	3	5	7	10	12
50-64	31	5.8	31	<1	2	5	7	13	22	23
65+	26	6.3	17	2	3	5	8	14	16	16
GRAND TOTAL	**404**	**3.9**	**9**	**1**	**2**	**3**	**4**	**7**	**10**	**16**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	3.5	13	1	1	3	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	90	3.4	1	2	3	3	4	5	5	7
35-49	214	3.3	1	2	3	3	4	5	5	7
50-64	380	3.5	2	2	3	3	4	5	6	9
65+	443	3.6	2	2	3	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	7	2.4	5	1	1	1	3	6	7	7
65+	[illegible]	2.7	4	<1	<1	2	4	6	6	7
B. Operated										
0-19 YRS	3	6.0	19	3	3	4	9	11	11	11
20-34	568	3.8	3	3	3	4	4	5	6	9
35-49	1611	3.9	3	2	3	4	4	5	6	8
50-64	1519	4.0	2	3	3	4	5	6	6	9
65+	2077	4.6	7	3	3	4	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.0	6	1	1	3	5	6	6	6
B. Operated	1127	3.5	2	2	3	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	35	2.5	4	<1	1	1	4	6	7	7
B. Operated	5778	4.2	4	3	3	4	5	6	7	10
1. SINGLE DX	1131	3.5	2	2	3	3	4	5	6	7
2. MULTIPLE DX	5813	4.2	4	3	3	4	5	6	7	10
A. Not Operated	39	2.5	4	<1	1	1	4	6	7	7
B. Operated	6905	4.1	4	2	3	4	5	6	7	10
TOTAL										
0-19 YRS	3	6.0	19	3	3	4	9	11	11	11
20-34	659	3.7	3	2	3	4	4	5	6	8
35-49	1828	3.8	2	2	3	4	4	5	6	8
50-64	1908	3.9	2	2	3	4	5	5	6	9
65+	2546	4.4	6	2	3	4	5	7	8	12
GRAND TOTAL	**6944**	**4.1**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.6	1	<1	1	1	2	3	3	3
20-34	8	1.8		<1	1	2	2	2	2	2
35-49	6	3.8	26	1	1	2.	4	13	14	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	58	2.2	2	<1	1	2	3	4	4	6
35-49	69	2.8	2	<1	2	3	4	4	5	7
50-64	7	2.9	2	1	2	3	4	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.1	2	1	1	2	3	4	5	5
20-34	21	1.6	1	1	1	1	2	3	4	6
35-49	19	1.4	1	<1	<1	1	2	2	3	4
50-64	5	1.8		1	1	2	2	2	2	2
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	13	2.6	5	<1	1	1	4	7	7	7
20-34	205	3.7	4	2	3	4	4	5	7	10
35-49	522	3.5	2	2	3	3	4	5	6	7
50-64	60	3.8	3	2	3	3	5	6	7	12
65 +	9	4.1	5	1	3	4	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.3	8	<1	1	2	2	3	8	14
B. Operated	138	2.5	2	<1	1	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	62	1.7	1	<1	1	1	2	3	4	6
B. Operated	809	3.6	3	2	3	3	4	5	6	9
1. SINGLE DX	160	2.5	3	<1	1	2	3	4	5	7
2. MULTIPLE DX	871	3.4	3	1	3	3	4	5	6	9
A. Not Operated	84	1.8	3	1	1	1	2	3	4	11
B. Operated	947	3.4	3	1	3	3	4	5	6	8
TOTAL										
0-19 YRS	39	2.1	3	1	1	1	3	4	6	7
20-34	292	3.2	4	1	2	3	4	5	6	9
35-49	616	3.3	2	1	3	3	4	5	5	7
50-64	72	3.6	3	2	3	3	4	5	6	11
65 +	12	3.7	5	1	2	3	4	7	9	9
GRAND TOTAL	**1031**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	1.3	1	1	1	1	1	2	3	4
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	8	1.6	2	<1	<1	1	2	4	5	5
20-34	72	2.5	2	<1	1	3	3	4	5	6
35-49	154	2.6	3	<1	1	3	3	4	5	5
50-64	7	3.0	13	<1	<1	2	3	9	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.1	2	<1	1	2	3	4	6	6
20-34	23	1.3		<1	<1	1	1	2	3	3
35-49	48	1.8	2	<1	1	1	2	4	5	6
50-64	8	1.0		<1	<1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	10	1.7	1	1	1	2	2	3	4	4
20-34	507	3.3	2	1	3	3	4	5	5	8
35-49	1557	3.6	2	2	3	4	4	5	6	8
50-64	159	3.8	9	1	3	4	4	6	6	9
65 +	2	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	1.5	1	<1	1	1	2	3	4	5
B. Operated	241	2.5	3	<1	1	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	92	1.6	1	<1	1	1	2	3	4	6
B. Operated	2235	3.5	3	2	3	4	4	5	6	8
1. SINGLE DX	263	2.5	3	<1	1	3	3	4	5	6
2. MULTIPLE DX	2327	3.5	3	1	3	4	4	5	6	8
A. Not Operated	114	1.6	1	<1	1	1	2	3	4	6
B. Operated	2476	3.4	3	1	3	3	4	5	6	8
TOTAL										
0-19 YRS	32	1.8	2	<1	1	1	2	4	5	6
20-34	618	3.1	2	1	2	3	4	4	5	8
35-49	1763	3.5	2	1	3	3	4	5	6	8
50-64	175	3.7	9	1	3	4	4	5	6	11
65 +	2	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**2590**	**3.4**	**3**	**1**	**3**	**3**	**4**	**5**	**6**	**8**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	13	1.1		< 1	1	1	1	2	2	2
65 +	4	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	9	2.2	2	< 1	1	2	3	5	5	5
50-64	28	2.2	2	< 1	1	1	3	5	5	5
65 +	15	2.3	3	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	2.0	2	< 1	< 1	1	3	3	3	3
35-49	5	1.2		1	1	1	2	2	2	2
50-64	19	1.6	2	< 1	1	1	1	4	5	6
65 +	7	3.1	7	< 1	1	3	3	8	9	9
B. Operated										
0-19 YRS	0									
20-34	44	3.7	2	2	3	4	4	5	6	7
35-49	115	3.4	1	2	3	3	4	4	5	7
50-64	134	3.3	4	< 1	1	3	4	5	7	10
65 +	125	4.2	19	1	2	4	5	7	9	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.1		< 1	1	1	1	2	2	2
B. Operated	52	2.2	2	< 1	1	1	3	5	5	6
2. MULTIPLE DX										
A. Not Operated	34	1.9	3	< 1	1	1	2	4	6	9
B. Operated	418	3.6	7	1	2	3	4	6	7	12
1. SINGLE DX	69	2.0	2	< 1	1	1	3	4	5	6
2. MULTIPLE DX	452	3.5	7	1	2	3	4	6	7	12
A. Not Operated	51	1.6	2	< 1	1	1	2	3	4	9
B. Operated	470	3.5	7	1	2	3	4	5	7	12
TOTAL										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	46	3.6	2	2	3	4	4	5	6	7
35-49	129	3.2	1	1	2	3	4	4	5	7
50-64	194	2.8	4	< 1	1	3	4	5	6	9
65 +	151	3.9	16	1	1	3	5	6	9	29
GRAND TOTAL	**521**	**3.3**	**7**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.6	1	< 1	< 1	1	2	3	4	4
20-34	19	1.7	2	< 1	1	1	2	4	5	5
35-49	11	2.8	6	< 1	1	2	4	7	9	9
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	34	2.8	2	1	2	3	4	4	5	5
20-34	205	2.7	2	< 1	1	3	3	4	5	7
35-49	156	3.3	3	1	2	3	4	5	6	10
50-64	69	3.4	5	< 1	1	3	4	6	9	12
65 +	39	3.6	6	< 1	2	4	5	7	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.8	1	< 1	1	2	2	3	3	3
20-34	25	2.4	4	< 1	1	2	3	5	6	10
35-49	20	2.8	3	< 1	1	3	3	6	7	7
50-64	13	3.8	16	< 1	1	2	5	11	13	13
65 +	12	3.3	3	1	2	3	5	6	6	6
B. Operated										
0-19 YRS	63	3.4	4	1	2	3	4	5	7	11
20-34	598	3.5	2	2	3	3	4	5	6	9
35-49	949	3.8	4	2	3	4	4	5	7	10
50-64	487	4.2	6	2	3	4	5	6	8	13
65 +	294	6.0	29	2	3	4	6	11	14	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	1.9	3	< 1	1	1	2	4	5	9
B. Operated	503	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	75	2.8	6	< 1	1	2	3	6	7	12
B. Operated	2391	4.1	8	2	3	4	4	6	8	14
1. SINGLE DX	550	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX	2466	4.0	8	2	3	4	4	6	8	14
A. Not Operated	122	2.5	5	< 1	1	2	3	5	7	11
B. Operated	2894	3.9	7	2	3	4	4	6	8	13
TOTAL										
0-19 YRS	118	2.9	3	1	1	3	4	5	5	9
20-34	847	3.2	3	1	2	3	4	5	6	8
35-49	1136	3.7	4	2	3	3	4	5	7	10
50-64	569	4.1	6	1	3	4	5	6	8	13
65 +	346	5.6	26	2	3	4	6	10	13	29
GRAND TOTAL	**3016**	**3.8**	**7**	**1**	**3**	**4**	**4**	**6**	**8**	**13**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.6	1	<1	1	1	2	3	4	4
20-34	60	1.9	1	1	1	2	2	3	4	6
35-49	13	2.0	2	<1	<1	1	3	4	5	5
50-64	5	2.6	3	<1	1	3	4	5	5	5
65+	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	24	2.3	3	1	1	2	3	5	6	8
20-34	191	2.6	2	<1	1	3	4	4	5	6
35-49	370	3.1	2	1	2	3	4	5	5	7
50-64	304	3.3	1	2	2	3	4	5	5	6
65+	226	3.6	2	2	2	3	4	6	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	1.8	1	<1	1	1	2	4	4	4
20-34	104	2.2	2	1	1	2	3	5	6	7
35-49	43	2.6	10	<1	1	1	3	5	8	19
50-64	15	2.8	5	<1	<1	2	3	7	8	9
65+	18	3.3	4	1	2	3	5	6	8	9
B. Operated										
0-19 YRS	42	3.0	4	<1	1	3	4	5	7	10
20-34	1062	3.5	2	2	3	4	4	5	5	7
35-49	1406	3.8	2	2	3	4	4	5	6	8
50-64	657	4.0	3	2	3	4	5	6	7	9
65+	502	4.3	6	2	3	4	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	119	1.9	1	1	1	1	3	3	4	6
B. Operated	1115	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	205	2.4	4	<1	1	2	3	5	6	10
B. Operated	3669	3.8	3	2	3	4	4	5	6	9
1. SINGLE DX	1234	3.0	2	1	2	3	4	5	5	7
2. MULTIPLE DX	3874	3.8	3	2	3	4	4	5	6	9
A. Not Operated	324	2.2	3	<1	1	2	3	4	5	9
B. Operated	4784	3.7	3	2	3	4	4	5	6	9
TOTAL										
0-19 YRS	130	2.2	3	<1	1	2	3	4	5	9
20-34	1417	3.2	2	1	3	3	4	5	5	7
35-49	1832	3.6	2	2	3	4	4	5	6	8
50-64	981	3.8	2	2	3	4	4	5	6	9
65+	748	4.1	5	2	3	4	5	6	7	13
GRAND TOTAL	**5108**	**3.6**	**3**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	17	1.7	2	<1	1	1	2	3	6	7
35-49	3	1.7	1	<1	<1	<1	2	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	107	2.8	1	1	2	3	3	4	4	5
20-34	1467	2.9	1	2	2	3	4	4	5	6
35-49	266	2.9	1	1	2	3	4	4	5	6
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	2.1	2	1	1	2	3	4	5	5
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	119	3.4	1	2	3	3	4	5	6	7
20-34	1646	3.4	5	2	3	3	4	5	5	7
35-49	357	3.5	3	2	3	3	4	5	5	8
50-64	1	4.0		4	4	4	4	4	4	4
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	1.6	2	<1	1	1	2	3	4	7
B. Operated	1840	2.9	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	15	2.0	2	1	1	2	3	4	5	5
B. Operated	2123	3.4	4	2	3	3	4	5	5	7
1. SINGLE DX	1865	2.9	1	1	2	3	4	4	5	6
2. MULTIPLE DX	2138	3.4	4	2	3	3	4	5	5	7
A. Not Operated	40	1.8	2	<1	1	1	2	3	4	7
B. Operated	3963	3.2	3	2	3	3	4	4	5	7
TOTAL										
0-19 YRS	232	3.1	1	2	3	3	4	4	5	6
20-34	3144	3.2	3	2	2	3	4	4	5	7
35-49	626	3.2	2	2	3	3	4	4	5	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	0									
GRAND TOTAL	**4003**	**3.2**	**3**	**2**	**3**	**3**	**4**	**4**	**5**	**7**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.1	2	1	1	2	3	5	5	5
20-34	14	2.1	2	1	1	2	3	4	5	5
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	0									
65+	0									
B. Operated										
0-19 YRS	21	1.5	1	<1	1	1	2	3	4	4
20-34	59	1.5	1	<1	1	1	2	3	3	4
35-49	7	1.3		<1	<1	1	2	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	27	1.5	1	<1	1	1	2	3	4	5
35-49	7	1.6	1	<1	1	1	2	4	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	25	2.1	3	<1	1	1	3	5	6	7
20-34	134	2.6	9	1	1	1	3	6	9	16
35-49	52	2.0	2	<1	1	1	3	4	4	7
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.0	2	1	1	2	3	4	5	5
B. Operated	87	1.5	1	<1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	38	1.6	1	<1	1	1	2	3	4	5
B. Operated	211	2.4	7	<1	1	1	3	4	7	15
1. SINGLE DX	111	1.6	1	<1	1	1	2	3	4	5
2. MULTIPLE DX	249	2.3	6	<1	1	1	3	4	7	15
A. Not Operated	62	1.7	1	<1	1	1	2	4	4	5
B. Operated	298	2.1	5	<1	1	1	2	4	6	13
TOTAL										
0-19 YRS	58	1.9	2	<1	1	1	3	4	5	7
20-34	234	2.1	6	1	1	1	2	4	6	15
35-49	68	1.9	2	<1	1	1	3	4	4	7
50-64	0									
65+	0									
GRAND TOTAL	**360**	**2.1**	**4**	**<1**	**1**	**1**	**2**	**4**	**6**	**12**

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	1	5.0		5	5	5	5	5	5	5
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX	2	3.5	5	2	2	3	5	5	5	5
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	3	2.7	4	1	1	2	4	5	5	5
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
GRAND TOTAL	**4**	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**5**	**5**

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	1.4		< 1	1	1	2	2	3	4
20-34	153	1.3		< 1	< 1	1	1	2	3	4
35-49	26	1.5	2	< 1	1	1	1	3	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	290	1.2		< 1	< 1	1	1	2	2	4
20-34	1374	1.2	1	< 1	< 1	1	1	2	2	4
35-49	291	1.1		< 1	< 1	1	1	1	2	3
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	1.8	1	1	1	2	2	3	3	3
20-34	81	1.7	2	< 1	1	1	2	4	5	7
35-49	21	1.6	2	< 1	1	1	2	3	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	74	1.7	3	< 1	1	1	2	3	5	10
20-34	423	2.0	3	< 1	1	1	2	4	5	10
35-49	105	2.2	4	< 1	1	1	2	5	6	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	219	1.3	1	< 1	1	1	1	2	3	5
B. Operated	1957	1.2	1	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	128	1.7	1	< 1	1	1	2	3	4	6
B. Operated	602	2.0	3	< 1	1	1	2	4	6	10
1. SINGLE DX	2176	1.2	1	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	730	1.9	3	< 1	1	1	2	4	5	9
A. Not Operated	347	1.5	1	< 1	1	1	2	3	3	6
B. Operated	2559	1.4	1	< 1	< 1	1	1	2	3	6
TOTAL										
0-19 YRS	430	1.3	1	< 1	< 1	1	1	2	3	5
20-34	2031	1.4	1	< 1	< 1	1	1	2	3	6
35-49	443	1.4	1	< 1	< 1	1	1	2	3	7
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
GRAND TOTAL	**2906**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**6**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	1.9	1	1	1	1	3	3	3	4
20-34	146	1.6	1	< 1	1	1	2	3	4	5
35-49	33	1.6	1	< 1	1	1	2	3	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	85	1.5	2	< 1	1	1	1	3	4	8
20-34	510	1.2		< 1	< 1	1	1	2	3	4
35-49	128	1.2	1	< 1	< 1	1	1	2	2	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.8	4	1	2	2	4	5	7	9
20-34	104	2.9	5	1	1	2	4	5	7	13
35-49	20	3.0	11	< 1	1	2	4	6	11	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	46	2.2	6	< 1	1	2	3	4	4	17
20-34	272	2.4	5	1	1	2	3	5	7	12
35-49	82	2.3	11	< 1	1	1	2	4	6	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	1.7	1	< 1	1	1	2	3	3	6
B. Operated	724	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	151	2.9	6	1	1	2	4	5	7	15
B. Operated	400	2.4	6	< 1	1	2	3	5	6	15
1. SINGLE DX	932	1.4	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	551	2.5	6	1	1	2	3	5	7	15
A. Not Operated	359	2.2	3	< 1	1	1	3	4	5	9
B. Operated	1124	1.7	3	< 1	1	1	2	3	4	9
TOTAL										
0-19 YRS	187	1.9	3	< 1	1	1	2	4	4	9
20-34	1032	1.8	3	< 1	1	1	2	3	5	9
35-49	263	1.7	5	< 1	1	1	1	3	5	15
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**1483**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**5**	**9**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	1.5	1	< 1	1	1	2	3	3	4
20-34	167	1.7	1	< 1	1	1	2	3	4	8
35-49	14	2.0	3	1	1	1	2	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	20	2.4	16	< 1	< 1	1	2	4	12	19
35-49	4	1.3		< 1	< 1	< 1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.0	1	< 1	1	2	2	4	4	4
20-34	79	2.5	18	< 1	1	2	3	4	6	29
35-49	6	2.2	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	24	2.7	6	< 1	1	2	4	6	8	11
35-49	5	4.6	30	< 1	< 1	2	7	14	14	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	207	1.7	1	< 1	1	1	2	3	4	7
B. Operated	28	2.0	12	< 1	< 1	1	1	4	6	19
2. MULTIPLE DX										
A. Not Operated	100	2.4	14	< 1	1	2	3	4	5	23
B. Operated	32	2.9	9	< 1	1	2	4	6	11	14
1. SINGLE DX	235	1.7	3	< 1	1	1	2	3	4	9
2. MULTIPLE DX	132	2.5	13	< 1	1	2	3	4	6	18
A. Not Operated	307	1.9	6	< 1	1	1	2	3	4	9
B. Operated	60	2.5	10	< 1	< 1	1	3	5	9	18
TOTAL										
0-19 YRS	48	1.6	1	< 1	1	1	2	3	4	4
20-34	290	2.0	7	< 1	1	1	2	4	5	10
35-49	29	2.4	7	< 1	1	1	2	5	7	14
50-64	0									
65 +	0									
GRAND TOTAL	**367**	**2.0**	**7**	**< 1**	**1**	**1**	**2**	**4**	**5**	**11**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.8	3	< 1	< 1	1	2	5	6	6
20-34	39	1.7	2	< 1	1	1	2	3	5	8
35-49	5	2.8	12	< 1	1	1	4	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
20-34	3	1.3		< 1	< 1	< 1	2	2	2	2
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	5	< 1	< 1	1	4	5	5	5
20-34	20	3.8	78	< 1	1	1	2	5	23	41
35-49	6	1.8	1	1	1	2	2	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.0	10	< 1	1	3	6	8	8	8
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	1.8	3	< 1	1	1	2	4	6	9
B. Operated	7	1.4	1	< 1	< 1	< 1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	29	3.2	55	< 1	1	1	2	5	8	41
B. Operated	8	2.9	6	< 1	1	2	4	7	8	8
1. SINGLE DX	60	1.8	3	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX	37	3.1	44	< 1	1	2	2	5	7	41
A. Not Operated	82	2.3	21	< 1	1	1	2	4	6	31
B. Operated	15	2.2	4	< 1	< 1	2	2	5	7	8
TOTAL										
0-19 YRS	16	1.9	3	< 1	< 1	1	2	5	6	6
20-34	66	2.4	26	< 1	1	1	2	4	6	36
35-49	15	2.1	4	< 1	1	1	2	4	8	9
50-64	0									
65 +	0									
GRAND TOTAL	**97**	**2.3**	**18**	**< 1**	**1**	**1**	**2**	**4**	**6**	**26**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	1.9	1	1	1	2	2	3	4	6
20-34	426	2.2	3	1	1	2	3	4	5	8
35-49	49	2.2	2	1	1	2	3	4	4	6
50-64	0									
65+	0									
B. Operated										
0-19 YRS	12	3.4	10	1	1	2	5	8	11	11
20-34	87	2.1	4	<1	1	1	2	4	5	12
35-49	12	3.4	23	<1	1	2	3	10	17	18
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.4	2	1	1	2	3	5	6	7
20-34	236	2.9	13	1	1	2	3	5	7	17
35-49	47	2.6	3	1	1	2	4	4	7	8
50-64	0									
65+	0									
B. Operated										
0-19 YRS	18	2.4	7	<1	<1	1	3	7	9	10
20-34	99	2.2	4	<1	1	2	3	4	6	14
35-49	19	2.8	12	<1	<1	1	2	9	11	13
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	540	2.2	2	1	1	2	3	4	5	8
B. Operated	111	2.4	7	<1	1	2	2	4	7	16
2. MULTIPLE DX										
A. Not Operated	317	2.8	11	1	1	2	3	5	7	15
B. Operated	136	2.3	6	<1	<1	1	3	4	8	13
1. SINGLE DX	651	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	453	2.7	9	<1	1	2	3	5	7	14
A. Not Operated	857	2.4	5	1	1	2	3	4	6	9
B. Operated	247	2.3	6	<1	1	2	3	4	8	15
TOTAL										
0-19 YRS	129	2.2	3	1	1	2	2	4	6	10
20-34	848	2.4	6	1	1	2	3	4	6	13
35-49	127	2.6	6	<1	1	2	3	4	7	14
50-64	0									
65+	0									
GRAND TOTAL	**1104**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	134	2.5	2	1	2	2	3	4	5	8
20-34	710	2.7	3	1	2	2	3	5	6	8
35-49	54	3.2	2	1	2	3	4	5	6	8
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	14	5.1	25	1	1	2	10	13	13	13
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	142	2.8	4	1	2	2	3	5	7	10
20-34	765	3.1	8	1	2	2	4	6	8	13
35-49	39	3.2	4	1	2	3	4	6	7	8
50-64	0									
65+	0									
B. Operated										
0-19 YRS	12	4.9	21	1	2	3	7	11	16	17
20-34	57	4.8	30	1	1	3	6	10	13	31
35-49	5	6.4	31	2	3	3	10	15	15	15
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	898	2.7	2	1	2	2	3	5	6	8
B. Operated	15	5.4	25	1	1	2	10	13	13	13
2. MULTIPLE DX										
A. Not Operated	946	3.1	7	1	2	2	4	6	8	12
B. Operated	74	4.9	28	1	2	3	6	10	15	29
1. SINGLE DX	913	2.8	3	1	2	2	3	5	6	8
2. MULTIPLE DX	1020	3.2	9	1	2	2	4	6	8	14
A. Not Operated	1844	2.9	5	1	2	2	3	5	7	10
B. Operated	89	5.0	27	1	2	3	7	12	13	28
TOTAL										
0-19 YRS	289	2.8	4	1	2	2	3	5	7	10
20-34	1546	3.0	6	1	2	2	4	5	7	13
35-49	98	3.4	5	1	2	3	4	6	7	12
50-64	0									
65+	0									
GRAND TOTAL	**1933**	**3.0**	**6**	**1**	**2**	**2**	**3**	**5**	**7**	**12**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	242	1.1		<1	<1	<1	1	1	2	3
20-34	859	1.1	1	<1	<1	<1	1	1	2	5
35-49	92	1.1		<1	<1	<1	1	1	2	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	152	1.1		<1	<1	<1	1	1	1	2
20-34	587	1.1		<1	<1	<1	1	1	1	3
35-49	34	1.0		<1	<1	<1	1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	1.6	3	<1	<1	1	2	3	4	10
20-34	215	1.5	2	<1	<1	1	1	2	3	9
35-49	21	1.0		<1	<1	1	1	1	1	1
50-64	0									
65+	0									
B. Operated										
0-19 YRS	27	1.5	1	<1	<1	1	2	3	4	5
20-34	84	2.1	46	<1	<1	1	1	2	4	46
35-49	12	1.4	1	<1	<1	1	2	3	3	3
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1193	1.1	1	<1	<1	<1	1	1	2	4
B. Operated	773	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX										
A. Not Operated	285	1.5	2	<1	<1	1	1	2	3	9
B. Operated	123	1.9	31	<1	<1	1	1	3	3	29
1. SINGLE DX	1966	1.1	1	<1	<1	<1	1	1	2	3
2. MULTIPLE DX	408	1.6	11	<1	<1	1	1	2	3	10
A. Not Operated	1478	1.2	1	<1	<1	<1	1	1	2	5
B. Operated	896	1.2	5	<1	<1	<1	1	1	2	4
TOTAL										
0-19 YRS	470	1.2		<1	<1	<1	1	2	2	4
20-34	1745	1.2	3	<1	<1	<1	1	1	2	5
35-49	159	1.1		<1	<1	<1	1	1	2	3
50-64	0									
65+	0									
GRAND TOTAL	**2374**	**1.2**	**2**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.1	5	<1	1	1	2	5	8	10
20-34	215	2.6	10	1	1	2	3	4	8	17
35-49	37	2.6	9	<1	1	2	3	5	11	14
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	31	3.4	18	1	1	3	4	6	7	24
35-49	11	3.5	14	1	1	3	4	9	14	14
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.5	49	2	2	2	9	16	16	16
20-34	122	3.7	23	1	1	2	4	8	11	29
35-49	24	6.5	102	1	1	3	7	21	29	45
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	6.3	56	2	2	2	12	15	15	15
20-34	44	5.7	61	1	2	3	5	16	24	41
35-49	13	7.2	121	2	2	4	6	15	38	43
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	271	2.5	9	<1	1	2	3	5	8	15
B. Operated	43	3.3	16	1	1	3	4	6	10	24
2. MULTIPLE DX										
A. Not Operated	150	4.2	37	1	1	2	4	9	14	41
B. Operated	60	6.0	71	1	2	3	6	15	24	43
1. SINGLE DX	314	2.7	10	1	1	2	3	5	8	17
2. MULTIPLE DX	210	4.7	47	1	1	2	4	10	16	42
A. Not Operated	421	3.1	20	1	1	2	3	7	11	23
B. Operated	103	4.9	50	1	1	3	4	10	19	42
TOTAL										
0-19 YRS	27	3.0	17	<1	1	1	2	9	15	16
20-34	412	3.3	21	1	1	2	3	7	11	24
35-49	85	4.5	55	1	1	2	4	9	16	44
50-64	0									
65+	0									
GRAND TOTAL	**524**	**3.5**	**26**	**1**	**1**	**2**	**4**	**7**	**12**	**25**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	1.7	3	< 1	< 1	1	2	3	7	8
20-34	208	2.0	4	< 1	1	1	2	4	7	10
35-49	25	1.9	1	1	1	1	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.6	3	< 1	< 1	1	1	5	6	6
20-34	63	2.0	6	< 1	< 1	1	2	4	8	13
35-49	9	2.0	1	< 1	1	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	2.6	11	< 1	1	1	3	5	6	20
20-34	166	2.9	17	< 1	1	2	3	5	9	26
35-49	23	3.8	49	1	1	2	3	6	17	35
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	2.3	2	< 1	1	2	4	4	4	4
20-34	48	3.8	17	1	1	3	5	9	15	20
35-49	11	3.5	12	< 1	< 1	2	5	10	11	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	2.0	4	< 1	1	1	2	4	6	9
B. Operated	80	2.0	5	< 1	< 1	1	2	4	7	13
2. MULTIPLE DX										
A. Not Operated	227	2.9	19	< 1	1	2	3	5	9	27
B. Operated	66	3.6	15	1	1	2	4	9	12	19
1. SINGLE DX	345	2.0	4	< 1	1	1	2	4	7	11
2. MULTIPLE DX	293	3.1	18	< 1	1	2	3	6	9	25
A. Not Operated	492	2.4	11	< 1	1	1	2	4	7	20
B. Operated	146	2.7	10	< 1	1	1	3	6	9	16
TOTAL										
0-19 YRS	85	2.1	6	< 1	1	1	2	4	6	16
20-34	485	2.5	10	< 1	1	1	2	5	8	18
35-49	68	2.8	20	< 1	1	2	3	5	8	31
50-64	0									
65 +	0									
GRAND TOTAL	**638**	**2.5**	**11**	**< 1**	**1**	**1**	**3**	**5**	**8**	**19**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	133	3.0	2	1	2	3	4	5	5	7
20-34	320	3.1	3	1	2	3	4	5	5	8
35-49	21	3.2	3	2	2	3	4	5	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	18	2.6	2	1	1	2	4	5	5	5
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	351	3.0	2	1	2	3	4	5	6	7
20-34	864	3.0	3	1	2	3	4	5	6	8
35-49	44	3.0	4	1	2	3	4	4	5	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	37	2.9	4	< 1	1	3	4	5	8	9
20-34	130	3.1	5	< 1	2	3	4	6	7	13
35-49	13	6.9	92	1	2	3	7	18	33	36
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	474	3.0	3	1	2	3	4	5	5	8
B. Operated	21	2.4	2	< 1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	1259	3.0	2	1	2	3	4	5	6	8
B. Operated	180	3.3	11	< 1	1	3	4	6	8	14
1. SINGLE DX	495	3.0	3	1	2	3	4	5	5	8
2. MULTIPLE DX	1439	3.0	4	1	2	3	4	5	6	8
A. Not Operated	1733	3.0	3	1	2	3	4	5	6	8
B. Operated	201	3.2	10	< 1	1	3	4	6	7	14
TOTAL										
0-19 YRS	524	3.0	2	1	2	3	4	5	6	8
20-34	1332	3.0	3	1	2	3	4	5	6	8
35-49	78	3.7	19	1	2	3	4	5	11	30
50-64	0									
65 +	0									
GRAND TOTAL	**1934**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.8	4	< 1	1	2	4	5	7	8
20-34	285	2.9	6	1	1	2	3	5	6	13
35-49	91	3.1	5	1	2	3	4	6	7	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.5	2	< 1	< 1	< 1	1	4	4	4
20-34	20	2.3	5	< 1	< 1	1	3	5	8	10
35-49	5	2.2	3	< 1	1	1	3	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	218	2.9	12	< 1	1	2	3	6	8	18
20-34	1376	3.0	10	1	1	2	4	6	8	16
35-49	176	3.2	7	1	1	2	4	6	9	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	47	3.0	15	< 1	1	2	3	6	8	24
20-34	372	3.7	21	< 1	1	3	5	7	11	16
35-49	37	5.3	22	1	2	4	7	12	15	23
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	409	2.9	6	1	2	2	4	5	6	13
B. Operated	31	2.1	4	< 1	< 1	1	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	1770	3.0	10	1	1	2	4	6	8	16
B. Operated	456	3.8	21	< 1	1	3	5	8	11	22
1. SINGLE DX	440	2.9	6	1	1	2	4	5	6	13
2. MULTIPLE DX	2226	3.2	12	1	1	2	4	6	8	16
A. Not Operated	2179	3.0	9	1	1	2	4	6	8	15
B. Operated	487	3.7	20	< 1	1	3	5	7	11	20
TOTAL										
0-19 YRS	304	2.9	11	< 1	1	2	3	6	8	18
20-34	2053	3.1	11	1	1	2	4	6	8	16
35-49	309	3.4	8	1	1	3	4	7	9	14
50-64	0									
65 +	0									
GRAND TOTAL	**2666**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	670	2.0	5	< 1	1	1	2	3	6	12
20-34	2876	2.0	7	< 1	1	1	2	4	6	13
35-49	265	2.1	7	< 1	< 1	1	2	4	6	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	306	1.9	10	< 1	< 1	1	2	3	5	20
20-34	1572	2.0	6	< 1	< 1	1	2	4	6	12
35-49	170	2.0	4	< 1	< 1	1	2	4	6	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	459	2.9	25	1	1	2	3	5	7	28
20-34	1921	2.8	16	< 1	1	2	3	5	8	22
35-49	222	2.8	8	< 1	1	2	3	6	9	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	274	3.1	15	< 1	1	2	3	6	10	21
20-34	1273	3.5	30	< 1	1	2	4	7	11	26
35-49	175	3.5	48	< 1	1	2	3	7	9	41
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3811	2.0	6	< 1	1	1	2	4	6	13
B. Operated	2048	2.0	6	< 1	< 1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	2602	2.8	17	< 1	1	2	3	5	8	22
B. Operated	1722	3.4	29	< 1	1	2	4	7	11	27
1. SINGLE DX	5859	2.0	6	< 1	< 1	1	2	4	6	13
2. MULTIPLE DX	4324	3.1	22	< 1	1	2	3	6	9	23
A. Not Operated	6413	2.4	11	< 1	1	1	2	4	7	15
B. Operated	3770	2.6	17	< 1	< 1	1	3	5	8	20
TOTAL										
0-19 YRS	1709	2.4	13	< 1	1	1	2	4	7	19
20-34	7642	2.5	13	< 1	1	1	3	5	7	18
35-49	832	2.6	16	< 1	1	1	3	5	8	15
50-64	0									
65 +	0									
GRAND TOTAL	**10183**	**2.5**	**13**	**< 1**	**1**	**1**	**3**	**5**	**7**	**18**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	1.8	1	1	1	2	2	3	4	4
20-34	573	1.8	1	1	1	2	2	3	3	4
35-49	72	1.8	1	1	1	2	2	3	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	54	2.0	1	1	1	2	3	4	4	5
20-34	365	2.2	4	1	1	2	3	3	4	5
35-49	66	1.8	1	1	1	2	2	3	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	160	1.7	1	1	1	2	2	3	3	4
20-34	932	1.8	6	1	1	2	2	3	3	5
35-49	111	2.1	3	1	1	2	2	3	3	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	293	2.5	3	1	1	2	3	4	5	11
20-34	2791	2.9	9	1	2	2	3	4	5	11
35-49	506	3.0	7	1	2	3	4	4	5	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	730	1.8	1	1	1	2	2	3	3	5
B. Operated	485	2.1	3	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	1203	1.8	5	1	1	2	2	3	3	6
B. Operated	3590	2.9	8	1	2	2	3	4	5	11
1. SINGLE DX	1215	1.9	2	1	1	2	2	3	3	5
2. MULTIPLE DX	4793	2.6	7	1	1	2	3	4	5	10
A. Not Operated	1933	1.8	3	1	1	2	2	3	3	5
B. Operated	4075	2.8	7	1	2	2	3	4	5	11
TOTAL										
0-19 YRS	592	2.2	2	1	1	2	3	4	4	8
20-34	4661	2.5	7	1	1	2	3	4	5	8
35-49	755	2.6	6	1	2	2	3	4	5	11
50-64	0									
65 +	0									
GRAND TOTAL	**6008**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3650	1.5	1	1	1	1	2	2	2	3
20-34	20040	1.5	1	1	1	1	2	2	2	3
35-49	1832	1.5		1	1	1	2	2	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	1774	1.5		1	1	1	2	2	2	3
20-34	10316	1.5		1	1	1	2	2	3	3
35-49	996	1.6		1	1	2	2	2	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	180	1.6		1	1	1	2	2	3	4
20-34	799	1.6		1	1	1	2	2	3	3
35-49	75	1.6		1	1	1	2	2	3	4
50-64	1	21.0		21	21	21	21	21	21	21
65 +	0									
B. Operated										
0-19 YRS	137	1.7	1	1	1	2	2	3	3	4
20-34	2654	2.0	1	1	2	2	2	3	3	4
35-49	430	2.0	1	1	2	2	2	3	3	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25524	1.5	1	1	1	1	2	2	2	3
B. Operated	13087	1.5		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	1055	1.6	1	1	1	1	2	2	3	3
B. Operated	3221	2.0	1	1	2	2	2	3	3	4
1. SINGLE DX	38611	1.5	1	1	1	1	2	2	2	3
2. MULTIPLE DX	4276	1.9	1	1	1	2	2	3	3	4
A. Not Operated	26579	1.5	1	1	1	1	2	2	2	3
B. Operated	16308	1.6	1	1	1	2	2	2	3	3
TOTAL										
0-19 YRS	5741	1.5	1	1	1	1	2	2	2	3
20-34	33809	1.5	1	1	1	1	2	2	3	3
35-49	3333	1.6	1	1	1	2	2	2	3	3
50-64	4	6.0	100	1	1	1	11	21	21	21
65 +	0									
GRAND TOTAL	**42887**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	1.8	1	1	1	2	2	3	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	5.0	22	2	2	3	8	12	12	12
20-34	107	5.4	61	2	3	3	4	9	16	53
35-49	17	4.8	12	3	3	4	4	10	14	16
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	21	2.8	7	1	1	2	3	6	10	12
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	7.1	87	2	3	4	6	18	33	36
20-34	370	8.9	154	3	3	4	8	22	37	64
35-49	133	9.8	155	3	3	4	10	26	40	67
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.8	1	1	1	2	2	3	5	5
B. Operated	128	5.3	53	2	3	4	4	10	16	49
2. MULTIPLE DX										
A. Not Operated	22	3.2	11	1	1	2	3	9	12	12
B. Operated	516	9.1	152	3	3	4	8	22	38	66
1. SINGLE DX	141	5.0	49	2	3	3	4	8	15	47
2. MULTIPLE DX	538	8.9	148	3	3	4	8	22	37	65
A. Not Operated	35	2.7	8	1	1	2	2	5	11	12
B. Operated	644	8.4	135	3	3	4	7	19	36	63
TOTAL										
0-19 YRS	18	6.9	67	2	3	4	8	13	27	36
20-34	510	7.8	128	2	3	4	6	18	34	62
35-49	151	9.2	140	3	3	4	9	24	39	67
50-64	0									
65 +	0									
GRAND TOTAL	**679**	**8.1**	**130**	**2**	**3**	**4**	**6**	**19**	**35**	**63**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.0	3	< 1	1	1	2	5	7	7
20-34	63	1.7	1	1	1	2	2	3	3	6
35-49	4	6.5	28	2	2	6	11	12	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	2.2	1	1	2	2	3	3	4	4
20-34	99	2.5	2	1	2	2	3	4	4	7
35-49	16	3.7	13	2	2	3	3	4	13	17
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	1.8	1	1	1	2	2	3	3	3
20-34	106	1.9	10	1	1	1	2	2	3	17
35-49	13	2.0	1	< 1	1	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	83	3.7	17	1	2	3	4	6	7	29
20-34	629	3.9	13	1	2	3	4	6	10	24
35-49	92	5.0	32	2	3	4	5	7	12	35
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	2.0	3	1	1	2	2	3	5	11
B. Operated	128	2.6	3	1	2	2	3	4	4	11
2. MULTIPLE DX										
A. Not Operated	136	1.9	8	1	1	1	2	3	3	9
B. Operated	804	4.0	16	1	2	3	4	6	9	25
1. SINGLE DX	206	2.4	3	1	1	2	3	4	4	11
2. MULTIPLE DX	940	3.7	15	1	2	3	4	6	8	25
A. Not Operated	214	1.9	6	1	1	1	2	3	3	11
B. Operated	932	3.8	14	1	2	3	4	6	8	24
TOTAL										
0-19 YRS	124	3.1	13	1	2	2	4	5	7	20
20-34	897	3.3	11	1	2	3	4	5	7	22
35-49	125	4.6	27	2	2	3	5	7	12	32
50-64	0									
65 +	0									
GRAND TOTAL	**1146**	**3.4**	**13**	**1**	**2**	**3**	**4**	**5**	**7**	**24**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.3	3	1	1	2	2	5	6	6
20-34	28	1.5		1	1	1	2	2	3	3
35-49	6	2.0	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	48	1.6		1	1	2	2	2	2	4
20-34	377	1.5		1	1	1	2	2	3	3
35-49	45	1.7	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	2.1	1	1	1	2	3	3	4	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	51	2.3	2	1	1	2	3	4	4	9
20-34	474	2.1	1	1	1	2	3	3	4	5
35-49	75	3.3	12	1	2	3	4	5	8	21
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	1.7	1	1	1	2	2	3	3	6
B. Operated	470	1.6		1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	29	2.1	1	1	1	2	3	3	4	5
B. Operated	600	2.3	3	1	1	2	3	3	4	8
1. SINGLE DX	511	1.6		1	1	1	2	2	3	4
2. MULTIPLE DX	629	2.3	3	1	1	2	3	3	4	8
A. Not Operated	70	1.9	1	1	1	2	2	3	3	6
B. Operated	1070	2.0	2	1	1	2	2	3	4	6
TOTAL										
0-19 YRS	107	1.9	1	1	1	2	2	3	4	7
20-34	906	1.8	1	1	1	2	2	3	3	5
35-49	127	2.7	8	1	1	2	3	5	6	20
50-64	0									
65 +	0									
GRAND TOTAL	**1140**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.8	1	1	1	2	2	3	3	4
20-34	173	1.7	1	1	1	2	2	2	3	5
35-49	9	1.9	1	< 1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	27	1.6		1	1	2	2	2	3	3
20-34	120	1.7	1	1	1	2	2	3	3	4
35-49	6	4.3	9	1	2	3	8	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	2.1	1	1	2	2	2	3	4	4
20-34	143	2.9	77	1	1	2	2	3	4	76
35-49	16	1.8		1	1	2	2	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	40	2.2	1	1	1	2	3	3	4	4
20-34	270	2.2	1	1	2	2	3	3	4	6
35-49	30	2.4	2	1	2	2	3	4	4	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	207	1.7	1	1	1	2	2	3	3	5
B. Operated	153	1.8	1	1	1	2	2	3	3	8
2. MULTIPLE DX										
A. Not Operated	183	2.7	61	1	1	2	2	3	3	53
B. Operated	340	2.2	1	1	2	2	3	3	4	6
1. SINGLE DX	360	1.7	1	1	1	2	2	3	3	5
2. MULTIPLE DX	523	2.4	22	1	1	2	2	3	4	7
A. Not Operated	390	2.2	29	1	1	2	2	3	3	6
B. Operated	493	2.1	1	1	1	2	2	3	4	6
TOTAL										
0-19 YRS	116	1.9	1	1	1	2	2	3	3	4
20-34	706	2.1	16	1	1	2	2	3	4	6
35-49	61	2.4	2	1	2	2	3	4	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**883**	**2.1**	**13**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	43	2.2	1	1	2	2	3	3	3	7
35-49	6	2.2	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	75	3.0	2	2	2	3	4	5	5	6
35-49	13	3.6	2	2	3	4	4	5	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.0	3	1	1	2	2	5	6	6
20-34	85	2.7	10	1	2	2	3	4	5	22
35-49	19	2.2	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	45	4.5	12	2	3	4	5	7	12	21
20-34	740	4.6	28	2	3	4	5	7	11	30
35-49	137	4.5	50	2	3	3	4	7	9	26
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	2.2	1	1	2	2	3	3	3	7
B. Operated	91	3.1	2	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	113	2.6	8	1	2	2	3	4	5	15
B. Operated	922	4.6	30	2	3	4	5	7	11	30
1. SINGLE DX	144	2.7	2	1	2	2	3	5	5	6
2. MULTIPLE DX	1035	4.4	28	2	2	3	4	6	10	30
A. Not Operated	166	2.4	6	1	2	2	3	3	5	7
B. Operated	1013	4.5	28	2	3	3	5	6	10	29
TOTAL										
0-19 YRS	60	3.9	11	1	2	3	4	7	10	20
20-34	943	4.2	24	2	2	3	4	6	9	30
35-49	175	4.1	40	2	2	3	4	6	8	17
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**1179**	**4.2**	**25**	**2**	**2**	**3**	**4**	**6**	**9**	**28**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.6	1	1	1	1	2	3	3	3
20-34	73	1.5	1	<1	1	1	2	2	3	5
35-49	10	1.4		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	184	3.3	1	2	3	3	4	4	5	5
20-34	1217	3.3	1	2	3	3	4	4	5	5
35-49	126	3.3	1	2	3	3	4	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.6	3	<1	1	2	3	6	6	6
20-34	52	1.9	1	1	1	2	2	3	3	4
35-49	9	1.6		<1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	221	3.9	4	2	3	4	4	5	7	14
20-34	1934	3.7	5	2	3	3	4	5	6	11
35-49	347	3.8	5	2	3	4	4	5	6	9
50-64	1	19.0		19	19	19	19	19	19	19
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	1.5	1	1	1	1	2	2	3	5
B. Operated	1527	3.3	1	2	3	3	4	4	5	5
2. MULTIPLE DX										
A. Not Operated	70	1.9	1	1	1	2	2	3	4	6
B. Operated	2503	3.7	5	2	3	3	4	5	6	11
1. SINGLE DX	1617	3.2	1	2	3	3	4	4	4	5
2. MULTIPLE DX	2573	3.7	5	2	3	3	4	5	6	11
A. Not Operated	160	1.7	1	1	1	1	2	3	3	6
B. Operated	4030	3.6	4	2	3	3	4	5	5	10
TOTAL										
0-19 YRS	421	3.6	3	2	3	3	4	5	6	12
20-34	3276	3.5	4	2	3	3	4	4	5	9
35-49	492	3.6	4	2	3	3	4	5	6	8
50-64	1	19.0		19	19	19	19	19	19	19
65 +	0									
GRAND TOTAL	**4190**	**3.5**	**4**	**2**	**3**	**3**	**4**	**5**	**5**	**10**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	1.8		1	1	2	2	2	3	3
20-34	389	1.6		1	1	1	2	2	3	3
35-49	38	1.7		1	1	2	2	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	98	2.2	1	1	1	2	3	4	4	5
20-34	691	2.3	1	1	1	2	3	4	4	5
35-49	93	2.4	1	1	2	2	3	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.0	1	1	1	2	2	3	4	5
20-34	367	1.8	1	1	1	2	2	3	3	4
35-49	38	1.9	1	1	1	2	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	467	3.3	3	1	2	3	4	5	6	10
20-34	3703	3.1	3	1	2	3	4	5	5	8
35-49	564	3.3	7	1	2	3	4	5	6	8
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	473	1.6		1	1	2	2	2	3	3
B. Operated	882	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	447	1.8	1	1	1	2	2	3	3	4
B. Operated	4735	3.1	3	1	2	3	4	5	5	8
1. SINGLE DX	1355	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX	5182	3.0	3	1	2	3	4	5	5	8
A. Not Operated	920	1.7		1	1	2	2	2	3	4
B. Operated	5617	3.0	3	1	2	3	4	5	5	8
TOTAL										
0-19 YRS	653	2.9	3	1	2	3	4	5	5	8
20-34	5150	2.8	3	1	2	3	4	4	5	7
35-49	733	3.0	6	1	2	3	4	5	5	8
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**6537**	**2.8**	**3**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	13	2.5	3	< 1	1	2	3	5	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	113	3.7	1	3	3	4	4	5	5	7
20-34	619	3.7	1	3	3	4	4	5	5	6
35-49	69	3.6	1	2	3	4	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	18	2.3	1	1	1	2	3	4	4	4
35-49	3	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	519	4.3	3	3	3	4	5	6	7	12
20-34	4247	4.0	2	3	3	4	4	5	6	8
35-49	539	4.1	2	3	3	4	5	5	6	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.4	2	< 1	1	2	3	4	6	7
B. Operated	801	3.7	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	23	2.4	1	1	1	2	3	4	4	4
B. Operated	5306	4.1	2	3	3	4	5	5	6	8
1. SINGLE DX	817	3.7	1	3	3	4	4	5	5	6
2. MULTIPLE DX	5329	4.1	2	3	3	4	5	5	6	8
A. Not Operated	39	2.4	2	1	1	2	3	4	4	7
B. Operated	6107	4.0	2	3	3	4	4	5	6	8
TOTAL										
0-19 YRS	635	4.2	3	3	3	4	5	6	7	11
20-34	4897	4.0	2	3	3	4	4	5	6	8
35-49	613	4.0	2	3	3	4	4	5	6	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**6146**	**4.0**	**2**	**3**	**3**	**4**	**4**	**5**	**6**	**8**

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	1.7	1	1	1	2	2	3	3	4
20-34	495	1.7		1	1	2	2	3	3	3
35-49	39	1.8		1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	231	2.7	2	1	2	2	4	5	5	7
20-34	1281	2.8	2	1	2	3	4	4	5	6
35-49	143	3.2	2	1	2	3	4	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	1.9	1	1	1	2	2	3	4	5
20-34	513	1.9	1	1	1	2	2	3	3	5
35-49	53	1.9	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	625	3.4	4	1	2	3	4	5	7	10
20-34	4584	3.2	3	1	2	3	4	5	6	8
35-49	678	3.4	3	2	2	3	4	5	6	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	626	1.7		1	1	2	2	3	3	3
B. Operated	1655	2.8	2	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	653	1.9	1	1	1	2	2	3	3	4
B. Operated	5887	3.3	3	1	2	3	4	5	6	8
1. SINGLE DX	2281	2.5	2	1	2	2	3	4	5	6
2. MULTIPLE DX	6540	3.1	3	1	2	3	4	5	6	8
A. Not Operated	1279	1.8	1	1	1	2	2	3	3	4
B. Operated	7542	3.2	3	1	2	3	4	5	6	8
TOTAL										
0-19 YRS	1035	3.0	3	1	2	3	4	5	6	10
20-34	6873	2.9	3	1	2	3	4	5	5	7
35-49	913	3.2	2	1	2	3	4	5	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**8821**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0		2	2	2	2	2	2	2
20-34	63	1.7	1	1	1	2	2	3	3	4
35-49	7	1.6		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	27	3.2	3	1	2	3	4	6	7	8
20-34	249	2.8	2	1	2	3	4	4	5	5
35-49	27	3.0	2	1	2	3	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	58	2.1	3	1	1	2	2	3	5	12
35-49	13	2.2	1	1	2	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	103	3.1	3	1	1	3	4	5	7	9
20-34	949	3.5	8	1	2	3	4	5	6	16
35-49	220	3.7	9	2	3	3	4	5	6	17
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	1.7		1	1	2	2	3	3	4
B. Operated	303	2.9	2	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	75	2.1	2	1	1	2	2	3	5	10
B. Operated	1272	3.5	8	1	2	3	4	5	6	13
1. SINGLE DX	378	2.6	2	1	2	2	4	4	5	6
2. MULTIPLE DX	1347	3.4	8	1	2	3	4	5	6	13
A. Not Operated	150	1.9	1	1	1	2	2	3	3	6
B. Operated	1575	3.4	7	1	2	3	4	5	6	10
TOTAL										
0-19 YRS	139	3.0	3	1	2	3	4	5	7	8
20-34	1319	3.2	6	1	2	3	4	5	5	10
35-49	267	3.5	8	2	2	3	4	5	6	12
50-64	0									
65 +	0									
GRAND TOTAL	**1725**	**3.3**	**6**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	1.7		1	1	2	2	3	3	3
20-34	467	1.6		1	1	2	2	3	3	4
35-49	57	1.6		1	1	2	2	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	133	3.1	1	2	3	3	3	4	4	5
20-34	3381	3.1	1	2	3	3	4	4	4	5
35-49	474	3.2	1	2	3	3	4	4	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	1.3		1	1	1	2	2	3	3
20-34	287	1.9	1	1	1	2	2	3	3	4
35-49	32	2.0		1	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	195	3.1	4	2	2	3	4	4	5	8
20-34	6954	3.3	2	2	3	3	4	4	5	7
35-49	1354	3.5	2	2	3	3	4	5	5	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	546	1.6		1	1	2	2	2	3	3
B. Operated	3988	3.1	1	2	3	3	4	4	4	5
2. MULTIPLE DX										
A. Not Operated	335	1.9	1	1	1	2	2	3	3	4
B. Operated	8503	3.3	2	2	3	3	4	4	5	7
1. SINGLE DX	4534	2.9	1	1	2	3	4	4	4	5
2. MULTIPLE DX	8838	3.3	2	2	3	3	4	4	5	7
A. Not Operated	881	1.7	1	1	1	2	2	3	3	4
B. Operated	12491	3.3	2	2	3	3	4	4	5	6
TOTAL										
0-19 YRS	366	2.9	2	2	2	3	3	4	5	7
20-34	11089	3.1	2	2	3	3	4	4	5	6
35-49	1917	3.4	2	2	3	3	4	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**13372**	**3.2**	**2**	**2**	**3**	**3**	**4**	**4**	**5**	**6**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	102	1.9	1	1	1	2	2	3	3	5
20-34	601	1.8	1	1	1	2	2	3	3	6
35-49	60	1.8	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	109	2.0	1	1	1	2	2	3	3	6
20-34	773	1.9	3	1	1	2	2	3	3	5
35-49	72	2.0	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	2.5	2	1	2	2	3	4	6	10
20-34	636	2.4	6	1	1	2	3	3	5	15
35-49	84	2.5	3	1	2	2	3	4	6	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	446	3.1	17	1	2	2	3	5	7	16
20-34	3174	3.3	16	1	2	2	4	5	7	20
35-49	510	3.8	38	1	2	3	4	5	8	33
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	763	1.8	1	1	1	2	2	3	3	5
B. Operated	954	1.9	2	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	814	2.4	5	1	1	2	3	4	5	14
B. Operated	4131	3.4	19	1	2	2	4	5	7	22
1. SINGLE DX	1717	1.9	2	1	1	2	2	3	3	5
2. MULTIPLE DX	4945	3.2	17	1	2	2	3	5	7	20
A. Not Operated	1577	2.1	3	1	1	2	2	3	4	10
B. Operated	5085	3.1	16	1	2	2	3	5	7	19
TOTAL										
0-19 YRS	751	2.7	11	1	2	2	3	4	6	13
20-34	5184	2.8	11	1	2	2	3	5	6	16
35-49	726	3.3	28	1	2	2	3	5	7	26
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**6662**	**2.9**	**13**	**1**	**2**	**2**	**3**	**5**	**6**	**16**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	561	1.6		1	1	1	2	2	3	3
20-34	3822	1.6	1	1	1	1	2	2	3	3
35-49	352	1.7		1	1	2	2	2	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	458	1.6	1	1	1	2	2	2	3	4
20-34	3086	1.6		1	1	2	2	2	3	3
35-49	285	1.8	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	244	1.7	1	1	1	2	2	3	3	4
20-34	1567	1.7	1	1	1	2	2	3	3	4
35-49	192	1.8	1	1	1	2	2	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	518	1.9	2	1	1	2	2	3	4	5
20-34	4292	2.0	2	1	1	2	2	3	4	5
35-49	555	2.2	1	1	2	2	3	3	4	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4736	1.6	1	1	1	1	2	2	3	3
B. Operated	3829	1.6	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	2003	1.7	1	1	1	2	2	3	3	4
B. Operated	5365	2.0	2	1	1	2	2	3	4	5
1. SINGLE DX	8565	1.6	1	1	1	2	2	2	3	3
2. MULTIPLE DX	7368	2.0	2	1	1	2	2	3	4	5
A. Not Operated	6739	1.6	1	1	1	2	2	2	3	4
B. Operated	9194	1.9	2	1	1	2	2	3	3	5
TOTAL										
0-19 YRS	1781	1.7	1	1	1	2	2	3	3	4
20-34	12767	1.8	1	1	1	2	2	3	3	4
35-49	1384	1.9	1	1	1	2	2	3	3	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**15933**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	243	1.8	15	1	1	1	2	2	3	4
20-34	1361	1.5		1	1	1	2	2	3	3
35-49	162	1.5		1	1	1	2	2	2	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1758	1.5	1	1	1	1	2	2	3	3
20-34	11142	1.5		1	1	1	2	2	2	3
35-49	1220	1.5		1	1	1	2	2	3	3
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	1.7		1	1	2	2	3	3	4
20-34	671	1.7	1	1	1	2	2	3	3	5
35-49	55	1.6		1	1	2	2	2	2	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1163	1.8	1	1	1	2	2	3	3	5
20-34	8752	1.8	1	1	1	2	2	3	3	4
35-49	1217	1.9	4	1	1	2	2	3	3	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1766	1.6	2	1	1	1	2	2	3	3
B. Operated	14123	1.5		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	819	1.7	1	1	1	2	2	3	3	4
B. Operated	11132	1.8	1	1	1	2	2	3	3	4
1. SINGLE DX	15889	1.5	1	1	1	1	2	2	2	3
2. MULTIPLE DX	11951	1.8	1	1	1	2	2	3	3	4
A. Not Operated	2585	1.6	2	1	1	1	2	2	3	4
B. Operated	25255	1.6	1	1	1	2	2	2	3	4
TOTAL										
0-19 YRS	3257	1.6	2	1	1	2	2	2	3	4
20-34	21926	1.6	1	1	1	2	2	2	3	4
35-49	2654	1.7	2	1	1	2	2	3	3	4
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	0									
GRAND TOTAL	**27840**	**1.6**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**4**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	1.7	1	1	1	2	2	3	3	4
20-34	282	1.7		1	1	2	2	3	3	3
35-49	24	1.8	1	1	1	2	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	696	1.7	1	1	1	2	2	3	3	4
20-34	2778	1.7		1	1	2	2	3	3	4
35-49	200	1.7		1	1	2	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	2.2	2	1	1	2	2	4	5	9
20-34	193	1.9	1	1	1	2	2	3	3	4
35-49	15	3.0	4	1	2	2	4	6	8	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	570	2.0	1	1	1	2	2	3	4	6
20-34	3057	2.0	1	1	1	2	2	3	3	5
35-49	288	2.0	1	1	1	2	2	3	4	4
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	389	1.7		1	1	2	2	3	3	4
B. Operated	3675	1.7		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	249	2.0	1	1	1	2	2	3	4	6
B. Operated	3917	2.0	1	1	1	2	2	3	3	5
1. SINGLE DX	4064	1.7		1	1	2	2	3	3	4
2. MULTIPLE DX	4166	2.0	1	1	1	2	2	3	3	5
A. Not Operated	638	1.9	1	1	1	2	2	3	3	4
B. Operated	7592	1.9	1	1	1	2	2	3	3	4
TOTAL										
0-19 YRS	1390	1.8	1	1	1	2	2	3	3	5
20-34	6310	1.9	1	1	1	2	2	3	3	4
35-49	527	1.9	1	1	1	2	2	3	3	4
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**8230**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	1.6	1	1	1	1	2	2	3	4
20-34	269	1.6		1	1	1	2	2	3	3
35-49	12	1.8	1	< 1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	311	1.5		1	1	1	2	2	2	3
20-34	1363	1.5		1	1	1	2	2	3	3
35-49	100	1.5		1	1	1	2	2	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	2.0	1	1	1	2	2	3	4	6
20-34	172	1.7		1	1	2	2	2	3	4
35-49	16	2.1	1	1	1	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	275	1.7	1	1	1	2	2	3	3	5
20-34	1590	1.9	1	1	1	2	2	3	3	5
35-49	163	2.2	2	1	1	2	3	3	5	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	349	1.6		1	1	1	2	2	3	4
B. Operated	1774	1.5		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	216	1.7	1	1	1	2	2	2	3	5
B. Operated	2028	1.9	1	1	1	2	2	3	3	5
1. SINGLE DX	2123	1.5		1	1	1	2	2	3	3
2. MULTIPLE DX	2244	1.9	1	1	1	2	2	3	3	5
A. Not Operated	565	1.6	1	1	1	2	2	2	3	4
B. Operated	3802	1.7	1	1	1	2	2	3	3	5
TOTAL										
0-19 YRS	682	1.6	1	1	1	2	2	2	3	4
20-34	3394	1.7	1	1	1	2	2	3	3	5
35-49	291	1.9	1	1	1	2	2	3	4	6
50-64	0									
65 +	0									
GRAND TOTAL	**4367**	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	776	1.8	1	1	1	2	2	3	4	5
20-34	3722	1.7	1	1	1	2	2	3	3	5
35-49	456	1.8	1	1	1	2	2	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1344	2.1	2	1	1	2	3	3	4	6
20-34	8069	2.0	2	1	1	2	2	3	4	5
35-49	855	2.2	3	1	1	2	3	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	788	2.1	3	1	1	2	2	3	5	7
20-34	3921	2.1	5	1	1	2	2	3	4	8
35-49	473	2.1	4	1	1	2	2	3	4	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	3374	2.9	6	1	2	2	4	5	6	12
20-34	21888	3.0	9	1	2	2	4	5	6	14
35-49	3178	3.5	15	1	2	3	4	5	7	19
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4954	1.7	1	1	1	2	2	3	3	5
B. Operated	10268	2.1	2	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	5183	2.1	5	1	1	2	2	3	4	8
B. Operated	28443	3.0	9	1	2	2	4	5	6	14
1. SINGLE DX	15222	2.0	2	1	1	2	2	3	4	5
2. MULTIPLE DX	33626	2.9	9	1	2	2	3	5	6	14
A. Not Operated	10137	1.9	3	1	1	2	2	3	4	6
B. Operated	38711	2.8	8	1	2	2	3	5	6	12
TOTAL										
0-19 YRS	6282	2.5	4	1	1	2	3	4	5	10
20-34	37600	2.6	7	1	1	2	3	4	5	11
35-49	4962	3.0	11	1	2	2	3	5	6	17
50-64	4	2.3	2	1	1	2	3	4	4	4
65 +	0									
GRAND TOTAL	**48848**	**2.6**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.5	1	1	2	2	3	4	5	6
20-34	136	2.8	1	2	2	3	3	4	5	7
35-49	15	3.0	1	2	2	3	4	4	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	9	6.7	16	2	3	8	9	12	12	12
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	3.7	5	2	2	3	5	6	7	14
20-34	226	3.3	5	2	2	3	4	5	6	11
35-49	27	3.2	2	2	2	3	4	5	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	50	5.6	40	1	2	3	5	14	18	37
35-49	7	7.9	67	3	4	4	7	22	26	26
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	2.8	1	2	2	3	3	4	5	7
B. Operated	13	5.8	14	1	3	5	8	12	12	12
2. MULTIPLE DX										
A. Not Operated	307	3.4	4	2	2	3	4	5	6	11
B. Operated	61	5.7	40	1	2	4	6	14	18	36
1. SINGLE DX	197	3.0	3	2	2	3	3	4	6	10
2. MULTIPLE DX	368	3.8	11	2	2	3	4	6	8	18
A. Not Operated	491	3.2	3	2	2	3	4	5	6	10
B. Operated	74	5.7	35	1	2	4	7	12	17	34
TOTAL										
0-19 YRS	93	3.2	4	2	2	3	4	5	6	12
20-34	421	3.5	9	2	2	3	4	5	8	15
35-49	51	3.9	12	2	2	3	4	6	7	26
50-64	0									
65 +	0									
GRAND TOTAL	**565**	**3.5**	**8**	**2**	**2**	**3**	**4**	**5**	**7**	**14**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	19	1.6	1	<1	1	1	2	3	4	4
35-49	7	1.9	1	1	1	2	3	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	15	1.4		<1	1	1	2	2	3	3
20-34	61	1.5	1	1	1	1	2	3	3	4
35-49	9	1.3	1	<1	1	1	2	3	3	3
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	29	1.8	1	1	1	2	2	3	3	3
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	9	1.3		<1	1	1	2	2	2	2
20-34	82	2.6	5	1	1	2	3	5	7	12
35-49	14	2.9	5	1	1	2	5	6	7	7
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	1.6	1	<1	1	1	2	3	3	4
B. Operated	85	1.4		<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	33	1.9	1	1	1	2	2	3	3	4
B. Operated	105	2.6	5	1	1	2	3	5	7	12
1. SINGLE DX	113	1.5	1	<1	1	1	2	3	3	4
2. MULTIPLE DX	138	2.4	4	1	1	2	3	5	6	11
A. Not Operated	61	1.8	1	1	1	2	2	3	3	4
B. Operated	190	2.1	3	1	1	1	2	4	5	11
TOTAL										
0-19 YRS	30	1.5	1	<1	1	1	2	2	3	4
20-34	191	2.0	3	1	1	2	2	4	5	11
35-49	30	2.2	3	1	1	1	3	5	6	7
50-64	0									
65+	0									
GRAND TOTAL	**251**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**	**10**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	3.1	5	1	2	2	4	7	8	8
20-34	81	3.0	5	<1	1	2	3	7	8	11
35-49	11	3.4	3	2	2	3	5	6	6	6
50-64	0									
65+	0									
B. Operated										
0-19 YRS	16	1.4	1	1	1	1	2	3	3	3
20-34	104	2.2	5	1	1	1	3	4	7	13
35-49	9	1.8		1	1	2	2	3	3	3
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	4.5	9	1	2	4	5	10	11	12
20-34	107	4.5	13	1	2	3	6	9	12	17
35-49	16	4.1	7	1	2	4	5	7	10	11
50-64	0									
65+	0									
B. Operated										
0-19 YRS	21	2.7	5	1	1	2	4	6	7	9
20-34	139	3.3	13	<1	1	2	4	8	11	17
35-49	18	3.3	4	1	2	3	5	6	7	7
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	3.0	5	1	2	2	3	6	8	11
B. Operated	129	2.1	4	1	1	1	2	4	5	12
2. MULTIPLE DX										
A. Not Operated	138	4.4	12	1	2	4	6	9	12	17
B. Operated	178	3.2	11	1	1	2	4	7	10	16
1. SINGLE DX	240	2.5	5	1	1	2	3	5	7	11
2. MULTIPLE DX	316	3.8	11	1	1	2	5	8	11	17
A. Not Operated	249	3.8	9	1	2	3	5	8	10	15
B. Operated	307	2.8	8	1	1	2	3	7	9	14
TOTAL										
0-19 YRS	71	2.9	5	1	1	2	4	6	8	12
20-34	431	3.3	10	1	1	2	4	7	10	16
35-49	54	3.3	4	1	2	2	5	6	7	11
50-64	0									
65+	0									
GRAND TOTAL	**556**	**3.2**	**9**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	421	3.2	4	1	2	3	4	6	7	11
20-34	472	4.0	9	2	2	3	5	7	9	14
35-49	386	3.9	6	2	2	3	5	7	8	12
50-64	189	4.6	11	2	3	4	6	8	10	14
65 +	147	4.4	7	2	3	4	6	8	9	15
B. Operated										
0-19 YRS	174	4.0	9	1	2	3	5	8	9	13
20-34	323	5.4	21	2	3	4	7	10	12	26
35-49	216	5.3	12	2	3	5	6	9	11	18
50-64	80	5.8	24	2	3	5	8	11	13	29
65 +	37	6.4	13	2	4	6	8	13	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	615	3.7	7	2	2	3	4	6	8	11
20-34	852	4.6	18	2	3	4	6	8	10	16
35-49	1111	5.5	17	2	3	4	7	10	13	25
50-64	1085	5.6	13	2	3	5	7	10	13	20
65 +	1864	6.5	26	3	4	5	8	11	14	24
B. Operated										
0-19 YRS	268	5.2	16	1	3	4	7	10	12	18
20-34	648	7.0	38	2	3	5	8	14	18	31
35-49	712	8.1	60	2	3	6	10	17	22	43
50-64	492	10.0	77	3	4	7	13	20	28	50
65 +	567	10.5	63	3	5	8	13	21	28	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1615	3.9	7	2	2	3	5	7	9	13
B. Operated	830	5.2	16	1	3	4	7	9	12	23
2. MULTIPLE DX										
A. Not Operated	5527	5.5	19	2	3	4	7	10	13	21
B. Operated	2687	8.4	57	2	4	6	10	17	23	38
1. SINGLE DX	2445	4.3	11	2	2	4	5	8	10	15
2. MULTIPLE DX	8214	6.4	33	2	3	5	8	12	16	30
A. Not Operated	7142	5.1	17	2	3	4	6	9	12	20
B. Operated	3517	7.6	49	2	3	6	9	15	21	35
TOTAL										
0-19 YRS	1478	3.9	9	1	2	3	5	7	9	13
20-34	2295	5.2	24	2	3	4	6	10	13	24
35-49	2425	6.0	30	2	3	4	7	12	15	28
50-64	1846	6.7	35	2	3	5	8	13	17	29
65 +	2615	7.2	36	3	4	6	9	13	18	32
GRAND TOTAL	**10659**	**6.0**	**29**	**2**	**3**	**4**	**7**	**11**	**15**	**28**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	127	3.5	5	1	2	3	4	6	8	11
20-34	81	3.1	4	1	2	3	4	6	8	10
35-49	47	3.2	3	1	2	3	4	6	6	9
50-64	24	4.0	4	1	3	4	5	7	7	8
65 +	10	3.7	4	2	2	3	5	7	8	8
B. Operated										
0-19 YRS	62	3.2	4	1	1	3	5	6	7	8
20-34	85	4.6	13	1	2	3	6	9	11	20
35-49	43	4.5	8	1	2	4	7	9	10	12
50-64	22	7.2	155	1	3	4	6	12	33	61
65 +	6	2.3	2	1	2	2	2	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	193	3.6	5	1	2	3	4	6	8	12
20-34	102	4.2	13	1	2	3	5	7	10	24
35-49	123	4.6	9	2	3	4	6	8	11	16
50-64	133	5.5	12	2	3	4	7	11	14	16
65 +	152	5.5	9	3	3	5	7	10	12	15
B. Operated										
0-19 YRS	90	5.4	33	1	2	4	7	10	14	36
20-34	126	6.5	22	2	3	6	8	14	19	39
35-49	116	7.5	39	2	3	6	9	14	18	32
50-64	100	7.9	39	2	4	6	9	16	21	35
65 +	132	8.1	65	3	4	6	9	14	21	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	289	3.4	4	1	2	3	4	6	7	10
B. Operated	218	4.4	24	1	2	3	6	8	10	18
2. MULTIPLE DX										
A. Not Operated	703	4.6	10	2	3	4	6	8	11	15
B. Operated	564	7.2	41	2	3	6	9	14	19	38
1. SINGLE DX	507	3.8	13	1	2	3	5	7	9	12
2. MULTIPLE DX	1267	5.8	25	2	3	4	7	11	15	25
A. Not Operated	992	4.3	8	2	2	4	5	8	10	15
B. Operated	782	6.4	38	2	3	5	8	12	16	31
TOTAL										
0-19 YRS	472	3.9	11	1	2	3	5	7	9	15
20-34	394	4.8	16	1	2	4	6	9	12	21
35-49	329	5.4	21	2	3	4	7	10	13	23
50-64	279	6.4	33	2	3	5	7	12	15	29
65 +	300	6.5	36	2	3	5	8	12	15	29
GRAND TOTAL	**1774**	**5.2**	**22**	**2**	**3**	**4**	**6**	**10**	**13**	**23**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	76	1.6	1	< 1	1	1	2	3	4	7
20-34	136	1.9	3	1	1	1	2	3	5	11
35-49	29	1.8	2	1	1	1	2	3	4	7
50-64	10	2.4	8	1	1	2	2	6	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	7.5	1	7	7	7	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	14	3.2	8	1	2	2	3	7	10	11
20-34	23	2.5	4	< 1	1	2	4	5	7	8
35-49	12	4.3	24	1	1	3	4	14	15	15
50-64	3	3.7	6	1	2	4	5	6	6	6
65 +	7	4.7	8	< 1	2	4	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.0	1	2	2	3	4	4	4	4
B. Operated	251	1.8	2	1	1	1	2	3	4	10
2. MULTIPLE DX										
A. Not Operated	7	3.6	8	1	1	3	6	8	8	8
B. Operated	59	3.4	9	1	1	2	4	7	10	15
1. SINGLE DX	254	1.8	2	1	1	1	2	3	4	10
2. MULTIPLE DX	66	3.4	9	1	1	3	4	7	9	15
A. Not Operated	10	3.4	6	1	2	3	4	7	8	8
B. Operated	310	2.1	4	1	1	1	2	4	6	12
TOTAL										
0-19 YRS	92	1.9	3	< 1	1	1	2	4	5	9
20-34	164	2.0	3	1	1	1	2	4	5	10
35-49	42	2.5	9	1	1	2	2	4	10	15
50-64	15	3.3	9	1	1	2	5	8	9	10
65 +	7	4.7	8	< 1	2	4	7	9	9	9
GRAND TOTAL	**320**	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**6**	**12**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	1.6	2	< 1	< 1	1	2	3	5	6
20-34	13	1.7	1	< 1	1	1	2	3	4	4
35-49	11	1.2		< 1	1	1	1	2	3	3
50-64	8	3.9	12	< 1	< 1	3	7	9	9	9
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	2.3	2	< 1	< 1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	4	2.8	8	< 1	< 1	1	4	7	7	7
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	10	2.9	9	< 1	1	2	3	7	11	11
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	4	3.3	15	< 1	< 1	1	5	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.3		< 1	< 1	1	1	2	2	2
B. Operated	49	1.9	4	< 1	< 1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	7	2.6	1	< 1	2	2	4	4	4	4
B. Operated	23	2.7	7	< 1	1	2	3	7	10	11
1. SINGLE DX	53	1.8	3	< 1	< 1	1	2	4	6	9
2. MULTIPLE DX	30	2.7	6	< 1	1	2	3	6	9	11
A. Not Operated	11	2.1	1	< 1	< 1	2	3	4	4	4
B. Operated	72	2.1	5	< 1	< 1	1	2	5	8	11
TOTAL										
0-19 YRS	23	1.7	3	< 1	< 1	< 1	2	4	6	7
20-34	18	1.9	1	< 1	1	2	3	4	4	4
35-49	24	2.0	5	< 1	1	1	2	4	6	11
50-64	12	3.1	10	< 1	< 1	1	4	9	9	9
65 +	6	2.7	10	< 1	1	1	2	8	9	9
GRAND TOTAL	**83**	**2.1**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**8**	**10**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	11	7.8	56	2	2	6	10	21	25	25
35-49	9	4.2	13	<1	<1	3	6	10	12	12
50-64	6	6.5	29	1	3	5	9	15	16	16
65+	11	5.8	14	1	3	6	9	11	13	13
B. Operated										
0-19 YRS	7	8.4	28	1	4	11	11	15	16	16
20-34	16	15.2	281	2	3	11	20	49	55	56
35-49	17	10.0	90	3	5	7	11	18	34	42
50-64	11	6.2	39	1	2	3	9	17	18	18
65+	26	12.4	321	2	4	7	14	22	38	94
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	9.2	288	2	3	3	7	24	48	79
20-34	67	12.0	247	2	4	7	14	26	41	86
35-49	101	7.8	54	2	3	6	9	14	20	43
50-64	103	8.6	42	3	5	7	11	16	20	68
65+	366	8.6	68	3	4	6	10	16	25	80
B. Operated										
0-19 YRS	41	18.9	364	3	7	13	27	63	99+	99+
20-34	155	22.3	453	4	7	15	48	99+	99+	99+
35-49	183	17.9	252	3	7	14	29	55	99+	99+
50-64	214	18.5	339	4	6	13	25	47	82	99+
65+	575	15.1	178	4	6	11	19	32	46	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	6.0	27	<1	2	5	8	13	17	25
B. Operated	77	11.2	196	2	3	7	13	21	36	84
2. MULTIPLE DX										
A. Not Operated	659	8.8	87	3	4	6	10	17	25	78
B. Operated	1168	17.2	267	4	7	13	24	48	76	99+
1. SINGLE DX	116	9.4	145	2	3	6	11	20	24	69
2. MULTIPLE DX	1827	14.2	218	3	5	9	19	39	61	99+
A. Not Operated	698	8.7	84	2	4	6	10	17	24	75
B. Operated	1245	16.9	264	3	6	12	23	47	73	99+
TOTAL										
0-19 YRS	72	14.4	320	2	3	9	20	50	81	99+
20-34	249	18.4	392	3	6	12	29	75	99+	99+
35-49	310	13.8	196	2	5	9	19	41	68	99+
50-64	334	14.8	255	3	5	9	19	41	63	99+
65+	978	12.5	148	3	5	9	15	27	40	82
GRAND TOTAL	**1943**	**13.9**	**215**	**3**	**5**	**9**	**18**	**37**	**60**	**99+**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	2.9	6	1	1	2	3	6	7	14
20-34	42	2.9	6	1	2	2	3	5	6	15
35-49	41	3.4	10	1	2	2	4	8	10	15
50-64	25	3.3	13	1	1	2	4	6	13	15
65+	7	3.0	3	1	2	3	4	6	6	6
B. Operated										
0-19 YRS	73	2.7	20	<1	<1	1	2	5	11	27
20-34	69	3.7	14	1	1	2	5	8	13	17
35-49	88	3.1	11	<1	1	2	4	6	9	17
50-64	35	3.7	21	1	1	2	4	9	17	20
65+	26	1.9	5	<1	1	1	1	5	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	198	3.0	11	1	1	2	4	5	7	16
20-34	126	4.4	28	1	1	3	5	10	12	26
35-49	132	4.4	18	1	2	3	6	9	12	24
50-64	132	4.3	12	1	2	3	5	8	12	16
65+	189	5.8	24	2	3	5	7	10	14	24
B. Operated										
0-19 YRS	89	3.9	36	<1	1	1	4	12	15	35
20-34	99	6.2	97	1	2	3	7	12	22	62
35-49	115	6.1	125	1	1	3	5	12	21	73
50-64	91	4.4	18	1	1	3	6	11	14	19
65+	81	6.1	54	1	2	4	7	12	21	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	3.1	7	1	1	2	3	6	8	15
B. Operated	291	3.1	15	<1	1	2	4	7	10	19
2. MULTIPLE DX										
A. Not Operated	777	4.4	19	1	2	3	5	9	12	22
B. Operated	475	5.4	70	1	1	3	6	12	18	44
1. SINGLE DX	487	3.1	12	<1	1	2	4	6	9	17
2. MULTIPLE DX	1252	4.8	39	1	2	3	6	10	14	26
A. Not Operated	973	4.1	17	1	2	3	5	8	11	21
B. Operated	766	4.5	50	1	1	2	5	10	16	33
TOTAL										
0-19 YRS	441	3.1	16	<1	1	2	4	6	9	20
20-34	336	4.6	44	1	1	3	5	10	14	36
35-49	376	4.5	49	1	1	3	5	9	14	26
50-64	283	4.2	15	1	1	3	5	9	13	20
65+	303	5.5	31	1	2	4	7	10	15	32
GRAND TOTAL	**1739**	**4.3**	**32**	**1**	**1**	**3**	**5**	**9**	**13**	**23**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	1.8	4	1	1	1	2	4	5	12
20-34	31	3.9	21	1	1	2	4	9	15	22
35-49	18	4.8	21	1	2	4	5	12	16	18
50-64	3	6.7	12	3	5	8	55	99 +	99 +	99 +
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	11	3.5	11	< 1	1	2	5	9	12	12
20-34	19	1.8	1	1	1	1	3	4	4	4
35-49	11	1.7	2	< 1	1	1	2	4	5	5
50-64	6	6.7	61	2	2	4	7	20	22	22
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	4.3	19	1	1	2	6	11	13	19
20-34	169	5.7	29	1	2	4	7	11	16	24
35-49	119	6.2	45	2	3	4	7	11	17	42
50-64	75	7.3	39	2	3	5	8	14	21	32
65 +	77	7.8	30	3	4	7	10	14	18	30
B. Operated										
0-19 YRS	30	13.7	358	1	3	9	14	37	44	95
20-34	89	8.9	59	1	3	7	12	21	30	99 +
35-49	65	11.9	129	2	4	8	16	30	39	93
50-64	49	10.7	143	2	3	7	14	26	50	99 +
65 +	35	13.2	90	3	7	11	16	32	33	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	3.1	14	1	1	2	4	8	12	56
B. Operated	48	2.9	13	1	1	2	3	6	8	22
2. MULTIPLE DX										
A. Not Operated	519	6.1	34	1	2	5	8	13	16	32
B. Operated	268	11.0	130	2	4	8	14	26	36	99 +
1. SINGLE DX	153	3.0	13	1	1	2	4	7	11	22
2. MULTIPLE DX	787	7.8	72	1	3	5	10	16	25	48
A. Not Operated	624	5.6	31	1	2	4	7	12	16	32
B. Operated	316	9.8	120	1	3	7	13	24	34	99 +
TOTAL										
0-19 YRS	172	5.1	88	1	1	2	6	12	16	43
20-34	308	6.2	39	1	2	4	8	13	20	42
35-49	213	7.6	75	1	3	5	9	17	27	49
50-64	133	8.5	79	2	3	6	11	18	30	99 +
65 +	114	9.4	53	3	4	8	12	18	28	34
GRAND TOTAL	**940**	**7.0**	**65**	**1**	**2**	**5**	**9**	**15**	**23**	**46**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.5	15	1	1	2	4	8	14	16
20-34	7	2.6	2	1	1	3	4	4	4	4
35-49	20	4.6	35	2	2	3	4	6	18	29
50-64	16	3.8	30	1	1	2	3	10	19	22
65 +	25	5.4	10	2	3	4	8	10	11	11
B. Operated										
0-19 YRS	13	6.7	69	< 1	1	2	9	24	24	24
20-34	34	4.4	13	1	1	3	7	9	12	14
35-49	85	4.0	13	1	2	3	6	9	11	18
50-64	150	4.7	11	1	2	4	7	9	10	14
65 +	149	4.6	13	1	2	3	7	10	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	9.0	158	2	3	5	11	17	22	85
20-34	30	5.8	13	2	3	5	7	10	14	17
35-49	53	5.7	25	2	3	5	7	10	16	30
50-64	85	5.1	21	2	3	4	7	9	10	29
65 +	156	5.7	17	2	3	5	7	10	15	20
B. Operated										
0-19 YRS	22	6.5	17	1	3	6	9	12	14	17
20-34	51	6.1	39	1	2	5	8	11	14	40
35-49	125	4.9	17	1	2	3	7	10	14	19
50-64	294	5.3	14	1	2	5	8	10	12	17
65 +	389	6.8	28	2	3	6	9	12	14	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	4.2	19	1	2	3	5	9	11	26
B. Operated	431	4.6	14	1	2	3	7	10	12	17
2. MULTIPLE DX										
A. Not Operated	380	6.1	41	2	3	5	7	11	16	29
B. Operated	881	6.0	23	1	2	5	8	11	14	20
1. SINGLE DX	523	4.5	15	1	2	3	7	10	11	18
2. MULTIPLE DX	1261	6.0	28	1	2	5	8	11	14	23
A. Not Operated	472	5.7	37	2	2	4	7	11	16	28
B. Operated	1312	5.5	20	1	2	4	8	11	13	19
TOTAL										
0-19 YRS	115	7.1	94	1	2	4	9	16	19	52
20-34	122	5.4	24	1	2	4	7	10	13	24
35-49	283	4.8	19	1	2	3	7	9	13	20
50-64	545	5.0	15	1	2	4	8	10	11	16
65 +	719	6.1	23	2	2	5	8	11	14	22
GRAND TOTAL	**1784**	**5.6**	**25**	**1**	**2**	**4**	**8**	**11**	**13**	**21**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	5	5.2	16	2	3	4	7	[illegible]	12	12
50-64	8	5.8	14	1	3	5	8	11	12	12
65 +	37	5.6	22	1	2	5	8	11	15	22
B. Operated										
0-19 YRS	6	3.8	13	< 1	1	3	6	10	10	10
20-34	24	4.4	4	2	3	4	6	7	9	9
35-49	172	5.5	8	2	3	6	7	9	10	13
50-64	829	7.0	6	4	5	7	8	10	12	14
65 +	1844	8.0	6	5	6	8	9	11	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	1.7	1	< 1	< 1	1	3	3	3	3
50-64	47	5.2	50	1	1	3	7	11	15	45
65 +	313	5.5	20	1	2	5	8	11	14	24
B. Operated										
0-19 YRS	7	8.6	19	3	5	7	13	14	14	14
20-34	65	6.0	18	2	3	6	8	10	13	25
35-49	290	6.7	25	2	4	6	8	11	13	20
50-64	1496	7.9	12	5	6	8	9	11	13	20
65 +	5186	9.0	12	6	7	8	10	13	15	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	5.5	19	1	2	4	8	11	15	22
B. Operated	2875	7.5	7	4	6	7	9	11	12	16
2. MULTIPLE DX										
A. Not Operated	369	5.4	23	1	2	5	8	11	14	24
B. Operated	7044	8.6	13	5	7	8	10	12	14	21
1. SINGLE DX	2926	7.5	7	4	6	7	9	11	12	16
2. MULTIPLE DX	7413	8.5	14	5	7	8	10	12	14	21
A. Not Operated	420	5.4	23	1	2	5	8	11	14	24
B. Operated	9919	8.3	12	5	7	8	10	12	14	19
TOTAL										
0-19 YRS	15	6.5	22	1	2	6	11	13	14	14
20-34	90	5.6	15	2	3	5	7	10	13	23
35-49	474	6.2	19	2	3	6	8	10	12	18
50-64	2380	7.6	11	4	6	7	9	11	12	18
65 +	7380	8.6	12	5	7	8	10	12	14	20
GRAND TOTAL	**10339**	**8.2**	**12**	**5**	**6**	**8**	**10**	**12**	**14**	**19**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.8	30	< 1	< 1	1	7	12	12	12
50-64	1	1.0		1	1	1	1	1	1	1
65 +	6	4.0	4	2	2	4	5	7	7	7
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	47	2.3	3	1	1	2	3	4	5	12
35-49	92	2.4	4	1	1	2	3	4	5	12
50-64	162	2.8	9	1	1	2	3	6	9	16
65 +	132	3.8	19	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.0	37	1	1	2	9	12	12	12
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	8	2.9	9	< 1	< 1	2	3	8	10	10
50-64	18	3.4	3	< 1	2	4	5	6	6	6
65 +	96	5.2	15	1	2	4	7	10	15	62
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	43	2.4	3	1	1	2	3	4	7	9
35-49	117	2.3	2	1	1	2	3	4	5	7
50-64	207	3.1	6	1	1	3	4	6	8	13
65 +	288	5.1	14	1	2	5	7	10	12	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.4	11	< 1	1	2	5	8	11	12
B. Operated	435	3.0	11	1	1	2	3	6	9	13
2. MULTIPLE DX										
A. Not Operated	127	4.8	14	1	2	4	7	10	12	38
B. Operated	656	3.8	10	1	2	3	5	8	10	15
1. SINGLE DX	447	3.0	11	1	1	2	3	6	9	12
2. MULTIPLE DX	783	3.9	11	1	2	3	5	8	11	16
A. Not Operated	139	4.7	14	1	2	4	7	10	12	28
B. Operated	1091	3.5	10	1	1	2	5	7	9	15
TOTAL										
0-19 YRS	6	3.5	18	< 1	1	2	3	11	12	12
20-34	93	2.3	3	1	1	2	3	4	6	11
35-49	221	2.4	3	1	1	2	3	4	6	11
50-64	388	3.0	7	1	1	2	4	6	8	15
65 +	522	4.8	16	1	2	4	7	9	12	17
GRAND TOTAL	**1230**	**3.6**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	4.9	14	1	2	4	6	11	14	16
20-34	41	5.0	18	1	2	4	7	10	13	21
35-49	20	5.0	8	2	3	5	7	8	10	12
50-64	14	3.9	4	2	3	4	4	7	8	8
65+	18	4.4	28	1	2	3	4	14	19	20
B. Operated										
0-19 YRS	85	7.8	29	3	4	6	9	15	21	27
20-34	131	4.0	9	1	2	3	5	8	10	15
35-49	127	4.1	12	1	2	3	5	9	12	17
50-64	133	5.3	35	1	2	4	7	10	11	25
65+	66	5.5	12	1	2	5	8	10	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	7.2	28	2	4	6	8	16	20	22
20-34	75	6.7	35	2	2	5	9	14	17	32
35-49	73	7.2	66	2	3	5	8	14	27	42
50-64	59	8.3	105	2	3	7	9	13	23	58
65+	149	6.2	22	2	3	5	8	12	16	23
B. Operated										
0-19 YRS	145	10.4	62	3	6	8	13	21	24	42
20-34	166	6.4	29	1	3	5	9	13	17	27
35-49	233	7.2	70	1	2	4	9	17	27	39
50-64	233	7.8	79	1	2	5	9	20	27	47
65+	302	10.3	76	3	5	8	13	20	29	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	4.8	14	1	2	4	6	10	13	20
B. Operated	542	5.1	21	1	2	4	7	10	12	21
2. MULTIPLE DX										
A. Not Operated	458	6.9	43	2	3	5	8	14	20	35
B. Operated	1079	8.5	68	2	3	6	10	18	27	40
1. SINGLE DX	706	5.1	20	1	2	4	7	10	12	20
2. MULTIPLE DX	1537	8.0	61	2	3	6	10	17	24	39
A. Not Operated	622	6.4	37	2	3	5	8	13	18	29
B. Operated	1621	7.4	55	1	3	5	9	15	22	37
TOTAL										
0-19 YRS	403	8.1	42	2	4	6	10	16	21	31
20-34	413	5.6	24	1	2	4	7	11	15	25
35-49	453	6.3	52	1	2	4	7	13	22	38
50-64	439	7.0	68	1	2	5	8	14	23	49
65+	535	8.3	56	2	4	7	10	16	23	36
GRAND TOTAL	**2243**	**7.1**	**50**	**1**	**3**	**5**	**9**	**14**	**21**	**36**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	170	2.4	1	1	1	2	3	4	4	6
20-34	396	2.6	1	1	2	2	3	4	4	6
35-49	192	2.4	1	<1	1	2	3	4	4	5
50-64	41	2.0	2	<1	<1	1	3	4	5	7
65+	7	1.4		<1	<1	<1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49	4	3.0	16	<1	<1	1	5	9	9	9
50-64	4	1.0		<1	<1	<1	1	1	1	1
65+	3	2.3	2	<1	<1	2	3	4	4	4
B. Operated										
0-19 YRS	238	2.8	2	1	2	3	3	4	5	12
20-34	778	2.7	2	1	2	3	3	4	5	7
35-49	372	2.5	3	<1	1	2	3	4	5	9
50-64	158	2.4	5	<1	1	2	3	4	7	14
65+	82	2.3	6	<1	1	2	3	4	5	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.0	2	<1	1	2	3	4	5	5
B. Operated	806	2.4	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	19	1.8	4	<1	<1	<1	2	4	7	9
B. Operated	1628	2.6	3	1	2	2	3	4	5	9
1. SINGLE DX	816	2.4	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	1647	2.6	3	1	2	2	3	4	5	9
A. Not Operated	29	1.9	3	<1	<1	1	2	4	5	9
B. Operated	2434	2.6	2	1	2	2	3	4	5	7
TOTAL										
0-19 YRS	414	2.6	2	1	2	3	3	4	4	8
20-34	1183	2.7	2	1	2	3	3	4	5	7
35-49	570	2.5	2	<1	1	2	3	4	5	8
50-64	203	2.3	4	<1	<1	2	3	4	6	12
65+	93	2.2	5	<1	1	2	3	4	5	16
GRAND TOTAL	**2463**	**2.6**	**2**	**<1**	**2**	**2**	**3**	**4**	**5**	**7**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	2.2	2	<1	1	2	3	4	5	7
20-34	31	3.4	9	1	1	2	4	7	12	13
35-49	31	3.5	11	1	2	3	4	6	9	18
50-64	18	3.9	21	1	2	2	4	8	15	20
65 +	15	3.1	4	1	1	3	5	6	7	7
B. Operated										
0-19 YRS	588	2.1	2	1	1	2	2	3	4	8
20-34	986	2.1	1	1	1	2	3	3	4	6
35-49	368	2.2	3	1	1	2	3	4	5	9
50-64	120	3.0	10	1	1	2	3	6	9	17
65 +	43	2.8	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	3.6	31	<1	1	2	3	6	13	34
20-34	49	2.9	10	<1	1	2	3	6	10	15
35-49	74	3.9	13	1	2	2	6	9	11	18
50-64	64	3.7	11	1	2	3	4	8	9	20
65 +	219	4.5	24	1	2	3	6	9	11	21
B. Operated										
0-19 YRS	544	2.9	11	1	1	2	3	5	7	17
20-34	627	2.8	9	1	1	2	3	5	6	20
35-49	432	3.5	31	1	1	2	4	6	9	39
50-64	211	4.0	21	1	2	3	4	8	13	22
65 +	188	5.8	32	1	2	4	7	12	20	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	3.1	8	1	1	2	4	6	8	18
B. Operated	2105	2.2	2	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. Not Operated	463	4.0	20	1	2	3	5	8	10	22
B. Operated	2002	3.4	19	1	1	2	4	6	9	24
1. SINGLE DX	2240	2.2	3	1	1	2	3	4	5	9
2. MULTIPLE DX	2465	3.5	19	1	1	2	4	7	10	23
A. Not Operated	598	3.8	18	1	1	3	5	8	10	20
B. Operated	4107	2.8	11	1	1	2	3	5	7	17
TOTAL										
0-19 YRS	1229	2.5	8	1	1	2	3	4	6	13
20-34	1693	2.4	5	1	1	2	3	4	5	11
35-49	905	3.0	18	1	1	2	3	5	7	21
50-64	413	3.6	16	1	1	2	4	8	10	22
65 +	465	4.9	26	1	2	3	6	10	12	24
GRAND TOTAL	**4705**	**2.9**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**18**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	1	24.0		24	24	24	24	24	24	24
35-49	2	5.0		5	5	5	5	5	5	5
50-64	2	6.5	5	5	5	6	8	8	8	8
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	18.0		18	18	18	18	18	18	18
35-49	6	8.5	51	5	5	6	7	21	23	23
50-64	0									
65 +	5	10.6	98	4	5	7	14	28	28	28
B. Operated										
0-19 YRS	0									
20-34	8	8.3	15	3	5	8	11	13	14	14
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	7.0	9	4	5	7	9	10	10	10
65 +	9	15.4	61	6	8	17	19	26	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.6	5	1	2	3	5	7	7	7
B. Operated	6	8.8	57	5	5	6	8	22	24	24
2. MULTIPLE DX										
A. Not Operated	12	10.2	66	4	5	6	13	24	27	28
B. Operated	21	11.0	46	4	6	8	15	19	25	31
1. SINGLE DX	13	6.0	34	1	3	5	6	11	22	24
2. MULTIPLE DX	33	10.7	52	4	6	8	15	20	27	31
A. Not Operated	19	7.7	53	2	4	5	7	21	26	28
B. Operated	27	10.6	47	4	6	8	15	19	25	31
TOTAL										
0-19 YRS	0									
20-34	14	8.6	45	1	3	7	12	19	23	24
35-49	10	7.1	32	4	5	5	6	15	23	23
50-64	5	6.8	6	4	5	7	8	10	10	10
65 +	17	12.2	72	4	6	8	18	26	30	31
GRAND TOTAL	**46**	**9.4**	**50**	**3**	**5**	**7**	**12**	**19**	**25**	**31**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	2.4	1	1	1	2	3	4	4	4
35-49	14	3.1	6	1	2	2	4	6	9	10
50-64	17	3.5	4	1	2	3	4	7	8	8
65+	24	2.8	3	1	1	2	4	5	6	7
B. Operated										
0-19 YRS	0									
20-34	33	3.8	7	1	2	4	5	7	9	12
35-49	213	3.4	4	1	2	3	4	6	8	9
50-64	248	3.7	6	1	2	3	5	7	9	11
65+	134	4.7	9	1	3	4	7	9	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	3.6	13	1	1	2	4	10	12	12
35-49	48	7.0	51	1	3	4	8	17	25	34
50-64	86	5.0	19	1	2	4	6	9	13	23
65+	348	5.3	14	2	3	4	7	10	13	18
B. Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	65	4.2	6	2	2	4	5	6	10	13
35-49	321	4.0	8	1	2	3	5	7	9	15
50-64	537	5.3	19	1	3	4	7	9	13	24
65+	588	7.4	34	2	4	6	9	14	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	2.9	4	1	2	2	4	5	7	10
B. Operated	628	3.8	6	1	2	3	5	7	9	11
2. MULTIPLE DX										
A. Not Operated	491	5.3	19	1	3	4	7	10	14	23
B. Operated	1513	5.8	24	2	3	5	7	11	15	28
1. SINGLE DX	693	3.7	6	1	2	3	5	7	9	11
2. MULTIPLE DX	2004	5.7	23	2	3	4	7	10	15	26
A. Not Operated	556	5.1	17	1	2	4	7	10	13	22
B. Operated	2141	5.2	19	1	3	4	7	10	13	23
TOTAL										
0-19 YRS	5	2.4	7	1	1	1	3	7	7	7
20-34	114	3.9	6	1	2	4	5	7	10	13
35-49	596	4.0	11	1	2	3	5	7	9	18
50-64	888	4.8	15	1	2	4	6	9	11	22
65+	1094	6.3	25	2	3	5	8	12	15	28
GRAND TOTAL	**2697**	**5.2**	**19**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.3	4	1	1	3	5	6	6	6
20-34	217	4.2	9	1	2	4	6	8	9	16
35-49	340	4.4	9	1	2	4	6	8	10	13
50-64	139	4.7	9	1	3	4	7	9	10	14
65+	59	4.2	5	1	2	4	6	7	8	9
B. Operated										
0-19 YRS	99	3.3	2	2	2	3	4	6	7	8
20-34	2065	3.8	4	2	2	3	5	6	8	11
35-49	3279	3.8	5	2	2	3	5	6	8	12
50-64	1229	4.0	6	1	3	4	5	7	9	14
65+	411	4.7	8	2	3	4	6	8	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	8.8	30	4	4	7	15	16	16	16
20-34	138	5.3	19	1	2	4	7	10	12	21
35-49	265	5.2	17	1	2	4	7	10	14	19
50-64	245	5.4	11	1	3	5	7	10	12	15
65+	338	6.3	16	2	3	5	8	12	14	20
B. Operated										
0-19 YRS	20	3.4	2	2	2	3	4	5	6	7
20-34	983	4.9	11	2	3	4	6	8	10	20
35-49	2018	5.0	12	2	3	4	6	8	10	18
50-64	1287	5.5	13	2	3	5	7	10	12	21
65+	1090	7.3	31	3	4	6	9	13	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	762	4.4	8	1	2	4	6	8	9	14
B. Operated	7083	3.9	5	2	2	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	992	5.6	16	2	3	5	7	11	13	19
B. Operated	5398	5.6	17	2	3	5	7	10	13	22
1. SINGLE DX	7845	3.9	6	2	2	3	5	7	8	12
2. MULTIPLE DX	6390	5.6	17	2	3	5	7	10	13	22
A. Not Operated	1754	5.1	13	1	3	4	7	10	12	18
B. Operated	12481	4.6	11	2	3	4	6	8	10	17
TOTAL										
0-19 YRS	132	3.6	5	2	2	3	4	6	7	15
20-34	3403	4.2	8	2	3	4	5	7	9	14
35-49	5902	4.3	9	2	3	4	5	7	9	16
50-64	2900	4.8	10	2	3	4	6	9	11	16
65+	1898	6.5	24	2	4	5	8	12	14	26
GRAND TOTAL	**14235**	**4.7**	**11**	**2**	**3**	**4**	**6**	**8**	**10**	**18**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	18	3.9	3	1	3	4	5	6	7	7
35-49	43	3.8	5	1	2	3	5	7	8	11
50-64	18	3.9	10	1	2	3	4	8	11	13
65+	13	3.3	9	<1	1	2	4	9	11	11
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	298	3.5	6	1	2	3	4	6	7	10
35-49	911	3.3	5	1	2	3	4	5	7	11
50-64	351	3.8	6	2	2	3	4	6	8	12
65+	50	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	25	4.7	7	1	2	5	7	9	9	9
35-49	59	5.3	25	1	2	3	6	12	19	22
50-64	39	5.1	11	1	2	4	8	10	11	15
65+	68	5.3	17	1	2	4	7	12	14	18
B. Operated										
0-19 YRS	3	13.7	156	1	4	14	23	26	26	26
20-34	163	3.6	4	1	2	3	5	6	7	12
35-49	615	3.9	8	1	2	3	5	7	9	16
50-64	378	4.4	11	1	2	4	5	8	10	20
65+	136	6.9	49	1	3	5	8	14	17	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	3.9	9	1	2	3	5	7	9	18
B. Operated	1613	3.4	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	193	5.2	17	1	2	4	7	10	13	21
B. Operated	1295	4.3	14	1	2	3	5	8	10	19
1. SINGLE DX	1706	3.5	6	1	2	3	4	6	7	12
2. MULTIPLE DX	1488	4.4	14	1	2	4	5	8	11	20
A. Not Operated	286	4.8	15	1	2	4	6	10	12	21
B. Operated	2908	3.8	9	1	2	3	5	7	9	15
TOTAL										
0-19 YRS	9	8.2	93	1	1	4	16	24	26	26
20-34	504	3.6	6	1	2	3	5	6	7	10
35-49	1628	3.6	7	1	2	3	4	6	8	13
50-64	786	4.1	8	1	2	3	5	7	9	15
65+	267	5.8	32	1	2	4	7	12	14	35
GRAND TOTAL	**3194**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	7	5.6	22	1	2	6	6	13	15	15
35-49	6	4.3	5	<1	3	4	6	7	7	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	7	9.0	34	1	6	9	10	18	20	20
35-49	17	5.3	6	1	4	6	7	8	8	8
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	4	7.5	1	6	7	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	9	5.4	8	1	3	5	8	9	9	9
35-49	26	4.4	3	2	3	5	5	7	7	8
50-64	11	5.6	15	2	3	5	7	11	15	15
65+	21	7.4	87	2	3	5	8	15	30	44
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	23	8.2	50	2	6	7	9	16	23	36
35-49	33	6.1	7	2	4	6	8	9	9	12
50-64	26	6.9	10	2	5	7	8	12	13	13
65+	3	10.3	2	9	9	10	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.7	13	1	2	4	6	9	13	15
B. Operated	30	6.4	14	1	5	7	8	9	10	20
2. MULTIPLE DX										
A. Not Operated	69	5.6	32	2	3	5	6	9	12	39
B. Operated	86	7.1	20	2	5	7	9	11	13	29
1. SINGLE DX	49	5.7	14	1	3	6	8	9	11	20
2. MULTIPLE DX	155	6.4	26	2	4	6	8	10	13	35
A. Not Operated	88	5.4	28	1	3	5	6	9	12	34
B. Operated	116	6.9	18	1	5	7	8	10	13	25
TOTAL										
0-19 YRS	5	5.6	18	1	2	4	9	11	11	11
20-34	46	7.4	35	1	5	6	9	15	17	36
35-49	82	5.3	6	2	3	5	7	8	9	11
50-64	41	6.2	12	1	4	6	8	11	13	15
65+	30	7.4	63	2	3	5	8	12	19	44
GRAND TOTAL	**204**	**6.3**	**23**	**1**	**4**	**6**	**8**	**10**	**12**	**27**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	14	4.0	4	2	3	4	5	7	7	7
35-49	10	2.5	4	< 1	1	2	3	5	7	7
50-64	10	4.0	4	1	3	4	6	7	8	8
65 +	12	3.3	3	1	2	4	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	7	2.1	2	1	1	2	3	5	5	5
35-49	9	1.7	1	1	1	1	2	4	4	4
50-64	10	1.3		1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	3.2	7	1	2	3	3	6	11	12
35-49	45	5.8	25	3	3	4	7	8	15	31
50-64	27	4.6	15	1	2	4	7	8	11	20
65 +	76	6.3	20	2	3	5	8	13	15	22
B. Operated										
0-19 YRS	0									
20-34	7	5.4	63	1	1	2	5	20	23	23
35-49	13	7.8	55	3	4	6	8	16	28	31
50-64	12	3.0	8	1	1	2	5	8	8	8
65 +	14	8.4	118	1	1	4	8	32	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	3.5	4	1	2	3	5	6	7	8
B. Operated	27	1.6	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	163	5.6	20	2	3	4	7	11	14	23
B. Operated	46	6.4	64	1	1	4	7	14	31	33
1. SINGLE DX	74	2.8	3	1	1	2	4	5	7	8
2. MULTIPLE DX	209	5.8	29	1	3	4	7	12	15	32
A. Not Operated	210	5.1	17	2	3	4	7	9	14	21
B. Operated	73	4.6	46	1	1	2	6	8	22	33
TOTAL										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	42	3.7	14	1	2	3	5	6	9	23
35-49	77	5.3	28	1	3	4	6	8	14	31
50-64	59	3.6	10	1	1	3	5	8	8	19
65 +	103	6.2	32	1	3	5	8	13	16	32
GRAND TOTAL	**283**	**5.0**	**24**	**1**	**2**	**4**	**6**	**9**	**14**	**31**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	1.9	3	< 1	1	1	2	3	5	9
20-34	148	3.3	7	1	1	3	4	6	8	12
35-49	248	3.5	8	< 1	1	3	5	7	9	13
50-64	116	3.5	7	1	2	3	4	7	8	14
65 +	87	3.1	6	< 1	< 1	2	4	7	8	10
B. Operated										
0-19 YRS	6	1.5	1	< 1	< 1	1	2	3	3	3
20-34	143	2.8	6	1	1	2	4	7	7	10
35-49	382	3.0	5	1	1	2	4	6	7	11
50-64	351	3.9	8	1	2	4	5	7	8	12
65 +	331	4.8	8	1	3	5	6	8	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.8	4	< 1	1	3	4	5	6	9
20-34	266	4.5	18	1	2	3	6	8	10	26
35-49	437	4.7	17	1	2	4	6	9	12	26
50-64	334	4.8	16	1	2	4	6	9	13	18
65 +	794	5.0	15	1	2	4	7	9	12	20
B. Operated										
0-19 YRS	11	3.4	4	< 1	1	4	5	6	6	6
20-34	191	3.9	11	1	1	3	5	8	11	17
35-49	540	4.7	27	1	2	4	6	9	12	19
50-64	732	6.0	25	1	3	5	8	10	12	29
65 +	1405	7.5	25	3	5	7	9	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	626	3.3	7	< 1	1	3	4	7	8	12
B. Operated	1213	3.7	7	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	1858	4.8	16	1	2	4	6	9	12	21
B. Operated	2879	6.3	26	1	3	6	8	11	15	26
1. SINGLE DX	1839	3.6	7	1	1	3	5	7	8	12
2. MULTIPLE DX	4737	5.7	23	1	3	5	7	10	14	24
A. Not Operated	2484	4.4	14	1	2	3	6	9	11	20
B. Operated	4092	5.6	22	1	3	5	7	10	13	23
TOTAL										
0-19 YRS	71	2.4	3	< 1	1	2	3	5	6	9
20-34	748	3.8	12	1	1	3	5	7	9	19
35-49	1607	4.1	17	1	1	3	5	8	10	18
50-64	1533	5.1	19	1	2	4	7	9	11	21
65 +	2617	6.2	21	2	3	6	8	11	14	23
GRAND TOTAL	**6576**	**5.1**	**19**	**1**	**2**	**4**	**7**	**9**	**12**	**22**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	87	2.2	2	1	1	2	3	5	5	7
20-34	41	4.1	9	1	2	3	5	9	11	13
35-49	45	3.7	14	1	2	3	4	8	10	22
50-64	20	4.2	10	1	2	3	7	9	10	10
65 +	13	4.8	12	1	2	5	7	9	12	13
B. Operated										
0-19 YRS	77	2.0	4	< 1	< 1	1	2	4	7	12
20-34	272	2.5	5	< 1	1	2	3	6	8	13
35-49	447	2.2	4	1	1	2	2	4	6	11
50-64	265	1.9	2	1	1	2	2	4	4	7
65 +	108	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	3.7	21	1	2	3	4	6	9	29
20-34	58	3.9	4	2	3	3	5	7	8	9
35-49	64	4.3	8	1	2	4	6	8	10	12
50-64	70	3.1	3	1	2	3	4	5	7	8
65 +	111	4.6	12	1	2	4	6	9	11	18
B. Operated										
0-19 YRS	56	3.9	14	1	1	3	5	9	11	18
20-34	286	3.4	14	1	1	2	4	7	11	18
35-49	509	3.0	10	1	1	2	3	6	10	17
50-64	539	2.9	12	1	1	2	3	5	9	19
65 +	308	4.1	18	1	2	3	4	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	206	3.3	8	1	1	2	4	7	9	13
B. Operated	1169	2.2	4	1	1	2	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	358	4.0	10	1	2	3	5	7	9	18
B. Operated	1698	3.3	13	1	1	2	4	7	10	18
1. SINGLE DX	1375	2.3	4	1	1	2	3	5	7	12
2. MULTIPLE DX	2056	3.4	13	1	1	2	4	7	10	18
A. Not Operated	564	3.7	9	1	2	3	5	7	9	15
B. Operated	2867	2.8	9	1	1	2	3	6	9	16
TOTAL										
0-19 YRS	275	2.8	10	1	1	2	3	5	8	17
20-34	657	3.1	10	1	1	2	4	7	9	16
35-49	1065	2.8	8	1	1	2	3	5	9	14
50-64	894	2.7	9	1	1	2	3	5	7	15
65 +	540	3.8	14	1	2	3	4	8	11	18
GRAND TOTAL	3431	3.0	10	1	1	2	3	6	9	16

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	31	1.8	1	< 1	1	2	3	3	3	4
20-34	64	1.7	1	1	1	1	2	4	4	5
35-49	113	1.8	1	1	1	2	2	3	3	5
50-64	86	1.7	1	1	1	1	2	3	3	4
65 +	34	1.8	1	< 1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7		< 1	< 1	2	2	2	2	2
20-34	3	1.3		< 1	< 1	< 1	2	2	2	2
35-49	3	1.3		< 1	< 1	< 1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	2.8	8	< 1	< 1	1	4	7	7	7
B. Operated										
0-19 YRS	61	1.9	1	1	1	2	2	3	4	5
20-34	122	2.1	1	1	2	2	2	3	4	7
35-49	262	2.3	2	1	1	2	3	4	5	7
50-64	369	2.1	2	1	1	2	3	4	4	6
65 +	368	2.6	4	1	1	2	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	328	1.8	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	14	1.8	2	< 1	< 1	1	2	3	6	7
B. Operated	1182	2.3	2	1	1	2	3	4	5	7
1. SINGLE DX	330	1.8	1	1	1	2	2	3	4	4
2. MULTIPLE DX	1196	2.3	2	1	1	2	3	4	5	7
A. Not Operated	16	1.8	2	< 1	< 1	1	2	2	6	7
B. Operated	1510	2.2	2	1	1	2	3	4	4	7
TOTAL										
0-19 YRS	96	1.9	1	1	1	2	2	3	4	5
20-34	189	2.0	1	1	1	2	2	3	4	6
35-49	379	2.1	2	1	1	2	3	3	4	6
50-64	456	2.0	1	1	1	2	3	3	4	6
65 +	406	2.5	4	1	1	2	3	4	5	10
GRAND TOTAL	1526	2.2	2	1	1	2	3	4	4	7

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	3.7	8	2	2	2	6	7	7	7
50-64	4	2.5	4	< 1	< 1	2	4	5	5	5
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	25	1.1		< 1	< 1	< 1	1	2	2	2
20-34	18	1.2		< 1	< 1	< 1	1	2	3	3
35-49	29	1.2		< 1	< 1	1	1	2	2	3
50-64	22	1.6	1	< 1	1	1	2	3	4	6
65 +	15	1.7	2	1	1	1	2	2	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	3.3		3	3	3	4	4	4	4
50-64	5	1.4		< 1	1	1	2	2	2	2
65 +	9	3.3	5	< 1	2	3	4	7	8	8
B. Operated										
0-19 YRS	7	1.9	2	< 1	1	1	2	4	5	5
20-34	12	2.3	7	< 1	< 1	1	2	8	9	9
35-49	20	2.7	10	1	1	2	2	6	11	14
50-64	37	3.1	7	< 1	1	2	4	7	9	10
65 +	30	4.0	16	1	1	3	5	8	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.6	4	< 1	1	2	3	6	7	7
B. Operated	109	1.3	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	19	2.6	3	< 1	1	2	3	5	7	8
B. Operated	106	3.1	10	< 1	1	2	4	7	9	16
1. SINGLE DX	119	1.4	1	< 1	< 1	1	2	2	3	6
2. MULTIPLE DX	125	3.0	9	< 1	1	2	4	7	9	16
A. Not Operated	29	2.6	3	< 1	1	2	3	5	7	8
B. Operated	215	2.2	6	< 1	< 1	1	2	5	7	15
TOTAL										
0-19 YRS	33	1.3	1	< 1	< 1	< 1	1	2	2	5
20-34	32	1.6	3	< 1	< 1	1	1	2	7	9
35-49	55	2.0	5	< 1	1	1	2	4	6	14
50-64	68	2.5	5	< 1	1	2	3	6	7	10
65 +	56	3.2	10	1	1	2	4	7	9	16
GRAND TOTAL	**244**	**2.2**	**6**	**<1**	**1**	**1**	**2**	**5**	**7**	**14**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	90	6.7	19	2	4	6	8	12	17	22
20-34	14	11.4	83	2	4	8	19	25	30	31
35-49	16	9.6	28	4	6	9	12	15	22	25
50-64	13	9.5	178	1	2	4	12	30	44	47
65 +	5	5.0	29	< 1	< 1	4	7	14	14	14
B. Operated										
0-19 YRS	60	7.0	24	2	3	6	10	13	15	27
20-34	56	8.9	82	2	3	6	11	18	27	53
35-49	53	7.6	56	2	3	5	11	16	18	43
50-64	29	4.7	15	1	2	4	6	10	11	19
65 +	33	5.5	22	1	2	4	8	12	12	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	95	9.1	44	3	5	7	11	17	22	37
20-34	41	12.6	147	3	4	7	19	32	40	47
35-49	66	10.1	154	1	3	7	11	18	34	66
50-64	65	10.8	69	2	4	9	15	22	26	39
65 +	100	9.6	55	2	5	8	12	18	27	37
B. Operated										
0-19 YRS	168	12.7	114	3	5	10	16	31	36	56
20-34	167	16.0	231	4	6	11	22	46	60	99 +
35-49	257	13.5	168	3	5	10	16	29	41	61
50-64	240	13.4	179	3	6	10	15	27	41	70
65 +	317	13.3	154	3	5	10	17	28	42	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	7.7	43	2	4	6	10	15	21	33
B. Operated	231	7.1	45	2	3	5	10	14	18	32
2. MULTIPLE DX										
A. Not Operated	367	10.1	83	2	4	7	13	21	28	43
B. Operated	1149	13.7	168	3	5	10	16	31	44	73
1. SINGLE DX	369	7.3	44	2	3	6	10	15	19	31
2. MULTIPLE DX	1516	12.8	150	3	5	9	15	28	41	67
A. Not Operated	505	9.4	73	2	4	7	12	19	26	42
B. Operated	1380	12.6	154	2	5	9	15	28	42	70
TOTAL										
0-19 YRS	413	9.7	71	3	5	7	12	20	29	45
20-34	278	13.9	188	3	5	9	18	36	49	99 +
35-49	392	11.9	149	2	4	9	14	26	39	64
50-64	347	12.0	150	2	4	9	14	25	33	63
65 +	455	11.9	127	2	5	9	15	24	35	71
GRAND TOTAL	**1885**	**11.7**	**134**	**2**	**5**	**8**	**14**	**26**	**37**	**64**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	4.2	15	1	1	3	6	10	12	17
20-34	35	2.0	2	< 1	1	1	3	4	5	6
35-49	54	2.0	6	< 1	1	1	2	3	6	14
50-64	41	2.6	8	1	1	2	3	6	9	14
65 +	67	4.6	18	1	2	4	6	8	11	27
B. Operated										
0-19 YRS	490	2.7	5	1	1	2	3	5	7	11
20-34	356	3.4	17	1	1	2	4	6	8	22
35-49	308	3.6	9	1	2	3	5	7	9	12
50-64	150	4.2	10	1	2	3	6	8	10	16
65 +	99	6.2	15	2	4	6	8	11	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	4.9	34	< 1	1	2	7	14	17	25
20-34	75	3.1	12	< 1	1	2	4	7	10	19
35-49	165	3.4	27	1	1	2	3	7	13	38
50-64	307	4.5	29	1	2	3	5	10	14	29
65 +	1806	6.2	21	2	3	5	8	11	14	21
B. Operated										
0-19 YRS	277	4.0	40	1	1	2	4	8	14	37
20-34	572	4.4	20	1	2	3	6	8	12	24
35-49	546	5.3	22	1	2	4	7	11	14	23
50-64	506	7.1	58	2	3	6	8	13	18	36
65 +	984	9.3	38	3	5	8	11	16	21	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	233	3.2	12	1	1	2	4	6	10	17
B. Operated	1403	3.5	11	1	1	2	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	2397	5.7	23	1	3	4	7	11	14	22
B. Operated	2885	6.7	40	1	3	5	9	13	17	30
1. SINGLE DX	1636	3.4	11	1	1	2	4	7	9	15
2. MULTIPLE DX	5282	6.2	32	1	3	5	8	12	15	28
A. Not Operated	2630	5.4	23	1	2	4	7	11	14	21
B. Operated	4288	5.6	32	1	2	4	8	12	15	27
TOTAL										
0-19 YRS	847	3.3	19	1	1	2	4	7	10	17
20-34	1038	3.9	18	1	1	3	5	7	10	22
35-49	1073	4.4	19	1	2	3	6	9	12	23
50-64	1004	5.7	42	1	2	4	7	11	14	29
65 +	2956	7.2	29	2	4	6	9	13	16	29
GRAND TOTAL	**6918**	**5.6**	**29**	**1**	**2**	**4**	**7**	**11**	**14**	**27**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	133	2.0	2	1	1	2	3	3	4	8
20-34	26	2.8	6	1	1	2	4	7	9	11
35-49	15	3.1	5	1	1	3	4	7	8	8
50-64	19	2.2	2	1	1	2	4	4	5	5
65 +	9	6.4	16	1	2	8	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8		< 1	1	2	2	2	2	2
20-34	5	3.0	4	1	2	3	4	6	6	6
35-49	2	16.5	365	3	3	16	30	30	30	30
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	6	18.7	225	3	6	14	36	38	38	38
B. Operated										
0-19 YRS	420	2.9	11	1	1	2	3	5	6	20
20-34	113	4.0	39	1	2	3	4	6	8	42
35-49	92	4.4	16	1	2	4	5	7	12	22
50-64	70	4.2	9	1	2	4	5	7	11	16
65 +	58	7.0	81	2	3	4	8	13	16	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	202	2.4	4	1	1	2	3	4	7	11
2. MULTIPLE DX										
A. Not Operated	20	8.8	142	1	2	3	9	33	37	38
B. Operated	753	3.7	22	1	2	3	4	6	9	24
1. SINGLE DX	203	2.4	4	1	1	2	3	4	7	11
2. MULTIPLE DX	773	3.8	26	1	2	3	4	6	10	32
A. Not Operated	21	8.5	136	1	2	3	8	32	37	38
B. Operated	955	3.4	19	1	1	2	4	6	9	22
TOTAL										
0-19 YRS	557	2.7	9	1	1	2	3	4	6	15
20-34	144	3.7	32	1	1	3	4	6	8	34
35-49	110	4.4	20	1	2	4	5	7	12	25
50-64	92	3.7	8	1	2	3	5	7	9	15
65 +	73	7.9	92	2	3	5	9	15	23	59
GRAND TOTAL	**976**	**3.5**	**22**	**1**	**1**	**2**	**4**	**6**	**9**	**28**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.3	10	1	1	3	4	6	12	14
20-34	50	3.1	7	<1	1	2	4	7	9	12
35-49	64	2.8	6	<1	1	2	3	6	9	12
50-64	44	2.8	6	1	1	2	4	5	7	14
65 +	29	2.4	3	1	1	2	3	5	6	7
B. Operated										
0-19 YRS	255	5.2	13	<1	2	5	7	9	13	16
20-34	162	3.8	20	1	1	2	5	9	13	23
35-49	184	3.4	11	1	1	2	4	7	9	18
50-64	148	2.9	37	1	1	2	3	5	6	11
65 +	120	2.9	8	1	1	2	4	5	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	3.5	11	1	1	3	5	6	11	18
20-34	123	3.7	13	1	2	3	4	7	10	19
35-49	202	4.1	15	1	2	3	5	8	12	22
50-64	201	3.7	8	1	2	3	4	7	9	15
65 +	373	4.3	13	1	2	3	6	8	10	16
B. Operated										
0-19 YRS	539	5.5	43	1	1	4	7	11	17	33
20-34	294	6.2	71	1	2	4	7	14	22	57
35-49	393	5.8	44	1	2	3	7	12	18	34
50-64	376	5.6	38	1	2	4	7	11	16	34
65 +	434	6.1	34	1	2	5	8	12	17	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	213	2.9	6	1	1	2	4	6	8	13
B. Operated	869	3.9	18	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	969	4.0	12	1	2	3	5	8	10	18
B. Operated	2036	5.8	44	1	2	4	7	12	18	34
1. SINGLE DX	1082	3.7	16	1	1	2	5	8	10	17
2. MULTIPLE DX	3005	5.2	35	1	2	3	7	11	15	30
A. Not Operated	1182	3.8	11	1	2	3	5	8	10	18
B. Operated	2905	5.2	37	1	1	3	7	11	15	30
TOTAL										
0-19 YRS	890	5.2	31	1	1	4	7	11	14	27
20-34	629	4.9	43	1	1	3	6	11	16	27
35-49	843	4.6	28	1	1	3	6	9	15	29
50-64	769	4.4	29	1	1	3	5	9	12	28
65 +	956	4.9	23	1	2	3	6	10	13	27
GRAND TOTAL	**4087**	**4.8**	**30**	**1**	**2**	**3**	**6**	**10**	**14**	**28**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	2	1	1	2	3	4	4	4
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	2	3.0	8	1	1	3	5	5	5	5
1. SINGLE DX	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX	4	3.5	6	1	1	3	5	6	6	6
A. Not Operated	5	3.0	4	1	2	2	4	6	6	6
B. Operated	2	3.0	8	1	1	3	5	5	5	5
TOTAL										
0-19 YRS	0									
20-34	3	1.7		1	1	2	2	2	2	2
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**7**	**3.0**	**4**	**1**	**1**	**2**	**5**	**6**	**6**	**6**

308 Hospitals, Western Region, January-December 1989

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.6	5	1	1	1	4	6	6	6
20-34	3	8.0	19	3	5	10	11	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	75	4.7	11	1	2	4	7	9	11	16
20-34	6	6.5	40	< 1	2	4	9	17	18	18
35-49	4	7.5	12	4	5	7	10	12	12	12
50-64	7	6.6	26	1	2	6	10	14	15	15
65 +	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	5.1	67	1	1	2	4	9	28	40
20-34	4	5.5	12	2	2	5	8	9	9	9
35-49	5	3.4	8	< 1	1	3	5	8	8	8
50-64	6	13.2	92	1	5	12	22	26	26	26
65 +	5	2.6	2	1	2	2	3	5	5	5
B. Operated										
0-19 YRS	198	10.2	116	2	4	7	12	24	37	88
20-34	12	5.3	9	2	2	5	7	9	12	12
35-49	18	8.5	32	3	5	8	11	14	21	26
50-64	13	8.5	24	4	5	7	12	15	19	20
65 +	4	6.3	1	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.5	14	1	1	3	6	10	11	11
B. Operated	95	5.0	13	1	2	4	7	11	11	18
2. MULTIPLE DX										
A. Not Operated	95	5.4	63	1	2	2	6	11	25	40
B. Operated	245	9.7	99	2	4	7	11	23	33	78
1. SINGLE DX	105	5.0	13	1	2	4	7	11	11	17
2. MULTIPLE DX	340	8.5	92	1	3	6	9	22	32	51
A. Not Operated	105	5.3	58	1	2	2	6	11	23	40
B. Operated	340	8.4	79	2	3	6	9	20	26	51
TOTAL										
0-19 YRS	353	7.8	88	1	2	5	9	20	30	49
20-34	25	5.9	17	2	2	6	8	11	13	18
35-49	28	7.2	27	1	4	6	9	13	15	26
50-64	27	9.0	41	2	5	7	12	19	23	26
65 +	12	4.1	5	1	2	4	6	7	7	7
GRAND TOTAL	**445**	**7.7**	**76**	**1**	**3**	**5**	**9**	**17**	**26**	**46**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.2		< 1	< 1	< 1	< 1	1	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	188	1.5	2	< 1	< 1	1	1	3	4	7
20-34	34	1.6	3	1	1	1	2	2	4	11
35-49	20	1.5	1	1	1	1	2	2	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	1.7		< 1	< 1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	1.8	1	< 1	1	2	2	3	4	4
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	0									
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	94	2.1	4	< 1	1	1	3	4	5	12
20-34	10	2.7	2	1	1	2	4	5	5	5
35-49	4	1.3		1	1	1	2	2	2	2
50-64	3	1.0		1	1	1	1	1	1	1
65 +	6	4.3	52	1	1	2	2	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.2		< 1	< 1	< 1	< 1	1	3	3
B. Operated	246	1.5	2	< 1	1	1	2	2	4	7
2. MULTIPLE DX										
A. Not Operated	15	2.3	2	< 1	1	2	3	4	6	6
B. Operated	117	2.2	6	1	1	1	3	4	5	16
1. SINGLE DX	258	1.5	2	< 1	< 1	1	2	2	4	7
2. MULTIPLE DX	132	2.2	5	< 1	1	1	3	4	5	16
A. Not Operated	27	1.8	2	< 1	< 1	1	2	4	5	6
B. Operated	363	1.8	3	< 1	1	1	2	3	4	10
TOTAL										
0-19 YRS	305	1.7	2	< 1	< 1	1	2	3	4	8
20-34	47	2.0	3	1	1	1	2	4	5	11
35-49	24	1.4	1	1	1	1	2	2	3	5
50-64	4	1.0		1	1	1	1	1	1	1
65 +	10	3.5	31	< 1	1	2	2	11	19	19
GRAND TOTAL	**390**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**	**9**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.3	3	<1	1	2	3	5	6	6
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	5	3.6	18	1	1	2	5	11	11	11
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	467	4.1	8	<1	1	4	6	7	9	14
20-34	37	5.2	11	1	2	6	7	9	11	13
35-49	32	2.9	5	1	1	2	4	7	7	8
50-64	6	5.8	14	<1	2	7	9	9	9	9
65 +	3	4.7	16	<1	1	4	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	277	3.9	27	<1	1	2	4	10	15	36
20-34	30	4.6	28	1	1	3	5	13	15	23
35-49	17	1.9	1	<1	1	2	3	3	4	4
50-64	17	5.6	35	1	2	4	6	16	21	22
65 +	14	3.8	10	1	2	3	4	9	11	12
B. Operated										
0-19 YRS	1537	9.3	112	1	4	7	11	20	32	71
20-34	78	6.5	31	1	2	6	9	13	16	80
35-49	91	7.8	48	1	2	7	10	14	22	36
50-64	58	7.6	86	1	4	7	9	12	15	66
65 +	37	8.4	28	2	4	9	11	15	19	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	2.6	5	<1	1	2	3	6	7	11
B. Operated	545	4.1	9	<1	1	4	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	355	4.0	25	<1	1	2	4	10	15	34
B. Operated	1801	9.0	103	1	4	7	10	19	29	69
1. SINGLE DX	582	4.0	8	<1	1	4	6	8	9	13
2. MULTIPLE DX	2156	8.2	93	1	2	6	10	17	26	62
A. Not Operated	392	3.8	24	<1	1	2	4	10	15	31
B. Operated	2346	7.9	85	1	2	6	9	15	25	59
TOTAL										
0-19 YRS	2309	7.5	85	1	1	6	9	15	25	59
20-34	147	5.8	25	1	2	5	8	12	14	33
35-49	145	5.9	38	1	1	5	8	13	16	36
50-64	83	6.9	69	1	2	6	9	11	17	54
65 +	54	7.0	26	1	2	7	9	13	18	22
GRAND TOTAL	**2738**	**7.3**	**78**	**1**	**2**	**6**	**9**	**15**	**23**	**58**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	441	1.8	1	1	1	2	2	3	3	5
20-34	7	2.3	3	1	1	2	4	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.3	5	<1	<1	<1	3	6	8	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	505	2.1	3	1	1	2	3	3	5	9
20-34	12	1.5	1	<1	<1	1	2	3	3	3
35-49	7	2.0	2	1	1	1	3	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	451	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	11	2.3	5	<1	<1	<1	3	6	8	8
B. Operated	524	2.1	3	1	1	2	3	3	5	8
1. SINGLE DX	451	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX	535	2.1	3	1	1	2	3	3	5	8
A. Not Operated	11	2.3	5	<1	<1	<1	3	6	8	8
B. Operated	975	2.0	2	1	1	2	2	3	4	7
TOTAL										
0-19 YRS	957	2.0	2	1	1	2	2	3	4	7
20-34	19	1.8	2	<1	1	1	3	4	5	5
35-49	9	1.9	1	1	1	1	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**986**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	432	2.8	2	2	2	3	3	4	5	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.0	3	< 1	< 1	1	3	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	233	3.7	3	2	3	3	4	6	7	12
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5		1	1	1	2	2	2	2
B. Operated	432	2.8	2	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	7	2.0	3	< 1	< 1	1	3	5	5	5
B. Operated	234	3.7	3	2	3	3	4	6	7	12
1. SINGLE DX	436	2.8	2	2	2	3	3	4	5	8
2. MULTIPLE DX	241	3.6	3	2	3	3	4	6	7	12
A. Not Operated	11	1.8	2	< 1	1	1	2	4	5	5
B. Operated	666	3.1	2	2	2	3	4	5	6	10
TOTAL										
0-19 YRS	676	3.1	2	2	2	3	4	5	6	10
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**677**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	2.1	2	< 1	1	2	3	4	6	7
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	10.0	50	5	5	10	15	15	15	15
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	244	4.6	26	1	1	4	6	9	11	45
20-34	20	4.0	5	1	2	3	6	8	8	8
35-49	10	5.2	24	1	2	3	5	14	16	16
50-64	5	6.4	27	1	3	6	8	15	15	15
65 +	8	5.0	12	1	2	4	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	4.1	17	1	1	2	5	11	13	20
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	10	4.9	22	< 1	2	2	9	12	14	14
65 +	10	4.4	9	1	2	4	5	9	12	12
B. Operated										
0-19 YRS	499	9.9	166	1	4	6	11	25	47	99 +
20-34	41	7.0	25	2	3	6	9	13	19	22
35-49	29	6.3	15	1	3	6	9	12	13	13
50-64	28	9.3	46	1	4	7	13	21	22	24
65 +	29	10.9	64	2	5	8	17	21	23	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.6	7	< 1	1	2	3	5	6	15
B. Operated	287	4.6	24	1	2	4	6	9	12	43
2. MULTIPLE DX										
A. Not Operated	125	4.3	16	1	2	3	5	11	13	19
B. Operated	626	9.6	140	1	4	6	11	22	43	99 +
1. SINGLE DX	327	4.4	22	1	1	3	6	8	11	43
2. MULTIPLE DX	751	8.7	123	1	3	6	10	19	32	99 +
A. Not Operated	165	3.9	14	1	1	2	5	10	12	18
B. Operated	913	8.0	109	1	3	5	9	17	31	99 +
TOTAL										
0-19 YRS	879	7.5	111	1	2	5	8	15	32	99 +
20-34	65	5.9	20	2	3	5	8	12	14	22
35-49	43	6.3	18	2	3	5	10	13	14	16
50-64	44	7.8	40	1	3	6	12	17	21	24
65 +	47	8.5	52	1	4	7	12	21	22	33
GRAND TOTAL	**1078**	**7.4**	**96**	**1**	**2**	**5**	**8**	**15**	**27**	**99 +**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	170	1.2		< 1	< 1	1	1	2	3	4
20-34	6	1.0		< 1	< 1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	126	1.3		< 1	< 1	1	1	2	3	4
20-34	11	2.4	3	< 1	1	2	3	5	7	7
35-49	4	1.3		1	1	1	2	2	2	2
50-64	4	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	178	1.2		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	146	1.4	1	< 1	< 1	1	1	2	3	5
1. SINGLE DX	179	1.2		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	146	1.4	1	< 1	< 1	1	1	2	3	5
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	324	1.3		< 1	< 1	1	1	2	3	4
TOTAL										
0-19 YRS	296	1.2		< 1	< 1	1	1	2	3	4
20-34	17	1.9	2	< 1	1	1	2	3	6	7
35-49	7	1.7	2	1	1	1	2	4	5	5
50-64	4	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**325**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**4**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.3	1	1	1	1	1	3	3	3
20-34	4	1.5	1	< 1	< 1	1	2	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	389	2.3	5	< 1	< 1	1	3	5	7	9
20-34	40	3.4	4	1	2	3	4	6	8	9
35-49	23	3.5	5	1	2	4	4	6	8	10
50-64	6	3.7	2	2	3	3	5	6	6	6
65 +	4	3.8	2	2	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	4.4	20	< 1	1	3	[illegible]	11	15	19
20-34	40	3.4	5	< 1	2	3	5	7	7	9
35-49	49	3.1	12	< 1	1	2	3	6	7	22
50-64	27	4.4	12	2	2	3	5	8	13	17
65 +	3	2.7	1	2	2	2	4	4	4	4
B. Operated										
0-19 YRS	314	5.4	45	1	2	4	7	11	14	47
20-34	74	4.8	30	1	2	3	6	8	13	36
35-49	67	4.5	8	2	3	4	5	8	10	16
50-64	41	5.1	14	1	3	4	6	12	12	16
65 +	31	9.0	189	1	2	4	9	21	32	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.7	1	1	1	1	3	3	4	4
B. Operated	462	2.5	5	< 1	1	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated	156	3.7	12	< 1	2	3	5	7	10	19
B. Operated	527	5.4	45	1	2	4	6	11	14	44
1. SINGLE DX	476	2.5	5	< 1	1	2	3	5	7	9
2. MULTIPLE DX	683	5.0	38	1	2	3	6	10	13	36
A. Not Operated	170	3.5	11	< 1	1	3	4	7	10	19
B. Operated	989	4.0	28	< 1	1	3	5	8	11	22
TOTAL										
0-19 YRS	746	3.7	25	< 1	1	2	4	8	11	20
20-34	158	4.0	16	1	2	3	5	7	9	15
35-49	140	3.8	9	1	2	3	5	7	9	17
50-64	76	4.7	12	2	2	4	5	11	12	17
65 +	39	7.8	155	1	2	4	7	20	28	71
GRAND TOTAL	**1159**	**4.0**	**26**	**< 1**	**1**	**3**	**5**	**8**	**11**	**21**

308 Hospitals, Western Region, January-December 1989

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.0	4	< 1	< 1	1	3	5	6	6
20-34	1	6.0		6	6	6	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	335	1.8	1	1	1	2	2	3	4	5
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	3	2.7		2	2	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.9	1	< 1	< 1	1	3	3	3	3
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	172	2.1	1	1	1	2	2	3	4	7
20-34	14	1.9	1	1	1	2	3	3	4	4
35-49	22	2.5	3	< 1	1	2	3	5	7	7
50-64	18	1.8	1	< 1	1	1	3	3	4	4
65 +	8	1.5	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.5	5	< 1	< 1	1	4	6	6	6
B. Operated	342	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	10	1.8	1	< 1	< 1	1	3	3	3	3
B. Operated	234	2.1	1	1	1	2	2	3	4	7
1. SINGLE DX	350	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	244	2.0	1	1	1	2	2	3	4	7
A. Not Operated	18	2.1	3	< 1	< 1	1	3	5	6	6
B. Operated	576	1.9	1	1	1	2	2	3	4	6
TOTAL										
0-19 YRS	522	1.9	1	1	1	2	2	3	4	6
20-34	18	2.2	2	1	1	2	3	4	5	6
35-49	26	2.4	3	< 1	1	2	3	4	7	7
50-64	20	1.9	1	< 1	1	2	3	3	4	4
65 +	8	1.5	1	1	1	1	2	3	3	3
GRAND TOTAL	**594**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	2.3	8	< 1	< 1	1	2	6	10	12
20-34	7	2.7	2	1	2	2	4	4	4	4
35-49	5	5.2	9	2	3	5	6	10	10	10
50-64	4	1.8		< 1	1	2	2	2	2	2
65 +	3	2.7	4	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	890	3.0	8	< 1	1	2	4	6	8	16
20-34	101	3.5	9	1	1	3	5	7	9	16
35-49	77	3.1	7	1	1	2	5	7	9	12
50-64	34	3.4	7	1	1	2	5	7	9	10
65 +	8	2.9	5	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	141	4.9	45	1	1	2	6	11	16	36
20-34	12	7.6	95	1	2	2	13	47	90	99 +
35-49	8	7.0	54	2	3	4	8	20	24	24
50-64	14	4.4	6	1	3	4	6	8	9	9
65 +	27	4.5	11	2	2	4	6	9	14	14
B. Operated										
0-19 YRS	611	6.7	103	1	2	4	7	15	29	79
20-34	105	5.8	32	1	3	5	7	9	12	37
35-49	117	6.2	14	1	3	6	8	10	12	18
50-64	73	7.2	47	2	3	6	9	14	26	86
65 +	46	6.5	13	2	4	6	9	11	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	2.5	7	< 1	< 1	1	3	5	10	12
B. Operated	1110	3.0	8	< 1	1	2	4	6	8	16
2. MULTIPLE DX										
A. Not Operated	202	5.1	41	1	2	3	6	11	16	40
B. Operated	952	6.5	76	1	2	4	7	12	24	62
1. SINGLE DX	1198	3.0	8	< 1	1	2	4	6	8	16
2. MULTIPLE DX	1154	6.3	70	1	2	4	7	12	23	61
A. Not Operated	290	4.3	32	< 1	1	2	5	10	14	35
B. Operated	2062	4.7	42	1	1	3	5	9	13	43
TOTAL										
0-19 YRS	1711	4.4	48	1	1	3	4	8	15	46
20-34	225	4.8	26	1	2	4	7	9	12	38
35-49	207	5.0	15	1	2	5	8	10	11	18
50-64	125	5.6	33	1	2	4	8	10	15	57
65 +	84	5.4	13	1	2	5	8	10	13	15
GRAND TOTAL	**2352**	**4.6**	**41**	**1**	**1**	**3**	**5**	**9**	**14**	**43**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	9.8	38	2	5	9	15	18	21	25
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	302	16.7	187	4	7	13	24	37	47	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	47	32.3	495	11	23	49	99 +	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	9.8	38	2	5	9	15	18	21	25
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	302	16.7	187	4	7	13	24	37	47	99 +
B. Operated	47	32.3	495	11	23	49	99 +	99 +	99 +	99 +
1. SINGLE DX	37	9.8	38	2	5	9	15	18	21	25
2. MULTIPLE DX	349	18.8	256	4	8	15	31	67	99 +	99 +
A. Not Operated	339	15.9	175	3	7	12	23	36	43	99 +
B. Operated	47	32.3	495	11	23	49	99 +	99 +	99 +	99 +
TOTAL										
0-19 YRS	386	17.9	242	4	7	15	28	59	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**386**	**17.9**	**242**	**4**	**7**	**15**	**28**	**59**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2128	2.0	1	1	1	2	2	3	3	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	3.2	2	2	2	3	4	5	6	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	631	2.6	5	1	2	2	3	4	5	13
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	33	6.9	53	1	2	3	11	14	27	30
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2128	2.0	1	1	1	2	2	3	3	5
B. Operated	24	3.2	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	631	2.6	5	1	2	2	3	4	5	13
B. Operated	33	6.9	53	1	2	3	11	14	27	30
1. SINGLE DX	2152	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX	664	2.8	8	1	2	2	3	4	6	15
A. Not Operated	2759	2.1	2	1	1	2	2	3	4	6
B. Operated	57	5.4	34	2	2	3	6	13	14	30
TOTAL										
0-19 YRS	2816	2.2	3	1	1	2	2	3	4	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**2816**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	602	3.1	18	1	1	2	3	6	8	17
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	44	2.8	5	1	1	2	4	5	7	12
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1523	6.6	80	1	2	[illegible]	7	14	22	64
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	476	17.8	390	3	6	11	32	86	99+	99+
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	602	3.1	18	1	1	2	3	6	8	17
B. Operated	44	2.8	5	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. Not Operated	1523	6.6	80	1	2	4	7	14	22	64
B. Operated	478	17.8	389	3	5	11	32	86	99+	99+
1. SINGLE DX	646	3.1	17	1	1	2	4	6	8	17
2. MULTIPLE DX	2001	9.3	176	2	3	5	10	26	55	99+
A. Not Operated	2125	5.6	65	1	2	3	6	11	18	53
B. Operated	522	16.5	374	2	4	10	28	81	99+	99+
TOTAL										
0-19 YRS	2645	7.8	144	1	2	4	8	20	42	99+
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65+	0									
GRAND TOTAL	**2647**	**7.8**	**144**	**1**	**2**	**4**	**8**	**20**	**42**	**99+**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	523	1.8	2	1	1	1	2	3	4	7
20-34	201	2.1	3	<1	1	2	2	4	5	10
35-49	116	2.3	7	1	1	2	2	4	6	16
50-64	72	1.8	1	<1	1	1	3	3	4	5
65+	47	2.7	3	1	2	2	3	5	6	11
B. Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1331	2.3	5	1	1	2	3	4	5	8
20-34	410	2.9	9	1	1	2	3	6	7	16
35-49	492	3.1	10	1	1	2	4	6	8	19
50-64	428	3.7	12	1	2	3	5	8	9	17
65+	893	4.2	9	1	2	3	5	8	10	15
B. Operated										
0-19 YRS	20	4.0	5	1	2	4	5	8	8	8
20-34	43	5.3	28	1	1	3	8	13	16	24
35-49	36	6.7	68	1	2	4	7	19	28	36
50-64	33	5.8	18	2	2	4	9	11	14	19
65+	81	10.4	92	3	5	8	12	24	36	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	959	2.0	3	1	1	1	2	4	5	9
B. Operated	3	4.0	9	<1	1	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	3554	3.1	8	1	1	2	4	6	8	14
B. Operated	213	7.4	61	1	3	5	9	17	25	47
1. SINGLE DX	962	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX	3767	3.4	12	1	1	2	4	7	9	18
A. Not Operated	4513	2.9	7	1	1	2	3	6	7	14
B. Operated	216	7.4	60	1	3	5	9	17	25	46
TOTAL										
0-19 YRS	1875	2.2	4	1	1	2	3	4	5	8
20-34	654	2.8	9	1	1	2	3	6	8	16
35-49	645	3.2	13	1	1	2	4	6	8	20
50-64	534	3.6	11	1	1	3	4	7	10	17
65+	1021	4.6	18	1	2	3	6	9	12	21
GRAND TOTAL	**4729**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	261	2.5	1	1	2	2	3	4	4	7
20-34	28	4.4	8	2	2	3	7	8	9	11
35-49	14	2.7	5	1	1	2	3	5	9	10
50-64	21	3.2	2	1	2	3	4	5	6	7
65 +	15	3.9	8	1	2	4	5	7	11	12
B. Operated										
0-19 YRS	6	2.5	1	1	2	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	4.5	4	2	3	4	6	7	7	7
50-64	4	3.5	1	2	3	4	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	791	3.4	8	1	2	3	4	6	8	15
20-34	212	4.0	8	1	2	3	5	8	10	15
35-49	234	4.4	10	2	2	3	6	8	11	16
50-64	288	5.0	11	2	3	4	6	9	10	16
65 +	663	5.3	14	2	3	4	6	9	12	19
B. Operated										
0-19 YRS	36	8.9	55	2	3	7	14	20	26	28
20-34	40	8.8	42	2	4	7	11	17	23	31
35-49	48	9.9	54	3	5	8	12	21	25	34
50-64	62	8.8	36	2	4	7	14	19	22	90
65 +	120	11.8	124	3	5	9	13	25	36	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	339	2.8	3	1	2	3	3	4	6	9
B. Operated	16	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	2188	4.3	11	2	2	3	5	8	10	16
B. Operated	306	10.2	78	3	4	8	13	21	28	53
1. SINGLE DX	355	2.8	3	1	2	3	3	4	6	9
2. MULTIPLE DX	2494	5.1	23	2	2	4	6	10	14	25
A. Not Operated	2527	4.1	10	2	2	3	5	8	10	16
B. Operated	322	9.8	76	2	4	8	12	21	27	51
TOTAL										
0-19 YRS	1094	3.4	9	1	2	3	4	6	8	17
20-34	281	4.7	15	1	2	3	6	9	12	19
35-49	300	5.2	21	2	2	4	6	10	15	24
50-64	375	5.5	17	2	3	4	7	10	15	22
65 +	799	6.3	36	2	3	5	7	11	16	36
GRAND TOTAL	**2849**	**4.8**	**21**	**2**	**2**	**3**	**6**	**9**	**13**	**23**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.4	1	< 1	1	1	2	3	3	4
20-34	85	2.2	4	1	1	1	3	4	5	13
35-49	44	2.3	2	1	1	2	3	4	6	6
50-64	19	2.6	4	1	1	2	4	6	7	7
65 +	5	2.2	3	1	1	2	3	5	5	5
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	2.1	4	< 1	1	1	2	6	7	7
35-49	12	2.1	2	< 1	1	2	3	4	6	6
50-64	8	2.1	3	1	1	2	2	5	6	6
65 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	2.3	3	1	1	2	3	4	5	10
20-34	139	2.9	6	1	1	2	4	6	8	13
35-49	156	2.9	4	1	1	2	4	6	8	10
50-64	78	2.8	4	1	1	2	4	6	7	9
65 +	97	3.2	6	1	2	3	4	6	6	15
B. Operated										
0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	16	3.6	7	1	2	3	5	9	9	9
35-49	27	3.4	11	< 1	1	3	4	8	11	14
50-64	11	5.6	26	1	2	3	10	13	15	15
65 +	11	6.7	34	2	3	4	8	17	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	178	2.2	3	1	1	2	3	4	5	8
B. Operated	32	2.0	3	< 1	1	1	2	4	6	7
2. MULTIPLE DX										
A. Not Operated	555	2.9	5	1	1	2	4	6	7	10
B. Operated	69	4.3	17	1	1	3	5	10	14	19
1. SINGLE DX	210	2.1	3	1	1	2	3	4	6	8
2. MULTIPLE DX	624	3.0	6	1	1	2	4	6	8	13
A. Not Operated	733	2.7	4	1	1	2	3	5	6	10
B. Operated	101	3.6	13	1	1	2	4	8	12	18
TOTAL										
0-19 YRS	115	2.1	3	1	1	2	3	4	5	9
20-34	248	2.7	5	1	1	2	3	5	7	13
35-49	239	2.8	5	1	1	2	4	6	7	10
50-64	116	3.0	6	1	1	2	4	6	8	13
65 +	116	3.4	9	1	2	3	4	6	7	21
GRAND TOTAL	**834**	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**12**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.8	3	<1	1	2	4	6	6	6
20-34	10	2.5	2	<1	1	2	4	5	5	5
35-49	28	3.0	4	1	2	3	4	6	7	8
50-64	29	3.4	7	1	2	3	5	6	7	13
65 +	31	2.4	2	1	1	2	3	4	5	5
B. Operated										
0-19 YRS	4	2.0	1	<1	<1	1	3	3	3	3
20-34	23	2.9	5	1	1	2	4	5	8	10
35-49	32	3.1	4	1	1	3	4	6	7	7
50-64	70	3.3	3	1	2	3	4	6	6	7
65 +	52	3.0	3	1	2	3	4	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.5	5	<1	1	1	3	6	8	9
20-34	34	3.9	8	1	2	3	6	7	8	14
35-49	44	2.9	5	1	1	2	4	6	7	11
50-64	79	2.8	3	1	1	2	4	5	6	9
65 +	191	3.1	6	1	2	3	4	6	7	15
B. Operated										
0-19 YRS	7	3.4	9	<1	<1	3	5	8	9	9
20-34	21	5.6	18	2	3	5	6	11	15	20
35-49	62	4.8	11	2	3	4	6	9	11	18
50-64	94	4.5	10	1	2	4	6	8	11	16
65 +	237	4.2	9	2	2	4	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	2.9	4	1	1	2	4	5	6	10
B. Operated	181	3.1	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	365	3.1	6	1	1	2	4	6	7	13
B. Operated	421	4.4	10	2	2	4	6	8	10	17
1. SINGLE DX	287	3.0	3	1	2	3	4	5	7	9
2. MULTIPLE DX	786	3.8	8	1	2	3	5	7	9	16
A. Not Operated	471	3.0	5	1	1	2	4	6	7	12
B. Operated	602	4.0	8	1	2	3	5	7	9	16
TOTAL										
0-19 YRS	36	2.7	5	<1	1	2	3	6	8	9
20-34	88	3.9	10	1	2	3	5	7	10	18
35-49	166	3.7	7	1	2	3	5	7	8	15
50-64	272	3.6	6	1	2	3	5	6	8	14
65 +	511	3.6	7	1	2	3	4	7	8	15
GRAND TOTAL	**1073**	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**15**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.3	3	1	2	3	4	6	7	7
20-34	18	3.2	11	<1	1	2	5	7	11	14
35-49	12	2.2	3	1	1	2	3	5	7	7
50-64	11	1.5	1	<1	1	1	2	3	3	3
65 +	4	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	19	1.2	1	<1	<1	1	1	2	3	4
20-34	19	2.2	5	<1	1	1	3	5	7	9
35-49	18	1.9	2	1	1	1	3	5	5	5
50-64	10	1.8	4	1	1	1	2	5	7	7
65 +	6	3.0	6	<1	1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	4.9	65	1	1	2	4	14	24	37
20-34	36	2.7	4	1	1	2	3	6	6	9
35-49	59	3.2	20	1	1	2	3	7	11	28
50-64	85	3.9	31	1	1	2	4	9	12	34
65 +	155	4.5	20	1	2	3	5	10	13	26
B. Operated										
0-19 YRS	22	8.1	194	<1	1	4	8	17	43	63
20-34	30	8.2	209	1	2	5	8	11	17	82
35-49	31	4.1	14	1	1	3	6	9	12	17
50-64	45	10.3	200	1	2	4	11	30	45	62
65 +	46	7.8	71	1	2	4	12	18	23	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	2.7	5	1	1	2	4	6	7	13
B. Operated	72	1.9	3	<1	1	1	2	5	5	9
2. MULTIPLE DX										
A. Not Operated	360	4.0	24	1	1	2	5	9	12	31
B. Operated	174	7.9	135	1	2	4	9	17	29	63
1. SINGLE DX	137	2.2	4	<1	1	1	3	5	7	10
2. MULTIPLE DX	534	5.3	63	1	1	3	6	11	17	42
A. Not Operated	425	3.8	22	1	1	2	4	8	12	29
B. Operated	246	6.1	103	1	1	3	7	13	20	62
TOTAL										
0-19 YRS	86	4.5	73	<1	1	2	4	8	15	54
20-34	103	4.3	70	1	1	2	5	8	10	47
35-49	120	3.2	14	1	1	2	4	7	10	21
50-64	151	5.5	87	1	1	2	5	12	25	56
65 +	211	5.1	33	1	2	3	6	12	15	29
GRAND TOTAL	**671**	**4.6**	**53**	**1**	**1**	**2**	**5**	**10**	**14**	**37**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	6.7	9	4	4	6	9	10	10	10
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	7	6.9	61	1	2	6	6	20	24	24
20-34	3	7.3	30	2	3	7	11	13	13	13
35-49	4	6.8	42	1	3	5	11	16	16	16
50-64	12	4.9	21	1	2	3	6	12	16	17
65 +	10	5.8	11	2	3	6	8	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	11.0	98	4	4	11	18	18	18	18
35-49	4	10.0	42	2	5	10	15	17	17	17
50-64	5	6.2	26	3	3	4	8	15	15	15
65 +	34	7.4	36	1	3	6	9	16	17	28
B. Operated										
0-19 YRS	8	8.9	46	1	4	7	13	19	21	21
20-34	13	12.4	176	2	5	8	15	32	45	48
35-49	29	13.5	181	1	6	10	18	31	53	53
50-64	96	13.4	103	4	7	11	18	26	35	83
65 +	244	12.3	101	2	5	9	16	27	35	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.5	10	< 1	1	2	5	9	10	10
B. Operated	36	5.9	26	1	2	5	8	13	17	24
2. MULTIPLE DX										
A. Not Operated	45	7.7	36	2	3	6	12	17	17	28
B. Operated	390	12.6	108	2	5	9	17	26	36	53
1. SINGLE DX	44	5.5	24	1	2	4	7	11	16	24
2. MULTIPLE DX	435	12.1	103	2	5	9	16	26	34	53
A. Not Operated	53	7.1	34	1	3	6	9	16	17	28
B. Operated	426	12.0	105	2	5	9	16	26	35	53
TOTAL										
0-19 YRS	17	7.2	48	1	2	6	9	20	23	24
20-34	19	10.8	135	1	4	7	13	26	39	48
35-49	38	12.1	152	1	3	9	16	22	46	53
50-64	116	12.0	97	3	5	10	17	24	32	76
65 +	289	11.4	94	2	5	8	16	26	31	47
GRAND TOTAL	**479**	**11.5**	**99**	**2**	**5**	**9**	**16**	**25**	**31**	**52**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.9	2	< 1	1	1	2	4	5	6
20-34	270	1.6	1	1	1	1	2	3	3	6
35-49	1305	1.6	2	1	1	1	2	3	3	5
50-64	1142	1.7	1	1	1	2	2	3	3	5
65 +	479	1.9	3	1	1	2	2	3	4	6
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	18	1.7	1	< 1	1	1	2	4	4	4
35-49	175	2.1	2	1	1	1	3	4	5	7
50-64	216	1.9	2	1	1	1	2	4	5	7
65 +	100	2.2	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	2.1	2	1	1	2	3	3	4	8
20-34	605	1.9	3	1	1	2	2	3	4	9
35-49	3237	2.0	2	1	1	2	2	3	4	7
50-64	4824	2.2	2	1	1	2	3	4	5	8
65 +	5167	2.6	3	1	1	2	3	5	6	10
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	39	2.4	4	1	1	2	3	4	6	11
35-49	564	2.7	5	1	1	2	4	5	6	14
50-64	1083	2.8	6	1	1	2	4	5	7	10
65 +	850	3.6	10	1	1	3	5	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3216	1.7	1	1	1	1	2	3	3	5
B. Operated	511	2.0	2	1	1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	13897	2.3	3	1	1	2	3	4	5	9
B. Operated	2538	3.1	7	1	1	2	4	6	8	13
1. SINGLE DX	3727	1.7	2	1	1	1	2	3	4	6
2. MULTIPLE DX	16435	2.4	4	1	1	2	3	4	6	10
A. Not Operated	17113	2.2	3	1	1	2	3	4	5	8
B. Operated	3049	2.9	6	1	1	2	4	6	7	13
TOTAL										
0-19 YRS	88	2.0	2	1	1	2	3	3	5	8
20-34	932	1.8	2	1	1	1	2	3	4	8
35-49	5281	2.0	2	1	1	2	2	4	4	7
50-64	7265	2.2	3	1	1	2	3	4	5	8
65 +	6596	2.7	4	1	1	2	3	5	6	11
GRAND TOTAL	**20162**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	278	2.1	5	1	1	1	2	4	5	11
20-34	7	2.4	1	1	2	2	3	4	4	4
35-49	16	1.9	3	1	1	1	2	4	6	7
50-64	19	1.7	2	<1	<1	1	1	4	6	7
65+	9	2.0	1	<1	1	2	2	3	3	3
B. Operated										
0-19 YRS	13	1.7	1	<1	1	1	2	3	3	3
20-34	8	2.1	3	<1	1	1	3	5	5	5
35-49	17	4.9	32	1	1	2	6	16	19	19
50-64	13	2.5	4	<1	1	2	3	6	7	7
65+	9	2.1	2	<1	1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	565	3.4	19	1	1	2	4	6	9	24
20-34	51	3.3	15	1	1	2	4	7	8	21
35-49	88	3.3	32	1	1	2	3	6	9	37
50-64	177	3.2	8	1	1	2	4	7	9	13
65+	336	3.8	16	1	2	3	4	6	9	16
B. Operated										
0-19 YRS	46	11.1	268	1	1	3	13	41	50	60
20-34	28	6.0	27	1	2	4	8	13	19	21
35-49	45	4.8	23	1	1	2	6	14	15	18
50-64	91	5.3	25	1	2	3	7	13	16	23
65+	132	5.0	21	1	2	4	6	9	16	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	329	2.0	4	1	1	1	2	4	5	11
B. Operated	60	2.9	12	<1	1	2	3	6	8	19
2. MULTIPLE DX										
A. Not Operated	1217	3.5	17	1	1	2	4	7	9	22
B. Operated	342	6.0	59	1	2	3	7	13	19	45
1. SINGLE DX	389	2.2	5	1	1	1	3	4	6	15
2. MULTIPLE DX	1559	4.0	27	1	1	3	5	8	12	25
A. Not Operated	1546	3.2	15	1	1	2	4	6	9	21
B. Operated	402	5.5	53	1	2	3	6	12	18	43
TOTAL										
0-19 YRS	902	3.4	30	1	1	2	3	6	10	34
20-34	94	3.9	18	1	1	2	5	8	13	21
35-49	166	3.7	27	1	1	2	4	9	14	22
50-64	300	3.8	14	1	1	2	5	8	11	19
65+	486	4.0	17	1	2	3	5	7	10	21
GRAND TOTAL	**1948**	**3.7**	**24**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.3	15	1	2	2	3	9	14	14
20-34	49	1.4	1	<1	1	1	2	2	3	4
35-49	72	1.5	1	<1	1	1	2	3	3	4
50-64	29	1.4		<1	1	1	2	3	3	3
65+	11	1.4		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	6	4.2	35	<1	1	2	3	15	16	16
35-49	19	3.1	4	1	1	3	4	5	7	8
50-64	9	2.3	2	1	1	2	4	4	4	4
65+	10	2.9	3	1	1	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.8	9	1	1	2	3	5	11	13
20-34	59	1.9	3	1	1	1	2	3	5	11
35-49	76	2.5	5	1	1	2	3	6	7	14
50-64	87	2.5	8	1	1	2	2	5	7	19
65+	157	4.2	11	1	2	3	5	8	10	17
B. Operated										
0-19 YRS	22	5.6	13	1	2	5	9	10	12	13
20-34	21	3.6	6	1	2	3	4	8	9	9
35-49	40	3.1	5	1	2	3	4	6	7	11
50-64	51	3.6	14	1	1	2	5	9	11	18
65+	276	4.9	25	1	2	4	6	9	13	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	171	1.6	1	<1	1	1	2	3	3	4
B. Operated	48	2.9	7	1	1	2	4	5	7	16
2. MULTIPLE DX										
A. Not Operated	395	3.1	9	1	1	2	4	6	9	16
B. Operated	410	4.5	20	1	2	3	5	9	11	27
1. SINGLE DX	219	1.9	3	<1	1	1	2	3	4	10
2. MULTIPLE DX	805	3.8	15	1	1	3	5	8	10	20
A. Not Operated	566	2.6	7	1	1	2	3	6	7	14
B. Operated	458	4.3	19	1	2	3	5	9	11	27
TOTAL										
0-19 YRS	52	4.0	13	1	1	3	6	10	13	14
20-34	135	2.1	4	<1	1	1	2	4	6	12
35-49	207	2.3	4	1	1	2	3	5	6	9
50-64	176	2.6	9	1	1	2	3	5	9	17
65+	454	4.5	19	1	2	3	5	9	11	27
GRAND TOTAL	**1024**	**3.4**	**13**	**1**	**1**	**2**	**4**	**7**	**10**	**17**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	729	1.5	1	<1	1	1	2	3	3	5
20-34	893	1.9	2	1	1	1	2	4	5	7
35-49	521	2.2	3	1	1	2	3	4	5	9
50-64	248	2.1	2	1	1	2	3	4	5	7
65+	131	2.4	3	<1	1	2	3	5	7	9
B. Operated										
0-19 YRS	159	2.8	1	2	2	3	3	4	5	7
20-34	193	3.2	4	1	2	3	4	5	7	12
35-49	88	3.6	16	1	2	3	4	5	9	27
50-64	22	2.9	5	<1	<1	2	5	6	7	8
65+	7	4.9	37	1	1	3	5	15	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	565	2.0	2	1	1	2	2	4	5	8
20-34	959	2.6	5	1	1	2	3	5	6	10
35-49	951	3.1	5	1	1	2	4	6	7	11
50-64	765	3.3	7	1	2	3	4	6	9	13
65+	1310	3.7	8	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	128	3.6	13	1	2	3	4	6	8	20
20-34	296	4.6	15	1	2	4	6	9	11	22
35-49	217	5.6	48	1	2	4	6	9	15	45
50-64	142	5.0	10	1	2	4	7	9	11	14
65+	235	5.9	30	1	2	4	8	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2522	1.9	2	1	1	1	2	4	5	7
B. Operated	469	3.1	6	1	2	3	4	5	6	12
2. MULTIPLE DX										
A. Not Operated	4550	3.1	6	1	1	2	4	6	8	13
B. Operated	1018	5.0	25	1	2	4	6	9	13	26
1. SINGLE DX	2991	2.1	3	1	1	2	3	4	5	8
2. MULTIPLE DX	5568	3.4	10	1	2	3	4	7	9	15
A. Not Operated	7072	2.6	5	1	1	2	3	5	7	11
B. Operated	1487	4.4	20	1	2	3	5	8	11	24
TOTAL										
0-19 YRS	1581	2.0	3	1	1	2	2	4	5	8
20-34	2341	2.6	6	1	1	2	3	5	7	11
35-49	1777	3.2	11	1	1	2	4	6	8	15
50-64	1177	3.3	7	1	1	2	4	7	9	13
65+	1683	3.9	12	1	2	3	5	7	10	18
GRAND TOTAL	**8559**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	2.5	5	1	1	2	3	5	6	11
20-34	35	2.2	2	1	1	2	3	3	5	6
35-49	32	2.3	2	<1	1	2	3	4	5	7
50-64	27	2.9	7	1	1	2	3	6	7	14
65+	19	2.3	2	<1	1	2	3	4	6	7
B. Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	22	3.0	5	<1	1	2	4	6	8	9
35-49	17	2.5	4	1	1	1	4	5	6	7
50-64	6	3.3	5	<1	<1	3	5	7	7	7
65+	11	3.5	10	<1	1	2	5	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	284	2.6	8	1	1	2	3	5	7	15
20-34	210	3.1	7	1	1	2	4	6	8	15
35-49	272	3.4	7	1	2	3	4	7	9	14
50-64	339	3.8	9	1	2	3	5	8	10	15
65+	754	4.3	10	1	2	3	6	8	10	18
B. Operated										
0-19 YRS	60	3.4	18	1	1	1	5	7	11	26
20-34	96	3.2	30	1	1	1	3	6	9	34
35-49	91	4.7	25	1	1	3	5	9	18	25
50-64	107	5.2	29	1	1	4	6	12	17	27
65+	239	5.7	28	1	2	4	8	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	2.4	4	1	1	2	3	5	6	11
B. Operated	58	3.0	6	<1	1	2	4	7	8	9
2. MULTIPLE DX										
A. Not Operated	1859	3.7	9	1	2	3	5	7	9	15
B. Operated	593	4.8	28	1	1	3	6	11	16	26
1. SINGLE DX	233	2.6	4	1	1	2	3	5	7	11
2. MULTIPLE DX	2452	4.0	14	1	2	3	5	8	11	19
A. Not Operated	2034	3.6	9	1	2	3	5	7	9	15
B. Operated	651	4.7	26	1	1	3	6	10	16	25
TOTAL										
0-19 YRS	408	2.7	9	1	1	2	3	5	7	15
20-34	363	3.0	12	1	1	2	4	6	8	18
35-49	412	3.6	11	1	1	3	5	7	9	18
50-64	479	4.0	14	1	2	3	5	8	11	19
65+	1023	4.6	15	1	2	3	6	9	12	20
GRAND TOTAL	**2685**	**3.8**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	410	2.8	18	1	1	2	3	6	8	17
20-34	139	2.5	4	1	1	2	3	5	6	10
35-49	185	2.1	4	1	1	2	2	4	7	10
50-64	183	1.9	2	< 1	1	1	2	4	5	6
65 +	313	2.3	4	1	1	2	3	4	5	9
B. Operated										
0-19 YRS	52	2.5	40	< 1	< 1	1	2	3	5	45
20-34	59	2.4	5	< 1	1	1	3	5	6	13
35-49	64	1.5	1	< 1	1	1	2	3	3	6
50-64	53	1.5	1	< 1	1	1	1	4	4	6
65 +	19	2.6	5	< 1	1	1	4	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	916	4.4	29	1	1	3	5	9	13	27
20-34	454	3.2	13	1	1	2	4	6	8	19
35-49	795	2.9	12	1	1	2	3	6	8	20
50-64	1438	2.9	12	1	1	2	3	6	7	12
65 +	4922	3.7	10	1	2	3	5	7	9	16
B. Operated										
0-19 YRS	145	8.7	119	1	2	5	10	26	40	99 +
20-34	82	3.5	28	1	1	2	3	9	11	33
35-49	154	4.7	49	1	1	2	5	11	15	40
50-64	233	5.0	58	1	1	3	6	10	16	39
65 +	583	6.1	46	1	2	4	7	13	18	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1230	2.4	8	1	1	2	3	5	6	11
B. Operated	247	2.0	11	< 1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	8525	3.5	13	1	2	3	4	7	9	17
B. Operated	1197	5.8	58	1	2	3	7	13	19	45
1. SINGLE DX	1477	2.4	9	1	1	2	3	4	6	11
2. MULTIPLE DX	9722	3.8	19	1	2	3	5	8	11	21
A. Not Operated	9755	3.4	12	1	1	2	4	7	9	16
B. Operated	1444	5.2	52	1	1	3	6	12	17	40
TOTAL										
0-19 YRS	1523	4.3	37	1	1	2	5	9	14	38
20-34	734	3.0	13	1	1	2	4	6	8	18
35-49	1198	2.9	15	1	1	2	3	6	8	20
50-64	1907	3.0	17	1	1	2	4	6	8	15
65 +	5837	3.8	14	1	2	3	5	7	10	18
GRAND TOTAL	**11199**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	18.0		18	18	18	18	18	18	18
50-64	0									
65 +	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	31.4	825	< 1	9	23	50	77	92	97
20-34	10	9.7	202	< 1	< 1	2	14	35	41	41
35-49	3	5.3	56	< 1	< 1	< 1	11	14	14	14
50-64	0									
65 +	2	13.5	313	1	1	13	26	26	26	26
B. Operated										
0-19 YRS	37	30.4	451	6	18	34	56	99 +	99 +	99 +
20-34	39	25.5	587	< 1	1	22	45	65	82	99 +
35-49	17	27.8	904	< 1	3	23	76	99 +	99 +	99 +
50-64	12	22.9	581	1	5	13	38	65	69	70
65 +	10	15.3	383	< 1	1	5	23	49	55	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	4	13.0	34	7	8	13	18	18	18	18
2. MULTIPLE DX										
A. Not Operated	34	21.7	644	< 1	1	13	32	58	82	97
B. Operated	115	26.3	569	< 1	6	24	47	88	99 +	99 +
1. SINGLE DX	6	9.5	50	2	3	8	18	18	18	18
2. MULTIPLE DX	149	25.2	586	< 1	3	22	45	87	99 +	99 +
A. Not Operated	36	20.6	627	< 1	1	11	30	57	80	97
B. Operated	119	25.8	557	1	7	22	47	88	99 +	99 +
TOTAL										
0-19 YRS	58	29.9	568	1	16	28	52	99 +	99 +	99 +
20-34	51	21.6	533	< 1	1	16	40	63	75	99 +
35-49	21	24.1	795	< 1	2	17	59	99 +	99 +	99 +
50-64	12	22.9	581	1	5	13	38	65	69	70
65 +	13	15.2	314	1	1	7	24	46	53	55
GRAND TOTAL	**155**	**24.6**	**574**	**< 1**	**3**	**21**	**45**	**86**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	214	1.7	5	<1	1	1	2	3	4	8
20-34	20	3.2	7	<1	1	2	4	7	10	10
35-49	4	3.8	14	<1	<1	2	6	9	9	9
50-64	3	1.3		1	1	1	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	67	3.9	5	2	2	4	5	7	8	10
20-34	17	4.0	5	2	2	4	5	8	9	9
35-49	10	4.0	8	1	2	3	5	8	11	11
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	268	3.7	35	1	1	2	4	8	11	28
20-34	69	5.1	23	1	2	4	6	12	16	22
35-49	37	7.8	161	1	2	3	10	17	24	73
50-64	21	6.8	26	2	3	5	10	16	17	18
65+	15	6.3	20	1	2	7	10	12	13	13
B. Operated										
0-19 YRS	162	7.6	58	2	3	5	9	18	26	47
20-34	114	11.9	264	1	4	7	11	29	57	94
35-49	57	12.2	203	2	5	8	15	21	33	94
50-64	21	10.5	53	2	4	11	14	22	24	25
65+	17	11.4	94	3	5	7	14	30	32	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	243	1.8	5	<1	1	1	2	3	5	10
B. Operated	98	3.9	5	2	2	3	5	7	9	11
2. MULTIPLE DX										
A. Not Operated	410	4.5	45	1	1	2	5	10	15	28
B. Operated	371	10.0	148	2	3	6	12	22	32	88
1. SINGLE DX	341	2.4	6	1	1	1	3	5	7	10
2. MULTIPLE DX	781	7.1	101	1	2	4	8	16	24	66
A. Not Operated	653	3.5	32	1	1	2	4	8	12	24
B. Operated	469	8.7	124	2	3	5	10	19	28	76
TOTAL										
0-19 YRS	711	4.0	33	1	1	2	4	9	13	29
20-34	220	8.3	158	1	2	4	9	16	31	82
35-49	108	9.6	170	1	3	6	12	20	23	83
50-64	47	7.9	43	1	2	5	13	17	21	25
65+	36	8.4	61	1	3	6	10	16	30	33
GRAND TOTAL	1122	5.7	77	1	1	3	6	13	19	48

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	2.1	3	1	1	1	3	5	6	8
20-34	26	3.2	7	1	2	3	4	6	8	14
35-49	19	2.9	8	<1	1	2	4	6	10	13
50-64	9	2.7	7	<1	1	2	3	7	9	9
65+	2	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	28	4.3	6	1	2	4	6	8	8	10
20-34	21	4.5	4	2	3	5	6	7	7	7
35-49	7	11.1	361	1	2	5	7	45	54	54
50-64	4	4.0	13	1	1	3	6	9	9	9
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	286	4.2	27	1	1	2	5	10	14	26
20-34	146	5.5	43	1	2	3	7	13	17	26
35-49	74	6.4	51	1	2	4	8	15	21	35
50-64	31	4.8	17	1	2	4	6	9	17	18
65+	47	7.4	42	1	2	7	10	15	24	26
B. Operated										
0-19 YRS	118	7.8	56	2	3	6	10	15	27	33
20-34	149	8.9	114	1	3	6	11	18	26	62
35-49	82	12.8	210	2	4	7	19	26	45	93
50-64	30	12.3	92	2	5	10	19	27	39	99+
65+	31	15.6	261	2	4	9	21	41	52	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	171	2.4	4	1	1	2	3	5	6	12
B. Operated	61	5.2	46	1	2	4	6	8	9	49
2. MULTIPLE DX										
A. Not Operated	584	5.1	35	1	2	3	6	12	16	29
B. Operated	410	10.1	131	2	3	7	12	25	32	76
1. SINGLE DX	232	3.1	16	1	1	2	4	6	7	13
2. MULTIPLE DX	994	7.2	81	1	2	4	9	16	25	49
A. Not Operated	755	4.5	29	1	1	3	5	10	15	26
B. Operated	471	9.5	122	2	3	6	11	22	31	72
TOTAL										
0-19 YRS	547	4.5	30	1	1	3	5	10	15	31
20-34	342	6.7	72	1	2	4	8	14	19	56
35-49	182	9.1	141	1	2	5	12	22	30	79
50-64	74	7.5	60	1	2	4	10	20	26	85
65+	81	10.5	139	1	3	8	12	25	36	60
GRAND TOTAL	1226	6.4	71	1	2	4	7	15	22	45

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.2	2	<1	1	2	3	4	4	4
20-34	34	1.8	1	<1	1	2	2	3	4	4
35-49	8	2.1	1	1	1	2	3	3	3	3
50-64	4	2.3	1	1	1	2	3	3	3	3
65 +	5	1.6	1	<1	1	1	2	3	3	3
B. Operated										
0-19 YRS	202	1.9	2	<1	1	1	2	4	5	6
20-34	485	2.7	4	1	1	2	4	5	6	10
35-49	186	2.9	5	1	1	2	4	6	7	11
50-64	37	2.3	6	1	1	1	3	4	6	15
65 +	8	2.8	4	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	1.8	2	<1	1	1	2	4	5	8
20-34	118	2.7	7	<1	1	2	3	6	9	12
35-49	57	3.3	8	1	1	2	4	7	11	12
50-64	23	2.9	5	1	1	2	4	5	7	10
65 +	32	3.7	6	1	2	3	5	7	10	10
B. Operated										
0-19 YRS	336	3.6	14	1	1	2	4	8	12	18
20-34	815	4.2	21	1	2	3	5	9	12	25
35-49	363	4.9	25	1	2	3	6	10	14	29
50-64	102	5.2	29	1	2	3	6	11	17	28
65 +	95	5.8	47	1	2	4	7	12	21	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	1.9	1	<1	1	2	3	3	4	4
B. Operated	918	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	282	2.8	6	1	1	2	3	6	9	12
B. Operated	1711	4.4	23	1	2	3	5	9	13	26
1. SINGLE DX	981	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1993	4.2	21	1	2	3	5	9	12	25
A. Not Operated	345	2.6	5	1	1	2	3	5	8	12
B. Operated	2629	3.8	17	1	1	3	5	8	11	21
TOTAL										
0-19 YRS	602	2.9	9	1	1	2	3	6	9	17
20-34	1452	3.6	14	1	1	3	4	7	10	18
35-49	614	4.1	18	1	1	3	5	9	12	23
50-64	166	4.2	22	1	1	2	5	10	13	25
65 +	140	5.0	35	1	2	3	6	10	17	34
GRAND TOTAL	**2974**	**3.6**	**16**	**1**	**1**	**2**	**4**	**7**	**11**	**20**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	2.9	5	1	1	3	4	5	7	11
20-34	184	3.4	7	1	2	3	4	6	9	13
35-49	127	4.5	45	1	2	3	4	8	13	39
50-64	88	4.0	11	1	2	3	5	7	9	21
65 +	82	4.1	6	2	2	3	6	7	9	11
B. Operated										
0-19 YRS	18	7.2	18	2	4	7	9	12	16	19
20-34	55	7.7	40	2	4	6	9	16	20	32
35-49	19	7.0	27	1	3	7	9	12	18	23
50-64	12	9.1	25	3	5	9	12	17	18	18
65 +	7	6.9	8	4	5	6	8	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	135	3.6	14	1	1	3	5	8	10	17
20-34	339	4.6	24	1	2	4	5	8	10	36
35-49	279	4.8	11	1	2	4	6	9	11	18
50-64	230	5.9	30	2	3	4	7	11	15	27
65 +	1098	6.5	22	2	4	6	8	12	14	26
B. Operated										
0-19 YRS	84	9.3	78	2	4	8	12	19	26	84
20-34	242	9.7	68	2	4	7	13	20	27	49
35-49	172	9.4	57	3	4	8	12	17	22	34
50-64	85	10.8	117	2	4	8	13	23	38	90
65 +	143	11.4	62	4	7	9	15	22	30	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	561	3.8	16	1	2	3	4	7	9	20
B. Operated	111	7.6	30	2	4	7	9	13	19	32
2. MULTIPLE DX										
A. Not Operated	2081	5.7	22	2	3	5	7	11	13	24
B. Operated	726	10.0	71	3	4	8	13	20	26	49
1. SINGLE DX	672	4.4	20	1	2	3	5	9	11	21
2. MULTIPLE DX	2807	6.8	39	2	3	5	8	13	17	34
A. Not Operated	2642	5.3	22	1	3	4	7	10	13	23
B. Operated	837	9.7	66	2	4	8	12	19	25	48
TOTAL										
0-19 YRS	317	5.1	35	1	2	3	7	11	14	41
20-34	820	6.1	41	1	2	4	7	13	17	36
35-49	597	6.1	36	1	3	5	8	12	16	31
50-64	415	6.6	49	2	3	5	8	13	20	41
65 +	1330	6.9	28	2	4	6	8	12	16	30
GRAND TOTAL	**3479**	**6.4**	**36**	**2**	**3**	**5**	**8**	**12**	**16**	**33**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	8.0	106	2	2	3	12	26	26	26
20-34	9	7.7	44	1	2	6	14	17	18	18
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64	4	11.5	34	6	7	10	16	19	19	19
65+	0									
B. Operated										
0-19 YRS	3	11.7	202	2	3	5	22	28	28	28
20-34	12	12.7	143	3	6	8	16	26	44	47
35-49	6	13.8	89	3	4	15	18	27	28	28
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	15.9	976	2	3	5	7	67	93	93
20-34	28	10.8	93	2	4	8	14	25	32	40
35-49	13	14.2	324	1	1	5	30	63	92	99+
50-64	10	9.0	33	2	5	8	10	18	22	22
65+	19	7.7	17	2	5	8	11	13	14	15
B. Operated										
0-19 YRS	39	24.6	358	7	11	23	49	99+	99+	99+
20-34	104	23.3	324	9	12	18	36	98	99+	99+
35-49	51	23.0	249	9	13	20	30	57	78	99+
50-64	28	23.0	338	7	9	18	29	48	68	76
65+	21	27.7	519	10	11	22	38	61	84	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	8.6	51	1	3	6	14	18	22	26
B. Operated	23	12.5	114	3	4	9	17	26	35	47
2. MULTIPLE DX										
A. Not Operated	78	10.9	187	2	3	8	13	25	38	98
B. Operated	243	23.8	328	8	12	19	36	77	99+	99+
1. SINGLE DX	43	10.7	86	2	4	7	16	20	28	47
2. MULTIPLE DX	321	20.7	324	5	9	16	31	65	99+	99+
A. Not Operated	98	10.4	159	2	3	7	13	23	33	97
B. Operated	266	22.8	319	7	11	18	33	74	99+	99+
TOTAL										
0-19 YRS	55	21.1	428	2	7	14	37	84	99+	99+
20-34	153	19.3	284	4	6	16	28	74	99+	99+
35-49	72	20.3	257	4	10	18	29	55	77	99+
50-64	43	18.4	267	6	8	12	23	42	55	76
65+	41	17.9	371	4	7	11	23	42	62	92
GRAND TOTAL	**364**	**19.5**	**306**	**4**	**8**	**15**	**28**	**55**	**99+**	**99+**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.5	1	<1	1	1	2	3	4	4
20-34	45	1.7	1	1	1	1	2	3	4	4
35-49	50	1.8	1	1	1	2	2	3	4	5
50-64	38	2.6	4	1	1	2	3	6	8	8
65+	24	3.9	11	1	2	3	5	10	12	13
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	4.0	7	1	2	4	6	7	7	7
35-49	7	6.4	69	1	1	2	11	20	22	22
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	2.5	6	1	1	2	3	4	8	15
20-34	187	3.0	5	1	1	2	4	6	7	11
35-49	276	3.5	8	1	2	2	5	7	9	14
50-64	290	3.8	9	1	2	3	5	7	9	14
65+	574	5.4	15	2	3	4	7	10	12	19
B. Operated										
0-19 YRS	20	5.9	24	1	3	5	7	9	16	24
20-34	105	6.5	60	2	3	4	8	12	20	44
35-49	137	7.2	55	2	3	5	9	14	21	40
50-64	101	9.6	86	2	4	6	13	18	25	51
65+	143	11.8	122	2	5	9	14	22	36	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	169	2.2	3	1	1	2	3	4	5	11
B. Operated	13	5.0	39	1	1	3	5	16	21	22
2. MULTIPLE DX										
A. Not Operated	1390	4.2	12	1	2	3	6	8	10	16
B. Operated	506	8.8	84	2	3	6	11	18	25	56
1. SINGLE DX	182	2.4	6	1	1	2	3	4	7	14
2. MULTIPLE DX	1896	5.4	35	1	2	4	7	11	15	29
A. Not Operated	1559	4.0	11	1	2	3	5	8	10	16
B. Operated	519	8.7	83	2	3	6	11	18	25	56
TOTAL										
0-19 YRS	97	3.1	11	1	1	2	4	7	8	20
20-34	341	3.9	24	1	1	3	5	8	10	24
35-49	470	4.4	25	1	2	3	5	9	12	28
50-64	429	5.1	33	1	2	3	6	11	15	28
65+	741	6.6	42	2	3	5	8	12	17	36
GRAND TOTAL	**2078**	**5.2**	**33**	**1**	**2**	**4**	**8**	**10**	**14**	**29**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	3.6	17	1	1	3	4	6	8	26
20-34	69	6.3	57	1	2	3	8	14	21	41
35-49	45	7.5	124	2	3	5	7	15	25	63
50-64	41	4.6	10	2	3	4	6	11	13	99+
65+	129	5.3	17	1	3	5	7	10	12	19
B. Operated										
0-19 YRS	11	8.2	46	1	3	7	12	18	23	24
20-34	8	9.3	21	2	6	10	13	14	14	14
35-49	14	9.4	20	5	6	8	12	15	19	20
50-64	4	15.3	138	5	7	12	23	32	32	32
65+	3	12.3	69	3	6	15	18	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	115	5.1	19	1	2	4	7	9	12	26
20-34	181	8.3	97	2	3	5	10	16	26	58
35-49	122	6.4	34	2	3	5	8	12	17	34
50-64	125	7.3	26	2	4	6	9	14	16	27
65+	1017	7.0	24	2	4	6	9	13	16	25
B. Operated										
0-19 YRS	75	12.7	145	3	5	9	15	24	44	62
20-34	168	13.6	100	4	7	11	17	26	38	48
35-49	108	15.8	128	5	8	13	20	34	43	99+
50-64	59	17.6	176	5	8	13	21	41	48	57
65+	101	15.7	199	4	6	12	21	34	51	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	330	5.5	40	1	2	4	6	10	14	42
B. Operated	40	9.8	41	3	5	9	13	17	22	32
2. MULTIPLE DX										
A. Not Operated	1560	7.0	34	2	4	6	8	13	16	28
B. Operated	511	14.8	142	4	7	12	18	31	44	69
1. SINGLE DX	370	6.0	42	1	2	4	7	12	15	41
2. MULTIPLE DX	2071	8.9	72	2	4	6	11	18	25	48
A. Not Operated	1890	6.7	35	2	3	5	8	13	16	30
B. Operated	551	14.4	136	4	7	12	18	31	43	67
TOTAL										
0-19 YRS	247	7.2	71	1	2	4	9	15	23	45
20-34	426	10.1	99	2	3	7	13	22	30	48
35-49	289	10.2	100	2	4	7	13	22	32	60
50-64	229	9.6	87	2	4	7	12	20	28	54
65+	1250	7.5	44	2	4	6	9	14	19	34
GRAND TOTAL	**2441**	**8.5**	**68**	**2**	**4**	**6**	**10**	**16**	**24**	**47**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	2.1	6	<1	1	1	2	4	6	14
20-34	33	3.0	24	1	1	2	3	4	5	30
35-49	21	2.1	1	1	2	2	2	3	4	5
50-64	9	2.7	5	<1	1	2	3	6	8	8
65+	40	2.4	3	1	1	2	3	4	7	9
B. Operated										
0-19 YRS	910	1.8	7	1	1	1	2	3	4	18
20-34	96	2.7	3	1	1	2	4	5	6	9
35-49	86	2.8	4	1	2	2	4	5	6	11
50-64	82	3.2	8	1	1	2	4	6	9	15
65+	86	3.3	4	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	2.3	3	1	1	2	3	5	5	7
20-34	35	3.7	10	1	1	3	5	10	12	12
35-49	48	4.7	67	<1	1	2	4	9	24	41
50-64	63	4.2	22	1	2	3	5	9	11	30
65+	301	4.8	20	1	2	3	6	10	14	22
B. Operated										
0-19 YRS	265	3.4	17	1	1	2	4	7	11	23
20-34	153	6.0	35	1	2	4	7	13	18	31
35-49	118	6.1	50	1	2	3	8	13	19	43
50-64	147	6.0	38	2	3	4	7	12	16	36
65+	409	6.9	47	2	3	5	9	12	18	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	173	2.4	8	<1	1	2	3	4	6	14
B. Operated	1260	2.2	6	1	1	1	2	4	6	15
2. MULTIPLE DX										
A. Not Operated	488	4.4	23	1	2	3	5	9	13	25
B. Operated	1092	5.7	39	1	2	4	7	12	16	30
1. SINGLE DX	1433	2.2	7	1	1	1	2	4	6	15
2. MULTIPLE DX	1580	5.3	34	1	2	4	6	11	15	30
A. Not Operated	661	3.9	20	1	1	2	5	8	12	25
B. Operated	2352	3.8	25	1	1	2	4	8	12	26
TOTAL										
0-19 YRS	1286	2.2	9	1	1	1	2	4	6	19
20-34	317	4.4	24	1	2	3	5	9	14	29
35-49	273	4.5	37	1	2	3	5	10	14	40
50-64	301	4.8	27	1	2	3	6	9	13	33
65+	836	5.6	33	1	2	4	7	11	14	26
GRAND TOTAL	**3013**	**3.8**	**24**	**1**	**1**	**2**	**5**	**8**	**12**	**25**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	1.9	1	<1	1	1	3	4	4	4
20-34	35	2.2	2	1	1	2	3	4	5	5
35-49	19	2.4	2	<1	1	2	4	4	5	6
50-64	10	2.8	2	1	2	3	4	4	4	4
65+	5	4.2	20	<1	1	1	8	10	10	10
B. Operated										
0-19 YRS	805	1.6	2	<1	1	1	2	3	4	6
20-34	444	2.8	7	1	1	2	3	6	8	13
35-49	327	2.7	12	1	1	2	3	5	9	17
50-64	165	2.2	3	1	1	2	3	4	5	11
65+	179	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	2.7	15	<1	1	1	2	5	15	17
20-34	51	2.1	2	<1	1	2	3	4	5	7
35-49	23	3.9	9	1	1	3	5	8	10	12
50-64	30	3.1	4	1	1	2	5	6	7	8
65+	60	4.9	34	1	2	3	6	10	20	28
B. Operated										
0-19 YRS	336	3.0	12	1	1	2	3	7	9	20
20-34	412	4.6	25	1	2	3	5	9	12	25
35-49	285	4.4	21	1	2	3	5	9	12	25
50-64	251	4.4	56	1	2	3	4	8	11	48
65+	418	4.7	18	1	2	3	6	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	2.3	3	1	1	2	3	4	5	9
B. Operated	1920	2.2	5	1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	197	3.4	16	1	1	2	4	7	10	23
B. Operated	1702	4.2	25	1	2	3	5	9	12	25
1. SINGLE DX	2026	2.2	5	1	1	1	3	4	6	11
2. MULTIPLE DX	1899	4.2	24	1	2	3	5	8	12	25
A. Not Operated	303	3.0	12	1	1	2	4	6	8	20
B. Operated	3622	3.2	15	1	1	2	4	6	10	18
TOTAL										
0-19 YRS	1211	2.0	5	1	1	1	2	4	5	12
20-34	942	3.5	15	1	1	2	4	7	10	18
35-49	654	3.4	16	1	1	2	4	7	10	19
50-64	456	3.5	33	1	1	2	4	6	9	44
65+	662	4.1	17	1	2	3	5	8	12	23
GRAND TOTAL	**3925**	**3.1**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	1.9	1	1	1	2	3	3	4	4
20-34	54	2.0	2	1	1	2	2	4	4	8
35-49	19	1.7	1	<1	1	2	2	3	3	3
50-64	5	1.6		<1	1	2	2	2	2	2
65+	2	7.0	8	5	5	7	9	9	9	9
B. Operated										
0-19 YRS	161	1.8	4	<1	1	1	2	4	5	9
20-34	265	2.2	3	1	1	1	3	4	6	9
35-49	126	2.2	4	<1	1	1	3	4	6	12
50-64	47	2.2	3	1	1	2	3	5	6	7
65+	14	1.7	1	1	1	1	2	3	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	2.3	3	<1	1	2	3	5	6	7
20-34	49	2.7	5	1	1	2	3	5	7	13
35-49	22	2.2	2	<1	1	2	3	4	5	6
50-64	5	4.0	8	1	2	3	7	7	7	7
65+	9	5.4	26	1	2	3	9	14	15	15
B. Operated										
0-19 YRS	109	3.0	17	1	1	2	3	6	8	23
20-34	323	3.2	13	1	1	2	4	6	8	15
35-49	172	3.1	14	1	1	2	4	6	7	21
50-64	87	3.1	8	1	1	2	4	7	9	15
65+	51	3.7	21	1	1	2	4	8	12	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	2.0	2	1	1	2	2	3	4	8
B. Operated	613	2.1	3	<1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	106	2.8	6	1	1	2	3	6	7	14
B. Operated	742	3.2	14	1	1	2	4	6	8	18
1. SINGLE DX	717	2.1	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	848	3.1	13	1	1	2	4	6	8	16
A. Not Operated	210	2.4	4	1	1	2	3	4	7	12
B. Operated	1355	2.7	9	1	1	2	3	5	7	13
TOTAL										
0-19 YRS	315	2.3	8	<1	1	1	3	4	6	13
20-34	691	2.7	8	1	1	2	3	5	7	12
35-49	339	2.6	9	1	1	2	3	6	7	12
50-64	144	2.8	6	1	1	2	3	6	8	13
65+	76	3.6	18	1	1	2	4	8	12	25
GRAND TOTAL	**1565**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

308 Hospitals, Western Region, January-December 1989

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	9.1	90	1	2	4	16	26	27	27
20-34	6	3.8	12	1	1	3	5	9	10	10
35-49	6	6.2	9	3	4	5	8	11	11	11
50-64	10	4.5	4	2	4	4	5	7	9	9
65+	91	8.4	67	2	3	6	10	18	29	40
B. Operated										
0-19 YRS	77	6.2	32	1	3	4	7	15	21	24
20-34	62	9.1	52	3	5	7	11	16	23	38
35-49	87	6.9	77	3	4	5	7	11	14	59
50-64	207	6.8	10	4	5	6	8	11	12	19
65+	949	8.1	10	5	6	8	10	12	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	12.3	107	2	3	10	19	23	34	37
20-34	7	11.0	453	1	1	3	6	49	59	59
35-49	24	8.8	76	2	4	7	10	16	25	44
50-64	50	9.9	167	2	3	6	12	20	33	81
65+	551	8.7	58	2	4	7	11	17	22	42
B. Operated										
0-19 YRS	83	7.6	26	2	4	7	11	16	19	74
20-34	130	12.4	115	5	6	10	14	24	29	68
35-49	224	10.4	75	5	6	8	12	18	25	62
50-64	613	10.3	51	5	6	9	12	16	22	43
65+	7850	10.1	33	6	7	9	12	15	19	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	7.9	62	2	3	5	10	18	26	39
B. Operated	1382	7.8	18	4	5	7	9	12	14	21
2. MULTIPLE DX										
A. Not Operated	646	8.9	71	2	4	7	11	18	23	45
B. Operated	8900	10.2	36	5	7	9	12	15	20	34
1. SINGLE DX	1516	7.8	22	4	5	7	9	12	15	25
2. MULTIPLE DX	9546	10.1	39	5	7	9	12	16	20	35
A. Not Operated	780	8.7	70	2	4	6	11	18	23	43
B. Operated	10282	9.8	35	5	7	9	11	15	19	33
TOTAL										
0-19 YRS	195	7.5	43	1	3	5	10	19	22	33
20-34	205	11.1	106	4	6	8	14	19	29	61
35-49	341	9.3	77	4	5	7	11	16	22	58
50-64	880	9.4	49	4	6	8	11	15	19	39
65+	9441	9.8	33	5	7	9	11	15	19	32
GRAND TOTAL	**11062**	**9.8**	**37**	**5**	**7**	**9**	**11**	**15**	**19**	**34**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	277	11.6	103	1	2	11	20	24	31	38
20-34	14	9.4	108	2	3	4	14	30	32	32
35-49	7	22.3	838	2	3	7	30	72	82	82
50-64	4	3.8	2	2	2	4	5	5	5	5
65+	42	10.4	163	2	3	7	11	21	43	58
B. Operated										
0-19 YRS	364	8.4	76	1	2	4	12	22	27	35
20-34	126	10.3	82	4	5	8	12	22	31	44
35-49	55	9.0	113	2	4	6	10	18	23	73
50-64	34	8.7	39	3	5	7	11	14	19	34
65+	53	8.9	22	5	6	8	11	14	15	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	151	15.1	134	1	4	16	21	28	36	50
20-34	28	8.7	81	1	2	7	12	17	22	45
35-49	25	10.1	263	2	3	4	10	20	47	78
50-64	33	9.1	129	1	2	4	10	22	40	47
65+	208	10.8	146	2	4	7	11	27	36	63
B. Operated										
0-19 YRS	485	12.2	99	2	5	9	17	24	33	46
20-34	330	12.8	125	4	7	10	15	23	32	73
35-49	159	13.5	148	4	7	10	16	24	44	69
50-64	122	13.2	105	5	7	11	16	22	39	69
65+	482	12.4	98	5	7	10	15	21	27	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	344	11.5	124	1	2	8	20	24	32	43
B. Operated	632	8.9	74	2	3	6	11	21	26	38
2. MULTIPLE DX										
A. Not Operated	445	11.9	147	2	4	8	17	27	36	62
B. Operated	1578	12.6	109	4	7	10	16	23	32	65
1. SINGLE DX	976	9.8	93	1	3	6	14	22	29	39
2. MULTIPLE DX	2023	12.4	118	3	6	10	16	24	33	63
A. Not Operated	789	11.7	137	1	3	8	18	25	34	57
B. Operated	2210	11.5	102	3	5	9	15	23	30	58
TOTAL										
0-19 YRS	1277	11.3	102	1	3	8	18	24	30	42
20-34	498	11.8	113	4	6	9	14	23	32	60
35-49	246	12.4	173	3	5	9	15	23	39	78
50-64	193	11.5	100	3	6	9	14	21	34	58
65+	785	11.6	110	4	6	9	14	20	31	63
GRAND TOTAL	**2999**	**11.6**	**111**	**2**	**5**	**9**	**16**	**23**	**31**	**57**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	2.1	7	1	1	1	2	3	4	18
20-34	122	3.1	22	1	1	2	4	5	8	26
35-49	76	3.1	17	1	1	2	4	5	7	28
50-64	31	3.0	10	1	1	2	4	6	7	17
65 +	36	4.2	17	1	2	3	5	7	11	24
B. Operated										
0-19 YRS	406	3.2	10	1	2	2	4	6	8	18
20-34	511	4.7	26	1	2	4	5	8	12	28
35-49	355	5.0	29	1	2	4	6	9	12	27
50-64	142	5.9	38	2	3	4	7	10	14	30
65 +	59	5.6	18	2	3	5	7	10	14	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	3.2	8	1	1	2	4	6	10	13
20-34	73	3.3	7	1	1	3	4	7	9	13
35-49	63	4.6	33	1	2	3	5	8	14	34
50-64	79	5.3	43	1	2	3	7	10	11	43
65 +	202	6.3	27	2	3	5	8	12	15	28
B. Operated										
0-19 YRS	301	6.3	42	1	3	5	7	13	19	36
20-34	518	8.9	85	2	3	6	11	18	26	51
35-49	430	8.5	83	2	3	6	11	17	23	48
50-64	264	8.6	72	2	4	6	10	15	25	42
65 +	286	8.7	36	3	5	7	11	16	19	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	396	2.9	15	1	1	2	3	5	7	21
B. Operated	1473	4.5	24	1	2	3	5	8	11	26
2. MULTIPLE DX										
A. Not Operated	501	5.0	26	1	2	4	6	10	13	26
B. Operated	1799	8.3	68	2	3	6	10	16	23	40
1. SINGLE DX	1869	4.2	23	1	2	3	5	8	10	26
2. MULTIPLE DX	2300	7.6	61	2	3	5	9	15	21	39
A. Not Operated	897	4.1	22	1	1	3	5	8	11	25
B. Operated	3272	6.6	52	2	3	4	8	13	19	37
TOTAL										
0-19 YRS	922	4.1	22	1	2	3	5	8	12	27
20-34	1224	6.2	55	1	2	4	7	13	18	38
35-49	924	6.5	57	1	3	4	8	13	18	37
50-64	516	7.0	57	2	3	5	8	13	20	40
65 +	583	7.3	32	2	4	6	9	14	17	25
GRAND TOTAL	**4169**	**6.0**	**46**	**1**	**2**	**4**	**7**	**12**	**17**	**35**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	1.9	1	< 1	1	1	2	4	4	6
20-34	93	2.3	2	1	1	2	3	4	5	7
35-49	85	3.3	47	1	1	2	3	4	7	48
50-64	39	2.7	6	1	1	2	3	5	6	15
65 +	26	3.1	2	2	2	3	4	5	6	6
B. Operated										
0-19 YRS	614	2.4	6	1	1	2	3	4	6	12
20-34	1239	3.3	11	1	2	3	4	6	9	14
35-49	1092	3.5	10	1	2	3	4	6	8	16
50-64	681	3.5	5	1	2	3	4	6	7	11
65 +	354	4.0	6	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	1.9	3	1	1	1	2	3	4	11
20-34	105	3.4	9	1	2	3	4	6	9	17
35-49	87	3.7	9	1	2	3	5	8	10	16
50-64	74	5.2	74	1	2	3	5	11	15	58
65 +	172	4.6	10	2	3	4	6	8	9	21
B. Operated										
0-19 YRS	345	4.5	31	1	2	3	5	8	12	32
20-34	802	5.2	34	1	2	4	6	10	13	31
35-49	724	5.2	32	2	2	4	6	9	14	30
50-64	591	5.1	22	2	3	4	6	9	12	23
65 +	768	6.1	25	2	4	5	7	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	297	2.6	16	1	1	2	3	5	5	12
B. Operated	3980	3.3	9	1	2	3	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	488	4.0	19	1	2	3	5	7	10	17
B. Operated	3230	5.3	29	2	3	4	6	10	13	28
1. SINGLE DX	4277	3.3	9	1	2	3	4	6	8	14
2. MULTIPLE DX	3718	5.2	28	2	2	4	6	9	13	28
A. Not Operated	785	3.5	18	1	1	3	4	6	8	16
B. Operated	7210	4.2	19	1	2	3	5	8	10	22
TOTAL										
0-19 YRS	1063	3.1	14	1	1	2	3	6	8	21
20-34	2239	4.0	20	1	2	3	5	8	11	22
35-49	1988	4.1	20	1	2	3	5	7	10	25
50-64	1385	4.3	17	2	2	3	5	7	10	18
65 +	1320	5.3	19	2	3	4	6	9	11	24
GRAND TOTAL	**7995**	**4.2**	**19**	**1**	**2**	**3**	**5**	**8**	**10**	**22**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3	1	<1	1	2	3	3	3	3
20-34	12	1.8	2	1	1	1	2	4	5	5
35-49	6	2.0	1	1	1	2	3	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2
65 +	4	5.0	2	3	4	5	6	6	6	6
B. Operated										
0-19 YRS	10	1.5	1	1	1	1	2	3	3	3
20-34	32	2.3	8	1	1	2	2	3	10	14
35-49	17	4.3	32	1	1	2	4	15	19	20
50-64	5	1.6	1	1	1	1	2	3	3	3
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.0	2	1	1	2	2	4	5	7
20-34	111	2.6	6	1	1	2	3	5	7	16
35-49	69	3.4	6	1	2	2	5	7	8	10
50-64	49	4.2	25	1	2	3	4	11	14	30
65 +	53	5.1	19	1	2	4	7	9	10	27
B. Operated										
0-19 YRS	26	2.7	11	1	1	2	3	6	8	17
20-34	66	3.8	12	1	2	3	4	8	11	21
35-49	41	4.6	20	1	2	3	5	8	15	24
50-64	19	4.3	15	1	2	3	6	8	13	17
65 +	15	4.1	12	1	2	3	5	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.3	2	1	1	2	3	5	6	6
B. Operated	66	2.6	13	1	1	2	2	4	12	20
2. MULTIPLE DX										
A. Not Operated	334	3.3	11	1	1	2	4	7	9	15
B. Operated	167	3.9	14	1	2	3	4	8	12	21
1. SINGLE DX	95	2.5	10	1	1	2	3	4	6	19
2. MULTIPLE DX	501	3.5	12	1	1	2	4	7	10	17
A. Not Operated	363	3.2	11	1	1	2	4	7	9	15
B. Operated	233	3.5	14	1	1	2	4	7	12	20
TOTAL										
0-19 YRS	92	2.2	4	1	1	2	2	4	5	13
20-34	221	2.9	8	1	1	2	3	5	8	16
35-49	133	3.8	13	1	2	3	4	7	10	21
50-64	76	4.0	21	1	1	3	4	9	13	27
65 +	74	4.8	16	1	2	4	6	9	10	24
GRAND TOTAL	**596**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	2	11.0		11	11	11	11	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.3	2	2	2	4	4	5	5	5
20-34	5	6.6	11	3	4	5	9	11	11	11
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	8.0		8	8	8	8	8	8	8
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	3	11.3	44	4	11	17	99 +	99 +	99 +	99 +
20-34	6	11.7	43	4	5	11	18	20	20	20
35-49	7	16.0	83	6	9	17	20	30	32	32
50-64	3	7.3	24	4	4	5	11	13	13	13
65 +	3	39.0	1956	5	9	23	72	89	89	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.7	6	1	1	2	4	7	7	7
B. Operated	6	7.0	16	2	3	7	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	16	4.5	8	2	2	4	5	9	10	11
B. Operated	22	16.1	321	4	5	13	20	90	99 +	99 +
1. SINGLE DX	12	4.8	15	1	2	3	[illegible]	11	11	11
2. MULTIPLE DX	38	11.2	219	2	4	7	17	27	94	99 +
A. Not Operated	22	4.0	8	1	2	4	5	8	10	11
B. Operated	28	14.2	267	4	5	11	18	60	99 +	99 +
TOTAL										
0-19 YRS	15	4.7	20	1	2	4	8	83	99 +	99 +
20-34	12	8.8	33	3	4	7	12	19	20	20
35-49	11	11.9	86	2	5	9	18	25	31	32
50-64	7	7.6	19	2	4	8	11	13	13	13
65 +	5	24.8	1357	2	4	5	39	89	89	89
GRAND TOTAL	**50**	**9.7**	**177**	**2**	**4**	**5**	**12**	**22**	**83**	**99 +**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	50	1.3		1	1	1	2	2	2	3
20-34	160	1.6	1	1	1	1	2	3	3	4
35-49	82	1.5	1	1	1	1	2	3	3	5
50-64	31	1.8	2	1	1	1	2	3	5	6
65 +	10	2.2	6	1	1	1	3	6	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.8	2	< 1	1	1	2	4	4	4
20-34	21	1.6	1	< 1	1	1	2	4	4	4
35-49	11	2.1	2	< 1	1	2	3	4	4	4
50-64	5	2.8	5	1	1	2	4	6	6	6
65 +	7	3.6	2	2	3	4	5	71	99 +	99 +
B. Operated										
0-19 YRS	11	2.4	4	< 1	1	2	3	6	6	6
20-34	71	2.1	3	1	1	2	2	4	6	10
35-49	26	2.3	3	1	1	2	3	5	6	7
50-64	28	3.5	13	1	1	2	4	11	13	13
65 +	33	3.7	12	1	1	2	5	9	12	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.6	1	1	1	1	2	3	3	3
B. Operated	333	1.6	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	49	2.1	2	< 1	1	2	4	4	5	99 +
B. Operated	169	2.7	7	1	1	2	3	6	8	13
1. SINGLE DX	340	1.6	1	1	1	1	2	3	3	5
2. MULTIPLE DX	218	2.6	6	1	1	2	3	6	7	14
A. Not Operated	56	2.1	2	< 1	1	1	3	4	5	93
B. Operated	502	2.0	3	1	1	1	2	3	5	12
TOTAL										
0-19 YRS	68	1.5	1	1	1	1	2	2	3	6
20-34	255	1.8	1	1	1	1	2	3	4	6
35-49	121	1.7	1	1	1	1	2	3	4	6
50-64	64	2.6	7	1	1	2	3	5	8	13
65 +	50	3.4	9	1	1	2	5	8	12	99
GRAND TOTAL	**558**	**2.0**	**3**	**1**	**1**	**1**	**2**	**3**	**5**	**12**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	85	2.2	3	< 1	1	2	3	4	5	9
20-34	123	2.1	3	< 1	< 1	1	3	4	5	10
35-49	83	1.7	2	< 1	< 1	1	2	4	4	7
50-64	17	1.9	2	< 1	< 1	1	3	4	5	5
65 +	15	2.6	2	< 1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.3	4	< 1	< 1	1	3	5	5	5
35-49	4	3.5	8	1	1	3	6	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	7	5.9	52	2	2	4	5	19	22	22
B. Operated										
0-19 YRS	153	2.6	3	1	1	[illegible]	3	5	5	10
20-34	322	3.2	10	1	2	3	4	5	7	18
35-49	165	2.7	6	< 1	1	2	3	5	6	15
50-64	71	3.0	8	< 1	1	2	4	7	10	14
65 +	59	2.3	3	< 1	1	2	3	5	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.2	1	1	1	2	3	4	4	4
B. Operated	323	2.0	2	< 1	< 1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	16	4.3	26	1	1	3	5	6	17	22
B. Operated	770	2.9	7	1	1	2	4	5	7	13
1. SINGLE DX	329	2.0	2	< 1	< 1	1	3	4	5	8
2. MULTIPLE DX	786	2.9	7	1	1	2	4	5	7	14
A. Not Operated	22	3.7	20	1	1	2	4	6	13	22
B. Operated	1093	2.6	6	< 1	1	2	3	5	6	12
TOTAL										
0-19 YRS	239	2.5	3	< 1	1	2	3	4	5	10
20-34	452	2.9	8	< 1	1	2	4	5	6	14
35-49	252	2.4	5	< 1	1	2	3	4	6	12
50-64	90	2.8	6	< 1	1	2	4	6	8	13
65 +	82	2.6	8	< 1	1	2	3	5	7	17
GRAND TOTAL	**1115**	**2.7**	**6**	**< 1**	**1**	**2**	**3**	**5**	**6**	**12**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.3	2	< 1	1	2	3	4	5	6
20-34	28	2.3	2	< 1	1	2	3	4	5	5
35-49	14	4.6	13	1	2	4	6	9	14	15
50-64	4	4.0	2	3	3	4	5	6	6	6
65 +	3	2.7	4	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	70	2.0	2	< 1	1	1	3	4	5	7
20-34	100	2.5	6	1	1	2	3	5	7	14
35-49	71	3.4	11	1	1	2	4	7	10	18
50-64	29	2.9	6	1	1	2	4	6	8	12
65 +	16	3.2	9	1	1	2	3	6	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.7	10	< 1	1	3	5	6	10	15
20-34	34	3.9	9	1	1	3	6	8	11	12
35-49	15	6.3	32	3	3	4	6	14	20	22
50-64	16	7.1	41	1	3	5	8	18	21	22
65 +	20	5.2	19	2	3	4	5	10	16	20
B. Operated										
0-19 YRS	71	5.6	29	1	2	4	7	12	16	32
20-34	164	5.7	39	1	2	4	8	13	17	37
35-49	93	5.7	27	1	2	4	8	14	15	70
50-64	55	4.7	30	1	2	3	6	12	29	99 +
65 +	72	7.3	109	1	2	4	8	16	20	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	2.9	5	1	1	2	4	5	6	14
B. Operated	286	2.7	7	1	1	2	3	5	7	16
2. MULTIPLE DX										
A. Not Operated	106	4.9	20	1	2	4	6	11	15	22
B. Operated	455	5.8	45	1	2	4	7	13	17	45
1. SINGLE DX	352	2.7	6	1	1	2	3	5	7	15
2. MULTIPLE DX	561	5.6	40	1	2	4	7	13	17	39
A. Not Operated	172	4.1	15	1	2	3	5	8	13	21
B. Operated	741	4.6	33	1	1	3	6	10	15	36
TOTAL										
0-19 YRS	179	3.7	16	1	1	3	5	7	11	18
20-34	326	4.2	25	1	1	2	5	10	13	21
35-49	193	4.8	21	1	2	3	6	11	15	28
50-64	104	4.5	25	1	2	3	6	11	17	99 +
65 +	111	6.2	77	1	2	4	7	13	18	49
GRAND TOTAL	**913**	**4.5**	**29**	**1**	**1**	**3**	**6**	**10**	**14**	**31**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	8	2.3	2	< 1	1	2	3	4	4	4
35-49	6	1.7	1	1	1	2	2	3	3	3
50-64	3	2.0		2	2	2	2	2	2	2
65 +	2	5.5	41	1	1	5	10	10	10	10
B. Operated										
0-19 YRS	224	2.7	3	1	2	3	3	4	5	6
20-34	445	2.8	2	1	2	3	3	4	5	9
35-49	158	2.7	2	1	2	3	3	4	5	9
50-64	20	3.0	4	1	2	3	4	4	8	11
65 +	11	3.8	3	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.2	3	< 1	1	2	3	5	6	6
20-34	20	2.4	2	< 1	1	2	3	4	5	5
35-49	16	2.6	9	1	1	1	3	5	11	13
50-64	14	3.9	5	2	2	4	4	8	9	9
65 +	56	4.4	7	2	2	4	6	8	9	14
B. Operated										
0-19 YRS	359	3.0	2	1	2	3	4	4	5	7
20-34	874	3.1	2	2	2	3	4	5	5	9
35-49	385	3.4	5	2	2	3	4	5	7	14
50-64	65	3.8	6	2	2	3	4	7	9	13
65 +	25	4.9	8	1	3	5	7	9	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.2	4	< 1	1	2	3	4	7	10
B. Operated	858	2.8	2	1	2	3	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	116	3.6	7	1	2	3	5	7	8	13
B. Operated	1708	3.2	3	2	2	3	4	5	6	10
1. SINGLE DX	880	2.8	2	1	2	3	3	4	5	9
2. MULTIPLE DX	1824	3.2	3	1	2	3	4	5	6	10
A. Not Operated	138	3.3	6	1	1	3	4	7	8	13
B. Operated	2566	3.1	3	1	2	3	4	5	6	9
TOTAL										
0-19 YRS	596	2.9	2	1	2	3	4	4	5	7
20-34	1347	3.0	2	1	2	3	4	5	5	9
35-49	565	3.2	4	1	2	3	4	5	6	13
50-64	102	3.6	5	2	2	3	4	7	9	13
65 +	94	4.5	7	2	2	4	6	8	10	13
GRAND TOTAL	**2704**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.0	1	1	1	2	3	4	4	4
20-34	95	3.7	4	1	2	3	5	7	7	10
35-49	130	3.3	4	1	2	3	4	7	8	9
50-64	61	3.6	4	1	2	3	4	6	7	12
65 +	9	3.7	4	2	2	3	5	7	7	7
B. Operated										
0-19 YRS	0									
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	5	5.0	11	1	2	6	8	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.8	4	1	1	2	4	6	7	7
20-34	119	4.2	7	1	2	3	6	8	9	13
35-49	185	4.4	7	2	2	4	5	8	10	13
50-64	130	4.6	6	2	3	4	6	8	9	11
65 +	218	4.3	6	2	2	4	6	8	9	12
B. Operated										
0-19 YRS	0									
20-34	8	5.6	12	1	3	5	8	10	11	11
35-49	6	5.3	27	1	2	3	12	12	12	12
50-64	9	7.0	37	1	2	4	12	16	17	17
65 +	8	5.6	11	1	3	5	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	303	3.5	4	1	2	3	5	7	7	10
B. Operated	10	3.2	9	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	664	4.4	7	2	2	4	6	8	9	13
B. Operated	31	6.0	20	1	2	4	9	12	15	17
1. SINGLE DX	313	3.5	4	1	2	3	5	7	8	9
2. MULTIPLE DX	695	4.4	7	2	2	4	6	8	10	13
A. Not Operated	967	4.1	6	1	2	4	5	8	9	12
B. Operated	41	5.3	19	1	2	4	8	11	13	17
TOTAL										
0-19 YRS	20	2.5	3	1	1	2	3	5	6	7
20-34	226	4.0	6	1	2	3	5	8	9	13
35-49	326	4.0	7	1	2	3	5	8	9	13
50-64	201	4.4	7	2	3	4	5	8	10	14
65 +	235	4.3	6	2	2	4	6	8	9	12
GRAND TOTAL	**1008**	**4.1**	**7**	**1**	**2**	**4**	**5**	**8**	**9**	**13**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.9	3	< 1	1	1	2	4	7	7
20-34	133	2.8	4	1	1	2	4	6	7	9
35-49	136	3.2	4	1	2	3	4	6	7	10
50-64	40	3.5	6	1	2	3	4	6	9	11
65 +	27	3.7	4	1	2	4	5	7	8	8
B. Operated										
0-19 YRS	0									
20-34	6	3.5	3	1	2	4	5	5	5	5
35-49	12	3.1	8	1	1	2	4	7	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	2.5	6	< 1	1	2	3	4	6	14
20-34	234	3.3	8	1	1	3	4	7	9	16
35-49	281	4.2	7	1	2	4	6	7	9	15
50-64	145	4.4	9	1	2	4	6	8	10	15
65 +	227	4.5	11	2	2	4	5	8	10	18
B. Operated										
0-19 YRS	6	2.8	5	< 1	1	2	3	7	7	7
20-34	23	2.4	4	< 1	1	1	3	5	7	9
35-49	32	4.9	14	1	2	4	7	11	12	14
50-64	14	5.6	12	2	3	5	9	10	12	12
65 +	15	8.7	34	2	4	8	12	19	20	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	375	3.0	4	1	1	2	4	6	7	10
B. Operated	19	3.2	6	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. Not Operated	953	3.9	9	1	2	3	5	8	9	16
B. Operated	90	4.9	18	1	1	4	6	11	12	20
1. SINGLE DX	394	3.0	4	1	1	2	4	6	7	10
2. MULTIPLE DX	1043	4.0	10	1	2	3	5	8	10	16
A. Not Operated	1328	3.7	8	1	2	3	5	7	9	15
B. Operated	109	4.6	16	1	1	3	6	11	12	20
TOTAL										
0-19 YRS	111	2.3	5	< 1	1	2	3	4	7	14
20-34	396	3.1	6	1	1	2	4	6	8	12
35-49	461	3.9	7	1	2	3	5	7	9	14
50-64	200	4.3	9	1	2	4	6	8	10	14
65 +	269	4.7	12	2	2	4	6	9	11	21
GRAND TOTAL	**1437**	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.9	1	1	1	2	2	3	4	4
20-34	20	2.3	8	< 1	< 1	1	2	4	9	14
35-49	16	1.9	1	1	1	2	2	3	4	4
50-64	11	1.9	1	1	1	2	2	3	3	3
65 +	11	2.9	6	1	1	2	3	7	8	8
B. Operated										
0-19 YRS	30	1.5	1	< 1	1	1	2	2	5	5
20-34	225	1.7	1	1	1	1	2	3	3	5
35-49	480	1.9	1	1	1	2	2	3	4	5
50-64	541	2.2	1	1	1	2	3	3	4	6
65 +	243	2.7	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	1.6	2	< 1	1	1	2	3	5	7
20-34	58	2.4	3	< 1	1	2	3	5	6	10
35-49	48	2.4	4	1	1	2	3	5	8	8
50-64	41	3.3	12	< 1	1	2	4	7	11	18
65 +	119	4.1	12	1	2	3	6	9	12	18
B. Operated										
0-19 YRS	25	2.2	5	1	1	1	2	4	7	12
20-34	90	1.9	1	1	1	2	3	3	4	4
35-49	287	2.3	3	1	1	2	3	4	5	8
50-64	578	2.6	4	1	2	2	3	4	5	10
65 +	520	3.1	4	1	2	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.2	4	1	1	2	2	3	5	13
B. Operated	1519	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	287	3.2	9	1	1	2	4	7	9	16
B. Operated	1500	2.7	3	1	2	2	3	4	5	10
1. SINGLE DX	1587	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX	1787	2.8	4	1	2	2	3	5	6	12
A. Not Operated	355	3.0	8	1	1	2	4	6	8	14
B. Operated	3019	2.4	2	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	86	1.8	2	< 1	1	1	2	3	5	10
20-34	393	1.9	2	1	1	2	2	3	4	6
35-49	831	2.0	2	1	1	2	2	3	4	7
50-64	1171	2.4	3	1	2	2	3	4	5	9
65 +	893	3.1	5	1	2	3	4	5	7	13
GRAND TOTAL	**3374**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	530	1.2		< 1	1	1	1	2	2	4
20-34	117	1.5	1	< 1	1	1	2	3	3	7
35-49	53	1.5	1	1	1	1	2	2	3	5
50-64	17	1.5	1	< 1	1	1	2	3	3	3
65 +	15	2.1	2	1	1	2	3	4	5	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	899	1.5	1	1	1	1	2	2	3	6
20-34	506	2.2	6	< 1	1	1	2	4	6	13
35-49	269	2.2	2	1	1	2	3	4	5	8
50-64	122	2.7	6	1	1	2	3	5	9	13
65 +	258	3.6	15	1	2	2	4	7	10	19
B. Operated										
0-19 YRS	286	2.1	9	1	1	1	2	4	6	9
20-34	243	3.3	39	1	1	2	3	5	8	50
35-49	117	3.3	57	1	1	2	4	6	7	36
50-64	53	4.4	51	1	1	3	4	7	16	44
65 +	77	4.2	17	1	2	3	5	8	13	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	732	1.3	1	< 1	1	1	1	2	2	4
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	2054	2.1	5	1	1	1	2	4	6	12
B. Operated	776	3.0	30	1	1	2	3	6	8	32
1. SINGLE DX	733	1.3	1	< 1	1	1	1	2	2	4
2. MULTIPLE DX	2830	2.3	12	1	1	1	2	5	6	14
A. Not Operated	2786	1.9	4	1	1	1	2	3	5	11
B. Operated	777	3.0	30	1	1	2	3	6	8	32
TOTAL										
0-19 YRS	1715	1.5	3	1	1	1	2	2	3	7
20-34	866	2.4	15	< 1	1	1	2	4	6	16
35-49	440	2.4	17	1	1	2	3	5	6	10
50-64	192	3.1	18	1	1	2	3	5	9	24
65 +	350	3.7	15	1	2	2	4	7	10	19
GRAND TOTAL	**3563**	**2.1**	**10**	**1**	**1**	**1**	**2**	**4**	**6**	**12**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	1	40.0		40	40	40	40	40	40	40
20-34	2	49.0	288	37	37	49	61	61	61	61
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	21.0	360	6	9	19	40	99 +	99 +	99 +
20-34	15	14.7	324	< 1	2	14	31	99 +	99 +	99 +
35-49	8	13.5	123	2	7	10	18	32	36	36
50-64	2	8.0	98	< 1	< 1	7	15	15	15	15
65 +	6	15.0	118	7	8	10	22	33	34	34
B. Operated										
0-19 YRS	53	29.1	460	8	16	29	63	99 +	99 +	99 +
20-34	49	34.9	593	7	17	37	61	99 +	99 +	99 +
35-49	29	34.3	656	2	17	36	65	99 +	99 +	99 +
50-64	9	28.9	158	12	19	28	37	47	48	48
65 +	12	23.8	195	8	14	19	35	44	47	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	5	< 1	< 1	1	4	5	5	5
B. Operated	3	46.0	171	37	38	40	56	61	61	61
2. MULTIPLE DX										
A. Not Operated	51	16.7	272	1	7	14	30	99 +	99 +	99 +
B. Operated	152	31.6	504	8	16	31	56	99 +	99 +	99 +
1. SINGLE DX	6	24.2	643	< 1	1	21	40	59	61	61
2. MULTIPLE DX	203	27.8	485	6	13	27	48	99 +	99 +	99 +
A. Not Operated	54	15.9	268	1	7	14	28	99 +	99 +	99 +
B. Operated	155	31.8	500	8	16	32	56	99 +	99 +	99 +
TOTAL										
0-19 YRS	75	26.7	440	7	14	24	51	99 +	99 +	99 +
20-34	66	30.8	595	2	13	31	61	99 +	99 +	99 +
35-49	38	29.1	615	1	10	29	56	96	99 +	99 +
50-64	11	25.1	208	6	15	27	33	46	48	48
65 +	19	20.1	182	7	8	15	31	41	46	48
GRAND TOTAL	**209**	**27.7**	**487**	**5**	**12**	**27**	**48**	**99 +**	**99 +**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	385	1.7	2	< 1	1	1	2	3	4	9
20-34	148	2.8	14	1	1	2	4	5	7	15
35-49	74	2.9	16	1	1	2	3	5	8	26
50-64	27	2.9	18	1	1	2	3	5	9	23
65 +	21	4.2	9	1	2	4	6	9	10	11
B. Operated										
0-19 YRS	37	5.8	16	3	4	5	6	13	15	18
20-34	32	7.5	71	1	3	5	9	13	23	45
35-49	24	10.8	187	3	4	5	12	24	37	66
50-64	15	6.1	19	1	3	5	7	13	16	17
65 +	23	8.4	22	4	5	8	9	15	18	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	822	3.6	62	1	1	1	3	7	13	48
20-34	550	4.3	74	1	1	2	4	9	17	83
35-49	274	4.4	38	1	1	2	5	10	17	33
50-64	135	7.0	99	1	2	3	8	18	22	59
65 +	270	6.6	50	1	2	5	8	14	17	33
B. Operated										
0-19 YRS	297	8.7	179	1	1	3	10	25	35	84
20-34	396	8.4	116	1	1	4	12	23	30	63
35-49	196	8.3	142	1	2	4	10	19	34	76
50-64	106	12.6	186	1	3	7	19	37	41	79
65 +	262	13.6	166	3	6	10	16	26	37	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	655	2.2	8	1	1	1	2	4	6	12
B. Operated	131	7.6	63	3	4	5	9	15	23	49
2. MULTIPLE DX										
A. Not Operated	2051	4.5	64	1	1	2	4	10	16	45
B. Operated	1257	9.9	156	1	2	5	13	25	36	80
1. SINGLE DX	786	3.1	21	1	1	2	4	6	10	23
2. MULTIPLE DX	3308	6.5	106	1	1	3	7	16	26	64
A. Not Operated	2706	3.9	51	1	1	2	4	8	14	36
B. Operated	1388	9.7	148	1	2	5	12	24	35	78
TOTAL										
0-19 YRS	1541	4.1	74	1	1	1	3	9	17	49
20-34	1126	5.6	85	1	1	2	6	14	24	61
35-49	568	5.8	82	1	1	3	6	14	22	54
50-64	283	8.7	130	1	2	4	10	24	36	61
65 +	576	9.8	112	2	3	7	12	19	26	63
GRAND TOTAL	**4094**	**5.9**	**91**	**1**	**1**	**2**	**6**	**15**	**23**	**56**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.4	2	1	1	2	3	4	6	7
20-34	64	2.6	4	1	1	2	4	4	7	9
35-49	30	2.7	4	1	1	2	3	5	6	10
50-64	10	2.0	1	1	1	2	2	3	4	4
65 +	6	1.7	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	45	3.8	5	2	2	3	5	6	8	10
20-34	143	4.4	10	2	2	3	5	9	12	18
35-49	31	5.1	21	1	2	3	6	9	14	24
50-64	14	4.8	8	3	3	4	6	8	12	13
65 +	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	3.3	16	1	1	2	3	6	9	25
20-34	187	3.2	12	1	2	3	4	5	7	18
35-49	144	3.8	10	1	2	3	5	8	10	18
50-64	81	4.7	10	2	2	4	6	8	10	16
65 +	111	5.5	22	2	3	4	6	12	16	25
B. Operated										
0-19 YRS	185	7.7	62	2	3	5	10	14	19	46
20-34	468	7.8	59	2	3	5	9	16	23	48
35-49	263	7.0	51	2	3	5	8	14	20	39
50-64	123	9.0	110	2	4	6	10	18	28	66
65 +	168	9.5	80	3	4	7	11	18	28	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	2.5	3	1	1	2	3	4	6	9
B. Operated	235	4.4	10	2	2	3	5	8	11	18
2. MULTIPLE DX										
A. Not Operated	598	4.0	14	1	2	3	5	8	10	18
B. Operated	1207	8.0	66	2	3	6	9	16	23	52
1. SINGLE DX	369	3.7	9	1	2	3	5	7	9	15
2. MULTIPLE DX	1805	6.6	52	2	3	5	8	14	18	38
A. Not Operated	732	3.7	12	1	2	3	4	7	10	18
B. Operated	1442	7.4	59	2	3	5	9	14	21	41
TOTAL										
0-19 YRS	329	5.8	44	1	2	4	7	12	16	32
20-34	862	5.9	41	1	2	4	7	12	18	37
35-49	468	5.6	36	1	2	4	7	11	15	34
50-64	228	6.9	68	2	3	5	8	14	19	43
65 +	287	7.7	60	2	3	6	10	16	22	68
GRAND TOTAL	**2174**	**6.2**	**46**	**1**	**2**	**4**	**7**	**12**	**18**	**37**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	137	3.6	8	1	1	3	5	8	9	12
20-34	73	3.1	8	1	1	2	4	6	9	15
35-49	28	2.8	5	1	1	2	4	4	6	12
50-64	6	4.3	11	1	2	3	8	9	9	9
65 +	4	2.5	3	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	87	5.8	8	2	4	5	7	9	11	17
20-34	132	5.9	13	3	4	5	7	9	10	22
35-49	61	6.3	11	2	4	6	8	10	13	16
50-64	8	5.9	6	3	4	6	7	9	10	10
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	204	3.9	11	1	2	3	5	7	9	20
20-34	193	3.8	13	1	2	3	5	7	9	17
35-49	91	3.5	11	1	1	2	4	8	10	18
50-64	37	5.1	31	<1	1	4	7	10	12	32
65 +	68	5.4	25	1	2	5	6	10	14	31
B. Operated										
0-19 YRS	397	10.2	84	4	6	7	11	19	28	54
20-34	772	10.0	73	4	6	8	11	19	27	50
35-49	315	11.0	95	4	6	8	13	21	27	63
50-64	107	13.4	100	4	7	10	19	27	36	99 +
65 +	93	11.9	145	2	6	9	15	23	28	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	248	3.4	8	1	1	2	5	7	9	12
B. Operated	289	5.9	11	2	4	6	7	9	11	18
2. MULTIPLE DX										
A. Not Operated	593	4.0	15	1	2	3	5	8	10	20
B. Operated	1684	10.5	86	4	6	8	12	21	28	55
1. SINGLE DX	537	4.7	11	1	2	4	7	8	10	15
2. MULTIPLE DX	2277	8.9	76	2	4	7	10	18	25	51
A. Not Operated	841	3.8	13	1	2	3	5	8	10	19
B. Operated	1973	9.9	78	4	5	7	11	19	26	52
TOTAL										
0-19 YRS	825	7.1	55	1	3	6	8	13	20	42
20-34	1170	8.0	60	2	4	6	9	15	23	46
35-49	495	8.6	75	2	4	7	10	17	22	47
50-64	158	10.7	91	2	5	8	14	25	33	95
65 +	166	9.0	102	2	3	6	11	20	25	85
GRAND TOTAL	**2814**	**8.1**	**66**	**2**	**4**	**6**	**9**	**16**	**23**	**48**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.8	1	< 1	< 1	1	3	3	3	3
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	112	2.5	3	1	1	2	4	4	5	10
20-34	76	3.1	4	1	2	3	4	6	7	10
35-49	44	3.4	4	1	2	3	5	6	6	9
50-64	14	2.9	1	1	2	3	4	4	5	5
65 +	8	3.4	8	< 1	1	2	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	3.6	24	< 1	< 1	1	3	11	17	19
20-34	6	2.7	2	1	2	2	3	5	5	5
35-49	9	1.3	1	< 1	1	1	2	3	3	3
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	3	3.3	1	2	2	4	4	4	4	4
B. Operated										
0-19 YRS	155	3.2	5	1	1	3	4	6	8	12
20-34	159	3.4	8	1	1	3	4	7	9	12
35-49	96	4.0	25	1	2	3	4	7	9	35
50-64	33	3.2	5	1	2	3	4	7	8	9
65 +	41	4.6	17	1	2	3	6	9	14	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	1.8	1	< 1	< 1	1	3	3	3	3
B. Operated	254	2.9	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	39	2.7	12	< 1	1	2	3	5	11	19
B. Operated	484	3.5	11	1	2	3	4	7	9	16
1. SINGLE DX	277	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX	523	3.5	11	1	1	3	4	7	9	17
A. Not Operated	62	2.4	8	< 1	1	2	3	4	6	18
B. Operated	738	3.3	9	1	1	3	4	6	8	13
TOTAL										
0-19 YRS	302	2.9	6	1	1	2	4	5	7	13
20-34	244	3.3	6	1	1	3	4	6	8	12
35-49	151	3.6	18	1	1	3	4	6	7	34
50-64	51	3.0	3	1	2	3	4	5	7	9
65 +	52	4.3	15	1	2	3	5	9	11	19
GRAND TOTAL	**800**	**3.2**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	2.2	4	< 1	1	1	3	5	6	12
20-34	56	2.3	6	< 1	1	2	2	4	7	16
35-49	27	4.4	111	< 1	1	2	3	4	25	54
50-64	3	1.3		1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	146	1.6	4	< 1	1	1	1	3	5	13
20-34	141	2.7	18	1	1	1	3	6	8	17
35-49	56	1.9	4	< 1	1	1	2	4	6	11
50-64	14	1.4	1	< 1	1	1	1	3	3	3
65 +	8	3.1	13	1	1	1	4	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	126	1.9	2	< 1	1	1	2	4	5	7
20-34	161	2.0	3	< 1	1	1	2	4	6	8
35-49	105	2.6	8	< 1	1	2	3	5	7	18
50-64	30	2.2	3	1	1	2	2	4	7	9
65 +	48	3.6	12	1	1	2	5	10	11	14
B. Operated										
0-19 YRS	378	2.6	16	1	1	1	3	5	8	24
20-34	520	3.4	33	1	1	2	4	6	10	33
35-49	246	3.3	15	1	1	2	3	7	11	23
50-64	76	3.1	6	1	1	2	4	6	7	14
65 +	122	5.1	66	1	2	3	4	11	19	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	2.7	28	< 1	1	2	2	4	6	28
B. Operated	365	2.1	10	< 1	1	1	2	4	7	13
2. MULTIPLE DX										
A. Not Operated	470	2.3	5	< 1	1	1	3	5	6	12
B. Operated	1342	3.3	27	1	1	2	3	6	9	25
1. SINGLE DX	490	2.3	14	< 1	1	1	2	4	7	15
2. MULTIPLE DX	1812	3.0	21	1	1	2	3	6	9	23
A. Not Operated	595	2.4	10	< 1	1	1	2	5	6	13
B. Operated	1707	3.0	23	1	1	2	3	6	9	24
TOTAL										
0-19 YRS	689	2.2	10	< 1	1	1	2	4	6	14
20-34	878	3.0	24	1	1	2	3	6	8	23
35-49	434	3.0	18	1	1	2	3	6	9	22
50-64	123	2.6	5	1	1	2	3	5	7	12
65 +	178	4.6	50	1	1	3	4	10	16	43
GRAND TOTAL	**2302**	**2.9**	**20**	**1**	**1**	**2**	**3**	**6**	**8**	**21**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	118	1.4	1	<1	1	1	2	3	3	5
20-34	318	1.4	1	<1	1	1	2	2	3	5
35-49	96	1.4	1	<1	1	1	2	2	2	7
50-64	15	1.3		<1	1	1	2	2	3	3
65 +	5	2.4	2	1	1	2	3	5	5	5
B. Operated										
0-19 YRS	117	2.6	4	<1	1	2	4	5	6	11
20-34	165	3.3	10	1	1	2	4	7	9	19
35-49	57	2.4	3	1	1	2	3	5	6	8
50-64	7	3.1	10	1	1	2	4	9	10	10
65 +	3	5.7	65	<1	<1	<1	11	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	2.4	12	1	1	2	2	4	5	25
20-34	223	2.3	12	<1	1	1	2	4	6	20
35-49	83	2.0	3	<1	1	2	2	4	5	10
50-64	14	1.6	1	1	1	1	2	3	4	4
65 +	9	3.7	12	1	1	2	5	9	11	11
B. Operated										
0-19 YRS	200	5.5	59	1	1	3	6	13	18	27
20-34	393	5.8	47	1	2	4	7	12	18	81
35-49	121	5.8	62	1	2	4	6	9	16	48
50-64	28	7.3	186	1	2	3	7	15	30	71
65 +	14	7.3	117	1	2	3	8	15	37	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	552	1.4	1	<1	1	1	2	2	3	5
B. Operated	349	2.9	8	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	397	2.3	10	1	1	1	2	4	6	15
B. Operated	756	5.8	58	1	2	4	7	12	19	59
1. SINGLE DX	901	2.0	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	1153	4.6	45	1	1	2	5	10	15	41
A. Not Operated	949	1.8	5	<1	1	1	2	3	4	9
B. Operated	1105	4.9	44	1	1	3	6	10	15	41
TOTAL										
0-19 YRS	503	3.5	29	1	1	2	4	7	11	22
20-34	1099	3.4	24	1	1	2	4	8	11	35
35-49	357	3.2	26	1	1	2	4	6	9	23
50-64	64	4.2	89	1	1	2	4	8	13	65
65 +	31	5.3	63	1	1	3	7	11	15	43
GRAND TOTAL	**2054**	**3.4**	**28**	**1**	**1**	**2**	**4**	**7**	**11**	**29**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	121	2.6	3	1	1	2	3	4	6	10
20-34	226	2.9	5	1	1	2	3	5	8	11
35-49	106	3.3	5	1	2	3	4	7	8	11
50-64	24	4.0	12	1	2	3	5	9	12	16
65 +	10	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	261	2.6	7	1	1	2	3	5	7	13
20-34	563	3.0	9	1	1	2	4	6	9	15
35-49	218	2.9	11	<1	1	2	3	7	8	20
50-64	85	3.0	10	1	1	2	4	7	8	18
65 +	36	2.3	5	1	1	1	3	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	98	2.9	11	1	1	2	3	5	7	21
20-34	271	3.3	9	1	1	3	4	6	9	18
35-49	111	3.5	13	1	2	3	4	6	7	19
50-64	36	3.8	6	2	2	3	5	6	8	14
65 +	43	4.6	9	2	2	4	6	8	9	17
B. Operated										
0-19 YRS	407	3.4	24	1	1	2	4	7	10	27
20-34	895	4.1	17	1	1	3	5	8	12	21
35-49	422	4.5	30	1	1	3	5	10	13	31
50-64	165	4.8	68	1	1	3	5	11	12	60
65 +	112	5.3	53	1	1	3	6	13	17	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	487	2.9	5	1	1	2	3	5	8	11
B. Operated	1163	2.9	9	1	1	2	3	6	8	15
2. MULTIPLE DX										
A. Not Operated	559	3.4	10	1	1	3	4	6	8	17
B. Operated	2001	4.2	27	1	1	3	5	9	13	26
1. SINGLE DX	1650	2.9	8	1	1	2	3	6	8	14
2. MULTIPLE DX	2560	4.0	24	1	1	3	5	8	11	24
A. Not Operated	1046	3.2	8	1	1	3	4	6	8	13
B. Operated	3164	3.7	21	1	1	2	4	8	11	22
TOTAL										
0-19 YRS	887	3.0	15	1	1	2	3	6	8	18
20-34	1955	3.5	12	1	1	2	4	7	10	19
35-49	857	3.8	20	1	1	2	4	8	10	23
50-64	310	4.2	41	1	1	3	4	8	11	29
65 +	201	4.4	34	1	1	3	5	9	14	34
GRAND TOTAL	**4210**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	135	2.1	2	<1	1	2	3	3	5	7
20-34	167	2.6	3	1	1	2	3	5	6	10
35-49	40	2.2	1	1	1	2	3	4	4	6
50-64	12	3.0	3	1	2	3	4	5	6	6
65 +	7	3.6	1	2	3	4	4	5	5	5
B. Operated										
0-19 YRS	283	2.8	8	1	1	2	3	6	9	16
20-34	329	3.2	12	1	1	2	4	6	10	18
35-49	131	4.4	46	1	1	3	4	9	18	35
50-64	26	4.4	25	1	2	3	5	8	13	27
65 +	16	4.8	11	2	2	4	6	10	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	83	3.4	24	1	2	3	4	5	7	33
20-34	117	3.5	13	1	1	2	4	7	8	23
35-49	54	4.6	10	1	2	4	7	9	10	14
50-64	29	6.5	78	1	3	5	7	8	17	50
65 +	53	6.7	34	2	3	5	8	15	18	28
B. Operated										
0-19 YRS	225	5.5	44	1	2	4	7	13	17	29
20-34	337	6.3	66	1	2	4	7	15	24	36
35-49	135	5.7	45	1	2	3	6	12	19	35
50-64	60	9.3	148	1	2	5	11	22	39	55
65 +	77	8.6	41	2	4	7	12	16	19	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	361	2.4	3	1	1	2	3	4	6	8
B. Operated	785	3.3	17	1	1	2	4	6	10	22
2. MULTIPLE DX										
A. Not Operated	336	4.4	26	1	2	3	5	8	11	28
B. Operated	834	6.4	61	1	2	4	7	14	21	36
1. SINGLE DX	1146	3.0	13	1	1	2	3	5	8	18
2. MULTIPLE DX	1170	5.9	52	1	2	4	7	13	18	35
A. Not Operated	697	3.4	15	1	1	2	4	6	8	17
B. Operated	1619	4.9	42	1	2	3	5	11	17	32
TOTAL										
0-19 YRS	726	3.6	22	1	1	2	4	7	11	21
20-34	950	4.2	32	1	1	3	5	8	14	28
35-49	360	4.7	36	1	2	3	5	10	14	32
50-64	127	7.1	97	1	2	4	7	17	24	54
65 +	153	7.3	36	2	3	6	10	15	18	32
GRAND TOTAL	**2316**	**4.5**	**34**	**1**	**1**	**3**	**5**	**9**	**14**	**28**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	4.1	11	1	2	3	6	10	10	10
20-34	39	3.4	9	1	1	2	5	7	8	17
35-49	10	4.1	8	<1	2	4	5	8	11	11
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	9.6	370	<1	1	2	5	44	53	53
20-34	7	9.3	98	<1	3	6	11	26	30	30
35-49	6	5.8	9	1	5	6	7	10	10	10
50-64	3	3.0	4	1	1	3	4	5	5	5
65 +	4	6.0	22	1	2	6	10	10	10	10
B. Operated										
0-19 YRS	53	6.7	34	1	3	5	9	17	23	97
20-34	168	6.4	48	1	2	4	8	13	18	33
35-49	59	8.8	100	1	3	5	10	27	34	43
50-64	22	12.4	177	2	3	6	20	37	42	42
65 +	23	8.6	31	2	4	8	11	17	18	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.3	4	3	4	6	7	7	7	7
B. Operated	62	3.6	9	1	1	3	5	7	10	16
2. MULTIPLE DX										
A. Not Operated	27	7.4	118	1	1	5	9	12	33	53
B. Operated	325	7.4	64	1	3	5	9	17	26	42
1. SINGLE DX	65	3.6	9	1	1	3	5	7	10	16
2. MULTIPLE DX	352	7.4	68	1	3	5	9	17	26	43
A. Not Operated	30	7.2	106	1	2	5	7	11	30	53
B. Operated	387	6.8	57	1	2	4	8	16	23	42
TOTAL										
0-19 YRS	72	6.5	59	1	2	4	9	15	23	89
20-34	215	5.9	43	1	2	4	7	12	17	32
35-49	76	7.9	82	1	3	5	8	17	32	42
50-64	27	10.6	159	1	2	5	13	33	42	42
65 +	27	8.2	29	1	3	8	11	17	18	19
GRAND TOTAL	**417**	**6.8**	**61**	**1**	**2**	**4**	**8**	**16**	**24**	**42**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	4	3.5	6	2	2	3	5	7	7	7
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	2.9	9	1	1	2	4	5	11	13
20-34	25	2.9	5	1	1	2	4	7	8	9
35-49	7	3.0	2	1	2	3	4	5	5	5
50-64	9	3.4	21	1	1	2	3	11	15	15
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	7.0	115	< 1	< 1	2	13	23	23	23
20-34	6	2.5	3	1	1	2	4	5	5	5
35-49	2	6.0		6	6	6	6	6	6	6
50-64	6	4.0	4	2	3	3	4	8	8	8
65 +	6	8.7	59	3	3	6	11	22	23	23
B. Operated										
0-19 YRS	19	4.0	48	1	1	2	4	6	20	32
20-34	25	3.4	12	1	2	2	4	7	10	18
35-49	21	4.0	15	1	2	3	4	8	13	18
50-64	13	3.3	5	1	1	4	5	6	8	8
65 +	10	8.6	39	[illegible]	4	8	12	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.5	6	< 1	2	3	6	7	7	7
B. Operated	58	3.1	8	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. Not Operated	24	5.5	35	1	2	4	6	12	23	23
B. Operated	88	4.3	24	1	2	3	5	8	16	28
1. SINGLE DX	64	3.1	8	1	1	2	4	7	8	15
2. MULTIPLE DX	112	4.5	26	1	2	3	5	9	18	27
A. Not Operated	30	5.1	30	1	2	3	6	10	23	23
B. Operated	146	3.8	18	1	1	2	4	8	12	21
TOTAL										
0-19 YRS	40	3.8	36	1	1	2	4	6	18	32
20-34	60	3.1	8	1	1	2	4	7	8	17
35-49	31	4.0	11	1	2	3	5	7	9	18
50-64	28	3.5	9	1	1	3	5	7	9	15
65 +	17	8.6	41	3	4	8	11	20	22	23
GRAND TOTAL	**176**	**4.0**	**20**	**1**	**1**	**3**	**5**	**8**	**13**	**23**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	3.6	4	1	2	4	5	6	8	9
20-34	24	3.9	9	1	2	4	5	5	9	16
35-49	11	2.8	2	1	2	3	3	5	6	6
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	3.3	4	1	1	3	5	6	7	9
20-34	45	3.2	4	1	1	3	4	5	7	9
35-49	28	3.1	3	1	1	3	5	6	6	7
50-64	3	3.7	9	1	1	3	6	7	7	7
65 +	4	2.8	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	18	4.3	5	1	2	4	5	7	8	9
20-34	13	4.0	9	1	2	3	5	10	10	10
35-49	14	3.8	3	2	2	4	5	6	7	7
50-64	4	2.8	8	1	1	2	4	7	7	7
65 +	7	3.4	3	2	2	3	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	3.6	5	1	2	3	5	6	7	12
B. Operated	3	3.0	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	133	3.2	4	1	1	3	5	6	7	9
B. Operated	56	3.9	5	1	2	4	5	7	9	10
1. SINGLE DX	107	3.6	5	1	2	3	5	6	7	12
2. MULTIPLE DX	189	3.4	4	1	2	3	5	6	7	10
A. Not Operated	237	3.4	4	1	2	3	5	6	7	9
B. Operated	59	3.8	5	1	2	4	5	7	8	10
TOTAL										
0-19 YRS	139	3.6	4	1	2	4	5	6	7	9
20-34	83	3.6	6	1	2	3	5	6	9	14
35-49	53	3.2	3	1	2	3	5	5	6	7
50-64	10	3.0	6	1	1	2	4	7	7	7
65 +	11	3.2	3	1	2	3	4	5	7	7
GRAND TOTAL	**296**	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**7**	**10**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	252	1.5	1	< 1	1	1	2	3	3	5
20-34	258	1.9	2	1	1	1	2	4	5	9
35-49	121	2.0	3	1	1	1	2	4	6	8
50-64	56	1.7	1	1	1	1	2	3	4	5
65 +	67	2.6	3	1	1	2	4	6	7	7
B. Operated										
0-19 YRS	40	2.2	8	< 1	1	1	2	4	7	17
20-34	34	2.4	3	1	1	2	3	4	6	9
35-49	16	3.3	16	< 1	1	2	4	5	13	17
50-64	17	5.5	87	< 1	1	2	5	10	30	40
65 +	5	3.2	5	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	448	1.8	2	1	1	1	2	3	5	9
20-34	660	2.2	5	1	1	2	2	5	6	10
35-49	381	2.5	5	1	1	2	3	5	7	13
50-64	243	3.0	18	1	1	2	3	6	8	14
65 +	806	4.3	11	1	2	4	6	8	10	16
B. Operated										
0-19 YRS	77	3.5	23	1	1	2	4	7	11	27
20-34	105	3.8	33	1	1	2	4	8	15	66
35-49	66	3.6	27	1	1	2	4	6	9	36
50-64	49	3.7	8	1	1	3	6	8	9	13
65 +	94	5.8	24	1	2	5	8	12	16	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	754	1.8	2	1	1	1	2	4	5	7
B. Operated	112	2.9	20	< 1	1	1	4	5	8	26
2. MULTIPLE DX										
A. Not Operated	2538	2.9	9	1	1	2	4	6	8	14
B. Operated	391	4.2	26	1	1	3	5	8	13	39
. SINGLE DX	866	2.0	4	< 1	1	1	2	4	5	9
2. MULTIPLE DX	2929	3.1	11	1	1	2	4	6	9	16
A. Not Operated	3292	2.7	7	1	1	2	3	6	8	13
B. Operated	503	3.9	25	1	1	2	5	8	12	39
TOTAL										
0-19 YRS	817	1.9	4	< 1	1	1	2	3	5	10
20-34	1057	2.3	7	1	1	2	3	5	6	13
35-49	584	2.5	8	1	1	2	3	5	7	13
50-64	365	3.0	18	1	1	2	3	6	8	14
65 +	972	4.3	12	1	2	3	6	9	11	17
GRAND TOTAL	**3795**	**2.8**	**10**	**1**	**1**	**2**	**3**	**6**	**8**	**15**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.1	1	1	1	2	2	4	5	5
20-34	19	1.7	1	1	1	1	2	3	4	4
35-49	8	2.1	1	1	1	2	3	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	9	3.6	11	1	1	2	8	8	8	8
20-34	18	2.2	3	1	1	2	3	3	6	8
35-49	19	4.8	13	1	2	4	6	11	13	14
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.2	1	1	1	2	3	4	4	4
20-34	33	2.6	2	1	2	2	4	5	5	7
35-49	19	3.4	12	1	1	2	4	8	12	14
50-64	11	3.2	6	< 1	1	3	5	7	8	8
65 +	5	5.0	19	1	2	3	9	11	11	11
B. Operated										
0-19 YRS	26	6.7	62	1	1	4	7	19	27	29
20-34	71	6.9	76	1	2	4	9	18	20	53
35-49	38	6.1	48	< 1	1	4	7	17	19	34
50-64	24	11.5	204	2	3	5	14	43	46	46
65 +	7	9.7	78	1	2	6	17	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	1.9	1	1	1	2	2	3	4	5
B. Operated	48	3.5	10	1	1	2	5	8	10	14
2. MULTIPLE DX										
A. Not Operated	80	3.0	6	1	1	2	4	6	8	13
B. Operated	166	7.5	87	1	2	4	9	19	24	46
1. SINGLE DX	90	2.7	6	1	1	2	3	6	8	13
2. MULTIPLE DX	246	6.0	65	1	2	3	6	15	20	46
A. Not Operated	122	2.6	4	1	1	2	3	5	7	12
B. Operated	214	6.6	72	1	2	3	7	17	22	46
TOTAL										
0-19 YRS	60	4.3	33	1	1	2	5	8	17	29
20-34	141	4.6	45	1	1	2	5	10	18	26
35-49	84	4.8	29	1	2	3	6	11	16	29
50-64	38	8.3	147	1	2	4	7	24	45	46
65 +	13	7.2	54	1	2	3	12	19	22	23
GRAND TOTAL	**336**	**5.1**	**51**	**1**	**1**	**3**	**6**	**13**	**19**	**43**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	332	1.1		<1	<1	1	1	1	2	3
20-34	60	1.4	1	<1	1	1	2	3	3	5
35-49	43	1.5	2	<1	<1	1	1	3	4	10
50-64	38	1.3	1	<1	1	1	1	1	3	8
65+	17	1.4	1	1	1	1	1	2	4	5
B. Operated										
0-19 YRS	216	1.4	2	<1	<1	1	1	2	3	10
20-34	18	2.8	4	<1	1	3	4	5	7	8
35-49	16	2.3	4	<1	1	1	3	6	7	7
50-64	11	1.9	6	<1	1	1	2	5	9	9
65+	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	163	1.9	4	1	1	1	2	4	5	7
20-34	25	3.1	9	<1	1	2	3	8	10	13
35-49	39	2.6	4	<1	1	2	4	5	7	9
50-64	32	2.4	5	<1	1	2	3	6	8	9
65+	118	3.5	11	1	1	3	5	7	10	17
B. Operated										
0-19 YRS	108	4.5	103	<1	1	2	4	6	14	62
20-34	19	4.6	17	1	1	3	7	10	14	17
35-49	22	8.8	209	1	2	6	8	17	44	67
50-64	41	7.9	158	<1	2	5	8	11	32	69
65+	88	6.1	31	1	2	4	9	16	19	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	490	1.2	1	<1	<1	1	1	2	2	5
B. Operated	266	1.6	2	<1	1	1	1	3	4	10
2. MULTIPLE DX										
A. Not Operated	377	2.6	7	<1	1	2	3	6	8	14
B. Operated	278	5.8	92	1	1	3	7	12	18	64
1. SINGLE DX	756	1.3	1	<1	<1	1	1	2	3	8
2. MULTIPLE DX	655	4.0	45	1	1	2	4	8	12	40
A. Not Operated	867	1.8	4	<1	1	1	2	4	5	10
B. Operated	544	3.8	52	<1	1	1	4	8	12	43
TOTAL										
0-19 YRS	819	1.8	16	<1	1	1	1	3	4	11
20-34	122	2.5	7	<1	1	1	3	5	8	14
35-49	120	3.3	46	<1	1	1	3	7	9	40
50-64	122	3.8	63	<1	1	1	5	8	10	55
65+	228	4.3	20	1	1	3	6	10	15	20
GRAND TOTAL	**1411**	**2.6**	**23**	**<1**	**1**	**1**	**2**	**5**	**8**	**19**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.4	2	1	1	2	3	5	6	6
20-34	4	3.3	3	1	2	3	4	5	5	5
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	27	3.1	6	<1	1	2	5	7	7	8
20-34	15	7.1	214	1	1	2	6	10	47	59
35-49	15	6.1	39	1	2	5	8	10	22	26
50-64	6	4.0	8	1	2	3	5	9	9	9
65+	6	3.5	7	1	2	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	6.9	94	1	2	4	6	18	29	49
20-34	32	7.2	79	1	2	4	10	20	27	39
35-49	24	6.7	27	1	2	5	12	15	15	15
50-64	20	7.9	31	2	4	6	12	17	19	20
65+	26	7.8	49	1	3	5	14	15	19	32
B. Operated										
0-19 YRS	89	12.0	255	1	2	7	17	29	69	99+
20-34	107	16.8	250	2	6	12	25	44	54	99+
35-49	75	15.8	277	2	4	12	21	39	77	99+
50-64	43	19.4	206	3	8	16	30	44	68	99+
65+	66	18.6	228	3	6	15	29	45	49	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.1	5	1	1	2	4	7	8	8
B. Operated	69	4.7	58	1	1	3	6	8	10	53
2. MULTIPLE DX										
A. Not Operated	141	7.2	60	1	2	5	10	16	20	40
B. Operated	380	16.1	252	1	4	12	23	41	57	99+
1. SINGLE DX	87	4.4	48	1	1	3	6	8	9	47
2. MULTIPLE DX	521	13.7	215	1	3	9	19	36	47	99+
A. Not Operated	159	6.7	56	1	2	4	9	15	20	39
B. Operated	449	14.3	239	1	3	10	21	39	53	99+
TOTAL										
0-19 YRS	165	8.7	174	1	1	4	11	21	36	98
20-34	158	13.6	226	1	3	9	19	39	52	97
35-49	116	12.5	209	1	3	8	17	30	42	99+
50-64	70	14.6	174	2	4	10	24	37	47	99+
65+	99	14.7	195	2	4	10	23	36	47	83
GRAND TOTAL	**608**	**12.4**	**202**	**1**	**3**	**7**	**17**	**33**	**46**	**99+**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	97	2.9	6	1	1	2	4	6	8	12
20-34	41	3.9	12	1	1	2	6	10	11	13
35-49	22	6.0	26	1	2	4	9	14	16	18
50-64	16	3.2	4	1	2	2	5	6	7	7
65 +	7	4.9	58	1	1	3	3	18	22	22
B. Operated										
0-19 YRS	17	4.4	35	< 1	< 1	1	6	12	19	23
20-34	16	5.6	26	1	1	4	9	12	16	18
35-49	6	4.5	14	1	1	4	6	10	11	11
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	291	3.4	12	1	1	2	5	7	10	20
20-34	178	4.5	21	1	1	3	6	10	13	27
35-49	117	4.5	15	1	2	3	6	10	14	17
50-64	55	6.0	15	1	3	5	8	12	13	16
65 +	49	7.5	32	2	3	6	10	18	20	23
B. Operated										
0-19 YRS	65	7.4	92	1	1	4	9	22	30	46
20-34	35	8.4	110	1	2	4	12	20	47	99 +
35-49	34	12.1	100	1	4	12	17	24	29	48
50-64	16	10.1	108	1	3	8	11	26	35	39
65 +	23	13.3	160	4	6	8	12	36	43	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	183	3.6	12	1	1	2	5	8	11	17
B. Operated	43	4.7	25	< 1	1	2	6	11	15	23
2. MULTIPLE DX										
A. Not Operated	690	4.4	18	1	1	3	6	10	13	20
B. Operated	173	9.5	110	1	2	7	12	24	33	54
1. SINGLE DX	226	3.8	15	1	1	2	5	9	11	19
2. MULTIPLE DX	863	5.4	40	1	1	3	7	12	17	33
A. Not Operated	873	4.2	17	1	1	3	6	9	13	20
B. Operated	216	8.6	97	1	2	5	12	20	31	53
TOTAL										
0-19 YRS	470	3.9	24	1	1	2	5	8	12	28
20-34	270	5.0	33	1	1	3	6	11	14	31
35-49	179	6.1	41	1	2	4	8	14	17	29
50-64	89	6.2	33	1	2	5	8	12	14	34
65 +	81	8.8	77	2	3	6	11	19	23	48
GRAND TOTAL	**1089**	**5.1**	**36**	**1**	**1**	**3**	**7**	**12**	**16**	**31**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.0	2	< 1	1	2	2	4	5	8
20-34	22	2.5	2	1	1	2	4	5	5	6
35-49	15	5.0	20	1	2	4	7	12	15	16
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	45.0		45	45	45	45	45	45	45
B. Operated										
0-19 YRS	14	1.3	1	< 1	1	1	1	3	3	3
20-34	48	2.1	3	< 1	1	2	2	4	5	12
35-49	25	3.7	15	< 1	1	1	6	8	11	17
50-64	7	1.4		< 1	1	1	2	2	2	2
65 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	10.3	453	1	1	2	6	32	76	82
20-34	47	7.2	140	1	2	3	7	16	33	70
35-49	37	4.6	26	1	2	2	6	10	16	26
50-64	24	6.9	28	1	2	5	12	16	16	17
65 +	19	5.4	7	3	3	5	8	9	10	10
B. Operated										
0-19 YRS	58	7.9	239	1	1	3	11	42	99 +	99 +
20-34	127	4.5	52	1	1	2	5	11	19	67
35-49	55	6.6	74	1	1	3	8	20	26	39
50-64	18	6.6	38	1	2	5	10	17	21	21
65 +	14	17.9	261	1	3	12	34	40	44	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	3.5	33	1	1	2	4	6	10	39
B. Operated	97	2.3	6	< 1	1	1	2	5	8	15
2. MULTIPLE DX										
A. Not Operated	164	7.1	154	1	2	3	7	14	25	76
B. Operated	272	6.5	113	1	1	3	7	20	33	99 +
1. SINGLE DX	166	2.8	18	1	1	2	3	5	8	17
2. MULTIPLE DX	436	6.7	128	1	1	3	7	16	31	99 +
A. Not Operated	233	6.0	121	1	2	3	6	12	17	75
B. Operated	369	5.4	88	1	1	2	5	14	25	99 +
TOTAL										
0-19 YRS	138	6.6	231	1	1	2	5	16	78	99 +
20-34	244	4.4	57	1	1	2	4	9	17	59
35-49	132	5.3	44	1	1	3	6	14	20	31
50-64	51	5.9	29	1	2	4	9	14	17	21
65 +	37	10.9	173	1	3	5	11	35	43	45
GRAND TOTAL	**602**	**5.6**	**101**	**1**	**1**	**2**	**5**	**13**	**24**	**83**

308 Hospitals, Western Region, January-December 1989

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	139	1.7	2	<1	1	1	2	3	5	9
20-34	204	1.8	4	<1	1	1	2	3	5	11
35-49	96	1.8	3	1	1	1	2	3	5	11
50-64	26	2.2	7	1	1	1	2	5	8	13
65+	18	2.1	2	<1	1	2	2	4	6	7
B. Operated										
0-19 YRS	20	3.5	14	<1	1	2	4	8	12	16
20-34	56	3.8	11	1	1	3	5	7	10	19
35-49	31	4.8	28	1	2	3	6	11	19	24
50-64	7	5.4	28	1	3	4	5	15	17	17
65+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	176	2.3	4	1	1	2	3	4	6	13
20-34	264	2.1	4	<1	1	1	2	4	6	11
35-49	158	3.0	8	1	1	2	4	6	10	15
50-64	78	2.9	6	1	1	2	3	6	8	13
65+	135	5.4	41	1	2	4	7	11	13	25
B. Operated										
0-19 YRS	72	3.5	9	<1	1	2	5	7	10	15
20-34	145	7.0	68	1	2	4	9	18	23	41
35-49	83	8.4	99	1	2	5	12	17	26	56
50-64	39	7.2	40	1	3	5	9	18	22	23
65+	44	8.1	53	1	3	6	10	23	25	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	483	1.8	4	<1	1	1	2	3	5	11
B. Operated	117	4.0	17	1	1	3	5	8	13	21
2. MULTIPLE DX										
A. Not Operated	811	2.9	13	1	1	2	4	6	9	14
B. Operated	383	6.8	61	1	2	4	9	16	22	40
1. SINGLE DX	600	2.2	7	<1	1	1	2	5	7	15
2. MULTIPLE DX	1194	4.2	31	1	1	2	5	10	14	27
A. Not Operated	1294	2.5	10	1	1	1	3	5	8	13
B. Operated	500	6.1	52	1	2	4	7	15	20	36
TOTAL										
0-19 YRS	407	2.3	6	<1	1	1	3	5	7	13
20-34	669	3.2	23	<1	1	1	3	7	12	25
35-49	368	4.0	35	1	1	2	4	10	15	28
50-64	150	4.0	19	1	1	3	5	8	15	22
65+	200	5.6	42	1	2	4	7	11	14	27
GRAND TOTAL	**1794**	**3.5**	**24**	**1**	**1**	**2**	**4**	**8**	**12**	**24**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	898	1.4	1	<1	1	1	1	2	3	6
20-34	402	1.6	2	<1	1	1	2	3	4	7
35-49	172	1.6	1	<1	1	1	2	3	5	6
50-64	36	1.5	1	<1	1	1	2	3	4	4
65+	19	1.9	2	<1	1	2	2	4	6	7
B. Operated										
0-19 YRS	6	2.3	2	<1	1	2	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1698	2.4	21	1	1	1	2	4	6	22
20-34	2246	2.3	8	<1	1	1	3	4	7	16
35-49	1546	2.8	12	1	1	2	3	5	8	18
50-64	582	3.6	15	1	1	2	4	7	11	21
65+	816	4.3	12	1	2	3	5	8	11	19
B. Operated										
0-19 YRS	45	10.0	209	1	2	5	11	21	33	84
20-34	67	7.7	131	1	2	4	6	18	27	61
35-49	63	8.3	137	2	3	5	8	19	48	95
50-64	44	8.1	106	1	3	5	10	15	25	64
65+	58	9.7	90	2	4	6	11	22	26	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1527	1.5	1	<1	1	1	2	3	3	6
B. Operated	9	2.6	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	6888	2.8	14	1	1	2	3	6	8	19
B. Operated	277	8.7	131	2	3	5	10	20	27	65
1. SINGLE DX	1536	1.5	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	7165	3.0	19	1	1	2	3	6	9	21
A. Not Operated	8415	2.6	12	<1	1	2	3	5	7	17
B. Operated	286	8.5	128	2	3	5	10	20	26	65
TOTAL										
0-19 YRS	2647	2.2	19	<1	1	1	2	4	5	[illegible]
20-34	2716	2.3	11	<1	1	1	2	4	7	[illegible]
35-49	1783	2.9	16	1	1	2	3	6	8	21
50-64	662	3.8	22	1	1	2	4	8	11	24
65+	893	4.6	19	1	2	3	6	9	12	22
GRAND TOTAL	**8701**	**2.8**	**17**	**1**	**1**	**2**	**3**	**5**	**8**	**20**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	277	1.3	1	<1	1	1	1	2	3	7
20-34	139	1.4	1	<1	1	1	1	3	4	4
35-49	74	1.4	1	1	1	1	2	2	4	4
50-64	35	1.7	2	1	1	1	1	4	6	7
65+	10	1.8	2	<1	1	1	2	4	6	6
B. Operated										
0-19 YRS	6	2.7	13	1	1	1	2	9	10	10
20-34	2	3.0		3	3	3	3	3	3	3
35-49	2	3.0		3	3	3	3	3	3	3
50-64	3	6.0	1	5	5	6	7	7	7	7
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	272	1.9	8	<1	1	1	2	3	5	9
20-34	277	2.3	11	<1	1	1	2	4	7	26
35-49	239	2.9	17	<1	1	1	3	6	11	25
50-64	95	3.1	17	1	1	2	3	7	12	23
65+	86	4.2	102	1	1	2	4	7	9	66
B. Operated										
0-19 YRS	20	9.9	244	1	2	5	10	26	50	67
20-34	19	7.5	46	2	2	4	10	19	21	23
35-49	27	10.9	156	2	3	5	11	29	39	53
50-64	12	13.9	214	3	5	6	20	42	42	42
65+	10	17.9	533	1	3	9	31	54	75	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	535	1.4	1	<1	1	1	1	2	4	6
B. Operated	13	3.5	8	1	1	3	5	8	10	10
2. MULTIPLE DX										
A. Not Operated	969	2.6	21	<1	1	1	2	5	7	23
B. Operated	88	11.1	201	1	3	6	11	31	42	72
1. SINGLE DX	548	1.5	1	<1	1	1	1	2	4	7
2. MULTIPLE DX	1057	3.3	41	1	1	1	3	7	11	33
A. Not Operated	1504	2.2	14	<1	1	1	2	4	6	16
B. Operated	101	10.1	183	1	3	5	10	28	39	71
TOTAL										
0-19 YRS	575	1.9	15	<1	1	1	2	3	5	13
20-34	437	2.3	10	<1	1	1	2	4	7	19
35-49	342	3.2	29	1	1	1	3	6	11	29
50-64	145	3.7	38	1	1	2	4	7	15	42
65+	106	5.2	146	1	1	2	5	8	13	83
GRAND TOTAL	**1605**	**2.7**	**28**	**<1**	**1**	**1**	**2**	**5**	**8**	**29**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	190	1.6	2	1	1	1	1	3	5	7
20-34	76	1.5	2	<1	1	1	2	2	3	9
35-49	68	1.7	2	1	1	1	2	3	5	8
50-64	52	1.8	2	<1	1	1	2	4	5	6
65+	23	2.0	2	<1	1	1	3	4	5	6
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	14.0	98	7	7	14	21	21	21	21
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	294	2.4	14	1	1	1	2	5	7	25
20-34	193	2.5	9	1	1	2	3	5	7	16
35-49	194	2.7	7	1	1	2	3	5	6	16
50-64	223	3.1	10	1	1	2	4	7	9	16
65+	491	3.8	12	1	1	3	5	8	10	19
B. Operated										
0-19 YRS	36	21.5	616	1	2	9	36	63	66	94
20-34	30	10.3	152	1	2	7	20	25	56	99+
35-49	18	4.4	18	1	1	3	8	14	61	99+
50-64	27	7.9	55	1	1	6	12	21	23	28
65+	55	9.7	98	2	3	9	13	15	26	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	409	1.6	2	1	1	1	2	3	5	7
B. Operated	9	5.3	39	1	2	4	6	15	21	21
2. MULTIPLE DX										
A. Not Operated	1395	3.1	11	1	1	2	4	6	9	18
B. Operated	166	11.5	231	1	2	7	14	30	55	99
1. SINGLE DX	418	1.7	3	1	1	1	2	3	5	8
2. MULTIPLE DX	1561	4.0	41	1	1	2	4	8	13	36
A. Not Operated	1804	2.7	9	1	1	2	3	6	8	16
B. Operated	175	11.2	222	1	2	6	13	29	54	98
TOTAL										
0-19 YRS	522	3.4	75	1	1	1	2	5	10	58
20-34	301	3.1	28	1	1	1	3	6	10	28
35-49	282	2.5	7	1	1	2	3	5	7	16
50-64	303	3.3	15	1	1	2	4	7	11	22
65+	571	4.3	23	1	1	3	5	9	12	21
GRAND TOTAL	**1979**	**3.5**	**34**	**1**	**1**	**2**	**4**	**7**	**11**	**31**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	4.7	30	< 1	2	2	5	16	20	20
20-34	33	4.0	37	1	1	2	4	7	11	35
35-49	41	3.5	8	1	2	3	4	6	8	16
50-64	27	5.5	21	1	3	4	7	10	17	22
65 +	36	4.0	37	1	1	2	4	8	17	33
B. Operated										
0-19 YRS	346	3.7	15	1	1	3	5	8	10	21
20-34	274	4.7	41	1	1	3	6	10	15	38
35-49	279	5.5	41	1	2	4	7	12	16	38
50-64	361	4.9	23	1	1	3	7	10	12	27
65 +	632	4.9	16	1	1	4	7	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	304	4.9	22	1	2	4	6	10	14	21
20-34	162	5.3	30	1	2	4	7	11	14	20
35-49	231	5.0	24	1	2	4	6	10	12	30
50-64	246	5.3	15	1	2	5	8	11	12	17
65 +	543	5.5	21	1	2	4	7	11	14	20
B. Operated										
0-19 YRS	1042	6.4	65	1	2	4	7	15	21	52
20-34	889	6.7	76	1	2	4	8	15	21	54
35-49	1378	6.5	51	1	2	4	8	14	19	41
50-64	2165	7.0	58	1	2	5	9	14	19	37
65 +	4113	7.9	68	1	3	6	10	16	22	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	4.3	26	1	2	3	5	8	17	29
B. Operated	1892	4.7	25	1	1	3	7	10	13	24
2. MULTIPLE DX										
A. Not Operated	1486	5.2	22	1	2	4	7	11	14	20
B. Operated	9587	7.2	64	1	2	5	9	15	21	43
1. SINGLE DX	2076	4.7	25	1	1	3	6	10	13	24
2. MULTIPLE DX	11073	7.0	59	1	2	5	9	15	20	41
A. Not Operated	1670	5.1	22	1	2	4	7	11	14	20
B. Operated	11479	6.8	58	1	2	5	9	14	20	41
TOTAL										
0-19 YRS	1739	5.6	48	1	2	3	6	12	18	34
20-34	1358	6.1	63	1	2	4	7	13	18	51
35-49	1929	6.1	46	1	2	4	8	13	18	40
50-64	2799	6.6	50	1	2	5	9	13	18	35
65 +	5324	7.3	58	1	2	5	9	15	20	39
GRAND TOTAL	**13149**	**6.6**	**54**	**1**	**2**	**5**	**9**	**14**	**19**	**38**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	1.3		1	1	1	2	2	3	3
20-34	61	2.1	3	1	1	2	2	5	6	9
35-49	44	2.9	5	1	1	2	4	5	6	13
50-64	35	2.1	2	1	1	2	3	4	6	7
65 +	79	2.4	2	1	1	2	3	4	5	10
B. Operated										
0-19 YRS	94	1.4	1	< 1	1	1	1	2	3	6
20-34	100	1.9	2	< 1	1	1	3	4	5	7
35-49	72	2.7	4	< 1	1	2	4	6	7	9
50-64	35	2.7	7	1	1	2	3	4	10	13
65 +	55	2.9	4	1	1	2	4	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	2.2	10	< 1	1	1	2	4	7	20
20-34	73	3.1	4	1	2	3	4	6	7	11
35-49	74	3.2	7	1	1	2	4	6	8	14
50-64	111	2.9	3	1	1	3	4	6	7	8
65 +	287	3.5	27	1	2	3	4	6	8	16
B. Operated										
0-19 YRS	68	1.7	2	1	1	1	2	3	5	8
20-34	110	3.6	11	1	1	3	4	7	10	17
35-49	126	3.2	9	1	1	2	4	7	9	15
50-64	162	3.7	31	1	1	2	4	8	12	27
65 +	354	4.3	26	1	1	3	5	9	13	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	273	2.2	3	1	1	2	3	4	5	9
B. Operated	356	2.2	3	1	1	1	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	584	3.2	16	1	1	3	4	6	7	15
B. Operated	820	3.7	21	1	1	2	4	8	12	24
1. SINGLE DX	629	2.2	3	1	1	2	3	4	6	9
2. MULTIPLE DX	1404	3.5	19	1	1	2	4	7	10	21
A. Not Operated	857	2.9	12	1	1	2	3	5	7	13
B. Operated	1176	3.2	16	1	1	2	4	7	10	21
TOTAL										
0-19 YRS	255	1.6	2	< 1	1	1	2	3	3	8
20-34	344	2.8	6	1	1	2	4	5	7	14
35-49	316	3.0	7	1	1	2	4	6	8	13
50-64	343	3.2	17	1	1	2	4	7	9	16
65 +	775	3.7	23	1	1	3	4	7	10	23
GRAND TOTAL	**2033**	**3.1**	**14**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	3.8	7	1	2	3	5	8	9	11
20-34	129	3.6	5	2	2	3	4	6	7	12
35-49	105	4.0	11	1	2	3	5	8	12	16
50-64	53	4.0	8	2	2	3	5	7	12	15
65 +	38	4.3	10	2	2	3	5	8	13	15
B. Operated										
0-19 YRS	38	5.1	11	1	2	5	7	9	11	16
20-34	83	6.3	26	2	3	5	8	13	17	25
35-49	75	7.1	39	1	3	6	10	14	17	36
50-64	45	7.0	38	1	3	6	9	15	20	32
65 +	26	6.7	27	1	3	5	10	14	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	98	5.2	25	2	2	4	6	10	13	30
20-34	206	5.4	27	2	3	4	6	10	15	23
35-49	242	5.2	12	2	3	4	7	9	10	22
50-64	212	6.4	22	2	3	5	8	13	16	25
65 +	351	6.9	23	3	4	5	9	13	16	26
B. Operated										
0-19 YRS	117	10.3	94	2	4	7	13	21	27	50
20-34	211	10.1	118	3	4	7	12	18	32	64
35-49	315	9.3	67	2	4	7	11	19	25	45
50-64	307	11.7	138	3	5	8	14	24	39	62
65 +	461	11.8	105	3	5	9	16	24	35	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	390	3.9	8	1	2	3	5	7	9	15
B. Operated	267	6.5	30	1	3	5	9	14	16	26
2. MULTIPLE DX										
A. Not Operated	1109	6.0	22	2	3	5	7	12	15	25
B. Operated	1411	10.8	106	2	4	8	13	22	31	55
1. SINGLE DX	657	4.9	18	1	2	4	6	10	14	20
2. MULTIPLE DX	2520	8.7	74	2	4	6	11	18	24	47
A. Not Operated	1499	5.4	19	2	3	4	7	11	14	23
B. Operated	1678	10.1	96	2	4	7	13	21	29	54
TOTAL										
0-19 YRS	318	6.8	52	1	2	5	8	14	20	34
20-34	629	6.7	59	2	3	4	7	14	19	38
35-49	737	7.0	42	2	3	5	9	14	19	35
50-64	617	8.9	88	2	4	6	11	19	26	54
65 +	876	9.3	73	2	4	7	12	19	26	46
GRAND TOTAL	**3177**	**7.9**	**65**	**2**	**3**	**5**	**10**	**16**	**22**	**44**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	2.6	7	1	1	2	3	5	10	12
20-34	61	3.7	8	1	1	3	5	8	10	13
35-49	64	3.8	7	1	2	3	5	8	9	13
50-64	52	3.9	9	1	2	3	6	8	9	13
65 +	41	3.4	6	1	2	3	4	6	7	13
B. Operated										
0-19 YRS	46	3.5	13	< 1	1	2	5	9	11	18
20-34	79	4.7	15	1	2	4	7	10	14	16
35-49	84	4.8	12	1	2	4	7	9	12	16
50-64	77	4.0	9	1	2	3	6	8	10	14
65 +	65	3.8	11	1	1	3	5	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	194	2.8	8	1	1	2	3	5	9	16
20-34	312	3.8	16	1	1	3	5	7	10	21
35-49	403	4.6	17	1	2	3	6	9	12	20
50-64	463	4.7	12	1	2	4	6	9	11	18
65 +	777	5.5	14	1	3	5	7	10	12	18
B. Operated										
0-19 YRS	329	4.4	70	1	1	1	5	11	18	33
20-34	494	4.2	37	1	1	2	5	10	14	30
35-49	667	6.0	66	1	1	3	7	13	21	44
50-64	811	7.5	84	1	2	4	9	18	26	52
65 +	1325	7.0	66	1	2	4	9	16	22	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	3.6	8	1	2	3	5	8	9	13
B. Operated	351	4.3	12	1	1	3	6	9	12	15
2. MULTIPLE DX										
A. Not Operated	2149	4.7	15	1	2	4	6	9	11	18
B. Operated	3626	6.3	68	1	1	3	8	15	22	43
1. SINGLE DX	596	4.0	10	1	2	3	6	8	10	15
2. MULTIPLE DX	5775	5.7	49	1	2	3	7	12	18	36
A. Not Operated	2394	4.6	14	1	2	4	6	9	11	18
B. Operated	3977	6.1	63	1	1	3	8	14	21	41
TOTAL										
0-19 YRS	596	3.8	43	1	1	2	4	8	13	25
20-34	946	4.1	26	1	1	2	5	9	12	27
35-49	1218	5.3	44	1	2	3	7	11	15	36
50-64	1403	6.2	55	1	2	4	8	14	21	44
65 +	2208	6.3	46	1	2	4	8	13	19	32
GRAND TOTAL	**6371**	**5.5**	**45**	**1**	**2**	**3**	**7**	**12**	**17**	**34**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.2	4	1	1	2	3	4	7	9
20-34	3	7.3	6	5	5	7	9	10	10	10
35-49	4	6.3	21	3	3	4	9	13	13	13
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	2.4	7	< 1	1	2	3	4	7	14
20-34	28	3.3	17	< 1	< 1	2	4	7	16	17
35-49	27	3.4	7	1	1	3	4	8	9	12
50-64	28	4.6	11	1	3	4	6	9	14	14
65 +	65	4.1	11	1	2	3	5	8	12	16
B. Operated										
0-19 YRS	4	12.3	74	1	5	14	19	19	19	19
20-34	12	11.2	477	1	2	4	8	36	73	79
35-49	16	5.7	34	1	2	4	8	9	20	25
50-64	9	8.0	74	1	2	5	11	22	28	28
65 +	17	10.5	102	2	3	8	13	29	35	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	3.5	10	1	1	2	4	9	11	13
B. Operated	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	204	3.5	11	1	1	3	4	7	12	16
B. Operated	58	9.1	149	1	2	5	10	19	31	76
1. SINGLE DX	28	3.6	9	1	1	3	5	8	10	13
2. MULTIPLE DX	262	4.7	46	1	1	3	5	10	14	32
A. Not Operated	230	3.5	10	1	1	3	4	7	12	16
B. Operated	60	8.9	145	1	2	5	10	19	30	75
TOTAL										
0-19 YRS	78	2.9	14	< 1	1	2	3	5	12	19
20-34	43	5.8	148	< 1	1	3	6	11	17	79
35-49	48	4.4	18	1	2	3	5	9	12	25
50-64	38	5.4	26	1	3	4	6	12	14	28
65 +	83	5.4	35	1	2	3	7	12	14	35
GRAND TOTAL	**290**	**4.6**	**43**	**1**	**1**	**3**	**5**	**10**	**14**	**31**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	124	1.4	3	< 1	< 1	1	1	2	2	8
35-49	66	1.2		< 1	< 1	1	1	2	2	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	94	2.1	1	< 1	1	2	3	4	5	5
35-49	69	2.1	2	1	1	2	3	4	4	8
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	192	1.3	2	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	167	2.1	2	< 1	1	2	3	4	5	6
1. SINGLE DX	192	1.3	2	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	167	2.1	2	< 1	1	2	3	4	5	6
A. Not Operated	0									
B. Operated	359	1.7	2	< 1	< 1	1	2	3	4	6
TOTAL										
0-19 YRS	5	2.0	2	1	1	1	3	4	4	4
20-34	218	1.7	3	< 1	< 1	1	2	3	4	5
35-49	135	1.7	1	< 1	< 1	1	2	3	4	6
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**359**	**1.7**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**6**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	2	70.0	1152	46	46	70	94	94	94	94
1000-1499	6	42.7	481	26	31	34	47	81	85	85
1500-1749	11	22.6	117	11	15	18	32	38	42	42
1750-2499	998	2.3	6	1	1	2	3	4	5	16
2500 +	76950	1.7	1	1	1	1	2	3	4	5
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	15	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
1-999 G	29	65.9	530	31	56	73	98	99 +	99 +	99 +
1000-1499	143	37.0	303	17	25	36	45	61	81	99 +
1500-1749	164	21.6	135	10	14	19	26	36	43	57
1750-2499	3296	5.6	32	1	2	4	7	13	17	25
2500 +	44964	2.5	4	1	1	2	3	4	5	10
B. Operated										
1-999 G	52	74.4	181	62	70	84	99 +	99 +	99 +	99 +
1000-1499	134	50.3	355	27	38	49	65	85	95	99 +
1500-1749	94	30.3	129	17	23	28	37	49	54	82
1750-2499	352	17.5	181	5	9	15	23	35	45	99
2500 +	913	7.8	89	1	3	5	9	16	26	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77967	1.7	1	1	1	1	2	3	4	5
B. Operated	15	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	48596	2.9	15	1	1	2	3	5	7	17
B. Operated	1545	17.3	406	2	4	9	25	56	80	99 +
1. SINGLE DX	77982	1.7	1	1	1	1	2	3	4	5
2. MULTIPLE DX	50141	3.4	33	1	1	2	4	5	8	31
A. Not Operated	126563	2.2	7	1	1	2	3	4	4	10
B. Operated	1560	17.1	405	2	4	9	25	55	80	99 +
TOTAL										
1-999 G	83	71.3	324	55	64	80	99 +	99 +	99 +	99 +
1000-1499	283	43.4	372	21	30	41	55	80	87	99 +
1500-1749	269	24.7	149	11	16	23	31	41	50	61
1750-2499	4646	5.8	51	1	2	3	7	14	19	36
2500 +	122842	2.0	3	1	1	2	3	4	4	8
GRAND TOTAL	**128123**	**2.4**	**14**	**1**	**1**	**2**	**3**	**4**	**5**	**14**

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	1	55.0		55	55	55	55	55	55	55
1000-1499	4	13.3	44	7	7	13	19	19	19	19
1500-1749	4	11.0	36	8	8	8	14	20	20	20
1750-2499	166	3.4	8	1	2	3	4	5	8	17
2500 +	684	2.8	2	1	2	3	4	4	5	6
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	3	61.0	73	53	56	65	85	99 +	99 +	99 +
1000-1499	34	31.6	166	15	22	32	40	47	54	58
1500-1749	52	19.0	50	8	15	19	23	25	30	47
1750-2499	682	6.5	25	2	3	5	9	14	17	25
2500 +	661	4.0	12	2	2	3	4	6	8	16
B. Operated										
1-999 G	10	80.2	73	71	79	93	99 +	99 +	99 +	99 +
1000-1499	43	48.1	236	33	40	48	57	91	99 +	99 +
1500-1749	33	29.2	118	17	20	27	39	45	51	99 +
1750-2499	58	14.0	84	3	6	13	19	27	34	38
2500 +	16	9.6	119	3	3	6	12	19	37	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	859	3.1	7	1	2	3	4	4	5	13
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1432	6.5	53	2	3	4	7	15	20	40
B. Operated	160	30.0	515	5	13	27	48	87	99 +	99 +
1. SINGLE DX	859	3.1	7	1	2	3	4	4	5	13
2. MULTIPLE DX	1592	8.9	149	2	3	4	9	22	39	92
A. Not Operated	2291	5.2	38	2	2	4	5	10	17	36
B. Operated	160	30.0	515	5	13	27	48	87	99 +	99 +
TOTAL										
1-999 G	14	74.3	158	59	71	86	99 +	99 +	99 +	99 +
1000-1499	81	39.5	295	19	28	40	51	68	93	99 +
1500-1749	89	22.4	103	10	16	21	27	40	45	81
1750-2499	906	6.4	31	2	3	4	8	14	17	28
2500 +	1361	3.5	9	1	2	3	4	5	7	15
GRAND TOTAL	**2451**	**6.8**	**107**	**2**	**2**	**4**	**6**	**16**	**27**	**74**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	6	1.5		1	1	1	2	2	2	2
2500 +	200	1.3		< 1	1	1	2	2	2	3
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	1	89.0		89	89	89	89	89	89	89
1500-1749	2	23.5	145	15	15	23	32	32	32	32
1750-2499	43	6.3	27	1	2	5	9	15	16	22
2500 +	124	3.0	14	1	1	2	3	5	8	26
B. Operated										
1-999 G	1	52.0		52	52	52	52	52	52	52
1000-1499	0									
1500-1749	2	28.0	18	25	25	28	31	31	31	31
1750-2499	4	14.0	43	7	8	14	19	21	21	21
2500 +	4	6.8	2	5	6	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	206	1.3		< 1	1	1	2	2	2	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	170	4.6	67	1	1	2	5	10	15	31
B. Operated	11	17.4	207	6	7	14	28	66	95	99 +
1. SINGLE DX	206	1.3		< 1	1	1	2	2	2	3
2. MULTIPLE DX	181	5.4	83	1	2	2	6	13	21	77
A. Not Operated	376	2.8	33	1	1	1	2	5	9	24
B. Operated	11	17.4	207	6	7	14	28	66	95	99 +
TOTAL										
1-999 G	1	52.0		52	52	52	52	52	52	52
1000-1499	1	89.0		89	89	94	99 +	99 +	99 +	99 +
1500-1749	4	25.8	61	15	20	28	31	32	32	32
1750-2499	53	6.3	31	1	2	5	9	15	18	22
2500 +	328	2.0	6	< 1	1	1	2	4	5	13
GRAND TOTAL	**387**	**3.2**	**43**	**1**	**1**	**2**	**2**	**7**	**12**	**32**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	223	1.5	1	< 1	1	1	2	3	4	5
20-34	220	1.8	1	1	1	1	2	4	4	6
35-49	126	2.0	4	< 1	1	1	2	3	5	13
50-64	79	1.9	2	1	1	1	3	4	5	8
65 +	46	1.8	2	1	1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	7.5	61	2	2	7	13	13	13	13
50-64	0									
65 +	2	8.0	98	1	1	8	15	15	15	15
B. Operated										
0-19 YRS	201	1.8	2	< 1	1	1	2	4	5	7
20-34	77	2.9	5	1	1	2	4	7	7	11
35-49	76	2.8	5	1	1	3	3	5	7	13
50-64	40	2.9	4	1	1	2	4	6	7	9
65 +	51	3.9	10	1	2	3	5	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		1	1	1	1	1	1	1
B. Operated	694	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	10	3.7	30	< 1	< 1	< 1	2	14	15	15
B. Operated	445	2.5	5	< 1	1	2	3	5	7	11
1. SINGLE DX	698	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	455	2.5	5	< 1	1	2	3	5	7	13
A. Not Operated	14	2.9	22	< 1	< 1	1	1	13	15	15
B. Operated	1139	2.1	3	< 1	1	1	3	4	5	9
TOTAL										
0-19 YRS	429	1.6	2	< 1	1	1	2	3	4	6
20-34	300	2.1	3	1	1	1	3	4	5	8
35-49	204	2.3	5	1	1	2	3	4	6	13
50-64	121	2.2	3	1	1	1	3	5	6	9
65 +	99	3.1	9	1	1	2	4	7	10	15
GRAND TOTAL	**1153**	**2.1**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**	**10**

308 Hospitals, Western Region, January-December 1989

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	3	1.3		< 1	< 1	< 1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	10	2.9	15	< 1	< 1	< 1	2	10	12	12
20-34	30	2.1	3	< 1	< 1	1	2	5	7	7
35-49	54	2.6	5	< 1	1	2	3	7	7	10
50-64	53	3.2	7	< 1	1	2	4	7	10	11
65 +	61	4.3	14	1	2	3	7	9	13	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	1.3		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	12	1.8		1	1	2	2	3	3	3
B. Operated	208	3.2	9	< 1	1	2	4	8	9	14
1. SINGLE DX	4	1.3		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX	220	3.1	8	< 1	1	2	4	7	9	14
A. Not Operated	12	1.8		1	1	2	2	3	3	3
B. Operated	212	3.2	9	< 1	1	2	4	7	9	14
TOTAL										
0-19 YRS	16	2.5	9	< 1	< 1	1	2	7	11	12
20-34	34	2.0	3	< 1	< 1	1	2	4	6	7
35-49	56	2.6	5	< 1	1	2	3	7	7	10
50-64	56	3.1	7	< 1	1	2	4	7	10	11
65 +	62	4.2	14	1	2	3	7	9	13	16
GRAND TOTAL	**224**	**3.1**	**8**	**< 1**	**1**	**2**	**4**	**7**	**9**	**14**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.7	5	1	2	2	3	5	8	11
20-34	41	2.6	3	1	1	2	4	5	5	5
35-49	89	2.4	4	1	1	1	3	5	5	11
50-64	205	2.0	2	1	1	1	3	5	5	6
65 +	165	1.9	3	1	1	1	3	5	5	8
B. Operated										
0-19 YRS	0									
20-34	5	3.4	1	2	3	3	4	5	5	5
35-49	7	2.9	4	1	1	2	4	6	6	6
50-64	11	3.5	4	1	1	4	5	6	6	6
65 +	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2949	2.8	5	1	1	2	4	5	6	9
20-34	882	3.4	6	1	2	4	4	5	6	13
35-49	1544	2.9	6	1	1	2	4	5	6	12
50-64	3135	2.4	4	1	1	2	3	5	6	9
65 +	3581	2.5	4	1	1	2	4	5	6	9
B. Operated										
0-19 YRS	217	5.8	97	1	2	4	6	9	23	61
20-34	102	5.6	26	1	3	5	6	11	15	29
35-49	185	5.9	70	1	2	4	6	11	25	34
50-64	340	5.9	78	1	2	4	6	9	21	48
65 +	364	5.6	44	1	2	4	6	10	15	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	529	2.1	3	1	1	1	3	5	5	8
B. Operated	25	3.5	3	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	12091	2.7	5	1	1	2	4	5	6	10
B. Operated	1208	5.8	65	1	2	4	6	10	18	41
1. SINGLE DX	554	2.2	3	1	1	1	3	5	5	8
2. MULTIPLE DX	13299	3.0	11	1	1	2	4	5	6	14
A. Not Operated	12620	2.7	5	1	1	2	4	5	6	10
B. Operated	1233	5.7	64	1	2	4	6	10	18	41
TOTAL										
0-19 YRS	3195	3.0	11	1	1	2	4	5	6	12
20-34	1030	3.6	8	1	2	4	5	5	7	16
35-49	1825	3.2	13	1	1	2	4	5	7	21
50-64	3691	2.7	12	1	1	2	4	5	6	13
65 +	4112	2.7	8	1	1	2	4	5	6	12
GRAND TOTAL	**13853**	**2.9**	**11**	**1**	**1**	**2**	**4**	**5**	**6**	**13**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V53.9; V54.8-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	398	1.8	3	<1	1	1	2	3	5	7
20-34	682	2.2	29	<1	1	1	2	4	6	23
35-49	277	2.3	36	<1	1	1	2	3	6	21
50-64	152	3.3	73	<1	1	1	2	6	14	99
65+	133	1.9	6	<1	1	1	2	4	5	34
B. Operated										
0-19 YRS	196	4.0	9	1	1	3	6	8	9	12
20-34	388	4.3	39	<1	1	3	6	8	11	25
35-49	283	4.0	11	1	1	3	6	8	9	14
50-64	163	4.3	11	1	1	4	7	9	10	15
65+	91	5.4	11	1	2	6	7	9	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1312	4.7	116	<1	<1	1	3	15	33	99+
20-34	848	8.5	235	1	1	2	11	36	78	99+
35-49	870	10.2	230	1	1	3	16	32	51	99+
50-64	1165	11.3	186	1	2	5	17	30	42	86
65+	4482	15.1	141	2	6	13	21	31	38	58
B. Operated										
0-19 YRS	513	7.2	228	1	1	3	7	51	99+	99+
20-34	619	5.3	141	1	1	2	6	32	99+	99+
35-49	971	5.1	70	1	1	2	7	12	24	99+
50-64	904	5.8	75	1	1	3	8	12	27	99+
65+	1269	9.6	126	1	2	6	12	26	35	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1642	2.2	26	<1	1	1	2	4	6	22
B. Operated	1121	4.3	21	1	1	3	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	8677	11.9	176	1	2	8	18	30	41	99+
B. Operated	4276	6.9	120	1	1	3	8	20	42	99+
1. SINGLE DX	2763	3.0	25	<1	1	2	3	7	9	18
2. MULTIPLE DX	12953	10.2	163	1	2	6	15	28	41	99+
A. Not Operated	10319	10.3	165	1	1	5	16	28	38	99+
B. Operated	5397	6.3	101	1	1	3	8	15	34	99+
TOTAL										
0-19 YRS	2419	4.7	114	<1	1	1	4	12	37	99+
20-34	2537	5.4	133	<1	1	2	5	17	53	99+
35-49	2401	6.5	126	1	1	2	7	20	35	99+
50-64	2384	8.2	134	1	1	4	10	24	36	99+
65+	5975	13.5	142	1	4	10	19	29	38	57
GRAND TOTAL	**15716**	**9.0**	**146**	**1**	**1**	**4**	**13**	**25**	**37**	**99+**

Length of Stay Tables
Operation Groups

308 Hospitals, Western Region, January-December 1989, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47433	2.5	8	<1	1	2	3	5	7	14
20-34	112276	2.3	5	1	1	2	3	4	5	10
35-49	40952	3.2	9	1	1	2	4	6	8	14
50-64	24064	3.8	12	1	2	3	5	8	10	15
65 +	21194	4.5	13	1	2	4	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	63596	5.7	83	1	2	3	6	13	22	65
20-34	145007	4.0	27	1	2	3	4	7	11	28
35-49	96827	5.4	41	1	2	4	6	10	15	35
50-64	101970	6.6	51	1	3	5	8	13	18	38
65 +	208518	7.6	50	2	3	6	9	15	20	37
TOTAL SINGLE DX	245919	2.8	8	1	1	2	3	6	8	13
TOTAL MULTIPLE DX	615918	6.0	49	1	2	4	7	12	18	38
TOTAL										
0-19 YRS	111029	4.3	54	1	1	2	4	9	15	45
20-34	257283	3.2	18	1	1	2	4	6	8	22
35-49	137779	4.7	33	1	2	3	5	9	13	30
50-64	126034	6.0	44	1	2	4	7	12	17	35
65 +	229712	7.3	47	2	3	6	9	14	19	36
GRAND TOTAL	861837	5.1	39	1	2	3	6	11	15	33

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	132	8.0	36	2	4	7	10	16	21	30
20-34	80	8.8	96	2	4	7	9	14	33	56
35-49	118	8.3	143	2	4	6	9	14	17	90
50-64	119	7.5	19	3	5	6	9	13	16	25
65 +	128	8.5	21	3	5	8	11	15	17	24
2. MULTIPLE DX										
0-19 YRS	338	14.6	243	3	5	9	19	37	55	99 +
20-34	190	15.2	253	4	6	10	17	40	53	97
35-49	338	12.4	138	3	6	9	16	26	44	99 +
50-64	422	14.0	143	4	7	10	16	31	39	60
65 +	714	14.6	128	5	7	11	18	30	37	71
TOTAL SINGLE DX	577	8.2	60	2	4	7	10	15	18	36
TOTAL MULTIPLE DX	2002	14.2	165	4	7	10	17	31	43	90
TOTAL										
0-19 YRS	470	12.8	194	2	5	8	16	31	44	99 +
20-34	27[illegible]	13.3	215	3	5	8	15	30	47	92
35-49	456	11.3	143	3	5	8	14	23	40	99 +
50-64	541	12.6	123	4	6	9	15	27	37	57
65 +	842	13.7	117	5	7	10	16	26	35	66
GRAND TOTAL	2579	12.8	148	3	6	9	16	27	39	83

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	80	5.4	15	3	3	4	6	10	16	20
20-34	39	8.9	68	2	4	6	11	20	24	44
35-49	[illegible]	8.9	29	3	5	7	12	16	19	25
50-64	27	11.4	90	3	5	7	16	24	37	39
65 +	16	8.1	24	3	5	7	10	15	20	22
2. MULTIPLE DX										
0-19 YRS	138	13.5	212	3	4	7	20	34	55	99 +
20-34	97	14.8	267	4	6	9	17	40	64	99 +
35-49	90	16.9	357	2	5	12	18	46	64	98
50-64	74	17.7	173	5	7	15	26	39	44	99 +
65 +	154	18.6	280	5	7	13	24	40	56	83
TOTAL SINGLE DX	197	7.7	43	3	4	5	9	17	20	38
TOTAL MULTIPLE DX	553	16.3	262	4	6	11	21	39	59	99 +
TOTAL										
0-19 YRS	218	10.5	156	3	4	6	12	26	36	99 +
20-34	136	13.1	217	4	5	8	15	29	51	99 +
35-49	125	14.6	277	3	5	10	16	41	56	96
50-64	101	16.0	158	5	7	12	24	38	41	99 +
65 +	170	17.6	265	4	7	12	22	38	49	82
GRAND TOTAL	750	14.0	218	3	5	9	18	34	48	99

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	274	3.5	3	2	2	3	4	5	7	10
20-34	38	3.8	4	2	2	3	5	7	8	9
35-49	27	4.3	12	1	2	3	5	8	12	18
50-64	9	4.9	13	1	3	4	6	11	11	11
65 +	12	4.3	4	2	3	4	5	7	10	10
2. MULTIPLE DX										
0-19 YRS	213	7.3	94	2	3	4	7	15	28	66
20-34	102	10.9	253	2	3	6	13	29	71	99 +
35-49	48	11.4	275	3	4	7	12	21	35	98
50-64	28	12.8	255	2	4	11	14	26	36	84
65 +	27	13.6	209	3	4	8	15	37	52	55
TOTAL SINGLE DX	360	3.7	4	2	2	3	4	6	7	11
TOTAL MULTIPLE DX	418	9.4	175	2	3	5	10	21	38	99
TOTAL										
0-19 YRS	487	5.1	46	2	3	4	5	8	12	41
20-34	140	9.0	195	2	3	5	9	19	50	99 +
35-49	75	8.9	191	2	3	4	8	17	25	90
50-64	37	10.9	206	2	3	6	13	23	29	84
65 +	39	10.7	163	2	4	6	10	29	46	55
GRAND TOTAL	778	6.8	104	2	3	4	7	13	23	84

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	4.1	5	2	3	3	5	8	8	13
20-34	24	9.1	87	3	4	7	10	21	29	45
35-49	9	13.0	408	2	3	7	11	44	66	66
50-64	18	5.6	15	3	3	4	8	13	15	15
65 +	25	6.7	16	2	4	6	8	13	15	15
2. MULTIPLE DX										
0-19 YRS	279	11.5	234	2	3	6	14	37	71	99 +
20-34	56	15.0	228	3	7	11	23	73	99 +	99 +
35-49	60	16.0	290	3	6	10	19	46	57	98
50-64	79	17.5	376	3	6	10	22	57	78	99 +
65 +	158	14.1	140	4	6	10	20	28	41	53
TOTAL SINGLE DX	159	5.9	47	2	3	4	7	11	14	43
TOTAL MULTIPLE DX	632	13.6	236	2	4	8	18	41	62	99 +
TOTAL										
0-19 YRS	362	9.8	192	2	3	5	10	29	51	99 +
20-34	80	13.2	192	3	5	9	18	54	99 +	99 +
35-49	69	15.6	301	2	5	9	18	46	59	96
50-64	97	15.3	330	3	4	9	17	51	75	99 +
65 +	183	13.1	129	3	6	9	18	26	39	51
GRAND TOTAL	791	12.1	208	2	3	7	15	34	55	99 +

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	259	3.7	9	1	2	3	4	7	9	15
20-34	39	5.1	14	2	2	4	6	9	15	18
35-49	24	6.0	36	2	3	4	6	14	20	28
50-64	10	9.3	62	3	4	9	10	20	30	30
65 +	10	5.2	10	1	2	5	7	9	11	11
2. MULTIPLE DX										
0-19 YRS	654	7.1	103	1	2	4	7	17	29	58
20-34	145	11.9	233	3	4	7	13	33	54	99 +
35-49	99	10.2	150	3	4	6	11	20	29	73
50-64	54	10.9	192	3	4	6	10	32	40	75
65 +	78	11.5	96	3	5	10	15	20	34	89
TOTAL SINGLE DX	342	4.2	14	1	2	3	5	8	11	21
TOTAL MULTIPLE DX	1030	8.6	134	2	3	5	9	19	33	77
TOTAL										
0-19 YRS	913	6.2	79	1	2	3	6	14	21	55
20-34	184	10.5	194	2	4	6	11	24	47	94
35-49	123	9.4	131	3	3	5	10	19	27	70
50-64	64	10.7	171	3	4	7	10	30	40	72
65 +	88	10.8	90	3	5	8	14	19	31	85
GRAND TOTAL	1372	7.5	108	2	2	4	8	16	27	66

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	5.7	11	3	4	4	7	11	12	12
20-34	126	5.4	23	2	3	4	6	11	13	32
35-49	335	4.5	9	2	3	4	5	7	9	14
50-64	339	4.7	5	2	3	4	6	8	9	12
65 +	346	5.6	7	3	4	5	7	9	11	16
2. MULTIPLE DX										
0-19 YRS	63	14.5	272	4	6	9	15	41	69	97
20-34	175	9.5	110	3	4	6	11	20	36	67
35-49	518	7.1	38	3	4	6	8	13	17	41
50-64	845	7.2	37	3	4	6	8	12	18	35
65 +	1583	8.2	30	4	5	7	9	14	18	31
TOTAL SINGLE DX	1159	5.0	9	2	3	4	6	8	11	17
TOTAL MULTIPLE DX	3184	8.0	44	3	4	6	9	14	19	40
TOTAL										
0-19 YRS	76	13.0	238	3	5	8	13	28	63	94
20-34	301	7.8	78	2	3	5	8	15	27	49
35-49	853	6.1	28	2	3	5	7	10	14	35
50-64	1184	6.5	30	3	4	5	7	10	15	31
65 +	1929	7.7	27	3	5	7	9	13	17	30
GRAND TOTAL	4343	7.2	36	3	4	6	8	12	17	35

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	11.9	99	4	6	8	11	29	38	39
20-34	44	6.3	70	< 1	2	5	7	10	15	55
35-49	82	4.7	12	1	2	4	6	8	9	22
50-64	65	5.1	11	1	3	4	7	11	12	15
65 +	25	5.7	16	1	3	5	8	9	16	17
2. MULTIPLE DX										
0-19 YRS	260	12.0	120	3	5	8	17	29	34	99
20-34	135	12.5	152	2	5	10	16	28	42	99 +
35-49	204	8.3	79	1	3	6	11	17	24	44
50-64	180	11.2	130	1	4	7	14	26	34	53
65 +	166	11.6	151	1	4	8	14	22	39	69
TOTAL SINGLE DX	266	6.5	45	1	3	5	8	11	16	38
TOTAL MULTIPLE DX	945	11.1	125	1	4	8	14	25	35	72
TOTAL										
0-19 YRS	310	12.0	117	3	5	8	16	29	35	94
20-34	179	10.9	139	1	4	7	13	25	40	95
35-49	286	7.3	63	1	3	5	9	15	20	44
50-64	245	9.6	106	1	3	7	11	24	29	50
65 +	191	10.8	138	1	4	8	13	21	35	63
GRAND TOTAL	1211	10.1	111	1	4	7	12	24	32	59

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.1	2	< 1	< 1	2	3	4	6	6
20-34	24	2.8	3	< 1	1	2	4	6	6	7
35-49	50	3.9	10	1	1	3	6	8	10	15
50-64	29	3.4	6	1	1	2	5	6	8	11
65 +	28	3.0	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	13	3.5	6	1	2	2	6	7	9	9
20-34	49	3.3	5	1	1	3	5	7	8	9
35-49	56	7.1	110	1	2	4	7	14	27	54
50-64	71	5.2	20	1	1	5	7	10	16	23
65 +	92	8.1	42	1	3	7	11	15	22	32
TOTAL SINGLE DX	143	3.3	7	1	1	2	5	7	8	11
TOTAL MULTIPLE DX	281	6.1	45	1	2	5	8	13	16	33
TOTAL										
0-19 YRS	25	2.8	5	< 1	1	2	4	6	7	9
20-34	73	3.1	5	1	1	2	5	7	8	9
35-49	106	5.6	65	1	1	4	7	9	15	54
50-64	100	4.7	17	1	1	4	6	9	12	20
65 +	120	6.9	38	1	2	5	9	14	17	30
GRAND TOTAL	424	5.2	34	1	1	4	7	10	14	28

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	103	1.3	1	<1	<1	<1	1	2	3	7
20-34	136	1.8	2	<1	1	1	2	4	6	8
35-49	145	1.9	2	<1	1	1	2	4	5	8
50-64	73	2.2	5	<1	1	1	2	5	6	14
65 +	50	1.7	2	<1	<1	1	2	3	6	8
2. MULTIPLE DX										
0-19 YRS	97	2.9	12	<1	1	2	3	7	9	21
20-34	203	3.2	17	1	1	2	4	6	10	65
35-49	199	3.1	18	1	1	2	3	7	12	24
50-64	134	2.6	12	1	1	2	3	5	7	39
65 +	120	3.0	18	1	1	2	3	6	9	25
TOTAL SINGLE DX	507	1.8	3	<1	<1	1	2	4	5	9
TOTAL MULTIPLE DX	753	3.0	17	1	1	2	3	6	10	28
TOTAL										
0-19 YRS	200	2.1	8	<1	<1	1	2	4	7	14
20-34	339	2.7	12	1	1	2	3	5	8	34
35-49	344	2.6	12	<1	1	1	3	5	8	20
50-64	207	2.4	10	1	1	1	3	5	6	27
65 +	170	2.6	14	<1	1	1	2	5	7	22
GRAND TOTAL	1260	2.5	11	<1	1	1	3	5	7	22

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	19	3.7	1	2	3	3	5	6	6	6
35-49	23	4.7	2	3	4	5	5	8	8	8
50-64	8	4.4	1	3	3	4	5	6	7	7
65 +	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	4	4.5	1	3	3	4	5	6	6	6
20-34	24	4.2	6	2	3	3	5	7	9	12
35-49	53	5.5	13	2	4	4	6	9	16	18
50-64	18	7.1	28	2	3	5	9	17	18	18
65 +	18	8.1	56	1	3	7	9	17	26	32
TOTAL SINGLE DX	53	4.2	2	2	3	4	5	6	8	8
TOTAL MULTIPLE DX	117	5.8	22	2	3	4	7	11	17	23
TOTAL										
0-19 YRS	5	4.4	1	3	4	4	5	6	6	6
20-34	43	4.0	4	2	3	3	5	7	8	12
35-49	76	5.2	10	2	4	5	6	8	11	18
50-64	26	6.3	21	3	3	4	8	15	18	18
65 +	20	7.8	52	2	3	6	9	17	25	32
GRAND TOTAL	170	5.3	16	2	3	4	6	9	15	18

511: Miscellaneous operations on sympathetic nerves and ganglia (05.[illegible]11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	6	7.8	110	1	3	4	6	27	29	29
35-49	14	1.9	2	<1	<1	<1	2	4	5	5
50-64	6	3.8	12	1	1	2	6	10	10	10
65 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	17	8.4	82	1	2	4	14	22	29	33
35-49	28	6.1	58	1	2	3	7	15	22	36
50-64	18	9.9	51	4	5	8	11	19	28	32
65 +	20	10.6	137	2	4	7	12	19	37	55
TOTAL SINGLE DX	30	3.5	28	<1	<1	2	4	6	10	29
TOTAL MULTIPLE DX	84	8.4	81	1	3	5	11	19	26	49
TOTAL										
0-19 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
20-34	23	8.3	85	1	2	4	12	24	30	33
35-49	42	4.7	43	<1	<1	2	5	13	17	36
50-64	24	8.4	48	1	4	7	10	16	24	32
65 +	22	9.9	130	2	4	6	11	19	34	55
GRAND TOTAL	114	7.1	71	<1	2	4	9	16	23	43

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	1.8		1	1	2	2	3	4	5
20-34	392	2.1	1	1	1	2	2	3	4	7
35-49	527	2.0		1	1	2	2	3	4	5
50-64	306	2.2	1	1	1	2	3	3	4	6
65 +	150	2.5	4	1	2	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	25	3.8	16	1	2	3	5	5	14	20
20-34	217	2.6	3	1	2	2	3	4	5	13
35-49	341	2.8	15	1	2	2	3	4	6	12
50-64	313	3.0	8	1	2	2	3	5	7	19
65 +	253	4.0	20	2	2	3	4	7	10	23
TOTAL SINGLE DX	1419	2.1	2	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	1149	3.1	13	1	2	2	3	5	7	19
TOTAL										
0-19 YRS	69	2.6	7	1	1	2	3	5	5	18
20-34	609	2.3	3	1	1	2	3	4	4	8
35-49	868	2.3	7	1	1	2	3	3	4	8
50-64	619	2.6	5	1	2	2	3	4	5	13
65 +	403	3.5	15	1	2	2	4	6	8	22
GRAND TOTAL	2568	2.5	7	1	2	2	3	4	5	12

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	78	1.4		<1	1	1	1	3	3	4
20-34	41	1.9	1	1	1	2	2	3	4	6
35-49	59	2.2	1	1	1	2	3	4	5	8
50-64	50	2.8	7	1	1	2	3	5	6	17
65 +	35	2.6	2	1	2	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	29	7.6	286	1	1	2	4	24	49	78
20-34	61	7.4	67	1	2	4	10	17	26	41
35-49	130	3.7	14	1	2	3	4	7	8	21
50-64	159	4.7	81	2	2	3	4	8	17	35
65 +	189	5.1	42	2	2	3	5	10	14	36
TOTAL SINGLE DX	263	2.1	3	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	568	5.1	63	1	2	3	5	11	16	38
TOTAL										
0-19 YRS	107	3.1	84	<1	1	1	2	3	6	61
20-34	102	5.2	48	1	1	3	6	14	18	36
35-49	189	3.3	11	1	2	2	4	6	8	19
50-64	209	4.2	64	1	2	2	4	6	15	31
65 +	224	4.7	37	2	2	3	5	9	13	34
GRAND TOTAL	831	4.1	46	1	2	2	4	8	13	32

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	5.9	4	3	5	6	7	9	10	10
20-34	33	6.8	18	3	4	6	8	10	19	22
35-49	35	6.9	8	4	5	6	8	10	12	18
50-64	29	5.7	4	4	4	5	7	8	9	12
65 +	20	6.0	15	3	4	5	6	13	16	16
2. MULTIPLE DX										
0-19 YRS	40	13.1	327	3	5	6	10	36	62	82
20-34	49	7.2	17	4	5	6	8	12	15	27
35-49	74	7.7	29	4	5	6	9	15	22	82
50-64	85	8.0	24	4	5	7	9	12	14	34
65 +	71	10.8	90	4	5	8	12	20	29	54
TOTAL SINGLE DX	137	6.3	11	3	4	6	7	10	12	20
TOTAL MULTIPLE DX	319	9.1	80	4	5	7	9	15	24	63
TOTAL										
0-19 YRS	60	10.7	229	3	5	6	9	19	48	81
20-34	82	7.0	18	4	5	6	8	11	15	25
35-49	109	7.4	23	4	5	6	9	12	19	58
50-64	114	7.4	20	4	5	7	9	11	14	29
65 +	91	9.7	78	4	5	7	11	18	26	53
GRAND TOTAL	456	8.2	61	4	5	6	9	14	20	54

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64	5	1.0		<1	<1	<1	1	1	1	1
65 +	9	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	11	4.5	60	<1	<1	1	4	16	26	27
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	4.0	18	1	2	7	77	99 +	99 +	99 +
50-64	6	4.0	8	<1	2	3	6	9	9	9
65 +	19	7.8	180	1	1	2	8	30	45	45
TOTAL SINGLE DX	32	1.0		<1	<1	<1	1	1	1	2
TOTAL MULTIPLE DX	41	5.7	102	<1	1	2	7	15	45	99 +
TOTAL										
0-19 YRS	26	2.5	27	<1	<1	<1	1	4	12	27
20-34	3	1.3		1	1	1	2	2	2	2
35-49	5	2.2	7	<1	<1	1	7	91	99 +	99 +
50-64	11	2.6	7	<1	<1	1	3	7	9	9
65 +	28	5.6	130	<1	1	1	5	9	45	45
GRAND TOTAL	73	3.6	62	<1	<1	1	3	8	23	87

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	1.2		<1	<1	<1	1	1	2	6
20-34	11	2.0	4	<1	1	1	2	5	8	8
35-49	5	1.6		1	1	2	2	2	2	2
50-64	14	1.9	2	1	1	1	2	4	6	6
65 +	14	1.2		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	164	2.7	13	1	1	2	3	7	8	34
20-34	161	3.4	25	1	1	2	4	7	11	38
35-49	108	3.6	23	1	1	2	4	7	10	28
50-64	55	3.9	36	1	1	2	4	10	12	40
65 +	122	5.9	64	1	2	3	7	14	17	53
TOTAL SINGLE DX	93	1.4	1	<1	<1	1	1	2	3	7
TOTAL MULTIPLE DX	610	3.8	32	1	1	2	4	8	13	37
TOTAL										
0-19 YRS	213	2.3	11	<1	1	1	2	5	7	25
20-34	172	3.3	24	1	1	2	4	7	11	37
35-49	113	3.5	23	1	1	2	4	6	10	27
50-64	69	3.4	30	1	1	2	4	8	11	36
65 +	136	5.4	60	1	1	3	6	14	17	51
GRAND TOTAL	703	3.5	28	1	1	2	4	7	11	36

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.3		<1	<1	1	2	2	2	2
20-34	6	1.0		<1	1	1	1	1	1	1
35-49	11	1.8	2	<1	1	1	2	4	5	5
50-64	6	1.3		1	1	1	1	3	3	3
65 +	11	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	17	2.2	3	1	1	2	2	5	7	8
20-34	13	3.1	14	1	1	1	3	9	12	13
35-49	8	1.4		1	1	1	2	2	2	2
50-64	11	2.5	2	1	1	2	4	5	5	5
65 +	36	2.2	8	1	1	1	2	3	9	16
TOTAL SINGLE DX	52	1.4	1	<1	1	1	2	2	3	5
TOTAL MULTIPLE DX	85	2.3	7	1	1	1	2	5	8	15
TOTAL										
0-19 YRS	35	1.7	2	<1	1	1	2	2	5	8
20-34	19	2.4	11	1	1	1	2	8	11	13
35-49	19	1.6	1	<1	1	1	2	3	5	5
50-64	17	2.1	2	1	1	1	3	4	5	5
65 +	47	2.0	7	1	1	1	2	3	6	16
GRAND TOTAL	137	1.9	5	1	1	1	2	4	5	13

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
20-34	0									
35-49	3	8.0	67	1	2	6	14	17	17	17
50-64	2	1.0		1	1	1	1	1	1	1
65 +	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	11	3.7	15	<1	<1	2	5	11	12	12
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	4.7	9	2	2	4	7	8	8	8
50-64	5	3.4	6	1	2	2	5	7	7	7
65 +	6	3.3	8	1	2	2	4	8	9	9
TOTAL SINGLE DX	14	3.0	19	<1	<1	1	2	7	15	17
TOTAL MULTIPLE DX	26	3.6	10	<1	1	2	5	9	10	12
TOTAL										
0-19 YRS	18	2.7	11	<1	<1	1	3	8	11	12
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	6.3	34	1	2	5	8	16	17	17
50-64	7	2.7	6	1	1	2	4	7	7	7
65 +	8	3.5	7	1	2	2	5	8	9	9
GRAND TOTAL	40	3.4	13	<1	1	2	5	8	11	17

308 Hospitals, Western Region, January-December 1989, by Operation

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	2.3	7	<1	1	1	3	4	9	12
20-34	37	2.2	1	1	1	2	3	4	6	7
35-49	28	1.8		1	1	2	2	3	3	4
50-64	18	2.7	10	1	1	2	3	5	11	15
65 +	48	1.7		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	11	12.7	594	1	1	2	4	62	62	62
20-34	28	2.9	6	1	2	2	3	4	9	13
35-49	28	4.0	25	1	2	2	3	8	20	22
50-64	56	3.5	29	1	2	2	3	5	12	37
65 +	270	2.5	2	1	2	2	3	4	4	9
TOTAL SINGLE DX	148	2.0	3	1	1	2	2	3	4	12
TOTAL MULTIPLE DX	393	3.1	26	1	2	2	3	4	5	22
TOTAL										
0-19 YRS	28	6.4	252	1	1	1	3	10	62	62
20-34	65	2.5	4	1	2	2	3	4	6	12
35-49	56	2.9	14	1	1	2	3	4	8	22
50-64	74	3.3	25	1	2	2	3	5	12	33
65 +	318	2.4	3	1	2	2	3	4	4	8
GRAND TOTAL	541	2.8	20	1	1	2	3	4	5	20

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47	2.7	9	<1	1	2	3	4	5	21
20-34	28	2.6	1	1	2	2	3	4	5	5
35-49	16	3.3	6	1	1	3	4	6	9	10
50-64	7	3.9	18	<1	1	3	5	11	13	13
65 +	6	1.3		<1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	51	4.0	5	1	2	4	5	7	8	10
20-34	35	3.2	3	1	2	3	4	6	7	8
35-49	36	5.6	57	2	3	4	5	8	28	35
50-64	14	7.1	104	1	1	3	8	18	34	39
65 +	31	7.1	65	1	2	4	8	22	26	30
TOTAL SINGLE DX	104	2.8	7	1	1	2	3	5	6	17
TOTAL MULTIPLE DX	167	5.0	37	1	2	3	5	8	16	35
TOTAL										
0-19 YRS	98	3.4	7	1	2	3	4	6	8	16
20-34	63	2.9	3	1	2	3	4	6	6	8
35-49	52	4.9	42	1	2	3	5	7	13	35
50-64	21	6.0	76	<1	1	3	6	14	26	39
65 +	37	6.2	59	1	1	3	7	19	26	30
GRAND TOTAL	271	4.2	26	1	2	3	4	7	12	34

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.4	1	<1	1	1	1	3	4	5
20-34	21	2.2	3	1	1	1	3	6	7	7
35-49	21	2.6	5	1	1	1	3	5	8	10
50-64	31	2.1	2	1	1	1	3	4	7	7
65 +	66	2.3	4	1	1	2	3	5	6	13
2. MULTIPLE DX										
0-19 YRS	16	2.6	9	1	1	1	3	8	10	11
20-34	17	4.1	12	1	1	3	5	10	12	13
35-49	19	5.0	14	1	2	4	7	12	13	13
50-64	58	4.3	14	1	2	3	5	10	12	20
65 +	204	3.9	10	1	2	3	5	8	11	16
TOTAL SINGLE DX	163	2.2	4	1	1	1	3	4	6	10
TOTAL MULTIPLE DX	314	4.0	12	1	2	3	5	8	12	16
TOTAL										
0-19 YRS	40	1.9	4	1	1	1	1	4	7	11
20-34	38	3.1	8	1	1	2	4	7	9	13
35-49	40	3.7	11	1	1	3	5	9	11	13
50-64	89	3.5	12	1	1	2	4	8	10	18
65 +	270	3.5	10	1	1	3	4	8	10	16
GRAND TOTAL	477	3.4	10	1	1	2	4	8	10	16

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	2.9	4	<1	1	3	4	6	8	9
20-34	14	3.2	3	1	3	3	4	5	8	9
35-49	10	2.2	2	<1	1	2	3	5	6	6
50-64	14	2.4	1	1	1	3	3	4	4	4
65 +	13	1.9		<1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	24	4.8	17	1	2	4	6	8	13	21
20-34	32	4.2	13	1	2	3	6	9	11	16
35-49	25	3.4	9	1	1	3	4	7	9	15
50-64	27	6.0	22	1	2	4	11	13	14	15
65 +	58	3.5	8	1	1	2	6	8	9	11
TOTAL SINGLE DX	69	2.6	3	<1	1	3	3	4	6	9
TOTAL MULTIPLE DX	166	4.2	13	1	1	3	6	10	11	16
TOTAL										
0-19 YRS	42	4.0	13	1	2	3	5	8	9	21
20-34	46	3.9	10	1	2	3	4	8	11	16
35-49	35	3.1	7	1	1	2	4	6	7	15
50-64	41	4.8	18	1	1	3	6	12	14	15
65 +	71	3.2	7	1	1	2	5	7	8	11
GRAND TOTAL	235	3.7	11	1	1	3	5	8	11	15

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.2		<1	1	1	1	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	3	1.0		<1	<1	<1	1	1	1	1
65 +	24	1.0		<1	<1	<1	<1	<1	1	1
2. MULTIPLE DX										
0-19 YRS	5	8.2	78	1	2	6	12	23	23	23
20-34	7	2.1	- 2	1	1	2	3	5	5	5
35-49	7	1.9		1	1	2	3	3	3	3
50-64	19	3.4	8	<1	<1	2	6	7	9	11
65 +	37	2.2	6	<1	<1	<1	2	4	8	14
TOTAL SINGLE DX	38	1.1		<1	<1	<1	1	1	2	3
TOTAL MULTIPLE DX	75	2.9	12	<1	<1	1	3	7	9	21
TOTAL										
0-19 YRS	11	4.4	45	<1	1	1	5	15	22	23
20-34	8	2.1	2	1	1	2	3	4	5	5
35-49	11	1.7	1	<1	1	1	3	3	3	3
50-64	22	3.1	8	<1	<1	2	6	7	9	11
65 +	61	1.7	4	<1	<1	<1	1	4	6	13
GRAND TOTAL	113	2.3	9	<1	<1	1	2	6	7	17

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.2		<1	<1	1	1	2	3	3
20-34	5	2.6	4	1	1	2	4	6	6	6
35-49	8	1.4		<1	<1	<1	2	2	2	2
50-64	37	1.2		<1	<1	<1	<1	1	2	5
65 +	195	1.0		<1	<1	<1	<1	<1	1	3
2. MULTIPLE DX										
0-19 YRS	21	2.9	25	<1	1	1	2	6	15	24
20-34	12	3.3	29	<1	1	1	3	9	18	20
35-49	26	2.4	4	1	1	2	2	5	7	11
50-64	81	3.0	16	<1	1	1	3	7	13	20
65 +	335	2.1	6	<1	<1	1	2	4	6	14
TOTAL SINGLE DX	263	1.1		<1	<1	<1	<1	1	2	4
TOTAL MULTIPLE DX	475	2.3	10	<1	1	1	2	5	7	18
TOTAL										
0-19 YRS	39	2.1	15	<1	<1	1	1	3	6	24
20-34	17	3.1	21	1	1	1	3	6	15	20
35-49	34	2.1	4	<1	1	2	2	3	6	11
50-64	118	2.4	12	<1	<1	1	2	5	9	19
65 +	530	1.7	4	<1	<1	1	1	3	5	12
GRAND TOTAL	738	1.9	7	<1	<1	1	2	3	6	17

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	14	1.1		<1	<1	<1	<1	1	2	2
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	4.0		4	4	4	4	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	10	1.9	1	<1	1	2	2	3	4	4
65 +	25	1.5		<1	1	1	2	2	3	4
TOTAL SINGLE DX	19	1.1		<1	<1	<1	1	2	2	2
TOTAL MULTIPLE DX	39	1.8	1	<1	1	2	2	3	4	4
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.8	2	1	1	3	[illegible]	4	4	4
35-49	3	2.0	1	1	1	2	[illegible]	3	3	3
50-64	11	1.8	1	<1	<1	2	2	3	4	4
65 +	39	1.4		<1	<1	1	2	2	2	4
GRAND TOTAL	58	1.6	1	<1	<1	1	2	3	4	4

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	1.9		1	1	2	2	3	4	5
20-34	127	2.0	1	1	1	2	2	3	4	6
35-49	153	2.1	1	1	1	2	3	3	5	7
50-64	269	2.1	1	1	1	2	3	3	4	7
65 +	231	2.1	1	1	1	2	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	77	3.6	45	1	2	2	4	6	12	99 +
20-34	164	2.7	3	1	2	2	3	5	6	9
35-49	217	2.6	4	1	1	2	3	5	6	8
50-64	471	2.7	10	1	2	2	3	4	6	13
65 +	752	2.7	4	1	2	2	3	4	5	9
TOTAL SINGLE DX	825	2.1	1	1	1	2	3	3	4	7
TOTAL MULTIPLE DX	1681	2.7	8	1	2	2	3	4	6	11
TOTAL										
0-19 YRS	122	3.0	30	1	1	2	3	5	8	99 +
20-34	291	2.4	3	1	1	2	3	4	5	9
35-49	370	2.4	3	1	1	2	3	4	5	8
50-64	740	2.5	7	1	1	2	3	4	5	9
65 +	983	2.6	4	1	2	2	3	4	5	8
GRAND TOTAL	2506	2.5	6	1	1	2	3	4	5	9

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	1.5		<1	1	1	2	2	3	3
20-34	35	2.1	2	1	1	1	3	5	6	7
35-49	35	2.1	4	<1	1	1	[illegible]	5	6	11
50-64	44	2.1	1	1	1	2	3	4	5	6
65 +	80	2.1	3	<1	1	2	2	4	6	10
2. MULTIPLE DX										
0-19 YRS	46	5.1	188	1	1	2	5	99 +	99 +	99 +
20-34	144	3.0	5	1	1	2	4	6	8	12
35-49	153	2.9	7	1	2	2	3	5	7	11
50-64	243	2.8	14	1	1	2	3	5	6	11
65 +	348	3.0	6	1	1	2	4	7	8	11
TOTAL SINGLE DX	217	2.0	3	1	1	2	2	4	6	9
TOTAL MULTIPLE DX	934	3.1	17	1	1	2	3	6	8	30
TOTAL										
0-19 YRS	69	3.9	128	1	1	1	3	48	99 +	99 +
20-34	179	2.8	5	1	1	2	3	6	7	12
35-49	188	2.8	7	1	1	2	3	5	7	11
50-64	287	2.7	12	1	1	2	3	5	6	11
65 +	428	2.9	6	1	1	2	3	6	8	11
GRAND TOTAL	1151	2.9	15	1	1	2	3	5	8	16

530: Operations on ocular muscle (15.01; 15.11-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	234	1.0		<1	<1	<1	<1	<1	1	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	113	1.8	62	<1	<1	<1	1	1	6	99 +
20-34	7	3.1	15	1	1	1	5	10	11	11
35-49	5	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	9	1.9	1	<1	1	2	2	4	5	5
TOTAL SINGLE DX	239	1.0		<1	<1	<1	<1	<1	1	3
TOTAL MULTIPLE DX	136	1.9	53	<1	<1	<1	1	2	6	99 +
TOTAL										
0-19 YRS	347	1.3	20	<1	<1	<1	<1	1	1	99 +
20-34	8	2.9	14	1	1	1	4	9	11	11
35-49	7	1.6	2	1	1	1	1	4	5	5
50-64	3	1.0		1	1	1	1	1	1	1
65 +	10	1.8	2	<1	1	1	2	4	5	5
GRAND TOTAL	375	1.3	19	<1	<1	<1	<1	1	2	95

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	74	3.5	7	1	1	3	5	7	8	14
20-34	47	3.7	10	1	1	3	5	8	11	15
35-49	33	3.0	5	1	1	2	5	6	8	9
50-64	15	3.7	9	1	1	2	5	9	10	11
65 +	20	3.0	4	1	1	2	4	6	8	9
2. MULTIPLE DX										
0-19 YRS	73	5.0	43	1	2	4	6	9	13	45
20-34	92	3.9	13	1	2	3	5	8	9	22
35-49	67	3.6	13	1	1	2	4	8	10	21
50-64	58	4.5	23	1	2	3	6	10	13	27
65 +	99	5.7	82	1	1	3	7	12	17	55
TOTAL SINGLE DX	189	3.4	8	1	1	3	5	7	9	14
TOTAL MULTIPLE DX	389	4.6	38	1	2	3	5	9	13	28
TOTAL										
0-19 YRS	147	4.3	25	1	2	4	5	8	9	16
20-34	139	3.8	13	1	2	3	5	8	10	18
35-49	100	3.4	11	1	1	2	4	7	10	18
50-64	73	4.3	21	1	2	3	5	9	13	26
65 +	119	5.3	70	1	1	3	6	11	15	46
GRAND TOTAL	578	4.2	29	1	1	3	5	9	12	24

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	95	1.7	2	<1	<1	1	2	3	4	10
20-34	25	2.7	4	1	1	2	4	5	7	9
35-49	17	2.8	4	1	1	1	4	6	7	7
50-64	15	2.8	11	<1	1	1	4	6	11	13
65 +	5	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	163	2.4	4	1	1	2	3	5	7	12
20-34	75	3.1	10	1	1	2	4	7	10	18
35-49	38	3.4	37	1	1	2	3	7	9	38
50-64	34	6.2	71	1	1	3	7	14	20	45
65 +	74	6.0	24	1	2	4	9	14	15	21
TOTAL SINGLE DX	157	2.1	4	<1	1	1	2	5	6	10
TOTAL MULTIPLE DX	384	3.7	21	1	1	2	4	8	12	20
TOTAL										
0-19 YRS	258	2.2	4	<1	1	1	3	4	6	11
20-34	100	3.0	9	1	1	2	4	6	8	17
35-49	55	3.2	27	1	1	2	4	6	8	37
50-64	49	5.1	55	<1	1	2	6	13	18	45
65 +	79	5.6	24	1	2	4	8	13	15	21
GRAND TOTAL	541	3.2	16	1	1	2	4	7	11	19

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	1.3		1	1	1	1	3	3	3
20-34	31	1.2		1	1	1	1	2	3	4
35-49	58	1.1		1	1	1	1	2	2	3
50-64	37	1.5	1	1	1	1	2	2	3	8
65 +	14	1.4		1	1	1	1	2	4	4
2. MULTIPLE DX										
0-19 YRS	11	1.1		<1	1	1	1	2	2	2
20-34	28	1.1		1	1	1	1	1	2	2
35-49	57	1.2		1	1	1	1	2	2	3
50-64	39	1.5	2	1	1	1	1	3	6	9
65 +	26	1.3		1	1	1	2	2	3	3
TOTAL SINGLE DX	148	1.3	1	1	1	1	1	2	2	4
TOTAL MULTIPLE DX	161	1.3	1	1	1	1	1	2	2	7
TOTAL										
0-19 YRS	19	1.2		1	1	1	1	2	3	3
20-34	59	1.2		1	1	1	1	2	2	4
35-49	115	1.2		1	1	1	1	2	2	3
50-64	76	1.5	2	1	1	1	1	2	3	9
65 +	40	1.4		1	1	1	2	2	3	4
GRAND TOTAL	309	1.3	1	1	1	1	1	2	2	6

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	90	1.0		<1	1	1	1	1	1	2
20-34	29	1.3	1	1	1	1	1	2	3	8
35-49	25	1.0		1	1	1	1	1	2	2
50-64	28	1.1		1	1	1	1	1	2	2
65 +	11	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	105	1.1		<1	1	1	1	1	2	3
20-34	48	1.5	6	1	1	1	1	2	3	18
35-49	57	1.2		<1	1	1	1	2	3	3
50-64	42	1.2		1	1	1	1	2	3	4
65 +	32	1.2		1	1	1	1	2	2	2
TOTAL SINGLE DX	183	1.1		<1	1	1	1	1	2	3
TOTAL MULTIPLE DX	284	1.2	1	<1	1	1	1	2	2	3
TOTAL										
0-19 YRS	195	1.1		<1	1	1	1	1	1	3
20-34	77	1.4	4	1	1	1	1	2	3	15
35-49	82	1.1		<1	1	1	1	2	2	3
50-64	70	1.1		1	1	1	1	2	2	4
65 +	43	1.2		1	1	1	1	2	2	2
GRAND TOTAL	467	1.2	1	<1	1	1	1	1	2	3

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	694	1.1		<1	<1	<1	<1	<1	1	3
20-34	3	2.3	5	<1	<1	<1	4	5	5	5
35-49	5	1.6	2	1	1	1	2	4	4	4
50-64	5	1.6	2	<1	<1	1	2	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	523	2.6	26	<1	<1	1	2	6	9	28
20-34	18	6.3	108	1	1	2	4	29	31	31
35-49	23	5.5	35	1	1	3	8	13	21	22
50-64	9	3.4	16	<1	1	1	4	11	13	13
65 +	15	7.9	59	1	2	6	12	20	25	27
TOTAL SINGLE DX	708	1.1		<1	<1	<1	<1	<1	1	3
TOTAL MULTIPLE DX	588	3.0	31	<1	<1	1	3	7	10	31
TOTAL										
0-19 YRS	1217	1.7	12	<1	<1	<1	1	3	5	13
20-34	21	5.8	95	<1	1	2	4	27	31	31
35-49	28	4.8	32	1	1	3	6	11	21	22
50-64	14	2.8	12	<1	1	1	3	8	12	13
65 +	16	7.5	58	1	1	6	12	19	25	27
GRAND TOTAL	1296	1.9	15	<1	<1	<1	1	3	6	21

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	1.5	1	<1	1	1	1	3	4	7
20-34	52	1.9	6	1	1	1	2	3	7	15
35-49	32	1.4		1	1	1	1	3	3	4
50-64	26	2.0	6	1	1	1	2	3	6	14
65 +	14	1.9	2	1	1	1	2	5	5	5
2. MULTIPLE DX										
0-19 YRS	137	3.3	55	1	1	1	2	6	10	53
20-34	63	2.9	28	1	1	1	2	8	13	29
35-49	82	2.3	24	1	1	1	1	3	7	33
50-64	72	2.3	8	1	1	1	2	6	8	17
65 +	57	2.4	10	1	1	1	2	5	11	16
TOTAL SINGLE DX	186	1.7	3	1	1	1	2	3	5	13
TOTAL MULTIPLE DX	411	2.7	31	1	1	1	2	5	10	33
TOTAL										
0-19 YRS	199	2.8	39	1	1	1	2	5	8	46
20-34	115	2.4	18	1	1	1	2	3	11	28
35-49	114	2.0	18	1	1	[illegible]	1	3	5	27
50-64	98	2.2	8	1	1	1	2	5	8	16
65 +	71	2.3	9	1	1	1	2	5	9	16
GRAND TOTAL	597	2.4	22	1	1	1	2	4	8	24

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	74	1.3		<1	<1	1	1	2	3	5
20-34	36	1.8	3	1	1	1	2	3	5	11
35-49	59	1.6	2	1	1	1	2	2	4	10
50-64	22	2.6	22	1	1	1	2	5	15	22
65 +	19	1.7		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	73	3.5	17	<1	1	1	4	8	12	21
20-34	39	2.0	3	1	1	1	2	4	8	9
35-49	52	2.4	4	1	1	1	3	6	8	9
50-64	39	3.1	13	1	1	2	4	7	12	17
65 +	37	3.3	44	1	1	1	2	7	8	41
TOTAL SINGLE DX	210	1.6	4	<1	1	1	1	3	4	11
TOTAL MULTIPLE DX	240	2.9	16	1	1	1	3	7	9	19
TOTAL										
0-19 YRS	147	2.4	10	<1	<1	1	2	7	8	19
20-34	75	1.9	4	1	1	1	2	3	7	10
35-49	111	2.0	4	1	1	1	2	4	7	9
50-64	61	2.9	16	1	1	1	3	7	12	21
65 +	56	2.8	30	1	1	2	2	5	7	39
GRAND TOTAL	450	2.3	11	<1	1	1	2	5	8	17

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	7	1.4	1	<1	1	1	1	3	4	4
35-49	11	1.1		1	1	1	1	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	21	1.1		1	1	1	1	2	2	2
20-34	59	1.5		1	1	1	2	3	3	4
35-49	53	1.8	3	1	1	1	2	3	5	11
50-64	38	1.8	6	1	1	1	2	3	6	15
65 +	23	2.1	2	1	1	2	3	4	6	7
TOTAL SINGLE DX	24	1.2		<1	1	1	1	2	3	4
TOTAL MULTIPLE DX	194	1.7	3	1	1	1	2	3	3	10
TOTAL										
0-19 YRS	25	1.1		1	1	1	1	1	2	2
20-34	66	1.5	1	1	1	1	2	3	3	4
35-49	64	1.6	3	1	1	1	2	2	4	11
50-64	39	1.8	6	1	1	1	2	3	6	15
65 +	24	2.1	2	1	1	2	3	4	6	7
GRAND TOTAL	218	1.6	2	1	1	1	2	3	3	10

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	1.2		1	1	1	1	2	2	3
20-34	58	1.3		1	1	1	1	2	3	4
35-49	42	1.2		<1	1	1	1	2	3	3
50-64	21	1.3	1	<1	1	1	1	2	4	5
65+	10	1.3		<1	1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	154	1.8	3	<1	1	1	2	3	5	13
20-34	218	2.0	35	1	1	1	2	3	4	16
35-49	225	1.6	2	1	1	1	2	3	3	9
50-64	132	1.7	2	1	1	1	2	3	5	25
65+	106	2.8	10	1	1	1	3	6	9	17
TOTAL SINGLE DX	184	1.3		1	1	1	1	2	3	4
TOTAL MULTIPLE DX	835	1.9	12	1	1	1	2	3	5	12
TOTAL										
0-19 YRS	207	1.7	3	1	1	1	2	3	4	9
20-34	276	1.9	28	1	1	1	2	3	4	14
35-49	267	1.6	2	1	1	1	2	3	3	8
50-64	153	1.7	2	1	1	1	2	3	5	10
65+	116	2.6	10	1	1	1	3	5	9	16
GRAND TOTAL	1019	1.8	10	1	1	1	2	3	4	12

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	1.9	2	<1	<1	1	2	4	6	7
20-34	15	2.5	2	<1	1	2	4	5	5	5
35-49	19	1.4	1	<1	1	1	1	3	5	6
50-64	17	1.4		<1	1	1	2	3	3	3
65+	18	2.6	22	<1	1	1	2	4	14	21
2. MULTIPLE DX										
0-19 YRS	35	2.0	3	<1	1	1	3	4	5	9
20-34	32	3.7	55	1	1	2	2	6	19	40
35-49	51	1.8	2	1	1	1	2	3	4	10
50-64	58	3.0	18	1	1	1	2	8	13	21
65+	71	4.9	25	1	1	3	8	12	15	22
TOTAL SINGLE DX	90	1.9	6	<1	1	1	2	4	5	15
TOTAL MULTIPLE DX	247	3.2	21	1	1	2	3	8	12	22
TOTAL										
0-19 YRS	56	2.0	3	<1	1	1	3	4	5	9
20-34	47	3.3	39	<1	1	2	3	5	8	40
35-49	70	1.7	2	1	1	1	2	3	4	9
50-64	75	2.6	15	1	1	1	2	5	10	21
65+	89	4.4	25	1	1	2	6	12	15	22
GRAND TOTAL	337	2.9	17	1	1	1	3	6	10	21

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	1.2		<1	<1	1	1	1	3	4
20-34	47	2.2	3	1	1	1	3	4	5	10
35-49	39	3.1	4	1	1	3	4	6	7	7
50-64	68	3.1	2	1	2	3	4	6	6	7
65+	48	2.9	2	1	2	3	4	5	5	9
2. MULTIPLE DX										
0-19 YRS	49	4.7	57	1	1	3	5	10	14	51
20-34	88	4.9	24	1	2	3	6	11	14	27
35-49	104	4.7	28	1	2	3	6	9	11	35
50-64	128	4.8	26	1	2	4	6	9	11	29
65+	287	4.5	9	2	2	4	6	8	12	15
TOTAL SINGLE DX	244	2.6	3	<1	1	2	4	5	6	8
TOTAL MULTIPLE DX	656	4.7	21	1	2	4	6	9	12	23
TOTAL										
0-19 YRS	91	3.1	34	<1	<1	1	3	7	10	36
20-34	135	4.0	19	1	1	2	5	9	11	24
35-49	143	4.3	23	1	2	3	5	8	10	32
50-64	196	4.3	19	1	2	3	5	7	10	20
65+	335	4.3	8	2	2	4	5	7	10	15
GRAND TOTAL	900	4.1	17	1	2	3	5	8	10	19

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.3		1	1	1	2	2	2	2
20-34	15	2.0	2	1	1	1	3	4	6	6
35-49	27	1.3		1	1	1	2	2	3	3
50-64	28	2.2	6	1	1	1	2	5	9	12
65+	17	1.9	3	1	1	1	2	5	7	8
2. MULTIPLE DX										
0-19 YRS	20	2.8	8	1	1	2	3	8	10	11
20-34	73	2.6	13	1	1	1	2	6	10	23
35-49	95	2.4	39	1	1	1	2	3	5	38
50-64	67	2.3	4	1	1	2	2	4	7	10
65+	50	4.1	22	1	1	3	5	8	19	22
TOTAL SINGLE DX	96	1.8	3	1	1	1	2	3	6	11
TOTAL MULTIPLE DX	305	2.7	21	1	1	1	3	5	9	21
TOTAL										
0-19 YRS	29	2.3	6	1	1	1	2	6	9	11
20-34	88	2.5	12	1	1	1	2	5	8	21
35-49	122	2.2	31	1	1	1	2	3	4	24
50-64	95	2.2	5	1	1	2	2	4	8	11
65+	67	3.6	18	1	1	2	4	8	12	22
GRAND TOTAL	401	2.5	17	1	1	1	2	5	8	19

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	114	1.4	2	<1	<1	1	1	2	5	9
20-34	56	2.8	7	1	1	2	4	7	8	14
35-49	57	1.8	2	1	1	1	2	3	6	9
50-64	50	2.5	5	1	1	2	3	6	8	12
65 +	9	2.3	4	1	1	1	3	6	7	7
2. MULTIPLE DX										
0-19 YRS	199	3.8	61	<1	1	1	4	9	14	21
20-34	189	4.3	40	1	1	2	4	11	17	37
35-49	272	3.2	30	1	1	1	3	7	11	33
50-64	205	3.7	49	1	1	1	3	9	14	51
65 +	157	4.2	30	1	1	2	5	10	14	34
TOTAL SINGLE DX	286	2.0	4	<1	1	1	2	5	7	11
TOTAL MULTIPLE DX	1022	3.8	42	1	1	1	4	9	14	34
TOTAL										
0-19 YRS	313	2.9	41	<1	<1	1	2	6	11	19
20-34	245	4.0	34	1	1	2	4	9	14	30
35-49	329	3.0	26	1	1	1	3	7	11	29
50-64	255	3.5	41	1	1	1	3	8	12	37
65 +	166	4.1	29	1	1	2	5	10	14	33
GRAND TOTAL	1308	3.4	34	1	1	1	3	8	12	29

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	43	1.0		<1	<1	<1	<1	1	1	2
20-34	19	4.4	14	1	1	3	6	9	13	16
35-49	6	2.2		1	2	2	3	3	3	3
50-64	4	3.0	6	1	1	3	5	6	6	6
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	153	3.5	47	<1	<1	1	3	9	17	97
20-34	105	6.1	80	1	1	3	8	13	18	50
35-49	59	8.4	115	1	3	4	9	19	38	49
50-64	47	6.3	56	1	2	4	8	13	18	46
65 +	60	7.3	119	1	2	3	10	15	24	69
TOTAL SINGLE DX	73	2.1	6	<1	<1	<1	2	5	8	14
TOTAL MULTIPLE DX	424	5.7	79	<1	1	3	6	14	20	55
TOTAL										
0-19 YRS	196	3.0	38	<1	<1	1	2	5	14	73
20-34	124	5.8	71	1	1	3	8	12	17	41
35-49	65	7.9	108	1	3	4	8	18	37	49
50-64	51	6.0	53	1	2	4	8	13	18	46
65 +	61	7.2	118	1	2	3	10	15	24	69
GRAND TOTAL	497	5.2	70	<1	1	2	6	12	18	48

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	202	1.0		<1	<1	<1	<1	<1	<1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	101	2.7	54	<1	<1	<1	1	3	8	46
20-34	3	14.7	140	<1	16	22	99 +	99 +	99 +	99 +
35-49	3	8.0	127	1	1	2	16	21	21	21
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	204	1.0		<1	<1	<1	<1	<1	1	2
TOTAL MULTIPLE DX	109	3.1	60	<1	<1	<1	1	5	22	99 +
TOTAL										
0-19 YRS	303	1.6	19	<1	<1	<1	<1	1	1	25
20-34	4	11.5	134	<1	2	21	99 +	99 +	99 +	99 +
35-49	4	6.8	91	1	1	2	12	21	21	21
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	313	1.7	22	<1	<1	<1	<1	1	3	43

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	1.3		<1	<1	<1	1	2	3	5
20-34	6	2.2	2	1	1	2	4	4	4	4
35-49	7	2.0	3	<1	1	1	2	5	6	6
50-64	11	2.2	1	<1	1	2	3	4	5	5
65 +	10	1.9	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	93	2.6	17	<1	1	2	2	4	9	25
20-34	24	3.6	34	1	2	2	3	5	15	30
35-49	20	4.1	10	1	1	4	5	9	11	13
50-64	28	4.4	23	1	2	3	5	10	14	24
65 +	41	3.7	12	1	2	2	4	9	11	15
TOTAL SINGLE DX	104	1.5	1	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	206	3.3	18	1	1	2	3	8	11	27
TOTAL										
0-19 YRS	163	2.0	10	<1	<1	1	2	3	6	14
20-34	30	3.3	28	1	2	2	3	4	9	30
35-49	27	3.5	9	1	1	2	5	8	10	13
50-64	39	3.8	18	1	2	3	5	7	12	24
65 +	51	3.3	10	1	1	2	3	8	9	15
GRAND TOTAL	310	2.7	13	<1	1	2	3	5	9	19

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	52	1.7	1	<1	1	1	2	3	4	6
20-34	126	1.8	1	1	1	1	2	3	4	8
35-49	189	1.7	1	1	1	1	2	3	3	6
50-64	154	1.8	1	1	1	2	2	3	4	6
65+	111	1.9	1	1	1	2	3	3	3	6
2. MULTIPLE DX										
0-19 YRS	38	2.6	4	1	1	2	4	6	7	9
20-34	59	2.9	8	1	1	2	4	8	9	15
35-49	96	2.5	4	1	1	2	3	4	8	12
50-64	155	3.0	45	1	1	2	3	4	7	57
65+	234	3.4	17	1	2	2	4	7	10	22
TOTAL SINGLE DX	632	1.8	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	582	3.1	21	1	1	2	3	6	9	17
TOTAL										
0-19 YRS	90	2.1	3	1	1	2	2	4	6	9
20-34	185	2.2	4	1	1	2	2	4	7	10
35-49	285	2.0	3	1	1	2	2	3	5	10
50-64	309	2.4	24	1	1	2	2	4	5	9
65+	345	3.0	13	1	1	2	3	5	9	17
GRAND TOTAL	1214	2.4	11	1	1	2	2	4	6	12

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	237	1.9		1	1	2	2	3	4	5
20-34	5	2.2	2	1	1	2	3	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	1.2		1	1	1	2	2	2	2
65+	0									
2. MULTIPLE DX										
0-19 YRS	411	2.2	2	1	1	2	3	4	5	8
20-34	11	5.7	99	1	1	3	4	19	34	35
35-49	32	2.3	5	1	1	2	3	4	5	14
50-64	14	2.8	4	1	1	2	4	5	7	8
65+	3	2.3		2	2	2	3	3	3	3
TOTAL SINGLE DX	249	1.9	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	471	2.3	5	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	648	2.1	2	1	1	2	3	3	4	8
20-34	16	4.6	70	1	1	2	4	9	27	35
35-49	34	2.3	5	1	1	2	3	4	5	14
50-64	19	2.4	4	1	1	2	3	5	7	8
65+	3	2.3		2	2	2	3	3	3	3
GRAND TOTAL	720	2.2	4	1	1	2	3	3	5	8

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	326	1.8	1	<1	1	1	2	3	4	8
20-34	86	4.4	10	1	2	4	6	8	10	19
35-49	62	4.2	25	1	1	3	5	9	12	32
50-64	76	4.6	23	1	2	2	6	11	15	26
65+	58	3.0	10	1	1	1	4	7	9	19
2. MULTIPLE DX										
0-19 YRS	368	2.8	25	1	1	2	3	5	8	24
20-34	201	4.3	20	1	1	3	5	10	12	21
35-49	155	4.7	32	1	2	3	6	10	12	28
50-64	146	6.3	47	1	2	4	8	14	21	31
65+	236	6.6	44	1	2	4	9	16	21	31
TOTAL SINGLE DX	608	2.9	10	1	1	2	3	7	9	16
TOTAL MULTIPLE DX	1106	4.6	35	1	1	2	6	11	16	29
TOTAL										
0-19 YRS	694	2.3	15	1	1	1	2	4	6	17
20-34	287	4.4	18	1	2	3	5	9	11	21
35-49	217	4.5	30	1	1	3	6	10	12	30
50-64	222	5.7	39	1	2	3	7	13	19	30
65+	294	5.9	40	1	2	4	7	15	20	30
GRAND TOTAL	1714	4.0	27	1	1	2	5	9	14	27

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	440	1.2		<1	1	1	1	1	2	4
20-34	227	1.3		1	1	1	1	2	3	5
35-49	41	1.5	1	1	1	1	2	3	3	9
50-64	13	1.8	6	1	1	1	1	4	9	10
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	257	1.6	3	1	1	1	1	3	4	7
20-34	128	1.9	25	1	1	1	2	2	3	16
35-49	48	1.5	1	1	1	1	2	3	3	7
50-64	15	4.0	37	1	1	1	2	17	17	17
65+	10	4.5	19	1	1	2	9	11	11	11
TOTAL SINGLE DX	722	1.2	1	<1	1	1	1	2	3	5
TOTAL MULTIPLE DX	458	1.8	11	1	1	1	2	3	4	13
TOTAL										
0-19 YRS	697	1.3	2	<1	1	1	1	2	3	5
20-34	355	1.5	10	1	1	1	1	2	3	5
35-49	89	1.5	2	1	1	1	2	3	3	8
50-64	28	3.0	23	1	1	1	1	12	17	17
65+	11	4.2	19	1	1	1	8	11	11	11
GRAND TOTAL	1180	1.4	5	1	1	1	1	2	3	7

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	753	1.1		<1	<1	1	1	1	1	3
20-34	12	1.1		<1	1	1	1	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	1053	1.5	10	<1	1	1	1	2	3	9
20-34	20	1.4		<1	1	1	1	3	3	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
TOTAL SINGLE DX	767	1.1	1	<1	<1	1	1	1	1	3
TOTAL MULTIPLE DX	1077	1.5	10	<1	1	1	1	2	3	9
TOTAL										
0-19 YRS	1806	1.3	6	<1	1	1	1	2	2	5
20-34	32	1.3		<1	1	1	1	2	3	4
35-49	5	1.2		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
GRAND TOTAL	1844	1.3	6	<1	1	1	1	2	2	5

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	34	1.0		<1	<1	<1	1	1	1	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	121	1.7	13	<1	<1	<1	1	1	4	23
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	0									
50-64	0									
65+	0									
TOTAL SINGLE DX	35	1.1		<1	<1	<1	1	1	2	3
TOTAL MULTIPLE DX	122	1.7	14	<1	<1	<1	1	1	3	23
TOTAL										
0-19 YRS	155	1.5	11	<1	<1	<1	1	1	2	18
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	0									
50-64	0									
65+	0									
GRAND TOTAL	157	1.5	11	<1	<1	<1	1	1	2	18

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	206	1.8	1	<1	1	1	2	4	5	7
20-34	127	1.9	1	1	1	2	2	3	5	7
35-49	61	1.9	1	1	1	2	2	3	4	8
50-64	25	3.5	36	1	1	2	3	6	17	30
65+	16	2.8	3	1	1	2	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	146	3.3	16	1	1	2	4	6	14	99+
20-34	93	3.1	7	1	1	2	3	7	11	13
35-49	106	4.4	57	1	1	2	4	8	17	43
50-64	100	4.9	58	1	1	2	5	12	14	47
65+	74	6.2	30	1	2	5	7	13	19	26
TOTAL SINGLE DX	435	2.0	4	1	1	1	2	4	5	8
TOTAL MULTIPLE DX	519	4.2	34	1	1	2	5	9	14	39
TOTAL										
0-19 YRS	352	2.4	9	<1	1	2	3	5	7	20
20-34	220	2.4	5	1	1	2	3	5	7	12
35-49	167	3.5	38	1	1	2	3	7	9	42
50-64	125	4.6	54	1	1	2	5	12	14	39
65+	90	5.6	27	1	2	4	7	12	14	26
GRAND TOTAL	954	3.2	22	1	1	2	3	7	10	30

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	2.2	7	<1	<1	1	2	3	10	12
20-34	10	2.4	1	<1	2	2	3	4	4	4
35-49	15	2.9	3	1	2	2	4	5	7	8
50-64	16	3.2	3	1	2	3	5	6	6	6
65+	15	2.4	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	28	4.1	11	<1	1	3	6	10	12	12
20-34	30	4.1	13	1	2	3	5	7	8	20
35-49	29	3.1	3	1	2	3	4	6	7	8
50-64	36	3.3	6	1	2	3	4	6	7	15
65+	100	4.1	10	1	2	3	5	9	11	14
TOTAL SINGLE DX	71	2.6	4	<1	1	2	3	5	6	11
TOTAL MULTIPLE DX	223	3.9	9	1	2	3	5	8	10	15
TOTAL										
0-19 YRS	43	3.4	11	<1	1	2	4	9	12	12
20-34	40	3.7	11	1	2	3	5	7	8	20
35-49	44	3.0	3	1	2	3	4	5	7	8
50-64	52	3.3	6	1	2	3	4	6	6	15
65+	115	3.9	9	1	2	3	5	9	10	14
GRAND TOTAL	294	3.6	8	1	2	3	5	7	10	14

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	1.8	8	<1	<1	1	1	3	4	17
20-34	4	3.0	5	1	1	3	5	5	5	5
35-49	25	2.6	17	<1	1	1	2	5	12	20
50-64	25	1.6	2	1	1	1	1	3	5	8
65 +	23	1.4	1	<1	1	1	1	3	4	5
2. MULTIPLE DX										
0-19 YRS	23	4.3	20	1	1	3	5	11	16	17
20-34	11	4.2	19	1	1	3	5	11	15	15
35-49	24	3.3	6	1	1	3	4	8	9	10
50-64	45	2.6	5	1	1	1	4	6	7	11
65 +	83	5.1	76	1	1	2	5	12	23	49
TOTAL SINGLE DX	110	1.9	7	<1	1	1	1	4	5	18
TOTAL MULTIPLE DX	186	4.1	41	1	1	2	5	9	15	41
TOTAL										
0-19 YRS	56	2.8	15	<1	1	1	3	7	14	17
20-34	15	3.9	15	1	1	3	5	9	13	15
35-49	49	2.9	12	<1	1	1	3	7	10	20
50-64	70	2.3	5	1	1	1	3	6	7	10
65 +	106	4.3	63	1	1	2	4	10	19	49
GRAND TOTAL	296	3.3	29	1	1	1	3	7	11	26

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.6		1	1	2	2	2	2	2
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	5	4.2	1	3	3	4	5	6	6	6
50-64	6	6.5	22	1	2	6	11	12	12	12
65 +	5	5.4	9	2	3	5	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	19	5.9	64	<1	1	4	8	13	25	35
20-34	5	4.6	4	2	3	5	6	7	7	7
35-49	5	8.8	40	2	4	6	15	17	17	17
50-64	31	11.6	98	2	3	10	17	21	36	42
65 +	44	11.1	169	2	5	8	12	18	36	78
TOTAL SINGLE DX	23	4.2	11	1	2	3	6	10	11	12
TOTAL MULTIPLE DX	104	9.9	118	1	3	7	13	18	34	59
TOTAL										
0-19 YRS	24	5.0	54	1	1	2	6	12	20	35
20-34	7	3.6	6	<1	1	3	6	7	7	7
35-49	10	6.5	25	2	4	5	6	15	17	17
50-64	37	10.8	89	1	3	9	16	21	32	42
65 +	49	10.5	156	2	5	7	12	18	34	78
GRAND TOTAL	127	8.9	104	1	2	6	11	17	24	50

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	4	10.5	49	6	6	7	14	21	21	21
50-64	15	11.4	31	6	8	10	14	16	24	27
65 +	10	7.8	7	5	6	7	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	16.5	113	9	9	16	24	24	24	24
35-49	16	14.5	19	9	11	14	17	22	23	23
50-64	85	14.2	97	7	9	11	15	28	36	89
65 +	90	14.8	85	8	9	12	18	27	44	99 +
TOTAL SINGLE DX	29	10.0	26	5	6	8	12	16	21	27
TOTAL MULTIPLE DX	193	14.5	85	8	9	12	17	27	34	99 +
TOTAL										
0-19 YRS	0									
20-34	2	16.5	113	9	9	16	24	24	24	24
35-49	20	13.7	26	7	9	14	17	21	22	23
50-64	100	13.7	88	7	9	11	15	27	34	84
65 +	100	14.1	82	7	8	11	17	25	39	99 +
GRAND TOTAL	222	13.9	79	7	9	11	16	25	34	99 +

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	15.0	293	1	2	9	30	41	42	42
20-34	5	8.4	27	4	4	6	13	15	15	15
35-49	9	5.3	32	1	3	4	5	14	20	20
50-64	9	9.8	49	3	5	8	12	22	22	22
65 +	4	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	84	28.5	423	8	13	25	42	71	99 +	99 +
20-34	70	25.6	400	5	9	24	47	83	99 +	99 +
35-49	99	28.8	447	6	10	29	48	71	99 +	99 +
50-64	146	30.2	640	4	8	25	53	84	98	99 +
65 +	256	32.3	560	8	12	30	53	81	99 +	99 +
TOTAL SINGLE DX	34	8.6	93	1	3	5	9	21	34	42
TOTAL MULTIPLE DX	655	30.1	528	6	11	27	50	80	99 +	99 +
TOTAL										
0-19 YRS	91	27.4	423	7	11	25	41	66	96	99 +
20-34	75	24.5	394	5	8	21	45	80	99 +	99 +
35-49	108	26.8	455	5	8	25	46	69	99 +	99 +
50-64	155	29.0	629	4	7	23	52	82	95	99 +
65 +	260	31.8	565	7	12	30	53	81	99 +	99 +
GRAND TOTAL	689	29.0	528	5	10	26	48	79	99 +	99 +

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	4.6	13	1	1	3	7	10	11	12
20-34	5	5.2	9	1	3	5	7	9	9	9
35-49	8	4.9	25	1	1	2	8	13	14	14
50-64	9	1.6	1	<1	1	1	2	3	4	4
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	89	12.2	239	1	3	9	16	37	91	99 +
20-34	27	6.2	69	1	2	3	8	22	45	99 +
35-49	19	12.4	271	1	2	5	19	41	53	57
50-64	37	7.1	66	1	2	4	12	16	33	99 +
65 +	47	7.7	124	1	1	3	8	29	41	99 +
TOTAL SINGLE DX	39	3.8	13	1	1	2	6	10	12	14
TOTAL MULTIPLE DX	219	9.6	171	1	2	5	13	30	48	99 +
TOTAL										
0-19 YRS	104	11.1	214	1	3	8	15	32	86	99 +
20-34	32	6.0	60	1	2	4	8	16	37	99 +
35-49	27	10.1	207	1	2	5	11	29	49	57
50-64	46	6.0	58	1	1	3	9	16	22	99 +
65 +	49	7.4	121	1	1	3	7	28	40	99 +
GRAND TOTAL	**258**	**8.8**	**152**	**1**	**2**	**4**	**12**	**25**	**45**	**99 +**

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	4.0	13	<1	<1	3	6	10	10	10
20-34	22	8.0	20	3	4	7	14	14	15	15
35-49	27	8.4	48	2	4	6	11	15	22	34
50-64	38	6.8	64	<1	2	6	9	12	13	49
65 +	27	6.7	38	2	2	5	9	20	21	21
2. MULTIPLE DX										
0-19 YRS	48	12.4	221	2	3	7	16	33	54	57
20-34	217	13.8	131	4	7	11	17	25	32	72
35-49	291	12.5	99	3	6	10	16	22	31	56
50-64	426	10.2	81	2	4	8	13	19	27	52
65 +	1007	10.7	62	3	6	9	14	20	26	42
TOTAL SINGLE DX	123	7.2	44	1	2	6	10	14	17	38
TOTAL MULTIPLE DX	1989	11.2	85	3	5	9	14	21	28	53
TOTAL										
0-19 YRS	57	11.1	197	1	3	6	14	25	53	57
20-34	239	13.3	124	4	7	11	16	24	29	71
35-49	318	12.1	97	3	6	10	16	22	30	54
50-64	464	9.9	81	2	4	8	12	19	26	51
65 +	1034	10.6	63	3	5	9	13	20	25	41
GRAND TOTAL	**2112**	**11.0**	**83**	**3**	**5**	**9**	**14**	**20**	**28**	**52**

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	0									
50-64	3	27.7	1689	1	2	7	58	75	75	75
65 +	4	30.5	351	11	18	27	42	56	56	56
TOTAL SINGLE DX	1	3.0		3	3	3	3	3	3	3
TOTAL MULTIPLE DX	8	25.8	735	<1	4	18	42	69	75	75
TOTAL										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	27.7	1689	1	2	7	58	75	75	75
65 +	4	30.5	351	11	18	27	42	56	56	56
GRAND TOTAL	9	23.2	701	<1	2	11	36	67	75	75

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	7.1	38	2	3	4	9	16	22	23
20-34	43	6.7	24	2	3	5	9	12	16	25
35-49	67	6.6	23	2	4	5	7	13	18	24
50-64	96	5.7	6	2	4	6	7	9	10	14
65 +	95	5.6	14	<1	3	5	7	10	13	20
2. MULTIPLE DX										
0-19 YRS	81	13.0	146	3	4	7	15	34	41	51
20-34	261	12.6	115	4	6	9	15	25	34	66
35-49	350	10.3	66	3	5	8	13	21	28	44
50-64	797	10.2	91	3	5	7	12	20	27	50
65 +	1319	10.5	61	3	6	9	13	20	25	38
TOTAL SINGLE DX	325	6.1	17	2	4	5	7	10	14	23
TOTAL MULTIPLE DX	2808	10.7	78	3	5	8	13	21	27	44
TOTAL										
0-19 YRS	105	11.6	128	3	4	7	15	30	41	48
20-34	304	11.8	107	4	6	9	14	25	32	60
35-49	417	9.7	61	3	5	7	12	20	27	44
50-64	893	9.7	84	3	5	7	11	19	27	46
65 +	1414	10.2	60	3	5	8	13	19	25	38
GRAND TOTAL	**3133**	**10.2**	**74**	**3**	**5**	**8**	**13**	**20**	**26**	**44**

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	10	8.7	16	5	5	7	12	15	15	15
35-49	28	7.1	16	4	5	6	8	14	16	21
50-64	60	7.9	21	5	6	7	8	10	17	29
65 +	67	7.8	11	5	6	7	9	10	11	27
2. MULTIPLE DX										
0-19 YRS	17	13.6	80	6	8	9	22	32	74	99 +
20-34	27	13.9	247	4	6	8	17	28	59	69
35-49	70	10.7	123	5	6	8	11	17	23	68
50-64	371	9.9	37	5	6	8	11	18	21	36
65 +	557	11.5	53	6	7	10	13	19	25	36
TOTAL SINGLE DX	168	7.7	16	5	6	7	8	11	15	29
TOTAL MULTIPLE DX	1042	11.0	58	5	7	9	12	19	25	39
TOTAL										
0-19 YRS	20	12.2	79	5	6	8	21	31	64	99 +
20-34	37	12.5	188	4	5	8	13	23	47	69
35-49	98	9.7	95	5	6	7	9	15	21	68
50-64	431	9.6	35	5	6	8	11	17	21	35
65 +	624	11.1	50	6	7	9	12	19	24	36
GRAND TOTAL	1210	10.5	53	5	7	8	12	18	23	37

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	233	1.9	7	<1	1	1	2	4	6	12
20-34	30	7.4	46	1	2	6	9	15	23	32
35-49	33	4.7	16	1	2	5	6	8	15	18
50-64	36	8.4	88	1	2	6	10	17	29	47
65 +	14	4.5	12	<1	1	4	6	8	13	14
2. MULTIPLE DX										
0-19 YRS	349	8.0	164	1	1	4	9	20	30	90
20-34	256	11.9	98	3	5	9	15	25	30	52
35-49	307	11.2	83	3	6	9	14	20	27	66
50-64	334	11.4	123	3	5	8	14	24	34	55
65 +	758	11.4	74	3	6	10	15	23	27	42
TOTAL SINGLE DX	346	3.5	25	<1	1	1	4	7	12	30
TOTAL MULTIPLE DX	2004	10.9	104	2	5	8	14	22	29	58
TOTAL										
0-19 YRS	582	5.6	110	<1	1	2	6	13	22	83
20-34	286	11.4	94	3	5	9	14	24	29	50
35-49	340	10.6	81	3	5	9	14	19	26	65
50-64	370	11.1	120	2	5	8	13	24	34	55
65 +	772	11.3	74	3	5	9	15	23	27	42
GRAND TOTAL	2350	9.8	100	1	3	7	13	21	28	55

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	4.7	10	2	2	4	6	10	11	11
20-34	16	5.8	14	2	3	5	8	12	13	14
35-49	7	2.9	2	1	2	2	4	5	5	5
50-64	4	5.0	8	1	3	5	7	8	8	8
65 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	13	11.6	40	4	5	12	18	20	22	23
20-34	33	9.2	51	3	4	8	13	20	32	99 +
35-49	35	8.6	65	2	3	6	12	17	30	36
50-64	25	8.8	40	3	3	8	13	18	23	23
65 +	39	14.6	206	3	7	11	17	28	45	77
TOTAL SINGLE DX	36	4.7	11	1	2	4	6	11	12	14
TOTAL MULTIPLE DX	145	10.7	98	3	4	9	13	22	30	78
TOTAL										
0-19 YRS	20	9.2	40	3	4	7	13	19	21	23
20-34	49	8.1	41	2	4	6	11	17	24	99 +
35-49	42	7.6	59	2	3	5	10	15	26	36
50-64	29	8.3	37	2	3	6	12	17	23	23
65 +	41	14.0	203	3	5	10	17	27	42	77
GRAND TOTAL	181	9.5	86	2	4	7	12	19	25	70

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	115	4.4	9	1	2	4	6	9	10	17
20-34	341	4.9	13	2	3	4	6	10	12	20
35-49	132	5.5	18	2	3	4	7	10	15	22
50-64	74	6.0	16	2	3	5	8	12	13	20
65 +	38	6.9	25	2	3	6	9	15	18	20
2. MULTIPLE DX										
0-19 YRS	307	9.6	125	2	4	7	12	18	26	87
20-34	555	8.0	67	2	3	5	9	17	26	50
35-49	458	8.7	79	2	3	6	11	18	24	40
50-64	534	9.1	69	3	4	7	11	17	22	47
65 +	988	9.7	66	3	4	7	12	20	26	38
TOTAL SINGLE DX	700	5.2	15	2	3	4	6	10	13	20
TOTAL MULTIPLE DX	2842	9.1	76	3	4	7	11	18	25	47
TOTAL										
0-19 YRS	422	8.2	99	2	3	6	10	16	23	83
20-34	896	6.9	49	2	3	5	8	13	21	37
35-49	590	8.0	67	2	3	5	10	16	22	39
50-64	608	8.7	64	3	4	7	11	16	21	46
65 +	1026	9.6	65	3	4	7	12	19	25	38
GRAND TOTAL	3542	8.3	66	2	4	6	10	17	23	43

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	4.9	27	2	3	4	5	7	10	38
20-34	62	5.4	19	1	1	5	7	11	16	18
35-49	62	4.3	25	1	1	2	6	12	13	24
50-64	61	4.4	20	1	1	3	5	9	12	27
65+	29	3.5	34	1	1	1	4	7	13	31
2. MULTIPLE DX										
0-19 YRS	116	8.8	37	3	5	7	12	17	22	28
20-34	148	10.3	102	2	5	7	12	23	31	53
35-49	166	10.3	73	2	4	8	14	21	27	41
50-64	290	7.7	66	1	3	6	10	16	24	45
65+	383	9.9	91	1	3	7	14	22	29	51
TOTAL SINGLE DX	286	4.6	24	1	1	4	6	9	13	27
TOTAL MULTIPLE DX	1103	9.3	79	1	3	7	12	20	27	42
TOTAL										
0-19 YRS	188	7.3	37	3	4	5	9	15	20	30
20-34	210	8.8	83	1	4	6	10	17	28	47
35-49	228	8.7	67	1	2	7	12	20	25	40
50-64	351	7.1	60	1	2	5	9	15	22	37
65+	412	9.4	90	1	3	7	13	21	29	47
GRAND TOTAL	1389	8.3	71	1	3	6	11	18	25	41

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	198	5.7	8	1	5	6	7	9	10	14
20-34	25	12.0	81	5	6	9	13	24	35	40
35-49	34	8.4	51	2	6	8	9	14	21	40
50-64	30	8.4	23	1	7	8	10	12	13	27
65+	27	10.9	32	6	8	9	13	17	22	30
2. MULTIPLE DX										
0-19 YRS	740	11.8	112	5	6	8	13	23	32	63
20-34	90	15.0	201	6	7	10	15	34	47	76
35-49	289	12.4	102	6	8	9	14	20	28	71
50-64	669	14.2	88	7	9	12	16	24	35	54
65+	1087	15.6	114	8	9	13	18	27	35	66
TOTAL SINGLE DX	314	7.2	26	1	5	6	8	12	14	31
TOTAL MULTIPLE DX	2875	14.0	112	6	8	11	16	25	34	61
TOTAL										
0-19 YRS	938	10.5	97	5	6	7	11	19	30	59
20-34	115	14.3	176	6	7	10	14	33	46	74
35-49	323	12.0	99	6	8	9	14	20	28	68
50-64	699	14.0	87	7	9	12	16	24	34	53
65+	1114	15.5	113	8	9	13	18	27	35	64
GRAND TOTAL	3189	13.3	107	6	8	10	15	24	33	58

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.8	4	2	2	3	5	7	7	7
35-49	102	3.1	4	1	2	2	4	6	7	10
50-64	300	3.2	6	1	2	2	4	6	8	11
65+	334	3.6	8	1	2	3	4	7	9	14
2. MULTIPLE DX										
0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	29	5.0	8	2	3	5	6	8	9	16
35-49	1100	4.6	14	1	2	4	6	9	10	17
50-64	2922	4.5	12	1	2	3	6	9	11	17
65+	2982	5.2	18	2	2	4	7	10	13	20
TOTAL SINGLE DX	742	3.4	7	1	2	2	4	7	8	12
TOTAL MULTIPLE DX	7037	4.8	15	1	2	4	6	9	12	18
TOTAL										
0-19 YRS	5	2.4	7	1	1	1	3	7	7	7
20-34	34	4.8	8	2	2	5	6	8	8	16
35-49	1202	4.4	14	1	2	3	6	8	10	17
50-64	3222	4.4	12	1	2	3	6	9	10	16
65+	3316	5.1	18	1	2	4	7	10	13	20
GRAND TOTAL	7779	4.7	15	1	2	4	6	9	11	18

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	20	7.5	4	5	6	7	8	10	12	13
50-64	95	8.6	7	6	7	8	9	11	14	21
65+	114	9.9	23	6	7	9	11	13	17	33
2. MULTIPLE DX										
0-19 YRS	2	28.0	578	11	11	28	45	45	45	45
20-34	15	13.5	80	8	9	10	15	22	37	42
35-49	646	10.1	43	6	7	8	11	15	18	35
50-64	2814	10.9	34	7	8	9	12	16	20	37
65+	3506	12.9	58	8	9	11	15	20	27	48
TOTAL SINGLE DX	230	9.1	16	6	7	8	10	12	15	25
TOTAL MULTIPLE DX	6983	11.8	49	7	8	10	13	18	23	42
TOTAL										
0-19 YRS	2	28.0	578	11	11	28	45	45	45	45
20-34	16	13.0	78	6	9	10	14	22	36	42
35-49	666	10.0	42	6	7	8	11	14	18	34
50-64	2909	10.8	34	7	8	9	12	16	20	36
65+	3620	12.8	57	7	9	11	14	20	27	47
GRAND TOTAL	7213	11.7	48	7	8	10	13	18	23	42

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	152	1.7	3	<1	<1	<1	1	4	6	10
20-34	54	3.3	32	<1	1	1	3	8	11	38
35-49	388	2.9	7	1	1	2	4	7	8	12
50-64	632	2.7	9	1	1	1	3	6	7	14
65 +	333	2.8	7	1	1	2	4	7	9	11
2. MULTIPLE DX										
0-19 YRS	485	4.3	66	<1	<1	1	4	11	21	48
20-34	224	5.8	39	1	2	4	8	13	19	32
35-49	2073	4.4	21	1	1	3	6	9	11	22
50-64	5536	4.7	25	1	1	3	6	9	13	24
65 +	5966	5.1	24	1	2	4	7	10	13	24
TOTAL SINGLE DX	1559	2.7	9	<1	1	1	3	6	8	12
TOTAL MULTIPLE DX	14284	4.8	26	1	1	3	7	10	13	25
TOTAL										
0-19 YRS	637	3.7	53	<1	<1	1	3	9	15	42
20-34	278	5.3	39	1	1	3	7	12	17	32
35-49	2461	4.1	20	1	1	3	6	8	11	22
50-64	6168	4.5	24	1	1	3	6	9	12	24
65 +	6299	5.0	23	1	2	4	7	10	13	24
GRAND TOTAL	15843	4.6	25	1	1	3	6	10	13	24

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	3.2	16	1	1	2	4	9	14	15
20-34	17	3.7	28	1	1	2	4	7	17	23
35-49	24	5.3	69	1	1	3	6	9	20	42
50-64	69	3.0	4	1	1	2	4	6	7	11
65 +	287	2.4	8	1	1	2	3	4	5	11
2. MULTIPLE DX										
0-19 YRS	74	5.8	35	2	2	4	6	13	19	31
20-34	39	6.8	117	1	2	3	6	14	37	49
35-49	123	6.0	39	1	2	4	8	12	16	34
50-64	510	6.5	44	1	2	4	8	14	19	31
65 +	3213	6.3	34	1	3	5	8	13	17	30
TOTAL SINGLE DX	408	2.7	12	1	1	2	3	5	7	13
TOTAL MULTIPLE DX	3959	6.3	37	1	3	5	8	13	17	31
TOTAL										
0-19 YRS	85	5.5	33	1	2	3	6	13	19	31
20-34	56	5.9	91	1	2	3	5	14	24	49
35-49	147	5.9	44	1	2	4	8	12	16	38
50-64	579	6.1	41	1	2	4	8	13	16	29
65 +	3500	6.0	34	1	2	4	8	12	16	29
GRAND TOTAL	4367	6.0	36	1	2	4	8	12	16	30

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	5.0	9	<1	2	5	7	9	10	10
20-34	16	6.2	3	3	5	6	8	9	9	9
35-49	7	8.9	77	2	2	6	14	23	25	25
50-64	17	5.4	20	1	2	5	7	8	16	20
65 +	5	5.0	9	<1	3	4	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	70	7.8	22	2	4	7	10	14	17	24
20-34	68	9.4	66	1	4	7	13	21	29	88
35-49	119	9.7	115	3	4	7	10	17	28	63
50-64	213	9.1	50	2	4	8	11	17	22	44
65 +	192	11.7	62	3	7	10	16	22	28	36
TOTAL SINGLE DX	55	6.0	19	1	3	6	7	9	15	25
TOTAL MULTIPLE DX	662	9.9	66	2	5	8	12	19	24	44
TOTAL										
0-19 YRS	80	7.4	21	2	4	7	10	13	16	24
20-34	84	8.8	56	1	4	7	11	19	25	79
35-49	126	9.6	112	3	4	7	10	17	27	60
50-64	230	8.9	49	2	4	8	11	17	21	43
65 +	197	11.6	63	3	7	10	15	22	27	36
GRAND TOTAL	717	9.6	63	2	5	8	12	19	24	43

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	200	2.2	5	<1	1	1	2	4	8	12
20-34	84	3.1	6	1	1	2	5	6	8	11
35-49	65	3.6	11	1	1	2	5	10	11	15
50-64	54	4.4	20	1	1	3	6	11	12	24
65 +	46	4.3	15	1	2	3	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	406	6.3	60	1	2	4	8	14	20	56
20-34	269	8.1	40	2	4	7	11	16	21	86
35-49	442	8.4	82	2	3	6	10	18	23	48
50-64	830	8.3	50	2	3	6	11	17	23	34
65 +	2313	9.1	55	2	4	7	12	17	22	37
TOTAL SINGLE DX	449	3.1	10	<1	1	2	4	7	10	14
TOTAL MULTIPLE DX	4260	8.5	57	2	4	7	11	17	22	38
TOTAL										
0-19 YRS	606	4.9	46	<1	1	3	6	12	16	43
20-34	353	6.9	36	1	3	6	10	14	19	38
35-49	507	7.8	76	1	2	6	10	17	21	40
50-64	884	8.0	49	1	3	6	11	16	22	34
65 +	2359	9.0	55	2	4	7	12	17	22	37
GRAND TOTAL	4709	8.0	55	1	3	6	11	16	22	37

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	144	1.5		1	1	1	2	2	3	4
35-49	270	1.5		1	1	1	2	3	3	4
50-64	151	1.7		1	1	1	2	3	4	5
65 +	45	1.8	1	1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	42	1.8	3	1	1	1	2	3	3	13
35-49	106	2.8	22	1	1	2	3	5	7	30
50-64	97	2.0	2	1	1	1	2	4	6	8
65 +	71	3.6	19	1	2	2	3	8	12	27
TOTAL SINGLE DX	615	1.6	1	1	1	1	2	3	3	5
TOTAL MULTIPLE DX	317	2.7	15	1	1	2	3	4	7	24
TOTAL										
0-19 YRS	6	5.3	103	1	1	1	2	24	26	26
20-34	186	1.6	1	1	1	1	2	3	3	4
35-49	376	1.9	7	1	1	1	2	3	4	8
50-64	248	1.8	1	1	1	1	2	3	4	6
65 +	116	2.9	13	1	1	2	3	4	10	21
GRAND TOTAL	932	2.0	6	1	1	1	2	3	4	11

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	7.3	21	3	5	6	8	14	18	19
20-34	9	5.7	6	2	4	5	8	9	9	9
35-49	26	6.4	15	2	4	5	8	13	15	16
50-64	101	6.2	11	3	4	5	7	10	12	22
65 +	93	5.8	15	3	4	5	7	8	11	28
2. MULTIPLE DX										
0-19 YRS	139	15.4	240	5	7	10	19	37	71	99 +
20-34	33	9.7	32	3	6	9	12	18	18	30
35-49	196	10.3	76	4	6	8	11	19	28	51
50-64	915	9.6	65	4	5	7	11	18	25	53
65 +	2003	10.8	73	4	6	8	13	20	26	50
TOTAL SINGLE DX	241	6.1	13	3	4	5	7	9	12	22
TOTAL MULTIPLE DX	3286	10.6	79	4	6	8	12	20	27	55
TOTAL										
0-19 YRS	151	14.8	228	5	7	10	17	36	63	99 +
20-34	42	8.9	29	3	5	8	12	15	18	30
35-49	222	9.8	71	4	5	8	11	17	27	47
50-64	1016	9.3	61	4	5	7	10	17	24	50
65 +	2096	10.6	72	4	6	8	13	20	26	49
GRAND TOTAL	3527	10.3	76	4	5	8	12	19	26	54

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	1.3		<1	<1	<1	1	2	3	3
20-34	35	1.6	3	<1	<1	<1	1	3	6	9
35-49	23	1.8	3	<1	<1	<1	1	4	6	9
50-64	30	1.9	2	<1	<1	1	2	4	5	8
65 +	6	6.5	61	<1	2	3	10	20	21	21
2. MULTIPLE DX										
0-19 YRS	61	4.5	31	<1	<1	2	6	11	16	27
20-34	333	4.4	41	<1	1	3	6	10	12	24
35-49	522	5.3	38	1	2	3	7	11	15	34
50-64	764	5.4	37	1	2	4	7	11	14	31
65 +	927	6.2	44	1	3	4	8	13	17	33
TOTAL SINGLE DX	106	2.0	7	<1	<1	<1	2	4	7	15
TOTAL MULTIPLE DX	2607	5.5	41	1	2	4	7	11	16	31
TOTAL										
0-19 YRS	73	4.0	28	<1	<1	2	4	10	13	27
20-34	368	4.2	38	<1	1	2	5	9	11	23
35-49	545	5.2	37	<1	2	3	6	10	15	33
50-64	794	5.3	37	1	2	4	7	11	14	31
65 +	933	6.2	45	1	2	4	8	13	17	33
GRAND TOTAL	2713	5.4	40	1	2	4	7	11	15	31

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	3.7	6	1	1	3	6	7	7	7
20-34	20	7.0	65	1	2	3	12	17	25	32
35-49	20	6.6	37	1	2	3	11	17	18	19
50-64	38	3.4	11	1	1	2	3	9	10	14
65 +	24	2.0	2	1	1	1	3	4	6	7
2. MULTIPLE DX										
0-19 YRS	33	9.4	87	1	3	6	15	21	29	37
20-34	253	8.4	93	1	3	6	10	18	24	53
35-49	416	8.3	90	1	2	6	11	19	26	58
50-64	646	9.5	113	1	2	6	12	22	29	53
65 +	782	10.8	95	1	3	8	15	24	30	45
TOTAL SINGLE DX	108	4.3	27	1	1	2	5	12	16	24
TOTAL MULTIPLE DX	2130	9.6	101	1	3	7	13	21	29	51
TOTAL										
0-19 YRS	39	8.5	78	1	2	5	14	20	28	37
20-34	273	8.3	91	1	3	6	10	18	24	50
35-49	436	8.2	88	1	2	6	11	19	26	55
50-64	684	9.2	110	1	2	6	12	21	29	53
65 +	806	10.5	95	1	3	8	15	23	30	44
GRAND TOTAL	2238	9.4	98	1	2	7	12	21	28	49

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	11	4.5	22	1	2	3	3	14	14	14
50-64	127	3.1	2	2	2	3	4	5	5	11
65 +	320	3.8	3	2	3	4	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	39	4.2	5	2	3	4	5	8	10	99 +
50-64	527	4.9	20	2	3	4	5	9	12	29
65 +	1824	5.4	22	2	3	4	6	10	13	26
TOTAL SINGLE DX	458	3.6	4	2	2	3	4	5	7	13
TOTAL MULTIPLE DX	2391	5.3	22	2	3	4	6	10	13	27
TOTAL										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	50	4.3	9	2	2	3	5	9	14	99
50-64	654	4.6	18	2	3	3	5	8	11	27
65 +	2144	5.2	20	2	3	4	6	10	13	25
GRAND TOTAL	2849	5.0	19	2	3	4	5	9	12	25

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.22; 38.30-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	213	4.5	9	1	2	4	6	8	11	15
20-34	105	5.0	17	1	2	4	7	11	12	20
35-49	147	5.3	25	1	1	3	8	12	14	24
50-64	256	5.0	24	1	1	3	7	11	13	22
65 +	294	4.8	15	1	2	4	7	9	11	19
2. MULTIPLE DX										
0-19 YRS	1641	13.9	251	2	5	8	18	40	66	99 +
20-34	587	7.7	75	1	2	5	10	17	26	52
35-49	798	8.9	119	1	2	6	10	21	29	60
50-64	1813	8.3	82	1	3	6	10	17	24	50
65 +	4180	9.6	85	2	4	8	12	19	26	55
TOTAL SINGLE DX	1015	4.9	18	1	2	4	7	10	12	21
TOTAL MULTIPLE DX	9019	9.9	121	1	4	7	12	21	32	77
TOTAL										
0-19 YRS	1854	12.8	233	2	4	7	16	37	59	99 +
20-34	692	7.3	67	1	2	5	9	16	24	44
35-49	945	8.3	106	1	2	5	10	19	27	60
50-64	2069	7.9	77	1	2	6	10	16	22	48
65 +	4474	9.3	82	1	4	7	11	18	26	53
GRAND TOTAL	10034	9.4	113	1	3	7	11	20	31	73

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	135	2.9	12	< 1	1	2	3	7	8	24
20-34	58	3.6	22	1	1	2	4	9	14	26
35-49	66	2.6	6	1	1	2	3	6	8	14
50-64	57	2.4	5	< 1	1	1	3	5	8	13
65 +	42	3.3	10	1	1	2	4	7	8	19
2. MULTIPLE DX										
0-19 YRS	102	5.8	37	1	2	4	7	12	15	36
20-34	120	8.3	62	1	3	6	10	19	22	44
35-49	123	6.9	38	1	2	5	10	17	22	48
50-64	243	6.8	48	1	2	5	8	14	20	36
65 +	366	7.0	45	1	2	5	9	15	19	37
TOTAL SINGLE DX	358	2.9	12	< 1	1	2	3	7	8	19
TOTAL MULTIPLE DX	954	7.0	47	1	2	5	9	15	20	37
TOTAL										
0-19 YRS	237	4.2	25	< 1	1	2	5	9	13	25
20-34	178	6.8	54	1	2	5	9	17	21	40
35-49	189	5.4	31	1	1	4	7	14	18	28
50-64	300	6.0	43	1	2	4	8	13	18	33
65 +	408	6.6	43	1	2	5	9	14	19	36
GRAND TOTAL	1312	5.9	40	1	2	4	8	13	18	32

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.7		< 1	1	1	2	3	3	3
20-34	33	4.3	4	2	2	4	6	7	8	9
35-49	44	3.5	10	1	2	3	4	7	10	17
50-64	61	4.0	16	1	2	2	4	9	15	18
65 +	75	2.9	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
0-19 YRS	6	5.5	8	2	3	6	6	10	10	10
20-34	56	7.2	28	1	4	6	10	12	16	31
35-49	106	6.3	71	1	2	4	8	11	16	57
50-64	174	6.0	34	1	2	4	7	13	16	29
65 +	318	6.3	40	2	3	5	7	12	16	28
TOTAL SINGLE DX	219	3.5	8	1	2	3	4	6	8	17
TOTAL MULTIPLE DX	660	6.3	43	2	3	5	8	12	16	29
TOTAL										
0-19 YRS	12	3.6	8	1	1	3	6	7	10	10
20-34	89	6.1	22	2	3	5	8	10	13	28
35-49	150	5.5	55	1	2	4	7	10	15	47
50-64	235	5.5	31	1	2	4	6	13	15	29
65 +	393	5.6	35	2	3	4	6	11	15	26
GRAND TOTAL	879	5.6	36	1	2	4	7	12	15	28

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	24.0	491	< 1	5	22	42	50	50	50
20-34	1	42.0		42	42	42	42	42	42	42
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	18	41.3	216	31	34	40	44	59	68	73
20-34	6	37.5	29	30	37	37	38	45	46	46
35-49	7	48.6	458	37	37	37	51	87	95	95
50-64	0									
65 +	0									
TOTAL SINGLE DX	5	27.6	433	< 1	8	34	44	50	50	50
TOTAL MULTIPLE DX	31	42.2	234	31	37	38	44	59	72	95
TOTAL										
0-19 YRS	22	38.1	292	8	33	39	44	59	65	73
20-34	7	38.1	27	31	37	38	41	45	46	46
35-49	7	48.6	459	37	37	37	51	87	95	95
50-64	0									
65 +	0									
GRAND TOTAL	36	40.2	276	29	35	38	44	58	69	95

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	226	4.2	8	1	2	4	5	8	10	17
20-34	133	5.9	23	3	4	5	7	8	10	32
35-49	96	5.7	11	2	4	5	7	9	12	19
50-64	63	7.9	71	3	4	6	7	15	26	50
65 +	39	5.5	40	1	2	4	6	10	[illegible]	39
2. MULTIPLE DX										
0-19 YRS	474	9.6	113	2	4	6	10	24	30	32
20-34	479	9.5	74	3	5	7	11	19	27	47
35-49	486	10.6	89	3	5	8	13	22	31	48
50-64	598	11.0	103	3	5	8	13	22	31	55
65 +	1465	9.8	71	3	5	7	12	19	26	47
TOTAL SINGLE DX	557	5.4	23	2	3	5	6	9	12	29
TOTAL MULTIPLE DX	3500	10.1	86	3	5	7	12	20	28	50
TOTAL										
0-19 YRS	700	7.8	86	2	3	5	8	18	27	54
20-34	612	8.7	66	3	4	6	9	17	26	44
35-49	582	9.8	80	3	5	7	12	19	30	47
50-64	659	10.7	101	3	5	8	12	22	30	55
65 +	1504	9.7	71	3	5	7	12	18	26	47
GRAND TOTAL	4057	9.4	80	3	4	7	11	19	27	48

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	191	5.1	39	< 1	1	4	6	10	14	37
20-34	63	8.2	101	2	2	5	10	14	37	49
35-49	62	5.7	43	< 1	1	4	6	13	17	38
50-64	48	6.5	47	1	2	4	8	14	24	30
65 +	25	5.9	43	< 1	1	5	8	15	20	29
2. MULTIPLE DX										
0-19 YRS	640	11.8	151	2	3	8	17	31	41	99 +
20-34	576	11.1	105	2	4	8	15	24	32	52
35-49	827	10.3	107	2	4	7	13	22	29	54
50-64	989	11.0	130	2	4	7	14	25	33	63
65 +	1497	11.3	99	2	5	9	15	23	30	49
TOTAL SINGLE DX	389	5.9	52	< 1	1	4	7	12	18	40
TOTAL MULTIPLE DX	4529	11.1	116	2	4	8	15	24	33	57
TOTAL										
0-19 YRS	831	10.2	134	1	3	6	14	27	38	99 +
20-34	639	10.8	105	2	4	8	14	24	32	50
35-49	889	10.0	104	2	3	7	13	22	29	54
50-64	1037	10.8	127	2	4	7	14	25	32	62
65 +	1522	11.2	99	2	5	8	15	23	30	48
GRAND TOTAL	4918	10.7	113	2	4	7	14	24	32	56

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	5.4	22	1	2	3	10	13	14	14
20-34	15	11.7	14	6	10	12	14	15	18	19
35-49	3	13.7		13	13	14	14	14	14	14
50-64	5	2.4	10	1	1	1	3	8	8	8
65 +	0									
2. MULTIPLE DX										
0-19 YRS	66	7.4	57	1	2	5	11	18	25	32
20-34	44	15.2	138	3	10	14	19	23	26	78
35-49	21	12.0	111	1	3	10	17	25	35	42
50-64	37	5.8	18	2	3	4	9	12	15	18
65 +	39	7.0	25	2	4	5	8	16	17	22
TOTAL SINGLE DX	51	7.4	30	1	2	7	13	14	14	19
TOTAL MULTIPLE DX	207	9.2	78	1	3	6	14	19	23	36
TOTAL										
0-19 YRS	94	6.8	48	1	2	4	10	16	21	32
20-34	59	14.3	109	4	10	14	18	22	25	73
35-49	24	12.2	97	1	3	13	16	23	34	42
50-64	42	5.4	19	1	2	4	8	12	14	18
65 +	39	7.0	25	2	4	5	8	16	17	22
GRAND TOTAL	258	8.8	69	1	3	6	13	18	22	32

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	3.7	80	<1	<1	1	1	10	20	43
20-34	6	4.2	12	1	1	3	8	9	9	9
35-49	29	2.9	4	1	1	2	4	6	7	9
50-64	30	4.2	15	1	1	3	5	11	12	17
65 +	39	3.4	8	<1	1	3	4	8	9	13
2. MULTIPLE DX										
0-19 YRS	104	7.8	191	1	1	2	9	22	30	75
20-34	72	7.5	68	2	3	6	9	15	18	55
35-49	225	8.3	60	2	3	6	10	18	23	37
50-64	320	9.6	105	2	4	6	11	21	30	47
65 +	609	9.5	111	2	4	6	11	20	28	58
TOTAL SINGLE DX	150	3.6	31	<1	1	2	4	9	11	43
TOTAL MULTIPLE DX	1330	9.1	106	2	3	6	10	19	28	56
TOTAL										
0-19 YRS	150	6.5	161	<1	1	1	7	14	25	65
20-34	78	7.2	65	2	3	5	8	14	18	53
35-49	254	7.7	57	2	3	5	10	16	23	37
50-64	350	9.2	100	2	4	6	10	21	29	47
65 +	648	9.2	108	2	3	6	11	19	28	58
GRAND TOTAL	1480	8.5	101	1	3	5	10	18	27	52

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	476	2.8	1	2	2	3	3	4	5	8
20-34	3	5.0	3	4	4	4	6	7	7	7
35-49	0									
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
2. MULTIPLE DX										
0-19 YRS	280	3.8	5	2	3	3	4	6	9	18
20-34	6	12.3	108	5	6	9	11	31	33	33
35-49	7	11.1	18	6	8	9	16	16	16	16
50-64	12	18.3	112	7	10	16	26	32	41	43
65 +	27	14.7	67	6	8	11	21	28	30	31
TOTAL SINGLE DX	480	2.9	2	2	2	3	3	4	5	8
TOTAL MULTIPLE DX	332	5.5	32	2	3	4	5	12	19	35
TOTAL										
0-19 YRS	756	3.2	3	2	2	3	4	5	6	13
20-34	9	9.9	82	4	5	7	10	24	33	33
35-49	7	11.1	19	6	8	9	16	16	16	16
50-64	13	17.6	109	7	10	15	25	30	41	43
65 +	27	14.7	68	6	8	11	21	28	30	31
GRAND TOTAL	812	3.9	16	2	2	3	4	6	10	28

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.3	6	<1	<1	1	2	6	9	9
20-34	5	6.6	10	2	5	6	9	10	10	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64	7	9.0	127	1	2	5	11	29	33	33
65 +	8	8.9	72	1	2	6	14	22	25	25
2. MULTIPLE DX										
0-19 YRS	157	14.3	310	2	4	8	21	60	89	99 +
20-34	39	21.4	433	3	8	17	32	72	99 +	99 +
35-49	51	20.1	498	2	6	12	32	79	99	99 +
50-64	132	13.5	179	3	5	9	19	36	64	99 +
65 +	850	13.6	123	3	6	11	18	27	34	56
TOTAL SINGLE DX	31	6.3	54	1	2	3	9	14	24	33
TOTAL MULTIPLE DX	1229	14.2	181	2	5	11	19	31	46	99 +
TOTAL										
0-19 YRS	167	13.6	300	1	3	7	21	45	85	99 +
20-34	44	19.7	406	2	8	12	30	68	99 +	99 +
35-49	52	19.8	494	2	6	12	31	78	99	99 +
50-64	139	13.3	177	2	5	9	19	36	63	99 +
65 +	858	13.5	123	2	6	11	18	27	34	56
GRAND TOTAL	1260	14.0	180	2	5	11	19	30	45	99 +

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.3	16	1	1	1	6	8	8	8
20-34	12	5.6	15	2	2	5	7	13	13	13
35-49	20	4.3	4	<1	3	4	5	7	8	10
50-64	22	4.0	4	2	3	3	5	7	9	11
65 +	14	4.3	6	2	3	4	5	7	10	11
2. MULTIPLE DX										
0-19 YRS	15	5.3	22	1	2	4	6	14	16	17
20-34	33	6.8	21	2	3	7	8	12	18	22
35-49	92	6.3	46	2	3	5	8	12	17	81
50-64	211	6.9	51	2	3	6	9	12	15	37
65 +	612	7.4	50	2	4	6	9	14	17	32
TOTAL SINGLE DX	71	4.4	7	1	3	4	5	8	11	13
TOTAL MULTIPLE DX	963	7.2	49	2	3	6	9	13	17	35
TOTAL										
0-19 YRS	18	5.0	21	1	1	4	6	12	16	17
20-34	45	6.4	20	2	3	6	8	12	15	22
35-49	112	5.9	39	2	3	5	7	11	13	72
50-64	233	6.6	48	2	3	5	8	12	14	36
65 +	626	7.4	49	2	4	6	9	14	17	32
GRAND TOTAL	1034	7.0	46	2	3	5	8	13	17	35

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	12	10.4	15	6	7	10	13	15	18	19
35-49	29	10.9	40	5	7	10	12	19	21	36
50-64	26	9.9	25	5	7	9	12	16	18	27
65 +	27	9.2	6	6	7	8	11	13	14	15
2. MULTIPLE DX										
0-19 YRS	6	19.5	80	6	15	20	28	28	28	28
20-34	46	15.3	134	6	8	11	18	29	42	59
35-49	125	14.6	147	6	8	10	16	31	43	64
50-64	220	15.0	104	7	8	12	18	27	35	66
65 +	455	16.2	115	8	9	13	19	30	41	61
TOTAL SINGLE DX	94	10.1	23	6	7	9	12	15	19	32
TOTAL MULTIPLE DX	852	15.6	118	7	9	12	18	29	40	62
TOTAL										
0-19 YRS	6	19.5	80	6	15	20	28	28	28	28
20-34	58	14.3	113	6	8	11	17	26	35	58
35-49	154	13.9	129	6	7	10	15	27	39	62
50-64	246	14.4	98	7	8	12	17	26	34	65
65 +	482	15.8	11[illegible]	7	9	12	18	29	40	61
GRAND TOTAL	946	15.1	112	7	8	12	18	27	38	61

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	6	8.8	3	6	8	9	10	11	11	11
50-64	9	15.2	27	11	11	12	20	23	24	24
65 +	5	13.0	8	10	11	12	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	0									
20-34	4	16.0	40	11	11	14	20	25	25	25
35-49	29	16.8	217	8	10	11	15	29	52	77
50-64	65	15.9	103	9	10	13	17	26	32	64
65 +	107	18.1	75	10	12	16	22	32	36	44
TOTAL SINGLE DX	20	12.8	22	8	10	11	15	21	23	24
TOTAL MULTIPLE DX	205	17.2	103	9	11	14	20	29	36	60
TOTAL										
0-19 YRS	0									
20-34	4	16.0	41	11	11	14	20	25	25	25
35-49	35	15.4	189	8	9	11	14	28	45	77
50-64	74	15.8	93	9	11	13	17	25	29	63
65 +	112	17.9	73	10	11	15	22	32	36	44
GRAND TOTAL	225	16.8	97	9	11	13	20	29	35	58

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	4.5	17	2	2	3	5	12	14	14
20-34	28	11.1	85	5	6	8	11	25	31	45
35-49	39	7.8	10	5	6	7	9	11	15	20
50-64	17	9.0	18	5	6	8	11	17	19	19
65 +	10	8.0	5	5	7	8	9	11	12	12
2. MULTIPLE DX										
0-19 YRS	14	18.5	330	4	7	11	29	53	59	61
20-34	44	8.8	31	4	6	7	10	17	20	30
35-49	129	10.4	49	5	6	8	12	18	26	37
50-64	154	12.2	88	5	7	10	14	23	28	62
65 +	196	16.2	138	7	9	12	19	31	44	63
TOTAL SINGLE DX	102	8.7	35	5	6	7	9	13	19	37
TOTAL MULTIPLE DX	537	13.1	106	5	7	10	15	26	32	61
TOTAL										
0-19 YRS	22	13.4	258	2	3	7	14	37	56	61
20-34	72	9.7	53	5	6	7	10	18	26	42
35-49	168	9.8	41	5	6	8	10	18	22	37
50-64	171	11.9	82	5	7	10	13	21	28	60
65 +	206	15.8	135	7	8	12	19	30	43	63
GRAND TOTAL	639	12.4	97	5	7	9	14	24	31	58

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	4.7	3	2	4	5	6	7	7	9
20-34	58	5.7	3	4	4	5	7	8	9	14
35-49	72	6.7	11	4	5	6	8	9	11	25
50-64	25	7.4	11	4	5	7	8	12	14	18
65+	21	7.0	12	4	5	7	8	9	14	20
2. MULTIPLE DX										
0-19 YRS	338	15.1	279	4	6	9	22	52	99+	99+
20-34	177	7.9	25	4	5	6	9	14	19	29
35-49	299	8.1	34	4	5	6	9	15	21	36
50-64	366	11.0	88	4	6	8	12	22	32	64
65+	622	14.3	110	6	7	11	17	28	36	57
TOTAL SINGLE DX	226	6.1	8	4	5	6	7	9	10	18
TOTAL MULTIPLE DX	1802	12.1	125	4	6	8	14	26	37	99+
TOTAL										
0-19 YRS	388	13.7	256	4	5	8	19	46	96	99+
20-34	235	7.3	21	4	5	6	8	12	18	26
35-49	371	7.8	30	4	5	6	8	13	20	35
50-64	391	10.8	85	4	6	8	12	22	31	64
65+	643	14.1	109	5	7	11	17	27	36	57
GRAND TOTAL	2028	11.4	115	4	6	8	13	24	35	99+

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	4.1	20	1	2	3	5	7	8	28
20-34	126	4.3	8	2	2	4	5	8	10	16
35-49	128	3.7	8	<1	2	3	5	7	9	13
50-64	120	4.0	12	<1	2	3	5	8	12	18
65+	112	3.9	7	<1	2	3	5	8	10	12
2. MULTIPLE DX										
0-19 YRS	267	7.8	108	1	3	5	9	16	24	55
20-34	617	6.3	34	2	3	5	8	13	18	27
35-49	906	5.9	37	2	3	4	7	11	15	37
50-64	1510	6.2	31	2	3	5	8	13	17	28
65+	4430	7.3	38	2	3	5	9	14	19	32
TOTAL SINGLE DX	567	4.0	11	1	2	3	5	8	10	17
TOTAL MULTIPLE DX	7730	6.9	40	2	3	5	8	14	18	32
TOTAL										
0-19 YRS	348	7.0	90	1	2	4	8	14	23	45
20-34	743	5.9	31	2	3	4	7	12	16	27
35-49	1034	5.6	35	2	3	4	7	10	15	36
50-64	1630	6.1	30	2	3	4	8	12	17	27
65+	4542	7.2	38	2	3	5	9	14	19	32
GRAND TOTAL	8297	6.7	38	2	3	5	8	13	18	31

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	6.9	8	4	5	7	9	13	61	99+
20-34	24	8.3	10	5	6	8	11	13	14	14
35-49	26	8.2	19	4	6	7	10	13	16	25
50-64	22	8.9	14	5	7	8	10	15	18	20
65+	23	9.7	9	7	7	9	12	15	16	16
2. MULTIPLE DX										
0-19 YRS	128	15.8	260	5	7	10	26	99+	99+	99+
20-34	147	12.7	98	6	7	10	13	22	42	61
35-49	202	12.9	91	6	8	9	15	27	37	99+
50-64	273	14.9	143	6	8	11	17	29	38	71
65+	629	15.8	126	7	9	12	19	28	38	67
TOTAL SINGLE DX	113	8.5	13	5	6	8	10	14	15	52
TOTAL MULTIPLE DX	1379	14.9	135	6	8	11	18	30	46	99+
TOTAL										
0-19 YRS	146	14.7	238	5	7	10	23	99+	99+	99+
20-34	171	12.1	88	6	7	10	13	21	37	58
35-49	228	12.4	85	6	7	9	14	25	36	99+
50-64	295	14.5	136	6	8	10	17	29	37	69
65+	652	15.6	123	7	9	12	18	28	38	67
GRAND TOTAL	1492	14.4	129	6	8	11	17	29	44	99+

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	6.7	5	4	5	6	9	10	11	12
20-34	85	8.6	17	5	6	8	9	13	16	28
35-49	139	8.2	16	5	6	7	9	12	15	24
50-64	260	8.2	7	6	6	8	9	12	14	18
65+	284	8.2	5	6	7	8	9	11	12	14
2. MULTIPLE DX										
0-19 YRS	101	14.9	237	5	7	10	18	47	99+	99+
20-34	290	12.3	92	6	7	9	14	24	30	79
35-49	655	11.1	63	6	7	9	12	19	26	53
50-64	1482	11.3	59	6	7	9	13	18	23	47
65+	4161	12.8	68	7	8	10	15	21	29	48
TOTAL SINGLE DX	808	8.2	10	5	6	8	9	11	13	20
TOTAL MULTIPLE DX	6689	12.3	70	6	8	10	14	21	28	53
TOTAL										
0-19 YRS	141	12.6	185	5	6	9	14	31	89	99+
20-34	375	11.4	78	5	7	9	13	22	28	63
35-49	794	10.6	56	6	7	8	11	18	24	52
50-64	1742	10.8	53	6	7	9	12	17	22	45
65+	4445	12.5	65	7	8	10	14	21	28	46
GRAND TOTAL	7497	11.8	65	6	8	9	13	20	27	50

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	8.6	149	2	3	5	8	25	42	46
20-34	7	10.4	58	3	5	9	12	23	26	26
35-49	3	5.7	4	4	4	5	7	8	8	8
50-64	10	8.4	24	2	6	8	10	15	20	20
65 +	13	7.1	3	4	6	7	9	9	10	10
2. MULTIPLE DX										
0-19 YRS	39	14.7	253	4	7	10	15	32	47	86
20-34	24	7.8	23	2	5	8	10	18	39	99 +
35-49	28	11.4	81	4	6	8	13	26	30	42
50-64	68	15.5	186	6	8	11	16	28	53	78
65 +	149	16.1	165	7	9	12	18	32	53	99 +
TOTAL SINGLE DX	46	8.2	55	3	5	7	9	13	21	46
TOTAL MULTIPLE DX	308	14.7	167	5	8	11	17	29	46	91
TOTAL										
0-19 YRS	52	13.2	231	3	4	8	14	31	46	85
20-34	31	8.4	31	2	5	8	10	18	25	99 +
35-49	31	10.9	77	4	6	8	12	25	29	42
50-64	78	14.6	171	5	8	11	15	27	43	76
65 +	162	15.4	159	6	8	11	17	31	47	97
GRAND TOTAL	**354**	**13.9**	**157**	**5**	**7**	**10**	**16**	**28**	**44**	**86**

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	171	5.6	7	2	4	5	7	9	11	14
20-34	141	7.7	37	4	5	7	8	11	13	33
35-49	105	6.9	7	4	5	7	8	10	11	16
50-64	90	7.0	7	3	6	7	8	10	12	16
65 +	74	6.6	7	3	4	7	8	10	11	16
2. MULTIPLE DX										
0-19 YRS	338	11.0	163	3	5	7	11	29	43	99 +
20-34	274	10.2	80	4	6	8	10	19	27	61
35-49	313	10.2	44	4	7	8	11	18	25	35
50-64	380	11.8	107	5	7	9	12	24	33	98
65 +	785	12.2	90	5	7	9	14	22	29	50
TOTAL SINGLE DX	581	6.7	15	3	5	6	8	10	12	17
TOTAL MULTIPLE DX	2090	11.4	98	5	6	9	12	22	31	70
TOTAL										
0-19 YRS	509	9.2	118	3	4	6	9	17	33	89
20-34	415	9.4	67	4	6	7	10	16	24	60
35-49	418	9.4	37	4	6	8	10	16	23	31
50-64	470	10.8	92	5	6	8	11	21	30	93
65 +	859	11.7	86	5	7	9	13	21	29	48
GRAND TOTAL	**2671**	**10.3**	**84**	**4**	**6**	**8**	**11**	**19**	**28**	**61**

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	6.8	14	4	4	6	8	9	13	22
20-34	10	11.6	88	5	6	9	13	25	37	37
35-49	9	6.7	7	4	5	6	8	11	12	12
50-64	13	7.1	7	3	6	8	9	10	10	10
65 +	10	9.2	7	6	7	9	10	13	15	15
2. MULTIPLE DX										
0-19 YRS	56	16.1	338	4	7	11	19	44	92	99 +
20-34	33	14.2	125	5	7	10	19	31	49	99 +
35-49	70	16.0	254	5	7	9	18	40	47	81
50-64	129	14.5	96	6	8	11	19	26	32	52
65 +	339	15.6	98	7	9	13	19	27	37	53
TOTAL SINGLE DX	67	7.9	23	4	6	8	9	11	14	34
TOTAL MULTIPLE DX	627	15.4	138	6	8	12	19	28	41	88
TOTAL										
0-19 YRS	81	13.2	255	4	6	8	14	40	64	99 +
20-34	43	13.6	116	5	7	10	17	31	43	99 +
35-49	79	14.9	235	4	7	9	17	36	46	80
50-64	142	13.9	93	6	8	11	17	26	32	49
65 +	349	15.4	97	7	9	13	19	26	37	52
GRAND TOTAL	**694**	**14.7**	**131**	**6**	**8**	**11**	**18**	**27**	**40**	**85**

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4877	3.2	3	2	2	3	4	6	7	10
20-34	3990	3.3	2	2	2	3	4	6	7	9
35-49	1515	3.8	4	2	2	3	5	6	8	10
50-64	467	4.5	6	2	3	4	6	8	10	12
65 +	152	4.8	6	2	3	4	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	1625	5.3	18	2	3	4	7	9	13	22
20-34	1630	4.9	14	2	3	4	6	9	11	19
35-49	910	6.0	16	2	3	5	7	11	13	23
50-64	519	7.3	24	3	4	6	9	13	17	23
65 +	493	8.2	34	3	5	7	10	14	17	31
TOTAL SINGLE DX	11001	3.4	4	2	2	3	4	6	7	10
TOTAL MULTIPLE DX	5177	5.8	20	2	3	5	7	10	13	23
TOTAL										
0-19 YRS	6502	3.7	8	2	2	3	4	7	8	15
20-34	5620	3.8	7	2	2	3	4	6	8	12
35-49	2425	4.6	10	2	3	4	6	8	10	17
50-64	986	6.0	18	2	3	5	8	11	13	20
65 +	645	7.4	30	3	4	6	9	13	16	30
GRAND TOTAL	**16178**	**4.2**	**10**	**2**	**2**	**3**	**5**	**8**	**10**	**16**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	5.9	8	2	4	5	7	10	11	11
20-34	9	6.7	8	2	4	8	9	10	10	10
35-49	5	6.4	6	3	4	7	8	9	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	13	10.2	82	3	5	7	13	20	34	37
20-34	8	11.6	46	6	7	10	13	23	27	27
35-49	8	8.3	9	6	7	7	12	66	99 +	99 +
50-64	8	9.3	18	5	6	8	11	16	18	18
65 +	1	11.0		11	11	11	11	11	11	11
TOTAL SINGLE DX	30	6.2	7	2	4	6	8	10	10	11
TOTAL MULTIPLE DX	38	9.9	42	5	6	8	12	17	32	99 +
TOTAL										
0-19 YRS	27	7.9	47	3	4	6	10	14	18	37
20-34	17	9.0	31	4	6	8	10	14	22	27
35-49	13	7.5	8	5	6	7	9	23	83	99 +
50-64	9	8.8	18	5	6	7	11	16	18	18
65 +	2	8.5	13	6	6	8	11	11	11	11
GRAND TOTAL	68	8.3	30	3	5	7	10	14	18	88

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	2.1	4	<1	1	1	2	4	7	10
20-34	14	4.1	23	1	1	2	7	12	16	17
35-49	17	4.4	25	1	1	3	5	11	17	20
50-64	19	2.1	3	<1	1	1	2	5	7	7
65 +	67	2.3	2	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	42	7.7	129	1	2	5	8	15	23	70
20-34	21	4.1	18	<1	1	2	6	12	13	13
35-49	29	7.0	40	1	3	4	9	16	23	26
50-64	68	4.9	16	1	2	4	7	10	11	20
65 +	238	5.5	25	1	2	4	7	11	16	24
TOTAL SINGLE DX	140	2.7	8	1	1	2	3	6	8	17
TOTAL MULTIPLE DX	398	5.7	36	1	2	4	8	11	16	27
TOTAL										
0-19 YRS	65	5.7	92	<1	1	3	6	14	16	64
20-34	35	4.1	20	1	1	2	7	12	13	17
35-49	46	6.0	36	1	2	4	8	12	21	26
50-64	87	4.3	15	1	1	3	6	10	11	20
65 +	305	4.8	22	1	2	3	6	11	15	23
GRAND TOTAL	538	4.8	30	1	1	3	6	11	15	24

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	2.3	2	1	1	2	3	4	6	8
20-34	127	2.4	2	1	1	2	3	4	6	9
35-49	143	2.6	9	1	1	2	3	5	7	11
50-64	56	2.7	4	1	1	2	3	4	7	12
65 +	17	4.6	11	1	2	4	8	9	10	11
2. MULTIPLE DX										
0-19 YRS	19	6.2	28	1	2	5	8	16	18	19
20-34	81	4.4	15	1	1	3	6	9	11	20
35-49	123	4.1	20	1	1	3	4	9	12	27
50-64	85	5.3	52	1	2	3	6	11	14	47
65 +	77	6.9	42	2	3	5	8	15	21	31
TOTAL SINGLE DX	366	2.6	6	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	385	5.1	32	1	2	3	6	11	15	30
TOTAL										
0-19 YRS	42	4.0	18	1	1	3	5	9	15	19
20-34	208	3.1	9	1	1	2	4	7	9	15
35-49	266	3.3	15	1	1	2	4	7	9	25
50-64	141	4.2	35	1	2	3	5	9	12	35
65 +	94	6.4	37	2	3	5	8	15	17	31
GRAND TOTAL	751	3.9	21	1	1	2	4	8	11	26

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	7.6	7	5	6	7	8	12	15	15
20-34	5	12.6	40	7	8	9	19	20	20	20
35-49	25	8.5	20	3	6	8	10	13	18	23
50-64	63	8.3	10	5	7	8	10	12	14	18
65 +	52	9.0	11	6	7	9	10	13	14	25
2. MULTIPLE DX										
0-19 YRS	73	8.6	29	5	6	7	8	16	19	32
20-34	33	11.7	52	6	8	9	12	21	31	35
35-49	84	9.9	28	5	7	9	10	16	20	35
50-64	244	11.2	35	7	8	10	12	17	21	33
65 +	592	13.0	78	7	9	11	14	21	27	52
TOTAL SINGLE DX	163	8.6	13	5	7	8	10	13	15	23
TOTAL MULTIPLE DX	1026	12.0	62	7	8	10	13	20	24	47
TOTAL										
0-19 YRS	91	8.4	25	5	6	7	8	15	17	32
20-34	38	11.8	50	6	8	9	12	21	29	35
35-49	109	9.5	27	5	7	9	10	15	19	34
50-64	307	10.6	32	7	8	9	12	16	20	29
65 +	644	12.7	74	7	8	10	13	21	26	50
GRAND TOTAL	1189	11.5	56	6	8	10	13	19	23	44

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	100	2.6	6	<1	1	1	3	5	7	15
20-34	293	3.4	10	1	2	3	4	6	8	13
35-49	302	3.1	4	1	2	3	4	6	7	10
50-64	283	3.3	4	1	2	3	4	6	7	11
65 +	197	3.2	5	1	2	3	4	6	7	14
2. MULTIPLE DX										
0-19 YRS	315	5.5	47	1	2	3	6	12	18	37
20-34	1339	4.8	24	1	2	3	5	9	13	28
35-49	2425	5.3	30	2	2	4	6	10	14	32
50-64	3161	5.5	31	2	3	4	6	10	15	30
65 +	7416	6.6	32	2	3	5	8	12	16	30
TOTAL SINGLE DX	1175	3.2	6	1	2	3	4	6	7	13
TOTAL MULTIPLE DX	14656	5.9	32	2	3	4	7	11	15	30
TOTAL										
0-19 YRS	415	4.8	39	1	1	3	5	10	16	36
20-34	1632	4.5	22	1	2	3	5	8	12	28
35-49	2727	5.0	28	2	2	4	6	10	13	28
50-64	3444	5.4	29	2	3	4	6	10	14	29
65 +	7613	6.5	32	2	3	5	8	12	16	30
GRAND TOTAL	15831	5.7	31	2	3	4	7	11	15	30

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.1		<1	<1	<1	1	2	2	2
20-34	65	1.6	1	1	1	1	2	3	4	5
35-49	73	1.5		1	1	1	2	3	3	4
50-64	40	1.6		1	1	1	2	3	3	4
65 +	13	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	6	3.2	10	<1	<1	1	5	9	9	9
20-34	60	2.8	14	1	1	2	3	5	7	27
35-49	115	2.3	3	1	1	2	3	4	7	9
50-64	71	2.8	18	1	1	1	3	5	12	24
65 +	42	3.1	7	1	1	2	5	7	8	12
TOTAL SINGLE DX	201	1.6	1	1	1	1	2	3	4	5
TOTAL MULTIPLE DX	294	2.6	10	1	1	2	3	5	8	20
TOTAL										
0-19 YRS	16	1.9	5	<1	<1	1	2	5	8	9
20-34	125	2.1	8	1	1	1	2	4	5	14
35-49	188	2.0	2	1	1	2	2	4	5	9
50-64	111	2.4	12	1	1	1	2	4	7	24
65 +	55	2.9	6	1	1	2	4	7	8	12
GRAND TOTAL	495	2.2	7	1	1	2	2	4	6	12

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	33	1.5		<1	1	1	2	3	4	5
35-49	26	1.5		1	1	1	2	3	3	3
50-64	20	1.5		1	1	1	2	3	3	4
65 +	10	2.2	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	5	1.6		1	1	2	2	2	2	2
20-34	43	2.5	4	1	1	2	3	4	6	13
35-49	69	2.6	11	1	1	2	3	4	7	23
50-64	49	4.0	138	1	1	2	3	5	6	84
65 +	57	3.9	16	1	2	3	4	9	14	19
TOTAL SINGLE DX	91	1.6	1	1	1	1	2	3	3	6
TOTAL MULTIPLE DX	223	3.2	39	1	1	2	3	5	8	21
TOTAL										
0-19 YRS	7	1.6		1	1	2	2	2	2	2
20-34	76	2.1	3	1	1	2	2	3	5	11
35-49	95	2.3	8	1	1	2	2	4	6	20
50-64	69	3.3	99	1	1	2	3	4	5	69
65 +	67	3.7	15	1	1	2	4	8	12	19
GRAND TOTAL	314	2.7	28	1	1	2	3	4	7	19

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	61	2.4	1	1	1	2	3	4	5	7
35-49	113	2.4	2	1	1	2	3	4	5	8
50-64	84	2.2	1	1	1	2	3	4	5	8
65 +	27	2.1	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	8	3.4	2	2	2	3	4	6	6	6
20-34	246	2.7	2	1	2	2	3	5	6	7
35-49	618	2.7	4	1	2	2	3	4	5	10
50-64	436	2.8	3	1	2	2	3	5	6	9
65 +	306	3.2	6	1	2	3	4	6	7	15
TOTAL SINGLE DX	285	2.3	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1614	2.8	4	1	2	2	3	5	6	11
TOTAL										
0-19 YRS	8	3.4	2	2	2	3	4	6	6	6
20-34	307	2.6	3	1	2	2	3	5	6	7
35-49	731	2.6	4	1	2	2	3	4	5	9
50-64	520	2.7	3	1	2	2	3	4	6	9
65 +	333	3.1	6	1	2	3	4	5	7	14
GRAND TOTAL	1899	2.7	4	1	2	2	3	5	6	10

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	2.5	2	<1	1	2	4	5	5	6
20-34	72	2.0	2	1	1	1	3	4	5	7
35-49	69	2.0	1	1	1	1	2	4	4	7
50-64	54	2.5	7	1	1	2	3	5	6	15
65 +	24	3.0	8	1	1	2	3	8	10	13
2. MULTIPLE DX										
0-19 YRS	70	4.1	5	1	3	4	5	7	8	12
20-34	84	3.6	9	1	1	2	5	8	10	13
35-49	121	2.8	9	1	1	2	3	5	8	19
50-64	80	4.2	30	1	1	2	5	10	14	33
65 +	116	3.9	19	1	1	2	4	8	12	24
TOTAL SINGLE DX	269	2.3	4	1	1	2	3	5	5	12
TOTAL MULTIPLE DX	471	3.6	15	1	1	2	4	8	10	22
TOTAL										
0-19 YRS	120	3.4	5	1	2	3	5	6	7	11
20-34	156	2.9	7	1	1	2	4	6	8	13
35-49	190	2.5	7	1	1	2	3	4	7	14
50-64	134	3.5	22	1	1	2	4	7	11	27
65 +	140	3.8	18	1	1	2	4	8	12	23
GRAND TOTAL	740	3.2	11	1	1	2	4	6	9	17

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	8.9	32	2	5	8	14	16	16	16
20-34	9	5.8	9	2	4	6	7	11	11	11
35-49	2	9.0	50	4	4	9	14	14	14	14
50-64	2	7.5	1	7	7	7	8	8	8	8
65 +	2	7.5	25	4	4	7	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	12	12.4	92	4	6	8	18	29	32	33
20-34	16	11.8	103	5	6	8	15	36	78	99 +
35-49	23	13.4	76	3	7	12	18	23	30	41
50-64	42	14.3	147	2	7	13	19	26	35	68
65 +	41	15.0	104	6	7	13	20	27	35	52
TOTAL SINGLE DX	22	7.4	19	3	4	7	10	15	16	16
TOTAL MULTIPLE DX	134	13.9	110	4	7	11	19	27	35	73
TOTAL										
0-19 YRS	19	11.1	70	4	6	8	16	25	30	33
20-34	25	9.6	77	4	5	6	11	33	49	99 +
35-49	25	13.1	73	3	7	12	17	23	28	41
50-64	44	14.0	143	2	7	12	19	25	33	68
65 +	43	14.7	103	5	7	12	19	27	34	52
GRAND TOTAL	156	13.0	102	4	6	10	17	25	34	67

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	5.9	24	1	1	6	9	12	15	23
20-34	57	3.2	8	1	1	3	5	7	9	14
35-49	51	2.8	21	<1	1	1	2	7	8	31
50-64	41	3.8	22	<1	1	1	5	8	12	25
65 +	32	2.8	9	<1	1	1	3	9	9	9
2. MULTIPLE DX										
0-19 YRS	134	10.2	169	1	1	6	13	24	34	64
20-34	210	10.6	102	2	5	8	13	21	28	55
35-49	229	10.3	133	1	3	7	12	22	38	59
50-64	327	8.2	59	1	3	7	11	17	23	49
65 +	451	9.9	58	2	5	8	13	19	23	36
TOTAL SINGLE DX	226	3.7	18	1	1	1	5	9	10	23
TOTAL MULTIPLE DX	1351	9.7	90	1	4	8	12	20	25	51
TOTAL										
0-19 YRS	179	9.1	136	1	1	6	12	22	29	59
20-34	267	9.1	91	1	3	7	11	19	25	50
35-49	280	8.9	121	1	2	6	10	20	30	56
50-64	368	7.7	57	1	2	6	10	16	23	47
65 +	483	9.4	58	1	4	8	12	18	23	36
GRAND TOTAL	1577	8.8	84	1	3	7	11	19	24	48

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	198	4.2	4	2	3	4	5	7	8	13
20-34	2308	4.3	4	3	3	4	5	6	8	12
35-49	2348	4.2	3	3	3	4	5	6	7	11
50-64	1646	4.6	4	3	3	4	5	7	8	13
65 +	722	5.0	5	3	4	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	236	6.1	41	3	4	5	6	9	12	37
20-34	2616	5.2	11	3	3	4	6	8	10	16
35-49	3608	5.5	16	3	4	5	6	9	11	20
50-64	3891	6.3	25	3	4	5	7	10	13	25
65 +	5231	8.3	36	4	5	7	10	14	18	34
TOTAL SINGLE DX	7222	4.4	4	3	3	4	5	6	8	12
TOTAL MULTIPLE DX	15582	6.6	27	3	4	5	8	11	14	27
TOTAL										
0-19 YRS	434	5.2	25	3	3	4	6	8	10	15
20-34	4924	4.8	8	3	3	4	5	7	9	14
35-49	5956	5.0	12	3	3	4	6	8	10	17
50-64	5537	5.8	20	3	4	5	6	9	12	23
65 +	5953	7.9	34	4	5	6	9	14	17	32
GRAND TOTAL	22804	5.9	21	3	4	5	7	10	13	23

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	5.0	32	< 1	< 1	4	9	9	9	9
20-34	4	3.8	9	1	1	3	6	8	8	8
35-49	9	4.3	6	1	2	5	6	8	8	8
50-64	4	2.8	12	1	1	1	5	8	8	8
65 +	7	2.4	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	0									
20-34	6	11.5	82	2	2	12	20	20	20	20
35-49	11	6.4	36	1	2	4	8	17	18	18
50-64	25	9.7	79	1	4	7	13	24	28	35
65 +	85	8.2	66	2	3	5	10	21	26	41
TOTAL SINGLE DX	26	3.5	7	1	1	3	5	8	8	9
TOTAL MULTIPLE DX	127	8.5	67	2	3	6	11	21	25	37
TOTAL										
0-19 YRS	2	5.0	32	< 1	< 1	4	9	9	9	9
20-34	10	8.4	65	1	2	5	19	20	20	20
35-49	20	5.5	23	1	2	4	7	13	17	18
50-64	29	8.7	76	1	2	6	12	24	26	35
65 +	92	7.7	64	2	3	5	10	19	25	40
GRAND TOTAL	153	7.6	60	1	2	5	9	19	24	35

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	5.8	13	1	3	6	8	9	9	9
20-34	28	4.5	22	1	2	3	6	8	10	26
35-49	51	4.2	22	1	1	3	5	9	14	27
50-64	34	4.4	15	1	1	2	7	12	12	12
65 +	39	2.9	7	1	1	2	3	7	8	15
2. MULTIPLE DX										
0-19 YRS	12	7.2	82	1	1	4	7	26	27	27
20-34	96	8.7	75	2	3	6	11	20	23	43
35-49	183	6.2	36	1	2	4	8	13	19	34
50-64	215	6.3	46	1	2	5	8	14	18	29
65 +	614	8.4	72	2	3	6	11	17	22	38
TOTAL SINGLE DX	156	4.0	17	1	1	3	5	8	12	25
TOTAL MULTIPLE DX	1120	7.6	63	1	3	5	10	16	21	37
TOTAL										
0-19 YRS	16	6.8	64	1	2	5	8	23	26	27
20-34	124	7.7	66	2	3	5	9	19	23	43
35-49	234	5.8	34	1	2	4	7	13	18	33
50-64	249	6.0	42	1	2	5	7	13	17	25
65 +	653	8.0	71	1	3	6	10	16	22	37
GRAND TOTAL	1276	7.2	59	1	3	5	9	15	20	37

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	8.4	50	4	5	6	8	15	26	36
20-34	11	16.1	327	2	4	10	24	43	61	63
35-49	29	7.6	68	1	2	6	10	16	23	41
50-64	29	6.4	30	1	3	5	8	12	17	27
65 +	39	7.1	19	2	4	7	9	11	17	21
2. MULTIPLE DX										
0-19 YRS	31	17.0	148	7	9	14	22	36	46	52
20-34	59	9.3	60	2	5	7	11	17	26	40
35-49	100	10.7	97	3	5	7	12	22	33	54
50-64	154	11.3	50	4	6	10	15	21	27	37
65 +	494	12.8	75	5	7	11	16	22	29	49
TOTAL SINGLE DX	129	8.0	67	1	4	6	9	16	22	46
TOTAL MULTIPLE DX	838	12.2	77	4	7	10	15	22	29	49
TOTAL										
0-19 YRS	52	13.5	125	5	6	9	16	29	43	52
20-34	70	10.3	105	2	5	8	11	22	29	58
35-49	129	10.0	92	2	5	7	11	21	33	51
50-64	183	10.5	50	3	5	9	14	20	26	36
65 +	533	12.4	74	5	7	10	16	22	28	48
GRAND TOTAL	967	11.7	78	4	6	9	15	22	29	49

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.83; 52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	11	13.8	202	4	6	9	13	39	48	49
35-49	12	9.4	24	4	8	8	11	16	21	22
50-64	17	10.2	73	2	6	9	10	19	32	38
65 +	12	13.1	106	4	6	9	19	27	37	39
2. MULTIPLE DX										
0-19 YRS	19	23.0	391	7	9	13	38	59	62	62
20-34	54	19.2	210	6	9	14	26	45	52	61
35-49	110	18.5	259	6	8	13	21	42	61	89
50-64	144	19.2	231	6	9	14	23	41	51	82
65 +	179	19.1	254	4	8	14	25	40	50	83
TOTAL SINGLE DX	52	11.5	94	4	6	9	12	22	37	49
TOTAL MULTIPLE DX	506	19.1	248	6	8	14	24	42	53	82
TOTAL										
0-19 YRS	19	23.0	392	7	9	13	38	59	62	62
20-34	65	18.3	210	5	8	13	25	45	50	61
35-49	122	17.6	243	6	8	13	21	41	58	87
50-64	161	18.3	222	6	8	13	22	39	51	80
65 +	191	18.7	247	4	8	14	24	40	50	82
GRAND TOTAL	558	18.4	238	5	8	13	23	41	52	81

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	2.0	1	<1	1	1	3	4	5	6
20-34	92	3.2	6	1	1	2	4	7	9	12
35-49	95	3.7	7	1	2	3	5	7	9	14
50-64	63	3.5	6	1	2	3	4	8	9	13
65 +	64	4.2	6	1	2	4	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	95	4.6	34	1	2	3	5	10	14	33
20-34	260	6.4	54	2	2	4	7	13	25	42
35-49	348	6.3	55	2	3	4	7	12	20	36
50-64	546	5.8	24	2	3	5	7	11	14	28
65 +	1712	7.1	39	2	3	5	9	13	18	35
TOTAL SINGLE DX	358	3.4	7	1	1	3	4	7	9	13
TOTAL MULTIPLE DX	2961	6.7	40	2	3	5	8	13	18	34
TOTAL										
0-19 YRS	139	3.8	25	1	1	2	4	7	12	29
20-34	352	5.6	44	1	2	4	6	11	18	34
35-49	443	5.7	46	1	2	4	6	11	17	34
50-64	509	5.6	23	2	3	4	7	10	14	26
65 +	1776	7.0	38	2	3	5	9	13	17	35
GRAND TOTAL	3319	6.3	37	2	3	5	8	12	16	34

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	403	1.2		<1	<1	1	1	2	3	4
20-34	167	1.4		<1	1	1	2	2	3	4
35-49	199	1.5		<1	1	1	2	3	4	6
50-64	271	1.8	4	<1	1	1	2	3	4	8
65 +	290	1.8	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	355	2.3	41	<1	<1	1	1	3	6	78
20-34	119	2.1	9	1	1	1	2	4	6	16
35-49	207	2.2	17	1	1	1	2	4	6	18
50-64	431	2.5	7	1	1	2	3	5	7	12
65 +	1157	3.4	22	1	1	2	4	7	9	19
TOTAL SINGLE DX	1330	1.6	2	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	2269	2.9	22	1	1	2	3	6	8	19
TOTAL										
0-19 YRS	758	1.7	20	<1	<1	1	1	2	4	28
20-34	286	1.7	4	1	1	1	2	3	4	7
35-49	406	1.9	10	1	1	1	2	3	4	8
50-64	702	2.2	6	1	1	1	3	4	6	11
65 +	1447	3.1	19	1	1	2	4	6	9	17
GRAND TOTAL	3599	2.4	15	<1	1	1	3	5	7	15

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	338	1.1		<1	<1	1	1	1	2	3
20-34	62	1.3		1	1	1	2	2	3	3
35-49	85	1.5		1	1	1	2	2	3	3
50-64	119	1.5		1	1	1	2	2	3	6
65 +	78	1.6	1	1	1	1	2	3	3	8
2. MULTIPLE DX										
0-19 YRS	415	3.3	120	<1	1	1	1	3	11	99 +
20-34	30	1.7	2	1	1	1	2	3	6	7
35-49	92	1.9	1	1	1	1	2	3	4	7
50-64	152	2.0	2	1	1	2	2	3	4	12
65 +	269	2.9	4	1	1	2	4	6	7	12
TOTAL SINGLE DX	682	1.3		<1	1	1	1	2	3	4
TOTAL MULTIPLE DX	958	2.8	54	1	1	1	2	4	7	85
TOTAL										
0-19 YRS	753	2.3	67	<1	<1	1	1	2	4	92
20-34	92	1.4	1	1	1	1	2	2	3	7
35-49	177	1.7	1	1	1	1	2	3	4	5
50-64	271	1.8	2	1	1	1	2	3	4	10
65 +	347	2.6	4	1	1	2	3	5	7	11
GRAND TOTAL	1640	2.2	32	<1	1	1	2	3	5	44

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	14	1.8	1	1	1	2	2	3	5	5
35-49	26	1.6		1	1	1	2	3	3	4
50-64	19	1.9	2	1	1	1	3	4	5	6
65 +	39	2.6	4	1	1	2	3	5	8	10
2. MULTIPLE DX										
0-19 YRS	0									
20-34	4	3.3	2	2	2	3	4	5	5	5
35-49	23	2.3	1	1	1	2	3	5	34	99 +
50-64	41	3.5	5	1	2	3	4	7	8	13
65 +	208	6.8	36	1	3	5	9	15	18	30
TOTAL SINGLE DX	101	2.1	3	1	1	2	2	4	5	9
TOTAL MULTIPLE DX	276	5.9	31	1	2	4	8	14	17	34
TOTAL										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	18	2.1	2	1	1	2	2	5	5	5
35-49	49	1.9	1	1	1	2	3	3	5	99 +
50-64	60	3.0	5	1	1	3	4	6	7	12
65 +	247	6.2	34	1	2	4	8	14	17	25
GRAND TOTAL	377	4.9	26	1	2	3	6	12	16	24

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	1.3		<1	<1	<1	1	2	3	5
20-34	36	1.5		<1	<1	1	2	2	4	5
35-49	69	2.0	2	1	1	1	3	4	4	9
50-64	56	2.5	3	1	1	2	3	5	6	11
65+	28	2.7	4	1	1	2	4	5	8	9
2. MULTIPLE DX										
0-19 YRS	42	9.1	308	<1	1	2	11	21	80	99+
20-34	36	3.2	7	1	1	2	4	7	9	12
35-49	81	3.8	34	1	1	2	4	9	9	38
50-64	130	4.9	35	1	1	3	6	9	15	39
65+	134	5.0	29	1	2	4	6	10	12	34
TOTAL SINGLE DX	239	2.0	2	<1	1	1	2	4	5	9
TOTAL MULTIPLE DX	423	5.0	59	1	1	3	6	10	14	42
TOTAL										
0-19 YRS	92	4.8	155	<1	<1	1	3	12	20	94
20-34	72	2.3	5	<1	1	2	3	5	7	12
35-49	150	2.9	20	1	1	2	3	7	9	13
50-64	186	4.1	27	1	1	3	5	8	12	34
65+	162	4.6	26	1	2	3	6	9	12	32
GRAND TOTAL	662	3.9	41	<1	1	2	4	8	11	38

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	43	2.0	1	<1	1	2	2	4	5	5
20-34	88	2.5	2	1	1	2	3	5	5	7
35-49	258	2.9	4	1	1	2	4	5	7	12
50-64	324	3.0	2	1	2	3	4	5	6	8
65+	239	3.3	4	1	2	3	4	6	6	10
2. MULTIPLE DX										
0-19 YRS	15	2.9	6	1	1	2	4	5	9	11
20-34	100	4.4	23	1	2	3	5	8	11	29
35-49	372	4.2	15	1	2	3	5	7	10	19
50-64	634	4.4	17	1	2	4	5	7	9	16
65+	958	5.1	17	1	2	4	6	10	12	19
TOTAL SINGLE DX	952	2.9	3	1	2	3	4	5	6	9
TOTAL MULTIPLE DX	2079	4.7	17	1	2	4	6	9	11	19
TOTAL										
0-19 YRS	58	2.2	3	<1	1	2	3	5	5	11
20-34	188	3.5	14	1	2	3	4	6	8	14
35-49	630	3.7	11	1	2	3	5	7	9	15
50-64	958	3.9	13	1	2	3	5	7	9	14
65+	1197	4.7	15	1	2	4	6	9	11	18
GRAND TOTAL	3031	4.1	14	1	2	3	5	8	10	16

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	5.5	5	3	4	5	7	9	9	9
20-34	8	6.1	1	4	5	6	7	8	8	8
35-49	12	4.3	7	2	2	3	6	8	10	10
50-64	14	6.4	7	3	5	6	7	9	12	13
65+	14	5.7	4	3	4	6	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	55	17.9	338	3	6	10	29	67	99+	99+
20-34	26	9.4	90	3	6	7	9	17	26	51
35-49	46	7.9	27	5	5	6	9	12	17	36
50-64	66	8.5	29	4	5	7	10	17	20	31
65+	126	10.6	28	6	7	9	13	17	21	28
TOTAL SINGLE DX	61	5.6	6	2	4	6	7	8	9	13
TOTAL MULTIPLE DX	319	10.9	97	4	6	8	12	21	31	99+
TOTAL										
0-19 YRS	68	15.5	298	3	5	9	25	59	98	99+
20-34	34	8.6	71	4	6	7	8	16	19	51
35-49	58	7.2	25	3	5	6	8	11	14	35
50-64	80	8.1	26	4	5	7	9	15	19	30
65+	140	10.1	28	5	7	9	12	17	21	27
GRAND TOTAL	380	10.1	86	4	6	7	11	19	28	94

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	90	3.4	8	<1	1	3	4	7	9	16
20-34	100	4.0	7	1	2	3	5	7	9	14
35-49	93	4.6	15	1	2	4	5	8	13	22
50-64	83	4.9	16	1	2	4	6	10	14	20
65+	41	5.0	14	1	3	4	7	10	14	15
2. MULTIPLE DX										
0-19 YRS	163	8.4	95	1	3	6	10	19	28	37
20-34	333	7.0	56	2	3	5	9	14	22	42
35-49	640	7.8	58	2	3	5	9	17	24	43
50-64	776	8.1	51	2	4	6	10	15	22	36
65+	958	9.6	68	3	5	8	12	18	24	45
TOTAL SINGLE DX	407	4.3	12	1	2	3	5	8	12	18
TOTAL MULTIPLE DX	2870	8.4	63	2	4	6	11	16	24	43
TOTAL										
0-19 YRS	253	6.6	71	1	2	4	8	14	23	36
20-34	433	6.3	47	2	3	4	7	12	19	38
35-49	733	7.4	54	2	3	5	9	15	24	40
50-64	859	7.8	49	2	3	6	10	15	21	36
65+	999	9.4	67	3	4	7	12	18	23	45
GRAND TOTAL	3277	7.9	58	2	3	6	10	15	22	39

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	142	4.4	5	2	3	4	5	7	9	12
20-34	300	4.6	8	2	3	4	6	8	10	18
35-49	112	6.6	27	2	3	5	7	13	17	28
50-64	47	6.9	16	1	4	7	10	12	15	17
65 +	42	7.4	13	4	5	7	9	13	15	17
2. MULTIPLE DX										
0-19 YRS	279	9.6	135	3	4	6	10	19	29	81
20-34	652	7.6	60	3	4	5	9	14	23	39
35-49	420	9.5	86	3	4	6	10	21	30	47
50-64	319	12.7	125	4	6	9	16	27	37	99 +
65 +	496	12.3	79	4	6	10	15	24	32	44
TOTAL SINGLE DX	643	5.2	13	2	3	4	7	9	12	20
TOTAL MULTIPLE DX	2166	10.0	93	3	4	7	12	21	30	58
TOTAL										
0-19 YRS	421	7.8	97	2	3	5	9	15	21	76
20-34	952	6.6	46	2	3	5	8	12	18	38
35-49	532	8.9	76	3	4	6	10	19	28	45
50-64	366	11.9	115	4	6	9	15	25	35	96
65 +	538	11.9	76	4	6	9	15	24	32	43
GRAND TOTAL	2809	8.9	79	3	4	6	10	19	27	52

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	134	2.4	2	1	1	2	3	5	6	7
20-34	408	2.5	3	<1	1	2	3	4	6	9
35-49	83	2.2	2	<1	1	2	3	4	5	7
50-64	4	2.0	2	<1	<1	1	3	4	4	4
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	124	2.9	4	<1	1	3	4	6	8	10
20-34	610	3.2	7	1	1	3	4	6	7	14
35-49	172	3.2	16	<1	1	2	4	6	8	22
50-64	26	6.3	37	1	1	4	10	14	18	26
65 +	28	8.1	75	1	1	6	11	23	29	33
TOTAL SINGLE DX	631	2.4	3	<1	1	2	3	5	6	9
TOTAL MULTIPLE DX	960	3.4	12	1	1	3	4	7	9	17
TOTAL										
0-19 YRS	258	2.7	4	1	1	2	4	5	7	9
20-34	1018	2.9	6	1	1	2	4	6	7	14
35-49	255	2.9	12	<1	1	2	4	5	7	18
50-64	30	5.7	35	<1	1	3	10	13	16	26
65 +	30	7.6	74	1	1	5	10	21	29	33
GRAND TOTAL	1591	3.0	9	1	1	2	4	6	7	15

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	7.2	28	2	4	6	10	15	19	78
20-34	173	5.6	13	2	3	5	7	10	12	20
35-49	178	6.7	22	2	3	6	9	12	14	28
50-64	101	7.2	18	3	5	7	8	12	15	26
65 +	81	8.6	22	3	6	8	10	13	20	24
2. MULTIPLE DX										
0-19 YRS	223	12.5	199	3	5	7	12	35	47	79
20-34	571	6.0	37	2	3	4	7	11	17	33
35-49	604	8.3	57	2	4	7	10	15	22	55
50-64	637	10.3	88	3	5	8	13	20	27	57
65 +	1128	12.8	84	5	7	11	16	23	28	51
TOTAL SINGLE DX	614	6.8	21	2	4	6	9	12	15	25
TOTAL MULTIPLE DX	3163	10.2	86	3	4	8	12	20	27	54
TOTAL										
0-19 YRS	304	11.1	159	3	5	7	11	25	41	79
20-34	744	5.9	31	2	3	4	7	11	15	28
35-49	782	7.9	50	2	4	6	10	14	20	51
50-64	738	9.9	80	3	5	8	12	18	26	54
65 +	1209	12.5	82	4	7	10	16	23	28	50
GRAND TOTAL	3777	9.6	77	3	4	8	12	19	26	50

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	4.9	7	2	3	4	7	9	10	11
20-34	29	6.4	6	4	5	6	7	9	10	17
35-49	60	6.5	3	4	5	6	8	9	10	12
50-64	57	5.9	3	4	5	6	7	8	10	11
65 +	43	7.0	6	5	6	7	8	9	12	18
2. MULTIPLE DX										
0-19 YRS	124	7.7	45	3	4	6	10	14	17	37
20-34	92	10.7	110	4	5	7	14	27	40	99 +
35-49	204	9.0	49	4	6	7	9	15	23	40
50-64	264	9.6	60	5	6	7	10	16	23	66
65 +	464	10.5	51	5	6	8	12	19	23	50
TOTAL SINGLE DX	212	6.3	5	4	5	6	7	9	10	16
TOTAL MULTIPLE DX	1148	9.8	58	5	6	7	11	17	24	55
TOTAL										
0-19 YRS	147	7.2	41	3	4	6	9	14	16	30
20-34	121	9.7	89	4	5	6	10	21	34	99 +
35-49	264	8.5	40	4	5	7	8	14	19	37
50-64	321	9.0	52	5	6	7	10	15	21	64
65 +	507	10.2	49	5	6	8	11	18	22	48
GRAND TOTAL	1360	9.2	51	4	6	7	10	16	22	53

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	4.2	9	1	2	4	5	9	11	11
20-34	27	3.6	5	1	2	3	5	6	7	11
35-49	24	3.3	4	1	2	3	4	6	8	10
50-64	14	3.2	1	2	2	3	4	5	6	6
65 +	14	3.8	6	1	2	3	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	16	5.6	9	1	3	6	8	10	11	11
20-34	45	8.5	83	2	3	5	10	22	29	45
35-49	73	8.0	136	1	2	5	8	15	42	59
50-64	83	7.3	40	2	4	5	8	15	20	34
65 +	145	9.4	61	2	4	7	12	20	24	39
TOTAL SINGLE DX	89	3.6	5	1	2	3	5	6	8	11
TOTAL MULTIPLE DX	362	8.4	73	2	3	6	10	18	24	49
TOTAL										
0-19 YRS	26	5.1	10	1	2	5	7	10	11	11
20-34	72	6.7	59	2	2	4	7	16	24	42
35-49	97	6.9	108	1	2	4	7	12	19	57
50-64	97	6.7	37	2	3	5	8	14	18	34
65 +	159	8.9	59	2	3	7	12	19	24	37
GRAND TOTAL	451	7.4	63	2	3	5	9	17	22	46

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	14	11.5	30	7	8	9	15	21	23	23
35-49	11	10.6	11	6	8	10	12	16	17	17
50-64	8	12.3	26	7	9	11	15	21	22	22
65 +	0									
2. MULTIPLE DX										
0-19 YRS	37	12.3	20	7	9	11	16	18	21	24
20-34	100	12.7	101	6	7	10	14	22	29	66
35-49	139	13.2	67	6	8	11	16	21	28	42
50-64	77	11.7	72	5	7	10	13	18	21	51
65 +	6	13.7	74	6	6	12	17	28	29	29
TOTAL SINGLE DX	35	11.5	21	7	8	10	14	18	22	23
TOTAL MULTIPLE DX	359	12.7	73	6	8	10	15	21	26	52
TOTAL										
0-19 YRS	39	12.3	20	7	9	11	16	18	21	24
20-34	114	12.6	93	6	7	10	14	22	28	66
35-49	150	13.0	64	6	8	11	16	21	26	39
50-64	85	11.8	67	6	7	10	13	19	22	51
65 +	6	13.7	74	6	6	12	17	28	29	29
GRAND TOTAL	394	12.6	68	6	8	10	15	21	25	50

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	156	3.3	4	1	2	3	4	6	8	10
20-34	113	3.4	6	1	1	3	5	6	8	12
35-49	89	3.3	8	1	1	2	5	7	8	14
50-64	73	3.5	6	1	1	3	5	8	8	10
65 +	28	3.7	8	1	1	3	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	234	6.8	60	1	3	5	8	13	20	37
20-34	279	6.1	61	1	1	4	7	12	17	44
35-49	307	6.3	44	1	2	5	8	13	16	32
50-64	274	7.3	63	1	2	5	9	15	24	43
65 +	345	9.3	62	2	4	7	12	20	28	36
TOTAL SINGLE DX	459	3.4	6	1	1	3	5	7	8	12
TOTAL MULTIPLE DX	1439	7.3	60	1	2	5	9	15	21	38
TOTAL										
0-19 YRS	390	5.4	41	1	2	4	6	10	17	28
20-34	392	5.3	47	1	1	4	6	10	14	41
35-49	396	5.6	38	1	1	4	7	12	16	28
50-64	347	6.5	54	1	2	4	8	14	19	41
65 +	373	8.9	61	1	4	7	11	18	27	36
GRAND TOTAL	1898	6.3	50	1	2	4	8	13	18	37

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	21	4.7	13	1	2	4	7	9	12	16
35-49	34	4.5	7	1	2	4	6	8	10	12
50-64	25	3.9	4	1	2	4	5	7	7	7
65+	10	5.2	5	2	2	6	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	7	4.7	11	1	2	4	7	10	10	10
20-34	27	6.0	26	2	3	5	7	12	16	25
35-49	35	5.5	8	1	3	6	7	9	11	13
50-64	48	6.4	20	2	4	6	8	12	14	27
65+	76	8.8	70	3	5	7	9	13	23	50
TOTAL SINGLE DX	92	4.4	8	1	2	4	6	8	8	14
TOTAL MULTIPLE DX	193	7.1	40	2	4	6	8	11	15	42
TOTAL										
0-19 YRS	9	4.3	10	1	2	4	6	9	10	10
20-34	48	5.4	20	1	2	4	7	11	15	25
35-49	69	5.0	8	1	3	5	7	8	10	13
50-64	73	5.6	17	1	3	5	7	9	13	25
65+	86	8.4	64	2	5	7	9	13	21	50
GRAND TOTAL	285	6.2	31	2	3	6	7	10	13	32

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	157	4.8	2	3	4	5	5	7	8	11
20-34	14	7.1	7	5	5	6	8	12	14	14
35-49	8	10.9	70	6	6	8	11	25	31	31
50-64	4	7.5	15	2	5	8	10	11	11	11
65+	5	7.0	41	2	3	3	12	17	17	17
2. MULTIPLE DX										
0-19 YRS	222	6.5	12	3	4	6	8	11	14	18
20-34	39	11.3	148	4	6	8	12	33	84	99+
35-49	36	12.9	131	6	7	9	13	31	39	58
50-64	25	15.4	97	7	9	13	21	31	56	99+
65+	76	13.5	61	6	9	11	18	25	31	39
TOTAL SINGLE DX	188	5.3	9	3	4	5	6	8	10	16
TOTAL MULTIPLE DX	398	9.4	62	4	5	7	11	18	27	65
TOTAL										
0-19 YRS	379	5.8	9	3	4	5	7	9	12	18
20-34	53	10.2	114	4	5	8	11	17	64	99+
35-49	44	12.5	119	6	7	9	12	31	39	58
50-64	29	14.3	93	7	8	12	19	31	45	99+
65+	81	13.1	63	6	8	11	17	25	31	39
GRAND TOTAL	586	8.1	49	3	4	6	9	15	22	44

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	2.1		1	1	2	3	3	4	4
20-34	186	2.2	2	1	1	2	3	4	5	8
35-49	323	2.1	2	1	1	2	3	4	5	7
50-64	173	2.1	2	1	1	2	2	4	5	8
65+	58	2.6	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	20	3.1	3	1	2	2	5	6	6	6
20-34	120	3.2	10	1	2	3	4	6	7	16
35-49	218	3.8	15	1	2	3	4	7	10	24
50-64	195	3.1	7	1	1	2	4	6	8	13
65+	206	5.0	40	1	2	3	6	11	14	36
TOTAL SINGLE DX	754	2.2	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	759	3.9	20	1	2	3	5	7	10	23
TOTAL										
0-19 YRS	34	2.7	3	1	2	2	4	5	6	6
20-34	306	2.6	5	1	1	2	3	5	6	8
35-49	541	2.8	8	1	1	2	3	5	7	16
50-64	368	2.6	6	1	1	2	3	5	7	12
65+	264	4.5	33	1	2	3	5	9	14	24
GRAND TOTAL	1513	3.0	12	1	1	2	4	6	7	16

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	4.2	5	1	2	5	6	7	7	7
20-34	9	2.9	3	1	2	2	4	6	7	7
35-49	17	3.5	4	1	1	4	5	7	7	7
50-64	20	2.3	3	<1	1	2	3	5	6	7
65+	15	4.1	8	1	1	5	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	39	7.4	50	2	3	5	9	15	18	42
20-34	22	4.0	7	1	2	3	6	8	9	10
35-49	30	4.5	8	2	2	5	6	7	11	13
50-64	38	6.4	27	1	2	6	9	12	18	23
65+	85	6.3	26	1	2	6	8	12	15	28
TOTAL SINGLE DX	74	3.4	5	1	1	3	5	7	7	9
TOTAL MULTIPLE DX	214	6.0	27	1	2	5	8	11	15	26
TOTAL										
0-19 YRS	52	6.6	41	2	3	5	8	12	17	41
20-34	31	3.7	6	1	2	3	5	8	8	10
35-49	47	4.2	7	1	2	4	6	7	8	13
50-64	58	5.0	22	1	1	4	8	10	13	23
65+	100	6.0	24	1	2	5	8	11	14	27
GRAND TOTAL	288	5.4	23	1	2	4	7	10	13	24

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64	2.1	3	<1	<1	1	3	5	6	7
20-34	126	2.6	9	1	1	2	3	5	6	16
35-49	172	2.5	4	1	1	2	3	5	6	11
50-64	125	2.9	14	1	1	2	3	6	7	20
65+	89	2.2	4	<1	1	1	3	4	5	13
2. MULTIPLE DX										
0-19 YRS	108	6.9	175	<1	1	4	7	15	24	99
20-34	227	6.9	140	1	2	4	8	14	60	99+
35-49	308	5.5	65	1	2	3	6	12	20	49
50-64	413	5.7	37	1	2	4	7	12	15	40
65+	1104	8.2	67	2	3	6	11	17	23	43
TOTAL SINGLE DX	576	2.5	8	<1	1	2	3	5	6	11
TOTAL MULTIPLE DX	2160	7.2	76	1	2	5	9	15	22	57
TOTAL										
0-19 YRS	172	5.1	116	<1	1	2	6	10	16	94
20-34	353	5.4	97	1	1	3	5	10	24	99+
35-49	480	4.4	46	1	1	2	5	9	14	45
50-64	538	5.1	33	1	2	3	6	11	14	38
65+	1193	7.8	66	1	3	5	10	16	22	42
GRAND TOTAL	2736	6.2	65	1	2	4	7	14	19	53

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	14	1.4		<1	<1	1	1	3	4	4
35-49	59	1.8	1	<1	1	1	2	4	4	5
50-64	173	1.6	1	1	1	1	2	3	4	6
65+	372	1.8	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	12	5.6	55	1	1	2	10	37	88	99+
20-34	33	5.5	93	1	1	1	6	14	19	52
35-49	109	3.4	79	1	1	1	3	5	9	57
50-64	491	2.9	17	1	1	2	3	5	8	20
65+	1949	3.5	16	1	1	2	4	7	10	21
TOTAL SINGLE DX	623	1.7	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	2594	3.4	20	1	1	2	4	7	10	21
TOTAL										
0-19 YRS	17	4.2	43	<1	1	1	6	21	68	99+
20-34	47	4.3	69	<1	1	1	4	11	18	52
35-49	168	2.9	53	1	1	1	3	5	8	33
50-64	664	2.6	13	1	1	2	3	5	7	16
65+	2321	3.2	14	1	1	2	4	6	10	19
GRAND TOTAL	3217	3.1	17	1	1	2	3	6	9	20

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	5	2.8	2	<1	1	3	4	5	5	5
35-49	7	1.9		<1	<1	2	3	3	3	3
50-64	20	1.8	3	<1	1	1	2	4	6	8
65+	16	1.8		<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	4	3.3	11	<1	<1	2	5	8	8	8
20-34	12	8.4	443	<1	1	3	5	80	96	99+
35-49	22	6.9	66	1	1	3	9	23	26	26
50-64	51	3.4	20	1	1	2	4	7	12	28
65+	143	4.5	44	1	2	3	5	8	13	52
TOTAL SINGLE DX	48	1.9	2	<1	1	1	2	4	4	8
TOTAL MULTIPLE DX	232	4.7	61	1	1	3	4	10	16	56
TOTAL										
0-19 YRS	4	3.3	11	<1	<1	2	5	8	8	8
20-34	17	6.8	312	<1	1	3	4	55	90	99+
35-49	29	5.7	55	1	1	3	5	19	26	26
50-64	71	2.9	16	1	1	1	4	5	10	25
65+	159	4.2	41	1	1	2	4	8	13	49
GRAND TOTAL	280	4.2	52	1	1	2	4	8	13	52

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	43	4.0	16	1	1	2	5	10	13	19
20-34	36	5.3	24	1	2	4	6	12	19	21
35-49	59	4.4	10	2	3	4	5	8	12	19
50-64	73	4.2	23	1	2	3	5	9	10	32
65+	84	4.5	15	1	2	3	6	9	11	21
2. MULTIPLE DX										
0-19 YRS	211	8.5	77	2	3	6	11	17	28	71
20-34	122	8.7	157	2	3	6	9	21	82	99+
35-49	171	7.3	73	2	3	5	8	14	23	55
50-64	278	7.9	66	2	3	5	11	15	21	37
65+	726	8.2	54	2	3	6	11	17	22	33
TOTAL SINGLE DX	295	4.4	17	1	2	3	5	9	12	21
TOTAL MULTIPLE DX	1508	8.1	70	2	3	6	11	16	23	53
TOTAL										
0-19 YRS	254	7.8	70	1	3	5	10	17	24	54
20-34	158	7.9	128	2	3	6	8	16	49	99+
35-49	230	6.5	59	2	3	4	7	12	19	38
50-64	351	7.1	60	2	3	4	10	14	20	37
65+	810	7.8	52	1	3	6	11	16	21	31
GRAND TOTAL	1803	7.5	64	1	3	5	10	15	21	50

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	3.5	13	1	1	2	6	9	9	9
TOTAL SINGLE DX	6	1.0		<1	<1	<1	1	1	1	1
TOTAL MULTIPLE DX	10	2.6	6	<1	1	2	2	7	9	9
TOTAL										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	6	2.7	10	<1	1	1	2	8	9	9
GRAND TOTAL	**16**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**5**	**8**	**9**

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	278	1.8	2	<1	<1	1	2	3	7	8
20-34	27	2.7	4	1	1	2	4	6	8	8
35-49	33	2.3	2	1	1	2	3	4	6	7
50-64	27	3.0	4	1	2	2	4	5	8	10
65+	25	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	151	4.0	31	1	1	2	5	9	11	27
20-34	33	4.5	34	1	1	3	6	8	10	34
35-49	58	3.6	13	1	1	2	4	7	13	19
50-64	56	3.4	10	1	1	3	4	6	10	20
65+	79	3.9	28	1	1	2	4	7	9	35
TOTAL SINGLE DX	390	2.1	3	<1	1	1	3	4	7	8
TOTAL MULTIPLE DX	377	3.9	25	1	1	2	4	8	11	26
TOTAL										
0-19 YRS	429	2.6	14	<1	1	1	3	7	8	15
20-34	60	3.7	21	1	1	2	5	7	9	32
35-49	91	3.1	10	1	1	2	4	6	10	17
50-64	83	3.2	8	1	2	2	4	6	9	17
65+	104	3.5	22	1	1	2	4	6	8	31
GRAND TOTAL	**767**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	2.5	9	<1	<1	1	4	7	7	7
35-49	8	1.6		<1	1	1	2	3	3	3
50-64	8	1.9	2	1	1	1	3	5	5	5
65+	6	1.8		<1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	8	2.3	5	1	1	1	4	6	6	6
20-34	7	2.7	2	1	1	3	4	5	5	5
35-49	18	6.8	64	1	2	3	9	14	26	34
50-64	22	5.5	36	1	1	4	7	11	21	26
65+	138	7.9	43	1	3	6	11	18	21	30
TOTAL SINGLE DX	28	1.8	2	<1	1	1	2	4	5	7
TOTAL MULTIPLE DX	193	7.1	44	1	2	6	9	16	21	32
TOTAL										
0-19 YRS	10	2.0	4	<1	1	1	1	6	6	6
20-34	11	2.6	4	<1	1	2	4	6	7	7
35-49	26	5.2	50	1	1	2	9	12	19	34
50-64	30	4.5	30	1	1	2	6	9	17	26
65+	144	7.7	44	1	2	6	10	18	21	29
GRAND TOTAL	**221**	**6.5**	**42**	**1**	**2**	**5**	**9**	**14**	**21**	**30**

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34	26	1.7	1	<1	1	1	2	3	4	6
35-49	24	1.5	1	1	1	1	2	3	4	5
50-64	25	1.5		1	1	1	2	3	3	4
65+	37	2.0	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	27	5.2	57	1	1	2	7	13	17	37
20-34	41	2.0	3	1	1	1	2	4	5	10
35-49	51	5.3	85	1	1	2	5	16	22	99
50-64	77	3.6	30	1	1	2	4	8	11	36
65+	315	3.8	17	1	1	3	4	8	11	24
TOTAL SINGLE DX	119	1.7	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	511	3.9	27	1	1	2	4	8	12	31
TOTAL										
0-19 YRS	34	4.3	48	<1	1	1	4	13	14	37
20-34	67	1.9	2	1	1	1	2	3	5	9
35-49	75	4.1	61	1	1	2	4	11	20	89
50-64	102	3.1	24	1	1	2	3	6	10	29
65+	352	3.6	16	1	1	2	4	7	10	23
GRAND TOTAL	**630**	**3.4**	**23**	**1**	**1**	**2**	**4**	**7**	**11**	**28**

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	3.6	1	3	3	4	4	4	6	6
35-49	131	3.6	1	2	3	4	4	5	6	7
50-64	115	3.7	1	2	3	4	4	5	6	6
65 +	74	3.9	1	2	3	4	5	6	6	8
2. MULTIPLE DX										
0-19 YRS	4	29.5	56	23	23	29	36	36	36	36
20-34	40	4.5	4	3	3	4	5	6	8	14
35-49	258	4.1	1	3	3	4	5	5	6	7
50-64	257	4.5	2	3	4	4	5	6	7	9
65 +	201	5.3	9	3	4	5	6	8	10	19
TOTAL SINGLE DX	337	3.7	1	2	3	4	4	5	6	7
TOTAL MULTIPLE DX	760	4.7	7	3	4	4	5	6	8	15
TOTAL										
0-19 YRS	5	24.0	194	2	18	23	36	36	36	36
20-34	56	4.2	3	3	3	4	4	6	8	14
35-49	389	4.0	1	3	3	4	5	5	6	7
50-64	372	4.2	2	3	3	4	5	6	7	9
65 +	275	4.9	8	3	4	4	5	7	8	18
GRAND TOTAL	1097	4.4	6	3	3	4	5	6	7	13

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	20	3.2	1	1	2	3	4	5	6	6
35-49	134	2.9	2	1	2	3	4	4	5	8
50-64	179	3.1	1	2	2	3	4	4	5	6
65 +	135	3.5	2	2	2	3	4	6	6	8
2. MULTIPLE DX										
0-19 YRS	4	3.8	1	3	3	4	4	5	5	5
20-34	36	3.3	1	2	3	3	4	4	5	7
35-49	264	3.6	8	2	3	3	4	5	6	8
50-64	341	3.7	2	2	3	4	4	5	6	10
65 +	362	4.1	4	2	3	4	5	6	8	13
TOTAL SINGLE DX	468	3.2	2	2	2	3	4	5	6	7
TOTAL MULTIPLE DX	1007	3.8	5	2	3	3	4	5	7	11
TOTAL										
0-19 YRS	4	3.8	1	3	3	4	4	5	5	5
20-34	56	3.2	1	2	2	3	4	5	5	7
35-49	398	3.3	6	2	2	3	4	5	6	8
50-64	520	3.5	2	2	3	3	4	5	6	9
65 +	497	3.9	4	2	3	4	5	6	8	12
GRAND TOTAL	1475	3.6	4	2	3	3	4	5	6	9

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.8	4	1	1	2	5	6	6	6
20-34	70	2.6	4	1	1	2	3	4	6	14
35-49	115	1.9	1	1	1	2	2	4	4	5
50-64	55	2.3	2	1	1	2	3	5	5	8
65 +	24	1.9	2	< 1	1	1	2	5	6	6
2. MULTIPLE DX										
0-19 YRS	19	3.1	9	1	1	2	3	5	11	15
20-34	101	4.4	46	1	2	3	4	8	14	41
35-49	118	3.7	10	1	1	3	5	8	11	15
50-64	156	5.6	42	1	2	4	7	11	16	25
65 +	234	6.7	40	1	2	5	8	15	21	31
TOTAL SINGLE DX	276	2.2	3	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	628	5.4	37	1	2	4	7	12	16	26
TOTAL										
0-19 YRS	31	3.0	8	1	1	2	3	6	6	15
20-34	171	3.7	30	1	2	2	4	6	11	23
35-49	233	2.8	6	1	1	2	3	6	8	13
50-64	211	4.8	34	1	2	3	6	10	15	24
65 +	258	6.3	39	1	2	4	8	15	20	30
GRAND TOTAL	904	4.4	29	1	1	3	5	10	15	25

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95-59.96; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	25	1.7	1	1	1	1	2	3	4	5
35-49	58	1.5	1	< 1	1	1	1	3	4	5
50-64	45	1.5	1	< 1	1	1	1	4	4	5
65 +	27	2.1	6	< 1	< 1	1	2	7	9	10
2. MULTIPLE DX										
0-19 YRS	3	3.3	16	< 1	< 1	1	6	8	8	8
20-34	23	2.0	1	< 1	1	1	3	4	5	5
35-49	40	2.5	5	1	1	2	3	5	7	12
50-64	41	2.1	5	1	1	1	2	4	6	14
65 +	57	2.9	7	1	1	2	3	7	11	12
TOTAL SINGLE DX	160	1.6	2	< 1	1	1	2	3	4	9
TOTAL MULTIPLE DX	164	2.5	6	1	1	2	3	5	8	12
TOTAL										
0-19 YRS	8	2.0	6	< 1	1	1	2	6	8	8
20-34	48	1.9	1	1	1	1	2	4	4	5
35-49	98	1.9	3	< 1	1	1	2	4	5	10
50-64	86	1.8	4	< 1	1	1	2	4	4	12
65 +	84	2.7	7	< 1	1	2	3	7	9	12
GRAND TOTAL	324	2.1	4	<1	1	1	2	4	6	12

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	7	5.1	8	2	2	6	8	9	9	9
35-49	3	7.0	19	4	4	5	10	12	12	12
50-64	0									
65 +	4	5.3	8	3	3	5	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	3	9.3	46	4	5	7	14	17	17	17
20-34	13	9.2	102	2	3	7	11	20	36	40
35-49	16	8.6	85	1	3	5	10	20	31	36
50-64	30	8.4	26	4	4	7	12	15	16	25
65 +	21	12.2	81	5	7	9	14	21	32	44
TOTAL SINGLE DX	14	5.6	9	2	3	5	8	10	11	12
TOTAL MULTIPLE DX	83	9.6	63	3	4	7	12	19	23	43
TOTAL										
0-19 YRS	3	9.3	46	4	5	7	14	17	17	17
20-34	20	7.8	72	2	3	6	9	13	27	40
35-49	19	8.4	74	1	4	5	10	20	29	36
50-64	30	8.4	27	4	4	7	12	15	16	25
65 +	25	11.1	75	3	7	8	13	21	27	44
GRAND TOTAL	97	9.0	57	3	4	7	12	17	22	42

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	30	2.3		1	2	2	3	3	5	5
50-64	533	2.8	1	2	2	3	3	4	5	6
65 +	1247	3.0	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	7	4.6	5	2	3	4	6	8	8	8
35-49	84	3.1	3	1	2	3	4	5	7	10
50-64	2315	3.3	4	2	2	3	4	5	6	12
65 +	9747	4.2	13	2	3	3	4	7	10	20
TOTAL SINGLE DX	1813	2.9	2	2	2	3	4	4	5	6
TOTAL MULTIPLE DX	12155	4.0	12	2	2	3	4	6	9	19
TOTAL										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	9	4.4	4	2	3	4	6	8	8	8
35-49	114	2.9	3	1	2	3	3	4	6	10
50-64	2848	3.2	4	2	2	3	4	5	6	11
65 +	10994	4.0	13	2	2	3	4	6	10	19
GRAND TOTAL	13968	3.9	11	2	2	3	4	6	9	18

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	10	6.2	1	4	5	6	7	8	8	8
50-64	151	5.9	2	4	5	6	7	8	8	14
65 +	230	6.6	4	4	5	6	8	9	11	13
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	13	8.7	55	2	6	6	8	20	28	30
50-64	379	7.4	10	5	6	7	8	10	14	22
65 +	1084	7.7	16	5	6	7	9	11	14	25
TOTAL SINGLE DX	391	6.3	4	4	5	6	7	8	10	13
TOTAL MULTIPLE DX	1476	7.7	15	5	6	7	8	11	14	25
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	23	7.6	33	4	6	6	8	10	22	30
50-64	530	6.9	8	4	5	6	8	9	12	21
65 +	1314	7.5	14	4	6	7	8	11	13	23
GRAND TOTAL	1867	7.4	13	4	5	7	8	11	13	23

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	13	1.8	1	1	1	1	2	4	4	4
65+	32	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX										
0-19 YRS	3	8.7	66	3	3	5	15	18	18	18
20-34	1	16.0		16	16	16	16	16	16	16
35-49	9	3.7	18	1	1	2	5	11	14	14
50-64	73	4.1	27	1	1	2	5	10	13	31
65+	254	5.8	37	1	2	4	8	13	16	30
TOTAL SINGLE DX	51	1.9	2	1	1	1	2	4	5	9
TOTAL MULTIPLE DX	340	5.4	36	1	1	3	7	13	16	30
TOTAL										
0-19 YRS	4	6.8	59	1	2	4	11	18	18	18
20-34	1	16.0		16	16	16	16	16	16	16
35-49	14	2.9	13	1	1	2	3	7	12	14
50-64	86	3.7	24	1	1	2	4	9	12	29
65+	286	5.4	35	1	1	3	7	13	15	29
GRAND TOTAL	391	5.0	33	1	1	3	6	12	15	29

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	1.3		<1	<1	1	1	2	3	5
20-34	33	2.0	3	1	1	1	2	4	6	10
35-49	32	3.0	5	1	1	2	4	7	8	9
50-64	17	1.4		1	1	1	1	3	4	4
65+	9	1.7	2	1	1	1	2	4	6	6
2. MULTIPLE DX										
0-19 YRS	42	2.0	2	<1	1	1	3	4	5	7
20-34	17	4.2	7	1	2	4	5	9	10	11
35-49	43	7.5	202	1	1	3	7	18	30	84
50-64	37	6.7	61	1	1	3	9	21	26	27
65+	58	4.2	12	1	1	3	7	9	10	18
TOTAL SINGLE DX	135	1.9	3	<1	1	1	2	4	6	9
TOTAL MULTIPLE DX	197	4.9	64	1	1	3	6	10	17	35
TOTAL										
0-19 YRS	86	1.7	1	<1	1	1	2	3	4	6
20-34	50	2.8	6	1	1	2	4	6	9	11
35-49	75	5.6	122	1	1	2	6	10	22	73
50-64	54	5.0	48	1	1	1	6	14	25	27
65+	67	3.9	12	1	1	2	6	9	10	18
GRAND TOTAL	332	3.7	41	1	1	2	4	8	11	27

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	56	1.3		<1	1	1	1	2	3	4
20-34	96	1.7	1	1	1	1	2	4	5	7
35-49	41	1.5	1	<1	1	1	2	2	3	9
50-64	26	2.8	11	1	1	2	3	6	12	15
65+	61	1.4		1	1	1	1	3	4	5
2. MULTIPLE DX										
0-19 YRS	57	2.6	11	1	1	1	3	7	12	18
20-34	56	5.9	60	1	1	2	7	15	21	40
35-49	47	4.1	33	1	1	2	4	9	14	32
50-64	74	5.5	48	1	1	2	7	14	23	32
65+	448	5.1	42	1	1	2	7	13	17	28
TOTAL SINGLE DX	280	1.6	2	1	1	1	2	3	4	9
TOTAL MULTIPLE DX	682	4.9	42	1	1	2	7	12	17	30
TOTAL										
0-19 YRS	113	2.0	7	<1	1	1	2	4	7	15
20-34	152	3.3	27	1	1	1	3	7	13	30
35-49	88	2.9	20	1	1	1	3	6	9	29
50-64	100	4.8	40	1	1	2	6	12	16	32
65+	509	4.6	39	1	1	2	6	12	16	27
GRAND TOTAL	962	3.9	33	1	1	2	4	10	15	28

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	294	1.2		<1	<1	1	1	2	2	4
20-34	46	1.2		<1	1	1	1	2	2	3
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
0-19 YRS	157	2.1	46	<1	1	1	1	2	3	44
20-34	14	4.4	66	1	1	1	3	9	27	32
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	1	32.0		32	32	32	32	32	32	32
65+	0									
TOTAL SINGLE DX	345	1.2		<1	<1	1	1	2	2	3
TOTAL MULTIPLE DX	175	2.4	52	<1	1	1	1	3	4	43
TOTAL										
0-19 YRS	451	1.5	16	<1	<1	1	1	2	3	4
20-34	60	1.9	17	<1	1	1	1	3	4	29
35-49	7	1.4	1	<1	<1	1	1	3	4	4
50-64	2	16.5	481	1	1	16	32	32	32	32
65+	0									
GRAND TOTAL	520	1.6	18	<1	<1	1	1	2	3	6

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	1.3	1	<1	1	1	1	2	2	6
20-34	14	1.9	1	1	1	2	3	3	5	5
35-49	12	2.8	3	1	1	2	4	6	6	6
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	23	2.2	4	1	1	1	3	6	7	8
20-34	13	2.3	2	<1	1	2	3	5	5	5
35-49	6	4.3	52	<1	1	1	2	17	19	19
50-64	5	3.4	11	1	1	2	5	9	9	9
65+	2	5.0	32	1	1	5	9	9	9	9
TOTAL SINGLE DX	79	1.6	2	<1	1	1	2	3	5	6
TOTAL MULTIPLE DX	49	2.7	10	1	1	1	3	6	9	19
TOTAL										
0-19 YRS	73	1.6	2	<1	1	1	1	3	6	8
20-34	27	2.1	2	1	1	2	3	5	5	5
35-49	18	3.3	18	1	1	2	4	6	14	19
50-64	7	2.7	9	1	1	1	3	8	9	9
65+	3	3.7	21	1	1	1	7	9	9	9
GRAND TOTAL	128	2.0	5	<1	1	1	2	5	6	11

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	7	1.3		<1	<1	<1	1	2	2	2
35-49	6	1.3		<1	<1	<1	<1	3	3	3
50-64	3	3.7	21	1	1	1	7	9	9	9
65+	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65+	0									
TOTAL SINGLE DX	16	1.8	4	<1	<1	<1	1	3	7	9
TOTAL MULTIPLE DX	6	3.3	6	1	1	3	5	7	7	7
TOTAL										
0-19 YRS	0									
20-34	8	2.0	4	<1	<1	<1	2	6	7	7
35-49	10	1.6	1	<1	<1	1	2	3	4	4
50-64	4	4.0	15	1	1	3	7	9	9	9
65+	0									
GRAND TOTAL	22	2.2	5	<1	<1	1	2	6	8	9

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	1.2		<1	<1	1	1	1	2	5
20-34	15	1.4		1	1	1	2	3	3	3
35-49	34	1.2		<1	1	1	1	2	3	3
50-64	15	1.8	2	1	1	1	2	5	5	5
65+	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	8	4.1	24	<1	1	2	6	12	15	15
20-34	12	2.3	2	1	1	2	4	5	5	5
35-49	27	1.5	1	1	1	1	2	2	4	6
50-64	25	2.2	6	1	1	1	2	3	9	11
65+	22	2.3	2	1	1	2	3	5	6	6
TOTAL SINGLE DX	96	1.3	1	<1	1	1	1	2	3	5
TOTAL MULTIPLE DX	94	2.2	5	1	1	1	2	5	6	13
TOTAL										
0-19 YRS	36	1.8	7	<1	1	1	1	5	6	15
20-34	27	1.8	1	1	1	1	2	4	4	5
35-49	61	1.3	1	1	1	1	1	2	3	6
50-64	40	2.0	5	1	1	1	2	4	7	11
65+	26	2.2	2	1	1	2	3	5	5	6
GRAND TOTAL	190	1.8	3	1	1	1	2	4	5	10

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	86	1.0		<1	<1	<1	<1	1	1	2
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	4	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	36	5.8	99	<1	<1	1	6	21	25	46
20-34	0									
35-49	4	1.8	2	<1	<1	1	3	4	4	4
50-64	19	4.8	31	<1	1	2	8	18	59	99+
65+	24	5.1	40	1	1	2	6	15	22	24
TOTAL SINGLE DX	97	1.0		<1	<1	<1	<1	1	1	3
TOTAL MULTIPLE DX	83	5.2	62	<1	1	1	6	18	24	82
TOTAL										
0-19 YRS	122	2.4	34	<1	<1	<1	1	2	12	31
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	6	1.5	2	<1	<1	1	1	4	4	4
50-64	21	4.4	30	<1	1	2	8	18	51	99+
65+	28	4.6	36	1	1	2	5	13	21	24
GRAND TOTAL	180	2.9	33	<1	<1	<1	1	7	18	40

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	1.0		1	1	1	1	1	1	1
35-49	18	1.9	1	1	1	1	2	4	5	6
50-64	100	1.5		1	1	1	2	3	3	5
65 +	98	1.8		1	1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	2.3	2	1	1	2	3	4	6	7
35-49	83	2.0	1	1	1	2	2	4	4	7
50-64	268	2.0	3	1	1	1	2	3	6	10
65 +	233	2.0	3	1	1	2	2	3	4	8
TOTAL SINGLE DX	219	1.6	1	1	1	1	2	3	3	5
TOTAL MULTIPLE DX	604	2.0	3	1	1	1	2	3	5	9
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	2.1	2	1	1	2	2	4	5	7
35-49	101	2.0	2	1	1	2	2	4	4	7
50-64	368	1.9	3	1	1	1	2	3	4	9
65 +	331	1.8	3	1	1	1	2	3	4	7
GRAND TOTAL	823	1.9	2	1	1	1	2	3	4	8

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	1.7	1	<1	<1	1	3	4	4	5
20-34	27	2.6	3	1	1	2	3	5	6	10
35-49	15	2.3	1	1	1	2	3	4	5	5
50-64	15	2.3	8	1	1	1	3	4	10	12
65 +	13	2.5	2	1	2	2	3	5	7	7
2. MULTIPLE DX										
0-19 YRS	30	2.8	13	<1	1	2	2	5	14	17
20-34	21	4.0	7	1	1	4	6	8	9	10
35-49	31	7.5	126	1	1	4	6	25	39	46
50-64	36	5.7	44	1	1	3	8	14	22	31
65 +	48	4.2	39	1	1	2	5	8	12	42
TOTAL SINGLE DX	100	2.2	3	<1	1	2	3	4	5	11
TOTAL MULTIPLE DX	166	4.9	49	1	1	3	5	10	16	42
TOTAL										
0-19 YRS	60	2.3	8	<1	1	1	2	4	6	17
20-34	48	3.2	6	1	1	3	4	7	8	10
35-49	46	5.8	91	1	1	3	5	11	31	46
50-64	51	4.7	36	1	1	2	7	11	16	31
65 +	61	3.9	32	1	1	2	4	7	12	39
GRAND TOTAL	266	3.9	34	1	1	2	4	8	12	39

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	113	3.2		2	3	3	4	4	5	6
20-34	396	3.1		2	3	3	4	4	4	7
35-49	78	3.4	1	2	3	3	4	4	5	8
50-64	7	3.7	4	2	2	3	5	7	8	8
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	139	3.7	1	2	3	3	4	5	6	9
20-34	829	3.5	2	2	3	3	4	5	6	9
35-49	208	3.7	2	2	3	3	4	6	7	10
50-64	35	6.1	11	3	4	5	7	11	11	20
65 +	31	8.8	76	4	5	6	9	13	23	50
TOTAL SINGLE DX	595	3.2	1	2	3	3	4	4	5	7
TOTAL MULTIPLE DX	1242	3.8	5	2	3	3	4	5	7	11
TOTAL										
0-19 YRS	252	3.5	1	2	3	3	4	5	6	8
20-34	1225	3.4	2	2	3	3	4	5	5	8
35-49	286	3.6	2	2	3	3	4	5	6	9
50-64	42	5.7	11	3	3	5	7	10	11	20
65 +	32	8.6	75	4	5	6	9	13	23	50
GRAND TOTAL	1837	3.6	4	2	3	3	4	5	6	10

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	57	3.4	1	2	3	3	4	5	5	7
20-34	315	3.4	1	2	3	3	4	4	5	7
35-49	204	3.6	2	2	3	3	4	5	6	10
50-64	22	4.1	3	2	3	4	5	6	8	11
65 +	17	5.3	4	3	4	5	7	8	9	10
2. MULTIPLE DX										
0-19 YRS	112	4.0	2	3	3	4	4	6	7	10
20-34	977	4.1	10	2	3	4	4	6	7	13
35-49	682	4.2	5	3	3	4	5	6	8	13
50-64	94	5.8	20	3	3	5	6	9	12	29
65 +	92	8.3	30	3	4	6	10	16	19	29
TOTAL SINGLE DX	615	3.5	2	2	3	3	4	5	5	9
TOTAL MULTIPLE DX	1957	4.4	10	3	3	4	5	7	9	16
TOTAL										
0-19 YRS	169	3.8	2	2	3	4	4	5	7	10
20-34	1292	3.9	8	2	3	4	4	5	7	13
35-49	886	4.1	4	3	3	4	4	6	8	13
50-64	116	5.5	17	3	3	4	6	9	12	25
65 +	109	7.8	28	3	4	6	9	16	18	28
GRAND TOTAL	2572	4.2	8	2	3	4	4	6	8	16

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	24	3.5	1	2	3	3	4	5	6	6
35-49	80	3.8	2	2	3	4	4	5	6	10
50-64	52	3.9	2	3	3	4	4	5	6	12
65 +	28	4.8	2	3	4	5	6	6	7	10
2. MULTIPLE DX										
0-19 YRS	3	6.0	3	4	5	7	7	7	7	7
20-34	269	3.9	3	2	3	4	4	5	6	12
35-49	727	4.5	5	3	3	4	5	7	9	14
50-64	307	5.7	16	3	4	5	6	9	11	23
65 +	259	7.8	40	4	4	6	9	14	22	47
TOTAL SINGLE DX	186	3.9	2	2	3	4	4	6	6	10
TOTAL MULTIPLE DX	1565	5.2	15	3	3	4	6	9	11	22
TOTAL										
0-19 YRS	5	4.6	5	2	3	4	7	7	7	7
20-34	293	3.9	3	2	3	4	4	5	6	12
35-49	807	4.4	5	3	3	4	5	7	9	14
50-64	359	5.5	15	3	4	4	6	9	11	22
65 +	287	7.5	38	4	4	6	8	14	21	46
GRAND TOTAL	1751	5.1	14	3	3	4	5	8	11	22

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	2.3	1	< 1	1	2	3	4	4	4
20-34	105	2.5	1	< 1	1	2	3	4	5	6
35-49	30	2.3	1	< 1	1	2	4	4	4	5
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	35	3.1	1	1	2	3	4	5	5	5
20-34	347	3.3	3	1	2	3	4	5	7	10
35-49	116	3.4	3	1	2	3	4	5	6	12
50-64	9	4.7	2	2	4	5	6	7	7	7
65 +	3	3.3	10	< 1	< 1	2	6	7	7	7
TOTAL SINGLE DX	165	2.4	2	< 1	1	2	3	4	5	6
TOTAL MULTIPLE DX	510	3.3	3	1	2	3	4	5	7	10
TOTAL										
0-19 YRS	64	2.7	2	1	2	3	4	4	5	5
20-34	452	3.1	3	1	2	3	4	5	6	8
35-49	146	3.2	4	1	2	3	4	5	6	12
50-64	10	4.3	4	1	3	4	5	7	7	7
65 +	3	3.3	10	< 1	< 1	2	6	7	7	7
GRAND TOTAL	675	3.1	3	1	2	3	4	5	6	9

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	69	1.2		< 1	< 1	< 1	1	2	3	4
35-49	28	1.1		< 1	< 1	< 1	< 1	1	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5	2.0		1	1	2	2	3	3	3
20-34	130	1.8		1	1	2	2	3	3	4
35-49	40	1.7		< 1	1	1	2	3	3	4
50-64	0									
65 +	0									
TOTAL SINGLE DX	98	1.2		< 1	< 1	< 1	1	2	3	4
TOTAL MULTIPLE DX	175	1.8	1	1	1	2	2	3	3	4
TOTAL										
0-19 YRS	6	2.2	1	1	2	2	3	3	3	3
20-34	199	1.6	1	< 1	< 1	1	2	3	3	4
35-49	68	1.5	1	< 1	< 1	1	2	3	3	4
50-64	0									
65 +	0									
GRAND TOTAL	273	1.6	1	<1	<1	1	2	3	3	4

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	269	2.2	4	1	1	2	3	3	4	8
35-49	88	2.1	2	1	1	2	2	3	4	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	19	2.9	5	1	2	2	3	6	9	11
20-34	1877	2.4	2	1	2	2	3	3	4	6
35-49	437	2.6	3	1	2	2	3	4	5	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	361	2.2	4	1	1	2	3	3	4	8
TOTAL MULTIPLE DX	2334	2.4	3	1	2	2	3	3	4	7
TOTAL										
0-19 YRS	23	2.7	5	1	2	2	3	5	8	11
20-34	2146	2.4	3	1	2	2	3	3	4	6
35-49	525	2.5	3	1	2	2	3	4	5	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	2695	2.4	3	1	2	2	3	3	4	7

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	86	2.9	1	2	2	3	3	4	4	7
20-34	1223	2.9	1	2	2	3	3	4	5	6
35-49	275	2.9	1	2	2	3	4	4	5	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	105	3.5	1	2	3	3	4	5	6	8
20-34	1617	3.4	5	2	3	3	4	5	5	7
35-49	439	3.4	2	2	3	3	4	5	6	9
50-64	5	3.8		3	3	4	4	5	5	5
65 +	10	8.2	16	4	5	6	12	14	14	14
TOTAL SINGLE DX	1587	2.9	1	2	2	3	3	4	5	6
TOTAL MULTIPLE DX	2176	3.4	5	2	3	3	4	5	5	8
TOTAL										
0-19 YRS	191	3.3	1	2	3	3	4	4	5	8
20-34	2840	3.2	3	2	3	3	4	4	5	7
35-49	714	3.2	2	2	3	3	4	4	5	8
50-64	7	3.7	1	3	3	4	4	5	5	5
65 +	11	7.8	17	4	5	6	12	14	14	14
GRAND TOTAL	3763	3.2	3	2	3	3	4	4	5	7

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	26	1.3		< 1	< 1	1	1	1	4	5
35-49	15	1.5	1	< 1	1	1	1	3	4	4
50-64	4	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	0									
20-34	23	2.0	4	< 1	1	1	2	5	7	9
35-49	22	2.2	2	1	1	1	4	5	5	5
50-64	11	1.5	1	< 1	< 1	1	1	3	5	5
65 +	11	2.4	4	1	1	2	2	6	8	8
TOTAL SINGLE DX	47	1.3	1	< 1	< 1	1	1	2	4	5
TOTAL MULTIPLE DX	67	2.0	3	1	1	1	2	5	5	9
TOTAL										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	49	1.6	3	< 1	1	1	1	4	5	9
35-49	37	1.9	2	1	1	1	3	4	5	5
50-64	15	1.3	1	< 1	1	1	1	2	4	5
65 +	12	2.3	4	1	1	2	2	5	8	8
GRAND TOTAL	114	1.7	2	<1	1	1	2	4	5	8

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	1.5		< 1	< 1	1	2	3	3	3
35-49	12	1.8		< 1	1	2	3	3	3	3
50-64	5	1.4	1	< 1	< 1	1	2	3	3	3
65 +	16	2.8	2	< 1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	4	7.5	96	1	1	3	13	22	22	22
20-34	35	3.2	15	1	1	2	3	6	11	21
35-49	36	2.6	3	1	1	2	4	5	6	9
50-64	23	4.7	58	1	1	3	5	8	20	38
65 +	49	6.5	28	2	3	5	9	11	20	29
TOTAL SINGLE DX	47	2.0	2	< 1	1	1	3	4	5	5
TOTAL MULTIPLE DX	147	4.5	27	1	1	3	5	10	12	29
TOTAL										
0-19 YRS	5	6.2	81	1	1	2	9	22	22	22
20-34	48	2.7	12	< 1	1	2	3	6	10	21
35-49	48	2.4	3	1	1	2	3	4	5	9
50-64	28	4.1	50	< 1	1	2	4	7	13	38
65 +	65	5.6	25	1	2	4	7	10	15	28
GRAND TOTAL	194	3.9	22	1	1	2	4	9	10	26

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	192	1.9	6	1	1	1	2	3	5	11
35-49	45	1.8	2	1	1	1	2	3	4	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	10	3.0	3	1	1	3	5	6	6	6
20-34	114	3.8	23	1	1	2	5	8	14	25
35-49	30	5.5	150	1	1	2	4	9	27	65
50-64	0									
65 +	0									
TOTAL SINGLE DX	241	1.9	6	1	1	1	2	3	5	10
TOTAL MULTIPLE DX	154	4.1	46	1	1	2	4	8	14	27
TOTAL										
0-19 YRS	14	2.9	3	1	1	3	5	5	6	6
20-34	306	2.6	14	1	1	1	2	6	8	24
35-49	75	3.3	64	1	1	1	3	4	9	55
50-64	0									
65 +	0									
GRAND TOTAL	395	2.7	23	1	1	1	3	5	8	25

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	115	3.3		2	3	3	4	4	5	6
35-49	91	3.3	1	1	3	3	4	5	5	7
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	11	2.7	2	< 1	1	3	4	5	5	5
20-34	364	3.7	2	2	3	4	4	5	6	8
35-49	299	3.9	7	2	3	4	4	6	7	13
50-64	20	3.5	12	1	1	3	4	7	12	16
65 +	24	10.5	84	1	4	9	15	19	32	40
TOTAL SINGLE DX	214	3.2	1	2	3	3	4	4	5	6
TOTAL MULTIPLE DX	718	4.0	9	2	3	4	4	6	8	16
TOTAL										
0-19 YRS	14	2.8	2	1	1	3	4	5	5	5
20-34	479	3.6	2	2	3	3	4	5	6	8
35-49	390	3.7	6	2	3	4	4	5	6	11
50-64	22	3.3	12	< 1	1	2	4	7	11	16
65 +	27	9.6	83	1	2	8	15	18	31	40
GRAND TOTAL	932	3.8	7	2	3	3	4	5	7	15

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	5.7	2	4	4	6	7	7	7	7
20-34	327	3.8		3	3	4	4	5	5	7
35-49	874	4.0	1	3	3	4	4	5	6	9
50-64	316	4.3	1	3	4	4	5	6	7	9
65 +	175	4.8	2	3	4	4	5	7	8	11
2. MULTIPLE DX										
0-19 YRS	25	4.3	2	3	4	4	5	6	7	10
20-34	3048	4.2	3	3	3	4	5	6	7	10
35-49	9843	4.3	3	3	3	4	5	6	7	11
50-64	2549	4.8	6	3	4	4	5	6	9	15
65 +	1416	6.1	17	4	4	5	6	9	12	23
TOTAL SINGLE DX	1695	4.1	1	3	3	4	4	5	6	9
TOTAL MULTIPLE DX	16881	4.5	5	3	4	4	5	6	7	13
TOTAL										
0-19 YRS	28	4.5	2	3	4	4	5	6	7	10
20-34	3375	4.2	3	3	3	4	4	5	7	10
35-49	10717	4.3	3	3	3	4	5	6	7	11
50-64	2865	4.7	6	3	4	4	5	6	8	14
65 +	1591	5.9	16	4	4	5	6	9	12	22
GRAND TOTAL	18576	4.5	5	3	4	4	5	6	7	13

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	275	3.1		2	3	3	4	4	4	6
35-49	383	3.0		2	2	3	3	4	4	5
50-64	116	3.9	1	3	3	4	4	5	6	8
65 +	134	4.0	1	3	3	4	5	5	6	7
2. MULTIPLE DX										
0-19 YRS	5	3.6		3	3	4	4	4	4	4
20-34	1460	3.4	1	2	3	3	4	4	5	7
35-49	3713	3.5	1	2	3	3	4	5	5	7
50-64	1011	3.9	1	3	3	4	4	5	6	8
65 +	914	4.8	4	3	4	4	5	7	8	14
TOTAL SINGLE DX	909	3.3	1	2	3	3	4	4	5	6
TOTAL MULTIPLE DX	7103	3.7	2	2	3	3	4	5	6	8
TOTAL										
0-19 YRS	6	3.3	1	2	3	3	4	4	4	4
20-34	1735	3.3	1	2	3	3	4	4	5	7
35-49	4096	3.4	1	2	3	3	4	5	5	7
50-64	1127	3.9	2	3	3	4	4	5	6	8
65 +	1048	4.7	4	3	4	4	5	7	8	14
GRAND TOTAL	8012	3.6	2	2	3	3	4	5	6	8

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	12	7.0	1	5	6	7	8	9	9	9
35-49	18	7.2	5	4	6	7	8	10	12	13
50-64	5	10.2	48	5	6	7	14	22	22	22
65+	3	9.0	12	7	7	7	12	13	13	13
2. MULTIPLE DX										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	33	8.0	8	5	7	7	9	11	13	19
35-49	68	10.0	88	5	7	8	10	17	22	68
50-64	40	12.2	146	6	7	8	13	21	39	65
65+	24	19.4	265	7	10	13	22	34	59	78
TOTAL SINGLE DX	39	7.6	10	5	6	7	8	11	13	22
TOTAL MULTIPLE DX	167	11.5	121	6	7	8	11	20	25	76
TOTAL										
0-19 YRS	3	7.7	9	5	5	7	10	11	11	11
20-34	45	7.8	6	6	7	7	8	11	12	19
35-49	86	9.4	72	5	7	8	9	15	18	59
50-64	45	12.0	135	6	7	8	12	22	30	65
65+	27	16.2	247	7	9	12	21	31	55	78
GRAND TOTAL	206	10.7	102	6	7	8	11	18	23	71

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.4		<1	<1	1	1	3	3	3
20-34	108	1.3		<1	<1	1	1	2	3	5
35-49	19	1.1		<1	<1	1	1	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	20	2.9	7	<1	1	2	3	7	9	11
20-34	70	3.4	11	1	1	2	4	8	9	17
35-49	25	2.9	33	<1	1	1	2	3	13	30
50-64	0									
65+	0									
TOTAL SINGLE DX	149	1.2		<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	115	3.2	15	1	1	2	3	8	9	22
TOTAL										
0-19 YRS	42	2.1	4	<1	1	1	3	3	7	11
20-34	178	2.1	6	<1	1	1	2	5	8	14
35-49	44	2.1	20	<1	<1	1	2	3	4	30
50-64	0									
65+	0									
GRAND TOTAL	264	2.1	8	<1	1	1	2	4	7	14

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	322	1.3		<1	<1	1	1	2	4	5
20-34	1504	1.3	1	<1	<1	1	1	2	3	5
35-49	370	1.4	1	<1	<1	1	1	2	3	7
50-64	40	1.2		<1	<1	1	1	2	3	4
65+	21	1.3		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	187	2.2	4	1	1	1	3	4	6	13
20-34	1138	2.5	9	1	1	2	3	4	6	12
35-49	541	2.2	9	<1	1	1	2	4	6	15
50-64	150	2.9	26	<1	1	1	3	6	11	37
65+	138	4.7	35	<1	1	2	6	13	15	37
TOTAL SINGLE DX	2257	1.3	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	2154	2.6	12	<1	1	2	3	5	7	15
TOTAL										
0-19 YRS	509	1.7	2	<1	1	1	2	3	4	9
20-34	2642	1.8	5	<1	1	1	2	3	4	9
35-49	911	1.9	6	<1	1	1	2	4	5	12
50-64	190	2.6	22	<1	<1	1	2	5	9	32
65+	159	4.2	32	<1	1	2	5	12	15	35
GRAND TOTAL	4411	1.9	7	<1	1	1	2	4	5	12

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	4.2	107	<1	<1	1	1	13	34	37
20-34	48	1.3		<1	<1	1	1	2	2	7
35-49	12	1.3		<1	<1	1	1	2	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	10	4.5	34	<1	1	2	6	13	20	20
20-34	65	3.3	9	<1	1	2	4	7	11	15
35-49	23	2.8	11	<1	1	1	4	6	10	16
50-64	0									
65+	0									
TOTAL SINGLE DX	72	1.8	18	<1	<1	1	1	2	3	30
TOTAL MULTIPLE DX	98	3.3	13	<1	1	2	4	7	12	18
TOTAL										
0-19 YRS	22	4.3	71	<1	<1	1	3	11	27	37
20-34	113	2.5	7	<1	1	1	3	6	8	14
35-49	35	2.3	8	<1	<1	1	3	4	7	16
50-64	0									
65+	0									
GRAND TOTAL	170	2.7	16	<1	1	1	3	6	8	19

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	1.2		<1	<1	1	1	2	3	3
20-34	446	1.2		<1	<1	1	1	2	2	4
35-49	124	1.1		<1	<1	1	1	1	2	3
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	0									
2. MULTIPLE DX										
0-19 YRS	39	4.4	190	<1	1	2	3	4	47	99+
20-34	231	2.1	3	<1	1	1	3	4	5	10
35-49	78	2.1	2	<1	1	1	3	4	5	10
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	3.5	9	1	1	3	6	7	7	7
TOTAL SINGLE DX	643	1.2		<1	<1	1	1	2	2	4
TOTAL MULTIPLE DX	353	2.4	24	<1	1	1	3	4	5	12
TOTAL										
0-19 YRS	110	2.4	69	<1	<1	1	2	3	4	93
20-34	677	1.5	2	<1	<1	1	1	3	4	6
35-49	202	1.5	1	<1	<1	1	1	3	4	5
50-64	3	2.0	3	<1	<1	<1	3	4	4	4
65+	4	3.5	9	1	1	3	6	7	7	7
GRAND TOTAL	**996**	**1.6**	**9**	**<1**	**<1**	**1**	**1**	**3**	**4**	**7**

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	4	2.5	1	1	1	2	3	4	4	4
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	28	3.2	1	1	2	3	4	5	5	5
35-49	7	3.3	1	1	3	3	4	5	5	5
50-64	4	5.3	1	4	4	5	6	6	6	6
65+	2	4.0	2	3	3	4	5	5	5	5
TOTAL SINGLE DX	10	2.9	3	1	2	3	4	5	6	6
TOTAL MULTIPLE DX	42	3.4	2	1	3	4	4	5	6	6
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	32	3.1	2	1	2	3	4	5	5	5
35-49	11	3.1	2	1	2	3	4	5	5	5
50-64	5	5.4	1	4	5	6	6	6	6	6
65+	3	3.3	2	2	2	3	4	5	5	5
GRAND TOTAL	**52**	**3.3**	**2**	**1**	**2**	**3**	**4**	**5**	**6**	**6**

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	2.4	3	<1	1	1	3	5	6	6
20-34	60	1.9	1	<1	<1	1	3	4	4	4
35-49	33	2.4	1	<1	1	2	3	4	5	6
50-64	6	2.3		2	2	2	3	3	3	3
65+	6	4.8	2	3	4	5	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	29	2.8	2	1	1	3	4	5	5	8
20-34	165	2.7	4	1	1	2	4	5	7	9
35-49	62	3.0	14	<1	1	2	3	5	6	27
50-64	9	4.4	8	2	3	4	5	9	11	11
65+	12	5.3	55	1	1	3	4	20	23	23
TOTAL SINGLE DX	116	2.2	2	<1	1	2	3	4	5	7
TOTAL MULTIPLE DX	277	3.0	9	1	1	2	4	5	7	17
TOTAL										
0-19 YRS	40	2.7	3	1	1	3	4	5	6	8
20-34	225	2.5	3	<1	1	2	3	5	7	9
35-49	95	2.8	10	<1	1	2	3	5	6	20
50-64	15	3.6	6	2	2	3	4	7	10	11
65+	18	5.2	37	1	2	3	5	15	21	23
GRAND TOTAL	**393**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	18	2.6	1	1	2	2	3	4	5	5
35-49	87	3.0	1	2	2	3	4	4	5	7
50-64	219	3.2	1	2	2	3	4	5	5	8
65+	237	3.2	1	2	2	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	60	3.5	1	2	3	3	4	5	6	7
35-49	256	3.6	2	2	3	3	4	5	6	9
50-64	569	3.7	1	2	3	4	4	5	6	8
65+	782	4.2	8	2	3	4	5	6	7	12
TOTAL SINGLE DX	561	3.2	2	2	2	3	4	5	5	7
TOTAL MULTIPLE DX	1668	3.9	5	2	3	4	5	6	7	10
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	78	3.3	2	2	2	3	4	5	6	7
35-49	343	3.5	3	2	2	3	4	5	6	9
50-64	788	3.6	2	2	3	3	4	5	6	8
65+	1019	4.0	7	2	3	4	5	6	7	11
GRAND TOTAL	**2229**	**3.7**	**5**	**2**	**3**	**3**	**4**	**5**	**6**	**9**

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.7	1	<1	1	1	2	4	4	4
20-34	54	2.6	3	<1	1	2	3	5	6	9
35-49	26	2.1	2	1	1	2	2	5	5	6
50-64	26	3.8	3	2	3	4	4	5	7	10
65+	31	3.7	2	2	2	4	5	5	7	8
2. MULTIPLE DX										
0-19 YRS	25	3.7	9	1	1	2	6	8	9	11
20-34	65	2.5	2	<1	1	2	3	5	6	8
35-49	43	4.3	6	1	2	4	5	8	9	13
50-64	76	4.1	5	2	3	4	5	8	9	11
65+	115	4.8	9	2	3	4	5	9	11	17
TOTAL SINGLE DX	155	2.8	3	1	1	3	4	5	6	9
TOTAL MULTIPLE DX	324	4.0	7	1	2	4	5	8	9	13
TOTAL										
0-19 YRS	43	2.8	7	<1	1	2	4	7	8	11
20-34	119	2.5	3	<1	1	2	3	5	6	9
35-49	69	3.5	6	1	2	3	5	7	8	12
50-64	102	4.0	4	2	3	4	5	7	9	11
65+	146	4.6	8	2	3	4	5	8	10	14
GRAND TOTAL	479	3.6	6	1	2	3	4	7	9	12

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	2.5	3	<1	1	2	4	5	6	7
20-34	81	2.9	8	<1	1	2	3	5	8	17
35-49	39	4.3	13	1	2	4	5	8	11	21
50-64	14	2.8	3	1	2	3	3	4	8	9
65+	41	3.1	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
0-19 YRS	46	3.3	6	1	1	3	4	6	8	15
20-34	188	2.9	5	1	1	2	4	6	8	11
35-49	121	4.5	14	1	2	3	6	8	11	18
50-64	99	4.8	41	1	2	3	5	9	14	39
65+	205	5.0	16	2	3	4	6	8	13	24
TOTAL SINGLE DX	197	3.2	7	1	1	3	4	5	7	17
TOTAL MULTIPLE DX	659	4.2	17	1	2	3	5	8	10	21
TOTAL										
0-19 YRS	68	3.0	6	1	1	3	4	6	7	14
20-34	269	2.9	6	1	1	2	4	6	8	13
35-49	180	4.4	14	1	2	3	6	9	11	20
50-64	113	4.6	37	1	2	3	5	9	13	34
65+	246	4.7	14	2	3	4	5	8	12	22
GRAND TOTAL	856	3.9	15	1	2	3	5	7	10	19

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	2.7	11	1	1	2	3	5	14	15
20-34	35	1.8	1	<1	1	1	3	3	4	4
35-49	30	2.1	2	<1	1	2	2	5	5	8
50-64	11	3.5	11	<1	1	2	4	10	11	11
65+	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	28	3.5	19	1	1	3	4	6	10	24
20-34	95	2.5	3	1	1	2	3	4	6	11
35-49	38	3.4	6	1	1	3	6	7	9	99+
50-64	40	6.6	40	1	2	5	9	16	20	28
65+	34	5.3	29	1	2	4	8	11	25	99+
TOTAL SINGLE DX	112	2.3	6	<1	1	2	3	4	7	15
TOTAL MULTIPLE DX	235	3.9	18	1	1	3	5	9	13	37
TOTAL										
0-19 YRS	61	3.1	15	1	1	2	3	6	12	23
20-34	130	2.3	3	1	1	2	3	4	5	10
35-49	68	2.9	5	1	1	2	5	7	8	83
50-64	51	5.9	35	1	2	4	9	14	18	28
65+	37	5.0	28	1	1	4	8	10	24	99+
GRAND TOTAL	347	3.4	14	1	1	2	4	8	10	28

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	7	3.6	9	1	1	2	6	8	8	8
35-49	6	3.3	4	1	2	3	5	6	6	6
50-64	8	3.3	3	1	2	3	5	6	6	6
65+	4	3.5		3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	0									
20-34	10	5.2	35	1	1	4	6	14	21	21
35-49	12	9.4	119	2	3	6	8	30	35	36
50-64	20	7.7	21	2	4	7	11	14	16	17
65+	41	8.7	34	2	4	8	11	16	22	26
TOTAL SINGLE DX	25	3.4	4	1	2	3	5	6	7	8
TOTAL MULTIPLE DX	83	8.1	43	1	4	7	11	15	22	33
TOTAL										
0-19 YRS	0									
20-34	17	4.5	24	1	1	3	6	8	16	21
35-49	18	7.4	87	1	2	5	7	22	33	36
50-64	28	6.4	20	1	3	5	9	13	15	17
65+	45	8.2	34	2	4	8	11	15	22	26
GRAND TOTAL	108	7.0	38	1	3	6	9	15	21	31

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	1.3		<1	1	1	2	2	3	3
20-34	20	2.0	1	1	1	2	2	4	4	4
35-49	9	1.7		1	1	2	2	2	2	2
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	18	2.8	8	1	1	2	2	9	10	10
20-34	36	2.5	2	1	1	2	3	4	5	8
35-49	13	3.6	17	1	1	3	4	10	15	16
50-64	7	3.6	15	1	1	2	4	10	12	12
65 +	5	11.2	151	<1	1	5	21	29	29	29
TOTAL SINGLE DX	57	1.7	1	1	1	1	2	3	4	4
TOTAL MULTIPLE DX	79	3.4	19	1	1	2	3	8	11	26
TOTAL										
0-19 YRS	43	1.9	4	<1	1	1	2	3	8	10
20-34	56	2.3	2	1	1	2	3	4	5	8
35-49	22	2.8	11	1	1	2	3	5	11	16
50-64	9	3.6	11	1	2	3	4	9	12	12
65 +	6	10.0	130	<1	2	4	19	28	29	29
GRAND TOTAL	136	2.7	12	1	1	2	3	4	8	20

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	7.8	61	<1	<1	7	14	15	15	15
20-34	7	8.4	222	1	1	3	5	35	42	42
35-49	0									
50-64	0									
65 +	2	8.5	25	5	5	8	12	12	12	12
TOTAL SINGLE DX	4	1.8	2	<1	<1	1	3	4	4	4
TOTAL MULTIPLE DX	13	8.2	129	1	1	4	12	20	38	42
TOTAL										
0-19 YRS	7	4.9	43	<1	<1	1	11	15	15	15
20-34	8	7.9	193	1	2	3	5	31	42	42
35-49	0									
50-64	0									
65 +	2	8.5	25	5	5	8	12	12	12	12
GRAND TOTAL	17	6.7	105	<1	1	3	7	15	33	42

695: Low forceps with and without epislotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	275	1.8		1	1	2	2	3	3	4
20-34	1783	1.9		1	1	2	2	3	3	4
35-49	137	2.3	8	1	1	2	2	3	3	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	632	2.1	1	1	2	2	2	3	4	6
20-34	4119	2.3	2	1	2	2	3	3	4	6
35-49	527	2.4	3	1	2	2	3	4	4	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	2195	1.9	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	5278	2.3	2	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	907	2.0	1	1	1	2	2	3	4	6
20-34	5902	2.2	2	1	2	2	2	3	4	5
35-49	664	2.4	4	1	2	2	3	3	4	8
50-64	0									
65 +	0									
GRAND TOTAL	7473	2.2	2	1	2	2	2	3	4	5

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	42	1.5		1	1	1	2	2	2	2
35-49	4	1.5		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	21	1.8	3	<1	1	1	2	3	6	9
20-34	164	2.3	11	1	1	2	2	3	4	8
35-49	36	4.3	32	1	1	2	3	14	19	22
50-64	0									
65 +	0									
TOTAL SINGLE DX	49	1.5		1	1	2	2	2	2	2
TOTAL MULTIPLE DX	221	2.5	14	1	1	2	2	4	5	20
TOTAL										
0-19 YRS	24	1.8	3	1	1	1	2	3	5	9
20-34	206	2.1	9	1	1	2	2	3	4	7
35-49	40	4.0	30	1	1	2	3	14	19	22
50-64	0									
65 +	0									
GRAND TOTAL	270	2.4	12	1	1	2	2	3	4	19

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	527	1.7		1	1	2	2	3	3	4
20-34	3431	1.8		1	1	2	2	3	3	4
35-49	382	1.9	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	920	2.0		1	1	2	2	3	3	5
20-34	6487	2.2	2	1	2	2	3	3	4	6
35-49	882	2.4	4	1	2	2	3	3	4	14
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
TOTAL SINGLE DX	4340	1.8	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	8290	2.2	2	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	1447	1.9	1	1	1	2	2	3	3	5
20-34	9918	2.0	2	1	1	2	2	3	3	5
35-49	1264	2.3	4	1	2	2	3	3	4	10
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	12630	2.0	2	1	1	2	2	3	3	5

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7771	1.6	1	1	1	1	2	2	3	4
20-34	44277	1.6		1	1	1	2	2	3	3
35-49	4304	1.6		1	1	2	2	2	3	4
50-64	4	2.8	2	1	1	3	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3918	2.1	3	1	1	2	2	3	4	9
20-34	26188	2.1	4	1	1	2	2	3	4	7
35-49	3383	2.2	3	1	1	2	3	3	4	8
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	0									
TOTAL SINGLE DX	56356	1.6	1	1	1	1	2	2	3	3
TOTAL MULTIPLE DX	33493	2.1	4	1	1	2	2	3	4	7
TOTAL										
0-19 YRS	11689	1.8	2	1	1	2	2	3	3	6
20-34	70465	1.8	2	1	1	2	2	3	3	5
35-49	7687	1.9	2	1	1	2	2	3	3	5
50-64	8	2.3	2	1	1	2	3	4	4	4
65 +	0									
GRAND TOTAL	89849	1.8	2	1	1	2	2	3	3	5

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	738	3.6	1	3	3	3	4	5	5	7
20-34	6768	3.6	1	3	3	3	4	4	5	6
35-49	891	3.6	1	3	3	4	4	5	5	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2538	4.4	5	3	3	4	5	6	8	14
20-34	25302	4.2	9	3	3	4	4	5	7	15
35-49	4477	4.5	14	3	3	4	5	6	7	19
50-64	3	8.7	80	3	3	4	15	19	19	19
65 +	0									
TOTAL SINGLE DX	8397	3.6	2	3	3	3	4	4	5	7
TOTAL MULTIPLE DX	32320	4.3	10	3	3	4	4	5	7	15
TOTAL										
0-19 YRS	3276	4.2	5	3	3	4	5	6	7	13
20-34	32070	4.1	8	3	3	4	4	5	6	13
35-49	5368	4.3	12	3	3	4	4	5	7	17
50-64	3	8.7	80	3	3	4	15	19	19	19
65 +	0									
GRAND TOTAL	40717	4.1	8	3	3	4	4	5	6	14

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	4.2	2	2	3	4	5	6	7	8
20-34	98	3.6		3	3	3	4	5	6	8
35-49	7	3.3		2	3	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	49	5.7	15	3	4	4	5	10	15	24
20-34	445	6.4	55	3	3	4	6	10	19	36
35-49	98	8.1	133	3	4	5	7	15	24	75
50-64	0									
65 +	0									
TOTAL SINGLE DX	120	3.7	1	3	3	3	4	5	6	8
TOTAL MULTIPLE DX	592	6.6	65	3	3	4	6	11	19	39
TOTAL										
0-19 YRS	64	5.3	12	3	4	4	5	9	14	23
20-34	543	5.9	47	3	3	4	5	9	17	35
35-49	105	7.7	126	3	3	4	7	15	22	74
50-64	0									
65 +	0									
GRAND TOTAL	712	6.1	56	3	3	4	6	9	17	36

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.2	1	< 1	1	2	3	4	4	4
20-34	141	2.7	1	1	2	3	3	4	4	5
35-49	22	2.7	1	1	2	3	4	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	16	3.3	1	2	2	3	4	5	6	6
20-34	153	3.2	1	1	2	3	4	5	5	8
35-49	36	3.2	1	1	3	3	4	4	5	7
50-64	0									
65 +	0									
TOTAL SINGLE DX	175	2.6	1	1	2	3	3	4	4	5
TOTAL MULTIPLE DX	205	3.2	2	1	3	3	4	5	5	8
TOTAL										
0-19 YRS	28	2.8	2	1	2	3	4	4	5	6
20-34	294	2.9	2	1	2	3	4	4	5	7
35-49	58	3.0	1	1	2	3	4	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	380	2.9	2	1	2	3	4	4	5	7

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	7.7	133	1	1	1	16	21	21	21
20-34	7	1.3		1	1	1	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	8	4.6	53	1	1	1	6	18	21	21
35-49	7	1.3		< 1	1	1	2	2	2	2
50-64	0									
65 +	0									
TOTAL SINGLE DX	13	2.7	30	1	1	1	2	6	18	21
TOTAL MULTIPLE DX	15	3.1	30	1	1	1	2	10	18	21
TOTAL										
0-19 YRS	3	7.7	133	1	1	1	16	21	21	21
20-34	15	3.1	30	1	1	1	2	10	18	21
35-49	10	1.2		< 1	1	1	1	2	2	2
50-64	0									
65 +	0									
GRAND TOTAL	28	2.9	29	1	1	1	2	8	21	21

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	56	3.0	11	1	1	2	3	6	7	22
20-34	300	3.8	21	1	1	2	5	8	11	25
35-49	25	3.7	13	1	1	3	5	7	10	18
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	105	4.7	25	1	2	3	6	10	13	31
20-34	440	5.4	45	1	2	3	6	11	16	39
35-49	57	6.6	61	2	2	4	8	13	20	43
50-64	0									
65 +	0									
TOTAL SINGLE DX	381	3.7	19	1	1	2	4	7	10	24
TOTAL MULTIPLE DX	602	5.4	43	1	2	3	6	11	15	37
TOTAL										
0-19 YRS	161	4.1	21	1	2	3	5	9	12	27
20-34	740	4.7	36	1	2	3	5	10	14	27
35-49	82	5.7	48	1	2	4	7	13	16	41
50-64	0									
65 +	0									
GRAND TOTAL	983	4.7	35	1	2	3	5	10	14	29

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1069	1.5		< 1	1	1	2	2	3	5
20-34	5135	1.5		< 1	1	1	2	2	3	4
35-49	453	1.7	1	< 1	1	1	2	3	3	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	585	2.2	7	< 1	1	2	2	3	5	16
20-34	2965	2.2	7	1	1	2	2	3	5	13
35-49	342	2.8	13	1	1	2	3	5	9	20
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
TOTAL SINGLE DX	6658	1.5	1	< 1	1	1	2	2	3	5
TOTAL MULTIPLE DX	3893	2.3	8	1	1	2	2	3	5	14
TOTAL										
0-19 YRS	1654	1.8	3	< 1	1	1	2	3	3	8
20-34	8100	1.8	4	< 1	1	1	2	3	3	8
35-49	795	2.1	7	< 1	1	2	2	3	5	14
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	10551	1.8	4	< 1	1	1	2	3	3	9

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2064	1.6		1	1	1	2	2	3	3
20-34	11829	1.5		1	1	1	2	2	2	3
35-49	1197	1.5		1	1	1	2	2	2	3
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2166	1.9	1	1	1	2	2	3	4	6
20-34	14268	1.9	1	1	1	2	2	3	3	5
35-49	1856	2.2	12	1	1	2	2	3	3	7
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
TOTAL SINGLE DX	15093	1.5		1	1	1	2	2	3	3
TOTAL MULTIPLE DX	18291	1.9	3	1	1	2	2	3	3	6
TOTAL										
0-19 YRS	4230	1.7	1	1	1	2	2	3	3	5
20-34	26097	1.7	1	1	1	2	2	3	3	4
35-49	3053	1.9	8	1	1	2	2	3	3	5
50-64	4	1.5	1	< 1	< 1	1	2	3	3	3
65 +	0									
GRAND TOTAL	33384	1.7	2	1	1	2	2	3	3	5

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.7	2	1	1	1	2	3	5	7
20-34	17	3.5	8	1	2	2	4	9	10	10
35-49	19	4.3	18	1	2	3	6	7	14	20
50-64	5	4.6	10	1	2	5	7	9	9	9
65 +	6	3.7	12	1	1	2	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	17	4.3	37	1	1	2	4	9	20	26
20-34	31	4.3	26	1	1	3	5	9	18	25
35-49	39	6.1	73	1	1	2	7	16	23	43
50-64	37	7.7	67	1	2	4	11	16	22	42
65 +	50	9.4	65	1	3	7	14	23	26	33
TOTAL SINGLE DX	65	3.3	11	1	1	2	4	7	9	18
TOTAL MULTIPLE DX	174	6.9	61	1	2	3	9	16	25	40
TOTAL										
0-19 YRS	35	2.9	20	1	1	1	3	7	9	26
20-34	48	4.0	20	1	1	3	4	9	11	25
35-49	58	5.5	56	1	1	3	6	15	20	42
50-64	42	7.4	61	1	2	4	11	16	21	42
65 +	56	8.8	63	1	2	6	13	23	26	33
GRAND TOTAL	239	5.9	50	1	2	3	7	15	22	34

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	268	2.1	1	1	1	2	2	3	5	7
20-34	508	1.9	2	1	1	2	2	3	4	6
35-49	303	2.0	2	1	1	2	2	3	4	6
50-64	53	1.9		1	1	2	2	3	4	5
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	287	2.6	9	1	2	2	3	4	6	18
20-34	425	2.6	19	1	1	2	3	4	5	19
35-49	337	2.3	1	1	1	2	3	4	5	7
50-64	52	2.7	3	1	1	2	3	5	6	9
65 +	19	3.9	26	1	2	3	3	7	17	24
TOTAL SINGLE DX	1134	2.0	2	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	1120	2.6	11	1	1	2	3	4	5	12
TOTAL										
0-19 YRS	555	2.3	6	1	1	2	3	4	5	11
20-34	933	2.2	10	1	1	2	2	3	4	8
35-49	640	2.2	2	1	1	2	3	3	4	6
50-64	105	2.3	2	1	1	2	3	4	5	8
65 +	21	3.7	25	1	2	3	3	6	16	24
GRAND TOTAL	2254	2.3	6	1	1	2	3	4	5	8

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64	1.5		< 1	1	1	2	2	4	5
20-34	109	2.5	2	1	1	2	3	4	6	9
35-49	47	2.8	7	1	1	2	3	6	7	17
50-64	3	3.3	10	1	1	2	6	7	7	7
65 +	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	103	3.9	50	1	1	2	4	7	10	47
20-34	199	4.1	21	1	2	3	4	7	13	28
35-49	58	7.7	201	2	3	4	7	10	21	79
50-64	14	5.8	26	2	2	5	8	10	19	21
65 +	11	3.7	2	2	2	3	5	6	7	7
TOTAL SINGLE DX	225	2.3	3	1	1	2	3	4	6	8
TOTAL MULTIPLE DX	385	4.6	57	1	2	3	5	8	13	34
TOTAL										
0-19 YRS	167	3.0	33	1	1	2	3	5	7	29
20-34	308	3.5	15	1	1	3	4	7	10	23
35-49	105	5.5	120	1	2	3	6	8	17	79
50-64	17	5.4	23	1	2	4	7	9	17	21
65 +	13	3.6	3	2	2	3	4	6	7	7
GRAND TOTAL	610	3.8	39	1	1	2	4	7	9	27

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	86	2.6	2	1	1	2	4	5	6	7
20-34	330	2.9	3	1	1	2	4	6	6	10
35-49	121	3.2	10	1	1	2	4	6	9	17
50-64	31	2.2	6	1	1	1	3	4	5	15
65 +	8	2.6	4	<1	1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	179	4.6	25	1	2	3	6	11	14	36
20-34	526	4.9	23	1	2	3	6	11	13	26
35-49	253	5.3	21	1	2	4	7	11	14	25
50-64	73	5.8	25	1	2	4	9	13	16	24
65 +	63	7.4	58	1	2	5	9	18	24	37
TOTAL SINGLE DX	576	2.9	5	1	1	2	4	6	6	11
TOTAL MULTIPLE DX	1094	5.1	26	1	2	3	6	11	14	27
TOTAL										
0-19 YRS	265	4.0	19	1	1	2	5	9	12	30
20-34	856	4.1	17	1	2	3	5	8	11	21
35-49	374	4.6	19	1	2	3	6	10	12	24
50-64	104	4.7	23	1	1	3	6	12	15	22
65 +	71	6.9	54	1	2	5	8	17	22	36
GRAND TOTAL	1670	4.4	20	1	2	3	5	10	12	25

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	2.1	1	1	1	2	3	3	4	5
20-34	32	2.9	6	1	1	2	3	5	8	14
35-49	18	2.8	9	<1	1	2	3	5	10	14
50-64	7	3.9	29	1	1	2	4	14	16	16
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	37	3.5	39	1	1	2	3	4	18	32
20-34	30	3.6	24	1	1	2	3	8	14	25
35-49	23	3.1	8	1	1	2	3	7	10	13
50-64	15	4.5	22	1	2	3	6	7	17	20
65 +	19	5.8	38	1	2	3	8	17	21	22
TOTAL SINGLE DX	87	2.7	7	1	1	2	3	5	6	15
TOTAL MULTIPLE DX	124	3.9	28	1	1	2	4	8	16	28
TOTAL										
0-19 YRS	65	2.9	23	1	1	2	3	4	5	31
20-34	62	3.2	15	1	1	2	3	6	11	24
35-49	41	3.0	9	1	1	2	3	6	11	14
50-64	22	4.3	24	1	1	3	6	10	18	20
65 +	21	5.4	36	1	2	3	7	15	21	22
GRAND TOTAL	211	3.4	20	1	1	2	3	6	13	25

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	90	3.2	3	1	2	3	4	6	7	8
20-34	11	8.5	34	2	4	7	14	17	18	18
35-49	10	5.0	9	1	2	5	7	9	10	10
50-64	6	4.0	3	1	3	4	5	6	6	6
65 +	3	8.7	14	6	6	7	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	193	4.7	19	2	3	4	6	8	10	24
20-34	26	7.5	14	3	6	7	9	12	14	20
35-49	21	5.4	5	3	4	5	7	9	10	11
50-64	16	9.6	67	4	5	7	10	27	28	28
65 +	7	8.6	15	4	5	8	11	14	15	15
TOTAL SINGLE DX	120	4.0	9	1	2	3	5	8	9	17
TOTAL MULTIPLE DX	263	5.5	22	2	3	4	7	10	12	27
TOTAL										
0-19 YRS	283	4.2	15	2	2	3	5	7	9	22
20-34	37	7.8	20	3	5	7	10	15	17	20
35-49	31	5.3	6	2	4	5	7	9	10	11
50-64	22	8.1	55	2	4	6	9	22	28	28
65 +	10	8.6	13	4	6	8	12	14	15	15
GRAND TOTAL	383	5.0	19	2	3	4	6	9	11	24

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	205	3.3	10	1	1	2	3	7	10	14
20-34	85	3.8	14	1	1	3	5	7	11	22
35-49	89	3.8	11	1	2	3	4	7	8	21
50-64	93	3.8	3	1	3	4	5	6	7	10
65 +	28	3.1	3	1	2	3	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	239	4.1	35	1	2	3	4	7	12	34
20-34	120	6.2	91	1	2	4	5	15	25	75
35-49	174	4.5	16	2	3	3	5	8	12	32
50-64	165	5.5	42	1	3	4	6	10	14	45
65 +	81	6.2	38	2	3	4	7	13	19	36
TOTAL SINGLE DX	500	3.5	10	1	2	3	4	7	9	14
TOTAL MULTIPLE DX	779	5.0	42	1	2	3	5	9	14	42
TOTAL										
0-19 YRS	444	3.7	24	1	2	2	4	7	11	28
20-34	205	5.2	60	1	2	3	5	10	18	64
35-49	263	4.3	15	1	2	3	5	7	11	28
50-64	258	4.9	29	1	3	4	5	8	11	27
65 +	109	5.4	31	1	2	4	6	12	15	32
GRAND TOTAL	1279	4.4	30	1	2	3	5	8	13	31

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	1.8		<1	1	2	2	3	3	4
20-34	59	1.8	1	1	1	1	2	4	4	5
35-49	104	1.9		1	1	2	2	3	3	4
50-64	61	1.7		1	1	1	2	3	3	4
65 +	23	2.3	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	74	1.9		1	1	2	2	3	3	5
20-34	118	2.0		1	1	2	2	3	4	6
35-49	264	2.2	1	1	1	2	3	4	5	7
50-64	349	2.2	2	1	1	2	3	4	5	9
65 +	312	2.5	3	1	1	2	3	4	5	11
TOTAL SINGLE DX	277	1.8	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	1117	2.2	2	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	104	1.9	1	1	1	2	2	3	3	5
20-34	177	1.9	1	1	1	2	2	3	4	5
35-49	368	2.1	1	1	1	2	3	3	4	6
50-64	410	2.1	2	1	1	2	3	4	5	8
65 +	335	2.5	3	1	1	2	3	4	5	11
GRAND TOTAL	1394	2.2	2	1	1	2	3	4	5	7

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	133	3.4	15	1	1	2	4	7	10	24
20-34	42	5.9	80	1	2	3	6	11	21	54
35-49	36	4.5	26	1	2	3	5	9	18	24
50-64	15	3.3	5	1	2	3	4	6	9	10
65 +	9	2.0	1	<1	1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	84	9.1	72	1	3	6	12	20	28	39
20-34	72	11.8	222	2	2	7	18	37	97	99 +
35-49	47	9.7	123	1	3	4	12	25	32	53
50-64	37	6.5	43	1	2	5	9	17	22	28
65 +	71	12.6	262	2	5	9	15	31	47	98
TOTAL SINGLE DX	235	3.9	28	1	1	2	4	7	12	24
TOTAL MULTIPLE DX	311	10.3	157	1	3	7	14	27	36	99 +
TOTAL										
0-19 YRS	217	5.6	45	1	1	3	7	16	20	31
20-34	114	9.6	177	1	2	5	13	31	52	99 +
35-49	83	7.4	87	1	2	4	9	20	27	48
50-64	52	5.6	34	1	2	4	7	12	19	28
65 +	80	11.4	244	1	3	8	14	25	41	98
GRAND TOTAL	546	7.6	111	1	2	4	9	18	29	92

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	513	2.5	8	1	1	2	3	5	7	17
20-34	508	3.5	15	1	1	2	4	7	11	23
35-49	433	3.1	12	1	1	2	4	6	9	16
50-64	228	3.1	19	1	1	2	4	6	7	15
65 +	116	3.4	8	1	2	3	4	6	7	17
2. MULTIPLE DX										
0-19 YRS	387	5.8	56	1	2	4	7	12	22	40
20-34	690	6.7	94	1	2	3	7	15	27	54
35-49	679	6.1	81	1	2	3	7	14	21	51
50-64	572	6.6	85	1	2	3	7	17	24	53
65 +	652	9.1	101	1	3	6	12	21	29	46
TOTAL SINGLE DX	1798	3.0	13	1	1	2	3	6	9	18
TOTAL MULTIPLE DX	2980	6.9	88	1	2	4	8	17	25	50
TOTAL										
0-19 YRS	900	3.9	32	1	1	2	4	8	13	33
20-34	1198	5.4	63	1	1	3	6	11	19	48
35-49	1112	4.9	57	1	1	3	5	10	16	41
50-64	800	5.6	69	1	2	3	5	13	22	47
65 +	768	8.2	91	1	2	5	10	20	27	43
GRAND TOTAL	4778	5.5	63	1	1	3	6	12	20	43

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	212	5.1	46	1	2	3	5	12	24	34
20-34	44	7.5	44	4	4	5	8	12	20	41
35-49	30	4.5	16	2	3	3	4	8	10	23
50-64	21	5.9	9	3	4	5	6	10	14	16
65 +	68	6.4	11	3	4	6	8	11	12	19
2. MULTIPLE DX										
0-19 YRS	159	7.3	69	1	2	4	9	21	31	99 +
20-34	69	11.0	182	3	4	8	14	19	26	88
35-49	55	8.3	87	2	4	7	9	15	19	65
50-64	65	11.5	129	3	5	8	14	24	34	63
65 +	435	9.8	42	4	6	8	11	17	21	34
TOTAL SINGLE DX	375	5.6	36	1	2	4	6	11	20	33
TOTAL MULTIPLE DX	783	9.4	72	2	5	8	11	18	24	59
TOTAL										
0-19 YRS	371	6.0	58	1	2	3	7	18	24	42
20-34	113	9.6	131	3	4	6	11	17	24	75
35-49	85	6.9	65	2	3	5	8	14	19	52
50-64	86	10.1	106	3	5	7	12	20	29	60
65 +	503	9.3	39	4	6	8	11	15	20	34
GRAND TOTAL	1158	8.2	63	2	3	6	10	17	23	43

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	117	2.6	12	1	1	2	3	5	6	25
20-34	165	3.5	30	1	1	2	4	6	8	27
35-49	77	4.1	12	1	2	3	5	9	12	19
50-64	53	3.2	6	1	2	3	4	5	6	16
65+	20	5.0	29	1	2	5	6	8	17	26
2. MULTIPLE DX										
0-19 YRS	137	4.2	46	1	1	2	5	10	12	28
20-34	198	5.2	47	1	2	3	6	10	16	46
35-49	173	5.2	40	1	2	3	6	10	18	31
50-64	104	5.3	36	1	2	4	6	11	14	38
65+	87	7.3	45	2	3	5	9	14	18	36
TOTAL SINGLE DX	432	3.4	20	1	1	2	4	6	9	22
TOTAL MULTIPLE DX	699	5.3	44	1	2	3	6	11	16	38
TOTAL										
0-19 YRS	254	3.5	32	1	1	2	4	6	11	22
20-34	363	4.4	40	1	1	3	5	8	12	44
35-49	250	4.9	32	1	2	3	5	9	14	28
50-64	157	4.6	27	1	2	4	5	9	13	29
65+	107	6.9	43	2	3	5	9	14	18	35
GRAND TOTAL	1131	4.6	36	1	2	3	5	9	13	32

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	283	2.4	17	<1	1	1	2	4	8	27
20-34	340	2.3	7	1	1	2	3	4	6	13
35-49	199	2.7	11	<1	1	2	3	6	8	18
50-64	127	2.4	9	1	1	1	3	4	8	19
65+	107	2.7	6	1	1	2	3	6	8	13
2. MULTIPLE DX										
0-19 YRS	278	2.5	10	<1	1	1	3	5	8	16
20-34	301	5.8	115	1	1	2	6	13	21	84
35-49	238	5.0	36	1	2	3	5	12	17	38
50-64	170	5.4	62	1	2	3	6	11	16	54
65+	287	6.3	50	1	2	4	8	13	18	38
TOTAL SINGLE DX	1056	2.4	11	<1	1	1	3	5	7	19
TOTAL MULTIPLE DX	1274	5.0	58	1	1	3	6	11	16	53
TOTAL										
0-19 YRS	561	2.4	14	<1	1	1	2	4	8	22
20-34	641	3.9	61	1	1	2	4	8	13	66
35-49	437	3.9	26	1	1	2	4	9	14	23
50-64	297	4.1	42	1	1	2	4	9	13	41
65+	384	5.3	41	1	1	3	7	12	15	34
GRAND TOTAL	2330	3.8	38	1	1	2	4	8	13	31

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	79	9.3	68	2	4	6	13	22	25	35
20-34	43	6.7	11	4	4	6	8	11	12	21
35-49	26	5.7	5	4	4	5	7	9	10	12
50-64	53	5.6	4	4	4	5	6	8	11	14
65+	95	7.3	13	4	5	7	8	11	14	23
2. MULTIPLE DX										
0-19 YRS	103	11.8	61	4	6	10	16	22	25	41
20-34	90	11.0	29	5	7	10	14	18	22	29
35-49	51	12.1	179	5	6	8	11	23	39	82
50-64	104	9.3	30	4	6	8	11	16	22	30
65+	694	9.7	29	5	7	8	11	15	19	32
TOTAL SINGLE DX	296	7.3	27	3	4	6	8	[illegible]	20	29
TOTAL MULTIPLE DX	1042	10.1	41	5	6	9	12	17	21	33
TOTAL										
0-19 YRS	182	10.7	66	2	5	8	16	22	25	37
20-34	133	9.6	28	4	6	9	12	16	20	26
35-49	77	9.9	129	4	5	7	10	17	25	74
50-64	[illegible]	8.1	25	4	5	7	10	13	18	30
65+	789	9.4	29	5	6	8	11	15	18	31
GRAND TOTAL	1338	9.5	39	4	6	8	11	16	21	32

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	117	5.5	20	1	3	4	7	12	14	24
20-34	96	9.5	49	4	5	8	12	16	23	38
35-49	91	7.7	80	3	4	6	8	12	20	58
50-64	139	7.5	16	4	5	7	9	12	14	24
65+	475	8.1	11	5	6	7	10	12	14	17
2. MULTIPLE DX										
0-19 YRS	198	10.4	74	4	6	8	12	19	28	58
20-34	267	11.3	69	4	6	9	14	20	24	42
35-49	288	11.3	95	4	6	9	13	21	29	61
50-64	473	10.8	62	5	6	9	12	17	24	47
65+	4477	10.2	38	5	7	9	12	16	20	36
TOTAL SINGLE DX	918	7.8	25	4	5	7	9	13	15	25
TOTAL MULTIPLE DX	5703	10.3	46	5	7	9	12	16	21	41
TOTAL										
0-19 YRS	315	8.6	60	2	4	7	11	16	23	48
20-34	363	10.8	64	4	6	9	13	20	24	41
35-49	379	10.5	94	4	5	8	12	19	26	62
50-64	612	10.1	54	5	6	8	12	16	23	45
65+	4952	10.0	36	5	7	9	11	15	19	35
GRAND TOTAL	6621	10.0	44	5	6	9	11	16	20	38

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	203	8.1	51	1	2	3	8	17	21	30
20-34	8	11.1	94	2	5	6	20	25	[illegible]	26
35-49	8	13.5	630	1	2	5	9	56	75	[illegible]
50-64	3	19.3	177	8	10	16	29	34	34	34
65 +	15	6.3	44	1	4	5	7	8	24	29
2. MULTIPLE DX										
0-19 YRS	164	9.8	108	2	2	5	15	22	30	45
20-34	29	12.4	64	4	6	10	15	27	29	31
35-49	21	11.4	212	2	4	6	14	20	45	69
50-64	17	14.9	216	2	4	8	23	39	45	48
65 +	82	9.8	72	3	5	7	11	20	31	45
TOTAL SINGLE DX	237	6.7	74	1	2	3	8	18	23	34
TOTAL MULTIPLE DX	313	10.4	108	2	4	7	14	22	31	48
TOTAL										
0-19 YRS	367	7.8	80	1	2	4	11	20	23	43
20-34	37	12.1	69	3	6	10	16	26	29	31
35-49	29	12.0	310	1	4	6	13	22	69	75
50-64	20	15.6	204	2	6	8	26	38	43	48
65 +	97	9.3	69	3	4	7	10	19	30	44
GRAND TOTAL	550	8.8	96	1	2	5	13	21	28	45

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	377	1.7	5	1	1	1	2	3	4	14
20-34	128	3.2	12	1	1	2	4	6	7	20
35-49	99	3.0	7	1	1	2	4	6	8	16
50-64	55	2.3	3	1	1	2	3	5	7	8
65 +	54	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX										
[illegible]9 YRS	105	3.0	10	1	1	2	3	7	9	19
20-34	114	5.7	22	1	2	5	7	12	18	23
35-49	83	5.3	68	1	2	3	6	9	16	53
50-64	69	5.7	65	1	2	3	5	15	19	48
65 +	140	6.3	38	1	3	5	8	12	18	27
TOTAL SINGLE DX	713	2.3	7	1	1	1	3	5	6	14
TOTAL MULTIPLE DX	511	5.3	39	1	2	3	7	11	17	27
TOTAL										
0-19 YRS	482	2.0	7	1	1	1	2	3	5	17
20-34	242	4.4	19	1	2	3	5	8	13	22
35-49	182	4.1	36	1	1	3	5	8	11	26
50-64	124	4.2	41	1	1	2	4	8	15	35
65 +	194	5.3	32	1	2	4	7	11	14	24
GRAND TOTAL	1224	3.5	23	1	1	2	4	7	11	22

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1413	2.2	4	1	1	2	3	4	5	11
20-34	1928	3.2	7	1	1	2	4	6	8	14
35-49	1546	3.5	10	1	2	3	4	6	9	16
50-64	874	3.6	6	1	2	3	4	6	9	13
65 +	495	3.9	5	2	2	3	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	700	4.4	24	1	2	3	5	9	13	29
20-34	1552	5.8	42	1	2	4	7	12	17	38
35-49	1253	5.8	47	2	2	4	7	13	17	37
50-64	996	5.9	45	2	3	4	7	11	15	35
65 +	1314	6.8	30	2	3	5	8	13	16	28
TOTAL SINGLE DX	6256	3.2	8	1	1	2	4	6	8	13
TOTAL MULTIPLE DX	5815	5.9	40	1	2	4	7	12	16	35
TOTAL										
0-19 YRS	2113	3.0	12	1	1	2	3	6	8	18
[illegible]34	3480	4.4	25	1	2	3	5	9	12	26
35-49	2799	4.5	28	1	2	3	5	9	13	27
50-64	1870	4.8	29	1	2	4	5	9	12	27
65 +	1809	6.0	26	2	3	5	7	11	15	26
GRAND TOTAL	12071	4.5	25	1	2	3	5	9	13	25

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	961	1.7	5	<1	1	1	2	3	4	10
20-34	313	2.8	11	1	1	2	3	5	7	18
35-49	256	3.0	17	1	1	2	4	5	7	17
50-64	115	2.5	4	1	1	2	3	5	6	11
65 +	102	2.8	6	1	1	2	3	6	7	15
2. MULTIPLE DX										
0-19 YRS	425	4.4	52	1	1	2	4	9	17	34
20-34	334	5.0	38	1	2	3	5	10	14	36
35-49	260	5.5	63	1	2	3	6	12	16	31
50-64	228	5.1	24	1	2	4	6	10	13	30
65 +	493	6.1	51	1	2	4	7	12	17	35
TOTAL SINGLE DX	1747	2.2	9	1	1	1	2	4	5	15
TOTAL MULTIPLE DX	1740	5.3	48	1	2	3	6	11	16	34
TOTAL										
0-19 YRS	1386	2.5	22	1	1	1	2	4	8	24
20-34	647	3.9	27	1	1	2	4	8	12	29
35-49	516	4.3	42	1	1	3	5	9	13	30
50-64	343	4.3	19	1	2	3	5	8	11	26
65 +	595	5.6	45	1	2	4	6	11	16	32
GRAND TOTAL	3487	3.7	31	1	1	2	4	8	11	28

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	128	3.5	14	1	2	2	3	8	13	20
20-34	21	3.3	17	<1	1	2	3	6	13	20
35-49	14	5.3	21	1	2	4	7	11	16	18
50-64	31	2.1	3	1	1	1	3	5	7	8
65 +	111	3.1	5	1	1	2	4	7	9	11
2. MULTIPLE DX										
0-19 YRS	84	5.1	17	1	2	4	6	12	14	19
20-34	41	6.8	61	1	2	4	9	13	17	48
35-49	25	9.4	56	2	3	8	14	18	28	28
50-64	56	5.6	94	1	2	3	6	11	14	68
65 +	193	6.5	60	1	3	4	7	14	19	43
TOTAL SINGLE DX	305	3.3	11	1	1	2	3	7	10	18
TOTAL MULTIPLE DX	399	6.3	57	1	2	4	7	13	16	41
TOTAL										
0-19 YRS	212	4.1	16	1	2	3	4	10	14	20
20-34	62	5.6	49	1	2	4	7	12	17	45
35-49	39	7.9	47	2	3	6	12	17	23	28
50-64	87	4.3	64	1	1	2	5	9	13	51
65 +	304	5.2	43	1	2	3	6	11	14	34
GRAND TOTAL	704	5.0	39	1	2	3	6	11	15	28

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	86	1.6	1	<1	1	1	2	3	4	8
20-34	146	2.0	2	1	1	2	2	3	4	9
35-49	78	1.9	2	1	1	1	2	4	5	8
50-64	35	2.3	5	1	1	1	3	5	7	12
65 +	23	2.7	5	1	1	2	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	38	3.3	12	1	1	2	4	7	13	14
20-34	119	4.0	14	1	1	3	6	9	11	21
35-49	67	3.4	9	1	1	2	5	7	10	16
50-64	59	3.5	11	1	1	2	4	9	12	15
65 +	78	4.5	20	1	2	3	6	9	12	26
TOTAL SINGLE DX	368	2.0	3	1	1	1	2	4	5	9
TOTAL MULTIPLE DX	361	3.9	14	1	1	3	5	8	12	20
TOTAL										
0-19 YRS	124	2.1	5	1	1	1	2	4	7	14
20-34	265	2.9	9	1	1	2	3	6	9	18
35-49	145	2.6	6	1	1	2	3	5	8	13
50-64	94	3.1	9	1	1	2	4	6	11	14
65 +	101	4.1	17	1	1	3	6	8	11	24
GRAND TOTAL	729	2.9	9	1	1	2	3	6	9	14

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	300	3.2	14	1	1	2	4	7	10	21
20-34	184	3.4	15	1	1	3	4	7	9	15
35-49	137	3.2	9	1	1	2	4	6	11	15
50-64	60	4.1	11	1	1	3	6	10	11	15
65 +	40	3.2	7	1	1	2	4	8	10	11
2. MULTIPLE DX										
0-19 YRS	322	5.5	52	1	1	3	7	14	21	39
20-34	272	4.5	27	1	1	3	6	11	14	21
35-49	230	6.3	101	1	1	3	6	13	30	55
50-64	210	8.8	105	1	2	5	11	24	30	45
65 +	296	11.9	137	2	4	8	16	27	34	61
TOTAL SINGLE DX	721	3.3	14	1	1	2	4	7	10	18
TOTAL MULTIPLE DX	1330	7.4	91	1	2	4	9	18	27	49
TOTAL										
0-19 YRS	622	4.4	36	1	1	2	5	10	15	31
20-34	456	4.1	23	1	1	3	5	9	12	20
35-49	367	5.1	69	1	1	2	5	11	16	50
50-64	270	7.8	88	1	2	5	10	20	27	42
65 +	336	10.9	130	1	3	7	14	25	33	60
GRAND TOTAL	2051	6.0	67	1	1	3	7	14	22	42

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	6	1.7		1	1	2	2	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	0									
65 +	0									
TOTAL SINGLE DX	11	1.6		1	1	2	2	3	3	3
TOTAL MULTIPLE DX	2	4.0	18	1	1	4	7	7	7	7
TOTAL										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	8	2.3	4	1	1	2	3	6	7	7
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	13	2.0	3	1	1	2	2	4	6	7

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	99	3.5	2	2	3	3	4	6	7	8
20-34	2098	3.9	4	2	3	3	5	6	8	12
35-49	3766	3.8	4	2	3	3	5	6	8	12
50-64	1469	4.2	6	2	3	4	5	7	9	14
65+	443	5.0	7	2	3	4	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	38	9.7	96	2	3	6	14	25	30	42
20-34	1035	5.0	18	2	3	4	6	8	11	31
35-49	2385	4.9	16	2	3	4	6	8	10	20
50-64	1686	5.5	15	2	3	4	7	10	12	22
65+	1388	7.7	33	3	4	6	9	14	19	34
TOTAL SINGLE DX	7875	4.0	5	2	3	3	5	7	8	12
TOTAL MULTIPLE DX	6532	5.7	22	2	3	4	7	10	13	25
TOTAL										
0-19 YRS	137	5.2	36	2	3	3	5	8	19	33
20-34	3133	4.3	10	2	3	4	[illegible]	7	9	18
35-49	6151	4.3	9	2	3	4	5	7	9	15
50-64	3155	4.9	12	2	3	4	6	8	11	18
65+	1831	7.0	29	3	4	6	8	13	17	32
GRAND TOTAL	14407	4.8	13	2	3	4	6	8	10	20

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	107	2.4	5	<1	1	1	3	5	7	15
20-34	180	1.9	2	<1	<1	1	2	4	5	8
35-49	105	1.6		<1	<1	1	2	3	4	5
50-64	44	1.9	2	<1	<1	1	3	4	5	7
65+	16	2.1	2	<1	<1	1	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	98	2.8	8	<1	1	2	3	6	9	16
20-34	182	2.6	9	<1	1	2	3	5	8	75
35-49	160	2.6	8	<1	1	2	3	5	9	17
50-64	89	3.3	47	<1	1	1	2	5	9	43
65+	71	5.4	48	<1	1	3	6	15	19	36
TOTAL SINGLE DX	452	1.9	3	<1	<1	1	2	4	5	8
TOTAL MULTIPLE DX	600	3.1	20	<1	1	2	3	6	10	27
TOTAL										
0-19 YRS	205	2.6	7	<1	1	2	3	5	8	15
20-34	362	2.3	6	<1	1	1	3	4	6	22
35-49	265	2.2	6	<1	1	1	2	4	6	15
50-64	133	2.9	33	<1	<1	1	3	5	7	38
65+	87	4.8	42	<1	1	2	5	13	19	35
GRAND TOTAL	1052	2.6	13	<1	1	1	3	5	8	20

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	1.8	1	<1	<1	1	2	3	4	6
20-34	84	1.8	1	<1	<1	1	3	3	4	6
35-49	70	1.5	1	<1	<1	1	2	3	4	6
50-64	24	1.8	1	<1	<1	1	3	4	4	4
65+	16	2.5	12	<1	<1	1	2	6	12	15
2. MULTIPLE DX										
0-19 YRS	134	2.5	1	<1	1	3	3	4	4	6
20-34	384	3.0	25	1	1	3	3	5	5	14
35-49	219	2.4	3	<1	1	2	3	4	5	11
50-64	180	2.4	4	1	1	2	3	5	7	11
65+	145	2.4	11	<1	1	1	2	4	7	23
TOTAL SINGLE DX	238	1.8	2	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	1062	2.6	12	<1	1	2	3	4	5	11
TOTAL										
0-19 YRS	178	2.3	2	<1	1	2	3	4	4	6
20-34	468	2.8	21	<1	1	2	3	4	5	13
35-49	289	2.2	3	<1	1	2	3	4	5	9
50-64	204	2.4	4	<1	1	2	3	5	7	11
65+	161	2.4	11	<1	1	1	2	4	7	22
GRAND TOTAL	1300	2.5	11	<1	1	2	3	4	5	11

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	88	2.5	8	<1	1	1	3	6	9	15
20-34	145	2.3	4	<1	1	1	3	5	7	12
35-49	135	2.4	8	<1	1	1	2	5	9	15
50-64	78	2.6	5	<1	1	2	4	6	7	13
65+	26	3.6	25	<1	1	2	4	10	14	24
2. MULTIPLE DX										
0-19 YRS	99	5.2	33	<1	1	3	8	15	17	65
20-34	216	4.3	46	<1	1	2	4	11	16	36
35-49	300	5.4	58	<1	1	3	5	16	24	33
50-64	259	6.2	85	1	1	2	8	17	24	45
65+	238	8.0	89	1	2	4	10	21	29	49
TOTAL SINGLE DX	472	2.5	8	<1	1	1	3	5	8	14
TOTAL MULTIPLE DX	1112	5.9	68	<1	1	3	7	16	23	45
TOTAL										
0-19 YRS	187	3.9	23	<1	1	2	5	10	16	28
20-34	361	3.5	30	<1	1	2	4	7	12	26
35-49	435	4.5	45	<1	1	2	4	11	18	29
50-64	337	5.3	69	1	1	2	5	15	21	43
65+	264	7.5	85	1	2	4	10	20	29	48
GRAND TOTAL	1584	4.9	53	<1	1	2	5	13	19	38

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	167	7.5	7	5	6	7	9	11	14	17
20-34	140	6.3	11	3	4	6	8	10	13	17
35-49	267	5.3	9	2	3	5	7	8	10	18
50-64	116	4.8	8	2	3	4	6	8	11	15
65 +	30	6.1	7	3	4	6	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	280	10.9	69	5	6	8	12	23	37	99 +
20-34	339	9.2	59	4	5	7	12	18	28	99 +
35-49	596	7.0	30	2	4	6	8	12	17	32
50-64	394	8.3	81	3	4	6	10	16	21	99 +
65 +	210	10.1	74	3	5	8	12	19	25	67
TOTAL SINGLE DX	720	6.0	10	2	4	6	8	10	12	17
TOTAL MULTIPLE DX	1819	8.6	60	3	5	7	10	16	24	99 +
TOTAL										
0-19 YRS	447	9.6	49	5	6	8	11	16	24	99 +
20-34	479	8.3	47	3	5	7	10	16	24	99 +
35-49	863	6.5	25	2	3	6	8	11	16	30
50-64	510	7.5	67	2	4	6	9	13	19	99
65 +	240	9.6	67	3	5	8	11	18	25	61
GRAND TOTAL	2539	7.9	47	3	4	6	9	14	21	75

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	2.5	1	1	1	2	3	4	5	6
20-34	139	2.7	2	1	2	2	3	5	6	9
35-49	166	2.9	4	1	2	3	4	5	6	12
50-64	150	2.8	3	1	1	2	4	5	6	9
65 +	78	3.1	5	1	1	2	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	85	3.4	11	1	2	3	4	5	7	23
20-34	178	3.8	18	1	2	3	4	6	9	28
35-49	238	3.5	7	1	2	3	4	6	9	16
50-64	210	3.1	3	1	2	3	4	5	7	11
65 +	193	4.4	10	1	2	4	5	7	10	18
TOTAL SINGLE DX	555	2.9	4	1	2	2	4	5	6	9
TOTAL MULTIPLE DX	904	3.6	10	1	2	3	4	6	8	16
TOTAL										
0-19 YRS	107	3.2	10	1	2	3	4	5	6	20
20-34	317	3.3	12	1	2	3	4	6	8	16
35-49	404	3.3	6	1	2	3	4	6	7	15
50-64	360	3.0	3	1	2	3	4	5	6	9
65 +	271	4.0	9	1	2	4	5	7	9	16
GRAND TOTAL	1459	3.3	8	1	2	3	4	6	8	15

735: Total hip replacement (81.51; 81.59*) *(pre-October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	6.6	1	5	6	7	8	8	8	8
20-34	38	7.3	5	5	6	7	9	10	12	14
35-49	140	8.0	26	5	6	7	9	11	12	41
50-64	473	7.7	5	5	6	7	9	10	12	15
65 +	962	8.2	6	5	7	8	9	11	12	16
2. MULTIPLE DX										
0-19 YRS	12	9.4	7	5	7	10	12	13	13	13
20-34	121	8.2	10	5	6	7	9	13	14	20
35-49	295	9.3	33	5	7	8	10	13	18	39
50-64	1076	8.7	11	5	7	8	10	12	15	22
65 +	3505	9.7	20	6	7	9	11	14	17	29
TOTAL SINGLE DX	1618	8.0	8	5	6	8	9	11	12	16
TOTAL MULTIPLE DX	5009	9.4	19	6	7	8	11	14	16	28
TOTAL										
0-19 YRS	17	8.6	7	5	7	8	11	12	13	13
20-34	159	8.0	9	5	6	7	9	12	14	17
35-49	435	8.9	31	5	6	8	9	12	17	40
50-64	1549	8.4	10	5	7	8	9	12	14	21
65 +	4467	9.4	18	6	7	9	10	13	16	27
GRAND TOTAL	6627	9.1	17	6	7	8	10	13	16	26

736: Other arthroplasty of hip (81.40; 81.52-81.53; 81.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	3.2	1	2	3	3	4	5	5	5
20-34	8	8.3	9	4	6	9	10	12	13	13
35-49	29	8.1	6	5	7	8	10	12	12	13
50-64	83	7.8	16	4	6	7	9	11	13	28
65 +	385	8.9	10	6	7	8	10	12	15	18
2. MULTIPLE DX										
0-19 YRS	28	6.0	23	3	3	5	7	9	13	28
20-34	23	8.1	16	5	6	7	10	18	43	99 +
35-49	61	10.0	31	6	7	9	11	15	16	41
50-64	253	10.2	29	5	7	9	12	16	21	33
65 +	2694	10.6	31	6	7	9	12	16	20	30
TOTAL SINGLE DX	514	8.6	11	5	7	8	10	12	14	20
TOTAL MULTIPLE DX	3059	10.5	32	6	7	9	12	16	20	31
TOTAL										
0-19 YRS	37	5.3	20	2	3	4	6	9	10	28
20-34	31	8.1	14	4	6	7	10	15	18	99 +
35-49	90	9.4	24	5	7	9	11	13	16	36
50-64	336	9.6	27	5	7	8	11	16	19	33
65 +	3079	10.3	29	6	7	9	12	15	19	29
GRAND TOTAL	3573	10.2	29	6	7	9	12	15	19	30

737: Total knee replacement (81.41; 81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	11.5	5	10	10	11	13	13	13	13
20-34	9	6.1	3	3	5	6	7	9	9	9
35-49	63	7.7	8	5	6	7	9	11	12	19
50-64	459	7.6	6	5	6	7	9	11	12	16
65 +	1134	8.1	7	5	6	8	9	11	13	16
2. MULTIPLE DX										
0-19 YRS	5	.7.4	22	1	5	7	10	14	14	14
20-34	21	8.7	15	4	6	8	10	15	17	18
35-49	118	9.7	30	6	6	9	11	14	17	38
50-64	831	8.6	12	5	7	8	10	12	14	22
65 +	3246	9.3	16	6	7	9	11	13	15	23
TOTAL SINGLE DX	1667	7.9	7	5	6	8	9	11	12	16
TOTAL MULTIPLE DX	4221	9.2	16	6	7	8	10	13	15	23
TOTAL										
0-19 YRS	7	8.6	20	2	6	9	12	14	14	14
20-34	30	7.9	13	4	6	7	9	13	17	18
35-49	181	9.0	24	5	6	8	10	13	16	33
50-64	1290	8.2	11	5	6	8	9	12	13	21
65 +	4380	9.0	14	6	7	8	10	13	15	22
GRAND TOTAL	5888	8.8	14	5	7	8	10	12	15	22

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	456	2.7	2	1	2	3	3	4	5	7
20-34	835	2.8	1	1	2	3	3	4	5	7
35-49	329	2.9	1	1	2	3	3	4	5	7
,50-64	72	4.8	9	2	3	4	6	9	12	14
65 +	58	5.7	8	2	4	6	7	9	11	16
2. MULTIPLE DX										
0-19 YRS	592	3.1	2	2	2	3	4	5	5	11
20-34	1562	3.1	3	2	2	3	4	5	6	9
35-49	628	3.5	6	2	2	3	4	5	7	13
50-64	147	5.1	28	2	3	4	6	9	12	17
65 +	187	7.1	16	3	4	7	9	12	14	23
TOTAL SINGLE DX	1750	3.0	3	1	2	3	4	5	6	9
TOTAL MULTIPLE DX	3116	3.5	7	2	2	3	4	6	7	13
TOTAL										
0-19 YRS	1048	2.9	2	1	2	3	3	4	5	9
20-34	2397	3.0	3	2	2	3	4	5	5	8
35-49	957	3.3	5	2	2	3	4	5	6	12
50-64	219	5.1	22	2	3	4	6	9	12	15
65 +	245	6.8	15	3	4	6	8	12	14	22
GRAND TOTAL	4866	3.3	5	2	2	3	4	5	7	13

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.56-81.59*; 81.71; 81.73-81.74; 81.80-81.81; 81.84; 81.86) *(post October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.2	2	1	1	2	3	5	5	5
20-34	27	2.6	4	1	1	2	3	5	7	10
35-49	50	3.4	9	1	2	2	3	8	11	15
50-64	97	3.2	7	1	1	2	4	6	9	15
65 +	137	3.5	6	1	2	3	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	0									
20-34	27	2.8	4	1	1	2	4	6	7	9
35-49	70	3.1	4	1	1	3	5	6	6	11
50-64	167	3.8	12	1	2	3	5	7	10	19
65 +	335	5.7	32	1	3	5	8	11	12	17
TOTAL SINGLE DX	316	3.3	7	1	2	2	4	6	9	14
TOTAL MULTIPLE DX	599	4.7	24	1	2	4	6	9	12	18
TOTAL										
0-19 YRS	5	2.2	3	1	1	2	3	5	5	5
20-34	54	2.7	4	1	1	2	3	6	6	10
35-49	120	3.2	6	1	2	2	4	6	8	14
50-64	264	3.5	11	1	1	3	4	7	10	18
65 +	472	5.1	26	1	2	4	7	10	12	15
GRAND TOTAL	915	4.2	18	1	2	3	6	9	11	15

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	376	1.8		1	1	2	2	3	3	5
20-34	856	1.8		1	1	2	2	3	3	5
35-49	502	1.9	5	1	1	2	2	3	3	6
50-64	337	1.9		1	1	2	2	3	4	5
65 +	132	2.3	2	1	1	2	3	4	4	9
2. MULTIPLE DX										
0-19 YRS	131	2.2	2	1	1	2	3	4	4	9
20-34	376	2.1	2	1	1	2	3	4	4	6
35-49	477	2.2	1	1	1	2	3	4	4	7
50-64	529	2.5	6	1	1	2	3	4	5	13
65 +	357	3.1	4	1	2	3	4	5	7	10
TOTAL SINGLE DX	2203	1.9	2	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	1870	2.4	4	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	507	1.9	1	1	1	2	2	3	4	5
20-34	1232	1.9	1	1	1	2	2	3	4	5
35-49	979	2.0	4	1	1	2	2	3	4	7
50-64	866	2.2	4	1	1	2	3	4	4	10
65 +	489	2.9	4	1	2	2	3	5	6	10
GRAND TOTAL	4073	2.1	3	1	1	2	3	4	4	7

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	152	2.7	8	<1	1	1	3	6	10	15
20-34	158	3.6	16	1	1	2	5	8	11	24
35-49	83	2.9	7	1	1	2	4	7	9	13
50-64	70	3.0	6	<1	1	2	4	7	8	11
65+	20	4.5	9	1	2	4	6	9	10	11
2. MULTIPLE DX										
0-19 YRS	328	4.3	41	1	2	3	5	8	18	99+
20-34	245	7.3	80	1	2	5	9	16	22	58
35-49	217	7.3	68	1	2	5	9	17	29	99+
50-64	160	7.3	57	1	2	5	10	18	22	52
65+	189	8.7	84	2	3	6	10	20	29	50
TOTAL SINGLE DX	483	3.2	11	<1	1	2	4	7	10	15
TOTAL MULTIPLE DX	1139	6.7	67	1	2	4	8	16	22	63
TOTAL										
0-19 YRS	480	3.8	32	1	1	2	4	8	14	87
20-34	403	5.9	58	1	2	4	7	13	18	47
35-49	300	6.1	56	1	2	4	7	14	21	79
50-64	230	6.0	46	1	2	4	7	15	22	42
65+	209	8.3	79	2	3	6	10	18	27	50
GRAND TOTAL	1622	5.6	53	1	2	3	7	13	20	52

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	105	2.2	4	<1	<1	1	2	5	7	10
20-34	83	1.8	2	<1	1	1	2	3	5	10
35-49	76	2.5	11	<1	1	1	3	5	7	23
50-64	52	2.9	12	<1	1	2	3	7	8	22
65+	40	3.2	20	<1	1	2	2	8	17	19
2. MULTIPLE DX										
0-19 YRS	78	6.8	74	1	1	3	10	18	30	82
20-34	72	5.1	26	1	1	3	8	11	11	27
35-49	99	6.1	89	1	2	3	7	13	21	82
50-64	137	6.5	92	1	2	3	8	13	17	65
65+	188	9.0	101	1	2	6	12	20	24	63
TOTAL SINGLE DX	356	2.4	9	<1	1	1	2	5	8	17
TOTAL MULTIPLE DX	574	7.1	86	1	2	4	9	16	23	64
TOTAL										
0-19 YRS	183	4.1	39	<1	1	2	4	11	18	38
20-34	155	3.3	17	<1	1	1	4	9	11	22
35-49	175	4.5	58	1	1	2	5	10	16	62
50-64	189	5.5	73	1	1	3	8	12	14	54
65+	228	8.0	92	1	2	5	11	19	23	53
GRAND TOTAL	930	5.3	62	1	1	2	7	13	19	41

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.6	1	<1	<1	1	2	4	4	4
20-34	10	3.6	7	<1	1	3	5	8	8	8
35-49	10	1.2		<1	1	1	1	2	2	2
50-64	40	1.1		<1	1	1	1	2	2	2
65+	29	1.2		<1	1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	13	2.4	2	1	1	2	3	5	6	6
20-34	24	4.3	45	1	1	2	5	7	18	34
35-49	24	4.0	11	1	1	3	6	7	13	13
50-64	47	1.9	2	1	1	1	2	5	6	7
65+	48	2.9	48	1	1	1	2	3	8	45
TOTAL SINGLE DX	103	1.5	1	<1	1	1	1	2	4	8
TOTAL MULTIPLE DX	156	2.9	25	1	1	1	3	6	7	33
TOTAL										
0-19 YRS	27	2.0	2	<1	1	1	2	4	5	6
20-34	34	4.1	34	1	1	2	5	8	10	34
35-49	34	3.2	10	1	1	2	5	6	11	13
50-64	87	1.5	2	<1	1	1	1	3	5	7
65+	77	2.3	31	<1	1	1	2	3	4	39
GRAND TOTAL	259	2.4	16	<1	1	1	2	5	6	21

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	1.6	1	1	1	1	2	3	4	6
20-34	143	2.1	2	1	1	2	3	4	4	8
35-49	53	1.9	3	<1	1	1	2	4	6	11
50-64	26	1.8	1	1	1	1	2	4	4	5
65+	10	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	139	2.0	4	<1	1	1	2	5	6	11
20-34	258	2.7	5	1	1	2	3	6	8	15
35-49	113	3.3	61	1	1	1	3	5	8	50
50-64	46	2.2	2	1	1	2	3	4	6	7
65+	23	2.3	2	1	1	2	3	5	6	6
TOTAL SINGLE DX	313	1.9	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	579	2.6	16	1	1	2	3	5	7	16
TOTAL										
0-19 YRS	220	1.9	3	1	1	1	2	4	5	10
20-34	401	2.5	4	1	1	2	3	5	7	13
35-49	166	2.8	43	1	1	1	2	5	7	34
50-64	72	2.1	2	1	1	2	3	4	5	7
65+	33	2.0	2	1	1	1	3	4	6	6
GRAND TOTAL	892	2.4	11	1	1	1	3	5	7	13

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	1.9	2	1	1	1	2	3	6	8
20-34	231	2.1	3	1	1	2	3	4	5	11
35-49	425	2.1	1	1	1	2	2	3	4	10
50-64	456	2.3	1	1	2	2	3	3	4	6
65 +	258	2.7	2	1	2	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	68	2.2	3	1	1	2	3	5	8	83
20-34	229	3.9	32	1	1	2	4	7	13	41
35-49	345	3.1	10	1	1	2	4	6	9	19
50-64	582	3.1	7	1	2	2	3	5	8	14
65 +	529	3.6	10	1	2	3	4	6	9	15
TOTAL SINGLE DX	1433	2.3	2	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	1753	3.3	12	1	2	2	4	6	9	19
TOTAL										
0-19 YRS	131	2.1	3	1	1	1	2	4	7	25
20-34	460	3.0	19	1	1	2	3	6	8	23
35-49	770	2.5	6	1	1	2	3	5	6	13
50-64	1038	2.7	5	1	2	2	3	4	6	12
65 +	787	3.3	8	1	2	3	4	5	8	14
GRAND TOTAL	3186	2.8	8	1	1	2	3	5	7	14

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	263	1.8	1	<1	1	2	2	3	4	5
20-34	150	1.9	1	1	1	2	2	3	4	6
35-49	172	2.0	1	1	1	2	2	4	5	7
50-64	78	2.0	1	1	1	2	3	3	4	5
65 +	44	3.6	6	1	2	3	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	446	2.3	17	<1	1	2	2	4	5	9
20-34	197	3.8	35	1	2	3	4	5	11	34
35-49	139	3.8	21	1	2	3	4	7	13	37
50-64	89	4.7	33	1	1	3	4	11	23	26
65 +	125	6.1	59	1	2	4	7	11	16	45
TOTAL SINGLE DX	707	2.0	2	1	1	2	2	4	4	7
TOTAL MULTIPLE DX	996	3.5	30	1	1	2	3	6	10	30
TOTAL										
0-19 YRS	709	2.1	11	<1	1	2	2	3	4	7
20-34	347	3.0	21	1	1	2	3	4	6	25
35-49	311	2.8	11	1	1	2	3	5	7	25
50-64	167	3.4	20	1	1	2	3	6	11	25
65 +	169	5.5	47	1	2	4	6	10	14	42
GRAND TOTAL	1703	2.9	19	1	1	2	3	5	7	24

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.3		<1	1	1	1	2	3	3
20-34	42	2.4	12	1	1	2	2	3	6	23
35-49	37	2.7	10	1	1	2	3	4	11	17
50-64	20	2.7	17	<1	1	1	2	5	13	19
65 +	13	1.9	1	<1	1	1	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	17	8.0	170	<1	1	2	7	36	41	41
20-34	55	6.6	98	1	2	3	7	13	23	56
35-49	65	4.1	27	1	1	2	4	10	15	29
50-64	38	7.7	86	1	2	4	9	19	29	44
65 +	51	5.9	78	1	1	3	7	13	24	51
TOTAL SINGLE DX	126	2.4	10	1	1	1	2	3	7	20
TOTAL MULTIPLE DX	226	6.0	77	1	1	3	7	13	24	46
TOTAL										
0-19 YRS	31	5.0	102	<1	1	1	3	12	39	41
20-34	97	4.8	65	1	1	2	4	10	17	51
35-49	[illegible]2	3.6	21	1	1	2	3	9	13	25
50-64	58	6.0	68	1	1	3	7	16	24	43
65 +	64	5.1	65	1	1	2	5	11	19	48
GRAND TOTAL	352	4.7	56	1	1	2	4	10	17	44

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	11.3	142	3	4	6	20	25	25	25
20-34	6	2.5	5	1	1	2	3	7	7	7
35-49	4	5.3	37	<1	<1	3	9	14	14	14
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	36.5	2113	4	4	36	69	69	69	69
20-34	11	20.7	415	4	6	13	34	54	63	64
35-49	7	16.3	268	2	4	7	33	40	40	40
50-64	8	8.9	121	1	2	6	9	27	35	35
65 +	10	7.6	61	1	2	3	15	20	23	23
TOTAL SINGLE DX	14	5.3	45	<1	1	3	6	15	23	25
TOTAL MULTIPLE DX	38	14.8	309	2	3	7	18	40	58	69
TOTAL										
0-19 YRS	5	21.4	789	3	4	6	36	69	69	69
20-34	17	14.3	342	1	2	7	15	46	58	64
35-49	11	12.3	203	<1	2	6	17	39	40	40
50-64	9	8.3	109	1	2	6	8	25	35	35
65 +	10	7.6	61	1	2	3	15	20	23	23
GRAND TOTAL	52	12.2	253	1	2	6	15	38	47	69

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	2.7	27	<1	1	1	2	5	15	24
20-34	12	5.9	33	1	2	4	8	13	21	22
35-49	14	7.2	67	1	2	5	9	19	28	31
50-64	13	3.3	5	1	2	2	5	7	7	7
65 +	11	5.5	45	1	1	2	6	16	22	23
2. MULTIPLE DX										
0-19 YRS	9	8.8	430	<1	1	1	3	40	64	64
20-34	46	8.0	45	1	3	6	10	18	21	29
35-49	162	12.4	123	3	7	10	15	23	28	55
50-64	254	12.6	94	3	6	10	17	23	28	54
65 +	385	10.6	80	2	5	8	13	23	26	49
TOTAL SINGLE DX	70	4.7	36	1	1	2	6	9	22	30
TOTAL MULTIPLE DX	856	11.4	95	2	5	9	15	23	28	54
TOTAL										
0-19 YRS	29	4.8	150	<1	1	1	2	6	26	64
20-34	58	7.6	43	1	3	6	10	17	21	29
35-49	176	12.0	121	2	6	9	15	23	28	55
50-64	267	12.2	94	2	5	10	17	23	28	53
65 +	396	10.5	80	2	5	8	13	23	26	49
GRAND TOTAL	926	10.9	94	2	5	8	14	22	28	53

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	4.4	5	3	3	3	6	8	8	8
20-34	5	6.8	15	4	4	4	10	12	12	12
35-49	4	7.8	11	4	5	8	10	11	11	11
50-64	4	8.8	13	4	6	9	11	13	13	13
65 +	6	9.7	13	5	8	9	11	15	16	16
2. MULTIPLE DX										
0-19 YRS	4	10.5	37	3	8	15	99 +	99 +	99 +	99 +
20-34	34	17.3	262	4	8	13	23	41	67	99 +
35-49	78	14.8	111	4	7	13	18	28	34	55
50-64	197	15.4	121	5	8	12	20	30	35	59
65 +	444	14.6	114	5	7	12	19	27	35	60
TOTAL SINGLE DX	24	7.5	13	3	4	8	10	12	14	16
TOTAL MULTIPLE DX	757	15.0	122	5	7	12	19	29	36	65
TOTAL										
0-19 YRS	9	7.1	27	3	3	8	16	99 +	99 +	99 +
20-34	39	15.9	242	4	6	11	18	40	66	99 +
35-49	82	14.5	108	4	7	12	18	28	34	55
50-64	201	15.3	120	5	8	12	20	30	35	59
65 +	450	14.6	113	5	7	12	19	27	34	60
GRAND TOTAL	781	14.7	120	5	7	12	19	29	36	65

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	2	13.5	1	13	13	13	14	14	14	14
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	11.3	159	3	4	6	18	30	30	30
65 +	8	7.4	10	3	4	8	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	9	10.0	22	4	7	9	13	16	18	18
20-34	10	10.6	63	4	5	7	14	24	26	26
35-49	29	16.0	149	6	8	11	18	32	46	55
50-64	74	16.9	238	4	7	12	20	36	46	98
65 +	423	12.9	107	5	7	10	16	26	32	66
TOTAL SINGLE DX	17	8.6	44	3	5	8	11	14	24	30
TOTAL MULTIPLE DX	545	13.6	127	5	7	10	17	27	35	77
TOTAL										
0-19 YRS	11	9.0	25	2	6	9	12	16	18	18
20-34	12	11.1	53	4	5	10	14	23	26	26
35-49	30	15.7	148	6	8	11	18	31	46	55
50-64	78	16.7	234	4	7	11	20	36	46	98
65 +	431	12.8	106	4	7	10	16	25	32	65
GRAND TOTAL	562	13.4	125	4	7	10	17	27	35	75

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	3.0	2	1	2	3	4	5	5	5
20-34	3	9.0	109	2	2	4	17	21	21	21
35-49	5	9.2	45	3	4	5	16	17	17	17
50-64	6	7.8	29	3	5	5	12	16	17	17
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	6	5.7	17	2	2	5	7	12	13	13
20-34	21	22.8	315	4	11	19	34	61	79	99 +
35-49	46	18.8	335	4	5	12	28	57	69	99 +
50-64	95	14.9	177	4	7	12	20	30	48	99 +
65 +	138	17.1	168	5	8	14	22	35	42	63
TOTAL SINGLE DX	23	6.4	34	2	3	5	5	17	19	21
TOTAL MULTIPLE DX	306	16.9	207	4	7	13	22	37	56	99 +
TOTAL										
0-19 YRS	14	4.1	10	1	2	3	5	8	12	13
20-34	24	21.1	306	4	8	19	29	59	74	99 +
35-49	51	17.8	314	4	5	12	24	48	68	99
50-64	101	14.5	171	4	7	12	19	29	45	99 +
65 +	139	17.0	168	5	8	14	22	35	42	63
GRAND TOTAL	329	16.1	202	4	7	12	21	36	54	99 +

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	4.7	19	1	1	5	6	11	15	15
20-34	15	6.1	48	1	2	4	8	10	24	29
35-49	7	3.6	3	<1	2	3	5	6	6	6
50-64	1	14.0		14	14	14	14	14	14	14
65 +	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	13	7.0	112	1	2	3	8	16	36	41
20-34	24	7.2	14	3	5	6	9	13	15	17
35-49	16	6.2	24	3	3	5	7	10	19	23
50-64	6	8.7	50	4	5	6	7	21	23	23
65 +	4	3.8	2	2	2	4	5	5	5	5
TOTAL SINGLE DX	34	5.3	30	1	2	4	6	10	15	29
TOTAL MULTIPLE DX	63	6.8	39	2	3	5	8	12	19	39
TOTAL										
0-19 YRS	22	6.0	73	1	2	3	6	11	25	41
20-34	39	6.8	27	1	3	6	8	12	16	29
35-49	23	5.4	19	2	3	4	6	9	15	23
50-64	7	9.4	46	4	5	7	12	21	23	23
65 +	6	3.8	3	2	2	4	5	6	6	6
GRAND TOTAL	97	6.3	36	2	3	5	7	11	16	35

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.7	1	<1	<1	1	3	3	3	3
20-34	14	3.4	5	1	1	3	5	7	8	8
35-49	5	3.0	5	1	1	2	5	6	6	6
50-64	7	3.7	21	1	1	2	3	12	14	14
65 +	10	4.8	25	1	1	2	10	13	15	15
2. MULTIPLE DX										
0-19 YRS	9	2.1	2	1	1	2	3	53	99 +	99 +
20-34	24	5.6	44	1	2	3	6	16	22	28
35-49	31	13.8	247	2	4	7	16	37	48	70
50-64	67	8.1	51	2	3	6	11	21	23	29
65 +	97	9.7	136	1	2	6	11	25	27	63
TOTAL SINGLE DX	42	3.5	12	1	1	2	4	9	12	15
TOTAL MULTIPLE DX	228	9.1	117	1	2	6	11	23	28	70
TOTAL										
0-19 YRS	15	1.9	2	<1	1	2	3	6	72	99 +
20-34	38	4.8	30	1	2	3	6	8	18	28
35-49	36	12.3	227	1	4	7	15	35	46	70
50-64	74	7.7	50	2	2	5	11	20	23	29
65 +	107	9.2	128	1	2	6	11	24	27	62
GRAND TOTAL	270	8.2	104	1	2	5	10	22	28	67

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	14.0		14	14	14	14	14	14	14
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	8.0		8	8	8	8	8	8	8
TOTAL SINGLE DX	5	3.0	3	1	2	3	4	5	5	5
TOTAL MULTIPLE DX	4	7.3	29	1	5	8	35	99 +	99 +	99 +
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	5.7	52	1	1	2	11	14	14	14
35-49	2	3.5	1	3	3	4	76	99 +	99 +	99 +
50-64	2	5.5	1	5	5	5	6	6	6	6
65 +	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	9	4.9	17	1	2	4	8	57	99 +	99 +

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.8	4	<1	<1	1	1	5	8	8
20-34	46	1.7	1	<1	<1	1	2	3	4	7
35-49	218	1.9	1	<1	1	2	2	3	4	8
50-64	186	1.8	1	<1	1	1	2	3	4	5
65+	118	2.2	2	<1	1	2	3	4	4	12
2. MULTIPLE DX										
0-19 YRS	7	12.3	639	1	1	1	9	57	69	69
20-34	39	5.3	54	<1	1	2	6	14	18	40
35-49	205	3.5	24	1	1	2	3	7	13	28
50-64	264	3.6	20	1	1	2	4	8	11	26
65+	336	4.4	24	1	1	3	6	10	13	29
TOTAL SINGLE DX	578	1.9	2	<1	1	2	2	3	4	7
TOTAL MULTIPLE DX	851	4.0	30	1	1	2	4	9	13	29
TOTAL										
0-19 YRS	17	6.1	271	<1	1	1	2	10	49	69
20-34	85	3.4	28	<1	1	2	3	8	14	33
35-49	423	2.7	14	<1	1	2	3	4	8	23
50-64	450	2.9	13	1	1	2	3	6	8	22
65+	454	3.8	20	1	1	2	4	8	12	27
GRAND TOTAL	1429	3.2	19	<1	1	2	3	6	10	24

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	16	3.6	11	1	2	2	4	6	12	15
35-49	72	3.2	4	1	2	3	4	6	8	12
50-64	100	3.2	6	1	2	2	4	6	8	15
65+	78	2.9	1	1	2	3	4	5	5	8
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	3.3	3	1	2	3	5	6	7	9
35-49	140	3.0	4	1	2	3	4	5	6	14
50-64	144	3.3	4	1	2	3	4	6	7	12
65+	227	3.9	13	2	2	3	4	6	9	21
TOTAL SINGLE DX	271	3.1	5	1	2	2	4	5	7	14
TOTAL MULTIPLE DX	533	3.5	8	1	2	3	4	6	8	16
TOTAL										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	37	3.5	7	1	2	2	5	6	8	15
35-49	212	3.1	5	1	2	3	4	5	7	12
50-64	244	3.3	5	1	2	3	4	6	8	15
65+	305	3.0	11	1	2	3	4	6	8	19
GRAND TOTAL	804	3.3	7	1	2	3	4	6	8	15

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	62	3.5	3	2	3	3	4	5	7	11
35-49	438	2.9	2	2	2	3	3	5	5	9
50-64	655	3.2	5	2	2	3	4	5	6	10
65+	732	3.1	1	2	2	3	4	5	5	8
2. MULTIPLE DX										
0-19 YRS	0									
20-34	70	3.3	2	2	2	3	4	5	6	8
35-49	657	3.2	3	2	2	3	4	5	6	9
50-64	983	3.4	7	2	2	3	4	5	6	11
65+	1891	3.9	7	2	3	3	4	6	8	14
TOTAL SINGLE DX	1888	3.1	3	2	2	3	4	5	6	9
TOTAL MULTIPLE DX	3601	3.6	7	2	2	3	4	6	7	12
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	132	3.4	3	2	2	3	4	5	6	11
35-49	1095	3.1	3	2	2	3	4	5	6	9
50-64	1638	3.3	7	2	2	3	4	5	6	10
65+	2623	3.7	6	2	2	3	4	6	7	12
GRAND TOTAL	5489	3.4	6	2	2	3	4	5	7	11

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	158	1.7	1	1	1	2	2	3	3	4
20-34	338	2.0	1	1	1	2	2	3	4	6
35-49	313	2.2	1	1	1	2	3	4	5	8
50-64	161	2.2	2	1	1	2	3	4	5	9
65+	59	1.9	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	66	2.3	6	1	1	2	2	3	4	19
20-34	235	2.6	5	1	2	2	3	4	7	12
35-49	647	2.4	3	1	1	2	3	4	6	9
50-64	412	2.6	4	1	1	2	3	5	6	11
65+	129	3.1	6	1	2	2	4	6	8	15
TOTAL SINGLE DX	1029	2.1	2	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	1489	2.5	5	1	1	2	3	4	6	11
TOTAL										
0-19 YRS	224	1.9	3	1	1	2	2	3	3	6
20-34	573	2.3	3	1	1	2	3	4	4	9
35-49	960	2.3	3	1	1	2	3	4	5	9
50-64	573	2.5	4	1	1	2	3	4	6	11
65+	188	2.7	5	1	1	2	3	5	7	13
GRAND TOTAL	2518	2.3	3	1	1	2	3	4	5	10

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	1.5	1	<1	1	1	2	3	4	7
20-34	129	1.9	2	1	1	1	2	3	5	11
35-49	28	1.6		1	1	1	2	3	4	4
50-64	9	2.4	8	1	1	1	2	7	10	10
65+	0			–						
2. MULTIPLE DX										
0-19 YRS	18	3.3	7	1	1	2	5	7	9	11
20-34	25	2.7	6	<1	1	1	3	6	9	11
35-49	14	4.4	20	1	2	3	4	14	15	15
50-64	5	13.0	479	1	2	4	17	52	52	52
65+	7	4.7	8	<1	2	4	7	9	9	9
TOTAL SINGLE DX	237	1.8	2	1	1	1	2	3	4	10
TOTAL MULTIPLE DX	69	4.2	44	1	1	2	5	8	11	45
TOTAL										
0-19 YRS	89	1.9	3	<1	1	1	2	4	6	10
20-34	154	2.0	4	1	1	1	2	4	5	11
35-49	42	2.5	9	1	1	2	3	4	10	15
50-64	14	6.2	180	1	1	2	4	14	44	52
65+	7	4.7	8	<1	2	4	7	9	9	9
GRAND TOTAL	306	2.3	13	1	1	1	2	4	7	13

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	178	2.0	9	<1	<1	1	2	4	6	18
20-34	136	3.5	71	<1	1	2	3	6	9	62
35-49	126	2.4	8	<1	1	1	3	6	8	16
50-64	92	3.0	13	<1	1	1	4	7	9	20
65+	55	3.4	11	<1	1	2	5	9	10	15
2. MULTIPLE DX										
0-19 YRS	148	6.3	90	<1	1	3	6	17	39	44
20-34	187	7.6	121	1	2	4	9	23	57	99+
35-49	233	6.5	47	1	2	4	9	15	26	45
50-64	222	7.9	57	1	3	6	11	21	27	99+
65+	356	8.6	93	1	3	6	10	17	28	62
TOTAL SINGLE DX	587	2.7	24	<1	1	1	3	6	8	20
TOTAL MULTIPLE DX	1146	7.6	82	1	2	5	10	18	29	99+
TOTAL										
0-19 YRS	326	3.9	50	<1	<1	1	3	8	18	42
20-34	323	5.9	104	1	1	2	6	15	34	99+
35-49	359	5.1	38	1	1	3	7	12	19	34
50-64	314	6.4	49	1	2	4	9	17	24	99+
65+	411	7.9	85	1	2	5	9	16	26	59
GRAND TOTAL	1733	5.9	68	<1	1	3	7	14	23	77

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	173	3.8	16	1	1	2	5	8	11	23
20-34	313	4.8	24	1	2	3	6	9	14	25
35-49	183	6.1	48	1	2	4	7	14	18	38
50-64	73	7.5	92	1	3	5	7	15	27	57
65+	56	6.8	32	1	3	5	9	15	19	25
2. MULTIPLE DX										
0-19 YRS	545	8.5	132	1	2	5	10	21	29	70
20-34	828	9.6	135	1	3	6	12	23	35	83
35-49	729	10.6	113	2	4	7	15	25	35	99+
50-64	641	13.4	192	2	5	9	17	32	44	85
65+	1087	13.7	143	3	6	10	18	29	41	69
TOTAL SINGLE DX	798	5.2	36	1	2	3	6	11	16	31
TOTAL MULTIPLE DX	3830	11.4	147	2	4	7	15	27	38	78
TOTAL										
0-19 YRS	718	7.3	109	1	2	4	8	18	25	68
20-34	1141	8.2	109	1	3	5	10	19	29	78
35-49	912	9.7	104	2	3	6	13	23	32	93
50-64	714	12.8	185	2	4	8	16	31	43	79
65+	1143	13.4	140	3	6	10	17	28	40	65
GRAND TOTAL	4628	10.4	133	2	3	7	13	25	35	73

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	409	3.0	6	<1	1	2	4	6	8	12
20-34	615	3.9	9	1	2	3	5	8	10	15
35-49	390	3.8	14	1	1	3	5	7	10	17
50-64	152	4.7	32	1	1	3	6	9	13	37
65+	122	3.9	12	1	1	3	6	8	10	17
2. MULTIPLE DX										
0-19 YRS	1213	3.9	26	1	1	2	5	8	13	29
20-34	2023	4.7	49	1	1	3	5	10	16	48
35-49	1483	6.0	54	1	2	4	7	13	20	43
50-64	877	7.1	71	1	2	5	8	15	22	60
65+	1397	7.8	78	1	3	5	10	17	25	45
TOTAL SINGLE DX	1688	3.7	12	1	1	3	5	7	10	16
TOTAL MULTIPLE DX	6993	5.8	57	1	2	3	7	13	19	45
TOTAL										
0-19 YRS	1622	3.7	21	1	1	2	4	8	11	25
20-34	2638	4.5	40	1	1	3	5	9	14	38
35-49	1873	5.5	47	1	2	3	6	12	17	40
50-64	1029	6.7	66	1	2	4	8	14	22	55
65+	1519	7.5	74	1	2	5	9	16	24	44
GRAND TOTAL	8681	5.4	49	1	2	3	6	12	17	40

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	3.9	19	<1	1	2	8	9	13	23
20-34	87	7.3	94	1	1	4	9	16	24	55
35-49	68	6.3	46	1	2	4	8	12	26	32
50-64	33	3.9	26	1	1	3	4	6	17	26
65+	39	6.6	37	1	2	5	10	15	20	24
2. MULTIPLE DX										
0-19 YRS	171	10.0	237	1	1	4	13	25	43	98
20-34	202	13.4	199	2	5	9	17	33	53	99+
35-49	180	15.8	310	1	4	11	20	37	58	98
50-64	160	14.0	170	2	5	10	21	36	48	99+
65+	266	13.9	199	2	4	[illegible]	20	29	42	87
TOTAL SINGLE DX	297	5.8	52	1	1	[illegible]	7	13	20	35
TOTAL MULTIPLE DX	979	13.5	224	1	4	9	19	31	51	99+
TOTAL										
0-19 YRS	241	8.3	181	1	1	3	11	20	30	93
20-34	289	11.6	175	1	3	8	15	27	45	93
35-49	248	13.2	255	1	3	8	18	32	48	94
50-64	193	12.3	160	2	3	8	19	30	44	99+
65+	305	13.0	184	2	4	9	19	27	39	85
GRAND TOTAL	1276	11.7	194	1	3	7	16	28	44	97

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	2.4	3	<1	1	1	3	6	6	6
20-34	20	4.2	18	1	1	2	5	12	13	14
35-49	16	5.6	56	1	1	2	6	16	24	27
50-64	10	4.3	76	1	1	1	2	16	29	29
65+	9	13.0	925	1	2	3	5	59	94	94
2. MULTIPLE DX										
0-19 YRS	45	5.3	114	1	1	2	6	27	99+	99+
20-34	69	14.8	235	1	3	11	23	48	94	99+
35-49	60	13.7	238	1	3	8	16	44	49	53
50-64	47	13.2	135	1	3	11	20	29	35	46
65+	80	11.5	191	1	3	8	14	26	46	68
TOTAL SINGLE DX	76	5.0	135	1	1	2	5	12	16	77
TOTAL MULTIPLE DX	301	12.0	198	1	2	7	17	38	50	99+
TOTAL										
0-19 YRS	66	4.4	80	<1	1	2	5	13	67	99+
20-34	89	12.4	206	1	2	7	19	45	62	99+
35-49	76	12.0	210	1	2	5	15	39	48	53
50-64	57	11.6	136	1	2	8	18	29	34	46
65+	89	11.7	256	1	2	6	13	27	48	85
GRAND TOTAL	377	10.6	193	1	2	5	14	31	48	99+

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	190	2.4	8	<1	<1	1	3	5	8	17
20-34	221	5.8	24	1	2	5	8	13	14	23
35-49	138	4.1	24	1	1	2	4	10	17	25
50-64	61	6.0	144	1	1	2	5	11	17	72
65+	41	3.8	18	1	1	2	5	9	12	22
2. MULTIPLE DX										
0-19 YRS	285	4.5	31	1	1	3	5	10	17	28
20-34	389	7.5	82	1	2	5	9	15	24	42
35-49	386	7.5	101	1	2	4	8	16	25	55
50-64	316	8.8	102	1	3	6	11	20	25	55
65+	501	9.3	63	3	4	7	11	18	25	45
TOTAL SINGLE DX	651	4.3	33	1	1	2	5	10	13	22
TOTAL MULTIPLE DX	1877	7.7	79	1	3	5	9	17	24	46
TOTAL										
0-19 YRS	475	3.6	23	<1	1	2	4	8	13	27
20-34	610	6.9	62	1	2	5	9	14	19	38
35-49	524	6.7	83	1	2	4	8	14	22	51
50-64	377	8.3	110	1	3	5	10	20	25	59
65+	542	8.9	62	2	4	7	11	18	23	44
GRAND TOTAL	2528	6.9	69	1	2	4	8	15	21	44

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	7	1.3		1	1	1	2	2	2	2
50-64	5	1.6	1	1	1	1	2	3	3	3
65 +	4	4.5	32	1	1	2	8	13	13	13
2. MULTIPLE DX										
0-19 YRS	10	1.8		<1	1	2	3	3	3	3
20-34	7	10.1	124	1	2	5	21	27	27	27
35-49	12	5.6	59	1	2	3	4	16	27	29
50-64	12	12.3	651	2	3	4	8	35	85	93
65 +	41	8.0	56	2	4	6	9	18	26	37
TOTAL SINGLE DX	22	2.1	7	1	1	1	2	4	8	13
TOTAL MULTIPLE DX	82	7.7	142	1	3	4	8	17	27	75
TOTAL										
0-19 YRS	13	1.6	1	<1	1	1	2	3	3	3
20-34	10	8.0	96	1	2	4	9	26	27	27
35-49	19	4.0	41	1	1	2	3	8	20	29
50-64	17	9.2	474	1	2	3	6	10	64	93
65 +	45	7.7	54	2	3	6	9	16	25	37
GRAND TOTAL	104	6.5	119	1	2	3	7	13	26	63

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.8	1	1	1	1	2	4	5	5
20-34	317	1.9	4	1	1	1	2	5	6	9
35-49	588	1.7	4	<1	1	1	1	3	6	12
50-64	317	1.7	3	<1	1	1	1	3	6	10
65 +	137	1.7	3	<1	1	1	1	4	5	11
2. MULTIPLE DX										
0-19 YRS	42	3.3	29	1	1	1	4	16	99 +	99 +
20-34	259	3.6	25	1	1	2	5	9	11	23
35-49	517	3.1	22	1	1	1	3	7	10	27
50-64	433	3.4	17	1	1	1	4	8	11	20
65 +	400	5.0	31	1	1	3	7	12	15	25
TOTAL SINGLE DX	1383	1.8	4	1	1	1	1	4	6	11
TOTAL MULTIPLE DX	1651	3.7	24	1	1	2	5	9	13	25
TOTAL										
0-19 YRS	66	2.7	19	1	1	1	3	10	32	99 +
20-34	576	2.7	14	1	1	1	3	6	9	16
35-49	1105	2.4	13	1	1	1	2	5	9	17
50-64	750	2.7	12	1	1	1	3	7	10	18
65 +	537	4.1	26	1	1	2	5	11	14	22
GRAND TOTAL	3034	2.8	16	1	1	1	3	7	10	19

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	1.4		<1	1	1	1	3	4	5
20-34	99	2.8	24	1	1	1	3	6	8	29
35-49	107	3.5	20	1	1	1	4	10	15	21
50-64	87	2.7	6	<1	1	2	4	6	7	14
65 +	129	2.8	9	<1	1	2	3	6	9	17
2. MULTIPLE DX										
0-19 YRS	60	6.0	48	1	1	3	9	13	20	37
20-34	136	6.4	56	1	2	4	8	13	20	39
35-49	200	6.1	64	1	2	4	8	12	18	45
50-64	345	6.5	57	1	2	5	8	13	17	38
65 +	699	6.0	34	1	2	5	8	12	16	29
TOTAL SINGLE DX	455	2.8	14	<1	1	1	3	6	9	18
TOTAL MULTIPLE DX	1440	6.2	47	1	2	4	8	13	17	32
TOTAL										
0-19 YRS	93	4.4	36	1	1	2	5	13	15	32
20-34	235	4.9	46	1	1	3	6	12	15	39
35-49	307	5.2	51	1	1	3	7	12	17	35
50-64	432	5.8	50	1	2	4	7	12	16	35
65 +	828	5.5	32	1	2	4	7	11	16	26
GRAND TOTAL	1895	5.4	41	1	1	3	7	12	16	30

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	39	2.3	4	<1	1	1	3	6	7	8
50-64	62	2.5	5	<1	<1	2	3	6	7	12
65 +	104	3.2	5	<1	1	2	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	3.4	8	<1	1	2	6	7	8	8
35-49	173	3.3	7	<1	1	2	5	7	9	11
50-64	441	3.5	10	<1	1	2	5	7	9	15
65 +	521	4.6	17	<1	1	3	7	10	12	19
TOTAL SINGLE DX	208	2.8	5	<1	1	2	4	7	8	10
TOTAL MULTIPLE DX	1152	4.0	13	<1	1	3	6	8	10	17
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	19	3.1	8	<1	1	1	6	7	8	8
35-49	212	3.1	7	<1	1	2	5	7	8	10
50-64	503	3.4	10	<1	1	2	5	7	9	14
65 +	625	4.4	16	<1	1	3	6	9	11	18
GRAND TOTAL	1360	3.8	12	<1	1	3	5	8	10	16

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	180	2.3	3	1	1	2	3	5	7	9
20-34	323	3.4	14	1	1	2	4	8	10	15
35-49	219	3.9	9	1	1	3	6	8	10	13
50-64	207	4.1	9	<1	1	4	7	8	9	13
65 +	185	3.8	9	<1	1	3	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	144	3.8	33	1	1	2	5	8	11	27
20-34	411	5.2	26	1	2	4	7	10	14	22
35-49	577	7.0	49	1	3	6	9	14	20	48
50-64	913	6.2	43	1	2	5	8	12	15	31
65 +	1839	6.6	30	1	3	6	8	13	16	28
TOTAL SINGLE DX	1114	3.5	10	1	1	2	5	8	9	14
TOTAL MULTIPLE DX	3884	6.3	36	1	2	5	8	12	16	31
TOTAL										
0-19 YRS	324	3.0	18	1	1	2	3	7	9	14
20-34	734	4.4	22	1	1	3	6	9	13	21
35-49	796	6.2	41	1	2	5	8	12	16	41
50-64	1120	5.8	38	1	2	5	8	11	14	29
65 +	2024	6.3	29	1	2	5	8	13	16	27
GRAND TOTAL	4998	5.7	32	1	2	4	8	11	15	29

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	985	2.6	7	1	1	2	3	5	8	15
20-34	958	3.7	15	1	1	3	4	7	10	24
35-49	742	4.0	19	1	2	3	5	8	10	27
50-64	485	4.2	16	1	2	3	5	8	11	20
65 +	478	4.3	19	1	2	3	5	8	11	27
2. MULTIPLE DX										
0-19 YRS	2608	4.7	55	1	1	3	5	10	16	52
20-34	2663	5.6	56	1	2	3	6	12	19	50
35-49	3094	5.9	50	1	2	4	7	12	17	38
50-64	4424	6.3	45	2	3	5	8	12	17	34
65 +	13088	6.6	30	2	3	5	8	12	16	28
TOTAL SINGLE DX	3648	3.6	16	1	1	2	4	7	10	21
TOTAL MULTIPLE DX	25877	6.2	41	1	2	5	8	12	17	34
TOTAL										
0-19 YRS	3593	4.1	43	1	1	2	4	9	14	42
20-34	3621	5.1	46	1	2	3	6	11	17	42
35-49	3836	5.5	45	1	2	4	7	11	16	35
50-64	4909	6.1	43	2	2	4	7	12	17	33
65 +	13566	6.5	30	2	3	5	8	12	16	28
GRAND TOTAL	29525	5.8	39	1	2	4	7	12	16	33

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1700	3.1	11	1	1	2	4	6	8	14
20-34	2986	2.9	8	1	1	2	4	6	8	14
35-49	2053	3.4	11	1	1	2	4	7	9	17
50-64	1207	3.4	11	1	1	2	4	7	9	14
65 +	850	4.0	11	1	2	3	5	8	9	15
2. MULTIPLE DX										
0-19 YRS	4554	5.9	64	1	2	4	6	12	19	45
20-34	5951	4.7	34	1	2	3	5	9	13	34
35-49	6465	5.2	28	1	2	4	6	10	14	29
50-64	8793	5.7	24	2	3	4	7	11	14	27
65 +	21469	6.2	22	2	3	5	8	11	14	24
TOTAL SINGLE DX	8796	3.2	11	1	1	2	4	6	9	15
TOTAL MULTIPLE DX	47232	5.8	30	2	3	4	7	11	14	28
TOTAL										
0-19 YRS	6254	5.1	52	1	2	3	6	10	16	40
20-34	8937	4.1	27	1	2	3	5	8	11	27
35-49	8518	4.7	25	1	2	3	6	9	13	26
50-64	10000	5.4	24	1	2	4	7	10	14	26
65 +	22319	6.1	22	2	3	5	8	11	14	24
GRAND TOTAL	56028	5.4	27	1	2	4	7	10	14	27

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	3.6	10	1	1	3	4	9	11	15
20-34	8	2.3	1	1	1	2	3	4	4	4
35-49	22	5.0	18	1	2	4	6	11	16	19
50-64	5	13.6	342	3	3	4	20	46	46	46
65 +	16	8.6	64	2	4	5	11	20	29	32
2. MULTIPLE DX										
0-19 YRS	892	16.2	373	2	4	9	22	53	77	99 +
20-34	160	9.4	169	1	3	4	10	27	39	84
35-49	176	9.5	107	2	3	6	13	20	30	98
50-64	376	10.3	70	3	5	8	13	22	29	87
65 +	965	11.2	81	3	6	9	14	21	29	58
TOTAL SINGLE DX	91	5.2	43	1	2	3	5	11	15	40
TOTAL MULTIPLE DX	2569	12.6	196	2	4	9	15	29	49	99 +
TOTAL										
0-19 YRS	932	15.7	365	2	3	9	21	50	76	99 +
20-34	168	9.1	164	1	2	4	10	26	39	83
35-49	198	9.0	100	2	3	6	13	20	28	96
50-64	381	10.4	74	3	5	8	13	22	30	85
65 +	981	11.2	82	3	6	9	14	21	29	57
GRAND TOTAL	2660	12.4	193	2	4	8	15	29	47	99 +

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2716	3.2	21	1	1	2	3	5	11	26
20-34	550	4.0	27	1	2	3	4	7	10	33
35-49	513	4.4	40	1	2	3	5	8	12	33
50-64	311	3.7	13	1	2	3	4	7	9	19
65 +	297	4.8	37	1	2	3	6	8	11	36
2. MULTIPLE DX										
0-19 YRS	5159	5.0	58	1	2	3	4	10	19	43
20-34	12[illegible]4	7.8	94	1	2	4	9	24	28	56
35-49	[illegible]	6.9	77	1	2	4	7	16	27	51
50-64	24[illegible]	6.5	58	2	3	4	7	13	20	47
65 +	7336	7.3	47	2	3	5	9	14	19	37
TOTAL SINGLE DX	4387	3.6	25	1	1	2	4	6	11	27
TOTAL MULTIPLE DX	17773	6.5	59	1	2	4	7	14	21	42
TOTAL										
0-19 YRS	7875	4.4	47	1	2	2	4	8	17	38
20-34	1814	6.7	77	1	2	4	7	18	28	43
35-49	2074	6.3	69	1	2	4	7	14	25	46
50-64	2764	6.2	55	2	2	4	7	12	18	44
65 +	7633	7.2	48	2	3	5	8	14	19	37
GRAND TOTAL	22160	5.9	54	1	2	4	7	12	20	38

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1155	2.3	1	1	1	2	3	4	5	7
20-34	277	2.8	5	1	1	2	4	5	6	15
35-49	276	3.3	4	1	2	3	4	6	8	11
50-64	210	3.9	7	1	2	3	5	7	9	13
65 +	264	4.2	7	1	2	4	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	1995	4.5	23	1	2	3	5	9	13	25
20-34	997	4.4	31	1	2	3	5	9	12	24
35-49	1392	5.1	27	1	2	4	6	10	13	27
50-64	2631	5.7	19	2	3	5	7	11	13	23
65 +	8555	6.7	24	2	4	5	8	12	16	26
TOTAL SINGLE DX	2182	2.9	4	1	1	2	4	5	7	11
TOTAL MULTIPLE DX	15570	6.0	25	2	3	5	7	11	15	26
TOTAL										
0-19 YRS	3150	3.7	17	1	1	3	4	7	10	20
20-34	1274	4.0	26	1	2	3	5	8	11	20
35-49	1668	4.8	24	1	2	4	6	9	12	25
50-64	2841	5.6	19	2	3	4	7	10	13	23
65 +	8819	6.6	24	2	3	5	8	12	15	26
GRAND TOTAL	17752	5.6	24	1	3	4	7	11	14	25

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1709	2.5	17	1	1	1	3	4	7	16
20-34	832	3.7	43	< 1	1	2	4	7	11	29
35-49	1131	2.8	9	1	1	2	3	5	7	17
50-64	1062	2.8	8	1	1	2	3	6	8	13
65 +	898	3.4	10	1	2	2	4	7	8	13
2. MULTIPLE DX										
0-19 YRS	5837	6.6	130	1	2	3	6	15	30	74
20-34	2455	4.8	52	1	1	3	5	11	17	57
35-49	4171	4.2	31	1	1	2	5	9	13	33
50-64	7014	4.8	34	1	2	3	6	9	14	30
65 +	15842	5.7	29	2	2	4	7	11	15	27
TOTAL SINGLE DX	5632	2.9	17	1	1	2	3	6	8	18
TOTAL MULTIPLE DX	35319	5.4	49	1	2	3	6	11	16	39
TOTAL										
0-19 YRS	7546	5.7	108	1	1	2	5	12	25	64
20-34	3287	4.5	50	1	1	2	5	10	16	48
35-49	5302	3.9	27	1	1	2	4	8	12	30
50-64	8076	4.5	32	1	2	3	5	9	13	29
65 +	16740	5.5	28	1	2	4	7	11	15	27
GRAND TOTAL	40951	5.1	46	1	2	3	6	10	15	37

APPENDIX A

1989 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL[3]
Hospital Category			
Bedsize			
6-24	378	55	14.6
25-49	1,126	189	16.8
50-99	1,202	221	18.4
100-199	1,143	213	18.6
200-299	714	122	17.1
300-399	392	87	22.2
400-499	202	40	19.8
500+	268	54	20.1
Unknown	1	0	
Total	**5,426**	**981**	**18.1**
Region and Census Division			
Northeast	773	213	27.6
New England	232	78	33.6
Middle Atlantic	541	135	25.0
North Central	1,579	304	19.3
East North Central	825	270	32.7
West North Central	754	34	4.5
South	2,052	156	7.6
South Atlantic	801	88	11.0
East South Central	474	37	7.8
West South Central	777	31	4.0
West	1,022	308	30.1
Mountain	363	160	44.1
Pacific	659	148	22.5
Location			
Urban	2,851	553	19.4
Rural	2,575	428	16.6
Teaching Intensity			
Low	4,443	731	16.5
Medium	687	173	25.2
High	296	61	20.6
Unknown	0	16	

---

[1] Hospitals with average stay less than 30 days

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1989 sample is compared to the universe of hospitals in 1988.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1988 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P.,J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texas
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1989 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine

Group No.	Title
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy, except ischemic
150	ischemic
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit
	Cellulitis **(continued)**
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic (continued)
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox

Group No.	Title
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired

DIAGNOSIS INDEX (continued)

Group No.	Title
134	Degeneration, globe of eye
86	Dehydration
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic
112	amphetamine
112	barbiturate
112	cocaine
	Dependence (continued)
111	heroin
112	LSD
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Dialysis (continued)
415	renal
214	Diaphragmatic hernia
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's
80	Cushing's
13	cytomegalic inclusion
197	dental
219	diverticular
	Disease **(continued)**
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
146	with renal disease or failure
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
146	with renal disease or failure
145	renal
146	with heart disease or failure
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumoconioses
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious

DIAGNOSIS INDEX (continued)

Group No. **Title**

Disease **(continued)**
- 150 ischemic heart, except acute infarction and angina pectoris
- 197 jaw
- 317 joint, except internal derangement, ruptured disc, and sacroiliac
  - 322 sacroiliac
- 243 kidney, except nephritis, nephrosis, infection, and calculus
- 78 Kimmelstiel-Wilson
- 133 lacrimal tract, inflammation
- 198 lip
- 227 liver, except infectious and serum hepatitis, and cirrhosis
- 196 lung, except pneumonia, obstructive, and pneumothorax
  - 193 obstructive, except asthma, bronchitis, and emphysema
- 14 Lyme
- 254 male genitalia, except prostate, hydrocele, and inflammatory
- 138 Meniere's
- 198 mouth, except dental
- 124 muscle, except deformity
- 127 nervous system, except CNS and sciatica
- 193 obstructive lung, except asthma, bronchitis, and emphysema
- 266 ovary, except endometriosis
- Paget's
  - 329 bone
  - 34 breast
- 232 pancreas
- 266 parametrium, except endometriosis
- 19 parasitic, except helminthiasis
- 121 Parkinson's
- 258 pelvic inflammatory
- 206 peptic
- 345 perinatal, except prematurity and jaundice
- 127 peripheral nervous system, except sciatica
- 224 peritoneum, except peritonitis
- 196 pleura
- 250 prostate, except hypertrophy

Group No. **Title**

Disease **(continued)**
- 196 respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
- rheumatic
  - 141 active
  - 142 chronic
- 198 salivary gland
- 88 sickle-cell
- 310 skin, except infective, pilonidal, ulcer, and sebaceous cysts
- 206 stomach, except ulcer and inflammatory
- 197 teeth
- 331 tendon, except tenosynovitis
- 198 tongue
- 357 undiagnosed
- 196 upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
- 243 ureter, except calculus
- 248 urethra, except calculus and stricture
- 15 venereal
- 13 viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
  - 9 with exanthem

377 Dislocation, joint, except knee and shoulder
- 376 knee
- 375 shoulder

Disorder
- 118 behavior
- 86 electrolyte
- 84 immunodeficiency, except AIDS
  - 13 AIDS
- 264 menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
- 109 personality
- 115 psychophysiologic

321 Displacement of intervertebral disc, except lumbar
- 320 lumbar

DIAGNOSIS INDEX (continued)

Group No. Title

- 173 Dissecting aortic aneurysm
- 195 Distress, acute respiratory
- 219 Diverticulitis
- 219 Diverticulosis
- Diverticulum
  - 199 esophagus
  - 219 intestine
- Drug
  - 114 abuse, except alcohol
  - 112 dependence, except opioid
    - 111 opioid
  - 99 induced psychosis
  - 402 poisoning or overdose
  - 99 withdrawal syndrome or symptoms
- 113 Drunkenness
- 206 Duodenal disease, except ulcer and inflammation
  - ulcer-*see Ulcer, duodenal*
- 205 Duodenitis
- 2 Dysentery
- Dysfunction
  - 79 ovarian
  - 332 somatic (osteopathic)
- 267 Dysmenorrhea
- 267 Dyspareunia
- 353 Dyspnea
- 108 Dysthymia
- 124 Dystrophy, muscular
- 354 Dysuria

- 346 Eclampsia
  - 275 of pregnancy
    - 301 with delivery
- 268 Ectopic pregnancy
- Effect, adverse
  - 404 drugs, not otherwise specified
    - 402 overdose or wrong substance given or taken
  - 404 external conditions

Group No. Title

- Effect, adverse **(continued)**
  - 403 nonmedical substance
  - 404 radiation
  - 404 temperature
- 282 Elderly primigravida
  - 301 with delivery
- Elective
  - 269 abortion
  - 410 sterilization
- 86 Electrolyte imbalance or disorder
- Embolism
  - 175 arterial, except cerebral, precerebral, and lower limb
  - cerebral
    - 165 without paralysis
    - 166 with paralysis
  - 171 lower limb
  - precerebral
    - 163 without paralysis
    - 164 with paralysis
  - 151 pulmonary, except postoperative
    - 408 postoperative
  - 180 vein
- 191 Emphysema
- 120 Encephalitis, except viral
  - 13 viral
    - 20 late effect
- 152 Endocarditis, acute and subacute bacterial
- 80 Endocrine disease, except ovary, thyroid, and diabetes mellitus
- 259 Endometriosis
- 261 Endometritis, except puerperal
  - 302 puerperal
- 73 Enlarged thyroid
- 218 Enteritis, except bacterial, regional, and viral
  - 2 bacterial
  - 218 noninfectious
  - 222 regional
  - 1 viral

DIAGNOSIS INDEX (continued)

Group No.	Title
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension
	Examination
417	follow-up
417	medical
	Failure
156	heart, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
238	renal, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow
	Fibrillation or flutter
154	atrial
155	ventricular

Group No.	Title
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible
372	medial malleolus
368	metacarpal
372	metatarsal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis

Group No.	Title
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	Title
	Heart
147	attack
156	failure, execpt hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids

Group No.	Title
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No.	Title
357	Hyperbilirubinemia, unspecified
84	constitutional
344	neonatal
84	Hypercalcemia
276	Hyperemesis gravidarum
80	Hyperinsulinism
84	Hyperlipoproteinemia
80	Hyperparathyroidism
249	Hyperplasia of prostate
86	Hyperpotassemia
143	Hypertension, except renal and of pregnancy
275	of pregnancy
301	with delivery
145	renal
146	renovascular
134	Hypertensive retinopathy
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial

Group No.	Title
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion

DIAGNOSIS INDEX (continued)

Group No.	Title
	Injury (continued)
386	internal, except chest
385	chest
401	knee
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*

Group No.	Title
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
14	Lyme
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria
32	Malignant melanoma, skin
105	Manic-depressive psychosis
342	Marfan syndrome
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis

Group No.	Title
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
27	bile duct
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye

Group No.	Title
	Neoplasm, malignant **(continued)**
38	fallopian tube
27	gallbladder
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, not further specified
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
27	liver
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple
411	single term
412	twin
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis
	Ovarian
257	cyst
266	disease, except endometriosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian (continued)
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst

Group No.	Title
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome

DIAGNOSIS INDEX (continued)

Group No. Title

- 180 Postmastectomy lymphedema
- Postoperative wound
  - 408 dehiscence
  - 406 hemorrhage
  - 407 infection
- Postpartum
  - 304 complication, not elsewhere classified
  - 281 depression
- 4 Pott's disease
- 342 Prader-Willi syndrome
- Precerebral occlusion
  - 163 without paralysis
  - 164 with paralysis
- 357 Prediabetes
- 275 Pre-eclampsia
  - 301 with delivery
- 130 Preglaucoma
- 417 Pregnancy
  - 268 ectopic
  - 268 ovarian
  - 282 post-term
    - 301 with delivery
  - 268 tubal
  - 417 undelivered
- 282 Premature rupture of membranes
  - 296 with delivery
- 343 Prematurity of newborn
- 267 Premenstrual tension
- 95 Presenile dementia or psychosis
- 222 Proctocolitis, idiopathic
- Prolapse
  - 134 iris
  - 262 uterovaginal
- 250 Prostatic disease, except hypertrophy
  - 249 hypertrophy
- Proteinuria
  - 357 except postural

Group No. Title

- Proteinuria **(continued)**
  - 236 postural or orthostatic
- Psychogenic
  - 115 diarrhea
  - 115 hyperventilation
  - 115 paralysis
  - 115 vomiting
- 123 Psychomotor epilepsy
- 106 Psychosis
  - 98 alcoholic
  - 95 Alzheimer's
  - 96 arteriosclerotic
  - 104 depressive
  - 99 drug-induced
  - 105 manic-depressive
  - 94 organic, acute or transient
    - 97 chronic, except arteriosclerotic and Alzheimer's
  - 97 senile
- 104 Psychotic depression
- 304 Puerperal complication
  - 301 with delivery
- Pulmonary
  - 151 embolism
  - 191 emphysema
  - 3 tuberculosis
  - valve disease-*see Valvular disease*
- 240 Pyelitis, except acute
  - 239 acute
- 240 Pyelonephritis, except acute
  - 239 acute
- 337 Pyloric stenosis, congential
- 347 Pyrexia of unknown origin
  - 302 puerperal

- 13 Rabies
- 417 Radiotherapy session or treatment
- 357 Rash

DIAGNOSIS INDEX (continued)

Group No.	Title
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis
409	Serum sickness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective

Group No.	Title
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No.	Title
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis

Group No.	Title
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper respiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart

Group No.	Title
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery

Group No.	Title
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No. Title

- Aspiration
  - 768 breast, except for biopsy
    - 757 biopsy
  - 756 bursa
  - 690 cul-de-sac
  - 685 curettage, uterus, except for termination of pregnancy
    - 682 termination of pregnancy
  - 658 hydrocele, except of spermatic cord
    - 663 spermatic cord
  - 636 kidney
  - 614 liver, percutaneous, except for biopsy
    - 615 biopsy
  - 536 middle ear
  - 545 nasal sinus
  - 671 ovary
  - 768 skin
  - 663 spermatocele
  - 529 vitreous
- Augmentation
  - 760 breast
  - 707 chin

- Balloon
  - 582 angioplasty, except coronary
    - 571 coronary
  - 570 valvuloplasty, heart
- Biopsy
  - 515 adrenal gland
  - 611 anus
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 714 femur
  - 586 bone marrow
  - 501 brain

Group No. Title

- Biopsy (continued)
  - 757 breast
  - 562 bronchus
  - 501 cerebral meninges
  - 676 cervix
  - 598 colon
  - 598 duodenum
  - 676 endocervical
  - 589 esophagus
  - 531 eyeball
  - 517 eyelid
  - 674 fallopian tubes
  - 598 intestine (large) (small)
  - 732 joint structure
  - 636 kidney
  - 598 large intestine
  - 557 larynx
  - 551 lip
  - 615 liver
  - 564 lung
  - 583 lymph nodes
  - 569 mediastinum
  - meninges
    - 501 cerebral
    - 507 spinal
  - 742 muscle
  - 545 nasal sinus
  - 542 nose
  - 531 orbit
  - 668 ovary, except by aspiration
    - 671 aspiration
  - 620 pancreas
  - 666 penis
  - 508 peripheral nerve
  - 628 peritoneum
  - 555 pharynx
  - 569 pleura

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
657	prostate
606	rectum
549	salivary gland or duct
658	scrotum
762	skin
598	small intestine
507	spinal meninges
593	stomach
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary

Group No.	Title
	Bypass, graft or shunt (continued)
597	gastric
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization **(continued)**
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder

Group No.	Title
	Control of hemorrhage **(continued)**
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Debridement (continued)
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
602	large intestine
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
609	EGD (esophagogastroduodenoscopy), except with biopsy
598	with biopsy
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy (continued)
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No.	Title
	Excision (continued)
	hydrocele (continued)
663	spermatic cord
658	tunica vaginalis
729	intervertebral disc or cartilage, except chemonucleolysis
728	chemonucleolysis
732	joint, except intervertebral disc and cartilage of knee
729	intervertebral disc, except chemonucleolysis
728	chemonucleolysis
730	knee cartilage
633	kidney, except partial
636	partial
730	knee cartilage (semilunar)
583	lymph nodes, except radical
584	radical
508	neuroma, peripheral nerve
	ovary
670	bilateral
669	unilateral
549	parotid gland
761	pilonidal cyst or sinus
515	pituitary gland
656	prostate, except transurethral approach
655	transurethral approach
522	pterygium
762	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
730	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
767	toenail
551	tongue
552	tonsil, except with adenoids
553	with adenoids
555	tonsil tag

Group No.	Title
	Excision (continued)
	tubes and ovaries
670	bilateral
669	unilateral
678	uterine fibroid
577	varicocele, except of spermatic cord
663	spermatic cord
	Excision of lesion (and destruction of tissue)
628	abdominal wall
611	anus
619	bile duct, except by ERCP
618	by ERCP
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
501	brain
757	breast
562	bronchus
501	cerebral meninges
676	cervix, except by conization
675	conization
598	colon
520	conjunctiva
522	cornea
598	duodenum
533	ear, external
589	esophagus
531	eye
517	eyelid
674	fallopian tube
548	gingiva, gums
598	intestine
524	iris
636	kidney

OPERATION INDEX (continued)

Group No. **Title**
Excision of lesion (continued)
598 large intestine
557 larynx
551 lip
564 lung
meninges
  501 cerebral
  507 spinal
742 muscle
nerve
  508 peripheral
  511 sympathetic
542 nose, except submucous resection
  540 submucous resection
668 ovary
620 pancreatic duct, except by ERCP
  618 by ERCP
549 parotid gland
666 penis
perineum
  691 female
  762 male
508 peripheral nerve
607 perirectal tissue
628 peritoneum
606 rectum
549 salivary gland
524 sclera
658 scrotum
762 skin, except debridement, radical and of pilonidal cyst
  763 debridement
  761 pilonidal cyst or sinus
  764 radical
507 skull
598 small intestine
507 spinal meninges
593 stomach

Group No. **Title**
Excision of lesion (continued)
742 tendon
661 testis
551 tongue
558 trachea
640 ureter
646 urethra
687 uterine ligament
678 uterus
690 vagina
558 vocal cord
691 vulva
Exenteration
  531 eyeball, orbit
  681 pelvic
Exploration
  629 abdominal cavity
  619 bile duct, except by ERCP
    618 by ERCP
  636 kidney
629 Exploratory laparotomy
601 Exteriorization, intestine
Extracorporeal
  582 circulation
  582 membrane oxygenation (ECMO)
  shock wave lithotripsy (ESWL)
    619 biliary tract
    652 urinary tract
Extraction
  696 breech, for delivery
  546 dental
  694 menstrual
  546 teeth
  697 vacuum, for delivery

767 Face lift

OPERATION INDEX (continued)

Group No.	Title
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
	Fistulization
523	sclera (for glaucoma)
561	transesophageal (larynx)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction

Group No.	Title
	Fracture-reduction **(continued)**
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy

OPERATION INDEX (continued)

Group No.	Title
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation

Group No.	Title
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
755	limb prosthesis
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain
760	breast
501	cerebral meninges
568	chest (wall)
522	cornea
502	cranial sinus

OPERATION INDEX (continued)

Group No. **Title**

Incision (and drainage) **(continued)**
- 533 ear, external
- 518 eyelid
- 551 floor of mouth
- 619 gallbladder
- 548 gingiva, gums
- 601 intestine
- 727 joint
- 519 lacrimal gland or sac
- 614 liver
- 583 lymph nodes
- 538 mastoid
- meninges
  - 501 cerebral
  - 506 spinal
- 536 middle ear
- 741 muscle
- nasal sinus-*see Sinusotomy*
- 741 palmar space (hand)
- 620 pancreas
- 613 perianal tissue
- perineum
  - 691 female
  - 764 male
- 607 perirectal tissue
- 629 peritoneum, except via cul-de-sac
  - 690 via cul-de-sac
- 761 pilonidal cyst or sinus
- 568 pleura
- 607 rectovaginal septum
- 607 rectum
- 628 retroperitoneal abscess
- 658 scrotum
- sinus (nasal)-*see Sinusotomy*
- 764 skin, except pilonidal cyst or sinus
  - 761 pilonidal cyst or sinus
- 506 spinal meninges

Group No. **Title**

Incision (and drainage) **(continued)**
- 741 tendon
- 568 thorax
- 637 ureter
- 690 vagina
- 691 vulva

698 Induction of labor (medical or surgical) for delivery

Infusion
- concentrated nutritional substances
  - 783 enteral
  - 781 parenteral (PPN) (TPN)

Injection
- 702 intra-amniotic, for termination of pregnancy
- 781 therapeutic agent (drugs)
  - 760 breast
  - 756 bursa
  - 756 joint
  - 756 tendon

694 Insemination, artificial

Insertion
- 717 bone growth stimulator, except femur
  - 716 femur
- 574 cardiac pacemaker (electrode) (pulse generator)
- 512 catheter, spinal canal
- 596 gastric balloon
- 764 infusion pump
- 694 intrauterine contraceptive device
- 687 laminaria, uterus
- 665 penile prosthesis
- 767 tissue expander, except breast
  - 760 breast
- 651 ureteral stent, except by incision
  - 637 by incision

674 Insufflation, fallopian tubes

582 Interruption, vena cava

702 Intra-amniotic injection for termination of pregnancy

775 Intravenous pyelogram (IVP)

OPERATION INDEX (continued)

Group No.	Title
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)

Group No.	Title
522	Keratotomy, radial

Group No.	Title
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand

Group No.	Title
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
757	subtotal
537	Mastoidectomy, except revision
538	revision

OPERATION INDEX (continued)

Group No. Title
760 Mastotomy
Meatotomy
640   ureteral
645   urethral
698 Medical induction of labor
730 Meniscectomy, knee
694 Menstrual extraction or regulation
707 Mentoplasty
782 Monitoring, circulatory (CVP) (PCW)
775 MRI (magnetic resonance imaging)
770 Myelography
678 Myomectomy, uterus
536 Myringotomy

633 Nephrectomy (complete)
636 Nephropexy
775 NMR (nuclear magnetic resonance imaging)
Nutritional infusion
783   enteral
781   parenteral (PPN) (TPN)

690 Obliteration, vagina or vaginal vault
767 Onychectomy
767 Onychoplasty
Oophorectomy
670   bilateral
669   unilateral
532 Ophthalmoscopy
659 Orchiectomy
660 Orchiopexy
661 Orchioplasty, except suspension
660   suspension
715 Ostectomy, except facial bone and femur
707   facial bone, except partial
706   partial

Group No. Title
Ostectomy, except facial bone and femur **(continued)**
714   femur
717 Osteoplasty, except facial bone and femur
707   facial bone
714   femur
712 Osteotomy, except facial bone and femur
707   facial bone
711   femur
539 Otoscopy

550 Palatoplasty
620 Pancreatectomy
620 Pancreatotomy
Paracentesis
628   abdominal
524   anterior chamber (eye)
576   thoracic
514 Parathyroidectomy
549 Parotidectomy
592 PEG (percutaneous endoscopic gastrostomy)
603 PEJ (percutaneous endoscopic jejunostomy)
681 Pelvic exenteration
Percutaneous
  endoscopic
592   gastrostomy (PEG)
603   jejunostomy (PEJ)
582   transluminal angioplasty, except coronary
571   coronary
575 Pericardiocentesis
631 Peritoneal dialysis
630 Peritoneoscopy
556 Pharyngoscopy
555 Pharyngotomy
773 Phlebography
781 Photopheresis
539 Piercing, ear

OPERATION INDEX (continued)

Group No.	Title
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
	Polypectomy
589	esophagus
598	large intestine
593	stomach
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy

Group No.	Title
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)

OPERATION INDEX (continued)

Group No. **Title**

- Reduction (continued)
  - fracture
    - 709 facial bone, except closed reduction
      - 708 closed reduction
    - femur
      - 721 closed, except with internal fixation
        - 719 with internal fixation
      - 721 open, except with internal fixation
        - 720 with internal fixation
    - 709 mandible, except closed reduction
      - 708 closed reduction
    - 709 maxillofacial, except closed reduction
      - 708 closed reduction
    - 543 nose
    - site, other than above
      - 724 closed, except with internal fixation
        - 722 with internal fixation
      - 724 open, except with internal fixation
        - 723 with internal fixation
  - 621 hemorrhoids
  - hernia-*see also Herniorrhaphy*
    - 783 manual
  - 602 intestinal torsion
  - 602 intussusception, intestine
  - 760 mammoplasty
  - 602 volvulus, intestine
- Rehabilitation
  - 779 alcohol
  - 779 drug
- Release
  - adhesions-*see Lysis, adhesions*
  - 743 Dupuytren's contracture
  - 767 scar contracture, skin
  - 648 urethral stricture
- Removal
  - 718 bone growth stimulator

Group No. **Title**

- Removal (continued)
  - calculus
    - 619 biliary tract, except by ERCP or percutaneous
      - 618 by ERCP
      - 617 percutaneous
    - 644 bladder, except transurethral approach
      - 643 transurethral approach
    - 636 kidney, except transurethral approach
      - 639 transurethral approach
    - 519 lacrimal tract (by incision)
      - 532 without incision
    - 620 pancreatic duct, except by endoscopic approach
      - 618 endoscopic approach
    - 637 ureter, except transurethral approach
      - 639 transurethral approach
  - 783 catheter, nonoperatively
  - 783 cholecystotomy tube
  - 701 ectopic fetus
  - 718 fixation device, internal
  - foreign body
    - 780 bronchus, except with incision
      - 562 with incision
    - 531 eye, except as below
      - 524 anterior chamber
      - 520 conjunctiva
      - 524 iris
      - 527 lens
    - prosthesis
      - 760 breast
      - 727 joint
  - 597 gastric balloon
  - 666 penile prosthesis
  - 705 retained placenta, manually
  - 783 sutures
  - 783 t-tube, gallbladder
  - 783 therapeutic device, nonoperatively

OPERATION INDEX (continued)

Group No.	Title
	Removal **(continued)**
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
713	claw toe
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus
	Repair **(continued)**
713	hammer toe
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	laceration-*see also Repair, by site*
705	obstetric
561	larynx
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear

OPERATION INDEX (continued)

Group No. **Title**

- Repair **(continued)**
  - 745 rotator-cuff (shoulder)
  - 503 skull
  - 507 spina bifida
  - 507 spinal meningocele
  - 597 stomach, except pylorus
    - 596 pylorus
  - 650 stress incontinence, except urethral suspension
    - 649 urethral suspension
  - 746 tendon, except of hand
    - 744 hand
  - 661 testis
  - 713 toe(s)
  - 561 trachea
  - 640 ureter
  - 646 urethra
  - 687 uterus, except obstetric laceration and supporting structures
    - 705 obstetric laceration
    - 686 supporting structures
  - 689 vagina, except for cystocele and rectocele, and obstetric laceration
    - 688 cystocele and rectocele
    - 705 obstetric laceration
  - 551 vestibular arch (mouth)
  - 693 vulva, except obstetric laceration
    - 705 obstetric laceration
- Replacement
  - 574 cardiac pacemaker
  - 570 heart valve
  - 739 joint, except hip and knee
    - 736 hip, except total replacement
      - 735 total replacement
    - 738 knee
  - 665 penile prosthesis
  - 654 urinary catheter
- Resection
  - 644 bladder

Group No. **Title**

- Resection **(continued)**
  - 582 blood vessel
  - 563 bronchus
  - 600 large intestine
  - 745 muscle, except of hand
    - 743 hand
  - 540 nasal septum, submucous
  - 530 ocular muscle
  - 668 ovary
  - 608 rectum (abdominoperineal) (pull-through)
  - 548 root of tooth
  - 599 small intestine
  - 745 tendon, except of hand
    - 743 hand
- 547 Restoration, tooth
- 775 Retrograde pyelogram
- Revision
  - 754 amputation stump
  - 580 arteriovenous shunt for dialysis
  - 597 gastric anastomosis
  - 602 intestinal anastomosis
  - 538 mastoidectomy
  - 561 tracheostomy
  - 538 tympanoplasty
  - 505 ventricular shunt
- 541 Rhinoplasty
- 767 Rhytidectomy, facial
- 548 Root canal therapy
- 548 Root resection (tooth)
- 698 Rupture of membranes for delivery

- Salpingectomy
  - 673 bilateral
  - 674 unilateral

OPERATION INDEX (continued)

Group No.	Title
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP
618	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy

Group No.	Title
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy

OPERATION INDEX (continued)

Group No.	Title
	Termination of pregnancy (**continued**)
702	intra-amniotic injection
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma

Group No.	Title
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
635	kidney
615	liver
567	lung
746	muscle, except of hand
744	hand
620	pancreas
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy
641	Urethroscopy
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy

OPERATION INDEX (continued)

Group No.	Title
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
644	Vesicostomy
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

B4465-1.6

LOS

LENGTH OF STAY

Geriatric Length of Stay by Diagnosis and Operation, United States, 1989

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1990

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1989
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1989
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1989
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1989
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1989 through December 31, 1989. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1990 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii

Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of the Statistics ix

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables x

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 3
Diagnosis Groups 1-417 4
Length of Stay Operation Groups 213
Summary of All Patients in Operation Groups 214
Operation Groups 501-783 215

Appendix A

1989 Hospital Characteristics 287

Appendix B

Description of Hospital Characteristics 289

Appendix C

State Inclusions By Region 291

Appendix D

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 293

Index

Part I: Diagnosis Index 298
Part II: Operation Index 321

ACKNOWLEDGEMENTS

1989 LENGTH OF STAY BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Linda Vanek, Assistant Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Robert Travis, Librarian.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Stacey Cavanaugh, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1989 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1989 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1989.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborns, age is replaced by birth weight in grams. The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Single or Multiple Diagnosis
- Not Operated or Operated (for Diagnosis groups only)
- Patient's Age (on day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10113	4.8	36	1	2	3	6	9	14	32
70-74	8337	5.2	39	1	2	3	6	10	15	34
75-79	6879	5.3	36	1	2	4	6	11	15	32
80-84	5010	5.5	36	1	2	4	7	11	15	31
85 +	4460	5.6	35	1	2	4	7	11	15	31
B. Operated										
65-69 YRS	20783	4.4	15	1	2	3	6	9	11	17
70-74	16265	4.7	17	1	2	4	7	10	12	18
75-79	11303	5.0	21	1	2	4	7	10	13	21
80-84	6329	5.5	26	1	2	4	8	12	15	24
85 +	4096	6.2	36	1	2	4	9	13	16	27
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	153807	6.6	42	2	3	5	8	13	18	35
70-74	163728	7.0	46	2	3	5	8	13	18	36
75-79	161980	7.4	51	2	3	6	9	14	19	39
80-84	134884	7.8	55	2	4	6	9	15	20	41
85 +	132169	8.3	63	2	4	6	10	16	22	47
B. Operated										
65-69 YRS	140196	8.9	86	2	3	7	11	18	26	54
70-74	131641	9.6	96	2	4	7	12	20	28	57
75-79	109487	10.5	107	2	4	8	13	21	30	62
80-84	73106	11.4	119	2	5	9	14	23	33	68
85 +	56335	12.7	135	3	6	10	16	26	36	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34799	5.2	36	1	2	4	6	10	15	32
B. Operated	58776	4.9	20	1	2	4	7	10	13	20
2. MULTIPLE DX										
A. Not Operated	746568	7.4	51	2	3	5	9	14	19	39
B. Operated	510765	10.2	105	2	4	8	13	21	29	61
1. SINGLE DX	93575	5.0	26	1	2	4	7	10	13	25
2. MULTIPLE DX	1257333	8.5	75	2	3	6	10	17	24	49
A. Not Operated	781367	7.3	51	2	3	5	9	14	19	39
B. Operated	569541	9.7	98	2	4	7	12	20	28	58
TOTAL										
65-69 YRS	324899	7.4	61	2	3	5	9	15	21	43
70-74	319971	7.9	67	2	3	6	10	16	22	46
75-79	289649	8.4	73	2	3	6	10	17	23	48
80-84	219329	8.9	79	2	4	7	11	18	25	52
85 +	197060	9.5	87	2	4	7	12	19	26	57
GRAND TOTAL	**1350908**	**8.3**	72	**2**	**3**	**6**	**10**	**17**	**23**	**48**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	2.9	4	1	2	2	3	5	8	9
70-74	25	2.7	3	1	1	2	4	5	6	6
75-79	12	3.5	7	1	2	3	4	6	10	11
80-84	11	3.1	6	1	1	2	4	7	9	9
85+	13	3.0	8	1	1	2	4	6	10	11
B. Operated										
65-69 YRS	2	7.5	13	5	5	7	10	10	10	10
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	7.0	50	2	2	7	12	12	12	12
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	394	4.0	8	1	2	3	5	7	10	15
70-74	456	4.2	12	2	2	3	5	7	10	19
75-79	453	4.3	8	2	2	4	5	8	9	14
80-84	330	5.2	53	2	2	4	6	8	11	56
85+	300	4.9	10	2	3	4	6	9	10	17
B. Operated										
65-69 YRS	34	9.9	112	3	5	7	10	18	42	48
70-74	21	8.6	53	3	4	6	10	15	24	35
75-79	25	8.0	46	2	4	6	10	14	21	34
80-84	21	9.3	53	3	5	8	10	18	28	34
85+	15	7.7	48	2	4	7	7	22	25	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	3.0	5	1	2	2	4	5	8	11
B. Operated	6	6.3	17	2	2	6	10	12	12	12
2. MULTIPLE DX										
A. Not Operated	1933	4.5	17	2	2	4	5	8	10	19
B. Operated	116	8.9	67	3	4	7	10	16	28	46
1. SINGLE DX	83	3.2	6	1	2	2	4	6	10	12
2. MULTIPLE DX	2049	4.7	21	2	2	4	6	8	11	22
A. Not Operated	2010	4.4	17	2	2	4	5	8	10	19
B. Operated	122	8.7	64	3	4	7	10	15	27	46
TOTAL										
65-69 YRS	446	4.4	18	2	2	3	5	8	11	21
70-74	502	4.3	14	1	2	3	5	7	10	19
75-79	491	4.5	11	2	2	4	6	8	10	16
80-84	364	5.4	53	2	2	4	6	9	11	48
85+	329	5.0	12	2	3	4	6	9	10	20
GRAND TOTAL	**2132**	**4.7**	**21**	**2**	**2**	**4**	**6**	**8**	**11**	**22**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	3.9	5	2	2	3	6	7	8	9
70-74	14	4.5	3	2	3	5	5	7	8	8
75-79	17	3.4	3	1	2	3	5	6	7	7
80-84	9	5.0	4	2	4	5	6	8	8	8
85+	5	4.4	3	2	3	4	6	6	6	6
B. Operated										
65-69 YRS	8	6.6	21	2	4	6	7	14	17	17
70-74	2	4.0	2	3	3	4	5	5	5	5
75-79	4	8.8	30	4	4	9	13	14	14	14
80-84	0									
85+	3	10.7	74	3	4	9	17	20	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	290	6.3	27	2	3	5	7	12	15	32
70-74	297	7.1	43	3	4	5	8	15	20	33
75-79	317	7.6	43	3	4	6	10	14	16	41
80-84	258	8.1	33	3	4	7	10	15	18	27
85+	217	9.6	69	3	5	8	11	18	23	49
B. Operated										
65-69 YRS	105	10.0	126	3	4	7	12	19	31	92
70-74	118	11.5	75	3	5	9	15	24	28	68
75-79	109	13.9	136	3	6	11	19	27	43	82
80-84	98	15.6	172	5	7	12	19	34	42	72
85+	50	15.7	193	6	8	11	18	29	38	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	4.1	4	2	2	4	5	7	7	9
B. Operated	17	7.5	28	3	4	6	10	16	19	20
2. MULTIPLE DX										
A. Not Operated	1379	7.6	43	3	4	6	9	14	18	35
B. Operated	480	13.0	136	4	6	10	16	27	37	76
1. SINGLE DX	83	4.8	10	2	3	4	6	7	11	19
2. MULTIPLE DX	1859	9.0	72	3	4	7	11	18	24	48
A. Not Operated	1445	7.5	42	2	4	6	9	14	18	35
B. Operated	497	12.8	133	4	6	10	16	26	36	76
TOTAL										
65-69 YRS	424	7.1	53	2	3	5	8	13	17	45
70-74	431	8.2	55	3	4	6	10	18	24	36
75-79	447	9.0	72	3	4	7	11	18	25	52
80-84	365	10.0	81	3	5	7	12	19	26	44
85+	275	10.7	96	4	5	8	12	20	27	62
GRAND TOTAL	**1942**	**8.8**	**70**	**3**	**4**	**6**	**11**	**17**	**24**	**46**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	7.6	22	2	3	9	10	14	14	14
70-74	3	2.7	4	1	1	2	4	5	5	5
75-79	3	5.3	8	2	3	7	7	7	7	7
80-84	2	7.5	5	6	6	7	9	9	9	9
85 +	3	1.7	1	1	1	1	3	3	3	3
B. Operated										
65-69 YRS	3	7.7	1	7	7	7	9	9	9	9
70-74	1	4.0		4	4	4	4	4	4	4
75-79	3	10.3	36	4	6	11	15	16	16	16
80-84	3	7.3	30	2	3	7	11	13	13	13
85 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	45	11.2	40	5	7	10	13	24	25	28
70-74	35	10.5	49	3	6	9	14	17	22	38
75-79	41	14.2	64	6	8	12	20	26	34	99 +
80-84	37	16.8	173	6	8	11	23	30	46	63
85 +	30	15.6	163	3	6	11	24	35	41	43
B. Operated										
65-69 YRS	50	16.6	135	6	8	14	22	35	48	99 +
70-74	47	19.5	298	6	7	16	26	45	69	99 +
75-79	26	16.0	139	5	8	11	26	35	55	99 +
80-84	38	15.9	160	4	7	14	20	35	54	99 +
85 +	22	18.4	163	4	8	18	31	50	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	5.1	15	1	2	4	8	9	13	14
B. Operated	11	8.0	17	3	5	7	10	14	16	16
2. MULTIPLE DX										
A. Not Operated	188	13.5	97	5	7	11	17	28	35	57
B. Operated	183	17.3	184	5	8	14	24	39	56	99 +
1. SINGLE DX	27	6.3	17	1	3	7	9	13	14	16
2. MULTIPLE DX	371	15.4	143	5	7	12	21	34	44	99 +
A. Not Operated	204	12.9	95	4	6	10	16	27	34	55
B. Operated	194	16.8	179	5	8	13	23	37	53	99 +
TOTAL										
65-69 YRS	103	13.5	93	5	7	10	18	26	35	78
70-74	86	15.1	207	4	6	11	19	32	47	97
75-79	73	14.3	90	5	8	11	20	33	36	99 +
80-84	80	15.8	159	5	7	12	21	34	49	88
85 +	56	15.8	163	3	6	13	24	41	44	99 +
GRAND TOTAL	**398**	**14.8**	**140**	**4**	**7**	**11**	**20**	**34**	**42**	**99 +**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	18.0		18	18	18	18	18	18	18
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	9.0	8	7	7	9	11	11	11	11
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	10.0	98	3	3	10	17	17	17	17
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	6.0	18	3	4	9	77	99 +	99 +	99 +
70-74	2	23.0	450	8	8	23	38	38	38	38
75-79	6	14.2	172	4	4	8	27	33	34	34
80-84	2	6.0	8	4	4	6	8	8	8	8
85 +	1	40.0		40	40	40	40	40	40	40
B. Operated										
65-69 YRS	10	30.2	762	10	11	17	34	79	91	91
70-74	14	21.0	234	4	5	21	31	40	49	52
75-79	16	31.6	675	4	13	18	54	67	81	86
80-84	4	6.8	18	4	4	6	35	99 +	99 +	99 +
85 +	1	53.0		53	53	53	53	53	53	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	18.0		18	18	18	18	18	18	18
B. Operated	5	7.8	41	1	2	7	12	17	17	17
2. MULTIPLE DX										
A. Not Operated	13	15.0	201	4	4	9	34	46	88	99 +
B. Operated	45	26.2	530	4	10	17	39	66	87	99 +
1. SINGLE DX	6	9.5	50	1	3	9	17	18	18	18
2. MULTIPLE DX	58	23.7	474	4	8	16	37	62	88	99 +
A. Not Operated	14	15.2	186	4	4	9	32	40	85	99 +
B. Operated	50	24.4	510	4	8	17	35	62	85	99 +
TOTAL										
65-69 YRS	15	23.3	600	7	10	15	32	89	97	99 +
70-74	17	20.1	243	3	5	21	32	39	47	52
75-79	24	25.4	562	4	6	16	41	59	73	86
80-84	6	6.5	13	4	4	6	12	83	99 +	99 +
85 +	2	46.5	85	40	40	46	53	53	53	53
GRAND TOTAL	**64**	**22.4**	**450**	**4**	**7**	**15**	**34**	**58**	**87**	**99 +**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.7	2	2	2	4	5	5	5	5
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	6.3	7	3	4	6	9	9	9	9
70-74	7	4.4	5	2	3	3	6	8	8	8
75-79	7	4.3	7	2	2	4	7	8	8	8
80-84	9	8.1	183	2	3	4	5	29	44	44
85 +	4	3.8	3	2	2	3	5	6	6	6
B. Operated										
65-69 YRS	3	8.3	4	6	7	9	10	10	10	10
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.0	3	1	2	3	4	5	5	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	39	5.8	45	2	3	4	7	9	9	44
B. Operated	3	8.3	4	6	7	9	10	10	10	10
1. SINGLE DX	5	3.0	3	1	2	3	4	5	5	5
2. MULTIPLE DX	42	6.0	43	2	3	5	8	9	10	44
A. Not Operated	44	5.5	41	2	3	4	6	9	9	44
B. Operated	3	8.3	4	6	7	9	10	10	10	10
TOTAL										
65-69 YRS	18	6.2	7	2	4	6	9	9	10	10
70-74	9	3.9	5	1	2	3	5	8	8	8
75-79	7	4.3	7	2	2	4	7	8	8	8
80-84	9	8.1	183	2	3	4	5	29	44	44
85 +	4	3.8	3	2	2	3	5	6	6	6
GRAND TOTAL	**47**	**5.6**	**39**	**2**	**3**	**4**	**7**	**9**	**10**	**44**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	20	8.8	80	2	4	6	11	18	30	40
70-74	16	5.6	24	2	3	4	6	13	18	20
75-79	14	7.4	23	2	3	6	11	14	16	17
80-84	26	9.7	57	3	5	8	11	17	23	40
85 +	31	8.0	23	3	4	7	10	14	19	22
B. Operated										
65-69 YRS	3	12.7	9	10	10	12	15	16	16	16
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	27.0		27	27	27	27	27	27	27
80-84	1	15.0		15	15	57	99 +	99 +	99 +	99 +
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1494	9.7	45	4	6	8	12	17	22	38
70-74	1808	10.1	51	4	6	8	12	18	23	44
75-79	2045	10.4	54	4	6	9	13	18	23	40
80-84	1987	10.9	62	4	6	9	13	19	24	46
85 +	2425	11.4	78	4	6	9	13	20	28	56
B. Operated										
65-69 YRS	598	18.3	186	7	10	15	23	36	52	99 +
70-74	661	18.8	200	6	10	14	24	40	49	98
75-79	651	19.1	194	8	11	16	23	40	55	99 +
80-84	574	20.0	231	7	11	15	24	43	61	99 +
85 +	561	21.0	242	8	11	16	26	43	64	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	8.1	42	2	4	7	11	14	19	40
B. Operated	6	14.2	55	6	10	15	24	85	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	9759	10.6	60	4	6	9	13	18	24	46
B. Operated	3045	19.4	210	7	10	15	24	41	55	99 +
1. SINGLE DX	113	8.4	44	2	4	7	11	16	21	62
2. MULTIPLE DX	12804	12.7	110	5	7	10	15	24	34	71
A. Not Operated	9866	10.6	60	4	6	9	13	18	24	46
B. Operated	3051	19.4	210	7	10	15	24	41	55	99 +
TOTAL										
65-69 YRS	2115	12.1	100	4	6	9	14	24	32	69
70-74	2486	12.4	105	4	6	10	15	24	34	69
75-79	2711	12.5	101	5	7	10	15	23	32	66
80-84	2588	12.9	114	5	7	10	15	24	35	80
85 +	3017	13.1	122	5	7	10	15	25	36	75
GRAND TOTAL	**12917**	**12.6**	**109**	**5**	**7**	**10**	**15**	**24**	**34**	**71**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	5.3	19	2	3	5	5	9	17	19
70-74	7	5.4	12	1	3	4	8	10	11	11
75-79	7	3.1	5	< 1	1	2	5	7	7	7
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	3	3.3		3	3	3	4	4	4	4
B. Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	86	7.9	34	3	4	6	9	15	19	32
70-74	80	7.4	56	3	4	6	8	12	17	50
75-79	73	8.9	83	3	4	6	9	19	26	57
80-84	55	8.8	46	3	5	6	9	21	24	29
85 +	70	9.0	67	3	4	7	9	18	29	44
B. Operated										
65-69 YRS	51	15.3	117	5	6	15	22	30	49	99 +
70-74	23	14.6	186	3	5	11	18	34	51	54
75-79	33	20.9	408	7	10	14	24	45	74	97
80-84	16	18.9	233	4	9	13	28	39	55	61
85 +	12	15.1	136	7	9	11	15	29	47	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	4.6	12	1	3	4	5	7	11	19
B. Operated	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	364	8.3	56	3	4	6	9	16	24	38
B. Operated	135	17.0	216	5	8	13	22	31	50	99 +
1. SINGLE DX	34	4.5	11	1	3	4	5	7	10	19
2. MULTIPLE DX	499	10.7	114	3	5	7	13	23	29	63
A. Not Operated	396	8.0	54	3	4	6	9	16	22	37
B. Operated	137	16.8	215	5	7	13	22	31	50	99 +
TOTAL										
65-69 YRS	151	10.2	74	3	5	7	14	26	29	98
70-74	110	8.8	88	3	4	6	10	16	23	56
75-79	114	12.0	204	3	4	7	14	24	31	85
80-84	73	10.8	103	3	5	7	13	25	29	56
85 +	85	9.7	79	3	4	7	11	18	29	48
GRAND TOTAL	**533**	**10.3**	**110**	**3**	**4**	**7**	**12**	**22**	**29**	**62**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	5	5.8	7	3	4	5	8	9	9	9
75-79	4	5.5	3	4	4	5	7	8	8	8
80-84	2	5.5	25	2	2	5	9	9	9	9
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	31	6.5	11	3	3	6	10	11	12	12
70-74	23	8.3	30	3	4	6	11	18	19	19
75-79	11	6.8	22	2	3	4	11	13	13	13
80-84	8	10.3	71	4	6	7	11	25	30	30
85 +	5	13.8	124	2	7	13	18	32	32	32
B. Operated										
65-69 YRS	4	9.5	28	5	6	8	13	17	17	17
70-74	3	11.3	65	4	5	10	17	20	20	20
75-79	3	16.0	117	7	8	13	24	28	28	28
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	5.1	7	2	3	5	8	9	9	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	78	7.9	32	3	4	7	11	13	18	31
B. Operated	11	11.5	55	5	6	9	16	23	28	28
1. SINGLE DX	13	5.1	7	2	3	5	8	9	9	9
2. MULTIPLE DX	89	8.4	36	3	4	7	11	15	19	31
A. Not Operated	91	7.5	29	2	4	6	10	13	18	31
B. Operated	11	11.5	55	5	6	9	16	23	28	28
TOTAL										
65-69 YRS	37	6.6	13	2	3	6	9	11	12	17
70-74	31	8.2	29	3	4	6	10	18	19	20
75-79	18	8.1	41	2	3	6	11	13	22	28
80-84	11	9.0	57	3	6	6	10	19	29	30
85 +	5	13.8	124	2	7	13	18	32	32	32
GRAND TOTAL	**102**	**8.0**	**33**	**3**	**4**	**7**	**10**	**13**	**19**	**31**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	30	4.0	7	1	2	3	5	7	11	11
70-74	22	4.7	8	2	3	4	7	8	11	12
75-79	20	4.2	7	2	2	3	5	8	10	12
80-84	23	5.1	8	2	3	5	7	9	10	11
85 +	14	4.6	11	2	3	4	4	8	13	15
B. Operated										
65-69 YRS	5	5.6	50	1	2	2	8	18	18	18
70-74	6	4.3	15	1	1	3	8	10	10	10
75-79	5	8.4	12	5	6	7	10	14	14	14
80-84	4	3.8	18	1	1	2	6	10	10	10
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	234	6.2	17	2	3	5	8	11	14	22
70-74	294	7.1	31	2	3	6	8	14	20	30
75-79	322	7.9	54	2	4	6	10	15	20	41
80-84	250	7.9	54	3	4	7	9	14	18	43
85 +	237	8.1	49	3	4	7	9	14	20	39
B. Operated										
65-69 YRS	43	12.4	129	2	3	10	18	27	34	54
70-74	38	11.5	121	3	5	8	12	27	35	55
75-79	45	15.6	9[illegible]	3	8	15	22	28	33	44
80-84	30	15.2	191	3	6	12	19	31	52	61
85 +	24	17.8	290	4	6	10	25	34	48	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	4.5	8	2	3	4	6	8	11	13
B. Operated	21	5.4	22	1	2	4	8	12	16	18
2. MULTIPLE DX										
A. Not Operated	1337	7.5	42	2	4	6	9	14	19	35
B. Operated	180	14.2	151	3	6	10	19	28	36	59
1. SINGLE DX	130	4.6	10	1	2	4	6	9	11	16
2. MULTIPLE DX	1517	8.3	60	2	4	6	10	16	22	39
A. Not Operated	1446	7.2	40	2	4	6	8	13	18	34
B. Operated	201	13.3	144	2	5	10	18	28	35	58
TOTAL										
65-69 YRS	312	6.8	37	2	3	5	8	13	19	30
70-74	360	7.4	41	2	3	6	9	14	20	33
75-79	392	8.6	62	2	4	6	10	17	24	42
80-84	307	8.3	68	2	4	7	10	15	21	56
85 +	276	8.3	76	3	4	7	10	16	24	45
GRAND TOTAL	**1647**	**8.0**	**57**	**2**	**4**	**6**	**9**	**15**	**22**	**38**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	4.2	4	2	2	4	6	7	7	7
70-74	4	7.0	3	5	6	7	8	9	9	9
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	3	8.7	56	1	3	9	14	16	16	16
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	70	7.6	53	2	3	5	9	15	21	43
70-74	44	6.2	18	2	3	5	8	13	14	21
75-79	36	8.3	43	3	3	7	10	18	23	30
80-84	20	6.6	10	2	4	6	8	12	12	12
85 +	20	10.4	101	3	5	8	10	22	36	46
B. Operated										
65-69 YRS	21	9.6	46	1	5	9	12	19	25	27
70-74	16	14.1	217	3	4	9	16	39	51	55
75-79	7	7.9	10	3	6	8	10	12	12	12
80-84	5	11.2	59	3	7	8	16	23	23	23
85 +	8	11.1	18	7	7	10	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.0	5	2	3	5	7	8	9	9
B. Operated	4	6.8	52	1	1	5	12	16	16	16
2. MULTIPLE DX										
A. Not Operated	190	7.6	44	2	3	6	9	14	20	40
B. Operated	57	11.0	87	3	6	9	14	21	26	54
1. SINGLE DX	16	5.4	15	1	3	5	7	9	14	16
2. MULTIPLE DX	247	8.4	55	2	4	6	10	15	22	46
A. Not Operated	202	7.4	42	2	3	6	9	14	19	38
B. Operated	61	10.7	85	2	6	9	14	19	25	53
TOTAL										
65-69 YRS	100	7.8	49	2	3	6	10	15	22	37
70-74	64	8.2	76	2	3	6	10	15	21	53
75-79	44	8.1	37	2	3	7	10	15	21	30
80-84	26	7.4	21	3	4	7	8	12	16	23
85 +	29	10.3	75	3	6	8	12	18	27	46
GRAND TOTAL	**263**	**8.2**	**53**	**2**	**4**	**6**	**10**	**15**	**22**	**45**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	2	5.0		5	5	5	5	5	5	5
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	9.0	46	4	5	6	13	19	19	19
70-74	5	6.8	19	3	3	5	11	12	12	12
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	15.0	18	12	12	15	18	18	18	18
70-74	1	4.0		4	4	4	4	4	4	4
75-79	2	8.0	50	3	3	8	13	13	13	13
80-84	2	15.0	98	8	8	15	22	22	22	22
85 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.0		5	5	5	5	5	5	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	10	7.8	25	3	4	6	11	15	19	19
B. Operated	8	10.9	45	3	5	10	15	21	22	22
1. SINGLE DX	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	18	9.2	34	3	4	7	12	19	21	22
A. Not Operated	12	7.3	22	3	4	6	9	14	18	19
B. Operated	8	10.9	45	3	5	10	15	21	22	22
TOTAL										
65-69 YRS	6	11.0	41	4	6	9	18	19	19	19
70-74	6	6.3	17	3	3	4	11	12	12	12
75-79	5	6.8	15	3	4	5	9	13	13	13
80-84	2	15.0	98	8	8	15	22	22	22	22
85 +	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**20**	**8.8**	**32**	**3**	**4**	**7**	**12**	**18**	**20**	**22**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	2.4	2	1	1	2	3	5	5	5
70-74	1	4.0		4	4	4	4	4	4	4
75-79	3	5.7	1	5	5	5	7	7	7	7
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	10	3.7	4	1	2	4	5	6	7	7
1. SINGLE DX	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX	10	3.7	4	1	2	4	5	6	7	7
A. Not Operated	0									
B. Operated	12	3.8	5	1	2	4	5	7	7	7
TOTAL										
65-69 YRS	6	3.2	5	1	2	2	5	7	7	7
70-74	1	4.0		4	4	4	4	4	4	4
75-79	4	4.5	6	1	3	5	6	7	7	7
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
GRAND TOTAL	**12**	**3.8**	**5**	**1**	**2**	**4**	**5**	**7**	**7**	**7**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	3.7	7	1	2	3	5	6	10	12
70-74	13	3.2	2	1	2	3	4	5	5	5
75-79	12	4.3	13	1	2	3	5	11	12	12
80-84	9	2.9	3	1	2	2	4	6	6	6
85 +	14	2.9	2	2	2	3	4	5	5	5
B. Operated										
65-69 YRS	2	5.5	13	3	3	5	8	8	8	8
70-74	1	6.0		6	6	6	6	6	6	6
75-79	1	5.0		5	5	5	5	5	5	5
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	307	5.3	36	2	2	4	6	10	14	31
70-74	352	4.9	33	2	2	4	6	8	11	19
75-79	323	4.9	11	2	3	4	6	9	11	16
80-84	199	5.4	23	2	3	4	6	11	16	28
85 +	229	6.2	28	2	3	5	7	12	15	29
B. Operated										
65-69 YRS	39	12.4	161	3	5	7	14	38	44	49
70-74	27	8.9	21	4	6	8	12	18	27	99 +
75-79	24	21.4	287	5	9	16	30	46	57	67
80-84	17	13.5	169	4	6	8	17	28	46	55
85 +	14	15.4	239	2	3	8	26	44	46	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	3.4	5	1	2	3	4	5	7	12
B. Operated	5	4.6	7	1	2	5	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	1410	5.3	27	2	3	4	6	10	13	27
B. Operated	121	13.9	177	3	6	9	17	39	45	76
1. SINGLE DX	70	3.5	5	1	2	3	4	6	8	12
2. MULTIPLE DX	1531	6.0	44	2	3	4	7	11	16	39
A. Not Operated	1475	5.2	26	2	3	4	6	9	13	27
B. Operated	126	13.5	173	3	5	8	16	38	45	75
TOTAL										
65-69 YRS	365	6.0	52	2	2	4	6	11	17	42
70-74	393	5.1	32	2	3	4	6	9	13	21
75-79	360	6.0	45	2	3	4	7	11	15	41
80-84	225	5.9	38	2	3	4	6	12	18	36
85 +	258	6.5	43	2	3	5	7	13	16	40
GRAND TOTAL	**1601**	**5.8**	**42**	**2**	**3**	**4**	**6**	**11**	**15**	**39**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	5.3	44	1	1	3	9	15	15	15
70-74	4	4.3	11	1	1	4	7	8	8	8
75-79	7	8.3	28	2	4	7	14	15	15	15
80-84	2	15.5	25	12	12	15	19	19	19	19
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	29	9.7	59	3	4	8	14	18	23	38
70-74	21	9.4	30	2	6	8	14	17	20	21
75-79	13	18.2	217	5	9	13	21	45	51	52
80-84	7	9.7	21	5	5	11	14	15	15	15
85 +	5	10.0	10	6	7	10	12	14	14	14
B. Operated										
65-69 YRS	5	14.8	165	4	5	8	27	32	32	32
70-74	5	18.0	594	2	5	8	25	61	61	61
75-79	4	13.3	236	3	4	7	22	36	36	36
80-84	1	58.0		58	58	58	58	58	58	58
85 +	3	10.3	24	7	7	8	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	7.5	35	1	2	6	13	15	18	19
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	75	11.1	79	3	5	9	14	19	29	50
B. Operated	18	17.0	335	3	5	8	25	51	60	61
1. SINGLE DX	17	7.5	35	1	2	6	13	15	18	19
2. MULTIPLE DX	93	12.2	131	3	5	9	14	23	38	60
A. Not Operated	92	10.4	72	3	5	9	14	18	22	48
B. Operated	18	17.0	335	3	5	8	25	51	60	61
TOTAL										
65-69 YRS	38	9.9	72	3	4	8	14	21	29	38
70-74	30	10.1	119	2	6	8	13	17	21	61
75-79	24	14.5	171	3	6	11	15	37	46	52
80-84	10	15.7	243	5	5	12	15	38	58	58
85 +	8	10.1	13	6	7	9	13	15	16	16
GRAND TOTAL	**110**	**11.5**	**118**	**3**	**5**	**8**	**14**	**20**	**36**	**59**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74	1	8.0		8	8	8	8	8	8	8
75-79	3	11.3	94	3	4	9	19	22	22	22
80-84	0									
85 +	1	12.0		12	12	12	12	12	12	12
B. Operated										
65-69 YRS	3	4.3	33	1	1	1	9	11	11	11
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	14	8.9	12	3	6	9	11	13	14	14
70-74	14	14.1	89	3	10	12	19	28	32	33
75-79	18	19.6	367	4	5	12	23	49	62	70
80-84	7	13.1	44	7	9	11	14	24	27	27
85 +	10	12.2	92	3	4	8	20	27	28	28
B. Operated										
65-69 YRS	9	11.4	131	1	2	9	15	29	38	38
70-74	5	11.2	93	1	4	10	17	26	26	26
75-79	5	20.6	256	9	10	19	46	95	99 +	99 +
80-84	2	7.0	32	3	3	7	11	11	11	11
85 +	1	20.0		20	20	20	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	11.2	41	3	8	10	13	21	22	22
B. Operated	3	4.3	33	1	1	1	9	11	11	11
2. MULTIPLE DX										
A. Not Operated	63	14.1	155	3	7	11	17	28	41	68
B. Operated	22	13.5	139	2	6	11	19	40	65	99 +
1. SINGLE DX	9	8.9	45	1	3	9	12	18	22	22
2. MULTIPLE DX	85	13.9	149	3	7	11	17	28	45	89
A. Not Operated	69	13.9	145	3	7	11	16	28	39	66
B. Operated	25	12.4	133	1	3	10	16	37	57	99 +
TOTAL										
65-69 YRS	27	9.4	54	1	4	9	12	15	19	38
70-74	20	13.1	84	2	6	11	18	27	30	33
75-79	26	18.8	306	4	7	12	26	50	74	99 +
80-84	9	11.8	44	5	8	11	14	22	27	27
85 +	12	12.8	80	4	5	10	20	27	28	28
GRAND TOTAL	**94**	**13.5**	**141**	**3**	**6**	**11**	**16**	**28**	**43**	**86**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	17.0	133	4	8	21	25	26	26	26
70-74	4	4.5	2	3	3	4	5	6	6	6
75-79	2	44.5	3121	5	5	44	84	84	84	84
80-84	1	14.0		14	14	14	14	14	14	14
85 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
65-69 YRS	8	5.8	25	< 1	2	5	6	14	17	17
70-74	3	4.0	4	2	2	4	5	6	6	6
75-79	2	5.5	25	2	2	5	9	9	9	9
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	76	9.9	59	3	5	8	12	20	27	41
70-74	63	9.2	50	4	5	7	11	16	21	41
75-79	62	11.6	73	5	6	9	14	24	31	44
80-84	70	10.1	36	4	6	9	13	17	20	35
85 +	67	9.5	34	4	6	8	12	15	22	32
B. Operated										
65-69 YRS	68	17.4	263	4	7	13	20	37	59	69
70-74	52	20.4	490	3	7	13	22	63	77	99 +
75-79	51	15.8	121	5	8	13	21	30	36	53
80-84	30	18.8	178	5	9	14	25	41	43	52
85 +	16	19.7	138	7	10	17	27	38	43	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	16.3	563	3	4	6	19	49	81	84
B. Operated	13	5.3	18	1	2	5	6	11	16	17
2. MULTIPLE DX										
A. Not Operated	338	10.0	50	4	6	8	12	17	24	39
B. Operated	217	18.1	262	4	8	14	22	40	59	81
1. SINGLE DX	24	10.3	285	2	4	5	8	21	43	84
2. MULTIPLE DX	555	13.2	148	4	6	10	15	27	38	67
A. Not Operated	349	10.2	66	4	6	8	13	18	25	41
B. Operated	230	17.4	256	4	7	13	21	39	58	79
TOTAL										
65-69 YRS	155	13.1	162	3	5	9	15	26	37	67
70-74	122	13.7	267	3	5	8	15	38	62	91
75-79	117	13.9	139	5	7	10	17	27	36	63
80-84	101	12.7	92	4	6	10	15	23	37	48
85 +	84	11.4	69	4	6	8	14	22	31	43
GRAND TOTAL	**579**	**13.1**	**154**	**4**	**6**	**9**	**15**	**26**	**38**	**89**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.5	1	4	4	4	5	5	5	5
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	0									
75-79	5	18.6	214	3	6	20	27	40	40	40
80-84	1	2.0		2	2	2	2	2	2	2
85 +	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
65-69 YRS	1	24.0		24	24	24	24	24	24	24
70-74	3	16.0	109	4	8	21	22	23	23	23
75-79	0									
80-84	1	21.0		21	21	21	21	21	21	21
85 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.5	1	4	4	4	5	5	5	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	10	11.3	156	2	3	5	20	31	40	40
B. Operated	6	16.7	77	4	7	21	23	24	24	24
1. SINGLE DX	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX	16	13.3	126	3	4	7	22	24	35	40
A. Not Operated	12	10.2	134	3	3	5	13	28	38	40
B. Operated	6	16.7	77	4	7	21	23	24	24	24
TOTAL										
65-69 YRS	5	8.2	79	3	4	5	10	24	24	24
70-74	3	16.0	109	4	8	21	22	23	23	23
75-79	5	18.6	214	3	6	20	27	40	40	40
80-84	2	11.5	181	2	2	11	21	21	21	21
85 +	3	5.7	2	4	4	6	7	7	7	7
GRAND TOTAL	**18**	**12.3**	**120**	**3**	**4**	**6**	**21**	**24**	**34**	**40**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	12.4	58	5	7	11	14	25	30	30
70-74	8	11.4	164	3	4	5	14	34	40	40
75-79	3	7.3	14	3	4	9	10	10	10	10
80-84	6	10.7	27	6	7	9	15	19	19	19
85 +	9	9.9	44	4	5	7	13	21	22	22
B. Operated										
65-69 YRS	18	20.1	187	6	12	17	25	33	51	63
70-74	13	18.5	86	9	14	17	20	29	42	45
75-79	2	16.0	50	11	11	16	21	21	21	21
80-84	2	38.0	1568	10	10	38	66	66	66	66
85 +	2	24.0	128	16	16	24	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	35	10.8	65	4	5	9	13	20	28	40
B. Operated	37	20.5	186	8	12	17	24	33	57	66
1. SINGLE DX	0									
2. MULTIPLE DX	72	15.8	149	5	7	13	19	31	39	65
A. Not Operated	35	10.8	65	4	5	9	13	20	28	40
B. Operated	37	20.5	186	8	12	17	24	33	57	66
TOTAL										
65-69 YRS	27	17.6	154	6	9	14	23	32	37	63
70-74	21	15.8	121	4	7	15	19	31	[illegible]	45
75-79	5	10.8	42	3	7	10	13	[illegible]	[illegible]	21
80-84	8	17.5	404	6	7	10	17	52	[illegible]	66
85 +	11	12.5	81	4	5	10	19	26	31	32
GRAND TOTAL	**72**	**15.8**	**149**	**5**	**7**	**13**	**19**	**31**	**39**	**65**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	2	4.5	25	< 1	< 1	4	8	8	8	8
80-84	0									
85 +	2	5.5	41	1	1	5	10	10	10	10
B. Operated										
65-69 YRS	6	3.0	4	1	1	3	4	6	6	6
70-74	3	4.0	4	2	2	4	5	6	6	6
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	20	6.7	9	4	5	6	8	12	13	14
70-74	26	9.5	265	3	4	6	8	11	28	88
75-79	19	8.1	69	4	5	6	7	11	28	41
80-84	5	8.4	14	3	5	10	11	12	12	12
85 +	10	6.8	7	3	5	7	8	10	12	12
B. Operated										
65-69 YRS	29	10.0	121	1	2	7	15	27	50	99 +
70-74	11	10.3	69	1	2	11	15	21	28	29
75-79	13	10.6	79	1	4	10	14	26	28	28
80-84	4	8.5	12	5	5	8	11	12	12	12
85 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.4	18	< 1	1	2	8	10	10	10
B. Operated	9	3.3	4	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	80	8.1	105	3	5	6	8	12	13	74
B. Operated	58	9.9	90	1	2	7	14	26	29	95
1. SINGLE DX	14	3.7	8	1	1	3	6	8	10	10
2. MULTIPLE DX	138	8.8	99	2	4	6	11	15	27	89
A. Not Operated	85	7.8	100	3	4	6	8	11	13	72
B. Operated	67	9.0	83	1	2	6	12	25	28	91
TOTAL										
65-69 YRS	56	7.9	71	1	3	6	9	19	27	96
70-74	40	9.3	190	2	4	6	10	14	22	88
75-79	34	8.8	70	2	5	6	10	20	28	41
80-84	9	8.4	12	4	6	10	11	12	12	12
85 +	13	6.2	10	2	4	6	8	10	12	12
GRAND TOTAL	**152**	**8.4**	**93**	**2**	**4**	**6**	**10**	**15**	**26**	**87**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	5	7.8	41	1	2	6	14	15	15	15
80-84	1	12.0		12	12	12	12	12	12	12
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	8	7.0	34	1	2	5	13	15	15	15
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	8	7.0	34	1	2	5	13	15	15	15
A. Not Operated	8	7.0	34	1	2	5	13	15	15	15
B. Operated	0									
TOTAL										
65-69 YRS	0									
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	5	7.8	41	1	2	6	14	15	15	15
80-84	1	12.0		12	12	12	12	12	12	12
85 +	0									
GRAND TOTAL	**8**	**7.0**	**34**	**1**	**2**	**5**	**13**	**15**	**15**	**15**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.0	18	1	1	4	7	7	7	7
70-74	3	5.7	2	4	4	6	7	7	7	7
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	3.5	1	3	3	3	4	4	4	4
85+	3	4.7	4	3	3	4	6	7	7	7
B. Operated										
65-69 YRS	80	3.6	10	1	1	2	5	8	10	17
70-74	55	5.0	41	1	2	3	6	9	18	37
75-79	50	4.2	19	1	1	2	6	11	13	20
80-84	22	3.1	13	1	1	2	3	6	11	17
85+	15	3.0	17	<1	1	1	3	5	14	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	38	8.3	95	2	3	6	10	13	34	46
70-74	32	7.5	38	2	3	5	9	18	20	23
75-79	30	7.8	43	1	3	5	13	16	20	28
80-84	14	5.8	27	1	2	3	8	13	18	19
85+	20	9.0	120	2	3	6	9	21	36	49
B. Operated										
65-69 YRS	337	11.9	144	2	4	8	15	25	35	61
70-74	295	12.0	158	1	3	8	17	28	38	97
75-79	220	10.5	121	1	3	7	14	24	38	53
80-84	135	8.7	108	1	2	4	12	20	30	58
85+	100	9.5	132	1	3	6	13	25	34	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.4	4	2	3	4	6	7	7	7
B. Operated	222	4.0	21	1	1	2	5	9	12	22
2. MULTIPLE DX										
A. Not Operated	134	7.8	65	2	3	5	10	16	20	47
B. Operated	1087	11.0	139	1	3	7	15	26	35	71
1. SINGLE DX	233	4.0	20	1	1	2	5	8	11	22
2. MULTIPLE DX	1221	10.7	132	1	3	7	14	25	35	62
A. Not Operated	145	7.6	62	2	3	5	9	16	20	46
B. Operated	1309	9.8	126	1	2	6	14	24	34	59
TOTAL										
65-69 YRS	457	10.1	126	1	3	6	14	23	33	57
70-74	385	10.6	137	1	3	7	15	27	35	92
75-79	301	9.2	102	1	2	6	13	21	33	52
80-84	173	7.7	92	1	2	4	10	18	27	54
85+	138	8.6	118	1	2	5	10	20	33	87
GRAND TOTAL	**1454**	**9.6**	**120**	**1**	**2**	**6**	**13**	**23**	**32**	**58**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.2	5	2	3	4	5	8	8	8
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	0									
85+	1	13.0		13	13	13	13	13	13	13
B. Operated										
65-69 YRS	8	4.3	11	<1	2	3	7	9	10	10
70-74	11	9.4	27	3	6	9	12	16	21	21
75-79	10	6.0	18	1	3	5	11	12	12	12
80-84	4	11.3	14	6	8	12	14	14	14	14
85+	4	7.0	66	1	2	4	12	19	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	51	11.7	332	1	3	6	10	29	38	90
70-74	40	6.6	22	2	4	5	8	12	16	23
75-79	32	7.2	44	2	3	5	8	17	21	30
80-84	15	7.4	51	2	3	5	7	15	25	29
85+	23	9.9	150	3	4	6	8	22	36	59
B. Operated										
65-69 YRS	230	16.2	172	4	7	13	22	33	40	74
70-74	157	16.1	195	3	6	13	22	34	51	99+
75-79	116	13.8	83	3	8	12	19	27	31	43
80-84	59	18.5	320	3	7	13	24	51	80	99+
85+	54	12.2	113	2	5	10	17	27	39	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.6	14	2	3	4	7	12	13	13
B. Operated	37	7.3	26	2	3	6	11	14	17	21
2. MULTIPLE DX										
A. Not Operated	161	8.9	148	2	4	5	9	19	27	86
B. Operated	616	15.6	172	3	7	13	21	32	44	99+
1. SINGLE DX	44	7.0	24	2	3	6	11	13	16	21
2. MULTIPLE DX	777	14.2	174	3	5	11	19	30	42	90
A. Not Operated	168	8.7	142	2	4	5	9	18	26	84
B. Operated	653	15.1	167	3	6	12	20	31	43	98
TOTAL										
65-69 YRS	294	14.9	200	2	6	11	20	33	39	88
70-74	209	13.9	167	3	5	10	19	30	44	99+
75-79	158	11.9	80	3	5	10	17	25	30	42
80-84	78	16.0	271	3	6	11	21	44	72	99+
85+	82	11.3	119	3	4	7	16	25	39	86
GRAND TOTAL	**821**	**13.8**	**169**	**3**	**5**	**10**	**19**	**30**	**40**	**90**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	14.5	1	14	14	14	15	15	15	15
70-74	2	4.5	13	2	2	4	7	7	7	7
75-79	2	6.5	41	2	2	6	11	11	11	11
80-84	2	8.5	61	3	3	8	14	14	14	14
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	26	9.7	16	4	7	9	12	16	17	18
70-74	11	12.3	56	5	8	9	16	24	29	29
75-79	9	10.6	121	1	4	7	12	28	38	38
80-84	8	13.3	43	7	8	12	17	23	25	25
85 +	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	54	8.1	140	2	3	5	9	18	21	99
70-74	49	10.2	102	2	4	7	15	20	23	56
75-79	54	7.6	24	2	4	7	10	13	18	23
80-84	34	10.2	106	2	4	9	11	22	26	56
85 +	46	9.9	65	2	5	7	12	23	30	33
B. Operated										
65-69 YRS	415	16.3	139	6	9	13	21	32	39	77
70-74	408	16.7	126	7	10	14	20	30	40	63
75-79	379	16.6	127	6	9	13	21	30	38	58
80-84	254	16.4	120	6	9	13	21	29	37	64
85 +	212	17.1	168	4	8	13	23	36	44	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	7.9	32	2	3	7	14	15	15	15
B. Operated	56	10.8	44	3	7	9	13	18	23	37
2. MULTIPLE DX										
A. Not Operated	237	9.1	86	2	4	7	11	19	24	60
B. Operated	1668	16.6	134	6	9	13	21	31	40	65
1. SINGLE DX	65	10.4	43	3	7	9	13	16	21	37
2. MULTIPLE DX	1905	15.6	134	5	8	13	20	30	38	64
A. Not Operated	246	9.0	84	2	4	7	11	19	23	57
B. Operated	1724	16.4	132	6	9	13	21	30	39	64
TOTAL										
65-69 YRS	497	15.0	140	5	8	12	19	30	37	89
70-74	470	15.8	125	5	9	13	20	29	39	60
75-79	444	15.3	123	5	9	12	19	28	37	57
80-84	298	15.5	120	5	8	12	20	28	37	61
85 +	261	15.7	157	3	7	12	22	32	42	69
GRAND TOTAL	**1970**	**15.5**	**132**	**5**	**8**	**12**	**20**	**29**	**38**	**63**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	7.8	19	< 1	6	8	10	13	13	13
70-74	5	7.0	14	< 1	5	7	9	11	11	11
75-79	0									
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	6.7	4	4	6	6	8	10	10	10
70-74	3	5.7	2	4	4	6	7	7	7	7
75-79	4	5.3	16	2	2	4	8	11	11	11
80-84	1	29.0		29	29	29	29	29	29	29
85 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
65-69 YRS	68	14.7	116	7	8	11	16	31	40	50
70-74	56	18.5	187	8	10	14	21	42	57	97
75-79	45	17.1	151	7	10	13	22	29	30	79
80-84	37	16.9	104	7	10	15	20	30	38	51
85 +	25	22.3	226	10	11	16	34	43	53	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	11	7.2	14	< 1	5	8	9	12	13	13
2. MULTIPLE DX										
A. Not Operated	15	7.7	41	3	4	6	8	11	24	29
B. Operated	231	17.3	153	7	9	13	21	35	43	69
1. SINGLE DX	11	7.2	14	< 1	5	8	9	12	13	13
2. MULTIPLE DX	246	16.7	151	7	9	13	21	34	42	67
A. Not Operated	15	7.7	41	3	4	6	8	11	24	29
B. Operated	242	16.8	151	7	9	13	21	35	43	68
TOTAL										
65-69 YRS	79	13.6	108	6	8	10	15	30	39	50
70-74	64	17.0	180	6	9	13	21	40	52	94
75-79	49	16.2	150	7	9	13	21	29	30	79
80-84	38	17.3	105	7	10	15	21	30	38	51
85 +	27	21.1	227	8	10	16	31	42	51	67
GRAND TOTAL	**257**	**16.3**	**149**	**6**	**9**	**12**	**20**	**33**	**42**	**67**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	5.1	28	1	1	2	9	13	14	14
70-74	3	4.7	9	2	2	4	7	8	8	8
75-79	9	10.4	83	1	4	[illegible]	15	24	30	30
80-84	3	3.7	14	<1	<1	2	6	8	8	8
85+	1	11.0		11	11	11	11	11	11	11
B. Operated										
65-69 YRS	182	8.4	8	6	7	8	9	10	12	20
70-74	144	8.9	12	6	7	8	10	13	16	21
75-79	108	9.1	7	7	7	8	10	13	14	18
80-84	61	10.5	16	7	8	9	12	15	19	24
85+	34	10.3	15	6	8	10	12	15	17	23
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	91	6.5	27	1	3	5	9	14	17	26
70-74	109	7.8	40	2	4	6	11	15	18	36
75-79	92	7.3	36	1	4	6	10	14	19	34
80-84	97	8.2	41	2	4	6	11	17	22	30
85+	117	8.4	43	2	4	6	11	19	23	29
B. Operated										
65-69 YRS	1969	12.2	51	7	8	10	14	20	25	40
70-74	2294	13.1	83	7	8	10	15	22	28	60
75-79	2220	14.0	85	7	9	11	16	23	30	55
80-84	1635	15.0	97	8	9	12	17	25	35	60
85+	1298	16.7	129	8	10	14	20	29	39	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	7.2	49	1	2	6	11	15	21	30
B. Operated	529	9.0	11	6	7	9	10	13	15	22
2. MULTIPLE DX										
A. Not Operated	506	7.7	38	2	4	6	10	16	19	30
B. Operated	9416	13.9	88	7	9	11	16	24	31	60
1. SINGLE DX	552	9.0	12	6	7	8	10	13	15	23
2. MULTIPLE DX	9922	13.6	87	7	8	11	16	23	30	57
A. Not Operated	529	7.7	38	2	4	6	10	16	19	30
B. Operated	9945	13.7	85	7	9	11	16	23	30	57
TOTAL										
65-69 YRS	2249	11.6	49	6	8	10	13	19	24	39
70-74	2550	12.7	79	7	8	10	14	21	27	57
75-79	2429	13.5	82	7	9	11	15	23	29	54
80-84	1796	14.5	94	7	9	12	17	25	33	59
85+	1450	15.9	126	7	9	13	19	29	37	81
GRAND TOTAL	**10474**	**13.4**	**84**	**7**	**8**	**11**	**15**	**23**	**30**	**56**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.0	5	1	3	4	5	7	7	7
70-74	4	2.8	2	1	1	3	4	4	4	4
75-79	6	2.0	3	<1	<1	1	3	5	5	5
80-84	4	4.5	10	<1	1	4	7	8	8	8
85+	4	5.0	29	<1	1	3	8	13	13	13
B. Operated										
65-69 YRS	103	8.8	14	3	6	9	11	13	16	17
70-74	86	8.2	16	2	7	9	10	13	15	20
75-79	70	7.9	22	1	3	9	11	14	15	19
80-84	44	6.3	25	1	2	5	10	13	17	18
85+	36	6.3	32	1	2	4	9	14	18	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	65	7.2	51	1	2	6	9	15	21	41
70-74	47	12.7	176	3	5	9	15	29	35	76
75-79	69	7.6	35	2	3	6	10	16	21	26
80-84	43	9.2	54	3	4	7	11	20	22	41
85+	52	11.3	192	2	4	5	12	36	42	58
B. Operated										
65-69 YRS	924	12.8	85	6	8	11	15	21	28	69
70-74	947	13.6	100	6	9	11	16	23	32	54
75-79	828	14.6	109	6	9	12	17	25	35	69
80-84	569	15.0	138	5	9	12	17	28	35	85
85+	446	14.8	124	4	8	12	19	28	39	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	3.5	8	<1	1	3	4	7	10	13
B. Operated	339	7.9	20	2	4	8	10	13	15	20
2. MULTIPLE DX										
A. Not Operated	276	9.3	98	2	4	6	11	20	30	51
B. Operated	3714	14.0	108	6	9	11	16	25	33	68
1. SINGLE DX	362	7.6	20	1	3	8	10	13	15	20
2. MULTIPLE DX	3990	13.7	108	5	8	11	16	24	33	68
A. Not Operated	299	8.9	94	1	3	6	11	19	29	49
B. Operated	4053	13.5	103	5	8	11	16	24	31	66
TOTAL										
65-69 YRS	1097	12.1	79	4	8	10	14	21	26	54
70-74	1084	13.1	99	5	8	11	15	23	31	54
75-79	973	13.5	103	4	8	11	17	24	31	68
80-84	660	14.0	131	3	8	12	17	26	34	78
85+	538	13.8	129	3	6	11	18	27	38	61
GRAND TOTAL	**4352**	**13.2**	**104**	**4**	**8**	**11**	**16**	**24**	**31**	**63**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	6	6.8	21	1	3	7	8	13	14	14
75-79	3	9.3	4	7	8	10	11	11	11	11
80-84	3	3.0	7	1	1	2	5	6	6	6
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	25	9.3	89	1	2	6	14	22	29	39
70-74	20	6.6	41	1	1	4	11	15	19	23
75-79	14	8.0	86	1	1	5	8	27	27	27
80-84	9	5.7	30	< 1	1	2	11	14	15	15
85 +	4	4.5	15	1	2	3	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	44	8.3	73	2	3	6	10	17	23	50
70-74	58	8.2	76	2	3	5	9	19	24	52
75-79	54	9.3	120	2	3	6	11	18	28	66
80-84	39	10.1	142	3	4	8	10	19	27	73
85 +	28	11.1	260	2	3	7	11	20	31	87
B. Operated										
65-69 YRS	264	14.3	112	4	8	11	18	27	34	61
70-74	260	14.7	152	4	7	12	19	27	40	90
75-79	254	16.4	181	4	8	12	22	30	44	65
80-84	188	16.3	189	4	7	12	22	33	46	86
85 +	120	16.3	171	5	8	13	21	29	41	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	5.7	16	1	2	6	8	11	13	14
B. Operated	72	7.6	63	1	1	5	12	18	26	36
2. MULTIPLE DX										
A. Not Operated	223	9.2	119	2	4	6	10	19	26	69
B. Operated	1086	15.4	158	4	8	12	20	29	41	71
1. SINGLE DX	87	7.2	55	1	1	5	11	16	23	35
2. MULTIPLE DX	1309	14.4	157	3	7	11	19	28	40	71
A. Not Operated	238	9.0	113	2	3	6	10	18	25	68
B. Operated	1158	15.0	156	3	7	12	20	28	40	70
TOTAL										
65-69 YRS	335	13.1	110	3	6	10	17	26	33	52
70-74	344	13.0	139	2	5	10	17	25	35	81
75-79	325	14.8	173	3	7	11	19	29	42	65
80-84	239	14.7	183	3	6	11	21	31	43	75
85 +	153	15.0	189	3	7	11	20	27	41	86
GRAND TOTAL	**1396**	**13.9**	**153**	**3**	**6**	**11**	**18**	**28**	**39**	**69**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	9.8	150	2	3	4	16	28	28	28
70-74	6	3.0	6	1	1	2	6	6	6	6
75-79	7	3.9	1	2	3	4	5	5	5	5
80-84	4	3.0	2	2	2	3	4	5	5	5
85 +	2	10.5	13	8	8	10	13	13	13	13
B. Operated										
65-69 YRS	15	6.3	28	3	3	5	8	10	20	23
70-74	14	8.1	32	1	2	8	9	17	19	19
75-79	13	9.3	63	2	4	6	14	21	26	27
80-84	3	4.7		4	4	5	5	5	5	5
85 +	3	6.3	16	2	3	7	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	96	7.1	27	3	4	6	9	13	18	29
70-74	104	6.7	31	2	3	5	9	14	16	29
75-79	116	9.3	88	2	3	7	11	18	24	51
80-84	80	8.6	61	2	3	6	10	18	24	39
85 +	82	10.1	114	3	4	8	11	17	22	70
B. Operated										
65-69 YRS	418	16.2	112	5	9	14	21	30	36	55
70-74	419	16.2	139	5	9	13	21	31	40	66
75-79	345	17.1	158	5	9	14	21	33	43	69
80-84	241	16.1	136	5	9	14	20	29	38	66
85 +	163	16.4	120	4	9	14	21	33	39	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	5.1	32	2	2	4	5	9	18	28
B. Operated	48	7.5	36	2	3	6	9	18	20	27
2. MULTIPLE DX										
A. Not Operated	478	8.3	64	2	4	6	10	16	21	41
B. Operated	1586	16.4	134	5	9	14	21	31	39	65
1. SINGLE DX	71	6.7	35	2	3	5	8	15	20	28
2. MULTIPLE DX	2064	14.5	129	4	7	12	19	29	36	64
A. Not Operated	501	8.2	63	2	4	6	10	16	21	41
B. Operated	1634	16.2	133	5	9	14	20	31	38	65
TOTAL										
65-69 YRS	533	14.2	109	4	7	12	19	28	35	53
70-74	543	14.1	130	3	6	11	18	27	36	61
75-79	481	14.8	150	3	6	12	19	30	38	65
80-84	328	14.0	127	3	7	12	18	28	35	65
85 +	250	14.2	125	4	7	12	18	26	36	66
GRAND TOTAL	**2135**	**14.3**	**128**	**3**	**7**	**12**	**18**	**28**	**36**	**61**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	25	4.0	13	1	1	2	7	9	12	14
70-74	28	4.5	19	1	2	3	5	10	13	21
75-79	9	3.7	4	1	2	4	5	7	7	7
80-84	9	8.7	53	1	3	7	12	21	23	23
85 +	3	6.7	10	3	4	8	9	9	9	9
B. Operated										
65-69 YRS	186	6.4	20	1	2	7	9	11	14	20
70-74	162	6.9	24	1	3	7	9	12	15	24
75-79	65	6.9	30	1	3	7	9	12	14	30
80-84	44	7.5	26	1	3	7	11	15	16	21
85 +	11	5.6	26	< 1	1	4	8	14	17	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	704	7.6	54	2	3	5	9	15	21	37
70-74	682	8.3	63	2	4	6	10	16	22	34
75-79	541	8.9	64	2	4	6	11	19	25	37
80-84	273	9.0	79	2	4	7	11	20	24	34
85 +	162	11.1	142	3	5	7	13	22	29	75
B. Operated										
65-69 YRS	2485	11.8	85	3	7	10	14	22	29	49
70-74	2124	12.2	90	4	7	10	15	23	30	47
75-79	1498	12.6	108	4	7	10	15	24	32	62
80-84	631	13.0	117	3	7	10	16	25	36	67
85 +	240	14.9	182	4	7	11	20	30	36	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	4.8	20	1	2	3	7	10	14	23
B. Operated	468	6.7	23	1	2	7	9	12	14	24
2. MULTIPLE DX										
A. Not Operated	2362	8.5	69	2	4	6	10	18	24	38
B. Operated	6978	12.3	98	4	7	10	15	23	31	53
1. SINGLE DX	542	6.5	23	1	2	6	9	12	14	23
2. MULTIPLE DX	9340	11.3	93	3	5	9	14	22	29	51
A. Not Operated	2436	8.4	68	2	3	6	10	18	24	38
B. Operated	7446	12.0	95	3	6	10	15	23	30	52
TOTAL										
65-69 YRS	3400	10.6	78	2	5	9	13	20	27	46
70-74	2996	10.9	84	3	5	9	14	21	28	44
75-79	2113	11.4	98	3	5	9	14	22	29	53
80-84	957	11.6	105	3	5	9	14	22	31	61
85 +	416	13.1	166	3	6	9	15	28	34	80
GRAND TOTAL	9882	11.1	91	3	5	9	14	22	28	49

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	4.3	11	< 1	1	4	7	8	8	8
70-74	2	5.0	8	3	3	5	7	7	7	7
75-79	2	8.5	25	5	5	8	12	12	12	12
80-84	1	2.0		2	2	2	2	2	2	2
85 +	3	5.7	1	5	5	5	7	7	7	7
B. Operated										
65-69 YRS	71	6.3	29	1	1	5	9	14	19	21
70-74	42	6.5	42	< 1	1	4	10	16	22	23
75-79	21	3.6	23	< 1	1	1	3	13	15	17
80-84	11	3.6	24	< 1	< 1	1	4	12	16	16
85 +	6	1.7	1	< 1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	33	7.6	48	1	3	6	9	22	23	28
70-74	17	7.4	30	1	3	5	11	15	18	19
75-79	15	9.2	109	2	3	7	12	16	36	43
80-84	10	6.7	19	2	3	6	8	14	14	14
85 +	2	8.0	2	7	7	8	9	9	9	9
B. Operated										
65-69 YRS	293	12.5	133	1	5	10	16	27	36	73
70-74	233	12.1	120	1	4	11	15	24	35	62
75-79	151	14.0	228	2	4	11	17	27	42	80
80-84	86	13.9	193	2	4	10	18	28	39	77
85 +	42	17.6	372	2	4	12	22	36	69	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.3	9	1	3	5	7	9	12	12
B. Operated	151	5.6	32	< 1	1	3	9	14	18	22
2. MULTIPLE DX										
A. Not Operated	77	7.7	50	1	3	6	9	16	22	39
B. Operated	805	13.1	167	2	4	10	17	27	37	78
1. SINGLE DX	163	5.6	30	< 1	1	3	9	13	17	22
2. MULTIPLE DX	882	12.6	159	1	4	10	16	26	37	77
A. Not Operated	89	7.4	45	1	3	6	9	15	22	37
B. Operated	956	11.9	153	1	3	9	15	25	35	76
TOTAL										
65-69 YRS	401	10.9	113	1	3	9	14	23	33	64
70-74	294	11.0	108	1	3	10	14	22	33	61
75-79	189	12.4	205	1	3	9	16	25	37	78
80-84	108	12.1	171	1	3	9	16	26	38	75
85 +	53	14.8	327	1	4	8	19	27	62	80
GRAND TOTAL	1045	11.5	145	1	3	9	15	24	34	72

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.7	1	1	1	1	3	3	3	3
70-74	0									
75-79	1	18.0		18	18	18	18	18	18	18
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	24	4.5	18	1	2	3	6	10	15	16
70-74	24	3.5	11	< 1	1	2	4	9	10	12
75-79	24	6.0	42	1	2	4	8	12	19	32
80-84	11	7.9	57	1	2	4	13	19	24	25
85 +	10	8.3	101	1	1	3	13	24	31	31
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	20	7.3	39	2	3	5	11	18	20	22
70-74	13	9.5	39	2	5	8	14	19	21	21
75-79	15	8.2	47	2	3	7	10	20	24	25
80-84	11	16.0	250	4	6	9	23	40	55	56
85 +	11	13.3	342	2	3	7	15	38	64	66
B. Operated										
65-69 YRS	111	10.6	101	2	4	8	13	24	32	48
70-74	89	10.6	98	2	4	8	13	25	31	50
75-79	82	10.8	83	3	4	8	14	26	33	82
80-84	60	13.9	257	1	3	11	18	26	41	88
85 +	38	10.5	85	2	4	8	15	20	34	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.8	55	1	1	1	7	18	18	18
B. Operated	93	5.5	37	1	1	3	8	13	16	32
2. MULTIPLE DX										
A. Not Operated	70	10.2	123	2	3	7	13	21	26	64
B. Operated	380	11.1	119	2	4	8	15	24	33	62
1. SINGLE DX	98	5.4	37	1	1	3	8	13	17	32
2. MULTIPLE DX	450	11.0	120	2	4	8	14	24	32	66
A. Not Operated	75	9.9	120	2	3	7	13	20	26	63
B. Operated	473	10.0	108	2	3	7	13	23	31	51
TOTAL										
65-69 YRS	158	9.1	84	2	3	6	11	21	29	36
70-74	126	9.1	82	1	3	6	12	20	27	47
75-79	122	9.6	73	2	3	7	13	22	31	61
80-84	83	13.2	230	1	3	9	17	26	39	85
85 +	59	10.7	131	1	3	7	15	20	34	64
GRAND TOTAL	**548**	**10.0**	**110**	**2**	**3**	**7**	**13**	**22**	**31**	**56**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	34	3.8	10	< 1	1	3	6	8	9	15
70-74	42	3.1	8	< 1	1	2	4	8	9	11
75-79	25	4.8	15	1	2	3	7	12	14	14
80-84	7	3.6	15	1	1	1	7	10	10	10
85 +	9	4.6	10	< 1	2	4	6	9	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	6.1	17	2	3	5	8	13	14	14
70-74	0									
75-79	5	5.0	14	1	2	5	8	10	10	10
80-84	1	3.0		3	3	3	3	3	3	3
85 +	5	14.0	184	3	4	8	24	35	35	35
B. Operated										
65-69 YRS	79	5.2	28	1	2	3	6	12	14	26
70-74	86	6.3	31	1	3	5	8	11	16	31
75-79	59	5.8	29	2	2	4	8	11	15	29
80-84	34	7.1	46	1	2	4	10	18	23	28
85 +	30	7.2	86	1	2	5	9	14	17	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	117	3.8	11	1	1	2	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	20	7.7	64	2	3	5	9	17	27	35
B. Operated	288	6.1	37	1	2	4	8	12	17	29
1. SINGLE DX	117	3.8	11	1	1	2	6	8	10	14
2. MULTIPLE DX	308	6.2	39	1	2	4	8	12	18	31
A. Not Operated	20	7.7	64	2	3	5	9	17	27	35
B. Operated	405	5.4	31	1	2	4	7	11	14	28
TOTAL										
65-69 YRS	122	4.9	23	1	2	3	6	12	13	28
70-74	128	5.2	25	1	2	4	7	10	12	28
75-79	89	5.5	24	1	2	4	7	11	14	28
80-84	42	6.5	41	1	2	4	9	15	21	28
85 +	44	7.4	83	1	2	5	9	15	24	50
GRAND TOTAL	**425**	**5.5**	**32**	**1**	**2**	**4**	**7**	**11**	**14**	**29**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	65	1.6	2	<1	<1	1	2	3	4	8
70-74	77	1.8	3	<1	<1	1	2	4	5	9
75-79	64	2.3	7	<1	<1	1	3	5	7	15
80-84	48	2.4	5	<1	<1	1	3	5	9	10
85 +	60	2.7	9	<1	<1	1	3	8	10	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	8.3	28	<1	4	9	12	15	15	15
70-74	4	6.0	7	3	4	6	8	9	9	9
75-79	14	6.0	16	<1	2	6	10	11	13	14
80-84	9	6.2	91	1	1	3	6	21	31	31
85 +	11	7.7	79	<1	1	2	15	22	24	24
B. Operated										
65-69 YRS	148	4.8	42	1	1	2	6	12	17	34
70-74	125	5.3	53	<1	1	3	5	14	21	35
75-79	135	5.3	36	1	1	3	7	15	19	27
80-84	172	5.8	89	1	2	3	7	11	17	51
85 +	185	6.3	85	1	1	3	9	14	20	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	314	2.1	5	<1	<1	1	2	5	8	12
2. MULTIPLE DX										
A. Not Operated	44	6.8	45	1	2	5	10	15	22	31
B. Operated	765	5.6	64	1	1	3	7	13	19	46
1. SINGLE DX	315	2.1	5	<1	<1	1	2	5	8	12
2. MULTIPLE DX	809	5.6	63	1	1	3	7	13	20	45
A. Not Operated	45	6.7	44	1	2	5	10	15	22	31
B. Operated	1079	4.6	49	<1	1	2	5	10	16	36
TOTAL										
65-69 YRS	219	4.0	32	<1	1	2	4	9	15	30
70-74	206	4.0	36	<1	1	2	4	9	15	31
75-79	214	4.4	28	<1	1	2	6	11	16	24
80-84	229	5.1	73	<1	1	3	6	10	15	47
85 +	256	5.5	69	<1	1	2	7	13	18	56
GRAND TOTAL	**1124**	**4.6**	**49**	**<1**	**1**	**2**	**6**	**11**	**16**	**35**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	3.7	10	<1	2	3	5	9	11	11
70-74	4	3.0	3	<1	1	3	4	5	5	5
75-79	9	6.0	13	2	4	5	8	12	13	13
80-84	3	5.0	1	4	4	5	6	6	6	6
85 +	0									
B. Operated										
65-69 YRS	978	3.4	3	2	2	3	4	5	6	9
70-74	724	3.6	3	2	2	3	5	6	7	9
75-79	522	3.9	5	2	3	4	5	6	7	13
80-84	290	3.7	5	1	2	3	5	6	7	10
85 +	132	3.7	5	1	2	3	4	6	9	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	67	6.3	41	1	2	5	7	12	21	33
70-74	80	7.9	124	1	3	5	9	18	25	71
75-79	55	9.8	126	1	3	7	12	20	24	59
80-84	43	8.3	59	1	3	6	12	16	24	37
85 +	36	7.1	59	1	3	6	9	17	35	99 +
B. Operated										
65-69 YRS	2398	4.7	13	2	3	4	5	8	11	19
70-74	2201	5.0	19	2	3	4	6	8	11	23
75-79	1775	5.3	17	2	3	4	6	9	11	23
80-84	1078	5.8	27	2	3	5	7	9	13	32
85 +	733	5.8	32	2	3	5	7	10	13	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.6	10	1	2	4	5	10	11	13
B. Operated	2646	3.6	4	2	2	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	281	7.8	87	1	3	5	9	16	24	59
B. Operated	8185	5.1	19	2	3	4	6	9	12	23
1. SINGLE DX	2671	3.6	4	2	2	3	5	6	7	10
2. MULTIPLE DX	8466	5.2	22	2	3	4	6	9	12	24
A. Not Operated	306	7.6	81	1	3	5	9	15	23	58
B. Operated	10831	4.8	16	2	3	4	6	8	10	20
TOTAL										
65-69 YRS	3452	4.4	11	2	3	4	5	7	9	18
70-74	3009	4.7	19	2	3	4	5	8	10	22
75-79	2361	5.1	18	2	3	4	6	8	11	22
80-84	1414	5.4	24	2	3	4	6	9	13	29
85 +	901	5.5	30	2	3	4	7	9	13	30
GRAND TOTAL	**11137**	**4.8**	**18**	**2**	**3**	**4**	**6**	**8**	**11**	**22**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	5.8	57	2	2	3	5	16	27	28
70-74	16	2.4	1	1	2	2	3	4	4	4
75-79	9	2.8	1	2	2	3	3	4	5	5
80-84	5	3.0	2	1	2	4	4	4	4	4
85+	4	2.3	2	1	1	2	3	4	4	4
B. Operated										
65-69 YRS	20	4.1	6	2	3	3	5	7	10	12
70-74	17	3.4	4	1	2	3	4	6	8	9
75-79	11	3.3	5	1	2	3	5	7	8	8
80-84	11	4.9	6	2	3	5	6	9	10	10
85+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	40	6.3	58	2	2	3	5	18	23	38
70-74	27	5.5	50	1	2	3	5	9	25	33
75-79	26	4.0	6	1	2	3	5	7	8	10
80-84	16	4.0	8	1	2	4	5	8	10	11
85+	18	8.9	127	2	3	5	8	28	38	43
B. Operated										
65-69 YRS	129	7.1	52	2	3	5	9	14	21	41
70-74	101	7.7	102	2	3	6	9	14	24	95
75-79	55	7.6	48	2	3	5	10	17	23	34
80-84	42	7.5	58	2	4	5	8	14	29	37
85+	37	8.6	47	2	3	7	11	17	25	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	3.4	16	2	2	3	4	4	6	28
B. Operated	62	3.8	5	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	127	5.7	50	1	2	4	6	10	23	39
B. Operated	364	7.6	65	2	3	5	9	14	24	40
1. SINGLE DX	107	3.6	10	1	2	3	4	6	8	19
2. MULTIPLE DX	491	7.1	62	2	3	5	8	14	24	39
A. Not Operated	172	5.1	42	1	2	3	5	9	20	37
B. Operated	426	7.0	58	2	3	5	8	14	22	38
TOTAL										
65-69 YRS	200	6.6	49	2	3	4	8	13	22	39
70-74	161	6.4	76	2	3	4	7	11	23	84
75-79	101	5.8	32	2	2	4	7	11	18	30
80-84	74	6.1	38	1	3	5	6	10	15	36
85+	62	8.0	67	2	3	5	10	19	28	42
GRAND TOTAL	**598**	**6.5**	**54**	**2**	**3**	**4**	**8**	**13**	**22**	**38**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	2.1	1	1	1	2	3	4	4	4
70-74	14	2.1	1	1	2	2	2	3	4	4
75-79	16	2.1	1	1	1	2	3	3	4	4
80-84	7	2.1	1	1	1	2	3	4	4	4
85+	4	2.8	1	2	2	3	3	4	4	4
B. Operated										
65-69 YRS	130	4.8	4	3	4	5	6	7	8	11
70-74	114	4.7	4	2	4	4	6	7	8	12
75-79	55	5.0	6	2	4	5	6	8	8	18
80-84	32	4.6	2	3	4	5	6	6	7	7
85+	16	3.8	5	<1	1	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	57	5.7	127	1	2	3	5	11	19	79
70-74	62	5.7	40	2	2	4	6	11	22	33
75-79	47	6.1	44	1	2	3	8	16	24	28
80-84	24	9.0	71	2	3	6	10	24	27	30
85+	20	9.5	94	2	3	6	12	24	32	39
B. Operated										
65-69 YRS	776	6.9	31	4	4	6	7	12	15	33
70-74	652	7.1	31	4	5	6	8	11	14	31
75-79	461	8.3	67	4	5	6	8	14	20	62
80-84	237	8.6	55	4	5	7	9	15	21	44
85+	124	8.1	39	3	4	6	10	16	19	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	2.1	1	1	1	2	3	4	4	4
B. Operated	347	4.7	4	2	4	5	6	7	8	12
2. MULTIPLE DX										
A. Not Operated	210	6.5	74	1	2	4	7	16	24	35
B. Operated	2250	7.5	42	4	5	6	8	13	17	37
1. SINGLE DX	405	4.4	5	2	3	4	5	7	8	11
2. MULTIPLE DX	2460	7.4	44	3	4	6	8	13	17	37
A. Not Operated	268	5.6	61	1	2	3	5	12	21	32
B. Operated	2597	7.1	37	3	4	6	8	12	16	36
TOTAL										
65-69 YRS	980	6.5	33	3	4	5	7	11	14	29
70-74	842	6.6	28	3	4	6	7	10	13	30
75-79	579	7.6	60	3	4	6	8	14	19	50
80-84	300	8.1	52	3	5	6	9	14	21	38
85+	164	7.7	44	2	4	6	9	15	21	39
GRAND TOTAL	**2865**	**7.0**	**40**	**3**	**4**	**6**	**8**	**12**	**16**	**35**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.8	33	1	1	1	5	14	14	14
70-74	10	5.8	81	1	1	2	6	20	30	30
75-79	0									
80-84	2	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	34	6.4	9	3	5	6	8	10	12	16
70-74	21	6.0	3	4	5	5	7	9	10	10
75-79	8	7.6	4	5	6	7	9	11	11	11
80-84	4	7.0	13	4	4	6	9	12	12	12
85 +	2	18.0	392	4	4	18	32	32	32	32
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	64	7.4	107	1	3	4	8	18	29	62
70-74	51	7.5	106	1	2	5	9	14	27	55
75-79	35	8.6	27	3	5	7	12	15	20	23
80-84	31	8.7	68	2	3	6	10	21	28	36
85 +	26	9.5	40	3	5	8	12	21	23	24
B. Operated										
65-69 YRS	423	12.3	99	5	7	10	15	22	29	55
70-74	289	13.3	90	5	7	11	17	25	33	68
75-79	199	13.7	90	5	7	11	18	25	30	62
80-84	110	15.4	106	7	8	12	18	30	42	46
85 +	59	15.8	138	7	8	12	18	34	40	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	4.8	56	1	1	2	4	13	24	30
B. Operated	69	6.8	16	4	5	6	8	10	12	29
2. MULTIPLE DX										
A. Not Operated	207	8.1	78	1	3	5	10	17	23	50
B. Operated	1080	13.3	99	5	7	10	16	25	33	52
1. SINGLE DX	86	6.4	24	2	4	5	8	10	13	31
2. MULTIPLE DX	1287	12.5	99	4	7	10	16	24	32	52
A. Not Operated	224	7.9	77	1	3	5	10	17	23	49
B. Operated	1149	13.0	96	5	7	10	16	25	33	51
TOTAL										
65-69 YRS	526	11.3	98	4	6	9	13	21	28	54
70-74	371	11.9	94	4	6	9	15	25	31	54
75-79	242	12.8	82	5	7	10	17	24	30	53
80-84	147	13.6	104	4	7	11	17	27	39	46
85 +	87	14.0	118	5	7	11	17	25	35	60
GRAND TOTAL	**1373**	**12.1**	**97**	**4**	**6**	**9**	**15**	**24**	**31**	**51**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	3	2.0		2	2	2	2	2	2	2
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	4	3.0	3	1	2	3	4	5	5	5
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	11	6.6	49	1	2	5	7	20	21	21
70-74	9	3.8	4	1	2	3	5	7	8	8
75-79	8	2.9	2	1	2	3	4	5	5	5
80-84	13	5.2	14	1	2	4	7	10	13	14
85 +	12	3.5	11	< 1	1	2	5	9	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	4.6	5	2	3	4	7	8	8	8
70-74	12	8.3	56	2	2	4	14	19	22	23
75-79	14	5.1	28	2	2	3	6	10	19	22
80-84	14	12.3	154	2	3	9	17	38	39	39
85 +	16	7.3	101	1	2	5	6	19	35	41
B. Operated										
65-69 YRS	93	8.2	41	2	4	8	11	16	18	37
70-74	64	11.8	121	3	5	10	14	25	30	97
75-79	76	11.7	86	3	5	9	15	24	31	44
80-84	65	9.4	56	3	4	7	13	18	21	44
85 +	62	12.4	127	3	5	9	16	23	35	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.8	2	1	2	2	4	5	5	5
B. Operated	53	4.5	18	< 1	2	3	5	9	13	21
2. MULTIPLE DX										
A. Not Operated	68	7.6	76	2	2	5	6	18	24	41
B. Operated	360	10.5	84	3	5	8	13	21	26	48
1. SINGLE DX	66	4.2	15	1	2	3	5	9	11	21
2. MULTIPLE DX	428	10.1	84	2	4	8	13	21	25	47
A. Not Operated	81	6.8	67	2	2	4	7	17	22	40
B. Operated	413	9.8	79	2	4	8	13	20	25	47
TOTAL										
65-69 YRS	118	7.6	39	2	3	7	9	16	19	34
70-74	88	10.2	104	2	4	8	13	21	27	91
75-79	101	9.9	79	2	3	8	13	22	26	43
80-84	96	9.0	66	2	4	7	12	18	21	44
85 +	91	10.2	115	1	4	7	13	21	32	58
GRAND TOTAL	**494**	**9.3**	**78**	**2**	**4**	**7**	**12**	**19**	**24**	**46**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	2.8	2	1	2	3	4	5	5	5
70-74	5	4.6	12	<1	1	5	8	8	8	8
75-79	5	5.2	46	1	1	2	8	17	17	17
80-84	5	5.2	28	<1	1	5	7	14	14	14
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	468	5.3	9	2	3	5	7	9	10	15
70-74	435	4.7	10	1	2	4	7	9	11	14
75-79	310	3.9	8	1	2	3	5	8	10	13
80-84	156	3.7	12	1	1	3	4	7	11	18
85 +	83	3.5	8	1	2	3	4	6	8	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	117	7.6	48	2	3	5	10	17	22	32
70-74	166	7.8	122	2	3	5	9	15	22	67
75-79	173	7.2	53	1	3	5	8	14	20	47
80-84	172	6.1	51	2	3	5	7	12	16	28
85 +	105	9.6	153	2	4	6	11	17	23	82
B. Operated										
65-69 YRS	2461	7.0	35	2	4	6	9	13	17	30
70-74	2828	6.5	29	2	3	5	8	12	16	29
75-79	2442	6.5	39	2	3	5	8	13	18	32
80-84	1782	6.9	52	2	3	5	8	13	19	40
85 +	1199	8.0	57	2	4	6	10	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	4.3	19	<1	1	3	5	11	15	17
B. Operated	1452	4.6	10	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	733	7.5	82	2	3	5	9	15	21	48
B. Operated	10712	6.9	40	2	3	5	8	13	18	34
1. SINGLE DX	1473	4.6	10	1	2	4	6	8	10	15
2. MULTIPLE DX	11445	6.9	43	2	3	5	8	13	18	34
A. Not Operated	754	7.4	81	2	3	5	9	14	20	47
B. Operated	12164	6.6	37	2	3	5	8	13	17	32
TOTAL										
65-69 YRS	3051	6.8	32	2	3	6	8	12	16	29
70-74	3434	6.3	31	2	3	5	8	12	16	28
75-79	2930	6.3	37	2	3	5	7	12	17	31
80-84	2115	6.6	50	2	3	5	8	13	18	38
85 +	1388	7.9	63	2	3	5	10	16	21	40
GRAND TOTAL	**12918**	**6.6**	**40**	**2**	**3**	**5**	**8**	**13**	**17**	**32**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	3.0	12	1	1	2	4	9	9	9
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	5	4.2	16	1	2	3	6	11	11	11
80-84	2	5.0	8	3	3	5	7	7	7	7
85 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	6.5	34	<1	1	5	11	14	14	14
70-74	0									
75-79	0									
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	17	6.4	56	1	2	4	7	14	25	31
70-74	25	9.6	57	2	3	8	15	21	25	27
75-79	19	4.7	18	1	2	4	6	7	15	20
80-84	11	4.5	8	1	2	5	6	8	11	11
85 +	5	5.2	6	2	3	5	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	15	4.3	14	1	2	3	6	11	12	12
2. MULTIPLE DX										
A. Not Operated	5	6.2	26	<1	2	5	9	14	14	14
B. Operated	77	6.7	40	1	3	5	8	16	21	30
1. SINGLE DX	15	4.3	14	1	2	3	6	11	12	12
2. MULTIPLE DX	82	6.6	39	1	3	5	8	15	20	30
A. Not Operated	5	6.2	26	<1	2	5	9	14	14	14
B. Operated	92	6.3	36	1	2	4	8	15	20	29
TOTAL										
65-69 YRS	26	5.8	43	1	2	3	8	14	18	31
70-74	27	9.1	56	2	3	7	15	20	25	27
75-79	24	4.6	17	1	2	4	6	8	14	20
80-84	14	4.6	7	1	3	5	6	7	10	11
85 +	6	6.3	12	2	4	6	8	12	12	12
GRAND TOTAL	**97**	**6.3**	**35**	**1**	**2**	**4**	**8**	**15**	**19**	**29**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	2.6		2	2	3	3	3	3	3
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	4	5.5	16	2	2	4	8	11	11	11
80-84	4	3.3	10	<1	1	2	5	8	8	8
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	314	2.6	7	1	1	2	3	5	8	13
70-74	310	3.2	30	1	1	2	3	6	10	26
75-79	241	2.7	9	1	1	2	3	5	8	20
80-84	191	3.0	7	1	1	2	4	6	7	16
85 +	144	3.4	29	1	1	2	3	6	8	29
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	39	5.5	29	<1	2	4	7	9	17	28
70-74	53	6.9	36	1	3	5	10	15	19	31
75-79	56	7.7	132	1	3	4	7	16	26	64
80-84	54	6.7	72	1	3	5	8	11	16	58
85 +	51	6.8	46	2	3	5	7	13	26	35
B. Operated										
65-69 YRS	1325	5.7	43	1	2	3	7	14	18	33
70-74	1506	6.3	68	1	2	4	8	14	19	42
75-79	1524	6.4	66	1	2	4	8	14	21	44
80-84	1191	6.5	63	1	2	4	8	14	20	44
85 +	897	6.8	47	1	3	4	8	15	19	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.4	8	1	2	3	4	8	10	11
B. Operated	1200	2.9	16	1	1	2	3	5	8	19
2. MULTIPLE DX										
A. Not Operated	253	6.8	65	1	3	5	8	13	20	56
B. Operated	6443	6.3	58	1	2	4	8	14	19	39
1. SINGLE DX	1216	2.9	16	1	1	2	3	5	8	19
2. MULTIPLE DX	6696	6.3	59	1	2	4	8	14	20	39
A. Not Operated	269	6.6	62	1	3	5	8	13	19	53
B. Operated	7643	5.8	53	1	2	3	7	13	18	36
TOTAL										
65-69 YRS	1683	5.1	37	1	2	3	6	12	17	29
70-74	1871	5.8	62	1	2	3	7	13	18	40
75-79	1825	5.9	62	1	2	3	7	14	21	42
80-84	1440	6.1	57	1	2	4	7	13	19	42
85 +	1093	6.3	46	1	2	4	8	14	19	34
GRAND TOTAL	**7912**	**5.8**	**54**	**1**	**2**	**3**	**7**	**13**	**18**	**37**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
65-69 YRS	50	7.7	17	2	6	7	9	12	14	26
70-74	40	7.7	26	2	5	7	9	13	19	27
75-79	31	6.9	12	3	5	7	9	10	15	16
80-84	22	8.4	40	2	4	7	10	17	24	26
85 +	10	5.7	16	1	1	6	8	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	64	6.8	31	1	3	5	9	15	20	24
70-74	47	7.9	35	2	4	7	9	16	22	27
75-79	49	7.4	47	1	3	6	10	15	17	41
80-84	34	10.8	128	2	4	9	12	21	27	64
85 +	28	9.8	115	2	4	6	13	19	28	55
B. Operated										
65-69 YRS	556	10.2	49	5	7	8	12	18	24	40
70-74	450	11.6	76	5	7	10	14	21	28	55
75-79	347	12.2	94	5	7	10	14	23	29	58
80-84	196	12.2	69	5	7	10	14	25	30	41
85 +	106	11.4	84	4	6	9	15	20	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.2	1	1	1	2	3	4	4	4
B. Operated	153	7.5	21	2	5	7	9	12	15	26
2. MULTIPLE DX										
A. Not Operated	222	8.2	62	2	4	6	10	16	21	45
B. Operated	1655	11.3	71	5	7	9	13	20	28	50
1. SINGLE DX	159	7.3	22	2	5	7	9	12	15	26
2. MULTIPLE DX	1877	11.0	71	4	6	9	13	20	27	50
A. Not Operated	228	8.0	61	2	3	6	10	16	21	44
B. Operated	1808	11.0	68	4	7	9	13	20	27	49
TOTAL										
65-69 YRS	671	9.7	46	4	6	8	11	17	23	38
70-74	538	11.0	71	4	6	9	13	20	26	47
75-79	428	11.2	87	3	6	9	13	21	27	57
80-84	253	11.7	75	4	7	9	14	23	30	44
85 +	146	10.6	87	3	5	8	13	20	28	56
GRAND TOTAL	**2036**	**10.7**	**68**	**4**	**6**	**9**	**13**	**20**	**26**	**48**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	4.0	6	2	2	3	6	7	7	7
70-74	12	1.8	1	< 1	1	1	3	4	4	4
75-79	6	2.3	1	< 1	2	2	3	3	3	3
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	4.5	1	4	4	4	5	5	5	5
75-79	1	23.0		23	23	23	23	23	23	23
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	13	2.1	2	1	1	2	2	4	6	6
70-74	13	3.2	2	2	2	3	4	5	7	7
75-79	16	6.4	16	2	3	5	9	11	14	16
80-84	9	4.9	12	2	2	3	7	10	12	12
85 +	4	1.8	1	1	1	2	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	24	2.5	2	< 1	1	2	3	4	6	7
2. MULTIPLE DX										
A. Not Operated	4	8.8	91	3	3	4	14	23	23	23
B. Operated	55	4.0	10	1	2	3	5	9	11	16
1. SINGLE DX	24	2.5	2	< 1	1	2	3	4	6	7
2. MULTIPLE DX	59	4.4	16	1	2	3	5	9	12	22
A. Not Operated	4	8.8	91	3	3	4	14	23	23	23
B. Operated	79	3.6	9	1	2	3	4	8	10	15
TOTAL										
65-69 YRS	18	2.6	4	1	1	2	3	6	7	7
70-74	27	2.7	2	1	1	3	3	5	6	7
75-79	23	6.1	28	2	3	4	9	12	18	23
80-84	10	4.7	11	2	2	3	7	10	12	12
85 +	5	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	83	3.8	13	1	2	3	5	8	11	21

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	13.4	572	2	4	6	11	20	78	98
70-74	13	8.9	45	3	4	6	13	18	23	24
75-79	7	8.3	13	3	6	9	10	13	14	14
80-84	4	7.3	16	4	4	7	10	12	12	12
85 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
65-69 YRS	55	9.8	110	1	4	7	13	19	25	69
70-74	32	8.4	29	2	4	7	12	17	18	19
75-79	21	10.1	37	4	6	8	13	21	24	24
80-84	8	9.5	47	1	4	9	13	20	22	22
85 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	123	8.2	68	2	4	6	9	15	24	51
70-74	101	12.4	213	2	4	8	13	25	58	91
75-79	75	13.7	249	3	5	9	16	31	33	91
80-84	42	12.4	159	3	4	8	15	30	39	61
85 +	28	14.4	210	2	3	9	21	39	45	48
B. Operated										
65-69 YRS	181	13.5	87	4	8	12	17	24	36	85
70-74	144	18.8	216	6	10	15	24	38	50	90
75-79	114	19.4	262	5	10	15	24	35	45	92
80-84	40	20.3	276	4	8	17	28	40	58	72
85 +	15	16.6	172	3	8	14	20	29	49	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	10.3	228	3	4	8	11	16	22	98
B. Operated	117	9.5	69	2	5	8	13	18	22	41
2. MULTIPLE DX										
A. Not Operated	369	11.4	169	2	4	7	13	24	36	81
B. Operated	494	17.1	189	5	9	14	21	34	45	90
1. SINGLE DX	157	9.7	108	2	4	8	13	18	22	68
2. MULTIPLE DX	863	14.7	188	3	6	11	18	31	41	88
A. Not Operated	409	11.3	174	3	4	7	12	24	34	86
B. Operated	611	15.6	174	4	8	13	20	31	40	85
TOTAL										
65-69 YRS	374	11.2	108	3	5	9	14	21	31	68
70-74	290	15.0	201	3	7	10	19	30	47	87
75-79	217	16.2	240	4	7	12	21	31	39	92
80-84	94	15.3	210	3	5	10	21	35	47	68
85 +	45	14.9	186	2	4	10	20	38	46	56
GRAND TOTAL	1020	13.9	179	3	6	10	17	29	39	85

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	8.0	2	7	7	8	9	9	9	9
70-74	2	38.5	1861	8	8	38	69	69	69	69
75-79	1	17.0		17	17	17	17	17	17	17
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	6.0	25	1	2	6	10	11	11	11
70-74	10	7.4	28	2	3	5	13	15	17	17
75-79	3	11.0	27	8	8	8	15	17	17	17
80-84	2	2.5	5	< 1	< 1	2	4	4	4	4
85 +	5	9.4	11	5	7	10	11	14	14	14
B. Operated										
65-69 YRS	16	12.8	42	6	8	11	17	23	26	27
70-74	11	16.8	23	12	13	17	21	47	92	99 +
75-79	10	17.8	86	8	13	15	22	32	39	39
80-84	6	24.0	830	1	2	11	50	67	69	69
85 +	5	39.2	1160	16	17	22	56	97	97	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	6	19.3	607	6	7	8	17	64	69	69
2. MULTIPLE DX										
A. Not Operated	23	7.7	23	2	3	8	11	15	17	17
B. Operated	48	18.9	283	6	10	15	21	41	70	99 +
1. SINGLE DX	7	17.4	532	6	6	8	15	59	69	69
2. MULTIPLE DX	71	15.3	225	3	7	13	18	26	49	99
A. Not Operated	24	7.6	23	2	4	7	11	14	17	17
B. Operated	54	18.9	309	6	9	15	21	43	69	99 +
TOTAL										
65-69 YRS	22	11.1	41	5	7	10	16	20	25	27
70-74	23	14.6	185	3	7	13	20	29	78	99 +
75-79	14	16.3	72	8	8	15	20	26	36	39
80-84	9	17.2	624	< 1	2	4	26	61	69	69
85 +	10	24.3	767	C	10	15	22	70	97	97
GRAND TOTAL	**78**	**15.5**	**247**	**3**	**7**	**13**	**18**	**26**	**60**	**99**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	1.8	1	1	1	2	2	3	3	3
70-74	8	1.9	1	1	1	2	3	3	3	3
75-79	2	4.0	18	1	1	4	7	7	7	7
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	31	3.1	3	2	2	3	3	5	8	8
70-74	13	3.2	2	1	2	3	4	5	6	6
75-79	12	3.7	6	2	2	3	5	7	10	10
80-84	8	3.4	3	2	2	3	5	6	6	6
85 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	6.2	86	2	2	3	5	13	32	38
70-74	12	2.2	1	1	1	2	3	4	5	5
75-79	10	3.6	3	2	3	3	4	6	8	8
80-84	8	3.6	5	1	2	3	5	7	7	7
85 +	4	3.0	2	2	2	3	4	5	5	5
B. Operated										
65-69 YRS	103	5.9	55	2	3	4	6	10	18	45
70-74	74	7.8	58	2	3	6	9	21	25	85
75-79	62	6.9	79	2	3	4	8	12	19	58
80-84	38	8.0	60	3	4	6	10	18	35	99 +
85 +	19	9.9	77	3	3	7	16	21	30	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.1	2	1	1	2	3	3	5	7
B. Operated	65	3.3	4	2	2	3	4	6	8	10
2. MULTIPLE DX										
A. Not Operated	49	4.0	29	1	2	3	4	6	8	38
B. Operated	296	7.1	63	2	3	5	8	16	22	61
1. SINGLE DX	84	3.1	3	2	2	2	4	6	7	10
2. MULTIPLE DX	345	6.7	59	2	3	4	7	15	21	61
A. Not Operated	68	3.5	22	1	2	3	3	6	7	33
B. Operated	361	6.4	54	2	3	4	7	14	21	59
TOTAL										
65-69 YRS	157	5.2	46	2	2	3	6	9	16	37
70-74	107	6.1	46	2	2	3	7	15	23	66
75-79	86	6.0	60	2	3	4	7	10	17	52
80-84	55	6.6	47	2	3	5	7	13	21	97
85 +	24	8.8	67	2	3	5	13	18	27	35
GRAND TOTAL	**429**	**6.0**	**50**	**2**	**2**	**4**	**7**	**12**	**20**	**49**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	7.0	33	2	3	4	11	16	19	20
70-74	12	5.9	16	2	3	5	8	12	14	14
75-79	17	4.6	21	<1	1	3	7	11	15	17
80-84	8	5.5	14	2	3	4	8	11	12	12
85+	8	8.5	27	3	4	7	12	16	17	17
B. Operated										
65-69 YRS	49	5.4	22	<1	2	5	8	10	17	21
70-74	45	6.2	32	1	2	5	7	15	20	26
75-79	38	5.3	21	1	2	4	6	12	16	19
80-84	18	10.1	140	1	2	5	14	25	38	47
85+	12	7.8	28	2	3	6	12	16	17	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2205	8.9	70	2	4	7	11	18	24	43
70-74	1966	9.2	69	3	4	7	12	19	25	46
75-79	1604	9.5	82	2	4	7	12	20	25	50
80-84	1032	9.3	57	3	4	7	12	19	24	37
85+	710	9.8	89	3	4	7	12	20	29	53
B. Operated										
65-69 YRS	2900	12.2	122	3	5	9	15	25	34	60
70-74	2571	11.9	111	2	5	9	15	25	34	57
75-79	1903	13.0	136	3	6	10	17	26	36	64
80-84	1137	13.5	146	3	6	10	17	28	36	64
85+	625	12.7	131	3	5	9	16	26	35	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	6.2	25	1	3	5	10	14	17	20
B. Operated	162	6.3	39	1	2	5	8	15	19	26
2. MULTIPLE DX										
A. Not Operated	7517	9.3	72	2	4	7	12	19	25	46
B. Operated	9136	12.5	126	3	5	9	16	25	35	60
1. SINGLE DX	233	6.3	35	1	2	5	8	14	17	25
2. MULTIPLE DX	16653	11.0	104	2	5	8	14	23	31	55
A. Not Operated	7588	9.2	72	2	4	7	11	19	25	46
B. Operated	9298	12.3	125	2	5	9	16	25	34	60
TOTAL										
65-69 YRS	5180	10.7	101	2	4	8	14	22	30	53
70-74	4594	10.7	94	2	4	8	14	23	30	53
75-79	3562	11.3	113	2	5	8	14	23	31	58
80-84	2195	11.5	108	3	5	8	15	24	31	55
85+	1355	11.1	110	3	5	8	14	23	32	54
GRAND TOTAL	**16886**	**11.0**	**104**	**2**	**4**	**8**	**14**	**23**	**30**	**55**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85+	0									
B. Operated										
65-69 YRS	3	10.3	4	8	9	11	12	12	12	12
70-74	4	9.3	144	<1	1	4	16	27	27	27
75-79	2	11.0	200	1	1	11	21	21	21	21
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	14.4	137	5	6	7	25	30	30	30
70-74	8	12.5	90	4	5	7	22	26	27	27
75-79	7	13.0	145	4	6	9	16	34	38	38
80-84	5	12.0	82	6	7	8	14	28	28	28
85+	2	10.0	72	4	4	10	16	16	16	16
B. Operated										
65-69 YRS	42	11.7	83	3	5	8	19	27	29	33
70-74	18	14.2	113	2	7	12	20	35	72	99+
75-79	22	16.6	201	3	6	11	28	38	47	50
80-84	18	16.1	156	2	7	14	20	38	41	43
85+	7	18.3	151	5	10	14	29	36	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0		2	2	2	2	2	2	2
B. Operated	11	8.7	73	<1	2	6	12	23	27	27
2. MULTIPLE DX										
A. Not Operated	27	12.7	95	4	6	8	20	28	31	38
B. Operated	107	14.3	129	3	6	12	20	33	37	71
1. SINGLE DX	14	7.3	65	1	2	4	11	22	26	27
2. MULTIPLE DX	134	14.0	122	3	6	10	20	32	37	57
A. Not Operated	30	11.6	96	3	5	7	18	27	30	38
B. Operated	118	13.8	126	3	6	11	20	33	37	65
TOTAL										
65-69 YRS	53	11.3	82	2	5	8	17	27	29	33
70-74	30	13.1	106	2	5	12	21	32	37	99+
75-79	31	15.4	180	3	6	11	21	36	45	50
80-84	24	14.8	137	3	7	12	18	36	40	43
85+	10	14.9	144	2	4	13	18	35	37	37
GRAND TOTAL	**148**	**13.3**	**120**	**3**	**6**	**10**	**19**	**31**	**37**	**50**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	21.0		21	21	21	21	21	21	21
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	5.0	8	3	3	5	7	7	7	7
70-74	0									
75-79	0									
80-84	0									
85 +	1	38.0		38	38	38	38	38	38	38
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	11.3	90	2	4	8	17	26	31	31
70-74	10	4.9	6	2	3	4	6	9	11	11
75-79	5	15.6	184	6	7	11	21	39	39	39
80-84	4	11.3	27	5	7	12	15	16	16	16
85 +	9	6.2	24	2	3	4	7	14	18	18
B. Operated										
65-69 YRS	18	28.2	458	6	8	29	35	54	75	87
70-74	12	24.9	668	6	10	18	29	60	93	98
75-79	10	11.4	80	4	6	8	18	59	97	99 +
80-84	8	25.1	405	4	11	17	42	56	58	58
85 +	5	16.4	142	8	9	12	21	37	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	21.0		21	21	21	21	21	21	21
B. Operated	3	16.0	367	3	4	7	30	38	38	38
2. MULTIPLE DX										
A. Not Operated	37	8.9	64	3	4	6	11	18	27	39
B. Operated	53	22.7	411	5	8	17	34	51	81	99 +
1. SINGLE DX	4	17.3	251	3	5	14	29	38	38	38
2. MULTIPLE DX	90	17.0	313	3	6	10	24	38	56	99
A. Not Operated	38	9.2	66	3	4	6	11	19	27	39
B. Operated	56	22.4	405	4	8	16	34	50	77	99 +
TOTAL										
65-69 YRS	29	21.4	386	3	7	17	32	44	58	87
70-74	22	15.8	457	3	4	9	20	38	66	98
75-79	16	13.3	105	4	6	11	19	38	79	99 +
80-84	12	20.5	312	4	8	15	26	52	57	58
85 +	15	11.7	131	3	4	8	15	37	38	38
GRAND TOTAL	**94**	**17.1**	**308**	**3**	**6**	**10**	**24**	**38**	**54**	**99**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	0									
75-79	4	3.0	7	< 1	1	2	5	7	7	7
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	8.0	19	5	5	6	11	13	13	13
70-74	0									
75-79	3	9.7	24	4	6	12	13	13	13	13
80-84	2	16.5	145	8	8	16	25	25	25	25
85 +	3	10.3	2	9	9	10	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	52	8.5	56	3	3	6	10	18	24	34
70-74	45	6.0	29	1	3	4	7	12	18	27
75-79	58	9.7	153	2	3	6	13	21	30	99
80-84	34	10.1	105	3	4	7	12	20	27	56
85 +	31	7.8	45	3	4	6	9	14	15	38
B. Operated										
65-69 YRS	54	11.0	115	4	4	7	13	27	36	54
70-74	32	12.8	230	4	5	9	15	22	32	87
75-79	49	13.2	60	5	8	12	16	23	31	39
80-84	27	17.1	333	3	7	11	24	31	58	87
85 +	16	11.9	115	3	6	8	13	34	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.0	5	< 1	2	2	4	7	7	7
B. Operated	11	10.6	33	5	6	10	13	18	24	25
2. MULTIPLE DX										
A. Not Operated	220	8.4	83	2	3	6	10	17	25	65
B. Operated	178	12.9	154	4	6	10	16	26	35	78
1. SINGLE DX	17	7.9	36	2	3	7	12	13	21	25
2. MULTIPLE DX	398	10.4	119	3	4	7	13	22	31	71
A. Not Operated	226	8.3	81	2	3	6	10	17	25	63
B. Operated	189	12.8	147	4	6	10	15	25	33	74
TOTAL										
65-69 YRS	111	9.6	84	3	4	6	11	21	32	46
70-74	77	8.8	122	2	3	6	11	17	22	72
75-79	114	10.9	109	2	4	8	14	22	30	91
80-84	63	13.3	210	3	5	8	15	28	39	83
85 +	50	9.3	66	3	5	7	10	15	36	38
GRAND TOTAL	**415**	**10.3**	**116**	**3**	**4**	**7**	**13**	**21**	**31**	**66**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	1.5	1	1	1	1	2	3	3	3
70-74	3	12.7	137	4	5	8	21	26	26	26
75-79	5	4.0	5	< 1	2	4	5	7	7	7
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	6	11.8	151	2	2	9	14	33	35	35
70-74	2	24.5	545	8	8	24	41	41	41	41
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	39.0		39	39	39	39	39	39	39
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	27	11.3	130	2	3	7	14	29	41	43
70-74	40	8.4	77	1	3	6	11	16	25	47
75-79	30	7.6	47	1	3	7	8	15	16	36
80-84	22	10.4	139	1	2	6	13	29	38	46
85 +	14	6.6	54	2	2	3	9	15	25	28
B. Operated										
65-69 YRS	95	30.9	424	6	13	32	44	61	74	96
70-74	79	28.3	444	5	8	29	40	62	72	97
75-79	66	23.8	379	4	7	17	35	47	63	79
80-84	37	19.6	245	4	7	13	30	45	54	56
85 +	21	16.3	341	3	6	11	23	27	54	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.3	48	< 1	1	3	6	13	24	26
B. Operated	12	14.3	223	2	4	8	24	40	41	41
2. MULTIPLE DX										
A. Not Operated	133	8.9	89	1	3	6	12	18	29	46
B. Operated	298	26.2	409	4	8	24	38	55	68	90
1. SINGLE DX	24	9.8	151	1	2	5	9	35	40	41
2. MULTIPLE DX	431	20.9	374	3	6	13	33	48	62	88
A. Not Operated	145	8.6	86	1	3	6	11	18	28	46
B. Operated	310	25.8	406	4	8	24	38	55	67	90
TOTAL										
65-69 YRS	132	25.2	425	3	7	23	38	54	67	93
70-74	124	21.5	401	3	6	14	35	52	64	92
75-79	103	17.7	322	3	5	10	29	44	53	78
80-84	60	16.0	221	2	5	10	26	35	50	56
85 +	36	13.2	258	2	3	8	17	27	36	88
GRAND TOTAL	**455**	**20.3**	**368**	**2**	**5**	**13**	**33**	**47**	**61**	**88**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	1.7	4	< 1	< 1	< 1	< 1	5	6	6
70-74	7	3.6	5	< 1	1	5	5	6	6	6
75-79	5	2.0	2	< 1	< 1	< 1	3	4	4	4
80-84	4	5.8	35	< 1	1	4	10	14	14	14
85 +	3	3.3		3	3	3	4	4	4	4
B. Operated										
65-69 YRS	3	6.3	22	1	3	8	9	10	10	10
70-74	2	2.0	2	< 1	< 1	1	3	3	3	3
75-79	0									
80-84	4	4.8	11	1	2	5	7	8	8	8
85 +	2	3.5	5	2	[illegible]	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	43	8.8	100	1	2	5	10	26	36	38
70-74	29	9.7	52	2	3	7	17	21	22	23
75-79	48	11.9	217	2	3	7	14	31	40	99 +
80-84	40	7.2	69	1	2	4	9	15	27	40
85 +	34	6.9	33	1	2	6	10	15	18	23
B. Operated										
65-69 YRS	59	16.0	183	2	6	12	25	33	40	66
70-74	59	19.1	351	3	7	10	29	39	61	85
75-79	43	13.3	229	3	5	8	14	31	46	71
80-84	41	9.5	107	2	4	7	13	25	68	99 +
85 +	19	12.3	103	4	5	7	20	28	32	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	3.1	8	< 1	< 1	2	5	6	8	14
B. Operated	11	4.5	11	< 1	1	3	8	9	10	10
2. MULTIPLE DX										
A. Not Operated	194	9.0	105	1	2	6	12	22	31	67
B. Operated	221	14.8	224	3	5	10	21	35	47	90
1. SINGLE DX	37	3.5	9	< 1	< 1	3	5	8	9	14
2. MULTIPLE DX	415	12.1	176	2	4	8	15	31	38	87
A. Not Operated	220	8.3	97	1	2	5	11	19	29	54
B. Operated	232	14.3	218	2	5	9	19	34	46	88
TOTAL										
65-69 YRS	112	12.1	154	1	3	8	17	32	37	53
70-74	97	14.8	259	2	5	10	20	35	45	83
75-79	96	12.0	215	2	4	7	14	30	37	95
80-84	89	8.1	83	1	2	6	11	16	39	99 +
85 +	58	8.4	60	1	3	6	10	20	25	34
GRAND TOTAL	**452**	**11.4**	**168**	**1**	**3**	**7**	**15**	**30**	**37**	**86**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	4.6	34	1	2	3	5	9	16	30
70-74	20	5.0	8	1	3	[illegible]	7	8	10	13
75-79	13	5.0	11	1	3	5	6	9	13	14
80-84	3	4.0	1	3	3	4	5	5	5	5
85 +	5	7.0	18	< 1	4	8	10	12	12	12
B. Operated										
65-69 YRS	87	5.8	23	1	2	5	8	13	15	21
70-74	70	5.3	16	1	1	5	8	10	13	19
75-79	46	5.3	22	1	2	4	8	12	14	22
80-84	24	4.8	25	1	1	2	8	11	15	19
85 +	19	10.5	130	1	3	9	12	24	40	48
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	291	9.1	65	2	4	7	11	19	27	38
70-74	290	9.7	65	3	4	7	12	19	24	[illegible]
75-79	274	9.5	74	2	4	7	12	21	27	55
80-84	199	10.0	85	2	4	8	13	20	27	65
85 +	136	9.1	54	2	4	8	11	19	29	99 +
B. Operated										
65-69 YRS	555	13.6	163	3	6	10	17	29	41	69
70-74	593	13.8	176	3	5	10	18	29	42	76
75-79	503	14.4	165	3	6	11	18	31	40	70
80-84	341	14.2	145	4	6	11	18	29	41	76
85 +	198	15.7	147	4	7	13	19	33	38	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	5.0	19	1	3	4	6	9	12	27
B. Operated	246	5.8	31	1	2	4	8	13	15	23
2. MULTIPLE DX										
A. Not Operated	1190	9.5	69	2	4	7	12	19	26	49
B. Operated	2190	14.1	163	3	6	11	18	30	40	71
1. SINGLE DX	313	5.6	28	1	2	4	8	12	14	25
2. MULTIPLE DX	3380	12.5	135	3	5	9	16	26	36	66
A. Not Operated	1257	9.2	67	2	4	7	12	19	26	48
B. Operated	2436	13.3	156	2	5	10	17	29	39	69
TOTAL										
65-69 YRS	959	11.3	125	2	4	8	14	23	33	58
70-74	973	11.8	136	2	4	8	15	24	34	66
75-79	836	12.2	134	2	4	9	16	27	36	65
80-84	567	12.3	124	3	5	9	16	25	35	73
85 +	358	12.8	119	3	6	10	16	29	36	75
GRAND TOTAL	**3693**	**11.9**	**129**	**2**	**5**	**9**	**15**	**25**	**35**	**65**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	90	1.9	1	1	1	2	2	3	4	5
70-74	66	2.0	1	1	1	2	3	3	4	4
75-79	44	2.2	2	1	1	2	3	4	5	7
80-84	21	2.1	3	< 1	1	2	2	4	6	8
85 +	12	1.8	1	< 1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	2	1.5	1	< 1	< 1	1	2	2	2	2
75-79	1	7.0		7	7	7	7	7	7	7
80-84	3	3.3	6	< 1	1	3	5	6	6	6
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	125	2.8	6	1	1	2	3	5	8	13
70-74	99	2.5	3	1	1	2	3	4	5	11
75-79	74	3.3	11	1	2	3	4	5	6	22
80-84	30	3.0	5	1	2	3	4	5	7	12
85 +	19	3.7	3	2	2	4	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	233	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	9	2.8	5	< 1	1	2	4	7	7	7
B. Operated	347	2.9	6	1	2	2	3	5	7	16
1. SINGLE DX	235	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX	356	2.9	6	1	2	2	3	5	7	16
A. Not Operated	11	2.5	4	< 1	1	2	3	6	7	7
B. Operated	580	2.5	4	1	1	2	3	4	5	12
TOTAL										
65-69 YRS	217	2.4	4	1	1	2	3	4	5	11
70-74	168	2.3	2	1	1	2	3	4	5	6
75-79	119	2.9	8	1	2	2	3	4	6	21
80-84	54	2.7	4	1	1	2	3	5	7	12
85 +	33	2.9	3	1	2	2	4	5	7	7
GRAND TOTAL	**591**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	4	2.8	4	<1	<1	2	4	5	5	5
75-79	5	1.0		<1	<1	<1	1	1	1	1
80-84	3	1.0		<1	<1	<1	<1	<1	<1	<1
85+	2	6.0	2	5	5	6	7	7	7	7
B. Operated										
65-69 YRS	92	3.7	11	<1	<1	1	7	8	10	11
70-74	73	4.1	11	<1	<1	3	7	9	10	13
75-79	42	4.6	16	<1	<1	3	8	11	12	13
80-84	36	3.2	8	<1	<1	1	6	8	8	10
85+	19	1.9	3	<1	<1	1	2	5	6	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	23	4.9	36	<1	2	3	5	14	21	24
70-74	28	4.5	14	<1	1	4	6	8	10	18
75-79	20	4.8	8	1	3	4	6	8	11	13
80-84	14	5.4	29	1	2	3	8	11	19	21
85+	17	5.6	20	2	2	4	7	12	16	18
B. Operated										
65-69 YRS	406	8.0	44	1	4	8	10	14	18	32
70-74	440	7.8	65	<1	2	7	10	15	18	41
75-79	385	8.2	47	1	4	7	10	15	20	42
80-84	271	8.6	52	1	3	7	11	18	25	37
85+	204	8.6	105	1	3	7	10	17	24	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.1	4	<1	<1	<1	3	5	6	7
B. Operated	262	3.8	11	<1	<1	2	7	9	10	13
2. MULTIPLE DX										
A. Not Operated	102	4.9	20	1	2	4	7	9	15	22
B. Operated	1706	8.2	58	1	3	7	10	15	21	41
1. SINGLE DX	278	3.7	11	<1	<1	2	7	9	10	12
2. MULTIPLE DX	1808	8.0	57	1	3	7	10	15	20	41
A. Not Operated	118	4.5	19	<1	1	3	6	8	13	22
B. Operated	1968	7.6	54	<1	2	7	10	15	19	40
TOTAL										
65-69 YRS	523	7.1	40	<1	2	7	10	13	17	31
70-74	545	7.1	57	<1	2	6	9	14	17	40
75-79	452	7.6	44	1	3	7	10	14	17	40
80-84	324	7.8	49	1	2	7	10	18	23	35
85+	242	7.9	93	1	3	6	9	15	22	71
GRAND TOTAL	**2086**	**7.4**	**53**	**<1**	**2**	**6**	**10**	**14**	**19**	**40**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
B. Operated										
65-69 YRS	21	4.3	8	<1	1	4	7	8	8	8
70-74	10	4.0	3	1	4	4	5	6	7	7
75-79	12	4.6	16	1	2	3	7	10	13	14
80-84	4	1.8	1	<1	<1	1	2	3	3	3
85+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	3	7.0	19	4	4	5	10	12	12	12
75-79	3	3.7	9	1	1	3	6	7	7	7
80-84	1	17.0		17	17	17	17	17	17	17
85+	2	8.0	8	6	6	8	10	10	10	10
B. Operated										
65-69 YRS	68	6.7	23	1	3	6	8	14	17	23
70-74	47	9.3	64	2	5	7	12	16	31	39
75-79	35	8.9	112	1	3	7	10	21	49	99+
80-84	7	7.9	39	1	3	8	13	17	18	18
85+	3	11.3	104	4	5	7	19	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	49	4.0	8	1	1	4	6	8	8	14
2. MULTIPLE DX										
A. Not Operated	9	7.2	25	2	4	6	10	15	17	17
B. Operated	160	8.1	57	2	4	7	10	16	21	58
1. SINGLE DX	49	4.0	8	1	1	4	6	8	8	14
2. MULTIPLE DX	169	8.1	55	2	4	7	10	16	21	56
A. Not Operated	9	7.2	25	2	4	6	10	15	17	17
B. Operated	209	7.1	48	1	3	6	8	14	18	47
TOTAL										
65-69 YRS	89	6.2	21	1	3	5	8	12	16	22
70-74	60	8.3	55	2	4	6	11	14	23	39
75-79	50	7.6	86	1	2	6	9	18	22	99+
80-84	12	6.6	41	1	2	3	11	17	18	18
85+	7	7.6	56	<1	2	6	9	20	23	23
GRAND TOTAL	**218**	**7.2**	**47**	**1**	**3**	**6**	**9**	**14**	**18**	**45**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-[illegible]	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	67	1.9	2	< 1	< 1	1	3	4	5	6
70-74	45	2.1	2	< 1	< 1	2	3	4	5	6
75-79	30	2.1	2	< 1	1	2	3	4	6	7
80-84	12	3.2	27	< 1	< 1	1	3	9	18	19
85 +	5	2.6	9	< 1	< 1	1	3	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	7.2	[illegible]	< 1	2	9	11	11	11	11
70-74	6	2.3	2	< 1	2	2	2	5	5	5
75-79	7	8.0	77	1	3	6	8	23	27	27
80-84	3	3.7	4	2	2	3	5	6	6	6
85 +	2	9.0	50	4	4	9	14	14	14	14
B. Operated										
65-69 YRS	114	3.7	12	1	1	2	5	8	10	17
70-74	88	4.1	18	1	1	2	6	9	13	22
75-79	79	6.0	48	1	1	4	9	13	17	41
80-84	41	5.7	27	< 1	1	3	10	12	16	20
85 +	13	5.7	16	1	3	5	7	10	15	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	159	2.1	4	< 1	< 1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	24	5.9	34	1	2	4	8	12	18	27
B. Operated	335	4.7	25	1	1	3	7	10	14	22
1. SINGLE DX	159	2.1	4	< 1	< 1	1	3	4	5	8
2. MULTIPLE DX	359	4.8	25	1	1	3	7	11	14	23
A. Not Operated	24	5.9	34	1	2	4	8	12	18	27
B. Operated	494	3.9	19	< 1	1	2	5	9	12	21
TOTAL										
65-69 YRS	187	3.2	10	< 1	1	2	4	7	9	14
70-74	139	3.4	13	< 1	1	2	4	8	10	21
75-79	116	5.1	41	1	1	3	7	12	15	34
80-84	56	5.1	26	< 1	1	2	9	11	17	20
85 +	20	5.3	18	< 1	2	4	7	11	15	16
GRAND TOTAL	**518**	**4.0**	**20**	**< 1**	**1**	**2**	**5**	**9**	**12**	**21**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	16	2.3	6	< 1	< 1	1	2	5	8	10
70-74	10	2.0	4	< 1	1	1	2	5	7	7
75-79	13	2.5	5	< 1	1	2	3	6	8	8
80-84	5	5.2	46	< 1	< 1	2	8	17	17	17
85 +	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not,Operated										
65-69 YRS	6	5.8	12	1	3	6	9	10	10	10
70-74	11	5.0	5	2	3	5	7	8	9	9
75-79	6	4.8	5	2	3	5	6	8	8	8
80-84	11	9.2	44	3	4	7	11	20	24	24
85 +	4	11.8	28	4	8	13	15	16	16	16
B. Operated										
65-69 YRS	52	7.1	95	1	2	4	8	18	27	57
70-74	34	10.3	272	1	2	4	11	41	72	99 +
75-79	33	9.8	101	1	2	8	11	23	29	45
80-84	22	10.5	155	1	3	5	13	31	40	48
85 +	17	6.8	79	1	2	2	7	24	29	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	46	2.7	9	< 1	1	2	3	6	8	17
2. MULTIPLE DX										
A. Not Operated	38	7.0	24	2	4	5	9	14	17	24
B. Operated	158	8.8	140	1	2	5	10	23	33	75
1. SINGLE DX	46	2.7	9	< 1	1	2	3	6	8	17
2. MULTIPLE DX	196	8.4	118	1	2	5	9	22	30	68
A. Not Operated	38	7.0	24	2	4	5	9	14	17	24
B. Operated	204	7.4	117	1	2	4	8	20	30	67
TOTAL										
65-69 YRS	74	5.9	72	1	1	3	7	11	22	51
70-74	55	7.7	179	1	2	4	8	17	52	99
75-79	52	7.4	76	1	2	5	9	21	27	45
80-84	38	9.4	108	1	3	5	11	24	32	48
85 +	23	7.4	67	1	2	4	12	18	28	31
GRAND TOTAL	**242**	**7.3**	**102**	**1**	**2**	**4**	**9**	**18**	**29**	**59**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	9	2.1	2	< 1	< 1	2	3	4	5	5
70-74	17	1.1		< 1	< 1	< 1	1	2	2	2
75-79	8	1.3	1	< 1	< 1	1	1	2	3	3
80-84	6	1.7	1	< 1	< 1	1	2	4	4	4
85 +	4	2.3	4	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	29	3.1	18	< 1	1	1	2	11	14	16
70-74	18	3.1	4	1	2	3	4	6	7	7
75-79	18	2.7	6	< 1	1	2	3	7	9	10
80-84	14	2.3	4	< 1	1	2	3	6	7	7
85 +	6	3.3	5	1	1	3	4	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	44	1.5	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	85	2.9	9	< 1	1	2	3	7	9	15
1. SINGLE DX	44	1.5	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX	85	2.9	9	< 1	1	2	3	7	9	15
A. Not Operated	0									
B. Operated	129	2.4	7	< 1	< 1	1	3	5	7	15
TOTAL										
65-69 YRS	38	2.8	14	< 1	< 1	1	2	7	14	16
70-74	35	2.1	3	< 1	< 1	1	3	5	6	7
75-79	26	2.2	5	< 1	< 1	2	2	3	8	10
80-84	20	2.1	3	< 1	< 1	1	3	5	6	7
85 +	10	2.9	4	< 1	1	2	4	6	7	7
GRAND TOTAL	**129**	**2.4**	**7**	**< 1**	**< 1**	**1**	**3**	**5**	**7**	**15**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	13	3.9	2	1	4	4	5	5	6	6
70-74	5	4.8	2	4	4	4	5	7	7	7
75-79	4	5.0	2	4	4	5	6	7	7	7
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	5.0	15	1	2	4	6	11	12	12
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	1.0		1	1	1	1	1	1	1
80-84	3	7.0	21	3	4	6	10	12	12	12
85 +	3	7.3	4	5	6	8	9	9	9	9
B. Operated										
65-69 YRS	225	5.5	8	3	4	5	6	8	11	18
70-74	109	6.5	15	4	4	5	7	11	17	21
75-79	53	6.5	22	3	4	5	7	11	17	26
80-84	26	7.2	12	3	5	7	9	12	14	16
85 +	12	8.2	24	4	5	7	9	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	23	4.3	2	3	4	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	15	5.4	13	1	2	5	8	12	12	12
B. Operated	425	6.1	12	3	4	5	7	10	13	20
1. SINGLE DX	23	4.3	2	3	4	4	5	6	7	7
2. MULTIPLE DX	440	6.0	12	3	4	5	7	10	13	20
A. Not Operated	15	5.4	13	1	2	5	8	12	12	12
B. Operated	448	6.0	12	3	4	5	7	9	13	20
TOTAL										
65-69 YRS	244	5.4	8	3	4	5	6	7	11	18
70-74	116	6.3	14	4	4	5	7	10	16	21
75-79	58	6.3	21	3	4	5	7	10	17	26
80-84	30	7.1	12	3	5	6	9	12	13	16
85 +	15	8.0	20	4	5	7	9	17	18	19
GRAND TOTAL	**463**	**5.9**	**12**	**3**	**4**	**5**	**7**	**9**	**13**	**20**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	7.0		7	7	7	7	7	7	7
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	11	7.0	32	2	3	5	10	17	18	18
70-74	4	5.0	10	1	2	5	7	8	8	8
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	0									
85 +	2	5.0	2	4	4	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	19	6.2	20	2	4	5	7	14	17	18
1. SINGLE DX	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX	20	6.0	21	1	3	5	7	13	17	18
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	20	6.3	19	2	4	5	7	13	17	18
TOTAL										
65-69 YRS	11	7.0	32	2	3	5	10	17	18	18
70-74	6	4.7	10	1	1	5	7	8	8	8
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	0									
85 +	2	5.0	2	4	4	5	6	6	6	6
GRAND TOTAL	**21**	**6.0**	**20**	**1**	**3**	**5**	**7**	**13**	**17**	**18**

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	42	4.6	2	3	4	4	5	6	7	10
70-74	36	5.3	4	3	4	5	6	8	10	11
75-79	18	5.2	2	4	4	5	6	7	8	8
80-84	7	7.0	9	4	5	6	8	12	13	13
85 +	6	6.0	10	2	3	6	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	12.0		12	12	12	12	12	12	12
75-79	0									
80-84	1	6.0		6	6	6	6	6	6	6
85 +	2	5.5	25	2	2	5	9	9	9	9
B. Operated										
65-69 YRS	315	6.4	11	4	4	6	7	10	12	20
70-74	239	6.5	12	4	5	6	7	10	14	21
75-79	154	7.9	34	4	5	6	8	13	20	32
80-84	95	8.9	43	4	5	7	10	15	21	40
85 +	36	9.6	24	4	6	8	13	18	21	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	109	5.2	4	3	4	5	6	7	9	12
2. MULTIPLE DX										
A. Not Operated	4	7.3	18	2	4	7	10	12	12	12
B. Operated	839	7.1	21	4	5	6	8	11	16	26
1. SINGLE DX	109	5.2	4	3	4	5	6	7	9	12
2. MULTIPLE DX	843	7.1	21	4	5	6	8	11	16	25
A. Not Operated	4	7.3	18	2	4	7	10	12	12	12
B. Operated	948	6.9	19	4	4	6	8	11	15	25
TOTAL										
65-69 YRS	357	6.2	11	4	4	5	7	10	11	20
70-74	276	6.4	11	4	4	6	7	9	13	20
75-79	172	7.6	32	4	5	6	8	13	19	31
80-84	103	8.7	40	4	5	7	9	14	20	39
85 +	44	8.9	24	4	5	8	12	17	20	99 +
GRAND TOTAL	**952**	**6.9**	**19**	**4**	**4**	**6**	**8**	**11**	**15**	**25**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	3.0	8	<1	<1	2	5	5	5	5
70-74	3	1.0		<1	<1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	7	4.6	4	1	4	5	6	7	7	7
70-74	4	5.8	6	3	4	5	7	9	9	9
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	2.5	6	<1	<1	1	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	12	4.8	5	1	3	5	6	8	9	9
1. SINGLE DX	6	2.5	6	<1	<1	1	5	6	6	6
2. MULTIPLE DX	12	4.8	5	1	3	5	6	8	9	9
A. Not Operated	0									
B. Operated	18	4.0	6	<1	1	4	6	7	8	9
TOTAL										
65-69 YRS	9	4.2	4	<1	3	5	5	7	7	7
70-74	7	3.7	10	<1	1	3	6	8	9	9
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**18**	**4.0**	**6**	**<1**	**1**	**4**	**6**	**7**	**8**	**9**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	3.0	8	1	1	3	5	5	5	5
70-74	4	1.3		1	1	1	2	2	2	2
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	9	2.4	3	1	1	2	4	5	5	5
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX	9	2.4	3	1	1	2	4	5	5	5
A. Not Operated	0									
B. Operated	11	2.3	2	1	1	2	3	5	5	5
TOTAL										
65-69 YRS	3	2.7	4	1	1	2	4	5	5	5
70-74	5	1.2		1	1	1	2	2	2	2
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
GRAND TOTAL	**11**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	7	3.4	7	1	1	3	5	7	8	8
70-74	1	6.0		6	6	6	6	6	6	6
75-79	4	6.3	12	2	3	6	9	10	10	10
80-84	0									
85 +	3	2.7	8	1	1	1	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	7.0		7	7	7	7	7	7	7
75-79	1	5.0		5	5	5	5	5	5	5
80-84	3	7.0	4	5	5	7	8	9	9	9
85 +	0									
B. Operated										
65-69 YRS	29	3.5	7	1	1	3	5	8	9	9
70-74	41	6.6	61	1	2	5	9	13	16	47
75-79	33	4.4	16	1	1	3	6	10	14	15
80-84	22	8.5	87	1	2	5	10	26	30	35
85 +	11	5.5	64	1	2	3	5	16	28	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	15	4.2	9	1	1	5	6	8	10	10
2. MULTIPLE DX										
A. Not Operated	5	6.6	3	5	5	7	8	9	9	9
B. Operated	136	5.6	44	1	2	3	7	12	15	37
1. SINGLE DX	16	4.0	9	1	1	4	6	8	9	10
2. MULTIPLE DX	141	5.7	43	1	2	3	7	11	15	36
A. Not Operated	6	5.7	7	1	5	6	7	9	9	9
B. Operated	151	5.5	41	1	2	3	7	11	15	35
TOTAL										
65-69 YRS	36	3.5	7	1	1	3	5	8	9	9
70-74	43	6.6	58	1	2	5	9	12	16	47
75-79	39	4.5	15	1	1	3	7	10	13	15
80-84	25	8.3	77	2	2	6	9	25	29	35
85 +	14	4.9	52	1	1	3	5	9	25	29
GRAND TOTAL	**157**	**5.5**	**40**	**1**	**2**	**3**	**7**	**10**	**15**	**35**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	1	15.0		15	15	15	15	15	15	15
85 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	3	6.0	61	1	1	2	12	15	15	15
1. SINGLE DX	0									
2. MULTIPLE DX	4	5.3	43	1	1	2	9	15	15	15
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	3	6.0	61	1	1	2	12	15	15	15
TOTAL										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	2	9.0	72	3	3	9	15	15	15	15
85 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**4**	**5.3**	**43**	**1**	**1**	**2**	**9**	**15**	**15**	**15**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84	0									
85 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
65-69 YRS	46	7.3	23	2	4	7	9	14	19	99 +
70-74	24	8.7	31	5	5	7	9	15	23	29
75-79	19	11.6	35	6	8	9	17	19	23	26
80-84	6	9.5	66	1	3	9	11	23	24	24
85 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	30	7.5	101	2	2	4	9	15	36	47
70-74	33	8.5	124	2	4	6	7	22	26	61
75-79	37	10.1	109	3	4	6	11	24	37	47
80-84	43	9.9	174	1	3	7	11	24	46	99 +
85 +	31	10.1	172	2	4	6	13	25	67	99 +
B. Operated										
65-69 YRS	199	14.6	230	5	7	10	17	30	55	99 +
70-74	180	14.7	154	5	7	11	18	31	40	82
75-79	110	18.1	234	7	8	14	20	39	55	96
80-84	49	17.4	225	4	8	14	22	30	51	79
85 +	21	15.3	71	7	8	14	18	29	31	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.3	3	1	2	3	4	6	6	6
B. Operated	96	8.7	31	3	5	8	10	18	23	67
2. MULTIPLE DX										
A. Not Operated	174	9.3	136	2	3	6	10	22	35	95
B. Operated	559	15.6	201	5	7	11	19	33	48	94
1. SINGLE DX	103	8.3	31	3	5	8	10	18	21	62
2. MULTIPLE DX	733	14.1	192	3	6	10	17	31	46	95
A. Not Operated	181	9.1	132	2	3	6	10	22	33	94
B. Operated	655	14.6	182	5	7	10	17	30	43	94
TOTAL										
65-69 YRS	277	12.6	190	3	6	8	15	27	44	99 +
70-74	238	13.2	143	5	6	9	17	29	38	64
75-79	168	15.4	195	4	7	10	18	35	47	89
80-84	98	13.6	205	3	5	10	18	29	42	91
85 +	55	11.9	131	3	5	9	15	29	33	98
GRAND TOTAL	**836**	**13.4**	**176**	**3**	**6**	**9**	**16**	**29**	**41**	**94**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	71	2.2	1	1	2	2	3	3	4	4
70-74	37	2.3	1	1	2	2	3	3	4	4
75-79	24	2.3	1	1	1	2	3	4	5	5
80-84	10	2.3	1	1	2	2	3	4	4	4
85 +	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	107	2.8	3	1	2	2	3	5	6	11
70-74	85	3.6	13	2	2	3	4	6	9	23
75-79	62	4.4	36	2	2	3	4	8	11	36
80-84	17	7.1	50	2	3	4	7	21	24	25
85 +	9	7.2	51	1	3	4	10	18	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	146	2.3	1	1	2	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	4	2.8	2	2	2	2	4	5	5	5
B. Operated	280	3.8	19	2	2	3	4	7	10	28
1. SINGLE DX	147	2.3	1	1	2	2	3	3	4	4
2. MULTIPLE DX	284	3.8	18	2	2	3	4	6	10	28
A. Not Operated	5	2.4	2	1	1	2	3	5	5	5
B. Operated	426	3.3	13	1	2	2	3	5	8	24
TOTAL										
65-69 YRS	180	2.6	2	1	2	2	3	4	5	8
70-74	123	3.2	9	1	2	2	3	5	8	17
75-79	88	3.8	26	1	2	2	4	5	9	35
80-84	27	5.3	37	2	2	3	5	14	23	25
85 +	13	5.8	39	2	3	3	8	13	22	24
GRAND TOTAL	**431**	**3.3**	**13**	**1**	**2**	**2**	**3**	**5**	**8**	**24**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	4.0	18	1	1	4	7	7	7	7
75-79	1	6.0		6	6	6	6	6	6	6
80-84	1	13.0		13	13	13	13	13	13	13
85 +	0									
B. Operated										
65-69 YRS	29	5.8	17	2	3	5	7	12	15	18
70-74	15	4.7	24	2	2	3	5	7	17	21
75-79	11	7.7	31	2	3	7	13	16	16	16
80-84	5	3.0	3	1	2	3	4	5	5	5
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	6.0	17	< 1	4	5	8	12	13	13
70-74	9	15.6	188	3	7	9	23	38	45	45
75-79	8	8.8	59	2	3	9	9	21	26	26
80-84	8	10.3	81	3	4	6	15	25	29	29
85 +	2	4.5	13	2	2	4	7	7	7	7
B. Operated										
65-69 YRS	141	7.0	76	2	2	4	8	14	25	60
70-74	115	7.6	57	2	3	5	8	17	20	42
75-79	75	5.9	24	2	3	4	8	13	21	99 +
80-84	30	8.8	85	2	3	5	10	22	29	41
85 +	9	7.1	57	2	3	4	8	20	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	6.8	24	1	3	6	10	13	13	13
B. Operated	60	5.7	21	2	2	5	7	14	16	21
2. MULTIPLE DX										
A. Not Operated	33	10.2	95	2	4	8	13	26	29	45
B. Operated	370	7.1	60	2	3	5	8	16	24	57
1. SINGLE DX	64	5.7	21	2	2	5	7	13	16	21
2. MULTIPLE DX	403	7.4	63	2	3	5	8	16	25	56
A. Not Operated	37	9.8	87	2	4	7	13	25	29	45
B. Operated	430	6.9	54	2	3	5	8	15	22	55
TOTAL										
65-69 YRS	176	6.8	64	2	2	5	8	13	23	56
70-74	141	7.7	65	2	3	5	8	17	21	45
75-79	95	6.3	28	2	3	5	9	15	21	99 +
80-84	44	8.5	76	2	3	5	11	22	29	41
85 +	11	6.6	48	2	3	4	7	18	24	25
GRAND TOTAL	**467**	**7.1**	**57**	**2**	**3**	**5**	**8**	**16**	**23**	**53**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	11	2.7	2	1	1	3	4	5	5	5
70-74	7	3.1	2	< 1	1	4	4	5	5	5
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	5.0	2	4	4	5	6	6	6	6
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	3	4.3	8	1	2	6	6	6	6	6
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	64	4.5	4	2	3	4	6	7	8	10
70-74	33	5.5	13	3	4	5	6	8	12	22
75-79	21	5.3	6	1	4	5	7	8	9	9
80-84	9	4.9	11	1	2	4	8	10	10	10
85 +	3	1.7		1	1	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	22	3.0	3	1	1	4	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	4	3.5	8	1	1	3	6	6	6	6
B. Operated	130	4.9	7	2	3	5	6	8	9	15
1. SINGLE DX	22	3.0	3	1	1	4	4	5	6	6
2. MULTIPLE DX	134	4.8	7	2	3	5	6	8	9	14
A. Not Operated	4	3.5	8	1	1	3	6	6	6	6
B. Operated	152	4.6	7	1	3	4	6	7	8	13
TOTAL										
65-69 YRS	75	4.2	4	1	3	4	5	7	8	10
70-74	43	5.1	12	2	3	4	6	7	10	22
75-79	22	5.1	6	1	4	5	7	8	9	9
80-84	12	4.6	10	1	2	4	7	9	10	10
85 +	4	2.3	2	1	1	2	3	4	4	4
GRAND TOTAL	**156**	**4.6**	**7**	**1**	**3**	**4**	**6**	**7**	**8**	**13**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	80	3.1	4	< 1	1	3	4	6	8	9
70-74	74	3.3	6	< 1	2	3	4	6	8	13
75-79	37	3.4	5	1	1	3	4	7	8	9
80-84	25	2.9	5	1	1	2	4	6	8	10
85 +	15	3.0	10	1	1	2	3	9	10	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	2.3		2	2	2	3	3	3	3
70-74	3	10.7	57	2	5	14	15	16	16	16
75-79	5	5.2	13	1	2	4	9	9	9	9
80-84	0									
85 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
65-69 YRS	245	5.7	27	1	2	4	8	12	15	32
70-74	216	6.8	51	1	2	5	9	14	17	32
75-79	193	6.0	28	1	3	4	8	12	15	24
80-84	107	8.1	53	1	3	6	10	20	23	34
85 +	75	9.2	167	1	2	7	10	15	33	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	231	3.2	5	1	1	3	4	6	8	10
2. MULTIPLE DX										
A. Not Operated	14	5.1	24	1	2	3	9	14	16	16
B. Operated	836	6.7	50	1	2	5	9	14	18	34
1. SINGLE DX	231	3.2	5	1	1	3	4	6	8	10
2. MULTIPLE DX	850	6.7	50	1	2	5	9	14	18	34
A. Not Operated	14	5.1	24	1	2	3	9	14	16	16
B. Operated	1067	5.9	43	1	2	4	8	12	16	32
TOTAL										
65-69 YRS	329	5.0	23	1	2	4	6	10	14	23
70-74	293	5.9	42	1	2	4	8	13	16	30
75-79	235	5.6	25	1	2	4	8	11	14	23
80-84	132	7.2	48	1	2	5	9	15	22	33
85 +	92	8.0	143	1	2	5	10	14	23	74
GRAND TOTAL	**1081**	**5.9**	**42**	**1**	**2**	**4**	**8**	**12**	**16**	**32**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	3.3	8	1	1	2	4	8	9	9
70-74	12	3.4	6	< 1	2	3	4	6	9	10
75-79	5	3.6	5	< 1	2	3	5	7	7	7
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	3	3.3	10	1	1	2	6	7	7	7
B. Operated										
65-69 YRS	86	4.6	13	1	1	3	7	10	11	13
70-74	77	3.3	7	1	1	2	5	7	9	11
75-79	41	4.0	12	1	1	3	7	9	11	13
80-84	18	3.9	18	< 1	1	2	7	10	12	14
85 +	15	2.1	3	< 1	1	1	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	103	5.3	41	1	2	4	6	12	20	34
70-74	117	7.0	57	1	3	5	8	15	22	44
75-79	114	6.8	32	1	3	5	10	16	19	23
80-84	123	9.5	123	2	4	7	11	19	23	62
85 +	98	7.5	52	2	3	6	8	14	21	45
B. Operated										
65-69 YRS	301	7.2	37	2	3	6	10	13	16	34
70-74	355	9.2	68	2	3	8	12	17	26	40
75-79	325	9.9	92	2	3	8	12	22	28	48
80-84	228	10.5	125	2	4	8	13	20	33	72
85 +	159	10.8	123	2	5	8	13	24	34	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.3	6	< 1	1	3	4	7	9	10
B. Operated	237	3.9	11	1	1	2	7	9	11	13
2. MULTIPLE DX										
A. Not Operated	555	7.3	64	1	3	5	9	16	21	40
B. Operated	1368	9.3	84	2	4	7	11	18	27	53
1. SINGLE DX	267	3.8	10	1	1	2	6	9	10	13
2. MULTIPLE DX	1923	8.7	79	2	3	7	11	18	25	50
A. Not Operated	585	7.1	62	1	3	5	9	15	21	40
B. Operated	1605	8.5	77	1	3	7	11	17	25	50
TOTAL										
65-69 YRS	498	6.3	34	1	2	5	8	12	15	29
70-74	561	7.8	61	1	3	6	10	16	23	40
75-79	485	8.6	74	1	3	7	11	18	24	43
80-84	371	9.8	120	1	4	7	12	19	29	68
85 +	275	9.0	95	2	4	6	10	21	29	76
GRAND TOTAL	**2190**	**8.1**	**73**	**1**	**3**	**6**	**10**	**16**	**23**	**48**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	86	2.4	1	1	2	2	3	4	4	7
70-74	52	2.8	2	1	2	2	3	4	6	9
75-79	30	2.8	1	1	2	3	4	4	5	6
80-84	15	2.9	2	1	2	3	4	5	6	6
85 +	6	5.0	24	1	1	3	9	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	7.0	31	3	3	3	12	14	14	14
70-74	8	2.9	5	1	1	2	3	7	8	8
75-79	6	6.5	17	< 1	2	7	10	11	11	11
80-84	4	7.8	37	1	3	7	12	15	15	15
85 +	3	7.0	3	6	6	6	8	9	9	9
B. Operated										
65-69 YRS	156	3.7	12	2	2	3	4	6	8	21
70-74	133	4.6	33	2	2	3	5	8	10	43
75-79	78	4.7	18	2	2	3	5	9	14	26
80-84	32	5.1	9	3	3	4	6	9	11	16
85 +	9	7.1	26	3	4	4	9	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	189	2.7	3	1	2	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	26	5.7	18	1	2	4	9	12	14	15
B. Operated	408	4.4	20	2	2	3	5	8	11	23
1. SINGLE DX	190	2.7	3	1	2	2	3	4	5	9
2. MULTIPLE DX	434	4.5	20	2	2	3	5	8	11	22
A. Not Operated	27	5.6	18	1	2	4	9	12	14	15
B. Operated	597	3.8	15	2	2	3	4	7	9	19
TOTAL										
65-69 YRS	248	3.3	9	1	2	3	4	5	8	19
70-74	193	4.0	24	2	2	3	4	7	9	30
75-79	114	4.3	15	2	2	3	5	8	11	22
80-84	51	4.7	10	2	3	4	6	9	11	16
85 +	18	6.4	21	2	3	5	9	13	16	18
GRAND TOTAL	624	3.9	15	2	2	3	4	7	10	18

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	5.4	13	2	3	4	7	11	13	13
70-74	2	6.0	2	5	5	6	7	7	7	7
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	0									
85 +	2	9.0	8	7	7	9	11	11	11	11
B. Operated										
65-69 YRS	31	2.5	2	1	2	2	3	4	5	6
70-74	22	3.3	20	1	2	2	3	4	12	23
75-79	6	2.8	1	2	2	3	3	4	4	4
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	91	6.6	16	3	4	6	8	11	12	25
70-74	109	8.9	101	2	4	6	11	19	21	58
75-79	133	9.2	42	4	5	7	12	22	25	99 +
80-84	112	10.1	87	3	4	7	13	20	24	56
85 +	75	9.8	49	3	5	8	12	17	27	38
B. Operated										
65-69 YRS	83	6.8	80	2	2	4	8	15	24	49
70-74	48	5.6	23	2	2	4	8	11	12	28
75-79	40	12.1	178	2	3	6	16	25	49	54
80-84	29	14.0	197	3	5	10	20	33	69	99 +
85 +	17	12.8	241	2	4	6	22	52	83	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	5.6	11	2	3	5	7	11	13	13
B. Operated	62	2.8	8	1	2	2	3	4	5	21
2. MULTIPLE DX										
A. Not Operated	520	9.0	61	3	4	7	11	17	23	44
B. Operated	217	9.0	122	2	2	5	11	23	38	79
1. SINGLE DX	76	3.3	10	1	2	3	4	6	7	20
2. MULTIPLE DX	737	9.0	79	2	4	7	11	19	25	58
A. Not Operated	534	8.9	60	3	4	7	11	17	23	42
B. Operated	279	7.6	103	2	2	4	9	20	28	65
TOTAL										
65-69 YRS	213	6.1	40	2	3	4	7	11	15	39
70-74	181	7.3	73	2	3	5	9	14	21	35
75-79	181	9.6	73	3	4	7	12	22	26	85
80-84	142	10.8	111	3	4	8	14	24	29	71
85 +	96	10.1	82	3	5	8	12	20	30	80
GRAND TOTAL	813	8.4	75	2	3	6	11	18	24	55

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	4.7	10	1	2	5	7	7	11	12
70-74	10	5.0	33	2	3	3	4	13	21	21
75-79	4	5.3	22	2	2	4	8	12	12	12
80-84	3	5.0	3	3	4	6	6	6	6	6
85+	0									
B. Operated										
65-69 YRS	3	2.3	5	1	1	1	4	5	5	5
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	62	6.2	49	2	3	5	7	10	14	48
70-74	45	5.2	12	1	3	5	7	8	16	99+
75-79	51	6.3	62	2	3	5	7	9	21	52
80-84	25	5.4	12	2	4	5	7	16	99+	99+
85+	27	9.4	151	3	4	5	10	50	99+	99+
B. Operated										
65-69 YRS	17	10.4	49	3	6	8	13	20	26	29
70-74	9	13.7	160	3	6	12	14	33	45	45
75-79	5	10.4	3	8	9	10	11	13	13	13
80-84	1	6.0		6	6	6	6	6	6	6
85+	3	8.0	16	4	5	8	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	4.9	16	1	3	4	6	9	12	21
B. Operated	4	2.0	4	1	1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	210	6.3	53	2	3	5	7	12	24	99+
B. Operated	35	10.9	66	4	6	10	13	18	27	45
1. SINGLE DX	36	4.6	16	1	2	4	6	7	12	21
2. MULTIPLE DX	245	7.0	57	2	3	5	8	14	24	99+
A. Not Operated	242	6.1	48	2	3	5	7	12	22	99+
B. Operated	39	10.0	67	2	5	8	13	17	25	45
TOTAL										
65-69 YRS	97	6.6	44	1	3	5	8	12	17	41
70-74	64	6.4	42	2	3	5	7	14	17	92
75-79	61	6.4	55	2	3	5	7	11	17	49
80-84	29	5.4	10	2	4	5	7	14	96	99+
85+	30	9.3	137	3	4	6	10	40	96	99+
GRAND TOTAL	281	6.7	53	2	3	5	8	13	22	99+

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	5.3	13	2	3	5	7	7	14	16
70-74	12	4.8	4	2	3	4	6	8	8	8
75-79	18	3.9	4	2	3	4	5	5	8	10
80-84	7	6.1	9	3	4	5	8	11	11	11
85+	5	6.4	7	4	5	6	7	11	11	11
B. Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	0									
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	457	7.3	35	2	4	6	9	13	16	35
70-74	355	8.7	51	3	4	7	11	16	21	39
75-79	333	9.0	43	3	5	8	11	16	20	35
80-84	264	9.8	73	4	5	8	11	16	21	58
85+	220	10.0	39	4	6	9	12	18	24	35
B. Operated										
65-69 YRS	100	17.5	116	6	9	16	24	31	41	82
70-74	98	17.7	207	6	9	14	20	30	58	94
75-79	63	18.2	248	5	8	13	24	41	64	99+
80-84	57	23.5	304	8	10	18	35	49	62	99
85+	32	24.4	511	8	10	18	30	79	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	4.9	7	2	3	5	6	8	10	16
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	1629	8.7	48	3	5	7	11	15	20	36
B. Operated	350	19.3	236	6	9	15	24	41	55	99+
1. SINGLE DX	58	4.9	7	2	3	5	6	8	10	16
2. MULTIPLE DX	1979	10.6	97	3	5	8	13	20	29	63
A. Not Operated	1686	8.6	47	3	5	7	11	15	20	36
B. Operated	351	19.2	236	6	9	15	24	41	55	99+
TOTAL										
65-69 YRS	573	9.0	64	3	4	6	11	19	27	44
70-74	465	10.5	96	3	5	8	13	20	27	59
75-79	414	10.2	85	3	5	8	12	20	27	58
80-84	328	12.1	139	4	6	9	13	22	37	76
85+	257	11.7	119	4	6	9	14	21	30	94
GRAND TOTAL	2037	10.4	95	3	5	8	12	20	29	61

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	8.0		8	8	8	8	8	8	8
85 +	0									
B. Operated										
65-69 YRS	3	12.0	163	1	3	9	22	26	26	26
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	106	8.5	34	3	4	7	10	18	21	25
70-74	85	9.4	71	3	5	7	11	16	30	47
75-79	83	9.7	84	4	5	7	11	19	26	55
80-84	67	10.7	130	2	5	9	14	18	21	78
85 +	47	11.0	145	3	4	7	11	27	40	58
B. Operated										
65-69 YRS	777	17.4	194	5	8	13	22	36	49	75
70-74	641	17.2	196	5	8	13	23	36	51	85
75-79	512	16.3	169	5	8	13	22	32	46	89
80-84	343	16.3	189	5	7	12	21	33	44	92
85 +	198	16.2	196	4	7	12	21	36	44	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	8.0		8	8	8	8	8	8	8
B. Operated	7	7.7	73	1	2	6	8	23	26	26
2. MULTIPLE DX										
A. Not Operated	388	9.6	83	3	4	7	12	18	25	51
B. Operated	2471	16.9	189	5	8	13	22	35	48	83
1. SINGLE DX	8	7.8	63	1	2	6	8	21	26	26
2. MULTIPLE DX	2859	15.9	180	4	7	12	20	33	46	80
A. Not Operated	389	9.6	83	3	4	7	11	18	25	51
B. Operated	2478	16.8	189	5	8	13	22	35	48	83
TOTAL										
65-69 YRS	886	16.3	183	4	8	13	21	33	47	74
70-74	728	16.3	187	4	7	12	21	35	48	82
75-79	596	15.4	162	4	7	12	20	30	44	82
80-84	412	15.4	183	4	7	11	20	31	41	91
85 +	245	15.2	190	4	7	10	20	34	43	72
GRAND TOTAL	2867	15.9	180	4	7	12	20	32	46	80

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	155	4.8	7	2	3	4	6	8	10	13
70-74	107	5.0	8	2	3	5	6	9	10	14
75-79	98	5.5	16	2	3	5	7	9	11	25
80-84	35	7.2	118	2	3	4	7	17	51	99 +
85 +	20	5.5	9	2	3	5	7	10	11	12
B. Operated										
65-69 YRS	9	4.3	14	1	2	3	5	11	13	13
70-74	12	7.3	47	1	2	5	10	17	24	25
75-79	6	9.7	113	2	3	4	19	26	27	27
80-84	2	6.0	2	5	5	6	7	7	7	7
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2602	6.6	27	2	4	5	8	11	15	27
70-74	2380	6.8	25	3	4	6	8	12	15	26
75-79	2050	7.4	36	3	4	6	9	13	17	32
80-84	1358	7.9	51	3	4	6	9	14	19	43
85 +	873	8.7	73	3	4	6	10	17	21	60
B. Operated										
65-69 YRS	987	12.3	142	2	5	9	16	27	35	71
70-74	744	12.6	146	2	5	9	16	28	36	74
75-79	511	13.8	150	3	6	11	17	30	44	99 +
80-84	298	15.2	199	3	7	11	18	31	54	78
85 +	177	18.2	272	4	7	14	23	42	61	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	415	5.3	19	2	3	5	6	9	11	21
B. Operated	29	6.8	47	1	3	4	8	17	25	27
2. MULTIPLE DX										
A. Not Operated	9263	7.2	37	3	4	6	9	13	17	32
B. Operated	2717	13.4	162	3	6	10	17	29	40	82
1. SINGLE DX	444	5.4	21	2	3	5	6	9	12	25
2. MULTIPLE DX	11980	8.6	72	3	4	6	10	16	23	52
A. Not Operated	9678	7.1	36	3	4	6	9	13	16	31
B. Operated	2746	13.3	161	2	5	10	17	29	39	82
TOTAL										
65-69 YRS	3753	8.0	63	2	4	6	9	15	22	45
70-74	3243	8.1	58	3	4	6	9	15	21	44
75-79	2665	8.6	64	3	4	7	10	16	23	53
80-84	1693	9.2	86	3	4	7	10	17	24	64
85 +	1070	10.2	118	3	4	7	12	20	30	77
GRAND TOTAL	12424	8.5	70	3	4	6	10	16	23	51

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	2	7.5	25	4	4	7	11	11	11	11
85 +	0									
B. Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2	7.5	25	4	4	7	11	11	11	11
B. Operated	2	3.5	1	3	3	3	4	4	4	4
1. SINGLE DX	0									
2. MULTIPLE DX	4	5.5	14	3	3	4	8	11	11	11
A. Not Operated	2	7.5	25	4	4	7	11	11	11	11
B. Operated	2	3.5	1	3	3	3	4	4	4	4
TOTAL										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	2	7.5	25	4	4	7	11	11	11	11
85 +	0									
GRAND TOTAL	**4**	**5.5**	**14**	**3**	**3**	**4**	**8**	**11**	**11**	**11**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	2.5	10	< 1	1	1	3	4	11	13
70-74	26	4.1	25	1	1	2	3	14	17	20
75-79	14	2.1	1	1	1	2	2	4	5	5
80-84	7	3.0	10	1	1	2	3	9	10	10
85 +	7	2.9	1	2	2	2	4	5	5	5
B. Operated										
65-69 YRS	6	3.0	1	2	2	3	4	4	4	4
70-74	8	4.9	10	2	2	4	7	9	10	10
75-79	6	4.8	9	2	2	4	8	9	9	9
80-84	2	4.0	2	3	3	4	5	5	5	5
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	810	5.7	30	2	3	4	7	11	16	26
70-74	958	6.2	50	2	3	4	7	12	16	38
75-79	971	6.5	41	2	3	5	8	13	16	31
80-84	726	7.1	71	2	3	5	8	14	18	59
85 +	577	6.8	35	2	3	5	8	13	16	33
B. Operated										
65-69 YRS	181	8.4	64	2	3	6	11	17	25	52
70-74	165	12.9	146	2	4	10	18	26	37	87
75-79	139	12.3	174	3	5	9	14	27	44	99 +
80-84	89	15.1	285	3	5	10	19	35	66	96
85 +	49	15.9	183	4	8	13	18	28	53	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	3.1	13	1	1	2	3	5	13	19
B. Operated	23	4.2	6	2	2	3	5	8	9	10
2. MULTIPLE DX										
A. Not Operated	4042	6.4	46	2	3	5	8	13	16	34
B. Operated	623	12.0	157	2	4	9	15	26	39	95
1. SINGLE DX	92	3.4	12	1	2	2	4	7	10	18
2. MULTIPLE DX	4665	7.2	64	2	3	5	9	14	20	46
A. Not Operated	4111	6.4	45	2	3	5	8	12	16	34
B. Operated	646	11.7	153	2	4	8	15	25	38	94
TOTAL										
65-69 YRS	1012	6.1	37	2	3	4	7	13	18	29
70-74	1157	7.1	69	2	3	5	9	14	20	44
75-79	1130	7.1	60	2	3	5	9	14	18	44
80-84	824	8.0	99	2	3	5	9	16	24	84
85 +	634	7.4	52	2	3	5	9	14	19	41
GRAND TOTAL	**4757**	**7.1**	**63**	**2**	**3**	**5**	**8**	**14**	**19**	**44**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	10.0		10	10	10	10	10	10	10
75-79	2	3.5	13	< 1	< 1	3	6	6	6	6
80-84	0									
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	8.0		8	8	8	8	8	8	8
75-79	2	1.0		1	1	1	1	1	1	1
80-84	2	5.5	5	4	4	5	7	7	7	7
85 +	9	3.2	10	1	1	2	5	9	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	103	9.8	93	3	4	7	12	20	24	57
70-74	100	10.3	87	3	5	7	14	19	26	80
75-79	116	9.8	52	3	5	8	14	19	25	66
80-84	114	10.4	100	2	5	8	12	21	29	54
85 +	157	10.9	112	3	5	8	14	21	37	97
B. Operated										
65-69 YRS	93	15.8	185	4	7	13	18	33	53	86
70-74	114	12.7	153	2	4	9	17	32	42	73
75-79	102	11.4	107	2	4	8	14	26	35	50
80-84	138	9.9	105	2	3	7	13	25	32	99 +
85 +	186	10.0	132	2	3	7	12	25	39	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.8	17	< 1	< 1	1	7	10	10	10
B. Operated	15	3.5	9	1	1	2	6	8	9	10
2. MULTIPLE DX										
A. Not Operated	590	10.3	90	3	5	8	13	20	28	64
B. Operated	633	11.5	137	2	4	8	15	28	40	99 +
1. SINGLE DX	20	3.6	10	< 1	1	2	6	9	10	10
2. MULTIPLE DX	1223	10.9	115	2	4	8	14	23	35	87
A. Not Operated	595	10.2	90	3	5	8	13	20	28	64
B. Operated	648	11.4	136	2	4	8	15	28	40	99 +
TOTAL										
65-69 YRS	198	12.5	145	3	5	9	15	25	42	66
70-74	216	11.5	122	2	5	8	14	24	38	73
75-79	222	10.4	78	2	4	8	14	21	29	51
80-84	254	10.1	102	2	4	7	12	23	31	98
85 +	353	10.2	121	2	4	7	13	21	38	99 +
GRAND TOTAL	**1243**	**10.8**	**114**	**2**	**4**	**8**	**14**	**23**	**35**	**84**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	8.0		8	8	8	8	8	8	8
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	5.7	1	5	5	5	7	7	7	7
70-74	0									
75-79	0									
80-84	0									
85 +	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	4	5.5	11	1	3	6	8	8	8	8
B. Operated	4	5.8	1	5	5	6	6	7	7	7
1. SINGLE DX	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX	8	5.6	5	2	5	6	7	8	8	8
A. Not Operated	4	5.5	11	1	3	6	8	8	8	8
B. Operated	5	5.8	1	5	5	6	6	7	7	7
TOTAL										
65-69 YRS	6	6.5	2	5	5	6	8	8	8	8
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	0									
80-84	0									
85 +	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**9**	**5.7**	**5**	**2**	**5**	**6**	**7**	**8**	**8**	**8**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	4.3	7	<1	2	4	7	8	8	8
70-74	10	4.5	6	1	3	4	6	8	8	8
75-79	4	3.3	2	2	2	3	4	5	5	5
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	7	4.1	5	<1	2	4	6	8	8	8
B. Operated										
65-69 YRS	17	2.5	11	1	1	1	3	6	12	14
70-74	8	2.1	3	1	1	1	3	5	6	6
75-79	0									
80-84	2	3.0	2	2	2	3	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	233	8.0	34	3	4	7	10	15	20	30
70-74	225	7.9	63	2	4	6	9	14	21	47
75-79	231	6.9	33	2	3	5	9	13	17	33
80-84	140	8.0	57	2	3	6	10	17	21	37
85 +	113	8.5	54	2	4	6	10	19	27	35
B. Operated										
65-69 YRS	116	10.0	74	2	4	8	13	24	28	40
70-74	111	11.6	79	3	5	9	16	26	30	63
75-79	77	12.9	143	2	5	9	16	31	40	55
80-84	50	16.8	382	4	6	10	17	39	50	95
85 +	31	9.9	41	3	5	8	13	19	26	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	4.0	5	1	2	4	6	8	8	8
B. Operated	27	2.4	8	1	1	1	3	6	8	14
2. MULTIPLE DX										
A. Not Operated	942	7.8	46	2	4	6	10	15	20	34
B. Operated	385	11.9	130	3	5	9	15	26	33	55
1. SINGLE DX	59	3.3	7	1	1	3	4	7	8	13
2. MULTIPLE DX	1327	9.0	74	2	4	7	11	17	26	42
A. Not Operated	974	7.6	46	2	4	6	10	15	20	34
B. Operated	412	11.3	127	2	4	8	14	26	32	54
TOTAL										
65-69 YRS	375	8.3	47	2	4	7	11	16	23	34
70-74	354	8.8	69	2	4	7	11	17	27	42
75-79	312	8.3	66	2	3	6	10	17	25	42
80-84	194	10.2	154	2	4	6	12	20	29	79
85 +	151	8.6	50	3	4	6	11	19	26	32
GRAND TOTAL	**1386**	**8.7**	**73**	**2**	**4**	**6**	**11**	**17**	**25**	**41**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	3.6	7	1	2	3	5	8	9	9
70-74	13	2.4	1	1	2	2	3	4	4	4
75-79	13	3.6	5	1	2	3	5	7	8	8
80-84	5	2.2	1	1	1	2	3	4	4	4
85 +	4	4.5	11	2	2	4	7	9	9	9
B. Operated										
65-69 YRS	8	4.6	21	1	2	3	6	13	15	15
70-74	4	6.0	12	3	4	5	8	11	11	11
75-79	4	3.3		3	3	3	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	115	5.6	19	2	3	4	7	11	14	23
70-74	115	5.5	14	2	3	4	7	10	13	19
75-79	133	5.4	14	2	3	4	6	10	13	19
80-84	104	6.1	23	2	3	5	8	13	15	26
85 +	87	6.5	40	2	3	5	7	15	22	99 +
B. Operated										
65-69 YRS	28	12.9	152	2	4	9	17	25	36	59
70-74	23	8.6	79	2	3	5	14	16	26	42
75-79	27	11.0	66	4	6	8	14	19	32	36
80-84	25	9.7	20	4	7	10	12	15	17	22
85 +	15	8.7	37	2	4	7	12	18	20	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	3.2	4	1	2	2	4	6	8	9
B. Operated	18	4.3	13	1	2	3	5	10	13	15
2. MULTIPLE DX										
A. Not Operated	554	5.8	21	2	3	5	7	11	15	26
B. Operated	118	10.4	76	2	5	8	14	19	25	47
1. SINGLE DX	61	3.5	7	1	2	3	4	7	9	15
2. MULTIPLE DX	672	6.6	34	2	3	5	8	14	17	34
A. Not Operated	597	5.6	20	2	3	4	7	11	15	25
B. Operated	136	9.6	72	2	4	7	13	18	24	44
TOTAL										
65-69 YRS	159	6.7	50	2	3	5	8	15	18	34
70-74	155	5.7	24	2	3	4	7	12	15	20
75-79	177	6.1	25	2	3	4	7	12	15	30
80-84	135	6.6	24	2	3	6	8	13	15	24
85 +	107	6.7	39	2	3	5	8	16	21	99 +
GRAND TOTAL	**733**	**6.3**	**32**	**2**	**3**	**5**	**8**	**13**	**17**	**34**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	27	3.7	9	1	2	3	4	7	11	13
70-74	41	5.3	35	1	2	3	6	10	13	36
75-79	35	6.8	77	1	2	3	7	18	24	45
80-84	30	4.9	19	1	2	4	6	9	15	21
85 +	68	4.8	11	2	2	4	6	9	12	15
B. Operated										
65-69 YRS	1	32.0		32	32	32	32	32	32	32
70-74	5	8.0	10	3	6	9	10	11	11	11
75-79	0									
80-84	1	28.0		28	28	28	28	28	28	28
85 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3434	6.2	44	2	3	5	7	12	16	32
70-74	4054	6.5	37	2	3	5	8	13	17	29
75-79	4757	7.1	55	2	3	5	8	13	18	40
80-84	4698	7.6	59	2	4	6	9	14	20	45
85 +	6050	8.1	70	2	4	6	10	15	21	63
B. Operated										
65-69 YRS	558	12.9	153	3	5	9	17	28	40	80
70-74	625	14.1	158	3	6	10	18	30	39	73
75-79	728	14.7	187	4	6	11	18	31	44	93
80-84	647	14.8	161	4	7	11	19	32	42	99 +
85 +	800	16.7	220	5	8	12	20	35	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	201	5.1	29	1	2	3	6	10	14	30
B. Operated	8	14.0	106	4	8	10	20	31	32	32
2. MULTIPLE DX										
A. Not Operated	22993	7.3	55	2	3	5	9	14	19	44
B. Operated	3358	14.8	180	4	6	11	19	31	44	92
1. SINGLE DX	209	5.4	34	1	2	4	7	11	14	34
2. MULTIPLE DX	26351	8.2	78	2	4	6	10	16	23	56
A. Not Operated	23194	7.2	55	2	3	5	9	14	19	44
B. Operated	3366	14.8	180	4	6	11	19	31	44	92
TOTAL										
65-69 YRS	4020	7.2	65	2	3	5	8	14	20	44
70-74	4725	7.5	59	2	3	5	9	15	21	40
75-79	5520	8.1	79	2	3	6	10	16	23	53
80-84	5376	8.5	76	2	4	6	10	17	25	57
85 +	6919	9.1	95	3	4	6	11	18	26	76
GRAND TOTAL	**26560**	**8.2**	**77**	**2**	**4**	**6**	**10**	**18**	**23**	**56**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	3.6	15	1	1	2	4	7	14	16
70-74	14	3.4	4	1	2	3	4	6	8	8
75-79	18	3.3	6	1	1	3	4	7	9	10
80-84	11	5.2	20	1	2	5	7	12	17	17
85 +	11	3.7	16	1	1	2	4	10	14	14
B. Operated										
65-69 YRS	5	4.0	1	3	3	4	5	5	5	5
70-74	4	6.0	22	1	2	6	10	10	10	10
75-79	3	4.7	2	3	3	5	6	6	6	6
80-84	2	4.0		4	4	4	4	4	4	4
85 +	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	281	5.2	15	1	3	4	7	9	12	19
70-74	393	5.4	16	2	3	5	7	10	12	19
75-79	513	5.6	30	1	2	4	7	10	14	26
80-84	491	5.8	37	2	3	4	7	10	14	28
85 +	618	5.7	31	2	3	4	7	11	14	32
B. Operated										
65-69 YRS	185	7.7	33	3	4	6	9	13	19	30
70-74	223	8.2	50	2	4	6	10	16	20	44
75-79	241	9.3	88	3	5	7	10	16	24	71
80-84	205	9.9	91	3	5	8	11	16	25	56
85 +	176	9.8	72	3	5	8	11	19	32	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	3.8	11	1	2	3	5	8	10	17
B. Operated	16	4.6	6	3	3	4	5	9	10	10
2. MULTIPLE DX										
A. Not Operated	2296	5.6	28	2	3	4	7	10	14	26
B. Operated	1030	9.0	68	3	5	7	10	16	24	48
1. SINGLE DX	85	3.9	10	1	2	3	5	8	10	17
2. MULTIPLE DX	3326	6.6	43	2	3	5	8	12	17	35
A. Not Operated	2365	5.5	27	2	3	4	7	10	14	26
B. Operated	1046	8.9	68	3	5	7	10	16	23	48
TOTAL										
65-69 YRS	486	6.1	23	2	3	5	8	11	15	28
70-74	634	6.4	30	2	3	5	8	12	16	26
75-79	775	6.7	51	2	3	5	8	12	17	36
80-84	709	7.0	56	2	3	5	8	13	16	44
85 +	807	6.6	43	2	3	5	8	13	17	41
GRAND TOTAL	**3411**	**6.6**	**42**	**2**	**3**	**5**	**8**	**12**	**16**	**35**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	8.4	56	2	3	7	10	21	24	24
70-74	4	6.8	8	4	4	6	9	10	10	10
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.0	32	1	1	5	9	9	9	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	13	7.7	33	3	4	7	10	14	22	24
B. Operated	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX	14	7.4	32	3	4	6	10	12	21	24
A. Not Operated	15	7.3	32	2	3	7	10	11	21	24
B. Operated	1	4.0		4	4	4	4	4	4	4
TOTAL										
65-69 YRS	8	7.9	51	2	3	6	9	20	24	24
70-74	4	6.8	8	4	4	6	9	10	10	10
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	0									
85 +	2	10.0	2	9	9	10	11	11	11	11
GRAND TOTAL	**16**	**7.1**	**30**	**2**	**3**	**6**	**9**	**11**	**20**	**24**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	50	2.6	13	< 1	1	1	3	5	8	23
70-74	34	4.0	39	1	1	2	4	7	22	29
75-79	46	1.9	3	< 1	1	1	2	3	6	9
80-84	51	2.5	8	< 1	1	1	3	7	7	18
85 +	55	2.8	10	1	1	1	3	8	10	16
B. Operated										
65-69 YRS	11	6.8	35	2	3	5	7	18	19	19
70-74	8	5.9	35	1	2	4	7	16	19	19
75-79	12	6.3	16	2	4	5	8	12	15	16
80-84	7	7.1	20	3	3	5	11	13	14	14
85 +	7	6.3	30	1	2	3	11	14	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	824	4.9	24	1	2	4	7	10	13	21
70-74	885	5.1	32	1	2	4	6	10	14	27
75-79	967	4.9	24	1	2	4	6	9	14	23
80-84	880	5.3	28	1	2	4	7	11	14	28
85 +	890	5.7	38	1	2	4	7	12	15	31
B. Operated										
65-69 YRS	298	10.5	124	2	4	7	13	21	34	69
70-74	343	10.5	123	2	4	7	13	22	31	60
75-79	379	9.7	61	3	5	8	13	20	25	47
80-84	305	11.3	164	3	5	8	13	22	28	80
85 +	302	10.4	112	3	5	7	14	21	30	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	236	2.7	13	< 1	1	1	3	6	8	23
B. Operated	45	6.5	24	2	3	5	9	14	17	19
2. MULTIPLE DX										
A. Not Operated	4446	5.2	29	1	2	4	7	10	14	27
B. Operated	1627	10.5	114	3	4	7	13	21	29	65
1. SINGLE DX	281	3.3	17	< 1	1	2	3	8	12	22
2. MULTIPLE DX	6073	6.6	58	1	2	5	8	14	19	41
A. Not Operated	4682	5.1	29	1	2	4	7	10	14	26
B. Operated	1672	10.3	112	2	4	7	13	21	29	65
TOTAL										
65-69 YRS	1183	6.3	55	1	2	4	8	13	18	42
70-74	1270	6.5	63	1	2	4	7	14	20	38
75-79	1404	6.1	38	1	2	4	8	13	18	30
80-84	1243	6.6	68	1	2	4	8	14	18	39
85 +	1254	6.7	59	1	2	5	8	15	19	48
GRAND TOTAL	**6354**	**6.4**	**56**	**1**	**2**	**4**	**8**	**14**	**18**	**40**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	19.0	450	4	4	19	34	34	34	34
70-74	1	2.0		2	2	2	2	2	2	2
75-79	3	6.0	7	3	4	7	8	8	8	8
80-84	2	13.0	2	12	12	13	14	14	14	14
85 +	1	19.0		19	19	19	19	19	19	19
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	5.0		5	5	5	5	5	5	5
80-84	3	12.3	104	5	6	8	20	24	24	24
85 +	1	33.0		33	33	33	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	9	11.4	103	2	4	8	15	28	34	34
B. Operated	5	15.0	164	5	5	8	26	33	33	33
1. SINGLE DX	0									
2. MULTIPLE DX	14	12.7	117	3	5	8	19	33	34	34
A. Not Operated	9	11.4	103	2	4	8	15	28	34	34
B. Operated	5	15.0	164	5	5	8	26	33	33	33
TOTAL										
65-69 YRS	2	19.0	450	4	4	19	34	34	34	34
70-74	1	2.0		2	2	2	2	2	2	2
75-79	4	5.8	5	3	4	6	7	8	8	8
80-84	5	12.6	53	5	7	12	16	24	24	24
85 +	2	26.0	98	19	19	26	33	33	33	33
GRAND TOTAL	**14**	**12.7**	**117**	**3**	**5**	**8**	**19**	**33**	**34**	**34**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	20	3.5	6	<1	1	3	5	7	9	9
70-74	12	3.4	8	1	1	2	5	8	10	10
75-79	13	3.6	3	2	2	3	5	6	6	6
80-84	9	2.7	8	1	1	1	3	7	9	9
85 +	8	3.1	4	1	1	3	5	6	6	6
B. Operated										
65-69 YRS	26	5.7	8	2	4	5	7	9	11	13
70-74	23	6.0	11	2	3	6	8	10	12	14
75-79	9	9.7	61	2	4	10	12	22	27	27
80-84	8	9.1	71	3	4	7	9	23	29	29
85 +	4	16.0	186	<1	6	14	25	34	34	34
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	623	6.8	24	2	4	6	8	12	16	26
70-74	601	6.5	27	2	3	5	8	12	15	30
75-79	498	6.5	21	2	3	6	8	11	14	23
80-84	277	7.7	67	2	4	6	9	13	21	44
85 +	200	7.4	41	2	3	6	9	15	19	34
B. Operated										
65-69 YRS	296	10.8	97	3	5	8	13	23	31	53
70-74	306	12.3	113	4	6	9	15	26	33	79
75-79	223	11.2	73	4	6	9	14	23	32	42
80-84	202	12.4	123	4	6	9	16	27	40	99 +
85 +	110	9.4	39	3	5	8	12	17	23	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	3.3	5	1	1	3	5	6	9	10
B. Operated	70	7.3	36	2	4	6	9	13	16	33
2. MULTIPLE DX										
A. Not Operated	2199	6.8	31	2	3	6	8	13	16	30
B. Operated	1137	11.4	96	3	6	9	14	23	32	57
1. SINGLE DX	132	5.4	25	1	2	4	7	10	13	30
2. MULTIPLE DX	3336	8.4	58	2	4	6	10	16	22	43
A. Not Operated	2261	6.7	31	2	3	5	8	12	16	29
B. Operated	1207	11.2	94	3	5	9	13	23	31	56
TOTAL										
65-69 YRS	965	7.9	50	2	4	6	10	15	20	39
70-74	942	8.3	62	2	4	6	10	16	23	40
75-79	743	7.9	42	2	4	6	10	15	19	36
80-84	496	9.5	95	2	4	7	11	20	29	71
85 +	322	8.1	43	2	4	7	10	16	20	33
GRAND TOTAL	**3468**	**8.3**	**57**	**2**	**4**	**6**	**10**	**16**	**22**	**42**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.0		3	3	3	3	3	3	3
70-74	2	1.0		1	1	1	1	1	1	1
75-79	3	3.0	4	1	1	3	4	5	5	5
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	10.0		10	10	10	10	10	10	10
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	4.0	3	2	3	5	5	5	5	5
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	6.0	13	2	3	7	8	9	9	9
70-74	0									
75-79	2	10.5	1	10	10	10	11	11	11	11
80-84	1	7.0		7	7	7	7	7	7	7
85 +	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.5	2	1	1	3	3	5	5	5
B. Operated	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	6	3.3	3	1	2	3	5	5	5	5
B. Operated	7	7.9	9	3	7	9	10	11	11	11
1. SINGLE DX	10	3.4	7	1	1	3	4	7	10	10
2. MULTIPLE DX	13	5.8	11	2	3	5	9	10	11	11
A. Not Operated	14	2.9	2	1	1	3	4	5	5	5
B. Operated	9	7.7	9	3	6	9	10	11	11	11
TOTAL										
65-69 YRS	10	4.3	5	2	3	4	5	8	9	9
70-74	5	3.4	15	1	1	1	5	10	10	10
75-79	6	5.5	17	1	3	4	10	11	11	11
80-84	1	7.0		7	7	7	7	7	7	7
85 +	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**23**	**4.7**	**10**	**1**	**2**	**4**	**7**	**10**	**11**	**11**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	1.0		1	1	1	1	1	1	1
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	6.0	8	4	4	5	8	10	10	10
70-74	3	5.3	5	4	4	4	7	8	8	8
75-79	3	8.7	12	5	6	9	11	12	12	12
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	8	3.6	11	1	2	3	4	9	11	11
70-74	8	2.6	2	1	1	3	4	4	4	4
75-79	6	2.7	7	1	1	2	3	7	8	8
80-84	3	7.7	114	1	1	2	15	20	20	20
85 +	2	6.0	8	4	4	6	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	5	1.6	2	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated	12	6.1	9	3	4	5	8	11	12	12
B. Operated	27	3.7	17	1	1	3	4	8	12	20
1. SINGLE DX	7	1.4	1	1	1	1	1	3	4	4
2. MULTIPLE DX	39	4.5	15	1	2	4	5	10	12	20
A. Not Operated	14	5.4	11	1	4	4	8	10	12	12
B. Operated	32	3.4	15	1	1	2	4	8	11	20
TOTAL										
65-69 YRS	16	3.6	10	1	1	3	5	10	11	11
70-74	13	3.2	4	1	2	4	4	5	7	8
75-79	10	4.3	16	1	1	2	8	10	12	12
80-84	4	6.8	80	1	1	3	12	20	20	20
85 +	3	5.0	7	3	3	4	7	8	8	8
GRAND TOTAL	**46**	**4.0**	**14**	**1**	**1**	**3**	**4**	**9**	**11**	**20**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	8.2	72	1	2	5	15	22	23	23
70-74	20	8.8	95	1	2	5	12	19	31	42
75-79	26	10.9	91	1	3	8	17	27	30	31
80-84	7	5.7	26	1	2	4	7	14	16	16
85 +	21	9.2	61	1	2	9	13	19	28	31
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	271	10.0	103	2	3	7	13	22	33	51
70-74	333	10.9	103	2	4	7	14	25	31	43
75-79	389	10.7	152	2	4	7	12	22	34	80
80-84	319	9.7	86	2	4	7	13	21	26	46
85 +	344	8.3	72	2	3	6	9	19	26	47
B. Operated										
65-69 YRS	38	13.6	114	3	6	10	16	30	41	44
70-74	38	14.7	134	4	7	12	17	27	40	59
75-79	40	13.0	111	1	6	11	21	33	39	99 +
80-84	30	17.3	531	1	3	11	24	86	99	99 +
85 +	33	13.0	166	1	5	8	16	29	44	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	9.2	76	1	2	6	14	22	28	38
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1656	9.9	106	2	4	7	12	22	29	51
B. Operated	179	14.2	194	2	6	11	18	34	45	99 +
1. SINGLE DX	89	9.0	75	1	2	6	14	21	28	38
2. MULTIPLE DX	1835	10.4	116	2	4	7	13	23	31	56
A. Not Operated	1743	9.9	104	2	4	7	12	22	29	51
B. Operated	181	14.1	194	2	6	11	18	33	44	99 +
TOTAL										
65-69 YRS	323	10.3	104	2	4	7	14	23	33	51
70-74	392	11.1	106	2	4	7	15	25	32	46
75-79	455	10.9	145	2	4	7	13	24	34	84
80-84	356	10.3	125	2	4	7	14	21	30	92
85 +	398	8.8	81	2	3	6	11	20	27	51
GRAND TOTAL	**1924**	**10.3**	**114**	**2**	**4**	**7**	**13**	**23**	**31**	**56**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	13.6	179	2	5	9	19	36	41	41
70-74	7	18.9	152	5	7	20	29	34	35	35
75-79	18	7.5	35	1	3	6	13	16	18	18
80-84	14	9.3	82	1	3	5	17	23	28	30
85 +	11	14.3	438	5	6	7	16	82	97	99 +
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	122	13.2	184	3	6	9	14	29	36	78
70-74	206	13.6	252	2	4	8	15	30	52	83
75-79	308	13.2	232	3	4	8	15	33	44	89
80-84	312	11.9	144	3	5	8	15	27	39	99 +
85 +	251	11.0	163	3	4	7	14	26	38	99 +
B. Operated										
65-69 YRS	15	16.8	139	2	9	15	30	38	81	99 +
70-74	16	16.9	199	3	6	15	21	39	50	54
75-79	24	15.0	248	3	6	12	29	99 +	99 +	99 +
80-84	29	21.9	404	3	10	19	30	77	99	99 +
85 +	21	14.0	80	2	7	14	23	42	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	11.4	159	2	4	7	16	29	38	98
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1199	12.4	193	3	4	8	15	29	40	96
B. Operated	105	17.2	236	3	8	14	27	70	99 +	99 +
1. SINGLE DX	58	11.4	159	2	4	7	16	29	38	98
2. MULTIPLE DX	1304	12.8	198	3	4	8	16	30	45	99 +
A. Not Operated	1257	12.4	192	3	4	8	15	29	40	97
B. Operated	105	17.2	236	3	8	14	27	70	99 +	99 +
TOTAL										
65-69 YRS	145	13.6	178	3	6	10	17	31	38	88
70-74	229	13.9	245	2	4	8	18	31	52	80
75-79	350	13.0	224	2	4	8	15	34	46	99 +
80-84	355	12.6	170	3	5	9	16	28	45	99 +
85 +	283	11.3	167	3	4	7	14	27	39	99 +
GRAND TOTAL	**1362**	**12.8**	**197**	**3**	**4**	**8**	**16**	**30**	**45**	**99 +**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	35.3	994	1	11	42	58	63	63	63
70-74	3	8.7	82	2	3	5	15	19	19	19
75-79	5	8.4	32	3	5	7	10	18	18	18
80-84	4	9.0	69	2	4	6	14	21	21	21
85 +	7	9.6	90	1	2	7	16	24	26	26
B. Operated										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	1	24.0		24	24	24	24	24	24	24
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	71	14.8	153	3	6	12	21	34	52	99 +
70-74	163	13.2	163	3	5	10	16	29	36	66
75-79	260	13.4	137	4	5	10	17	29	40	77
80-84	232	12.6	158	3	5	9	15	28	48	99 +
85 +	198	12.2	151	3	5	8	14	26	44	96
B. Operated										
65-69 YRS	21	17.0	229	5	7	11	20	41	54	58
70-74	23	20.8	286	6	11	15	37	70	99 +	99 +
75-79	16	17.6	306	4	9	15	19	91	99 +	99 +
80-84	15	15.9	150	6	7	13	22	44	83	99 +
85 +	21	21.4	355	6	9	16	24	41	62	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	12.6	230	1	3	7	18	31	50	63
B. Operated	3	12.3	108	4	5	9	20	24	24	24
2. MULTIPLE DX										
A. Not Operated	924	13.0	151	3	5	9	16	29	41	97
B. Operated	96	18.8	265	6	8	15	24	51	93	99 +
1. SINGLE DX	25	12.6	210	1	3	7	18	26	47	63
2. MULTIPLE DX	1020	13.6	164	3	5	10	17	31	44	99 +
A. Not Operated	946	13.0	153	3	5	9	16	29	41	96
B. Operated	99	18.6	260	6	8	15	24	50	91	99 +
TOTAL										
65-69 YRS	96	15.8	196	3	7	12	22	39	55	99 +
70-74	190	14.1	181	3	6	10	18	34	41	98
75-79	281	13.5	145	3	6	10	18	30	43	99 +
80-84	252	12.7	155	3	5	9	16	28	49	99 +
85 +	226	13.0	174	3	5	9	16	29	42	94
GRAND TOTAL	**1045**	**13.5**	**165**	**3**	**5**	**10**	**17**	**31**	**44**	**99 +**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	32	13.1	240	1	3	7	18	37	66	99 +
70-74	55	15.6	164	3	8	12	22	33	65	99 +
75-79	56	13.2	162	2	4	8	21	29	32	69
80-84	70	12.2	127	2	4	9	17	30	37	50
85 +	62	8.7	66	1	3	6	13	21	28	32
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	285	13.8	189	2	5	10	18	34	48	99 +
70-74	495	13.1	138	3	5	10	17	29	39	80
75-79	749	12.9	145	3	5	10	17	26	34	75
80-84	853	13.1	154	3	5	10	17	29	41	99 +
85 +	950	11.6	147	2	5	8	14	25	40	99 +
B. Operated										
65-69 YRS	38	15.4	214	3	5	11	18	34	55	60
70-74	49	19.3	305	5	7	14	28	62	97	99 +
75-79	68	16.9	286	3	5	12	23	53	78	99 +
80-84	96	15.6	130	5	7	13	22	32	41	99 +
85 +	83	16.7	272	3	7	12	20	34	60	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	275	12.4	144	2	4	9	18	29	36	92
B. Operated	3	4.3	5	3	3	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	3332	12.7	151	3	5	9	17	28	40	99 +
B. Operated	334	16.6	231	4	6	13	22	38	65	99 +
1. SINGLE DX	278	12.3	143	2	4	9	18	29	36	91
2. MULTIPLE DX	3666	13.1	159	3	5	9	17	29	42	99 +
A. Not Operated	3607	12.7	150	3	5	9	17	28	40	99 +
B. Operated	337	16.5	230	3	6	13	22	37	65	99 +
TOTAL										
65-69 YRS	355	13.9	195	2	5	10	18	34	51	99 +
70-74	599	13.9	157	3	6	10	18	31	43	99 +
75-79	873	13.2	157	3	5	10	18	28	39	82
80-84	1020	13.2	151	3	5	10	18	29	41	99 +
85 +	1097	11.8	154	2	4	8	15	26	39	99
GRAND TOTAL	**3944**	**13.0**	**158**	**3**	**5**	**9**	**17**	**29**	**41**	**99 +**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	4.7	50	1	1	2	5	11	24	27
70-74	2	9.0	128	1	1	9	17	17	17	17
75-79	6	5.3	9	2	4	4	9	9	9	9
80-84	1	8.0		8	8	8	8	8	8	8
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	464	7.7	69	2	3	5	9	17	22	42
70-74	288	9.8	123	2	4	6	12	25	31	74
75-79	128	9.3	107	3	4	6	10	18	27	68
80-84	50	10.4	103	3	5	7	13	21	26	66
85 +	21	18.7	674	3	4	6	25	83	95	99 +
B. Operated										
65-69 YRS	28	23.1	417	8	11	18	26	38	85	90
70-74	13	12.2	35	6	8	10	17	20	24	25
75-79	11	14.5	64	7	9	11	18	28	31	31
80-84	4	10.8	73	4	5	8	16	23	23	23
85 +	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	5.4	38	1	1	4	7	12	21	27
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	951	8.9	108	2	3	6	10	19	27	71
B. Operated	57	17.9	251	6	9	13	21	30	38	90
1. SINGLE DX	22	5.4	38	1	1	4	7	12	21	27
2. MULTIPLE DX	1008	9.4	120	2	4	6	11	21	28	76
A. Not Operated	973	8.8	107	2	3	5	10	19	27	70
B. Operated	57	17.9	251	6	9	13	21	30	38	90
TOTAL										
65-69 YRS	505	8.5	100	2	3	5	10	18	25	55
70-74	303	9.9	119	2	4	6	12	25	31	73
75-79	145	9.5	101	3	4	7	11	19	27	66
80-84	55	10.4	97	3	5	7	13	22	25	64
85 +	22	18.5	643	3	4	7	24	81	94	99 +
GRAND TOTAL	**1030**	**9.3**	**119**	**2**	**4**	**6**	**11**	**21**	**28**	**76**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	4.3	8	1	2	4	6	7	7	7
70-74	4	5.5	15	2	3	4	8	11	11	11
75-79	3	4.0	9	1	2	4	6	7	7	7
80-84	2	5.5	5	4	4	5	7	7	7	7
85 +	7	4.9	8	2	2	4	7	9	9	9
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	160	6.6	39	2	3	5	8	13	18	23
70-74	162	7.7	51	2	3	5	9	19	26	33
75-79	190	7.3	34	2	3	6	9	15	19	31
80-84	133	9.0	140	2	3	6	9	17	38	99 +
85 +	144	6.5	28	2	3	5	8	14	16	28
B. Operated										
65-69 YRS	12	16.8	116	5	12	14	18	37	38	38
70-74	14	14.1	140	4	7	11	17	33	44	47
75-79	22	13.9	87	6	9	10	16	29	34	41
80-84	12	7.7	18	2	5	9	12	31	87	99 +
85 +	5	16.4	215	1	8	12	24	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.8	8	1	3	4	7	8	10	11
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	789	7.4	56	2	3	5	9	15	22	49
B. Operated	65	13.5	103	3	7	11	16	31	40	91
1. SINGLE DX	20	4.8	8	1	3	4	7	8	10	11
2. MULTIPLE DX	854	7.8	62	2	3	6	9	16	22	53
A. Not Operated	809	7.3	55	2	3	5	9	15	21	46
B. Operated	65	13.5	103	3	7	11	16	31	40	91
TOTAL										
65-69 YRS	176	7.3	50	2	3	5	9	14	18	38
70-74	180	8.1	59	2	3	6	10	20	27	43
75-79	215	7.9	43	2	3	6	10	16	20	33
80-84	147	8.9	128	2	3	6	10	16	41	99 +
85 +	156	6.7	35	2	3	5	8	14	17	30
GRAND TOTAL	**874**	**7.8**	**61**	**2**	**3**	**6**	**9**	**15**	**22**	**52**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	62	17.7	148	5	9	15	26	33	45	50
70-74	29	16.2	136	3	8	15	21	32	41	53
75-79	12	14.7	191	2	3	9	25	37	38	38
80-84	3	19.0	19	16	16	17	22	24	24	24
85 +	3	3.3	6	< 1	1	3	5	6	6	6
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	21.0		21	21	21	21	21	21	21
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	151	16.9	174	5	8	14	20	33	45	64
70-74	99	17.6	157	5	9	15	25	35	49	99 +
75-79	46	19.5	124	7	12	17	29	36	42	99 +
80-84	20	21.5	415	2	6	14	31	49	67	78
85 +	12	21.3	453	5	7	12	27	55	74	77
B. Operated										
65-69 YRS	6	35.5	524	15	20	25	54	71	73	73
70-74	5	32.6	382	9	18	29	49	58	58	58
75-79	5	45.2	139	27	37	50	54	55	55	55
80-84	1	14.0		14	14	14	14	14	14	14
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	16.6	145	3	8	15	24	34	41	51
B. Operated	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. Not Operated	328	17.9	185	5	9	14	23	37	48	88
B. Operated	17	36.2	354	14	21	29	54	57	68	73
1. SINGLE DX	110	16.7	144	3	8	15	24	33	41	51
2. MULTIPLE DX	345	18.8	209	6	9	15	25	41	52	85
A. Not Operated	437	17.6	175	5	8	14	23	35	46	79
B. Operated	18	35.4	346	14	21	28	54	57	67	73
TOTAL										
65-69 YRS	219	17.7	182	6	9	14	22	34	47	67
70-74	133	17.8	166	5	9	15	24	36	50	99 +
75-79	64	20.6	186	4	9	19	30	40	51	93
80-84	24	20.8	347	2	7	16	29	43	63	78
85 +	15	17.7	412	3	6	9	23	45	69	77
GRAND TOTAL	**455**	**18.3**	**193**	**5**	**9**	**15**	**25**	**38**	**49**	**78**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	5.0	2	4	4	5	6	6	6	6
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	12.0	8	10	10	12	14	14	14	14
70-74	6	22.0	174	10	11	19	26	44	46	46
75-79	0									
80-84	0									
85 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.3	2	3	3	4	5	6	6	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	9	18.1	146	8	10	14	21	38	46	46
B. Operated	0									
1. SINGLE DX	3	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX	9	18.1	146	8	10	14	21	38	46	46
A. Not Operated	12	14.7	145	4	6	11	19	32	44	46
B. Operated	0									
TOTAL										
65-69 YRS	2	12.0	8	10	10	12	14	14	14	14
70-74	6	22.0	174	10	11	19	26	44	46	46
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	5.0	2	4	4	5	6	6	6	6
85 +	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**12**	**14.7**	**145**	**4**	**6**	**11**	**19**	**32**	**44**	**46**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	82	17.3	168	3	8	14	24	33	44	61
70-74	38	19.2	144	8	12	16	22	31	47	63
75-79	22	18.7	167	5	9	14	28	36	41	48
80-84	3	25.3	956	6	7	9	48	61	61	61
85 +	8	11.8	50	1	5	15	17	18	19	19
B. Operated										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	0									
75-79	0									
80-84	0									
85 +	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	304	18.5	182	5	9	16	24	35	44	79
70-74	176	17.4	136	5	9	14	23	36	42	52
75-79	92	21.8	243	4	10	19	31	40	50	72
80-84	24	14.0	83	3	6	13	21	27	32	32
85 +	19	15.3	238	3	6	10	23	53	79	99 +
B. Operated										
65-69 YRS	10	34.9	224	15	29	35	52	72	98	99 +
70-74	20	25.7	298	5	12	21	38	52	58	59
75-79	3	16.0	201	5	6	11	27	32	32	32
80-84	1	17.0		17	17	17	17	17	17	17
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	17.8	166	4	9	15	24	33	46	62
B. Operated	2	18.5	145	10	10	18	27	27	27	27
2. MULTIPLE DX										
A. Not Operated	615	18.4	178	5	9	15	25	36	45	70
B. Operated	34	27.3	279	6	13	29	39	54	59	99 +
1. SINGLE DX	155	17.8	165	4	9	15	24	33	46	62
2. MULTIPLE DX	649	18.9	187	5	9	15	26	36	47	75
A. Not Operated	768	18.3	175	5	9	15	25	35	45	67
B. Operated	36	26.8	271	6	13	27	38	54	59	99 +
TOTAL										
65-69 YRS	397	18.6	185	5	9	16	26	35	46	80
70-74	234	18.4	155	6	10	15	24	37	45	59
75-79	117	21.1	227	4	9	18	30	39	49	70
80-84	28	15.3	155	3	6	13	21	30	35	61
85 +	28	14.7	180	2	6	12	20	40	61	99 +
GRAND TOTAL	**804**	**18.7**	**182**	**5**	**9**	**15**	**26**	**36**	**47**	**68**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	315	18.2	176	4	8	15	25	35	43	58
70-74	262	19.9	196	6	10	17	25	39	49	78
75-79	214	18.0	154	3	10	16	24	34	42	60
80-84	122	17.4	125	4	8	15	24	32	40	64
85 +	58	19.3	142	6	10	17	26	35	42	57
B. Operated										
65-69 YRS	2	13.5	313	1	1	13	26	26	26	26
70-74	7	33.7	291	15	19	26	49	56	58	58
75-79	2	64.5	761	45	45	64	84	84	84	84
80-84	1	18.0		18	18	18	18	18	18	18
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1473	19.1	166	5	9	16	26	36	45	64
70-74	1396	20.3	194	6	11	17	27	39	47	74
75-79	1207	20.0	191	5	10	17	27	38	47	68
80-84	737	19.3	198	4	9	16	26	39	47	76
85 +	373	17.8	160	5	8	15	25	34	41	63
B. Operated										
65-69 YRS	119	24.8	203	9	15	22	34	40	50	92
70-74	93	28.1	282	10	17	25	36	48	57	90
75-79	99	29.1	302	12	17	24	38	60	67	99 +
80-84	46	26.6	260	9	15	25	35	49	86	99 +
85 +	24	29.1	298	10	14	27	38	57	63	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	971	18.6	168	4	9	16	25	35	44	65
B. Operated	12	34.2	525	11	17	26	48	66	81	84
2. MULTIPLE DX										
A. Not Operated	5186	19.5	184	5	10	17	26	37	46	69
B. Operated	381	27.2	261	10	16	24	35	51	66	99 +
1. SINGLE DX	983	18.8	175	4	9	16	25	36	45	66
2. MULTIPLE DX	5567	20.1	193	5	10	17	27	38	47	72
A. Not Operated	6157	19.4	181	5	10	17	26	37	46	68
B. Operated	393	27.4	270	10	16	24	36	51	66	99 +
TOTAL										
65-69 YRS	1909	19.3	172	5	10	16	26	37	45	65
70-74	1758	20.7	202	6	11	18	27	40	48	76
75-79	1522	20.4	202	5	10	17	27	39	48	71
80-84	906	19.4	194	4	9	17	27	39	47	83
85 +	455	18.6	171	5	9	16	26	36	43	63
GRAND TOTAL	**6550**	**19.9**	**190**	**5**	**10**	**17**	**27**	**38**	**47**	**72**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	117	15.9	169	3	6	13	21	33	36	64
70-74	95	19.3	222	4	8	16	25	39	56	91
75-79	45	20.4	216	4	9	18	30	45	51	62
80-84	20	21.0	209	5	10	17	26	44	51	57
85 +	7	16.6	99	5	7	15	26	28	28	28
B. Operated										
65-69 YRS	1	22.0		22	22	22	22	22	22	22
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	580	19.2	171	6	10	16	25	36	46	65
70-74	457	19.8	199	6	10	16	26	37	47	78
75-79	308	19.6	228	4	9	15	25	42	51	78
80-84	143	20.8	228	6	10	17	27	44	52	81
85 +	59	22.4	308	5	10	20	27	50	55	93
B. Operated										
65-69 YRS	43	30.6	350	10	18	25	42	54	71	92
70-74	35	25.0	172	10	15	20	37	42	47	54
75-79	18	29.9	164	15	20	29	44	53	81	99 +
80-84	11	29.5	232	10	20	28	38	51	61	62
85 +	3	17.0	100	7	9	17	24	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	284	18.1	197	4	8	15	24	35	49	65
B. Operated	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. Not Operated	1547	19.7	201	6	10	17	26	38	49	78
B. Operated	110	28.2	247	10	17	25	40	47	57	95
1. SINGLE DX	285	18.1	196	4	8	15	24	35	49	65
2. MULTIPLE DX	1657	20.3	208	6	10	17	27	40	50	78
A. Not Operated	1831	19.5	200	5	10	16	26	37	49	74
B. Operated	111	28.2	245	10	17	25	40	47	57	95
TOTAL										
65-69 YRS	741	19.4	189	5	10	16	26	37	47	69
70-74	587	20.1	202	6	10	17	26	38	47	80
75-79	371	20.2	227	5	9	17	27	43	51	85
80-84	174	21.4	228	6	10	18	28	44	53	78
85 +	69	21.5	279	5	9	18	26	44	54	90
GRAND TOTAL	**1942**	**20.0**	**207**	**5**	**10**	**17**	**26**	**39**	**50**	**78**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	54	10.1	81	2	4	7	15	21	25	42
70-74	42	10.1	69	2	4	7	14	22	27	37
75-79	37	10.6	149	1	3	5	17	22	42	51
80-84	27	12.7	169	1	3	8	18	30	35	55
85 +	33	7.8	36	1	3	7	9	19	20	22
B. Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	6.0		6	6	6	6	6	6	6
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	323	12.1	134	2	4	8	16	26	35	73
70-74	349	10.7	113	2	4	7	14	24	34	59
75-79	430	10.7	97	2	4	8	14	23	31	49
80-84	331	10.5	102	2	4	8	14	22	28	52
85 +	361	10.2	119	2	4	7	13	22	38	84
B. Operated										
65-69 YRS	27	13.7	103	3	5	14	22	29	42	99 +
70-74	29	13.4	126	3	6	11	17	33	43	43
75-79	43	14.7	160	4	7	11	20	49	67	99 +
80-84	23	13.5	95	3	7	10	19	28	34	36
85 +	19	18.8	146	5	12	17	29	38	41	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	10.2	96	1	3	7	16	22	29	50
B. Operated	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	1794	10.8	112	2	4	7	14	23	32	65
B. Operated	141	14.6	129	3	6	12	20	33	43	99 +
1. SINGLE DX	195	10.1	95	1	3	7	15	22	28	50
2. MULTIPLE DX	1935	11.1	114	2	4	8	15	24	34	69
A. Not Operated	1987	10.8	111	2	4	7	14	23	32	59
B. Operated	143	14.4	129	3	6	12	20	33	43	99 +
TOTAL										
65-69 YRS	404	11.9	125	2	4	8	16	26	35	74
70-74	421	10.8	109	2	4	7	14	24	34	56
75-79	511	11.0	107	2	4	8	14	24	31	55
80-84	381	10.9	107	2	4	8	15	23	30	52
85 +	413	10.4	117	2	4	7	13	22	37	77
GRAND TOTAL	**2130**	**11.0**	**113**	**2**	**4**	**8**	**15**	**24**	**33**	**64**

957 Hospitals, United States, Geriatric, January-December 1989

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	1.8	2	1	1	1	2	4	5	5
70-74	11	5.3	26	< 1	2	4	8	13	17	17
75-79	9	6.2	18	2	3	6	8	13	14	14
80-84	7	8.1	204	1	1	2	7	34	40	40
85 +	3	9.0	13	6	6	8	12	13	13	13
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	191	6.8	68	1	2	4	8	16	24	42
70-74	156	8.3	88	1	3	5	11	19	23	54
75-79	115	6.9	52	1	2	4	9	16	21	35
80-84	95	5.7	51	1	2	3	6	13	19	41
85 +	48	5.7	38	2	2	3	5	17	19	27
B. Operated										
65-69 YRS	6	4.3	1	3	3	4	5	6	6	6
70-74	0									
75-79	9	17.9	190	3	5	16	29	37	41	41
80-84	4	6.5	27	2	3	5	10	14	14	14
85 +	2	4.0	8	2	2	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	5.5	49	1	1	3	7	13	16	40
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	605	7.0	65	1	2	4	9	17	22	44
B. Operated	21	10.5	124	2	3	5	14	29	35	41
1. SINGLE DX	39	5.5	49	1	1	3	7	13	16	40
2. MULTIPLE DX	626	[illegible]	68	1	2	4	9	17	23	43
A. Not Operated	644	6.9	65	1	2	4	8	17	21	42
B. Operated	21	10.5	124	2	3	5	14	29	35	41
TOTAL										
65-69 YRS	206	6.5	65	1	2	4	7	15	24	40
70-74	167	8.1	84	1	3	5	11	18	22	53
75-79	133	7.6	65	1	2	4	10	18	24	42
80-84	106	5.9	58	1	2	3	6	14	20	43
85 +	53	5.8	38	2	2	3	7	16	19	27
GRAND TOTAL	**665**	**7.0**	**67**	**1**	**2**	**4**	**8**	**17**	**22**	**42**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	10.6	98	1	4	9	12	28	35	37
70-74	9	11.8	46	5	8	12	13	22	27	27
75-79	11	8.5	73	3	4	6	8	22	31	32
80-84	7	10.4	74	2	4	8	14	24	27	27
85 +	3	9.3	9	6	7	10	11	12	12	12
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	143	10.5	111	2	4	8	14	21	28	52
70-74	123	10.2	103	2	4	7	13	20	28	61
75-79	119	10.1	61	3	5	8	15	19	22	37
80-84	75	8.2	47	2	4	7	10	17	22	34
85 +	39	10.2	127	3	5	8	12	13	30	67
B. Operated										
65-69 YRS	5	15.4	259	6	7	9	19	44	44	44
70-74	13	18.6	214	5	10	14	21	38	56	60
75-79	6	20.0	138	8	10	18	32	34	34	34
80-84	4	10.3	18	5	7	10	13	15	15	15
85 +	2	3.5	1	3	3	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	10.2	70	2	4	9	12	25	30	37
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	499	10.0	88	2	4	8	13	20	26	53
B. Operated	30	16.2	172	5	8	12	19	33	44	60
1. SINGLE DX	47	10.2	70	2	4	9	12	25	30	37
2. MULTIPLE DX	529	10.3	95	2	4	8	13	20	28	57
A. Not Operated	546	10.0	87	2	4	8	13	20	27	49
B. Operated	30	16.2	172	5	8	12	19	33	44	60
TOTAL										
65-69 YRS	165	10.7	113	2	4	8	13	21	29	48
70-74	145	11.1	113	2	4	8	14	23	28	61
75-79	136	10.4	68	3	5	8	15	20	25	37
80-84	86	8.5	47	2	4	7	11	17	23	34
85 +	44	9.8	114	3	5	8	11	13	26	67
GRAND TOTAL	**576**	**10.3**	**93**	**2**	**4**	**8**	**13**	**20**	**28**	**55**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	8.0	92	2	2	4	9	17	32	40
70-74	4	18.5	122	4	10	20	26	30	30	30
75-79	7	5.9	21	1	2	5	8	13	14	14
80-84	7	3.1	10	<1	1	2	3	9	10	10
85 +	5	9.8	250	1	2	4	13	38	38	38
B. Operated										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	6	1.8	1	1	1	2	2	3	3	3
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	120	9.1	81	2	3	7	12	22	27	70
70-74	117	8.8	73	2	3	6	11	21	31	61
75-79	98	10.1	100	1	3	7	13	22	33	47
80-84	104	9.6	144	2	4	6	10	20	29	72
85 +	75	7.3	44	2	3	5	9	16	23	32
B. Operated										
65-69 YRS	19	14.8	206	2	5	8	23	35	46	54
70-74	16	6.5	23	2	3	5	10	15	16	17
75-79	16	14.6	182	4	7	10	17	28	48	57
80-84	9	18.4	315	4	6	16	22	46	62	62
85 +	10	9.8	79	3	4	5	16	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	8.1	94	1	2	4	9	20	34	40
B. Operated	10	1.8	1	<1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	514	9.0	90	2	3	6	11	21	29	57
B. Operated	70	12.6	162	2	4	9	16	27	37	61
1. SINGLE DX	50	6.8	81	1	2	3	8	17	30	40
2. MULTIPLE DX	584	9.5	100	2	3	6	12	22	29	58
A. Not Operated	554	9.0	90	2	3	6	11	21	29	56
B. Operated	80	11.3	154	2	3	7	15	25	35	60
TOTAL										
65-69 YRS	157	9.6	99	2	3	7	13	23	31	58
70-74	143	8.5	70	2	3	6	11	21	30	46
75-79	124	10.2	107	1	3	8	14	22	32	57
80-84	120	9.9	155	2	3	6	11	21	29	70
85 +	90	7.7	56	2	3	5	9	19	25	36
GRAND TOTAL	**634**	**9.3**	**99**	**2**	**3**	**6**	**11**	**22**	**30**	**57**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	60	7.1	56	1	2	5	8	18	25	34
70-74	36	6.7	69	1	2	4	6	20	29	35
75-79	13	3.2	7	1	1	3	4	6	10	11
80-84	0									
85 +	2	3.0	8	1	1	3	5	5	5	5
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	917	12.1	91	2	4	8	19	28	29	35
70-74	591	11.9	91	2	4	9	18	28	29	42
75-79	234	12.1	105	3	4	9	17	28	30	46
80-84	68	9.0	62	2	4	5	13	22	28	33
85 +	31	9.5	101	2	2	5	15	23	30	42
B. Operated										
65-69 YRS	54	17.9	147	5	7	15	28	34	41	56
70-74	27	13.5	124	3	5	8	19	31	35	43
75-79	27	14.0	81	4	5	14	21	26	29	35
80-84	4	10.8	25	6	6	10	15	16	16	16
85 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	6.4	55	1	2	4	7	17	26	35
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1841	11.9	92	2	4	8	18	28	29	38
B. Operated	113	15.5	125	4	6	14	22	30	35	49
1. SINGLE DX	111	6.4	55	1	2	4	7	17	26	35
2. MULTIPLE DX	1954	12.1	95	2	4	9	18	28	29	41
A. Not Operated	1952	11.6	92	2	4	8	18	28	29	38
B. Operated	113	15.5	125	4	6	14	22	30	35	49
TOTAL										
65-69 YRS	1031	12.1	95	2	4	8	19	28	29	36
70-74	654	11.7	93	2	4	8	18	28	29	42
75-79	274	11.9	102	3	4	9	17	28	30	46
80-84	72	9.1	60	2	4	6	13	22	28	33
85 +	34	8.9	96	2	2	4	14	22	29	42
GRAND TOTAL	**2065**	**11.8**	**94**	**2**	**4**	**8**	**18**	**28**	**29**	**39**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	17	13.3	56	3	8	12	19	24	26	27
70-74	12	15.6	140	4	6	11	28	33	34	34
75-79	6	12.2	18	6	11	12	14	18	19	19
80-84	7	8.7	54	3	4	5	10	21	24	24
85 +	0									
B. Operated										
65-69 YRS	1	27.0		27	27	27	27	27	27	27
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	42	13.0	74	4	6	11	18	26	32	34
B. Operated	1	27.0		27	27	27	27	27	27	27
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	43	13.3	77	4	6	11	19	27	32	34
A. Not Operated	43	12.7	76	3	6	11	17	25	32	34
B. Operated	1	27.0		27	27	27	27	27	27	27
TOTAL										
65-69 YRS	18	14.1	63	4	8	13	21	26	27	27
70-74	13	14.5	144	2	5	9	26	33	34	34
75-79	6	12.2	18	6	11	12	14	18	19	19
80-84	7	8.7	54	3	4	5	10	21	24	24
85 +	0									
GRAND TOTAL	**44**	**13.1**	**79**	**3**	**6**	**11**	**18**	**27**	**32**	**34**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	8.5	41	4	4	8	13	13	13	13
70-74	0									
75-79	1	19.0		19	19	19	19	19	19	19
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	56	15.9	105	4	8	14	23	30	34	42
70-74	32	13.8	77	5	7	12	15	25	37	39
75-79	28	16.1	71	5	9	14	23	27	32	34
80-84	11	11.5	87	3	5	8	17	25	33	34
85 +	6	13.2	197	2	5	9	15	37	40	40
B. Operated										
65-69 YRS	0									
70-74	2	41.5	421	27	27	41	56	56	56	56
75-79	1	16.0		16	16	16	16	16	16	16
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	12.0	57	4	6	13	17	19	19	19
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	133	14.9	93	5	7	14	20	29	34	42
B. Operated	4	25.8	495	4	10	21	41	56	56	56
1. SINGLE DX	3	12.0	57	4	6	13	17	19	19	19
2. MULTIPLE DX	137	15.3	104	4	7	14	21	29	35	44
A. Not Operated	136	14.9	92	4	7	14	20	29	34	42
B. Operated	4	25.8	495	4	10	21	41	56	56	56
TOTAL										
65-69 YRS	58	15.7	104	4	8	14	23	30	34	42
70-74	34	15.4	129	5	7	12	19	28	39	56
75-79	30	16.2	66	5	9	15	23	26	32	34
80-84	12	10.8	84	3	4	8	16	23	32	34
85 +	6	13.2	197	2	5	9	15	37	40	40
GRAND TOTAL	**140**	**15.2**	**103**	**4**	**7**	**14**	**20**	**29**	**35**	**44**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	2.8	4	1	2	2	4	6	6	6
70-74	5	1.6		1	1	2	2	2	2	2
75-79	2	2.0		2	2	2	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	55	4.9	14	1	2	4	7	11	13	15
70-74	45	4.6	24	1	2	3	6	9	12	29
75-79	29	4.2	10	1	2	3	6	8	11	13
80-84	12	6.0	62	1	2	3	6	18	27	28
85 +	6	3.5	4	1	2	3	4	7	7	7
B. Operated										
65-69 YRS	6	10.3	38	3	8	9	16	19	19	19
70-74	5	11.0	67	3	3	12	17	22	22	22
75-79	2	49.0	1922	18	18	49	80	80	80	80
80-84	0									
85 +	2	3.0	8	1	1	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.9	2	1	1	2	2	3	5	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	147	4.7	19	1	2	3	6	9	13	28
B. Operated	15	14.7	371	2	4	9	17	22	65	80
1. SINGLE DX	15	1.9	2	1	1	2	2	3	5	6
2. MULTIPLE DX	162	5.6	58	1	2	4	7	12	15	29
A. Not Operated	162	4.4	18	1	2	3	6	9	13	26
B. Operated	15	14.7	371	2	4	9	17	22	65	80
TOTAL										
65-69 YRS	66	5.3	18	1	2	4	8	11	14	19
70-74	55	4.9	29	1	2	3	6	11	15	29
75-79	33	6.8	188	1	2	3	7	11	17	80
80-84	13	5.6	58	1	1	3	6	17	26	28
85 +	10	2.9	4	1	1	2	4	6	7	7
GRAND TOTAL	**177**	**5.3**	**55**	**1**	**2**	**3**	**6**	**11**	**15**	**29**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	7.5	25	4	4	7	11	11	11	11
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	11.4	93	2	4	9	14	29	30	30
70-74	4	20.0	169	6	9	19	30	35	35	35
75-79	9	9.2	95	2	3	5	13	26	30	30
80-84	7	8.3	18	4	6	7	12	15	15	15
85 +	1	2.0		2	2	51	99 +	99 +	99 +	99 +
B. Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	0									
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.3	26	1	2	4	9	11	11	11
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	32	10.9	90	2	4	7	14	30	34	99 +
B. Operated	3	7.3	12	4	5	7	10	11	11	11
1. SINGLE DX	3	5.3	26	1	2	4	9	11	11	11
2. MULTIPLE DX	35	10.6	84	2	4	7	14	30	34	99 +
A. Not Operated	35	10.4	86	2	4	7	14	30	34	99 +
B. Operated	3	7.3	12	4	5	7	10	11	11	11
TOTAL										
65-69 YRS	14	10.5	77	2	4	8	13	28	30	30
70-74	5	16.2	199	1	5	13	28	35	35	35
75-79	10	8.7	88	2	3	4	10	25	30	30
80-84	7	8.3	18	4	6	7	12	15	15	15
85 +	2	6.5	41	2	4	11	78	99 +	99 +	99 +
GRAND TOTAL	**38**	**10.2**	**81**	**2**	**4**	**7**	**13**	**29**	**33**	**99 +**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	65	6.8	126	1	2	3	5	21	30	64
70-74	47	6.5	78	1	2	3	6	22	27	42
75-79	56	5.9	59	1	2	3	6	13	17	44
80-84	37	4.5	6	2	3	4	5	7	10	12
85 +	29	5.2	17	1	2	4	8	12	14	16
B. Operated										
65-69 YRS	8	14.9	188	5	7	10	16	38	47	47
70-74	8	12.5	150	4	6	8	14	34	41	41
75-79	2	3.0	8	1	1	3	5	5	5	5
80-84	4	6.5	11	4	4	6	9	11	11	11
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5		1	1	1	2	2	2	2
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	234	5.9	68	1	2	3	6	13	24	42
B. Operated	22	11.4	131	3	5	8	11	25	43	47
1. SINGLE DX	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX	256	6.4	75	1	2	4	7	14	25	45
A. Not Operated	238	5.9	67	1	2	3	6	13	23	42
B. Operated	22	11.4	131	3	5	8	11	25	43	47
TOTAL										
65-69 YRS	74	7.6	135	1	2	4	7	21	34	63
70-74	56	7.3	89	1	2	4	7	22	28	42
75-79	58	5.8	58	1	2	3	6	13	17	44
80-84	43	4.5	7	2	3	4	6	8	11	12
85 +	29	5.2	17	1	2	4	8	12	14	16
GRAND TOTAL	**260**	**6.3**	**74**	**1**	**2**	**4**	**7**	**14**	**25**	**45**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	28	11.0	89	1	4	8	16	23	31	39
70-74	24	13.5	150	2	4	8	21	33	38	42
75-79	20	10.8	99	2	4	7	15	21	33	44
80-84	12	12.2	93	2	4	9	18	27	30	31
85 +	9	8.3	223	1	1	3	7	33	47	47
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	186	9.9	86	2	3	7	13	22	31	38
70-74	182	9.9	87	2	4	7	13	21	26	48
75-79	198	11.4	129	2	4	8	13	24	32	59
80-84	140	12.1	159	3	4	7	16	29	43	63
85 +	73	11.2	86	2	4	9	16	22	29	48
B. Operated										
65-69 YRS	11	19.4	165	6	12	16	20	42	47	48
70-74	15	14.3	84	6	7	11	21	31	32	33
75-79	16	15.8	223	3	4	12	20	38	51	56
80-84	7	17.0	268	3	5	10	23	44	49	49
85 +	4	22.5	262	3	11	22	34	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	11.5	117	1	4	8	17	27	36	46
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	779	10.8	110	2	4	7	14	23	31	52
B. Operated	53	16.8	171	4	7	14	22	38	47	56
1. SINGLE DX	93	11.5	117	1	4	8	17	27	36	46
2. MULTIPLE DX	832	11.2	116	2	4	7	15	24	32	53
A. Not Operated	872	10.9	111	2	4	7	14	23	32	51
B. Operated	53	16.8	171	4	7	14	22	38	47	56
TOTAL										
65-69 YRS	225	10.5	93	2	4	7	15	22	32	41
70-74	221	10.6	94	2	4	7	14	22	30	45
75-79	234	11.7	133	2	4	8	14	25	32	58
80-84	159	12.3	157	3	4	7	17	29	43	61
85 +	86	11.4	110	2	4	9	16	26	32	50
GRAND TOTAL	**925**	**11.2**	**116**	**2**	**4**	**7**	**15**	**25**	**32**	**51**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	4.7	21	1	2	3	5	12	16	17
70-74	10	8.0	136	<1	2	4	6	27	39	39
75-79	12	12.1	118	1	2	8	19	28	33	34
80-84	4	4.8	8	3	3	4	6	9	9	9
85 +	4	7.3	33	2	2	6	12	14	14	14
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	94	8.5	60	2	3	6	11	19	25	36
70-74	78	10.2	64	2	3	8	15	22	25	36
75-79	55	10.6	104	2	3	7	12	28	30	51
80-84	47	9.6	65	1	2	7	15	23	25	30
85 +	23	10.3	60	3	5	8	12	25	27	28
B. Operated										
65-69 YRS	6	9.8	43	3	6	7	17	19	19	19
70-74	1	21.0		21	21	21	21	21	21	21
75-79	6	23.0	363	2	8	23	27	53	56	56
80-84	2	9.5	41	5	5	9	14	14	14	14
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	7.7	77	1	2	4	10	18	28	39
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	297	9.6	70	2	3	7	14	22	27	36
B. Operated	15	15.8	193	3	6	14	22	27	49	56
1. SINGLE DX	44	7.7	77	1	2	4	10	18	28	39
2. MULTIPLE DX	312	9.9	77	2	3	7	14	22	27	39
A. Not Operated	341	9.4	71	2	3	6	14	22	27	39
B. Operated	15	15.8	193	3	6	14	22	27	49	56
TOTAL										
65-69 YRS	114	8.1	55	2	3	6	11	18	24	35
70-74	89	10.1	71	2	3	7	15	22	25	40
75-79	73	11.8	133	2	3	8	18	28	32	55
80-84	53	9.3	60	1	3	7	14	21	24	30
85 +	27	9.9	56	3	4	8	12	24	26	28
GRAND TOTAL	**356**	**9.7**	**77**	**2**	**3**	**7**	**14**	**22**	**27**	**39**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	27	7.8	111	1	2	5	9	11	33	52
70-74	43	5.5	20	1	2	4	7	10	14	23
75-79	33	7.1	182	1	1	3	6	13	34	72
80-84	30	5.5	23	1	2	4	7	14	16	17
85 +	28	6.2	60	2	2	4	7	15	24	37
B. Operated										
65-69 YRS	2	5.5	5	4	4	5	7	7	7	7
70-74	4	8.3	3	6	7	8	9	10	10	10
75-79	3	9.3	22	4	6	11	12	13	13	13
80-84	3	9.3	30	3	5	12	13	13	13	13
85 +	5	19.4	668	4	5	8	27	65	65	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	161	6.3	75	1	2	4	7	12	19	50
B. Operated	17	11.6	203	4	5	8	12	15	47	65
1. SINGLE DX	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX	178	6.8	88	1	2	4	7	13	19	61
A. Not Operated	164	6.2	74	1	2	4	7	12	18	50
B. Operated	17	11.6	203	4	5	8	12	15	47	65
TOTAL										
65-69 YRS	30	7.5	101	1	2	5	8	11	30	52
70-74	48	5.6	19	1	2	5	8	10	13	23
75-79	36	7.3	168	1	2	4	6	13	31	72
80-84	34	5.7	24	1	2	4	9	14	16	17
85 +	33	8.2	157	2	2	4	7	18	35	65
GRAND TOTAL	**181**	**6.7**	**87**	**1**	**2**	**4**	**7**	**13**	**19**	**61**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	0									
75-79	0									
80-84	2	5.0		5	5	5	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	5.7	1	5	5	5	7	7	7	7
B. Operated	0									
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	3	5.7	1	5	5	5	7	7	7	7
A. Not Operated	4	5.0	3	3	4	5	6	7	7	7
B. Operated	0									
TOTAL										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	0									
75-79	0									
80-84	2	5.0		5	5	5	5	5	5	5
85 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**4**	**5.0**	**3**	**3**	**4**	**5**	**6**	**7**	**7**	**7**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	7.5	61	2	2	7	13	13	13	13
70-74	0									
75-79	1	13.0		13	13	13	13	13	13	13
80-84	2	12.0	98	5	5	12	19	19	19	19
85 +	0									
B. Operated										
65-69 YRS	4	12.8	250	1	1	7	24	35	35	35
70-74	0									
75-79	3	17.7	76	8	11	20	24	25	25	25
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	51	10.6	28	4	6	11	15	17	19	25
70-74	42	14.2	131	3	8	11	17	27	39	59
75-79	32	15.8	119	5	7	14	20	33	38	46
80-84	29	16.6	171	4	6	12	27	39	54	99 +
85 +	29	14.0	57	4	8	13	20	26	30	99 +
B. Operated										
65-69 YRS	58	22.4	343	3	9	15	39	52	58	67
70-74	41	21.2	283	4	9	20	29	64	80	99 +
75-79	36	25.8	271	4	14	28	38	48	65	99 +
80-84	13	33.6	267	12	24	30	42	60	61	61
85 +	9	25.9	144	12	19	21	33	45	47	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	10.4	47	2	4	13	15	19	19	19
B. Operated	7	14.9	157	1	3	13	24	33	35	35
2. MULTIPLE DX										
A. Not Operated	183	13.8	98	4	7	12	17	28	37	85
B. Operated	157	24.0	298	4	10	21	37	51	64	99 +
1. SINGLE DX	12	13.0	108	2	4	13	19	28	34	35
2. MULTIPLE DX	340	18.5	216	4	8	14	26	41	55	99 +
A. Not Operated	188	13.7	96	4	7	12	17	27	36	83
B. Operated	164	23.6	295	4	10	20	36	51	64	99 +
TOTAL										
65-69 YRS	115	16.6	226	3	7	12	18	42	52	65
70-74	83	17.6	216	4	9	14	25	41	64	99 +
75-79	72	20.8	213	5	9	18	30	43	49	93
80-84	44	21.4	252	5	9	19	33	49	60	99 +
85 +	38	16.8	101	5	10	15	23	30	44	99 +
GRAND TOTAL	**352**	**18.3**	**213**	**4**	**8**	**14**	**25**	**41**	**53**	**99 +**

957 Hospitals, United States, Geriatric, January-December 1989

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	5.3	40	1	1	3	7	12	22	27
70-74	16	8.8	142	1	3	5	12	44	83	99 +
75-79	16	7.3	46	1	3	4	12	17	22	24
80-84	13	8.1	17	3	5	7	12	14	16	16
85 +	6	6.0	7	3	4	6	8	9	9	9
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	136	9.8	92	3	5	7	11	20	32	72
70-74	251	11.0	125	3	5	8	13	21	34	80
75-79	303	9.3	64	3	4	7	12	20	30	99 +
80-84	231	11.0	134	3	4	7	12	24	33	67
85 +	122	11.8	161	3	5	8	14	26	46	99 +
B. Operated										
65-69 YRS	25	13.8	99	2	7	11	22	37	99 +	99 +
70-74	49	18.8	339	4	7	13	25	33	60	99
75-79	38	16.7	339	3	6	10	24	68	88	99 +
80-84	39	14.7	159	3	5	12	20	27	44	58
85 +	17	12.8	45	5	7	11	18	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	7.0	56	1	3	5	8	15	23	88
B. Operated	4	3.3	3	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	1043	10.4	109	3	5	7	12	22	33	80
B. Operated	168	16.0	232	3	6	12	23	31	66	99 +
1. SINGLE DX	77	6.8	54	1	3	5	8	15	22	86
2. MULTIPLE DX	1211	11.2	130	3	5	8	14	24	35	99 +
A. Not Operated	1116	10.2	107	3	4	7	12	21	33	81
B. Operated	172	15.7	230	3	6	11	22	31	65	99 +
TOTAL										
65-69 YRS	184	9.8	90	2	4	7	11	22	33	99 +
70-74	317	12.1	166	3	5	8	14	26	37	89
75-79	357	10.0	97	3	4	7	13	23	32	99 +
80-84	284	11.3	133	3	5	8	12	24	33	63
85 +	146	11.6	142	3	5	8	14	24	44	99 +
GRAND TOTAL	**1288**	**11.0**	**126**	**3**	**5**	**8**	**13**	**24**	**35**	**99 +**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	5.9	14	2	3	5	7	12	14	14
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	66	8.3	63	3	5	7	10	14	18	54
70-74	13	7.8	25	2	4	5	12	14	16	17
75-79	5	4.6	3	3	3	5	6	7	7	7
80-84	3	11.0	67	4	5	9	17	20	20	20
85 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
65-69 YRS	18	14.1	160	4	5	10	18	33	45	50
70-74	8	16.4	118	4	6	17	23	31	35	35
75-79	4	25.3	264	2	14	30	36	39	39	39
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.9	14	2	3	5	7	12	14	14
B. Operated	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	88	8.1	53	3	4	6	10	14	18	47
B. Operated	31	15.7	166	3	5	12	23	36	39	50
1. SINGLE DX	12	6.5	17	3	3	5	9	13	14	14
2. MULTIPLE DX	119	10.1	92	3	5	7	12	22	30	53
A. Not Operated	99	7.9	49	3	4	6	10	14	17	43
B. Operated	32	15.6	160	3	5	12	23	36	39	50
TOTAL										
65-69 YRS	96	9.2	79	3	5	7	11	17	23	55
70-74	21	11.1	74	3	4	10	14	23	28	35
75-79	9	13.8	219	2	3	5	28	37	39	39
80-84	4	8.5	70	1	2	6	14	20	20	20
85 +	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**131**	**9.8**	**86**	**3**	**4**	**7**	**12**	**21**	**27**	**52**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	36	3.2	4	1	2	3	4	6	8	9
70-74	29	3.4	15	1	1	2	4	6	9	21
75-79	26	3.6	9	1	2	3	4	7	9	15
80-84	20	3.6	9	1	2	3	4	9	10	11
85 +	16	3.1	4	1	2	3	4	5	8	9
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	674	6.3	36	2	3	5	8	13	18	42
70-74	779	6.6	56	2	3	5	7	13	19	48
75-79	639	7.1	73	2	3	5	8	13	19	57
80-84	477	7.6	78	2	3	5	9	15	21	59
85 +	348	7.9	46	2	4	6	9	16	21	34
B. Operated										
65-69 YRS	55	13.7	155	3	6	9	20	32	59	99 +
70-74	89	15.5	123	4	7	14	21	35	48	99 +
75-79	78	18.2	265	5	8	12	22	44	58	76
80-84	56	20.6	472	4	7	12	27	55	86	99 +
85 +	45	19.9	351	5	7	14	28	40	59	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	3.4	8	1	2	3	4	7	9	16
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2917	7.0	58	2	3	5	8	14	19	48
B. Operated	323	17.3	258	4	7	12	23	41	59	99 +
1. SINGLE DX	127	3.4	8	1	2	3	4	7	9	16
2. MULTIPLE DX	3240	8.0	87	2	3	5	9	16	25	65
A. Not Operated	3044	6.8	56	2	3	5	8	14	19	47
B. Operated	323	17.3	258	4	7	12	23	41	59	99 +
TOTAL										
65-69 YRS	765	6.7	47	2	3	5	8	14	21	49
70-74	897	7.4	69	2	3	5	9	16	22	70
75-79	743	8.2	103	2	3	5	9	16	24	67
80-84	553	8.8	131	2	3	6	10	17	29	89
85 +	409	9.0	93	2	4	6	10	19	25	51
GRAND TOTAL	**3367**	**7.8**	**85**	**2**	**3**	**5**	**9**	**16**	**24**	**64**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	41	6.6	72	1	2	3	7	15	27	40
70-74	42	6.0	38	1	2	4	8	12	20	31
75-79	42	5.2	26	1	2	4	6	13	17	23
80-84	29	6.8	49	1	3	5	8	13	17	37
85 +	10	20.9	809	3	4	8	23	67	94	94
B. Operated										
65-69 YRS	55	5.4	15	1	3	5	7	11	14	19
70-74	33	5.5	15	1	2	5	7	12	13	15
75-79	37	6.0	23	1	2	4	8	13	14	23
80-84	12	7.1	26	2	3	6	9	13	20	21
85 +	12	8.3	17	4	6	7	10	15	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	532	8.8	85	2	4	6	11	19	25	56
70-74	647	9.4	97	2	4	6	11	20	31	71
75-79	747	10.0	126	2	4	7	12	22	34	99 +
80-84	622	9.7	93	2	4	7	12	21	33	99 +
85 +	517	9.4	103	3	4	7	11	18	27	99 +
B. Operated										
65-69 YRS	319	12.7	176	2	4	8	17	31	46	82
70-74	405	14.2	211	2	6	10	18	35	47	98
75-79	317	14.0	189	3	6	10	18	31	43	99 +
80-84	238	16.3	223	4	7	11	22	35	59	99 +
85 +	122	16.5	206	4	8	14	22	37	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	7.0	100	1	2	4	8	15	23	41
B. Operated	149	5.9	18	1	3	5	8	12	15	21
2. MULTIPLE DX										
A. Not Operated	3065	9.5	102	2	4	7	11	20	31	99
B. Operated	1401	14.4	201	3	6	10	18	33	50	99 +
1. SINGLE DX	313	6.5	61	1	2	4	8	13	18	38
2. MULTIPLE DX	4466	11.0	138	2	4	7	14	25	37	99 +
A. Not Operated	3229	9.4	102	2	4	6	11	20	30	97
B. Operated	1550	13.6	190	2	5	9	18	32	47	99 +
TOTAL										
65-69 YRS	947	9.8	116	2	3	7	12	21	33	68
70-74	1127	10.9	140	2	4	7	13	24	37	80
75-79	1143	10.8	142	2	4	7	13	24	35	99 +
80-84	901	11.3	134	3	5	8	14	26	38	99 +
85 +	661	10.8	139	3	4	7	14	23	36	99 +
GRAND TOTAL	**4779**	**10.7**	**134**	**2**	**4**	**7**	**13**	**24**	**36**	**99 +**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	1.8	1	<1	1	2	2	3	3	3
70-74	9	2.4	3	<1	<1	2	3	5	6	6
75-79	4	2.5	4	1	1	2	4	5	5	5
80-84	1	3.0		3	3	3	3	3	3	3
85 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
65-69 YRS	3	2.7		2	2	3	3	3	3	3
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	105	4.5	12	1	2	3	6	9	11	18
70-74	74	4.1	7	1	2	3	6	8	10	13
75-79	50	4.2	9	1	2	3	6	9	10	12
80-84	31	4.6	19	1	2	3	6	10	15	20
85 +	10	4.0	8	2	2	3	5	8	11	11
B. Operated										
65-69 YRS	6	11.8	257	3	3	6	9	40	44	44
70-74	7	8.9	49	1	3	9	13	20	21	21
75-79	6	6.5	30	2	3	4	10	15	16	16
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.4	2	<1	1	2	3	4	5	6
B. Operated	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	270	4.3	10	1	2	3	6	9	10	17
B. Operated	19	9.1	101	2	3	4	10	19	34	44
1. SINGLE DX	25	2.4	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	289	4.6	17	1	2	3	6	9	11	20
A. Not Operated	292	4.2	10	1	2	3	6	8	10	16
B. Operated	22	8.2	91	2	3	4	10	17	30	44
TOTAL										
65-69 YRS	120	4.7	24	1	2	3	6	9	11	26
70-74	90	4.3	12	1	2	3	6	9	10	18
75-79	60	4.4	11	1	2	3	6	9	11	16
80-84	32	4.6	19	1	2	3	6	9	14	20
85 +	12	3.8	7	2	2	3	5	7	10	11
GRAND TOTAL	**314**	**4.5**	**17**	**1**	**2**	**3**	**6**	**9**	**11**	**19**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	36	1.0		<1	<1	<1	<1	1	1	1
70-74	34	1.1		<1	<1	<1	<1	1	2	3
75-79	33	1.0		<1	<1	<1	<1	1	1	2
80-84	13	1.2		<1	<1	<1	<1	1	3	3
85 +	14	1.0		<1	<1	<1	<1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	3.9	11	<1	1	3	4	10	11	11
70-74	4	4.5	7	2	2	4	6	8	8	8
75-79	5	4.0	6	<1	1	5	6	7	7	7
80-84	2	4.5	1	4	4	4	5	5	5	5
85 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
65-69 YRS	59	2.1	4	<1	<1	1	2	4	5	13
70-74	54	2.2	5	<1	1	1	2	6	7	11
75-79	32	1.9	6	<1	<1	1	2	3	8	13
80-84	25	2.0	5	<1	1	1	2	4	6	11
85 +	17	4.9	133	<1	<1	1	3	8	35	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	130	1.0		<1	<1	<1	<1	1	1	3
2. MULTIPLE DX										
A. Not Operated	24	4.0	7	1	2	3	5	8	10	11
B. Operated	187	2.3	16	<1	<1	1	2	4	7	13
1. SINGLE DX	131	1.1		<1	<1	<1	<1	1	1	3
2. MULTIPLE DX	211	2.5	16	<1	1	1	3	5	9	13
A. Not Operated	25	3.9	7	1	2	3	5	8	9	11
B. Operated	317	1.8	10	<1	<1	<1	1	3	5	12
TOTAL										
65-69 YRS	106	1.9	4	<1	<1	1	2	4	5	12
70-74	93	1.9	4	<1	<1	1	2	4	6	10
75-79	70	1.6	4	<1	<1	<1	1	3	5	12
80-84	40	1.9	3	<1	<1	1	2	4	5	11
85 +	33	3.1	70	<1	<1	<1	2	3	8	49
GRAND TOTAL	**342**	**2.0**	**10**	**<1**	**<1**	**1**	**2**	**4**	**6**	**11**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	25	5.8	35	1	3	4	5	11	20	28
70-74	26	3.3	11	1	1	2	4	7	9	17
75-79	15	2.5	3	1	1	2	3	5	6	7
80-84	12	4.5	14	1	2	3	7	9	12	13
85 +	6	4.0	7	1	2	4	7	7	7	7
B. Operated										
65-69 YRS	74	3.0	14	< 1	1	2	4	7	8	23
70-74	65	2.9	8	1	1	2	4	7	8	15
75-79	24	2.4	3	1	1	2	3	5	7	8
80-84	13	2.3	5	< 1	1	2	3	5	8	9
85 +	5	1.2		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	279	6.1	40	2	2	4	7	13	18	38
70-74	259	6.9	63	1	2	4	8	15	20	38
75-79	235	7.3	56	2	3	5	9	15	20	84
80-84	156	7.2	30	2	4	5	10	14	19	24
85 +	125	8.0	119	2	3	5	9	14	21	72
B. Operated										
65-69 YRS	239	7.9	131	1	2	4	9	23	38	99 +
70-74	221	9.3	133	1	2	6	11	25	36	99 +
75-79	174	9.6	128	1	2	6	14	22	43	99 +
80-84	105	8.6	97	1	2	6	11	17	27	51
85 +	48	9.5	107	1	2	6	15	26	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	4.1	18	1	2	3	5	7	12	24
B. Operated	181	2.8	9	1	1	2	3	6	8	18
2. MULTIPLE DX										
A. Not Operated	1054	7.0	57	2	3	5	8	14	19	39
B. Operated	787	8.9	125	1	2	5	11	22	37	99 +
1. SINGLE DX	265	3.2	12	1	1	2	4	7	9	19
2. MULTIPLE DX	1841	7.8	87	1	3	5	9	18	26	82
A. Not Operated	1138	6.7	55	2	3	5	8	14	19	37
B. Operated	968	7.7	109	1	2	4	9	20	33	99 +
TOTAL										
65-69 YRS	617	6.4	74	1	2	4	7	15	24	83
70-74	571	7.2	86	1	2	4	9	17	27	65
75-79	448	7.8	83	1	2	5	10	18	24	99 +
80-84	286	7.4	54	2	3	5	9	15	19	45
85 +	184	8.1	111	1	3	5	10	19	24	97
GRAND TOTAL	**2106**	**7.2**	**80**	**1**	**2**	**5**	**9**	**17**	**24**	**76**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	261	2.1	2	1	1	2	3	4	5	7
70-74	171	2.2	1	1	1	2	3	4	4	5
75-79	107	2.2	1	1	1	2	3	4	5	6
80-84	59	2.4	2	1	1	2	3	5	5	8
85 +	25	2.2	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	1.9	1	< 1	< 1	2	3	3	3	3
70-74	4	1.0		1	1	1	1	1	1	1
75-79	5	1.6	2	< 1	< 1	1	2	4	4	4
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	3	1.7		< 1	< 1	2	2	2	2	2
B. Operated										
65-69 YRS	687	2.6	3	1	2	2	3	5	6	9
70-74	562	2.7	3	1	2	2	3	5	6	10
75-79	401	2.8	4	1	2	2	3	4	6	8
80-84	212	3.1	10	1	2	2	3	5	8	24
85 +	96	3.0	7	1	2	2	4	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0		3	3	3	3	3	3	3
B. Operated	623	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	23	1.7	1	< 1	1	1	2	3	4	4
B. Operated	1958	2.8	4	1	2	2	3	5	6	10
1. SINGLE DX	625	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1981	2.7	4	1	2	2	3	5	6	10
A. Not Operated	25	1.8	1	< 1	1	1	3	3	4	4
B. Operated	2581	2.6	4	1	2	2	3	4	6	9
TOTAL										
65-69 YRS	958	2.5	3	1	1	2	3	4	5	9
70-74	737	2.6	3	1	2	2	3	4	5	9
75-79	513	2.6	3	1	2	2	3	4	5	8
80-84	274	2.9	8	1	2	2	3	5	7	21
85 +	124	2.8	6	1	2	2	3	4	6	13
GRAND TOTAL	**2606**	**2.6**	**4**	**1**	**2**	**2**	**3**	**4**	**5**	**9**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	2.3	1	1	1	2	3	3	3	3
70-74	5	1.6	1	1	1	1	2	3	3	3
75-79	8	1.8	1	1	1	2	2	3	3	3
80-84	3	1.3		1	1	1	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	52	2.1	1	1	1	2	3	4	5	5
70-74	38	1.5	1	1	1	1	2	3	4	5
75-79	35	2.0	2	1	1	1	3	4	5	6
80-84	23	2.6	3	1	1	2	4	5	6	6
85 +	10	2.2	3	< 1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	18	2.1	1	< 1	1	2	2	4	4	4
70-74	8	2.0	3	1	1	2	2	5	6	6
75-79	23	2.6	3	1	2	2	3	5	6	7
80-84	9	9.0	383	< 1	1	2	4	39	61	61
85 +	8	5.4	14	1	2	5	8	11	11	11
B. Operated										
65-69 YRS	119	3.5	10	1	2	3	5	7	10	16
70-74	161	3.4	10	1	2	2	4	7	9	17
75-79	141	3.3	11	1	2	2	4	7	9	16
80-84	115	2.9	5	1	1	2	4	6	7	12
85 +	64	4.5	25	1	1	3	6	10	13	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	1.8	1	1	1	2	2	3	3	3
B. Operated	158	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	66	3.6	56	1	1	2	4	6	8	53
B. Operated	600	3.4	11	1	2	2	4	7	10	17
1. SINGLE DX	178	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX	666	3.4	15	1	2	2	4	7	10	17
A. Not Operated	86	3.2	43	1	1	2	3	5	6	43
B. Operated	758	3.1	9	1	1	2	4	6	9	16
TOTAL										
65-69 YRS	193	3.0	7	1	1	2	3	5	8	12
70-74	212	3.0	9	1	1	2	3	6	8	16
75-79	207	3.0	8	1	1	2	3	6	8	13
80-84	150	3.2	27	1	1	2	4	6	7	17
85 +	82	4.3	22	1	1	2	6	10	12	26
GRAND TOTAL	**844**	**3.1**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**16**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	4	1.3		1	1	1	2	2	2	2
75-79	6	2.2	6	< 1	< 1	1	2	6	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	34	2.3	5	1	1	1	3	6	8	10
70-74	37	2.1	3	< 1	1	2	3	3	4	10
75-79	31	1.9	2	< 1	1	1	2	4	6	6
80-84	19	2.5	8	< 1	1	2	3	5	10	13
85 +	8	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	3.0	9	1	1	2	4	8	8	8
70-74	10	2.7	2	1	2	2	4	5	5	5
75-79	11	2.5	3	1	1	2	3	5	7	7
80-84	9	2.0	1	1	1	2	3	4	4	4
85 +	6	2.0	2	1	1	2	3	4	4	4
B. Operated										
65-69 YRS	94	3.3	9	< 1	1	2	4	7	8	17
70-74	88	3.5	12	1	1	2	4	8	12	15
75-79	86	2.8	5	1	1	2	3	6	7	12
80-84	52	3.0	7	1	1	2	4	6	7	16
85 +	40	3.5	23	1	1	2	4	6	11	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.8	3	< 1	1	1	2	4	7	7
B. Operated	129	2.1	4	< 1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	41	2.4	3	1	1	2	3	5	6	8
B. Operated	360	3.2	10	1	1	2	4	7	9	16
1. SINGLE DX	141	2.1	4	< 1	1	1	2	4	6	10
2. MULTIPLE DX	401	3.1	9	1	1	2	4	6	9	16
A. Not Operated	53	2.3	3	1	1	2	3	4	7	8
B. Operated	489	2.9	9	1	1	2	3	6	8	15
TOTAL										
65-69 YRS	133	3.0	8	< 1	1	2	4	7	8	17
70-74	139	3.0	9	1	1	2	3	7	10	15
75-79	134	2.5	4	1	1	2	3	6	7	11
80-84	81	2.8	6	1	1	2	4	5	7	15
85 +	55	3.0	17	1	1	2	3	6	9	28
GRAND TOTAL	**542**	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**8**	**15**

957 Hospitals, United States, Geriatric, January-December 1989

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	238	1.1		<1	<1	<1	<1	1	1	3
70-74	352	1.0		<1	<1	<1	<1	1	1	2
75-79	398	1.0		<1	<1	<1	<1	1	1	2
80-84	339	1.1		<1	<1	<1	<1	1	2	2
85 +	282	1.2	1	<1	<1	<1	<1	1	2	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	2.8	9	<1	1	1	4	8	8	8
70-74	11	1.9	6	<1	<1	1	2	5	9	9
75-79	12	3.1	9	<1	<1	2	5	8	9	9
80-84	18	2.2	8	<1	<1	1	2	5	10	12
85 +	19	4.3	43	<1	<1	1	5	12	21	27
B. Operated										
65-69 YRS	358	2.1	22	<1	1	1	2	3	4	9
70-74	501	1.7	2	<1	1	1	2	3	4	7
75-79	652	1.7	7	<1	1	1	2	2	3	8
80-84	556	1.9	7	<1	1	1	2	3	4	11
85 +	510	1.9	13	<1	1	1	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1609	1.1		<1	<1	<1	<1	1	2	2
2. MULTIPLE DX										
A. Not Operated	65	3.0	18	<1	<1	1	3	8	10	25
B. Operated	2577	1.8	9	<1	1	1	2	3	4	9
1. SINGLE DX	1609	1.1		<1	<1	<1	<1	1	2	2
2. MULTIPLE DX	2642	1.9	10	<1	1	1	2	3	4	9
A. Not Operated	65	3.0	18	<1	<1	1	3	8	10	25
B. Operated	4186	1.5	6	<1	<1	1	2	2	3	7
TOTAL										
65-69 YRS	601	1.7	13	<1	<1	1	2	2	3	8
70-74	864	1.4	1	<1	<1	1	2	2	3	7
75-79	1062	1.5	4	<1	<1	1	2	2	3	7
80-84	913	1.6	5	<1	<1	1	2	2	3	10
85 +	811	1.7	10	<1	<1	1	2	2	3	9
GRAND TOTAL	**4251**	**1.6**	**6**	**<1**	**<1**	**1**	**2**	**2**	**3**	**8**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	5.0		5	5	5	5	5	5	5
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	1.0		1	1	1	1	1	1	1
70-74	5	3.0	4	1	2	2	4	6	6	6
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	1.0		<1	<1	<1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	36	3.6	7	2	2	3	4	7	11	14
70-74	18	3.8	9	1	2	3	5	7	11	14
75-79	21	5.1	9	2	3	4	7	8	11	14
80-84	7	3.7	5	1	3	3	4	7	8	8
85 +	6	6.8	23	3	3	6	9	14	15	15
B. Operated										
65-69 YRS	16	3.3	5	1	2	2	4	5	9	10
70-74	17	5.8	42	1	1	2	10	17	18	18
75-79	8	7.3	69	1	1	3	13	21	22	22
80-84	4	15.3	196	6	7	9	23	36	36	36
85 +	2	4.5	13	2	2	4	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.8	3	1	1	2	4	5	5	5
B. Operated	11	1.9	3	<1	1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated	88	4.2	9	2	2	3	5	8	12	15
B. Operated	47	5.9	50	1	1	2	8	17	19	36
1. SINGLE DX	15	2.1	3	1	1	1	3	5	6	6
2. MULTIPLE DX	135	4.8	24	1	2	3	5	10	15	24
A. Not Operated	92	4.2	9	2	2	3	5	8	12	15
B. Operated	58	5.2	44	1	1	2	6	16	18	35
TOTAL										
65-69 YRS	57	3.3	6	1	2	3	4	5	9	14
70-74	41	4.5	23	1	1	2	5	14	16	18
75-79	31	5.5	24	1	2	4	7	11	18	22
80-84	13	6.8	86	1	2	4	8	16	32	36
85 +	8	6.3	20	2	3	5	8	13	15	15
GRAND TOTAL	**150**	**4.5**	**23**	**1**	**2**	**3**	**5**	**9**	**15**	**22**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	4.0	6	1	2	4	6	6	6	6
70-74	6	5.0	6	1	4	5	7	8	8	8
75-79	4	4.3	7	2	2	3	6	8	8	8
80-84	8	6.4	29	<1	2	6	7	15	18	18
85+	7	7.3	38	2	3	5	9	18	20	20
B. Operated										
65-69 YRS	60	1.7	2	<1	1	1	2	3	5	9
70-74	67	1.5	1	<1	1	1	2	3	3	8
75-79	74	1.8	1	<1	1	1	2	3	4	7
80-84	66	2.3	3	<1	1	2	3	3	6	11
85+	38	1.9	1	<1	1	1	3	3	4	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	22	8.1	44	2	4	7	9	16	22	31
70-74	42	6.3	18	1	3	6	9	11	16	17
75-79	48	6.9	65	1	3	4	8	13	22	43
80-84	37	5.5	16	1	3	5	7	8	15	19
85+	29	8.3	126	2	3	5	8	15	20	62
B. Operated										
65-69 YRS	291	2.4	7	1	1	2	3	4	5	16
70-74	308	2.5	6	1	1	2	3	4	6	17
75-79	322	2.9	14	1	1	2	3	5	7	22
80-84	283	2.5	5	1	1	2	3	4	6	14
85+	220	3.2	14	1	1	2	3	6	9	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	5.7	19	1	3	5	7	9	18	20
B. Operated	305	1.8	2	<1	1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	178	6.8	51	1	3	5	8	13	17	41
B. Operated	1421	2.7	9	1	1	2	3	5	6	17
1. SINGLE DX	334	2.2	5	<1	1	1	2	4	6	10
2. MULTIPLE DX	1602	3.1	15	1	1	2	3	6	9	20
A. Not Operated	207	6.7	46	1	3	5	8	13	17	39
B. Operated	1729	2.5	8	1	1	2	3	4	6	15
TOTAL										
65-69 YRS	377	2.6	10	1	1	2	3	5	8	16
70-74	423	2.7	8	1	1	2	3	5	8	17
75-79	448	3.2	19	1	1	2	3	6	8	27
80-84	394	2.8	7	1	1	2	3	6	7	17
85+	294	3.6	27	1	1	2	4	7	11	25
GRAND TOTAL	**1936**	**3.0**	**14**	**1**	**1**	**2**	**3**	**6**	**8**	**19**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	4.4	15	1	2	3	6	11	12	12
70-74	10	5.6	20	1	2	4	9	12	15	15
75-79	11	2.3	1	1	2	2	3	4	5	5
80-84	9	4.3	11	1	2	4	5	10	12	12
85+	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	67	1.9	3	<1	1	1	2	3	5	11
70-74	69	1.6	1	<1	1	1	2	3	3	5
75-79	50	2.0	6	<1	<1	1	2	6	8	11
80-84	39	2.0	2	<1	<1	1	2	4	6	7
85+	19	3.3	11	<1	1	2	4	10	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	80	5.2	21	1	2	4	7	11	14	22
70-74	70	5.1	19	1	2	4	6	9	11	26
75-79	72	4.6	6	2	3	4	6	8	9	12
80-84	54	5.2	11	2	3	5	7	10	12	15
85+	49	7.1	25	2	4	6	9	12	17	29
B. Operated										
65-69 YRS	353	3.2	25	1	1	2	3	6	9	15
70-74	337	3.6	25	1	1	2	3	7	11	26
75-79	307	3.7	29	1	1	2	4	8	11	21
80-84	186	3.4	27	<1	1	2	4	7	9	24
85+	107	3.9	14	1	2	3	5	9	13	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	4.1	12	1	2	3	5	9	12	15
B. Operated	244	2.0	3	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	325	5.3	17	1	3	4	7	10	12	23
B. Operated	1290	3.5	25	1	1	2	4	7	11	22
1. SINGLE DX	282	2.3	5	<1	1	1	2	5	7	12
2. MULTIPLE DX	1615	3.9	24	1	1	2	5	8	11	23
A. Not Operated	363	5.2	16	1	2	4	7	10	12	23
B. Operated	1534	3.3	22	1	1	2	3	7	10	20
TOTAL										
65-69 YRS	507	3.4	22	1	1	2	4	7	11	17
70-74	486	3.5	21	1	1	2	4	7	11	25
75-79	440	3.6	22	<1	1	2	4	8	10	18
80-84	288	3.6	21	<1	1	2	5	7	10	15
85+	176	4.7	19	1	2	3	6	10	13	27
GRAND TOTAL	**1897**	**3.6**	**22**	**1**	**1**	**2**	**4**	**8**	**11**	**21**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	1.8	2	<1	<1	1	3	4	4	4
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	3	1.3		<1	<1	1	2	2	2	2
75-79	0									
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	3.5	7	1	2	3	[illegible]	6	9	13
70-74	24	4.5	8	2	2	4	6	8	10	13
75-79	17	3.8	4	2	2	3	6	7	7	7
80-84	8	3.4	3	2	2	3	5	6	6	6
85 +	21	4.0	6	2	2	4	5	7	9	11
B. Operated										
65-69 YRS	20	2.0	3	<1	1	1	2	4	6	7
70-74	14	3.5	20	1	1	2	3	11	16	17
75-79	12	3.0	11	1	1	2	4	8	11	12
80-84	7	2.4	5	1	1	2	3	6	7	7
85 +	9	4.2	18	<1	1	3	6	11	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.5	2	<1	1	1	1	4	4	4
B. Operated	4	1.3		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	91	3.9	6	2	2	3	5	7	8	13
B. Operated	62	2.9	11	1	1	2	3	7	11	17
1. SINGLE DX	10	1.4	1	<1	<1	1	1	3	4	4
2. MULTIPLE DX	153	3.5	8	1	2	3	5	7	8	14
A. Not Operated	97	3.8	6	1	2	3	5	7	8	13
B. Operated	66	2.8	10	1	1	2	3	7	10	17
TOTAL										
65-69 YRS	45	2.7	5	1	1	2	3	6	6	13
70-74	42	3.8	12	1	2	3	5	8	11	17
75-79	30	3.4	7	1	1	3	5	7	7	12
80-84	16	2.8	4	1	1	2	3	6	7	7
85 +	30	4.1	9	1	2	3	5	7	11	14
GRAND TOTAL	**163**	**3.4**	**8**	**1**	**1**	**2**	**4**	**7**	**8**	**14**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	19	1.3		<1	1	1	1	2	3	3
70-74	19	1.2		<1	1	1	1	2	2	2
75-79	8	1.0		1	1	1	1	1	1	1
80-84	2	1.0		<1	<1	<1	1	1	1	1
85 +	5	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	3.3	7	1	2	3	3	8	10	10
70-74	10	4.2	10	1	2	4	5	9	12	12
75-79	9	7.0	50	2	3	5	7	18	25	25
80-84	6	4.8	5	3	3	4	6	9	9	9
85 +	6	16.3	192	4	5	14	19	40	42	42
B. Operated										
65-69 YRS	85	1.6	2	1	1	1	2	2	3	10
70-74	35	2.0	8	1	1	1	2	3	9	14
75-79	27	1.8	12	<1	1	1	1	2	5	19
80-84	11	2.4	6	<1	1	1	3	7	8	8
85 +	5	4.2	31	1	1	2	6	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.0	2	4	4	5	6	6	6	6
B. Operated	53	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	40	6.6	58	2	3	4	7	14	22	42
B. Operated	163	1.8	6	1	1	1	2	3	5	14
1. SINGLE DX	55	1.3	1	<1	1	1	1	2	3	6
2. MULTIPLE DX	203	2.8	19	1	1	1	2	5	11	22
A. Not Operated	42	6.5	56	2	3	4	7	14	21	42
B. Operated	216	1.7	5	1	1	1	2	2	3	14
TOTAL										
65-69 YRS	115	1.7	2	1	1	1	2	3	4	11
70-74	64	2.1	7	1	1	1	2	5	7	14
75-79	44	2.7	21	1	1	1	2	7	11	25
80-84	19	3.0	7	<1	1	2	4	7	9	9
85 +	16	7.8	121	<1	1	2	13	19	35	42
GRAND TOTAL	**258**	**2.4**	**16**	**1**	**1**	**1**	**2**	**5**	**9**	**19**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.2	4	2	3	4	5	7	7	7
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	4.0		4	4	4	4	4	4	4
85 +	3	4.3	10	2	2	3	7	8	8	8
B. Operated										
65-69 YRS	7	1.9	5	< 1	1	1	1	6	7	7
70-74	12	1.3		< 1	1	1	2	2	2	2
75-79	3	3.0	12	1	1	1	6	7	7	7
80-84	2	1.5	1	< 1	< 1	1	2	2	2	2
85 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	38	6.4	15	2	4	5	9	10	12	22
70-74	33	9.1	59	3	4	7	10	20	27	36
75-79	29	8.3	56	3	4	6	11	12	24	40
80-84	17	8.2	26	3	5	6	10	16	20	22
85 +	25	7.0	17	3	4	5	10	13	15	17
B. Operated										
65-69 YRS	50	5.9	90	1	1	2	7	14	23	47
70-74	28	6.4	95	1	1	3	8	12	36	42
75-79	22	7.3	103	1	2	3	6	22	35	39
80-84	16	4.5	223	1	5	8	21	41	48	51
85 +	8	13.9	156	2	3	13	18	34	40	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.0	4	2	2	3	5	7	8	8
B. Operated	26	1.8	3	< 1	1	1	2	4	7	7
2. MULTIPLE DX										
A. Not Operated	142	7.7	35	3	4	6	10	13	20	36
B. Operated	124	7.9	121	1	1	3	9	21	39	48
1. SINGLE DX	36	2.4	4	1	1	2	3	6	7	8
2. MULTIPLE DX	266	7.8	75	1	3	5	10	16	26	43
A. Not Operated	152	7.5	34	3	4	6	10	13	20	36
B. Operated	150	6.8	106	1	1	2	8	17	35	47
TOTAL										
65-69 YRS	100	5.7	52	1	1	4	7	11	17	45
70-74	73	6.8	69	1	2	4	8	15	27	41
75-79	55	7.5	72	1	2	5	10	13	30	40
80-84	36	10.5	123	2	4	7	12	26	38	51
85 +	38	8.0	52	2	3	5	11	16	19	40
GRAND TOTAL	**302**	**7.1**	**69**	**1**	**2**	**5**	**9**	**15**	**23**	**43**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	74	2.5	3	1	1	2	3	5	6	8
70-74	66	2.9	5	1	1	2	4	6	7	12
75-79	63	2.6	2	1	2	2	3	4	5	8
80-84	37	3.9	8	1	2	4	5	9	11	12
85 +	25	3.0	6	1	2	3	3	4	9	12
B. Operated										
65-69 YRS	27	2.3	3	1	1	2	3	5	6	7
70-74	19	1.8	2	1	1	1	2	4	6	6
75-79	9	1.6	1	1	1	1	2	3	4	4
80-84	4	2.8	2	1	2	3	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	676	3.5	6	1	2	3	4	6	8	12
70-74	745	3.7	6	1	2	3	5	7	8	12
75-79	669	4.2	15	2	2	3	5	8	9	18
80-84	513	4.6	29	2	2	3	5	8	12	24
85 +	328	4.5	12	2	2	3	6	9	11	19
B. Operated										
65-69 YRS	65	5.2	17	2	2	4	8	11	13	19
70-74	53	4.9	20	1	2	4	7	9	11	24
75-79	29	6.9	22	2	3	5	11	13	16	17
80-84	22	9.8	86	2	4	8	12	21	31	41
85 +	13	12.8	138	3	7	9	14	27	44	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	2.9	4	1	2	2	4	5	7	12
B. Operated	59	2.1	2	1	1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	2931	4.0	13	1	2	3	5	7	9	17
B. Operated	182	6.5	40	1	2	5	9	13	18	36
1. SINGLE DX	324	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX	3113	4.2	15	1	2	3	5	8	10	18
A. Not Operated	3196	3.9	12	1	2	3	5	7	9	16
B. Operated	241	5.4	34	1	2	3	8	12	15	26
TOTAL										
65-69 YRS	842	3.5	7	1	2	3	4	6	8	13
70-74	883	3.7	7	1	2	3	5	7	8	14
75-79	770	4.1	15	1	2	3	5	8	10	18
80-84	576	4.8	31	2	2	3	5	9	12	26
85 +	366	4.7	18	2	2	3	6	9	12	23
GRAND TOTAL	**3437**	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**9**	**18**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	42	1.4		1	1	1	2	2	3	3
70-74	24	1.4		1	1	1	2	2	3	3
75-79	10	1.2		< 1	1	1	1	2	2	2
80-84	4	1.3		1	1	1	2	2	2	2
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	36	1.4		1	1	1	2	2	2	3
70-74	16	1.3		1	1	1	2	2	2	2
75-79	10	1.4		1	1	1	2	2	2	2
80-84	6	1.2		1	1	1	1	2	2	2
85 +	2	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	81	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	70	1.3		1	1	1	2	2	2	3
1. SINGLE DX	83	1.3		1	1	1	2	2	3	3
2. MULTIPLE DX	70	1.3		1	1	1	2	2	2	3
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	151	1.3		1	1	1	2	2	2	3
TOTAL										
65-69 YRS	78	1.4		1	1	1	2	2	2	3
70-74	40	1.3		1	1	1	2	2	2	3
75-79	21	1.3		1	1	1	2	2	2	2
80-84	11	1.4		1	1	1	2	3	3	3
85 +	3	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**153**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**3**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	25	1.3	1	1	1	1	1	2	4	4
70-74	21	1.2		< 1	1	1	1	2	2	2
75-79	18	1.0		< 1	1	1	1	1	1	1
80-84	7	1.3		< 1	< 1	1	2	2	2	2
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	3.6	5	< 1	2	4	5	7	8	9
70-74	11	3.8	5	2	3	3	4	8	8	8
75-79	19	4.6	15	1	2	3	6	11	14	15
80-84	12	4.3	4	2	3	4	5	7	9	9
85 +	11	4.8	5	2	3	5	7	8	8	8
B. Operated										
65-69 YRS	107	1.8	4	< 1	1	1	2	3	5	12
70-74	63	3.0	64	1	1	1	2	5	6	57
75-79	31	2.9	36	1	1	1	2	5	8	34
80-84	15	4.3	32	1	1	1	6	15	16	17
85 +	5	1.2		< 1	< 1	1	1	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.0		4	4	4	4	4	4	4
B. Operated	71	1.2		< 1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	74	4.2	7	1	2	3	5	8	9	14
B. Operated	221	2.4	27	1	1	1	2	5	7	22
1. SINGLE DX	74	1.3	1	< 1	1	1	1	2	4	4
2. MULTIPLE DX	295	2.9	23	1	1	1	3	6	8	17
A. Not Operated	77	4.2	7	1	3	3	5	8	9	14
B. Operated	292	2.1	21	< 1	1	1	2	3	6	17
TOTAL										
65-69 YRS	154	2.0	4	1	1	1	2	5	6	9
70-74	95	2.7	43	1	1	1	2	5	7	39
75-79	69	2.9	22	1	1	1	3	7	9	30
80-84	34	3.7	16	1	1	2	4	9	14	17
85 +	17	3.7	6	1	2	3	6	7	8	8
GRAND TOTAL	**369**	**2.6**	**19**	**1**	**1**	**1**	**3**	**5**	**7**	**16**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10	6.1	15	3	3	5	7	12	15	15
70-74	4	10.8	11	6	8	12	13	13	13	13
75-79	6	10.5	24	4	6	11	14	17	17	17
80-84	5	7.6	11	4	5	7	10	12	12	12
85 +	2	12.5	13	10	10	12	15	15	15	15
B. Operated										
65-69 YRS	3	20.0	52	14	15	18	25	28	28	28
70-74	3	9.7	46	2	4	12	14	15	15	15
75-79	1	13.0		13	13	13	13	13	13	13
80-84	2	8.0	2	7	7	8	9	9	9	9
85 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	27	8.5	19	3	5	7	12	15	16	17
B. Operated	10	12.5	51	4	7	12	15	23	28	28
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	37	9.6	30	3	5	10	13	15	18	28
A. Not Operated	28	8.3	20	3	4	7	12	15	15	17
B. Operated	10	12.5	51	4	7	12	15	23	28	28
TOTAL										
65-69 YRS	13	9.3	57	3	3	7	14	20	26	28
70-74	7	10.3	21	3	7	12	13	15	15	15
75-79	7	10.9	21	4	7	12	14	16	17	17
80-84	8	6.9	12	2	4	7	9	11	12	12
85 +	3	10.7	16	7	8	10	14	15	15	15
GRAND TOTAL	**38**	**9.4**	**31**	**3**	**5**	**9**	**13**	**15**	**18**	**28**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	4	5.0	15	1	2	4	8	10	10	10
75-79	1	6.0		6	6	6	6	6	6	6
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	20	4.5	21	1	1	2	9	12	13	13
70-74	12	5.3	73	< 1	1	2	6	17	28	30
75-79	6	1.5		< 1	1	1	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	100	7.0	22	2	4	6	9	13	16	23
70-74	76	5.5	13	2	3	5	7	11	12	19
75-79	112	7.5	50	2	4	6	10	14	18	76
80-84	83	9.6	116	3	4	7	11	16	29	69
85 +	55	8.4	73	3	4	7	9	16	29	97
B. Operated										
65-69 YRS	345	10.7	77	1	3	10	15	22	27	50
70-74	307	13.4	147	1	4	11	17	27	36	54
75-79	237	14.0	210	1	3	12	18	28	39	92
80-84	105	12.7	134	2	4	10	17	26	33	60
85 +	41	10.1	55	2	5	8	16	21	24	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.9	9	1	1	3	6	8	10	10
B. Operated	38	4.2	34	1	1	2	7	11	13	30
2. MULTIPLE DX										
A. Not Operated	426	7.6	54	2	4	6	9	13	18	58
B. Operated	1035	12.4	135	1	4	10	17	25	33	69
1. SINGLE DX	47	4.2	29	1	1	2	6	11	13	30
2. MULTIPLE DX	1461	11.0	116	2	4	9	14	23	30	65
A. Not Operated	435	7.5	53	2	4	6	9	13	18	58
B. Operated	1073	12.1	133	1	3	10	16	25	33	67
TOTAL										
65-69 YRS	467	9.6	66	1	3	9	13	20	24	45
70-74	399	11.5	129	1	3	9	15	25	34	53
75-79	356	11.7	166	2	3	9	16	23	35	90
80-84	190	11.2	127	2	4	9	14	24	32	66
85 +	96	9.1	65	3	4	7	11	19	26	80
GRAND TOTAL	**1508**	**10.8**	**115**	**1**	**3**	**9**	**14**	**22**	**29**	**63**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	63	2.4	2	1	1	2	3	4	5	7
70-74	42	3.6	7	1	2	3	5	7	11	12
75-79	33	2.7	3	1	2	2	3	5	5	10
80-84	25	4.0	7	1	2	3	6	7	8	9
85 +	20	3.1	4	< 1	1	3	4	6	7	8
B. Operated										
65-69 YRS	10	4.6	28	1	1	3	4	13	18	18
70-74	9	3.2	10	< 1	1	2	4	9	10	10
75-79	5	2.8	3	1	2	2	4	5	5	5
80-84	3	4.0	13	1	1	3	7	8	8	8
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	752	4.2	18	1	2	3	5	8	9	15
70-74	737	4.7	13	2	2	4	6	9	11	18
75-79	631	4.9	18	2	2	4	6	9	12	21
80-84	465	4.9	18	2	3	4	6	9	12	31
85 +	302	6.0	37	2	3	4	7	12	16	33
B. Operated										
65-69 YRS	159	8.3	58	1	3	6	11	18	25	38
70-74	134	7.2	66	1	2	5	8	15	28	55
75-79	114	7.0	36	1	3	5	11	15	17	29
80-84	45	8.9	65	1	3	6	12	21	26	33
85 +	25	8.8	281	1	1	4	9	14	41	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	183	3.0	5	1	2	2	4	6	7	11
B. Operated	27	3.7	15	1	1	3	4	9	11	18
2. MULTIPLE DX										
A. Not Operated	2887	4.8	19	2	2	4	6	9	12	21
B. Operated	477	7.8	67	1	3	5	10	16	24	41
1. SINGLE DX	210	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX	3364	5.2	27	2	2	4	6	10	14	26
A. Not Operated	3070	4.7	18	2	2	4	6	9	12	20
B. Operated	504	7.5	65	1	2	5	10	16	23	41
TOTAL										
65-69 YRS	984	4.8	26	1	2	4	6	9	12	24
70-74	922	5.0	21	1	2	4	6	10	13	26
75-79	783	5.1	21	1	2	4	6	10	13	22
80-84	538	5.2	23	2	3	4	6	10	13	31
85 +	347	6.0	53	1	2	4	7	12	16	34
GRAND TOTAL	**3574**	**5.1**	**26**	**1**	**2**	**4**	**6**	**10**	**13**	**26**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	3.6	5	1	2	3	4	7	8	8
70-74	37	4.4	7	1	2	4	6	9	10	10
75-79	29	5.2	9	2	3	4	7	10	11	13
80-84	26	4.5	5	2	3	4	6	8	9	9
85 +	27	6.0	23	2	3	4	8	12	15	23
B. Operated										
65-69 YRS	8	3.0	8	< 1	1	2	5	8	8	8
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	2	9.5	145	1	1	9	18	18	18	18
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	904	6.8	25	2	4	6	8	12	15	25
70-74	1077	7.1	38	3	4	6	8	12	16	28
75-79	1181	7.4	35	3	4	6	9	13	18	31
80-84	1014	8.2	58	3	4	6	9	15	20	37
85 +	935	8.4	59	3	4	6	10	14	20	42
B. Operated										
65-69 YRS	187	11.2	86	2	5	9	14	26	32	43
70-74	200	11.2	106	1	4	8	15	25	32	45
75-79	164	12.4	123	4	6	10	15	23	36	98
80-84	108	14.5	146	5	8	12	18	25	47	88
85 +	85	15.4	199	4	7	11	21	30	52	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	4.7	10	2	2	4	6	9	10	14
B. Operated	13	3.8	24	< 1	1	1	5	10	16	18
2. MULTIPLE DX										
A. Not Operated	5111	7.6	43	3	4	6	9	13	18	34
B. Operated	744	12.4	123	2	6	10	16	26	34	80
1. SINGLE DX	158	4.6	11	1	2	4	6	9	10	18
2. MULTIPLE DX	5855	8.2	56	3	4	6	10	15	21	41
A. Not Operated	5256	7.5	43	3	4	6	9	13	18	33
B. Operated	757	12.3	122	2	5	9	15	26	34	79
TOTAL										
65-69 YRS	1125	7.4	37	2	4	6	9	14	18	34
70-74	1316	7.6	50	2	4	6	9	14	20	36
75-79	1376	7.9	48	3	4	6	10	15	20	39
80-84	1149	8.7	69	3	4	7	10	16	22	47
85 +	1047	8.9	74	3	4	7	11	16	23	53
GRAND TOTAL	**6013**	**8.1**	**55**	**3**	**4**	**6**	**10**	**15**	**21**	**41**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	6.5	13	4	4	6	9	9	9	9
70-74	0									
75-79	3	15.3	209	6	6	8	26	32	32	32
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	7	5.3	24	1	2	3	9	13	14	14
70-74	9	2.8	3	1	1	3	4	5	6	6
75-79	7	4.6	41	< 1	1	3	3	16	19	19
80-84	4	4.0	2	3	3	4	5	6	6	6
85 +	4	6.3	14	2	4	6	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	80	9.2	111	2	4	7	11	16	19	69
70-74	72	8.0	85	2	4	6	9	14	19	56
75-79	90	8.3	64	2	4	6	9	20	27	42
80-84	75	8.9	73	3	4	7	10	16	22	52
85 +	60	12.0	142	3	5	8	15	22	37	66
B. Operated										
65-69 YRS	217	8.9	92	2	3	6	12	17	23	51
70-74	183	11.0	142	2	3	8	14	25	35	50
75-79	120	14.1	197	2	5	11	18	29	45	93
80-84	67	13.6	187	2	6	9	17	32	43	68
85 +	19	15.3	108	3	7	13	23	32	37	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	11.8	131	4	5	8	15	32	32	32
B. Operated	31	4.4	17	1	2	3	5	10	14	19
2. MULTIPLE DX										
A. Not Operated	377	9.1	93	3	4	7	10	17	25	53
B. Operated	606	11.3	142	2	3	8	14	24	37	60
1. SINGLE DX	36	5.4	36	1	2	3	6	11	17	32
2. MULTIPLE DX	983	10.4	125	2	4	7	13	22	32	54
A. Not Operated	382	9.2	93	3	4	7	10	17	26	53
B. Operated	637	10.9	139	2	3	8	14	24	36	56
TOTAL										
65-69 YRS	306	8.9	95	2	3	6	11	17	22	51
70-74	264	9.9	125	2	3	6	12	21	32	51
75-79	220	11.4	146	2	4	8	15	26	33	76
80-84	146	10.9	129	2	4	8	12	22	35	66
85 +	83	12.4	131	3	5	9	15	24	37	63
GRAND TOTAL	**1019**	**10.3**	**122**	**2**	**4**	**7**	**13**	**22**	**32**	**54**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	6.2	13	2	4	6	8	12	12	12
70-74	4	5.5	12	2	3	5	8	10	10	10
75-79	3	7.0	9	4	5	7	9	10	10	10
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	6	5.8	38	1	2	3	11	15	16	16
70-74	5	2.6	2	1	2	2	3	5	5	5
75-79	3	3.3	1	2	2	4	4	4	4	4
80-84	0									
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	95	7.8	34	2	4	7	10	15	21	30
70-74	85	8.7	41	2	4	7	11	16	21	34
75-79	78	8.1	39	3	4	6	9	15	22	34
80-64	60	8.7	41	3	5	7	10	16	22	32
85 +	52	12.0	106	4	5	9	14	25	31	58
B. Operated										
65-69 YRS	107	10.6	105	1	3	8	15	24	32	47
70-74	92	12.8	99	3	5	11	16	26	34	46
75-79	75	13.4	150	2	5	10	18	24	28	73
80-84	23	17.3	226	4	7	13	23	36	52	64
85 +	10	27.0	779	6	11	18	25	74	98	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	6.2	10	2	4	6	8	11	12	12
B. Operated	15	4.1	17	1	2	3	4	11	15	16
2. MULTIPLE DX										
A. Not Operated	370	8.8	49	3	4	7	11	16	23	34
B. Operated	307	13.0	151	2	4	10	17	26	35	56
1. SINGLE DX	28	5.1	14	2	2	4	7	11	12	16
2. MULTIPLE DX	677	10.7	100	2	4	8	14	22	30	47
A. Not Operated	383	8.7	48	3	4	7	11	16	23	34
B. Operated	322	12.6	148	2	4	10	17	25	34	54
TOTAL										
65-69 YRS	214	9.1	71	2	3	7	11	20	27	42
70-74	186	10.5	74	2	4	8	14	22	31	43
75-79	159	10.5	97	3	4	7	15	22	26	45
80-84	83	11.0	105	3	5	8	14	24	33	58
85 +	63	14.3	233	4	5	9	17	26	40	93
GRAND TOTAL	**705**	**10.5**	**97**	**2**	**4**	**8**	**14**	**22**	**29**	**46**

957 Hospitals, United States, Geriatric, January-December 1989

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	283	7.0	10	3	5	7	8	10	12	18
70-74	256	7.2	10	4	5	7	9	10	12	20
75-79	206	7.3	11	3	6	7	9	11	12	18
80-84	142	7.9	17	4	6	7	9	12	15	24
85 +	88	7.6	11	4	6	7	9	12	15	17
B. Operated										
65-69 YRS	157	7.0	13	3	5	7	9	11	13	20
70-74	98	6.8	8	3	5	7	8	10	12	15
75-79	49	7.2	11	3	5	7	9	12	13	16
80-84	15	8.0	15	3	6	8	10	10	17	19
85 +	7	6.4	3	4	5	7	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4709	8.6	22	4	6	8	10	13	16	27
70-74	5141	8.9	22	4	6	8	11	14	17	27
75-79	5377	9.4	29	5	7	8	11	15	18	29
80-84	4590	10.0	37	5	7	9	11	16	20	34
85 +	3641	10.5	52	5	7	9	12	17	22	41
B. Operated										
65-69 YRS	3291	11.4	69	5	7	9	13	20	26	47
70-74	2702	12.8	90	5	7	10	15	23	30	58
75-79	1781	13.1	82	5	8	11	16	23	31	51
80-84	867	15.0	113	6	9	13	18	27	34	60
85 +	435	15.7	114	7	9	13	19	27	36	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	975	7.3	11	4	5	7	9	11	13	19
B. Operated	326	7.0	11	3	5	7	9	11	13	19
2. MULTIPLE DX										
A. Not Operated	23458	9.4	31	5	6	8	11	15	18	32
B. Operated	9076	12.7	86	5	7	10	15	23	29	56
1. SINGLE DX	1301	7.2	11	3	5	7	9	11	13	19
2. MULTIPLE DX	32534	10.3	49	5	7	9	12	17	22	40
A. Not Operated	24433	9.3	31	5	6	8	11	15	18	31
B. Operated	9402	12.5	84	5	7	10	15	22	29	55
TOTAL										
65-69 YRS	8440	9.6	42	4	6	8	11	16	20	36
70-74	8197	10.1	48	5	7	9	12	17	22	40
75-79	7413	10.2	44	5	7	9	12	17	21	38
80-84	5614	10.7	51	5	7	9	12	18	23	41
85 +	4171	10.9	60	5	7	9	13	18	24	46
GRAND TOTAL	**33835**	**10.2**	**48**	**5**	**7**	**9**	**12**	**17**	**22**	**39**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	244	2.4	2	1	1	2	3	4	5	9
70-74	188	2.5	3	1	1	2	3	4	5	9
75-79	145	3.3	20	1	2	2	3	5	7	24
80-84	109	2.9	4	1	2	2	4	5	6	11
85 +	75	2.7	3	1	2	2	3	5	7	9
B. Operated										
65-69 YRS	101	2.2	5	1	1	1	2	4	5	14
70-74	67	2.7	6	1	1	2	[illegible]	7	9	11
75-79	29	2.5	3	1	1	2	3	5	6	8
80-84	6	3.5	20	1	1	1	5	11	12	12
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3225	3.6	8	1	2	3	4	6	8	14
70-74	3404	3.7	9	1	2	3	5	6	8	14
75-79	3338	4.0	14	2	2	3	5	7	9	15
80-84	2620	4.2	13	2	2	3	5	7	10	16
85 +	1994	4.4	18	1	2	3	5	8	11	21
B. Operated										
65-69 YRS	1902	4.7	27	1	2	3	7	10	13	25
70-74	1387	5.3	32	1	2	3	8	12	15	28
75-79	810	6.1	44	1	2	4	8	13	18	34
80-84	294	5.9	41	1	2	4	8	13	16	30
85 +	99	9.5	58	2	4	7	13	19	25	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	761	2.7	6	1	2	2	3	5	6	9
B. Operated	204	2.4	6	1	1	2	3	5	8	13
2. MULTIPLE DX										
A. Not Operated	14581	4.0	12	1	2	3	5	7	9	15
B. Operated	4492	5.3	34	1	2	3	8	12	15	29
1. SINGLE DX	965	2.6	6	1	1	2	3	5	6	11
2. MULTIPLE DX	19073	4.3	17	1	2	3	5	8	11	19
A. Not Operated	15342	3.9	12	1	2	3	5	7	9	15
B. Operated	4696	5.2	33	1	2	3	7	11	15	28
TOTAL										
65-69 YRS	5472	3.9	15	1	2	3	5	8	10	18
70-74	5046	4.1	15	1	2	3	5	8	11	18
75-79	4322	4.4	21	1	2	3	5	8	11	21
80-84	3029	4.3	15	2	2	3	5	8	10	18
85 +	2169	4.6	20	1	2	3	5	9	12	24
GRAND TOTAL	**20038**	**4.2**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**19**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	409	3.2	4	1	2	3	4	6	7	10
70-74	428	3.3	4	1	2	3	4	6	7	10
75-79	320	3.6	5	1	2	3	4	6	8	11
80-84	250	3.7	7	2	2	3	4	7	8	14
85+	151	3.7	5	1	2	3	5	7	8	10
B. Operated										
65-69 YRS	195	4.4	19	1	2	3	6	9	12	18
70-74	149	4.8	13	1	2	4	7	10	12	16
75-79	96	5.6	25	2	2	4	7	12	17	25
80-84	28	4.9	8	1	3	4	7	9	10	11
85+	14	3.5	5	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7032	4.4	10	2	3	4	5	8	10	16
70-74	7397	4.6	11	2	3	4	6	8	10	17
75-79	7357	5.0	15	2	3	4	6	9	11	18
80-84	5918	5.2	19	2	3	4	6	9	12	20
85+	4258	5.4	17	2	3	4	7	10	13	21
B. Operated										
65-69 YRS	5047	8.0	53	2	3	6	11	15	20	39
70-74	4176	8.5	57	2	3	7	11	17	21	36
75-79	2691	9.5	67	2	4	8	12	18	24	44
80-84	1124	10.1	87	2	4	8	13	19	24	49
85+	380	12.2	115	4	6	9	15	23	30	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1558	3.5	5	1	2	3	4	6	8	11
B. Operated	482	4.8	17	1	2	4	6	9	12	20
2. MULTIPLE DX										
A. Not Operated	31962	4.9	14	2	3	4	6	9	11	19
B. Operated	13418	8.8	62	2	4	7	11	17	22	41
1. SINGLE DX	2040	3.8	8	1	2	3	5	7	9	15
2. MULTIPLE DX	45380	6.0	31	2	3	4	7	12	15	28
A. Not Operated	33520	4.8	14	2	3	4	6	9	11	18
B. Operated	13900	8.6	61	2	4	7	11	17	22	40
TOTAL										
65-69 YRS	12683	5.8	30	2	3	4	7	12	15	26
70-74	12150	5.9	30	2	3	4	7	12	15	27
75-79	10464	6.1	32	2	3	4	7	12	16	28
80-84	7320	5.9	32	2	3	4	7	11	15	27
85+	4803	5.9	28	2	3	5	7	11	15	26
GRAND TOTAL	**47420**	**5.9**	**31**	**2**	**3**	**4**	**7**	**12**	**15**	**27**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	34	4.2	23	1	1	3	4	10	11	25
70-74	26	5.1	50	1	2	3	5	7	24	34
75-79	12	2.9	4	1	2	2	4	6	7	7
80-84	9	3.1	2	2	2	3	4	5	5	5
85+	4	2.8	3	1	1	2	4	5	5	5
B. Operated										
65-69 YRS	742	3.3	13	1	1	2	3	9	10	17
70-74	491	3.3	15	1	1	2	3	9	11	19
75-79	210	3.3	16	1	1	2	3	9	10	20
80-84	49	5.0	62	1	1	2	5	11	20	46
85+	5	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	542	4.0	11	1	2	3	5	8	10	20
70-74	456	4.8	16	1	2	4	6	9	11	18
75-79	508	5.1	35	2	2	4	6	10	13	24
80-84	371	6.1	38	2	3	4	7	11	17	45
85+	298	5.9	22	2	3	5	8	12	15	30
B. Operated										
65-69 YRS	7998	7.3	55	1	2	6	10	15	19	37
70-74	5824	8.0	67	1	2	7	11	16	22	44
75-79	3058	8.8	71	1	2	8	12	18	24	44
80-84	876	9.7	84	1	3	8	14	21	27	45
85+	190	10.9	122	1	3	8	15	24	35	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	4.1	25	1	2	3	4	8	10	31
B. Operated	1497	3.4	16	1	1	2	3	9	11	19
2. MULTIPLE DX										
A. Not Operated	2175	5.1	24	2	2	4	6	10	13	23
B. Operated	17946	8.0	64	1	2	7	11	16	22	42
1. SINGLE DX	1582	3.4	[illegible]	1	1	2	4	9	11	20
2. MULTIPLE DX	20121	7.7	61	1	2	6	10	16	21	40
A. Not Operated	2260	5.0	24	1	2	4	6	9	13	24
B. Operated	19443	7.6	62	1	2	6	11	16	21	40
TOTAL										
65-69 YRS	9316	6.8	50	1	2	5	10	14	18	35
70-74	6797	7.5	62	1	2	6	10	15	21	41
75-79	3788	8.0	66	1	2	6	11	17	22	41
80-84	1305	8.5	73	1	3	6	12	18	24	46
85+	497	7.8	66	2	3	5	10	16	23	48
GRAND TOTAL	**21703**	**7.3**	**59**	**1**	**2**	**5**	**10**	**15**	**20**	**38**

957 Hospitals, United States, Geriatric, January-December 1989

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	39	7.7	12	4	6	7	10	11	13	20
70-74	26	8.0	6	5	7	8	10	11	12	13
75-79	30	7.8	8	5	6	8	9	11	13	14
80-84	16	10.1	13	6	8	10	13	14	16	17
85 +	15	8.3	7	4	7	9	10	10	13	14
B. Operated										
65-69 YRS	9	7.9	15	3	5	9	10	13	15	15
70-74	4	7.0	3	5	5	7	8	9	9	9
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	6.0		6	6	6	6	6	6	6
85 +	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	690	9.6	19	6	7	9	11	14	17	23
70-74	713	10.1	28	6	7	9	12	15	17	25
75-79	673	10.5	30	6	7	9	12	16	19	32
80-84	526	10.4	32	6	7	9	12	16	20	28
85 +	376	11.8	49	6	8	10	13	18	21	44
B. Operated										
65-69 YRS	239	14.3	122	7	8	12	16	24	31	94
70-74	275	14.9	137	7	8	12	17	26	34	73
75-79	182	14.4	80	7	9	12	17	25	32	48
80-84	136	14.4	88	7	9	12	16	29	37	62
85 +	72	14.8	85	7	9	12	16	31	36	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	8.2	10	5	6	8	10	12	14	18
B. Operated	16	7.9	13	4	5	7	10	14	15	15
2. MULTIPLE DX										
A. Not Operated	2978	10.3	30	6	7	9	12	16	19	29
B. Operated	904	14.6	110	7	9	12	17	26	35	71
1. SINGLE DX	142	8.1	10	5	6	8	10	12	14	17
2. MULTIPLE DX	3882	11.3	52	6	8	10	13	18	23	41
A. Not Operated	3104	10.2	29	6	7	9	12	16	19	29
B. Operated	920	14.5	109	7	9	12	16	25	35	70
TOTAL										
65-69 YRS	977	10.6	48	6	7	9	12	17	22	36
70-74	1018	11.3	62	6	7	10	13	17	23	45
75-79	886	11.2	42	6	7	9	13	18	22	40
80-84	679	11.2	45	6	8	10	13	18	23	39
85 +	464	12.1	54	7	8	10	14	19	25	45
GRAND TOTAL	**4024**	**11.2**	**51**	**6**	**7**	**10**	**13**	**18**	**23**	**41**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	0									
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	81	21.8	160	7	13	18	29	43	46	57
70-74	72	20.5	138	6	11	18	28	37	41	55
75-79	67	21.0	183	6	10	17	30	40	48	53
80-84	51	25.1	242	6	15	23	30	48	60	69
85 +	40	27.7	283	8	13	26	39	48	59	74
B. Operated										
65-69 YRS	67	23.2	211	9	12	20	33	47	81	99 +
70-74	76	25.7	225	9	14	24	35	51	63	99 +
75-79	56	28.1	219	10	14	30	40	46	51	98
80-84	29	25.1	232	8	11	25	34	45	53	64
85 +	23	26.2	142	12	18	25	32	41	49	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	311	22.6	193	7	13	19	30	43	48	61
B. Operated	251	25.5	213	9	13	25	35	47	59	99 +
1. SINGLE DX	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX	562	23.9	203	8	13	21	32	44	53	96
A. Not Operated	312	22.6	193	7	13	19	30	43	48	61
B. Operated	252	25.5	214	9	13	25	35	47	59	99 +
TOTAL										
65-69 YRS	148	22.5	182	8	13	19	31	44	53	99 +
70-74	149	23.0	190	8	13	21	30	44	54	99
75-79	123	24.2	210	7	12	20	36	44	49	83
80-84	80	25.1	236	7	14	24	32	45	58	67
85 +	64	26.8	234	9	14	25	36	46	58	72
GRAND TOTAL	**564**	**23.9**	**204**	**8**	**13**	**21**	**32**	**44**	**53**	**96**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	37	2.1	1	1	1	2	3	4	4	5
70-74	34	3.6	35	1	1	2	3	7	9	35
75-79	19	1.9	2	1	1	2	2	4	6	7
80-84	14	2.8	2	1	1	3	4	4	5	5
85 +	3	4.7	9	2	2	4	7	8	8	8
B. Operated										
65-69 YRS	2	7.0	18	4	4	7	10	10	10	10
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	428	4.1	31	1	2	3	5	7	9	17
70-74	471	4.7	38	1	2	3	5	8	12	22
75-79	371	4.7	26	1	2	3	6	9	11	23
80-84	327	4.9	26	1	2	4	6	9	12	22
85 +	246	6.6	49	2	3	4	8	13	17	34
B. Operated										
65-69 YRS	56	8.8	75	1	2	7	11	22	24	43
70-74	43	9.3	85	2	3	7	10	24	31	39
75-79	33	9.1	41	3	5	7	12	18	22	31
80-84	32	12.8	289	2	4	9	17	28	86	99 +
85 +	14	13.3	171	4	6	8	18	53	88	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	2.7	13	1	1	2	3	5	7	20
B. Operated	3	6.7	9	4	4	6	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	1843	4.8	34	1	2	3	6	9	12	24
B. Operated	178	10.1	117	2	4	7	13	23	31	98
1. SINGLE DX	110	2.8	13	1	1	2	3	5	7	20
2. MULTIPLE DX	2021	5.3	43	1	2	4	6	10	15	31
A. Not Operated	1950	4.7	33	1	2	3	5	9	12	24
B. Operated	181	10.0	115	2	4	7	12	23	31	98
TOTAL										
65-69 YRS	523	4.5	36	1	2	3	5	8	11	24
70-74	549	5.0	43	1	2	3	6	9	13	30
75-79	423	4.9	28	1	2	3	6	9	14	23
80-84	373	5.5	52	1	2	4	6	10	15	43
85 +	263	6.9	57	2	3	5	8	14	18	51
GRAND TOTAL	**2131**	**5.2**	**42**	**1**	**2**	**4**	**6**	**10**	**14**	**31**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	291	2.3	3	1	1	2	3	4	5	9
70-74	235	2.6	6	1	1	2	3	5	7	13
75-79	151	2.6	5	1	1	2	3	5	6	13
80-84	95	2.9	6	1	1	2	4	6	7	12
85 +	73	3.4	6	1	2	3	4	6	8	12
B. Operated										
65-69 YRS	8	1.9	3	< 1	1	1	2	5	6	6
70-74	4	2.3	2	1	1	2	3	4	4	4
75-79	7	2.7	3	1	1	2	4	6	6	6
80-84	3	4.3	10	2	2	3	7	8	8	8
85 +	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3441	4.2	12	1	2	3	5	8	10	17
70-74	3734	4.7	16	1	2	4	6	9	12	21
75-79	3695	5.2	22	2	2	4	7	10	13	24
80-84	2838	5.6	23	2	3	4	7	11	14	25
85 +	2494	6.3	39	2	3	5	7	12	16	33
B. Operated										
65-69 YRS	407	9.6	129	2	4	7	11	20	26	71
70-74	456	9.6	84	2	4	7	12	19	24	46
75-79	369	10.7	81	3	5	9	14	21	28	45
80-84	300	10.5	81	3	5	8	13	20	28	69
85 +	254	13.3	124	3	6	10	18	27	35	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	845	2.6	5	1	1	2	3	5	6	12
B. Operated	24	2.6	4	1	1	2	3	6	7	8
2. MULTIPLE DX										
A. Not Operated	16202	5.1	22	1	2	4	6	10	13	23
B. Operated	1786	10.5	100	2	4	8	13	21	28	51
1. SINGLE DX	869	2.6	5	1	1	2	3	5	6	12
2. MULTIPLE DX	17988	5.6	32	2	2	4	7	11	15	28
A. Not Operated	17047	5.0	21	1	2	4	6	10	13	23
B. Operated	1810	10.4	100	2	4	8	13	21	28	50
TOTAL										
65-69 YRS	4147	4.6	26	1	2	3	6	9	12	22
70-74	4429	5.1	25	1	2	4	6	10	13	24
75-79	4222	5.6	30	2	2	4	7	11	15	27
80-84	3236	6.0	31	2	3	4	7	12	15	28
85 +	2823	6.8	50	2	3	5	8	13	19	39
GRAND TOTAL	**18857**	**5.5**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	149	2.9	10	1	2	2	4	5	6	12
70-74	146	3.4	9	1	2	2	4	7	11	13
75-79	89	4.0	18	1	2	3	4	8	13	23
80-84	69	3.3	5	1	2	3	4	6	8	12
85 +	65	3.4	4	1	2	3	4	7	8	9
B. Operated										
65-69 YRS	97	3.9	16	1	2	2	4	8	15	20
70-74	112	3.4	7	1	2	3	4	7	8	13
75-79	127	3.5	7	1	2	3	5	7	10	13
80-84	112	3.3	6	1	2	3	4	7	8	13
85 +	83	4.4	13	1	2	3	6	9	11	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3140	4.6	15	2	2	4	6	9	11	19
70-74	3648	5.1	22	2	3	4	6	9	12	21
75-79	3513	5.3	23	2	3	4	7	10	13	21
80-84	2802	5.7	23	2	3	4	7	10	14	27
85 +	2423	6.0	27	2	3	5	7	11	15	27
B. Operated										
65-69 YRS	1774	8.4	63	2	3	6	10	17	24	42
70-74	2090	8.0	61	2	3	6	10	16	22	42
75-79	2269	8.0	48	2	4	6	10	16	20	36
80-84	1934	8.4	59	2	4	6	10	16	21	43
85 +	1809	9.4	90	3	4	7	11	18	25	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	518	3.4	10	1	2	3	4	6	8	15
B. Operated	531	3.7	10	1	2	3	5	7	10	16
2. MULTIPLE DX										
A. Not Operated	15526	5.3	22	2	3	4	7	10	13	23
B. Operated	9876	8.4	64	2	4	6	10	16	22	42
1. SINGLE DX	1049	3.5	10	1	2	3	4	7	9	16
2. MULTIPLE DX	25402	6.5	40	2	3	5	8	13	17	32
A. Not Operated	16044	5.2	22	2	3	4	6	10	13	22
B. Operated	10407	8.1	62	2	4	6	10	16	22	41
TOTAL										
65-69 YRS	5160	5.9	35	2	3	4	7	11	16	30
70-74	5996	6.1	37	2	3	4	7	12	16	31
75-79	5998	6.3	34	2	3	5	8	12	16	29
80-84	4917	6.7	39	2	3	5	8	13	17	33
85 +	4380	7.3	55	2	3	5	9	14	19	38
GRAND TOTAL	**26451**	**6.4**	**40**	**2**	**3**	**5**	**8**	**12**	**17**	**32**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	139	6.1	67	2	2	4	6	11	20	44
70-74	187	5.6	14	2	3	5	7	10	13	20
75-79	224	5.7	25	2	3	4	7	11	14	25
80-84	228	5.1	17	1	3	4	6	10	12	20
85 +	279	5.9	28	2	3	4	7	11	16	28
B. Operated										
65-69 YRS	8	4.4	10	1	2	3	8	8	8	8
70-74	4	19.0	253	< 1	5	19	32	36	36	36
75-79	10	9.5	81	1	3	8	12	24	30	30
80-84	3	18.0	21	14	15	17	21	23	23	23
85 +	3	13.7	9	11	11	13	16	17	17	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10201	7.0	31	2	4	6	8	13	17	28
70-74	13023	7.3	33	3	4	6	9	13	17	29
75-79	14446	7.6	40	3	4	6	9	14	18	33
80-84	13587	7.7	40	3	4	6	9	14	18	33
85 +	14728	8.3	55	3	4	6	10	15	20	40
B. Operated										
65-69 YRS	1753	12.8	124	3	6	10	16	26	34	63
70-74	1935	13.4	127	4	6	10	17	26	37	65
75-79	1806	14.6	148	4	7	11	18	29	40	75
80-84	1318	15.0	144	5	7	12	19	30	41	89
85 +	1155	15.6	158	5	8	12	19	30	39	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1057	5.7	28	2	3	4	7	10	14	27
B. Operated	28	10.8	89	1	3	8	15	26	31	36
2. MULTIPLE DX										
A. Not Operated	65985	7.6	41	3	4	6	9	14	18	33
B. Operated	7967	14.1	139	4	7	11	18	28	38	73
1. SINGLE DX	1085	5.8	30	2	3	4	7	11	14	29
2. MULTIPLE DX	73952	8.3	55	3	4	6	10	16	21	41
A. Not Operated	67042	7.6	41	3	4	6	9	14	18	33
B. Operated	7995	14.1	139	4	7	11	18	28	38	73
TOTAL										
65-69 YRS	12101	7.8	49	2	4	6	9	15	20	37
70-74	15149	8.0	49	3	4	6	10	15	20	38
75-79	16486	8.3	56	3	4	6	10	16	21	42
80-84	15136	8.3	53	3	4	6	10	16	21	41
85 +	16165	8.8	65	3	4	7	10	17	23	44
GRAND TOTAL	**75037**	**8.3**	**55**	**3**	**4**	**6**	**10**	**16**	**21**	**41**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	6.2	52	<1	1	4	7	16	25	27
70-74	7	12.1	158	2	2	9	19	33	36	36
75-79	3	5.0	4	3	3	5	6	7	7	7
80-84	1	12.0		12	12	12	12	12	12	12
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	10	3.9	42	<1	1	2	2	13	22	22
70-74	10	1.4		1	1	1	2	2	2	2
75-79	2	1.0		1	1	1	1	1	1	1
80-84	2	2.5	1	2	2	2	3	3	3	3
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	492	7.5	33	2	4	6	9	14	18	26
70-74	502	7.8	42	3	4	6	10	14	20	43
75-79	462	7.5	35	3	4	6	9	14	18	32
80-84	311	7.7	34	3	4	6	10	15	18	30
85 +	212	8.6	44	3	4	6	11	18	23	40
B. Operated										
65-69 YRS	276	7.9	107	1	2	5	9	18	29	54
70-74	225	8.5	87	1	2	5	11	21	26	54
75-79	127	10.5	163	1	3	7	13	23	36	91
80-84	55	13.7	100	3	7	11	18	30	36	39
85 +	22	15.5	131	6	9	12	15	32	41	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	7.9	75	1	2	5	10	21	29	36
B. Operated	24	2.5	18	1	1	2	2	3	10	22
2. MULTIPLE DX										
A. Not Operated	1979	7.7	37	3	4	6	10	15	19	33
B. Operated	705	9.2	114	1	2	6	12	22	31	60
1. SINGLE DX	49	5.3	54	1	1	2	6	13	22	36
2. MULTIPLE DX	2684	8.1	58	2	4	6	10	16	22	45
A. Not Operated	2004	7.7	38	3	4	6	10	15	19	34
B. Operated	729	9.0	113	1	2	6	12	22	31	59
TOTAL										
65-69 YRS	791	7.6	59	2	3	6	9	15	21	43
70-74	744	8.0	57	2	3	6	10	16	23	51
75-79	594	8.1	63	2	4	6	10	16	21	52
80-84	369	8.6	48	3	4	7	11	16	20	36
85 +	235	9.2	55	3	4	7	12	19	25	47
GRAND TOTAL	**2733**	**8.1**	**58**	**2**	**4**	**6**	**10**	**16**	**22**	**44**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	35	2.7	2	1	2	3	3	5	6	6
70-74	24	4.1	23	1	2	3	4	8	16	23
75-79	11	3.3	4	1	2	2	4	7	7	7
80-84	16	3.7	9	1	1	3	5	9	10	10
85 +	5	3.6	4	2	2	3	5	7	7	7
B. Operated										
65-69 YRS	65	4.8	31	1	1	2	8	12	15	29
70-74	61	4.7	24	1	1	2	8	11	14	21
75-79	39	3.7	19	1	1	2	5	10	13	18
80-84	17	4.4	17	1	1	2	9	10	12	13
85 +	7	2.9	8	1	1	1	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	655	6.0	23	2	3	5	7	12	15	25
70-74	663	6.3	32	2	3	5	8	12	15	22
75-79	559	6.6	28	2	3	5	8	13	17	29
80-84	395	6.8	36	2	3	5	8	12	15	33
85 +	307	6.5	27	2	3	5	8	13	15	37
B. Operated										
65-69 YRS	1048	10.9	97	1	3	9	14	21	28	57
70-74	1096	11.7	133	1	4	10	14	23	30	66
75-79	856	12.0	98	2	4	10	16	24	30	54
80-84	413	12.4	132	1	4	11	16	24	33	69
85 +	153	12.8	112	2	5	11	17	28	33	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	3.4	9	1	2	3	4	7	8	19
B. Operated	189	4.4	24	1	1	2	8	11	15	20
2. MULTIPLE DX										
A. Not Operated	2579	6.4	29	2	3	5	8	12	15	26
B. Operated	3566	11.7	113	1	4	10	15	23	30	58
1. SINGLE DX	280	4.1	19	1	1	2	6	9	12	20
2. MULTIPLE DX	6145	9.4	84	2	3	7	12	20	25	51
A. Not Operated	2670	6.3	28	2	3	5	8	12	15	26
B. Operated	3755	11.3	111	1	3	10	15	23	29	57
TOTAL										
65-69 YRS	1803	8.7	72	1	3	7	12	18	23	45
70-74	1844	9.4	99	1	3	8	12	19	25	56
75-79	1465	9.6	76	2	3	7	13	20	26	47
80-84	841	9.4	91	2	3	7	12	20	25	51
85 +	472	8.4	63	2	3	6	10	18	27	46
GRAND TOTAL	**6425**	**9.2**	**83**	**2**	**3**	**7**	**12**	**19**	**25**	**51**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	4	16.0	161	1	6	16	25	31	31	31
85 +	1	33.0		33	33	33	33	33	33	33
B. Operated										
65-69 YRS	2	13.0		13	13	13	13	13	13	13
70-74	4	11.3	7	9	9	10	13	15	15	15
75-79	5	13.6	89	2	4	18	21	23	23	23
80-84	2	5.5	41	1	1	5	10	10	10	10
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	16	7.9	52	1	4	5	9	22	24	24
70-74	18	10.4	62	3	5	7	16	24	26	27
75-79	29	17.0	195	1	7	14	23	40	43	53
80-84	17	17.7	152	4	8	17	27	32	42	48
85 +	32	17.2	237	3	6	13	25	38	73	99 +
B. Operated										
65-69 YRS	81	26.1	332	8	14	22	34	55	74	94
70-74	61	26.8	383	9	13	21	34	60	73	81
75-79	37	28.4	395	9	15	20	42	57	72	82
80-84	20	30.3	495	8	12	25	39	64	84	86
85 +	10	17.6	110	5	9	16	25	32	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	14.4	191	1	2	12	28	33	33	33
B. Operated	13	11.5	43	2	8	11	16	21	23	23
2. MULTIPLE DX										
A. Not Operated	112	14.8	168	3	5	11	22	31	41	87
B. Operated	209	26.7	362	8	13	22	35	56	75	84
1. SINGLE DX	20	12.6	90	1	4	11	19	27	32	33
2. MULTIPLE DX	321	22.5	326	5	10	19	29	46	68	84
A. Not Operated	119	14.8	168	2	5	11	22	32	40	85
B. Operated	222	25.8	356	8	12	21	34	54	74	84
TOTAL										
65-69 YRS	100	22.7	328	5	10	19	29	47	71	91
70-74	83	22.5	345	5	10	17	28	45	68	81
75-79	72	22.4	324	5	10	18	27	52	58	81
80-84	43	22.8	350	4	10	19	31	40	60	86
85 +	43	17.7	205	3	7	15	25	34	51	99 +
GRAND TOTAL	**341**	**22.0**	**317**	**5**	**9**	**18**	**28**	**44**	**66**	**83**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	13.0	50	8	8	13	18	18	18	18
70-74	6	17.3	89	8	11	15	23	32	33	33
75-79	1	27.0		27	27	27	27	27	27	27
80-84	3	18.0	151	9	10	13	27	32	32	32
85 +	5	14.2	57	6	8	13	20	25	25	25
B. Operated										
65-69 YRS	6	22.3	49	16	18	21	32	87	99 +	99 +
70-74	9	37.0	512	13	18	31	52	70	80	80
75-79	6	22.0	113	9	17	19	32	36	37	37
80-84	1	40.0		40	40	40	40	40	40	40
85 +	1	50.0		50	50	50	50	50	50	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	17	16.6	75	8	9	13	23	31	33	33
B. Operated	23	30.0	299	14	18	25	43	57	86	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	40	24.3	244	9	13	19	32	50	66	99 +
A. Not Operated	17	16.6	75	8	9	13	23	31	33	33
B. Operated	23	30.0	299	14	18	25	43	57	86	99 +
TOTAL										
65-69 YRS	8	20.0	61	11	17	20	27	74	99 +	99 +
70-74	15	29.1	424	11	12	23	43	54	73	80
75-79	7	22.7	98	10	17	19	31	36	37	37
80-84	4	23.5	222	9	11	22	36	40	40	40
85 +	6	20.2	259	6	9	15	25	47	50	50
GRAND TOTAL	**40**	**24.3**	**244**	**9**	**13**	**19**	**32**	**50**	**66**	**99 +**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	6.1	16	1	3	5	9	12	14	15
70-74	24	6.2	18	2	3	5	9	12	15	18
75-79	25	10.8	79	3	4	8	15	27	31	37
80-84	25	7.1	29	3	4	5	8	15	18	26
85 +	18	7.4	7	4	6	7	9	11	13	14
B. Operated										
65-69 YRS	26	7.1	18	3	4	5	8	13	17	19
70-74	15	9.6	39	3	7	9	12	16	24	27
75-79	32	6.8	11	3	5	7	8	11	12	17
80-84	27	8.9	25	4	7	8	10	14	22	26
85 +	12	19.0	356	5	7	10	22	55	60	61
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	267	12.1	113	3	5	9	16	24	34	49
70-74	336	11.2	99	3	5	8	14	23	31	74
75-79	361	12.7	139	4	6	10	15	24	39	99 +
80-84	369	12.9	145	4	6	10	16	25	33	85
85 +	316	13.5	135	4	6	10	18	28	43	99 +
B. Operated										
65-69 YRS	215	17.6	204	5	8	14	23	43	64	99 +
70-74	224	19.5	324	5	8	14	26	49	81	99 +
75-79	217	20.4	377	5	9	14	23	55	72	99 +
80-84	161	21.0	302	6	9	16	27	51	78	99 +
85 +	132	22.5	326	7	10	17	28	53	75	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	7.7	35	3	4	6	9	15	17	32
B. Operated	112	9.1	66	3	5	7	10	16	22	56
2. MULTIPLE DX										
A. Not Operated	1649	12.5	127	3	6	9	16	25	36	87
B. Operated	949	19.9	307	6	9	15	25	50	76	99 +
1. SINGLE DX	222	8.4	51	3	4	7	10	15	20	41
2. MULTIPLE DX	2598	15.2	206	4	7	11	19	34	51	99 +
A. Not Operated	1759	12.2	123	3	5	9	15	24	35	77
B. Operated	1061	18.8	292	5	8	14	23	48	70	99 +
TOTAL										
65-69 YRS	526	13.9	153	4	6	10	18	32	45	99 +
70-74	599	14.0	196	3	6	10	17	32	47	99 +
75-79	635	15.0	228	4	7	11	17	33	56	99 +
80-84	582	14.7	194	4	6	10	18	29	48	97
85 +	478	15.9	206	4	7	11	21	37	53	99 +
GRAND TOTAL	**2820**	**14.7**	**197**	**4**	**6**	**10**	**18**	**32**	**50**	**99 +**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	84	13.8	126	4	7	11	17	25	39	93
70-74	135	13.5	104	4	7	10	17	27	40	60
75-79	141	16.2	185	5	8	12	20	33	49	80
80-84	124	14.3	89	5	7	12	18	28	36	65
85 +	125	15.3	144	5	8	11	18	29	45	58
B. Operated										
65-69 YRS	46	25.3	433	9	13	18	38	96	99 +	99 +
70-74	55	23.5	273	9	12	18	30	50	70	98
75-79	63	24.5	301	7	11	21	40	54	99 +	99 +
80-84	53	20.6	202	8	11	17	28	39	55	99
85 +	43	18.1	159	7	9	15	21	35	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	609	14.7	131	5	7	11	18	29	40	74
B. Operated	260	22.6	277	8	12	18	31	55	88	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	869	17.1	188	5	8	13	21	37	52	99 +
A. Not Operated	609	14.7	131	5	7	11	18	29	40	74
B. Operated	260	22.6	277	8	12	18	31	55	88	99 +
TOTAL										
65-69 YRS	130	17.8	262	5	9	14	22	42	89	99 +
70-74	190	16.4	172	5	8	13	20	35	49	89
75-79	204	18.8	234	5	8	14	27	46	61	99 +
80-84	177	16.2	130	6	8	14	20	30	39	95
85 +	168	16.0	149	6	8	13	19	31	46	70
GRAND TOTAL	**869**	**17.1**	**188**	**5**	**8**	**13**	**21**	**37**	**52**	**99 +**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	4.5	6	1	3	4	6	8	9	9
70-74	21	4.6	35	1	1	2	5	13	18	24
75-79	17	4.2	7	1	2	3	6	9	10	10
80-84	18	5.4	16	1	3	5	7	10	15	17
85 +	4	4.5	6	3	3	4	6	8	8	8
B. Operated										
65-69 YRS	349	3.8	6	1	2	3	5	7	8	13
70-74	344	3.8	6	1	2	3	5	6	8	13
75-79	257	3.8	7	1	2	4	4	6	8	14
80-84	115	4.0	6	1	2	4	5	7	8	13
85 +	29	3.8	7	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	194	5.5	47	1	2	4	7	9	14	35
70-74	236	5.5	14	2	3	5	7	10	13	17
75-79	251	6.8	54	2	3	5	8	12	16	65
80-84	218	6.7	29	2	3	5	8	12	17	29
85 +	187	6.9	43	2	3	5	9	12	17	48
B. Operated										
65-69 YRS	2134	5.9	31	2	3	5	7	10	14	28
70-74	2192	6.1	36	2	3	4	7	12	16	30
75-79	1705	6.4	28	2	3	5	8	13	16	26
80-84	834	7.0	30	2	4	5	9	13	18	28
85 +	241	8.1	55	2	4	6	10	17	21	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	4.7	16	1	2	4	6	9	13	22
B. Operated	1094	3.8	6	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. Not Operated	1086	6.3	37	2	3	5	8	11	15	36
B. Operated	7106	6.3	33	2	3	5	7	12	16	28
1. SINGLE DX	1166	3.8	7	1	2	3	5	7	8	14
2. MULTIPLE DX	8192	6.3	33	2	3	5	7	12	16	28
A. Not Operated	1158	6.2	36	2	3	5	7	11	15	34
B. Operated	8200	6.0	30	2	3	4	7	11	15	27
TOTAL										
65-69 YRS	2689	5.6	29	2	3	4	7	10	13	27
70-74	2793	5.8	31	2	3	4	7	11	15	28
75-79	2230	6.2	29	2	3	5	7	12	16	26
80-84	1185	6.6	28	2	3	5	8	13	17	28
85 +	461	7.3	48	2	3	5	9	14	19	40
GRAND TOTAL	**9358**	**6.0**	**31**	**2**	**3**	**4**	**7**	**11**	**15**	**28**

164: Precerebral artery occlusion with paralysis (4[illegible]3 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	29	10.1	74	3	4	8	11	24	29	37
70-74	27	10.9	274	3	5	7	9	20	39	88
75-79	35	12.0	236	2	4	7	13	28	41	82
80-84	27	7.8	36	3	4	6	8	19	21	28
85 +	11	15.5	229	4	6	9	18	42	52	53
B. Operated										
65-69 YRS	117	9.6	67	3	4	7	15	21	24	64
70-74	96	9.4	113	2	4	7	12	17	24	65
75-79	75	11.2	72	3	5	8	14	25	31	34
80-84	24	11.7	87	3	6	8	19	27	54	99 +
85 +	14	11.4	98	3	5	7	15	28	32	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	129	10.8	164	3	4	7	11	24	31	83
B. Operated	326	10.1	84	3	4	7	14	22	28	56
1. SINGLE DX	0									
2. MULTIPLE DX	455	10.3	106	3	4	7	13	22	30	80
A. Not Operated	129	10.8	164	3	4	7	11	24	31	83
B. Operated	326	10.1	84	3	4	7	14	22	28	56
TOTAL										
65-69 YRS	146	9.7	68	3	4	7	14	21	26	49
70-74	123	9.8	147	3	4	7	11	17	26	88
75-79	110	11.5	122	3	5	8	14	26	31	59
80-84	51	9.6	63	3	5	7	12	23	28	99
85 +	25	13.2	153	3	5	8	16	33	39	53
GRAND TOTAL	**455**	**10.3**	**106**	**3**	**4**	**7**	**13**	**22**	**30**	**80**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	123	6.4	27	2	3	5	7	14	17	25
70-74	147	7.1	77	2	3	6	9	11	18	42
75-79	121	8.0	57	2	3	6	9	17	22	37
80-84	126	7.8	65	2	4	6	10	15	21	39
85+	118	8.5	48	3	4	7	11	14	20	41
B. Operated										
65-69 YRS	15	6.0	13	2	3	5	8	12	13	14
70-74	12	13.0	237	1	2	5	23	39	42	43
75-79	14	10.4	147	2	4	7	13	20	43	49
80-84	14	11.2	97	2	4	7	19	24	32	34
85+	4	16.8	258	3	7	12	26	40	40	40
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2707	9.0	86	3	4	7	10	17	24	66
70-74	3416	9.2	71	3	5	7	11	17	24	51
75-79	3806	9.8	79	3	5	7	12	19	26	60
80-84	3428	10.3	89	3	5	8	12	20	29	69
85+	3356	11.1	111	3	5	8	13	22	30	76
B. Operated										
65-69 YRS	525	15.8	235	4	7	11	20	35	53	97
70-74	553	18.8	253	5	8	14	26	51	83	99+
75-79	601	19.2	331	5	8	13	24	44	71	99+
80-84	488	20.3	269	6	9	16	28	49	86	99+
85+	408	22.9	332	7	11	18	32	55	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	635	7.5	56	2	3	6	9	14	20	34
B. Operated	59	10.4	126	2	3	6	13	28	39	48
2. MULTIPLE DX										
A. Not Operated	16713	9.9	87	3	5	7	12	19	27	64
B. Operated	2575	19.2	287	5	8	14	26	47	74	99+
1. SINGLE DX	694	7.8	62	2	3	6	9	15	21	41
2. MULTIPLE DX	19288	11.1	124	3	5	8	13	23	34	91
A. Not Operated	17348	9.8	86	3	5	7	12	19	27	63
B. Operated	2634	19.0	285	5	8	14	25	47	73	99+
TOTAL										
65-69 YRS	3370	9.9	113	3	4	7	11	19	29	74
70-74	4128	10.4	107	3	5	7	12	21	32	91
75-79	4542	11.0	122	3	5	8	13	22	33	83
80-84	4056	11.4	120	3	5	8	14	25	36	99+
85+	3886	12.3	146	4	5	9	15	25	38	92
GRAND TOTAL	**19982**	**11.0**	**122**	**3**	**5**	**8**	**13**	**23**	**34**	**89**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1259	10.9	83	4	5	8	13	21	29	50
70-74	1600	11.6	96	4	6	9	14	23	31	67
75-79	1725	12.1	98	4	6	9	14	25	33	62
80-84	1571	13.1	143	4	[illegible]	10	15	26	37	84
85+	1419	12.3	112	4	6	9	15	24	32	70
B. Operated										
65-69 YRS	209	22.3	351	7	10	15	28	53	63	88
70-74	248	19.8	244	6	10	16	26	47	86	99+
75-79	293	21.6	233	7	11	17	28	41	52	87
80-84	208	22.0	242	8	12	18	29	44	74	99+
85+	173	23.9	329	8	13	18	31	56	[illegible]	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	7574	12.0	107	4	6	9	14	23	32	69
B. Operated	1131	21.8	274	7	11	17	28	48	65	99+
1. SINGLE DX	0									
2. MULTIPLE DX	8705	13.3	140	4	6	10	16	27	38	84
A. Not Operated	7574	12.0	107	4	6	9	14	23	32	69
B. Operated	1131	21.8	274	7	11	17	28	48	65	99+
TOTAL										
65-69 YRS	1468	12.5	137	4	6	9	15	26	37	67
70-74	1848	12.7	123	4	6	10	16	26	37	99+
75-79	2018	13.5	128	4	7	10	16	28	38	69
80-84	1779	14.2	162	5	7	10	17	29	41	87
85+	1592	13.6	148	4	7	10	16	26	40	82
GRAND TOTAL	**8705**	**13.3**	**140**	**4**	**6**	**10**	**16**	**27**	**38**	**84**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	192	3.0	4	1	2	2	4	6	7	10
70-74	171	3.3	4	1	2	3	4	6	7	10
75-79	183	3.3	6	1	2	3	4	6	7	13
80-84	164	3.7	8	1	2	3	5	7	10	14
85 +	151	3.4	9	1	2	3	4	6	8	16
B. Operated										
65-69 YRS	43	3.9	8	1	2	3	6	8	9	10
70-74	34	4.3	11	1	2	3	6	11	12	12
75-79	32	4.0	11	1	2	2	6	10	10	11
80-84	14	3.7	8	1	2	2	7	8	9	9
85 +	7	4.9	6	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2375	4.5	16	2	2	4	6	8	10	17
70-74	2952	4.9	23	2	2	4	6	9	11	21
75-79	3498	5.3	27	2	3	4	6	10	13	22
80-84	3437	5.7	38	2	3	4	7	10	14	31
85 +	3549	6.4	45	2	3	5	7	12	17	45
B. Operated										
65-69 YRS	462	7.2	47	2	3	6	9	13	19	40
70-74	519	8.8	88	2	4	7	10	16	24	46
75-79	433	9.2	89	2	4	7	11	18	30	99 +
80-84	347	11.5	100	4	5	8	15	23	31	99
85 +	229	14.0	210	3	5	9	18	36	47	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	861	3.3	6	1	2	3	4	6	8	12
B. Operated	130	4.1	9	1	2	3	6	9	10	12
2. MULTIPLE DX										
A. Not Operated	15811	5.4	31	2	3	4	6	10	13	28
B. Operated	1990	9.6	99	2	4	7	11	20	30	70
1. SINGLE DX	991	3.4	6	1	2	3	4	7	8	12
2. MULTIPLE DX	17801	5.9	41	2	3	4	7	11	15	36
A. Not Operated	16672	5.3	30	2	3	4	6	10	13	27
B. Operated	2120	9.3	95	2	4	7	11	19	29	67
TOTAL										
65-69 YRS	3072	4.8	21	2	2	4	6	9	11	21
70-74	3676	5.3	33	2	2	4	6	10	13	27
75-79	4146	5.6	34	2	3	4	7	11	14	30
80-84	3962	6.1	45	2	3	4	7	11	16	36
85 +	3936	6.7	57	2	3	5	8	12	19	47
GRAND TOTAL	**18792**	**5.8**	**39**	**2**	**3**	**4**	**7**	**11**	**14**	**35**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	50	4.9	11	1	2	4	6	10	11	17
70-74	74	5.6	17	2	3	4	7	12	15	20
75-79	87	5.8	24	2	3	5	7	12	13	29
80-84	85	7.4	97	2	3	5	8	12	18	65
85 +	99	5.8	15	2	3	5	8	10	12	21
B. Operated										
65-69 YRS	5	7.2	27	2	3	7	10	15	15	15
70-74	5	11.0	18	4	9	12	13	15	15	15
75-79	5	7.8	34	3	4	5	12	17	17	17
80-84	2	13.0	288	1	1	13	25	25	25	25
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	903	7.9	66	2	4	6	9	15	20	63
70-74	1128	8.1	58	2	4	6	10	15	20	36
75-79	1472	8.4	57	3	4	7	10	16	22	42
80-84	1424	8.6	65	3	4	7	10	16	23	58
85 +	1640	9.0	74	3	4	7	11	16	22	59
B. Operated										
65-69 YRS	125	14.3	181	4	5	10	19	30	43	88
70-74	162	13.9	174	4	6	10	16	29	45	93
75-79	166	15.4	196	5	7	12	19	37	58	99 +
80-84	138	16.2	104	6	9	14	22	32	37	99 +
85 +	148	18.0	216	6	9	14	23	43	75	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	395	6.0	35	2	3	5	7	11	14	26
B. Operated	17	9.2	42	2	4	9	15	23	70	99 +
2. MULTIPLE DX										
A. Not Operated	6567	8.5	65	3	4	7	10	16	22	50
B. Operated	739	15.5	177	5	7	12	19	33	50	99 +
1. SINGLE DX	412	6.2	36	2	3	5	8	12	15	28
2. MULTIPLE DX	7306	9.2	80	3	4	7	11	18	25	60
A. Not Operated	6962	8.3	63	3	4	6	10	16	21	48
B. Operated	756	15.4	174	4	7	12	19	33	50	99 +
TOTAL										
65-69 YRS	1083	8.5	81	2	4	6	10	17	25	68
70-74	1369	8.7	73	2	4	6	10	16	22	45
75-79	1730	8.9	73	3	4	7	10	18	24	59
80-84	1649	9.2	75	3	4	7	11	18	25	59
85 +	1887	9.6	88	3	5	7	11	18	26	77
GRAND TOTAL	**7718**	**9.0**	**78**	**3**	**4**	**7**	**11**	**17**	**25**	**59**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	319	8.2	29	3	4	7	11	15	19	29
70-74	389	9.3	69	3	5	7	11	17	25	83
75-79	509	8.7	40	3	5	7	11	16	20	36
80-84	539	10.0	82	3	5	8	12	17	24	54
85 +	580	9.6	70	3	5	8	11	18	25	44
B. Operated										
65-69 YRS	37	14.2	129	4	7	12	18	31	38	54
70-74	51	15.5	123	3	7	13	23	32	40	99
75-79	61	18.2	357	6	8	12	20	47	77	99
80-84	53	19.5	252	8	11	16	21	35	50	98
85 +	54	16.8	126	6	9	15	19	30	41	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2336	9.3	61	3	5	7	11	17	22	43
B. Operated	256	17.1	207	5	8	13	21	34	49	98
1. SINGLE DX	0									
2. MULTIPLE DX	2592	10.0	81	3	5	8	12	19	26	56
A. Not Operated	2336	9.3	61	3	5	7	11	17	22	43
B. Operated	256	17.1	207	5	8	13	21	34	49	98
TOTAL										
65-69 YRS	356	8.8	43	3	5	7	11	16	22	39
70-74	440	10.0	79	3	5	8	12	20	29	96
75-79	570	9.7	82	3	5	7	11	17	24	62
80-84	592	10.8	104	4	5	8	13	19	28	56
85 +	634	10.3	79	4	5	8	12	19	27	47
GRAND TOTAL	**2592**	**10.0**	**81**	**3**	**5**	**8**	**12**	**19**	**26**	**56**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	28	5.1	45	1	2	3	6	10	14	36
70-74	20	4.7	53	1	2	3	4	9	22	34
75-79	22	4.7	14	1	3	4	5	9	13	18
80-84	13	3.8	7	1	2	3	6	8	9	9
85 +	18	4.8	5	2	3	4	6	9	9	9
B. Operated										
65-69 YRS	10	4.6	18	1	2	3	5	11	15	15
70-74	13	1.6	1	< 1	1	1	2	3	4	4
75-79	6	2.5	14	< 1	1	1	1	9	10	10
80-84	2	1.0		< 1	< 1	< 1	1	1	1	1
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	387	6.1	52	2	3	5	7	11	15	38
70-74	452	5.8	29	2	3	5	7	10	14	23
75-79	556	7.1	54	2	3	5	8	14	21	51
80-84	464	8.4	119	2	3	6	9	16	21	62
85 +	487	8.4	86	2	4	5	10	17	27	93
B. Operated										
65-69 YRS	126	10.5	184	1	4	7	12	20	35	87
70-74	115	11.6	182	2	4	7	14	28	38	71
75-79	110	11.3	190	2	4	8	14	24	36	99 +
80-84	74	13.5	164	3	6	9	18	30	36	96
85 +	42	12.0	164	3	5	8	13	30	33	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	4.7	27	1	2	3	5	9	10	35
B. Operated	32	2.7	10	< 1	1	1	3	6	10	15
2. MULTIPLE DX										
A. Not Operated	2346	7.2	70	2	3	5	8	14	20	52
B. Operated	467	11.6	179	2	4	8	14	26	36	91
1. SINGLE DX	133	4.2	24	1	2	3	5	9	10	34
2. MULTIPLE DX	2813	7.9	90	2	3	5	9	16	23	69
A. Not Operated	2447	7.1	68	2	3	5	8	13	20	52
B. Operated	499	11.0	173	1	4	7	14	25	35	90
TOTAL										
65-69 YRS	551	7.1	84	2	3	5	8	13	18	69
70-74	600	6.8	64	2	3	5	8	13	20	42
75-79	694	7.7	76	2	3	5	9	15	23	61
80-84	553	8.9	126	2	3	6	10	18	29	83
85 +	548	8.6	91	2	4	6	10	17	30	83
GRAND TOTAL	**2946**	**7.8**	**88**	**2**	**3**	**5**	**9**	**15**	**23**	**66**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	1.8	2	< 1	< 1	1	2	5	5	5
70-74	11	6.0	12	2	4	5	8	11	12	12
75-79	8	4.8	10	1	2	4	8	9	9	9
80-84	8	3.4	9	< 1	1	2	4	8	10	10
85 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
65-69 YRS	197	4.6	23	1	1	3	6	10	12	17
70-74	166	4.4	15	1	1	3	7	9	12	17
75-79	156	4.5	23	1	1	3	6	9	12	21
80-84	74	5.1	26	1	1	4	7	10	13	27
85 +	37	7.1	39	1	2	4	11	17	19	23
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	111	6.4	25	1	3	6	8	11	17	27
70-74	125	7.0	92	1	2	5	8	12	15	55
75-79	110	7.6	120	1	3	5	8	13	20	67
80-84	118	7.8	58	2	4	6	9	14	18	46
85 +	139	7.8	31	3	4	7	10	13	16	36
B. Operated										
65-69 YRS	2422	10.3	105	2	4	8	13	22	30	59
70-74	2497	10.9	108	2	5	8	14	23	31	54
75-79	2244	11.6	125	2	5	9	15	24	32	73
80-84	1474	13.0	133	3	6	10	16	27	37	77
85 +	1248	13.5	137	4	7	10	16	26	37	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	4.0	10	< 1	1	3	5	9	11	12
B. Operated	630	4.7	22	1	1	3	7	10	13	21
2. MULTIPLE DX										
A. Not Operated	603	7.3	64	1	3	6	9	13	17	42
B. Operated	9885	11.5	120	2	5	9	15	24	33	68
1. SINGLE DX	668	4.7	22	1	1	3	7	10	13	21
2. MULTIPLE DX	10488	11.3	117	2	5	8	14	23	32	67
A. Not Operated	641	7.1	61	1	3	6	9	13	16	40
B. Operated	10515	11.1	116	2	5	8	14	23	32	66
TOTAL										
65-69 YRS	2739	9.7	99	1	4	7	12	21	29	57
70-74	2799	10.3	104	2	4	8	13	22	29	52
75-79	2518	11.0	121	2	4	8	14	22	31	73
80-84	1674	12.2	127	2	6	9	15	26	35	73
85 +	1426	12.8	128	3	6	10	16	25	35	77
GRAND TOTAL	**11156**	**10.9**	**114**	**2**	**4**	**8**	**14**	**23**	**31**	**64**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	10.0		10	10	10	10	10	10	10
75-79	0									
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	11	4.2	42	1	1	1	3	15	21	22
70-74	8	5.3	28	1	1	2	10	13	14	14
75-79	10	2.7	8	1	1	1	4	7	9	9
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	13	4.4	12	1	2	3	8	9	11	11
70-74	16	4.7	17	1	2	3	6	13	14	14
75-79	15	4.3	7	1	2	4	6	8	10	10
80-84	14	4.7	12	1	3	4	7	14	78	99 +
85 +	20	8.9	90	2	2	5	17	53	99 +	99 +
B. Operated										
65-69 YRS	226	8.2	82	1	2	7	10	18	24	88
70-74	202	9.0	86	1	2	7	11	19	27	49
75-79	135	7.9	53	1	2	6	11	18	23	35
80-84	32	7.5	51	2	2	4	12	18	19	31
85 +	19	10.9	74	1	5	8	14	25	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.5	41	1	1	5	10	10	10	10
B. Operated	30	3.9	25	1	1	1	4	10	14	22
2. MULTIPLE DX										
A. Not Operated	78	5.6	34	1	2	4	8	15	31	99 +
B. Operated	614	8.4	75	1	2	7	11	18	24	48
1. SINGLE DX	32	4.0	25	1	1	1	5	10	14	22
2. MULTIPLE DX	692	8.1	72	1	2	6	11	18	25	54
A. Not Operated	80	5.6	34	1	2	4	8	14	31	99 +
B. Operated	644	8.2	74	1	2	6	11	18	24	47
TOTAL										
65-69 YRS	250	7.9	78	1	2	6	10	17	24	84
70-74	227	8.6	80	1	2	7	11	17	25	49
75-79	160	7.2	49	1	2	5	10	17	21	34
80-84	46	6.7	41	2	2	4	9	17	21	99 +
85 +	41	9.4	81	1	2	6	15	28	56	99 +
GRAND TOTAL	**724**	**7.9**	**70**	**1**	**2**	**6**	**10**	**18**	**24**	**52**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	4.7	21	<1	1	2	10	11	11	11
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	3.0		3	3	3	3	3	3	3
80-84	4	2.5	9	1	1	1	4	7	7	7
85+	6	3.3	7	<1	1	3	6	6	6	6
B. Operated										
65-69 YRS	76	7.3	20	2	6	7	9	10	10	32
70-74	77	8.6	15	2	7	9	10	12	16	19
75-79	47	9.4	24	5	8	9	10	13	15	35
80-84	21	8.2	32	2	4	7	12	13	18	25
85+	2	7.5	61	2	2	7	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	69	5.1	22	1	2	3	7	13	15	20
70-74	99	5.5	23	1	2	4	8	13	15	22
75-79	108	6.9	89	1	2	5	8	14	17	61
80-84	107	6.3	44	1	2	4	8	13	25	34
85+	107	7.5	43	1	3	6	9	15	21	35
B. Operated										
65-69 YRS	1441	12.8	105	6	8	10	14	22	34	81
70-74	1427	13.4	110	6	8	11	15	25	36	79
75-79	1079	13.9	117	6	9	11	15	25	35	73
80-84	505	15.5	136	6	9	12	18	30	38	60
85+	164	15.8	133	7	10	13	18	26	48	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.5	10	<1	1	2	6	9	11	11
B. Operated	223	8.3	21	2	7	8	10	12	14	28
2. MULTIPLE DX										
A. Not Operated	490	6.4	47	1	2	4	8	14	17	32
B. Operated	4616	13.7	115	6	8	11	15	25	36	75
1. SINGLE DX	242	7.9	21	2	6	8	10	12	14	26
2. MULTIPLE DX	5106	13.0	113	4	8	10	15	24	34	71
A. Not Operated	509	6.2	46	1	2	4	8	13	17	32
B. Operated	4839	13.4	111	6	8	11	15	24	35	73
TOTAL										
65-69 YRS	1592	12.1	101	5	8	10	13	21	32	76
70-74	1604	12.7	104	4	8	10	14	24	34	76
75-79	1236	13.1	116	4	8	11	15	24	34	73
80-84	637	13.6	130	3	7	11	16	26	36	59
85+	279	12.3	112	2	6	10	15	21	31	56
GRAND TOTAL	**5348**	**12.7**	**110**	**4**	**8**	**10**	**14**	**23**	**34**	**69**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	14.0		14	14	14	14	14	14	14
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+	0									
B. Operated										
65-69 YRS	21	4.9	9	1	3	4	6	9	11	13
70-74	22	5.9	38	2	3	4	7	10	19	31
75-79	13	4.6	8	1	2	4	7	8	9	9
80-84	5	3.8	6	1	2	4	5	7	7	7
85+	6	8.7	30	2	4	8	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	3.8	1	3	3	4	4	5	5	5
70-74	7	3.0	4	1	1	3	5	6	6	6
75-79	3	6.0	61	<1	<1	2	12	15	15	15
80-84	9	4.4	7	<1	2	4	6	8	9	9
85+	9	4.0	5	1	2	3	6	7	7	7
B. Operated										
65-69 YRS	217	9.4	55	3	5	7	11	18	26	41
70-74	230	9.5	64	2	5	7	12	19	27	49
75-79	195	10.7	111	3	5	8	13	19	31	59
80-84	95	11.8	119	4	6	8	13	26	38	85
85+	55	12.6	133	3	5	9	16	33	47	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.5	34	1	2	3	9	14	14	14
B. Operated	67	5.4	20	1	3	4	7	9	13	28
2. MULTIPLE DX										
A. Not Operated	32	4.1	8	1	2	3	5	7	9	15
B. Operated	792	10.3	85	3	5	8	12	21	30	54
1. SINGLE DX	71	5.4	20	1	3	4	7	9	14	28
2. MULTIPLE DX	824	10.0	83	3	5	7	12	21	30	53
A. Not Operated	36	4.2	10	1	2	3	5	7	12	15
B. Operated	859	9.9	82	3	5	7	12	20	29	53
TOTAL										
65-69 YRS	242	8.9	52	3	5	7	11	18	26	39
70-74	260	9.0	61	2	4	7	11	18	26	48
75-79	213	10.2	105	3	5	7	12	18	28	58
80-84	110	10.8	110	3	5	7	12	26	37	80
85+	70	11.2	116	3	4	8	15	26	42	90
GRAND TOTAL	**895**	**9.7**	**80**	**3**	**5**	**7**	**12**	**20**	**29**	**52**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
B. Operated										
65-69 YRS	33	5.3	21	1	1	4	8	11	16	18
70-74	21	5.4	26	1	2	3	9	12	17	20
75-79	18	4.7	15	1	2	3	8	11	12	13
80-84	12	4.8	7	1	2	5	7	8	9	9
85 +	11	5.8	10	2	3	6	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	35	5.9	22	1	2	5	9	14	16	18
70-74	31	6.9	20	1	3	6	10	12	15	19
75-79	31	6.5	27	1	3	6	8	11	21	24
80-84	29	7.1	15	3	5	6	9	12	13	19
85 +	32	7.2	25	3	5	6	8	12	14	29
B. Operated										
65-69 YRS	468	10.4	79	2	5	9	13	19	27	57
70-74	396	11.4	137	2	6	8	13	23	37	81
75-79	240	10.2	79	2	5	8	13	22	30	53
80-84	170	10.0	64	2	4	8	13	20	27	37
85 +	158	9.1	73	2	4	7	11	16	26	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	6.3	41	1	1	4	11	15	15	15
B. Operated	95	5.2	17	1	2	4	8	10	13	19
2. MULTIPLE DX										
A. Not Operated	158	6.7	21	2	3	6	9	12	15	24
B. Operated	1432	10.5	93	2	5	8	13	20	29	69
1. SINGLE DX	99	5.2	18	1	2	4	8	10	14	19
2. MULTIPLE DX	1590	10.1	87	2	5	8	12	19	28	57
A. Not Operated	162	6.7	22	2	3	6	9	12	15	24
B. Operated	1527	10.1	90	2	5	8	12	20	28	59
TOTAL										
65-69 YRS	537	9.8	74	2	5	8	12	18	26	55
70-74	449	10.8	126	2	5	8	12	21	33	79
75-79	290	9.5	72	2	4	7	12	20	27	49
80-84	212	9.3	56	2	4	7	12	18	26	36
85 +	201	8.6	62	2	4	7	10	15	22	62
GRAND TOTAL	**1689**	**9.8**	**84**	**2**	**4**	**8**	**12**	**19**	**27**	**56**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	3.8	7	1	2	4	5	7	9	10
70-74	10	3.5	10	< 1	1	3	4	8	11	11
75-79	5	4.6	34	1	2	2	6	15	15	15
80-84	1	17.0		17	17	17	17	17	17	17
85 +	4	5.3	44	< 1	< 1	2	9	15	15	15
B. Operated										
65-69 YRS	102	3.4	14	1	1	2	4	8	11	18
70-74	101	3.1	10	1	1	2	4	7	9	16
75-79	76	3.1	9	1	1	2	4	7	9	14
80-84	35	3.0	10	1	1	1	3	7	10	15
85 +	16	4.5	28	1	1	2	7	11	17	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	146	6.5	66	1	2	4	8	14	21	99 +
70-74	162	6.9	47	1	3	5	9	15	22	32
75-79	175	7.3	47	1	3	5	10	14	22	29
80-84	133	7.6	37	2	3	6	10	15	18	32
85 +	133	9.0	134	3	4	6	9	17	21	70
B. Operated										
65-69 YRS	863	8.4	102	1	2	6	11	18	25	58
70-74	852	9.1	99	1	3	7	12	19	27	60
75-79	695	10.3	144	1	3	7	12	23	31	73
80-84	412	10.9	134	2	4	8	13	25	33	65
85 +	267	11.7	111	2	5	9	15	23	30	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.4	19	1	1	3	5	12	15	17
B. Operated	330	3.3	12	1	1	2	4	8	10	17
2. MULTIPLE DX										
A. Not Operated	749	7.4	65	1	3	5	9	15	21	52
B. Operated	3089	9.7	117	1	3	7	12	21	30	64
1. SINGLE DX	363	3.4	12	1	1	2	4	8	10	17
2. MULTIPLE DX	3838	9.2	107	1	3	7	12	20	28	61
A. Not Operated	782	7.3	63	1	3	5	9	15	21	52
B. Operated	3419	9.0	110	1	2	6	11	20	28	61
TOTAL										
65-69 YRS	1124	7.7	91	1	2	5	10	17	23	58
70-74	1125	8.2	86	1	2	6	11	18	25	49
75-79	951	9.1	119	1	2	6	11	21	29	66
80-84	581	9.7	109	1	3	7	12	21	30	62
85 +	420	10.5	117	2	4	7	14	21	30	80
GRAND TOTAL	**4201**	**8.7**	**102**	**1**	**2**	**6**	**11**	**19**	**27**	**60**

957 Hospitals, United States, Geriatric, January-December 1989

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	115	6.1	8	3	4	6	7	10	11	16
70-74	88	6.8	8	3	5	6	8	11	12	14
75-79	56	6.9	7	3	5	7	8	10	12	13
80-84	49	6.7	12	3	4	6	8	11	15	20
85 +	31	7.7	14	3	5	7	10	12	16	19
B. Operated										
65-69 YRS	51	5.7	9	2	3	6	8	10	11	12
70-74	43	7.3	20	4	5	7	8	9	11	32
75-79	34	6.7	11	2	4	7	10	11	12	12
80-84	14	5.9	33	2	2	4	6	14	20	22
85 +	15	5.9	7	2	4	6	8	9	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	718	8.0	14	4	6	7	10	12	15	21
70-74	728	7.9	17	4	6	7	10	12	14	24
75-79	588	7.9	18	4	6	7	9	12	15	23
80-84	454	8.1	14	4	6	7	10	13	15	21
85 +	420	9.1	45	4	6	8	11	14	17	35
B. Operated										
65-69 YRS	405	9.5	54	3	6	8	11	16	21	51
70-74	372	9.6	62	4	6	8	11	16	22	40
75-79	315	10.4	71	4	6	8	12	18	24	51
80-84	249	11.1	101	4	7	9	13	20	34	99 +
85 +	189	11.2	80	5	6	9	13	18	29	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	339	6.6	9	3	5	6	8	10	12	16
B. Operated	157	6.4	14	2	4	6	8	10	11	21
2. MULTIPLE DX										
A. Not Operated	2908	8.1	20	4	6	7	10	13	15	23
B. Operated	1530	10.2	71	4	6	8	12	17	24	55
1. SINGLE DX	496	6.6	11	3	4	6	8	10	12	17
2. MULTIPLE DX	4438	[illegible]	39	4	6	8	10	14	18	35
A. Not Operated	3247	[illegible]	19	4	6	7	10	12	15	22
B. Operated	1687	9.8	67	3	6	8	11	17	23	54
TOTAL										
65-69 YRS	1289	8.2	27	4	5	7	10	13	16	28
70-74	1231	8.3	31	4	6	7	10	13	16	27
75-79	993	8.6	35	3	6	8	10	14	17	36
80-84	766	8.9	45	4	6	8	10	15	18	56
85 +	655	9.6	54	4	6	8	11	15	20	46
GRAND TOTAL	**4934**	**8.6**	**36**	**4**	**6**	**8**	**10**	**14**	**17**	**33**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	5.9	19	2	3	5	8	11	16	18
70-74	12	7.2	29	2	3	6	9	16	19	19
75-79	10	8.0	23	2	5	7	13	15	15	15
80-84	8	14.0	95	4	5	12	20	29	32	32
85 +	9	9.9	20	3	7	9	14	15	15	15
B. Operated										
65-69 YRS	103	3.5	39	1	1	2	3	6	12	39
70-74	68	5.0	53	1	1	2	5	14	20	38
75-79	34	5.4	67	1	1	2	6	14	23	41
80-84	20	8.5	69	1	2	5	13	21	27	28
85 +	13	10.3	103	1	2	6	20	26	28	28
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	118	9.6	73	3	5	8	11	15	27	47
70-74	144	9.4	43	3	5	7	13	20	22	33
75-79	169	10.5	54	4	6	9	14	22	28	87
80-84	169	12.1	206	3	5	8	13	24	40	84
85 +	196	10.3	75	3	5	8	12	23	29	55
B. Operated										
65-69 YRS	221	8.8	125	1	2	4	11	20	35	56
70-74	198	12.8	171	1	3	9	19	30	40	64
75-79	167	14.5	173	2	4	12	21	31	40	89
80-84	122	16.8	217	3	7	15	22	33	41	91
85 +	90	21.6	204	6	11	20	30	44	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	8.4	38	2	4	7	13	16	19	32
B. Operated	238	5.0	55	1	1	2	5	14	22	39
2. MULTIPLE DX										
A. Not Operated	796	10.4	93	3	5	8	12	21	28	73
B. Operated	798	13.7	184	2	3	10	20	31	42	73
1. SINGLE DX	292	5.6	54	1	1	3	7	15	22	37
2. MULTIPLE DX	1594	12.1	141	2	4	8	15	27	37	73
A. Not Operated	850	10.3	89	3	5	8	12	21	28	69
B. Operated	1036	11.7	168	1	2	7	17	29	39	65
TOTAL										
65-69 YRS	457	7.7	94	1	2	4	10	17	26	50
70-74	422	10.2	112	1	3	7	14	23	32	50
75-79	380	11.7	114	2	4	9	16	26	34	84
80-84	319	13.7	204	3	5	9	17	29	40	87
85 +	308	13.6	138	4	6	9	19	30	41	99 +
GRAND TOTAL	**1886**	**11.1**	**133**	**2**	**3**	**7**	**15**	**25**	**35**	**67**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	2.6	3	<1	1	2	3	5	7	7
70-74	4	1.5	1	<1	<1	1	2	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84	5	1.6		<1	1	2	2	2	2	2
85+	4	3.0	2	1	2	3	4	4	4	4
B. Operated										
65-69 YRS	62	2.3	2	1	1	2	3	4	5	8
70-74	20	1.8	1	<1	1	2	2	3	3	4
75-79	12	2.8	6	1	2	2	3	6	9	10
80-84	8	2.9	2	1	2	3	3	5	6	6
85+	4	3.0	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	71	4.3	10	1	2	3	6	8	11	15
70-74	82	3.4	5	1	2	3	4	7	7	14
75-79	76	5.0	24	1	2	4	6	9	16	81
80-84	78	5.1	18	1	2	4	7	10	12	25
85+	97	5.1	13	2	3	4	7	8	12	20
B. Operated										
65-69 YRS	565	3.3	9	1	2	3	4	6	8	15
70-74	424	3.8	11	1	2	3	4	7	11	19
75-79	241	4.7	26	1	2	3	5	9	13	26
80-84	143	5.0	14	1	3	4	6	10	13	17
85+	85	6.6	63	1	2	5	8	13	19	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.2	2	<1	1	2	3	4	5	7
B. Operated	106	2.3	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	404	4.6	14	1	2	4	6	8	11	24
B. Operated	1458	4.0	17	1	2	3	5	8	11	20
1. SINGLE DX	132	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1862	4.2	16	1	2	3	5	8	11	21
A. Not Operated	430	4.4	14	1	2	3	6	8	11	23
B. Operated	1564	3.9	16	1	2	3	4	8	10	20
TOTAL										
65-69 YRS	710	3.3	9	1	2	3	4	6	8	14
70-74	530	3.6	10	1	2	3	4	7	10	18
75-79	330	4.7	25	1	2	3	6	9	13	29
80-84	234	4.9	15	1	2	4	6	10	12	19
85+	190	5.7	36	2	3	4	7	11	15	31
GRAND TOTAL	**1994**	**4.0**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	135	6.5	10	2	5	7	9	10	12	15
70-74	107	6.1	11	2	4	6	8	10	12	15
75-79	76	6.8	15	2	4	7	9	11	12	23
80-84	58	6.1	15	1	4	6	8	10	13	20
85+	44	7.1	16	1	4	7	9	11	16	18
B. Operated										
65-69 YRS	61	6.2	9	2	5	7	8	9	10	17
70-74	60	6.1	15	1	3	6	8	11	14	18
75-79	34	7.5	43	2	3	6	9	16	22	31
80-84	28	8.5	25	2	6	8	10	17	19	21
85+	16	5.0	9	<1	2	5	7	8	11	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1591	6.8	26	2	4	6	8	11	14	28
70-74	1749	6.6	18	2	4	6	8	12	14	22
75-79	1744	6.8	27	2	4	6	9	12	14	25
80-84	1350	7.3	31	2	4	6	9	13	16	32
85+	1176	7.3	31	2	4	6	9	13	15	31
B. Operated										
65-69 YRS	831	9.6	53	3	5	8	12	18	23	39
70-74	819	10.1	78	3	6	8	11	19	25	63
75-79	755	10.8	67	4	6	9	13	19	26	45
80-84	525	10.9	77	4	6	9	13	21	25	55
85+	360	11.7	85	4	7	9	15	22	28	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	420	6.5	12	2	4	7	8	10	12	16
B. Operated	199	6.6	19	1	4	6	8	11	15	22
2. MULTIPLE DX										
A. Not Operated	7610	6.9	26	2	4	6	9	12	15	26
B. Operated	3290	10.4	70	3	6	8	12	19	25	52
1. SINGLE DX	619	6.5	14	2	4	7	8	11	13	19
2. MULTIPLE DX	10900	8.0	42	2	4	7	10	14	19	35
A. Not Operated	8030	6.9	26	2	4	6	9	12	15	26
B. Operated	3489	10.2	68	3	6	8	12	19	24	50
TOTAL										
65-69 YRS	2618	7.7	35	2	4	7	9	13	17	31
70-74	2735	7.6	38	2	4	7	9	13	18	31
75-79	2609	8.0	42	2	4	7	10	14	18	35
80-84	1961	8.2	46	2	4	7	10	15	20	37
85+	1596	8.3	46	2	4	7	10	14	20	38
GRAND TOTAL	**11519**	**7.9**	**41**	**2**	**4**	**7**	**10**	**14**	**18**	**34**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	4.1	15	1	1	3	5	9	14	16
70-74	8	3.1	5	1	1	3	5	6	7	7
75-79	7	2.7	2	<1	1	3	4	5	5	5
80-84	5	3.2	1	2	3	3	4	4	4	4
85+	8	5.3	10	2	3	4	7	10	11	11
B. Operated										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84	0									
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	271	5.4	17	2	3	4	7	10	12	23
70-74	269	5.7	15	2	3	5	7	10	13	21
75-79	231	4.9	9	2	3	4	6	8	11	16
80-84	199	6.1	23	2	4	5	7	11	13	22
85+	196	6.9	68	2	3	5	8	12	19	28
B. Operated										
65-69 YRS	50	8.2	60	1	3	6	11	19	21	39
70-74	44	7.6	31	2	3	5	12	16	19	20
75-79	44	11.0	108	1	4	9	13	22	35	52
80-84	12	9.8	51	1	5	9	12	20	25	26
85+	17	13.8	238	3	5	8	16	26	52	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	3.8	9	1	2	3	5	7	10	16
B. Operated	5	2.6	5	1	1	1	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	1166	5.7	25	2	3	5	7	10	13	24
B. Operated	167	9.4	84	1	4	7	13	19	25	50
1. SINGLE DX	51	3.7	9	1	1	3	5	7	10	16
2. MULTIPLE DX	1333	6.2	34	2	3	5	7	11	15	26
A. Not Operated	1212	5.7	24	2	3	5	7	10	13	23
B. Operated	172	9.3	83	1	3	7	12	19	25	50
TOTAL										
65-69 YRS	341	5.7	24	2	3	4	7	11	15	25
70-74	322	5.8	18	2	3	5	8	12	15	21
75-79	284	5.8	29	2	3	4	7	11	14	30
80-84	216	6.3	25	2	4	5	7	11	14	26
85+	221	7.4	82	2	3	5	8	14	20	39
GRAND TOTAL	**1384**	**6.1**	**33**	**2**	**3**	**5**	**7**	**11**	**15**	**26**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	47	4.3	18	2	2	3	5	8	10	28
70-74	51	5.0	10	2	3	4	7	8	11	18
75-79	43	5.2	5	3	3	5	7	8	9	11
80-84	34	4.9	8	2	3	5	6	8	11	13
85+	39	5.2	18	2	3	4	6	10	12	25
B. Operated										
65-69 YRS	2	7.5	5	6	6	7	9	9	9	9
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	2	5.0	2	4	4	5	6	6	6	6
85+	3	11.0	37	7	7	8	15	18	18	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4433	6.6	24	3	4	6	8	11	14	25
70-74	4746	6.9	25	3	4	6	8	12	15	25
75-79	4039	6.8	23	3	4	6	8	12	15	24
80-84	2815	7.1	33	3	4	6	8	12	15	26
85+	2348	7.4	37	3	4	6	9	13	16	31
B. Operated										
65-69 YRS	307	12.0	93	3	6	9	15	24	32	57
70-74	355	12.8	153	4	6	9	15	27	38	75
75-79	301	12.4	135	4	6	10	15	26	35	96
80-84	197	12.9	130	5	7	10	16	24	37	99+
85+	130	14.7	167	5	7	11	17	31	46	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	214	4.9	12	2	3	4	6	8	11	21
B. Operated	8	7.5	23	3	5	7	8	15	18	18
2. MULTIPLE DX										
A. Not Operated	18381	6.9	27	3	4	6	8	12	15	26
B. Operated	1290	12.8	132	4	6	10	15	26	36	92
1. SINGLE DX	222	5.0	12	2	3	4	6	8	11	20
2. MULTIPLE DX	19671	7.3	36	3	4	6	9	13	17	31
A. Not Operated	18595	6.9	27	3	4	6	8	12	15	26
B. Operated	1298	12.7	132	4	6	9	15	26	36	92
TOTAL										
65-69 YRS	4789	6.9	30	3	4	6	8	12	16	29
70-74	5153	7.3	36	3	4	6	9	13	17	30
75-79	4383	7.2	32	3	4	6	9	13	16	28
80-84	3048	7.5	41	3	4	6	9	13	17	33
85+	2520	7.7	46	3	4	6	9	13	17	41
GRAND TOTAL	**19893**	**7.3**	**36**	**3**	**4**	**6**	**9**	**13**	**17**	**31**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	15	1.1		< 1	1	1	1	1	3	3
70-74	8	1.0		< 1	1	1	1	1	1	1
75-79	5	1.0		1	1	1	1	1	1	1
80-84	2	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	116	1.4	1	1	1	1	2	2	3	8
70-74	60	1.3		1	1	1	1	2	2	5
75-79	32	2.4	8	1	1	1	2	5	11	12
80-84	10	1.4	1	< 1	1	1	1	3	4	4
85 +	5	1.8	2	1	1	1	2	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	30	1.1		< 1	1	1	1	1	1	3
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	223	1.5	2	1	1	1	2	2	3	10
1. SINGLE DX	30	1.1		< 1	1	1	1	1	1	3
2. MULTIPLE DX	224	1.5	2	1	1	1	2	2	3	10
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	253	1.5	2	1	1	1	2	2	3	9
TOTAL										
65-69 YRS	131	1.4	1	1	1	1	2	2	3	8
70-74	68	1.2		1	1	1	1	2	2	5
75-79	38	2.2	7	1	1	1	2	5	9	12
80-84	12	1.3	1	< 1	1	1	1	3	4	4
85 +	5	1.8	2	1	1	1	2	4	4	4
GRAND TOTAL	**254**	**1.5**	**2**	**1**	**1**	**1**	**2**	**2**	**3**	**9**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	13	1.3		< 1	< 1	1	1	2	3	3
70-74	4	1.0		< 1	< 1	< 1	1	1	1	1
75-79	2	2.0		2	2	2	2	2	2	2
80-84	3	1.0		< 1	< 1	1	1	1	1	1
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	78	1.7	2	1	1	1	2	3	4	8
70-74	46	1.6	2	1	1	1	2	2	4	9
75-79	26	1.7	2	1	1	1	2	4	4	5
80-84	13	1.5		< 1	1	1	2	2	3	3
85 +	3	5.7	52	1	1	2	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	23	1.3		< 1	< 1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	166	1.7	2	1	1	1	2	3	4	9
1. SINGLE DX	23	1.3		< 1	< 1	1	2	2	3	3
2. MULTIPLE DX	168	1.7	2	1	1	1	2	3	4	9
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	189	1.7	2	1	1	1	2	3	4	9
TOTAL										
65-69 YRS	93	1.7	1	1	1	1	2	3	4	7
70-74	50	1.5	2	1	1	1	2	2	4	9
75-79	28	1.7	1	1	1	1	2	4	4	5
80-84	16	1.4		< 1	1	1	2	2	3	3
85 +	4	4.8	38	1	1	2	8	14	14	14
GRAND TOTAL	**191**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**9**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
B. Operated										
65-69 YRS	3	1.0		1	1	1	1	1	1	1
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85+	0									
B. Operated										
65-69 YRS	7	2.3	5	1	1	1	3	6	7	7
70-74	6	1.2		1	1	1	1	2	2	2
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	3	1.0		<1	<1	<1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	8	1.1		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	20	1.8	2	<1	1	1	2	4	6	7
1. SINGLE DX	8	1.1		1	1	1	1	2	2	2
2. MULTIPLE DX	21	1.8	2	<1	1	1	2	4	6	7
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	28	1.6	2	1	1	1	2	3	5	7
TOTAL										
65-69 YRS	10	1.9	4	1	1	1	2	5	7	7
70-74	8	1.3		1	1	1	2	2	2	2
75-79	3	2.7	4	1	1	2	4	5	5	5
80-84	3	1.7		1	1	2	2	2	2	2
85+	5	1.0		<1	<1	1	1	1	1	1
GRAND TOTAL	**29**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**5**	**7**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	3.1	7	<1	1	2	4	7	9	10
70-74	8	3.5	7	2	2	3	3	8	10	10
75-79	7	2.0	1	<1	<1	2	3	4	4	4
80-84	3	3.3	4	1	2	4	5	5	5	5
85+	0									
B. Operated										
65-69 YRS	65	1.8	2	<1	1	1	2	3	6	8
70-74	42	1.2		1	1	1	1	2	2	4
75-79	38	1.4	1	<1	1	1	2	2	4	6
80-84	15	1.1		<1	1	1	1	2	2	2
85+	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	89	3.9	12	1	2	3	5	8	10	20
70-74	68	4.6	18	1	2	4	5	8	11	27
75-79	62	4.9	15	1	2	4	7	9	13	20
80-84	45	5.6	16	2	3	5	7	11	13	23
85+	32	7.5	27	2	4	6	10	15	17	22
B. Operated										
65-69 YRS	394	3.2	34	1	1	1	3	7	12	28
70-74	261	4.3	49	1	1	2	4	11	15	39
75-79	165	3.7	18	1	1	2	4	10	13	19
80-84	77	7.2	151	1	1	4	8	18	28	78
85+	35	5.3	38	1	1	3	8	16	26	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	3.0	6	<1	1	2	4	6	9	10
B. Operated	164	1.5	1	<1	1	1	2	2	4	7
2. MULTIPLE DX										
A. Not Operated	296	4.9	17	1	2	4	6	10	13	23
B. Operated	932	4.0	46	1	1	2	4	10	14	31
1. SINGLE DX	198	1.7	2	<1	1	1	2	3	5	9
2. MULTIPLE DX	1228	4.2	39	1	1	2	5	10	14	30
A. Not Operated	330	4.7	16	1	2	4	6	10	13	22
B. Operated	1096	3.6	40	1	1	2	4	9	13	30
TOTAL										
65-69 YRS	564	3.2	26	1	1	2	3	7	10	23
70-74	379	4.0	38	1	1	2	4	9	14	31
75-79	272	3.6	15	1	1	2	4	9	12	19
80-84	140	6.0	92	1	1	4	7	11	20	43
85+	71	6.1	33	1	2	4	9	15	18	84
GRAND TOTAL	**1426**	**3.9**	**35**	**1**	**1**	**2**	**4**	**9**	**13**	**28**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	80	5.0	7	2	3	4	6	9	10	15
70-74	89	6.0	15	3	4	5	7	10	14	23
75-79	84	6.4	25	3	4	5	7	11	15	31
80-84	70	7.1	59	3	4	6	8	11	13	55
85 +	63	5.8	11	2	3	6	8	10	11	20
B. Operated										
65-69 YRS	6	4.8	24	< 1	< 1	3	8	12	13	13
70-74	7	11.4	62	4	6	8	19	23	23	23
75-79	1	8.0		8	8	8	8	8	8	8
80-84	4	16.5	502	3	4	6	28	50	50	50
85 +	2	13.0	2	12	12	13	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2717	8.5	33	4	5	7	10	15	19	30
70-74	3243	8.9	42	4	5	7	11	15	20	35
75-79	3537	9.3	46	4	5	8	11	16	21	36
80-84	3101	10.0	55	4	6	8	12	18	23	40
85 +	3496	10.7	64	4	6	9	13	19	25	47
B. Operated										
65-69 YRS	570	18.0	202	6	9	14	22	39	54	99 +
70-74	614	18.4	192	7	10	14	23	39	52	99 +
75-79	650	19.0	201	7	10	15	23	37	52	99 +
80-84	512	19.5	176	7	11	16	25	38	48	99 +
85 +	516	20.5	221	8	11	16	26	40	52	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	386	6.0	23	2	4	5	7	10	13	20
B. Operated	20	10.5	124	1	4	7	13	22	36	50
2. MULTIPLE DX										
A. Not Operated	16094	9.5	49	4	5	8	11	17	22	39
B. Operated	2862	19.0	199	7	10	15	24	38	52	99 +
1. SINGLE DX	406	6.2	29	2	4	5	7	10	13	25
2. MULTIPLE DX	18956	10.9	83	4	6	8	13	20	28	56
A. Not Operated	16480	9.4	49	4	5	8	11	17	22	39
B. Operated	2882	19.0	199	7	10	15	24	38	52	99 +
TOTAL										
65-69 YRS	3373	10.0	74	4	5	8	12	19	25	52
70-74	3953	10.3	76	4	5	8	12	19	26	54
75-79	4272	10.7	81	4	5	8	13	20	27	54
80-84	3687	11.2	83	4	6	9	14	21	29	55
85 +	4077	11.8	94	4	6	9	14	22	30	60
GRAND TOTAL	**19362**	**10.8**	**83**	**4**	**6**	**8**	**13**	**20**	**27**	**55**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	253	5.4	7	2	4	5	7	8	10	14
70-74	286	5.6	10	2	4	5	7	9	11	17
75-79	265	6.2	22	3	3	5	7	10	15	27
80-84	222	6.4	23	3	3	5	8	11	14	29
85 +	296	6.7	15	3	4	6	8	12	14	21
B. Operated										
65-69 YRS	9	10.2	44	3	6	9	14	20	24	24
70-74	10	8.6	24	3	5	8	11	16	19	19
75-79	9	10.9	44	5	7	9	12	23	25	25
80-84	8	16.4	64	7	9	15	22	28	29	29
85 +	16	14.1	46	6	9	14	16	25	28	30
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5715	7.5	25	3	4	6	9	13	16	25
70-74	7025	7.8	33	3	5	7	9	13	17	29
75-79	7853	8.4	38	3	5	7	10	14	18	35
80-84	7389	8.8	44	4	5	7	11	15	19	36
85 +	9613	9.5	53	4	5	8	11	16	21	43
B. Operated										
65-69 YRS	885	14.3	120	5	8	11	18	26	35	67
70-74	998	14.2	127	5	8	11	17	27	39	80
75-79	1052	15.6	135	6	9	12	19	29	40	77
80-84	849	17.0	158	7	9	13	21	34	45	99 +
85 +	905	17.4	175	6	9	14	21	34	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1322	6.1	15	3	4	5	7	10	13	21
B. Operated	52	12.2	48	5	7	10	16	24	25	30
2. MULTIPLE DX										
A. Not Operated	37595	8.5	41	3	5	7	10	15	19	34
B. Operated	4689	15.7	144	6	8	12	19	30	40	88
1. SINGLE DX	1374	6.3	18	3	4	5	8	11	14	23
2. MULTIPLE DX	42284	9.3	57	4	5	7	11	16	22	44
A. Not Operated	38917	8.4	40	3	5	7	10	14	18	34
B. Operated	4741	15.6	143	6	8	12	19	29	40	88
TOTAL										
65-69 YRS	6862	8.3	42	3	5	7	10	15	19	34
70-74	8319	8.5	48	3	5	7	10	15	20	40
75-79	9179	9.2	54	4	5	7	11	16	22	43
80-84	8468	9.5	61	4	5	8	11	17	23	45
85 +	10830	10.1	67	4	6	8	12	18	23	51
GRAND TOTAL	**43658**	**9.2**	**56**	**4**	**5**	**7**	**11**	**16**	**22**	**43**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	3.1	3	1	2	3	4	6	7	7
70-74	15	4.1	7	2	2	4	5	9	10	11
75-79	13	4.0	3	2	3	3	5	7	7	7
80-84	17	3.6	6	1	2	4	4	5	9	11
85 +	9	3.9	2	2	3	4	5	6	6	6
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	268	5.2	12	2	3	4	6	10	12	18
70-74	306	5.6	16	2	3	5	7	9	11	24
75-79	336	5.6	13	2	3	5	7	10	13	18
80-84	300	5.9	17	2	3	5	7	11	14	20
85 +	300	6.6	37	2	4	5	8	11	15	28
B. Operated										
65-69 YRS	18	14.1	269	2	5	7	17	44	56	59
70-74	11	7.2	14	2	4	7	9	13	13	13
75-79	17	12.4	89	3	5	13	17	20	33	40
80-84	11	10.7	58	4	5	8	13	23	28	29
85 +	13	12.6	135	4	6	8	20	27	41	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	3.7	4	2	2	3	5	6	8	11
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1510	5.8	19	2	3	5	7	10	14	22
B. Operated	70	11.8	126	3	5	8	15	22	40	57
1. SINGLE DX	66	3.7	4	2	2	3	5	6	8	11
2. MULTIPLE DX	1580	6.0	26	2	3	5	7	11	14	25
A. Not Operated	1576	5.7	19	2	3	5	7	10	13	22
B. Operated	70	11.8	126	3	5	8	15	22	40	57
TOTAL										
65-69 YRS	298	5.6	31	2	3	4	6	10	13	26
70-74	332	5.6	16	2	3	5	7	9	11	22
75-79	366	5.8	18	2	3	5	7	11	14	21
80-84	328	5.9	19	2	3	5	7	11	14	21
85 +	322	6.8	42	2	4	5	8	11	17	33
GRAND TOTAL	**1646**	**5.9**	**25**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	65	4.8	8	2	3	4	6	8	11	14
70-74	56	4.5	6	2	2	4	7	8	9	11
75-79	33	5.5	14	2	3	5	7	9	13	18
80-84	28	5.7	9	3	3	5	7	10	12	13
85 +	15	4.5	18	1	2	3	4	13	15	16
B. Operated										
65-69 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	5	1.4	1	< 1	< 1	< 1	1	3	3	3
75-79	4	7.3	98	< 1	1	3	13	22	22	22
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	698	6.7	36	2	4	5	8	12	16	30
70-74	690	6.7	30	2	4	5	8	12	15	31
75-79	661	7.2	37	2	4	6	9	14	18	30
80-84	435	7.0	46	3	4	5	8	11	16	38
85 +	344	6.8	37	3	4	6	8	11	14	41
B. Operated										
65-69 YRS	79	11.6	116	3	5	9	15	19	29	61
70-74	97	10.3	69	2	4	9	14	19	27	42
75-79	81	12.5	106	3	6	9	17	22	32	54
80-84	45	12.4	132	2	5	9	18	22	35	55
85 +	25	15.6	292	4	5	8	19	39	50	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	197	4.9	9	2	3	4	7	9	11	16
B. Operated	12	3.3	36	< 1	< 1	< 1	2	9	20	22
2. MULTIPLE DX										
A. Not Operated	2828	6.9	36	2	4	5	8	12	16	31
B. Operated	327	11.9	115	3	5	9	16	22	33	57
1. SINGLE DX	209	4.9	11	2	3	4	7	9	11	17
2. MULTIPLE DX	3155	7.4	47	2	4	6	9	14	18	40
A. Not Operated	3025	6.8	35	2	4	5	8	12	16	30
B. Operated	339	11.6	115	2	4	9	16	22	33	56
TOTAL										
65-69 YRS	845	7.0	44	2	3	5	8	13	17	34
70-74	848	6.9	34	2	3	6	8	13	16	33
75-79	779	7.7	46	2	4	6	9	16	20	37
80-84	508	7.4	54	3	4	6	9	13	18	40
85 +	384	7.3	57	3	4	6	8	12	18	41
GRAND TOTAL	**3364**	**7.2**	**45**	**2**	**4**	**6**	**9**	**13**	**18**	**39**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	54	5.9	11	2	3	5	8	10	12	17
70-74	37	5.6	5	3	4	5	7	9	9	10
75-79	45	7.0	41	2	4	6	8	11	17	37
80-84	9	5.4	7	2	3	6	7	9	9	9
85 +	4	8.5	153	1	2	3	15	27	27	27
B. Operated										
65-69 YRS	2	10.0	50	5	5	10	15	15	15	15
70-74	2	11.0	72	5	5	11	17	17	17	17
75-79	3	4.3	5	3	3	3	6	7	7	7
80-84	1	8.0		8	8	8	8	8	8	8
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	626	8.1	49	3	4	6	10	15	19	36
70-74	639	7.9	47	3	4	6	10	14	18	31
75-79	482	7.9	37	3	4	6	10	15	19	37
80-84	210	7.9	49	3	4	6	9	15	18	32
85 +	117	7.8	44	2	4	6	10	14	16	67
B. Operated										
65-69 YRS	65	16.4	200	5	8	12	19	29	58	73
70-74	57	18.1	296	5	8	12	23	42	98	99 +
75-79	52	16.9	308	4	6	11	22	43	64	99 +
80-84	23	16.5	327	4	6	10	18	60	61	61
85 +	13	17.0	148	5	9	12	24	31	46	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	149	6.2	21	2	3	5	8	10	12	28
B. Operated	8	7.9	28	3	4	6	11	16	17	17
2. MULTIPLE DX										
A. Not Operated	2074	8.0	45	3	4	6	10	14	19	35
B. Operated	210	17.0	259	5	7	12	21	40	60	99 +
1. SINGLE DX	157	6.3	22	2	3	5	8	10	12	28
2. MULTIPLE DX	2284	8.8	72	3	4	7	10	16	22	53
A. Not Operated	2223	7.8	44	3	4	6	10	14	18	35
B. Operated	218	16.7	254	5	7	12	21	40	60	99 +
TOTAL										
65-69 YRS	747	8.7	65	3	4	7	10	16	20	47
70-74	735	8.6	72	3	4	7	10	15	22	47
75-79	582	8.6	68	3	4	6	10	16	22	48
80-84	243	8.6	79	3	4	6	10	16	21	60
85 +	134	8.8	62	2	4	6	11	15	25	58
GRAND TOTAL	**2441**	**8.6**	**69**	**3**	**4**	**7**	**10**	**16**	**21**	**50**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	432	4.4	8	2	3	4	5	8	10	14
70-74	294	5.0	9	2	3	4	7	9	10	16
75-79	199	4.5	9	2	3	4	6	8	9	16
80-84	127	4.8	8	2	3	4	7	9	10	12
85 +	71	4.9	11	2	2	4	7	9	11	17
B. Operated										
65-69 YRS	2	4.0		4	4	4	4	4	4	4
70-74	3	7.7	30	4	4	5	12	14	14	14
75-79	4	13.3	64	6	6	12	20	22	22	22
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3451	6.3	19	2	4	5	8	11	14	22
70-74	3151	6.5	20	3	4	5	8	11	15	23
75-79	2282	6.8	22	3	4	6	8	12	15	24
80-84	1425	7.1	22	3	4	6	9	13	15	23
85 +	911	7.7	38	3	4	6	9	14	18	35
B. Operated										
65-69 YRS	201	13.4	162	4	6	9	16	30	41	94
70-74	169	14.4	160	5	7	11	17	29	50	99 +
75-79	133	13.4	103	5	7	11	17	28	38	99 +
80-84	68	14.8	122	5	7	12	18	30	41	92
85 +	34	19.1	189	6	8	14	26	36	50	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1123	4.7	9	2	3	4	6	8	10	15
B. Operated	10	8.8	45	4	4	5	14	20	22	22
2. MULTIPLE DX										
A. Not Operated	11220	6.7	22	3	4	6	8	12	15	24
B. Operated	605	14.2	146	5	7	10	17	30	45	99 +
1. SINGLE DX	1133	4.7	9	2	3	4	6	9	10	16
2. MULTIPLE DX	11825	7.0	31	3	4	6	9	13	16	30
A. Not Operated	12343	6.5	21	2	4	5	8	12	14	24
B. Operated	615	14.1	145	5	7	10	17	30	45	99 +
TOTAL										
65-69 YRS	4086	6.4	28	2	3	5	8	11	15	27
70-74	3617	6.7	29	2	4	5	8	12	15	27
75-79	2618	7.0	28	3	4	6	8	12	16	29
80-84	1621	7.3	28	3	4	6	9	13	16	27
85 +	1016	7.9	46	3	4	6	9	14	19	37
GRAND TOTAL	**12958**	**6.8**	**30**	**2**	**4**	**6**	**8**	**12**	**16**	**29**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	247	4.8	13	2	3	4	6	8	11	19
70-74	178	5.2	11	2	3	5	6	9	12	17
75-79	142	5.1	20	2	3	4	6	9	11	31
80-84	75	4.7	9	2	3	4	6	9	10	15
85 +	22	4.7	6	2	3	4	6	8	9	11
B. Operated										
65-69 YRS	3	6.3	1	5	5	7	7	7	7	7
70-74	3	7.0	1	6	6	7	8	8	8	8
75-79	4	5.8	17	2	2	5	9	11	11	11
80-84	0									
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2043	7.0	37	3	4	6	8	12	17	34
70-74	2166	7.0	44	2	4	6	8	12	17	46
75-79	1697	6.8	30	2	4	5	8	13	16	30
80-84	1033	7.0	34	3	4	6	8	12	17	31
85 +	491	8.1	69	3	4	6	10	16	20	56
B. Operated										
65-69 YRS	186	12.9	160	3	6	9	16	26	44	96
70-74	198	13.5	166	3	6	10	16	29	50	99 +
75-79	170	13.9	199	4	6	10	18	28	43	99 +
80-84	83	12.7	96	4	7	10	16	26	35	86
85 +	28	14.6	157	5	7	13	20	32	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	664	5.0	13	2	3	4	6	9	11	19
B. Operated	11	6.4	6	3	5	7	7	9	11	11
2. MULTIPLE DX										
A. Not Operated	7430	7.0	39	2	4	6	8	13	17	34
B. Operated	665	13.4	163	3	6	10	16	28	45	99 +
1. SINGLE DX	675	5.0	13	2	3	4	6	9	11	18
2. MULTIPLE DX	8095	7.6	52	3	4	6	9	14	19	49
A. Not Operated	8094	6.9	37	2	4	5	8	12	17	33
B. Operated	676	13.3	161	3	6	10	16	28	44	99 +
TOTAL										
65-69 YRS	2479	7.2	47	2	4	6	9	13	18	39
70-74	2545	7.4	55	2	4	6	9	14	19	54
75-79	2013	7.3	48	2	4	6	9	14	19	45
80-84	1191	7.3	39	2	4	6	9	13	17	35
85 +	542	8.3	73	3	4	6	10	16	21	68
GRAND TOTAL	8770	7.4	50	2	4	6	9	14	18	45

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	3.0	8	1	1	2	5	7	7	7
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	17	7.1	19	2	4	6	8	14	17	18
70-74	11	5.7	9	3	4	5	8	10	12	12
75-79	13	5.3	8	2	3	6	6	10	12	12
80-84	8	5.5	10	2	3	5	7	10	11	11
85 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	37	5.2	12	2	2	4	7	11	12	15
70-74	37	6.1	25	1	2	5	7	15	18	19
75-79	38	5.9	25	1	3	5	7	11	12	30
80-84	32	6.2	23	2	3	5	8	11	12	27
85 +	22	9.2	41	3	4	7	13	19	23	25
B. Operated										
65-69 YRS	244	10.7	73	3	5	8	15	22	27	69
70-74	249	10.9	100	3	5	8	14	23	31	43
75-79	195	11.6	108	4	5	8	14	28	37	55
80-84	112	12.0	134	4	6	8	14	24	31	67
85 +	69	10.0	139	3	4	7	10	21	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.3	3	1	1	2	3	5	7	7
B. Operated	50	6.0	12	2	4	5	8	11	12	18
2. MULTIPLE DX										
A. Not Operated	166	6.3	25	2	3	5	8	12	16	27
B. Operated	869	11.1	101	3	5	8	14	24	32	67
1. SINGLE DX	61	5.3	12	2	3	5	7	10	12	18
2. MULTIPLE DX	1035	10.3	92	3	4	7	13	22	30	56
A. Not Operated	177	6.0	24	1	3	5	8	12	16	26
B. Operated	919	10.8	98	3	5	8	13	23	31	64
TOTAL										
65-69 YRS	302	9.7	66	3	4	8	13	19	25	53
70-74	299	10.1	90	2	4	7	13	22	28	41
75-79	249	10.3	95	3	4	7	12	24	33	55
80-84	153	10.4	111	3	5	7	12	22	28	62
85 +	93	9.6	113	3	4	7	11	18	30	99 +
GRAND TOTAL	1096	10.0	89	3	4	7	12	21	29	55

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	10.0	33	5	7	8	12	19	23	24
70-74	14	9.0	81	2	5	6	10	15	33	38
75-79	12	9.0	22	3	6	9	12	16	17	17
80-84	6	7.2	29	1	3	7	9	15	16	16
85 +	6	6.5	10	1	6	7	7	11	11	11
B. Operated										
65-69 YRS	2	12.0	8	10	10	12	14	14	14	14
70-74	0									
75-79	0									
80-84	0									
85 +	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2481	9.2	56	3	5	7	11	16	22	43
70-74	2390	9.5	62	3	5	8	11	18	23	40
75-79	1916	9.7	64	3	5	8	12	18	23	41
80-84	1102	9.8	54	3	5	8	12	18	24	41
85 +	746	10.4	74	3	5	8	13	19	29	43
B. Operated										
65-69 YRS	543	20.8	318	6	9	15	29	55	79	99 +
70-74	509	23.2	379	7	10	17	31	56	83	99 +
75-79	357	22.0	332	6	10	17	30	60	94	99 +
80-84	222	21.1	311	7	10	15	27	52	71	99 +
85 +	113	21.4	238	8	11	17	35	55	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	8.7	39	2	5	8	11	15	17	38
B. Operated	3	13.0	7	10	11	14	15	15	15	15
2. MULTIPLE DX										
A. Not Operated	8635	9.6	61	3	5	8	12	18	23	41
B. Operated	1744	21.8	333	6	10	16	29	56	83	99 +
1. SINGLE DX	53	9.0	38	3	6	8	11	15	17	38
2. MULTIPLE DX	10379	11.6	127	3	5	8	14	23	35	84
A. Not Operated	8685	9.6	61	3	5	8	12	18	23	41
B. Operated	1747	21.8	332	6	10	16	29	56	83	99 +
TOTAL										
65-69 YRS	3038	11.3	122	3	5	8	13	22	35	85
70-74	2913	11.9	144	4	5	8	14	24	35	84
75-79	2285	11.6	126	3	5	8	14	23	33	87
80-84	1330	11.7	114	3	6	9	14	23	32	72
85 +	866	11.8	108	3	6	9	15	25	36	95
GRAND TOTAL	**10432**	**11.6**	**127**	**3**	**5**	**8**	**14**	**23**	**34**	**84**

196: Other lung and pleural diseases (500-511.9; 513-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	45	5.6	25	1	2	4	7	13	17	23
70-74	48	5.6	37	1	2	4	7	11	14	35
75-79	39	5.5	17	1	2	4	8	11	15	16
80-84	33	7.0	54	1	3	4	9	15	20	38
85 +	37	6.8	37	1	3	5	9	13	19	31
B. Operated										
65-69 YRS	67	6.2	102	1	1	4	7	12	16	70
70-74	49	4.9	16	< 1	2	4	7	10	14	17
75-79	35	7.7	59	1	3	6	10	14	27	37
80-84	13	10.1	207	< 1	1	7	12	25	48	54
85 +	12	10.4	81	1	4	8	13	27	29	29
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1811	6.9	32	2	3	5	9	13	17	27
70-74	1991	7.7	48	2	4	6	9	15	18	34
75-79	2083	8.4	53	3	4	6	10	16	21	39
80-84	1849	8.9	56	3	4	7	11	16	22	43
85 +	2095	9.6	57	3	5	8	12	17	23	42
B. Operated										
65-69 YRS	1144	13.2	140	3	6	10	17	29	40	98
70-74	1043	14.1	149	3	6	11	18	30	42	77
75-79	914	15.3	182	4	7	12	20	32	44	90
80-84	701	15.6	170	4	7	12	19	33	43	86
85 +	651	16.2	148	5	8	14	20	32	40	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202	6.0	33	1	2	4	8	12	16	33
B. Operated	176	6.7	77	1	2	5	8	14	17	50
2. MULTIPLE DX										
A. Not Operated	9829	8.3	51	3	4	7	10	16	20	38
B. Operated	4453	14.6	158	4	7	11	19	31	42	84
1. SINGLE DX	378	6.3	53	1	2	4	8	13	17	36
2. MULTIPLE DX	14282	10.3	93	3	5	8	13	21	28	58
A. Not Operated	10031	8.3	50	3	4	7	10	16	20	38
B. Operated	4629	14.3	157	3	6	11	19	30	41	82
TOTAL										
65-69 YRS	3067	9.2	83	2	4	6	11	19	27	58
70-74	3131	9.7	91	2	4	7	12	20	28	53
75-79	3071	10.4	101	3	4	7	13	21	29	60
80-84	2596	10.7	96	3	5	8	13	21	30	61
85 +	2795	11.1	86	3	5	8	14	21	28	51
GRAND TOTAL	**14660**	**10.2**	**92**	**3**	**4**	**7**	**13**	**20**	**28**	**57**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.7	1	1	1	1	3	3	3	3
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	25	1.6	1	1	1	1	2	3	3	4
70-74	16	1.4		1	1	1	2	2	3	3
75-79	15	1.7	1	< 1	1	1	3	4	4	4
80-84	6	2.2	4	< 1	< 1	1	3	6	6	6
85 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	24	4.6	7	2	3	4	6	7	10	13
70-74	13	7.7	69	2	3	5	10	18	29	32
75-79	22	5.8	55	1	2	3	7	17	23	31
80-84	16	3.4	4	1	2	3	4	7	8	8
85 +	9	6.7	10	3	5	6	8	12	12	12
B. Operated										
65-69 YRS	132	3.5	15	1	1	2	4	8	11	19
70-74	110	3.7	37	1	1	2	4	7	10	38
75-79	75	3.0	10	1	1	2	3	7	9	19
80-84	55	4.4	36	1	1	2	5	10	16	29
85 +	48	3.5	15	1	1	2	5	8	12	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.5	2	1	1	2	4	4	4	4
B. Operated	65	1.6	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	84	5.4	29	1	2	4	6	12	15	32
B. Operated	420	3.6	23	1	1	2	4	8	11	27
1. SINGLE DX	71	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	504	3.9	24	1	1	2	5	8	12	28
A. Not Operated	90	5.2	28	1	2	4	6	11	14	32
B. Operated	485	3.3	20	1	1	2	3	8	10	24
TOTAL										
65-69 YRS	184	3.3	12	1	1	2	4	7	10	16
70-74	140	3.8	37	1	1	2	4	8	12	34
75-79	113	3.4	19	1	1	2	3	8	10	25
80-84	78	4.0	27	1	1	2	4	8	14	29
85 +	60	3.9	15	1	1	2	6	9	12	18
GRAND TOTAL	**575**	**3.6**	**22**	**1**	**1**	**2**	**4**	**8**	**11**	**27**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	5.2	10	1	3	4	8	9	10	10
70-74	13	3.2	2	2	2	3	4	5	5	5
75-79	7	4.1	10	< 1	1	3	6	9	10	10
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	4	5.3	8	2	3	5	7	8	8	8
B. Operated										
65-69 YRS	51	1.9	2	1	1	2	2	3	4	8
70-74	34	2.0	3	< 1	1	1	3	4	6	7
75-79	21	1.4	1	< 1	1	1	2	3	3	4
80-84	11	2.0	1	1	1	2	3	3	3	3
85 +	9	3.3	35	1	1	1	2	13	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	64	6.3	13	3	4	5	8	10	14	19
70-74	78	6.2	19	2	3	5	8	12	16	20
75-79	69	6.8	18	2	4	6	10	12	14	23
80-84	50	6.9	19	3	4	6	9	11	16	22
85 +	84	7.9	49	3	5	7	9	12	19	47
B. Operated										
65-69 YRS	127	4.6	72	1	1	2	5	9	13	48
70-74	104	4.4	36	1	1	2	5	10	13	32
75-79	82	5.7	34	1	2	3	7	14	19	26
80-84	65	6.6	52	1	2	4	9	13	20	39
85 +	42	10.3	112	2	2	6	15	27	36	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	4.1	7	1	2	3	6	8	9	10
B. Operated	126	2.0	4	1	1	1	2	3	4	11
2. MULTIPLE DX										
A. Not Operated	345	6.9	25	3	4	6	9	12	15	22
B. Operated	420	5.6	59	1	2	3	7	13	20	37
1. SINGLE DX	163	2.5	5	1	1	2	3	5	7	10
2. MULTIPLE DX	765	6.2	44	1	2	4	8	12	17	33
A. Not Operated	382	6.6	24	2	4	5	8	11	15	22
B. Operated	546	4.8	49	1	1	2	5	11	17	35
TOTAL										
65-69 YRS	253	4.5	42	1	1	3	6	9	11	23
70-74	229	4.6	25	1	1	3	6	10	12	30
75-79	179	5.5	25	1	2	4	7	13	14	25
80-84	128	6.3	36	1	2	5	8	12	18	33
85 +	139	8.3	68	2	3	6	9	17	23	42
GRAND TOTAL	**928**	**5.5**	**39**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	45	2.2	2	1	1	2	3	4	5	6
70-74	40	2.4	3	< 1	1	2	3	4	6	9
75-79	24	2.1	2	< 1	1	2	3	4	5	5
80-84	11	3.0	4	1	2	2	4	6	7	7
85 +	6	3.7	6	1	2	3	5	8	8	8
B. Operated										
65-69 YRS	47	3.3	5	< 1	2	3	5	7	8	8
70-74	44	2.9	8	< 1	< 1	2	4	5	7	17
75-79	29	2.3	2	< 1	1	2	3	5	6	6
80-84	16	2.9	4	< 1	1	2	4	6	7	8
85 +	12	3.2	6	< 1	1	2	5	6	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	962	4.0	9	1	2	3	5	7	9	15
70-74	918	4.6	18	2	2	4	6	8	11	20
75-79	802	4.9	25	2	2	4	6	9	12	23
80-84	621	5.3	22	2	3	4	7	10	13	27
85 +	514	5.7	33	2	3	4	7	11	15	39
B. Operated										
65-69 YRS	768	7.4	63	2	3	5	9	14	19	48
70-74	684	7.7	68	2	3	6	9	15	21	51
75-79	686	8.6	79	2	4	6	10	19	25	52
80-84	474	8.5	77	2	4	6	10	17	23	52
85 +	451	8.8	77	2	4	6	11	18	24	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	2.4	2	< 1	1	2	3	4	6	8
B. Operated	148	2.9	5	< 1	1	2	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	3817	4.8	20	2	2	4	6	9	12	21
B. Operated	3063	8.1	72	2	4	6	10	16	23	53
1. SINGLE DX	274	2.7	4	< 1	1	2	3	5	6	9
2. MULTIPLE DX	6880	6.3	46	2	3	4	7	12	17	37
A. Not Operated	3943	4.7	20	1	2	4	6	9	11	21
B. Operated	3211	7.9	70	2	3	6	9	16	22	52
TOTAL										
65-69 YRS	1822	5.4	35	1	2	4	6	10	14	27
70-74	1686	5.8	41	2	2	4	7	11	15	34
75-79	1541	6.5	52	2	3	4	8	13	19	36
80-84	1122	6.6	47	2	3	5	8	12	18	38
85 +	983	7.1	55	2	3	5	8	14	20	48
GRAND TOTAL	**7154**	**6.1**	**45**	**2**	**3**	**4**	**7**	**12**	**17**	**37**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	3.1	2	2	2	2	4	5	5	5
70-74	13	3.3	6	1	2	3	4	6	9	10
75-79	7	2.3	1	1	1	3	3	3	3	3
80-84	8	3.1	2	1	2	3	4	5	5	5
85 +	3	5.7	2	4	4	6	7	7	7	7
B. Operated										
65-69 YRS	14	3.3	9	< 1	< 1	1	6	8	9	9
70-74	13	3.8	11	< 1	< 1	3	6	8	10	11
75-79	8	3.9	10	< 1	1	3	4	9	11	11
80-84	5	6.4	22	< 1	2	7	9	13	13	13
85 +	3	6.3	33	3	3	3	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	165	5.1	14	2	3	4	6	8	11	26
70-74	168	5.0	8	2	3	4	7	9	11	14
75-79	174	5.4	14	2	3	4	7	9	12	22
80-84	141	6.5	31	2	4	5	8	12	15	26
85 +	128	7.3	34	3	4	6	9	13	17	35
B. Operated										
65-69 YRS	214	8.3	72	3	4	6	9	16	22	49
70-74	213	7.6	39	2	4	6	9	14	21	32
75-79	181	7.7	40	3	4	6	9	15	22	31
80-84	147	8.2	44	3	4	6	10	17	21	28
85 +	99	9.3	45	3	5	7	12	17	19	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.2	3	1	2	3	4	5	6	10
B. Operated	43	4.1	13	< 1	< 1	3	7	9	12	13
2. MULTIPLE DX										
A. Not Operated	776	5.8	20	2	3	5	7	10	13	23
B. Operated	854	8.1	49	3	4	6	10	15	21	42
1. SINGLE DX	85	3.7	8	< 1	1	3	5	7	10	13
2. MULTIPLE DX	1630	7.0	36	2	4	5	8	13	17	32
A. Not Operated	818	5.6	19	2	3	5	7	10	13	23
B. Operated	897	7.9	48	2	4	6	10	15	21	40
TOTAL										
65-69 YRS	404	6.7	47	2	3	5	7	12	17	42
70-74	407	6.3	26	2	3	5	8	11	15	27
75-79	370	6.4	28	2	3	5	8	11	15	27
80-84	301	7.2	37	2	4	5	9	14	19	26
85 +	233	8.1	39	3	4	6	11	15	18	38
GRAND TOTAL	**1715**	**6.8**	**36**	**2**	**3**	**5**	**8**	**13**	**17**	**31**

957 Hospitals, United States, Geriatric, January-December 1989

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.01; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	32	4.0	6	2	2	3	5	7	9	11
70-74	16	3.8	5	1	2	3	5	7	8	9
75-79	27	4.2	4	2	3	4	6	7	8	8
80-84	17	3.8	3	2	3	3	5	6	7	8
85 +	14	5.6	5	2	5	5	7	9	9	9
B. Operated										
65-69 YRS	29	5.1	11	2	3	4	7	10	12	15
70-74	21	6.3	17	2	3	5	8	13	14	15
75-79	20	5.2	21	1	2	4	7	11	15	19
80-84	10	8.3	18	3	6	7	11	14	17	17
85 +	16	5.6	11	3	3	5	7	9	14	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	663	5.1	14	2	3	4	6	9	11	19
70-74	708	5.6	18	2	3	5	7	9	12	23
75-79	664	6.1	25	3	3	5	7	11	14	24
80-84	575	6.2	16	3	4	5	8	11	14	25
85 +	511	7.4	57	3	4	5	8	15	19	75
B. Operated										
65-69 YRS	725	9.0	76	3	4	6	11	18	25	61
70-74	848	10.0	98	3	4	7	11	21	28	50
75-79	897	9.9	91	3	5	7	11	20	29	59
80-84	667	9.9	92	3	5	7	11	20	25	61
85 +	635	10.6	80	3	5	8	13	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	4.2	5	2	3	4	5	7	8	10
B. Operated	96	5.8	16	2	3	5	7	12	14	18
2. MULTIPLE DX										
A. Not Operated	3121	6.0	25	2	3	5	7	10	14	26
B. Operated	3772	9.9	88	3	5	7	12	20	27	57
1. SINGLE DX	202	5.0	10	2	3	4	6	9	12	16
2. MULTIPLE DX	6893	8.1	63	3	4	6	9	16	22	46
A. Not Operated	3227	5.9	24	2	3	5	7	10	14	26
B. Operated	3868	9.8	87	3	5	7	11	20	27	53
TOTAL										
65-69 YRS	1449	7.0	48	2	3	5	8	14	19	43
70-74	1593	7.9	66	3	4	6	9	15	23	45
75-79	1608	8.2	65	3	4	6	9	15	23	45
80-84	1269	8.1	59	3	4	6	9	16	21	49
85 +	1176	9.1	71	3	4	7	10	18	25	51
GRAND TOTAL	**7095**	**8.0**	**62**	**3**	**4**	**6**	**9**	**16**	**22**	**45**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	33	3.3	3	1	2	3	5	6	6	6
70-74	20	3.5	4	2	2	3	5	6	8	10
75-79	19	3.0	4	< 1	1	3	4	5	7	9
80-84	4	3.8	5	2	2	3	5	7	7	7
85 +	8	4.9	8	2	3	4	6	9	10	10
B. Operated										
65-69 YRS	3	6.7	44	< 1	1	5	12	14	14	14
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	5.0	2	4	4	5	6	6	6	6
85 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	348	4.4	9	2	3	4	6	7	9	18
70-74	307	5.1	11	2	3	4	6	9	12	17
75-79	290	5.2	13	2	3	4	7	9	12	21
80-84	237	5.9	[illegible]	2	3	5	7	10	16	27
85 +	173	6.7	27	2	3	5	8	14	17	25
B. Operated										
65-69 YRS	112	7.3	35	3	4	5	9	14	16	35
70-74	107	7.8	30	2	4	7	9	15	20	29
75-79	107	9.7	80	3	5	7	11	19	24	51
80-84	79	10.9	74	4	5	8	14	22	32	43
85 +	49	11.8	211	3	5	7	11	23	51	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	3.4	4	1	2	3	5	6	7	10
B. Operated	8	6.4	17	1	3	5	9	13	14	14
2. MULTIPLE DX										
A. Not Operated	1355	5.3	16	2	3	4	6	9	13	21
B. Operated	454	9.1	72	3	4	7	10	17	23	46
1. SINGLE DX	92	3.7	6	1	2	3	5	6	9	12
2. MULTIPLE DX	1809	6.3	32	2	3	5	7	11	15	28
A. Not Operated	1439	5.2	15	2	3	4	6	9	12	21
B. Operated	462	9.0	71	3	4	7	10	16	23	46
TOTAL										
65-69 YRS	496	5.0	16	2	3	4	6	9	12	21
70-74	435	5.7	17	2	3	5	7	10	14	21
75-79	417	6.3	34	2	3	5	8	11	15	30
80-84	322	7.1	39	2	3	5	8	14	20	34
85 +	231	7.7	69	2	3	6	9	14	19	51
GRAND TOTAL	**1901**	**6.1**	**31**	**2**	**3**	**5**	**7**	**11**	**15**	**28**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	53	3.4	3	2	2	3	4	5	7	9
70-74	53	4.1	6	2	3	3	5	6	10	14
75-79	31	4.2	23	2	2	3	5	7	9	28
80-84	20	4.2	8	2	2	3	5	7	11	14
85 +	13	4.5	3	2	3	4	6	7	7	7
B. Operated										
65-69 YRS	26	6.8	13	2	4	6	9	12	13	15
70-74	17	6.0	7	3	4	6	8	9	11	12
75-79	21	8.1	20	3	5	8	10	13	17	21
80-84	7	7.1	15	3	3	7	11	12	12	12
85 +	6	6.3	10	2	3	7	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	722	5.2	11	2	3	4	6	9	12	18
70-74	809	5.7	19	2	3	5	7	10	13	23
75-79	804	6.1	18	3	4	5	7	10	13	25
80-84	651	6.9	29	3	4	6	8	11	15	22
85 +	615	7.2	33	3	4	6	9	13	17	30
B. Operated										
65-69 YRS	537	11.4	118	3	5	8	13	23	33	80
70-74	591	11.8	100	3	6	9	14	23	32	66
75-79	550	13.0	148	4	6	9	16	25	36	64
80-84	489	13.1	144	4	6	10	16	24	35	75
85 +	435	15.2	149	4	7	12	19	30	38	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	170	3.9	8	2	2	3	4	6	8	14
B. Operated	77	7.0	13	3	4	7	9	12	13	19
2. MULTIPLE DX										
A. Not Operated	3601	6.2	22	3	3	5	7	11	14	24
B. Operated	2602	12.8	132	4	6	10	16	25	35	67
1. SINGLE DX	247	4.9	12	2	3	4	6	9	12	15
2. MULTIPLE DX	6203	8.9	79	3	4	6	10	17	25	50
A. Not Operated	3771	6.1	22	2	3	5	7	11	14	23
B. Operated	2679	12.6	129	4	6	9	15	25	35	67
TOTAL										
65-69 YRS	1338	7.7	63	2	4	5	9	15	22	43
70-74	1470	8.1	60	3	4	6	10	16	22	49
75-79	1406	8.8	81	3	4	6	10	17	24	44
80-84	1167	9.4	87	3	4	7	11	18	24	54
85 +	1069	10.4	96	3	4	7	12	22	29	50
GRAND TOTAL	**6450**	**8.8**	**77**	**3**	**4**	**6**	**10**	**17**	**24**	**49**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.7	2	1	1	3	4	4	4	4
70-74	4	4.8	11	< 1	2	4	7	9	9	9
75-79	3	4.3	10	2	2	3	7	8	8	8
80-84	3	8.0	39	3	4	6	13	15	15	15
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	5	7.0	1	6	6	7	7	8	8	8
70-74	8	6.9	19	2	4	6	9	13	15	15
75-79	4	9.8	6	7	8	9	11	13	13	13
80-84	2	9.0	98	2	2	9	16	16	16	16
85 +	2	9.5	13	7	7	9	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	48	6.3	14	3	4	6	8	11	13	22
70-74	70	7.1	17	3	4	6	9	13	16	20
75-79	56	7.1	27	3	4	6	8	13	14	34
80-84	41	6.3	15	3	3	5	9	12	14	15
85 +	57	7.5	59	3	4	5	8	13	17	54
B. Operated										
65-69 YRS	119	15.0	169	6	8	11	19	25	38	70
70-74	127	14.9	129	4	7	12	18	30	41	53
75-79	115	16.0	143	5	8	13	22	30	41	59
80-84	82	19.0	336	5	8	11	24	46	65	95
85 +	66	16.2	141	6	7	14	21	31	39	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.9	14	1	3	4	6	10	14	15
B. Operated	21	7.9	15	3	6	7	10	14	15	16
2. MULTIPLE DX										
A. Not Operated	272	6.9	27	3	4	6	9	12	15	22
B. Operated	509	16.0	177	5	8	12	20	31	45	75
1. SINGLE DX	35	6.7	16	2	3	7	9	13	15	16
2. MULTIPLE DX	781	12.9	143	3	6	9	15	27	37	60
A. Not Operated	286	6.8	26	3	4	6	8	12	15	22
B. Operated	530	15.7	173	5	8	12	19	30	45	73
TOTAL										
65-69 YRS	175	12.2	136	4	6	9	14	23	27	58
70-74	209	11.8	100	3	6	9	15	25	33	50
75-79	178	12.9	119	4	6	10	15	27	33	53
80-84	128	14.5	257	3	5	9	16	37	51	89
85 +	126	12.1	119	4	5	9	15	24	33	60
GRAND TOTAL	**816**	**12.6**	**139**	**3**	**6**	**9**	**15**	**26**	**36**	**59**

957 Hospitals, United States, Geriatric, January-December 1989

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	45	3.1	5	1	1	2	4	6	8	11
70-74	33	2.8	8	1	1	2	3	6	7	15
75-79	22	2.9	3	1	2	3	4	5	6	7
80-84	26	2.9	3	1	1	3	4	6	7	7
85 +	20	4.2	20	< 1	1	3	5	7	14	21
B. Operated										
65-69 YRS	15	4.9	21	< 1	1	4	6	8	16	19
70-74	8	5.1	12	< 1	1	5	8	10	10	10
75-79	6	4.3	5	< 1	3	4	7	7	7	7
80-84	4	3.3	7	< 1	< 1	3	5	6	6	6
85 +	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1210	4.5	10	2	2	4	6	8	10	17
70-74	1164	5.0	16	2	3	4	6	9	12	20
75-79	1063	5.5	22	2	3	4	7	10	13	23
80-84	825	5.4	19	2	3	5	7	9	12	23
85 +	811	6.2	34	2	3	5	7	11	15	33
B. Operated										
65-69 YRS	478	7.1	36	2	4	5	9	14	19	35
70-74	440	7.7	44	3	4	6	9	14	19	30
75-79	453	7.8	41	3	4	6	9	14	20	35
80-84	332	8.7	53	3	4	7	10	16	23	39
85 +	246	9.4	68	3	5	7	12	18	24	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	3.1	7	1	1	2	4	6	7	15
B. Operated	35	4.5	14	< 1	< 1	4	6	8	10	19
2. MULTIPLE DX										
A. Not Operated	5073	5.3	19	2	3	4	6	9	12	22
B. Operated	1949	8.0	46	3	4	6	10	15	20	36
1. SINGLE DX	181	3.4	9	< 1	1	3	5	7	8	18
2. MULTIPLE DX	7022	6.0	28	2	3	5	7	11	15	28
A. Not Operated	5219	5.2	19	2	3	4	6	9	12	22
B. Operated	1984	7.9	46	3	4	6	10	15	20	36
TOTAL										
65-69 YRS	1748	5.2	18	2	3	4	6	10	12	23
70-74	1645	5.7	25	2	3	4	7	11	14	24
75-79	1544	6.1	29	2	3	5	7	11	15	28
80-84	1187	6.3	30	2	3	5	8	11	15	31
85 +	1079	6.9	43	2	3	5	8	13	18	36
GRAND TOTAL	**7203**	**5.9**	**28**	**2**	**3**	**5**	**7**	**11**	**15**	**28**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	2.8	2	1	2	3	4	5	5	5
70-74	18	3.1	7	1	1	2	4	7	9	10
75-79	7	2.9	8	1	1	2	3	8	9	9
80-84	9	2.4	3	1	1	1	4	5	5	5
85 +	4	3.8	5	< 1	1	4	5	6	6	6
B. Operated										
65-69 YRS	5	8.2	35	2	3	6	14	15	15	15
70-74	8	8.8	11	4	6	9	11	12	13	13
75-79	5	4.8	10	2	2	4	7	9	9	9
80-84	3	12.7	72	3	6	16	18	19	19	19
85 +	3	38.7	2466	9	9	11	75	96	96	96
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	288	5.3	19	1	2	4	7	12	13	21
70-74	248	4.6	11	2	2	4	6	10	12	15
75-79	227	6.1	34	2	3	5	7	12	16	30
80-84	174	5.9	23	2	3	5	7	11	17	25
85 +	165	6.8	34	2	3	5	9	15	18	38
B. Operated										
65-69 YRS	223	12.9	158	3	5	9	16	28	39	65
70-74	213	13.4	160	4	5	9	17	29	42	72
75-79	189	13.8	189	3	5	9	16	31	47	61
80-84	144	13.8	111	4	7	10	20	31	35	62
85 +	107	15.6	200	6	7	10	19	31	48	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	2.9	5	1	1	2	4	6	7	10
B. Operated	24	12.0	343	2	4	9	12	16	42	96
2. MULTIPLE DX										
A. Not Operated	1102	5.6	24	2	3	4	7	11	15	25
B. Operated	876	13.7	163	4	6	9	17	29	42	62
1. SINGLE DX	75	5.8	128	1	2	3	7	11	15	77
2. MULTIPLE DX	1978	9.2	101	2	3	6	11	20	29	58
A. Not Operated	1153	5.5	23	2	2	4	7	11	15	25
B. Operated	900	13.6	167	3	6	9	16	29	42	63
TOTAL										
65-69 YRS	529	8.5	91	2	3	5	10	18	26	59
70-74	487	8.5	95	2	3	5	10	18	28	51
75-79	428	9.4	117	2	4	6	11	19	31	59
80-84	330	9.3	77	2	4	7	11	22	29	44
85 +	279	10.5	141	2	4	7	12	21	31	80
GRAND TOTAL	**2053**	**9.1**	**102**	**2**	**3**	**6**	**11**	**20**	**28**	**58**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.3	1	1	1	3	3	3	3	3
70-74	0									
75-79	0									
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	83	4.3	4	2	3	4	5	6	8	13
70-74	51	4.3	6	2	3	4	5	6	9	16
75-79	19	4.5	3	2	3	4	6	7	8	8
80-84	11	7.7	27	3	5	6	10	17	18	18
85 +	6	3.7	8	1	2	3	4	8	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	8.3	25	3	4	8	12	13	13	13
70-74	3	3.3	2	2	2	3	4	5	5	5
75-79	3	6.0	3	5	5	5	7	8	8	8
80-84	2	4.0	2	3	3	4	5	5	5	5
85 +	5	5.4	8	3	4	4	7	10	10	10
B. Operated										
65-69 YRS	171	5.9	12	3	4	5	8	11	12	17
70-74	110	6.5	39	3	3	5	8	11	13	35
75-79	66	6.8	17	3	4	5	8	13	15	22
80-84	41	7.1	19	3	4	5	9	13	17	19
85 +	32	9.7	37	4	5	8	12	20	23	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.0	3	1	2	3	4	5	5	5
B. Operated	170	4.5	7	2	3	4	5	7	9	16
2. MULTIPLE DX										
A. Not Operated	17	5.6	10	3	3	5	6	12	13	13
B. Operated	420	6.6	23	3	4	5	8	12	15	22
1. SINGLE DX	174	4.5	7	2	3	4	5	7	9	16
2. MULTIPLE DX	437	6.6	22	3	4	5	8	12	15	22
A. Not Operated	21	5.1	10	2	3	5	6	11	12	13
B. Operated	590	6.0	19	3	3	5	7	11	14	21
TOTAL										
65-69 YRS	261	5.4	10	2	3	4	6	9	12	16
70-74	164	5.7	29	3	3	5	7	10	12	18
75-79	88	6.3	14	3	4	5	7	10	15	22
80-84	55	7.1	19	3	4	5	9	14	17	19
85 +	43	8.3	34	3	4	7	10	17	22	25
GRAND TOTAL	**611**	**6.0**	**19**	**3**	**3**	**5**	**7**	**11**	**14**	**20**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	7.3	5	5	5	7	9	10	10	10
70-74	1	34.0		34	34	34	34	34	34	34
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	82	7.0	7	4	5	7	8	10	12	16
70-74	41	7.4	12	4	5	7	10	12	15	17
75-79	36	7.9	6	5	6	8	9	12	13	13
80-84	7	9.1	32	3	5	7	13	17	18	18
85 +	7	8.4	8	6	7	7	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	6.4	6	4	5	5	8	10	10	10
70-74	7	6.7	23	1	2	6	10	13	14	14
75-79	5	10.2	22	6	7	10	12	18	18	18
80-84	1	5.0		5	5	5	5	5	5	5
85 +	3	7.7		7	7	8	8	8	8	8
B. Operated										
65-69 YRS	356	10.6	38	5	7	9	13	18	21	35
70-74	286	11.4	73	5	7	10	13	18	22	40
75-79	218	11.5	46	6	8	10	14	18	25	42
80-84	134	12.5	59	6	8	10	15	22	26	50
85 +	70	14.8	163	6	8	13	17	22	30	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	12.6	147	5	6	8	16	34	34	34
B. Operated	173	7.5	9	4	6	7	9	12	13	17
2. MULTIPLE DX										
A. Not Operated	21	7.5	15	3	5	7	10	12	16	18
B. Operated	1064	11.5	60	5	7	10	14	19	24	41
1. SINGLE DX	178	7.6	13	4	6	7	9	12	13	18
2. MULTIPLE DX	1085	11.4	60	5	7	9	13	19	24	40
A. Not Operated	26	8.5	40	4	5	7	10	14	21	34
B. Operated	1237	11.0	55	5	7	9	13	18	22	38
TOTAL										
65-69 YRS	447	9.9	33	5	6	8	12	17	20	34
70-74	335	10.9	68	5	7	9	13	18	21	39
75-79	259	11.0	41	6	7	9	13	18	23	40
80-84	142	12.3	58	6	7	10	15	22	25	49
85 +	80	14.0	147	6	7	11	17	21	27	82
GRAND TOTAL	**1263**	**10.9**	**55**	**5**	**7**	**9**	**13**	**18**	**22**	**38**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	0									
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84	1	10.0		10	10	10	10	10	10	10
85 +	0									
B. Operated										
65-69 YRS	9	4.9	8	2	3	4	6	9	11	11
70-74	2	4.0		4	4	4	4	4	4	4
75-79	6	4.5	4	1	4	5	6	7	7	7
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	6.7	16	3	4	6	10	11	11	11
70-74	2	5.5	1	5	5	5	6	6	6	6
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	2	7.5	1	7	7	7	8	8	8	8
B. Operated										
65-69 YRS	24	7.0	16	3	4	6	8	14	15	16
70-74	18	8.4	49	4	5	6	9	13	26	34
75-79	12	9.3	43	3	5	8	11	18	26	27
80-84	4	7.3	2	5	6	8	8	8	8	8
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.5	14	1	3	5	8	10	10	10
B. Operated	18	4.5	5	2	3	4	6	7	9	11
2. MULTIPLE DX										
A. Not Operated	8	6.3	6	3	4	6	7	10	11	11
B. Operated	58	7.9	31	3	4	7	9	14	16	33
1. SINGLE DX	22	4.7	6	2	3	4	6	8	10	11
2. MULTIPLE DX	66	7.7	28	3	4	6	9	13	15	33
A. Not Operated	12	6.0	8	2	4	6	7	10	11	11
B. Operated	76	7.1	27	3	4	6	8	13	15	32
TOTAL										
65-69 YRS	37	6.4	14	3	4	6	8	12	15	16
70-74	22	7.8	42	4	4	6	9	13	22	34
75-79	21	7.1	32	2	4	6	9	13	20	27
80-84	5	7.8	3	5	7	8	9	10	10	10
85 +	3	5.7	10	2	3	7	8	8	8	8
GRAND TOTAL	**88**	**7.0**	**24**	**3**	**4**	**6**	**8**	**12**	**14**	**31**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	1.0		1	1	1	1	1	1	1
70-74	2	2.0		2	2	2	2	2	2	2
75-79	4	2.0	2	1	1	2	3	4	4	4
80-84	4	2.5	6	1	1	2	4	6	6	6
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	674	1.7	1	1	1	1	2	3	4	7
70-74	557	1.6	1	1	1	1	2	3	4	6
75-79	385	1.8	1	1	1	1	2	3	4	6
80-84	254	1.8	1	1	1	2	2	3	4	7
85 +	119	2.2	4	1	1	2	2	4	5	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	2.3	8	< 1	< 1	1	2	7	10	10
70-74	25	3.0	5	< 1	1	3	4	7	7	8
75-79	26	4.9	104	< 1	1	3	4	7	17	54
80-84	15	3.1	8	1	1	2	3	8	10	11
85 +	23	3.5	26	1	1	2	4	5	13	26
B. Operated										
65-69 YRS	1558	2.5	5	1	1	2	3	5	6	11
70-74	1594	2.8	9	1	1	2	3	5	7	15
75-79	1319	3.0	13	1	1	2	4	6	8	15
80-84	896	3.5	22	1	1	3	4	6	9	18
85 +	422	4.0	15	1	2	3	5	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.9	2	1	1	1	2	4	5	6
B. Operated	1989	1.7	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	101	3.5	36	< 1	1	2	4	6	8	40
B. Operated	5789	3.0	12	1	1	2	3	6	8	14
1. SINGLE DX	2004	1.7	1	1	1	1	2	3	4	7
2. MULTIPLE DX	5890	3.0	12	1	1	2	4	6	8	15
A. Not Operated	116	3.3	32	< 1	1	2	4	6	8	35
B. Operated	7778	2.7	9	1	1	2	3	5	7	13
TOTAL										
65-69 YRS	2248	2.3	4	1	1	2	3	4	6	10
70-74	2178	2.5	7	1	1	2	3	5	6	11
75-79	1734	2.8	12	1	1	2	3	5	7	14
80-84	1169	3.2	17	1	1	2	4	6	8	15
85 +	565	3.6	14	1	1	2	4	8	10	17
GRAND TOTAL	**7894**	**2.7**	**10**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	2	4.0		4	4	4	4	4	4	4
85 +	5	5.8	41	1	2	4	7	17	17	17
B. Operated										
65-69 YRS	74	2.7	3	1	1	2	4	5	5	10
70-74	86	3.0	3	1	2	3	4	5	6	9
75-79	73	2.4	2	1	1	2	3	4	6	8
80-84	59	2.9	3	1	1	3	4	6	7	8
85 +	47	4.5	20	1	2	3	6	10	14	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	4.0	15	< 1	1	3	5	11	12	12
70-74	5	13.8	256	1	2	7	25	39	39	39
75-79	13	5.4	35	1	2	4	6	11	21	24
80-84	12	3.6	6	< 1	1	3	6	7	8	8
85 +	26	4.4	13	< 1	1	3	7	9	12	14
B. Operated										
65-69 YRS	313	5.3	26	1	2	4	6	10	14	28
70-74	419	5.8	43	1	2	4	7	12	17	35
75-79	426	6.7	62	1	2	5	8	14	20	46
80-84	353	7.1	68	2	3	5	9	14	18	39
85 +	376	7.9	74	2	3	6	9	15	19	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.8	18	1	1	3	4	7	15	17
B. Operated	339	3.0	6	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. Not Operated	63	5.2	38	< 1	1	3	7	10	16	37
B. Operated	1887	6.6	56	1	3	4	8	14	18	40
1. SINGLE DX	352	3.0	6	1	1	2	4	5	7	13
2. MULTIPLE DX	1950	6.5	56	1	3	4	8	13	18	39
A. Not Operated	76	4.9	35	< 1	1	3	6	9	16	35
B. Operated	2226	6.0	50	1	2	4	7	12	17	36
TOTAL										
65-69 YRS	396	4.7	23	1	2	3	6	10	13	24
70-74	512	5.4	40	1	2	3	6	11	16	35
75-79	514	6.1	55	1	2	4	7	13	19	43
80-84	426	6.4	59	1	3	4	8	13	17	35
85 +	454	7.4	66	2	3	5	9	14	18	46
GRAND TOTAL	**2302**	**6.0**	**50**	**1**	**2**	**4**	**7**	**12**	**17**	**37**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	30	1.9	1	< 1	1	1	2	4	5	5
70-74	14	1.6	1	1	1	1	2	3	3	3
75-79	10	2.3	6	< 1	1	1	2	6	9	9
80-84	4	2.5	4	1	1	2	4	5	5	5
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	2.0	1	1	1	2	3	3	3	3
70-74	3	3.3	16	< 1	< 1	< 1	6	8	8	8
75-79	3	4.7	10	1	2	6	7	7	7	7
80-84	3	2.7		2	2	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	84	3.3	12	1	2	2	4	6	8	22
70-74	70	3.7	8	1	2	3	5	7	9	16
75-79	50	4.1	12	1	2	3	5	9	10	16
80-84	22	4.3	15	1	2	3	6	7	12	19
85 +	13	5.4	32	1	2	3	7	12	20	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	59	1.9	2	< 1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	13	3.1	6	< 1	1	2	4	7	8	8
B. Operated	239	3.8	12	1	2	3	5	7	10	19
1. SINGLE DX	60	1.9	2	< 1	1	1	2	4	5	9
2. MULTIPLE DX	252	3.7	12	1	2	3	5	7	10	19
A. Not Operated	14	3.1	5	< 1	1	2	4	7	8	8
B. Operated	298	3.4	11	1	1	2	4	7	9	19
TOTAL										
65-69 YRS	119	2.9	9	1	1	2	3	5	7	19
70-74	87	3.3	8	1	1	2	5	7	8	15
75-79	63	3.8	11	1	2	3	5	9	10	16
80-84	29	3.9	12	1	2	3	6	6	8	19
85 +	14	5.1	31	1	1	3	6	10	19	22
GRAND TOTAL	**312**	**3.4**	**10**	**1**	**1**	**2**	**4**	**7**	**9**	**18**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	3.5	9	1	1	3	6	7	7	7
70-74	2	1.0		1	1	1	1	1	1	1
75-79	5	6.0	21	2	3	4	9	13	13	13
80-84	2	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	258	3.0	4	1	2	3	4	5	6	9
70-74	188	3.3	12	1	2	3	4	6	6	8
75-79	137	3.3	4	1	2	3	4	6	8	9
80-84	44	3.4	4	1	2	3	4	5	6	12
85 +	10	3.5	6	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	22	4.2	6	1	3	4	6	7	9	11
70-74	24	3.4	7	< 1	1	3	4	8	9	11
75-79	22	5.4	39	1	2	3	8	10	18	29
80-84	21	4.2	11	1	1	3	6	9	11	12
85 +	11	4.5	11	< 1	1	4	8	9	10	10
B. Operated										
65-69 YRS	837	4.9	14	1	3	4	6	8	11	20
70-74	761	5.2	23	2	3	4	7	9	12	19
75-79	485	5.8	22	2	3	5	8	11	13	21
80-84	238	5.6	22	2	3	4	7	10	14	29
85 +	87	7.0	50	2	3	5	8	15	20	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.7	14	1	1	2	5	9	12	13
B. Operated	637	3.2	6	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	100	4.3	15	1	2	3	6	9	11	20
B. Operated	2408	5.3	21	2	3	4	7	10	12	24
1. SINGLE DX	650	3.2	6	1	2	3	4	6	7	9
2. MULTIPLE DX	2508	5.3	20	2	3	4	7	10	12	24
A. Not Operated	113	4.2	15	1	1	3	6	9	11	19
B. Operated	3045	4.9	18	1	2	4	6	9	11	20
TOTAL										
65-69 YRS	1121	4.4	12	1	2	4	6	8	10	18
70-74	975	4.8	21	1	2	4	6	9	11	17
75-79	649	5.3	20	1	3	4	7	10	12	19
80-84	305	5.2	19	1	2	4	7	10	12	27
85 +	108	6.4	43	1	3	5	8	11	17	40
GRAND TOTAL	**3158**	**4.9**	**18**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	2.8	4	1	2	2	3	6	8	8
70-74	4	2.0	1	1	1	2	3	3	3	3
75-79	5	2.8	2	1	2	3	4	5	5	5
80-84	7	5.3	40	1	1	4	5	16	19	19
85 +	0									
B. Operated										
65-69 YRS	11	6.0	13	2	3	5	8	11	14	14
70-74	6	9.3	17	5	6	8	12	16	16	16
75-79	4	8.3	16	5	5	7	11	14	14	14
80-84	2	4.0	18	< 1	< 1	3	7	7	7	7
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	259	3.7	4	2	2	3	5	7	8	10
70-74	251	4.0	6	2	2	3	5	7	8	13
75-79	217	4.5	9	1	3	4	6	8	10	15
80-84	196	5.2	29	2	3	4	6	10	12	24
85 +	173	6.0	44	2	3	4	7	11	14	36
B. Operated										
65-69 YRS	154	7.8	18	4	5	7	9	13	16	22
70-74	136	9.3	97	4	5	7	10	15	19	76
75-79	87	10.2	92	4	5	8	12	17	24	61
80-84	58	11.7	155	2	4	8	14	31	46	97
85 +	30	11.5	112	3	5	9	12	20	23	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.3	13	1	1	3	4	5	10	19
B. Operated	23	7.1	16	2	5	6	9	14	15	16
2. MULTIPLE DX										
A. Not Operated	1096	4.6	17	2	2	4	5	8	10	20
B. Operated	465	9.4	79	3	5	8	11	16	22	63
1. SINGLE DX	50	5.1	17	1	2	4	7	11	14	19
2. MULTIPLE DX	1561	6.0	40	2	3	4	7	11	14	30
A. Not Operated	1123	4.5	17	2	2	4	5	8	10	20
B. Operated	488	9.3	76	3	5	7	11	16	21	62
TOTAL										
65-69 YRS	435	5.2	13	2	3	4	7	9	12	19
70-74	397	5.9	43	2	3	5	7	10	14	25
75-79	313	6.1	39	2	3	5	8	12	15	28
80-84	263	6.6	63	2	3	4	7	14	20	57
85 +	203	6.8	57	2	3	5	8	12	19	45
GRAND TOTAL	**1611**	**6.0**	**39**	**2**	**3**	**4**	**7**	**11**	**14**	**30**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	17	1.9	2	< 1	1	2	2	3	5	6
70-74	20	2.2	3	1	1	2	2	5	6	7
75-79	17	2.4	1	1	2	2	3	4	4	4
80-84	9	1.8	1	1	1	1	2	4	4	4
85 +	7	2.1	2	1	1	2	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	2.7	2	1	1	3	4	4	4	4
70-74	1	6.0		6	6	6	6	6	6	6
75-79	3	5.7	6	3	4	6	7	8	8	8
80-84	1	9.0		9	9	9	9	9	9	9
85 +	0									
B. Operated										
65-69 YRS	47	4.7	26	1	2	3	5	10	17	27
70-74	42	5.5	32	1	2	3	8	13	18	25
75-79	48	3.1	11	1	2	3	3	5	7	23
80-8	24	5.4	28	1	2	4	6	14	17	[illegible]
85 +	19	8.1	32	1	2	8	13	15	19	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	70	2.1	2	1	1	2	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	8	5.0	7	2	3	5	7	9	9	9
B. Operated	180	4.9	26	1	2	3	6	12	16	25
1. SINGLE DX	70	2.1	2	1	1	2	2	4	5	7
2. MULTIPLE DX	188	4.9	25	1	2	3	6	12	16	25
A. Not Operated	8	5.0	7	2	3	5	7	9	9	9
B. Operated	250	4.1	21	1	2	2	4	9	14	24
TOTAL										
65-69 YRS	67	3.9	20	1	1	2	5	7	16	25
70-74	63	4.4	24	1	1	2	6	11	15	25
75-79	68	3.0	8	1	2	2	3	5	7	20
80-84	34	4.6	23	1	2	3	5	9	14	24
85 +	26	6.5	31	1	2	5	9	14	17	21
GRAND TOTAL	**258**	**4.1**	**20**	**1**	**2**	**3**	**5**	**9**	**14**	**24**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	4.2	13	1	2	3	5	10	11	11
70-74	9	3.4	3	1	2	3	5	6	6	6
75-79	3	5.0	13	1	2	6	7	8	8	8
80-84	5	2.0	2	1	1	2	3	4	4	4
85 +	3	4.3	6	2	2	4	6	7	7	7
B. Operated										
65-69 YRS	105	4.0	9	1	1	4	6	8	9	14
70-74	110	4.1	13	1	2	3	5	8	12	20
75-79	64	4.3	9	1	2	3	6	9	10	14
80-84	52	4.8	12	2	2	4	7	9	12	17
85 +	33	4.1	9	1	2	3	6	8	10	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	45	5.1	41	2	3	3	5	8	15	40
70-74	59	5.3	12	2	3	5	7	9	11	20
75-79	60	5.4	14	1	3	4	8	11	13	17
80-84	48	4.8	26	1	2	4	6	8	10	35
85 +	71	8.8	136	2	3	6	11	15	19	78
B. Operated										
65-69 YRS	593	7.8	58	2	3	6	10	16	19	39
70-74	580	8.5	50	2	4	7	11	16	23	39
75-79	567	10.1	112	3	4	7	12	20	26	57
80-84	450	10.0	55	3	5	8	13	20	23	39
85 +	387	11.9	94	4	6	10	14	21	29	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	3.6	6	1	2	3	5	7	9	11
B. Operated	364	4.2	11	1	2	3	5	9	10	16
2. MULTIPLE DX										
A. Not Operated	283	6.1	52	2	3	4	7	12	14	38
B. Operated	2577	9.5	75	2	4	7	12	18	24	49
1. SINGLE DX	390	4.2	10	1	2	3	5	8	10	16
2. MULTIPLE DX	2860	9.1	73	2	4	7	11	17	23	49
A. Not Operated	309	5.9	49	2	3	4	7	11	13	37
B. Operated	2941	8.8	70	2	4	7	11	17	23	47
TOTAL										
65-69 YRS	749	7.0	51	2	3	5	9	14	18	38
70-74	758	7.6	44	2	3	6	10	15	20	36
75-79	694	9.1	97	2	4	7	11	18	24	50
80-84	555	9.0	52	2	4	7	11	19	23	37
85 +	494	10.9	98	3	5	9	13	20	27	53
GRAND TOTAL	**3250**	**8.5**	**68**	**2**	**3**	**7**	**11**	**17**	**22**	**45**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	249	3.8	4	2	2	4	5	6	7	10
70-74	201	4.1	6	1	2	4	5	8	9	11
75-79	179	4.3	9	2	2	4	6	7	9	15
80-84	111	4.5	6	2	3	4	6	8	9	13
85 +	117	4.5	7	2	3	4	6	8	10	14
B. Operated										
65-69 YRS	89	9.2	24	5	6	8	11	15	19	28
70-74	71	10.8	29	6	8	9	13	16	21	34
75-79	41	9.7	12	6	8	9	10	14	17	21
80-84	29	11.3	29	7	8	10	13	20	25	25
85 +	28	11.7	33	6	8	10	14	22	24	26
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1686	5.8	21	2	3	5	7	10	13	23
70-74	1810	6.1	22	2	3	5	7	11	14	23
75-79	1851	6.5	31	2	3	5	8	12	15	27
80-84	1586	6.7	30	2	4	5	8	12	16	27
85 +	1680	7.5	36	3	4	6	9	14	18	29
B. Operated										
65-69 YRS	1063	14.8	124	6	9	12	18	26	37	91
70-74	1172	15.4	121	7	9	12	18	28	38	76
75-79	1177	16.5	160	7	9	13	20	31	42	75
80-84	999	16.3	112	7	10	14	19	28	38	63
85 +	829	17.2	123	8	10	15	21	30	38	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	857	4.2	6	2	2	4	5	7	9	12
B. Operated	258	10.2	25	5	7	9	12	16	21	28
2. MULTIPLE DX										
A. Not Operated	8613	6.5	28	2	3	5	8	12	15	26
B. Operated	5240	16.0	129	7	9	13	19	29	39	79
1. SINGLE DX	1115	5.6	17	2	3	4	7	10	13	23
2. MULTIPLE DX	13853	10.1	88	3	4	8	13	20	27	52
A. Not Operated	9470	6.3	27	2	3	5	8	11	15	25
B. Operated	5498	15.7	126	7	9	13	19	28	38	76
TOTAL										
65-69 YRS	3087	8.8	74	2	4	7	11	17	23	48
70-74	3254	9.4	77	3	4	7	12	19	25	48
75-79	3248	10.0	100	3	4	7	12	20	28	58
80-84	2725	10.2	81	3	4	8	13	20	26	49
85 +	2654	10.4	83	3	4	8	13	21	28	51
GRAND TOTAL	**14968**	**9.7**	**84**	**3**	**4**	**7**	**12**	**19**	**26**	**50**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	100	2.8	7	1	1	2	3	5	7	15
70-74	79	2.6	4	1	1	2	3	5	6	11
75-79	68	3.1	12	1	1	2	4	6	7	21
80-84	43	2.9	3	1	2	3	4	5	6	7
85 +	52	3.4	6	1	2	3	4	8	9	10
B. Operated										
65-69 YRS	7	4.7	10	< 1	1	5	7	9	9	9
70-74	16	3.4	7	< 1	< 1	3	5	7	9	10
75-79	5	4.4	1	3	4	5	5	5	5	5
80-84	4	8.5	36	3	5	7	12	17	17	17
85 +	5	4.4	7	< 1	2	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1383	4.5	15	2	2	4	5	8	11	19
70-74	1522	4.6	16	2	2	4	5	8	11	20
75-79	1481	5.0	17	2	2	4	6	9	12	22
80-84	1259	5.3	30	2	3	4	6	10	14	27
85 +	1169	5.9	40	2	3	4	7	10	14	37
B. Operated										
65-69 YRS	283	9.7	65	3	5	7	12	18	25	41
70-74	298	10.8	114	3	5	7	14	22	28	71
75-79	292	9.8	60	3	5	8	13	18	22	40
80-84	200	11.7	103	4	6	9	15	22	27	49
85 +	173	12.6	120	4	6	9	15	24	32	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	342	2.9	6	1	1	2	4	5	7	12
B. Operated	37	4.5	11	< 1	2	4	6	8	10	17
2. MULTIPLE DX										
A. Not Operated	6814	5.0	23	2	3	4	6	9	13	23
B. Operated	1246	10.7	90	3	5	8	14	21	28	51
1. SINGLE DX	379	3.1	7	1	1	2	4	6	7	13
2. MULTIPLE DX	8060	5.9	37	2	3	4	7	12	16	31
A. Not Operated	7156	4.9	22	2	2	4	6	9	12	23
B. Operated	1283	10.5	89	3	5	8	13	21	28	51
TOTAL										
65-69 YRS	1773	5.2	27	2	2	4	6	10	14	26
70-74	1915	5.5	36	2	2	4	6	11	15	29
75-79	1846	5.7	27	2	3	4	7	11	15	25
80-84	1506	6.1	44	2	3	4	7	13	17	33
85 +	1399	6.6	53	2	3	5	8	12	18	45
GRAND TOTAL	**8439**	**5.8**	**36**	**2**	**3**	**4**	**7**	**11**	**15**	**30**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	269	4.5	6	1	3	4	6	8	8	11
70-74	207	4.5	6	2	3	4	6	7	9	12
75-79	155	4.5	9	1	2	4	6	8	9	18
80-84	98	4.2	6	2	3	4	5	8	9	12
85 +	74	5.7	34	2	3	5	7	9	12	40
B. Operated										
65-69 YRS	81	9.0	10	6	7	9	10	12	17	20
70-74	50	8.3	8	5	7	8	10	12	13	15
75-79	20	8.9	10	6	7	8	11	13	15	18
80-84	16	10.3	19	7	9	10	11	16	20	22
85 +	7	7.7	37	2	5	6	9	18	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1632	5.9	14	2	4	5	7	10	12	19
70-74	1956	5.7	12	2	3	5	7	10	12	17
75-79	1963	6.3	17	2	4	5	8	11	14	24
80-84	1835	6.6	24	3	4	5	8	11	14	25
85 +	1804	7.2	34	3	4	6	9	13	16	34
B. Operated										
65-69 YRS	1199	12.6	101	5	7	10	15	21	28	63
70-74	1169	12.8	89	5	8	10	15	23	32	52
75-79	1061	13.0	83	4	7	11	16	24	31	48
80-84	816	13.8	104	4	7	11	17	27	35	72
85 +	616	14.5	156	4	7	11	18	30	39	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	803	4.6	9	2	3	4	6	8	9	13
B. Operated	174	8.9	11	6	7	9	10	12	16	20
2. MULTIPLE DX										
A. Not Operated	9190	6.3	20	2	4	5	8	11	14	23
B. Operated	4861	13.2	102	5	7	11	16	24	33	64
1. SINGLE DX	977	5.3	12	2	3	5	7	9	11	18
2. MULTIPLE DX	14051	8.7	59	3	4	7	10	16	22	43
A. Not Operated	9993	6.2	20	2	4	5	8	11	14	22
B. Operated	5035	13.0	99	5	7	10	16	24	32	63
TOTAL										
65-69 YRS	3181	8.4	57	3	4	7	10	15	20	42
70-74	3382	8.1	49	3	4	6	10	15	19	38
75-79	3199	8.4	49	3	4	7	10	16	21	37
80-84	2765	8.6	58	3	4	6	10	17	23	43
85 +	2501	9.0	75	3	4	7	10	17	24	52
GRAND TOTAL	**15028**	**8.5**	**57**	**3**	**4**	**7**	**10**	**16**	**21**	**42**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	9.0	32	5	5	9	13	13	13	13
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85 +	3	5.0	3	4	4	4	6	7	7	7
B. Operated										
65-69 YRS	70	2.3	4	1	1	2	3	5	7	9
70-74	46	2.9	9	1	1	2	3	5	10	16
75-79	19	2.4	2	1	1	2	3	5	5	5
80-84	3	3.3	4	1	2	4	5	5	5	5
85 +	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	27	7.1	43	1	2	6	10	18	22	26
70-74	17	8.2	158	2	4	5	7	11	40	56
75-79	12	7.8	84	3	3	4	7	24	31	32
80-84	18	7.9	87	1	3	5	9	14	32	42
85 +	22	8.1	43	2	3	7	11	14	22	32
B. Operated										
65-69 YRS	340	4.5	26	1	2	3	5	10	14	31
70-74	219	5.4	53	1	2	3	6	12	15	34
75-79	132	7.3	85	1	2	5	8	16	31	77
80-84	71	7.2	72	1	2	4	8	17	23	45
85 +	48	8.3	41	2	4	6	11	16	19	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	6.4	11	4	4	5	8	12	13	13
B. Operated	141	2.6	5	1	1	2	3	5	8	12
2. MULTIPLE DX										
A. Not Operated	96	7.8	73	2	3	5	9	15	25	50
B. Operated	810	5.7	49	1	2	3	7	12	18	36
1. SINGLE DX	148	2.7	6	1	1	2	3	5	8	13
2. MULTIPLE DX	906	5.9	52	1	2	4	7	13	19	39
A. Not Operated	103	7.7	69	2	3	5	9	14	23	49
B. Operated	951	5.2	44	1	2	3	6	11	16	35
TOTAL										
65-69 YRS	439	4.3	24	1	1	3	5	10	14	26
70-74	283	5.1	53	1	2	3	6	11	14	34
75-79	164	6.8	77	1	2	4	8	15	29	67
80-84	92	7.3	72	1	2	4	8	16	23	44
85 +	76	8.0	39	2	4	7	11	15	18	34
GRAND TOTAL	**1054**	**5.4**	**47**	**1**	**2**	**3**	**7**	**12**	**17**	**36**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	3.4	6	< 1	1	2	5	7	8	8
70-74	15	3.9	4	2	2	4	5	7	7	7
75-79	12	5.3	10	3	3	4	6	10	13	14
80-84	3	2.7	8	1	1	1	5	6	6	6
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	3	7.0	27	1	3	10	10	10	10	10
75-79	4	6.0	45	2	2	3	10	16	16	16
80-84	1	10.0		10	10	10	10	10	10	10
85 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	156	5.4	11	2	3	5	7	9	12	17
70-74	170	7.2	34	2	4	5	9	12	18	31
75-79	155	7.4	25	2	4	6	10	14	16	28
80-84	117	7.2	20	2	4	7	10	13	15	25
85 +	103	8.0	31	2	4	6	10	16	19	27
B. Operated										
65-69 YRS	75	9.8	60	3	5	8	11	22	30	37
70-74	69	12.5	174	3	5	8	14	27	37	76
75-79	79	13.6	167	4	5	9	18	28	39	73
80-84	52	14.3	182	5	7	11	16	23	28	84
85 +	49	13.0	50	5	8	12	18	25	29	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	4.0	7	1	2	4	6	7	8	14
B. Operated	10	6.8	23	1	3	6	10	13	16	16
2. MULTIPLE DX										
A. Not Operated	701	7.0	25	2	4	6	9	13	16	28
B. Operated	324	12.5	130	4	6	9	15	25	31	82
1. SINGLE DX	54	4.5	11	1	2	4	6	8	10	16
2. MULTIPLE DX	1025	8.7	64	3	4	7	11	17	23	38
A. Not Operated	745	6.8	24	2	4	6	8	13	16	28
B. Operated	334	12.3	127	4	6	9	15	25	31	81
TOTAL										
65-69 YRS	245	6.6	30	2	4	5	8	12	17	32
70-74	257	8.4	76	2	4	6	9	16	27	46
75-79	250	9.2	78	3	4	6	12	18	27	45
80-84	173	9.3	79	3	5	7	12	15	22	53
85 +	154	9.5	42	3	5	8	13	19	24	32
GRAND TOTAL	**1079**	**8.5**	**62**	**2**	**4**	**6**	**10**	**16**	**23**	**38**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	6.0	8	3	4	5	8	10	12	14
70-74	14	5.4	9	2	3	5	6	9	12	13
75-79	12	5.1	7	3	3	4	6	10	11	11
80-84	6	5.5	8	3	4	5	6	10	11	11
85 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
65-69 YRS	16	8.5	18	3	5	9	11	15	16	17
70-74	11	7.7	16	3	5	7	11	13	15	15
75-79	8	12.1	57	1	6	11	20	21	21	21
80-84	3	11.0	31	6	7	10	15	17	17	17
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	118	6.8	26	3	4	6	8	12	15	28
70-74	121	7.7	25	3	5	6	10	14	16	27
75-79	97	8.1	26	3	5	7	11	15	20	23
80-84	54	8.6	43	2	4	7	11	18	21	32
85 +	37	9.5	33	4	6	8	12	17	18	33
B. Operated										
65-69 YRS	236	13.2	123	4	7	10	16	27	39	91
70-74	232	15.6	184	5	7	11	18	31	49	67
75-79	178	13.1	96	4	7	10	16	25	31	51
80-84	124	15.3	185	5	7	11	20	33	51	99 +
85 +	92	14.0	151	4	6	11	16	26	45	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	5.6	8	3	4	5	7	9	11	14
B. Operated	38	9.2	27	3	5	9	12	17	20	21
2. MULTIPLE DX										
A. Not Operated	427	7.8	29	3	4	6	9	14	18	28
B. Operated	862	14.2	146	4	7	11	17	29	42	79
1. SINGLE DX	93	7.1	19	3	4	6	9	12	17	21
2. MULTIPLE DX	1289	12.1	116	4	6	9	14	24	33	61
A. Not Operated	482	7.6	27	3	4	6	9	14	17	27
B. Operated	900	14.0	142	4	7	11	17	28	42	77
TOTAL										
65-69 YRS	392	10.7	93	3	5	8	13	21	30	58
70-74	378	12.5	137	4	6	9	14	26	33	60
75-79	295	11.1	74	3	5	9	14	22	28	48
80-84	187	13.0	146	3	6	9	16	29	38	96
85 +	130	12.6	120	4	6	10	15	22	39	85
GRAND TOTAL	**1382**	**11.8**	**111**	**4**	**6**	**9**	**14**	**22**	**32**	**60**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	8.0	16	4	5	8	11	12	12	12
70-74	1	7.0		7	7	7	7	7	7	7
75-79	3	4.0	13	<1	1	3	7	8	8	8
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	4	8.8	37	2	4	8	13	16	16	16
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	5.0		5	5	5	5	5	5	5
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	90	8.8	39	2	4	8	13	16	21	30
70-74	70	10.6	82	3	5	7	13	25	33	42
75-79	41	9.1	51	3	4	7	11	18	25	37
80-84	37	11.2	60	2	5	10	16	21	28	33
85 +	19	9.5	34	3	5	8	13	17	21	24
B. Operated										
65-69 YRS	115	19.6	237	6	8	16	26	40	48	82
70-74	100	16.7	129	6	9	14	22	32	37	58
75-79	63	16.9	136	7	9	15	20	31	41	96
80-84	50	19.5	89	11	13	19	23	27	33	63
85 +	26	18.7	133	8	10	15	22	38	41	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	6.1	14	1	3	7	8	11	12	12
B. Operated	6	7.3	27	2	4	5	11	15	16	16
2. MULTIPLE DX										
A. Not Operated	257	9.7	55	2	4	8	13	20	26	34
B. Operated	354	18.2	160	6	10	15	22	35	44	73
1. SINGLE DX	13	6.7	19	2	4	6	9	13	15	16
2. MULTIPLE DX	611	14.7	134	4	7	12	19	29	37	62
A. Not Operated	264	9.6	55	2	4	8	13	19	25	34
B. Operated	360	18.1	160	6	10	15	22	35	44	72
TOTAL										
65-69 YRS	212	14.6	175	3	6	11	19	31	40	70
70-74	172	14.1	118	4	6	11	18	29	35	54
75-79	108	13.5	115	4	7	11	18	29	36	84
80-84	87	16.0	92	5	10	15	21	26	30	56
85 +	45	14.8	110	5	8	12	19	28	38	51
GRAND TOTAL	**624**	**14.5**	**132**	**4**	**7**	**12**	**19**	**29**	**37**	**62**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	55	2.8	4	1	1	2	4	5	6	11
70-74	41	3.2	5	1	2	3	4	7	8	10
75-79	42	3.9	17	1	2	3	4	7	14	22
80-84	40	2.8	5	<1	1	2	4	6	7	10
85 +	63	4.7	64	<1	1	2	6	10	13	55
B. Operated										
65-69 YRS	73	5.2	25	1	2	4	7	11	16	27
70-74	44	5.1	19	1	2	4	7	10	11	25
75-79	46	5.8	20	1	3	5	8	12	15	20
80-84	34	5.7	71	1	2	4	7	10	10	50
85 +	25	5.9	26	1	2	4	8	13	17	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	745	5.4	22	1	3	4	7	10	13	25
70-74	930	5.4	18	2	2	4	7	11	14	20
75-79	1056	5.8	33	2	3	4	7	11	15	27
80-84	1079	6.1	34	2	3	5	7	12	16	27
85 +	1268	6.7	42	2	3	5	8	13	19	35
B. Operated										
65-69 YRS	1016	11.4	132	2	5	8	14	24	34	83
70-74	1099	12.8	168	3	5	9	16	29	42	97
75-79	1011	12.8	146	3	5	10	16	27	36	95
80-84	845	12.6	124	3	6	9	16	25	34	72
85 +	726	12.7	99	4	6	10	17	26	34	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	241	3.6	23	1	1	2	4	7	10	16
B. Operated	222	5.5	29	1	2	4	7	11	14	26
2. MULTIPLE DX										
A. Not Operated	5078	6.0	31	2	3	5	7	11	15	28
B. Operated	4697	12.4	137	3	5	9	16	26	36	83
1. SINGLE DX	463	4.5	27	1	2	3	6	9	12	22
2. MULTIPLE DX	9775	9.1	93	2	3	6	11	19	27	58
A. Not Operated	5319	5.9	31	2	3	4	7	11	15	28
B. Operated	4919	12.1	134	3	5	9	15	25	36	81
TOTAL										
65-69 YRS	1889	8.5	90	2	3	6	10	19	26	59
70-74	2114	9.2	110	2	3	6	11	20	30	64
75-79	2155	9.1	98	2	3	6	11	19	27	60
80-84	1998	8.8	83	2	3	6	11	18	25	51
85 +	2082	8.7	71	2	4	6	11	19	26	45
GRAND TOTAL	**10238**	**8.9**	**91**	**2**	**3**	**6**	**11**	**19**	**27**	**58**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	6.3	6	4	4	6	8	9	9	9
70-74	2	14.5	41	10	10	14	19	19	19	19
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	17.5	265	6	6	17	29	29	29	29
70-74	1	14.0		14	14	14	14	14	14	14
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	296	8.4	25	3	4	7	12	15	18	22
70-74	192	9.5	67	3	4	8	11	17	23	49
75-79	84	8.4	25	3	5	7	11	16	19	24
80-84	38	10.5	68	3	4	9	13	20	31	39
85 +	14	7.5	24	2	3	6	11	15	15	15
B. Operated										
65-69 YRS	161	12.6	88	4	6	10	17	26	33	48
70-74	103	13.8	127	5	7	11	17	29	42	99 +
75-79	34	15.2	176	5	5	13	18	30	50	61
80-84	17	12.4	57	3	5	11	19	23	24	25
85 +	5	12.2	70	3	6	9	20	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	9.6	33	4	5	9	12	19	19	19
B. Operated	3	16.3	136	6	8	14	25	29	29	29
2. MULTIPLE DX										
A. Not Operated	624	8.9	40	3	5	8	11	16	19	40
B. Operated	320	13.2	107	4	6	10	18	26	36	78
1. SINGLE DX	8	12.1	70	5	6	9	16	26	29	29
2. MULTIPLE DX	944	10.3	67	3	5	8	13	20	26	49
A. Not Operated	629	8.9	40	3	5	8	11	16	19	40
B. Operated	323	13.3	107	4	6	10	18	27	36	77
TOTAL										
65-69 YRS	462	9.9	51	3	5	8	13	19	25	39
70-74	298	11.0	91	3	5	9	13	22	32	85
75-79	118	10.4	77	3	5	8	14	19	24	56
80-84	55	11.1	64	3	4	10	14	22	26	39
85 +	19	8.7	37	2	3	7	12	18	21	22
GRAND TOTAL	**952**	**10.4**	**67**	**3**	**5**	**8**	**13**	**20**	**26**	**49**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	4.4	11	< 1	1	4	7	9	9	9
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	2	1.5	1	< 1	< 1	1	2	2	2	2
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	21	2.4	4	1	1	1	4	5	7	8
70-74	16	1.8	2	1	1	1	2	5	5	5
75-79	7	2.9	5	1	1	2	4	7	7	7
80-84	2	1.0		1	1	1	1	1	1	1
85 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	193	9.0	62	3	4	7	11	16	23	46
70-74	173	9.0	57	3	5	8	11	15	22	46
75-79	150	10.6	83	3	5	8	14	19	25	57
80-84	91	8.8	69	3	5	8	10	15	18	54
85 +	45	13.2	211	5	7	9	13	28	55	99 +
B. Operated										
65-69 YRS	180	11.0	139	1	3	8	14	26	33	55
70-74	193	10.2	119	1	4	7	12	22	33	57
75-79	116	10.2	84	1	5	8	13	19	26	50
80-84	75	12.2	96	2	6	9	16	25	34	44
85 +	28	12.0	69	2	7	12	15	23	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.8	7	< 1	1	3	5	8	9	9
B. Operated	47	2.3	4	1	1	1	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	652	9.6	78	3	5	8	11	18	24	50
B. Operated	592	10.8	113	1	4	8	13	23	33	55
1. SINGLE DX	59	2.6	5	1	1	1	4	6	7	9
2. MULTIPLE DX	1244	10.2	95	2	4	8	12	20	28	52
A. Not Operated	664	9.5	77	3	4	8	11	18	24	50
B. Operated	639	10.2	110	1	3	8	13	22	32	53
TOTAL										
65-69 YRS	401	9.5	97	1	3	7	11	21	28	48
70-74	384	9.3	89	1	4	7	11	18	27	52
75-79	275	10.2	82	2	4	8	13	19	25	54
80-84	169	10.2	83	2	5	8	12	20	29	44
85 +	74	12.6	154	4	6	10	15	27	45	99 +
GRAND TOTAL	**1303**	**9.8**	**93**	**2**	**4**	**8**	**12**	**20**	**28**	**52**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	6.1	16	2	4	5	7	13	14	14
70-74	7	3.4	5	1	2	3	5	7	7	7
75-79	6	6.2	21	2	3	4	9	13	14	14
80-84	1	8.0		8	8	8	8	8	8	8
85 +	1	24.0		24	24	24	24	24	24	24
B. Operated										
65-69 YRS	11	3.5	21	< 1	1	1	3	12	15	15
70-74	6	6.0	19	1	2	5	11	11	11	11
75-79	5	4.2	9	1	1	5	7	7	7	7
80-84	1	15.0		15	15	15	15	15	15	15
85 +	3	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	445	7.9	50	3	4	6	9	15	20	33
70-74	364	7.7	34	3	4	6	10	15	18	31
75-79	265	9.4	57	3	4	7	12	19	26	42
80-84	129	8.4	34	3	4	7	11	16	23	46
85 +	76	9.3	48	3	5	7	12	18	24	32
B. Operated										
65-69 YRS	158	13.4	118	3	6	10	19	27	39	51
70-74	142	15.2	203	4	7	12	18	30	43	96
75-79	81	16.6	192	5	9	14	20	28	44	83
80-84	55	14.0	93	5	7	13	19	23	36	50
85 +	31	21.6	472	6	9	17	25	33	92	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	6.2	27	1	3	5	7	14	17	24
B. Operated	26	5.3	21	1	1	4	9	11	15	15
2. MULTIPLE DX										
A. Not Operated	1279	8.3	45	3	4	6	10	16	22	33
B. Operated	467	15.1	180	4	7	12	19	29	40	94
1. SINGLE DX	50	5.7	24	1	2	5	9	13	15	24
2. MULTIPLE DX	1746	10.1	90	3	4	7	13	21	27	48
A. Not Operated	1303	8.3	45	3	4	6	10	16	22	33
B. Operated	493	14.6	176	3	7	11	19	28	40	94
TOTAL										
65-69 YRS	623	9.2	72	3	4	7	11	19	26	43
70-74	519	9.7	91	3	4	7	12	18	26	47
75-79	357	10.9	96	3	5	8	14	21	28	50
80-84	186	10.1	57	3	5	8	14	21	24	47
85 +	111	12.9	193	3	5	9	17	25	32	96
GRAND TOTAL	**1796**	**10.0**	**89**	**3**	**4**	**7**	**12**	**20**	**27**	**47**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	74	2.8	4	1	1	2	4	5	8	11
70-74	61	3.1	5	1	2	3	4	6	7	11
75-79	44	3.2	8	1	2	2	4	6	7	19
80-84	24	3.1	11	1	2	2	4	5	9	17
85 +	26	3.6	6	1	2	3	4	7	10	11
B. Operated										
65-69 YRS	978	4.9	4	3	4	4	6	7	8	13
70-74	579	5.0	5	3	4	5	6	8	9	12
75-79	278	5.6	5	3	4	5	7	9	10	15
80-84	112	6.2	13	3	4	5	7	10	13	20
85 +	53	7.7	24	4	4	6	10	14	18	27
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	633	4.5	21	2	2	4	6	8	10	20
70-74	650	5.1	14	2	3	4	6	9	12	18
75-79	655	6.2	37	2	3	5	8	11	14	26
80-84	565	5.9	19	2	3	5	7	11	14	23
85 +	626	7.3	33	2	4	6	9	14	18	28
B. Operated										
65-69 YRS	5050	7.4	25	3	4	6	9	13	16	26
70-74	4187	8.3	33	4	5	7	10	14	18	29
75-79	3052	9.6	43	4	6	8	11	16	21	35
80-84	1801	11.0	66	5	6	9	13	18	24	44
85 +	1061	13.4	92	6	8	11	16	24	31	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	229	3.1	6	1	2	2	4	5	7	13
B. Operated	2000	5.2	6	3	4	5	6	8	9	15
2. MULTIPLE DX										
A. Not Operated	3129	5.8	26	2	3	5	7	11	14	24
B. Operated	15151	8.9	43	4	5	7	11	16	20	35
1. SINGLE DX	2229	4.9	6	3	3	4	6	8	9	14
2. MULTIPLE DX	18280	8.4	42	3	5	7	10	15	19	34
A. Not Operated	3358	5.6	25	2	3	4	7	10	13	23
B. Operated	17151	8.5	41	4	5	7	10	15	19	34
TOTAL										
65-69 YRS	6735	6.7	23	3	4	5	8	12	15	25
70-74	5477	7.5	30	3	4	6	9	13	17	28
75-79	4029	8.7	41	4	5	7	11	15	19	33
80-84	2502	9.6	58	3	5	8	12	17	22	39
85 +	1766	10.9	77	3	6	9	13	20	26	49
GRAND TOTAL	**20509**	**8.0**	**39**	**3**	**4**	**6**	**10**	**14**	**18**	**32**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	2.9	5	1	1	2	5	6	7	9
70-74	17	2.8	6	1	1	2	4	5	9	11
75-79	11	5.6	13	1	2	5	8	11	13	13
80-84	8	5.0	15	1	3	4	7	11	12	12
85 +	6	6.3	15	2	4	5	8	12	13	13
B. Operated										
65-69 YRS	40	6.4	9	3	4	6	9	10	11	14
70-74	32	6.5	13	3	4	6	8	11	13	18
75-79	23	6.6	10	4	4	5	8	11	13	14
80-84	6	7.3	9	5	5	6	8	12	13	13
85 +	4	7.5	12	4	4	7	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	170	5.5	13	2	3	5	7	10	11	18
70-74	174	6.2	41	2	3	5	7	11	13	37
75-79	156	6.1	19	2	3	5	8	11	15	22
80-84	151	6.9	20	3	4	6	9	12	15	24
85 +	141	7.3	15	3	4	7	9	13	15	17
B. Operated										
65-69 YRS	422	8.9	37	4	5	7	11	15	20	35
70-74	335	9.9	47	4	6	8	11	18	22	37
75-79	295	11.6	73	5	6	9	14	21	27	57
80-84	163	12.2	59	5	7	10	15	22	32	99 +
85 +	143	14.3	93	7	8	11	18	25	31	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	3.9	10	1	2	3	5	9	11	13
B. Operated	105	6.6	10	3	4	6	9	11	13	16
2. MULTIPLE DX										
A. Not Operated	792	6.4	23	2	3	5	8	11	14	23
B. Operated	1358	10.7	59	4	6	9	13	20	25	48
1. SINGLE DX	169	5.6	12	2	3	5	8	11	12	14
2. MULTIPLE DX	2150	9.1	50	3	5	7	11	17	22	39
A. Not Operated	856	6.2	22	2	3	5	8	11	14	22
B. Operated	1463	10.4	56	4	6	9	12	19	24	44
TOTAL										
65-69 YRS	654	7.6	31	3	4	6	9	13	17	33
70-74	558	8.4	46	3	4	7	10	15	20	37
75-79	485	9.5	58	3	5	7	12	17	23	47
80-84	328	9.5	47	3	5	8	12	18	23	68
85 +	294	10.7	65	4	6	8	13	20	24	42
GRAND TOTAL	**2319**	**8.8**	**48**	**3**	**5**	**7**	**11**	**16**	**22**	**38**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	3.5	4	2	2	3	5	7	7	7
70-74	9	3.0	2	1	2	4	4	5	5	5
75-79	7	3.9	16	< 1	< 1	3	5	11	12	12
80-84	5	3.2	5	< 1	1	2	5	6	6	6
85 +	7	3.6	4	2	2	3	5	7	7	7
B. Operated										
65-69 YRS	53	6.4	45	2	3	6	7	9	11	49
70-74	59	6.1	17	1	3	5	9	10	13	21
75-79	47	5.7	20	1	2	5	7	14	15	16
80-84	34	7.4	39	1	2	6	10	17	19	27
85 +	29	5.7	33	1	2	3	8	14	21	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	62	5.2	14	2	3	4	6	12	13	17
70-74	72	5.8	25	2	3	4	7	12	17	25
75-79	78	5.6	11	2	3	5	7	10	12	16
80-84	85	6.7	20	2	3	6	9	12	15	23
85 +	112	7.1	26	2	3	6	9	14	17	29
B. Operated										
65-69 YRS	389	10.9	69	4	6	9	13	21	27	42
70-74	437	10.8	62	3	6	9	14	18	24	38
75-79	501	11.0	69	3	7	9	14	20	24	42
80-84	455	12.2	78	4	7	11	15	21	25	53
85 +	424	13.0	91	4	8	11	16	24	29	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	3.4	6	1	2	3	5	6	7	12
B. Operated	222	6.2	30	1	2	5	8	12	15	23
2. MULTIPLE DX										
A. Not Operated	409	6.2	20	2	3	5	8	12	15	22
B. Operated	2206	11.6	74	4	7	10	14	21	26	47
1. SINGLE DX	256	5.8	27	1	2	5	8	11	15	22
2. MULTIPLE DX	2615	10.7	70	3	6	9	14	20	25	45
A. Not Operated	443	6.0	20	2	3	5	8	12	15	22
B. Operated	2428	11.1	73	3	6	9	14	20	25	46
TOTAL										
65-69 YRS	510	9.6	64	3	5	8	12	18	25	42
70-74	577	9.6	56	2	5	8	12	17	22	36
75-79	633	9.9	63	3	5	8	13	18	23	35
80-84	579	11.1	72	3	6	10	14	20	24	51
85 +	572	11.4	82	3	6	10	14	22	28	43
GRAND TOTAL	**2871**	**10.3**	**68**	**3**	**5**	**9**	**13**	**19**	**24**	**44**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	5.5	92	< 1	1	2	2	23	25	25
70-74	9	3.7	2	2	3	3	4	6	6	6
75-79	9	3.4	6	< 1	1	3	5	7	7	7
80-84	8	4.3	2	2	3	4	5	6	7	7
85 +	9	5.4	18	< 1	2	5	6	12	15	15
B. Operated										
65-69 YRS	13	4.8	18	1	2	3	8	12	13	13
70-74	13	5.7	28	1	2	4	10	13	16	17
75-79	18	4.0	13	1	1	2	7	9	11	12
80-84	7	2.7	7	1	1	1	5	7	7	7
85 +	8	3.8	10	1	2	3	5	9	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	111	6.8	31	2	3	6	8	13	18	32
70-74	114	6.8	30	2	3	5	8	15	19	25
75-79	115	6.7	36	3	4	5	8	12	16	62
80-84	99	7.2	41	2	4	6	8	13	17	40
85 +	125	7.6	28	3	4	6	9	14	19	26
B. Operated										
65-69 YRS	210	10.9	71	2	6	9	14	20	27	36
70-74	199	11.2	121	2	4	8	13	24	38	65
75-79	169	12.0	87	3	5	10	16	24	29	42
80-84	172	10.9	62	2	6	9	14	21	26	45
85 +	133	13.8	125	3	7	11	18	23	37	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	4.4	17	1	2	4	5	7	11	25
B. Operated	59	4.4	16	1	1	2	7	11	12	17
2. MULTIPLE DX										
A. Not Operated	564	7.0	33	2	4	6	8	13	19	31
B. Operated	883	11.6	92	2	5	9	15	23	29	55
1. SINGLE DX	100	4.4	16	1	2	3	6	9	12	21
2. MULTIPLE DX	1447	9.8	74	2	4	7	13	20	26	47
A. Not Operated	605	6.8	32	2	4	5	8	13	19	30
B. Operated	942	11.2	90	2	5	9	14	22	29	54
TOTAL										
65-69 YRS	340	9.2	60	2	4	7	12	18	24	33
70-74	335	9.3	88	2	4	7	11	19	25	55
75-79	311	9.3	71	2	4	7	12	21	29	43
80-84	286	9.3	56	2	4	7	12	19	23	45
85 +	275	10.4	85	2	4	8	14	20	25	55
GRAND TOTAL	**1547**	**9.5**	**72**	**2**	**4**	**7**	**12**	**19**	**25**	**46**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	82	4.9	8	2	3	4	6	9	10	14
70-74	61	4.2	5	2	2	4	6	7	8	11
75-79	48	4.9	7	2	3	5	6	8	10	13
80-84	29	4.6	5	2	3	4	6	8	8	10
85 +	21	5.1	14	1	3	5	6	8	13	18
B. Operated										
65-69 YRS	20	10.9	59	1	4	11	16	22	24	25
70-74	10	6.3	40	1	1	5	6	17	18	18
75-79	9	8.2	20	2	5	8	11	14	15	15
80-84	9	6.3	11	2	4	6	9	11	11	11
85 +	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	841	6.7	24	3	4	5	8	12	15	25
70-74	739	7.1	25	3	4	6	8	13	16	29
75-79	647	7.1	33	2	4	6	9	13	16	35
80-84	480	7.3	40	3	4	6	9	12	16	31
85 +	469	8.4	37	3	5	7	10	15	18	37
B. Operated										
65-69 YRS	439	14.3	200	4	7	10	16	32	50	99 +
70-74	398	14.8	156	4	7	11	18	27	39	71
75-79	316	14.5	129	4	8	12	17	26	36	72
80-84	210	14.9	170	5	7	12	18	26	43	79
85 +	165	13.7	77	5	8	12	18	26	31	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	241	4.7	7	2	3	4	6	8	10	13
B. Operated	50	8.4	40	1	4	7	13	17	22	25
2. MULTIPLE DX										
A. Not Operated	3176	7.2	31	3	4	6	9	13	16	30
B. Operated	1528	14.5	156	4	7	11	17	27	40	84
1. SINGLE DX	291	5.3	15	2	3	4	7	10	13	21
2. MULTIPLE DX	4704	9.6	83	3	4	7	12	18	25	56
A. Not Operated	3417	7.0	29	3	4	6	8	13	16	29
B. Operated	1578	14.3	154	4	7	11	17	27	40	84
TOTAL										
65-69 YRS	1382	9.0	93	3	4	6	11	17	25	67
70-74	1208	9.4	81	3	4	7	12	19	25	47
75-79	1020	9.3	73	3	4	7	12	18	24	47
80-84	728	9.4	88	3	5	7	11	18	23	62
85 +	657	9.6	52	3	5	8	12	18	25	43
GRAND TOTAL	**4995**	**9.3**	**80**	**3**	**4**	**7**	**11**	**18**	**25**	**53**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	65	3.2	6	1	1	2	4	7	8	12
70-74	61	3.5	13	1	2	3	4	5	7	25
75-79	56	3.7	8	1	2	3	4	7	9	17
80-84	37	3.9	6	2	2	4	5	6	9	12
85 +	40	4.8	26	1	2	3	5	8	13	30
B. Operated										
65-69 YRS	10	3.1	3	1	2	3	3	5	7	7
70-74	4	6.8	32	1	2	6	11	13	13	13
75-79	10	7.4	65	2	3	5	9	19	29	29
80-84	9	7.2	34	1	2	5	12	16	18	18
85 +	5	10.6	47	3	4	13	15	19	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1501	5.3	19	2	3	4	6	9	12	22
70-74	1763	5.4	18	2	3	4	6	10	13	22
75-79	2029	6.1	23	2	3	5	7	11	14	25
80-84	1954	6.3	28	2	3	5	7	11	15	25
85 +	2449	6.9	37	2	4	5	8	13	17	30
B. Operated										
65-69 YRS	677	8.8	82	3	4	6	10	17	24	55
70-74	793	9.4	88	3	4	7	11	19	25	52
75-79	866	9.2	83	3	4	7	11	18	23	49
80-84	718	9.8	85	3	4	7	12	20	27	52
85 +	664	11.5	119	3	5	8	14	22	31	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	259	3.7	11	1	2	3	5	7	8	18
B. Operated	38	6.6	37	2	3	4	10	14	19	29
2. MULTIPLE DX										
A. Not Operated	9696	6.1	26	2	3	5	7	11	15	26
B. Operated	3718	9.7	91	3	4	7	12	19	26	54
1. SINGLE DX	297	4.1	15	1	2	3	5	8	11	23
2. MULTIPLE DX	13414	7.1	47	2	3	5	8	13	18	35
A. Not Operated	9955	6.0	26	2	3	5	7	11	14	26
B. Operated	3756	9.7	91	3	4	7	12	19	26	54
TOTAL										
65-69 YRS	2253	6.3	40	2	3	5	7	11	16	31
70-74	2621	6.6	43	2	3	5	8	13	17	34
75-79	2961	6.9	42	2	3	5	8	13	17	33
80-84	2718	7.2	45	2	4	5	8	13	19	33
85 +	3158	7.8	58	2	4	6	9	15	20	42
GRAND TOTAL	**13711**	**7.0**	**47**	**2**	**3**	**5**	**8**	**13**	**18**	**35**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	23.0		23	23	23	23	23	23	23
75-79	1	6.0		6	6	6	6	6	6	6
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	17.0		17	17	17	17	17	17	17
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	18	9.0	63	3	3	7	11	21	28	31
70-74	21	11.2	121	2	3	5	16	31	36	37
75-79	18	7.7	27	2	3	6	11	17	18	18
80-84	18	8.8	36	3	4	7	13	17	21	24
85 +	17	7.2	14	3	4	7	10	12	14	15
B. Operated										
65-69 YRS	30	15.1	232	3	7	11	21	28	32	83
70-74	26	19.4	418	5	7	13	23	36	71	97
75-79	22	14.3	285	4	7	9	16	24	50	84
80-84	10	18.4	190	5	7	21	35	65	97	99 +
85 +	11	10.6	14	7	8	10	12	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	10.0	77	4	5	6	15	23	23	23
B. Operated	3	7.0	76	1	1	3	13	17	17	17
2. MULTIPLE DX										
A. Not Operated	92	8.9	55	3	3	6	11	17	24	36
B. Operated	99	15.9	263	4	7	11	21	29	53	98
1. SINGLE DX	7	8.7	66	1	3	6	14	22	23	23
2. MULTIPLE DX	191	12.5	174	3	5	9	16	24	35	92
A. Not Operated	96	8.9	55	3	4	6	11	17	24	36
B. Operated	102	15.6	259	4	7	11	21	29	50	98
TOTAL										
65-69 YRS	50	12.4	172	3	4	9	16	24	31	83
70-74	49	15.9	285	3	5	11	23	32	39	97
75-79	41	11.2	172	3	5	8	13	19	25	84
80-84	30	11.8	104	3	5	7	17	32	42	99 +
85 +	28	8.5	16	3	5	8	11	14	16	18
GRAND TOTAL	**198**	**12.4**	**170**	**3**	**5**	**9**	**16**	**24**	**34**	**91**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	9	1.9	2	1	1	2	2	4	5	5
70-74	10	1.4		1	1	1	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	1.0		1	1	1	1	1	1	1
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	38	8.5	58	2	3	7	11	14	20	44
70-74	40	8.4	37	3	4	6	12	17	22	26
75-79	49	7.1	16	2	4	6	10	14	15	16
80-84	24	7.2	39	2	3	5	10	13	24	25
85 +	23	9.7	37	3	6	8	13	19	22	25
B. Operated										
65-69 YRS	83	6.8	71	1	1	4	9	15	22	48
70-74	59	10.3	210	1	2	6	12	29	36	83
75-79	46	10.4	105	1	2	8	15	20	36	46
80-84	27	12.4	152	1	4	7	19	26	41	50
85 +	10	13.8	297	3	5	9	13	39	61	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	23	1.5	1	1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	174	8.0	36	2	4	7	11	15	20	26
B. Operated	225	9.4	136	1	2	6	12	20	34	56
1. SINGLE DX	24	1.5	1	1	1	1	2	2	3	5
2. MULTIPLE DX	399	8.8	93	1	3	6	11	18	25	50
A. Not Operated	175	8.0	36	2	4	7	11	15	20	26
B. Operated	248	8.7	129	1	2	5	11	20	32	54
TOTAL										
65-69 YRS	130	6.9	64	1	2	5	10	15	21	46
70-74	109	8.8	132	1	2	5	11	19	30	65
75-79	96	8.6	61	1	3	7	11	17	20	44
80-84	53	9.6	103	1	3	6	11	24	26	50
85 +	35	10.4	111	2	5	8	13	19	24	61
GRAND TOTAL	**423**	**8.4**	**90**	**1**	**2**	**6**	**11**	**18**	**25**	**50**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	7.0	16	3	3	7	11	12	13	13
70-74	18	9.2	43	3	5	7	10	22	23	23
75-79	17	7.2	15	2	5	7	10	12	14	15
80-84	12	7.5	18	3	4	7	10	13	16	16
85 +	16	10.6	122	4	5	7	12	16	39	49
B. Operated										
65-69 YRS	10	7.1	36	1	2	5	14	16	16	16
70-74	17	14.8	135	3	5	14	20	27	40	47
75-79	10	11.9	35	4	6	13	17	19	21	21
80-84	13	11.8	37	4	7	13	16	21	21	21
85 +	5	24.4	145	16	16	18	32	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	72	8.5	46	3	4	7	11	15	21	43
B. Operated	55	13.0	91	2	6	13	17	23	28	47
1. SINGLE DX	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX	127	10.5	70	3	4	8	14	20	24	47
A. Not Operated	72	8.5	46	3	4	7	11	15	21	43
B. Operated	56	12.8	92	2	5	13	17	23	28	47
TOTAL										
65-69 YRS	19	7.1	25	2	3	6	11	15	16	16
70-74	36	11.6	94	3	4	8	17	23	27	47
75-79	27	9.0	26	2	5	9	12	16	18	21
80-84	25	9.8	32	3	4	9	14	17	21	21
85 +	21	13.9	156	4	6	10	16	34	46	49
GRAND TOTAL	**128**	**10.4**	**70**	**3**	**4**	**8**	**14**	**20**	**24**	**47**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	8.8	118	< 1	< 1	5	16	24	24	24
70-74	3	5.3	2	4	4	5	6	7	7	7
75-79	1	4.0		4	4	4	4	4	4	4
80-84	4	10.5	83	1	3	9	17	22	22	22
85 +	2	7.0	18	4	4	7	10	10	10	10
B. Operated										
65-69 YRS	37	2.9	7	1	1	2	3	7	9	11
70-74	16	2.9	17	1	1	2	3	5	14	18
75-79	22	2.1	3	1	1	2	3	4	6	8
80-84	8	4.0	19	1	1	2	6	11	13	13
85 +	4	3.0	7	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	131	6.9	49	1	3	5	8	13	19	43
70-74	161	7.2	28	2	3	6	10	14	19	29
75-79	127	10.1	67	3	4	7	14	20	23	41
80-84	125	8.1	29	3	5	7	10	15	18	31
85 +	124	9.6	63	3	4	7	12	17	24	43
B. Operated										
65-69 YRS	416	9.7	102	1	3	6	13	23	33	62
70-74	343	12.0	142	2	4	9	15	27	37	64
75-79	309	11.3	100	2	4	9	15	25	33	58
80-84	149	12.3	125	2	4	9	17	28	35	60
85 +	62	14.6	213	3	6	11	18	30	38	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	7.9	53	< 1	4	5	10	22	24	24
B. Operated	87	2.8	9	1	1	2	3	7	9	16
2. MULTIPLE DX										
A. Not Operated	668	8.3	48	2	4	6	10	17	21	37
B. Operated	1279	11.2	121	2	4	8	15	26	35	61
1. SINGLE DX	101	3.5	18	1	1	2	4	8	12	23
2. MULTIPLE DX	1947	10.2	98	2	4	7	13	23	31	60
A. Not Operated	682	8.3	48	2	4	6	10	17	21	37
B. Operated	1366	10.7	118	1	3	8	14	25	34	61
TOTAL										
65-69 YRS	588	8.6	88	1	2	6	11	22	29	50
70-74	523	10.2	109	2	3	7	13	23	31	62
75-79	459	10.5	90	2	4	8	14	23	30	50
80-84	286	10.2	84	2	4	8	13	22	29	55
85 +	192	11.0	116	3	5	8	14	22	28	58
GRAND TOTAL	**2048**	**9.9**	**96**	**2**	**3**	**7**	**13**	**22**	**30**	**58**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	13.0	288	< 1	< 1	12	25	25	25	25
70-74	1	1.0		1	1	1	1	1	1	1
75-79	4	3.0	3	< 1	1	3	4	5	5	5
80-84	3	4.7	4	3	3	4	6	7	7	7
85 +	5	6.4	11	2	4	6	9	11	11	11
B. Operated										
65-69 YRS	2	13.0	128	5	5	13	21	21	21	21
70-74	5	8.6	252	1	1	2	11	37	37	37
75-79	6	12.2	173	1	2	9	19	32	34	34
80-84	0									
85 +	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	306	7.8	32	3	4	6	10	14	18	31
70-74	342	9.2	58	3	5	7	11	15	23	48
75-79	427	9.1	48	3	5	7	11	16	20	40
80-84	421	9.4	45	3	5	8	12	17	22	32
85 +	480	10.2	96	4	5	8	12	18	26	58
B. Operated										
65-69 YRS	287	15.3	161	4	7	13	20	30	39	93
70-74	348	16.1	136	4	9	13	20	31	38	59
75-79	313	17.5	168	5	9	15	23	35	42	95
80-84	218	18.4	205	6	9	14	23	36	49	94
85 +	143	18.7	192	7	10	16	24	36	51	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	5.7	37	< 1	2	4	7	11	21	25
B. Operated	15	10.1	153	1	1	2	18	34	36	37
2. MULTIPLE DX										
A. Not Operated	1976	9.2	59	3	5	7	11	16	21	45
B. Operated	1309	16.9	168	5	8	14	22	33	42	92
1. SINGLE DX	30	7.9	97	1	2	4	8	23	34	37
2. MULTIPLE DX	3285	12.3	116	4	6	9	15	25	32	63
A. Not Operated	1991	9.2	58	3	5	7	11	16	21	45
B. Operated	1324	16.8	168	5	8	14	22	33	42	92
TOTAL										
65-69 YRS	597	11.4	108	3	5	8	15	24	31	70
70-74	696	12.6	110	4	6	10	16	25	33	57
75-79	750	12.6	116	4	6	9	16	25	35	72
80-84	642	12.5	117	4	6	9	15	25	32	61
85 +	630	12.1	129	4	6	9	15	24	31	71
GRAND TOTAL	**3315**	**12.3**	**116**	**4**	**6**	**9**	**15**	**25**	**32**	**62**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	4.1	6	1	2	4	5	7	10	11
70-74	20	4.7	4	3	3	4	6	8	8	8
75-79	8	3.1	1	1	3	3	4	4	4	4
80-84	15	3.8	5	2	2	3	5	7	8	8
85 +	8	4.0	3	2	3	4	5	7	7	7
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	552	5.9	14	3	4	5	7	10	12	21
70-74	505	6.5	16	3	4	6	8	11	14	21
75-79	480	6.4	31	3	4	5	8	11	13	24
80-84	431	6.7	20	3	4	6	8	11	15	21
85 +	423	7.3	32	3	4	6	9	12	15	25
B. Operated										
65-69 YRS	104	11.2	63	4	7	9	13	24	28	44
70-74	111	12.5	125	4	6	9	14	28	37	77
75-79	100	13.7	166	5	7	10	16	25	36	76
80-84	68	14.4	110	6	8	12	17	23	28	66
85 +	44	15.5	246	5	7	12	16	22	52	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	4.1	4	2	3	4	5	7	8	11
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2391	6.5	22	3	4	6	8	11	13	22
B. Operated	427	13.1	130	5	7	10	15	25	31	65
1. SINGLE DX	68	4.1	4	2	3	4	5	7	8	11
2. MULTIPLE DX	2818	7.5	44	3	4	6	9	13	17	36
A. Not Operated	2459	6.5	22	3	4	5	8	11	13	22
B. Operated	427	13.1	130	5	7	10	15	25	31	65
TOTAL										
65-69 YRS	673	6.7	25	3	4	6	8	11	14	31
70-74	636	7.5	40	3	4	6	9	13	17	37
75-79	588	7.6	61	3	4	6	9	13	18	41
80-84	514	7.6	38	3	4	6	9	14	17	32
85 +	475	8.0	57	3	4	6	9	14	17	45
GRAND TOTAL	**2886**	**7.4**	**43**	**3**	**4**	**6**	**9**	**13**	**17**	**36**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	4.2	3	2	3	4	6	6	6	6
70-74	10	5.5	9	2	4	5	7	10	11	11
75-79	10	4.9	3	3	4	4	6	8	8	8
80-84	5	4.0	9	1	2	3	5	9	9	9
85 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
65-69 YRS	3	7.7	20	3	4	8	11	12	12	12
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	2	4.0		4	4	4	4	4	4	4
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	208	6.2	13	3	4	6	7	11	13	23
70-74	225	6.1	14	3	4	5	7	10	12	21
75-79	241	6.9	29	3	4	6	8	12	15	26
80-84	205	6.5	17	3	4	5	8	11	16	20
85 +	217	7.9	81	3	4	6	9	14	17	89
B. Operated										
65-69 YRS	91	12.7	95	4	6	10	17	24	29	56
70-74	80	12.4	88	5	7	9	15	22	28	56
75-79	77	12.0	83	5	6	9	15	26	33	43
80-84	54	12.5	48	6	7	10	16	22	27	31
85 +	40	13.7	54	7	8	11	21	25	27	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	4.6	5	2	3	4	6	8	9	11
B. Operated	8	5.5	14	1	3	4	8	11	12	12
2. MULTIPLE DX										
A. Not Operated	1096	6.8	31	3	4	6	8	12	15	24
B. Operated	342	12.6	78	5	7	10	16	24	29	45
1. SINGLE DX	53	4.7	6	2	3	4	6	8	9	12
2. MULTIPLE DX	1438	8.1	49	3	4	6	9	15	21	35
A. Not Operated	1141	6.7	31	3	4	6	8	11	15	24
B. Operated	350	12.4	77	5	7	9	16	24	29	44
TOTAL										
65-69 YRS	320	8.0	45	3	4	6	9	16	21	37
70-74	316	7.7	40	3	4	6	9	14	19	35
75-79	329	8.0	46	3	4	6	9	15	20	37
80-84	266	7.7	29	3	4	6	9	15	19	30
85 +	260	8.8	81	3	4	7	10	17	22	82
GRAND TOTAL	**1491**	**8.0**	**47**	**3**	**4**	**6**	**9**	**15**	**21**	**35**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	122	1.6	1	<1	1	1	2	3	4	6
70-74	61	2.1	7	<1	1	1	2	4	7	15
75-79	40	1.9	6	1	1	1	2	3	5	15
80-84	14	1.7	2	1	1	1	2	3	5	6
85+	6	1.2		<1	1	1	1	2	2	2
B. Operated										
65-69 YRS	75	3.0	11	<1	1	1	3	8	10	17
70-74	59	2.5	7	<1	1	1	3	6	8	13
75-79	35	2.9	9	1	1	2	3	8	10	12
80-84	13	3.4	11	<1	1	2	5	8	11	12
85+	7	2.0	3	1	1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	264	2.6	4	1	1	2	3	5	7	10
70-74	191	2.8	5	1	1	2	3	6	8	13
75-79	153	3.4	8	1	1	3	4	7	10	14
80-84	63	3.9	9	1	2	3	5	8	11	13
85+	43	4.8	16	1	2	4	6	10	12	22
B. Operated										
65-69 YRS	316	7.1	70	1	2	5	9	14	19	39
70-74	230	6.7	62	1	2	5	8	14	19	47
75-79	188	7.4	56	1	2	6	10	14	19	46
80-84	93	8.5	98	1	3	7	10	18	33	55
85+	45	10.0	188	1	3	7	11	19	34	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	243	1.8	3	<1	1	1	2	3	5	11
B. Operated	189	2.8	9	<1	1	1	3	8	10	13
2. MULTIPLE DX										
A. Not Operated	714	3.1	7	1	1	2	4	6	8	13
B. Operated	872	7.4	74	1	2	5	9	14	20	47
1. SINGLE DX	432	2.2	6	<1	1	1	2	5	8	12
2. MULTIPLE DX	1586	5.4	48	1	2	3	7	11	16	36
A. Not Operated	957	2.7	6	1	1	2	3	6	8	13
B. Operated	1061	6.5	65	1	2	4	8	13	19	44
TOTAL										
65-69 YRS	777	4.3	36	1	1	2	5	10	13	28
70-74	541	4.4	34	1	1	3	6	10	13	29
75-79	416	5.0	34	1	1	3	6	11	14	27
80-84	183	6.0	60	1	2	4	7	12	18	36
85+	101	6.7	100	1	2	4	8	13	19	67
GRAND TOTAL	**2018**	**4.7**	**41**	**1**	**1**	**3**	**6**	**10**	**14**	**33**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	232	1.8	1	1	1	1	2	3	4	8
70-74	94	1.9	1	1	1	2	2	3	4	7
75-79	69	1.9	1	1	1	2	2	3	4	6
80-84	15	2.3	1	1	2	2	3	4	4	4
85+	5	2.0	1	1	1	2	2	3	3	3
B. Operated										
65-69 YRS	238	3.0	5	1	1	2	4	6	8	10
70-74	141	3.2	5	1	1	2	5	7	8	10
75-79	71	3.2	5	1	1	3	4	6	7	10
80-84	31	3.3	9	1	1	2	4	8	11	13
85+	10	3.1	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	532	2.3	2	1	1	2	3	4	5	8
70-74	297	2.8	5	1	1	2	3	5	7	9
75-79	188	2.9	6	1	1	2	3	5	7	11
80-84	95	3.3	8	1	2	2	4	6	8	19
85+	46	3.8	14	1	2	3	4	7	9	24
B. Operated										
65-69 YRS	791	5.1	21	1	2	4	6	10	13	22
70-74	658	5.7	30	1	2	4	7	11	14	25
75-79	363	6.2	31	1	3	5	8	13	17	25
80-84	187	6.9	37	2	3	5	9	15	18	34
85+	91	7.4	32	2	4	6	9	16	19	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	415	1.9	1	1	1	2	2	3	4	7
B. Operated	491	3.1	5	1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	1158	2.7	5	1	1	2	3	5	6	10
B. Operated	2090	5.8	28	1	2	4	7	11	15	25
1. SINGLE DX	906	2.5	4	1	1	2	3	5	7	10
2. MULTIPLE DX	3248	4.7	22	1	2	3	6	9	13	22
A. Not Operated	1573	2.5	4	1	1	2	3	5	6	9
B. Operated	2581	5.3	24	1	2	4	7	10	14	23
TOTAL										
65-69 YRS	1793	3.6	13	1	1	2	4	7	10	18
70-74	1190	4.4	21	1	2	3	6	9	12	20
75-79	691	4.6	22	1	2	3	6	10	14	24
80-84	328	5.3	28	1	2	4	7	12	16	23
85+	152	5.8	27	2	2	4	7	11	18	24
GRAND TOTAL	**4154**	**4.2**	**19**	**1**	**2**	**3**	**5**	**9**	**12**	**20**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	8.4	126	<1	2	3	11	28	29	29
70-74	3	3.7	8	2	2	2	6	7	7	7
75-79	5	6.0	26	1	1	7	9	13	13	13
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	43	4.9	18	1	2	4	6	9	13	22
70-74	26	3.9	7	1	2	3	7	8	9	10
75-79	17	4.1	12	1	2	3	6	7	12	14
80-84	7	4.1	[illegible]	<1	1	3	8	10	10	10
85 +	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	112	5.2	15	2	2	4	7	11	14	17
70-74	122	6.1	24	2	3	5	8	11	16	27
75-79	118	6.3	18	2	3	5	8	13	14	19
80-84	88	6.9	42	2	3	5	8	14	20	37
85 +	73	8.2	85	2	4	6	9	15	20	56
B. Operated										
65-69 YRS	413	[illegible]	56	1	3	6	10	16	22	43
70-74	398	8.7	84	1	3	6	10	18	23	52
75-79	314	9.6	99	1	3	7	11	19	29	48
80-84	183	9.4	73	1	3	7	13	22	28	44
85 +	101	11.9	119	2	5	8	15	26	35	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	6.4	68	1	1	3	7	21	28	29
B. Operated	96	4.3	13	1	2	3	6	9	10	20
2. MULTIPLE DX										
A. Not Operated	513	6.4	33	2	3	5	8	13	16	23
B. Operated	1409	9.0	81	1	3	7	11	18	25	48
1. SINGLE DX	115	4.7	23	1	1	3	7	9	12	28
2. MULTIPLE DX	1922	8.3	69	1	3	6	10	17	22	45
A. Not Operated	532	6.4	34	2	3	5	8	13	16	27
B. Operated	1505	8.7	78	1	3	7	11	18	24	47
TOTAL										
65-69 YRS	577	7.1	47	1	3	6	9	15	21	33
70-74	549	7.9	69	1	3	6	9	16	21	47
75-79	454	8.5	76	1	3	7	10	17	25	42
80-84	279	8.5	63	1	3	6	11	18	24	44
85 +	178	10.2	106	2	4	7	13	20	31	56
GRAND TOTAL	**2037**	**8.1**	**67**	**1**	**3**	**6**	**10**	**17**	**22**	**44**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	1.2		1	1	1	2	2	2	2
70-74	4	1.3		<1	<1	1	2	2	2	2
75-79	1	8.0		8	8	8	8	8	8	8
80-84	3	1.3		<1	<1	1	2	2	2	2
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-[illegible] YRS	11	1.3		<1	1	1	1	2	3	3
70-74	9	2.2	5	<1	1	1	2	6	8	8
75-79	12	2.1	3	<1	1	1	3	5	6	6
80-84	8	2.4	5	1	1	2	3	6	7	7
85 +	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	17	2.5	2	<1	1	3	3	4	5	6
70-74	21	2.5	2	1	1	2	3	5	5	6
75-79	15	6.4	29	2	2	7	9	13	18	20
80-84	5	5.2	20	1	2	4	8	12	12	12
85 +	2	3.5	13	1	1	3	6	6	6	6
B. Operated										
65-69 YRS	183	4.8	51	1	2	3	6	9	10	26
70-74	133	4.8	21	1	2	4	6	9	14	22
75-79	142	5.2	29	1	2	4	7	10	15	26
80-84	129	6.4	36	2	3	4	8	13	19	31
85 +	84	7.7	80	2	3	5	9	18	28	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.9	4	<1	1	1	2	3	7	8
B. Operated	43	2.1	3	<1	1	1	2	5	6	8
2. MULTIPLE DX										
A. Not Operated	60	3.7	12	1	2	3	4	7	11	19
B. Operated	671	5.6	42	1	2	4	7	11	16	29
1. SINGLE DX	57	2.0	3	<1	1	1	2	5	7	8
2. MULTIPLE DX	731	5.4	40	1	2	4	7	11	15	28
A. Not Operated	74	3.4	11	1	1	2	4	7	11	18
B. Operated	714	5.4	40	1	2	4	7	10	15	28
TOTAL										
65-69 YRS	216	4.4	44	1	2	3	5	8	10	26
70-74	167	4.3	18	1	2	3	6	9	13	21
75-79	170	5.1	28	1	2	4	7	10	15	23
80-84	145	6.0	34	1	2	4	7	12	17	29
85 +	90	7.4	76	2	3	5	8	17	27	49
GRAND TOTAL	**788**	**5.2**	**38**	**1**	**2**	**3**	**6**	**10**	**15**	**28**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	6.0	32	2	2	6	10	10	10	10
75-79	1	4.0		4	4	4	4	4	4	4
80-84	4	5.3	3	3	4	5	6	7	7	7
85+	6	3.0	2	2	2	3	3	6	6	6
B. Operated										
65-69 YRS	14	1.6	1	<1	<1	1	2	3	4	4
70-74	19	2.4	3	<1	1	2	3	5	7	7
75-79	14	3.9	13	<1	2	3	4	7	13	15
80-84	11	1.9	4	<1	1	1	2	5	7	7
85+	6	4.2	15	<1	1	2	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	82	5.1	10	2	3	4	7	10	11	15
70-74	100	5.6	12	2	3	5	8	10	12	16
75-79	103	6.0	26	2	3	5	7	13	15	28
80-84	116	6.5	40	2	3	5	7	15	23	64
85+	155	7.3	48	3	4	6	8	13	18	39
B. Operated										
65-69 YRS	212	6.6	53	1	2	4	9	15	21	46
70-74	253	6.0	36	1	2	4	8	12	17	30
75-79	294	6.4	38	1	2	4	9	14	17	33
80-84	245	7.6	60	2	3	6	10	14	19	44
85+	237	8.3	74	2	4	7	10	15	21	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.1	6	2	2	3	6	7	9	10
B. Operated	64	2.6	6	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. Not Operated	556	6.3	31	2	3	5	8	12	15	30
B. Operated	1241	6.9	52	1	3	5	9	14	19	38
1. SINGLE DX	78	2.9	6	<1	1	2	4	6	8	14
2. MULTIPLE DX	1797	6.7	45	1	3	5	8	13	18	38
A. Not Operated	570	6.2	30	2	3	5	7	12	15	30
B. Operated	1305	6.7	51	1	2	5	9	14	19	38
TOTAL										
65-69 YRS	309	5.9	40	1	2	4	8	13	18	35
70-74	374	5.7	28	1	2	4	8	12	15	26
75-79	412	6.2	34	1	2	4	8	13	17	29
80-84	376	7.1	53	2	3	5	9	13	19	45
85+	404	7.8	63	2	3	6	9	15	19	47
GRAND TOTAL	**1875**	**6.6**	**44**	**1**	**3**	**5**	**8**	**13**	**17**	**37**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.5	1	4	4	4	5	5	5	5
70-74	0									
75-79	0									
80-84	0									
85+	0									
B. Operated										
65-69 YRS	39	1.9	2	<1	1	2	2	3	4	8
70-74	30	2.3	3	1	1	2	3	5	6	7
75-79	32	2.2	3	1	1	2	3	4	5	10
80-84	22	2.1	4	<1	1	1	2	5	7	8
85+	14	1.8	2	1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10	3.5	8	<1	2	3	4	8	10	10
70-74	13	4.0	8	1	2	3	5	8	10	10
75-79	12	4.9	10	1	2	4	7	9	10	10
80-84	9	2.6	1	1	2	2	4	4	4	4
85+	11	6.9	29	1	2	4	12	14	14	14
B. Operated										
65-69 YRS	229	3.6	9	1	1	3	4	8	9	15
70-74	247	3.5	12	1	1	2	5	7	10	17
75-79	238	4.6	29	1	1	3	5	9	13	25
80-84	182	4.6	18	1	2	3	6	9	12	23
85+	128	6.1	51	1	2	5	7	11	15	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.5	1	4	4	4	5	5	5	5
B. Operated	137	2.1	3	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	55	4.5	12	1	2	3	6	10	12	14
B. Operated	1024	4.3	22	1	2	3	5	9	11	23
1. SINGLE DX	139	2.1	3	1	1	2	3	4	5	8
2. MULTIPLE DX	1079	4.3	21	1	2	3	5	9	11	23
A. Not Operated	57	4.5	12	1	2	4	6	10	12	14
B. Operated	1161	4.0	20	1	1	3	5	8	11	23
TOTAL										
65-69 YRS	280	3.4	8	1	1	2	4	7	9	14
70-74	290	3.4	11	1	1	2	5	7	9	17
75-79	282	4.3	26	1	1	3	5	9	12	23
80-84	213	4.2	16	1	2	3	5	9	11	23
85+	153	5.8	46	1	2	4	7	11	15	66
GRAND TOTAL	**1218**	**4.1**	**20**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	34	5.4	26	2	2	4	6	9	21	24
70-74	36	3.6	5	1	3	3	4	6	7	13
75-79	42	4.5	5	2	3	4	6	8	8	11
80-84	43	4.8	11	1	2	4	7	9	12	15
85 +	65	7.0	37	2	4	6	9	12	13	38
B. Operated										
65-69 YRS	5	4.6	21	< 1	1	3	7	12	12	12
70-74	7	4.3	10	< 1	1	4	7	9	9	9
75-79	5	11.2	92	3	4	8	16	27	27	27
80-84	3	10.3	33	7	7	7	15	17	17	17
85 +	4	6.0	5	3	4	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1782	7.1	29	3	4	6	8	12	16	26
70-74	2468	7.6	49	3	4	6	9	13	17	38
75-79	3097	7.9	48	3	4	6	9	14	19	45
80-84	3328	8.2	48	3	4	7	10	14	19	39
85 +	4579	8.5	54	3	5	7	10	15	20	41
B. Operated										
65-69 YRS	406	11.9	84	5	7	10	14	21	29	57
70-74	491	13.2	120	4	7	10	17	25	34	70
75-79	572	14.1	123	6	8	11	17	27	44	99 +
80-84	566	15.9	159	5	8	12	20	34	46	99 +
85 +	654	16.1	148	6	9	13	20	31	43	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	5.3	20	2	3	4	7	10	12	25
B. Operated	24	6.8	35	< 1	3	6	8	13	20	27
2. MULTIPLE DX										
A. Not Operated	15254	8.0	48	3	4	6	9	14	19	38
B. Operated	2689	14.5	132	5	7	11	18	29	40	93
1. SINGLE DX	244	5.4	22	2	3	4	7	10	13	27
2. MULTIPLE DX	17943	9.0	66	3	5	7	11	17	22	51
A. Not Operated	15474	8.0	48	3	4	6	9	14	19	38
B. Operated	2713	14.4	132	5	7	11	18	28	40	90
TOTAL										
65-69 YRS	2227	7.9	43	3	4	6	10	15	20	32
70-74	3002	8.5	65	3	4	6	10	16	21	45
75-79	3716	8.8	65	3	4	7	10	17	22	68
80-84	3940	9.2	71	3	5	7	11	17	24	52
85 +	5302	9.4	71	3	5	7	11	17	24	53
GRAND TOTAL	**18187**	**8.9**	**66**	**3**	**5**	**7**	**10**	**16**	**22**	**51**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	1.8	1	< 1	< 1	2	2	3	4	4
70-74	14	2.0	1	1	1	2	3	4	4	4
75-79	14	3.1	5	< 1	1	3	4	6	8	9
80-84	12	3.5	3	1	2	4	5	5	6	6
85 +	11	3.5	7	1	2	2	5	8	9	9
B. Operated										
65-69 YRS	110	2.3	6	1	1	1	3	4	8	14
70-74	101	2.7	4	1	1	2	3	5	6	11
75-79	79	3.2	6	1	2	3	4	6	9	12
80-84	45	2.4	2	< 1	1	2	3	4	6	7
85 +	34	3.9	6	1	2	4	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	187	4.6	18	1	2	3	6	9	12	17
70-74	230	4.9	20	1	2	4	6	9	13	24
75-79	264	5.2	18	1	2	4	7	11	14	22
80-84	217	5.2	18	1	2	4	7	11	14	21
85 +	258	6.3	44	2	3	4	7	12	17	30
B. Operated										
65-69 YRS	819	4.8	31	1	2	3	6	10	14	32
70-74	990	5.6	37	1	2	4	6	11	16	31
75-79	897	6.4	60	1	2	4	7	14	19	42
80-84	631	6.7	54	2	3	5	8	13	20	63
85 +	455	8.0	72	2	3	5	10	16	25	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	2.6	3	< 1	1	2	4	5	6	9
B. Operated	369	2.8	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	1156	5.3	25	1	2	4	6	10	14	24
B. Operated	3792	6.1	49	1	2	4	7	13	18	41
1. SINGLE DX	441	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	4948	5.9	43	1	2	4	7	12	17	37
A. Not Operated	1228	5.1	24	1	2	4	6	10	14	24
B. Operated	4161	5.8	46	1	2	4	7	12	17	40
TOTAL										
65-69 YRS	1137	4.5	26	1	2	3	5	9	13	30
70-74	1335	5.2	32	1	2	4	6	11	16	28
75-79	1254	5.9	48	1	2	4	7	12	17	37
80-84	905	6.1	43	2	3	4	7	13	17	48
85 +	758	7.2	60	2	3	5	8	14	21	49
GRAND TOTAL	**5389**	**5.6**	**41**	**1**	**2**	**4**	**7**	**12**	**16**	**36**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	1.5	1	<1	<1	<1	2	3	4	4
70-74	23	2.0	2	<1	<1	1	4	4	5	5
75-79	10	3.4	7	<1	1	2	7	7	7	7
80-84	7	2.6	4	<1	<1	<1	4	6	6	6
85+	2	3.5	13	<1	<1	3	6	6	6	6
B. Operated										
65-69 YRS	1307	3.6	4	2	3	3	4	5	6	9
70-74	1039	3.7	3	2	3	3	4	6	7	10
75-79	675	4.1	5	2	3	4	5	6	8	11
80-84	345	4.0	5	2	3	4	5	6	8	12
85+	118	4.1	4	2	3	4	5	6	8	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	107	3.8	20	<1	1	3	4	8	11	25
70-74	127	3.3	7	<1	2	3	5	7	8	11
75-79	148	[illegible]	40	<1	2	3	6	10	13	62
80-84	96	5.8	100	1	2	3	7	10	13	96
85+	76	6.0	38	1	2	4	7	12	16	36
B. Operated										
65-69 YRS	6883	4.7	12	2	3	4	5	8	10	18
70-74	7255	5.0	13	2	3	4	6	8	11	20
75-79	5918	5.5	21	2	3	4	6	10	13	23
80-84	3214	6.0	27	3	3	5	7	11	15	27
85+	1664	7.3	41	3	4	5	8	14	18	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	2.2	3	<1	<1	1	3	5	6	7
B. Operated	3484	3.8	4	2	3	4	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	554	4.7	39	1	2	3	6	9	12	36
B. Operated	24934	5.3	19	2	3	4	6	9	12	22
1. SINGLE DX	3544	3.8	4	2	3	3	4	6	7	10
2. MULTIPLE DX	25488	5.3	19	2	3	4	6	9	12	22
A. Not Operated	614	4.5	36	<1	1	3	6	9	12	35
B. Operated	28418	5.1	17	2	3	4	6	9	12	21
TOTAL										
65-69 YRS	8315	4.5	11	2	3	4	5	7	9	17
70-74	8444	4.8	12	2	3	4	6	8	11	19
75-79	6751	5.3	20	2	3	4	6	9	12	22
80-84	3662	5.8	27	2	3	4	7	11	14	26
85+	1860	7.0	39	3	4	5	8	13	18	36
GRAND TOTAL	**29032**	**5.1**	**17**	**2**	**3**	**4**	**6**	**9**	**12**	**21**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	20	4.1	7	1	2	3	6	8	9	10
70-74	7	3.3	3	2	2	3	5	6	6	6
75-79	5	3.6		3	3	4	4	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+	0									
B. Operated										
65-69 YRS	16	3.0	3	<1	1	3	4	6	6	6
70-74	8	4.1	4	1	3	4	6	7	7	7
75-79	5	3.6	2	2	3	3	4	6	6	6
80-84	0									
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	155	4.6	6	2	3	4	6	8	10	12
70-74	95	4.8	7	2	3	4	6	8	9	16
75-79	76	4.5	7	2	3	4	5	7	8	18
80-84	34	5.2	11	2	3	4	8	10	12	15
85+	30	5.6	12	2	3	5	8	10	13	14
B. Operated										
65-69 YRS	101	5.6	16	2	3	4	7	11	14	20
70-74	97	4.5	10	1	3	4	5	10	12	14
75-79	87	6.7	54	2	2	5	7	13	21	43
80-84	49	6.7	21	2	3	5	10	14	15	19
85+	39	4.9	9	1	2	5	7	9	10	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	3.8	5	2	2	3	5	6	9	10
B. Operated	30	3.3	3	<1	2	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	390	4.8	7	2	3	4	6	8	10	14
B. Operated	373	5.7	24	2	3	4	7	11	14	23
1. SINGLE DX	63	3.6	4	1	2	3	5	6	7	10
2. MULTIPLE DX	763	5.2	16	2	3	4	6	10	12	19
A. Not Operated	423	4.7	7	2	3	4	6	8	10	14
B. Operated	403	5.5	23	1	3	4	7	11	14	22
TOTAL										
65-69 YRS	292	4.8	10	2	3	4	6	9	11	17
70-74	207	4.6	8	2	3	4	6	8	11	14
75-79	173	5.6	32	2	3	4	6	10	15	35
80-84	84	6.1	17	2	3	4	8	13	15	18
85+	70	5.2	10	1	3	5	7	9	11	14
GRAND TOTAL	**826**	**5.1**	**15**	**2**	**3**	**4**	**6**	**9**	**12**	**19**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
65-69 YRS	27	1.4		< 1	1	1	2	3	3	3
70-74	21	1.6	1	1	1	1	2	3	3	3
75-79	19	1.8	2	< 1	1	1	2	3	5	7
80-84	5	2.2	1	1	1	2	3	4	4	4
85 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	3	2.7	2	1	1	3	4	4	4	4
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	85	2.4	4	1	1	2	3	5	7	10
70-74	74	2.5	5	1	1	2	3	5	9	10
75-79	56	2.7	5	1	1	2	3	6	8	12
80-84	34	3.8	32	1	1	2	5	7	7	34
85 +	15	5.7	79	1	2	3	5	8	30	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	74	1.6	1	1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	7	3.3	4	1	2	3	5	6	6	6
B. Operated	264	2.9	13	1	1	2	3	6	8	12
1. SINGLE DX	77	1.6	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX	271	2.9	13	1	1	2	3	6	8	12
A. Not Operated	10	2.6	4	< 1	1	2	4	5	6	6
B. Operated	338	2.6	10	1	1	2	3	5	7	11
TOTAL										
65-69 YRS	113	2.2	3	1	1	1	3	4	6	10
70-74	98	2.3	4	1	1	2	3	4	8	10
75-79	77	2.5	5	1	1	2	3	6	7	11
80-84	41	3.5	27	1	1	2	4	6	7	34
85 +	19	4.9	64	1	1	3	5	8	24	37
GRAND TOTAL	**348**	**2.6**	**10**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	23	5.7	10	3	3	4	8	11	12	12
70-74	12	3.7	3	1	2	4	5	6	6	6
75-79	10	3.8	2	2	3	4	5	6	6	6
80-84	3	4.7		4	4	5	5	5	5	5
85 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
65-69 YRS	4	4.5	6	1	3	5	6	7	7	7
70-74	7	3.0	7	1	1	2	4	7	8	8
75-79	5	3.8	5	1	2	4	6	6	6	6
80-84	3	1.0		1	1	1	1	1	1	1
85 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	117	6.2	12	3	4	6	7	10	12	21
70-74	104	5.6	9	2	4	5	7	9	11	15
75-79	75	5.3	6	3	3	5	7	9	10	13
80-84	34	6.4	12	3	4	5	9	12	14	15
85 +	24	6.0	6	3	4	6	7	9	11	11
B. Operated										
65-69 YRS	47	8.0	46	1	3	7	11	17	19	32
70-74	45	6.5	19	1	3	6	9	11	13	24
75-79	43	8.9	56	1	4	7	11	18	23	37
80-84	27	6.6	23	2	3	5	9	12	18	20
85 +	15	10.0	31	4	6	7	14	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	4.7	6	2	3	4	5	9	11	12
B. Operated	20	3.7	9	1	1	3	6	7	10	12
2. MULTIPLE DX										
A. Not Operated	354	5.8	9	3	4	5	7	10	11	16
B. Operated	177	7.8	37	1	4	7	10	15	20	31
1. SINGLE DX	70	4.4	7	1	3	4	5	8	11	12
2. MULTIPLE DX	531	6.5	20	2	4	6	8	11	15	24
A. Not Operated	404	5.7	9	3	4	5	7	9	11	16
B. Operated	197	7.4	36	1	3	6	10	15	19	30
TOTAL										
65-69 YRS	191	6.5	21	2	4	6	8	11	15	27
70-74	168	5.6	12	2	3	5	7	10	12	16
75-79	133	6.3	25	2	3	5	8	11	15	28
80-84	67	6.2	16	2	4	5	9	12	14	20
85 +	42	7.5	19	3	4	7	9	14	17	21
GRAND TOTAL	**601**	**6.2**	**19**	**2**	**4**	**5**	**8**	**11**	**14**	**23**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85+	0									
B. Operated										
65-69 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	4	1.0		<1	<1	1	1	1	1	1
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84	3	1.0		1	1	1	1	1	1	1
85+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	3.5	5	2	2	3	5	5	5	5
70-74	3	6.0	49	1	1	3	11	14	14	14
75-79	0									
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	6.0	2	5	5	6	7	7	7	7
B. Operated										
65-69 YRS	13	2.9	6	<1	1	2	4	6	8	9
70-74	18	2.1	2	<1	1	2	2	3	6	7
75-79	19	4.7	91	<1	1	1	4	11	28	42
80-84	12	2.6	4	1	1	2	4	6	6	6
85+	13	3.3	7	1	1	3	4	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7		<1	<1	2	2	2	2	2
B. Operated	14	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	8	5.4	16	1	2	5	6	12	14	14
B. Operated	75	3.2	26	1	1	2	3	7	9	34
1. SINGLE DX	17	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX	83	3.4	25	1	1	2	4	7	9	33
A. Not Operated	11	4.4	14	1	2	3	6	10	14	14
B. Operated	89	2.9	23	<1	1	1	3	6	8	30
TOTAL										
65-69 YRS	18	2.7	5	<1	<1	2	4	5	8	9
70-74	25	2.4	8	<1	1	2	2	3	9	14
75-79	23	4.2	76	<1	1	1	3	10	22	42
80-84	17	2.5	4	1	1	2	3	6	6	6
85+	17	3.4	7	1	1	3	5	8	8	8
GRAND TOTAL	100	3.0	22	<1	1	2	3	6	8	28

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	3.0	15	<1	<1	1	3	9	13	14
70-74	3	1.0		<1	<1	1	1	1	1	1
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	0									
B. Operated										
65-69 YRS	143	2.2	2	1	1	2	3	4	5	8
70-74	68	2.0	2	1	1	2	3	3	5	7
75-79	30	1.5	1	1	1	1	2	3	3	5
80-84	11	1.7	1	<1	1	1	3	4	4	4
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	22	4.1	21	<1	2	3	5	8	16	21
70-74	21	6.0	13	1	4	5	8	11	13	14
75-79	23	8.2	39	2	3	6	11	19	22	24
80-84	15	6.5	18	2	3	4	10	13	14	14
85+	12	7.3	30	1	3	6	10	16	19	19
B. Operated										
65-69 YRS	361	3.5	33	1	1	2	4	6	9	28
70-74	246	3.6	32	1	1	2	4	7	10	24
75-79	94	4.5	41	1	2	3	5	9	16	40
80-84	44	5.9	35	1	2	4	8	12	19	29
85+	27	5.0	21	1	2	3	8	12	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.4	11	<1	<1	1	2	7	11	14
B. Operated	253	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	93	6.3	25	1	3	5	9	13	18	23
B. Operated	772	3.8	34	1	1	2	4	8	11	29
1. SINGLE DX	272	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX	865	4.1	34	1	1	2	4	9	12	28
A. Not Operated	112	5.7	25	<1	2	4	8	12	15	22
B. Operated	1025	3.4	27	1	1	2	4	7	9	22
TOTAL										
65-69 YRS	539	3.2	24	1	1	2	3	6	8	20
70-74	338	3.4	25	1	1	2	4	7	9	19
75-79	149	4.4	36	1	1	2	5	10	17	38
80-84	71	5.3	28	1	2	3	8	12	14	28
85+	40	5.6	24	1	2	4	8	13	16	19
GRAND TOTAL	1137	3.6	27	1	1	2	4	8	11	22

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	59	1.2		< 1	< 1	< 1	1	2	3	3
70-74	35	1.2	1	< 1	< 1	< 1	1	1	3	5
75-79	20	1.2		< 1	< 1	< 1	1	2	3	3
80-84	11	1.4	1	< 1	< 1	1	1	3	3	3
85 +	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	98	2.2	3	< 1	1	1	3	4	6	10
70-74	75	2.3	4	< 1	1	2	3	5	6	11
75-79	61	2.1	5	< 1	< 1	1	2	4	8	10
80-84	21	1.9	2	< 1	1	1	2	4	5	7
85 +	16	3.1	4	1	1	3	4	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	127	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	4	3.3	7	1	1	2	5	7	7	7
B. Operated	271	2.2	4	< 1	1	1	3	4	6	10
1. SINGLE DX	127	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX	275	2.3	4	< 1	1	1	3	4	6	10
A. Not Operated	4	3.3	7	1	1	2	5	7	7	7
B. Operated	398	1.9	3	< 1	< 1	1	2	4	5	9
TOTAL										
65-69 YRS	158	1.9	3	< 1	< 1	1	2	4	5	8
70-74	113	2.0	3	< 1	< 1	1	3	4	5	9
75-79	81	1.9	4	< 1	< 1	1	2	3	7	10
80-84	32	1.7	2	< 1	< 1	1	2	3	4	7
85 +	18	2.8	4	< 1	1	2	4	5	6	7
GRAND TOTAL	**402**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.0	4	1	1	3	4	5	5	5
70-74	2	6.5	61	1	1	6	12	12	12	12
75-79	2	7.0	32	3	3	7	11	11	11	11
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
B. Operated										
65-69 YRS	64	1.9	1	< 1	1	2	2	3	4	5
70-74	29	2.0	1	< 1	< 1	2	3	4	4	5
75-79	14	1.6	1	< 1	< 1	1	2	3	4	4
80-84	4	1.0		< 1	< 1	< 1	1	1	1	1
85 +	3	1.7	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	24	5.4	14	< 1	2	5	7	12	13	14
70-74	12	5.2	17	1	2	5	6	13	14	14
75-79	11	4.3	10	1	2	3	8	9	9	9
80-84	9	5.1	3	2	4	6	6	7	7	7
85 +	6	7.7	53	1	5	6	7	20	22	22
B. Operated										
65-69 YRS	116	2.8	4	1	2	2	3	5	7	10
70-74	78	3.7	19	1	1	2	4	8	11	27
75-79	44	4.7	62	1	2	2	4	6	21	45
80-84	19	3.9	86	1	1	2	2	4	25	42
85 +	6	5.7	33	2	3	3	6	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.6	20	< 1	1	3	8	12	12	12
B. Operated	114	1.8	1	< 1	< 1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	62	5.3	16	1	2	5	6	10	13	21
B. Operated	263	3.5	25	1	1	2	4	6	10	31
1. SINGLE DX	122	2.0	3	< 1	1	2	3	4	4	11
2. MULTIPLE DX	325	3.9	23	1	2	2	5	7	10	30
A. Not Operated	70	5.3	16	1	2	5	6	11	13	20
B. Operated	377	3.0	18	< 1	1	2	3	5	8	27
TOTAL										
65-69 YRS	207	2.8	5	< 1	1	2	3	6	7	12
70-74	121	3.5	16	< 1	1	2	4	8	12	20
75-79	71	4.1	42	< 1	1	2	4	7	11	42
80-84	33	3.8	51	< 1	1	2	4	6	7	42
85 +	15	5.7	36	1	2	3	6	17	21	22
GRAND TOTAL	**447**	**3.4**	**18**	**<1**	**1**	**2**	**4**	**6**	**9**	**22**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	14.0	72	8	8	14	20	20	20	20
70-74	0									
75-79	0									
80-84	1	15.0		15	15	15	15	15	15	15
85 +	0									
B. Operated										
65-69 YRS	23	4.7	2	3	4	5	5	6	8	9
70-74	13	5.4	4	3	4	5	6	9	10	10
75-79	5	4.4		4	4	4	5	5	5	5
80-84	2	4.5	1	4	4	4	5	5	5	5
85 +	4	4.3	12	1	2	3	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	5	5.6	5	2	4	6	7	8	8	8
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	1	8.0		8	8	8	8	8	8	8
85 +	5	4.2	1	3	3	4	5	6	6	6
B. Operated										
65-69 YRS	120	6.2	8	4	4	5	7	10	[illegible]	16
70-74	122	6.7	43	4	4	5	7	9	13	38
75-79	74	7.3	26	4	4	6	8	13	19	27
80-84	33	7.2	17	4	5	6	8	14	16	19
85 +	21	7.5	44	3	4	6	8	14	24	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	14.3	36	8	10	15	19	20	20	20
B. Operated	47	4.8	3	3	4	4	5	7	9	10
2. MULTIPLE DX										
A. Not Operated	14	4.9	3	3	4	5	6	8	8	8
B. Operated	370	6.7	26	4	4	5	7	10	15	27
1. SINGLE DX	50	5.4	10	3	4	5	5	9	10	20
2. MULTIPLE DX	384	6.7	25	4	4	5	7	10	14	27
A. Not Operated	17	6.6	21	3	4	5	8	14	18	20
B. Operated	417	6.5	23	4	4	5	7	10	14	27
TOTAL										
65-69 YRS	146	6.0	8	3	4	5	7	10	11	18
70-74	140	6.5	38	4	4	5	7	9	12	32
75-79	81	7.1	25	4	4	5	8	12	19	26
80-84	37	7.3	17	4	5	6	9	15	16	19
85 +	30	6.5	34	2	4	5	7	10	18	32
GRAND TOTAL	**434**	**6.5**	**23**	**4**	**4**	**5**	**7**	**10**	**14**	**27**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	4.5	5	3	3	4	6	6	6	6
70-74	4	4.8	27	< 1	< 1	3	8	12	12	12
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	7.0	30	4	4	5	7	17	18	18
70-74	4	8.8	26	3	5	8	12	15	15	15
75-79	4	18.3	349	4	5	12	31	45	45	45
80-84	3	6.3	16	4	4	4	9	11	11	11
85 +	6	9.3	30	4	6	7	14	18	18	18
B. Operated										
65-69 YRS	54	10.8	62	4	5	8	14	25	27	35
70-74	40	10.8	99	4	5	6	12	24	36	45
75-79	21	10.2	91	4	5	7	16	31	65	99 +
80-84	9	13.0	150	5	6	7	14	35	39	39
85 +	6	26.0	525	6	15	18	29	66	70	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.8	4	2	2	4	5	6	6	6
B. Operated	8	4.4	14	< 1	1	4	6	10	12	12
2. MULTIPLE DX										
A. Not Operated	23	9.8	83	4	4	7	13	18	28	45
B. Operated	130	11.6	110	4	5	7	15	27	35	76
1. SINGLE DX	12	4.2	10	1	1	4	6	8	11	12
2. MULTIPLE DX	153	11.3	106	4	5	7	14	26	35	69
A. Not Operated	27	8.9	76	3	4	6	11	18	22	45
B. Operated	138	11.1	107	4	5	7	14	26	34	73
TOTAL										
65-69 YRS	63	10.2	58	4	5	7	14	23	27	34
70-74	50	9.8	86	3	5	6	11	22	33	45
75-79	28	10.6	122	3	4	6	16	36	48	99 +
80-84	12	11.3	121	4	5	7	10	32	38	39
85 +	12	17.7	328	5	6	14	19	41	66	70
GRAND TOTAL	**165**	**10.8**	**102**	**4**	**5**	**7**	**14**	**25**	**33**	**66**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	6.3	5	5	5	5	8	9	9	9
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	41	4.7	2	3	4	4	6	7	7	8
70-74	30	5.6	5	4	4	5	6	8	10	14
75-79	7	6.3	5	4	5	6	7	10	11	11
80-84	5	4.6	1	4	4	4	5	6	6	6
85 +	6	4.7	15	1	1	4	6	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	6.3	5	5	5	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	89	5.1	4	3	4	5	6	7	9	13
1. SINGLE DX	3	6.3	5	5	5	5	8	9	9	9
2. MULTIPLE DX	90	5.1	4	3	4	5	6	7	9	13
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	92	5.2	4	3	4	5	6	7	9	13
TOTAL										
65-69 YRS	44	4.8	3	3	4	5	6	7	8	9
70-74	31	5.5	5	4	4	5	6	8	10	14
75-79	7	6.3	5	4	5	6	7	10	11	11
80-84	5	4.6	1	4	4	4	5	6	6	6
85 +	6	4.7	15	1	1	4	6	11	11	11
GRAND TOTAL	**93**	**5.2**	**4**	**3**	**4**	**5**	**6**	**7**	**9**	**13**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	10.0		10	10	10	10	10	10	10
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	6	14.3	666	3	3	4	5	61	67	67
70-74	7	5.4	5	2	4	6	6	8	9	9
75-79	6	4.8	9	2	2	4	7	9	9	9
80-84	8	4.8	4	2	4	4	5	8	9	9
85 +	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	2	6.5	25	3	3	6	10	10	10	10
B. Operated	28	7.3	143	2	3	5	6	9	17	67
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	30	7.2	134	2	3	5	6	10	12	67
A. Not Operated	2	6.5	25	3	3	6	10	10	10	10
B. Operated	29	7.2	138	2	4	5	6	9	15	67
TOTAL										
65-69 YRS	7	13.0	568	3	3	4	5	55	67	67
70-74	7	5.4	5	2	4	6	6	8	9	9
75-79	7	5.6	11	2	2	6	8	10	10	10
80-84	9	4.6	4	2	3	4	5	8	9	9
85 +	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**31**	**7.1**	**130**	**2**	**3**	**5**	**6**	**10**	**12**	**67**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	9.0		9	9	9	9	9	9	9
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
70-74	2	3.0	8	< 1	< 1	2	5	5	5	5
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10	13.4	363	3	3	5	8	49	55	55
70-74	9	3.7	2	1	3	4	5	5	5	5
75-79	9	9.7	30	3	7	9	12	18	19	19
80-84	8	10.1	16	5	7	9	13	15	16	16
85 +	9	12.0	144	3	5	6	15	33	38	38
B. Operated										
65-69 YRS	22	6.6	26	2	4	6	8	11	19	25
70-74	16	5.0	10	1	2	5	7	10	11	11
75-79	22	9.4	159	1	2	6	11	41	68	99 +
80-84	12	12.4	155	1	4	6	18	34	39	40
85 +	17	12.1	99	2	4	9	17	25	34	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	7	3.9	22	< 1	< 1	2	4	12	14	14
2. MULTIPLE DX										
A. Not Operated	45	9.8	120	3	4	6	10	19	39	55
B. Operated	89	8.8	91	1	3	6	11	21	38	80
1. SINGLE DX	8	4.5	22	< 1	< 1	2	7	12	14	14
2. MULTIPLE DX	134	9.2	100	2	3	6	11	20	38	62
A. Not Operated	46	9.8	118	3	4	6	10	19	39	55
B. Operated	96	8.5	87	1	3	6	10	20	36	77
TOTAL										
65-69 YRS	35	8.1	126	1	3	5	8	15	38	55
70-74	27	4.4	7	1	2	4	6	8	11	11
75-79	33	9.2	113	1	3	7	11	22	49	99 +
80-84	20	11.5	97	2	5	8	15	25	35	40
85 +	27	12.1	105	2	5	9	16	26	38	38
GRAND TOTAL	**142**	**8.9**	**97**	**1**	**3**	**6**	**10**	**20**	**38**	**58**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	4.7	1	4	4	4	6	6	6	6
70-74	3	4.3	17	1	1	3	7	9	9	9
75-79	4	5.5	4	3	4	5	7	8	8	8
80-84	0									
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
65-69 YRS	616	4.2	3	2	3	4	5	6	7	9
70-74	459	4.1	3	2	3	4	5	6	7	9
75-79	241	4.2	3	2	3	4	5	6	7	9
80-84	97	4.5	4	2	3	4	5	7	7	11
85 +	32	4.6	4	2	3	4	6	8	8	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	24	2.2	2	< 1	< 1	2	3	4	5	7
70-74	20	2.9	4	< 1	< 1	2	5	6	6	7
75-79	27	4.4	13	< 1	2	3	6	11	12	14
80-84	13	4.3	17	1	1	4	7	24	83	99 +
85 +	13	6.2	41	1	2	4	7	17	22	23
B. Operated										
65-69 YRS	2345	5.0	6	3	4	5	6	7	9	12
70-74	1909	5.3	9	3	4	5	6	8	9	18
75-79	1363	5.5	12	3	4	5	6	8	10	18
80-84	534	5.9	17	3	4	5	7	9	12	22
85 +	186	6.5	26	3	4	5	7	10	13	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.5	7	1	3	4	6	8	9	9
B. Operated	1445	4.2	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	97	3.8	14	< 1	1	3	5	7	13	63
B. Operated	6337	5.3	10	3	4	5	6	8	9	17
1. SINGLE DX	1456	4.2	3	2	3	4	5	6	7	9
2. MULTIPLE DX	6434	5.3	10	3	4	5	6	8	9	17
A. Not Operated	108	3.9	13	< 1	1	3	5	7	12	54
B. Operated	7782	5.1	9	3	4	5	6	8	9	15
TOTAL										
65-69 YRS	2988	4.8	5	3	4	4	6	7	8	12
70-74	2391	5.0	8	3	4	5	6	7	9	16
75-79	1635	5.3	11	3	4	5	6	8	10	17
80-84	644	5.7	15	3	4	5	7	9	11	22
85 +	232	6.2	24	3	4	5	7	10	13	33
GRAND TOTAL	**7890**	**5.1**	**9**	**3**	**4**	**5**	**6**	**8**	**9**	**16**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74		Geriatric patients are excluded from this diagnosis group because of clinical implausibility								
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74		Geriatric patients are excluded from this diagnosis group because of clinical implausibility								
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	4	2.0	2	1	1	2	3	4	4	4
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	2	1.0		<1	<1	<1	1	1	1	1
85+	0									
B. Operated										
65-69 YRS	20	1.7	2	<1	<1	<1	2	4	5	5
70-74	22	1.7	2	<1	<1	<1	2	4	5	6
75-79	9	1.7	1	<1	1	1	2	3	3	3
80-84	11	1.9	2	<1	<1	2	2	4	5	5
85+	3	2.7	2	<1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	1.5	1	<1	<1	1	2	3	3	3
70-74	12	4.3	37	<1	1	2	4	11	21	23
75-79	12	4.4	8	1	2	4	7	8	9	9
80-84	9	5.8	13	2	3	5	8	12	12	12
85+	9	4.1	2	2	3	4	5	6	6	6
B. Operated										
65-69 YRS	130	3.5	4	<1	1	4	5	6	7	9
70-74	115	4.2	23	1	1	2	5	9	12	28
75-79	84	4.2	26	1	1	3	5	7	11	32
80-84	49	3.5	10	<1	1	3	5	7	10	14
85+	45	3.9	30	1	1	2	4	7	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.9	2	<1	1	1	3	4	4	4
B. Operated	65	1.8	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated	50	4.1	14	<1	2	3	5	8	11	23
B. Operated	423	3.9	17	1	1	3	5	7	10	27
1. SINGLE DX	73	1.8	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX	473	3.9	17	1	1	3	5	7	10	27
A. Not Operated	58	3.8	13	<1	1	3	5	7	10	22
B. Operated	488	3.6	15	<1	1	2	5	7	9	26
TOTAL										
65-69 YRS	158	3.1	4	<1	1	3	5	6	7	8
70-74	153	3.8	21	<1	1	2	5	7	12	27
75-79	107	3.9	22	<1	1	3	5	7	10	31
80-84	71	3.5	10	<1	1	2	5	7	11	14
85+	57	3.9	24	1	1	2	5	7	13	28
GRAND TOTAL	**546**	**3.6**	**15**	**<1**	**1**	**2**	**5**	**7**	**9**	**25**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	6.0		6	6	6	6	6	6	6
80-84	2	3.0	2	2	2	3	4	4	4	4
85+	0									
B. Operated										
65-69 YRS	41	3.4	3	<1	2	4	5	6	7	7
70-74	24	2.6	3	<1	<1	2	4	5	6	6
75-79	16	3.8	8	<1	1	3	6	8	9	9
80-84	8	4.8	11	1	2	5	5	10	12	12
85+	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	19	6.2	41	1	1	4	8	18	20	21
70-74	15	3.9	7	1	2	3	6	7	9	10
75-79	17	5.0	31	1	2	4	6	7	19	25
80-84	14	4.7	10	1	3	4	7	12	78	99+
85+	23	6.9	20	2	4	6	9	14	16	17
B. Operated										
65-69 YRS	393	5.9	29	2	3	5	6	11	14	31
70-74	255	6.6	47	2	4	5	7	12	17	42
75-79	161	7.9	51	2	4	6	10	16	22	56
80-84	88	8.1	69	2	3	5	10	17	21	50
85+	60	9.7	52	2	5	9	13	18	21	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.8	3	1	2	2	4	6	6	6
B. Operated	92	3.3	5	<1	1	3	5	6	7	11
2. MULTIPLE DX										
A. Not Operated	88	5.5	23	1	2	5	7	13	18	71
B. Operated	957	6.9	43	2	4	5	8	13	18	36
1. SINGLE DX	98	3.3	5	<1	1	3	5	6	7	11
2. MULTIPLE DX	1045	6.8	42	2	3	5	8	13	18	36
A. Not Operated	94	5.3	22	1	2	4	6	12	18	66
B. Operated	1049	6.6	41	1	3	5	8	13	17	36
TOTAL										
65-69 YRS	455	5.7	27	1	3	4	6	10	14	30
70-74	295	6.1	43	1	3	5	7	11	16	38
75-79	195	7.3	47	1	3	6	9	15	20	47
80-84	112	7.3	58	2	3	5	10	15	21	69
85+	86	8.6	44	2	4	7	13	17	19	36
GRAND TOTAL	**1143**	**6.5**	**40**	**1**	**3**	**5**	**8**	**13**	**17**	**36**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	3	2.3	1	<1	1	3	3	3	3	3
75-79	2	15.5	421	<1	<1	15	30	30	30	30
80-84	0									
85+	0									
B. Operated										
65-69 YRS	216	4.0	3	2	3	4	5	6	7	8
70-74	145	4.0	4	2	3	4	5	7	8	10
75-79	80	4.4	4	2	3	4	5	7	7	12
80-84	28	5.2	5	2	3	5	6	9	9	11
85+	7	2.6	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	3.3	8	1	1	3	4	7	10	11
70-74	6	4.5	8	<1	2	4	6	9	9	9
75-79	15	3.3	4	1	2	3	5	6	7	7
80-84	6	4.7	8	1	2	5	7	8	8	8
85+	6	4.2	7	1	3	4	5	9	9	9
B. Operated										
65-69 YRS	579	4.9	9	2	3	4	6	8	9	15
70-74	396	5.1	8	3	3	4	6	8	9	16
75-79	255	5.7	12	3	4	5	7	9	10	22
80-84	114	6.4	24	3	3	5	7	12	17	28
85+	44	5.9	14	2	4	5	7	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	7.0	128	<1	<1	3	4	27	30	30
B. Operated	476	4.1	3	2	3	4	5	6	8	9
2. MULTIPLE DX										
A. Not Operated	45	3.8	6	1	2	3	5	7	9	11
B. Operated	1368	5.2	11	3	3	5	6	8	10	20
1. SINGLE DX	482	4.2	5	2	3	4	5	6	8	10
2. MULTIPLE DX	1433	5.2	11	2	3	5	6	8	10	19
A. Not Operated	51	4.1	19	1	2	3	5	8	9	30
B. Operated	1864	5.0	9	2	3	4	6	8	9	16
TOTAL										
65-69 YRS	808	4.6	7	2	3	4	6	7	8	13
70-74	550	4.8	7	2	3	4	6	8	9	13
75-79	352	5.4	12	2	4	5	6	8	10	22
80-84	148	6.1	20	2	3	5	7	11	14	28
85+	57	5.3	13	2	3	4	7	10	13	19
GRAND TOTAL	1915	4.9	9	2	3	4	6	8	9	17

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74		Geriatric patients are excluded from this diagnosis group because of clinical implausibility								
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74		Geriatric patients are excluded from this diagnosis group because of clinical implausibility								
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

957 Hospitals, United States, Geriatric, January-December 1989

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74		Geriatric patients are excluded from this diagnosis group because of clinical implausibility								
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74		Geriatric patients are excluded from this diagnosis group because of clinical implausibility								
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	141	4.7	9	2	3	4	5	8	10	16
70-74	104	5.0	9	2	3	4	6	9	11	16
75-79	87	5.7	14	2	3	5	7	10	14	21
80-84	67	5.8	15	2	4	5	7	9	15	21
85 +	71	5.8	11	2	3	5	7	11	13	14
B. Operated										
65-69 YRS	50	5.9	13	2	3	5	8	10	12	17
70-74	34	7.4	46	2	4	6	8	14	22	35
75-79	20	6.9	21	1	3	6	9	14	15	16
80-84	12	6.5	47	1	2	4	8	17	24	25
85 +	20	7.3	18	2	4	7	9	13	15	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1722	7.1	32	3	4	6	9	12	16	29
70-74	1711	7.6	32	3	4	6	9	13	17	30
75-79	1676	8.0	34	3	5	7	10	14	17	30
80-84	1521	8.6	52	3	5	7	10	15	20	44
85 +	1643	8.8	59	3	5	7	10	15	20	45
B. Operated										
65-69 YRS	794	12.5	120	3	6	9	15	26	34	68
70-74	703	13.5	136	4	6	10	17	28	41	85
75-79	573	14.1	189	4	6	9	17	29	48	91
80-84	466	14.2	159	4	7	11	17	30	41	95
85 +	470	13.6	134	4	7	10	17	29	40	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	470	5.3	11	2	3	4	6	9	12	18
B. Operated	136	6.7	26	2	3	6	8	12	16	26
2. MULTIPLE DX										
A. Not Operated	8273	8.0	42	3	4	6	10	14	18	35
B. Operated	3006	13.5	145	4	6	10	17	28	40	81
1. SINGLE DX	606	5.6	15	2	3	5	7	10	13	21
2. MULTIPLE DX	11279	9.5	75	3	5	7	11	18	25	52
A. Not Operated	8743	7.8	41	3	4	6	9	14	18	35
B. Operated	3142	13.2	142	4	6	10	16	28	39	81
TOTAL										
65-69 YRS	2707	8.5	63	3	4	6	10	16	23	46
70-74	2552	9.2	67	3	4	7	11	18	24	48
75-79	2356	9.4	78	3	5	7	11	17	24	56
80-84	2066	9.8	81	3	5	7	11	18	26	52
85 +	2204	9.7	78	3	5	7	11	18	26	55
GRAND TOTAL	**11885**	**9.3**	**73**	**3**	**5**	**7**	**11**	**17**	**24**	**50**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	3.3	5	< 1	1	3	5	6	7	7
70-74	10	5.0	6	2	4	5	6	9	9	9
75-79	7	6.3	25	3	3	4	7	15	17	17
80-84	6	13.7	262	1	2	6	24	40	42	42
85 +	6	2.7	1	2	2	3	3	4	4	4
B. Operated										
65-69 YRS	17	2.9	5	< 1	< 1	2	4	7	8	8
70-74	12	4.7	15	1	1	3	7	11	13	13
75-79	5	5.0	6	2	3	6	7	8	8	8
80-84	4	3.0	2	2	2	3	4	5	5	5
85 +	3	4.3	17	1	1	3	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	143	6.0	9	3	4	6	8	10	12	25
70-74	150	6.2	14	3	4	5	8	10	13	21
75-79	138	7.4	16	3	5	6	10	12	15	19
80-84	111	7.8	29	3	4	7	9	14	16	30
85 +	112	7.4	29	3	4	6	8	13	18	30
B. Operated										
65-69 YRS	137	9.4	84	3	4	7	11	17	27	47
70-74	126	9.2	39	3	5	7	13	16	22	28
75-79	93	10.7	54	4	6	8	14	21	23	39
80-84	88	11.8	159	4	5	8	14	27	32	76
85 +	69	10.2	62	3	5	8	13	18	31	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	5.9	57	1	2	4	6	9	22	42
B. Operated	41	3.8	9	< 1	1	3	5	8	9	13
2. MULTIPLE DX										
A. Not Operated	654	6.9	19	3	4	6	8	12	15	23
B. Operated	513	10.1	78	3	5	8	13	20	25	43
1. SINGLE DX	78	4.8	32	1	2	3	6	9	12	37
2. MULTIPLE DX	1167	8.3	47	3	4	7	10	16	21	36
A. Not Operated	691	6.8	21	3	4	6	8	12	15	24
B. Operated	554	9.6	75	3	4	7	12	19	24	42
TOTAL										
65-69 YRS	305	7.3	47	2	3	6	9	13	18	42
70-74	298	7.4	27	3	4	[illegible]	9	14	17	23
75-79	243	8.6	33	3	5	[illegible]	11	16	20	32
80-84	209	9.6	93	3	[illegible]	[illegible]	11	19	28	41
85 +	190	8.2	43	3	4	[illegible]	9	16	19	46
GRAND TOTAL	**1245**	**8.1**	**47**	**3**	**4**	**6**	**10**	**15**	**20**	**36**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	1	2.0		2	2	2	2	2	2	2
85 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	6	3.0	3	< 1	2	3	4	6	6	6
70-74	7	8.7	150	1	2	4	7	30	36	36
75-79	4	5.0	10	2	2	4	7	9	9	9
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	1.9	2	< 1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	2	6.5	5	5	5	6	8	8	8	8
B. Operated	19	5.6	59	1	2	4	6	8	24	36
1. SINGLE DX	7	1.9	2	< 1	1	1	2	4	5	5
2. MULTIPLE DX	21	5.7	53	1	2	4	6	8	21	36
A. Not Operated	2	6.5	5	5	5	6	8	8	8	8
B. Operated	26	4.6	46	1	2	3	5	7	14	36
TOTAL										
65-69 YRS	6	3.0	3	< 1	2	3	4	6	6	6
70-74	10	6.8	111	1	1	4	7	22	36	36
75-79	7	5.0	8	2	2	5	7	9	9	9
80-84	2	3.0	2	2	2	3	4	4	4	4
85 +	3	2.0	3	< 1	< 1	1	3	4	4	4
GRAND TOTAL	**28**	**4.8**	**43**	**1**	**2**	**3**	**5**	**8**	**12**	**36**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	13	1.1		< 1	< 1	< 1	< 1	1	2	2
70-74	13	1.0		< 1	< 1	< 1	< 1	1	1	1
75-79	5	1.8	3	< 1	< 1	< 1	2	5	5	5
80-84	3	2.3	2	< 1	< 1	2	3	4	4	4
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	3	4.7	14	2	2	3	7	9	9	9
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
65-69 YRS	22	3.0	7	< 1	< 1	1	5	7	9	10
70-74	16	2.6	3	< 1	1	2	3	4	7	8
75-79	11	4.7	53	< 1	1	3	4	14	25	26
80-84	8	5.4	9	2	3	5	8	9	9	9
85 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	35	1.3	1	< 1	< 1	< 1	< 1	2	4	5
2. MULTIPLE DX										
A. Not Operated	7	4.1	6	2	2	3	5	8	9	9
B. Operated	58	3.5	15	< 1	1	2	4	8	9	25
1. SINGLE DX	35	1.3	1	< 1	< 1	< 1	< 1	2	4	5
2. MULTIPLE DX	65	3.6	14	< 1	1	3	4	8	9	24
A. Not Operated	7	4.1	6	2	2	3	5	8	9	9
B. Operated	93	2.7	11	< 1	< 1	1	3	6	9	19
TOTAL										
65-69 YRS	37	2.3	5	< 1	< 1	< 1	3	5	8	10
70-74	32	2.1	4	< 1	< 1	1	3	4	8	9
75-79	16	3.8	38	< 1	< 1	1	4	6	20	26
80-84	12	4.3	9	1	2	3	7	9	9	9
85 +	3	3.0	7	< 1	< 1	2	5	6	6	6
GRAND TOTAL	**100**	**2.8**	**11**	**< 1**	**< 1**	**1**	**4**	**6**	**9**	**18**

957 Hospitals, United States, Geriatric, January-December 1989

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	11.3	115	1	3	9	19	28	33	33
70-74	4	2.8	1	2	2	3	3	4	4	4
75-79	14	7.0	19	2	3	7	10	14	14	14
80-84	9	12.8	192	2	6	8	13	35	48	48
85 +	15	9.8	73	3	4	7	11	28	29	30
B. Operated										
65-69 YRS	22	12.5	425	1	3	6	10	36	60	94
70-74	30	14.8	372	1	3	8	20	32	60	91
75-79	38	10.2	79	1	4	7	15	23	29	32
80-84	17	8.9	35	1	4	10	13	17	19	20
85 +	20	10.7	47	2	6	11	14	21	24	27
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	245	10.1	57	4	6	8	13	20	26	43
70-74	349	11.9	140	4	6	9	13	23	38	91
75-79	408	11.5	97	4	5	9	14	23	35	70
80-84	407	11.2	100	4	5	8	14	22	33	99 +
85 +	549	12.7	157	4	6	9	14	26	38	93
B. Operated										
65-69 YRS	439	18.2	273	4	7	13	24	43	61	99 +
70-74	570	18.0	297	4	7	13	22	45	67	99 +
75-79	650	18.4	276	5	8	13	23	45	66	99 +
80-84	607	18.2	255	4	8	14	23	42	61	99 +
85 +	739	17.9	229	4	8	14	24	42	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	9.3	82	2	3	7	10	19	30	48
B. Operated	127	11.6	195	1	4	8	15	23	33	92
2. MULTIPLE DX										
A. Not Operated	1958	11.7	118	4	6	9	14	23	35	88
B. Operated	3005	18.1	264	4	7	13	23	43	62	99 +
1. SINGLE DX	178	10.9	163	1	3	8	14	22	32	82
2. MULTIPLE DX	4963	15.6	216	4	7	11	20	36	54	99 +
A. Not Operated	2009	11.6	117	4	6	9	14	23	34	85
B. Operated	3132	17.9	262	4	7	13	23	43	61	99 +
TOTAL										
65-69 YRS	715	15.2	216	3	6	10	20	34	55	99 +
70-74	953	15.6	249	4	6	11	19	39	56	99 +
75-79	1110	15.4	213	4	6	11	20	35	54	99 +
80-84	1040	15.2	202	4	6	11	20	34	51	99 +
85 +	1323	15.6	202	4	7	11	20	35	52	99 +
GRAND TOTAL	**5141**	**15.4**	**215**	**4**	**6**	**11**	**20**	**36**	**54**	**99 +**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	5.7	25	1	3	4	7	14	17	18
70-74	14	7.8	32	2	3	7	14	16	17	17
75-79	6	3.5	8	1	2	3	3	8	9	9
80-84	7	7.6	56	1	3	4	13	20	21	21
85 +	2	7.0	18	4	4	7	10	10	10	10
B. Operated										
65-69 YRS	57	1.5	1	1	1	1	2	3	4	5
70-74	43	1.7	3	< 1	< 1	1	2	4	6	9
75-79	29	1.7	1	< 1	< 1	1	2	3	4	5
80-84	10	1.6	1	< 1	< 1	< 1	3	3	3	3
85 +	6	2.3	11	< 1	< 1	< 1	< 1	8	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	262	9.5	69	2	4	6	16	20	23	44
70-74	278	8.6	54	2	4	6	11	21	24	31
75-79	207	9.2	54	3	4	7	13	21	26	33
80-84	171	8.0	46	3	4	6	9	14	20	39
85 +	146	7.1	23	2	4	6	9	14	17	33
B. Operated										
65-69 YRS	179	7.9	116	1	1	4	11	21	23	52
70-74	126	7.4	70	1	2	5	10	19	26	99 +
75-79	111	9.0	93	1	3	7	12	21	27	99 +
80-84	73	10.6	100	1	3	7	15	24	32	43
85 +	59	10.8	123	2	5	9	13	22	33	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	6.4	29	1	3	4	9	15	17	21
B. Operated	145	1.6	2	< 1	< 1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	1064	8.6	52	2	4	6	11	19	24	36
B. Operated	548	8.7	100	1	2	6	12	21	27	95
1. SINGLE DX	188	2.7	12	< 1	1	1	3	6	9	18
2. MULTIPLE DX	1612	8.6	69	2	3	6	12	20	25	44
A. Not Operated	1107	8.5	52	2	4	6	11	19	23	35
B. Operated	693	7.2	88	1	1	4	10	19	25	68
TOTAL										
65-69 YRS	512	7.9	82	1	2	4	11	20	22	40
70-74	461	7.6	56	1	2	5	10	19	24	37
75-79	353	8.4	65	1	3	6	12	21	26	61
80-84	261	8.4	63	2	3	6	10	18	26	41
85 +	213	8.0	54	2	4	7	10	16	21	83
GRAND TOTAL	**1800**	**8.0**	**66**	**1**	**3**	**5**	**11**	**19**	**23**	**42**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	6.5	1	6	6	6	7	7	7	7
70-74	0									
75-79	2	5.0	8	3	3	5	7	7	7	7
80-84	2	4.5	5	3	3	4	6	6	6	6
85 +	0									
B. Operated										
65-69 YRS	4	12.8	58	6	6	11	19	22	22	22
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	84	8.7	61	3	4	6	9	16	28	42
70-74	85	10.7	97	3	5	8	13	24	29	56
75-79	56	9.6	79	3	4	7	12	18	23	56
80-84	25	8.8	46	4	4	7	12	13	24	33
85 +	21	10.8	55	3	5	10	13	19	27	34
B. Operated										
65-69 YRS	63	14.8	106	4	7	12	22	32	33	43
70-74	61	15.3	205	4	7	12	20	34	56	97
75-79	28	21.8	280	7	11	16	27	42	59	76
80-84	20	14.9	65	7	9	12	19	28	32	33
85 +	6	13.5	75	5	9	11	14	28	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	5.3	3	3	3	6	7	7	7	7
B. Operated	5	10.4	71	1	5	7	17	22	22	22
2. MULTIPLE DX										
A. Not Operated	271	9.7	74	3	4	7	12	18	28	43
B. Operated	178	16.0	165	4	8	12	22	33	40	77
1. SINGLE DX	11	7.6	37	2	4	6	7	18	22	22
2. MULTIPLE DX	449	12.2	119	3	5	9	14	26	34	64
A. Not Operated	277	9.6	73	3	4	7	12	18	28	43
B. Operated	183	15.9	163	4	8	12	22	33	39	77
TOTAL										
65-69 YRS	153	11.3	87	3	5	8	14	27	33	44
70-74	146	12.6	146	3	5	9	15	26	38	79
75-79	87	13.3	174	3	6	9	15	28	40	69
80-84	47	11.2	62	4	6	9	13	23	32	33
85 +	27	11.4	58	4	6	11	14	21	31	34
GRAND TOTAL	**460**	**12.1**	**118**	**3**	**5**	**9**	**14**	**26**	**34**	**63**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-63 YRS	30	5.9	17	2	3	5	8	10	11	23
70-74	18	6.1	17	1	3	5	9	11	14	16
75-79	8	5.0	8	1	3	5	6	9	10	10
80-84	8	3.1	3	1	2	3	3	6	7	7
85 +	3	4.7	14	2	2	3	7	9	9	9
B. Operated										
65-69 YRS	172	5.8	18	1	2	5	9	12	13	17
70-74	121	5.9	17	1	2	5	10	12	13	16
75-79	48	6.6	30	1	2	5	10	13	16	24
80-84	16	11.3	303	2	2	6	11	27	58	71
85 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	183	5.9	20	2	3	5	7	10	13	35
70-74	160	6.9	25	2	4	6	8	14	18	34
75-79	161	8.0	59	3	4	6	9	17	20	69
80-84	88	7.5	41	2	4	6	10	12	20	39
85 +	46	7.1	15	3	4	7	8	11	15	22
B. Operated										
65-69 YRS	458	8.0	40	2	3	7	11	14	18	34
70-74	362	9.1	83	2	4	8	11	16	21	55
75-79	252	9.5	52	2	4	9	12	17	21	38
80-84	99	9.2	34	2	5	8	12	18	21	27
85 +	27	13.5	304	2	4	10	13	27	50	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	5.4	14	2	3	4	8	10	11	22
B. Operated	359	6.2	32	1	2	5	10	12	14	22
2. MULTIPLE DX										
A. Not Operated	638	7.0	34	2	4	6	8	13	18	35
B. Operated	1198	8.9	61	2	4	8	11	16	20	41
1. SINGLE DX	426	6.1	30	1	2	5	9	12	13	22
2. MULTIPLE DX	1836	8.2	53	2	4	7	10	15	20	38
A. Not Operated	705	6.8	32	2	4	6	8	12	18	34
B. Operated	1557	8.3	56	2	3	7	11	15	19	38
TOTAL										
65-69 YRS	843	7.0	31	2	3	6	10	13	16	32
70-74	661	7.9	57	2	3	7	10	14	19	42
75-79	469	8.6	53	2	4	7	11	17	20	37
80-84	211	8.4	57	2	4	7	11	16	21	37
85 +	78	9.1	123	3	4	7	10	15	24	75
GRAND TOTAL	**2262**	**7.8**	**49**	**2**	**3**	**7**	**10**	**15**	**19**	**36**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	29	8.7	13	2	8	9	11	13	14	15
70-74	31	8.0	22	2	4	8	11	14	14	18
75-79	26	6.4	34	<1	1	4	9	15	19	22
80-84	15	6.5	20	2	3	5	10	13	15	16
85+	20	9.1	266	1	4	5	8	12	45	77
B. Operated										
65-69 YRS	1558	8.7	9	6	7	8	10	12	14	17
70-74	1415	9.0	11	6	7	9	10	13	14	18
75-79	1039	9.2	10	6	7	9	11	13	15	20
80-84	473	9.9	11	6	8	9	12	14	16	20
85+	178	9.6	13	6	7	9	11	14	16	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	173	5.0	21	1	1	4	8	11	13	16
70-74	211	6.8	40	1	2	5	10	14	16	37
75-79	242	6.8	35	1	2	6	9	13	17	29
80-84	227	7.4	76	1	3	6	9	14	21	46
85+	211	7.7	65	2	3	6	9	14	20	49
B. Operated										
65-69 YRS	4531	10.2	24	6	8	9	12	15	17	27
70-74	4923	10.6	24	7	8	10	12	15	18	29
75-79	4115	11.1	30	7	8	10	13	16	19	29
80-84	2224	11.6	42	7	8	10	13	17	21	39
85+	817	12.0	42	7	8	11	14	17	22	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	121	7.8	61	1	3	8	10	14	15	38
B. Operated	4663	9.1	10	6	7	9	11	13	15	18
2. MULTIPLE DX										
A. Not Operated	1064	6.8	49	1	2	5	9	13	17	37
B. Operated	16610	10.8	29	7	8	10	12	16	19	31
1. SINGLE DX	4784	9.0	11	6	7	9	11	13	15	18
2. MULTIPLE DX	17674	10.6	31	6	8	10	12	16	18	31
A. Not Operated	1185	6.9	50	1	2	5	9	13	16	36
B. Operated	21273	10.4	25	6	8	10	12	15	18	29
TOTAL										
65-69 YRS	6291	9.7	21	6	7	9	11	14	16	25
70-74	6580	10.1	23	6	8	9	12	15	17	27
75-79	5422	10.5	27	6	8	10	12	16	18	28
80-84	2939	11.0	41	6	8	10	13	16	20	34
85+	1226	10.9	48	5	7	10	13	17	21	44
GRAND TOTAL	**22458**	**10.2**	**27**	**6**	**8**	**9**	**12**	**15**	**18**	**29**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	5.0	15	1	2	4	9	9	9	9
70-74	4	4.8	7	2	2	5	7	7	7	7
75-79	4	6.8	25	3	3	5	10	14	14	14
80-84	4	3.5	2	2	2	3	4	5	5	5
85+	5	17.8	958	2	2	4	24	73	73	73
B. Operated										
65-69 YRS	130	3.8	10	1	1	3	5	8	10	16
70-74	93	3.6	10	1	1	2	5	9	10	13
75-79	49	4.4	11	1	1	4	7	10	11	12
80-84	19	7.0	23	1	3	6	11	13	16	18
85+	4	13.0	403	1	2	4	24	43	43	43
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	46	5.2	16	1	2	4	7	9	12	20
70-74	57	7.2	163	2	3	4	7	12	19	99+
75-79	86	6.6	31	2	4	5	8	12	14	35
80-84	84	7.9	63	2	4	6	9	23	57	99+
85+	112	9.8	124	3	3	6	10	28	43	70
B. Operated										
65-69 YRS	284	5.1	22	1	2	4	7	11	14	20
70-74	233	7.1	39	2	3	6	10	13	19	32
75-79	212	7.8	38	2	4	7	9	15	17	36
80-84	90	8.6	67	2	4	6	11	17	21	49
85+	39	12.3	114	4	6	10	13	29	37	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	7.9	221	2	2	4	7	11	38	73
B. Operated	295	4.2	17	1	1	3	6	9	11	17
2. MULTIPLE DX										
A. Not Operated	385	7.7	84	2	3	5	9	15	30	99+
B. Operated	858	7.0	42	1	3	5	9	14	17	35
1. SINGLE DX	317	4.4	31	1	1	3	6	9	11	17
2. MULTIPLE DX	1243	7.2	55	2	3	5	9	14	20	47
A. Not Operated	407	7.7	91	2	3	5	9	14	30	99+
B. Operated	1153	6.3	37	1	2	5	8	12	16	33
TOTAL										
65-69 YRS	465	4.7	18	1	2	3	6	11	13	18
70-74	387	6.3	52	1	2	5	8	12	15	36
75-79	351	7.0	34	2	3	6	9	13	16	34
80-84	197	8.0	59	2	4	6	10	17	25	99+
85+	160	10.7	148	3	4	7	11	29	43	71
GRAND TOTAL	**1560**	**6.6**	**51**	**1**	**2**	**5**	**8**	**13**	**17**	**45**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	4.3	13	2	2	2	5	11	12	12
70-74	8	4.9	26	1	2	3	5	14	17	17
75-79	9	4.2	5	2	3	3	7	7	7	7
80-84	9	4.2	6	1	2	5	5	8	9	9
85 +	9	6.3	34	2	3	4	8	16	20	20
B. Operated										
65-69 YRS	73	6.1	14	2	3	6	8	11	12	19
70-74	53	6.4	15	1	3	6	10	11	12	15
75-79	35	7.4	16	2	4	8	9	12	15	16
80-84	9	9.3	19	3	7	10	13	14	15	15
85 +	5	10.6	69	4	6	7	14	25	25	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	97	7.2	51	1	3	5	9	13	21	41
70-74	123	8.0	64	2	3	5	9	16	27	44
75-79	121	8.7	95	2	4	6	10	19	26	53
80-84	96	10.4	108	3	4	7	13	24	33	52
85 +	106	8.4	83	2	4	6	10	15	19	57
B. Operated										
65-69 YRS	281	12.3	143	3	5	9	14	25	36	72
70-74	261	11.9	100	3	6	9	14	25	32	54
75-79	202	13.4	95	5	8	11	16	26	38	53
80-84	139	15.6	146	4	8	12	20	31	41	63
85 +	71	16.3	169	5	8	13	20	34	46	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	4.8	15	2	2	3	6	10	12	20
B. Operated	175	6.7	17	1	3	7	9	11	13	20
2. MULTIPLE DX										
A. Not Operated	543	8.5	80	2	4	6	10	16	25	46
B. Operated	954	13.2	125	3	7	10	16	28	37	62
1. SINGLE DX	223	6.3	17	2	3	6	9	11	13	20
2. MULTIPLE DX	1497	11.5	114	3	5	9	14	24	33	57
A. Not Operated	591	8.2	76	2	3	6	10	16	24	44
B. Operated	1129	12.2	114	3	6	9	14	25	35	57
TOTAL										
65-69 YRS	464	10.0	108	2	4	8	12	19	30	53
70-74	445	10.0	83	2	4	7	13	21	28	51
75-79	367	11.1	92	2	5	9	14	22	31	50
80-84	253	13.0	131	3	5	10	16	28	37	58
85 +	191	11.3	127	3	4	8	14	24	32	75
GRAND TOTAL	**1720**	**10.8**	**104**	**2**	**4**	**8**	**13**	**22**	**31**	**54**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	2	1.5	1	< 1	< 1	1	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	12	1.4	1	< 1	< 1	1	2	3	4	4
70-74	8	1.4		< 1	< 1	< 1	2	2	2	2
75-79	9	1.8	2	< 1	1	1	2	4	5	5
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	2.6	4	< 1	1	2	4	6	6	6
70-74	4	9.5	23	5	5	9	13	15	15	15
75-79	2	6.5	25	3	3	6	10	10	10	10
80-84	2	4.5	1	4	4	4	5	5	5	5
85 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
65-69 YRS	95	2.1	5	< 1	1	1	2	4	5	13
70-74	71	3.3	26	< 1	1	2	3	6	14	31
75-79	41	3.3	28	< 1	1	2	3	7	9	33
80-84	25	3.0	15	< 1	1	2	3	6	10	20
85 +	9	2.7	7	< 1	1	1	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated	32	1.5	1	< 1	< 1	1	2	2	4	5
2. MULTIPLE DX										
A. Not Operated	14	5.6	17	1	3	5	6	12	14	15
B. Operated	241	2.7	16	< 1	1	1	3	5	8	21
1. SINGLE DX	35	1.5	1	< 1	< 1	1	2	2	4	5
2. MULTIPLE DX	255	2.9	16	< 1	1	2	3	6	10	20
A. Not Operated	17	5.0	16	< 1	2	4	6	12	14	15
B. Operated	273	2.6	14	< 1	1	1	3	5	8	20
TOTAL										
65-69 YRS	113	2.0	4	< 1	1	1	2	4	5	12
70-74	83	3.4	25	< 1	< 1	2	3	8	14	29
75-79	54	3.1	23	< 1	1	2	3	7	10	32
80-84	28	3.0	14	< 1	1	2	4	6	8	20
85 +	12	2.7	7	< 1	1	1	5	7	8	8
GRAND TOTAL	**290**	**2.7**	**15**	**<1**	**1**	**1**	**3**	**5**	**8**	**20**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	4.3	8	1	2	3	7	8	9	10
70-74	17	3.0	5	1	1	2	4	6	8	9
75-79	9	3.0	2	1	2	4	4	4	4	4
80-84	10	4.0	10	1	2	3	4	9	10	10
85 +	12	2.8	3	1	1	2	4	5	6	6
B. Operated										
65-69 YRS	42	3.0	4	1	1	3	4	7	7	8
70-74	27	3.3	7	1	2	2	4	8	10	10
75-79	21	4.0	7	1	2	4	6	7	8	10
80-84	13	3.2	7	1	1	2	4	7	9	10
85 +	7	5.6	14	2	2	4	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	100	7.0	112	1	2	4	8	11	27	64
70-74	126	6.9	87	2	2	4	7	13	24	57
75-79	136	6.8	67	1	3	5	8	13	18	57
80-84	150	7.2	82	2	3	5	9	15	20	64
85 +	180	6.7	57	1	2	5	8	12	19	44
B. Operated										
65-69 YRS	198	5.9	47	1	2	4	8	12	16	29
70-74	157	7.4	60	1	3	5	10	17	24	51
75-79	130	8.3	76	2	4	6	11	15	21	52
80-84	70	9.2	69	2	3	6	13	20	24	41
85 +	31	9.5	131	2	3	7	10	18	30	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	3.4	6	1	2	3	5	7	9	10
B. Operated	110	3.4	7	1	1	3	5	7	9	11
2. MULTIPLE DX										
A. Not Operated	692	6.9	77	1	2	5	8	13	20	56
B. Operated	586	7.4	65	1	2	5	10	16	22	47
1. SINGLE DX	174	3.4	6	1	1	3	5	7	9	10
2. MULTIPLE DX	1278	7.2	72	1	2	5	9	15	21	53
A. Not Operated	756	6.6	72	1	2	4	8	12	19	56
B. Operated	696	6.8	58	1	2	4	9	14	21	44
TOTAL										
65-69 YRS	356	5.8	60	1	2	4	7	11	16	39
70-74	327	6.7	65	1	2	4	8	14	23	53
75-79	296	7.1	66	1	3	5	9	14	19	52
80-84	243	7.4	73	2	3	5	9	17	21	44
85 +	230	6.8	64	1	2	5	8	12	20	49
GRAND TOTAL	**1452**	**6.7**	**65**	**1**	**2**	**4**	**8**	**13**	**20**	**51**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.5	5	3	3	4	6	6	6	6
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	0									
75-79	1	11.0		11	11	11	11	11	11	11
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	11.0	137	2	3	7	18	28	28	28
70-74	5	15.8	539	2	3	6	22	57	57	57
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	6	9.8	89	3	4	6	12	26	28	28
85 +	3	7.3	17	4	4	6	10	12	12	12
B. Operated										
65-69 YRS	10	13.8	266	2	4	7	17	42	53	53
70-74	3	22.7	44	17	18	21	28	30	30	30
75-79	4	13.0	30	6	9	13	17	19	19	19
80-84	2	15.5	25	12	12	15	19	19	19	19
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.5	5	3	3	4	6	6	6	6
B. Operated	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	20	10.5	176	2	4	5	11	28	43	57
B. Operated	19	15.2	156	4	6	12	19	31	43	53
1. SINGLE DX	4	6.5	11	3	4	6	9	11	11	11
2. MULTIPLE DX	39	12.8	167	3	4	8	17	29	43	57
A. Not Operated	22	10.0	162	2	4	5	10	28	40	57
B. Operated	21	14.6	145	4	6	12	19	30	41	53
TOTAL										
65-69 YRS	17	11.6	187	2	4	6	11	30	45	53
70-74	8	18.4	333	3	5	13	25	49	57	57
75-79	7	9.9	38	2	4	11	14	18	19	19
80-84	8	11.3	74	3	4	9	16	25	28	28
85 +	3	7.3	17	4	4	6	10	12	12	12
GRAND TOTAL	**43**	**12.2**	**156**	**3**	**4**	**7**	**16**	**29**	**39**	**57**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	47	2.9	6	<1	1	2	4	7	9	11
70-74	35	2.9	4	1	1	2	5	6	7	8
75-79	19	5.1	21	1	2	4	6	12	17	19
80-84	26	5.2	14	2	3	4	7	13	14	14
85 +	12	4.8	14	1	2	4	7	11	12	12
B. Operated										
65-69 YRS	149	4.3	13	1	2	3	6	8	12	18
70-74	93	4.5	12	1	2	4	7	8	10	20
75-79	67	5.5	13	1	2	5	8	10	11	16
80-84	16	4.0	7	1	2	4	6	8	9	9
85 +	10	5.3	5	1	5	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	309	5.7	16	1	3	4	8	11	14	19
70-74	315	6.3	22	2	3	5	8	12	14	26
75-79	405	6.6	39	2	3	5	8	13	16	24
80-84	347	7.1	41	2	4	6	9	13	16	30
85 +	326	7.8	64	2	4	6	9	16	20	59
B. Operated										
65-69 YRS	638	7.4	46	2	3	6	9	14	18	45
70-74	543	8.7	59	2	4	7	11	17	23	41
75-79	388	9.8	70	2	5	8	12	20	26	49
80-84	167	11.1	131	2	5	8	13	22	30	67
85 +	63	13.0	115	3	6	10	15	30	39	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	3.8	11	<1	1	3	5	8	11	15
B. Operated	335	4.6	12	1	2	4	7	9	11	17
2. MULTIPLE DX										
A. Not Operated	1702	6.7	37	2	3	5	8	13	16	28
B. Operated	1799	8.8	67	2	4	7	11	17	24	47
1. SINGLE DX	474	4.4	12	1	2	3	6	9	11	17
2. MULTIPLE DX	3501	7.8	54	2	4	6	10	15	20	41
A. Not Operated	1841	6.5	36	2	3	5	8	12	16	27
B. Operated	2134	8.2	61	1	3	6	10	16	22	44
TOTAL										
65-69 YRS	1143	6.3	34	1	3	5	8	12	16	29
70-74	986	7.3	44	2	3	6	9	14	19	36
75-79	879	7.9	53	2	3	6	10	16	20	39
80-84	556	8.1	70	2	4	6	10	15	20	65
85 +	411	8.5	73	2	4	6	9	17	23	53
GRAND TOTAL	**3975**	**7.4**	**50**	**2**	**3**	**6**	**9**	**14**	**19**	**38**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	109	5.2	11	1	3	5	7	10	10	18
70-74	71	4.5	10	1	2	4	6	9	9	15
75-79	44	4.4	15	<1	1	3	7	10	12	15
80-84	15	5.1	16	<1	1	4	8	9	13	15
85 +	8	9.8	59	2	4	8	15	21	22	22
B. Operated										
65-69 YRS	496	4.8	12	1	3	4	6	9	11	19
70-74	279	5.4	11	2	3	5	7	9	12	18
75-79	147	5.6	24	1	3	5	7	10	14	27
80-84	51	6.6	21	2	4	6	8	11	16	27
85 +	13	5.2	24	1	2	4	5	13	18	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	456	7.2	22	2	4	6	9	13	16	23
70-74	381	7.5	23	3	4	6	10	14	17	24
75-79	347	7.6	26	3	4	7	10	14	16	27
80-84	217	8.6	55	3	4	7	11	17	21	30
85 +	157	8.5	67	3	4	7	11	14	16	48
B. Operated										
65-69 YRS	1322	7.9	40	3	4	6	9	15	19	32
70-74	967	8.5	43	3	4	7	10	15	22	35
75-79	647	9.0	59	3	5	7	11	17	21	38
80-84	274	10.3	72	3	5	8	13	21	25	44
85 +	71	12.5	82	3	7	10	16	28	32	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	247	5.0	14	<1	2	5	7	10	11	18
B. Operated	986	5.2	14	1	3	4	7	9	12	20
2. MULTIPLE DX										
A. Not Operated	1558	7.7	32	3	4	7	10	14	17	27
B. Operated	3281	8.6	49	3	4	7	10	16	21	35
1. SINGLE DX	1233	5.1	14	1	3	4	7	9	12	20
2. MULTIPLE DX	4839	8.3	44	3	4	7	10	15	20	33
A. Not Operated	1805	7.3	31	2	4	6	9	14	16	25
B. Operated	4267	7.8	43	2	4	6	9	15	20	33
TOTAL										
65-69 YRS	2383	7.0	31	2	4	6	9	13	17	29
70-74	1698	7.6	34	2	4	6	9	14	18	30
75-79	1185	8.0	45	2	4	6	10	15	19	34
80-84	557	9.2	61	3	5	7	11	18	24	36
85 +	249	9.5	72	3	4	7	12	18	24	49
GRAND TOTAL	**6072**	**7.7**	**39**	**2**	**4**	**6**	**9**	**14**	**19**	**31**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	3.8	7	< 1	2	3	5	7	10	11
70-74	3	4.0	3	2	3	5	5	5	5	5
75-79	4	3.0	2	2	2	3	4	5	5	5
80-84	6	5.7	28	< 1	1	4	10	14	14	14
85 +	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
65-69 YRS	80	4.5	8	1	3	4	5	8	10	14
70-74	28	3.8	3	2	3	4	5	6	7	8
75-79	19	5.0	16	1	3	4	6	9	15	18
80-84	3	1.7	1	1	1	1	3	3	3	3
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	64	6.5	20	2	3	6	9	13	15	21
70-74	57	6.9	46	2	3	4	8	15	19	34
75-79	53	5.8	20	2	3	4	7	11	16	21
80-84	32	9.1	120	2	4	6	10	17	27	60
85 +	34	7.9	40	3	4	6	11	13	17	36
B. Operated										
65-69 YRS	187	8.1	109	2	3	5	9	15	23	52
70-74	105	8.3	51	1	4	6	11	16	26	33
75-79	61	8.6	47	1	3	8	13	17	19	37
80-84	12	11.5	87	1	6	10	18	47	90	99 +
85 +	10	16.6	224	2	6	13	19	43	45	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.1	9	1	2	3	5	8	11	14
B. Operated	130	4.3	8	1	3	4	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	240	7.0	43	2	3	5	9	13	18	34
B. Operated	375	8.6	86	2	3	6	10	17	27	49
1. SINGLE DX	163	4.3	8	1	2	4	5	8	10	14
2. MULTIPLE DX	615	8.0	70	2	3	6	10	16	21	47
A. Not Operated	273	6.6	39	2	3	5	8	13	17	34
B. Operated	505	7.5	69	1	3	5	9	15	20	47
TOTAL										
65-69 YRS	349	6.8	67	2	3	5	8	13	16	48
70-74	193	7.1	44	2	3	5	9	15	19	34
75-79	137	6.9	33	1	3	5	9	15	18	24
80-84	53	8.8	99	1	3	6	10	22	33	98
85 +	46	9.6	89	3	4	6	12	18	37	45
GRAND TOTAL	**778**	**7.2**	**59**	**2**	**3**	**5**	**9**	**14**	**19**	**44**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	6.0	37	2	2	3	9	15	15	15
70-74	3	2.3	2	1	1	2	3	4	4	4
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	3	8.0		8	8	8	8	8	8	8
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	1	12.0		12	12	12	12	12	12	12
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	20	7.3	89	1	3	4	8	13	29	44
70-74	19	6.7	21	2	4	6	8	13	17	19
75-79	16	10.1	116	2	3	5	13	33	35	35
80-84	7	7.1	28	2	3	5	12	15	15	15
85 +	11	9.7	67	4	5	7	10	22	31	32
B. Operated										
65-69 YRS	12	7.2	17	2	3	7	11	12	12	12
70-74	6	9.8	33	3	8	9	13	18	19	19
75-79	6	11.2	28	4	7	11	17	17	17	17
80-84	1	27.0		27	27	27	27	27	27	27
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.1	16	1	2	3	4	10	15	15
B. Operated	5	8.4	5	6	7	8	9	12	12	12
2. MULTIPLE DX										
A. Not Operated	73	8.1	67	2	3	6	10	16	30	42
B. Operated	25	9.6	37	2	6	9	12	17	21	27
1. SINGLE DX	15	5.5	16	2	2	4	8	12	14	15
2. MULTIPLE DX	98	8.5	59	2	4	6	11	17	24	40
A. Not Operated	83	7.6	62	2	3	5	8	15	24	41
B. Operated	30	9.4	31	2	6	8	12	17	19	27
TOTAL										
65-69 YRS	39	7.2	52	2	3	6	10	12	15	44
70-74	29	6.9	23	1	4	6	9	14	19	19
75-79	24	9.9	85	3	4	6	14	20	35	35
80-84	9	9.9	65	2	4	7	14	22	27	27
85 +	12	9.1	66	3	4	7	10	21	30	32
GRAND TOTAL	**113**	**8.1**	**54**	**2**	**3**	**6**	**10**	**16**	**19**	**38**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	4.1	3	2	3	4	5	6	7	7
70-74	7	3.3	3	1	2	3	4	6	6	6
75-79	6	4.0	4	< 1	2	5	5	6	6	6
80-84	4	6.0	17	2	2	6	9	10	10	10
85 +	5	6.2	8	4	4	6	7	11	11	11
B. Operated										
65-69 YRS	6	3.0	4	1	1	3	5	5	5	5
70-74	3	2.0	3	1	1	1	3	4	4	4
75-79	5	2.0	2	1	1	2	3	4	4	4
80-84	4	3.0	11	1	1	2	5	8	8	8
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	99	6.8	25	2	4	6	9	12	14	29
70-74	97	8.2	45	3	4	6	11	16	19	38
75-79	70	8.9	56	2	4	8	12	19	27	87
80-84	65	6.9	18	3	4	6	8	13	14	25
85 +	48	8.5	30	3	4	7	13	18	23	99 +
B. Operated										
65-69 YRS	18	10.2	117	1	1	7	14	30	33	33
70-74	13	8.9	27	2	5	8	13	16	17	17
75-79	8	5.5	19	1	2	4	8	12	14	14
80-84	8	7.8	34	1	2	6	14	15	15	15
85 +	2	10.5	85	4	4	10	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	4.4	6	2	3	4	6	7	10	11
B. Operated	18	2.6	4	1	1	2	4	5	7	8
2. MULTIPLE DX										
A. Not Operated	379	7.8	36	3	4	6	10	15	19	49
B. Operated	49	8.7	61	1	2	7	14	17	26	33
1. SINGLE DX	52	3.8	6	1	2	4	5	7	9	11
2. MULTIPLE DX	428	7.9	39	2	4	6	10	15	20	43
A. Not Operated	413	7.5	34	2	4	6	10	15	18	45
B. Operated	67	7.0	53	1	2	4	9	16	22	33
TOTAL										
65-69 YRS	135	6.8	36	1	3	5	9	12	16	34
70-74	120	7.8	42	2	4	6	11	16	18	31
75-79	89	7.9	50	2	3	6	10	18	24	76
80-84	81	6.8	19	2	4	6	8	13	14	24
85 +	55	8.4	29	3	4	7	13	17	23	99 +
GRAND TOTAL	**480**	**7.4**	**37**	**2**	**4**	**6**	**10**	**15**	**18**	**40**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	94	3.9	16	< 1	1	3	5	9	12	22
70-74	84	2.5	6	< 1	< 1	1	3	5	6	15
75-79	73	3.2	11	< 1	< 1	1	4	8	11	14
80-84	40	3.8	15	< 1	1	2	5	10	13	16
85 +	27	4.5	14	< 1	1	3	7	8	12	17
B. Operated										
65-69 YRS	381	4.6	12	1	2	4	7	9	11	17
70-74	310	5.0	15	1	2	5	7	8	10	22
75-79	208	5.3	17	1	2	5	7	10	12	22
80-84	68	5.2	17	1	2	5	7	10	14	20
85 +	29	7.2	34	1	3	7	9	16	18	26
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	596	6.2	27	1	3	5	8	12	16	24
70-74	592	6.5	32	2	3	5	8	12	16	29
75-79	625	6.6	33	2	3	5	8	13	17	25
80-84	510	6.7	37	2	3	6	8	12	15	28
85 +	401	7.7	52	2	3	6	9	15	22	44
B. Operated										
65-69 YRS	1351	7.4	37	2	4	6	9	14	19	32
70-74	1253	8.3	40	2	5	7	10	15	19	32
75-79	1035	9.4	61	2	5	8	11	18	23	43
80-84	496	11.1	103	4	6	9	12	22	29	56
85 +	161	12.1	106	4	7	9	15	22	27	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	318	3.4	12	< 1	< 1	2	5	8	11	17
B. Operated	996	5.0	15	1	2	4	7	9	11	21
2. MULTIPLE DX										
A. Not Operated	2724	6.7	35	2	3	5	8	13	17	29
B. Operated	4296	8.8	56	2	5	7	10	16	22	38
1. SINGLE DX	1314	4.6	15	1	1	4	7	9	11	20
2. MULTIPLE DX	7020	7.9	49	2	4	7	10	15	20	36
A. Not Operated	3042	6.3	34	1	3	5	8	12	16	27
B. Operated	5292	8.0	50	1	4	7	10	15	21	36
TOTAL										
65-69 YRS	2422	6.6	31	1	3	5	8	12	17	28
70-74	2239	7.1	36	1	4	6	9	13	17	30
75-79	1941	7.8	49	1	4	7	10	15	20	36
80-84	1114	8.5	70	2	4	7	10	16	22	45
85 +	618	8.7	68	2	4	7	10	18	23	44
GRAND TOTAL	**8334**	**7.4**	**45**	**1**	**4**	**6**	**9**	**14**	**19**	**33**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	24	3.8	6	1	2	4	5	8	8	8
70-74	12	3.7	11	1	2	3	4	8	12	13
75-79	5	2.6	2	< 1	1	2	3	5	5	5
80-84	4	7.0	25	2	4	6	10	14	14	14
85 +	6	4.3	7	< 1	2	4	7	7	7	7
B. Operated										
65-69 YRS	135	2.1	2	< 1	1	2	3	4	5	7
70-74	92	2.2	3	< 1	1	2	3	4	6	9
75-79	42	2.2	2	< 1	1	2	3	4	5	7
80-84	18	3.3	7	< 1	1	3	4	6	10	12
85 +	3	1.7		< 1	< 1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	125	4.7	9	1	3	4	6	8	10	15
70-74	99	5.0	14	2	3	4	6	9	12	19
75-79	91	5.7	21	2	3	5	7	11	17	22
80-84	80	5.2	13	2	3	4	7	10	13	19
85 +	66	7.1	36	2	3	5	10	15	18	30
B. Operated										
65-69 YRS	359	4.3	27	1	2	3	5	10	13	32
70-74	261	4.1	27	1	2	3	5	8	11	33
75-79	129	4.9	55	1	2	3	5	10	17	77
80-84	71	6.2	42	1	2	5	8	13	19	37
85 +	28	7.2	26	1	3	7	12	16	22	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	4.0	8	1	2	3	6	7	8	14
B. Operated	290	2.2	3	< 1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	461	5.4	17	2	3	4	7	10	15	20
B. Operated	848	4.6	33	1	2	3	5	10	14	35
1. SINGLE DX	341	2.5	4	< 1	1	2	3	5	6	10
2. MULTIPLE DX	1309	4.9	27	1	2	3	6	10	14	29
A. Not Operated	512	5.3	16	1	3	4	6	10	14	20
B. Operated	1138	4.0	26	1	1	3	4	8	12	30
TOTAL										
65-69 YRS	643	3.9	18	1	2	3	5	8	11	22
70-74	464	3.9	20	1	1	3	5	7	11	19
75-79	267	4.7	35	1	2	3	5	10	16	29
80-84	173	5.4	25	1	2	4	7	11	15	20
85 +	103	6.8	31	1	3	6	9	15	17	63
GRAND TOTAL	**1650**	**4.4**	**23**	**1**	**2**	**3**	**5**	**9**	**13**	**25**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	89	1.9	1	< 1	1	2	2	4	4	5
70-74	46	2.1	1	< 1	1	2	3	4	4	5
75-79	25	2.2	2	1	1	2	3	4	5	6
80-84	9	1.4	1	< 1	1	1	2	3	3	3
85 +	6	2.3	3	< 1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	2.1	5	< 1	< 1	1	2	6	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79	3	2.3	2	< 1	< 1	2	3	4	4	4
80-84	2	1.0		< 1	< 1	< 1	1	1	1	1
85 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
65-69 YRS	565	2.4	2	1	1	2	3	4	5	7
70-74	429	2.5	4	1	1	2	3	5	5	9
75-79	276	2.8	5	1	1	2	3	5	6	14
80-84	91	2.5	3	1	1	2	3	4	6	10
85 +	35	3.3	4	1	2	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	175	2.0	1	< 1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	14	2.5	8	< 1	< 1	1	2	7	9	10
B. Operated	1396	2.5	3	1	1	2	3	4	5	8
1. SINGLE DX	175	2.0	1	< 1	1	2	3	4	4	6
2. MULTIPLE DX	1410	2.5	3	1	1	2	3	4	5	9
A. Not Operated	14	2.5	8	< 1	< 1	1	2	7	9	10
B. Operated	1571	2.5	3	1	1	2	3	4	5	8
TOTAL										
65-69 YRS	661	2.3	2	1	1	2	3	4	5	7
70-74	476	2.4	4	1	1	2	3	4	5	9
75-79	304	2.7	4	1	1	2	3	5	6	13
80-84	102	2.4	3	1	1	2	3	4	5	9
85 +	42	3.3	5	1	1	3	4	5	8	11
GRAND TOTAL	**1585**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	4	4.0	18	1	1	3	7	10	10	10
75-79	4	3.0	3	1	2	3	4	5	5	5
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	30	2.0	7	< 1	< 1	1	2	3	6	15
70-74	10	2.3	3	< 1	1	2	3	5	6	6
75-79	10	2.2	3	< 1	< 1	2	3	5	6	6
80-84	10	1.7	4	< 1	< 1	1	1	4	7	7
85 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	5.8	46	1	1	3	8	18	20	20
70-74	7	4.6	16	< 1	1	3	7	11	12	12
75-79	10	5.5	14	2	3	5	6	11	15	15
80-84	7	5.1	14	1	2	5	7	11	12	12
85 +	5	5.6	7	3	4	5	6	10	10	10
B. Operated										
65-69 YRS	44	2.7	3	< 1	1	2	4	5	7	7
70-74	34	4.0	22	1	2	2	5	8	14	24
75-79	28	4.7	19	1	2	3	6	13	15	16
80-84	17	6.1	51	1	2	3	6	17	24	28
85 +	5	5.8	22	2	3	3	9	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.3	7	1	1	3	4	7	10	10
B. Operated	62	2.0	5	< 1	< 1	1	2	4	6	14
2. MULTIPLE DX										
A. Not Operated	37	5.3	18	1	3	4	6	12	14	20
B. Operated	128	4.1	19	1	2	3	5	8	13	25
1. SINGLE DX	72	2.2	5	< 1	< 1	1	3	4	8	14
2. MULTIPLE DX	165	4.3	19	1	2	3	5	9	14	23
A. Not Operated	47	4.9	16	1	2	4	6	11	13	20
B. Operated	190	3.4	15	< 1	1	2	4	7	12	22
TOTAL										
65-69 YRS	84	2.7	9	< 1	1	2	3	5	7	18
70-74	55	3.7	17	1	1	2	4	8	11	24
75-79	52	4.3	15	1	2	3	5	10	15	16
80-84	34	4.6	32	< 1	1	3	6	12	17	28
85 +	12	5.2	12	2	3	4	7	11	13	13
GRAND TOTAL	**237**	**3.7**	**16**	**< 1**	**1**	**2**	**4**	**8**	**12**	**21**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	7.6	55	< 1	2	4	13	19	21	21
70-74	0									
75-79	6	8.2	48	< 1	3	6	14	18	19	19
80-84	3	12.3	4	10	11	13	14	14	14	14
85 +	3	6.0	7	3	4	7	8	8	8	8
B. Operated										
65-69 YRS	23	7.0	20	2	4	6	10	14	15	16
70-74	16	6.4	27	1	2	4	10	15	16	17
75-79	13	8.6	142	1	3	6	9	17	41	47
80-84	7	8.1	20	2	4	9	11	14	14	14
85 +	8	6.0	61	< 1	1	3	8	20	23	23
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	127	12.0	62	4	6	11	15	21	28	42
70-74	120	12.5	96	3	6	10	16	27	32	47
75-79	107	16.4	137	5	8	13	22	33	41	53
80-84	90	12.8	122	4	6	8	15	33	43	80
85 +	85	14.5	151	4	7	11	20	28	44	90
B. Operated										
65-69 YRS	374	16.7	217	4	7	12	22	39	50	96
70-74	371	17.7	240	4	8	13	22	41	51	89
75-79	254	17.9	254	3	7	14	25	41	49	86
80-84	180	17.3	201	4	8	14	22	34	44	91
85 +	156	16.5	139	4	8	14	23	31	46	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	8.3	38	1	3	7	13	17	20	21
B. Operated	67	7.2	48	1	3	5	10	14	16	43
2. MULTIPLE DX										
A. Not Operated	529	13.5	111	4	7	11	17	28	38	55
B. Operated	1335	17.3	219	4	7	13	23	38	50	90
1. SINGLE DX	87	7.4	45	1	3	6	10	15	17	38
2. MULTIPLE DX	1864	16.2	191	4	7	12	21	35	46	81
A. Not Operated	549	13.4	110	4	7	11	16	27	38	53
B. Operated	1402	16.8	215	4	7	13	22	37	50	88
TOTAL										
65-69 YRS	532	15.0	177	4	7	12	18	32	43	82
70-74	507	16.1	206	4	7	12	20	36	50	78
75-79	380	17.0	217	4	7	13	23	39	46	79
80-84	280	15.6	174	4	7	12	20	33	43	91
85 +	252	15.3	143	4	7	13	21	30	43	98
GRAND TOTAL	**1951**	**15.8**	**188**	**4**	**7**	**12**	**20**	**34**	**45**	**81**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	27	4.3	16	1	2	3	5	8	10	21
70-74	38	5.7	18	1	2	5	8	13	14	17
75-79	41	5.0	9	2	3	4	6	9	13	14
80-84	53	5.5	18	2	2	5	7	11	15	22
85 +	48	5.8	23	2	3	5	7	11	14	29
B. Operated										
65-69 YRS	105	4.9	15	1	2	4	6	11	14	17
70-74	83	6.6	30	1	2	6	9	13	15	31
75-79	66	8.2	117	1	4	7	10	14	15	76
80-84	32	8.5	31	1	5	7	11	16	21	24
85 +	32	9.9	49	2	4	9	12	20	24	32
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	744	7.5	54	2	3	6	9	15	19	36
70-74	1060	8.0	53	2	4	6	10	15	19	41
75-79	1341	8.3	46	3	4	7	10	16	20	38
80-84	1193	8.5	52	3	4	7	10	16	21	42
85 +	1407	8.9	70	3	4	7	11	17	23	44
B. Operated										
65-69 YRS	727	10.6	78	3	6	9	13	20	27	49
70-74	726	11.3	95	3	6	9	13	21	31	62
75-79	733	12.9	128	4	7	10	15	24	34	75
80-84	555	14.2	135	5	7	12	17	28	37	77
85 +	461	13.9	108	5	8	11	17	25	32	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	207	5.4	17	2	3	5	6	11	14	21
B. Operated	318	6.9	48	1	3	6	9	13	16	27
2. MULTIPLE DX										
A. Not Operated	5745	8.3	56	2	4	6	10	16	21	41
B. Operated	3202	12.4	109	3	7	10	15	24	32	69
1. SINGLE DX	525	6.3	36	1	3	5	8	13	15	24
2. MULTIPLE DX	8947	9.8	79	3	5	8	12	18	26	51
A. Not Operated	5952	8.2	55	2	4	6	10	16	21	40
B. Operated	3520	11.9	106	3	6	10	14	23	31	67
TOTAL										
65-69 YRS	1603	8.7	65	2	4	7	11	17	23	41
70-74	1907	9.2	70	2	4	7	11	17	24	49
75-79	2181	9.8	80	3	5	8	12	18	24	53
80-84	1833	10.1	83	3	5	8	12	19	27	54
85 +	1948	10.0	82	3	5	8	12	20	27	47
GRAND TOTAL	**9472**	**9.6**	**77**	**3**	**4**	**7**	**12**	**18**	**25**	**50**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	10	6.1	17	2	3	5	8	12	16	16
70-74	10	5.3	12	1	2	5	9	10	11	11
75-79	2	6.0	50	1	1	6	11	11	11	11
80-84	2	7.5	41	3	3	7	12	12	12	12
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	38.5	2245	5	5	38	72	72	72	72
70-74	9	6.7	45	1	2	3	13	17	17	17
75-79	5	34.2	933	6	8	36	49	82	82	82
80-84	1	12.0		12	12	12	12	12	12	12
85 +	2	32.0	800	12	12	32	52	52	52	52
B. Operated										
65-69 YRS	71	5.4	60	1	2	4	7	9	10	54
70-74	51	6.3	38	1	2	4	8	17	24	98
75-79	21	11.6	355	1	2	5	11	29	62	81
80-84	12	4.3	12	1	2	4	6	30	87	99 +
85 +	5	5.0	12	1	2	6	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	24	5.9	16	2	3	5	8	11	13	16
2. MULTIPLE DX										
A. Not Operated	19	20.2	599	2	3	12	31	64	77	82
B. Operated	160	6.4	89	1	2	4	8	13	19	97
1. SINGLE DX	24	5.9	16	2	3	5	8	11	13	16
2. MULTIPLE DX	179	7.8	158	1	2	4	8	16	37	94
A. Not Operated	19	20.2	599	2	3	12	31	64	77	82
B. Operated	184	6.3	79	1	2	4	8	13	17	93
TOTAL										
65-69 YRS	83	6.2	107	1	2	4	7	9	12	70
70-74	70	6.2	34	1	2	4	9	16	19	84
75-79	28	15.2	487	1	2	7	14	44	81	82
80-84	15	5.2	17	1	2	4	10	13	74	99 +
85 +	7	12.7	315	1	3	7	11	44	52	52
GRAND TOTAL	**203**	**7.6**	**141**	**1**	**2**	**4**	**8**	**15**	**28**	**90**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	2.5	5	< 1	1	2	3	5	8	10
70-74	24	3.2	3	1	2	3	4	5	7	9
75-79	25	5.1	65	1	1	3	5	9	17	42
80-84	20	4.3	23	1	2	3	5	7	15	23
85 +	9	2.7	4	< 1	1	2	4	6	6	6
B. Operated										
65-69 YRS	157	3.1	24	1	1	2	3	5	10	16
70-74	104	2.8	6	1	1	2	4	5	9	12
75-79	66	2.4	6	1	1	2	3	5	6	16
80-84	14	2.9	10	< 1	1	2	5	6	11	12
85 +	4	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	335	4.8	24	1	2	4	6	9	12	20
70-74	282	5.4	33	1	2	4	7	11	14	29
75-79	272	6.3	43	2	3	5	7	11	18	29
80-84	214	6.2	27	2	3	5	8	13	15	27
85 +	214	6.4	34	2	3	5	9	12	15	25
B. Operated										
65-69 YRS	498	6.3	58	1	2	4	8	15	22	33
70-74	392	6.8	71	1	2	4	9	15	20	53
75-79	264	6.5	42	1	2	5	8	14	18	36
80-84	131	8.3	72	1	2	6	11	19	26	63
85 +	61	10.0	81	2	4	9	13	20	36	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	3.7	23	1	1	3	4	6	9	32
B. Operated	345	2.9	14	1	1	2	3	5	8	13
2. MULTIPLE DX										
A. Not Operated	1317	5.7	32	1	2	4	7	11	15	26
B. Operated	1346	6.9	62	1	2	4	9	15	21	48
1. SINGLE DX	445	3.0	16	1	1	2	4	6	9	16
2. MULTIPLE DX	2663	6.3	47	1	2	4	8	13	18	36
A. Not Operated	1417	5.6	32	1	2	4	7	11	15	26
B. Operated	1691	6.0	55	1	2	4	8	14	20	44
TOTAL										
65-69 YRS	1012	5.2	42	1	2	3	6	11	16	30
70-74	802	5.7	49	1	2	4	7	12	16	49
75-79	627	5.9	41	1	2	4	7	12	17	36
80-84	379	6.7	43	1	2	5	8	14	21	34
85 +	288	7.0	45	2	3	5	9	14	19	46
GRAND TOTAL	**3108**	**5.8**	**44**	**1**	**2**	**4**	**7**	**12**	**17**	**35**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	3.0		3	3	3	3	3	3	3
70-74	2	6.0		6	6	6	6	6	6	6
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	13.0		13	13	13	13	13	13	13
85 +	2	6.0	8	4	4	6	8	8	8	8
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	9.5	5	8	8	9	11	11	11	11
75-79	1	9.0		9	9	9	9	9	9	9
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	10	5.4	10	3	3	4	6	10	13	13
B. Operated	4	7.3	19	1	4	8	10	11	11	11
1. SINGLE DX	0									
2. MULTIPLE DX	14	5.9	12	2	3	5	8	11	13	13
A. Not Operated	10	5.4	10	3	3	4	6	10	13	13
B. Operated	4	7.3	19	1	4	8	10	11	11	11
TOTAL										
65-69 YRS	4	2.5	1	1	2	3	3	3	3	3
70-74	4	7.8	6	6	6	7	9	11	11	11
75-79	3	5.7	9	3	3	5	8	9	9	9
80-84	1	13.0		13	13	13	13	13	13	13
85 +	2	6.0	8	4	4	6	8	8	8	8
GRAND TOTAL	**14**	**5.9**	**12**	**2**	**3**	**5**	**8**	**11**	**13**	**13**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	6.0	12	2	3	8	8	8	8	8
70-74	2	3.5	13	1	1	3	6	6	6	6
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	5.8	21	2	2	4	8	13	14	14
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	3	2.7	4	1	1	2	4	5	5	5
80-84	4	3.8	9	1	2	3	6	8	8	8
85 +	0									
B. Operated										
65-69 YRS	9	6.9	16	2	5	7	7	13	16	16
70-74	5	6.8	16	1	5	6	10	11	11	11
75-79	3	6.0	1	5	5	6	7	7	7	7
80-84	1	10.0		10	10	10	10	10	10	10
85 +	2	13.5	113	6	6	13	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	6	4.7	9	1	2	4	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	15	4.7	12	1	2	4	7	8	13	14
B. Operated	20	7.6	21	3	5	7	9	13	18	21
1. SINGLE DX	7	4.9	8	1	2	6	7	8	8	8
2. MULTIPLE DX	35	6.3	19	1	3	6	8	11	15	21
A. Not Operated	16	4.8	12	1	2	4	7	8	12	14
B. Operated	26	6.9	19	1	5	6	8	11	17	21
TOTAL										
65-69 YRS	19	6.4	14	2	4	6	8	12	15	16
70-74	9	6.0	12	1	5	6	8	11	11	11
75-79	6	4.3	5	1	2	5	6	7	7	7
80-84	6	4.7	12	1	3	3	8	10	10	10
85 +	2	13.5	113	6	6	13	21	21	21	21
GRAND TOTAL	**42**	**6.1**	**17**	**1**	**3**	**6**	**8**	**10**	**15**	**21**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	5	1.6		< 1	1	2	2	2	2	2
75-79	3	3.3	4	1	2	4	5	5	5	5
80-84	0									
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	7	1.4		1	1	1	2	2	2	2
70-74	7	5.1	45	1	1	2	7	17	19	19
75-79	5	1.8	1	1	1	1	3	3	3	3
80-84	5	1.6		1	1	2	2	2	2	2
85 +	2	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	10	2.0	2	< 1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	4	4.5		4	4	4	5	5	5	5
B. Operated	26	2.5	14	1	1	1	2	3	11	19
1. SINGLE DX	10	2.0	2	< 1	1	1	2	4	5	5
2. MULTIPLE DX	30	2.8	13	1	1	2	3	5	9	19
A. Not Operated	4	4.5		4	4	4	5	5	5	5
B. Operated	36	2.4	11	1	1	1	2	4	8	19
TOTAL										
65-69 YRS	9	1.8	2	1	1	1	2	4	5	5
70-74	13	3.8	26	< 1	1	2	3	11	17	19
75-79	8	2.4	3	1	1	2	4	5	5	5
80-84	6	2.0	1	1	1	2	2	4	4	4
85 +	4	1.8	2	< 1	< 1	1	3	4	4	4
GRAND TOTAL	**40**	**2.6**	**10**	**1**	**1**	**2**	**3**	**5**	**7**	**19**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	6	5.0	12	1	2	4	9	9	9	9
70-74	5	5.0	35	< 1	1	1	9	14	14	14
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	0									
85 +	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	14	3.7	7	1	1	3	5	8	9	9
70-74	9	4.6	10	2	3	3	6	10	12	12
75-79	10	5.0	10	2	3	4	7	10	12	12
80-84	13	9.8	278	1	2	5	9	22	56	64
85 +	9	4.3	11	1	2	4	6	9	11	11
B. Operated										
65-69 YRS	61	7.4	28	1	2	8	10	16	18	21
70-74	40	12.3	200	2	4	9	16	23	31	85
75-79	25	13.8	271	3	5	9	13	36	59	70
80-84	12	9.3	26	4	6	9	12	17	19	19
85 +	4	9.3	30	5	5	7	13	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	14	5.6	34	1	1	3	9	15	19	20
2. MULTIPLE DX										
A. Not Operated	55	5.6	74	1	2	4	6	9	12	61
B. Operated	142	10.1	123	2	4	8	12	19	23	71
1. SINGLE DX	15	5.3	33	1	1	2	9	14	18	20
2. MULTIPLE DX	197	8.9	113	1	3	7	11	17	21	67
A. Not Operated	56	5.5	73	1	2	4	6	9	12	61
B. Operated	156	9.7	117	1	3	8	12	19	22	69
TOTAL										
65-69 YRS	82	6.5	25	1	2	6	9	13	17	20
70-74	54	10.3	163	1	3	8	12	20	29	83
75-79	37	10.8	204	2	3	7	12	19	48	70
80-84	25	9.5	151	1	4	7	9	16	30	64
85 +	14	6.9	33	1	3	5	9	17	19	20
GRAND TOTAL	**212**	**8.6**	**108**	**1**	**3**	**6**	**10**	**17**	**20**	**66**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	1	2.0		2	2	2	2	2	2	2
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
65-69 YRS	7	4.3	10	1	1	4	7	9	9	9
70-74	7	4.9	5	2	4	5	7	8	8	8
75-79	3	6.0	13	3	3	5	9	10	10	10
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	5.4	5	2	3	6	7	8	8	8
70-74	9	3.9	7	< 1	2	3	6	8	8	8
75-79	10	3.6	2	1	3	4	4	6	7	7
80-84	5	3.2	3	1	2	3	5	5	5	5
85 +	7	7.3	11	4	4	8	10	12	12	12
B. Operated										
65-69 YRS	27	6.9	21	2	3	7	10	13	16	19
70-74	30	13.3	92	4	7	13	16	28	29	42
75-79	19	11.2	79	2	4	9	17	23	30	35
80-84	14	10.8	79	4	4	8	17	24	31	33
85 +	16	11.9	62	3	5	9	20	21	25	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	17	4.8	8	1	3	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	38	4.6	7	1	3	4	7	8	10	12
B. Operated	106	10.8	69	2	4	8	15	21	28	38
1. SINGLE DX	18	4.6	8	1	2	4	7	9	10	10
2. MULTIPLE DX	144	9.2	60	2	4	7	13	20	26	35
A. Not Operated	39	4.5	7	1	3	4	6	8	10	12
B. Operated	123	10.0	64	2	4	7	14	21	27	37
TOTAL										
65-69 YRS	41	6.2	17	1	3	6	9	11	14	19
70-74	46	10.2	80	2	4	7	14	26	29	42
75-79	32	8.3	60	2	3	5	11	19	24	35
80-84	19	8.8	70	2	4	5	8	21	28	33
85 +	24	10.1	52	3	4	8	15	21	23	26
GRAND TOTAL	**162**	**8.6**	**56**	**2**	**4**	**7**	**11**	**19**	**25**	**35**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	3.0	4	1	1	3	4	5	5	5
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	4	2.5	4	1	1	2	4	5	5	5
1. SINGLE DX	0									
2. MULTIPLE DX	4	2.5	4	1	1	2	4	5	5	5
A. Not Operated	0									
B. Operated	4	2.5	4	1	1	2	4	5	5	5
TOTAL										
65-69 YRS	3	3.0	4	1	1	3	4	5	5	5
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	**4**	**2.5**	**4**	**1**	**1**	**2**	**4**	**5**	**5**	**5**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	4	4.5	8	1	2	4	6	8	8	8
70-74	3	2.7	4	< 1	< 1	2	4	5	5	5
75-79	2	3.0	8	1	1	3	5	5	5	5
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	[illegible]	4	2	2	3	5	6	6	[illegible]
70-74	3	[illegible]	16	2	3	5	9	10	10	[illegible]
75-79	5	2.6	2	1	2	2	3	5	5	[illegible]
80-84	4	5.5	6	3	3	5	7	8	8	[illegible]
85 +	6	3.7	6	2	2	3	5	8	8	[illegible]
B. Operated										
65-69 YRS	34	10.0	175	1	2	7	13	21	31	71
70-74	27	6.6	16	2	4	6	8	12	16	18
75-79	16	7.4	38	< 1	2	6	11	15	20	22
80-84	6	7.3	19	1	5	7	12	12	12	12
85 +	6	13.5	115	3	6	9	26	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	12	3.3	5	< 1	1	3	5	6	8	8
2. MULTIPLE DX										
A. Not Operated	21	4.0	6	2	2	3	5	8	9	10
B. Operated	89	8.6	89	1	3	6	10	19	23	56
1. SINGLE DX	14	2.9	5	1	1	2	5	6	7	8
2. MULTIPLE DX	110	7.7	76	1	2	6	9	15	22	48
A. Not Operated	23	3.8	6	1	2	3	5	8	9	10
B. Operated	101	7.9	82	1	2	6	9	17	22	52
TOTAL										
65-69 YRS	42	8.8	148	1	2	5	10	20	27	71
70-74	33	6.1	16	1	3	6	8	11	15	18
75-79	24	5.8	31	1	1	4	8	14	17	22
80-84	12	5.9	14	1	3	5	8	12	12	12
85 +	13	8.1	78	2	2	5	9	26	28	28
GRAND TOTAL	**124**	**7.2**	**70**	**1**	**2**	**5**	**9**	**14**	**21**	**43**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	24	2.9	4	1	1	2	4	5	7	8
70-74	10	4.5	54	1	1	2	4	15	25	25
75-79	4	3.3	5	1	1	3	5	6	6	6
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	39	3.4	16	1	1	2	4	6	[illegible]	25
1. SINGLE DX	0									
2. MULTIPLE DX	39	3.4	16	1	1	2	4	6	8	25
A. Not Operated	0									
B. Operated	39	3.4	16	1	1	2	4	6	8	25
TOTAL										
65-69 YRS	24	2.9	4	1	1	2	4	5	7	8
70-74	10	4.5	54	1	1	2	4	15	25	25
75-79	4	3.3	5	1	1	3	5	6	6	6
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
GRAND TOTAL	**39**	**3.4**	**16**	**1**	**1**	**2**	**4**	**6**	**8**	**25**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	2.3	4	1	1	2	3	5	5	5
70-74	0									
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	18	2.9	8	1	1	2	4	8	9	9
70-74	12	3.8	7	< 1	1	3	6	7	8	8
75-79	4	4.3	6	1	2	4	6	7	7	7
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	13	4.8	8	2	2	4	6	9	11	11
70-74	17	5.2	18	1	2	4	8	10	14	16
75-79	15	6.3	17	2	4	5	8	14	14	14
80-84	21	7.3	37	2	4	6	9	13	21	29
85 +	15	5.8	11	2	3	5	8	11	12	13
B. Operated										
65-69 YRS	63	8.0	42	1	3	7	11	15	19	34
70-74	55	10.8	179	2	3	8	10	20	41	77
75-79	33	9.0	53	2	4	8	12	17	26	31
80-84	6	10.2	18	5	7	9	14	16	16	16
85 +	2	7.5	13	5	5	7	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.7	3	1	1	2	4	5	5	5
B. Operated	34	3.4	7	1	1	2	5	8	8	9
2. MULTIPLE DX										
A. Not Operated	81	6.0	20	2	3	5	8	11	14	25
B. Operated	159	9.3	90	2	3	8	11	18	23	47
1. SINGLE DX	41	3.2	6	1	1	2	5	7	8	9
2. MULTIPLE DX	240	8.2	69	2	3	7	10	15	19	42
A. Not Operated	88	5.7	19	2	2	5	8	11	14	24
B. Operated	193	8.2	81	1	3	7	10	16	21	45
TOTAL										
65-69 YRS	98	6.4	34	1	2	5	8	14	17	30
70-74	84	8.7	130	1	2	7	9	18	27	68
75-79	54	7.6	41	2	3	5	11	15	18	31
80-84	28	7.9	32	2	4	7	10	15	17	29
85 +	17	6.0	11	2	4	5	8	11	12	13
GRAND TOTAL	**281**	**7.4**	**63**	**1**	**3**	**6**	**9**	**15**	**18**	**41**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74		Geriatric patients are excluded from this diagnosis group because of clinical implausibility								
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74		Geriatric patients are excluded from this diagnosis group because of clinical implausibility								
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	70	3.3	7	1	2	3	4	6	8	15
70-74	40	3.2	4	1	2	3	4	5	6	12
75-79	47	3.6	9	1	2	2	5	7	9	17
80-84	15	4.1	10	1	2	3	5	9	11	11
85 +	23	3.7	14	1	1	3	4	8	14	16
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	904	5.6	28	2	3	4	7	11	16	28
70-74	952	5.6	28	2	3	4	7	11	15	28
75-79	926	6.4	32	2	3	5	8	13	16	29
80-84	663	6.6	59	2	3	5	8	12	17	46
85 +	562	6.9	48	2	3	5	8	13	17	43
B. Operated										
65-69 YRS	95	12.8	162	3	5	9	15	28	41	66
70-74	97	12.6	180	2	5	8	15	32	46	92
75-79	80	14.2	123	4	7	12	21	41	72	99 +
80-84	65	15.8	203	5	8	12	18	38	48	97
85 +	43	17.1	325	4	6	12	19	36	62	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	195	3.5	8	1	2	3	4	6	9	16
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4007	6.1	37	2	3	5	7	12	16	30
B. Operated	380	14.0	184	3	6	10	18	33	45	99 +
1. SINGLE DX	195	3.5	8	1	2	3	4	6	9	16
2. MULTIPLE DX	4387	6.8	55	2	3	5	8	13	19	44
A. Not Operated	4202	6.0	36	2	3	4	7	12	16	30
B. Operated	380	14.0	184	3	6	10	18	33	45	99 +
TOTAL										
65-69 YRS	1069	6.1	43	2	3	4	7	12	17	37
70-74	1089	6.2	45	2	3	4	7	12	16	46
75-79	1053	6.9	42	2	3	5	8	14	19	42
80-84	743	7.4	77	2	3	5	9	14	20	54
85 +	628	7.5	72	2	3	5	8	14	20	48
GRAND TOTAL	**4582**	**6.7**	**53**	**2**	**3**	**5**	**8**	**13**	**18**	**44**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	4.0	10	1	2	4	4	9	12	13
70-74	16	5.3	6	2	3	5	7	8	9	10
75-79	14	5.6	12	2	3	5	9	11	12	12
80-84	8	9.4	111	2	3	5	13	28	32	32
85 +	15	4.3	6	2	2	4	6	7	9	10
B. Operated										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	0									
75-79	0									
80-84	1	9.0		9	9	9	9	9	9	9
85 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	522	6.0	32	2	3	5	7	11	14	26
70-74	576	6.5	22	2	3	5	8	13	15	24
75-79	492	6.3	32	2	3	5	8	12	15	24
80-84	386	7.2	39	3	4	6	9	13	17	36
85 +	349	7.0	32	3	4	6	9	12	17	29
B. Operated										
65-69 YRS	135	11.4	81	3	6	10	14	22	31	43
70-74	93	13.8	111	5	7	11	18	31	42	79
75-79	90	13.8	110	4	8	11	17	27	38	86
80-84	71	14.4	140	4	7	11	19	30	40	94
85 +	42	16.9	225	5	7	11	24	37	53	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	5.3	21	2	3	4	7	10	12	29
B. Operated	4	5.3	15	1	2	8	32	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	2325	6.5	31	2	3	5	8	12	15	27
B. Operated	431	13.4	119	4	7	10	16	27	38	67
1. SINGLE DX	74	5.3	20	2	3	4	7	10	13	83
2. MULTIPLE DX	2756	7.6	51	2	4	6	9	14	20	40
A. Not Operated	2395	6.5	30	2	3	5	8	12	15	27
B. Operated	435	13.4	118	4	7	10	16	28	39	76
TOTAL										
65-69 YRS	676	7.0	46	2	3	5	8	13	18	33
70-74	685	7.5	39	2	4	6	9	14	20	35
75-79	596	7.4	50	2	4	5	9	14	20	45
80-84	466	8.3	61	3	4	6	10	16	23	44
85 +	407	7.9	60	3	4	6	9	14	23	45
GRAND TOTAL	**2830**	**7.6**	**50**	**2**	**4**	**6**	**9**	**14**	**20**	**40**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	2.9	2	1	2	3	4	5	6	6
70-74	5	1.4	1	< 1	< 1	1	2	3	3	3
75-79	6	3.2	5	1	2	2	5	7	7	7
80-84	3	3.0	1	2	2	3	4	4	4	4
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	4	2.3	6	< 1	< 1	1	4	6	6	6
70-74	4	1.5		< 1	< 1	1	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	109	4.1	10	1	2	3	5	8	10	18
70-74	95	4.2	8	1	2	3	6	9	10	13
75-79	58	3.8	5	1	2	3	5	7	8	10
80-84	85	4.8	27	1	2	4	6	8	13	79
85 +	54	4.9	34	2	2	4	6	9	10	39
B. Operated										
65-69 YRS	22	5.6	22	2	3	4	5	15	16	16
70-74	15	5.6	10	1	3	6	7	9	12	13
75-79	12	8.7	68	3	4	6	9	22	30	31
80-84	12	8.7	38	3	4	7	11	20	20	20
85 +	5	9.0	30	1	6	8	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.6	3	1	1	2	3	5	6	7
B. Operated	9	1.8	3	< 1	< 1	1	2	4	6	6
2. MULTIPLE DX										
A. Not Operated	401	4.3	16	1	2	3	5	8	10	21
B. Operated	66	7.0	31	2	3	5	8	15	18	29
1. SINGLE DX	32	2.3	3	< 1	1	2	3	5	6	7
2. MULTIPLE DX	467	4.7	19	1	2	4	6	9	13	22
A. Not Operated	424	4.2	15	1	2	3	5	8	10	20
B. Operated	75	6.3	31	1	3	5	8	15	17	28
TOTAL										
65-69 YRS	143	4.2	12	1	2	3	5	8	11	17
70-74	119	4.1	9	1	2	3	6	9	10	13
75-79	77	4.5	17	1	2	4	6	8	10	27
80-84	100	5.2	29	1	2	4	6	10	15	71
85 +	60	5.2	34	1	2	4	6	9	14	38
GRAND TOTAL	**499**	**4.6**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	46	3.0	3	1	1	3	4	5	6	9
70-74	19	2.8	3	1	2	2	4	5	6	7
75-79	17	2.9	6	1	1	2	4	5	9	11
80-84	13	2.4	2	1	1	2	3	4	5	5
85 +	14	2.6	2	1	1	3	3	4	6	6
B. Operated										
65-69 YRS	41	3.4	4	1	2	3	5	6	7	8
70-74	39	3.6	8	1	2	3	5	6	10	14
75-79	30	3.5	4	1	2	3	4	7	7	7
80-84	23	2.8	1	1	2	3	4	4	5	5
85 +	16	4.3	12	1	2	3	6	10	11	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	164	3.7	9	1	2	3	5	6	9	18
70-74	166	3.5	7	1	2	3	5	7	8	16
75-79	137	3.4	6	1	2	3	4	6	8	12
80-84	116	3.8	6	1	2	3	5	7	9	13
85 +	118	3.9	8	1	2	3	5	8	10	14
B. Operated										
65-69 YRS	216	4.4	8	1	2	4	6	8	10	16
70-74	205	4.7	9	1	3	4	6	8	10	15
75-79	180	4.9	13	2	3	4	6	9	12	20
80-84	128	5.4	42	2	3	4	7	9	12	28
85 +	110	4.8	15	2	2	4	6	9	16	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	2.8	3	1	1	3	4	5	6	10
B. Operated	149	3.5	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	701	3.6	7	1	2	3	5	7	9	15
B. Operated	839	4.8	15	2	3	4	6	9	11	17
1. SINGLE DX	258	3.2	4	1	2	3	4	6	7	11
2. MULTIPLE DX	1540	4.3	12	1	2	4	5	8	10	17
A. Not Operated	810	3.5	7	1	2	3	5	6	9	15
B. Operated	988	4.6	14	1	2	4	6	8	11	17
TOTAL										
65-69 YRS	467	3.9	8	1	2	3	5	7	9	17
70-74	429	4.0	8	1	2	4	5	7	10	15
75-79	364	4.1	9	1	2	3	5	7	10	17
80-84	280	4.4	23	1	2	3	5	8	10	15
85 +	258	4.3	11	1	2	3	5	8	10	18
GRAND TOTAL	**1798**	**4.1**	**11**	**1**	**2**	**3**	**5**	**7**	**10**	**16**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.2	1	2	3	3	4	4	4	4
70-74	10	2.8	3	< 1	1	3	4	5	6	6
75-79	3	2.3	5	1	1	1	4	5	5	5
80-84	3	2.7	4	1	1	2	4	5	5	5
85 +	2	2.0	-	2	2	2	2	2	2	2
B. Operated										
65-69 YRS	14	2.5	7	< 1	< 1	1	3	6	9	10
70-74	10	3.1	4	< 1	1	3	4	6	7	7
75-79	8	5.9	159	< 1	< 1	1	2	27	37	37
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	122	4.9	22	1	2	3	6	12	15	23
70-74	132	5.0	20	1	2	4	6	11	14	22
75-79	122	5.6	28	1	2	3	8	13	17	25
80-84	98	7.5	52	2	3	5	9	17	24	34
85 +	71	7.2	59	2	3	5	9	15	17	49
B. Operated										
65-69 YRS	66	6.8	45	1	1	5	10	16	24	89
70-74	62	12.0	202	1	2	6	19	38	47	94
75-79	51	11.7	132	1	2	9	18	30	39	99
80-84	28	19.4	258	2	6	17	29	44	49	64
85 +	12	11.4	21	3	9	13	14	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.7	2	1	1	2	4	5	6	6
B. Operated	32	3.5	42	< 1	< 1	1	3	6	10	37
2. MULTIPLE DX										
A. Not Operated	545	5.9	34	1	2	4	8	13	17	29
B. Operated	219	11.3	148	1	2	7	16	31	44	99 +
1. SINGLE DX	55	3.2	25	< 1	1	2	4	5	7	36
2. MULTIPLE DX	764	7.4	72	1	2	4	10	17	24	49
A. Not Operated	568	5.7	33	1	2	4	7	13	17	29
B. Operated	251	10.3	141	1	2	6	15	28	41	98
TOTAL										
65-69 YRS	207	5.3	29	1	2	4	7	13	16	30
70-74	214	6.9	82	1	2	4	8	16	28	52
75-79	184	7.3	68	1	2	4	10	18	25	47
80-84	129	9.9	119	2	3	6	13	25	33	51
85 +	85	7.7	55	2	3	5	12	15	17	44
GRAND TOTAL	**819**	**7.1**	**70**	**1**	**2**	**4**	**9**	**17**	**24**	**48**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	7	8.9	17	4	5	9	13	14	14	14
70-74	19	7.4	34	1	2	8	9	17	20	21
75-79	11	11.3	91	3	4	8	13	28	33	33
80-84	7	7.9	40	1	4	6	11	18	20	20
85 +	19	9.8	139	1	2	7	11	28	41	45
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	6.8	28	2	2	5	9	16	17	18
70-74	27	12.0	198	3	4	7	13	20	56	59
75-79	38	8.8	64	3	4	7	11	17	18	48
80-84	31	7.5	34	2	4	6	9	14	21	28
85 +	54	8.1	52	2	3	6	11	18	24	97
B. Operated										
65-69 YRS	262	15.8	174	4	7	12	21	34	44	69
70-74	270	16.7	202	5	7	13	21	34	47	93
75-79	281	15.5	168	4	7	12	20	33	46	65
80-84	257	15.1	124	5	8	13	18	30	38	56
85 +	365	13.7	129	4	7	11	17	27	37	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.8	6	< 1	1	3	5	7	7	7
B. Operated	63	9.0	72	1	3	8	11	19	28	44
2. MULTIPLE DX										
A. Not Operated	171	8.6	72	2	4	6	11	17	23	58
B. Operated	1435	15.3	158	4	7	12	19	31	43	69
1. SINGLE DX	67	8.7	70	1	3	7	11	18	26	44
2. MULTIPLE DX	1606	14.5	153	4	7	11	18	30	41	68
A. Not Operated	175	8.5	71	2	4	6	11	17	22	58
B. Operated	1498	15.0	156	4	7	12	19	31	42	68
TOTAL										
65-69 YRS	291	15.0	166	3	7	11	19	34	43	68
70-74	318	15.6	196	4	7	12	20	32	47	92
75-79	331	14.5	158	4	6	11	18	32	45	64
80-84	295	14.1	119	4	7	12	18	28	36	55
85 +	438	12.9	124	3	6	10	16	26	37	68
GRAND TOTAL	**1673**	**14.3**	**151**	**4**	**6**	**11**	**18**	**30**	**40**	**67**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	558	2.2	2	1	1	2	3	4	5	7
70-74	336	2.4	5	1	1	2	3	4	5	10
75-79	234	2.3	2	1	1	2	3	4	5	7
80-84	112	2.5	8	1	1	2	3	4	6	16
85 +	79	3.1	23	1	1	2	3	6	8	32
B. Operated										
65-69 YRS	190	1.8	2	1	1	1	2	3	5	9
70-74	107	1.9	2	1	1	1	2	4	4	3
75-79	41	2.2	3	< 1	1	2	2	4	6	9
80-84	12	3.8	7	1	2	3	5	7	10	11
85 +	3	2.0	1	< 1	< 1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4817	3.1	6	1	2	3	4	5	7	10
70-74	4076	3.1	5	1	2	3	4	6	7	13
75-79	3232	3.4	10	1	2	3	4	6	8	12
80-84	1952	3.6	10	1	2	3	4	6	8	14
85 +	1360	3.8	22	1	2	3	4	7	8	17
B. Operated										
65-69 YRS	1198	3.7	14	1	1	3	5	8	10	15
70-74	855	4.0	14	1	2	3	5	8	10	18
75-79	461	4.9	22	1	2	4	6	10	14	25
80-84	165	6.1	36	1	2	4	8	13	16	32
85 +	52	8.8	131	2	4	5	10	18	31	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1319	2.4	5	1	1	2	3	4	5	8
B. Operated	353	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	15437	3.3	9	1	2	3	4	6	7	12
B. Operated	2731	4.2	20	1	2	3	5	8	11	21
1. SINGLE DX	1672	2.3	4	1	1	2	3	4	5	9
2. MULTIPLE DX	18168	3.4	10	1	2	3	4	6	8	14
A. Not Operated	16756	3.2	8	1	2	3	4	6	7	12
B. Operated	3084	4.0	18	1	1	3	5	8	11	19
TOTAL										
65-69 YRS	6763	3.1	7	1	2	2	4	6	7	11
70-74	5374	3.2	7	1	2	3	4	6	8	13
75-79	3968	3.5	11	1	2	3	4	6	8	14
80-84	2241	3.7	13	1	2	3	4	7	9	17
85 +	1494	3.9	27	1	2	3	5	7	9	23
GRAND TOTAL	**19840**	**3.3**	**10**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	2.6	1	2	2	2	3	5	5	5
70-74	7	3.1	13	<1	1	2	3	9	11	11
75-79	7	2.6	2	1	2	2	3	5	5	5
80-84	5	3.0	4	1	2	2	4	6	6	6
85+	3	2.7		2	2	3	3	3	3	3
B. Operated										
65-69 YRS	21	2.1	2	<1	<1	2	3	5	5	5
70-74	12	1.6	2	<1	<1	1	1	4	6	6
75-79	10	3.0	6	<1	2	2	3	7	9	9
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	271	4.5	27	1	2	3	5	8	11	20
70-74	250	4.3	19	1	2	3	5	9	13	16
75-79	239	4.6	16	1	2	3	6	10	13	21
80-84	193	5.4	31	1	2	4	7	10	14	38
85+	138	5.0	17	1	2	4	6	10	14	21
B. Operated										
65-69 YRS	192	6.3	65	1	2	4	7	[illegible]	17	49
70-74	156	6.2	55	1	2	4	8	[illegible]	16	46
75-79	102	6.7	85	1	2	5	7	14	19	54
80-84	56	7.0	36	2	3	5	9	14	21	28
85+	35	8.5	144	2	3	5	10	12	28	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.8	4	1	2	2	3	5	6	11
B. Operated	45	2.2	3	<1	<1	1	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	1091	4.7	22	1	2	3	6	9	13	24
B. Operated	541	6.6	68	1	2	4	8	13	18	48
1. SINGLE DX	74	2.4	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	1632	5.3	38	1	2	4	6	11	14	32
A. Not Operated	1120	4.7	22	1	2	3	6	9	13	23
B. Operated	586	6.2	64	1	2	4	7	12	17	46
TOTAL										
65-69 YRS	491	5.1	41	1	2	3	6	10	14	41
70-74	425	4.9	33	1	2	3	6	11	14	33
75-79	358	5.1	36	1	2	3	6	10	15	23
80-84	255	5.7	31	2	2	4	7	11	17	37
85+	177	5.7	44	1	2	4	7	11	14	31
GRAND TOTAL	**1706**	**5.2**	**37**	**1**	**2**	**4**	**6**	**11**	**14**	**31**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	38	2.4	6	1	1	2	3	4	6	15
70-74	20	2.1	1	1	1	2	3	4	4	5
75-79	20	2.5	9	<1	<1	1	2	6	10	13
80-84	11	2.5	7	<1	1	2	2	7	10	10
85+	3	1.7	1	1	1	1	3	3	3	3
B. Operated										
65-69 YRS	12	3.7	3	1	2	4	5	6	7	7
70-74	21	3.3	4	1	2	3	5	6	7	7
75-79	7	4.1	16	1	1	3	6	11	12	12
80-84	4	4.0	9	1	2	3	6	8	8	8
85+	5	4.6	6	3	3	4	5	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	177	3.6	14	1	2	2	4	7	10	22
70-74	214	4.6	15	1	2	3	6	10	11	20
75-79	190	4.8	47	1	2	3	5	9	11	33
80-84	180	5.6	52	1	2	4	6	9	16	47
85+	163	6.9	52	2	3	5	7	11	21	53
B. Operated										
65-69 YRS	206	4.8	14	1	2	4	6	10	12	18
70-74	246	5.7	25	2	3	4	7	11	13	26
75-79	220	6.2	33	1	3	5	8	12	16	34
80-84	171	8.1	59	2	4	6	10	15	24	30
85+	139	9.2	108	2	4	6	11	19	26	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	2.3	5	<1	1	2	3	4	6	14
B. Operated	49	3.7	6	1	2	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	924	5.0	36	1	2	4	6	9	12	37
B. Operated	982	6.5	44	2	3	5	8	13	17	30
1. SINGLE DX	141	2.8	6	1	1	2	3	5	8	13
2. MULTIPLE DX	1906	5.8	41	1	2	4	7	11	15	32
A. Not Operated	1016	4.8	34	1	2	3	6	9	12	34
B. Operated	1031	6.4	43	1	3	5	8	12	16	30
TOTAL										
65-69 YRS	433	4.1	14	1	2	3	5	8	11	18
70-74	501	5.0	20	1	2	4	6	10	12	24
75-79	437	5.4	38	1	2	4	6	10	15	30
80-84	366	6.7	55	1	3	5	8	13	18	43
85+	310	7.8	78	2	4	6	9	15	24	48
GRAND TOTAL	**2047**	**5.8**	**39**	**1**	**2**	**4**	**7**	**11**	**15**	**31**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	130	2.5	4	1	1	2	3	4	6	11
70-74	96	2.9	5	1	1	2	4	6	8	12
75-79	68	3.1	8	<1	1	2	4	6	7	16
80-84	56	3.2	7	1	1	3	4	7	9	14
85+	38	2.3	3	<1	1	2	3	5	6	8
B. Operated										
65-69 YRS	17	4.9	23	1	1	4	5	13	17	18
70-74	3	6.7	14	4	4	5	9	11	11	11
75-79	5	1.6	1	<1	1	1	2	3	3	3
80-84	3	1.3		<1	<1	1	2	2	2	2
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	999	4.1	10	1	2	3	5	8	10	16
70-74	967	4.5	23	1	2	3	6	8	11	18
75-79	855	4.8	31	1	2	4	6	9	12	22
80-84	677	4.9	21	2	2	4	6	9	11	25
85+	669	5.1	27	2	2	4	6	10	13	33
B. Operated										
65-69 YRS	193	6.7	35	1	3	5	9	13	17	35
70-74	200	6.7	40	2	3	5	8	14	17	32
75-79	178	7.7	44	2	3	6	10	15	20	35
80-84	104	9.2	75	2	4	7	11	21	26	48
85+	82	9.9	46	3	5	8	13	22	24	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	388	2.8	5	1	1	2	3	5	7	13
B. Operated	28	4.1	18	<1	1	3	5	10	14	18
2. MULTIPLE DX										
A. Not Operated	4167	4.7	22	1	2	4	6	9	11	21
B. Operated	757	7.6	46	2	3	6	10	15	20	36
1. SINGLE DX	416	2.9	6	1	1	2	4	5	8	14
2. MULTIPLE DX	4924	5.1	27	1	2	4	6	10	13	24
A. Not Operated	4555	4.5	21	1	2	3	6	8	11	21
B. Operated	785	7.5	46	1	3	6	9	15	20	35
TOTAL										
65-69 YRS	1339	4.4	14	1	2	3	6	9	11	18
70-74	1266	4.7	25	1	2	4	6	9	12	20
75-79	1106	5.2	33	1	2	4	6	10	13	24
80-84	840	5.3	29	1	2	4	6	10	14	30
85+	789	5.5	30	1	2	4	7	11	15	28
GRAND TOTAL	**5340**	**4.9**	**25**	**1**	**2**	**4**	**6**	**9**	**13**	**24**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	2.8	6	<1	1	2	4	7	[illegible]	9
70-74	13	3.1	5	<1	1	3	4	6	8	9
75-79	12	3.5	19	<1	1	2	4	10	15	16
80-84	11	2.4	2	1	1	2	3	4	5	5
85+	11	3.2	12	1	1	2	3	8	13	13
B. Operated										
65-69 YRS	14	4.1	8	<1	1	5	6	8	9	9
70-74	6	3.2	10	<1	1	2	4	8	9	9
75-79	3	2.7	4	<1	<1	2	4	5	5	5
80-84	8	2.8	7	<1	<1	1	4	7	8	8
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	484	5.0	16	1	2	4	6	10	14	21
70-74	536	5.4	23	1	2	4	7	11	15	22
75-79	534	5.4	23	2	2	4	7	10	14	26
80-84	384	5.4	14	2	3	5	7	10	13	20
85+	361	6.0	42	2	3	5	7	12	17	32
B. Operated										
65-69 YRS	198	6.5	46	1	2	4	8	17	22	33
70-74	179	7.1	55	1	2	5	9	17	23	43
75-79	180	8.5	80	1	3	6	11	20	30	87
80-84	149	9.3	142	1	3	5	12	20	27	68
85+	155	8.5	111	1	2	6	11	19	24	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	3.0	8	<1	1	2	4	5	9	16
B. Operated	32	3.3	7	<1	1	2	5	8	9	9
2. MULTIPLE DX										
A. Not Operated	2299	5.4	23	2	2	4	7	10	14	23
B. Operated	861	7.9	84	1	2	5	10	18	25	57
1. SINGLE DX	96	3.1	8	<1	1	2	4	7	9	15
2. MULTIPLE DX	3160	6.1	41	1	2	4	7	13	17	32
A. Not Operated	2363	5.3	23	1	2	4	7	10	14	23
B. Operated	893	7.7	82	1	2	5	10	17	25	56
TOTAL										
65-69 YRS	713	5.3	25	1	2	4	7	11	16	26
70-74	734	5.7	31	1	2	4	7	12	17	30
75-79	729	6.1	39	1	2	4	8	13	17	36
80-84	552	6.4	51	2	3	5	8	13	17	49
85+	528	6.7	63	2	3	5	8	14	21	34
GRAND TOTAL	**3256**	**6.0**	**40**	**1**	**2**	**4**	**7**	**13**	**17**	**32**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	237	2.7	5	1	1	2	3	5	7	10
70-74	246	3.0	6	1	1	2	4	5	7	14
75-79	215	3.2	7	1	1	2	4	6	9	13
80-84	170	3.1	8	1	1	3	4	5	8	19
85 +	147	3.6	8	1	2	3	4	7	9	16
B. Operated										
65-69 YRS	47	2.4	6	1	1	1	3	6	8	12
70-74	21	1.9	1	< 1	1	1	3	4	4	5
75-79	21	3.0	6	< 1	1	2	4	7	8	9
80-84	3	4.7	1	4	4	4	6	6	6	6
85 +	4	5.8	5	3	4	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3080	4.2	17	1	2	3	5	8	10	19
70-74	3753	4.6	18	1	2	3	6	9	11	20
75-79	4178	4.8	22	2	2	4	6	9	12	21
80-84	3932	5.3	28	2	2	4	6	10	14	30
85 +	3694	5.8	42	2	3	4	7	11	15	38
B. Operated										
65-69 YRS	517	6.7	70	1	2	5	8	14	17	53
70-74	572	7.7	61	1	3	5	10	17	22	37
75-79	569	8.3	88	1	3	6	10	19	27	70
80-84	493	10.3	139	2	4	7	12	24	30	71
85 +	426	9.2	93	2	3	7	12	20	25	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1015	3.1	6	1	1	2	4	6	8	13
B. Operated	96	2.7	5	< 1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	18637	5.0	26	1	2	4	6	9	13	26
B. Operated	2577	8.4	91	1	3	6	10	18	26	61
1. SINGLE DX	1111	3.0	6	1	1	2	4	6	8	13
2. MULTIPLE DX	21214	5.4	35	1	2	4	6	10	14	31
A. Not Operated	19652	4.9	25	1	2	4	6	9	12	25
B. Operated	2673	8.2	89	1	3	5	10	17	25	61
TOTAL										
65-69 YRS	3881	4.4	24	1	2	3	5	8	11	22
70-74	4592	4.9	24	1	2	4	6	9	13	25
75-79	4983	5.1	30	1	2	4	6	10	13	27
80-84	4598	5.8	42	2	2	4	7	11	15	34
85 +	4271	6.1	47	2	3	4	7	12	16	42
GRAND TOTAL	**22325**	**5.3**	**34**	**1**	**2**	**4**	**6**	**10**	**14**	**30**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	17.0		17	17	17	17	17	17	17
70-74	0									
75-79	1	18.0		18	18	18	18	18	18	18
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	26.0		26	26	63	99 +	99 +	99 +	99 +
70-74	0									
75-79	2	34.0	128	26	26	34	42	42	42	42
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	7	30.1	1061	< 1	1	14	59	73	76	76
70-74	2	33.5	221	23	23	33	44	44	44	44
75-79	2	51.0	3872	7	7	51	95	95	95	95
80-84	4	11.3	135	1	2	9	20	26	26	26
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	17.5	1	17	17	17	18	18	18	18
2. MULTIPLE DX										
A. Not Operated	4	23.8	287	3	26	34	99 +	99 +	99 +	99 +
B. Operated	15	28.3	938	1	3	15	52	76	90	95
1. SINGLE DX	2	17.5	1	17	17	17	18	18	18	18
2. MULTIPLE DX	19	27.4	781	1	3	26	56	97	99 +	99 +
A. Not Operated	4	23.8	287	3	26	34	99 +	99 +	99	99 +
B. Operated	17	27.1	834	1	3	17	47	73	88	95
TOTAL										
65-69 YRS	9	28.2	816	< 1	3	21	61	88	99 +	99 +
70-74	2	33.5	221	23	23	33	44	44	44	44
75-79	5	37.6	1192	7	15	26	55	95	95	95
80-84	5	9.2	122	1	1	3	18	26	26	26
85 +	0									
GRAND TOTAL	**21**	**26.4**	**712**	**1**	**4**	**23**	**52**	**96**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	8.3	161	1	1	1	18	23	23	23
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	1	6.0		6	6	6	6	6	6	6
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	3	3.0	3	2	2	2	4	5	5	5
80-84	0									
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	3.6	8	1	1	3	5	8	9	9
70-74	17	6.7	55	1	2	5	8	12	25	32
75-79	10	6.9	31	1	2	6	12	15	17	17
80-84	7	6.4	4	4	5	6	8	10	10	10
85 +	13	8.0	22	3	5	7	11	14	18	19
B. Operated										
65-69 YRS	10	18.2	165	4	6	18	30	32	33	33
70-74	17	21.1	229	2	11	21	30	42	49	52
75-79	12	22.9	551	3	4	12	43	61	61	61
80-84	10	8.2	27	2	4	7	13	16	16	16
85 +	3	26.3	956	7	8	10	49	62	62	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	5.7	76	1	1	2	6	21	23	23
B. Operated	4	3.8	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	55	6.6	30	1	2	5	9	12	16	31
B. Operated	52	18.8	293	3	6	12	28	46	60	62
1. SINGLE DX	10	4.9	45	1	1	2	6	15	23	23
2. MULTIPLE DX	107	12.5	194	2	4	7	13	31	44	62
A. Not Operated	61	6.5	33	1	2	5	8	12	18	31
B. Operated	56	17.7	287	3	5	11	27	43	59	62
TOTAL										
65-69 YRS	21	11.2	142	1	2	6	24	31	32	33
70-74	35	13.5	190	1	2	8	23	38	42	52
75-79	25	14.1	340	2	3	7	15	56	61	61
80-84	18	7.4	17	3	5	6	9	15	16	16
85 +	18	10.6	182	2	5	7	11	17	45	62
GRAND TOTAL	**117**	**11.9**	**185**	**2**	**3**	**7**	**13**	**31**	**41**	**61**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	4.3		4	4	4	5	5	5	5
70-74	0									
75-79	0									
80-84	0									
85 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	3	1.3		1	1	1	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	40	7.2	47	<1	2	5	11	17	22	26
70-74	26	6.9	32	2	3	5	10	14	19	25
75-79	29	10.3	61	3	6	8	13	17	33	34
80-84	15	11.3	134	1	5	7	14	22	41	47
85 +	22	12.5	121	3	4	9	16	29	39	43
B. Operated										
65-69 YRS	21	11.8	54	1	6	10	20	21	22	24
70-74	22	18.0	288	2	4	11	33	45	49	54
75-79	25	14.2	142	2	5	10	19	33	38	42
80-84	13	19.5	418	2	4	12	31	54	62	64
85 +	10	32.3	762	8	9	32	38	73	98	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.2	3	1	2	4	4	5	5	5
B. Operated	4	3.5	19	1	1	2	6	10	10	10
2. MULTIPLE DX										
A. Not Operated	132	9.2	72	2	3	7	13	19	26	44
B. Operated	91	17.3	285	2	5	11	24	39	49	84
1. SINGLE DX	9	3.3	9	1	1	2	4	8	10	10
2. MULTIPLE DX	223	12.5	174	2	4	8	16	30	39	57
A. Not Operated	137	9.0	70	1	3	7	12	19	25	44
B. Operated	95	16.7	281	2	5	10	24	38	48	83
TOTAL										
65-69 YRS	65	8.6	51	1	3	7	14	20	22	26
70-74	51	11.4	173	1	2	6	13	33	45	54
75-79	54	12.1	100	2	6	9	16	30	34	42
80-84	28	15.1	273	2	4	8	19	44	53	64
85 +	34	17.7	383	2	7	10	26	39	48	98
GRAND TOTAL	**232**	**12.2**	**170**	**2**	**3**	**8**	**16**	**29**	**38**	**56**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	2	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	3	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated										
65-69 YRS	9	2.3	4	< 1	1	1	3	6	6	6
70-74	9	1.8	3	1	1	1	2	4	6	6
75-79	2	1.0		1	1	1	1	1	1	1
80-84	4	2.0	1	1	1	2	3	3	3	3
85 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	3.7	7	1	2	3	5	7	10	12
70-74	35	3.7	8	1	2	3	5	6	9	14
75-79	30	4.5	14	1	2	3	6	9	12	17
80-84	41	7.5	116	1	3	5	7	14	31	53
85 +	46	5.7	29	2	2	4	8	10	18	28
B. Operated										
65-69 YRS	86	5.2	37	1	2	3	6	11	19	32
70-74	67	8.8	147	1	2	4	10	23	27	74
75-79	67	7.6	111	1	3	5	8	17	21	68
80-84	54	7.3	62	1	2	5	8	16	26	39
85 +	56	6.0	19	2	2	5	9	12	17	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.9	1	< 1	1	2	3	3	3	3
B. Operated	26	1.9	2	1	1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated	173	5.3	41	1	2	4	6	10	15	45
B. Operated	330	6.9	76	1	2	4	8	16	24	46
1. SINGLE DX	35	1.9	2	1	1	1	2	3	6	6
2. MULTIPLE DX	503	6.3	65	1	2	4	7	14	19	44
A. Not Operated	182	5.1	40	1	2	3	6	10	14	43
B. Operated	356	6.5	72	1	2	4	8	16	21	39
TOTAL										
65-69 YRS	119	4.6	29	1	2	3	5	10	13	30
70-74	113	6.6	97	1	2	3	7	16	24	54
75-79	99	6.5	81	1	2	4	7	12	19	56
80-84	100	7.1	81	1	2	4	8	15	23	51
85 +	107	5.7	23	2	2	4	8	12	17	58
GRAND TOTAL	538	6.1	62	1	2	4	7	12	19	40

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	70	5.2	26	2	3	4	6	8	13	35
70-74	72	5.0	7	2	3	5	6	9	11	13
75-79	61	5.0	9	2	3	4	6	9	11	16
80-84	73	5.4	12	2	3	5	7	10	12	18
85 +	62	5.4	14	2	2	5	7	10	12	18
B. Operated										
65-69 YRS	2	7.5	1	7	7	7	8	8	8	8
70-74	7	5.9	17	1	3	5	8	12	13	13
75-79	7	6.9	11	2	4	6	9	11	12	12
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	483	7.8	38	2	4	6	10	14	17	36
70-74	668	8.2	52	3	4	7	10	15	19	33
75-79	867	8.6	51	3	5	7	10	15	21	37
80-84	901	8.9	77	3	4	7	11	16	22	62
85 +	1118	9.5	83	3	4	7	11	18	27	61
B. Operated										
65-69 YRS	99	15.4	154	4	7	12	20	28	36	72
70-74	108	15.0	165	5	7	11	19	31	44	72
75-79	119	14.7	168	4	7	11	18	30	53	99 +
80-84	114	15.4	104	5	8	14	23	33	45	99 +
85 +	97	18.7	251	6	9	14	23	48	66	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	338	5.2	14	2	3	5	7	10	12	18
B. Operated	18	6.5	11	2	4	6	9	11	13	13
2. MULTIPLE DX										
A. Not Operated	4037	8.8	65	3	4	7	10	16	21	46
B. Operated	537	15.8	167	5	7	12	21	33	47	99 +
1. SINGLE DX	356	5.3	14	2	3	5	7	10	12	18
2. MULTIPLE DX	4574	9.6	82	3	5	7	11	18	26	59
A. Not Operated	4375	8.5	62	3	4	7	10	15	21	45
B. Operated	555	15.5	165	5	7	12	20	33	47	99 +
TOTAL										
65-69 YRS	654	8.7	63	2	4	7	11	16	25	39
70-74	855	8.8	69	3	4	7	10	16	21	46
75-79	1054	9.0	66	3	5	7	11	16	24	53
80-84	1089	9.4	81	3	4	7	11	18	24	67
85 +	1278	10.0	99	3	5	7	11	19	30	67
GRAND TOTAL	4930	9.3	78	3	4	7	11	17	25	58

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	9.5	61	4	4	9	15	15	15	15
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	11.9	14	7	9	12	15	16	16	16
70-74	7	11.3	88	3	6	9	12	27	31	31
75-79	19	13.8	103	3	5	14	18	27	35	41
80-84	15	7.5	23	2	5	6	11	15	16	17
85 +	15	10.4	40	3	6	9	14	19	24	26
B. Operated										
65-69 YRS	5	23.6	52	12	25	26	29	93	99 +	99 +
70-74	17	29.9	559	10	12	23	48	94	99 +	99 +
75-79	10	33.0	593	9	18	29	42	67	92	92
80-84	10	18.8	78	9	12	16	26	32	37	37
85 +	12	19.8	121	10	11	15	29	36	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	9.5	61	4	4	9	15	15	15	15
2. MULTIPLE DX										
A. Not Operated	64	11.0	59	3	5	9	15	20	27	40
B. Operated	54	25.6	344	10	12	21	37	72	97	99 +
1. SINGLE DX	2	9.5	61	4	4	9	15	15	15	15
2. MULTIPLE DX	118	17.7	241	5	8	13	25	40	62	99 +
A. Not Operated	64	11.0	59	3	5	9	15	20	27	40
B. Operated	56	25.0	342	10	12	21	36	66	96	99 +
TOTAL										
65-69 YRS	15	15.5	62	6	10	15	25	29	79	99 +
70-74	24	24.5	486	7	10	18	42	85	99 +	99 +
75-79	29	20.4	343	4	8	15	26	41	45	92
80-84	25	12.0	74	3	5	12	16	26	29	37
85 +	27	14.6	95	4	8	11	19	32	36	39
GRAND TOTAL	120	17.6	238	4	8	13	24	40	59	99 +

364: Fracture of ribs, sternum, larynx and traches (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	29	2.5	2	1	2	2	4	5	5	5
70-74	21	3.3	5	1	2	2	5	7	8	9
75-79	28	3.0	5	1	2	2	3	6	9	10
80-84	21	4.0	8	1	1	3	6	8	9	10
85 +	25	4.6	23	1	1	3	6	13	15	18
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	10.0		10	10	10	10	10	10	10
80-84	0									
85 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	385	5.4	19	1	3	4	7	11	14	21
70-74	445	5.9	22	2	3	5	8	11	15	23
75-79	477	6.7	36	2	3	5	8	13	18	34
80-84	462	7.1	47	2	3	5	9	14	18	48
85 +	594	8.2	86	2	3	6	9	17	23	62
B. Operated										
65-69 YRS	131	12.7	206	2	4	9	15	25	40	82
70-74	130	11.7	123	2	5	9	15	24	32	55
75-79	94	13.8	195	4	6	10	14	32	52	97
80-84	89	13.1	166	4	6	10	15	29	39	96
85 +	74	18.7	361	4	8	13	22	48	82	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	124	3.4	9	1	2	2	4	7	9	15
B. Operated	2	10.5	1	10	10	10	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	2363	6.8	46	2	3	5	8	13	18	39
B. Operated	518	13.6	202	3	5	9	16	30	46	94
1. SINGLE DX	126	3.6	9	1	2	2	5	8	10	15
2. MULTIPLE DX	2881	8.0	81	2	3	5	9	16	23	56
A. Not Operated	2487	6.6	45	2	3	5	8	13	18	37
B. Operated	520	13.5	201	3	5	9	16	30	46	94
TOTAL										
65-69 YRS	545	7.0	73	1	3	5	8	14	19	44
70-74	596	7.1	49	2	3	5	9	14	20	37
75-79	600	7.6	67	2	3	5	9	14	21	52
80-84	572	7.9	69	2	3	6	9	15	21	63
85 +	694	9.2	124	2	3	6	11	20	29	90
GRAND TOTAL	3007	7.8	79	2	3	5	9	16	22	55

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	47	5.5	16	2	3	5	6	10	12	24
70-74	48	8.9	75	3	4	6	10	18	30	43
75-79	93	6.2	19	2	4	6	8	11	11	27
80-84	75	7.3	53	2	3	6	10	14	15	48
85 +	127	7.6	53	2	4	6	9	14	20	59
B. Operated										
65-69 YRS	0									
70-74	4	11.8	29	5	7	12	16	17	17	17
75-79	2	11.0	128	3	3	11	19	19	19	19
80-84	1	7.0		7	7	7	7	7	7	7
85 +	3	11.7	9	9	9	11	14	15	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	284	9.0	53	3	5	7	11	17	22	36
70-74	432	10.0	60	3	5	8	12	19	24	40
75-79	666	10.5	91	3	5	8	13	20	25	62
80-84	814	10.1	70	3	5	8	13	19	24	48
85 +	1335	10.3	77	3	5	8	13	20	27	53
B. Operated										
65-69 YRS	70	19.5	249	4	8	17	27	47	66	99 +
70-74	63	21.0	249	5	9	16	30	47	59	96
75-79	101	22.9	425	6	8	16	30	52	69	91
80-84	91	20.1	284	6	8	15	24	50	63	94
85 +	97	16.9	232	4	8	13	21	36	51	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	390	7.1	44	2	3	6	9	13	16	45
B. Operated	10	11.1	28	4	7	10	15	18	19	19
2. MULTIPLE DX										
A. Not Operated	3531	10.2	74	3	5	8	12	19	25	51
B. Operated	422	20.1	296	5	8	15	26	48	61	96
1. SINGLE DX	400	7.2	44	2	4	6	9	13	16	44
2. MULTIPLE DX	3953	11.2	107	3	5	8	13	22	30	64
A. Not Operated	3921	9.9	72	3	5	8	12	19	25	49
B. Operated	432	19.9	292	5	8	15	26	47	60	96
TOTAL										
65-69 YRS	401	10.5	101	3	5	8	12	22	30	65
70-74	547	11.2	95	3	5	8	14	23	33	48
75-79	862	11.5	141	3	5	8	13	22	30	65
80-84	981	10.8	98	3	5	8	13	21	28	63
85 +	1562	10.5	88	3	5	8	13	21	29	58
GRAND TOTAL	4353	10.8	103	3	5	8	13	21	30	63

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	27	2.5	3	1	1	2	3	4	7	9
70-74	22	3.1	4	1	2	3	4	6	8	9
75-79	25	3.0	5	1	1	2	4	7	8	8
80-84	36	3.7	9	1	1	3	5	8	9	14
85 +	38	4.4	44	1	1	2	4	8	24	29
B. Operated										
65-69 YRS	87	3.5	11	1	1	3	4	8	9	21
70-74	92	3.8	15	1	2	3	4	6	10	24
75-79	73	4.2	8	1	2	4	5	8	10	14
80-84	65	4.3	7	2	2	4	6	8	9	13
85 +	47	5.3	13	2	3	5	7	11	13	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	115	6.3	36	1	2	4	9	17	20	26
70-74	180	5.7	36	2	2	4	7	12	19	81
75-79	248	7.0	45	2	3	5	9	14	21	36
80-84	280	7.8	120	2	3	5	8	17	24	71
85 +	373	8.5	94	2	3	5	10	17	26	60
B. Operated										
65-69 YRS	307	7.1	45	2	3	5	9	13	19	37
70-74	350	6.8	42	2	3	5	9	14	19	33
75-79	346	9.0	122	2	4	6	10	17	25	76
80-84	328	9.7	116	2	4	7	11	22	29	79
85 +	293	9.6	72	2	4	7	12	22	27	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	3.5	16	1	1	2	4	7	8	29
B. Operated	364	4.1	11	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	1196	7.4	76	2	3	5	9	16	23	47
B. Operated	1624	8.4	81	2	3	6	10	17	25	52
1. SINGLE DX	512	3.9	12	1	2	3	5	7	9	17
2. MULTIPLE DX	2820	8.0	79	2	3	5	9	17	24	51
A. Not Operated	1344	7.0	71	1	2	4	8	15	22	43
B. Operated	1988	7.6	71	2	3	5	9	15	23	43
TOTAL										
65-69 YRS	536	6.1	37	1	2	4	8	12	18	30
70-74	644	6.0	36	1	2	4	7	13	18	37
75-79	692	7.6	81	2	3	5	9	14	21	42
80-84	709	8.2	105	2	3	5	9	17	26	73
85 +	751	8.5	80	2	3	6	10	19	26	53
GRAND TOTAL	3332	7.4	71	2	3	5	9	15	22	43

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	2.1	2	<1	1	2	3	5	5	5
70-74	7	4.1	9	1	2	4	5	9	10	10
75-79	3	1.0		<1	<1	1	1	1	1	1
80-84	2	5.5	5	4	4	5	7	7	7	7
85+	9	7.1	126	<1	1	2	8	25	36	36
B. Operated										
65-69 YRS	198	2.1	2	1	1	2	3	4	5	8
70-74	155	2.2	3	1	1	2	2	4	6	9
75-79	121	2.5	3	1	1	2	3	5	6	10
80-84	65	2.7	4	1	1	2	3	5	7	9
85+	51	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	28	4.2	21	1	2	3	5	9	12	23
70-74	46	4.6	11	1	2	4	6	9	12	14
75-79	38	7.3	55	1	2	5	12	19	24	29
80-84	49	7.7	98	1	2	4	8	18	38	38
85+	65	6.0	46	1	2	4	7	11	18	42
B. Operated										
65-69 YRS	345	5.4	53	1	2	3	6	12	17	50
70-74	346	4.7	16	1	2	3	6	10	13	21
75-79	348	5.9	31	1	2	4	7	13	17	28
80-84	267	6.0	36	2	2	4	7	12	16	32
85+	241	7.5	116	2	3	5	8	15	22	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	4.4	45	<1	1	2	5	8	13	36
B. Operated	590	2.3	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	226	6.1	49	1	2	4	7	13	19	38
B. Operated	1547	5.8	47	1	2	4	7	12	17	36
1. SINGLE DX	618	2.4	5	1	1	2	3	5	6	9
2. MULTIPLE DX	1773	5.8	48	1	2	4	7	12	17	38
A. Not Operated	254	5.9	49	1	2	4	7	12	19	38
B. Operated	2137	4.8	37	1	2	3	6	10	14	31
TOTAL										
65-69 YRS	578	4.2	36	1	2	2	4	9	13	41
70-74	554	4.0	13	1	2	3	5	9	12	17
75-79	510	5.2	28	1	2	4	7	11	16	27
80-84	383	5.7	40	1	2	4	7	12	17	38
85+	366	6.6	90	1	2	4	7	13	20	57
GRAND TOTAL	**2391**	**5.0**	**39**	**1**	**2**	**3**	**6**	**10**	**15**	**33**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	2	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	3	4.7	14	2	2	3	7	9	9	9
85+	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	18	1.6	1	1	1	1	2	3	4	4
70-74	10	2.4	2	<1	1	2	4	5	5	5
75-79	9	1.9	7	<1	<1	1	1	6	9	9
80-84	2	3.0	8	1	1	3	5	5	5	5
85+	8	3.4	23	1	1	2	3	11	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	3.3	2	2	2	3	5	5	5	5
70-74	6	4.0	5	1	3	4	6	7	7	7
75-79	7	4.3	25	<1	1	2	5	13	15	15
80-84	13	4.9	15	1	3	3	6	12	14	14
85+	14	5.4	18	1	2	4	8	12	14	15
B. Operated										
65-69 YRS	64	3.8	17	1	1	3	4	8	14	21
70-74	59	4.0	35	1	1	2	4	10	15	32
75-79	43	4.9	110	1	1	2	4	9	13	69
80-84	27	3.7	7	1	2	3	4	8	9	10
85+	22	7.1	105	1	1	3	6	24	32	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.9	7	1	1	2	3	7	9	9
B. Operated	47	2.2	6	1	1	1	2	4	6	15
2. MULTIPLE DX										
A. Not Operated	46	4.6	14	1	2	3	6	11	14	15
B. Operated	215	4.4	48	1	1	2	4	9	17	35
1. SINGLE DX	56	2.3	6	1	1	1	3	5	8	15
2. MULTIPLE DX	261	4.4	42	1	1	3	4	9	15	32
A. Not Operated	55	4.3	13	1	2	3	6	9	14	15
B. Operated	262	4.0	41	1	1	2	4	9	14	32
TOTAL										
65-69 YRS	91	3.3	13	1	1	2	3	6	11	20
70-74	77	3.7	28	1	1	2	4	8	12	31
75-79	59	4.3	85	1	1	2	4	9	13	64
80-84	45	4.1	10	1	2	3	5	9	10	14
85+	45	5.8	61	1	1	3	6	15	24	39
GRAND TOTAL	**317**	**4.1**	**36**	**1**	**1**	**2**	**4**	**9**	**14**	**29**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	20	9.8	53	2	4	9	12	21	27	29
70-74	34	7.1	25	1	3	6	10	15	18	18
75-79	43	8.2	78	2	3	7	10	17	39	99 +
80-84	53	7.5	66	2	2	5	9	14	28	39
85 +	81	8.3	65	2	3	7	10	15	30	39
B. Operated										
65-69 YRS	318	9.0	16	5	6	9	11	14	16	22
70-74	434	9.3	18	5	7	9	11	15	16	21
75-79	530	10.1	20	6	7	9	12	15	19	27
80-84	658	10.8	27	6	8	10	13	16	19	32
85 +	871	11.0	25	6	7	10	13	17	20	28
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	131	11.6	86	3	5	9	16	23	32	47
70-74	244	11.5	125	2	5	9	14	23	34	70
75-79	308	10.5	87	3	5	8	14	20	28	44
80-84	418	12.3	151	3	5	9	15	24	37	83
85 +	712	12.1	156	3	5	9	15	25	39	92
B. Operated										
65-69 YRS	2039	13.3	94	6	8	11	15	23	31	68
70-74	3240	13.4	80	6	8	11	15	23	31	56
75-79	5065	13.8	85	7	8	12	16	23	31	62
80-84	6481	14.0	96	7	9	12	16	25	33	70
85 +	9609	14.3	109	7	8	12	16	25	35	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	231	8.1	60	2	3	6	10	15	28	42
B. Operated	2811	10.3	23	6	7	9	12	16	19	28
2. MULTIPLE DX										
A. Not Operated	1813	11.8	134	3	5	8	15	23	35	79
B. Operated	26434	14.0	96	7	8	11	16	24	33	70
1. SINGLE DX	3042	10.1	26	5	7	9	12	16	19	30
2. MULTIPLE DX	28247	13.8	99	6	8	11	16	24	33	70
A. Not Operated	2044	11.3	127	3	5	8	14	23	34	78
B. Operated	29245	13.6	91	[illegible]	8	11	15	23	32	66
TOTAL										
65-69 YRS	2508	12.6	85	6	8	10	14	21	30	65
70-74	3952	12.8	77	6	8	11	15	22	29	55
75-79	5946	13.3	81	6	8	11	15	22	30	59
80-84	7610	13.6	94	6	8	11	15	24	32	66
85 +	11273	13.9	106	6	8	11	16	24	34	75
GRAND TOTAL	**31289**	**13.5**	**93**	**6**	**8**	**11**	**15**	**23**	**32**	**67**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	14.0	386	2	7	9	11	34	69	75
70-74	13	11.8	142	3	4	9	12	35	39	40
75-79	26	12.9	249	1	3	6	17	34	58	58
80-84	13	12.5	89	2	6	11	17	30	30	30
85 +	34	6.1	26	2	3	5	8	11	15	28
B. Operated										
65-69 YRS	26	9.5	37	3	6	8	11	18	23	29
70-74	27	10.1	18	5	7	10	13	15	16	21
75-79	34	12.9	97	6	9	11	14	21	31	57
80-84	34	11.4	59	5	6	10	12	18	27	44
85 +	30	10.8	147	3	4	7	11	24	37	60
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	64	17.1	374	3	5	8	17	53	63	69
70-74	72	14.4	206	4	5	10	15	36	48	95
75-79	122	14.0	254	3	4	8	15	42	50	94
80-84	134	13.6	224	3	5	8	15	35	46	77
85 +	219	13.8	251	3	4	8	17	35	57	89
B. Operated										
65-69 YRS	217	18.9	255	7	9	14	22	42	60	96
70-74	247	18.4	246	7	9	13	21	43	55	93
75-79	298	16.6	141	7	9	14	20	34	41	96
80-84	328	16.8	210	6	9	13	18	37	61	99 +
85 +	489	15.7	191	5	8	12	18	33	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	10.5	156	1	3	7	12	22	35	67
B. Operated	151	11.1	73	4	6	10	13	18	28	57
2. MULTIPLE DX										
A. Not Operated	611	14.2	253	3	5	8	16	39	54	81
B. Operated	1579	17.0	204	6	9	13	20	36	53	99 +
1. SINGLE DX	249	10.8	105	3	5	9	12	20	30	58
2. MULTIPLE DX	2190	16.2	219	5	7	12	19	37	53	99 +
A. Not Operated	709	13.7	241	3	5	8	15	36	53	79
B. Operated	1730	16.5	195	6	8	12	19	35	50	99 +
TOTAL										
65-69 YRS	319	17.6	270	5	8	12	20	43	61	87
70-74	359	16.8	224	5	8	12	19	38	51	93
75-79	480	15.4	173	4	7	12	18	35	43	92
80-84	509	15.5	203	5	7	11	18	34	55	99 +
85 +	772	14.6	203	3	6	10	17	33	50	99 +
GRAND TOTAL	**2439**	**15.7**	**210**	**4**	**7**	**11**	**18**	**35**	**51**	**98**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	33	3.4	5	1	1	3	5	7	7	8
70-74	28	5.4	12	2	3	4	8	10	11	15
75-79	15	6.3	33	2	3	4	7	14	21	24
80-84	26	7.0	25	2	3	6	9	13	19	22
85 +	23	5.8	25	2	3	4	7	13	17	22
B. Operated										
65-69 YRS	87	6.1	18	2	3	5	8	12	14	23
70-74	58	6.8	24	2	3	5	9	15	17	18
75-79	37	8.0	75	2	4	6	10	13	18	53
80-84	25	7.8	38	3	4	7	9	15	19	31
85 +	11	5.6	10	2	4	5	7	10	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	115	6.9	52	2	3	5	8	15	17	40
70-74	138	8.2	87	2	4	6	9	15	23	50
75-79	163	9.3	119	2	5	7	10	16	25	73
80-84	136	11.0	130	2	4	7	14	22	31	67
85 +	194	7.7	66	2	3	6	10	16	19	95
B. Operated										
65-69 YRS	321	11.7	115	3	5	9	14	23	33	60
70-74	238	11.3	123	3	6	9	13	21	28	73
75-79	213	12.3	93	4	6	10	16	25	35	99 +
80-84	143	12.2	110	4	6	10	15	24	29	69
85 +	124	10.7	102	2	5	9	14	24	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	5.4	19	1	3	4	7	10	14	23
B. Operated	218	6.8	31	2	3	6	8	13	15	26
2. MULTIPLE DX										
A. Not Operated	746	8.6	92	2	4	6	10	17	23	68
B. Operated	1039	11.7	110	3	6	9	14	24	33	74
1. SINGLE DX	343	6.3	27	2	3	5	8	12	15	23
2. MULTIPLE DX	1785	10.4	105	3	5	8	13	21	30	73
A. Not Operated	871	8.2	83	2	4	6	10	16	22	62
B. Operated	1257	10.8	100	3	5	8	13	22	30	72
TOTAL										
65-69 YRS	556	9.4	88	2	4	7	12	18	28	54
70-74	462	9.5	97	3	4	7	11	18	25	62
75-79	428	10.6	102	3	5	8	12	22	31	85
80-84	330	11.0	108	3	5	8	14	22	29	67
85 +	352	8.6	76	2	4	6	11	17	24	99 +
GRAND TOTAL	**2128**	**9.7**	**95**	**3**	**4**	**7**	**12**	**19**	**28**	**68**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	28	3.4	4	1	2	3	4	5	9	9
70-74	19	3.9	13	1	1	2	5	9	12	14
75-79	20	4.2	8	1	2	3	5	8	10	12
80-84	12	4.4	8	1	2	4	6	9	10	10
85 +	20	4.4	8	2	2	4	6	9	11	12
B. Operated										
65-69 YRS	491	4.3	7	2	3	4	5	7	9	15
70-74	278	4.7	9	2	3	4	6	8	10	20
75-79	181	5.1	8	2	3	4	6	8	11	15
80-84	87	6.1	20	2	3	5	7	11	15	26
85 +	60	5.3	11	2	3	5	7	9	12	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	112	5.8	19	2	3	5	7	11	13	25
70-74	127	5.7	18	2	3	5	7	9	14	24
75-79	147	8.5	132	2	3	6	10	16	21	77
80-84	124	7.4	67	2	3	5	8	14	21	49
85 +	138	8.2	60	2	4	6	10	15	26	62
B. Operated										
65-69 YRS	949	6.7	44	2	4	5	8	11	15	30
70-74	771	7.4	50	3	4	6	8	13	17	31
75-79	568	8.4	54	3	5	7	10	15	20	43
80-84	338	10.2	97	3	5	7	11	21	26	52
85 +	204	10.4	107	2	5	7	13	20	32	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	4.0	8	1	2	3	5	8	10	13
B. Operated	1097	4.7	9	2	3	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	648	7.2	63	2	3	5	8	13	20	46
B. Operated	2830	7.9	60	3	4	6	9	15	20	40
1. SINGLE DX	1196	4.7	9	2	3	4	6	8	10	15
2. MULTIPLE DX	3478	7.8	61	3	4	6	9	14	20	41
A. Not Operated	747	6.8	57	2	3	5	8	12	17	39
B. Operated	3927	7.0	48	2	4	5	8	13	17	35
TOTAL										
65-69 YRS	1580	5.8	31	2	3	5	7	10	13	26
70-74	1195	6.5	38	2	4	5	7	12	16	29
75-79	916	7.7	58	3	4	6	9	14	18	42
80-84	561	8.8	80	3	4	6	10	17	25	50
85 +	422	8.7	77	2	4	6	10	18	26	48
GRAND TOTAL	**4674**	**7.0**	**49**	**2**	**3**	**5**	**8**	**13**	**17**	**35**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.0	8	2	2	4	6	6	6	6
70-74	0									
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	2	9.0	18	6	6	9	12	12	12	12
85 +	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	3	1.7	1	1	1	1	3	3	3	3
75-79	0									
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	46	4.8	10	2	2	4	6	10	10	14
70-74	32	6.7	80	1	2	4	7	13	19	49
75-79	36	8.0	39	2	3	7	10	17	20	28
80-84	34	8.5	161	1	3	5	9	17	28	71
85 +	51	6.3	54	1	2	5	8	12	15	49
B. Operated										
65-69 YRS	19	6.2	20	2	3	4	11	12	14	16
70-74	14	6.8	24	1	3	6	9	12	17	19
75-79	10	12.1	118	2	7	9	12	30	39	39
80-84	15	9.7	40	1	6	8	13	21	22	22
85 +	11	16.4	159	3	8	19	42	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.8	10	1	3	4	6	10	12	12
B. Operated	6	1.7	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	199	6.7	64	1	2	4	8	13	18	49
B. Operated	69	9.6	70	2	4	8	12	24	42	99 +
1. SINGLE DX	15	3.5	9	1	1	3	5	6	11	12
2. MULTIPLE DX	268	7.4	67	1	3	5	10	15	22	94
A. Not Operated	208	6.6	62	1	2	4	8	13	17	49
B. Operated	75	8.9	69	1	3	7	12	23	41	99 +
TOTAL										
65-69 YRS	69	5.0	13	2	2	4	7	11	12	16
70-74	49	6.4	60	1	2	4	8	13	19	49
75-79	48	8.7	55	2	3	7	11	18	22	39
80-84	51	8.9	118	1	3	6	12	18	22	71
85 +	66	7.8	82	1	3	5	9	25	51	99 +
GRAND TOTAL	**283**	**7.2**	**65**	**1**	**3**	**5**	**9**	**14**	**22**	**89**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	18.0		18	18	18	18	18	18	18
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	3	2.3	1	1	1	3	3	3	3	3
75-79	1	10.0		10	10	10	10	10	10	10
80-84	2	6.5	41	2	2	6	11	11	11	11
85 +	3	21.3	310	5	8	19	35	40	40	40
B. Operated										
65-69 YRS	4	28.0	1681	3	4	10	52	89	89	89
70-74	3	12.0	97	4	5	9	19	23	23	23
75-79	2	7.0	8	5	5	7	9	9	9	9
80-84	3	21.7	342	10	10	12	35	43	43	43
85 +	2	18.0	8	16	16	18	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	10.0	128	2	2	10	18	18	18	18
2. MULTIPLE DX										
A. Not Operated	10	10.0	141	1	3	5	11	29	40	40
B. Operated	14	18.8	517	4	5	11	20	48	80	89
1. SINGLE DX	2	10.0	128	2	2	10	18	18	18	18
2. MULTIPLE DX	24	15.1	367	3	4	9	17	40	57	89
A. Not Operated	10	10.0	141	1	3	5	11	29	40	40
B. Operated	16	17.7	466	3	5	11	19	41	75	89
TOTAL										
65-69 YRS	5	23.6	1358	3	4	6	33	89	89	89
70-74	6	7.2	67	1	3	4	9	22	23	23
75-79	4	6.5	14	2	3	7	9	10	10	10
80-84	6	16.0	201	3	10	11	18	40	43	43
85 +	5	20.0	161	5	13	19	25	40	40	40
GRAND TOTAL	**26**	**14.7**	**345**	**2**	**4**	**9**	**18**	**38**	**52**	**89**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	12	1.9	1	< 1	1	1	3	4	4	4
70-74	12	1.6	1	< 1	1	1	2	3	3	3
75-79	8	2.1	8	< 1	< 1	1	2	7	9	9
80-84	6	1.8	1	1	1	2	2	3	3	3
85 +	6	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	7	8.3	173	2	3	3	5	31	38	38
75-79	4	3.3	10	1	1	2	5	8	8	8
80-84	5	7.4	69	1	1	5	12	21	21	21
85 +	7	4.7	12	1	3	4	9	73	99 +	99 +
B. Operated										
65-69 YRS	20	3.8	12	1	1	3	5	8	11	14
70-74	36	3.3	8	1	1	2	4	8	10	12
75-79	28	7.9	73	2	2	4	11	18	31	36
80-84	28	4.5	18	1	1	3	6	12	14	17
85 +	31	7.0	76	1	2	4	9	21	41	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	44	1.8	2	< 1	1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	23	6.1	68	1	2	3	8	23	57	99 +
B. Operated	143	5.3	41	1	2	3	7	12	18	46
1. SINGLE DX	44	1.8	2	< 1	1	1	2	3	4	9
2. MULTIPLE DX	166	5.4	44	1	2	3	7	13	20	89
A. Not Operated	23	6.1	68	1	2	3	8	23	57	99 +
B. Operated	187	4.5	34	1	1	2	5	11	14	40
TOTAL										
65-69 YRS	32	3.1	9	1	1	2	3	7	9	14
70-74	55	3.5	28	1	1	2	3	7	10	37
75-79	40	6.3	59	1	2	3	9	13	25	36
80-84	39	4.5	23	1	1	3	6	12	16	21
85 +	44	5.8	59	1	1	3	8	18	54	99 +
GRAND TOTAL	**210**	**4.6**	**37**	**1**	**1**	**3**	**5**	**11**	**17**	**65**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	21	2.1	3	< 1	< 1	< 1	3	5	6	7
70-74	20	2.8	4	< 1	1	2	4	6	7	7
75-79	8	1.4	1	< 1	< 1	1	1	3	4	4
80-84	6	2.7	3	1	1	2	4	5	5	5
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	9.3	51	2	3	8	13	21	22	22
70-74	2	4.0	2	3	3	4	5	5	5	5
75-79	5	3.2	6	< 1	1	2	5	7	7	7
80-84	3	11.0	75	6	6	6	17	21	21	21
85 +	4	3.5		3	3	3	4	4	4	4
B. Operated										
65-69 YRS	88	3.5	38	< 1	1	2	4	8	9	40
70-74	75	3.3	11	< 1	1	2	4	7	9	19
75-79	45	4.5	33	< 1	1	2	5	10	17	30
80-84	23	5.4	38	1	2	4	7	11	18	30
85 +	9	8.9	33	2	4	7	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3		2	2	2	3	3	3	3
B. Operated	56	2.3	3	< 1	< 1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	21	6.5	35	2	3	4	7	17	21	22
B. Operated	240	4.0	29	< 1	1	2	5	9	12	30
1. SINGLE DX	59	2.3	3	< 1	< 1	1	3	5	6	7
2. MULTIPLE DX	261	4.2	30	< 1	1	2	5	9	14	29
A. Not Operated	24	6.0	32	2	2	4	7	16	21	22
B. Operated	296	3.7	25	< 1	1	2	5	8	10	25
TOTAL										
65-69 YRS	117	3.6	34	< 1	1	2	4	8	9	33
70-74	98	3.2	10	< 1	1	2	4	7	8	19
75-79	58	3.9	27	< 1	1	2	4	9	14	29
80-84	32	5.4	37	1	2	4	6	11	20	30
85 +	15	6.7	27	2	3	4	9	16	17	17
GRAND TOTAL	**320**	**3.9**	**26**	**< 1**	**1**	**2**	**5**	**8**	**11**	**24**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	18	4.3	22	1	1	2	5	12	16	17
70-74	9	2.8	1	1	2	3	3	4	5	5
75-79	16	6.5	78	1	2	4	7	13	30	37
80-84	13	2.0	1	1	1	2	2	4	5	5
85 +	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	5.9	33	1	2	3	9	15	20	20
70-74	18	6.2	29	2	3	5	7	14	20	22
75-79	11	7.8	47	2	4	6	9	18	25	26
80-84	10	11.2	258	1	3	6	9	36	55	55
85 +	16	6.8	22	< 1	3	5	9	15	16	16
B. Operated										
65-69 YRS	57	10.5	305	1	2	6	9	23	42	96
70-74	55	6.2	31	1	2	5	8	15	17	28
75-79	41	6.5	34	1	3	4	9	13	15	32
80-84	34	10.0	227	2	2	6	12	20	27	86
85 +	22	7.9	36	2	3	5	14	17	18	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.3	3	1	2	3	5	5	5	5
B. Operated	58	4.2	31	1	1	3	5	9	14	35
2. MULTIPLE DX										
A. Not Operated	66	7.3	64	1	3	5	9	16	20	50
B. Operated	209	8.2	140	1	2	5	9	17	22	82
1. SINGLE DX	64	4.2	28	1	2	3	5	9	13	34
2. MULTIPLE DX	275	8.0	122	1	2	5	9	17	22	74
A. Not Operated	72	7.0	60	1	3	5	9	16	20	49
B. Operated	267	7.4	119	1	2	4	8	16	20	75
TOTAL										
65-69 YRS	88	8.5	213	1	2	4	8	20	25	91
70-74	84	5.8	28	2	2	4	7	13	17	27
75-79	69	6.7	45	1	2	5	9	13	16	36
80-84	58	8.3	185	1	2	4	8	18	26	83
85 +	40	7.4	28	2	3	5	11	16	17	19
GRAND TOTAL	**339**	**7.3**	**106**	**1**	**2**	**4**	**8**	**16**	**20**	**58**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	10.5	85	4	4	10	17	17	17	17
70-74	5	2.6	3	1	1	3	4	5	5	5
75-79	2	3.0	8	< 1	< 1	2	5	5	5	5
80-84	1	10.0		10	10	10	10	10	10	10
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	13	3.7	4	2	2	3	4	7	9	9
70-74	9	3.9	3	2	2	5	5	6	6	6
75-79	9	6.0	22	1	3	6	8	14	14	14
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	4.5	7	1	3	4	5	9	10	10
70-74	32	5.6	18	2	2	5	7	12	17	18
75-79	32	6.4	29	1	2	4	9	15	19	19
80-84	39	5.0	9	2	2	5	7	9	11	13
85 +	43	6.6	23	2	3	5	8	13	17	23
B. Operated										
65-69 YRS	46	5.6	18	2	3	5	6	11	17	18
70-74	21	6.1	36	1	2	4	8	14	19	25
75-79	24	10.7	213	2	3	7	11	22	39	73
80-84	14	7.7	28	3	4	6	10	15	19	20
85 +	9	10.7	102	2	4	8	12	28	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.8	23	< 1	2	3	5	13	17	17
B. Operated	32	4.4	9	2	2	4	6	7	13	14
2. MULTIPLE DX										
A. Not Operated	161	5.8	19	2	3	5	7	11	17	19
B. Operated	114	7.4	72	2	3	5	9	15	20	48
1. SINGLE DX	43	4.5	12	2	2	4	5	9	13	17
2. MULTIPLE DX	275	6.4	41	2	3	5	8	13	17	25
A. Not Operated	172	5.7	19	2	3	5	7	11	17	19
B. Operated	146	6.8	60	2	3	5	8	14	18	36
TOTAL										
65-69 YRS	76	5.2	15	2	3	4	6	10	16	18
70-74	67	5.3	21	2	2	4	6	12	15	24
75-79	67	7.8	96	2	2	5	10	16	20	65
80-84	54	5.8	15	2	3	5	8	11	13	20
85 +	54	7.1	37	2	3	5	9	17	19	34
GRAND TOTAL	**318**	**6.2**	**38**	**2**	**3**	**5**	**8**	**13**	**17**	**25**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	20	3.7	5	1	2	3	5	7	8	9
70-74	11	3.5	3	1	2	3	5	6	6	6
75-79	11	4.6	7	2	3	3	7	9	10	10
80-84	10	3.7	5	1	2	3	5	7	8	8
85 +	5	5.8	20	2	2	4	10	12	12	12
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	167	5.0	6	2	3	5	7	8	9	12
70-74	138	5.7	14	2	3	5	8	10	12	21
75-79	145	5.8	16	2	3	5	7	11	14	20
80-84	134	5.9	41	2	3	5	7	9	12	26
85 +	140	6.6	86	2	3	5	7	10	16	61
B. Operated										
65-69 YRS	9	10.3	81	3	5	7	12	26	29	29
70-74	13	8.1	17	2	6	8	11	13	15	16
75-79	15	6.7	14	2	3	8	10	10	13	14
80-84	8	17.3	293	2	4	13	28	44	46	46
85 +	4	32.3	459	6	17	32	47	58	58	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	4.0	7	1	2	3	5	8	9	12
B. Operated	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	724	5.8	32	2	3	5	7	10	13	20
B. Operated	49	11.6	145	2	5	8	11	29	41	58
1. SINGLE DX	60	3.9	6	1	2	3	5	8	9	12
2. MULTIPLE DX	773	6.1	41	2	3	5	7	10	14	34
A. Not Operated	781	5.6	30	2	3	5	7	9	12	20
B. Operated	52	11.0	142	2	4	8	11	29	40	58
TOTAL										
65-69 YRS	197	5.1	10	2	3	5	7	8	9	18
70-74	164	5.7	15	2	3	5	8	10	12	20
75-79	171	5.8	15	2	3	5	8	11	14	19
80-84	152	6.4	57	2	3	5	7	11	15	46
85 +	149	7.3	108	2	3	5	7	12	17	58
GRAND TOTAL	**833**	**6.0**	**38**	**2**	**3**	**5**	**7**	**10**	**14**	**30**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	24	3.2	5	1	1	3	5	6	7	7
70-74	16	3.3	2	1	3	3	4	4	6	7
75-79	8	5.3	17	1	2	4	8	12	13	13
80-84	12	3.6	6	1	2	3	5	7	10	10
85 +	6	2.5	1	1	2	2	3	4	4	4
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	141	4.5	10	1	3	4	6	8	10	14
70-74	149	5.0	12	1	3	4	7	10	12	17
75-79	153	5.7	16	2	3	4	7	10	15	19
80-84	134	5.3	16	2	3	4	7	11	13	21
85 +	109	6.2	47	2	3	5	7	11	15	39
B. Operated										
65-69 YRS	13	13.6	293	2	5	10	14	30	60	67
70-74	10	8.9	21	2	5	9	12	15	15	15
75-79	11	10.4	31	3	5	12	15	18	19	19
80-84	4	7.5	20	4	4	6	10	14	14	14
85 +	5	12.2	84	3	5	8	21	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	3.5	6	1	2	3	4	7	8	13
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	686	5.3	19	2	3	4	7	10	12	21
B. Operated	43	11.0	110	3	5	9	14	20	22	67
1. SINGLE DX	66	3.5	6	1	2	3	4	7	8	13
2. MULTIPLE DX	729	5.6	26	2	3	4	7	11	14	23
A. Not Operated	752	5.1	18	2	3	4	7	9	12	20
B. Operated	43	11.0	110	3	5	9	14	20	22	67
TOTAL										
65-69 YRS	178	5.0	35	1	2	4	6	9	11	26
70-74	175	5.1	13	1	3	4	7	10	13	17
75-79	172	5.9	18	2	3	4	8	12	16	19
80-84	150	5.2	15	2	3	4	6	10	14	20
85 +	120	6.3	48	2	3	5	7	11	20	35
GRAND TOTAL	**795**	**5.5**	**25**	**2**	**3**	**4**	**7**	**10**	**13**	**22**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	6	3.8	10	1	1	3	6	9	9	9
75-79	12	3.8	6	1	2	3	6	7	8	8
80-84	9	4.0	6	<1	2	4	6	8	8	8
85+	7	2.1	1	1	1	2	3	3	3	3
B. Operated										
65-69 YRS	275	2.8	2	1	2	3	3	4	5	9
70-74	201	2.7	2	1	2	2	3	4	6	8
75-79	78	3.1	5	1	2	3	3	5	7	14
80-84	18	3.4	4	2	2	3	4	6	8	10
85+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	54	3.8	11	1	1	3	5	8	12	17
70-74	71	4.7	21	1	2	3	6	9	16	23
75-79	78	5.3	24	2	2	4	6	8	14	30
80-84	87	5.6	44	1	2	4	6	13	17	80
85+	105	5.7	22	2	3	4	7	11	15	25
B. Operated										
65-69 YRS	580	3.3	5	1	2	3	4	6	8	13
70-74	435	3.8	9	2	2	3	4	6	8	15
75-79	222	4.7	16	2	2	3	5	10	12	24
80-84	87	5.6	26	2	3	4	7	10	14	32
85+	21	6.0	20	2	3	4	7	12	17	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	3.5	6	1	1	3	5	7	8	9
B. Operated	575	2.8	3	1	2	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	395	5.1	26	1	2	4	6	10	15	29
B. Operated	1345	3.9	10	2	2	3	4	7	9	16
1. SINGLE DX	610	2.9	3	1	2	2	3	5	6	9
2. MULTIPLE DX	1740	4.2	14	1	2	3	5	8	10	20
A. Not Operated	430	5.0	24	1	2	4	6	10	14	27
B. Operated	1920	3.6	8	1	2	3	4	6	9	15
TOTAL										
65-69 YRS	910	3.2	5	1	2	3	4	5	7	12
70-74	713	3.6	8	1	2	3	4	6	8	16
75-79	390	4.4	15	2	2	3	5	8	11	24
80-84	201	5.3	31	2	2	4	6	11	15	40
85+	136	5.5	21	2	3	4	7	11	14	25
GRAND TOTAL	**2350**	**3.8**	**11**	**1**	**2**	**3**	**4**	**7**	**9**	**18**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	24	1.9	1	1	1	1	3	4	4	5
70-74	10	2.2	3	<1	1	2	3	5	6	6
75-79	9	1.7	1	1	1	2	2	3	3	3
80-84	8	2.1	1	1	1	2	3	4	4	4
85+	5	2.2	5	1	1	1	3	6	6	6
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	227	4.0	37	1	2	2	4	8	11	30
70-74	205	4.1	14	1	2	3	4	9	13	17
75-79	196	4.6	16	1	2	3	6	10	12	25
80-84	204	5.1	55	1	2	4	6	10	14	58
85+	210	6.5	43	2	3	4	8	13	22	39
B. Operated										
65-69 YRS	72	5.8	97	1	2	3	5	11	21	58
70-74	76	4.6	23	1	2	3	6	11	14	23
75-79	63	6.4	58	1	2	4	8	14	31	92
80-84	69	6.4	165	1	2	3	6	10	15	83
85+	80	8.3	198	1	2	4	9	14	25	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.0	2	1	1	2	3	4	5	6
B. Operated	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. Not Operated	1042	4.8	34	1	2	3	6	10	14	29
B. Operated	360	6.3	110	1	2	3	7	13	20	85
1. SINGLE DX	57	2.4	9	1	1	2	3	4	5	22
2. MULTIPLE DX	1402	5.2	54	1	2	3	6	11	15	41
A. Not Operated	1098	4.7	33	1	2	3	6	10	14	28
B. Operated	361	6.4	111	1	2	3	7	13	20	84
TOTAL										
65-69 YRS	323	4.3	49	1	2	2	4	8	12	46
70-74	291	4.1	16	1	2	3	5	9	14	20
75-79	268	4.9	26	1	2	3	6	10	14	40
80-84	281	5.4	81	1	2	3	6	10	14	80
85+	296	7.0	85	1	2	4	8	14	22	68
GRAND TOTAL	**1459**	**5.1**	**53**	**1**	**2**	**3**	**6**	**11**	**15**	**40**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	8.0		8	8	8	8	8	8	8
75-79	6	19.5	93	9	13	22	32	87	99 +	99 +
80-84	0									
85 +	4	18.8	383	7	8	10	29	48	48	48
B. Operated										
65-69 YRS	13	27.5	207	12	19	28	36	67	93	99 +
70-74	10	26.3	266	7	14	32	38	74	98	99 +
75-79	5	31.0	397	7	11	43	45	50	50	50
80-84	4	23.0	85	15	15	31	99 +	99 +	99 +	99 +
85 +	3	23.3	465	8	9	14	39	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	11	18.2	173	8	9	13	30	64	95	99 +
B. Operated	35	26.8	230	8	14	29	42	85	99 +	99 +
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	46	24.7	226	8	13	26	40	78	99 +	99 +
A. Not Operated	12	17.1	172	7	8	13	28	58	92	99 +
B. Operated	35	26.8	230	8	14	29	42	85	99 +	99 +
TOTAL										
65-69 YRS	13	27.5	207	12	19	28	36	67	93	99 +
70-74	11	24.6	270	7	11	27	38	69	96	99 +
75-79	11	24.7	241	8	12	24	43	65	95	99 +
80-84	4	23.0	85	15	15	31	99 +	99 +	99 +	99 +
85 +	8	18.8	333	6	7	10	31	48	48	48
GRAND TOTAL	**47**	**24.3**	**230**	**8**	**13**	**24**	**40**	**74**	**99 +**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.7	1	3	3	3	5	5	5	5
70-74	20	4.4	23	< 1	1	2	5	12	16	18
75-79	11	5.8	20	1	2	4	10	12	14	14
80-84	12	3.8	12	< 1	1	2	6	10	10	10
85 +	14	4.6	16	1	2	4	6	9	14	16
B. Operated										
65-69 YRS	13	6.5	3	4	5	6	8	9	9	9
70-74	11	7.4	13	2	5	8	9	12	14	14
75-79	22	10.0	53	4	5	7	13	22	25	29
80-84	13	7.3	7	4	6	7	9	10	11	11
85 +	17	10.2	49	5	5	7	12	16	27	33
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	168	6.3	37	1	2	4	8	16	20	29
70-74	198	6.9	60	1	2	5	9	15	21	53
75-79	199	8.2	72	1	3	6	11	18	22	35
80-84	244	8.3	80	1	3	6	11	19	26	57
85 +	283	8.6	75	1	3	6	11	19	28	57
B. Operated										
65-69 YRS	171	15.7	266	2	6	11	20	38	64	99 +
70-74	162	16.4	277	2	6	12	22	39	53	95
75-79	231	15.7	245	2	6	12	22	39	49	99 +
80-84	171	13.6	155	3	6	10	18	27	36	78
85 +	191	16.2	256	2	5	12	22	39	55	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	4.5	17	1	2	3	6	11	14	18
B. Operated	76	8.6	31	4	5	7	10	15	21	32
2. MULTIPLE DX										
A. Not Operated	1092	7.8	67	1	3	5	10	17	23	49
B. Operated	926	15.5	240	2	5	11	21	37	52	99 +
1. SINGLE DX	136	6.8	29	1	3	6	9	13	16	30
2. MULTIPLE DX	2018	11.4	161	2	3	7	15	25	38	83
A. Not Operated	1152	7.7	65	1	3	5	10	17	23	49
B. Operated	1002	15.0	227	2	5	10	20	35	47	98
TOTAL										
65-69 YRS	355	10.8	167	2	3	7	14	25	38	87
70-74	391	10.7	169	1	3	6	13	26	38	78
75-79	463	12.0	170	2	4	8	16	26	40	86
80-84	440	10.2	113	2	3	7	14	22	29	66
85 +	505	11.4	154	2	4	8	14	26	39	85
GRAND TOTAL	**2154**	**11.1**	**154**	**2**	**3**	**7**	**14**	**25**	**37**	**83**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	1.9	1	1	1	2	3	3	3	3
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	3	3.7		3	3	4	4	4	4	4
70-74	3	2.3	2	1	1	2	3	4	4	4
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	2	4.0		4	4	4	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	100	6.0	37	2	3	4	7	11	16	35
70-74	94	5.6	57	2	3	4	7	10	12	87
75-79	82	8.5	126	3	3	5	9	16	23	73
80-84	81	6.8	23	2	4	5	9	13	16	26
85 +	56	6.3	15	2	3	6	8	12	14	18
B. Operated										
65-69 YRS	154	12.6	158	4	5	9	15	26	55	99 +
70-74	116	10.5	144	3	5	7	12	21	27	84
75-79	113	12.5	183	4	5	8	14	30	39	99
80-84	72	12.2	110	4	5	10	15	28	45	99 +
85 +	54	13.4	147	4	7	10	16	27	38	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.8	1	1	1	2	2	3	3	3
B. Operated	10	3.3	2	1	2	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	413	6.6	54	2	3	5	8	12	16	46
B. Operated	509	12.2	152	4	5	9	14	26	40	99 +
1. SINGLE DX	23	2.5	2	1	1	2	4	4	5	5
2. MULTIPLE DX	922	9.7	116	3	4	7	11	19	29	89
A. Not Operated	426	6.5	53	2	3	5	8	12	16	46
B. Operated	519	12.0	151	4	5	9	14	25	39	99 +
TOTAL										
65-69 YRS	265	9.7	118	2	4	7	12	21	38	99 +
70-74	215	8.2	109	2	3	5	9	15	23	84
75-79	198	10.7	161	3	4	7	13	21	34	92
80-84	156	9.2	71	3	4	7	11	19	28	97
85 +	111	9.7	91	3	5	7	11	18	27	60
GRAND TOTAL	**945**	**9.5**	**114**	**3**	**4**	**7**	**11**	**19**	**28**	**87**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	1.4		1	1	1	2	2	2	2
70-74	5	2.8	2	2	2	2	3	5	5	5
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	1	5.0		5	5	5	5	5	5	5
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	0									
70-74	2	5.0	8	3	3	5	7	7	7	7
75-79	1	7.0		7	7	7	7	7	7	7
80-84	2	3.0	8	1	1	3	5	5	5	5
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	56	6.7	40	1	2	5	9	14	19	33
70-74	35	4.1	10	1	2	3	6	8	11	14
75-79	41	6.4	33	2	3	5	9	12	13	35
80-84	36	6.6	18	2	3	6	9	11	14	20
85 +	46	7.5	39	2	3	6	11	16	22	99 +
B. Operated										
65-69 YRS	86	14.4	163	5	7	10	18	32	52	99 +
70-74	68	13.9	124	4	8	10	18	29	53	99 +
75-79	58	15.0	263	2	5	10	20	30	52	84
80-84	52	13.5	88	3	7	12	16	26	36	40
85 +	40	11.9	224	2	4	8	14	25	33	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.2	2	1	1	2	3	5	5	5
B. Operated	5	4.6	7	1	2	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	214	6.4	30	2	3	5	9	13	16	35
B. Operated	304	13.9	167	3	6	10	18	29	44	99 +
1. SINGLE DX	18	2.9	4	1	1	2	5	6	7	7
2. MULTIPLE DX	518	10.8	124	2	4	8	14	24	35	92
A. Not Operated	227	6.1	30	1	2	5	8	13	16	35
B. Operated	309	13.8	166	3	6	10	17	29	43	99 +
TOTAL										
65-69 YRS	147	11.0	127	2	4	8	13	26	35	99 +
70-74	110	10.1	103	2	3	8	14	23	38	99 +
75-79	101	11.3	182	2	3	7	13	25	33	77
80-84	91	10.5	70	2	4	8	14	21	27	39
85 +	87	9.5	127	2	4	6	12	20	29	96
GRAND TOTAL	**536**	**10.5**	**122**	**2**	**4**	**8**	**13**	**23**	**34**	**90**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	4.6	7	2	3	4	6	9	9	9
70-74	8	2.1	3	1	1	2	2	5	6	6
75-79	7	3.1	3	1	1	4	5	5	5	5
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	4	2.8	2	<1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	0									
85 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
65-69 YRS	23	3.8	6	1	2	4	5	7	9	10
70-74	37	4.3	9	1	2	3	6	9	11	12
75-79	37	6.5	211	1	2	3	6	9	19	89
80-84	31	7.3	84	2	3	4	9	13	19	51
85 +	33	6.0	42	1	2	4	7	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	26	3.0	4	1	1	2	4	5	7	9
2. MULTIPLE DX										
A. Not Operated	4	3.5	1	2	3	4	4	4	4	4
B. Operated	161	5.7	76	1	2	4	6	10	15	49
1. SINGLE DX	26	3.0	4	1	1	2	4	5	7	9
2. MULTIPLE DX	165	5.6	74	1	2	4	6	10	14	48
A. Not Operated	4	3.5	1	2	3	4	4	4	4	4
B. Operated	187	5.3	67	1	2	3	6	9	13	45
TOTAL										
65-69 YRS	28	4.0	6	1	2	4	5	8	9	10
70-74	47	3.9	8	1	2	3	6	9	10	12
75-79	44	6.0	179	1	2	3	5	9	18	89
80-84	33	7.0	80	2	3	4	8	13	18	51
85 +	39	5.5	37	1	2	4	6	12	17	34
GRAND TOTAL	**191**	**5.3**	**66**	**1**	**2**	**3**	**6**	**9**	**13**	**44**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	10	3.0	5	<1	1	2	5	6	7	7
70-74	3	1.3		1	1	1	2	2	2	2
75-79	3	6.3	25	1	2	7	10	11	11	11
80-84	1	1.0		1	1	1	1	1	1	1
85 +	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	25	2.2	2	1	1	2	3	4	5	6
70-74	21	4.3	13	1	2	4	5	10	12	14
75-79	33	4.2	12	1	2	2	6	10	11	12
80-84	27	7.1	61	1	2	5	10	15	23	38
85 +	32	5.7	50	1	1	3	7	12	24	32
B. Operated										
65-69 YRS	83	5.8	84	1	2	4	5	10	20	55
70-74	99	4.3	17	1	1	3	6	10	13	20
75-79	82	4.5	20	1	2	3	6	10	14	23
80-84	96	5.5	49	1	2	3	6	13	19	39
85 +	106	5.8	42	2	2	4	7	11	22	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3	4	1	1	2	3	5	5	5
B. Operated	20	3.1	8	1	1	2	4	7	9	11
2. MULTIPLE DX										
A. Not Operated	138	4.8	31	1	2	3	6	11	14	33
B. Operated	466	5.2	42	1	2	3	6	11	17	34
1. SINGLE DX	24	2.9	7	1	1	2	4	7	8	11
2. MULTIPLE DX	604	5.1	39	1	2	3	6	11	17	34
A. Not Operated	142	4.7	30	1	2	3	6	10	13	32
B. Operated	486	5.1	41	1	2	3	6	11	17	34
TOTAL										
65-69 YRS	118	4.8	62	1	1	3	5	9	13	50
70-74	124	4.2	16	1	1	3	6	10	12	19
75-79	119	4.5	18	1	2	3	6	10	13	20
80-84	125	5.8	51	1	2	3	6	13	19	39
85 +	142	5.7	43	1	2	3	7	11	22	34
GRAND TOTAL	**628**	**5.0**	**38**	**1**	**2**	**3**	**6**	**11**	**15**	**34**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.7	4	1	1	2	4	5	5	5
70-74	3	1.3		1	1	1	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	2.5	1	2	2	2	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	4	1.3		< 1	< 1	< 1	1	2	2	2
70-74	1	9.0		9	9	9	9	9	9	9
75-79	3	6.0	61	1	1	2	12	15	15	15
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	3.9	17	< 1	1	1	7	10	11	11
70-74	6	4.7	23	1	2	3	5	13	14	14
75-79	7	6.9	22	1	2	7	11	13	13	13
80-84	5	6.8	29	1	1	9	11	12	12	12
85 +	2	49.0	1800	19	19	49	79	79	79	79
B. Operated										
65-69 YRS	12	5.3	26	1	2	4	7	14	17	18
70-74	10	9.5	179	1	2	3	13	32	43	43
75-79	10	7.7	120	1	2	4	8	23	38	38
80-84	9	10.9	118	2	4	9	13	29	37	37
85 +	6	4.8	16	2	2	3	7	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.1	2	1	1	2	3	4	5	5
B. Operated	9	3.7	25	< 1	< 1	1	4	13	15	15
2. MULTIPLE DX										
A. Not Operated	27	8.7	224	1	1	4	11	14	28	79
B. Operated	47	7.7	92	1	2	4	9	18	37	43
1. SINGLE DX	18	2.9	13	< 1	1	2	2	8	13	15
2. MULTIPLE DX	74	8.1	138	1	2	4	10	16	34	70
A. Not Operated	36	7.1	175	1	1	3	9	13	17	79
B. Operated	56	7.1	83	1	2	4	9	16	32	43
TOTAL										
65-69 YRS	26	4.0	18	< 1	1	2	5	11	13	18
70-74	20	6.8	101	1	2	3	7	17	32	43
75-79	21	6.9	68	1	2	4	9	14	25	38
80-84	17	8.1	78	1	2	6	11	15	30	37
85 +	8	15.9	687	2	2	5	15	61	79	79
GRAND TOTAL	**92**	**7.1**	**117**	**1**	**2**	**3**	**9**	**14**	**21**	**64**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	2.7	3	1	2	2	3	6	7	7
70-74	8	3.4	1	2	2	3	4	5	5	5
75-79	5	3.2	5	1	2	3	4	7	7	7
80-84	4	3.5	6	2	2	3	5	7	7	7
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	40	2.5	12	< 1	1	1	2	4	8	21
70-74	26	3.0	10	1	1	2	3	7	11	14
75-79	19	2.5	4	1	1	2	3	6	7	7
80-84	8	1.5	1	< 1	1	1	2	3	3	3
85 +	9	2.1	4	< 1	1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	38	3.9	13	1	2	3	5	8	11	20
70-74	36	4.8	19	1	2	4	6	8	11	25
75-79	32	5.7	25	2	3	4	7	11	16	26
80-84	23	5.0	14	2	3	4	6	8	13	19
85 +	29	5.2	9	2	3	4	8	10	11	12
B. Operated										
65-69 YRS	135	4.2	32	1	1	2	4	11	14	31
70-74	105	4.6	24	1	1	3	5	12	15	22
75-79	60	5.3	52	1	2	3	6	11	15	46
80-84	48	6.6	61	1	2	4	8	16	19	39
85 +	28	7.5	53	1	2	4	10	20	22	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	3.1	3	1	2	3	4	6	7	7
B. Operated	102	2.5	8	1	1	1	3	6	7	17
2. MULTIPLE DX										
A. Not Operated	158	4.9	16	1	2	4	6	9	11	25
B. Operated	376	5.0	39	1	1	3	6	13	17	32
1. SINGLE DX	135	2.6	7	1	1	2	3	6	7	15
2. MULTIPLE DX	534	5.0	32	1	2	3	6	11	16	28
A. Not Operated	191	4.6	14	1	2	3	6	8	11	23
B. Operated	478	4.5	33	1	1	2	5	11	15	28
TOTAL										
65-69 YRS	228	3.8	24	1	1	2	4	7	14	25
70-74	175	4.3	20	1	1	3	5	10	14	22
75-79	116	4.9	36	1	2	3	6	9	13	35
80-84	83	5.5	42	1	2	3	7	13	17	37
85 +	67	5.7	29	1	2	4	8	12	19	27
GRAND TOTAL	**669**	**4.5**	**28**	**1**	**1**	**3**	**5**	**10**	**14**	**27**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	35TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	4.6	15	1	3	3	5	11	13	13
70-74	5	6.8	27	4	4	4	8	16	16	16
75-79	3	4.0	1	3	3	4	5	5	5	5
80-84	5	6.0	7	2	4	7	8	8	8	8
85 +	3	4.0	4	2	2	4	5	6	6	6
B. Operated										
65-69 YRS	21	3.8	6	1	2	3	5	8	8	8
70-74	14	2.5	3	1	1	2	3	5	7	7
75-79	13	6.0	16	2	3	5	10	12	13	13
80-84	7	6.4	18	2	2	7	9	12	13	13
85 +	7	3.4	4	1	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	44	5.9	24	3	3	5	7	10	15	28
70-74	44	9.1	60	3	4	7	11	17	24	44
75-79	52	6.8	35	2	3	5	8	13	22	28
80-84	35	6.9	48	2	4	5	7	13	22	38
85 +	36	8.1	22	3	4	7	12	15	16	19
B. Operated										
65-69 YRS	80	10.8	82	2	4	7	15	24	32	37
70-74	65	11.3	136	2	4	7	15	23	29	65
75-79	52	10.6	69	2	4	9	15	22	30	34
80-84	26	11.8	192	3	6	7	12	23	54	58
85 +	46	13.3	186	3	6	9	16	26	42	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	5.2	12	2	3	4	6	9	14	16
B. Operated	62	4.2	10	1	2	3	6	9	11	13
2. MULTIPLE DX										
A. Not Operated	211	7.3	39	2	3	5	9	14	19	32
B. Operated	269	11.4	120	2	4	8	15	24	33	58
1. SINGLE DX	85	4.5	11	1	2	4	6	8	12	15
2. MULTIPLE DX	480	9.6	88	2	4	7	12	21	28	52
A. Not Operated	234	7.1	36	2	3	5	8	13	18	30
B. Operated	331	10.1	107	2	3	7	13	23	30	56
TOTAL										
65-69 YRS	152	8.1	59	2	3	6	10	19	25	37
70-74	128	9.4	98	2	3	6	12	20	27	58
75-79	120	8.3	51	2	4	6	11	17	25	33
80-84	73	8.5	97	2	4	6	8	15	24	57
85 +	92	10.2	113	2	4	7	12	23	26	61
GRAND TOTAL	**565**	**8.8**	**80**	**2**	**3**	**6**	**11**	**18**	**26**	**48**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	14.0		14	14	14	14	14	14	14
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	2	6.5	25	3	3	6	10	10	10	10
75-79	1	10.0		10	10	10	10	10	10	10
80-84	0									
85 +	2	6.0	50	1	1	6	11	11	11	11
B. Operated										
65-69 YRS	20	14.3	259	2	4	9	17	43	54	56
70-74	9	18.8	449	1	5	8	26	55	59	59
75-79	11	9.0	45	2	4	7	11	21	23	23
80-84	10	9.5	188	1	3	4	7	32	46	46
85 +	9	13.0	160	3	4	7	18	34	42	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	14.0		14	14	14	14	14	14	14
B. Operated	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	6	7.0	17	1	3	8	10	11	11	11
B. Operated	59	13.0	216	2	3	7	17	39	52	59
1. SINGLE DX	3	6.0	48	2	2	2	11	14	14	14
2. MULTIPLE DX	65	12.4	201	2	3	7	16	34	51	59
A. Not Operated	7	8.0	21	1	4	10	11	13	14	14
B. Operated	61	12.6	213	2	3	7	17	37	51	59
TOTAL										
65-69 YRS	22	13.4	243	2	3	8	16	40	54	56
70-74	12	15.3	369	1	3	8	17	53	58	59
75-79	12	9.1	41	2	5	8	11	20	23	23
80-84	11	9.9	171	2	3	5	12	29	45	46
85 +	11	11.7	141	2	4	7	16	29	41	42
GRAND TOTAL	**68**	**12.1**	**195**	**2**	**3**	**7**	**15**	**31**	**50**	**58**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	4	5.0	21	< 1	1	4	8	11	11	11
70-74	4	6.8	48	1	1	5	12	16	16	16
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	13.0	62	4	7	12	18	23	23	23
70-74	4	12.8	184	1	1	13	24	25	25	25
75-79	10	9.2	33	4	4	8	9	19	22	22
80-84	8	10.1	98	2	3	7	15	27	30	30
85 +	8	12.5	93	4	5	8	18	28	32	32
B. Operated										
65-69 YRS	13	8.5	76	3	4	7	9	16	32	36
70-74	9	12.0	101	2	4	11	18	28	30	30
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	4	16.3	46	9	10	16	22	23	23	23
85 +	3	17.7	280	8	8	8	30	37	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	8	5.9	30	< 1	1	4	9	14	16	16
2. MULTIPLE DX										
A. Not Operated	34	11.1	74	3	4	9	18	24	29	32
B. Operated	31	11.1	95	3	4	8	12	27	36	37
1. SINGLE DX	8	5.9	30	< 1	1	4	9	14	16	16
2. MULTIPLE DX	65	11.1	83	3	4	8	16	25	31	37
A. Not Operated	34	11.1	74	3	4	9	18	24	29	32
B. Operated	39	10.0	85	1	4	8	12	24	33	37
TOTAL										
65-69 YRS	21	8.7	64	2	4	7	11	18	29	36
70-74	17	10.9	100	1	2	8	18	25	28	30
75-79	12	8.3	32	3	4	8	9	18	21	22
80-84	12	12.2	84	2	4	10	20	25	29	30
85 +	11	13.9	127	5	6	8	18	34	37	37
GRAND TOTAL	**73**	**10.5**	**79**	**2**	**4**	**8**	**14**	**24**	**30**	**37**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	0									
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	5.4	20	2	3	3	7	14	15	15
70-74	11	5.5	15	1	3	5	7	12	14	14
75-79	9	4.0	6	1	2	3	5	8	9	9
80-84	8	7.5	143	2	3	3	4	27	37	37
85 +	6	8.5	159	1	2	4	5	31	34	34
B. Operated										
65-69 YRS	6	5.2	2	3	4	5	6	7	7	7
70-74	5	4.4	11	2	2	4	6	10	10	10
75-79	2	4.0	18	1	1	4	7	7	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85 +	2	3.0	2	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	46	5.9	51	2	3	4	5	13	19	37
B. Operated	16	4.3	6	2	2	4	6	7	9	10
1. SINGLE DX	4	3.8	5	2	2	3	5	7	7	7
2. MULTIPLE DX	62	5.5	40	2	2	4	6	10	14	37
A. Not Operated	48	5.8	50	2	2	4	5	12	17	37
B. Operated	18	4.4	6	2	2	4	6	7	9	10
TOTAL										
65-69 YRS	19	5.2	13	2	3	4	6	11	14	15
70-74	17	4.9	13	2	2	4	6	10	13	14
75-79	11	4.0	7	1	2	3	6	8	9	9
80-84	11	6.5	104	2	3	3	5	19	35	37
85 +	8	7.1	120	1	2	4	5	25	34	34
GRAND TOTAL	**66**	**5.4**	**38**	**2**	**2**	**4**	**6**	**10**	**14**	**37**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	32	2.3	5	1	1	2	2	5	8	11
70-74	37	2.8	3	1	2	2	4	5	6	7
75-79	34	3.8	18	1	1	3	4	7	11	24
80-84	35	2.8	7	1	1	2	4	6	9	12
85 +	54	4.0	12	1	1	3	6	8	10	20
B. Operated										
65-69 YRS	4	8.3	26	3	4	8	12	14	14	14
70-74	8	3.0	6	< 1	1	2	4	7	8	8
75-79	7	3.4	11	< 1	1	1	6	8	9	9
80-84	4	2.8	4	1	1	3	4	5	5	5
85 +	3	4.3	12	< 1	1	4	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	401	4.1	13	1	2	3	5	8	11	19
70-74	422	4.8	20	1	2	4	6	9	13	21
75-79	515	5.5	51	1	2	4	6	10	14	47
80-84	577	6.6	67	2	3	5	8	13	18	52
85 +	903	7.0	65	2	3	5	8	14	19	52
B. Operated										
65-69 YRS	73	7.7	66	1	2	5	10	16	25	43
70-74	92	6.7	44	1	2	5	9	14	18	39
75-79	84	8.8	75	1	3	7	13	20	28	99 +
80-84	73	11.7	279	2	4	6	11	22	58	85
85 +	109	10.6	169	2	4	7	13	19	31	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	3.2	9	1	1	2	4	7	8	17
B. Operated	26	4.0	12	< 1	1	3	5	9	12	14
2. MULTIPLE DX										
A. Not Operated	2818	5.9	50	1	2	4	7	11	16	43
B. Operated	431	9.1	127	2	3	6	11	18	26	83
1. SINGLE DX	218	3.3	10	1	1	2	4	7	9	16
2. MULTIPLE DX	3249	6.3	61	1	2	4	7	13	18	51
A. Not Operated	3010	5.7	48	1	2	4	7	11	16	42
B. Operated	457	8.8	122	1	3	6	11	18	26	83
TOTAL										
65-69 YRS	510	4.5	22	1	2	3	6	9	14	27
70-74	559	4.9	23	1	2	4	6	10	14	25
75-79	640	5.8	53	1	2	4	7	11	17	51
80-84	689	6.9	89	1	3	4	8	13	21	65
85 +	1069	7.2	74	2	3	5	8	14	19	57
GRAND TOTAL	**3467**	**6.1**	**59**	**1**	**2**	**4**	**7**	**12**	**17**	**49**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	6.0	50	1	1	6	11	11	11	11
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	3.0	3	1	1	3	4	5	5	5
70-74	6	6.2	15	1	3	6	8	12	12	12
75-79	5	5.4	13	2	3	4	8	11	11	11
80-84	3	3.0		3	3	3	3	3	3	3
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	7	4.9	14	2	2	3	7	11	12	12
70-74	4	15.0	223	1	2	13	27	32	32	32
75-79	4	2.3	2	1	1	2	3	4	4	4
80-84	6	12.7	147	2	3	9	18	32	34	34
85 +	5	7.0	34	1	2	7	11	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	4.3	22	1	1	3	7	11	11	11
2. MULTIPLE DX										
A. Not Operated	19	4.7	10	1	3	4	7	10	12	12
B. Operated	26	8.2	87	1	2	4	12	22	32	34
1. SINGLE DX	4	4.3	22	1	1	3	7	11	11	11
2. MULTIPLE DX	45	6.8	56	1	2	4	8	15	25	34
A. Not Operated	19	4.7	10	1	3	4	7	10	12	12
B. Operated	30	7.7	79	1	2	4	11	20	32	34
TOTAL										
65-69 YRS	12	3.9	10	1	2	3	5	9	12	12
70-74	12	9.1	91	1	2	6	11	26	31	32
75-79	10	4.0	9	1	2	3	4	9	11	11
80-84	9	9.4	115	2	3	3	14	28	34	34
85 +	6	6.7	27	1	2	6	10	14	15	15
GRAND TOTAL	**49**	**6.6**	**53**	**1**	**2**	**4**	**8**	**14**	**23**	**34**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	33	1.2	1	<1	1	1	1	2	2	5
70-74	13	1.2		<1	1	1	1	2	2	2
75-79	17	1.3		<1	1	1	2	2	2	2
80-84	18	1.6	1	<1	1	1	2	3	4	5
85+	14	1.4		1	1	1	2	2	3	3
B. Operated										
65-69 YRS	9	1.3	1	<1	<1	1	1	3	3	3
70-74	5	8.4	223	<1	1	1	12	35	35	35
75-79	3	2.0	3	1	1	1	3	4	4	4
80-84	7	3.1	8	<1	<1	2	5	8	8	8
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	96	3.1	10	1	1	2	4	6	10	18
70-74	97	4.4	20	1	1	2	6	10	16	19
75-79	81	4.2	23	1	1	3	5	9	14	27
80-84	87	4.1	33	1	1	2	5	9	11	36
85+	101	4.7	38	1	2	3	5	9	15	38
B. Operated										
65-69 YRS	61	5.5	41	1	1	3	7	14	21	30
70-74	74	8.4	191	1	1	4	9	17	22	85
75-79	75	7.3	112	1	2	4	9	17	26	93
80-84	54	5.9	34	1	2	4	9	14	18	29
85+	57	6.8	57	1	2	4	7	19	21	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	1.3	1	<1	1	1	1	2	2	5
B. Operated	25	3.3	47	<1	<1	1	3	6	15	35
2. MULTIPLE DX										
A. Not Operated	462	4.1	25	1	1	3	5	8	14	22
B. Operated	321	6.9	94	1	2	4	8	17	21	68
1. SINGLE DX	120	1.7	11	<1	1	1	2	2	4	16
2. MULTIPLE DX	783	5.3	55	1	1	3	6	12	18	42
A. Not Operated	557	3.6	22	1	1	2	4	8	12	21
B. Operated	346	6.6	91	1	2	4	8	17	21	66
TOTAL										
65-69 YRS	199	3.5	20	<1	1	2	4	8	11	24
70-74	189	5.8	94	1	1	2	7	14	18	57
75-79	176	5.2	62	1	1	3	6	13	18	66
80-84	166	4.4	30	1	1	2	5	10	14	28
85+	173	5.1	43	1	2	3	5	13	19	39
GRAND TOTAL	**903**	**4.8**	**51**	**1**	**1**	**2**	**5**	**11**	**17**	**38**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85+	1	9.0		9	9	9	9	9	9	9
B. Operated										
65-69 YRS	2	8.0	98	1	1	8	15	15	15	15
70-74	5	8.8	53	2	4	8	11	21	21	21
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	3	14.7	412	1	2	5	30	38	38	38
85+	3	3.0	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	7.1	36	1	2	6	10	15	21	22
70-74	12	8.0	17	4	5	7	11	14	15	15
75-79	16	13.3	224	3	6	9	13	31	53	62
80-84	12	7.3	30	1	3	5	13	15	15	15
85+	16	10.1	43	2	5	10	15	17	22	24
B. Operated										
65-69 YRS	56	20.8	340	4	8	16	27	51	67	99
70-74	44	18.7	207	4	8	16	23	51	54	99+
75-79	40	20.4	197	4	10	17	33	47	73	99+
80-84	37	17.8	175	3	7	16	28	37	42	47
85+	40	26.6	248	10	15	25	38	44	59	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	6.7	10	3	4	8	9	9	9	9
B. Operated	15	7.9	100	1	2	5	8	21	34	38
2. MULTIPLE DX										
A. Not Operated	67	9.5	80	2	4	7	13	16	22	57
B. Operated	217	20.8	246	4	9	17	30	46	54	99+
1. SINGLE DX	18	7.7	84	1	2	5	8	19	31	38
2. MULTIPLE DX	284	18.2	230	3	7	15	26	42	53	99+
A. Not Operated	70	9.4	77	2	4	7	13	16	22	56
B. Operated	232	20.0	246	4	8	16	30	46	54	99+
TOTAL										
65-69 YRS	70	18.0	310	2	6	15	24	48	65	97
70-74	61	15.8	177	4	6	12	21	41	53	95
75-79	59	17.7	210	3	8	13	30	46	59	99+
80-84	52	15.2	165	2	4	12	26	36	38	47
85+	60	20.7	247	4	10	15	30	41	50	70
GRAND TOTAL	**302**	**17.5**	**227**	**3**	**6**	**14**	**25**	**41**	**53**	**99+**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	4.3	42	1	1	1	8	14	14	14
70-74	1	3.0		3	3	3	3	3	3	3
75-79	5	3.0	1	2	2	3	3	4	4	4
80-84	2	13.0	162	4	4	13	22	22	22	22
85 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	3.0		3	3	3	3	3	3	3
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	50	7.6	64	1	3	5	9	17	26	40
70-74	49	8.1	59	1	3	6	11	20	23	35
75-79	40	9.3	67	2	3	6	12	21	24	40
80-84	35	7.4	40	2	3	6	8	18	23	25
85 +	23	11.0	86	4	5	8	14	19	30	46
B. Operated										
65-69 YRS	27	12.9	176	2	4	8	16	35	40	56
70-74	18	18.7	180	6	8	15	29	35	46	53
75-79	15	16.1	91	4	7	13	25	28	29	29
80-84	6	17.3	534	4	5	12	51	93	99 +	99 +
85 +	10	15.5	65	7	9	13	20	28	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.5	36	1	1	3	4	15	20	22
B. Operated	4	2.8	2	1	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	197	8.4	62	2	3	6	11	19	24	40
B. Operated	76	15.6	168	4	7	10	23	33	47	90
1. SINGLE DX	18	4.1	29	1	1	3	4	11	19	22
2. MULTIPLE DX	273	10.4	101	2	4	7	14	24	31	55
A. Not Operated	211	8.2	61	2	3	6	11	19	24	40
B. Operated	80	15.0	167	3	6	10	23	32	44	89
TOTAL										
65-69 YRS	81	9.2	106	1	3	6	10	24	33	51
70-74	69	10.7	111	2	3	7	15	25	33	50
75-79	61	10.4	79	2	4	6	14	24	27	39
80-84	44	8.9	111	2	3	6	12	22	35	99 +
85 +	36	11.5	84	3	5	9	16	21	29	46
GRAND TOTAL	**291**	**10.0**	**99**	**2**	**3**	**7**	**13**	**24**	**30**	**55**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	2	25.0	800	5	5	25	45	45	45	45
B. Operated										
65-69 YRS	5	1.2		< 1	< 1	1	1	2	2	2
70-74	4	1.0		< 1	< 1	< 1	1	1	1	1
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	20	11.0	171	2	4	7	13	20	41	61
70-74	22	7.0	18	1	4	7	9	13	15	18
75-79	11	11.7	138	3	3	8	13	33	38	38
80-84	7	10.6	55	3	4	9	18	21	21	21
85 +	16	9.3	17	3	7	10	11	14	16	17
B. Operated										
65-69 YRS	16	12.7	348	1	2	4	20	34	56	65
70-74	16	14.1	152	2	7	10	16	39	44	45
75-79	12	13.5	205	1	3	18	41	99 +	99 +	99 +
80-84	3	23.7	332	4	10	27	37	40	40	40
85 +	4	12.0	45	8	8	9	16	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	10.2	295	1	1	4	5	41	45	45
B. Operated	10	1.3		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	76	9.6	78	3	4	8	11	18	22	55
B. Operated	51	13.9	217	1	3	9	24	43	93	99 +
1. SINGLE DX	16	4.6	118	< 1	1	1	3	5	33	45
2. MULTIPLE DX	127	11.3	137	2	4	8	14	33	43	99 +
A. Not Operated	82	9.6	90	2	4	8	11	18	25	56
B. Operated	61	11.9	203	1	2	7	19	41	75	99 +
TOTAL										
65-69 YRS	42	10.3	220	1	2	5	10	33	45	65
70-74	44	8.8	82	1	3	8	11	18	26	45
75-79	23	12.7	166	2	3	9	30	94	99 +	99 +
80-84	12	12.7	141	3	4	8	20	31	39	40
85 +	22	11.2	78	4	8	9	12	18	31	45
GRAND TOTAL	**143**	**10.6**	**139**	**1**	**3**	**7**	**13**	**33**	**43**	**99 +**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	4.1	22	1	1	2	4	12	15	16
70-74	9	2.8	2	2	2	2	3	5	5	5
75-79	6	3.0	5	1	1	2	4	7	7	7
80-84	9	4.2	8	< 1	2	3	7	8	8	8
85 +	9	4.6	27	< 1	1	3	5	13	17	17
B. Operated										
65-69 YRS	3	2.0	1	1	1	2	3	3	3	3
70-74	4	3.0	5	1	1	2	4	6	6	6
75-79	1	15.0		15	15	15	15	15	15	15
80-84	2	4.0		4	4	4	4	4	4	4
85 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	96	4.9	50	1	2	4	5	9	12	42
70-74	81	5.0	22	1	2	3	6	11	12	28
75-79	108	6.2	24	1	2	5	9	13	14	25
80-84	120	6.6	56	2	3	5	8	11	16	38
85 +	125	8.0	70	2	3	6	9	15	25	48
B. Operated										
65-69 YRS	45	8.0	55	1	3	6	10	18	26	33
70-74	42	10.6	109	3	4	7	13	24	39	44
75-79	39	12.0	225	2	4	8	14	43	90	99 +
80-84	30	14.3	323	3	5	8	16	31	48	92
85 +	24	8.3	39	3	4	7	10	16	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	3.8	14	1	1	2	5	8	12	17
B. Operated	12	3.8	14	1	2	3	4	9	14	15
2. MULTIPLE DX										
A. Not Operated	530	6.3	47	1	3	5	8	12	15	33
B. Operated	180	10.6	149	2	4	7	13	24	38	97
1. SINGLE DX	60	3.8	14	1	2	2	5	8	13	17
2. MULTIPLE DX	710	7.4	76	1	3	5	9	14	21	53
A. Not Operated	578	6.1	45	1	2	4	8	12	15	31
B. Operated	192	10.1	143	2	4	7	12	23	37	96
TOTAL										
65-69 YRS	159	5.6	50	1	2	4	7	12	16	33
70-74	136	6.5	54	1	2	4	8	12	21	43
75-79	154	7.6	81	1	3	5	10	14	21	99
80-84	161	7.8	110	2	3	6	8	14	20	71
85 +	160	7.7	62	2	3	6	9	15	25	42
GRAND TOTAL	**770**	**7.1**	**72**	**1**	**3**	**5**	**8**	**14**	**19**	**48**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	3.0	27	< 1	1	1	2	7	18	20
70-74	13	2.3	2	< 1	1	2	3	5	6	6
75-79	16	3.3	6	1	2	3	4	7	9	10
80-84	7	3.3	5	1	2	2	5	7	7	7
85 +	8	1.4		< 1	1	1	2	2	2	2
B. Operated										
65-69 YRS	0									
70-74	1	7.0		7	7	7	7	7	7	7
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	546	5.0	27	1	2	4	6	10	13	25
70-74	575	5.5	30	1	2	4	7	12	14	26
75-79	617	5.6	37	1	2	4	7	10	16	37
80-84	427	5.6	27	2	3	4	7	11	15	26
85 +	371	5.8	28	2	3	4	7	12	16	25
B. Operated										
65-69 YRS	68	11.3	68	3	4	10	15	23	28	38
70-74	54	12.8	138	3	5	9	15	35	48	98
75-79	58	15.0	237	2	5	9	22	32	41	86
80-84	38	13.8	171	3	6	9	18	32	47	58
85 +	22	14.0	321	4	6	9	14	25	51	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	2.7	9	1	1	2	3	6	7	19
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	2536	5.5	30	1	2	4	7	11	15	29
B. Operated	240	13.2	163	3	5	9	16	28	40	89
1. SINGLE DX	58	2.8	9	1	1	2	3	6	7	19
2. MULTIPLE DX	2776	6.1	46	2	2	4	7	12	18	39
A. Not Operated	2593	5.4	30	1	2	4	7	11	14	29
B. Operated	241	13.2	162	3	5	9	15	28	40	89
TOTAL										
65-69 YRS	627	5.6	36	1	2	4	7	11	15	30
70-74	643	6.0	43	1	2	4	7	13	18	41
75-79	691	6.3	60	2	2	4	7	12	22	42
80-84	472	6.2	43	2	3	4	7	11	17	40
85 +	401	6.2	46	2	3	4	7	12	[illegible]	28
GRAND TOTAL	**2834**	**6.1**	**46**	**1**	**2**	**4**	**7**	**12**	**18**	**39**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	1.4		1	1	1	2	2	3	3
70-74	13	1.9	1	1	1	2	2	3	4	4
75-79	10	1.8	1	< 1	1	2	2	3	4	4
80-84	6	11.5	159	3	3	4	24	30	31	31
85 +	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	110	3.3	11	1	1	2	4	7	10	18
70-74	105	4.2	30	1	2	2	5	9	12	32
75-79	79	5.8	117	1	2	4	6	9	13	74
80-84	61	4.6	41	1	1	3	6	10	25	99 +
85 +	31	4.8	26	1	2	4	6	8	11	28
B. Operated										
65-69 YRS	10	15.4	247	3	3	9	33	40	41	41
70-74	11	5.3	11	1	2	4	9	10	10	10
75-79	4	29.0	1862	1	1	12	57	92	92	92
80-84	5	12.0	76	1	5	11	19	23	23	23
85 +	2	53.0	968	31	31	53	75	75	75	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	3.0	28	1	1	2	3	4	8	31
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	386	4.4	44	1	2	3	5	9	12	48
B. Operated	32	15.4	450	1	3	8	20	40	72	92
1. SINGLE DX	48	3.0	28	1	1	2	3	4	8	31
2. MULTIPLE DX	418	5.2	83	1	2	3	6	10	15	80
A. Not Operated	434	4.2	42	1	1	2	5	8	12	47
B. Operated	32	15.4	450	1	3	8	20	40	72	92
TOTAL										
65-69 YRS	137	4.0	36	1	1	2	4	8	12	39
70-74	129	4.0	26	1	2	2	4	9	11	25
75-79	93	6.3	185	1	2	3	6	10	19	93
80-84	72	5.7	57	1	2	3	7	13	30	99 +
85 +	35	7.6	180	1	2	4	7	11	30	75
GRAND TOTAL	**466**	**5.0**	**78**	**1**	**1**	**3**	**5**	**10**	**15**	**70**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	29	1.8	1	< 1	1	1	3	3	4	4
70-74	20	3.0	16	1	1	2	3	7	13	18
75-79	23	3.3	7	1	1	2	5	8	9	9
80-84	19	3.3	7	1	1	3	5	8	9	10
85 +	11	4.4	14	< 1	1	3	6	11	11	11
B. Operated										
65-69 YRS	2	5.5	25	2	2	5	9	9	9	9
70-74	1	4.0		4	4	4	4	4	4	4
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	2	14.5	5	13	13	14	16	16	16	16
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	445	5.0	40	1	2	4	6	10	13	30
70-74	474	5.3	28	1	2	4	7	11	15	24
75-79	475	5.8	49	1	2	4	7	11	16	54
80-84	381	6.3	34	2	3	5	8	12	16	37
85 +	372	6.9	56	2	3	5	8	13	18	49
B. Operated										
65-69 YRS	67	10.1	117	1	2	7	14	22	28	57
70-74	61	10.9	69	2	6	9	16	26	33	99 +
75-79	66	11.8	125	2	4	11	16	32	43	99 +
80-84	52	13.3	175	2	5	10	15	30	41	67
85 +	40	12.6	168	3	6	10	19	25	88	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	3.0	8	1	1	2	3	7	9	14
B. Operated	7	7.3	31	2	3	5	12	15	16	16
2. MULTIPLE DX										
A. Not Operated	2147	5.8	41	1	2	4	7	11	16	38
B. Operated	286	11.6	126	1	4	9	15	26	41	99 +
1. SINGLE DX	109	3.2	10	1	1	2	4	8	10	17
2. MULTIPLE DX	2433	6.5	55	1	2	4	8	13	19	50
A. Not Operated	2249	5.7	40	1	2	4	7	11	15	36
B. Operated	293	11.5	124	2	4	9	15	26	41	99 +
TOTAL										
65-69 YRS	543	5.5	51	1	2	4	6	11	16	34
70-74	556	5.8	35	1	2	4	7	13	19	39
75-79	566	6.4	60	1	2	4	8	13	20	62
80-84	454	7.0	55	2	3	5	8	14	19	41
85 +	423	7.4	68	2	3	5	9	15	21	75
GRAND TOTAL	**2542**	**6.3**	**53**	**1**	**2**	**4**	**8**	**13**	**19**	**45**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	25	4.2	20	<1	1	3	5	9	16	19
70-74	35	7.8	200	1	1	3	7	15	29	79
75-79	32	5.5	46	1	1	3	7	13	20	33
80-84	17	2.6	4	<1	1	2	4	6	7	7
85 +	18	2.9	11	<1	1	2	4	7	12	14
B. Operated										
65-69 YRS	452	6.0	39	1	2	5	9	12	15	24
70-74	468	5.5	19	1	2	4	8	12	14	18
75-79	371	6.1	33	1	2	5	9	12	15	31
80-84	282	5.5	28	1	2	4	8	11	16	27
85 +	214	4.0	17	1	1	2	5	9	12	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	432	6.4	51	1	3	5	8	12	15	36
70-74	419	7.2	58	1	3	5	9	15	21	44
75-79	414	6.7	33	1	3	5	9	14	16	26
80-84	330	6.8	45	2	3	5	8	13	16	34
85 +	314	7.2	56	2	3	5	9	14	18	47
B. Operated										
65-69 YRS	3669	9.1	100	1	3	7	11	19	28	53
70-74	3321	9.4	98	1	3	7	12	20	28	59
75-79	2916	9.5	110	1	3	7	12	20	28	60
80-84	1915	9.2	101	1	3	6	12	19	28	58
85 +	1295	9.5	127	1	3	6	12	20	32	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	5.1	75	1	1	2	6	11	17	44
B. Operated	1787	5.6	29	1	2	4	8	12	14	25
2. MULTIPLE DX										
A. Not Operated	1909	6.8	48	1	3	5	8	14	17	41
B. Operated	13116	9.3	105	1	3	7	12	19	28	58
1. SINGLE DX	1914	5.6	32	1	2	4	8	12	14	26
2. MULTIPLE DX	15025	9.0	98	1	3	6	11	19	27	56
A. Not Operated	2036	6.7	50	1	3	5	8	14	17	41
B. Operated	14903	8.9	97	1	3	6	11	18	27	55
TOTAL										
65-69 YRS	4578	8.5	90	1	3	6	11	18	25	51
70-74	4243	8.7	88	1	3	6	11	18	26	54
75-79	3733	8.8	95	1	3	7	11	18	25	55
80-84	2544	8.4	87	1	3	6	11	17	24	53
85 +	1841	8.4	105	1	2	5	11	18	28	57
GRAND TOTAL	**16939**	**8.6**	**92**	**1**	**3**	**6**	**11**	**18**	**26**	**54**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	59	2.5	1	1	1	2	3	4	5	5
70-74	60	2.6	2	1	1	2	3	5	6	6
75-79	60	3.0	5	1	2	3	4	6	8	11
80-84	19	2.3	2	1	1	2	3	4	5	5
85 +	12	3.1	2	1	2	3	4	5	5	5
B. Operated										
65-69 YRS	40	3.7	5	1	2	4	5	7	9	9
70-74	33	3.1	8	1	1	2	4	7	9	13
75-79	37	3.8	5	1	2	3	5	7	8	9
80-84	16	3.3	4	1	2	3	4	6	8	9
85 +	11	4.3	15	1	2	3	5	10	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	290	3.3	6	1	2	3	4	6	7	14
70-74	262	3.8	10	1	2	3	5	7	9	15
75-79	230	4.0	31	1	2	3	5	7	8	13
80-84	130	3.9	7	1	2	3	5	7	8	15
85 +	97	5.0	16	1	3	4	6	10	13	20
B. Operated										
65-69 YRS	403	4.1	22	1	1	3	5	8	11	27
70-74	364	4.4	21	1	1	3	6	10	12	28
75-79	275	5.5	64	1	1	3	6	13	21	43
80-84	171	4.8	42	1	2	3	6	9	15	30
85 +	91	6.5	60	1	2	4	9	14	20	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	2.7	3	1	1	2	3	5	5	10
B. Operated	137	3.6	6	1	2	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	1009	3.8	14	1	2	3	5	7	9	15
B. Operated	1304	4.8	36	1	1	3	6	10	14	32
1. SINGLE DX	347	3.0	4	1	2	3	4	6	7	11
2. MULTIPLE DX	2313	4.4	27	1	2	3	5	8	12	28
A. Not Operated	1219	3.6	12	1	2	3	4	7	9	15
B. Operated	1441	4.7	33	1	1	3	6	9	13	31
TOTAL										
65-69 YRS	792	3.7	14	1	1	3	5	7	9	17
70-74	719	4.0	15	1	2	3	5	8	11	21
75-79	602	4.6	43	1	2	3	5	9	13	37
80-84	336	4.2	25	1	2	3	5	8	10	24
85 +	211	5.5	35	1	2	4	7	12	15	30
GRAND TOTAL	**2660**	**4.2**	**24**	**1**	**2**	**3**	**5**	**8**	**11**	**27**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	43	5.6	14	2	3	5	7	12	13	15
70-74	33	5.1	14	2	3	4	6	9	11	20
75-79	16	9.0	106	3	4	6	10	12	36	46
80-84	19	8.0	64	2	4	6	8	15	27	37
85 +	11	6.9	30	2	3	4	10	15	19	19
B. Operated										
65-69 YRS	44	6.1	26	1	2	4	9	12	19	21
70-74	30	7.9	41	1	3	6	11	16	18	29
75-79	20	8.1	23	3	4	6	12	15	17	19
80-84	5	13.8	268	1	3	11	19	42	42	42
85 +	3	10.0	27	7	7	7	14	16	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	374	7.5	29	3	4	6	10	14	18	27
70-74	286	8.2	50	3	4	6	10	15	20	29
75-79	262	7.8	54	3	4	6	10	14	18	46
80-84	141	8.7	46	3	5	7	10	15	20	41
85 +	81	9.1	47	3	5	8	10	16	24	41
B. Operated										
65-69 YRS	465	14.7	154	3	6	11	20	34	42	61
70-74	400	12.9	120	3	6	10	17	26	37	60
75-79	283	13.9	202	3	6	10	15	28	51	78
80-84	150	15.0	201	4	7	12	18	30	44	90
85 +	114	14.5	184	4	6	10	16	37	49	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	6.4	36	2	3	5	8	12	14	40
B. Operated	102	7.5	41	2	3	5	11	15	19	35
2. MULTIPLE DX										
A. Not Operated	1144	8.0	44	3	4	6	10	14	19	29
B. Operated	1412	14.0	161	3	6	10	18	30	42	69
1. SINGLE DX	224	6.9	38	2	3	5	9	14	17	38
2. MULTIPLE DX	2556	11.3	118	3	5	8	14	23	34	62
A. Not Operated	1266	7.9	43	3	4	6	10	14	19	30
B. Operated	1514	13.6	156	3	6	10	17	29	41	68
TOTAL										
65-69 YRS	926	11.0	105	3	4	7	14	24	35	56
70-74	749	10.5	92	3	4	8	13	22	29	53
75-79	581	10.8	135	3	4	8	12	20	32	68
80-84	315	11.7	133	4	5	8	14	22	35	76
85 +	209	12.0	128	4	6	8	15	25	40	65
GRAND TOTAL	**2780**	**11.0**	**113**	**3**	**5**	**8**	**13**	**22**	**33**	**60**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	31	4.2	9	1	2	4	6	9	10	13
70-74	40	3.4	7	1	2	3	4	6	8	15
75-79	20	3.9	4	2	2	3	5	7	8	8
80-84	17	3.5	5	1	1	4	5	6	7	7
85 +	8	3.3	7	< 1	1	2	5	8	8	8
B. Operated										
65-69 YRS	63	4.8	23	1	1	3	7	10	14	24
70-74	58	4.3	39	1	2	3	5	9	10	44
75-79	50	4.0	9	1	2	3	6	8	9	14
80-84	23	5.7	25	< 1	1	5	9	13	16	17
85 +	6	3.3	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	593	5.8	27	1	2	5	8	11	14	23
70-74	517	5.6	22	1	3	4	7	11	14	25
75-79	452	6.3	26	1	3	5	8	12	15	21
80-84	330	6.0	26	2	3	5	7	12	14	25
85 +	254	7.1	43	2	3	5	9	15	20	31
B. Operated										
65-69 YRS	1436	7.2	88	1	2	4	9	17	24	51
70-74	1262	7.8	105	1	2	4	10	18	25	64
75-79	947	7.1	80	1	2	4	9	17	24	50
80-84	585	8.1	115	1	2	4	10	19	26	62
85 +	391	8.5	106	1	2	5	11	20	27	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	3.7	7	1	2	3	5	7	8	14
B. Operated	200	4.5	24	1	1	3	6	9	12	22
2. MULTIPLE DX										
A. Not Operated	2146	6.0	28	1	3	5	8	11	15	25
B. Operated	4621	7.6	96	1	2	4	9	18	25	54
1. SINGLE DX	316	4.2	18	1	2	3	6	8	10	18
2. MULTIPLE DX	6767	7.1	75	1	2	4	9	15	22	48
A. Not Operated	2262	5.9	27	1	3	5	8	11	15	25
B. Operated	4821	7.4	93	1	2	4	9	17	25	53
TOTAL										
65-69 YRS	2123	6.7	69	1	2	4	8	15	21	47
70-74	1877	7.0	79	1	2	4	8	16	22	44
75-79	1469	6.7	60	1	2	4	8	15	21	43
80-84	955	7.3	81	1	2	5	9	15	21	52
85 +	659	7.9	80	1	2	5	10	18	24	53
GRAND TOTAL	**7083**	**6.9**	**73**	**1**	**2**	**4**	**9**	**15**	**21**	**47**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	2.6	5	< 1	1	1	4	6	6	6
70-74	3	7.7	52	3	3	4	13	16	16	16
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	1	11.0		11	11	11	11	11	11	11
85 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	2	10.5	1	10	10	10	11	11	11	11
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	49	5.8	30	1	2	4	8	14	18	24
70-74	52	3.9	7	1	2	4	5	8	9	10
75-79	42	3.9	10	1	2	3	6	8	9	16
80-84	33	4.7	13	1	2	3	7	10	12	14
85 +	21	5.9	112	1	2	3	5	11	30	50
B. Operated										
65-69 YRS	23	11.2	116	2	4	7	13	34	36	37
70-74	23	8.4	57	2	3	6	12	16	25	33
75-79	16	9.9	81	1	4	7	14	24	30	33
80-84	9	11.1	100	2	3	6	17	27	28	28
85 +	2	12.5	113	5	5	12	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.2	24	< 1	1	3	8	13	16	16
B. Operated	2	10.5	1	10	10	10	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	197	4.7	25	1	2	3	6	10	13	22
B. Operated	73	10.1	84	2	3	7	13	24	33	37
1. SINGLE DX	14	5.9	24	1	1	4	11	12	15	16
2. MULTIPLE DX	270	6.2	47	1	2	4	8	13	19	36
A. Not Operated	209	4.7	25	1	2	3	6	10	14	21
B. Operated	75	10.1	82	2	3	7	13	24	33	37
TOTAL										
65-69 YRS	77	7.2	60	1	2	5	9	17	22	37
70-74	78	5.3	27	1	2	4	7	12	14	30
75-79	62	5.6	35	1	2	4	8	12	18	32
80-84	43	6.2	36	2	2	4	8	13	18	28
85 +	24	6.6	106	1	2	3	5	15	29	50
GRAND TOTAL	**284**	**6.2**	**45**	**1**	**2**	**4**	**8**	**13**	**19**	**35**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	2	4.5	5	3	3	4	6	6	6	6
1. SINGLE DX	0									
2. MULTIPLE DX	3	3.3	6	1	1	3	5	6	6	6
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	2	4.5	5	3	3	4	6	6	6	6
TOTAL										
65-69 YRS	0									
70-74	2	3.5	13	1	1	3	6	6	6	6
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**3**	**3.3**	**6**	**1**	**1**	**3**	**5**	**6**	**6**	**6**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	3.5	10	1	1	2	5	8	8	8
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	68	1.9	2	< 1	1	1	3	4	4	6
70-74	35	2.3	8	< 1	1	1	2	5	7	16
75-79	29	1.7	1	1	1	1	2	4	4	5
80-84	16	2.3	3	1	1	2	3	5	6	6
85 +	10	1.8	1	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	3	3.0	12	< 1	< 1	1	5	7	7	7
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	2	4.0	18	< 1	< 1	3	7	7	7	7
85 +	2	10.0	50	5	5	10	15	15	15	15
B. Operated										
65-69 YRS	46	3.3	11	1	1	2	4	9	10	15
70-74	48	6.5	115	1	2	3	6	12	39	53
75-79	31	3.7	6	1	1	4	6	7	8	9
80-84	23	6.1	132	1	1	3	5	11	27	57
85 +	19	5.1	13	1	3	4	8	10	12	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.0	9	< 1	1	2	4	8	8	8
B. Operated	158	2.0	3	< 1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	9	4.7	21	< 1	1	3	7	12	15	15
B. Operated	167	4.9	57	1	1	3	5	10	12	52
1. SINGLE DX	163	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	176	4.9	55	1	1	3	5	10	12	51
A. Not Operated	14	4.1	16	< 1	1	2	7	9	14	15
B. Operated	325	3.5	33	1	1	2	4	6	10	40
TOTAL										
65-69 YRS	118	2.5	6	< 1	1	2	3	5	8	12
70-74	87	4.6	71	< 1	1	2	4	8	14	50
75-79	62	2.7	4	1	1	2	4	6	7	9
80-84	41	4.5	78	1	1	2	5	8	11	57
85 +	31	4.3	14	< 1	1	3	6	10	13	15
GRAND TOTAL	**339**	**3.5**	**32**	**1**	**1**	**2**	**4**	**7**	**10**	**39**

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	3.3	1	2	2	3	4	4	4	4
70-74	3	2.3		2	2	2	3	3	3	3
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	72	3.9	16	1	2	3	5	8	10	25
70-74	50	4.0	10	1	2	3	6	8	9	15
75-79	44	5.0	19	<1	1	3	7	11	15	16
80-84	9	3.2	4	<1	2	3	4	6	7	7
85 +	5	8.2	30	2	3	9	11	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	10	2.7	1	1	2	3	4	4	4	4
B. Operated	180	4.3	15	1	2	3	6	9	12	16
1. SINGLE DX	0									
2. MULTIPLE DX	190	4.2	15	1	2	3	6	9	12	16
A. Not Operated	10	2.7	1	1	2	3	4	4	4	4
B. Operated	180	4.3	15	1	2	3	6	9	12	16
TOTAL										
65-69 YRS	76	3.9	16	1	2	3	4	8	10	24
70-74	53	3.9	9	1	2	3	6	8	9	15
75-79	46	4.9	18	<1	2	3	7	10	15	16
80-84	10	3.0	4	<1	1	3	4	6	7	7
85 +	5	8.2	30	2	3	9	11	16	16	16
GRAND TOTAL	**190**	**4.2**	**15**	**1**	**2**	**3**	**6**	**9**	**12**	**16**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	98	2.1	2	1	1	1	3	4	5	6
70-74	84	2.2	4	1	1	1	3	5	6	8
75-79	36	1.9	2	1	1	1	3	4	5	5
80-84	19	3.3	11	1	1	3	4	5	11	16
85 +	0									
B. Operated										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8458	3.0	6	1	1	2	4	5	6	11
70-74	6301	3.0	5	1	1	2	4	5	6	11
75-79	3550	3.1	5	1	2	3	4	5	6	10
80-84	1187	3.2	9	1	1	3	4	6	7	15
85 +	305	3.9	21	1	2	3	5	6	9	28
B. Operated										
65-69 YRS	823	5.9	43	2	2	4	6	11	16	36
70-74	564	6.2	63	2	2	4	6	12	18	49
75-79	321	5.9	34	2	3	5	6	10	17	35
80-84	108	6.8	137	1	2	4	6	11	24	70
85 +	28	7.0	52	3	5	5	6	12	31	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	237	2.2	3	1	1	1	3	5	6	8
B. Operated	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	19601	3.1	6	1	1	2	4	5	6	11
B. Operated	1844	6.1	53	2	2	4	6	11	18	38
1. SINGLE DX	240	2.2	3	1	1	1	3	5	6	8
2. MULTIPLE DX	21445	3.3	11	1	2	3	4	6	7	16
A. Not Operated	19838	3.0	6	1	1	2	4	5	6	11
B. Operated	1847	6.1	53	2	2	4	6	11	18	38
TOTAL										
65-69 YRS	9381	3.3	10	1	2	3	4	6	7	15
70-74	6950	3.2	10	1	1	2	4	6	7	16
75-79	3707	3.3	8	1	2	3	4	6	7	14
80-84	1314	3.5	20	1	1	3	4	6	7	22
85 +	333	4.2	24	1	2	3	5	6	9	29
GRAND TOTAL	**21685**	**3.3**	**11**	**1**	**2**	**3**	**4**	**6**	**7**	**16**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V53.9; V54.8-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	97	2.2	8	<1	1	1	2	5	8	16
70-74	81	2.2	10	<1	1	1	2	4	8	19
75-79	66	3.0	18	<1	1	1	3	9	14	87
80-84	49	5.9	103	<1	1	2	5	18	23	59
85+	62	6.7	128	<1	1	2	6	23	36	50
B. Operated										
65-69 YRS	127	4.9	13	<1	1	5	7	9	11	14
70-74	84	4.4	14	<1	1	3	8	10	11	13
75-79	69	5.0	23	<1	1	3	8	11	12	23
80-84	30	4.2	14	<1	<1	2	7	10	10	11
85+	16	4.4	17	<1	1	2	8	10	13	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2476	15.7	206	2	4	12	23	37	45	73
70-74	2803	16.6	196	2	6	14	23	36	44	69
75-79	2747	17.2	186	3	7	14	24	35	44	68
80-84	2255	16.7	156	3	8	15	23	32	40	72
85+	1825	16.5	138	3	8	15	22	32	39	93
B. Operated										
65-69 YRS	1458	8.7	135	1	2	5	10	22	38	77
70-74	1328	9.7	143	1	2	6	11	26	35	69
75-79	1015	11.9	178	1	2	8	16	31	40	77
80-84	625	13.0	224	1	2	8	18	35	48	99+
85+	408	11.0	142	1	2	8	15	28	35	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	355	3.7	47	<1	1	1	3	10	19	47
B. Operated	326	4.7	15	<1	1	4	8	10	11	15
2. MULTIPLE DX										
A. Not Operated	12106	16.5	180	2	6	14	23	35	43	71
B. Operated	4834	10.4	160	1	2	7	13	28	39	75
1. SINGLE DX	681	4.2	32	<1	1	2	6	10	12	28
2. MULTIPLE DX	16940	14.8	182	1	4	11	21	34	42	73
A. Not Operated	12461	16.2	181	2	6	14	23	35	43	70
B. Operated	5160	10.0	153	1	2	6	12	28	38	74
TOTAL										
65-69 YRS	4158	12.6	186	1	2	8	18	33	43	73
70-74	4296	14.0	187	1	3	10	21	33	42	68
75-79	3897	15.3	188	2	5	12	22	34	43	69
80-84	2959	15.7	173	2	6	13	22	32	41	75
85+	2311	15.2	145	2	6	14	21	31	38	72
GRAND TOTAL	**17621**	**14.4**	**180**	**1**	**4**	**11**	**21**	**33**	**42**	**72**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	23891	4.4	16	1	2	3	6	9	11	18
70-74	18826	4.7	19	1	2	4	7	10	12	20
75-79	13390	5.1	23	1	2	4	7	10	13	23
80-84	7860	5.5	28	1	2	4	8	12	15	25
85 +	5342	6.1	35	1	2	4	8	13	16	28
2. MULTIPLE DX										
65-69 YRS	199912	8.4	74	2	3	6	10	17	24	49
70-74	197407	8.9	82	2	4	7	11	18	25	51
75-79	176186	9.6	89	2	4	7	12	19	27	55
80-84	129015	10.2	97	2	4	8	13	20	28	61
85 +	109698	11.0	109	3	5	8	14	22	31	68
TOTAL SINGLE DX	69309	4.9	21	1	2	4	7	10	13	21
TOTAL MULTIPLE DX	812218	9.4	88	2	4	7	12	19	27	55
TOTAL										
65-69 YRS	223803	8.0	70	2	3	6	10	16	22	46
70-74	216233	8.6	78	2	3	6	11	17	24	50
75-79	189576	9.2	85	2	4	7	11	19	26	54
80-84	136875	9.9	95	2	4	7	12	20	28	59
85 +	115040	10.8	107	3	5	8	13	22	30	67
GRAND TOTAL	881527	9.1	85	2	4	7	11	18	26	53

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	122	9.0	65	2	5	8	11	16	22	79
70-74	73	9.0	73	2	5	8	10	16	18	59
75-79	84	9.8	54	4	5	8	11	19	24	42
80-84	48	8.9	23	3	6	8	10	15	21	24
85 +	27	14.0	213	5	6	8	15	33	54	61
2. MULTIPLE DX										
65-69 YRS	679	16.6	199	6	8	13	20	35	52	99 +
70-74	607	18.1	221	6	8	14	24	39	54	99 +
75-79	507	19.2	210	6	9	15	24	41	50	82
80-84	277	18.2	228	6	8	14	22	39	51	87
85 +	217	19.5	197	7	9	15	23	40	49	66
TOTAL SINGLE DX	354	9.5	71	3	5	8	11	17	23	61
TOTAL MULTIPLE DX	2287	18.0	212	6	8	14	23	39	52	99 +
TOTAL										
65-69 YRS	801	15.4	187	5	8	12	19	32	50	99 +
70-74	680	17.1	213	5	7	13	22	38	52	99 +
75-79	591	17.8	199	5	8	14	23	38	47	75
80-84	325	16.8	209	6	8	12	21	36	49	86
85 +	244	18.9	201	6	9	14	23	40	50	64
GRAND TOTAL	2641	16.9	201	5	8	13	21	36	50	94

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	5.6	3	3	4	5	7	8	8	8
70-74	7	8.6	10	4	6	9	11	12	12	12
75-79	10	7.1	11	2	5	7	9	12	13	13
80-84	3	6.3	4	4	5	7	8	8	8	8
85 +	6	12.8	31	5	10	12	15	21	22	22
2. MULTIPLE DX										
65-69 YRS	105	18.5	214	4	8	15	25	42	59	99 +
70-74	107	22.3	344	6	9	17	31	55	80	99 +
75-79	83	20.5	243	6	10	16	28	39	57	99 +
80-84	67	18.6	192	6	9	14	25	40	69	99 +
85 +	36	19.7	478	5	8	12	19	35	83	94
TOTAL SINGLE DX	35	7.9	17	3	5	7	10	13	15	22
TOTAL MULTIPLE DX	398	20.1	275	5	9	15	27	46	69	99 +
TOTAL										
65-69 YRS	114	17.5	210	4	7	14	25	41	56	99 +
70-74	114	21.4	334	5	9	15	30	51	76	99 +
75-79	93	19.0	235	5	8	15	27	39	55	99 +
80-84	70	18.1	190	6	9	14	25	40	67	99 +
85 +	42	18.7	418	5	9	12	18	33	83	94
GRAND TOTAL	433	19.1	265	5	8	14	26	44	66	99 +

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	10	5.2	9	2	3	4	6	10	11	11
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	4	3.5	1	2	2	3	4	5	5	5
80-84	0									
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	20	10.7	137	3	4	7	14	19	38	55
70-74	16	19.3	282	3	5	12	31	43	51	54
75-79	9	11.0	125	2	4	8	15	29	38	38
80-84	7	19.3	324	5	8	12	31	49	52	52
85 +	4	31.5	1763	6	7	13	56	94	94	94
TOTAL SINGLE DX	17	4.5	7	2	3	4	5	9	11	11
TOTAL MULTIPLE DX	56	15.7	311	3	5	9	17	39	53	92
TOTAL										
65-69 YRS	30	8.8	100	2	4	6	10	16	21	55
70-74	18	17.5	275	2	4	9	29	42	50	54
75-79	13	8.7	97	2	3	5	10	20	35	38
80-84	7	19.3	325	5	8	12	31	49	52	52
85 +	5	26.0	1474	4	5	8	37	94	94	94
GRAND TOTAL	73	13.1	261	2	4	7	15	37	51	85

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	21	6.2	18	2	4	5	7	13	17	19
70-74	17	6.1	12	2	4	6	7	11	14	15
75-79	23	7.7	24	3	4	6	9	14	18	23
80-84	8	6.6	4	4	5	7	8	9	10	10
85 +	5	11.0	17	6	7	11	14	16	16	16
2. MULTIPLE DX										
65-69 YRS	133	16.7	282	4	6	12	21	47	74	99 +
70-74	137	18.6	236	5	7	13	25	44	57	99 +
75-79	139	18.6	290	5	6	14	25	41	55	84
80-84	91	17.9	166	5	8	14	26	35	49	81
85 +	29	19.9	216	6	10	16	26	30	50	77
TOTAL SINGLE DX	74	7.0	18	3	4	6	8	13	15	22
TOTAL MULTIPLE DX	529	18.1	249	5	7	13	25	42	56	99 +
TOTAL										
65-69 YRS	154	15.3	259	4	6	9	18	44	70	99 +
70-74	154	17.2	227	4	7	11	24	43	52	98
75-79	162	17.1	267	4	6	11	23	38	50	82
80-84	99	16.9	163	4	7	13	25	34	47	78
85 +	34	18.6	196	6	9	15	26	29	45	77
GRAND TOTAL	603	16.7	233	4	6	12	23	39	54	99 +

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	6.6	8	2	5	7	8	10	11	11
70-74	6	6.7	27	1	2	5	13	13	13	13
75-79	4	3.8	7	1	1	4	6	6	6	6
80-84	7	4.9	7	2	2	4	8	8	8	8
85 +	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	55	14.1	178	3	6	12	15	31	51	62
70-74	61	11.0	84	4	6	9	15	25	44	99 +
75-79	59	13.9	251	4	6	9	16	25	35	90
80-84	29	11.7	71	3	5	10	16	18	28	43
85 +	16	19.6	131	8	11	14	28	39	40	41
TOTAL SINGLE DX	26	5.7	12	2	2	6	8	11	13	13
TOTAL MULTIPLE DX	220	13.3	157	4	6	10	16	27	41	93
TOTAL										
65-69 YRS	62	13.3	165	3	6	10	15	25	47	62
70-74	67	10.6	80	3	5	8	14	23	41	99 +
75-79	63	13.3	242	4	6	9	14	24	34	89
80-84	36	10.4	66	3	4	8	15	17	24	43
85 +	18	18.2	135	7	11	13	23	38	40	41
GRAND TOTAL	245	12.5	147	3	6	9	15	25	39	90

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	292	5.6	9	2	3	5	7	9	12	16
70-74	232	6.1	12	3	4	5	7	9	11	25
75-79	153	6.8	13	3	4	6	8	11	12	19
80-84	48	6.8	13	4	4	5	8	13	15	18
85 +	22	9.2	29	5	6	7	10	17	21	26
2. MULTIPLE DX										
65-69 YRS	1208	9.0	55	4	5	7	10	16	22	44
70-74	1135	9.7	53	4	6	8	11	17	24	37
75-79	915	10.8	83	4	6	8	12	19	28	51
80-84	422	12.3	119	5	7	9	14	23	32	61
85 +	138	13.8	83	5	8	11	17	25	36	46
TOTAL SINGLE DX	747	6.2	13	3	4	5	7	10	12	19
TOTAL MULTIPLE DX	3818	10.2	71	4	6	8	11	18	26	47
TOTAL										
65-69 YRS	1500	8.3	48	3	5	7	9	15	21	39
70-74	1367	9.1	48	4	5	7	10	16	23	35
75-79	1068	10.3	75	4	6	8	12	18	26	49
80-84	470	11.7	111	4	6	9	13	22	31	60
85 +	160	13.2	78	5	7	10	16	24	32	45
GRAND TOTAL	4565	9.5	64	4	5	7	11	17	24	45

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	33	5.5	9	1	4	5	7	9	12	13
70-74	10	9.1	77	2	4	6	9	24	29	29
75-79	24	7.8	34	3	3	6	12	17	20	20
80-84	6	6.5	83	1	1	2	9	22	24	24
85 +	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	155	12.9	109	3	6	10	17	25	33	57
70-74	137	15.4	191	3	7	12	19	33	45	73
75-79	109	14.1	214	3	7	12	16	27	45	96
80-84	50	18.6	284	2	6	13	24	47	50	65
85 +	25	20.4	235	5	10	16	26	47	51	62
TOTAL SINGLE DX	75	6.9	32	1	3	5	8	15	20	28
TOTAL MULTIPLE DX	476	14.9	185	3	7	12	19	31	44	72
TOTAL										
65-69 YRS	188	11.6	100	2	5	8	15	24	30	52
70-74	147	15.0	186	3	6	12	19	32	43	73
75-79	133	12.9	187	3	6	10	15	25	32	94
80-84	56	17.3	276	1	4	12	23	46	49	65
85 +	27	19.4	230	5	9	14	25	45	49	62
GRAND TOTAL	551	13.8	172	3	6	10	17	29	40	70

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	38	2.9	7	<1	1	2	4	7	9	13
70-74	28	2.7	6	<1	1	1	4	7	8	10
75-79	10	1.9		<1	1	2	2	3	3	3
80-84	12	3.1	7	1	1	2	4	8	9	9
85 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	93	7.9	118	1	2	5	9	17	28	62
70-74	78	8.0	61	1	2	5	10	21	26	33
75-79	48	6.8	63	1	1	4	10	14	21	45
80-84	42	8.2	183	1	2	5	10	15	20	87
85 +	10	7.8	45	1	2	5	13	17	18	18
TOTAL SINGLE DX	91	2.7	6	<1	1	2	3	7	8	12
TOTAL MULTIPLE DX	271	7.7	98	1	2	5	10	17	24	43
TOTAL										
65-69 YRS	131	6.4	91	1	1	3	8	14	24	44
70-74	106	6.6	52	1	1	4	9	17	22	32
75-79	58	5.9	56	1	1	3	8	14	19	43
80-84	54	7.1	148	1	2	3	9	12	16	84
85 +	13	6.2	43	1	1	4	13	17	18	18
GRAND TOTAL	362	6.5	80	1	1	3	8	14	21	35

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	72	1.7	2	<1	<1	1	1	4	6	9
70-74	62	1.6	1	<1	<1	<1	2	3	5	7
75-79	46	1.4	1	<1	<1	<1	1	2	3	8
80-84	18	1.3		<1	<1	<1	1	2	3	3
85 +	15	1.0		<1	<1	<1	<1	1	1	1
2. MULTIPLE DX										
65-69 YRS	170	3.4	16	<1	1	2	4	8	14	18
70-74	144	5.1	70	1	1	2	5	12	18	44
75-79	87	3.9	21	<1	1	2	5	9	14	21
80-84	68	4.9	75	1	1	2	4	11	17	53
85 +	45	4.4	54	<1	1	2	6	9	10	49
TOTAL SINGLE DX	213	1.5	2	<1	<1	<1	1	2	5	8
TOTAL MULTIPLE DX	514	4.2	44	<1	1	2	5	10	15	40
TOTAL										
65-69 YRS	242	2.9	13	<1	1	1	3	7	11	18
70-74	206	4.0	52	<1	1	2	4	9	14	41
75-79	133	3.1	16	<1	<1	1	3	7	14	20
80-84	86	4.1	62	<1	1	2	3	9	14	50
85 +	60	3.5	43	<1	<1	1	3	8	9	45
GRAND TOTAL	727	3.4	33	<1	1	1	3	8	13	25

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	6.3	24	3	3	4	10	12	12	12
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79	2	5.5	41	1	1	5	10	10	10	10
80-84	1	15.0		15	15	15	15	15	15	15
85 +	0									
2. MULTIPLE DX										
65-69 YRS	27	9.6	54	3	4	7	12	22	24	32
70-74	32	9.5	51	3	4	7	12	20	27	31
75-79	32	12.8	88	3	7	11	19	30	39	99 +
80-84	21	12.1	63	4	7	9	17	24	28	32
85 +	5	10.8	28	5	6	11	15	17	17	17
TOTAL SINGLE DX	8	6.8	25	2	3	5	11	14	15	15
TOTAL MULTIPLE DX	117	11.0	64	3	5	8	14	24	30	59
TOTAL										
65-69 YRS	30	9.3	51	3	4	7	12	22	22	32
70-74	34	9.2	50	3	4	7	12	19	26	31
75-79	34	12.4	87	2	7	10	18	30	38	99 +
80-84	22	12.3	61	5	7	9	16	23	27	32
85 +	5	10.8	28	5	6	11	15	17	17	17
GRAND TOTAL	125	10.7	62	3	5	8	14	23	30	54

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	2.0		1	1	2	2	3	3	3
70-74	2	3.0	8	<1	<1	2	5	5	5	5
75-79	2	4.5	13	2	2	4	7	7	7	7
80-84	2	6.0	32	2	2	6	10	10	10	10
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	36	7.0	37	1	2	5	11	15	22	24
70-74	32	11.3	109	2	4	9	17	22	24	55
75-79	31	12.3	106	3	6	8	21	28	33	37
80-84	15	13.4	280	2	4	7	17	27	58	68
85 +	11	7.8	56	2	4	5	8	20	27	28
TOTAL SINGLE DX	12	3.3	7	1	2	2	4	8	10	10
TOTAL MULTIPLE DX	125	10.2	106	2	4	7	13	23	28	58
TOTAL										
65-69 YRS	41	6.4	36	1	2	4	10	14	21	24
70-74	34	10.9	107	2	4	8	17	21	24	55
75-79	33	11.8	104	2	5	7	20	28	32	37
80-84	17	12.5	253	2	4	7	13	25	54	68
85 +	12	7.3	54	2	3	5	8	18	27	28
GRAND TOTAL	137	9.6	101	2	3	6	12	23	28	57

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	217	2.4	1	1	2	2	3	4	4	7
70-74	122	2.8	5	1	2	2	3	4	5	14
75-79	71	2.8	2	1	2	2	3	5	5	9
80-84	32	2.8	2	1	2	3	4	5	6	6
85 +	11	3.7	14	1	2	2	3	11	13	13
2. MULTIPLE DX										
65-69 YRS	389	4.1	27	2	2	3	4	6	11	25
70-74	296	4.9	33	2	2	3	5	9	15	51
75-79	206	5.0	28	2	2	3	5	9	15	33
80-84	85	6.5	34	2	3	5	7	12	17	35
85 +	36	6.9	55	2	3	4	8	18	23	35
TOTAL SINGLE DX	453	2.7	3	1	2	2	3	4	5	9
TOTAL MULTIPLE DX	1012	4.8	32	2	2	3	5	9	15	33
TOTAL										
65-69 YRS	606	3.5	19	1	2	3	4	6	8	22
70-74	418	4.3	26	2	2	3	4	8	11	33
75-79	277	4.4	22	2	2	3	4	8	13	31
80-84	117	5.5	28	2	3	4	6	11	15	29
85 +	47	6.1	47	1	2	3	7	16	23	35
GRAND TOTAL	1465	4.1	24	2	2	3	4	7	11	28

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	2.8	2	1	2	2	4	5	6	7
70-74	16	2.6	2	1	2	2	3	4	7	8
75-79	10	4.2	18	1	2	2	5	11	15	15
80-84	9	2.7	1	1	2	2	3	5	5	5
85 +	5	5.2	16	1	2	3	9	10	10	10
2. MULTIPLE DX										
65-69 YRS	215	5.3	39	2	2	3	5	11	17	37
70-74	159	5.7	43	2	2	3	6	13	19	41
75-79	122	7.0	109	2	3	4	7	15	24	88
80-84	62	8.2	58	3	4	5	10	20	29	92
85 +	18	15.6	352	3	4	8	19	41	64	75
TOTAL SINGLE DX	68	3.1	6	1	2	2	4	6	8	14
TOTAL MULTIPLE DX	576	6.4	70	2	2	4	6	14	21	47
TOTAL										
65-69 YRS	243	5.0	36	2	2	3	5	10	15	36
70-74	175	5.4	41	2	2	3	6	12	17	40
75-79	132	6.8	103	2	2	4	7	15	22	86
80-84	71	7.5	54	2	3	5	9	19	28	87
85 +	23	13.3	295	3	3	7	15	30	57	75
GRAND TOTAL	644	6.1	64	2	2	3	6	13	20	44

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	6.8	15	3	4	7	8	12	15	18
70-74	11	6.8	23	4	5	5	7	13	20	21
75-79	8	9.1	20	4	6	8	12	16	16	16
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
2. MULTIPLE DX										
65-69 YRS	82	12.6	140	5	6	8	15	27	45	88
70-74	80	11.8	61	5	6	9	16	22	29	38
75-79	35	12.9	202	4	5	8	15	28	68	99 +
80-84	14	13.1	56	6	7	11	21	23	28	29
85 +	3	11.7	97	5	5	7	19	23	23	23
TOTAL SINGLE DX	48	7.2	17	3	5	6	8	14	16	21
TOTAL MULTIPLE DX	214	12.4	113	5	6	8	15	25	37	85
TOTAL										
65-69 YRS	110	11.2	114	4	6	8	12	25	40	77
70-74	91	11.2	60	5	6	8	15	21	27	38
75-79	43	12.2	170	4	5	8	15	25	56	99 +
80-84	15	12.5	57	5	6	10	19	22	27	29
85 +	3	11.7	97	5	5	7	19	23	23	23
GRAND TOTAL	262	11.4	100	4	6	8	14	23	33	75

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	1.4	1	<1	<1	<1	1	4	5	5
70-74	15	1.5	1	<1	<1	1	2	3	4	4
75-79	9	1.3		<1	<1	1	2	3	3	3
80-84	3	1.0		<1	<1	<1	<1	<1	<1	<1
85+	5	2.0	2	<1	1	1	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	24	3.7	22	1	1	2	4	9	16	21
70-74	22	6.0	75	<1	1	3	8	15	25	40
75-79	14	10.1	249	1	1	3	8	45	45	45
80-84	16	4.8	34	1	1	2	7	9	19	24
85+	22	9.2	328	1	2	5	9	14	46	88
TOTAL SINGLE DX	41	1.5	1	<1	<1	1	1	3	4	5
TOTAL MULTIPLE DX	98	6.5	138	1	1	3	8	15	23	67
TOTAL										
65-69 YRS	33	3.1	18	<1	1	1	4	7	13	21
70-74	37	4.2	49	<1	1	1	5	8	15	40
75-79	23	8.7	167	<1	1	1	3	27	45	45
80-84	19	4.2	31	<1	1	2	6	9	17	24
85+	27	7.9	274	1	1	3	8	12	28	88
GRAND TOTAL	139	5.1	103	<1	1	2	5	9	20	50

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	15	1.6	2	<1	<1	1	2	2	6	7
70-74	20	1.6	3	<1	<1	1	1	3	6	9
75-79	15	1.3		<1	<1	<1	1	2	3	3
80-84	13	1.6	3	<1	<1	<1	1	4	6	7
85+	15	1.2		<1	<1	1	1	1	3	4
2. MULTIPLE DX										
65-69 YRS	133	4.9	68	1	1	2	5	10	19	53
70-74	104	6.9	78	1	1	4	8	21	27	71
75-79	139	8.4	169	1	1	4	9	23	41	99+
80-84	87	8.3	162	1	2	5	10	18	44	99+
85+	83	7.4	52	1	3	5	9	20	22	81
TOTAL SINGLE DX	78	1.5	2	<1	<1	<1	1	2	4	9
TOTAL MULTIPLE DX	546	7.1	110	1	1	4	8	17	27	99+
TCTAL										
65-69 YRS	148	4.5	63	<1	1	2	5	9	18	51
70-74	124	6.0	70	<1	1	2	7	17	23	60
75-79	154	7.7	158	<1	1	4	8	19	37	99
80-84	100	7.4	147	<1	1	4	9	17	33	99+
85+	98	6.5	50	<1	1	5	8	16	21	73
GRAND TOTAL	624	6.4	100	<1	1	3	8	16	25	99

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	17	1.2		<1	1	1	1	2	2	2
70-74	11	1.0		<1	1	1	1	1	1	1
75-79	9	1.1		<1	1	1	1	2	2	2
80-84	4	1.0		<1	<1	1	1	1	1	1
85+	4	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	43	1.3		<1	1	1	1	2	4	5
70-74	28	2.5	5	<1	1	1	3	6	8	11
75-79	44	3.0	52	<1	1	1	2	4	13	41
80-84	38	1.9	7	<1	1	1	2	4	13	99+
85+	25	2.7	45	<1	1	1	2	2	11	35
TOTAL SINGLE DX	45	1.1		<1	1	1	1	1	2	2
TOTAL MULTIPLE DX	178	2.3	22	<1	1	1	2	3	6	39
TOTAL										
65-69 YRS	60	1.3	1	<1	1	1	1	2	3	5
70-74	39	2.1	5	<1	1	1	2	5	7	11
75-79	53	2.7	44	<1	1	1	2	3	6	41
80-84	42	1.8	7	<1	1	1	2	3	11	99+
85+	29	2.5	39	<1	1	1	2	2	5	35
GRAND TOTAL	223	2.0	18	<1	1	1	2	3	5	37

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	3.7	10	1	2	2	6	9	9	9
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	8	3.0	2	1	2	3	4	5	5	5
70-74	3	3.3	10	1	1	2	6	7	7	7
75-79	2	11.5	1	11	11	11	12	12	12	12
80-84	3	7.7	2	6	6	8	9	9	9	9
85+	6	9.0	39	<1	4	8	14	18	18	18
TOTAL SINGLE DX	8	3.0	9	1	1	2	4	8	9	9
TOTAL MULTIPLE DX	22	6.1	22	1	2	5	9	13	16	18
TOTAL										
65-69 YRS	14	3.3	5	1	2	2	4	6	8	9
70-74	4	2.8	8	1	1	2	4	7	7	7
75-79	3	8.0	37	1	3	11	12	12	12	12
80-84	3	7.7	2	6	6	8	9	9	9	9
85+	6	9.0	39	<1	4	8	14	18	18	18
GRAND TOTAL	30	5.3	20	1	2	4	8	11	14	18

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	1.6		1	1	2	2	3	3	3
70-74	46	1.7		1	1	2	2	3	3	5
75-79	52	2.0		1	1	2	2	3	4	6
80-84	49	2.5	2	1	2	2	3	4	4	11
85 +	29	2.1	1	1	1	2	3	3	5	5
2. MULTIPLE DX										
65-69 YRS	229	2.4	3	1	1	2	3	4	4	13
70-74	309	2.4	3	1	2	2	3	4	4	9
75-79	293	2.5	3	1	2	2	3	4	5	10
80-84	263	2.9	28	1	2	2	3	4	5	14
85 +	181	2.9	7	1	2	2	3	5	7	16
TOTAL SINGLE DX	204	2.0	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	1275	2.6	9	1	2	2	3	4	5	11
TOTAL										
65-69 YRS	257	2.3	4	1	1	2	3	3	4	13
70-74	355	2.3	3	1	1	2	3	4	4	9
75-79	345	2.5	3	1	2	2	3	4	5	9
80-84	312	2.8	25	1	2	2	3	4	5	13
85 +	210	2.8	7	1	2	2	3	5	6	14
GRAND TOTAL	1479	2.5	8	1	2	2	3	4	5	11

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	2.0	2	<1	<1	1	3	5	5	5
70-74	10	1.3		<1	<1	1	1	2	3	3
75-79	6	2.0	1	<1	<1	1	3	4	4	4
80-84	4	3.0	16	<1	<1	1	5	9	9	9
85 +	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	28	3.8	10	1	1	3	5	10	12	12
70-74	36	7.2	49	1	3	5	9	17	26	30
75-79	29	4.8	25	1	1	4	5	12	15	24
80-84	37	5.1	44	1	2	4	6	7	17	38
85 +	29	4.2	8	1	2	4	6	8	9	13
TOTAL SINGLE DX	29	2.2	4	<1	<1	1	3	5	8	9
TOTAL MULTIPLE DX	159	5.1	30	1	2	4	6	10	15	30
TOTAL										
65-69 YRS	35	3.4	9	<1	1	2	5	6	12	12
70-74	46	5.9	45	<1	1	4	7	14	25	30
75-79	35	4.3	23	1	1	3	5	8	15	24
80-84	41	4.9	41	<1	1	4	6	8	16	38
85 +	31	4.4	6	1	2	4	6	8	9	13
GRAND TOTAL	188	4.7	28	1	1	4	6	9	14	28

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	78	2.3	2	1	1	2	3	4	6	10
70-74	75	1.8	1	<1	1	1	2	3	4	9
75-79	62	2.3	10	<1	1	1	3	5	6	23
80-84	36	2.7	5	<1	1	2	4	5	6	13
85 +	15	2.1	1	1	1	2	3	5	5	5
2. MULTIPLE DX										
65-69 YRS	205	3.6	10	1	1	3	5	8	9	17
70-74	231	3.5	10	1	1	2	4	8	10	15
75-79	209	3.5	17	1	2	2	4	7	10	16
80-84	152	2.9	6	1	1	2	4	5	7	16
85 +	104	4.0	21	1	1	2	4	10	15	25
TOTAL SINGLE DX	266	2.2	5	<1	1	2	3	4	5	10
TOTAL MULTIPLE DX	901	3.5	13	1	1	2	4	7	10	17
TOTAL										
65-69 YRS	283	3.2	9	1	1	2	4	7	9	15
70-74	306	3.1	9	1	1	2	4	7	10	15
75-79	271	3.2	16	1	1	2	4	6	9	17
80-84	188	2.9	6	1	1	2	4	5	7	15
85 +	119	3.7	20	1	1	2	4	8	14	25
GRAND TOTAL	1167	3.2	11	1	1	2	4	6	9	17

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	10	1.6		<1	1	1	2	3	3	3
70-74	10	1.4		<1	1	1	2	3	3	3
75-79	5	2.4	7	1	1	1	3	7	7	7
80-84	9	2.6	1	<1	1	2	3	5	5	5
85 +	6	2.2	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	61	3.8	10	1	2	3	5	9	11	14
70-74	78	3.3	8	1	1	2	4	8	9	14
75-79	61	4.3	14	1	1	3	7	9	11	17
80-84	38	5.2	28	1	2	3	7	15	63	99 +
85 +	39	6.4	44	1	1	4	9	20	24	99 +
TOTAL SINGLE DX	40	2.0	2	<1	1	2	2	4	5	7
TOTAL MULTIPLE DX	277	4.3	19	1	1	3	6	10	13	78
TOTAL										
65-69 YRS	71	3.5	9	1	1	2	4	8	11	14
70-74	88	3.1	8	1	1	2	4	7	9	14
75-79	66	4.2	14	1	1	3	7	9	11	17
80-84	47	4.7	25	1	2	3	7	13	31	99 +
85 +	45	5.8	40	1	1	4	9	18	24	99 +
GRAND TOTAL	317	4.0	17	1	1	2	5	10	12	49

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	1.0		<1	<1	<1	1	1	1	1
70-74	7	1.1		<1	<1	<1	1	2	2	2
75-79	7	1.1		<1	<1	<1	1	2	2	2
80-84	14	1.1		<1	<1	<1	1	1	2	2
85 +	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	25	2.6	12	<1	1	1	2	4	10	18
70-74	33	3.2	16	<1	1	2	3	11	14	16
75-79	51	2.0	2	<1	<1	2	2	4	6	8
80-84	47	2.4	16	<1	<1	1	2	4	7	27
85 +	30	3.1	38	<1	1	2	3	48	99 +	99 +
TOTAL SINGLE DX	37	1.1		<1	<1	<1	1	1	2	2
TOTAL MULTIPLE DX	186	2.6	15	<1	1	2	2	5	11	99 +
TOTAL										
65-69 YRS	30	2.3	11	<1	<1	1	2	4	7	18
70-74	40	2.8	14	<1	1	2	2	7	13	16
75-79	58	1.9	2	<1	<1	1	2	3	5	8
80-84	61	2.1	13	<1	<1	1	2	4	6	25
85 +	34	2.8	35	<1	1	1	3	30	99 +	99 +
GRAND TOTAL	223	2.3	13	<1	<1	1	2	4	8	99 +

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	231	1.1		<1	<1	<1	<1	1	1	3
70-74	344	1.0		<1	<1	<1	<1	1	1	2
75-79	389	1.0		<1	<1	<1	<1	1	1	2
80-84	324	1.1		<1	<1	<1	<1	1	2	2
85 +	278	1.2		<1	<1	<1	<1	1	2	4
2. MULTIPLE DX										
65-69 YRS	405	2.5	22	<1	1	1	2	4	9	37
70-74	566	2.4	18	<1	1	1	2	4	7	24
75-79	738	2.3	14	<1	1	1	2	4	7	29
80-84	636	2.8	33	<1	1	1	2	5	9	54
85 +	561	2.7	36	<1	1	1	2	4	10	54
TOTAL SINGLE DX	1566	1.1		<1	<1	<1	<1	1	2	2
TOTAL MULTIPLE DX	2906	2.5	25	<1	1	1	2	4	8	32
TOTAL										
65-69 YRS	636	2.0	15	<1	<1	1	2	3	5	21
70-74	910	1.9	12	<1	<1	1	2	3	5	17
75-79	1127	1.9	10	<1	<1	1	2	3	5	24
80-84	960	2.2	23	<1	<1	1	2	3	6	25
85 +	839	2.2	25	<1	<1	1	2	3	6	28
GRAND TOTAL	4472	2.0	17	<1	<1	1	2	3	6	24

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	18	1.1		<1	<1	<1	<1	2	2	2
70-74	14	1.0		<1	<1	<1	<1	1	1	1
75-79	12	1.7	3	<1	<1	<1	1	4	7	7
80-84	12	1.2		<1	<1	<1	1	2	2	2
85 +	6	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	26	2.2	1	1	1	2	2	4	5	6
70-74	30	1.7	1	<1	1	1	2	4	5	5
75-79	42	2.0	2	<1	1	2	2	3	4	10
80-84	26	5.1	203	<1	1	2	2	9	24	74
85 +	18	2.3	10	1	1	2	2	2	10	15
TOTAL SINGLE DX	62	1.2	1	<1	<1	<1	<1	2	2	7
TOTAL MULTIPLE DX	142	2.5	40	<1	1	2	2	4	5	20
TOTAL										
65-69 YRS	44	1.7	1	<1	<1	1	2	4	5	6
70-74	44	1.5	1	<1	<1	1	2	3	4	5
75-79	54	1.9	3	<1	<1	1	2	3	4	10
80-84	38	3.8	141	<1	<1	1	2	5	10	74
85 +	24	2.0	8	<1	1	1	2	2	6	15
GRAND TOTAL	204	2.1	29	<1	<1	1	2	3	5	13

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	247	2.1	1	1	1	2	3	4	5	7
70-74	156	2.3	1	1	1	2	3	4	4	6
75-79	106	2.2	1	1	1	2	3	4	5	6
80-84	59	2.4	2	1	1	2	3	5	5	8
85 +	25	2.2	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
65-69 YRS	653	2.6	3	1	2	2	3	5	6	9
70-74	538	2.9	13	1	2	2	3	5	6	12
75-79	397	2.8	3	1	2	3	3	4	6	9
80-84	204	3.2	10	1	2	3	3	5	8	24
85 +	102	3.0	7	1	2	2	4	5	7	17
TOTAL SINGLE DX	593	2.2	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1894	2.8	7	1	2	2	3	5	6	11
TOTAL										
65-69 YRS	900	2.5	3	1	1	2	3	4	6	9
70-74	694	2.8	10	1	2	2	3	4	5	11
75-79	503	2.7	3	1	2	2	3	4	5	8
80-84	263	3.0	9	1	2	2	3	5	8	22
85 +	127	2.9	6	1	2	2	3	4	6	14
GRAND TOTAL	2487	2.7	6	1	2	2	3	4	6	10

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	67	2.1	2	1	1	2	2	3	5	11
70-74	63	1.8	1	1	1	1	2	3	4	7
75-79	42	2.1	5	<1	1	1	2	5	8	11
80-84	23	2.0	2	<1	1	2	2	4	6	7
85 +	12	3.8	12	<1	1	3	4	11	11	11
2. MULTIPLE DX										
65-69 YRS	433	2.9	16	1	1	2	3	5	8	16
70-74	371	2.8	15	1	1	2	3	6	8	13
75-79	312	3.2	25	1	1	2	3	7	9	17
80-84	190	3.4	25	1	1	2	3	7	10	20
85 +	100	3.5	12	1	1	3	4	7	9	21
TOTAL SINGLE DX	207	2.1	4	1	1	2	2	4	6	11
TOTAL MULTIPLE DX	1406	3.0	19	1	1	2	3	6	8	16
TOTAL										
65-69 YRS	500	2.8	15	1	1	2	3	5	7	15
70-74	434	2.6	13	1	1	2	3	5	8	12
75-79	354	3.0	23	1	1	2	3	7	9	16
80-84	213	3.2	23	1	1	2	3	6	9	20
85 +	112	3.5	13	1	1	3	4	7	10	19
GRAND TOTAL	1613	2.9	17	1	1	2	3	6	8	[illegible]

530: Operations on ocular muscle (15.01; 15.11-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	3	1.3		<1	<1	1	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	1.0		<1	<1	<1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	7	8.3	307	<1	1	2	3	39	48	48
70-74	9	2.7	14	1	1	1	2	9	12	12
75-79	7	2.0	1	1	1	2	2	4	4	4
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
TOTAL SINGLE DX	7	1.1		<1	<1	1	1	2	2	2
TOTAL MULTIPLE DX	24	4.0	93	1	1	1	2	6	23	48
TOTAL										
65-69 YRS	8	7.4	270	<1	1	2	3	34	48	48
70-74	12	2.3	11	<1	1	1	2	7	11	12
75-79	8	1.9	1	1	1	2	2	4	4	4
80-84	3	1.0		<1	<1	1	1	1	1	1
85 +	0									
GRAND TOTAL	31	3.4	73	<1	1	1	2	4	12	48

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	16	3.0	4	1	2	2	4	6	8	9
70-74	20	2.1	1	1	1	2	3	4	5	6
75-79	17	2.6	3	1	1	2	3	5	6	7
80-84	7	2.4	5	1	1	1	3	6	7	7
85 +	10	1.6	1	<1	1	1	2	3	4	4
2. MULTIPLE DX										
65-69 YRS	76	3.2	10	1	1	2	4	6	10	18
70-74	88	5.7	100	1	1	3	6	12	22	62
75-79	71	7.3	183	1	2	3	8	15	19	85
80-84	88	6.2	59	1	2	3	8	14	20	43
85 +	75	6.1	41	1	2	4	8	13	18	33
TOTAL SINGLE DX	70	2.4	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	398	5.7	79	1	2	3	7	12	18	45
TOTAL										
65-69 YRS	92	3.1	10	1	1	2	4	6	9	18
70-74	108	5.0	84	1	1	3	4	11	18	54
75-79	88	6.4	152	1	2	3	7	11	18	81
80-84	95	5.9	56	1	2	3	7	14	19	42
85 +	85	5.6	39	1	2	3	7	12	17	33
GRAND TOTAL	468	5.2	69	1	2	3	6	11	16	37

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	10	2.2	4	<1	<1	1	3	6	7	7
70-74	8	1.4		<1	<1	<1	1	3	3	3
75-79	9	2.1	4	<1	1	1	3	5	7	7
80-84	11	2.5	11	<1	<1	<1	1	9	10	10
85 +	5	4.2	21	<1	1	2	7	12	12	12
2. MULTIPLE DX										
65-69 YRS	49	6.1	61	<1	1	4	8	14	34	99 +
70-74	46	9.0	272	1	2	4	11	18	69	99 +
75-79	49	8.4	96	2	3	6	10	25	51	99 +
80-84	51	7.5	46	1	2	5	11	14	22	35
85 +	53	7.4	103	1	2	5	9	13	15	59
TOTAL SINGLE DX	43	2.3	7	<1	<1	1	3	7	9	12
TOTAL MULTIPLE DX	248	7.7	113	1	2	5	10	15	34	99 +
TOTAL										
65-69 YRS	59	5.5	54	<1	1	4	7	13	24	94
70-74	54	7.9	239	<1	1	3	10	14	54	99 +
75-79	58	7.5	88	1	2	5	9	19	45	99 +
80-84	62	6.6	43	<1	1	5	10	14	18	34
85 +	58	7.1	97	1	2	5	9	13	15	58
GRAND TOTAL	291	6.9	101	1	1	4	9	14	25	99 +

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	44	1.3		1	1	1	2	2	2	3
70-74	25	1.4		1	1	1	2	2	3	3
75-79	11	1.2		<1	1	1	1	2	2	2
80-84	6	1.7	1	<1	1	1	2	4	4	4
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	52	1.6	2	1	1	1	2	2	3	11
70-74	27	1.5	1	1	1	1	2	3	4	7
75-79	14	1.7	3	<1	1	1	2	3	7	8
80-84	7	1.4		1	1	1	2	3	3	3
85 +	3	4.0	27	1	1	1	8	10	10	10
TOTAL SINGLE DX	87	1.3		1	1	1	2	2	2	4
TOTAL MULTIPLE DX	103	1.7	3	1	1	1	2	3	4	10
TOTAL										
65-69 YRS	96	1.5	1	1	1	1	2	2	3	8
70-74	52	1.4	1	1	1	1	2	2	3	7
75-79	25	1.5	2	1	1	1	2	2	4	8
80-84	13	1.5	1	<1	1	1	2	3	4	4
85 +	4	3.3	20	1	1	1	6	10	10	10
GRAND TOTAL	190	1.5	2	1	1	1	2	2	3	9

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	18	1.4	1	1	1	1	1	3	4	5
70-74	14	1.4		1	1	1	2	2	2	2
75-79	10	1.0		<1	1	1	1	1	1	1
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	0									
2. MULTIPLE DX										
65-69 YRS	79	1.3		1	1	1	2	2	2	3
70-74	41	1.5	1	1	1	1	2	2	3	7
75-79	23	1.5	1	1	1	1	2	2	4	6
80-84	5	1.4	1	<1	<1	1	2	3	3	3
85 +	4	1.3		<1	<1	1	2	2	2	2
TOTAL SINGLE DX	44	1.3	1	1	1	1	1	2	3	5
TOTAL MULTIPLE DX	152	1.4	1	1	1	1	2	2	3	6
TOTAL										
65-69 YRS	97	1.3		1	1	1	1	2	3	4
70-74	55	1.5	1	1	1	1	2	2	3	7
75-79	33	1.4	1	<1	1	1	2	2	2	6
80-84	7	1.4	1	<1	1	1	2	3	3	3
85 +	4	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	196	1.4	1	1	1	1	2	2	3	6

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	4.6	82	<1	1	1	3	20	27	27
70-74	5	1.0		<1	<1	1	1	1	1	1
75-79	2	1.0		<1	<1	<1	1	1	1	1
80-84	2	1.0		<1	<1	<1	<1	<1	<1	<1
85 +	2	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
65-69 YRS	29	6.7	41	<1	1	4	11	14	20	27
70-74	18	14.9	270	1	4	8	31	50	80	99 +
75-79	17	6.6	29	<1	1	4	11	13	16	17
80-84	8	9.5	210	<1	1	4	10	34	44	44
85 +	2	26.5	1105	3	3	26	50	50	50	50
TOTAL SINGLE DX	19	2.5	36	<1	<1	1	1	3	17	27
TOTAL MULTIPLE DX	74	9.5	141	1	2	6	12	27	43	89
TOTAL										
65-69 YRS	37	6.2	49	<1	1	3	9	14	24	27
70-74	23	11.9	243	1	1	6	17	43	69	99 +
75-79	19	6.0	29	<1	1	4	11	13	15	17
80-84	10	7.8	176	<1	<1	2	8	28	44	44
85 +	4	13.8	585	<1	<1	2	26	50	50	50
GRAND TOTAL	93	8.1	127	<1	1	4	11	22	41	81

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	21	1.6	1	1	1	1	2	4	4	5
70-74	22	1.4		<1	1	1	2	2	3	5
75-79	12	1.7	5	1	1	1	1	4	8	9
80-84	5	1.4		1	1	1	2	2	2	2
85+	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	104	2.6	12	1	1	1	2	6	12	18
70-74	61	2.7	21	1	1	1	3	5	7	32
75-79	45	3.2	45	1	1	1	2	5	13	43
80-84	18	7.3	141	1	1	2	9	15	37	51
85+	5	5.0	39	1	1	3	7	16	16	16
TOTAL SINGLE DX	63	1.5	2	1	1	1	1	3	4	9
TOTAL MULTIPLE DX	233	3.2	32	1	1	1	2	6	12	36
TOTAL										
65-69 YRS	125	2.4	11	1	1	1	2	5	10	17
70-74	83	2.4	16	1	1	1	2	5	6	27
75-79	57	2.9	37	1	1	1	2	5	10	41
80-84	23	6.0	115	1	1	2	7	13	29	51
85+	8	3.9	26	[illegible]	1	2	4	12	16	16
GRAND TOTAL	296	2.8	26	1	1	1	2	5	11	29

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	30	1.8	1	1	1	1	2	4	4	6
70-74	25	1.6	1	1	1	1	2	3	4	6
75-79	11	1.2		<1	1	1	1	2	2	2
80-84	2	3.0		3	3	3	3	3	3	3
85+	0									
2. MULTIPLE DX										
65-69 YRS	67	3.4	30	1	1	2	4	7	8	38
70-74	43	3.2	10	1	1	2	4	8	9	16
75-79	14	2.9	5	1	1	2	3	7	8	8
80-84	12	7.3	131	1	1	3	8	23	38	41
85+	6	9.7	42	2	6	8	14	19	20	20
TOTAL SINGLE DX	68	1.7	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	142	3.9	33	1	1	2	4	8	12	41
TOTAL										
65-69 YRS	97	2.9	22	1	1	2	3	6	7	30
70-74	68	2.6	8	1	1	2	3	7	8	15
75-79	25	2.2	4	1	1	1	3	5	7	8
80-84	14	6.6	113	1	1	3	7	18	36	41
85+	6	9.7	42	2	6	8	14	19	20	20
GRAND TOTAL	210	3.2	23	1	1	2	3	7	9	28

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	2.0	1	1	1	2	3	3	3	3
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	1.0		1	1	1	1	1	1	1
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	67	2.1	6	1	1	1	2	4	7	15
70-74	37	1.5	1	1	1	1	1	2	4	7
75-79	18	2.4	2	1	1	2	4	5	6	6
80-84	4	1.5	1	<1	<1	1	2	3	3	3
85+	2	2.0	2	1	1	2	3	3	3	3
TOTAL SINGLE DX	11	1.6	1	<1	1	1	2	3	3	3
TOTAL MULTIPLE DX	128	1.9	4	1	1	1	2	4	5	14
TOTAL										
65-69 YRS	72	2.1	6	1	1	1	2	4	7	15
70-74	39	1.4	1	1	1	1	1	2	4	7
75-79	20	2.3	2	1	1	2	3	5	5	6
80-84	5	1.4	1	<1	<1	1	2	3	3	3
85+	3	2.3	1	1	1	3	3	3	3	3
GRAND TOTAL	139	1.9	4	1	1	1	2	4	5	14

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	19	1.1		<1	<1	1	1	1	2	2
70-74	13	1.4	1	<1	1	1	1	3	5	5
75-79	8	1.6	1	1	1	1	2	3	4	4
80-84	8	2.0	2	<1	<1	1	3	4	5	5
85+	3	10.3	261	1	1	1	22	29	29	29
2. MULTIPLE DX										
65-69 YRS	169	2.4	11	1	1	1	3	4	6	19
70-74	102	2.7	7	1	1	2	3	7	8	14
75-79	68	3.8	20	1	1	2	5	10	13	22
80-84	39	4.5	55	1	1	2	4	8	22	37
85+	35	5.9	64	1	1	3	7	13	29	35
TOTAL SINGLE DX	51	1.9	16	<1	1	1	1	3	5	29
TOTAL MULTIPLE DX	413	3.2	21	1	1	2	3	7	10	32
TOTAL										
65-69 YRS	188	2.2	10	1	1	1	2	4	6	18
70-74	115	2.5	7	1	1	1	3	6	8	14
75-79	76	3.6	19	1	1	2	5	9	12	22
80-84	47	4.1	47	1	1	2	4	7	13	37
85+	38	6.2	75	1	1	3	7	18	31	35
GRAND TOTAL	464	3.0	21	1	1	1	3	7	9	31

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	26	2.3	15	<1	<1	1	2	4	8	21
70-74	25	1.2		<1	<1	1	1	2	3	4
75-79	17	1.5		<1	<1	1	2	3	4	4
80-84	14	1.2		<1	<1	1	1	2	3	4
85+	5	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
65-69 YRS	86	2.9	14	1	1	1	3	7	13	19
70-74	97	4.3	36	1	1	2	5	12	16	31
75-79	58	5.4	49	1	1	2	7	18	25	94
80-84	56	5.2	29	1	1	3	8	14	15	26
85+	54	8.6	125	1	2	6	10	13	36	65
TOTAL SINGLE DX	87	1.6	5	<1	<1	1	1	3	4	15
TOTAL MULTIPLE DX	351	5.0	49	1	1	2	7	13	18	40
TOTAL										
65-69 YRS	112	2.8	15	<1	1	1	2	6	13	20
70-74	122	3.7	31	<1	1	1	3	10	15	27
75-79	75	4.6	41	<1	1	2	4	16	21	81
80-84	70	4.4	26	<1	1	2	6	12	14	25
85+	59	8.0	119	<1	2	6	10	12	32	64
GRAND TOTAL	438	4.3	42	<1	1	2	5	12	16	39

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	39	3.3	3	1	2	3	5	6	7	8
70-74	40	3.4	7	1	2	3	4	6	10	14
75-79	31	3.2	3	1	2	3	4	6	7	7
80-84	25	2.8	1	1	2	2	4	4	5	7
85+	18	4.1	11	1	2	2	5	10	11	12
2. MULTIPLE DX										
65-69 YRS	259	4.9	18	1	2	4	6	8	11	23
70-74	238	5.8	26	2	3	4	7	11	15	26
75-79	222	5.6	26	2	3	4	6	11	14	32
80-84	171	6.0	38	2	3	4	8	12	14	20
85+	142	5.3	19	2	2	4	6	10	13	22
TOTAL SINGLE DX	153	3.3	5	1	2	3	4	6	7	12
TOTAL MULTIPLE DX	1032	5.5	26	2	3	4	7	10	13	26
TOTAL										
65-69 YRS	298	4.7	17	1	2	4	6	8	10	23
70-74	278	5.5	24	1	3	4	7	11	14	26
75-79	253	5.3	25	2	2	4	6	10	14	30
80-84	196	5.6	35	2	3	4	7	11	13	20
85+	160	5.2	19	2	2	4	6	10	13	21
GRAND TOTAL	1185	5.2	24	1	2	4	6	10	13	24

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	20	2.1	3	1	1	1	2	5	7	8
70-74	15	1.7	1	1	1	1	2	4	5	5
75-79	17	1.4		1	1	1	2	2	3	3
80-84	3	1.0		1	1	1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	87	3.1	27	1	1	1	3	7	9	35
70-74	65	3.6	29	1	1	2	3	8	15	32
75-79	32	4.3	52	1	1	2	4	10	18	38
80-84	10	5.3	85	1	1	2	4	19	31	31
85+	3	1.7	1	1	1	1	3	3	3	3
TOTAL SINGLE DX	56	1.7	2	1	1	1	2	3	5	8
TOTAL MULTIPLE DX	197	3.5	35	1	1	2	3	8	13	36
TOTAL										
65-69 YRS	107	2.9	24	1	1	1	3	7	8	31
70-74	80	3.3	25	1	1	2	3	7	13	30
75-79	49	3.3	36	1	1	1	3	6	12	38
80-84	13	4.3	67	1	1	2	3	12	27	31
85+	4	1.5	1	1	1	1	2	3	3	3
GRAND TOTAL	253	3.1	28	1	1	1	3	7	11	34

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	2.0	2	1	1	1	3	4	5	6
70-74	21	1.8	4	1	1	1	1	5	7	8
75-79	7	3.7	16	1	1	2	5	11	12	12
80-84	7	1.6		1	1	1	2	3	3	3
85 +	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	273	3.4	22	1	1	2	3	8	14	23
70-74	160	4.1	33	1	1	2	5	10	15	21
75-79	96	4.3	24	1	1	2	4	13	15	22
80-84	46	6.2	43	1	2	4	9	12	20	35
85 +	37	8.7	64	2	3	7	10	19	28	34
TOTAL SINGLE DX	66	2.1	4	1	1	1	2	4	6	11
TOTAL MULTIPLE DX	612	4.2	32	1	1	2	5	10	15	27
TOTAL										
65-69 YRS	301	3.3	21	1	1	2	3	7	13	22
70-74	181	3.8	31	1	1	2	5	9	14	21
75-79	103	4.2	24	1	1	2	4	12	15	22
80-84	53	5.6	40	1	1	3	8	12	19	35
85 +	40	8.2	63	1	3	6	10	19	27	34
GRAND TOTAL	678	4.0	29	1	1	2	4	10	14	25

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	3	1.3		1	1	1	2	2	2	2
75-79	3	1.0		<1	<1	1	1	1	1	1
80-84	3	1.0		<1	<1	<1	1	1	1	1
85 +	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	112	7.5	101	1	2	4	9	17	28	82
70-74	102	8.4	103	1	2	5	11	28	34	71
75-79	103	10.1	237	1	2	5	13	29	73	99 +
80-84	70	8.8	167	1	1	4	13	27	39	97
85 +	63	8.4	112	1	2	5	13	18	30	95
TOTAL SINGLE DX	13	1.2		<1	<1	1	1	2	2	2
TOTAL MULTIPLE DX	450	8.6	145	1	2	4	11	23	38	99 +
TOTAL										
65-69 YRS	114	7.4	100	1	2	4	9	17	27	82
70-74	105	8.2	102	1	2	4	10	28	34	70
75-79	106	9.8	233	1	2	4	12	27	73	99 +
80-84	73	8.5	163	1	1	4	12	26	37	96
85 +	65	8.2	111	1	2	5	13	18	29	94
GRAND TOTAL	463	8.4	142	1	2	4	11	22	37	99 +

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	2.3	1	1	1	3	3	3	3	3
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	3	1.7	1	1	1	1	3	3	3	3
70-74	1	11.0		11	11	11	11	11	11	11
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
TOTAL SINGLE DX	5	2.8	1	1	2	3	3	4	4	4
TOTAL MULTIPLE DX	5	3.8	17	1	1	3	11	91	99 +	99 +
TOTAL										
65-69 YRS	6	2.0	1	1	1	2	3	3	3	3
70-74	2	7.0	32	3	3	7	11	11	11	11
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	0									
85 +	0									
GRAND TOTAL	10	3.3	8	1	2	3	4	47	95	99 +

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	1.7		<1	1	2	2	3	4	4
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	6	2.0	2	1	1	1	3	5	5	5
80-84	3	2.3	1	1	1	3	3	3	3	3
85 +	3	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	43	5.4	85	1	1	2	5	12	25	50
70-74	41	4.3	44	1	2	2	4	9	16	38
75-79	23	3.4	12	1	1	2	5	10	11	12
80-84	18	4.1	10	1	2	3	6	9	11	12
85 +	20	6.8	58	1	1	3	10	17	24	30
TOTAL SINGLE DX	25	1.8	1	<1	1	1	2	3	4	5
TOTAL MULTIPLE DX	145	4.8	49	1	1	2	5	11	20	39
TOTAL										
65-69 YRS	54	4.7	70	1	1	2	4	8	23	49
70-74	43	4.2	42	1	1	2	3	9	15	38
75-79	29	3.1	10	1	1	2	4	9	11	12
80-84	21	3.9	9	1	2	3	5	8	11	12
85 +	23	6.0	55	1	1	3	8	16	23	30
GRAND TOTAL	170	4.4	43	1	1	2	5	9	15	36

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	153	2.0	1	1	1	2	2	3	4	8
70-74	103	2.2	1	1	1	2	3	4	4	7
75-79	74	2.4	3	1	1	2	3	4	6	12
80-84	40	2.3	2	1	1	2	3	4	6	6
85 +	18	1.9		1	1	2	3	3	4	4
2. MULTIPLE DX										
65-69 YRS	263	3.6	19	1	1	2	4	7	11	23
70-74	224	3.7	25	1	2	2	4	8	10	33
75-79	169	4.1	19	1	2	3	4	9	13	20
80-84	93	5.0	32	1	2	3	5	10	16	34
85 +	74	6.0	55	2	2	4	6	13	17	47
TOTAL SINGLE DX	388	2.1	2	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	823	4.1	26	1	2	2	4	9	12	31
TOTAL										
65-69 YRS	416	3.0	14	1	1	2	3	5	9	20
70-74	327	3.2	18	1	1	2	3	6	9	24
75-79	243	3.6	15	1	2	2	4	7	11	20
80-84	133	4.2	25	1	2	3	4	9	12	32
85 +	92	5.2	47	1	2	3	5	11	15	42
GRAND TOTAL	1211	3.5	19	1	1	2	4	7	11	21

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	10	2.4	2	1	1	2	3	5	5	5
70-74	4	8.8	165	2	2	3	15	28	28	28
75-79	0									
80-84	1	16.0		16	16	16	16	16	16	16
85 +	0									
TOTAL SINGLE DX	5	2.8	2	2	2	2	3	5	5	5
TOTAL MULTIPLE DX	15	5.0	54	1	1	2	4	16	25	28
TOTAL										
65-69 YRS	12	2.3	2	1	1	2	3	5	5	5
70-74	4	8.8	165	2	2	3	15	28	28	28
75-79	0									
80-84	1	16.0		16	16	16	16	16	16	16
85 +	3	3.3	2	2	2	3	4	5	5	5
GRAND TOTAL	20	4.5	41	1	2	2	4	11	22	28

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	57	2.7	5	1	1	2	3	6	8	11
70-74	50	2.8	6	<1	1	2	4	7	8	12
75-79	44	3.4	17	<1	1	1	4	9	13	20
80-84	11	1.7	2	<1	1	1	2	4	6	6
85 +	20	3.4	26	<1	1	1	3	11	18	19
2. MULTIPLE DX										
65-69 YRS	242	8.4	119	1	2	4	10	19	31	54
70-74	201	8.0	74	1	2	5	10	20	28	74
75-79	189	7.2	51	1	2	5	10	18	22	80
80-84	146	8.1	103	1	2	5	10	18	29	58
85 +	102	7.6	83	2	2	5	10	18	27	99 +
TOTAL SINGLE DX	182	2.9	11	<1	1	2	3	7	9	18
TOTAL MULTIPLE DX	880	7.9	88	1	2	5	10	19	27	61
TOTAL										
65-69 YRS	299	7.3	103	1	2	4	8	17	29	52
70-74	251	6.9	65	1	1	4	9	17	26	51
75-79	233	6.5	47	1	2	4	9	16	21	59
80-84	157	7.7	99	1	2	4	9	17	28	57
85 +	122	6.9	77	1	2	4	10	17	25	99 +
GRAND TOTAL	1062	7.1	78	1	2	4	9	17	25	57

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	1.4		1	1	1	2	2	2	2
70-74	3	1.3		1	1	1	2	2	2	2
75-79	2	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	20	3.9	18	1	1	1	6	10	13	15
70-74	13	10.4	232	1	1	2	15	33	46	49
75-79	4	6.5	51	1	2	4	11	17	17	17
80-84	5	7.0	38	1	1	7	12	15	15	15
85 +	1	6.0		6	6	6	6	6	6	6
TOTAL SINGLE DX	10	1.5		1	1	1	2	2	2	2
TOTAL MULTIPLE DX	43	6.5	90	1	1	2	9	16	28	49
TOTAL										
65-69 YRS	25	3.4	15	1	1	1	4	10	12	15
70-74	16	8.7	199	1	1	2	10	29	43	49
75-79	6	5.0	36	1	2	3	5	16	17	17
80-84	5	7.0	38	1	1	7	12	15	15	15
85 +	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	53	5.6	76	1	1	2	7	15	25	48

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLF DX										
65-69 YRS	2	4.0	18	1	1	4	7	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	2	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL SINGLE DX	3	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	6	2.3	5	<1	<1	1	2	7	7	7
TOTAL										
65-69 YRS	3	3.0	12	1	1	1	6	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85 +	3	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	9	1.9	4	<1	1	1	2	5	7	7

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
TOTAL SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL MULTIPLE DX	0									
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	1	1.0		<1	<1	<1	<1	<1	<1	<1

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	2.9	5	<1	1	2	4	7	8	8
70-74	16	2.5	2	1	1	2	4	5	5	5
75-79	13	2.8	3	<1	1	2	5	5	6	6
80-84	2	4.5	25	1	1	4	8	8	8	8
85 +	3	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	110	6.9	79	1	1	4	9	17	24	47
70-74	80	6.8	77	1	2	4	7	17	23	50
75-79	59	9.1	110	1	3	6	10	22	36	51
80-84	38	9.3	256	2	2	5	7	18	36	93
85 +	31	7.5	52	1	2	5	10	14	22	35
TOTAL SINGLE DX	62	2.7	4	<1	1	2	4	6	7	8
TOTAL MULTIPLE DX	318	7.6	103	1	2	5	9	17	25	53
TOTAL										
65-69 YRS	138	6.1	67	1	1	3	8	15	23	39
70-74	96	6.1	67	1	2	4	6	16	21	47
75-79	72	7.9	96	1	2	5	9	15	28	50
80-84	40	9.1	245	1	2	5	8	17	35	93
85 +	34	6.9	52	1	1	5	10	14	21	35
GRAND TOTAL	380	6.8	90	1	2	4	8	15	24	49

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	3.4	8	<1	1	3	4	6	7	16
70-74	10	2.2	2	1	1	2	3	5	6	6
75-79	13	2.5	2	<1	1	3	4	5	5	5
80-84	6	4.2	17	<1	1	3	5	11	12	12
85 +	5	2.4	1	<1	1	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	118	5.6	69	1	2	3	6	13	15	42
70-74	106	4.2	14	1	2	3	5	9	11	20
75-79	102	5.8	27	1	2	4	7	14	18	23
80-84	76	6.7	117	1	3	4	6	14	27	94
85 +	78	5.0	20	1	2	4	6	9	12	26
TOTAL SINGLE DX	62	3.0	7	<1	1	3	4	5	6	16
TOTAL MULTIPLE DX	480	5.4	48	1	2	4	6	11	16	29
TOTAL										
65-69 YRS	146	5.2	59	1	2	3	6	12	15	25
70-74	116	4.0	13	1	2	3	5	9	11	19
75-79	115	5.4	26	1	2	4	7	13	18	23
80-84	82	6.5	110	1	2	4	6	13	24	93
85 +	83	4.9	19	1	2	4	6	9	11	26
GRAND TOTAL	542	5.1	44	1	2	3	6	10	15	26

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	35	1.5	1	<1	<1	1	2	2	4	8
70-74	22	1.9	3	<1	<1	1	1	5	6	8
75-79	21	1.1		<1	1	1	1	2	2	2
80-84	8	1.1		<1	<1	1	1	2	2	2
85 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	158	5.7	79	1	1	2	6	15	29	49
70-74	111	6.6	89	1	1	2	9	20	27	78
75-79	82	4.6	32	1	1	2	6	12	19	25
80-84	32	7.2	93	1	1	4	10	17	25	48
85 +	24	6.1	60	1	1	3	8	15	27	30
TOTAL SINGLE DX	88	1.5	2	<1	<1	1	1	3	4	8
TOTAL MULTIPLE DX	407	5.9	73	1	1	2	7	16	25	49
TOTAL										
65-69 YRS	193	4.9	68	1	1	2	5	12	23	49
70-74	133	5.9	79	<1	1	2	7	17	25	70
75-79	103	3.9	28	1	1	1	4	9	18	24
80-84	40	6.0	80	<1	1	2	7	15	22	48
85 +	26	5.8	57	1	1	3	8	14	27	30
GRAND TOTAL	495	5.1	63	1	1	2	6	14	23	48

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	8.2	31	1	5	8	13	16	19	19
70-74	11	7.6	33	<1	1	9	12	15	18	18
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
65-69 YRS	47	13.8	283	1	5	8	16	40	74	99 +
70-74	57	12.2	76	2	6	11	16	21	27	48
75-79	24	12.1	198	2	2	7	14	38	46	48
80-84	10	11.0	58	2	6	9	17	22	27	27
85 +	7	4.7	16	1	2	3	8	11	11	11
TOTAL SINGLE DX	24	7.6	30	<1	2	7	11	15	18	19
TOTAL MULTIPLE DX	145	12.3	160	2	4	9	15	27	43	79
TOTAL										
65-69 YRS	58	12.8	239	1	5	8	15	33	63	98
70-74	68	11.4	72	2	4	11	16	21	27	46
75-79	25	11.9	191	2	2	7	13	37	46	48
80-84	11	10.2	60	2	4	8	16	21	27	27
85 +	7	4.7	16	1	2	3	8	11	11	11
GRAND TOTAL	169	11.6	144	1	4	9	15	24	37	77

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	22	11.5	23	6	8	11	13	19	20	21
70-74	7	15.4	39	8	9	15	21	23	23	23
75-79	5	11.0	24	6	6	12	15	17	17	17
80-84	2	13.5	25	10	10	13	17	17	17	17
85 +	0									
2. MULTIPLE DX										
65-69 YRS	138	17.9	164	9	11	14	21	33	50	99 +
70-74	100	19.9	222	9	11	14	23	44	58	94
75-79	63	20.7	257	9	12	15	24	40	55	89
80-84	23	21.1	350	9	10	15	22	44	74	81
85 +	6	35.3	727	11	16	24	56	78	80	80
TOTAL SINGLE DX	36	12.3	27	6	8	11	16	20	22	23
TOTAL MULTIPLE DX	330	19.6	225	9	11	14	23	37	60	92
TOTAL										
65-69 YRS	160	17.0	150	8	10	13	20	31	41	98
70-74	107	19.6	211	9	11	14	23	43	57	93
75-79	68	20.0	246	8	11	15	22	37	53	88
80-84	25	20.5	327	9	10	15	22	37	73	81
85 +	6	35.3	727	11	16	24	56	78	80	80
GRAND TOTAL	366	18.9	210	8	11	14	22	36	56	90

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	4.0	4	2	2	4	5	6	6	6
70-74	8	5.5	8	2	4	5	7	10	11	11
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	337	36.6	551	9	19	40	65	99 +	99 +	99 +
70-74	272	38.2	662	8	17	42	73	99 +	99 +	99 +
75-79	208	40.8	649	10	23	41	74	99 +	99 +	99 +
80-84	118	35.6	508	9	16	36	63	91	99 +	99 +
85 +	80	42.8	664	11	26	50	92	99 +	99 +	99 +
TOTAL SINGLE DX	12	4.8	8	2	3	5	6	9	11	11
TOTAL MULTIPLE DX	1015	38.3	608	9	20	41	67	99 +	99 +	99 +
TOTAL										
65-69 YRS	340	36.3	556	8	19	40	65	99 +	99 +	99 +
70-74	280	37.2	674	7	16	40	70	99 +	99 +	99 +
75-79	209	40.6	654	9	23	41	74	99 +	99 +	99 +
80-84	118	35.6	509	9	16	36	63	91	99 +	99 +
85 +	80	42.8	664	11	26	50	92	99 +	99 +	99 +
GRAND TOTAL	1027	37.9	614	8	19	41	67	99 +	99 +	99 +

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	1.7		1	1	2	2	3	3	3
70-74	5	1.0		<1	<1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85+	0									
2. MULTIPLE DX										
65-69 YRS	63	8.7	140	1	2	4	13	33	69	99+
70-74	34	12.0	396	1	2	4	13	20	70	89
75-79	25	9.2	225	1	2	4	9	35	74	99+
80-84	18	10.9	193	1	2	4	27	40	76	99+
85+	9	14.1	149	1	4	14	18	33	40	40
TOTAL SINGLE DX	13	1.3		<1	1	1	2	2	3	3
TOTAL MULTIPLE DX	149	10.1	217	1	2	4	14	34	67	99+
TOTAL										
65-69 YRS	69	8.0	132	1	2	4	9	29	60	99+
70-74	39	10.6	359	1	1	3	13	18	61	89
75-79	26	8.9	219	1	2	4	9	34	73	99+
80-84	19	10.4	188	1	1	3	23	38	73	99+
85+	9	14.1	149	1	4	14	18	33	40	40
GRAND TOTAL	162	9.4	205	1	1	4	13	31	63	99+

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	49	4.3	16	<1	<1	3	6	11	14	15
70-74	46	4.0	26	<1	<1	2	5	12	18	21
75-79	21	4.9	22	<1	1	2	8	13	15	16
80-84	18	9.5	73	<1	3	6	15	22	27	29
85+	11	8.3	38	2	3	6	12	17	21	21
2. MULTIPLE DX										
65-69 YRS	1143	11.4	77	3	6	10	15	22	28	44
70-74	1166	12.2	100	3	6	10	15	23	32	58
75-79	1010	13.0	115	4	7	11	16	25	32	60
80-84	630	14.5	127	4	7	12	19	28	36	60
85+	391	14.8	103	5	8	13	19	28	38	58
TOTAL SINGLE DX	145	5.2	32	<1	<1	3	7	14	17	23
TOTAL MULTIPLE DX	4340	12.7	103	3	6	10	16	24	31	58
TOTAL										
65-69 YRS	1192	11.1	77	2	5	9	14	21	28	44
70-74	1212	11.9	100	3	6	9	15	22	31	58
75-79	1031	12.8	115	3	6	10	16	25	31	60
80-84	648	14.4	127	4	7	12	19	28	36	59
85+	402	14.7	103	4	8	13	19	27	37	57
GRAND TOTAL	4485	12.5	103	3	6	10	16	24	31	57

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	3	31.3	556	9	14	29	49	56	56	56
70-74	2	7.0	2	6	6	7	8	8	8	8
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	26.0		26	26	26	26	26	26	26
85+	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	7	20.7	325	6	8	11	28	51	56	56
TOTAL										
65-69 YRS	3	31.3	556	9	14	29	49	56	56	56
70-74	2	7.0	2	6	6	7	8	8	8	8
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	26.0		26	26	26	26	26	26	26
85+	0									
GRAND TOTAL	7	20.7	325	6	8	11	28	51	56	56

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	121	6.2	16	1	2	6	9	11	13	17
70-74	99	6.5	26	1	3	6	8	13	19	25
75-79	58	6.9	27	1	4	6	8	14	16	27
80-84	34	8.4	89	1	2	6	11	19	25	47
85+	9	4.0	17	<1	1	1	8	11	11	11
2. MULTIPLE DX										
65-69 YRS	1722	11.6	91	3	6	9	14	22	30	54
70-74	1620	12.4	98	3	7	10	16	24	31	50
75-79	1245	13.4	116	4	7	11	17	25	35	76
80-84	655	13.4	135	3	7	10	16	27	40	64
85+	311	15.7	197	5	8	12	20	30	37	86
TOTAL SINGLE DX	321	6.6	29	1	2	6	8	13	16	26
TOTAL MULTIPLE DX	5553	12.7	111	3	6	10	16	24	33	60
TOTAL										
65-69 YRS	1843	11.2	89	3	6	9	14	21	29	51
70-74	1719	12.1	96	3	6	9	15	24	31	49
75-79	1303	13.1	114	3	7	11	17	25	35	75
80-84	689	13.2	134	3	7	10	16	26	39	63
85+	320	15.4	196	4	7	11	19	30	37	85
GRAND TOTAL	5874	12.3	109	3	6	10	15	24	33	59

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	81	8.7	10	6	6	8	10	13	14	23
70-74	60	9.2	14	6	7	9	10	12	15	27
75-79	23	9.2	25	6	6	8	10	12	18	30
80-84	10	9.9	8	6	9	10	11	14	15	15
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	803	13.0	74	7	8	10	15	23	30	49
70-74	624	13.2	67	7	8	11	15	23	28	41
75-79	374	14.2	78	7	9	11	16	25	32	48
80-84	98	14.4	90	8	9	11	16	25	33	85
85+	12	15.8	72	7	9	14	21	27	33	34
TOTAL SINGLE DX	175	9.0	13	6	7	8	10	13	15	26
TOTAL MULTIPLE DX	1911	13.4	74	7	8	11	15	24	30	47
TOTAL										
65-69 YRS	884	12.6	70	6	8	10	14	22	28	48
70-74	684	12.8	64	7	8	10	15	23	28	39
75-79	397	13.9	76	7	9	11	16	25	31	46
80-84	108	14.0	84	8	9	11	15	24	31	82
85+	13	15.2	71	7	8	13	21	26	32	34
GRAND TOTAL	2086	13.0	70	7	8	10	15	23	29	46

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	30	3.5	10	<1	<1	2	7	9	10	11
70-74	27	5.3	24	1	2	4	7	12	15	23
75-79	9	8.7	34	3	5	7	13	61	99+	99+
80-84	11	8.1	245	<1	1	2	5	30	52	54
85+	2	11.0	18	8	8	11	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	627	11.6	104	3	5	9	14	23	31	52
70-74	660	12.1	99	3	6	10	16	24	29	74
75-79	555	13.0	120	3	6	10	16	26	32	60
80-84	340	13.8	106	4	7	11	17	27	32	49
85+	241	15.2	115	4	8	13	20	30	36	50
TOTAL SINGLE DX	79	5.5	52	<1	1	4	8	13	18	86
TOTAL MULTIPLE DX	2423	12.7	109	3	6	10	16	25	32	59
TOTAL										
65-69 YRS	657	11.3	103	2	5	9	14	23	30	51
70-74	687	11.8	98	3	5	10	16	24	29	72
75-79	564	13.0	119	3	6	10	16	26	33	66
80-84	351	13.6	111	4	7	11	17	27	32	54
85+	243	15.2	114	4	8	13	20	29	36	50
GRAND TOTAL	2502	12.5	109	3	6	10	16	25	31	59

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	3.7	21	1	1	1	7	9	9	9
70-74	1	4.0		4	4	4	4	4	4	4
75-79	2	11.5	1	11	11	11	12	12	12	12
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	45	15.6	262	4	5	11	17	44	62	99+
70-74	48	16.5	286	4	7	11	20	34	66	78
75-79	43	14.8	144	4	6	11	20	32	39	55
80-84	25	18.6	428	4	7	10	23	41	67	94
85+	13	13.0	108	4	5	7	19	30	35	36
TOTAL SINGLE DX	6	6.3	25	1	1	6	11	12	12	12
TOTAL MULTIPLE DX	174	15.9	249	4	6	11	20	36	55	90
TOTAL										
65-69 YRS	48	14.9	256	3	5	10	16	42	59	99+
70-74	49	16.3	283	4	7	11	19	33	66	78
75-79	45	14.6	138	4	6	11	19	32	39	55
80-84	25	18.6	428	4	7	10	23	41	67	94
85+	13	13.0	109	4	5	7	19	30	35	36
GRAND TOTAL	180	15.6	244	4	6	11	19	34	55	89

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	32	7.5	28	2	4	6	11	16	18	19
70-74	18	6.4	21	2	4	5	8	13	18	20
75-79	20	5.3	4	3	4	5	6	9	10	10
80-84	14	6.6	13	2	4	6	10	12	13	13
85+	9	7.6	15	4	5	6	9	14	16	16
2. MULTIPLE DX										
65-69 YRS	903	11.5	111	3	5	8	14	23	31	50
70-74	814	11.2	88	3	5	9	14	22	29	45
75-79	657	11.5	102	4	5	8	15	23	33	69
80-84	436	12.3	98	4	6	10	16	23	32	54
85+	289	13.8	139	4	7	10	19	30	42	99+
TOTAL SINGLE DX	93	6.7	18	2	4	6	9	14	16	20
TOTAL MULTIPLE DX	3099	11.8	105	3	5	9	15	24	32	57
TOTAL										
65-69 YRS	935	11.4	109	3	5	8	14	23	30	49
70-74	832	11.1	88	3	5	9	14	22	29	45
75-79	677	11.3	100	3	5	8	15	23	33	68
80-84	450	12.1	97	4	6	9	15	21	32	53
85+	298	13.7	137	4	6	10	18	30	42	99+
GRAND TOTAL	3192	11.6	103	3	5	9	15	23	32	56

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	42	3.5	18	<1	1	2	5	10	15	18
70-74	36	4.9	22	1	2	3	6	10	15	22
75-79	17	6.4	70	1	1	3	8	20	27	31
80-84	6	5.3	33	1	1	3	7	15	16	16
85+	4	4.8	14	1	1	5	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	545	10.7	118	1	3	8	15	22	30	60
70-74	429	11.1	94	1	4	9	16	25	30	42
75-79	323	12.1	135	1	4	9	17	26	33	64
80-84	179	13.5	130	3	6	11	17	28	35	61
85+	114	15.8	153	4	6	13	21	32	41	59
TOTAL SINGLE DX	105	4.6	28	1	1	2	6	11	16	26
TOTAL MULTIPLE DX	1590	11.8	121	1	4	9	16	26	32	55
TOTAL										
65-69 YRS	587	10.2	115	1	3	7	14	22	29	58
70-74	465	10.7	92	1	3	8	15	24	29	42
75-79	340	11.9	133	1	4	9	16	26	33	64
80-84	185	13.2	129	2	5	11	17	28	34	61
85+	118	15.4	153	3	6	13	20	31	41	59
GRAND TOTAL	1695	11.3	118	1	3	9	16	25	31	54

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	33	11.0	28	7	8	9	13	16	21	31
70-74	24	10.9	26	8	8	9	11	16	24	30
75-79	9	11.0	10	9	9	9	12	17	18	18
80-84	4	10.8	2	10	10	10	12	13	13	13
85+	3	9.7	92	1	3	8	17	20	20	20
2. MULTIPLE DX										
65-69 YRS	1084	15.9	122	8	9	13	19	28	39	96
70-74	1053	17.8	176	8	10	13	21	32	46	88
75-79	736	18.1	159	9	11	15	21	34	44	91
80-84	339	18.1	158	6	10	15	23	33	47	83
85+	121	14.8	90	5	8	12	20	28	32	49
TOTAL SINGLE DX	73	10.9	25	8	8	9	12	16	21	31
TOTAL MULTIPLE DX	3333	17.2	151	8	10	14	20	31	42	88
TOTAL										
65-69 YRS	1117	15.8	120	8	9	13	19	28	38	94
70-74	1077	17.7	174	8	10	13	20	31	45	88
75-79	745	18.0	159	9	10	15	21	34	43	91
80-84	343	18.0	157	6	10	15	22	33	47	83
85+	124	14.7	91	5	8	12	20	28	31	49
GRAND TOTAL	3406	17.1	149	8	10	13	20	30	42	87

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	403	3.4	8	1	2	2	4	7	9	14
70-74	271	3.4	6	1	2	3	4	7	8	14
75-79	114	3.6	7	1	2	3	5	7	10	13
80-84	43	4.7	12	1	2	4	7	9	10	19
85+	10	3.6	4	2	2	3	4	7	7	7
2. MULTIPLE DX										
65-69 YRS	4070	5.2	21	2	2	4	7	10	13	21
70-74	2897	5.9	29	2	2	4	8	12	15	28
75-79	1586	6.6	32	2	3	5	9	13	17	30
80-84	602	6.8	27	2	3	5	9	13	17	25
85+	151	8.3	33	2	4	7	11	15	18	29
TOTAL SINGLE DX	841	3.5	8	1	2	3	4	7	9	14
TOTAL MULTIPLE DX	9306	5.8	27	2	2	4	8	12	15	26
TOTAL										
65-69 YRS	4473	5.1	20	2	2	4	7	10	13	21
70-74	3168	5.7	28	2	2	4	7	11	15	28
75-79	1700	6.4	31	2	3	5	8	13	16	30
80-84	645	6.7	27	2	3	5	9	13	16	24
85+	161	8.0	33	2	4	7	11	15	18	28
GRAND TOTAL	10147	5.6	26	2	2	4	7	11	14	26

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	154	9.5	8	7	8	9	10	13	16	20
70-74	109	10.3	17	7	8	9	11	14	16	31
75-79	54	11.4	24	8	8	10	12	20	24	27
80-84	13	14.2	112	8	9	10	14	27	42	46
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	5669	13.2	67	8	9	11	15	21	28	57
70-74	4357	14.2	77	8	9	12	16	23	30	60
75-79	2327	15.4	80	8	10	13	18	25	33	67
80-84	610	17.1	110	9	11	14	19	28	36	65
85+	105	20.1	146	10	13	18	23	35	43	99+
TOTAL SINGLE DX	331	10.2	19	7	8	9	11	14	18	28
TOTAL MULTIPLE DX	13068	14.1	77	8	9	12	16	23	30	60
TOTAL										
65-69 YRS	5823	13.1	67	8	9	11	15	21	27	56
70-74	4466	14.1	77	8	9	12	16	23	30	59
75-79	2381	15.3	80	8	10	13	18	25	33	67
80-84	623	17.1	110	9	11	14	19	28	37	65
85+	106	19.9	147	10	13	17	23	35	43	99+
GRAND TOTAL	13399	14.0	76	8	9	12	16	23	30	60

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	898	2.4	6	1	1	1	2	6	8	13
70-74	551	2.3	4	1	1	1	2	5	8	10
75-79	278	2.4	7	1	1	1	2	6	7	11
80-84	54	2.6	4	1	1	2	3	5	8	10
85 +	17	2.8	5	<1	1	2	4	7	7	7
2. MULTIPLE DX										
65-69 YRS	10623	5.0	25	1	1	3	7	11	14	24
70-74	8294	5.5	30	1	2	4	8	12	15	25
75-79	4776	6.0	34	1	2	5	8	13	16	28
80-84	1603	6.8	37	1	2	5	9	14	18	29
85 +	387	8.6	54	1	4	7	11	17	24	35
TOTAL SINGLE DX	1798	2.4	6	1	1	1	2	6	8	11
TOTAL MULTIPLE DX	25683	5.5	31	1	2	4	8	12	15	26
TOTAL										
65-69 YRS	11521	4.8	25	1	1	3	7	10	13	23
70-74	8845	5.3	30	1	2	4	7	11	14	25
75-79	5054	5.8	34	1	2	4	8	12	16	27
80-84	1657	6.6	37	1	2	5	9	14	18	29
85 +	404	8.4	54	1	4	7	11	17	24	35
GRAND TOTAL	27481	5.3	30	1	2	4	7	11	15	25

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	138	3.2	17	1	1	2	4	5	8	22
70-74	189	3.0	9	1	1	2	3	6	8	16
75-79	209	3.0	7	1	1	2	3	6	9	14
80-84	191	2.8	5	1	1	2	4	5	7	13
85 +	194	3.2	10	1	1	2	4	6	9	18
2. MULTIPLE DX										
65-69 YRS	1808	8.7	65	2	3	6	11	18	23	41
70-74	2468	8.4	64	2	3	6	11	17	23	42
75-79	2916	8.4	57	2	4	6	11	17	22	40
80-84	2684	8.9	69	2	4	7	11	17	23	48
85 +	2631	9.3	86	2	4	7	12	19	25	54
TOTAL SINGLE DX	921	3.0	10	1	1	2	4	6	8	16
TOTAL MULTIPLE DX	12507	8.7	69	2	4	7	11	17	23	43
TOTAL										
65-69 YRS	1946	8.3	64	2	3	6	11	18	23	41
70-74	2657	8.0	62	2	3	6	10	16	22	41
75-79	3125	8.0	56	2	3	6	11	16	21	30
80-84	2875	8.5	67	2	3	6	11	17	22	45
85 +	2825	8.9	84	2	3	7	11	18	25	53
GRAND TOTAL	13428	8.4	67	2	3	6	11	17	23	42

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	5.3	8	1	4	5	7	9	9	9
70-74	5	8.6	42	<1	5	8	11	19	19	19
75-79	4	4.3	1	3	3	4	5	6	6	6
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
65-69 YRS	268	13.2	101	3	8	11	17	25	30	53
70-74	184	12.9	71	4	8	11	16	23	30	48
75-79	140	14.3	139	4	7	11	18	28	40	61
80-84	43	15.7	115	5	9	14	20	31	38	54
85 +	31	12.9	45	7	8	12	16	22	24	35
TOTAL SINGLE DX	16	5.9	19	1	3	5	8	9	16	19
TOTAL MULTIPLE DX	666	13.5	100	3	7	11	17	25	33	54
TOTAL										
65-69 YRS	274	13.0	101	3	7	11	17	24	30	53
70-74	189	12.8	71	4	8	11	16	23	30	48
75-79	144	14.0	138	3	7	11	17	26	39	60
80-84	44	15.4	117	4	8	14	20	31	38	54
85 +	31	12.9	45	7	8	12	16	22	24	35
GRAND TOTAL	682	13.3	99	3	7	11	17	24	32	54

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	72	4.6	25	<1	1	3	5	13	15	23
70-74	53	5.3	41	<1	1	4	6	12	21	35
75-79	44	3.4	13	<1	1	2	5	8	10	19
80-84	26	5.5	67	<1	1	3	4	13	26	38
85 +	21	7.8	76	<1	2	5	9	22	31	31
2. MULTIPLE DX										
65-69 YRS	1804	9.8	74	2	4	8	13	20	26	44
70-74	1895	10.6	95	2	4	8	13	22	29	53
75-79	1762	11.0	91	3	5	9	14	22	28	49
80-84	1489	12.2	101	3	6	10	15	24	29	55
85 +	1410	13.4	110	4	7	11	17	26	34	57
TOTAL SINGLE DX	216	5.0	38	<1	1	3	6	11	20	33
TOTAL MULTIPLE DX	8360	11.2	95	3	5	9	14	22	29	51
TOTAL										
65-69 YRS	1876	9.6	73	2	4	7	12	20	26	43
70-74	1948	10.4	95	2	4	8	13	21	29	52
75-79	1806	10.8	91	2	5	8	14	22	28	48
80-84	1515	12.0	102	3	5	10	15	24	29	54
85 +	1431	13.3	110	4	7	11	17	26	34	57
GRAND TOTAL	8576	11.1	94	2	5	9	14	22	29	50

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	97	2.4	5	1	1	2	3	5	7	14
70-74	51	2.7	22	1	1	2	3	4	7	34
75-79	22	1.9	1	1	1	2	2	4	5	6
80-84	9	2.6	2	1	2	2	3	5	6	6
85 +	5	4.8	33	1	2	3	6	15	15	15
2. MULTIPLE DX										
65-69 YRS	154	4.8	44	1	2	3	4	11	19	35
70-74	87	5.2	76	1	2	2	4	12	17	52
75-79	50	6.1	32	1	3	4	7	15	23	23
80-84	31	7.2	65	1	2	4	7	21	23	30
85 +	7	9.3	45	2	3	9	15	18	19	19
TOTAL SINGLE DX	184	2.5	10	1	1	2	3	4	7	15
TOTAL MULTIPLE DX	329	5.4	53	1	2	3	5	14	21	37
TOTAL										
65-69 YRS	251	3.9	31	1	1	2	4	8	14	30
70-74	138	4.3	58	1	1	2	3	9	15	45
75-79	72	4.8	27	1	2	3	6	11	17	23
80-84	40	6.2	54	1	2	3	6	21	22	30
85 +	12	7.4	42	1	2	4	13	17	19	19
GRAND TOTAL	513	4.4	40	1	1	2	4	10	16	34

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	127	7.9	38	3	4	6	10	12	17	45
70-74	37	7.4	20	3	4	6	9	14	16	27
75-79	77	7.7	27	4	5	7	8	13	17	35
80-84	30	8.2	19	5	7	7	9	11	17	27
85 +	18	11.4	33	4	8	10	15	19	22	23
2. MULTIPLE DX										
65-69 YRS	2403	13.0	120	5	7	10	15	26	36	66
70-74	2290	13.9	123	5	7	10	16	27	37	66
75-79	1659	14.6	129	5	8	11	18	29	38	72
80-84	960	15.6	155	6	8	12	19	29	41	78
85 +	511	17.2	162	7	9	14	22	32	47	99 +
TOTAL SINGLE DX	349	7.9	30	3	5	7	9	13	17	32
TOTAL MULTIPLE DX	7823	14.2	132	5	7	10	17	28	38	73
TOTAL										
65-69 YRS	2530	12.8	117	5	7	9	15	25	35	65
70-74	2387	13.6	121	5	7	10	16	27	36	64
75-79	1736	14.3	127	5	7	11	18	28	38	70
80-84	990	15.4	153	6	8	12	18	29	40	77
85 +	529	17.0	160	7	9	14	21	32	46	99 +
GRAND TOTAL	8172	13.9	129	5	7	10	17	27	37	72

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	8.0	72	<1	1	4	15	21	21	21
70-74	5	3.2	7	1	1	2	5	7	7	7
75-79	1	37.0		37	37	37	37	37	37	37
80-84	1	8.0		8	8	8	8	8	8	8
85 +	0									
2. MULTIPLE DX										
65-69 YRS	1257	7.1	58	2	3	5	8	15	21	44
70-74	1077	7.6	66	2	3	5	9	16	21	46
75-79	777	7.8	66	2	3	5	9	16	24	51
80-84	375	8.0	59	2	3	5	10	19	25	41
85 +	124	10.3	111	2	4	7	13	21	36	58
TOTAL SINGLE DX	15	8.3	107	1	1	5	9	21	33	37
TOTAL MULTIPLE DX	3610	7.6	65	2	3	5	9	16	22	46
TOTAL										
65-69 YRS	1265	7.1	58	2	3	5	8	15	21	44
70-74	1082	7.6	66	2	3	5	9	16	21	46
75-79	778	7.8	68	2	3	5	9	16	25	51
80-84	376	8.0	59	2	3	5	10	19	25	41
85 +	124	10.3	112	2	4	7	13	21	36	58
GRAND TOTAL	3625	7.6	65	2	3	5	9	16	22	46

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	32	2.8	8	1	1	2	3	7	7	15
70-74	24	3.5	17	1	1	2	4	8	14	18
75-79	26	2.5	6	1	1	2	3	4	9	12
80-84	8	2.3	1	1	1	2	3	4	4	4
85 +	7	4.0	8	1	2	2	7	8	8	8
2. MULTIPLE DX										
65-69 YRS	1051	11.8	156	1	3	8	17	27	38	66
70-74	823	13.3	169	2	4	10	18	31	40	63
75-79	686	13.7	179	2	4	10	18	32	42	77
80-84	311	14.0	169	2	4	10	21	33	42	66
85 +	124	16.4	211	2	5	14	23	35	48	95
TOTAL SINGLE DX	97	2.9	9	1	1	2	3	7	8	17
TOTAL MULTIPLE DX	2995	13.1	170	2	3	9	18	31	40	68
TOTAL										
65-69 YRS	1083	11.5	155	1	3	8	16	27	37	66
70-74	847	13.0	168	2	3	9	18	31	40	63
75-79	712	13.3	178	1	3	9	18	32	42	74
80-84	319	13.7	169	2	4	10	20	32	41	66
85 +	131	15.7	208	2	5	13	22	34	47	94
GRAND TOTAL	3092	12.7	168	1	3	9	18	30	39	67

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	276	4.3	4	2	3	4	5	7	8	13
70-74	260	4.3	4	2	3	4	5	6	9	13
75-79	198	4.5	6	2	3	4	5	7	9	16
80-84	93	4.6	5	2	3	4	6	7	9	14
85 +	22	5.0	5	3	4	4	6	8	10	12
2. MULTIPLE DX										
65-69 YRS	2009	6.9	37	3	4	5	8	13	17	31
70-74	2039	7.1	43	3	4	5	8	14	19	35
75-79	1573	7.5	39	3	4	5	9	15	19	35
80-84	750	8.1	43	3	4	6	10	16	23	36
85 +	204	9.5	66	3	4	7	12	19	27	51
TOTAL SINGLE DX	849	4.4	5	2	3	4	5	7	9	13
TOTAL MULTIPLE DX	6575	7.3	42	3	4	5	8	14	19	35
TOTAL										
65-69 YRS	2285	6.5	34	3	4	5	7	12	16	30
70-74	2299	6.8	40	3	4	5	8	13	18	34
75-79	1771	7.2	36	3	4	5	8	14	18	34
80-84	843	7.7	41	3	4	6	9	15	21	35
85 +	226	9.1	62	3	4	6	11	19	25	46
GRAND TOTAL	7424	7.0	39	3	4	5	8	13	18	34

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.22; 38.30-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	306	4.9	14	1	1	4	7	9	11	16
70-74	279	5.0	19	1	1	3	8	10	12	20
75-79	231	5.2	25	1	1	3	8	11	14	23
80-84	107	5.3	25	1	1	3	7	12	14	25
85 +	39	5.4	32	1	2	4	6	14	16	29
2. MULTIPLE DX										
65-69 YRS	4577	10.8	113	2	4	8	13	22	32	63
70-74	4339	11.4	120	2	5	9	14	24	34	71
75-79	3581	11.6	122	2	5	9	14	23	32	66
80-84	1979	12.5	135	2	5	10	16	27	36	70
85 +	1235	12.6	130	3	6	10	15	25	37	58
TOTAL SINGLE DX	962	5.1	20	1	1	4	8	10	13	21
TOTAL MULTIPLE DX	15711	11.5	122	2	5	9	14	24	34	66
TOTAL										
65-69 YRS	4883	10.5	110	2	4	8	13	22	31	62
70-74	4618	11.0	116	2	4	8	14	23	32	67
75-79	3812	11.2	119	2	4	9	14	22	31	64
80-84	2086	12.1	132	2	5	9	15	26	36	68
85 +	1274	12.4	129	3	6	9	15	25	36	58
GRAND TOTAL	16673	11.1	118	2	4	9	14	23	32	64

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	102	4.1	11	1	2	3	6	8	12	15
70-74	69	3.4	9	1	1	2	4	7	10	16
75-79	37	4.1	20	< 1	1	2	5	9	11	25
80-84	12	5.9	33	1	1	4	8	15	18	19
85 +	8	10.5	248	< 1	1	4	11	37	48	48
2. MULTIPLE DX										
65-69 YRS	500	8.8	85	1	3	7	11	18	25	49
70-74	454	9.2	100	1	3	6	12	19	30	50
75-79	347	10.2	107	2	3	7	14	21	31	95
80-84	167	10.0	87	2	4	8	13	22	26	53
85 +	128	13.8	198	2	4	9	18	31	38	79
TOTAL SINGLE DX	228	4.2	22	1	1	3	6	9	12	20
TOTAL MULTIPLE DX	1596	9.7	105	2	3	7	12	21	29	56
TOTAL										
65-69 YRS	602	8.0	76	1	3	6	10	17	23	45
70-74	523	8.4	92	1	3	5	11	18	28	50
75-79	384	9.6	102	1	3	7	13	21	29	84
80-84	179	9.7	85	1	3	7	13	21	26	52
85 +	136	13.6	200	2	4	9	18	31	39	77
GRAND TOTAL	1824	9.0	98	1	3	6	11	19	28	51

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	79	3.7	5	1	2	3	5	6	7	13
70-74	57	3.7	13	1	2	3	4	5	7	27
75-79	33	3.7	5	1	2	3	5	7	9	10
80-84	12	4.8	32	1	2	3	5	11	20	22
85 +	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	389	7.9	56	2	4	6	9	16	22	45
70-74	319	7.6	83	2	3	5	8	16	24	51
75-79	202	8.0	70	2	3	6	9	16	22	50
80-84	93	7.6	69	2	3	5	8	16	20	50
85 +	48	10.1	198	2	3	6	11	23	39	85
TOTAL SINGLE DX	183	3.8	9	1	2	3	5	6	8	20
TOTAL MULTIPLE DX	1051	7.9	75	2	3	5	9	16	22	48
TOTAL										
65-69 YRS	468	7.2	50	2	3	5	8	15	21	40
70-74	376	7.0	75	2	3	5	8	15	23	42
75-79	235	7.4	63	2	3	5	8	14	21	47
80-84	105	7.2	66	2	3	5	8	16	20	47
85 +	50	9.9	192	2	3	6	10	21	39	85
GRAND TOTAL	1234	7.3	67	2	3	5	8	15	22	44

957 Hospitals, United States, Geriatric, January-December 1989, by Operation

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	0									
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	0									

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	56	5.5	12	2	3	5	7	10	14	17
70-74	51	6.2	31	1	3	5	8	11	15	35
75-79	32	7.7	26	3	4	6	10	13	16	27
80-84	26	6.8	32	2	3	6	8	11	18	29
85 +	24	12.4	123	2	4	11	14	34	38	39
2. MULTIPLE DX										
65-69 YRS	1377	11.9	98	4	6	9	14	24	33	55
70-74	1474	11.9	103	4	6	9	14	24	33	65
75-79	1478	12.3	114	4	6	9	15	24	33	56
80-84	1271	12.2	119	4	6	9	15	24	33	95
85 +	975	12.4	104	4	6	10	15	24	33	61
TOTAL SINGLE DX	189	7.1	40	2	3	5	9	13	16	37
TOTAL MULTIPLE DX	6575	12.1	108	4	6	9	15	24	33	62
TOTAL										
65-69 YRS	1433	11.6	96	3	6	9	14	24	32	54
70-74	1525	11.8	102	3	6	9	14	24	32	65
75-79	1510	12.2	113	4	6	9	15	24	33	56
80-84	1297	12.1	119	4	6	9	15	24	33	94
85 +	999	12.4	105	4	6	10	15	25	33	61
GRAND TOTAL	**6764**	**12.0**	**107**	**4**	**6**	**9**	**15**	**24**	**33**	**61**

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	41	7.3	69	< 1	1	3	10	19	27	35
70-74	28	9.2	92	< 1	2	6	14	23	30	41
75-79	18	6.7	29	1	2	5	10	15	17	19
80-84	11	10.9	65	1	3	13	17	21	25	25
85 +	6	16.8	235	1	6	12	30	39	40	40
2. MULTIPLE DX										
65-69 YRS	1481	13.2	166	2	5	9	17	29	41	76
70-74	1275	13.5	167	2	5	10	18	29	39	78
75-79	980	15.0	167	4	6	11	19	32	44	71
80-84	682	15.3	173	4	7	12	19	31	41	81
85 +	542	15.7	153	5	8	13	19	29	42	83
TOTAL SINGLE DX	104	8.6	80	< 1	2	5	13	20	29	40
TOTAL MULTIPLE DX	4960	14.2	167	3	6	11	18	30	41	78
TOTAL										
65-69 YRS	1522	13.0	164	2	5	9	17	28	40	76
70-74	1303	13.4	167	2	5	10	18	29	39	77
75-79	998	14.8	166	3	6	11	19	32	43	71
80-84	693	15.3	172	3	7	12	19	31	41	81
85 +	548	15.7	154	5	8	13	19	30	42	83
GRAND TOTAL	**5064**	**14.1**	**166**	**3**	**6**	**11**	**18**	**30**	**41**	**77**

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	5.5	41	1	1	5	10	10	10	10
70-74	2	8.0	32	4	4	8	12	12	12	12
75-79	0									
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	44	8.1	55	2	3	6	10	16	18	44
70-74	41	9.5	107	2	4	6	11	22	30	54
75-79	30	9.0	45	3	4	7	10	18	26	29
80-84	18	10.4	54	4	6	9	12	17	28	35
85 +	21	7.0	13	2	5	7	8	11	14	17
TOTAL SINGLE DX	5	5.8	24	1	2	4	10	12	12	12
TOTAL MULTIPLE DX	154	8.8	61	2	4	7	11	17	25	44
TOTAL										
65-69 YRS	46	8.0	54	2	3	6	10	16	18	44
70-74	43	9.4	103	2	4	6	11	20	30	54
75-79	30	9.0	45	3	4	7	10	18	26	29
80-84	18	10.4	55	4	6	9	12	17	28	35
85 +	22	6.8	14	2	5	7	8	11	14	17
GRAND TOTAL	**159**	**8.7**	**60**	**2**	**4**	**7**	**11**	**17**	**24**	**43**

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	32	4.0	6	<1	2	4	6	7	9	10
70-74	37	4.4	20	<1	<1	3	5	11	14	21
75-79	22	3.0	6	<1	1	2	3	6	9	12
80-84	12	4.1	15	<1	1	3	6	10	13	14
85 +	8	3.4	7	<1	1	3	5	8	9	9
2. MULTIPLE DX										
65-69 YRS	581	10.8	112	2	4	8	14	24	33	54
70-74	563	10.4	114	2	4	7	12	23	32	69
75-79	490	10.2	110	2	4	7	12	21	29	60
80-84	324	11.5	149	2	4	8	13	27	37	76
85 +	292	10.3	76	3	5	8	13	20	26	49
TOTAL SINGLE DX	111	3.9	12	<1	1	3	5	8	11	17
TOTAL MULTIPLE DX	2250	10.6	113	2	4	8	13	22	32	62
TOTAL										
65-69 YRS	613	10.4	110	2	4	7	13	24	33	52
70-74	600	10.0	110	2	4	7	12	22	31	65
75-79	512	9.9	108	2	4	7	12	21	29	60
80-84	336	11.2	146	2	4	7	13	26	36	76
85 +	300	10.1	78	2	4	8	13	20	26	48
GRAND TOTAL	2361	10.3	110	2	4	7	13	22	31	61

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	1	13.0		13	13	13	13	13	13	13
75-79	1	5.0		5	5	5	5	5	5	5
80-84	2	9.0	18	6	6	9	12	12	12	12
85 +	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	18	15.3	71	6	8	14	21	28	31	33
70-74	17	17.5	153	8	9	15	19	39	48	51
75-79	11	12.9	109	6	8	9	12	29	41	42
80-84	14	25.2	463	10	11	17	29	59	80	86
85 +	12	9.9	37	2	5	9	15	19	20	20
TOTAL SINGLE DX	7	6.7	18	2	3	6	11	13	13	13
TOTAL MULTIPLE DX	72	16.5	183	6	8	12	19	30	43	79
TOTAL										
65-69 YRS	18	15.3	72	6	8	14	21	28	31	33
70-74	18	17.3	146	8	9	14	19	37	48	51
75-79	12	12.3	105	4	8	9	12	27	40	42
80-84	16	23.2	434	8	11	16	28	53	77	86
85 +	15	8.7	37	2	4	6	13	18	19	20
GRAND TOTAL	79	15.6	176	5	8	12	19	29	43	77

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	15.7	819	2	2	3	11	66	80	80
70-74	12	15.3	224	2	6	9	26	39	42	43
75-79	3	8.3	41	1	3	11	12	13	13	13
80-84	12	14.8	242	1	2	8	23	39	48	50
85 +	16	7.5	53	1	1	7	14	24	74	99 +
2. MULTIPLE DX										
65-69 YRS	461	18.9	299	3	7	14	26	44	64	99 +
70-74	687	19.2	278	3	8	15	27	47	70	99 +
75-79	908	19.8	275	4	8	16	27	47	69	99 +
80-84	1100	18.5	241	4	8	15	26	43	64	99 +
85 +	1608	18.3	245	4	8	15	23	39	56	99 +
TOTAL SINGLE DX	50	12.3	237	1	2	8	14	37	50	99 +
TOTAL MULTIPLE DX	4764	18.8	260	4	8	15	25	44	62	99 +
TOTAL										
65-69 YRS	468	18.8	305	3	7	13	26	44	64	99 +
70-74	699	19.2	278	3	8	15	27	47	69	99 +
75-79	911	19.8	275	4	8	16	27	47	68	99 +
80-84	1112	18.5	241	3	8	15	26	43	64	99 +
85 +	1624	18.2	245	4	8	15	23	39	56	99 +
GRAND TOTAL	4814	18.8	260	4	8	15	25	44	62	99 +

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	16	3.9	9	<1	2	3	4	7	12	14
70-74	12	4.0	4	1	3	4	5	7	7	7
75-79	7	6.4	11	3	3	6	9	11	12	12
80-84	5	12.2	25	7	8	11	17	18	18	18
85 +	8	16.6	1031	3	4	6	7	69	96	96
2. MULTIPLE DX										
65-69 YRS	504	8.0	51	3	4	6	10	15	20	39
70-74	532	9.0	57	3	4	7	11	18	24	38
75-79	571	9.7	99	3	4	7	11	18	27	48
80-84	432	10.6	90	4	5	8	12	21	30	60
85 +	364	11.3	99	4	6	8	14	23	32	72
TOTAL SINGLE DX	48	7.3	185	2	3	4	7	12	17	96
TOTAL MULTIPLE DX	2403	9.6	80	3	5	7	11	19	26	48
TOTAL										
65-69 YRS	520	7.9	51	3	4	6	9	15	20	38
70-74	544	8.9	57	3	4	7	10	17	24	37
75-79	578	9.7	99	3	4	7	11	18	27	48
80-84	437	10.6	90	4	5	8	12	21	30	60
85 +	372	11.4	117	4	6	8	14	23	32	90
GRAND TOTAL	2451	9.5	82	3	4	7	11	18	26	49

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	29	10.1	13	6	7	9	12	16	17	18
70-74	25	10.2	7	7	8	10	12	14	15	15
75-79	13	12.5	69	7	8	10	13	23	35	38
80-84	6	12.5	54	7	7	9	18	24	25	25
85 +	2	14.0	8	12	12	14	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	408	17.8	147	8	10	14	21	33	44	92
70-74	428	18.4	162	8	10	14	23	34	46	82
75-79	377	20.5	208	9	11	16	25	40	55	84
80-84	242	21.8	246	8	11	17	28	43	56	85
85 +	153	22.2	154	9	13	20	28	38	45	76
TOTAL SINGLE DX	75	10.8	24	7	8	10	13	16	18	35
TOTAL MULTIPLE DX	1608	19.6	184	8	11	15	24	37	51	84
TOTAL										
65-69 YRS	437	17.3	142	8	10	14	21	32	43	88
70-74	453	18.0	157	8	10	14	22	33	45	81
75-79	390	20.3	206	9	11	16	25	39	54	84
80-84	248	21.6	243	8	11	17	28	42	56	85
85 +	155	22.1	153	9	13	20	27	38	45	76
GRAND TOTAL	1683	19.2	180	8	10	15	23	36	49	84

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	11.9	7	9	10	11	14	16	16	16
70-74	1	16.0		16	16	16	16	16	16	16
75-79	1	11.0		11	11	11	11	11	11	11
80-84	2	16.0		16	16	16	16	16	16	16
85 +	0									
2. MULTIPLE DX										
65-69 YRS	122	23.3	276	10	12	17	31	44	62	98
70-74	108	21.0	168	10	13	17	24	40	46	99 +
75-79	84	21.0	114	11	13	18	26	36	45	54
80-84	33	26.1	243	11	16	23	32	49	78	99 +
85 +	14	25.7	152	11	16	25	36	52	88	99 +
TOTAL SINGLE DX	11	12.9	8	9	10	12	16	16	16	16
TOTAL MULTIPLE DX	361	22.4	20[illegible]	10	13	18	28	42	56	99 +
TOTAL										
65-69 YRS	129	22.7	258	10	12	16	30	44	61	98
70-74	109	20.9	168	10	13	17	24	40	46	99 +
75-79	85	20.9	115	11	13	18	26	36	45	54
80-84	35	25.5	235	11	16	23	32	46	76	99 +
85 +	14	25.7	153	11	16	25	36	52	88	99 +
GRAND TOTAL	372	22.1	197	10	13	18	28	42	55	99 +

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	6.5	2	5	5	6	8	8	8	8
70-74	4	6.3	13	1	4	7	8	9	9	9
75-79	8	9.8	7	6	7	9	12	13	13	13
80-84	3	6.7	16	3	4	6	10	11	11	11
85 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	161	17.1	203	7	9	13	19	38	45	72
70-74	162	16.5	144	7	9	13	21	32	44	96
75-79	131	16.8	142	6	9	13	21	35	44	58
80-84	97	17.6	172	8	9	13	20	36	45	72
85 +	86	17.7	117	7	10	15	21	32	38	55
TOTAL SINGLE DX	22	7.8	9	4	6	8	9	12	13	13
TOTAL MULTIPLE DX	637	17.0	159	7	9	13	20	34	44	68
TOTAL										
65-69 YRS	167	16.7	200	7	8	12	19	37	45	72
70-74	166	16.2	143	7	9	13	21	31	43	95
75-79	139	16.4	137	6	9	13	20	33	42	58
80-84	100	17.3	171	8	9	13	20	36	45	71
85 +	87	17.6	117	7	10	15	21	32	37	55
GRAND TOTAL	659	16.7	156	7	9	13	20	33	44	67

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	24	8.3	14	5	6	7	9	15	17	19
70-74	15	10.1	25	6	7	8	15	17	19	20
75-79	11	8.6	21	4	7	7	10	15	20	21
80-84	4	7.8	12	4	5	7	10	12	12	12
85 +	6	7.3	3	5	6	7	8	10	10	10
2. MULTIPLE DX										
65-69 YRS	450	14.4	126	6	7	11	17	28	38	60
70-74	516	16.9	194	6	8	12	21	37	50	99 +
75-79	420	17.4	164	6	9	14	22	34	46	73
80-84	339	16.2	145	6	9	13	20	31	41	99 +
85 +	327	19.2	171	8	11	16	24	38	50	99 +
TOTAL SINGLE DX	60	8.7	17	5	6	8	9	16	18	21
TOTAL MULTIPLE DX	2052	16.7	164	6	8	13	21	34	45	91
TOTAL										
65-69 YRS	474	14.1	123	6	7	10	17	28	37	60
70-74	531	16.7	190	6	8	12	20	37	49	99 +
75-79	431	17.2	163	6	8	14	22	34	45	72
80-84	343	16.1	145	6	9	13	20	31	41	99 +
85 +	333	19.0	171	7	11	15	24	38	50	99 +
GRAND TOTAL	2112	16.5	161	6	8	13	21	34	45	90

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	169	4.2	16	<1	<1	3	6	9	11	19
70-74	123	4.5	42	<1	<1	3	6	9	11	43
75-79	92	5.4	92	<1	1	3	5	11	18	61
80-84	63	4.5	16	<1	1	3	7	10	12	17
85 +	67	4.9	19	<1	2	3	7	11	14	20
2. MULTIPLE DX										
65-69 YRS	4213	8.4	63	3	4	6	10	17	23	44
70-74	4669	8.8	64	3	4	7	11	17	23	44
75-79	4687	9.3	71	3	4	7	11	18	24	49
80-84	3935	9.7	71	3	5	7	12	19	25	46
85 +	3283	10.5	88	3	5	8	13	21	28	51
TOTAL SINGLE DX	514	4.6	37	<1	<1	3	6	10	12	23
TOTAL MULTIPLE DX	20787	9.3	71	3	4	7	11	18	25	47
TOTAL										
65-69 YRS	4382	8.3	62	2	4	6	10	16	23	43
70-74	4792	8.7	64	3	4	7	11	17	23	44
75-79	4779	9.2	73	3	4	7	11	18	24	49
80-84	3998	9.6	71	3	5	7	12	19	25	46
85 +	3350	10.3	87	3	5	8	13	21	28	51
GRAND TOTAL	21301	9.2	71	3	4	7	11	18	24	47

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	21	11.0	27	7	8	10	12	14	22	32
70-74	24	11.2	31	6	7	9	15	21	22	25
75-79	11	9.5	12	6	7	9	10	14	19	19
80-84	8	8.1	4	5	7	9	10	10	10	10
85 +	8	10.5	16	6	7	10	13	16	18	18
2. MULTIPLE DX										
65-69 YRS	505	17.7	189	7	9	14	20	36	49	91
70-74	506	17.7	166	8	10	14	21	34	47	99
75-79	524	18.4	200	7	10	14	23	35	51	99 +
80-84	369	18.8	163	8	10	15	22	35	51	77
85 +	301	19.2	160	9	11	15	23	35	45	96
TOTAL SINGLE DX	72	10.5	23	6	8	9	12	16	21	30
TOTAL MULTIPLE DX	2205	18.3	179	8	10	14	22	35	49	96
TOTAL										
65-69 YRS	526	17.4	185	7	9	13	20	35	49	91
70-74	530	17.4	162	8	10	14	21	34	47	98
75-79	535	18.3	198	7	10	14	22	35	50	99 +
80-84	377	18.5	162	8	10	15	22	35	50	76
85 +	309	19.0	158	9	11	15	23	35	43	96
GRAND TOTAL	2277	18.0	175	8	10	14	21	35	48	95

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	320	8.7	6	6	7	8	10	11	13	19
70-74	241	9.0	9	6	7	9	10	13	15	21
75-79	160	9.1	7	7	7	8	10	13	14	20
80-84	92	10.6	30	7	8	9	11	15	19	39
85 +	43	11.0	22	7	8	10	12	16	21	31
2. MULTIPLE DX										
65-69 YRS	3589	13.5	92	7	8	11	15	22	30	62
70-74	3855	14.0	93	7	9	11	16	25	33	65
75-79	3467	14.8	95	8	9	12	17	25	33	58
80-84	2510	16.2	104	8	10	13	19	28	37	62
85 +	1826	18.2	137	9	11	15	22	32	42	80
TOTAL SINGLE DX	856	9.2	11	6	7	9	10	13	15	21
TOTAL MULTIPLE DX	15247	14.9	103	7	9	12	17	26	35	64
TOTAL										
65-69 YRS	3909	13.1	87	7	8	10	15	22	29	60
70-74	4096	13.7	90	7	8	11	15	24	33	64
75-79	3627	14.5	93	7	9	12	17	25	32	57
80-84	2602	16.0	103	8	10	13	19	28	36	62
85 +	1869	18.0	136	8	11	15	21	32	42	79
GRAND TOTAL	16103	14.6	100	7	9	11	17	25	34	63

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	8.8	11	6	7	8	9	14	18	18
70-74	11	12.2	74	6	8	9	12	25	35	36
75-79	2	13.5	113	6	6	13	21	21	21	21
80-84	5	6.8	8	3	4	7	9	10	10	10
85 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	164	15.8	113	7	9	13	18	31	39	96
70-74	167	18.2	155	7	10	14	23	35	41	70
75-79	126	18.6	196	8	10	13	22	40	58	99 +
80-84	123	21.0	274	8	11	15	25	47	62	93
85 +	106	20.0	219	7	10	15	28	38	47	93
TOTAL SINGLE DX	30	10.0	40	5	7	8	10	18	21	36
TOTAL MULTIPLE DX	686	18.5	186	7	10	14	22	36	49	89
TOTAL										
65-69 YRS	175	15.4	110	7	9	13	18	30	37	94
70-74	178	17.9	152	7	10	14	22	35	40	69
75-79	128	18.5	195	8	10	13	21	40	57	99 +
80-84	128	20.4	272	8	11	15	24	43	60	92
85 +	107	19.9	219	7	10	15	28	38	47	92
GRAND TOTAL	716	18.1	183	7	10	14	22	36	48	89

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	85	7.6	17	3	5	7	9	12	16	25
70-74	55	6.6	9	2	4	7	9	11	12	12
75-79	50	7.4	10	3	5	8	10	11	12	16
80-84	16	7.5	6	4	6	8	10	10	11	11
85 +	14	7.1	7	3	6	7	9	11	11	11
2. MULTIPLE DX										
65-69 YRS	743	12.1	74	6	8	10	14	21	29	53
70-74	724	12.2	74	6	8	10	14	22	29	88
75-79	622	13.3	106	6	8	10	15	24	33	63
80-84	383	14.2	141	6	8	11	16	27	40	81
85 +	274	15.3	156	6	8	12	17	32	40	81
TOTAL SINGLE DX	220	7.3	13	3	5	7	9	11	12	18
TOTAL MULTIPLE DX	2746	13.0	100	6	8	10	15	24	34	66
TOTAL										
65-69 YRS	828	11.6	71	5	7	9	13	20	28	51
70-74	779	11.8	72	5	7	10	13	22	28	80
75-79	672	12.8	101	5	8	10	14	23	33	62
80-84	399	14.0	138	5	8	10	16	27	39	80
85 +	288	14.9	152	5	8	11	17	31	39	81
GRAND TOTAL	2966	12.6	96	5	7	10	14	23	33	63

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	13.1	36	9	10	11	13	22	29	30
70-74	7	15.3	203	7	9	10	14	41	47	47
75-79	8	9.5	22	3	6	9	12	16	17	17
80-84	4	11.3	3	9	10	11	12	13	13	13
85 +	5	11.8	25	7	8	10	16	19	19	19
2. MULTIPLE DX										
65-69 YRS	300	18.6	154	8	10	15	24	37	50	99 +
70-74	349	19.1	200	7	10	15	22	37	52	91
75-79	307	21.0	168	9	12	18	26	40	49	68
80-84	254	20.5	195	8	12	17	26	41	55	99 +
85 +	238	19.5	200	8	10	16	24	42	57	99 +
TOTAL SINGLE DX	35	12.3	59	7	9	11	13	17	27	47
TOTAL MULTIPLE DX	1448	19.7	183	8	11	16	25	39	51	99 +
TOTAL										
65-69 YRS	311	18.4	151	8	10	15	23	36	49	99 +
70-74	356	19.0	200	7	10	15	22	37	52	91
75-79	315	20.7	168	8	11	17	26	39	49	68
80-84	258	20.3	194	8	12	16	26	41	54	99 +
85 +	243	19.4	198	8	10	16	24	41	57	99 +
GRAND TOTAL	1483	19.5	182	8	11	16	24	39	51	99 +

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	177	5.5	7	2	3	5	7	9	10	15
70-74	91	5.4	9	2	4	4	6	10	11	17
75-79	59	6.7	15	3	4	6	9	10	13	26
80-84	19	7.9	29	2	5	6	12	17	18	18
85 +	17	5.6	12	2	3	6	7	11	13	13
2. MULTIPLE DX										
65-69 YRS	529	8.5	27	4	5	7	10	16	18	30
70-74	412	9.8	67	3	5	8	12	17	20	37
75-79	288	9.8	37	4	6	8	11	16	20	37
80-84	178	11.1	55	5	7	9	13	21	24	44
85 +	108	12.8	124	5	7	10	16	20	25	71
TOTAL SINGLE DX	363	5.8	11	2	4	5	7	10	12	17
TOTAL MULTIPLE DX	1515	9.7	52	4	5	8	12	17	21	35
TOTAL										
65-69 YRS	706	7.7	24	3	4	7	9	13	17	28
70-74	503	9.0	60	3	5	7	11	16	19	35
75-79	347	9.3	35	4	6	8	11	15	19	31
80-84	197	10.7	54	4	6	9	13	21	24	41
85 +	125	11.8	115	4	7	9	15	19	23	65
GRAND TOTAL	1878	8.9	46	3	5	7	11	16	20	33

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	1	6.0		6	6	6	6	6	6	6
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	7	11.1	8	9	9	10	12	16	17	17
70-74	3	13.7	64	6	8	13	20	22	22	22
75-79	5	15.0	121	7	8	10	20	34	34	34
80-84	3	14.0	37	10	10	11	18	21	21	21
85 +	0									
TOTAL SINGLE DX	1	6.0		6	6	6	6	6	6	6
TOTAL MULTIPLE DX	18	13.1	46	7	9	11	15	22	29	34
TOTAL										
65-69 YRS	7	11.1	8	9	9	10	12	16	17	17
70-74	3	13.7	64	6	8	13	20	22	22	22
75-79	6	13.5	111	6	7	9	15	32	34	34
80-84	3	14.0	37	10	10	11	18	21	21	21
85 +	0									
GRAND TOTAL	19	12.7	46	7	9	10	14	22	29	34

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	46	2.2	1	1	1	2	3	5	5	5
70-74	56	2.3	3	1	1	2	3	4	6	13
75-79	31	2.6	3	1	1	2	3	5	6	9
80-84	29	2.8	7	1	1	2	3	6	8	13
85 +	34	2.5	4	<1	1	2	3	5	8	9
2. MULTIPLE DX										
65-69 YRS	248	5.9	32	1	2	4	8	13	18	29
70-74	259	8.2	124	1	2	5	10	17	23	69
75-79	285	7.7	61	2	3	5	9	17	23	42
80-84	248	9.0	73	2	3	7	11	18	24	45
85 +	263	9.9	123	2	4	7	12	18	31	73
TOTAL SINGLE DX	196	2.4	4	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	1303	8.1	85	1	3	6	10	17	23	53
TOTAL										
65-69 YRS	294	5.3	30	1	2	3	7	12	17	29
70-74	315	7.1	108	1	2	4	9	15	22	60
75-79	316	7.2	58	1	2	5	9	16	22	40
80-84	277	8.3	71	1	3	6	11	17	23	41
85 +	297	9.1	115	1	3	6	11	17	26	70
GRAND TOTAL	1499	7.4	78	1	2	5	10	16	22	49

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	21	3.0	6	<1	1	2	4	8	9	9
70-74	14	5.2	13	1	2	4	9	11	12	12
75-79	6	3.0	3	1	1	3	5	5	5	5
80-84	0									
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	95	6.4	21	2	3	5	10	14	16	65
70-74	68	8.8	105	2	4	6	10	20	30	95
75-79	56	11.3	203	2	4	6	11	30	36	72
80-84	25	7.0	30	2	3	6	9	15	18	23
85 +	18	7.1	18	3	4	5	9	14	16	17
TOTAL SINGLE DX	42	3.9	9	1	1	3	5	9	10	12
TOTAL MULTIPLE DX	262	8.1	85	2	3	5	10	16	24	72
TOTAL										
65-69 YRS	116	5.8	20	1	3	4	8	12	15	49
70-74	82	8.2	91	2	3	5	10	18	27	91
75-79	62	10.5	190	2	3	5	10	29	35	72
80-84	25	7.0	31	2	3	6	9	15	18	23
85 +	19	7.1	18	3	4	5	9	14	16	17
GRAND TOTAL	304	7.6	77	2	3	5	9	15	22	72

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	72	9.4	11	5	8	9	11	13	16	20
70-74	53	9.5	8	7	8	9	10	13	15	23
75-79	53	10.0	16	5	8	10	13	15	16	20
80-84	19	10.0	21	4	8	10	12	17	18	18
85 +	9	11.7	29	8	8	10	12	21	25	25
2. MULTIPLE DX										
65-69 YRS	586	13.6	80	8	9	11	15	22	29	66
70-74	616	14.5	96	8	9	12	16	23	32	67
75-79	525	15.2	97	8	10	12	17	25	35	58
80-84	322	17.2	148	8	10	14	20	29	43	97
85 +	168	18.3	129	8	11	16	22	34	43	75
TOTAL SINGLE DX	206	9.7	14	6	8	9	12	14	16	22
TOTAL MULTIPLE DX	2217	15.1	104	8	9	12	17	25	34	71
TOTAL										
65-69 YRS	658	13.1	75	8	9	11	14	21	28	56
70-74	669	14.1	91	8	9	11	16	23	31	64
75-79	578	14.8	92	8	9	12	17	25	31	54
80-84	341	16.8	144	8	10	14	19	29	41	96
85 +	177	18.0	126	8	11	15	22	32	43	73
GRAND TOTAL	2423	14.7	99	8	9	12	16	25	33	68

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	247	3.7	10	< 1	1	3	5	8	10	16
70-74	182	3.8	12	< 1	1	3	5	7	10	19
75-79	174	4.3	14	< 1	2	4	5	8	11	22
80-84	121	5.2	21	1	2	4	7	10	13	27
85 +	70	5.4	18	1	2	4	7	13	15	18
2. MULTIPLE DX										
65-69 YRS	5976	7.2	41	2	4	5	9	14	19	33
70-74	6466	7.9	60	2	4	6	9	15	21	43
75-79	6518	8.3	57	3	4	6	10	16	22	40
80-84	5451	8.7	62	3	4	7	10	16	23	46
85 +	4915	9.6	84	3	4	7	11	18	26	55
TOTAL SINGLE DX	794	4.2	14	< 1	1	3	6	8	11	18
TOTAL MULTIPLE DX	29326	8.3	61	3	4	6	10	16	22	43
TOTAL										
65-69 YRS	6223	7.1	41	2	3	5	9	13	18	33
70-74	6648	7.8	60	2	4	6	9	15	21	42
75-79	6692	8.2	57	3	4	6	10	16	22	40
80-84	5572	8.6	62	3	4	7	10	16	23	46
85 +	4985	9.5	84	3	4	7	11	18	26	55
GRAND TOTAL	**30120**	**8.2**	**60**	**3**	**4**	**6**	**10**	**16**	**22**	**43**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	24	1.3		1	1	1	2	2	3	3
70-74	17	1.8		1	1	2	2	3	4	4
75-79	7	2.0	1	1	1	2	3	4	4	4
80-84	3	3.3	4	1	2	4	5	5	5	5
85 +	0									
2. MULTIPLE DX										
65-69 YRS	94	3.3	27	1	1	2	3	6	10	33
70-74	67	4.0	38	1	1	2	4	7	10	39
75-79	33	5.4	34	1	2	4	7	14	28	99 +
80-84	11	4.1	12	1	2	3	6	9	13	13
85 +	6	7.7	60	1	2	6	11	20	21	21
TOTAL SINGLE DX	51	1.7	1	1	1	1	2	3	4	5
TOTAL MULTIPLE DX	211	4.0	33	1	1	2	4	8	13	43
TOTAL										
65-69 YRS	118	2.9	23	1	1	2	3	5	8	25
70-74	84	3.5	32	1	1	2	3	7	9	38
75-79	40	4.8	30	1	2	4	7	11	22	99 +
80-84	14	3.9	10	1	2	3	5	8	12	13
85 +	6	7.7	60	1	2	6	11	20	21	21
GRAND TOTAL	**262**	**3.6**	**27**	**1**	**1**	**2**	**4**	**7**	**11**	**40**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	2.2	2	1	1	2	3	5	6	6
70-74	7	1.3		< 1	< 1	1	2	2	2	2
75-79	8	2.5	7	1	1	2	2	7	9	9
80-84	5	2.4	2	1	1	3	3	4	4	4
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	100	3.0	8	1	1	2	3	6	8	17
70-74	66	5.2	153	1	1	2	4	8	16	86
75-79	38	4.9	23	1	2	3	7	11	12	26
80-84	30	5.7	37	1	2	4	7	13	19	29
85 +	16	5.6	27	2	2	3	8	12	18	21
TOTAL SINGLE DX	32	2.1	3	1	1	2	2	4	6	9
TOTAL MULTIPLE DX	250	4.4	54	1	1	3	4	9	12	26
TOTAL										
65-69 YRS	111	2.9	7	1	1	2	3	6	7	17
70-74	73	4.8	140	1	1	2	4	8	15	81
75-79	46	4.5	22	1	2	3	6	10	12	26
80-84	35	5.2	34	1	2	3	6	12	18	29
85 +	17	5.4	27	2	2	3	7	12	18	21
GRAND TOTAL	**282**	**4.1**	**49**	**1**	**1**	**2**	**4**	**9**	**12**	**24**

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	60	2.3	2	1	1	2	3	4	5	8
70-74	19	1.8		< 1	1	2	2	3	4	4
75-79	11	2.9	6	1	2	2	3	7	10	10
80-84	8	2.4		1	2	2	3	3	3	3
85 +	4	3.0	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	588	3.4	13	1	2	3	4	6	9	18
70-74	433	3.9	16	1	2	3	4	8	11	24
75-79	242	4.8	26	1	2	3	6	10	15	23
80-84	139	5.2	24	1	3	4	6	11	14	24
85 +	83	6.0	33	1	2	4	7	13	15	34
TOTAL SINGLE DX	102	2.3	2	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	1485	4.1	19	1	2	3	5	8	12	23
TOTAL										
65-69 YRS	648	3.3	13	1	2	2	4	6	8	16
70-74	452	3.8	16	1	2	3	4	7	11	24
75-79	253	4.7	25	1	2	3	5	10	14	23
80-84	147	5.1	23	1	2	3	6	11	14	23
85 +	87	5.9	33	1	2	4	7	13	15	34
GRAND TOTAL	**1587**	**4.0**	**18**	**1**	**2**	**3**	**4**	**8**	**11**	**23**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	34	2.9	3	1	1	2	4	6	7	7
70-74	20	3.0	10	<1	1	3	3	5	11	16
75-79	18	2.9	3	1	2	2	5	6	7	7
80-84	10	3.0	7	<1	1	2	3	7	10	10
85+	9	6.6	51	1	2	2	9	18	22	22
2. MULTIPLE DX										
65-69 YRS	155	5.7	55	1	2	3	6	13	17	52
70-74	110	6.5	75	1	2	3	8	14	21	48
75-79	95	5.4	33	1	2	4	7	11	15	34
80-84	58	10.1	175	1	3	6	11	28	37	64
85+	57	9.1	45	2	4	7	13	17	23	32
TOTAL SINGLE DX	91	3.3	11	1	1	2	4	6	8	20
TOTAL MULTIPLE DX	475	6.8	71	1	2	4	8	14	22	50
TOTAL										
65-69 YRS	189	5.2	48	1	2	3	6	11	15	44
70-74	130	6.0	67	1	2	3	7	13	20	45
75-79	113	5.0	29	1	2	3	7	10	13	30
80-84	68	9.0	157	1	2	5	9	25	31	63
85+	66	8.7	46	2	4	7	13	17	23	32
GRAND TOTAL	566	6.2	63	1	2	4	8	13	20	43

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	3	5.7	22	2	2	4	9	11	11	11
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	0									
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	49	14.7	149	2	5	11	22	37	41	43
70-74	38	17.0	318	3	7	11	23	40	51	92
75-79	31	22.2	356	8	13	16	26	41	65	95
80-84	23	19.3	148	5	8	17	27	39	41	41
85+	12	17.9	85	6	8	18	26	30	31	31
TOTAL SINGLE DX	7	5.9	11	2	3	5	8	11	11	11
TOTAL MULTIPLE DX	153	17.7	230	4	7	14	24	36	43	91
TOTAL										
65-69 YRS	50	14.4	149	2	4	11	22	36	41	43
70-74	41	16.1	304	3	7	11	19	37	51	92
75-79	33	21.2	350	6	11	14	23	38	64	95
80-84	23	19.3	149	5	8	17	27	39	41	41
85+	13	17.2	85	6	9	17	25	29	31	31
GRAND TOTAL	160	17.2	226	3	7	13	23	36	42	89

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	53	2.8	12	1	1	1	3	9	11	14
70-74	29	2.5	12	1	1	1	1	10	11	13
75-79	15	3.1	9	1	1	1	5	8	9	10
80-84	6	1.8	2	<1	<1	1	2	5	5	5
85+	5	7.4	45	1	1	9	11	17	17	17
2. MULTIPLE DX										
65-69 YRS	564	10.8	91	1	5	9	15	22	27	52
70-74	498	11.1	86	1	4	9	15	22	29	41
75-79	364	12.0	102	2	5	10	15	23	29	54
80-84	223	11.5	74	2	6	10	16	22	27	48
85+	112	11.9	53	4	7	10	17	24	27	99+
TOTAL SINGLE DX	108	2.9	13	1	1	1	3	9	11	15
TOTAL MULTIPLE DX	1761	11.3	88	1	5	9	15	23	28	48
TOTAL										
65-69 YRS	617	10.1	90	1	3	8	14	22	26	47
70-74	527	10.6	85	1	4	9	15	21	29	40
75-79	379	11.7	101	1	5	10	15	23	29	53
80-84	229	11.2	75	2	5	9	16	22	27	48
85+	117	11.7	53	3	7	10	17	23	27	99+
GRAND TOTAL	1869	10.8	87	1	4	9	15	22	28	47

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1033	5.0	6	3	4	4	6	8	9	13
70-74	636	5.2	5	3	4	5	6	8	10	14
75-79	310	5.9	8	3	4	5	7	9	11	16
80-84	125	6.7	14	4	4	6	8	11	14	23
85+	56	8.0	23	4	4	7	10	14	17	27
2. MULTIPLE DX										
65-69 YRS	5823	8.1	38	4	5	6	10	14	18	33
70-74	4828	9.1	48	4	5	7	11	16	20	39
75-79	3665	10.4	56	4	6	9	12	18	23	46
80-84	2251	12.1	85	5	7	10	14	21	27	65
85+	1411	14.4	107	6	8	11	17	25	34	59
TOTAL SINGLE DX	2160	5.4	8	3	4	5	6	8	10	15
TOTAL MULTIPLE DX	17978	9.8	59	4	5	8	12	17	23	44
TOTAL										
65-69 YRS	6856	7.6	35	3	4	6	9	13	17	31
70-74	5464	8.7	45	4	5	7	10	15	19	37
75-79	3975	10.1	54	4	6	8	12	17	23	45
80-84	2376	11.8	83	5	7	9	14	21	27	59
85+	1467	14.2	106	6	8	11	17	25	33	59
GRAND TOTAL	20138	9.4	56	4	5	7	11	17	22	41

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	3.7	27	1	1	1	4	13	14	14
70-74	5	3.2	8	1	1	2	5	8	8	8
75-79	7	3.6	15	1	1	2	4	10	12	12
80-84	2	3.0	2	2	2	3	4	4	4	4
85 +	10	2.9	3	1	1	2	4	6	7	7
2. MULTIPLE DX										
65-69 YRS	66	10.4	61	3	4	9	14	18	26	43
70-74	52	10.9	113	2	4	8	14	25	33	99
75-79	45	9.7	65	2	3	7	15	21	27	29
80-84	45	9.4	66	2	3	7	12	22	24	40
85 +	40	12.0	155	2	3	7	16	34	42	45
TOTAL SINGLE DX	30	3.3	10	1	1	2	4	7	12	14
TOTAL MULTIPLE DX	248	10.5	88	2	4	8	14	23	29	46
TOTAL										
65-69 YRS	72	9.8	62	2	4	8	14	18	25	42
70-74	57	10.2	109	2	3	8	13	24	32	97
75-79	52	8.9	63	1	3	6	13	21	26	29
80-84	47	9.1	65	2	3	7	11	22	24	40
85 +	50	10.2	138	2	2	5	14	32	41	45
GRAND TOTAL	278	9.7	85	2	3	7	13	22	29	46

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	42	3.8	19	1	1	2	4	10	15	19
70-74	36	3.9	14	1	1	2	6	9	11	18
75-79	47	3.8	11	1	1	3	5	9	11	16
80-84	24	3.0	6	1	1	2	5	7	8	10
85 +	20	3.3	6	1	2	3	4	7	9	10
2. MULTIPLE DX										
65-69 YRS	473	8.3	45	2	4	7	11	16	19	33
70-74	483	8.2	51	2	3	7	10	16	21	40
75-79	443	9.3	64	2	4	8	12	19	25	41
80-84	418	9.8	95	2	4	8	12	19	25	49
85 +	397	10.6	102	2	5	8	14	21	27	66
TOTAL SINGLE DX	169	3.7	12	1	1	2	5	8	10	18
TOTAL MULTIPLE DX	2214	9.2	71	2	4	7	12	18	23	42
TOTAL										
65-69 YRS	515	7.9	45	1	3	7	11	16	19	31
70-74	519	7.9	50	1	3	6	10	15	21	39
75-79	490	8.8	62	1	3	7	11	17	24	41
80-84	442	9.4	93	2	4	7	12	18	24	45
85 +	417	10.2	100	2	4	8	13	20	27	59
GRAND TOTAL	2383	8.8	69	2	4	7	11	17	23	42

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	23	8.0	9	4	6	8	9	12	14	15
70-74	20	7.3	32	1	2	8	10	15	19	21
75-79	16	9.3	47	2	5	7	12	20	25	27
80-84	16	7.8	36	1	2	7	10	18	19	19
85 +	13	9.1	42	1	5	9	10	21	22	22
2. MULTIPLE DX										
65-69 YRS	404	14.2	99	6	8	12	18	25	32	64
70-74	456	15.7	143	6	8	12	19	30	43	77
75-79	490	15.3	106	6	9	13	19	27	34	58
80-84	372	17.0	137	7	10	14	20	30	41	73
85 +	297	16.5	118	7	10	14	20	27	34	59
TOTAL SINGLE DX	88	8.2	30	1	4	8	10	17	20	25
TOTAL MULTIPLE DX	2019	15.7	122	6	9	13	19	28	36	66
TOTAL										
65-69 YRS	427	13.8	97	5	8	11	17	25	31	64
70-74	476	15.3	142	5	8	12	19	29	42	76
75-79	506	15.2	106	6	9	13	19	27	33	58
80-84	388	16.6	137	7	10	14	20	30	40	73
85 +	310	16.2	117	7	9	14	20	26	34	59
GRAND TOTAL	2107	15.4	120	6	9	13	19	27	35	66

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.83; 52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	16.7	193	3	5	15	23	37	39	39
70-74	12	9.0	35	1	4	9	13	17	19	19
75-79	8	8.4	36	1	3	7	13	17	18	18
80-84	5	6.4	51	2	2	4	8	19	19	19
85 +	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	217	21.1	255	6	11	16	29	43	61	99 +
70-74	214	19.7	241	6	9	15	26	41	52	70
75-79	146	22.8	343	6	10	17	29	48	69	86
80-84	84	18.7	284	4	8	14	24	40	64	98
85 +	42	20.1	188	4	11	16	28	41	50	56
TOTAL SINGLE DX	33	9.6	70	1	3	8	14	20	23	39
TOTAL MULTIPLE DX	703	20.7	269	5	10	16	27	43	56	90
TOTAL										
65-69 YRS	223	21.0	253	6	10	16	29	43	58	99 +
70-74	226	19.1	236	5	9	14	25	41	51	69
75-79	154	22.0	337	5	10	16	28	47	67	86
80-84	89	18.0	279	4	8	14	21	40	64	98
85 +	44	19.4	191	4	10	16	26	40	49	56
GRAND TOTAL	736	20.2	265	5	9	15	26	42	55	87

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	77	4.4	6	1	2	4	6	8	9	10
70-74	65	5.2	32	1	2	4	5	10	20	29
75-79	58	5.8	32	1	3	4	7	10	20	28
80-84	37	5.1	13	<1	3	4	7	10	13	17
85 +	35	7.8	140	1	3	4	8	13	36	61
2. MULTIPLE DX										
65-69 YRS	1325	8.1	57	2	4	6	10	15	20	42
70-74	1598	8.2	51	2	4	6	10	16	21	38
75-79	1788	8.3	45	3	4	7	10	16	20	37
80-84	1642	9.0	73	3	4	7	11	17	23	55
85 +	1572	9.3	73	3	5	7	11	18	24	54
TOTAL SINGLE DX	272	5.4	37	1	2	4	6	9	14	30
TOTAL MULTIPLE DX	7925	8.6	60	3	4	7	10	16	22	46
TOTAL										
65-69 YRS	1402	7.9	55	2	4	6	10	15	20	40
70-74	1663	8.1	51	2	4	6	10	16	20	37
75-79	1846	8.2	45	3	4	7	10	16	20	37
80-84	1679	8.9	73	3	4	7	11	17	23	55
85 +	1607	9.3	75	3	4	7	11	18	24	56
GRAND TOTAL	8197	8.5	60	3	4	6	10	16	22	45

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	629	1.7	1	1	1	1	2	3	4	7
70-74	547	1.8	1	1	1	1	2	3	4	6
75-79	408	1.8	1	1	1	1	2	3	4	6
80-84	275	2.0	1	1	1	2	3	4	5	7
85 +	153	2.7	7	1	1	2	3	5	8	13
2. MULTIPLE DX										
65-69 YRS	1756	3.0	10	1	1	2	3	6	8	15
70-74	1917	3.5	22	1	1	2	4	7	10	26
75-79	1653	3.9	33	1	1	2	4	8	11	30
80-84	1211	4.7	46	1	2	3	5	9	14	31
85 +	786	5.9	58	1	2	4	7	12	17	49
TOTAL SINGLE DX	2012	1.9	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	7323	3.9	31	1	1	2	4	8	12	27
TOTAL										
65-69 YRS	2385	2.7	9	1	1	2	3	5	7	14
70-74	2464	3.1	18	1	1	2	3	6	9	24
75-79	2061	3.5	28	1	1	2	4	7	10	26
80-84	1486	4.2	39	1	1	3	5	8	12	27
85 +	939	5.4	52	1	2	3	7	11	16	43
GRAND TOTAL	9335	3.5	25	1	1	2	4	7	10	25

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	122	1.9	2	1	1	2	2	3	4	9
70-74	92	1.9	1	1	1	2	2	3	4	7
75-79	49	2.0	1	1	1	2	3	4	5	7
80-84	34	2.2	2	1	2	2	2	3	4	9
85 +	14	2.5	8	1	1	2	3	5	10	12
2. MULTIPLE DX										
65-69 YRS	327	2.9	5	1	1	2	4	6	8	12
70-74	301	3.1	6	1	1	2	4	6	8	13
75-79	237	3.8	16	1	2	3	4	8	11	17
80-84	152	4.9	59	1	2	3	5	9	14	22
85 +	96	6.1	54	1	2	4	7	13	14	48
TOTAL SINGLE DX	311	2.0	2	1	1	2	2	3	4	9
TOTAL MULTIPLE DX	1113	3.7	20	1	2	3	4	7	10	17
TOTAL										
65-69 YRS	449	2.6	5	1	1	2	3	5	7	11
70-74	393	2.8	5	1	1	2	3	5	7	12
75-79	286	3.5	15	1	1	2	4	7	10	17
80-84	186	4.4	50	1	2	3	5	8	12	22
85 +	110	5.7	50	1	2	3	7	12	14	45
GRAND TOTAL	1424	3.3	17	1	1	2	4	6	9	16

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	40	2.2	2	1	1	2	3	4	5	9
70-74	47	2.7	3	1	1	2	4	6	7	9
75-79	36	3.1	5	1	2	2	4	7	9	10
80-84	29	3.0	4	1	2	3	4	5	7	10
85 +	24	3.7	14	1	2	2	5	8	12	18
2. MULTIPLE DX										
65-69 YRS	148	4.6	32	1	2	3	6	9	12	38
70-74	156	6.0	28	1	2	4	8	13	15	27
75-79	189	6.8	60	1	3	4	8	15	20	36
80-84	164	8.0	50	2	3	6	10	16	22	36
85 +	133	9.5	61	2	4	8	12	19	23	49
TOTAL SINGLE DX	176	2.8	6	1	1	2	4	6	8	10
TOTAL MULTIPLE DX	790	6.9	49	2	3	5	9	14	20	37
TOTAL										
65-69 YRS	188	4.1	27	1	2	3	5	8	11	32
70-74	203	5.2	25	1	2	4	7	11	14	26
75-79	225	6.2	54	1	2	4	7	13	19	33
80-84	193	7.2	46	2	3	5	9	15	20	35
85 +	157	8.6	58	2	3	7	11	18	22	48
GRAND TOTAL	966	6.2	44	1	2	4	8	13	18	34

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	54	2.2	2	<1	1	2	3	4	5	8
70-74	42	2.4	3	1	1	2	3	5	7	8
75-79	25	3.3	11	1	1	2	4	9	11	15
80-84	15	3.2	4	1	2	3	4	5	8	9
85 +	8	3.3	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
65-69 YRS	207	5.5	57	1	2	3	6	11	16	46
70-74	184	5.7	41	1	2	4	7	12	17	45
75-79	158	6.3	32	2	3	4	8	14	19	28
80-84	83	7.5	46	1	3	6	11	17	22	79
85 +	57	8.5	111	2	3	7	9	17	26	98
TOTAL SINGLE DX	144	2.6	5	1	1	2	4	5	7	10
TOTAL MULTIPLE DX	689	6.2	51	1	2	4	8	12	20	46
TOTAL										
65-69 YRS	261	4.8	48	1	2	3	5	10	13	42
70-74	226	5.1	36	1	2	3	6	11	16	38
75-79	183	5.9	30	1	2	4	8	13	18	28
80-84	98	6.8	43	1	3	4	9	16	22	70
85 +	65	7.9	101	1	3	6	9	13	23	96
GRAND TOTAL	833	5.6	45	1	2	4	7	12	17	40

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	306	3.2	4	1	2	3	4	6	7	10
70-74	237	3.5	11	1	2	3	5	6	7	13
75-79	156	3.4	4	1	2	3	5	6	8	10
80-84	53	3.6	4	1	2	3	5	6	8	12
85 +	14	3.9	6	1	2	3	7	7	8	8
2. MULTIPLE DX										
65-69 YRS	1090	5.5	28	2	3	4	7	10	13	27
70-74	1012	5.9	27	2	3	5	7	11	14	26
75-79	713	6.7	33	2	3	5	8	12	16	32
80-84	399	7.3	36	2	3	6	9	14	20	32
85 +	182	8.2	50	2	4	6	10	17	21	36
TOTAL SINGLE DX	766	3.4	7	1	2	3	4	6	7	11
TOTAL MULTIPLE DX	3396	6.2	32	2	3	5	8	12	16	28
TOTAL										
65-69 YRS	1396	5.0	24	1	2	4	6	9	12	25
70-74	1249	5.5	25	2	3	4	7	11	14	25
75-79	869	6.1	30	2	3	5	8	11	15	27
80-84	452	6.9	34	2	3	5	9	13	19	31
85 +	196	7.9	48	2	3	6	10	16	20	36
GRAND TOTAL	4162	5.7	28	2	3	4	7	11	15	27

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	14	6.4	10	3	4	6	8	10	13	14
70-74	9	8.0	22	1	5	8	11	14	16	16
75-79	10	6.0	14	1	4	5	8	11	14	14
80-84	4	6.5	23	2	3	5	10	13	13	13
85 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
65-69 YRS	113	10.2	63	5	6	8	11	19	25	76
70-74	101	11.3	86	6	7	9	12	17	23	62
75-79	81	13.9	127	6	8	11	17	25	30	71
80-84	59	15.4	65	8	10	14	18	27	33	43
85 +	55	16.5	141	8	9	12	20	29	42	63
TOTAL SINGLE DX	38	6.9	15	2	4	7	9	13	14	16
TOTAL MULTIPLE DX	409	12.8	97	6	7	10	15	23	29	63
TOTAL										
65-69 YRS	127	9.7	59	4	6	8	10	18	23	71
70-74	110	11.0	82	6	7	9	12	17	22	58
75-79	91	13.1	121	5	7	10	16	24	29	68
80-84	63	14.9	67	7	9	14	18	26	32	43
85 +	56	16.5	140	8	9	13	19	29	41	63
GRAND TOTAL	447	12.3	93	5	7	9	14	22	29	63

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	55	4.3	11	1	2	4	5	9	11	15
70-74	40	6.1	19	2	3	5	8	10	11	26
75-79	28	4.5	12	1	2	4	6	10	11	14
80-84	19	5.8	24	<1	2	4	7	14	15	15
85 +	9	9.0	107	1	3	4	11	27	32	32
2. MULTIPLE DX										
65-69 YRS	1073	11.0	96	3	5	8	14	21	29	54
70-74	864	11.7	120	3	5	9	14	23	32	63
75-79	718	12.0	131	3	5	9	15	24	32	77
80-84	465	13.0	99	4	6	11	17	24	33	56
85 +	298	13.2	124	4	6	10	16	26	36	68
TOTAL SINGLE DX	151	5.3	22	1	2	4	7	10	14	26
TOTAL MULTIPLE DX	3418	11.8	113	3	5	9	15	23	32	64
TOTAL										
65-69 YRS	1128	10.7	95	3	5	8	13	20	28	53
70-74	904	11.4	118	3	5	9	14	22	31	62
75-79	746	11.7	129	2	5	9	14	23	31	77
80-84	484	12.7	99	3	6	10	17	24	33	55
85 +	307	13.0	124	3	6	10	16	26	36	68
GRAND TOTAL	3569	11.6	111	3	5	9	14	23	32	63

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	45	7.6	28	3	5	6	8	15	18	28
70-74	24	7.2	8	4	5	7	8	13	13	13
75-79	19	5.7	6	2	4	6	8	9	9	9
80-84	10	9.7	52	2	5	7	15	21	25	25
85+	4	8.0	6	5	6	8	10	11	11	11
2. MULTIPLE DX										
65-69 YRS	486	14.5	130	5	7	11	19	30	36	67
70-74	449	14.7	144	5	7	11	19	28	40	85
75-79	360	15.7	143	6	8	12	20	32	39	84
80-84	200	16.1	127	6	9	13	20	32	40	64
85+	149	18.0	153	6	9	14	22	35	43	56
TOTAL SINGLE DX	102	7.4	21	4	5	6	8	13	16	27
TOTAL MULTIPLE DX	1644	15.3	139	5	8	12	20	31	40	67
TOTAL										
65-69 YRS	531	13.9	125	5	6	10	18	29	36	66
70-74	473	14.3	140	5	7	11	18	28	40	80
75-79	379	15.2	141	5	7	12	19	31	39	80
80-84	210	15.8	126	6	9	13	20	32	40	63
85+	153	17.7	152	6	9	14	22	35	43	56
GRAND TOTAL	**1746**	**14.9**	**136**	**5**	**7**	**11**	**19**	**30**	**39**	**67**

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	4	1.0		<1	<1	<1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	33	7.5	67	1	1	5	12	19	24	34
70-74	32	9.1	72	1	2	6	14	22	28	33
75-79	22	8.0	99	<1	1	3	16	22	31	35
80-84	8	10.3	54	1	3	11	16	19	20	20
85+	6	9.3	90	1	2	7	12	25	27	27
TOTAL SINGLE DX	5	1.0		<1	<1	<1	1	1	1	1
TOTAL MULTIPLE DX	101	8.4	74	1	1	5	14	20	27	34
TOTAL										
65-69 YRS	33	7.5	68	1	1	5	12	19	24	34
70-74	36	8.2	71	<1	1	5	13	21	27	33
75-79	23	7.7	97	1	1	2	15	21	31	35
80-84	8	10.3	54	1	3	11	16	19	20	20
85+	6	9.3	91	1	2	7	12	25	27	27
GRAND TOTAL	**106**	**8.1**	**73**	**1**	**1**	**5**	**12**	**20**	**27**	**34**

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	96	7.5	17	2	5	7	9	13	15	22
70-74	64	9.2	32	3	6	8	11	14	17	35
75-79	32	8.4	16	3	5	9	11	13	16	17
80-84	26	9.3	29	3	7	9	11	16	23	25
85+	18	12.7	44	5	7	11	16	23	25	26
2. MULTIPLE DX										
65-69 YRS	1050	13.0	141	3	6	10	16	25	36	93
70-74	960	13.9	113	5	7	11	17	28	35	55
75-79	801	14.6	131	5	8	11	18	27	36	77
80-84	591	16.1	117	7	10	14	19	27	37	73
85+	441	16.5	111	7	10	14	19	28	36	68
TOTAL SINGLE DX	236	8.7	26	3	5	8	11	14	18	26
TOTAL MULTIPLE DX	3843	14.5	127	5	8	12	18	27	36	75
TOTAL										
65-69 YRS	1146	12.5	133	3	6	10	15	24	35	90
70-74	1024	13.6	110	4	7	11	17	27	34	54
75-79	833	14.4	128	5	8	11	17	26	35	76
80-84	617	15.8	116	7	9	13	19	26	37	70
85+	459	16.4	109	7	10	14	19	28	35	67
GRAND TOTAL	**4079**	**14.1**	**123**	**5**	**8**	**11**	**17**	**26**	**35**	**72**

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	43	8.1	16	5	6	7	8	11	17	26
70-74	32	8.0	13	5	6	7	9	13	18	20
75-79	27	8.2	9	5	6	8	10	13	15	16
80-84	12	8.3	8	4	6	8	10	12	15	15
85 +	6	7.8	3	5	7	8	8	11	11	11
2. MULTIPLE DX										
65-69 YRS	587	11.5	72	6	7	9	13	21	28	62
70-74	428	13.6	125	6	8	10	15	24	36	59
75-79	355	13.1	94	6	8	10	15	23	30	57
80-84	184	13.8	80	7	8	11	16	27	32	48
85 +	76	13.5	40	7	8	12	18	22	26	31
TOTAL SINGLE DX	120	8.1	12	5	6	7	9	11	15	23
TOTAL MULTIPLE DX	1630	12.8	91	6	7	10	15	22	31	58
TOTAL										
65-69 YRS	630	11.3	69	6	7	8	12	21	27	60
70-74	460	13.2	120	6	7	10	15	23	35	58
75-79	382	12.7	90	6	8	10	14	22	29	55
80-84	196	13.4	78	6	8	11	15	26	32	47
85 +	82	13.1	40	7	8	11	17	22	26	31
GRAND TOTAL	1750	12.4	87	6	7	9	14	22	30	57

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	[illegible]	4.3	11	1	2	3	6	10	11	12
70-74	6	2.3	2	< 1	1	2	3	5	5	5
75-79	8	4.0	12	< 1	1	3	6	10	10	10
80-84	4	5.0	6	3	3	5	7	8	8	8
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	165	10.0	73	2	4	8	12	21	30	44
70-74	182	14.3	189	3	5	10	18	32	46	71
75-79	136	12.4	76	3	6	10	19	26	28	51
80-84	102	15.8	137	4	7	13	22	33	45	75
85 +	39	12.8	254	2	4	9	18	23	70	99 +
TOTAL SINGLE DX	43	4.0	10	1	2	3	6	9	11	12
TOTAL MULTIPLE DX	624	12.9	133	3	5	10	18	26	37	70
TOTAL										
65-69 YRS	189	9.3	70	2	4	7	11	20	26	42
70-74	188	13.9	188	2	5	10	18	32	45	71
75-79	144	11.9	76	3	5	10	18	25	27	47
80-84	106	15.4	137	3	7	12	22	31	44	73
85 +	40	12.7	249	2	4	9	17	23	68	99 +
GRAND TOTAL	667	12.3	130	2	5	9	17	26	35	67

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	17	13.1	26	6	10	13	16	20	23	25
70-74	3	15.3	142	7	8	10	24	29	29	29
75-79	0									
80-84	0									
85 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	20	13.5	38	6	10	12	16	22	27	29
TOTAL										
65-69 YRS	17	13.1	27	6	10	13	16	20	23	25
70-74	3	15.3	142	7	8	10	24	29	29	29
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	20	13.5	[illegible]	6	10	12	16	22	27	29

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	32	4.7	11	1	2	4	7	9	12	14
70-74	29	4.4	12	1	1	2	8	9	10	13
75-79	11	4.2	14	1	1	2	7	10	12	12
80-84	9	8.0	64	1	1	7	11	20	26	26
85 +	4	4.0	22	1	1	2	7	11	11	11
2. MULTIPLE DX										
65-69 YRS	373	10.2	109	1	3	7	14	22	35	50
70-74	360	11.8	147	2	5	8	15	25	33	70
75-79	244	11.9	133	3	5	9	14	24	35	64
80-84	165	12.9	159	2	5	9	16	27	34	70
85 +	77	14.0	145	3	7	11	18	28	32	69
TOTAL SINGLE DX	85	4.8	18	1	1	4	8	10	12	22
TOTAL MULTIPLE DX	1219	11.6	135	2	4	8	15	25	34	65
TOTAL										
65-69 YRS	405	9.8	104	1	3	7	13	22	35	48
70-74	389	11.3	141	2	4	8	14	24	31	69
75-79	255	11.6	130	2	5	8	14	24	35	64
80-84	174	12.6	155	2	5	9	16	27	34	68
85 +	81	13.5	144	2	6	10	17	28	31	69
GRAND TOTAL	1304	11.2	131	2	4	8	14	24	33	61

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	20	7.5	21	3	5	6	8	16	18	19
70-74	15	6.1	6	2	4	7	8	9	9	9
75-79	3	5.3	4	3	4	6	7	7	7	7
80-84	2	12.5	221	2	2	12	23	23	23	23
85 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
65-69 YRS	76	9.3	49	3	6	7	11	19	24	85
70-74	76	9.6	64	3	5	7	11	20	22	47
75-79	72	10.4	59	3	5	9	13	20	24	44
80-84	34	11.7	66	4	5	10	15	21	32	37
85 +	16	15.3	84	5	9	14	21	29	33	35
TOTAL SINGLE DX	41	7.1	21	2	4	7	8	12	18	23
TOTAL MULTIPLE DX	274	10.3	62	3	5	8	13	20	27	47
TOTAL										
65-69 YRS	96	8.9	44	3	5	7	11	18	22	75
70-74	91	9.0	56	3	5	7	10	19	20	45
75-79	75	10.2	58	3	5	9	13	20	23	43
80-84	36	11.7	69	4	5	10	15	23	31	37
85 +	17	15.1	81	5	9	13	21	28	33	35
GRAND TOTAL	315	9.9	57	3	5	8	12	20	24	47

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	4.8	10	2	3	3	7	10	10	10
70-74	3	4.7	9	2	2	4	7	8	8	8
75-79	0									
80-84	2	15.0	8	13	13	15	17	17	17	17
85 +	0									
2. MULTIPLE DX										
65-69 YRS	82	14.7	99	7	9	12	18	26	37	55
70-74	70	16.6	120	6	10	15	20	30	37	59
75-79	51	18.3	138	8	10	16	23	38	49	99
80-84	32	18.8	223	8	11	14	22	32	41	85
85 +	9	14.2	81	4	9	12	19	29	32	32
TOTAL SINGLE DX	10	6.8	26	2	3	5	10	15	17	17
TOTAL MULTIPLE DX	244	16.5	130	7	10	14	20	32	40	60
TOTAL										
65-69 YRS	87	14.1	99	6	9	11	16	26	36	55
70-74	73	16.1	122	5	9	15	20	30	37	59
75-79	51	18.3	139	8	10	16	23	38	49	99
80-84	34	18.6	211	8	11	14	21	32	40	85
85 +	9	14.2	82	4	9	12	19	29	32	32
GRAND TOTAL	254	16.2	129	6	9	13	20	31	39	59

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	122	3.0	5	1	1	3	4	5	8	13
70-74	56	2.9	3	1	1	2	4	5	7	7
75-79	37	3.2	4	1	2	3	4	6	7	10
80-84	15	2.9	9	1	1	1	4	8	10	11
85 +	5	3.0	5	< 1	1	2	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	360	4.8	25	1	2	4	6	9	12	23
70-74	301	5.4	30	1	2	4	7	11	15	25
75-79	166	6.3	54	1	2	4	7	12	16	49
80-84	92	8.0	54	2	3	6	11	17	23	39
85 +	48	7.9	33	3	4	6	9	17	20	27
TOTAL SINGLE DX	235	3.0	5	1	1	2	4	5	7	11
TOTAL MULTIPLE DX	967	5.7	36	1	2	4	7	11	15	28
TOTAL										
65-69 YRS	482	4.3	21	1	2	3	5	8	11	19
70-74	357	5.0	27	1	2	4	6	10	14	23
75-79	203	5.7	46	1	2	4	7	11	15	44
80-84	107	7.3	51	1	3	5	9	15	21	39
85 +	53	7.5	33	2	4	6	9	16	19	27
GRAND TOTAL	1202	5.2	31	1	2	4	6	10	14	27

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	25	4.6	9	1	1	5	7	8	9	11
70-74	10	3.5	6	1	1	3	5	7	8	8
75-79	4	1.3		< 1	< 1	1	1	2	2	2
80-84	8	4.3	11	1	2	3	6	10	11	11
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	77	6.0	27	1	2	4	8	12	17	27
70-74	82	6.8	31	1	2	5	9	15	19	23
75-79	55	8.4	46	2	4	8	10	14	21	41
80-84	33	7.6	36	1	3	6	11	14	18	29
85 +	27	12.4	262	1	3	8	13	31	49	76
TOTAL SINGLE DX	48	3.9	9	1	1	3	6	8	9	11
TOTAL MULTIPLE DX	274	7.5	59	1	2	6	10	15	20	40
TOTAL										
65-69 YRS	102	5.7	23	1	2	5	8	11	15	24
70-74	92	6.4	30	1	2	5	9	14	19	23
75-79	59	7.9	46	1	3	7	10	14	20	40
80-84	41	6.9	33	1	3	5	10	14	17	29
85 +	28	12.0	257	1	3	7	12	30	47	76
GRAND TOTAL	322	7.0	53	1	2	6	9	14	19	35

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	158	2.9	8	<1	1	2	4	6	8	19
70-74	133	2.7	13	<1	<1	1	3	5	9	25
75-79	89	3.1	9	<1	1	2	4	6	7	19
80-84	53	3.2	17	<1	1	2	4	5	11	25
85+	41	3.3	8	<1	1	3	4	7	9	15
2. MULTIPLE DX										
65-69 YRS	1592	8.0	70	1	3	6	10	17	24	48
70-74	1725	9.4	100	2	3	7	11	20	29	56
75-79	1830	10.4	112	2	4	7	13	22	31	60
80-84	1483	10.5	92	2	5	8	13	21	29	58
85+	1267	11.9	127	3	5	9	15	23	33	68
TOTAL SINGLE DX	474	3.0	11	<1	1	2	4	6	8	19
TOTAL MULTIPLE DX	7897	10.0	102	2	4	7	12	21	29	58
TOTAL										
65-69 YRS	1750	7.6	67	1	3	5	10	17	23	45
70-74	1858	8.9	97	1	3	6	11	19	27	53
75-79	1919	10.1	110	2	4	7	13	22	30	60
80-84	1536	10.3	92	2	4	8	13	21	28	57
85+	1308	11.6	126	3	5	9	14	23	32	67
GRAND TOTAL	8371	9.6	99	2	3	7	12	20	28	57

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	372	2.1	2	1	1	2	3	4	5	8
70-74	352	2.2	5	1	1	2	3	4	5	8
75-79	278	2.3	3	1	1	2	3	4	6	10
80-84	203	2.6	4	1	1	2	3	5	6	9
85+	163	2.8	7	1	1	2	3	5	7	13
2. MULTIPLE DX										
65-69 YRS	1732	4.4	30	1	2	3	5	9	15	30
70-74	2006	5.1	51	1	2	3	6	11	16	35
75-79	1991	5.3	50	1	2	3	6	11	17	34
80-84	1590	6.4	64	1	2	4	7	13	20	51
85+	1207	7.3	66	1	3	5	9	16	21	37
TOTAL SINGLE DX	1368	2.3	4	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	8526	5.6	52	1	2	3	6	12	18	36
TOTAL										
65-69 YRS	2104	4.0	26	1	1	2	4	8	13	28
70-74	2358	4.7	46	1	1	3	5	10	15	33
75-79	2269	4.9	45	1	2	3	5	11	16	33
80-84	1793	5.9	59	1	2	4	7	13	19	42
85+	1370	6.7	62	1	2	4	8	15	20	36
GRAND TOTAL	9894	5.1	47	1	2	3	6	11	17	34

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	15	1.8	2	<1	1	1	2	4	5	6
70-74	10	2.3	4	<1	1	2	3	6	8	8
75-79	14	1.8	1	<1	1	1	3	4	4	4
80-84	9	2.0	1	1	1	2	3	4	4	4
85+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	141	5.7	105	1	2	3	5	10	19	55
70-74	144	5.8	52	1	2	4	7	12	18	37
75-79	147	6.3	44	1	2	4	8	15	22	38
80-84	111	8.5	97	2	3	5	11	16	30	52
85+	84	7.8	66	1	2	5	11	16	23	41
TOTAL SINGLE DX	50	2.0	2	<1	1	1	3	4	4	8
TOTAL MULTIPLE DX	627	6.6	73	1	2	4	8	15	22	46
TOTAL										
65-69 YRS	156	5.3	97	1	1	3	5	9	17	52
70-74	154	5.6	51	1	2	3	7	12	18	36
75-79	161	5.9	42	1	2	4	8	13	22	37
80-84	120	8.0	93	2	3	5	10	16	27	50
85+	86	7.7	65	1	2	5	11	15	23	41
GRAND TOTAL	677	6.3	69	1	2	4	7	14	21	44

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	75	4.9	19	1	1	3	7	11	13	23
70-74	73	6.9	87	1	2	4	9	13	19	60
75-79	56	5.7	24	1	2	5	7	12	18	22
80-84	26	5.1	20	1	2	4	7	14	16	18
85+	22	7.4	128	1	2	4	7	14	37	52
2. MULTIPLE DX										
65-69 YRS	612	9.8	88	2	3	8	14	20	26	49
70-74	708	10.3	100	2	4	8	14	20	28	58
75-79	626	11.7	129	2	4	9	15	25	35	63
80-84	422	11.3	147	2	4	8	14	25	39	91
85+	356	12.1	120	3	5	9	15	24	38	64
TOTAL SINGLE DX	252	5.9	50	1	2	4	7	12	16	44
TOTAL MULTIPLE DX	2724	10.9	115	2	4	8	14	22	32	63
TOTAL										
65-69 YRS	687	9.3	83	1	3	7	13	20	25	47
70-74	781	10.0	101	2	4	8	13	20	27	60
75-79	682	11.2	123	2	4	9	15	23	33	61
80-84	448	10.9	142	2	4	7	13	23	38	88
85+	378	11.8	122	2	5	9	15	24	38	62
GRAND TOTAL	2976	10.5	111	2	4	8	14	22	30	63

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	2	4.0	18	<1	<1	3	7	7	7	7
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	12	4.0	9	1	2	3	5	8	11	12
70-74	11	5.5	44	1	1	3	7	15	23	24
75-79	5	7.2	12	3	4	7	10	12	12	12
80-84	8	9.6	118	1	2	3	19	26	28	28
85 +	3	18.3	421	1	4	13	34	41	41	41
TOTAL SINGLE DX	3	3.0	12	<1	<1	1	5	7	7	7
TOTAL MULTIPLE DX	39	7.1	75	1	2	3	8	20	26	41
TOTAL										
65-69 YRS	13	3.8	10	1	2	3	5	8	11	12
70-74	11	5.5	45	1	1	3	7	15	23	24
75-79	7	6.3	14	1	3	7	9	11	12	12
80-84	8	9.6	118	1	2	3	19	26	28	28
85 +	3	18.3	421	1	4	13	34	41	41	41
GRAND TOTAL	**42**	**6.8**	**71**	**1**	**2**	**3**	**7**	**19**	**26**	**41**

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	25	3.1	8	1	1	2	4	6	9	14
70-74	20	2.7	2	1	1	3	4	4	6	7
75-79	13	3.3	7	1	2	2	4	8	10	10
80-84	10	2.7	6	<1	1	2	4	7	8	8
85 +	7	2.4	4	1	1	1	4	6	6	6
2. MULTIPLE DX										
65-69 YRS	73	5.5	58	1	2	4	5	9	16	47
70-74	98	5.3	38	1	2	4	6	10	17	34
75-79	74	6.1	76	1	2	3	7	12	19	54
80-84	39	5.8	35	1	2	4	7	15	20	25
85 +	43	7.6	60	1	2	5	10	15	23	40
TOTAL SINGLE DX	75	2.9	6	1	1	2	4	6	8	13
TOTAL MULTIPLE DX	327	5.9	54	1	2	4	7	13	18	40
TOTAL										
65-69 YRS	98	4.9	47	1	2	3	5	9	14	45
70-74	118	4.8	33	1	2	3	5	9	16	33
75-79	87	5.7	67	1	2	3	7	11	17	51
80-84	49	5.1	31	1	1	3	6	12	17	25
85 +	50	6.9	56	1	1	5	9	15	20	40
GRAND TOTAL	**402**	**5.3**	**46**	**1**	**2**	**3**	**6**	**11**	**16**	**39**

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	13	3.5	16	<1	1	2	4	10	13	14
70-74	9	1.8	1	1	1	1	2	4	4	4
75-79	5	2.4	3	<1	1	2	3	5	5	5
80-84	8	4.3	19	<1	1	2	6	12	13	13
85 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	155	8.6	77	1	3	7	11	19	26	98
70-74	190	8.2	58	2	3	6	10	17	25	34
75-79	212	10.0	84	2	4	7	13	21	26	58
80-84	178	12.1	137	2	5	9	16	24	35	67
85 +	221	11.0	107	3	5	8	14	22	29	51
TOTAL SINGLE DX	38	3.0	11	<1	1	2	3	8	11	14
TOTAL MULTIPLE DX	956	10.0	95	2	4	7	13	21	27	62
TOTAL										
65-69 YRS	168	8.2	75	1	3	6	11	18	28	95
70-74	199	7.9	58	1	3	6	10	17	25	34
75-79	217	9.8	84	2	4	7	13	21	26	55
80-84	186	11.8	134	2	5	8	16	23	34	66
85 +	224	10.8	107	3	5	8	14	22	29	50
GRAND TOTAL	**994**	**9.8**	**94**	**2**	**4**	**7**	**12**	**21**	**27**	**60**

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	30	2.5	2	1	2	2	3	5	5	7
70-74	44	2.8	3	1	1	3	4	5	7	7
75-79	24	2.5	3	1	1	2	3	5	7	8
80-84	21	2.1	2	1	1	2	3	4	5	6
85 +	10	2.7	6	1	1	2	3	7	9	9
2. MULTIPLE DX										
65-69 YRS	314	4.4	35	1	2	3	5	9	13	29
70-74	365	5.0	46	1	2	3	6	10	16	28
75-79	305	5.9	47	1	2	4	7	13	20	33
80-84	208	7.3	82	1	2	4	9	15	21	42
85 +	137	7.9	84	2	3	5	9	15	28	63
TOTAL SINGLE DX	129	2.6	3	1	1	2	3	5	6	8
TOTAL MULTIPLE DX	1329	5.7	55	1	2	4	7	12	18	38
TOTAL										
65-69 YRS	344	4.3	32	1	2	3	5	9	13	28
70-74	409	4.7	42	1	2	3	5	10	15	28
75-79	329	5.6	45	1	2	3	7	12	19	32
80-84	229	6.8	77	1	2	4	8	14	20	40
85 +	147	7.6	80	1	3	5	9	15	26	59
GRAND TOTAL	**1458**	**5.4**	**51**	**1**	**2**	**3**	**6**	**12**	**17**	**37**

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	71	4.5	2	3	4	4	5	7	8	8
70-74	51	4.7	4	2	3	4	6	8	8	10
75-79	29	5.2	5	3	4	5	6	7	8	14
80-84	9	6.8	7	3	5	6	9	10	11	11
85 +	0									
2. MULTIPLE DX										
65-69 YRS	255	5.9	13	3	4	5	7	9	11	19
70-74	156	6.0	11	3	4	5	7	9	10	21
75-79	95	7.0	19	4	5	6	8	10	19	69
80-84	41	7.6	47	3	4	5	8	15	22	37
85 +	13	8.8	50	4	5	6	10	21	27	28
TOTAL SINGLE DX	160	4.8	4	3	4	4	6	8	8	11
TOTAL MULTIPLE DX	560	6.3	17	3	4	5	7	9	13	28
TOTAL										
65-69 YRS	326	5.6	11	3	4	5	6	8	9	18
70-74	207	5.7	10	3	4	5	7	8	10	21
75-79	124	6.5	17	4	5	6	7	10	15	49
80-84	50	7.4	40	3	4	6	8	13	17	37
85 +	13	8.8	50	4	5	6	10	21	27	28
GRAND TOTAL	**720**	**6.0**	**15**	**3**	**4**	**5**	**7**	**9**	**11**	**24**

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	122	3.9	2	2	3	4	5	6	7	9
70-74	74	3.8	3	2	2	4	5	6	7	10
75-79	45	3.8	2	2	3	4	5	6	6	7
80-84	18	4.4	2	2	3	4	6	7	7	7
85 +	5	3.6	1	2	3	4	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	323	4.2	3	2	3	4	5	7	8	10
70-74	265	4.9	20	2	3	4	6	7	9	19
75-79	195	4.9	6	3	4	4	6	8	9	15
80-84	85	6.4	23	3	3	5	8	12	17	26
85 +	28	5.5	9	3	3	5	7	10	13	13
TOTAL SINGLE DX	264	3.9	3	2	3	4	5	6	7	8
TOTAL MULTIPLE DX	896	4.8	12	2	3	4	6	8	9	18
TOTAL										
65-69 YRS	445	4.1	3	2	3	4	5	6	8	10
70-74	339	4.7	17	2	3	4	5	7	8	19
75-79	240	4.7	6	2	3	4	6	7	9	15
80-84	103	6.1	21	3	3	5	7	11	16	25
85 +	33	5.2	9	3	3	4	6	9	12	13
GRAND TOTAL	**1160**	**4.6**	**10**	**2**	**3**	**4**	**5**	**7**	**9**	**15**

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	38	2.8	4	1	1	2	4	6	6	9
70-74	43	2.7	3	1	1	2	3	6	7	7
75-79	19	2.2	3	< 1	1	1	2	6	7	7
80-84	6	3.5	12	< 1	1	2	5	9	10	10
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	298	7.3	52	1	2	5	10	16	21	38
70-74	270	7.7	48	1	3	6	11	16	21	32
75-79	175	7.4	36	1	3	6	10	16	18	26
80-84	104	9.6	108	1	3	7	12	23	28	56
85 +	82	9.5	69	1	4	8	14	22	33	99 +
TOTAL SINGLE DX	107	2.7	4	1	1	2	4	6	7	9
TOTAL MULTIPLE DX	929	7.9	57	1	3	6	10	16	23	41
TOTAL										
65-69 YRS	336	6.8	49	1	2	5	9	15	20	37
70-74	313	7.0	46	1	2	5	9	15	19	30
75-79	194	6.9	35	1	2	5	10	15	18	25
80-84	110	9.3	105	1	2	6	12	22	28	55
85 +	83	9.4	69	1	4	8	14	22	33	99 +
GRAND TOTAL	**1036**	**7.4**	**54**	**1**	**2**	**5**	**10**	**16**	**22**	**38**

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95-59.96; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	97	1.4		< 1	1	1	1	2	3	6
70-74	59	1.3		< 1	1	1	1	2	3	5
75-79	43	2.0	4	1	1	1	2	3	8	10
80-84	14	1.9	2	1	1	1	2	4	6	6
85 +	6	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
65-69 YRS	163	3.2	18	1	1	1	3	8	12	24
70-74	127	3.4	25	1	1	2	3	9	13	30
75-79	99	3.9	36	1	1	2	4	10	13	37
80-84	52	3.6	20	1	1	2	3	12	16	19
85 +	23	6.2	103	1	1	3	7	13	28	49
TOTAL SINGLE DX	219	1.5	2	< 1	1	1	1	3	4	8
TOTAL MULTIPLE DX	464	3.6	29	1	1	2	4	9	13	28
TOTAL										
65-69 YRS	260	2.5	13	1	1	1	2	6	9	22
70-74	186	2.8	18	1	1	1	2	7	11	26
75-79	142	3.3	27	1	1	1	3	8	12	28
80-84	66	3.2	17	1	1	2	3	10	14	19
85 +	29	5.1	86	1	1	2	5	11	19	49
GRAND TOTAL	**683**	**2.9**	**21**	**1**	**1**	**1**	**2**	**7**	**12**	**24**

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	4	4.3	10	2	2	3	6	9	9	9
75-79	3	5.7	12	2	3	6	8	9	9	9
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
2. MULTIPLE DX										
65-69 YRS	28	10.9	86	3	6	8	12	23	30	44
70-74	27	15.3	227	4	7	8	20	36	47	71
75-79	17	11.6	32	3	8	12	14	19	23	24
80-84	11	11.2	38	5	6	9	14	20	25	26
85 +	15	6.1	24	1	2	6	9	13	17	18
TOTAL SINGLE DX	8	4.8	9	2	2	4	7	9	9	9
TOTAL MULTIPLE DX	98	11.5	106	3	6	8	14	23	29	58
TOTAL										
65-69 YRS	28	10.9	86	3	6	8	12	23	30	44
70-74	31	13.8	212	3	6	8	16	32	43	71
75-79	20	10.7	33	3	6	11	13	18	22	24
80-84	12	10.6	39	5	6	8	14	19	25	26
85 +	15	6.1	24	1	2	6	9	13	17	18
GRAND TOTAL	106	11.0	102	3	6	8	14	22	28	56

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1383	3.6	3	2	3	3	4	5	6	8
70-74	1157	3.7	2	2	3	3	4	6	7	10
75-79	779	4.0	4	2	3	4	5	6	7	12
80-84	425	4.1	5	2	3	4	5	6	8	13
85 +	171	4.3	6	2	3	4	5	6	8	17
2. MULTIPLE DX										
65-69 YRS	8058	5.1	22	2	3	4	5	8	12	23
70-74	9091	5.5	23	2	3	4	6	10	13	26
75-79	7970	6.3	40	2	3	4	7	12	17	33
80-84	4907	7.2	56	3	3	5	8	15	20	41
85 +	2897	9.0	78	3	4	6	11	18	25	49
TOTAL SINGLE DX	3915	3.8	4	2	3	4	4	6	7	11
TOTAL MULTIPLE DX	32923	6.2	38	2	3	4	7	12	16	33
TOTAL										
65-69 YRS	9441	4.9	20	2	3	4	5	8	11	22
70-74	10248	5.3	22	2	3	4	6	9	13	25
75-79	8749	6.1	38	2	3	4	7	11	16	32
80-84	5332	7.0	53	3	3	5	8	14	19	40
85 +	3068	8.7	75	3	4	6	10	18	24	48
GRAND TOTAL	36838	5.9	35	2	3	4	6	11	16	32

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	232	7.4	6	5	6	7	8	10	12	16
70-74	170	7.6	6	5	6	7	9	11	12	17
75-79	69	8.1	5	5	6	8	10	11	12	14
80-84	9	6.8	14	2	4	6	9	12	14	14
85 +	0									
2. MULTIPLE DX										
65-69 YRS	1153	9.3	28	5	6	8	10	14	18	29
70-74	960	9.9	32	5	7	8	11	16	20	35
75-79	485	10.8	51	5	7	9	12	17	22	49
80-84	213	12.5	74	6	8	10	15	21	26	59
85 +	96	13.4	64	7	8	11	16	22	31	47
TOTAL SINGLE DX	480	7.6	6	5	6	7	9	11	12	16
TOTAL MULTIPLE DX	2907	10.1	39	5	7	9	11	16	21	37
TOTAL										
65-69 YRS	1385	9.0	26	5	6	8	10	14	17	27
70-74	1130	9.5	29	5	7	8	11	15	19	33
75-79	554	10.4	47	5	7	9	12	16	21	47
80-84	222	12.3	73	6	8	10	15	21	26	57
85 +	96	13.4	64	7	8	11	16	22	31	47
GRAND TOTAL	3387	9.7	36	5	7	8	11	15	20	36

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	47	1.6	1	1	1	1	2	3	5	8
70-74	42	2.0	3	<1	1	1	2	4	6	9
75-79	33	2.0	3	<1	1	1	3	4	5	11
80-84	14	4.1	32	1	1	2	4	12	19	21
85+	8	3.3	11	1	1	2	4	9	11	11
2. MULTIPLE DX										
65-69 YRS	299	6.7	82	1	2	4	9	15	20	49
70-74	296	7.1	89	1	2	4	9	15	28	60
75-79	261	7.2	51	1	2	5	10	15	21	34
80-84	203	8.4	72	1	3	6	11	17	22	62
85+	131	10.0	79	2	4	8	14	20	29	40
TOTAL SINGLE DX	144	2.2	6	<1	1	1	2	4	7	12
TOTAL MULTIPLE DX	1190	7.6	76	1	2	5	10	16	23	50
TOTAL										
65-69 YRS	346	6.0	75	1	1	3	7	14	19	48
70-74	338	6.4	82	1	2	3	7	14	21	56
75-79	294	6.6	49	1	2	4	9	15	20	32
80-84	217	8.1	71	1	3	6	11	17	22	59
85+	139	9.6	78	1	3	8	13	19	28	38
GRAND TOTAL	1334	7.0	72	1	2	4	9	15	21	48

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	17	1.8	2	<1	<1	1	2	5	6	6
70-74	16	1.9	1	1	1	2	3	3	4	5
75-79	7	1.1		<1	<1	1	1	2	2	2
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	74	5.2	40	1	1	3	6	11	20	31
70-74	75	6.5	81	1	1	4	9	12	21	52
75-79	65	6.7	81	1	1	4	8	12	30	48
80-84	31	5.1	16	1	2	4	7	11	14	16
85+	22	6.3	24	1	2	4	11	14	15	16
TOTAL SINGLE DX	44	1.7	2	<1	1	1	2	3	5	6
TOTAL MULTIPLE DX	267	6.0	58	1	1	4	8	12	19	46
TOTAL										
65-69 YRS	91	4.6	35	1	1	3	5	9	19	30
70-74	91	5.7	70	1	1	3	8	11	16	52
75-79	72	6.2	76	1	1	3	7	12	29	46
80-84	34	4.8	15	1	2	3	7	11	13	16
85+	23	6.0	25	1	2	4	11	14	15	16
GRAND TOTAL	311	5.4	52	1	1	3	7	11	16	39

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	46	1.9	2	<1	1	1	2	5	6	8
70-74	61	1.8	3	<1	1	1	2	3	6	12
75-79	79	1.4		<1	1	1	1	2	4	6
80-84	51	1.5	1	<1	1	1	1	3	4	7
85+	28	2.7	9	1	1	1	3	8	10	12
2. MULTIPLE DX										
65-69 YRS	316	6.3	81	1	1	3	8	15	21	42
70-74	442	5.7	60	1	1	2	8	15	21	78
75-79	511	7.3	100	1	1	3	10	18	25	62
80-84	387	7.4	66	1	2	4	10	18	24	40
85+	256	9.4	116	1	2	6	13	21	27	60
TOTAL SINGLE DX	265	1.7	3	<1	1	1	2	3	5	10
TOTAL MULTIPLE DX	1912	7.1	84	1	1	3	10	18	24	52
TOTAL										
65-69 YRS	362	5.7	74	1	1	2	7	14	20	37
70-74	503	5.3	55	1	1	2	7	14	19	66
75-79	590	6.5	91	1	1	2	9	17	23	55
80-84	438	6.7	62	1	1	3	10	16	23	39
85+	284	8.7	109	1	2	5	12	20	27	58
GRAND TOTAL	2177	6.4	77	1	1	3	9	17	22	49

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	0									
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
GRAND TOTAL	0									

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	3.0	8	1	1	3	5	5	5	5
70-74	2	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	7	3.9	13	1	1	2	8	9	9	9
70-74	5	5.2	20	1	1	4	10	10	10	10
75-79	3	3.7		3	3	4	4	4	4	4
80-84	1	9.0		9	9	9	9	9	9	9
85 +	2	4.0		4	4	4	4	4	4	4
TOTAL SINGLE DX	4	2.0	4	1	1	1	3	5	5	5
TOTAL MULTIPLE DX	18	4.5	11	1	1	4	9	10	10	10
TOTAL										
65-69 YRS	9	3.7	11	1	1	2	6	9	9	9
70-74	7	4.0	18	1	1	1	8	10	10	10
75-79	3	3.7		3	3	4	4	4	4	4
80-84	1	9.0		9	9	9	9	9	9	9
85 +	2	4.0		4	4	4	4	4	4	4
GRAND TOTAL	22	4.0	11	1	1	4	5	9	10	10

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	0									
70-74	1	11.0		11	11	11	11	11	11	11
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	2	7.5	25	4	4	7	11	11	11	11
TOTAL										
65-69 YRS	0									
70-74	1	11.0		11	11	11	11	11	11	11
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
GRAND TOTAL	2	7.5	25	4	4	7	11	11	11	11

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	10	1.4		<1	1	1	2	3	3	3
70-74	8	1.5		1	1	1	2	3	3	3
75-79	7	1.1		<1	1	1	1	2	2	2
80-84	3	3.7	21	1	1	1	7	9	9	9
85 +	0									
2. MULTIPLE DX										
65-69 YRS	32	1.9	2	1	1	1	2	5	6	7
70-74	34	1.9	1	1	1	2	2	3	4	8
75-79	21	3.7	5	1	2	3	5	6	9	11
80-84	7	5.6	84	1	1	2	5	22	26	26
85 +	4	5.3	7	2	3	5	7	8	8	8
TOTAL SINGLE DX	28	1.6	2	<1	1	1	2	3	4	9
TOTAL MULTIPLE DX	98	2.7	10	1	1	2	3	6	7	19
TOTAL										
65-69 YRS	42	1.8	2	1	1	1	2	4	6	7
70-74	42	1.8	2	1	1	1	2	3	4	8
75-79	28	3.0	6	1	1	2	4	6	7	11
80-84	10	5.0	62	1	1	2	6	17	26	26
85 +	4	5.3	8	2	3	5	7	8	8	8
GRAND TOTAL	126	2.4	8	1	1	2	3	5	7	15

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	4	1.5	1	<1	<1	<1	2	3	3	3
70-74	6	1.0		<1	<1	1	1	1	1	1
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84	4	1.0		<1	<1	1	1	1	1	1
85 +	3	1.3		<1	<1	<1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	30	4.5	26	<1	1	2	6	10	11	26
70-74	39	3.9	18	1	1	2	4	12	13	18
75-79	39	7.6	70	1	1	5	11	23	26	33
80-84	28	8.3	99	1	2	5	10	21	26	46
85 +	29	6.5	33	1	2	3	10	15	19	21
TOTAL SINGLE DX	19	1.2		<1	<1	1	1	2	3	3
TOTAL MULTIPLE DX	165	6.1	50	1	1	3	9	15	21	32
TOTAL										
65-69 YRS	34	4.1	24	<1	1	2	6	9	11	26
70-74	45	3.5	17	<1	1	2	3	12	13	18
75-79	41	7.3	69	1	1	4	10	22	25	33
80-84	32	7.4	92	1	1	4	8	20	24	46
85 +	32	6.0	33	1	1	3	9	14	19	21
GRAND TOTAL	184	5.6	47	1	1	3	8	14	21	31

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	141	2.3	2	1	1	2	3	4	5	8
70-74	70	2.1	2	1	1	2	3	4	5	8
75-79	28	1.6		1	1	2	2	3	4	5
80-84	6	2.5	2	1	1	2	4	4	4	4
85 +	0									
2. MULTIPLE DX										
65-69 YRS	379	2.6	3	1	1	2	3	5	6	9
70-74	221	2.9	6	1	1	2	4	6	7	13
75-79	67	2.6	2	1	1	2	3	5	5	8
80-84	17	2.4	1	1	1	2	4	4	4	4
85 +	4	2.3		2	2	2	3	3	3	3
TOTAL SINGLE DX	245	2.2	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	688	2.7	4	1	1	2	3	5	6	10
TOTAL										
65-69 YRS	520	2.5	3	1	1	2	3	5	6	9
70-74	291	2.7	6	1	1	2	3	5	7	11
75-79	95	2.3	2	1	1	2	3	5	5	7
80-84	23	2.4	2	1	1	2	4	4	4	4
85 +	4	2.3		2	2	2	3	3	3	3
GRAND TOTAL	933	2.6	4	1	1	2	3	5	6	9

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	18	5.0	34	1	2	3	7	12	20	24
70-74	10	3.2	3	1	2	3	4	6	7	7
75-79	6	4.0	12	2	2	3	4	10	11	11
80-84	3	3.7	9	1	1	3	6	7	7	7
85 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	59	7.1	96	1	2	4	7	15	34	46
70-74	42	6.0	25	1	3	4	8	15	17	21
75-79	33	7.6	185	2	2	3	6	13	39	71
80-84	18	5.8	18	2	3	4	6	12	15	16
85 +	11	10.5	219	1	2	5	14	31	50	52
TOTAL SINGLE DX	38	4.4	21	1	2	3	5	10	13	24
TOTAL MULTIPLE DX	163	7.0	94	1	2	4	7	15	22	51
TOTAL										
65-69 YRS	77	6.6	82	1	2	4	7	14	29	45
70-74	52	5.4	22	1	2	4	7	13	16	21
75-79	39	7.1	159	2	2	3	6	11	32	71
80-84	21	5.5	17	1	3	4	6	12	14	16
85 +	12	10.6	199	2	3	5	14	27	48	52
GRAND TOTAL	201	6.5	81	1	2	4	7	14	20	49

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	4	5.0	7	3	3	4	7	9	9	9
70-74	1	4.0		4	4	4	4	4	4	4
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	0									
85 +	3	7.0	19	2	4	9	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	39	8.7	22	4	5	8	11	16	20	22
70-74	33	10.9	99	4	5	7	12	24	36	46
75-79	25	13.8	201	4	6	10	16	23	53	64
80-84	16	13.5	150	5	6	10	12	38	45	47
85 +	10	21.7	361	7	11	15	24	54	68	68
TOTAL SINGLE DX	10	5.4	8	2	4	4	9	10	10	10
TOTAL MULTIPLE DX	123	12.0	130	4	6	9	13	22	40	65
TOTAL										
65-69 YRS	43	8.3	22	4	5	7	11	16	19	22
70-74	34	10.7	98	4	5	7	12	23	35	46
75-79	27	13.1	193	4	6	9	15	22	52	64
80-84	16	13.5	151	5	6	10	12	38	45	47
85 +	13	18.3	316	5	9	12	20	46	64	68
GRAND TOTAL	133	11.5	124	4	6	8	12	21	39	65

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	26	5.4	6	3	4	5	6	10	12	12
70-74	13	5.9	4	4	5	5	8	9	10	10
75-79	9	5.1	2	3	4	5	6	7	8	8
80-84	2	4.5	1	4	4	4	5	5	5	5
85 +	3	5.3	10	3	3	4	8	9	9	9
2. MULTIPLE DX										
65-69 YRS	122	8.4	35	4	5	7	10	17	21	31
70-74	90	10.2	133	3	4	7	11	19	28	74
75-79	78	11.5	95	4	5	9	15	22	35	87
80-84	45	13.3	116	4	6	9	15	31	38	47
85 +	31	12.2	72	4	6	10	17	21	23	46
TOTAL SINGLE DX	53	5.4	5	3	4	5	6	9	10	12
TOTAL MULTIPLE DX	366	10.4	87	4	5	7	13	21	27	55
TOTAL										
65-69 YRS	148	7.9	32	3	5	6	9	15	20	27
70-74	103	9.7	119	4	4	7	10	17	25	72
75-79	87	10.8	90	4	5	8	14	21	33	83
80-84	47	13.0	115	4	5	9	15	31	38	47
85 +	34	11.6	71	4	6	10	16	21	23	46
GRAND TOTAL	419	9.8	80	4	5	7	12	20	26	52

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	35	4.8	1	3	4	5	6	6	7	8
70-74	24	5.6	4	4	4	5	6	9	10	11
75-79	13	5.9	3	4	5	5	7	9	11	11
80-84	4	6.0		5	5	6	7	7	7	7
85 +	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	275	8.3	40	4	5	7	10	14	17	37
70-74	199	9.9	59	4	5	7	11	22	27	42
75-79	126	9.7	55	4	5	7	11	19	23	42
80-84	74	10.1	67	4	6	8	10	18	26	49
85 +	44	12.7	133	5	7	9	14	29	44	99 +
TOTAL SINGLE DX	78	5.3	3	4	4	5	6	7	9	11
TOTAL MULTIPLE DX	718	9.5	58	4	5	7	10	19	25	44
TOTAL										
65-69 YRS	310	7.9	38	4	4	6	9	13	17	37
70-74	223	9.5	55	4	5	7	11	21	27	42
75-79	139	9.4	52	4	5	7	11	19	23	41
80-84	78	9.9	65	4	6	8	10	17	26	48
85 +	46	12.4	130	5	6	9	14	28	40	99 +
GRAND TOTAL	796	9.0	54	4	5	7	10	18	24	43

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	3	6.0	1	5	5	6	7	7	7	7
70-74	2	5.5	1	5	5	5	6	6	6	6
75-79	5	8.6	112	< 1	1	6	12	27	27	27
80-84	1	6.0		6	6	6	6	6	6	6
85 +	2	26.0	2	25	25	26	27	27	27	27
TOTAL SINGLE DX	1	4.0		4	4	4	4	4	4	4
TOTAL MULTIPLE DX	13	10.0	90	2	5	6	12	27	27	27
TOTAL										
65-69 YRS	3	6.0	1	5	5	6	7	7	7	7
70-74	2	5.5	1	5	5	5	6	6	6	6
75-79	6	7.8	93	< 1	2	5	7	25	27	27
80-84	1	6.0		6	6	6	6	6	6	6
85 +	2	26.0	2	25	25	26	27	27	27	27
GRAND TOTAL	14	9.6	86	2	5	6	7	27	27	27

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	8	6.5	5	4	5	6	8	10	10	10
70-74	5	9.6	12	6	6	11	12	14	14	14
75-79	4	10.5	63	3	4	9	17	20	20	20
80-84	1	12.0		12	12	12	12	12	12	12
85 +	3	41.7	789	15	21	39	63	71	71	71
TOTAL SINGLE DX	1	4.0		4	4	4	4	4	4	4
TOTAL MULTIPLE DX	21	13.3	237	4	6	9	14	28	53	71
TOTAL										
65-69 YRS	9	6.2	5	4	4	6	8	10	10	10
70-74	5	9.6	12	6	6	11	12	14	14	14
75-79	4	10.5	63	3	4	9	17	20	20	20
80-84	1	12.0		12	12	12	12	12	12	12
85 +	3	41.7	789	15	21	39	63	71	71	71
GRAND TOTAL	**22**	**12.9**	**230**	**4**	**5**	**8**	**14**	**26**	**52**	**71**

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	1.2		<1	<1	1	1	2	2	2
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	26	2.0	2	<1	1	2	2	4	6	6
70-74	13	8.8	210	<1	1	2	9	38	43	44
75-79	8	1.3		<1	1	1	1	3	3	3
80-84	7	2.3	1	<1	1	2	3	4	4	4
85 +	3	6.0	61	1	1	2	12	15	15	15
TOTAL SINGLE DX	11	1.1		<1	1	1	1	2	2	2
TOTAL MULTIPLE DX	57	3.7	57	<1	1	1	3	6	14	44
TOTAL										
65-69 YRS	32	1.8	2	<1	1	1	2	3	6	6
70-74	15	7.8	188	<1	1	1	7	37	42	44
75-79	10	1.2		<1	1	1	1	2	3	3
80-84	7	2.3	1	<1	1	2	3	4	4	4
85 +	4	4.8	47	1	1	2	8	15	15	15
GRAND TOTAL	**68**	**3.3**	**49**	**<1**	**1**	**1**	**2**	**5**	**12**	**43**

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	2.6	3	<1	1	2	4	5	6	6
70-74	12	2.8	5	<1	<1	2	4	6	9	9
75-79	14	3.6	5	1	2	3	5	8	8	8
80-84	6	3.8	1	3	3	4	5	5	5	5
85 +	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	58	6.0	40	1	2	4	7	13	15	39
70-74	62	9.8	186	1	3	6	10	23	29	86
75-79	52	7.3	70	2	3	5	9	18	23	49
80-84	36	6.9	51	1	2	5	9	20	30	99 +
85 +	31	6.4	15	2	3	6	10	12	13	14
TOTAL SINGLE DX	45	3.1	4	<1	1	3	4	6	8	9
TOTAL MULTIPLE DX	239	7.5	84	1	3	5	9	15	24	55
TOTAL										
65-69 YRS	69	5.5	36	1	2	4	7	12	13	37
70-74	74	8.7	163	1	2	5	9	19	28	81
75-79	66	6.5	58	1	3	4	6	16	22	46
80-84	42	6.5	46	1	2	5	8	20	27	99 +
85 +	33	6.1	16	2	2	6	10	12	13	14
GRAND TOTAL	**284**	**6.8**	**74**	**1**	**2**	**4**	**8**	**13**	**22**	**51**

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	0									
75-79	0									
80-84	0									
85+	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	0									
75-79	0									
80-84	0									
85+	0									
GRAND TOTAL	1	1.0		<1	<1	<1	<1	<1	<1	<1

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	2.2	2	1	1	2	3	5	5	5
70-74	3	3.3	10	<1	<1	2	6	7	7	7
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	34	8.7	66	2	3	7	11	19	27	36
70-74	40	7.1	73	1	1	4	9	17	28	40
75-79	26	14.2	349	3	4	9	15	31	54	93
80-84	22	11.4	84	2	7	9	14	23	34	39
85+	22	10.5	84	2	4	8	17	30	56	99+
TOTAL SINGLE DX	10	2.5	4	<1	1	2	2	6	7	7
TOTAL MULTIPLE DX	144	9.9	127	1	3	7	12	24	32	93
TOTAL										
65-69 YRS	39	7.9	63	1	2	6	10	17	27	36
70-74	43	6.8	69	1	1	4	8	16	27	40
75-79	27	13.7	342	2	4	9	15	29	51	93
80-84	22	11.4	85	2	7	9	14	23	34	39
85+	23	10.2	84	2	3	7	16	29	52	99+
GRAND TOTAL	154	9.4	123	1	2	7	12	20	32	91

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	200	5.2	3	4	4	5	6	7	9	13
70-74	150	5.3	3	4	4	5	6	7	9	12
75-79	71	5.4	4	4	4	5	6	7	8	16
80-84	44	5.4	3	4	4	5	6	7	10	13
85+	12	5.6	3	4	4	5	7	8	9	9
2. MULTIPLE DX										
65-69 YRS	1893	6.9	31	4	4	5	7	11	15	29
70-74	1369	7.4	25	4	5	6	8	12	17	27
75-79	814	8.5	54	4	5	6	9	16	22	51
80-84	396	9.2	49	5	5	7	10	16	23	34
85+	156	10.0	53	5	6	8	11	18	23	41
TOTAL SINGLE DX	477	5.3	4	4	4	5	6	7	9	13
TOTAL MULTIPLE DX	4628	7.6	37	4	5	6	8	13	18	33
TOTAL										
65-69 YRS	2093	6.8	29	4	4	5	7	11	15	28
70-74	1519	7.2	23	4	5	6	8	12	16	27
75-79	885	8.2	51	4	5	6	8	15	22	44
80-84	440	8.8	46	4	5	7	10	15	21	33
85+	168	9.7	52	4	5	7	11	18	22	40
GRAND TOTAL	5105	7.4	34	4	5	6	8	12	17	33

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	250	4.7	1	3	4	4	5	6	7	9
70-74	178	4.6	2	3	4	4	5	6	7	10
75-79	90	4.7	2	3	4	5	5	7	8	10
80-84	26	5.5	3	3	5	5	6	7	10	11
85+	12	4.5	1	3	4	4	5	6	7	7
2. MULTIPLE DX										
65-69 YRS	1204	5.2	5	3	4	5	6	7	8	13
70-74	928	5.6	8	3	4	5	6	8	9	17
75-79	658	5.9	15	4	4	5	7	8	10	19
80-84	253	6.4	15	4	4	5	7	9	12	25
85+	83	7.7	39	4	5	6	8	12	17	43
TOTAL SINGLE DX	556	4.7	2	3	4	4	5	6	7	10
TOTAL MULTIPLE DX	3126	5.6	10	3	4	5	6	8	9	18
TOTAL										
65-69 YRS	1454	5.1	5	3	4	5	6	7	8	12
70-74	1106	5.5	8	3	4	5	6	8	9	16
75-79	748	5.8	14	4	4	5	6	8	10	18
80-84	279	6.3	14	4	4	5	7	9	12	24
85+	95	7.3	35	4	5	6	8	11	15	42
GRAND TOTAL	3682	5.5	9	3	4	5	6	8	9	17

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	7.3	6	5	6	7	7	12	12	12
70-74	4	6.8		6	6	7	7	7	7	7
75-79	1	13.0		13	13	13	13	13	13	13
80-84	1	8.0		8	8	8	8	8	8	8
85+	0									
2. MULTIPLE DX										
65-69 YRS	53	12.4	42	7	8	10	14	22	29	32
70-74	28	15.8	196	7	9	12	16	28	38	78
75-79	21	22.0	294	8	10	20	25	41	64	80
80-84	4	13.5	15	8	11	14	16	17	17	17
85+	4	24.0	36	17	19	25	29	29	29	29
TOTAL SINGLE DX	12	7.7	6	6	6	7	8	12	13	13
TOTAL MULTIPLE DX	110	15.5	140	7	9	12	18	28	32	79
TOTAL										
65-69 YRS	59	11.9	41	6	7	10	14	20	29	32
70-74	32	14.6	180	7	8	11	15	27	33	78
75-79	22	21.6	284	8	11	20	25	40	63	80
80-84	5	12.4	17	8	8	14	15	17	17	17
85+	4	24.0	36	17	19	25	29	29	29	29
GRAND TOTAL	122	14.8	132	7	8	11	17	28	31	79

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	33	1.5	3	<1	<1	<1	1	2	3	12
70-74	38	1.3		<1	<1	<1	1	2	3	4
75-79	12	1.5		<1	<1	1	2	3	4	4
80-84	18	2.1	2	<1	1	2	2	5	6	6
85+	8	1.6	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
65-69 YRS	214	5.6	59	<1	1	2	7	14	19	37
70-74	204	5.0	48	1	1	3	6	12	16	37
75-79	160	6.5	61	1	1	3	8	16	22	48
80-84	120	6.5	54	1	2	4	10	17	24	99+
85+	92	6.3	42	1	2	4	9	15	21	30
TOTAL SINGLE DX	109	1.6	2	<1	<1	1	2	3	4	8
TOTAL MULTIPLE DX	790	5.9	54	1	1	3	8	14	21	46
TOTAL										
65-69 YRS	247	5.0	54	<1	1	2	6	13	18	37
70-74	242	4.5	43	<1	1	2	5	11	14	37
75-79	172	6.2	59	<1	1	3	8	15	22	48
80-84	138	6.0	50	1	1	4	8	15	23	99+
85+	100	5.9	41	<1	2	3	8	14	21	29
GRAND TOTAL	899	5.3	50	<1	1	2	7	13	20	40

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	5	8.6	16	3	5	10	11	13	13	13
70-74	2	8.0	98	1	1	8	15	15	15	15
75-79	5	9.8	73	2	4	7	14	24	24	24
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	2	6.5	61	1	1	6	12	12	12	12
TOTAL SINGLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	16	8.0	39	1	3	6	12	15	21	24
TOTAL										
65-69 YRS	5	8.6	16	3	5	10	11	13	13	13
70-74	2	8.0	98	1	1	8	15	15	15	15
75-79	6	8.3	72	1	2	6	11	23	24	24
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	2	6.5	61	1	1	6	12	12	12	12
GRAND TOTAL	17	7.6	39	1	3	6	11	15	21	24

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	6.0	2	5	5	6	7	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	4	4.0	6	1	2	4	6	7	7	7
75-79	0									
80-84	4	8.3	21	4	4	7	12	14	14	14
85 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	4	5.0	5	2	3	5	6	7	7	7
TOTAL MULTIPLE DX	10	5.8	17	1	3	5	8	12	14	14
TOTAL										
65-69 YRS	3	6.7	2	5	5	7	8	8	8	8
70-74	5	3.6	6	1	2	3	5	7	7	7
75-79	0									
80-84	4	8.3	22	4	4	7	12	14	14	14
85 +	2	3.5	13	1	1	3	6	6	6	6
GRAND TOTAL	14	5.6	13	1	3	5	7	10	13	14

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	3.7		3	3	4	4	4	4	4
70-74	2	2.0		2	2	2	2	2	2	2
75-79	4	4.3	5	2	2	4	6	7	7	7
80-84	2	4.5	1	4	4	4	5	5	5	5
85 +	3	4.0	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	24	3.6	18	1	2	3	4	5	11	23
70-74	26	3.8	18	1	2	3	4	6	13	23
75-79	17	7.4	223	1	2	3	4	17	48	63
80-84	10	7.0	56	2	2	5	9	56	96	99 +
85 +	7	2.3	1	1	1	3	3	3	3	3
TOTAL SINGLE DX	14	3.8	2	2	2	4	5	6	7	7
TOTAL MULTIPLE DX	84	4.7	63	1	2	3	4	9	23	87
TOTAL										
65-69 YRS	27	3.6	17	1	2	3	4	5	9	23
70-74	28	3.7	18	1	2	3	4	6	11	23
75-79	21	6.8	181	1	2	3	4	13	39	63
80-84	12	6.6	48	2	3	5	9	42	89	99 +
85 +	10	2.8	2	1	2	3	3	5	6	6
GRAND TOTAL	98	4.6	55	1	2	3	4	8	21	82

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	307	3.8	2	2	3	4	5	6	7	10
70-74	233	3.7	2	2	3	4	5	6	7	8
75-79	106	3.8	2	2	3	4	5	6	6	8
80-84	45	4.2	3	2	3	4	5	7	7	11
85 +	9	5.3	7	2	4	5	7	9	10	10
2. MULTIPLE DX										
65-69 YRS	823	4.6	4	2	3	4	6	7	8	13
70-74	676	4.6	5	2	3	4	5	7	8	12
75-79	461	5.0	8	3	3	4	6	8	9	17
80-84	185	5.7	24	3	4	5	6	8	12	20
85 +	53	6.2	30	3	4	5	7	9	12	40
TOTAL SINGLE DX	700	3.8	3	2	3	4	5	6	7	9
TOTAL MULTIPLE DX	2198	4.8	8	2	3	4	6	7	9	14
TOTAL										
65-69 YRS	1130	4.4	4	2	3	4	5	7	8	11
70-74	909	4.4	5	2	3	4	5	7	8	11
75-79	567	4.7	7	2	3	4	6	7	9	16
80-84	230	5.4	21	3	3	5	6	8	10	18
85 +	62	6.1	27	3	4	5	7	9	11	38
GRAND TOTAL	2898	4.6	7	2	3	[illegible]	5	7	8	13

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	31	3.8	1	2	3	4	5	5	5	6
70-74	14	3.5	6	2	2	2	5	6	9	10
75-79	8	4.1	2	2	3	4	5	6	7	7
80-84	5	4.0	6	1	2	5	6	7	7	7
85 +	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	105	5.7	18	3	3	5	6	11	14	24
70-74	75	6.1	35	3	3	4	6	12	16	38
75-79	58	7.0	22	3	4	5	8	15	17	23
80-84	24	8.2	96	2	3	5	9	14	32	48
85 +	9	6.8	19	2	4	5	9	14	14	14
TOTAL SINGLE DX	60	3.8	3	1	2	4	5	6	7	10
TOTAL MULTIPLE DX	271	6.4	31	3	4	5	7	12	17	28
TOTAL										
65-69 YRS	136	5.3	15	3	3	4	5	9	12	23
70-74	89	5.7	31	2	3	4	6	11	15	37
75-79	66	6.6	21	3	4	5	8	15	17	22
80-84	29	7.5	82	2	3	5	8	12	26	48
85 +	11	6.4	19	2	3	5	8	14	14	14
GRAND TOTAL	331	5.9	27	2	3	4	6	11	15	26

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	20	2.7	1	1	2	2	3	4	6	7
70-74	28	3.8	5	1	3	3	5	6	7	12
75-79	32	3.6	6	1	2	3	4	6	9	13
80-84	17	3.7	3	2	2	4	5	5	7	8
85 +	10	3.9	13	1	2	3	4	9	14	14
2. MULTIPLE DX										
65-69 YRS	173	5.9	36	2	3	4	7	10	15	34
70-74	166	6.0	42	2	3	4	6	10	17	40
75-79	150	5.6	16	2	3	5	7	11	13	22
80-84	89	6.5	73	2	3	5	7	11	16	56
85 +	75	6.5	26	2	3	5	9	14	17	26
TOTAL SINGLE DX	107	3.5	5	1	2	3	4	5	8	13
TOTAL MULTIPLE DX	653	6.0	37	2	3	4	7	11	15	30
TOTAL										
65-69 YRS	193	5.6	34	2	3	4	6	10	14	32
70-74	194	5.7	38	2	3	4	6	10	14	38
75-79	182	5.3	15	2	3	4	6	10	13	21
80-84	106	6.1	63	2	3	4	7	10	14	47
85 +	85	6.2	26	2	3	4	9	14	17	25
GRAND TOTAL	760	5.7	34	2	3	4	6	11	14	29

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	12	2.3	3	<1	<1	2	3	5	7	7
70-74	3	2.0	3	<1	<1	1	3	4	4	4
75-79	8	3.0	5	<1	1	2	4	7	8	8
80-84	4	2.3	3	<1	<1	1	3	5	5	5
85 +	9	3.1	17	<1	<1	1	3	10	14	14
2. MULTIPLE DX										
65-69 YRS	51	7.9	184	1	2	3	8	16	28	77
70-74	44	8.9	187	1	3	5	9	21	46	99 +
75-79	36	9.1	114	1	3	7	10	35	42	99 +
80-84	32	7.6	70	2	2	6	10	19	39	99 +
85 +	27	10.1	120	2	2	6	13	27	34	46
TOTAL SINGLE DX	36	2.6	7	<1	<1	2	3	5	8	14
TOTAL MULTIPLE DX	190	8.6	142	1	2	5	9	20	40	99 +
TOTAL										
65-69 YRS	63	6.8	154	1	1	3	7	14	22	75
70-74	47	8.5	178	1	2	5	8	20	38	99 +
75-79	44	8.0	100	1	2	5	9	17	41	99 +
80-84	36	7.0	66	1	2	5	9	16	37	99 +
85 +	36	8.3	103	<1	2	4	11	25	30	46
GRAND TOTAL	226	7.7	125	1	2	4	8	18	33	99 +

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	10	7.0	50	2	3	4	8	20	21	21
70-74	7	3.9	4	1	3	3	5	7	8	8
75-79	5	2.2		<1	1	2	3	3	3	3
80-84	12	5.3	14	2	2	4	8	11	14	14
85 +	4	8.8	1	7	8	9	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	43	8.7	58	2	4	8	11	16	22	43
70-74	38	11.2	84	3	5	10	13	21	27	51
75-79	50	12.1	74	3	7	10	15	24	28	45
80-84	45	10.2	66	3	5	8	13	21	22	48
85 +	40	11.3	51	3	7	9	15	22	24	32
TOTAL SINGLE DX	38	5.4	21	2	3	4	8	10	17	21
TOTAL MULTIPLE DX	216	10.7	67	3	5	9	13	21	25	46
TOTAL										
65-69 YRS	53	8.3	56	2	3	7	11	17	21	43
70-74	45	10.1	79	2	4	8	13	19	26	51
75-79	55	11.2	75	2	4	9	15	24	27	44
80-84	57	9.2	59	2	4	7	12	18	21	46
85 +	44	11.1	47	4	7	9	14	21	23	32
GRAND TOTAL	254	9.9	64	2	4	8	13	21	24	45

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	5.5	5	4	4	5	7	7	7	7
70-74	0									
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	3	6.3	17	3	3	5	9	11	11	11
70-74	5	11.0	133	< 1	3	5	19	29	29	29
75-79	2	10.5	13	8	8	10	13	13	13	13
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	19.0		19	19	19	19	19	19	19
TOTAL SINGLE DX	3	5.0	3	4	4	4	6	7	7	7
TOTAL MULTIPLE DX	12	9.7	70	1	3	7	14	22	28	29
TOTAL										
65-69 YRS	5	6.0	10	3	4	5	8	11	11	11
70-74	5	11.0	134	< 1	3	5	19	29	29	29
75-79	3	8.3	20	4	5	8	12	13	13	13
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	15	8.7	59	2	4	5	12	19	26	29

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	7	10.3	262	< 1	1	3	10	39	46	46
70-74	9	12.3	123	1	3	12	16	29	37	37
75-79	0									
80-84	2	8.5	25	5	5	8	12	12	12	12
85 +	2	9.0	50	4	4	9	14	14	14	14
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	20	10.9	141	1	3	7	15	27	41	46
TOTAL										
65-69 YRS	7	10.3	263	< 1	1	3	10	39	46	46
70-74	9	12.3	124	1	3	12	16	29	37	37
75-79	0									
80-84	2	8.5	25	5	5	8	12	12	12	12
85 +	2	9.0	50	4	4	9	14	14	14	14
GRAND TOTAL	20	10.9	141	1	3	7	15	27	41	46

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	5.4	23	<1	1	4	8	13	15	15
70-74	5	2.6	13	1	1	1	3	9	9	9
75-79	7	3.9	9	1	1	3	7	8	8	8
80-84	2	2.0	2	<1	<1	1	3	3	3	3
85 +	0									
2. MULTIPLE DX										
65-69 YRS	49	9.9	100	1	3	6	14	24	31	45
70-74	44	9.5	82	1	2	7	15	26	29	35
75-79	27	7.6	27	1	3	8	11	14	16	23
80-84	12	10.3	62	2	2	10	17	21	22	22
85 +	11	14.7	149	4	6	8	26	33	34	34
TOTAL SINGLE DX	22	4.0	15	<1	1	2	7	9	12	15
TOTAL MULTIPLE DX	143	9.8	82	1	3	7	14	24	30	37
TOTAL										
65-69 YRS	57	9.3	91	1	3	6	14	23	31	44
70-74	49	8.8	79	1	2	6	14	24	28	35
75-79	34	6.9	26	1	2	7	10	13	15	23
80-84	14	9.1	62	1	2	6	17	20	22	22
85 +	11	14.7	150	4	6	8	26	33	34	34
GRAND TOTAL	165	9.0	77	1	2	6	13	22	28	36

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	13	2.2	5	1	1	2	2	4	9	10
70-74	6	1.3		1	1	1	2	2	2	2
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	25	5.5	129	1	2	3	4	9	22	59
70-74	29	4.7	49	1	1	2	4	17	24	26
75-79	12	5.9	29	2	2	3	10	15	16	16
80-84	3	7.7	6	5	6	8	9	10	10	10
85 +	1	2.0		2	2	51	99 +	99 +	99 +	99 +
TOTAL SINGLE DX	21	2.0	4	1	1	1	2	3	7	10
TOTAL MULTIPLE DX	70	5.3	71	1	2	3	5	13	24	91
TOTAL										
65-69 YRS	38	4.3	89	1	1	2	4	8	10	59
70-74	35	4.1	42	1	1	2	3	8	24	26
75-79	14	5.4	27	1	2	3	8	15	16	16
80-84	3	7.7	6	5	6	8	9	10	10	10
85 +	1	2.0		2	2	51	99 +	99 +	99 +	99 +
GRAND TOTAL	91	4.5	57	1	1	2	4	10	22	83

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	2.7	2	<1	1	3	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	10	7.0	74	1	3	4	6	21	30	30
70-74	9	4.3	6	2	2	4	6	9	9	9
75-79	10	15.3	478	2	4	7	19	49	74	74
80-84	8	5.4	5	2	3	5	7	8	8	8
85 +	3	6.0	28	2	2	4	10	12	12	12
TOTAL SINGLE DX	4	2.5	2	<1	1	2	3	4	4	4
TOTAL MULTIPLE DX	40	8.1	150	2	3	5	8	16	27	74
TOTAL										
65-69 YRS	13	6.0	60	1	2	4	5	16	27	30
70-74	10	4.1	7	2	2	3	5	8	9	9
75-79	10	15.3	478	2	4	7	19	49	74	74
80-84	8	5.4	5	2	3	5	7	8	8	8
85 +	3	6.0	28	2	2	4	10	12	12	12
GRAND TOTAL	44	7.6	139	2	3	4	8	13	26	74

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	2.7	5	<1	1	2	5	6	6	6
70-74	6	2.0	4	<1	1	1	2	6	6	6
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	2.5	1	2	2	2	3	3	3	3
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	52	7.0	62	1	2	5	8	15	21	43
70-74	41	13.6	313	1	2	8	16	31	57	82
75-79	31	5.9	21	2	3	5	7	12	17	22
80-84	21	6.2	20	1	2	6	9	13	16	16
85 +	26	8.2	31	2	3	8	13	18	32	99 +
TOTAL SINGLE DX	16	2.2	3	<1	1	1	3	6	6	6
TOTAL MULTIPLE DX	171	8.5	112	1	2	6	10	18	25	79
TOTAL										
65-69 YRS	58	6.6	58	1	2	5	7	13	20	42
70-74	47	12.1	288	1	1	6	16	27	51	82
75-79	32	5.8	22	2	3	5	7	12	17	22
80-84	23	5.9	19	2	2	5	9	12	16	16
85 +	27	7.9	32	2	3	7	12	18	28	99 +
GRAND TOTAL	187	7.9	106	1	2	5	9	18	24	77

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	1.7	1	1	1	1	3	4	4	4
70-74	3	1.3		<1	<1	<1	2	2	2	2
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	22	3.6	23	1	1	2	3	8	15	23
70-74	13	4.8	17	1	2	4	7	10	15	16
75-79	9	6.1	45	1	2	3	9	17	22	22
80-84	5	14.2	57	3	10	14	20	23	23	23
85 +	4	9.0	71	1	2	7	15	20	20	20
TOTAL SINGLE DX	13	1.5	1	<1	1	1	2	3	4	4
TOTAL MULTIPLE DX	53	5.7	39	1	2	3	8	17	22	23
TOTAL										
65-69 YRS	29	3.2	19	1	1	2	3	7	10	23
70-74	16	4.1	16	<1	1	3	6	9	14	16
75-79	11	5.3	40	1	2	2	8	15	21	22
80-84	6	12.0	75	1	3	13	19	23	23	23
85 +	4	9.0	71	1	2	7	15	20	20	20
GRAND TOTAL	66	4.9	34	1	1	2	5	14	20	23

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	5.3	4	3	4	6	7	7	7	7
70-74	0									
75-79	0									
80-84	0									
85 +	2	10.0	18	7	7	10	13	13	13	13
2. MULTIPLE DX										
65-69 YRS	8	18.1	159	8	9	11	27	38	42	42
70-74	3	8.0	48	4	4	4	13	16	16	16
75-79	8	9.8	8	6	8	11	12	66	99 +	99 +
80-84	6	12.5	64	3	8	10	20	24	24	24
85 +	6	16.5	158	6	9	13	16	38	41	41
TOTAL SINGLE DX	5	7.2	13	3	5	7	9	13	13	13
TOTAL MULTIPLE DX	31	13.6	94	5	8	11	16	32	42	99 +
TOTAL										
65-69 YRS	11	14.6	148	5	7	9	23	34	41	42
70-74	3	8.0	48	4	4	4	13	16	16	16
75-79	8	9.8	9	6	8	11	12	66	99 +	99 +
80-84	6	12.5	64	3	8	10	20	24	24	24
85 +	8	14.9	124	6	8	12	15	33	41	41
GRAND TOTAL	36	12.7	87	4	7	10	15	28	42	99 +

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	39	3.2	3	1	2	3	4	7	7	8
70-74	18	4.2	20	<1	1	3	4	11	16	18
75-79	8	2.3	3	<1	1	2	3	5	6	6
80-84	2	4.0	18	1	1	4	7	7	7	7
85 +	3	2.7	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	123	6.4	73	2	3	4	6	13	24	47
70-74	75	9.4	154	2	3	6	11	17	32	75
75-79	40	7.0	37	2	3	5	8	16	21	26
80-84	9	5.3	11	1	3	4	8	10	11	11
85 +	8	15.3	351	4	4	6	20	48	58	58
TOTAL SINGLE DX	70	3.4	8	1	2	3	4	7	8	17
TOTAL MULTIPLE DX	255	7.6	100	2	3	4	8	16	26	58
TOTAL										
65-69 YRS	162	5.6	59	1	2	3	5	10	20	42
70-74	93	8.4	132	1	3	5	9	16	28	71
75-79	48	6.2	35	1	2	4	7	14	19	26
80-84	11	5.1	11	1	2	4	8	10	11	11
85 +	11	11.8	281	1	4	5	14	38	56	58
GRAND TOTAL	325	6.7	83	1	2	4	7	14	21	57

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	62	2.0	1	1	1	2	2	3	4	6
70-74	34	2.4	1	1	1	2	3	4	5	5
75-79	20	2.4	1	1	1	2	3	4	5	6
80-84	6	2.0		<1	1	2	3	3	3	3
85 +	3	3.3	4	1	2	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	463	2.5	6	1	1	2	3	4	5	8
70-74	345	2.4	2	1	1	2	3	4	5	8
75-79	230	3.2	16	1	1	2	4	5	7	18
80-84	83	3.0	11	1	1	2	3	4	8	21
85 +	34	5.0	91	1	2	3	5	7	9	58
TOTAL SINGLE DX	125	2.2	1	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	1155	2.7	10	1	1	2	3	5	6	12
TOTAL										
65-69 YRS	525	2.4	6	1	1	2	3	4	5	8
70-74	379	2.4	2	1	1	2	3	4	5	8
75-79	250	3.1	15	1	1	2	4	5	7	18
80-84	89	2.9	10	1	1	2	3	4	7	20
85 +	37	4.8	85	1	2	3	5	7	8	58
GRAND TOTAL	1280	2.6	9	1	1	2	3	4	5	11

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	12	3.8	11	1	2	3	4	7	13	14
70-74	7	2.7	6	<1	1	2	3	7	8	8
75-79	5	5.0	19	1	2	4	7	12	12	12
80-84	2	7.5	85	<1	<1	7	14	14	14	14
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	57	15.2	220	1	3	11	21	44	49	51
70-74	57	17.1	470	3	4	10	20	66	92	99 +
75-79	55	15.8	160	2	7	14	20	30	40	65
80-84	43	18.1	236	5	7	15	24	45	59	99 +
85 +	36	12.9	79	4	7	10	16	26	33	40
TOTAL SINGLE DX	27	3.9	14	1	2	3	4	11	14	14
TOTAL MULTIPLE DX	248	15.9	246	3	6	12	20	41	51	99 +
TOTAL										
65-69 YRS	69	13.2	202	1	2	9	18	41	46	51
70-74	64	15.6	440	2	4	8	17	57	92	99 +
75-79	60	14.9	157	2	6	13	19	29	39	65
80-84	45	17.6	232	4	7	14	23	45	57	99 +
85 +	37	12.6	81	3	7	10	15	26	33	40
GRAND TOTAL	275	14.8	236	2	4	10	18	38	50	98

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	133	3.5	9	1	2	3	4	7	8	18
70-74	103	3.5	8	1	1	3	5	7	10	14
75-79	59	4.0	13	1	2	3	5	8	11	22
80-84	28	6.4	13	2	3	6	8	12	14	14
85 +	18	4.9	13	<1	1	5	8	10	11	11
2. MULTIPLE DX										
65-69 YRS	751	8.8	100	1	2	5	12	22	30	52
70-74	601	9.7	110	1	3	6	13	24	32	55
75-79	412	11.3	160	1	3	7	14	26	41	71
80-84	218	13.6	179	2	4	10	18	29	41	76
85 +	126	12.4	156	2	3	10	17	25	38	85
TOTAL SINGLE DX	341	3.9	11	1	2	3	5	8	11	16
TOTAL MULTIPLE DX	2108	10.3	129	1	3	6	14	24	35	61
TOTAL										
65-69 YRS	884	8.0	91	1	2	4	10	20	27	45
70-74	704	8.8	100	1	2	5	11	22	30	54
75-79	471	10.4	148	1	3	6	13	24	40	70
80-84	246	12.7	165	2	4	9	17	28	39	74
85 +	144	11.5	145	2	3	9	16	23	33	81
GRAND TOTAL	2449	9.4	117	1	2	6	12	23	31	60

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	31	6.8	9	3	4	7	9	11	12	12
70-74	33	6.7	15	3	4	6	8	12	13	20
75-79	36	10.7	97	4	6	8	12	16	30	57
80-84	39	8.7	18	4	6	8	11	14	16	24
85 +	55	9.2	25	3	6	8	13	16	19	24
2. MULTIPLE DX										
65-69 YRS	194	12.0	95	5	7	9	14	20	30	63
70-74	268	13.5	109	5	7	11	16	28	33	61
75-79	302	12.8	68	5	7	10	15	23	29	45
80-84	340	13.4	99	6	8	11	15	23	32	64
85 +	451	13.6	124	6	8	11	15	23	37	99 +
TOTAL SINGLE DX	194	8.6	34	3	5	8	11	14	16	30
TOTAL MULTIPLE DX	1555	13.2	102	5	8	11	15	23	33	67
TOTAL										
65-69 YRS	225	11.3	86	5	6	9	13	19	29	60
70-74	301	12.7	104	5	7	10	15	25	32	58
75-79	338	12.5	71	5	7	10	15	23	30	51
80-84	379	12.9	93	5	8	10	15	22	32	63
85 +	506	13.2	115	5	8	11	15	22	34	99
GRAND TOTAL	1749	12.7	97	5	7	10	15	22	32	66

957 Hospitals, United States, Geriatric, January-December 1989, by Operation

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	27	4.4	25	1	1	3	6	7	14	26
70-74	13	4.5	7	2	2	4	6	9	10	10
75-79	10	4.7	7	1	2	5	6	8	10	10
80-84	3	6.7	16	2	4	9	9	9	9	9
85+	7	8.7	113	1	3	5	8	27	32	32
2. MULTIPLE DX										
65-69 YRS	100	8.1	61	2	3	6	10	17	28	37
70-74	75	9.9	143	2	3	7	12	17	37	68
75-79	62	9.5	101	2	3	7	12	17	28	61
80-84	28	12.0	84	3	5	11	16	20	28	46
85+	30	14.8	156	4	7	11	18	30	37	61
TOTAL SINGLE DX	60	5.1	28	1	2	4	6	9	11	31
TOTAL MULTIPLE DX	295	9.9	[illegible]	2	3	7	13	19	30	58
TOTAL										
65-69 YRS	127	7.3	56	1	3	5	9	15	26	36
70-74	88	9.1	126	2	3	6	11	17	32	66
75-79	72	8.8	91	2	3	6	11	17	24	58
80-84	31	11.5	80	2	5	10	16	20	26	46
85+	37	13.6	151	2	6	9	18	30	35	61
GRAND TOTAL	355	[illegible]	95	2	3	6	12	18	30	54

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	109	2.4	6	<1	1	2	3	5	6	13
70-74	77	2.6	9	<1	1	2	3	5	7	20
75-79	68	3.7	31	1	1	2	4	7	12	32
80-84	44	3.9	11	1	1	3	5	10	11	15
85+	35	3.5	9	<1	1	2	5	7	10	12
2. MULTIPLE DX										
65-69 YRS	192	6.6	79	1	2	3	8	15	28	54
70-74	231	7.9	143	1	2	4	8	19	30	58
75-79	196	9.8	137	1	3	6	13	21	30	68
80-84	150	9.5	123	1	3	7	13	18	22	71
85+	167	10.7	128	2	4	7	14	21	35	62
TOTAL SINGLE DX	333	3.0	13	<1	1	2	4	6	10	18
TOTAL MULTIPLE DX	936	8.8	125	1	2	5	11	19	30	65
TOTAL										
65-69 YRS	301	5.1	57	1	1	2	5	12	20	47
70-74	308	6.5	115	1	1	3	7	15	25	52
75-79	264	8.3	117	1	2	5	10	19	29	65
80-84	194	8.2	104	1	2	5	11	16	21	65
85+	202	9.5	115	1	3	6	12	20	32	56
GRAND TOTAL	1269	7.3	102	1	2	4	9	16	24	56

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	42	7.5	11	4	5	7	9	13	14	16
70-74	42	8.5	25	4	6	7	10	14	16	32
75-79	49	8.6	17	4	6	8	11	14	16	23
80-84	54	9.1	24	5	6	8	12	13	14	35
85+	60	11.5	77	5	7	9	13	19	26	58
2. MULTIPLE DX										
65-69 YRS	184	13.7	135	6	7	10	15	21	42	82
70-74	282	13.3	123	6	8	10	14	28	41	97
75-79	410	13.5	111	6	8	10	15	25	32	67
80-84	521	13.6	124	6	8	11	15	22	32	86
85+	767	13.4	116	6	8	10	15	23	36	89
TOTAL SINGLE DX	247	9.2	35	4	6	8	11	14	16	36
TOTAL MULTIPLE DX	2164	13.5	120	6	8	10	15	24	35	85
TOTAL										
65-69 YRS	226	12.5	119	5	7	9	14	21	33	67
70-74	324	12.7	[illegible]	5	7	10	13	24	39	94
75-79	459	13.0	[illegible]	6	7	10	15	23	32	60
80-84	575	13.2	117	6	8	11	15	21	31	65
85+	827	13.3	114	6	8	10	15	23	35	84
GRAND TOTAL	2411	13.0	113	6	8	10	14	23	33	82

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	165	8.8	14	4	6	8	11	13	16	22
70-74	214	9.5	18	5	7	9	11	15	17	20
75-79	268	10.5	47	6	7	9	12	16	20	32
80-84	301	11.4	40	6	8	10	13	18	20	38
85+	421	10.9	25	6	7	10	13	17	21	29
2. MULTIPLE DX										
65-69 YRS	1245	13.9	110	6	8	11	16	24	35	84
70-74	1801	14.3	104	6	8	11	16	26	36	70
75-79	2774	14.3	94	7	9	12	16	25	35	63
80-84	3547	14.3	104	6	9	12	16	26	37	71
85+	5599	14.5	111	6	8	12	17	26	36	74
TOTAL SINGLE DX	1369	10.5	32	6	7	9	13	16	19	31
TOTAL MULTIPLE DX	14966	14.3	106	6	8	12	16	26	36	72
TOTAL										
65-69 YRS	1410	13.3	102	6	8	11	15	23	33	79
70-74	2015	13.8	98	6	8	11	16	24	34	65
75-79	3042	14.0	92	6	8	12	16	24	33	59
80-84	3848	14.1	100	6	8	11	16	25	35	71
85+	6020	14.2	106	6	8	11	16	25	34	73
GRAND TOTAL	16335	14.0	101	6	8	11	16	25	34	70

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	7.4	70	2	3	4	8	21	29	29
70-74	3	11.0	13	8	8	10	14	15	15	15
75-79	7	6.1	82	1	1	2	6	22	26	26
80-84	7	6.9	5	5	5	6	8	11	11	11
85+	15	6.1	46	2	3	4	5	15	25	28
2. MULTIPLE DX										
65-69 YRS	43	21.2	410	3	7	12	31	61	66	74
70-74	41	15.5	205	5	7	11	16	38	49	69
75-79	72	13.9	257	2	5	8	15	34	45	84
80-84	68	16.0	313	4	6	10	18	30	68	82
85+	129	10.5	110	2	4	7	13	23	37	64
TOTAL SINGLE DX	41	6.9	46	2	3	5	8	15	27	29
TOTAL MULTIPLE DX	353	14.1	236	3	5	9	16	34	50	75
TOTAL										
65-69 YRS	52	18.8	377	3	6	11	27	50	63	74
70-74	44	15.2	193	5	7	10	16	36	49	69
75-79	79	13.2	245	2	4	8	15	33	44	84
80-84	75	15.1	292	4	5	9	17	26	67	81
85+	144	10.1	105	2	4	7	12	23	36	57
GRAND TOTAL	394	13.4	221	3	5	8	15	[illegible]	48	75

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	61	2.6	7	1	1	2	3	7	9	14
70-74	42	3.0	22	1	1	2	3	5	8	30
75-79	29	2.7	3	1	1	2	4	6	6	6
80-84	14	2.2	1	1	1	2	3	4	5	5
85+	10	3.7	8	1	2	3	5	8	10	10
2. MULTIPLE DX										
65-69 YRS	115	6.0	43	1	2	4	8	13	17	34
70-74	120	6.2	33	1	2	4	9	15	18	28
75-79	109	9.7	183	1	2	5	10	24	41	70
80-84	70	9.5	149	2	3	5	11	20	32	[illegible]
85+	64	8.2	81	2	3	6	10	15	21	60
TOTAL SINGLE DX	156	2.8	10	1	1	2	3	6	8	15
TOTAL MULTIPLE DX	478	7.7	95	1	2	5	10	17	23	56
TOTAL										
65-69 YRS	176	4.9	33	1	2	3	6	12	15	23
70-74	162	5.3	33	1	2	3	6	13	17	30
75-79	138	8.2	154	1	2	4	8	19	34	70
80-84	84	8.3	132	2	2	4	11	19	26	69
85+	74	7.6	74	2	3	5	10	14	20	56
GRAND TOTAL	634	6.5	79	1	2	4	8	14	20	52

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	620	4.1	6	2	2	3	5	7	9	15
70-74	395	4.4	9	2	2	4	5	8	10	17
75-79	261	5.0	17	2	3	4	6	9	11	19
80-84	136	5.5	21	2	3	5	7	10	15	30
85+	79	5.8	11	2	3	5	7	10	13	16
2. MULTIPLE DX										
65-69 YRS	1355	7.6	62	2	3	5	9	14	20	47
70-74	1168	7.6	62	2	4	6	9	14	20	40
75-79	926	9.0	71	3	4	7	11	16	22	49
80-84	609	9.1	59	3	5	7	11	19	25	40
85+	410	10.5	87	3	5	8	13	21	26	55
TOTAL SINGLE DX	1491	4.5	11	2	2	4	6	8	10	16
TOTAL MULTIPLE DX	4468	8.3	67	2	4	6	10	16	22	46
TOTAL										
65-69 YRS	1975	6.5	48	2	3	5	7	12	17	41
70-74	1563	6.8	51	2	3	5	8	13	17	37
75-79	1187	8.1	63	3	4	6	10	15	21	44
80-84	745	8.4	54	2	4	6	10	17	25	35
85+	489	9.7	78	3	4	7	12	20	25	52
GRAND TOTAL	5959	7.4	56	2	3	5	9	14	20	41

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	141	2.7	5	1	1	2	3	6	8	10
70-74	122	3.1	10	1	1	2	3	6	8	22
75-79	105	4.0	34	1	1	3	4	8	11	34
80-84	74	4.3	14	1	2	3	5	9	13	19
85+	74	3.3	8	1	1	3	4	6	11	15
2. MULTIPLE DX										
65-69 YRS	439	7.3	85	1	3	4	9	16	25	66
70-74	449	7.0	53	1	3	5	9	16	21	33
75-79	470	8.0	88	1	3	6	10	15	25	66
80-84	409	9.1	137	2	3	6	10	19	28	66
85+	458	9.5	162	2	3	6	11	20	35	98
TOTAL SINGLE DX	516	3.4	15	1	1	2	4	7	10	18
TOTAL MULTIPLE DX	2225	8.2	106	2	3	5	10	17	26	69
TOTAL										
65-69 YRS	580	6.2	70	1	2	4	7	13	19	43
70-74	571	6.2	47	1	2	4	8	14	20	32
75-79	575	7.3	81	1	2	5	9	15	23	65
80-84	483	8.4	122	2	3	5	10	17	26	63
85+	532	8.7	145	2	3	5	10	20	33	98
GRAND TOTAL	2741	7.3	92	1	2	4	9	15	23	64

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	57	4.3	16	1	1	3	5	9	14	19
70-74	75	3.5	11	1	1	2	4	9	11	15
75-79	46	3.6	9	1	2	3	5	7	10	14
80-84	63	3.7	10	1	2	3	4	7	9	18
85 +	38	4.9	18	1	2	3	9	10	15	17
2. MULTIPLE DX										
65-69 YRS	90	10.8	263	1	3	5	14	22	30	93
70-74	100	7.4	95	1	2	4	8	19	23	54
75-79	132	7.9	105	1	2	5	9	15	26	56
80-84	108	7.8	47	2	3	5	11	16	24	35
85 +	89	9.2	100	2	4	6	10	20	26	60
TOTAL SINGLE DX	279	3.9	13	1	1	3	5	9	12	17
TOTAL MULTIPLE DX	519	8.5	118	1	3	5	10	19	25	73
TOTAL										
65-69 YRS	147	8.3	177	1	2	4	8	18	25	87
70-74	175	5.7	63	1	2	3	6	14	19	31
75-79	178	6.8	84	1	2	4	8	13	18	45
80-84	171	6.3	38	1	2	4	8	14	20	32
85 +	127	7.9	80	1	3	6	10	16	22	44
GRAND TOTAL	798	6.9	86	1	2	4	8	15	20	43

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	26	2.7	8	1	1	2	3	6	8	14
70-74	21	2.2	6	<1	1	1	2	4	8	12
75-79	15	2.7	5	<1	1	2	4	6	8	9
80-84	14	2.1	1	1	1	2	3	4	4	4
85 +	7	2.0	3	1	1	1	2	5	6	6
2. MULTIPLE DX										
65-69 YRS	61	4.5	20	1	1	3	6	9	16	22
70-74	73	6.4	57	1	2	4	7	14	17	41
75-79	67	9.1	103	2	3	7	12	20	28	95
80-84	55	6.9	78	1	2	4	9	13	23	56
85 +	59	9.8	156	1	3	5	11	27	45	97
TOTAL SINGLE DX	83	2.4	5	1	1	2	3	5	6	13
TOTAL MULTIPLE DX	315	7.3	85	1	2	4	9	16	26	69
TOTAL										
65-69 YRS	87	3.9	17	1	1	2	6	9	14	21
70-74	94	5.5	49	1	1	3	7	12	17	40
75-79	82	7.9	92	1	2	5	11	20	26	90
80-84	69	5.9	66	1	2	3	7	12	16	51
85 +	66	8.9	146	1	2	5	10	25	44	95
GRAND TOTAL	398	6.3	72	1	2	3	8	14	22	63

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	50	6.3	95	1	2	4	6	11	20	61
70-74	44	5.8	22	1	2	4	9	14	15	21
75-79	19	5.6	39	1	1	3	6	14	21	26
80-84	11	6.4	26	1	2	5	9	14	18	18
85 +	5	5.8	28	1	3	4	7	15	15	15
2. MULTIPLE DX										
65-69 YRS	242	14.1	243	1	4	8	19	36	51	77
70-74	234	14.8	220	2	4	11	20	31	49	71
75-79	168	17.3	317	3	6	12	22	45	59	97
80-84	130	14.6	218	3	5	10	17	35	50	71
85 +	78	15.3	202	4	7	12	19	32	55	95
TOTAL SINGLE DX	129	6.0	53	1	2	4	7	12	16	41
TOTAL MULTIPLE DX	852	15.1	244	2	5	10	20	37	52	84
TOTAL										
65-69 YRS	292	12.8	227	1	3	7	16	36	49	73
70-74	278	13.3	200	2	4	9	18	30	45	65
75-79	187	16.1	302	2	5	10	20	44	58	95
80-84	141	14.0	208	3	5	9	17	34	48	70
85 +	83	14.7	197	3	7	11	17	31	54	95
GRAND TOTAL	981	13.9	229	2	4	9	18	33	50	78

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	7.0	72	1	1	7	13	13	13	13
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
TOTAL SINGLE DX	3	5.0	48	1	1	1	10	13	13	13
TOTAL MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL										
65-69 YRS	3	5.3	44	1	1	2	10	13	13	13
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	4	4.3	34	1	1	2	7	13	13	13

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	548	5.2	10	2	3	4	6	9	11	18
70-74	330	5.7	9	3	4	5	7	9	11	19
75-79	175	6.4	22	3	4	5	7	10	15	26
80-84	53	6.7	17	2	5	6	8	11	12	27
85 +	14	5.4	4	4	4	5	6	8	10	11
2. MULTIPLE DX										
65-69 YRS	1595	8.3	53	3	4	6	9	15	20	44
70-74	1122	9.2	48	4	5	7	11	16	22	40
75-79	783	9.8	59	4	5	8	12	18	22	42
80-84	301	12.5	105	5	6	9	14	24	33	54
85 +	81	12.8	70	5	7	10	17	26	30	82
TOTAL SINGLE DX	1120	5.6	13	3	3	5	7	9	12	21
TOTAL MULTIPLE DX	3882	9.2	59	3	5	7	11	17	23	44
TOTAL										
65-69 YRS	2143	7.5	45	3	4	6	9	14	18	37
70-74	1452	8.4	42	3	5	7	10	15	21	37
75-79	958	9.2	54	3	5	7	11	17	22	40
80-84	354	11.6	97	5	6	9	13	23	29	52
85 +	95	11.7	67	4	6	8	15	25	30	75
GRAND TOTAL	5002	[illegible]	51	3	4	7	10	15	21	40

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	2.1	7	< 1	< 1	1	2	4	5	15
70-74	11	1.9	1	< 1	< 1	2	2	4	5	5
75-79	9	1.3		< 1	1	1	2	3	3	3
80-84	3	2.0	3	1	1	1	3	4	4	4
85 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	82	8.0	87	1	1	4	10	25	30	38
70-74	52	7.3	85	1	1	3	11	20	31	40
75-79	45	9.6	171	1	1	4	13	34	42	51
80-84	19	7.0	54	1	2	4	12	22	62	99 +
85 +	14	13.0	153	1	4	8	16	34	38	39
TOTAL SINGLE DX	52	2.0	5	< 1	< 1	1	2	4	4	15
TOTAL MULTIPLE DX	212	8.4	106	1	1	4	13	25	34	46
TOTAL										
65-69 YRS	110	6.5	73	< 1	1	3	7	20	27	37
70-74	63	6.3	75	< 1	1	2	6	19	28	39
75-79	54	8.3	152	1	1	3	11	26	42	51
80-84	22	6.3	50	1	1	4	9	21	51	99 +
85 +	15	12.4	148	1	4	7	16	34	38	39
GRAND TOTAL	264	7.1	93	< 1	1	3	9	21	31	42

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	18	1.9	2	< 1	< 1	< 1	2	5	6	6
70-74	14	1.6	2	< 1	< 1	< 1	1	3	6	7
75-79	12	1.4		< 1	< 1	1	2	3	4	4
80-84	6	4.0	30	< 1	1	2	3	14	15	15
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
65-69 YRS	169	2.7	15	< 1	1	1	3	5	9	23
70-74	129	2.5	19	< 1	1	1	2	4	6	29
75-79	92	2.9	18	< 1	1	1	3	6	8	27
80-84	46	4.4	40	< 1	1	2	5	11	18	36
85 +	17	5.6	58	1	1	2	6	16	25	29
TOTAL SINGLE DX	51	1.9	5	< 1	< 1	1	2	4	6	15
TOTAL MULTIPLE DX	453	3.0	22	< 1	1	1	3	5	11	28
TOTAL										
65-69 YRS	187	2.6	14	< 1	1	1	2	5	9	23
70-74	143	2.4	18	< 1	1	1	2	4	6	27
75-79	104	2.8	17	< 1	1	1	3	6	8	26
80-84	52	4.4	39	< 1	1	2	4	12	18	36
85 +	18	5.4	56	1	1	2	5	16	24	29
GRAND TOTAL	504	2.9	20	<1	1	1	3	5	10	27

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	40	2.6	6	< 1	1	2	4	5	8	12
70-74	32	3.8	25	< 1	1	2	4	11	14	24
75-79	19	1.9	3	< 1	< 1	1	2	4	7	9
80-84	3	2.7	4	< 1	< 1	2	4	5	5	5
85 +	6	2.0		< 1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	256	8.5	140	1	2	3	10	23	36	75
70-74	217	9.6	138	1	2	5	12	23	37	55
75-79	141	8.9	130	1	2	4	12	24	39	50
80-84	83	9.5	130	1	2	6	13	22	35	88
85 +	36	15.6	235	2	6	11	18	36	53	68
TOTAL SINGLE DX	100	2.9	12	< 1	1	2	3	5	11	19
TOTAL MULTIPLE DX	733	9.4	143	1	2	4	12	24	38	65
TOTAL										
65-69 YRS	296	7.7	126	1	2	3	10	22	31	72
70-74	249	8.9	128	1	2	4	11	22	35	54
75-79	160	8.1	120	1	2	3	10	22	36	50
80-84	86	9.3	128	1	2	6	13	22	34	87
85 +	42	13.7	225	1	4	8	16	35	46	68
GRAND TOTAL	833	8.6	132	1	2	4	11	22	35	60

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	41	8.0	76	3	4	5	8	14	20	55
70-74	10	7.2	6	4	5	8	8	10	11	11
75-79	13	6.8	11	3	4	6	9	12	13	13
80-84	2	5.5	5	4	4	5	7	7	7	7
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	281	12.4	129	4	6	9	14	25	36	76
70-74	203	12.5	89	5	7	10	15	23	29	70
75-79	112	12.6	65	4	7	10	17	25	31	34
80-84	39	14.8	261	6	7	9	16	25	51	86
85 +	11	13.3	72	4	8	11	18	26	31	32
TOTAL SINGLE DX	67	7.5	49	3	4	6	8	12	15	49
TOTAL MULTIPLE DX	646	12.6	112	4	7	9	15	25	31	71
TOTAL										
65-69 YRS	322	11.8	125	4	5	8	14	25	35	71
70-74	213	12.2	86	5	7	10	15	23	29	68
75-79	125	12.0	63	4	6	9	15	24	30	34
80-84	41	14.3	252	6	7	9	15	25	46	86
85 +	12	12.7	71	4	7	10	17	25	31	32
GRAND TOTAL	713	12.1	108	4	6	9	15	24	31	69

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	78	3.0	4	1	1	2	4	6	7	9
70-74	51	3.2	5	1	2	2	5	6	7	11
75-79	19	3.7	5	1	1	4	6	7	8	8
80-84	9	4.8	21	< 1	1	3	7	13	13	13
85 +	2	2.5	5	< 1	< 1	2	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	206	4.1	6	1	2	4	5	7	9	12
70-74	141	6.5	74	2	2	4	6	14	24	38
75-79	110	5.4	25	1	2	4	7	12	15	26
80-84	40	8.5	182	1	2	4	8	18	36	73
85 +	9	8.8	104	1	5	6	10	67	99 +	99 +
TOTAL SINGLE DX	159	3.2	6	1	1	2	4	6	8	12
TOTAL MULTIPLE DX	506	5.5	46	1	2	4	6	10	15	35
TOTAL										
65-69 YRS	284	3.8	6	1	2	3	5	7	9	12
70-74	192	5.6	58	1	2	4	6	11	20	34
75-79	129	5.2	23	1	2	4	6	11	15	26
80-84	49	7.8	154	1	2	4	8	15	24	73
85 +	11	7.6	90	1	3	6	9	54	93	99 +
GRAND TOTAL	665	4.9	37	1	2	4	6	9	13	32

735: Total hip replacement (81.51; 81.59*) *(pre-October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	767	9.0	12	6	7	8	10	12	14	19
70-74	695	9.2	9	6	7	9	11	13	14	18
75-79	532	9.6	11	6	7	9	11	14	15	21
80-84	291	10.5	17	6	8	10	12	16	18	27
85 +	132	10.8	22	7	8	10	12	15	19	31
2. MULTIPLE DX										
65-69 YRS	2636	11.0	35	7	8	10	12	16	19	39
70-74	2808	11.3	39	7	8	10	12	16	21	40
75-79	2624	12.3	52	7	8	10	14	19	24	48
80-84	1736	13.1	61	7	9	11	15	21	28	47
85 +	1148	14.9	102	7	9	12	16	26	36	62
TOTAL SINGLE DX	2417	9.5	13	6	7	9	11	13	15	22
TOTAL MULTIPLE DX	10952	12.1	53	7	8	10	14	18	25	47
TOTAL										
65-69 YRS	3403	10.5	31	6	8	9	12	15	18	36
70-74	3503	10.9	34	7	8	10	12	16	19	36
75-79	3156	11.8	47	7	8	10	13	18	23	44
80-84	2027	12.8	56	7	9	11	14	20	27	44
85 +	1280	14.4	96	7	9	12	16	25	34	61
GRAND TOTAL	13369	11.6	47	7	8	10	13	17	23	44

736: Other arthroplasty of hip (81.40; 81.52-81.53; 81.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	129	10.1	15	7	8	9	11	16	17	26
70-74	200	9.6	15	6	7	9	11	14	16	24
75-79	236	10.6	19	6	8	10	12	15	18	26
80-84	256	10.8	16	6	8	10	13	16	18	25
85 +	320	11.3	19	7	8	11	14	17	19	26
2. MULTIPLE DX										
65-69 YRS	849	13.7	100	7	8	11	15	23	31	56
70-74	1294	13.6	70	7	8	11	15	23	31	53
75-79	1809	13.6	74	7	9	12	16	22	29	58
80-84	2209	14.6	99	7	9	12	16	25	34	71
85 +	2756	14.5	100	7	9	12	17	25	33	81
TOTAL SINGLE DX	1141	10.6	18	6	8	10	12	16	18	26
TOTAL MULTIPLE DX	8917	14.1	91	7	9	12	16	24	32	70
TOTAL										
65-69 YRS	978	13.2	91	7	8	11	14	22	30	55
70-74	1494	13.0	65	7	8	11	15	21	30	51
75-79	2045	13.3	69	7	9	11	15	21	28	56
80-84	2465	14.2	92	7	9	12	16	24	32	66
85 +	3076	14.1	93	7	9	12	16	24	31	78
GRAND TOTAL	10058	13.7	84	7	9	11	15	23	30	65

737: Total knee replacement (81.41; 81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	974	9.0	7	6	7	9	10	13	14	18
70-74	919	9.1	10	6	7	9	10	13	15	18
75-79	660	9.3	10	6	7	9	11	13	15	20
80-84	295	10.1	25	6	7	9	12	14	16	26
85 +	112	9.5	21	6	7	8	11	14	17	29
2. MULTIPLE DX										
65-69 YRS	2926	10.4	22	7	8	10	12	15	18	26
70-74	3235	10.9	32	7	8	10	12	16	19	34
75-79	2671	11.2	23	7	8	10	13	16	19	28
80-84	1415	11.9	46	7	8	10	13	17	22	41
85 +	503	11.9	46	7	8	10	13	17	21	45
TOTAL SINGLE DX	2960	9.2	12	6	7	9	11	13	15	19
TOTAL MULTIPLE DX	10750	11.0	31	7	8	10	13	16	19	31
TOTAL										
65-69 YRS	3900	10.1	19	6	8	9	11	14	17	25
70-74	4154	10.5	29	6	8	9	12	15	18	30
75-79	3331	10.8	22	7	8	10	12	16	18	27
80-84	1710	11.6	44	7	8	10	13	17	21	39
85 +	615	11.5	43	7	8	10	13	17	20	43
GRAND TOTAL	13710	10.6	27	6	8	10	12	15	18	29

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	60	6.7	10	3	4	6	9	11	13	16
70-74	48	6.7	14	2	4	7	8	11	14	17
75-79	37	7.8	20	3	5	7	9	13	15	26
80-84	16	8.7	10	5	7	9	10	13	15	16
85 +	3	8.3	16	4	5	9	11	12	12	12
2. MULTIPLE DX										
65-69 YRS	210	8.0	50	3	4	7	9	14	16	45
70-74	185	8.5	23	3	5	8	10	14	17	23
75-79	147	9.7	37	4	6	9	12	16	21	36
80-84	81	10.1	60	4	6	9	11	16	21	52
85 +	21	12.7	112	5	6	9	15	33	37	38
TOTAL SINGLE DX	164	7.2	14	3	5	7	9	12	14	17
TOTAL MULTIPLE DX	644	8.9	44	3	5	8	11	15	19	37
TOTAL										
65-69 YRS	270	7.7	42	3	4	7	9	13	16	35
70-74	233	8.1	22	3	5	8	10	14	17	22
75-79	184	9.3	34	4	6	8	11	15	20	35
80-84	97	9.9	52	4	6	9	11	16	20	48
85 +	24	12.2	101	5	6	9	13	31	37	38
GRAND TOTAL	808	8.6	38	3	5	8	10	14	17	36

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.56-81.59*; 81.71; 81.73-81.74; 81.80-81.81; 81.84; 81.86) *(post October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	131	4.1	11	1	2	3	6	8	10	18
70-74	104	4.1	11	1	2	3	5	10	12	15
75-79	57	4.6	11	1	2	4	6	9	11	15
80-84	34	6.3	11	2	4	6	8	11	13	16
85 +	11	6.8	9	3	4	7	8	11	14	14
2. MULTIPLE DX										
65-69 YRS	301	5.8	46	1	2	4	7	11	16	35
70-74	262	6.2	37	2	3	5	8	11	13	33
75-79	212	7.5	60	2	3	6	9	12	15	36
80-84	125	8.8	48	3	4	7	11	16	25	36
85 +	66	9.9	20	4	6	10	13	17	17	19
TOTAL SINGLE DX	337	4.5	12	1	2	3	6	9	11	16
TOTAL MULTIPLE DX	966	6.9	47	2	3	5	9	13	17	34
TOTAL										
65-69 YRS	432	5.3	36	1	2	4	7	10	13	32
70-74	366	5.6	31	1	2	4	7	11	13	29
75-79	269	6.9	51	2	3	6	9	12	15	33
80-84	159	8.3	41	2	4	7	10	15	23	35
85 +	77	9.5	20	4	6	9	12	16	17	19
GRAND TOTAL	1303	6.3	39	2	3	5	8	12	16	32

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	172	2.5	1	1	2	2	3	4	5	7
70-74	116	2.8	4	1	2	2	3	5	7	11
75-79	52	3.0	3	1	2	3	4	5	6	11
80-84	15	3.4	3	2	2	3	5	6	7	7
85 +	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	444	3.1	13	1	2	2	4	5	7	13
70-74	325	3.6	9	1	2	3	4	7	9	14
75-79	149	4.4	31	1	2	3	5	7	10	26
80-84	63	4.5	20	1	2	3	5	8	13	28
85 +	18	8.7	85	2	4	6	10	15	32	42
TOTAL SINGLE DX	358	2.7	3	1	2	2	3	5	6	9
TOTAL MULTIPLE DX	999	3.6	17	1	2	3	4	6	9	18
TOTAL										
65-69 YRS	616	2.9	10	1	2	2	3	5	6	11
70-74	441	3.4	8	1	2	3	4	7	9	13
75-79	201	4.1	24	1	2	3	4	6	10	25
80-84	78	4.3	17	1	2	3	5	7	11	26
85 +	21	8.0	76	2	4	6	9	14	28	42
GRAND TOTAL	1357	3.4	13	1	2	3	4	6	8	16

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	37	2.2	4	<1	<1	1	3	4	7	11
70-74	26	4.2	13	<1	<1	4	7	9	11	14
75-79	13	2.7	6	<1	<1	2	3	7	9	9
80-84	9	3.3	6	<1	<1	2	5	7	8	8
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	169	7.9	77	2	2	5	9	21	29	41
70-74	170	8.8	118	1	3	6	9	19	30	65
75-79	93	9.2	122	1	2	6	12	20	30	86
80-84	68	10.5	85	2	5	8	14	21	33	45
85+	42	9.2	55	2	4	7	11	23	25	30
TOTAL SINGLE DX	87	3.0	8	<1	<1	2	4	7	9	13
TOTAL MULTIPLE DX	542	8.8	97	1	3	6	10	21	29	51
TOTAL										
65-69 YRS	206	6.9	69	1	2	4	8	18	27	39
70-74	196	8.2	107	1	2	5	9	17	29	61
75-79	106	8.4	112	1	2	5	10	20	29	82
80-84	77	9.6	81	1	4	7	13	19	32	44
85+	44	8.9	55	2	3	7	11	23	24	30
GRAND TOTAL	629	8.0	89	1	2	5	9	19	29	51

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	56	2.9	20	<1	1	1	3	7	16	22
70-74	29	2.7	3	<1	1	2	4	5	6	9
75-79	25	3.1	13	<1	1	2	4	6	9	19
80-84	19	2.9	21	<1	<1	1	3	6	15	21
85+	10	5.5	28	1	2	3	9	14	18	18
2. MULTIPLE DX										
65-69 YRS	196	10.2	183	1	2	6	12	26	37	72
70-74	199	10.9	201	1	2	7	13	25	41	75
75-79	180	12.6	213	1	3	8	16	27	46	76
80-84	98	11.6	129	1	3	8	17	24	35	56
85+	54	11.8	149	2	5	9	13	22	43	61
TOTAL SINGLE DX	139	3.1	16	<1	1	2	3	7	12	21
TOTAL MULTIPLE DX	727	11.3	186	1	3	7	14	26	37	73
TOTAL										
65-69 YRS	252	8.6	156	1	1	4	10	20	32	71
70-74	228	9.9	184	1	2	5	12	23	36	74
75-79	205	11.5	199	1	2	6	16	26	40	75
80-84	117	10.2	122	1	2	7	16	23	32	53
85+	64	10.8	135	2	3	8	13	21	36	60
GRAND TOTAL	866	10.0	168	1	2	5	13	23	36	72

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	47	1.3		1	1	1	1	2	3	4
70-74	34	1.3		<1	<1	1	1	2	4	4
75-79	24	1.3		<1	1	1	1	2	3	4
80-84	5	1.4	1	1	1	1	2	3	3	3
85+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	75	2.5	27	1	1	1	2	4	6	37
70-74	58	1.8	2	1	1	1	2	3	5	9
75-79	35	2.1	6	1	1	1	2	3	7	15
80-84	17	3.9	31	1	1	2	3	12	19	22
85+	3	2.0	1	1	1	2	3	3	3	3
TOTAL SINGLE DX	112	1.3	1	<1	1	1	1	2	3	4
TOTAL MULTIPLE DX	188	2.3	16	1	1	1	2	4	6	19
TOTAL										
65-69 YRS	122	2.0	18	1	1	1	2	3	5	21
70-74	92	1.6	2	<1	1	1	2	3	4	9
75-79	59	1.7	4	1	1	1	2	3	4	14
80-84	22	3.4	25	1	1	2	3	8	17	22
85+	5	1.6	1	1	1	1	2	3	3	3
GRAND TOTAL	300	1.9	11	1	1	1	2	3	5	14

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	16	1.2		<1	1	1	1	2	2	2
70-74	8	1.5		<1	<1	1	2	3	3	3
75-79	7	2.3	3	1	1	2	3	5	6	6
80-84	2	1.0		1	1	1	1	1	1	1
85+	0									
2. MULTIPLE DX										
65-69 YRS	45	2.9	6	1	1	2	3	6	7	14
70-74	28	2.3	3	1	1	2	3	4	6	9
75-79	14	3.4	19	1	1	2	4	6	15	18
80-84	11	2.2	3	<1	1	1	3	5	7	7
85+	6	5.3	22	1	2	3	9	13	13	13
TOTAL SINGLE DX	33	1.5	1	<1	1	1	2	3	3	6
TOTAL MULTIPLE DX	104	2.9	8	1	1	2	3	6	9	16
TOTAL										
65-69 YRS	61	2.5	5	<1	1	2	3	5	7	13
70-74	36	2.1	3	<1	1	1	3	4	5	9
75-79	21	3.0	14	1	1	2	3	5	11	18
80-84	13	2.0	3	<1	1	1	3	5	7	7
85+	6	5.3	22	1	2	3	9	13	13	13
GRAND TOTAL	137	2.5	7	1	1	2	3	5	7	15

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	245	2.6	1	1	2	2	3	4	5	8
70-74	193	2.8	2	1	2	2	4	5	6	9
75-79	78	2.9	4	1	2	2	3	5	7	13
80-84	20	4.1	8	1	2	3	5	9	12	12
85+	9	2.3	2	<1	1	2	3	5	5	5
2. MULTIPLE DX										
65-69 YRS	525	4.0	30	1	2	3	4	7	9	27
70-74	386	3.7	8	1	2	3	4	6	9	16
75-79	212	5.7	42	2	2	4	6	10	14	45
80-84	88	6.3	37	1	3	4	8	13	17	35
85+	38	11.7	228	2	4	6	18	21	69	99+
TOTAL SINGLE DX	545	2.8	3	1	2	2	3	4	6	9
TOTAL MULTIPLE DX	1249	4.6	34	1	2	3	5	8	13	36
TOTAL										
65-69 YRS	770	3.6	22	1	2	3	4	6	8	16
70-74	579	3.4	7	1	2	3	4	6	8	14
75-79	290	4.9	34	2	2	3	5	10	13	38
80-84	108	5.9	33	1	3	4	8	12	15	35
85+	47	9.9	198	2	3	5	15	20	57	99+
GRAND TOTAL	1794	4.0	26	1	2	3	4	7	10	24

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	61	3.6	5	1	2	3	4	6	8	13
70-74	28	3.1	4	1	2	2	4	6	8	8
75-79	16	5.9	15	2	3	5	7	12	16	17
80-84	4	5.0	15	1	2	4	8	10	10	10
85+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	152	6.7	51	2	3	4	8	15	24	40
70-74	97	7.2	78	1	2	4	7	16	30	44
75-79	78	9.6	169	1	3	6	11	25	57	99+
80-84	46	9.7	176	2	4	6	9	23	42	99+
85+	17	11.8	142	2	4	9	18	22	41	50
TOTAL SINGLE DX	111	3.9	7	1	2	4	5	7	9	15
TOTAL MULTIPLE DX	390	8.0	101	1	3	5	9	17	29	79
TOTAL										
65-69 YRS	213	5.9	40	1	3	4	8	11	17	37
70-74	125	6.3	64	1	2	4	7	14	23	41
75-79	94	9.0	145	1	3	6	10	21	50	99+
80-84	50	9.3	165	2	4	6	9	20	35	99+
85+	19	11.2	130	2	4	9	16	22	38	50
GRAND TOTAL	501	7.1	83	1	3	4	8	15	25	68

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	1.6		<1	1	1	2	3	3	3
70-74	8	1.5	2	<1	<1	1	1	4	5	5
75-79	7	2.6	5	1	1	2	4	6	7	7
80-84	0									
85+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	53	4.2	28	1	1	2	4	12	17	25
70-74	46	7.1	88	1	1	4	9	20	25	50
75-79	27	8.1	56	1	3	6	10	23	25	26
80-84	28	10.9	183	1	2	5	11	34	39	51
85+	15	6.4	22	1	3	5	10	12	16	18
TOTAL SINGLE DX	28	1.8	2	<1	1	1	2	4	5	7
TOTAL MULTIPLE DX	169	6.9	78	1	1	3	9	18	25	48
TOTAL										
65-69 YRS	64	3.7	25	1	1	2	3	11	17	24
70-74	54	6.2	79	1	1	3	5	17	23	49
75-79	34	6.9	51	1	2	4	8	19	25	26
80-84	28	10.9	183	1	2	5	11	34	39	51
85+	17	5.8	23	1	2	4	9	12	16	[illegible]
GRAND TOTAL	197	6.2	70	1	1	3	8	17	25	44

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	8	13.4	184	2	3	9	20	35	40	40
70-74	11	17.5	235	4	7	14	22	39	55	57
75-79	8	9.0	34	3	4	8	16	67	99+	99+
80-84	12	11.3	75	2	4	9	19	24	26	26
85+	5	15.4	313	3	4	8	23	46	46	46
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	44	13.3	148	3	4	10	19	27	49	99+
TOTAL										
65-69 YRS	8	13.4	184	2	3	9	20	35	40	40
70-74	11	17.5	236	4	7	14	22	39	55	57
75-79	8	9.0	34	3	4	8	16	67	99+	99+
80-84	12	11.3	75	2	4	9	19	24	26	26
85+	5	15.4	313	-3	4	8	23	46	46	46
GRAND TOTAL	44	13.3	148	3	4	10	19	27	49	99+

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	6.1	24	1	3	5	8	15	16	16
70-74	18	5.1	28	1	1	3	8	12	18	21
75-79	11	4.0	12	1	1	3	4	10	12	12
80-84	6	5.7	20	1	2	4	10	12	12	12
85 +	11	6.3	42	1	2	4	8	16	22	23
2. MULTIPLE DX										
65-69 YRS	499	14.4	147	4	7	12	18	28	38	71
70-74	451	13.8	160	3	6	10	17	29	43	68
75-79	403	13.1	160	3	5	10	16	27	35	69
80-84	283	13.1	144	2	5	10	18	27	36	64
85 +	205	14.0	195	3	5	10	17	30	40	89
TOTAL SINGLE DX	53	5.3	25	1	2	4	8	12	16	23
TOTAL MULTIPLE DX	1841	13.7	158	3	6	10	17	28	39	72
TOTAL										
65-69 YRS	506	14.3	147	3	6	11	18	28	38	71
70-74	469	13.5	158	3	5	10	17	29	43	67
75-79	414	12.8	158	3	5	10	16	27	35	68
80-84	289	12.9	143	2	5	10	17	27	36	64
85 +	216	13.6	191	3	5	9	17	29	39	89
GRAND TOTAL	1894	13.5	156	3	6	10	17	28	39	72

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	20.0	138	11	12	15	26	39	41	41
70-74	7	12.4	35	5	7	11	18	20	20	20
75-79	4	7.5	23	3	4	6	11	14	14	14
80-84	1	13.0		13	13	13	13	13	13	13
85 +	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	446	19.5	195	7	10	16	25	37	49	85
70-74	456	19.8	216	7	9	15	25	42	56	99 +
75-79	397	21.4	305	7	10	16	28	49	72	99 +
80-84	337	19.5	204	7	10	15	25	40	56	99 +
85 +	341	17.7	191	6	9	14	22	37	50	99 +
TOTAL SINGLE DX	20	13.4	75	5	8	11	17	23	33	41
TOTAL MULTIPLE DX	1977	19.6	224	7	10	15	25	40	54	99 +
TOTAL										
65-69 YRS	452	19.5	194	7	10	16	25	37	49	85
70-74	463	19.7	215	7	9	15	25	42	56	99 +
75-79	401	21.3	304	6	9	16	28	48	72	99 +
80-84	338	19.4	204	7	10	15	25	40	55	99 +
85 +	343	17.6	191	6	9	14	22	37	50	99 +
GRAND TOTAL	1997	19.6	223	7	10	15	25	40	54	99 +

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	9.4	19	5	6	10	12	16	16	16
70-74	6	8.5	14	6	6	7	8	15	16	16
75-79	6	14.8	152	6	8	8	22	35	37	37
80-84	10	12.7	45	6	7	12	20	55	96	99 +
85 +	19	11.3	141	2	4	7	14	30	41	45
2. MULTIPLE DX										
65-69 YRS	265	18.7	225	6	9	14	25	44	64	99 +
70-74	341	17.1	195	6	9	14	21	32	48	99 +
75-79	411	17.4	243	6	8	13	20	34	61	99 +
80-84	423	16.0	163	5	8	13	21	35	50	99 +
85 +	740	13.8	125	5	7	10	17	28	41	99 +
TOTAL SINGLE DX	46	11.5	89	4	6	8	16	24	38	99 +
TOTAL MULTIPLE DX	2180	16.0	181	6	8	12	20	34	50	99 +
TOTAL										
65-69 YRS	270	18.5	223	6	9	14	25	43	64	99 +
70-74	347	17.0	194	6	8	14	21	32	48	99 +
75-79	417	17.3	242	6	8	13	20	34	61	99 +
80-84	433	16.0	161	5	8	13	20	35	50	99 +
85 +	759	13.7	126	4	7	10	17	28	41	99 +
GRAND TOTAL	2226	15.9	180	5	8	12	20	33	50	99 +

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	14.0		14	14	14	14	14	14	14
70-74	2	4.0	2	3	3	4	5	5	5	5
75-79	4	22.0	148	10	11	22	32	33	33	33
80-84	1	42.0		42	42	42	42	42	42	42
85 +	0									
2. MULTIPLE DX										
65-69 YRS	195	21.4	272	7	10	16	29	44	56	98
70-74	137	18.4	175	6	8	16	25	35	44	78
75-79	150	22.0	261	8	11	17	28	49	61	99 +
80-84	72	23.0	349	7	10	16	33	56	83	99 +
85 +	64	17.6	125	6	9	15	23	34	42	49
TOTAL SINGLE DX	8	19.0	213	4	7	13	32	39	42	42
TOTAL MULTIPLE DX	618	20.7	244	7	9	16	28	43	57	99 +
TOTAL										
65-69 YRS	196	21.4	272	7	10	16	29	44	56	98
70-74	139	18.2	176	5	8	16	24	35	43	77
75-79	154	22.0	258	8	11	17	29	49	61	99
80-84	73	23.2	349	7	10	16	33	56	82	99 +
85 +	64	17.6	125	6	9	15	23	34	42	49
GRAND TOTAL	626	20.6	243	7	9	16	28	43	56	99 +

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	2.3	2	1	1	2	3	4	4	4
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	7	6.4	37	2	4	5	5	17	20	20
70-74	2	21.5	365	8	8	21	35	35	35	35
75-79	4	13.8	149	3	5	10	22	31	31	31
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
TOTAL SINGLE DX	4	3.3	5	1	1	3	5	6	6	6
TOTAL MULTIPLE DX	14	10.6	112	3	4	6	13	31	34	35
TOTAL										
65-69 YRS	10	5.2	29	1	2	4	5	13	20	20
70-74	3	16.3	262	6	6	8	28	35	35	35
75-79	4	13.8	149	3	5	10	22	31	31	31
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
GRAND TOTAL	18	9.0	96	2	4	5	8	28	33	35

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	4.1	14	1	1	2	6	11	12	12
70-74	5	4.2	11	1	2	3	5	10	10	10
75-79	6	4.3	11	1	2	3	8	9	9	9
80-84	3	11.0	28	5	7	13	14	15	15	15
85 +	3	3.7	6	1	2	4	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	89	14.1	198	2	4	11	16	35	53	87
70-74	94	11.1	139	3	5	7	15	26	41	99 +
75-79	68	10.9	163	2	3	7	13	27	61	99 +
80-84	48	11.3	155	2	4	8	15	26	32	75
85 +	42	12.4	115	2	6	9	18	26	31	55
TOTAL SINGLE DX	28	4.9	17	1	2	4	7	11	13	15
TOTAL MULTIPLE DX	341	12.0	159	2	4	8	15	28	43	99 +
TOTAL										
65-69 YRS	100	13.0	188	2	4	10	15	31	49	84
70-74	99	10.7	135	3	4	7	14	25	41	99 +
75-79	74	10.4	154	2	3	7	12	27	56	99 +
80-84	51	11.3	147	2	4	8	15	26	32	75
85 +	45	11.8	113	2	4	8	17	25	30	55
GRAND TOTAL	369	11.5	152	2	4	8	15	27	42	99 +

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
65-69 YRS	2	9.0	18	6	6	9	12	12	12	12
70-74	2	6.0	2	5	5	6	7	7	7	7
75-79	6	15.2	120	8	8	12	14	35	37	37
80-84	2	6.0		6	6	6	6	6	6	6
85 +	2	10.5	5	9	9	10	12	12	12	12
TOTAL SINGLE DX	2	3.5	5	2	2	3	5	5	5	5
TOTAL MULTIPLE DX	14	11.0	65	6	6	9	12	16	32	37
TOTAL										
65-69 YRS	2	9.0	18	6	6	9	12	12	12	12
70-74	3	5.7	1	5	5	5	7	7	7	7
75-79	6	15.2	121	8	8	12	14	35	37	37
80-84	3	4.7	5	2	3	6	6	6	6	6
85 +	2	10.5	5	9	9	10	12	12	12	12
GRAND TOTAL	16	10.1	63	5	6	8	12	14	30	37

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	245	2.2	2	<1	<1	2	3	4	5	7
70-74	168	2.3	16	<1	<1	1	2	4	5	20
75-79	101	2.0	1	<1	<1	1	3	4	5	6
80-84	68	2.0	1	<1	1	1	3	4	5	7
85 +	39	2.4	6	<1	1	2	3	4	8	12
2. MULTIPLE DX										
65-69 YRS	585	4.9	39	1	1	3	5	11	16	32
70-74	476	5.4	60	1	2	3	6	12	17	41
75-79	439	6.4	62	1	2	4	8	15	22	45
80-84	260	7.1	77	1	2	4	9	17	26	66
85 +	236	8.3	79	1	3	6	11	20	30	99 +
TOTAL SINGLE DX	621	2.2	6	<1	<1	1	3	4	5	8
TOTAL MULTIPLE DX	1996	6.0	60	1	2	3	8	14	21	45
TOTAL										
65-69 YRS	830	4.1	30	<1	1	2	4	9	14	30
70-74	644	4.6	51	<1	1	3	5	10	16	33
75-79	540	5.6	54	<1	1	3	6	13	20	44
80-84	328	6.1	66	1	1	3	7	14	22	53
85 +	275	7.4	73	1	2	4	10	18	28	99 +
GRAND TOTAL	2617	5.1	50	<1	1	3	6	12	18	40

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	64	3.3	3	1	2	3	4	6	7	8
70-74	47	3.4	1	2	2	3	4	5	5	6
75-79	48	3.5	4	2	2	3	4	6	7	12
80-84	27	4.0	2	2	3	4	5	7	7	8
85 +	26	3.1	1	2	2	3	4	5	6	7
2. MULTIPLE DX										
65-69 YRS	188	4.6	11	2	3	4	5	10	12	17
70-74	157	4.8	33	2	2	3	5	8	14	39
75-79	145	6.2	65	2	3	4	6	15	21	32
80-84	143	6.8	83	2	3	5	7	11	21	57
85 +	176	6.3	67	2	3	4	6	11	24	94
TOTAL SINGLE DX	212	3.4	3	2	2	3	4	6	7	8
TOTAL MULTIPLE DX	809	5.7	51	2	3	4	6	10	17	46
TOTAL										
65-69 YRS	252	4.3	10	1	2	3	5	8	11	15
70-74	204	4.5	26	2	2	3	5	7	10	35
75-79	193	5.6	51	2	3	3	5	12	20	30
80-84	170	6.4	72	2	3	4	6	10	18	56
85 +	202	5.9	61	2	3	4	6	10	19	88
GRAND TOTAL	1021	5.2	42	2	3	4	5	9	15	39

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	739	3.6	2	2	3	3	4	6	6	9
70-74	572	3.9	3	2	3	4	5	6	7	9
75-79	421	4.2	4	2	3	4	5	6	8	13
80-84	226	4.0	6	2	2	4	5	6	7	12
85 +	81	4.2	4	2	3	4	5	7	9	10
2. MULTIPLE DX										
65-69 YRS	1958	5.0	16	2	3	4	6	8	11	20
70-74	1830	5.1	17	2	3	4	6	8	11	24
75-79	1471	5.3	11	2	3	5	6	9	11	19
80-84	862	6.0	24	3	3	5	7	10	14	27
85 +	470	6.2	36	3	4	5	7	10	13	24
TOTAL SINGLE DX	2039	3.9	4	2	3	4	5	6	7	10
TOTAL MULTIPLE DX	6591	5.3	19	2	3	4	6	9	12	23
TOTAL										
65-69 YRS	2697	4.6	13	2	3	4	5	8	9	18
70-74	2402	4.9	15	2	3	4	6	8	10	21
75-79	1892	5.0	10	2	3	4	6	8	10	18
80-84	1088	5.6	22	2	3	5	6	9	13	25
85 +	551	5.9	32	2	3	5	7	10	12	24
GRAND TOTAL	8630	5.0	15	2	3	4	6	8	10	20

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	62	2.1	1	1	1	2	2	3	4	10
70-74	28	2.2	1	1	1	2	3	4	4	4
75-79	9	1.6		<1	1	1	2	3	3	3
80-84	1	5.0		5	5	5	5	5	5	5
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	168	2.9	4	1	2	2	4	6	7	11
70-74	94	4.4	37	1	2	3	5	8	10	39
75-79	45	5.6	64	1	2	3	6	12	22	38
80-84	16	8.4	219	1	2	4	8	13	47	62
85 +	11	6.0	32	1	2	4	7	16	17	17
TOTAL SINGLE DX	101	2.1	2	1	1	2	3	4	4	8
TOTAL MULTIPLE DX	334	4.1	34	1	2	3	4	8	11	38
TOTAL										
65-69 YRS	230	2.7	4	1	1	2	3	5	7	10
70-74	122	3.9	30	1	2	2	4	8	10	29
75-79	54	4.9	56	1	1	2	5	11	17	38
80-84	17	8.2	206	1	2	5	8	13	45	62
85 +	12	5.8	30	1	2	4	7	16	17	17
GRAND TOTAL	435	3.6	27	1	2	2	4	7	10	23

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	6	2.5	3	<1	<1	2	3	6	6	6
70-74	6	10.0	166	2	4	5	7	33	36	36
75-79	5	5.4	11	2	3	4	9	9	9	9
80-84	2	8.5	41	4	4	8	13	13	13	13
85+	1	4.0		4	4	4	4	4	4	4
TOTAL SINGLE DX	7	1.9	2	<1	1	1	2	4	5	5
TOTAL MULTIPLE DX	20	6.2	59	1	2	4	7	11	24	36
TOTAL										
65-69 YRS	6	2.5	4	<1	<1	2	3	6	6	6
70-74	8	7.8	136	1	2	4	7	27	36	36
75-79	7	4.9	9	2	2	4	8	9	9	9
80-84	3	6.3	34	2	2	4	11	13	13	13
85+	3	2.0	3	<1	<1	1	3	4	4	4
GRAND TOTAL	27	5.0	47	<1	2	3	6	9	16	36

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	90	2.3	19	<1	<1	<1	1	5	7	29
70-74	108	2.2	7	<1	<1	1	2	5	8	15
75-79	67	2.3	9	<1	<1	1	2	6	8	16
80-84	31	2.1	7	<1	<1	1	2	3	4	16
85+	29	3.1	11	<1	<1	1	4	8	10	15
2. MULTIPLE DX										
65-69 YRS	478	9.8	119	1	3	7	13	21	32	61
70-74	401	10.7	98	1	3	7	14	20	31	87
75-79	413	10.8	127	1	4	8	14	23	34	95
80-84	380	10.5	117	2	4	8	13	22	34	73
85+	377	12.8	200	2	5	8	15	28	46	95
TOTAL SINGLE DX	325	2.3	12	<1	<1	1	2	6	8	16
TOTAL MULTIPLE DX	2049	10.7	133	1	4	7	14	23	35	83
TOTAL										
65-69 YRS	568	8.6	111	<1	2	5	11	20	30	58
70-74	509	8.1	89	<1	2	6	11	18	29	65
75-79	480	9.6	120	1	2	7	13	21	29	88
80-84	411	9.9	114	1	3	7	13	21	32	70
85+	406	12.1	193	1	4	8	15	26	40	91
GRAND TOTAL	2374	9.5	124	<1	2	6	13	21	32	77

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	60	7.4	41	1	3	5	10	17	21	30
70-74	59	9.2	111	1	3	6	11	19	32	58
75-79	56	9.3	53	1	4	7	13	19	25	32
80-84	25	9.0	73	2	3	7	13	17	28	38
85+	28	10.2	67	1	4	8	15	24	27	28
2. MULTIPLE DX										
65-69 YRS	1330	17.3	235	4	7	13	23	40	52	99
70-74	1305	17.6	257	4	7	13	23	42	57	99+
75-79	1183	19.6	313	5	8	14	26	50	76	99+
80-84	988	20.0	292	5	9	15	26	48	73	99+
85+	1097	19.7	281	6	9	15	26	49	74	99+
TOTAL SINGLE DX	228	8.9	69	1	3	6	12	20	25	39
TOTAL MULTIPLE DX	5903	18.7	275	5	8	14	25	45	65	99+
TOTAL										
65-69 YRS	1390	16.9	231	3	7	13	22	39	51	99
70-74	1364	17.3	254	4	7	13	22	41	56	99+
75-79	1239	19.2	306	5	8	14	25	49	74	99+
80-84	1013	19.7	290	5	9	15	26	47	70	99+
85+	1125	19.5	278	5	9	14	26	48	73	99+
GRAND TOTAL	6131	18.4	271	4	8	14	24	44	62	99+

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	136	4.4	24	1	1	3	6	9	12	30
70-74	130	4.0	23	1	1	2	5	8	13	30
75-79	84	4.8	18	1	2	4	6	11	14	22
80-84	52	4.7	25	1	1	3	6	10	13	30
85+	52	4.8	15	<1	1	4	7	11	13	15
2. MULTIPLE DX										
65-69 YRS	1339	8.7	92	2	3	6	11	19	27	59
70-74	1306	8.7	85	2	3	6	11	19	27	52
75-79	1167	9.5	115	2	3	6	12	20	29	70
80-84	968	9.7	126	2	3	7	12	21	32	86
85+	1089	10.0	134	2	3	7	11	20	34	77
TOTAL SINGLE DX	454	4.4	22	1	1	3	6	9	13	28
TOTAL MULTIPLE DX	5869	9.2	109	2	3	6	11	20	30	70
TOTAL										
65-69 YRS	1475	8.3	87	1	3	6	10	18	27	57
70-74	1436	8.2	82	1	3	6	10	18	26	51
75-79	1251	9.2	110	2	3	6	11	20	28	68
80-84	1020	9.4	123	2	3	6	11	20	31	85
85+	1141	9.7	130	2	3	7	11	20	34	76
GRAND TOTAL	6323	8.9	104	1	3	6	11	19	29	67

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	31	6.7	76	1	2	6	8	11	15	49
70-74	38	9.7	218	1	2	6	10	19	23	91
75-79	31	9.2	82	1	2	7	14	21	25	41
80-84	25	8.4	57	1	2	7	11	20	26	28
85 +	15	7.0	44	1	2	5	10	20	21	22
2. MULTIPLE DX										
65-69 YRS	256	14.7	194	3	6	10	19	33	42	74
70-74	252	17.4	254	3	6	14	22	38	54	99
75-79	243	16.6	204	4	7	13	23	33	53	99 +
80-84	203	17.9	282	3	7	13	22	43	64	94
85 +	164	20.8	274	4	9	18	29	42	76	99 +
TOTAL SINGLE DX	140	8.4	108	1	2	6	10	18	23	53
TOTAL MULTIPLE DX	1118	17.2	240	3	7	13	23	38	56	99 +
TOTAL										
65-69 YRS	287	13.9	187	2	5	9	18	32	42	72
70-74	290	16.4	256	3	6	13	21	37	53	96
75-79	274	15.8	196	3	6	12	22	31	48	99 +
80-84	228	16.8	266	3	6	12	22	40	61	91
85 +	179	19.6	269	3	8	16	28	41	70	99 +
GRAND TOTAL	1258	16.2	233	3	6	12	22	36	53	99 +

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	11.9	949	<1	1	1	3	58	94	94
70-74	6	3.3	2	1	3	3	4	6	6	6
75-79	4	4.8	5	3	3	4	6	8	8	8
80-84	2	1.5	1	<1	<1	1	2	2	2	2
85 +	0									
2. MULTIPLE DX										
65-69 YRS	70	13.2	133	2	4	10	19	28	41	91
70-74	52	16.1	266	2	5	9	24	48	54	99
75-79	52	16.5	279	2	3	12	24	45	54	65
80-84	45	19.1	410	2	6	12	28	58	75	99 +
85 +	51	18.1	322	1	4	14	28	50	68	99
TOTAL SINGLE DX	21	7.1	400	<1	1	3	4	7	47	94
TOTAL MULTIPLE DX	270	16.3	269	2	4	11	23	44	58	99 +
TOTAL										
65-69 YRS	79	13.1	216	1	3	9	18	28	41	98
70-74	58	14.8	254	2	4	8	21	46	53	96
75-79	56	15.7	269	2	3	10	22	43	53	65
80-84	47	18.4	406	2	5	12	25	56	73	99 +
85 +	51	18.1	322	1	4	14	28	50	68	99
GRAND TOTAL	291	15.7	283	1	4	10	22	42	58	99 +

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	68	2.4	12	1	1	1	2	4	10	21
70-74	41	5.2	26	1	2	3	7	13	16	22
75-79	29	5.2	16	1	1	4	7	13	14	14
80-84	13	15.7	384	1	3	8	19	51	62	65
85 +	14	8.4	48	3	3	6	12	16	25	28
2. MULTIPLE DX										
65-69 YRS	511	10.4	140	1	3	7	12	23	33	69
70-74	524	13.7	190	2	6	10	17	29	44	95
75-79	517	13.1	119	4	6	11	16	26	40	99 +
80-84	432	15.1	211	4	6	10	18	37	50	99 +
85 +	470	15.0	177	4	7	10	20	35	50	99 +
TOTAL SINGLE DX	165	5.1	59	1	1	3	6	13	16	45
TOTAL MULTIPLE DX	2454	13.4	169	3	6	10	16	29	44	99 +
TOTAL										
65-69 YRS	579	9.4	132	1	3	6	12	22	30	66
70-74	565	13.1	184	2	5	10	16	28	43	93
75-79	546	12.7	117	4	6	10	15	25	38	99 +
80-84	445	15.2	216	4	6	10	18	37	50	99 +
85 +	484	14.8	174	4	7	10	19	34	50	99 +
GRAND TOTAL	2619	12.9	165	2	5	9	16	28	43	99 +

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	4	2.0		1	1	2	3	3	3	3
75-79	3	5.7	40	2	2	2	10	13	13	13
80-84	0									
85 +	4	12.5	95	6	7	8	18	27	27	27
2. MULTIPLE DX										
65-69 YRS	45	7.2	33	2	3	5	9	16	20	25
70-74	42	11.3	107	3	4	8	15	27	35	47
75-79	45	9.5	70	2	3	7	11	24	27	37
80-84	35	8.3	30	3	4	6	13	17	19	20
85 +	16	9.8	34	3	6	8	13	19	20	21
TOTAL SINGLE DX	12	6.5	55	1	2	3	8	17	26	27
TOTAL MULTIPLE DX	183	9.1	60	3	4	7	12	19	25	37
TOTAL										
65-69 YRS	46	7.1	33	2	3	5	9	16	20	25
70-74	46	10.5	105	2	4	7	12	24	35	47
75-79	48	9.3	69	2	3	7	11	23	27	37
80-84	35	8.3	31	3	4	6	13	17	19	20
85 +	20	10.4	43	3	6	8	13	20	24	27
GRAND TOTAL	195	9.0	60	2	4	6	12	19	25	37

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	274	2.1	9	1	1	1	2	5	7	18
70-74	167	2.4	11	1	1	1	2	6	8	18
75-79	109	1.7	4	1	1	1	1	3	5	11
80-84	37	2.3	9	1	1	1	2	5	8	17
85 +	12	2.9	26	<1	1	1	2	8	17	19
2. MULTIPLE DX										
65-69 YRS	803	5.4	46	1	1	2	8	14	19	29
70-74	706	5.5	48	1	1	3	8	13	18	32
75-79	515	6.6	64	1	1	4	9	15	20	52
80-84	226	7.4	55	1	2	5	10	17	23	42
85 +	86	11.5	185	1	2	8	16	24	30	97
TOTAL SINGLE DX	599	2.2	9	1	1	1	2	5	7	18
TOTAL MULTIPLE DX	2336	6.1	58	1	1	3	9	15	20	40
TOTAL										
65-69 YRS	1077	4.6	39	1	1	2	6	12	17	27
70-74	873	4.9	43	1	1	2	7	12	17	30
75-79	624	5.7	57	1	1	3	8	14	18	49
80-84	263	6.7	52	1	1	4	9	17	22	40
85 +	98	10.4	174	1	2	7	15	23	27	97
GRAND TOTAL	2935	5.3	51	1	1	2	7	13	19	33

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	151	2.8	9	1	1	2	3	7	10	15
70-74	127	2.3	5	1	1	1	3	5	7	13
75-79	119	2.9	13	1	1	1	3	7	10	20
80-84	50	2.4	6	1	1	1	2	5	6	15
85 +	13	2.2	4	<1	1	1	2	4	8	9
2. MULTIPLE DX										
65-69 YRS	1034	6.1	35	1	2	5	8	13	17	33
70-74	980	6.4	44	1	2	5	9	14	19	30
75-79	813	6.8	35	1	2	5	9	14	18	26
80-84	401	7.5	61	1	3	6	9	15	22	37
85 +	142	6.6	33	2	3	5	8	12	16	31
TOTAL SINGLE DX	460	2.6	9	1	1	1	3	6	9	15
TOTAL MULTIPLE DX	3370	6.5	41	1	2	5	9	14	18	32
TOTAL										
65-69 YRS	1185	5.7	34	1	2	4	8	13	16	31
70-74	1107	5.9	41	1	2	4	8	13	18	29
75-79	932	6.3	34	1	2	5	9	13	17	24
80-84	451	6.9	58	1	2	5	9	14	20	36
85 +	155	6.2	33	1	2	5	8	12	16	30
GRAND TOTAL	3830	6.1	39	1	2	4	8	13	17	31

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	47	2.4	4	<1	1	1	3	5	8	10
70-74	56	3.2	8	<1	1	2	5	7	9	16
75-79	27	4.6	16	1	2	3	6	9	13	19
80-84	14	3.7	13	<1	1	2	5	11	12	12
85 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	324	4.5	18	<1	1	3	7	10	12	19
70-74	242	5.0	28	<1	2	3	7	10	13	28
75-79	143	5.9	28	1	2	4	8	13	17	25
80-84	48	6.6	23	1	3	6	10	12	15	21
85 +	17	6.9	28	<1	3	6	9	15	18	19
TOTAL SINGLE DX	146	3.2	10	<1	1	2	4	7	9	16
TOTAL MULTIPLE DX	774	5.1	24	<1	2	4	7	11	14	23
TOTAL										
65-69 YRS	371	4.3	17	<1	1	3	6	9	12	18
70-74	298	4.6	25	<1	1	3	7	10	13	25
75-79	170	5.7	27	1	2	4	8	13	16	25
80-84	62	5.9	22	1	2	5	9	12	14	21
85 +	19	6.4	27	1	2	5	8	15	17	19
GRAND TOTAL	920	4.8	23	<1	1	3	7	10	14	22

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	257	3.9	11	1	1	3	6	8	10	15
70-74	232	4.3	12	1	1	3	7	9	11	15
75-79	173	4.3	26	1	1	2	6	10	11	30
80-84	87	4.3	18	<1	1	2	7	10	13	20
85+	65	5.4	17	1	2	5	8	10	12	21
2. MULTIPLE DX										
65-69 YRS	2528	6.6	40	1	2	5	9	13	16	29
70-74	2300	7.2	42	1	2	6	9	14	18	34
75-79	2022	7.4	40	1	3	6	10	15	19	32
80-84	1364	8.7	72	2	3	7	11	17	22	45
85+	886	9.6	95	2	4	7	12	18	26	58
TOTAL SINGLE DX	814	4.3	16	1	1	3	7	9	11	18
TOTAL MULTIPLE DX	9100	7.6	52	1	3	6	10	15	19	36
TOTAL										
65-69 YRS	2785	6.4	38	1	2	5	9	13	16	28
70-74	2532	7.0	40	1	2	6	9	14	18	33
75-79	2195	7.1	40	1	2	6	10	14	18	32
80-84	1451	8.4	71	1	3	7	11	16	21	42
85+	951	9.3	91	2	4	7	11	17	25	55
GRAND TOTAL	9914	7.3	50	1	2	6	10	14	19	35

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	462	5.0	27	1	2	4	6	9	14	27
70-74	417	5.3	30	2	2	4	6	10	14	26
75-79	332	6.8	53	2	3	4	8	14	22	37
80-84	282	6.6	51	1	3	5	8	14	19	31
85+	227	5.8	33	1	2	4	7	12	16	31
2. MULTIPLE DX										
65-69 YRS	9958	8.2	68	2	4	6	10	16	23	46
70-74	11228	8.8	75	3	4	6	10	17	24	51
75-79	12452	9.2	81	3	4	7	11	18	25	57
80-84	10843	9.8	99	3	4	7	11	19	28	74
85+	10402	10.2	96	3	5	7	12	20	29	72
TOTAL SINGLE DX	1720	5.8	38	1	2	4	7	12	17	31
TOTAL MULTIPLE DX	54883	9.2	85	3	4	7	11	18	26	59
TOTAL										
65-69 YRS	10420	8.1	67	2	4	6	10	16	23	45
70-74	11645	8.6	74	2	4	6	10	17	24	50
75-79	12784	9.1	81	3	4	7	11	18	25	56
80-84	11125	9.7	99	3	4	7	11	19	28	74
85+	10629	10.1	96	3	5	7	12	20	28	71
GRAND TOTAL	56603	9.1	84	3	4	7	11	18	26	58

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1032	4.4	20	1	2	3	5	8	11	23
70-74	790	5.0	25	1	2	4	6	9	13	27
75-79	652	4.6	12	1	2	4	6	8	11	19
80-84	474	5.8	31	1	2	4	7	11	16	35
85+	369	5.7	29	2	3	5	7	10	14	23
2. MULTIPLE DX										
65-69 YRS	19407	6.9	36	2	3	5	8	13	17	32
70-74	20854	7.3	39	2	4	6	9	13	17	34
75-79	20577	7.8	45	3	4	6	9	14	19	36
80-84	16865	8.2	50	3	4	6	10	15	21	38
85+	15538	8.9	65	3	4	7	11	17	23	47
TOTAL SINGLE DX	3317	4.9	23	1	2	4	6	9	12	24
TOTAL MULTIPLE DX	93241	7.8	47	3	4	6	9	14	19	37
TOTAL										
65-69 YRS	20439	6.8	36	2	3	5	8	13	16	32
70-74	21644	7.3	39	2	4	6	9	13	17	33
75-79	21229	7.7	45	3	4	6	9	14	19	36
80-84	17339	8.1	50	3	4	6	10	15	20	38
85+	15907	8.8	65	3	4	7	11	16	22	47
GRAND TOTAL	96558	7.7	46	2	4	6	9	14	19	37

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	12	8.5	72	1	2	5	14	24	24	24
70-74	7	6.9	12	2	4	7	10	11	11	11
75-79	12	19.9	196	4	9	16	31	39	46	47
80-84	4	7.0	12	4	4	6	9	12	12	12
85+	4	9.0	44	3	4	7	14	18	18	18
2. MULTIPLE DX										
65-69 YRS	1021	14.1	133	4	7	11	18	28	38	74
70-74	959	14.3	129	5	7	11	18	28	37	68
75-79	827	15.6	144	5	8	13	20	31	44	85
80-84	641	15.0	148	5	8	11	18	28	39	68
85+	468	14.9	127	5	8	12	19	29	39	81
TOTAL SINGLE DX	39	11.6	116	2	4	8	14	28	34	47
TOTAL MULTIPLE DX	3916	14.7	137	5	7	11	18	29	39	74
TOTAL										
65-69 YRS	1033	14.0	133	4	7	11	18	27	38	74
70-74	966	14.3	129	5	7	11	18	28	37	68
75-79	839	15.6	145	5	8	13	20	31	44	83
80-84	645	14.9	148	5	8	11	18	28	38	68
85+	472	14.8	127	5	8	12	19	29	39	81
GRAND TOTAL	**3955**	**14.7**	**137**	**5**	**7**	**11**	**18**	**29**	**39**	**73**

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	350	6.1	56	1	2	4	7	11	18	41
70-74	299	7.1	81	1	3	4	8	15	24	42
75-79	249	7.4	100	2	3	5	7	12	24	58
80-84	180	6.7	32	2	3	5	9	12	15	28
85+	191	7.7	63	1	3	6	9	16	22	46
2. MULTIPLE DX										
65-69 YRS	5763	9.1	81	2	4	6	11	19	27	50
70-74	6633	9.6	[illegible]	3	4	7	11	20	28	54
75-79	6645	10.0	[illegible]	3	4	7	12	21	29	54
80-84	5764	10.4	[illegible]	3	5	7	12	21	29	67
85+	5869	10.7	109	3	5	8	13	21	31	72
TOTAL SINGLE DX	1269	6.9	69	1	3	5	8	13	21	47
TOTAL MULTIPLE DX	30674	9.9	97	3	4	7	12	20	29	57
TOTAL										
65-69 YRS	6113	8.9	81	2	4	6	10	18	27	50
70-74	6932	9.4	93	3	4	7	11	19	28	53
75-79	6894	9.9	95	3	4	7	12	20	28	54
80-84	5944	10.3	102	3	5	7	12	21	29	66
85+	6060	10.6	109	3	5	8	13	21	30	70
GRAND TOTAL	**31943**	**9.8**	**96**	**3**	**4**	**7**	**12**	**20**	**29**	**57**

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	167	4.9	11	2	3	4	6	8	10	19
70-74	166	5.2	12	2	3	4	6	10	13	17
75-79	129	5.5	31	1	2	4	7	11	14	34
80-84	104	4.6	10	1	2	4	6	8	12	16
85 +	85	5.1	16	1	2	4	7	11	13	20
2. MULTIPLE DX										
65-69 YRS	5006	7.7	43	2	4	6	9	14	19	34
70-74	5422	7.9	45	3	4	6	10	14	19	35
75-79	5371	8.4	55	3	4	7	10	16	21	42
80-84	4329	8.7	51	3	4	7	11	16	22	38
85 +	4469	9.5	79	3	5	7	11	18	24	52
TOTAL SINGLE DX	651	5.1	16	2	3	4	6	10	13	20
TOTAL MULTIPLE DX	24597	8.4	55	3	4	7	10	16	21	40
TOTAL										
65-69 YRS	5173	7.6	43	2	4	6	9	14	19	33
70-74	5588	7.8	45	3	4	6	9	14	19	35
75-79	5500	8.3	55	3	4	6	10	16	21	41
80-84	4433	8.6	51	3	4	7	11	16	21	38
85 +	4554	9.4	78	3	5	7	11	18	24	52
GRAND TOTAL	**25248**	**8.3**	**54**	**3**	**4**	**6**	**10**	**15**	**20**	**40**

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	869	3.9	22	1	2	3	5	7	9	25
70-74	731	4.4	23	1	2	3	5	8	12	29
75-79	565	4.4	23	1	2	3	5	8	10	28
80-84	377	4.6	15	1	2	4	6	9	11	22
85 +	270	5.1	16	1	2	4	7	10	14	21
2. MULTIPLE DX										
65-69 YRS	14755	6.6	49	2	3	5	8	13	19	38
70-74	15906	7.0	55	2	3	5	8	14	19	41
75-79	15504	7.4	58	2	3	5	9	14	20	41
80-84	12378	7.9	59	2	3	6	10	15	21	45
85 +	11391	8.5	73	2	4	6	10	17	23	51
TOTAL SINGLE DX	2812	4.4	21	1	2	3	5	8	11	26
TOTAL MULTIPLE DX	69934	7.4	59	2	3	5	9	14	20	43
TOTAL										
65-69 YRS	15624	6.5	48	2	3	5	8	13	18	37
70-74	16637	6.9	54	2	3	5	8	14	19	40
75-79	16069	7.3	57	2	3	5	9	14	20	41
80-84	12755	7.8	59	2	3	6	9	15	21	45
85 +	11661	8.4	73	2	4	6	10	17	23	50
GRAND TOTAL	72746	7.3	58	2	3	5	9	14	20	42

APPENDIX A

1989 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL[3]
Hospital Category			
Bedsize			
6-24	378	55	14.6
25-49	1,126	189	16.8
50-99	1,202	221	18.4
100-199	1,143	213	18.6
200-299	714	122	17.1
300-399	392	87	22.2
400-499	202	40	19.8
500+	268	54	20.1
Unknown	1	0	
Total	**5,426**	**981**	**18.1**
Region and Census Division			
Northeast	773	213	27.6
New England	232	78	33.6
Middle Atlantic	541	135	25.0
North Central	1,579	304	19.3
East North Central	825	270	32.7
West North Central	754	34	4.5
South	2,052	156	7.6
South Atlantic	801	88	11.0
East South Central	474	37	7.8
West South Central	777	31	4.0
West	1,022	308	30.1
Mountain	363	160	44.1
Pacific	659	148	22.5
Location			
Urban	2,851	553	19.4
Rural	2,575	428	16.6
Teaching Intensity			
Low	4,443	731	16.5
Medium	687	173	25.2
High	296	61	20.6
Unknown	0	16	

---

[1] Hospitals with average stay less than 30 days

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1989 sample is compared to the universe of hospitals in 1988.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1988 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P.J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast

- Connecticut
- Maine
- Massachusetts
- New Hampshire
- New Jersey
- New York
- Pennsylvania
- Rhode Island
- Vermont

North Central

- Illinois
- Indiana
- Iowa
- Kansas
- Michigan
- Minnesota
- Missouri
- Nebraska
- North Dakota
- Ohio
- South Dakota
- Wisconsin

South

- Alabama
- Arkansas
- Delaware
- District of Columbia
- Florida
- Georgia
- Kentucky
- Louisiana
- Maryland
- Mississippi
- North Carolina
- Oklahoma
- South Carolina
- Tennessee
- Texas
- Virginia
- West Virginia

West

- Alaska
- Arizona
- California
- Colorado
- Hawaii
- Idaho
- Montana
- Nevada
- New Mexico
- Oregon
- Utah
- Washington
- Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index.* New *ICD-9-CM* codes added in 1989 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No. Title
Anomaly, congenital **(continued)**
340   genitourinary system, except undescended testis and urethral stenosis
335   heart
342   musculoskeletal system, except clubfoot
338   respiratory system
357 Anorexia, except nervosa
118   nervosa
147 Anterior wall infarction
107 Anxiety reaction or neurosis, except depression
108   depression
173 Aortic aneurysm
Aortic valve disease-*see Valvular disease*
134 Aphakia
89 Aplastic anemia
209 Appendicitis, except acute
207   acute, without peritonitis
208   with peritonitis
209   recurrent
155 Arrhythmia, heart
176 Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
Arteriosclerosis
170   cerebral
150   coronary
171   lower limb
Arteriosclerotic
150   cardiovascular disease
96   dementia or psychosis
150   heart disease
172   vascular disease, except lower limb
171   lower limb
315 Arthritis, except osteo- and rheumatoid
314   osteo- except hip, knee and spine
313   hip
313   knee
319   spine

Group No. Title
315 Arthritis, except osteo- and rheumatoid **(continued)**
315   pyogenic
312   rheumatoid, except spine
318   spine
356 Ascites
150 ASCVD (arteriosclerotic cardiovascular disease)
150 ASHD (arteriosclerotic heart disease)
192 Asthma
192 Asthmatic bronchitis
Atherosclerosis-*see Arteriosclerosis*
154 Atrial fibrillation and flutter
81 Avitaminosis

152 Bacterial endocarditis
247 Bacteriuria, except in pregnancy
280   in pregnancy
301   with delivery
327 Baker's cyst
249 Benign prostatic hyperplasia (BPH)
248 Bladder disease, except calculus and cystitis
52 Blast cell leukemia
Bleeding
265   menopausal
265   postmenopausal
263   uterine, dysfunctional
234 Blind loop syndrome
135 Blindness
155 Block, heart
349 Bloody nose
329 Bone disease, except osteomyelitis and osteoarthritis
130 Borderline glaucoma
2 Botulism
71 Bowen's disease
249 BPH (benign prostatic hyperplasia)
256 Breast disease, except fibrocystic
255   fibrocystic
192 Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy, except ischemic
150	ischemic
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit

Group No.	Title
	Cellulitis **(continued)**
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic **(continued)**
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox

Group No.	Title
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired

DIAGNOSIS INDEX (continued)

Group No.	Title
134	Degeneration, globe of eye
86	Dehydration
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic
112	amphetamine
112	barbiturate
112	cocaine

Group No.	Title
	Dependence **(continued)**
111	heroin
112	LSD
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal

DIAGNOSIS INDEX (continued)

Group No. Title
Dialysis (continued)
415 renal
214 Diaphragmatic hernia
218 Diarrhea, except infectious and functional
224 functional
2 infectious
7 Diphtheria
Disease
209 appendix, except acute appendicitis
150 arteriosclerotic cardiovascular
176 artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14 arthropod-borne
84 autoimmune, except AIDS
13 AIDS
7 bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231 biliary ducts
248 bladder, except calculus and cystitis
329 bone, except osteomyelitis and osteoarthritis
256 breast, except fibrocystic
255 fibrocystic
234 celiac
central nervous system
8 enteroviral
120 inflammatory, except enteroviral
124 noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
cerebrovascular-*see Cerebrovascular accident*
142 chronic rheumatic heart
311 connective tissue, diffuse
150 coronary artery
222 Crohn's
80 Cushing's
13 cytomegalic inclusion
197 dental
219 diverticular

Group No. Title
Disease (continued)
206 duodenum, except ulcer and inflammatory
140 ear, except inflammatory and otosclerosis
152 endocarditis, bacterial
80 endocrine, except ovary, thyroid, and diabetes mellitus
199 esophagus
135 eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134 inflammatory, except lacrimal tract
266 fallopian tube, except endometriosis
331 fascia
266 female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229 gallbladder
266 gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
heart
144 hypertensive
146 with renal disease or failure
150 ischemic, except infarction and angina pectoris
142 rheumatic, chronic
158 other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91 hematopoietic, except anemia, hemophilia, and leukemia
344 hemolytic, newborn
13 HIV infection (AIDS)
48 Hodgkin's
143 hypertensive, except heart and renal
144 heart
146 with renal disease or failure
145 renal
146 with heart disease or failure
19 infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224 intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2 infectious

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
14	Lyme
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
	Disease (continued)
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar

DIAGNOSIS INDEX (continued)

Group No.	Title
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions

Group No.	Title
	Effect, adverse **(continued)**
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial
218	noninfectious
222	regional
1	viral

DIAGNOSIS INDEX (continued)

Group No.	Title
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension
	Examination
417	follow-up
417	medical
	Failure
156	heart, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
238	renal, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow
	Fibrillation or flutter
154	atrial
155	ventricular

Group No.	Title
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible
372	medial malleolus
368	metacarpal
372	metatarsal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis

Group No.	Title
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	Title
	Heart
147	attack
156	failure, execpt hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No.	Title
357	Hyperbilirubinemia, unspecified
84	constitutional
344	neonatal
84	Hypercalcemia
276	Hyperemesis gravidarum
80	Hyperinsulinism
84	Hyperlipoproteinemia
80	Hyperparathyroidism
249	Hyperplasia of prostate
86	Hyperpotassemia
143	Hypertension, except renal and of pregnancy
275	of pregnancy
301	with delivery
145	renal
146	renovascular
134	Hypertensive retinopathy
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial

Group No.	Title
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion

DIAGNOSIS INDEX (continued)

Group No. Title

Injury (continued)
- 386 internal, except chest
  - 385 chest
- 401 knee
- 393 late effect
- 381 musculoskeletal, except back and sacroiliac region
  - 380 back
  - 379 sacroiliac region
- 400 nerve
- 404 radiation
  - 393 late effect
- 400 spinal cord
- 395 superficial

Insufficiency
- heart valve-*see Valvular disease*
- 195 respiratory (acute)

264 Intermenstrual bleeding
167 Intermittent cerebral ischemia
317 Internal derangement of joint, except knee
- 316 knee

224 Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113 Intoxication, acute alcohol
104 Involutional melancholia
134 Iridocyclitis
134 Iritis
87 Iron deficiency anemia
221 Irritable colon or bowel

Ischemic
- 170 cerebrovascular disease, generalized
- 150 heart disease, except acute or subacute
  - 149 acute or subacute, except infarction

123 Jacksonian epilepsy
357 Jaundice, except newborn
- 344 of newborn

Juvenile diabetes-*see Diabetes mellitus*

Group No. Title

243 Kidney disease, except nephritis, nephrosis, infection, and calculus
- 240 infection, except nephritis, nephrosis, and acute pyelonephritis

78 Kimmelstiel-Wilson disease
331 Kyphosis

Laceration
- 389 abdominal wall
- 390 arm
- 389 back
- 384 cerebral, except with prolonged loss of consciousness
  - 383 with prolonged loss of consciousness
- 389 chest
- 387 eye
- 390 hand
- 388 head, except eye
- 391 leg
- 391 lower limb
- 389 multiple sites
- 388 neck
- 299 perineum, in delivery, except first and second degree
  - 298 first and second degree
- 389 trunk
- 390 upper limb

225 Laennec's cirrhosis
269 Legal abortion
52 Leukemia, except lymphocytic and acute myelogenous
- 51 acute myelogenous
- 50 lymphocytic, except acute
  - 49 acute

227 Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7 Lockjaw
331 Lordosis
114 LSD reaction
324 Lumbago
322 Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
14	Lyme
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria
32	Malignant melanoma, skin
105	Manic-depressive psychosis
342	Marfan syndrome
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis

Group No.	Title
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
27	bile duct
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye

Group No.	Title
	Neoplasm, malignant **(continued)**
38	fallopian tube
27	gallbladder
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, not further specified
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
27	liver
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple
411	single term
412	twin
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus

Group No.	Title
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis
	Ovarian
257	cyst
266	disease, except endometriosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian (continued)
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst

Group No.	Title
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome

DIAGNOSIS INDEX (continued)

Group No.	Title
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
342	Prader-Willi syndrome
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
	Proteinuria **(continued)**
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment
357	Rash

DIAGNOSIS INDEX (continued)

Group No.	Title
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis

Group No.	Title
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis
409	Serum sickness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective

Group No.	Title
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No.	Title
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis

Group No.	Title
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper respiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart

Group No.	Title
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No. Title

- Aspiration
  - 768 breast, except for biopsy
    - 757 biopsy
  - 756 bursa
  - 690 cul-de-sac
  - 685 curettage, uterus, except for termination of pregnancy
    - 682 termination of pregnancy
  - 658 hydrocele, except of spermatic cord
    - 663 spermatic cord
  - 636 kidney
  - 614 liver, percutaneous, except for biopsy
    - 615 biopsy
  - 536 middle ear
  - 545 nasal sinus
  - 671 ovary
  - 768 skin
  - 663 spermatocele
  - 529 vitreous
- Augmentation
  - 760 breast
  - 707 chin

- Balloon
  - 582 angioplasty, except coronary
    - 571 coronary
  - 570 valvuloplasty, heart
- Biopsy
  - 515 adrenal gland
  - 611 anus
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 714 femur
  - 586 bone marrow
  - 501 brain

Group No. Title

- Biopsy (continued)
  - 757 breast
  - 562 bronchus
  - 501 cerebral meninges
  - 676 cervix
  - 598 colon
  - 598 duodenum
  - 676 endocervical
  - 589 esophagus
  - 531 eyeball
  - 517 eyelid
  - 674 fallopian tubes
  - 598 intestine (large) (small)
  - 732 joint structure
  - 636 kidney
  - 598 large intestine
  - 557 larynx
  - 551 lip
  - 615 liver
  - 564 lung
  - 583 lymph nodes
  - 569 mediastinum
  - meninges
    - 501 cerebral
    - 507 spinal
  - 742 muscle
  - 545 nasal sinus
  - 542 nose
  - 531 orbit
  - 668 ovary, except by aspiration
    - 671 aspiration
  - 620 pancreas
  - 666 penis
  - 508 peripheral nerve
  - 628 peritoneum
  - 555 pharynx
  - 569 pleura

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
657	prostate
606	rectum
549	salivary gland or duct
658	scrotum
762	skin
598	small intestine
507	spinal meninges
593	stomach
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary
	Bypass, graft or shunt (continued)
597	gastric
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization **(continued)**
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder

Group No.	Title
	Control of hemorrhage **(continued)**
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Debridement (continued)
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
602	large intestine
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
609	EGD (esophagogastroduodenoscopy), except with biopsy
598	with biopsy
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy **(continued)**
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy

Group No.	Title
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No. — Title

- Excision (continued)
  - hydrocele (continued)
    - 663 spermatic cord
    - 658 tunica vaginalis
  - 729 intervertebral disc or cartilage, except chemonucleolysis
    - 728 chemonucleolysis
  - 732 joint, except intervertebral disc and cartilage of knee
    - 729 intervertebral disc, except chemonucleolysis
      - 728 chemonucleolysis
    - 730 knee cartilage
  - 633 kidney, except partial
    - 636 partial
  - 730 knee cartilage (semilunar)
  - 583 lymph nodes, except radical
    - 584 radical
  - 508 neuroma, peripheral nerve
  - ovary
    - 670 bilateral
    - 669 unilateral
  - 549 parotid gland
  - 761 pilonidal cyst or sinus
  - 515 pituitary gland
  - 656 prostate, except transurethral approach
    - 655 transurethral approach
  - 522 pterygium
  - 762 sebaceous cyst, except of eyelid
    - 517 eyelid, eyebrow
  - 730 semilunar cartilage, knee
  - 586 spleen
  - 514 thyroglossal duct or tract
  - 513 thyroid
  - 767 toenail
  - 551 tongue
  - 552 tonsil, except with adenoids
    - 553 with adenoids
  - 555 tonsil tag

Group No. — Title

- Excision (continued)
  - tubes and ovaries
    - 670 bilateral
    - 669 unilateral
  - 678 uterine fibroid
  - 577 varicocele, except of spermatic cord
    - 663 spermatic cord
- Excision of lesion (and destruction of tissue)
  - 628 abdominal wall
  - 611 anus
  - 619 bile duct, except by ERCP
    - 618 by ERCP
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 714 femur
  - 501 brain
  - 757 breast
  - 562 bronchus
  - 501 cerebral meninges
  - 676 cervix, except by conization
    - 675 conization
  - 598 colon
  - 520 conjunctiva
  - 522 cornea
  - 598 duodenum
  - 533 ear, external
  - 589 esophagus
  - 531 eye
  - 517 eyelid
  - 674 fallopian tube
  - 548 gingiva, gums
  - 598 intestine
  - 524 iris
  - 636 kidney

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion (continued)
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
620	pancreatic duct, except by ERCP
618	by ERCP
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach
	Excision of lesion (continued)
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	Exteriorization, intestine
	Extracorporeal
582	circulation
582	membrane oxygenation (ECMO)
	shock wave lithotripsy (ESWL)
619	biliary tract
652	urinary tract
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift

OPERATION INDEX (continued)

Group No.	Title
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
	Fistulization
523	sclera (for glaucoma)
561	transesophageal (larynx)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction

Group No.	Title
	Fracture-reduction **(continued)**
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (iabial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy

OPERATION INDEX (continued)

Group No.	Title
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand

Group No.	Title
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy

Group No.	Title
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
755	limb prosthesis
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain
760	breast
501	cerebral meninges
568	chest (wall)
522	cornea
502	cranial sinus

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) (**continued**)
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess
658	scrotum
	sinus (nasal)-*see Sinusotomy*
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges

Group No.	Title
	Incision (and drainage) (**continued**)
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis
767	tissue expander, except breast
760	breast
651	ureteral stent, except by incision
637	by incision
674	Insufflation, fallopian tubes
582	Interruption, vena cava
702	Intra-amniotic injection for termination of pregnancy
775	Intravenous pyelogram (IVP)

OPERATION INDEX (continued)

Group No.	Title
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter

Group No.	Title
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
757	subtotal
537	Mastoidectomy, except revision
538	revision

OPERATION INDEX (continued)

Group
No. Title
760 Mastotomy
Meatotomy
640   ureteral
645   urethral
698 Medical induction of labor
730 Meniscectomy, knee
694 Menstrual extraction or regulation
707 Mentoplasty
782 Monitoring, circulatory (CVP) (PCW)
775 MRI (magnetic resonance imaging)
770 Myelography
678 Myomectomy, uterus
536 Myringotomy

633 Nephrectomy (complete)
636 Nephropexy
775 NMR (nuclear magnetic resonance imaging)
Nutritional infusion
783   enteral
781   parenteral (PPN) (TPN)

690 Obliteration, vagina or vaginal vault
767 Onychectomy
767 Onychoplasty
Oophorectomy
670   bilateral
669   unilateral
532 Ophthalmoscopy
659 Orchiectomy
660 Orchiopexy
661 Orchioplasty, except suspension
660   suspension
715 Ostectomy, except facial bone and femur
707   facial bone, except partial
706   partial

Group
No. Title
Ostectomy, except facial bone and femur **(continued)**
714   femur
717 Osteoplasty, except facial bone and femur
707   facial bone
714   femur
712 Osteotomy, except facial bone and femur
707   facial bone
711   femur
539 Otoscopy

550 Palatoplasty
620 Pancreatectomy
620 Pancreatotomy
Paracentesis
628   abdominal
524   anterior chamber (eye)
576   thoracic
514 Parathyroidectomy
549 Parotidectomy
592 PEG (percutaneous endoscopic gastrostomy)
603 PEJ (percutaneous endoscopic jejunostomy)
681 Pelvic exenteration
Percutaneous
  endoscopic
592   gastrostomy (PEG)
603   jejunostomy (PEJ)
582   transluminal angioplasty, except coronary
571   coronary
575 Pericardiocentesis
631 Peritoneal dialysis
630 Peritoneoscopy
556 Pharyngoscopy
555 Pharyngotomy
773 Phlebography
781 Photopheresis
539 Piercing, ear

OPERATION INDEX (continued)

Group No. Title

- 781 Plasmapheresis
- 781 Plateletpheresis
- 576 Pleurocentesis
- 576 Pleurodesis, chemical
- 569 Pleurosclerosis
- Plication
  - 650 urethral, urethrovesical
  - 582 vena cava
- 769 Pneumoencephalography
- 565 Pneumonectomy
- Polypectomy
  - 589 esophagus
  - 598 large intestine
  - 593 stomach
- 783 Polysomnogram
- 781 PPN (peripheral parenteral nutrition)
- 667 Preputiotomy
- 608 Proctectomy
- 609 Proctopexy
- 621 Proctosigmoidoscopy, except surgical approach
  - 609 surgical approach (transabdominal)
- 607 Proctotomy
- 656 Prostatectomy, except transurethral approach
  - 655 transurethral approach
- 779 Psychiatric testing and evaluation
- 779 Psychotherapy
- 571 PTCA (percutaneous transluminal coronary angioplasty)
- Puncture
  - 501 cranial
  - 512 lumbar
  - 501 skull, for drainage
  - 512 spinal
- 775 Pyelogram (intravenous) (retrograde)
- 641 Pyeloscopy
- 636 Pyelotomy, except percutaneous
  - 634 percutaneous
- 591 Pyloromyotomy

Group No. Title

- 596 Pyloroplasty

- 776 Radiation therapy
- Radiography
  - 773 arteries, except cerebral and coronary
    - 771 cerebral
    - 772 coronary
  - 775 breast
  - 771 cerebral
    - 771 arteries
    - 769 ventricles
  - 775 chest
  - 774 computerized axial tomography (C.A.T. Scan)
  - 775 gallbladder
  - 775 kidney
  - 775 skeletal
  - 775 spine, except myelogram
    - 770 myelogram
  - 773 veins
- Reattachment
  - 753 extremity
  - 528 retina
  - 746 tendon, except of hand
    - 744 hand
- 530 Recession, ocular muscle
- Reconstruction
  - 534 ear ossicles
  - 707 mandible
  - 744 thumb
- 688 Rectocele repair
- Reduction
  - 726 dislocation, except hip and temporomandibular
    - 725 hip (closed) (open)
    - 710 temporomandibular (joint)

OPERATION INDEX (continued)

Group No.	Title
	Reduction (continued)
	fracture
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	site, other than above
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
621	hemorrhoids
	hernia-*see also Herniorrhaphy*
783	manual
602	intestinal torsion
602	intussusception, intestine
760	mammoplasty
602	volvulus, intestine
	Rehabilitation
779	alcohol
779	drug
	Release
	adhesions-*see Lysis, adhesions*
743	Dupuytren's contracture
767	scar contracture, skin
648	urethral stricture
	Removal
718	bone growth stimulator

Group No.	Title
	Removal (continued)
	calculus
619	biliary tract, except by ERCP or percutaneous
618	by ERCP
617	percutaneous
644	bladder, except transurethral approach
643	transurethral approach
636	kidney, except transurethral approach
639	transurethral approach
519	lacrimal tract (by incision)
532	without incision
620	pancreatic duct, except by endoscopic approach
618	endoscopic approach
637	ureter, except transurethral approach
639	transurethral approach
783	catheter, nonoperatively
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively

OPERATION INDEX (continued)

Group No. Title

- Removal (continued)
  - 764 tissue expander, except breast
    - 760 breast
  - 529 vitreous
- 579 Renal dialysis
- Repair
  - 632 abdominal wall
  - 613 anal fistula, except by excision
    - 610 excision
  - 582 aneurysm (arteriovenous)
  - 644 bladder, except obstetric laceration
    - 705 obstetric laceration
  - 518 blepharoptosis
  - 582 blood vessel
  - 717 bone, except facial and femur
    - 707 facial
    - 716 femur
  - 760 breast
  - 563 bronchial fistula
  - 713 bunion
  - 570 cardiac septal defect and other anomalies
  - 677 cervix, except obstetric laceration
    - 705 obstetric laceration
  - 569 chest wall
  - 713 claw toe
  - 550 cleft palate
  - 520 conjunctiva
  - 522 cornea, except transplant
    - 521 transplant
  - 688 cystocele, vagina
  - 745 diastasis recti
  - 533 ear, external
  - 518 ectropion or entropion, eyelid
  - 705 episiotomy
  - 518 eyelid
  - fistula-*see Fistulectomy*
  - 713 hallux valgus

Group No. Title

- Repair (continued)
  - 713 hammer toe
  - 744 hand
  - hernia-*see Herniorrhaphy*
  - 736 hip, except total replacement
    - 735 total replacement
  - 504 hydrocephalus, by ventricular shunt
  - 602 intestine
  - 740 joint, except hip, knee and prosthetic replacement
    - 736 hip, except total replacement
      - 735 total replacement
    - 738 knee, except total replacement
      - 737 total replacement
    - 739 total replacement, except hip and knee
  - 738 knee (joint), except total replacement
    - 737 total replacement
  - laceration-*see also Repair, by site*
    - 705 obstetric
  - 561 larynx
  - 551 lip
  - 615 liver
  - 567 lung
  - 746 muscle, except extraocular and of hand
    - 530 extraocular
    - 744 hand
  - 555 nasopharyngeal atresia
  - 541 nose
  - 671 ovary
  - 550 palate
  - 666 penis
  - 693 perineum, female, except obstetric laceration
    - 705 obstetric laceration
  - 509 peripheral nerve
  - 596 pylorus, stomach
  - 688 rectocele, vagina
  - 609 rectum
  - 528 retinal detachment or tear

OPERATION INDEX (continued)

Group No. Title

- Repair (continued)
  - 745 rotator-cuff (shoulder)
  - 503 skull
  - 507 spina bifida
  - 507 spinal meningocele
  - 597 stomach, except pylorus
    - 596 pylorus
  - 650 stress incontinence, except urethral suspension
    - 649 urethral suspension
  - 746 tendon, except of hand
    - 744 hand
  - 661 testis
  - 713 toe(s)
  - 561 trachea
  - 640 ureter
  - 646 urethra
  - 687 uterus, except obstetric laceration and supporting structures
    - 705 obstetric laceration
    - 686 supporting structures
  - 689 vagina, except for cystocele and rectocele, and obstetric laceration
    - 688 cystocele and rectocele
    - 705 obstetric laceration
  - 551 vestibular arch (mouth)
  - 693 vulva, except obstetric laceration
    - 705 obstetric laceration
- Replacement
  - 574 cardiac pacemaker
  - 570 heart valve
  - 739 joint, except hip and knee
    - 736 hip, except total replacement
      - 735 total replacement
    - 738 knee
  - 665 penile prosthesis
  - 654 urinary catheter
- Resection
  - 644 bladder

Group No. Title

- Resection (continued)
  - 582 blood vessel
  - 563 bronchus
  - 600 large intestine
  - 745 muscle, except of hand
    - 743 hand
  - 540 nasal septum, submucous
  - 530 ocular muscle
  - 668 ovary
  - 608 rectum (abdominoperineal) (pull-through)
  - 548 root of tooth
  - 599 small intestine
  - 745 tendon, except of hand
    - 743 hand
- 547 Restoration, tooth
- 775 Retrograde pyelogram
- Revision
  - 754 amputation stump
  - 580 arteriovenous shunt for dialysis
  - 597 gastric anastomosis
  - 602 intestinal anastomosis
  - 538 mastoidectomy
  - 561 tracheostomy
  - 538 tympanoplasty
  - 505 ventricular shunt
- 541 Rhinoplasty
- 767 Rhytidectomy, facial
- 548 Root canal therapy
- 548 Root resection (tooth)
- 698 Rupture of membranes for delivery

- Salpingectomy
  - 673 bilateral
  - 674 unilateral

OPERATION INDEX (continued)

Group No.	Title
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP
618	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy

Group No.	Title
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy

OPERATION INDEX (continued)

Group No.	Title
	Termination of pregnancy **(continued)**
702	intra-amniotic injection
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma

Group No.	Title
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
635	kidney
615	liver
567	lung
746	muscle, except of hand
744	hand
620	pancreas
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy
641	Urethroscopy
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy

OPERATION INDEX (continued)

Group No.	Title
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
644	Vesicostomy
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

LENGTH OF STAY

Pediatric Length of Stay by Diagnosis and Operation, United States, 1989

Healthcare Knowledge Resources
Ann Arbor, Michigan
October, 1990

LENGTH OF STAY

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1989
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1989
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1989
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1989
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1989
ISSN 0891-1223

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1989 through December 31, 1989. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1990 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii

Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of the Statistics ix

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables x

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-417 4
Length of Stay Operation Groups 213
Summary of All Patients in Operation Groups 214
Operation Groups 501-783 215

Appendix A

1989 Hospital Characteristics 287

Appendix B

Description of Hospital Characteristics 289

Appendix C

State Inclusions By Region 291

Appendix D

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 293

Index

Part I: Diagnosis Index 298
Part II: Operation Index 321

ACKNOWLEDGEMENTS

1989 LENGTH OF STAY
BY DIAGNOSIS AND OPERATION

Project Team:

Jennifer Goewey, Publication Specialist
Linda Vanek, Assistant Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Robert Travis, Librarian.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Stacey Cavanaugh, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

Length of Stay data has been available from CPHA since 1963. This book is one volume in a set of seven books presenting statistics on hospital stay during 1989 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1989 series.

In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

> **General** – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.
>
> **Nonfederal** – Controlled by state, county, city, city-county, hospital district or authority, church.
>
> **Short-term** – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1989.

ORGANIZATION OF THE TABLES

Classification System

The tables in each regional and national volume are organized according to CPHA's diagnosis and procedure classification system. The **Diagnosis** classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborns, age is replaced by birth weight in grams. The **Operation** classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

Patient Data Assignment

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM* List B groups on the basis of the principal procedure. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E Codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables operated patients are those whose principal procedure fell into an *ICD-9-CM* List B group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification, Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

EXPLANATION OF THE STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group. Supplemental *ICD-9-CM* codes for specified diagnosis and operation groups are provided in Appendix D.

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operated or not operated status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or not operated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews,
- identifying candidates for utilization review,
- establishing baselines,
- developing forecasts, and
- service planning.

The following steps provide a guide for healthcare professionals to obtain specific length of stay norms by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Diagnosis or Operation Index at the back of the book to determine the group number of the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding group number (table number) in the Length of Stay tables; the group number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Single or Multiple Diagnosis
- Not Operated or Operated (for Diagnosis groups only)
- Patient's Age (on day of admission)

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	293604	2.3	2	1	2	2	3	4	4	6
1-11 MOS	30784	3.1	7	1	2	3	4	5	7	12
1-5 YRS	46765	2.6	7	1	1	2	3	5	6	14
6-12 YRS	30789	3.5	33	1	1	2	3	6	9	33
13-19 YRS	60596	3.6	36	1	1	2	3	6	11	35
B. Operated										
0-27 DYS	1733	5.3	82	1	2	3	5	10	17	99+
1-11 MOS	12911	2.9	14	<1	1	2	3	6	8	18
1-5 YRS	26335	2.6	13	<1	1	1	3	6	8	18
6-12 YRS	31246	2.8	13	<1	1	2	3	6	8	19
13-19 YRS	65126	2.6	6	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	212328	3.9	27	1	2	3	4	6	10	28
1-11 MOS	69784	4.2	19	1	2	3	5	8	11	21
1-5 YRS	100068	3.5	15	1	2	3	4	6	9	19
6-12 YRS	52798	5.0	62	1	2	3	5	10	18	45
13-19 YRS	86352	6.8	110	1	2	3	6	18	30	57
B. Operated										
0-27 DYS	11206	20.0	478	3	5	12	34	76	99+	99+
1-11 MOS	18219	8.2	130	1	2	4	10	21	34	99+
1-5 YRS	37511	6.0	85	1	1	3	7	15	23	57
6-12 YRS	32496	5.7	75	1	1	3	7	14	22	50
13-19 YRS	75066	5.0	48	1	2	3	5	10	15	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	462538	2.6	10	1	1	2	3	4	5	14
B. Operated	137351	2.7	11	<1	1	2	3	5	8	16
2. MULTIPLE DX										
A. Not Operated	521330	4.5	42	1	2	3	4	8	13	37
B. Operated	174498	6.6	110	1	1	3	7	16	28	85
1. SINGLE DX	599889	2.7	10	1	1	2	3	4	6	14
2. MULTIPLE DX	695828	5.0	60	1	2	3	5	10	17	48
A. Not Operated	983868	3.6	28	1	2	2	4	6	9	30
B. Operated	311849	4.9	70	1	1	2	5	10	18	59
TOTAL										
0-27 DYS	518871	3.4	30	1	2	2	3	5	7	31
1-11 MOS	131698	4.4	33	1	2	3	5	8	12	32
1-5 YRS	210679	3.7	27	1	1	2	4	7	11	26
6-12 YRS	147329	4.4	49	1	1	2	4	9	15	41
13-19 YRS	287140	4.7	57	1	1	2	4	9	17	42
GRAND TOTAL	**1295717**	**3.9**	**38**	**1**	**2**	**2**	**4**	**7**	**11**	**36**

980 Hospitals, United States, Pediatric, January-December 1989

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	12057	3.0	10	1	2	2	3	5	7	15
1-11 MOS	30784	3.1	7	1	2	3	4	5	7	12
1-5 YRS	46765	2.6	7	1	1	2	3	5	6	14
6-12 YRS	30789	3.5	33	1	1	2	3	6	9	33
13-19 YRS	60596	3.6	36	1	1	2	3	6	11	35
B. Operated										
0-27 DYS	1523	4.9	46	1	2	3	5	10	15	58
1-11 MOS	12911	2.9	14	< 1	1	2	3	6	8	18
1-5 YRS	26335	2.6	13	< 1	1	1	3	6	8	18
6-12 YRS	31246	2.8	13	< 1	1	2	3	6	8	19
13-19 YRS	65126	2.6	6	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	14337	6.4	72	2	2	4	7	14	22	55
1-11 MOS	69784	4.2	19	1	2	3	5	8	11	21
1-5 YRS	100068	3.5	15	1	2	3	4	6	9	19
6-12 YRS	52798	5.0	62	1	2	3	5	10	18	45
13-19 YRS	86352	6.8	110	1	2	3	6	18	30	57
B. Operated										
0-27 DYS	3970	16.8	352	3	5	11	30	99 +	99 +	99 +
1-11 MOS	18219	8.2	130	1	2	4	10	21	34	99 +
1-5 YRS	37511	6.0	85	1	1	3	7	15	23	57
6-12 YRS	32496	5.7	75	1	1	3	7	14	22	50
13-19 YRS	75066	5.0	48	1	2	3	5	10	15	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	180991	3.2	22	1	1	2	3	5	8	25
B. Operated	137141	2.7	10	< 1	1	2	3	5	8	16
2. MULTIPLE DX										
A. Not Operated	323339	4.9	53	1	2	3	5	9	16	42
B. Operated	167262	6.0	82	1	1	3	7	14	23	68
1. SINGLE DX	318132	3.0	17	1	1	2	3	5	8	21
2. MULTIPLE DX	490601	5.3	63	1	2	3	5	11	19	48
A. Not Operated	504330	4.3	42	1	2	3	4	8	13	37
B. Operated	304403	4.5	52	1	1	2	5	10	16	46
TOTAL										
0-27 DYS	31887	6.4	100	1	2	3	6	15	30	99 +
1-11 MOS	131698	4.4	33	1	2	3	5	8	12	32
1-5 YRS	210679	3.7	27	1	1	2	4	7	11	26
6-12 YRS	147329	4.4	49	1	1	2	4	9	15	41
13-19 YRS	287140	4.7	57	1	1	2	4	9	17	42
GRAND TOTAL	808733	4.4	46	1	1	3	4	9	14	40

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	117	3.0	2	1	2	3	4	5	5	7
1-11 MOS	666	2.7	2	1	2	2	3	4	5	8
1-5 YRS	540	2.2	2	1	1	2	3	4	5	6
6-12 YRS	380	1.8	1	1	1	2	2	3	4	6
13-19 YRS	328	1.8	2	1	1	1	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	5	4.2		4	4	4	5	5	5	5
1-5 YRS	3	3.7	6	1	2	4	5	6	6	6
6-12 YRS	6	3.3		3	3	3	4	4	4	4
13-19 YRS	17	3.4	3	2	2	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	181	4.0	8	2	2	3	5	7	11	15
1-11 MOS	2207	3.4	7	1	2	3	4	6	7	13
1-5 YRS	2602	2.7	3	1	2	2	3	4	5	9
6-12 YRS	712	2.3	3	1	1	2	3	4	5	9
13-19 YRS	508	2.3	2	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	5	12.0	132	3	4	5	20	30	30	30
1-11 MOS	55	8.4	67	2	4	6	10	17	23	46
1-5 YRS	40	9.6	242	2	2	5	10	19	37	86
6-12 YRS	20	5.6	23	2	3	4	7	9	16	23
13-19 YRS	28	5.1	27	1	2	4	5	8	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2031	2.3	2	1	1	2	3	4	5	7
B. Operated	31	3.5	2	2	3	3	4	6	6	7
2. MULTIPLE DX										
A. Not Operated	6210	2.9	5	1	2	2	3	5	6	11
B. Operated	148	7.9	104	2	3	5	8	17	23	55
1. SINGLE DX	2062	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	6358	3.0	7	1	2	2	4	5	7	12
A. Not Operated	8241	2.7	4	1	2	2	3	5	6	10
B. Operated	179	7.1	89	2	3	4	7	15	21	52
TOTAL										
0-27 DYS	303	3.7	8	2	2	3	4	6	8	15
1-11 MOS	2933	3.3	7	1	2	3	4	6	7	13
1-5 YRS	3185	2.7	7	1	2	2	3	4	5	10
6-12 YRS	1118	2.2	3	1	1	2	3	4	5	8
13-19 YRS	881	2.2	3	1	1	2	3	4	5	8
GRAND TOTAL	**8420**	**2.8**	**6**	**1**	**2**	**2**	**3**	**5**	**6**	**12**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	33	6.6	52	2	3	4	8	11	14	42
1-11 MOS	319	4.5	13	2	2	3	5	10	12	18
1-5 YRS	266	3.2	4	1	2	3	4	5	7	11
6-12 YRS	202	2.9	4	1	2	3	4	5	6	13
13-19 YRS	142	3.1	4	1	2	3	4	5	7	21
B. Operated										
0-27 DYS	0									
1-11 MOS	14	6.9	63	2	4	5	6	13	28	33
1-5 YRS	5	5.4	37	2	2	2	8	16	16	16
6-12 YRS	11	6.1	23	1	2	5	8	14	17	17
13-19 YRS	21	3.7	2	2	3	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	62	7.3	58	2	3	5	9	14	18	49
1-11 MOS	720	5.5	32	2	3	4	6	10	14	36
1-5 YRS	816	3.8	9	1	2	3	5	6	8	17
6-12 YRS	362	3.6	8	1	2	3	4	6	8	14
13-19 YRS	237	3.6	7	1	2	3	5	7	8	12
B. Operated										
0-27 DYS	4	27.3	321	8	15	25	39	51	51	51
1-11 MOS	42	21.2	470	4	6	10	32	55	69	83
1-5 YRS	36	13.8	137	3	5	10	16	34	39	49
6-12 YRS	35	9.8	149	3	4	6	11	17	20	74
13-19 YRS	38	5.1	12	2	3	4	5	9	13	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	962	3.7	9	1	2	3	4	7	10	15
B. Operated	51	5.3	27	2	2	4	6	10	16	33
2. MULTIPLE DX										
A. Not Operated	2197	4.4	18	2	2	3	5	8	11	22
B. Operated	155	13.1	240	3	4	7	15	34	49	77
1. SINGLE DX	1013	3.7	10	1	2	3	4	7	10	15
2. MULTIPLE DX	2352	5.0	38	2	2	4	5	9	13	36
A. Not Operated	3159	4.2	16	1	2	3	5	8	10	19
B. Operated	206	11.2	198	2	4	6	12	30	45	75
TOTAL										
0-27 DYS	99	7.9	79	2	3	5	9	14	25	51
1-11 MOS	1095	5.8	53	2	3	4	6	11	14	45
1-5 YRS	1123	4.0	15	1	2	3	5	7	9	20
6-12 YRS	610	3.8	17	1	2	3	4	7	9	17
13-19 YRS	438	3.6	7	1	2	3	5	7	8	14
GRAND TOTAL	**3365**	**4.6**	**30**	**1**	**2**	**3**	**5**	**8**	**11**	**30**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	16	2.9	1	1	2	3	4	4	4	4
6-12 YRS	8	5.5	7	2	3	5	8	9	9	9
13-19 YRS	11	7.7	17	2	4	9	10	13	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	4	7.8	8	4	5	8	10	10	10	10
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	16.8	356	3	4	8	28	48	50	50
1-5 YRS	22	5.6	8	2	3	5	7	10	10	11
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	12	7.7	27	2	4	7	12	35	88	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	3	12.0	91	6	6	7	19	23	23	23
1-5 YRS	18	9.4	57	1	2	7	16	20	22	24
6-12 YRS	5	5.6	18	<1	2	4	9	11	11	11
13-19 YRS	10	9.2	20	3	6	9	11	15	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	5.1	12	1	3	4	8	10	11	14
B. Operated	9	6.0	16	1	2	7	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	43	8.2	88	2	4	6	10	14	45	99+
B. Operated	36	9.0	42	2	4	8	12	19	22	24
1. SINGLE DX	46	5.2	13	1	3	4	9	10	11	14
2. MULTIPLE DX	79	8.6	67	2	4	6	11	18	23	85
A. Not Operated	80	6.8	55	2	3	5	9	12	16	84
B. Operated	45	8.4	38	1	3	8	11	18	21	24
TOTAL										
0-27 DYS	0									
1-11 MOS	17	12.5	191	3	4	7	12	39	48	50
1-5 YRS	59	5.8	27	1	2	4	7	14	19	24
6-12 YRS	15	5.7	10	2	3	5	9	9	11	11
13-19 YRS	34	8.2	20	2	5	9	11	14	19	99+
GRAND TOTAL	**125**	**7.4**	**49**	**2**	**3**	**6**	**10**	**14**	**19**	**62**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	19.0		19	19	19	19	19	19	19
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	1	25.0		25	25	25	25	25	25	25
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	13	3.2	22	<1	1	1	3	8	16	18
6-12 YRS	2	2.0	2	<1	<1	1	3	3	3	3
13-19 YRS	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	21.5	366	4	5	21	38	40	40	40
1-5 YRS	5	19.6	131	4	11	19	29	33	33	33
6-12 YRS	1	22.0		22	22	22	22	22	22	22
13-19 YRS	2	10.5	5	9	9	10	12	12	12	12
B. Operated										
0-27 DYS	0									
1-11 MOS	4	38.3	1598	16	16	60	99+	99+	99+	99+
1-5 YRS	10	13.3	403	1	1	6	34	75	98	99+
6-12 YRS	2	2.5	5	1	2	4	76	99+	99+	99+
13-19 YRS	5	13.4	150	1	2	13	24	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	10.6	119	1	1	7	20	25	25	25
B. Operated	16	3.6	22	<1	1	2	4	10	16	18
2. MULTIPLE DX										
A. Not Operated	12	18.9	164	4	7	16	30	37	40	40
B. Operated	21	17.0	573	1	2	15	45	99+	99+	99+
1. SINGLE DX	21	5.2	50	<1	1	2	6	18	22	25
2. MULTIPLE DX	33	17.7	415	1	4	15	34	99	99+	99+
A. Not Operated	17	16.5	158	2	6	14	26	35	39	40
B. Operated	37	11.2	373	1	1	4	19	99	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	9	28.7	820	5	16	23	83	99+	99+	99+
1-5 YRS	30	9.4	195	1	1	3	15	36	58	99+
6-12 YRS	6	9.3	123	<1	1	4	24	85	99+	99+
13-19 YRS	9	11.1	92	1	2	11	15	26	29	29
GRAND TOTAL	**54**	**12.9**	**307**	**1**	**1**	**7**	**22**	**53**	**99+**	**99+**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	2.7	1	1	2	3	3	4	5	5
1-5 YRS	90	2.5	2	1	2	2	3	4	5	6
6-12 YRS	94	2.3	2	1	1	2	3	4	5	7
13-19 YRS	76	2.3	1	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	15	1.5	2	<1	1	1	1	4	5	5
6-12 YRS	41	1.1		<1	1	1	1	1	2	2
13-19 YRS	25	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	5.7	6	3	4	6	7	8	8	8
1-11 MOS	36	2.9	1	1	2	3	4	5	5	6
1-5 YRS	395	2.6	2	1	2	2	3	4	6	9
6-12 YRS	439	2.4	2	1	2	2	3	4	5	7
13-19 YRS	286	2.7	2	1	2	2	3	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	34	2.1	4	1	1	1	2	5	7	7
6-12 YRS	48	1.5	1	1	1	1	1	3	4	5
13-19 YRS	13	2.9	9	1	1	2	3	6	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	271	2.4	2	1	1	2	3	4	5	6
B. Operated	81	1.1		<1	1	1	1	1	2	5
2. MULTIPLE DX										
A. Not Operated	1159	2.6	2	1	2	2	3	4	5	8
B. Operated	96	1.9	3	1	1	1	2	4	5	10
1. SINGLE DX	352	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX	1255	2.5	2	1	2	2	3	4	5	8
A. Not Operated	1430	2.5	2	1	2	2	3	4	5	7
B. Operated	177	1.6	2	1	1	1	1	4	5	7
TOTAL										
0-27 DYS	4	4.8	8	2	2	4	7	8	8	8
1-11 MOS	47	2.9	1	1	2	3	4	5	5	6
1-5 YRS	534	2.5	2	1	1	2	3	4	6	8
6-12 YRS	622	2.2	2	1	1	2	3	4	5	6
13-19 YRS	400	2.5	2	1	2	2	3	4	5	8
GRAND TOTAL	**1607**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	256	4.2	8	2	2	3	5	10	11	14
1-11 MOS	822	4.3	8	2	3	3	5	9	10	14
1-5 YRS	272	3.9	7	2	2	3	5	7	9	15
6-12 YRS	34	4.9	17	2	3	4	5	8	16	21
13-19 YRS	30	4.5	10	1	2	4	5	10	11	12
B. Operated										
0-27 DYS	13	6.5	20	2	3	5	11	13	14	14
1-11 MOS	17	7.8	136	2	3	3	4	29	39	42
1-5 YRS	4	7.3	18	3	4	6	10	13	13	13
6-12 YRS	3	9.0	169	1	1	13	62	99+	99+	99+
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	366	5.5	23	2	3	4	7	10	14	27
1-11 MOS	1820	5.0	18	2	3	4	6	10	12	21
1-5 YRS	1146	5.8	27	2	3	4	7	12	15	28
6-12 YRS	326	7.1	35	2	3	5	9	14	16	28
13-19 YRS	243	7.8	39	2	4	6	10	15	19	33
B. Operated										
0-27 DYS	29	13.0	338	3	4	7	14	41	88	99+
1-11 MOS	124	12.8	146	3	4	10	16	31	42	99+
1-5 YRS	119	16.9	188	4	7	14	24	35	43	82
6-12 YRS	42	17.8	297	6	10	12	18	31	63	91
13-19 YRS	79	12.4	80	4	6	10	15	23	34	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1414	4.2	8	2	2	3	5	9	10	14
B. Operated	38	7.3	77	2	3	3	10	20	38	99+
2. MULTIPLE DX										
A. Not Operated	3901	5.6	24	2	3	4	7	11	14	24
B. Operated	393	14.5	179	3	6	11	18	32	41	96
1. SINGLE DX	1452	4.3	10	2	2	3	5	9	10	15
2. MULTIPLE DX	4294	6.4	45	2	3	4	8	13	17	37
A. Not Operated	5315	5.3	20	2	3	4	7	10	13	22
B. Operated	431	13.9	174	3	5	11	17	32	41	99+
TOTAL										
0-27 DYS	664	5.4	33	2	3	4	7	10	13	27
1-11 MOS	2783	5.2	24	2	3	3	6	10	13	26
1-5 YRS	1541	6.3	45	2	3	4	7	13	17	35
6-12 YRS	405	8.0	72	2	3	6	10	16	21	57
13-19 YRS	353	8.6	51	2	4	7	11	17	23	38
GRAND TOTAL	**5746**	**5.9**	**37**	**2**	**3**	**4**	**7**	**12**	**15**	**33**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	39	6.8	20	2	3	6	8	14	16	17
1-11 MOS	429	5.4	18	2	3	4	7	10	12	22
1-5 YRS	186	4.7	9	1	2	4	7	9	10	12
6-12 YRS	48	4.7	5	2	3	4	7	8	8	8
13-19 YRS	70	6.1	13	2	3	5	9	11	13	15
B. Operated										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	5	6.0	16	1	2	7	9	11	11	11
1-5 YRS	20	3.9	9	1	1	3	7	8	9	9
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	6	6.5	6	2	6	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	41	8.7	25	3	4	8	12	15	15	25
1-11 MOS	434	6.8	24	2	3	6	9	13	15	22
1-5 YRS	225	7.3	31	3	4	7	9	12	15	36
6-12 YRS	85	6.2	17	2	3	6	9	11	13	21
13-19 YRS	108	6.3	13	2	3	6	9	11	12	16
B. Operated										
0-27 DYS	6	15.2	27	9	10	16	17	22	23	23
1-11 MOS	33	21.0	263	5	8	17	27	45	53	70
1-5 YRS	39	18.4	364	5	8	10	20	43	62	92
6-12 YRS	18	10.3	29	4	6	10	17	60	99+	99+
13-19 YRS	24	18.4	511	3	8	12	23	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	772	5.3	15	2	3	4	7	10	12	17
B. Operated	34	5.1	13	1	2	4	8	9	11	15
2. MULTIPLE DX										
A. Not Operated	893	6.9	24	2	3	6	9	12	15	23
B. Operated	120	17.7	303	5	8	13	23	53	93	99+
1. SINGLE DX	806	5.3	15	2	3	4	7	10	12	17
2. MULTIPLE DX	1013	8.2	69	2	4	7	10	15	21	67
A. Not Operated	1665	6.2	20	2	3	5	8	11	14	22
B. Operated	154	14.9	266	3	6	10	18	40	73	99+
TOTAL										
0-27 DYS	87	8.4	27	3	4	7	13	15	17	24
1-11 MOS	901	6.7	38	2	3	5	8	12	16	33
1-5 YRS	470	7.0	62	2	3	6	8	11	16	54
6-12 YRS	153	6.2	17	2	3	6	8	12	16	96
13-19 YRS	208	7.6	83	2	3	6	10	13	17	99+
GRAND TOTAL	**1819**	**6.9**	**47**	**2**	**3**	**6**	**9**	**12**	**16**	**40**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	287	3.8	4	2	3	3	4	6	8	11
1-11 MOS	951	3.3	2	2	2	3	4	5	6	10
1-5 YRS	342	3.2	4	1	2	3	4	5	7	11
6-12 YRS	463	2.8	3	1	2	3	3	4	6	8
13-19 YRS	338	3.0	3	1	2	3	4	5	6	9
B. Operated										
0-27 DYS	3	4.0	1	3	3	4	5	5	5	5
1-11 MOS	12	3.1	2	2	2	3	3	6	7	7
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	222	4.7	12	2	3	4	5	8	11	21
1-11 MOS	802	3.9	5	2	3	3	4	6	9	12
1-5 YRS	303	4.0	9	2	2	3	4	7	10	19
6-12 YRS	241	3.2	7	1	2	3	4	5	8	14
13-19 YRS	209	4.0	8	1	2	3	5	8	10	13
B. Operated										
0-27 DYS	10	7.2	64	3	4	4	6	20	29	29
1-11 MOS	20	7.1	25	2	4	5	9	16	18	19
1-5 YRS	10	11.1	50	3	5	9	17	21	23	23
6-12 YRS	12	8.3	48	2	4	6	11	20	23	23
13-19 YRS	7	5.7	14	2	3	3	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2381	3.2	3	2	2	3	4	5	6	10
B. Operated	19	3.5	3	2	2	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	1777	3.9	7	2	2	3	4	7	9	14
B. Operated	59	7.9	39	2	4	5	10	18	21	28
1. SINGLE DX	2400	3.2	3	2	2	3	4	5	6	10
2. MULTIPLE DX	1836	4.1	9	2	2	3	4	7	10	17
A. Not Operated	4158	3.5	5	2	2	3	4	6	8	11
B. Operated	78	6.8	34	2	3	5	8	16	19	27
TOTAL										
0-27 DYS	522	4.2	9	2	3	3	5	7	9	18
1-11 MOS	1785	3.6	4	2	3	3	4	6	7	11
1-5 YRS	656	3.7	8	2	2	3	4	7	10	17
6-12 YRS	717	3.1	5	1	2	3	3	5	7	12
13-19 YRS	556	3.4	5	1	2	3	4	6	8	11
GRAND TOTAL	**4236**	**3.6**	**6**	**2**	**2**	**3**	**4**	**6**	**8**	**13**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	33	6.3	18	2	2	5	9	12	15	15
1-11 MOS	158	3.0	3	1	2	3	3	5	7	8
1-5 YRS	192	3.1	4	1	2	3	4	6	6	11
6-12 YRS	80	3.4	13	1	1	3	4	6	7	24
13-19 YRS	65	3.4	3	1	2	3	5	6	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	3	8.7	154	< 1	< 1	2	18	23	23	23
1-5 YRS	4	3.5	6	2	2	3	5	7	7	7
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	4	9.0	53	1	3	8	14	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	34	8.8	41	3	4	7	14	18	24	24
1-11 MOS	419	3.9	13	1	2	3	4	6	10	18
1-5 YRS	889	4.2	8	2	2	4	5	7	9	14
6-12 YRS	455	4.9	10	1	3	4	7	9	10	17
13-19 YRS	313	4.8	8	2	3	4	6	8	11	15
B. Operated										
0-27 DYS	4	22.0	92	13	16	23	51	99 +	99 +	99 +
1-11 MOS	9	21.1	1013	2	3	5	28	78	90	90
1-5 YRS	33	13.5	231	3	5	8	16	31	48	72
6-12 YRS	26	12.8	142	3	5	10	19	48	99 +	99 +
13-19 YRS	13	10.4	62	3	5	7	19	22	24	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	528	3.3	6	1	2	3	4	6	8	13
B. Operated	12	6.9	51	1	2	4	9	19	22	23
2. MULTIPLE DX										
A. Not Operated	2110	4.4	10	2	2	4	5	8	10	16
B. Operated	85	14.0	250	3	5	8	19	43	74	99 +
1. SINGLE DX	540	3.4	8	1	2	3	4	7	8	14
2. MULTIPLE DX	2195	4.8	23	2	2	4	6	8	11	23
A. Not Operated	2638	4.2	10	1	2	3	5	7	10	15
B. Operated	97	13.1	230	2	4	8	18	35	66	99 +
TOTAL										
0-27 DYS	71	8.4	44	2	4	7	12	17	24	86
1-11 MOS	589	3.9	29	1	2	3	4	6	8	22
1-5 YRS	1118	4.2	17	1	2	3	5	7	9	17
6-12 YRS	562	5.0	20	1	2	4	7	9	12	28
13-19 YRS	395	4.8	11	2	3	4	6	8	11	19
GRAND TOTAL	**2735**	**4.5**	**20**	**1**	**2**	**4**	**5**	**8**	**11**	**21**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	11	2.7	9	1	1	2	3	7	11	11
6-12 YRS	48	3.0	4	1	2	2	4	5	6	11
13-19 YRS	58	3.7	4	2	2	3	5	7	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.3	5	< 1	< 1	1	4	5	5	5
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	11	6.1	18	3	4	4	8	12	17	17
1-5 YRS	18	3.7	12	1	2	3	4	8	12	15
6-12 YRS	52	3.4	3	1	2	3	4	6	6	8
13-19 YRS	104	5.0	22	2	2	4	6	9	12	30
B. Operated										
0-27 DYS	0									
1-11 MOS	4	6.8	23	3	3	6	10	13	13	13
1-5 YRS	10	14.8	260	1	4	12	16	39	56	56
6-12 YRS	5	9.8	86	2	3	10	23	92	99 +	99 +
13-19 YRS	8	17.9	787	2	3	6	19	66	85	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	119	3.3	4	1	2	3	4	6	7	11
B. Operated	6	2.7	5	< 1	1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	185	4.5	16	1	2	4	5	8	11	22
B. Operated	27	13.6	334	2	3	7	16	46	86	99 +
1. SINGLE DX	125	3.3	4	1	2	3	4	6	7	11
2. MULTIPLE DX	212	5.6	64	2	2	4	6	11	16	67
A. Not Operated	304	4.0	12	1	2	3	5	7	10	17
B. Operated	33	11.6	290	1	2	6	16	26	79	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	17	5.8	17	2	3	4	8	12	16	17
1-5 YRS	42	6.0	90	1	1	3	6	15	19	56
6-12 YRS	107	3.5	9	1	2	3	4	6	8	55
13-19 YRS	171	5.1	55	2	2	4	5	8	11	33
GRAND TOTAL	**337**	**4.8**	**43**	**1**	**2**	**3**	**5**	**8**	**14**	**37**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	40	3.1	3	1	2	3	4	5	6	7
6-12 YRS	57	3.4	8	1	2	3	4	7	10	16
13-19 YRS	326	3.2	4	1	2	3	4	5	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	6.5	61	1	1	6	12	12	12	12
6-12 YRS	0									
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	5.0	37	1	1	2	9	12	12	12
1-5 YRS	168	3.7	5	2	2	3	4	6	8	12
6-12 YRS	201	2.9	3	1	2	2	4	5	6	9
13-19 YRS	1036	3.6	6	2	2	3	4	7	8	11
B. Operated										
0-27 DYS	1	86.0		86	86	86	86	86	86	86
1-11 MOS	1	30.0		30	30	30	30	30	30	30
1-5 YRS	10	6.3	16	2	3	5	10	12	13	13
6-12 YRS	6	15.8	361	1	3	6	30	46	48	48
13-19 YRS	25	7.8	33	3	4	6	9	15	22	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	423	3.2	4	1	2	3	4	6	7	11
B. Operated	4	4.5	26	1	1	2	7	12	12	12
2. MULTIPLE DX										
A. Not Operated	1409	3.5	5	2	2	3	4	6	8	11
B. Operated	43	10.9	223	3	4	6	10	28	36	86
1. SINGLE DX	427	3.2	4	1	2	3	4	6	7	11
2. MULTIPLE DX	1452	3.8	13	2	2	3	4	7	8	13
A. Not Operated	1832	3.5	5	1	2	3	4	6	8	11
B. Operated	47	10.4	208	2	3	6	10	26	33	86
TOTAL										
0-27 DYS	2	43.5	3613	1	1	43	86	86	86	86
1-11 MOS	4	11.3	181	1	1	7	21	30	30	30
1-5 YRS	220	3.8	6	2	2	3	5	6	8	12
6-12 YRS	264	3.3	14	1	2	2	4	5	7	15
13-19 YRS	1389	3.6	6	2	2	3	4	7	8	11
GRAND TOTAL	**1879**	**3.6**	**11**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	4.0	9	<1	1	4	6	7	7	7
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	20	1.7	3	<1	<1	1	2	2	6	9
6-12 YRS	21	1.0		<1	<1	<1	<1	1	2	2
13-19 YRS	44	1.2		<1	<1	<1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	0									
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	3	1.3		<1	<1	<1	2	2	2	2
13-19 YRS	28	2.0	4	<1	<1	1	2	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.0	9	<1	1	4	6	7	7	7
B. Operated	88	1.3	1	<1	<1	<1	1	2	2	7
2. MULTIPLE DX										
A. Not Operated	2	7.5	85	<1	<1	7	14	14	14	14
B. Operated	35	2.2	7	<1	<1	1	2	4	9	13
1. SINGLE DX	91	1.3	1	<1	<1	<1	1	2	2	8
2. MULTIPLE DX	37	2.5	10	<1	<1	1	2	5	12	14
A. Not Operated	5	5.4	29	<1	<1	4	9	14	14	14
B. Operated	123	1.5	3	<1	<1	<1	1	2	4	11
TOTAL										
0-27 DYS	0									
1-11 MOS	4	4.0	36	<1	<1	1	7	13	13	13
1-5 YRS	27	2.3	9	<1	<1	1	2	6	10	14
6-12 YRS	24	1.1		<1	<1	<1	<1	1	2	2
13-19 YRS	73	1.5	2	<1	<1	<1	1	2	4	9
GRAND TOTAL	**128**	**1.7**	**4**	**<1**	**<1**	**<1**	**1**	**2**	**5**	**13**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	971	3.0	3	2	2	3	3	4	5	7
1-11 MOS	2603	2.8	1	2	2	3	3	4	5	7
1-5 YRS	776	2.4	2	1	1	2	3	4	5	8
6-12 YRS	330	2.5	5	1	1	2	3	4	6	13
13-19 YRS	311	2.5	4	1	1	2	3	4	6	11
B. Operated										
0-27 DYS	26	3.4	2	2	3	3	4	5	6	8
1-11 MOS	34	3.0	2	2	2	3	4	5	5	6
1-5 YRS	28	2.7	6	<1	1	2	4	5	8	11
6-12 YRS	15	5.9	43	1	2	4	7	15	22	25
13-19 YRS	18	3.0	4	<1	2	3	4	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	776	3.4	5	2	2	3	4	5	6	10
1-11 MOS	3043	3.3	6	2	2	3	4	5	6	11
1-5 YRS	2144	3.0	7	1	2	2	4	5	6	12
6-12 YRS	789	3.1	10	1	2	2	3	6	8	16
13-19 YRS	698	3.2	12	1	2	2	4	6	8	15
B. Operated										
0-27 DYS	28	4.5	18	2	2	3	4	8	12	23
1-11 MOS	109	9.8	160	2	3	4	13	29	46	99+
1-5 YRS	85	9.6	168	1	3	4	12	25	34	71
6-12 YRS	45	10.3	209	2	2	6	14	25	66	99+
13-19 YRS	40	9.6	161	2	3	5	12	21	27	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4991	2.7	2	1	2	3	3	4	5	8
B. Operated	121	3.4	9	1	2	3	4	6	8	18
2. MULTIPLE DX										
A. Not Operated	7450	3.2	7	1	2	3	4	5	7	13
B. Operated	307	9.3	157	2	3	4	12	23	41	99+
1. SINGLE DX	5112	2.8	2	1	2	3	3	4	5	8
2. MULTIPLE DX	7757	3.4	14	1	2	3	4	5	7	17
A. Not Operated	12441	3.0	5	1	2	3	3	5	6	11
B. Operated	428	7.6	122	1	2	4	8	20	30	84
TOTAL										
0-27 DYS	1801	3.2	4	2	2	3	4	5	6	9
1-11 MOS	5789	3.2	7	2	2	3	4	5	6	12
1-5 YRS	3033	3.0	12	1	2	2	3	5	6	15
6-12 YRS	1179	3.3	18	1	1	2	3	6	8	21
13-19 YRS	1067	3.2	17	1	2	2	4	6	8	17
GRAND TOTAL	**12869**	**3.2**	**10**	**1**	**2**	**3**	**4**	**5**	**6**	**14**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	5.3	56	1	1	1	11	14	14	14
1-5 YRS	31	3.5	5	1	2	3	5	7	7	10
6-12 YRS	64	3.3	5	1	2	3	4	6	9	11
13-19 YRS	42	4.0	10	1	2	3	4	8	13	14
B. Operated										
0-27 DYS	0									
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	2	10.0	50	5	5	10	15	15	15	15
6-12 YRS	4	1.5	1	1	1	1	2	3	3	3
13-19 YRS	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	4	7.8	44	2	3	6	12	17	17	17
1-5 YRS	32	4.8	12	1	2	4	6	10	13	15
6-12 YRS	44	4.3	11	1	2	3	5	11	12	14
13-19 YRS	42	4.8	19	2	3	4	5	8	15	23
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	36.0		36	36	36	36	36	36	36
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	2	12.5	145	4	4	12	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	3.6	8	1	2	3	4	7	10	14
B. Operated	9	5.3	29	1	1	4	7	15	15	15
2. MULTIPLE DX										
A. Not Operated	124	4.7	15	2	2	3	5	10	13	22
B. Operated	7	10.1	176	2	2	3	17	33	36	36
1. SINGLE DX	149	3.7	9	1	2	3	4	7	10	14
2. MULTIPLE DX	131	5.0	24	2	2	3	5	11	14	25
A. Not Operated	264	4.1	11	1	2	3	5	8	11	17
B. Operated	16	7.4	92	1	2	3	9	20	31	36
TOTAL										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	9	7.1	40	1	2	4	14	16	17	17
1-5 YRS	66	4.9	26	1	2	3	6	10	13	33
6-12 YRS	115	3.6	8	1	2	3	4	7	11	14
13-19 YRS	88	4.5	17	1	2	4	5	8	13	22
GRAND TOTAL	**280**	**4.3**	**16**	**1**	**2**	**3**	**5**	**8**	**13**	**21**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	56	6.9	12	2	5	7	10	11	11	14
1-11 MOS	31	7.2	12	2	4	9	10	11	11	11
1-5 YRS	10	5.7	19	2	3	5	7	12	17	17
6-12 YRS	5	6.8	23	1	2	7	11	12	12	12
13-19 YRS	173	4.8	5	3	3	4	6	8	10	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	9	4.9	11	<1	2	4	7	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	33	9.3	26	3	6	10	11	17	20	21
1-11 MOS	33	9.8	52	3	6	10	11	13	18	44
1-5 YRS	12	7.3	30	<1	2	7	11	14	18	19
6-12 YRS	10	6.3	11	2	3	6	9	11	11	11
13-19 YRS	243	5.3	8	2	3	5	7	9	10	16
B. Operated										
0-27 DYS	2	28.5	1	28	28	29	82	99+	99+	99+
1-11 MOS	2	15.0	18	12	12	15	18	18	18	18
1-5 YRS	5	9.2	33	1	5	9	14	16	16	16
6-12 YRS	4	10.5	2	9	9	10	11	12	12	12
13-19 YRS	23	6.7	14	3	5	6	8	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	275	5.6	9	2	3	5	7	10	11	12
B. Operated	11	4.2	11	<1	<1	3	7	9	11	11
2. MULTIPLE DX										
A. Not Operated	331	6.2	18	2	3	5	8	11	13	19
B. Operated	36	9.1	41	3	5	7	12	19	29	99+
1. SINGLE DX	286	5.5	9	2	3	5	7	10	11	12
2. MULTIPLE DX	367	6.5	21	2	4	5	9	11	14	27
A. Not Operated	606	5.9	14	2	3	5	8	10	11	18
B. Operated	47	8.0	38	1	4	7	11	17	28	99+
TOTAL										
0-27 DYS	91	8.2	27	2	5	8	10	13	20	70
1-11 MOS	66	8.7	34	2	5	10	11	12	16	40
1-5 YRS	29	6.6	27	<1	2	5	10	15	17	19
6-12 YRS	19	7.3	14	2	3	7	11	12	12	12
13-19 YRS	448	5.2	7	2	3	5	6	8	10	14
GRAND TOTAL	**653**	**6.1**	**16**	**2**	**3**	**5**	**8**	**11**	**12**	**19**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	3.5	9	1	2	2	4	9	10	10
1-11 MOS	21	4.2	35	1	2	2	3	9	18	28
1-5 YRS	69	3.2	3	1	2	3	4	6	7	8
6-12 YRS	9	3.8	9	1	2	3	4	9	11	11
13-19 YRS	18	5.8	76	2	2	4	6	7	27	40
B. Operated										
0-27 DYS	0									
1-11 MOS	3	24.7	354	3	11	34	36	37	37	37
1-5 YRS	0									
6-12 YRS	4	5.0	37	<1	1	2	8	14	14	14
13-19 YRS	4	7.0	89	1	1	3	12	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	12	3.8	2	2	2	3	5	6	6	6
1-11 MOS	70	3.5	8	1	2	3	4	6	10	15
1-5 YRS	327	4.2	18	2	2	3	5	7	10	25
6-12 YRS	74	5.7	24	2	3	4	7	10	15	27
13-19 YRS	71	6.4	59	2	3	4	7	12	21	48
B. Operated										
0-27 DYS	0									
1-11 MOS	8	17.6	208	5	8	18	46	99+	99+	99+
1-5 YRS	26	19.3	324	2	7	15	22	44	64	72
6-12 YRS	25	15.2	134	4	6	11	21	32	38	45
13-19 YRS	22	19.6	324	3	7	14	27	53	57	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	3.8	20	1	2	3	4	6	8	31
B. Operated	11	11.1	185	1	2	3	19	35	37	37
2. MULTIPLE DX										
A. Not Operated	554	4.6	23	2	2	3	5	8	11	26
B. Operated	81	18.0	248	4	7	14	26	46	59	99+
1. SINGLE DX	136	4.4	36	1	2	3	4	7	11	37
2. MULTIPLE DX	635	6.3	71	2	2	4	6	13	23	54
A. Not Operated	679	4.4	22	2	2	3	5	8	11	27
B. Operated	92	17.2	244	2	6	14	25	45	58	99+
TOTAL										
0-27 DYS	20	3.7	5	2	2	3	5	6	8	10
1-11 MOS	102	5.4	60	1	2	3	5	14	32	99+
1-5 YRS	422	5.0	47	2	2	3	5	8	14	40
6-12 YRS	112	7.6	63	2	3	4	10	18	26	39
13-19 YRS	115	8.9	137	2	3	5	8	21	37	57
GRAND TOTAL	**771**	**6.0**	**66**	**2**	**2**	**3**	**6**	**11**	**22**	**51**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	9	4.4	13	1	2	3	6	10	13	13
13-19 YRS	5	2.8	3	1	2	2	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	10	2.5	1	1	2	2	3	4	4	4
13-19 YRS	4	3.3	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	18	3.5	6	1	2	3	4	8	8	8
6-12 YRS	12	4.0	10	1	1	3	6	9	10	10
13-19 YRS	23	4.2	12	1	2	3	5	7	11	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.7	1	1	1	1	3	3	3	3
6-12 YRS	10	4.3	8	2	2	3	6	9	10	10
13-19 YRS	8	10.5	190	3	4	5	9	34	44	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.3	12	1	2	3	6	11	12	13
B. Operated	14	2.7	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	54	3.9	9	1	2	3	5	8	9	17
B. Operated	21	6.3	83	1	2	4	7	10	25	44
1. SINGLE DX	29	3.6	7	1	2	3	4	6	11	13
2. MULTIPLE DX	75	4.6	30	1	2	3	6	8	10	37
A. Not Operated	69	4.0	10	1	2	3	5	8	10	16
B. Operated	35	4.9	52	2	2	3	4	9	10	44
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	22	3.6	8	1	1	3	4	8	9	11
6-12 YRS	41	3.8	8	1	2	3	5	8	10	13
13-19 YRS	40	5.2	49	1	2	4	5	8	13	44
GRAND TOTAL	**104**	**4.3**	**24**	**1**	**2**	**3**	**5**	**8**	**10**	**29**

18: Pneumocystosis (136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	7.5	41	3	3	7	12	12	12	12
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	13	9.8	80	2	3	7	18	37	86	99 +
1-5 YRS	13	11.2	67	5	6	9	13	24	31	33
6-12 YRS	11	10.4	33	3	6	9	14	19	19	19
13-19 YRS	12	8.8	54	3	4	6	10	23	24	24
B. Operated										
0-27 DYS	0									
1-11 MOS	12	21.2	113	7	14	18	32	35	36	36
1-5 YRS	15	17.5	169	4	6	14	26	36	41	43
6-12 YRS	9	12.3	33	4	9	12	16	20	20	20
13-19 YRS	7	7.9	24	2	3	8	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	9.0	27	3	5	12	12	12	12	12
B. Operated	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. Not Operated	49	10.0	57	3	5	7	13	23	30	99 +
B. Operated	43	15.9	118	4	7	14	20	35	36	43
1. SINGLE DX	4	14.3	128	3	7	12	21	30	30	30
2. MULTIPLE DX	92	12.8	93	3	6	10	18	30	36	75
A. Not Operated	52	10.0	55	3	5	7	13	23	29	98
B. Operated	44	16.2	120	4	7	14	22	35	36	43
TOTAL										
0-27 DYS	0									
1-11 MOS	25	15.2	125	3	6	14	25	35	49	99 +
1-5 YRS	30	14.1	124	4	6	10	18	34	[illegible]	43
6-12 YRS	21	11.3	31	4	6	12	15	[illegible]	[illegible]	20
13-19 YRS	20	9.5	62	2	4	7	12	23	[illegible]	30
GRAND TOTAL	**96**	**12.8**	**93**	**3**	**6**	**10**	**18**	**30**	**35**	**73**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	4.4	25	1	1	3	5	13	16	16
6-12 YRS	12	2.9	6	<1	1	2	4	7	9	9
13-19 YRS	6	2.7	1	<1	2	3	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	5.3	4	3	4	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	16	5.2	29	1	2	3	7	10	18	22
1-5 YRS	11	2.4	3	1	1	2	3	5	6	6
6-12 YRS	21	4.0	5	1	2	3	6	7	7	7
13-19 YRS	21	4.4	10	1	2	4	5	7	11	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	4.8	5	2	3	5	6	7	7	7
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	6	7.2	11	2	6	8	10	82	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	3.3	10	1	1	2	4	6	10	16
B. Operated	5	4.0	6	1	2	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	70	4.1	12	1	2	3	6	7	9	21
B. Operated	11	6.0	9	2	4	7	9	37	91	99+
1. SINGLE DX	31	3.4	10	1	1	3	4	7	9	16
2. MULTIPLE DX	81	4.4	12	1	2	4	6	8	10	75
A. Not Operated	96	3.9	11	1	2	3	5	7	9	19
B. Operated	16	5.4	9	1	3	6	8	10	68	99+
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	16	5.2	29	1	2	3	7	10	18	22
1-5 YRS	24	3.5	11	1	1	3	4	6	10	16
6-12 YRS	35	3.5	5	1	2	3	6	7	7	9
13-19 YRS	36	4.6	10	1	2	4	6	9	13	99+
GRAND TOTAL	**112**	**4.1**	**11**	**1**	**2**	**3**	**6**	**8**	**10**	**51**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	16.0		16	16	16	16	16	16	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	16.0		16	16	16	16	16	16	16
B. Operated	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	2	10.0	72	4	4	10	16	16	16	16
A. Not Operated	2	8.5	113	1	1	8	16	16	16	16
B. Operated	1	4.0		4	4	4	4	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	7.0	63	1	2	4	13	16	16	16
GRAND TOTAL	**3**	**7.0**	**63**	**1**	**2**	**4**	**13**	**16**	**16**	**16**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	5.9	27	1	2	5	8	15	15	15
6-12 YRS	10	4.2	10	2	2	3	6	9	11	11
13-19 YRS	9	2.6	3	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	9	4.3	16	<1	2	4	5	10	14	14
6-12 YRS	7	6.9	39	1	2	6	13	16	16	16
13-19 YRS	5	2.6	2	1	2	2	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	4	13.8	47	6	8	14	19	20	20	20
6-12 YRS	13	14.2	171	3	5	11	19	32	45	48
13-19 YRS	14	12.6	607	2	3	5	9	26	81	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.7	2	2	2	4	5	5	5	5
B. Operated	28	4.2	14	1	2	3	6	10	14	15
2. MULTIPLE DX										
A. Not Operated	22	4.6	20	1	2	3	5	14	15	16
B. Operated	33	12.8	322	2	4	7	15	26	45	97
1. SINGLE DX	31	4.2	13	1	2	3	6	9	14	15
2. MULTIPLE DX	55	9.5	215	2	2	5	11	19	27	95
A. Not Operated	25	4.5	18	1	2	4	5	14	15	16
B. Operated	61	8.9	197	2	2	5	10	18	26	92
TOTAL										
0-27 DYS	0									
1-11 MOS	4	2.5	3	1	1	2	4	5	5	5
1-5 YRS	23	6.6	34	1	2	5	9	16	19	20
6-12 YRS	30	9.1	103	2	2	6	14	21	28	48
13-19 YRS	29	7.5	309	1	2	4	6	10	22	97
GRAND TOTAL	**86**	**7.6**	**148**	**1**	**2**	**4**	**7**	**16**	**21**	**79**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	18.5	113	11	11	18	26	26	26	26
1. SINGLE DX	0									
2. MULTIPLE DX	2	18.5	113	11	11	18	26	26	26	26
A. Not Operated	0									
B. Operated	2	18.5	113	11	11	18	26	26	26	26
TOTAL										
0-27 DYS	0									
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**2**	**18.5**	**113**	**11**	**11**	**18**	**26**	**26**	**26**	**26**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	16.0		16	16	16	16	16	16	16
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	17.0	18	14	14	17	20	20	20	20
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	2	16.0		16	16	16	16	16	16	16
B. Operated	2	17.0	18	14	14	17	20	20	20	20
1. SINGLE DX	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX	4	16.5	6	14	15	16	18	20	20	20
A. Not Operated	2	16.0		16	16	16	16	16	16	16
B. Operated	3	14.0	36	8	9	14	18	20	20	20
TOTAL										
0-27 DYS	0									
1-11 MOS	3	14.0	36	8	9	14	18	20	20	20
1-5 YRS	2	16.0		16	16	16	16	16	16	16
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	5	14.8	19	8	12	16	17	20	20	20

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	1	9.0		9	9	9	9	9	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	0									
GRAND TOTAL	1	9.0		9	9	9	9	9	9	9

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	7.5	5	6	6	7	9	9	9	9
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	8	13.3	123	3	6	10	16	32	38	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	2	7.5	5	6	6	7	9	9	9	9
B. Operated	10	12.3	100	4	7	9	15	27	38	38
1. SINGLE DX	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX	12	11.5	86	5	7	9	13	23	36	38
A. Not Operated	2	7.5	5	6	6	7	9	9	9	9
B. Operated	11	12.1	91	4	7	10	14	25	37	38
TOTAL										
0-27 DYS	0									
1-11 MOS	4	8.3	3	6	7	8	9	10	10	10
1-5 YRS	0									
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	8	13.3	123	3	6	10	16	32	38	38
GRAND TOTAL	**13**	**11.4**	**79**	**5**	**7**	**9**	**12**	**21**	**35**	**38**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	7.5	85	1	1	7	14	14	14	14
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	6.0	9	3	3	6	8	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	4	21.5	244	7	9	18	33	42	42	42
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	0									
13-19 YRS	2	29.0	648	11	11	29	47	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	3	6.3	46	1	2	4	11	14	14	14
2. MULTIPLE DX										
A. Not Operated	5	6.2	7	3	4	7	8	9	9	9
B. Operated	7	22.0	271	8	10	12	38	46	47	47
1. SINGLE DX	4	5.0	38	1	1	3	9	14	14	14
2. MULTIPLE DX	12	15.4	216	4	7	9	18	43	46	47
A. Not Operated	6	5.3	10	1	3	5	8	9	9	9
B. Operated	10	17.3	248	2	7	11	25	44	47	47
TOTAL										
0-27 DYS	0									
1-11 MOS	7	15.4	194	2	7	12	22	39	42	42
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	6	13.7	276	3	4	8	11	43	47	47
GRAND TOTAL	**16**	**12.8**	**188**	**1**	**4**	**8**	**13**	**40**	**45**	**47**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	2.8	1	1	3	3	3	4	4	4
1-5 YRS	16	3.0	4	<1	1	3	5	6	6	6
6-12 YRS	2	4.5	25	1	1	4	8	8	8	8
13-19 YRS	3	3.0	3	2	2	2	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	13	10.5	55	3	5	9	13	24	26	26
1-5 YRS	32	9.7	81	2	3	8	13	20	24	46
6-12 YRS	7	10.6	30	3	7	12	14	17	18	18
13-19 YRS	7	4.1	5	1	3	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	20	5.0	12	1	3	4	6	10	12	14
1-5 YRS	71	5.6	14	1	3	5	7	10	14	20
6-12 YRS	16	7.1	112	<1	1	3	9	17	35	42
13-19 YRS	9	9.7	83	2	4	6	14	25	28	28
B. Operated										
0-27 DYS	2	17.5	1	17	17	17	18	18	18	18
1-11 MOS	32	15.8	190	2	6	14	19	30	42	69
1-5 YRS	60	20.0	283	6	8	16	24	41	66	98
6-12 YRS	13	30.4	723	7	10	14	52	74	83	85
13-19 YRS	16	8.1	20	2	4	8	11	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.1	4	1	1	3	4	6	7	8
B. Operated	59	9.3	62	2	3	7	12	19	24	44
2. MULTIPLE DX										
A. Not Operated	116	6.0	32	1	3	5	7	12	14	33
B. Operated	123	18.4	291	5	7	14	21	40	63	90
1. SINGLE DX	86	7.4	52	1	2	5	11	16	21	39
2. MULTIPLE DX	239	12.4	203	2	4	7	15	27	42	85
A. Not Operated	143	5.4	28	1	2	5	7	10	14	29
B. Operated	182	15.4	234	3	6	11	18	35	51	86
TOTAL										
0-27 DYS	2	17.5	1	17	17	17	18	18	18	18
1-11 MOS	71	10.7	123	2	4	6	15	22	29	64
1-5 YRS	179	10.9	159	2	4	7	14	23	39	82
6-12 YRS	38	15.6	405	1	3	8	15	48	65	85
13-19 YRS	35	7.3	35	2	3	6	10	14	20	28
GRAND TOTAL	**325**	**11.0**	**168**	**2**	**4**	**7**	**14**	**23**	**39**	**76**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	9.5	85	3	3	9	16	16	16	16
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	6.5	27	1	2	6	10	13	13	13
13-19 YRS	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	30.0		30	30	30	30	30	30	30
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	5	2	2	3	5	5	5	5
B. Operated	2	9.5	85	3	3	9	16	16	16	16
2. MULTIPLE DX										
A. Not Operated	5	7.0	22	1	3	8	10	13	13	13
B. Operated	1	30.0		30	30	30	30	30	30	30
1. SINGLE DX	4	6.5	42	2	2	4	10	16	16	16
2. MULTIPLE DX	6	10.8	105	1	4	8	13	28	30	30
A. Not Operated	7	6.0	18	1	2	5	9	12	13	13
B. Operated	3	16.3	182	3	6	16	26	30	30	30
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	12.8	173	2	2	9	23	30	30	30
6-12 YRS	5	6.2	21	1	3	5	9	13	13	13
13-19 YRS	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**10**	**9.1**	**77**	**1**	**3**	**6**	**13**	**23**	**30**	**30**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	11.7	16	5	9	13	14	16	16	16
6-12 YRS	3	6.7	9	4	4	6	9	10	10	10
13-19 YRS	11	9.0	17	4	5	10	13	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	3	9.0	28	5	5	7	13	15	15	15
2. MULTIPLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	20	9.5	17	4	5	10	13	15	15	16
1. SINGLE DX	5	6.4	27	2	3	5	9	15	15	15
2. MULTIPLE DX	21	9.3	17	4	6	10	13	15	15	16
A. Not Operated	3	4.0	7	2	2	3	6	7	7	7
B. Operated	23	9.4	17	4	5	10	13	15	16	16
TOTAL										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	8	11.0	23	4	7	13	14	16	16	16
6-12 YRS	5	5.4	9	2	3	5	7	10	10	10
13-19 YRS	12	8.8	16	4	5	8	12	14	15	15
GRAND TOTAL	**26**	**8.8**	**19**	**3**	**5**	**8**	**13**	**15**	**15**	**16**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	12	5.1	8	1	2	5	7	8	11	11
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	5	3.2	15	<1	1	1	5	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	5	4.0	5	<1	3	4	5	7	7	7
6-12 YRS	7	3.9	6	1	2	3	6	7	7	7
13-19 YRS	18	3.6	5	1	2	3	5	6	9	11
B. Operated										
0-27 DYS	0									
1-11 MOS	7	7.9	19	3	5	5	12	14	14	14
1-5 YRS	19	11.1	63	3	6	10	14	25	29	29
6-12 YRS	8	16.4	137	3	7	13	28	31	32	32
13-19 YRS	17	12.6	203	3	4	9	17	25	49	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	20	4.2	10	1	1	3	6	9	10	11
2. MULTIPLE DX										
A. Not Operated	32	3.7	5	1	2	3	5	7	7	11
B. Operated	51	12.0	115	3	5	9	16	28	32	99
1. SINGLE DX	22	4.0	9	1	1	3	6	8	10	11
2. MULTIPLE DX	83	8.8	89	2	3	5	11	21	29	87
A. Not Operated	34	3.6	5	1	2	3	5	7	7	11
B. Operated	71	9.8	97	2	4	7	13	27	29	91
TOTAL										
0-27 DYS	0									
1-11 MOS	10	6.5	19	2	4	5	10	13	14	14
1-5 YRS	37	8.0	45	2	4	6	10	17	26	29
6-12 YRS	18	8.9	107	1	2	5	9	29	31	32
13-19 YRS	40	7.4	108	1	3	4	9	17	23	61
GRAND TOTAL	**105**	**7.8**	**76**	**1**	**3**	**5**	**10**	**17**	**28**	**78**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	2.0	4	1	1	1	3	5	5	5
1-5 YRS	12	3.3	4	1	2	3	4	5	8	8
6-12 YRS	84	3.2	2	2	2	3	4	5	5	7
13-19 YRS	66	3.5	7	2	2	3	4	5	8	15
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	16	3.2	5	< 1	1	2	5	7	8	8
1-5 YRS	49	5.7	44	1	2	5	7	11	13	42
6-12 YRS	112	6.0	22	1	3	4	8	12	17	21
13-19 YRS	136	5.5	19	1	2	4	7	11	13	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	20	10.6	74	5	5	7	13	20	31	40
1-5 YRS	40	7.0	44	2	3	5	8	15	21	34
6-12 YRS	185	4.7	15	1	2	4	6	9	12	22
13-19 YRS	143	4.9	30	1	2	4	6	9	13	28
B. Operated										
0-27 DYS	2	33.5	113	26	26	33	41	41	41	41
1-11 MOS	17	11.8	67	3	6	9	15	26	28	29
1-5 YRS	69	12.1	122	2	4	9	19	24	30	60
6-12 YRS	102	10.3	98	2	4	7	13	23	32	50
13-19 YRS	161	11.5	159	2	5	8	14	24	39	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	166	3.3	4	2	2	3	4	5	6	14
B. Operated	314	5.6	23	1	2	4	7	11	14	23
2. MULTIPLE DX										
A. Not Operated	388	5.3	28	1	2	4	6	10	15	26
B. Operated	351	11.4	131	2	4	8	14	24	33	66
1. SINGLE DX	480	4.8	18	1	2	4	6	10	13	20
2. MULTIPLE DX	739	8.2	86	1	3	5	10	18	25	52
A. Not Operated	554	4.7	22	1	2	3	5	9	13	24
B. Operated	665	8.6	89	1	3	6	10	19	25	52
TOTAL										
0-27 DYS	3	23.3	366	3	9	26	37	41	41	41
1-11 MOS	57	8.3	62	1	3	6	11	18	26	39
1-5 YRS	170	8.4	82	1	3	5	11	21	25	41
6-12 YRS	483	5.9	38	1	3	4	7	12	18	32
13-19 YRS	506	7.0	75	1	2	5	8	14	22	52
GRAND TOTAL	**1219**	**6.9**	**62**	**1**	**3**	**5**	**8**	**15**	**22**	**41**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	3	3.7	21	1	1	1	7	9	9	9
13-19 YRS	7	3.3	3	1	2	4	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	3	2.3	5	1	1	1	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	5.7	14	3	3	4	8	10	10	10
6-12 YRS	0									
13-19 YRS	5	13.0	204	3	4	9	17	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	11	3.2	7	< 1	1	2	4	7	9	9
2. MULTIPLE DX										
A. Not Operated	4	5.5	44	1	1	3	10	15	15	15
B. Operated	8	10.3	135	3	4	7	10	30	38	38
1. SINGLE DX	11	3.2	7	< 1	1	2	4	7	9	9
2. MULTIPLE DX	12	8.7	103	1	3	5	10	22	36	38
A. Not Operated	4	5.5	44	1	1	3	10	15	15	15
B. Operated	19	6.2	69	1	2	4	8	10	25	38
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	4.5	15	< 1	1	3	7	10	10	10
6-12 YRS	4	6.5	46	1	1	5	12	15	15	15
13-19 YRS	15	6.3	84	1	2	4	6	10	31	38
GRAND TOTAL	**23**	**6.0**	**62**	**1**	**1**	**4**	**8**	**11**	**23**	**38**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	12.5	265	1	1	12	24	24	24	24
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	0									
1-5 YRS	6	2.0	4	1	1	1	2	6	6	6
6-12 YRS	4	2.5	4	<1	<1	2	4	5	5	5
13-19 YRS	3	3.0	3	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	8	3.6	10	2	2	2	4	9	11	11
6-12 YRS	3	3.0	3	2	2	2	4	5	5	5
13-19 YRS	0									
B. Operated										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	2	15.0	18	12	12	15	18	18	18	18
1-5 YRS	3	7.3	30	<1	2	10	11	11	11	11
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	8.7	176	1	1	1	18	24	24	24
B. Operated	14	2.6	4	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	12	3.3	7	2	2	2	4	7	10	11
B. Operated	11	6.9	36	<1	1	3	12	15	18	18
1. SINGLE DX	17	3.7	31	1	1	2	5	6	18	24
2. MULTIPLE DX	23	5.0	23	1	2	3	9	12	15	18
A. Not Operated	15	4.4	36	1	2	2	4	11	21	24
B. Operated	25	4.5	22	<1	1	3	6	12	14	18
TOTAL										
0-27 DYS	2	9.5	25	6	6	9	13	13	13	13
1-11 MOS	4	8.3	67	1	1	7	15	18	18	18
1-5 YRS	19	4.6	34	1	1	2	6	11	18	24
6-12 YRS	8	2.8	3	<1	1	2	4	5	5	5
13-19 YRS	7	2.4	2	<1	1	2	3	5	5	5
GRAND TOTAL	**40**	**4.5**	**26**	**1**	**1**	**2**	**5**	**12**	**15**	**24**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	3.2	2	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	3	5.7	4	4	4	5	7	8	8	8
B. Operated	4	6.5	42	2	2	4	10	16	16	16
1. SINGLE DX	5	3.2	2	1	2	3	4	5	5	5
2. MULTIPLE DX	7	6.1	22	2	3	5	7	14	16	16
A. Not Operated	3	5.7	4	4	4	5	7	8	8	8
B. Operated	9	4.7	20	1	2	3	5	12	16	16
TOTAL										
0-27 DYS	0									
1-11 MOS	5	3.4		3	3	3	4	4	4	4
1-5 YRS	4	4.0	10	1	1	3	6	8	8	8
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	2	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**12**	**4.9**	**15**	**2**	**3**	**4**	**5**	**10**	**15**	**16**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	4.8	8	2	2	4	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	4	4.8	8	2	2	4	7	8	8	8
1. SINGLE DX	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX	5	4.2	7	2	2	3	6	8	8	8
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	5	5.2	7	2	3	6	7	8	8	8
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	4	4.8	8	2	2	4	7	8	8	8
GRAND TOTAL	**6**	**4.7**	**7**	**2**	**2**	**4**	**7**	**8**	**8**	**8**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	8.7	40	5	5	5	13	16	16	16
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	7.0	13	4	4	6	10	11	11	11
B. Operated	7	6.1	20	2	4	5	6	14	16	16
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	10	6.4	17	3	4	5	6	13	16	16
A. Not Operated	4	6.0	13	3	3	5	8	11	11	11
B. Operated	7	6.1	20	2	4	5	6	14	16	16
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	4	9.3	28	5	5	8	13	16	16	16
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	0									
13-19 YRS	3	5.0	1	4	4	5	6	6	6	6
GRAND TOTAL	**11**	**6.1**	**16**	**3**	**4**	**5**	**6**	**13**	**16**	**16**

37: Malignant neoplasm of ovary [illegible]83.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	9.3	57	4	4	6	15	18	18	18
6-12 YRS	3	8.3	10	6	6	7	11	12	12	12
13-19 YRS	18	4.9	12	1	3	4	7	8	13	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	3.0	2	1	2	3	4	4	4	4
13-19 YRS	5	3.2	3	1	2	4	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	13	11.9	118	1	4	10	15	32	34	35
13-19 YRS	19	6.8	9	3	4	7	9	11	12	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	24	5.9	18	2	3	5	7	12	17	18
2. MULTIPLE DX										
A. Not Operated	9	3.1	2	1	2	4	4	5	5	5
B. Operated	33	8.9	56	3	4	7	11	15	29	35
1. SINGLE DX	25	5.8	17	2	4	5	7	12	16	18
2. MULTIPLE DX	42	7.7	50	2	4	5	10	14	24	35
A. Not Operated	10	3.2	2	1	2	4	4	5	5	5
B. Operated	57	7.6	41	3	4	6	9	14	19	35
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	9.3	38	4	5	7	13	18	18	18
6-12 YRS	21	9.3	86	1	4	5	13	24	33	35
13-19 YRS	42	5.6	11	2	4	5	7	10	12	16
GRAND TOTAL	**67**	**7.0**	**38**	**2**	**4**	**5**	**9**	**14**	**18**	**34**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	3.1	2	1	2	3	4	5	5	5
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	5	7.4	21	< 1	4	8	11	13	13	13
6-12 YRS	0									
13-19 YRS	4	4.0	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	9.3	46	4	5	7	14	17	17	17
1-5 YRS	3	4.3	4	2	3	5	6	6	6	6
6-12 YRS	0									
13-19 YRS	5	2.8		2	2	3	3	3	3	3
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	12.0	42	3	7	13	16	18	18	18
1-5 YRS	7	10.4	122	2	3	5	18	28	30	30
6-12 YRS	0									
13-19 YRS	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.1	2	1	2	3	4	5	5	5
B. Operated	11	5.5	13	1	3	5	8	11	13	13
2. MULTIPLE DX										
A. Not Operated	11	5.0	18	2	3	3	6	11	16	17
B. Operated	13	9.9	79	2	3	6	16	24	29	30
1. SINGLE DX	19	4.5	9	1	3	3	6	9	12	13
2. MULTIPLE DX	24	7.7	56	2	3	5	10	18	24	30
A. Not Operated	19	4.2	12	2	3	3	5	7	12	17
B. Operated	24	7.9	52	2	3	5	11	18	24	30
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	9.3	39	2	4	7	15	18	18	18
1-5 YRS	22	6.6	50	1	2	5	7	16	25	30
6-12 YRS	0									
13-19 YRS	11	3.5	2	2	3	3	4	6	6	6
GRAND TOTAL	**43**	**6.3**	**37**	**2**	**3**	**4**	**7**	**15**	**19**	**30**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	3	3.0	12	1	1	1	6	7	7	7
13-19 YRS	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	5	9.2	61	1	3	6	17	18	18	18
1-5 YRS	3	10.0	171	1	2	4	20	25	25	25
6-12 YRS	3	11.0	91	2	4	10	18	21	21	21
13-19 YRS	4	6.8	17	3	3	6	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	7	3.3	8	1	1	1	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	3	4.3	24	1	1	2	8	10	10	10
B. Operated	15	9.1	61	1	3	6	16	21	24	25
1. SINGLE DX	9	2.9	7	1	1	1	6	7	7	7
2. MULTIPLE DX	18	8.3	56	1	2	5	12	20	23	25
A. Not Operated	5	3.2	15	1	1	2	4	10	10	10
B. Operated	22	7.2	51	1	1	5	10	19	23	25
TOTAL										
0-27 DYS	0									
1-11 MOS	5	9.2	61	1	3	6	17	18	18	18
1-5 YRS	9	5.7	62	1	1	2	7	19	25	25
6-12 YRS	6	7.0	60	1	1	4	10	20	21	21
13-19 YRS	7	5.1	15	1	2	4	7	11	12	12
GRAND TOTAL	**27**	**6.5**	**46**	**1**	**1**	**4**	**9**	**18**	**22**	**25**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	3.3	2	1	2	4	4	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	4.2	5	1	2	5	6	7	7	7
6-12 YRS	4	8.0	129	2	2	3	14	25	25	25
13-19 YRS	12	3.4	7	1	1	3	4	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	3	5.0	7	2	3	6	7	7	7	7
6-12 YRS	10	3.3	10	1	1	2	5	8	11	11
13-19 YRS	18	4.1	6	<1	2	4	6	7	9	10
B. Operated										
0-27 DYS	0									
1-11 MOS	5	4.6	21	<1	1	3	7	12	12	12
1-5 YRS	5	9.0	8	6	6	10	11	12	12	12
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	23	7.5	40	1	3	6	9	19	22	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.5	3	1	1	2	4	4	4	4
B. Operated	22	4.3	27	1	1	3	5	8	15	25
2. MULTIPLE DX										
A. Not Operated	33	3.9	7	1	1	4	6	7	10	11
B. Operated	34	7.3	32	1	3	6	10	13	20	25
1. SINGLE DX	28	3.9	22	1	1	3	5	8	11	25
2. MULTIPLE DX	67	5.6	22	1	2	5	8	11	13	24
A. Not Operated	39	3.7	7	1	1	4	5	7	9	11
B. Operated	56	6.1	31	1	2	5	8	12	20	25
TOTAL										
0-27 DYS	0									
1-11 MOS	8	3.9	16	<1	1	2	6	10	12	12
1-5 YRS	17	5.5	10	1	[illegible]	5	7	11	12	12
6-12 YRS	16	4.6	38	1	1	2	5	11	21	25
13-19 YRS	54	5.3	24	1	2	4	7	10	17	25
GRAND TOTAL	**95**	**5.1**	**23**	**1**	**1**	**4**	**7**	**10**	**12**	**25**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	5.2	10	1	2	6	7	9	9	9
6-12 YRS	0									
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	20.5	254	7	7	17	33	40	40	40
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	4	13.5	78	4	6	14	21	21	21	21
1-5 YRS	10	11.9	165	1	3	7	15	34	39	39
6-12 YRS	4	10.5	42	1	6	13	14	15	15	15
13-19 YRS	2	12.0	50	7	7	12	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	10	3.5	9	< 1	1	2	6	8	9	9
2. MULTIPLE DX										
A. Not Operated	4	20.5	254	7	7	17	33	40	40	40
B. Operated	20	12.0	101	1	4	9	16	26	34	39
1. SINGLE DX	12	3.5	7	< 1	1	3	5	8	9	9
2. MULTIPLE DX	24	13.4	127	1	6	10	19	31	39	40
A. Not Operated	6	14.8	229	3	4	7	27	39	40	40
B. Operated	30	9.1	85	1	2	7	14	21	30	39
TOTAL										
0-27 DYS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-11 MOS	5	11.6	76	4	4	8	21	21	21	21
1-5 YRS	21	11.1	147	1	3	7	12	34	39	40
6-12 YRS	4	10.5	42	1	6	13	14	15	15	15
13-19 YRS	4	6.8	54	1	1	4	12	17	17	17
GRAND TOTAL	**36**	**10.1**	**108**	**1**	**3**	**7**	**14**	**26**	**36**	**40**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	5.8	27	3	3	4	7	15	15	15
1-5 YRS	27	5.1	13	2	3	4	5	12	14	14
6-12 YRS	3	3.7	5	1	2	5	5	5	5	5
13-19 YRS	0									
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	16	6.0	12	1	3	6	8	10	12	13
1-5 YRS	65	8.1	10	5	6	8	10	13	13	17
6-12 YRS	20	7.8	17	3	[illegible]	8	10	14	17	17
13-19 YRS	1	44.0		44	44	44	44	44	44	44
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	6.7	6	4	5	6	9	10	10	10
1-5 YRS	40	7.3	164	1	3	4	7	13	23	79
6-12 YRS	21	4.3	10	1	2	3	6	8	11	13
13-19 YRS	4	8.3	46	1	2	8	14	15	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	24	14.2	167	4	6	10	16	32	41	61
1-5 YRS	94	12.9	90	5	8	10	16	24	39	48
6-12 YRS	39	11.8	149	3	5	8	13	27	37	65
13-19 YRS	3	7.7	42	1	3	8	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	5.1	13	2	3	4	5	12	14	15
B. Operated	103	8.1	24	4	5	7	10	13	14	30
2. MULTIPLE DX										
A. Not Operated	72	6.4	97	1	2	4	7	11	16	68
B. Operated	160	12.8	114	4	7	10	15	25	37	60
1. SINGLE DX	138	7.3	23	3	4	7	9	13	14	21
2. MULTIPLE DX	232	10.8	117	2	5	8	13	19	33	62
A. Not Operated	107	6.0	70	1	3	4	7	12	15	51
B. Operated	263	10.9	84	4	6	9	13	18	31	49
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	52	9.9	98	3	4	7	11	17	31	60
1-5 YRS	226	9.6	78	3	5	8	11	16	24	46
6-12 YRS	83	8.7	87	1	4	6	10	17	24	56
13-19 YRS	8	12.5	194	1	3	10	14	35	44	44
GRAND TOTAL	**370**	**9.5**	**85**	**3**	**4**	**7**	**11**	**16**	**25**	**49**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	8	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	4	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	24	2.8	14	1	1	2	3	4	9	20
1-5 YRS	34	3.4	18	1	1	2	4	6	8	25
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	9.5	113	2	2	9	17	17	17	17
1-5 YRS	14	7.1	101	<1	1	4	9	17	34	39
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	0									
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	10	3.9	17	1	2	3	5	49	96	99+
1-5 YRS	12	4.3	13	1	2	3	6	10	12	12
6-12 YRS	2	6.5	1	6	6	6	7	7	7	7
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.3	1	<1	<1	<1	1	3	4	4
B. Operated	61	3.0	16	1	1	2	3	5	7	24
2. MULTIPLE DX										
A. Not Operated	18	6.8	87	<1	1	4	9	16	30	39
B. Operated	26	4.5	13	1	2	3	7	11	28	99+
1. SINGLE DX	77	2.7	13	<1	1	2	3	4	7	24
2. MULTIPLE DX	44	5.5	43	1	2	4	7	15	22	99+
A. Not Operated	34	4.2	53	<1	<1	1	4	10	17	39
B. Operated	87	3.5	15	1	1	2	4	7	12	71
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	38	3.3	19	1	1	2	3	11	19	99+
1-5 YRS	68	4.0	34	<1	1	2	4	9	12	36
6-12 YRS	9	2.9	5	<1	1	2	4	7	7	7
13-19 YRS	5	2.8	7	1	1	1	5	7	7	7
GRAND TOTAL	**121**	**3.7**	**26**	**<1**	**1**	**2**	**4**	**8**	**15**	**56**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	4.6	14	1	2	3	8	10	10	10
1-5 YRS	29	3.0	15	1	1	2	3	5	10	21
6-12 YRS	28	1.8	1	1	1	1	3	4	4	4
13-19 YRS	15	3.6	31	1	1	2	3	7	19	23
B. Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	11.7	35	4	8	10	18	19	19	19
1-5 YRS	131	6.9	32	1	2	6	10	15	16	23
6-12 YRS	155	7.7	38	1	3	7	10	15	19	29
13-19 YRS	67	7.3	30	1	3	6	10	14	20	25
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	10	3.5	17	1	1	2	3	10	14	14
1-5 YRS	146	4.2	43	1	1	3	5	8	13	99+
6-12 YRS	123	6.1	79	1	2	3	8	12	20	50
13-19 YRS	72	4.6	22	1	2	3	6	9	13	27
B. Operated										
0-27 DYS	0									
1-11 MOS	36	18.2	228	6	8	13	29	46	58	99+
1-5 YRS	266	13.9	213	3	5	10	16	29	42	76
6-12 YRS	255	13.9	221	3	6	9	16	34	50	99+
13-19 YRS	118	12.4	171	2	5	9	14	26	41	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	2.8	13	1	1	2	3	5	8	22
B. Operated	360	7.4	34	1	3	6	10	15	18	28
2. MULTIPLE DX										
A. Not Operated	351	4.9	51	1	1	3	6	10	14	59
B. Operated	675	13.9	210	3	6	10	16	32	46	97
1. SINGLE DX	437	6.6	33	1	2	5	9	14	18	25
2. MULTIPLE DX	1026	10.8	174	1	3	7	13	25	41	93
A. Not Operated	428	4.5	45	1	1	3	5	9	14	43
B. Operated	1035	11.6	158	2	5	8	14	24	39	88
TOTAL										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	57	13.8	189	2	4	10	17	40	49	97
1-5 YRS	572	9.3	138	1	2	6	12	20	31	74
6-12 YRS	561	9.9	143	1	3	7	11	20	34	87
13-19 YRS	272	8.6	101	1	3	6	11	19	25	61
GRAND TOTAL	**1463**	**9.6**	**135**	**1**	**3**	**7**	**11**	**20**	**32**	**81**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	3	5.0	9	2	3	5	7	8	8	8
1-5 YRS	13	5.7	22	<1	1	6	10	11	13	13
6-12 YRS	10	6.4	8	2	5	7	9	9	9	9
13-19 YRS	7	5.6	11	1	3	6	7	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	10.5	5	9	9	10	12	12	12	12
1-5 YRS	12	3.5	13	<1	1	2	4	10	12	12
6-12 YRS	6	8.8	93	2	3	6	7	26	28	28
13-19 YRS	3	4.7	10	<1	1	6	7	7	7	7
B. Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	5	12.8	52	3	10	15	21	92	99+	99+
1-5 YRS	30	10.9	81	2	5	7	18	24	25	34
6-12 YRS	36	9.9	55	2	5	9	13	23	33	99+
13-19 YRS	11	13.0	170	4	5	10	16	65	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.6	3	<1	1	2	3	5	6	6
B. Operated	33	5.8	13	1	2	6	9	10	11	13
2. MULTIPLE DX										
A. Not Operated	23	5.7	36	<1	1	3	7	12	18	28
B. Operated	83	10.9	77	2	5	9	15	25	38	99+
1. SINGLE DX	42	5.1	13	1	2	5	8	10	11	13
2. MULTIPLE DX	106	9.8	72	2	4	8	14	24	34	99+
A. Not Operated	32	4.8	28	<1	1	3	6	10	12	28
B. Operated	116	9.4	64	2	5	8	13	23	31	99+
TOTAL										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	10	10.0	38	2	6	10	16	53	96	99+
1-5 YRS	61	7.5	59	<1	2	5	10	22	24	33
6-12 YRS	53	9.1	49	2	5	8	11	19	28	97
13-19 YRS	23	8.7	100	1	4	6	11	20	65	99+
GRAND TOTAL	**148**	**8.4**	**60**	**1**	**3**	**7**	**12**	**21**	**28**	**99+**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	4.3	16	1	1	2	7	10	11	11
1-5 YRS	30	4.8	84	1	1	3	5	7	8	52
6-12 YRS	10	4.2	14	1	3	3	4	10	14	14
13-19 YRS	6	2.7	5	1	1	2	3	7	7	7
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS	34	11.2	266	1	3	5	9	37	54	68
6-12 YRS	15	4.5	10	1	2	4	7	10	10	10
13-19 YRS	32	3.0	8	1	2	2	3	5	6	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	17	4.8	21	1	1	3	7	13	15	16
1-5 YRS	91	5.2	22	1	1	4	7	11	15	24
6-12 YRS	37	4.6	39	1	1	2	5	13	15	33
13-19 YRS	17	2.6	3	1	2	2	3	5	7	7
B. Operated										
0-27 DYS	3	10.7	58	4	5	9	16	19	19	19
1-11 MOS	33	9.6	80	1	4	8	13	18	27	46
1-5 YRS	120	12.5	216	2	4	7	14	29	51	71
6-12 YRS	71	15.0	260	2	5	9	19	43	58	94
13-19 YRS	42	4.5	10	2	2	4	5	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	4.3	51	1	1	3	5	7	10	50
B. Operated	85	6.6	124	1	2	4	6	10	34	64
2. MULTIPLE DX										
A. Not Operated	162	4.7	24	1	1	3	6	11	14	26
B. Operated	269	11.6	187	2	4	7	13	28	50	71
1. SINGLE DX	139	5.7	96	1	2	3	6	9	16	58
2. MULTIPLE DX	431	9.0	137	1	2	5	10	19	37	61
A. Not Operated	216	4.6	31	1	1	3	6	10	14	29
B. Operated	354	10.4	176	2	3	6	12	24	47	70
TOTAL										
0-27 DYS	5	7.2	52	1	2	4	11	19	19	19
1-11 MOS	60	7.4	57	1	2	6	10	15	18	44
1-5 YRS	275	9.1	155	1	2	5	10	18	37	65
6-12 YRS	133	10.1	178	1	2	5	12	28	46	76
13-19 YRS	97	3.5	8	1	2	3	4	7	9	17
GRAND TOTAL	**570**	**8.2**	**129**	**1**	**2**	**5**	**9**	**17**	**33**	**59**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	1.0		1	1	1	1	1	1	1
1-5 YRS	18	4.2	51	<1	<1	1	4	8	22	31
6-12 YRS	7	3.1	4	1	2	3	6	72	99+	99+
13-19 YRS	7	3.7	7	<1	1	4	6	7	7	7
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	13	6.5	19	1	2	6	9	13	14	14
1-5 YRS	35	6.2	16	1	3	5	9	12	13	15
6-12 YRS	12	4.3	6	1	2	5	6	7	8	8
13-19 YRS	17	6.1	30	1	3	6	7	8	19	25
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	7.5	13	5	5	7	10	10	10	10
1-11 MOS	18	5.3	22	1	1	4	8	11	15	17
1-5 YRS	76	6.3	70	1	2	4	7	14	21	47
6-12 YRS	69	5.4	30	1	2	4	6	12	20	29
13-19 YRS	82	3.7	8	1	2	3	5	7	9	15
B. Operated										
0-27 DYS	1	14.0		14	14	57	99+	99+	99+	99+
1-11 MOS	35	14.8	314	2	5	9	16	35	65	70
1-5 YRS	117	12.7	168	2	4	8	15	32	44	59
6-12 YRS	85	9.2	72	1	4	6	12	25	28	40
13-19 YRS	117	9.4	99	2	4	6	10	22	31	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	3.5	28	<1	1	2	5	7	23	99+
B. Operated	78	6.0	18	1	2	6	8	12	13	22
2. MULTIPLE DX										
A. Not Operated	247	5.1	35	1	2	4	6	10	15	31
B. Operated	355	11.0	139	2	4	7	13	28	37	66
1. SINGLE DX	114	5.2	22	1	1	5	7	10	13	55
2. MULTIPLE DX	602	8.6	104	1	3	5	9	21	31	58
A. Not Operated	283	4.9	34	1	2	4	6	9	15	41
B. Operated	433	10.1	120	2	4	7	11	24	34	63
TOTAL										
0-27 DYS	4	9.3	14	5	7	10	35	99+	99+	99+
1-11 MOS	70	10.1	188	1	2	7	11	19	35	69
1-5 YRS	246	9.1	118	1	2	5	10	22	33	47
6-12 YRS	173	7.1	52	1	3	5	9	15	26	40
13-19 YRS	223	6.9	64	1	3	5	8	13	24	43
GRAND TOTAL	**716**	**8.0**	**93**	**1**	**2**	**5**	**9**	**18**	**29**	**57**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	7	2.4	5	1	1	2	3	6	7	7
13-19 YRS	23	2.6	3	<1	1	2	4	5	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	3.9	9	1	2	3	6	9	9	9
6-12 YRS	39	4.3	6	2	2	4	6	8	9	12
13-19 YRS	125	5.2	40	1	2	4	7	9	12	31
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.5	1	1	1	1	2	3	3	3
6-12 YRS	20	4.2	10	1	2	4	5	9	11	13
13-19 YRS	54	3.9	15	1	1	3	5	8	10	23
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	7.1	10	4	4	6	10	12	12	12
6-12 YRS	22	8.9	93	2	3	6	11	23	33	40
13-19 YRS	110	9.0	88	2	5	7	10	16	19	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.5	3	1	1	2	4	5	6	7
B. Operated	172	4.9	31	1	2	4	6	9	12	20
2. MULTIPLE DX										
A. Not Operated	78	3.8	13	1	1	3	5	8	10	21
B. Operated	140	8.9	84	2	4	7	10	16	24	53
1. SINGLE DX	205	4.5	27	1	2	4	6	9	11	18
2. MULTIPLE DX	218	7.1	64	1	2	5	8	14	18	44
A. Not Operated	111	3.4	10	1	1	2	5	7	10	17
B. Operated	312	6.7	58	1	2	5	8	12	16	45
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	23	4.3	12	1	1	3	7	10	11	12
6-12 YRS	88	5.3	32	1	2	4	6	10	13	35
13-19 YRS	312	6.1	54	1	2	5	7	11	15	45
GRAND TOTAL	**423**	**5.8**	**48**	**1**	**2**	**5**	**7**	**11**	**15**	**40**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	6.6	5	3	5	7	8	9	9	9
1-5 YRS	103	3.9	21	< 1	1	2	5	9	11	28
6-12 YRS	85	4.0	14	< 1	1	3	5	11	12	17
13-19 YRS	64	3.8	30	1	1	2	4	8	9	37
B. Operated										
0-27 DYS	0									
1-11 MOS	15	8.3	19	3	6	7	11	15	17	18
1-5 YRS	214	8.3	62	1	3	6	10	20	24	38
6-12 YRS	153	6.5	82	1	2	5	8	11	19	60
13-19 YRS	66	6.2	34	1	2	4	10	13	21	28
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	11	5.2	22	1	2	4	6	14	15	15
1-5 YRS	292	4.8	23	1	2	3	6	10	15	26
6-12 YRS	260	4.7	54	1	1	3	6	9	14	27
13-19 YRS	136	4.3	27	1	1	3	5	10	12	27
B. Operated										
0-27 DYS	0									
1-11 MOS	20	18.7	163	5	9	14	26	34	43	52
1-5 YRS	313	15.1	184	4	6	10	21	32	43	91
6-12 YRS	244	15.5	213	2	6	10	20	38	51	64
13-19 YRS	128	20.3	331	3	6	14	30	48	69	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	257	4.0	21	< 1	1	2	5	9	11	24
B. Operated	448	7.4	64	1	2	5	9	16	22	38
2. MULTIPLE DX										
A. Not Operated	699	4.7	35	1	1	3	6	10	14	26
B. Operated	705	16.3	223	3	6	11	23	38	52	84
1. SINGLE DX	705	6.1	51	1	2	4	8	13	20	35
2. MULTIPLE DX	1404	10.5	163	1	3	6	13	28	39	69
A. Not Operated	956	4.5	31	1	1	3	6	9	13	25
B. Operated	1153	12.8	180	2	4	8	17	31	41	71
TOTAL										
0-27 DYS	0									
1-11 MOS	51	11.5	107	3	4	8	14	26	34	52
1-5 YRS	922	9.0	107	1	3	6	11	23	29	62
6-12 YRS	742	8.5	132	1	2	5	10	20	34	61
13-19 YRS	394	9.7	181	1	2	4	11	30	40	71
GRAND TOTAL	**2109**	**9.1**	**130**	**1**	**2**	**5**	**11**	**23**	**34**	**64**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	10.0	5	7	8	10	11	13	13	13
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	4.3	16	1	1	4	7	9	9	9
6-12 YRS	5	4.8	5	1	4	5	6	7	7	7
13-19 YRS	4	6.0	35	1	1	4	10	14	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	15.0	508	1	1	3	31	41	41	41
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.2	7	< 1	< 1	1	3	7	7	7
B. Operated	8	6.9	22	1	2	8	10	12	13	13
2. MULTIPLE DX										
A. Not Operated	13	5.0	15	1	1	5	7	10	13	14
B. Operated	6	11.0	224	1	3	6	8	38	41	41
1. SINGLE DX	13	5.1	21	< 1	1	3	9	11	13	13
2. MULTIPLE DX	19	6.9	80	1	2	5	8	12	29	41
A. Not Operated	18	4.2	14	1	1	3	7	8	12	14
B. Operated	14	8.6	102	1	3	7	10	16	35	41
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	14	8.1	108	1	1	6	10	16	35	41
6-12 YRS	9	4.2	6	1	1	5	6	7	7	7
13-19 YRS	9	5.0	21	1	1	3	8	12	14	14
GRAND TOTAL	**32**	**6.2**	**55**	**1**	**1**	**5**	**8**	**12**	**14**	**41**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	18	2.6	4	<1	<1	1	4	6	6	6
6-12 YRS	20	5.6	14	1	2	6	8	10	13	15
13-19 YRS	13	5.8	121	<1	1	3	5	13	37	42
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	25	10.4	272	<1	1	3	13	45	70	99+
6-12 YRS	27	9.3	112	1	2	7	10	29	36	38
13-19 YRS	15	12.3	266	1	1	2	20	41	43	44
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	5.3	2	4	4	5	6	7	7	7
1-5 YRS	35	7.2	75	<1	2	5	8	18	22	47
6-12 YRS	46	5.9	82	<1	2	4	7	10	17	51
13-19 YRS	41	9.9	100	2	3	7	12	29	33	40
B. Operated										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	9	20.3	192	4	10	18	33	39	43	43
1-5 YRS	70	[illegible]	303	4	9	22	34	47	61	94
6-12 YRS	61	25.9	453	5	8	24	44	60	77	99+
13-19 YRS	85	35.8	522	5	15	33	52	65	81	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	4.6	38	<1	<1	4	6	8	12	42
B. Operated	67	10.4	201	1	2	4	11	39	44	93
2. MULTIPLE DX										
A. Not Operated	125	7.6	86	1	2	5	8	18	31	48
B. Operated	226	28.7	450	5	10	27	44	61	71	99+
1. SINGLE DX	118	7.9	138	<1	1	4	9	26	42	74
2. MULTIPLE DX	351	21.2	422	2	5	11	34	55	64	99
A. Not Operated	176	6.7	73	<1	2	4	7	12	26	46
B. Operated	293	24.5	451	2	6	20	41	58	67	99+
TOTAL										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	12	16.6	186	3	6	11	28	36	42	43
1-5 YRS	148	14.6	271	<1	3	8	24	44	56	99+
6-12 YRS	154	14.8	321	1	3	7	22	45	58	99
13-19 YRS	154	24.1	518	2	4	15	41	58	66	88
GRAND TOTAL	**469**	**17.8**	**383**	**1**	**3**	**9**	**31**	**51**	**62**	**97**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	12	3.0	5	<1	1	2	5	6	7	7
6-12 YRS	14	6.1	43	<1	1	3	9	17	21	22
13-19 YRS	4	8.0	22	5	5	6	11	15	15	15
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
[illegible] YRS	13	13.3	176	2	5	10	16	40	42	43
6-12 YRS	10	7.5	88	<1	1	4	12	22	31	31
13-19 YRS	10	6.8	30	1	3	5	11	15	18	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	32	7.0	24	2	3	5	10	15	18	19
6-12 YRS	27	5.5	14	2	2	5	8	12	13	13
13-19 YRS	10	8.3	70	2	3	5	11	23	27	27
B. Operated										
0-27 DYS	0									
1-11 MOS	7	19.0	210	4	7	17	31	40	42	42
1-5 YRS	43	25.9	554	4	10	16	48	86	99+	99+
6-12 YRS	27	16.8	220	3	5	11	24	41	45	53
13-19 YRS	30	26.8	527	3	8	14	43	60	68	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	5.1	27	<1	1	4	7	12	17	22
B. Operated	37	9.0	100	<1	3	5	11	18	36	43
2. MULTIPLE DX										
A. Not Operated	70	6.6	26	2	3	5	9	13	18	25
B. Operated	107	23.4	448	3	9	15	38	60	74	99+
1. SINGLE DX	67	7.3	70	<1	2	5	9	17	23	42
2. MULTIPLE DX	177	16.8	348	2	4	10	21	50	62	99+
A. Not Operated	100	6.2	27	1	2	5	8	13	17	24
B. Operated	144	19.7	397	2	5	12	32	53	68	99+
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	13.6	182	3	4	7	20	37	42	42
1-5 YRS	100	15.5	354	2	4	9	18	51	76	99+
6-12 YRS	78	9.8	123	1	3	6	12	24	38	50
13-19 YRS	54	18.3	400	2	5	11	26	56	61	74
GRAND TOTAL	**244**	**14.1**	**289**	**2**	**3**	**8**	**17**	**42**	**59**	**99+**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	7.0	50	2	2	7	12	12	12	12
1-5 YRS	19	3.5	9	<1	1	3	4	9	10	10
6-12 YRS	18	2.3	3	<1	1	2	3	5	6	7
13-19 YRS	32	2.6	6	<1	1	1	3	7	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	38	6.0	21	2	2	4	10	13	15	18
6-12 YRS	39	6.7	119	1	1	4	7	11	19	67
13-19 YRS	56	5.4	44	1	1	4	8	11	14	96
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	19.5	221	9	9	19	30	30	30	30
1-5 YRS	50	6.9	56	1	3	5	9	12	13	46
6-12 YRS	41	5.6	26	1	2	3	8	11	17	25
13-19 YRS	40	4.4	7	1	2	4	6	8	9	13
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	28.2	1139	2	3	12	57	80	83	83
1-5 YRS	54	15.9	203	2	7	12	21	36	42	72
6-12 YRS	89	15.1	205	2	7	10	17	35	47	66
13-19 YRS	68	15.3	198	2	5	10	22	40	48	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	2.9	7	<1	1	2	3	7	10	12
B. Operated	133	6.0	59	1	2	4	8	11	15	72
2. MULTIPLE DX										
A. Not Operated	133	5.9	36	1	3	4	8	12	13	33
B. Operated	218	15.7	225	2	6	11	19	39	48	72
1. SINGLE DX	204	4.9	43	1	1	3	7	10	13	56
2. MULTIPLE DX	351	12.0	176	2	3	8	14	31	42	58
A. Not Operated	204	4.9	28	1	2	3	7	10	12	29
B. Operated	351	12.0	184	1	3	8	14	31	44	71
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	10	22.2	740	2	3	11	30	70	83	83
1-5 YRS	161	9.3	113	1	3	6	12	19	34	46
6-12 YRS	187	10.0	152	1	3	7	12	23	36	64
13-19 YRS	196	8.2	111	1	2	5	9	19	39	51
GRAND TOTAL	555	9.4	139	1	2	6	11	23	37	58

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	1.8	1	<1	<1	1	2	3	3	3
1-5 YRS	10	1.5	3	<1	<1	1	1	4	6	6
6-12 YRS	19	2.5	4	<1	1	2	3	5	8	9
13-19 YRS	44	3.1	10	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	5.0	18	2	2	5	8	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	6	5.0	31	1	1	2	8	14	15	15
6-12 YRS	6	6.3	21	3	4	4	8	14	15	15
13-19 YRS	13	7.1	96	1	2	4	8	16	34	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	78	2.6	7	<1	1	2	3	6	8	15
2. MULTIPLE DX										
A. Not Operated	2	5.0	18	2	2	5	8	8	8	8
B. Operated	28	5.9	56	1	2	3	8	13	18	38
1. SINGLE DX	78	2.6	7	<1	1	2	3	6	8	15
2. MULTIPLE DX	30	5.8	52	1	2	3	8	12	15	38
A. Not Operated	2	5.0	18	2	2	5	8	8	8	8
B. Operated	106	3.5	22	1	1	2	4	8	10	26
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	1.6	1	<1	1	1	2	3	3	3
1-5 YRS	16	2.8	15	<1	<1	1	2	8	13	15
6-12 YRS	25	3.4	10	1	1	2	4	8	10	15
13-19 YRS	59	4.0	30	1	1	2	5	8	11	36
GRAND TOTAL	108	3.5	21	1	1	2	4	8	10	25

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	0									
1-5 YRS	4	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	3	7.3		7	7	7	8	8	8	8
1-5 YRS	32	2.7	8	< 1	1	1	3	7	9	13
6-12 YRS	30	2.9	8	< 1	1	2	4	7	10	12
13-19 YRS	19	6.9	19	< 1	3	8	10	11	14	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	2.6	2	< 1	2	2	3	5	5	5
6-12 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
13-19 YRS	6	2.7	7	1	1	2	3	7	8	8
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	15.1	213	2	4	9	21	39	43	43
1-5 YRS	18	3.9	34	< 1	1	2	4	9	19	25
6-12 YRS	38	5.7	18	1	2	5	9	11	14	17
13-19 YRS	25	6.6	12	2	4	6	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.6	16	< 1	< 1	1	2	9	13	13
B. Operated	84	3.9	14	< 1	1	2	6	10	11	15
2. MULTIPLE DX										
A. Not Operated	16	2.6	3	< 1	1	2	3	5	7	8
B. Operated	89	6.3	40	1	2	5	9	12	17	36
1. SINGLE DX	93	3.8	14	< 1	1	2	6	10	11	15
2. MULTIPLE DX	105	5.8	36	1	2	4	8	11	15	33
A. Not Operated	25	2.6	7	< 1	1	2	3	5	9	13
B. Operated	173	5.1	28	1	1	3	8	11	12	24
TOTAL										
0-27 DYS	2	9.0	32	5	5	9	13	13	13	13
1-11 MOS	10	12.8	157	2	7	8	20	32	43	43
1-5 YRS	62	2.9	14	< 1	1	1	3	6	9	24
6-12 YRS	73	4.3	15	1	1	2	7	10	12	17
13-19 YRS	51	6.2	16	1	2	6	9	11	12	16
GRAND TOTAL	**198**	**4.8**	**26**	**1**	**1**	**3**	**7**	**11**	**12**	**24**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	15	1.9	5	< 1	< 1	1	2	5	8	9
6-12 YRS	5	1.2		< 1	< 1	< 1	1	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	16	2.6	9	< 1	1	1	2	8	9	9
1-5 YRS	240	1.5	5	< 1	1	1	1	2	3	6
6-12 YRS	83	1.6	2	< 1	1	1	2	3	5	7
13-19 YRS	34	2.3	5	< 1	< 1	1	3	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	2.1	2	< 1	< 1	2	3	5	5	5
6-12 YRS	2	3.5	13	1	1	3	6	6	6	6
13-19 YRS	3	5.0	13	< 1	1	6	7	8	8	8
B. Operated										
0-27 DYS	2	6.0	8	4	4	6	8	8	8	8
1-11 MOS	10	5.7	23	< 1	2	4	8	13	15	15
1-5 YRS	101	3.4	27	1	1	2	4	7	10	33
6-12 YRS	50	3.2	8	1	1	2	6	8	8	9
13-19 YRS	20	4.9	21	1	1	3	7	12	15	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	1.8	4	< 1	< 1	< 1	2	3	7	9
B. Operated	374	1.6	5	< 1	1	1	1	3	5	9
2. MULTIPLE DX										
A. Not Operated	13	3.0	6	< 1	< 1	2	5	7	8	8
B. Operated	183	3.7	21	1	1	2	5	8	11	23
1. SINGLE DX	395	1.6	4	< 1	1	1	1	3	5	9
2. MULTIPLE DX	196	3.6	20	1	1	2	5	8	10	22
A. Not Operated	34	2.2	5	< 1	< 1	1	2	6	8	9
B. Operated	557	2.3	11	< 1	1	1	2	5	8	15
TOTAL										
0-27 DYS	3	7.3	9	4	5	8	9	10	10	10
1-11 MOS	27	3.7	15	< 1	1	2	6	9	12	15
1-5 YRS	363	2.0	12	< 1	1	1	2	4	6	17
6-12 YRS	140	2.2	4	< 1	1	1	2	6	8	8
13-19 YRS	58	3.3	12	< 1	1	2	5	7	10	16
GRAND TOTAL	**591**	**2.3**	**10**	**< 1**	**1**	**1**	**2**	**5**	**8**	**15**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS	4	3.5	14	1	1	2	6	9	9	9
13-19 YRS	6	1.7		1	1	2	2	2	2	2
B. Operated										
0-27 DYS	9	7.7	17	2	4	8	10	13	14	14
1-11 MOS	46	2.3	4	<1	1	1	3	5	6	8
1-5 YRS	104	2.5	5	<1	1	1	3	6	7	11
6-12 YRS	306	2.0	5	1	1	1	2	4	5	9
13-19 YRS	440	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	5	1.6	1	1	1	1	2	3	3	3
13-19 YRS	5	1.2		<1	<1	1	1	2	2	2
B. Operated										
0-27 DYS	7	8.4	14	4	5	9	12	13	13	13
1-11 MOS	26	5.1	16	1	2	4	7	11	15	17
1-5 YRS	31	7.4	93	1	1	4	8	21	36	36
6-12 YRS	87	4.1	76	1	1	2	5	8	11	56
13-19 YRS	86	2.8	10	1	1	2	3	7	7	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.7	5	1	2	2	3	7	9	9
B. Operated	905	2.1	4	1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	17	1.6	1	<1	1	1	2	3	4	4
B. Operated	237	4.3	48	1	1	2	5	9	13	36
1. SINGLE DX	918	2.1	4	1	1	1	2	4	6	10
2. MULTIPLE DX	254	4.1	45	1	1	2	5	8	13	36
A. Not Operated	30	2.1	3	<1	1	2	2	4	6	9
B. Operated	1142	2.6	14	1	1	1	3	5	7	15
TOTAL										
0-27 DYS	18	7.5	15	2	4	7	11	13	14	14
1-11 MOS	75	3.2	10	<1	1	2	5	7	8	16
1-5 YRS	140	3.5	28	<1	1	2	4	7	9	36
6-12 YRS	402	2.5	21	1	1	1	3	5	7	16
13-19 YRS	537	2.1	4	1	1	1	2	4	6	9
GRAND TOTAL	**1172**	**2.6**	**14**	**1**	**1**	**1**	**3**	**5**	**7**	**14**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	1.8	1	1	1	1	3	3	3	3
1-11 MOS	29	1.9	2	<1	1	1	2	4	6	7
1-5 YRS	22	2.5	6	1	1	1	3	7	8	10
6-12 YRS	11	2.7	8	<1	1	2	3	6	11	11
13-19 YRS	8	3.8	6	1	2	3	5	8	8	8
B. Operated										
0-27 DYS	15	2.9	12	1	1	1	4	7	11	13
1-11 MOS	236	2.7	15	<1	<1	1	2	7	10	19
1-5 YRS	451	1.9	4	<1	<1	1	2	4	5	9
6-12 YRS	275	2.2	5	<1	<1	1	2	5	7	11
13-19 YRS	110	2.4	5	<1	<1	1	3	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	5.0	32	1	1	3	9	13	13	13
1-11 MOS	38	4.5	21	1	2	3	4	8	13	26
1-5 YRS	32	3.4	12	<1	1	2	4	6	11	18
6-12 YRS	9	4.4	7	<1	3	5	5	8	10	10
13-19 YRS	9	4.6	14	1	2	2	8	10	10	10
B. Operated										
0-27 DYS	15	7.2	27	2	3	6	11	14	18	19
1-11 MOS	107	7.1	65	1	1	4	10	17	23	40
1-5 YRS	153	3.7	44	<1	1	2	5	7	11	22
6-12 YRS	102	3.2	26	<1	1	2	3	6	9	34
13-19 YRS	43	5.7	39	<1	1	3	7	15	20	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	2.4	5	<1	1	2	3	6	7	11
B. Operated	1087	2.2	7	<1	<1	1	2	5	7	13
2. MULTIPLE DX										
A. Not Operated	92	4.1	16	1	2	3	5	9	12	23
B. Operated	420	4.8	46	<1	1	2	6	12	17	32
1. SINGLE DX	1162	2.2	7	<1	<1	1	2	5	7	13
2. MULTIPLE DX	512	4.7	41	<1	1	3	5	11	16	30
A. Not Operated	167	3.4	12	1	1	2	4	7	10	17
B. Operated	1507	2.9	19	<1	1	1	3	7	10	21
TOTAL										
0-27 DYS	39	4.6	22	1	1	3	7	13	14	19
1-11 MOS	410	4.0	31	<1	1	2	4	10	14	27
1-5 YRS	658	2.4	14	<1	1	1	3	5	7	16
6-12 YRS	397	2.5	11	<1	<1	1	3	6	8	14
13-19 YRS	170	3.4	16	<1	1	2	4	8	11	21
GRAND TOTAL	**1674**	**3.0**	**18**	**<1**	**1**	**1**	**3**	**7**	**10**	**21**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	7	1.9	1	<1	<1	1	3	3	3	3
13-19 YRS	32	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	4	1.5		<1	<1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	40	1.2		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	6	1.5		<1	<1	1	2	2	2	2
1. SINGLE DX	40	1.2		<1	<1	<1	1	2	3	3
2. MULTIPLE DX	6	1.5		<1	<1	1	2	2	2	2
A. Not Operated	0									
B. Operated	46	1.3		<1	<1	<1	1	2	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	9	1.8	1	<1	1	1	3	3	3	3
13-19 YRS	36	1.1		<1	<1	<1	1	2	2	2
GRAND TOTAL	**46**	**1.3**		**<1**	**<1**	**<1**	**1**	**2**	**3**	**3**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	4	3.8		3	3	4	4	4	4	4
1-5 YRS	3	5.3	5	4	4	4	7	8	8	8
6-12 YRS	0									
13-19 YRS	6	5.0	2	4	4	5	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	4.0		3	4	4	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	15	4.9	4	3	4	4	5	8	10	10
1. SINGLE DX	6	4.0		3	4	4	4	5	5	5
2. MULTIPLE DX	16	4.8	4	3	4	4	5	8	9	10
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	21	4.7	3	3	4	4	5	8	9	10
TOTAL										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	4	3.8		3	3	4	4	4	4	4
1-5 YRS	4	5.0	4	4	4	4	6	8	8	8
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	11	4.5	2	3	4	4	5	6	8	8
GRAND TOTAL	**22**	**4.6**	**3**	**3**	**4**	**4**	**5**	**8**	**9**	**10**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	0									
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	1	3.0		3	3	3	3	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	2	2.5	1	2	2	2	3	3	3	3

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	9	3.6	1	2	3	4	4	5	5	5
6-12 YRS	37	3.9	2	2	3	4	5	6	6	7
13-19 YRS	182	3.7	1	2	3	4	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	4.3	12	1	2	4	7	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	5.2	9	2	3	5	6	10	10	10
6-12 YRS	23	4.8	2	3	4	5	6	6	8	9
13-19 YRS	204	4.4	5	3	3	4	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	229	3.8	1	2	3	4	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	4	3.5	11	1	1	3	6	8	8	8
B. Operated	232	4.5	5	3	3	4	5	6	7	11
1. SINGLE DX	231	3.7	2	2	3	4	4	5	6	8
2. MULTIPLE DX	236	4.4	5	3	3	4	5	6	7	11
A. Not Operated	6	3.0	7	1	1	2	4	8	8	8
B. Operated	461	4.1	3	3	3	4	5	6	7	9
TOTAL										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	14	4.1	4	2	3	4	5	6	9	10
6-12 YRS	62	4.2	2	2	3	4	5	6	7	9
13-19 YRS	390	4.1	3	3	3	4	5	6	7	9
GRAND TOTAL	467	4.1	3	3	3	4	5	6	7	9

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	3.2	4	<1	1	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	5	3.2	4	<1	1	4	5	5	5	5
1. SINGLE DX	5	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	5	3.2	4	<1	1	4	5	5	5	5
A. Not Operated	0									
B. Operated	10	2.4	3	<1	<1	2	4	5	5	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	9	2.6	3	<1	1	2	4	5	5	5
GRAND TOTAL	10	2.4	3	<1	<1	2	4	5	5	5

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	1.8	1	<1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	9	1.7	1	<1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	1.5	1	<1	<1	1	2	2	2	2
1. SINGLE DX	9	1.7	1	<1	1	1	2	4	4	4
2. MULTIPLE DX	2	1.5	1	<1	<1	1	2	2	2	2
A. Not Operated	0									
B. Operated	11	1.6	1	<1	1	1	2	3	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	9	1.8	1	<1	1	1	2	4	4	4
GRAND TOTAL	11	1.6	1	<1	1	1	2	3	4	4

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	1	17.0		17	17	17	17	17	17	17
B. Operated	4	4.0	3	2	3	4	5	6	6	6
1. SINGLE DX	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX	5	6.6	36	2	3	4	9	17	17	17
A. Not Operated	1	17.0		17	17	17	17	17	17	17
B. Operated	6	3.7	2	2	2	4	4	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	9.0	49	4	4	6	14	17	17	17
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	3 3	1	2	2	4	4	4	4	4
GRAND TOTAL	**7**	**5.8**	**27**	**2**	**3**	**4**	**6**	**15**	**17**	**17**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	15	1.7	2	< 1	< 1	1	2	4	5	6
6-12 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	3	3.3	16	1	1	1	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	26	1.7	3	< 1	< 1	< 1	1	4	6	8
2. MULTIPLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	4	1.3		1	1	1	2	2	2	2
1. SINGLE DX	27	1.7	3	< 1	< 1	< 1	1	4	6	8
2. MULTIPLE DX	6	1.2		1	1	1	1	2	2	2
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	30	1.6	3	< 1	< 1	1	1	3	6	8
TOTAL										
0-27 DYS	0									
1-11 MOS	6	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	16	1.6	2	< 1	< 1	1	2	4	5	6
6-12 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	6	2.5	8	1	1	2	2	7	8	8
GRAND TOTAL	**33**	**1.6**	**2**	**<1**	**<1**	**1**	**1**	**3**	**6**	**8**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	11	4.3	6	<1	2	4	7	8	8	8
1-5 YRS	10	3.9	11	1	1	2	8	9	9	9
6-12 YRS	15	7.2	5	5	5	7	9	9	12	13
13-19 YRS	20	7.2	40	2	4	6	8	11	21	31
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	10.0	233	<1	1	5	14	37	37	37
6-12 YRS	3	5.3	12	2	3	5	8	9	9	9
13-19 YRS	6	2.2	3	1	1	2	3	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	11	10.9	38	3	6	10	16	19	20	20
1-5 YRS	26	11.6	80	4	6	8	15	27	32	37
6-12 YRS	32	10.8	79	3	5	8	14	26	38	99+
13-19 YRS	32	11.2	181	4	5	8	11	18	23	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.3	2	2	2	3	4	5	5	5
B. Operated	56	6.0	20	1	4	6	8	9	11	30
2. MULTIPLE DX										
A. Not Operated	14	5.6	87	1	1	3	5	12	31	37
B. Operated	101	11.1	104	4	6	8	14	23	30	90
1. SINGLE DX	59	5.9	20	1	3	5	8	9	11	29
2. MULTIPLE DX	115	10.5	105	2	5	8	13	23	30	87
A. Not Operated	17	5.2	72	1	1	3	5	8	27	37
B. Operated	157	9.3	80	2	5	7	10	18	27	77
TOTAL										
0-27 DYS	0									
1-11 MOS	22	7.6	33	1	4	6	10	17	19	20
1-5 YRS	42	9.3	85	1	2	7	10	22	33	37
6-12 YRS	51	9.3	56	3	5	7	10	24	29	99
13-19 YRS	59	8.8	119	2	4	7	10	15	22	76
GRAND TOTAL	**174**	**8.9**	**80**	**2**	**4**	**7**	**10**	**18**	**27**	**70**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	1.4		<1	1	1	2	2	2	2
6-12 YRS	6	2.0		1	2	2	2	3	3	3
13-19 YRS	50	1.7		1	1	2	2	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	9	2.6	5	1	1	2	3	6	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	62	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	11	2.4	4	1	1	2	3	5	8	8
1. SINGLE DX	62	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX	11	2.4	4	1	1	2	3	5	8	8
A. Not Operated	0									
3. Operated	73	1.8	1	1	1	2	2	3	3	7
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	1.4		<1	1	1	2	2	2	2
6-12 YRS	8	1.9		1	1	2	2	3	3	3
13-19 YRS	59	1.8	1	1	1	2	2	3	3	8
GRAND TOTAL	**73**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**7**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	7.0	32	3	3	7	11	11	11	11
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	14	6.4	15	3	4	5	9	11	16	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	3.1	15	1	1	1	5	10	11	11
6-12 YRS	2	3.5	13	1	1	3	6	6	6	6
13-19 YRS	6	4.0	9	<1	1	3	7	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	2	8.0	2	7	7	8	9	9	9	9
1-5 YRS	4	10.8	24	8	8	9	13	18	18	18
6-12 YRS	8	15.1	62	6	10	14	19	28	30	30
13-19 YRS	28	11.1	226	2	5	6	12	27	36	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7		<1	<1	2	2	2	2	2
B. Operated	18	6.2	14	3	3	5	9	11	15	17
2. MULTIPLE DX										
A. Not Operated	15	3.5	11	1	1	1	6	8	10	11
B. Operated	42	11.7	165	3	5	8	13	24	31	78
1. SINGLE DX	21	5.6	15	2	3	5	7	10	14	17
2. MULTIPLE DX	57	9.5	136	1	4	6	11	19	30	75
A. Not Operated	18	3.2	9	<1	1	2	6	8	10	11
B. Operated	60	10.1	125	3	5	7	11	18	30	73
TOTAL										
0-27 DYS	0									
1-11 MOS	2	8.0	2	7	7	8	9	9	9	9
1-5 YRS	14	5.7	28	1	1	4	9	12	17	18
6-12 YRS	14	10.0	73	2	3	8	16	23	28	30
13-19 YRS	48	8.9	143	2	4	6	9	16	30	78
GRAND TOTAL	**78**	**8.5**	**106**	**1**	**3**	**6**	**10**	**17**	**27**	**65**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	3.0	3	1	2	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	3	3.0	3	1	2	4	4	4	4	4
1. SINGLE DX	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX	3	3.0	3	1	2	4	4	4	4	4
A. Not Operated	0									
B. Operated	5	2.2	3	<1	1	1	4	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	2.2	3	<1	1	1	4	4	4	4
GRAND TOTAL	**5**	**2.2**	**3**	**<1**	**1**	**1**	**4**	**4**	**4**	**4**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	2	8.5	1	8	8	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	8.0		8	8	8	8	8	8	8
B. Operated	3	3.0	4	<1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	3	2.0		2	2	2	2	2	2	2
B. Operated	5	4.0	17	<1	<1	<1	8	9	9	9
1. SINGLE DX	4	4.3	9	<1	1	4	6	8	8	8
2. MULTIPLE DX	8	3.3	11	<1	<1	2	5	9	9	9
A. Not Operated	4	3.5	9	2	2	2	5	8	8	8
B. Operated	8	3.6	11	<1	<1	2	6	9	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	3	3.3	16	<1	<1	<1	6	8	8	8
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	7	4.4	9	2	2	3	7	9	9	9
GRAND TOTAL	**12**	**3.6**	**10**	**<1**	**<1**	**2**	**6**	**8**	**9**	**9**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	3.8	18	1	1	2	5	11	12	12
1-5 YRS	24	3.0	11	<1	1	1	4	8	10	13
6-12 YRS	25	2.8	16	1	1	1	3	4	15	17
13-19 YRS	15	3.9	11	1	1	3	6	9	11	12
B. Operated										
0-27 DYS	4	6.5	9	4	4	6	9	10	10	10
1-11 MOS	32	3.2	15	<1	1	1	4	8	10	18
1-5 YRS	83	2.6	8	<1	1	1	4	6	8	15
6-12 YRS	111	3.8	17	1	1	2	5	8	11	21
13-19 YRS	122	3.7	8	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	20	3.2	6	1	1	2	5	7	9	9
1-5 YRS	46	3.1	15	1	1	1	4	9	11	20
6-12 YRS	49	3.9	30	<1	1	2	4	8	12	29
13-19 YRS	47	2.9	9	1	1	2	3	5	8	17
B. Operated										
0-27 DYS	3	53.0	1651	19	25	42	84	98	98	98
1-11 MOS	20	11.5	203	2	2	6	15	25	45	62
1-5 YRS	77	10.8	147	2	5	7	11	24	32	75
6-12 YRS	127	10.3	159	1	3	6	11	22	42	58
13-19 YRS	124	8.4	64	1	3	6	10	20	26	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	3.2	13	1	1	2	4	8	12	16
B. Operated	352	3.5	11	1	1	2	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	165	3.3	16	1	1	2	4	7	10	25
B. Operated	351	10.2	149	2	3	7	12	22	33	70
1. SINGLE DX	422	3.4	12	1	1	2	5	8	10	15
2. MULTIPLE DX	516	7.9	117	1	2	5	9	19	27	57
A. Not Operated	235	3.2	15	1	1	2	4	7	11	21
B. Operated	703	6.8	91	1	1	4	8	15	23	53
TOTAL										
0-27 DYS	10	19.2	917	2	3	6	19	70	98	98
1-11 MOS	78	5.4	72	1	1	2	6	12	20	52
1-5 YRS	230	5.5	70	<1	1	3	7	11	20	37
6-12 YRS	312	6.4	87	1	1	3	7	14	22	53
13-19 YRS	308	5.5	36	1	2	4	7	12	19	32
GRAND TOTAL	**938**	**5.9**	**75**	**1**	**1**	**3**	**7**	**13**	**20**	**50**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	13	1.8		1	1	2	2	3	3	3
13-19 YRS	43	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	12	2.9	10	1	1	2	3	8	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	59	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	14	2.9	8	1	1	2	3	7	10	11
1. SINGLE DX	60	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX	14	2.9	8	1	1	2	3	7	10	11
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	73	1.9	2	1	1	2	2	3	3	10
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	15	1.9		1	1	2	2	3	3	3
13-19 YRS	56	2.0	3	1	1	2	2	3	3	11
GRAND TOTAL	**74**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**10**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	3.0	9	1	1	2	3	8	9	9
1-11 MOS	5	3.6	13	2	2	2	4	10	10	10
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	6	2.7	3	1	1	2	4	5	5	5
13-19 YRS	17	2.6	3	1	1	2	3	5	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	2.4	4	1	1	2	3	6	6	6
6-12 YRS	16	2.6	1	2	2	3	3	4	5	5
13-19 YRS	34	3.0	3	1	2	3	3	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	5.0	29	1	2	3	8	13	13	13
1-11 MOS	12	4.8	13	1	2	3	7	11	12	12
1-5 YRS	4	2.3	4	1	1	2	3	5	5	5
6-12 YRS	12	3.9	9	1	2	3	5	9	11	11
13-19 YRS	32	6.3	50	2	2	4	7	12	14	39
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	5.5	40	1	1	3	7	16	20	20
13-19 YRS	11	5.0	9	2	3	4	6	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.8	5	1	1	2	3	5	9	10
B. Operated	55	2.8	3	1	2	3	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	64	5.2	31	1	2	3	7	12	13	35
B. Operated	20	5.0	21	1	2	4	6	10	15	20
1. SINGLE DX	91	2.8	4	1	2	2	3	5	6	11
2. MULTIPLE DX	84	5.2	28	1	2	3	6	11	13	33
A. Not Operated	100	4.3	23	1	2	3	5	10	12	26
B. Operated	75	3.4	8	1	2	3	4	6	9	18
TOTAL										
0-27 DYS	10	3.8	16	1	1	2	3	11	13	13
1-11 MOS	17	4.4	12	2	2	2	6	10	11	12
1-5 YRS	12	2.2	3	<1	1	2	3	5	6	6
6-12 YRS	42	3.5	11	1	2	3	4	7	9	20
13-19 YRS	94	4.3	22	1	2	3	5	9	12	28
GRAND TOTAL	**175**	**3.9**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**18**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	129	5.1	4	3	4	5	6	8	9	11
6-12 YRS	278	4.8	3	2	4	5	6	7	8	10
13-19 YRS	141	4.7	11	2	3	4	6	7	8	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	5.3	13	2	2	4	8	10	10	10
1-5 YRS	86	5.0	6	2	3	5	6	9	10	11
6-12 YRS	168	5.3	10	2	3	5	7	8	9	12
13-19 YRS	196	5.6	28	2	3	5	7	8	12	34
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	6	7.2	57	<1	3	5	7	20	22	22
13-19 YRS	8	12.1	429	2	2	7	7	46	63	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	550	4.9	6	2	3	5	6	7	8	10
B. Operated	3	5.7	16	2	3	5	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	454	5.4	17	2	3	5	7	8	10	19
B. Operated	16	8.9	234	1	2	5	7	21	51	63
1. SINGLE DX	553	4.9	6	2	3	5	6	7	8	10
2. MULTIPLE DX	470	5.5	24	2	3	5	7	8	10	28
A. Not Operated	1004	5.1	11	2	3	5	6	8	9	13
B. Operated	19	8.4	198	1	2	5	7	17	45	63
TOTAL										
0-27 DYS	0									
1-11 MOS	6	5.2	8	2	3	5	6	10	10	10
1-5 YRS	218	5.0	5	2	4	5	6	8	9	11
6-12 YRS	452	5.0	7	2	3	5	6	7	8	11
13-19 YRS	347	5.4	30	2	3	5	6	8	10	37
GRAND TOTAL	**1023**	**5.1**	**14**	**2**	**3**	**5**	**6**	**8**	**9**	**15**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	5.6	11	1	3	6	8	10	10	10
1-5 YRS	109	4.9	6	2	3	5	7	8	9	11
6-12 YRS	663	3.8	6	1	2	3	5	7	9	11
13-19 YRS	966	3.1	4	1	2	3	4	6	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	3.5	4	2	2	3	5	7	7	7
13-19 YRS	17	3.8	3	2	3	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	14	6.9	15	3	4	6	8	12	16	17
1-5 YRS	170	5.0	10	1	3	5	6	9	11	14
6-12 YRS	876	4.1	10	1	2	3	5	8	9	16
13-19 YRS	1720	3.8	7	1	2	3	5	7	9	14
B. Operated										
0-27 DYS	3	10.3	16	8	8	8	13	15	15	15
1-11 MOS	5	9.6	23	3	5	12	13	14	14	14
1-5 YRS	6	10.2	36	6	6	8	13	20	21	21
6-12 YRS	23	9.3	148	2	4	6	8	21	38	58
13-19 YRS	104	7.9	83	3	4	5	8	16	20	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1746	3.5	5	1	2	3	5	7	8	11
B. Operated	23	3.7	3	2	2	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	2780	4.0	8	1	2	3	5	7	9	15
B. Operated	141	8.3	87	3	4	6	9	16	21	60
1. SINGLE DX	1769	3.5	5	1	2	3	5	7	8	11
2. MULTIPLE DX	2921	4.2	13	1	2	3	5	8	10	16
A. Not Operated	4526	3.8	7	1	2	3	5	7	8	13
B. Operated	164	7.7	78	3	4	5	8	14	20	54
TOTAL										
0-27 DYS	3	10.3	16	8	8	8	13	15	15	15
1-11 MOS	27	7.0	16	2	4	7	10	13	14	17
1-5 YRS	285	5.0	9	1	3	5	7	9	10	14
6-12 YRS	1568	4.0	10	1	2	3	5	8	9	15
13-19 YRS	2807	3.7	10	1	2	3	5	7	8	14
GRAND TOTAL	**4690**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	23.0	8	21	21	23	25	25	25	25
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	19.0		19	19	19	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	14.0		14	14	14	14	14	14	14
B. Operated	3	21.7	9	19	19	21	24	25	25	25
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	4	19.8	21	14	16	20	23	25	25	25
A. Not Operated	2	9.0	50	4	4	9	14	14	14	14
B. Operated	3	21.7	9	19	19	21	24	25	25	25
TOTAL										
0-27 DYS	0									
1-11 MOS	2	23.0	8	21	21	23	25	25	25	25
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	0									
13-19 YRS	2	11.5	113	4	4	11	19	19	19	19
GRAND TOTAL	5	16.6	65	4	11	19	22	25	25	25

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	23.3	1534	3	3	4	43	82	82	82
1-5 YRS	118	4.6	5	2	3	4	6	7	9	12
6-12 YRS	353	4.6	4	2	3	4	6	7	8	11
13-19 YRS	367	3.9	4	2	3	4	5	6	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	4	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	5.3	6	2	4	5	6	9	10	10
1-5 YRS	125	4.7	7	1	3	5	6	8	11	13
6-12 YRS	381	4.6	11	1	3	4	6	8	9	20
13-19 YRS	584	5.1	40	2	2	4	6	9	11	32
B. Operated										
0-27 DYS	0									
1-~~11~~ MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	5	7.2	32	4	4	4	9	17	17	17
13-19 YRS	30	7.5	112	1	2	5	8	16	20	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	842	4.4	11	2	3	4	5	7	8	11
B. Operated	5	1.8	2	<1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated	1100	4.9	26	1	2	4	6	8	11	26
B. Operated	37	7.4	94	1	2	5	8	16	20	57
1. SINGLE DX	847	4.4	11	2	3	4	5	7	8	11
2. MULTIPLE DX	1137	5.0	28	1	2	4	6	8	11	28
A. Not Operated	1942	4.7	20	2	3	4	6	7	9	19
B. Operated	42	6.8	86	1	2	5	7	14	19	57
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	14	10.7	426	3	4	5	7	17	68	82
1-5 YRS	245	4.7	6	2	3	5	6	7	9	12
6-12 YRS	739	4.6	8	2	3	4	6	7	8	14
13-19 YRS	985	4.7	29	2	2	4	5	8	10	26
GRAND TOTAL	1984	4.7	21	2	3	4	6	8	9	20

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	1.8	2	<1	1	1	2	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	2.9	1	<1	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	1.6		1	1	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	11	3.2	4	1	2	3	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.8	2	<1	1	1	2	4	4	4
B. Operated	7	2.9	1	<1	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	5	1.6		1	1	2	2	2	2	2
B. Operated	13	3.2	3	1	2	3	4	6	7	7
1. SINGLE DX	12	2.4	2	<1	1	2	3	4	4	4
2. MULTIPLE DX	18	2.8	3	1	2	2	4	5	7	7
A. Not Operated	10	1.7	1	<1	1	1	2	3	4	4
B. Operated	20	3.1	2	1	2	3	4	5	6	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	28	2.6	2	1	1	2	3	4	6	7
GRAND TOTAL	**30**	**2.6**	**2**	**1**	**1**	**2**	**4**	**4**	**6**	**7**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	7	4.6	7	1	2	6	7	7	7	7
1-11 MOS	40	3.7	23	1	1	2	3	11	15	22
1-5 YRS	122	1.8	6	1	1	1	2	3	4	15
6-12 YRS	166	1.8	13	1	1	1	2	3	4	8
13-19 YRS	99	2.4	8	1	1	1	2	6	7	17
B. Operated										
0-27 DYS	0									
1-11 MOS	8	14.0	321	2	3	5	23	45	49	49
1-5 YRS	14	2.8	4	1	1	2	4	6	7	7
6-12 YRS	20	2.6	7	<1	1	2	3	7	10	10
13-19 YRS	12	5.8	75	1	1	2	6	16	30	32
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	29	6.7	29	1	3	5	9	17	23	99+
1-11 MOS	93	6.0	46	1	2	4	7	13	17	38
1-5 YRS	304	2.9	12	1	1	2	3	5	7	21
6-12 YRS	301	2.8	33	1	1	1	2	5	7	24
13-19 YRS	262	2.6	7	1	1	2	3	5	8	18
B. Operated										
0-27 DYS	3	7.3	44	3	3	4	12	15	15	15
1-11 MOS	14	12.3	222	2	3	8	20	56	89	99+
1-5 YRS	27	8.3	45	3	3	7	12	16	40	99+
6-12 YRS	29	5.6	22	1	1	5	8	11	13	22
13-19 YRS	32	9.1	155	2	3	5	10	17	45	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	434	2.1	11	1	1	1	2	3	7	16
B. Operated	54	5.1	78	1	1	2	5	10	28	48
2. MULTIPLE DX										
A. Not Operated	989	3.2	22	1	1	2	4	6	9	23
B. Operated	105	8.3	96	1	3	5	11	19	35	99+
1. SINGLE DX	488	2.5	19	1	1	1	2	5	7	23
2. MULTIPLE DX	1094	3.7	31	1	1	2	4	8	13	35
A. Not Operated	1423	2.9	19	1	1	2	3	6	8	22
B. Operated	159	7.2	92	1	2	4	9	15	32	95
TOTAL										
0-27 DYS	39	6.3	25	1	3	5	9	16	20	99+
1-11 MOS	155	6.4	75	1	2	3	8	15	24	56
1-5 YRS	467	2.9	14	1	1	2	3	5	8	22
6-12 YRS	516	2.6	26	1	1	1	2	5	8	19
13-19 YRS	405	3.2	24	1	1	2	3	6	10	26
GRAND TOTAL	**1582**	**3.3**	**28**	**1**	**1**	**2**	**3**	**7**	**11**	**33**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	10	5.2	12	2	2	4	8	10	12	12
1-5 YRS	8	4.1	8	1	2	3	6	9	9	9
6-12 YRS	0									
13-19 YRS	6	13.2	68	3	9	12	21	24	24	24
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	2	9.5	13	7	7	9	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	8	6.6	39	1	2	4	9	17	20	20
1-11 MOS	95	9.0	55	3	4	7	11	19	24	76
1-5 YRS	60	12.5	171	2	4	9	14	28	39	69
6-12 YRS	41	13.2	307	3	5	7	11	26	60	87
13-19 YRS	67	24.2	552	4	6	13	39	70	88	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	21	23.8	381	5	8	26	41	83	99+	99+
1-5 YRS	32	14.5	240	3	5	10	16	37	38	75
6-12 YRS	34	10.1	101	2	4	5	15	26	40	99+
13-19 YRS	18	11.4	94	1	5	10	14	28	33	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	7.4	41	2	2	4	9	20	22	24
B. Operated	6	5.5	16	1	2	5	7	12	12	12
2. MULTIPLE DX										
A. Not Operated	271	14.1	275	3	5	8	15	38	58	97
B. Operated	105	14.4	217	2	5	10	[illegible]	37	54	99+
1. SINGLE DX	31	7.0	36	2	2	4	9	16	21	24
2. MULTIPLE DX	376	14.2	258	3	5	9	16	38	56	99+
A. Not Operated	296	13.5	258	3	4	8	14	37	54	94
B. Operated	111	13.9	210	2	4	9	18	37	50	99+
TOTAL										
0-27 DYS	9	8.1	54	1	3	5	13	20	20	20
1-11 MOS	126	11.2	136	3	4	7	14	29	44	99+
1-5 YRS	102	12.3	183	2	4	9	14	32	38	73
6-12 YRS	77	11.6	210	2	4	7	13	26	47	96
13-19 YRS	93	20.7	449	3	6	11	33	59	80	99+
GRAND TOTAL	**407**	**13.7**	**245**	**3**	**4**	**8**	**15**	**37**	**53**	**99+**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	33	6.2	20	2	3	5	10	13	15	18
1-5 YRS	70	9.1	24	2	6	9	12	14	16	24
6-12 YRS	170	10.5	31	3	6	11	14	17	19	25
13-19 YRS	195	10.9	24	5	8	10	14	14	17	31
B. Operated										
0-27 DYS	6	19.0	141	10	10	14	26	39	40	40
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	7	10.1	72	1	6	9	10	24	28	28
6-12 YRS	10	9.4	40	1	2	13	14	16	17	17
13-19 YRS	18	13.4	44	4	10	13	15	24	28	29
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	11.0	304	1	3	5	9	42	50	50
1-11 MOS	160	9.7	69	2	4	7	14	21	24	33
1-5 YRS	245	8.3	24	2	4	9	11	14	16	20
6-12 YRS	412	12.4	41	5	9	12	15	21	25	34
13-19 YRS	585	11.8	36	5	8	11	14	18	21	33
B. Operated										
0-27 DYS	8	40.5	985	12	17	28	62	91	99	99+
1-11 MOS	27	24.0	402	10	14	18	27	63	96	99+
1-5 YRS	38	15.9	115	5	8	13	21	31	38	49
6-12 YRS	83	16.2	118	6	9	14	19	30	41	57
13-19 YRS	77	17.7	118	7	10	15	22	33	40	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	470	10.1	28	3	7	10	14	15	18	27
B. Operated	42	12.7	64	2	9	13	14	26	28	40
2. MULTIPLE DX										
A. Not Operated	1409	11.1	42	3	7	10	14	18	22	33
B. Operated	233	18.4	197	7	10	15	22	35	45	96
1. SINGLE DX	512	10.3	31	3	7	10	14	15	18	29
2. MULTIPLE DX	1642	12.2	71	3	7	11	15	21	26	45
A. Not Operated	1879	10.9	39	3	7	10	14	18	21	32
B. Operated	275	17.5	181	6	10	14	21	32	43	90
TOTAL										
0-27 DYS	23	22.7	626	2	5	13	28	55	82	99
1-11 MOS	221	11.0	125	2	4	8	14	22	28	77
1-5 YRS	360	9.3	40	2	4	9	13	16	19	31
6-12 YRS	675	12.3	50	4	8	12	15	20	25	39
13-19 YRS	875	12.2	44	6	8	11	14	18	23	35
GRAND TOTAL	**2154**	**11.7**	**62**	**3**	**7**	**11**	**14**	**19**	**25**	**43**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	2.3	2	<1	1	2	3	4	4	4
6-12 YRS	3	2.0	3	1	1	1	3	4	4	4
13-19 YRS	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	9	4.4	1	3	4	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	14	5.4	28	1	2	3	7	11	19	21
6-12 YRS	10	13.9	264	2	2	9	15	43	49	49
13-19 YRS	9	20.0	378	3	4	14	31	52	57	57
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	18.0		18	18	18	18	18	18	18
13-19 YRS	11	6.8	3	5	5	7	8	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.6	19	<1	1	2	4	11	14	14
B. Operated	10	4.1	2	2	4	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	34	12.1	212	2	3	6	15	38	48	57
B. Operated	13	7.7	12	5	5	7	8	12	17	18
1. SINGLE DX	18	3.9	9	1	2	4	5	6	11	14
2. MULTIPLE DX	47	10.9	159	2	3	7	11	26	46	57
A. Not Operated	42	10.5	185	1	2	4	14	30	47	57
B. Operated	23	6.1	11	3	4	5	7	9	13	18
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	18	4.7	23	1	2	3	6	9	17	21
6-12 YRS	15	10.9	204	1	2	4	14	37	46	49
13-19 YRS	30	10.3	150	3	4	6	10	22	45	57
GRAND TOTAL	**65**	**8.9**	**126**	**2**	**3**	**5**	**10**	**18**	**39**	**56**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	45	3.4	8	1	2	2	4	7	10	14
1-11 MOS	39	3.4	7	1	2	3	4	7	10	12
1-5 YRS	114	2.8	10	<1	<1	1	3	7	10	17
6-12 YRS	88	2.4	10	<1	<1	2	2	4	7	18
13-19 YRS	74	2.8	6	<1	1	2	3	6	9	10
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	4.0	15	1	1	3	5	10	14	14
1-5 YRS	49	3.5	10	1	1	3	5	8	12	13
6-12 YRS	45	3.0	8	1	1	2	4	6	8	15
13-19 YRS	25	3.8	16	<1	1	3	4	8	15	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	40	6.8	76	2	3	5	7	10	23	50
1-11 MOS	155	6.3	66	1	2	4	8	13	16	51
1-5 YRS	276	4.8	60	1	2	2	5	9	16	34
6-12 YRS	212	5.0	59	<1	1	3	5	11	16	49
13-19 YRS	124	4.5	45	1	2	3	5	8	11	40
B. Operated										
0-27 DYS	12	22.5	280	7	13	18	35	71	95	99+
1-11 MOS	65	13.4	191	2	4	10	17	30	47	64
1-5 YRS	105	12.2	275	1	2	5	15	38	55	87
6-12 YRS	54	10.8	173	1	2	5	13	32	42	54
13-19 YRS	39	12.5	179	1	2	5	20	34	42	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	360	2.8	9	<1	1	2	3	6	9	15
B. Operated	131	3.4	11	1	1	3	4	7	12	15
2. MULTIPLE DX										
A. Not Operated	807	5.2	59	1	2	3	6	11	16	48
B. Operated	275	12.7	224	1	2	7	17	37	47	74
1. SINGLE DX	491	3.0	9	<1	1	2	3	7	10	15
2. MULTIPLE DX	1082	7.1	112	1	2	3	7	17	28	63
A. Not Operated	1167	4.5	45	<1	1	2	5	9	14	32
B. Operated	406	9.7	173	1	2	4	12	27	42	67
TOTAL										
0-27 DYS	98	7.1	102	2	2	4	8	16	33	82
1-11 MOS	270	7.5	97	1	2	4	9	15	22	58
1-5 YRS	544	5.7	97	<1	1	2	6	13	22	66
6-12 YRS	399	5.0	64	<1	1	2	5	11	18	46
13-19 YRS	262	5.1	61	<1	1	3	5	11	20	46
GRAND TOTAL	**1573**	**5.8**	**83**	**<1**	**1**	**3**	**6**	**13**	**21**	**53**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	1	13.0		13	13	13	13	13	13	13
1. SINGLE DX	0									
2. MULTIPLE DX	3	7.0	31	2	3	6	11	13	13	13
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	1	13.0		13	13	13	13	13	13	13
TOTAL										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	7.5	61	2	2	7	13	13	13	13
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**3**	**7.0**	**31**	**2**	**3**	**6**	**11**	**13**	**13**	**13**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	24	2.6	2	1	2	2	3	3	5	8
1-11 MOS	110	3.2	9	1	2	3	4	5	7	19
1-5 YRS	231	2.4	2	1	1	2	3	4	5	8
6-12 YRS	100	2.0	2	1	1	2	2	4	5	8
13-19 YRS	40	2.2	2	1	1	2	3	4	6	7
B. Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	8.8	25	3	5	8	12	16	16	16
1-5 YRS	3	8.0	127	1	1	2	16	21	21	21
6-12 YRS	2	11.0	128	3	3	11	19	19	19	19
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	230	4.6	16	1	2	3	6	9	12	21
1-11 MOS	2977	3.5	14	1	2	3	4	6	8	17
1-5 YRS	5381	2.7	6	1	2	2	3	4	6	11
6-12 YRS	1886	2.6	5	1	1	2	3	5	6	13
13-19 YRS	1186	3.1	16	1	1	2	3	5	9	16
B. Operated										
0-27 DYS	16	9.5	155	2	3	5	9	23	43	51
1-11 MOS	107	13.9	283	3	5	8	15	37	54	97
1-5 YRS	123	14.3	403	1	3	6	16	39	64	92
6-12 YRS	53	11.5	143	1	3	7	17	23	31	68
13-19 YRS	56	7.3	95	1	2	4	8	20	26	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	505	2.5	4	1	1	2	3	4	5	10
B. Operated	13	7.7	48	2	3	5	12	19	21	21
2. MULTIPLE DX										
A. Not Operated	11660	3.0	9	1	2	2	3	5	7	14
B. Operated	355	12.5	273	2	3	6	15	30	50	92
1. SINGLE DX	518	2.6	5	1	1	2	3	5	6	14
2. MULTIPLE DX	12015	3.2	19	1	2	2	3	5	8	19
A. Not Operated	12165	2.9	9	1	2	2	3	5	7	14
B. Operated	368	12.3	265	2	3	6	15	29	49	92
TOTAL										
0-27 DYS	272	4.7	24	2	2	3	5	9	12	24
1-11 MOS	3199	3.9	26	1	2	3	4	7	10	23
1-5 YRS	5738	2.9	17	1	2	2	3	5	6	15
6-12 YRS	2041	2.8	11	1	1	2	3	5	7	17
13-19 YRS	1283	3.3	20	1	1	2	4	5	9	21
GRAND TOTAL	**12533**	**3.2**	**19**	**1**	**2**	**2**	**3**	**5**	**8**	**19**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	22	1.9	1	1	1	2	2	3	4	4
1-5 YRS	41	2.2	2	1	1	2	3	4	5	7
6-12 YRS	0									
13-19 YRS	10	2.1	1	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	10	1.8	1	<1	1	2	2	3	4	4
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	9	3.4	14	1	2	2	3	9	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	37	3.5	6	1	2	3	4	7	9	12
1-5 YRS	73	4.0	31	1	2	3	4	6	8	39
6-12 YRS	25	3.3	4	1	2	3	5	7	7	7
13-19 YRS	62	3.3	13	1	1	2	4	6	7	24
B. Operated										
0-27 DYS	0									
1-11 MOS	4	8.3	67	1	1	7	15	18	18	18
1-5 YRS	11	6.5	38	2	2	5	7	16	22	23
6-12 YRS	8	6.0	4	3	4	6	7	8	8	8
13-19 YRS	15	5.3	20	1	3	4	6	10	17	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	2.1	1	1	1	2	3	4	4	7
B. Operated	21	2.6	7	1	1	2	3	4	8	13
2. MULTIPLE DX										
A. Not Operated	197	3.6	17	1	2	3	4	6	7	25
B. Operated	38	6.1	25	2	3	5	8	12	19	23
1. SINGLE DX	94	2.2	3	1	1	2	3	4	4	10
2. MULTIPLE DX	235	4.0	19	1	2	3	5	7	10	24
A. Not Operated	270	3.2	13	1	1	2	4	6	7	22
B. Operated	59	4.9	21	1	2	3	6	11	16	23
TOTAL										
0-27 DYS	0									
1-11 MOS	64	3.2	9	1	2	2	4	6	11	17
1-5 YRS	135	3.5	22	1	1	2	4	6	8	27
6-12 YRS	34	3.9	5	1	2	3	6	7	8	8
13-19 YRS	96	3.5	13	1	1	3	4	6	9	23
GRAND TOTAL	**329**	**3.5**	**15**	**1**	**1**	**3**	**4**	**6**	**8**	**23**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	42	3.0	4	1	1	3	4	5	7	11
1-5 YRS	437	3.1	5	1	2	3	4	6	7	11
6-12 YRS	715	3.1	4	1	1	3	4	6	7	10
13-19 YRS	1120	4.5	16	1	2	4	6	8	9	15
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	11	5.5	12	1	2	5	9	10	11	11
6-12 YRS	3	6.7	30	<1	2	7	11	12	12	12
13-19 YRS	13	3.5	7	<1	1	2	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	120	3.4	5	1	2	3	4	6	8	12
1-5 YRS	889	4.0	7	2	2	3	5	7	9	13
6-12 YRS	733	4.3	11	1	2	4	6	8	10	16
13-19 YRS	1104	5.7	17	2	3	5	8	11	14	20
B. Operated										
0-27 DYS	0									
1-11 MOS	4	13.3	113	6	7	9	19	29	29	29
1-5 YRS	23	7.3	74	1	2	5	9	14	26	41
6-12 YRS	36	6.0	17	1	2	5	9	11	14	17
13-19 YRS	47	14.2	111	5	7	12	19	26	36	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2315	3.8	11	1	2	3	5	7	9	13
B. Operated	28	4.5	12	1	1	4	7	9	11	12
2. MULTIPLE DX										
A. Not Operated	2847	4.7	12	1	2	4	6	9	11	18
B. Operated	110	10.1	85	1	4	8	13	20	26	48
1. SINGLE DX	2343	3.8	11	1	2	3	5	7	9	13
2. MULTIPLE DX	2957	4.9	16	1	2	4	6	9	12	20
A. Not Operated	5162	4.3	12	1	2	4	6	8	10	16
B. Operated	138	8.9	75	1	3	7	11	19	25	44
TOTAL										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	167	3.5	9	1	2	3	4	6	9	14
1-5 YRS	1360	3.8	8	1	2	3	5	7	9	13
6-12 YRS	1487	3.8	9	1	2	3	5	7	9	14
13-19 YRS	2284	5.3	20	1	3	4	7	10	12	21
GRAND TOTAL	**5300**	**4.4**	**14**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	12	1.9	2	<1	1	2	3	4	5	5
1-11 MOS	116	1.9	2	<1	1	1	3	4	5	8
1-5 YRS	244	2.5	8	<1	1	1	3	6	8	13
6-12 YRS	262	2.5	10	<1	1	1	2	6	8	14
13-19 YRS	171	2.3	6	<1	1	1	3	5	8	13
B. Operated										
0-27 DYS	0									
1-11 MOS	31	2.9	3	1	2	2	4	5	6	9
1-5 YRS	77	4.0	13	1	2	3	5	9	11	18
6-12 YRS	82	4.6	45	2	3	3	5	6	8	47
13-19 YRS	32	6.4	38	2	3	5	7	12	17	34
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	3.1	5	1	1	3	4	7	8	8
1-11 MOS	143	2.9	5	<1	1	2	4	5	7	12
1-5 YRS	441	3.2	24	<1	1	2	3	7	10	21
6-12 YRS	357	3.4	19	<1	1	2	4	7	11	24
13-19 YRS	264	4.2	24	<1	1	2	5	10	14	25
B. Operated										
0-27 DYS	2	25.5	313	13	13	25	38	38	38	38
1-11 MOS	44	9.4	103	2	3	6	11	27	32	44
1-5 YRS	138	8.7	104	1	2	5	12	20	32	51
6-12 YRS	122	11.9	257	2	4	5	13	36	48	92
13-19 YRS	66	9.3	202	1	3	5	9	25	34	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	805	2.4	7	<1	1	1	3	5	7	13
B. Operated	222	4.4	28	1	2	3	5	8	11	36
2. MULTIPLE DX										
A. Not Operated	1216	3.5	20	<1	1	2	4	7	11	22
B. Operated	372	10.0	173	2	3	5	12	26	37	78
1. SINGLE DX	1027	2.8	12	<1	1	2	3	6	8	14
2. MULTIPLE DX	1588	5.0	64	<1	1	3	5	11	18	40
A. Not Operated	2021	3.0	15	<1	1	2	3	6	10	20
B. Operated	594	7.9	126	1	2	4	7	19	32	62
TOTAL										
0-27 DYS	25	4.3	57	1	1	2	4	8	19	38
1-11 MOS	334	3.4	22	<1	1	2	4	6	9	29
1-5 YRS	900	4.0	35	<1	1	2	4	9	13	32
6-12 YRS	823	4.5	63	<1	1	2	5	8	15	44
13-19 YRS	533	4.4	45	<1	1	2	5	10	15	33
GRAND TOTAL	**2615**	**4.1**	**45**	**<1**	**1**	**2**	**4**	**8**	**14**	**36**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	11	2.3	2	1	1	2	3	4	5	5
1-5 YRS	39	2.1	4	<1	1	2	2	3	7	10
6-12 YRS	67	2.0	2	1	1	1	3	4	5	8
13-19 YRS	62	2.7	7	1	1	1	3	7	9	12
B. Operated										
0-27 DYS	0									
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	7	5.7	6	2	5	6	7	9	9	9
13-19 YRS	4	6.3	10	4	4	5	8	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	12	3.3	4	1	1	3	5	6	6	6
1-5 YRS	60	3.0	9	1	1	2	3	9	10	11
6-12 YRS	65	3.0	13	1	1	2	3	6	7	25
13-19 YRS	76	4.5	35	1	2	3	5	8	12	39
B. Operated										
0-27 DYS	0									
1-11 MOS	3	27.3	500	12	13	17	44	53	53	53
1-5 YRS	6	5.3	28	1	1	4	7	14	15	15
6-12 YRS	12	11.4	109	1	4	8	17	29	34	35
13-19 YRS	5	4.4	15	1	2	4	6	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	181	2.3	4	1	1	1	3	5	7	10
B. Operated	13	6.3	12	3	4	5	8	12	14	14
2. MULTIPLE DX										
A. Not Operated	217	3.5	19	1	1	2	4	7	10	20
B. Operated	26	10.5	144	1	3	7	15	25	39	53
1. SINGLE DX	194	2.5	6	1	1	2	3	6	8	12
2. MULTIPLE DX	243	4.3	37	1	1	2	5	9	12	36
A. Not Operated	398	2.9	13	1	1	2	3	6	9	12
B. Operated	39	9.1	103	1	4	6	11	17	31	53
TOTAL										
0-27 DYS	6	1.7	1	1	1	2	2	3	3	3
1-11 MOS	27	6.0	105	1	1	3	5	14	22	53
1-5 YRS	106	2.8	8	1	1	2	3	7	10	13
6-12 YRS	151	3.4	21	1	1	2	4	7	9	27
13-19 YRS	147	3.8	22	1	1	2	5	8	11	18
GRAND TOTAL	**437**	**3.5**	**23**	**1**	**1**	**2**	**4**	**7**	**11**	**26**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	2.2	5	1	1	1	3	6	6	6
1-11 MOS	63	2.8	4	1	2	3	3	4	5	13
1-5 YRS	479	2.4	5	1	1	2	3	4	5	13
6-12 YRS	312	2.8	6	1	1	2	3	5	8	15
13-19 YRS	135	3.5	12	1	1	2	4	9	10	17
B. Operated										
0-27 DYS	2	9.0	2	8	8	9	10	10	10	10
1-11 MOS	18	4.5	49	1	2	3	3	6	22	32
1-5 YRS	167	3.3	6	1	2	3	4	6	8	13
6-12 YRS	111	3.7	8	1	2	3	5	6	8	18
13-19 YRS	99	4.7	7	2	3	4	6	9	10	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	12	3.9	19	1	2	2	4	11	15	16
1-11 MOS	179	4.0	10	< 1	2	3	5	8	11	15
1-5 YRS	1223	4.5	15	1	2	3	6	9	12	19
6-12 YRS	919	4.8	17	1	2	4	6	9	13	21
13-19 YRS	555	4.6	16	1	2	4	6	8	10	18
B. Operated										
0-27 DYS	5	11.6	194	2	3	4	19	35	35	35
1-11 MOS	52	10.0	112	2	4	6	12	24	42	44
1-5 YRS	204	9.5	103	2	3	6	12	23	33	57
6-12 YRS	174	8.3	79	2	3	5	10	19	26	46
13-19 YRS	158	7.9	49	1	3	6	10	18	24	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	994	2.7	6	1	1	2	3	5	7	15
B. Operated	397	3.9	9	1	2	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	2888	4.6	16	1	2	3	6	9	12	20
B. Operated	593	8.8	83	2	3	6	11	20	28	45
1. SINGLE DX	1391	3.0	7	1	1	2	4	6	8	15
2. MULTIPLE DX	3481	5.3	30	1	2	4	6	10	15	29
A. Not Operated	3882	4.1	14	1	2	3	5	8	11	19
B. Operated	990	6.8	59	1	2	4	8	15	23	43
TOTAL										
0-27 DYS	24	5.6	57	1	2	3	7	14	22	35
1-11 MOS	312	4.8	33	1	2	3	5	10	13	36
1-5 YRS	2073	4.4	24	1	2	3	5	9	13	27
6-12 YRS	1516	4.7	24	1	2	3	6	10	13	24
13-19 YRS	947	5.0	22	1	2	4	6	10	12	27
GRAND TOTAL	**4872**	**4.6**	**24**	**1**	**2**	**3**	**6**	**9**	**13**	**26**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	53	1.4		1	1	1	2	2	3	3
6-12 YRS	319	1.5	1	1	1	1	2	2	3	4
13-19 YRS	324	1.7	1	1	1	1	2	3	3	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	30	2.8	2	1	2	3	3	5	5	7
6-12 YRS	196	2.9	2	2	2	3	3	4	5	8
13-19 YRS	299	3.0	2	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	55	2.1	2	1	1	2	3	4	5	6
6-12 YRS	217	1.8	1	1	1	2	2	3	4	6
13-19 YRS	181	2.0	1	1	1	2	2	3	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	34	3.8	2	2	3	3	4	5	8	9
6-12 YRS	102	3.4	4	2	2	3	4	5	6	13
13-19 YRS	156	3.6	2	2	3	3	4	5	7	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	696	1.6	1	1	1	1	2	3	3	5
B. Operated	526	2.9	2	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	455	1.9	1	1	1	2	2	3	4	6
B. Operated	292	3.6	3	2	3	3	4	5	7	9
1. SINGLE DX	1222	2.2	2	1	1	2	3	4	4	6
2. MULTIPLE DX	747	2.6	3	1	1	2	3	5	6	8
A. Not Operated	1151	1.7	1	1	1	1	2	3	4	6
B. Operated	818	3.2	2	2	2	3	4	5	6	9
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	172	2.3	2	1	1	2	3	4	5	8
6-12 YRS	834	2.1	2	1	1	2	3	4	4	6
13-19 YRS	960	2.5	2	1	1	2	3	4	5	8
GRAND TOTAL	**1969**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	49	4.2	5	1	3	4	6	7	8	9
1-5 YRS	176	4.2	5	2	3	4	5	8	9	10
6-12 YRS	75	4.2	5	2	3	4	5	7	8	14
13-19 YRS	29	3.2	6	1	1	2	4	7	9	10
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	32	4.4	8	<1	2	4	6	9	10	10
1-5 YRS	57	3.3	7	<1	1	2	5	7	8	12
6-12 YRS	27	3.4	14	<1	1	2	5	7	10	18
13-19 YRS	25	2.6	7	<1	1	1	3	7	9	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	48	5.0	7	2	3	4	6	8	11	14
1-5 YRS	185	4.5	6	2	3	4	6	8	9	11
6-12 YRS	67	4.1	4	2	3	4	6	6	8	10
13-19 YRS	24	3.7	4	1	2	3	5	6	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	27	6.4	26	2	3	5	8	11	14	27
1-5 YRS	46	4.2	8	1	1	4	6	7	10	12
6-12 YRS	17	6.6	19	1	3	6	10	13	14	14
13-19 YRS	18	4.6	16	1	2	3	6	10	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	330	4.1	5	2	3	4	5	7	9	10
B. Operated	142	3.4	9	<1	1	2	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	325	4.5	5	2	3	4	6	7	9	11
B. Operated	108	5.2	16	1	2	4	7	11	12	20
1. SINGLE DX	472	3.9	6	1	2	3	5	7	9	10
2. MULTIPLE DX	433	4.6	8	2	3	4	6	8	10	14
A. Not Operated	655	4.3	5	2	3	4	5	7	9	11
B. Operated	250	4.2	13	<1	1	3	6	9	11	15
TOTAL										
0-27 DYS	3	3.3	6	1	1	3	5	6	6	6
1-11 MOS	156	4.9	10	2	3	4	6	9	10	14
1-5 YRS	464	4.2	6	1	2	4	6	7	9	11
6-12 YRS	186	4.3	8	1	2	4	6	8	9	15
13-19 YRS	96	3.4	8	1	1	3	4	8	9	13
GRAND TOTAL	**905**	**4.3**	**7**	**1**	**2**	**4**	**6**	**8**	**9**	**12**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	2.5	9	1	1	1	4	7	7	7
13-19 YRS	23	11.9	193	1	1	3	25	35	38	44
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	3	6.7	66	1	1	3	13	16	16	16
6-12 YRS	18	13.6	252	1	1	5	22	41	45	46
13-19 YRS	50	15.0	195	3	6	12	27	45	99+	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	5.5	9	3	3	5	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	10.1	172	1	1	2	19	32	36	44
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	72	14.2	201	1	4	10	22	43	90	99+
B. Operated	5	8.0	38	3	3	7	11	18	18	18
1. SINGLE DX	28	10.1	172	1	1	2	19	32	36	44
2. MULTIPLE DX	77	13.8	192	1	4	9	22	43	82	99+
A. Not Operated	100	13.1	194	1	2	8	22	42	53	99+
B. Operated	5	8.0	38	3	3	7	11	18	18	18
TOTAL										
0-27 DYS	0									
1-11 MOS	2	12.5	61	7	7	12	18	18	18	18
1-5 YRS	4	5.3	52	<1	<1	2	9	16	16	16
6-12 YRS	22	11.6	225	1	1	3	22	37	45	46
13-19 YRS	77	13.6	188	1	3	9	25	42	82	99+
GRAND TOTAL	**105**	**12.8**	**188**	**1**	**2**	**8**	**22**	**41**	**47**	**99+**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

Pediatric patients are excluded from this diagnosis group because of clinical implausibility

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

Pediatric patients are excluded from this diagnosis group because of clinical implausibility

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	1.8	1	1	1	2	2	3	3	3
1-5 YRS	29	1.6	2	< 1	1	1	1	4	5	6
6-12 YRS	57	2.6	39	1	1	1	2	3	8	43
13-19 YRS	67	3.0	35	1	1	1	3	5	7	41
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	6	4.7	38	< 1	1	2	4	16	17	17
1-5 YRS	41	4.0	66	1	1	2	3	9	13	51
6-12 YRS	92	10.3	282	1	1	2	11	38	52	91
13-19 YRS	145	8.6	135	1	2	3	11	27	37	55
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	5	9.2	141	1	1	2	17	28	28	28
13-19 YRS	18	3.1	31	1	1	2	2	4	17	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	2.5	29	1	1	1	2	4	6	43
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	285	8.5	174	1	1	2	10	28	41	73
B. Operated	24	4.3	54	1	1	2	3	15	26	28
1. SINGLE DX	159	2.5	29	1	1	1	2	4	6	43
2. MULTIPLE DX	309	8.1	166	1	1	2	9	27	40	70
A. Not Operated	443	6.4	130	1	1	2	4	21	36	61
B. Operated	25	4.2	52	1	1	2	3	14	26	28
TOTAL										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	11	3.4	21	< 1	1	2	3	9	16	17
1-5 YRS	71	3.0	40	1	1	1	3	5	11	43
6-12 YRS	155	7.4	199	1	1	1	4	28	44	78
13-19 YRS	230	6.5	105	1	1	2	6	22	32	51
GRAND TOTAL	**468**	**6.2**	**126**	**1**	**1**	**2**	**4**	**21**	**34**	**59**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	9	1.6	1	< 1	1	1	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	4.3	2	3	3	4	5	6	6	6
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	0									
13-19 YRS	43	5.7	41	1	2	3	5	17	21	26
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.7	1	< 1	1	1	2	3	3	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	48	5.6	37	1	2	3	5	16	21	26
B. Operated	1	12.0		12	12	12	12	12	12	12
1. SINGLE DX	12	1.7	1	< 1	1	1	2	3	3	3
2. MULTIPLE DX	49	5.7	37	1	2	3	5	16	21	26
A. Not Operated	60	4.8	32	1	2	3	5	14	20	26
B. Operated	1	12.0		12	12	12	12	12	12	12
TOTAL										
0-27 DYS	0									
1-11 MOS	5	3.6	2	2	3	3	4	6	6	6
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	53	5.1	37	1	1	3	5	15	21	26
GRAND TOTAL	**61**	**4.9**	**32**	**1**	**2**	**3**	**5**	**14**	**20**	**26**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.6	1	1	1	1	2	3	3	3
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	15	2.7	5	<1	1	2	4	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	2.6	3	<1	1	2	4	5	6	6
6-12 YRS	10	5.6	42	1	1	3	5	17	21	21
13-19 YRS	122	9.2	163	1	2	5	9	23	30	78
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	0									
13-19 YRS	4	8.8	220	<1	<1	1	16	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.2	3	<1	1	1	3	4	7	7
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	140	8.6	148	1	2	5	9	22	29	78
B. Operated	5	10.2	176	<1	1	2	20	31	31	31
1. SINGLE DX	27	2.2	3	<1	1	1	3	4	7	7
2. MULTIPLE DX	145	8.6	147	1	2	5	9	22	30	78
A. Not Operated	167	7.5	130	1	2	4	7	17	27	75
B. Operated	5	10.2	176	<1	1	2	20	31	31	31
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	3.2	16	1	1	2	4	7	14	16
6-12 YRS	15	4.1	32	1	1	2	5	13	19	21
13-19 YRS	141	8.5	150	1	2	5	8	22	30	78
GRAND TOTAL	**172**	**7.6**	**130**	**1**	**2**	**4**	**8**	**18**	**29**	**74**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	8.3	121	1	1	3	16	21	21	21
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	78	17.3	129	3	9	16	23	38	42	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	98	20.6	346	3	8	16	30	64	97	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	15.3	168	5	5	12	25	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	17.0	130	3	8	16	22	38	41	99+
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	100	20.2	346	3	8	15	30	63	97	99+
B. Operated	4	15.3	168	5	5	12	25	32	32	32
1. SINGLE DX	81	17.0	130	3	8	16	22	38	41	99+
2. MULTIPLE DX	104	20.0	339	3	8	15	30	58	96	99+
A. Not Operated	181	18.8	251	3	8	16	27	43	76	99+
B. Operated	4	15.3	168	5	5	12	25	32	32	32
TOTAL										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	3	8.3	121	1	1	3	16	21	21	21
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	180	19.1	249	3	8	16	28	43	77	99+
GRAND TOTAL	**185**	**18.7**	**249**	**3**	**8**	**16**	**27**	**42**	**75**	**99+**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	41.3	401	22	26	40	56	62	62	62
13-19 YRS	28	19.7	212	7	10	16	32	60	99 +	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	28.0	373	7	13	32	42	45	45	45
13-19 YRS	35	17.9	133	3	9	16	27	34	39	42
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	21.8	260	7	11	19	32	62	94	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	38	18.7	150	4	8	16	28	35	41	45
B. Operated	0									
1. SINGLE DX	31	21.8	260	7	11	19	32	62	94	99 +
2. MULTIPLE DX	38	18.7	150	4	8	16	28	35	41	45
A. Not Operated	69	20.1	198	6	10	17	31	41	62	99 +
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	34.7	363	8	22	36	45	60	62	62
13-19 YRS	63	18.7	166	5	10	16	28	35	60	99 +
GRAND TOTAL	**69**	**20.1**	**198**	**6**	**10**	**17**	**31**	**41**	**62**	**99 +**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	33.5	1301	8	8	33	59	59	59	59
1-5 YRS	1	58.0		58	58	58	58	58	58	58
6-12 YRS	11	41.4	775	6	16	42	66	78	83	83
13-19 YRS	246	18.3	278	3	7	13	24	43	57	84
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	12.5	25	9	9	12	16	16	16	16
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS	24	31.7	490	9	19	27	44	80	98	99 +
13-19 YRS	353	22.9	382	4	8	18	35	60	84	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	33.9	545	9	16	27	51	69	72	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	261	19.5	326	3	7	14	26	49	60	84
B. Operated	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. Not Operated	381	23.4	390	5	9	19	35	60	85	99 +
B. Operated	7	33.9	545	9	16	27	51	69	72	72
1. SINGLE DX	262	19.6	326	3	7	14	26	49	60	84
2. MULTIPLE DX	388	23.6	393	5	9	19	35	60	84	99 +
A. Not Operated	642	21.8	367	4	8	16	31	57	76	99 +
B. Operated	8	33.4	469	9	17	28	48	67	72	72
TOTAL										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	4	23.0	589	8	8	12	37	59	59	59
1-5 YRS	2	40.0	648	22	22	40	58	58	58	58
6-12 YRS	35	34.7	580	7	18	27	50	79	93	99 +
13-19 YRS	607	21.2	347	4	8	16	30	55	71	99 +
GRAND TOTAL	**650**	**22.0**	**369**	**4**	**8**	**16**	**31**	**57**	**76**	**99 +**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	5.2	33	<1	1	2	11	14	14	14
6-12 YRS	30	30.0	486	6	12	25	46	65	86	99+
13-19 YRS	15	24.3	551	2	10	24	35	90	98	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	18	20.7	288	3	8	18	27	47	54	57
6-12 YRS	44	25.7	445	4	13	23	41	82	99+	99+
13-19 YRS	33	19.0	440	2	6	12	34	84	99+	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	42.0	57	35	38	45	75	99+	99+	99+
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	25.4	501	2	9	21	41	63	94	99+
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	96	22.2	414	3	7	20	36	77	99+	99+
B. Operated	4	32.5	399	4	27	41	62	99+	99+	99+
1. SINGLE DX	51	25.4	501	2	9	21	41	63	94	99+
2. MULTIPLE DX	100	22.6	414	3	7	20	40	77	99+	99+
A. Not Operated	147	23.3	444	2	8	20	38	76	99+	99+
B. Operated	4	32.5	399	4	27	41	62	99+	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	24	16.8	268	2	3	12	23	44	51	57
6-12 YRS	77	28.0	451	4	13	25	46	79	99+	99+
13-19 YRS	49	20.3	466	2	7	14	34	87	99+	99+
GRAND TOTAL	**151**	**23.6**	**442**	**2**	**8**	**20**	**41**	**77**	**99+**	**99+**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	15.0	72	9	9	15	21	21	21	21
1-5 YRS	3	39.3	1752	<1	8	33	71	84	84	84
6-12 YRS	118	23.7	262	4	10	22	36	45	52	99+
13-19 YRS	970	18.8	227	3	8	15	27	40	53	96
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	18.0	72	12	12	18	24	24	24	24
1-11 MOS	4	4.3	10	2	2	3	6	9	9	9
1-5 YRS	10	25.4	241	8	12	23	44	47	47	47
6-12 YRS	352	29.1	293	9	17	28	37	55	67	99+
13-19 YRS	2481	22.1	318	4	8	18	31	47	61	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	25.0		25	25	25	25	25	25	25
6-12 YRS	10	40.4	430	19	24	38	47	71	89	89
13-19 YRS	48	25.7	356	3	12	27	41	65	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1093	19.4	236	3	8	16	28	41	53	99+
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2849	22.9	319	4	9	19	32	49	61	99+
B. Operated	59	28.2	386	4	13	28	42	65	93	99+
1. SINGLE DX	1093	19.4	236	3	8	16	28	41	53	99+
2. MULTIPLE DX	2908	23.0	321	4	9	19	33	49	62	99+
A. Not Operated	3942	21.9	299	4	9	18	31	46	59	99+
B. Operated	59	28.2	386	4	13	28	42	65	93	99+
TOTAL										
0-27 DYS	2	18.0	72	12	12	18	24	24	24	24
1-11 MOS	6	7.8	51	2	3	6	9	20	21	21
1-5 YRS	14	28.4	472	6	12	24	44	51	77	84
6-12 YRS	480	28.0	295	8	15	28	36	52	65	99+
13-19 YRS	3499	21.2	295	4	8	17	30	45	59	99+
GRAND TOTAL	**4001**	**22.0**	**301**	**4**	**9**	**18**	**31**	**47**	**60**	**99+**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	0									
6-12 YRS	34	26.7	371	3	13	23	40	49	72	79
13-19 YRS	323	18.8	226	4	8	16	25	38	53	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	24.5	221	14	14	24	35	35	35	35
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	84	34.5	317	13	22	31	45	64	73	99+
13-19 YRS	701	20.5	274	4	9	16	28	44	58	99
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	11.0		11	33	99+	99+	99+	99+	99+
13-19 YRS	15	27.9	494	9	19	23	81	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	359	19.5	244	4	9	16	26	40	53	99+
B. Operated	2	24.5	221	14	14	24	35	35	35	35
2. MULTIPLE DX										
A. Not Operated	786	22.0	297	5	9	17	31	48	62	99+
B. Operated	16	26.8	479	10	19	26	99+	99+	99+	99+
1. SINGLE DX	361	19.5	244	4	9	16	26	40	53	99+
2. MULTIPLE DX	802	22.0	300	5	9	17	31	49	64	99+
A. Not Operated	1145	21.2	281	5	9	17	29	45	60	99+
B. Operated	18	26.6	436	11	18	26	92	99+	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	119	32.1	343	11	19	30	44	64	78	99+
13-19 YRS	1041	20.1	263	5	9	16	28	43	59	99+
GRAND TOTAL	**1163**	**21.3**	**284**	**5**	**9**	**17**	**30**	**47**	**62**	**99+**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	4	2.0	4	<1	<1	1	3	5	5	5
6-12 YRS	26	16.8	307	1	3	13	22	41	51	80
13-19 YRS	154	13.5	187	2	4	10	17	34	42	77
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	6.7	16	3	4	6	10	11	11	11
1-5 YRS	4	7.5	58	1	2	5	13	18	18	18
6-12 YRS	66	21.5	290	3	8	18	29	50	57	61
13-19 YRS	257	17.3	303	3	5	12	22	38	55	79
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	18.0		18	18	18	18	18	18	18
13-19 YRS	3	27.7	886	9	10	37	81	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	186	13.6	202	2	4	10	17	34	42	79
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	330	17.9	299	3	5	13	25	41	55	77
B. Operated	5	20.4	578	2	9	15	62	96	99+	99+
1. SINGLE DX	186	13.6	202	2	4	10	17	34	42	79
2. MULTIPLE DX	335	17.9	302	3	5	13	25	43	59	79
A. Not Operated	516	16.4	268	2	5	11	22	38	53	78
B. Operated	5	20.4	578	2	9	15	62	96	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	5	4.8	15	1	2	3	7	11	11	11
1-5 YRS	9	4.3	32	<1	1	1	6	14	18	18
6-12 YRS	93	20.2	293	2	7	17	28	50	56	72
13-19 YRS	414	15.9	266	3	5	11	21	37	54	79
GRAND TOTAL	**521**	**16.4**	**270**	**2**	**5**	**11**	**22**	**38**	**53**	**79**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	6	2.7	5	1	2	2	2	7	7	7
13-19 YRS	29	5.3	53	1	1	2	5	17	22	31
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	20	14.9	364	1	2	3	29	50	54	58
13-19 YRS	78	8.9	125	1	2	3	14	25	34	89
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	4.8	44	1	1	2	5	12	21	31
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	101	9.9	173	1	2	3	15	29	42	81
B. Operated	1	5.0		5	5	5	5	5	5	5
1. SINGLE DX	37	4.8	43	1	2	2	5	12	21	31
2. MULTIPLE DX	102	9.9	171	1	2	3	15	29	42	80
A. Not Operated	137	8.6	143	1	2	3	10	27	35	67
B. Operated	2	5.5	1	5	5	5	6	6	6	6
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	3.0		3	3	3	3	3	3	3
6-12 YRS	27	11.8	295	1	2	3	13	45	52	58
13-19 YRS	108	7.9	107	1	2	3	11	23	30	78
GRAND TOTAL	**139**	**8.5**	**142**	**1**	**2**	**3**	**10**	**26**	**34**	**67**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	66	19.1	134	7	11	15	25	37	44	53
13-19 YRS	420	18.1	271	2	6	14	27	40	50	99
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	9	23.2	167	7	9	25	30	40	45	45
6-12 YRS	363	29.0	335	9	15	28	38	56	72	99+
13-19 YRS	1441	19.8	295	3	7	15	29	45	62	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	32	15.2	161	3	7	13	22	36	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	488	18.2	252	3	7	14	27	40	49	96
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1814	21.6	316	4	8	17	31	47	64	99+
B. Operated	33	15.0	157	3	7	12	21	35	54	99+
1. SINGLE DX	488	18.2	252	3	7	14	27	40	49	96
2. MULTIPLE DX	1847	21.5	314	4	8	17	31	47	64	99+
A. Not Operated	2302	20.9	304	3	8	16	30	45	61	99+
B. Operated	33	15.0	157	3	7	12	21	35	54	99+
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	10	22.5	154	7	9	24	30	38	45	45
6-12 YRS	430	27.5	317	8	14	26	36	54	68	99+
13-19 YRS	1893	19.3	288	3	7	15	28	43	59	99+
GRAND TOTAL	**2335**	**20.8**	**302**	**3**	**8**	**16**	**30**	**45**	**61**	**99+**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	7.3	173	1	1	3	4	30	37	37
6-12 YRS	104	11.5	285	1	2	4	14	41	53	92
13-19 YRS	269	9.4	148	1	2	4	13	26	37	63
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	4	25.0	1825	1	2	5	47	89	89	89
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	6.7	2	5	5	7	8	8	8	8
1-5 YRS	14	12.7	363	1	2	6	14	32	64	73
6-12 YRS	135	15.3	386	1	2	7	22	56	70	99+
13-19 YRS	751	11.4	212	1	2	6	14	30	44	84
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	7	8.9	118	1	1	6	23	79	99+	99+
13-19 YRS	21	21.1	692	2	4	11	26	72	87	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	381	10.0	185	1	2	4	13	28	42	72
B. Operated	5	21.0	1449	1	3	5	27	89	89	89
2. MULTIPLE DX										
A. Not Operated	903	12.0	241	1	2	6	15	32	49	91
B. Operated	29	17.6	555	1	3	10	25	74	89	99+
1. SINGLE DX	386	10.1	199	1	2	4	13	28	42	82
2. MULTIPLE DX	932	12.1	251	1	2	6	15	32	51	92
A. Not Operated	1284	11.4	225	1	2	6	14	30	46	86
B. Operated	34	18.1	648	1	3	9	23	85	89	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	4	5.5	7	2	3	6	7	8	8	8
1-5 YRS	22	10.6	283	1	2	4	8	30	51	73
6-12 YRS	247	13.5	337	1	2	6	20	42	63	99+
13-19 YRS	1045	11.1	212	1	2	5	14	29	43	85
GRAND TOTAL	**1318**	**11.5**	**237**	**1**	**2**	**6**	**14**	**30**	**48**	**90**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	2	3.5	13	1	1	3	6	6	6	6
13-19 YRS	186	13.0	188	1	1	5	25	30	39	54
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	5	8.0	129	1	2	3	11	28	28	28
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	17	31.2	145	12	28	35	38	40	47	50
13-19 YRS	2003	23.1	203	3	11	26	32	42	45	69
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	26	22.3	254	1	4	24	35	45	47	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	12.8	187	1	1	5	25	30	39	54
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	2028	23.1	204	3	11	26	32	42	45	69
B. Operated	26	22.3	254	1	4	24	35	45	47	49
1. SINGLE DX	190	12.8	187	< 1	1	5	25	30	39	54
2. MULTIPLE DX	2054	23.1	204	3	11	26	32	42	45	68
A. Not Operated	2217	22.3	210	2	9	24	31	41	44	64
B. Operated	27	21.6	261	1	3	22	33	45	46	49
TOTAL										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	6	7.0	109	1	2	3	6	26	28	28
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	19	28.3	206	3	19	34	38	40	46	50
13-19 YRS	2216	22.3	210	2	9	24	31	42	44	64
GRAND TOTAL	**2244**	**22.3**	**211**	**2**	**9**	**24**	**31**	**42**	**44**	**64**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	12.8	166	5	5	7	20	32	32	32
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	58	21.3	318	4	6	17	31	45	63	77
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	12.8	166	5	5	7	20	32	32	32
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	58	21.3	318	4	6	17	31	45	63	77
B. Operated	0									
1. SINGLE DX	4	12.8	166	5	5	7	20	32	32	32
2. MULTIPLE DX	58	21.3	318	4	6	17	31	45	63	77
A. Not Operated	62	20.8	310	4	6	16	31	44	62	76
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	62	20.8	310	4	6	16	31	44	62	76
GRAND TOTAL	**62**	**20.8**	**310**	**4**	**6**	**16**	**31**	**44**	**62**	**76**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	159	20.7	354	2	4	16	35	41	57	90
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	23.5	41	19	19	23	28	28	28	28
1-5 YRS	1	49.0		49	49	49	49	49	49	49
6-12 YRS	11	34.5	680	6	12	36	53	71	87	88
13-19 YRS	1850	27.1	256	6	15	28	36	45	57	79
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	15	37.1	611	10	22	31	47	75	85	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	20.7	354	2	4	16	35	41	57	90
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1864	27.1	258	6	15	28	36	45	57	80
B. Operated	15	37.1	611	10	22	31	47	75	85	88
1. SINGLE DX	159	20.7	354	2	4	16	35	41	57	90
2. MULTIPLE DX	1879	27.2	262	6	15	28	36	45	57	81
A. Not Operated	2023	26.6	269	5	14	28	36	45	57	80
B. Operated	15	37.1	611	10	22	31	47	75	85	88
TOTAL										
0-27 DYS	0									
1-11 MOS	2	23.5	41	19	19	23	28	28	28	28
1-5 YRS	1	49.0		49	49	49	49	49	49	49
6-12 YRS	11	34.5	680	6	12	36	53	71	87	88
13-19 YRS	2024	26.6	270	5	14	28	36	45	57	80
GRAND TOTAL	**2038**	**26.7**	**272**	**5**	**14**	**28**	**36**	**45**	**57**	**81**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	19	1.3		<1	1	1	1	2	3	3
13-19 YRS	292	2.5	24	<1	<1	1	1	4	15	28
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	8.0	98	1	1	8	15	15	15	15
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	25	5.4	81	<1	1	1	4	25	26	27
13-19 YRS	553	9.8	186	<1	1	2	16	30	41	54
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	21	4.7	99	<1	<1	1	4	11	30	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	313	2.4	22	<1	<1	1	1	3	13	27
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	581	9.6	181	<1	1	2	15	30	40	53
B. Operated	22	4.6	95	<1	<1	1	4	10	28	45
1. SINGLE DX	313	2.4	22	<1	<1	1	1	3	13	27
2. MULTIPLE DX	603	9.4	179	<1	1	2	15	30	40	53
A. Not Operated	894	7.0	137	<1	1	1	5	27	34	48
B. Operated	22	4.6	95	<1	<1	1	4	10	28	45
TOTAL										
0-27 DYS	0									
1-11 MOS	2	8.0	98	1	1	8	15	15	15	15
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	45	3.6	49	<1	1	1	2	4	25	27
13-19 YRS	866	7.2	141	<1	1	1	6	28	35	48
GRAND TOTAL	**916**	**7.0**	**136**	**<1**	**1**	**1**	**5**	**27**	**34**	**47**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	104	12.9	208	<1	1	6	26	34	38	57
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	14	9.6	104	1	1	4	18	26	28	28
13-19 YRS	708	20.1	210	2	6	20	30	38	43	63
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	50.0	2450	15	15	50	85	85	85	85
13-19 YRS	4	10.0	89	1	2	9	18	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	12.9	208	<1	1	6	26	34	38	57
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	722	19.9	210	2	6	20	30	37	43	63
B. Operated	6	23.3	970	1	3	15	20	78	85	85
1. SINGLE DX	104	12.9	208	<1	1	6	26	34	38	57
2. MULTIPLE DX	728	19.9	215	2	6	20	30	38	43	64
A. Not Operated	826	19.0	215	1	5	18	30	37	42	61
B. Operated	6	23.3	970	1	3	15	20	78	85	85
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	16	14.6	444	1	1	8	19	28	68	85
13-19 YRS	816	19.1	215	1	5	18	30	37	42	62
GRAND TOTAL	**832**	**19.1**	**219**	**1**	**5**	**18**	**30**	**37**	**42**	**63**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	13	1.7	1	<1	1	2	2	3	4	4
13-19 YRS	16	7.6	159	1	1	2	6	23	41	48
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	0									
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	10.6	176	<1	1	7	14	34	38	38
6-12 YRS	42	11.8	190	1	2	4	22	34	38	52
13-19 YRS	82	10.9	265	1	2	3	12	32	47	70
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	33.0		33	33	33	33	33	33	33
6-12 YRS	4	3.5	2	2	2	3	4	5	5	5
13-19 YRS	4	9.8	91	4	4	5	15	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	4.8	89	1	1	2	3	11	24	48
B. Operated	3	6.0	28	2	2	4	10	12	12	12
2. MULTIPLE DX										
A. Not Operated	131	11.2	233	1	2	4	16	33	40	70
B. Operated	9	9.6	122	2	4	5	10	29	33	33
1. SINGLE DX	34	4.9	83	1	1	2	4	13	23	48
2. MULTIPLE DX	140	11.1	225	1	2	4	15	33	39	70
A. Not Operated	162	10.0	211	1	2	3	9	32	39	69
B. Operated	12	8.7	96	2	3	5	9	27	32	33
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	11.3	169	<1	1	7	15	35	38	38
6-12 YRS	59	9.0	154	1	2	3	8	31	35	51
13-19 YRS	104	10.2	237	1	2	3	9	29	42	70
GRAND TOTAL	**174**	**9.9**	**203**	**1**	**2**	**3**	**9**	**32**	**39**	**69**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	21.0	285	2	13	35	99+	99+	99+	99+
6-12 YRS	81	17.2	237	1	4	14	26	40	47	62
13-19 YRS	696	9.3	119	1	2	5	12	22	33	50
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	7.5	41	3	3	7	12	12	12	12
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	3	26.3	201	11	15	29	36	39	39	39
6-12 YRS	165	20.7	292	3	7	18	31	49	63	99+
13-19 YRS	1795	11.8	181	1	3	7	15	30	41	81
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	36.0	2	35	35	36	37	37	37	37
13-19 YRS	42	17.3	422	1	2	8	27	55	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	782	10.1	138	1	2	6	13	27	35	62
B. Operated	3	6.0	27	3	3	3	10	12	12	12
2. MULTIPLE DX										
A. Not Operated	1965	12.5	196	1	3	7	17	32	42	83
B. Operated	44	18.1	418	1	2	9	30	55	68	99+
1. SINGLE DX	785	10.1	137	1	2	6	13	27	35	62
2. MULTIPLE DX	2009	12.6	201	1	3	7	18	32	43	85
A. Not Operated	2747	11.8	181	1	3	7	16	30	41	81
B. Operated	47	17.3	401	1	2	9	28	52	65	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	3	4.0	12	2	2	2	7	8	8	8
1-5 YRS	7	23.3	218	5	12	35	54	99+	99+	99+
6-12 YRS	250	19.6	275	2	6	15	29	44	58	99+
13-19 YRS	2534	11.2	169	1	3	7	14	29	39	79
GRAND TOTAL	**2794**	**11.9**	**185**	**1**	**3**	**7**	**16**	**31**	**42**	**82**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	17	20.8	335	2	10	15	29	49	63	69
6-12 YRS	142	16.3	184	2	5	11	28	40	42	57
13-19 YRS	677	10.8	134	1	3	7	14	26	37	52
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	0									
13-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	30	29.6	448	11	14	21	51	70	97	99 +
6-12 YRS	312	21.8	297	4	9	18	32	49	64	99 +
13-19 YRS	1476	11.0	156	1	3	7	14	28	38	92
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	0									
1-5 YRS	1	33.0		33	50	99 +	99 +	99 +	99 +	99 +
6-12 YRS	5	36.6	1228	1	11	70	93	99 +	99 +	99 +
13-19 YRS	29	14.6	182	< 1	2	11	22	37	44	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	836	11.9	152	1	3	7	16	31	40	55
B. Operated	3	5.0	37	< 1	< 1	2	9	12	12	12
2. MULTIPLE DX										
A. Not Operated	1821	13.2	205	2	3	8	18	34	46	99 +
B. Operated	36	17.9	355	1	3	15	35	87	99 +	99 +
1. SINGLE DX	839	11.9	151	1	3	7	16	30	40	54
2. MULTIPLE DX	1857	13.3	208	2	3	8	18	34	47	99 +
A. Not Operated	2657	12.8	188	1	3	8	17	33	43	88
B. Operated	39	16.9	341	1	2	13	34	79	99 +	99 +
TOTAL										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	49	26.3	405	9	13	20	42	71	99 +	99 +
6-12 YRS	459	20.2	278	3	8	15	30	45	58	99 +
13-19 YRS	2184	11.0	149	1	3	7	15	28	38	70
GRAND TOTAL	**2696**	**12.8**	**191**	**1**	**3**	**8**	**18**	**33**	**44**	**98**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	1.8		< 1	1	2	2	3	3	3
1-5 YRS	76	14.5	240	1	2	7	28	38	46	57
6-12 YRS	465	22.8	430	2	5	18	37	55	73	99 +
13-19 YRS	785	17.0	267	2	5	12	25	42	56	98
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	3.2	3	2	2	3	4	6	6	6
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	4	9.8	29	3	5	10	14	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	14	4.6	57	< 1	2	2	3	10	25	30
1-5 YRS	214	17.8	308	2	4	14	28	42	52	99 +
6-12 YRS	1141	25.3	376	3	11	22	37	58	84	99 +
13-19 YRS	2088	20.9	318	3	7	17	30	47	62	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	2	11.0	18	8	8	11	14	14	14	14
1-5 YRS	9	23.3	[illegible]	3	4	8	31	80	88	88
6-12 YRS	27	27.0	584	4	6	34	49	99 +	99 +	99 +
13-19 YRS	38	25.1	575	3	8	27	49	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1335	18.8	331	2	4	13	28	46	61	99 +
B. Operated	11	5.8	21	2	2	3	8	14	15	15
2. MULTIPLE DX										
A. Not Operated	3457	22.1	342	3	8	19	33	49	69	99 +
B. Operated	76	25.2	599	4	6	25	49	99 +	99 +	99 +
1. SINGLE DX	1346	18.7	329	2	4	13	28	46	61	99 +
2. MULTIPLE DX	3533	22.2	347	3	8	19	33	50	71	99 +
A. Not Operated	4792	21.2	341	2	7	17	32	48	65	99 +
B. Operated	87	22.7	567	3	5	14	43	99 +	99 +	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	25	4.1	38	< 1	1	2	3	8	18	30
1-5 YRS	304	16.9	308	1	3	10	27	41	51	98
6-12 YRS	1635	24.6	396	3	9	21	37	57	81	99 +
13-19 YRS	2915	19.9	310	3	7	15	30	45	61	99 +
GRAND TOTAL	**4879**	**21.2**	**345**	**2**	**7**	**17**	**32**	**49**	**67**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	32.5	1985	<1	<1	32	64	64	64	64
13-19 YRS	4	13.8	95	6	8	10	19	28	28	28
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	8	4.6	20	2	2	3	5	12	15	15
6-12 YRS	13	10.0	171	2	4	5	9	29	45	49
13-19 YRS	27	8.0	58	2	3	5	11	24	34	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	7	11.6	427	1	[illegible]	3	8	48	58	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	20.0	548	1	6	10	28	60	64	64
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	49	7.9	81	2	3	5	9	23	27	99+
B. Operated	11	8.7	272	1	2	3	6	29	56	58
1. SINGLE DX	6	20.0	548	1	[illegible]	10	28	60	64	64
2. MULTIPLE DX	60	8.1	112	2	3	4	9	23	37	95
A. Not Operated	55	9.2	137	2	3	5	10	24	43	98
B. Operated	11	8.7	272	1	2	3	6	29	56	58
TOTAL										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	10	4.5	16	2	2	3	5	10	15	15
6-12 YRS	[illegible]	11.9	317	2	3	5	9	44	59	64
13-19 YRS	38	9.3	122	2	3	5	11	26	44	99+
GRAND TOTAL	**66**	**9.1**	**156**	**2**	**3**	**5**	**10**	**24**	**50**	**94**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	70	9.8	45	3	4	10	13	16	22	39
1-11 MOS	397	9.4	13	4	8	10	11	13	15	19
1-5 YRS	260	8.6	13	3	6	10	11	12	13	16
6-12 YRS	86	6.3	24	1	3	6	9	11	12	29
13-19 YRS	64	5.8	14	2	3	5	9	11	12	16
B. Operated										
0-27 DYS	5	20.0	38	14	14	20	25	28	28	28
1-11 MOS	16	13.1	35	10	10	12	15	20	27	29
1-5 YRS	6	19.3	100	10	11	16	28	34	35	35
6-12 YRS	6	11.3	41	2	9	12	15	19	19	19
13-19 YRS	8	6.4	81	<1	2	3	6	22	28	28
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	109	14.6	70	5	10	14	18	23	29	50
1-11 MOS	857	10.8	22	5	9	10	12	16	20	27
1-5 YRS	497	9.9	30	4	7	10	11	14	17	27
6-12 YRS	139	8.5	49	2	4	8	11	14	18	47
13-19 YRS	74	10.0	75	2	4	9	13	18	29	46
B. Operated										
0-27 DYS	24	27.0	454	5	11	21	44	60	70	72
1-11 MOS	153	19.4	183	10	11	15	22	37	53	99+
1-5 YRS	72	18.3	182	6	10	14	23	38	51	94
6-12 YRS	51	19.0	251	5	11	14	23	32	49	97
13-19 YRS	40	[illegible]	292	9	12	18	31	54	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	877	8.6	18	3	6	10	11	13	15	20
B. Operated	41	13.3	70	2	9	13	16	28	29	35
2. MULTIPLE DX										
A. Not Operated	1676	10.6	33	4	8	10	12	16	20	30
B. Operated	340	20.3	228	9	11	15	26	42	57	99+
1. SINGLE DX	918	8.8	21	3	6	10	11	14	15	25
2. MULTIPLE DX	2016	12.2	79	4	9	10	14	20	28	56
A. Not Operated	2553	9.9	29	3	7	10	11	15	18	28
B. Operated	381	19.5	216	8	11	15	24	41	55	99
TOTAL										
0-27 DYS	208	14.5	129	3	8	14	16	26	31	63
1-11 MOS	1423	11.4	45	5	9	10	13	17	22	41
1-5 YRS	835	10.3	45	4	7	10	11	15	20	41
6-12 YRS	282	9.8	96	2	4	8	11	18	26	48
13-19 YRS	186	11.6	149	2	4	8	14	28	45	70
GRAND TOTAL	**2934**	**11.2**	**64**	**3**	**8**	**10**	**12**	**17**	**23**	**49**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	1	3.0		3	3	3	3	3	3	3
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	4.9	9	1	2	5	7	9	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	6.1	19	2	3	5	9	11	16	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.9	9	1	2	5	7	9	10	10
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	16	6.1	19	2	3	5	9	11	16	18
B. Operated	0									
1. SINGLE DX	7	4.9	9	1	2	5	7	9	10	10
2. MULTIPLE DX	16	6.1	19	2	3	5	9	11	16	18
A. Not Operated	23	5.7	16	2	3	5	8	10	13	18
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	23	5.7	16	2	3	5	8	10	13	18
GRAND TOTAL	**23**	**5.7**	**16**	**2**	**3**	**5**	**8**	**10**	**13**	**18**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	13	4.7	6	2	3	5	6	8	10	11
1-11 MOS	232	4.0	30	1	2	3	5	8	10	25
1-5 YRS	706	2.9	7	1	1	2	3	6	8	14
6-12 YRS	591	2.6	4	1	1	2	3	5	7	11
13-19 YRS	430	3.1	7	1	1	2	4	6	8	12
B. Operated										
0-27 DYS	0									
1-11 MOS	4	12.5	252	1	3	6	21	36	36	36
1-5 YRS	16	13.3	163	3	5	9	19	28	44	51
6-12 YRS	26	8.7	48	2	4	7	13	16	20	33
13-19 YRS	36	11.9	120	2	6	9	13	23	37	56
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	19	5.0	21	1	2	3	7	13	16	16
1-11 MOS	546	5.6	52	2	2	4	7	11	15	28
1-5 YRS	1633	3.6	12	1	2	3	4	7	10	18
6-12 YRS	1120	3.8	19	1	2	2	4	7	11	22
13-19 YRS	680	4.3	22	1	2	3	5	9	13	22
B. Operated										
0-27 DYS	2	19.0	200	9	9	19	29	29	29	29
1-11 MOS	42	14.8	156	4	7	12	21	35	77	99+
1-5 YRS	145	13.8	283	2	4	7	17	37	52	95
6-12 YRS	83	11.3	162	1	4	8	14	25	42	92
13-19 YRS	88	14.9	236	2	5	11	19	32	46	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1972	3.0	9	1	1	2	3	6	8	14
B. Operated	82	11.2	109	2	5	8	13	23	34	54
2. MULTIPLE DX										
A. Not Operated	3998	4.1	22	1	2	3	5	8	11	22
B. Operated	360	13.7	228	2	4	9	18	33	51	99+
1. SINGLE DX	2054	3.3	16	1	1	2	4	7	9	18
2. MULTIPLE DX	4358	4.9	46	1	2	3	5	10	15	36
A. Not Operated	5970	3.7	18	1	2	3	4	7	10	19
B. Operated	442	13.2	207	2	4	9	17	31	48	99+
TOTAL										
0-27 DYS	34	5.7	31	2	2	4	7	11	16	29
1-11 MOS	824	5.7	57	1	2	3	6	12	18	36
1-5 YRS	2500	4.1	34	1	2	3	4	8	12	28
6-12 YRS	1820	3.8	25	1	1	2	4	8	11	26
13-19 YRS	1234	4.9	44	1	2	3	5	10	15	33
GRAND TOTAL	**6412**	**4.4**	**37**	**1**	**2**	**3**	**5**	**9**	**13**	**31**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	11	3.0	15	1	1	2	2	9	14	14
1-11 MOS	66	4.0	41	1	1	2	3	6	17	36
1-5 YRS	147	3.3	12	1	1	2	4	6	9	20
6-12 YRS	153	3.4	11	1	1	3	4	6	9	20
13-19 YRS	149	4.0	21	1	2	3	5	8	9	17
B. Operated										
0-27 DYS	3	2.7	4	1	1	2	4	5	5	5
1-11 MOS	171	3.9	12	1	2	3	5	7	10	21
1-5 YRS	286	5.2	40	<1	1	3	7	11	17	37
6-12 YRS	232	5.0	32	<1	1	3	6	11	17	30
13-19 YRS	125	4.9	18	1	2	4	7	10	14	23
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	17	13.1	383	2	3	6	12	39	66	78
1-11 MOS	184	6.1	60	1	2	4	6	16	24	46
1-5 YRS	436	4.9	40	1	2	3	5	11	15	35
6-12 YRS	357	5.5	68	1	2	3	6	13	19	49
13-19 YRS	325	6.2	106	1	2	3	6	13	21	83
B. Operated										
0-27 DYS	27	19.8	465	3	4	16	46	90	99+	99+
1-11 MOS	331	8.4	116	2	3	5	9	24	46	99+
1-5 YRS	610	9.7	174	1	3	5	10	24	39	94
6-12 YRS	555	7.8	65	1	3	5	9	19	26	51
13-19 YRS	351	10.2	130	2	3	7	13	23	33	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	526	3.6	18	1	1	2	4	7	10	21
B. Operated	817	4.8	29	<1	1	3	6	10	15	28
2. MULTIPLE DX										
A. Not Operated	1319	5.7	71	1	2	3	6	13	19	51
B. Operated	1874	9.1	130	1	3	6	10	23	34	99+
1. SINGLE DX	1343	4.3	25	1	1	3	5	9	14	27
2. MULTIPLE DX	3193	7.7	108	1	2	4	9	18	30	89
A. Not Operated	1845	5.1	57	1	2	3	5	11	17	44
B. Operated	2691	7.8	103	1	2	5	9	18	29	86
TOTAL										
0-27 DYS	58	13.7	369	1	2	6	18	58	89	99+
1-11 MOS	752	6.4	75	1	2	4	7	16	29	99+
1-5 YRS	1479	6.8	99	1	2	4	7	15	25	68
6-12 YRS	1297	6.2	56	1	2	4	7	14	22	43
13-19 YRS	950	7.2	96	1	2	4	8	16	25	61
GRAND TOTAL	**4536**	**6.7**	**86**	**1**	**2**	**4**	**7**	**15**	**25**	**74**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	10	2.2	1	1	1	2	3	4	4	4
6-12 YRS	115	2.0	2	1	1	2	3	4	5	7
13-19 YRS	188	2.3	5	1	1	2	3	4	6	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	6	4.0	10	1	2	3	4	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	15	2.0		1	2	2	2	3	3	3
6-12 YRS	117	2.3	3	1	1	2	3	4	5	11
13-19 YRS	232	3.4	9	1	2	3	4	6	8	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	4.7	9	2	2	4	7	8	8	8
13-19 YRS	10	5.1	13	1	3	4	6	10	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	315	2.2	4	1	1	2	3	4	5	9
B. Operated	10	3.1	7	1	1	2	4	7	10	10
2. MULTIPLE DX										
A. Not Operated	366	3.0	7	1	1	2	4	6	7	14
B. Operated	13	5.0	11	2	3	4	6	9	13	14
1. SINGLE DX	325	2.2	4	1	1	2	3	4	5	10
2. MULTIPLE DX	379	3.0	7	1	1	2	4	6	8	14
A. Not Operated	681	2.6	6	1	1	2	3	5	6	11
B. Operated	23	4.2	10	1	2	4	5	8	11	14
TOTAL										
0-27 DYS	0									
1-11 MOS	4	3.0	7	1	1	2	5	7	7	7
1-5 YRS	27	2.0	1	1	1	2	3	3	4	4
6-12 YRS	237	2.2	3	1	1	2	3	4	5	9
13-19 YRS	436	3.0	7	1	1	2	4	6	8	15
GRAND TOTAL	**704**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	7	1.4	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	9	2.4	11	< 1	1	1	2	8	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	10.0		10	10	10	10	10	10	10
B. Operated	10	1.4		< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	15	2.1	6	1	1	1	2	3	9	11
1. SINGLE DX	11	2.2	7	< 1	1	1	2	6	10	10
2. MULTIPLE DX	16	2.1	6	1	1	1	2	3	9	11
A. Not Operated	2	5.5	41	1	1	5	10	10	10	10
B. Operated	25	1.8	4	< 1	1	1	2	3	5	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS	8	1.6	1	1	1	2	2	3	3	3
13-19 YRS	17	1.9	6	< 1	1	1	2	3	8	11
GRAND TOTAL	**27**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**3**	**10**	**11**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	5.3	9	2	3	6	7	8	8	8
1-5 YRS	45	5.3	15	1	3	4	7	11	13	17
6-12 YRS	51	5.1	22	1	2	4	6	10	17	24
13-19 YRS	55	4.6	14	1	2	4	6	10	12	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	19	4.3	33	<1	1	3	4	10	20	25
6-12 YRS	40	6.3	64	<1	1	3	7	18	27	31
13-19 YRS	113	3.7	19	<1	1	2	4	8	14	23
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	5.3	14	2	3	3	8	11	12	12
1-5 YRS	46	8.7	105	1	2	5	12	22	32	46
6-12 YRS	50	6.6	49	1	2	4	10	17	30	99
13-19 YRS	95	9.8	173	1	2	5	11	27	37	71
B. Operated										
0-27 DYS	0									
1-11 MOS	4	2.8	1	2	2	3	28	99+	99+	99+
1-5 YRS	16	8.6	329	1	1	2	7	18	57	74
6-12 YRS	35	8.1	97	1	2	4	11	21	33	39
13-19 YRS	119	7.3	117	1	2	4	7	22	28	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	5.0	17	1	2	4	6	11	13	18
B. Operated	172	4.3	32	<1	1	2	5	11	17	29
2. MULTIPLE DX										
A. Not Operated	200	8.6	120	1	2	5	10	20	33	69
B. Operated	174	7.5	128	1	2	4	7	23	37	93
1. SINGLE DX	327	4.6	25	1	1	3	6	11	15	25
2. MULTIPLE DX	374	8.1	124	1	2	4	9	21	35	81
A. Not Operated	355	7.0	78	1	2	4	8	16	24	46
B. Operated	346	5.9	83	1	1	3	6	15	25	61
TOTAL										
0-27 DYS	1	3.0		3	3	51	99+	99+	99+	99+
1-11 MOS	16	4.7	10	2	2	3	8	12	69	99+
1-5 YRS	126	6.8	91	1	2	4	8	16	22	53
6-12 YRS	176	6.4	54	1	2	4	8	17	25	37
13-19 YRS	382	6.5	93	1	1	3	7	15	25	52
GRAND TOTAL	**701**	**6.5**	**81**	**1**	**2**	**3**	**7**	**15**	**25**	**54**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
6-12 YRS	0									
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.0	7	1	1	2	5	6	6	6
1-5 YRS	5	1.2		1	1	1	2	2	2	2
6-12 YRS	49	1.9	1	1	1	2	3	3	3	5
13-19 YRS	107	2.0	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	1.0		<1	<1	1	1	1	1	1
1-5 YRS	4	1.3		<1	<1	1	1	2	2	2
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	14	1.9	1	1	1	2	2	3	3	3
1-5 YRS	30	1.6	1	1	1	1	2	3	3	4
6-12 YRS	73	2.5	3	1	1	2	3	4	6	8
13-19 YRS	105	2.4	3	1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5	1	<1	<1	<1	2	3	3	3
B. Operated	164	2.0	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	14	1.1		<1	<1	1	1	2	2	2
B. Operated	222	2.3	2	1	1	2	3	4	5	8
1. SINGLE DX	168	2.0	1	1	1	2	2	3	4	7
2. MULTIPLE DX	236	2.2	2	1	1	2	3	4	5	8
A. Not Operated	18	1.2		<1	<1	1	1	2	3	3
B. Operated	386	2.2	2	1	1	2	3	4	4	8
TOTAL										
0-27 DYS	0									
1-11 MOS	22	1.9	1	<1	1	2	2	3	4	6
1-5 YRS	42	1.5	1	<1	1	1	2	3	3	4
6-12 YRS	125	2.3	2	1	1	2	3	4	5	8
13-19 YRS	215	2.2	2	1	1	2	3	4	4	8
GRAND TOTAL	**404**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**8**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	5	1.0		<1	<1	1	1	1	1	1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	6	1.8	1	<1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	5	1.2		1	1	1	2	2	2	2
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	8	3.0	11	1	1	2	3	9	11	11
13-19 YRS	4	3.0	5	1	1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	16	1.5	1	<1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	3	2.7	8	<1	<1	<1	5	6	6	6
B. Operated	21	2.3	5	1	1	2	2	4	8	11
1. SINGLE DX	17	1.6	1	<1	1	1	2	3	3	3
2. MULTIPLE DX	24	2.3	5	<1	1	2	2	6	8	11
A. Not Operated	4	2.8	6	<1	<1	2	4	6	6	6
B. Operated	37	1.9	3	<1	1	1	2	3	5	11
TOTAL										
0-27 DYS	0									
1-11 MOS	10	1.1		<1	1	1	1	2	2	2
1-5 YRS	8	1.3		<1	<1	1	2	2	2	2
6-12 YRS	11	2.7	8	1	1	2	3	6	11	11
13-19 YRS	12	2.7	3	<1	1	2	3	6	6	6
GRAND TOTAL	**41**	**2.0**	**4**	**<1**	**1**	**1**	**2**	**3**	**6**	**11**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	5	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.2		<1	<1	<1	1	2	2	2
6-12 YRS	4	1.3		1	1	1	2	2	2	2
13-19 YRS	13	2.5	3	<1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.7	1	<1	<1	<1	2	3	3	3
1-5 YRS	3	1.7		<1	<1	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	1	23.0		23	23	23	23	23	23	23
1-5 YRS	5	1.2		<1	<1	1	1	2	2	2
6-12 YRS	12	2.1	4	1	1	2	2	4	7	8
13-19 YRS	7	3.0	4	<1	1	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.0		<1	<1	<1	<1	1	1	1
B. Operated	24	1.9	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	8	1.6	1	<1	<1	1	2	3	3	3
B. Operated	25	3.0	21	<1	1	1	3	5	12	23
1. SINGLE DX	33	1.6	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX	33	2.7	16	<1	1	1	3	5	8	23
A. Not Operated	17	1.3		<1	<1	<1	1	2	3	3
B. Operated	49	2.4	12	<1	1	1	3	5	6	23
TOTAL										
0-27 DYS	0									
1-11 MOS	6	5.0	78	<1	<1	1	3	21	23	23
1-5 YRS	19	1.2		<1	<1	<1	1	2	2	2
6-12 YRS	19	1.7	3	<1	1	1	2	3	6	8
13-19 YRS	22	2.5	3	<1	1	2	4	5	5	5
GRAND TOTAL	**66**	**2.2**	**9**	**<1**	**<1**	**1**	**2**	**4**	**5**	**21**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	8	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	32	1.2		< 1	< 1	1	1	2	3	3
6-12 YRS	16	1.6	2	< 1	< 1	1	1	3	5	6
13-19 YRS	9	1.6	2	< 1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	5	1.2		< 1	< 1	1	1	2	2	2
1-5 YRS	23	1.9	3	< 1	1	1	2	4	6	7
6-12 YRS	21	2.4	6	1	1	1	3	6	8	9
13-19 YRS	22	1.9	2	1	1	1	2	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	13	1	1	3	6	6	6	6
B. Operated	65	1.3	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	71	2.0	3	< 1	1	1	2	5	7	9
1. SINGLE DX	67	1.4	1	< 1	< 1	1	1	3	4	6
2. MULTIPLE DX	75	1.9	3	< 1	1	1	2	4	7	9
A. Not Operated	6	1.8	4	< 1	< 1	1	1	6	6	6
B. Operated	136	1.7	2	< 1	1	1	2	3	6	8
TOTAL										
0-27 DYS	0									
1-11 MOS	13	1.1		< 1	< 1	1	1	2	2	2
1-5 YRS	59	1.4	1	< 1	< 1	1	1	3	4	7
6-12 YRS	39	2.1	4	< 1	1	1	3	6	7	9
13-19 YRS	31	1.8	2	1	1	1	2	4	5	7
GRAND TOTAL	**142**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**6**	**7**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	6	1.7	1	< 1	1	1	2	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	2.5	3	< 1	1	2	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	122	1.0		< 1	< 1	< 1	< 1	1	1	2
1-5 YRS	527	1.0		< 1	< 1	< 1	< 1	1	1	2
6-12 YRS	248	1.0		< 1	< 1	< 1	< 1	1	1	1
13-19 YRS	53	1.0		< 1	< 1	< 1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	13	1.8	2	< 1	1	1	2	4	6	6
6-12 YRS	23	2.8	6	< 1	1	2	4	5	8	12
13-19 YRS	5	2.6	4	< 1	1	2	3	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	22	1.3	1	< 1	< 1	< 1	1	2	4	4
1-5 YRS	209	1.2	1	< 1	< 1	< 1	1	1	2	5
6-12 YRS	97	1.3	2	< 1	< 1	< 1	1	2	3	10
13-19 YRS	25	1.1		< 1	< 1	1	1	1	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.9	2	< 1	1	1	2	4	5	5
B. Operated	950	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	43	2.5	5	< 1	1	2	3	5	6	12
B. Operated	353	1.2	1	< 1	< 1	< 1	1	1	2	5
1. SINGLE DX	965	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX	396	1.4	1	< 1	< 1	< 1	1	2	3	7
A. Not Operated	58	2.3	4	< 1	1	2	3	5	6	12
B. Operated	1303	1.1		< 1	< 1	< 1	< 1	1	1	3
TOTAL										
0-27 DYS	0									
1-11 MOS	148	1.1		< 1	< 1	< 1	< 1	1	1	4
1-5 YRS	755	1.1		< 1	< 1	< 1	< 1	1	1	3
6-12 YRS	369	1.2	1	< 1	< 1	< 1	1	1	2	6
13-19 YRS	89	1.2	1	< 1	< 1	< 1	1	2	2	6
GRAND TOTAL	**1361**	**1.1**		**<1**	**<1**	**<1**	**<1**	**1**	**2**	**4**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	43	2.7	2	1	2	2	3	4	5	7
1-11 MOS	56	2.3	2	<1	<1	2	3	5	5	7
1-5 YRS	121	2.2	5	<1	<1	1	3	4	6	11
6-12 YRS	25	3.0	4	<1	1	2	4	6	7	8
13-19 YRS	20	3.5	9	<1	2	3	4	6	10	14
B. Operated										
0-27 DYS	3	3.0	7	<1	<1	2	5	6	6	6
1-11 MOS	16	2.7	31	<1	<1	1	1	6	18	23
1-5 YRS	102	1.3	1	<1	<1	<1	1	2	4	7
6-12 YRS	43	2.0	11	<1	<1	<1	1	4	7	21
13-19 YRS	39	1.9	4	<1	<1	1	2	3	5	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	68	3.8	8	1	2	3	4	6	9	17
1-11 MOS	156	3.5	5	1	2	3	4	6	8	12
1-5 YRS	143	3.4	5	1	2	3	5	6	8	13
6-12 YRS	61	4.1	7	1	2	4	5	7	9	15
13-19 YRS	32	5.3	75	1	2	4	5	8	10	51
B. Operated										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	15	5.9	47	1	1	2	9	20	21	21
1-5 YRS	64	3.0	25	<1	<1	1	3	5	11	32
6-12 YRS	50	3.5	35	<1	1	1	3	7	16	30
13-19 YRS	42	2.3	3	<1	1	2	3	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	2.4	4	<1	<1	2	3	5	6	8
B. Operated	203	1.7	6	<1	<1	<1	1	3	6	16
2. MULTIPLE DX										
A. Not Operated	460	3.7	11	1	2	3	5	6	8	14
B. Operated	174	3.2	24	<1	1	1	3	7	11	30
1. SINGLE DX	468	2.1	5	<1	<1	1	3	4	6	11
2. MULTIPLE DX	634	3.6	15	1	2	3	4	6	9	19
A. Not Operated	725	3.2	9	<1	2	3	4	6	8	13
B. Operated	377	2.4	15	<1	<1	1	2	5	8	23
TOTAL										
0-27 DYS	117	3.3	6	1	2	3	4	5	7	15
1-11 MOS	243	3.3	9	<1	2	3	4	6	8	20
1-5 YRS	430	2.5	8	<1	<1	1	3	5	7	13
6-12 YRS	179	3.3	16	<1	1	2	4	6	9	26
13-19 YRS	133	3.1	23	<1	1	2	4	6	7	20
GRAND TOTAL	**1102**	**3.0**	**11**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	25	3.4	5	1	2	3	4	7	8	10
1-11 MOS	278	3.4	4	2	2	3	4	6	7	10
1-5 YRS	586	3.0	2	1	2	3	3	5	6	8
6-12 YRS	171	3.5	4	2	2	3	4	7	7	11
13-19 YRS	65	3.9	7	1	2	3	4	7	9	16
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	97	1.7	2	1	1	2	2	2	3	9
1-5 YRS	61	1.9	4	1	1	1	2	3	5	13
6-12 YRS	30	2.1	4	<1	1	1	2	5	7	9
13-19 YRS	34	2.6	7	1	1	2	3	5	10	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	36	3.6	6	1	2	3	4	5	9	13
1-11 MOS	454	4.0	7	2	2	3	5	7	8	12
1-5 YRS	824	3.6	6	2	2	3	4	7	8	12
6-12 YRS	280	4.0	7	2	2	3	5	7	9	14
13-19 YRS	120	4.0	5	2	2	4	5	7	8	11
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	85	5.5	75	1	2	3	5	15	22	88
1-5 YRS	90	6.6	32	1	2	6	9	13	18	29
6-12 YRS	84	5.7	24	1	2	5	8	11	15	25
13-19 YRS	85	4.4	30	1	1	2	6	11	13	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1125	3.2	3	1	2	3	4	5	7	10
B. Operated	223	2.0	4	1	1	1	2	3	5	11
2. MULTIPLE DX										
A. Not Operated	1714	3.8	6	2	2	3	5	7	8	12
B. Operated	345	5.6	40	1	2	3	8	12	16	32
1. SINGLE DX	1348	3.0	4	1	2	3	4	5	7	10
2. MULTIPLE DX	2059	4.1	12	2	2	3	5	8	10	16
A. Not Operated	2839	3.6	5	2	2	3	4	6	8	11
B. Operated	568	4.1	29	1	1	2	5	10	14	26
TOTAL										
0-27 DYS	63	3.5	5	1	2	3	4	6	9	13
1-11 MOS	914	3.7	12	1	2	3	4	7	9	15
1-5 YRS	1561	3.5	7	1	2	3	4	6	8	13
6-12 YRS	565	4.0	9	1	2	3	5	7	9	15
13-19 YRS	304	3.9	13	1	2	3	5	8	10	16
GRAND TOTAL	**3407**	**3.7**	**9**	**1**	**2**	**3**	**4**	**7**	**9**	**14**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	3	5.7	65	1	1	1	12	15	15	15
6-12 YRS	7	1.6		1	1	2	2	2	2	2
13-19 YRS	3	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	4	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	9	1.2		<1	<1	<1	1	2	3	3
13-19 YRS	5	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	12	2.2	1	1	1	2	3	4	4	4
1-5 YRS	17	2.7	4	<1	1	2	4	6	7	7
6-12 YRS	12	1.7	2	<1	<1	1	2	4	4	4
13-19 YRS	11	2.5	2	1	1	2	3	5	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	4	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	4	2.3	2	<1	<1	2	3	4	4	4
13-19 YRS	16	1.6	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.5	11	1	1	2	2	4	11	15
B. Operated	21	1.2		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	52	2.3	2	<1	1	2	3	4	6	7
B. Operated	25	2.0	6	<1	1	1	2	3	6	13
1. SINGLE DX	38	1.8	5	<1	1	1	2	3	4	15
2. MULTIPLE DX	77	2.2	4	<1	1	1	3	4	6	11
A. Not Operated	69	2.4	4	1	1	2	3	4	6	13
B. Operated	46	1.7	4	<1	<1	1	2	3	4	13
TOTAL										
0-27 DYS	0									
1-11 MOS	20	2.6	7	1	1	2	3	4	8	13
1-5 YRS	28	2.5	9	<1	<1	1	3	6	8	15
6-12 YRS	32	1.6	1	<1	<1	1	2	3	4	4
13-19 YRS	35	1.9	1	1	1	2	3	3	4	6
GRAND TOTAL	**115**	**2.1**	**4**	**<1**	**1**	**1**	**3**	**4**	**5**	**14**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	90	2.8	1	1	2	3	3	4	5	6
1-11 MOS	556	2.6	2	1	2	2	3	4	5	7
1-5 YRS	311	2.7	4	1	1	2	3	5	7	10
6-12 YRS	44	3.8	10	1	2	3	5	8	9	17
13-19 YRS	9	5.7	24	1	3	4	7	14	17	17
B. Operated										
0-27 DYS	8	2.5	1	2	2	2	3	4	4	4
1-11 MOS	830	1.1	1	<1	<1	<1	<1	<1	1	5
1-5 YRS	2189	1.1		<1	<1	<1	<1	<1	1	4
6-12 YRS	537	1.1	1	<1	<1	<1	1	1	1	4
13-19 YRS	135	1.1		<1	<1	1	1	1	1	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	137	3.4	4	2	2	3	4	5	6	12
1-11 MOS	1549	2.9	3	1	2	3	3	5	6	9
1-5 YRS	1501	3.0	9	1	2	2	4	5	7	12
6-12 YRS	203	4.1	12	1	2	3	5	9	11	16
13-19 YRS	47	3.3	5	1	1	3	4	6	8	9
B. Operated										
0-27 DYS	17	3.5	4	2	2	3	4	6	9	10
1-11 MOS	216	2.9	13	<1	<1	1	4	7	8	12
1-5 YRS	1630	1.7	7	<1	<1	1	1	3	6	13
6-12 YRS	817	1.5	4	<1	<1	1	1	2	5	11
13-19 YRS	230	1.6	3	<1	1	1	1	2	3	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1010	2.7	3	1	2	2	3	4	6	10
B. Operated	3699	1.1	1	<1	<1	<1	<1	1	1	4
2. MULTIPLE DX										
A. Not Operated	3437	3.0	6	1	2	3	4	5	7	12
B. Operated	2910	1.8	6	<1	<1	1	1	3	6	12
1. SINGLE DX	4709	1.4	2	<1	<1	<1	1	3	4	7
2. MULTIPLE DX	6347	2.5	7	<1	1	2	3	5	6	12
A. Not Operated	4447	3.0	6	1	2	3	3	5	6	11
B. Operated	6609	1.4	3	<1	<1	<1	1	1	3	9
TOTAL										
0-27 DYS	252	3.2	3	2	2	3	4	5	6	10
1-11 MOS	3151	2.4	4	<1	<1	2	3	4	5	9
1-5 YRS	5631	1.9	5	<1	<1	1	2	4	5	10
6-12 YRS	1601	1.8	5	<1	<1	1	1	4	6	12
13-19 YRS	421	1.7	4	<1	1	1	1	3	6	12
GRAND TOTAL	**11056**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	11	2.5		2	2	3	3	32	90	99+
1-11 MOS	120	2.7	2	1	2	3	3	4	5	7
1-5 YRS	94	3.2	5	1	2	3	4	6	9	12
6-12 YRS	74	3.4	4	2	2	3	4	6	7	13
13-19 YRS	37	4.1	9	2	3	3	5	7	12	15
B. Operated										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	49	2.6	7	<1	<1	<1	4	7	9	10
1-5 YRS	119	2.2	6	<1	<1	<1	2	5	9	12
6-12 YRS	75	1.9	2	<1	1	1	3	4	5	8
13-19 YRS	34	3.2	20	1	1	1	3	9	15	20
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	28	3.6	2	2	2	3	5	6	6	7
1-11 MOS	266	3.2	3	1	2	3	4	5	6	8
1-5 YRS	361	3.6	8	1	2	3	4	7	9	15
6-12 YRS	169	3.8	7	1	2	3	5	7	9	14
13-19 YRS	83	4.4	9	2	2	4	6	7	11	16
B. Operated										
0-27 DYS	3	3.3	4	1	2	4	5	5	5	5
1-11 MOS	69	5.9	17	1	3	5	7	11	13	21
1-5 YRS	229	4.9	42	1	1	3	7	11	16	53
6-12 YRS	151	2.9	14	1	1	1	3	8	12	20
13-19 YRS	97	3.9	18	1	1	2	5	11	14	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	336	3.2	4	1	2	3	4	5	7	14
B. Operated	280	2.3	7	<1	<1	1	3	5	8	14
2. MULTIPLE DX										
A. Not Operated	907	3.6	6	1	2	3	4	6	8	14
B. Operated	549	4.3	28	1	1	2	6	11	14	21
1. SINGLE DX	616	2.8	6	<1	1	2	3	5	7	14
2. MULTIPLE DX	1456	3.9	14	1	2	3	5	8	11	19
A. Not Operated	1243	3.5	6	1	2	3	4	6	8	14
B. Operated	829	3.6	21	<1	1	2	5	9	12	20
TOTAL										
0-27 DYS	45	3.2	2	2	2	3	4	5	6	99+
1-11 MOS	504	3.4	6	1	2	3	4	6	7	12
1-5 YRS	803	3.7	18	<1	1	3	4	8	11	20
6-12 YRS	469	3.2	9	1	1	2	4	7	9	15
13-19 YRS	251	4.0	14	1	1	3	5	9	14	17
GRAND TOTAL	**2072**	**3.6**	**12**	**1**	**1**	**3**	**4**	**7**	**10**	**17**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	6	1.8	1	1	1	2	2	3	3	3
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	12	2.6	2	<1	1	2	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	1.6	3	<1	1	1	1	5	6	6
6-12 YRS	16	1.4	1	1	1	1	1	4	4	4
13-19 YRS	16	1.3	2	<1	1	1	1	1	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	7	2.6	5	1	1	2	4	6	7	7
6-12 YRS	11	2.8	1	1	2	3	3	4	5	5
13-19 YRS	21	3.0	5	1	2	2	3	6	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	1.3		1	1	1	2	2	2	2
6-12 YRS	23	1.6	2	1	1	1	2	3	5	8
13-19 YRS	10	3.9	11	1	1	3	6	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.3	2	1	1	2	3	4	5	5
B. Operated	40	1.4	2	<1	1	1	1	3	5	6
2. MULTIPLE DX										
A. Not Operated	42	2.8	3	1	2	2	3	5	7	9
B. Operated	44	2.0	5	1	1	1	2	4	7	11
1. SINGLE DX	62	1.7	2	<1	1	1	2	4	5	6
2. MULTIPLE DX	86	2.4	4	1	1	2	3	5	7	10
A. Not Operated	64	2.6	3	1	1	2	3	5	6	9
B. Operated	84	1.7	3	1	1	1	1	4	6	10
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	32	1.8	2	1	1	1	2	3	6	7
6-12 YRS	53	1.8	2	1	1	1	2	3	4	8
13-19 YRS	59	2.6	5	1	1	2	3	6	8	11
GRAND TOTAL	**148**	**2.1**	**3**	**1**	**1**	**1**	**3**	**4**	**6**	**9**

980 Hospitals, United States, Pediatric, January-December 1989

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	1.2		< 1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	8	1.4	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	10	1.2		< 1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	9	1.3	1	1	1	1	2	3	3	3
1. SINGLE DX	11	1.2		< 1	1	1	1	2	2	2
2. MULTIPLE DX	9	1.3	1	1	1	1	2	3	3	3
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	19	1.3		1	1	1	1	2	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	19	1.3		1	1	1	1	2	3	3
GRAND TOTAL	**20**	**1.3**		**1**	**1**	**1**	**1**	**2**	**3**	**3**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	19	2.6	6	< 1	< 1	< 1	4	7	8	9
6-12 YRS	14	2.3	9	< 1	< 1	1	2	5	10	12
13-19 YRS	3	6.3	37	< 1	1	5	11	13	13	13
B. Operated										
0-27 DYS	0									
1-11 MOS	5	2.0	3	< 1	< 1	< 1	3	5	5	5
1-5 YRS	189	1.3	1	< 1	< 1	1	1	2	4	7
6-12 YRS	540	1.1		< 1	1	1	1	1	2	4
13-19 YRS	239	1.3	3	< 1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	3.9	13	1	1	3	5	10	12	12
1-5 YRS	31	3.9	13	< 1	1	2	6	9	11	14
6-12 YRS	17	2.9	5	< 1	< 1	2	4	7	7	7
13-19 YRS	17	2.8	4	1	1	2	4	5	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.3	16	1	1	1	6	8	8	8
1-5 YRS	199	2.0	7	< 1	1	1	1	4	9	14
6-12 YRS	570	1.3	1	1	1	1	1	2	2	8
13-19 YRS	292	1.4	2	1	1	1	1	2	3	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	2.8	9	< 1	< 1	1	4	7	11	13
B. Operated	973	1.2	1	< 1	1	1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	78	3.4	9	< 1	1	2	5	8	10	13
B. Operated	1064	1.5	3	1	1	1	1	2	4	10
1. SINGLE DX	1011	1.3	2	< 1	1	1	1	1	2	6
2. MULTIPLE DX	1142	1.6	3	< 1	1	1	1	2	5	10
A. Not Operated	116	3.2	9	< 1	1	2	4	7	10	13
B. Operated	2037	1.3	2	< 1	1	1	1	2	3	9
TOTAL										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	21	3.2	10	< 1	1	2	4	8	10	12
1-5 YRS	438	1.8	5	< 1	1	1	1	4	7	12
6-12 YRS	1141	1.2	1	< 1	1	1	1	2	2	7
13-19 YRS	551	1.4	3	1	1	1	1	2	3	8
GRAND TOTAL	**2153**	**1.4**	**3**	**< 1**	**1**	**1**	**1**	**2**	**4**	**9**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	12	4.8	7	2	3	4	7	9	10	10
6-12 YRS	57	4.5	8	2	2	4	6	8	9	16
13-19 YRS	18	7.6	27	2	3	6	14	15	17	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	4.8	17	2	2	3	6	12	14	14
6-12 YRS	58	7.5	28	2	4	6	10	14	19	23
13-19 YRS	36	6.9	30	2	4	6	8	14	21	26
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	5	11.0	10	7	8	11	13	15	15	15
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	5.2	13	2	3	4	7	10	14	17
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	102	7.1	28	2	3	6	9	14	19	25
B. Operated	6	9.3	25	1	7	10	13	15	15	15
1. SINGLE DX	88	5.2	13	2	3	4	7	10	14	17
2. MULTIPLE DX	108	7.2	28	2	3	6	9	14	18	24
A. Not Operated	189	6.2	22	2	3	5	7	13	16	23
B. Operated	7	8.9	22	1	6	9	12	15	15	15
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	21	4.6	10	1	3	4	6	9	12	14
6-12 YRS	121	6.2	20	2	3	5	8	12	15	23
13-19 YRS	54	7.1	28	2	3	6	8	15	17	26
GRAND TOTAL	**196**	**6.3**	**22**	**2**	**3**	**5**	**8**	**13**	**16**	**23**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	9	2.4	5	< 1	1	2	3	6	7	7
13-19 YRS	12	4.6	9	1	2	4	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	5.5	12	1	2	6	8	10	10	10
13-19 YRS	11	5.8	42	< 1	1	3	7	17	21	21
B. Operated										
0-27 DYS	0									
1-11 MOS	5	24.2	1673	2	2	9	32	97	97	97
1-5 YRS	9	13.7	394	< 1	1	2	22	47	59	59
6-12 YRS	11	5.5	27	1	2	2	8	14	17	17
13-19 YRS	18	7.8	63	1	1	3	15	19	23	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	8	< 1	< 1	2	5	5	5	5
B. Operated	23	3.5	8	< 1	2	2	6	7	9	10
2. MULTIPLE DX										
A. Not Operated	19	5.3	28	1	2	3	7	13	18	21
B. Operated	43	10.3	300	1	1	3	12	21	40	97
1. SINGLE DX	25	3.5	7	< 1	1	2	6	7	8	10
2. MULTIPLE DX	62	8.8	221	1	2	3	10	19	28	92
A. Not Operated	21	5.1	26	< 1	2	3	7	12	18	21
B. Operated	66	8.0	207	1	2	2	9	18	27	91
TOTAL										
0-27 DYS	0									
1-11 MOS	8	16.3	1077	2	2	4	10	71	97	97
1-5 YRS	11	11.5	337	< 1	1	2	16	42	58	59
6-12 YRS	26	4.4	17	< 1	1	2	7	10	13	17
13-19 YRS	42	6.2	41	1	2	3	8	17	20	26
GRAND TOTAL	**87**	**7.3**	**164**	**1**	**2**	**2**	**8**	**17**	**22**	**83**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	4.3	18	1	1	3	6	12	12	12
1-5 YRS	6	3.2	19	1	1	2	2	11	12	12
6-12 YRS	16	3.6	2	2	2	3	4	6	6	6
13-19 YRS	21	2.8	5	1	2	2	3	4	8	12
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	5	2.4	1	1	2	2	3	4	4	4
6-12 YRS	9	3.3	10	1	1	2	4	9	11	11
13-19 YRS	13	2.6	3	< 1	1	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	26	4.4	14	1	1	3	7	9	13	15
1-5 YRS	32	4.4	15	1	2	3	6	9	14	17
6-12 YRS	31	4.1	5	1	3	4	5	7	9	11
13-19 YRS	58	2.9	3	1	1	3	4	5	6	9
B. Operated										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	6	9.3	36	1	5	9	15	17	17	17
1-5 YRS	9	4.0	11	1	2	3	5	10	11	11
6-12 YRS	13	5.2	13	1	2	6	7	10	12	13
13-19 YRS	22	6.6	66	1	2	4	5	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	3.3	8	1	2	3	4	6	12	12
B. Operated	29	2.7	5	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	147	3.7	8	1	2	3	5	7	9	15
B. Operated	51	6.5	49	1	2	4	8	16	26	29
1. SINGLE DX	81	3.1	7	1	1	2	4	6	11	12
2. MULTIPLE DX	198	4.5	20	1	2	3	5	9	13	26
A. Not Operated	199	3.6	8	1	2	3	5	7	10	15
B. Operated	80	5.2	36	1	2	3	6	11	21	28
TOTAL										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	43	4.9	20	1	1	3	7	12	15	17
1-5 YRS	52	4.0	13	1	2	3	5	9	12	17
6-12 YRS	69	4.1	7	1	2	4	5	7	9	13
13-19 YRS	114	3.6	17	1	2	3	4	5	8	26
GRAND TOTAL	**279**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**12**	**26**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	6.2		6	6	6	7	7	7	7
1-5 YRS	4	8.3	33	3	3	7	13	15	15	15
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	20.5	181	11	11	20	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	11	6.8	13	3	4	6	8	13	15	15
B. Operated	4	12.0	161	1	3	8	20	30	30	30
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	15	8.2	49	3	4	6	10	15	26	30
A. Not Operated	12	6.3	14	2	4	6	7	12	15	15
B. Operated	4	12.0	161	1	3	8	20	30	30	30
TOTAL										
0-27 DYS	0									
1-11 MOS	6	6.2		6	6	6	6	7	7	7
1-5 YRS	4	8.3	33	3	3	7	13	15	15	15
6-12 YRS	2	4.5	25	1	1	4	8	8	8	8
13-19 YRS	4	11.3	175	1	2	7	20	30	30	30
GRAND TOTAL	**16**	**7.8**	**49**	**1**	**4**	**6**	**9**	**15**	**25**	**30**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	5	3.8	4	2	3	3	5	7	7	7
13-19 YRS	6	5.8	20	2	3	4	8	13	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	4	6.3	36	2	2	4	10	15	15	15
13-19 YRS	6	1.8	4	< 1	< 1	1	1	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	4.3	7	2	3	3	5	9	10	10
1-5 YRS	16	4.1	5	1	2	4	6	7	8	8
6-12 YRS	40	4.6	29	1	2	3	5	8	9	35
13-19 YRS	43	4.9	25	1	2	3	6	11	14	27
B. Operated										
0-27 DYS	0									
1-11 MOS	2	53.0	2888	15	15	53	91	91	91	91
1-5 YRS	9	13.7	128	3	6	11	21	69	99 +	99 +
6-12 YRS	25	13.2	107	3	4	12	18	25	34	43
13-19 YRS	50	9.6	77	1	3	8	13	20	24	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	4.8	11	2	3	4	5	9	13	14
B. Operated	12	3.2	17	< 1	< 1	1	4	9	14	15
2. MULTIPLE DX										
A. Not Operated	106	4.6	22	1	2	3	5	9	11	31
B. Operated	86	12.1	164	2	4	9	16	24	40	97
1. SINGLE DX	25	4.0	14	< 1	1	3	5	8	14	15
2. MULTIPLE DX	192	8.0	99	1	3	5	10	18	25	73
A. Not Operated	119	4.6	21	1	2	3	5	9	12	29
B. Operated	98	11.0	154	1	3	8	15	23	35	96
TOTAL										
0-27 DYS	0									
1-11 MOS	10	13.9	751	2	3	4	10	53	91	91
1-5 YRS	28	7.0	63	1	3	5	9	20	42	99 +
6-12 YRS	74	7.5	69	2	3	4	9	18	25	41
13-19 YRS	105	7.0	54	1	2	4	9	15	22	39
GRAND TOTAL	**217**	**7.5**	**91**	**1**	**2**	**4**	**9**	**17**	**24**	**62**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	7.3	50	1	2	6	13	15	15	15
6-12 YRS	3	7.7	49	1	2	7	13	15	15	15
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	8	4.4	10	2	2	3	6	10	11	11
6-12 YRS	11	3.4	4	1	2	3	5	6	8	8
13-19 YRS	7	4.3	27	< 1	1	2	6	13	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	8.3	90	2	2	5	14	22	22	22
6-12 YRS	9	6.8	32	1	2	5	10	16	17	17
13-19 YRS	10	6.8	32	1	3	5	8	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	6.6	39	1	1	6	13	15	15	15
B. Operated	6	3.0	4	1	2	2	3	7	7	7
2. MULTIPLE DX										
A. Not Operated	28	3.9	11	1	2	3	5	8	11	15
B. Operated	23	7.0	37	1	2	5	8	17	19	22
1. SINGLE DX	13	4.9	25	1	1	3	7	15	15	15
2. MULTIPLE DX	51	5.3	25	1	2	4	7	15	17	22
A. Not Operated	35	4.4	17	1	2	3	6	11	15	15
B. Operated	29	6.2	33	1	2	5	7	16	18	22
TOTAL										
0-27 DYS	0									
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	16	5.8	33	2	2	3	7	15	20	22
6-12 YRS	25	5.2	20	1	2	4	7	15	16	17
13-19 YRS	21	5.0	27	1	1	3	6	15	16	18
GRAND TOTAL	**64**	**5.2**	**24**	**1**	**2**	**3**	**7**	**15**	**16**	**21**

980 Hospitals, United States, Pediatric, January-December 1989

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	5.6	6	3	4	5	7	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	4.3	5	3	3	3	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	5	5.6	6	3	4	5	7	9	9	9
B. Operated	3	4.3	5	3	3	3	6	7	7	7
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	8	5.1	5	3	3	4	7	8	9	9
A. Not Operated	5	5.6	6	3	4	5	7	9	9	9
B. Operated	4	4.3	4	3	3	4	5	7	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	5.0	5	3	3	4	7	8	9	9
GRAND TOTAL	9	5.0	5	3	3	4	7	8	9	9

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	3.5	4	1	2	3	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	15.5	265	4	4	15	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	10	3.5	4	1	2	3	5	6	6	6
B. Operated	2	15.5	265	4	4	15	27	27	27	27
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	12	5.5	49	1	2	4	5	12	25	27
A. Not Operated	11	3.4	4	1	2	3	5	6	6	6
B. Operated	2	15.5	265	4	4	15	27	27	27	27
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	13	5.2	46	1	2	4	5	10	24	27
GRAND TOTAL	13	5.2	46	1	2	4	5	10	24	27

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
				PERCENTILES						
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	3.5	1	2	3	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4	3.5	1	2	3	4	4	4	4	4
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	4	3.5	1	2	3	4	4	4	4	4
A. Not Operated	4	3.5	1	2	3	4	4	4	4	4
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	3.5	1	2	3	4	4	4	4	4
GRAND TOTAL	**4**	**3.5**	**1**	**2**	**3**	**4**	**4**	**4**	**4**	**4**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
				PERCENTILES						
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	2.8	12	1	1	1	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	4.0	13	1	1	3	6	9	9	9
1-5 YRS	1	30.0		30	30	30	30	30	30	30
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	4	5.5	44	1	1	3	10	15	15	15
1-5 YRS	6	12.5	664	< 1	< 1	1	5	59	65	65
6-12 YRS	6	2.3	8	< 1	< 1	1	2	7	8	8
13-19 YRS	3	2.7	2	1	1	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	7	2.0	7	1	1	1	1	7	8	8
2. MULTIPLE DX										
A. Not Operated	10	[illegible]	77	1	1	3	5	19	30	30
B. Operated	19	[illegible]	215	< 1	< 1	1	5	12	42	65
1. SINGLE DX	9	1.9	5	1	1	1	2	6	8	8
2. MULTIPLE DX	29	6.2	163	< 1	1	2	5	13	32	65
A. Not Operated	12	5.3	66	1	1	3	5	15	28	30
B. Operated	26	5.1	160	< 1	1	1	4	8	25	65
TOTAL										
0-27 DYS	0									
1-11 MOS	8	4.8	25	1	1	3	7	13	15	15
1-5 YRS	10	10.8	444	< 1	< 1	1	5	47	65	65
6-12 YRS	9	2.3	6	< 1	< 1	1	3	7	8	8
13-19 YRS	11	2.6	5	1	1	2	4	6	8	8
GRAND TOTAL	**38**	**5.2**	**128**	**< 1**	**1**	**1**	**4**	**9**	**24**	**65**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	8.5	4	6	8	8	9	12	12	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	10.3	9	7	8	11	12	13	13	13
1-5 YRS	6	8.0	6	4	7	8	10	11	11	11
6-12 YRS	7	5.4	5	2	4	6	6	8	9	9
13-19 YRS	38	8.3	19	3	5	7	11	14	16	24
B. Operated										
0-27 DYS	2	38.5	1105	15	15	38	62	62	62	62
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	3	5.3	6	3	3	5	7	8	8	8
6-12 YRS	8	11.4	272	3	4	6	7	39	52	52
13-19 YRS	15	10.5	61	3	5	8	13	24	28	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	8.4	3	6	8	8	9	11	12	12
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	54	8.0	16	4	5	7	10	13	14	24
B. Operated	29	12.0	196	3	5	7	13	28	52	62
1. SINGLE DX	7	8.4	3	6	8	8	9	11	12	12
2. MULTIPLE DX	83	9.4	81	3	5	7	11	14	24	59
A. Not Operated	61	8.1	15	4	6	8	10	13	14	23
B. Operated	29	12.0	196	3	5	7	13	28	52	62
TOTAL										
0-27 DYS	2	38.5	1105	15	15	38	62	62	62	62
1-11 MOS	5	9.2	7	7	7	8	11	13	13	13
1-5 YRS	9	7.1	7	3	5	8	9	11	11	11
6-12 YRS	15	8.6	147	3	4	6	7	9	41	52
13-19 YRS	59	8.9	28	3	5	8	12	14	21	29
GRAND TOTAL	**90**	**9.3**	**75**	**3**	**5**	**7**	**11**	**14**	**24**	**58**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.3	2	1	1	2	3	4	4	4
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	18	19.2	185	2	8	15	30	41	43	43
6-12 YRS	20	22.5	190	4	9	26	31	42	43	44
13-19 YRS	33	16.6	122	4	8	14	24	30	40	43
B. Operated										
0-27 DYS	0									
1-11 MOS	2	65.0	1800	35	35	65	95	95	95	95
1-5 YRS	9	18.7	140	7	10	13	26	38	40	40
6-12 YRS	10	28.5	228	7	15	30	42	45	47	47
13-19 YRS	11	25.5	161	13	16	22	31	46	52	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	2	1	1	2	3	4	4	4
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	71	18.9	158	4	8	16	29	40	43	44
B. Operated	32	27.0	327	9	14	23	37	44	52	95
1. SINGLE DX	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX	103	21.4	222	5	10	18	30	42	43	73
A. Not Operated	74	18.3	163	3	7	15	28	39	43	44
B. Operated	32	27.0	327	9	14	23	37	44	52	95
TOTAL										
0-27 DYS	0									
1-11 MOS	2	65.0	1800	35	35	65	95	95	95	95
1-5 YRS	27	19.0	164	4	10	14	29	40	42	43
6-12 YRS	33	22.5	227	3	8	26	33	43	44	47
13-19 YRS	44	18.8	143	4	10	16	27	34	42	53
GRAND TOTAL	**106**	**20.9**	**226**	**4**	**9**	**17**	**30**	**42**	**43**	**71**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	10	4.0	6	2	2	3	6	7	8	8
1-11 MOS	20	4.6	[illegible]	1	1	2	5	13	19	22
1-5 YRS	10	2.1	1	< 1	1	2	3	4	4	4
6-12 YRS	9	1.6	3	1	1	1	1	4	6	6
13-19 YRS	12	2.2	2	< 1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	6	2.0	1	< 1	1	2	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	22	7.4	67	2	3	4	7	17	25	37
1-11 MOS	21	3.9	9	1	2	2	7	8	[illegible]	[illegible]
1-5 YRS	15	2.7	13	1	1	1	2	8	12	14
6-12 YRS	20	2.6	4	< 1	1	2	4	6	7	7
13-19 YRS	25	2.8	3	1	2	2	3	5	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	5	12.0	229	1	2	8	18	38	38	38
1-5 YRS	3	8.3	12	5	6	8	11	12	12	12
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	4	4.5	12	< 1	1	4	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	3.2	14	1	1	2	3	7	9	21
B. Operated	8	2.0	1	< 1	1	2	2	4	4	4
2. MULTIPLE DX										
A. Not Operated	103	3.9	22	1	1	2	4	7	12	27
B. Operated	14	7.8	89	1	2	6	8	15	33	38
1. SINGLE DX	69	3.0	12	1	1	2	3	7	8	21
2. MULTIPLE DX	117	4.4	31	1	1	2	6	8	13	37
A. Not Operated	164	3.6	19	1	1	2	4	7	10	21
B. Operated	22	5.7	63	1	2	2	8	11	22	38
TOTAL										
0-27 DYS	32	6.3	50	2	2	4	7	16	17	37
1-11 MOS	46	5.1	44	1	1	2	7	10	18	38
1-5 YRS	28	3.1	11	1	1	2	3	8	12	14
6-12 YRS	33	2.3	3	1	1	1	3	6	6	7
13-19 YRS	47	2.7	3	< 1	1	2	4	5	7	8
GRAND TOTAL	**186**	**3.9**	**24**	**1**	**1**	**2**	**4**	**8**	**11**	**32**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	4	3.0	5	1	1	2	4	6	6	6
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	7	2.0	2	< 1	1	2	2	4	5	5
13-19 YRS	32	2.1	2	1	1	2	2	3	6	7
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	4.0	13	< 1	1	3	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	13	6.8	41	2	3	4	9	15	23	25
1-5 YRS	16	5.7	27	1	1	5	8	12	18	20
6-12 YRS	21	2.5	3	1	1	2	3	5	6	7
13-19 YRS	79	3.4	8	1	1	3	5	7	9	15
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	6	5.3	3	3	4	5	7	7	7	7
6-12 YRS	14	5.6	27	1	2	3	9	13	18	19
13-19 YRS	25	8.7	147	1	3	4	7	23	41	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	2.2	2	1	1	2	2	5	6	7
B. Operated	5	4.2	10	< 1	1	3	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	131	3.9	14	1	1	3	5	8	10	21
B. Operated	46	7.2	89	1	3	4	7	18	26	51
1. SINGLE DX	52	2.4	3	1	1	2	3	5	7	8
2. MULTIPLE DX	177	4.8	35	1	2	3	5	9	14	34
A. Not Operated	178	3.4	11	1	1	2	4	7	10	19
B. Operated	51	6.9	82	1	2	4	7	15	23	51
TOTAL										
0-27 DYS	6	3.8	4	2	2	3	5	7	7	7
1-11 MOS	19	5.7	31	2	2	4	6	12	20	25
1-5 YRS	23	5.4	20	1	2	5	7	10	15	20
6-12 YRS	42	3.5	13	1	1	2	4	8	10	19
13-19 YRS	139	4.1	36	1	1	2	5	7	11	39
GRAND TOTAL	**229**	**4.2**	**29**	**1**	**2**	**3**	**5**	**8**	**12**	**28**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	41	3.5	5	1	2	3	5	7	9	10
1-11 MOS	71	3.0	7	1	1	2	4	6	11	12
1-5 YRS	45	3.6	15	1	1	2	5	7	15	17
6-12 YRS	43	1.9	3	<1	1	1	2	3	4	11
13-19 YRS	81	2.6	4	1	1	2	3	5	7	11
B. Operated										
0-27 DYS	4	4.5	11	2	2	4	7	9	9	9
1-11 MOS	6	8.2	37	2	5	6	11	18	19	19
1-5 YRS	18	3.9	16	1	1	2	5	8	13	17
6-12 YRS	43	3.5	7	1	2	3	4	9	9	12
13-19 YRS	84	4.0	22	<1	1	2	6	8	11	28
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	79	5.1	26	1	2	3	6	13	14	25
1-11 MOS	158	4.6	19	1	2	3	5	10	15	22
1-5 YRS	105	4.8	93	1	2	3	5	8	14	55
6-12 YRS	117	3.1	10	1	1	2	4	6	9	16
13-19 YRS	173	3.6	57	1	1	2	4	6	10	30
B. Operated										
0-27 DYS	9	13.4	313	1	2	5	17	42	57	57
1-11 MOS	40	13.8	285	2	6	9	14	40	71	99+
1-5 YRS	65	6.9	148	1	2	4	7	13	22	83
6-12 YRS	103	5.8	51	1	2	4	7	12	16	41
13-19 YRS	174	5.7	36	1	2	4	7	12	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	281	2.9	7	1	1	2	3	6	8	14
B. Operated	155	4.1	18	1	1	2	6	9	11	19
2. MULTIPLE DX										
A. Not Operated	632	4.2	41	1	1	3	5	8	13	22
B. Operated	391	6.9	95	1	2	4	8	13	21	56
1. SINGLE DX	436	3.3	11	1	1	2	4	7	10	17
2. MULTIPLE DX	1023	5.2	64	1	2	3	6	11	15	39
A. Not Operated	913	3.8	31	1	1	2	4	7	11	22
B. Operated	546	6.1	75	1	2	4	7	12	18	53
TOTAL										
0-27 DYS	133	5.2	41	1	2	3	5	12	14	31
1-11 MOS	275	5.6	66	1	2	3	7	12	18	51
1-5 YRS	233	5.1	88	1	2	3	5	9	16	39
6-12 YRS	306	3.9	24	1	1	2	5	9	12	25
13-19 YRS	512	4.3	37	1	1	2	5	9	12	28
GRAND TOTAL	**1459**	**4.6**	**49**	**1**	**2**	**3**	**5**	**10**	**14**	**29**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	3.0	1	2	2	3	4	5	5	5
1-5 YRS	7	7.0	30	1	2	5	11	15	16	16
6-12 YRS	4	4.8	12	1	2	4	7	9	9	9
13-19 YRS	2	6.5	41	2	2	6	11	11	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	33	6.5	33	2	3	5	9	15	20	23
1-11 MOS	258	5.0	23	1	2	4	6	10	13	26
1-5 YRS	158	6.7	33	2	3	5	8	15	21	29
6-12 YRS	62	7.1	50	2	3	5	8	14	24	39
13-19 YRS	76	5.5	11	2	3	5	7	10	11	19
B. Operated										
0-27 DYS	5	7.2	22	3	5	7	15	91	99+	99+
1-11 MOS	56	15.4	269	2	4	10	25	40	97	99+
1-5 YRS	44	14.0	155	4	7	11	18	48	99+	99+
6-12 YRS	14	18.3	338	6	8	14	21	31	68	78
13-19 YRS	23	11.7	106	2	4	9	13	30	36	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	5.0	17	1	2	3	7	11	13	16
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	587	5.8	28	2	3	4	7	11	16	28
B. Operated	142	14.4	205	2	5	11	21	41	94	99+
1. SINGLE DX	21	5.0	17	1	2	3	7	11	13	16
2. MULTIPLE DX	729	7.5	74	2	3	5	9	17	26	95
A. Not Operated	608	5.8	28	2	3	4	7	11	16	27
B. Operated	142	14.4	205	2	5	11	21	41	94	99+
TOTAL										
0-27 DYS	39	6.5	30	2	3	5	9	16	22	99+
1-11 MOS	321	6.8	81	2	2	4	7	16	26	95
1-5 YRS	209	8.3	67	2	4	6	11	18	28	99+
6-12 YRS	80	9.0	114	2	4	6	10	19	25	67
13-19 YRS	101	6.9	39	2	3	5	9	12	16	37
GRAND TOTAL	**750**	**7.4**	**72**	**2**	**3**	**5**	**9**	**17**	**25**	**93**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	3.8	17	<1	1	2	4	11	12	12
1-5 YRS	5	3.4	4	2	2	3	4	7	7	7
6-12 YRS	9	2.4	1	<1	2	3	3	3	3	3
13-19 YRS	7	1.9	1	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	3.7	7	1	1	3	5	8	8	8
1-5 YRS	8	3.5	26	<1	1	2	3	12	16	16
6-12 YRS	11	3.3	6	<1	1	2	5	7	8	8
13-19 YRS	12	2.5	6	<1	1	2	3	6	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	8	7.0	14	3	4	6	9	13	14	14
1-11 MOS	27	9.0	110	2	3	6	10	20	33	50
1-5 YRS	17	3.9	10	<1	2	3	4	7	12	14
6-12 YRS	44	4.5	13	1	2	4	6	9	10	20
13-19 YRS	48	5.3	26	1	2	4	6	12	17	26
B. Operated										
0-27 DYS	6	14.2	132	3	8	11	15	34	36	36
1-11 MOS	27	14.4	244	1	5	10	15	33	54	69
1-5 YRS	28	14.8	379	1	2	7	29	68	99+	99+
6-12 YRS	38	9.1	81	1	2	5	16	22	28	35
13-19 YRS	39	17.1	287	1	3	12	28	47	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	2.9	5	1	1	3	3	5	7	12
B. Operated	38	3.2	9	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	144	5.7	37	1	2	4	7	11	17	31
B. Operated	138	13.8	237	1	3	8	20	38	60	99+
1. SINGLE DX	66	3.0	7	1	1	2	3	6	8	15
2. MULTIPLE DX	282	9.6	151	1	2	5	12	26	40	89
A. Not Operated	172	5.2	33	1	2	4	6	10	16	29
B. Operated	176	11.5	207	1	2	7	15	34	50	99+
TOTAL										
0-27 DYS	16	9.4	66	3	4	7	11	15	30	36
1-11 MOS	66	10.3	159	1	3	6	13	23	37	66
1-5 YRS	58	9.1	217	1	2	3	8	36	68	99+
6-12 YRS	102	5.9	42	1	2	4	7	16	21	32
13-19 YRS	106	9.1	155	1	2	4	11	27	41	79
GRAND TOTAL	348	8.4	130	1	2	4	9	21	35	69

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	6.5	61	1	1	6	12	12	12	12
1-11 MOS	13	5.1	13	2	2	4	8	10	12	13
1-5 YRS	16	5.3	32	1	2	3	6	12	20	23
6-12 YRS	20	2.5	4	<1	1	2	3	5	7	8
13-19 YRS	50	2.8	4	1	2	2	3	5	6	12
B. Operated										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	10	3.4	14	<1	1	1	7	9	10	10
1-5 YRS	42	2.7	7	<1	1	2	2	7	8	11
6-12 YRS	31	2.5	10	<1	1	1	2	6	9	16
13-19 YRS	58	3.6	12	1	1	2	6	9	10	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	6.1	30	1	2	5	8	15	17	17
1-11 MOS	28	4.8	20	<1	2	4	6	10	15	21
1-5 YRS	86	5.0	12	1	2	4	7	9	12	70
6-12 YRS	56	4.9	14	1	2	4	8	10	13	16
13-19 YRS	110	3.4	6	1	2	3	4	7	8	12
B. Operated										
0-27 DYS	14	20.9	258	8	10	18	22	44	60	65
1-11 MOS	62	9.5	174	2	3	6	13	18	21	90
1-5 YRS	175	6.9	83	1	1	3	8	17	26	38
6-12 YRS	115	7.6	127	1	1	4	9	17	23	57
13-19 YRS	102	6.9	53	1	2	5	10	16	20	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	3.5	11	1	2	2	4	7	10	18
B. Operated	142	3.2	13	<1	1	2	5	9	10	17
2. MULTIPLE DX										
A. Not Operated	287	4.4	12	1	2	3	6	9	12	18
B. Operated	468	7.8	109	1	2	5	10	18	24	45
1. SINGLE DX	243	3.3	12	1	1	2	4	8	10	16
2. MULTIPLE DX	755	6.5	75	1	2	4	8	15	21	39
A. Not Operated	388	4.1	12	1	2	3	5	8	12	18
B. Operated	610	6.3	91	1	1	3	9	17	22	40
TOTAL										
0-27 DYS	24	15.6	212	1	6	12	20	31	49	65
1-11 MOS	113	7.3	109	1	2	5	9	15	19	57
1-5 YRS	319	5.7	53	1	1	3	7	13	20	35
6-12 YRS	222	5.7	75	1	1	3	8	14	18	34
13-19 YRS	320	4.5	24	1	2	3	6	10	13	23
GRAND TOTAL	998	5.7	62	1	2	3	7	13	19	34

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	10.3	39	2	6	11	14	17	17	17
13-19 YRS	7	12.7	9	9	10	12	14	17	18	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	11.6	37	4	8	10	16	20	20	20
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	3	14.0	469	<1	<1	2	30	39	39	39
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	69.0		69	69	84	99+	99+	99+	99+
1-5 YRS	0									
6-12 YRS	8	21.3	96	9	18	20	34	74	99+	99+
13-19 YRS	11	21.5	268	8	12	20	22	46	63	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	11	11.8	19	6	10	12	14	17	18	18
2. MULTIPLE DX										
A. Not Operated	11	10.4	124	1	3	7	14	28	38	39
B. Operated	20	23.8	290	9	14	20	34	78	99+	99+
1. SINGLE DX	13	10.4	28	2	7	12	14	17	18	18
2. MULTIPLE DX	31	19.0	267	3	8	19	25	66	95	99+
A. Not Operated	13	9.2	112	1	2	5	11	24	36	39
B. Operated	31	19.5	223	8	12	17	21	66	95	99+
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	21.2	579	5	9	15	57	94	99+	99+
1-5 YRS	4	3.5	6	2	2	3	5	7	7	7
6-12 YRS	15	16.9	149	2	8	18	27	39	82	99+
13-19 YRS	18	18.1	180	9	12	14	21	30	52	65
GRAND TOTAL	**44**	**16.5**	**210**	**2**	**9**	**14**	**21**	**39**	**75**	**99+**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	33.0		33	33	33	33	33	33	33
13-19 YRS	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	2	24.0	162	15	15	24	33	33	33	33
1. SINGLE DX	0									
2. MULTIPLE DX	3	17.0	228	3	6	15	28	33	33	33
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	2	24.0	162	15	15	24	33	33	33	33
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	33.0		33	33	33	33	33	33	33
13-19 YRS	2	9.0	72	3	3	9	15	15	15	15
GRAND TOTAL	**3**	**17.0**	**228**	**3**	**6**	**15**	**28**	**33**	**33**	**33**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	8.5	138	2	2	3	8	30	32	32
1-5 YRS	2	5.5	25	2	2	5	9	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	5	6.2	16	2	3	6	9	12	12	12
B. Operated										
0-27 DYS	0									
1-11 MOS	13	8.8	74	3	4	5	10	19	31	34
1-5 YRS	13	5.1	13	1	2	5	6	10	13	14
6-12 YRS	3	9.0	109	2	2	4	17	21	21	21
13-19 YRS	5	9.0	25	1	6	10	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	4.7	10	<1	1	6	7	7	7	7
1-11 MOS	7	13.3	369	<1	1	3	17	47	54	54
1-5 YRS	15	10.3	110	1	4	7	12	31	35	37
6-12 YRS	13	8.7	91	1	2	5	12	27	29	29
13-19 YRS	9	7.4	20	1	3	8	10	13	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	28	16.5	211	3	7	15	20	29	48	71
1-5 YRS	29	14.3	341	3	4	8	12	45	66	71
6-12 YRS	25	15.5	322	3	5	7	16	38	55	78
13-19 YRS	23	15.8	333	4	5	10	19	41	63	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	6.9	63	2	2	4	8	14	28	32
B. Operated	34	7.4	45	2	3	5	9	15	20	34
2. MULTIPLE DX										
A. Not Operated	47	9.4	114	1	2	7	12	25	32	54
B. Operated	105	15.5	292	3	5	9	18	37	58	78
1. SINGLE DX	48	7.3	49	2	3	5	9	15	22	34
2. MULTIPLE DX	152	13.6	244	2	4	8	15	34	51	78
A. Not Operated	61	8.8	102	1	2	6	11	22	31	52
B. Operated	139	13.5	243	3	5	8	15	34	49	78
TOTAL										
0-27 DYS	3	4.7	10	<1	1	6	7	7	7	7
1-11 MOS	54	13.3	192	2	4	8	17	30	43	70
1-5 YRS	59	10.9	209	2	3	6	11	30	45	71
6-12 YRS	42	12.6	234	2	3	7	14	34	42	78
13-19 YRS	42	12.1	204	3	5	8	13	21	44	78
GRAND TOTAL	**200**	**12.1**	**204**	**2**	**4**	**7**	**14**	**30**	**41**	**74**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	2	3.5	13	<1	<1	3	6	6	6	6
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	19.0		19	19	19	19	19	19	19
1-5 YRS	0									
6-12 YRS	5	21.2	296	8	9	39	85	99+	99+	99+
13-19 YRS	5	16.6	64	3	14	18	21	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	7	3.9	4	<1	2	4	6	6	6	6
B. Operated	11	18.9	149	7	10	19	41	99+	99+	99+
1. SINGLE DX	0									
2. MULTIPLE DX	18	13.1	146	2	5	10	28	99+	99+	99+
A. Not Operated	7	3.9	4	<1	2	4	6	6	6	6
B. Operated	11	18.9	149	7	10	19	41	99+	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	3	8.3	86	2	2	4	15	19	19	19
1-5 YRS	2	3.5	13	<1	1	6	76	99+	99+	99+
6-12 YRS	6	18.7	275	7	8	24	70	99+	99+	99+
13-19 YRS	7	13.0	81	3	4	18	20	23	24	24
GRAND TOTAL	**18**	**13.1**	**146**	**2**	**5**	**10**	**28**	**99+**	**99+**	**99+**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	30.0	1682	1	1	30	59	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	30.0	1682	1	1	30	59	59	59	59
1. SINGLE DX	0									
2. MULTIPLE DX	2	30.0	1682	1	1	30	59	59	59	59
A. Not Operated	0									
B. Operated	2	30.0	1682	1	1	30	59	59	59	59
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	30.0	1682	1	1	30	59	59	59	59
GRAND TOTAL	**2**	**30.0**	**1682**	**1**	**1**	**30**	**59**	**59**	**59**	**59**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	0									
2. MULTIPLE DX	1	3.0		3	3	3	3	3	3	3
A. Not Operated	0									
B. Operated	1	3.0		3	3	3	3	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

980 Hospitals, United States, Pediatric, January-December 1989

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	8.0	77	2	3	4	13	21	21	21
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	8.8	29	3	5	8	12	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	8.9	63	3	4	7	11	19	29	31
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	9.8	139	2	3	6	10	31	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	8.0	77	2	3	4	13	21	21	21
B. Operated	4	8.8	29	3	5	8	12	16	16	16
2. MULTIPLE DX										
A. Not Operated	12	8.9	63	3	4	7	11	19	29	31
B. Operated	6	9.8	139	2	3	6	10	31	33	33
1. SINGLE DX	8	8.4	45	2	3	6	12	19	21	21
2. MULTIPLE DX	18	9.2	82	2	3	7	11	26	32	33
A. Not Operated	16	8.7	61	2	3	6	11	20	28	31
B. Operated	10	9.4	87	2	3	8	10	24	33	33
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	26	9.0	68	2	3	7	11	20	31	33
GRAND TOTAL	26	9.0	68	2	3	7	11	20	31	33

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	8.6	15	2	6	11	11	11	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	8.8	77	4	4	6	9	21	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	5	8.6	15	2	6	11	11	11	11	11
B. Operated	10	8.8	77	4	4	6	9	21	33	33
1. SINGLE DX	0									
2. MULTIPLE DX	15	8.7	54	4	4	8	10	11	28	33
A. Not Operated	5	8.6	15	2	6	11	11	11	11	11
B. Operated	10	8.8	77	4	4	6	9	21	33	33
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	15	8.7	54	4	4	8	10	11	28	33
GRAND TOTAL	15	8.7	54	4	4	8	10	11	28	33

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	2.8	8	1	1	2	4	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	18	4.4	8	1	2	4	6	8	11	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	4.3	10	2	2	3	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.8	8	1	1	2	4	7	7	7
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	18	4.4	8	1	2	4	6	8	11	12
B. Operated	3	4.3	10	2	2	3	7	8	8	8
1. SINGLE DX	5	2.4	7	1	1	1	3	7	7	7
2. MULTIPLE DX	21	4.4	8	1	2	4	6	8	10	12
A. Not Operated	22	4.1	8	1	2	3	6	8	10	12
B. Operated	4	3.5	10	1	1	2	5	8	8	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	25	4.2	8	1	2	3	6	8	10	12
GRAND TOTAL	**26**	**4.0**	**8**	**1**	**2**	**3**	**6**	**8**	**10**	**12**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	4.7	9	2	2	4	7	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	4.7	9	2	2	4	7	8	8	8
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	3	4.7	9	2	3	6	54	99+	99+	99+
A. Not Operated	3	4.7	9	2	2	4	7	8	8	8
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	4.7	9	2	3	6	54	99+	99+	99+
GRAND TOTAL	**3**	**4.7**	**9**	**2**	**3**	**6**	**54**	**99+**	**99+**	**99+**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	4.8	7	1	3	5	6	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4	4.8	7	1	3	5	6	7	7	7
B. Operated	1	8.0		8	8	8	8	8	8	8
1. SINGLE DX	0									
2. MULTIPLE DX	5	5.4	7	1	4	6	7	8	8	8
A. Not Operated	4	4.8	7	1	3	5	6	7	7	7
B. Operated	1	8.0		8	8	8	8	8	8	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	5.4	7	1	4	6	7	8	8	8
GRAND TOTAL	**5**	**5.4**	**7**	**1**	**4**	**6**	**7**	**8**	**8**	**8**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.0	32	1	1	5	9	9	9	9
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	5	6.8	27	< 1	3	5	11	14	14	14
13-19 YRS	11	3.7	9	1	1	3	6	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	8.9	136	1	2	4	11	29	36	36
6-12 YRS	23	5.1	29	1	1	3	6	16	18	20
13-19 YRS	20	6.9	62	1	2	4	7	18	28	31
B. Operated										
0-27 DYS	0									
1-11 MOS	4	10.3	49	2	6	15	38	99 +	99 +	99 +
1-5 YRS	16	4.3	26	1	1	2	8	13	16	17
6-12 YRS	14	9.2	126	1	3	5	9	31	37	39
13-19 YRS	17	5.1	8	1	2	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.6	2	1	2	2	3	5	5	5
B. Operated	20	4.4	15	1	1	3	6	10	12	14
2. MULTIPLE DX										
A. Not Operated	51	6.4	57	1	2	4	7	16	25	36
B. Operated	51	6.4	52	1	2	5	8	16	29	99
1. SINGLE DX	27	3.9	12	1	1	3	5	10	11	14
2. MULTIPLE DX	102	6.4	54	1	2	4	8	16	27	68
A. Not Operated	58	5.9	52	1	2	3	6	15	23	36
B. Operated	71	5.8	42	1	1	5	8	13	17	87
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	8.5	43	1	3	9	16	83	99 +	99 +
1-5 YRS	26	5.5	60	1	1	2	9	13	21	36
6-12 YRS	45	6.4	59	1	2	4	7	16	22	39
13-19 YRS	51	5.3	30	1	2	4	7	10	12	31
GRAND TOTAL	**129**	**5.9**	**46**	**1**	**2**	**4**	**7**	**14**	**20**	**51**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	3	5.0	12	1	2	7	7	7	7	7
1-5 YRS	3	7.3	37	2	3	6	12	14	14	14
6-12 YRS	2	13.5	85	7	7	13	20	20	20	20
13-19 YRS	6	13.0	151	4	5	9	14	35	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	4	3.5	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	3	6.7	21	4	4	4	10	12	12	12
B. Operated	14	10.1	86	2	5	7	14	22	34	37
1. SINGLE DX	5	4.0	4	2	2	4	6	6	6	6
2. MULTIPLE DX	17	9.5	74	2	4	7	12	19	31	37
A. Not Operated	4	6.5	14	4	4	5	9	12	12	12
B. Operated	18	8.7	74	2	4	6	10	18	30	37
TOTAL										
0-27 DYS	0									
1-11 MOS	5	5.0	7	1	3	6	7	7	7	7
1-5 YRS	5	7.2	31	2	2	6	12	14	14	14
6-12 YRS	2	13.5	85	7	7	13	20	20	20	20
13-19 YRS	10	9.4	106	3	4	5	10	25	37	37
GRAND TOTAL	22	8.3	63	2	4	6	10	16	27	37

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	6.0	43	1	2	3	9	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	6	6.0	43	1	2	3	9	17	18	18
1. SINGLE DX	0									
2. MULTIPLE DX	8	5.1	33	1	2	3	6	15	18	18
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	6	6.0	43	1	2	3	9	17	18	18
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	5.1	33	1	2	3	6	15	18	18
GRAND TOTAL	8	5.1	33	1	2	3	6	15	18	18

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	15.6	407	3	8	10	11	49	65	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	8	15.6	407	3	8	10	11	49	65	65
1. SINGLE DX	0									
2. MULTIPLE DX	8	15.6	407	3	8	10	11	49	65	65
A. Not Operated	0									
B. Operated	8	15.6	407	3	8	10	11	49	65	65
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	15.6	407	3	8	10	11	49	65	65
GRAND TOTAL	8	15.6	407	3	8	10	11	49	65	65

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	7.2	40	1	2	4	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	12.7	14	8	9	13	15	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	7.2	40	1	2	4	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	7	12.7	14	8	9	13	15	18	18	18
1. SINGLE DX	5	7.2	40	1	2	4	14	14	14	14
2. MULTIPLE DX	7	12.7	14	8	9	13	15	18	18	18
A. Not Operated	0									
B. Operated	12	10.4	30	2	6	12	14	17	18	18
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	10.4	30	2	6	12	14	17	18	18
GRAND TOTAL	12	10.4	30	2	6	12	14	17	18	18

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21; 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	3.3	4	1	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	0									
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	6	8.3	56	2	5	6	8	21	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	3.0	4	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	3	2.0	3	< 1	< 1	1	3	4	4	4
B. Operated	9	8.1	43	3	4	5	9	19	23	23
1. SINGLE DX	7	3.0	4	1	1	2	5	6	6	6
2. MULTIPLE DX	12	6.6	39	1	3	5	7	17	22	23
A. Not Operated	3	2.0	3	< 1	< 1	1	3	4	4	4
B. Operated	16	5.9	31	1	2	5	6	13	20	23
TOTAL										
0-27 DYS	0									
1-11 MOS	2	2.5	5	< 1	< 1	2	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	4	5.0	38	1	1	3	9	14	14	14
13-19 YRS	12	5.8	34	1	2	5	6	12	21	23
GRAND TOTAL	**19**	**5.3**	**28**	**1**	**2**	**4**	**6**	**12**	**19**	**23**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	48	5.0	12	2	3	4	5	9	11	22
1-5 YRS	311	4.3	7	2	3	4	5	6	8	18
6-12 YRS	58	4.4	7	1	3	4	5	7	10	14
13-19 YRS	27	4.9	55	1	1	4	5	8	20	38
B. Operated										
0-27 DYS	0									
1-11 MOS	4	8.5	54	2	4	6	13	19	19	19
1-5 YRS	11	3.9	23	< 1	< 1	1	5	13	15	15
6-12 YRS	7	5.1	18	1	3	3	6	12	14	14
13-19 YRS	17	3.9	13	1	1	3	5	8	13	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	65	6.5	20	2	4	5	7	13	17	22
1-5 YRS	279	5.4	11	2	3	5	7	10	12	18
6-12 YRS	61	5.0	9	2	3	4	7	8	11	14
13-19 YRS	44	6.9	88	1	2	4	7	13	34	46
B. Operated										
0-27 DYS	0									
1-11 MOS	10	16.1	427	< 1	1	6	28	51	59	59
1-5 YRS	27	7.9	48	1	3	6	11	22	32	99 +
6-12 YRS	37	9.5	113	1	3	7	9	21	38	48
13-19 YRS	37	9.8	107	1	3	7	14	31	41	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	444	4.4	10	2	3	4	5	7	9	21
B. Operated	39	4.6	21	1	1	3	6	13	15	19
2. MULTIPLE DX										
A. Not Operated	449	5.6	19	2	3	5	7	10	13	20
B. Operated	111	9.8	123	1	3	7	13	25	45	99 +
1. SINGLE DX	483	4.5	11	1	3	4	5	7	9	20
2. MULTIPLE DX	560	6.4	43	2	3	5	7	13	17	46
A. Not Operated	893	5.0	15	2	3	4	6	8	11	21
B. Operated	150	8.4	101	1	2	6	10	21	34	99
TOTAL										
0-27 DYS	0									
1-11 MOS	127	6.7	55	2	4	5	7	12	19	47
1-5 YRS	628	4.9	11	2	3	4	6	8	11	21
6-12 YRS	163	5.8	35	1	3	4	7	10	14	43
13-19 YRS	125	6.9	79	1	2	4	8	15	33	59
GRAND TOTAL	**1043**	**5.5**	**29**	**2**	**3**	**4**	**6**	**10**	**14**	**34**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	20	5.5	12	2	3	5	7	9	13	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	8.0	48	1	2	7	11	19	23	23
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	7.0		7	7	7	7	7	7	7
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	8	4.3	8	2	2	3	6	9	9	9
13-19 YRS	23	7.0	11	3	5	7	9	12	14	14
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	2	17.0	242	6	6	17	28	28	28	28
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	20	9.0	37	2	4	8	11	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	5.5	12	2	2	5	7	10	12	16
B. Operated	9	8.0	48	1	2	7	11	19	23	23
2. MULTIPLE DX										
A. Not Operated	34	6.3	11	2	4	6	9	10	13	14
B. Operated	24	9.1	51	2	4	7	11	20	23	28
1. SINGLE DX	32	6.2	22	2	2	6	8	11	16	23
2. MULTIPLE DX	58	7.5	29	2	4	7	9	14	20	27
A. Not Operated	57	6.0	11	2	3	6	8	10	13	16
B. Operated	33	8.8	49	2	3	7	11	20	23	28
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	7.0		7	7	7	7	7	7	7
1-5 YRS	5	9.0	115	2	3	5	11	28	28	28
6-12 YRS	10	4.7	10	2	2	3	8	9	10	10
13-19 YRS	72	7.3	24	2	4	7	9	14	19	23
GRAND TOTAL	**90**	**7.0**	**27**	**2**	**3**	**6**	**9**	**13**	**20**	**26**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	21	1.8	3	<1	1	1	2	3	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	5.3	11	<1	2	5	7	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	5.0	36	2	2	2	8	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	21	1.8	3	<1	1	1	2	3	6	8
2. MULTIPLE DX										
A. Not Operated	4	5.3	11	<1	2	5	7	9	9	9
B. Operated	4	5.0	36	2	2	2	8	14	14	14
1. SINGLE DX	21	1.8	3	<1	1	1	2	3	6	8
2. MULTIPLE DX	8	5.1	20	<1	2	4	7	12	14	14
A. Not Operated	4	5.3	11	<1	2	5	7	9	9	9
B. Operated	25	2.3	8	1	1	1	2	4	9	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	29	2.7	9	<1	1	2	3	7	9	14
GRAND TOTAL	**29**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**7**	**9**	**14**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	5	2.0	1	1	1	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.3		<1	<1	<1	2	2	2	2
6-12 YRS	0									
13-19 YRS	9	1.7	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.5	6	1	1	3	5	6	6	6
1-5 YRS	6	1.0		<1	1	1	1	1	1	1
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	27	2.5	2	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.1	2	<1	1	2	3	4	5	5
B. Operated	12	1.6	1	<1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	5	2.2	2	<1	1	2	3	4	4	4
B. Operated	40	2.4	2	1	1	2	3	5	6	6
1. SINGLE DX	21	1.8	1	<1	1	2	2	3	4	5
2. MULTIPLE DX	45	2.3	2	1	1	2	3	5	6	6
A. Not Operated	14	2.1	2	<1	1	2	3	4	5	5
B. Operated	52	2.2	2	1	1	2	3	4	6	6
TOTAL										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	5	3.0	6	1	1	2	5	6	6	6
1-5 YRS	11	1.4	1	<1	<1	1	1	3	4	4
6-12 YRS	6	2.3	2	1	1	2	3	5	5	5
13-19 YRS	42	2.3	2	1	1	2	3	4	5	6
GRAND TOTAL	**66**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**6**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	3.7	9	1	1	3	6	7	7	7
1-11 MOS	2	7.0	72	<1	<1	6	13	13	13	13
1-5 YRS	7	2.6	4	1	1	2	4	6	6	6
6-12 YRS	16	4.3	6	2	2	4	6	8	9	10
13-19 YRS	56	5.2	16	1	2	5	7	9	11	22
B. Operated										
0-27 DYS	0									
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	6	4.5	45	<1	1	2	4	17	18	18
6-12 YRS	31	2.3	17	<1	<1	1	1	6	8	22
13-19 YRS	112	2.3	6	<1	1	1	2	7	9	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	8.4	55	2	2	6	14	19	19	19
1-11 MOS	12	6.4	36	1	2	4	10	15	20	21
1-5 YRS	29	5.7	79	1	1	2	6	14	23	44
6-12 YRS	46	3.9	17	1	1	2	5	10	15	18
13-19 YRS	133	4.9	19	1	2	3	7	11	14	20
B. Operated										
0-27 DYS	2	5.0		5	5	5	76	99+	99+	99+
1-11 MOS	20	13.5	383	2	4	7	17	28	60	88
1-5 YRS	43	11.3	260	1	2	7	13	30	41	90
6-12 YRS	50	5.4	71	1	1	2	4	17	28	36
13-19 YRS	107	6.7	44	1	1	6	10	14	19	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	4.8	14	1	2	4	7	9	11	20
B. Operated	153	2.4	9	<1	1	1	2	7	9	18
2. MULTIPLE DX										
A. Not Operated	225	5.0	28	1	1	3	7	11	15	23
B. Operated	222	7.9	126	1	2	4	9	19	29	89
1. SINGLE DX	237	3.2	12	<1	1	1	5	8	10	18
2. MULTIPLE DX	447	6.4	79	1	1	4	8	14	21	43
A. Not Operated	309	4.9	24	1	2	3	7	11	14	22
B. Operated	375	5.6	86	1	1	2	7	13	22	42
TOTAL										
0-27 DYS	10	6.3	32	1	2	5	11	51	96	99+
1-11 MOS	38	9.7	227	1	2	4	10	21	29	88
1-5 YRS	85	8.2	170	1	1	4	8	20	33	74
6-12 YRS	143	4.1	35	<1	1	2	4	9	17	34
13-19 YRS	408	4.7	24	1	1	3	7	11	13	24
GRAND TOTAL	**684**	**5.3**	**58**	**1**	**1**	**3**	**7**	**12**	**18**	**38**

980 Hospitals, United States, Pediatric, January-December 1989

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	206	2.6	1	1	2	3	3	4	5	7
1-11 MOS	2225	2.3	2	1	1	2	3	4	5	7
1-5 YRS	4596	1.8	2	1	1	2	2	3	4	6
6-12 YRS	603	1.8	2	1	1	1	2	3	4	8
13-19 YRS	322	2.6	2	1	2	2	3	4	5	7
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	20	4.1	10	1	2	3	5	8	11	14
1-5 YRS	104	2.3	7	< 1	1	1	3	5	7	16
6-12 YRS	154	1.5	2	< 1	1	1	1	3	5	9
13-19 YRS	110	1.5	2	< 1	1	1	1	3	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	284	3.0	3	1	2	3	4	5	6	10
1-11 MOS	3774	3.0	6	1	2	2	4	5	7	12
1-5 YRS	5760	2.6	4	1	1	2	3	5	6	10
6-12 YRS	1108	2.7	4	1	2	2	3	5	6	10
13-19 YRS	993	3.1	3	1	2	3	4	5	7	10
B. Operated										
0-27 DYS	4	3.3		3	3	3	4	4	4	4
1-11 MOS	99	9.5	73	2	4	7	12	24	32	99 +
1-5 YRS	273	5.6	68	1	1	3	7	13	18	32
6-12 YRS	180	2.7	14	1	1	1	3	7	10	19
13-19 YRS	178	3.4	11	1	1	2	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7952	2.0	2	1	1	2	3	3	4	7
B. Operated	389	1.9	4	< 1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	11919	2.8	4	1	2	2	3	5	6	10
B. Operated	734	4.9	46	1	1	2	6	12	16	33
1. SINGLE DX	8341	2.0	2	1	1	2	3	4	4	7
2. MULTIPLE DX	12653	2.9	7	1	1	2	3	5	7	12
A. Not Operated	19871	2.5	4	1	1	2	3	4	6	9
B. Operated	1123	3.8	33	1	1	1	5	9	13	28
TOTAL										
0-27 DYS	495	2.9	3	1	2	3	3	5	6	10
1-11 MOS	6118	2.9	6	1	2	2	3	5	7	12
1-5 YRS	10733	2.4	5	1	1	2	3	4	6	10
6-12 YRS	2045	2.4	5	1	1	2	3	4	6	11
13-19 YRS	1603	2.9	4	1	2	2	4	5	6	10
GRAND TOTAL	**20994**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	163	3.3	3	2	2	3	4	6	7	8
1-11 MOS	4220	3.1	3	1	2	3	4	5	6	9
1-5 YRS	1824	2.3	2	1	1	2	3	4	5	7
6-12 YRS	224	2.2	1	1	1	2	3	4	4	6
13-19 YRS	104	2.9	2	1	2	3	3	4	6	7
B. Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	13	4.5	10	2	2	3	6	[illegible]	11	12
1-5 YRS	15	2.3	4	1	1	1	3	[illegible]	7	7
6-12 YRS	3	2.3	5	1	1	1	4	[illegible]	5	5
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	422	4.8	13	2	3	4	6	9	11	18
1-11 MOS	11354	3.9	8	2	2	3	5	7	8	14
1-5 YRS	3834	3.1	5	1	2	3	4	5	6	11
6-12 YRS	514	3.6	9	1	2	3	4	6	10	17
13-19 YRS	411	4.7	16	2	2	3	5	11	14	20
B. Operated										
0-27 DYS	15	10.3	36	3	5	9	15	20	20	20
1-11 MOS	132	11.6	188	3	5	8	13	25	64	99 +
1-5 YRS	49	8.4	57	2	3	6	12	21	23	32
6-12 YRS	14	13.7	171	4	5	8	17	28	46	51
13-19 YRS	14	10.5	175	1	3	7	12	20	46	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6535	2.8	3	1	2	2	4	5	6	8
B. Operated	34	3.5	8	1	1	2	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	16535	3.7	8	1	2	3	4	6	8	14
B. Operated	224	10.9	148	2	4	8	13	23	41	99 +
1. SINGLE DX	6569	2.8	3	1	2	2	4	5	6	8
2. MULTIPLE DX	16759	3.8	11	1	2	3	5	7	9	15
A. Not Operated	23070	3.5	7	1	2	3	4	6	8	13
B. Operated	258	9.9	135	2	3	7	12	21	31	9[illegible]
TOTAL										
0-27 DYS	601	4.5	12	2	2	4	5	8	11	18
1-11 MOS	15719	3.7	9	1	2	3	4	6	8	13
1-5 YRS	5722	2.9	5	1	2	2	3	5	6	11
6-12 YRS	755	3.4	12	1	2	3	4	6	8	18
13-19 YRS	531	4.5	19	2	2	3	5	10	14	19
GRAND TOTAL	**23328**	**3.5**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	8	1.3	1	<1	<1	1	1	3	3	3
13-19 YRS	206	1.1		<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	39	1.1		<1	1	1	1	1	2	2
13-19 YRS	577	1.2		1	1	1	1	2	2	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	216	1.1		<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	4	1.0		<1	<1	<1	1	1	1	1
B. Operated	619	1.2		1	1	1	1	2	2	3
1. SINGLE DX	216	1.1		<1	1	1	1	2	2	3
2. MULTIPLE DX	623	1.2		1	1	1	1	2	2	3
A. Not Operated	4	1.0		<1	<1	<1	1	1	1	1
B. Operated	835	1.2		1	1	1	1	2	2	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	1.0		1	1	1	1	1	1	1
6-12 YRS	47	1.1		<1	1	1	1	1	2	3
13-19 YRS	787	1.2		1	1	1	1	2	2	3
GRAND TOTAL	**839**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**3**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	8	1.4	1	<1	<1	1	1	3	4	4
13-19 YRS	16	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	3.2	12	<1	1	1	5	9	10	10
6-12 YRS	46	2.0	3	1	1	1	3	4	6	8
13-19 YRS	57	1.8	4	1	1	1	2	3	5	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	26	1.3	1	<1	1	1	1	2	4	4
2. MULTIPLE DX										
A. Not Operated	4	2.5	6	<1	<1	1	4	6	6	6
B. Operated	114	2.0	4	1	1	1	2	4	6	11
1. SINGLE DX	26	1.3	1	<1	1	1	1	2	4	4
2. MULTIPLE DX	118	2.0	4	1	1	1	2	5	6	11
A. Not Operated	4	2.5	6	<1	<1	1	4	6	6	6
B. Operated	140	1.9	4	1	1	1	2	4	5	10
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	12	3.3	11	<1	1	1	5	9	10	10
6-12 YRS	56	1.9	3	<1	1	1	2	4	5	8
13-19 YRS	75	1.7	3	1	1	1	2	3	5	11
GRAND TOTAL	**144**	**1.9**	**4**	**1**	**1**	**1**	**2**	**4**	**6**	**10**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	31	1.8	2	1	1	1	2	3	6	7
6-12 YRS	25	1.2		1	1	1	1	1	2	4
13-19 YRS	69	1.3	1	1	1	1	1	2	2	9
B. Operated										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	27	1.2	1	< 1	1	1	1	1	3	5
1-5 YRS	3447	1.1		1	1	1	1	1	1	2
6-12 YRS	5084	1.0		1	1	1	1	1	1	2
13-19 YRS	2922	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	2.3	2	1	1	2	4	4	4	4
1-5 YRS	124	2.4	4	< 1	1	2	3	5	6	10
6-12 YRS	74	1.8	4	< 1	< 1	1	2	4	5	14
13-19 YRS	42	2.1	2	< 1	< 1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	45	3.2	27	< 1	1	1	3	7	15	28
1-5 YRS	5365	1.3	3	1	1	1	1	2	2	7
6-12 YRS	4162	1.2	1	1	1	1	1	1	2	4
13-19 YRS	1255	1.3	2	1	1	1	1	2	2	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	1.4	1	1	1	1	1	2	3	8
B. Operated	11483	1.0		1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	247	2.2	4	< 1	< 1	1	3	4	6	9
B. Operated	10827	1.3	2	1	1	1	1	1	2	6
1. SINGLE DX	11611	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX	11074	1.3	2	1	1	1	1	2	2	6
A. Not Operated	375	1.9	3	< 1	1	1	2	4	5	9
B. Operated	22310	1.1	1	1	1	1	1	1	2	4
TOTAL										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	82	2.5	16	< 1	1	1	3	5	9	25
1-5 YRS	8967	1.2	2	1	1	1	1	1	2	5
6-12 YRS	9345	1.1		1	1	1	1	1	2	3
13-19 YRS	4288	1.1	1	1	1	1	1	1	2	4
GRAND TOTAL	**22685**	**1.2**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**4**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	13	2.2	2	1	1	2	3	4	5	5
1-11 MOS	81	2.3	3	1	1	2	3	4	5	12
1-5 YRS	365	2.3	3	< 1	1	2	3	4	5	9
6-12 YRS	258	2.6	3	< 1	1	2	3	5	6	8
13-19 YRS	354	2.9	4	1	2	3	4	5	6	8
B. Operated										
0-27 DYS	4	15.0	230	4	5	9	25	37	37	37
1-11 MOS	59	4.7	32	< 1	1	2	6	14	16	24
1-5 YRS	373	2.5	11	< 1	1	1	3	6	8	17
6-12 YRS	396	1.8	4	< 1	1	1	2	3	5	11
13-19 YRS	529	2.3	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	28	2.3	1	1	1	2	3	4	4	5
1-11 MOS	229	3.8	15	1	2	3	5	7	10	14
1-5 YRS	668	3.1	5	1	2	3	4	6	7	10
6-12 YRS	370	3.2	4	1	2	3	4	6	7	10
13-19 YRS	332	3.3	7	1	2	3	4	5	7	14
B. Operated										
0-27 DYS	7	19.1	680	1	3	11	25	65	74	74
1-11 MOS	224	10.6	153	1	2	7	15	26	41	99 +
1-5 YRS	715	4.3	47	< 1	1	2	5	9	15	44
6-12 YRS	535	2.9	18	< 1	1	1	3	7	11	18
13-19 YRS	638	2.9	11	1	1	2	3	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1071	2.6	3	1	1	2	3	5	6	9
B. Operated	1361	2.4	8	< 1	1	1	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	1627	3.2	7	1	2	3	4	6	7	12
B. Operated	2119	4.2	48	< 1	1	2	5	10	15	41
1. SINGLE DX	2432	2.4	6	< 1	1	2	3	5	6	12
2. MULTIPLE DX	3746	3.8	30	1	1	2	4	8	11	30
A. Not Operated	2698	3.0	5	1	2	2	4	5	7	11
B. Operated	3480	3.5	33	< 1	1	2	4	8	12	32
TOTAL										
0-27 DYS	52	5.5	135	1	1	3	4	11	28	73
1-11 MOS	593	6.2	79	1	2	3	7	15	24	66
1-5 YRS	2121	3.3	21	< 1	1	2	4	7	9	24
6-12 YRS	1559	2.6	9	< 1	1	2	3	5	8	14
13-19 YRS	1853	2.8	7	1	1	2	3	5	7	13
GRAND TOTAL	**6178**	**3.3**	**21**	**1**	**1**	**2**	**4**	**6**	**9**	**23**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	16	4.4	4	3	3	3	6	7	8	9
1-11 MOS	211	4.1	6	2	2	4	5	7	9	13
1-5 YRS	348	3.2	3	1	2	3	4	5	7	9
6-12 YRS	177	3.5	5	1	2	3	4	5	8	11
13-19 YRS	120	4.0	5	2	2	3	5	6	8	13
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	7	2.3	3	1	1	2	3	5	6	6
6-12 YRS	6	10.8	64	2	4	10	18	20	20	20
13-19 YRS	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	49	7.1	13	2	4	7	9	12	15	16
1-11 MOS	608	5.8	32	2	3	4	7	11	14	25
1-5 YRS	1070	5.2	23	2	3	4	7	11	13	21
6-12 YRS	606	7.5	41	2	3	5	11	15	18	27
13-19 YRS	572	9.9	85	3	4	8	13	17	22	57
B. Operated										
0-27 DYS	4	25.5	226	12	16	21	34	47	47	47
1-11 MOS	57	19.9	373	6	9	12	26	56	77	99
1-5 YRS	99	15.6	155	4	9	14	19	27	37	75
6-12 YRS	75	15.4	57	6	10	15	20	26	31	85
13-19 YRS	96	18.1	212	6	10	14	20	39	47	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	872	3.6	5	2	2	3	4	6	7	11
B. Operated	16	6.4	41	1	2	4	9	18	19	20
2. MULTIPLE DX										
A. Not Operated	2905	6.8	44	2	3	5	9	14	17	31
B. Operated	331	17.1	189	6	10	14	20	32	46	87
1. SINGLE DX	888	3.7	5	2	2	3	4	6	8	13
2. MULTIPLE DX	3236	7.8	68	2	3	5	10	15	21	43
A. Not Operated	3777	6.0	36	2	3	4	7	13	15	26
B. Operated	347	16.6	187	5	9	14	20	31	45	85
TOTAL										
0-27 DYS	69	7.6	42	3	3	6	9	13	16	42
1-11 MOS	878	6.3	61	2	3	4	7	12	16	36
1-5 YRS	1524	5.4	35	2	2	4	6	11	15	26
6-12 YRS	864	7.4	44	2	3	5	10	16	20	30
13-19 YRS	789	10.0	101	2	4	8	13	18	24	59
GRAND TOTAL	**4124**	**6.9**	**58**	**2**	**3**	**4**	**9**	**14**	**18**	**38**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	317	4.4	6	2	3	4	5	8	9	13
1-11 MOS	3461	3.5	4	2	2	3	4	6	7	10
1-5 YRS	4124	3.1	3	1	2	3	4	5	6	9
6-12 YRS	1529	3.5	11	2	2	3	4	6	7	10
13-19 YRS	661	3.9	6	2	2	3	5	6	8	13
B. Operated										
0-27 DYS	4	6.5	8	4	4	6	9	9	9	9
1-11 MOS	14	4.1	4	2	2	4	6	7	7	7
1-5 YRS	45	3.8	13	1	1	3	5	7	11	19
6-12 YRS	13	2.9	5	< 1	1	2	4	6	8	8
13-19 YRS	11	6.9	33	2	3	6	9	15	21	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	510	5.6	14	2	3	5	7	10	12	19
1-11 MOS	8458	4.6	14	2	3	4	5	8	10	18
1-5 YRS	12334	3.8	9	2	2	3	4	7	8	14
6-12 YRS	3676	4.3	12	2	2	3	5	8	10	16
13-19 YRS	1564	5.0	13	2	3	4	6	9	12	18
B. Operated										
0-27 DYS	31	11.2	83	5	7	9	11	17	24	55
1-11 MOS	293	15.0	231	3	6	10	20	36	68	99 +
1-5 YRS	331	11.8	148	3	5	8	14	25	37	99 +
6-12 YRS	138	13.3	170	3	5	9	16	25	42	66
13-19 YRS	103	12.1	107	3	6	9	15	24	31	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10092	3.4	5	2	2	3	4	6	7	10
B. Operated	87	4.2	14	1	2	4	6	8	10	21
2. MULTIPLE DX										
A. Not Operated	26542	4.2	12	2	2	3	5	7	10	16
B. Operated	896	13.1	173	3	5	9	16	29	48	99 +
1. SINGLE DX	10179	3.4	5	2	2	3	4	6	7	10
2. MULTIPLE DX	27438	4.5	19	2	2	3	5	8	11	22
A. Not Operated	36634	4.0	10	2	2	3	5	7	9	15
B. Operated	983	12.3	165	3	5	9	15	27	41	99 +
TOTAL										
0-27 DYS	862	5.4	15	2	3	4	7	10	12	19
1-11 MOS	12226	4.5	19	2	3	4	5	8	10	21
1-5 YRS	16834	3.8	11	2	2	3	4	6	8	16
6-12 YRS	5356	4.3	18	2	2	3	5	7	10	19
13-19 YRS	2339	5.0	18	2	3	4	6	9	12	22
GRAND TOTAL	**37617**	**4.2**	**16**	**2**	**2**	**3**	**5**	**7**	**10**	**19**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	2.5	1	1	2	3	3	3	3	3
1-11 MOS	77	2.7	1	1	2	3	3	4	4	7
1-5 YRS	67	3.3	9	1	2	2	3	6	8	17
6-12 YRS	68	2.5	4	1	1	2	3	5	6	13
13-19 YRS	67	2.3	2	1	1	2	3	4	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	17.5	113	10	10	17	25	25	25	25
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	12	3.3	3	2	3	3	4	5	8	8
1-11 MOS	200	4.4	23	2	2	3	4	8	12	29
1-5 YRS	362	3.5	9	1	2	3	4	6	7	13
6-12 YRS	226	3.2	9	1	2	3	4	5	7	16
13-19 YRS	220	2.9	7	1	2	2	3	5	6	13
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	6	15.7	661	2	3	3	16	62	67	67
1-5 YRS	16	18.7	242	2	6	19	25	39	53	59
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	4	2.5	2	< 1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	285	2.7	4	1	2	2	3	4	6	12
B. Operated	6	7.8	79	2	3	4	10	23	25	25
2. MULTIPLE DX										
A. Not Operated	1020	3.5	11	1	2	3	4	6	8	16
B. Operated	28	15.1	290	2	3	8	20	38	60	67
1. SINGLE DX	291	2.8	6	1	2	2	3	5	6	16
2. MULTIPLE DX	1048	3.8	22	1	2	3	4	6	9	25
A. Not Operated	1305	3.3	10	1	2	3	4	5	7	15
B. Operated	34	13.8	257	2	3	7	19	34	55	67
TOTAL										
0-27 DYS	19	3.3	3	1	3	3	3	6	8	8
1-11 MOS	284	4.2	31	2	2	3	4	7	12	32
1-5 YRS	447	4.0	26	1	2	3	4	6	9	26
6-12 YRS	296	3.1	8	1	2	2	3	5	7	15
13-19 YRS	293	2.8	6	1	2	2	3	4	6	10
GRAND TOTAL	**1339**	**3.6**	**19**	**1**	**2**	**3**	**4**	**6**	**8**	**21**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	2.4	2	1	1	2	3	5	5	5
1-11 MOS	167	2.7	2	1	2	2	3	5	6	7
1-5 YRS	292	2.2	2	1	1	2	3	4	5	8
6-12 YRS	57	2.6	2	1	1	2	3	5	6	6
13-19 YRS	23	3.3	3	2	2	3	4	5	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	3	2.3	5	< 1	< 1	1	4	5	5	5
1-5 YRS	17	2.2	6	1	1	1	2	5	8	10
6-12 YRS	5	2.6	4	1	1	2	4	6	6	6
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	10	3.8	14	2	2	3	4	9	14	14
1-11 MOS	375	3.4	6	1	2	3	4	6	7	13
1-5 YRS	538	3.1	7	1	2	2	4	5	7	14
6-12 YRS	143	4.7	43	1	2	3	5	10	13	20
13-19 YRS	100	5.2	15	2	2	4	7	12	13	16
B. Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	9	5.9	40	1	2	3	8	17	20	20
1-5 YRS	31	4.4	17	1	1	3	7	10	15	15
6-12 YRS	9	12.3	163	3	5	6	17	35	38	38
13-19 YRS	7	11.0	65	4	6	10	12	25	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	544	2.5	2	1	1	2	3	4	6	8
B. Operated	26	2.2	5	1	1	1	3	5	7	10
2. MULTIPLE DX										
A. Not Operated	1166	3.6	12	1	2	3	4	6	10	14
B. Operated	57	6.8	56	1	2	5	8	14	25	37
1. SINGLE DX	570	2.4	2	1	1	2	3	4	6	9
2. MULTIPLE DX	1223	3.7	15	1	2	3	4	7	10	16
A. Not Operated	1710	3.2	9	1	2	3	4	6	8	14
B. Operated	83	5.4	44	1	1	3	7	12	17	35
TOTAL										
0-27 DYS	16	3.7	11	2	2	2	4	9	12	14
1-11 MOS	554	3.2	5	1	2	3	4	6	6	13
1-5 YRS	878	2.9	6	1	2	2	3	5	7	13
6-12 YRS	214	4.4	39	1	2	3	5	9	13	33
13-19 YRS	131	5.1	17	2	2	3	6	11	13	19
GRAND TOTAL	**1793**	**3.3**	**11**	**1**	**2**	**3**	**4**	**6**	**9**	**14**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	2	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	4.7	16	1	2	4	8	9	9	9
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	5	19.8	414	3	7	12	30	54	54	54
6-12 YRS	0									
13-19 YRS	11	7.8	15	3	4	7	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	5.7	16	1	3	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	5	4.2	10	1	2	4	6	9	9	9
B. Operated	17	11.3	145	3	5	8	13	20	43	54
1. SINGLE DX	3	5.7	16	1	3	8	8	8	8	8
2. MULTIPLE DX	22	9.7	122	3	4	7	12	16	35	54
A. Not Operated	5	4.2	10	1	2	4	6	9	9	9
B. Operated	20	10.5	128	3	5	8	12	18	38	54
TOTAL										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	9	12.7	284	1	3	8	14	41	54	54
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	14	7.4	14	3	4	7	10	13	13	13
GRAND TOTAL	**25**	**9.2**	**110**	**2**	**4**	**7**	**10**	**13**	**30**	**54**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	1337	3.2	4	1	2	3	4	6	7	9
1-5 YRS	9420	2.4	2	1	2	2	3	4	5	7
6-12 YRS	6610	2.6	2	1	2	2	3	4	5	7
13-19 YRS	3401	2.8	2	1	2	3	3	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	8	4.0	7	1	2	4	6	7	7	7
1-5 YRS	32	3.2	5	< 1	1	3	4	7	8	10
6-12 YRS	14	2.7	3	< 1	1	2	4	5	5	5
13-19 YRS	11	4.4	6	1	2	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	3.9	2	2	4	4	4	6	6	6
1-11 MOS	2927	3.9	9	2	2	3	5	7	8	13
1-5 YRS	11571	2.9	4	1	2	3	4	5	6	10
6-12 YRS	4742	3.1	4	1	2	3	4	5	6	10
13-19 YRS	2522	3.4	7	1	2	3	4	6	7	12
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	81	11.1	224	3	5	6	11	20	46	83
1-5 YRS	143	8.6	90	2	4	6	10	19	28	77
6-12 YRS	88	7.3	68	2	3	5	9	13	16	54
13-19 YRS	49	8.8	150	2	4	7	10	13	20	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20770	2.6	2	1	2	2	3	4	5	7
B. Operated	65	3.4	5	< 1	1	3	5	7	7	10
2. MULTIPLE DX										
A. Not Operated	21769	3.1	5	1	2	3	4	5	7	11
B. Operated	362	8.9	123	2	4	6	10	17	24	75
1. SINGLE DX	20835	2.6	2	1	2	2	3	4	5	7
2. MULTIPLE DX	22131	3.2	8	1	2	3	4	6	7	11
A. Not Operated	42539	2.9	4	1	2	2	3	5	6	9
B. Operated	427	8.0	109	2	3	5	9	14	22	71
TOTAL										
0-27 DYS	10	3.9	3	1	4	4	4	6	7	7
1-11 MOS	4353	3.8	13	1	2	3	5	6	8	14
1-5 YRS	21166	2.7	4	1	2	2	3	5	6	9
6-12 YRS	11454	2.8	4	1	2	2	3	5	6	9
13-19 YRS	5983	3.1	6	1	2	3	4	5	6	10
GRAND TOTAL	**42966**	**2.9**	**5**	**1**	**2**	**2**	**4**	**5**	**6**	**10**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	4.6	12	1	2	5	6	10	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	7	6.3	23	1	3	4	11	13	13	13
6-12 YRS	15	6.8	15	3	4	6	9	14	14	14
13-19 YRS	49	9.9	25	3	7	10	12	14	19	29
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	10.0	30	3	5	10	14	17	17	17
6-12 YRS	20	12.3	141	3	7	9	12	27	43	52
13-19 YRS	16	14.3	218	3	7	9	15	33	53	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.5	8	1	1	2	5	8	10	10
B. Operated	3	3.3	10	<1	<1	2	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	75	8.7	25	3	4	9	12	14	14	27
B. Operated	42	12.7	154	3	7	9	14	26	41	61
1. SINGLE DX	15	3.5	8	1	1	2	5	7	9	10
2. MULTIPLE DX	117	10.1	73	3	5	9	12	16	21	55
A. Not Operated	87	7.9	25	2	3	8	11	14	14	26
B. Operated	45	12.1	147	2	6	9	13	22	39	61
TOTAL										
0-27 DYS	2	9.0	8	7	7	9	11	11	11	11
1-11 MOS	5	3.0	2	2	2	3	4	5	5	5
1-5 YRS	16	6.8	29	1	2	4	12	14	16	17
6-12 YRS	38	9.3	91	1	4	8	11	18	28	52
13-19 YRS	71	10.5	71	3	7	10	12	15	22	55
GRAND TOTAL	**132**	**9.4**	**70**	**2**	**4**	**8**	**11**	**15**	**20**	**54**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	88	2.7	5	1	1	2	3	5	6	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	6.8	25	3	3	5	10	14	14	14
13-19 YRS	308	5.4	14	2	3	4	7	10	14	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	5.0	32	1	1	5	9	9	9	9
1-11 MOS	2	4.0	18	<1	<1	3	7	7	7	7
1-5 YRS	0									
6-12 YRS	5	4.2	10	1	2	3	7	8	8	8
13-19 YRS	41	3.6	15	1	1	2	4	8	10	21
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	13.5	71	4	6	14	20	22	22	22
1-5 YRS	5	4.6	14	1	2	4	6	11	11	11
6-12 YRS	11	14.0	520	3	4	6	11	41	79	82
13-19 YRS	165	9.9	57	3	5	7	13	19	22	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	2.7	5	1	1	2	3	5	6	12
B. Operated	312	5.5	14	2	3	4	7	10	14	18
2. MULTIPLE DX										
A. Not Operated	50	3.8	14	1	1	2	6	8	9	21
B. Operated	186	10.0	83	3	4	7	13	19	22	53
1. SINGLE DX	402	4.8	13	2	3	4	6	9	13	18
2. MULTIPLE DX	236	8.7	75	2	3	6	12	18	22	39
A. Not Operated	140	3.1	8	1	1	2	4	7	9	13
B. Operated	498	7.2	44	2	3	5	9	15	18	25
TOTAL										
0-27 DYS	3	4.7	16	1	2	4	8	9	9	9
1-11 MOS	7	9.1	68	<1	2	7	16	21	22	22
1-5 YRS	6	4.5	12	1	3	4	4	10	11	11
6-12 YRS	20	10.1	300	2	3	6	9	14	48	82
13-19 YRS	602	6.1	31	2	3	4	8	13	17	25
GRAND TOTAL	**638**	**6.3**	**39**	**2**	**3**	**4**	**8**	**13**	**17**	**25**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	16	4.6	21	1	2	3	7	16	71	99+
1-5 YRS	12	2.0	2	1	1	2	3	24	86	99+
6-12 YRS	3	10.0	73	<1	3	11	16	18	18	18
13-19 YRS	4	3.8	4	1	2	4	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	0									
13-19 YRS	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	6.0	11	2	4	5	8	11	11	11
1-11 MOS	207	9.0	98	1	3	6	11	18	27	60
1-5 YRS	242	5.8	41	1	2	4	7	13	19	30
6-12 YRS	86	6.8	52	1	2	4	9	18	22	34
13-19 YRS	87	5.9	49	1	2	4	7	13	18	41
B. Operated										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	52	25.7	341	8	16	27	83	99+	99+	99+
1-5 YRS	64	22.5	390	4	7	21	46	99+	99+	99+
6-12 YRS	15	26.3	744	4	6	20	64	97	99+	99+
13-19 YRS	32	17.6	221	4	7	15	33	68	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	4.0	19	1	1	3	5	16	67	99+
B. Operated	3	9.3	8	6	8	11	56	99+	99+	99+
2. MULTIPLE DX										
A. Not Operated	627	7.0	64	1	2	4	9	16	23	49
B. Operated	164	22.9	373	5	9	21	52	99+	99+	99+
1. SINGLE DX	39	4.4	20	1	1	3	7	18	99+	99+
2. MULTIPLE DX	791	10.3	169	1	3	6	14	32	64	99+
A. Not Operated	663	6.9	62	1	2	4	8	16	23	51
B. Operated	167	22.6	369	5	9	21	52	99+	99+	99+
TOTAL										
0-27 DYS	7	7.6	39	2	3	5	10	18	20	20
1-11 MOS	275	11.9	184	2	4	8	18	50	99+	99+
1-5 YRS	319	9.1	154	1	2	5	11	29	58	99+
6-12 YRS	104	9.7	193	1	2	4	12	23	61	99+
13-19 YRS	125	8.9	116	1	2	5	12	23	39	99+
GRAND TOTAL	**830**	**10.0**	**163**	**1**	**3**	**6**	**14**	**31**	**64**	**99+**

196: Other lung and pleural diseases (500-511.9; 513-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	18	2.9	3	1	2	3	4	6	7	7
1-11 MOS	256	2.9	4	1	2	3	4	5	6	9
1-5 YRS	643	2.5	3	1	1	2	3	4	5	9
6-12 YRS	192	2.9	7	1	2	2	3	5	6	17
13-19 YRS	128	3.1	5	1	1	3	4	5	9	11
B. Operated										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	38	3.6	15	1	1	2	5	8	17	99+
1-5 YRS	135	3.4	53	<1	1	1	3	7	12	38
6-12 YRS	60	4.4	56	<1	1	1	4	11	22	44
13-19 YRS	36	4.5	30	<1	1	3	5	10	14	30
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	44	4.5	10	1	2	4	7	9	10	15
1-11 MOS	983	4.9	35	1	2	3	5	9	14	28
1-5 YRS	1596	4.5	34	1	2	3	5	9	14	29
6-12 YRS	522	5.8	30	1	2	4	8	13	16	28
13-19 YRS	458	6.6	40	1	2	4	9	16	20	30
B. Operated										
0-27 DYS	4	10.0	65	1	5	12	40	99+	99+	99+
1-11 MOS	229	14.9	256	1	4	11	21	41	71	99+
1-5 YRS	778	8.4	141	1	1	3	11	23	34	72
6-12 YRS	271	10.2	196	1	1	5	13	29	39	90
13-19 YRS	202	11.9	147	1	3	9	16	26	35	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1237	2.7	4	1	2	2	3	5	6	10
B. Operated	270	3.8	45	<1	1	1	4	8	13	43
2. MULTIPLE DX										
A. Not Operated	3603	5.1	35	1	2	3	6	11	15	28
B. Operated	1484	10.2	175	1	1	5	14	29	41	99+
1. SINGLE DX	1507	2.9	11	1	1	2	3	5	7	14
2. MULTIPLE DX	5087	6.6	81	1	2	3	8	15	23	56
A. Not Operated	4840	4.5	28	1	2	3	5	9	14	24
B. Operated	1754	9.2	160	1	1	4	12	26	37	98
TOTAL										
0-27 DYS	67	4.4	13	1	2	3	6	9	12	86
1-11 MOS	1506	6.1	77	1	2	4	6	13	21	71
1-5 YRS	3152	5.0	59	1	2	3	5	11	18	47
6-12 YRS	1045	6.3	76	1	2	3	7	15	22	44
13-19 YRS	824	7.3	69	1	2	4	10	17	22	40
GRAND TOTAL	**6594**	**5.7**	**67**	**1**	**2**	**3**	**6**	**13**	**21**	**48**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	17	2.4	1	<1	1	2	3	4	5	5
6-12 YRS	15	2.8	3	1	1	2	4	5	6	6
13-19 YRS	20	2.3	3	1	1	2	3	5	6	6
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	3.0	2	1	2	3	4	4	4	4
1-5 YRS	449	1.2	1	<1	<1	<1	<1	1	3	5
6-12 YRS	173	1.7	2	<1	<1	1	2	3	4	8
13-19 YRS	991	2.0	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	12	4.3	16	1	2	3	6	12	12	12
1-5 YRS	106	2.7	2	1	2	3	3	4	5	7
6-12 YRS	62	3.2	4	<1	2	3	4	6	7	10
13-19 YRS	59	3.1	4	<1	1	3	4	6	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	23	6.6	310	1	2	2	3	8	46	84
1-5 YRS	531	2.0	9	<1	<1	1	2	4	6	16
6-12 YRS	450	2.1	7	<1	1	1	2	4	5	15
13-19 YRS	1241	2.4	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	2.5	2	1	1	2	3	5	6	6
B. Operated	1620	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	241	3.0	4	1	2	3	4	6	7	10
B. Operated	2245	2.3	8	<1	1	2	3	4	5	11
1. SINGLE DX	1672	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	2486	2.3	8	<1	1	2	3	4	5	11
A. Not Operated	293	2.9	3	1	2	3	4	5	7	10
B. Operated	3865	2.1	5	<1	1	2	2	4	4	8
TOTAL										
0-27 DYS	3	4.3	17	1	1	3	7	9	9	9
1-11 MOS	41	5.4	177	1	2	2	3	9	18	84
1-5 YRS	1103	1.7	5	<1	<1	<1	2	3	4	11
6-12 YRS	700	2.1	5	<1	1	1	2	4	5	15
13-19 YRS	2311	2.2	2	1	1	2	3	4	5	7
GRAND TOTAL	**4158**	**2.1**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	42	3.8	4	2	3	3	4	7	9	10
1-5 YRS	90	3.1	3	1	2	3	4	6	7	8
6-12 YRS	39	3.3	5	1	2	3	4	6	9	10
13-19 YRS	36	3.0	4	1	2	3	4	7	7	7
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	19	1.7	2	<1	1	1	2	4	5	6
1-5 YRS	95	2.3	3	<1	1	2	3	4	5	10
6-12 YRS	122	2.2	2	1	1	2	3	4	5	7
13-19 YRS	86	2.6	5	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	88	4.6	7	2	3	4	6	8	9	13
1-5 YRS	244	3.5	9	1	2	3	4	6	7	12
6-12 YRS	85	3.4	5	1	2	3	5	6	7	11
13-19 YRS	78	4.1	6	2	2	4	5	7	9	15
B. Operated										
0-27 DYS	2	7.5	61	2	2	7	13	13	13	13
1-11 MOS	15	7.3	55	1	4	6	8	14	27	31
1-5 YRS	156	3.2	17	1	1	2	4	5	10	38
6-12 YRS	147	2.8	6	1	1	2	3	5	9	19
13-19 YRS	79	2.8	9	1	1	2	3	6	8	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	207	3.3	4	1	2	3	4	6	7	10
B. Operated	323	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	497	3.8	8	1	2	3	5	7	8	12
B. Operated	399	3.1	13	1	1	2	4	6	9	26
1. SINGLE DX	530	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	896	3.5	10	1	2	3	4	6	8	19
A. Not Operated	704	3.6	6	1	2	3	4	6	8	11
B. Operated	722	2.8	9	1	1	2	3	5	7	18
TOTAL										
0-27 DYS	5	5.2	27	1	2	2	9	13	13	13
1-11 MOS	164	4.3	11	1	2	4	6	8	10	14
1-5 YRS	585	3.1	9	1	2	3	4	5	7	18
6-12 YRS	393	2.8	5	1	1	2	3	5	7	12
13-19 YRS	279	3.1	7	1	1	2	4	6	7	14
GRAND TOTAL	**1426**	**3.2**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	237	2.6	3	1	1	2	3	5	6	10
1-11 MOS	851	2.6	5	1	1	2	3	5	7	11
1-5 YRS	121	1.7	4	1	1	1	2	3	3	13
6-12 YRS	67	1.7	2	1	1	1	2	4	4	7
13-19 YRS	58	2.4	5	1	1	2	3	5	6	13
B. Operated										
0-27 DYS	11	5.3	9	3	3	4	6	11	12	12
1-11 MOS	189	4.9	26	1	1	4	6	11	14	28
1-5 YRS	160	4.3	21	< 1	1	3	6	9	12	25
6-12 YRS	93	3.6	9	< 1	1	3	6	7	7	16
13-19 YRS	76	4.2	17	< 1	1	3	6	8	10	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	356	3.9	10	1	2	3	5	7	9	15
1-11 MOS	1619	4.3	20	1	2	3	5	8	11	23
1-5 YRS	297	3.5	23	1	1	2	4	8	10	31
6-12 YRS	142	3.2	18	1	1	2	4	7	10	27
13-19 YRS	178	3.3	8	1	1	2	4	7	9	16
B. Operated										
0-27 DYS	25	8.0	40	3	3	6	11	23	39	99+
1-11 MOS	566	10.0	114	1	3	7	12	24	32	51
1-5 YRS	612	10.1	119	1	4	7	12	22	31	76
6-12 YRS	389	8.6	89	1	2	6	10	20	27	50
13-19 YRS	226	7.8	53	1	3	6	10	16	24	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1334	2.5	4	1	1	2	3	5	6	11
B. Operated	529	4.4	20	1	1	3	6	8	12	24
2. MULTIPLE DX										
A. Not Operated	2592	4.0	18	1	2	3	5	8	10	22
B. Operated	1818	9.4	102	1	3	7	11	21	29	57
1. SINGLE DX	1863	3.0	9	1	1	2	4	6	8	14
2. MULTIPLE DX	4410	6.3	60	1	2	4	7	13	21	44
A. Not Operated	3926	3.5	14	1	1	3	4	7	9	18
B. Operated	2347	8.3	88	1	2	6	10	19	27	51
TOTAL										
0-27 DYS	629	3.6	10	1	2	3	4	7	9	16
1-11 MOS	3225	4.9	39	1	2	3	5	10	15	35
1-5 YRS	1190	6.8	82	1	1	4	8	15	23	54
6-12 YRS	691	6.1	63	1	1	4	7	14	23	40
13-19 YRS	538	5.2	33	1	1	3	7	11	16	32
GRAND TOTAL	**6273**	**5.3**	**47**	**1**	**2**	**3**	**6**	**11**	**17**	**37**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	4.3	10	2	2	3	7	8	8	8
13-19 YRS	8	2.4	1	1	2	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	6.5	61	< 1	< 1	6	12	12	12	12
1-5 YRS	0									
6-12 YRS	3	3.7	6	1	2	4	5	6	6	6
13-19 YRS	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	6.2	49	1	1	5	9	18	18	18
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	9	3.3	5	1	2	2	4	7	8	8
13-19 YRS	16	3.8	7	1	2	3	5	7	10	11
B. Operated										
0-27 DYS	0									
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	3	7.7	52	3	3	4	13	16	16	16
6-12 YRS	10	7.6	31	2	3	5	14	16	16	16
13-19 YRS	14	4.9	10	1	2	5	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.8	3	1	2	2	3	5	7	8
B. Operated	7	4.3	15	< 1	1	3	5	11	12	12
2. MULTIPLE DX										
A. Not Operated	32	3.9	12	1	2	3	5	7	11	18
B. Operated	30	5.8	21	1	3	4	8	15	16	16
1. SINGLE DX	20	3.4	7	1	2	3	4	7	10	12
2. MULTIPLE DX	62	4.8	17	1	2	3	6	10	16	18
A. Not Operated	45	3.6	10	1	2	3	4	7	9	18
B. Operated	37	5.5	20	1	3	4	8	14	16	16
TOTAL										
0-27 DYS	0									
1-11 MOS	11	4.8	30	< 1	1	2	6	14	18	18
1-5 YRS	6	4.7	32	1	1	3	4	15	16	16
6-12 YRS	25	5.2	19	2	2	4	7	14	16	16
13-19 YRS	40	3.9	7	1	2	3	6	8	9	11
GRAND TOTAL	**82**	**4.5**	**15**	**1**	**2**	**3**	**6**	**9**	**15**	**17**

980 Hospitals, United States, Pediatric, January-December 1989

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.01; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	< 1	< 1	1	3	3	3	3
1-5 YRS	3	3.3	2	2	2	3	4	5	5	5
6-12 YRS	7	3.1	2	1	2	3	5	5	5	5
13-19 YRS	8	3.3		3	3	3	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	5.5	16	2	3	5	6	11	16	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	5.3	23	1	2	4	6	13	16	16
1-5 YRS	8	4.0	15	1	2	3	4	11	13	13
6-12 YRS	6	5.0	8	1	3	5	6	9	9	9
13-19 YRS	16	3.0	3	1	2	3	4	5	6	6
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	17.0	18	14	14	17	20	20	20	20
1-5 YRS	9	8.2	124	2	3	3	8	26	37	37
6-12 YRS	7	17.9	329	1	5	12	29	48	51	51
13-19 YRS	18	6.6	30	1	3	5	9	14	19	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.1	1	1	2	3	4	5	5	5
B. Operated	12	5.6	15	2	3	5	7	10	15	16
2. MULTIPLE DX										
A. Not Operated	38	4.0	10	1	2	3	5	7	11	16
B. Operated	37	9.7	118	2	3	7	11	22	36	51
1. SINGLE DX	32	4.0	8	2	3	3	5	6	7	16
2. MULTIPLE DX	75	6.8	71	1	2	4	8	14	21	47
A. Not Operated	58	3.7	7	1	2	3	5	6	8	16
B. Operated	49	8.7	95	2	3	6	10	18	34	51
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	13	6.7	38	1	2	4	9	17	19	20
1-5 YRS	20	5.8	63	1	2	3	6	11	25	37
6-12 YRS	20	8.9	153	1	2	5	9	24	42	51
13-19 YRS	53	4.8	16	1	2	4	5	10	14	22
GRAND TOTAL	**107**	**6.0**	**53**	**1**	**2**	**4**	**6**	**13**	**17**	**43**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70, 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	2.6	2	2	2	2	3	5	5	5
13-19 YRS	44	2.3	2	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	2.6	4	1	1	2	4	6	6	6
13-19 YRS	8	2.0	1	< 1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	7.8	37	2	4	6	10	18	18	18
1-5 YRS	6	5.7	10	4	4	5	5	11	12	12
6-12 YRS	31	3.4	3	2	2	3	5	6	7	8
13-19 YRS	83	3.4	6	1	2	3	4	7	8	13
B. Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	3	4.7	30	< 1	< 1	2	9	11	11	11
6-12 YRS	17	3.5	11	1	2	2	4	8	12	14
13-19 YRS	24	4.5	16	1	2	4	6	8	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	2.4	2	1	1	2	3	4	5	8
B. Operated	13	2.2	2	< 1	1	2	3	4	6	6
2. MULTIPLE DX										
A. Not Operated	126	3.7	7	1	2	3	5	7	8	15
B. Operated	45	4.2	15	1	2	3	6	9	12	20
1. SINGLE DX	62	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	171	3.8	9	1	2	3	5	7	9	17
A. Not Operated	175	3.3	6	1	2	3	4	6	8	14
B. Operated	58	3.8	13	1	2	3	5	8	11	20
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	8.0	30	2	5	7	9	17	18	18
1-5 YRS	9	5.3	14	1	3	4	7	12	12	12
6-12 YRS	58	3.3	5	1	2	3	4	6	8	14
13-19 YRS	159	3.2	7	1	2	2	4	6	8	14
GRAND TOTAL	**233**	**3.4**	**8**	**1**	**2**	**3**	**4**	**7**	**8**	**15**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	25	3.2	3	1	2	3	5	5	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	6	5.8	8	1	5	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	5.3	1	4	4	6	6	6	6	6
1-5 YRS	5	3.6	2	2	3	3	4	6	6	6
6-12 YRS	11	3.7	4	1	2	4	4	7	8	8
13-19 YRS	66	3.7	6	1	2	3	5	7	9	12
B. Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	10.0	36	4	5	10	14	16	16	16
1-5 YRS	5	25.4	262	13	14	16	37	51	51	51
6-12 YRS	11	5.6	15	2	3	5	9	40	91	99+
13-19 YRS	28	6.4	10	3	4	6	8	12	12	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.2	2	1	2	3	4	5	6	7
B. Operated	7	5.1	10	<1	2	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	86	3.7	5	1	2	3	5	7	8	12
B. Operated	48	8.5	68	3	4	6	10	15	33	99+
1. SINGLE DX	35	3.6	4	1	2	3	5	7	8	9
2. MULTIPLE DX	134	5.4	33	2	3	4	6	11	14	58
A. Not Operated	114	3.6	5	1	2	3	5	6	8	11
B. Operated	55	8.1	62	2	4	6	10	15	27	97
TOTAL										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	6	7.7	21	4	4	6	10	15	16	16
1-5 YRS	12	12.7	223	2	3	5	15	38	49	51
6-12 YRS	24	4.4	10	1	2	4	6	9	35	99+
13-19 YRS	125	4.3	8	1	2	3	6	8	10	12
GRAND TOTAL	**169**	**5.0**	**27**	**2**	**2**	**4**	**6**	**10**	**13**	**47**

204: Peptic ulcer with obstruction (531-534, with 5th digit 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	2.7	1	2	2	2	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	6.5	41	2	2	6	11	11	11	11
13-19 YRS	6	14.7	150	4	5	10	23	34	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	6	3.5	4	2	2	3	4	7	7	7
B. Operated	8	12.6	127	3	4	9	18	31	35	35
1. SINGLE DX	3	6.3	10	4	4	5	9	10	10	10
2. MULTIPLE DX	14	8.7	92	2	2	5	11	24	33	35
A. Not Operated	7	3.6	3	2	2	4	4	6	7	7
B. Operated	10	11.6	105	3	5	8	14	29	35	35
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	6.0	2	5	5	6	7	7	7	7
6-12 YRS	3	5.0	27	2	2	2	9	11	11	11
13-19 YRS	11	10.0	108	2	4	5	13	28	34	35
GRAND TOTAL	**17**	**8.3**	**77**	**2**	**3**	**5**	**10**	**21**	**31**	**35**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	2.0	1	1	1	2	2	3	3	3
1-11 MOS	38	2.0	1	< 1	1	2	3	3	4	5
1-5 YRS	68	1.8	1	1	1	2	2	3	3	6
6-12 YRS	111	2.1	1	1	1	2	3	4	4	6
13-19 YRS	198	2.1	1	1	1	2	3	4	4	7
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.5	4	< 1	1	3	5	6	6	6
1-5 YRS	8	2.4	3	1	1	2	3	5	6	6
6-12 YRS	41	2.9	4	1	1	2	4	6	7	10
13-19 YRS	25	3.4	8	1	2	3	4	6	9	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	13	2.2	2	1	1	2	3	5	5	5
1-11 MOS	128	3.3	19	1	2	2	3	6	8	20
1-5 YRS	411	2.3	1	1	1	2	3	4	4	6
6-12 YRS	354	2.6	4	1	1	2	3	5	7	10
13-19 YRS	484	2.8	4	1	2	2	3	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	22	4.6	36	< 1	2	3	4	9	21	27
1-5 YRS	46	5.7	26	1	2	4	8	11	18	22
6-12 YRS	86	4.0	9	1	2	3	6	7	9	16
13-19 YRS	90	5.0	64	1	2	3	6	7	11	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	420	2.0	1	1	1	2	3	3	4	7
B. Operated	79	3.0	5	1	2	2	4	6	7	13
2. MULTIPLE DX										
A. Not Operated	1390	2.6	5	1	1	2	3	5	6	10
B. Operated	244	4.7	35	1	2	3	6	8	12	28
1. SINGLE DX	499	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1634	2.9	10	1	2	2	3	5	7	13
A. Not Operated	1810	2.5	4	1	1	2	3	4	5	9
B. Operated	323	4.3	28	1	2	3	5	8	11	23
TOTAL										
0-27 DYS	19	2.2	1	1	1	2	3	4	5	5
1-11 MOS	192	3.2	17	1	2	2	3	5	7	23
1-5 YRS	533	2.5	4	1	1	2	3	4	6	11
6-12 YRS	592	2.7	4	1	1	2	3	5	7	11
13-19 YRS	797	2.9	11	1	2	2	3	5	6	12
GRAND TOTAL	**2133**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	7	2.4	2	1	1	2	4	5	5	5
1-11 MOS	37	2.3	2	1	1	2	3	4	6	99 +
1-5 YRS	29	1.9	2	< 1	1	1	2	4	6	6
6-12 YRS	42	2.9	3	1	2	3	4	5	6	7
13-19 YRS	50	3.8	21	1	2	2	4	6	12	28
B. Operated										
0-27 DYS	50	3.4	3	2	2	3	4	5	6	11
1-11 MOS	138	3.1	3	2	2	3	4	5	6	9
1-5 YRS	20	3.3	10	< 1	1	2	4	6	10	14
6-12 YRS	8	5.9	7	2	3	6	8	9	10	10
13-19 YRS	6	4.5	10	2	2	3	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	10	2.9	3	1	2	2	3	6	7	7
1-11 MOS	80	3.4	6	1	2	3	4	6	8	16
1-5 YRS	93	3.3	11	1	1	2	4	6	11	18
6-12 YRS	126	3.1	4	1	2	3	4	6	7	9
13-19 YRS	133	5.3	87	1	2	3	5	7	25	89
B. Operated										
0-27 DYS	24	5.8	49	2	3	3	4	16	26	27
1-11 MOS	90	5.8	29	2	3	4	7	12	16	30
1-5 YRS	50	7.4	84	1	2	4	9	16	32	39
6-12 YRS	29	9.7	107	1	3	5	12	29	33	35
13-19 YRS	20	11.4	195	2	4	6	13	26	47	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	2.8	8	1	1	2	4	5	6	27
B. Operated	222	3.3	4	2	2	3	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	442	3.8	32	1	2	3	4	6	8	29
B. Operated	213	7.2	72	2	3	4	9	16	29	38
1. SINGLE DX	387	3.1	6	1	2	3	4	5	7	14
2. MULTIPLE DX	655	5.0	47	1	2	3	5	9	17	35
A. Not Operated	607	3.6	25	1	2	3	4	6	8	28
B. Operated	435	5.3	41	2	2	3	5	11	16	34
TOTAL										
0-27 DYS	91	3.9	16	2	2	3	4	6	11	27
1-11 MOS	345	3.8	11	1	2	3	4	7	10	19
1-5 YRS	192	4.2	32	1	1	2	5	9	14	35
6-12 YRS	205	4.1	23	1	2	3	5	7	10	31
13-19 YRS	209	5.5	83	1	2	3	5	10	23	71
GRAND TOTAL	**1042**	**4.3**	**33**	**1**	**2**	**3**	**4**	**7**	**12**	**33**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	10.0	128	2	2	10	18	18	18	18
6-12 YRS	48	2.8	4	1	2	2	3	5	6	11
13-19 YRS	58	2.4	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	9	3.0	1	2	2	3	4	5	5	5
1-5 YRS	306	3.3	3	2	2	3	4	6	7	10
6-12 YRS	4019	2.8	2	2	2	3	3	4	5	7
13-19 YRS	5295	2.9	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	19	1.8	1	<1	1	2	2	4	5	5
13-19 YRS	16	2.6	3	1	1	2	3	4	7	8
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	3.5	1	2	3	4	4	4	4	4
1-5 YRS	113	5.0	13	2	3	4	6	8	11	22
6-12 YRS	752	4.0	9	2	2	3	4	7	10	17
13-19 YRS	1164	3.8	4	2	3	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	2.7	5	1	1	2	3	5	6	14
B. Operated	9629	2.9	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	37	2.1	2	1	1	2	3	4	5	8
B. Operated	2034	3.9	7	2	3	3	4	7	8	15
1. SINGLE DX	9738	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX	2071	3.9	7	2	3	3	4	7	8	15
A. Not Operated	146	2.6	4	1	1	2	3	4	6	11
B. Operated	11663	3.0	3	2	2	3	3	5	6	9
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	14	3.0	1	2	2	3	4	4	5	5
1-5 YRS	423	3.8	7	2	2	3	4	7	8	15
6-12 YRS	4838	3.0	3	2	2	3	3	4	6	9
13-19 YRS	6533	3.0	2	2	2	3	4	5	5	8
GRAND TOTAL	**11809**	**3.0**	**3**	**2**	**2**	**3**	**3**	**5**	**6**	**9**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	7.5	2	6	6	7	8	9	9	9
6-12 YRS	19	5.4	6	1	4	6	7	9	9	9
13-19 YRS	23	5.8	10	3	4	5	8	10	13	14
B. Operated										
0-27 DYS	0									
1-11 MOS	3	7.7	20	3	4	8	11	12	12	12
1-5 YRS	339	6.9	9	4	5	7	8	10	12	18
6-12 YRS	1182	6.0	8	3	4	6	8	10	11	15
13-19 YRS	993	5.6	7	3	4	5	7	9	10	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	8.2	10	3	8	9	10	12	12	12
6-12 YRS	11	8.1	13	4	5	8	10	13	16	16
13-19 YRS	14	10.8	36	4	6	10	16	20	22	23
B. Operated										
0-27 DYS	0									
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	320	9.4	29	5	6	8	11	16	20	32
6-12 YRS	922	8.8	25	4	6	8	11	15	19	28
13-19 YRS	734	8.6	32	4	6	7	10	14	19	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	5.8	8	3	4	5	8	9	10	14
B. Operated	2517	6.0	8	3	4	6	7	9	11	15
2. MULTIPLE DX										
A. Not Operated	34	9.2	22	4	6	9	11	16	19	23
B. Operated	1977	8.9	28	4	6	8	10	15	19	29
1. SINGLE DX	2563	6.0	8	3	4	6	7	9	11	15
2. MULTIPLE DX	2011	8.9	28	4	6	8	10	15	19	29
A. Not Operated	80	7.3	17	3	5	7	9	12	16	22
B. Operated	4494	7.2	19	3	5	7	9	12	15	24
TOTAL										
0-27 DYS	0									
1-11 MOS	4	8.8	18	3	5	10	12	12	12	12
1-5 YRS	672	8.1	20	4	5	7	9	13	16	26
6-12 YRS	2134	7.3	17	3	5	7	9	12	15	22
13-19 YRS	1764	6.9	20	3	4	6	8	11	14	25
GRAND TOTAL	**4574**	**7.2**	**19**	**3**	**5**	**7**	**9**	**12**	**15**	**24**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	1.4		1	1	1	2	2	2	2
6-12 YRS	37	1.8	2	1	1	1	2	3	5	8
13-19 YRS	54	1.7	2	<1	1	1	2	3	3	10
B. Operated										
0-27 DYS	0									
1-11 MOS	4	2.8	1	2	2	3	3	4	4	4
1-5 YRS	26	2.3	1	1	2	2	3	4	4	4
6-12 YRS	262	2.9	2	2	2	3	3	5	6	8
13-19 YRS	354	2.8	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	2.0	2	1	1	2	3	4	4	4
6-12 YRS	24	3.0	11	1	1	2	3	10	11	11
13-19 YRS	33	1.7	1	1	1	1	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	18	3.7	4	2	2	3	5	7	7	7
6-12 YRS	119	3.5	5	2	2	3	4	6	7	13
13-19 YRS	242	3.7	6	2	2	3	4	6	7	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	1.7	2	1	1	1	2	3	4	9
B. Operated	646	2.8	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	62	2.2	5	1	1	1	2	4	8	11
B. Operated	380	3.7	6	2	2	3	4	6	7	14
1. SINGLE DX	744	2.7	2	1	2	2	3	4	5	8
2. MULTIPLE DX	442	3.5	6	1	2	3	4	6	7	12
A. Not Operated	160	1.9	3	1	1	1	2	3	5	11
B. Operated	1026	3.1	3	2	2	3	4	5	6	9
TOTAL										
0-27 DYS	0									
1-11 MOS	5	3.0	1	2	2	3	4	4	4	4
1-5 YRS	56	2.6	2	1	2	2	3	5	6	7
6-12 YRS	442	3.0	3	1	2	3	3	5	6	11
13-19 YRS	683	3.0	4	1	2	3	4	5	6	9
GRAND TOTAL	**1186**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	1.5	1	<1	<1	1	2	3	3	3
1-11 MOS	33	1.2		<1	<1	1	1	2	3	3
1-5 YRS	10	1.3	1	<1	<1	1	1	3	4	4
6-12 YRS	4	1.8	2	<1	<1	1	3	4	4	4
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	45	1.2		<1	1	1	1	2	2	3
1-11 MOS	1747	1.2		<1	1	1	1	2	2	4
1-5 YRS	604	1.1		<1	<1	<1	1	1	2	3
6-12 YRS	245	1.1		<1	<1	<1	1	1	2	2
13-19 YRS	313	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	84	1.8	5	<1	<1	1	1	3	5	15
1-5 YRS	27	1.6	2	<1	<1	1	2	3	5	6
6-12 YRS	8	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	7	1.3		<1	1	1	2	2	2	2
B. Operated										
0-27 DYS	61	1.8	3	1	1	1	2	4	5	9
1-11 MOS	1849	1.5	3	<1	1	1	1	2	4	9
1-5 YRS	596	1.3	1	<1	<1	1	1	2	3	6
6-12 YRS	144	1.5	6	<1	<1	1	1	2	2	8
13-19 YRS	120	1.6	3	<1	1	1	2	2	3	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	1.3	1	<1	<1	1	1	3	3	4
B. Operated	2954	1.1		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	127	1.7	4	<1	<1	1	1	3	4	14
B. Operated	2770	1.4	2	<1	1	1	1	2	3	8
1. SINGLE DX	3006	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX	2897	1.4	3	<1	1	1	1	2	3	8
A. Not Operated	179	1.6	3	<1	<1	1	1	3	4	12
B. Operated	5724	1.3	1	<1	<1	1	1	2	2	6
TOTAL										
0-27 DYS	111	1.5	2	<1	1	1	1	3	4	8
1-11 MOS	3713	1.3	2	<1	1	1	1	2	3	7
1-5 YRS	1237	1.2	1	<1	<1	<1	1	2	2	5
6-12 YRS	401	1.2	2	<1	<1	<1	1	2	2	5
13-19 YRS	441	1.3	1	<1	1	1	1	2	2	4
GRAND TOTAL	**5903**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**2**	**6**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	29	1.7	6	<1	<1	1	1	2	4	14
1-5 YRS	6	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. Operated										
0-27 DYS	36	1.7	1	1	1	1	2	3	4	4
1-11 MOS	431	1.7	1	<1	1	1	2	3	4	6
1-5 YRS	162	1.5	1	<1	1	1	2	3	3	4
6-12 YRS	38	1.3		1	1	1	2	2	2	2
13-19 YRS	47	1.7	2	1	1	1	2	3	3	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	27	1.5	1	<1	1	1	2	3	3	4
1-5 YRS	12	1.7	1	<1	1	1	2	3	3	3
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	50	2.3	4	1	1	2	3	4	4	13
1-11 MOS	491	2.4	8	1	1	2	3	5	6	14
1-5 YRS	128	2.0	7	<1	1	1	2	4	5	13
6-12 YRS	20	1.5	1	<1	1	1	2	3	3	4
13-19 YRS	22	2.8	3	1	2	2	3	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	1.5	5	<1	<1	1	1	2	3	14
B. Operated	714	1.6	1	<1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	43	1.5	1	<1	1	1	2	3	3	4
B. Operated	711	2.3	7	1	1	2	3	4	6	14
1. SINGLE DX	753	1.6	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	754	2.3	7	1	1	2	3	4	6	14
A. Not Operated	82	1.5	2	<1	<1	1	1	3	3	11
B. Operated	1425	2.0	4	1	1	1	2	3	5	10
TOTAL										
0-27 DYS	90	2.0	3	1	1	2	2	4	4	10
1-11 MOS	978	2.1	5	1	1	1	2	4	5	12
1-5 YRS	308	1.7	3	<1	1	1	2	3	4	6
6-12 YRS	59	1.3		1	1	1	2	2	2	4
13-19 YRS	72	2.0	3	1	1	2	3	3	6	10
GRAND TOTAL	**1507**	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**5**	**10**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	11	7.5	31	1	3	6	12	16	17	17
1-11 MOS	42	1.3	1	<1	<1	1	1	2	3	7
1-5 YRS	167	1.2		<1	<1	<1	1	2	2	5
6-12 YRS	62	1.1		<1	<1	<1	1	1	2	3
13-19 YRS	16	1.4		<1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	4.5	6	3	3	4	6	8	8	8
1-11 MOS	5	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	12	16.6	382	2	6	18	86	99 +	99 +	99 +
1-11 MOS	35	2.4	11	<1	1	1	2	5	9	18
1-5 YRS	68	1.7	3	<1	<1	1	1	3	5	11
6-12 YRS	18	1.4		<1	<1	1	2	2	2	2
13-19 YRS	8	2.6	6	1	1	2	3	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.2		<1	<1	1	1	2	3	3
B. Operated	298	1.4	3	<1	<1	<1	1	2	3	10
2. MULTIPLE DX										
A. Not Operated	16	2.1	4	<1	<1	1	3	4	7	8
B. Operated	141	3.1	52	<1	<1	1	2	8	20	99 +
1. SINGLE DX	307	1.4	3	<1	<1	<1	1	2	3	10
2. MULTIPLE DX	157	3.0	47	<1	<1	1	2	8	19	99 +
A. Not Operated	25	1.8	3	<1	<1	1	2	3	5	8
B. Operated	439	2.0	19	<1	<1	1	1	3	7	75
TOTAL										
0-27 DYS	28	10.7	197	2	3	7	18	99 +	99 +	99 +
1-11 MOS	83	1.8	5	<1	<1	1	1	3	5	15
1-5 YRS	244	1.3	1	<1	<1	<1	1	2	3	7
6-12 YRS	83	1.2		<1	<1	<1	1	2	2	3
13-19 YRS	26	1.8	2	<1	1	1	2	3	5	8
GRAND TOTAL	**464**	**2.0**	**18**	**<1**	**<1**	**1**	**1**	**3**	**7**	**64**

980 Hospitals, United States, Pediatric, January-December 1989

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	3	2.0	3	1	1	1	3	4	4	4
1-11 MOS	32	2.5	2	1	1	2	3	4	5	6
1-5 YRS	36	2.5	10	<1	<1	1	3	6	6	18
6-12 YRS	20	1.8	6	<1	<1	<1	1	4	8	11
13-19 YRS	31	1.8	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	15	4.6	9	1	2	4	7	9	10	11
1-5 YRS	32	3.8	13	<1	1	3	6	7	9	18
6-12 YRS	12	2.6	8	<1	<1	1	3	7	10	10
13-19 YRS	19	2.8	2	1	1	3	4	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	122	2.2	5	<1	<1	1	3	5	6	13
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	79	3.5	9	1	1	3	5	7	9	16
1. SINGLE DX	122	2.2	5	<1	<1	1	3	5	6	13
2. MULTIPLE DX	81	3.5	9	1	1	3	5	7	9	16
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	201	2.7	7	<1	1	2	4	6	7	14
TOTAL										
0-27 DYS	4	2.0	2	1	1	2	3	4	4	4
1-11 MOS	47	3.1	5	1	1	3	4	6	8	11
1-5 YRS	70	3.1	11	<1	1	2	4	6	8	18
6-12 YRS	32	2.1	6	<1	<1	1	2	5	10	11
13-19 YRS	50	2.2	3	<1	1	1	3	5	5	7
GRAND TOTAL	**203**	**2.7**	**7**	**<1**	**1**	**2**	**4**	**6**	**7**	**14**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	7.0		7	7	7	7	7	7	7
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	0									
13-19 YRS	3	4.0	1	3	3	4	5	5	5	5
B. Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	10	4.8	2	3	4	5	6	7	7	7
1-5 YRS	3	3.7	6	1	2	4	5	6	6	6
6-12 YRS	5	6.0	10	1	4	7	8	9	9	9
13-19 YRS	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	13.5	221	3	3	13	24	24	24	24
1-11 MOS	3	5.0	19	2	2	3	8	10	10	10
1-5 YRS	6	3.5	22	<1	<1	1	3	12	13	13
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	9	3.1	3	1	1	3	5	5	5	5
B. Operated										
0-27 DYS	4	24.0	335	3	11	23	37	47	47	47
1-11 MOS	21	8.7	64	3	5	7	10	14	27	40
1-5 YRS	33	9.8	78	4	5	7	10	20	27	45
6-12 YRS	9	10.2	104	4	6	8	9	26	37	37
13-19 YRS	4	12.0	51	5	6	11	18	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.1	5	1	2	4	6	7	7	7
B. Operated	21	4.8	6	1	3	5	7	8	9	9
2. MULTIPLE DX										
A. Not Operated	22	4.5	28	1	1	3	5	11	17	24
B. Operated	71	10.4	94	4	5	7	11	21	37	47
1. SINGLE DX	28	4.6	6	1	3	5	7	8	9	9
2. MULTIPLE DX	93	9.0	85	2	4	6	10	20	28	46
A. Not Operated	29	4.4	22	1	2	3	5	9	14	24
B. Operated	92	9.2	79	3	4	6	9	19	28	46
TOTAL										
0-27 DYS	8	15.8	273	1	2	11	25	41	47	47
1-11 MOS	36	7.2	42	3	4	6	7	12	15	40
1-5 YRS	44	8.1	69	1	4	5	9	18	24	45
6-12 YRS	16	8.1	65	3	4	7	8	9	29	37
13-19 YRS	17	5.7	26	1	3	5	6	15	19	20
GRAND TOTAL	**121**	**8.0**	**70**	**2**	**4**	**5**	**8**	**18**	**25**	**46**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	6	2.0	4	<1	1	1	2	6	6	6
13-19 YRS	7	3.0	5	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	16	2.3	4	<1	<1	1	3	6	6	6
2. MULTIPLE DX										
A. Not Operated	3	1.7		1	1	2	2	2	2	2
B. Operated	4	4.0	9	1	1	4	6	7	7	7
1. SINGLE DX	17	2.4	4	<1	1	1	5	6	6	6
2. MULTIPLE DX	7	3.0	6	1	1	2	5	7	7	7
A. Not Operated	4	2.5	3	1	1	2	4	5	5	5
B. Operated	20	2.6	5	<1	1	1	5	6	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	6	2.2	6	<1	<1	1	2	6	7	7
6-12 YRS	6	2.0	4	<1	1	1	2	6	6	6
13-19 YRS	10	2.9	4	1	1	2	5	6	6	6
GRAND TOTAL	**24**	**2.6**	**5**	**<1**	**1**	**2**	**5**	**6**	**7**	**7**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-27 DYS	0									
1-11 MOS	18	1.7	1	1	1	1	2	3	4	4
1-5 YRS	21	2.6	3	1	1	2	3	5	7	8
6-12 YRS	11	2.3	3	1	1	2	3	5	6	6
13-19 YRS	23	2.2	4	<1	1	2	3	4	7	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	2.0		2	2	51	99+	99+	99+	99+
1-11 MOS	12	2.9	4	<1	1	2	4	6	6	6
1-5 YRS	14	10.6	358	1	2	5	10	18	62	75
6-12 YRS	10	10.5	69	<1	3	9	18	22	24	24
13-19 YRS	23	7.5	90	1	2	4	9	16	32	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		<1	<1	1	1	1	1	1
B. Operated	73	2.2	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	60	7.7	132	1	2	5	9	19	33	97
1. SINGLE DX	77	2.1	3	1	1	2	3	4	6	9
2. MULTIPLE DX	62	7.5	129	1	2	4	9	18	32	97
A. Not Operated	6	1.2		<1	1	1	1	2	2	2
B. Operated	133	4.7	68	1	1	2	5	10	17	79
TOTAL										
0-27 DYS	1	2.0		2	2	51	99+	99+	99+	99+
1-11 MOS	30	2.2	2	1	1	2	3	5	6	6
1-5 YRS	39	5.3	140	1	1	2	5	10	12	75
6-12 YRS	22	6.0	49	1	1	3	6	19	22	24
13-19 YRS	47	4.7	52	1	1	2	6	10	16	42
GRAND TOTAL	**139**	**4.5**	**66**	**1**	**1**	**2**	**5**	**10**	**16**	**77**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	7	3.3	5	< 1	1	3	5	7	7	7
1-11 MOS	255	1.9	9	1	1	1	2	3	4	11
1-5 YRS	230	1.9	2	1	1	1	2	4	5	7
6-12 YRS	63	2.5	3	1	1	2	4	5	6	9
13-19 YRS	103	3.6	6	1	2	3	5	6	8	13
B. Operated										
0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	224	4.9	29	2	3	4	5	7	10	35
1-5 YRS	138	5.3	11	2	3	5	6	10	12	17
6-12 YRS	57	7.7	35	4	5	6	8	13	20	33
13-19 YRS	79	8.2	18	4	6	7	9	14	18	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	16	8.1	128	1	2	4	9	13	37	48
1-11 MOS	148	3.2	11	1	1	2	4	7	9	15
1-5 YRS	183	3.5	8	1	2	3	4	7	9	13
6-12 YRS	110	3.7	11	1	2	2	5	8	10	18
13-19 YRS	172	4.1	13	1	2	3	5	7	11	19
B. Operated										
0-27 DYS	9	7.4	20	3	6	6	12	58	99 +	99 +
1-11 MOS	287	8.0	81	3	4	6	9	14	28	94
1-5 YRS	230	9.8	73	4	5	7	12	18	22	45
6-12 YRS	145	10.9	68	5	6	8	12	21	31	59
13-19 YRS	188	11.5	86	5	6	9	13	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	658	2.3	6	1	1	2	3	5	6	9
B. Operated	500	5.8	24	2	3	5	7	10	14	28
2. MULTIPLE DX										
A. Not Operated	629	3.8	14	1	2	3	5	8	10	18
B. Operated	859	9.8	79	4	5	7	11	19	27	60
1. SINGLE DX	1158	3.8	17	1	1	3	5	7	10	20
2. MULTIPLE DX	1488	7.2	60	2	3	5	9	14	21	46
A. Not Operated	1287	3.0	10	1	1	2	4	6	8	15
B. Operated	1359	8.3	62	3	4	6	9	16	22	49
TOTAL										
0-27 DYS	34	6.9	68	1	3	5	9	13	40	99 +
1-11 MOS	914	4.8	43	1	2	3	6	9	13	43
1-5 YRS	781	5.2	36	1	2	4	7	11	14	30
6-12 YRS	375	6.9	48	1	2	5	8	14	21	36
13-19 YRS	542	7.2	50	2	3	6	8	14	19	40
GRAND TOTAL	2646	5.7	44	1	2	4	7	12	17	37

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	133	2.7	3	1	2	3	3	4	5	9
1-11 MOS	1006	2.7	7	1	2	2	3	4	5	10
1-5 YRS	1026	2.2	2	1	1	2	3	4	4	6
6-12 YRS	963	1.8	2	1	1	1	2	3	4	6
13-19 YRS	1024	1.9	1	1	1	2	2	3	4	6
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	18	4.2	6	2	2	4	5	8	9	10
1-5 YRS	38	3.9	7	1	2	3	6	8	9	9
6-12 YRS	62	4.3	32	1	2	3	4	6	7	37
13-19 YRS	92	3.7	6	2	2	3	4	6	9	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	349	3.7	8	2	2	3	4	7	8	14
1-11 MOS	3828	3.3	7	1	2	3	4	5	7	12
1-5 YRS	4905	2.6	4	1	2	2	3	4	5	9
6-12 YRS	1876	2.4	3	1	1	2	3	4	5	9
13-19 YRS	1390	2.4	3	1	1	2	3	4	6	9
B. Operated										
0-27 DYS	20	22.6	495	3	4	21	35	70	93	99 +
1-11 MOS	134	12.6	129	2	4	9	19	32	41	99 +
1-5 YRS	107	7.1	74	1	2	4	8	18	23	47
6-12 YRS	68	6.1	41	1	2	3	8	15	21	28
13-19 YRS	125	6.[illegible]	50	2	3	4	8	14	17	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4152	2.2	3	1	1	2	3	4	4	7
B. Operated	211	3.9	14	1	2	3	5	7	9	20
2. MULTIPLE DX										
A. Not Operated	12348	2.8	5	1	2	2	3	5	6	10
B. Operated	454	9.1	111	2	3	5	12	23	33	85
1. SINGLE DX	4363	2.3	4	1	1	2	3	4	5	8
2. MULTIPLE DX	12802	3.0	10	1	2	2	3	5	7	15
A. Not Operated	16500	2.6	4	1	2	2	3	4	6	9
B. Operated	665	7.5	86	2	3	4	8	19	27	58
TOTAL										
0-27 DYS	503	4.2	39	2	2	3	4	7	9	38
1-11 MOS	4986	3.4	12	1	2	3	4	6	8	19
1-5 YRS	6076	2.6	5	1	2	2	3	4	5	10
6-12 YRS	2969	2.3	5	1	1	2	3	4	5	10
13-19 YRS	2631	2.4	6	1	1	2	3	4	6	12
GRAND TOTAL	17165	2.8	8	1	2	2	3	5	6	13

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	10	5.9	5	4	4	5	7	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.5	13	<1	<1	3	6	6	6	6
1-11 MOS	4	6.8	35	1	2	6	11	14	14	14
1-5 YRS	3	5.0	3	3	4	6	6	6	6	6
6-12 YRS	0									
13-19 YRS	2	3.5	13	1	1	3	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	3	15.0	49	8	10	15	20	22	22	22
1-5 YRS	4	14.5	136	5	5	11	23	30	30	30
6-12 YRS	3	8.3	10	6	6	7	11	12	12	12
13-19 YRS	5	9.4	68	4	5	7	11	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	13	1	1	3	6	6	6	6
B. Operated	13	5.7	4	4	4	5	6	9	11	11
2. MULTIPLE DX										
A. Not Operated	11	5.1	16	<1	2	6	6	11	14	14
B. Operated	15	11.7	66	5	6	7	16	24	28	30
1. SINGLE DX	15	5.4	5	4	4	5	6	8	10	11
2. MULTIPLE DX	26	8.9	54	1	5	6	12	21	25	30
A. Not Operated	13	4.8	14	1	1	6	6	10	13	14
B. Operated	28	8.9	45	4	5	6	10	20	25	30
TOTAL										
0-27 DYS	2	3.5	13	<1	<1	3	6	6	6	6
1-11 MOS	9	9.3	44	2	5	8	14	19	22	22
1-5 YRS	7	10.4	95	3	5	6	14	27	30	30
6-12 YRS	5	6.8	10	4	5	6	8	12	12	12
13-19 YRS	18	6.3	25	2	4	5	7	10	19	24
GRAND TOTAL	**41**	**7.6**	**39**	**2**	**4**	**6**	**8**	**16**	**23**	**30**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	7	2.3	2	1	1	3	3	4	4	4
1-11 MOS	17	2.3	2	1	1	2	3	4	5	5
1-5 YRS	7	2.1	1	<1	1	2	3	4	4	4
6-12 YRS	5	2.4	2	<1	1	2	4	4	4	4
13-19 YRS	4	2.3		2	2	2	3	3	3	3
B. Operated										
0-27 DYS	7	2.3	2	<1	1	2	4	4	4	4
1-11 MOS	78	1.7	6	<1	1	1	2	3	4	17
1-5 YRS	45	2.4	4	<1	1	2	3	4	5	13
6-12 YRS	26	1.9	1	<1	1	2	3	4	4	5
13-19 YRS	90	2.4	4	1	1	2	3	4	7	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	14	2.5	2	1	2	2	3	5	5	5
1-11 MOS	29	2.5	2	1	2	2	3	4	5	5
1-5 YRS	17	4.8	44	1	1	3	4	17	23	24
6-12 YRS	13	7.8	63	1	2	4	12	21	23	24
13-19 YRS	20	5.1	17	1	2	4	6	12	15	16
B. Operated										
0-27 DYS	5	3.6	7	<1	1	4	5	7	7	7
1-11 MOS	43	4.0	24	1	1	3	5	10	12	28
1-5 YRS	32	4.2	18	<1	1	3	5	9	14	19
6-12 YRS	22	6.2	31	1	2	5	8	15	19	21
13-19 YRS	110	4.8	29	1	2	3	6	10	15	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.3	1	1	1	2	3	4	5	5
B. Operated	246	2.1	4	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. Not Operated	93	4.2	23	1	2	3	5	9	17	24
B. Operated	212	4.7	26	1	1	3	6	10	15	28
1. SINGLE DX	286	2.2	4	<1	1	2	3	4	5	11
2. MULTIPLE DX	305	4.5	25	1	1	3	5	9	15	27
A. Not Operated	133	3.6	18	1	1	2	4	6	14	24
B. Operated	458	3.3	16	1	1	2	4	7	10	22
TOTAL										
0-27 DYS	33	2.6	2	1	1	2	3	5	5	7
1-11 MOS	167	2.5	10	<1	1	2	3	5	6	21
1-5 YRS	101	3.4	16	<1	1	2	3	7	11	22
6-12 YRS	66	4.5	29	1	1	2	5	13	18	24
13-19 YRS	224	3.8	19	1	1	2	5	8	11	27
GRAND TOTAL	**591**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**23**

980 Hospitals, United States, Pediatric, January-December 1989

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	25	2.6	4	1	1	2	3	7	7	8
13-19 YRS	67	2.9	4	1	2	2	4	5	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	3	4.0	1	3	3	4	5	5	5	5
6-12 YRS	7	5.9	17	1	3	5	7	13	14	14
13-19 YRS	10	3.9	5	<1	2	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	9	4.1	7	2	2	3	5	8	10	10
1-5 YRS	9	5.1	7	2	3	4	7	9	9	9
6-12 YRS	36	2.8	2	1	2	2	3	5	7	7
13-19 YRS	98	3.6	5	1	2	3	4	7	9	11
B. Operated										
0-27 DYS	0									
1-11 MOS	3	6.7	4	5	5	6	8	9	9	9
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	8	6.8	9	3	4	7	9	10	11	11
13-19 YRS	26	5.2	8	1	3	5	7	9	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	2.8	4	1	2	2	3	5	7	10
B. Operated	21	5.0	12	1	3	5	6	10	14	14
2. MULTIPLE DX										
A. Not Operated	154	3.5	5	1	2	3	4	7	8	11
B. Operated	38	5.8	8	2	4	5	8	9	10	11
1. SINGLE DX	117	3.2	6	1	2	2	4	6	8	14
2. MULTIPLE DX	192	4.0	6	1	2	3	5	8	9	11
A. Not Operated	250	3.3	5	1	2	3	4	7	8	10
B. Operated	59	5.5	9	2	3	5	7	9	11	14
TOTAL										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	15	5.1	12	2	2	4	6	10	13	14
1-5 YRS	15	4.9	6	2	3	4	7	9	9	9
6-12 YRS	76	3.4	7	1	2	3	4	7	9	13
13-19 YRS	201	3.6	6	1	2	3	5	7	9	11
GRAND TOTAL	**309**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**	**11**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	3.8	9	1	2	3	5	9	9	9
6-12 YRS	41	4.4	14	1	2	4	5	8	13	19
13-19 YRS	152	5.2	13	2	3	4	7	10	12	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	16.0	202	3	5	13	21	39	41	41
6-12 YRS	76	9.1	74	1	3	7	12	19	33	38
13-19 YRS	160	8.4	54	3	4	7	10	16	22	31
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	3.0	4	2	2	2	4	6	6	6
1-5 YRS	10	6.4	22	3	3	5	6	15	16	16
6-12 YRS	66	7.5	32	2	3	6	11	17	19	87
13-19 YRS	283	6.7	38	2	3	5	8	13	19	30
B. Operated										
0-27 DYS	0									
1-11 MOS	5	15.6	395	5	5	8	19	51	51	51
1-5 YRS	17	8.3	26	2	5	8	10	16	19	21
6-12 YRS	121	12.8	117	4	5	9	17	30	36	47
13-19 YRS	373	12.7	90	4	7	10	16	27	32	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	200	5.0	13	2	2	4	6	9	12	19
B. Operated	242	8.8	64	2	4	7	10	17	25	38
2. MULTIPLE DX										
A. Not Operated	363	6.8	36	2	3	5	8	13	19	31
B. Operated	516	12.6	97	4	6	9	16	28	34	51
1. SINGLE DX	442	7.1	44	2	3	5	8	14	19	35
2. MULTIPLE DX	879	10.2	80	2	4	8	13	22	29	47
A. Not Operated	563	6.1	28	2	3	5	8	12	17	27
B. Operated	758	11.4	90	3	5	8	14	25	32	49
TOTAL										
0-27 DYS	0									
1-11 MOS	10	9.2	222	2	2	5	8	30	51	51
1-5 YRS	39	8.3	57	2	3	6	10	17	21	41
6-12 YRS	304	9.6	82	2	4	7	12	20	33	41
13-19 YRS	968	9.1	66	2	4	7	11	19	27	42
GRAND TOTAL	**1321**	**9.2**	**70**	**2**	**4**	**7**	**11**	**19**	**27**	**42**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	5	5.8	12	1	4	5	8	10	10	10
13-19 YRS	5	3.6	5	1	2	4	5	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	2	28.5	421	14	14	28	43	43	43	43
1-5 YRS	3	18.0	432	6	6	6	33	42	42	42
6-12 YRS	13	7.6	19	3	4	8	10	15	15	15
13-19 YRS	8	4.8	11	2	2	3	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	5.8	24	1	1	6	10	10	10	10
1-5 YRS	46	6.5	38	2	3	5	8	11	14	40
6-12 YRS	60	5.9	26	2	3	4	8	11	13	31
13-19 YRS	68	5.7	16	1	2	5	8	13	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	5	42.0	848	5	19	39	70	73	73	73
1-5 YRS	33	12.9	83	5	6	9	22	29	33	99 +
6-12 YRS	30	10.4	51	3	6	8	15	19	28	31
13-19 YRS	54	13.8	213	4	5	9	14	34	51	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	4.7	8	1	2	4	7	9	10	10
B. Operated	26	9.5	110	2	3	7	10	15	42	43
2. MULTIPLE DX										
A. Not Operated	178	6.0	25	2	3	5	8	11	14	29
B. Operated	122	13.9	191	4	6	9	16	31	49	81
1. SINGLE DX	38	8.0	82	2	3	6	9	15	31	43
2. MULTIPLE DX	300	9.2	107	2	3	6	10	18	30	71
A. Not Operated	190	5.9	24	2	3	5	8	11	14	27
B. Operated	148	13.1	179	3	5	9	15	30	43	74
TOTAL										
0-27 DYS	0									
1-11 MOS	11	26.4	682	2	6	14	42	71	73	73
1-5 YRS	84	9.4	76	3	4	6	10	26	32	80
6-12 YRS	108	7.3	35	2	3	6	10	15	17	31
13-19 YRS	135	8.8	110	2	3	6	10	15	25	59
GRAND TOTAL	**338**	**9.1**	**104**	**2**	**3**	**6**	**10**	**17**	**30**	**69**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	19	3.2	17	< 1	1	2	4	5	13	19
1-11 MOS	46	2.4	3	1	1	2	3	4	7	8
1-5 YRS	168	2.3	5	< 1	1	2	3	4	6	13
6-12 YRS	209	2.4	7	1	1	2	3	5	6	19
13-19 YRS	120	2.3	5	< 1	1	2	3	5	6	12
B. Operated										
0-27 DYS	14	3.6	7	1	1	3	5	7	9	9
1-11 MOS	36	4.8	105	1	1	2	4	9	13	62
1-5 YRS	108	3.6	14	< 1	1	3	5	7	10	21
6-12 YRS	72	4.5	14	1	2	4	6	9	11	23
13-19 YRS	54	3.9	9	1	2	3	5	8	11	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	21	4.1	13	1	1	3	5	11	12	12
1-11 MOS	109	5.1	55	1	2	3	5	10	19	43
1-5 YRS	336	3.3	21	1	1	2	4	7	8	21
6-12 YRS	346	2.7	8	1	1	2	3	5	7	11
13-19 YRS	233	3.3	11	1	1	2	4	7	9	21
B. Operated										
0-27 DYS	24	11.5	301	1	2	5	41	99 +	99 +	99 +
1-11 MOS	102	10.6	140	2	3	7	14	32	54	99 +
1-5 YRS	170	7.2	91	1	2	4	8	17	28	69
6-12 YRS	142	6.8	79	1	3	4	8	15	16	44
13-19 YRS	171	7.8	80	2	3	5	9	18	25	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	562	2.4	6	< 1	1	2	3	5	6	16
B. Operated	284	4.0	24	1	1	3	5	8	10	22
2. MULTIPLE DX										
A. Not Operated	1045	3.3	18	1	1	2	4	7	9	21
B. Operated	609	8.0	103	1	3	5	9	18	34	99 +
1. SINGLE DX	846	2.9	13	< 1	1	2	3	6	8	16
2. MULTIPLE DX	1654	5.1	55	1	1	3	6	11	17	59
A. Not Operated	1607	3.0	14	1	1	2	3	6	8	19
B. Operated	893	6.7	81	1	2	4	7	15	26	92
TOTAL										
0-27 DYS	78	6.1	112	1	1	3	6	24	77	99 +
1-11 MOS	293	6.6	91	1	2	3	7	15	30	83
1-5 YRS	782	4.0	35	1	1	2	5	8	12	34
6-12 YRS	769	3.5	24	1	1	2	4	7	10	21
13-19 YRS	578	4.5	35	1	1	3	5	9	14	30
GRAND TOTAL	**2500**	**4.3**	**41**	**1**	**1**	**2**	**5**	**9**	**14**	**41**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	3.4	3	1	2	3	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	5	3.4	3	1	2	3	5	5	5	5
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	5	3.4	3	1	2	3	5	5	5	5
A. Not Operated	5	3.4	3	1	2	3	5	5	5	5
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	3.4	3	1	2	3	5	5	5	5
GRAND TOTAL	**5**	**3.4**	**3**	**1**	**2**	**3**	**5**	**5**	**5**	**5**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	5	2.0	2	1	1	2	3	4	4	4
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	5	3.6	5	1	2	3	5	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	1.2		1	1	1	1	2	2	2
6-12 YRS	22	1.5	2	1	1	1	1	2	5	8
13-19 YRS	25	2.6	8	1	1	1	2	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	4.0	38	1	1	1	5	15	15	15
1-5 YRS	18	2.6	5	1	1	2	3	6	8	9
6-12 YRS	15	4.7	14	1	2	4	6	11	13	14
13-19 YRS	12	12.3	270	1	2	6	15	39	54	56
B. Operated										
0-27 DYS	0									
1-11 MOS	17	7.3	105	1	2	3	8	21	35	41
1-5 YRS	33	7.5	128	1	1	3	8	22	30	53
6-12 YRS	42	3.5	28	1	1	2	3	6	15	29
13-19 YRS	41	8.0	316	1	1	2	5	21	44	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.2	3	1	1	2	3	4	6	7
B. Operated	54	2.0	5	1	1	1	2	3	9	10
2. MULTIPLE DX										
A. Not Operated	50	5.7	84	1	1	2	6	13	17	56
B. Operated	133	6.4	152	1	1	2	5	17	29	66
1. SINGLE DX	71	2.0	4	1	1	1	2	4	8	10
2. MULTIPLE DX	183	6.2	133	1	1	2	6	15	29	59
A. Not Operated	67	4.8	65	1	1	2	5	11	15	52
B. Operated	187	5.1	113	1	1	2	4	12	24	57
TOTAL										
0-27 DYS	0									
1-11 MOS	27	5.6	77	1	1	2	7	14	27	41
1-5 YRS	62	5.0	76	1	1	2	4	13	24	50
6-12 YRS	82	3.1	18	1	1	1	4	6	11	26
13-19 YRS	83	6.7	204	1	1	2	5	15	31	84
GRAND TOTAL	**254**	**5.0**	**100**	**1**	**1**	**2**	**4**	**11**	**20**	**56**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.2	1	1	1	2	3	4	4	4
1-5 YRS	11	2.0	1	<1	1	2	2	3	4	4
6-12 YRS	21	2.7	3	1	2	2	4	5	6	7
13-19 YRS	50	4.2	50	1	2	3	5	5	9	51
B. Operated										
0-27 DYS	0									
1-11 MOS	7	3.0	6	1	1	2	4	7	8	8
1-5 YRS	14	3.4	9	1	1	2	6	8	10	10
6-12 YRS	18	4.1	36	1	1	1	5	13	20	23
13-19 YRS	17	1.8	4	1	1	1	1	5	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	21	7.2	43	2	3	5	8	13	22	31
1-5 YRS	41	4.5	15	2	2	3	5	8	13	20
6-12 YRS	64	5.1	34	1	2	3	6	9	20	34
13-19 YRS	69	3.9	12	1	2	3	5	7	12	19
B. Operated										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	16	11.5	220	1	3	9	11	23	50	62
1-5 YRS	79	11.0	262	1	2	4	16	37	68	99+
6-12 YRS	58	10.7	284	1	1	4	13	34	67	98
13-19 YRS	61	12.4	271	1	1	6	18	37	50	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	3.4	30	1	2	2	4	5	7	35
B. Operated	56	3.1	16	1	1	1	3	8	10	23
2. MULTIPLE DX										
A. Not Operated	196	4.8	24	1	2	3	6	10	15	27
B. Operated	215	11.4	263	1	2	4	16	36	63	99+
1. SINGLE DX	145	3.3	24	1	1	2	4	6	8	24
2. MULTIPLE DX	411	8.3	160	1	2	4	9	21	37	93
A. Not Operated	285	4.4	26	1	2	3	5	8	12	28
B. Operated	271	9.7	223	1	1	3	11	28	53	99+
TOTAL										
0-27 DYS	3	12.7	104	1	5	17	19	20	20	20
1-11 MOS	50	7.4	98	1	2	4	9	14	23	62
1-5 YRS	145	7.7	160	1	2	3	8	21	42	99+
6-12 YRS	161	6.7	128	1	1	3	7	16	26	75
13-19 YRS	197	6.5	116	1	1	3	6	17	30	74
GRAND TOTAL	**556**	**7.0**	**129**	**1**	**2**	**3**	**7**	**18**	**30**	**75**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	64	2.6	2	1	1	3	3	4	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	616	4.2	3	2	3	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	95	3.1	5	1	1	2	4	6	7	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	635	5.6	9	3	4	5	7	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.6	2	1	1	3	3	4	6	6
B. Operated	616	4.2	3	2	3	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	95	3.1	5	1	1	2	4	6	7	13
B. Operated	635	5.6	9	3	4	5	7	9	11	18
1. SINGLE DX	680	4.0	4	2	3	4	5	6	8	10
2. MULTIPLE DX	730	5.3	9	2	3	5	6	9	11	17
A. Not Operated	159	2.9	4	1	1	2	4	5	6	12
B. Operated	1251	4.9	7	3	3	4	6	8	10	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1410	4.7	7	2	3	4	6	8	9	14
GRAND TOTAL	**1410**	**4.7**	**7**	**2**	**3**	**4**	**6**	**8**	**9**	**14**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	31	2.8	5	1	1	2	4	5	6	12
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.0	2	1	1	2	2	5	5	5
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	48	4.7	6	3	3	4	5	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	7.5	1	7	7	7	8	8	8	8
1-5 YRS	2	6.5	61	1	1	6	12	12	12	12
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	39	3.9	6	1	2	4	5	7	9	10
B. Operated										
0-27 DYS	1	47.0		47	47	47	47	47	47	47
1-11 MOS	5	5.0	34	1	1	4	7	15	15	15
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	47.5	3613	5	5	47	90	90	90	90
13-19 YRS	60	6.4	12	3	4	5	8	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.8	5	1	1	2	4	5	6	12
B. Operated	56	4.3	7	2	3	4	5	9	11	11
2. MULTIPLE DX										
A. Not Operated	44	4.2	7	1	2	4	6	8	9	12
B. Operated	69	8.0	138	3	4	5	8	13	18	82
1. SINGLE DX	89	3.7	6	1	2	3	4	7	11	12
2. MULTIPLE DX	113	6.5	90	2	3	5	7	10	14	63
A. Not Operated	77	3.6	7	1	2	3	4	7	9	12
B. Operated	125	6.4	82	2	3	4	7	10	13	58
TOTAL										
0-27 DYS	2	24.0	1058	1	1	24	47	47	47	47
1-11 MOS	15	3.7	15	1	1	2	5	8	13	15
1-5 YRS	3	5.0	37	1	1	2	9	12	12	12
6-12 YRS	4	25.3	1864	3	3	4	47	90	90	90
13-19 YRS	178	4.8	10	1	3	4	6	9	11	17
GRAND TOTAL	**202**	**5.3**	**55**	**1**	**3**	**4**	**6**	**9**	**11**	**33**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	3.5	4	1	2	3	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	20	6.7	12	3	5	6	8	12	14	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	3.2	1	2	3	3	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	48	8.0	15	3	5	8	10	12	14	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.5	4	1	2	3	6	6	6	6
B. Operated	20	6.7	12	3	5	6	8	12	14	15
2. MULTIPLE DX										
A. Not Operated	5	3.2	1	2	3	3	4	4	4	4
B. Operated	48	8.0	15	3	5	8	10	12	14	22
1. SINGLE DX	26	6.0	12	2	4	5	8	9	14	15
2. MULTIPLE DX	53	7.5	15	3	4	7	10	12	13	22
A. Not Operated	11	3.4	2	1	2	3	4	6	5	6
B. Operated	68	7.6	14	3	5	7	10	12	14	21
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	79	7.0	15	3	4	7	9	12	14	20
GRAND TOTAL	**79**	**7.0**	**15**	**3**	**4**	**7**	**9**	**12**	**14**	**20**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	10	9.0	52	2	3	6	17	19	20	20
1-5 YRS	5	7.0	29	2	2	8	10	15	15	15
6-12 YRS	7	5.7	26	1	2	3	10	13	14	14
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	5	7.6	39	1	2	8	11	17	17	17
1-5 YRS	6	5.5	15	<1	1	6	7	11	11	11
6-12 YRS	7	7.6	19	2	4	8	10	13	14	14
13-19 YRS	6	5.3	27	1	1	4	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	43	10.0	37	3	5	10	14	16	18	34
1-5 YRS	44	8.1	15	3	5	8	11	14	15	16
6-12 YRS	18	6.8	23	3	3	5	9	12	17	21
13-19 YRS	14	7.0	37	1	2	6	9	15	21	23
B. Operated										
0-27 DYS	0									
1-11 MOS	27	24.5	396	8	12	17	30	50	65	97
1-5 YRS	25	15.2	338	2	7	11	15	20	68	83
6-12 YRS	16	14.8	73	7	8	14	18	29	33	35
13-19 YRS	14	13.1	218	3	4	9	14	28	53	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	7.4	36	2	2	5	13	17	18	20
B. Operated	24	6.5	22	1	1	7	10	12	15	17
2. MULTIPLE DX										
A. Not Operated	120	8.5	28	3	4	8	12	15	17	26
B. Operated	82	17.8	298	4	8	13	19	35	59	93
1. SINGLE DX	47	6.9	28	1	2	6	11	15	17	20
2. MULTIPLE DX	202	12.3	158	3	5	10	14	21	33	73
A. Not Operated	143	8.3	29	2	4	8	12	15	17	24
B. Operated	106	15.3	258	2	6	11	17	31	53	89
TOTAL										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	85	14.4	197	3	6	11	17	28	57	84
1-5 YRS	80	10.0	126	2	5	8	12	15	18	77
6-12 YRS	48	9.4	52	2	4	8	13	18	22	35
13-19 YRS	35	9.1	113	1	3	6	12	16	24	60
GRAND TOTAL	**249**	**11.3**	**137**	**2**	**5**	**9**	**14**	**19**	**30**	**63**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	95	4.1	5	2	2	4	6	7	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	11	6.4	10	2	4	6	9	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	8.5	34	<1	3	9	13	14	14	14
13-19 YRS	171	5.4	21	2	3	4	6	9	14	30
B. Operated										
0-27 DYS	0									
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	1	58.0		58	58	58	58	58	58	58
6-12 YRS	2	15.0	18	12	12	15	18	18	18	18
13-19 YRS	64	18.4	344	4	7	10	23	50	62	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	4.1	5	2	2	4	6	7	8	11
B. Operated	12	5.9	11	1	3	6	8	10	12	12
2. MULTIPLE DX										
A. Not Operated	175	5.5	22	2	3	4	6	10	14	29
B. Operated	68	18.8	348	4	7	11	23	54	62	77
1. SINGLE DX	108	4.3	6	2	2	4	6	8	8	12
2. MULTIPLE DX	243	9.2	148	2	3	5	9	19	33	64
A. Not Operated	271	5.0	16	2	3	4	6	8	12	26
B. Operated	80	16.9	318	4	6	9	19	44	61	77
TOTAL										
0-27 DYS	0									
1-11 MOS	2	6.5	41	2	2	6	11	11	11	11
1-5 YRS	1	58.0		58	58	58	58	58	58	58
6-12 YRS	7	9.3	43	<1	2	12	14	17	18	18
13-19 YRS	341	7.5	104	2	3	5	7	14	26	62
GRAND TOTAL	**351**	**7.7**	**109**	**2**	**3**	**5**	**8**	**14**	**28**	**62**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	10	2.2	1	1	2	2	3	3	3	3
1-11 MOS	46	2.5	2	1	1	2	3	4	6	7
1-5 YRS	27	2.8	14	1	1	2	3	4	14	17
6-12 YRS	15	2.0	2	1	1	1	2	5	6	6
13-19 YRS	47	2.6	3	1	1	2	3	5	6	8
B. Operated										
0-27 DYS	3	7.0	25	2	3	7	11	12	12	12
1-11 MOS	8	3.4	3	1	2	3	5	6	6	6
1-5 YRS	4	5.3	8	1	3	6	7	7	7	7
6-12 YRS	9	3.1	2	1	2	3	4	6	6	6
13-19 YRS	7	7.0	52	1	3	4	9	20	22	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	31	3.2	5	1	2	3	4	5	6	13
1-11 MOS	116	3.7	23	1	2	3	4	6	9	62
1-5 YRS	144	3.5	15	1	1	3	4	7	10	15
6-12 YRS	104	3.8	9	1	2	3	5	7	10	17
13-19 YRS	163	3.6	11	1	2	3	4	7	9	19
B. Operated										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	32	8.8	277	1	2	4	8	23	82	99+
1-5 YRS	32	10.3	128	2	4	6	11	34	37	44
6-12 YRS	32	9.4	164	2	3	5	10	21	31	68
13-19 YRS	35	6.7	24	2	2	5	10	15	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	2.5	5	1	1	2	3	4	6	14
B. Operated	31	4.7	17	1	2	3	6	8	12	22
2. MULTIPLE DX										
A. Not Operated	558	3.6	14	1	2	3	4	7	9	20
B. Operated	133	8.7	142	2	3	5	10	16	36	91
1. SINGLE DX	176	2.9	7	1	1	2	3	6	7	16
2. MULTIPLE DX	691	4.6	42	1	2	3	5	9	13	41
A. Not Operated	703	3.4	12	1	2	3	4	6	9	18
B. Operated	164	7.9	120	1	3	5	9	15	32	86
TOTAL										
0-27 DYS	46	3.3	6	1	2	3	4	6	8	13
1-11 MOS	202	4.2	61	1	2	3	4	6	11	94
1-5 YRS	207	4.5	38	1	1	3	5	10	13	37
6-12 YRS	160	4.7	44	1	2	3	5	9	14	31
13-19 YRS	252	4.0	14	1	2	3	4	8	12	19
GRAND TOTAL	**867**	**4.3**	**36**	**1**	**2**	**3**	**5**	**8**	**12**	**37**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	22	2.8	2	1	2	3	3	5	6	6
1-11 MOS	62	3.5	7	1	2	3	5	7	8	15
1-5 YRS	19	3.2	8	<1	1	3	4	6	10	13
6-12 YRS	0									
13-19 YRS	4	5.5	3	4	4	5	7	8	8	8
B. Operated										
0-27 DYS	4	6.5	35	1	1	6	11	13	13	13
1-11 MOS	20	7.1	107	1	2	4	7	15	33	47
1-5 YRS	10	3.4	13	1	1	2	4	10	10	10
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	46	3.9	5	1	2	3	6	7	8	10
1-11 MOS	165	5.7	39	2	2	4	7	12	18	45
1-5 YRS	77	9.5	196	1	2	6	11	26	49	99+
6-12 YRS	13	8.5	89	2	3	4	15	20	31	34
13-19 YRS	5	9.2	62	2	2	10	13	21	21	21
B. Operated										
0-27 DYS	4	11.8	201	4	5	19	99+	99+	99+	99+
1-11 MOS	81	17.3	329	3	5	11	30	71	99+	99+
1-5 YRS	48	19.3	531	2	5	12	26	81	99+	99+
6-12 YRS	13	10.2	242	1	3	5	6	44	46	47
13-19 YRS	4	13.8	168	4	4	9	23	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	3.4	6	1	2	3	5	6	8	14
B. Operated	39	5.4	64	1	1	3	6	10	17	47
2. MULTIPLE DX										
A. Not Operated	306	6.6	79	1	2	4	7	13	24	98
B. Operated	150	17.1	378	3	5	10	27	76	99+	99+
1. SINGLE DX	146	3.9	22	1	2	3	5	8	10	21
2. MULTIPLE DX	456	10.0	201	2	3	5	12	32	60	99+
A. Not Operated	413	5.8	62	1	2	4	6	12	19	68
B. Operated	189	14.7	335	1	3	8	22	56	99+	99+
TOTAL										
0-27 DYS	76	4.1	17	1	2	3	5	8	12	99+
1-11 MOS	328	8.3	135	1	2	5	9	24	44	99+
1-5 YRS	154	11.4	296	1	2	5	13	34	82	99+
6-12 YRS	28	8.7	153	1	2	4	6	29	43	47
13-19 YRS	16	8.1	68	2	3	5	10	20	23	32
GRAND TOTAL	**602**	**8.6**	**164**	**1**	**2**	**4**	**9**	**24**	**46**	**99+**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	4.0	2	3	3	4	5	6	6	6
1-5 YRS	164	3.6	7	1	2	3	5	6	9	14
6-12 YRS	111	3.2	6	<1	1	3	4	6	9	12
13-19 YRS	49	3.7	9	1	2	3	4	8	10	16
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	61	3.0	8	1	1	2	3	8	9	10
6-12 YRS	99	2.0	5	1	1	1	2	3	6	14
13-19 YRS	76	2.0	3	1	1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	6.1	26	2	3	5	7	15	18	18
1-5 YRS	219	5.1	15	1	2	4	7	10	14	19
6-12 YRS	154	4.5	25	1	2	3	5	9	12	21
13-19 YRS	80	4.5	14	<1	2	3	6	9	11	20
B. Operated										
0-27 DYS	2	51.5	925	30	30	51	73	73	73	73
1-11 MOS	7	21.0	201	9	13	16	40	84	99+	99+
1-5 YRS	64	7.5	86	1	2	4	8	18	31	44
6-12 YRS	85	6.7	123	1	2	2	8	15	26	68
13-19 YRS	103	5.5	36	1	2	3	7	13	19	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	328	3.5	7	1	2	3	4	6	9	15
B. Operated	238	2.2	5	1	1	2	2	4	7	10
2. MULTIPLE DX										
A. Not Operated	461	4.8	19	1	2	4	6	9	13	20
B. Operated	261	7.1	104	1	2	3	8	17	28	70
1. SINGLE DX	566	3.0	7	1	1	2	4	6	8	11
2. MULTIPLE DX	722	5.7	51	1	2	4	7	12	17	43
A. Not Operated	789	4.3	14	1	2	3	5	9	11	18
B. Operated	499	4.8	63	1	1	2	5	11	18	46
TOTAL										
0-27 DYS	2	51.5	925	30	30	51	73	73	73	73
1-11 MOS	21	10.4	130	2	3	6	15	37	69	99+
1-5 YRS	508	4.7	22	1	2	3	6	9	13	22
6-12 YRS	449	4.1	37	1	1	2	4	8	12	26
13-19 YRS	308	4.1	20	1	1	2	5	10	12	23
GRAND TOTAL	**1288**	**4.5**	**33**	**1**	**2**	**3**	**5**	**9**	**13**	**29**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 5[illegible]3.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	34	3.9	3	2	2	4	5	6	8	9
6-12 YRS	40	4.7	9	2	3	3	6	9	11	13
13-19 YRS	9	3.8	3	1	2	4	5	6	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	2.2	1	1	1	2	3	4	4	4
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	39	4.7	10	2	3	4	6	9	10	18
6-12 YRS	109	5.4	10	2	3	5	7	9	12	16
13-19 YRS	35	4.7	14	1	2	4	6	8	14	17
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	8.5	24	4	6	7	9	17	18	18
6-12 YRS	14	9.3	51	2	4	8	13	18	26	28
13-19 YRS	15	9.0	76	2	2	8	12	18	31	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	4.2	6	2	3	4	5	8	9	12
B. Operated	8	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	184	5.1	11	2	3	4	7	9	11	17
B. Operated	36	8.9	54	2	3	7	12	18	25	35
1. SINGLE DX	91	4.1	6	2	2	4	5	8	9	12
2. MULTIPLE DX	220	5.7	19	2	3	5	7	11	13	21
A. Not Operated	267	4.8	9	2	3	4	6	9	11	17
B. Operated	44	7.6	51	2	2	6	11	17	21	35
TOTAL										
0-27 DYS	0									
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	79	4.6	9	2	3	4	5	8	10	18
6-12 YRS	168	5.4	14	2	3	5	7	10	12	18
13-19 YRS	62	5.5	30	1	2	4	7	11	16	33
GRAND TOTAL	**311**	**5.2**	**16**	**2**	**3**	**4**	**7**	**10**	**12**	**18**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	12.3	352	1	1	2	26	34	34	34
1-5 YRS	5	2.6	1	1	2	3	3	4	4	4
6-12 YRS	9	2.7	5	< 1	< 1	1	4	6	6	6
13-19 YRS	12	5.3	83	< 1	1	2	4	17	31	33
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	4	8.5	38	1	4	8	12	16	16	16
6-12 YRS	116	1.5	3	< 1	< 1	< 1	< 1	2	5	10
13-19 YRS	208	1.8	12	< 1	< 1	< 1	< 1	2	7	20
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	17	7.1	54	2	3	4	8	19	26	29
1-5 YRS	49	4.6	24	< 1	1	3	6	12	14	22
6-12 YRS	34	4.2	13	< 1	1	3	7	9	11	14
13-19 YRS	58	5.2	54	< 1	1	3	5	13	23	39
B. Operated										
0-27 DYS	2	61.5	365	48	55	75	94	99 +	99 +	99 +
1-11 MOS	9	42.7	1211	9	12	37	66	96	97	97
1-5 YRS	71	17.6	230	5	8	14	21	38	55	96
6-12 YRS	187	9.5	122	< 1	< 1	4	16	25	34	46
13-19 YRS	261	8.1	93	< 1	< 1	5	12	20	27	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	4.8	68	< 1	1	2	4	8	33	34
B. Operated	329	1.8	10	< 1	< 1	< 1	< 1	2	7	15
2. MULTIPLE DX										
A. Not Operated	158	5.0	36	< 1	1	3	6	12	17	29
B. Operated	530	10.7	175	< 1	< 1	7	15	26	38	86
1. SINGLE DX	358	2.0	15	< 1	< 1	< 1	< 1	4	7	26
2. MULTIPLE DX	688	9.4	149	< 1	1	5	14	23	35	72
A. Not Operated	187	4.9	40	< 1	1	3	6	11	18	34
B. Operated	859	7.3	130	< 1	< 1	1	10	20	31	59
TOTAL										
0-27 DYS	2	61.5	365	48	55	75	94	99 +	99 +	99 +
1-11 MOS	30	18.1	660	1	3	7	20	54	94	97
1-5 YRS	129	11.8	178	1	3	8	17	25	42	87
6-12 YRS	346	6.1	82	< 1	< 1	1	8	18	27	42
13-19 YRS	539	5.3	66	< 1	< 1	1	6	15	22	41
GRAND TOTAL	**1046**	**6.9**	**115**	**< 1**	**< 1**	**2**	**9**	**19**	**29**	**56**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	3.7	4	2	2	3	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS	2	19.0	128	11	11	19	27	27	27	27
13-19 YRS	7	4.1	9	< 1	1	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	10.1	11	5	9	10	13	13	13	13
1-11 MOS	5	10.8	98	2	3	5	21	23	23	23
1-5 YRS	21	11.4	178	2	4	6	12	29	42	56
6-12 YRS	12	7.3	44	2	3	5	9	20	21	21
13-19 YRS	31	5.4	12	2	3	4	7	10	14	17
B. Operated										
0-27 DYS	3	37.0	604	9	28	51	77	99 +	99 +	99 +
1-11 MOS	7	30.4	1016	< 1	4	24	62	76	76	76
1-5 YRS	14	18.1	107	6	10	17	26	31	38	40
6-12 YRS	17	17.6	132	4	8	21	23	29	40	46
13-19 YRS	53	11.7	108	2	4	10	15	23	29	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.7	2	2	3	3	4	6	6	6
B. Operated	10	8.7	74	< 1	1	6	11	23	27	27
2. MULTIPLE DX										
A. Not Operated	76	8.1	72	2	4	5	10	19	24	49
B. Operated	94	15.9	218	3	5	12	22	30	53	89
1. SINGLE DX	16	6.8	52	1	2	5	7	19	25	27
2. MULTIPLE DX	170	12.5	167	2	4	8	16	26	40	76
A. Not Operated	82	7.8	68	2	4	5	9	18	23	48
B. Operated	104	15.3	208	2	5	12	21	30	49	87
TOTAL										
0-27 DYS	12	15.8	286	4	8	10	22	64	93	99 +
1-11 MOS	13	20.8	660	1	3	13	24	74	76	76
1-5 YRS	36	14.3	153	3	5	10	22	30	37	56
6-12 YRS	31	13.7	117	3	5	10	21	27	30	46
13-19 YRS	94	8.8	76	2	4	6	12	17	24	49
GRAND TOTAL	**186**	**12.0**	**159**	**2**	**4**	**8**	**16**	**26**	**33**	**75**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	21	5.1	7	2	4	4	6	9	12	12
1-5 YRS	116	3.9	3	2	3	4	5	6	7	9
6-12 YRS	135	3.3	2	2	2	3	4	5	6	10
13-19 YRS	341	3.4	2	2	2	3	4	5	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS	5	5.6	2	4	5	5	7	7	7	7
6-12 YRS	12	4.6	2	3	3	4	6	7	7	7
13-19 YRS	7	5.0	4	3	3	4	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	9	7.4	5	4	6	7	9	11	11	11
1-11 MOS	136	5.4	8	3	3	5	7	9	11	15
1-5 YRS	395	4.5	6	2	3	4	5	7	10	15
6-12 YRS	321	4.1	4	2	3	4	5	7	8	12
13-19 YRS	946	4.0	4	2	3	4	5	6	7	11
B. Operated										
0-27 DYS	4	11.0	9	7	9	11	13	14	14	14
1-11 MOS	32	8.7	20	4	6	8	10	17	21	99+
1-5 YRS	44	6.7	25	4	4	5	8	10	12	34
6-12 YRS	31	7.5	20	3	5	6	9	15	18	19
13-19 YRS	62	7.7	45	3	4	6	9	15	19	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	614	3.5	3	2	2	3	4	5	6	9
B. Operated	27	4.9	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. Not Operated	1807	4.3	5	2	3	4	5	7	8	12
B. Operated	173	7.7	30	3	4	6	10	14	18	43
1. SINGLE DX	641	3.6	3	2	2	3	4	5	6	9
2. MULTIPLE DX	1980	4.6	8	2	3	4	5	7	10	15
A. Not Operated	2421	4.1	4	2	3	4	5	6	8	12
B. Operated	200	7.3	27	3	4	6	9	13	18	40
TOTAL										
0-27 DYS	14	8.2	9	4	6	8	11	12	14	14
1-11 MOS	192	5.9	11	3	4	5	7	10	12	20
1-5 YRS	560	4.6	7	2	3	4	5	7	10	15
6-12 YRS	499	4.1	5	2	3	4	5	6	8	13
13-19 YRS	1356	4.0	6	2	3	4	5	6	7	13
GRAND TOTAL	**2621**	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**9**	**14**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	40	4.3	4	2	3	4	5	7	9	10
1-5 YRS	136	3.8	4	2	2	3	5	6	7	11
6-12 YRS	155	3.4	4	2	2	3	4	5	6	8
13-19 YRS	195	3.2	2	1	2	3	4	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	13	4.2	16	1	2	3	5	9	15	16
6-12 YRS	14	5.3	14	2	4	5	6	7	15	17
13-19 YRS	9	4.1	4	1	3	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	13	5.4	13	2	3	4	7	11	13	14
1-11 MOS	144	5.3	12	2	3	4	6	9	11	23
1-5 YRS	388	4.2	5	2	3	4	5	7	8	13
6-12 YRS	303	4.2	6	2	3	4	5	7	9	12
13-19 YRS	586	4.1	4	2	3	4	5	7	8	10
B. Operated										
0-27 DYS	3	5.7	1	5	5	5	7	7	7	7
1-11 MOS	42	9.8	199	3	5	7	9	14	29	89
1-5 YRS	84	6.9	21	2	4	5	10	13	16	22
6-12 YRS	43	7.2	18	3	4	6	9	12	17	23
13-19 YRS	56	9.0	63	3	5	7	10	15	28	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	527	3.5	4	2	2	3	4	6	7	10
B. Operated	38	4.6	11	1	3	4	6	7	12	17
2. MULTIPLE DX										
A. Not Operated	1434	4.2	6	2	3	4	5	7	9	13
B. Operated	228	8.0	64	3	4	6	9	13	17	42
1. SINGLE DX	565	3.6	4	2	2	3	4	6	7	10
2. MULTIPLE DX	1662	4.8	15	2	3	4	6	8	10	18
A. Not Operated	1961	4.0	5	2	3	4	5	7	8	12
B. Operated	266	7.5	57	3	4	6	9	13	17	41
TOTAL										
0-27 DYS	17	5.9	13	2	4	5	7	12	14	14
1-11 MOS	228	5.9	48	2	3	5	7	10	11	29
1-5 YRS	621	4.4	8	2	3	4	5	8	10	16
6-12 YRS	515	4.2	7	2	3	4	5	7	9	17
13-19 YRS	846	4.2	9	2	3	4	5	7	8	15
GRAND TOTAL	**2227**	**4.5**	**13**	**2**	**3**	**4**	**5**	**7**	**10**	**17**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	9	1.8	2	< 1	1	1	2	4	5	5
6-12 YRS	24	1.6	1	1	1	1	2	3	4	4
13-19 YRS	95	1.7	1	1	1	1	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	8	6.8	58	1	1	2	12	19	21	21
6-12 YRS	8	1.8	3	< 1	1	1	2	5	6	6
13-19 YRS	22	4.5	16	1	1	3	7	10	13	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	12	4.3	15	1	2	3	5	9	14	15
6-12 YRS	26	2.8	5	1	1	2	4	6	7	8
13-19 YRS	101	2.6	6	1	1	2	3	5	7	15
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	14	6.3	27	2	2	4	9	16	17	17
6-12 YRS	26	6.8	35	1	2	5	10	16	19	25
13-19 YRS	31	6.8	42	2	2	5	8	15	21	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	1.7	1	1	1	1	2	3	4	5
B. Operated	39	4.4	23	1	1	3	6	12	15	21
2. MULTIPLE DX										
A. Not Operated	141	2.8	6	1	1	2	3	6	7	15
B. Operated	73	6.6	35	1	2	4	9	16	20	29
1. SINGLE DX	168	2.3	7	1	1	1	2	4	7	16
2. MULTIPLE DX	214	4.1	19	1	1	3	5	9	13	22
A. Not Operated	270	2.3	4	1	1	2	3	4	6	12
B. Operated	112	5.8	32	1	2	4	8	13	18	27
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	3.6	1	2	3	4	4	5	5	5
1-5 YRS	43	4.9	26	1	1	3	6	13	16	21
6-12 YRS	84	3.6	17	1	1	2	4	8	11	23
13-19 YRS	249	2.9	12	1	1	2	3	6	8	20
GRAND TOTAL	**382**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**11**	**21**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	29	1.7	1	1	1	1	2	3	3	3
13-19 YRS	259	1.6	1	1	1	1	2	3	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
6-12 YRS	16	3.6	7	1	2	3	5	7	10	11
13-19 YRS	164	3.0	4	1	2	2	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	3	3.7	14	1	1	2	6	8	8	8
6-12 YRS	18	3.9	66	< 1	1	2	3	5	24	36
13-19 YRS	147	2.0	1	1	1	2	3	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	4	2.8	3	1	1	2	4	5	5	5
1-5 YRS	7	7.6	52	1	2	6	13	19	20	20
6-12 YRS	26	5.1	27	2	2	4	6	9	13	28
13-19 YRS	136	3.9	10	1	2	3	5	7	10	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	293	1.6	1	1	1	1	2	3	3	4
B. Operated	184	3.0	4	1	2	2	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	170	2.3	8	1	1	2	3	4	5	8
B. Operated	173	4.2	14	1	2	3	5	7	10	22
1. SINGLE DX	477	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX	343	3.2	12	1	1	2	4	6	8	20
A. Not Operated	463	1.9	4	1	1	2	2	3	4	6
B. Operated	357	3.6	9	1	2	3	5	6	8	15
TOTAL										
0-27 DYS	0									
1-11 MOS	8	2.8	2	1	2	3	4	5	5	5
1-5 YRS	17	4.4	30	< 1	1	2	6	14	18	20
6-12 YRS	89	3.5	24	1	1	2	4	6	9	33
13-19 YRS	706	2.5	4	1	1	2	3	5	6	10
GRAND TOTAL	**820**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	3.7	14	1	1	2	6	8	8	8
1-11 MOS	15	2.8	5	<1	1	2	4	7	8	8
1-5 YRS	26	2.4	6	1	1	2	3	5	7	13
6-12 YRS	17	4.8	33	<1	1	3	5	16	20	20
13-19 YRS	20	2.4	3	1	1	2	3	5	6	7
B. Operated										
0-27 DYS	3	4.7	22	1	1	3	8	10	10	10
1-11 MOS	147	4.1	6	1	2	4	5	8	8	14
1-5 YRS	462	4.5	5	2	3	4	5	7	8	11
6-12 YRS	426	4.8	5	2	3	4	6	7	8	12
13-19 YRS	129	5.5	11	2	4	5	7	9	9	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	9	8.9	101	2	3	4	12	25	33	33
1-11 MOS	61	6.6	53	1	3	4	8	12	17	41
1-5 YRS	79	3.9	15	<1	1	2	5	8	11	19
6-12 YRS	63	3.2	5	1	2	3	4	6	8	12
13-19 YRS	67	3.1	5	1	1	2	4	6	8	11
B. Operated										
0-27 DYS	9	7.7	20	3	4	7	12	14	14	14
1-11 MOS	236	5.9	29	2	3	5	7	10	14	28
1-5 YRS	658	6.4	16	2	4	6	8	11	15	23
6-12 YRS	511	5.7	18	2	4	[illegible]	7	9	12	22
13-19 YRS	237	6.5	24	2	4	5	8	12	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	3.0	11	1	1	2	4	6	8	20
B. Operated	1167	4.7	6	2	3	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	279	4.3	23	1	2	3	5	9	11	29
B. Operated	1651	6.2	20	2	4	5	7	10	15	23
1. SINGLE DX	1248	4.6	6	2	3	4	6	7	9	13
2. MULTIPLE DX	1930	5.9	21	2	3	5	7	10	14	23
A. Not Operated	360	4.0	21	1	1	3	5	8	11	20
B. Operated	2818	5.5	15	2	3	5	7	9	12	20
TOTAL										
0-27 DYS	24	7.3	49	2	3	4	11	14	20	33
1-11 MOS	459	5.3	25	1	3	4	7	9	13	27
1-5 YRS	1225	5.5	13	2	3	5	7	9	12	19
6-12 YRS	1017	5.2	13	2	3	5	6	8	10	20
13-19 YRS	453	5.5	18	1	3	5	7	9	12	24
GRAND TOTAL	**3178**	**5.4**	**15**	**2**	**3**	**5**	**7**	**9**	**12**	**20**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	2.8	2	1	2	3	4	4	4	4
13-19 YRS	17	1.9		1	1	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	[illegible]		<1	<1	1	2	2	2	2
13-19 YRS	5	2.8	16	<1	<1	1	3	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	2.5	3	1	1	2	4	5	5	5
13-19 YRS	15	2.6	11	<1	1	2	2	5	12	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	3.4	5	1	1	4	5	6	6	6
6-12 YRS	13	3.0	5	<1	1	3	4	7	8	8
13-19 YRS	21	5.5	21	2	3	4	5	13	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.1	1	1	2	2	3	3	4	4
B. Operated	11	2.2	8	<1	1	1	2	6	10	10
2. MULTIPLE DX										
A. Not Operated	19	2.6	9	<1	1	2	2	5	10	14
B. Operated	39	4.4	15	1	2	3	5	10	14	17
1. SINGLE DX	32	2.1	3	<1	1	2	3	4	4	10
2. MULTIPLE DX	58	3.8	14	1	1	3	5	8	13	17
A. Not Operated	40	2.3	5	1	1	2	3	4	5	14
B. Operated	50	3.9	14	1	1	3	5	9	11	17
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	[illegible]	5	1	1	3	5	6	6	6
6-12 YRS	25	2.6	4	1	1	2	3	5	7	8
13-19 YRS	58	3.5	14	1	1	2	4	9	13	17
GRAND TOTAL	**90**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**11**	**17**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	10	2.5	1	1	2	2	3	4	4	4
6-12 YRS	14	2.9	4	1	1	3	4	6	7	7
13-19 YRS	23	2.5	2	1	1	2	4	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	3.5	5	1	2	3	5	7	7	7
13-19 YRS	6	2.3	3	< 1	< 1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	3.3	4	2	2	3	4	6	6	6
1-11 MOS	7	3.4	2	2	2	4	4	6	6	6
1-5 YRS	42	3.2	3	1	2	3	4	6	6	7
6-12 YRS	30	2.7	4	1	1	2	3	5	5	11
13-19 YRS	60	3.4	6	1	2	3	4	6	8	15
B. Operated										
0-27 DYS	0									
1-11 MOS	3	6.3		6	6	6	7	7	7	7
1-5 YRS	12	5.9	18	1	3	5	7	11	16	17
6-12 YRS	18	3.7	5	< 1	2	4	5	7	8	9
13-19 YRS	24	5.7	24	< 1	2	5	7	11	17	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	2.6	2	1	1	2	4	4	5	7
B. Operated	13	3.1	4	< 1	1	2	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	143	3.2	4	1	2	3	4	5	7	11
B. Operated	57	5.2	16	< 1	2	4	7	9	14	21
1. SINGLE DX	62	2.7	3	1	1	2	4	5	6	7
2. MULTIPLE DX	200	3.7	8	1	2	3	5	7	9	17
A. Not Operated	192	3.0	4	1	2	3	4	5	6	11
B. Operated	70	4.8	14	< 1	2	4	6	8	11	20
TOTAL										
0-27 DYS	4	3.3	4	2	2	3	4	6	6	6
1-11 MOS	12	3.9	4	1	2	4	6	7	7	7
1-5 YRS	65	3.6	6	1	2	3	5	6	7	16
6-12 YRS	68	3.1	4	1	1	3	4	6	7	11
13-19 YRS	113	3.6	10	1	2	3	4	7	10	18
GRAND TOTAL	**262**	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	64	1.4	1	< 1	< 1	< 1	1	3	4	6
6-12 YRS	41	1.9	13	< 1	< 1	1	1	2	5	24
13-19 YRS	43	2.1	4	< 1	1	1	2	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.3	1	1	1	3	3	3	3	3
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	7	3.1	19	< 1	< 1	1	3	11	13	13
1-5 YRS	48	1.9	3	< 1	< 1	1	2	4	5	10
6-12 YRS	68	2.2	6	< 1	< 1	1	2	5	7	15
13-19 YRS	40	3.7	16	1	1	2	5	7	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.4	1	1	2	2	3	4	4	4
B. Operated	148	1.8	5	< 1	< 1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	5	3.6	7	1	2	3	4	8	8	8
B. Operated	163	2.5	8	< 1	1	1	3	6	8	16
1. SINGLE DX	153	1.8	5	< 1	< 1	1	2	3	5	9
2. MULTIPLE DX	168	2.5	8	< 1	1	1	3	6	8	16
A. Not Operated	10	3.0	4	1	2	3	3	6	8	8
B. Operated	311	2.1	7	< 1	< 1	1	2	5	6	15
TOTAL										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	8	3.1	17	< 1	< 1	2	3	10	13	13
1-5 YRS	114	1.6	2	< 1	< 1	< 1	2	3	4	8
6-12 YRS	113	2.1	9	< 1	< 1	1	2	4	6	19
13-19 YRS	85	2.9	10	< 1	1	2	4	6	9	18
GRAND TOTAL	**321**	**2.2**	**7**	**< 1**	**< 1**	**1**	**2**	**5**	**6**	**15**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	59	4.3	7	2	3	4	5	7	10	14
1-11 MOS	248	3.7	4	2	2	3	5	7	8	11
1-5 YRS	198	3.0	3	1	2	3	4	5	7	10
6-12 YRS	111	2.3	2	1	1	2	3	4	5	7
13-19 YRS	136	2.6	3	1	1	2	3	5	6	9
B. Operated										
0-27 DYS	4	3.8	4	<1	2	4	5	6	6	6
1-11 MOS	27	4.1	5	2	2	4	5	8	8	9
1-5 YRS	22	2.3	2	<1	<1	2	3	4	5	6
6-12 YRS	15	2.1	10	<1	<1	<1	2	4	11	13
13-19 YRS	13	3.2	6	<1	1	3	4	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	240	5.4	8	2	3	5	7	10	11	14
1-11 MOS	1254	4.7	8	2	3	4	6	8	10	15
1-5 YRS	978	4.2	12	2	2	3	5	7	10	16
6-12 YRS	490	4.0	11	1	2	3	5	7	9	22
13-19 YRS	521	3.9	10	1	2	3	5	7	10	19
B. Operated										
0-27 DYS	44	8.5	24	4	5	8	10	12	16	31
1-11 MOS	192	7.0	28	3	3	6	9	13	16	29
1-5 YRS	135	7.0	44	2	3	5	8	13	17	38
6-12 YRS	78	6.4	78	1	3	4	6	12	15	60
13-19 YRS	53	6.6	36	1	2	5	9	13	19	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	752	3.2	4	1	2	3	4	5	7	11
B. Operated	81	3.1	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	3483	4.4	10	2	3	4	5	8	10	16
B. Operated	502	7.0	40	2	3	5	9	13	16	33
1. SINGLE DX	833	3.2	4	1	2	3	4	6	7	11
2. MULTIPLE DX	3985	4.7	14	2	3	4	6	9	11	19
A. Not Operated	4235	4.2	9	2	2	3	5	7	10	15
B. Operated	583	6.5	37	1	3	5	8	12	16	31
TOTAL										
0-27 DYS	347	5.6	11	2	3	5	7	10	11	15
1-11 MOS	1721	4.8	10	2	3	4	6	9	11	16
1-5 YRS	1333	4.3	15	2	2	3	5	8	11	16
6-12 YRS	694	3.9	18	1	2	3	5	7	9	22
13-19 YRS	723	3.9	11	1	2	3	5	7	11	19
GRAND TOTAL	**4818**	**4.4**	**13**	**2**	**2**	**4**	**5**	**8**	**11**	**17**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.3		<1	<1	1	2	2	2	2
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	18	2.4	2	1	2	2	3	4	5	6
6-12 YRS	40	2.0	1	1	1	2	3	4	4	5
13-19 YRS	35	2.0	2	1	1	2	3	3	3	8
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	8.0	93	<1	1	4	15	19	19	19
1-5 YRS	69	1.9	2	<1	1	1	2	4	5	7
6-12 YRS	87	1.7	2	<1	1	1	2	3	4	9
13-19 YRS	65	1.7	2	<1	1	1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	4.3	33	1	1	1	9	11	11	11
1-11 MOS	14	4.3	10	1	2	4	6	8	11	12
1-5 YRS	67	2.6	5	1	1	2	3	5	7	11
6-12 YRS	68	3.1	9	1	1	2	4	8	9	16
13-19 YRS	87	2.8	4	1	1	2	4	5	7	9
B. Operated										
0-27 DYS	3	3.3	16	1	1	1	6	8	8	8
1-11 MOS	7	5.3	36	1	2	3	6	16	18	18
1-5 YRS	94	5.2	49	1	1	3	7	10	18	41
6-12 YRS	111	4.7	24	1	1	3	6	10	15	25
13-19 YRS	97	4.3	33	<1	1	2	5	10	13	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	2.0	1	1	1	2	3	3	4	7
B. Operated	225	1.8	3	<1	1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	239	3.0	6	1	1	2	4	7	8	11
B. Operated	312	4.8	34	1	1	3	6	10	16	33
1. SINGLE DX	324	1.9	3	<1	1	1	2	3	5	8
2. MULTIPLE DX	551	4.0	23	1	1	2	5	8	11	26
A. Not Operated	338	2.7	5	1	1	2	3	5	8	11
B. Operated	537	3.5	23	<1	1	2	4	8	11	26
TOTAL										
0-27 DYS	10	2.8	13	<1	1	1	2	9	11	11
1-11 MOS	27	4.7	23	1	1	3	6	11	18	19
1-5 YRS	248	3.4	23	<1	1	2	4	7	10	28
6-12 YRS	306	3.2	13	1	1	2	4	8	9	20
13-19 YRS	284	3.0	14	1	1	2	3	7	8	19
GRAND TOTAL	875	3.2	16	1	1	2	4	7	9	21

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	6.0	49	1	1	3	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	3	6.0	49	1	1	3	11	14	14	14
1. SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX	3	6.0	49	1	1	3	11	14	14	14
A. Not Operated	0									
B. Operated	5	4.6	28	1	2	3	6	14	14	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	4.6	28	1	2	3	6	14	14	14
GRAND TOTAL	**5**	**4.6**	**28**	**1**	**2**	**3**	**6**	**14**	**14**	**14**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	2.7		2	2	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	3.3	16	<1	1	2	3	10	13	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	6.0	44	1	2	3	7	17	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.7		2	2	3	3	3	3	3
B. Operated	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	8	3.3	16	<1	1	2	3	10	13	13
B. Operated	7	6.0	44	1	2	3	7	17	20	20
1. SINGLE DX	5	2.4	1	1	2	3	3	3	3	3
2. MULTIPLE DX	15	4.5	29	<1	1	2	6	13	18	20
A. Not Operated	11	3.1	12	<1	1	2	3	7	13	13
B. Operated	9	5.1	36	1	2	3	7	15	20	20
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	20	4.0	22	<1	1	2	3	10	16	20
GRAND TOTAL	**20**	**4.0**	**22**	**<1**	**1**	**2**	**3**	**10**	**16**	**20**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	1.4	1	<1	<1	<1	1	3	3	3
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	0									
13-19 YRS	3	1.0		<1	<1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	31	1.3	1	<1	<1	1	1	2	3	4
1-5 YRS	54	1.1		<1	<1	1	1	2	2	4
6-12 YRS	15	1.2		<1	<1	1	1	2	3	3
13-19 YRS	36	1.4		<1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	1.5		<1	1	1	2	2	2	2
1-5 YRS	6	1.0		<1	<1	1	1	1	1	1
6-12 YRS	4	2.8	5	1	1	2	4	6	6	6
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	76	1.3	1	<1	1	1	1	2	2	8
1-5 YRS	71	1.4	1	<1	1	1	2	2	3	9
6-12 YRS	29	1.3		<1	1	1	2	2	2	3
13-19 YRS	32	1.5	1	1	1	1	2	3	3	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.2		<1	<1	1	1	2	3	3
B. Operated	136	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	17	1.6	2	<1	1	1	2	2	5	6
B. Operated	209	1.4	1	<1	1	1	1	2	3	6
1. SINGLE DX	146	1.2		<1	<1	1	1	2	3	4
2. MULTIPLE DX	226	1.4	1	<1	1	1	2	2	3	7
A. Not Operated	27	1.4	1	<1	<1	1	2	2	3	6
B. Operated	345	1.3	1	<1	1	1	1	2	3	4
TOTAL										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	118	1.3	1	<1	1	1	1	2	3	6
1-5 YRS	133	1.3	1	<1	<1	1	1	2	2	5
6-12 YRS	48	1.4	1	<1	<1	1	2	2	3	6
13-19 YRS	72	1.4	1	<1	1	1	2	3	3	4
GRAND TOTAL	**372**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**	**4**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	8	3.9	2	2	3	4	5	6	6	6
6-12 YRS	44	3.1	5	1	1	3	4	6	8	10
13-19 YRS	106	3.7	5	1	2	3	5	7	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	10	2.7	3	[illegible]	1	2	4	5	5	5
1-5 YRS	10	1.5	1	[illegible]	1	1	2	3	3	3
6-12 YRS	29	1.8	4	<1	1	1	2	4	5	11
13-19 YRS	44	2.3	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	3.5	6	2	2	3	4	8	8	8
6-12 YRS	14	4.4	2	3	3	4	6	6	7	7
13-19 YRS	67	3.8	4	1	2	4	5	6	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	8	4.1	6	2	2	3	6	8	8	8
1-5 YRS	10	3.0	3	<1	1	3	3	6	6	6
6-12 YRS	12	2.3	5	1	1	1	3	7	8	8
13-19 YRS	22	3.7	9	1	1	2	6	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	3.6	5	1	2	3	5	7	8	11
B. Operated	93	2.1	3	<1	1	1	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	88	3.8	4	2	2	4	5	6	8	10
B. Operated	52	3.3	7	1	1	2	5	7	8	11
1. SINGLE DX	252	3.0	5	1	1	3	4	6	7	11
2. MULTIPLE DX	140	3.7	5	1	2	3	5	7	8	10
A. Not Operated	247	3.7	5	1	2	3	5	7	8	11
B. Operated	145	2.5	5	1	1	2	3	6	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	20	3.3	4	1	2	3	4	6	7	8
1-5 YRS	34	2.9	3	1	1	2	4	6	6	8
6-12 YRS	99	2.8	5	1	1	2	4	6	7	11
13-19 YRS	239	3.5	5	1	2	3	5	7	8	11
GRAND TOTAL	**392**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**11**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.0		< 1	< 1	< 1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	2.0	2	< 1	< 1	1	4	4	4	4
6-12 YRS	5	1.4	1	< 1	< 1	1	2	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	65	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	202	1.0		< 1	< 1	< 1	< 1	1	1	2
6-12 YRS	62	1.1		< 1	< 1	< 1	< 1	1	2	3
13-19 YRS	12	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	1.3		< 1	< 1	1	2	2	2	2
1-11 MOS	0									
1-5 YRS	17	2.4	3	< 1	1	2	3	5	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	34	1.1		< 1	< 1	1	1	1	2	3
1-5 YRS	68	1.3		< 1	< 1	< 1	1	2	2	5
6-12 YRS	19	1.3	1	< 1	< 1	1	1	2	3	4
13-19 YRS	13	1.3		< 1	1	1	2	2	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.5	1	< 1	< 1	1	1	4	4	4
B. Operated	341	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	22	2.1	3	< 1	1	1	3	5	6	6
B. Operated	135	1.2		< 1	< 1	1	1	2	2	4
1. SINGLE DX	357	1.0		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX	157	1.4	1	< 1	< 1	1	1	2	3	5
A. Not Operated	38	1.9	2	< 1	1	1	3	4	5	6
B. Operated	476	1.1		< 1	< 1	< 1	1	1	2	3
TOTAL										
0-27 DYS	7	1.1		< 1	< 1	1	1	2	2	2
1-11 MOS	100	1.0		< 1	< 1	< 1	1	1	1	2
1-5 YRS	293	1.2		< 1	< 1	< 1	1	1	2	5
6-12 YRS	87	1.1		< 1	< 1	< 1	1	2	2	4
13-19 YRS	27	1.1		< 1	< 1	1	1	2	2	3
GRAND TOTAL	**514**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	2.0	4	< 1	< 1	1	3	5	5	5
1-11 MOS	7	2.1	1	< 1	1	2	3	4	4	4
1-5 YRS	30	2.2	1	1	1	2	3	4	4	5
6-12 YRS	32	1.9	3	1	1	1	2	4	5	10
13-19 YRS	19	1.6	1	< 1	1	1	2	3	4	4
B. Operated										
0-27 DYS	8	1.1		< 1	< 1	1	1	2	2	2
1-11 MOS	25	1.4	1	< 1	1	1	1	3	4	5
1-5 YRS	124	1.1		< 1	1	1	1	1	2	4
6-12 YRS	391	1.2		< 1	1	1	1	2	2	4
13-19 YRS	563	1.4	1	< 1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	10	4.4	18	1	2	3	4	11	15	15
1-11 MOS	15	3.1	7	1	1	3	3	6	10	11
1-5 YRS	51	2.7	5	1	1	2	3	6	7	10
6-12 YRS	22	3.5	12	1	2	2	4	7	11	16
13-19 YRS	25	4.0	13	1	1	2	5	10	11	13
B. Operated										
0-27 DYS	17	2.4	6	1	1	1	2	7	8	9
1-11 MOS	27	2.1	5	1	1	1	2	5	8	10
1-5 YRS	73	2.2	9	< 1	< 1	1	2	4	8	18
6-12 YRS	150	1.9	6	< 1	1	1	2	3	5	17
13-19 YRS	214	2.0	4	1	1	1	2	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	1.9	2	1	1	2	2	4	5	8
B. Operated	1111	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	123	3.3	9	1	1	2	4	7	10	15
B. Operated	481	2.0	5	< 1	1	1	2	4	6	13
1. SINGLE DX	1203	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	604	2.3	6	< 1	1	1	2	4	7	14
A. Not Operated	215	2.7	6	1	1	2	3	5	8	14
B. Operated	1592	1.5	2	< 1	1	1	1	2	4	8
TOTAL										
0-27 DYS	39	2.6	9	< 1	1	1	3	7	9	15
1-11 MOS	74	2.1	4	< 1	1	1	3	4	6	11
1-5 YRS	278	1.8	4	< 1	1	1	2	3	5	11
6-12 YRS	595	1.5	3	< 1	1	1	1	2	3	8
13-19 YRS	821	1.7	2	< 1	1	1	2	3	4	9
GRAND TOTAL	**1807**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**10**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	14	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	1.6	1	<1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	15	1.5	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	8	1.6	1	<1	1	1	2	3	3	3
1. SINGLE DX	16	1.5	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	8	1.6	1	<1	1	1	2	3	3	3
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	23	1.6	1	<1	<1	1	2	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	23	1.6	1	<1	<1	1	2	3	3	3
GRAND TOTAL	**24**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**3**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	11	3.5	2	2	2	3	5	6	7	7
1-11 MOS	12	2.6	3	1	1	2	3	6	7	7
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	5	4.6	9	1	2	4	7	9	9	9
13-19 YRS	24	3.9	3	2	2	3	5	7	8	8
B. Operated										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	23	1.8	1	<1	1	1	2	3	4	5
13-19 YRS	563	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	4.1	5	2	2	4	5	8	8	8
1-11 MOS	10	3.7	2	2	3	4	5	5	5	5
1-5 YRS	3	5.0	13	2	2	4	8	9	9	9
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	16	5.6	57	<1	2	3	6	9	25	32
B. Operated										
0-27 DYS	4	5.5	14	3	3	4	8	11	11	11
1-11 MOS	5	3.4	10	<1	1	2	4	9	9	9
1-5 YRS	0									
6-12 YRS	5	1.6	1	1	1	1	2	3	3	3
13-19 YRS	181	2.2	3	1	1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	3.6	4	2	2	3	5	7	8	9
B. Operated	592	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	42	4.7	24	1	2	4	5	8	9	32
B. Operated	195	2.2	4	1	1	2	3	3	5	10
1. SINGLE DX	646	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX	237	2.7	8	1	1	2	3	5	7	12
A. Not Operated	96	4.1	13	2	2	3	5	7	9	22
B. Operated	787	1.9	2	1	1	2	2	3	4	7
TOTAL										
0-27 DYS	28	4.1	5	2	3	4	5	8	9	11
1-11 MOS	29	3.1	4	1	2	3	4	5	7	9
1-5 YRS	7	3.6	9	<1	1	2	5	8	9	9
6-12 YRS	35	2.3	4	1	1	2	3	5	7	9
13-19 YRS	784	2.0	3	1	1	2	2	3	4	8
GRAND TOTAL	**883**	**2.1**	**3**	**1**	**1**	**2**	**2**	**3**	**5**	**9**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	42	1.7	1	<1	1	1	2	3	4	4
13-19 YRS	568	1.8	1	1	1	1	2	3	4	5
B. Operated										
0-27 DYS	8	3.4	2	1	2	3	4	5	5	5
1-11 MOS	8	2.0	1	1	1	2	3	4	4	4
1-5 YRS	5	3.6	1	2	3	4	4	5	5	5
6-12 YRS	34	3.3	3	1	2	3	4	5	5	9
13-19 YRS	602	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	19	1.9	1	1	1	2	2	3	4	4
13-19 YRS	360	2.2	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	3	3.3	1	2	2	4	4	4	4	4
1-11 MOS	9	3.2	1	1	2	3	4	5	5	5
1-5 YRS	0									
6-12 YRS	19	3.5	2	1	3	3	5	6	6	6
13-19 YRS	665	3.7	7	1	2	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	614	1.8	1	1	1	1	2	3	4	5
B. Operated	657	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	379	2.2	2	1	1	2	3	4	5	7
B. Operated	696	3.7	6	1	2	3	4	6	7	11
1. SINGLE DX	1271	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	1075	3.2	5	1	2	3	4	5	7	10
A. Not Operated	993	1.9	1	1	1	2	2	3	4	6
B. Operated	1353	3.4	5	1	2	3	4	5	7	10
TOTAL										
0-27 DYS	12	3.2	2	1	2	3	4	5	5	5
1-11 MOS	18	2.7	2	1	2	3	4	4	5	5
1-5 YRS	7	3.3	1	2	2	3	4	5	5	5
6-12 YRS	114	2.5	2	1	1	2	4	4	5	7
13-19 YRS	2195	2.8	4	1	1	2	4	5	6	9
GRAND TOTAL	**2346**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**8**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	14	3.9	5	2	2	3	5	7	8	8
13-19 YRS	1455	3.5	4	2	2	3	4	6	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	7.0	32	3	3	7	11	11	11	11
6-12 YRS	6	6.0	11	1	4	6	7	11	11	11
13-19 YRS	194	3.9	4	1	3	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	4.2	5	1	2	5	6	7	7	7
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	20	6.5	18	2	4	5	8	13	16	18
13-19 YRS	1521	4.4	7	2	3	4	5	7	9	14
B. Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	4	5.5	22	1	2	4	8	12	12	12
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	9	9.6	25	3	4	10	14	16	16	16
13-19 YRS	428	5.3	12	2	3	4	7	9	12	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1470	3.5	4	2	2	3	4	6	7	11
B. Operated	202	4.0	5	1	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	1547	4.4	7	2	3	4	5	7	9	15
B. Operated	443	5.4	13	2	3	4	7	9	13	17
1. SINGLE DX	1672	3.6	4	2	2	3	4	6	7	11
2. MULTIPLE DX	1990	4.6	9	2	3	4	5	8	10	16
A. Not Operated	3017	4.0	6	2	3	4	5	7	8	14
B. Operated	645	5.0	11	2	3	4	6	9	11	16
TOTAL										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	10	4.7	10	1	3	4	5	9	12	12
1-5 YRS	4	6.5	14	3	3	6	9	11	11	11
6-12 YRS	49	6.2	18	2	3	5	8	13	15	18
13-19 YRS	3598	4.1	7	2	3	4	5	7	8	14
GRAND TOTAL	**3662**	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**8**	**15**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	2.9	2	2	2	2	4	5	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	54	2.7	3	<1	1	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	13	2.1	1	1	1	2	2	4	4	4
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	3.0	8	<1	<1	2	5	5	5	5
13-19 YRS	113	3.2	4	<1	1	3	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.9	2	2	2	2	4	5	6	6
B. Operated	55	2.7	3	<1	1	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	13	2.1	1	1	1	2	2	4	4	4
B. Operated	119	3.2	4	<1	1	3	4	5	7	12
1. SINGLE DX	69	2.7	3	1	1	3	4	5	5	8
2. MULTIPLE DX	132	3.1	4	<1	1	3	4	5	6	12
A. Not Operated	27	2.5	2	1	2	2	3	5	5	6
B. Operated	174	3.0	4	<1	1	3	4	5	6	11
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	3.0	8	<1	<1	2	5	5	5	5
13-19 YRS	194	2.9	4	<1	1	3	4	5	6	11
GRAND TOTAL	**201**	**3.0**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**11**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	2.8	2	1	1	2	4	4	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	2.1	3	<1	<1	1	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	16	2.8	2	1	1	2	4	4	6	6
B. Operated	8	2.1	3	<1	<1	1	3	5	6	6
1. SINGLE DX	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX	24	2.5	3	1	1	2	4	5	6	6
A. Not Operated	18	2.7	2	1	1	2	4	4	5	6
B. Operated	9	2.0	3	<1	1	1	2	5	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	26	2.5	2	1	1	2	4	4	6	6
GRAND TOTAL	**27**	**2.4**	**2**	**1**	**1**	**2**	**4**	**4**	**6**	**6**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	6	2.3	1	1	2	2	3	4	4	4
6-12 YRS	6	3.0	2	2	2	3	4	5	5	5
13-19 YRS	30	3.2	3	1	2	3	4	5	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	1.3		<1	<1	<1	1	2	2	2
6-12 YRS	4	2.0	1	<1	1	2	3	3	3	3
13-19 YRS	49	2.2	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	3.0	3	1	2	4	4	4	4	4
1-5 YRS	17	4.6	18	1	2	2	8	10	13	15
6-12 YRS	15	3.7	10	1	2	3	4	6	12	14
13-19 YRS	89	3.6	4	2	3	3	4	6	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	5.6	13	1	3	4	8	11	12	12
6-12 YRS	7	3.3	7	<1	1	2	5	8	8	8
13-19 YRS	43	3.5	13	1	2	3	4	6	7	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	3.1	3	1	2	3	4	5	5	10
B. Operated	58	2.2	3	<1	1	2	2	5	6	8
2. MULTIPLE DX										
A. Not Operated	124	3.8	6	1	2	3	4	7	10	14
B. Operated	58	3.8	12	1	2	3	4	7	9	23
1. SINGLE DX	102	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	182	3.8	8	1	2	3	4	7	9	15
A. Not Operated	168	3.6	5	1	2	3	4	6	8	13
B. Operated	116	3.0	8	<1	1	2	4	6	8	16
TOTAL										
0-27 DYS	0									
1-11 MOS	6	3.2	2	1	2	4	4	4	4	4
1-5 YRS	35	4.1	13	<1	2	2	5	10	12	15
6-12 YRS	32	3.3	7	1	2	3	4	6	8	14
13-19 YRS	211	3.2	6	1	2	3	4	6	7	11
GRAND TOTAL	**284**	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	1	20.0		20	20	20	20	20	20	20
1-5 YRS	2	22.0	200	12	12	22	32	32	32	32
6-12 YRS	4	4.0	23	<1	<1	2	7	11	11	11
13-19 YRS	5	5.6	3	4	4	5	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	3.0	3	1	2	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	14	8.4	72	1	4	5	11	21	30	32
1. SINGLE DX	6	3.0	3	1	2	3	5	5	5	5
2. MULTIPLE DX	14	8.4	72	1	4	5	11	21	30	32
A. Not Operated	0									
B. Operated	20	6.8	56	1	2	4	7	16	26	32
TOTAL										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	2	12.5	113	5	5	12	20	20	20	20
1-5 YRS	2	22.0	200	12	12	22	32	32	32	32
6-12 YRS	5	3.4	19	<1	1	1	5	11	11	11
13-19 YRS	8	4.8	4	2	3	4	6	8	8	8
GRAND TOTAL	**20**	**6.8**	**56**	**1**	**2**	**4**	**7**	**16**	**26**	**32**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	2.0	1	1	1	2	3	3	3	3
13-19 YRS	30	2.0	4	<1	1	1	2	3	5	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	18	1.3		<1	1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	2.9	2	2	2	2	3	5	6	6
13-19 YRS	89	2.5	2	1	1	2	3	5	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	3.4	3	1	2	3	4	6	6	6
13-19 YRS	49	2.9	6	<1	1	2	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	2.0	4	<1	1	1	2	3	5	12
B. Operated	18	1.3		<1	1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated	97	2.5	2	1	2	2	3	5	5	7
B. Operated	54	2.9	6	1	1	2	4	6	7	12
1. SINGLE DX	55	1.8	3	<1	1	1	2	3	4	12
2. MULTIPLE DX	151	2.7	3	1	1	2	4	5	6	11
A. Not Operated	134	2.4	2	1	1	2	3	4	5	8
B. Operated	72	2.5	5	<1	1	2	3	5	7	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	20	2.7	2	1	2	2	3	5	6	6
13-19 YRS	186	2.4	3	1	1	2	3	5	5	11
GRAND TOTAL	**206**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**5**	**11**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	1.5	1	<1	1	1	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	23	2.1	4	<1	<1	1	3	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	48	2.7	6	<1	1	2	3	6	7	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	45	2.3	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.5	1	<1	1	1	2	3	3	3
B. Operated	24	2.0	4	<1	<1	1	2	5	7	9
2. MULTIPLE DX										
A. Not Operated	49	2.7	6	<1	1	2	3	6	7	14
B. Operated	48	2.3	2	1	1	2	3	4	5	8
1. SINGLE DX	34	1.9	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX	97	2.5	4	1	1	2	3	5	6	12
A. Not Operated	59	2.5	5	<1	1	2	3	5	6	14
B. Operated	72	2.2	3	<1	1	2	3	4	6	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	2.4	1	<1	1	2	3	4	4	4
13-19 YRS	126	2.4	4	<1	1	2	3	5	6	11
GRAND TOTAL	**131**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
A. Not Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	1	1.0		<1	<1	<1	<1	<1	<1	<1

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	1.4		<1	<1	1	2	2	2	2
6-12 YRS	8	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	37	1.8	1	<1	1	1	3	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.0	4	<1	1	3	4	5	5	5
1-5 YRS	18	2.3	3	<1	<1	1	4	5	6	7
6-12 YRS	26	3.6	5	1	2	3	5	7	8	9
13-19 YRS	96	2.8	6	<1	1	2	4	5	6	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	4	1.8	1	<1	<1	1	2	3	3	3
6-12 YRS	8	2.3	6	<1	<1	1	2	6	8	8
13-19 YRS	32	2.0	2	<1	1	2	3	4	4	6
B. Operated										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	15	3.1	4	1	1	3	4	6	7	7
1-5 YRS	17	4.4	9	1	2	4	6	10	11	11
6-12 YRS	35	4.6	7	3	3	4	5	9	11	12
13-19 YRS	163	3.4	4	1	2	3	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	1.7	1	<1	1	1	2	3	4	6
B. Operated	143	2.9	5	<1	1	2	4	5	7	11
2. MULTIPLE DX										
A. Not Operated	46	2.0	2	<1	1	2	3	4	5	8
B. Operated	231	3.8	8	1	2	3	5	6	8	12
1. SINGLE DX	195	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	277	3.5	7	1	2	3	5	6	8	12
A. Not Operated	98	1.9	2	<1	1	1	2	3	4	7
B. Operated	374	3.4	7	1	2	3	4	6	7	12
TOTAL										
0-27 DYS	2	15.0	392	1	1	15	29	29	29	29
1-11 MOS	21	3.0	3	1	2	3	4	6	6	7
1-5 YRS	44	2.9	6	<1	1	2	4	6	8	11
6-12 YRS	77	3.7	7	1	2	3	5	8	9	12
13-19 YRS	328	2.9	4	<1	1	3	4	5	6	11
GRAND TOTAL	472	3.1	6	<1	1	3	4	6	7	11

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	18	1.8	1	<1	1	2	2	4	4	4
13-19 YRS	186	1.6	1	1	1	1	2	3	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	70	2.4	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	1.9	3	<1	<1	1	2	5	6	6
13-19 YRS	156	2.0	2	<1	1	2	2	4	5	6
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	4.0	2	3	3	4	5	6	6	6
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	6	5.2	7	1	4	5	8	8	8	8
13-19 YRS	135	2.9	4	<1	1	3	4	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	205	1.6	1	1	1	1	2	3	3	5
B. Operated	71	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	164	2.0	2	<1	1	2	2	4	5	6
B. Operated	147	3.0	4	<1	1	3	4	6	7	10
1. SINGLE DX	276	1.8	1	<1	1	1	2	3	4	7
2. MULTIPLE DX	311	2.5	3	<1	1	2	3	5	6	9
A. Not Operated	369	1.8	1	<1	1	1	2	3	4	6
B. Operated	218	2.8	4	<1	1	2	4	5	7	9
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	3.4	3	1	2	3	4	6	6	6
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	32	2.5	4	<1	1	2	3	5	8	8
13-19 YRS	547	2.1	2	<1	1	2	3	4	5	8
GRAND TOTAL	**587**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	24	1.7	1	<1	1	1	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
4-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	313	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	2.1	1	1	1	2	3	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	357	3.7	2	2	3	4	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	1.7	1	<1	1	1	2	3	4	5
B. Operated	314	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	14	2.1	1	1	1	2	3	3	4	4
B. Operated	357	3.7	2	2	3	4	4	5	6	8
1. SINGLE DX	338	2.9	1	1	2	3	4	4	5	6
2. MULTIPLE DX	371	3.6	2	2	3	4	4	5	6	8
A. Not Operated	38	1.8	1	<1	1	1	2	3	4	5
B. Operated	671	3.4	2	2	3	3	4	5	6	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	708	3.3	2	1	3	3	4	5	6	7
GRAND TOTAL	**709**	**3.3**	**2**	**1**	**3**	**3**	**4**	**5**	**6**	**7**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	38	1.6	1	<1	1	1	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	330	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	31	2.0	2	<1	1	2	3	4	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	133	2.0	3	<1	1	1	2	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	1.6	1	<1	1	1	2	3	4	5
B. Operated	331	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	31	2.0	2	<1	1	2	3	4	5	6
B. Operated	133	2.0	3	<1	1	1	2	4	6	9
1. SINGLE DX	369	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	164	2.0	2	<1	1	1	2	4	6	9
A. Not Operated	69	1.8	1	<1	1	1	2	4	4	6
B. Operated	464	1.5	1	<1	<1	1	2	2	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	532	1.5	1	<1	<1	1	2	3	4	6
GRAND TOTAL	533	1.5	1	<1	<1	1	2	3	4	6

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	0									
1. SINGLE DX	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	2	4.5	5	3	3	4	6	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	3.7	4	2	2	3	5	6	6	6
GRAND TOTAL	3	3.7	4	2	2	3	5	6	6	6

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	276	1.4	1	<1	1	1	2	2	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1542	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	129	1.8	1	1	1	1	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	408	2.0	3	<1	1	1	2	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	276	1.4	1	<1	1	1	2	2	3	4
B. Operated	1543	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	129	1.8	1	1	1	1	2	3	4	6
B. Operated	410	2.0	3	<1	1	1	2	4	5	9
1. SINGLE DX	1819	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	539	1.9	2	<1	1	1	2	4	5	8
A. Not Operated	405	1.5	1	<1	1	1	2	3	3	5
B. Operated	1953	1.4	1	<1	1	1	1	2	3	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	2355	1.4	1	<1	1	1	1	2	3	5
GRAND TOTAL	**2358**	**1.4**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**	**5**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	128	2.3	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	287	1.5	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	97	3.0	3	1	2	3	4	5	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	163	2.6	7	<1	1	2	3	4	8	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	2.3	2	1	1	2	3	4	5	7
B. Operated	287	1.5	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	97	3.0	3	1	2	3	4	5	7	9
B. Operated	164	2.6	7	<1	1	2	3	4	8	16
1. SINGLE DX	416	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	261	2.8	5	1	1	2	3	5	7	13
A. Not Operated	226	2.6	3	1	1	2	3	5	6	8
B. Operated	451	1.9	3	<1	1	1	2	4	4	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	675	2.1	3	<1	1	2	3	4	5	9
GRAND TOTAL	**677**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	195	1.6	1	< 1	1	1	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	89	2.5	2	1	1	2	4	4	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	2.3	4	1	1	1	3	5	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	195	1.6	1	< 1	1	1	2	3	4	6
B. Operated	14	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	89	2.5	2	1	1	2	4	4	5	8
B. Operated	11	2.3	4	1	1	1	3	5	8	8
1. SINGLE DX	209	1.6	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX	100	2.5	3	1	1	2	3	4	5	9
A. Not Operated	284	1.9	2	< 1	1	1	2	4	4	6
B. Operated	25	1.7	2	< 1	1	1	2	3	4	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	309	1.9	2	< 1	1	1	2	4	4	7
GRAND TOTAL	**309**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**4**	**7**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	36	1.4	1	< 1	< 1	1	1	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	21	3.5	31	< 1	1	1	4	7	16	26
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	1.4	1	< 1	< 1	1	1	3	4	6
B. Operated	3	1.7	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	21	3.5	31	< 1	1	1	4	7	16	26
B. Operated	2	1.5	1	1	1	1	2	2	2	2
1. SINGLE DX	39	1.4	1	< 1	< 1	1	1	3	4	6
2. MULTIPLE DX	23	3.3	28	< 1	1	1	4	6	14	26
A. Not Operated	57	2.2	13	< 1	< 1	1	2	5	6	25
B. Operated	5	1.6	1	< 1	1	1	2	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	62	2.1	12	< 1	< 1	1	2	4	6	24
GRAND TOTAL	**62**	**2.1**	**12**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**24**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	399	2.5	3	1	1	2	3	4	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	50	3.1	7	<1	1	2	4	7	10	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	185	2.9	6	1	2	2	3	5	6	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	50	3.0	12	<1	1	2	4	8	10	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	399	2.5	3	1	1	2	3	4	6	9
B. Operated	50	3.1	7	<1	1	2	4	7	10	12
2. MULTIPLE DX										
A. Not Operated	186	2.9	6	1	2	2	3	5	6	11
B. Operated	50	3.0	12	<1	1	2	4	8	10	99
1. SINGLE DX	449	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX	236	2.9	7	1	1	2	3	5	8	21
A. Not Operated	585	2.6	4	1	1	2	3	5	6	9
B. Operated	100	3.0	10	<1	1	2	4	7	10	60
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	684	2.7	5	1	1	2	3	5	6	11
GRAND TOTAL	**685**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	698	2.8	3	1	2	2	4	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	5.0	22	<1	1	3	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	613	3.2	5	1	2	3	4	6	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	37	6.0	74	1	2	3	6	15	20	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	698	2.8	3	1	2	2	4	5	6	9
B. Operated	5	5.0	22	<1	1	3	9	11	11	11
2. MULTIPLE DX										
A. Not Operated	613	3.2	5	1	2	3	4	6	7	11
B. Operated	37	6.0	74	1	2	3	6	15	20	47
1. SINGLE DX	703	2.9	3	1	2	2	4	5	6	9
2. MULTIPLE DX	650	3.4	9	1	2	3	4	6	8	15
A. Not Operated	1311	3.0	4	1	2	3	4	5	7	10
B. Operated	42	5.9	67	1	1	3	8	14	19	47
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1353	3.1	6	1	2	3	4	5	7	11
GRAND TOTAL	**1353**	**3.1**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	**11**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1151	1.1	1	<1	<1	<1	1	1	2	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	445	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	193	1.5	2	<1	<1	1	1	3	4	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	81	1.5	1	<1	<1	1	1	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1151	1.1	1	<1	<1	<1	1	1	2	3
B. Operated	446	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX										
A. Not Operated	193	1.5	2	<1	<1	1	1	3	4	9
B. Operated	81	1.5	1	<1	<1	1	1	3	4	6
1. SINGLE DX	1597	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	274	1.5	2	<1	<1	1	1	3	4	8
A. Not Operated	1344	1.2	1	<1	<1	1	1	1	2	4
B. Operated	527	1.1		<1	<1	<1	1	1	2	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1870	1.2	1	<1	<1	<1	1	1	2	5
GRAND TOTAL	**1871**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	53	2.4	4	<1	1	2	3	5	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	2.8	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	31	3.9	15	1	2	2	4	9	14	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	6.3	56	2	2	2	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	2.4	4	<1	1	2	3	5	5	10
B. Operated	4	2.8	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	31	3.9	15	1	2	2	4	9	14	16
B. Operated	3	6.3	56	2	2	2	12	15	15	15
1. SINGLE DX	57	2.4	4	1	1	2	3	5	6	10
2. MULTIPLE DX	34	4.1	17	1	2	2	4	13	15	16
A. Not Operated	84	2.9	8	1	1	2	4	5	9	15
B. Operated	7	4.3	25	1	2	2	5	13	15	15
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	91	3.0	10	1	1	2	4	6	10	16
GRAND TOTAL	**91**	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**10**	**16**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	167	2.1	7	<1	1	1	2	4	6	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	39	2.1	3	<1	<1	1	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	136	2.7	8	<1	1	2	3	5	8	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	28	2.8	13	<1	1	2	3	4	6	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	167	2.1	7	<1	1	1	2	4	6	17
B. Operated	39	2.1	3	<1	<1	1	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	136	2.7	8	<1	1	2	3	5	8	18
B. Operated	28	2.8	13	<1	1	2	3	4	6	20
1. SINGLE DX	206	2.1	6	<1	1	1	2	4	6	15
2. MULTIPLE DX	164	2.8	9	<1	1	2	3	5	7	20
A. Not Operated	303	2.4	8	<1	1	1	3	5	7	18
B. Operated	67	2.4	7	<1	<1	1	3	5	5	18
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	370	2.4	8	<1	1	1	3	5	6	18
GRAND TOTAL	**370**	**2.4**	**8**	**<1**	**1**	**1**	**3**	**5**	**6**	**18**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	388	2.7	2	1	2	3	4	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	30	2.2	3	<1	1	1	3	4	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1482	3.2	3	1	2	3	4	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	154	3.4	7	1	1	3	5	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	388	2.7	2	1	2	3	4	4	5	7
B. Operated	30	2.2	3	<1	1	1	3	4	7	8
2. MULTIPLE DX										
A. Not Operated	1482	3.2	3	1	2	3	4	5	6	9
B. Operated	154	3.4	7	1	1	3	5	6	8	12
1. SINGLE DX	418	2.7	2	1	1	2	4	4	5	7
2. MULTIPLE DX	1636	3.3	4	1	2	3	4	6	7	9
A. Not Operated	1870	3.1	3	1	2	3	4	5	6	9
B. Operated	184	3.2	7	<1	1	3	4	6	8	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2054	3.1	3	1	2	3	4	5	6	9
GRAND TOTAL	**2054**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	167	2.7	3	1	1	2	4	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	2.2	4	<1	<1	1	3	4	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1193	3.1	11	1	1	2	4	6	8	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	223	3.6	33	<1	1	2	4	7	9	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	167	2.7	3	1	1	2	4	5	6	8
B. Operated	16	2.2	4	<1	<1	1	3	4	7	8
2. MULTIPLE DX										
A. Not Operated	1193	3.1	11	1	1	2	4	6	8	18
B. Operated	223	3.6	33	<1	1	2	4	7	9	23
1. SINGLE DX	183	2.7	3	<1	1	2	4	5	6	8
2. MULTIPLE DX	1416	3.2	14	1	1	2	4	6	8	18
A. Not Operated	1360	3.1	10	1	1	2	4	6	8	18
B. Operated	239	3.5	31	<1	1	2	4	7	9	22
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1599	3.2	13	<1	1	2	4	6	8	18
GRAND TOTAL	**1599**	**3.2**	**13**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2350	2.0	4	<1	1	1	2	4	5	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	850	2.1	9	<1	<1	1	2	4	5	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1676	3.0	18	1	1	2	3	5	8	21
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	857	3.2	21	<1	1	2	4	6	10	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2350	2.0	4	<1	1	1	2	4	5	11
B. Operated	851	2.1	9	<1	<1	1	2	4	5	16
2. MULTIPLE DX										
A. Not Operated	1677	3.0	17	1	1	2	3	5	8	21
B. Operated	857	3.2	21	<1	1	2	4	6	10	21
1. SINGLE DX	3201	2.0	6	<1	<1	1	2	4	5	12
2. MULTIPLE DX	2534	3.0	19	<1	1	2	3	6	8	21
A. Not Operated	4027	2.4	10	<1	1	1	3	4	6	14
B. Operated	1708	2.6	16	<1	<1	1	3	5	7	19
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	5733	2.5	12	<1	1	1	3	5	7	16
GRAND TOTAL	**5735**	**2.5**	**12**	**<1**	**1**	**1**	**3**	**5**	**7**	**16**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	353	2.3	1	1	2	2	3	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	261	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	796	2.4	4	1	2	2	3	3	4	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	1155	3.2	15	1	2	3	4	5	6	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	353	2.3	1	1	2	2	3	3	4	4
B. Operated	261	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	798	2.4	4	1	2	2	3	3	4	8
B. Operated	1157	3.2	15	1	2	3	4	5	6	18
1. SINGLE DX	614	2.4	1	1	2	2	3	3	4	5
2. MULTIPLE DX	1955	2.9	10	1	2	2	3	4	5	11
A. Not Operated	1151	2.3	3	1	2	2	3	3	4	6
B. Operated	1418	3.1	12	1	2	2	3	5	6	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	2.3		2	2	2	3	3	3	3
13-19 YRS	2565	2.7	8	1	2	2	3	4	5	10
GRAND TOTAL	**2569**	**2.7**	**8**	**1**	**2**	**2**	**3**	**4**	**5**	**10**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	1.7		1	1	2	2	2	2	2
13-19 YRS	11638	2.0	1	1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	5460	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	681	2.0	1	1	1	2	2	3	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	476	2.0	1	1	2	2	2	3	3	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11645	2.0	1	1	1	2	2	3	3	4
B. Operated	5462	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	682	2.0	1	1	1	2	2	3	3	5
B. Operated	476	2.0	1	1	2	2	2	3	3	4
1. SINGLE DX	17107	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	1158	2.0	1	1	1	2	2	3	3	5
A. Not Operated	12327	2.0	1	1	1	2	2	3	3	4
B. Operated	5938	2.0	1	1	2	2	2	3	3	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	10	1.9		1	2	2	2	3	3	3
13-19 YRS	18255	2.0	1	1	1	2	2	3	3	4
GRAND TOTAL	**18265**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	4.2	7	2	3	3	5	8	11	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	4.2	10	2	2	4	5	10	12	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	62	6.6	61	2	3	4	6	12	22	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	12	4.2	7	2	3	3	5	8	11	12
2. MULTIPLE DX										
A. Not Operated	9	4.2	10	2	2	4	5	10	12	12
B. Operated	62	6.6	61	2	3	4	6	12	22	45
1. SINGLE DX	13	3.9	8	2	3	3	4	7	11	12
2. MULTIPLE DX	71	6.3	55	2	3	4	6	12	16	44
A. Not Operated	10	3.9	10	1	2	3	4	9	12	12
B. Operated	74	6.2	52	2	3	4	6	12	16	44
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	84	5.9	48	2	3	4	6	12	15	43
GRAND TOTAL	**84**	**5.9**	**48**	**2**	**3**	**4**	**6**	**12**	**15**	**43**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	36	1.9	1	1	1	2	2	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	61	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	77	2.4	3	1	1	2	3	4	6	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	279	4.3	20	2	2	4	5	7	9	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	1.9	1	1	1	2	2	3	4	7
B. Operated	61	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	77	2.4	3	1	1	2	3	4	6	11
B. Operated	279	4.3	20	2	2	4	5	7	9	22
1. SINGLE DX	97	2.7	2	1	2	2	4	5	5	7
2. MULTIPLE DX	356	3.9	17	1	2	3	4	7	9	17
A. Not Operated	113	2.2	3	1	1	2	2	3	5	10
B. Operated	340	4.1	17	2	2	3	5	7	8	18
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	453	3.6	14	1	2	3	4	6	8	16
GRAND TOTAL	**453**	**3.6**	**14**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	2.3	1	1	2	2	2	3	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	135	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	2.8	1	2	2	3	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	141	2.5	2	1	2	2	3	4	4	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.3	1	1	2	2	2	3	5	6
B. Operated	135	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	8	2.8	1	2	2	3	3	4	4	4
B. Operated	141	2.5	2	1	2	2	3	4	4	10
1. SINGLE DX	151	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	149	2.5	2	1	2	2	3	4	4	9
A. Not Operated	24	2.4	1	2	2	2	3	3	5	6
B. Operated	276	2.2	2	1	2	2	3	3	4	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	300	2.2	2	1	2	2	3	3	4	6
GRAND TOTAL	**300**	**2.2**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	70	2.2	1	1	2	2	3	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	48	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	83	2.3	1	1	2	2	3	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	118	2.5	2	1	2	2	3	4	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	2.2	1	1	2	2	3	3	4	5
B. Operated	48	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	83	2.3	1	1	2	2	3	3	4	6
B. Operated	118	2.5	2	1	2	2	3	4	4	9
1. SINGLE DX	118	2.1	1	1	1	2	2	3	4	5
2. MULTIPLE DX	201	2.4	1	1	2	2	3	3	4	7
A. Not Operated	153	2.3	1	1	2	2	3	3	4	5
B. Operated	166	2.3	1	1	2	2	3	3	4	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	319	2.3	1	1	2	2	3	3	4	6
GRAND TOTAL	**319**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	1.9	1	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	18	3.0	2	2	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	35	2.7	2	1	2	2	3	4	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	177	5.8	30	2	3	4	6	11	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.9	1	1	1	2	3	3	3	3
B. Operated	18	3.0	2	2	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	35	2.7	2	1	2	2	3	4	6	8
B. Operated	177	5.8	30	2	3	4	6	11	15	29
1. SINGLE DX	26	2.7	2	1	2	3	3	4	5	6
2. MULTIPLE DX	212	5.3	26	2	3	4	6	9	13	27
A. Not Operated	43	2.5	2	1	2	2	3	4	5	8
B. Operated	195	5.5	28	2	3	4	6	10	14	28
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	238	5.0	24	2	3	4	5	9	13	25
GRAND TOTAL	**238**	**5.0**	**24**	**2**	**3**	**4**	**5**	**9**	**13**	**25**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	21	2.3	3	1	2	2	2	4	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	573	3.6	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	27	3.0	4	1	2	2	4	6	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	807	4.5	7	3	3	4	5	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.3	3	1	2	2	2	4	6	9
B. Operated	573	3.6	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	27	3.0	4	1	2	2	4	6	8	9
B. Operated	807	4.5	7	3	3	4	5	6	9	15
1. SINGLE DX	594	3.6	1	2	3	4	4	5	5	7
2. MULTIPLE DX	834	4.5	7	3	3	4	5	6	9	15
A. Not Operated	48	2.7	4	1	2	2	3	5	8	9
B. Operated	1380	4.1	5	3	3	4	5	6	7	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1428	4.1	5	2	3	4	4	6	7	12
GRAND TOTAL	**1428**	**4.1**	**5**	**2**	**3**	**4**	**4**	**6**	**7**	**12**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	139	2.1	1	1	2	2	3	3	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	279	2.7	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	122	2.1	1	1	2	2	2	3	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1322	3.7	4	2	2	3	4	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	2.1	1	1	2	2	3	3	3	5
B. Operated	279	2.7	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	122	2.1	1	1	2	2	2	3	3	5
B. Operated	1323	3.7	4	2	2	3	4	5	7	11
1. SINGLE DX	418	2.5	1	1	2	2	3	4	5	6
2. MULTIPLE DX	1445	3.5	4	2	2	3	4	5	6	11
A. Not Operated	261	2.1	1	1	2	2	2	3	3	5
B. Operated	1602	3.5	4	2	2	3	4	5	6	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1862	3.3	4	2	2	3	4	5	6	10
GRAND TOTAL	**1863**	**3.3**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	2.7	1	2	2	3	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	436	4.0	2	3	3	4	5	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	4.1	6	1	2	3	6	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2054	4.8	4	3	4	4	5	7	9	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.7	1	2	2	3	3	4	4	4
B. Operated	436	4.0	2	3	3	4	5	5	6	8
2. MULTIPLE DX										
A. Not Operated	11	4.1	6	1	2	3	6	8	8	8
B. Operated	2054	4.8	4	3	4	4	5	7	9	12
1. SINGLE DX	443	4.0	2	3	3	4	5	5	6	8
2. MULTIPLE DX	2065	4.8	4	3	4	4	5	7	9	12
A. Not Operated	18	3.6	4	2	2	3	4	7	8	8
B. Operated	2490	4.7	4	3	4	4	5	7	8	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2508	4.7	4	3	4	4	5	7	8	12
GRAND TOTAL	**2508**	**4.7**	**4**	**3**	**4**	**4**	**5**	**7**	**8**	**12**

293: Uterine inertia, delivered (661.0-661.2; 662.0-662.3 all with 5th digit 0,1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	299	2.2	1	1	2	2	3	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	704	3.2	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	293	2.5	1	1	2	2	3	4	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	2081	4.0	5	2	3	4	5	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	299	2.2	1	1	2	2	3	3	3	4
B. Operated	705	3.2	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	293	2.5	1	1	2	2	3	4	4	6
B. Operated	2082	4.0	5	2	3	4	5	6	8	12
1. SINGLE DX	1004	2.9	2	1	2	3	4	5	5	7
2. MULTIPLE DX	2375	3.8	4	2	2	3	5	6	7	11
A. Not Operated	592	2.3	1	1	2	2	3	3	4	5
B. Operated	2787	3.8	4	2	2	3	5	6	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	3377	3.5	4	2	2	3	4	6	7	10
GRAND TOTAL	**3379**	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**	**10**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	22	2.0	1	1	1	2	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	132	3.1	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	41	3.0	6	1	2	3	3	4	5	17
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	335	3.7	4	2	2	3	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.0	1	1	1	2	2	3	4	5
B. Operated	132	3.1	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	41	3.0	6	1	2	3	3	4	5	17
B. Operated	335	3.7	4	2	2	3	5	6	7	11
1. SINGLE DX	154	3.0	2	1	2	3	4	5	5	7
2. MULTIPLE DX	376	3.6	4	2	2	3	5	6	7	11
A. Not Operated	63	2.7	4	1	2	2	3	4	5	15
B. Operated	467	3.5	3	2	2	3	5	6	6	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	530	3.4	3	1	2	3	4	5	6	10
GRAND TOTAL	**530**	**3.4**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	67	2.0	1	1	1	2	2	3	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	620	3.6	1	2	3	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	49	3.2	79	1	1	2	2	3	4	64
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	838	3.8	3	2	3	4	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	2.0	1	1	1	2	2	3	3	5
B. Operated	620	3.6	1	2	3	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	49	3.2	79	1	1	2	2	3	4	64
B. Operated	839	3.8	3	2	3	4	4	5	6	9
1. SINGLE DX	687	3.4	1	2	3	3	4	5	5	7
2. MULTIPLE DX	888	3.8	7	2	3	4	4	5	6	10
A. Not Operated	116	2.5	34	1	1	2	2	3	4	25
B. Operated	1459	3.7	2	2	3	4	4	5	6	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1574	3.6	4	2	3	4	4	5	6	8
GRAND TOTAL	**1575**	**3.6**	**4**	**2**	**3**	**4**	**4**	**5**	**6**	**8**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	411	2.4	1	1	2	2	3	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	433	2.6	4	2	2	2	3	4	4	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	498	3.1	6	1	2	3	3	5	7	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1637	3.5	11	2	2	3	4	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	412	2.4	1	1	2	2	3	3	4	5
B. Operated	433	2.6	4	2	2	2	3	4	4	8
2. MULTIPLE DX										
A. Not Operated	498	3.1	6	1	2	3	3	5	7	14
B. Operated	1637	3.5	11	2	2	3	4	5	7	15
1. SINGLE DX	845	2.5	2	1	2	2	3	3	4	7
2. MULTIPLE DX	2135	3.4	10	2	2	3	4	5	7	15
A. Not Operated	910	2.8	4	1	2	2	3	4	6	11
B. Operated	2070	3.4	10	2	2	3	4	5	7	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2979	3.2	8	2	2	3	4	5	6	14
GRAND TOTAL	**2980**	**3.2**	**8**	**2**	**2**	**3**	**4**	**5**	**6**	**14**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	1598	1.9		1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	1324	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	717	2.1	1	1	2	2	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1438	2.3	2	1	2	2	3	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1600	1.9		1	1	2	2	3	3	4
B. Operated	1326	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	717	2.1	1	1	2	2	2	3	4	5
B. Operated	1438	2.3	2	1	2	2	3	3	4	6
1. SINGLE DX	2926	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX	2155	2.2	1	1	2	2	3	3	4	6
A. Not Operated	2317	2.0	1	1	1	2	2	3	3	4
B. Operated	2764	2.2	1	1	2	2	3	3	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	5077	2.1	1	1	2	2	2	3	3	5
GRAND TOTAL	**5081**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	559	1.9	7	1	1	2	2	3	3	[illegible]
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.0		3	3	3	3	3	3	3
13-19 YRS	3985	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	368	2.2	1	1	2	2	3	3	3	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	3133	2.2	2	1	2	2	3	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	559	1.9	7	1	1	2	2	3	3	4
B. Operated	3988	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	368	2.2	1	1	2	2	3	3	3	6
B. Operated	3137	2.2	2	1	2	2	3	3	4	6
1. SINGLE DX	4547	1.9	2	1	1	2	2	3	3	4
2. MULTIPLE DX	3505	2.2	2	1	2	2	3	3	4	6
A. Not Operated	927	2.0	4	1	1	2	2	3	3	5
B. Operated	7125	2.0	1	1	1	2	2	3	3	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	2.6	1	1	2	3	3	4	4	4
13-19 YRS	8045	2.0	2	1	1	2	2	3	3	5
GRAND TOTAL	**8052**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	198	2.0	1	1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2080	2.1	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	130	2.4	1	1	2	2	3	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	2003	2.4	1	1	2	2	3	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	198	2.0	1	1	1	2	2	3	3	4
B. Operated	2080	2.1	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	130	2.4	1	1	2	2	3	3	4	7
B. Operated	2006	2.4	1	1	2	2	3	3	4	6
1. SINGLE DX	2278	2.1	1	1	2	2	2	3	3	4
2. MULTIPLE DX	2136	2.4	1	1	2	2	3	3	4	6
A. Not Operated	328	2.1	1	1	2	2	3	3	3	5
B. Operated	4086	2.3	1	1	2	2	3	3	4	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	4411	2.3	1	1	2	2	3	3	4	5
GRAND TOTAL	**4414**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**5**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	218	2.0	3	1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	966	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	157	2.2	1	1	2	2	3	3	3	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1028	2.2	1	1	2	2	3	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	2.0	3	1	1	2	2	3	3	4
B. Operated	966	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	157	2.2	1	1	2	2	3	3	3	6
B. Operated	1028	2.2	1	1	2	2	3	3	4	6
1. SINGLE DX	1184	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX	1185	2.2	1	1	2	2	3	3	4	6
A. Not Operated	375	2.1	2	1	2	2	2	3	3	5
B. Operated	1994	2.1	1	1	2	2	2	3	3	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2369	2.1	1	1	2	2	2	3	3	5
GRAND TOTAL	**2369**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**5**

980 Hospitals, United States, Pediatric, January-December 1989

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2588	2.3	3	1	2	2	3	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4392	2.5	2	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3001	2.6	4	1	2	2	3	4	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	6.2	55	1	3	4	5	19	21	21
13-19 YRS	11144	3.6	8	2	2	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2589	2.3	3	1	2	2	3	3	4	6
B. Operated	4393	2.5	2	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	3002	2.6	4	1	2	2	3	4	5	10
B. Operated	11150	3.6	8	2	2	3	4	6	8	14
1. SINGLE DX	6982	2.4	2	1	2	2	3	4	4	7
2. MULTIPLE DX	14152	3.4	7	1	2	3	4	6	8	14
A. Not Operated	5591	2.5	4	1	2	2	3	4	5	9
B. Operated	15543	3.3	7	1	2	3	4	5	7	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	9	5.0	37	1	2	3	4	15	21	21
13-19 YRS	21125	3.1	6	1	2	2	4	5	7	12
GRAND TOTAL	**21134**	**3.1**	**6**	**1**	**2**	**2**	**4**	**5**	**7**	**12**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	96	3.1	2	2	2	3	4	5	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	4.4	19	< 1	2	3	5	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	149	3.8	5	2	2	3	4	6	7	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	25	6.5	27	2	3	5	8	12	15	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	3.1	2	2	2	3	4	5	6	7
B. Operated	5	4.4	19	< 1	2	3	5	12	12	12
2. MULTIPLE DX										
A. Not Operated	150	3.8	5	2	2	3	4	6	7	15
B. Operated	25	6.5	27	2	3	5	8	12	15	25
1. SINGLE DX	101	3.2	3	2	2	3	4	5	6	10
2. MULTIPLE DX	175	4.2	9	2	2	3	5	7	10	16
A. Not Operated	246	3.5	4	2	2	3	4	6	7	14
B. Operated	30	6.1	25	2	3	4	8	12	12	25
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	275	3.8	7	2	2	3	4	6	8	15
GRAND TOTAL	**276**	**3.8**	**7**	**2**	**2**	**3**	**4**	**6**	**8**	**15**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	1.4		<1	<1	1	2	2	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	39	1.4		<1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	2.0	1	1	1	2	2	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	45	2.0	2	1	1	2	2	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.4		<1	<1	1	2	2	3	3
B. Operated	39	1.4		<1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	16	2.0	1	1	1	2	2	4	4	4
B. Operated	45	2.0	2	1	1	2	2	4	5	7
1. SINGLE DX	53	1.4		<1	1	1	2	2	3	3
2. MULTIPLE DX	61	2.0	2	1	1	2	2	4	4	7
A. Not Operated	30	1.7	1	<1	1	2	2	3	4	4
B. Operated	84	1.7	1	<1	1	1	2	3	4	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	114	1.7	1	<1	1	1	2	3	4	7
GRAND TOTAL	**114**	**1.7**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	56	3.1	5	1	2	2	4	7	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	69	1.9	1	1	1	2	2	3	3	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	66	4.4	10	1	2	3	6	9	11	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	85	3.6	9	1	2	2	4	8	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	3.1	5	1	2	2	4	7	8	11
B. Operated	69	1.9	1	1	1	2	2	3	3	7
2. MULTIPLE DX										
A. Not Operated	66	4.4	10	1	2	3	6	9	11	13
B. Operated	86	3.6	9	1	2	2	4	8	11	15
1. SINGLE DX	125	2.4	3	1	1	2	3	4	7	11
2. MULTIPLE DX	152	3.9	10	1	2	3	5	9	11	14
A. Not Operated	122	3.8	8	1	2	3	5	8	10	13
B. Operated	155	2.8	6	1	2	2	3	6	9	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	276	3.3	7	1	2	2	4	7	9	13
GRAND TOTAL	**277**	**3.2**	**7**	**1**	**2**	**2**	**4**	**7**	**9**	**13**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	32	5.3	16	2	2	4	7	12	14	15
1-11 MOS	177	3.5	5	1	2	3	4	6	8	11
1-5 YRS	672	3.2	3	1	2	3	4	5	7	10
6-12 YRS	578	3.4	4	2	2	3	4	6	7	10
13-19 YRS	455	3.5	4	2	2	3	4	6	7	13
B. Operated										
0-27 DYS	7	5.4	10	2	3	4	7	10	11	11
1-11 MOS	83	3.8	11	<1	1	3	5	8	12	15
1-5 YRS	262	3.9	10	1	2	3	5	8	10	16
6-12 YRS	199	4.1	12	1	2	3	5	8	10	21
13-19 YRS	192	4.0	7	1	2	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	39	4.7	7	2	2	5	6	9	9	10
1-11 MOS	360	4.5	8	2	3	4	5	8	9	15
1-5 YRS	940	3.9	8	2	2	3	5	7	9	14
6-12 YRS	775	3.9	7	2	2	3	5	7	8	14
13-19 YRS	631	4.4	10	2	3	3	5	8	10	16
B. Operated										
0-27 DYS	12	8.8	61	2	3	6	11	22	27	28
1-11 MOS	125	6.3	43	2	3	5	8	10	12	29
1-5 YRS	324	6.0	34	2	3	4	7	11	15	30
6-12 YRS	278	6.0	38	2	3	5	7	10	14	37
13-19 YRS	325	6.5	25	3	3	5	8	12	15	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1914	3.4	4	2	2	3	4	6	7	11
B. Operated	743	4.0	10	1	2	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	2745	4.1	8	2	2	3	5	7	9	14
B. Operated	1064	6.2	34	2	3	5	8	11	14	28
1. SINGLE DX	2657	3.5	6	1	2	3	4	7	8	13
2. MULTIPLE DX	3809	4.7	16	2	3	4	6	9	11	21
A. Not Operated	4659	3.8	7	2	2	3	5	7	8	14
B. Operated	1807	5.3	25	1	2	4	7	10	13	24
TOTAL										
0-27 DYS	90	5.5	18	2	2	5	7	11	13	24
1-11 MOS	745	4.5	14	2	2	4	6	8	10	15
1-5 YRS	2198	4.0	12	1	2	3	5	7	10	16
6-12 YRS	1830	4.1	12	2	2	3	5	7	9	15
13-19 YRS	1603	4.5	12	2	2	4	5	8	11	19
GRAND TOTAL	**6466**	**4.2**	**12**	**2**	**2**	**3**	**5**	**8**	**10**	**16**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	69	3.3	5	2	2	3	4	6	10	11
1-11 MOS	99	3.9	5	2	2	4	5	7	9	10
1-5 YRS	252	3.7	5	2	2	3	5	7	8	13
6-12 YRS	111	3.3	4	1	2	3	4	6	7	11
13-19 YRS	77	3.5	5	2	2	3	4	6	8	12
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	46	4.4	13	1	2	3	6	9	11	19
1-5 YRS	124	3.5	7	<1	1	3	5	7	9	13
6-12 YRS	81	3.4	6	1	2	3	4	7	8	13
13-19 YRS	59	4.0	14	<1	1	3	5	9	13	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	87	4.1	6	2	2	4	5	7	8	15
1-11 MOS	158	4.3	7	2	3	4	5	8	9	12
1-5 YRS	376	4.4	16	2	3	4	5	7	10	17
6-12 YRS	199	3.9	10	2	2	3	5	7	8	12
13-19 YRS	127	4.5	14	2	3	4	5	8	9	20
B. Operated										
0-27 DYS	5	4.2	7	3	3	3	5	9	9	9
1-11 MOS	103	5.6	11	2	3	5	8	10	12	15
1-5 YRS	154	5.0	11	1	3	4	7	9	11	14
6-12 YRS	99	4.9	24	1	2	4	6	10	12	28
13-19 YRS	89	6.4	32	2	3	5	8	13	18	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	608	3.6	5	2	2	3	4	6	8	11
B. Operated	311	3.7	9	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	947	4.3	12	2	2	4	5	7	9	16
B. Operated	450	5.4	18	1	3	4	7	10	13	22
1. SINGLE DX	919	3.6	6	1	2	3	5	7	9	13
2. MULTIPLE DX	1397	4.6	14	2	3	4	6	8	10	18
A. Not Operated	1555	4.0	9	2	2	3	5	7	9	13
B. Operated	761	4.7	15	1	2	4	6	9	11	18
TOTAL										
0-27 DYS	162	3.7	6	2	2	3	5	7	9	11
1-11 MOS	406	4.6	8	2	3	4	6	9	10	15
1-5 YRS	906	4.2	11	1	2	3	5	8	10	14
6-12 YRS	490	3.9	11	1	2	[illegible]	5	7	9	14
13-19 YRS	352	4.7	17	1	2	4	5	9	11	24
GRAND TOTAL	**2316**	**4.2**	**11**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	3.0	4	1	2	3	4	6	7	7
B. Operated										
0-27 DYS	2	4.5	25	<1	<1	4	8	8	8	8
1-11 MOS	13	3.1	13	<1	1	2	4	8	13	14
1-5 YRS	12	1.8	2	<1	<1	1	2	4	6	6
6-12 YRS	8	1.8	1	1	1	2	2	3	4	4
13-19 YRS	533	1.9	2	1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	2.8	2	1	2	3	4	4	4	4
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
B. Operated										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	5	1.6	1	<1	1	1	2	3	3	3
6-12 YRS	5	3.4	18	1	1	2	4	11	11	11
13-19 YRS	84	3.1	27	1	1	2	3	6	7	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.3	4	1	2	3	4	7	7	7
B. Operated	568	1.9	2	1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	10	2.3	1	<1	1	2	3	4	4	4
B. Operated	99	3.0	24	1	1	2	3	6	7	29
1. SINGLE DX	580	2.0	2	1	1	1	2	4	5	7
2. MULTIPLE DX	109	2.9	22	1	1	2	3	5	7	26
A. Not Operated	22	2.8	3	1	1	3	4	5	7	7
B. Operated	667	2.1	6	1	1	1	2	4	5	9
TOTAL										
0-27 DYS	5	3.8	9	<1	1	4	6	8	8	8
1-11 MOS	22	3.0	9	1	1	2	4	6	10	14
1-5 YRS	18	1.8	2	<1	1	1	2	3	5	6
6-12 YRS	15	2.3	7	1	1	2	2	4	9	11
13-19 YRS	629	2.1	5	1	1	1	2	4	5	7
GRAND TOTAL	**689**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**5**	**9**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	20	1.5	2	<1	<1	<1	1	3	5	7
1-5 YRS	48	1.5	6	<1	<1	<1	1	2	3	17
6-12 YRS	40	1.2	1	<1	<1	<1	1	1	3	5
13-19 YRS	25	1.7	4	<1	<1	<1	1	3	7	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.5	5	<1	<1	2	4	4	4	4
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	7	2.3	5	<1	<1	1	3	6	7	7
6-12 YRS	6	1.2		<1	<1	1	1	2	2	2
13-19 YRS	4	1.3		1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.8	2	<1	<1	<1	2	4	4	4
B. Operated	133	1.4	3	<1	<1	<1	1	2	4	11
2. MULTIPLE DX										
A. Not Operated	6	2.5	1	<1	2	2	3	4	4	4
B. Operated	18	1.6	2	<1	<1	1	2	3	5	7
1. SINGLE DX	138	1.4	3	<1	<1	<1	1	2	4	11
2. MULTIPLE DX	24	1.8	2	<1	<1	1	2	3	5	7
A. Not Operated	11	2.2	1	<1	<1	2	3	4	4	4
B. Operated	151	1.5	3	<1	<1	<1	1	2	4	10
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	23	1.4	2	<1	<1	<1	1	2	5	7
1-5 YRS	56	1.6	5	<1	<1	<1	1	2	4	16
6-12 YRS	49	1.3	1	<1	<1	<1	1	2	4	5
13-19 YRS	33	1.7	3	<1	<1	<1	1	3	6	10
GRAND TOTAL	**162**	**1.5**	**3**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**10**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	2	4.0	18	<1	<1	3	7	7	7	7
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	7	8.6	43	2	5	5	14	18	19	19
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	8	5.4	32	<1	1	2	10	14	15	15
6-12 YRS	13	13.1	481	1	1	3	14	44	72	78
13-19 YRS	25	12.2	162	1	3	10	17	29	42	49
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	2.9	2	1	2	2	4	5	5	5
1-5 YRS	13	6.5	76	2	3	4	5	13	31	35
6-12 YRS	34	10.3	223	1	2	5	12	23	35	79
13-19 YRS	75	9.8	133	3	4	6	9	23	41	53
B. Operated										
0-27 DYS	0									
1-11 MOS	6	18.2	422	4	6	8	28	53	56	56
1-5 YRS	18	12.2	375	1	3	4	13	29	62	82
6-12 YRS	39	11.5	128	1	3	9	15	28	40	45
13-19 YRS	129	18.9	246	4	8	14	26	49	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	6.1	32	1	2	5	7	17	19	19
B. Operated	48	11.0	220	1	2	5	14	28	41	78
2. MULTIPLE DX										
A. Not Operated	130	9.2	144	2	3	5	9	22	37	60
B. Operated	192	16.8	245	3	7	13	24	43	61	99+
1. SINGLE DX	61	9.9	183	1	2	5	13	24	38	75
2. MULTIPLE DX	322	13.7	218	2	4	8	18	37	50	99+
A. Not Operated	143	8.9	134	2	3	5	9	21	36	57
B. Operated	240	15.6	245	2	4	11	22	41	57	99+
TOTAL										
0-27 DYS	2	9.0	2	8	8	9	10	10	10	10
1-11 MOS	16	8.6	201	1	2	4	6	26	48	56
1-5 YRS	41	8.7	199	1	2	4	8	19	34	82
6-12 YRS	88	11.1	210	1	2	6	15	27	39	79
13-19 YRS	236	15.0	212	3	5	10	21	41	52	99+
GRAND TOTAL	**383**	**13.1**	**213**	**2**	**3**	**8**	**17**	**35**	**49**	**99+**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	18	2.4	1	1	2	2	3	4	5	5
1-11 MOS	98	2.7	4	1	1	2	3	5	7	12
1-5 YRS	216	3.0	11	1	1	2	3	5	8	20
6-12 YRS	101	4.4	20	1	2	3	6	10	14	22
13-19 YRS	100	4.8	29	1	1	3	6	14	16	27
B. Operated										
0-27 DYS	0									
1-11 MOS	17	2.2	5	<1	<1	1	2	6	8	8
1-5 YRS	117	2.6	12	<1	<1	1	3	6	8	19
6-12 YRS	177	2.8	16	<1	<1	1	2	7	11	21
13-19 YRS	181	2.2	8	<1	<1	1	2	5	7	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	31	3.6	2	2	2	4	5	5	7	7
1-11 MOS	212	3.6	9	1	2	3	4	7	9	16
1-5 YRS	372	3.6	12	1	2	3	4	7	10	17
6-12 YRS	224	5.0	38	1	2	3	5	11	16	29
13-19 YRS	205	5.4	42	1	2	3	6	14	18	34
B. Operated										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	27	5.6	36	1	1	3	8	15	19	22
1-5 YRS	181	3.6	26	<1	1	2	4	7	13	24
6-12 YRS	158	4.4	46	<1	1	2	5	9	15	41
13-19 YRS	171	4.2	57	<1	1	2	4	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	533	3.5	15	1	1	2	4	7	11	21
B. Operated	492	2.5	12	<1	<1	1	2	6	8	20
2. MULTIPLE DX										
A. Not Operated	1044	4.2	23	1	2	3	5	8	13	26
B. Operated	538	4.2	43	<1	1	2	4	9	15	25
1. SINGLE DX	1025	3.1	14	<1	1	2	3	6	10	20
2. MULTIPLE DX	1582	4.2	30	1	1	3	5	8	14	26
A. Not Operated	1577	4.0	21	1	2	3	4	8	12	25
B. Operated	1030	3.4	28	<1	1	1	4	8	12	22
TOTAL										
0-27 DYS	50	3.4	5	1	2	3	4	5	7	15
1-11 MOS	354	3.4	10	1	1	3	4	7	9	17
1-5 YRS	886	3.3	15	1	1	2	4	7	9	20
6-12 YRS	660	4.2	32	<1	1	2	5	9	15	27
13-19 YRS	657	4.1	36	<1	1	2	4	10	15	25
GRAND TOTAL	**2607**	**3.8**	**24**	**<1**	**1**	**2**	**4**	**8**	**12**	**23**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	0									
1-5 YRS	11	3.8	22	1	2	2	4	10	16	17
6-12 YRS	61	3.3	24	1	1	2	4	7	9	32
13-19 YRS	163	2.2	6	1	1	1	2	4	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	3.9	9	1	2	3	5	9	10	10
6-12 YRS	25	3.8	9	1	2	3	5	9	10	11
13-19 YRS	36	3.3	7	1	1	2	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	10	6.7	63	<1	2	3	12	20	24	24
6-12 YRS	77	5.4	63	1	1	3	6	12	18	49
13-19 YRS	236	5.0	37	1	2	3	6	11	15	34
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	15.3	576	2	3	9	11	55	74	74
6-12 YRS	39	15.2	290	2	4	10	21	41	68	99+
13-19 YRS	80	12.4	200	2	3	10	16	34	38	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	236	2.6	12	1	1	2	2	5	8	19
B. Operated	68	3.6	8	1	1	2	5	7	10	12
2. MULTIPLE DX										
A. Not Operated	323	5.2	44	1	1	3	6	11	16	39
B. Operated	127	13.5	247	2	3	10	17	36	46	99+
1. SINGLE DX	304	2.8	11	1	1	2	3	7	8	17
2. MULTIPLE DX	450	7.5	115	1	2	4	9	19	27	86
A. Not Operated	559	4.1	32	1	1	2	5	9	13	30
B. Operated	195	10.0	185	1	2	5	12	25	37	98
TOTAL										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	0									
1-5 YRS	36	7.2	160	1	2	3	9	16	22	74
6-12 YRS	202	6.5	106	1	1	3	7	17	26	69
13-19 YRS	515	5.1	62	1	1	2	6	12	20	41
GRAND TOTAL	**754**	**5.6**	**78**	**1**	**1**	**2**	**6**	**13**	**22**	**54**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	11.3	65	2	5	16	16	16	16	16
1-5 YRS	64	3.5	6	1	2	3	4	6	9	14
6-12 YRS	47	4.2	15	1	2	3	4	10	13	18
13-19 YRS	32	6.8	33	1	2	5	11	15	19	22
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	11.3	83	1	3	9	20	24	24	24
6-12 YRS	10	2.5	5	<1	1	1	5	6	7	7
13-19 YRS	28	5.3	31	1	1	3	8	11	19	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	4.8	7	2	3	4	7	9	9	9
1-5 YRS	77	5.0	20	1	2	4	7	11	16	22
6-12 YRS	88	5.8	21	2	3	4	7	12	16	25
13-19 YRS	59	9.4	149	2	3	6	11	17	23	83
B. Operated										
0-27 DYS	0									
1-11 MOS	2	14.5	113	7	7	14	22	22	22	22
1-5 YRS	19	8.5	25	2	4	9	11	16	17	17
6-12 YRS	15	4.3	18	<1	1	3	6	10	14	16
13-19 YRS	41	8.6	67	1	3	8	11	16	21	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	4.6	18	1	2	3	5	12	15	19
B. Operated	48	5.8	41	1	1	3	8	16	24	24
2. MULTIPLE DX										
A. Not Operated	231	6.4	55	2	2	4	8	14	16	31
B. Operated	77	7.9	50	1	3	7	11	16	19	41
1. SINGLE DX	194	4.9	24	1	2	3	6	1[illegible]	16	24
2. MULTIPLE DX	308	6.8	54	2	3	5	9	15	17	31
A. Not Operated	377	5.7	42	1	2	4	7	12	16	24
B. Operated	125	7.1	47	1	2	5	10	16	20	30
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	8.0	43	2	3	6	12	18	21	22
1-5 YRS	169	5.2	22	1	2	4	6	12	16	24
6-12 YRS	160	5.0	19	1	2	4	6	11	15	18
13-19 YRS	160	8.0	85	1	3	6	11	16	20	46
GRAND TOTAL	**502**	**6.0**	**43**	**1**	**2**	**4**	**8**	**13**	**17**	**25**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	5.2	17	< 1	1	4	9	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	7.5	41	3	3	7	12	12	12	12
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	4	9.8	20	6	6	8	13	16	16	16
1-5 YRS	4	11.5	27	5	7	12	15	17	17	17
6-12 YRS	0									
13-19 YRS	11	7.5	21	1	3	8	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	13	5.2	15	1	1	5	9	10	12	12
2. MULTIPLE DX										
A. Not Operated	4	5.0	23	1	2	3	8	12	12	12
B. Operated	19	8.8	22	2	5	9	13	15	17	17
1. SINGLE DX	14	5.0	15	1	1	4	9	10	12	12
2. MULTIPLE DX	23	8.2	24	1	4	8	12	14	16	17
A. Not Operated	5	4.4	19	1	2	3	6	12	12	12
B. Operated	32	7.4	22	1	3	7	11	13	16	17
TOTAL										
0-27 DYS	0									
1-11 MOS	5	9.0	18	6	6	7	11	16	16	16
1-5 YRS	6	10.2	29	3	5	11	14	17	17	17
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	24	6.2	19	1	2	6	10	12	13	13
GRAND TOTAL	**37**	**7.0**	**22**	**1**	**3**	**7**	**10**	**13**	**15**	**17**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17-715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	10	1.5	1	< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	23.5	61	18	18	23	29	29	29	29
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	2	8.0	32	4	4	8	12	12	12	12
13-19 YRS	2	6.5	5	5	5	6	8	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	2.6	1	1	2	3	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	< 1	< 1	2	4	4	4	4
B. Operated	12	1.4		< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	8	9.9	91	1	3	6	15	26	29	29
B. Operated	7	3.7	7	1	2	3	4	8	9	9
1. SINGLE DX	14	1.6	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX	15	7.0	59	1	2	4	9	18	26	29
A. Not Operated	10	8.4	81	< 1	2	5	12	23	29	29
B. Operated	19	2.3	4	< 1	1	2	3	4	7	9
TOTAL										
0-27 DYS	0									
1-11 MOS	2	23.5	61	18	18	23	29	29	29	29
1-5 YRS	3	4.0	19	1	1	2	7	9	9	9
6-12 YRS	6	4.3	16	< 1	1	4	4	11	12	12
13-19 YRS	18	2.3	3	< 1	1	2	3	5	7	8
GRAND TOTAL	**29**	**4.4**	**37**	**< 1**	**1**	**2**	**4**	**11**	**19**	**29**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	32	9.8	39	3	5	8	14	21	22	22
1-5 YRS	122	5.6	15	2	3	5	8	11	14	16
6-12 YRS	59	5.7	47	1	2	3	6	13	19	37
13-19 YRS	48	5.0	17	1	2	4	6	10	12	24
B. Operated										
0-27 DYS	2	15.0	98	8	8	15	22	22	22	22
1-11 MOS	31	10.4	75	3	5	9	12	22	24	43
1-5 YRS	137	10.0	38	4	6	8	13	19	22	30
6-12 YRS	70	9.8	107	4	5	8	10	17	22	72
13-19 YRS	50	6.5	25	1	3	6	9	14	17	23
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	54	10.0	40	3	6	9	14	16	19	34
1-5 YRS	121	7.6	36	2	3	6	10	17	21	26
6-12 YRS	89	7.2	48	1	3	5	10	17	21	33
13-19 YRS	76	8.0	38	3	4	6	10	17	20	32
B. Operated										
0-27 DYS	7	16.4	23	10	15	15	20	23	24	24
1-11 MOS	60	13.2	99	5	8	10	16	24	31	54
1-5 YRS	153	12.0	59	5	7	10	15	21	24	48
6-12 YRS	129	13.8	99	4	7	11	17	25	36	53
13-19 YRS	99	10.1	68	2	4	8	14	21	30	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	262	6.1	27	2	2	5	8	12	16	24
B. Operated	290	9.4	58	3	5	8	11	18	22	31
2. MULTIPLE DX										
A. Not Operated	341	8.0	41	2	3	6	11	16	21	32
B. Operated	448	12.3	79	4	7	10	15	22	30	49
1. SINGLE DX	552	7.8	46	2	3	6	10	15	21	29
2. MULTIPLE DX	789	10.5	67	3	5	8	14	21	26	42
A. Not Operated	603	7.2	36	2	3	5	10	15	20	29
B. Operated	738	11.2	73	3	6	9	15	21	27	46
TOTAL										
0-27 DYS	11	15.5	26	9	12	15	20	23	24	24
1-11 MOS	177	11.1	67	3	6	9	14	21	25	48
1-5 YRS	533	9.0	44	2	4	8	12	17	21	29
6-12 YRS	347	9.9	89	2	4	8	13	21	28	42
13-19 YRS	273	7.9	46	2	3	6	10	16	21	31
GRAND TOTAL	**1341**	**9.4**	**60**	**2**	**4**	**7**	**12**	**19**	**23**	**38**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	1.2		< 1	< 1	1	1	2	2	2
13-19 YRS	3	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	0									
1-5 YRS	7	1.7	1	1	1	1	3	3	3	3
6-12 YRS	25	2.3	13	< 1	1	1	2	3	10	18
13-19 YRS	545	2.4	1	< 1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	9	2.0	2	< 1	< 1	1	3	4	4	4
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	12	1.8	1	< 1	1	2	3	3	3	3
13-19 YRS	655	2.6	2	1	2	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.6	1	< 1	1	1	2	3	4	4
B. Operated	578	2.3	2	< 1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	11	2.4	2	< 1	< 1	3	3	4	5	5
B. Operated	669	2.6	2	1	2	3	3	4	5	8
1. SINGLE DX	586	2.3	2	< 1	1	2	3	4	4	7
2. MULTIPLE DX	680	2.6	2	1	2	3	3	4	5	8
A. Not Operated	19	2.1	2	< 1	1	1	3	4	5	5
B. Operated	1247	2.5	2	1	1	2	3	4	5	7
TOTAL										
0-27 DYS	2	2.5	5	< 1	< 1	2	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	1.7	1	1	1	1	3	3	3	3
6-12 YRS	44	2.1	8	< 1	1	1	2	3	6	18
13-19 YRS	1212	2.5	2	1	1	2	3	4	5	7
GRAND TOTAL	**1266**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	2.0	1	<1	1	2	3	3	3	3
1-5 YRS	78	2.2	3	1	1	2	3	4	5	12
6-12 YRS	83	2.8	3	1	1	2	4	5	6	8
13-19 YRS	36	3.1	5	1	2	3	4	6	8	9
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	1.9	1	<1	1	2	3	3	3	3
1-5 YRS	43	2.5	10	<1	1	2	2	5	8	19
6-12 YRS	108	2.7	5	1	1	2	3	6	7	12
13-19 YRS	1477	2.1	2	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	3.0	2	1	2	3	4	5	6	6
1-5 YRS	115	2.9	9	1	1	2	3	5	8	18
6-12 YRS	131	4.2	17	1	2	3	5	8	11	23
13-19 YRS	121	4.0	29	<1	1	3	4	8	11	36
B. Operated										
0-27 DYS	2	13.0	288	<1	<1	12	25	25	25	25
1-11 MOS	10	3.7	9	1	2	2	4	9	9	9
1-5 YRS	353	3.3	18	1	2	2	3	5	7	21
6-12 YRS	534	3.9	15	1	2	3	4	7	10	20
13-19 YRS	802	3.3	25	1	1	2	4	5	8	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	206	2.6	3	1	1	2	3	5	6	9
B. Operated	1636	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	376	3.7	18	1	2	3	4	7	10	22
B. Operated	1701	3.5	21	1	2	3	4	6	9	23
1. SINGLE DX	1842	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX	2077	3.5	20	1	2	3	4	6	9	23
A. Not Operated	582	3.3	13	1	1	2	4	6	8	19
B. Operated	3337	2.9	12	1	1	2	3	5	6	17
TOTAL										
0-27 DYS	4	7.5	137	<1	<1	2	14	25	25	25
1-11 MOS	34	2.7	4	1	2	2	3	5	8	9
1-5 YRS	589	3.0	13	1	1	2	3	5	7	18
6-12 YRS	856	3.7	13	1	2	3	4	7	9	18
13-19 YRS	2436	2.6	11	1	1	2	3	4	6	14
GRAND TOTAL	**3919**	**2.9**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	0									
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	1	4.0		4	4	4	4	4	4	4
A. Not Operated	2	3.0	2	2	2	3	4	4	4	4
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	5	3.8	6	1	2	4	5	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	3	8.0	1	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	6	6.3	30	1	2	5	9	15	16	16
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	5.7	17	1	2	7	8	9	9	9
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	7.5	1	7	7	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.6	5	1	1	4	5	7	7	7
B. Operated	4	8.5	2	7	7	8	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	11	6.2	18	1	3	5	8	12	16	16
B. Operated	7	5.7	8	2	4	7	8	9	9	9
1. SINGLE DX	11	5.4	10	1	2	5	8	9	10	10
2. MULTIPLE DX	18	6.0	13	1	4	6	8	9	13	16
A. Not Operated	18	5.2	14	1	2	5	7	9	13	16
B. Operated	11	6.7	7	3	5	7	9	10	10	10
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	5.7	4	4	4	5	7	8	8	8
1-5 YRS	4	6.3	13	1	4	7	8	9	9	9
6-12 YRS	5	5.6	9	2	3	5	8	10	10	10
13-19 YRS	16	6.0	15	1	3	6	8	9	14	16
GRAND TOTAL	**29**	**5.8**	**12**	**1**	**3**	**5**	**8**	**9**	**10**	**16**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	30	4.0	5	1	2	4	5	7	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	321	3.7	7	1	2	3	4	6	7	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	28	7.4	37	3	3	5	9	16	24	25
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	77	5.1	76	2	3	3	6	8	9	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	4.0	5	1	2	4	5	7	8	8
B. Operated	321	3.7	7	1	2	3	4	6	7	17
2. MULTIPLE DX										
A. Not Operated	28	7.4	37	3	3	5	9	16	24	25
B. Operated	77	5.1	76	2	3	3	6	8	9	60
1. SINGLE DX	351	3.7	7	1	2	3	4	6	7	16
2. MULTIPLE DX	105	5.8	66	2	3	4	6	9	13	49
A. Not Operated	58	5.6	23	1	3	5	7	10	16	25
B. Operated	398	4.0	21	1	2	3	5	7	8	17
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	456	4.2	21	1	2	3	5	7	8	21
GRAND TOTAL	**456**	**4.2**	**21**	**1**	**2**	**3**	**5**	**7**	**8**	**21**

321: Derangement and displacement of intervertebral disc, except lumbar (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	14.0	98	7	7	14	21	21	21	21
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	6.3	9	3	4	7	8	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	2.8	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	6.0	13	3	3	5	9	10	10	10
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	4.0	9	1	2	4	6	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	0									
13-19 YRS	6	4.8	33	1	1	2	10	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	8.8	39	3	6	7	9	20	21	21
B. Operated	6	2.8	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	7	4.4	11	1	2	4	6	9	10	10
B. Operated	7	7.9	91	1	1	2	13	24	26	26
1. SINGLE DX	12	5.8	29	1	2	5	7	13	20	21
2. MULTIPLE DX	14	6.1	50	1	1	3	10	15	24	26
A. Not Operated	13	6.5	27	1	3	6	8	12	19	21
B. Operated	13	5.5	54	1	1	2	6	16	24	26
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	12.0	87	3	5	8	21	25	26	26
6-12 YRS	2	3.5	13	1	1	3	6	6	6	6
13-19 YRS	18	4.3	14	1	1	3	7	10	12	14
GRAND TOTAL	**26**	**6.0**	**39**	**1**	**1**	**4**	**7**	**14**	**22**	**26**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	5.7	25	< 1	1	5	9	11	11	11
6-12 YRS	6	5.5	13	1	3	5	7	11	11	11
13-19 YRS	5	4.6	6	2	3	4	6	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	4	10.3	28	3	6	11	14	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	7.3	34	3	3	5	12	14	14	14
13-19 YRS	5	6.2	34	1	2	4	10	15	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	4	9.8	38	1	5	11	14	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	5.2	11	1	3	5	7	11	11	11
B. Operated	6	8.3	25	3	4	7	13	15	15	15
2. MULTIPLE DX										
A. Not Operated	10	6.1	24	1	3	4	9	14	15	15
B. Operated	7	9.6	19	3	9	10	12	15	15	15
1. SINGLE DX	20	6.2	16	1	3	5	9	12	14	15
2. MULTIPLE DX	17	7.5	24	1	3	9	11	15	15	15
A. Not Operated	24	5.6	16	1	3	4	8	12	14	15
B. Operated	13	9.0	21	3	5	10	13	15	15	15
TOTAL										
0-27 DYS	0									
1-11 MOS	3	5.3	10	3	3	4	8	9	9	9
1-5 YRS	6	6.0	12	< 1	5	5	9	11	11	11
6-12 YRS	10	6.5	17	2	3	6	10	12	14	14
13-19 YRS	18	7.4	27	1	3	7	13	15	15	15
GRAND TOTAL	**37**	**6.8**	**20**	**1**	**3**	**5**	**10**	**14**	**15**	**15**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	4.0	3	2	3	4	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	6.0	7	4	4	5	8	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	7.0	32	3	3	7	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.0	3	2	3	4	5	6	6	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4	5.3	7	3	3	4	7	9	9	9
B. Operated	2	7.0	32	3	3	7	11	11	11	11
1. SINGLE DX	5	4.0	3	2	3	4	5	6	6	6
2. MULTIPLE DX	6	5.8	11	3	3	4	9	11	11	11
A. Not Operated	9	4.6	4	2	3	4	5	8	9	9
B. Operated	2	7.0	32	3	3	7	11	11	11	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	10	5.2	8	2	3	4	6	10	11	11
GRAND TOTAL	**11**	**5.0**	**8**	**2**	**3**	**4**	**6**	**10**	**11**	**11**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5; 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	2.0	1	< 1	1	2	2	3	3	3
1-5 YRS	29	2.0	2	< 1	1	1	3	5	5	6
6-12 YRS	43	2.3	4	< 1	1	1	3	5	7	10
13-19 YRS	72	2.9	6	1	1	2	4	6	9	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
6-12 YRS	8	2.0	5	< 1	< 1	1	2	6	7	7
13-19 YRS	37	2.9	6	1	1	2	4	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	5.8	20	2	2	4	9	12	12	12
1-5 YRS	36	2.6	4	1	1	2	3	5	8	9
6-12 YRS	40	3.0	7	< 1	1	2	4	7	10	12
13-19 YRS	104	3.4	8	< 1	1	3	5	8	10	12
B. Operated										
0-27 DYS	0									
1-11 MOS	2	18.5	481	3	3	18	34	34	34	34
1-5 YRS	8	3.6	9	1	1	3	5	8	9	9
6-12 YRS	17	4.2	14	1	1	3	6	7	13	16
13-19 YRS	46	5.0	55	< 1	1	3	6	10	15	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	149	2.5	5	< 1	1	2	3	5	6	10
B. Operated	48	2.6	5	< 1	1	2	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	184	3.2	7	1	1	2	4	8	9	12
B. Operated	73	5.0	50	1	1	3	6	9	16	45
1. SINGLE DX	197	2.5	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX	257	3.7	20	1	1	2	5	8	10	17
A. Not Operated	333	2.9	6	< 1	1	2	4	6	9	12
B. Operated	121	4.1	34	1	1	3	5	8	11	38
TOTAL										
0-27 DYS	0									
1-11 MOS	11	6.4	93	1	2	3	5	21	33	34
1-5 YRS	76	2.4	4	< 1	1	2	3	5	7	9
6-12 YRS	108	2.8	7	1	1	2	3	6	8	14
13-19 YRS	259	3.5	16	1	1	2	4	7	10	15
GRAND TOTAL	**454**	**3.2**	**14**	**1**	**1**	**2**	**4**	**6**	**9**	**15**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	13	2.7	3	1	2	2	3	5	7	7
1-5 YRS	202	2.4	2	1	1	2	3	4	5	7
6-12 YRS	128	3.1	5	1	2	3	4	6	7	10
13-19 YRS	42	3.7	3	2	2	4	5	6	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	38	2.9	8	<1	<1	1	4	7	10	12
6-12 YRS	58	2.5	6	<1	1	2	3	5	7	13
13-19 YRS	164	1.8	2	<1	1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	3.3	4	1	2	3	4	6	7	7
1-5 YRS	104	2.8	4	1	1	2	4	5	7	9
6-12 YRS	75	3.9	19	1	2	3	4	6	10	27
13-19 YRS	37	3.9	8	1	2	4	4	7	11	14
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	10.3	34	4	6	9	14	18	18	18
1-5 YRS	24	4.2	4	1	2	5	6	7	7	7
6-12 YRS	41	4.7	31	1	2	3	6	8	13	33
13-19 YRS	102	3.2	11	1	1	2	4	8	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	385	2.8	3	1	1	2	3	5	6	9
B. Operated	263	2.1	4	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	225	3.4	9	1	2	3	4	6	8	16
B. Operated	172	3.8	16	1	1	3	5	8	11	18
1. SINGLE DX	648	2.5	4	1	1	2	3	5	6	9
2. MULTIPLE DX	397	3.6	12	1	1	3	4	7	9	18
A. Not Operated	610	3.0	6	1	2	2	4	5	7	11
B. Operated	435	2.8	9	<1	1	2	3	6	8	14
TOTAL										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	28	3.8	14	1	2	2	5	8	11	18
1-5 YRS	368	2.7	3	1	1	2	4	5	6	9
6-12 YRS	302	3.4	12	1	1	3	4	6	8	20
13-19 YRS	345	2.6	6	<1	1	2	3	5	8	13
GRAND TOTAL	**1045**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	18	2.0	1	1	1	2	3	3	4	4
13-19 YRS	160	1.8	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	1.7	1	<1	1	1	2	3	3	3
B. Operated										
0-27 DYS	2	17.0	450	2	2	17	32	32	32	32
1-11 MOS	0									
1-5 YRS	6	1.7	1	<1	1	1	2	3	3	3
6-12 YRS	35	1.7	1	1	1	2	2	3	4	4
13-19 YRS	228	1.8	1	1	1	2	2	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	182	1.8	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	6	1.7	1	<1	1	1	2	3	3	3
B. Operated	271	1.9	4	1	1	2	2	3	4	6
1. SINGLE DX	184	1.8	1	1	1	1	2	3	4	6
2. MULTIPLE DX	277	1.9	4	1	1	2	2	3	4	6
A. Not Operated	8	2.3	3	<1	1	2	3	5	6	6
B. Operated	453	1.9	3	1	1	2	2	3	4	6
TOTAL										
0-27 DYS	2	17.0	450	2	2	17	32	32	32	32
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	9	1.6	1	<1	1	1	2	3	3	3
6-12 YRS	53	1.8	1	1	1	2	2	3	4	4
13-19 YRS	396	1.8	1	1	1	2	2	3	4	6
GRAND TOTAL	**461**	**1.9**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	25	1.1		<1	<1	1	1	2	2	2
6-12 YRS	53	1.1		<1	<1	<1	1	1	2	2
13-19 YRS	49	1.1		<1	<1	<1	1	1	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS	10	1.2		<1	<1	1	1	2	2	2
13-19 YRS	8	2.4	5	<1	1	1	3	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7		<1	<1	2	2	2	2	2
B. Operated	127	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	<1	<1	1	2	2	2	2
B. Operated	21	1.9	3	<1	<1	1	2	5	6	7
1. SINGLE DX	130	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	23	1.8	3	<1	<1	1	2	5	6	7
A. Not Operated	5	1.6		<1	<1	2	2	2	2	2
B. Operated	148	1.2	1	<1	<1	<1	1	2	2	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	28	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	64	1.1		<1	<1	<1	1	1	2	2
13-19 YRS	61	1.3	1	<1	<1	<1	1	2	4	7
GRAND TOTAL	**153**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	22	9.8	55	3	4	7	15	21	24	28
1-5 YRS	92	8.8	37	3	5	7	11	19	21	28
6-12 YRS	87	8.7	45	2	4	7	12	15	20	39
13-19 YRS	35	7.3	37	2	3	6	9	13	22	29
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	13.7	55	6	7	11	19	26	26	26
1-5 YRS	74	8.7	53	1	4	7	11	16	24	37
6-12 YRS	92	11.2	97	2	4	9	13	27	32	47
13-19 YRS	76	8.8	41	2	4	7	12	18	22	32
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	3.7		3	3	4	4	4	4	4
1-11 MOS	30	16.4	87	6	9	14	23	29	35	36
1-5 YRS	91	11.6	69	3	6	10	15	23	30	37
6-12 YRS	117	11.6	67	4	7	8	14	22	29	41
13-19 YRS	83	10.5	62	3	5	8	15	19	29	38
B. Operated										
0-27 DYS	11	13.6	51	6	8	12	18	24	29	29
1-11 MOS	37	21.7	278	8	10	16	30	41	51	87
1-5 YRS	117	14.8	117	4	7	12	21	32	37	49
6-12 YRS	245	15.3	120	5	8	13	21	31	43	66
13-19 YRS	156	13.7	191	3	6	10	16	32	43	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	237	8.7	42	2	4	7	11	18	21	28
B. Operated	255	9.9	67	2	4	8	12	21	28	37
2. MULTIPLE DX										
A. Not Operated	324	11.7	70	3	6	9	[illegible]	23	30	38
B. Operated	566	15.2	150	4	7	12	19	32	43	90
1. SINGLE DX	492	9.3	55	2	4	7	12	19	24	36
2. MULTIPLE DX	890	13.9	124	4	7	11	17	29	38	57
A. Not Operated	561	10.4	60	3	5	8	14	21	27	37
B. Operated	821	13.5	130	3	6	10	17	29	39	60
TOTAL										
0-27 DYS	16	11.4	59	3	4	10	17	21	27	29
1-11 MOS	101	16.6	164	5	8	14	21	32	40	71
1-5 YRS	374	11.3	79	3	6	9	15	23	30	44
6-12 YRS	541	12.8	98	3	6	10	15	26	34	48
13-19 YRS	350	11.3	117	3	5	9	14	22	33	90
GRAND TOTAL	**1382**	**12.3**	**104**	**3**	**6**	**10**	**15**	**25**	**33**	**49**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	77	4.4	14	1	2	3	6	9	11	21
6-12 YRS	136	6.2	32	1	2	4	8	13	20	26
13-19 YRS	52	3.3	13	1	1	2	5	7	11	18
B. Operated										
0-27 DYS	0									
1-11 MOS	7	4.1	26	< 1	< 1	1	5	13	15	15
1-5 YRS	143	3.5	20	1	1	2	3	7	15	23
6-12 YRS	906	3.6	10	1	2	3	4	7	9	17
13-19 YRS	1015	3.0	7	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	8.3	10	6	6	7	11	12	12	12
1-11 MOS	5	5.2	25	1	1	3	10	12	12	12
1-5 YRS	51	3.9	14	1	2	3	5	8	10	22
6-12 YRS	94	6.6	56	1	2	4	9	21	25	72
13-19 YRS	80	4.3	33	< 1	1	2	5	10	17	31
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	8.0	20	3	5	7	11	15	15	15
1-5 YRS	87	3.8	14	1	1	3	5	8	12	20
6-12 YRS	338	5.7	59	1	2	4	7	11	18	35
13-19 YRS	581	4.1	28	1	1	3	5	8	12	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	267	5.1	24	1	2	4	7	11	15	23
B. Operated	2071	3.3	9	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	233	5.2	39	1	1	3	6	13	21	35
B. Operated	1015	4.6	38	1	1	3	5	9	14	31
1. SINGLE DX	2338	3.5	11	1	1	2	4	7	10	18
2. MULTIPLE DX	1248	4.7	38	1	1	3	5	10	15	31
A. Not Operated	500	5.2	31	1	1	3	7	12	18	29
B. Operated	3086	3.7	19	1	1	3	4	7	10	21
TOTAL										
0-27 DYS	4	7.8	8	6	6	7	9	12	12	12
1-11 MOS	22	5.8	23	1	1	5	8	14	15	15
1-5 YRS	358	3.8	16	1	1	2	5	8	12	23
6-12 YRS	1474	4.5	28	1	2	3	5	9	13	26
13-19 YRS	1728	3.4	16	1	1	2	4	7	9	20
GRAND TOTAL	**3586**	**3.9**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	2.2	1	1	2	2	3	3	3	3
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	12	2.3	1	1	1	2	3	4	4	4
1-5 YRS	85	1.9	1	1	1	2	2	3	4	7
6-12 YRS	192	2.4	3	1	1	2	3	4	6	9
13-19 YRS	211	3.2	16	1	1	2	3	6	8	26
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	6	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	12	1.6	1	< 1	< 1	< 1	2	3	4	4
13-19 YRS	12	2.7	6	< 1	1	2	3	6	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	10	1.5	1	< 1	1	1	2	3	4	4
1-5 YRS	221	2.5	3	1	1	2	3	4	6	10
6-12 YRS	606	3.4	16	1	2	2	4	6	8	21
13-19 YRS	446	3.9	16	1	2	3	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.9	1	1	1	2	3	3	3	3
B. Operated	500	2.7	8	1	1	2	3	4	6	13
2. MULTIPLE DX										
A. Not Operated	32	2.2	5	< 1	< 1	1	3	4	9	11
B. Operated	1283	3.4	14	1	2	3	4	6	8	17
1. SINGLE DX	510	2.6	8	1	1	2	3	4	6	13
2. MULTIPLE DX	1315	3.4	14	1	2	3	4	6	8	17
A. Not Operated	42	2.1	4	< 1	< 1	1	3	4	7	11
B. Operated	1783	3.2	12	1	1	2	4	6	8	16
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	23	2.3	5	1	1	2	3	4	7	11
1-5 YRS	318	2.3	3	1	1	2	3	4	6	8
6-12 YRS	812	3.1	12	1	1	2	4	6	7	19
13-19 YRS	671	3.6	16	1	2	3	4	7	9	22
GRAND TOTAL	**1825**	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	36	2.0	2	1	1	1	3	4	4	5
6-12 YRS	105	2.0	6	<1	<1	1	2	4	6	14
13-19 YRS	112	2.0	3	<1	<1	1	2	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	20	1.9	2	<1	<1	1	2	4	5	6
1-5 YRS	137	2.5	5	<1	1	2	3	5	7	11
6-12 YRS	337	5.2	15	1	2	5	7	9	10	18
13-19 YRS	681	6.0	12	1	3	6	8	9	11	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	21	3.8	9	1	2	3	4	10	11	11
1-5 YRS	79	2.9	7	1	1	2	3	6	8	14
6-12 YRS	119	3.1	13	<1	1	2	4	5	8	21
13-19 YRS	167	3.3	13	<1	1	2	4	6	11	18
B. Operated										
0-27 DYS	0									
1-11 MOS	23	5.3	37	1	2	3	7	11	18	28
1-5 YRS	382	3.1	16	1	1	2	3	7	10	20
6-12 YRS	794	6.0	53	1	1	4	8	12	17	41
13-19 YRS	960	7.7	60	1	2	7	10	15	21	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	254	2.0	4	<1	<1	1	2	4	6	11
B. Operated	1175	5.3	13	1	2	6	8	9	10	16
2. MULTIPLE DX										
A. Not Operated	388	3.2	12	<1	1	2	4	6	10	18
B. Operated	2159	6.2	52	1	2	4	9	12	18	38
1. SINGLE DX	1429	4.7	13	<1	1	4	7	9	10	16
2. MULTIPLE DX	2547	5.8	47	1	1	3	8	12	17	35
A. Not Operated	642	2.7	9	<1	1	2	3	5	8	16
B. Operated	3334	5.9	39	1	2	5	8	11	15	31
TOTAL										
0-27 DYS	3	5.3	24	2	2	3	9	11	11	11
1-11 MOS	64	3.7	18	<1	1	2	4	10	11	26
1-5 YRS	634	2.9	12	1	1	2	3	6	8	16
6-12 YRS	1355	5.2	38	1	1	3	7	10	14	32
13-19 YRS	1920	6.4	39	1	2	6	8	12	16	30
GRAND TOTAL	**3976**	**5.4**	**35**	**1**	**1**	**4**	**8**	**11**	**14**	**29**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
1. SINGLE DX	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	1	1.0		1	1	1	1	1	1	1
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**3**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

980 Hospitals, United States, Pediatric, January-December 1989

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	5.0	10	2	2	4	7	9	9	9
1-11 MOS	23	2.3	3	< 1	1	2	3	6	6	6
1-5 YRS	23	2.7	27	< 1	1	1	3	4	12	26
6-12 YRS	12	4.9	39	1	1	2	6	12	21	23
13-19 YRS	6	1.5		1	1	1	2	2	2	2
B. Operated										
0-27 DYS	69	7.2	42	2	3	5	9	16	20	37
1-11 MOS	173	4.3	13	2	3	4	5	7	10	25
1-5 YRS	79	4.5	14	1	2	3	6	9	11	19
6-12 YRS	47	5.2	13	1	2	5	8	10	11	19
13-19 YRS	26	6.6	22	1	3	6	9	12	15	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	30	11.4	146	2	4	7	10	35	40	40
1-11 MOS	96	4.4	22	1	2	3	5	10	16	24
1-5 YRS	94	3.8	22	1	1	2	5	8	13	69
6-12 YRS	62	3.5	26	1	1	2	3	7	13	28
13-19 YRS	18	5.9	46	< 1	1	3	8	13	22	28
B. Operated										
0-27 DYS	150	17.9	246	4	7	14	26	46	60	99 +
1-11 MOS	253	8.2	175	2	3	5	8	19	46	99 +
1-5 YRS	286	7.1	40	2	4	6	8	12	19	32
6-12 YRS	179	8.0	40	2	4	6	9	16	19	34
13-19 YRS	114	10.9	101	4	5	8	11	23	38	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	3.0	18	< 1	1	2	3	6	8	25
B. Operated	394	5.1	20	1	2	4	6	10	12	22
2. MULTIPLE DX										
A. Not Operated	300	4.8	41	1	1	3	5	10	18	38
B. Operated	982	9.6	126	2	4	6	10	23	35	99 +
1. SINGLE DX	462	4.8	20	1	2	4	6	9	12	23
2. MULTIPLE DX	1282	8.5	110	1	3	6	9	19	32	99
A. Not Operated	368	4.5	37	1	1	2	5	9	17	36
B. Operated	1376	8.3	100	2	3	6	9	18	28	96
TOTAL										
0-27 DYS	253	14.0	197	3	5	9	18	39	48	99 +
1-11 MOS	545	6.1	93	1	2	4	6	11	22	99 +
1-5 YRS	482	5.8	34	1	2	5	7	11	17	32
6-12 YRS	300	6.5	36	1	2	5	8	14	18	28
13-19 YRS	164	9.3	84	2	4	7	11	21	26	46
GRAND TOTAL	**1744**	**7.5**	**89**	**1**	**3**	**5**	**8**	**16**	**26**	**80**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	9	1.7	1	< 1	1	1	2	4	4	4
1-11 MOS	67	1.1		< 1	< 1	< 1	< 1	1	2	3
1-5 YRS	71	1.0		< 1	< 1	< 1	< 1	< 1	1	3
6-12 YRS	5	2.8	3	1	1	3	4	5	5	5
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-27 DYS	50	1.5	1	1	1	1	1	3	4	5
1-11 MOS	171	1.3	1	< 1	< 1	1	1	2	3	5
1-5 YRS	298	1.4	1	< 1	< 1	1	1	3	4	7
6-12 YRS	252	1.5	1	< 1	1	1	2	3	4	6
13-19 YRS	90	1.9	2	1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	13	1.5	1	1	1	1	2	3	3	3
1-11 MOS	21	2.3	4	< 1	1	1	3	5	7	9
1-5 YRS	21	1.4	1	< 1	< 1	1	1	3	4	4
6-12 YRS	8	1.6	1	< 1	< 1	1	2	3	3	3
13-19 YRS	4	2.3	2	< 1	< 1	2	3	4	4	4
B. Operated										
0-27 DYS	18	2.7	11	1	1	1	3	8	11	12
1-11 MOS	92	1.8	3	1	1	1	2	3	5	11
1-5 YRS	159	2.5	14	< 1	1	1	2	4	8	18
6-12 YRS	149	2.0	2	1	1	1	3	4	5	8
13-19 YRS	72	2.2	3	1	1	2	3	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	1.2	1	< 1	< 1	< 1	< 1	1	3	5
B. Operated	861	1.5	1	< 1	< 1	1	1	3	4	7
2. MULTIPLE DX										
A. Not Operated	67	1.8	2	< 1	< 1	1	2	4	4	8
B. Operated	490	2.2	7	1	1	1	2	4	6	13
1. SINGLE DX	1014	1.4	1	< 1	< 1	1	1	3	4	6
2. MULTIPLE DX	557	2.1	6	< 1	1	1	2	4	6	12
A. Not Operated	220	1.4	1	< 1	< 1	< 1	1	3	4	6
B. Operated	1351	1.7	3	< 1	1	1	2	3	5	8
TOTAL										
0-27 DYS	90	1.7	3	1	1	1	2	4	5	11
1-11 MOS	351	1.4	2	< 1	< 1	1	1	2	4	8
1-5 YRS	549	1.7	5	< 1	< 1	1	1	3	4	12
6-12 YRS	414	1.7	2	< 1	1	1	2	3	4	8
13-19 YRS	167	2.1	3	1	1	1	3	4	6	7
GRAND TOTAL	**1571**	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**8**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	45	2.6	5	1	1	2	3	5	5	14
1-11 MOS	62	4.2	15	1	1	3	6	10	13	15
1-5 YRS	44	6.8	75	1	2	5	8	11	20	51
6-12 YRS	17	2.6	4	1	1	2	4	7	63	99+
13-19 YRS	8	3.4	4	<1	2	3	5	6	6	6
B. Operated										
0-27 DYS	54	7.9	86	1	2	6	10	16	22	52
1-11 MOS	547	5.0	38	1	2	3	7	10	12	24
1-5 YRS	1319	4.0	9	1	2	4	6	7	8	14
6-12 YRS	536	3.9	12	1	1	4	6	7	9	16
13-19 YRS	242	4.3	11	1	1	4	6	9	10	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	274	6.7	62	1	2	4	7	14	21	43
1-11 MOS	489	5.2	61	1	1	3	6	12	19	41
1-5 YRS	325	2.5	15	<1	1	1	2	6	8	20
6-12 YRS	92	2.7	9	<1	1	1	3	7	10	13
13-19 YRS	64	3.7	15	<1	1	2	5	9	13	18
B. Operated										
0-27 DYS	707	15.8	193	4	8	12	20	42	71	99+
1-11 MOS	2810	9.4	116	1	2	7	12	21	31	77
1-5 YRS	3607	7.3	75	1	2	6	9	16	23	59
6-12 YRS	1185	6.1	48	1	2	5	8	13	18	36
13-19 YRS	541	5.7	46	1	2	4	8	11	15	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	176	4.3	28	1	1	3	6	9	13	46
B. Operated	2698	4.3	17	1	1	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	1244	4.6	46	<1	1	2	5	11	15	36
B. Operated	8850	8.4	98	1	2	6	10	19	29	78
1. SINGLE DX	2874	4.3	18	1	1	4	6	8	10	17
2. MULTIPLE DX	10094	7.9	93	1	2	6	10	18	27	72
A. Not Operated	1420	4.6	43	1	1	2	5	11	15	36
B. Operated	11548	7.4	82	1	2	5	9	16	25	64
TOTAL										
0-27 DYS	1080	12.6	167	2	4	9	16	35	52	99+
1-11 MOS	3908	8.2	100	1	2	6	10	18	28	70
1-5 YRS	5295	6.2	58	1	2	5	8	13	19	43
6-12 YRS	1830	5.2	36	1	1	4	7	10	15	32
13-19 YRS	855	5.1	34	1	1	3	7	10	14	29
GRAND TOTAL	**12968**	**7.1**	**79**	**1**	**2**	**5**	**9**	**15**	**24**	**62**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	19	2.8	3	1	2	2	3	5	7	8
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-27 DYS	16	2.3	1	1	1	2	3	4	5	5
1-11 MOS	962	2.1	2	1	1	2	3	4	5	6
1-5 YRS	547	2.1	1	1	1	2	3	4	5	6
6-12 YRS	224	1.9	1	1	1	2	2	3	4	5
13-19 YRS	87	2.1	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	15	6.5	75	2	3	4	7	8	30	37
1-11 MOS	41	2.7	20	<1	1	2	3	4	6	29
1-5 YRS	25	1.4	1	<1	<1	1	1	2	3	5
6-12 YRS	6	1.7	3	<1	<1	1	1	5	5	5
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. Operated										
0-27 DYS	5	5.6	28	3	3	3	7	15	15	15
1-11 MOS	966	2.6	5	1	1	2	3	5	6	13
1-5 YRS	812	2.5	5	1	1	2	3	5	5	10
6-12 YRS	272	2.0	2	1	1	2	3	3	4	7
13-19 YRS	150	1.9	2	1	1	1	2	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.7	3	1	2	2	3	5	7	8
B. Operated	1836	2.1	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	89	2.9	24	<1	1	1	3	5	7	34
B. Operated	2205	2.4	4	1	1	2	3	5	5	11
1. SINGLE DX	1861	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX	2294	2.4	5	1	1	2	3	5	6	11
A. Not Operated	114	2.8	20	<1	1	2	3	5	7	32
B. Operated	4041	2.3	3	1	1	2	3	4	5	8
TOTAL										
0-27 DYS	38	4.5	36	1	2	3	4	7	12	37
1-11 MOS	1988	2.4	4	1	1	2	3	4	5	9
1-5 YRS	1385	2.3	3	1	1	2	3	4	5	8
6-12 YRS	503	1.9	1	1	1	2	2	3	4	6
13-19 YRS	241	2.0	2	1	1	2	3	4	5	6
GRAND TOTAL	**4155**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	10	2.1	1	1	1	2	3	3	3	3
1-11 MOS	22	2.2	2	1	1	2	2	4	6	7
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	534	3.1	2	2	2	3	4	4	6	8
1-11 MOS	1315	2.9	1	2	2	3	3	4	5	7
1-5 YRS	3	3.7		3	3	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	12	1.9	1	<1	1	2	3	3	4	4
1-11 MOS	23	2.9	11	<1	1	2	4	5	9	16
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	248	3.9	4	2	3	3	5	6	8	11
1-11 MOS	544	3.9	5	2	3	3	4	6	7	13
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.2	2	1	1	2	3	3	5	7
B. Operated	1854	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	35	2.6	7	<1	1	2	3	5	6	16
B. Operated	794	3.9	5	2	3	3	4	6	7	13
1. SINGLE DX	1886	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX	829	3.8	5	2	3	3	4	6	7	13
A. Not Operated	67	2.4	5	1	1	2	3	4	5	14
B. Operated	2648	3.2	3	2	2	3	4	5	6	9
TOTAL										
0-27 DYS	804	3.3	3	2	2	3	4	5	6	10
1-11 MOS	1904	3.1	3	2	2	3	4	5	6	9
1-5 YRS	4	4.8	5	3	3	4	6	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
GRAND TOTAL	**2715**	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	25	2.5	2	1	1	2	4	5	5	5
1-11 MOS	100	2.9	12	1	1	2	4	5	7	22
1-5 YRS	61	2.5	5	<1	1	2	3	5	7	12
6-12 YRS	12	2.8	13	<1	<1	1	3	9	12	12
13-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
B. Operated										
0-27 DYS	150	7.9	47	2	5	7	10	15	20	99+
1-11 MOS	536	5.4	35	1	2	4	7	11	15	32
1-5 YRS	378	5.1	40	<1	1	4	7	10	13	39
6-12 YRS	180	4.0	12	1	1	3	5	9	11	14
13-19 YRS	88	3.5	6	1	1	3	5	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	61	4.6	48	1	2	3	4	9	12	43
1-11 MOS	268	5.1	64	1	1	3	5	10	17	56
1-5 YRS	138	5.6	64	1	1	3	6	11	20	45
6-12 YRS	20	3.0	4	1	1	2	4	6	7	8
13-19 YRS	11	3.8	11	1	1	2	7	9	10	10
B. Operated										
0-27 DYS	366	17.8	295	4	7	13	30	85	99+	99+
1-11 MOS	788	10.8	186	1	3	7	14	30	54	99+
1-5 YRS	677	8.8	144	1	2	5	9	20	37	87
6-12 YRS	291	4.8	48	1	1	3	6	9	14	52
13-19 YRS	138	6.0	61	1	1	4	8	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202	2.7	8	<1	1	2	4	5	7	14
B. Operated	1332	5.3	34	1	2	4	7	10	15	36
2. MULTIPLE DX										
A. Not Operated	498	5.0	58	1	1	3	6	10	16	53
B. Operated	2260	10.3	180	1	3	6	12	29	55	99+
1. SINGLE DX	1534	5.0	31	1	1	4	7	10	13	31
2. MULTIPLE DX	2758	9.3	162	1	2	5	11	25	47	99+
A. Not Operated	700	4.4	45	1	1	2	5	9	13	43
B. Operated	3592	8.4	132	1	2	5	9	21	39	99+
TOTAL										
0-27 DYS	602	13.4	228	2	5	9	19	50	99+	99+
1-11 MOS	1692	7.7	117	1	2	5	8	18	32	99+
1-5 YRS	1254	7.0	101	1	2	4	8	15	24	64
6-12 YRS	503	4.4	33	1	1	3	5	9	12	31
13-19 YRS	241	4.9	39	1	1	3	6	10	15	22
GRAND TOTAL	**4292**	**7.8**	**120**	**1**	**2**	**5**	**9**	**18**	**34**	**99+**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.3		1	1	1	2	2	2	2
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	15	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	287	1.3		<1	<1	1	1	2	3	5
6-12 YRS	241	1.2		<1	<1	1	1	2	2	3
13-19 YRS	64	1.4	1	<1	1	1	1	3	3	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	7	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	33	1.6	1	<1	1	1	2	3	4	4
1-5 YRS	338	1.4	1	<1	1	1	1	2	3	7
6-12 YRS	187	1.5	1	<1	1	1	2	2	3	5
13-19 YRS	[illegible]	1.8	2	1	1	1	2	3	6	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.2		1	1	1	1	2	2	2
B. Operated	607	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	12	1.0		<1	<1	<1	1	1	1	1
B. Operated	611	1.5	1	<1	1	1	2	3	3	6
1. SINGLE DX	613	1.2		<1	<1	1	1	2	3	4
2. MULTIPLE DX	623	1.5	1	<1	1	1	2	3	3	6
A. Not Operated	18	1.1		<1	<1	1	1	1	2	2
B. Operated	1218	1.4	1	<1	<1	1	1	2	3	5
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	50	1.4	1	<1	<1	1	1	3	4	4
1-5 YRS	636	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	432	1.3	1	<1	<1	1	1	2	3	4
13-19 YRS	117	1.6	2	<1	1	1	2	3	4	7
GRAND TOTAL	**1236**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

340: Miscellaneous congenital an[illegible]s of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	12	1.9	3	<1	1	1	2	4	7	7
1-11 MOS	15	1.1		<1	1	1	1	2	2	2
1-5 YRS	26	1.1		<1	1	1	1	2	2	2
6-12 YRS	8	2.4	6	1	1	2	3	6	8	8
13-19 YRS	4	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	47	5.5	22	1	2	4	6	14	17	19
1-11 MOS	581	2.8	7	<1	1	2	4	6	8	13
1-5 YRS	1124	2.5	6	<1	1	1	3	6	8	11
6-12 YRS	213	3.2	8	1	1	2	4	7	9	13
13-19 YRS	111	3.4	8	<1	1	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	28	5.7	26	1	1	4	8	13	17	19
1-11 MOS	45	4.0	17	<1	1	2	6	11	12	18
1-5 YRS	58	1.7	2	<1	<1	1	2	3	4	[illegible]
6-12 YRS	22	[illegible]	69	1	2	3	5	8	22	[illegible]
13-19 YRS	18	[illegible]	7	1	2	3	4	8	10	[illegible]
B. Operated										
0-27 DYS	120	11.9	139	2	4	8	16	31	42	99+
1-11 MOS	458	5.6	33	1	2	4	7	11	15	30
1-5 YRS	711	4.7	28	1	1	3	6	10	13	26
6-12 YRS	256	6.2	36	1	2	5	8	13	16	31
13-19 YRS	191	5.1	18	1	2	4	6	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	1.5	2	1	1	1	2	2	3	8
B. Operated	2076	2.7	7	<1	1	2	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	171	3.6	20	<1	1	2	4	8	12	19
B. Operated	1736	5.7	40	1	2	4	7	12	16	35
1. SINGLE DX	2141	2.7	7	<1	1	2	3	6	8	12
2. MULTIPLE DX	1907	5.5	39	1	2	4	7	12	16	35
A. Not Operated	236	3.0	16	<1	1	1	3	7	11	18
B. Operated	3812	4.1	24	1	1	2	5	9	12	26
TOTAL										
0-27 DYS	207	9.0	101	1	3	5	12	22	35	73
1-11 MOS	1099	4.0	20	1	1	3	5	8	12	24
1-5 YRS	1919	3.2	15	<1	1	2	4	7	10	17
6-12 YRS	499	4.8	27	[illegible]	1	3	7	11	14	25
13-19 YRS	324	4.4	15	1	2	3	6	9	12	18
GRAND TOTAL	**4048**	**4.0**	**24**	**1**	**1**	**2**	**5**	**9**	**12**	**26**

980 Hospitals, United States, Pediatric, January-December 1989

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	3.5	2	2	2	3	4	5	5	5
1-11 MOS	13	2.1	5	< 1	1	1	2	6	8	8
1-5 YRS	16	1.9	2	< 1	< 1	1	2	3	5	6
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	706	2.1	2	1	1	2	3	4	4	7
1-5 YRS	492	2.2	2	1	1	2	3	4	5	7
6-12 YRS	170	2.4	2	1	1	2	3	4	5	7
13-19 YRS	57	2.6	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	5.7	21	3	3	3	9	11	11	11
1-11 MOS	17	1.4	1	< 1	< 1	1	1	2	4	5
1-5 YRS	21	1.7	2	< 1	< 1	1	2	4	5	7
6-12 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	202	2.8	6	1	2	2	3	4	7	13
1-5 YRS	275	2.7	5	1	2	2	3	4	6	14
6-12 YRS	186	2.7	5	1	1	2	3	4	5	9
13-19 YRS	122	2.5	4	1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.2	3	< 1	< 1	1	3	5	6	8
B. Operated	1425	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	45	1.8	4	< 1	< 1	1	2	4	5	11
B. Operated	785	2.7	5	1	1	2	3	4	6	13
1. SINGLE DX	1459	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	830	2.6	5	1	1	2	3	4	6	[illegible]
A. Not Operated	79	2.0	3	< 1	< 1	1	2	4	6	10
B. Operated	2210	2.4	3	1	1	2	3	4	5	8
TOTAL										
0-27 DYS	7	4.4	9	2	3	3	5	10	11	11
1-11 MOS	938	2.3	3	1	1	2	3	4	4	8
1-5 YRS	804	2.3	3	1	1	2	3	4	5	8
6-12 YRS	358	2.5	4	1	1	2	3	4	5	9
13-19 YRS	182	2.5	3	1	1	2	3	4	5	8
GRAND TOTAL	**2289**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	15	2.8	8	1	1	2	3	5	10	12
1-11 MOS	145	2.6	16	< 1	1	1	2	5	11	20
1-5 YRS	104	2.2	6	< 1	1	1	2	5	8	12
6-12 YRS	33	2.7	4	< 1	1	2	4	7	7	8
13-19 YRS	30	5.2	66	< 1	1	3	5	12	18	42
B. Operated										
0-27 DYS	42	12.2	121	1	4	10	18	26	38	45
1-11 MOS	1000	4.0	15	1	1	3	5	8	12	22
1-5 YRS	1160	2.8	8	1	1	2	4	5	7	17
6-12 YRS	760	3.1	15	1	1	2	4	6	8	11
13-19 YRS	571	3.4	9	1	1	3	5	7	8	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	83	8.3	54	2	3	7	12	22	32	99 +
1-11 MOS	229	4.3	29	1	1	2	6	10	13	37
1-5 YRS	181	4.3	37	< 1	1	2	5	9	14	31
6-12 YRS	79	2.6	9	< 1	1	2	3	5	9	18
13-19 YRS	77	3.4	10	< 1	1	2	4	8	9	16
B. Operated										
0-27 DYS	151	29.1	536	4	14	26	60	99 +	99 +	99 +
1-11 MOS	610	6.3	57	1	2	4	8	13	18	51
1-5 YRS	882	4.6	36	1	1	3	5	9	14	31
6-12 YRS	631	5.6	44	1	2	4	6	10	18	34
13-19 YRS	457	5.6	36	1	2	4	7	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	327	2.7	16	< 1	1	1	3	6	10	19
B. Operated	3533	3.4	14	1	1	2	4	7	9	19
2. MULTIPLE DX										
A. Not Operated	649	4.5	32	1	1	2	6	11	15	43
B. Operated	2731	6.7	100	1	2	4	7	15	26	92
1. SINGLE DX	3860	3.3	14	1	1	2	4	7	9	19
2. MULTIPLE DX	3380	6.3	87	1	2	4	7	14	24	83
A. Not Operated	976	3.9	27	< 1	1	2	4	9	13	31
B. Operated	6264	4.8	54	1	1	3	5	9	16	51
TOTAL										
0-27 DYS	291	19.4	416	2	5	14	34	79	99 +	99 +
1-11 MOS	1984	[illegible]	31	1	1	3	5	9	14	29
1-5 YRS	2327	3.5	21	1	1	2	4	7	10	23
6-12 YRS	1503	4.1	28	1	1	3	5	8	11	27
13-19 YRS	1135	4.4	23	1	1	3	6	9	12	21
GRAND TOTAL	**7240**	**4.7**	**51**	**1**	**1**	**3**	**5**	**9**	**15**	**48**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	252	12.3	101	3	6	10	17	23	35	99 +
1-11 MOS	12	11.4	75	2	5	10	13	26	30	31
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	5	42.6	1128	11	38	93	99 +	99 +	99 +	99 +
1-11 MOS	3	9.3	41	2	4	12	13	14	14	14
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1198	17.8	218	4	7	14	25	41	58	99 +
1-11 MOS	145	19.8	166	6	10	17	26	38	47	65
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	245	36.0	663	11	23	67	99 +	99 +	99 +	99 +
1-11 MOS	40	25.9	524	4	11	23	58	99 +	99 +	99 +
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	264	12.2	100	3	6	10	17	24	32	99 +
B. Operated	8	30.1	953	4	13	65	99 +	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	1343	18.0	212	4	7	14	25	40	55	99 +
B. Operated	285	34.6	654	10	22	59	99 +	99 +	99 +	99 +
1. SINGLE DX	272	12.7	131	3	6	10	18	26	45	99 +
2. MULTIPLE DX	1628	20.9	329	5	9	18	37	99 +	99 +	99 +
A. Not Operated	1607	17.1	199	4	7	14	24	38	51	99 +
B. Operated	293	34.4	659	9	21	59	99 +	99 +	99 +	99 +
TOTAL										
0-27 DYS	1700	19.7	317	4	8	16	34	99 +	99 +	99 +
1-11 MOS	200	20.3	241	5	10	17	28	47	76	99 +
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**1900**	**19.8**	**309**	**4**	**8**	**16**	**33**	**99 +**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5018	2.1	1	1	2	2	2	3	4	5
1-11 MOS	39	1.9	3	1	1	1	2	4	5	9
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	52	3.3	4	1	2	3	4	6	7	12
1-11 MOS	16	3.6	5	1	2	3	5	7	7	7
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1615	3.0	13	1	2	2	3	5	7	17
1-11 MOS	48	4.5	34	1	1	3	5	10	14	36
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	62	7.0	56	2	3	5	7	13	29	39
1-11 MOS	35	8.7	251	1	2	5	9	15	19	95
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5057	2.1	1	1	2	2	2	3	4	5
B. Operated	68	3.4	4	1	2	3	4	7	7	11
2. MULTIPLE DX										
A. Not Operated	1663	3.0	14	1	2	2	3	5	7	17
B. Operated	97	7.6	125	2	3	5	8	14	26	69
1. SINGLE DX	5125	2.1	1	1	2	2	2	3	4	6
2. MULTIPLE DX	1760	3.3	21	1	2	2	3	5	8	20
A. Not Operated	6720	2.3	4	1	2	2	3	3	4	8
B. Operated	165	5.9	79	2	2	3	6	12	14	38
TOTAL										
0-27 DYS	6747	2.4	5	1	2	2	3	3	4	9
1-11 MOS	138	4.7	82	1	1	2	5	9	14	43
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**6885**	**2.4**	**6**	**1**	**2**	**2**	**3**	**3**	**4**	**10**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1712	3.4	15	1	2	3	4	6	8	14
1-11 MOS	507	3.0	11	1	1	2	3	5	8	21
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	81	6.7	165	1	2	4	6	11	26	99
1-11 MOS	35	2.5	7	<1	1	1	4	5	8	13
1-5 YRS	13	2.1	1	<1	1	2	3	4	4	4
6-12 YRS	11	2.3	4	1	1	1	3	6	7	7
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4140	7.1	89	2	3	4	8	14	24	83
1-11 MOS	1121	6.8	101	1	2	4	7	15	26	97
1-5 YRS	3	[illegible]	17	<1	1	3	7	9	9	9
6-12 YRS	2	32.5	1985	1	1	32	64	64	64	64
13-19 YRS	0									
B. Operated										
0-27 DYS	1001	20.1	451	4	7	14	46	99+	99+	99+
1-11 MOS	191	20.4	473	2	5	17	61	99+	99+	99+
1-5 YRS	12	3.0	5	<1	1	3	5	6	6	6
6-12 YRS	8	4.6	11	<1	1	5	7	9	10	10
13-19 YRS	3	2.7		2	2	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2219	3.3	14	1	2	3	4	6	8	14
B. Operated	142	4.8	100	1	1	3	5	9	13	98
2. MULTIPLE DX										
A. Not Operated	5266	7.1	92	2	3	4	8	14	25	85
B. Operated	1215	19.9	451	3	7	14	46	99+	99+	99+
1. SINGLE DX	2361	3.4	20	1	2	3	4	6	8	16
2. MULTIPLE DX	6481	9.5	184	2	3	5	11	30	72	99+
A. Not Operated	7485	5.9	72	1	2	3	6	12	20	68
B. Operated	1357	18.3	435	2	5	12	41	99+	99+	99+
TOTAL										
0-27 DYS	6934	8.1	151	2	2	4	9	22	50	99+
1-11 MOS	1854	7.1	136	1	2	3	7	21	45	99+
1-5 YRS	28	2.7	4	<1	1	2	4	6	7	9
6-12 YRS	21	6.0	184	1	1	2	6	8	34	64
13-19 YRS	5	2.6	1	1	2	3	3	4	4	4
GRAND TOTAL	**8842**	**7.8**	**147**	**1**	**2**	**4**	**8**	**22**	**49**	**99+**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	53	3.0	3	1	2	3	4	5	6	7
1-11 MOS	562	2.7	4	1	1	2	3	5	6	11
1-5 YRS	1478	2.2	3	1	1	2	3	4	5	7
6-12 YRS	672	2.2	3	1	1	2	3	4	6	9
13-19 YRS	540	2.3	4	1	1	2	3	4	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	7	5.3	21	<1	1	4	10	12	12	12
1-5 YRS	14	3.0	6	1	2	2	3	6	9	10
6-12 YRS	11	6.0	52	1	1	2	9	16	24	25
13-19 YRS	6	8.3	26	3	5	7	10	16	17	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	32	4.0	8	1	2	3	6	8	10	12
1-11 MOS	1370	3.5	11	1	2	3	4	6	8	15
1-5 YRS	4515	2.6	5	1	1	2	3	5	6	10
6-12 YRS	849	2.9	6	1	1	2	4	6	7	11
13-19 YRS	623	3.3	11	1	1	2	4	6	8	16
B. Operated										
0-27 DYS	4	5.5	15	2	3	4	8	11	11	11
1-11 MOS	50	7.6	61	2	3	5	8	20	25	41
1-5 YRS	74	6.0	34	2	3	4	7	14	19	29
6-12 YRS	38	5.8	24	1	2	5	8	16	20	99+
13-19 YRS	31	5.3	35	1	1	3	6	13	16	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3305	2.3	3	1	1	2	3	4	5	9
B. Operated	38	5.1	27	1	2	3	9	11	15	25
2. MULTIPLE DX										
A. Not Operated	7389	2.9	7	1	1	2	3	5	7	12
B. Operated	197	6.3	39	1	3	4	7	15	20	36
1. SINGLE DX	3343	2.3	4	1	1	2	3	4	5	10
2. MULTIPLE DX	7586	3.0	8	1	1	2	4	5	7	14
A. Not Operated	10694	2.7	6	1	1	2	3	5	6	11
B. Operated	235	6.1	37	1	2	4	7	14	20	32
TOTAL										
0-27 DYS	89	3.5	5	1	2	3	4	6	8	12
1-11 MOS	1989	3.4	11	1	2	3	4	6	8	16
1-5 YRS	6081	2.6	5	1	1	2	3	4	6	10
6-12 YRS	1570	2.7	6	1	1	2	3	5	7	12
13-19 YRS	1200	2.9	9	1	1	2	3	6	7	15
GRAND TOTAL	**10929**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	267	2.8	1	2	2	3	3	4	5	6
1-11 MOS	817	2.7	1	1	2	3	3	4	4	6
1-5 YRS	313	2.3	2	1	1	2	3	4	5	7
6-12 YRS	99	2.9	5	1	1	2	4	6	8	12
13-19 YRS	57	3.9	15	1	2	3	4	7	13	22
B. Operated										
0-27 DYS	9	4.3	4	3	3	4	5	7	9	9
1-11 MOS	15	3.5	7	1	2	3	4	5	10	12
1-5 YRS	9	4.2	7	1	2	3	6	8	9	9
6-12 YRS	7	5.4	23	2	2	3	7	14	15	15
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	306	3.1	3	2	2	3	4	4	5	11
1-11 MOS	1412	3.0	3	2	2	3	3	5	6	9
1-5 YRS	1545	3.4	6	1	2	3	4	6	8	14
6-12 YRS	696	4.1	10	2	2	3	5	7	10	17
13-19 YRS	372	4.2	12	1	2	3	5	7	10	18
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	40	6.9	79	1	2	4	6	17	30	41
1-5 YRS	97	8.7	72	1	3	6	11	19	26	41
6-12 YRS	49	11.9	109	2	4	10	17	23	39	47
13-19 YRS	56	11.7	87	3	5	9	15	22	32	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1553	2.7	2	1	2	3	3	4	5	8
B. Operated	41	4.1	9	1	3	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	4331	3.4	6	1	2	3	4	6	8	14
B. Operated	243	9.7	86	2	3	7	14	22	30	43
1. SINGLE DX	1594	2.7	2	1	2	3	3	4	5	8
2. MULTIPLE DX	4574	3.8	12	1	2	3	4	7	9	19
A. Not Operated	5884	3.2	5	1	2	3	4	5	7	13
B. Operated	284	8.9	79	2	3	5	12	20	28	42
TOTAL										
0-27 DYS	583	3.0	2	2	2	3	3	4	5	7
1-11 MOS	2284	3.0	4	2	2	3	3	4	5	9
1-5 YRS	1964	3.5	10	1	2	3	4	7	9	17
6-12 YRS	851	4.4	19	1	2	3	5	8	11	22
13-19 YRS	486	5.0	26	1	2	4	5	10	15	29
GRAND TOTAL	**6168**	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**8**	**17**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	1.2		1	1	1	2	2	2	2
6-12 YRS	57	1.9	1	1	1	2	2	4	4	6
13-19 YRS	88	2.2	3	1	1	2	3	4	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	2.3	2	1	1	2	3	5	5	5
13-19 YRS	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	0									
1-5 YRS	48	2.1	3	<1	1	2	3	4	5	8
6-12 YRS	145	2.5	7	1	1	2	3	4	7	9
13-19 YRS	216	3.0	7	1	1	2	3	6	9	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	4.2	34	<1	1	2	3	14	19	20
6-12 YRS	18	3.7	10	1	1	3	5	7	11	13
13-19 YRS	12	3.3	6	1	1	2	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	2.0	2	1	1	2	2	4	5	7
B. Operated	8	2.0	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	410	2.7	7	1	1	2	3	5	7	12
B. Operated	41	3.7	14	1	1	3	5	8	11	20
1. SINGLE DX	163	2.0	2	1	1	2	2	4	5	7
2. MULTIPLE DX	451	2.8	7	1	1	2	3	5	7	13
A. Not Operated	565	2.5	5	1	1	2	3	4	7	11
B. Operated	49	3.4	13	1	1	2	5	7	10	20
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	68	2.4	8	1	1	1	3	4	8	18
6-12 YRS	226	2.5	6	1	1	2	3	5	6	9
13-19 YRS	318	2.7	6	1	1	2	3	5	7	12
GRAND TOTAL	**614**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.8	3	<1	<1	1	2	5	5	5
6-12 YRS	6	2.0	1	<1	1	2	2	4	4	4
13-19 YRS	14	2.6	3	1	1	2	4	5	6	6
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	14	1.7	7	<1	<1	<1	<1	2	9	11
6-12 YRS	13	1.8	2	<1	<1	<1	2	4	5	5
13-19 YRS	13	3.0	3	<1	1	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	20	1.9	2	<1	1	1	3	4	5	5
6-12 YRS	42	2.9	3	<1	1	3	4	5	5	9
13-19 YRS	13	3.8	14	1	1	2	5	11	13	13
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	8	3.6	7	<1	1	3	5	8	9	9
6-12 YRS	12	6.0	53	<1	1	4	8	16	25	26
13-19 YRS	10	3.4	9	1	1	3	4	8	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.3	3	1	1	2	3	5	5	6
B. Operated	41	2.2	4	<1	<1	<1	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	78	2.8	5	<1	1	2	4	5	6	12
B. Operated	31	4.5	25	<1	1	3	5	10	12	26
1. SINGLE DX	67	2.2	4	<1	<1	1	3	5	6	10
2. MULTIPLE DX	109	3.3	11	<1	1	3	4	6	10	18
A. Not Operated	104	2.7	4	<1	1	2	4	5	6	11
B. Operated	72	3.2	14	<1	<1	2	4	6	11	23
TOTAL										
0-27 DYS	4	2.8	2	1	2	3	4	4	4	4
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	47	2.1	5	<1	<1	1	3	5	6	11
6-12 YRS	73	3.1	12	<1	1	2	4	5	9	23
13-19 YRS	50	3.2	7	1	1	3	4	6	10	13
GRAND TOTAL	176	2.9	8	<1	1	2	4	5	8	13

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	4.4	15	1	2	3	6	11	11	11
1-11 MOS	13	3.2	4	1	1	2	5	6	6	6
1-5 YRS	23	3.7	8	1	2	3	4	8	11	11
6-12 YRS	17	3.2	2	1	2	3	4	5	6	6
13-19 YRS	15	1.9	2	1	1	1	2	4	5	5
B. Operated										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	44	1.5	2	<1	<1	1	1	3	4	7
6-12 YRS	33	1.2		<1	<1	1	1	2	2	3
13-19 YRS	46	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	7.6	114	<1	1	2	10	23	36	37
1-11 MOS	36	6.9	29	1	3	5	10	14	19	22
1-5 YRS	41	3.6	15	1	2	3	4	7	12	22
6-12 YRS	24	4.5	17	1	2	3	6	8	14	19
13-19 YRS	26	4.3	16	1	2	3	5	9	12	20
B. Operated										
0-27 DYS	6	31.7	485	13	14	27	36	68	72	72
1-11 MOS	19	14.0	136	1	4	11	24	29	37	42
1-5 YRS	30	9.5	207	<1	1	4	11	26	47	63
6-12 YRS	23	4.4	56	<1	1	2	5	9	20	36
13-19 YRS	23	8.5	198	1	2	4	8	20	44	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	3.2	5	1	1	3	4	6	7	11
B. Operated	127	1.6	3	<1	<1	1	2	2	4	9
2. MULTIPLE DX										
A. Not Operated	138	5.1	28	1	2	3	7	11	15	24
B. Operated	101	10.3	203	<1	1	5	12	30	39	68
1. SINGLE DX	200	2.2	4	<1	1	1	3	4	6	11
2. MULTIPLE DX	239	7.3	108	1	2	3	8	17	29	63
A. Not Operated	211	4.4	21	1	2	3	5	10	13	22
B. Operated	228	5.4	110	<1	<1	1	4	14	28	63
TOTAL										
0-27 DYS	23	13.5	291	1	2	10	15	36	49	72
1-11 MOS	71	7.8	67	1	2	5	11	21	25	39
1-5 YRS	138	4.2	59	<1	1	2	4	9	14	49
6-12 YRS	97	3.1	19	<1	1	2	4	7	9	28
13-19 YRS	110	3.7	52	<1	1	2	4	7	10	46
GRAND TOTAL	439	4.9	67	<1	1	2	5	11	19	43

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	4	6.0	17	1	3	6	9	11	11	11
6-12 YRS	0									
13-19 YRS	7	5.7	68	1	1	3	5	20	24	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	2	18.0	200	8	8	18	28	28	28	28
B. Operated										
0-27 DYS	0									
1-11 MOS	6	5.2	16	< 1	1	5	9	10	10	10
1-5 YRS	4	12.5	156	4	5	7	20	31	31	31
6-12 YRS	7	7.7	30	1	2	8	13	14	14	14
13-19 YRS	17	9.0	50	2	3	7	13	20	24	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.9	14	1	2	3	4	10	12	12
B. Operated	13	6.0	39	1	2	6	7	14	22	24
2. MULTIPLE DX										
A. Not Operated	3	12.7	185	2	3	8	23	28	28	28
B. Operated	34	8.5	50	1	3	7	12	16	24	31
1. SINGLE DX	20	5.3	30	1	2	3	6	11	18	24
2. MULTIPLE DX	37	8.8	58	1	3	7	12	20	27	31
A. Not Operated	10	6.5	69	1	2	3	8	20	28	28
B. Operated	47	7.8	47	1	3	6	11	15	24	31
TOTAL										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	9	4.8	14	< 1	1	3	8	10	10	10
1-5 YRS	11	7.5	69	2	3	6	8	19	30	31
6-12 YRS	8	8.3	28	1	3	10	13	14	14	14
13-19 YRS	27	8.5	65	1	2	6	13	23	25	28
GRAND TOTAL	**57**	**7.6**	**50**	**1**	**3**	**6**	**11**	**15**	**25**	**31**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	4.3	2	3	3	4	5	6	6	6
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	22	2.0	1	1	1	2	2	3	4	4
13-19 YRS	71	1.9	1	1	1	2	2	3	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
13-19 YRS	8	2.6	6	< 1	< 1	2	3	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	4.3	5	3	3	3	6	7	7	7
1-11 MOS	16	2.9	3	1	1	2	5	6	6	6
1-5 YRS	10	3.8	8	< 1	1	3	5	8	9	9
6-12 YRS	47	2.8	4	1	1	2	4	5	8	10
13-19 YRS	189	2.6	41	1	1	2	3	4	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	7	2.3	3	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	2.0	1	1	1	2	3	4	5	6
B. Operated	12	2.3	4	< 1	< 1	1	3	5	8	8
2. MULTIPLE DX										
A. Not Operated	265	2.7	31	1	1	2	3	5	6	10
B. Operated	9	3.0	6	1	1	2	4	7	8	8
1. SINGLE DX	110	2.0	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	274	2.7	30	1	1	2	3	5	7	10
A. Not Operated	363	2.5	23	1	1	2	3	4	6	9
B. Operated	21	2.6	5	< 1	1	2	3	7	8	8
TOTAL										
0-27 DYS	4	4.3	4	3	3	4	5	7	7	7
1-11 MOS	20	3.1	3	1	2	3	5	6	6	6
1-5 YRS	12	3.3	8	< 1	1	2	5	8	9	9
6-12 YRS	73	2.6	4	1	1	2	3	5	8	10
13-19 YRS	275	2.4	29	1	1	2	3	4	5	8
GRAND TOTAL	**384**	**2.5**	**22**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	125	2.6	3	1	1	2	3	5	5	11
1-11 MOS	919	2.5	5	1	1	2	3	5	6	12
1-5 YRS	209	2.1	7	1	1	1	2	3	5	11
6-12 YRS	57	1.7	1	1	1	1	2	3	4	6
13-19 YRS	28	2.1	4	1	1	1	2	5	8	9
B. Operated										
0-27 DYS	2	37.0	2450	2	2	37	72	72	72	72
1-11 MOS	37	3.0	19	< 1	1	1	3	8	13	22
1-5 YRS	39	2.0	3	1	1	1	2	5	7	7
6-12 YRS	26	2.5	8	< 1	1	1	3	7	10	11
13-19 YRS	15	2.7	2	< 1	2	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	151	4.1	14	1	2	3	5	8	10	21
1-11 MOS	1590	3.9	14	1	2	3	5	8	10	20
1-5 YRS	650	3.9	18	1	1	2	4	9	13	22
6-12 YRS	189	4.9	28	1	1	3	6	13	15	26
13-19 YRS	164	5.0	29	1	1	3	7	13	15	30
B. Operated										
0-27 DYS	6	15.2	496	2	3	10	48	[illegible]	[illegible] +	99 +
1-11 MOS	101	9.9	131	1	3	7	15	[illegible]	[illegible]	99 +
1-5 YRS	133	10.0	174	1	1	4	12	32	[illegible]	60
6-12 YRS	58	8.2	136	1	1	3	10	22	39	50
13-19 YRS	44	7.0	42	1	2	5	10	14	18	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1338	2.4	5	1	1	2	3	4	6	11
B. Operated	119	3.1	49	< 1	1	1	3	6	9	37
2. MULTIPLE DX										
A. Not Operated	2744	4.1	17	1	2	3	5	9	12	21
B. Operated	342	9.4	143	1	1	5	12	29	49	99 +
1. SINGLE DX	1457	2.5	8	1	1	2	3	4	6	11
2. MULTIPLE DX	3086	4.7	33	1	2	3	5	10	14	36
A. Not Operated	4082	3.5	13	1	1	2	4	7	10	19
B. Operated	461	7.8	126	1	1	3	10	22	40	99 +
TOTAL										
0-27 DYS	284	3.9	37	1	2	3	4	7	10	48
1-11 MOS	2647	3.7	17	1	2	3	4	7	10	22
1-5 YRS	1031	4.3	41	1	1	2	4	10	14	40
6-12 YRS	330	4.7	44	1	1	2	5	12	16	38
13-19 YRS	251	4.9	29	1	1	3	7	12	14	31
GRAND TOTAL	**4543**	**4.0**	**26**	**1**	**1**	**2**	**4**	**8**	**13**	**28**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	6	1.3		< 1	1	1	2	2	2	2
6-12 YRS	13	2.0	2	< 1	1	2	3	4	5	5
13-19 YRS	51	2.0	4	1	1	2	2	3	3	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	18	2.6	8	< 1	< 1	1	2	7	9	11
6-12 YRS	14	2.3	5	< 1	< 1	1	2	6	8	8
13-19 YRS	9	2.2	1	< 1	1	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	31	3.2	16	1	1	2	4	7	10	21
6-12 YRS	38	2.9	5	1	1	3	3	6	8	11
13-19 YRS	63	2.4	8	1	1	2	3	4	7	17
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	45	4.9	17	< 1	2	4	7	9	12	20
6-12 YRS	44	6.5	44	1	1	4	9	14	22	27
13-19 YRS	39	8.9	107	2	3	6	10	18	28	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	1.9	3	1	1	2	2	3	3	12
B. Operated	41	2.4	5	< 1	< 1	1	3	6	7	11
2. MULTIPLE DX										
A. Not Operated	134	2.8	9	1	1	2	3	5	8	18
B. Operated	129	6.6	55	1	2	4	8	14	22	37
1. SINGLE DX	114	2.1	4	< 1	1	2	2	3	6	12
2. MULTIPLE DX	263	4.7	35	1	1	3	6	10	16	27
A. Not Operated	207	2.5	7	1	1	2	3	4	7	16
B. Operated	170	5.6	46	< 1	1	3	7	12	20	30
TOTAL										
0-27 DYS	5	2.0	1	1	1	2	2	3	3	3
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	100	3.7	15	< 1	1	2	5	9	10	20
6-12 YRS	109	4.2	24	1	1	3	5	10	12	25
13-19 YRS	162	3.8	38	1	1	2	3	9	14	30
GRAND TOTAL	**377**	**3.9**	**27**	**1**	**1**	**2**	**4**	**9**	**13**	**24**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	2.0	1	<1	1	2	3	3	3	3
1-11 MOS	67	1.7	1	<1	1	1	2	3	3	5
1-5 YRS	256	1.7	2	1	1	1	2	3	4	8
6-12 YRS	1153	1.6	1	1	1	1	2	3	4	5
13-19 YRS	1769	1.8	2	1	1	1	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	3	4.7	6	2	3	5	6	7	7	7
1-5 YRS	18	2.8	2	1	2	3	4	5	6	6
6-12 YRS	150	2.8	3	1	2	2	3	4	7	10
13-19 YRS	315	2.9	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	8	2.9	6	1	2	2	3	7	9	9
1-11 MOS	60	2.2	1	<1	1	2	3	4	4	5
1-5 YRS	272	2.1	2	<1	1	2	3	4	5	8
6-12 YRS	818	2.1	3	1	1	2	2	4	5	9
13-19 YRS	1417	2.4	4	1	1	2	3	4	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	5	10.4	169	2	3	4	16	33	33	33
1-5 YRS	28	6.4	53	2	2	4	7	11	23	37
6-12 YRS	119	4.3	26	2	2	3	5	7	12	64
13-19 YRS	298	3.9	11	1	2	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3253	1.7	1	1	1	1	2	3	4	6
B. Operated	486	2.9	2	1	2	3	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	2575	2.3	3	1	1	2	3	4	6	9
B. Operated	450	4.2	20	1	2	3	5	8	11	28
1. SINGLE DX	3739	1.9	2	1	1	1	2	3	4	6
2. MULTIPLE DX	3025	2.5	6	1	1	2	3	5	6	12
A. Not Operated	5828	1.9	2	1	1	1	2	4	5	8
B. Operated	936	3.5	11	1	2	3	4	6	8	18
TOTAL										
0-27 DYS	16	2.4	4	1	1	2	3	3	7	9
1-11 MOS	135	2.3	9	1	1	2	3	4	5	13
1-5 YRS	574	2.1	5	1	1	1	3	4	5	9
6-12 YRS	2240	2.0	4	1	1	1	2	3	5	9
13-19 YRS	3799	2.3	3	1	1	2	3	4	5	9
GRAND TOTAL	**6764**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	28	1.7	1	1	1	1	2	3	3	4
1-11 MOS	128	2.2	2	1	1	2	3	4	5	7
1-5 YRS	62	2.4	5	1	1	2	3	5	8	11
6-12 YRS	85	3.3	16	1	1	2	4	6	11	24
13-19 YRS	42	2.7	5	<1	1	2	3	6	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	14	3.9	16	1	1	2	6	9	14	15
1-5 YRS	19	2.6	5	<1	1	1	4	7	8	8
6-12 YRS	36	3.3	8	1	1	2	4	8	10	11
13-19 YRS	12	4.4	8	1	2	4	6	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	62	3.2	19	1	1	2	3	4	9	25
1-11 MOS	300	3.1	12	1	1	2	4	6	8	24
1-5 YRS	435	2.9	10	1	1	2	3	5	8	18
6-12 YRS	359	3.5	20	1	1	2	4	7	10	29
13-19 YRS	257	3.0	8	1	1	2	4	5	8	17
B. Operated										
0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	28	5.9	42	1	2	4	6	15	25	26
1-5 YRS	96	5.7	52	1	1	3	7	13	26	33
6-12 YRS	118	3.5	36	1	1	1	4	7	13	38
13-19 YRS	81	3.7	27	1	1	2	5	8	11	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	345	2.5	7	1	1	2	3	5	6	12
B. Operated	81	3.4	9	1	1	2	5	8	10	14
2. MULTIPLE DX										
A. Not Operated	1413	3.1	13	1	1	2	4	6	8	22
B. Operated	326	4.4	39	1	1	2	5	10	16	35
1. SINGLE DX	426	2.7	7	1	1	2	3	6	8	12
2. MULTIPLE DX	1739	3.4	18	1	1	2	4	6	9	26
A. Not Operated	1758	3.0	12	1	1	2	3	6	8	21
B. Operated	407	4.2	33	1	1	2	5	9	14	32
TOTAL										
0-27 DYS	93	2.7	14	1	1	2	3	4	5	25
1-11 MOS	470	3.0	12	1	1	2	3	5	8	24
1-5 YRS	612	3.3	17	1	1	2	4	7	9	27
6-12 YRS	598	3.5	22	1	1	2	4	7	11	29
13-19 YRS	392	3.2	11	1	1	2	4	6	8	15
GRAND TOTAL	**2165**	**3.2**	**16**	**1**	**1**	**2**	**4**	**6**	**9**	**25**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	294	2.8	4	1	2	2	3	5	7	11
1-11 MOS	776	3.9	13	1	2	3	5	7	10	20
1-5 YRS	547	3.0	12	1	1	2	3	6	9	16
6-12 YRS	327	1.9	2	1	1	1	2	3	5	8
13-19 YRS	412	2.2	17	1	1	1	2	4	5	12
B. Operated										
0-27 DYS	5	11.4	375	2	2	3	14	46	46	46
1-11 MOS	46	5.9	168	<1	1	2	4	7	29	74
1-5 YRS	83	2.8	13	<1	1	1	4	5	9	22
6-12 YRS	63	2.2	10	<1	1	1	2	4	6	22
13-19 YRS	66	1.8	3	<1	1	1	2	3	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	344	4.4	24	1	2	3	5	8	11	23
1-11 MOS	2014	5.9	40	1	3	4	7	12	16	26
1-5 YRS	1321	5.3	48	1	2	3	6	11	16	35
6-12 YRS	648	3.1	19	1	1	2	3	6	9	22
13-19 YRS	852	3.2	23	1	1	2	3	6	9	25
B. Operated										
0-27 DYS	19	11.1	76	2	5	10	16	30	68	99+
1-11 MOS	275	13.9	225	2	5	9	20	38	66	99+
1-5 YRS	359	8.9	143	1	2	5	10	24	41	99+
6-12 YRS	145	6.2	106	1	1	3	6	13	35	70
13-19 YRS	139	5.1	58	1	1	2	6	11	21	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2356	3.0	11	1	1	2	4	6	8	15
B. Operated	263	3.1	45	<1	1	1	3	5	8	43
2. MULTIPLE DX										
A. Not Operated	5179	4.9	37	1	2	3	6	10	14	27
B. Operated	937	9.4	157	1	2	5	11	26	44	99+
1. SINGLE DX	2619	3.0	15	1	1	2	3	6	8	16
2. MULTIPLE DX	6116	5.6	58	1	2	3	6	12	18	48
A. Not Operated	7535	4.3	30	1	2	3	5	9	13	24
B. Operated	1200	8.1	139	1	1	4	9	23	38	99+
TOTAL										
0-27 DYS	662	4.0	21	1	2	3	4	7	11	24
1-11 MOS	3111	6.1	58	1	2	4	7	13	19	47
1-5 YRS	2310	5.2	57	1	1	3	6	11	18	47
6-12 YRS	1183	3.1	26	1	1	2	3	6	9	31
13-19 YRS	1469	3.0	24	1	1	2	3	6	8	26
GRAND TOTAL	**8735**	**4.8**	**46**	**1**	**2**	**3**	**5**	**10**	**15**	**39**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	0									
13-19 YRS	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	16.5	61	11	11	16	22	22	22	22
1-5 YRS	11	23.3	685	6	7	17	25	58	94	97
6-12 YRS	13	28.8	478	10	13	25	31	64	83	87
13-19 YRS	15	21.9	355	<1	10	16	34	53	60	63
B. Operated										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	1	34.0		34	34	34	34	34	34	34
1-5 YRS	20	33.3	459	9	22	32	52	94	99+	99+
6-12 YRS	23	30.1	533	10	17	42	99+	99+	99+	99+
13-19 YRS	44	32.7	491	14	17	33	44	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	3	12.3	102	6	6	7	20	24	24	24
2. MULTIPLE DX										
A. Not Operated	41	24.2	453	6	10	19	28	55	74	97
B. Operated	89	32.1	474	12	17	33	53	99+	99+	99+
1. SINGLE DX	4	10.0	90	3	4	6	15	24	24	24
2. MULTIPLE DX	130	29.6	478	8	16	26	47	99+	99+	99+
A. Not Operated	42	23.7	452	5	10	18	28	54	73	97
B. Operated	92	31.5	473	10	17	33	53	99+	99+	99+
TOTAL										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	4	18.5	147	7	9	16	28	34	34	34
1-5 YRS	32	29.0	543	6	12	26	45	92	99	99+
6-12 YRS	36	29.7	499	10	17	28	83	99+	99+	99+
13-19 YRS	61	29.4	469	6	16	25	40	73	98	99+
GRAND TOTAL	**134**	**29.0**	**476**	**7**	**16**	**26**	**46**	**99**	**99+**	**99+**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	49	2.1	8	1	1	1	2	4	6	19
1-11 MOS	545	1.6	2	1	1	1	2	3	4	8
1-5 YRS	279	1.7	4	1	1	1	2	3	3	9
6-12 YRS	135	2.4	4	1	1	2	3	4	5	10
13-19 YRS	44	2.3	4	<1	1	2	3	5	6	10
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	38	3.5	5	1	2	3	4	7	9	10
1-5 YRS	85	3.7	4	2	2	3	4	7	8	10
6-12 YRS	75	4.3	5	2	3	4	5	7	8	10
13-19 YRS	38	5.1	16	1	2	4	7	10	14	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	28	5.1	49	1	1	2	6	14	18	33
1-11 MOS	377	2.9	12	1	1	2	3	6	10	18
1-5 YRS	326	3.4	17	1	1	2	4	8	12	22
6-12 YRS	188	4.2	42	1	1	3	4	10	12	28
13-19 YRS	103	4.0	14	1	2	3	5	9	11	19
B. Operated										
0-27 DYS	3	6.0	48	2	2	2	11	14	14	14
1-11 MOS	50	14.9	209	2	4	10	20	35	49	64
1-5 YRS	149	8.2	108	2	2	5	9	22	30	48
6-12 YRS	161	10.2	149	2	3	6	13	23	34	89
13-19 YRS	130	10.9	144	2	4	7	12	30	37	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1052	1.8	3	1	1	1	2	3	4	9
B. Operated	237	4.1	7	1	2	4	5	8	9	13
2. MULTIPLE DX										
A. Not Operated	1022	3.5	20	1	1	2	4	8	11	21
B. Operated	493	10.2	143	2	3	6	13	25	36	70
1. SINGLE DX	1289	2.2	5	1	1	1	3	4	6	10
2. MULTIPLE DX	1515	5.7	70	1	1	3	6	13	22	44
A. Not Operated	2074	2.6	13	1	1	1	3	5	8	17
B. Operated	730	8.2	107	2	3	5	9	20	30	55
TOTAL										
0-27 DYS	81	3.3	25	1	1	1	3	8	14	29
1-11 MOS	1010	2.8	24	1	1	1	3	5	10	26
1-5 YRS	839	3.7	32	1	1	2	4	8	13	29
6-12 YRS	559	5.5	68	1	2	3	6	11	21	47
13-19 YRS	315	6.7	79	1	2	4	8	15	27	50
GRAND TOTAL	**2804**	**4.1**	**43**	**1**	**1**	**2**	**4**	**9**	**15**	**35**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3, 6, 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	79	1.3	1	<1	1	1	1	2	3	6
1-5 YRS	197	1.7	1	1	1	1	2	3	5	6
6-12 YRS	119	2.5	3	1	1	2	3	5	6	9
13-19 YRS	80	3.1	4	1	1	3	4	6	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	6	2.5	2	1	2	2	4	4	4	4
1-5 YRS	18	4.0	4	1	3	4	6	6	8	9
6-12 YRS	24	3.5	7	1	1	3	4	6	9	13
13-19 YRS	27	5.0	16	1	2	4	7	9	11	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	1.0		<1	<1	1	1	1	1	1
1-11 MOS	63	3.2	12	<1	1	2	3	9	11	17
1-5 YRS	257	3.1	10	1	1	2	4	6	9	17
6-12 YRS	258	3.7	21	1	2	2	4	7	9	22
13-19 YRS	217	5.3	37	1	2	4	6	12	16	25
B. Operated										
0-27 DYS	0									
1-11 MOS	7	7.6	52	2	4	6	15	77	99+	99+
1-5 YRS	69	8.3	133	1	2	5	8	20	29	70
6-12 YRS	99	11.5	197	2	4	6	13	28	42	75
13-19 YRS	185	9.7	78	2	3	7	12	26	31	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	477	2.1	3	1	1	1	3	4	6	8
B. Operated	75	4.1	10	1	2	4	5	8	9	17
2. MULTIPLE DX										
A. Not Operated	798	3.9	22	1	1	2	4	8	12	20
B. Operated	360	9.9	121	2	3	6	12	26	33	85
1. SINGLE DX	552	2.4	4	1	1	2	3	5	6	9
2. MULTIPLE DX	1158	5.8	60	1	2	3	6	13	21	40
A. Not Operated	1275	3.2	15	1	1	2	4	6	10	18
B. Operated	435	8.9	107	1	3	6	11	24	31	78
TOTAL										
0-27 DYS	5	1.2		<1	<1	1	1	2	2	2
1-11 MOS	155	2.4	9	<1	1	1	2	6	9	23
1-5 YRS	541	3.3	26	1	1	2	4	6	9	25
6-12 YRS	500	4.9	61	1	2	3	5	9	16	44
13-19 YRS	509	6.5	52	1	2	4	8	15	23	37
GRAND TOTAL	**1710**	**4.7**	**45**	**1**	**1**	**3**	**5**	**10**	**16**	**36**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	17	2.8	3	1	2	2	4	5	6	6
6-12 YRS	14	1.3		<1	1	1	2	2	2	2
13-19 YRS	34	1.5	1	1	1	1	2	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	29	2.1	4	<1	1	2	2	4	5	11
6-12 YRS	147	1.6	1	<1	1	1	2	3	4	6
13-19 YRS	567	2.0	2	<1	1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	2.3	1	1	2	2	3	4	4	4
1-5 YRS	48	2.0	2	<1	1	1	3	4	5	7
6-12 YRS	58	2.2	2	1	1	2	3	3	6	8
13-19 YRS	108	2.1	5	<1	1	1	2	4	5	13
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	4.3	33	<1	<1	1	8	11	11	11
1-5 YRS	102	3.7	12	1	1	2	5	8	10	18
6-12 YRS	250	3.2	10	1	1	2	4	7	9	21
13-19 YRS	924	4.0	21	1	1	3	5	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	1.8	1	1	1	1	2	4	4	6
B. Operated	747	1.9	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	220	2.1	3	1	1	2	3	4	5	8
B. Operated	1280	3.8	18	1	1	2	5	8	11	21
1. SINGLE DX	816	1.9	2	<1	1	1	2	4	5	7
2. MULTIPLE DX	1500	3.6	16	1	1	2	4	7	11	20
A. Not Operated	289	2.0	3	1	1	1	2	4	5	8
B. Operated	2027	3.1	13	1	1	2	4	6	9	18
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	17	2.3	6	1	1	2	2	4	9	11
1-5 YRS	196	3.0	8	1	1	2	4	6	8	14
6-12 YRS	469	2.5	7	<1	1	2	3	5	7	15
13-19 YRS	1633	3.2	14	1	1	2	4	6	9	18
GRAND TOTAL	**2316**	**3.0**	**12**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	16	3.4	21	1	1	2	3	5	16	20
6-12 YRS	54	2.9	7	1	1	2	4	6	8	15
13-19 YRS	236	3.1	4	1	2	3	4	6	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	5.6	14	1	3	5	8	11	11	11
6-12 YRS	5	8.2	24	3	5	7	11	16	16	16
13-19 YRS	61	6.6	17	2	4	6	9	12	14	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	5.5	23	1	2	4	9	12	12	12
1-5 YRS	7	3.6	7	1	1	3	5	7	8	8
6-12 YRS	64	4.5	73	1	1	3	5	7	12	60
13-19 YRS	339	4.3	15	1	2	3	5	9	11	20
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	8.6	48	3	5	7	9	20	25	25
6-12 YRS	19	10.6	136	3	5	6	11	22	39	53
13-19 YRS	207	10.5	110	2	4	8	14	23	31	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	307	3.1	5	1	1	3	4	6	7	11
B. Operated	71	6.6	17	2	4	6	9	12	14	19
2. MULTIPLE DX										
A. Not Operated	414	4.4	24	1	2	3	5	9	12	21
B. Operated	234	10.4	109	2	4	7	13	23	31	58
1. SINGLE DX	378	3.7	9	1	2	3	5	7	10	16
2. MULTIPLE DX	648	6.5	63	1	2	4	8	14	20	46
A. Not Operated	721	3.8	16	1	2	3	5	7	10	17
B. Operated	305	9.5	90	2	4	7	12	20	29	50
TOTAL										
0-27 DYS	0									
1-11 MOS	5	4.8	20	1	2	3	7	12	12	12
1-5 YRS	36	4.9	26	1	2	3	6	9	17	25
6-12 YRS	142	4.8	60	1	1	3	6	9	13	54
13-19 YRS	843	5.6	43	1	2	4	7	12	16	36
GRAND TOTAL	**1026**	**5.5**	**45**	**1**	**2**	**4**	**6**	**12**	**15**	**36**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	0									
13-19 YRS	14	6.5	47	1	2	3	9	15	24	26
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	9	17.8	110	3	11	17	26	32	34	34
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	4	27.3	1938	2	3	11	95	99+	99+	99+
13-19 YRS	15	8.9	82	2	4	5	8	24	30	32
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	61.0		61	90	99+	99+	99+	99+	99+
6-12 YRS	5	41.0	327	28	32	41	93	99+	99+	99+
13-19 YRS	80	25.7	445	7	11	20	48	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	6.8	45	1	2	3	10	14	23	26
B. Operated	10	17.1	103	3	11	16	26	31	34	34
2. MULTIPLE DX										
A. Not Operated	20	12.2	428	2	3	5	13	56	96	99+
B. Operated	86	27.0	455	8	12	24	58	99+	99+	99+
1. SINGLE DX	25	10.9	91	2	3	9	15	26	29	34
2. MULTIPLE DX	106	24.2	480	5	9	20	54	99+	99+	99+
A. Not Operated	35	9.9	265	2	3	5	10	26	75	99+
B. Operated	96	25.9	426	7	12	23	55	99+	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	26	99+	99+	99+	99+	99+
1-5 YRS	2	36.0	1250	16	61	99+	99+	99+	99+	99+
6-12 YRS	10	32.5	895	3	11	34	95	99+	99+	99+
13-19 YRS	118	20.7	383	3	7	15	32	62	99+	99+
GRAND TOTAL	**131**	**21.7**	**432**	**3**	**8**	**17**	**39**	**99+**	**99+**	**99+**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	10	4.8	93	<1	1	1	4	18	32	32
13-19 YRS	33	2.0	1	1	1	2	2	3	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	10.5	181	1	1	10	20	20	20	20
13-19 YRS	4	6.0	4	3	5	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	12	10.3	41	3	4	10	15	18	23	24
1-5 YRS	9	4.0	12	<1	2	3	6	10	11	11
6-12 YRS	33	2.8	5	1	1	2	3	4	9	11
13-19 YRS	133	2.9	7	1	1	2	3	5	8	14
B. Operated										
0-27 DYS	0									
1-11 MOS	5	10.4	60	5	6	8	13	24	24	24
1-5 YRS	6	5.3	4	2	4	6	6	8	8	8
6-12 YRS	6	7.3	46	2	2	4	12	18	19	19
13-19 YRS	58	5.1	12	2	3	4	7	10	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.5	21	1	1	2	2	4	5	32
B. Operated	6	7.5	44	1	3	7	7	19	20	20
2. MULTIPLE DX										
A. Not Operated	187	3.4	12	1	1	2	4	8	11	16
B. Operated	75	5.7	18	2	3	5	7	10	13	23
1. SINGLE DX	52	3.1	25	1	1	2	3	6	7	32
2. MULTIPLE DX	262	4.1	15	1	2	3	5	9	12	20
A. Not Operated	233	3.2	14	1	1	2	4	7	11	18
B. Operated	81	5.8	20	2	3	5	7	10	16	23
TOTAL										
0-27 DYS	0									
1-11 MOS	18	9.8	46	3	5	8	15	21	24	24
1-5 YRS	17	4.1	9	1	2	3	6	8	10	11
6-12 YRS	51	4.0	32	1	1	2	4	10	19	32
13-19 YRS	228	3.4	8	1	2	2	4	7	9	14
GRAND TOTAL	**314**	**3.9**	**16**	**1**	**2**	**2**	**5**	**8**	**12**	**22**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	3.4	8	1	1	2	5	7	10	11
6-12 YRS	38	4.2	13	1	2	3	6	9	12	16
13-19 YRS	119	4.5	37	1	2	3	5	7	13	40
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	5.0	13	2	2	4	8	9	9	9
6-12 YRS	4	12.8	58	7	8	10	17	24	24	24
13-19 YRS	16	6.8	41	1	2	4	11	14	21	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	56	4.5	19	1	2	3	5	10	11	28
6-12 YRS	87	7.4	94	1	3	4	8	15	30	53
13-19 YRS	257	6.6	42	2	3	5	8	13	21	33
B. Operated										
0-27 DYS	0									
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	3	10.0	127	3	3	4	18	23	23	23
6-12 YRS	44	13.8	234	2	6	9	17	29	54	99 +
13-19 YRS	204	15.1	205	3	6	10	18	35	47	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	4.3	29	1	2	3	5	7	11	35
B. Operated	23	7.6	43	2	2	6	10	16	24	24
2. MULTIPLE DX										
A. Not Operated	402	6.4	51	2	3	4	7	12	21	38
B. Operated	252	14.8	207	3	6	10	18	35	47	89
1. SINGLE DX	195	4.7	31	1	2	3	5	10	14	33
2. MULTIPLE DX	654	9.7	127	2	3	6	11	23	35	62
A. Not Operated	574	5.8	45	1	2	4	7	11	18	38
B. Operated	275	14.2	197	3	6	10	17	35	46	88
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	5.3	26	1	2	4	9	11	11	11
1-5 YRS	76	4.5	21	1	2	3	5	10	11	27
6-12 YRS	173	8.4	121	1	3	5	10	22	29	81
13-19 YRS	596	9.1	116	2	3	5	11	20	33	59
GRAND TOTAL	**849**	**8.5**	**109**	**2**	**3**	**5**	**10**	**19**	**30**	**57**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	28	2.5	3	1	1	2	3	6	6	6
1-5 YRS	116	1.7	5	< 1	1	1	1	3	5	14
6-12 YRS	123	2.0	8	< 1	1	1	1	3	8	16
13-19 YRS	43	2.4	9	< 1	1	1	2	5	12	13
B. Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	9	2.7	4	1	1	2	3	6	7	7
1-5 YRS	1080	2.0	6	1	1	1	2	3	5	16
6-12 YRS	1365	2.2	9	1	1	1	2	3	5	20
13-19 YRS	490	2.5	9	1	1	2	3	4	6	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	3.4	3	2	2	3	4	6	6	6
1-11 MOS	38	4.7	16	1	2	4	6	9	10	23
1-5 YRS	57	3.8	28	1	1	2	4	6	19	25
6-12 YRS	54	3.4	31	1	1	2	3	6	19	28
13-19 YRS	38	3.6	27	1	1	2	4	8	10	31
B. Operated										
0-27 DYS	0									
1-11 MOS	6	4.5	14	< 1	1	3	9	9	9	9
1-5 YRS	175	3.9	18	1	2	2	4	10	14	20
6-12 YRS	406	4.1	30	1	1	2	4	9	17	29
13-19 YRS	267	5.3	40	1	2	3	6	11	17	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	314	2.0	7	< 1	1	1	2	3	6	15
B. Operated	2945	2.2	8	1	1	1	2	4	5	19
2. MULTIPLE DX										
A. Not Operated	192	3.8	25	1	1	2	4	7	10	27
B. Operated	854	4.5	31	1	2	3	5	10	16	29
1. SINGLE DX	3259	2.2	8	1	1	1	2	3	5	18
2. MULTIPLE DX	1046	4.3	30	1	1	2	5	9	16	29
A. Not Operated	506	2.7	14	< 1	1	1	3	5	9	23
B. Operated	3799	2.7	14	1	1	2	3	5	8	22
TOTAL										
0-27 DYS	10	2.4	3	< 1	1	2	3	5	6	6
1-11 MOS	81	3.7	11	1	2	3	5	8	9	19
1-5 YRS	1428	2.3	9	1	1	1	2	4	6	18
6-12 YRS	1948	2.6	15	1	1	1	2	4	8	22
13-19 YRS	838	3.4	22	1	1	2	4	7	11	26
GRAND TOTAL	**4305**	**2.7**	**14**	**1**	**1**	**2**	**3**	**5**	**8**	**22**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	41	1.2		<1	1	1	1	2	2	5
6-12 YRS	92	1.3		<1	1	1	1	2	3	4
13-19 YRS	50	1.8	1	<1	1	1	2	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	4	1.8	1	<1	<1	1	2	3	3	3
1-5 YRS	390	1.4	2	<1	1	1	1	2	3	9
6-12 YRS	1726	1.4	1	<1	1	1	1	2	3	5
13-19 YRS	1003	2.0	2	1	1	1	2	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	9	3.9	13	1	1	2	7	10	10	10
1-5 YRS	30	2.6	15	<1	1	1	3	5	6	21
6-12 YRS	49	1.8	1	1	1	1	2	3	5	5
13-19 YRS	46	2.3	11	<1	1	1	2	3	7	17
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	5.5	35	1	1	3	9	14	14	14
1-5 YRS	77	2.9	24	1	1	1	2	4	13	29
6-12 YRS	399	2.6	10	1	1	1	3	5	9	18
13-19 YRS	484	4.1	22	1	2	3	5	8	11	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	1.4	1	<1	1	1	2	3	3	4
B. Operated	3123	1.6	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	135	2.3	9	1	1	1	2	5	6	18
B. Operated	965	3.3	18	1	1	2	4	7	11	24
1. SINGLE DX	3308	1.6	1	1	1	1	2	3	4	6
2. MULTIPLE DX	1100	3.2	17	1	1	2	3	7	10	23
A. Not Operated	320	1.8	4	<1	1	1	2	3	5	12
B. Operated	4088	2.0	6	1	1	1	2	4	5	12
TOTAL										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	19	3.6	14	1	1	2	5	10	12	14
1-5 YRS	538	1.7	6	<1	1	1	1	3	4	17
6-12 YRS	2266	1.6	3	<1	1	1	2	3	4	9
13-19 YRS	1583	2.6	9	1	1	2	3	5	7	15
GRAND TOTAL	**4408**	**2.0**	**6**	**1**	**1**	**1**	**2**	**4**	**5**	**12**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	10	2.8	4	1	1	2	3	6	7	7
6-12 YRS	14	2.1	7	<1	1	1	2	3	9	11
13-19 YRS	41	2.2	3	1	1	2	3	4	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	53	2.1	4	<1	1	1	2	5	6	11
6-12 YRS	121	1.5	1	<1	1	1	2	3	4	5
13-19 YRS	333	1.8	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	6.5	41	2	2	6	11	11	11	11
1-5 YRS	5	2.6	1	2	2	2	3	4	4	4
6-12 YRS	15	5.2	32	1	1	2	7	14	18	20
13-19 YRS	46	2.4	3	1	1	2	3	4	6	10
B. Operated										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	0									
1-5 YRS	59	2.7	10	1	1	2	3	6	6	21
6-12 YRS	101	2.9	9	1	1	2	3	6	8	19
13-19 YRS	248	3.4	17	1	1	2	4	7	9	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	2.3	4	1	1	2	3	4	6	11
B. Operated	509	1.8	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	68	3.2	11	1	1	2	4	6	11	19
B. Operated	410	3.2	14	1	1	2	4	6	9	20
1. SINGLE DX	576	1.8	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	478	3.2	14	1	1	2	4	6	9	20
A. Not Operated	135	2.7	7	1	1	2	3	5	9	15
B. Operated	919	2.4	8	<1	1	1	3	5	6	14
TOTAL										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	6	3.2	15	<1	1	2	2	10	11	11
1-5 YRS	127	2.5	7	1	1	2	3	6	6	14
6-12 YRS	251	2.3	7	<1	1	1	2	4	6	18
13-19 YRS	668	2.5	9	<1	1	1	3	5	6	13
GRAND TOTAL	**1054**	**2.4**	**8**	**<1**	**1**	**1**	**3**	**5**	**6**	**14**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	18	6.7	48	1	1	3	11	18	19	20
1-5 YRS	37	8.0	79	1	1	3	15	22	26	28
6-12 YRS	27	17.3	169	2	3	19	27	35	36	39
13-19 YRS	21	7.6	148	1	1	4	5	28	38	48
B. Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	36	7.1	83	1	1	2	8	23	25	35
6-12 YRS	130	6.7	43	2	3	5	8	16	21	31
13-19 YRS	128	5.8	16	2	3	5	7	9	11	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	10	10.1	75	<1	2	7	19	21	22	22
1-5 YRS	23	8.6	66	1	2	4	17	20	23	25
6-12 YRS	28	17.5	183	2	4	19	25	37	40	51
13-19 YRS	10	8.8	70	2	3	5	11	23	24	24
B. Operated										
0-27 DYS	0									
1-11 MOS	20	13.8	386	3	5	8	14	27	64	90
1-5 YRS	60	10.8	53	3	5	9	14	22	26	31
6-12 YRS	75	11.4	126	2	4	7	14	29	42	87
13-19 YRS	120	11.6	102	4	6	8	14	23	32	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	10.2	126	1	2	4	18	27	32	43
B. Operated	296	6.3	36	2	3	5	7	13	20	32
2. MULTIPLE DX										
A. Not Operated	71	12.3	128	1	3	8	21	25	36	48
B. Operated	275	11.5	117	3	5	8	14	24	32	66
1. SINGLE DX	400	7.3	62	1	3	5	8	19	25	36
2. MULTIPLE DX	346	11.7	119	2	5	8	16	25	32	52
A. Not Operated	175	11.1	127	1	2	5	19	27	33	46
B. Operated	571	8.8	82	2	4	6	10	19	26	44
TOTAL										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	50	10.1	193	1	2	6	15	19	22	90
1-5 YRS	156	8.9	69	1	2	6	14	22	25	31
6-12 YRS	260	10.3	111	2	3	6	15	26	35	50
13-19 YRS	279	8.5	72	2	4	6	9	17	26	44
GRAND TOTAL	**746**	**9.3**	**93**	**2**	**3**	**6**	**12**	**22**	**28**	**44**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	5.8	46	<1	1	3	9	17	18	18
1-11 MOS	140	4.8	41	1	1	2	5	15	19	25
1-5 YRS	546	10.7	73	1	2	10	18	22	24	29
6-12 YRS	279	18.3	126	2	8	20	25	32	36	44
13-19 YRS	66	16.5	228	1	2	13	31	38	42	91
B. Operated										
0-27 DYS	0									
1-11 MOS	53	5.7	56	1	1	2	8	17	21	38
1-5 YRS	423	6.7	58	1	2	3	9	19	21	32
6-12 YRS	393	13.5	138	2	3	10	22	29	35	48
13-19 YRS	384	7.7	57	2	3	6	9	16	24	38
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	9.8	18	5	6	10	14	14	14	14
1-11 MOS	79	6.3	33	1	2	5	9	16	19	24
1-5 YRS	236	11.8	78	1	3	12	18	23	26	35
6-12 YRS	231	19.4	130	2	10	21	27	33	39	51
13-19 YRS	58	19.2	397	1	3	14	29	44	55	95
B. Operated										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	28	7.9	34	2	3	6	12	17	19	21
1-5 YRS	296	12.4	110	2	3	11	19	25	29	43
6-12 YRS	429	17.7	185	3	6	17	25	34	42	66
13-19 YRS	729	13.0	122	4	6	10	15	26	37	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1037	12.3	112	1	2	11	20	26	31	42
B. Operated	1253	9.1	92	1	2	5	13	23	28	40
2. MULTIPLE DX										
A. Not Operated	609	14.7	144	2	4	14	22	29	36	50
B. Operated	1483	14.2	141	3	6	11	20	29	37	61
1. SINGLE DX	2290	10.5	104	1	2	6	18	24	29	42
2. MULTIPLE DX	2092	14.3	142	2	5	11	21	29	37	59
A. Not Operated	1646	13.2	125	1	3	12	21	27	32	45
B. Operated	2736	11.8	125	2	4	8	17	26	34	50
TOTAL										
0-27 DYS	12	8.2	35	1	3	7	14	15	18	18
1-11 MOS	300	5.6	41	1	1	3	8	16	19	24
1-5 YRS	1501	10.1	81	1	2	7	17	22	25	35
6-12 YRS	1332	16.9	154	2	5	18	25	32	38	55
13-19 YRS	1237	11.8	130	2	5	8	14	26	37	59
GRAND TOTAL	**4382**	**12.3**	**125**	**1**	**3**	**9**	**19**	**26**	**33**	**48**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	9	1.6	1	<1	1	1	2	3	3	3
1-5 YRS	124	1.5	1	<1	1	1	2	3	4	5
6-12 YRS	204	2.1	6	1	1	1	2	3	4	14
13-19 YRS	177	2.2	2	1	1	2	3	4	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	2	11.5	113	4	4	11	19	19	19	19
1-5 YRS	153	2.4	5	1	1	2	3	4	9	11
6-12 YRS	558	2.8	7	1	1	2	3	6	7	14
13-19 YRS	869	3.6	13	1	2	3	4	6	8	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	21	4.2	7	1	2	4	6	7	9	12
1-5 YRS	74	4.0	32	1	1	2	4	12	14	34
6-12 YRS	81	4.2	37	1	1	3	4	8	13	40
13-19 YRS	93	3.8	27	1	2	3	4	6	10	35
B. Operated										
0-27 DYS	0									
1-11 MOS	3	9.7	52	5	5	6	15	18	18	18
1-5 YRS	97	5.2	56	1	2	3	5	11	17	47
6-12 YRS	319	7.1	80	1	2	4	8	15	25	48
13-19 YRS	601	8.0	70	2	3	5	10	16	25	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	516	2.0	3	1	1	1	2	3	4	9
B. Operated	1582	3.2	10	1	1	2	4	6	8	17
2. MULTIPLE DX										
A. Not Operated	269	4.0	29	1	1	3	4	8	12	37
B. Operated	1020	7.5	72	1	3	5	9	16	25	46
1. SINGLE DX	2098	2.9	9	1	1	2	4	5	7	15
2. MULTIPLE DX	1289	6.7	65	1	2	4	8	14	22	45
A. Not Operated	785	2.7	13	1	1	2	3	5	7	16
B. Operated	2602	4.9	39	1	2	3	5	10	15	35
TOTAL										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	35	4.4	18	1	2	3	6	7	16	19
1-5 YRS	448	3.0	21	1	1	2	3	6	10	19
6-12 YRS	1162	3.9	33	1	1	2	4	8	12	37
13-19 YRS	1740	5.0	37	1	2	3	5	10	15	32
GRAND TOTAL	**3387**	**4.4**	**34**	**1**	**1**	**3**	**5**	**9**	**13**	**32**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	45	1.7	1	<1	1	1	2	3	4	4
6-12 YRS	99	2.0	1	1	1	2	3	4	4	5
13-19 YRS	128	2.1	2	<1	1	2	3	4	5	7
B. Operated										
0-27 DYS	3	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	5	7.8	67	1	2	3	15	19	19	19
1-5 YRS	56	3.2	20	1	1	2	3	6	8	28
6-12 YRS	439	2.5	5	1	1	2	3	5	6	13
13-19 YRS	1614	2.6	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	12	4.4	9	1	2	4	6	8	11	11
1-5 YRS	29	2.2	9	1	1	2	2	3	5	17
6-12 YRS	63	2.8	7	1	1	2	3	6	8	15
13-19 YRS	103	2.6	2	1	1	2	3	5	6	7
B. Operated										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	6	5.8	17	1	3	5	10	11	11	11
1-5 YRS	39	5.2	26	1	2	3	7	12	18	21
6-12 YRS	193	5.2	45	1	2	3	5	10	19	36
13-19 YRS	856	4.8	28	1	2	3	6	9	14	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	276	2.0	2	<1	1	2	3	4	4	6
B. Operated	2117	2.6	5	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	207	2.7	5	1	1	2	3	5	7	13
B. Operated	1096	4.9	31	1	2	3	6	10	14	31
1. SINGLE DX	2393	2.6	5	1	1	2	3	5	6	11
2. MULTIPLE DX	1303	4.5	27	1	2	3	5	9	13	29
A. Not Operated	483	2.3	3	1	1	2	3	4	5	8
B. Operated	3213	3.4	15	1	1	2	4	6	9	21
TOTAL										
0-27 DYS	5	3.0	3	<1	1	3	4	5	5	5
1-11 MOS	27	4.9	21	1	2	3	7	11	15	19
1-5 YRS	169	3.1	16	1	1	2	3	6	10	21
6-12 YRS	794	3.1	16	1	1	2	4	6	8	22
13-19 YRS	270	3.3	13	1	1	2	4	6	8	18
GRAND TOTAL	**3696**	**3.3**	**14**	**1**	**1**	**2**	**4**	**6**	**8**	**19**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	9	1.6	1	<1	1	1	2	3	3	3
6-12 YRS	10	1.1		<1	1	1	1	2	2	2
13-19 YRS	12	1.8	1	<1	1	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	9	1.6	1	<1	1	1	2	3	3	3
13-19 YRS	34	1.6	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	10	2.7	2	<1	2	3	4	5	5	5
1-5 YRS	40	2.3	3	<1	1	2	3	5	7	8
6-12 YRS	38	2.5	7	1	1	1	3	6	8	14
13-19 YRS	105	2.4	4	1	1	2	3	5	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	6.7	89	1	2	2	7	24	28	28
6-12 YRS	12	2.2	2	1	1	2	3	4	5	5
13-19 YRS	48	2.8	3	1	1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	1.5	1	<1	1	1	2	3	3	3
B. Operated	44	1.6	1	<1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	195	2.4	4	1	1	2	3	5	6	11
B. Operated	69	3.2	15	1	1	2	4	6	6	26
1. SINGLE DX	76	1.5	1	<1	1	1	2	3	3	4
2. MULTIPLE DX	264	2.6	7	1	1	2	3	5	6	14
A. Not Operated	227	2.3	4	1	1	2	3	5	6	10
B. Operated	113	2.6	10	1	1	2	3	5	6	21
TOTAL										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	12	2.5	2	<1	1	2	3	4	5	5
1-5 YRS	58	2.8	18	<1	1	2	3	5	8	27
6-12 YRS	69	2.1	5	1	1	1	2	4	7	13
13-19 YRS	199	2.3	3	1	1	2	3	5	6	7
GRAND TOTAL	**340**	**2.4**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**14**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	15	1.7	4	1	1	1	2	2	7	9
1-5 YRS	5	2.0	2	1	1	1	3	4	4	4
6-12 YRS	5	2.2	2	1	1	2	3	4	4	4
13-19 YRS	4	1.3		1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	4	6.8	7	3	5	7	8	9	9	9
1-5 YRS	3	3.0		3	3	3	3	3	3	3
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	4	4.5	19	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	10	3.3	6	<1	2	3	4	7	8	8
1-5 YRS	8	5.6	29	2	2	3	8	15	16	16
6-12 YRS	5	3.8	9	1	2	2	6	8	8	8
13-19 YRS	6	2.5	2	1	2	2	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	11	21.2	632	1	4	15	54	99+	99+	99+
6-12 YRS	12	14.3	239	3	5	8	20	37	51	54
13-19 YRS	15	15.4	207	3	5	12	18	45	49	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	1.8	3	1	1	1	2	3	4	9
B. Operated	13	4.4	10	1	2	3	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	29	3.9	12	1	2	2	4	8	12	16
B. Operated	39	16.7	320	3	5	12	24	52	89	99+
1. SINGLE DX	43	2.6	6	1	1	1	3	7	9	10
2. MULTIPLE DX	68	11.2	227	2	2	5	13	44	54	99+
A. Not Operated	59	2.8	8	1	1	2	3	7	9	16
B. Operated	52	13.6	270	2	3	8	17	46	75	99+
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	30	3.4	12	1	1	2	4	8	9	15
1-5 YRS	27	11.0	327	1	2	4	15	66	99+	99+
6-12 YRS	24	8.5	151	1	2	4	8	29	37	54
13-19 YRS	29	9.3	148	1	2	4	12	21	45	50
GRAND TOTAL	**111**	**7.9**	**159**	**1**	**1**	**3**	**9**	**21**	**45**	**99+**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	2.1	1	< 1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	1.2		1	1	1	1	2	2	2
13-19 YRS	140	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	0									
13-19 YRS	7	1.7	1	< 1	< 1	1	2	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	37	2.2	2	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.1	1	< 1	1	2	3	4	4	4
B. Operated	146	1.6	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	8	2.5	6	< 1	< 1	1	3	7	8	8
B. Operated	37	2.2	2	1	1	2	3	5	6	6
1. SINGLE DX	154	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX	45	2.2	3	1	1	2	3	5	6	8
A. Not Operated	16	2.3	3	< 1	1	2	3	4	7	8
B. Operated	183	1.7	1	1	1	1	2	3	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	7	1.3		1	1	1	2	2	2	2
13-19 YRS	191	1.8	1	1	1	1	2	3	4	6
GRAND TOTAL	**199**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	1.8	1	1	1	1	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	19	2.3	4	< 1	1	2	2	6	8	8
13-19 YRS	338	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.5	13	< 1	< 1	3	6	6	6	6
13-19 YRS	7	1.6	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	5.0		5	5	5	5	5	5	5
6-12 YRS	21	3.2	4	1	2	3	4	6	8	9
13-19 YRS	500	2.6	4	< 1	1	2	3	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.7	1	1	1	1	3	3	3	3
B. Operated	357	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	9	2.0	3	< 1	< 1	1	3	5	6	6
B. Operated	525	2.6	4	< 1	1	2	3	5	6	10
1. SINGLE DX	363	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	534	2.6	4	< 1	1	2	3	5	6	10
A. Not Operated	15	1.9	2	< 1	< 1	1	3	3	5	6
B. Operated	882	2.4	3	< 1	1	2	3	4	5	9
TOTAL										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	5.0		5	5	5	5	5	5	5
6-12 YRS	43	2.7	4	< 1	1	2	3	6	8	9
13-19 YRS	850	2.4	3	< 1	1	2	3	4	5	9
GRAND TOTAL	**897**	**2.4**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**	**9**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	13	2.8	2	1	2	2	4	5	6	6
6-12 YRS	17	2.6	8	1	1	2	3	6	10	12
13-19 YRS	27	2.7	4	<1	1	2	4	6	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	30	2.8	7	1	1	2	3	5	7	14
6-12 YRS	99	2.5	9	<1	1	1	3	6	9	17
13-19 YRS	183	2.7	11	1	1	1	3	6	9	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	5.7	52	<1	<1	2	11	14	14	14
1-5 YRS	13	1.8	2	<1	1	1	2	4	6	6
6-12 YRS	19	3.5	7	1	1	3	4	8	9	10
13-19 YRS	28	5.2	64	1	1	3	5	11	18	42
B. Operated										
0-27 DYS	0									
1-11 MOS	4	2.5	1	2	2	2	3	4	4	4
1-5 YRS	47	4.6	10	2	2	4	6	8	11	17
6-12 YRS	102	5.1	28	1	2	4	6	9	15	32
13-19 YRS	160	7.9	57	1	3	5	11	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	2.7	5	1	1	2	3	6	7	12
B. Operated	314	2.6	10	1	1	1	3	6	8	18
2. MULTIPLE DX										
A. Not Operated	63	4.0	34	1	1	3	5	8	13	38
B. Operated	313	6.4	42	1	3	4	7	14	19	35
1. SINGLE DX	374	2.6	9	1	1	1	3	6	8	18
2. MULTIPLE DX	376	6.0	41	1	2	4	7	14	18	36
A. Not Operated	123	3.4	20	1	1	2	4	6	9	22
B. Operated	627	4.5	29	1	1	3	5	10	16	28
TOTAL										
0-27 DYS	0									
1-11 MOS	12	2.9	13	<1	1	2	3	7	13	14
1-5 YRS	103	3.5	8	1	2	3	5	7	8	16
6-12 YRS	237	3.7	18	1	1	2	5	8	11	20
13-19 YRS	398	5.0	39	1	1	3	6	13	18	32
GRAND TOTAL	**750**	**4.3**	**28**	**1**	**1**	**3**	**5**	**10**	**15**	**28**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	2.0	2	<1	1	2	3	4	4	4
6-12 YRS	4	3.3	8	1	1	3	5	7	7	7
13-19 YRS	18	1.3		<1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	20	2.1	1	<1	1	2	3	4	4	4
13-19 YRS	648	2.8	2	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	7	2.4	1	1	1	3	3	4	4	4
13-19 YRS	28	2.5	3	<1	1	2	3	5	6	9
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	23	2.7	4	1	1	2	4	7	36	99 +
13-19 YRS	901	3.1	3	1	2	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	1.7	2	<1	1	1	2	3	5	7
B. Operated	669	2.8	2	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	37	2.5	3	<1	1	2	3	5	6	9
B. Operated	926	3.1	3	1	2	3	4	5	6	8
1. SINGLE DX	696	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX	963	3.0	3	1	2	3	4	5	6	8
A. Not Operated	64	2.1	3	<1	1	2	3	4	5	9
B. Operated	1595	3.0	2	1	2	3	4	5	5	8
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	8	2.6	2	<1	1	2	4	5	5	5
6-12 YRS	54	2.5	3	1	1	2	3	5	7	95
13-19 YRS	1595	2.9	3	1	2	3	4	5	5	7
GRAND TOTAL	**1659**	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	0									
6-12 YRS	6	1.3		1	1	1	2	2	2	2
13-19 YRS	36	2.8	2	1	1	2	4	5	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	4	2.8	8	< 1	< 1	1	4	7	7	7
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	43	3.9	7	1	2	3	6	8	9	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	2.7	4	1	1	2	4	5	6	10
B. Operated	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated	51	3.7	7	1	2	3	6	8	8	11
B. Operated	2	2.5	1	2	2	2	3	3	3	3
1. SINGLE DX	44	3.0	8	1	1	2	4	5	8	16
2. MULTIPLE DX	53	3.6	7	1	2	3	6	7	8	11
A. Not Operated	94	3.2	5	1	1	3	4	7	8	11
B. Operated	3	7.0	61	2	2	3	13	16	16	16
TOTAL										
0-27 DYS	0									
1-11 MOS	4	4.5	15	1	2	3	7	10	10	10
1-5 YRS	4	2.8	8	< 1	< 1	1	4	7	7	7
6-12 YRS	7	1.4		1	1	1	2	2	2	2
13-19 YRS	82	3.5	7	1	2	3	5	7	8	14
GRAND TOTAL	**97**	**3.4**	**7**	**1**	**1**	**3**	**4**	**7**	**8**	**14**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	25	1.3		< 1	1	1	2	2	2	2
6-12 YRS	29	2.1	3	< 1	1	1	3	5	7	7
13-19 YRS	114	1.7	2	1	1	1	2	3	4	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	13	1.4		1	1	1	2	2	3	3
6-12 YRS	25	1.8	1	1	1	2	2	3	4	4
13-19 YRS	196	2.6	6	< 1	1	2	3	5	7	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	17	3.0	7	< 1	1	2	3	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	169	1.7	2	< 1	1	1	2	3	4	8
B. Operated	4	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	236	2.5	5	1	1	2	3	5	6	14
B. Operated	18	2.9	7	< 1	1	2	3	7	9	10
1. SINGLE DX	173	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX	254	2.5	5	1	1	2	3	5	7	14
A. Not Operated	405	2.2	4	< 1	1	1	3	4	6	9
B. Operated	22	2.9	6	< 1	1	2	3	7	8	10
TOTAL										
0-27 DYS	0									
1-11 MOS	3	3.0	12	< 1	< 1	1	5	7	7	7
1-5 YRS	38	1.3		< 1	1	1	2	2	2	3
6-12 YRS	56	2.0	2	< 1	1	1	3	4	5	7
13-19 YRS	330	2.3	4	< 1	1	2	3	5	6	11
GRAND TOTAL	**427**	**2.2**	**4**	**< 1**	**1**	**1**	**3**	**4**	**6**	**10**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	1.7	1	1	1	2	2	3	3	3
6-12 YRS	23	2.0	2	< 1	1	1	3	4	5	6
13-19 YRS	42	1.6	1	< 1	1	1	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	7	2.1		< 1	2	2	3	3	3	3
13-19 YRS	120	1.7	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	16	1.8	1	1	1	1	2	3	4	5
6-12 YRS	5	2.2	1	1	2	2	3	3	3	3
13-19 YRS	52	1.8	1	< 1	1	1	2	3	4	7
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	2	6.5	61	1	1	6	12	12	12	12
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	64	2.1	3	1	1	1	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	1.8	1	< 1	1	1	2	3	4	6
B. Operated	130	1.8	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	75	1.9	1	1	1	1	3	3	4	6
B. Operated	71	2.4	5	1	1	2	3	5	6	12
1. SINGLE DX	201	1.8	1	1	1	1	2	3	4	6
2. MULTIPLE DX	146	2.1	3	1	1	2	3	4	5	12
A. Not Operated	146	1.8	1	1	1	1	2	3	4	6
B. Operated	201	2.0	3	1	1	1	2	4	5	10
TOTAL										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	4	3.0	5	1	1	2	4	6	6	6
1-5 YRS	26	2.1	5	1	1	1	2	3	6	12
6-12 YRS	37	2.3	3	1	1	2	3	4	6	9
13-19 YRS	278	1.8	2	1	1	1	2	3	4	6
GRAND TOTAL	**347**	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**7**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	97	1.3	1	< 1	1	1	1	2	3	4
1-5 YRS	662	1.2		< 1	1	1	1	2	2	4
6-12 YRS	1002	1.2		1	1	1	1	2	2	3
13-19 YRS	810	1.4	1	< 1	1	1	1	2	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.0		1	1	1	1	1	1	1
6-12 YRS	4	1.0		< 1	< 1	1	1	1	1	1
13-19 YRS	4	3.0	16	< 1	< 1	1	5	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	86	1.7	2	1	1	1	2	3	4	7
1-5 YRS	596	1.8	10	1	1	1	2	3	4	11
6-12 YRS	1081	1.7	2	1	1	1	2	3	4	7
13-19 YRS	1579	1.8	3	< 1	1	1	2	3	5	8
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	1.0		< 1	< 1	1	1	1	1	1
1-5 YRS	96	3.1	24	1	1	1	3	6	13	29
6-12 YRS	219	2.5	18	1	1	1	2	5	6	26
13-19 YRS	610	2.8	18	1	1	2	3	6	8	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2573	1.3	1	< 1	1	1	1	2	2	4
B. Operated	12	1.7	5	< 1	1	1	1	4	8	9
2. MULTIPLE DX										
A. Not Operated	3343	1.7	4	1	1	1	2	3	4	8
B. Operated	933	2.8	18	1	1	1	3	6	8	24
1. SINGLE DX	2585	1.3	1	< 1	1	1	1	2	2	4
2. MULTIPLE DX	4276	2.0	7	1	1	1	2	3	5	11
A. Not Operated	5916	1.5	3	1	1	1	2	3	3	7
B. Operated	945	2.8	18	1	1	1	3	6	8	24
TOTAL										
0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	190	1.5	1	1	1	1	2	3	4	6
1-5 YRS	1358	1.6	7	1	1	1	1	2	3	10
6-12 YRS	2306	1.6	3	1	1	1	2	2	3	7
13-19 YRS	3003	1.9	6	< 1	1	1	2	3	5	10
GRAND TOTAL	**6861**	**1.7**	**5**	**1**	**1**	**1**	**2**	**3**	**4**	**9**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	1	12.0		12	12	12	12	12	12	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	42.0	2888	4	4	42	80	80	80	80
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	40.0		40	40	40	40	40	40	40
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	4	24.5	98	15	20	32	99+	99+	99+	99+
1-5 YRS	8	21.9	154	5	16	28	37	99+	99+	99+
6-12 YRS	20	19.2	400	5	7	11	24	45	66	86
13-19 YRS	18	22.6	159	7	12	28	37	99+	99+	99+
B. Operated										
0-27 DYS	2	59.5	481	44	44	59	75	75	75	75
1-11 MOS	5	38.8	1070	7	26	42	98	99+	99+	99+
1-5 YRS	11	26.7	702	2	12	21	67	99+	99+	99+
6-12 YRS	29	33.6	310	15	23	36	77	99+	99+	99+
13-19 YRS	90	32.6	368	13	18	33	57	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	6.5	61	<1	<1	6	12	12	12	12
B. Operated	4	32.8	1258	4	5	23	60	80	80	80
2. MULTIPLE DX										
A. Not Operated	51	21.1	237	6	11	21	37	99+	99+	99+
B. Operated	137	32.9	406	13	20	34	62	99+	99+	99+
1. SINGLE DX	6	24.0	951	<1	4	9	40	76	80	80
2. MULTIPLE DX	188	29.7	386	9	17	31	56	99+	99+	99+
A. Not Operated	53	20.6	237	5	10	20	36	99+	99+	99+
B. Operated	141	32.9	421	12	19	34	62	99+	99+	99+
TOTAL										
0-27 DYS	3	45.0	871	16	23	44	67	75	75	75
1-11 MOS	9	32.4	629	12	22	37	99+	99+	99+	99+
1-5 YRS	22	25.2	584	1	10	23	60	99+	99+	99+
6-12 YRS	50	27.3	391	7	12	28	54	99+	99+	99+
13-19 YRS	110	30.8	343	12	18	32	52	99+	99+	99+
GRAND TOTAL	**194**	**29.5**	**400**	**8**	**17**	**30**	**56**	**99+**	**99+**	**99+**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4, 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	9	1.4	1	<1	<1	1	2	3	3	3
1-11 MOS	157	1.5	5	1	1	1	1	2	4	9
1-5 YRS	571	1.5	4	<1	1	1	1	2	3	6
6-12 YRS	618	1.7	13	1	1	1	2	3	4	8
13-19 YRS	396	2.0	12	<1	1	1	2	3	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	21	7.3	40	1	4	5	8	20	22	23
1-5 YRS	38	5.1	27	2	3	4	5	7	15	31
6-12 YRS	39	4.9	32	1	2	4	6	8	10	36
13-19 YRS	32	7.7	98	1	2	5	11	15	18	55
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	10	2.5	8	<1	1	1	3	7	10	10
1-11 MOS	228	3.8	29	1	1	2	4	10	13	21
1-5 YRS	853	2.5	23	1	1	1	2	4	8	23
6-12 YRS	964	2.9	32	1	1	1	2	5	9	29
13-19 YRS	1000	3.5	41	1	1	2	3	7	11	35
B. Operated										
0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	72	15.2	156	3	6	13	21	34	50	99+
1-5 YRS	174	10.3	227	1	2	4	15	34	57	99+
6-12 YRS	259	8.9	234	1	1	3	9	24	45	88
13-19 YRS	595	8.7	162	1	2	4	11	25	38	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1751	1.7	9	<1	1	1	2	3	4	9
B. Operated	130	6.0	49	1	3	4	6	12	18	40
2. MULTIPLE DX										
A. Not Operated	3055	3.1	32	1	1	1	3	6	10	28
B. Operated	1102	9.5	190	1	2	4	12	27	43	99+
1. SINGLE DX	1881	2.0	13	1	1	1	2	3	5	14
2. MULTIPLE DX	4157	4.8	82	1	1	2	4	11	21	63
A. Not Operated	4806	2.5	24	1	1	1	2	5	8	22
B. Operated	1232	9.1	177	1	2	4	11	26	41	99+
TOTAL										
0-27 DYS	21	2.6	9	<1	1	1	3	7	11	12
1-11 MOS	478	4.9	61	1	1	1	5	14	21	50
1-5 YRS	1636	3.1	45	1	1	1	2	5	11	50
6-12 YRS	1880	3.4	59	1	1	1	2	6	11	46
13-19 YRS	2023	4.8	79	1	1	2	4	12	20	59
GRAND TOTAL	**6038**	**3.9**	**62**	**1**	**1**	**1**	**3**	**8**	**16**	**49**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	1.8	1	< 1	< 1	1	2	3	3	3
1-5 YRS	9	1.7	1	1	1	1	2	3	3	3
6-12 YRS	18	1.8	1	< 1	1	2	3	3	4	4
13-19 YRS	59	2.3	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.7	1	1	1	1	3	3	3	3
6-12 YRS	7	4.0	1	3	3	4	5	5	5	5
13-19 YRS	105	3.9	5	2	2	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	24	3.3	3	2	2	3	4	5	6	9
1-5 YRS	59	3.5	4	2	2	3	4	6	8	11
6-12 YRS	52	4.2	25	1	2	3	4	9	14	27
13-19 YRS	158	3.3	7	1	2	3	4	6	8	14
B. Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	4	6.3	11	3	3	6	9	10	10	10
1-5 YRS	34	11.0	117	3	4	9	12	22	29	58
6-12 YRS	64	10.8	218	2	4	6	11	21	36	79
13-19 YRS	437	8.1	48	2	4	6	10	14	20	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	2.1	1	1	1	2	3	4	4	6
B. Operated	115	3.9	5	1	2	3	5	7	7	12
2. MULTIPLE DX										
A. Not Operated	293	3.5	9	1	2	3	4	6	9	16
B. Operated	540	8.6	72	2	4	6	10	16	22	50
1. SINGLE DX	206	3.1	4	1	2	3	4	6	7	9
2. MULTIPLE DX	833	6.8	56	2	3	5	8	13	19	36
A. Not Operated	384	3.2	8	1	2	3	4	5	8	14
B. Operated	655	7.8	64	2	4	6	9	14	20	46
TOTAL										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	32	3.5	4	2	2	3	4	6	9	10
1-5 YRS	105	5.7	53	1	2	4	6	11	20	43
6-12 YRS	141	6.9	121	1	2	4	6	14	22	71
13-19 YRS	759	6.1	36	2	2	4	8	12	16	33
GRAND TOTAL	**1039**	**6.1**	**48**	**1**	**2**	**4**	**7**	**12**	**17**	**33**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	69	3.6	11	1	1	2	5	9	10	14
6-12 YRS	206	4.2	9	1	2	4	6	8	9	15
13-19 YRS	202	4.0	14	1	1	3	5	8	10	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	17	4.7	7	1	3	5	6	7	10	12
6-12 YRS	77	6.1	19	2	4	6	7	10	12	26
13-19 YRS	135	6.0	8	3	4	6	7	9	11	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	5	3.4	8	1	1	2	6	7	7	7
1-5 YRS	143	5.0	18	1	2	4	6	10	11	26
6-12 YRS	282	5.1	19	1	2	4	7	10	13	21
13-19 YRS	446	4.1	10	1	2	3	6	8	10	14
B. Operated										
0-27 DYS	2	16.0	242	5	5	16	27	27	27	27
1-11 MOS	8	10.9	89	3	5	8	13	27	32	32
1-5 YRS	122	9.9	57	3	5	9	14	18	24	99 +
6-12 YRS	214	10.0	72	3	5	8	12	19	25	48
13-19 YRS	807	11.3	110	4	6	8	13	22	30	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	479	4.0	11	1	1	3	6	8	10	14
B. Operated	229	6.0	11	2	4	6	7	9	11	21
2. MULTIPLE DX										
A. Not Operated	877	4.6	15	1	2	4	6	9	11	20
B. Operated	1153	10.9	97	4	6	8	13	21	29	65
1. SINGLE DX	708	4.6	12	1	2	4	7	9	10	15
2. MULTIPLE DX	2030	8.2	72	1	3	6	10	16	23	51
A. Not Operated	1356	4.4	14	1	2	3	6	9	11	18
B. Operated	1382	10.1	86	4	5	7	12	19	27	60
TOTAL										
0-27 DYS	3	18.7	142	5	10	24	26	27	27	27
1-11 MOS	15	7.5	62	1	2	6	8	16	28	32
1-5 YRS	351	6.4	36	1	2	5	9	14	17	31
6-12 YRS	779	6.3	37	1	2	5	8	12	17	29
13-19 YRS	1590	7.9	73	1	3	6	9	15	23	51
GRAND TOTAL	**2738**	**7.3**	**59**	**1**	**3**	**6**	**9**	**14**	**20**	**45**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	17	1.7	2	<1	<1	1	2	5	6	6
6-12 YRS	9	2.6	1	1	2	3	3	3	3	3
13-19 YRS	9	2.1	1	1	2	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	9	1.6	2	<1	<1	1	2	4	5	5
1-5 YRS	187	2.0	2	1	1	1	3	4	5	7
6-12 YRS	154	2.7	3	1	1	2	4	5	6	7
13-19 YRS	119	2.7	5	1	1	2	4	5	6	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	19	2.4	4	<1	1	2	3	6	8	8
6-12 YRS	14	5.9	33	1	2	4	6	16	18	19
13-19 YRS	17	2.3	5	<1	<1	1	3	5	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	9	3.2	5	1	1	3	5	7	7	7
1-5 YRS	155	3.1	7	1	1	2	4	6	9	11
6-12 YRS	155	3.6	8	1	2	3	5	6	7	12
13-19 YRS	218	3.4	6	1	2	3	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.0	1	<1	1	2	3	3	5	6
B. Operated	469	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	52	3.4	14	<1	1	2	4	7	13	19
B. Operated	537	3.4	7	1	1	3	5	6	8	12
1. SINGLE DX	505	2.4	3	1	1	2	3	5	6	8
2. MULTIPLE DX	589	3.4	7	1	1	3	5	6	8	14
A. Not Operated	88	2.8	9	<1	1	2	3	5	8	18
B. Operated	1006	2.9	5	1	1	2	4	6	7	11
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	20	2.4	4	<1	1	1	4	5	6	7
1-5 YRS	378	2.5	4	<1	1	2	3	5	6	10
6-12 YRS	332	3.2	7	1	1	3	4	6	7	14
13-19 YRS	363	3.1	6	1	1	3	4	6	7	13
GRAND TOTAL	**1094**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**12**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	18	2.3	3	<1	1	1	4	5	6	6
1-5 YRS	126	2.0	9	1	1	1	2	3	4	17
6-12 YRS	71	1.9	1	1	1	2	2	4	4	7
13-19 YRS	53	1.7	1	<1	1	1	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	19	3.4	49	<1	1	1	2	7	22	31
1-5 YRS	280	1.7	10	<1	1	1	2	3	4	7
6-12 YRS	132	1.7	3	<1	1	1	2	3	4	11
13-19 YRS	141	1.8	3	<1	1	1	2	3	5	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	3.0	7	<1	1	2	5	7	7	7
1-11 MOS	22	2.4	3	<1	1	2	3	5	6	6
1-5 YRS	164	2.4	3	1	1	2	3	5	6	9
6-12 YRS	108	2.1	2	1	1	1	3	4	6	7
13-19 YRS	147	1.7	1	<1	1	1	2	3	4	7
B. Operated										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	23	3.1	11	1	1	2	4	7	10	15
1-5 YRS	365	2.4	6	1	1	2	3	5	7	12
6-12 YRS	290	3.1	31	1	1	2	3	5	8	33
13-19 YRS	618	3.0	23	1	1	2	3	6	9	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	269	1.9	5	1	1	1	2	3	4	7
B. Operated	572	1.8	8	<1	1	1	2	3	4	10
2. MULTIPLE DX										
A. Not Operated	445	2.1	2	<1	1	2	3	4	5	7
B. Operated	1298	2.8	20	1	1	2	3	5	8	24
1. SINGLE DX	841	1.8	7	<1	1	1	2	3	4	10
2. MULTIPLE DX	1743	2.7	16	1	1	2	3	5	7	16
A. Not Operated	714	2.0	3	1	1	1	3	4	5	7
B. Operated	1870	2.5	17	1	1	1	3	5	7	20
TOTAL										
0-27 DYS	7	3.0	5	<1	1	2	4	7	7	7
1-11 MOS	82	2.8	15	<1	1	1	3	5	7	26
1-5 YRS	935	2.1	7	1	1	1	2	4	6	10
6-12 YRS	601	2.5	16	1	1	1	3	4	6	23
13-19 YRS	959	2.5	16	1	1	1	3	5	8	16
GRAND TOTAL	**2584**	**2.4**	**13**	**1**	**1**	**1**	**3**	**5**	**6**	**14**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	22	1.9	5	<1	1	1	2	3	7	11
6-12 YRS	53	1.5	1	<1	1	1	2	2	3	6
13-19 YRS	237	1.5	1	<1	1	1	2	3	3	5
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	84	1.6	1	<1	1	1	2	3	4	5
6-12 YRS	119	1.6	1	1	1	1	2	3	5	6
13-19 YRS	195	2.9	5	1	1	2	4	5	7	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	2.9	4	1	1	3	4	6	6	6
1-5 YRS	25	5.3	105	1	1	2	4	7	27	51
6-12 YRS	28	5.0	80	1	1	2	4	10	29	42
13-19 YRS	162	2.1	3	1	1	2	2	4	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	3	4.0	19	1	1	2	7	9	9	9
1-5 YRS	57	4.2	21	1	1	2	6	11	15	94
6-12 YRS	85	3.7	43	1	1	2	4	7	12	41
13-19 YRS	349	5.7	52	1	2	4	6	12	17	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	312	1.5	1	<1	1	1	2	3	3	6
B. Operated	401	2.2	4	<1	1	1	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	222	2.8	25	1	1	2	3	4	7	32
B. Operated	494	5.2	47	1	1	3	6	11	16	27
1. SINGLE DX	713	1.9	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	716	4.4	41	1	1	2	5	10	14	28
A. Not Operated	534	2.1	11	<1	1	1	2	3	5	12
B. Operated	895	3.8	30	1	1	2	5	8	12	22
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	12	2.8	7	<1	1	2	4	7	9	9
1-5 YRS	188	2.9	23	<1	1	1	3	6	11	40
6-12 YRS	285	2.6	23	1	1	1	2	5	7	24
13-19 YRS	943	3.4	24	1	1	2	4	7	11	21
GRAND TOTAL	**1429**	**3.2**	**24**	**1**	**1**	**2**	**4**	**6**	**10**	**22**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	7	2.0	1	<1	1	2	3	3	3	3
1-5 YRS	94	2.5	2	1	1	2	3	4	5	9
6-12 YRS	105	2.5	3	1	2	2	3	5	6	8
13-19 YRS	215	2.6	3	1	1	2	3	5	6	9
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	13	2.5	9	<1	<1	1	2	8	10	11
1-5 YRS	171	2.1	6	<1	1	1	2	5	6	12
6-12 YRS	241	1.8	2	<1	1	1	2	3	5	7
13-19 YRS	568	2.4	5	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	13	3.2	3	1	2	3	4	6	7	7
1-5 YRS	75	3.2	38	1	2	2	3	4	5	43
6-12 YRS	73	3.2	13	1	2	3	4	5	6	25
13-19 YRS	210	3.0	9	1	1	2	4	6	7	12
B. Operated										
0-27 DYS	0									
1-11 MOS	12	4.0	23	1	1	1	6	12	15	16
1-5 YRS	199	3.1	22	1	1	2	3	7	9	29
6-12 YRS	285	3.2	13	1	1	2	4	8	11	19
13-19 YRS	810	3.3	17	1	1	2	4	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	424	2.5	3	1	1	2	3	4	6	9
B. Operated	994	2.2	5	<1	1	1	2	5	6	12
2. MULTIPLE DX										
A. Not Operated	372	3.1	15	1	1	2	4	5	7	13
B. Operated	1306	3.2	17	1	1	2	4	7	10	20
1. SINGLE DX	1418	2.3	4	1	1	2	3	4	6	11
2. MULTIPLE DX	1678	3.2	16	1	1	2	4	6	9	20
A. Not Operated	796	2.8	9	1	1	2	3	5	6	9
B. Operated	2300	2.8	12	1	1	2	3	6	8	17
TOTAL										
0-27 DYS	5	4.0	6	2	3	3	5	8	8	8
1-11 MOS	45	3.0	10	<1	1	2	4	7	10	16
1-5 YRS	539	2.7	16	1	1	2	3	5	8	17
6-12 YRS	704	2.6	8	1	1	2	3	5	7	14
13-19 YRS	1803	2.9	11	1	1	2	3	6	8	16
GRAND TOTAL	**3096**	**2.8**	**11**	**1**	**1**	**2**	**3**	**6**	**8**	**16**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	2.7	3	<1	1	2	4	5	5	5
1-5 YRS	56	2.2	2	1	1	2	3	4	5	7
6-12 YRS	167	2.9	4	1	2	2	4	5	7	11
13-19 YRS	281	2.2	2	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	129	3.8	20	1	1	2	5	8	14	25
6-12 YRS	364	3.2	11	1	1	2	4	6	8	16
13-19 YRS	516	2.9	8	1	1	2	3	5	9	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	62	3.7	14	1	2	3	4	6	10	26
6-12 YRS	119	3.9	10	1	2	3	4	7	11	17
13-19 YRS	151	3.4	18	1	1	3	4	6	9	18
B. Operated										
0-27 DYS	2	4.5	25	<1	<1	4	8	8	8	8
1-11 MOS	4	9.8	202	2	2	3	17	31	31	31
1-5 YRS	100	5.8	24	1	2	5	7	12	16	24
6-12 YRS	244	7.4	68	1	2	5	10	18	23	37
13-19 YRS	406	5.4	45	1	2	4	6	11	17	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	511	2.5	3	1	1	2	3	5	6	9
B. Operated	1014	3.1	11	1	1	2	4	6	9	17
2. MULTIPLE DX										
A. Not Operated	332	3.6	14	1	2	3	4	7	10	17
B. Operated	756	6.1	51	1	2	4	7	13	21	36
1. SINGLE DX	1525	2.9	8	1	1	2	3	5	8	15
2. MULTIPLE DX	1088	5.4	41	1	2	3	6	11	17	32
A. Not Operated	843	2.9	8	1	1	2	4	5	7	13
B. Operated	1770	4.4	30	1	1	3	5	10	14	27
TOTAL										
0-27 DYS	3	3.3	16	<1	<1	<1	6	8	8	8
1-11 MOS	15	4.3	57	1	1	2	4	5	25	31
1-5 YRS	347	4.1	19	1	2	3	5	8	12	24
6-12 YRS	894	4.4	29	1	2	3	5	9	13	28
13-19 YRS	1354	3.6	20	1	1	2	4	7	10	22
GRAND TOTAL	**2613**	**3.9**	**23**	**1**	**1**	**3**	**4**	**8**	**11**	**25**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	3	2.7	8	1	1	1	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	2.2	3	<1	1	1	3	5	5	5
6-12 YRS	5	2.8	6	1	1	2	4	7	7	7
13-19 YRS	27	3.6	10	1	1	2	4	9	11	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	8.7	69	2	3	6	15	18	18	18
6-12 YRS	9	7.4	295	<1	1	1	3	34	53	53
13-19 YRS	8	6.1	45	<1	1	4	8	18	21	21
B. Operated										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	0									
1-5 YRS	12	4.3	18	1	2	3	5	11	15	16
6-12 YRS	17	5.1	21	1	2	4	6	11	17	19
13-19 YRS	146	10.0	137	1	3	6	15	28	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.0	4	1	1	1	3	5	6	6
B. Operated	37	3.3	8	1	1	2	4	8	10	12
2. MULTIPLE DX										
A. Not Operated	21	6.9	143	<1	1	2	6	19	35	53
B. Operated	176	9.1	121	1	3	5	12	23	33	99+
1. SINGLE DX	44	3.1	8	1	1	2	4	7	10	12
2. MULTIPLE DX	197	8.9	123	1	2	5	12	23	33	99+
A. Not Operated	28	5.6	111	<1	1	2	6	16	24	53
B. Operated	213	8.1	106	1	2	5	10	22	31	99+
TOTAL										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	21	4.4	22	1	2	3	5	12	17	18
6-12 YRS	33	5.1	88	1	1	2	5	9	18	53
13-19 YRS	184	8.8	118	1	2	5	12	23	33	99+
GRAND TOTAL	**241**	**7.8**	**107**	**1**	**2**	**4**	**10**	**21**	**31**	**99+**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	17	4.2	15	1	1	3	5	11	13	13
6-12 YRS	20	3.5	13	1	1	2	4	10	13	13
13-19 YRS	26	3.2	7	1	1	2	5	6	9	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	8.2	67	1	2	7	20	85	99 +	99 +
6-12 YRS	2	31.5	41	27	27	31	36	36	36	36
13-19 YRS	8	4.5	9	1	2	3	8	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	3	6.3	2	5	5	6	7	8	8	8
1-5 YRS	6	3.5	19	< 1	1	2	4	11	12	12
6-12 YRS	21	2.7	9	1	1	2	3	6	10	14
13-19 YRS	22	4.2	42	1	1	2	5	6	17	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated	64	3.5	11	1	1	2	4	8	12	13
2. MULTIPLE DX										
A. Not Operated	16	9.3	108	1	2	7	14	34	78	99 +
B. Operated	52	3.6	24	1	1	2	5	7	12	32
1. SINGLE DX	67	3.5	10	1	1	2	4	8	12	13
2. MULTIPLE DX	68	5.0	48	1	1	2	6	12	27	88
A. Not Operated	19	8.1	97	< 1	2	5	10	31	68	99 +
B. Operated	116	3.6	16	1	1	2	5	8	12	20
TOTAL										
0-27 DYS	0									
1-11 MOS	4	5.3	6	2	3	5	7	8	8	8
1-5 YRS	30	4.8	26	1	1	3	8	13	22	99 +
6-12 YRS	44	4.3	47	1	1	2	4	13	18	36
13-19 YRS	57	3.8	20	1	1	3	5	7	9	31
GRAND TOTAL	**135**	**4.2**	**30**	**1**	**1**	**2**	**5**	**9**	**13**	**45**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	3.3	7	1	1	3	5	6	6	6
1-5 YRS	56	3.8	3	1	2	4	5	6	7	9
6-12 YRS	122	3.8	4	1	2	4	5	6	7	12
13-19 YRS	111	4.0	4	2	3	4	5	6	7	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	5	6.2	10	3	4	5	9	10	10	10
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	3.7	11	< 1	1	3	4	9	10	10
1-5 YRS	38	3.6	4	1	1	4	5	6	7	8
6-12 YRS	108	3.9	3	1	2	4	5	6	7	8
13-19 YRS	114	3.7	6	1	2	4	5	6	7	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	4.1	3	2	2	4	5	7	7	7
6-12 YRS	24	5.0	14	1	2	5	6	12	13	15
13-19 YRS	22	3.8	7	1	2	4	5	6	9	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	293	3.9	4	1	3	4	5	6	7	12
B. Operated	9	4.4	11	1	2	4	6	10	10	10
2. MULTIPLE DX										
A. Not Operated	266	3.8	5	1	2	4	5	6	7	10
B. Operated	57	4.4	9	1	2	4	5	7	12	15
1. SINGLE DX	302	3.9	4	1	3	4	5	6	7	11
2. MULTIPLE DX	323	3.9	6	1	2	4	5	7	7	12
A. Not Operated	559	3.8	4	1	2	4	5	6	7	11
B. Operated	66	4.4	9	1	2	4	5	9	12	15
TOTAL										
0-27 DYS	0									
1-11 MOS	10	3.5	9	< 1	1	3	5	8	10	10
1-5 YRS	107	3.7	4	1	2	4	5	6	7	9
6-12 YRS	259	4.0	5	1	2	4	5	6	8	12
13-19 YRS	249	3.9	5	1	2	4	5	6	7	12
GRAND TOTAL	**625**	**3.9**	**5**	**1**	**2**	**4**	**5**	**6**	**7**	**12**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	1.7	1	<1	1	1	3	3	3	3
1-11 MOS	76	1.6	4	1	1	1	1	3	4	13
1-5 YRS	286	1.6	1	<1	1	1	2	3	4	6
6-12 YRS	283	1.5	1	1	1	1	2	3	4	5
13-19 YRS	365	1.6	1	<1	1	1	2	3	4	6
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	33	2.3	16	<1	<1	1	2	3	11	22
6-12 YRS	55	2.9	8	<1	<1	1	4	7	9	15
13-19 YRS	52	2.4	10	<1	1	1	2	4	12	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	10	3.1	6	1	1	2	4	7	8	8
1-11 MOS	92	2.5	6	1	1	2	3	6	7	13
1-5 YRS	423	2.2	4	1	1	2	3	4	6	11
6-12 YRS	444	1.9	2	1	1	1	2	3	5	8
13-19 YRS	826	1.9	3	<1	1	1	2	3	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	2	9.0	72	3	3	9	15	15	15	15
1-5 YRS	30	3.3	17	<1	1	1	4	8	9	21
6-12 YRS	67	4.2	41	1	1	2	4	8	15	39
13-19 YRS	140	3.3	14	1	1	2	4	7	9	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1016	1.6	1	<1	1	1	2	3	4	6
B. Operated	144	2.6	10	<1	<1	1	3	5	9	17
2. MULTIPLE DX										
A. Not Operated	1795	2.0	3	1	1	1	2	4	6	10
B. Operated	239	3.6	22	1	1	2	4	8	11	28
1. SINGLE DX	1160	1.7	3	<1	1	1	2	3	4	9
2. MULTIPLE DX	2034	2.2	6	1	1	1	3	4	6	11
A. Not Operated	2811	1.9	2	1	1	1	2	3	5	8
B. Operated	383	3.2	18	<1	1	2	3	7	10	23
TOTAL										
0-27 DYS	17	2.5	4	1	1	2	3	6	8	8
1-11 MOS	173	2.2	6	1	1	1	2	4	6	15
1-5 YRS	772	2.0	4	<1	1	1	2	4	5	11
6-12 YRS	849	2.0	6	1	1	1	2	4	5	10
13-19 YRS	1383	2.0	4	<1	1	1	2	4	5	10
GRAND TOTAL	**3194**	**2.0**	**5**	**1**	**1**	**1**	**2**	**4**	**5**	**11**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	37	1.7	1	1	1	1	2	3	4	6
6-12 YRS	22	1.6	2	1	1	1	2	3	5	6
13-19 YRS	23	2.3	5	1	1	2	2	4	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	18	3.8	22	<1	1	2	3	12	15	17
6-12 YRS	13	6.3	38	<1	1	3	12	16	16	16
13-19 YRS	16	6.3	56	1	2	3	7	18	25	28
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	23	2.5	3	1	1	2	3	5	6	7
6-12 YRS	14	3.1	14	1	1	2	4	6	13	15
13-19 YRS	28	2.7	3	1	1	2	4	5	6	6
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	0									
1-5 YRS	24	5.9	55	1	1	4	6	18	24	31
6-12 YRS	18	9.1	70	1	2	6	14	22	26	29
13-19 YRS	54	6.6	109	1	2	3	7	14	19	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	1.8	2	1	1	1	2	3	5	9
B. Operated	49	5.2	37	1	1	2	8	15	17	28
2. MULTIPLE DX										
A. Not Operated	65	2.7	5	1	1	2	3	5	6	14
B. Operated	97	6.9	87	1	2	4	7	17	22	52
1. SINGLE DX	132	3.1	18	1	1	2	3	8	13	21
2. MULTIPLE DX	162	5.2	58	1	1	3	5	13	18	31
A. Not Operated	148	2.2	4	1	1	2	3	5	6	11
B. Operated	146	6.3	70	1	2	3	8	16	21	33
TOTAL										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	102	3.2	20	1	1	2	3	6	11	26
6-12 YRS	67	4.9	38	1	1	2	5	15	18	28
13-19 YRS	121	4.8	60	1	2	3	4	11	16	40
GRAND TOTAL	**294**	**4.3**	**41**	**1**	**1**	**2**	**4**	**10**	**16**	**29**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	49	1.7	1	1	1	1	2	3	4	5
1-11 MOS	316	1.3	1	<1	1	1	2	2	3	4
1-5 YRS	838	1.1		<1	<1	1	1	1	2	3
6-12 YRS	263	1.2		<1	<1	1	1	2	2	3
13-19 YRS	74	1.3	1	<1	1	1	1	2	3	5
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	106	1.7	3	<1	1	1	2	3	5	10
1-5 YRS	440	1.5	1	<1	1	1	2	2	3	7
6-12 YRS	77	1.4	1	<1	1	1	2	2	3	6
13-19 YRS	28	1.5	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	42	2.0	1	1	1	2	3	4	4	5
1-11 MOS	197	2.2	2	1	1	2	3	4	6	7
1-5 YRS	252	1.9	4	<1	1	1	2	3	5	13
6-12 YRS	57	1.6	2	<1	1	1	2	3	3	10
13-19 YRS	48	2.7	12	1	1	2	3	5	6	23
B. Operated										
0-27 DYS	0									
1-11 MOS	55	3.7	16	1	2	2	4	7	14	22
1-5 YRS	223	3.8	65	1	1	2	3	6	12	60
6-12 YRS	62	3.5	16	1	1	2	5	8	12	20
13-19 YRS	47	7.2	101	1	1	3	8	14	38	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1540	1.2		<1	<1	1	1	2	2	4
B. Operated	652	1.5	1	<1	1	1	2	2	3	8
2. MULTIPLE DX										
A. Not Operated	596	2.1	4	1	1	1	3	4	5	10
B. Operated	387	4.1	55	1	1	2	4	8	14	50
1. SINGLE DX	2192	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	983	2.9	25	1	1	2	3	5	7	28
A. Not Operated	2136	1.4	2	<1	1	1	1	2	3	6
B. Operated	1039	2.5	23	<1	1	1	2	5	7	27
TOTAL										
0-27 DYS	92	1.8	1	1	1	1	2	4	4	5
1-11 MOS	674	1.8	3	<1	1	1	2	3	5	10
1-5 YRS	1753	1.7	10	<1	1	1	1	3	4	10
6-12 YRS	459	1.6	3	<1	<1	1	1	2	4	10
13-19 YRS	197	3.1	33	<1	1	1	3	5	10	39
GRAND TOTAL	**3175**	**1.8**	**9**	**<1**	**1**	**1**	**2**	**3**	**4**	**11**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	6.7	32	1	3	6	8	16	18	18
1-5 YRS	17	3.9	19	1	2	2	4	8	15	19
6-12 YRS	8	2.9	4	<1	1	2	4	6	6	6
13-19 YRS	7	4.6	19	1	2	2	7	12	13	13
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	16	7.6	135	<1	1	4	9	14	38	48
1-5 YRS	49	7.2	73	1	1	4	8	22	25	38
6-12 YRS	26	5.5	37	<1	1	4	6	8	20	30
13-19 YRS	35	6.1	28	1	2	5	8	14	19	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	18.0	392	4	4	18	32	32	32	32
1-11 MOS	31	5.6	57	1	1	3	6	14	25	35
1-5 YRS	118	5.3	21	1	2	4	7	11	16	21
6-12 YRS	39	8.6	111	1	3	5	11	17	34	49
13-19 YRS	41	5.1	24	1	2	3	6	11	18	21
B. Operated										
0-27 DYS	1	16.0		16	16	58	99+	99+	99+	99+
1-11 MOS	44	15.9	210	1	4	15	21	35	43	71
1-5 YRS	196	16.9	226	1	5	15	23	40	52	92
6-12 YRS	107	17.9	312	3	6	13	23	43	76	99+
13-19 YRS	126	15.9	212	3	7	13	21	43	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	4.3	18	1	2	3	6	8	16	19
B. Operated	127	6.5	60	1	1	5	8	17	24	40
2. MULTIPLE DX										
A. Not Operated	231	6.0	45	1	2	4	7	14	19	37
B. Operated	474	16.8	239	2	6	14	22	41	57	99+
1. SINGLE DX	166	6.0	51	1	1	4	7	14	20	37
2. MULTIPLE DX	705	13.2	201	1	3	9	19	33	47	99+
A. Not Operated	270	5.7	41	1	2	4	7	13	18	34
B. Operated	601	14.6	218	1	4	11	20	36	51	99+
TOTAL										
0-27 DYS	4	13.3	198	1	3	16	49	99+	99+	99+
1-11 MOS	98	10.6	157	1	2	5	15	26	36	61
1-5 YRS	380	11.5	165	1	3	6	17	29	41	71
6-12 YRS	180	13.4	245	1	4	7	18	36	48	96
13-19 YRS	209	11.7	164	1	3	8	16	26	49	99+
GRAND TOTAL	**871**	**11.8**	**180**	**1**	**3**	**7**	**17**	**29**	**43**	**99+**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	83	3.2	9	1	1	2	5	7	10	13
1-5 YRS	298	3.4	12	1	1	2	5	8	10	19
6-12 YRS	72	3.3	12	1	1	2	4	8	11	18
13-19 YRS	76	3.5	12	1	1	2	5	8	10	17
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	2.1	8	< 1	1	1	2	3	10	12
1-5 YRS	68	5.9	32	1	1	4	8	14	18	23
6-12 YRS	23	5.1	31	< 1	1	2	8	16	17	18
13-19 YRS	12	6.8	14	1	4	7	10	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	5.3	12	1	2	6	8	8	8	8
1-11 MOS	321	5 0	20	1	2	4	7	11	14	21
1-5 YRS	1106	5.1	25	1	2	4	7	11	14	23
6-12 YRS	244	4.7	18	1	2	3	7	11	13	21
13-19 YRS	260	3.6	11	1	1	2	5	7	10	16
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	42	11.2	115	1	2	7	21	27	29	40
1-5 YRS	160	11.6	114	1	3	9	18	26	32	65
6-12 YRS	70	11.8	116	2	4	9	16	24	29	53
13-19 YRS	69	12.0	214	2	3	8	14	24	44	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	531	3.4	12	1	1	2	5	8	10	16
B. Operated	118	5.3	28	1	1	3	8	13	16	23
2. MULTIPLE DX										
A. Not Operated	1935	4.8	22	1	2	3	7	11	14	21
B. Operated	342	11.7	133	1	3	9	17	25	33	67
1. SINGLE DX	649	3.7	15	1	1	2	5	9	12	19
2. MULTIPLE DX	2277	5.9	44	1	2	4	8	13	18	30
A. Not Operated	2466	4.5	20	1	1	3	6	10	13	21
B. Operated	460	10.0	114	1	2	7	14	23	29	53
TOTAL										
0-27 DYS	8	4.3	11	1	1	3	8	8	8	8
1-11 MOS	460	5.2	30	1	1	3	7	12	16	27
1-5 YRS	1632	5.5	36	1	1	3	7	12	17	28
6-12 YRS	409	5.7	42	1	1	3	8	12	18	27
13-19 YRS	417	5.0	54	1	1	3	6	10	15	43
GRAND TOTAL	**2926**	**5.4**	**39**	**1**	**1**	**3**	**7**	**12**	**17**	**29**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	1.4	1	1	1	1	2	3	3	3
6-12 YRS	21	1.8	1	< 1	1	2	2	3	4	4
13-19 YRS	42	2.5	4	< 1	1	2	3	5	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	1.3	1	< 1	1	1	1	3	3	3
6-12 YRS	15	2.2	3	< 1	1	2	3	5	6	7
13-19 YRS	40	1.8	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	10.0	50	5	5	10	15	15	15	15
1-5 YRS	15	11.1	346	1	2	5	13	69	92	99 +
6-12 YRS	19	4.5	24	1	1	2	8	13	15	16
13-19 YRS	64	6.5	197	1	2	3	6	10	21	81
B. Operated										
0-27 DYS	0									
1-11 MOS	2	12.5	265	1	1	12	24	24	24	24
1-5 YRS	24	10.6	612	< 1	1	2	5	85	93	99 +
6-12 YRS	51	5.8	149	1	1	2	5	22	72	99 +
13-19 YRS	132	4.9	44	1	1	2	6	13	23	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	2.2	3	1	1	2	3	4	6	8
B. Operated	61	1.8	3	< 1	1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	100	6.9	183	1	1	3	6	14	27	91
B. Operated	209	5.9	136	1	1	2	6	17	33	99 +
1. SINGLE DX	131	2.0	3	< 1	1	1	2	4	6	8
2. MULTIPLE DX	309	6.2	151	1	1	2	6	15	33	99 +
A. Not Operated	170	5.0	114	1	1	2	4	10	14	81
B. Operated	270	4.9	109	1	1	2	5	13	24	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	4	11.3	107	1	3	10	19	24	24	24
1-5 YRS	52	8.4	388	1	1	2	6	37	90	99 +
6-12 YRS	106	4.3	79	1	1	2	4	11	22	99 +
13-19 YRS	278	4.5	69	1	1	2	5	10	15	94
GRAND TOTAL	**440**	**5.0**	**110**	**1**	**1**	**2**	**4**	**12**	**22**	**99 +**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	13	2.2	2	1	1	2	3	5	5	5
1-5 YRS	148	1.8	2	<1	1	1	2	3	4	9
6-12 YRS	160	1.7	2	1	1	1	2	3	4	8
13-19 YRS	223	1.8	2	<1	1	1	2	3	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	21	3.5	12	<1	1	3	5	7	11	16
6-12 YRS	27	5.0	26	1	1	3	7	11	14	24
13-19 YRS	56	3.8	26	<1	1	2	4	9	11	33
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	24	2.8	3	1	1	2	4	5	7	8
1-5 YRS	160	3.2	17	1	1	2	3	5	9	22
6-12 YRS	213	2.6	9	1	1	2	3	5	6	17
13-19 YRS	334	2.3	4	<1	1	2	3	4	6	12
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.7	5	1	2	5	5	5	5	5
1-5 YRS	35	7.3	46	1	3	5	10	17	23	31
6-12 YRS	66	5.8	32	1	1	4	7	16	19	20
13-19 YRS	166	4.7	30	1	1	3	6	9	14	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	544	1.8	2	1	1	1	2	3	5	9
B. Operated	105	4.0	23	<1	1	2	5	9	11	28
2. MULTIPLE DX										
A. Not Operated	733	2.6	9	1	1	2	3	5	6	19
B. Operated	270	5.3	33	1	1	3	7	12	19	27
1. SINGLE DX	649	2.1	6	1	1	1	2	4	6	12
2. MULTIPLE DX	1003	3.3	17	1	1	2	4	7	10	21
A. Not Operated	1277	2.2	6	1	1	1	3	4	6	13
B. Operated	375	4.9	31	1	1	3	6	11	17	27
TOTAL										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	41	2.6	3	1	1	2	4	5	6	8
1-5 YRS	364	3.1	16	1	1	2	3	6	10	22
6-12 YRS	466	2.9	13	1	1	2	3	6	10	20
13-19 YRS	779	2.8	12	1	1	2	3	6	8	19
GRAND TOTAL	**1652**	**2.9**	**13**	**1**	**1**	**2**	**3**	**6**	**9**	**20**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	1.0		<1	<1	1	1	1	1	1
1-11 MOS	90	1.8	5	<1	1	1	2	3	6	14
1-5 YRS	1551	1.3	1	<1	1	1	1	2	3	5
6-12 YRS	176	1.8	3	1	1	1	2	3	4	13
13-19 YRS	1505	1.7	3	<1	1	1	2	3	4	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	2.7	3	<1	1	4	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	7.0	32	1	2	6	11	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	4.2	8	1	2	3	7	8	8	8
1-11 MOS	122	2.6	6	1	1	2	3	6	7	14
1-5 YRS	1025	1.8	3	1	1	1	2	3	5	8
6-12 YRS	402	2.6	9	1	1	2	3	5	7	16
13-19 YRS	4615	3.1	30	1	1	2	3	5	9	29
B. Operated										
0-27 DYS	0									
1-11 MOS	4	4.8	27	1	1	3	8	12	12	12
1-5 YRS	20	12.7	437	1	2	4	15	37	65	87
6-12 YRS	9	4.8	13	1	3	4	6	11	13	13
13-19 YRS	69	7.3	126	1	2	4	8	16	25	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3327	1.5	2	<1	1	1	2	3	3	6
B. Operated	14	4.5	19	1	1	4	5	11	15	16
2. MULTIPLE DX										
A. Not Operated	6170	2.8	24	1	1	2	3	5	8	26
B. Operated	102	8.0	175	1	2	4	8	17	27	85
1. SINGLE DX	3341	1.5	2	<1	1	1	2	3	3	7
2. MULTIPLE DX	6272	2.9	27	1	1	2	3	5	8	27
A. Not Operated	9497	2.4	17	<1	1	1	2	4	6	21
B. Operated	116	7.6	157	1	2	4	8	16	26	85
TOTAL										
0-27 DYS	11	2.7	7	<1	1	1	[illegible]	7	8	8
1-11 MOS	216	2.3	6	1	1	[illegible]	[illegible]	5	7	14
1-5 YRS	2603	1.6	6	<1	1	1	[illegible]	2	4	7
6-12 YRS	588	2.4	8	1	1	2	3	4	6	14
13-19 YRS	6195	2.8	25	1	1	2	3	5	8	26
GRAND TOTAL	**9613**	**2.5**	**19**	**<1**	**1**	**1**	**2**	**4**	**6**	**22**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	104	1.5	2	<1	1	1	1	3	6	8
1-5 YRS	1145	2.6	6	1	1	1	5	6	6	10
6-12 YRS	176	1.9	3	<1	1	1	2	4	6	8
13-19 YRS	193	1.4	1	<1	1	1	1	2	3	7
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	19	3.3	10	1	1	2	5	9	10	10
6-12 YRS	5	5.4	9	2	3	4	8	9	9	9
13-19 YRS	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	84	2.4	4	1	1	1	3	5	6	11
1-5 YRS	847	3.5	21	1	1	2	5	6	8	21
6-12 YRS	123	2.6	7	1	1	2	3	5	7	15
13-19 YRS	309	2.0	5	<1	1	1	2	4	5	14
B. Operated										
0-27 DYS	0									
1-11 MOS	2	6.5	25	3	5	10	77	99+	99+	99+
1-5 YRS	39	10.4	287	1	2	4	11	28	54	79
6-12 YRS	7	4.1	22	1	1	3	5	12	14	14
13-19 YRS	14	5.3	27	1	1	4	8	19	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1622	2.3	5	1	1	1	3	6	6	9
B. Operated	28	3.4	10	1	1	2	5	9	10	10
2. MULTIPLE DX										
A. Not Operated	1366	3.0	15	1	1	2	4	6	7	16
B. Operated	62	8.4	194	1	2	4	10	20	71	99+
1. SINGLE DX	1650	2.3	5	1	1	1	3	6	6	9
2. MULTIPLE DX	1428	3.2	24	1	1	2	5	6	8	21
A. Not Operated	2988	2.6	10	1	1	1	4	6	7	12
B. Operated	90	6.8	141	1	1	3	8	15	38	99+
TOTAL										
0-27 DYS	7	2.1	1	<1	1	2	3	4	4	4
1-11 MOS	192	1.9	3	1	1	1	2	5	6	11
1-5 YRS	2050	3.1	18	1	1	2	5	6	7	15
6-12 YRS	311	2.3	5	1	1	1	3	5	6	11
13-19 YRS	518	1.9	4	<1	1	1	2	3	5	14
GRAND TOTAL	**3078**	**2.7**	**14**	**1**	**1**	**1**	**4**	**6**	**7**	**14**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	2.0	2	<1	1	2	2	4	5	5
1-11 MOS	81	2.0	4	<1	1	1	2	4	6	11
1-5 YRS	327	1.6	1	1	1	1	2	3	4	6
6-12 YRS	142	1.6	2	1	1	1	2	3	4	6
13-19 YRS	134	1.7	2	1	1	1	2	3	4	8
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	4	1.8		1	1	2	2	2	2	2
6-12 YRS	4	2.5	1	2	2	2	3	4	4	4
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	3.8	20	<1	<1	2	5	10	16	16
1-11 MOS	205	5.2	55	1	1	3	6	12	18	50
1-5 YRS	470	3.0	16	1	1	2	3	6	8	20
6-12 YRS	227	3.2	25	1	1	2	3	5	8	34
13-19 YRS	255	2.2	4	1	1	2	3	4	6	13
B. Operated										
0-27 DYS	2	26.0	648	8	8	26	44	44	44	44
1-11 MOS	17	18.6	621	2	4	9	23	85	97	99+
1-5 YRS	48	18.8	542	1	1	7	33	53	66	94
6-12 YRS	28	7.1	182	1	1	3	7	10	42	65
13-19 YRS	29	9.3	305	1	1	3	7	23	64	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	692	1.7	2	1	1	1	2	3	4	7
B. Operated	10	2.5	3	<1	2	2	2	5	7	7
2. MULTIPLE DX										
A. Not Operated	1168	3.3	23	1	1	2	3	6	9	25
B. Operated	124	14.0	433	1	1	5	13	50	65	95
1. SINGLE DX	702	1.7	2	1	1	1	2	3	4	7
2. MULTIPLE DX	1292	4.3	72	1	1	2	4	8	14	53
A. Not Operated	1860	2.7	15	1	1	2	3	5	8	20
B. Operated	134	13.2	410	1	1	5	11	46	65	95
TOTAL										
0-27 DYS	21	5.2	91	<1	1	2	5	11	29	44
1-11 MOS	304	5.1	83	1	1	2	6	11	20	78
1-5 YRS	849	3.3	54	1	1	2	3	5	9	46
6-12 YRS	401	2.9	29	1	1	2	3	5	8	35
13-19 YRS	419	2.5	27	1	1	1	2	5	6	14
GRAND TOTAL	**1994**	**3.4**	**49**	**1**	**1**	**2**	**3**	**6**	**9**	**43**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	34	4.9	59	1	1	2	4	11	27	34
1-5 YRS	100	3.9	19	< 1	1	2	5	9	15	20
6-12 YRS	58	3.2	6	1	1	3	4	7	9	12
13-19 YRS	63	4.9	39	1	2	3	5	9	16	41
B. Operated										
0-27 DYS	5	7.2	21	1	4	7	11	13	13	13
1-11 MOS	242	4.2	18	1	2	3	5	8	11	26
1-5 YRS	443	4.3	33	1	2	3	4	8	14	23
6-12 YRS	457	3.6	15	1	2	3	4	7	10	18
13-19 YRS	334	3.8	17	1	1	3	5	7	10	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	7.5	66	1	2	3	14	20	21	21
1-11 MOS	167	6.4	53	1	2	4	7	13	23	38
1-5 YRS	553	6.7	48	1	2	4	9	14	17	34
6-12 YRS	336	5.6	25	1	2	4	7	12	15	19
13-19 YRS	281	6.2	30	1	3	4	8	13	15	29
B. Operated										
0-27 DYS	24	14.7	170	4	6	11	17	33	49	50
1-11 MOS	740	10.5	153	2	3	6	14	26	35	67
1-5 YRS	1520	7.8	100	1	2	4	9	18	27	61
6-12 YRS	1378	6.1	57	1	2	4	7	14	21	42
13-19 YRS	1152	7.0	71	1	2	4	8	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	256	4.1	26	1	1	2	5	8	15	28
B. Operated	1481	4.0	21	1	2	3	4	8	11	22
2. MULTIPLE DX										
A. Not Operated	1343	6.3	39	1	2	4	8	14	17	34
B. Operated	4814	7.6	92	1	2	4	8	18	26	53
1. SINGLE DX	1737	4.0	22	1	2	3	4	8	12	22
2. MULTIPLE DX	6157	7.3	81	1	2	4	8	17	24	50
A. Not Operated	1599	5.9	38	1	2	4	8	13	16	32
B. Operated	6295	6.7	77	1	2	4	7	16	23	50
TOTAL										
0-27 DYS	36	12.1	137	2	4	9	16	27	43	50
1-11 MOS	1183	8.5	116	1	2	4	10	21	31	60
1-5 YRS	2616	6.8	76	1	2	4	8	16	22	52
6-12 YRS	2229	5.4	44	1	2	3	6	12	17	36
13-19 YRS	1830	6.2	56	1	2	4	7	14	20	39
GRAND TOTAL	**7894**	**6.6**	**70**	**1**	**2**	**4**	**7**	**15**	**22**	**46**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	1.2		< 1	< 1	1	1	2	2	2
1-11 MOS	10	2.3	4	< 1	1	1	4	6	7	7
1-5 YRS	91	1.6	5	< 1	1	1	2	2	3	15
6-12 YRS	130	1.3		< 1	1	1	1	2	3	4
13-19 YRS	78	1.4		< 1	1	1	2	2	3	72
B. Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	7	1.3		1	1	1	2	2	2	2
1-5 YRS	97	1.5	2	< 1	1	1	2	3	5	7
6-12 YRS	175	1.4		< 1	1	1	2	2	3	4
13-19 YRS	166	1.6	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	2.0	1	1	1	2	3	3	3	3
1-11 MOS	10	2.1	2	< 1	1	2	3	4	5	5
1-5 YRS	51	2.0	1	< 1	1	2	2	4	5	6
6-12 YRS	56	2.2	9	1	1	1	2	4	6	20
13-19 YRS	61	2.2	2	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	82	1.8	3	1	1	1	2	4	6	71
6-12 YRS	111	1.4	1	1	1	1	1	2	3	7
13-19 YRS	115	2.3	8	1	1	1	3	4	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	315	1.5	2	< 1	1	1	2	2	3	6
B. Operated	447	1.5	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	182	2.1	4	1	1	2	2	4	5	11
B. Operated	313	1.9	4	1	1	1	2	4	6	11
1. SINGLE DX	762	1.5	1	< 1	1	1	2	2	3	6
2. MULTIPLE DX	495	2.0	4	1	1	1	2	4	6	11
A. Not Operated	497	1.7	3	< 1	1	1	2	3	4	8
B. Operated	760	1.6	2	1	1	1	2	3	4	8
TOTAL										
0-27 DYS	13	1.5		< 1	1	1	2	2	3	3
1-11 MOS	31	1.9	2	1	1	1	2	4	5	7
1-5 YRS	321	1.7	3	< 1	1	1	2	3	5	8
6-12 YRS	472	1.5	2	< 1	1	1	2	2	3	6
13-19 YRS	420	1.8	3	1	1	1	2	3	4	10
GRAND TOTAL	**1257**	**1.7**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**	**8**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	7	5.0	17	1	2	2	9	10	10	10
1-11 MOS	37	3.4	5	1	2	3	4	7	8	10
1-5 YRS	50	4.4	19	1	2	3	6	8	9	24
6-12 YRS	71	4.4	8	1	2	4	6	9	10	13
13-19 YRS	88	4.2	7	1	2	3	6	8	9	12
B. Operated										
0-27 DYS	3	4.7	30	1	1	2	9	11	11	11
1-11 MOS	9	4.1	7	1	2	3	5	9	9	9
1-5 YRS	40	3.6	7	< 1	2	3	5	8	9	10
6-12 YRS	53	6.2	19	2	3	5	8	12	15	22
13-19 YRS	64	6.0	15	2	3	5	8	11	13	20
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	18	5.0	18	1	2	3	7	12	15	16
1-11 MOS	78	4.9	20	2	2	4	7	9	11	28
1-5 YRS	101	5.7	46	2	3	4	7	10	13	41
6-12 YRS	79	6.0	33	2	3	4	7	12	19	31
13-19 YRS	133	5.9	24	2	3	4	7	11	15	26
B. Operated										
0-27 DYS	5	10.4	41	4	4	12	14	19	19	19
1-11 MOS	46	10.3	199	1	2	6	10	24	42	73
1-5 YRS	74	12.0	114	2	4	9	15	26	38	49
6-12 YRS	116	11.2	145	2	4	8	14	22	26	69
13-19 YRS	173	10.9	79	3	5	8	14	24	29	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	253	4.2	10	1	2	3	6	8	10	13
B. Operated	169	5.4	15	2	3	4	7	11	13	20
2. MULTIPLE DX										
A. Not Operated	409	5.6	30	2	3	4	7	11	14	27
B. Operated	414	11.1	116	2	4	8	14	24	31	63
1. SINGLE DX	422	4.7	12	1	2	4	6	9	11	18
2. MULTIPLE DX	823	8.4	81	2	3	6	10	18	25	50
A. Not Operated	662	5.1	23	2	2	4	6	10	12	25
B. Operated	583	9.4	93	2	4	7	12	21	27	57
TOTAL										
0-27 DYS	33	5.8	24	1	2	3	9	13	16	19
1-11 MOS	170	6.0	71	1	2	4	7	10	20	47
1-5 YRS	265	6.9	64	2	2	4	8	14	23	40
6-12 YRS	319	7.6	74	2	3	5	9	16	22	53
13-19 YRS	458	7.5	48	2	3	6	9	15	23	32
GRAND TOTAL	**1245**	**7.1**	**61**	**2**	**3**	**5**	**9**	**15**	**22**	**40**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	39.0		39	39	39	39	39	39	39
1-11 MOS	7	2.4	1	1	2	2	3	4	4	4
1-5 YRS	47	2.3	2	< 1	1	2	3	5	5	7
6-12 YRS	30	4.3	44	1	1	2	3	12	14	34
13-19 YRS	28	3.6	14	< 1	1	2	4	9	13	15
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	20	2.7	4	< 1	1	2	4	6	7	8
1-5 YRS	79	2.6	5	< 1	1	1	4	6	6	13
6-12 YRS	39	4.0	12	1	1	3	5	10	13	14
13-19 YRS	41	4.8	23	1	1	2	7	12	15	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	10	3.0	10	1	1	2	4	8	11	11
1-11 MOS	75	5.1	93	1	1	3	5	10	16	65
1-5 YRS	258	3.5	25	1	1	2	3	6	11	36
6-12 YRS	190	3.4	21	1	1	2	4	7	10	26
13-19 YRS	194	3.5	12	1	1	3	4	7	9	19
B. Operated										
0-27 DYS	11	8.5	73	1	2	5	13	22	27	27
1-11 MOS	140	7.4	68	1	1	4	11	19	25	50
1-5 YRS	504	4.8	82	1	1	2	5	11	19	49
6-12 YRS	388	3.4	56	1	1	1	2	7	12	50
13-19 YRS	474	3.5	33	1	1	1	3	9	15	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	3.5	28	1	1	2	3	6	12	36
B. Operated	180	3.4	11	1	1	2	5	7	11	16
2. MULTIPLE DX										
A. Not Operated	727	3.6	27	1	1	2	4	7	11	22
B. Operated	1517	4.3	60	1	1	1	4	[illegible]	17	40
1. SINGLE DX	293	3.4	18	1	1	2	4	7	12	17
2. MULTIPLE DX	2244	4.1	50	1	1	2	4	9	16	36
A. Not Operated	840	3.6	28	1	1	2	4	7	11	23
B. Operated	1697	4.2	55	1	1	1	4	10	16	38
TOTAL										
0-27 DYS	23	7.3	92	1	1	3	10	21	31	39
1-11 MOS	242	6.1	71	1	1	3	7	17	21	47
1-5 YRS	888	4.1	55	1	1	2	4	9	14	38
6-12 YRS	647	3.5	42	1	1	1	3	7	12	35
13-19 YRS	737	3.6	26	1	1	2	4	8	13	25
GRAND TOTAL	**2537**	**4.0**	**46**	**1**	**1**	**2**	**4**	**9**	**15**	**35**

980 Hospitals, United States, Pediatric, January-December 1989

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	7.5	13	5	5	7	10	10	10	10
1-11 MOS	19	2.[illegible]	4	1	1	1	2	4	7	9
1-5 YRS	42	2.0	1	1	1	2	3	4	4	5
6-12 YRS	18	2.3	4	1	1	2	3	5	7	8
13-19 YRS	12	2.1	1	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	2	9.0	18	6	6	9	12	12	12	12
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	2.3		2	2	2	3	3	3	3
1-11 MOS	38	2.7	5	< 1	1	2	4	6	8	8
1-5 YRS	76	2.5	3	1	1	2	3	5	7	10
6-12 YRS	47	3.9	23	1	1	2	4	8	14	28
13-19 YRS	43	3.2	9	1	1	2	3	7	11	14
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	5.0	34	1	1	3	7	15	15	15
1-5 YRS	9	11.2	66	3	4	9	19	22	24	24
6-12 YRS	6	11.5	34	2	10	13	15	17	17	17
13-19 YRS	3	11.7	112	2	4	10	20	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	2.2	3	1	1	2	3	4	5	10
B. Operated	3	8.0	12	6	6	6	11	12	12	12
2. MULTIPLE DX										
A. Not Operated	208	3.0	9	1	1	2	3	6	8	14
B. Operated	24	9.7	56	1	3	9	15	20	23	24
1. SINGLE DX	96	2.4	4	1	1	2	3	4	6	11
2. MULTIPLE DX	232	3.7	18	1	1	2	4	8	14	23
A. Not Operated	301	2.7	8	1	1	2	3	5	8	14
B. Operated	27	9.5	50	1	3	9	15	19	23	24
TOTAL										
0-27 DYS	9	4.9	14	2	2	3	7	11	12	12
1-11 MOS	62	2.7	7	< 1	1	2	4	6	8	14
1-5 YRS	127	2.9	12	1	1	2	3	5	9	20
6-12 YRS	72	4.2	24	1	1	2	4	12	15	26
13-19 YRS	58	3.4	15	1	1	2	3	7	12	22
GRAND TOTAL	**328**	**3.3**	**14**	**1**	**1**	**2**	**4**	**7**	**11**	**20**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	3.0	1	1	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	7	3.0	1	1	2	3	4	4	4	4
1. SINGLE DX	3	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX	7	3.0	1	1	2	3	4	4	4	4
A. Not Operated	0									
B. Operated	10	2.4	2	< 1	1	2	4	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	2.4	2	< 1	1	2	4	4	4	4
GRAND TOTAL	**10**	**2.4**	**2**	**< 1**	**1**	**2**	**4**	**4**	**4**	**4**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	5	73.4	358	48	65	81	94	99	99 +	99 +
1000-1499	22	47.5	435	20	31	51	61	70	78	85
1500-1749	23	23.7	119	12	16	24	30	42	44	47
1750-2499	4120	2.8	3	1	2	2	3	4	6	16
2500 +	273274	2.3	1	1	2	2	3	4	4	5
B. Operated										
1-999 G	3	94.3	10	92	95	99 +	99 +	99 +	99 +	99 +
1000-1499	5	71.2	89	62	64	72	85	98	99 +	99 +
1500-1749	2	37.5	5	36	36	37	39	39	39	39
1750-2499	11	15.0	185	2	2	11	21	36	43	44
2500 +	179	3.0	4	1	2	2	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
1-999 G	127	66.6	340	45	55	72	92	99 +	99 +	99 +
1000-1499	776	39.1	259	21	28	37	49	62	74	99 +
1500-1749	984	23.5	114	12	16	22	29	37	42	61
1750-2499	14485	6.4	39	2	2	4	8	14	19	30
2500 +	174680	3.0	4	1	2	3	4	5	6	10
B. Operated										
1-999 G	354	75.5	235	59	70	87	99 +	99 +	99 +	99 +
1000-1499	743	51.1	312	31	39	51	65	86	99 +	99 +
1500-1749	403	32.2	179	18	24	29	40	50	63	99 +
1750-2499	1316	17.8	193	5	9	15	23	34	48	99 +
2500 +	3630	8.3	95	2	3	6	10	16	26	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277444	2.3	2	1	2	2	3	4	4	5
B. Operated	200	7.1	260	1	2	3	4	18	78	99 +
2. MULTIPLE DX										
A. Not Operated	191052	3.6	20	1	2	3	4	5	8	22
B. Operated	6446	20.4	520	3	5	11	32	68	91	99 +
1. SINGLE DX	277644	2.3	2	1	2	2	3	4	4	6
2. MULTIPLE DX	197498	4.1	45	1	2	3	4	6	10	40
A. Not Operated	468496	2.8	9	1	2	2	3	4	5	13
B. Operated	6646	20.0	518	2	5	10	31	67	91	99 +
TOTAL										
1-999 G	489	73.3	279	55	67	84	99 +	99 +	99 +	99 +
1000-1499	1546	45.1	323	24	32	43	58	76	90	99 +
1500-1749	1412	26.0	148	13	18	24	32	42	49	93
1750-2499	19932	6.4	54	2	2	4	8	15	20	36
2500 +	451763	2.6	4	1	2	2	3	4	5	8
GRAND TOTAL	475142	3.0	21	1	2	2	3	5	6	20

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	2	76.0	882	55	65	97	99	99 +	99 +	99 +
1000-1499	10	36.7	491	8	19	44	58	81	98	99 +
1500-1749	10	21.7	162	8	8	19	34	40	43	43
1750-2499	659	4.0	11	2	2	3	4	6	9	20
2500 +	2626	3.4	2	2	2	3	4	5	6	8
B. Operated										
1-999 G	2	90.0	18	87	91	99 +	99 +	99 +	99 +	99 +
1000-1499	1	62.0		62	62	81	99 +	99 +	99 +	99 +
1500-1749	1	48.0		48	48	48	48	48	48	48
1750-2499	2	12.0		12	12	12	12	12	12	12
2500 +	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
1-999 G	32	67.8	220	49	58	70	83	93	99 +	99 +
1000-1499	209	38.6	247	21	28	37	46	60	68	88
1500-1749	287	23.2	115	12	17	21	28	35	42	74
1750-2499	2870	8.0	45	3	4	5	11	17	20	31
2500 +	2741	4.4	8	2	3	4	5	7	9	15
B. Operated										
1-999 G	75	73.8	164	58	71	82	99 +	99 +	99 +	99 +
1000-1499	205	50.6	224	34	41	49	61	78	92	99 +
1500-1749	130	30.5	115	18	23	30	38	46	51	99 +
1750-2499	262	18.8	133	5	10	17	27	34	39	61
2500 +	75	10.4	110	3	4	7	12	20	39	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3307	3.7	14	2	2	3	4	5	6	14
B. Operated	9	36.2	1362	4	10	62	99 +	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	6139	8.5	106	2	3	5	9	19	28	56
B. Operated	747	34.2	529	7	16	33	54	79	99 +	99 +
1. SINGLE DX	3316	3.8	20	2	2	3	4	5	6	19
2. MULTIPLE DX	6886	11.3	216	3	4	5	13	30	48	89
A. Not Operated	9446	6.8	79	2	3	4	6	15	22	48
B. Operated	756	34.3	537	7	16	33	54	83	99 +	99 +
TOTAL										
1-999 G	111	72.4	194	57	68	79	99 +	99 +	99 +	99 +
1000-1499	425	44.4	277	25	34	44	55	69	82	99 +
1500-1749	428	25.4	128	14	18	24	31	41	46	82
1750-2499	3793	8.1	56	2	3	5	11	18	22	37
2500 +	5445	4.0	8	2	3	4	5	6	7	14
GRAND TOTAL	10202	8.8	165	2	3	4	8	22	39	81

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	2	24.0	98	17	17	24	31	31	31	31
1750-2499	41	2.2	1	1	2	2	3	4	5	5
2500 +	753	1.9	1	1	1	2	2	3	3	5
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
1-999 G	1	62.0		62	81	99 +	99 +	99 +	99 +	99 +
1000-1499	13	43.3	602	18	27	37	72	90	98	99 +
1500-1749	25	32.6	394	16	20	26	37	75	78	80
1750-2499	195	7.8	61	2	2	5	11	17	25	79
2500 +	566	4.3	45	1	2	2	4	8	13	32
B. Operated										
1-999 G	1	52.0		52	88	99 +	99 +	99 +	99 +	99 +
1000-1499	4	26.5	30	20	25	30	99 +	99 +	99 +	99 +
1500-1749	5	38.6	453	25	26	31	45	76	76	76
1750-2499	14	22.1	493	5	7	17	21	70	72	73
2500 +	19	13.9	260	3	6	8	14	54	81	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	796	2.0	2	1	1	2	2	3	3	6
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	800	6.7	119	1	2	3	7	17	27	87
B. Operated	43	21.5	395	4	8	18	45	99 +	99 +	99 +
1. SINGLE DX	797	2.0	2	1	1	2	2	3	3	6
2. MULTIPLE DX	843	7.5	143	1	2	3	8	20	35	99 +
A. Not Operated	1596	4.4	66	1	2	2	3	9	17	61
B. Operated	44	21.1	394	4	7	18	43	99 +	99 +	99 +
TOTAL										
1-999 G	2	57.0	50	56	90	99 +	99 +	99 +	99 +	99 +
1000-1499	17	39.4	511	19	26	36	87	99 +	99 +	99 +
1500-1749	32	33.0	377	17	20	26	35	75	77	80
1750-2499	250	7.7	90	2	2	5	10	17	25	73
2500 +	1339	3.1	26	1	1	2	3	5	8	25
GRAND TOTAL	**1640**	**4.8**	**82**	**1**	**2**	**2**	**4**	**11**	**22**	**87**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	7	2.6	14	< 1	< 1	1	2	9	11	11
13-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		< 1	< 1	1	1	1	1	1
1-5 YRS	57	1.3		< 1	< 1	1	1	2	3	4
6-12 YRS	183	1.6	2	< 1	< 1	1	2	3	3	8
13-19 YRS	632	1.5	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	7	1.3	1	< 1	< 1	1	1	3	3	3
13-19 YRS	6	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	7	1.1		< 1	< 1	< 1	1	2	2	2
1-5 YRS	124	1.4	1	< 1	< 1	1	1	2	3	6
6-12 YRS	262	1.7	2	< 1	1	1	2	3	4	7
13-19 YRS	326	2.1	5	1	1	1	2	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.7	7	< 1	< 1	1	1	2	9	11
B. Operated	875	1.5	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	20	1.1		< 1	< 1	1	1	1	2	3
B. Operated	719	1.9	3	< 1	1	1	2	3	4	8
1. SINGLE DX	890	1.5	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX	739	1.8	3	< 1	1	1	2	3	4	7
A. Not Operated	35	1.4	3	< 1	< 1	1	1	1	3	11
B. Operated	1594	1.7	2	< 1	1	1	2	3	4	7
TOTAL										
0-27 DYS	0									
1-11 MOS	13	1.1		< 1	< 1	< 1	1	2	2	2
1-5 YRS	189	1.3	1	< 1	< 1	1	1	2	3	6
6-12 YRS	459	1.7	2	< 1	1	1	2	3	4	8
13-19 YRS	968	1.7	3	< 1	1	1	2	3	4	7
GRAND TOTAL	**1629**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	6	2.5	2	2	2	2	2	5	5	5
13-19 YRS	3	2.7	4	1	1	2	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	9.7	80	4	4	5	16	20	20	20
6-12 YRS	9	5.0	37	<1	1	2	7	16	16	16
13-19 YRS	25	5.4	54	<1	<1	1	6	17	21	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. Not Operated	11	2.5	2	1	2	2	3	5	5	5
B. Operated	37	5.6	50	<1	<1	2	6	17	19	29
1. SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX	48	4.9	41	<1	<1	2	5	16	18	29
A. Not Operated	11	2.5	2	1	2	2	3	5	5	5
B. Operated	38	5.5	50	<1	<1	2	5	17	19	29
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	6.6	58	<1	2	4	9	20	20	20
6-12 YRS	15	4.0	23	<1	1	2	4	15	16	16
13-19 YRS	29	4.9	48	<1	<1	1	5	17	19	29
GRAND TOTAL	**49**	**4.8**	**40**	**<1**	**<1**	**2**	**5**	**16**	**18**	**29**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	3.9	1	2	3	4	5	5	5	5
1-5 YRS	50	3.4	5	1	2	3	5	6	8	11
6-12 YRS	44	3.4	3	1	2	4	5	5	6	6
13-19 YRS	92	3.7	12	1	2	3	4	6	7	24
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	6.5	33	3	3	4	10	15	15	15
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	5	4.8	6	2	3	5	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	9.5	70	1	3	8	16	20	20	20
1-11 MOS	391	3.3	6	1	2	3	5	6	7	13
1-5 YRS	3832	2.9	5	1	2	2	4	5	6	9
6-12 YRS	3691	2.9	4	1	2	2	4	5	6	9
13-19 YRS	3313	3.0	5	1	2	3	4	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	43	7.3	58	1	3	4	8	20	28	31
1-5 YRS	310	5.6	70	1	2	4	5	9	19	54
6-12 YRS	257	5.6	60	1	2	3	6	11	24	43
13-19 YRS	234	6.5	97	1	3	4	6	9	22	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	194	3.5	8	1	2	3	5	5	7	12
B. Operated	12	4.8	14	2	2	4	6	10	14	15
2. MULTIPLE DX										
A. Not Operated	11231	3.0	5	1	2	2	4	5	6	9
B. Operated	844	6.0	74	1	2	4	6	10	22	52
1. SINGLE DX	206	3.6	8	1	2	3	5	6	7	13
2. MULTIPLE DX	12075	3.2	10	1	2	3	4	5	6	13
A. Not Operated	11425	3.0	5	1	2	2	4	5	6	9
B. Operated	856	6.0	73	1	2	4	6	10	22	51
TOTAL										
0-27 DYS	4	9.5	70	1	3	8	16	20	20	20
1-11 MOS	442	3.7	12	1	2	3	5	6	8	22
1-5 YRS	4196	3.2	10	1	2	2	4	6	6	13
6-12 YRS	3995	3.1	8	1	2	3	4	5	6	11
13-19 YRS	3644	3.3	12	1	2	3	4	5	6	12
GRAND TOTAL	**12281**	**3.2**	**10**	**1**	**2**	**3**	**4**	**5**	**6**	**13**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V53.9; V54.8-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	330	3.2	9	1	1	2	3	6	9	17
1-11 MOS	453	2.3	5	<1	1	2	3	4	5	11
1-5 YRS	478	1.9	8	<1	<1	1	2	4	5	10
6-12 YRS	334	1.9	5	<1	1	1	2	4	6	12
13-19 YRS	503	1.8	8	<1	1	1	2	3	4	17
B. Operated										
0-27 DYS	3	4.0	7	2	2	3	6	7	7	7
1-11 MOS	166	4.7	46	<1	<1	4	7	9	10	19
1-5 YRS	328	3.0	10	<1	<1	1	5	7	9	11
6-12 YRS	213	2.7	16	<1	1	1	2	7	9	14
13-19 YRS	291	3.5	16	<1	1	2	6	8	9	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	340	7.4	74	1	2	4	10	18	22	44
1-11 MOS	620	4.2	50	<1	1	2	4	10	17	36
1-5 YRS	1151	3.5	60	<1	1	1	3	7	17	91
6-12 YRS	1048	4.9	99	<1	1	1	4	14	30	99+
13-19 YRS	1137	7.3	197	<1	1	2	6	28	56	99+
B. Operated										
0-27 DYS	12	12.2	406	1	1	3	14	39	66	71
1-11 MOS	390	6.2	56	1	1	5	8	14	20	42
1-5 YRS	919	4.3	62	1	1	2	6	9	13	81
6-12 YRS	581	4.1	85	1	1	1	4	8	17	99+
13-19 YRS	682	5.3	147	1	1	2	6	14	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2098	2.1	7	<1	1	1	2	4	6	13
B. Operated	1001	3.4	19	<1	1	2	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	4296	5.2	108	<1	1	2	4	15	29	99+
B. Operated	2584	4.8	91	1	1	2	6	10	22	99+
1. SINGLE DX	3099	2.5	11	<1	1	1	3	6	8	13
2. MULTIPLE DX	6880	5.1	102	<1	1	2	5	13	28	99+
A. Not Operated	6394	4.2	77	<1	1	1	3	10	22	92
B. Operated	3585	4.4	71	<1	1	2	6	9	15	99+
TOTAL										
0-27 DYS	685	5.4	53	1	2	3	6	13	19	29
1-11 MOS	1629	4.2	40	<1	1	2	5	9	15	34
1-5 YRS	2876	3.4	47	<1	1	1	3	7	11	57
6-12 YRS	2176	4.0	74	<1	1	1	3	8	22	99+
13-19 YRS	2613	5.3	132	<1	1	2	4	15	42	99+
GRAND TOTAL	**9979**	**4.3**	**75**	**<1**	**1**	**2**	**4**	**9**	**19**	**99+**

Length of Stay Tables
Operation Groups

980 Hospitals, United States, Pediatric, January-December 1989, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2440	4.8	71	1	2	3	5	10	15	98
1-11 MOS	18544	3.1	16	<1	1	2	4	6	8	18
1-5 YRS	35231	2.8	13	<1	1	1	3	6	8	20
6-12 YRS	37756	3.0	18	1	1	2	3	6	9	23
13-19 YRS	96206	2.6	8	1	1	2	3	4	6	13
2. MULTIPLE DX										
0-27 DYS	6963	18.5	529	2	4	10	33	94	99+	99+
1-11 MOS	33356	8.6	164	1	2	4	9	22	41	94
1-5 YRS	56857	5.8	77	1	1	3	6	14	22	50
6-12 YRS	47347	6.4	83	1	1	3	7	16	24	51
13-19 YRS	114891	5.0	51	1	2	3	5	10	16	42
TOTAL SINGLE DX	190177	2.8	13	1	1	2	3	5	7	18
TOTAL MULTIPLE DX	259414	6.2	95	1	2	3	6	14	25	72
TOTAL										
0-27 DYS	9403	14.9	446	2	3	7	21	80	99+	99+
1-11 MOS	51900	6.6	118	1	2	3	7	15	29	74
1-5 YRS	92088	4.6	55	<1	1	2	5	10	17	41
6-12 YRS	85103	4.9	57	1	1	2	5	11	19	42
13-19 YRS	211097	3.9	33	1	2	2	4	7	11	32
GRAND TOTAL	**449591**	**4.8**	**63**	**1**	**1**	**2**	**5**	**10**	**17**	**52**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	10.8	96	4	5	8	14	28	28	28
1-11 MOS	73	6.5	42	1	1	5	8	18	22	24
1-5 YRS	173	7.8	45	1	3	6	11	16	21	34
6-12 YRS	205	7.8	28	2	5	7	10	14	18	30
13-19 YRS	140	7.8	30	2	5	7	10	13	19	29
2. MULTIPLE DX										
0-27 DYS	15	33.5	475	6	13	31	53	71	92	99+
1-11 MOS	233	15.1	199	3	5	12	21	34	51	99+
1-5 YRS	507	12.6	217	2	4	8	15	30	44	78
6-12 YRS	461	11.3	128	2	4	8	14	28	39	99+
13-19 YRS	316	15.1	234	3	6	10	19	38	66	99+
TOTAL SINGLE DX	596	7.7	36	2	4	6	10	15	20	31
TOTAL MULTIPLE DX	1532	13.3	200	2	5	9	17	32	48	99+
TOTAL										
0-27 DYS	20	27.8	472	5	9	29	47	68	85	99+
1-11 MOS	306	13.0	175	2	4	8	18	28	44	95
1-5 YRS	680	11.4	178	2	4	7	14	25	38	75
6-12 YRS	666	10.2	100	2	4	7	12	23	34	99
13-19 YRS	456	12.9	183	3	5	9	15	30	47	99+
GRAND TOTAL	2128	11.7	160	2	4	8	14	28	40	95

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	89	4.5	15	2	3	4	5	8	9	26
1-5 YRS	96	5.9	39	2	3	4	7	9	16	41
6-12 YRS	75	7.2	42	3	4	5	8	14	17	40
13-19 YRS	45	6.9	30	2	4	5	8	13	22	24
2. MULTIPLE DX										
0-27 DYS	7	23.4	613	2	5	21	26	66	75	75
1-11 MOS	70	9.4	78	3	4	7	11	23	28	46
1-5 YRS	125	13.1	132	3	6	10	19	31	55	99+
6-12 YRS	140	15.0	244	4	6	9	18	43	65	99+
13-19 YRS	138	18.0	370	4	6	11	24	49	81	99+
TOTAL SINGLE DX	306	6.0	32	2	3	4	7	10	17	32
TOTAL MULTIPLE DX	480	14.7	239	4	5	9	19	37	64	99+
TOTAL										
0-27 DYS	8	21.8	549	2	6	18	25	61	75	75
1-11 MOS	159	6.6	49	2	3	4	7	13	23	34
1-5 YRS	221	9.9	105	3	4	6	13	25	34	99+
6-12 YRS	215	12.3	187	4	5	7	14	35	52	99+
13-19 YRS	183	15.3	309	4	5	9	18	37	63	99+
GRAND TOTAL	786	11.3	177	3	4	7	13	28	48	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	11	2.4	1	1	1	3	3	4	4	4
1-11 MOS	472	3.8	2	2	3	3	5	6	7	9
1-5 YRS	189	3.9	5	1	2	4	5	7	8	12
6-12 YRS	117	3.9	5	1	2	4	5	7	9	13
13-19 YRS	62	4.7	13	1	2	3	6	10	12	18
2. MULTIPLE DX										
0-27 DYS	4	19.3	548	<1	<1	13	37	50	50	50
1-11 MOS	254	5.7	16	2	3	5	7	9	11	24
1-5 YRS	193	8.8	137	2	3	5	8	21	38	79
6-12 YRS	160	9.3	170	2	3	5	9	24	43	98
13-19 YRS	131	9.0	94	2	3	6	9	30	38	99+
TOTAL SINGLE DX	851	3.9	5	2	3	3	5	6	8	12
TOTAL MULTIPLE DX	742	7.9	100	2	3	5	8	16	32	83
TOTAL										
0-27 DYS	15	6.9	178	1	1	3	3	25	44	50
1-11 MOS	726	4.5	8	2	3	4	5	7	8	15
1-5 YRS	382	6.4	78	2	3	4	6	11	22	53
6-12 YRS	277	7.1	108	2	3	4	7	13	27	85
13-19 YRS	193	7.6	72	2	3	5	8	16	35	99+
GRAND TOTAL	1593	5.8	53	2	3	4	6	9	15	47

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	48	5.6	41	2	3	4	7	11	21	99+
1-11 MOS	284	4.2	15	2	2	4	5	7	9	26
1-5 YRS	136	3.9	15	1	2	3	5	7	10	23
6-12 YRS	88	4.2	8	1	2	3	5	8	11	14
13-19 YRS	55	5.2	29	1	2	4	6	10	18	27
2. MULTIPLE DX										
0-27 DYS	110	26.0	691	3	8	26	86	99+	99+	99+
1-11 MOS	465	10.7	250	2	3	5	11	30	62	99+
1-5 YRS	346	10.4	180	2	3	6	12	25	52	99+
6-12 YRS	240	12.1	271	2	3	5	13	39	57	99+
13-19 YRS	191	14.5	275	2	4	9	20	42	81	99+
TOTAL SINGLE DX	611	4.3	18	1	2	3	5	8	11	27
TOTAL MULTIPLE DX	1352	12.7	293	2	3	6	16	44	92	99+
TOTAL										
0-27 DYS	158	19.8	581	2	4	13	53	99+	99+	99+
1-11 MOS	749	8.2	17	2	3	4	8	20	36	99+
1-5 YRS	482	8.6	143	2	3	5	10	21	37	99+
6-12 YRS	328	9.9	213	2	3	5	9	34	45	99+
13-19 YRS	246	12.5	235	2	3	7	17	36	62	99+
GRAND TOTAL	1963	10.1	222	2	3	5	11	32	68	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	8.3	15	2	7	9	11	13	13	13
1-11 MOS	203	4.3	16	1	2	3	5	7	12	22
1-5 YRS	328	4.0	18	1	2	3	4	7	11	21
6-12 YRS	317	3.5	12	1	2	3	4	7	9	16
13-19 YRS	146	4.6	25	1	2	3	5	8	13	32
2. MULTIPLE DX										
0-27 DYS	31	18.3	290	4	6	12	26	48	51	74
1-11 MOS	574	9.9	141	2	3	5	12	24	37	58
1-5 YRS	940	6.9	83	1	2	4	7	17	25	52
6-12 YRS	840	5.7	62	1	2	3	6	12	18	53
13-19 YRS	457	8.3	100	2	3	5	10	21	28	68
TOTAL SINGLE DX	1000	4.0	17	1	2	3	4	7	11	21
TOTAL MULTIPLE DX	2842	7.5	97	2	2	4	8	19	28	55
TOTAL										
0-27 DYS	37	16.7	258	4	6	11	24	43	51	74
1-11 MOS	777	8.4	115	2	3	4	9	20	33	55
1-5 YRS	1268	6.2	69	1	2	3	6	15	21	50
6-12 YRS	1157	5.1	49	1	2	3	5	10	15	48
13-19 YRS	603	7.4	85	2	2	4	8	19	26	50
GRAND TOTAL	3842	6.6	79	2	2	4	7	15	24	52

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	5.3	10	1	3	5	7	10	11	11
1-5 YRS	21	7.2	19	3	4	5	8	15	17	18
6-12 YRS	16	7.5	7	4	5	7	10	11	11	11
13-19 YRS	21	7.4	27	2	4	5	12	15	18	19
2. MULTIPLE DX										
0-27 DYS	2	37.0	2048	5	5	37	69	69	69	69
1-11 MOS	26	9.7	83	3	4	6	8	23	30	40
1-5 YRS	63	12.5	260	4	7	9	10	16	49	89
6-12 YRS	64	10.7	82	5	6	7	13	22	33	50
13-19 YRS	77	14.0	180	4	7	9	19	35	53	99+
TOTAL SINGLE DX	66	7.1	18	3	4	6	10	12	16	19
TOTAL MULTIPLE DX	232	12.4	177	4	6	8	13	24	45	92
TOTAL										
0-27 DYS	2	37.0	2048	5	5	37	69	69	69	69
1-11 MOS	34	8.7	69	3	4	6	8	21	26	40
1-5 YRS	84	11.2	205	4	6	8	10	15	28	87
6-12 YRS	80	10.1	69	4	6	7	11	17	30	47
13-19 YRS	98	12.6	154	4	5	9	16	24	48	99+
GRAND TOTAL	298	11.2	147	4	5	8	12	22	37	85

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	23	9.4	31	4	5	8	12	19	21	22
1-11 MOS	42	4.7	6	2	3	4	5	8	10	11
1-5 YRS	110	9.5	49	4	6	7	10	19	26	38
6-12 YRS	86	9.8	70	3	5	7	10	23	28	45
13-19 YRS	58	8.3	25	3	5	7	11	15	18	26
2. MULTIPLE DX										
0-27 DYS	71	18.3	238	5	8	14	26	42	88	99+
1-11 MOS	100	9.0	100	3	4	6	8	21	28	59
1-5 YRS	261	10.3	94	4	5	7	12	24	28	55
6-12 YRS	261	9.8	66	3	5	7	11	23	29	44
13-19 YRS	228	13.5	170	3	6	10	16	30	40	83
TOTAL SINGLE DX	319	8.7	46	3	5	7	10	16	25	38
TOTAL MULTIPLE DX	921	11.4	123	3	5	8	14	26	35	91
TOTAL										
0-27 DYS	94	16.1	201	5	8	13	21	41	55	99+
1-11 MOS	142	7.7	76	2	4	5	8	12	26	53
1-5 YRS	371	10.1	82	4	5	7	11	23	27	47
6-12 YRS	347	9.8	67	3	5	7	10	23	29	44
13-19 YRS	286	12.5	145	3	6	9	15	27	37	75
GRAND TOTAL	1240	10.7	104	3	5	7	12	24	32	66

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	2.3	1	<1	1	3	3	3	3	3
6-12 YRS	20	3.8	44	<1	1	2	4	6	18	31
13-19 YRS	26	3.8	33	<1	1	2	4	6	11	31
2. MULTIPLE DX										
0-27 DYS	1	48.0		48	48	48	48	48	48	48
1-11 MOS	0									
1-5 YRS	26	6.8	78	1	2	3	6	22	30	32
6-12 YRS	25	4.4	8	2	2	4	6	9	11	11
13-19 YRS	38	7.7	291	1	2	3	5	11	40	95
TOTAL SINGLE DX	50	3.6	34	<1	1	2	4	6	6	31
TOTAL MULTIPLE DX	90	7.0	167	1	2	3	6	14	29	79
TOTAL										
0-27 DYS	1	48.0		48	48	48	48	48	48	48
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	29	6.3	72	1	2	3	6	21	29	32
6-12 YRS	45	4.1	24	1	1	3	5	8	11	31
13-19 YRS	64	6.1	188	1	2	3	5	9	21	89
GRAND TOTAL	140	5.8	121	1	1	3	5	10	26	59

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	55	1.6	2	<1	<1	<1	1	3	4	9
6-12 YRS	57	2.3	6	<1	<1	1	2	6	9	13
13-19 YRS	92	1.9	6	<1	1	1	2	3	5	17
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	3.6	8	1	1	3	6	7	7	7
1-5 YRS	47	2.8	13	<1	1	1	3	6	14	18
6-12 YRS	77	2.9	11	<1	1	2	3	7	9	20
13-19 YRS	195	3.3	15	1	1	2	4	7	9	24
TOTAL SINGLE DX	205	1.9	5	<1	<1	1	2	4	6	12
TOTAL MULTIPLE DX	325	3.1	14	1	1	2	4	7	9	22
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	3.5	6	1	1	3	6	7	7	7
1-5 YRS	102	2.2	8	<1	<1	1	2	4	6	16
6-12 YRS	134	2.7	9	<1	1	1	3	6	9	15
13-19 YRS	287	2.8	13	<1	1	2	3	6	8	22
GRAND TOTAL	530	2.7	11	<1	1	1	3	6	8	20

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	6.2	45	1	3	4	7	18	22	22
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	5.0		4	4	5	6	6	6	6
TOTAL SINGLE DX	9	6.2	45	1	3	4	7	18	22	22
TOTAL MULTIPLE DX	6	4.5	1	3	4	4	5	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	13	5.8	31	1	3	4	5	14	20	22
GRAND TOTAL	15	5.5	27	1	3	4	5	12	19	22

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	12	2.5	5	<1	<1	<1	4	6	8	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	3	5.3	34	1	1	3	10	12	12	12
13-19 YRS	5	3.4	29	1	1	1	4	13	13	13
TOTAL SINGLE DX	16	2.6	5	<1	<1	1	4	6	7	8
TOTAL MULTIPLE DX	10	3.5	23	<1	1	1	3	12	13	13
TOTAL										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	2.5	6	<1	<1	1	4	6	6	6
6-12 YRS	4	4.3	28	<1	<1	2	7	12	12	12
13-19 YRS	17	2.8	11	<1	<1	1	4	7	11	13
GRAND TOTAL	26	3.0	12	<1	<1	1	4	8	12	13

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	10	1.2		1	1	1	1	2	2	2
6-12 YRS	35	2.3		1	2	2	3	3	4	5
13-19 YRS	155	2.1	1	1	1	2	2	3	5	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	3	2.0	3	1	1	1	3	4	4	4
6-12 YRS	17	5.2	23	1	2	4	6	11	17	20
13-19 YRS	62	4.5	23	1	2	3	5	10	12	29
TOTAL SINGLE DX	203	2.1	1	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	84	4.6	22	1	2	3	5	10	12	27
TOTAL										
0-27 DYS	0									
1-11 MOS	5	3.2	6	1	2	2	5	7	7	7
1-5 YRS	13	1.4	1	1	1	1	2	3	4	4
6-12 YRS	52	3.2	10	1	2	2	3	5	10	20
13-19 YRS	217	2.8	9	1	1	2	3	5	7	15
GRAND TOTAL	287	2.8	9	1	1	2	3	5	7	17

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	15	2.5	8	<1	1	1	3	7	10	11
1-5 YRS	203	1.3		<1	1	1	1	2	3	6
6-12 YRS	129	1.5	1	1	1	1	2	3	3	5
13-19 YRS	79	2.4	14	1	1	1	3	4	7	25
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	6	5.0	13	2	3	4	6	11	12	12
1-5 YRS	50	1.6	1	1	1	1	1	3	5	6
6-12 YRS	31	2.9	16	1	1	1	2	7	11	20
13-19 YRS	34	9.2	271	1	2	3	8	33	47	78
TOTAL SINGLE DX	426	1.6	4	1	1	1	2	3	3	9
TOTAL MULTIPLE DX	122	4.3	90	1	1	1	3	8	13	56
TOTAL										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	21	3.2	11	<1	1	2	4	9	11	12
1-5 YRS	253	1.3	1	<1	1	1	1	2	3	6
6-12 YRS	160	1.7	4	1	1	1	2	3	4	12
13-19 YRS	113	4.4	100	1	1	2	3	8	13	59
GRAND TOTAL	*548*	*2.2*	*24*	*1*	*1*	*1*	*2*	*3*	*6*	*20*

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	7.5	5	6	6	7	9	9	9	9
1-5 YRS	22	6.4	10	1	5	6	8	11	12	12
6-12 YRS	15	4.8	8	2	3	4	5	10	11	12
13-19 YRS	23	7.4	15	4	5	6	9	14	17	17
2. MULTIPLE DX										
0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	15	11.3	61	4	6	9	14	28	29	29
1-5 YRS	50	13.0	181	4	6	8	14	25	51	70
6-12 YRS	44	15.2	250	5	6	10	16	31	50	82
13-19 YRS	47	8.4	31	4	5	6	10	15	19	31
TOTAL SINGLE DX	63	6.3	12	2	4	6	8	11	13	17
TOTAL MULTIPLE DX	158	12.0	147	4	6	8	14	22	32	70
TOTAL										
0-27 DYS	3	6.3	9	3	4	7	8	9	9	9
1-11 MOS	17	10.9	56	4	6	9	14	26	29	29
1-5 YRS	72	11.0	138	4	5	7	12	18	36	67
6-12 YRS	59	12.5	208	3	5	8	14	25	37	81
13-19 YRS	70	8.0	26	4	5	6	9	15	17	29
GRAND TOTAL	221	10.4	115	4	5	7	12	18	28	70

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	28	1.1		<1	<1	<1	1	2	2	3
1-5 YRS	45	1.1		<1	<1	<1	<1	1	1	4
6-12 YRS	31	1.1		<1	<1	<1	<1	1	2	3
13-19 YRS	9	1.1		<1	<1	<1	<1	1	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	15	2.5	8	<1	<1	1	3	7	10	11
6-12 YRS	10	1.4	1	<1	<1	1	1	3	4	4
13-19 YRS	18	4.7	55	<1	1	2	4	18	25	27
TOTAL SINGLE DX	114	1.1		<1	<1	<1	<1	1	2	4
TOTAL MULTIPLE DX	46	3.0	26	<1	<1	1	2	7	13	27
TOTAL										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	31	1.2		<1	<1	<1	1	2	2	3
1-5 YRS	60	1.4	3	<1	<1	<1	<1	2	4	11
6-12 YRS	41	1.2		<1	<1	<1	1	2	3	4
13-19 YRS	27	3.5	40	<1	<1	1	2	7	23	27
GRAND TOTAL	160	1.7	8	<1	<1	<1	1	2	4	21

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	15	1.6	1	<1	<1	1	1	4	5	5
1-5 YRS	164	1.1		<1	<1	1	1	1	2	3
6-12 YRS	68	1.2		<1	<1	1	1	2	2	4
13-19 YRS	27	1.5	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	13	5.8	46	1	1	3	13	29	84	99+
1-5 YRS	154	3.0	43	<1	1	1	3	5	9	33
6-12 YRS	126	3.1	21	1	1	2	3	6	8	32
13-19 YRS	274	2.9	8	1	1	2	4	6	9	24
TOTAL SINGLE DX	275	1.2		<1	<1	1	1	2	2	4
TOTAL MULTIPLE DX	568	3.1	22	1	1	2	3	6	9	33
TOTAL										
0-27 DYS	2	8.0	50	3	3	8	13	13	13	13
1-11 MOS	28	3.5	26	<1	<1	1	5	15	25	99+
1-5 YRS	318	2.0	22	<1	<1	1	1	3	5	18
6-12 YRS	194	2.4	15	<1	1	1	2	4	6	24
13-19 YRS	301	2.7	8	1	1	2	3	5	8	22
GRAND TOTAL	843	2.4	16	<1	1	1	3	5	7	21

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	44	1.2		<1	1	1	1	2	2	3
6-12 YRS	16	1.2		<1	<1	1	1	2	2	2
13-19 YRS	21	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	19	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	25	2.4	11	1	1	1	2	6	10	16
13-19 YRS	24	1.6	1	<1	1	1	2	4	4	5
TOTAL SINGLE DX	84	1.2		<1	<1	1	1	2	2	3
TOTAL MULTIPLE DX	72	2.0	5	<1	1	1	2	4	6	14
TOTAL										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	5	2.4	10	<1	<1	<1	3	8	8	8
1-5 YRS	63	1.3		<1	1	1	1	2	3	4
6-12 YRS	41	2.0	7	<1	1	1	2	4	7	16
13-19 YRS	45	1.4	1	<1	1	1	1	2	4	5
GRAND TOTAL	156	1.6	3	<1	1	1	1	2	4	8

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.8	2	<1	<1	1	2	5	5	5
6-12 YRS	9	1.1		<1	<1	<1	1	2	2	2
13-19 YRS	4	1.3		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	13.7	312	2	3	5	27	34	34	34
1-5 YRS	13	2.5	10	<1	<1	1	2	6	11	12
6-12 YRS	8	3.3	4	1	1	3	5	6	7	7
13-19 YRS	10	3.7	8	<1	1	3	5	8	10	10
TOTAL SINGLE DX	21	1.3	1	<1	<1	<1	1	2	4	5
TOTAL MULTIPLE DX	34	4.0	35	<1	1	2	5	7	12	34
TOTAL										
0-27 DYS	0									
1-11 MOS	5	8.6	204	1	1	2	12	34	34	34
1-5 YRS	19	2.3	7	<1	<1	1	2	5	9	12
6-12 YRS	17	2.1	3	<1	<1	1	3	5	6	7
13-19 YRS	14	3.0	7	<1	<1	2	5	6	9	10
GRAND TOTAL	55	3.0	24	<1	<1	1	4	5	9	33

980 Hospitals, United States, Pediatric, January-December 1989, by Operation

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	9	2.2	3	1	1	1	3	6	6	6
1-5 YRS	9	1.9	3	<1	1	1	2	5	6	6
6-12 YRS	5	2.8	6	1	1	2	4	7	7	7
13-19 YRS	20	2.4	6	<1	1	1	3	4	8	12
2. MULTIPLE DX										
0-27 DYS	5	27.4	1000	3	3	7	62	62	62	62
1-11 MOS	7	2.0	3	1	1	1	2	5	6	6
1-5 YRS	18	1.6		1	1	2	2	2	3	3
6-12 YRS	9	1.3		1	1	1	2	2	2	2
13-19 YRS	16	2.4	2	1	1	2	3	5	6	6
TOTAL SINGLE DX	43	2.3	5	1	1	1	3	5	7	12
TOTAL MULTIPLE DX	55	4.2	131	1	1	2	2	5	7	62
TOTAL										
0-27 DYS	5	27.4	1000	3	3	7	62	62	62	62
1-11 MOS	16	2.1	3	1	1	1	2	6	6	6
1-5 YRS	27	1.7	1	1	1	1	2	3	4	6
6-12 YRS	14	1.9	3	1	1	1	2	3	6	7
13-19 YRS	36	2.4	5	1	1	2	3	5	6	12
GRAND TOTAL	98	3.3	76	1	1	1	3	5	7	62

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	7	4.6	66	<1	<1	1	3	19	23	23
1-5 YRS	66	2.8	2	<1	1	3	4	5	6	7
6-12 YRS	83	3.6	5	2	2	3	4	5	6	16
13-19 YRS	45	2.7	3	1	1	2	4	6	6	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	7.0	76	1	2	3	12	20	20	20
1-5 YRS	72	4.4	8	1	2	4	5	8	10	13
6-12 YRS	68	3.8	3	1	2	4	5	6	8	8
13-19 YRS	62	3.8	3	2	2	3	5	7	8	8
TOTAL SINGLE DX	201	3.2	6	1	2	3	4	5	6	15
TOTAL MULTIPLE DX	206	4.1	6	1	2	4	5	7	8	12
TOTAL										
0-27 DYS	0									
1-11 MOS	11	5.5	64	<1	1	2	4	21	23	23
1-5 YRS	138	3.6	6	1	2	3	5	7	9	12
6-12 YRS	151	3.6	5	1	2	3	5	6	7	8
13-19 YRS	107	3.3	4	1	2	3	5	6	7	9
GRAND TOTAL	~~407~~	3.6	7	1	2	3	5	6	7	12

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	16	1.7	1	<1	<1	1	2	4	4	4
1-11 MOS	57	1.2		<1	<1	1	1	2	3	4
1-5 YRS	20	1.3		<1	<1	1	1	2	3	3
6-12 YRS	11	1.4		1	1	1	2	3	3	3
13-19 YRS	13	2.3	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	37	2.2	15	1	1	1	2	3	9	23
1-5 YRS	19	1.6	2	<1	1	1	2	3	6	8
6-12 YRS	20	2.7	6	1	1	2	3	6	9	11
13-19 YRS	17	2.8	3	<1	1	3	4	5	6	6
TOTAL SINGLE DX	117	1.4	1	<1	<1	1	1	3	4	5
TOTAL MULTIPLE DX	94	2.3	9	1	1	1	2	5	7	18
TOTAL										
0-27 DYS	17	1.7	1	<1	1	1	2	4	4	4
1-11 MOS	94	1.6	7	<1	1	1	1	2	4	18
1-5 YRS	39	1.4	1	<1	1	1	1	2	3	8
6-12 YRS	31	2.2	5	1	1	1	3	4	8	11
13-19 YRS	30	2.6	3	<1	1	2	4	5	5	6
GRAND TOTAL	211	1.8	4	<1	1	1	2	3	5	11

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	7	1.6	2	<1	1	1	1	4	5	5
1-5 YRS	11	3.0	2	<1	1	3	4	5	6	6
6-12 YRS	19	3.8	8	1	1	3	5	9	10	10
13-19 YRS	26	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	15	3.9	23	1	1	2	4	14	15	16
1-5 YRS	25	5.8	53	1	2	3	7	10	24	34
6-12 YRS	22	6.0	21	1	3	5	8	13	16	18
13-19 YRS	42	4.1	7	1	2	3	6	8	10	12
TOTAL SINGLE DX	63	2.7	4	1	1	2	4	5	8	10
TOTAL MULTIPLE DX	106	4.8	24	1	2	3	6	10	14	27
TOTAL										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	22	3.2	18	1	1	2	2	10	15	16
1-5 YRS	36	4.9	39	<1	1	3	6	9	18	34
6-12 YRS	41	5.0	16	1	2	4	6	11	13	18
13-19 YRS	68	3.3	6	1	2	3	4	6	8	12
GRAND TOTAL	169	4.0	18	1	1	3	5	9	12	20

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	13	1.3	1	1	1	1	1	2	4	5
1-11 MOS	25	1.2		<1	1	1	1	2	3	5
1-5 YRS	14	1.1		<1	<1	1	1	2	2	2
6-12 YRS	5	1.0		<1	<1	1	1	1	1	1
13-19 YRS	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	7	1.0		<1	1	1	1	1	1	1
1-11 MOS	13	3.2	36	<1	1	1	2	7	20	23
1-5 YRS	11	2.6	6	<1	1	1	5	7	7	7
6-12 YRS	8	4.1	7	1	2	4	5	8	9	9
13-19 YRS	7	1.7		<1	1	2	2	3	3	3
TOTAL SINGLE DX	61	1.2	1	<1	1	1	1	2	2	5
TOTAL MULTIPLE DX	46	2.7	13	<1	1	1	3	6	8	23
TOTAL										
0-27 DYS	20	1.2	1	1	1	1	1	1	3	5
1-11 MOS	38	1.9	13	<1	1	1	1	2	4	23
1-5 YRS	25	1.8	4	<1	1	1	2	6	7	7
6-12 YRS	13	2.9	7	<1	1	1	4	7	9	9
13-19 YRS	11	1.6		<1	1	2	2	3	3	3
GRAND TOTAL	107	1.8	6	<1	1	1	2	4	6	15

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	13	1.2		1	1	1	1	2	2	2
1-11 MOS	45	1.3		<1	1	1	2	2	2	3
1-5 YRS	37	1.3		<1	<1	1	1	2	3	3
6-12 YRS	20	1.4	1	<1	1	1	1	2	4	6
13-19 YRS	5	1.8	3	<1	<1	1	2	5	5	5
2. MULTIPLE DX										
0-27 DYS	9	2.8	13	1	1	1	3	9	12	12
1-11 MOS	29	1.7	1	1	1	1	2	4	4	5
1-5 YRS	22	2.4	23	<1	1	1	2	3	12	24
6-12 YRS	23	2.8	7	<1	1	1	4	6	9	12
13-19 YRS	16	2.7	4	1	1	2	4	7	7	7
TOTAL SINGLE DX	120	1.3	1	<1	1	1	1	2	3	5
TOTAL MULTIPLE DX	99	2.4	9	1	1	1	3	5	7	18
TOTAL										
0-27 DYS	22	1.8	6	1	1	1	1	3	8	12
1-11 MOS	74	1.4	1	<1	1	1	2	2	3	5
1-5 YRS	59	1.7	9	<1	<1	1	1	2	3	22
6-12 YRS	43	2.1	5	<1	1	1	2	5	7	12
13-19 YRS	21	2.5	4	<1	1	2	4	6	7	7
GRAND TOTAL	219	1.8	5	<1	1	1	2	3	5	12

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	0									
TOTAL SINGLE DX	3	1.3		<1	<1	1	2	2	2	2
TOTAL MULTIPLE DX	3	3.0	3	2	2	2	4	5	5	5
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	[illegible]
6-12 YRS	2	3.5	5	2	2	3	5	5	5	[illegible]
13-19 YRS	1	2.0		2	2	2	2	2	2	[illegible]
GRAND TOTAL	6	2.2	2	<1	1	2	2	5	5	5

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	34	1.8	1	1	1	2	2	2	5	7
1-5 YRS	20	1.5		1	1	1	2	2	3	4
6-12 YRS	46	2.1	1	1	1	2	3	3	4	5
13-19 YRS	100	2.1	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	1	76.0		85	99+	99+	99+	99+	99+	99+
1-11 MOS	35	6.4	123	<1	1	2	6	21	51	99+
1-5 YRS	25	4.6	155	1	1	2	3	3	22	64
6-12 YRS	79	2.9	3	1	2	3	4	5	7	11
13-19 YRS	97	2.5	2	1	2	2	3	4	5	10
TOTAL SINGLE DX	200	2.0	1	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	237	3.8	60	1	1	2	4	7	37	99+
TOTAL										
0-27 DYS	1	76.0		85	99+	99+	99+	99+	99+	99+
1-11 MOS	69	4.1	68	<1	1	2	3	9	22	92
1-5 YRS	45	3.2	87	1	1	1	2	3	5	64
6-12 YRS	125	2.6	3	1	1	2	3	4	6	9
13-19 YRS	197	2.3	2	1	1	2	3	4	5	8
GRAND TOTAL	437	2.9	34	1	1	2	3	5	8	99+

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	7	1.1		1	1	1	1	2	2	2
1-11 MOS	46	1.7	2	1	1	1	2	2	3	11
1-5 YRS	31	1.4		1	1	1	2	2	3	5
6-12 YRS	15	1.8	1	1	1	1	2	4	4	4
13-19 YRS	28	1.7		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	4	73.8	391	80	99+	99+	99+	99+	99+	99+
1-11 MOS	53	6.7	229	1	1	2	4	12	63	99
1-5 YRS	36	3.8	63	1	1	2	3	8	11	48
6-12 YRS	45	2.2	3	1	1	2	2	5	7	9
13-19 YRS	67	2.0	2	1	1	1	2	4	5	8
TOTAL SINGLE DX	127	1.6	1	1	1	1	2	2	3	6
TOTAL MULTIPLE DX	205	5.0	175	1	1	2	4	78	99+	99+
TOTAL										
0-27 DYS	11	27.5	1459	1	48	99+	99+	99+	99+	99+
1-11 MOS	99	4.3	129	1	1	2	3	6	15	89
1-5 YRS	67	2.7	36	1	1	1	2	5	8	42
6-12 YRS	60	2.1	3	1	1	2	2	4	6	9
13-19 YRS	95	1.9	2	1	1	1	2	4	5	7
GRAND TOTAL	332	3.7	111	1	1	2	3	9	99+	99+

530: Operations on ocular muscle (15.01; 15.11-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	125	1.1		<1	<1	<1	<1	1	1	3
1-5 YRS	530	1.0		<1	<1	<1	<1	1	1	2
6-12 YRS	253	1.0		<1	<1	<1	<1	1	1	1
13-19 YRS	57	1.1		<1	<1	<1	1	1	1	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	24	1.5	1	<1	<1	<1	1	4	5	6
1-5 YRS	237	1.6	30	<1	<1	<1	1	2	2	[illegible]
6-12 YRS	107	1.7	21	<1	<1	<1	1	2	11	99+
13-19 YRS	34	1.2		<1	<1	1	1	2	2	4
TOTAL SINGLE DX	965	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	402	1.6	24	<1	<1	<1	1	2	3	91
TOTAL										
0-27 DYS	0									
1-11 MOS	149	1.1	1	<1	<1	<1	<1	1	1	6
1-5 YRS	767	1.2	9	<1	<1	<1	<1	1	1	3
6-12 YRS	360	1.2	7	<1	<1	<1	<1	1	1	92
13-19 YRS	91	1.1		<1	<1	<1	1	1	2	4
GRAND TOTAL	1367	1.2	7	<1	<1	<1	<1	1	1	5

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	44	3.0	4	1	1	2	4	6	8	8
1-5 YRS	99	3.5	12	<1	1	3	4	8	10	19
6-12 YRS	54	2.1	3	1	1	1	3	4	6	10
13-19 YRS	59	3.3	9	1	1	2	4	7	11	15
2. MULTIPLE DX										
0-27 DYS	4	47.8	2385	5	6	43	89	99	99	99+
1-11 MOS	35	5.1	14	1	2	4	8	10	13	15
1-5 YRS	75	6.0	50	1	2	4	8	12	14	46
6-12 YRS	90	5.3	25	1	2	4	7	10	16	28
13-19 YRS	87	3.4	8	1	1	2	5	7	10	14
TOTAL SINGLE DX	256	3.1	9	1	1	2	4	6	8	13
TOTAL MULTIPLE DX	291	5.5	76	1	2	4	7	10	14	43
TOTAL										
0-27 DYS	4	47.8	2385	5	6	43	89	99	99	99+
1-11 MOS	79	4.0	10	1	2	3	6	8	10	15
1-5 YRS	174	4.6	30	1	1	3	6	10	13	25
6-12 YRS	144	4.1	19	1	1	3	6	8	13	27
13-19 YRS	146	3.4	9	1	1	2	5	7	10	14
GRAND TOTAL	547	4.4	46	1	1	3	5	9	12	25

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	18	1.8	4	<1	<1	1	2	3	8	10
1-5 YRS	157	1.6	1	<1	<1	1	2	3	4	6
6-12 YRS	231	1.7	2	<1	1	1	2	3	4	10
13-19 YRS	84	2.2	6	<1	1	1	3	4	5	18
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	10	4.8	16	<1	<1	3	8	10	11	11
1-5 YRS	102	2.8	6	1	1	2	3	6	8	15
6-12 YRS	172	2.1	4	1	1	1	3	4	5	13
13-19 YRS	298	3.0	9	1	1	2	4	6	10	25
TOTAL SINGLE DX	491	1.7	3	<1	<1	1	2	3	4	10
TOTAL MULTIPLE DX	583	2.7	8	1	1	2	3	5	8	15
TOTAL										
0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	28	2.9	11	<1	<1	1	3	9	10	11
1-5 YRS	259	2.0	4	<1	1	1	2	4	6	12
6-12 YRS	403	1.9	3	<1	1	1	2	4	5	10
13-19 YRS	382	2.8	9	1	1	2	3	5	9	22
GRAND TOTAL	1074	2.3	6	<1	1	1	3	4	7	13

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	16	1.0		1	1	1	1	1	1	1
13-19 YRS	21	1.2		1	1	1	1	2	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.0		1	1	1	1	1	1	1
6-12 YRS	24	1.2		<1	1	1	1	2	3	3
13-19 YRS	24	1.3		1	1	1	1	2	3	3
TOTAL SINGLE DX	39	1.1		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	54	1.2		1	1	1	1	2	2	3
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	1.0		1	1	1	1	1	1	1
6-12 YRS	40	1.1		1	1	1	1	2	2	3
13-19 YRS	45	1.2		1	1	1	1	2	3	3
GRAND TOTAL	93	1.2		1	1	1	1	2	2	3

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	100	1.0		<1	<1	1	1	1	1	2
6-12 YRS	399	1.0		<1	1	1	1	1	1	2
13-19 YRS	181	1.1		1	1	1	1	1	2	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	91	1.4	6	<1	1	1	1	1	2	17
6-12 YRS	443	1.1		<1	1	1	1	1	2	3
13-19 YRS	234	1.2		1	1	1	1	2	2	4
TOTAL SINGLE DX	680	1.1		<1	1	1	1	1	1	2
TOTAL MULTIPLE DX	768	1.2	1	<1	1	1	1	1	2	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	191	1.2	3	<1	<1	1	1	1	1	8
6-12 YRS	842	1.1		<1	1	1	1	1	2	3
13-19 YRS	415	1.2	1	1	1	1	1	2	2	4
GRAND TOTAL	1448	1.1	1	<1	1	1	1	1	2	3

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	2.4		1	2	2	3	4	4	4
1-11 MOS	862	1.1		<1	<1	<1	<1	<1	1	5
1-5 YRS	2193	1.1		<1	<1	<1	<1	<1	1	4
6-12 YRS	388	1.2		<1	<1	<1	<1	1	2	5
13-19 YRS	51	1.6	15	<1	<1	<1	1	1	2	29
2. MULTIPLE DX										
0-27 DYS	14	4.2	5	1	3	4	5	7	9	10
1-11 MOS	362	4.9	52	<1	1	3	6	10	13	31
1-5 YRS	1941	2.2	13	<1	<1	1	1	5	8	16
6-12 YRS	697	2.0	17	<1	<1	1	1	3	8	25
13-19 YRS	80	4.6	84	<1	1	1	2	13	23	53
TOTAL SINGLE DX	3503	1.1	1	<1	<1	<1	<1	<1	1	5
TOTAL MULTIPLE DX	3094	2.5	21	<1	<1	1	2	6	9	22
TOTAL										
0-27 DYS	23	3.5	4	1	2	3	4	6	8	10
1-11 MOS	1224	2.2	19	<1	<1	<1	1	5	8	18
1-5 YRS	4134	1.6	7	<1	<1	<1	1	2	5	11
6-12 YRS	1085	1.7	12	<1	<1	1	1	2	5	16
13-19 YRS	131	3.4	59	<1	<1	1	1	8	19	37
GRAND TOTAL	6597	1.8	11	<1	<1	<1	1	3	6	14

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	5.8	10	1	4	7	8	8	8	8
1-5 YRS	59	2.1	5	<1	1	1	2	5	9	11
6-12 YRS	186	1.3		1	1	1	1	2	3	6
13-19 YRS	100	1.3	2	1	1	1	1	2	2	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	19	6.8	36	2	3	5	9	12	21	28
1-5 YRS	124	5.7	80	1	1	1	7	16	21	53
6-12 YRS	341	1.8	4	1	1	1	1	3	6	13
13-19 YRS	240	1.9	5	1	1	1	1	4	7	13
TOTAL SINGLE DX	349	1.5	2	1	1	1	1	2	4	10
TOTAL MULTIPLE DX	724	2.6	21	1	1	1	2	6	10	21
TOTAL										
0-27 DYS	0									
1-11 MOS	23	6.7	31	1	3	6	8	11	18	28
1-5 YRS	183	4.5	59	1	1	1	5	11	20	49
6-12 YRS	527	[illegible]	4	1	1	1	1	2	5	12
13-19 YRS	340	1.7	4	1	1	1	1	3	5	13
GRAND TOTAL	1073	2.2	15	1	1	1	2	5	9	20

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	3.0	8	<1	<1	2	5	5	5	5
1-5 YRS	121	1.6	4	<1	<1	1	1	3	6	13
6-12 YRS	181	1.2		<1	<1	1	1	1	3	5
13-19 YRS	81	1.2		<1	1	1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	7	5.0	16	1	2	4	6	12	13	13
1-5 YRS	155	3.6	20	<1	1	1	4	10	14	22
6-12 YRS	189	2.0	5	1	1	1	1	5	7	12
13-19 YRS	88	2.0	3	1	1	1	2	4	7	10
TOTAL SINGLE DX	385	1.4	2	<1	<1	1	1	2	4	7
TOTAL MULTIPLE DX	439	2.6	11	<1	1	1	2	7	10	16
TOTAL										
0-27 DYS	0									
1-11 MOS	9	4.6	14	<1	2	4	6	11	13	13
1-5 YRS	276	2.7	14	<1	<1	1	2	8	11	18
6-12 YRS	370	1.6	3	<1	1	1	1	3	5	10
13-19 YRS	169	1.6	2	<1	1	1	2	3	5	9
GRAND TOTAL	824	2.0	7	<1	1	1	1	5	7	15

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	2.0	1	<1	<1	1	3	3	3	3
13-19 YRS	68	1.5	1	1	1	1	1	2	3	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	26	1.2		1	1	1	1	2	2	2
13-19 YRS	287	1.2		1	1	1	1	2	2	5
TOTAL SINGLE DX	72	1.5	2	1	1	1	2	2	3	9
TOTAL MULTIPLE DX	316	1.2	1	1	1	1	1	2	2	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	30	1.3		1	1	1	1	2	3	3
13-19 YRS	355	1.3	1	1	1	1	1	2	2	6
GRAND TOTAL	388	1.3	1	1	1	1	1	2	2	6

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	14	2.3	4	1	1	1	4	5	7	7
1-5 YRS	54	1.7	1	<1	1	1	2	4	4	6
6-12 YRS	70	1.5	1	1	1	1	1	3	4	7
13-19 YRS	258	1.2		1	1	1	1	2	3	4
2. MULTIPLE DX										
0-27 DYS	5	9.8	62	2	5	6	15	22	22	22
1-11 MOS	12	7.9	272	<1	1	3	5	22	55	60
1-5 YRS	104	2.4	10	1	1	2	3	4	6	21
6-12 YRS	169	2.1	14	1	1	1	2	4	5	7
13-19 YRS	608	1.4	1	1	1	1	2	2	3	7
TOTAL SINGLE DX	396	1.4	1	1	1	1	1	2	3	6
TOTAL MULTIPLE DX	898	1.8	9	1	1	1	2	3	4	11
TOTAL										
0-27 DYS	5	9.8	62	2	5	6	15	22	22	22
1-11 MOS	26	4.9	130	<1	1	2	5	6	18	60
1-5 YRS	158	2.2	7	1	1	1	2	4	6	14
6-12 YRS	239	1.9	11	1	1	1	2	4	4	7
13-19 YRS	866	1.4	1	1	1	1	1	2	3	6
GRAND TOTAL	1294	1.7	7	1	1	1	2	3	4	8

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	9	1.2		<1	<1	1	1	2	2	2
1-5 YRS	29	1.6	1	<1	<1	1	2	3	4	7
6-12 YRS	29	2.1	3	<1	1	1	3	5	6	7
13-19 YRS	28	1.5	1	<1	1	1	1	3	5	5
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	11	4.5	19	<1	1	3	7	11	15	15
1-5 YRS	34	4.4	35	<1	1	2	5	10	17	29
6-12 YRS	80	3.2	23	1	1	1	4	7	10	30
13-19 YRS	122	3.1	89	1	1	1	2	4	7	55
TOTAL SINGLE DX	97	1.7	2	<1	<1	1	2	4	6	7
TOTAL MULTIPLE DX	249	3.4	57	1	1	1	3	7	10	38
TOTAL										
0-27 DYS	4	3.0	6	1	1	3	5	6	6	6
1-11 MOS	20	3.1	13	<1	1	1	3	8	11	15
1-5 YRS	63	3.1	22	<1	<1	1	3	8	11	28
6-12 YRS	109	2.9	18	<1	1	1	3	6	8	23
13-19 YRS	150	2.8	73	1	1	1	2	4	6	40
GRAND TOTAL	346	2.9	42	<1	1	1	2	6	8	29

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	2.4	2	<1	1	2	4	5	5	5
1-5 YRS	26	1.6	1	<1	<1	<1	1	4	4	5
6-12 YRS	70	1.3	1	<1	<1	<1	1	2	3	10
13-19 YRS	160	1.4		<1	<1	1	1	3	3	5
2. MULTIPLE DX										
0-27 DYS	5	16.4	393	3	4	12	51	95	99+	99+
1-11 MOS	10	16.0	752	1	1	5	21	58	90	90
1-5 YRS	27	2.4	8	<1	1	1	3	5	9	14
6-12 YRS	73	3.4	14	<1	1	2	5	7	9	23
13-19 YRS	183	3.5	66	1	1	2	3	7	10	33
TOTAL SINGLE DX	264	1.4	1	<1	<1	1	1	3	3	5
TOTAL MULTIPLE DX	298	4.0	81	<1	1	2	4	8	11	71
TOTAL										
0-27 DYS	6	14.2	344	3	3	11	41	90	99+	99+
1-11 MOS	17	10.4	472	1	1	3	6	25	68	90
1-5 YRS	53	2.0	5	<1	<1	1	2	4	5	14
6-12 YRS	143	2.4	9	<1	<1	1	2	6	8	13
13-19 YRS	343	2.5	37	<1	1	1	2	5	8	14
GRAND TOTAL	562	2.8	45	<1	1	1	3	5	8	26

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	20	1.6		1	1	1	2	3	4	4
13-19 YRS	32	1.8	3	1	1	1	2	2	6	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	5	5.0	20	1	2	3	8	12	12	12
6-12 YRS	21	3.0	8	1	1	2	4	7	10	13
13-19 YRS	84	4.7	78	1	1	2	4	11	18	54
TOTAL SINGLE DX	53	1.7	3	1	1	1	2	2	4	11
TOTAL MULTIPLE DX	112	4.3	61	1	1	2	4	10	13	51
TOTAL										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	6	4.3	19	1	1	2	7	11	12	12
6-12 YRS	41	2.3	5	1	1	1	3	4	7	13
13-19 YRS	116	3.9	59	1	1	2	3	9	12	51
GRAND TOTAL	165	3.4	44	1	1	1	3	7	11	44

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	6.0	16	2	3	6	9	10	10	10
1-5 YRS	114	1.4	3	<1	1	1	1	2	4	11
6-12 YRS	130	2.0	8	<1	1	1	1	4	7	18
13-19 YRS	73	3.2	10	<1	1	1	5	9	11	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	11	6.7	23	<1	1	6	11	14	15	15
1-5 YRS	215	4.8	96	<1	1	1	6	10	17	56
6-12 YRS	300	4.5	40	1	1	2	6	11	16	30
13-19 YRS	253	5.1	42	1	1	2	7	12	15	29
TOTAL SINGLE DX	320	2.1	7	<1	1	1	2	5	8	14
TOTAL MULTIPLE DX	779	4.8	56	<1	1	2	6	12	16	38
TOTAL										
0-27 DYS	0									
1-11 MOS	14	6.6	21	<1	2	6	10	13	15	15
1-5 YRS	329	3.6	67	<1	1	1	3	8	13	52
6-12 YRS	430	3.7	32	<1	1	1	4	10	14	23
13-19 YRS	326	4.7	36	1	1	2	6	11	14	28
GRAND TOTAL	1099	4.0	44	<1	1	1	5	10	14	28

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	74	1.3	1	<1	<1	<1	<1	2	4	8
6-12 YRS	37	1.5	1	<1	<1	<1	1	3	4	7
13-19 YRS	134	1.2		<1	<1	<1	1	1	2	6
2. MULTIPLE DX										
0-27 DYS	3	25.3	394	11	12	17	40	48	48	48
1-11 MOS	3	6.7	96	1	1	1	14	18	18	18
1-5 YRS	239	3.2	27	<1	<1	1	3	7	16	45
6-12 YRS	216	3.7	56	<1	1	2	3	6	17	99+
13-19 YRS	272	3.5	47	<1	1	1	3	7	11	45
TOTAL SINGLE DX	246	1.3	1	<1	<1	<1	1	1	3	7
TOTAL MULTIPLE DX	733	3.6	47	<1	1	1	3	7	16	59
TOTAL										
0-27 DYS	3	25.3	394	11	12	17	40	48	48	48
1-11 MOS	4	5.3	72	1	1	1	10	18	18	18
1-5 YRS	313	2.8	22	<1	<1	1	2	5	11	32
6-12 YRS	253	3.4	49	<1	<1	1	3	6	15	98
13-19 YRS	406	2.7	33	<1	<1	1	2	5	8	41
GRAND TOTAL	979	3.0	36	<1	<1	1	2	6	11	47

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	300	1.0		<1	<1	<1	<1	<1	<1	1
6-12 YRS	37	1.1		<1	<1	<1	<1	1	2	4
13-19 YRS	4	2.0	4	<1	<1	1	3	5	5	5
2. MULTIPLE DX										
0-27 DYS	2	21.5	421	7	7	21	36	36	36	36
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	213	1.6	17	<1	<1	<1	1	2	3	39
6-12 YRS	101	2.8	48	<1	<1	1	2	3	7	42
13-19 YRS	56	3.1	55	<1	1	2	2	4	9	53
TOTAL SINGLE DX	341	1.1		<1	<1	<1	<1	<1	1	2
TOTAL MULTIPLE DX	373	2.3	34	<1	<1	1	1	2	6	47
TOTAL										
0-27 DYS	2	21.5	421	7	7	21	36	36	36	36
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	513	1.3	7	<1	<1	<1	<1	1	2	7
6-12 YRS	138	2.3	36	<1	<1	1	1	2	5	37
13-19 YRS	60	3.0	52	<1	1	1	2	5	8	51
GRAND TOTAL	714	1.7	19	<1	<1	<1	1	2	3	34

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	23	1.3		1	1	1	1	2	4	4
1-5 YRS	57	1.2		<1	<1	<1	1	2	3	4
6-12 YRS	64	2.0	2	<1	1	2	2	3	6	9
13-19 YRS	25	2.2	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	33	2.3	8	1	1	1	2	3	11	14
1-5 YRS	116	1.7	3	<1	<1	<1	2	3	4	10
6-12 YRS	156	2.3	7	1	1	2	2	3	7	14
13-19 YRS	100	2.9	29	1	1	1	3	4	7	38
TOTAL SINGLE DX	171	1.7	2	<1	<1	1	2	3	4	8
TOTAL MULTIPLE DX	405	2.2	12	<1	1	1	2	4	6	16
TOTAL										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	56	1.9	5	1	1	1	2	3	4	14
1-5 YRS	173	1.5	3	<1	<1	<1	1	3	4	5
6-12 YRS	220	2.2	6	1	1	2	2	3	6	12
13-19 YRS	125	2.7	24	1	1	2	3	4	6	36
GRAND TOTAL	576	2.1	9	<1	1	1	2	3	5	14

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	9	1.3		<1	1	1	2	2	2	2
1-5 YRS	36	2.0	3	1	1	1	2	4	6	11
6-12 YRS	59	1.9	1	1	1	2	2	4	4	6
13-19 YRS	89	2.2	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	6.1	7	2	5	6	8	9	9	9
1-5 YRS	41	3.8	41	1	1	2	3	9	24	99+
6-12 YRS	52	2.8	9	1	1	2	3	4	9	17
13-19 YRS	48	3.7	43	1	1	2	3	8	15	42
TOTAL SINGLE DX	195	2.1	3	1	1	2	2	4	6	10
TOTAL MULTIPLE DX	149	3.5	29	1	1	2	3	8	14	42
TOTAL										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	16	3.4	9	1	1	2	6	8	9	9
1-5 YRS	77	3.0	25	1	1	2	3	6	12	83
6-12 YRS	111	2.3	5	1	1	2	3	4	4	16
13-19 YRS	137	2.8	18	1	1	2	3	5	8	20
GRAND TOTAL	344	2.7	15	1	1	2	3	5	8	18

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	277	2.2	1	1	2	2	3	4	4	5
1-5 YRS	551	2.2	1	1	1	2	3	4	5	6
6-12 YRS	183	2.2	1	1	1	2	3	4	4	6
13-19 YRS	45	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	452	2.5	4	1	1	2	3	4	5	13
1-5 YRS	814	2.6	4	1	1	2	3	5	5	10
6-12 YRS	245	2.3	2	1	1	2	3	4	5	9
13-19 YRS	81	2.6	3	1	1	2	3	5	7	10
TOTAL SINGLE DX	1059	2.2	1	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	1592	2.5	4	1	1	2	3	4	5	10
TOTAL										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	729	2.4	3	1	1	2	3	4	5	9
1-5 YRS	1365	2.5	3	1	1	2	3	4	5	8
6-12 YRS	428	2.3	2	1	1	2	3	4	5	7
13-19 YRS	126	2.5	3	1	1	2	3	5	6	9
GRAND TOTAL	2651	2.4	3	1	1	2	3	4	5	8

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	14	2.6	3	1	1	2	3	5	7	7
1-11 MOS	718	2.1-	2	1	1	2	3	4	5	7
1-5 YRS	280	1.7	2	<1	1	1	2	3	5	11
6-12 YRS	167	1.8	1	<1	1	1	2	4	4	7
13-19 YRS	109	2.3	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	12	27.3	562	3	4	23	43	64	69	70
1-11 MOS	568	3.1	13	1	1	2	4	6	8	20
1-5 YRS	364	2.8	11	1	1	2	3	6	8	24
6-12 YRS	279	2.9	16	1	1	2	3	6	9	22
13-19 YRS	357	3.1	27	1	1	2	3	6	8	20
TOTAL SINGLE DX	1288	2.0	2	<1	1	1	2	4	5	8
TOTAL MULTIPLE DX	1580	3.2	25	1	1	2	4	6	9	26
TOTAL										
0-27 DYS	26	14.0	408	1	2	3	21	49	64	70
1-11 MOS	1286	2.5	7	1	1	2	3	5	6	14
1-5 YRS	644	2.3	8	<1	1	1	2	5	7	15
6-12 YRS	446	2.5	11	1	1	2	3	4	8	15
13-19 YRS	466	2.9	21	1	1	2	3	5	8	14
GRAND TOTAL	2868	2.7	15	1	1	2	3	5	7	19

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	1.0		<1	<1	1	1	1	1	1
1-5 YRS	361	1.1		<1	1	1	1	1	2	4
6-12 YRS	1177	1.1		1	1	1	1	1	2	3
13-19 YRS	2264	1.1		1	1	1	1	1	2	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	340	1.6	4	1	1	1	1	3	5	11
6-12 YRS	633	1.3	2	1	1	1	1	2	2	6
13-19 YRS	895	1.6	8	1	1	1	1	3	4	10
TOTAL SINGLE DX	3809	1.1		1	1	1	1	1	2	3
TOTAL MULTIPLE DX	1870	1.5	6	1	1	1	1	2	4	9
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.5	2	<1	<1	1	1	4	5	5
1-5 YRS	701	1.4	2	1	1	1	1	2	3	7
6-12 YRS	1810	1.1	1	1	1	1	1	1	2	4
13-19 YRS	3159	1.3	3	1	1	1	1	2	2	5
GRAND TOTAL	5679	1.2	2	1	1	1	1	2	2	5

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	13	1.1		1	1	1	1	2	2	2
1-5 YRS	3153	1.1		1	1	1	1	1	2	3
6-12 YRS	4055	1.0		1	1	1	1	1	1	2
13-19 YRS	906	1.0		1	1	1	1	1	1	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	26	5.8	53	1	1	3	6	18	22	28
1-5 YRS	5227	1.5	7	1	1	1	1	2	3	10
6-12 YRS	3893	1.3	4	1	1	1	1	1	2	5
13-19 YRS	657	1.3	3	1	1	1	1	2	3	9
TOTAL SINGLE DX	8129	1.1		1	1	1	1	1	1	2
TOTAL MULTIPLE DX	9803	1.4	6	1	1	1	1	2	2	9
TOTAL										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	39	4.2	40	1	1	1	4	16	19	28
1-5 YRS	8380	1.3	5	1	1	1	1	1	2	7
6-12 YRS	7948	1.1	2	1	1	1	1	1	2	4
13-19 YRS	1563	1.2	1	1	1	1	1	1	2	4
GRAND TOTAL	17932	1.2	4	1	1	1	1	1	2	5

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	3.5	31	<1	<1	1	3	13	17	17
1-5 YRS	126	1.2		<1	<1	1	1	1	1	6
6-12 YRS	122	1.0		<1	<1	1	1	1	1	2
13-19 YRS	11	1.0		<1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	42	3.6	22	<1	1	1	4	13	14	17
1-5 YRS	534	1.7	10	<1	<1	1	1	2	6	12
6-12 YRS	267	1.1		<1	1	1	1	1	1	5
13-19 YRS	45	2.5	24	<1	1	1	1	2	20	21
TOTAL SINGLE DX	267	1.2	1	<1	<1	1	1	1	1	6
TOTAL MULTIPLE DX	888	1.7	9	<1	<1	1	1	2	5	15
TOTAL										
0-27 DYS	0									
1-11 MOS	50	3.6	23	<1	1	1	4	13	14	17
1-5 YRS	660	1.6	9	<1	<1	1	1	2	5	11
6-12 YRS	389	1.1		<1	<1	1	1	1	1	3
13-19 YRS	56	2.2	20	<1	1	1	1	2	15	21
GRAND TOTAL	1155	1.6	7	<1	<1	1	1	2	4	14

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	6.4	18	2	4	6	13	91	99+	99+
1-11 MOS	42	3.1	20	<1	<1	1	3	8	17	19
1-5 YRS	226	2.2	7	<1	1	1	2	4	6	17
6-12 YRS	330	1.8	2	1	1	1	2	3	4	8
13-19 YRS	457	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	4	17.0	53	9	12	21	44	99+	99+	99+
1-11 MOS	45	6.1	54	1	2	4	8	11	18	44
1-5 YRS	187	4.3	32	1	1	3	5	9	12	35
6-12 YRS	188	3.1	22	1	1	2	3	6	9	42
13-19 YRS	288	3.6	37	1	2	3	4	6	7	18
TOTAL SINGLE DX	1060	2.1	4	1	1	1	2	4	5	12
TOTAL MULTIPLE DX	712	3.9	35	1	1	2	4	8	11	34
TOTAL										
0-27 DYS	9	11.1	60	3	6	13	24	99+	99+	99+
1-11 MOS	87	4.6	40	<1	1	2	5	11	17	36
1-5 YRS	413	3.1	20	<1	1	1	4	7	10	26
6-12 YRS	518	2.3	10	1	1	1	2	4	6	14
13-19 YRS	745	2.7	17	1	1	2	3	5	6	12
GRAND TOTAL	1772	2.8	17	1	1	2	3	5	8	19

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	7	3.9	11	<1	1	2	7	9	9	9
1-5 YRS	71	1.5	2	<1	<1	<1	1	2	5	11
6-12 YRS	98	1.3	1	<1	<1	<1	<1	1	3	8
13-19 YRS	32	1.6	1	<1	<1	1	2	3	5	5
2. MULTIPLE DX										
0-27 DYS	7	3.7	12	1	1	3	5	10	11	11
1-11 MOS	25	5.5	16	1	2	5	8	12	14	14
1-5 YRS	48	2.7	16	<1	<1	1	3	6	8	25
6-12 YRS	82	3.4	35	<1	<1	1	3	7	12	38
13-19 YRS	159	3.2	9	1	2	2	4	5	8	21
TOTAL SINGLE DX	211	1.5	2	<1	<1	<1	1	2	5	8
TOTAL MULTIPLE DX	321	3.3	18	<1	1	2	4	6	12	22
TOTAL										
0-27 DYS	10	3.0	10	1	1	2	3	8	11	11
1-11 MOS	32	5.1	16	1	2	5	8	11	14	14
1-5 YRS	119	2.0	8	<1	<1	<1	1	5	6	16
6-12 YRS	180	2.2	18	<1	<1	<1	1	5	7	17
13-19 YRS	191	2.9	9	<1	1	2	3	5	7	21
GRAND TOTAL	532	2.6	13	<1	<1	1	3	5	8	20

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	37	4.1	21	1	1	2	4	12	14	17
1-5 YRS	231	1.3		<1	1	1	1	2	3	5
6-12 YRS	75	1.5	1	<1	1	1	1	2	4	8
13-19 YRS	21	1.4		<1	<1	1	1	2	4	5
2. MULTIPLE DX										
0-27 DYS	3	11.3	58	3	10	18	99+	99+	99+	99+
1-11 MOS	64	7.0	51	1	2	4	10	22	23	89
1-5 YRS	160	4.0	47	1	1	2	4	9	15	55
6-12 YRS	46	1.8	5	1	1	1	2	3	4	16
13-19 YRS	23	4.0	20	1	1	2	7	15	42	99+
TOTAL SINGLE DX	366	1.6	4	<1	1	1	2	3	4	12
TOTAL MULTIPLE DX	296	4.4	42	1	1	2	5	14	21	99+
TOTAL										
0-27 DYS	5	7.4	58	1	2	13	79	99+	99+	99+
1-11 MOS	101	6.0	42	1	1	3	8	17	23	61
1-5 YRS	391	2.4	21	<1	1	1	2	4	8	32
6-12 YRS	121	1.6	3	<1	1	1	2	2	4	11
13-19 YRS	44	2.8	12	<1	1	1	3	8	15	99+
GRAND TOTAL	662	2.9	23	<1	1	1	2	7	13	39

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	7	4.4	23	1	2	3	5	13	15	15
1-5 YRS	19	2.1	3	<1	1	1	2	5	7	8
6-12 YRS	19	1.8	1	<1	1	1	2	4	5	5
13-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	30	10.7	152	1	2	5	13	33	41	43
1-5 YRS	133	4.3	59	1	1	2	4	8	15	47
6-12 YRS	22	4.3	51	1	1	2	5	13	58	99+
13-19 YRS	13	11.2	592	1	2	3	11	92	98	99+
TOTAL SINGLE DX	47	2.3	6	<1	1	1	3	5	6	15
TOTAL MULTIPLE DX	199	5.8	111	1	1	2	5	13	28	95
TOTAL										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	37	9.5	133	1	2	4	13	30	39	43
1-5 YRS	152	4.1	53	1	1	2	4	8	15	43
6-12 YRS	41	3.1	29	<1	1	2	4	6	19	99+
13-19 YRS	15	10.1	517	1	1	3	10	83	97	99+
GRAND TOTAL	246	5.1	92	1	1	2	5	12	22	91

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	11.0		11	11	11	11	11	11	11
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	1	11.0		11	11	11	11	11	11	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	1	11.0		11	11	11	11	11	11	11

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	34.3	751	13	20	72	99+	99+	99+	99+
1-11 MOS	14	19.6	336	2	9	17	32	97	99+	99+
1-5 YRS	13	16.8	420	1	3	6	23	48	66	70
6-12 YRS	3	12.3	86	2	5	15	19	20	20	20
13-19 YRS	8	11.4	334	1	3	5	9	42	56	56
2. MULTIPLE DX										
0-27 DYS	22	37.4	575	18	29	99+	99+	99+	99+	99+
1-11 MOS	101	29.1	443	10	17	37	99+	99+	99+	99+
1-5 YRS	114	27.3	483	7	11	24	55	99+	99+	99+
6-12 YRS	46	37.2	677	10	16	39	69	99+	99+	99+
13-19 YRS	100	29.5	475	7	14	26	42	74	92	99+
TOTAL SINGLE DX	42	18.0	384	1	5	15	33	94	99+	99+
TOTAL MULTIPLE DX	383	30.1	505	8	15	31	73	99+	99+	99+
TOTAL										
0-27 DYS	26	36.9	575	14	29	92	99+	99+	99+	99+
1-11 MOS	115	28.0	437	9	16	33	99+	99+	99+	99+
1-5 YRS	127	26.2	484	6	10	23	50	99+	99+	99+
6-12 YRS	49	35.7	675	9	15	35	68	99+	99+	99+
13-19 YRS	108	28.2	484	5	13	23	40	73	89	99+
GRAND TOTAL	425	28.9	506	7	14	30	69	99+	99+	99+

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	7	11.6	7	9	10	10	13	16	17	17
1-11 MOS	25	6.6	39	1	2	5	9	14	20	28
1-5 YRS	88	4.2	33	1	1	2	6	8	10	37
6-12 YRS	22	5.3	56	1	1	1	7	17	25	27
13-19 YRS	14	4.9	57	1	1	2	7	10	25	30
2. MULTIPLE DX										
0-27 DYS	40	21.2	225	9	14	21	99+	99+	99+	99+
1-11 MOS	71	16.5	221	3	6	15	24	65	99+	99+
1-5 YRS	272	7.7	123	1	1	4	10	19	26	74
6-12 YRS	86	8.0	111	1	1	4	10	18	32	54
13-19 YRS	46	11.6	239	1	1	8	18	34	99+	99+
TOTAL SINGLE DX	156	5.1	41	1	1	3	7	11	16	35
TOTAL MULTIPLE DX	515	10.4	171	1	2	7	15	32	88	99+
TOTAL										
0-27 DYS	47	19.7	204	9	11	20	85	99+	99+	99+
1-11 MOS	96	13.9	192	2	5	12	20	43	99+	99+
1-5 YRS	360	6.8	104	1	1	4	8	15	23	71
6-12 YRS	108	7.4	101	1	1	4	10	18	28	49
13-19 YRS	60	10.1	204	1	1	7	15	33	95	99+
GRAND TOTAL	671	9.1	145	1	1	6	13	28	52	99+

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	13	2.8	7	1	1	2	4	7	9	10
1-5 YRS	18	2.5	3	<1	1	2	3	5	6	7
6-12 YRS	10	2.6	2	<1	1	2	4	5	5	5
13-19 YRS	7	3.4	10	<1	1	2	4	9	10	10
2. MULTIPLE DX										
0-27 DYS	3	26.7	654	9	10	15	46	56	56	56
1-11 MOS	41	7.0	22	1	3	6	10	14	16	17
1-5 YRS	82	7.6	141	1	2	3	10	15	25	73
6-12 YRS	39	8.8	34	1	4	8	12	17	19	25
13-19 YRS	47	14.3	183	3	5	11	16	31	53	57
TOTAL SINGLE DX	48	2.8	5	1	1	2	4	5	7	10
TOTAL MULTIPLE DX	212	9.5	123	1	3	6	13	17	29	58
TOTAL										
0-27 DYS	3	26.7	654	9	10	15	46	56	56	56
1-11 MOS	54	6.0	22	1	2	5	9	13	15	17
1-5 YRS	100	6.7	120	1	1	3	8	15	18	69
6-12 YRS	49	7.6	35	1	3	6	11	16	18	25
13-19 YRS	54	12.9	173	2	4	9	15	30	50	57
GRAND TOTAL	260	8.2	108	1	2	5	11	16	24	57

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	2	11.5	221	<1	<1	11	22	22	22	22
13-19 YRS	0									
TOTAL SINGLE DX	2	3.5	13	<1	<1	3	6	6	6	6
TOTAL MULTIPLE DX	6	6.0	68	<1	1	2	8	21	22	22
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	3	8.0	147	<1	<1	<1	17	22	22	22
13-19 YRS	1	6.0	-	6	6	6	6	6	6	6
GRAND TOTAL	8	5.4	52	<1	1	2	7	18	22	22

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	5.8	10	2	3	6	7	10	13	13
1-5 YRS	13	4.6	16	1	2	3	6	11	14	15
6-12 YRS	14	10.8	243	2	4	5	11	27	53	61
13-19 YRS	33	6.6	15	3	4	6	8	11	15	21
2. MULTIPLE DX										
0-27 DYS	3	21.3	277	8	12	28	70	99+	99+	99+
1-11 MOS	38	18.3	212	4	7	17	36	67	99+	99+
1-5 YRS	72	16.2	199	4	6	11	22	44	52	99+
6-12 YRS	74	15.0	146	4	6	11	21	31	41	54
13-19 YRS	174	12.1	150	4	6	8	14	27	35	70
TOTAL SINGLE DX	71	6.9	61	2	3	5	8	13	15	53
TOTAL MULTIPLE DX	361	14.3	170	4	6	10	18	38	50	99+
TOTAL										
0-27 DYS	4	16.8	269	3	7	16	55	99+	99+	99+
1-11 MOS	48	15.7	195	3	6	11	27	51	99+	99+
1-5 YRS	85	14.4	188	3	5	10	20	43	49	99+
6-12 YRS	88	14.3	161	4	5	10	19	31	42	58
13-19 YRS	207	11.3	132	4	5	7	13	21	34	67
GRAND TOTAL	432	13.1	159	4	5	8	16	34	47	99+

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	6	6.7	10	3	4	6	9	11	11	11
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	0									
13-19 YRS	6	7.2	6	3	7	7	8	11	11	11
2. MULTIPLE DX										
0-27 DYS	3	8.0	19	5	5	6	11	13	13	13
1-11 MOS	8	13.4	94	6	7	18	83	99+	99+	99+
1-5 YRS	13	10.4	70	5	6	8	13	42	87	99+
6-12 YRS	19	13.0	85	6	7	9	18	29	36	37
13-19 YRS	23	16.6	211	6	8	12	22	29	45	74
TOTAL SINGLE DX	16	6.3	7	3	4	6	8	11	11	11
TOTAL MULTIPLE DX	66	13.6	126	6	7	9	20	35	99+	99+
TOTAL										
0-27 DYS	5	6.4	15	3	4	5	8	13	13	13
1-11 MOS	14	10.5	66	4	6	9	22	99+	99+	99+
1-5 YRS	15	9.7	64	5	6	7	12	34	81	99+
6-12 YRS	19	13.0	86	6	7	9	18	29	36	37
13-19 YRS	29	14.7	182	6	8	9	19	26	31	74
GRAND TOTAL	82	12.1	111	5	6	9	17	33	79	99+

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	10	7.3	21	2	3	6	13	14	14	14
1-11 MOS	203	2.5	8	<1	1	1	3	6	8	12
1-5 YRS	486	2.0	5	<1	1	1	2	4	6	11
6-12 YRS	91	2.6	9	<1	1	1	3	5	9	17
13-19 YRS	45	2.8	19	<1	1	2	3	6	6	30
2. MULTIPLE DX										
0-27 DYS	64	17.2	497	3	4	8	24	76	99+	99+
1-11 MOS	506	9.1	154	1	2	5	11	23	36	99+
1-5 YRS	805	6.1	73	1	1	3	7	14	22	47
6-12 YRS	263	7.7	114	1	2	4	10	19	26	81
13-19 YRS	145	9.5	126	1	3	6	11	22	31	90
TOTAL SINGLE DX	835	2.3	8	<1	1	1	2	5	7	14
TOTAL MULTIPLE DX	1783	7.8	127	1	2	4	9	19	30	95
TOTAL										
0-27 DYS	74	15.9	444	3	4	8	19	75	99+	99+
1-11 MOS	709	7.2	121	1	1	4	8	18	31	99+
1-5 YRS	1291	4.5	52	1	1	2	5	12	17	36
6-12 YRS	354	6.4	93	1	1	3	7	15	22	68
13-19 YRS	190	7.9	109	1	2	5	10	17	29	76
GRAND TOTAL	2618	6.1	96	1	1	3	7	15	24	77

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	7	4.1	25	1	1	2	7	13	14	14
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	22	5.7	21	2	3	4	7	15	16	17
2. MULTIPLE DX										
0-27 DYS	2	9.5	25	6	8	13	78	99+	99+	99+
1-11 MOS	2	13.0	242	2	2	13	24	24	24	24
1-5 YRS	10	10.6	49	1	6	12	12	21	23	23
6-12 YRS	8	8.0	49	3	4	5	11	20	22	22
13-19 YRS	43	9.6	55	3	4	8	12	18	22	40
TOTAL SINGLE DX	32	5.4	21	1	2	4	7	14	16	17
TOTAL MULTIPLE DX	65	9.7	54	2	4	8	13	19	25	90
TOTAL										
0-27 DYS	3	7.0	31	2	4	9	56	99+	99+	99+
1-11 MOS	3	10.3	142	2	3	5	19	24	24	24
1-5 YRS	17	7.9	48	1	1	8	12	18	22	23
6-12 YRS	9	8.4	45	3	4	5	13	20	22	22
13-19 YRS	65	8.3	47	2	3	6	11	17	18	38
GRAND TOTAL	97	8.3	47	2	3	6	12	18	23	71

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	3.4	3	1	2	4	5	5	5	5
1-11 MOS	6	6.2	15	2	4	5	8	12	13	13
1-5 YRS	9	3.1	4	<1	<1	3	4	6	7	7
6-12 YRS	20	4.6	20	1	2	4	5	7	15	22
13-19 YRS	374	4.7	10	2	3	4	6	9	11	18
2. MULTIPLE DX										
0-27 DYS	61	19.0	586	4	6	10	22	88	96	99+
1-11 MOS	50	20.7	474	3	7	12	21	57	67	88
1-5 YRS	111	14.1	226	3	4	10	17	31	37	78
6-12 YRS	161	12.7	109	4	6	10	16	24	33	78
13-19 YRS	610	8.3	50	3	4	6	10	16	22	42
TOTAL SINGLE DX	414	4.7	11	2	3	4	6	9	11	18
TOTAL MULTIPLE DX	993	10.9	147	3	4	7	13	22	33	88
TOTAL										
0-27 DYS	66	17.9	559	2	6	9	20	84	94	99+
1-11 MOS	56	19.1	445	3	6	12	19	54	65	88
1-5 YRS	120	13.3	218	2	4	8	15	31	37	76
6-12 YRS	181	11.8	106	3	5	9	15	23	31	72
13-19 YRS	984	6.9	38	2	3	5	9	14	18	34
GRAND TOTAL	1407	9.1	115	2	4	6	11	18	27	75

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	12	3.7	8	<1	<1	3	5	8	9	9
1-5 YRS	151	4.2	2	2	3	4	5	6	7	11
6-12 YRS	140	5.2	18	3	4	4	6	8	10	23
13-19 YRS	184	5.3	15	2	4	5	6	7	10	18
2. MULTIPLE DX										
0-27 DYS	6	30.0	1342	3	8	12	46	93	98	98
1-11 MOS	17	12.6	190	3	5	9	14	50	83	99+
1-5 YRS	133	9.1	75	3	4	5	12	22	29	43
6-12 YRS	142	9.5	91	4	5	6	11	21	26	83
13-19 YRS	213	9.0	53	3	5	7	11	18	23	33
TOTAL SINGLE DX	489	4.9	12	2	3	4	6	7	9	16
TOTAL MULTIPLE DX	511	9.5	92	3	4	6	12	20	27	59
TOTAL										
0-27 DYS	8	23.3	1115	2	3	9	30	82	98	98
1-11 MOS	29	8.9	132	<1	3	5	12	26	57	99+
1-5 YRS	284	6.5	43	3	3	4	6	13	21	34
6-12 YRS	282	7.4	60	3	4	5	8	14	22	50
13-19 YRS	397	7.3	39	3	4	6	8	14	19	32
GRAND TOTAL	1000	7.3	58	3	4	5	7	14	21	45

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	14	6.9	21	2	3	6	10	15	16	16
1-11 MOS	149	8.1	33	2	5	8	9	13	16	26
1-5 YRS	495	5.9	8	3	5	6	7	8	10	16
6-12 YRS	176	5.6	9	2	4	6	6	8	10	17
13-19 YRS	99	6.5	7	2	5	6	8	10	10	15
2. MULTIPLE DX										
0-27 DYS	208	17.2	202	6	9	13	20	40	71	99+
1-11 MOS	1176	14.3	159	6	7	10	17	30	43	99
1-5 YRS	1699	11.4	105	5	6	8	13	23	31	85
6-12 YRS	531	9.9	50	5	6	8	11	19	23	39
13-19 YRS	263	11.4	96	5	6	8	13	22	35	56
TOTAL SINGLE DX	933	6.3	13	2	5	6	7	9	11	19
TOTAL MULTIPLE DX	3877	12.4	123	5	7	9	14	25	35	88
TOTAL										
0-27 DYS	222	16.6	197	5	9	12	19	39	69	99+
1-11 MOS	1325	13.6	150	6	7	10	16	28	41	95
1-5 YRS	2194	10.2	89	5	6	7	11	20	30	68
6-12 YRS	707	8.8	44	4	6	7	10	16	22	36
13-19 YRS	362	10.0	77	5	6	7	11	18	30	52
GRAND TOTAL	4810	11.2	107	5	6	8	13	22	32	75

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	3.3	4	1	2	4	5	5	5	5
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	3.0	3	2	2	2	4	5	5	5
13-19 YRS	4	3.3	7	1	1	2	5	7	7	7
TOTAL SINGLE DX	5	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	12	2.9	4	1	1	2	4	6	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	3	3.3	4	1	2	4	5	5	5	5
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	6	2.0	2	1	1	2	2	5	5	5
13-19 YRS	5	2.8	6	1	1	2	4	7	7	7
GRAND TOTAL	17	2.4	3	1	1	2	3	5	6	7

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	10.5	1	10	10	10	11	11	11	11
1-5 YRS	3	18.3	134	5	10	24	25	26	26	26
6-12 YRS	2	7.0	2	6	6	7	8	8	8	8
13-19 YRS	1	45.0		45	45	45	45	45	45	45
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	8	16.9	192	5	7	10	25	39	45	45
TOTAL										
0-27 DYS	0									
1-11 MOS	2	10.5	1	10	10	10	11	11	11	11
1-5 YRS	3	18.3	134	5	10	24	25	26	26	26
6-12 YRS	2	7.0	2	6	6	7	8	8	8	8
13-19 YRS	1	45.0		45	45	45	45	45	45	45
GRAND TOTAL	8	16.9	192	5	7	10	25	39	45	45

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	17	4.4	18	1	1	2	6	12	14	15
1-11 MOS	219	2.0	9	<1	1	1	2	3	5	11
1-5 YRS	497	1.6	4	<1	1	1	2	2	2	9
6-12 YRS	239	1.6	2	<1	1	1	2	2	3	9
13-19 YRS	163	1.8	2	<1	1	1	2	2	5	10
2. MULTIPLE DX										
0-27 DYS	90	10.6	140	2	4	7	14	30	51	99+
1-11 MOS	1045	3.8	44	1	1	2	3	8	15	32
1-5 YRS	1539	2.4	18	<1	1	2	2	3	7	22
6-12 YRS	633	2.3	15	<1	1	2	2	3	7	19
13-19 YRS	422	3.6	44	1	1	2	3	8	12	34
TOTAL SINGLE DX	1135	1.7	5	<1	1	1	2	2	4	10
TOTAL MULTIPLE DX	3729	3.1	33	<1	1	2	2	6	12	30
TOTAL										
0-27 DYS	107	9.6	126	2	3	6	12	24	48	99+
1-11 MOS	1264	3.5	39	<1	1	2	2	8	13	32
1-5 YRS	2036	2.2	15	<1	1	1	2	2	6	21
6-12 YRS	872	2.1	12	<1	1	1	2	3	5	17
13-19 YRS	585	3.1	33	<1	1	2	2	7	10	31
GRAND TOTAL	4864	2.8	27	<1	1	2	2	5	10	28

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	3.3	4	1	2	4	5	5	5	5
1-5 YRS	12	3.2	2	1	2	3	5	5	6	6
6-12 YRS	38	3.5	5	1	2	3	4	6	8	12
13-19 YRS	34	4.0	17	1	1	3	4	10	15	17
2. MULTIPLE DX										
0-27 DYS	2	10.5	145	2	2	10	19	19	19	19
1-11 MOS	22	12.5	215	3	5	7	11	38	52	53
1-5 YRS	77	5.6	13	2	3	5	6	10	13	20
6-12 YRS	108	6.1	42	2	2	4	7	14	19	36
13-19 YRS	104	6.2	34	2	3	4	8	14	17	30
TOTAL SINGLE DX	87	3.6	9	1	2	3	4	6	10	16
TOTAL MULTIPLE DX	313	6.5	47	2	3	4	7	14	19	41
TOTAL										
0-27 DYS	2	10.5	145	2	2	10	19	19	19	19
1-11 MOS	25	11.4	198	2	4	6	10	33	51	53
1-5 YRS	89	5.2	13	2	3	5	6	9	13	20
6-12 YRS	146	5.4	34	2	2	4	6	12	17	30
13-19 YRS	138	5.7	31	1	2	3	6	14	17	26
GRAND TOTAL	400	5.9	40	2	2	4	6	13	18	35

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	16.3	60	10	11	14	22	25	25	25
1-11 MOS	14	9.4	117	2	4	7	9	18	39	45
1-5 YRS	30	4.3	11	1	2	3	6	8	9	16
6-12 YRS	35	3.7	9	<1	1	3	6	6	7	16
13-19 YRS	53	4.6	10	<1	<1	5	7	8	11	13
2. MULTIPLE DX										
0-27 DYS	19	13.7	62	6	9	11	18	30	67	99+
1-11 MOS	64	10.1	82	2	5	8	13	19	27	94
1-5 YRS	116	8.5	107	1	2	6	10	15	32	59
6-12 YRS	77	7.6	63	1	2	6	8	16	24	40
13-19 YRS	163	8.0	80	1	2	6	10	15	26	51
TOTAL SINGLE DX	135	5.1	27	<1	1	5	7	9	13	28
TOTAL MULTIPLE DX	439	8.6	85	1	3	7	10	18	29	58
TOTAL										
0-27 DYS	22	14.1	60	6	9	12	19	28	57	99+
1-11 MOS	78	10.0	88	2	5	8	13	19	29	89
1-5 YRS	146	7.6	91	1	2	6	9	15	25	54
6-12 YRS	112	6.4	50	<1	2	5	7	14	22	38
13-19 YRS	216	7.1	66	<1	2	6	8	13	21	46
GRAND TOTAL	574	7.8	74	1	2	6	9	16	24	53

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	13	3.4	8	1	2	2	4	9	10	10
1-11 MOS	184	2.6	9	<1	1	1	3	6	8	17
1-5 YRS	355	2.1	5	<1	1	1	2	4	8	11
6-12 YRS	139	2.1	3	<1	1	1	2	5	7	9
13-19 YRS	1139	2.5	1	1	2	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	48	15.3	430	2	3	7	22	68	99	99+
1-11 MOS	366	8.7	130	1	2	5	11	19	33	84
1-5 YRS	639	6.1	79	1	1	3	7	14	18	52
6-12 YRS	351	6.4	53	1	2	4	8	14	21	41
13-19 YRS	1486	4.3	21	2	2	3	5	8	12	24
TOTAL SINGLE DX	1830	2.4	3	1	1	2	3	4	6	10
TOTAL MULTIPLE DX	2890	5.7	62	1	2	3	6	12	18	50
TOTAL										
0-27 DYS	61	12.7	363	1	3	5	17	61	95	99+
1-11 MOS	550	6.6	98	<1	1	3	8	15	24	56
1-5 YRS	994	4.7	57	<1	1	2	5	11	17	44
6-12 YRS	490	5.2	43	1	1	3	6	13	17	37
13-19 YRS	2625	3.5	14	2	2	2	4	6	9	19
GRAND TOTAL	4720	4.4	42	1	2	2	5	9	14	38

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	19	1.6		1	1	1	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	2.2	1	1	1	2	3	4	4	4
TOTAL SINGLE DX	19	1.6	1	1	1	1	2	3	4	4
TOTAL MULTIPLE DX	7	5.4	83	1	1	2	4	22	26	26
TOTAL										
0-27 DYS	0									
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	24	1.8	1	1	1	2	2	3	4	4
GRAND TOTAL	26	2.7	24	1	1	2	2	4	9	26

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	12.2	51	6	7	9	18	23	23	23
1-11 MOS	33	8.2	15	4	6	8	9	13	18	19
1-5 YRS	29	7.2	8	5	6	6	8	10	14	18
6-12 YRS	10	8.4	34	5	5	6	10	17	24	24
13-19 YRS	5	4.0	6	<1	2	4	5	8	8	8
2. MULTIPLE DX										
0-27 DYS	108	20.5	238	7	11	16	36	74	99+	99+
1-11 MOS	227	12.1	82	5	7	9	13	25	31	62
1-5 YRS	267	11.0	100	5	6	8	12	19	30	86
6-12 YRS	69	12.0	183	5	6	9	13	20	28	98
13-19 YRS	57	16.5	141	6	9	13	18	33	35	64
TOTAL SINGLE DX	82	7.9	18	4	5	7	9	13	18	24
TOTAL MULTIPLE DX	728	13.3	137	5	7	9	15	29	42	99+
TOTAL										
0-27 DYS	113	20.1	233	7	10	16	34	63	99+	99+
1-11 MOS	260	11.6	76	5	7	9	13	24	30	58
1-5 YRS	296	10.6	93	5	6	8	12	18	29	78
6-12 YRS	79	11.6	165	5	6	9	12	20	26	97
13-19 YRS	62	15.5	142	5	8	12	17	32	35	64
GRAND TOTAL	810	12.7	127	5	7	9	15	28	40	99+

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	19.0		19	19	19	19	19	19	19
6-12 YRS	98	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	192	1.2	1	<1	<1	<1	<1	<1	1	8
2. MULTIPLE DX										
0-27 DYS	3	10.3	209	1	1	3	21	27	27	27
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	19	10.5	233	1	2	6	9	30	50	64
6-12 YRS	109	2.6	20	<1	<1	<1	2	5	9	28
13-19 YRS	227	3.5	17	<1	<1	2	4	9	12	21
TOTAL SINGLE DX	292	1.2	2	<1	<1	<1	<1	<1	<1	8
TOTAL MULTIPLE DX	359	3.7	33	<1	<1	1	4	9	12	32
TOTAL										
0-27 DYS	3	10.3	209	1	1	3	21	27	27	27
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	20	10.9	225	1	3	6	10	29	48	64
6-12 YRS	207	1.8	11	<1	<1	<1	<1	3	5	21
13-19 YRS	419	2.4	11	<1	<1	<1	2	6	9	15
GRAND TOTAL	651	2.5	21	<1	<1	<1	2	5	9	26

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	11	5.2	35	1	1	3	6	15	20	20
13-19 YRS	13	3.2	7	1	1	2	4	8	10	10
2. MULTIPLE DX										
0-27 DYS	6	26.3	600	9	13	18	63	95	99+	99+
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	12.4	305	<1	1	5	17	43	49	49
6-12 YRS	30	8.9	178	2	3	4	10	18	34	69
13-19 YRS	133	8.0	81	1	2	4	10	20	27	41
TOTAL SINGLE DX	27	4.0	18	1	1	3	4	9	13	20
TOTAL MULTIPLE DX	177	8.9	129	1	2	5	11	22	30	73
TOTAL										
0-27 DYS	6	26.3	601	9	13	18	63	95	99+	99+
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	9	10.4	246	<1	1	5	13	37	49	49
6-12 YRS	41	7.9	141	1	3	4	9	16	28	69
13-19 YRS	146	7.6	76	1	2	4	10	20	26	38
GRAND TOTAL	204	8.3	117	1	2	4	10	20	29	71

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**0**									

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.22; 38.30-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	74	15.9	726	2	3	6	13	95	99+	99+
1-11 MOS	176	7.4	133	2	3	5	7	13	16	84
1-5 YRS	425	4.9	20	2	3	4	5	7	10	29
6-12 YRS	197	4.8	18	1	2	4	6	8	12	20
13-19 YRS	163	5.1	22	1	2	4	7	10	14	23
2. MULTIPLE DX										
0-27 DYS	945	28.1	789	5	9	20	79	99+	99+	99+
1-11 MOS	1234	23.7	484	4	6	14	41	62	77	99+
1-5 YRS	1108	13.9	205	2	4	7	22	35	45	79
6-12 YRS	1124	13.0	124	2	5	10	18	27	34	51
13-19 YRS	1711	8.0	73	2	4	6	9	15	21	58
TOTAL SINGLE DX	1035	6.1	97	1	3	4	6	10	15	93
TOTAL MULTIPLE DX	3122	16.2	354	2	5	9	22	54	85	99+
TOTAL										
0-27 DYS	1019	27.2	795	4	8	19	77	99+	99+	99+
1-11 MOS	1410	21.6	469	3	6	11	38	60	75	99+
1-5 YRS	1533	11.4	170	2	4	6	15	31	40	68
6-12 YRS	1321	11.8	117	2	4	8	17	26	32	49
13-19 YRS	1874	7.7	70	2	4	6	9	15	20	51
GRAND TOTAL	**7157**	**14.8**	**330**	**2**	**4**	**8**	**19**	**49**	**80**	**99+**

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	1.4		1	1	1	2	2	2	2
1-11 MOS	84	3.3	9	<1	1	2	4	8	10	16
1-5 YRS	246	2.8	9	<1	1	1	4	7	8	13
6-12 YRS	144	3.3	14	<1	1	2	4	7	10	19
13-19 YRS	137	3.3	10	<1	1	2	4	9	11	13
2. MULTIPLE DX										
0-27 DYS	2	10.5	145	2	2	10	19	19	19	19
1-11 MOS	100	7.5	85	1	3	5	9	13	18	55
1-5 YRS	147	6.3	43	1	2	5	8	13	19	35
6-12 YRS	131	7.8	105	1	2	4	10	18	23	55
13-19 YRS	115	8.6	95	1	3	6	10	16	24	55
TOTAL SINGLE DX	616	3.1	11	<1	1	2	4	7	9	16
TOTAL MULTIPLE DX	495	7.5	81	1	2	5	9	15	22	46
TOTAL										
0-27 DYS	7	4.0	44	1	1	2	2	16	19	19
1-11 MOS	184	5.6	55	1	2	4	7	11	14	27
1-5 YRS	393	4.1	25	<1	1	2	6	9	12	25
6-12 YRS	275	5.4	63	<1	1	3	6	13	18	46
13-19 YRS	252	5.7	56	<1	1	4	8	12	16	42
GRAND TOTAL	**1111**	**5.1**	**47**	**<1**	**1**	**3**	**6**	**11**	**15**	**34**

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	2.4	1	<1	2	2	3	4	4	4
6-12 YRS	7	5.9	58	<1	1	2	8	19	22	22
13-19 YRS	9	3.2	7	<1	1	2	6	7	7	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	22.7	20	18	19	23	26	27	27	27
1-5 YRS	9	11.4	203	2	3	4	18	36	36	36
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	17	6.5	32	2	3	6	7	10	20	26
TOTAL SINGLE DX	24	3.7	20	<1	1	2	4	7	13	22
TOTAL MULTIPLE DX	31	9.2	100	2	3	5	10	26	35	36
TOTAL										
0-27 DYS	0									
1-11 MOS	4	17.5	120	2	10	20	25	27	27	27
1-5 YRS	16	7.5	130	1	2	3	4	33	36	36
6-12 YRS	9	5.0	47	<1	1	2	5	17	22	22
13-19 YRS	26	5.3	25	1	2	5	7	9	13	26
GRAND TOTAL	**55**	**6.8**	**72**	**1**	**2**	**4**	**7**	**22**	**27**	**36**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	47.2	210	33	36	42	62	67	68	68
6-12 YRS	6	45.5	774	4	36	44	67	80	81	81
13-19 YRS	6	37.8	303	13	29	39	47	60	62	62
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	47.0		47	47	47	47	47	47	47
1-5 YRS	53	44.5	271	29	33	44	58	68	75	99
6-12 YRS	62	44.3	138	33	36	40	52	65	72	99+
13-19 YRS	50	46.2	204	30	35	44	60	65	72	99+
TOTAL SINGLE DX	18	43.5	396	16	34	41	62	68	76	81
TOTAL MULTIPLE DX	167	45.0	197	30	35	43	58	66	73	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	2	47.0		47	47	47	47	47	47	47
1-5 YRS	59	44.8	262	29	34	44	59	68	74	98
6-12 YRS	68	44.4	184	32	36	40	52	69	73	99+
13-19 YRS	56	45.3	217	30	34	44	59	65	71	98
GRAND TOTAL	185	44.8	215	30	35	43	58	67	73	99+

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	4.5	8	1	2	4	6	8	8	8
1-11 MOS	65	3.4	6	1	2	3	4	6	8	15
1-5 YRS	408	4.4	23	1	2	3	5	9	12	24
6-12 YRS	350	4.1	11	1	2	3	5	8	9	19
13-19 YRS	307	5.4	18	1	2	5	7	10	13	22
2. MULTIPLE DX										
0-27 DYS	19	10.5	101	1	2	8	14	26	33	38
1-11 MOS	132	9.2	81	2	3	6	11	23	31	53
1-5 YRS	619	9.2	[illegible]	2	3	6	11	23	29	53
6-12 YRS	544	9.2	[illegible]	2	4	6	11	21	27	56
13-19 YRS	679	10.4	104	3	5	7	12	22	31	55
TOTAL SINGLE DX	1134	4.5	18	1	2	3	6	9	12	22
TOTAL MULTIPLE DX	1993	9.6	103	2	4	6	11	22	30	55
TOTAL										
0-27 DYS	23	9.5	89	1	2	8	13	26	30	38
1-11 MOS	197	7.3	64	2	3	5	8	16	29	43
1-5 YRS	1027	7.3	80	1	2	4	9	17	24	42
6-12 YRS	894	7.2	72	1	3	5	8	17	23	47
13-19 YRS	986	8.9	83	2	4	6	10	18	27	51
GRAND TOTAL	3127	7.8	78	1	3	5	9	17	25	47

587: Venous catheterization, except umbilical (38.93, 38.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	16	9.1	149	<1	2	4	20	84	99+	99+
1-11 MOS	66	6.7	79	1	2	3	7	19	26	45
1-5 YRS	242	6.4	56	1	1	4	8	14	23	44
6-12 YRS	186	6.0	44	1	2	4	8	14	20	35
13-19 YRS	166	6.2	38	1	2	4	7	15	21	28
2. MULTIPLE DX										
0-27 DYS	148	34.4	661	7	15	33	67	99+	99+	99+
1-11 MOS	376	19.6	334	2	6	14	32	55	80	99+
1-5 YRS	828	13.3	217	2	4	8	18	33	46	96
6-12 YRS	560	11.2	122	1	3	8	15	24	38	53
13-19 YRS	608	12.2	166	2	4	8	16	28	39	70
TOTAL SINGLE DX	676	6.3	53	1	2	4	8	15	23	42
TOTAL MULTIPLE DX	2520	14.8	258	2	4	10	20	39	58	99+
TOTAL										
0-27 DYS	164	32.0	667	5	14	30	65	99+	99+	99+
1-11 MOS	442	17.7	317	2	5	12	27	51	77	99+
1-5 YRS	1070	11.8	189	1	3	7	15	29	41	89
6-12 YRS	746	9.9	108	1	3	7	14	22	31	52
13-19 YRS	774	10.9	145	1	4	7	14	26	36	64
GRAND TOTAL	3196	13.0	227	1	3	8	17	34	52	99+

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	5.2	15	2	2	3	9	11	11	11
1-11 MOS	19	2.9	2	1	2	3	4	5	6	7
1-5 YRS	28	3.5	6	1	2	3	5	7	10	10
6-12 YRS	15	2.5	10	1	1	2	2	4	11	14
13-19 YRS	16	7.1	23	2	2	8	11	14	14	14
2. MULTIPLE DX										
0-27 DYS	4	9.5	99	2	2	7	17	23	23	23
1-11 MOS	41	7.7	160	2	2	3	6	22	34	70
1-5 YRS	71	5.8	37	1	2	3	6	15	19	27
6-12 YRS	54	8.2	71	1	3	6	11	17	27	44
13-19 YRS	121	5.6	19	2	3	4	7	10	14	25
TOTAL SINGLE DX	84	4.0	12	1	2	3	5	10	12	14
TOTAL MULTIPLE DX	291	6.5	55	2	2	4	7	14	19	34
TOTAL										
0-27 DYS	10	6.9	46	2	2	3	11	17	23	23
1-11 MOS	60	6.2	115	2	2	3	5	10	27	67
1-5 YRS	99	5.1	29	1	2	3	5	12	18	26
6-12 YRS	69	7.0	64	1	2	4	9	16	19	43
13-19 YRS	137	5.7	20	2	3	5	7	11	14	25
GRAND TOTAL	375	5.9	46	1	2	4	7	13	17	32

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	15.4	259	4	4	12	21	43	43	43
1-11 MOS	66	4.2	24	1	1	2	6	10	12	29
1-5 YRS	87	3.9	52	<1	1	1	2	11	15	43
6-12 YRS	58	2.2	4	<1	1	1	2	6	7	8
13-19 YRS	53	2.5	10	<1	1	1	3	6	12	15
2. MULTIPLE DX										
0-27 DYS	13	33.3	908	2	6	25	56	77	85	87
1-11 MOS	146	8.4	109	1	1	4	11	20	29	54
1-5 YRS	233	7.8	137	1	1	2	9	22	33	60
6-12 YRS	178	5.5	104	1	1	2	6	11	22	59
13-19 YRS	111	6.4	96	1	1	4	8	13	17	55
TOTAL SINGLE DX	269	3.5	33	<1	1	1	4	9	12	40
TOTAL MULTIPLE DX	681	7.6	144	1	1	3	9	18	29	70
TOTAL										
0-27 DYS	18	28.3	770	3	4	15	45	74	82	87
1-11 MOS	212	7.1	87	1	1	4	9	17	27	50
1-5 YRS	320	6.7	117	<1	1	2	8	18	30	56
6-12 YRS	236	4.7	82	1	1	2	5	10	17	46
13-19 YRS	164	5.2	72	1	1	2	7	12	15	36
GRAND TOTAL	**950**	**6.4**	**115**	**1**	**1**	**2**	**7**	**15**	**26**	**56**

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	576	3.1	2	2	2	3	4	4	6	8
1-11 MOS	1437	2.9	1	2	2	3	3	4	5	6
1-5 YRS	10	3.7		3	3	4	4	4	4	4
6-12 YRS	3	2.3	2	1	1	2	3	4	4	4
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	272	4.0	7	2	3	3	5	6	8	22
1-11 MOS	619	4.1	13	2	3	3	5	7	9	16
1-5 YRS	5	7.0		6	6	7	7	8	8	8
6-12 YRS	5	8.4	58	2	4	9	80	99+	99+	99+
13-19 YRS	10	11.6	127	3	5	7	25	61	97	99+
TOTAL SINGLE DX	2027	2.9	2	2	2	3	3	4	5	7
TOTAL MULTIPLE DX	911	4.2	14	2	3	3	5	7	9	28
TOTAL										
0-27 DYS	848	3.4	4	2	2	3	4	5	6	10
1-11 MOS	2056	3.3	5	2	2	3	4	5	6	12
1-5 YRS	15	4.8	3	3	4	4	6	7	8	8
6-12 YRS	8	6.1	44	1	2	5	21	99+	99+	99+
13-19 YRS	11	11.0	119	3	5	6	21	54	93	99+
GRAND TOTAL	**2938**	**3.3**	**6**	**2**	**2**	**3**	**4**	**5**	**6**	**13**

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	12	6.8	106	<1	1	2	7	24	33	35
1-5 YRS	17	4.4	8	1	2	4	6	9	10	10
6-12 YRS	6	6.7	8	2	5	7	9	10	10	10
13-19 YRS	6	3.3	4	<1	2	3	5	6	6	6
2. MULTIPLE DX										
0-27 DYS	16	37.8	613	16	22	33	79	99+	99+	99+
1-11 MOS	129	17.1	350	3	5	11	25	60	84	99+
1-5 YRS	243	13.2	200	3	4	8	18	35	47	99+
6-12 YRS	128	12.7	309	3	4	6	15	24	69	98
13-19 YRS	89	16.0	356	2	5	10	25	82	99+	99+
TOTAL SINGLE DX	42	5.5	36	1	2	4	7	10	15	35
TOTAL MULTIPLE DX	605	15.0	304	3	4	9	21	44	78	99+
TOTAL										
0-27 DYS	17	36.3	611	13	20	32	79	99+	99+	99+
1-11 MOS	141	18.2	337	2	4	9	24	54	74	99+
1-5 YRS	260	12.7	193	2	4	8	16	35	46	99+
6-12 YRS	134	12.4	298	3	4	6	14	24	65	97
13-19 YRS	95	15.2	344	2	5	10	21	79	99+	99+
GRAND TOTAL	**647**	**14.4**	**292**	**2**	**4**	**8**	**19**	**43**	**78**	**99+**

980 Hospitals, United States, Pediatric, January-December 1989, by Operation

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	11	4.6	9	1	2	5	6	9	12	12
1-5 YRS	5	3.0	7	1	1	1	6	6	6	6
6-12 YRS	4	4.5	5	1	3	5	6	6	6	6
13-19 YRS	12	3.5	3	1	2	3	4	7	8	8
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	9	7.8	29	1	3	8	12	15	16	16
1-5 YRS	15	6.7	37	1	2	4	13	17	17	17
6-12 YRS	23	9.2	163	1	2	5	8	22	46	51
13-19 YRS	37	3.9	6	1	2	3	6	8	9	9
TOTAL SINGLE DX	32	3.9	7	1	2	4	6	7	8	12
TOTAL MULTIPLE DX	85	6.3	60	1	2	4	8	15	17	48
TOTAL										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	20	6.1	20	1	3	5	8	13	15	16
1-5 YRS	20	5.8	32	1	2	4	6	16	17	17
6-12 YRS	27	8.5	142	1	2	5	7	17	44	51
13-19 YRS	49	3.8	6	1	2	3	5	8	9	9
GRAND TOTAL	117	5.7	46	1	2	4	7	12	16	46

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	3	12.7	65	4	6	14	18	20	20	20
1-5 YRS	6	18.3	95	5	10	19	28	28	28	28
6-12 YRS	1	17.0		17	17	58	99+	99+	99+	99+
13-19 YRS	9	19.1	59	10	12	20	26	29	29	29
TOTAL SINGLE DX	4	4.3	1	3	3	4	5	5	5	5
TOTAL MULTIPLE DX	20	17.6	63	8	12	17	26	29	61	99+
TOTAL										
0-27 DYS	3	7.0	37	3	3	4	11	14	14	14
1-11 MOS	3	12.7	65	4	6	14	18	20	20	20
1-5 YRS	7	16.4	105	5	6	15	27	28	28	28
6-12 YRS	2	11.0	72	5	8	17	79	99+	99+	99+
13-19 YRS	9	19.1	59	10	12	20	26	29	29	29
GRAND TOTAL	24	15.3	78	4	9	15	24	29	47	99+

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	0									
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS	0									
13-19 YRS	1	12.0		12	12	12	12	12	12	12
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	3	14.3	76	7	8	12	21	24	24	24
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	0									
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS	0									
13-19 YRS	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	3	14.3	76	7	8	12	21	24	24	24

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	4.5	22	2	2	3	3	13	14	14
1-11 MOS	18	4.4	7	2	2	4	6	7	11	13
1-5 YRS	3	8.0	27	5	5	5	12	14	14	14
6-12 YRS	4	5.8	3	3	4	6	7	7	7	7
13-19 YRS	4	8.8	25	5	5	7	12	16	16	16
2. MULTIPLE DX										
0-27 DYS	4	11.3	97	2	4	9	18	25	25	25
1-11 MOS	15	8.9	77	3	4	6	10	17	32	37
1-5 YRS	13	14.5	187	4	6	9	18	34	49	52
6-12 YRS	8	14.0	83	7	7	9	21	28	29	29
13-19 YRS	18	25.6	790	5	8	11	35	68	87	98
TOTAL SINGLE DX	35	5.4	14	2	3	5	7	13	14	16
TOTAL MULTIPLE DX	58	16.2	355	4	6	9	17	36	63	96
TOTAL										
0-27 DYS	10	7.2	57	2	2	3	11	19	25	25
1-11 MOS	33	6.4	43	2	3	5	7	13	17	37
1-5 YRS	16	13.3	161	4	6	8	16	29	45	52
6-12 YRS	12	11.3	71	5	7	8	13	28	29	29
13-19 YRS	22	22.5	688	5	7	11	20	66	81	98
GRAND TOTAL	93	12.1	253	3	4	7	13	27	50	86

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	76	7.9	60	2	4	6	9	15	31	86
1-5 YRS	109	6.2	33	1	3	5	7	11	15	31
6-12 YRS	40	5.7	5	3	5	6	7	8	10	14
13-19 YRS	46	6.5	13	4	5	6	8	9	10	28
2. MULTIPLE DX										
0-27 DYS	32	28.6	312	11	19	49	99+	99+	99+	99+
1-11 MOS	406	17.1	261	5	7	13	26	67	99+	99+
1-5 YRS	616	14.2	213	3	6	9	18	34	56	99+
6-12 YRS	297	14.7	200	5	7	10	19	31	46	87
13-19 YRS	190	13.1	165	5	7	9	16	28	49	99+
TOTAL SINGLE DX	271	6.7	34	2	4	5	8	11	15	36
TOTAL MULTIPLE DX	1541	15.2	225	4	6	10	21	45	85	99+
TOTAL										
0-27 DYS	32	28.6	313	11	19	49	99+	99+	99+	99+
1-11 MOS	482	15.7	241	4	6	11	23	51	99+	99+
1-5 YRS	725	13.0	195	2	5	8	16	32	53	99+
6-12 YRS	337	13.7	186	5	6	9	17	29	43	82
13-19 YRS	236	11.8	142	4	6	8	13	24	47	99+
GRAND TOTAL	1812	14.0	206	4	6	9	19	38	76	99+

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	4.4	11	2	3	4	4	10	13	13
1-11 MOS	84	4.0	13	1	1	3	5	7	11	21
1-5 YRS	143	3.2	10	1	1	2	5	7	8	18
6-12 YRS	207	3.7	16	1	1	3	4	7	9	23
13-19 YRS	196	4.7	29	1	2	4	6	9	11	16
2. MULTIPLE DX										
0-27 DYS	21	14.5	373	4	5	7	14	41	69	77
1-11 MOS	301	8.9	108	1	3	6	10	20	29	73
1-5 YRS	421	7.3	114	1	2	5	8	15	24	58
6-12 YRS	461	5.5	37	1	2	4	6	12	18	35
13-19 YRS	618	7.3	68	2	3	5	8	15	23	48
TOTAL SINGLE DX	639	3.9	19	1	1	3	5	7	10	18
TOTAL MULTIPLE DX	1822	7.2	83	1	2	5	8	16	23	50
TOTAL										
0-27 DYS	30	11.5	283	2	4	5	13	21	62	77
1-11 MOS	385	7.8	92	1	2	5	9	19	26	67
1-5 YRS	564	6.2	91	1	2	4	7	12	20	50
6-12 YRS	668	5.0	32	1	2	3	6	11	16	34
13-19 YRS	814	6.7	61	1	3	4	8	14	20	47
GRAND TOTAL	2461	6.4	68	1	2	4	7	13	20	47

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	11	9.4	18	5	7	9	13	42	92	99+
1-11 MOS	12	6.6	8	4	5	6	8	12	12	12
1-5 YRS	9	8.0	25	3	5	6	10	17	17	17
6-12 YRS	23	7.7	6	5	6	7	9	12	13	14
13-19 YRS	30	7.6	6	4	6	8	9	11	12	13
2. MULTIPLE DX										
0-27 DYS	60	30.4	587	7	18	73	99+	99+	99+	99+
1-11 MOS	65	29.5	796	6	9	15	71	99+	99+	99+
1-5 YRS	75	11.9	109	5	6	9	13	31	59	99+
6-12 YRS	83	15.9	276	5	7	10	19	56	87	99+
13-19 YRS	150	12.7	72	6	7	10	15	24	31	57
TOTAL SINGLE DX	85	7.7	10	4	6	7	9	12	16	70
TOTAL MULTIPLE DX	433	18.1	353	6	7	12	40	99+	99+	99+
TOTAL										
0-27 DYS	71	27.1	556	7	13	57	99+	99+	99+	99+
1-11 MOS	77	25.9	742	5	8	13	66	99+	99+	99+
1-5 YRS	84	11.5	101	5	6	8	13	29	55	99+
6-12 YRS	106	14.1	229	5	6	9	16	46	72	99+
13-19 YRS	180	11.8	65	6	7	9	14	22	29	53
GRAND TOTAL	518	16.4	311	5	7	11	29	99+	99+	99+

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	18	9.8	166	1	5	6	10	18	43	58
1-11 MOS	37	6.8	15	4	5	6	7	10	14	25
1-5 YRS	15	8.7	86	4	5	6	6	13	34	41
6-12 YRS	42	10.4	50	5	6	8	12	19	29	35
13-19 YRS	70	8.7	14	5	7	8	10	14	16	23
2. MULTIPLE DX										
0-27 DYS	38	41.4	680	13	31	62	99+	99+	99+	99+
1-11 MOS	77	18.6	437	5	6	10	25	75	99+	99+
1-5 YRS	44	14.9	220	5	6	12	16	31	68	99+
6-12 YRS	69	17.1	192	7	8	13	21	36	60	93
13-19 YRS	225	15.0	112	6	8	11	19	32	40	99+
TOTAL SINGLE DX	182	8.8	44	4	5	7	10	14	19	39
TOTAL MULTIPLE DX	453	18.1	287	6	8	12	27	63	99+	99+
TOTAL										
0-27 DYS	56	31.3	731	5	12	42	99+	99+	99+	99+
1-11 MOS	114	14.8	329	4	5	8	16	51	90	99+
1-5 YRS	59	13.3	192	5	6	10	14	29	52	98
6-12 YRS	111	14.6	148	6	8	10	17	32	42	78
13-19 YRS	295	13.5	96	6	7	10	16	28	35	82
GRAND TOTAL	635	15.5	234	5	7	10	20	44	99	99+

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	15	7.4	9	4	5	7	9	11	14	15
1-11 MOS	18	9.8	132	3	5	6	8	27	42	46
1-5 YRS	5	7.6	10	5	6	6	9	13	13	13
6-12 YRS	9	6.1	32	1	2	5	7	15	20	20
13-19 YRS	3	5.0	21	< 1	1	4	8	10	10	10
2. MULTIPLE DX										
0-27 DYS	28	25.0	562	6	10	20	44	93	99 +	99 +
1-11 MOS	21	11.5	67	5	6	9	14	21	30	39
1-5 YRS	22	13.5	299	4	4	7	15	30	60	75
6-12 YRS	19	17.5	459	4	6	9	17	52	71	83
13-19 YRS	43	13.0	150	5	7	9	14	32	74	99 +
TOTAL SINGLE DX	50	7.9	58	3	5	6	8	12	20	46
TOTAL MULTIPLE DX	133	16.0	308	4	6	10	20	50	85	99 +
TOTAL										
0-27 DYS	43	18.9	437	5	7	11	30	84	99 +	99 +
1-11 MOS	39	10.7	95	4	6	7	12	21	37	46
1-5 YRS	27	12.4	249	4	4	7	14	21	54	75
6-12 YRS	28	13.8	345	2	5	7	14	40	59	83
13-19 YRS	46	12.5	145	4	6	9	14	32	68	99 +
GRAND TOTAL	183	13.8	252	4	6	8	15	40	69	99 +

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	14	14.0	202	4	5	10	18	58	89	99 +
1-11 MOS	288	4.9	29	2	3	4	6	8	9	21
1-5 YRS	188	5.7	9	2	4	6	7	9	10	17
6-12 YRS	59	6.9	8	4	5	7	8	10	12	19
13-19 YRS	101	6.7	5	4	5	6	8	10	11	14
2. MULTIPLE DX										
0-27 DYS	80	23.5	473	6	10	17	38	99 +	99 +	99 +
1-11 MOS	443	9.3	112	3	4	6	10	18	32	99 +
1-5 YRS	352	9.4	80	4	5	7	10	18	28	80
6-12 YRS	131	12.0	158	5	6	8	12	34	60	99 +
13-19 YRS	277	10.7	84	5	6	8	12	19	28	80
TOTAL SINGLE DX	650	5.8	24	2	3	5	7	9	11	21
TOTAL MULTIPLE DX	1283	10.8	136	4	5	7	12	23	40	99 +
TOTAL										
0-27 DYS	94	22.1	442	6	9	17	35	99 +	99 +	99 +
1-11 MOS	731	7.6	84	2	3	5	8	14	24	80
1-5 YRS	540	8.1	59	3	5	7	9	13	21	54
6-12 YRS	190	10.4	117	4	6	7	10	22	38	99 +
13-19 YRS	378	9.6	66	5	6	8	10	16	22	68
GRAND TOTAL	1933	9.1	103	3	5	7	9	18	31	99 +

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	26	6.7	7	4	5	6	8	9	11	17
1-11 MOS	28	9.4	32	4	4	8	13	18	22	22
1-5 YRS	16	7.5	18	4	5	6	9	12	18	20
6-12 YRS	13	6.7	4	4	5	6	8	9	10	10
13-19 YRS	9	8.2	11	5	6	7	9	14	16	16
2. MULTIPLE DX										
0-27 DYS	41	20.8	433	6	7	14	45	99 +	99 +	99 +
1-11 MOS	43	17.7	387	4	6	10	21	52	77	99 +
1-5 YRS	62	14.8	179	4	7	10	22	47	68	99 +
6-12 YRS	38	14.9	135	5	7	12	24	34	50	99 +
13-19 YRS	54	22.2	363	7	8	15	29	47	67	91
TOTAL SINGLE DX	92	7.8	18	4	5	7	9	14	17	22
TOTAL MULTIPLE DX	238	18.1	300	5	7	12	26	52	93	99 +
TOTAL										
0-27 DYS	67	15.4	314	5	6	9	26	94	99 +	99 +
1-11 MOS	71	14.4	262	4	5	9	17	34	59	98
1-5 YRS	78	13.3	155	4	6	9	17	39	55	99 +
6-12 YRS	51	12.8	115	5	6	9	15	27	47	99
13-19 YRS	63	20.2	337	6	8	13	26	44	63	90
GRAND TOTAL	330	15.2	242	4	6	9	20	44	70	99 +

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	15	4.3	8	2	2	3	5	8	11	12
1-5 YRS	714	4.9	9	2	3	4	7	9	10	15
6-12 YRS	5770	3.5	4	2	2	3	4	6	8	11
13-19 YRS	7273	3.3	2	2	2	3	4	5	7	10
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	52	99 +	99 +	99 +	99 +
1-11 MOS	9	7.1	42	2	3	4	10	18	22	22
1-5 YRS	497	7.5	26	3	4	7	9	13	17	27
6-12 YRS	1969	6.2	22	2	3	5	8	12	16	23
13-19 YRS	2587	5.1	17	2	3	4	6	9	12	22
TOTAL SINGLE DX	13772	3.4	4	2	2	3	4	6	8	11
TOTAL MULTIPLE DX	5063	5.8	21	2	3	4	7	11	14	23
TOTAL										
0-27 DYS	1	5.0		5	5	52	99 +	99 +	99 +	99 +
1-11 MOS	24	5.4	22	2	3	4	6	12	15	22
1-5 YRS	1211	6.0	18	2	3	5	8	10	13	21
6-12 YRS	7739	4.1	10	2	2	3	5	8	10	18
13-19 YRS	9860	3.7	7	2	2	3	4	6	8	14
GRAND TOTAL	18835	4.1	10	2	2	3	5	7	9	17

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	5.4	7	2	3	5	7	9	9	9
6-12 YRS	13	5.5	6	2	4	6	7	9	10	10
13-19 YRS	12	8.3	23	4	5	7	10	14	20	21
2. MULTIPLE DX										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	0									
1-5 YRS	7	7.9	15	4	5	7	9	15	16	16
6-12 YRS	17	9.7	51	2	5	8	12	22	27	28
13-19 YRS	19	10.1	51	4	7	9	10	14	27	37
TOTAL SINGLE DX	31	6.5	15	2	4	6	9	10	11	21
TOTAL MULTIPLE DX	44	9.7	44	3	6	8	11	15	25	37
TOTAL										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	12	6.8	13	3	4	6	8	11	15	16
6-12 YRS	30	7.9	36	2	4	7	9	14	24	28
13-19 YRS	31	9.4	40	4	6	8	10	14	21	37
GRAND TOTAL	**75**	**8.4**	**34**	**3**	**5**	**7**	**10**	**15**	**20**	**35**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	18	4.9	12	1	2	4	8	10	11	12
1-11 MOS	51	3.3	7	1	1	2	5	7	7	14
1-5 YRS	62	3.0	8	<1	1	2	4	7	10	13
6-12 YRS	26	3.5	8	<1	1	2	5	9	10	10
13-19 YRS	22	5.1	18	1	2	4	7	13	14	15
2. MULTIPLE DX										
0-27 DYS	45	10.4	111	2	4	6	14	33	38	99+
1-11 MOS	73	9.5	197	2	3	5	9	18	32	83
1-5 YRS	54	6.0	71	1	1	3	6	18	21	42
6-12 YRS	57	6.9	104	1	3	4	7	14	15	69
13-19 YRS	39	6.4	41	1	2	4	8	14	21	30
TOTAL SINGLE DX	179	3.6	10	<1	1	2	5	8	10	14
TOTAL MULTIPLE DX	268	7.9	117	1	2	4	8	17	30	72
TOTAL										
0-27 DYS	63	8.8	89	2	3	5	11	29	37	91
1-11 MOS	124	7.0	128	1	2	4	7	14	21	74
1-5 YRS	116	4.4	40	<1	1	2	5	10	17	39
6-12 YRS	83	5.9	76	1	2	4	7	11	15	58
13-19 YRS	61	5.9	33	1	2	4	8	14	15	29
GRAND TOTAL	**447**	**6.2**	**78**	**1**	**2**	**4**	**7**	**14**	**20**	**47**

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	3.5	9	1	1	2	5	8	8	8
1-11 MOS	25	1.6		1	1	1	2	3	3	4
1-5 YRS	20	2.6	2	1	1	2	4	5	6	7
6-12 YRS	13	3.5	19	1	1	2	3	12	14	15
13-19 YRS	46	2.7	5	1	1	2	3	6	8	11
2. MULTIPLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	21	5.9	38	1	2	4	9	11	19	28
1-5 YRS	15	4.6	26	1	2	3	5	14	18	19
6-12 YRS	15	11.6	186	2	5	8	15	19	47	57
13-19 YRS	55	5.8	25	1	3	5	8	14	21	95
TOTAL SINGLE DX	108	2.5	6	1	1	2	3	5	7	13
TOTAL MULTIPLE DX	107	6.4	53	1	2	5	8	15	20	75
TOTAL										
0-27 DYS	5	3.0	9	<1	1	2	4	8	8	8
1-11 MOS	46	3.6	22	1	1	2	4	10	11	28
1-5 YRS	35	3.5	13	1	1	2	4	6	12	19
6-12 YRS	28	7.8	122	1	2	4	10	17	23	57
13-19 YRS	101	4.4	19	1	2	3	5	9	14	61
GRAND TOTAL	**215**	**4.5**	**33**	**1**	**1**	**3**	**5**	**10**	**15**	**38**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	76	7.1	5	4	6	7	8	10	11	14
1-5 YRS	52	7.8	17	4	5	7	9	10	14	31
6-12 YRS	16	11.0	34	7	8	9	12	16	26	30
13-19 YRS	17	9.5	34	6	7	8	10	13	25	31
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	104	8.3	16	4	6	8	9	15	16	23
1-5 YRS	123	10.8	116	6	6	8	10	16	28	76
6-12 YRS	17	9.1	40	5	6	8	9	13	26	32
13-19 YRS	36	11.8	83	6	7	9	12	18	28	56
TOTAL SINGLE DX	162	8.0	16	5	6	7	9	11	14	31
TOTAL MULTIPLE DX	280	9.9	72	5	6	8	10	16	20	52
TOTAL										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	180	7.8	12	4	6	7	9	12	15	19
1-5 YRS	175	9.9	89	5	6	8	9	15	22	66
6-12 YRS	33	10.0	37	5	7	8	10	15	28	32
13-19 YRS	53	11.0	68	6	7	9	11	17	29	55
GRAND TOTAL	**442**	**9.2**	**52**	**5**	**6**	**8**	**10**	**14**	**18**	**42**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	8	3.1	3	1	2	3	4	6	7	7
1-11 MOS	87	2.6	11	<1	1	1	3	5	7	20
1-5 YRS	124	2.0	3	<1	1	1	2	4	6	10
6-12 YRS	117	2.7	5	<1	1	2	4	6	8	12
13-19 YRS	200	3.8	9	1	2	3	5	7	10	16
2. MULTIPLE DX										
0-27 DYS	7	15.6	141	3	6	13	23	34	36	36
1-11 MOS	156	6.5	50	1	2	4	7	16	24	46
1-5 YRS	253	6.2	80	1	2	4	7	13	21	41
6-12 YRS	248	4.5	22	1	2	3	6	8	11	29
13-19 YRS	676	5.7	60	1	2	4	6	10	19	45
TOTAL SINGLE DX	536	2.9	8	<1	1	2	4	6	8	15
TOTAL MULTIPLE DX	1340	5.7	57	1	2	4	6	12	18	41
TOTAL										
0-27 DYS	15	8.9	104	2	2	4	12	26	33	36
1-11 MOS	243	5.1	40	1	1	3	6	14	18	31
1-5 YRS	377	4.8	59	1	1	2	5	11	16	37
6-12 YRS	365	3.9	18	1	1	3	5	8	10	21
13-19 YRS	876	5.3	50	1	2	3	6	9	15	36
GRAND TOTAL	1876	4.9	45	1	2	3	5	9	15	36

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	25	1.1		<1	<1	<1	1	1	2	2
1-5 YRS	13	1.4		<1	<1	1	2	3	3	3
6-12 YRS	2	2.5	5	<1	<1	2	4	4	4	4
13-19 YRS	12	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	16	3.1	18	<1	1	1	2	12	13	14
1-5 YRS	7	2.7	9	<1	<1	1	3	8	9	9
6-12 YRS	3	5.0	13	<1	1	6	7	8	8	8
13-19 YRS	21	6.1	94	1	1	2	5	27	30	31
TOTAL SINGLE DX	52	1.3		<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	48	4.4	50	<1	1	1	4	11	25	31
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	41	1.9	8	<1	<1	1	1	3	10	14
1-5 YRS	20	1.9	4	<1	<1	1	2	4	6	9
6-12 YRS	5	4.0	10	<1	<1	4	6	8	8	8
13-19 YRS	33	4.4	64	1	1	2	2	11	29	31
GRAND TOTAL	100	2.8	26	<1	<1	1	2	6	10	30

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	5	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	9	1.2		<1	<1	1	1	2	2	2
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	8	2.0	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	7.0	72	1	1	7	13	13	13	13
1-5 YRS	9	1.8	2	<1	<1	1	2	4	6	6
6-12 YRS	4	6.8	21	2	3	6	10	13	13	13
13-19 YRS	15	3.3	28	1	1	2	3	4	18	22
TOTAL SINGLE DX	23	1.8	3	<1	<1	1	2	3	6	9
TOTAL MULTIPLE DX	30	3.6	22	<1	1	2	4	10	13	22
TOTAL										
0-27 DYS	0									
1-11 MOS	7	2.7	21	<1	<1	1	1	11	13	13
1-5 YRS	18	1.5	1	<1	<1	1	2	2	5	6
6-12 YRS	5	7.2	17	2	4	7	10	13	13	13
13-19 YRS	23	2.9	19	1	1	2	3	4	11	22
GRAND TOTAL	53	2.8	15	<1	1	1	3	6	12	22

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	0									
13-19 YRS	7	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	28	2.4	1	1	1	2	3	5	5	6
TOTAL SINGLE DX	10	1.6	1	<1	1	1	2	3	4	4
TOTAL MULTIPLE DX	34	2.3	2	1	1	2	3	5	5	6
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	2.3	4	1	1	2	3	5	5	5
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	35	2.2	2	1	1	2	3	4	5	6
GRAND TOTAL	44	2.2	2	1	1	2	3	4	5	6

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	14	2.4	2	1	1	2	4	4	5	5
1-11 MOS	92	2.8	3	1	1	2	4	5	6	9
1-5 YRS	62	3.1	4	<1	1	3	4	6	8	9
6-12 YRS	30	3.8	9	1	2	3	5	10	11	11
13-19 YRS	38	3.0	5	1	2	2	3	6	9	10
2. MULTIPLE DX										
0-27 DYS	27	7.4	83	2	3	6	10	13	54	99+
1-11 MOS	94	4.3	6	2	3	4	6	7	9	14
1-5 YRS	81	6.4	37	1	3	5	8	12	20	33
6-12 YRS	27	3.3	3	1	2	3	4	5	7	9
13-19 YRS	62	5.4	27	1	2	4	6	15	17	23
TOTAL SINGLE DX	236	3.0	5	1	1	2	4	6	8	10
TOTAL MULTIPLE DX	291	5.3	27	1	2	4	6	11	15	32
TOTAL										
0-27 DYS	41	5.7	61	1	2	4	8	12	27	99+
1-11 MOS	186	3.6	6	1	2	3	5	6	7	12
1-5 YRS	143	5.0	26	1	2	4	6	10	12	28
6-12 YRS	57	3.6	6	1	2	3	4	7	10	11
13-19 YRS	100	4.5	20	1	2	3	5	10	16	22
GRAND TOTAL	527	4.3	18	1	2	3	5	8	11	25

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	13.0	18	10	10	13	16	16	16	16
6-12 YRS	3	10.3	129	1	2	7	19	23	23	23
13-19 YRS	3	9.3	37	4	5	8	14	16	16	16
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	19.4	98	4	12	24	27	27	27	27
1-5 YRS	8	18.5	370	5	7	11	22	51	63	63
6-12 YRS	5	19.6	306	5	8	14	28	49	49	49
13-19 YRS	17	13.2	89	4	7	12	15	30	36	38
TOTAL SINGLE DX	8	10.6	53	2	5	9	16	21	23	23
TOTAL MULTIPLE DX	35	16.2	175	4	7	14	22	33	46	63
TOTAL										
0-27 DYS	0									
1-11 MOS	5	19.4	98	4	12	24	27	27	27	27
1-5 YRS	10	17.4	295	5	8	12	22	43	63	63
6-12 YRS	8	16.1	235	2	6	11	22	41	49	49
13-19 YRS	20	12.7	81	4	6	11	15	25	35	38
GRAND TOTAL	43	15.2	155	4	7	13	20	28	42	63

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	12	4.8	14	1	2	3	8	11	12	12
1-11 MOS	84	5.7	90	1	1	3	7	12	17	60
1-5 YRS	74	7.6	117	1	1	3	10	16	21	63
6-12 YRS	76	3.8	22	1	1	1	6	9	14	25
13-19 YRS	71	3.0	8	1	1	2	5	7	9	12
2. MULTIPLE DX										
0-27 DYS	17	22.9	445	5	8	22	71	99+	99+	99+
1-11 MOS	184	13.6	331	1	3	8	18	44	89	99+
1-5 YRS	260	16.6	340	1	3	11	24	46	73	99+
6-12 YRS	169	12.1	285	1	2	5	16	39	63	99+
13-19 YRS	224	13.2	257	1	2	8	17	31	49	91
TOTAL SINGLE DX	317	5.1	61	1	1	2	7	12	15	41
TOTAL MULTIPLE DX	854	14.3	311	1	2	9	20	42	67	99+
TOTAL										
0-27 DYS	29	15.4	343	2	3	10	40	99+	99+	99+
1-11 MOS	268	11.1	269	1	2	6	14	33	61	99+
1-5 YRS	334	14.6	305	1	2	9	21	41	63	99+
6-12 YRS	245	9.5	218	1	1	3	11	29	50	99+
13-19 YRS	295	10.8	217	1	2	6	13	25	43	87
GRAND TOTAL	1171	11.8	260	1	2	6	15	36	58	99+

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	4	9.3	20	7	7	7	12	16	16	16
6-12 YRS	0									
13-19 YRS	678	4.3	3	2	3	4	5	7	9	11
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	13.2	150	5	7	9	16	33	44	44
1-5 YRS	3	5.0	28	1	2	7	55	99+	99+	99+
6-12 YRS	16	8.3	17	4	5	7	11	14	17	18
13-19 YRS	769	6.4	25	3	4	5	7	10	13	27
TOTAL SINGLE DX	683	4.3	4	2	3	4	5	7	9	11
TOTAL MULTIPLE DX	798	6.5	27	3	4	5	8	11	14	29
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	10	13.5	134	5	7	9	16	30	44	44
1-5 YRS	7	7.4	25	2	5	7	13	75	99+	99+
6-12 YRS	16	8.3	18	4	5	7	11	14	17	18
13-19 YRS	1447	5.4	17	3	3	4	6	9	11	21
GRAND TOTAL	1481	5.5	18	3	3	4	6	9	11	22

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	3	5.3	17	2	2	4	8	10	10	10
13-19 YRS	3	4.3	16	2	2	2	7	9	9	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	28.0		28	28	28	28	28	28	28
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	6.0	12	2	3	6	9	9	9	9
TOTAL SINGLE DX	8	3.9	13	<1	1	2	6	10	10	10
TOTAL MULTIPLE DX	5	10.4	106	2	3	9	14	28	28	28
TOTAL										
0-27 DYS	0									
1-11 MOS	1	28.0		28	28	28	28	28	28	28
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	3	5.3	17	2	2	4	8	10	10	10
13-19 YRS	7	5.3	13	2	2	4	9	9	9	9
GRAND TOTAL	**13**	**6.4**	**54**	**1**	**2**	**4**	**9**	**14**	**25**	**28**

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	4.0	12	1	1	3	5	10	10	10
13-19 YRS	14	4.4	12	1	1	4	6	9	11	12
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	11.3	213	2	3	5	19	33	33	33
1-5 YRS	3	7.3	36	1	3	8	12	13	13	13
6-12 YRS	5	15.2	193	2	4	9	28	33	33	33
13-19 YRS	31	6.4	31	1	2	5	8	15	19	25
TOTAL SINGLE DX	20	4.3	12	1	1	4	6	9	11	12
TOTAL MULTIPLE DX	43	8.0	67	1	2	6	9	20	29	33
TOTAL										
0-27 DYS	0									
1-11 MOS	4	11.3	213	2	3	5	19	33	33	33
1-5 YRS	3	7.3	36	1	3	8	12	13	13	13
6-12 YRS	11	9.1	118	1	2	5	10	29	33	33
13-19 YRS	45	5.8	26	1	2	5	8	12	17	25
GRAND TOTAL	**63**	**6.8**	**52**	**1**	**2**	**5**	**8**	**14**	**26**	**33**

619: Miscellaneous operations on biliary tract (51.01-51.04; 51.12-51.13; 51.31-51.63; 51.65-51.83; 51.89-51.95; 51.99; 98.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	14.3	16	10	11	15	17	18	18	18
1-11 MOS	40	12.7	79	5	8	10	14	22	37	43
1-5 YRS	6	6.8	3	5	5	6	9	9	9	9
6-12 YRS	3	8.7	22	5	5	7	12	14	14	14
13-19 YRS	11	6.3	11	1	5	6	9	11	11	11
2. MULTIPLE DX										
0-27 DYS	8	16.9	28	12	13	14	21	25	26	26
1-11 MOS	61	16.3	107	7	9	14	21	30	44	94
1-5 YRS	18	19.0	340	7	9	17	19	68	92	99+
6-12 YRS	20	14.4	133	5	7	11	16	32	42	50
13-19 YRS	26	18.2	255	4	8	16	23	56	69	99+
TOTAL SINGLE DX	63	10.9	61	5	6	9	13	18	28	42
TOTAL MULTIPLE DX	133	16.8	164	6	9	14	21	36	51	99+
TOTAL										
0-27 DYS	11	16.2	25	11	12	15	20	24	26	26
1-11 MOS	101	14.9	98	6	8	12	18	28	43	75
1-5 YRS	24	16.0	281	5	8	12	18	46	87	99+
6-12 YRS	23	13.7	121	5	7	11	15	31	40	50
13-19 YRS	37	14.6	211	2	6	10	19	39	62	99+
GRAND TOTAL	**196**	**14.9**	**138**	**5**	**8**	**12**	**18**	**30**	**44**	**99+**

620: Operations on pancreas, except ERCP (52.01-52.12; 52.22-52.83; 52.92; 52.95-52.96; 52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	50	99+	99+	99+	99+
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	2	33.0	1568	5	19	61	90	99+	99+	99+
1-11 MOS	5	23.8	151	9	17	22	29	43	43	43
1-5 YRS	8	15.3	86	6	9	12	20	31	33	33
6-12 YRS	9	19.3	325	7	9	10	25	51	56	56
13-19 YRS	21	20.8	279	8	10	15	33	59	77	99+
TOTAL SINGLE DX	1	1.0		1	1	50	99+	99+	99+	99+
TOTAL MULTIPLE DX	45	20.4	263	7	9	14	31	58	68	99+
TOTAL										
0-27 DYS	2	33.0	1568	5	19	61	90	99+	99+	99+
1-11 MOS	5	23.8	152	9	17	22	29	43	43	43
1-5 YRS	8	15.3	86	6	9	12	20	31	33	33
6-12 YRS	10	17.5	323	4	8	10	38	74	98	99+
13-19 YRS	21	20.8	279	8	10	15	33	59	77	99+
GRAND TOTAL	**46**	**20.0**	**265**	**7**	**9**	**14**	**33**	**60**	**99+**	**99+**

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	4.3	12	1	2	4	6	10	12	12
1-11 MOS	94	2.5	5	1	1	1	3	6	7	12
1-5 YRS	81	2.4	11	<1	1	1	2	5	9	20
6-12 YRS	48	2.4	8	<1	1	1	3	4	6	19
13-19 YRS	84	3.1	6	1	1	3	4	6	7	16
2. MULTIPLE DX										
0-27 DYS	38	9.1	218	1	2	5	9	15	41	80
1-11 MOS	254	5.3	29	1	2	4	7	12	15	28
1-5 YRS	140	6.2	85	1	1	3	6	15	25	54
6-12 YRS	92	4.1	17	<1	1	3	6	9	11	23
13-19 YRS	232	6.3	53	2	2	4	7	13	22	39
TOTAL SINGLE DX	316	2.7	8	<1	1	2	3	6	7	15
TOTAL MULTIPLE DX	756	5.8	56	1	2	3	7	13	18	38
TOTAL										
0-27 DYS	47	8.2	182	1	2	4	8	13	31	80
1-11 MOS	348	4.6	24	1	1	3	6	10	13	28
1-5 YRS	221	4.8	61	1	1	2	5	12	21	47
6-12 YRS	140	3.5	15	<1	1	2	5	8	10	20
13-19 YRS	316	5.4	43	1	2	3	6	11	18	38
GRAND TOTAL	**1072**	**4.9**	**44**	**1**	**1**	**3**	**6**	**10**	**15**	**35**

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	35	1.5		1	1	1	2	3	3	4
1-11 MOS	830	1.4		<1	1	1	1	2	3	5
1-5 YRS	535	1.2		<1	<1	<1	1	2	2	3
6-12 YRS	237	1.1		<1	<1	<1	1	2	2	2
13-19 YRS	338	1.3		<1	1	1	1	2	3	3
2. MULTIPLE DX										
0-27 DYS	52	12.9	645	1	1	3	80	99+	99+	99+
1-11 MOS	838	2.6	42	<1	1	1	2	5	8	40
1-5 YRS	527	1.6	3	<1	<1	1	1	3	4	10
6-12 YRS	171	2.4	29	<1	<1	1	1	2	6	34
13-19 YRS	164	2.8	63	<1	1	1	2	3	6	49
TOTAL SINGLE DX	1975	1.3		<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	1752	2.6	53	<1	1	1	2	4	8	94
TOTAL										
0-27 DYS	87	8.4	414	1	1	2	6	99+	99+	99+
1-11 MOS	1668	2.0	22	<1	1	1	2	3	5	19
1-5 YRS	1062	1.4	2	<1	<1	1	1	2	3	6
6-12 YRS	408	1.6	13	<1	<1	1	1	2	2	23
13-19 YRS	502	1.8	22	<1	1	1	2	2	3	9
GRAND TOTAL	**3727**	**1.9**	**26**	**<1**	**<1**	**1**	**1**	**3**	**4**	**32**

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	46	1.3		<1	1	1	1	2	3	4
1-11 MOS	1358	1.3	5	<1	1	1	1	2	2	4
1-5 YRS	236	1.2		<1	<1	<1	1	2	2	4
6-12 YRS	49	1.1		<1	<1	<1	1	1	2	2
13-19 YRS	22	1.5	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	99	17.0	895	1	1	3	91	99+	99+	99+
1-11 MOS	1726	2.8	66	<1	1	1	2	4	8	60
1-5 YRS	244	2.1	27	<1	<1	1	1	2	5	38
6-12 YRS	29	8.6	431	<1	<1	1	3	25	78	82
13-19 YRS	22	2.8	10	1	1	2	3	7	12	13
TOTAL SINGLE DX	1711	1.3	5	<1	<1	1	1	2	2	4
TOTAL MULTIPLE DX	2120	3.5	114	<1	1	1	2	5	16	99+
TOTAL										
0-27 DYS	145	12.0	664	1	1	2	66	99+	99+	99+
1-11 MOS	3084	2.1	40	<1	1	1	1	2	4	38
1-5 YRS	480	1.7	14	<1	<1	1	1	2	3	22
6-12 YRS	78	3.9	171	<1	<1	<1	1	2	11	81
13-19 YRS	44	2.1	6	1	1	1	2	4	8	13
GRAND TOTAL	**3831**	**2.5**	**66**	**<1**	**1**	**1**	**1**	**3**	**6**	**90**

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	5	1.8	1	<1	<1	1	2	4	4	4
13-19 YRS	11	2.5	3	1	1	2	3	6	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	4.7	30	1	1	2	9	11	11	11
6-12 YRS	0									
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
TOTAL SINGLE DX	19	2.1	3	<1	<1	1	2	5	6	6
TOTAL MULTIPLE DX	5	3.4	18	1	1	2	4	11	11	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	2.8	16	<1	<1	1	2	10	11	11
6-12 YRS	5	1.8	2	<1	<1	1	2	4	4	4
13-19 YRS	13	2.3	3	1	1	2	3	6	6	6
GRAND TOTAL	**24**	**2.3**	**6**	**<1**	**1**	**1**	**2**	**6**	**8**	**11**

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	11	7.5	30	1	3	6	12	16	17	17
1-11 MOS	55	1.3		<1	<1	1	1	2	3	7
1-5 YRS	180	1.2		<1	<1	<1	1	2	2	4
6-12 YRS	68	1.1		<1	<1	<1	1	1	2	3
13-19 YRS	28	1.5		<1	1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	15	22.2	797	2	7	75	99+	99+	99+	99+
1-11 MOS	45	3.9	53	<1	1	1	4	10	28	99+
1-5 YRS	81	2.2	8	<1	<1	1	2	5	8	18
6-12 YRS	31	6.2	112	<1	1	2	2	24	36	38
13-19 YRS	38	9.9	218	1	2	6	11	26	63	99+
TOTAL SINGLE DX	342	1.4	3	<1	<1	<1	1	2	3	8
TOTAL MULTIPLE DX	210	5.9	151	<1	1	2	7	31	99+	99+
TOTAL										
0-27 DYS	26	16.0	514	2	6	16	99+	99+	99+	99+
1-11 MOS	100	2.5	26	<1	<1	1	2	5	8	70
1-5 YRS	261	1.5	3	<1	<1	<1	1	2	4	9
6-12 YRS	99	2.7	40	<1	<1	1	1	3	16	37
13-19 YRS	66	6.3	142	1	1	2	7	16	31	97
GRAND TOTAL	552	3.2	64	<1	<1	1	2	7	20	99+

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	2.0	3	1	1	1	3	4	4	4
1-11 MOS	32	2.4	1	1	1	2	3	4	5	6
1-5 YRS	37	2.7	9	<1	<1	1	4	6	6	18
6-12 YRS	23	1.7	4	<1	<1	1	1	3	7	11
13-19 YRS	38	1.8	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	24	7.3	37	1	3	6	10	14	21	27
1-5 YRS	31	3.3	12	<1	1	2	5	7	9	18
6-12 YRS	14	3.1	9	<1	<1	2	6	8	10	10
13-19 YRS	29	3.0	5	1	1	2	4	6	9	11
TOTAL SINGLE DX	133	2.2	5	<1	1	1	3	5	6	12
TOTAL MULTIPLE DX	98	4.2	19	1	1	3	5	10	12	23
TOTAL										
0-27 DYS	3	2.0	3	1	1	1	3	4	4	4
1-11 MOS	56	4.5	22	1	2	3	5	11	13	26
1-5 YRS	68	3.0	11	<1	1	2	4	6	7	18
6-12 YRS	37	2.3	7	<1	<1	1	2	6	9	11
13-19 YRS	67	2.3	4	<1	1	1	3	5	6	11
GRAND TOTAL	231	3.0	12	<1	1	2	4	6	10	18

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	12	8.3	50	1	3	7	11	17	26	27
1-11 MOS	20	5.1	1	3	4	5	6	7	8	8
1-5 YRS	9	5.3	6	2	4	5	7	9	10	10
6-12 YRS	5	6.0	10	1	4	7	8	9	9	9
13-19 YRS	5	5.0	8	1	4	5	6	9	9	9
2. MULTIPLE DX										
0-27 DYS	43	21.3	319	2	9	24	44	99+	99+	99+
1-11 MOS	57	14.4	313	3	6	9	15	43	65	99
1-5 YRS	51	11.5	154	4	5	8	13	26	34	99+
6-12 YRS	10	16.4	190	7	8	9	21	41	45	45
13-19 YRS	24	17.5	216	5	7	14	27	34	75	99+
TOTAL SINGLE DX	51	6.0	16	2	4	5	7	9	12	27
TOTAL MULTIPLE DX	185	15.7	260	4	6	10	24	47	99+	99+
TOTAL										
0-27 DYS	55	18.5	288	1	7	15	38	99+	99+	99+
1-11 MOS	77	12.0	248	3	5	7	12	28	60	98
1-5 YRS	60	10.6	137	4	5	7	11	23	31	98
6-12 YRS	15	12.9	151	5	7	8	13	37	43	45
13-19 YRS	29	15.3	202	3	5	10	26	33	67	99+
GRAND TOTAL	236	13.6	223	3	5	8	19	42	83	99+

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	5.8	23	1	2	3	10	12	12	12
1-11 MOS	44	3.4	11	<1	1	2	5	8	11	14
1-5 YRS	136	4.0	12	<1	1	3	5	9	10	19
6-12 YRS	83	3.8	9	<1	1	3	5	8	11	15
13-19 YRS	95	3.7	8	1	2	3	5	7	10	15
2. MULTIPLE DX										
0-27 DYS	16	7.6	50	3	4	5	12	27	75	99+
1-11 MOS	92	11.0	262	1	3	6	11	24	42	92
1-5 YRS	157	9.6	90	1	4	7	12	20	28	54
6-12 YRS	111	9.0	108	2	4	6	10	19	29	61
13-19 YRS	194	8.2	72	2	3	6	11	17	25	50
TOTAL SINGLE DX	363	3.8	11	<1	1	3	5	8	10	15
TOTAL MULTIPLE DX	570	9.2	115	1	3	6	11	19	28	65
TOTAL										
0-27 DYS	21	7.1	43	2	3	5	12	21	57	99+
1-11 MOS	136	8.5	194	1	1	5	9	19	29	91
1-5 YRS	293	7.0	62	1	2	5	9	15	21	40
6-12 YRS	194	6.7	72	1	2	4	8	13	19	46
13-19 YRS	289	6.7	56	1	2	5	8	14	19	36
GRAND TOTAL	933	7.1	81	1	2	5	8	15	21	51

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	14	10.1	121	3	4	7	9	31	38	40
1-11 MOS	25	8.1	216	1	2	4	5	11	53	62
1-5 YRS	57	5.1	35	1	2	3	6	9	12	40
6-12 YRS	98	5.0	10	2	3	4	6	10	12	15
13-19 YRS	269	4.2	4	2	3	4	5	7	9	11
2. MULTIPLE DX										
0-27 DYS	29	16.7	420	1	3	10	38	99+	99+	99+
1-11 MOS	55	19.7	569	4	6	10	27	74	96	99+
1-5 YRS	126	12.4	199	3	5	7	14	27	41	80
6-12 YRS	159	9.2	64	3	4	7	11	22	30	45
13-19 YRS	514	8.1	66	3	4	6	9	15	20	47
TOTAL SINGLE DX	463	4.9	26	2	3	4	6	8	10	29
TOTAL MULTIPLE DX	883	9.9	137	3	4	6	11	21	34	96
TOTAL										
0-27 DYS	43	14.6	327	1	3	7	31	77	99+	99+
1-11 MOS	80	16.1	484	2	4	8	16	58	87	99+
1-5 YRS	183	10.1	159	2	4	6	10	24	35	69
6-12 YRS	257	7.6	48	2	3	6	9	15	23	36
13-19 YRS	783	6.7	48	2	3	5	8	12	17	34
GRAND TOTAL	1346	8.2	104	2	3	5	9	16	27	75

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	1.8	3	<1	<1	1	2	5	5	5
6-12 YRS	18	2.9	16	<1	1	2	2	6	13	18
13-19 YRS	423	2.7	4	<1	1	2	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	5.3	61	1	1	2	9	17	17	17
6-12 YRS	7	2.7	6	<1	1	1	4	7	7	7
13-19 YRS	514	3.4	6	1	1	3	5	7	8	13
TOTAL SINGLE DX	446	2.7	5	<1	1	2	4	5	6	10
TOTAL MULTIPLE DX	526	3.4	7	1	1	3	5	7	8	14
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	3.3	28	<1	1	1	3	12	17	17
6-12 YRS	25	2.9	13	<1	1	2	3	6	10	18
13-19 YRS	937	3.1	6	1	1	3	4	6	8	12
GRAND TOTAL	972	3.1	6	1	1	3	4	6	8	13

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	33	13.9	108	6	6	11	19	36	45	99+
1-11 MOS	35	6.9	21	3	4	6	8	17	20	99+
1-5 YRS	75	6.2	10	2	4	6	8	10	12	17
6-12 YRS	70	6.8	38	2	3	5	7	13	22	33
13-19 YRS	105	6.6	20	2	4	6	8	12	17	23
2. MULTIPLE DX										
0-27 DYS	90	29.7	649	6	8	25	58	97	99+	99+
1-11 MOS	99	13.9	295	4	5	8	13	52	80	99+
1-5 YRS	215	11.6	91	4	6	9	14	26	36	99+
6-12 YRS	209	13.1	133	3	6	9	17	30	37	61
13-19 YRS	350	10.6	117	2	4	7	12	26	36	63
TOTAL SINGLE DX	318	7.4	36	2	4	6	9	14	19	44
TOTAL MULTIPLE DX	963	13.5	211	3	5	8	16	35	55	99+
TOTAL										
0-27 DYS	123	25.4	551	6	8	19	47	86	99+	99+
1-11 MOS	134	12.1	233	4	5	7	12	46	74	99+
1-5 YRS	290	10.2	76	4	5	8	11	22	31	87
6-12 YRS	279	11.6	117	3	5	8	14	27	36	56
13-19 YRS	455	9.7	98	2	4	6	11	20	31	57
GRAND TOTAL	1281	12.0	174	3	5	7	14	30	47	99+

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	5.0	16	1	2	5	8	9	9	9
1-11 MOS	42	3.6	7	1	2	3	4	8	10	13
1-5 YRS	76	6.5	13	2	3	7	9	12	13	17
6-12 YRS	27	6.3	16	2	3	6	9	10	17	17
13-19 YRS	20	5.5	3	3	4	5	7	8	9	9
2. MULTIPLE DX										
0-27 DYS	12	6.8	12	3	4	5	10	12	12	12
1-11 MOS	103	7.8	87	2	3	4	10	15	28	54
1-5 YRS	159	8.4	55	3	4	7	10	16	20	95
6-12 YRS	107	9.7	111	3	4	6	11	21	25	66
13-19 YRS	100	9.9	86	4	5	7	11	18	23	60
TOTAL SINGLE DX	168	5.6	13	2	3	5	8	10	13	17
TOTAL MULTIPLE DX	481	8.8	81	3	4	6	11	17	24	62
TOTAL										
0-27 DYS	15	6.4	12	3	4	5	10	12	12	12
1-11 MOS	145	6.6	68	2	2	4	7	13	19	49
1-5 YRS	235	7.8	43	2	4	7	10	13	17	63
6-12 YRS	134	9.0	94	3	4	6	10	17	23	65
13-19 YRS	120	9.2	75	4	5	7	10	17	22	59
GRAND TOTAL	649	8.0	65	2	4	6	10	15	21	58

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	2.5	9	1	1	1	4	7	7	7
1-5 YRS	9	2.0	1	<1	1	2	2	4	5	5
6-12 YRS	13	2.2	4	<1	1	1	2	6	8	8
13-19 YRS	10	6.0	22	2	3	4	7	14	17	17
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	20	9.1	308	1	1	2	8	25	54	76
1-5 YRS	22	5.9	29	1	2	4	6	16	19	20
6-12 YRS	29	10.2	217	1	2	4	10	27	38	71
13-19 YRS	25	7.2	28	2	2	7	10	12	20	21
TOTAL SINGLE DX	37	3.2	11	1	1	2	4	7	10	17
TOTAL MULTIPLE DX	96	8.2	142	1	2	4	9	19	27	74
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	24	8.0	262	1	1	2	7	19	46	76
1-5 YRS	31	4.7	24	1	2	3	6	12	18	20
6-12 YRS	42	7.7	163	1	1	3	9	21	31	71
13-19 YRS	35	6.8	26	2	3	6	10	12	19	21
GRAND TOTAL	133	6.8	110	1	2	3	8	16	21	72

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	12.0	32	8	8	12	16	16	16	16
6-12 YRS	6	10.8	19	7	7	10	11	18	19	19
13-19 YRS	9	12.8	36	7	9	11	14	22	27	27
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	47.0	200	37	37	47	57	57	57	57
1-5 YRS	36	21.4	160	11	14	19	28	63	99+	99+
6-12 YRS	80	19.6	140	9	11	17	22	35	41	71
13-19 YRS	84	16.4	70	8	11	15	20	26	32	50
TOTAL SINGLE DX	17	12.0	27	7	8	11	14	18	24	27
TOTAL MULTIPLE DX	202	18.8	125	8	12	16	22	35	43	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	2	47.0	200	37	37	47	57	57	57	57
1-5 YRS	38	20.9	157	10	14	19	27	60	99+	99+
6-12 YRS	86	18.9	137	9	10	16	21	34	41	69
13-19 YRS	93	16.0	68	7	11	14	20	26	31	50
GRAND TOTAL	219	18.3	121	8	11	16	21	34	42	99+

636: Miscellaneous operations on kidney, except percutaneous nephrostomy (55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	23	4.8	8	2	3	4	5	9	11	14
1-11 MOS	204	4.3	4	2	3	4	5	8	8	12
1-5 YRS	193	4.2	10	1	2	3	6	9	10	14
6-12 YRS	287	3.1	6	1	1	2	4	6	7	14
13-19 YRS	223	3.4	8	1	1	2	5	8	9	14
2. MULTIPLE DX										
0-27 DYS	25	11.1	121	2	4	7	16	37	51	99+
1-11 MOS	210	6.5	26	3	3	5	8	12	17	28
1-5 YRS	247	7.2	49	2	3	5	9	16	18	42
6-12 YRS	345	7.4	80	1	2	5	8	16	25	43
13-19 YRS	385	7.0	53	1	2	5	9	15	24	36
TOTAL SINGLE DX	930	3.7	8	1	2	3	5	7	9	14
TOTAL MULTIPLE DX	1212	7.1	57	1	3	5	9	15	22	39
TOTAL										
0-27 DYS	48	8.1	76	2	3	4	10	20	38	99+
1-11 MOS	414	5.4	17	2	3	4	6	9	13	24
1-5 YRS	440	5.9	35	1	2	4	7	12	16	36
6-12 YRS	632	5.4	51	1	2	3	6	11	18	37
13-19 YRS	608	5.7	40	1	2	4	8	12	17	34
GRAND TOTAL	2142	5.6	39	1	2	4	7	12	16	36

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	5.7	1	5	5	5	7	7	7	7
13-19 YRS	11	6.5	21	2	3	5	8	13	18	19
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	5.1	18	1	2	4	8	12	13	13
1-5 YRS	2	10.0	72	4	4	10	16	16	16	16
6-12 YRS	7	2.4	4	<1	1	1	4	6	6	6
13-19 YRS	8	8.9	49	2	4	7	12	20	23	23
TOTAL SINGLE DX	18	5.2	17	1	3	5	7	8	15	19
TOTAL MULTIPLE DX	27	5.8	31	1	2	4	8	13	17	23
TOTAL										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	11	4.5	16	1	1	3	7	11	13	13
1-5 YRS	3	7.0	63	1	2	4	13	16	16	16
6-12 YRS	10	3.4	5	<1	1	3	5	6	7	7
13-19 YRS	19	7.5	33	2	3	6	8	17	21	23
GRAND TOTAL	45	5.6	25	1	2	4	7	13	17	23

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	89	5.4	7	2	4	5	7	9	11	14
1-5 YRS	362	5.0	5	3	4	5	6	8	9	12
6-12 YRS	283	5.2	3	3	4	5	6	8	9	13
13-19 YRS	42	6.0	3	4	5	6	7	8	9	10
2. MULTIPLE DX										
0-27 DYS	11	18.0	120	8	10	14	25	37	39	39
1-11 MOS	158	7.3	26	3	4	6	9	13	19	27
1-5 YRS	483	7.3	34	3	4	6	9	12	16	29
6-12 YRS	322	6.8	27	3	4	5	8	11	16	24
13-19 YRS	104	10.0	37	4	5	8	13	18	21	31
TOTAL SINGLE DX	776	5.2	5	3	4	5	6	8	9	13
TOTAL MULTIPLE DX	1078	7.5	34	3	4	6	9	13	18	30
TOTAL										
0-27 DYS	11	18.0	120	8	10	14	25	37	39	39
1-11 MOS	247	6.6	21	2	4	6	8	12	14	26
1-5 YRS	845	6.3	23	3	4	5	7	10	12	23
6-12 YRS	605	6.1	17	3	4	5	7	9	11	23
13-19 YRS	146	8.8	31	4	5	7	11	17	19	30
GRAND TOTAL	1854	6.6	23	3	4	5	8	11	14	26

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	7	2.6	1	1	2	2	3	5	5	5
13-19 YRS	73	2.5	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	4.3	4	2	3	5	6	6	6	6
6-12 YRS	8	3.6	2	2	2	3	5	6	6	6
13-19 YRS	65	4.9	103	1	2	3	5	7	8	73
TOTAL SINGLE DX	81	2.6	2	1	2	2	3	4	5	6
TOTAL MULTIPLE DX	77	4.7	88	1	2	3	5	7	8	64
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	3	4.3	4	2	3	5	6	6	6	6
6-12 YRS	15	3.1	2	2	2	3	4	6	6	6
13-19 YRS	138	3.6	51	1	2	3	4	6	7	18
GRAND TOTAL	158	3.6	45	1	2	3	4	6	7	9

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS	12	5.2	10	1	2	5	7	9	12	12
1-5 YRS	25	4.6	7	<1	3	4	6	8	10	12
6-12 YRS	15	5.0	11	<1	3	4	6	10	12	12
13-19 YRS	10	4.6	8	1	2	4	7	8	9	9
2. MULTIPLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	59	8.9	53	3	5	7	10	16	23	41
1-5 YRS	91	6.1	16	2	4	5	8	11	14	22
6-12 YRS	43	8.1	48	3	4	7	10	17	19	40
13-19 YRS	30	11.2	130	1	2	7	17	30	32	48
TOTAL SINGLE DX	64	4.9	9	1	3	4	7	9	11	12
TOTAL MULTIPLE DX	225	7.9	50	2	4	6	9	15	19	40
TOTAL										
0-27 DYS	4	4.5	14	1	1	4	7	9	9	9
1-11 MOS	71	8.3	48	2	4	7	10	15	18	41
1-5 YRS	116	5.8	15	2	4	5	7	10	13	21
6-12 YRS	58	7.3	40	2	4	5	9	15	18	38
13-19 YRS	40	9.5	107	1	2	6	11	25	31	48
GRAND TOTAL	289	7.2	42	2	4	6	9	14	19	38

980 Hospitals, United States, Pediatric, January-December 1989, by Operation

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	29	2.2	3	<1	1	1	3	5	5	8
1-5 YRS	110	2.0	3	<1	<1	<1	2	4	6	8
6-12 YRS	90	2.0	5	<1	<1	1	2	4	7	12
13-19 YRS	129	3.1	7	<1	1	2	4	7	8	15
2. MULTIPLE DX										
0-27 DYS	11	14.2	185	3	7	9	15	36	49	50
1-11 MOS	63	7.2	103	1	1	3	10	16	20	66
1-5 YRS	154	4.5	21	<1	1	3	6	10	14	33
6-12 YRS	180	3.6	13	<1	1	2	5	8	11	26
13-19 YRS	244	6.3	99	1	2	4	7	11	16	82
TOTAL SINGLE DX	360	2.4	6	<1	<1	1	3	6	8	12
TOTAL MULTIPLE DX	652	5.3	61	<1	1	3	7	11	15	50
TOTAL										
0-27 DYS	13	13.2	163	3	6	9	14	31	46	50
1-11 MOS	92	5.6	77	<1	1	3	7	15	17	51
1-5 YRS	264	3.4	15	<1	<1	2	5	8	10	20
6-12 YRS	270	3.1	11	<1	<1	1	4	7	11	17
13-19 YRS	373	5.2	70	1	1	3	6	9	14	48
GRAND TOTAL	**1012**	**4.3**	**44**	**<1**	**1**	**2**	**6**	**9**	**13**	**41**

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	7	2.9	8	<1	1	2	3	8	9	9
6-12 YRS	6	1.2		<1	1	1	1	2	2	2
13-19 YRS	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	10	9.2	45	2	6	7	11	21	21	21
1-5 YRS	15	3.7	8	1	1	2	7	8	9	9
6-12 YRS	12	4.7	23	1	1	2	6	12	16	17
13-19 YRS	15	4.7	40	1	1	3	7	24	78	99+
TOTAL SINGLE DX	20	2.0	4	<1	1	1	2	4	6	9
TOTAL MULTIPLE DX	53	5.2	30	1	1	3	7	12	21	97
TOTAL										
0-27 DYS	3	1.0		<1	<1	1	1	1	1	1
1-11 MOS	11	8.7	43	3	5	7	10	21	21	21
1-5 YRS	22	3.4	8	<1	1	2	6	8	9	9
6-12 YRS	18	3.5	18	1	1	2	6	9	14	17
13-19 YRS	19	4.1	33	1	1	2	6	17	63	99+
GRAND TOTAL	**73**	**4.3**	**25**	**1**	**1**	**2**	**6**	**9**	**20**	**82**

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	7	2.6	3	<1	<1	2	4	6	6	6
13-19 YRS	7	5.4	21	2	2	4	12	74	99+	99+
TOTAL SINGLE DX	4	2.8	8	1	1	2	4	7	7	7
TOTAL MULTIPLE DX	16	4.6	15	<1	2	3	8	13	69	99+
TOTAL										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	9	2.9	5	<1	<1	2	4	7	7	7
13-19 YRS	9	4.6	19	1	2	3	11	56	99+	99+
GRAND TOTAL	**20**	**4.3**	**14**	**<1**	**2**	**3**	**7**	**12**	**52**	**99+**

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	24	5.1	27	1	2	3	6	13	18	19
1-11 MOS	33	3.7	16	1	1	2	4	10	12	19
1-5 YRS	45	3.6	12	1	1	3	4	8	10	20
6-12 YRS	37	5.3	14	1	2	5	9	11	12	13
13-19 YRS	26	4.5	17	1	2	3	6	10	15	16
2. MULTIPLE DX										
0-27 DYS	63	14.8	310	2	3	7	22	47	59	97
1-11 MOS	111	8.3	128	2	3	4	10	21	33	99+
1-5 YRS	192	8.5	70	1	3	7	11	18	27	39
6-12 YRS	183	10.3	71	3	5	8	13	20	26	59
13-19 YRS	172	9.5	84	3	4	7	12	19	26	54
TOTAL SINGLE DX	165	4.4	17	1	1	3	6	10	12	19
TOTAL MULTIPLE DX	721	9.7	107	2	3	7	12	21	31	67
TOTAL										
0-27 DYS	87	12.1	250	2	3	6	15	34	49	93
1-11 MOS	144	7.2	106	1	2	4	9	19	29	99+
1-5 YRS	237	7.6	63	1	2	5	10	16	25	38
6-12 YRS	220	9.5	66	2	4	8	12	17	24	51
13-19 YRS	198	8.9	79	2	3	6	11	18	25	53
GRAND TOTAL	**886**	**8.7**	**94**	**1**	**3**	**6**	**11**	**19**	**28**	**57**

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	17	1.2	1	<1	<1	<1	<1	<1	3	5
6-12 YRS	5	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	5	1.6	2	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	19	3.7	24	<1	<1	<1	6	8	15	21
6-12 YRS	9	2.1	2	<1	<1	<1	4	5	5	5
13-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
TOTAL SINGLE DX	27	1.3	1	<1	<1	<1	<1	1	4	5
TOTAL MULTIPLE DX	31	3.1	16	<1	<1	<1	4	7	8	21
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	36	2.6	15	<1	<1	<1	1	7	8	21
6-12 YRS	14	1.7	2	<1	<1	<1	1	4	5	5
13-19 YRS	7	1.7	2	<1	<1	1	3	4	4	4
GRAND TOTAL	58	2.2	10	<1	<1	<1	1	6	7	20

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	5.8	43	1	1	4	10	15	15	15
1-11 MOS	314	1.7	2	<1	1	1	2	3	5	8
1-5 YRS	938	2.3	4	<1	1	1	3	5	7	10
6-12 YRS	161	2.5	8	1	1	1	3	5	7	13
13-19 YRS	66	3.5	22	1	1	2	4	9	10	29
2. MULTIPLE DX										
0-27 DYS	20	8.8	19	2	5	9	12	15	15	15
1-11 MOS	110	3.8	35	1	1	2	4	9	11	34
1-5 YRS	469	3.7	15	1	1	2	5	9	11	18
6-12 YRS	150	4.6	25	1	1	3	6	11	15	25
13-19 YRS	74	6.1	54	1	1	4	9	13	17	45
TOTAL SINGLE DX	1483	2.2	6	<1	1	1	3	5	7	11
TOTAL MULTIPLE DX	823	4.2	24	1	1	2	6	10	13	22
TOTAL										
0-27 DYS	24	8.3	23	1	4	9	12	15	15	15
1-11 MOS	424	2.2	12	<1	1	1	2	5	7	15
1-5 YRS	1407	2.7	9	1	1	1	3	7	8	15
6-12 YRS	311	3.5	18	1	1	2	5	8	12	23
13-19 YRS	140	4.8	41	1	1	2	6	12	15	33
GRAND TOTAL	2306	2.9	13	1	1	1	3	7	9	17

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	13	2.1	2	<1	<1	1	3	4	6	6
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	8	2.0	2	<1	<1	1	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	3.7	31	<1	<1	1	3	14	15	15
1-5 YRS	17	1.8	2	<1	<1	1	2	4	6	7
6-12 YRS	25	2.8	4	<1	1	2	4	6	7	8
13-19 YRS	15	9.5	193	2	3	6	7	26	48	55
TOTAL SINGLE DX	27	1.9	2	<1	<1	1	2	4	5	6
TOTAL MULTIPLE DX	64	4.1	57	<1	1	2	5	7	10	51
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	3.3	27	<1	<1	1	3	13	15	15
1-5 YRS	30	1.9	3	<1	<1	1	2	4	6	7
6-12 YRS	30	2.5	4	<1	1	2	3	6	6	8
13-19 YRS	23	6.9	137	1	2	3	6	12	36	55
GRAND TOTAL	91	3.5	41	<1	<1	2	4	6	8	43

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	14	1.4		<1	<1	1	1	3	4	4
6-12 YRS	19	1.8	3	<1	1	1	2	4	7	8
13-19 YRS	20	1.7	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	5	8.6	16	3	6	8	12	13	13	13
1-5 YRS	33	3.7	18	<1	1	2	5	8	13	21
6-12 YRS	45	5.6	52	1	2	4	7	10	14	47
13-19 YRS	52	5.7	47	1	2	3	7	13	16	37
TOTAL SINGLE DX	54	1.6	2	<1	1	1	2	3	5	8
TOTAL MULTIPLE DX	137	5.2	41	1	1	3	7	12	14	38
TOTAL										
0-27 DYS	3	1.7	1	1	1	1	3	3	3	3
1-11 MOS	5	8.6	16	3	6	8	12	13	13	13
1-5 YRS	47	3.0	14	<1	1	1	4	7	10	21
6-12 YRS	64	4.5	41	1	1	3	6	9	12	43
13-19 YRS	72	4.6	38	1	1	3	5	10	14	36
GRAND TOTAL	191	4.2	33	1	1	2	5	9	[illegible]	35

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	5.7	12	2	3	6	8	9	9	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	6.0		6	6	6	6	6	6	6
6-12 YRS	4	23.8	228	5	11	27	36	36	36	36
13-19 YRS	2	23.0		23	23	23	23	23	23	23
TOTAL SINGLE DX	3	5.7	12	2	3	6	8	9	9	9
TOTAL MULTIPLE DX	9	17.7	162	5	6	18	26	36	36	36
TOTAL										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	6.0		6	6	6	6	6	6	6
6-12 YRS	4	23.8	228	5	11	27	36	36	36	36
13-19 YRS	5	12.6	96	2	5	9	23	23	23	23
GRAND TOTAL	12	14.7	150	4	6	8	23	36	36	36

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	4	4.0	10	1	1	3	6	8	8	8
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	3.3	11	<1	<1	2	5	8	8	8
13-19 YRS	8	4.1	1	3	3	4	5	6	6	6
TOTAL SINGLE DX	7	3.1	6	1	1	2	4	7	8	8
TOTAL MULTIPLE DX	15	3.5	4	1	3	3	4	6	7	8
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	8	3.6	9	<1	1	2	6	8	8	8
13-19 YRS	9	4.0	1	3	3	4	5	6	6	6
GRAND TOTAL	22	3.4	4	1	2	3	4	7	8	8

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	3.3	16	1	1	1	6	8	8	8
1-5 YRS	8	1.6	3	<1	1	1	1	5	6	6
6-12 YRS	4	1.0		1	1	1	1	1	1	1
13-19 YRS	37	3.2	2	1	2	3	4	6	6	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	9	6.0	13	3	3	4	9	12	12	12
1-5 YRS	13	3.5	14	1	1	1	5	10	12	13
6-12 YRS	10	2.3	3	<1	1	2	3	5	6	6
13-19 YRS	59	4.6	26	1	2	3	5	10	13	33
TOTAL SINGLE DX	53	2.9	4	1	1	2	4	6	6	8
TOTAL MULTIPLE DX	91	4.3	21	1	2	3	5	10	12	27
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	12	5.3	14	1	3	4	8	11	12	12
1-5 YRS	21	2.8	11	1	1	1	4	7	11	13
6-12 YRS	14	1.9	3	1	1	1	2	5	6	6
13-19 YRS	96	4.1	18	1	2	3	5	7	11	26
GRAND TOTAL	144	3.8	15	1	1	3	5	7	11	16

652: Ultrasonic lithotripsy of urinary calculus, except by percutaneous nephrostomy (59.95-59.96; 98.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	1.7	2	1	1	1	2	4	5	5
6-12 YRS	7	1.1		1	1	1	1	2	2	2
13-19 YRS	21	2.5	10	<1	1	1	2	7	11	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	1.8		1	1	2	2	3	3	3
6-12 YRS	10	3.3	15	<1	1	1	6	10	12	12
13-19 YRS	15	2.5	5	1	1	1	3	8	8	8
TOTAL SINGLE DX	35	2.1	7	1	1	1	2	4	9	13
TOTAL MULTIPLE DX	30	2.7	8	1	1	1	3	8	8	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	12	1.8	1	1	1	1	2	4	5	[illegible]
6-12 YRS	17	2.4	10	1	1	1	2	8	11	[illegible]
13-19 YRS	36	2.5	8	1	1	1	3	7	9	13
GRAND TOTAL	65	2.4	7	1	1	1	2	6	9	13

653: Miscellaneous operations on urinary tract (59.0-59.21; 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	6	3.3	10	<1	1	2	4	9	9	9
13-19 YRS	4	3.3	7	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	8.0	43	2	3	7	13	15	15	15
6-12 YRS	6	7.5	26	3	4	6	9	16	17	17
13-19 YRS	1	7.0		7	7	7	7	7	7	7
TOTAL SINGLE DX	11	3.1	8	<1	1	1	5	7	9	9
TOTAL MULTIPLE DX	10	7.6	24	2	4	7	9	16	17	17
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	8.0	43	2	3	7	13	15	15	15
6-12 YRS	12	5.4	21	1	2	4	8	12	16	17
13-19 YRS	5	4.0	8	1	1	5	6	7	7	7
GRAND TOTAL	**21**	**5.2**	**20**	**1**	**1**	**4**	**7**	**12**	**16**	**17**

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	5.0	21	1	2	4	8	10	10	10
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	6.0	28	3	3	4	9	14	14	14
TOTAL SINGLE DX	4	1.8	1	1	1	2	2	3	3	3
TOTAL MULTIPLE DX	10	7.0	45	1	3	4	10	18	22	22
TOTAL										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	5.0	21	1	2	4	8	10	10	10
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	7	4.3	19	1	2	3	4	12	14	14
GRAND TOTAL	**14**	**5.5**	**38**	**1**	**1**	**3**	**8**	**15**	**20**	**22**

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	6	2.7	2	1	2	2	4	5	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	21.0		21	21	21	21	21	21	21
13-19 YRS	3	3.7	6	1	2	4	5	6	6	6
TOTAL SINGLE DX	7	3.3	5	1	2	2	5	7	7	7
TOTAL MULTIPLE DX	4	8.0	79	1	2	5	13	21	21	21
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	14.0	98	7	7	14	21	21	21	21
13-19 YRS	9	3.0	3	1	2	2	4	6	6	6
GRAND TOTAL	**11**	**5.0**	**32**	**1**	**2**	**4**	**6**	**13**	**20**	**21**

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	13.3	52	5	8	17	18	18	18	18
1-5 YRS	2	14.0	242	3	3	14	25	25	25	25
6-12 YRS	3	5.7	30	2	2	3	10	12	12	12
13-19 YRS	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	4	2.3	4	1	1	2	3	5	5	5
TOTAL MULTIPLE DX	9	9.6	76	1	3	5	17	22	25	25
TOTAL										
0-27 DYS	0									
1-11 MOS	4	10.3	73	1	3	11	17	18	18	18
1-5 YRS	3	10.0	169	2	2	3	19	25	25	25
6-12 YRS	4	4.5	26	1	1	2	7	12	12	12
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
GRAND TOTAL	13	7.3	64	1	2	3	13	19	24	25

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	1.0		<1	<1	1	1	1	1	1
1-11 MOS	30	1.7	1	<1	1	1	3	4	4	5
1-5 YRS	45	1.4	2	<1	1	1	1	2	3	12
6-12 YRS	61	1.2		<1	1	1	1	2	3	5
13-19 YRS	57	1.7	1	<1	1	1	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	4	21.0	611	1	1	15	40	53	53	53
1-11 MOS	24	2.5	7	<1	1	1	3	8	9	10
1-5 YRS	43	2.6	15	<1	1	1	2	7	12	20
6-12 YRS	29	1.9	2	<1	1	1	3	3	4	8
13-19 YRS	47	2.5	3	1	1	2	4	5	8	9
TOTAL SINGLE DX	196	1.5	2	<1	1	1	1	3	4	8
TOTAL MULTIPLE DX	147	2.9	29	<1	1	1	3	5	9	29
TOTAL										
0-27 DYS	7	12.4	420	<1	1	1	21	48	53	53
1-11 MOS	54	2.1	4	<1	1	1	3	5	7	10
1-5 YRS	88	2.0	9	<1	1	1	1	3	8	18
6-12 YRS	90	1.5	1	<1	1	1	1	3	3	7
13-19 YRS	104	2.1	3	1	1	1	3	4	5	9
GRAND TOTAL	343	2.1	14	<1	1	1	2	4	6	15

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	7	3.4	36	<1	<1	1	2	14	17	17
1-11 MOS	11	1.5	1	<1	1	1	1	4	5	5
1-5 YRS	45	1.4	1	<1	<1	1	1	2	3	7
6-12 YRS	56	1.5	2	<1	1	1	2	2	3	11
13-19 YRS	132	1.9	1	1	1	1	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	19	3.9	19	1	1	1	7	12	13	13
1-11 MOS	17	2.4	16	<1	1	1	2	3	13	18
1-5 YRS	46	1.7	4	<1	1	1	1	2	7	11
6-12 YRS	43	2.3	9	<1	1	1	2	5	9	17
13-19 YRS	147	2.6	10	1	1	2	3	5	9	20
TOTAL SINGLE DX	251	1.8	3	<1	1	1	2	3	4	8
TOTAL MULTIPLE DX	272	2.5	10	1	1	1	2	5	10	18
TOTAL										
0-27 DYS	26	3.8	23	<1	1	1	6	12	14	17
1-11 MOS	28	2.1	11	<1	1	1	2	3	6	18
1-5 YRS	91	1.6	3	<1	<1	1	1	2	3	11
6-12 YRS	99	1.9	5	<1	1	1	2	3	6	14
13-19 YRS	279	2.3	6	1	1	1	3	4	6	11
GRAND TOTAL	523	2.1	7	<1	1	1	2	4	7	14

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	19	1.1		<1	<1	1	1	1	2	2
1-5 YRS	290	1.2		<1	<1	1	1	2	3	5
6-12 YRS	360	1.2		<1	<1	1	1	2	2	4
13-19 YRS	419	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX										
0-27 DYS	3	25.3	1704	1	1	2	55	73	73	73
1-11 MOS	39	4.7	172	<1	1	1	3	4	29	71
1-5 YRS	345	1.6	13	<1	1	1	1	2	3	7
6-12 YRS	223	1.5	1	<1	1	1	2	3	4	6
13-19 YRS	121	1.7	1	1	1	1	2	3	5	7
TOTAL SINGLE DX	1089	1.3		<1	1	1	1	2	3	4
TOTAL MULTIPLE DX	731	1.9	24	<1	1	1	2	3	4	8
TOTAL										
0-27 DYS	4	19.3	1284	1	1	2	37	73	73	73
1-11 MOS	58	3.5	118	<1	1	1	2	4	6	69
1-5 YRS	635	1.5	8	<1	<1	1	1	2	3	5
6-12 YRS	583	1.3	1	<1	1	1	1	2	3	5
13-19 YRS	540	1.4	1	<1	1	1	2	2	3	5
GRAND TOTAL	1820	1.5	10	<1	1	1	1	2	3	5

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	38	1.3		<1	1	1	1	2	3	5
6-12 YRS	173	1.4	3	<1	1	1	1	2	3	6
13-19 YRS	72	1.5	1	<1	1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	4	2.0	2	<1	<1	1	3	4	4	4
1-5 YRS	17	2.8	11	1	1	1	3	5	12	15
6-12 YRS	67	1.5	1	<1	1	1	2	3	3	7
13-19 YRS	29	2.2	2	<1	1	2	3	4	5	6
TOTAL SINGLE DX	285	1.4	3	<1	1	1	1	2	3	6
TOTAL MULTIPLE DX	119	1.9	3	<1	1	1	2	4	5	10
TOTAL										
0-27 DYS	3	3.0	12	<1	<1	1	5	7	7	7
1-11 MOS	5	1.8	2	<1	1	1	2	4	4	4
1-5 YRS	55	1.7	4	<1	1	1	2	3	5	15
6-12 YRS	240	1.4	3	<1	1	1	1	2	3	6
13-19 YRS	101	1.7	2	<1	1	1	2	4	5	7
GRAND TOTAL	404	1.5	3	<1	1	1	1	3	4	7

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	1	1.0		<1	<1	<1	<1	<1	<1	<1

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	13	1.1		<1	1	1	1	2	2	2
6-12 YRS	36	1.1		<1	1	1	1	1	2	2
13-19 YRS	39	1.6	1	<1	1	1	1	3	5	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	3.2	9	<1	1	2	6	8	8	8
6-12 YRS	13	1.2		<1	<1	1	1	2	3	3
13-19 YRS	13	3.3	15	1	1	2	4	8	14	15
TOTAL SINGLE DX	90	1.3	1	<1	1	1	1	2	3	6
TOTAL MULTIPLE DX	32	2.4	9	<1	1	1	2	6	8	15
TOTAL										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	19	1.7	4	<1	1	1	1	4	7	8
6-12 YRS	49	1.1		<1	1	1	1	2	2	3
13-19 YRS	52	2.0	5	<1	1	1	2	4	6	15
GRAND TOTAL	122	1.6	3	<1	1	1	1	3	5	10

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	109	1.6	5	<1	<1	<1	1	1	6	13
1-5 YRS	243	1.0		<1	<1	<1	<1	1	1	2
6-12 YRS	66	1.0		<1	<1	<1	<1	1	1	2
13-19 YRS	14	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	100	11.0	130	<1	1	8	18	25	33	48
1-5 YRS	92	1.8	4	<1	<1	1	2	4	7	11
6-12 YRS	25	1.2	1	<1	<1	1	1	1	3	6
13-19 YRS	17	1.2		<1	1	1	1	2	3	3
TOTAL SINGLE DX	432	1.2	1	<1	<1	<1	<1	1	1	9
TOTAL MULTIPLE DX	234	5.6	79	<1	<1	1	7	18	24	46
TOTAL										
0-27 DYS	0									
1-11 MOS	209	6.1	87	<1	<1	1	9	19	25	47
1-5 YRS	335	1.2	1	<1	<1	<1	1	1	2	8
6-12 YRS	91	1.1		<1	<1	<1	1	1	1	4
13-19 YRS	31	1.1		<1	<1	1	1	2	2	3
GRAND TOTAL	666	2.7	33	<1	<1	<1	1	6	14	29

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	2	2.5	5	1	1	2	4	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
GRAND TOTAL	2	2.5	5	1	1	2	4	4	4	4

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	22	1.6	1	<1	1	1	1	3	5	6
1-5 YRS	80	1.8	2	<1	1	1	2	4	5	7
6-12 YRS	18	2.0	2	<1	1	1	2	5	6	7
13-19 YRS	21	2.0	2	<1	1	1	2	5	5	5
2. MULTIPLE DX										
0-27 DYS	6	5.0	36	1	2	3	5	16	17	17
1-11 MOS	25	1.4		1	1	1	1	3	4	5
1-5 YRS	64	4.2	86	<1	1	2	4	10	13	64
6-12 YRS	25	4.5	35	1	1	2	4	14	21	22
13-19 YRS	62	4.2	19	2	2	2	5	10	13	24
TOTAL SINGLE DX	141	1.8	2	<1	1	1	2	4	5	7
TOTAL MULTIPLE DX	182	3.9	44	1	1	2	4	9	14	24
TOTAL										
0-27 DYS	6	5.0	36	1	2	3	5	16	17	17
1-11 MOS	47	1.5	1	<1	1	1	1	3	4	6
1-5 YRS	144	2.9	41	<1	1	1	3	5	9	19
6-12 YRS	43	3.4	23	<1	1	2	3	8	16	22
13-19 YRS	83	3.6	16	1	2	2	4	6	12	23
GRAND TOTAL	323	3.0	26	<1	1	2	3	5	10	21

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	3.5	3	1	2	4	5	5	5	5
1-11 MOS	6	2.2		1	2	2	3	3	3	3
1-5 YRS	3	4.0	1	3	3	4	5	5	5	5
6-12 YRS	34	3.7	2	2	3	4	4	6	6	9
13-19 YRS	378	3.5	2	2	3	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	4.0	13	1	1	3	7	8	8	8
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	17	5.4	10	3	3	4	6	11	13	14
13-19 YRS	474	4.2	7	2	3	4	5	6	8	12
TOTAL SINGLE DX	425	3.5	3	2	3	3	4	5	6	8
TOTAL MULTIPLE DX	496	4.2	8	2	3	4	5	6	8	13
TOTAL										
0-27 DYS	5	4.0	4	1	2	5	5	6	6	6
1-11 MOS	9	2.8	4	1	2	2	3	6	8	8
1-5 YRS	4	4.3	1	3	3	4	5	5	5	5
6-12 YRS	51	4.3	6	2	3	4	5	6	9	14
13-19 YRS	852	3.9	6	2	3	3	4	6	7	12
GRAND TOTAL	921	3.9	6	2	3	4	4	6	7	12

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	3.3		2	3	3	4	4	4	4
1-11 MOS	9	2.2	2	1	1	2	3	5	5	5
1-5 YRS	13	3.8	2	2	3	4	5	6	7	7
6-12 YRS	43	4.5	3	3	3	4	5	6	9	12
13-19 YRS	184	4.2	2	3	3	4	5	6	7	10
2. MULTIPLE DX										
0-27 DYS	5	3.6	7	1	2	3	5	8	8	8
1-11 MOS	17	3.1	1	2	2	3	4	4	5	5
1-5 YRS	12	5.0	6	3	3	4	6	9	10	10
6-12 YRS	47	5.3	10	3	3	4	6	11	12	19
13-19 YRS	317	4.9	6	3	3	4	5	8	10	16
TOTAL SINGLE DX	255	4.1	3	2	3	4	5	6	7	11
TOTAL MULTIPLE DX	398	4.9	7	3	3	4	5	8	10	16
TOTAL										
0-27 DYS	11	3.5	3	1	2	3	4	6	8	8
1-11 MOS	26	2.8	2	1	2	3	4	4	5	5
1-5 YRS	25	4.4	4	2	3	4	5	7	9	10
6-12 YRS	90	4.9	8	3	3	4	5	7	11	17
13-19 YRS	501	4.7	5	3	3	4	5	7	9	15
GRAND TOTAL	653	4.6	6	3	3	4	5	7	9	15

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	3	5.0	4	3	3	5	6	7	7	7
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	7	4.0	2	2	3	4	4	6	7	7
TOTAL SINGLE DX	5	3.8	5	2	2	3	5	7	7	7
TOTAL MULTIPLE DX	10	4.3	2	2	4	4	4	7	7	7
TOTAL										
0-27 DYS	1	4.0	-	4	4	4	4	4	4	4
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	3.7	8	2	2	2	6	7	7	7
13-19 YRS	10	4.3	3	2	3	4	5	7	7	7
GRAND TOTAL	15	4.1	3	2	3	4	5	7	7	7

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	94	2.5	4	1	1	2	3	4	5	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	6.3	24	3	3	4	10	12	12	12
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	7	2.6	2	<1	1	3	3	5	5	5
13-19 YRS	135	3.8	6	1	2	3	5	6	8	17
TOTAL SINGLE DX	99	2.6	4	1	1	2	3	4	5	13
TOTAL MULTIPLE DX	146	3.8	7	1	2	3	5	6	8	16
TOTAL										
0-27 DYS	0									
1-11 MOS	3	6.3	24	3	3	4	10	12	12	12
1-5 YRS	3	3.3	1	2	2	4	4	4	4	4
6-12 YRS	10	2.6	2	<1	2	2	3	4	5	5
13-19 YRS	229	3.3	6	1	1	3	4	6	7	16
GRAND TOTAL	245	3.3	6	1	1	3	4	6	7	16

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	2.6	2	1	2	2	3	5	6	6
TOTAL SINGLE DX	2	2.0	2	<1	<1	1	3	3	3	3
TOTAL MULTIPLE DX	8	2.6	2	1	2	2	3	5	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	2.5	2	<1	2	2	3	5	6	6
GRAND TOTAL	10	2.5	2	<1	2	2	3	5	6	6

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	2.8	2	1	2	3	4	5	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	30	3.0	6	1	2	2	3	5	11	11
TOTAL SINGLE DX	8	2.8	2	1	2	3	4	5	5	5
TOTAL MULTIPLE DX	30	3.0	6	1	2	2	3	5	11	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	38	2.9	5	1	2	2	3	5	9	11
GRAND TOTAL	38	2.9	5	1	2	2	3	5	9	11

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	255	3.2	1	2	3	3	4	5	5	7
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	4.5	3	3	3	4	6	7	7	7
13-19 YRS	343	3.9	3	2	3	4	4	6	7	9
TOTAL SINGLE DX	259	3.2	1	2	3	3	4	5	5	7
TOTAL MULTIPLE DX	348	3.9	3	2	3	4	4	6	7	9
TOTAL										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	7	4.0	2	3	3	3	5	7	7	7
13-19 YRS	598	3.6	2	2	3	3	4	5	6	9
GRAND TOTAL	607	3.6	3	2	3	3	4	5	6	9

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	1.8	1	<1	<1	1	3	4	4	4
TOTAL SINGLE DX	10	1.5	1	<1	<1	1	2	3	3	3
TOTAL MULTIPLE DX	6	1.8	2	<1	<1	1	3	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	1.6	1	<1	<1	1	2	3	4	4
GRAND TOTAL	16	1.6	1	<1	<1	1	2	3	4	4

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	23	1.0		<1	<1	<1	<1	1	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	19	2.6	22	<1	<1	1	2	4	14	22
TOTAL SINGLE DX	24	1.1		<1	<1	<1	1	1	2	2
TOTAL MULTIPLE DX	22	2.7	21	<1	<1	1	2	6	13	22
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	42	1.8	11	<1	<1	<1	1	2	3	22
GRAND TOTAL	46	1.8	10	<1	<1	<1	1	2	5	22

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	47	2.0	1	1	1	2	2	3	5	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	32	3.3	5	1	1	3	5	6	8	10
TOTAL SINGLE DX	47	2.0	2	1	1	2	2	3	5	6
TOTAL MULTIPLE DX	32	3.3	5	1	1	3	5	6	8	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	79	2.5	4	1	1	2	3	5	6	9
GRAND TOTAL	**79**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	2.7	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	0									
13-19 YRS	33	3.3	4	1	1	3	4	6	8	9
TOTAL SINGLE DX	10	2.7	3	1	1	3	4	5	5	5
TOTAL MULTIPLE DX	36	3.4	5	1	1	3	5	7	8	9
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	0									
13-19 YRS	43	3.1	4	1	1	3	4	6	7	9
GRAND TOTAL	**46**	**3.3**	**5**	**1**	**1**	**3**	**5**	**6**	**8**	**9**

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	0									
6-12 YRS	2	7.0	18	4	4	7	10	10	10	10
13-19 YRS	6	5.2	3	3	4	5	7	8	8	8
2. MULTIPLE DX										
0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	15	5.0	9	4	4	4	5	6	13	16
1-5 YRS	3	4.3		4	4	4	5	5	5	5
6-12 YRS	3	5.3	6	3	3	5	7	8	8	8
13-19 YRS	49	5.1	9	3	4	4	5	8	13	17
TOTAL SINGLE DX	10	5.4	5	3	4	5	7	9	10	10
TOTAL MULTIPLE DX	72	5.1	9	3	4	4	5	8	13	17
TOTAL										
0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	17	4.9	9	3	4	4	5	6	13	16
1-5 YRS	3	4.3		4	4	4	5	5	5	5
6-12 YRS	5	6.0	9	3	4	5	8	10	10	10
13-19 YRS	55	5.1	8	3	4	4	5	8	13	17
GRAND TOTAL	**82**	**5.1**	**8**	**3**	**4**	**4**	**5**	**8**	**12**	**17**

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	3.2		2	3	3	4	4	4	4
TOTAL SINGLE DX	5	3.6	2	2	2	4	5	5	5	5
TOTAL MULTIPLE DX	8	3.3	1	2	3	3	4	4	4	4
TOTAL										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	8	3.3	1	2	2	3	4	5	5	5
GRAND TOTAL	**13**	**3.4**	**1**	**2**	**3**	**3**	**4**	**5**	**5**	**5**

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	1	5.0		5	5	5	5	5	5	5
TOTAL SINGLE DX	1	7.0		7	7	7	7	7	7	7
TOTAL MULTIPLE DX	3	7.3	10	5	5	6	10	11	11	11
TOTAL										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**4**	**7.3**	**7**	**5**	**5**	**6**	**9**	**11**	**11**	**11**

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	71	1.3		<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	54	4.4	35	<1	1	3	5	9	17	36
TOTAL SINGLE DX	71	1.3	1	<1	<1	<1	1	2	3	5
TOTAL MULTIPLE DX	54	4.4	35	<1	1	3	5	9	17	36
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	125	2.6	18	<1	<1	1	3	5	8	24
GRAND TOTAL	**125**	**2.6**	**18**	**<1**	**<1**	**1**	**3**	**5**	**8**	**24**

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1490	1.3		<1	<1	1	1	2	3	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	3.1	2	1	2	3	4	5	5	5
13-19 YRS	782	2.5	8	1	1	2	3	5	6	13
TOTAL SINGLE DX	1492	1.3	1	<1	<1	1	1	2	3	6
TOTAL MULTIPLE DX	790	2.5	8	1	1	2	3	5	6	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	10	2.7	2	<1	1	3	4	5	5	5
13-19 YRS	2272	1.8	4	<1	1	1	2	3	5	9
GRAND TOTAL	**2282**	**1.8**	**4**	**<1**	**1**	**1**	**2**	**3**	**5**	**9**

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	103	1.5	12	<1	<1	<1	<1	1	2	21
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	47	3.7	47	<1	<1	1	4	6	11	44
TOTAL SINGLE DX	103	1.5	13	<1	<1	<1	<1	1	2	21
TOTAL MULTIPLE DX	48	3.7	46	<1	<1	1	4	6	11	44
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	150	2.2	24	<1	<1	<1	1	4	6	37
GRAND TOTAL	**151**	**2.2**	**24**	**<1**	**<1**	**<1**	**1**	**4**	**6**	**37**

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	412	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	163	3.3	53	1	1	2	4	6	10	78
TOTAL SINGLE DX	414	1.3	1	<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	163	3.3	54	1	1	2	4	6	10	78
TOTAL										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	575	1.9	16	<1	1	1	2	3	4	13
GRAND TOTAL	**577**	**1.9**	**17**	**<1**	**1**	**1**	**2**	**3**	**4**	**15**

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	3.8		3	3	4	4	5	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	4.3	4	2	3	4	5	8	8	8
TOTAL SINGLE DX	5	3.8	1	3	3	4	4	5	5	5
TOTAL MULTIPLE DX	6	4.3	4	2	3	4	5	8	8	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	4.1	3	2	3	4	5	6	8	8
GRAND TOTAL	**11**	**4.1**	**3**	**2**	**3**	**4**	**5**	**6**	**8**	**8**

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	3	2.3	2	1	1	2	3	4	4	4
13-19 YRS	32	1.9	2	<1	1	1	2	4	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	80	3.1	3	<1	1	3	4	6	7	8
TOTAL SINGLE DX	36	1.9	2	<1	1	1	3	4	6	6
TOTAL MULTIPLE DX	83	3.1	4	<1	1	3	4	6	7	8
TOTAL										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	4	2.0	2	<1	<1	1	3	4	4	4
13-19 YRS	112	2.8	4	<1	1	2	4	5	7	8
GRAND TOTAL	**119**	**2.7**	**4**	**<1**	**1**	**2**	**4**	**5**	**7**	**8**

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	1	5.0		5	5	5	5	5	5	5
TOTAL SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL MULTIPLE DX	4	3.5	4	1	2	4	5	5	5	5
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**5**	**3.0**	**4**	**<1**	**1**	**3**	**5**	**5**	**5**	**5**

689: Other colporrhaphy (70.6-7[illegible])

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	21	2.7	5	1	1	2	4	5	8	11
6-12 YRS	20	2.6	7	<1	1	1	3	7	9	10
13-19 YRS	54	2.3	4	<1	1	1	3	5	8	11
2. MULTIPLE DX										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	11	5.0	6	2	3	5	7	8	9	9
1-5 YRS	20	5.5	16	1	2	4	8	11	13	14
6-12 YRS	26	4.2	19	1	1	2	5	11	15	18
13-19 YRS	59	4.1	33	1	1	2	5	9	12	38
TOTAL SINGLE DX	97	2.5	5	<1	1	1	3	5	8	11
TOTAL MULTIPLE DX	117	4.6	27	1	1	3	6	10	13	27
TOTAL										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	13	4.9	6	2	3	5	7	8	9	9
1-5 YRS	41	4.0	13	1	1	3	5	10	12	14
6-12 YRS	46	3.5	15	<1	1	2	5	9	12	18
13-19 YRS	113	3.3	20	<1	1	2	4	7	10	26
GRAND TOTAL	214	3.6	18	1	1	2	5	8	11	19

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	6.2	122	<1	<1	<1	8	26	26	26
1-5 YRS	16	2.8	12	<1	<1	1	2	9	12	13
6-12 YRS	11	2.4	4	<1	1	1	3	6	8	8
13-19 YRS	65	2.7	6	<1	1	2	3	6	8	12
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	9.0	88	1	1	8	17	19	19	19
1-5 YRS	9	10.8	156	<1	1	4	24	30	30	30
6-12 YRS	25	4.9	32	1	1	3	6	16	19	22
13-19 YRS	145	3.9	13	1	1	3	4	8	11	17
TOTAL SINGLE DX	98	2.9	12	<1	<1	2	3	6	10	20
TOTAL MULTIPLE DX	183	4.5	26	1	1	3	5	10	15	30
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	9	7.4	97	<1	<1	1	16	23	26	26
1-5 YRS	25	5.7	75	<1	<1	2	5	22	29	30
6-12 YRS	36	4.1	25	1	1	2	4	10	17	22
13-19 YRS	210	3.5	12	<1	1	3	4	7	10	15
GRAND TOTAL	281	3.9	22	<1	1	2	4	8	13	28

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	10	1.9	1	<1	1	2	2	3	4	4
1-5 YRS	33	2.9	13	<1	<1	1	3	8	14	15
6-12 YRS	13	1.7		<1	<1	1	2	3	4	4
13-19 YRS	72	2.1	3	<1	1	2	2	4	6	11
2. MULTIPLE DX										
0-27 DYS	3	4.3	6	2	2	4	6	7	7	7
1-11 MOS	7	2.7	2	1	1	2	4	5	5	5
1-5 YRS	23	3.9	5	1	2	3	4	8	9	9
6-12 YRS	13	7.3	117	1	2	4	5	25	36	39
13-19 YRS	97	4.0	56	1	1	2	4	6	10	80
TOTAL SINGLE DX	128	2.3	6	<1	1	2	2	4	8	15
TOTAL MULTIPLE DX	143	4.2	50	1	2	3	4	7	10	60
TOTAL										
0-27 DYS	3	4.3	6	2	2	4	6	7	7	7
1-11 MOS	17	2.2	2	1	1	2	3	4	5	5
1-5 YRS	56	3.3	10	<1	1	2	4	8	9	15
6-12 YRS	26	4.5	65	<1	1	2	4	6	25	39
13-19 YRS	169	3.2	34	<1	1	2	3	5	8	55
GRAND TOTAL	271	3.3	30	<1	1	2	3	6	9	43

692: Vulvectomy (71.5-7[illegible])

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	1.8	1	1	1	2	2	3	3	3
TOTAL SINGLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL MULTIPLE DX	4	1.8	1	1	1	2	2	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	1.8	1	1	1	2	2	3	3	3
GRAND TOTAL	5	1.8	1	1	1	2	2	3	3	3

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	1.3		<1	<1	<1	2	2	2	2
1-5 YRS	31	1.7	2	<1	1	1	2	3	4	8
6-12 YRS	51	1.3		<1	1	1	1	2	3	6
13-19 YRS	6	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	4.0	13	1	1	3	7	8	8	8
1-5 YRS	16	3.3	13	<1	1	2	3	9	12	13
6-12 YRS	29	2.2	4	1	1	1	3	5	6	10
13-19 YRS	14	3.6	6	1	2	3	5	8	10	10
TOTAL SINGLE DX	91	1.5	1	<1	1	1	2	2	3	7
TOTAL MULTIPLE DX	62	2.9	8	1	1	2	4	8	9	13
TOTAL										
0-27 DYS	0									
1-11 MOS	6	2.7	7	<1	<1	1	3	7	8	8
1-5 YRS	47	2.2	6	<1	1	1	2	4	9	13
6-12 YRS	80	1.7	2	<1	1	1	2	3	5	9
13-19 YRS	20	3.0	6	1	1	2	4	7	9	10
GRAND TOTAL	153	2.1	4	<1	1	1	2	4	7	10

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	8	1.1		<1	<1	<1	1	2	2	2
6-12 YRS	7	2.0	1	<1	1	1	3	4	4	4
13-19 YRS	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	8.0	43	<1	2	9	13	14	14	14
1-5 YRS	6	4.3	11	<1	<1	4	5	10	10	10
6-12 YRS	14	5.3	57	<1	<1	2	6	19	24	26
13-19 YRS	7	3.6	27	<1	1	1	10	74	99+	99+
TOTAL SINGLE DX	21	1.5	1	<1	<1	1	2	3	4	4
TOTAL MULTIPLE DX	30	5.0	38	<1	<1	2	7	16	26	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	6	4.7	31	<1	<1	1	9	13	14	14
1-5 YRS	14	2.5	7	<1	<1	1	4	6	9	10
6-12 YRS	21	4.2	40	<1	<1	1	4	12	22	26
13-19 YRS	10	2.9	20	<1	1	1	4	49	96	99+
GRAND TOTAL	51	3.5	25	<1	<1	1	4	11	18	98

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	1554	2.3		1	2	2	3	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	2596	2.7	3	2	2	2	3	4	4	9
TOTAL SINGLE DX	1556	2.3	1	1	2	2	3	3	3	4
TOTAL MULTIPLE DX	2597	2.7	3	2	2	2	3	4	4	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	4.7	14	2	2	3	7	9	9	9
13-19 YRS	4150	2.5	2	1	2	2	3	4	4	7
GRAND TOTAL	4153	2.5	2	1	2	2	3	4	4	7

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	18	2.3		1	2	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	105	2.9	23	1	1	2	3	5	6	30
TOTAL SINGLE DX	18	2.3	1	1	2	2	3	3	4	5
TOTAL MULTIPLE DX	105	2.9	23	1	1	2	3	5	6	30
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	123	2.8	20	1	1	2	3	4	6	25
GRAND TOTAL	123	2.8	20	1	1	2	3	4	6	25

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1381	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	2251	2.4	1	1	2	2	3	3	4	7
TOTAL SINGLE DX	1382	2.1	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	2253	2.4	1	1	2	2	3	3	4	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.0		3	3	3	3	3	3	3
13-19 YRS	3632	2.3	1	1	2	2	3	3	4	6
GRAND TOTAL	3635	2.3	1	1	2	2	3	3	4	6

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	11	2.2		1	2	2	3	3	3	3
13-19 YRS	25879	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	10	4.3	35	1	2	3	3	12	21	21
13-19 YRS	14818	2.6	3	1	2	2	3	4	5	10
TOTAL SINGLE DX	25890	2.0	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	14828	2.6	4	1	2	2	3	4	5	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	21	3.2	17	1	2	2	3	4	12	21
13-19 YRS	40697	2.2	2	1	2	2	3	3	4	7
GRAND TOTAL	40718	2.2	2	1	2	2	3	3	4	7

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2584	4.0	1	3	3	4	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	9773	5.1	8	3	4	4	5	7	9	16
TOTAL SINGLE DX	2585	4.0	1	3	3	4	4	5	6	8
TOTAL MULTIPLE DX	9775	5.1	9	3	4	4	5	7	9	16
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.7	1	3	3	3	5	5	5	5
13-19 YRS	12357	4.8	7	3	4	4	5	7	9	14
GRAND TOTAL	12360	4.8	7	3	4	4	5	7	9	14

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	92	3.9	1	3	3	4	4	5	6	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	302	5.6	16	3	4	5	6	8	11	25
TOTAL SINGLE DX	92	3.9	1	3	3	4	4	5	6	7
TOTAL MULTIPLE DX	302	5.6	17	3	4	5	6	8	11	25
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	394	5.2	13	3	4	4	5	7	10	22
GRAND TOTAL	394	5.2	13	3	4	4	5	7	10	22

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	31	2.5	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	38	4.0	4	2	3	4	4	6	9	12
TOTAL SINGLE DX	31	2.5	1	1	1	3	3	4	4	5
TOTAL MULTIPLE DX	38	4.0	4	2	3	4	4	6	9	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	69	3.3	3	1	2	3	4	5	6	11
GRAND TOTAL	69	3.3	3	1	2	3	4	5	6	11

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	163	1.5	2	1	1	1	2	2	2	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	36	1.9	2	1	1	2	2	4	5	9
TOTAL SINGLE DX	164	1.5	3	1	1	1	2	2	2	4
TOTAL MULTIPLE DX	36	1.9	2	1	1	2	2	4	5	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	199	1.6	3	1	1	1	2	2	3	7
GRAND TOTAL	200	1.6	3	1	1	1	2	2	3	7

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	120	3.7	28	1	1	2	4	7	9	30
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	222	5.1	32	1	2	3	6	10	15	32
TOTAL SINGLE DX	121	3.7	28	1	1	2	4	7	9	30
TOTAL MULTIPLE DX	222	5.1	33	1	2	3	6	10	15	32
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	342	4.6	32	1	2	3	6	9	13	31
GRAND TOTAL	343	4.6	32	1	2	3	6	9	13	31

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2731	1.7	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1654	2.4	7	<1	1	2	3	4	5	14
TOTAL SINGLE DX	2732	1.7	1	<1	1	1	2	3	3	5
TOTAL MULTIPLE DX	1654	2.4	7	<1	1	2	3	4	5	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	4385	2.0	4	<1	1	2	2	3	4	8
GRAND TOTAL	4386	2.0	4	<1	1	2	2	3	4	8

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4570	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	2.4	1	1	2	2	3	4	4	4
13-19 YRS	5675	2.3	1	1	2	2	3	3	4	7
TOTAL SINGLE DX	4571	1.9	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	5682	2.3	2	1	2	2	3	3	4	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	2.5	1	1	2	2	3	4	4	4
13-19 YRS	10245	2.1	2	1	2	2	2	3	4	6
GRAND TOTAL	**10253**	**2.1**	**2**	**1**	**2**	**2**	**2**	**3**	**4**	**6**

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	20	3.0	15	<1	1	1	4	6	12	18
6-12 YRS	19	2.3	3	<1	1	1	3	6	7	7
13-19 YRS	31	2.5	5	1	1	2	3	7	7	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	50.5	2245	17	17	50	84	84	84	84
1-5 YRS	6	11.7	126	1	2	8	20	29	30	30
6-12 YRS	17	5.4	61	1	1	3	5	20	26	28
13-19 YRS	49	4.0	21	1	1	3	4	10	15	26
TOTAL SINGLE DX	71	2.6	8	1	1	1	4	6	7	16
TOTAL MULTIPLE DX	74	6.2	127	1	1	3	5	15	25	71
TOTAL										
0-27 DYS	0									
1-11 MOS	3	35.7	1782	6	9	17	67	84	84	84
1-5 YRS	26	5.0	51	1	1	2	5	17	22	30
6-12 YRS	36	3.8	33	1	1	2	4	7	18	28
13-19 YRS	80	3.4	16	1	1	2	4	8	11	23
GRAND TOTAL	**145**	**4.5**	**71**	**1**	**1**	**2**	**4**	**9**	**17**	**33**

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	3.9	4	1	2	4	5	7	7	7
1-5 YRS	13	4.5	4	2	3	4	7	7	8	8
6-12 YRS	27	2.9	3	1	1	2	4	6	17	99+
13-19 YRS	821	2.3	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	8	4.1	3	2	3	4	5	7	8	8
1-5 YRS	24	11.8	182	4	5	7	12	21	49	62
6-12 YRS	53	5.7	41	1	2	4	7	9	19	35
13-19 YRS	927	2.6	2	1	2	2	3	4	5	9
TOTAL SINGLE DX	869	2.3	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1012	3.0	11	1	2	2	3	5	7	15
TOTAL										
0-27 DYS	0									
1-11 MOS	16	4.0	4	2	2	4	5	7	8	8
1-5 YRS	37	9.3	130	3	4	6	9	15	35	62
6-12 YRS	80	4.8	31	1	2	3	6	8	17	80
13-19 YRS	1748	2.4	2	1	2	2	3	4	5	8
GRAND TOTAL	**1881**	**2.7**	**7**	**1**	**2**	**2**	**3**	**4**	**6**	**11**

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	15	1.9	1	1	1	2	2	4	4	4
6-12 YRS	51	1.8	1	1	1	1	2	3	5	7
13-19 YRS	151	2.1	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	33	3.8	11	1	2	3	4	9	12	14
6-12 YRS	91	3.1	14	1	1	2	3	6	8	25
13-19 YRS	247	3.8	23	1	2	3	4	7	11	15
TOTAL SINGLE DX	217	2.0	2	1	1	2	2	4	5	8
TOTAL MULTIPLE DX	373	3.7	21	1	2	2	4	7	11	21
TOTAL										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	48	3.2	9	1	1	2	4	7	12	14
6-12 YRS	142	2.6	10	1	1	2	3	5	7	17
13-19 YRS	398	3.2	16	1	1	2	4	6	8	14
GRAND TOTAL	**590**	**3.1**	**15**	**1**	**1**	**2**	**3**	**6**	**8**	**15**

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.6		1	1	2	2	2	2	2
6-12 YRS	21	2.2	1	1	1	2	3	4	5	6
13-19 YRS	242	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	41	5.7	34	1	2	5	7	11	18	31
6-12 YRS	88	5.9	42	1	2	4	7	17	21	76
13-19 YRS	486	5.2	29	1	2	4	6	11	15	27
TOTAL SINGLE DX	270	2.4	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	617	5.3	32	1	2	4	6	12	16	33
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	46	5.2	32	1	1	4	6	10	16	31
6-12 YRS	109	5.2	37	1	2	3	6	14	19	63
13-19 YRS	728	4.3	23	1	2	3	5	9	13	25
GRAND TOTAL	**887**	**4.4**	**25**	**1**	**2**	**3**	**5**	**10**	**14**	**26**

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	45	2.1	1	1	1	2	3	3	4	5
13-19 YRS	33	2.3	1	1	1	2	3	4	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	8	9.3	130	2	2	3	16	28	29	29
6-12 YRS	59	3.0	6	1	1	2	3	6	8	16
13-19 YRS	46	3.7	25	1	1	3	4	5	11	32
TOTAL SINGLE DX	82	2.2	1	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	114	3.7	24	1	2	3	4	7	11	30
TOTAL										
0-27 DYS	0									
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	10	7.9	110	1	2	3	7	27	29	29
6-12 YRS	104	2.6	5	1	1	2	3	4	6	14
13-19 YRS	79	3.1	16	1	1	2	3	5	7	28
GRAND TOTAL	**196**	**3.1**	**15**	**1**	**1**	**2**	**3**	**5**	**7**	**28**

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	88	3.7	13	1	2	3	4	5	15	20
6-12 YRS	154	4.4	9	2	2	4	5	8	11	18
13-19 YRS	73	5.5	14	3	4	5	7	9	11	25
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	24.8	621	2	8	18	41	60	60	60
1-5 YRS	181	5.0	31	2	3	4	5	8	11	32
6-12 YRS	324	5.2	17	2	3	4	6	8	11	23
13-19 YRS	172	7.1	93	3	4	5	7	10	15	74
TOTAL SINGLE DX	318	4.4	12	2	2	4	5	8	11	20
TOTAL MULTIPLE DX	681	5.7	46	2	3	4	6	9	12	34
TOTAL										
0-27 DYS	0									
1-11 MOS	7	15.1	454	2	2	3	20	52	60	60
1-5 YRS	269	4.6	26	2	2	3	5	8	12	25
6-12 YRS	478	5.0	15	2	3	4	6	8	11	22
13-19 YRS	245	6.6	70	3	4	5	7	10	12	43
GRAND TOTAL	**999**	**5.3**	**35**	**2**	**3**	**4**	**6**	**9**	**12**	**26**

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	6.8	11	3	4	6	9	11	11	11
1-5 YRS	180	3.1	10	1	1	2	3	5	9	20
6-12 YRS	281	3.4	11	1	2	2	4	7	9	15
13-19 YRS	222	3.9	13	1	2	3	5	10	12	14
2. MULTIPLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	5	3.6	8	1	2	2	6	8	8	8
1-5 YRS	149	3.8	30	1	2	2	3	7	14	23
6-12 YRS	311	4.9	28	1	2	3	5	12	16	25
13-19 YRS	296	5.4	63	1	2	3	5	10	16	44
TOTAL SINGLE DX	688	3.5	12	1	2	2	4	7	10	15
TOTAL MULTIPLE DX	762	4.9	43	1	2	3	5	10	15	31
TOTAL										
0-27 DYS	2	6.5	41	2	2	6	11	11	11	11
1-11 MOS	9	5.0	11	1	2	5	7	10	11	11
1-5 YRS	329	3.4	20	1	1	2	3	6	11	22
6-12 YRS	592	4.2	21	1	2	3	5	8	14	25
13-19 YRS	518	4.8	43	1	2	3	5	10	13	32
GRAND TOTAL	**1450**	**4.2**	**29**	**1**	**2**	**3**	**4**	**9**	**13**	**25**

713: Repair of hallux valgus and other toe deformity (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	21	2.0		1	2	2	2	3	4	4
13-19 YRS	146	1.8		1	1	2	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	30	1.7		1	1	2	2	3	4	4
13-19 YRS	244	1.8		1	1	2	2	3	4	5
TOTAL SINGLE DX	171	1.8	1	1	1	2	2	3	4	4
TOTAL MULTIPLE DX	279	1.8	1	1	1	2	2	3	4	5
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	4.7	21	2	2	2	8	10	10	10
1-5 YRS	5	2.0	1	1	1	2	2	3	3	3
6-12 YRS	51	1.8	1	1	1	2	2	3	4	4
13-19 YRS	390	1.8	1	1	1	2	2	3	4	5
GRAND TOTAL	450	1.8	1	1	1	2	2	3	4	5

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	30	4.7	25	1	2	3	5	10	20	22
6-12 YRS	163	4.6	51	1	1	2	4	9	19	32
13-19 YRS	236	2.9	13	1	1	2	3	6	8	17
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	29.8	1135	7	7	15	46	87	87	87
1-5 YRS	31	9.0	62	2	3	7	12	22	29	29
6-12 YRS	90	11.1	159	1	3	7	13	24	36	64
13-19 YRS	125	10.6	180	1	2	6	12	26	38	68
TOTAL SINGLE DX	431	3.7	29	1	1	2	4	7	11	26
TOTAL MULTIPLE DX	251	10.9	180	1	3	7	13	26	36	65
TOTAL										
0-27 DYS	0									
1-11 MOS	7	22.1	928	3	4	7	28	76	87	87
1-5 YRS	61	6.9	49	2	2	4	9	19	23	29
6-12 YRS	253	6.9	99	1	1	3	7	18	24	63
13-19 YRS	361	5.6	84	1	1	2	6	12	23	41
GRAND TOTAL	682	6.3	97	1	1	3	7	16	24	56

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	6.0	8	4	4	6	8	8	8	8
1-11 MOS	28	5.6	40	1	1	3	6	15	20	26
1-5 YRS	171	3.3	9	1	1	2	4	8	10	15
6-12 YRS	572	3.0	14	1	1	2	3	6	9	23
13-19 YRS	884	2.6	11	1	1	2	3	5	7	22
2. MULTIPLE DX										
0-27 DYS	3	12.7	22	9	9	11	16	18	18	18
1-11 MOS	18	11.6	170	2	4	7	12	29	44	54
1-5 YRS	151	7.8	91	1	2	4	8	20	32	46
6-12 YRS	353	8.2	111	1	2	4	9	22	31	48
13-19 YRS	634	6.4	67	1	2	4	7	14	22	41
TOTAL SINGLE DX	1657	2.9	13	1	1	2	3	6	8	22
TOTAL MULTIPLE DX	1159	7.2	86	1	2	4	8	17	27	46
TOTAL										
0-27 DYS	5	10.0	27	4	7	9	13	18	18	18
1-11 MOS	46	8.0	98	1	2	5	9	19	27	54
1-5 YRS	322	5.4	53	1	1	3	6	11	19	37
6-12 YRS	925	5.0	58	1	1	2	5	11	20	43
13-19 YRS	1518	4.2	38	1	1	2	4	9	14	34
GRAND TOTAL	2816	4.6	48	1	1	2	5	10	18	40

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	6	4.5	33	<1	<1	2	4	15	16	16
1-5 YRS	28	7.0	52	1	2	3	14	19	21	21
6-12 YRS	482	4.9	45	1	2	3	5	9	17	34
13-19 YRS	481	4.1	17	1	2	3	5	8	10	25
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	7.8	103	2	2	3	13	23	23	23
1-5 YRS	41	10.0	83	2	3	8	21	24	56	99+
6-12 YRS	233	8.1	98	1	2	4	9	23	33	51
13-19 YRS	286	7.2	65	1	2	5	9	15	24	40
TOTAL SINGLE DX	997	4.6	33	1	2	3	5	8	16	30
TOTAL MULTIPLE DX	564	7.8	81	1	2	4	9	21	29	53
TOTAL										
0-27 DYS	0									
1-11 MOS	10	5.8	56	<1	2	3	4	19	23	23
1-5 YRS	69	8.8	72	1	2	4	18	23	25	99+
6-12 YRS	715	5.9	65	1	2	3	6	14	24	42
13-19 YRS	767	5.3	38	1	2	3	6	10	16	32
GRAND TOTAL	1561	5.7	52	1	2	3	6	12	22	39

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	50	4.2	33	<1	1	2	4	9	22	26
6-12 YRS	154	3.5	20	1	1	2	3	7	11	26
13-19 YRS	268	2.8	6	1	1	2	3	5	7	17
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	10	4.7	32	<1	1	2	6	14	19	19
1-5 YRS	59	3.4	13	1	1	2	4	6	10	21
6-12 YRS	168	4.5	65	1	1	2	4	8	16	49
13-19 YRS	237	4.4	32	1	1	3	5	10	15	35
TOTAL SINGLE DX	475	3.2	14	1	1	2	3	6	8	23
TOTAL MULTIPLE DX	474	4.3	42	1	1	2	4	9	16	34
TOTAL										
0-27 DYS	1	8.0		[illegible]	8	8	8	8	8	8
1-11 MOS	12	4.2	28	<1	1	2	5	12	18	19
1-5 YRS	109	3.8	22	1	1	2	4	7	17	24
6-12 YRS	322	4.0	44	1	1	2	4	7	14	32
13-19 YRS	505	3.5	19	1	1	2	4	7	10	26
GRAND TOTAL	949	3.7	28	1	1	2	4	7	12	27

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	6	1.3		<1	<1	<1	1	3	3	3
1-5 YRS	78	2.8	26	<1	<1	1	2	5	17	24
6-12 YRS	242	2.6	26	<1	1	1	2	3	10	30
13-19 YRS	751	2.0	9	<1	1	1	2	3	4	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	15	6.1	150	<1	<1	1	7	9	39	49
1-5 YRS	173	2.1	9	<1	1	1	2	4	7	19
6-12 YRS	362	3.7	51	1	1	1	3	6	15	42
13-19 YRS	521	3.7	54	1	1	2	3	7	11	35
TOTAL SINGLE DX	1077	2.2	14	<1	1	1	2	3	5	23
TOTAL MULTIPLE DX	1071	3.5	48	<1	1	2	3	7	11	36
TOTAL										
0-27 DYS	0									
1-11 MOS	21	4.8	111	<1	<1	<1	4	9	27	49
1-5 YRS	251	2.3	15	<1	1	1	2	4	9	22
6-12 YRS	604	3.2	41	<1	1	1	2	5	14	36
13-19 YRS	1272	2.7	28	<1	1	1	2	5	8	30
GRAND TOTAL	2148	2.8	31	<1	1	1	2	5	9	31

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	31	13.3	110	1	2	13	20	26	35	37
6-12 YRS	114	13.2	145	2	3	8	21	31	37	49
13-19 YRS	128	6.9	30	2	4	5	8	14	17	28
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	29	15.1	55	3	9	17	21	23	25	27
6-12 YRS	85	17.5	176	4	6	15	25	33	40	69
13-19 YRS	204	11.9	79	5	6	10	13	21	31	47
TOTAL SINGLE DX	274	10.2	96	2	3	6	15	24	31	43
TOTAL MULTIPLE DX	318	13.7	109	4	6	11	18	26	37	49
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	60	14.2	84	2	5	15	21	25	26	37
6-12 YRS	199	15.0	162	[illegible]	4	11	22	32	38	58
13-19 YRS	332	10.0	66	[illegible]	5	8	12	18	24	46
GRAND TOTAL	592	12.1	106	3	5	9	16	25	34	46

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	10	8.2	75	1	2	4	13	23	24	24
6-12 YRS	113	5.4	19	2	3	4	7	9	13	27
13-19 YRS	267	6.2	20	2	3	5	8	11	14	27
2. MULTIPLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	11	20.6	763	5	5	9	16	71	88	90
1-5 YRS	29	12.0	107	4	7	9	13	34	45	99+
6-12 YRS	113	10.3	93	3	5	7	12	22	29	50
13-19 YRS	457	12.1	79	5	6	10	14	23	31	47
TOTAL SINGLE DX	391	6.0	21	2	3	5	8	11	13	26
TOTAL MULTIPLE DX	611	11.9	96	4	6	9	14	22	32	52
TOTAL										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	12	19.0	726	4	5	8	16	68	87	90
1-5 YRS	39	11.0	100	2	5	8	13	26	43	99+
6-12 YRS	226	7.8	62	2	3	5	9	15	22	45
13-19 YRS	724	9.9	66	3	5	8	12	18	26	45
GRAND TOTAL	1002	9.6	75	3	5	7	11	18	26	47

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	59	5.6	52	1	1	2	8	17	20	37
1-5 YRS	387	5.4	40	1	1	3	6	16	19	27
6-12 YRS	261	10.4	101	1	2	5	18	24	29	40
13-19 YRS	87	7.6	89	1	2	3	9	22	35	40
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	34	8.2	60	2	3	5	12	18	21	38
1-5 YRS	220	9.6	99	2	3	5	15	21	26	39
6-12 YRS	233	14.9	194	2	4	9	24	30	38	66
13-19 YRS	75	14.0	193	2	4	8	22	39	43	89
TOTAL SINGLE DX	794	7.3	72	1	2	3	10	21	24	38
TOTAL MULTIPLE DX	562	12.3	155	2	3	7	19	29	37	59
TOTAL										
0-27 DYS	0									
1-11 MOS	93	6.6	56	1	1	3	10	17	21	39
1-5 YRS	607	6.9	66	1	2	3	10	19	21	33
6-12 YRS	494	12.5	150	1	3	7	21	28	33	57
13-19 YRS	162	10.5	147	1	2	5	13	35	39	57
GRAND TOTAL	1356	9.4	112	1	2	5	14	24	2[illegible]	44

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	5.8	39	1	2	3	9	15	15	15
1-5 YRS	404	2.0	6	1	1	1	2	3	5	18
6-12 YRS	536	1.9	6	1	1	1	2	3	4	15
13-19 YRS	229	2.4	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	6.5	13	4	4	6	9	9	9	9
1-5 YRS	58	3.9	22	1	1	2	4	11	16	22
6-12 YRS	145	4.1	52	1	1	2	4	8	15	40
13-19 YRS	126	5.4	29	1	2	3	7	13	19	99+
TOTAL SINGLE DX	1173	2.0	6	1	1	1	2	3	5	15
TOTAL MULTIPLE DX	331	4.6	39	1	1	2	5	11	17	43
TOTAL										
0-27 DYS	0									
1-11 MOS	6	6.0	26	1	3	4	9	14	15	15
1-5 YRS	462	2.2	9	1	1	1	2	3	6	19
6-12 YRS	681	2.3	17	1	1	1	2	4	7	17
13-19 YRS	355	3.5	15	<1	1	2	4	8	12	26
GRAND TOTAL	1504	2.6	14	1	1	1	2	5	8	19

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	8	2.3	1	<1	1	2	3	4	4	4
1-5 YRS	441	1.9	2	1	1	1	2	4	4	9
6-12 YRS	1113	2.2	3	1	1	2	3	4	5	11
13-19 YRS	2580	2.6	5	1	1	2	3	5	6	11
2. MULTIPLE DX										
0-27 DYS	6	3.5	3	1	2	3	5	6	6	6
1-11 MOS	5	6.6	9	3	4	7	8	11	11	11
1-5 YRS	119	3.9	45	1	1	2	4	7	14	35
6-12 YRS	464	4.2	34	1	2	3	4	8	12	37
13-19 YRS	1422	5.4	38	1	2	3	6	12	16	35
TOTAL SINGLE DX	4145	2.4	4	1	1	2	3	4	6	11
TOTAL MULTIPLE DX	2016	5.0	38	1	2	3	6	11	15	35
TOTAL										
0-27 DYS	9	3.0	3	<1	2	3	4	6	6	6
1-11 MOS	13	3.9	9	1	2	3	5	8	10	11
1-5 YRS	560	2.3	12	1	1	2	3	4	5	16
6-12 YRS	1577	2.8	13	1	1	2	3	5	7	16
13-19 YRS	4002	3.6	19	1	1	2	4	7	10	23
GRAND TOTAL	6161	3.3	17	1	1	2	4	6	9	21

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	10	4.6	35	<1	1	2	7	14	19	19
1-5 YRS	829	1.8	7	1	1	1	2	3	5	15
6-12 YRS	2436	1.8	6	1	1	1	2	3	5	13
13-19 YRS	1318	2.1	4	1	1	1	2	4	5	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	15	5.0	23	1	1	3	8	10	16	18
1-5 YRS	242	4.2	32	1	1	2	4	10	17	27
6-12 YRS	717	4.4	57	1	1	2	4	10	18	40
13-19 YRS	692	5.4	76	1	2	3	5	11	18	50
TOTAL SINGLE DX	4594	1.9	6	1	1	1	2	3	5	13
TOTAL MULTIPLE DX	1666	4.8	61	1	1	2	5	10	18	44
TOTAL										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	25	4.8	27	1	1	2	7	10	18	19
1-5 YRS	1071	2.4	14	1	1	1	2	4	7	21
6-12 YRS	3153	2.4	19	1	1	1	2	4	7	22
13-19 YRS	2010	3.2	31	1	1	2	3	6	9	28
GRAND TOTAL	6260	2.7	22	1	1	1	2	5	8	23

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	156	5.9	41	<1	1	2	9	16	21	24
1-5 YRS	138	4.1	16	1	2	3	4	8	15	20
6-12 YRS	44	4.5	12	1	2	4	6	7	11	19
13-19 YRS	55	4.1	10	1	2	3	5	7	9	18
2. MULTIPLE DX										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	75	6.5	41	<1	2	4	9	15	19	30
1-5 YRS	107	5.3	25	2	2	4	6	13	17	25
6-12 YRS	59	5.6	12	2	3	5	7	11	14	17
13-19 YRS	88	6.9	22	3	4	5	8	14	17	22
TOTAL SINGLE DX	393	4.8	26	1	2	3	6	13	17	23
TOTAL MULTIPLE DX	331	6.0	26	2	3	4	7	14	17	24
TOTAL										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	231	6.1	41	<1	1	3	9	16	21	25
1-5 YRS	245	4.6	21	1	2	3	5	12	16	19
6-12 YRS	103	5.1	13	2	3	4	6	10	14	18
13-19 YRS	143	5.8	20	2	3	5	7	13	16	21
GRAND TOTAL	724	5.4	26	1	2	4	6	14	17	23

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	1.8	1	<1	<1	1	2	3	3	3
1-5 YRS	23	1.8	1	<1	1	1	2	4	4	4
6-12 YRS	96	1.6	3	<1	1	1	1	2	4	12
13-19 YRS	198	1.9	4	<1	1	1	2	3	4	12
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	8	3.3	6	1	2	3	4	7	9	9
1-5 YRS	13	2.6	9	1	1	2	3	6	11	12
6-12 YRS	35	4.2	38	1	1	2	4	11	22	26
13-19 YRS	95	4.3	19	1	1	3	5	9	14	22
TOTAL SINGLE DX	321	1.8	4	<1	1	1	2	3	4	10
TOTAL MULTIPLE DX	151	4.1	22	1	1	2	5	9	14	24
TOTAL										
0-27 DYS	0									
1-11 MOS	12	2.8	5	1	1	2	3	5	8	9
1-5 YRS	36	2.1	4	1	1	2	2	4	5	12
6-12 YRS	131	2.3	14	<1	1	1	2	4	8	24
13-19 YRS	293	2.6	11	1	1	1	3	5	7	20
GRAND TOTAL	472	2.5	11	1	1	1	3	5	8	20

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	15.0	98	8	8	15	22	22	22	22
1-11 MOS	191	2.8	13	1	1	2	3	5	10	21
1-5 YRS	240	5.5	32	1	2	3	7	14	17	28
6-12 YRS	165	5.2	25	1	2	3	7	11	16	24
13-19 YRS	267	2.6	6	1	1	2	3	6	7	13
2. MULTIPLE DX										
0-27 DYS	7	12.9	29	6	11	15	41	99+	99+	99+
1-11 MOS	103	8.1	78	1	2	4	10	19	27	42
1-5 YRS	248	7.4	54	1	2	4	10	17	22	31
6-12 YRS	237	8.9	102	1	2	5	11	22	32	51
13-19 YRS	387	4.0	25	1	1	2	5	9	14	28
TOTAL SINGLE DX	865	3.9	21	1	1	2	5	9	14	23
TOTAL MULTIPLE DX	982	6.6	61	1	2	3	8	16	22	42
TOTAL										
0-27 DYS	9	13.3	35	6	10	15	22	99+	99+	99+
1-11 MOS	294	4.6	43	1	1	2	4	12	19	29
1-5 YRS	488	6.5	44	1	2	4	9	15	21	29
6-12 YRS	402	7.4	74	1	2	4	9	17	25	44
13-19 YRS	654	3.4	18	1	1	2	4	8	11	21
GRAND TOTAL	1847	5.3	44	1	1	3	7	14	19	33

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	3	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	1.3		1	1	1	2	2	2	2
GRAND TOTAL	4	1.3		1	1	1	2	2	2	2

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	8.0	18	5	5	8	11	11	11	11
13-19 YRS	297	4.1	8	2	3	3	5	7	8	17
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	8	12.9	94	6	7	8	26	73	99 +	99 +
6-12 YRS	14	13.6	62	5	7	12	19	24	26	27
13-19 YRS	97	9.1	115	2	3	6	11	21	35	89
TOTAL SINGLE DX	300	4.1	9	2	3	3	5	7	8	17
TOTAL MULTIPLE DX	120	9.8	109	2	3	7	11	24	34	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	9	11.9	91	4	7	8	24	66	99 +	99 +
6-12 YRS	16	12.9	59	5	7	10	18	24	26	27
13-19 YRS	394	5.3	40	[illegible]	3	4	6	9	15	39
GRAND TOTAL	**420**	**5.7**	**44**	**2**	**3**	**4**	**6**	**11**	**19**	**40**

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	0									
1-5 YRS	5	1.4	1	1	1	1	2	3	3	3
6-12 YRS	16	1.9	3	1	1	1	2	4	7	8
13-19 YRS	168	1.6	1	< 1	< 1	1	2	3	3	6
2. MULTIPLE DX										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	13	2.1	1	< 1	1	2	3	3	4	4
13-19 YRS	439	2.4	3	< 1	1	2	3	4	5	6
TOTAL SINGLE DX	190	1.6	1	< 1	< 1	1	2	3	4	7
TOTAL MULTIPLE DX	453	2.4	3	< 1	1	2	3	4	5	6
TOTAL										
0-27 DYS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	0									
1-5 YRS	5	1.4	1	1	1	1	2	3	3	3
6-12 YRS	29	2.0	2	< 1	1	2	2	4	4	8
13-19 YRS	607	2.2	3	< 1	1	2	3	4	4	6
GRAND TOTAL	**643**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**4**	**6**

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	18	6.2	19	2	3	4	9	14	15	15
6-12 YRS	55	2.7	7	< 1	1	2	3	6	8	16
13-19 YRS	281	1.8	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	6.0	18	3	3	6	9	9	9	9
1-5 YRS	14	9.5	72	1	3	6	14	22	26	27
6-12 YRS	32	8.5	178	< 1	1	4	7	34	38	58
13-19 YRS	280	2.8	22	< 1	1	2	3	5	7	19
TOTAL SINGLE DX	354	2.2	5	< 1	< 1	1	3	4	6	14
TOTAL MULTIPLE DX	328	3.7	44	< 1	1	2	3	6	11	36
TOTAL										
0-27 DYS	0									
1-11 MOS	2	6.0	18	3	3	6	9	9	9	9
1-5 YRS	32	7.7	44	1	3	5	11	17	22	27
6-12 YRS	87	4.8	77	< 1	1	2	5	9	19	51
13-19 YRS	561	2.3	13	< 1	1	1	3	4	5	15
GRAND TOTAL	**682**	**2.9**	**24**	**<1**	**1**	**2**	**3**	**5**	**8**	**25**

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	9	10.0	166	1	3	6	10	31	43	43
1-5 YRS	30	6.2	30	< 1	2	4	9	13	20	22
6-12 YRS	80	4.3	92	1	1	2	5	9	12	64
13-19 YRS	201	2.1	6	< 1	< 1	1	2	4	6	14
2. MULTIPLE DX										
0-27 DYS	3	12.7	108	< 1	4	16	20	21	21	21
1-11 MOS	6	18.2	275	2	11	15	16	47	50	50
1-5 YRS	35	8.7	53	1	4	7	11	16	25	33
6-12 YRS	77	7.1	53	1	1	4	10	18	21	31
13-19 YRS	235	4.1	52	< 1	1	2	4	10	17	79
TOTAL SINGLE DX	320	3.2	37	< 1	1	1	3	7	10	22
TOTAL MULTIPLE DX	356	5.5	62	< 1	1	3	7	16	20	49
TOTAL										
0-27 DYS	3	12.7	108	< 1	4	16	20	21	21	21
1-11 MOS	15	13.3	211	1	3	10	16	43	48	50
1-5 YRS	65	7.6	44	1	3	6	10	16	22	32
6-12 YRS	157	5.7	75	1	1	3	7	15	19	31
13-19 YRS	436	3.2	32	< 1	1	1	3	7	12	32
GRAND TOTAL	**676**	**4.5**	**51**	**<1**	**1**	**2**	**5**	**11**	**17**	**39**

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	31	5.5	8	2	3	6	7	9	10	14
6-12 YRS	218	7.8	10	5	6	7	9	10	12	25
13-19 YRS	581	7.7	9	5	6	7	9	10	14	19
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	7.0	13	3	5	9	55	99+	99+	99+
1-5 YRS	88	8.0	20	4	5	7	9	14	18	26
6-12 YRS	401	11.3	61	6	7	9	12	19	27	64
13-19 YRS	737	11.8	76	6	7	9	13	22	29	87
TOTAL SINGLE DX	830	7.6	10	5	6	7	9	10	13	19
TOTAL MULTIPLE DX	1229	11.3	68	6	7	9	12	20	27	78
TOTAL										
0-27 DYS	0									
1-11 MOS	3	7.0	13	3	5	9	55	99+	99+	99+
1-5 YRS	119	7.3	19	3	5	7	9	12	16	25
6-12 YRS	619	10.1	46	6	7	8	10	16	24	48
13-19 YRS	1318	10.0	51	6	7	8	11	16	23	59
GRAND TOTAL	**2059**	**9.9**	**48**	**5**	**7**	**8**	**10**	**16**	**23**	**51**

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	1.5		1	1	1	2	3	3	3
6-12 YRS	39	2.8	2	1	1	3	4	5	6	7
13-19 YRS	116	2.9	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	28	2.8	3	1	2	2	3	4	7	10
6-12 YRS	100	3.4	9	1	2	3	4	5	8	19
13-19 YRS	159	3.9	12	1	2	3	4	7	12	26
TOTAL SINGLE DX	163	2.8	3	1	1	3	4	5	6	9
TOTAL MULTIPLE DX	287	3.6	10	1	2	3	4	6	9	20
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	36	2.5	3	1	1	2	3	4	6	10
6-12 YRS	139	3.2	7	1	2	3	4	5	7	18
13-19 YRS	275	3.5	8	1	2	3	4	6	9	18
GRAND TOTAL	**450**	**3.3**	**8**	**1**	**2**	**3**	**4**	**5**	**8**	**18**

735: Total hip replacement (81.51; 81.59*) *(pre-October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	10.5	30	6	7	8	11	20	24	24
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	5	10.4	5	8	9	10	12	14	14	14
1-5 YRS	0									
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS	28	9.7	15	5	7	9	12	13	20	21
TOTAL SINGLE DX	13	9.9	28	6	7	8	10	19	23	24
TOTAL MULTIPLE DX	35	10.1	15	5	8	9	12	14	20	21
TOTAL										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	9.3	8	6	8	9	11	13	14	14
1-5 YRS	0									
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS	39	9.9	19	6	7	8	12	16	21	24
GRAND TOTAL	**48**	**10.0**	**18**	**6**	**8**	**9**	**12**	**17**	**20**	**24**

736: Other arthroplasty of hip (81.40; 81.52-81.53; 81.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	5	2.2		1	2	2	3	3	3	3
6-12 YRS	19	4.1	4	2	3	4	5	7	9	11
13-19 YRS	12	4.1	4	2	2	4	6	7	8	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	9.3	14	5	6	9	12	14	14	14
1-5 YRS	15	9.9	48	4	4	7	14	18	25	28
6-12 YRS	38	5.6	10	2	3	5	7	10	12	14
13-19 YRS	22	7.5	33	3	4	5	8	17	22	23
TOTAL SINGLE DX	37	3.7	4	2	2	3	5	6	8	11
TOTAL MULTIPLE DX	79	7.1	26	3	4	6	9	14	17	27
TOTAL										
0-27 DYS	0									
1-11 MOS	5	7.6	24	<1	4	8	11	14	14	14
1-5 YRS	20	8.0	48	2	3	5	12	17	23	28
6-12 YRS	57	5.1	9	2	3	4	7	10	11	14
13-19 YRS	34	6.3	25	2	4	5	6	13	21	23
GRAND TOTAL	**116**	**6.0**	**22**	**2**	**3**	**5**	**7**	**13**	**15**	**25**

737: Total knee replacement (81.41; 81.54)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	10.8	10	7	9	10	13	16	16	16
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	2	15.5	5	14	14	15	17	17	17	17
6-12 YRS	0									
13-19 YRS	8	7.9	20	1	5	9	11	12	12	12
TOTAL SINGLE DX	6	10.8	10	7	9	10	13	16	16	16
TOTAL MULTIPLE DX	12	8.9	23	1	6	9	12	15	17	17
TOTAL										
0-27 DYS	0									
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	2	15.5	5	14	14	15	17	17	17	17
6-12 YRS	0									
13-19 YRS	14	9.1	17	1	8	10	12	13	15	16
GRAND TOTAL	18	9.6	19	3	7	10	12	15	17	17

738: Arthroplasty of knee, except total replacement (81.42-81.47; 81.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	30	3.2	9	1	2	3	4	4	5	18
13-19 YRS	1346	2.8	1	1	2	3	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	8	4.8	44	1	2	3	4	16	21	21
6-12 YRS	49	3.0	3	1	2	3	4	6	10	99+
13-19 YRS	1482	3.1	2	1	2	3	4	5	6	10
TOTAL SINGLE DX	1381	2.8	2	1	2	3	3	4	5	7
TOTAL MULTIPLE DX	1542	3.1	3	1	2	3	4	5	6	10
TOTAL										
0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	11	4.0	33	1	2	2	3	11	20	21
6-12 YRS	79	3.1	6	1	2	3	4	5	8	75
13-19 YRS	2828	2.9	2	1	2	3	4	4	5	8
GRAND TOTAL	2923	2.9	2	1	2	3	4	4	5	9

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.56-81.59*; 81.71; 81.73-81.74; 81.80-81.81; 81.84; 81.86) *(post October 1989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	17	2.2	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.3	16	1	1	1	6	8	8	8
13-19 YRS	4	3.8	12	2	2	2	6	9	9	9
TOTAL SINGLE DX	19	2.1	2	1	1	2	3	4	5	5
TOTAL MULTIPLE DX	7	3.6	12	1	1	2	7	9	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	4	2.8	12	1	1	1	5	8	8	8
13-19 YRS	21	2.5	4	1	1	2	3	5	7	9
GRAND TOTAL	26	2.5	4	1	1	2	3	5	8	9

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.72; 81.75-81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	2.0		1	1	2	3	3	3	3
1-5 YRS	24	2.0	5	1	1	1	2	3	8	12
6-12 YRS	23	1.8	1	1	1	1	2	4	5	6
13-19 YRS	954	1.9		1	1	2	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	6	2.2	1	1	1	2	3	3	3	3
1-5 YRS	21	3.3	12	<1	1	2	4	7	12	16
6-12 YRS	27	2.6	4	<1	1	2	4	5	7	10
13-19 YRS	304	2.5	7	1	1	2	3	4	5	16
TOTAL SINGLE DX	1009	1.9	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	358	2.5	7	1	1	2	3	4	5	16
TOTAL										
0-27 DYS	0									
1-11 MOS	14	2.1	1	1	1	2	3	3	3	3
1-5 YRS	45	2.6	9	1	1	2	3	5	10	16
6-12 YRS	50	2.2	3	1	1	1	3	5	6	10
13-19 YRS	1258	2.0	3	1	1	2	2	3	4	7
GRAND TOTAL	1367	2.0	3	1	1	2	2	3	4	8

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	15.0	151	1	6	20	23	24	24	24
1-11 MOS	112	3.9	22	<1	1	2	4	12	14	21
1-5 YRS	182	2.7	9	<1	1	2	3	6	10	16
6-12 YRS	185	3.1	8	1	1	2	4	7	9	16
13-19 YRS	183	2.9	6	<1	1	2	4	6	7	15
2. MULTIPLE DX										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	46	7.1	67	1	2	3	10	21	27	31
1-5 YRS	428	3.7	27	1	2	3	4	6	10	28
6-12 YRS	522	4.5	40	1	2	3	5	9	13	38
13-19 YRS	346	5.4	44	1	2	3	6	12	21	99+
TOTAL SINGLE DX	665	3.2	12	<1	1	2	4	7	11	17
TOTAL MULTIPLE DX	1343	4.6	39	1	2	3	5	9	14	44
TOTAL										
0-27 DYS	4	17.5	126	1	10	22	24	25	25	25
1-11 MOS	158	4.9	37	1	1	2	6	13	18	28
1-5 YRS	610	3.4	22	1	1	2	4	6	10	23
6-12 YRS	707	4.1	32	1	2	3	5	8	12	32
13-19 YRS	529	4.5	33	1	2	3	5	8	17	48
GRAND TOTAL	2008	4.1	30	1	1	3	4	8	13	31

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	4.0	8	1	1	4	5	9	9	9
1-11 MOS	67	2.2	4	1	1	1	3	4	5	13
1-5 YRS	137	2.2	6	<1	<1	1	2	5	8	12
6-12 YRS	158	1.7	2	<1	<1	1	2	3	5	8
13-19 YRS	152	2.2	4	<1	<1	1	3	5	7	10
2. MULTIPLE DX										
0-27 DYS	10	13.2	79	1	3	15	18	23	28	28
1-11 MOS	68	12.4	350	1	2	6	14	50	71	99+
1-5 YRS	100	6.4	61	1	1	3	9	15	23	40
6-12 YRS	81	6.7	142	<1	1	3	7	13	26	74
13-19 YRS	86	6.5	52	1	1	3	9	17	27	30
TOTAL SINGLE DX	520	2.1	4	<1	<1	1	2	4	6	11
TOTAL MULTIPLE DX	345	7.9	140	1	1	4	10	18	30	83
TOTAL										
0-27 DYS	16	9.8	72	1	2	7	17	19	25	28
1-11 MOS	135	7.3	203	1	1	2	6	19	50	99+
1-5 YRS	237	4.0	34	<1	1	2	4	10	14	31
6-12 YRS	239	3.4	55	<1	1	1	3	7	10	40
13-19 YRS	238	3.7	26	<1	1	1	4	10	13	28
GRAND TOTAL	865	4.4	67	<1	1	2	4	10	17	49

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	13	1.2		<1	<1	1	1	2	2	2
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	9	2.8	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	13	2.4	3	1	1	2	3	6	6	6
6-12 YRS	16	6.1	233	1	1	2	3	8	46	63
13-19 YRS	8	4.9	31	1	1	3	8	14	16	16
TOTAL SINGLE DX	24	1.8	2	<1	<1	1	2	4	5	5
TOTAL MULTIPLE DX	37	4.5	107	1	1	2	4	8	14	63
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	26	1.8	2	<1	1	1	2	4	6	6
6-12 YRS	17	5.8	220	<1	1	2	3	7	44	63
13-19 YRS	17	3.8	16	1	1	2	4	10	14	16
GRAND TOTAL	61	3.4	67	<1	1	1	3	5	9	58

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	1.0		<1	1	1	1	1	1	1
1-5 YRS	107	1.4		<1	1	1	1	2	3	5
6-12 YRS	77	1.4		<1	1	1	1	2	3	6
13-19 YRS	166	1.6	1	<1	1	1	2	3	3	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	11	1.4		<1	1	1	2	3	3	3
1-5 YRS	112	1.9	7	<1	1	1	2	3	3	17
6-12 YRS	117	2.0	5	1	1	1	2	4	5	15
13-19 YRS	248	2.1	4	<1	1	1	3	4	6	11
TOTAL SINGLE DX	365	1.5	1	<1	1	1	2	2	3	7
TOTAL MULTIPLE DX	488	2.0	5	<1	1	1	2	3	5	14
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	25	1.2		<1	1	1	1	2	2	3
1-5 YRS	219	1.6	4	<1	1	1	2	2	3	13
6-12 YRS	194	1.7	4	1	1	1	2	3	5	13
13-19 YRS	414	1.9	3	<1	1	1	2	3	5	10
GRAND TOTAL	853	1.8	4	<1	1	1	2	3	5	10

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	8.6	44	1	5	7	12	19	19	19
1-5 YRS	37	2.2	4	1	1	2	2	4	6	12
6-12 YRS	94	2.2	2	1	1	2	3	4	6	9
13-19 YRS	153	2.1	2	1	1	1	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	6.8	96	<1	<1	2	10	24	24	24
1-5 YRS	34	3.2	20	1	1	1	3	9	12	23
6-12 YRS	75	2.9	16	1	1	2	4	5	7	28
13-19 YRS	145	2.6	5	1	1	2	3	6	8	16
TOTAL SINGLE DX	290	2.2	4	1	1	2	3	4	6	10
TOTAL MULTIPLE DX	260	2.9	12	1	1	2	3	6	8	24
TOTAL										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	10	7.7	64	<1	1	6	10	21	24	24
1-5 YRS	71	2.6	12	1	1	2	2	5	10	21
6-12 YRS	169	2.5	9	1	1	2	3	5	6	13
13-19 YRS	298	2.3	4	1	1	2	3	5	7	12
GRAND TOTAL	550	2.5	8	1	1	2	3	5	7	14

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	525	2.3	1	1	1	2	3	4	4	8
1-5 YRS	437	2.0	1	1	1	2	3	3	5	8
6-12 YRS	243	2.1	1	1	1	2	3	4	4	7
13-19 YRS	215	2.3	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	156	2.7	4	1	2	2	3	4	7	11
1-5 YRS	597	2.2	3	1	1	2	3	4	5	8
6-12 YRS	743	2.5	5	1	1	2	3	4	6	10
13-19 YRS	319	4.4	87	1	1	2	4	6	12	61
TOTAL SINGLE DX	1420	2.2	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1815	2.8	20	1	1	2	3	4	6	22
TOTAL										
0-27 DYS	0									
1-11 MOS	681	2.4	2	1	1	2	3	4	5	8
1-5 YRS	1034	2.1	3	1	1	2	3	4	5	8
6-12 YRS	986	2.4	5	1	1	2	3	4	5	10
13-19 YRS	534	3.6	54	1	1	2	3	5	7	42
GRAND TOTAL	3235	2.5	12	1	1	2	3	4	5	10

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	5	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	21	3.4	68	<1	1	1	2	5	21	39
6-12 YRS	15	1.6	1	<1	1	1	2	2	5	6
13-19 YRS	42	2.0	4	1	1	1	2	3	7	12
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	17.0	480	<1	1	1	41	41	41	41
1-5 YRS	16	7.3	268	<1	1	1	5	16	51	66
6-12 YRS	11	3.6	11	1	1	3	4	8	13	13
13-19 YRS	44	5.5	59	1	2	3	6	11	27	37
TOTAL SINGLE DX	83	2.2	20	<1	1	1	2	3	6	30
TOTAL MULTIPLE DX	77	6.3	123	1	1	2	6	15	35	59
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	10	9.1	283	<1	<1	1	2	41	41	41
1-5 YRS	37	5.1	154	<1	1	1	2	12	31	66
6-12 YRS	26	2.5	7	<1	1	2	3	5	7	13
13-19 YRS	86	3.8	36	1	1	2	4	7	13	35
GRAND TOTAL	160	4.2	73	1	1	1	3	8	16	41

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	7	8.9	78	1	2	6	14	23	25	25
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	46.0	1058	23	23	46	69	69	69	69
1-5 YRS	3	24.0	337	3	10	32	36	37	37	37
6-12 YRS	2	12.0	128	4	4	12	20	20	20	20
13-19 YRS	6	19.5	355	4	7	15	20	52	56	56
TOTAL SINGLE DX	12	6.8	50	1	2	4	8	18	24	25
TOTAL MULTIPLE DX	13	23.5	418	4	6	20	33	59	67	69
TOTAL										
0-27 DYS	0									
1-11 MOS	3	32.0	1117	4	9	23	57	69	69	69
1-5 YRS	5	16.2	283	3	4	5	33	37	37	37
6-12 YRS	4	7.5	72	1	2	4	12	20	20	20
13-19 YRS	13	13.8	218	1	4	11	18	31	51	56
GRAND TOTAL	25	15.4	305	1	4	7	21	37	59	69

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	9	1.1		<1	<1	<1	1	2	2	2
1-5 YRS	17	1.5		1	1	1	2	2	3	4
6-12 YRS	14	3.6	6	<1	1	4	6	7	7	7
13-19 YRS	13	4.2	41	1	1	1	5	11	22	24
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	10	3.0	11	<1	<1	1	5	9	9	9
1-5 YRS	7	13.4	300	1	3	3	24	43	46	46
6-12 YRS	12	13.6	184	1	4	9	19	37	42	43
13-19 YRS	26	9.9	262	1	2	3	10	40	52	64
TOTAL SINGLE DX	53	2.7	13	<1	1	1	3	6	7	24
TOTAL MULTIPLE DX	55	9.9	208	1	2	3	11	34	45	63
TOTAL										
0-27 DYS	0									
1-11 MOS	19	2.1	7	<1	<1	1	1	7	9	9
1-5 YRS	24	5.0	109	1	1	2	3	11	34	46
6-12 YRS	26	8.2	110	<1	1	5	7	24	36	43
13-19 YRS	39	8.0	193	1	1	2	8	20	46	64
GRAND TOTAL	108	6.3	124	<1	1	2	6	13	35	55

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	7.3	25	3	3	6	11	14	14	14
13-19 YRS	5	4.2	5	2	3	3	6	8	8	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	12.0	8	10	10	12	14	14	14	14
1-5 YRS	2	25.5	1013	3	3	25	48	48	48	48
6-12 YRS	3	22.3	170	10	15	28	68	99+	99+	99+
13-19 YRS	13	22.7	447	5	8	14	45	75	94	99+
TOTAL SINGLE DX	9	5.6	15	2	3	4	8	12	14	14
TOTAL MULTIPLE DX	20	21.9	366	5	10	15	49	99+	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	2	12.0	8	10	10	12	14	14	14	14
1-5 YRS	2	25.5	1013	3	3	25	48	48	48	48
6-12 YRS	7	13.7	134	3	6	12	28	81	99+	99+
13-19 YRS	18	17.6	390	3	5	11	30	63	87	99+
GRAND TOTAL	29	16.8	312	3	5	13	38	99+	99+	99+

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	4.3		4	4	4	5	5	5	5
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	8	6.3	12	2	5	5	8	12	13	13
13-19 YRS	5	11.0	7	8	8	13	13	13	13	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	3.5	7	1	1	3	5	7	7	7
1-5 YRS	7	8.7	34	2	4	6	14	16	17	17
6-12 YRS	8	9.0	25	4	6	8	10	17	20	20
13-19 YRS	17	20.2	325	5	9	14	32	65	89	99+
TOTAL SINGLE DX	18	6.8	16	2	4	5	9	13	13	13
TOTAL MULTIPLE DX	36	13.6	203	3	6	9	19	42	89	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	7	3.9	4	1	2	4	5	7	7	7
1-5 YRS	9	7.2	35	2	2	6	13	16	17	17
6-12 YRS	16	7.6	20	3	5	7	9	13	18	20
13-19 YRS	22	18.1	265	6	8	13	26	51	82	99+
GRAND TOTAL	54	11.3	149	2	5	8	13	31	65	99+

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	1.4		1	1	1	2	3	3	3
1-5 YRS	5	3.8	9	1	2	3	5	9	9	9
6-12 YRS	7	6.3	23	3	4	5	6	15	17	17
13-19 YRS	4	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	6	24.7	459	1	3	24	43	52	53	53
1-5 YRS	9	5.8	33	2	3	4	5	15	21	21
6-12 YRS	8	10.8	167	1	2	5	14	32	40	40
13-19 YRS	14	11.9	98	2	4	11	23	93	99+	99+
TOTAL SINGLE DX	24	3.5	12	1	1	3	4	6	11	17
TOTAL MULTIPLE DX	37	12.2	176	2	3	6	20	42	79	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	14	11.4	320	1	1	2	16	44	51	53
1-5 YRS	14	5.1	25	2	3	4	5	10	19	21
6-12 YRS	15	8.7	99	2	3	5	12	17	34	40
13-19 YRS	18	9.7	92	2	3	6	20	67	99+	99+
GRAND TOTAL	61	8.8	129	1	2	4	14	32	46	99+

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	25	3.6	17	1	1	2	5	8	11	20
6-12 YRS	6	2.7	4	<1	<1	2	5	5	5	5
13-19 YRS	22	4.2	13	1	1	3	6	9	12	15
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	4.7	10	1	2	4	8	8	9	9
6-12 YRS	13	4.6	11	1	2	4	7	10	11	11
13-19 YRS	14	8.5	94	2	4	7	8	13	35	41
TOTAL SINGLE DX	56	3.6	14	1	1	2	5	8	10	20
TOTAL MULTIPLE DX	42	5.9	40	1	2	5	8	9	11	41
TOTAL										
0-27 DYS	0									
1-11 MOS	4	1.0		<1	<1	1	1	1	1	1
1-5 YRS	39	4.0	15	1	1	2	7	8	9	20
6-12 YRS	19	4.0	9	<1	2	3	5	9	11	11
13-19 YRS	36	5.9	47	1	2	5	7	10	14	41
GRAND TOTAL	98	4.6	26	1	1	3	7	9	10	31

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	1.4		<1	1	1	2	3	3	3
6-12 YRS	10	1.5		<1	1	1	2	3	3	3
13-19 YRS	19	2.4	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	5	1.0		1	1	1	1	1	1	1
6-12 YRS	17	3.4	5	1	2	3	5	9	64	99+
13-19 YRS	15	4.1	42	1	1	2	3	9	22	26
TOTAL SINGLE DX	44	1.9	1	<1	1	1	3	3	4	6
TOTAL MULTIPLE DX	38	3.6	21	1	1	2	4	10	19	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	2	6.0	50	1	1	6	11	11	11	11
1-5 YRS	19	1.3		<1	1	1	1	3	3	3
6-12 YRS	27	2.7	5	1	1	2	4	6	19	99+
13-19 YRS	34	3.2	20	1	1	2	3	6	9	26
GRAND TOTAL	82	2.7	11	1	1	2	3	6	9	76

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	19.7	261	<1	7	29	29	29	29	29
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	6	10.7	202	<1	1	2	29	29	29	29
TOTAL										
0-27 DYS	0									
1-11 MOS	3	19.7	261	<1	7	29	29	29	29	29
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
GRAND TOTAL	6	10.7	202	<1	1	2	29	29	29	29

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	11	1.5		<1	<1	1	2	3	3	3
13-19 YRS	61	1.6	2	<1	<1	1	1	3	5	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	5.0	28	<1	1	3	9	11	11	11
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	27	7.6	240	1	1	2	5	21	49	69
TOTAL SINGLE DX	74	1.5	3	<1	<1	1	1	3	4	10
TOTAL MULTIPLE DX	33	6.8	200	1	1	2	4	15	43	69
TOTAL										
0-27 DYS	0									
1-11 MOS	3	5.0	28	<1	1	3	9	11	11	11
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	13	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	88	3.4	82	<1	<1	1	2	5	11	60
GRAND TOTAL	107	3.2	68	<1	<1	1	2	5	11	56

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	21	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	2.8	1	1	2	3	4	4	4	4
TOTAL SINGLE DX	25	1.4	1	1	1	1	2	3	3	3
TOTAL MULTIPLE DX	8	2.5	1	1	1	2	3	4	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	4	1.3		1	1	1	2	2	2	2
13-19 YRS	27	1.8	1	1	1	1	3	3	4	4
GRAND TOTAL	33	1.7	1	1	1	1	2	3	4	4

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	5	3.2	2	1	2	3	4	5	5	5
TOTAL MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL										
0-27 DYS	0									
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	6	2.8	3	1	1	3	4	5	5	5

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	7	4.0	3	2	3	4	4	7	8	8
1-11 MOS	4	3.5	1	2	2	3	4	5	5	5
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	21	1.9	1	1	1	2	2	4	4	5
13-19 YRS	554	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	11	4.1	5	1	2	3	6	7	8	8
1-11 MOS	8	3.3	2	1	2	3	4	5	6	6
1-5 YRS	0									
6-12 YRS	7	1.9	1	1	1	1	3	4	4	4
13-19 YRS	217	2.1	3	1	1	2	2	3	4	9
TOTAL SINGLE DX	588	1.8	1	1	1	2	2	3	3	5
TOTAL MULTIPLE DX	243	2.3	4	1	1	2	3	4	5	9
TOTAL										
0-27 DYS	18	4.1	4	2	3	4	5	8	8	8
1-11 MOS	12	3.3	2	1	2	3	4	5	6	6
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	28	1.9	1	1	1	2	3	4	4	5
13-19 YRS	771	1.9	2	1	1	2	2	3	3	6
GRAND TOTAL	831	1.9	2	1	1	2	2	3	4	7

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	6	1.3		<1	1	1	2	2	2	2
1-5 YRS	6	2.0	4	<1	<1	1	2	6	6	6
6-12 YRS	6	2.0	1	1	1	2	2	4	4	4
13-19 YRS	520	1.9	1	1	1	1	2	4	4	7
2. MULTIPLE DX										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	5	10.0	383	<1	<1	1	13	45	45	45
6-12 YRS	5	11.0	280	1	1	2	18	40	40	40
13-19 YRS	101	3.9	52	1	1	2	3	6	9	46
TOTAL SINGLE DX	538	1.9	2	1	1	1	2	4	4	7
TOTAL MULTIPLE DX	115	4.4	73	1	1	2	4	7	12	46
TOTAL										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	8	1.4		<1	1	1	2	2	2	2
1-5 YRS	11	5.6	173	<1	<1	1	2	22	43	45
6-12 YRS	11	6.1	135	1	1	2	4	23	39	40
13-19 YRS	621	2.2	11	1	1	1	2	4	5	10
GRAND TOTAL	653	2.3	15	1	1	1	2	4	5	12

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	2.6	8	<1	1	1	3	8	10	10
1-11 MOS	175	1.8	5	<1	<1	1	2	3	7	13
1-5 YRS	405	2.0	8	<1	<1	1	2	4	6	18
6-12 YRS	324	2.0	9	<1	<1	1	2	4	6	19
13-19 YRS	227	2.3	13	<1	<1	1	2	4	7	21
2. MULTIPLE DX										
0-27 DYS	15	6.9	39	2	2	4	9	12	22	26
1-11 MOS	94	7.8	75	1	2	5	10	23	29	36
1-5 YRS	272	5.6	71	<1	1	3	8	17	26	39
6-12 YRS	173	5.4	96	<1	1	2	5	14	19	43
13-19 YRS	299	7.9	133	1	2	3	8	21	40	68
TOTAL SINGLE DX	1140	2.0	10	<1	<1	1	2	4	6	19
TOTAL MULTIPLE DX	853	5.9	99	1	1	3	7	18	28	49
TOTAL										
0-27 DYS	24	5.3	32	1	1	3	8	10	16	26
1-11 MOS	269	3.9	38	<1	1	1	4	9	18	31
1-5 YRS	677	3.9	39	<1	<1	1	4	9	17	33
6-12 YRS	497	3.2	42	<1	<1	1	3	6	11	33
13-19 YRS	526	5.5	89	<1	1	2	5	15	23	53
GRAND TOTAL	1993	4.1	53	<1	<1	1	4	10	18	41

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	18	4.7	50	<1	1	2	4	9	23	31
1-5 YRS	177	4.5	26	1	1	3	6	10	15	27
6-12 YRS	226	4.3	41	1	2	3	5	9	13	25
13-19 YRS	371	4.5	29	1	2	3	5	10	15	27
2. MULTIPLE DX										
0-27 DYS	4	25.5	547	8	12	17	39	60	60	60
1-11 MOS	73	14.3	313	1	3	10	18	50	72	99+
1-5 YRS	405	9.2	106	1	2	5	13	23	31	60
6-12 YRS	489	10.0	139	1	2	6	14	24	31	72
13-19 YRS	964	9.5	156	1	2	5	11	22	34	82
TOTAL SINGLE DX	794	4.4	33	1	1	3	5	10	14	28
TOTAL MULTIPLE DX	1935	9.8	149	1	2	6	13	23	34	76
TOTAL										
0-27 DYS	6	18.5	451	2	8	12	18	56	60	60
1-11 MOS	91	12.4	275	1	2	7	15	33	67	99+
1-5 YRS	582	7.7	87	1	2	4	10	20	28	48
6-12 YRS	715	8.2	115	1	2	4	10	22	29	65
13-19 YRS	1335	8.1	126	1	2	4	10	19	28	71
GRAND TOTAL	2729	8.2	121	1	2	4	10	21	29	70

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	15	4.1	7	1	2	3	6	7	10	11
1-11 MOS	143	3.7	9	1	1	3	5	8	10	15
1-5 YRS	607	3.2	10	<1	1	2	4	7	9	16
6-12 YRS	571	3.1	10	1	1	2	4	7	9	15
13-19 YRS	578	3.2	19	1	1	2	4	6	8	14
2. MULTIPLE DX										
0-27 DYS	34	10.4	208	2	4	7	12	26	70	99+
1-11 MOS	235	6.9	68	1	3	5	8	13	21	56
1-5 YRS	912	4.7	30	1	1	3	6	10	15	28
6-12 YRS	990	4.9	55	1	1	3	5	10	17	34
13-19 YRS	2260	4.3	34	1	1	2	5	9	15	33
TOTAL SINGLE DX	1914	3.2	13	1	1	2	4	7	9	15
TOTAL MULTIPLE DX	4431	4.7	42	1	1	3	5	10	16	34
TOTAL										
0-27 DYS	49	8.4	154	2	3	6	9	16	31	99+
1-11 MOS	378	5.7	48	1	2	4	7	10	15	48
1-5 YRS	1519	4.1	23	1	1	3	5	9	13	25
6-12 YRS	1561	4.2	39	1	1	2	5	9	13	31
13-19 YRS	2838	4.1	31	1	1	2	5	9	14	30
GRAND TOTAL	6345	4.2	34	1	1	3	5	9	14	30

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	6.5	61	1	1	6	12	12	12	12
1-11 MOS	26	5.8	90	<1	<1	2	7	12	21	48
1-5 YRS	137	4.6	32	1	1	2	5	13	18	25
6-12 YRS	107	5.2	25	1	1	4	7	13	16	24
13-19 YRS	123	4.5	30	1	1	2	6	11	13	30
2. MULTIPLE DX										
0-27 DYS	3	6.3	14	2	5	8	54	99+	99+	99+
1-11 MOS	53	13.8	216	1	2	10	22	30	39	70
1-5 YRS	251	13.4	209	1	3	9	20	29	44	83
6-12 YRS	182	13.6	209	1	4	9	19	34	47	80
13-19 YRS	219	11.9	168	1	3	9	16	26	44	99+
TOTAL SINGLE DX	395	4.8	34	1	1	2	6	12	16	26
TOTAL MULTIPLE DX	708	13.0	196	1	3	9	18	29	45	91
TOTAL										
0-27 DYS	5	6.4	22	1	2	8	12	91	99+	99+
1-11 MOS	79	11.2	188	1	1	6	16	29	38	65
1-5 YRS	388	10.3	165	1	1	5	15	24	32	75
6-12 YRS	289	10.5	157	1	2	7	13	24	38	71
13-19 YRS	342	9.2	131	1	2	5	12	21	35	90
GRAND TOTAL	1103	10.1	153	1	2	6	13	24	36	79

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	2.0	4	<1	<1	1	3	5	5	5
1-5 YRS	39	3.4	22	<1	1	1	4	8	14	24
6-12 YRS	40	2.9	32	<1	1	1	2	5	8	36
13-19 YRS	52	3.6	11	<1	1	2	6	8	11	15
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	9.0	241	<1	2	4	6	36	44	44
1-5 YRS	42	6.2	78	1	1	3	6	17	23	46
6-12 YRS	50	5.1	41	1	1	2	6	18	21	99
13-19 YRS	87	10.1	179	1	2	5	15	29	65	99+
TOTAL SINGLE DX	135	3.3	20	<1	1	1	4	7	11	26
TOTAL MULTIPLE DX	187	7.8	124	1	1	3	10	24	43	99+
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	11	6.5	158	<1	1	2	5	21	42	44
1-5 YRS	81	4.9	53	<1	1	2	5	14	18	41
6-12 YRS	90	4.1	38	<1	1	2	4	13	20	74
13-19 YRS	139	7.7	126	1	1	3	9	24	38	99+
GRAND TOTAL	322	5.9	85	<1	1	2	6	17	27	99+

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	1.7	1	1	1	1	3	3	3	3
1-11 MOS	103	2.0	4	<1	1	1	2	5	7	11
1-5 YRS	312	2.4	13	<1	1	1	2	5	8	21
6-12 YRS	217	2.9	15	<1	1	1	3	7	11	19
13-19 YRS	213	2.9	10	<1	1	2	4	6	8	18
2. MULTIPLE DX										
0-27 DYS	3	21.7	212	5	11	28	31	32	32	32
1-11 MOS	100	3.5	12	1	1	2	5	8	11	17
1-5 YRS	471	4.6	27	1	1	3	6	11	14	28
6-12 YRS	301	5.2	57	1	1	3	6	12	16	41
13-19 YRS	408	5.0	43	1	1	3	6	11	19	44
TOTAL SINGLE DX	848	2.6	12	<1	1	1	3	6	8	18
TOTAL MULTIPLE DX	1283	4.8	39	1	1	3	6	11	16	33
TOTAL										
0-27 DYS	6	11.7	205	1	1	4	28	32	32	32
1-11 MOS	203	2.7	9	<1	1	1	3	6	10	15
1-5 YRS	783	3.7	23	<1	1	2	4	9	13	24
6-12 YRS	518	4.2	41	<1	1	2	5	10	15	32
13-19 YRS	621	4.3	33	<1	1	3	5	9	16	35
GRAND TOTAL	2131	4.0	30	<1	1	2	5	9	14	28

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

980 Hospitals, United States, Pediatric, January-December 1989, by Operation

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	2.6	9	<1	<1	1	3	8	8	8
1-5 YRS	9	3.0	21	<1	1	1	2	11	15	15
6-12 YRS	10	1.8	1	<1	1	2	2	3	4	4
13-19 YRS	6	7.0	130	<1	1	3	5	27	30	30
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	30	6.4	34	1	2	3	11	13	17	25
1-5 YRS	47	6.7	163	1	2	4	7	14	15	88
6-12 YRS	35	4.5	31	1	2	3	5	21	73	99+
13-19 YRS	31	6.1	81	1	2	3	6	13	19	49
TOTAL SINGLE DX	31	3.3	32	<1	1	1	3	6	15	30
TOTAL MULTIPLE DX	145	5.9	85	1	2	3	7	14	19	99+
TOTAL										
0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	35	5.9	32	1	2	3	10	13	16	25
1-5 YRS	56	6.1	142	1	2	3	6	14	15	84
6-12 YRS	45	3.9	26	1	1	2	4	16	35	99+
13-19 YRS	37	6.2	86	<1	2	3	6	13	26	49
GRAND TOTAL	176	5.5	76	1	2	3	6	14	18	96

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	3.1	21	<1	1	1	3	11	14	14
1-5 YRS	35	1.4		<1	1	1	2	2	3	5
6-12 YRS	36	2.1	22	1	1	1	1	2	6	29
13-19 YRS	98	2.2	9	1	1	1	2	4	7	19
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	12	2.0	2	1	1	1	3	5	6	6
1-5 YRS	55	2.3	7	1	1	1	2	7	9	95
6-12 YRS	64	3.3	22	1	1	1	3	11	18	99+
13-19 YRS	97	4.1	30	1	1	2	5	10	11	32
TOTAL SINGLE DX	177	2.1	11	1	1	1	2	4	6	23
TOTAL MULTIPLE DX	229	3.3	22	1	1	2	4	9	13	99+
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	20	2.5	10	1	1	1	3	5	10	14
1-5 YRS	90	1.9	5	1	1	1	2	4	7	65
6-12 YRS	100	2.9	22	1	1	1	2	9	15	99+
13-19 YRS	195	3.2	21	1	1	1	3	8	10	29
GRAND TOTAL	406	2.8	17	1	1	1	3	7	10	32

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	12	2.3	9	1	1	1	2	5	11	12
1-5 YRS	35	1.9	2	<1	1	1	2	5	7	7
6-12 YRS	43	2.3	4	<1	1	2	3	5	6	12
13-19 YRS	85	2.4	7	1	1	1	2	6	9	14
2. MULTIPLE DX										
0-27 DYS	3	13.3	136	3	5	11	22	26	26	26
1-11 MOS	14	6.5	84	1	1	2	8	17	30	34
1-5 YRS	51	4.7	38	1	1	2	6	13	16	33
6-12 YRS	59	5.0	34	1	1	2	8	16	21	92
13-19 YRS	112	5.4	42	1	1	3	7	13	15	39
TOTAL SINGLE DX	175	2.2	6	1	1	1	2	5	8	12
TOTAL MULTIPLE DX	239	5.3	43	1	1	3	8	13	19	38
TOTAL										
0-27 DYS	3	13.3	136	3	5	11	22	26	26	26
1-11 MOS	26	4.5	53	1	1	2	3	14	19	34
1-5 YRS	86	3.5	26	1	1	1	3	9	14	28
6-12 YRS	102	3.9	23	1	1	2	4	10	19	60
13-19 YRS	197	4.1	29	1	1	2	5	9	13	33
GRAND TOTAL	414	4.0	30	1	1	2	5	10	14	33

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	5	1.0		1	1	1	1	1	1	1
13-19 YRS	4	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	2	12.0	8	10	10	12	14	14	14	14
1-11 MOS	12	4.1	26	1	2	2	3	12	18	19
1-5 YRS	32	2.3	13	1	1	1	2	2	10	20
6-12 YRS	17	1.4	2	1	1	1	1	2	5	7
13-19 YRS	11	2.8	14	1	1	2	2	7	13	14
TOTAL SINGLE DX	15	1.3		1	1	1	2	2	2	2
TOTAL MULTIPLE DX	74	2.7	15	1	1	1	2	7	13	20
TOTAL										
0-27 DYS	2	12.0	8	10	10	12	14	14	14	14
1-11 MOS	15	3.6	22	1	2	2	3	9	16	19
1-5 YRS	35	2.2	12	1	1	1	2	2	9	20
6-12 YRS	22	1.3	2	1	1	1	1	2	4	7
13-19 YRS	15	2.3	11	1	1	1	2	3	11	14
GRAND TOTAL	89	2.5	13	1	1	1	2	4	11	20

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	13	4.7	70	1	1	2	3	13	28	32
1-5 YRS	45	1.8	2	<1	1	1	2	5	6	6
6-12 YRS	43	2.4	8	1	1	1	2	6	9	15
13-19 YRS	324	2.7	6	1	1	2	3	7	8	13
2. MULTIPLE DX										
0-27 DYS	6	3.3	3	1	2	3	5	6	6	6
1-11 MOS	36	3.6	20	<1	1	1	5	9	16	19
1-5 YRS	66	4.3	22	1	1	2	7	9	15	22
6-12 YRS	63	5.1	45	1	1	2	5	15	20	28
13-19 YRS	304	5.1	34	1	2	3	7	11	14	26
TOTAL SINGLE DX	427	2.6	9	1	1	2	3	6	8	14
TOTAL MULTIPLE DX	475	4.8	33	1	1	3	6	11	15	25
TOTAL										
0-27 DYS	8	2.9	3	<1	1	2	4	6	6	6
1-11 MOS	49	3.9	33	<1	1	1	4	9	17	32
1-5 YRS	111	3.3	16	<1	1	1	4	8	10	22
6-12 YRS	106	4.0	32	1	1	1	4	13	19	26
13-19 YRS	628	3.8	22	1	1	2	5	9	11	21
GRAND TOTAL	902	3.8	23	1	1	2	5	9	13	22

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	64	3.3	8	1	1	2	5	7	10	14
1-11 MOS	534	2.8	9	1	1	2	3	6	6	18
1-5 YRS	1182	2.7	12	1	1	2	3	5	8	17
6-12 YRS	1303	3.3	36	1	1	2	3	6	9	38
13-19 YRS	1387	3.7	32	1	1	2	4	7	12	31
2. MULTIPLE DX										
0-27 DYS	177	8.2	107	2	3	5	10	17	25	99
1-11 MOS	1211	5.8	46	1	2	4	7	13	17	36
1-5 YRS	2733	4.3	33	1	1	3	5	9	14	29
6-12 YRS	2553	5.1	72	1	1	3	5	10	19	51
13-19 YRS	3403	5.7	75	1	2	3	6	13	21	56
TOTAL SINGLE DX	4470	3.2	26	1	1	2	3	6	10	28
TOTAL MULTIPLE DX	10077	5.2	61	1	2	3	6	11	18	47
TOTAL										
0-27 DYS	241	6.9	86	1	2	4	8	16	22	97
1-11 MOS	1745	4.9	37	1	1	3	6	11	15	29
1-5 YRS	3915	3.8	28	1	1	2	4	8	12	27
6-12 YRS	3856	4.5	61	1	1	2	4	9	15	48
13-19 YRS	4790	5.1	64	1	1	3	5	11	18	48
GRAND TOTAL	14547	4.6	51	1	1	2	5	10	15	41

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	412	3.2	7	1	1	2	4	6	9	14
1-11 MOS	1554	3.4	12	1	2	2	4	6	8	20
1-5 YRS	1641	3.5	12	1	1	3	4	7	9	21
6-12 YRS	1581	3.4	16	1	1	2	4	7	10	17
13-19 YRS	4312	3.2	14	1	1	2	4	6	7	16
2. MULTIPLE DX										
0-27 DYS	1088	8.0	126	2	3	5	9	15	28	74
1-11 MOS	4355	6.5	67	2	3	4	7	13	21	49
1-5 YRS	4504	5.5	36	1	2	4	6	11	17	31
6-12 YRS	3589	6.1	48	1	2	4	7	14	21	38
13-19 YRS	8868	5.0	40	1	2	3	5	9	14	40
TOTAL SINGLE DX	9500	3.3	14	1	1	2	4	6	8	17
TOTAL MULTIPLE DX	22404	5.7	51	1	2	4	6	11	18	41
TOTAL										
0-27 DYS	1500	6.7	99	1	2	4	7	13	21	69
1-11 MOS	5909	5.7	55	1	2	4	6	11	18	44
1-5 YRS	6145	5.0	31	1	2	3	6	10	16	30
6-12 YRS	5170	5.3	40	1	2	3	6	11	18	35
13-19 YRS	13180	4.4	33	1	2	3	5	8	12	34
GRAND TOTAL	31904	5.0	41	1	2	3	5	10	15	36

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	12	18.0	654	2	5	11	78	99+	99+	99+
1-11 MOS	39	8.7	209	2	2	4	8	22	66	99+
1-5 YRS	84	4.0	43	2	2	3	4	5	6	46
6-12 YRS	48	4.3	42	1	1	2	4	8	19	39
13-19 YRS	57	4.1	17	1	2	3	4	8	12	24
2. MULTIPLE DX										
0-27 DYS	538	27.5	691	5	9	18	56	94	99+	99+
1-11 MOS	553	26.0	521	4	7	18	44	65	82	99+
1-5 YRS	668	12.9	215	2	3	6	19	34	43	67
6-12 YRS	567	13.0	147	2	4	10	19	28	37	96
13-19 YRS	607	8.1	93	2	3	5	10	17	24	61
TOTAL SINGLE DX	240	5.5	102	1	2	3	5	11	23	99+
TOTAL MULTIPLE DX	2933	17.1	381	2	4	10	24	52	77	99+
TOTAL										
0-27 DYS	550	27.3	692	5	9	18	56	95	99+	99+
1-11 MOS	592	24.9	520	3	6	16	43	65	81	99+
1-5 YRS	752	11.9	204	2	3	5	15	33	42	66
6-12 YRS	615	12.3	145	2	4	9	18	28	36	90
13-19 YRS	664	7.8	89	2	3	5	9	16	23	60
GRAND TOTAL	**3173**	**16.2**	**369**	**2**	**4**	**9**	**22**	**50**	**74**	**99+**

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	77	4.5	23	1	2	4	5	8	15	28
1-11 MOS	1839	3.4	7	1	2	3	4	6	8	15
1-5 YRS	3678	3.7	21	1	1	2	4	7	16	23
6-12 YRS	2124	5.3	56	1	2	3	4	16	24	34
13-19 YRS	2935	4.2	39	1	2	3	4	7	14	35
2. MULTIPLE DX										
0-27 DYS	192	9.5	150	2	3	5	10	24	43	88
1-11 MOS	4107	[illegible]	36	2	2	4	5	8	12	35
1-5 YRS	5927	4.[illegible]	27	1	2	3	5	8	13	28
6-12 YRS	2881	7.3	79	1	2	4	8	20	27	42
13-19 YRS	5491	6.6	97	1	2	3	5	15	30	49
TOTAL SINGLE DX	10653	4.1	32	1	2	2	4	8	16	30
TOTAL MULTIPLE DX	18598	5.6	61	1	2	3	5	11	21	42
TOTAL										
0-27 DYS	269	8.1	119	2	3	4	8	21	37	72
1-11 MOS	5946	4.4	28	1	2	3	5	8	10	28
1-5 YRS	9605	4.1	25	1	2	3	4	8	14	26
6-12 YRS	5005	6.4	71	1	2	3	6	19	25	39
13-19 YRS	8426	5.7	78	1	2	3	5	12	27	45
GRAND TOTAL	**29251**	**5.1**	**51**	**1**	**2**	**3**	**5**	**10**	**19**	**38**

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2; 98.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	28	3.8	7	1	2	3	6	8	9	10
1-11 MOS	198	3.7	5	1	2	3	5	6	7	11
1-5 YRS	353	2.7	2	1	2	2	3	4	6	9
6-12 YRS	271	3.1	5	1	2	3	4	5	7	14
13-19 YRS	1690	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	192	16.6	367	3	5	9	22	45	74	99+
1-11 MOS	774	7.6	114	2	3	4	7	15	30	64
1-5 YRS	735	5.6	46	1	2	3	6	11	18	36
6-12 YRS	664	7.1	55	1	3	5	9	14	20	36
13-19 YRS	2305	4.0	14	1	2	3	5	7	10	18
TOTAL SINGLE DX	2540	2.7	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	4670	5.8	64	1	2	4	6	11	18	45
TOTAL										
0-27 DYS	220	15.0	339	2	4	8	18	40	70	99+
1-11 MOS	972	6.8	95	2	3	4	6	12	26	62
1-5 YRS	1088	4.7	34	1	2	3	5	9	16	34
6-12 YRS	935	5.9	44	1	2	4	7	13	17	36
13-19 YRS	3995	3.3	10	1	2	3	4	6	8	15
GRAND TOTAL	**7210**	**4.7**	**45**	**1**	**2**	**3**	**5**	**8**	**13**	**37**

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	400	5.3	126	1	2	3	4	9	18	96
1-11 MOS	1513	3.4	33	1	1	2	4	6	9	32
1-5 YRS	1981	2.7	12	<1	1	2	3	5	7	16
6-12 YRS	1223	4.6	74	1	1	2	4	8	16	47
13-19 YRS	4026	3.3	36	1	1	2	3	5	7	37
2. MULTIPLE DX										
0-27 DYS	1193	21.0	724	2	4	9	38	86	99+	99+
1-11 MOS	4218	10.4	253	1	2	4	10	36	52	82
1-5 YRS	5043	5.9	78	1	2	3	6	14	25	47
6-12 YRS	3959	9.3	136	1	2	5	12	24	34	66
13-19 YRS	9554	5.6	82	1	2	3	5	11	21	61
TOTAL SINGLE DX	9143	3.5	40	1	1	2	3	6	9	40
TOTAL MULTIPLE DX	23967	7.9	166	1	2	3	7	20	37	88
TOTAL										
0-27 DYS	1593	17.1	620	2	3	6	21	79	99	99+
1-11 MOS	5731	8.6	205	1	2	3	7	24	47	76
1-5 YRS	7024	5.0	62	1	1	3	5	10	20	43
6-12 YRS	5182	8.2	126	1	2	4	10	21	32	63
13-19 YRS	13580	4.9	70	1	2	3	4	9	17	54
GRAND TOTAL	33110	6.7	135	1	2	3	6	15	31	80

APPENDIX A

1989 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL [3]
Hospital Category			
Bedsize			
6-24	378	55	14.6
25-49	1,126	189	16.8
50-99	1,202	221	18.4
100-199	1,143	213	18.6
200-299	714	122	17.1
300-399	392	87	22.2
400-499	202	40	19.8
500+	268	54	20.1
Unknown	1	0	
Total	**5,426**	**981**	**18.1**
Region and Census Division			
Northeast	773	213	27.6
New England	232	78	33.6
Middle Atlantic	541	135	25.0
North Central	1,579	304	19.3
East North Central	825	270	32.7
West North Central	754	34	4.5
South	2,052	156	7.6
South Atlantic	801	88	11.0
East South Central	474	37	7.8
West South Central	777	31	4.0
West	1,022	308	30.1
Mountain	363	160	44.1
Pacific	659	148	22.5
Location			
Urban	2,851	553	19.4
Rural	2,575	428	16.6
Teaching Intensity			
Low	4,443	731	16.5
Medium	687	173	25.2
High	296	61	20.6
Unknown	0	16	

---

[1] Hospitals with average stay less than 30 days

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1989 sample is compared to the universe of hospitals in 1988.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Region and Census Division

The regional volumes of the Length of Stay series are defined by four census regions: Northeast, North Central, South, and West.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1988 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P.J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast

Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central

Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South

Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West

Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Appendix D

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 321, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

Diagnosis Groups (continued)

304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
321	Derangement and displacement of intervertebral disc, except lumbar	722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92
358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental *ICD-9-CM* Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 618, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
618	Endoscopic retrograde cholangiopancreatographic procedures (ERCP)	51.10-51.11; 51.14-51.15; 51.64; 51.84-51.88; 51.97; 52.13-52.14; 52.21; 52.91; 52.93-52.94; 52.97-52.98
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1989 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy, except ischemic
150	ischemic
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit
	Cellulitis **(continued)**
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary

DIAGNOSIS INDEX (continued)

Group No.	Title
	Colic (continued)
354	renal
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox

Group No.	Title
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebrovascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired

DIAGNOSIS INDEX (continued)

Group No.	Title
134	Degeneration, globe of eye
86	Dehydration
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic
112	amphetamine
112	barbiturate
112	cocaine

Group No.	Title
	Dependence (continued)
111	heroin
112	LSD
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Dialysis **(continued)**
415	renal
214	Diaphragmatic hernia
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's
80	Cushing's
13	cytomegalic inclusion
197	dental
219	diverticular

Group No.	Title
	Disease **(continued)**
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
146	with renal disease or failure
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
146	with renal disease or failure
145	renal
146	with heart disease or failure
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
14	Lyme
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy

Group No.	Title
	Disease (continued)
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar

DIAGNOSIS INDEX (continued)

Group No.	Title
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions

Group No.	Title
	Effect, adverse **(continued)**
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial
218	noninfectious
222	regional
1	viral

DIAGNOSIS INDEX (continued)

Group No.	Title
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension
	Examination
417	follow-up
417	medical
	Failure
156	heart, except hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
238	renal, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow
	Fibrillation or flutter
154	atrial
155	ventricular

Group No.	Title
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible
372	medial malleolus
368	metacarpal
372	metatarsal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device

DIAGNOSIS INDEX (continued)

Group No.	Title
	Heart
147	attack
156	failure, execpt hypertensive and postoperative
144	hypertensive
146	with renal disease or failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids

Group No.	Title
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly

DIAGNOSIS INDEX (continued)

Group No.	Title
357	Hyperbilirubinemia, unspecified
84	constitutional
344	neonatal
84	Hypercalcemia
276	Hyperemesis gravidarum
80	Hyperinsulinism
84	Hyperlipoproteinemia
80	Hyperparathyroidism
249	Hyperplasia of prostate
86	Hyperpotassemia
143	Hypertension, except renal and of pregnancy
275	of pregnancy
301	with delivery
145	renal
146	renovascular
134	Hypertensive retinopathy
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion

DIAGNOSIS INDEX (continued)

Group No.	Title
	Injury (continued)
386	internal, except chest
385	chest
401	knee
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*

Group No.	Title
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability

DIAGNOSIS INDEX (continued)

Group No.	Title
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
14	Lyme
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria
32	Malignant melanoma, skin
105	Manic-depressive psychosis
342	Marfan syndrome
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis

Group No.	Title
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
27	bile duct
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye
	Neoplasm, malignant **(continued)**
38	fallopian tube
27	gallbladder
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, not further specified
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
27	liver
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, malignant **(continued)**
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple
411	single term
412	twin
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus

Group No.	Title
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
137	acute
136	chronic and unspecified
139	Otosclerosis
	Ovarian
257	cyst
266	disease, except endometriosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ovarian (continued)
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst

Group No.	Title
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome

DIAGNOSIS INDEX (continued)

Group No.	Title
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
342	Prader-Willi syndrome
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
	Proteinuria **(continued)**
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment
357	Rash

DIAGNOSIS INDEX (continued)

Group No.	Title
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic and hypertensive
237	chronic
145	hypertensive
146	with heart disease or failure
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis

Group No.	Title
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis
409	Serum sickness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy

DIAGNOSIS INDEX (continued)

Group No.	Title
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial,-except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis

Group No.	Title
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic

DIAGNOSIS INDEX (continued)

Group No.	Title
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper respiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, temporomandibular, and toe
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
713	toe
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain
	Biopsy (continued)
757	breast
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
657	prostate
606	rectum
549	salivary gland or duct
658	scrotum
762	skin
598	small intestine
507	spinal meninges
593	stomach
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary

Group No.	Title
	Bypass, graft or shunt (continued)
597	gastric
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling

OPERATION INDEX (continued)

Group No.	Title
	Catheterization **(continued)**
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder

Group No.	Title
	Control of hemorrhage **(continued)**
582	blood vessel
568	chest
629	laparotomy site
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach, except by endoscopic approach
597	endoscopic approach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No. **Title**

Debridement (continued)
- 715 fracture, except of femur and skull
  - 714 femur
  - 502 skull
- 768 nail, nail bed, nail fold
- 763 skin (infection) (wound), except nonexcisional
  - 764 nonexcisional

Decompression
- 509 carpal tunnel
- 502 cranial
- 506 laminectomy
- 506 spinal

Delivery
- 698 artificial rupture of membranes
- 696 breech extraction
- 700 cesarean section, except low cervical
  - 699 low cervical
- 697 forceps, except low forceps
  - 695 low forceps
- 697 internal and combined version

767 Dermabrasion
602 Derotation, intestine
779 Detoxification (alcohol) (drug)
579 Dialysis, except peritoneal
- 631 peritoneal

Dilation
- 644 bladder (neck)
- 602 large intestine
- 640 ureteral meatus
- 651 ureterovesical orifice
- 647 urethra, urethrovesical junction

683 Dilation and curettage (D and C), uterus, except for termination of pregnancy
- 682 termination of pregnancy

726 Dislocation-reduction, except hip and temporomandibular
- 725 hip
- 710 temporomandibular (joint)

Group No. **Title**

Division
- adhesions-*see Lysis, adhesions*
- 613 anal sphincter
- 741 fascia, except of hand
  - 743 hand
- 508 peripheral nerve
- 511 sympathetic nerve or ganglion

667 Dorsal or lateral slit of prepuce

Drainage-*see also Incision (and drainage)*
- 654 bladder, except surgical approach
  - 644 surgical approach (suprapubic)
- 568 chest
- 536 middle ear

781 Drug therapy
599 Duodenectomy

783 ECG (electrocardiogram)
582 ECMO (extracorporeal membrane oxygenation)
775 Echoencephalography
783 EEG (electroencephalogram)
609 EGD (esophagogastroduodenoscopy), except with biopsy
- 598 with biopsy

783 EKG (electrocardiogram)
783 Electrocardiogram (ECG) (EKG)
783 Electroencephalogram (EEG)
768 Electrolysis, skin
769 Encephalography

Endoscopy
- 618 biliary tract
- 641 bladder
- 566 bronchus
- 621 colon, except surgical approach
  - 609 surgical approach (transabdominal)
- 690 cul-de-sac, except for tubal ligation
  - 672 tubal ligation
- 590 esophagus

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy **(continued)**
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERC (endoscopic retrograde cholangiography)
618	ERCP (endoscopic retrograde cholangiopancreatography)
618	ERP (endoscopic retrograde pancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy

Group No.	Title
652	ESWL (extracorporeal shock wave lithotripsy), except of biliary tract
619	biliary tract
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
-	hydrocele
687	round ligament

OPERATION INDEX (continued)

Group No. **Title**

- Excision (continued)
  - hydrocele (continued)
    - 663 spermatic cord
    - 658 tunica vaginalis
  - 729 intervertebral disc or cartilage, except chemonucleolysis
    - 728 chemonucleolysis
  - 732 joint, except intervertebral disc and cartilage of knee
    - 729 intervertebral disc, except chemonucleolysis
      - 728 chemonucleolysis
    - 730 knee cartilage
  - 633 kidney, except partial
    - 636 partial
  - 730 knee cartilage (semilunar)
  - 583 lymph nodes, except radical
    - 584 radical
  - 508 neuroma, peripheral nerve
  - ovary
    - 670 bilateral
    - 669 unilateral
  - 549 parotid gland
  - 761 pilonidal cyst or sinus
  - 515 pituitary gland
  - 656 prostate, except transurethral approach
    - 655 transurethral approach
  - 522 pterygium
  - 762 sebaceous cyst, except of eyelid
    - 517 eyelid, eyebrow
  - 730 semilunar cartilage, knee
  - 586 spleen
  - 514 thyroglossal duct or tract
  - 513 thyroid
  - 767 toenail
  - 551 tongue
  - 552 tonsil, except with adenoids
    - 553 with adenoids
  - 555 tonsil tag

Group No. **Title**

- Excision (continued)
  - tubes and ovaries
    - 670 bilateral
    - 669 unilateral
  - 678 uterine fibroid
  - 577 varicocele, except of spermatic cord
    - 663 spermatic cord
- Excision of lesion (and destruction of tissue)
  - 628 abdominal wall
  - 611 anus
  - 619 bile duct, except by ERCP
    - 618 by ERCP
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 714 femur
  - 501 brain
  - 757 breast
  - 562 bronchus
  - 501 cerebral meninges
  - 676 cervix, except by conization
    - 675 conization
  - 598 colon
  - 520 conjunctiva
  - 522 cornea
  - 598 duodenum
  - 533 ear, external
  - 589 esophagus
  - 531 eye
  - 517 eyelid
  - 674 fallopian tube
  - 548 gingiva, gums
  - 598 intestine
  - 524 iris
  - 636 kidney

OPERATION INDEX (continued)

Group No. Title

Excision of lesion (continued)
598 large intestine
557 larynx
551 lip
564 lung
meninges
501 cerebral
507 spinal
742 mus~~cle~~
nerve
508 peripheral
511 sympathetic
542 nose, except submucous resection
540 submucous resection
668 ovary
620 pancreatic duct, except by ERCP
618 by ERCP
549 parotid gland
666 penis
perineum
691 female
762 male
508 peripheral nerve
607 perirectal tissue
628 peritoneum
606 rectum
549 salivary gland
524 sclera
658 scrotum
762 skin, except debridement, radical and of pilonidal cyst
763 debridement
761 pilonidal cyst or sinus
764 radical
507 skull
598 small intestine
507 spinal meninges
593 stomach

Group No. Title

Excision of lesion (continued)
742 tendon
661 testis
551 tongue
558 trachea
640 ureter
646 urethra
687 uterine ligament
678 uterus
690 vagina
558 vocal cord
691 vulva
Exenteration
531 eyeball, orbit
681 pelvic
Exploration
629 abdominal cavity
619 bile duct, except by ERCP
618 by ERCP
636 kidney
629 Exploratory laparotomy
601 Exteriorization, intestine
Extracorporeal
582 circulation
582 membrane oxygenation (ECMO)
shock wave lithotripsy (ESWL)
619 biliary tract
652 urinary tract
Extraction
696 breech, for delivery
546 dental
694 menstrual
546 teeth
697 vacuum, for delivery

767 Face lift

OPERATION INDEX (continued)

Group No.	Title
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
	Fistulization
523	sclera (for glaucoma)
561	transesophageal (larynx)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction

Group No.	Title
	Fracture-reduction (continued)
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy

OPERATION INDEX (continued)

Group No. Title

- Graft
  - 717 bone, except facial, femur and skull
    - 710 facial
    - 716 femur
    - 503 skull
  - 765 free, of skin
  - 551 lip
  - 746 muscle, except of hand
    - 744 hand
  - 766 pedicle, of skin
  - skin
    - 765 free
    - 766 pedicle
  - 746 tendon, except of hand
    - 744 hand

- 573 Heart catheterization
- 582 Heart-lung bypass
- 600 Hemicolectomy
- 579 Hemodialysis
- 612 Hemorrhoidectomy
- 615 Hepatectomy
- Herniorrhaphy
  - 627 diaphragmatic
  - 626 epigastric
  - 624 femoral
  - 626 incisional
  - inguinal
    - 623 bilateral
    - 622 unilateral
  - 625 umbilical
  - 626 ventral
- 736 Hip replacement, except total
  - 735 total
- 576 His bundle study
- 781 Hyperalimentation

Group No. Title

- 778 Hyperthermia, except localized
  - 781 localized, for treatment of malignancy and other lesions
- 515 Hypophysectomy
- 679 Hysterectomy, except radical and vaginal
  - 681 radical
  - 680 vaginal
- 686 Hysteropexy
- 687 Hysteroscopy
- 678 Hysterotomy, except for termination of pregnancy
  - 701 termination of pregnancy

- 603 Ileostomy, except loop
  - 601 loop
- 638 Ileoureterostomy
- Implant, implantation
  - 648 artificial urinary sphincter
  - 760 breast
  - 574 cardiac pacemaker (electrodes) (pulse generator)
  - 575 cardioverter/defibrillator
  - 538 cochlear prosthetic device
  - 538 electromagnetic hearing device (bone) (cochlea)
  - 755 limb prosthesis
- Incision (and drainage)
  - 628 abdominal wall
  - 610 anal fistula
  - 605 appendix
  - 691 Bartholin's gland or abscess
  - 712 bone, except facial and femur
    - 710 facial
    - 711 femur
  - 501 brain
  - 760 breast
  - 501 cerebral meninges
  - 568 chest (wall)
  - 522 cornea
  - 502 cranial sinus

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) (**continued**)
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess
658	scrotum
	sinus (nasal)-*see Sinusotomy*
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges
	Incision (and drainage) (**continued**)
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis
767	tissue expander, except breast
760	breast
651	ureteral stent, except by incision
637	by incision
674	Insufflation, fallopian tubes
582	Interruption, vena cava
702	Intra-amniotic injection for termination of pregnancy
775	Intravenous pyelogram (IVP)

OPERATION INDEX (continued)

Group No.	Title
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter

Group No.	Title
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
757	subtotal
537	Mastoidectomy, except revision
538	revision

OPERATION INDEX (continued)

Group No. Title

760 Mastotomy
Meatotomy
  640 ureteral
  645 urethral
698 Medical induction of labor
730 Meniscectomy, knee
694 Menstrual extraction or regulation
707 Mentoplasty
782 Monitoring, circulatory (CVP) (PCW)
775 MRI (magnetic resonance imaging)
770 Myelography
678 Myomectomy, uterus
536 Myringotomy

633 Nephrectomy (complete)
636 Nephropexy
775 NMR (nuclear magnetic resonance imaging)
Nutritional infusion
  783 enteral
  781 parenteral (PPN) (TPN)

690 Obliteration, vagina or vaginal vault
767 Onychectomy
767 Onychoplasty
Oophorectomy
  670 bilateral
  669 unilateral
532 Ophthalmoscopy
659 Orchiectomy
660 Orchiopexy
661 Orchioplasty, except suspension
  660 suspension
715 Ostectomy, except facial bone and femur
  707 facial bone, except partial
    706 partial

Group No. Title

Ostectomy, except facial bone and femur **(continued)**
  714 femur
717 Osteoplasty, except facial bone and femur
  707 facial bone
  714 femur
712 Osteotomy, except facial bone and femur
  707 facial bone
  711 femur
539 Otoscopy

550 Palatoplasty
620 Pancreatectomy
620 Pancreatotomy
Paracentesis
  628 abdominal
  524 anterior chamber (eye)
  576 thoracic
514 Parathyroidectomy
549 Parotidectomy
592 PEG (percutaneous endoscopic gastrostomy)
603 PEJ (percutaneous endoscopic jejunostomy)
681 Pelvic exenteration
Percutaneous
  endoscopic
    592 gastrostomy (PEG)
    603 jejunostomy (PEJ)
  582 transluminal angioplasty, except coronary
    571 coronary
575 Pericardiocentesis
631 Peritoneal dialysis
630 Peritoneoscopy
556 Pharyngoscopy
555 Pharyngotomy
773 Phlebography
781 Photopheresis
539 Piercing, ear

OPERATION INDEX (continued)

Group No.	Title
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
	Polypectomy
589	esophagus
598	large intestine
593	stomach
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)

OPERATION INDEX (continued)

Group No.	Title
	Reduction (continued)
	fracture
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	site, other than above
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
621	hemorrhoids
	hernia-*see also Herniorrhaphy*
783	manual
602	intestinal torsion
602	intussusception, intestine
760	mammoplasty
602	volvulus, intestine
	Rehabilitation
779	alcohol
779	drug
	Release
	adhesions-*see Lysis, adhesions*
743	Dupuytren's contracture
767	scar contracture, skin
648	urethral stricture
	Removal
718	bone growth stimulator

Group No.	Title
	Removal (continued)
	calculus
619	biliary tract, except by ERCP or percutaneous
618	by ERCP
617	percutaneous
644	bladder, except transurethral approach
643	transurethral approach
636	kidney, except transurethral approach
639	transurethral approach
519	lacrimal tract (by incision)
532	without incision
620	pancreatic duct, except by endoscopic approach
618	endoscopic approach
637	ureter, except transurethral approach
639	transurethral approach
783	catheter, nonoperatively
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively

OPERATION INDEX (continued)

Group No.	Title
	Removal (continued)
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
713	claw toe
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus

Group No.	Title
	Repair (continued)
713	hammer toe
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	laceration-*see also Repair, by site*
705	obstetric
561	larynx
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
713	toe(s)
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder

Group No.	Title
	Resection (continued)
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump
580	arteriovenous shunt for dialysis
597	gastric anastomosis
602	intestinal anastomosis
538	mastoidectomy
561	tracheostomy
538	tympanoplasty
505	ventricular shunt
541	Rhinoplasty
767	Rhytidectomy, facial
548	Root canal therapy
548	Root resection (tooth)
698	Rupture of membranes for delivery
	Salpingectomy
673	bilateral
674	unilateral

OPERATION INDEX (continued)

Group No.	Title
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP
618	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy

Group No.	Title
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy

OPERATION INDEX (continued)

Group No.	Title
	Termination of pregnancy (continued)
702	intra-amniotic injection
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
635	kidney
615	liver
567	lung
746	muscle, except of hand
744	hand
620	pancreas
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy
641	Urethroscopy
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy

OPERATION INDEX (continued)

Group No.	Title
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
644	Vesicostomy
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin